

no p. 8

GENERAL INDEX

LEAFLETS OF PHILIPPINE BOTANY

(VOLUMES I TO X)


(The host, family and genus index of the Fungi in volume VI, page 2169 and in volume VII, page 2531 are not included in this general index. Neither are the lists of Ficus in volume IV, page 1235 and in volume IX, page 3427 included).

(Synonyms and binomials cited in the text matter, in keys, in the errata and correction list are in italics. New species and varieties or new combinations are in small capital letters).

A

- Abelmoschus *haenkeanus*, VIII 2754
 todayensis, VIII (3107)
 TODAYENSIS, VIII 2752
- Abrus *precatorius*, VI 2073: VII 2425
- Absidia *coerulea*, VI 2147
- Acacia *farnesiana*, VI 2240
- Acalypha *cardiophylla*, VII 2632
 stipulacea, IV 1275
 stipulacea, V 1545: VI 2082, 2097:
 VII 2432
 SUBCINEREA, VII 2631
- Acanthrostigma *bambusae*, VIII 2951
- Acer *niveum*, IV 1159: VI 2146
 philippinum, VI 2138: VII 2497
- Acerbia *culmigena*, VIII 2954
 donacina, VI 2264: VII 2463
 MAYDIS, VIII 2953
- Achrostichum *aureum*, II 415: III 850
 cumingii, II 417
 decurrens, II 416
 obtusifolium, II 416, 417
- Acmella *grandiflora*, I 168
- Acoridium *curranii*, IX 3143
- Acrophorus *stipellatus*, II 389
- Acrosorus *exaltatus*, III 835
- AcrospERMUM *elmeri*, VI 2137
 ELMERI, VI 1931
 latissimum, VI 2137
 LATISSIMUM, V 1544
- Actephila *dispersa*, IV 1273
 dispersa, V 1543: VI 2094
 gigantifolia, III 905
 GITINGENSIS, III 903
 MAGNIFOLIA, III 904
- Actinodaphne CINEREA, V 1795
 conferta, X 3751
 COPELANDII, X 3750
 MICROPHYLLA, II 375
- Actinodothis *piperis*, VII 2451
- Actinorhytis *calapparia*, VIII 3010
- Actinothyrium *maculosum*, IX 3138
- Adelneria ALBIDUM, VIII 2964
 ALPINUM, VIII 2885
 BIFIDA, II 603
 gigantifolium, VIII 2965
 GIGANTIFOLIUM, VIII 2963
- Adenosacme APOENSIS, III 1001
 cauliflora, III 1002
 longifolia, III 1003
 mindanaensis, V 1855
 MINDANAENSIS, III 1002
 sortechinii, III 1002
- Adenostemma *viscosum*, I 99
- Adenostylis *affinis*, V 1551, 1552
 benguensis, V 1552
 BENGUETENSIS, V 1551
 elmeri, V 1552
 ELMERI, V 1552
 marivelensis, V 1552
- Adiantum *caudatum*, II 405
 CUPREUM, IV 1152

3849



- diaphanum*, III 831: IX 3150
opacum, IV 1152
philippense, II 404
scabripes, V 1683
Adina GARCIAE, III 986
 MINDANAENSIS, III 1002
 multiflora, I 3
 multifolia, III 987
 philippinensis, III 989
 polycephala, III 988
 ZSCHOKKEI, III 987
Adinandra APOENSIS, VIII 2833
 CORIACEA, I 322
 elliptica, VIII 2837
 loheri, VIII 2836
 MERRILLII, VIII 2834
 montana, VIII 2838
 ROBINSONII, VIII 2836
 urdanetensis, X 3810
 URDANETENSIS, VIII 2837
Aecidium banosense, VI 2067: VII 2419
 blumeae, VI 2067: VII 2419
 clerodendri, VI 2067: VII 2419
 desmium, VI 2074
 dioscoreae, VI 2074
 flavidum, IX 3133
 kaernbachii, VI 1921, 2068: VII 2419
 lagunense, VI 2068
 luzoniense, VI 2068
 machili, VI 2068: VII 2420
 nummulare, VI 2069: VII 2020
 paederiae, VI 2069: VII 2420
 parile, VII 2420
 phaseolorum, VII 2426
 phyllanthinum, VI 2069: VII 2420
 plucheae, VI 2069: VII 2420
 rhytismoideum, VII 2420
 torae, VI 2069: VII 2420
 uvariae-rufae, VI 2069: VII 2421
Aegiceras corniculatum, VI 2156
Aeschnanthus motleyi, III 953
Afzelia bijuga, VI 2103
Aganosma APOENSIS, IV 1445
Agathis philippinensis, II 532
Agelaea everettii, X 3718
 PLATYPHYLLA, X 3717
Ageratum conyzoides, I 100
 quadriflorum, I 96
Aglaia acuminata, IX 3287
 affinis, IX 3275
 affinis, IX 3291, 3292, 3321
 AGUSANENSIS, IX 3275
 aherniana, IX 3277
 aherniana, IX 3282
 alternifolia, IX 3310
 anonoides, IX 3300
 antonii, IX 3280
 ANTONII, IX 3278
 apoana, IX 3280
 banahaensis, IX 3292, 3321
 BANAHAENSIS, IX 3281
 bernardoi, IX 3303
 bicolor, IX 3293
 bordenii, IX 3300, 3301
 brachybotrys, IX 3282
 brevipetiolata, IX 3298
 bulusanensis, IX 3293
 CALELANENSIS, IX 3283
 cauliflora, IX 3285
 caulobotrys, IX 3285
 clarkii, IX 3285
 clarkii, IX 3303
 COPELANDII, IX 3286
 costata, IX 3318, 3319
 cumingiana, IX 3293, 3317
 CUPREA, IX 3287
 curranii, IX 3280, 3297
 DAVAOENSIS, IX 3289
 denticulata, IX 3291
 denticulata, IX 3314
 diffusa, IX 3292
 diffusa, IX 3291, 3292, 3321
 diffusiflora, IX 3293
 diffusiflora, IX 3277, 3318
 everettii, IX 3277, 3300, 3307.
 3319
 glabrifolia, IX 3312
 glomerata, IX 3305
 grandifoliola, IX 3319
 harmsiana, IX 3294
 harmsiana, IX 3282, 3294
 hexandra, IX 3308
 iloilo, IX 3294
 irosinensis, IX 3277
 laevigata, IX 3287, 3293
 lagunensis, IX 3294, 3310
 langlassei, IX 3294
 langlassei, IX 3297, 3310
 lepidota, IX 3278
 llanosiana, IX 3295
 llanosiana, IX 3277, 3282, 3310
 loheri, IX 3314
 longipetiolata, IX 3291
 LONGIPETIOLATA, IX 3295

- luzoniensis*, IX 3297
luzoniensis trifoliata, IX 3298
MERRILLII, IX 3298
micrantha, IX 3280
mindanaensis, IX 3306, 3319
monophylla, IX 3298
multifoliola, IX 3289, 3293
negrosensis, IX 3306
nivea, IX 3294
odorata, IX 3300
oligantha, IX 3300
palawanensis, IX 3280, 3291
pallida, IX 3307
pauciflora, IX 3301
pauciflora, IX 3282
PERFULVA, IX 3302
QUERCIFLORESCENS, IX 3303
ramosii, IX 3289, 3293
reticulata, IX 3300
RETICULATA, IX 3306
rimosa, IX 3308
rizalensis, IX 3297, 3298
samarensis, IX 3308
samarensis, IX 3310
SIBUYANENSIS, IX 3308
SORSOGONENSIS, IX 3310
SURVIRIDIS, IX 3312
tarangisi, IX 3317
TARANGISI, IX 3314
trunciflora, IX 3285
turczaninowii, IX 3277, 3282, 3295
UMBRINA, IX 3317
unifoliata, IX 3298
urdanetensis, IX 3292
URDANETENSIS, IX 3319
villamillii, IX 3312
Aglaomorpha brooksii, IX 3150
Aglaonema ALPINUM, X 3611
commutatum, X 3612
densinervium, VI 2095, 2157
latifolium, X 3613
oblongifolium, X 3612
philippinense, X 3613
Agrostistachys maesoana, IV 1276
Ainsliaea reflexa, I 180
Aithaloderma clavatisporum, VI 2096:
 VII 2446
Alangium begoniaefolium, VI 2201,
 2214: VII 2476, 2479
Albizzia acle, VI 2267: VII 2483
lebbek, VI 2075, 2157
MAGALLANENSIS, II 693
marginata, VI 2102
pedicellata, II 694
Alchornea ARBOREA, IV 1274
rugosa, IV 1273
rugosa, VI 2157, 2197: VII 2471,
 2516: VIII 2942: IX 3138
Aldona stella-nigra, VI 2137: VII 2497:
 IX 3137
Aleuritis moluccana, VI 2232, 2272:
 VII 2496, 2516
Allaeanthus luzonicus, VI 2159: VII
 2520
Allescherina strebli, VII 2478
STREBLI, VI 2264
Allophylus LEPTOCLADUS, V 1602
REPANDO-DENTATUS, V 1603
SIMPLICIFOLIUS, V 1601
SUBINCISO-DENTATUS, V 1603
UNIFOLIATUS, I 208
Alocasia heterophylla, X 3613
heterophylla, X 3701
indica, VI 2117: VII 2473
macrorrhiza, X 3614
macrorrhiza, VI 2117: X 3615
maquilingensis, X 3615
maquilingensis, IX 3489
TALIHAN, X 3614
URDANETENSIS, X 3699
vulcanica, IX 3114, 3489: X 3616
zebrina, X 3616
Alpinia APOENSIS, VIII 2888
brevilabris, II 603
CONGESTA, VIII 2968
copelandii, VIII 2894
cumingii, VIII 2890
diversifolia, VIII 2991
elegans, VIII 2969
flabellata, VIII 2891, 2966, 2967,
 2971
flabellata major, VIII 2971
foxworthyi, VIII 2887
galanga, II 571
glabrescens, II 604
graminea, VIII 2966
haenkei, II 603: VIII 2967
haenkei, VIII 2894
illustris, VIII 2894
LONGIPETIOLATA, VIII 2969
LUTEO-CARPA, X 3803
MUSAEFOLIA, II 604
pendula, VIII 2991
PENDULIFLORA, II 571
pubiflora, VIII 2965
pyramidata, II 604: VIII 2967

- ROMBLONENSIS, VIII 2889
rosea, VIII 2892
 ROSEA, VIII 2890
rufa, II 604: VIII 2887, 2968
 SIBUYANENSIS, VIII 2891
 SUBFUSICARPA, VIII 2892
trachyascus, VIII 2894
 VULCANICA, VIII 2971
 Alsodeia DUBIA, VIII 2875
formicaria, V 1538: VI 2087
 FORMICARIA, V 1850
 Alsomitra GRACILIPES, X 3722
integrifoliola, X 3723
 Alsophila ELMERI, II 419
glauca, II 420: IX 3148
latebrosa, II 420
latebrosa, II 420
 Alstonia *angustiloba*, IV 1448
 IWAHIGENSIS, IV 1447
macrophylla, VI 2227, 2258: VII 2432, 2442
scholaris, VI 2083, 2141, 2142, 2203: VII 2464
 Alternaria brassicae, VII 2520
 Alyxia *concatenata*, IX 3175
confertiflora, X 3694
monilifera, VI 2096: X 3694
 QUADRATA, X 3692
 SIBUYANENSIS, IV 1448
selangarica, IV 1449
 Amaracarpus APOENSIS, VIII 2804
brauniana, VIII 2805
longifolius, III 1022
 LONGIFOLIUS, I 1
microphylla, III 1036
microphylla, VIII 2805
pubescens, I 1
 Amauroderma ELMERIANUM, I 268
 Amazonia psychotriac, IX 3136
 Amomum BULUSANENSE, VIII 2973
conoideum, VIII 2972
conoideum, VIII 2973
deuteramomum, VIII 2895, 2976, 2977
fusiforme, II 604
fusiforme, VIII 2794
lepicaarpa, VIII 2902, 2979, 2988
 LEPICARPA, II 604
lepicaarpa pubescens, VIII 2979
 LEPICARPA PUBESCENS, II 605
 LINEARIFOLIA, VIII 2975
loheri, VIII 2898, 2976
lophophora, VIII 2973
 LUZONENSE, VIII 2976
 MINDANAENSE, VIII 2894
muricarpum, VIII 2980
 MURICARPUM, VIII 2896
palawanense, VIII 2895
 PALAWANENSE, VIII 2897
pandanicaarpa, VIII 2900, 2979
 PANDANICARPUM, VIII 2899
propinquum, VIII 2894
propinquum, VIII 2894, 2897, 2980
pubimarginatum, VIII 2974
 PUBIMARGINATUM, VIII 2900
trilobum, VIII 2976
warburgii, VIII 2902, 2976
 Amoora *aherniana*, IX 3325
 CAESIFOLIA, IX 3321
 CONDUPLIFOLIA, IX 3324
cupulifera, IX 3323
elmeri, IX 3338
macrocarpa, IX 3325
mindorensis, IX 3323
 Amorphophallus *campanulatus*, X 3617
campanulatus, VI 2072, 2160: VII 2521
 Amphispheeria ARENGAE, VIII 2947
bambusina, VI 2116, 2261: VII 2469
clerodendri, VII 2469
 CLERODENDRI, VI 2200
 CORONATA, VI 2200
diplasia, VI 2201
donacina, VI 2261
dunarum, VI 2262
leucaenae, VI 2117
 LEUCAENAE, VI 1940
notabilis, VII 2469
 NOTABILIS, VI 2262
palawanensis, VII 2469
schizostachyi, VII 2469: VIII 2947
 SCHIZOSTACHYI, VI 2262
subiculosa, VI 1940
 Anamirta *cocculus*, IV 1165
cocculus, IV 1163
 Anaphalis *cinnamomea*, I 120
 Anaptychia *hypoleuca*, II 436
leucomelaena, II 436
 Andropogon *aciculatus*, X 3509
aciculatus, VI 2156: VII 2429
citratus, VI 2070
contorta, VI 2080
halepense, VI 2110
halepense propinquum, VI 2081

- sorgi*, VII 2457
Angelesia splendens, V 1628: VII 2439: X 3809 :
Angiopteris angustifolia, II 425: III 796
ankolana, V 1680
 ELMERIANA V 1679
erecta, V 1680
microsporangia, V 1680
pruinosa, II 425
Anodendron corymbosum, X 3594
 CORYMBOSUM, II 512
Antennaria cinnamomea, I 120
Anthemis cotula, I 164
Anthistira arundinacea, VII 2429
Anthoceros ELMERI, II 385
Anthostoma eumorphum, VI 2216: VIII 2940
 flagellariae, VII 2478
 FLAGELLARIAE, VI 2216
 gigasporum, VI 1940, 2122
 gigasporum, VI 1941
 MEGALOSPORUM, VI 1941
Anthostomella ARECAE, VIII 2938
 arengae, VIII 2940
 atronitens, VII 2470
 ATRONITENS, VI 2196
 bahiensis, VIII 2939
 bambusae, VII 2471
 bicineta, VII 2470
 CALAMI, VIII 2939
 calocarpa, VI 2119: VII 2470
 cocoina, VII 2470
 copelandi, VII 2470
 COPELANDI, VI 2197
 CORYPHAE, VIII 2940
 CORYPHAE MINUTISSIMA, VIII 2940
 discophora, VI 2119
 donacina, VI 2119
 donacina, VI 2197
 DONACINA ARENGAE, VIII 2940
 donacis, VII 2470
 DONACIS, VI 2259
 elmeri, VI 2091, 2119
 ELMERI, V 1544
 eumorpha, VIII 2940
 grandispora, VIII 2939
 grandispora schizostachyi, VI 2119, 2260: VII 2470
 lichenoides, VII 2471
 LICHENOIDES, VI 2197
 lucens, IX 3135
 micraspis, VI 2197, 2205: VII 2471: VIII 2938
 mindorensis, VI 2119, 2196: VII 2471
 mindorensis, VI 2260: VIII 2940
 mindorensis verruculosa, VII 2471
 MINDORENSIS VERRUCULOSA, VI 2196
 minore, VI 2260
 mirabilis, VI 1940, 2120, 2196, 2260: VI 2471
 mirabilis, VI 2197: VII 2472: VIII 2939
 mirabilis bambusae, VII 2471
 mirabilis bambusae, VII 2471
 MIRABILIS DISCOPHORA, VIII 2939
 mirabilis oblecta, VII 2472
 MIRABILIS OBTECTA, VI 2261
 mirabilis schizostachyi, VI 2260: VII 2472
 MIRABILIS SCHIZOSTACHYI, VIII 2939
 pachyderma, VI 2197
 pandani, VIII 2939
 sacchariferae, VII 2472
 SACCHARIFERAE, VI 2260
 tomicum, VI 2197
 UBERIFORMIS, VIII 2937
Antidesma AGUSANENSE, VII 2632
 bunius, VI 2096, 2208, 2267: VII 2473, 2484, 2490
 cumingii, III 905
 cumingii, IV 1273
 curranii, X 3733
 FRUTIFERUM, X 3731
 FUSICARPUM, VIII 3081
 ghaesembilla, IV 1271
 ghaesembilla, VI 2073, 2082: VII 2431
 leptocladum, IV 1271
 leptocladum, VII 2633
 leptocladum genuinum, III 906
 lucidum, III 905
 membranaefolium, III 905: IV 1273
 MEMBRANAEFOLIUM, I 313
 MICROCARPUM, II 487
 mindanaense, VII 2634
 nitidum, VII 2633
 OBLIQUICARPUM, VII 2633
 rostratum, VIII 3082
 subcordatum glabrifolium, VIII 3082
 SUBOLIVACEUM, IV 1272
 URDANETENSE, VII 2635
Antirrhoea benguetensis, III 1009
 benguetensis, IV 1329

- hirsutiuscula*, III 1009
 LIVIDA, IV 1327
philippinensis, III 1009: IV 1327
philippinensis, IV 1328
Antrophyum callifolium, III 832: IX 3155
callifolium, IX 3155
clementis, II 406: III 832
immersum, III 833
latifolium, III 833
parvulum, II 406
parvulum, II 406
plantagineum, II 406: III 832
reticulatum, II 406: III 832
strictum, IX 3155
Aphanamixis AGUSANENSIS, IX 3328
apoensis, IX 3338
 APOENSIS, IX 3326
coriacea, IX 3330
cumingiana, IX 3331
cumingiana, IX 3340
davaoensis, IX 3328
 DAVAOENSIS, IX 3331
obliquifolia, IX 3330, 3335, 3337
 OBLIQUIFOLIA, IX 3333
perrottetiana, IX 3335
pinatubensis, IX 3336
pinatubensis, IX 3340
 PINATUBENSIS, IX 3205
pulgarensis, IX 3330, 3335, 3490
 PULGARENSIS, IX 3336
tripetala, IX 3338
velutina, IX 3206
 VELUTINA, IX 3338
Aphananthe NEGROSENSIS, II 575
Apiospora apiospora, VI 2111: VIII 2946
apiospora, VI 2199
apiospora minor, VI 2112
camptospora, VI 2199: VII 2463
 CARBONACEA, VIII 2945
curvispora rottboelliae, VI 2112, 2199: VII 2463
luzonensis, VII 2463
luzonensis, VI 2112
montagnei, VI 2112
striola minor, VI 2112
Apiosporella aberrans, VI 2112
aberrans, VIII 2946
coryphae, VI 2112
Apluda mutica, X 3509
Aporosa AGUSANENSIS, VII 2636
similis, VII 2636
sphaeridophora, X 3807
Apostasia lobbii, VI 2095
Aquilaria bancana, VII 2675
Arachis hypogaea, VI 2162
Aralia APOENSIS, VII 2325
Arcangelisia lemniscata, IV 1163
Areca caliso, VIII 3000
 CALISO, VIII 2998
catechu, VIII 2997
catechu, II 640, 641: VI 2156, 2157: VII 2483, 2510, 2516, 2528: VIII 2938, 2998
catechu humilis, II 639, 641: VIII 2998
glandiformis, II 641
ipot, VIII 2998
ipot, II 641
 IPOT, II 639
macrocalyx, II 641
whitfordii, VIII 2997
Arenga ambong, VIII 3023
mindorensis, VIII 3021
mindorensis, VI 1936, 1938, 1945, 2101, 2113, 2116, 2119, 2134, 2195, 2196, 2232: VII 2471, 2473, 2476: VIII 2927, 2949
saccharifera, VIII 3021
saccharifera, VI 2120, 2121, 2203, 2232, 2260, 2274, 2280: VII 2443, 2453, 2472, 2476, 2502: VIII 2936, 2945, 2950
tremula, VIII 3022
Ardisia APOENSIS, II 663
candolleana, VI 2103: VII 2455
 CLEMENTIS, II 665
copelandii, II 660
cuprea, X 3765
 CUPREA, VIII 2777
 CURTIFLORA, VIII 2778
darlingii, IV 1499
disticha, VIII 2778: X 3765
elmeri, II 441
 FRAGRANS, II 664
 GITINGENSIS, IV 1498
 IWAHIGENSIS, V 1817
jagorii, II 665: IX 3116
marginata, IV 1497
mezii, II 440
 MEZII, II 440
mindanaensis, II 659
mindanaensis, II 663: IV 1497
oblongifolia, V 1818
 OCHRACEA, V 1819
 OLIGANTHA, IV 1496
pardalina, II 659
pardalina, IV 1497: X 3807
 PENINSULA, X 3764
philippinensis, X 3765

- punctata*, II 660
 PUNCTATA, II 439
racemosa-paniculata, II 661
 ROMANII, V 1820
scabrida, II 660
serrato-brevipetiolata, IV 1498
 SIBULANENSIS, II 661
 SIBUYANENSIS, IV 1497
squamulosa, X 3807
tomentosa, X 3765
warburgiana, II 659
warburgiana, II 662
Argostemma maquilingense, IX 3246
 MAQUILINGENSE, IX 3242
 neesianum, I 3
 neesianum, IX 3244, 3245
 PEDICELLATUM, IX 3243
 QUADRIPETALA, I 63
 RUPESTRINUM, IX 3244
 solaniflorum, V 1855
 solaniflorum, IX 3243, 3246
 SOLANIFLORUM, I 2
 UMBELLATUM, IX 3245
 wallichii, I 3
 wallichii, IX 3244, 3245
Argyreia PURPURICARPA, V 1766
Aristolochia tagala, VI 2117: IX 3135
Artabotrys cumingiana, I 291: V 1708
 cumingiana glabra, V 1707
 CUMINGIANA RETICULATA, V 1706
 CUMINGIANA SUBGLABRA, V 1705
 LUTEUS, I 290
 STOLONIFERA, X 3684
 VIDALIANA, V 1707
Artemisia absinthium, I 142
 absinthium, I 141
 parviflora, I 141
 parviflora, I 141
 viridis, I 164
 vulgaris, I 141
 vulgaris, I 141
Arthraxon ciliaris, VI 2073
Arthraxonis ciliaris, VII 2425
 ovalifolium, VII 2553
 PULGARENSE, VII 2551
Arthropodium SABLANENSE, I 331
Arthropteris oblitterata, III 829
Artocarpus blumei, II 613
 blumei, II 610
 camansi, II 615
 communis II 615
 communis, II 610: VIII 2932
 communis blancoi, II 610
 COMMUNIS BLANCOI, II 617
 cumingiana, II 620
 cumingiana, II 611, 621
 incisa, II 615: VII 2505, 2521:
 VIII 2932
 integrifolia, II 612
 integrifolia, I 80 b: II 610: VI
 2148: VII 2503, 2505, 2526:
 X 3814
 lamosella, II 625
 lamosella, II 612, 626
 lanceolata, II 624
 lanceolata, II 612, 624, 626
 leytensis, II 622
 leytensis, II 611
 LEYTENSIS, I 279
 maxima, II 612
 nigrescens, II 610
 NIGRESCENS, II 614
 nitida, II 624
 nitida, II 612, 626
 odoratissima, II 618
 odoratissima, II 611
 ovata, II 620
 ovatifolia dolichostachya, X 3807
 paloensis, II 621
 paloensis, I 280: II 611
 PALOENSIS, I 280
 philippinensis, II 612
 pubescens, II 613
 rima, II 615
 rubrovenia, II 622
 rubrovenia, II 611, 624
 subrotundifolia, II 619
 subrotundifolia, II 611
 SUBROTUNDIFOLIA, I 281
 treculiana, II 611, 615
 TRECULIANA, II 617
 woodii, II 623
 woodii, II 611
 xanthocarpa, II 626
 xanthocarpa, II 612, 625
Arundinella miliacea, X 3807
Aschersonia confluens, VI 2155
 lecanioides, VII 2514
 macularis, VII 2513
 novoguineensis, VI 2155: VII 2514
 sclerotoides, VII 2514
 sinnabarina, V 1547: VI 2154
Asclepias curassavica, X 3547
Ascobolus latus, VI 2144
Ascophanus testaceus, VI 2143
Ascospora ophiorrhizae, VIII 2935
 VANILLAE, VIII 2935
Aspergillus delacroixii, VI 2166: VII
 2528

flavus, VI 2166: VII 2528
olivaceus, VI 2166
periconioides, VI 2167: VII 2528
Aspidium angilogense, III 813: IX 3171
coadunatum, IV 1151
copelandi, I 234
cucullatum, II 390
heterodon, I 234
persoriferum, III 812
Asplenium adiantoides, IX 3151
affine, III 822
anisodontum, II 404
apoense, III 819
belangeri, III 821
caudatum, III 821
caudatum, IX 3152
cuneatum tripinnatum, III 822
cymbifolium, II 402: III 819
ellipticum, III 819
epiphyticum, III 820
excisum, II 403
falcatum, IX 3151
ficifolium, III 819
filipes, III 820: IX 3151
filipes, II 403
fraternum, II 403
griseum, III 821: V 1683
laserpitiifolium, II 404: III 822: IX 3151
lepturus, II 404
macrophyllum, III 821
macrophyllum, III 1133
militare, III 822
musaeifolium, II 402: III 819, 846
nidus, II 402: IX 3151
normale, III 820: IX 3252
pellucidum, II 403: III 822: IX 3152
persicifolium, II 403: III 829
phyllitidis, II 402: III 819
rahaense, IX 3152
scandens, III 821
scolopendrioides, III 820
spathulinum, IX 3152
squamulatum, III 819
squamulatum, III 819
subnormale, II 403
tenerum, II 403: III 820
todayense, III 820
trichomanes, III 820
truncatilobum, IX 3152
unilaterale, II 403: III 820: IX 3152
unilaterale, II 403: III 820: IX 3151

Aster luzonensis, I 131
 LUZONENSIS, I 131
philippinensis, I 131
philippinensis, I 131
trinervius, I 132
Asterina capparidis, V 1539: VI 2090, 2277: VII 2437: IX 3137
cassiae, VI 2091: VII 2437
colliculosa, VII 2438
crustacea, VIII 2931
decipiens, VI 2091, 2277: VII 2438
 DECIPIENS, V 1540
derridis, VI 2091: VII 2438
diaphana, VI 2091
 DIAPHANA, IV 1155
dilleniae, VII 2438
elaeocarpi, VI 2091
 ELAEOCARPI, IV 1156
elmeri, VI 2091: VII 2438: IX 3137
elmeri, V 1540: VI 1927
 ELMERI, IV 1156
escharoides, VI 1928, 2091: IX 3174
 ESCHAROIDES, IV 1155
irregularis, VI 2092
 IRREGULARIS, V 1540
lawsoniae, VI 2092, 2227: VII 2438
laxiuscula, VI 1928, 2092
lobata, VI 1927, 2092
 LOBATA, V 1541
lobulifera, VII 2439
lophopetali, VII 2439
 LOPHOPETALI, VI 2228
nodulifera, VII 2439
opposita, VI 2092
opposita, VI 1927
 OPPOSITA, VI 1926
pemphidioides, VI 2092: VII 2439
pemphidioides, VI 2228
piperina, IX 3137
pipturi, IX 3137
porriginosa, VI 2093
 PORRIGINOSA, V 1541
pusilla, VI 2093
sponiae, VI 1928, 2093: VII 2439: IX 3137
subinermis, VI 2093
 SUBINERMIS, VI 1927
trachycarpa, VI 2093
 TRACHYCARPA, V 1542
transversalis, VI 2093
transversalis, VII 2442
 TRANSVERSALIS, V 1542

- Asterinella calami*, VII 2439
capizensis, IX 3174
distinguenda, VI 2093
HAPALA, IX 3176
loranthi, VI 2093
lugubris, VI 2094
luzonensis, VI 2094
obesa, VI 2094: VII 2440
obesa, VII 2440
palawanensis, VII 2439
ramuligera, VII 2439
Asterostomula PINATUBENSIS, IX 3177
Astilbe philippinensis, VI 2073
Astrocalyx calycina, X 3649
Astrocystis mirabilis, VI 1940, 2120
Astronia acuminatissimum, X 3658
APOENSIS, IV 1206
AVELLANEA, X 3649
badia, X 3651
BICOLANA, X 3651
BULUSANENSIS, X 3653
calycina, IV 1206
candolleana, X 3654
consanguinea, X 3654
CUERNOSENSIS, IV 1204
cumingiana, IV 1203: VIII 3093
discolor, X 3651
ferruginea, IX 3203
FERRUGINEA, IV 1205
FOXWORTHYI, VIII 3091
gitingensis, X 3657
GITINGENSIS, IV 1202
glauca, X 3657
lagunensis, X 3655
loheri, X 3655
LUCBANENSIS, IV 1201
maquilingensis, X 3651
MAQUILINGENSIS, VIII 3092
MERRILLII, VIII 3091
meyeri, IV 1191
PACIFICA, X 3654
piperi, X 3655
piperi, VIII 3091
platyphylla, X 3654
pulchra, IV 1205: X 3652
purpuriflora, X 3652
PURPURIFLORA, X 3656
ramosii, X 3657
rolfei, IV 1203
sorsogonensis, X 3658
subcaudata, IV 1204
viridifolia, VIII 3092: X 3652, 3657
VIRIDIFOLIA, IV 1203
williamsii, IV 1191
ZAMBALENSIS, IX 3202
Astrosphaeriella fusispora, VI 2120
Athyrium accedens, III 817
basilare, IX 3111
blumei, II 401: III 815
bolsteri, II 400
cordifolium, III 818
cordifolium, III 817
COSTULISORUM, III 815
cyatheaefolium, III 814
cyatheifolium, IV 1152
davaoense, III 816
dolichosorum, II 400: IX 3153
drepanopterum, IX 3153
EBENIRACHIS, IX 3110
ELMERI, II 399
esculentum, II 401
fraxinifolium, III 817
fructuosum, II 401: III 816
geophilum, III 816
GEOPHILUM, II 399
grammitoides, III 814: IX 3153
grammitoides, III 808
MACROSORUM, III 815
meyenianum, II 400: III 816
MOLLIFRONS, IX 3153
oligosorum, II 400
PALAUANENSE APOENSE, III 817
pallidum, III 817
pariens, II 401: III 817
pariens, II 401, 402
pinnatum, III 817
pinnatum, V 1683
platyphyllum, III 814
platyphyllum, III 814
PROPINQUUM, V 1683
SIBUYANENSE, IV 1152
silvaticum, III 814, 815: IX 3111, 3154
sorsogonense, II 400: III 816
STRAMINEUM, II 399
tabacinum, II 401: III 817
tabacinum, II 401, 402
williamsii, IX 3154
williamsii, II 400
woodwardioides, III 814
woodwardioides, IX 3111
Auerswaldia arengae, VI 2101: VII 2452
arengae, VIII 2939, 2940
copelandi, VI 2101: VII 2452
decipiens, VI 1936, 2101
decipiens, VI 2273: VII 2452: VIII 2940
derridis, VI 2101, 2222: VII 2452
derridis, VII 2461

examinans, VI 2101, 2272: VII
2452

gigantochloae, VII 2452

GIGANTOCHLOAE, VI 2222

lophiostomacea, VII 2453

LOPHIOSTOMACEA, VI 2274

merrillii, VI 2101: VII 2453

pandani, VII 2453

pandani, VIII 2939

PANDANI, VI 2273

Aulacostroma palawanense, VII 2453

Auricularia polytricha, VI 2240

tenuis, VI 2240

Avicennia alba, VIII 2869

MINDANAENSIS, VIII 2868

Azadirachta integrifoliola, IX 3340

B

Baccaurea BANAHAENSIS, IV 1475

ODORATISSIMA, IV 1276

TERMINALIFOLIA, IV 1277

tetrandra, X 3807

Baccharis indica, I 106

ivaefolia, I 134

Balanophora abbreviata, V 1659

altacea, V 1659

decurrens, V 1659

FAWCETTII, V 1659

forbesii, V 1662

hildebrandtii, V 1660

INCARNATA, V 1661

micrantha, V 1659

micrantha, V 1661

SUBGLOBOSA, V 1660

Balansia claviceps, VI 2226: VII 2453

claviceps, VII 2453

paspali, VI 2102

vorax, VI 2102

Balantium copelandi, II 395

Balladyna medinillae, VI 2257

melodori, VII 2446

velutina, V 1539: VI 2081: VII
2446

Bambusa blumeana, VI 1936, 1937,

1942, 1944, 2098, 2099, 2110,

2111, 2112, 2120, 2121, 2122,

2123, 2125, 2128, 2164, 2205,

2222, 2224, 2226: VII 2450,

2453, 2462, 2468, 2472, 2479,

2486, 2519: VIII 2928, 2951,

2952, 2954, 2960

spinosa, VI 2121

vulgaris, IV 1386: VI 1940, 2120,

2243, 2260, 2261: VII 2469,

2471, 2472: VIII 2930, 2937,

2944, 2946, 2948, 2956

Barringtonia GITINGENSIS, VIII 2730

luzonensis, VI 2161: VII 2524

revoluta, VIII 2731

sumatrana, VIII 2731

Barya salaccensis, VI 2100

Bauhinia cumingiana, I 230: VI 1946,
2094

HALLIERIANA, II 691

malabarica, VI 2153, 2208: VII
2490, 2521

mirabilis, IX 3418

subglabra, II 692

WHITFORDII, I 229

Beccarianthus ickisii setosus, X 3658

ickisii setosus, IX 3412

Begonia BAKERI, X 3706

binuangensis, X 3807

caleicola, VII 2559

CAMIGUINENSIS, VII 2553

contracta, X 3709

copelandii, X 3707

CRISPIPILA, II 737

ELEGANS, VII 2554

gitingensis, VII 2554, 2559

GITINGENSIS, II 738

incisa, VII 2561

lagunensis, VII 2556

LAGUNENSIS, II 735

LEYTENSIS, II 739

luzonensis, VII 2559

manillensis, VII 2559

mindorensis, VII 2554

NEGROSENSIS, II 736

palawanensis, X 3709

PELTATA, VII 2556

pseudo-lateralis, X 3807

PURPUREA, X 3707

quercifolia, VII 2561

SORDIDISSIMA, VII 2557

SORSOGONENSIS, X 3708

URDANETENSIS, VII 2559

Beilschmiedia cairocan, V 1798

NIGRIFOLIA, V 1797

PURPUREA, II 703

trinervia, VIII 2721

Biatorina sublutea, VI 2141

Bidens bipinnata, I 174

denudata, I 175

pilosa, I 174

tridentata, I 175

tripartita, I 175

Bikkia grandiflora, III 973

- Bilimbia RHAPHIDOPHYLLI*, VI 2237
Biophytum sensitivum, VI 2161
Blainvillea latifolia, I 165
 rhomboidea, I 165
 rhomboidea, I 166
Blechnum attenuatum, IX 3155
 egregium, II 402: III 818: IX 3155
 orientale, III 818
 patersoni, II 402: III 818
 vestitum, II 402: III 818
Blumea alata, I 117
 appendiculata, I 110
 appendiculata, I 109
 balsamifera, I 112
 balsamifera, I 109: VI 1939, 2067: VII 2419
 chamisonis, I 115
 COPELANDII, I 359
 densiflora, I 111
 densiflora, I 109
 glomerata, I 112
 lacera, I 116
 lacera, I 110
 laciniata, I 114
 laciniata, I 109: VI 2067
 laxiflora, I 109
 LAXIFLORA, I 110
 manillensis, I 116
 manillensis, I 110
 membranacea, I 113
 membranacea, I 109
 napifolia, I 116
 sericans, VII 2583
 spectabilis, I 110
 SUBSERICANS, VII 2582
 tetraptera, I 117
 virens, I 114
 virens, I 109
 virens minor, I 114
 virens minor, I 109
 wightiana, I 115
 wightiana, I 110
Boea philippinensis, IX 3489: X 3807
 pseudoglandulosa, IX 3120, 3489
Boehmeria blumei, III 891
 celebica, III 891
Boerlagiodendron AGUSANENSE, VII 2330
 clementis, VII 2328
 HUMILIS, VII 2327
 mindanaense, VII 2329: IX 3119, 3134
 serratifolium, VII 2332
 SERRATIFOLIUM, II 505
 sibuyanense, VII 2332
 SIBUYANENSE, VII 2328
 SIMPLICIFOLIA, VII 2329
Boletus unguatus, VI 2250
Borreria stricta, IX 3249
Botrychium daucifolium, II 425: III 796
Botryodiplodia anceps, VI 2150: VII 2504
 curta, VII 2504
 elasticae, VI 2151
Botryosphaeria bakeri, VI 2195, 2126: VII 2485
 dispersa, VI 2225: VII 2449
 majuscula, VI 2196
 pulicaris, VI 2225
 saubinetii, VI 2225
Brachysorus woodwardioides, IX 3111
Brachysporium bakeri, VII 2520
 pini-insularis, VI 2160: VII 2520
Brassica chinensis, VI 2160
Breynia rhamnoides, III 906
Briardia lutescens, VIII 2927
 MAQUILINGIANA, VIII 2927
 roseo-lutescens, VIII 2927
Bridelia lauraefolia, VII 2637
 stipularis, VII 2474
 tomentosa, VI 2078: VII 2638
Broomella ZEAE, VIII 2923
Bruguiera caryophyllacea, VII 2520
 eriopetala, IX 3117
Buchanania conglomerata, X 3682
 CONGLOMERATA, X 3679
 florida, IV 1501
 nitida, X 3681, 3682
 platyphylla, X 3682
 RETICULATA, IV 1499
 SORSOGONENSE, X 3681
Bulbophyllum ALSIOSUM, V 1583
 cumingii, V 1587
 dasypetalum, V 1584, 1585
 gibbosum, V 1585
 lancifolium, V 1584
 LANCIFOLIUM, V 1585
 lasioglossum, V 1586
 longipetiolatum, V 1585
 LONGIPETIOLATUM, V 1584
 mindanaense, V 1585
 MINDANAENSE, V 1585
 NEGROSIANUM, V 1586
 sibuyanense, V 1587
 SIBUYANENSE, V 1587

Bulbostylis barbata, X 3525
Bulgaria javanica, VI 1947, 2140
 pusilla, VI 1947, 2140: VII 2499
Bulgariastrum caespitosum, VI 2140

C

Cacalia sarrasenica, I 146
 sonchifolia, I 146
Caesalpinia BENGUETENSIS, I 226, 362
 MINUTIFLORA, V 1803
 nuga, VI 2088
 sappan, V 1804
 sepiaria, I 227
✓ *Calamus bicolor*, VIII 3055
 blancoi, VIII 3048
 cumingianus, VIII 3050
 cumingianus, VIII 3051
 dimorphacanthus, VIII 3055
 discolor, II 649: VIII 3048
 discolor, II 649, 650
 elmerianus, VIII 3051
 elmerianus, II 649
 ELMERIANUS, II 647
 filispadix, VIII 3048
 lindenii, II 649
 manillensis, VIII 3052
 manillensis, VIII 3061
 megaphyllus, VIII 3060
 melanorhynchus, VIII 3058
 merrillii, VIII 3057
 merrillii merrittianus, VIII 3057
 merrillii nanga, VIII 3057
 microcarpus, VIII 3055
 microcarpus, VIII 3056
 minahassae, II 649
 mitis, II 649
 mollis, VIII 3046
 mollis palawanicus, VIII 3047
 moseleyanus, VIII 3053
 multinervis, VIII 3060
 multinervis, VIII 3064
 ornatus philippinensis, VIII 3054
 samian, VIII 3059
 siphonocpathus, VIII 3056
 symphysipus, VIII 3049
 symphysipus, VIII 3051
 tonkinensis, II 650
 VINOSUS, VIII 3061
 viridissimus, VIII 3059
Callicarpa AFFINIS, III 864
 APOENSIS, III 861
 arborea, III 866
 ATTENUIFOLIA, VIII 2870

bicolor, X 3798
 blancoi, III 864
 blancoi, VI 1926, 2090: IX 3135
 cana, VI 2084, 2085
 caudata, III 862
 EPIPHYTICA, VIII 2871
 eriodclona, III 866
 flavida, VIII 2873
 FLAVIDA, III 863
 magna, III 865, 1133: IX 3223
 MAGNA LILACINA, IX 3222
 maingaya, III 866
 nana, X 3798
 ovata, III 864
 paloensis, II 514: III 864
 PALOENSIS, I 336
 subalbida, III 862
 SUBALBIDA, I 337
 SUBCANDIDA, X 3797
 SUBGLANDULOSA, II 513
Calloria meliolicola, VI 2280
Calocasia esculentum, X 3617
Calocera glossoides, VI 2241
Calonectria copelandii, VI 2097: VII 2448
 hibiscicola, VIII 2923
 limpida, VI 2097
 LIMPIDA, V 1545
 meliae, VIII 2923
 sulcata, VIII 2923
Calonyction aculeatum, VI 2157
Calopeziza mirabilis, VI 2141, 2235: VII 2499
Calophyllum FLAVO-CORTICA, VII 2682
 HIBBARDII, II 503
 inophyllum, VII 2526
 LANCIFOLIA, VII 2683
 MINDANAENSE, VII 2684
 prainianum, II 504
 PULGARENSE, V 1786
 racemosum, VII 2683
 SORSOGONENSE, X 3744
 whitfordii, VII 2687
 zschokkei, X 3745
 ZSCHOKKEI, VII 2686
Calosphaeria inconspicua, VII 2478
 TOGNINIA INCONSPICUA, VI 2213
Calycophyllum grandiflorum, III 992
Camarotella TRIPHASIAE, IX 3126
Campium diversifolium, IX 3155
Campsotrichum heterochaetum, VII 2520
Campylopus CALODICTYON, II 651
 comoso, II 652
 COPELANDII, VI 1973
 foxworthyi, VI 1973

- Canangium odoratum*, IX 3447
Canarium AGUSANENSE, VII 2564
 ahernianum, II 483: III 1081, 1087, 1134
 altissimum, III 1086
 ANTONII, X 7311
 APOENSE, III 1083
 bersamifolium, II 483
 calophyllum, IV 1503
 CLEMENTIS PERUMBRINUM, III 1078
 costulatum, III 1078, 1082: X 3714
 COSTULATUM, III 1080
 cumingii, III 1077
 denticulatum, III 1085
 euryphyllum, III 1088
 gracile, III 1078
 gracile, X 3712
 laciniatum, IV 1156: V 1755: VI 2104
 LACINIATUM, III 1084
 leytense, III 1081
 LONGIFLORESCENS, X 3713
 lucidum, III 1084
 luzonicum, VI 2104, 2229: VII 2445, 2455
 MELIOIDES, III 1079
 nervosum, VII 2566
 nervosum, III 1081, 1082, 1087: X 3714
 NERVOSUM, II 482
 OGAT, III 1086
 ovatum, III 1080: IX 3412
 pachyphyllum, III 1080
 PALAWANENSE, V 1754
 perkinsae, IV 1504
 polyneuron, V 1534: VI 2082
 PURPUREUM, IV 1503
 racemosum, III 1077
 racemosum, III 1082
 radlkoferi, II 483
 reticulatum, VII 2566, 2568
 SIBULANENSE, III 1085
 SIBUYANENSE, IV 1502
 subvelutinum, VII 2566
 SUBVELUTINUM, VII 2566
 thyrsoideum, III 1083
 todayense, IV 1157: VI 2104
 TODAYENSE, III 1087
 tongcalingii, III 1134
 TONGCALINGII, III 1082
 URDANETENSE, VII 2568
 urophyllum, IV 1504
 VILLOSIFLORUM, VII 2569
 villosum, VI 2094, 2103, 2104, 2220: VII 2455
Canavalia ensiformis, VI 2146: VII 2521
 obtusifolia, VI 2154: VII 2511
 turgida, VI 2157
Canthium arboreum, I 360
 campanulatum, VI 2069
 didyma, I 360
 horridum, I 360
 lycioides, I 360
 mite, I 360
 oblongifolium, IX 3261
 pedunculare, I 360
 villarii, I 360
Capnodium footii, VII 2447
Capparidis macracantha, VI 2277
Capparis aurantioides, VI 2117
 COPELANDII, II 680
 cumingii, V 1757
 horrida, VI 2090, 2117, 2194, 2204: VII 2473, 2475: VIII 2949
 irosinensis, IX 3137
 macrantha, VII 2437, 2524
 mucronata, V 1539: VI 2090
 MUCRONATA, V 1757
 oblongata, V 1757: VIII 3076: IX 3489: X 3807
 sepiaria, VI 2140
 TURCZANINOWII, V 1755
 viridis, X 3807
 VIRIDIS, VIII 3076
Capsicum frutescens, VII 2513
Carex breviscapa, X 3525
 cryptostachys, X 3526
 cumingii, X 3528
 ELMERI, III 853
 loheri, III 853
 malaccensis, IV 1170
 nodiflora, X 3526
 nodiflora, X 3528
 PALAWANENSIS, IV 1169
 rafflesiana, X 3526
 rafflesiana, VI 2079, 2156
 VULCANICA, X 3526
Carica papaya, VI 2112, 2118, 2157, 2167: VII 2474, 2505, 2528
Carionia elegans, IX 3143
Carpesium cernuum, I 124
 cernuum glandulosum, I 124
Carruthersia DARONENSIS, IV 1450
 HIRSUTA, II 587

- IMBERBIS, II 588
 KINDLEYI, IV 1452
 LEAVIS, IV 1449
pilosa, II 588: IV 1452, 1453
Carthamus tinctorius, I 179
tinctorius, VI 2163: VII 2524
 ✓ *Caryota mitis*, VIII 3020
rumphiana, VIII 3020
rumphiana philippinensis, IX 3136
 RUMPHIANA PHILIPPINENSIS, VIII 3019
tremula, VIII 3022
Casuarina AGUSANENSE, VII 2652
crenata, IX 3190
 DENSIFOLIA, IV 1516
 ELLIPTIFOLIA, X 3738
fuliginosa, IV 1518
 GLAUCIRAMEA, IV 1517
loheri, X 3739
 LUTEO-CARPA, IX 3189
polyantha, VII 2652
trivalvis, VIII 3083
 ZSCHOKKEI, VIII 3083
Cassia alata, IX 3121
occidentalis, VI 2162: VII 2509, 2520, 2522, 2523, 2527
timorensis, VI 2091
tora, VI 2069, 2166: VII 2421, 2527
Castanea vulgaris, VI 2073, 2074: VII 2425
Castanopsis argyrophylla, V 1779
castanicaarpa, V 1779
 EVANSII, V 1778
javanica, III 936
javanica, III 934, 935
sumatrana, III 936
sumatrana, III 934
Catacauma EGENULUM, IX 3124
garciae, IX 3136
makilingianum, IX 3135
 STRYCHNI, IX 3125
Catenularia velutina, VI 2160
Ceiba pentandra, IV 1367
Celastrus APOENSIS, VII 2579
championi, VII 2580
paniculatus, VII 2444, 2527, 2580
polybotrys, VII 2580
Celtis luzonica, X 3797
mindanaensis, X 3797
 MINDANAENSIS, VIII 2842
multifolia, IX 3132, 3489
 MULTIFOLIA, X 3796
philippinensis, VI 2229: VII 2444: VIII 2843: IX 3489: X 3797
 RUBROVENIA, II 464
Cenangella gliricidia, VII 2498
 GLIRICIDIAE, VI 2279
Cenangium BLUMEANUM, VIII 2927
helvolum, VIII 2928
Centratherum fruticosum, I 88
muticum, I 88
Centipeda minima, I 139
orbicularis, I 139
Centotheca latifolia, X 3509
latifolia, VIII 2924
Centrostemma multiflorum, X 3547
Cephaloschefflera catanduanensis, X 3639
Ceratosphaeria philippinarum, VI 2122: VII 2478
Cerbera odullum, VII 2381
Cercospora acerosa, VI 2160
alpiniae, VII 2521
amorphophalli, VI 2160: VII 2521
armoraciae, VI 2160: VII 2521
artocarpi, VII 2521
bakeri, VI 2160
bakeriana, VII 2521
barringtoniae, VI 2161
bauhiniae, VII 2521
biophyti, VI 2161
canavaliae, VII 2521
gliricidia, VI 2161: VII 2521
helminthostachydis, VI 2161: VII 2521
henningsii, VI 2161
henningsii, VII 2522
lagerstroemiae, VII 2522
licualae, VII 2522
litsea-glutinosae, VI 2161
lussoniense, VII 2522
mangiferae, VI 2161: VII 2522
manihotis, VII 2522
nicotianae, VI 2161: VII 2522
occidentalis, VI 2162: VII 2522
occidentalis crassicaarpa, VII 2523
pachyderma, VII 2523
pahudiae, VII 2523
pantoleuca, VI 2162: VII 2523
personata, VI 2162: VII 2523
personata, VII 2518
puerariae, VII 2523
pumila, VI 2162: VII 2523
sesami, VI 2162
stizolobii, VI 2163: VII 2523

- subsessilis, VI 2163: VII 2523
 subtorulosa, VI 2163: VII 2524
 tabernaemontanae, VI 2163
 tigllii, VI 2163: VII 2524
 toensis, VI 2163
 ubi, VI 2163: VII 2524
Cercospora uredinophila, VII 2529
Cercosporidium helleri, VI 2163
Cercosporina barringtoniae, VII 2524
 carthami, VI 2163: VII 2524
 helicteres, VII 2524
 tacca, VI 2164: VII 2524
Cerebella paspali, VI 2078: VII 2518
Ceropegia candelabra, VII 2420
 cumingiana, X 3548
 cumingiana, VI 2069
Cestichis linearifolia, V 1564
 LINEARIFOLIA, V 1563
 merrillii, V 1564
Ceuthocarpus depokense, VIII 2953
 depokense, VIII 2953
 TALAUMAE, VIII 2953
Ceuthospora garciniae, VII 2504
Chaetosphaeria meliolicola, IX 3134
Chaetodiplodia grisea, VI 2151
Chaetomitrium ELMERI, VI 1974
Chamabainia cuspidata, III 893
Champerea cumingiana, V 1540: VI 2091
 fragilis, IV 1156
 manillana, VI 2091, 2277: VII 2438
Chasalia curviflora, I 3: III 1033
 expansa, III 1034
 membranifolia, V 1856
 MEMBRANIFOLIA, III 1032
 OBSCURINERVIA, III 1033
 rostrata, I 3
Chavica miniata hirtella, III 766
Cheiropleuria bicuspis, III 850
 bicuspis, III 1133
Chilocarpus atro-viridis, IV 1454
 GLOBOSUS, IV 1454
 LEYTENSIS, IV 1453
 nigrescens, IV 1454
Chionanthus luzonica, V 1651
Chisocheton APOENSE, IX 3341
 BENGUETENSE, IX 3343
 clementis, IX 3345
 clementis, IX 3323
 cumingianus, IX 3346
 cumingianus, IX 3345, 3379
 curranii, IX 3346
 fulvus, IX 3345
 pentandrus, IX 3347
 philippinus, IX 3347
 sorsogonense, IX 3347
 tetrapetalus, IX 3347
 tetrapetalus, IX 3343
 urdanetense, IX 3347
 vulcanicus, IX 3345
Chloris barbata, X 3510
 incompleta, VII 2454
Christensenia cumingii, III 797
Christiopteris sagitta, III 848: IX 3155
 sagitta, III 848: IX 3144
Christisonia WIGHTII, VIII 2793
Chrysanthemum indicum, I 138
Chrysogonum PHILIPPINENSE, I 161
Cibotium barometz, IX 3149
 cumingii, IX 3149
Cichorium endivia, I 181
 intybus, I 181
Ciliciopodium grayanum, VI 2159: VII 2519
Cinnamomum mercadoi, II 704
 mercadai, VII 2381
 mindanaense, VII 2381
 MINDANAENSE, II 705
Cintractia axicola, VI 2078: VII 2428
 cyperi-polystachyi, VI 2079: VII 2428
 merrillii, VI 2079: VII 2428
 merrillii, VII 2428
 muelleri, VI 2079
 muelleri, VII 2428
Cipadessa baccifera, IX 3348
 fruticosa, IX 3348
Cirsium wallichii, I 178
Cissampelos cumingii, IV 1167
 discolor, IV 1167
 pareira, IV 1167
Cissus APOENSIS, VIII 2880
 assamica, X 3807
 SUBEROSA, II 493
Citrus decumana, VI 1942, 2124
 nobilis, VI 2145, 2263, 2265, 2270:
 VII 2477, 2479, 2481, 2484,
 2511: VIII 2950
Cladium JUNCOIDES, III 854
 meyenii, III 854
Cladoderris elegans, VI 2242
Cladonia floerkeana carcosta, II 435
Cladosporium epiphyllum, VII 2525

- fumago*, VII 2526
herbarum, VI 2164
lineolatum, VII 2524
oplismeni, VI 2164
Claoxylon arboreum, VII 2639
 ARBOREUM, II 486
 elongatum, II 487: VI 2261: VII 2467
 GRANDIFOLIUM, VII 2638
 indicum, II 487
 rubescens, III 908
 SUBVIRIDE, III 907
Clausena PALAWANENSIS, X 3781
 todayensis, X 3782
 TODAYENSIS, VIII 2805
Claviceps philippii, VI 2227: VII 2453
Cleistanthus decipiens, IV 1284
 integer, III 908
 isabellinus, IV 1284
 ISABELLINUS, III 911
 myrianthus, III 911
 pseudocanescens, IV 1284
 PSEUDOCANESCENS, III 910
 ROBINSONII, III 909
Clemensia macrantha, IX 3349
Clemensiella dischidioides, X 3549
 mariae, X 3548
Cleome ACUTIFOLIA, VII 2574
 viscosa, VII 2575
Clerodendron calamatosum, VI 2067: VII 2419
 commersonii, VI 2071
 CURRANII, V 1847
 fragrans, VI 2068
 infortunatum, V 1849
 intermedium, VI 2067, 2068, 2088, 2160
 KLEMMEI, II 514
 minahassae, VI 2071, 2084
 PHILIPPINENSE, IX 3223
 PRESLII, II 515
 similis, II 515
 thompsoni, VI 2200, 2216: VII 2469, 2483
 vanoverberghii, IX 3224
 WILLIAMSH, II 684
Clethra canescens, IX 3184
 CASTANEUS, IX 3182
 lancifolia, IX 3184
 obovatifolia, V 1759
 PULGARENSIS, V 1757
Clitoria ternatea, VI 2162
Clypeosphaeria BAKERIANA, VIII 2948
 euphorbicola, VIII 2949
 gigantochloa, VII 2472
 GIGANTOCHLOA, VI 2204
 valparadisiensis, VI 2204
Cnicus wallichii, I 178
Coccoomyces canarii, VI 2145
 DUBIUS, VIII 2926
 QUADRATUS PHILIPPINUS, VIII 2926
Cocculus sarmentosus, IV 1166
 trilobus, IV 1166
Coceocarpia molybdaea, II 435
Cocos nucifera, VI 1942, 2114, 2124, 2153, 2158, 2214: VII 2447, 2454, 2466, 2470, 2481, 2506, 2517
Codiaeum luzonicum, IV 1284: X 3807
 PALAWANENSE, IV 1283
Coelogyne elmeri, V 1556
 ELMERI, V 1556
 tumida, V 1556
Coelospermum AHERNIANUM, I 3
Coffea arabica, I 3
 arabica, VI 2070, 2150: VII 2422, 2504
 tetrandra, III 1044
Coix agrestis, VII 2456
 lacrymi-jobi, VI 2104: VII 2466, 2506, 2508
Coleosporium exaci, VII 2427
 knoxiae, VII 2427
 merrillii, VI 2078: VII 2427
Coleus APOENSIS, VII 2694
 INTEGRIFOLIUS, VII 2696
 SCUTELLARIOIDES, VII 2697
 SPARSIFLORUS, VII 2699
Colletotrichum arecae, VI 2156: VII 2515
 ELMERI, IX 3131
 euchronum, VI 2156: VII 2515
 lussoniense, VII 2515
 pandani, VI 2156: VII 2515
 papayae, VI 2157: VII 2515
Coltricia cinnamomea, I 262
Columbia serratifolia, VI 2261: VII 2467
Columella geniculata, X 3801
 IROSINENSIS, X 3799
Commelina LUZONENSIS, IX 3184
 nudiflora, IX 3185
Cenchrphyllum copelandii, X 3570
 elmeri, X 3549
 elmeri, X 3587
 merrillii, X 3570

- Coniogramme fraxinea*, III 823
fraxinea copelandii, II 404: III 823
serrulata, III 823
 SUBCORDATA, III 823
Coniosporium bambusae, VII 2525
circumscissum, VI 2164: VII 2525
extremorium, VI 2164: VII 2525
lineolatum, VI 2164: VII 2525
punctiforme, VII 2525
unilaterale, VII 2526
vinosum, VI 2164
Coniothyrium coffeae, VI 2150: VII 2504
gmelinae, VI 2150: VII 2504
oroxyli, VI 2150: VII 2505
Connarus BALSAHANENSIS, V 1764
carnosus, X 3719
 CARNOSUS, IV 1508
culionensis, V 1763
 ERIANTHUS, V 1762
fragrans, X 3807
 FRAGRANS, IV 1507
hallieri, IV 1508, 1509
mindanaensis, V 1764
neurocalyx, V 1764
 OLIGANTHUS, X 3718
palawanensis, X 3719
 PALAWANENSIS, V 1763
stellata, V 1763
 SUBINAEQUIFOLIUS, I 297
trifoliatus, X 3807
 URDANETENSIS, VII 2594
whitfordii, X 3719
Conocephalus PIPERI, VIII 2770
violascens, VIII 2772
 WARBURGII, I 278
Conyza aegyptica, I 134
ambigua, I 135
appendiculata, I 110
balsamifera, I 112
bifoliata, I 115
cappa, I 134
chinensis, I 93
cinerea, I 94
dentata, I 134
erosa, I 116
gouiana, I 116
hirsuta, I 107
indica, I 106
japonica, I 134
lacera, I 116
laciniata, I 114
manillensis, I 116
membranacea, I 113
oligandra, I 134
scabrida, I 106
tetraptera, I 117
tinctoria, I 172
viscidula, I 133
Coptosapelta flavescens, III 986
flavescens, V 1857
olaciformis, V 1856
Cordia myxa, VI 2199: VII 2465
Coreopsis drummondii, I 172
elegans, I 172
gracilis, I 172
Corioloopsis ancha, I 262
dermatodes, I 263
melleo-flava, VI 2247
semilaccata, I 263
Coriolus atypus, I 263
elongatus, VI 2248
hirsutus, VI 2248
hirsutus polyzonus, VI 2248
hirsutus vellereus, VI 2248
maximus, I 263
murinus, I 263
vernicipes, I 263
vinosus, VI 2248
Coryne meliolicola, VI 2280: VII 2500
Corynelia clavata, VI 2116: VII 2469: VIII 2925
uberata, VI 2116
Corypha elata, VIII 3023
elata, VI 2095, 2112, 2127, 2144, 2152, 2154, 2165: VII 2508, 2509: VIII 2940
Cosmos caudatus, I 176
sulphureus, I 172
Costus speciosus, VIII 2977
Cotula quinqueloba, I 139
Crassocephalum latifolium, I 145
Cratoxylon ARBOREUM, VIII 3084
blancoi, X 3807
celebicum, VIII 3085
 HYPOLEUCA, V 1787
Creochiton diptera, X 3659
 DIPTERA, IV 1192
rosea, IV 1191: VIII 2756
Crepidotus QUITENSIS PHILIPPINENSIS
 VI 2255
Crepis japonica, I 184
Crossostephium artemisioides, I 142
Crotalaria sessiliflora, IX 3135
Croton APPENDICULATUS, I 312

- ardisioides*, IV 1281
argyratus, IV 1280
cumingii, IV 1283
CUPREA, IV 1281
CURTIFLORUS, I 310, 363
leiophyllus, III 912: IV 1280
longipedunculatus, IV 1306
LONGIPEDUNCULATUS, I 311
tiglium, VI 2153, 2163: VII 2511, 2524
Crypteronia cumingii, IX 3489: X 3807
laxa, IX 3129, 3489
Cryptocarya acuminata, II 710, 712
calelanensis, VIII 2720
CALELANENSIS, II 707
cinnamomifolia, X 3755
EVERETTII NAVESII, II 706
foxworthyi, IX 3117
FOXWORTHYI, X 3752
glauca, II 708
glauciphylla, II 712: VIII 2720
GLAUCIPHYLLA, II 710
ilocana, II 710
INTERMEDIA, VIII 2719
LAEVIGATA, VIII 2720
laurifolia, VIII 2722
luzonensis, VIII 2722
MINDANAENSIS, VIII 2721
PACIFICA, X 3753
palawanensis, VIII 2720
pallida, II 708
parvifolia, X 3753
SUBVELUTINA, II 707
todayensis, IV 1159: VI 2102
TODAYENSIS, II 709
TRINERVIA, X 3754
villarii, X 3807
zamboangensis, X 3754
Cryptolepis javanica, X 3549
Cryptosphaeria philippinensis, VI 2123: VII 2478
Cryptospora bambusae, VI 2125
bambusae bakeriana, VI 2125
Cryptovalsa philippinensis, VII 2478
Cudrania javanica, VI 2159: VII 2518
Cupaniopsis PATENTIVALVIS, V 1612
Curculigo agusanensis, V 1647
AGUSANENSIS, V 1645
BREVIPEDUNCULATA, V 1647
glabra, V 1645
glabra, V 1646, 1647
latifolia, V 1649
orchioides, V 1645
recurvata, V 1645
recurvata, V 1646
WEBERI, V 1646
Curcuma zeodaria, VIII 2977
Cyamopsis psoraleoides, VI 2152: VII 2508
Cyanopsis pubescens, I 93
Cyanotis BRUNNEA, X 3714
capitata, X 3715
moluccana, X 3715
Cyathea APOENSIS, III 802
arachnoidea, III 802
atropurpurea, III 802
BICOLANA, IX 3108
BICOLOR, III 804
BULUSANENSIS, IX 3109
caudata, III 804: IV 1150: VII 2500
christii, III 803
christii, II 418, 420: III 803
CINEREA, V 1681
contaminans, III 804: IX 3148
DIMORPHOTRICHIA, V 1681
elmeri, III 803
FRUCTUOSA, II 419
glabra, IV 1150
heterochlamydea, III 803
HETEROCHLAMYDEA, II 418
hypocrateriformis, V 1680
integra, V 1680
integra, IV 1151: V 1680: IX 3108, 3109
javanica, III 804
junghuhniana, V 1681
lanaensis, III 803: V 1681
latebrosa, IX 3148
LATIPINNULA, IV 1149
loheri, IX 3148
loheri, II 419
mearnsii, IV 1150
mitrata, V 1682
negrosiana, II 418
OBLIQUA, IV 1150
orientalis, III 803
raciborskii, V 1681
robinsonii, IV 1151
philippinensis, IV 1151: IX 3108, 3109
SIBUYANENSIS, IV 1150
tripinnata, II 419: III 802
WARIHON, V 1680
zollingeriana, III 803
Cyathophorum parvifolia, II 657
PHILIPPINENSE, II 657

- Cyathus byssoides*, VI 2256
caudata, VI 2081, 2102, 2280
elmeri, VI 2256
montagnei, VI 2255
montagnei, VI 2256
plicatus, VI 2255
poepigii, VI 2255
sulcatus, VI 2255
Cyclea merrillii, IV 1167
Cyclodothis pulchella, VI 2102: VII 2453
PULCHELLA, VI 1930
Cyclomyces cichoriaceus, VI 2249
Cyclophorus achrostichoides, I 234
achrostichoides gracilis, I 234
adnascens, II 414: IX 3156
lanuginosus, IX 3156
lingua, II 414
lingua, II 415: III 847: IX 3156
nummularifolius, III 847
sarasinorum, II 415: III 847
sphaerostichus, IX 3156
varius, II 414
warburgii, II 415
Cycloporellus microcyclus, I 264
Cyclostemon bordenii, III 914
GITINGENSIS, III 912
INCARNATA, VII 2639
IWAHIGENSIS, IV 1278
littoralis, III 915
megacarpa, VII 2640
MERRITTII, III 913
monospermus, III 913
SIBUYANENSIS, III 914
Cylindrosporium exiguum, VI 2157
Cymbidium finlaysonianum, V 1571
Cynanchum DENIGRATUM, X 3549
physocarpum, X 3551
schlechterianum, X 3551
Cynodon dactylon, VI 2104, 2221: VII 2456
Cynometra ALTERNIFOLIA, I 223, 362
bijuga, VIII 2736
COPELANDII, VIII 2734
DENSIFLORA, I 222
warburgii, I 222
WHITFORDII, VIII 2734
Cyperus difformis, X 3528
diffusus, X 3528
eragrostis, X 3529
haspan, X 3529
iria, X 3529
iria, VI 2072
longus, VI 2072
pilosus, X 3530
polystachyus, VI 2072, 2079: VII 2425, 2428
radiatus, X 3530
rotundatus, VI 2072
rotundus, X 3530
silletensis, X 3530
zollingeri, X 3531
Cypholophus BRUNNEOLUS, III 896
microphyllus, III 897
MICROPHYLLUS, III 895
moluccanus, III 895
Cyrtandra AGUSANENSIS, VII 2658
ANGULARIS, III 960
ANTONIANA, II 561
APOENSIS, III 962
attenuata, III 962
ATTENUATA, II 558
benguetiana, II 568
CALLICARPIFOLIA, III 966
CONSTRUCTA, VII 2660
COPELANDII, VII 2661
cumingii, III 957: VII 2664: IX 3193
davaoensis, VII 2661
DAVAOENSIS, III 968
DECUSSATA, III 961
elatostemoides, V 1907
ELATOSTEMOIDES, V 1781
falcata, III 961
FRAGILIS, II 557
GITINGENSIS, III 956
glauescens, X 3743
GRANDIFOLIA, VII 2663
grossedentata, VII 2665
GROSSEDENTATA, I 346
hypocrhysoides, VII 2663
HUMILIS, I 345
humilis, II 559: III 962: X 3743
inaequifolia, VII 2659
INAEQUIFOLIA, V 1782
incisa, I 347: III 959: VII 2665
lagunae, VIII 3084
LAXA, III 967
livida, VII 2659
lobbi, II 555
maesifolia, III 960
MAESIFOLIA, II 556
MAQUILINGENSIS, VIII 3083
membranifolia, X 3742
MEMBRANIFOLIA, III 963
micrantha, II 561
MINDANAENSIS, III 958
oblongifolia, III 961
PALLIDA, II 559
pallida, III 968

parvifolia, II 558
 PENINSULA, X 3741
philippinensis, I 347: III 959:
 VII 2665
 PINATUBENSIS, IX 3191
 QUISUMBINGII, IX 3193
 QUISUMBINGII MINOR, IX 3194
 RAMIFLORA, III 964
 RUPICOLA, V 1784
scandens, VII 2661
sibulanensis, X 3744, 3819
sibuyanensis, X 3819
 SIBUYANENSIS, III 969
similis, IX 3194
suffruticosa, III 961
 TALONENSIS, III 959
tayabensis, II 555
tayabensis, III 969, 970: VII 2661
 TAYABENSIS, I 347
 UMBRINA, X 3742
 URDANETENSIS, VII 2664
villosissima, II 555
vitiensis, III 957
 VULCANICA, X 3743
williamsii, X 3807

Cyrtosperma merkusii, X 3618
merkusii, IX 3131

Cytospora aberrans, VII 2505
calami, VII 2505
lirella, VI 2150: VII 2505

D

Dacryomitra glossoides, VI 2240
glossoides, VI 2241
pusilla, VI 2241
Dactyloctenium aegyptenium, X 3510
Daedalea amanitoidea, I 271
applanata, I 271
hobsoni, I 271
imponens trametoides, VI 1920
lurida, VI 2244
microzona, VI 2244
palisoti, I 271
repanda, I 271: VI 2244
sanguinea, I 264: VI 2247
subconfragosa, VI 2244

✓ *Daemonorops AFFINIS*, VIII 3042
curranii, VIII 3033
curranii, VIII 3040, 3042
gaudichaudii, VIII 3031
gaudichaudii, VI 2121: VIII 3044
 GRACILIS, VIII 3044
hystrix, VIII 3042, 3046

lamprolepus, VIII 3035, 3040, 3042
manillensis, VIII 3052
margaritae palawanicus, VIII
 3030
ochrolepis, VIII 3032
oligolepis, VIII 3037, 3039, 3040
 OLIGOLEPIS, VIII 3035
pannosus, VIII 3037, 3039, 3040
 PANNOSUS, VIII 3033
pedicellaris, VIII 3042
 PEDICELLARIS, VIII 3040
urdanetanus, VIII 3039
 URDANETANUS, VIII 3038

Dahlia cervantesii, I 173
coccinea, I 173
variabilis, I 173

Dalbergia DAVAOENSIS, II 700
 DUBIA, VIII 2731
ferruginea, II 699: VI 1936, 2105,
 2219: VII 2456
 FERRUGINEA DARONENSIS, II 699
luzonensis, II 700
millettii, VIII 2732
minahassae, II 701
 PINATUBENSIS, IX 3198
pinnata, VIII 2732: IX 3199
tamarindifolia, VIII 2732

Daldinia asphaltum, VI 2126: VII 2485
concentrica, VI 2126: VII 2485
concentrica eschscholzii, VI 2126
eschscholzii, VI 2206, 2273: VII
 2485
eschscholzii, VI 2207
gollani, VI 2126
luzonensis, VI 2126
vernica, VI 2127

Damnacanthus indicus, III 1044
Daphniphyllum glaucescens, IV 1285
glaucescens, I 310
 LUZONENSE, I 309

Darluca filum, IX 3137

Darwiniella orbicula, VI 2102
 ORBICULA, IV 1158

Dasyscypha cyatheae, VII 2500
 CYATHEAE, VI 2280
merrillii, VI 2141
merrillii, VI 2280

Datura alba, VII 2506, 2513

Davallia bulata, III 827
divaricata, III 827
 ELMERI, IX 3107
embolostegia, II 395: IX 3156
solida, II 395: IX 3156

- solida*, IX 3107
villosa, III 824
wagneriana, II 395: III 827
Davallodes gymnocarpum, V 1683
hirsutum, III 826: IX 3157
Debregeasia angustifolium, VIII 2845
 LUTEOCARPA, VIII 2843
Decaneurum cuneata, I 92
Decaspermum blancoi, IV 1482
grandiflorum, IV 1311, 1521
 GRANDIFLORUM, IV 1481
paniculatum, VII 2343
Dedea apoense, VIII 2825
 APOENSE, II 682
 CINEREA, VIII 2824
minor, II 683
Deeringia indica, VI 1920, 2076
Dehaasia triandra, II 711
triandra, II 704
Dendrobium atropurpureum, V 1573,
 1574
 ELMERI, V 1573
lunatum, V 1574
victoriae reginae, IX 3143
Dendrocalamus MERRILLIANA, VII 2675
parviflorus, VII 2675
Dendrochilum affine, V 1559
curranii, V 1559
elmeri, V 1558
 ELMERI, V 1558
lucbanense, V 1559
 LUCBANENSE, V 1559
lussoniense, VII 2518
palawanense, V 1559
palawanense, V 1559, 1560
pumilum, V 1559
simulacrum, V 1559
turpe, V 1558
Dennstaedtia ampla, II 396
articulata, II 396
 ARTICULATA, II 396
dennstaedtioides, III 825
elmeri, II 396
 ELMERI, I 233
erythrorachis, I 233: II 396
flaccida, IX 3108
hooveri, III 825
moluccana, I 233
 PHILIPPINENSIS, IX 3107
scabra, III 825
scandens, III 825
scandens, III 826
smithii, III 825: IX 3157
villosa, III 824
Dentella repens, I 4
Deprananthus APOENSIS, V 1708
Derridis elliptica, VI 2222
philippinensis, VI 2219
Derris atro-violacea, V 1542: VI 2093
 ATRO-VIOLACEA, V 1798
 CANESCENS, VIII 3087
cumingii, VIII 3087
elliptica, VI 2107, 2110, 2167,
 2264: VII 2452, 2461, 2477
ferruginea, V 1800
 LIANOIDES, I 228
micans, V 1801: VIII 2734
mindorensis, V 1544, 1801: VI
 2137: VIII 2734
 PALAWANENSIS, V 1800
philippinensis, VI 2094, 2220,
 2230: VII 2445, 2461: VIII
 2734, 2921, 2928
polyantha, IX 3200
 SUBALTERNIFOLIA, V 1801
 SURIGAOENSIS, VIII 2733
uliginosa, VI 2091: VII 2438
 ZAMBALENSIS, IX 3199
Desmodium capitatum, VI 2090: VII
 2437
gangeticum, VI 2085, 2087
procumbens, VI 2167
triflorum, VI 2090
umbellatum, VII 2482
virgatum, VI 2085
Desmos ELEGANS, VIII 3070
Dianella ensifolia, VII 2525
 ROBUSTA, V 1806
Diaporthe citrincola, VII 2479
 CITRINCOLA, VI 2269
Diathrypton amboinense, IX 3128
 CONSIMILE, IX 3127
Diatrype ALBIZZIAE, VI 2267
albizziae, VII 2483
clerodendri, VII 2483
 CLERODENDRI, VI 2215
extensa, VI 2267
megale, VI 2125
mindanaense, VI 1942, 2125: VII
 2483
polygoneia, VII 2484
 POLYGONEIA, VI 2266
polygoneia strebli, VII 2484
 POLYGONEIA STREBLI, VI 2266
polysaccoides, VI 2267
radulans, VI 2213
saccardoi, VI 2216

- virescens*, VI 1942
- Diatrypella psidii*, VI 2125
- Dichapetalum benthamianum*, V 1771
- GLABRUM, II 483
- luzoniense*, V 1771
- OBOVATUM, II 483
- OLIVACEUM, V 1769
- SPICATUM, I 299
- SUBMARITIMUM, IV 1493
- timoriensis*, IV 1494
- tricapsulare*, II 483
- Dichostomella areolata*, VII 2526
- Dichroa platyphylla*, X 3807
- Dichrocephala chrysanthemifolia*, I 127
- chrysanthemifolia*, I 127
- latifolia*, I 127
- latifolia*, I 127
- Dichrotrichum biflorum*, VII 2667
- BIFLORUM, V 1785
- calelanense*, III 948: VII 2667
- CALELANENSE, III 955
- chorisepalum, II 562
- chorisepalum*, III 956
- clarkei*, III 954
- clarkei*, III 948
- CLARKEI, I 345
- glabrum, III 953
- glabrum*, III 948, 956
- ternateum*, III 956
- URDANETENSE, VII 2665
- Dicksonia blumei*, II 420: III 804
- Dicliptera CLARKEI*, V 1689
- Dictyoneura PHILIPPINENSIS*, V 1613
- SPHAEROCARPA, I 209
- Dictyopanus COPELANDII*, VI 2254
- subpulverulentus*, VI 2254
- Dictyothyrium giganteum*, VII 2443
- Didymella acutata*, VII 2463
- caricae*, VI 2112: VII 2464
- eutypoides*, VIII 2944
- EUTYPOIDES, VIII 2943
- lussoniensis*, VII 2464
- maculosa*, VIII 2943
- ORCHNODES, VIII 2943
- pandanicola*, VII 2464
- SERIATA, VIII 2943
- Didymochlaena truncatula*, III 811
- Didymosphaeria arundinariae*, VI 1939
- BLUMEA, VI 2121
- INCONSPICUA, VIII 2948
- minutella*, VII 2475
- minutelloides*, VI 2120
- striatula*, VI 2120: VII 2475: VIII 2948
- Diedickeia singularis*, VI 2155: VII 2514: IX 3137
- SINGULARIS, VI 1932
- Digitaria consanguinea*, X 3511
- corymbosa*, X 3511
- longiflora*, X 3511
- sanguinalis*, X 3511
- sanguinalis*, X 3512
- Diglyphosa ELMERI*, V 1555
- Dillenia bolsteri*, VII 2611
- CATMON, VII 2610
- mindanaensis*, VII 2623
- MINDANAENSIS, VII 2611
- philippinensis*, VI 2100: VII 2520
- reifferscheidia*, VIII 3080
- REIFFERSCHIEDIA ROSEA, VIII 3079
- Dilochia cantleyi*, V 1555
- ELMERI, V 1554
- elmeri*, V 1555
- wallichii*, V 1555
- Dimeriella cyathearum*, VI 2081
- Dimerina graffii*, VI 2082: VII 2431
- Dimerium pseudo-perisporioides*, VI 2082
- scabrosum, VI 2082
- SCABROSUM, V 1534
- Dimerosporina dinochloae*, VII 2447
- pusilla*, VI 2082: VII 2447
- Dimerosporium lussoniense*, VII 2431
- mindanaense*, VI 2082: VII 2431
- pangerangense*, VI 2137
- Dimorphocalyx luzoniensis*, IV 1287
- MURINA, IV 1285
- Dinochloa MACROCARPA*, VII 2675
- scandens, X 3512
- scandens*, IV 1372: VII 2447, 2461, 2475, 2479, 2486, 2525, 2676
- Dioclea javanica*, I 225
- UMBRINA, I 224
- Dioscorea aculeata*, V 1590, 1592
- aculeata fasciculata*, V 1590
- aculeata tiliaefolia*, V 1594
- aculeata tiliaefolia*, V 1590: VI 2105
- alata*, V 1591: VI 2074: VII 2509, 2523
- birmanica*, V 1590
- bulbifera*, V 1596
- bulbifera*, V 1591, 1592
- cambodiana*, V 1590
- cumingii*, V 1595

- cumingii*, V 1591, 1595
daemonia, V 1595: VI 2163
daunaea, V 1590
elmeri, V 1590
elmeri dubia, V 1591
 ELMERI, V 1594
fasciculata, VI 2153: VII 2511
flabellifolia, V 1589, 1590, 1593
 FLABELLIFOLIA, V 1593
foxworthyi, V 1591
glabra, V 1599
grata, V 1591
hirsuta, V 1595
inaequifolia, V 1591
 INAEQUIFOLIA, V 1595
loheri, V 1591
luzonensis, V 1597
luzonensis, V 1589, 1591, 1598
membranacea, V 1590
merrillii, V 1591, 1598
 MERRILLII, V 1598
mollissima, V 1596
myriantha, V 1591
nummularia, V 1599
nummularia, V 1589, 1591
nummularia glauca, V 1591, 1599
papuana, V 1594
pentaphylla, V 1590, 1592, 1594
pentaphylla malaica, V 1590
 PEPEROIDES, V 1597
peperoides, V 1591, 1598
peperoides sagittifolia, V 1591
pyrifolia, V 1589
ridleyi, V 1590
sativa, V 1592, 1596
soror, V 1591
 SOROR, V 1598
soror glauca, V 1591
triphylla, V 1595
triphylla, V 1591, 1592
triphylla mollissima, V 1596
 TRIPHYLLA MOLLISSIMA, V 1591,
 1596
triphylla reticulata, V 1596
triphylla reticulata, V 1591
tiliaefolia, V 1594
tredecimnervis, V 1594
tugui, V 1594
wallichii, V 1592
 Diospyros ALATA, V 1774
biflora, II 507
brideliaefolia, VII 2624
 BRIDELIAEFOLIA, II 507
curranii, IV 1507: VII 2627
discolor, VII 2420, 2519
everettii, VII 2626
fasciculiflora, VII 2626
 HYPOLEUCA, VII 2623
 MERRILLII, V 1775
mindanaensis, IV 1505
nitida, V 1775
pilosanthera, II 507: X 3807
reticulata, IV 1507: VII 2627
 RETICULATA, II 506
 ROSENBLUTHII, IV 1504
 SIBUYANENSIS, IV 1506
 URDANETENSIS, VII 2624
 VIRIDIFOLIA, VII 2626
 Diplaziopsis *javanica*, II 402
 Diplazium *brevisorum*, IX 3111, 3154
crinitum, IX 3154
maximum, IX 3153
 Diploclisia *glaucescens*, IV 1166
 Diplodia *artocarpi*, VII 2505
artocarpina, VII 2505
cacaoicola, VI 2151
caricae, VII 2505
circinans, VII 2505
cococarpa, VII 2506
cococarpa malaccensis, VII 2506
coicis, VII 2506
daturae, VII 2506
durionis, VI 2150: VII 2506
fructus-pandani, VI 2150: VII
 2506
gmelinae, VI 2150: VII 2506
hibisci, VI 2151: VII 2507
litseae, VII 2507
manihoti, VII 2507
moringae, VII 2507
phaseolina, VII 2507
rapax, VI 2151
ricinicola, VII 2507
solanicola, VII 2507
synedrellae, VII 2507
 Diplospora *FASCICULIFLORA*, III 1007
 SESSILE, IV 1329
 Diplycosia *APOENSIS*, III 1101
BACLAYANENSIS, III 1100
baclayanensis, III 1134
calelanensis, III 1102: VII 2630
 CALELANENSIS, III 1103
luzonica, III 1105
luzonica, III 1102
merrittii, VII 2630
sessile, IV 1197
trinervia, III 1102: VII 2630
 TRINERVIA, III 1102
 URDANETENSIS, VII 2628

- Dipteris conjugata*, II 394: III 814:
 IX 3157
conjugata alpina, III 814
Dipterocarpus gracilis, VI 1951
grandiflorus, VI 2138: VII 2440,
 2441
hasseltii, VI 1950
 OBCONICUS, VI 1951
pilosus, VI 1952
 SUBALPINUS, VI 1950
subalpinus, VI 1928, 2108
vernicifluus, VI 1950
warburgii, VI 1952
warburgii, X 3572
Dischidia APOENSIS, X 3551
copelandii, X 3553
copelandii, X 3567
 DIPHYLLA, X 3553
elmeri, X 3555
glaucescens, X 3553
hirsuta, X 3556
hirsuta, X 3560
 IROSINENSIS, X 3556
irosinensis, X 3561
joloensis, X 3553
lancifolia, X 3558
 LIVIDA, X 3558
merrillii, X 3560
merrillii angusta, X 3569
miniata, X 3558
myrtilus, X 3564
oiantha, X 3561
oiantha, X 3558
palawanensis, X 3590
 PALAWANENSIS, X 3561
platyphylla, X 3563
platyphylla, X 3546, 3555, 3566
pubicaulis, X 3567
purpurea, X 3563
purpurea, X 3555, 3566
rosea, X 3563
rosea, VI 2105
ruscifolia, X 3564
saccata, X 3546, 3562, 3590
 SORSOGONENSIS, X 3564
 STRIATA, X 3566
 SYLVESTRIN, X 3568
tonsa, X 3558, 3583
Dischidiopsis copelandii, X 3569
incrassata, X 3570
luzonica, X 3570
parasitica, X 3570
ramosii, X 3570
Discocalyx angustifolia, II 442
congestiflora, X 3808
 CONGESTIFLORA, VIII 2780
effusa, II 444
linearifolia, X 3808
 LINEARIFOLIA, II 441
longifolia, VIII 2781
 MACROCARPA, VIII 2781
 MERRILLII, V 1821
 MINDANAENSIS, II 674
 MONTANA, II 443
montana, II 675: VII 2781
psychotrioides, II 666
 PSYCHOTRIOIDES, II 442
Discodothis lobata, VI 2102
Discosiella cylindrospora, VI 2155
 CYLINDROSPORA, V 1546
Dissochaeta acmura, X 3659
celebica, IV 1194: VIII 2756
cumingii, IV 1194
 FUEFURASCENS, VIII 2754
stellata, IV 1191
 SUBVIRIDIS, IV 1193
Distichophyllum ELMERI, II 656
nigricauli, II 656
Distreptus spicatus, I 96
Dolicholobium HIRSUTUM, IX 3247
latifolium, III 984
longissimum, III 984
philippinense, IX 3248
 PHILIPPINENSE, III 984
Dolichos uniflorus, VII 2464, 2513
Donax cannaeformis, VI 1924, 1931,
 2086, 2099, 2104, 2119, 2137,
 2196, 2221, 2222, 2226, 2260,
 2264: VII 2451, 2457, 2463,
 2470: VIII 2945
Dothidea examinans, VI 2274
loranthi, VI 2115
perisporioides, VI 2090
pterocarpi, VI 2102
thanatospora, VIII 2924
Doth'della albizziae, VI 2102
canarii, VI 2103
Dothiorella crustophila, VII 2508
Dracontomelum cumingiana, VIII
 2953: IX 2127
dao, VI 1924, 2087: X 3809
Drimys piperita, III 1106: VI 2096
Drosera peltata, IX 3145
Drymoglossum heterophyllum, III 847
Drynaria decurrens, II 414

- quercifolia*, III 846
quercifolia, VI 2094, 2100: VII 2455
revoluta, II 412, 413
sparsisora, II 415
Dryopteris adenophora, III 809: IX 3157
africana, III 808
aoristisora, III 808
ARIDA EBENEORHACHIS, II 390
bakeri, IX 3110
beddomei, III 809
calva, III 808
CALVA, III 808
canescens, IX 3110
canescens lobata, II 391
canescens subsimplicifolia, II 391: III 810
dissecta, III 806: IX 3157
diversiloba, III 811
dubia, II 389
DUBIA, I 235
DURA, III 805
ferox, IX 3158
ferox calvescens, II 391
foxii, III 808
gracilescens, III 808
gymnocarpa, III 808
GYMNOCARPA, III 807
hirtipes, III 806
hispidula, III 809: IX 3158
hispidula, IX 3158
immersa, III 809
intermedia, II 389
lepigera, IX 3159
leucolepis, IX 3158
ligulata, IX 3158
lineata, II 391
loheriana, IX 3159
luzonica, II 391: IX 3159
megaphylla, II 391: III 809
metteniana, II 389: III 806
motleyana, II 390
moulmeinensis, III 810
parasitica, II 390
philippina, III 808
porphyricola, IX 3159
pteroides, III 810
purpurascens, III 807
quadriaurita, II 390
rhodolepis, IX 3159
rhodolepis, I 235: IX 3159
rizalensis, III 806
sagenoides, III 807
sessilipinna, V 1683
setigera, II 389: III 806: IX 3160
setigera, IX 3158
sparsa, II 389
spenceri, III 810
spenceri, II 391
subarborea, III 807
syrmatica, II 390: III 806
syrmatica petioloso, III 805
tenerrima, III 805
todayensis, II 391: III 810
unita, II 390: III 810
URDANETENSIS, V 1682
urophylla, III 810: IX 3160
urophylla pustulosa, IX 3160
viscosa, II 390: III 808: V 1682
Dryostachyum pilosum, II 415
pilosum, II 415
splendens, II 415
Dunbaria MERRILLII, I 225
Durio zibethinus, IV 1159: VI 2150, 2153: VII 2506
Dysodium divaricatum, I 161
Dysoxylum AGUSANENSE, IX 3350
ALTERNIFOLIUM, IX 3352
altissimum, IX 3354
altissimum, IX 3356, 3378
amooroides, IX 3362
apoense, IX 3376
APOENSE, IX 3355
arborescens, IX 3356
arborescens, IX 3378
aurantiacum, IX 3360, 3362
AURANTIAECUM, IX 3357
bakeri, IX 3358
BAKERI, IX 3358
BENGUETENSE, IX 3360
biflorum, IX 3354, 3358
cumingianum, VIII 3093: IX 3372, 3392
decandrum, IX 3362
decandrum, VII 2509
dehiscens, IX 3349
foxworthyi, IX 3337
FOXWORTHYI, IX 3363
fragrans, IX 3367, 3371
FRAGRANS, IX 3365
glochidioides, IX 3371
GRANDIFOLIUM, IX 3368
hexandrum, IX 3362
klemmei, IX 3370
LANCEOLATUM, IX 3368
laxum, IX 3370
leytense, IX 3371

leytense, IX 3362, 3378
longiflorum, IX 3371
longiflorum, IX 3367, 3371
octandrum, IX 3372
octandrum, IX 3372
platyphyllum, IX 3373
platyphyllum, IX 3362
ramosii, IX 3362
revolutum, IX 3354
 REVOLUTUM, IX 3373
robinsonii, IX 3371
rostratum, IX 3376
rostratum, IX 3376
rubrum, IX 3356
schizochitodes, IX 3372
siargaoense, IX 3370
sibuyanense, IX 3490
 SIBUYANENSE, IX 3376
 SORSOGONENSE, IX 3378
 SULPHUREUM, IX 3380
testaceus, IX 3382
testaceus, IX 3381
 TESTACEUS, VIII 3093
triangulare, IX 3365
turczaninowii, IX 3352
wenzelii, IX 3382

E

Earliella corrugata, I 264
 Echidnodes DENIGRATA, IX 3129
 Eclipta alba, I 164
 Ectropothecium ELMERI, VI 1975
 subintorquato, VI 1975
 Egenolfia rhizophylla, IX 3160
 Ehretia navesii, VI 2089, 2258
 Elaeagnus philippinensis, X 3808
 Elaeocarpus APOENSIS, IV 1185
 argenteus, II 637
 argenteus, II 635: VI 2091: X
 3730
 BACLAYANENSIS, IV 1188
 BUREBIDENSIS, IV 1180
 CANDOLLEI, IV 1184
 CUERNOSENSIS, IV 1173
 cumingii, II 637
 cumingii, II 634: IV 1177, 1180
 curranii, IV 1178
 elmeri, II 635: IV 1185
 ELMERI, II 637
 fissistipula, II 636
 fissistipula, II 634
 floribundus, II 636
 floribundus, II 634

foxworthyi, II 638: IV 1172
foxworthyi, IV 1171
 FULVUS, IV 1179
 FUSICARPUS, IV 1174
gigantifolius, IV 1171
 GIGANTIFOLIUS, IV 1182
gitingensis, VIII 3081: IX 3186
 GITINGENSIS, IV 1177
integrifolius, II 638
isotrichus, II 638
 LAXIRAMEUS, IV 1186
macranthus, II 635
macranthus, II 634
 MAQUILINGENSIS, VIII 3080
mastersii, IV 1174
 MEGACARPA, VII 2627
 MERRILLII, X 3729
merrittii, IV 1174
 MICROPHYLLUS, IV 1189
mindanaensis, II 636
mindanaensis, II 634: IV 1171
monocera, II 637
monocera, II 635: VII 2628
multiflorus, II 637
multiflorus, II 634: IV 1179
nervosus, IV 1171
 NERVOSUS, IV 1176
oblongus, II 636
oblongus, II 634: IV 1179
obtusus, II 637
octopetalus, II 638
octopetalus, II 635: IV 1186
pendulus, II 637
pendulus, II 634: IV 1156, 1190:
 VI 2091
 philippinensis, II 636
 philippinensis, II 634, 638
 procerus, II 634: IV 1175
 PROCERUS, II 636
 subglobosus, IV 1189
 sylvestris, II 638
 venosus, IV 1172
 verruculosus, II 634: IV 1180
 VERRUCULOSUS, II 635
 versicolor, IV 1171
 VERSICOLOR, IV 1178
 verticellatus, IX 3186
 VERTICEILLATUS, IV 1181
 villosiusculus, II 638
 villosiusculus, II 635
 ZAMBALENSIS, IX 3185
 Elaphoglossum *angulatum*, II 418
 blumeum, II 418
 callifolium, II 417: III 849

- callaefolium*, II 417
conforme, I 235: II 417
copelandi, II 416: III 849
copelandi, II 417
cumingii, I 235, 363: II 418
decurrens, II 417, 418: III 849
elmeri, V 1684
 ELMERI, III 849
laurifolium, III 849
laurifolium, II 417, 418
luzonicum, II 416
luzonicum, II 416, 417: III 849
 LUZONICUM, I 235
merrillii, II 416
petiolatum, IX 3161
petiolatum, II 416, 417, 418
Elatériospermum paucínervium, III 915
 PAUCINERVIUM, II 484
Elatostema agusanense, VIII 2847
 AGUSANENSE, VIII 2845
 ANTONII, VIII 2847
 APOENSE, III 885
banahaense, IX 3221, 3228
baruringense, III 875
 BARURINGENSE, III 890
brongniartianum, IX 3234
 BRUNNEOLUM, IX 3219
 BULUSANENSE, IX 3227
 CAMIGUINENSE, VIII 2849
caranoi, VIII 2858
 DELICATUM, II 467
edule, IX 3228
gitingense, IX 3231
 GITINGENSE, VIII 2852
 GLABRATUM, IX 3228
glaucescens, IX 3231
 HASTATUM, II 466
 INAEQUIFOLIUM, III 887
integrifolium, III 889
integrifolium, III 890: VIII 2855
laciniatum, VIII 2862: IX 3240
 LACINIATUM, I 287
 LAXUM, II 465
lineare, III 886
longifolium, VIII 2846, 2847
 LONGIPEDUNCULATUM, III 886
lutescens, VIII 2850
maquilingense, IX 3234
 MAQUILINGENSE, IX 3229
microphyllum, III 888: IX 3230
 MICROPHYLLUM, I 286
nigrescens, I 288
oblanceolatum, IX 3230, 3234
obovatum, I 287: II 468
 PACIFICUM, IX 3230
 PERLONGIFOLIUM, IX 3232
philippinense, IX 3229
 PHILIPPINENSE, III 888
 PICTUM, VIII 2850
 PINNATIVERVIA, I 286
podophyllum, I 286: II 467
 PULGARENSE, V 1846
rigidum, II 466
rostratum, II 466
rostratum manillense, II 466
 RUPICOLUM, IX 3233
 SERRATIFOLIUM, IX 3234
sessile, VIII 2853
simulans, IX 3231
sorsogonense, IX 3235
 SORSOGONENSE, IX 3235
spinulosum, IX 3221
 SPINULOSUM, II 468
 SURIGAOENSE, VIII 2854
umbrinus, VIII 2847: IX 3235
 UMBRINUS, VIII 2855
urdanetense, VIII 2847: IX 3235
 URDANETENSE, VIII 2857
variabile, VIII 2856
viridescens, VIII 2850
 VIRIDESCENS, I 285
whitfordii, III 884
whitfordii, III 875
Elatostematoides caudatum, IX 3236
laxum, VIII 2860
rigidum, IX 3237
 SUBLAXUM, VIII 2858
Eleocharis equisetina, X 3531
equisetina, IX 3137
retroflexa, X 3531
Elephantopus dubius, I 96
mollis, I 97
mollis, I 96
scaber, I 97
scaber, I 96
serrata, I 97
spicatus, I 96
spicatus, I 96
Eleusine indica, X 3512
indica, VI 2165
Elfvingia elmeri, I 269
törnata, I 269
Ellipanthus buribidensis, VII 2596
luzonensis, VII 2597
 VIDALII, VII 2596
Ellisiodothis elmeri, IX 3127

- Elmeria bifida*, II 569, 603
 BIFIDA, II 569
 pinetorum, II 569
 PINETORUM, II 570
Elmerina cladophora, VI 2246
 setulosa, VI 2246
Elmerinula CAPNOIDES, IX 3175
Elmeriobryum ASSIMILE, VI 1975
 PHILIPPINENSE, VI 1974
Elsinoe canavaliae, VI 2146: VII 2498
Elytranthe cumingii, II 471
Embelia coriacea, II 669
 halconensis, V 1663
 philippinensis, II 668
 proteana, II 675
 URDANETENSIS, VIII 2783
 whitfordii, II 668
 whitfordii, VIII 2784
Emilia flammea, I 149
 flammea, I 148, 150
 humifusa, I 148
 humifusa, I 147, 362
 MARIVELENSIS, I 148, 362
 pinnatifida, I 150
 pinnatifida, I 148
 sagittata, I 149
 sonchifolia, I 148
 sonchifolia, I 147, 150
Endiandra ARBOREA, II 376
 coriacea, II 377
 GITINGENSIS, II 712
 VIDALII, II 711
Endospermum peltatum, X 3808
Endotrichella eleganti, VI 1977
 ELMERI, VI 1977
Endoxyla mangiferae, VI 2112: VII 2479
Engelhardtia APOENSIS, VII 2693
 parvifolia, IX 3197
 PERMICROPHYLLA, IX 3194
 subsimplicifolia, IX 3197
 ZAMBALENSIS, IX 3195
Englerula medinillae, VI 2082: VII 2446
Enhydra fluctuans, I 163
Entada phaseoloides, X 3808
Entyloma oryzae, VII 2428
Epaltes australis, I 108
Ephelis caricina, VI 2156
 pallida, VI 2156
Epichloe warburgiana, VI 2099
 warburgiana donacis, VII 2450
 WARBURGIANA DONACIS, VI 2225
Epiphyma mucunae, IX 3135
Epipremnopsis huegeliana, X 3619
Epipremnum angustilobum, X 3621
 elmerianum, X 2624
 GLAUCICEPHALUM, X 3620
 luzonense, X 3623
 miniatum, X 3624
 MINIATUM, X 3622
 MULTICEPHALUM, X 3624
 philippinense, X 3624
 pinnatum, X 3626
 robinsonii, X 3626
 sorsogonense, X 3624
 truncatum, X 3626
Epithema benthami, II 563
Eragrostis tenella, X 3513
 unioloides, X 3512
 viscosa, X 3513
Eranthemum andersoni, II 591
 bicolor, II 591
 crenulatum, II 591
 curtatum, II 591
 FRUTICOSUM, II 590
 haenkeanum, II 591
 malaccense, II 591
 MINUTIFLORUM, V 1687
Erechthites petiolata, I 157
 valerianaefolia, I 157
Eria cymbiformis, V 1580
 davaensis, V 1575, 1577
 DAVAENSIS, V 1575
 gigantea, V 1576
 lamellata, V 1576
 LAMELLATA, V 1576
 longibracteata, V 1575
 major, V 1575
 MINDANAENSIS, V 1577
 palawanensis, V 1578, 1907
 PALAWANENSIS, V 1578
 polyura, V 1579
 ramosii, V 1579
 retroflexa, V 1580
 ringens, V 1579
 ringens, V 1579, 1580
 tridens, V 1580
 TRIDENS, V 1580
 ventricosa, V 1580
Erigeron linifolius, I 135
Erinella philippinensis, VI 2141
Eriochloa ramosa, VI 2099
Erycibe angulata, II 590
 COPELANDII, VIII 3077

- DUBIA, II 589
expansa, V 1769
 HALLIERIANA, VII 2601
 LATERALIFLORA, V 1767
luzonensis, V 1769
macrophylla, II 590
paniculata, VII 2603
 PARARAN, VII 2603
 TERMINALIFLORA, V 1768
Erythrina indica, VII 2527
Erythrolamium GRANDIFOLIUM, VIII 2788
 scandens, VI 2118: VIII 2789
Erythroxylum IWAHIGENSE, V 1776
 obtusifolium, V 1778
Ethulia conyzoides, I 87
Eucalyptus binacag, VIII 2776
 BINACAG, VII 2701: VIII 2776
Eugenia ABBREVIATA, VIII 2776
 acrophila, VII 2351
 acuminatissima, IV 1422
 acuminatissima, IV 1423
 agusanensis, VIII 3096
 AGUSANENSIS, VII 2357
 aherniana, VII 2346
 aherniana, IV 1430
 alvarezii, VIII 3097
 ANGULARIS, IV 1434
 ANTONIANA, IV 1425
 APOENSIS, IV 1401
 arcuatinervia, IV 1418
 arcuatinervia, X 3808
 atropunctata, IV 1426
 atropunctata, VII 2355
 AUREA, IV 1400
 bakeri, VII 2355, 2357
 BAKERI, VII 2355
 balerensis, X 3768
 BANARA, IV 1443
 bataanensis, VII 2348
 bataanensis, VIII 2949, 2951
 benguetensis, IV 1440
 benthamii, VIII 3097
 binacag, VIII 2776
 BINACAG, VII 2351
 brevistylis, IV 1422
 bulusanensis, IX 3135
 BUREBIDENSIS, IV 1436
 calubcob, VI 2138, 2141
 CALVINII, IV 1419
 cerasiformis, IV 1442
 cinnamomea, II 584
 claviflora, IV 1422
 congesta, II 582
 CORTICO-PAPYRACEA, IV 1405
crassipes, IV 1411
cumingiana, IV 1423: VII 2348
cumingiana, IV 1423
curtiflora, IV 1402
 CURTIFLORA, I 328
 DAVAOENSIS, IV 1439
decipiens, IV 1410
densinervia, I 328: VIII 3095
diplycosifolia, IV 1399: VII 2347
diplycosifolia, IV 1401
 ECOSTULATA, IV 1428
everettii, IX 3125, 3135: X 3808
foxworthyi, IV 1416
 FOXWORTHYI, IV 1414
 GITINGENSIS, IV 1409
globosa, VI 1923, 2083
 GLOBOSA, IV 1404
 HOLMANI, VII 2354
incarnata, V 1535: VI 2090
 INCARNATA, IV 1416
incrassata, IV 1409, 1435
 INCRASSATA, II 581
 IROSINENSIS, X 3767
 IWAHIGENSIS, IV 1417
 IXOROIDES, IV 1426
 LAMBII, IV 1430
leptantha, IV 1422
leptogyna, VII 2348
 LEYTENSIS, I 329
lineata, IV 1442
livida, VII 2356: X 3808
 LIVIDA, VII 2349
llanosii, IX 3174
loheri, IV 1430
longiflora, IV 1440: VII 2346
longiflora, IV 1442
 LUMBOY, IV 1431
luzonensis, IV 1405
luzonensis, X 3770
magalantha, IV 1412
magalantha, IV 1412
 MAINITENSIS, IV 1415
malaccensis, IV 1410
malaccensis, I 330: IV 1411
 MALAGSAM, IV 1403
mananquil, VII 2350
 MAQUILINGENSIS, VIII 3096
marivelensis, II 583: IV 1441
 MELASTOMOIDES, IV 1429
merrillii, IV 1413
merrittiana, IV 1432, 1434
mimica, IV 1437

mimica, IV 1439
mindanaensis, IV 1411
mindoroensis, IV 1427
 MIQUELII, IV 1441
oblanceolata, IV 1419
 OBLIQUINERVIA, X 3768
 PANDURIFORMIS, IV 1412
parva, IV 1425: VIII 2777
pasacaensis, IV 1430
 PENINSULA, X 3769
perpallida, IV 1423
perpallida, IV 1423: VIII 2777:
 X 3808
philippinensis, IV 1420
purpuricarpa, IV 1437
 PURPURICARPA, IV 1435
 PURPURIFLORA, IV 1432
robertii, IV 1442
robertii, IV 1444
 ROBINSONII, II 583
rosenbluthii, VII 2347
rosenbluthii, IV 1436, 1437
roseo-marginata, VIII 3097
rubrovenia, VII 2358: VIII 3096
sablanensis, II 583: IV 1409:
 VIII 3095
 SABLANSIS, I 328
 SABLANSIS RAMULOSA, IV 1408
saligna, IV 1422: X 3808
 SILVESTREI, VIII 3095
similis, IV 1431: VII 2353
 SINUBANENSIS, IV 1424
 SUBMIMICA, IV 1438
 SUBSULCATA, VIII 3095
 SUCCULENTA, I 327
 TOPPINGII, IV 1407
tripinnata, X 3770
 URDANETENSIS, VII 2356
 VACCINIOIDES, VII 2350
 VERNONIOIDES, VII 2352
vidaliana, IV 1405, 1444
 VIDALIANA, II 584
 VIRIDIFOLIA, IV 1420
 Euonymus ALATUS, IV 1484
javanicus, IV 1485: VI 2229:
 VII 2444, 2581
 MARIVELENSIS, VII 2580
sumatrana, IV 1485
 Eupatorium *ayapana*, I 103
 CATENSE, VII 2584
lindleyanum, I 101
lindleyanum, I 101

luzonensis, I 103
reevesii, I 101
sambucifolium, I 101, 102: VII
 2585
 SAMBUCIFOLIUM, I 102
scandens, I 104
toppingianum, I 101
 TOPPINGIANUM, I 101
triplinerve, I 103
 Euphoria GRACILIS, V 1606
 Euphorbia *neriifolia*, VI 2156
 Eurotium repens, VI 2082: VII 2431
 Eurya *acuminata*, VI 2122
 AURICULATA, II 501
japonica parvifolia, V 1664
macartneyi, II 502
myrtilloides, I 363: V 1664
 MYRTILLOIDES, I 323
 Eurycoma DUBIA, II 481
 Eutypa *alangii*, VII 2479
 ALANGII, VI 2214
bambusina, VI 2123: VII 2479
capparidis, VII 2479
 CAPPARIDIS, VI 2215
citricola, VII 2480
corniculata, VI 2123: VII 2479
flavo-virens, VI 2123: VII 2480
inconspicua, VII 2480
 INCONSPICUA, VI 2265
lata, VI 2214: VII 2480
ludibunda, VI 1942, 2124: VII
 2480
ludibunda, VI 2214, 2215, 2265
macropunctata, VI 2124
 MACROPUNCTATA, VI 1941
megalosoma, VII 2480
 MEGALOSOMA, VI 2264
micropunctata, VI 1941
phaseolina, VI 2265
stenospora, VI 2214
stenospora hibisci, VII 2480
 STENOSPORA HIBISCI, VI 2215
tujutensis, VI 1941
 Eutypella *aemula*, VI 2266
arundinariae, VIII 2956
aulocostoma, VI 2124
bambusinae, VI 1942
bambusinae, VIII 2956
 BAMBUSINAE SULFUREA, VI 1942
citricola, VI 1942, 2124, 2265:
 VII 2480
citricola, VI 2265

- cocos*, VI 2214: VII 2481
exiguæ, VI 2213
gliricidia, VI 2124, 2266: VII 2481
gliricidia, VI 2268
leucaenæ, VII 2481
 LEUCAENAE, VI 2266
 LINEOLATA, VIII 2955
malloti, VIII 2955
 MALLOTI, VIII 2955
plagia, VIII 2955
premnae, VII 2481
 PREMNAE, VI 2213
radulans, VI 2213: VII 2481
rehmiana, VII 2481
russodes, VII 2482
Everettia pulcherrima, IV 1191
Everettiodendron philippinense, III 916
Evodia ARBOREA, VIII 2806
benguensis, IX 3217
 BENGUENSIS, VIII 2808
dubia, VIII 2809
glabrum, VIII 2808
 LAXA, IV 1509
monophylla, IV 1510
 PERGAMENTACEA, II 479
 PULGARENSIS, V 1831
reticulata, II 479
retusa, V 1832: VIII 2809
semicarpifolia, II 479: VIII 2808
zambalensis, IX 3176
 ZAMBALENSIS, IX 3216
Exacis tetragona, VII 2427
Excoecaria philippinensis, III 916: IV 1287
Exosporium calophylli, VII 2526
- F**
- Fagraea auriculata*, II 599
auriculata, II 596: III 859: VIII 2744, 2746
 CARDINALICARPA, X 3759
carnosa, III 860
 CONGESTIFLORA, VIII 2741
cuernosensis, II 596
 CUERNOSENSIS, II 600
 EPIPHYTICA, VIII 2743
epiphytica, VII 2380
fragrans, II 597
fragrans, II 596: VII 2465
 GITINGENSIS, III 859
 JACKII, VIII 2744
longiflora, II 597
longiflora, II 596, 598
morindaefolia, II 596
morindaefolia, II 596
negrosensis, II 596
 NEGROSENSIS, II 599
nonok, VIII 2746
 NONOK, III 858
obovata, II 598: III 857
obovata, II 596, 600
plumeriaeflora, II 598
plumeriaeflora, II 596, 598
plumeriaefolia, III 857
racemosa, VIII 2743
tubulosa, III 860
Favolus junghuhnii, VI 2253
multiplex, VI 2253
peltatus, VI 2253
philippinensis, VI 2253
philippinensis obscurata, VI 2253
spathulatus, VI 2253
tener, VI 2253
tenuis, I 264
wightii, I 264
Ficus acuminatissima, I 47, 197
adami, VII 2410
adami, IV 1521
 ADAMI, IV 1258
 AGUSANENSIS, X 3762
ahernii, IX 3478
ahernii, VII 2409
alba, IV 1255
altissima, II 539: IV 1231, 1239: IX 3464
altissima, IV 1243
ampelos, I 191: IV 1317, 1392: VII 2405: IX 3465
ampelos, IV 1231, 1256, 1262: IX 3471
angustissima, I 251: IV 1255, 1317: IX 3466
angustissima, I 238: IX 3482, 3485
annulata, I 51
anomala, I 241: II 535
anomala, I 238: IV 1321
antoniana, IV 1521: IX 3416
 ANTONIANA, IV 1374
apiocarpa, I 249: II 539
apiocarpa, I 238: II 533, 540: IV 1252, 1253: IX 3435

- apoensis, VII 2414
apoensis, IV 1158, 1232: VI
 2103: IX 3415, 3476
 APOENSIS, IV 1249
appendiculata, IX 3450
arayatensis, IX 3453
arenata, VII 2405
arenata, VII 2391
 ARENATA, IV 1263
areolata, IV 1233
 AREOLATA, IV 1252
argentea, IX 3454
aspera nota, I 58, 198, 257
asperior, I 192: IV 1320
asperrima, I 53
asperrima, IV 1262, 1521
 AURANTICARPA, IX 3454
bakeri, IX 3466
bakeri, IX 3435
 BAKERI, VII 2402
balete, II 539
banahaensis, IV 1254
banahaensis, I 238: IV 1158,
 1239: VI 2105: IX 3486
 BANAHAENSIS, I 252
barnesii, I 58, 198, 256: VII
 2391
barnesii, I 238, 258: VII 2391
bataanensis, II 536
bataanensis, I 248: II 533: IV
 1267
benguuetensis, I 54, 191, 250
benguuetensis, I 195, 237, 255:
 II 543: IV 1257
benguuetensis leytensis, I 250: IX
 3467
 BENGUETENSIS LEYTENSIS, I 194
benguuetensis negrosensis, II 533,
 541
 BENGUETENSIS NEGROSENSIS, II
 542
benjamina, I 48: IX 3456
benjamina, IV 1246: VI 2088:
 VII 2436: IX 3453
binuangensis, IX 3443
blancoi, IX 3432
 BLANCOI, I 283
blepharostoma, I 253: II 541,
 543: IV 1322: VI 2105:
 IX 3474
bordeni, I 256
bulusanensis, IX 3477
 BULUSANENSIS, IX 3479
calophylla, IV 1247
calophylloides, IX 3457
 CALOPHYLLOIDES, IV 1246
camarinensis, IX 3464
 CARDINALICARPA, IV 1391
carica, VI 2075
carpenteriana, IV 1256: VII
 2414
carpenteriana, II 543: IX 3441
 CARPENTERIANA, I 197
cassidyana, IV 1265: VII 2393
cassidyana, IV 1233, 1239: VII
 2391: IX 3423
 CASSIDYANA, I 200
 CASTANEA, IX 3441
cataupi, VII 2387
cataupi, IV 1233: VII 2385,
 2387: IX 3425
 CATAUPI, IV 1251
caudatifolia, I 240: II 534: IV
 1241: IX 3467
caudatifolia, I 238, 241: IV 1233,
 1239: IX 3174, 3475
caulocarpa, I 244
caulocarpa, I 238, 244
celebica, I 44: IV 1239, 1384:
 IX 3481
celebica, I 45, 187: II 534: IV
 1233, 1242: VII 2400: IX
 3121, 3416, 3483, 3486
celtoides, IX 3481
 CELTOIDES, IV 1388
cervina, II 533
 CERVINA, II 543
chrysolepis, II 536: IV 1316,
 1382: VII 2385: IX 3142
chrysolepis longipedunculata, I 50,
 244
elementis, IV 1244
clementis, II 539: IX 3459
clusioides, IV 1380
clusioides, II 539: IX 3459,
 3460
 COLLINSII, IX 3468
 COMPRESSITORA, IX 3443
concinna, IX 3453
confusa, I 187, 240: II 535: IV
 1239, 1387: VII 2398: IX
 3470
confusa, I 238, 243, 362: IV
 1233: VII 2398, 2413
 CONFUSA, I 47
copelandii, IV 1385
copelandii, IV 1372, 1385
 CORDATIFOLIA, IV 1250

- cordatula*, IV 1251: IX 3464
corona, IV 1376
corona, I 198: VII 2391
crassicalyx, IX 3462
 CRASSICALYX, IX 3457
crassitora, IV 1397: IX 3470
crassitora, IV 1267: VI 2110:
 VII 2386, 2414, 2461
 CRASSITORA, II 548
crininervia, IX 3484
cuernosensis, IV 1265
cuernosensis, II 533, 542: IV
 1238, 1265: VIII 3095: IX
 3439
 CUERNOSENSIS, II 545
cumingii, I 53: VII 2404: IX
 3482
cumingii, I 53, 251: II 541: IV
 1261, 1317, 1319, 1389: IX
 3466, 3485
curranii, IV 1258: VII 2414
decaisneana, I 47
decussata, II 535: IV 1321, 1322
didymophylla, II 541: IV 1254
disticha, II 546: IV 1262: VII
 2388
disticha, II 532, 533: VI 2155:
 IX 3422
 DRIVERI, VII 2397
dubia, IV 1247
elastica, IX 3425
elliptica, II 546
elliptifolia, IX 3456
elmeri, I 55
elmeri, I 57
elmeri subintegra, I 56
endothrix, IV 1269
eucaudata, I 47, 240, 241: IX
 3468
 EUCAUDATA, I 46
euphlebia, IX 3481
everettii, VII 2394: IX 3459
everettii, IX 3459
 EVERETTII, II 538
falcata, IX 3416, 3423
fastigiata, I 240
fastigiata, I 196, 197, 238: IX
 3471
 FASTIGIATA, I 44
fiskei, II 540: VII 2405
 FISKEI, I 195
fiskei cebuensis, IX 3482
fistulosa, I 199
flavo-cortica, VII 2399: IX 3483
flavo-cortica, IV 1233: VI 1928,
 2107
 FLAVO-CORTICA, IV 1241
forstenii, I 189
forstenii, II 539: IX 3456, 3465
fruticosa, II 547
 FULVA, VII 2407
garciae, IV 1384: VII 2395
garciae, V 1545: VI 2106: IX
 3136, 3447
 GARCIAE, II 550
gelderi, I 243: IV 1380
gibbosa, I 188
gigantifolia, I 259: VII 2407
gigantifolia, I 238, 260: II 536:
 IV 1251: VII 2386, 2407
glabella, I 48
glabella, IX 3453
 GLAREOSA, IV 1393
glomerata, I 260
glomerata, I 238: II 551
grandidens, IX 3449
guyeri, I 250: II 540: IV 1256:
 IX 3471
guyeri, I 196, 238, 240: II 533:
 VI 1929, 2111: VII 2462
 GUYERI, I 196
haematocarpa, IV 1246
haenkei, IX 3432
haenkei, II 540: IX 3432
haggeri, IX 3469, 3474
hallieri, II 536: IV 1243
hauili, I 53, 191, 250: II 541: IV
 1253, 1316, 1395: IX 3471
hauili, I 237: II 543: IV 1254,
 1397: VI 2107: VII 2384,
 2386, 2411: IX 3414
hederacea, II 547
hemicardia, VII 2406
henneana, IX 3426
heterophylla, I 54: VI 2105, 2275:
 VII 2456, 2458
heteropoda, I 193: II 543: IV
 1321, 1377: IX 3445
heteropoda, II 536: IV 1231,
 1322: VII 2384: IX 3423
hispida, IV 1322
hispida odorata, I 201, 259: II
 546: IV 1263
 HISPIDULOSA, VII 2401
 ILANGOIDES, IX 3445
inaequifolia, II 535: IV 1240:

VII 2411: IX 3472
inaequifolia, I 238: IV 1233,
 1239: VII 2413
 INAEQUIFOLIA, I 242
inconstans, IV 1389
indica, I 49, 243: II 536: IV
 1243, 1314: IX 3460
indica, I 49, 52, 237: II 533, 539:
 IV 1245, 1380: VII 2384,
 2385, 2393
indica gelderi, I 243: IV 1379
infectoria, IV 1393
infectoria, IV 1393: VI 2106:
 VII 2386, 2409
infectoria caulocarpa, IV 1246,
 1313: VII 2409
infectoria forbesii, IV 1393
integrifolia, I 260: II 550: IV
 1324: VII 2410: IX 3447
integrifolia, I 238: II 533: VII
 2386, 2410: IX 3443, 3445,
 3490: X 3763
 INTEGRIFOLIA, I 61
irisana, II 535: IV 1320
 IRISANA, I 45
 IROSINENSIS, IX 3473
irregularis, I 251: IV 1256, 1317
 IWAHIGENSIS, IV 1381
jaroensis, IX 3484
 JOHNSONI, I 190
kalingiaensis, IX 3437
kamelii, IX 3487
 LAEVICARPA, IV 1395
leavigata, I 205
lagunensis, IX 3484
lanata, IX 3481
lancifolia, I 44, 45: IV 1240,
 1242
latsoni, I 260: IV 1270, 1324
latsoni, I 238: II 549
 LATSONI, I 204
 LAXIRAMEA, IV 1257
linearifolia, IX 3436
linearifolia, I 238: II 544
 LINEARIFOLIA, I 257
longipedunculata, I 50, 244: IX
 3450
longipedunculata, I 238, 247
lucbanensis, II 541: IV 1254
lucbanensis, I 238: II 533, 543:
 IV 1239, 1258
 LUCBANENSIS, I 254
luzonensis, I 60: IV 1324, 1395
 LUZONENSIS IMBERBIS, IV 1323
macropoda, I 59

macropoda, II 550: IV 1395: VII
 2386, 2407, 2409
mearnsii, IV 1315: IX 3416
megacarpa, I 52, 248: VII 2388:
 IX 3432
megacarpa, I 238: II 546: IX
 3416
 MAGALLANENSIS, IV 1315
magnifica, I 250
magnifica, I 238
 MAGNIFICA, I 51
manilensis, I 192, 250: IV 1255:
 VII 2404: IX 3484
manilensis, I 238: IV 1157, 1233:
 VI 2105
malunuensis, I 246
malunuensis, I 238, 247: II 536:
 IV 1251
 MAQUILINGENSIS, VIII 3094
merrillii, IX 3174
 MERRILLII, I 282
merrittii, IV 1376
merrittii, IV 1262, 1377: IX
 3443
microsphaeria, IV 1240
microsphaeria, IV 1233: VII
 2402: IX 3423
minahassae, I 57, 198, 256: II
 543: IV 1264: VII 2389:
 IX 3436
minahassae, I 238: IV 1372, 1379:
 VI 2075, 2106: VII 2385,
 2389, 2422, 2457: VIII 2926:
 IX 3126, 3423
mindanaensis, I 188: VII 2400:
 IX 3475
mindanaensis, I 241: IV 1231
mindorensis, I 198: IX 3486
miquelii, I 283
multiramea, IX 3485
multiramea, IX 3481, 3485
 MULTIRAMEA, IV 1259
multistipularis, IX 3415, 3432,
 3490
nervosa, II 537: IX 3475
nervosa, IV 1250
nodosa, II 549
nota, I 58, 198, 257: IV 1262:
 IX 3448
nota, I 238: IV 1233, 1268, 1377:
 VI 2108, 2152, 2219: VII
 2384, 2385, 2391, 2392, 2459,
 2515
nuda, IV 1246: IX 3453, 3457

- obpyramidata*, I 201
obscura, I 53
obscura, I 46, 53
obtusa, IX 3479
odorata, I 201, 258: II 546
odorata, I 238: IV 1263, 1521:
 VI 1936, 2104, 2105, 2106,
 2219: VII 2457
 OLIVACEUS, IX 3437
pachyphylla, IX 3462
pacifica, IX 3124, 3459
 PACIFICA, IX 3460
palawanensis, I 245: IV 1244,
 1380: VII 2393
palawanensis, I 238: II 539: IV
 1231, 1249, 1373, 1382: IX
 3462
palmifolia, IV 1316: IX 3432
paloensis, II 547: IV 1322: IX
 3485
paloensis, IX 3123, 3208
 PALOENSIS, II 547
papaya, IX 3465
parietalis, IX 3475
parvifolia, IX 3453
paucinervia, X 3763
peabodyi, IV 1233: IX 3439
 PEABODYI, IV 1267
pedunculosa, IV 1320
 PENINSULA, IX 3433
perfulva, IX 3142, 3416
philippinensis, II 535: IV 1387:
 IX 3470
pisifera, I 187, 239: II 534: IV
 1312, 1385: VII 2386, 2395:
 IX 3486
pisifera, I 237: IV 1242: VII
 2395: IX 3482, 3483
pisocarpa, I 248
polycarpa, IV 1255
 PRASINICARPA, IX 3451
producta, IX 3481
propinqua, I 60, 259: II 546:
 VII 2399
propinqua, I 202, 238: II 533:
 IX 3484
pruniformis, IV 1382
pruniformis, IX 3453
pseudopalma, I 202, 257: II 540:
 IV 1316: VII 2387: VIII
 2923
pseudopalma, I 238, 283, 284: IV
 1231, 1372: VII 2385, 2387:
 IX 3415, 3422, 3432
pubinervis, IX 3471
puncticulata, II 533: IX 3480
puncticulata, II 547
 PUSTULATA, IV 1389
quercifolia, I 238, 251
quercifolia humilis, I 192, 251:
 II 541
quercifolia humilis, II 535: IV
 1389
ramentacea, IV 1388
ramosii, IX 3435
recurva, IV 1386
recurva, IV 1372: IX 3480
religiosa, IX 3425
repandifolia, I 256: IV 1321:
 VII 2392: IX 3448
repandifolia, I 238: VII 2411:
 IX 3123
 REPANDIFOLIA, I 58
retusa, IV 1245
retusa, IV 1245
ribes, I 283
roxburghii, II 549
rubrocarpa, IX 3435
 RUBROCARPA, IX 3476
rudis, II 540
rudis, I 54, 193: IV 1255
rudis arborea, I 192, 250
 RUDIS ARBOREA, I 54
ruficaulis, I 60, 202, 258
ruficaulis, I 238: II 547: IX
 3208, 3486
ruficaulis paloensis, I 202: II 547
 RUFICAULIS PALOENSIS, I 203
samarensis, IX 3435, 3477
satterthwaitei, II 543: IV 1264,
 1320: VII 2392: IX 3449
satterthwaitei, I 198: IV 1233,
 1262, 1268
 SATTERTHWAITEI, I 199
saxophila, II 537: IX 3478
scandens, II 547
semicordata, I 56, 196
sericea, IV 1251
 SETIBRACTEATA, VII 2411
sibulanensis, IV 1158: VI 2103
 SIBULANENSIS, IV 1266
sibuyanensis, VII 2406
 SIBUYANENSIS, IV 1319
silvestrei, IX 3462
similis, I 243: IV 1313
similis, I 238: II 549
sinuosa, I 251
sinuosa, I 238: IV 1389
sordidissima, IV 1233
 SORDIDISSIMA, IV 1268
 SORSOGONENSIS, IX 3439

stipulosa, IX 3454
stipulosa, IV 1246
 STRANGULARIS, IV 1382
 SUBALBIDO-RAMEA, VII 2389
subintegra, I 56: IX 3487
subulata, I 243: IV 1239: IX 3470
 SULCATA, IV 1377
swinhoi, IV 1315
sycomoroides, I 62
tayabensis, IV 1387: IX 3435
tayabensis, I 238: II 548: VII 2403: IX 3477
 TAYABENSIS, I 255
terminalifolia, IV 1389: IX 3485
 TERMINALIFOLIA, IV 1318
tetangis, II 540
tinctoria, IV 1314
tinctoria, IV 1231
todayensis, VII 2403
todayensis, IV 1317
 TODAYENSIS, IV 1261
ulmifolia, IV 1319, 1389: VI 2105, 2106, 2107, 2122, 2155, 2219, 2237, 2276: VII 2386, 2403, 2451, 2457: IX 3136, 3423, 3474, 3483
umbo-bracteata, VII 2394
 UMBO-BRACTEATA, IV 1247
umbonata, I 55, 197
umbrina, IV 1245: VII 2409
umbrina, IX 3457
 UMBRINA, I 49
 URDANETENSIS, VII 2413
validicaudata, I 240: VI 2105: IX 3471
variegata, II 549: IV 1270: IX 3450
variegata, I 205, 261: II 549: IV 1233: VII 2385, 2395
vidaliana, II 539
 VILLARII, I 362
villosa, I 201: IV 1263
villosa, I 61: IV 1233: IX 3484
viridifolia, IX 3483
warburgii, IX 3435
warburgii, I 238: IV 1375, 1376: IX 3435
 WARBURGII, I 247
wenzelii, IX 3443
 WILLIAMSI EPIPHYTICA, VII 2396
xavieri, IX 3457
zambalensis, IX 3486
 ZAMBALENSIS, IX 3207

Fimbristylis acuminata, X 3532
annua, X 3532
complanata, X 3532
diphylla, VI 2079: X 3532
globulosa, X 3533
globulosa, III 855: X 3533
meliacea, X 3533
quinguangularis, X 3533
utilis, VII 2360: X 3533
 UTILIS, III 855
Fissidens asperifolia, II 652
 ELMERI, II 652
Flacourtia euphlebia, VII 2653
inermis, IV 1520
lanceolata, X 3808
 MAGALLANENSE, IV 1519
 SULCATA, VII 2653
Flagellaria indica, I 275: VI 2216: VII 2455, 2478
 PHILIPPINENSIS, I 274
Fluggia virosa, IV 1287
Fomes carnu-bovis, I 270
melanoporoides, I 270
pullus, I 270
semilaccatus, I 263
semitostus, I 270
Fraxinus griffithii, IX 3142
Freycinetia acutifolia, X 3808
 APOENSIS, III 1111
banahaensis, VIII 3098
 BANAHAENSIS, I 215
 BREVIFOLIA, X 3771
bulusanensis, X 3601
 CONFUSA, I 213
cuernosensis, X 3602
curranii, X 3602
dilatata, I 214
 DISCOIDEA, III 1113
elmeri, III 1117
ensifolia, III 1118
ensifolia, IX 3175
 GITINGIANA, III 1112
globosa, I 217
 HEMSLEYI, I 214
hemsleyi, I 362
 INSIPIDA, III 1114
 IROSINENSIS, X 3602
jagorii, X 3604
jagorii, X 3775
 LUCBANENSIS, I 212
 LUTEO-CARPA, X 3604
maxima, III 1111: X 3606
maxima, IX 3130

- megacarpa*, III 1117
membranifolia, X 3606
 MERRILLII, I 216
monocephala, I 218
 MONOCEPHALA, I 80
multiflora, I 212: X 3606
negrosensis, X 3607
negrosensis, II 532
palawanensis, I 216
palawanensis, I 362
pandanicarpa, X 3819
 PANDANICARPA, X 3607, 3773
rigida, VIII 3098
 RIGIDA, I 362
 ROBUSTA, VIII 3097
rostrata, III 1118
rostrata, X 3610
scabripes, I 216: X 3604, 3808
spectabilis, I 218
sphaerocephala, X 3610
sphaerocephala, X 3775
 SORSOGONENSIS, X 3608
subflagellata, X 3608
 SUBFLAGELLATA, VIII 3098
superba, X 3608
 SUPERBA, III 1115
 SURIGAOENSIS, X 3774
vidalii, I 214
 VILLARII, I 362
vulcanica, X 3601
warburgii, X 3610
 WARBURGII, I 218
williamsii, VI 2101, 2117
Fuirena ciliaris, X 3533
glomerata, VI 2076: VII 2425
umbellata, X 3534
Fumago vagans, VII 2526
Funalia mons-veneris, VI 2247
philippinensis, VI 1920
Fusarium paspalicola, VI 2158
Fusicladium pongamiae, VI 2165
- G**
- Galium ciliare*, I 4
ciliare, III 1046
gaudichaudi, I 4
philippinense, III 1046
Ganoderma amboinense, VI 1919, 2250
australe, VI 2250
laccatum, VI 2249
leucophaeum, VI 2250
lucidum japonicum, VI 2249
mastoporum, VI 2249
 SUBTORNATUM, I 270
testaceum, VI 2250
Garcinia BICOLORATA, V 1790
binucao, III 1049
binucao, V 1789
 BULUSANENSIS, X 3746
divis, III 1054
dulcis, III 1052
eugeneafolia, III 1054
fragrans, IX 3128, 3489
garciae, III 1052
 GARCIAE, III 1048
 GITINGENSIS, III 1053
 GYNOTROCHOIDES, X 3747
lateriflora, X 3747
 LINEARIFOLIA, III 1051
luzoniensis, III 1047
luzoniensis, V 1792
 PALAWANENSIS, V 1791
 PINNATINERVIA, II 502
 RHIZOPHOROIDES, III 1049
samarensis, X 3748
 SORSOGONENSIS, IV 1487
sulphurea, X 3748
 SULPHUREA, V 1789
urophylla, III 1049
venulosa, VI 1946, 2095
vidalii, III 1051
vidalii, IX 3489: X 3808
Gardenia acutifolia, III 1007
 ACUTIFOLIA, I 6
barnesii, I 5
barnesii, IV 1332
elliptica, III 1007
 ELLIPTICA, I 6
glutinosa, IV 1331
glutinosa, III 1007: V 1539: VI 2081: VII 2447
longiflora, III 1006
longiflora, IV 1331
merrillii, IV 1330
 MERRILLII, I 5
 MORINDAEFOLIA, I 67
pseudopsidium, I 5
pseudopsidium, IV 1332
 SEGMENTA, IV 1331
whitfordii, III 1004
 WHITFORDII, I 4
Garnotia stricta, X 3513
Garuga abilo, VII 2422
Gaultheria borneensis, III 1089
cumingiana, III 1091

- cumingiana*, III 1089
Gelonium aequoreum, IV 1294
 GLANDULOSUM, III 917
 glomerulatum, III 920: IV 1293
 meliocarpum, VII 2642: IX 3187
 MELIOCARPUM, III 919
 mindanaense, IX 3187
 MINDANAENSE, VII 2640
 philippinense, VII 2642: IX 3187
 PINATUBENSE, IX 3186
 PULGARENSE, IV 1293
 subglomerulatum, V 1546: VI 2155
 SUBGLOMERULATUM, IV 1292
 TRIFIDUS, III 918
Geniostoma cumingianum, VIII 2747: IX 3128
 LAXA, VIII 2746
 MINDANAENSE, VIII 2747
Gentiana COPELANDII, VII 2671
 luzonensis, VII 2673
Geoglossum glutinosum, VI 2144
Geophila herbacea, V 1857
 reniformis, I 4
Gibbera borneensis, VIII 2946
 PHILIPPINENSIS, VIII 2946
 saubinetii, VI 2225
Gibberella creberrima, VI 2097: VII 2448
 pulicaris, VI 2225: VII 2449
 saubinetii, VI 2225: VII 2449: IX 3135
Gibberidea nipae, VI 2113: VII 2464
Gigantochloa merrilliana, VII 2675
 MERRILLIANA, I 273
 scribneriana, VI 2111, 2134, 2164, 2200, 2213, 2223: VII 2444, 2452, 2455, 2462, 2467, 2471, 2472, 2476, 2478, 2484, 2525: VIII 2929
 verticellata, I 274
Gilletiella late-maculans, VII 2443
 LATE-MACULANS, VI 2278
Ginalloa ovata, X 3808
Gironniera celtidifolia, V 1846
 glabra, II 576
 SIBUYANENSIS, V 1845
Gleditschia copelandii, VIII 2734
 COPELANDII, II 695
 rolfei, II 696
Gleichenia crassifolia, III 798
 dolosa, II 424
 ELMERI, III 799
 gigantea, II 424
 gigantea, II 388
 glauca, II 388
 hirta, II 424: III 798
 laevigata, III 798
 linearis, II 423: IX 3149
 SORDIDA, III 798
 vulcanica, III 798
Gliricidia sepium, VI 2124, 2125, 2152, 2161, 2201, 2208, 2259, 2264, 2266, 2268, 2279: VII 2465, 2466, 2468, 2481, 2482, 2484, 2489, 2490, 2495, 2498: VIII 2922
Globba AUREA, VIII 2902
 brevifolia, VIII 2903
 gracilis, II 605
 gracilis, VIII 2903
 parviflora, VIII 2977
 ustulata, VIII 2903
Glochidion album, I 303
 angulatum, VII 2645
 BALSAHANENSE, IV 1289
 BENGUETENSE, I 304
 canescens, X 3735
 CANESCENS, VIII 3082
 cumingii, I 303
 curranii, IV 1290
 LEYTENSE, I 303
 littorale, IV 1288
 llanosii, VI 2091: VII 2438
 LUZONENSE, I 301
 merrillii, IV 1291
 mindanaense, IV 1157: VI 2106
 MINDANAENSE, VII 2642
 mindorenses, IV 1290
 molle, IV 1288
 molle, I 302: VIII 3082
 PALAWANENSE, IV 1290
 philippinense, I 306
 PUBICARPUM, X 3733
 PULGARENSE, IV 1291
 QUINQUESTYLUM, I 303
 RETICULATUM, I 302
 robinsonii, X 3734
 ROBINSONII, VII 2643
 SABLANENSE, I 306
 SORSOGONENSE, X 3734
 SUBANGULATUM, VII 2644
 SUBFALCATUM, I 305
 trichogynum, III 921
 trichogynum, I 303
 triandrum, III 920
 urophylloides, III 920

- UROPHYILLOIDES, I 300
villosum, I 302
Gloeocarpus patentivalvis, X 3808
Gloeophyllum edule, VI 2244
Gloeosporidium ELMERI, IX 3130
Gloeosporium alchorneae, VI 2157:
 VII 2516: IX 3138
 aleuriticum, VII 2516
 canavaliae, VI 2157: VII 2516
 catechu, VI 2157: VII 2516
 graffii, VI 2157: VII 2516
 hoyae, VI 2157: VII 2516
 lebbek, VI 2157: VII 2516
 macrophomoides, VII 2516
 palmarum, VI 2157: VII 2516
 papayae, VI 2157
 vanillae, VI 2158: VII 2517
Glonium bambusinum, VI 2138: VII
 2497
Glossogyne tenuifolia, I 175
 tridentata, I 175
Glycine hispida, VI 2077
Glycosmis ANGULARIS, II 489
 citrifolia, II 489
 cochinchinensis, IV 1513: VII
 2444, 2454
 GREENEI, IV 1512
 pentaphylla, II 489: IV 1513
Gmelina philippensis, VI 2082
 villosa, VI 2150: VII 2505, 2506
Gnaphalium dichotomum, I 124
 indicum, I 123
 indicum, I 121
 javanum, I 121
 luteo-album, I 121
 luteo-album, I 121, 122
 multiceps, I 122
 multiceps, I 121
 oblancifolium, I 121
 OBLANCIFOLIUM, I 123
 palidum, I 121
Gnetum gnemon, VII 2674
 latifolium, IV 1479
 LAXIFRUTESCENS, IV 1478
 VINOSUM, VII 2673
Gnomonia litseae, VI 2113: VII 2478
Gollonia philippinensis, VI 1975
Gomphandra cumingiana, X 3749
 SORSOGONENSIS, X 3748
Gomphostemma CINEREA, VIII 3086
 LUZONENSE, I 339
 philippinarum, VIII 3086
Goniopteris asymmetrica, III 811
Goniostoma PULGARENSE, V 1808
Goniothalamus elmeri, VII 2420
 EPIPHYTICUS, V 1711
 giganteus, II 473: V 1711
 GITINGENSIS, V 1710
 magnificus, V 1714
 MAGNIFICUS, II 473
 mindanaensis, V 1714
 MINDANAENSIS, V 1712
 philippinensis, II 473: V 1714
Gonocaryum cognatum, X 3808
 COGNATUM, I 315
Gonostegia hirta, III 893
 pentandra, III 893
Gonystylus PHILIPPINENSIS, VII 2674
Gordonia WELBORNII, II 500
Gossypium brasiliense, VI 2074
 herbaceum, VI 2074
Gouania MICROCARPA SUBGLABRA, VIII
 2801
Grammitis denticulata, III 839
 longifolia, II 411, 412
Grangea maderaspatana, I 128
Graphiola arengae, VI 1931, 2079
 cylindrospora, VI 2079: VII 2428
Greenia HIRSUTA, V 1857
Greenia longiflora, III 981
Greeniopsis multiflora, III 981
 philippinensis, III 981
 philippinensis, III 983
 SIBUYANENSIS, III 982
 pubescens, III 982
Grewia BANAHAENSIS, I 319
 NEGROSENSIS, II 631
 PYRIFORMIS, VIII 2841
 stylocarpa, VIII 2842, 2949
 tiliaefolia, II 632
Guepiniopsis spathularius, VI 2240
Guettarda speciosa, I 4
Guettardella philippinensis, III 1009
Guignardia albicans, VII 2473
 ALBICANS, VI 2258
 arengae, VII 2473
 ARENGAE, VI 2195
 BAMBUSINA, VIII 2936
 creberrima, VI 2117, 2194: VII
 2473
 DINACHLOAE, VIII 2936
 freycinetiae, VI 2117
 fusco-coriacea, VII 2473
 FUSCO-CORIACEA, VI 2195

humuline, VIII 2936
manihoti, VII 2473
musae, VI 2195
sterculiae, VII 2473
 STERCULIAE, VI 2194
Guioa DISCOLOR, V 1609
lasiothyrsa, V 1609
 LASIOTHYRSA ELMERI, V 1609
 MYRIADENIA, V 1610
perrottetii, VI 2230: VII 2445
pubescens, V 1616
 TRUNCATA, V 1611
 SALICIFOLIA, V 1608
Gymnacranthera cryptocaryoides, III 1066
 CRYPTOCARYOIDES, III 1060
lanceolata, III 1058
 LAXA, VIII 2772
negrosensis, III 1057
 NEGROSENSIS, II 576
paniculata, III 1059
paniculata, II 577: III 1059: VIII 2773
suluensis, III 1058
suluensis, III 1059
 URDANETENSIS, VIII 2773
zippeliana, III 1059
Gymnanthera pedunculata, X 3571
Gymnema cumingii, X 3571
lignosum, X 3571
mariae, X 3594
schlechteriana, X 3571
tingens, X 3571
Gymnogramma rhizophylla, IX 3160
Gymnosporia spinosa, VI 2085
Gymnostachyum affine, V 1704
cumingiana, V 1704
decurrens, V 1703
nudispicum, V 1700
 PALAWANENSE, V 1701
 PICTUM, V 1700
subcordatum, V 1534: VI 2071
 SUBCORDATUM, V 1703
Gynura affinis, I 146
 AGUSANENSIS, VII 2585
angulosa, I 146
angulosa, I 144
 APOENSIS, VII 2587
cacalioides, I 137
clementis, I 145
clementis, I 144: VII 2587, 2588
elliptica, I 146

finlaysoniana, I 146
 LABIENSIS, X 3715
latifolium, I 145
latifolium, I 144
piperi, VII 2587
purpurascens, I 144, 145
sarmentosa, I 146
sarmentosa, I 144
scaber, I 146
vidaliana, I 144: VII 2588: X 3716
 VIDALIANA, I 144
Gyrinopsis brachyantha, V 1629
 CITRINAECARPA, V 1631
cumingiana, V 1629
cumingiana pubescens, V 1632
 CUMINGIANA PUBESCENS, V 1629
 URDANETENSE, V 1630

H

Habenaria elmeri, V 1550
 ELMERI, V 1550
luzonensis, V 1551
 LUZONENSIS, V 1550
Hadronema orbiculare, VI 2165
Haematomyces carneus, VI 2140, 2235: VII 2499
Halconia involucrata, II 497: V 1641
 NEGROSENSIS, II 495
Hallieracantha pulgarensis, V 1692
Halorrhagis micrantha, IX 3143
Halorrhena daronensis, IV 1455
Hamaspora acutissima, VI 2069: VII 2421
Hapalopilus gilvus, I 265
 SUBRUBIDUS, I 265
Haplodictyum heterophyllum, IX 3109
majus, IX 3110
 MAJUS, IX 3110
Haplomela celtidis, IX 3131
Haplosporella manilensis, VII 2508
Hardwickia alternifolia, I 362
Harpulia arborea, IX 3119
Harrisonia citrinaecarpa, VIII 2829
perforata, VIII 2830
Hedera helix, VI 2015
Hedychium coronarium, VIII 2978
coronarium, VIII 2903
mindanaense, VIII 2978
mindanaense, VIII 2978

- MINDANAENSE, VIII 2904
 philippinense, VIII 2903
 philippinense, VIII 2905, 2978
 Hedyotis apoensis, III 976
 banksii, III 976
 banksii, X 3780
 benguetensis, III 976
 benguetensis, III 974
 brachyantha, IX 3250
 cagayanensis, III 975
 congesta, II 525: III 981: IV 1356
 elmeri, III 974
 elmeri, III 978: X 3780
 eucapitata, III 974
 GITINGENSIS, III 979
 havilandi, III 977
 hispida, III 974: V 1859
 humilis, V 1859
 IROSINENSIS, IX 3248
 KINGIANA, IV 1334
 leucocarpa, III 974
 leucocarpa, III 981
 LEUCOCARPA, II 524
 lineata, I 360
 macgregorii, III 975
 macrophylla, III 979
 magallanensis, IV 1334
 MAGALLANENSIS, III 976
 microphylla, III 974
 montana, III 975
 montana, III 975
 nodiflora, III 979
 parva, III 975
 parva, III 977
 PERHISPIDA, IV 1333
 pilosissima, III 975
 PINATUBENSIS, X 3778
 prainiana, I 360: IV 1335
 pterita, III 974
 PULGARENSIS, IV 1333
 radicans, V 1859
 sibuyanensis, IX 3250
 SIBUYANENSIS, III 977
 SUBVELUTINA, III 978
 tenelliflora, I 360
 thwaitesii, III 979
 TRISECTA, IX 3249
 vestita, III 975
 whiteheadii, III 975
 YODERI, III 976
 Helianthus annuus, I 170
 Helicia ARTOCARPOIDES, V 1826
 integra, VIII 2800
 INTEGRIFOLIA, VIII 2798
 Helicteres hirsuta, VII 2524
 Heliotropium indicum, VI 2167
 Helminthosporium caryopsidum, VII 2526
 ficinum, IX 3138
 inconspicuum, VI 2165: VII 2526
 inversum, VII 2526
 nodulosum, VI 2165
 ravenelii, VI 2165: VII 2527: IX 3138
 Helminthostachys zeylanica, III 796
 zeylanica, VI 2161: VII 2522
 Helvella craterella, VI 2281
 Hemigraphis bakeri, X 3674
 BARACATANENSE, VII 2543
 diversifolia, X 3676
 DIVERSIFOLIA, X 3673
 fruticulosa, X 3674
 hirsuta, V 1693
 hirsuta, I 349
 HIRSUTA CRENATA, V 1693
 setosa, I 350
 SETOSA, I 348
 SUPLOBATUM, II 591
 SUBTINCTORIA, X 3674
 Hemileia canthii, VI 2069
 vastatrix, VI 2070: VII 2421
 Hemisphaeria concentrica, VI 2127
 obovata, VI 2127
 substipitata, VI 2127
 Hendersonia coicis, VII 2508
 Henningsomyces philippinensis, VII 2464
 pusillimus, VII 2464
 Henslowia PALAWANENSIS, V 1834
 Herpotrichia philippinensis, VII 2464
 PHILIPPINENSIS, VI 2203
 rhodosticta, VI 2201
 xestothele, VI 2203
 Heterochaeta tenuicula, VI 2240
 Heterodothis leptotheca, VII 2454
 Heterospathe elata, VIII 3013
 elata, VIII 3016
 elmeri, VIII 3010
 ELMERI, II 646
 negrosensis, VIII 3014
 PHILIPPINENSIS, VIII 3013
 SIBUYANENSIS, VIII 3014
 Heterosporium coryphae, VI 2165: VII 2527

- ELMERI, IX 3132
Heterostemma angustilobum, X 3571
angustilobum, VI 1928, 2092
herbertii, X 3572
 HERBERTII, VIII 3074
lucbanensis, X 3572
Hewittia bicolor, VI 2076, 2159: VII 2426, 2519
sublobata, VI 2077, 2086, 2088
Hexagona bivalvis, VI 2245
bivalvis, VI 2245
cervino-plumbea, I 264
cladophora, VI 2246
cruenta, VI 2247
orbiculata, I 264
pulchella, VI 2245
 REYESII, VI 2246
thwaitesii, I 264: VI 2245, 2246
thwaitesii, VI 2545
 THWAITESII RESUPINATA, VI 2245
thwaitesii retropicta, VI 2245
 THWAITESII SINUATA, VI 2245
wightii, I 264
Heynea sumatrana, IX 3382
Hibiscus esculentus, VI 2225: VII 2449
rosa-sinensis, VI 2098, 2128, 2151, 2202, 2215, 2231: VII 2450, 2480, 2487, 2502, 2507: VIII 2950
sabdariffa, VII 2510
tiliaceus, VI 2108
Hippocratea cumingii, VII 2689
 LAWSONII, VII 2688
Hiptage CEBUENSIS, II 683
 LAWSONII, VIII 2751
luzonica, II 684
 PINNATA, V 1810
Histiopteris incisa, II 405: III 832
montana, III 832
Holstiella eutypa, VII 2482
 EUTYPA, VI 2217
usambarensis, VI 2218
Homalanthus ALPINUS, I 307
macradenius, VII 2646
populneus, III 921: IV 1294
populneus, I 307
 SURIGAOENSE, VII 2645
Homalium GITINGENSE, IV 1513
panayanum, IV 1519
 SORSOGONENSE, I 325
 SUBSCANDENS, IV 1518
Homalomena philippinensis, X 3626
philippinensis, VII 2441, 2445
Homonoya riparia, III 922
Homostegia fuispora, VII 2454
Hopea acuminata, VI 2158
beccariana, VI 1953, 1954
 FOXWORTHYI, IV 1469
 GLUTINOSA, IV 1470
 MALIBATO, VI 1953
philippinensis, VI 1949
pierrei, IV 1471
Hornstedtia conoidea, VIII 2972, 2973
 CONOIDEA, II 605
dalican, VIII 2900
 DALICAN, VIII 2906
irosinensis, VIII 2984
 IROSINENSIS, VIII 2981
lepicaarpa, VIII 2979
lepicaarpa, VIII 2988
lophophora, VIII 2973
 LOPHOPHORA, II 607
luzonensis, VIII 2983
microcheila, VIII 2983
 MICROCHEILA, II 606
muricaarpa, VIII 2980
pandanicaarpa, VIII 2985, 2987
 PANDANICARPA, VIII 2979
paradoxa, II 569, 603
 PENINSULA, VIII 2983
philippinensis, II 605: VIII 2980, 2905
philippinensis, VIII 2894, 2897, 2980
propinqua, VIII 2979
propinqua, VIII 2980
pubescens, VIII 2979
 PURPUREA, VIII 2984
sorsogonensis, VIII 2987
 SORSOGONENSIS, VIII 2985
 SUBVIRIDIS, VIII 2987
Horsfieldia ardisiaefolia, III 1061
ardisiaefolia, X 3808
gigantifolia, IX 3120, 3129
 GIGANTIFOLIA, X 3763
 WARBURGIANA, III 1061
Hoya ANGUSTIFOLIA, X 3572
angustisepala, X 3585
benguuetensis, X 3574
bilobata, X 3577
bordenii, X 3575
bordenii, X 3574
 BULUSANENSIS, X 3575
cagayanensis, X 3583

- camphorifolia*, X 3577
ciliata, X 3586, 3590
 CILIATA, X 3577
coronarioides minor, X 3590
crassicaulis, X 3581
 CRASSICAULIS, X 3579
cumingiana, X 3581
darwinii, X 3546
diversifolia, X 3577
eugeniioides, X 3588
gracilis, X 3581
gracilis, X 3587
imbricata, X 3546, 3566
imbricata basicordata, X 3581
incrassata, X 3581
incrassata, X 3580, 3590
intermedia, X 3574
 LEYTENSIS, X 3582
longipes, X 3577
luzonensis, VI 2122, 2157, 2258,
 2278: VII 2443, 2473, 2477,
 2516
luzonica, VIII 2937: X 3584
mcgregorii, X 3583
mcgregorii, X 3587
meiiflua, X 3584
 MINDANAENSIS, X 3584
mindorensis, X 3586
obscura, X 3583
 OBSCURA, X 3586
odorata, X 3587
 PUBIFERA, X 3588
pulgarensis, X 3590
 PULGARENSIS, X 3589
quinquenervia, X 3591
rotundisepala, X 3579
 Humaria CABALLINA, VIII 2930
 conformis, VII 2501
 CONFORMIS, VI 2233
 granulata microspora, VI 2142
 guanaci, VIII 2930
 merdaria, VIII 2930
 raimundoi, VI 2142, 2233: VII
 2501
 Humata botrychioides, III 828
 botrychioides, III 828
 gaimardiana, IX 3161
 heterophylla, IX 3161, 3162
 immersa amplissima, II 394
 ophioglossa, IX 3161
 ophioglossa, IX 3161
 pinnatifida, IX 3161
 vestita, II 394: IX 3162
Hydnocarpus ovoidea, IV 1516
 OVOIDEA, IV 1514
 QUADRASII, IV 1515
 subfalcata, IV 1515, 1516
 UNONIFOLIA, V 1779
Hydnophytum angustifolium, III 1039
 angustifolium, III 1039
 formicarium, I 7
 INTERMEDIUM, III 1039
 MINDANAENSE, III 1039
 moselayanum, III 1040, 1134
 nitidum, III 1039
 nitidum, III 1039
 ORBICULATUS, V 1860
 philippinense, I 7
 philippinense, III 1040
Hydnum COPELANDII, VI 2251
 INSULARE, VI 2251
 leptodon, VI 2252
Hydrangea CUNEATIFOLIA, VIII 2825
 glandulosa, VIII 2826
 GLANDULOSA, II 473
Hydrocotyle asiatica, II 628
 asiatica, II 627
 benguensis, II 628, 629
 BENGUENSIS, II 628
 delicata, II 628, 629
 DELICATA, II 629
 javanica, II 629
 javanica, II 628
 rotundifolia, II 629
 rotundifolia, II 628
 tripartita, II 629
Hygrophila salicifolia, VI 2075
Hymenochaeta adusta, VI 2241
 tenuissima, VI 2241
Hymenodictyon excelsum, I 7
Hymenophyllum aculeatum, II 421
 australe, III 800
 blumeum, III 800
 demissum, III 800
 eximium, II 420: IX 3149
 formosum, III 800
 junghuhnii, II 421: III 800
 obtusum, II 421
 paniculiflorum, IX 3149
 polyanthus, III 801
 productum, II 421
 pycnocarpum, II 421
 serrulatum, II 421: III 801
 tunbridgense, II 421: III 800

- Hymenolepis mucronata*, IX 3162
platyrhynchos, IX 3162
platyrhynchos, III 848
 PLATYRHYNCHOS GLAUCA, III 847
spicata, II 408: III 848
spicata, III 848: VI 2137: VII 2445
Hymenopsis cudraniae, VI 2159: VII 2518
Hymenula copelandii, VII 2519
Hypericum LACKEYI, IX 3190
loheri, IX 3191
Hypobathrum frutescens, I 7
glomeratum, I 8
 MULTIBRACTEATA, IX 3250
parviflorum, I 8
purpureum, IX 3251, 3269
Hypocrea mellea, VII 2449
 MELLEA, VI 2276
mellea ochracea, VI 2277: VII 2449
ochracea, VI 2098
ochracea, VI 2277: VII 2449
peltata, VI 2098
poronoidea, VI 2277
rufa, VI 1930, 2098: VII 2449
Hypocrella botryosa, VI 1930, 2100: VII 2451
melaena, VI 2100
pernettiae, VI 2276: VII 2451
salaccensis, VI 2100: VII 2451
salaccensis, VII 2440
schizostachyi, VI 2100: VII 2451
Hypoestes addisonensis, V 1907
 ADDISONENSIS, V 1697
 APOENSIS, VII 2544
cumingiana, II 518
 LINEARIS, II 517
merrillii, V 1697
 PULGARENSIS, V 1698
 SIBULANENSIS, VII 2546
Hypolepis tenerifrons, III 807
tenuifolia, III 825
Hypolytrum philippinense, X 3534
scirpoides, X 3534
Hypopterygium ceylanica, II 657
 DELICATULUM, II 656
Hyposeglonopsis hurae, VI 2217
Hypospila ambigua, VI 2113
Hypoxylina PHILIPPINENSIS, VIII 2921
Hypoxylon annulatum, VI 1944, 2127, 2205, 2271: VII 2486: VIII 2957
apoense, VI 2127: VII 2486
atropurpureum, VI 2271: VII 2485
coenopus, VI 2206
coenopus spinifera, VI 2206
compactum, VI 2133
coryphae, VI 2127
culmorum, VI 2205: VII 2486
culmorum, VIII 2960
culmorum bambusae-blumeanae, VII 2486
 CULMORUM BAMBUSAE-BLUMEANAE, VI 2205
disjunctum, VI 2128
effusum, VI 2271: VII 2486
effusum, VI 2271
 FREYCINETIAE, VIII 2959
fulvo-ochraceum, VI 2128
fuscum, VI 1944
gigasporum, VI 1943, 2132
granulosum, VIII 2958
haematostroma, VI 1944, 2128: VII 2487: VIII 2958
hibisci, VI 2128: VII 2487
lianincolum, VI 2128
 LIANINCOLUM, VI 1944
lilliputianum, VI 2128
macrospermum, VI 1943
marginatum, VI 2128, 2271: VII 2487: VIII 2958
marginatum mammiforme, VIII 2958
minutellum, VI 2129: VII 2487
multiforme, VI 2129: VII 2487
nucigenum, VI 2129: VII 2487
nummularioides, VII 2488
 NUMMULARIOIDES, VI 2272
placentiforme, VI 2207
purpureum, VI 2272: VII 2488
rubigineo-areolatum microsporum, VIII 2958
rubiginosum, VI 2129: VII 2488
rubiginosum, VI 1944, 2272
serpens, VI 2129: VII 2488
stygium, VI 2129: VII 2488
subeffusum, VI 2271: VII 2488: VIII 2958
subeffusum, VI 2271
suborbiculare, VI 2273
tabacinum, VI 2211
Hypserpa cuspidata, IV 1165
jagorii, IV 1165
Hyptis suaveolens, VI 2086: IX 3134

- Hysterium loyae*, VI 2138: VII 2497
rufulum, VI 1946
Hysterostomella psychotriae, VI 2136:
 VII 2497
spurcaria, VIII 2932
tetracerae, VII 2497: IX 3136

I

- Ichnanthus pallens*, VII 2462
Ichnocarpus ovatifolia, X 3810
Ilex ANTONII, V 1666
apoensis, VIII 3071
 APOENSIS, V 1667
 APOENSIS PUNCTATA, VIII 3071
asprella, V 1664
 BENGUETENSIS, V 1665
brunnea, IX 3177
buergeri, V 1664
buergeri rolfei, V 1664
cinereae, V 1666
crenata luzonica, V 1664
cumingiana, V 1664
cymosa, V 1664
cymosa, V 1542: VI 2093
cymosa cumingiana, V 1664
 EPIPHYTICA, V 1668
fletcheri, V 1663
formosana, V 1666
foxworthyi, V 1663
foxworthyi, V 1669
gracilipes, V 1664
guerreroii, V 1663
guerreroii, V 1666
halconensis, V 1663
halconensis, V 1663
hanceana, V 1663, 1665: VIII 3071
luzonica, I 363: V 1664
microthyrsa, V 1663
microthyrsa, V 1667
palawanica, V 1664
philippinensis, V 1664
pulogensis, V 1665
pulogensis, V 1668: VIII 3071
racemifera, V 1665
rolfei, V 1664
 ROLFEI, I 314
subcaudata, V 1664
Illigera DIPTERA, VII 2687
platyandra, VII 2688
Imperata arundinacea, VII 2424
cylindrica, VI 2073: VIII 2956
exaltata, X 3513
exaltata, VIII 2942
Inonotus ELMERIANUS, I 265
Intsia bijuga, VI 2134, 2135
Ipomoea cymosa, VI 2071
hederacea, VI 2068
obscura, VI 2096
Irene confragosa, IX 3135
vilis, IX 3135
Irpex flavus, VI 2247
maximus, I 263
Isachne albescens, II 464
 APOENSIS, VII 2676
beneckeii magna, VII 2678
minutula, VI 2080
 STRICTA, II 463
Isanthera discolor, II 563: III 948
discolor, III 947
Ischaemum aristatum, VI 2080
ciliare, VI 2080: VII 2430
digitatum, X 3514
digitatum, VII 2680
intermedium, X 3514
intermedium, VII 2680
muticum, VII 2680
 TODAYENSE, VII 2678
Ischnostemma carnosum, X 3591
Ischnostroma merrillii, VII 2514
Itea chinensis, II 528
luzonensis, II 527
 LUZONENSIS, II 528
macrophylla, II 529
 MAESAEOFOLIA, II 528
maesaefolia, II 527: VI 2085,
 2089: VII 2434
Iteadaphne confusa, II 714
 PHILIPPINENSIS, II 713
Ixeris thunbergiana, I 183
Ixonanthes PHILIPPINENSE, X 3758
reticulata, X 3759
Ixora amboinica, I 9
amboinica, III 1017
 AURICULATA, III 1018
barbata, I 9
barbata, III 1017: IV 1337
 BARTLINGII, III 1020
bibracteata, III 1016
 BIBRACTEATA, I 8
capitulifera, III 1016
 CHARTACEA, V 1861

CHARTACEA MEMBRANACEA, V 1862
 chinensis, III 1016
 coccinea, I 9
 coccinea, III 1016, 1018
 congesta, III 1017
 crassifolia, III 1016
 crassifolia, IV 1338: V 1865
 cumingiana, I 8: III 1017
 cumingiana, III 1016: IV 1337:
 IX 3252
 ebracteata, III 1017
 FILMERI, IV 1338
 fulgens, I 9
 GIGANTIFOLIA, V 1864
 inaequifolia, V 1868
 INTERMEDIA, IV 1336
 IROSINENSIS, IX 3251
 kingstonia, I 8
 LEUCOCARPA, IV 1337
 leytenis, III 1017
 LEYTENSIS, I 69
 littoralis, III 1018
 lobbii, I 9
 lobbii, V 1866
 longissima, III 1018
 macgregorii, V 1868
 macrophylla, III 1016: V 1866
 macrophylla, III 1017, 1021
 MAGNIFICA, V 1865
 mearnsii, III 1017
 mearnsii, V 1866
 meyeri, III 1015
 MEYERI, I 68
 mindanaensis, III 1017
 OBLONGIFOLIA, V 1867
 pachyphylla, V 1865
 palawanensis, III 1018: IV 1336
 philippinensis, III 1018
 philippinensis, IV 1339: VI 2093,
 2094
 salicifolia, I 8: V 1868
 SPARSIFLORA, I 8
 stricta, I 9

J

Jasminum APOENSIS, VIII 2791
 crassifolium, VIII 2792, 2793
 IXOROIDES, II 511
 luzoniense, II 512
 populifolium, II 512
 ROTUNDIFOLIUM, VIII 2792
 sambac, VI 2086
 trinervium, VIII 2792

Julella luzonensis, VI 2113, 2204: VII
 2464
 Justicia gendarussa, V 1685
 gendarussa, VI 2073: VII 2424
 SPICIFORMIS, I 349

K

Kadsura APOENSIS, VIII 2748
 philippinensis, I 363: X 3808
 PHILIPPINENSIS, I 277
 scandens, VIII 2750, 2751
 SULPHUREA, VIII 2750
 Kalmusia argentinensis, VI 2218
 philippinarum, VII 2482
 PHILIPPINARUM, VI 2218
 Kibatalia FRAGRANS, X 3694
 Kickxia GITINGENSE, IV 1455
 macgregori, IV 1455: X 3695
 MACGREGORI, IV 1457
 Kigelia pinnata, VII 2475
 Kleinia cacalioides, I 137
 Knautia sagittata, I 100
 Knema cinerea, III 1065
 gitingensis, III 1059
 GITINGENSIS, III 1065
 heterophylla, III 1060, 1065
 LATERICIA, V 1815
 stenocarpa, III 1064
 vidalii, III 1060, 1066
 Knoxia corymbosa, I 9
 corymbosa, VII 2427: VI 2075
 Kordyana pinangae, IX 3133
 ✓Korthalsia laciniosa, VIII 3029
 Kretzschmaria clavus, VI 2206: VII
 2488
 coenopus, VI 2129, 2206
 coenopus spinifera, VII 2489
 gomphoidea, VI 2130: VII 2489
 gomphoidea, VI 2206
 gomphoidea microspora, VII 2489
 GOMPHOIDEA MICROSPORA, VI
 2206
 microspora, VI 2130: VII 2489
 microspora, VI 2206
 Kuehneola desmium, VII 2422
 fici, VII 2422
 garugae, VII 2422
 gossypii, IX 3133
 gossypii, VI 2074
 Kyllinga brevifolia, X 3534
 monocephala, X 3535

L

- Laboulbenia nodostomae*, VII 2431
 oedionychi, VII 2430
 philippina, VII 2430
Lachnea albo-grisea, VI 2142
 lurida, VI 2234: VII 2501
Lactuca brevirostris, I 182
 brevirostris, I 182
 luzonica, I 183
 scariola, I 183
 scariola, I 182
 thunbergiana, I 183
 thunbergiana, I 182
Laestadia festiva, VI 2117
 FESTIVA, V 1543
 traversi, VIII 2935
Lagenophora billardieri, I 130
Lagerheima DERMATOIDEA, VIII 2928
Lagerstroemia speciosa, VI 2142, 2146:
 VII 2503, 2522: VIII 2926
Laggera alata, I 117
Languas flabellata, IX 3226
 PINATUBENSIS, IX 3225
Lansium domesticum, IX 3383
 dubium, IX 3384
Laportea agusanensis, IX 3239
 AGUSANENSIS, VIII 2860
 CONDUPPLICATA, IX 3237
 GRACILIPES, III 876
 LATILANCEOLATA, IX 3238
 luzonensis, IX 3239
 mindanaensis, III 878
 triplinervia, IX 3238
 VENOSA, III 878
Laschia agaricina, VI 1919
 alba, VI 2253
 candida, VI 2253
 SIMULANS, VI 2252
Lasianthus BORDENII, I 11
 BULUSANENSIS, IX 3252
 clementis, III 1034: V 1869
 clementis, IX 3253
 copelandii, V 1869
 copelandii, II 520
 COPELANDII, I 10
 CULIONENSIS, I 11
 cyanocarpus, III 1034
 everettii, III 1034: V 1869
 hispidus, IV 1333
 HISPIDUS, I 10
 HUMILIS, II 519
 inaequalis, I 10
 laevigatus, I 11
 lucidus, I 11
 microphyllus, IX 3210
 MICROPHYLLUS, V 1870
 MORUS, I 73
 obliquinervis, III 1035: IV 1339:
 V 1871
 stipularis, I 10
 SUBMEMBRANIFOLIUS, V 1871
 tashiroi, III 1035
 tashiroi, V 1871: IX 3210, 3253
 ZAMBALENSIS, IX 3209
Lasiodiplodia nigra, VI 2151: VII
 2508
 theobromae, VI 2151: VII 2508
Lasiosphaeria culmorum, VIII 2952
 MOLLIS, VIII 2952
 xestothele, VI 2203
Lasiothyrium cycloschizon, VI 2156
Lasmenia ficina, VI 2155
Lastrea leucolepis, IX 3158
Lawsonia inermis, VI 2092, 2227: VII
 2438
Lecanopteris carnososa, IX 3163
 carnososa, III 848: IX 3144
 curtisii, III 849
 pumila, III 848
 pumila, III 848, 849, 952: VI
 1959
Lecanthus peduncularis, III 883
Lecaussadea rhizophylla, IX 3160
Leea AGUSANENSIS, VIII 2881
 BANAHANENSIS, I 316
 BULUSANENSIS, X 3801
 congesta, VIII 2883
 CONGESTA, I 318
 divaricata, I 318
 javanica, II 495
 luzonensis, X 3802
 LUZONENSIS, VIII 3104
 magnifolia, I 316
 manillensis, V 1853: VIII 3105:
 X 3802
 negrosensis, VIII 3105: X 3802
 NEGROSENSIS, II 494
 PALAWANENSIS, V 1851
 PARVA, I 317
 PAUCIFLORA, VIII 3103
 philippinensis, VIII 3104
 robusta, II 495
 rubra, V 1852
 sundaica, II 495

- Lembosia breviuscula*, VII 2440
cocoes, VIII 2932
congregata, VI 2138: VII 2440: VIII 2931
congregata, VII 2440
crustacea, VII 2440: VIII 2931
diffusa breviuscula, VII 2440
diffusa diffusa, VII 2440
dipterocarpi, VI 2138: VII 2440
eugeniae, VI 2138: VII 2441: VIII 2932: IX 3174
inconspicua, VII 2441
javanica, VI 2138: VII 2441
javanica, VIII 2933
nervisequia, VII 2441
PANDANI, VIII 2932
pothoidei, VI 2138: IX 3137
- Lentomita longirostris*, VI 2259
philippinensis, VII 2468
PHILIPPINENSIS, VI 2259
- Lenzites applanata*, I 271
palisoti, VI 2244
palisoti, I 271
pallida, I 271
platypoda, I 271
polita, VI 2244
repanda, I 271
subferruginea, VI 2244
tenuis, VI 2244
- Lepidagathis AMARANTHOIDES*, V 1695
glabra, VII 2548
hyalina, V 1696
inaequalis, V 1695
incurva, V 1696
javanica, V 1697
SPICIFER, VII 2547
- Lepidogyne longifolia*, V 1553
- Lepidozia TENUISSIMA*, VI 2288
- Lepiniopsis PHILIPPINENSIS*, IV 1458
- Lepisanthes eriolepis*, VIII 3102
PALAWANICA, V 1604
PERVIRIDIS, VIII 3101
- Lepistemon flavescens*, VI 2068
- Leptaspis urceolata*, X 3514
- Leptochilus diversifolius*, II 393
heterochilus foxworthyi, II 393
heteroclitus, II 393: III 813
lanceolatus, III 813
- Leptocolea HISPIDISSIMA*, VI 2287
- Leptogium javanicum*, II 435
moluccanum, II 435
tremellioides, II 435
- Leptopeziza mindanaensis*, VI 2142: VII 2499
- Leptoselena haenkei*, X 3808
insignis, VIII 2907
- Leptosphaeria ambiens*, VI 2121
capparidis, VI 2204
dryadea lusionensis, VII 2475
fusispora, VI 2204
orthogramma, VIII 2951
PANICI, IX 3121
simillima, VII 2475
SIMILLIMA, VI 2203
- Leptothyrium circumscissum*, VI 2156
- Letendrae atrata*, VI 2113
- Leucaena glauca*, VI 1935, 1939, 1940, 2099, 2117, 2121, 2159, 2225, 2231, 2233, 2249, 2255: VII 2449, 2481, 2501, 2502, 2519: VIII 2923
- Leucas lavandulifolia*, VI 2154
linifolia, VI 2154
SERICEA, I 340
- Leucoporus arcularius*, VI 2243
gallo-pavonis, VI 2243
grammocephalus, VI 2243
grammocephalus trigonus, VI 2243
- Leucostegia hymenophylloides*, III 828
immersa amplissima, III 828
- Leucosyke capitellata*, IX 3174
capitellata villosa, III 900
hispidissima, II 678
MAGALLANENSIS, II 677
- Licuala spinosa*, VII 2466, 2522
- Ligustrum glabrinerve*, IX 3144
GLABRINERVE, IX 3208
pubinerve, IX 3209
- Limacia velutina*, IV 1165
- Limacinula malloti*, VI 2097: VII 2447
- Lindera APOENSIS*, II 714
- Lindernia crustacea*, X 3810
- Lindsaya adiantoides*, II 397
apoensis, III 830
apoensis, II 397
cultrata, II 397: III 830
cultrata, II 398
cultrata minor, II 398
davallioides, III 830
decomposita, II 398: IX 3163
humilis, IX 3163
hymenophylloides, II 397
merrillii, II 397: IX 3163
MONOSORA, II 398
pectinata, III 829

- pectinata*, III 829
pulchella, II 398: III 830
rigida, II 398
scandens, III 829
Linhartia LUZONICA, VI 2236
PHILIPPINENSIS, VI 2236
Linociera acuminatissima, V 1651
coriacea, V 1657
coriacea, V 1652
cumingiana, V 1651
GITINGENSIS, V 1653
GRANDIFOLIA, V 1657
luzonica, V 1651
luzonica, II 587
NERVOSA, V 1652
obovata, V 1652
pallida, V 1651
philippinensis, V 1651
philippinensis, V 1654
racemosa, V 1551
rubrovenia, V 1652
rubrovenia, V 1655
RUBROVENIA, II 586
URDANETENSIS, V 1656
vidalii, V 1907
VIDALII, V 1654
Linospora elasticae, VIII 2954
pandani, VI 2113
pandani, VII 2512
PANDANI, VIII 2954
seriata, VIII 2954
Liparis bituberculata, V 1563
elmeri, V 1562
ELMERI, V 1561
latifolia, V 1562
latifolia, V 1549
liliiifolia, V 1561, 1562
NEGROSIANA, V 1562
rheedii, V 1562
robusta, V 1562
Lisea spatholobi, VI 2097
Litosanthes biflora, III 1035
Litsea albayana, II 379: VIII 2726
BARACATANENSIS, II 720
BARURINGENSIS, II 719
BICOLOR, VIII 2722
BULUSANENSIS, X 3755
caesifolia, VI 1920: VIII 2726
CAESIFOLIA, II 722
fulva, II 718
fulva, V 1796: X 3756
garciae, II 382
gigantifolia, VIII 2724
glutinosa, VI 2113, 2116, 2131,
 2161, 2193, 2209: VII 2468,
 2478, 2490, 2507, 2517
griseola, II 718
GRISEOLA, II 382
luzonica, II 722: X 3756, 3808
MACROPHYLLA, VIII 2723
membranacea, II 716
MEMBRANACEA, II 380
oblongifolia, VIII 2726
obtusa, II 378
penangiana, II 723
PERFULVA, II 723
perrottetii, II 715
perrottetii, II 378: VI 2084
philippinensis, II 717
philippinensis, II 725
PLATEAEFOLIA, II 377
quercoides, II 717
QUERCOIDES, II 378
SEGREGATA, II 721
sibuyanensis, II 722
SIBUYANENSIS, II 724
tayabensis, II 716
tayabensis, V 1545: VI 1929, 2107
TAYABENSIS, II 380
URDANETENSIS, VIII 2724
VELUTINA, VIII 2726
Livistona microcarpa, VIII 3024
rotundifolia, II 647
rotundifolia, VIII 3025
ROTUNDIFOLIA LUZONENSIS, VIII
 3025
ROTUNDIFOLIA MICROCARPA, VIII
 3024
Lobaria pulmonaria isidioides, II 436
schaereri, II 436
Lobelia chinensis, II 594
NICOTIANEA FOLIA MOLLIS, IX
 3180
trigona, II 594
Lomagramma pteroides, II 393
pteroides negrosensis, II 393
PTEROIDES NEGROSENSIS, II 393
pteroides subcoriacea, II 393
PTEROIDES SUBCORIACEA, II 393
Lomaria elongata, III 818
Lophatherum gracile, X 3515
gracile, VI 2082
Lophodermium aleuritidis, VII 2496:
 VIII 2925
ALEURITIS, VI 2232
arundinaceum, VI 2136: VII
 2496: VIII 2925

- arundinaceum vulgare*, VIII 2926
javanicum, VI 2232
mangiferae, VI 2233
passiflorae, VI 2136: VII 2496
 PASSIFLORAE, VI 2232
 PLANCHONIAE, VIII 2925
reyesianum, VII 2496
 REYESIANUM, VI 2233
rotundatum, VII 2496
Lophopetalum toxicum, VI 2228: VII 2439, 2444
Loranthomyces sordidula, VI 2115: VII 2468
Loranthus acutus, II 471
agusanensis, VI 1964
 AGUSANENSIS, VI 1962
ahernianus, III 1073
 ANGULATUS, III 1074
apoensis, X 3808
 APOENSIS, III 1073
aurantiacus, VI 1967
 AURANTIACUS, VI 1967
banahaensis, VI 1960
banghaensis, III 1076
 BANAHAENSIS, I 288
barthei, VI 1970
 BICOLORATUS, II 470
cauliflorus, VI 1960
cauliflorus, II 470
clementis, VI 1962
congestiflorus, III 1076
cuernosensis, III 1074: X 3808
 CUERNOSENSIS, II 469
cumingianus, II 470
curranii, III 1071
 CURTIFLORA, VI 1964
estipitatus, VIII 3089
formicarium, VI 1959
 FORMICARIUM, III 1069
haenkeanus, III 1071: VI 1970, 2115
halconensis, I 289: VI 1963, 1964, 1970
hexanthus, III 1073
 INCARNATIFLORUS, VI 1970
incarnatus, VI 1970
 INCARNATUS, III 1070
leytensis, VI 2093
 LONGITUBA, VI 1961
 MAGANDA, IX 3201
malifolius, III 1071: VI 1970
mearnsii, V 1808
merrillii, III 1070: VI 1967, 1969: IX 3489: X 3808
MERRILLII, III 1068
mindanaensis, III 1070
 MINIATUS, VI 1966
mirabilis, II 470
pentandrus, V 1808
philippinensis, X 3808
preslii, VI 1959
 PRESLI, VI 1969
 SACCATUS, III 1072
 SECUNDIFLORUS BOLSTERI, III 1067
 SHAWIANUS, V 1807
 SURIGAOENSIS, VI 1966
terminaliflorus, VI 1960
 TERMINALIFLORUS, VI 1970
 URDANETENSIS, VI 1963
vulcanicus, IX 3137, 3489
Loxogramme avenia, IX 3163
conferta, III 835
conferta, II 408
dimorpha, III 834
dimorpha, II 408
 DIMORPHA, II 407
involuta, III 835
iridifolia, II 408
lanceolata, II 408: III 835
lanceolata, II 408
parallela, II 408
Lucinaea EPIPHYTICA, V 1873
involuta, V 1874
 INVOLUCRATA, III 997
monocephala, III 997
monocephala, V 1873
ridleyi, III 998
Luffa cylindrica, VI 2084
Lumnitzera racemosa, VI 2088
Lunasia amara, IV 1512: V 1539: VI 2088: X 3783
philippinensis, X 3783
reticulata, X 3783
 RETICULATA, IV 1511
 TRUNCATA, X 3782
Luzonia PURPUREA, I 220
Lycopodium belangeri, VI 2026
canaliculatum, VI 2049
carinatum, II 426
cataphractum, VI 1992, 2001
cernuum, II 426: III 850
cernuum, IX 3172
cupressiforme, VI 1992, 1993, 2003
cupressinum, VI 1994
filiforme, II 426: III 851
lucidulum, III 851

- merrillii*, IX 3172
microstachyum, VI 1988, 2031
nummularia, VI 2029
penniforme, VI 1992
pennula, VI 1992
philippense, VI 2026, 2045
phlegmaria, II 426
pinifolium, II 426
pouzolcianum, VI 2048, 2049
proniflorum, VI 2026
radicatum, VI 1992
reflexum, III 851
remotifolium, VI 2026
reticulatum, VI 2026
scariosum, III 851
squarrosum, II 426: III 851
squarrosum, IX 3172
subscutaceum, II 426
verticillatum, III 851
verticillatum, III 1133
wallichii, VI 2052
Lygodium circinnatum, II 423: III 797
flexuosum, II 423
japonicum, II 423: III 797
scandens, III 797

M

- Macaranga APOENSIS*, VII 2646
bicolor, VI 1932, 2158: IX 3489: X 3809
caudatifolia, II 428: III 923
CAUDATIFOLIA, II 427
CUERNOSENSIS, II 429
cumingii, II 429, 433: VII 2648
cuneata, III 923
CUNEATA, II 428
hispida, IV 1295
javanica, II 434
loheri, II 428, 429, 433
LOHERI, II 432
NOBLEI, II 678
RAMIFLORA, II 433
SIBUYANENSIS, III 922
SYLVATICA, II 431
tanarius, III 923
tanarius, II 679: VI 2267, 2272: VII 2482, 2488: X 3809
tomentosa, IV 1295
tomentosa, III 924
utilis, IX 3138, 3489
Machilus philippinensis, II 384
Macromitrium ASSIMILE, VI 1978
blumei, VI 1978
zollingeri, VI 1978
Macrophoma cyamopsidis, VI 2152: VII 2508
musae, VI 2152: VII 2508
punctiformis, VI 2152: VII 2508
seriata, VI 2152: VII 2509
vestita, VI 2151
Macropodia craterella, VI 2281: VII 2501
Maesa denticulata, II 666
denticulata, X 3809
EMBELIOIDES, II 444
IROSINENSIS, X 3765
laxa, VI 2086, 2088: VII 2435, 2448: X 3809
longipetiolata, X 3766, 3809
megaphylla, X 3767
platyphylla, X 3767
PLATYPHYLLA, II 667
undulata, X 3767
Malaisia BLANCOI, V 1812
Malaxis dentata, V 1560
MINDANAENSIS, V 1560
NEGROSIANA, V 1561
Mallotus anisophylla, IV 1296
cumingii, III 926
ECHINATUS, III 925
eglandulosum, III 926
EGLANDULOSUM, I 313
floribundus, IV 1297
floribundus, IV 1300
HIRSUTUS, VII 2648
kortalsii, III 924
luckeyi, IV 1300
LACKEYI, IV 1298
moluccanus, IV 1297
moluccanus, VI 2077
ODORATUS, IV 1299
philippinensis, IV 1296
philippinensis, VI 2086, 2097, 2231: VII 2447, 2502: VIII 2955
playfairii, III 924
Malmeomyces pulchellus, VI 2098: VII 2450
Mangifera indica, VI 2087, 2112, 2156, 2161: VII 2479, 2514, 2517
verticillata, VII 2381
Manihot heptaphylla, VI 2153
utilissima, VI 2161: VII 2473, 2507, 2509, 2515, 2522
Maoutia platystigma, III 900
setosa, III 900

Mapania ALPINA, X 3535
 banahaensis, X 3537
 BANAHAENSIS, II 574
 gracillima, X 3538
 humilis, X 3538
 humilis, X 3537
 kurzii, X 3537
 kurzii, II 742
 LUCBANENSIS, II 573
 palustris, II 575, 742
 rostrata, IX 3412: X 3538
Marattia pellucida, III 796
 sambucina, II 425
 ternatea, IX 3150
 vestita, III 796
Marchalia spurcaria, VIII 2932
Mariscus pennatus, X 3538
 stuppeus, X 3538
Marsdenia tinctoria, X 3591
Marsonia pavonina, VI 2158: IX 3138
 PAVONINA, VI 1932
Massalongiella IMPERATAE, VIII 2956
 smilacis, VIII 2956
Massaria BATAANENSIS, VIII 2951
 ulmi, VIII 2951
Massarina nigro-viridula, VII 2477
 NIGRO-VIRIDULA, VI 2263
 raimundoi, VII 2477
 RAIMUNDOI, VI 2263
Massarinula BAMBUSINCOLA, VIII 2944
 cordiae, VII 2465
 CORDIAE, VI 2199
 DONACINA, VIII 2944
Mastigobryum ELMERI, VI 2289
 MINDANAUM, VI 2289
Mastigolejeunea LOSBANOSA, VI 2288
Mastigophora GRACILLIMA, VI 2287
Matricaria chamomilla, I 138
Mayepae pallida, V 1651
 racemosa, V 1651
Mearnsia halconensis, VII 2344
Medinilla affinis, X 3666
 amplifolia, IV 1226
 annulata, IV 1217, 1218
 ANTONII, VIII 2756
 apoensis, IV 1210
 astronioides, IV 1215, 1216: IX 3204
 attenuata, X 3664
 ATTENUATA, IV 1223
 AURANTIFLORA, IV 1208
 BAGOBO, IV 1212

 BAKERI, X 3660
 BANAHAENSIS, IV 1225
 BENGUETENSIS, IV 1207
 BINARIA, IV 1211
 BREVIPELUNCULATA, IV 1216
 BULUSANENSIS, X 3661
 BUREBIDENSIS, IV 1229
 CALELANENSIS, IV 1209
 canlaonensis, X 3668
 cauliflora, IV 1209
 cephalophora, IV 1192
 clementis, IV 1192, 1221, 1228
 cogniauxii, IV 1192
 compressicaulis, VI 2082
 CONFLUENTINERVIA, IV 1224
 congesta, IV 1192
 copelandii, IV 1191, 1213
 cordata, IV 1212
 CORDATIFOLIA, IV 1226
 CRASSATA, IV 1208
 CUERNOSENSIS, IV 1221
 cumingii, X 3662
 cumingii, IV 1226
 CURTIFLORA, X 3662
 disparifolia, X 3664
 disparifolia, IV 1192
 dolichophylla, IV 1221
 duodecandra, VIII 2758
 ELEGANS, IV 1213
 elmeri, IV 1220
 epiphytica, X 3664
 epiphytica, IX 3122
 ERYTHROTRICHA, IV 1222
 GITINGENSIS, IV 1218
 involucrata, IV 1222, 1224: X 3664
 magnifolia, IV 1226
 malindangensis, IV 1229
 megacarpa, X 3666, 3669
 MERRILLII, IV 1219
 myriantha, VI 2082, 2257: VII 2446
 myrtiformis, X 3664
 myrtiformis, X 3662
 NEGRITO, IX 3203
 nodiflora, X 3664
 nodiflora, X 3661
 pachygona, IV 1229
 PACHYPHYLLA, X 3665
 peltata, X 3666
 pendula, IV 1220
 PENINSULA, X 3667
 PERMICROPHYLLA, IV 1230
 PIPEROIDES, X 3668
 PUMILIS, IV 1217

- PURPUREA, X 3669
 ROBINSONII, IV 1228
 rosea, IV 1229
 ROTUNDIFOLIA, VIII 2757
 SUBDOLICHOPHYLLA, IV 1220
 subsessilis, X 3668
 subumbellata, X 3666
 UMBRINA, IV 1215
 versicolor, IX 3204
 VERSICOLOR, IV 1214
 whitfordii, IV 1192: IX 3143
 Megalonectria pseudotrichia, VI 2098,
 2225: VII 2450
 Meioogyne LUCIDA, V 1715
 philippinensis, V 1716
 PHILIPPINENSIS, V 1714
 Melampodium diffusum, I 160
 divaricatum, I 161
 divaricatum, I 160
 manillense, I 160
 sericeum, I 160
 sericeum, I 160
 Melampsora cingens, VI 2078
 Melanconium merrillii, VI 2158
 Melanographium spleniosporum, VII
 2519
 Melanomma mindorensis, VI 2113:
 VIII 2950
 philippinensis, VII 2465
 Melanops PEREGRINA, IX 3122
 Melanopsamma LICHENOIDES, VIII
 2944
 nitens, VI 2200
 nitens talaumae, VII 2465
 NITENS TALAUMAE, VI 2200
 salicaria, VIII 2944
 Melanopus varius javanicus, VI 2243
 Melasmia exigua, VI 2155: VII 2514
 Melastoma candidum, IX 3174
 CONGESTA, IV 1194
 fuscum, IV 1195: VI 2103
 holmuni, IX 3205
 HOLMANI, VIII 3089
 lanaense, IV 1191
 molle, VIII 2760
 penicillatum, VIII 2760
 PINATUBENSE, IX 3204
 polyanthum, X 3669
 polyanthum, VIII 3090
 setosum, X 3670
 SETOSUM, VIII 2758
 Melia azedarach, IX 3384
 azedarach, VI 2163: VII 2523
 candollei, IX 3384
 dubia, IX 3384
 Melicope luzonensis, II 477
 MINDANAENSIS, VIII 2809
 monophylla, VIII 2810
 monophylla glabra, VIII 2810
 MONOPHYLLA GLABRA, VIII 2810
 ODORATA, II 476
 triphylla, VI 2163: VII 2524
 Meliola acalyphae, VI 2082: VII 2432
 aciculosa, VI 2257
 aciculosa, VI 1922
 aciculosa viticis, VI 2257: VII
 2432
 ACROTRICHA, IX 3113
 acutisecta, VI 2082: VII 2432
 ACUTISECTA, VI 1921
 affinis, VI 2083
 AFFINIS, VI 1921
 aglaiae, VII 2432
 aliena, VI 2083
 ALIENA, V 1535
 ALOCASIAE, IX 3114
 alstoniae, VI 2083, 2258: VII
 2432: IX 3133
 AMADELPHA, IX 3114
 amphitricha, IV 1154: VI 2083:
 VII 2432
 arachnoidea, VI 2083: VII 2433
 arachnoidea, VI 2192
 araneosa, VI 2083
 ARANEOSA, VI 1922
 arborescens, VI 2083: VII 2433
 arborescens, VI 1923
 ARBORESCENS, VI 1923
 ARDISIAE, IX 3116
 arundinis, VI 2084: IX 3133
 bakeri, IX 3134
 bambusae, V 1539
 bicornis, VI 2084
 bidentata, VI 2084: VII 2433
 boerlagiodendri, IX 3134
 BRUGUIERAE, IX 3116
 butleri, IX 3134
 callicarpae, VI 2084: VII 2433
 callicarpae, VI 1926
 callista, VII 2433
 CALLISTA, VI 2191
 CALOCHAETA, IX 3117
 clerodendricola, VI 2084: VII
 2433
 COMMIXTA, IX 3117

confragosa, VI 2084
confragosa, VI 2192
 CONFRAGOSA, V 1536
cookeana, VI 2084
cookeana, VII 2433
cookeana saccardoi, VI 2193
cylindrophora, VI 2085, 2258: VII 2433
cylindrophora, VII 2434
desmodii, VI 2085
dichotoma, VI 2085: VII 2434
dichotoma, V 1539
diplochaeta, VI 2085: IX 3134
 DIPLOCHAETA, V 1536
dolabrata, IX 3133
elmeri, VI 2085: IX 3173
 ELMERI, V 1537
forbesii, VI 2194: VII 2434
forbesii, V 1539
gymnosporiae, VI 2085
hamata, IX 3120
heterotricha, VI 2086
 HETEROTRICHIA, VI 1923
hewittiae, VI 2086
horrida, VI 2086
hyptidis, VI 2086: VII 2434: IX 3134
insignis, VI 2086: VII 2434
insignis, VI 2192
intricata, VI 2086: VII 2434
ipomoeae, VII 2434
 IROSINENSIS, IX 3118
jasminicola, VI 2086: VII 2435
laevigata, VI 2086
laevigata, VI 1921
 LAEVIGATA, V 1537
leptidea, V 1539
macrochaeta, VI 2087
 MACROCHAETA, V 1538
maesae, VI 2086: VII 2435
maesae, VII 2448: VIII 2924
mangiferae, VI 2087: VII 2435
mangiferae, VI 1922, 1924
merremiae, VI 2087, 2193: VII 2435
merrillii, VI 2087
microspora, VI 2089
mitragynes, VI 2087
nephelii, IX 3118
 ODONTOCEPHALA, IX 3119
opaca, VI 2087
 OPACA, VI 1924
opposita, VI 1924
palawanensis, VI 2087
 PALAWANENSIS, V 1539

palmicola, IX 3115
panicae, VIII 2924
panici, VI 2193: VII 2435
parenchymatica, VI 2087: VII 2435
parvula, VI 2088
 PARVULA, VI 1925
patens, VI 2088
 PATENS, V 1538
pelliculosa, VI 2088
peregrina, VI 2088
peregrina, VII 2435
perpusilla, VI 2088: IX 3134
piperina, IX 3134, 3173
pulcherrima, VI 2088: VII 2435
pulcherrima, VI 1923
 PUMILA, IX 3119
quadrifurcata, VI 2088
quadrifurcata, VI 2194: VII 2436
quadrispina, VI 2088, 2194: VII 2436
sakawensis, VI 2088
sandorici, VI 2088: IX 3134
sauropicola, IX 3173
sidae, VI 2089: VII 2436: IX 3134
stenospora, VI 2089
stenospora, VI 2258: VII 2433, 2434
subs enospora, VI 2089, 2193: VII 2436
substenospora rottboelliae, VII 2436: IX 3134
 SUBSTENOSPORA ROTTBOELLIAE, VI 2193
tamarindi, VI 2089: VII 2436
telosmae, VI 2089
uncariae, VII 2436
 UNCARIAE, VI 2192
 UNCINATA, IX 3120
uvariae, VI 2089, 2192, 2258: VII 2437
vilis, VI 2090, 2258: VII 2437
vilis, VI 2280: VII 2500
 VILIS, VI 1926
Meliolina arborescens, IX 3135
Meliosma APOENSIS, X 3784
brachybotrys, X 3786
 CANNARIOIDES, X 3785
luzonica, II 492
 MACROCARPA, X 3786
macrophylla, X 3788, 3809
megalobotrys, X 3786
multiflora, II 492: X 3809
sumatrana, X 3785

- SYLVATICA, II 492
 TONGCALINGII, VIII 2815
 Mellitosporiopsis gigantispora, VI
 2141, 2237: VII 2499
 pachycarpa, VI 2237: VII 2499
 pseudopezizoides, VI 2142, 2237:
 VII 2500
 violacea gigantispora, VI 2141
 Melodinus APOENSIS, IV 1459
 cumingii, IV 1461
 philippinensis, IV 1461
 Memecylon agusanense, X 3670
 AGUSANENSE, VIII 2760
 apoense, VIII 2765
 APOENSE, IV 1199
 cumingii, X 3670
 densiflorum, VIII 2762
 edule, IV 1200
 GIGANTIFOLIUM, VIII 2762
 gitingense, VIII 2762
 GITINGENSE, IV 1195
 gracilipes, IV 1196
 lanceolatum, X 3671
 lanceolatum, IV 1198: VII 2442,
 2443
 odoratum, VIII 2762
 ODORATUM, IV 1196
 palawanense, VIII 2762
 PALAWANENSE, IV 1197
 paniculatum, IV 1199
 preslianum, IV 1201
 sessilifolium, IV 1197
 sorsogonense, X 3671
 SORSOGONENSE, IV 1200
 TERMINALIFLORA, IV 1198
 urdanetense, VI 1922, 2083
 URDANETENSE, VIII 2764
 venosum, IV 1191, 1199, 1521
 Merremia hastata, VI 2087
 incisa, VI 2193: VII 2435
 nymphæifolia, I 336: VII 2435
 SIMILIS, I 335
 umbellata, VI 2068, 2071, 2193,
 2194: VII 2434, 2435
 vitifolia, VI 2068: VII 2435
 Merrilliopeltis calami, VI 2121, 2271:
 VII 2475: VIII 2945
 daemonoropsis, VI 2121: VIII
 2945
 hoehnelii, VI 2121, 2232: VII
 2476: VIII 2945
 parvula, VII 2476
 Mesochlaena polycarpa, V 1682
 Metabolus angustifolius, III 980
 laevigatus, III 981
 lineatus, III 975
 radicans, III 980
 Metasphaeria abundans, VII 2476
 ABUNDANS, VI 2201
 clypeosphaerioides, VI 2202
 consociata, VII 2476
 CONSOCIATA, VI 2201
 CORRUSCANS, VIII 2949
 dispar, VIII 2950
 gigantochloae, VII 2476
 GIGANTOCHLOAE, VI 2202
 hibiscincola, VIII 2950
 HIBISCINCOLA, VI 2202
 INCOMPLETA, VIII 2949
 maculans, VI 2121, 2202: VII
 2476
 maculans, VIII 2950
 papulosa, VIII 2950
 pseudostromatica, VII 2476
 PSEUDOSTROMATICA, VI 2262
 quercina, VI 1939
 raimundoi, VI 2121
 RAIMUNDOI, VI 1939
 reyesii, VII 2477
 saccharicola, VI 2203
 schizostachyi congregata, VII 2477
 SCHIZOSTACHYI CONGREGATA, VI
 2263
 socio, VI 2202
 Metroxylon rumphii, VIII 3026
 Mezoneurum benguetense, I 362
 CABADBARENSE, X 3757
 latisiliquum, X 3758
 Microcylus derridis, IV 1158
 Microdesmis caseariaefolia, IV 1301:
 VII 2439
 PHILIPPINENSIS, IV 1300
 Microdothella culmicola, VII 2454
 Microglossa volubilis, I 133
 Microlepidia hirta, III 824
 marginata, III 824
 speluncae, III 824: IX 3164
 strigosa, III 824: IX 3164
 todayensis, III 824
 villosa, III 824
 Micromelum CURRANII, II 480
 minutum, X 3809
 pubescens, II 481
 tephrocarpum, II 481
 Micropeltella clavispora, VII 2443
 coerulescens, VI 2278: VII 2443

- coerulescens*, VI 2278
leucoptera, VII 2443
merrillii, VII 2444
paetensis, IX 3136
schmidtiana, VI 2228, 2277: VII 2444
Micropeltis aequalis, VI 2094
 AEQUALIS, V 1543
aeruginascens, VI 2228: VII 2444
aeruginascens, VI 2230
aeruginosa, VI 2229
applanata, VI 2094
applanata, VI 2228, 2229, 2230: VII 2444
applanata aeruginascens, VII 2444
bambusicola, VI 2094: VII 2444
bauhiniae, VI 2094
 BAUHINIAE, VI 1945
coerulescens, VI 1946
consimilis, VI 2094, 2229: VII 2444
corruscans, VI 2094
leucoptera, VI 2095
leucoptera, V 1543
manaosensis, VI 1946
megasperma, VI 2095
pometiae, VII 2445
 POMETIAE, VI 2229
schmidtiana, VI 2095
semecarpi, VI 2095
serica, VI 2229: VII 2445
vagabunda calamicola, VI 2095
Microphium PALAWANENSE, X 3739
Microporus affinis, VI 2244
microloma, VI 2244
perula, I 267: VI 2244
sanguineus, VI 2244
xanthopus, VI 2244
Microstroma philippinense, VI 2167: VII 2529
Microthyriella philippinensis, VI 2095: VII 2441
Microthyrium elatum, VI 2095: VII 2442
grande, VII 2454
Microtropis philippinensis, X 3809
Mikania scandens, I 104
Millettia cavitensis, VI 2107
merrillii, VI 2107: VII 2458
Mimusops elengi, VIII 2817
 LATERICIA, VIII 2816
Minyranthes heterophylla, I 163
Miscanthus japonicus, X 3515
japonicus, VIII 2926
sacchariflora, VI 2080
sinensis, VI 2136
Mischocarpus ELLIPTICUS, I 210
 ENDOTRICHUS, V 1615
sundaicus, X 3809
Mitragyne diversifolia, I 12
diversifolia, VI 2087
speciosa, I 12
Mitrephora AVERSA, V 1719
basilanensis, X 3687
 ELLIPANTHOIDES, V 1721
ferruginea, V 1718
merrillii, V 1718
 MULTIFOLIA, X 3685
pictiflora, X 3688
 PICTIFLORA, V 1718
 SORSOGONENSIS, X 3687
 VIRIDIFOLIA, V 1716
Mniodendron korthalsii, VI 1976
 MINDANENSE, VI 1975
Mollisia copelandii, VII 2500
ravida, VI 2142: VII 2500
Monachosorum subdigitatum, III 823
Monenteles redolens, I 119
Monocera isotricha, II 638
Monogramma paradoxa, IX 3164
paradoxa, IX 3144
trichoides, II 406: III 834
Monophrynium fasciculatum, I 277
 SIMPLEX, I 276
Monotospora parasitica, IX 3138
Morenoella breviuscula, VI 2137
breviuscula, VII 2440: VIII 2931
gedeana, VI 2137: VII 2440: VIII 2931
irregularis, VII 2442
memecyli, VII 2442
pothoidei, VII 2442
transversalis, VII 2442
Morinda bartlingii, V 1539: VI 2087
 BARTLINGII, IV 1340
bracteata, VI 2166: VII 2528
citrifolia, I 12
longifolia, IV 1341
microcephala, I 12
microcephala, III 1045
philippinensis, IV 1339
 PHILIPPINENSIS, III 1044

- umbellata*, III 1045
Moringa pterygosperma, VII 2507
Morus albus, VI 2090, 2150, 2154,
 2216, 2231: VII 2484, 2503,
 2504, 2512
Mucor racemosus, VI 2147
Mucuna CURRANII, I 230
longipedunculata, I 232: VIII
 2738
lyoni, VI 2077
MACMILLANI, VIII 2736
pruriens, VI 2077
Munkiella melastomata, VI 2103: VII
 2454
melastomata, VII 2454
Munkiodothis melastomata, IX 3174
Munronia humilis, IX 3385
Murraya BANATI, VIII 2812
crenulata, X 3809
elongata, VIII 2813
exotica, VIII 2813
Musa paradisiaca, VI 2152
sapientum, VI 2118, 2152, 2166:
 VII 2501, 2527
textilis, II 405
Mussaenda albiflora, III 991
anisophylla, I 13
anisophylla, III 991, 992, 994,
 997: X 3781
ATTENUIFOLIA, V 1874
BENGUETENSIS, I 13
grandiflora, I 13
grandiflora, III 992
grandifolia, III 991
grandifolia, III 994
GRANDIFOLIA, I 12
lanata, III 992
MAGALLANENSIS, III 996
MILLERI, X 3780
NERVOSA, III 994
philippica, III 992: IV 1341
philippica, III 993: IX 3211
philippinensis, III 991
philippinensis, III 996
PINATUBENSIS, IX 3210
SCANDENS, III 992
vidalii, III 991
VIDALII, III 993
villosa, III 992
Mussaendopsis multiflora, III 971, 982
MULTIFLORA, I 14
Mycosphaerella alocasiae, VI 2117:
 VII 2473
aristolochiae, VI 2117: IX 3135
brideliae, VII 2474
caricae, VI 2118: VII 2474
CASSIAE, IX 3120
creberrima, VI 2118: VII 2474
LEUCOSPILA, IX 3121
musae, VI 2118
oculata, VI 2118: VII 2474
pericampyli, VI 2118: VII 2474:
 IX 3135
ptychospermatis, VII 2474
reyesii, VII 2474
roureae, VI 2118: VII 2474
Myiocopron bakerianum, VI 2095
conjunctum, VII 2442
Myriactis humilis, I 129
MINDANAENSIS, VII 2589
Myrica javanica, II 533
Mvriogyne minuta, I 139
Myristica agusanensis, VIII 2775: X
 3809
AGUSANENSIS, VIII 2775
ardisiaefolia, III 1061
bracteata longifolia, III 1064
cumingii, III 1058: VIII 2775:
 2776
guatteriaefolia, III 1062
guatteriaefolia, III 1064
mindanaensis, III 1064
mindoroensis, III 1058
paniculata, III 1059
philippinensis, III 1064
FLUMERIAEFOLIA, III 1063
simiarum, X 3809
UMBELLATA, V 1816
Myrmecodia antoinii, III 1041
apoensis, V 1877
APOENSIS, III 1040
echinata, I 15
sibuyanensis, IX 3254
SIBUYANENSIS, III 1041
SORSOGONENSIS, IX 3253
tuberosa, III 1042
URDANETENSIS, V 1876
Myrmephytum BECCARII, III 1037
celebicum, III 1038
Myxopyrum PHILIPPINENSIS, IV 1483

N

- Naravelia ANTONII*, VIII 2800
uncinata, VIII 2801
Nauclea ATEGII, V 1877
bartlingii, I 16

clavisepala, III 985
cumingiana, I 16
 FORMICARIA, III 989
forsteri, III 988
forsteri, III 1134
gracilis, III 988
gracilis, III 989
jagori, III 989
kentii, V 1878
media, I 16: V 1879
media, IV 1272
mindanaensis, V 1878
philippinensis, I 16: III 989: V 1879
purpurascens, I 16: IV 1342
reticulata, I 16
strigosa, I 15
strigosa, IV 1358
 VIDALII, I 16
Nectria ambigua, VI 2276: VII 2447
bulbophylli, VIII 2923
discophora, VIII 2922
episphaeria, VI 2275: VII 2447
 FLAVIDO-CARNEA, VIII 2922
 LEUCAENEA, VIII 2923
manilensis, VI 2097
peziza reyesiana, VII 2448
pityrodes, VIII 2922
sanguinea, VI 2276: VII 2448
striatospora, VIII 2922
subcoccinea, VIII 2923
subfurfuracea, VIII 2922
theobromae, VIII 2922
 TJIPODENSIS GLIRICIDIAE, VIII 2922
viticola, VI 2276
Nectriella philippina, VI 2099
 PHILIPPINA, VI 1935
ptychospermatis, VII 2450
 PTYCHOSPERMATIS, VI 2275
Nelumbium nelumbo, VIII 3080
speciosum, VIII 2908
Nematothecium vinosum, VI 2090
 VINOSUM, V 1534
Neolitsea APOENSIS, II 727
 INCANA, V 1794
intermedia, II 727
 INTERMEDIA, II 382
vidalii, II 726
vidalii, II 383
villosa, II 726
villosa, II 727
zeylanica, II 383
Neonauclea barnardoi, VIII 3100
calycina, VIII 3100

KOBBEI, VIII 3100
Neopectia diffusa, VI 2264: VII 2465: VIII 2947
diffusa atrata, VI 2113
diffusa rhodosticta, VI 2201
nobilis, VIII 2947
rhodosticta, VI 2264: VII 2465: VIII 2946
rhodosticta, VI 2201
 RHODOSTICTA MAGNIFICA, VIII 2947
Neottia longifolia, V 1553
Neottiopteris elliptica, III 819
stenocarpa, III 819
musaeifolia, III 819
Nepenthes alata, IX 3143
graciliflora, IV 1521 *no such page*
 GRACILIFLORA, IV 1494
merrillii, VIII 2787
rajah, VII 2382
sibuyanensis, IV 1311, 1521
 SURIGAOENSIS, VIII 2785
truncata, VII 2382: VIII 2787
Nephelium chryseum, V 1616
intermedium, X 3808
lappaceum, V 1616
melanomisco, V 1608
mutabile, IX 3118
 ROBUSTUM, V 1607
 XEROSPERMOIDES, V 1608
Nephrodium angustifolium, IX 3158
Nephrolepis barbata, II 394: III 829
biserrata, IX 3164
biserrata laurifolia, II 394
cordifolia, IX 3164
hirsutula, IX 3165
laurifolia, II 394
Nertera DENTATA, I 15
depressa, I 15
depressa, III 876
Nicotiana tabaccum, VI 2162: VII 2522
Nigrofomes melanoporus, I 270
Nigroporus vinosus, I 266
Nipa fructicans, VI 2113, 2138: VII 2441, 2464, 2466: VIII 2933
Niptera GREWIAE, VIII 2928
Nitschkea BAMBUSARUM, VIII 2956
recedens, VIII 2956
Normanbya merrillii, VIII 3009
Norrisia PHILIPPINENSIS, IV 1482
Notothixos PHILIPPINENSIS, II 471
subaureus, II 472

- Nummularia anthracina*, VI 1943,
 2130, 2208: VII 2489
anthracodes, VI 1943, 2130, 2208:
 VII 2489
anthracodes gliricidia, VII 2490
 ANTHRACODES GLIRICIDIAE, VI
 2209
bulliardi, VI 2130, 2208
 CITRINCOLA, VIII 2961
clypeus, VI 1943, 2130: VII 2490
cookeana, VI 2273: VII 2490
diatrypeoides, VIII 2960
 FRAGILLIMA, VIII 2959
glycyrrhiza, VI 1926, 2131: VII
 2490
gracilentata, VI 2131, 2209: VII
 2490
gracilentata, VII 2490
 LIANAE, VIII 2959
 MEMORABILIS, VIII 2960
minuta, VIII 2960
papyracea, VII 2491
 PAPHYRACEA, VI 2208
philippinensis, VI 2131: VII
 2491
placentiformis, VI 2131: VII 2491
 REYESIANA, VIII 2960
scutata, VI 2131: VIII 2961
scutata, VII 2490
suborbicularis, VI 2273
suborbicularis cookeana, VII 2490
urceolata, VI 2131: VII 2491
Nymanomyces aceris-laurini, IV 1159:
 VI 2146

O

- Oberonia cylindrica*, V 1564
elmeri, V 1564
 ELMERI, V 1564
Ochna foxworthyi, V 1823
Ochrosia acuminata, IV 1462
apoensis, IX 3132
 APOENSIS, IV 1461
Octospora craterella, VI 2281
Odontosoria chinensis, II 397: III
 829
retusa, II 397
Oidium erysiphoides, VI 2167: VII
 2529
Oldenlandia apoensis, III 976, 1133
 APOENSIS, I 17
auricularia, I 20
banksii, III 976
 BANKSII, I 19
benguensis, III 976
 BENGUETENSIS, I 18
 CILIATA, I 20
corymbosa, I 21
 FILIFOLIA, I 64
heynii, I 21
horneriana, I 21
lineata, I 20
lineata, I 360
nudicaulis, I 20
paniculata, I 20: IV 1342
prainiana, I 17
prainiana, I 360
pterita, III 974
stylosa, I 19
tenelliflora, I 21
tenelliflora, I 360
yoderi, III 976
 YODERI, I 17
Oleandra colubrina, II 394
colubrina nitida, III 828
whitmeei, III 828
Ombrophila helotioides, VI 2140
helotioides, VII 2500, 2501
sanguinea, VI 2140: VII 2500
sanguinea, VII 2500
Oncocarpus densiflora, X 3809
Oncosperma filamentosa, VIII 3016
gracilipes, VIII 3017
horrida, VIII 3017
horrida, VII 2455
Oospora gilva, VI 2167
obducens, VI 2167
Operculina turpetum, VI 2076
Ophiobolus graffianus, VII 2466
javanicus, VIII 2954
licualae, VII 2466
livistonae, VI 2113: VII 2466
nipae, VI 2113: VII 2466
seriatus, VI 2114
seriatus, VIII 2954
vorax, VII 2454
Ophiodothella trichocarpa, IX 3126
Ophiodothis paspali, VI 2103
thanatospora, VIII 2924
vorax, VI 2102
vorax pilulaeformis, VI 2102
Ophioglossum pedunculatum, II 424:
 III 795
pendulum, II 424: III 795
Ophionectria erinacea, VI 2099
theobromae, VI 2226: VII 2450
trichospora, VI 2099

Ophiorrhiza acuminata, I 22
 ARGOSTEMMOIDES, IX 3254
 BICOLOR, IX 3211
biflora, III 973
biflora, IX 3259
 BIFLORA, I 21
caespitulos, V 1884: IX 3261
 CAESPITULOSA, II 523
caespitulos fulva, V 1907
 CAESPITULOSA FULVA, V 1880
 CAMIGUINENSIS, V 1881
 CILIATA, IX 3256
curtiflora, V 1181: IX 3260
 CURTIFLORA, V 1882
elmeri, IX 3213
harrisiana, I 22
 INAEQUIFOLIA, IX 3257
involucrata, III 973
involucrata, IX 3257
 INVOLUCRATA, I 351
lancilimba, IX 3212
macgregorii, IX 3255
 MAQUILINGENSIS, IX 3258
mungos, I 22
mungos, IV 1344: V 1882
oblongifolia, I 22
oblongifolia, V 1884: IX 3212,
 3213
ovata, IX 3213, 3258
pubescens, V 1884
pubescens, II 524: IX 3256
 PUBESCENS, I 68
 PULGARENSIS, IV 1342
 SORSOGONENSIS, IX 3260
tenuis, IX 3259
venosa, III 973
zambalensis, IX 3212
 ZAMBALENSIS, IX 3212
Ophiurus exaltatus, X 3516
Opilia amantacea, V 1825
 FRAGRANS, V 1824
javanica, V 1825
Oplismenus compositus, X 3516
compositus, VI 2089
undulatifolius, X 3516
undulatifolius, VI 2164
Orania decipiens montana, VIII
 3018
 PHILIPPINENSIS SIBUYANENSIS,
 VIII 3017
Orbilina curvatispora, VI 2235: VII
 2500
Orophea bracteata, V 1723
cumingiana, V 1725

maculata, V 1724
 PALAWANENSIS, V 1721
 SUBMACULATA, V 1723
unguiculata, V 1720
 UNGUICULATA, V 1724
 VULCANICA, X 3688
Oroxylum indicum, VI 2150: VII
 2505
Oryza latifolia, X 3517
minuta, X 3517
sativa, X 3517
sativa, VI 2100: VII 2428
Osbeckia chinensis, X 3671
Osmelia conferta, X 3809
 EUSPICATA, VII 2653
 SUBROTUNDIFOLIA, VII 2655
Osmunda banksiifolia, II 424: III
 797: IX 3150
Ostodes serrato-crenata, III 926
Otthiella cyathoidea, VII 2466
 CYATHOIDEA, VI 2259
Oxymitra auriculata, V 1728
 AURICULATA, V 1725
cuneifolia, I 295
filipes, I 294
glauca, I 294
lagunensis, I 295
 LAGUNENSIS, I 293
 OBTUSIFOLIA, I 294
paucinervia, V 1727
urdanetensis, V 1727
 URDANETENSIS, V 1727

P

Pachyrrhizus angulatus, VII 2422
Paederia foetida, I 28
foetida, III 1043
tacpo, III 1021
tomentosa, III 1042
tomentosa, VI 2069
verticillata, III 1043: V 1884
verticillata, V 1885
 VERTICILLATA TOMENTELLA, V
 1885
Paesia elmeri, III 826
Pahudia rhomboidea, VI 2108, 2219:
 VII 2459, 2523
Palaquium aherianum, X 3789
 AUREUM, X 3788
barnesii, X 3790
bataanense, III 867
cuneatum, III 868, 870

- CUPRIFOLIUM, VIII 2817
 DUBARDII, III 868
gigantifolium, VIII 2819, 2820
lanceolatum, III 870: X 3809
latifolium, VI 2116: VIII 3103
merrillii, III 870
 MONTANA, VIII 3102
 PINNATINERVIUM, VIII 2819
 SORSOGONENSE, X 3789
tenuipetiolatum, X 3809
 THEOIDEA, III 868
 Palawania *cocoes*, VII 2454
 grandis, VII 2454
 Pandanus APOENSIS, III 1129
 PANAHAENSIS, I 80 a
 BARAI, III 1126
 brevistipes, X 3776
 CALCEIFORMIS, III 1127
 copelandii, III 1132
 copelandii, I 77
 dubius, III 1122
 glauciphyllus, III 1124
 lateralis, III 1125
 luzonensis, VI 2150: VII 2506
 MAPOLA, III 1124
 MARTELLII, I 272
 merrillii, VII 2453, 2482
 MINDANAENSIS, III 1121
 MURICATUS, I 76
 paloensis, III 1123
 paloensis, I 76
 PALOENSIS, I 75
 polycephalus, I 76
 POLYGLOSSUS, III 1130
 radicans, I 74
 radicans, I 74, 77: VII 2372:
 IX 3135
 reclinatus, V 1546: VI 2154
 sabotan, VIII 2947, 2954: X
 3811, 3812, 3813
 SIBUYANENSIS, III 1120
 simplex, X 3814, 3815, 3816,
 3817
 tectorius, III 1118, 1119
 tectorius, VI 2119, 2158: VII
 2515: X 3812, 3813
 URDANETENSIS, X 3775
 utilissimus, VII 2453: VIII 2954:
 X 3811, 3813, 3814, 3815,
 3816, 3817
 UTILISSIMUS, I 80 b
 veitchii, VI 2156
 whitfordii, I 76
 Panicum amplexicaule, X 3517
 auritum, X 3518
 auritum, VI 2100
 carinatum, VI 2102, 2220, 2227:
 VII 2453, 2456
 colonum, X 3518
 crus-galli, X 3519
 cumingianum, X 3518
 flavidum, VI 2077
 indicum, X 3519
 indicum, VI 2080
 latifolium, VII 2435
 malabaricum, X 3519
 nodosum, VI 2227: VII 2453
 palmifolium, VI 2221: VII 2457:
 IX 3122: X 3524
 patens, X 3520
 patens, VI 2110
 pilipes, X 3520
 repens, VI 2077
 reptans, VI 2077
 Papualthia *bakeri*, X 3690
 BAKERI, VIII 3069
 flava, VIII 3070
 IROSINENSIS, X 3689
 lanceolata, VIII 3070
 loheri, VIII 3070
 Parabaena *denudata*, IV 1164
 elmeri, IV 1164
 philippinensis, IV 1164
 Paraboea *ridleyi*, III 947
 RIDLEYI, III 949
 vulpina, III 950
 Paralstonia *clusiacea*, V 1537: VI
 2086
 Paramapania *rostrata*, X 3538
 rostrata, X 3538
 Paramigyna *longipedunculatae*, VI
 1941, 2123, 2145
 Paranectria *luxurians*, VII 2448
 LUXURIANS, VIII 2924
 Parashorea *plicata*, VI 1954, 1955
 warburghii, VI 1954
 warburghii, VI 1955
 Parasterina IROSINENSIS, IX 3128
 Paratrophis *caudata*, V 1815
 GRANDIFOLIA, V 1814
 philippinensis, V 1815
 Parinarium *coccineum*, V 1621
 COCCINEUM, II 578
 Parkia HARBESONII, V 1804
 roxburghii, VI 2108: VII 2459

- timoriana*, V 1805: VI 2108:
VIII 2958
- Parmelia latissima*, II 436
nilgherrensis, II 436
- Parmularia hymenolepidis*, VI 2137:
VII 2445
javanica, VIII 2933
- Parodiella grammodes*, VI 2090: VII
2437
perisporioides, VI 2090
pumila, VII 2437
puncta, VI 2090: VII 2437
spegazzinii, IX 3135
- Parsonsia ATERINERVIA*, X 3695
confusa, VIII 3072: X 3696
magnifolia, X 3696
MAGNIFOLIA, VIII 3071
philippinensis, X 3698
URDANETENSIS, X 3698
- Paspalum conjugatum*, X 3520
longifolium, X 3521
longifolium, VI 2078
scrobiculatum, VI 2078
- Passiflora edulis*, VII 2513
PHILIPPINENSIS, I 326
quadrangularis, VI 1935, 1945,
2095, 2096, 2099, 2136, 2231,
2232: VII 2496, 2502
- Pavetta barnesii*, III 1015
BARNESII, I 27
dolichostyla, III 1015
eucrantha, V 1886
eucrantha, IX 3136
EUCRANTHA, III 1015
indica, I 27
indica, III 1016: IX 3133
indica polyantha, I 27
indica polyantha, IV 1345
indica tomentosa, IV 1345
manillensis, I 26
meyeri, III 1015
meyeri, V 1898
PALAWANENSIS, IV 1344
parvifolia, I 27
- Payena FUSICARPA*, VIII 2820
- Pegia PHILIPPINENSIS*, VIII 3100
- Pellionia laciniata*, VIII 2863: IX
3241
LACINIATA, VIII 2862
sinuata, VIII 2863
sordida, IX 3240
SORDIDA, VIII 2862
- Peltigera polydactyla microcarpa*, II
436
- Peltosoma freycinetia*, IX 3175
FREYCINETIA, IX 3130
- Pennisetum macrostachyum*, X 3521
- Pentacme contorta*, VI 1949
- Pentaphragma aurantiacum*, VII 2574
PULGARENSE, VII 2572
- Peperomia AGUSANENSIS*, VI 2294
ELMERI, III 761
exigua, III 759
MARIVELESANA, III 762
NEGROSENSIS, III 760
PALLIDIBACCA, III 763
PELLUCIDO-PUNCTULATA, III 760
reflexa subsessilifolia, III 759
RIVULORUM, III 762
- Perae liandri*, VI 1946
- Perdicum tomentosa*, I 128
- Pericampylus incanus*, IV 1165
incanus, IV 1167: VI 2118: VII
2474: IX 3135
- Periconia pycnospora*, VII 2527
- Peroneutypa corniculata*, VI 2268
discriminis, VII 2482
DISCRIMINIS, VI 2267
heteracantha, VI 2268
philippinarum, VII 2482
PHILIPPINARUM, VI 2268
philippinarum gliricidiae, VII
2482
PHILIPPINARUM GLIRICIDIAE, VI
2268
- Peroneutypella adelphica*, VII 2482
adelphica, VI 2269
ADELPHICA, VI 2268
arecae, VII 2483
cocoes, VI 1942, 2124
cocoes, VI 2214: VII 2481
comosa, VI 2125
cyphelioides, VII 2483
CYPHELOIDES, VI 2269
cyphelioides lignicola, VI 2269:
VII 2483
CYPHELOIDES LIGNICOLA, VI 2269
graphidioides, VII 2483
- Persea leytenensis*, VIII 2729
LEYTENSIS, II 383
philippinensis, II 384
pyriformis, VI 1921, 2082
PYRIFORMIS, VIII 2727
STERCULIOIDES, I 295
SURIGAOENSIS, VIII 2728

- Pestalozzia funerea*, VII 2517
microspora philippinensis, VI 2158: VII 2517
palmarum, VI 2158: VII 2517
pauciseta, VII 2517
Petunga longifolia, V 1886
racemosa, III 1007: IV 1345
Peziza craterella, VI 2281
deformis, VI 2234
palmicolam, VI 2234
phyllogena, VIII 2931
repanda, VI 2234
Pezizella OMBROPHILACEA, VIII 2929
Phaeanthus acuminatus, V 1732
NIGRESCENS, V 1728
Phaedothis gigantochloae, VI 2275: VII 2455
GIGANTOCHLOAE, VI 2223
Phaeomeria imperialis, VIII 2907
Phaeosphaerella donacina, VIII 2948
Phakospora pachyrhiza, VII 2422
phyllanthi, VII 2422
Phaleria AXILLARIS, VIII 2840
cumingii, VIII 2841
Phaseolus calcaratus, VI 2108
lanatus, VI 2164: VII 2507, 2522
semierectus, VI 2122: VII 2477
Phellinus williamsii, VI 2249
Phellostroma hypoxyloides, VII 2509
Phialea cyathoidea ciliatula, VI 2142
Phoebe sterculioides, II 727
Pholidota ELMERI, V 1557
imbricata, V 1571
Phoma bakeriana, VII 2509
fallaciosa, VII 2509
herbarum, VII 2509
oleracea, VII 2509
sabdariffae, VII 2510
sesamina, VII 2510
Phomatospora MIGRANS, VIII 2936
Phomopsis arecae, VII 2510
bakeri, VI 2152
cinerascens, VII 2510
dioscoreae, VII 2510
gliricidiae, VI 2152
myriostica, VII 2510
Photinia URDANETENSIS, VIII 2802
Photinopteris speciosa, II 415: III 846
Phragmites karka, VI 2085, 2114
vulgaris, X 3521
vulgaris, IX 3133
Phragmothyriella bakeri, VII 2445
BAKERI, VI 2230
Phreatia caulescens, V 1581
elmeri, V 1581
ELMERI, V 1581
luzoniensis, V 1581
luzoniensis, V 1581, 1582
microtidis, V 1581, 1582
minutiflora, V 1582
negrosiana, V 1582
NEGROSIANA, V 1582
secunda, V 1581, 1582
Phrynium capitatum, II 571
malaccense, II 571
PHILIPPINENSE, II 570
Phyllachora afzeliae, VI 2103
aggregatula, VI 2103: VII 2454
andropogonis, VI 2103
apoensis, VI 2103: VII 2455
APOENSIS, IV 1157
ardisiae, VI 2103: VII 2455
atrofigurans, VI 2104
atro-maculans, VI 2221
ATRONITENS, VI 2221
canarii, IV 1156: VI 2104, 2220: VII 2455: IX 3136
catervaria, IX 3174
circinata, VI 1936, 2104: VII 2455
circinata sanguinea, VI 2274: VII 2456
coicis, VI 2104: VII 2456
congruens, VII 2456
CONGRUENS, VI 2220
connari, VII 2456
cynodontis, VI 2104, 2221: VII 2456
cyperii, VI 2222
dalbergiae, VI 1936, 2105
dalbergiicola, VI 2219
dalbergiicola, VI 1936
dalbergiicola leguminum, VI 2219: VII 2456
dioscoreae, VI 2105
dioscoreae, VII 2460
dischidiae, VI 2105
diversa, VI 2220
donacina, VII 2457
DONACINA, VI 2222
elmeri, VI 2105, 2219: VII 2457
ELMERI, IV 1157
fici-fulvae, IV 1158: VI 2105, 2219: VII 2457

- fici-minahassae*, VI 2106: VII 2457
ficium, V 1545: VI 2106
ficium spinifera, VI 2110
glochidii, VI 2106
 GLOCHIDIUM, IV 1157
graminis, IV 1158: VI 1929, 2106, 2221: VII 2457
graminis, VI 2104, 2222
graminis panici, VI 2221: VII 2457
infectoria, VI 2106: VII 2458
kaernbachii, VI 1928, 2107: VII 2458
lagunae, VI 2107
lagunae, VII 2461
lagunensis, VI 2107
lepida, VI 1929, 2107
lepida, V 1545
luzonensis, IV 1157: VI 2107, 2220: VII 2458
macarangae, VI 2107: VII 2458
merrillii, VI 2107
minuta, VI 2108: VII 2458
minutissima, VI 2221
oblongispora, VI 2108
 OBLONGISPORE, VI 1928
ochnae, VII 2458
orbicula, VII 2459
 ORBICULA, VI 2221
pahudiae, VI 2108, 2219: VII 2459
parkiae, VI 2108: VII 2459
pazschkeana, VI 2220
phaseolina, VI 2108
pongamiae, VI 2108: VII 2459
pongamiae, VII 2459
pseudos, VI 2108, 2219: VII 2459
pterocarpi, VI 1936, 2109, 2274: VII 2459
rehmiana, VII 2460
rottboelliae, VI 2109: IX 3136
roureae, VI 2109: VII 2460
sacchari, VI 2109
sacchari, VI 2109
sacchari-spontanei, VI 2109
schoenicola, VI 2109: VII 2460
shiraiana, VI 2109: VII 2460
sorghii, VI 2110, 2220: VII 2460: IX 3136
spinifera, VI 2110: VII 2460
sporoboli, VII 2460
stenospora, VI 2110: VII 2461
tjankorreh, VII 2461
topographica, VI 2110: VII 2461
urophylla, IX 3174
valsiformis, VI 2110, 2275: VII 2461
yapensis, VI 2110, 2218: VII 2461: IX 3136
yapensis, VII 2461
yapensis rhytismoides, VII 2461
 YAPENSIS RHYTISMOIDES, VI 2218
Phyllactinia guttata, VII 2431
suffulta, VI 2090: VII 2431
Phyllanthus benguetensis, VII 2650
blancoanus, I 308
buxifolius, III 927
distichus, VII 2422
erythrotichus, III 928
 GLOCHIDIODES, IV 1302
 GREENEI, III 929
lamprophyllus, IV 1302
 LEYTENSIS, I 307
mindorensis, III 929
reticulatus, VI 2069: VII 2420
 RUPICOLUS, III 927
 SIBUYANENSIS, III 928
triphlebius, III 930
 URDANETENSIS, VII 2650
 VERRUCOSUS, VII 2649
Phyllitis pinnata, III 823
Phyllosticta acoridii, VI 2153: VII 2510
bakeri, VI 2153
circumsepta, VII 2511
cocophila, VI 2153: VII 2511
graffiana, VI 2153: VII 2511
manihoticola, VI 2153
siphonodontis, VI 2153: VII 2511
Physalospora bambusae, VI 2121
bambusae, VIII 2937
 DINOCHLOAE, VIII 2937
euryae, VI 2122
hoyae, VI 2122: VII 2477: VIII 2937
hoyae, VII 2477
 PERIBAMBUSINA, VIII 2937
ramosii, VI 2122: VII 2477
vanillae, VIII 2935
Physcia picta, II 436
Picrasma javanica, VI 1927, 2092
javensis, V 1838
nepalensis, V 1838
philippinensis, V 1541: VI 2092
 PHILIPPINENSIS, V 1837

- Pilacre orientalis*, VI 2159: VII 2519
orientalis, VII 2519
Pilea angulata, III 880
APOENSIS, III 882
robinsonii, III 875
ROBINSONII, III 880
SYLVATICA, III 879
Pilocratera celebica, VI 2142: VII 2501
hindsii, VI 2143
sulcipes beccariana, VI 2143
tricholoma, VI 1931, 2143
Pimeleodendron DISPERSA, I 308
Pinanga barnesii, VIII 3002
copelandii, VIII 3002
elmeri, VIII 3004
insignis, VIII 3004
insignis, VIII 3008: IX 3133
negrosensis, VIII 3006
negrosensis, II 643, 645
NEGROSENSIS, II 642
philippinensis, VIII 3003
philippinensis, VIII 3009
rigida, VIII 3005
rigida, II 643, 644
RIGIDA, II 644
sclerophylla, II 645
SIBUYANENSIS, VIII 3006
speciosa, VIII 3005
URDANETENSIS, VIII 3008
woodiana, VIII 3003
woodiana, II 645
Pinus insularis, VI 2160, 2244, 2251: VII 2520
Piper abbreviatum, III 775
AGUSANENSE, VI 2291
albidirameum, III 771
APOANUM, III 785
AURILIMBUM, III 768
BAGUIONUM, III 775
bathycarpi, III 773
betle, III 774
betle, III 773
BREVISTIGMUM, VI 2292
CABADBARANUM, VI 2292
CACUMINUM, III 765
CANINUM LATIBRACTEUM, III 787
CARNISTILUM, III 774
cilibractei, VI 2292
corylistachyon, III 776
corylistachyon, VI 1930, 2102: VII 2453
COSTULATUM, III 764
CRASSINODUM, III 780
CRISTATUM, III 770
davaoense, III 785
DELICATUM, III 778
elmeri, IX 3411
forstenii, III 768
interruptum, III 1133: IX 3173
INTERRUPTUM MULTIPLINERVUM, III 785
korthalsii, III 763
LAGENIOVARIVM, III 767
LAXIRAMEUM, III 779
LONGISTIGMUM, III 770
LUCBANENSE, VI 2293
marivelesanum, III 787
methysticum, III 767
miniatum, III 766
miniatum hirtellum, III 766
myrmecophilum, IX 3412
NEGROSENSE, III 786
OBLONGIBACCUM, III 777
OBOVATIBRACTEUM, III 784
OVATIBACCUM, III 782
PARCIRAMEUM, III 781
PENDULIFOLIUM, III 772
pseudo-chavica, III 769
PUBERULINODUM, III 773
retrofractum, III 776
rhombophyllum, III 775
STRIATUM, III 776
TOPPINGII, III 783
umbellatum glabrum, III 789
URDANETANUM, VI 2293
varibracteum, IX 3412
VARIBRACTEUM, III 764
VILLILIMBUM, III 788
Pipturus arborescens, IX 3137
aspera, III 899
MINDANAENSIS, III 898
repandus, III 898: IX 3222
SUBALPINUS, IX 3221
SUCCULENTUS, III 897
Pirostomella raimundoi, VII 2515
Pistia stratiotes, X 3627
Pithecolobium apoense, IV 1154: VI 2083
APOENSE, II 694
dulce, VI 2098: VII 2450
saman, VII 2359
scutiferum, II 695
WILLIAMSI, I 223
Pittosporum clementis, IV 1155: VI 2091
odoratum, V 1826: VIII 2796: IX 3173, 3174

- pentandrum*, V 1537: VI 2085
 PULGARENSE, V 1825
 SUBVERTICELLATUM, VIII 2795
Placosphaeria durionis, VI 2153: VII 2511
 DURIONIS, IV 1159
 merrillii, VI 2153: VII 2511
 tiglii, VI 2153: VII 2511
Plagiochila ELMERI, II 385
Plagiogyria christii, III 831
 glauca, III 830
 TUBERCULATA GRACILIS, II 405
Plagiostachys CORRUGATA, VIII 2908
 escritorii, VIII 2989
 ESCRITORII, VIII 2910
 LATA, X 3805
 philippinensis, VIII 2989
 philippinensis, VIII 2912
 PHILIPPINENSIS, II 572
 ridleyi, VIII 2989
 RIDLEYI, VIII 2911
Planchonia spectabilis, VIII 2925
Platea apoensis, IV 1155: VI 1928, 2091: VIII (3107)
 APOENSIS, VIII 2789
 FULIGINEA, VIII 2790
 latifolia, VIII 2790
Platycterium grande, III 850
 ✓ *Plectocomia elmeri*, VIII 3029
Plectranthus diffusus, X 3809
Plectronia AMPLIFOLIA, IX 3261
 arborea, I 28
 arborea, I 360
 CYANEA, V 1887
 didyma, I 28: IV 1346
 didyma, I 360
 GRACILIPES, III 1008
 horrida, I 28
 horrida, I 360
 lycioides, I 28
 lycioides, I 360
 MABESAE, VIII 3099
 megacarpa, III 1008
 mites, I 28
 mites, I 360
 peduncularis, I 28: IV 1346
 peduncularis, I 360: VI 2069
 sessilifolia, IX 3261
 umbellata, III 1009
 villarii, I 28
 villarii, I 360
 viridis, III 1008: V 1888
Pleocnemia cumingiana, II 392
 cumingiana, IX 3171
Pleosphaerulina phaseoli, VII 2477
 phaseolina, VI 2122
Pleurogramme intermedia, II 408
 loheriana, II 406: III 834
Pleuropus fenestrato, II 658
 LUZONENSIS, II 657
Plicaria bananincola, VII 2501
 BANANINCOLA, VI 2234
 cataras, VIII 2931
 tropica, VIII 2931
 TROPICA, VIII 2931
Plocoglottis BICALLOSUM, V 1571
 LUCBANENSIS, V 1572
Plowrightia basiruta, IV 1158
 derridis, IV 1158: VI 2110
 koordersii, IV 1158
 placida, IV 1158
Pluchea hirsuta, I 107
 hirsuta, I 106, 107
 INCISA, I 358
 indica, I 106
 indica, I 106: VI 2069: VII 2420
 scabrida, V 106
 scabrida, I 106, 107, 358
Podocarpus costatus, VI 2116
Podochilus elmeri, V 1567
 ELMERI, V 1565
 LONGILABRIS, V 1565
 lucbanensis, V 1907
 LUCBANENSIS, V 1566
 LUZONENSIS, V 1567
 malindangensis, V 1567
 malindangensis, V 1568
 microphyllus, V 1565
 NEGROSIANUS, V 1568
 PERPLEXUS, V 1569
 xytriophorus, V 1566, 1569, 1570
Podoscypha glabra, VI 2241
 obliqua, VI 2241
 obliqua, VI 2241
Podosporium gigasporium, VI 2159: VII 2519
Pogonanthera reflexa, X 3672
Pogonatherum paniceum, X 3522
Pogostemon velatus, IX 3198
 WILLIAMSII, IX 3197
Poinciana pulcherrima, VII 2509, 2510, 2521
Pollia PHILIPPINENSIS, I 275

- Polyalthia dumosa*, V 1732
 GRANDIFOLIA, I 291
 klemmei, V 1735
 KLEMMEL, V 1735
 lanceolata, V 1730
 MINDANAENSIS, V 1734
 MINUTIFLORA, X 1730
 nickersonii, V 1735, 1738
 NICKERSONII, V 1733
 PACIFICA, X 3690
 PINNATINERVIA, V 1736
 pulgarensis, V 1731
 PULGARENSIS, V 1731
 RETICULATA, I 292
 romblonensis, V 1739: X 3691
 ROMBLONENSIS, V 1729
 suberosa, V 1730
 URDANETENSIS, V 1738
Polybotrya appendiculata, IX 3160
 neglecta, IX 3160
 osmundacea, IX 3160
 serrulata, IX 3160
Polychroa PLATYPHYLLA, IX 3240
 sinuata, IX 3241
 URDANETENSIS, IX 3241
Polycias nodosa, VIII 2958: X 3809
Polygala venenosa, II 532
Polygonum APOENSE, VIII 2796
 chinense, VI 2080: VII 2429
 MEARNSII, I 289
 minus, VI 2079
 tomentosum, VI 2070
Polyosma apoensis, X 3791
 APOENSIS, V 1633
 cyanea, VI 1932, 2155
 CYANEA, V 1637
 gitingensis, V 1634
 GITINGENSIS, V 1634
 lagunensis, X 3791
 philippinensis, V 1633
 philippinensis, V 1633, 1634,
 1636
 piperi, V 1633
 piperi, V 1638
 PULGARENSIS, V 1636
 retusa, V 1633
 sorsogonensis, IX 3137
 SORSOGONENSIS, X 3790
 URDANETENSIS, V 1638
 verticillata, V 1633
 verticillata, V 1634
Polypodium accedens, II 411: III
 843: IX 3165
 albido-squamatum, II 414: III
 846
 albido-squamatum, IX 3166
 albido-squamatum variens, IX
 3167
 alternidens, III 839
 angustatum, II 414: III 845
 anomalum, I 79
 barathrophyllum, II 410
 blumeanum, IX 3163
 caespitosum, III 837
 caudiforme, II 414: III 844
 caudiforme, III 844
 celebicum, II 410: III 839: IX
 3165
 christii, III 836
 clavifer, III 839
 commutatum, II 413
 congenerum, II 409: III 837
 crassifrons, II 410
 cucullatum, II 409: III 838
 diplosorum, II 409: III 836
 dolichopterum, II 414: III 844
 dolichosorum, III 838
 dolichosorum, III 837
 DURUM, III 837
 ellipticum, III 845
 ellipticum pothifolium, IX 3165
 erythrotrichum, III 840
 fasciatum, III 837
 fasciatum, III 838
 feeii, III 844
 fuscatum, III 840
 glaucopruinatum, II 413
 gracillimum, III 838
 gracillimum, III 839
 halconense, V 1684
 heracleum, III 846
 heterocarpum, II 413: III 844:
 IX 3165
 incurvatum, III 845
 insigne II 414
 jagorianum, II 409
 khasayanum, II 410
 lagunense, II 411
 LEPIDOSORUM, IX 3166
 LONGICUSPE, IX 3167
 longifolium, II 413
 longissimum, IX 3167
 macrophyllum, III 844
 macrum, III 840
 minutum, II 410
 mollicomum, III 840
 mollicomum, III 840, 841
 MONSTROSUM, I 78

MONSTROSUM INTEGRIORE, I 78
 MONSTROSUM LEUCOPHLEBIUM, I
 78
 multicaudatum, III 839
 musaeifolium, III 846
musaeifolium, I 79
 MUSCOIDES, III 839
 myriocarpum, IX 3167
myriocarpum, III 843
 NEGROSENSE, II 409
 nigrescens, III 845
 nummularium, II 411
 nutans, III 841
 obliquatum, II 410: III 840: IX
 3168
 oodes, III 843
 palmatum, II 144: III 845
 papillosum, II 411: III 842
 persicifolium, III 842
 phymatodes, II 413: III 845
 pleiosoroides, II 409: III 838
productum, II 412
 pubinerve, III 837
pulcherrimum, III 842
 PULCHERRIMUM, III 841
 punctatum, III 843: IX 3168
 revolutum, II 411
revolutum, II 411, 412, 413
 rhynchophyllum, IX 3168
rudimentum, III 843
 rupestre, IX 3168
rupestre, IX 3166
 sablanianum, III 843
 setigerum, III 837
setosum, II 409
setosum calvum, III 837
 solidum, III 839
 stenophyllum, V 1684
stenopteron, II 410
 subauriculatum, II 411: III 842:
 IX 3168
subauriculatum, III 842
 subfalcatum, II 410: III 840
subfalcatum, II 410
subpleiosorum, III 838
sumatranum, II 409: III 838
tamariscinum, III 842
 tenuisectum, II 410: III 841: IX
 3168
tenuisectum, V 1684
 validum, II 413: III 843
 varians, VI 2137
 venulosum, III 840
 vulcanicum, III 844
vulcanicum, III 844

yoderi, III 839, 841
zippelii, IX 3169
zippelii, I 79
zollingerianum, IX 3165

Polyporus *affinis*, I 267
anebus, I 262
asper, VI 2247
atypus, I 263
aureo-marginatus, I 265
australis, I 269
badius, VI 2248
bicolor, I 263
bivalvis, I 264
breviporus, I 265
brunneolus, I 263
caliginosus, I 270
carneo-niger, I 267
cervino-gilvus, I 263
cinereo-fuscus, I 270
confundens, VI 2243
 CORACINUS, I 266
corrugatus, I 264: VI 2247
dermatodes, I 263
discipes, I 265
fusco-badius, I 264
grammocephalus, VI 1919
holosclerus, I 265
incomptus, I 267
laccatum, VI 2249
lenziteus, VI 2244
lingua, VI 2250
lutescens, VI 2248
mariannus, I 264
meleagris, VI 2243
meyenii, I 263
microcyclus, I 264
murinus, I 263
 PALENSIS, I 266
pectinatus, I 270
peradeniae, I 263: VI 2247
persoonii, VI 2247
perula, I 267
perversus, VI 2243
pinicola, VI 2250
polychrous, I 267
polyzonus, VI 2248
rhodophaeus, VI 1919
scabrosus, I 264
spadiceus, I 265
surinamensis, I 267
tornatus, I 269
trigonus, VI 2243
tristis, VI 2248
umbilicatus, VI 2243
vernicipes, I 263

- vulneratus*, VI 2250
wightii, I 264
xanthopus, I 267
zonalis, I 267
zonalis semilaccatus, I 263
Polystichum aculeatum, III 811: IX 3169
 amabile, III 811
 aristatum, III 811: IX 3169
 aristatum, III 811
 carvifolium, II 392
 carvifolium, III 811
 horizontale, III 811
 HORIZONTALIS SORDIDUM, II 392
 obtusum, IX 3169
Polystictus affinis, VI 1920
 confundens, VI 1920
 didrichsenii, I 263
 luteum, VI 1920
 meleagris, VI 1920
 persoonii, I 264
 sanguineus, VI 1920
Polytremia IROSINENSIS, X 3676
 MACGREGORII, X 3677
 philippinensis, X 3677
Pometia pinnata, VI 2230: VII 2445 2502
Pongamia glabra, VI 2108: VII 2459
 mitis, VI 2165: VII 2459
Poria setulosa, VI 2246
Porogramme fuligo, VI 2242
Porolaschia RAIMUNDOI, VI 2254
Poronia hypoxylodes, VII 2491
 HYPOXYLOIDES, VI 2209
 pileiformis, VI 2131
 ustorum, VI 2132: VII 2491
 ustorum, VI 2209
Porophyllum cacalioides, I 137
Pothoidium lobbianum, X 3627
 lobbianum, VI 2138: IX 3137
Pothos clemensii, X 3628
 inaequilaterus, X 3630
 ovatifolius, X 3628
 PENINSULARIS, X 3628
 philippinensis, X 3630
 rumphii, X 3628
 rumphii, X 3628
Pouzolzia indica, III 894
 indica, III 895
Pratia OVATA, II 593
Premna cumingiana, VI 2076, 2258: VII 2433
 membranacea, X 3809
nauseosa, VI 2093: VIII 2875: X 3808
odorata, VI 2100, 2118, 2141, 2192, 2235: VII 2433, 2474, 2499: VIII 2948
tomentosa, VII 2425
vestita, VI 2213: VII 2481
Prillieuxina loranthi, IX 3137
 microspila, IX 3174
 PUMILA, IX 3128
Prismatomeris tetrandra, III 1044
Procris frutescens, VIII 2865
 FRUTESCENS NERVOSA, VIII 2863
 pseudostrigosa, III 883
 pseudostrigosa, VIII 2865
 PSEUDOSTRIGOSA I 284
 URDANETENSIS, VIII 2865
 VOLUBILIS, VIII 2867
Propolidiopsis arengae, VIII 2927
Propoliopsis arengae, VII 2502
 ARENGAE, VI 2279
Prosaptia ANCESTRALIS, III 835
 contigua, II 408: III 836
Prosopis vidaliana, VI 2145
Protium PHILIPPINENSE, VII 2571
Pseuderathemum bicolor, V 1686
Pseudomeliola placida, VI 2114
 PLACIDA, IV 1154
Pseudotrype rehmaniana, VI 2277
Psidium guajava, VI 2097, 2125: VIII 2930
Psorotheciopsis decipiens bispora, VI 2142: VII 2500
Psychotria acuminatissima, I 357
 ACUMINATISSIMA, I 353
 AGUSANENSIS, V 1888
 angulata, III 1031
 arborescens, IX 3265
 ARBORESCENS, III 1030
 banahaensis, III 1027
 BANAHAENSIS, I 26
 bataanensis, I 355
 BATAANENSIS, I 23
 celastroides, I 24
 cephalophora, III 1022
 cervina, III 1022
 cervina, III 1134
 crispipila, III 1022
 crispipila, I 354
 cuernosensis, V 1891
 CUERNOSENSIS, II 521
 CUNEATA, IX 3261
 diffusa, V 1889: IX 3266

- diffusa cervina*, III 1022
 DIFFUSA CERVINA, II 592
elliptica, V 1891
elliptifolia, II 522
 ELLIPTIFOLIA, I 66
 EPIPHYTICA, V 1890
 ERYTHROTRICHA, V 1891
 GITINGENSIS, III 1024
 IROSINENSIS, IX 3262
 IWAHIGENSIS, IV 1351
ixoroides, III 1021
ixoroides, III 1021
kunstleri, III 1029
 LIANOIDES, III 1029
linearis, III 1022
loheri, V 1892
 LOHERI, I 356
longipedicellata, I 355: IX 3262
 LONGIPEDICELLATA, I 22
longipedunculata, III 1032
 LONGIPEDUNCULATA, III 1027
luzoniensis, III 1021: V 1892
luzoniensis, II 521: VI 2136, 2137, 2236
macgregorii, III 1023
malayana, I 24: IV 1347
malayana, II 521
manillensis, I 24: IV 1347
manillensis, IX 3263
membranifolia, III 1032
 MICROPHYLLA, II 522
 MINDORENSIS, III 1031
 NEGROSENSIS, II 520
ovalis, V 1889
 OVALIS, III 1023
ovoidea, III 1024
palawanensis, IX 3264
 PALAWANENSIS, IV 1348
pallidifolia, IX 3263
paloensis, III 1021
 PALOENSIS, I 65
pauciflora, III 1021
phanerophlebia, III 1021
philippinensis, I 22
pilosella, V 1892
 PILOSELLA, I 353
pinnatinervia, III 1025
 PINNATINERVIA, I 26
plumeriaefolia, IV 1349: V 1895
 PLUMERIAEFOLIA, III 1026
 PYRAMIDATA, IV 1350
ramosii, III 1022
ramosissima, III 1030
 RAMOSISSIMA, I 355
 REPENS, IV 1349
 RUBIGINOSA, I 25
sarmentosa, I 24
sarmentosa, II 522
sibuyanensis, IV 1352
 SIBUYANENSIS, III 1028
similis, IV 1354
 SIMILIS, III 1025
serpens, IV 1348
 SORSOGONENSIS, IX 3264
subalpina, I 353, 357: III 1024, 1026
 SUBALPINA, I 64
 SUBSESSILIFLORA, I 24
tacpo, I 25
tacpo, II 521: III 1021
tayabensis, III 1021, 1022
 TAYABENSIS, I 354
 URDANETENSIS, V 1893
 VELUTINA, V 1894
 VERSICOLOR, IV 1352
 VOLUTA, IV 1347
 VULCANICA, IX 3265
Pteridium aquilinum, II 406
Pteris caesia, III 831
ensiformis, II 405
excelsa, II 405: III 831
glauco-virens, IX 3169
glauco-virens, IX 3170
longifolia, IX 3170
longipes, III 831
longipinnula, IX 3169
opaca, V 1684
radicans, III 831
radicans, III 832
taenitis, V 1684
tripartita, II 405: IX 3170
vittata, IX 3170
Pterocarpus indicus, VI 1936, 2102, 2109, 2137, 2274: VII 2459, 2497
Pterocaulon cylindrostachum, I 119
redolens, I 119
Pterocymbium GIGANTIFOLIUM, I 320
Pterospermum PERRINII, V 1840
Ptychoraphis angusta, VIII 3013
elmeri, VIII 3010
intermedia, VIII 3013
 INTERMEDIA, VIII 3011
microcarpa, VIII 3013
philippinensis, VIII 3014
singaporensis, VIII 3013
Ptychosperma macarthurii, VI 2199, 2275: VII 2450, 2474, 2517

Puccinia citrata, VI 2070
 congesta, VI 2070: VII 2423
 convolvuli, VI 2070
 convolvuli, VI 2068: VII 2419
 engleriana, VII 2423: VI 2071
 erebia, VI 2071
 heterospora, VI 2071: VII 2423
 kuehnii, VII 2423
 leochroma, VI 2071
 LEOCHROMA, V 1533
 merrillii, VI 2071: VII 2423:
 IX 3133
 mesomorpha, VI 2072: VII 2423
 paulula, VI 2072
 phaeosticta, VII 2424
 phaseoli-trilobi, VII 2426
 philippinensis, VI 2072: VII 2424
 purpurea, VI 2072: VII 2424
 romagnoliana, VI 2072: VII 2424
 rufipes, VI 2072: VII 2424
 solmsii, VI 2070: VII 2423
 thwaitesii, VI 2073: VII 2424
Pucciniostele clarkiana, VI 2073: VII
 2424
Pueraria phaseoloides, VII 2523
Pycnarrhena elliptica, IV 1163
 manillensis, IV 1163
 merrillii, IV 1163
Pycnopus sanguineus, I 267
Pycnothyrium lobatum, VI 2156
 pandani, VII 2515
Pycreus odoratus, VI 2072
Pygeum APOENSE, V 1623
 clementis, V 1621
 coccineum, V 1621
 coccineum, V 1628
 fragrans, V 1622
 fragrans, V 1625, 1626
 FRAGRANS, II 475
 gitingense, V 1627
 GITINGENSE, V 1625
 glandulosum, V 1621
 glandulosum, II 476: V 1621,
 1625, 1626
 lanceolatum, V 1626
 latiphyllum, V 1621
 LATIPHYLLUM, V 1622
 maingayi, V 1627
 megaphyllum, V 1621
 MICROPHYLLUM, V 1626
 persimile, V 1628
 preslii, V 1621
 preslii, II 476: V 1622, 1625,
 1626

pubescens, X 3809
 PULGARENSE, V 1627
 reticulatum, V 1621
 RUBIGINOSUM, V 1624

Pyrenacantha repanda, X 3808

Pyrethrum indicum, I 138

Pyropolyporus caliginosus, I 270

lamaensis, VI 2249

pectinatus, I 270

 WILLIAMSH, I 271

Q

Quadrasia EUPHORBIOIDES, VII 2656

Quercus acuminatissima, III 942

apoensis, III 934, 935: VI 1985

 APOENSIS, III 945

apoensis ulayan, III 935

 APOENSIS ULAYAN, III 946

benettii, III 937

benettii, III 934: IX 3141

 BICOLORATA, VI 1985

blancoi, VI 1984

 BULUSANENSIS, X 3736

cagayanensis, IX 3189

caudatifolia, III 939

caudatifolia, III 934, 935

celebica, III 938

celebica, III 934

clementis, VI 1984

 COPELANDII, VI 1984

curranii, III 944

cyrtorhyncha, III 939

cyrtorhyncha, III 934

glauca, VI 2165

ilex, III 943

jordanae, VI 1982

 LIPACON, VI 1983

llanosii, VI 1984

luzonensis, VI 2165

merrillii, IV 1372

merrittii, III 945: VI 1985

minahassae, III 941

minahassae, III 934

mindanaensis, III 942

mindanaensis, III 934, 939

monticola, III 942: VI 1982

monticola, III 934, 943

ovalis, VI 1984

philippinensis, III 942: X 3738

pinatubensis, IX 3141

 PINATUBENSIS, IX 3188

pruinosa, III 940

pruinosa, III 934, 1076: X 3566

pseudo-molucca, III 937
pseudo-molucca, III 934, 935
reflexa, III 940: VI 1981
reflexa, III 934
soleriana, VI 1983
submonticola, III 934, 935
 SUBMONTICOLA, III 943
sundaica, III 941
sundaica, III 935
tasystachya, III 938
tasystachya, III 934, 935
vidalii, VI 1981
vidalii, VI 1966
zschokkei, III 934, 935
 ZSCHOKKEI, III 944

Quisqualis indica, VI 2092

R

Radermachera biternata, V 1547: VI 2155

brachybotrys, X 3809
elmeri fragrans, X 3711
 ELMERI FRAGRANS, VII 2561
 PUNCTATA, X 3709
 SIBUYANENSIS, IV 1485

Ramularia catappae, VI 2165: VII 2527

Randia ALVEOLATA, IX 3266
angatensis, I 28
arborea, IV 1359
 ARBOREA, III 1005
bakeri, IX 3267
cumingiana, I 32
densiflora, I 32
ebracteata, V 1898
 EBRACTEATA, IV 1354
fasciculiflora, III 1007
 FASCICULIFLORA, I 31
fitzalani, I 31
fitzalani, III 1004
loheri, IX 3269
mindorensis, II 519: V 1896
 MINDORENSIS, I 28
olaciformis, V 1856
olaciformis, III 986
 PUBIFOLIA, V 1895
pulcherrima, III 1003
 PURPURICARPA, IX 3267
 RIGIDAEFOLIA, I 352
rostrata, IX 3269
 SAMALENSIS, I 29
stenophylla, III 1004
ticaensis, III 1004

ticaensis, III 1134: V 1896
 UMBELLATA, I 31
uncaria, IV 1354
 UNCARIA, I 30
wallichii, III 1004
wallichii, IV 1355
whitfordii, III 1004: V 1896
 WILLIAMSII, III 1004

Rapanea APOENSIS, II 669

avenis, II 671
buxifolia, II 670
fastigiata, II 673
 FASTIGIATA, II 670
 GLANDULOSA, VIII 2784
 MINDANAENSIS, II 671
myricifolia, II 673
philippinensis, II 672: VIII 2785
 VENOSUS, II 672

Rauwolfia madurensis, IV 1463

PALAWANENSIS, IV 1462

Reifferscheidia speciosa, VII 2613

Reinwardtia merrillii, IX 3385

Reinwardtiodendron celebicum, IX 3385

Rhaphidophora acuminata, VIII 3073

BULUSANENSIS, X 3630
elmeri, X 3631
grandifolia, VIII 3074
 LAGUNENSIS, VIII 3072
merrillii, X 3621
monticola, X 3631
perkinsae, VIII 3073
rigida, X 3632
 RIGIDA, VI 2284
 STENOPHYLLA, VIII 3073
 TODAYENSIS, VI 2284
 TRINERVIA, VIII 3073

Rhipidocarpon javanicum, VIII 2933

Rhizopus artocarpi, VI 2148: VII 2503

nigricans, VI 2148

Rhododendron apoanum, III 1107

apoanum, III 1091, 1107
copelandii, III 1105
copelandii, III 1091
kochii, III 1105
kochii, III 1090
leytense, X 3809
marivelesense, IX 3143
mindanaense, III 1106
mindanaense, III 1091
nortonae, III 1107
quadrasianum, III 1106

- schadenbergii*, VI 2137: VIII 2931
spectabile, III 1106
spectabile, III 1090
Rhodomyrtus SURIGAOENSIS, VII 2344
tomentosa, VII 2346
Rhopographella reyesiana, VII 2462
 REYESIANA, VI 2224
reyesiana gigantochloae, VII 2462
 REYESIANA GIGANTOCHLOAE, VI 2224
taquarae, VI 2224
Rhopographus blumeanus, VI 2110: VII 2462
 BLUMEANUS, VI 1936
hysterioides, VI 2224
Rhynchoglossum klugioides, III 948
klugioides, III 947
obliquum, II 564
 SPUMOSUM, II 564
Rhynchostoma piriforme, VI 1939
sanguineo-atrum, VI 2115
 SANGUINEO-ATRUM, VI 1938
Rhyncotechum tenue, III 949
Rhytidhysterium guaranticum, VI 2145
javanicum, VI 2145
Rhytisma constellatum, VIII 2932
lagerstroemiae, VI 2146: VII 2503: VIII 2926
pongamiae, VIII 2926
spurcarium, VIII 2932
viburni, VI 2146: VII 2503
Ricinus communis, VII 2504, 2507, 2508
Rigidoporus surinamensis, I 267
Rinorea FASCICULATA MINOR, VIII 2877
 PULGARENSIS, V 1849
Rivea apoensis, VII 2606
 APOENSIS, VII 2604
 CINEREA, I 335
glabrata, X 3721
 GLABRATA, I 334
 LEUCOCARPA, X 3720
luzonensis, VII 2605: X 3721
 SORSOGONENSIS, X 3721
 URDANETENSIS, VII 2605
Rosellinia aucklandia, VI 2114
bambusae, VI 1940, 2120, 2198: VII 2471, 2472
bogoriensi, VIII 2942
bunodes, VIII 2941
calami, VI 2114
cocoes, VI 2114: VII 2466
 CRUSTACEAE, VIII 2941
dolichospora, VI 2114
emergens, VI 2114, 2198: VII 2467
emergens, VI 2261: VII 2467: VIII 2942
fuscomaculans, VI 2114
 FUSCOMACULANS, VI 1937
gigantea, VI 1941
gigaspora, VI 1940, 1941
hemisphaerica, VI 2198
 HORRIDA, VIII 2941
lamprostoma, VI 2115, 2261: VII 2467: VIII 2942
lamprostoma, VIII 2941
 MAQUILINGIANA, VIII 2942
megalosperma, VI 2115
merrillii, VI 2115
moelleriana dispersa, VI 2115
 MOELLERIANA DISPERSA, VI 1937
molleriana, VIII 2942
perusensis, VII 2467
procera, VI 2115, 2261: VII 2467: VIII 2942
procera, VI 2198
pulveraceae, VIII 2942
rachidis, VII 2467
 RACHIDIS, VI 2198
subaenea, VI 1938
truncata, VII 2467
umbilicata, VII 2468
Rottboellia compressa, VII 2457
exaltata, X 3522
exaltata, VI 2080, 2087, 2109, 2112, 2193: VII 2436, 2463, 2478: IX 3134, 3136
ophiuroides, VI 2089: VII 2681
tongcalingii, IV 1158: VI 2106: X 3516
 TONGCALINGII, VII 2680
Roumegeria ichnanthi, VI 2116: VII 2462
Rourea erecta, VI 2094, 2109, 2118, 2229: VII 2444
heterophylla, VII 2601
 IMBRICATA, VII 2597
 MICROCARPA, VII 2599
 SUBVOLUBILIS, VII 2600
volubilis, VII 2600
Rubia cordifolia, I 32
cordifolia, IX 3215
 PHILIPPINENSIS, IX 3214

Rubus acuminatus, V 1618
alceaefolius, II 454
 APOENSIS, V 1618
benguuetensis, II 449
benguuetensis, II 446, 449, 451:
 X 3778
 BENGUETENSIS, I 296
brevipetalus, II 446
 BREVIPETALUS, II 450
buergeri, II 448
calycinus, II 448
celebicus, II 460
clementis, II 458
clementis, II 447
comintanus, II 462
copelandii, II 457
copelandii, II 447
cumingii, II 453, 454
edanoi, X 3778
ellipticus, II 456
ellipticus, II 445, 447
fraxinifolius, II 460
fraxinifolius, II 447, 462
fraxinifolius haightii, II 447
 FRAXINIFOLIUS HAIGHTII, II 461
glomeratus, II 453
horsfieldia, II 459
jamaicensis, II 462
lasiocarpus, II 459
lasiocarpus, II 445, 447
luzoniensis, II 452
luzoniensis, II 446, 449, 452
mearnsii, II 446
 MEARNSII, II 448
moluccanus, II 453
moluccanus, II 446, 454
pectinellus, II 448
pectinellus, II 446
 PHILIPPINENSIS, V 1617
rolfei, II 454
rolfei, II 447, 454: VI 2069
rosaefolius, II 462
rosaefolius, II 447, 460, 461: V
 1619: IX 3145
rugosus, II 455
rugosus, II 445, 447, 454
 SORSOGONENSIS, X 3777
sundaicus, II 453
tagallus, II 461
tagallus, II 447, 462: V 1619
zambalensis, II 446
 ZAMBALENSIS, II 451
Ruellia PHILIPPINENSIS, V 1690
nudispica, V 1700

S

Sabia philippinensis, II 580
 RETICULATA, II 579
Saccharum officinale, VII 2463
 officinarum, VI 2075, 2081, 2109,
 2160, 2164, 2199: VII 2525
 spontaneum, X 3523
 spontaneum, VI 2109
Saccoloma moluccanum, II 396: III
 827
Saccopetalum ARBOREUM, V 1739
 longipes, V 1740
Sagittipetalum mindanaensis, V 1831
 palawanensis, V 1907
 PALAWANENSIS, V 1830
Salacia CYMOSA, V 1792
 integrifolia, V 1794
 prinoides, X 3809
 SUBSCANDENS, V 1793
Sandoricum indicum, IX 3386
 indicum, VI 2088, 2097
 koetjape, IX 3134
 vidalii, IX 3387
Santiria samarensis, X 3809
Sapindus pubescens, X 1616
 saponaria, VII 2474
 turczaninowii, VI 2087
Sapium CRASSIFOLIUM, II 485
 lateriflorum, IV 1303
 lateriflorum, III 931
 SUBROTUNDIFOLIA, III 930
Saprosma PHILIPPINENSIS, III 1035
 ternatum, III 1036
Sararanga philippinensis, III 1110
Sarcinella raimundoi, VII 2527
Sarcocephalus cordatus, I 32
 FLUVIATILIS, IV 1357
 horsfieldii, III 990
 horsfieldii, V 1897
 junghughnii, I 32
 MULTICEPHALUS, V 1896
 OVATUS, I 33
 subditus, V 1897
 undulatus, I 32
Sarcoscypha melastoma, VI 2281
Sarcosoma javanica, VI 1947
Sarcostemma brunonianum, X 3592
Sarcostigma philippinensis, X 3750
 SURIGAOENSIS, X 3749
Saurauia AVELLANA, II 498
 BULUSANENSIS, X 3726
 clementis, I 321: VII 2616

- confusa*, X 3810
 COPELANDII, VII 2613
cumingiana, VII 2617: X 3728
elegans, IX 3143
 ERYTHROTHRICA, VII 2614
ferox, II 500
 IROSINENSIS, X 3727
latibractea, VII 2617: X 3728, 3810
luzoniensis, I 321
 MERRILLII, I 321
 NEGROSENSIS, II 499
oligantha, X 3727, 3810
 PANDURIFORMIS, II 580
 SAMPAD, VII 2616
 SIBUYANENSIS, IV 1492
sparsiflora, II 581: X 3727
 SPARSIFLORA, I 322
subglabra, I 322
succulenta, VII 2367
 SUCCULENTA, VII 2617
 URDANETENSIS, VII 2619
whitfordii, II 581
Sauropus robinsonii, IX 3173
Scaevola MEREILLII, IV 1491
 micrantha, IV 1492
 pedunculata mollis, IV 1492
Schefflera AGUSANENSIS, VII 2340
 ALBIDO-BRACTEATA, VII 2339
 angustifolium, VII 2340
 APOENSIS, VII 2334
 auranticarpa, X 3641
 bordeni, VII 2337, 2341
 BULUSANENSIS, X 3637
 catanduanensis, X 3639
 CATENSIS, VII 2336
 caudatifolia, X 3639
 chartacea, X 3638
 cumingii, X 3640
 cumingii, VII 2337
 decidua, X 3641
 elliptifoliola, X 3640
 foetida, II 586
 insularum, X 3641
 longifructescens, X 3641
 longifructescens, X 3705
 LONGIFRUCTESCENS, I 331
 longispicata, X 3642
 luzonensis, X 3638, 3647
 mellifera, X 3639
 MERRILLII, VII 2335
 mindanaensis, IV 1154: VI 2119
 multicaulis, X 3640
 MULTIRAMOSA, VII 2332
 obliqua, X 3645
 oblongifolia, VII 2335
 PANICULATA, II 585
 pentaphylla, IX 3131, 3136
 PENTAPHYLLA, X 3642
 PERLUCIDA, VII 2333
 piperoides, X 3643
 PIPEROIDEA, I 330
 POPULNEA, X 3644
 simplicifolia, IX 3131: X 3645, 3647
 SORSOGONENSIS, X 3646
 TODAYENSIS, X 3704
 trifoliata, X 3643
 urdanetensis, X 3639
 URDANETENSIS, VII 2337
Schima noronhae, V 1844
 PULGARENSIS, V 1843
Schismatoglottis HASTATA, X 3701
 irosinensis, X 3634
 IROSINENSIS, X 3632
 latifolia, X 3634
 luzonensis, X 3634
 mindanaoana, X 3702
 minor, X 3702
Schistomitrium robustum, VI 1976
 SUBROBUSTUM, VI 1976
Schizaea dichotema, II 423
Schizochora elmeri, VI 2111: VII 2462
 ELMERI, VI 1929
 STENOSPERMA, IX 3125
Schizophyllum commune multifidum, VI 1919
Schizostachyum acutiflorum, IV 1368: VI 2095, 2109, 2119: VII 2446
 blumei, VII 2525
 longispiculatum, V 1545: VI 2111
 lumampao, X 3523
Schizothyrium aceris, VI 1930, 2138: VII 2497
Schneepia javanica, VIII 2933
Schoenus apogon, VI 2109: VII 2460
Schroeteriaster cingens, VI 2078: VII 2428
Scindapsus curranii, X 3635
 FRAGILIS, X 3702
 hederaceus, X 3635
Scirpus erectus, X 3539
 grossus, X 3539
 grossus, VII 2434, 2529
 mucronatus, X 3539

- Scirrhia bambusina*, VI 1936, 2111:
 VII 2462
gigantochloae, VII 2462
 GIGANTOCHLOAE, VI 2223
luzonensis, V 1545: VI 2111:
 VII 2462
luzonensis, VI 2224
seriata, VI 2111: VII 2463
Scirrhia curvispora, VI 2199
Scleria bulusanensis, X 3540
hebecarpa, X 3539
lithosperma, X 3540
motleyi, X 3542
multifoliata, X 3540
purpureo-vaginata, X 3540
scrobiculata, X 3540
 SORSOGONENSIS, X 3541
subrostrata, X 3542
trigona, X 3542
Sclerococcus angustifolius, III 980
laevigatus, III 981
lineatus, III 975
radicans, III 980
Sclerodiscus nitens, IX 3175
Sclerotinia NERVISEQUIA BAMBUSACEA,
 VIII 2930
Sclerotium stipitatum, VI 2210: VII
 2494
Scolecopeltis dissimilis, VI 1946
garciniae, VI 2095
 GARCINIAE, VI 1946
quindecim-septata, VI 1946
tropicalis, VI 1946
Scelopora FRAGRANS, V 1780
luzonensis, V 1781: IX 3177
roxburghii, V 1781
Scutellaria luzonica, II 517
 MARIVELENSIS, II 516
Scutinanthe brunnea, I 299
engleri, IX 3382
 ENGLERI, I 298
Scyphiphora hydrophyllacea, I 32
Secamone multiflora, X 3592
rectinervis, X 3592
 URDANETENSIS, X 3592
Securidaca ATRO-VIOLOACEA, V 1671
Selaginella agusanensis, VI 2000
 AGUSANENSIS, VI 1998
alligans, VI 1998, 2006, 2017,
 2018
 ALLIGANS, VI 2012
apoensis, VI 2025, 2026
 APOENSIS, VI 2023
arbuscula, VI 2003
aristata, VI 2043
aristata, VI 2026, 2044, 2045,
 2046, 2048
 ARISTATA BREVIFOLIA, VI 2045
 ARISTATA OBTUSIFOLIA, VI 2046
atro-viridis, VI 2007, 2012, 2018
auriculata, VI 2015
belangeri, VI 2026
belangeri, VI 2023, 2026, 2027,
 2045
bellula, VI 1989
bellula, VI 1989, 1990
benguuetensis, VI 2043
biformis, VI 2001
biformis, VI 2002, 2003, 2004,
 2005
bisulcata, VI 2018, 2021
boschai, VI 1991
brausei, VI 1991
canaliculata, VI 2048
caulescens, VI 1988, 1989, 2005
cuernosensis, VI 2029
 CUERNOSENSIS, VI 2027
cumingiana, VI 1998, 2006, 2007,
 2012, 2017, 2018, 2029
cupressina, VI 1992
cupressina, VI 1989, 1993, 2001,
 2002, 2003
 CUPRESSINA ARISTULATA, VI 1994
cyatheoides, VI 2052, 2053
 DAVAOENSIS, VI 2053
d'urvillei, VI 2055, 2057
elmeri, VI 1994
elmeri, VI 1994, 1995
engleri, VI 2059
engleri, VI 2060, 2061, 2062,
 2063
eschscholzii, VI 2043
 ESCHSCHOLZII, VI 2041
fallan, VI 1997
flabellata, VI 2005
flagellata, VI 2003, 2025
furcillifolia, VI 2061
gastrophylla, VI 2055, 2057,
 2058, 2061
gregoryi, VI 1995, 1996
heterostachys, VI 2043
hewettii, VI 2061
hirticaulis, VI 2001, 2003, 2005
hombroni, VI 2040
 HOMBRONI, VI 2037
intermedia, VI 2009, 2010, 2012
involvens, VI 1989, 2005

- involutis*, VI 1998
jagori, VI 1995
kurzii, VI 2039
lacerata, VI 2052
latifrons, VI 1997, 2000
leytensis, VI 1991
 LLANOSII, VI 2039
magnifica, VI 2005
magnifica, VI 2005, 2006, 2017:
 VII 2382
maquilingensis, VI 2029
mearnsii, VI 2020, 2021, 2023
 MEARNSII, VI 2018
meyeni, VI 1994, 1995
microstachya, VI 1988, 1989
moseleyi, VI 2038, 2040, 2041
 MOSELEYI, VI 2034
myosuroides, VI 2026
neei, VI 1995
neei, VI 1995, 1996, 1997
negrosensis, VI 2009, 2012
 NEGROSENSIS, VI 2007
nummularia, VI 2029
opaca, VI 2018, 2020, 2021, 2023
pennula, VI 1992, 1993
 PERKINSIAE, VI 2010
 PERVAGA, VI 2021
philippina, VI 2029
philippina, VI 1988, 2030, 2031,
 2034, 2036, 2038, 2040
philippina khasiensis, VI 2030
 PHILIPPINA LONGICILIATA, VI
 2032
 PICKRINGII, VI 2046
plumosa, VI 2001, 2005
polyura, VI 1990
pouzolziana, VI 2048
pouzolziana, VI 2049, 2050, 2051
pouzolziana punctata, VI 2050
presliana, VI 1992
proniflora, VI 2026
pteriphyllos, VI 1991, 1992
punctata, VI 2050, 2051
quadrassii, VI 1997
quadrassii, VI 1992, 1997, 2000,
 2017, 2018
radicata, VI 2003
ramosii, VI 1995
remotifolia, VI 2064
reticulata, VI 2026
rotbararna, VI 2016
rubricaulis, VI 2027
sancti-antonii, VI 1995, 1996,
 1997
selaginoides, VI 2027
sibuyanensis, VI 1996
sibuyanensis, VI 1997
striolata, VI 1990
suberosa, VI 2030, 2032, 2034,
 2037, 2039, 2041, 2046
tenera, VI 2043, 2044
usteri, VI 2055
usteri, VI 2057, 2058
vidalii, VI 2036, 2038
 VIDALII, VI 2032
vitensis, VI 2025, 2026
wallichii, VI 2052, 2053, 2055,
 2060, 2061
warburgii, VI 1988
warburgii, VI 1989
 WHITFORDII, VI 2061
willdenowii, VI 2059, 2060, 2061,
 2063
 WORMSKIOLDII, VI 2064
Semecarpus cuneiformis, VI 2095: IX
 3180
glauciphylla, IX 3180
 GLAUCIPHYLLA, IV 1501
 OBTUSATA, V 1752
paucinervia, V 1754
perrottetii, IV 1154: VI 2114
philippinensis, IX 3180
subsessilifolia, X 3683
 TESTACEUS, X 3682
 THYRSOIDEA, IV 3179
Senecio benguetensis, I 151
 BENGUETENSIS, I 152
cacaliaster, I 146
confusus, I 151
 CONFUSUS, I 153
luzoniensis, I 154
luzoniensis, I 152
mindoroensis, I 152
 MINDOROENSIS, I 155
rubiginosus, I 152
 RUBIGINOSUS, I 154
scandens, I 154
vagans, I 156
walkeri, I 155
Septobasidium atratum, VI 2240
 BAKERI, VI 2239
bogoriense, VI 2239
molliusculum, IX 3133
 MOLLIUSCULUM, VI 1920
minutulum, IX 3133
Septogloeum arachidis, VII 2518
arachidis, VII 2523
aureum, VI 2158

- Septoria bakeri*, VI 2154
 moelleriana, VI 2154: VII 2511
 palmarum, VI 2154: VII 2512
Serratula multiflora, I 93
Sesamum indicum, VI 2162: VII 2510, 2513, 2516
Setaria flava, IX 3133: X 3524
 geniculata, X 3523
 palmifolia, X 3524
Seynesia alstoniae, VII 2442
 ALSTONIAE, VI 2227
 calamicola, VII 2455
 clavispora, VI 2096
 clavispora, IX 3175
 grandis, VII 2454
 ipomeae, VI 2096
 scutellum, VI 2096: VII 2442
Shorea balangeran, VI 1956
 curtisii, VI 1956
 MALIBATO, VI 1955
 negrosensis, VI 1949
 polysperma, VI 2094
 squamata, VI 1957
 squamata, VI 1949
 vidaliana, VI 1956
 vidaliana, VI 1956
Sida acuta, IX 3134
 glutinosa, VI 2071
 javensis, VI 2071, 2089: VII 2436
 mysorensis, VI 2071: VII 2423
 veronicaefolia, VI 2071
Sideroxylon ACUMINATUM, IV 1487
 angustifolium, III 874: VI 2092: VIII 2824
 apoense, VI 1928, 2092
 APOENSE, VIII 2821
 attenuatum, III 870
 coriaceum, IV 1488
 ferrugineum, VI 2092
 FOXWORTHYI, V 1836
 FRAGRANS, III 871
 GITINGENSE, III 873
 glomeratum, V 1836
 PITTOSPORIFOLIUM, III 872
 stenophylla, III 870
 stenophylla, III 873: IV 1488
 URDANETENSE, VIII 2823
 velutinum, X 3810
 VELUTINUM, V 1834
Siegesbeckia orientalis, I 162
Sigmatomyces bakeri, VI 2159: VII 2518
Siphonodon celastrineus, VI 2153: VII 2511
Sirospheera botryosa, VI 2154
Smilax bracteata, VI 2071: VIII 2741
 reticulata, IX 3133
 RETICULATA, VIII 2740
 vicaria, VI 2071: VII 2423
 williamsii, VIII 2741
Smithia ciliata, VI 2090: VII 2437
Solanum angatii, II 729
 ANGATII, II 731
 ANISOPHYLLUM, VIII 2830
 apoense, II 729
 APOENSE, II 730
 banahaense, I 342, 363
 BANAHAENSE, I 341
 biflorum, V 1839: VIII 2833
 blumei, I 341, 342: II 733
 crassipetalum, II 730
 crassipetalum, II 729: VIII 2833
 denticulatum, VIII 2833
 ferocissimum, I 343
 lagunense, VIII 2832
 LAGUNENSE, I 341
 lianoides, II 729
 LIANOIDES, II 733
 manucaling, II 729: IV 1156: VI 2091
 MANUCALING, II 732
 melongena, VII 2527
 MINDANAENSE, VIII 2832
 parasiticum, I 342: II 732
 RETRORSUM, I 342
 SPARSIFLORUM, V 1838
 verbascifolium, II 729
 verbascifolium, II 729: VII 2507
Solidago virgaurea, I 126
Sonchus oleraceus, I 185
Sonerila LILACINA, VIII 2765
 woodii, VIII 2767
Sorghum halepensis, VII 2424
 halepense propinquum, VI 2103
 vulgare, VI 2072, 2220: VII 2460, 2526
Spathoglottis aurea, V 1573
 chrysantha, V 1572, 1573: VI 2078
 elmeri, V 1573
 ELMERI, V 1572
Spatholobus apoensis, IV 1158: VI 2110
 APOENSIS, II 698
 gyrocarpus, VI 2097: VIII 3088
 SANGUINEUS, VIII 3087

- Spegazzinia meliolae*, VI 2166
Spermacoce hispida, I 34
 meyeniana, III 981: IV 1356
 ocymoides, I 34
 philippensis, III 981
Sphaceiotheca hydropiperis, VI 2079:
 VII 2429
Sphaeranthus africanus, I 118
 alatus, I 118
 elongatus, I 118
 indicus, I 118
 microcephalus, I 118
Sphaeria annulata, VI 1944
 bunodes, VIII 2941
 clypeus, VI 1943
 coenopus, VI 2206
 emergens, VI 2198
 erythroccos, VII 2447
 eschscholzii, VI 2206
 insitiva, VI 2216
 lata, VI 2214
 micraspis, VI 2116
 micraspis, VI 2197: VIII 2938
 nigripes, VI 2210
 orthogramma, VIII 2951
 polymorpha, VI 2211
 pulicaris, VI 2225
 rhodosticta, VI 2201: VII 2465
 rubiginosa, VI 2272
 telphairii, VI 2211: VII 2495
 zonata, VI 1943
Sphaerodopsis arengae, IX 3136
Sphaeromorphaea russeliana, I 140
Sphaeropsis pandani, VII 2512
 pandani, VI 2119
Sphaerulina smilacincola, VI 2118:
 VII 2474
Sphenoclea zeylanica, VI 2163
Sphenomeris chinensis, IX 3170
Spilanthus acmella, I 169
 acmella, I 168
 grandiflora, I 168
 grandiflora, I 168
 lobata, I 169
 ovata, I 169
 ovata, I 168
 peregrina, I 166
Spinifex squarrosus, VI 2079
Spiraeopsis celebica, VIII 2828
 philippinense, X 3810
 PHILIPPINENSE, VIII 2826
Spondias ROMBLONENSIS, X 3683
Spongipellis LUZONENSIS, I 267
Sporobolus elongatus, VI 2165
 indicus, X 3524
Sporocybe philippinensis, VI 2159: VII
 2520
Sporodesmium bakeri, VI 2166: VII
 2527
Stachys rubisepala, I 340
 RUBISEPALA, I 338
Stagonospora varians, VII 2512
Staurogyne ecalcarata, III 951
 philippinense, III 947
 PHILIPPINENSE, III 950
Staurogyne CILIATA, VII 2548
 debilis, VII 2549
 OPHIORRHIZOIDES, IV 1488
Stemmodontia biflora, I 166
Stemonurus AGUSANENSIS, VII 2689
 APOENSIS, VII 2690
 cumingianus, VII 2693
 FLAVICARPUS, VII 2691
Stenochlaena brackenridgei, III 822
 laurifolia, I 234
 leptocarpa, IX 3170
 leptocarpa, III 822
 milnei, I 234
 sorbifolia, III 822
Stenosemia aurita, III 813
Stephania catosepala, IV 1166
 exigua, IV 1167
 forsteri, IV 1167
 japonica, IV 1166
 merrillii, IV 1166
Stephanotheca micromera, VII 2445
Sterculia foetida, IV 1367: VI 2194:
 VII 2473
 HUMILIS, II 681
 MULTISTIPULARIS, II 497
 obovata, II 498
 stipularis, II 498
Stereocaulon nesacum, II 435
Stereum amaenum, VI 2242
 concolor, VI 1920
 cyathiforme, VI 2255
 duriusculum, VI 2242
 fasciatum, VI 2242
 friesii, VI 2242
 glabrum, VI 2241
 involutum, VI 2242
 kalchbrenneri, VI 2242
 lobatum, VI 2242
 lobatum concolor, VI 2242
 obliquum, VI 2241
 spectabile, VI 2242

- Sticta caperata javanica*, II 437
ciliare, II 438
clathrata, II 437
dissimulata, II 437
 ELMERI, II 437
filicina, II 438
quercifolia, II 436
tomentosa, II 437
Stictis stellata philippinensis, VI 2144
thelotremoides, VI 2144
Stigmatea bullata, VI 2119
 BULLATA, IV 1154
cinereo-maculans, VI 2119
Stigmatodothis palawanensis, VII 2463
Stigmella manilensis, VI 2166: VII 2527
palawanensis, VII 2527
Stilbella cinnabarina, VII 2520
Stilbonectria lateritia, VI 1935, 2099
Stilbum cinnabarinum, IV 1159: VI 2160
Stizolobium deeringianum, VII 2523
Streblusa glabra, IV 1356
Streblus asper, VI 2115, 2154, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2275: VII 2448, 2478, 2484, 2485, 2480, 2482, 2483: VIII 2942, 2957
Streptocaulon baumii, X 3594
 CORYMBOSUM, X 3594
cumingii, X 3594
Strigula babingtonii, VI 2236
Strobilanthes ANTONII, VII 2550
 BULUSANENSIS, X 3678
pachys, VII 2551
 PALAWANENSIS, V 1686
Strombosia MINOR, X 3770
philippinensis, X 3771
Strongylodon AGUSANENSIS, VIII 2738
coerulea, II 698
elmeri, I 228
mindanaensis, VIII 2740
 MINDANAENSIS, II 696
pulcher, VIII 2740
 ZSCHOKKEI, I 227
Strychnos angustiflora, I 333
luzonensis, X 3810
 LUZONENSIS, I 332
multiflora, I 333: IX 3125
Stylocoryne fragrans, III 1006
incerta, I 33, 360
macrophylla, I 33
pubescens, I 33
webera, I 33
Sumbaviopsis albicans, IV 1304
albicans, VI 2117: V 1544
Swintonia FOXWORTHYI, V 1751
schwenkii, V 1752
Sycopsis philippinensis, I 363
Symphorema luzonicum, VI 2200, 2229, 2236: VII 2445, 2465
Symphysodon neckeroides, II 655
 SUBNECKEROIDES, II 655
Symphysodontella convolutae, II 655
 ELMERI, VI 1977
subulatae, VI 1978
 SUBULATAE, II 654
Symplocos acuminatissima, X 3793
adenophylla merrittii, IV 1478
 AGUSANENSIS, VII 2321
 ANGULARIS, II 510
 APOENSIS, VII 2319
betula, II 509, 510
 BRANDII, IV 1477
 BULUSANENSIS, X 3792
cumingiana, VII 2323
curtiflora, VII 2321, 2323
 CURTIFLORA, II 509
depauperata, VII 2321
ferruginea, II 511
floridissima-serrata, VII 2320
fragrans, VII 2321
 FRAGRANS, II 508
 LAEVIRAMULOSA, VII 2323
luzonensis, VII 2321
merrillii, VII 2321
 MINUTIFLORA, VII 2320
polyandra, V 1842: X 3794
 PULGARENSIS, V 1841
salix, X 3793
 VERDIFOLIA, X 3793
villarii, X 3794
whitfordii, VII 2324, 2512
Synchytrium aecidioides, VI 2149: VII 2504
decipiens, VII 2504
fulgens decipiens, VII 2504
Synedrella nodiflora, I 171
nodiflora, VI 2094: VII 2477, 2507, 2512
Syngramma alismaefolia, II 404
Syrrhopodon MACRO-TRISTICHUS, II 652
tristichus, II 653

T

- Tabernaemontana BIFLORA*, IV 1463
 CONGESTIFLORA, IV 1464
 coronaria, VI 2075
 mucronata, IV 1465
 pandacacui, VI 2071, 2163
Tacca elmeri, VI 2284: X 3795
 ELMERI, VI 2283
 palmata, VI 2164: VII 2524
 rumphii, VI 2284
 WEBERI, X 3794
Taeniophyllum arachnites, V 1588
 ELMERI, V 1588
Tagetes erecta, I 136
 patula, I 136
Tainia ELMERI, V 1570
Talauma gitingensis, V 1810
 GITINGENSIS, IV 1479
 PULGARENSIS, V 1809
 villariana, V 1537: VI 2085,
 2200: VII 2465: VIII 2953:
 IX 3134
Tamarindus indicus, VI 2089, 2130,
 2207, 2210, 2240, 2245, 2248,
 2251: VII 2485, 2493
Tanneria mariana, II 436
Tapeinidium pinnatum, II 395: III
 827
Tarachia truncatiloba, IX 3152
Tarennia arborea, IV 1359
 cumingiana, V 1898
 ebracteata, V 1898
 fragrans, IV 1358
 incerta, I 360
 meyeri, V 1898
Taxotrophis ilicifolia, V 1814: VII
 2446
 mindanaensis, V 1815
 OBTUSA, V 1813
Tectaria adenophora, IV 1152
 ADENOPHORA, IV 1151
 ambigua, III 812
 christii, IV 1151
 christii, IV 1151
 crenata, III 812
 decurrens, I 234: II 392: III 812
 devexa, III 812
 irregularis brogniartii, II 392
 leuzeana, III 813: IX 3171
 leuzeana, II 392: IX 3171
 malayensis, III 813
 melanocaulon, II 392: III 812
 polymorpha, III 812: IX 3171
Telosma CRISPIPETALA, X 3595
 parviflora, X 3596
 procumbens, X 3596
 procumbens, VI 2068, 2089
Tephrosticta ficina, VI 2122
Terminalia catappa, VI 2083, 2165:
 VII 2483, 2527
 COPELANDII, V 1759
 IWAHIGENSIS, V 1760
 MERRILLII, VII 2581
 pellucida, VII 2582
 polyantha, X 3810
Ternstroemia GITINGENSIS, IV 1480
Tetracera borneensis, VII 2622
 macrophylla, V 1772
 OBLIQUINERVIA, VII 2621
 rigida, VII 2622
 sarmentosa, VII 2497
 SUBROTUNDATA, V 1771
Tetractomia majus, VIII 2815
 PHILIPPINENSE, VIII 2813
 roxburghii, VIII 2815
Tetralopha motleyi, III 1044
 PHILIPPINENSIS, III 1043
Tetrastigma harmandii, X 3803, 3810
 lanceolarium, X 3803
 SILVESTREI, X 3802
 sorsogonense, IX 3134
 strumarum, X 3803
Thamnopteris musaeifolia, II 402
Thea MEGACARPA, V 1842
 RETICULATA, VIII 2838
Theissenula clavispora, VII 2446
Thelephora concolor, VI 2242
 surinamensis, VI 2241
Themeda gigantea, X 3525
 triandra, VI 2080
Theobroma cacao, I 188: III 1070:
 VI 2151, 2152, 2166, 2226:
 VII 2450, 2528
Thunbergia fragrans, V 1685
 grandiflora, VII 2528
Thyridaria CALAMINCOLA, VIII 2957
 crocosureae, VIII 2957
 EMINENS, VIII 2957
 tarda, VI 2152
Thysanolaena maxima, X 3525
Tilletia opaca, VI 2079
 oryzae, VI 2100
 sorghii-vulgaris, VII 2430
Timonius appendiculatus, III 1010
 arborea, III 1013

- ARBOREA, I 72
attenuatus, III 1009: IV 1329
 ATTENUATUS, I 34
benguensis, III 1009
 BENGUENSIS, I 35
 CAUDATIFOLIUS, V 1898
epiphyticus, V 1899
 EPIPHYTICUS, III 1011
gammillii, IV 1359
 GAMMILLII, III 1013
hirsutiusculus, IV 1329
macrophyllus, III 1010
obovatus, III 1009
obovatus, V 1900
 OBOVATUS, I 36
 PALAWANENSIS, IV 1360
philippinensis, I 37: III 1010
 PULGARENSIS, IV 1360
quadrassii, III 1010
 QUADRASSII, I 36
rumphii, I 37
rumphii, III 1014
sericeus, III 1014
ternifolia, I 36
 URDANETENSIS, V 1899
valetonii, IV 1362
 VALETONII, III 1012
Tinomisium philippinense, IV 1164
philippinense, X 3809
Tinospora HASTATA, X 3760
merrilliana, IV 1164
merrilliana, IV 1164
negrotica, IV 1164
negrotica, X 3762
reticulata, IV 1164
Tmesipteris tannensis, III 851
Tolyposporium philippinensis, VI 2080
Toona calantas, IX 3388
calantas, IX 3390
paucijuga, IX 3390
philippinense, IX 3388
 PHILIPPINENSE, IX 3388
Torula herbarum quaternella, VII 2528
Torulium ferax, X 3542
Toxocarpus glaucus, X 3597
glaucus, X 3597
gracilis, X 3597
loheri, VIII 3076
merrillii, X 3597
rubricaulus, X 3597
 RUBRICAULUS, VIII 3075
sorsogonensis, X 3598
Trabutia IROSINENSIS, IX 3122
 NEUROPHILA, IX 3123
 PACIFICA, IX 3124
Trachelospermum fragrans, II 489
 PHILIPPINENSE, II 488
Trametes aspera, VI 2247
aurora, I 263
bicolor, I 264
 CAESPITOSA, I 267
cinnabarina, VI 2248
colliculosa, I 271
corrugata, VI 2247
dermatodes, VI 2247
dermatodes, I 263
flava, VI 2247
 LUZONENSIS, I 268
nitida, I 264
rhizophorae, VI 2247
scopulosa, VI 2247
Traversoa dothiorelloides, VI 2154: VII 2512
excipuloides, VI 2154: VII 2512
excipuloides distans, VI 2154: VII 2512
Trema amboinensis, VI 2093
 PHILIPPINENSIS, IX 3218
vulcanica, IX 3219
Trematosphaeria fendlerae, VIII 2952
 MAQUILINGIANA, VIII 2952
 MAQUILINGIANA SCHIZOSTACHYI, VIII 2952
palaquii, VI 2116: VII 2468
Tricalysia fasciculiflora, IX 3269
fasciculiflora oblongifolia, IX 3270
negrosensis, V 1896
 NEGROSENSIS, II 518
 PURPUREUM, I 70
 SORSOGONENSIS, IX 3269
tinagaoensis, II 519
 TINAGAOENSIS, I 34
Trichadenia philippinensis, X 3809
Trichaleurina polytricha, VII 2502
 POLYTRICHA, VI 2234
Trichobelonium melioloides, VIII 2929
Trichocolea striolata, II 386
Trichomanes apiifolium, II 422: III 801: IX 3149
apiifolium, I 234
auriculatum, III 802
bauerianum, I 234
cumingii, II 422
cupressoides, II 422: III 801

- gemmatum, II 422: III 801
 javanicum, II 422
 maximum, II 422: III 801
 pallidum, II 422: III 802: IX 3150
 parvulum, II 421
 pyxidiferum, II 422
Trichonectria bambusicola, VII 2450
 bambusicola, VII 2468
 BAMBUSICOLA, VI 2226
Trichopeltopsis reptans, VI 2096
Trichosanthes quinquangularis, VI 2084
Trichospermum CUNEATA, V 1643
 DISCOLOR, V 1641
 involutrata, V 1644
 INVOLUCRATA, V 1641
 mindanaense, V 1641
 mindanaense, II 496: V 1643
 negrosense, V 1641
 negrosense, V 1644
 trivalvis, V 1641
Trichosphaeria bambusicola, VII 2468
 regulinoides arengae, VI 2116
Trichosporium olivatum, VI 2166:
 VII 2528
Trichosporum asclepioides, III 948
 ASCLEPIOIDES, III 952
 cardinale, III 952
 cardinale, III 947: VII 2670
 clementis, II 567
 crassifolium, II 565
 CRASSIFOLIUM, I 343
 CUERNONSENSE, II 566
 everettiana, VII 2671
 GRANDIFLORUM, VII 2667
 irigaense, X 3810
 MINIATUM, VII 2668
 negrosense, II 566
 nervosum, II 566
 NERVOSUM, I 344
 philippinense, III 952
 philippinense, III 947
 truncatum, VII 2668
 TRUNCATUM, II 567
 urdanetense, X 3810
 URDANETENSE, VII 2670
Trichostomum PERVAGINATUM, VI 1978
 subduriuscula, VI 1979
Trichothyrium orbiculare, VI 2096: IX 3136
Trigonachras brachycarpa, X 3810
 BRACHYCARPA, V 1614
 membranacea, IX 3114
Trigonostemon BULUSANENSIS, X 3735
 heteranthe, I 206
 longipedunculata, IV 1306
 MERRILLII, IV 1304
 philippinensis, X 3736
 PHILIPPINENSIS, I 206
Trigonotis APOENSIS, VII 2562
 philippinensis, VII 2564
Triphasia trifoliata, IX 3126
Tristiropsis OVATA, V 1605
Triumfetta semitriloba, VI 2083
Trogia partita, VI 2252
Tropidia MINDANAENSIS, V 1553
Tryblidiella balansae, VI 2145
 elevata, VI 2231
 guaranaticum, VI 2145
 LUZONENSIS, VII 2502
 mindanaensis, VI 2144, 2231:
 VII 2502
 mindanaensis, VII 2502
 rufula, VI 1931, 1946, 2145, 2231:
 VII 2502
 rufula ellisii, VI 1947, 2145
 rufula glabrata, VI 1947, 2145
 rufula microspora, VI 1947
Tubercularia persicina, VI 2159
 versicolor philippinensis, VI 2159:
 VII 2519
Tuberculina persicina, VII 2518
Turpinia nepalensis, II 491
 ovalifolia, IX 3218
 OVALIFOLIA, II 490
 pomifera, II 491: IX 3218
 SAMBUCIFOLIA, IX 3217
Turraea humilis, IX 3385
Tylophora clemensiae, X 3598
 clemensiae, IX 3489
 elmeri, X 3598
 floribunda, IX 3134, 3489: X 3598
 lucida, X 3598
 luzonica, X 3598
 merrillii, X 3599
 perrottetiana, X 3599
 setosa, X 3599
Tympanopsis coelosphaerioides, VI 2274: VII 2452
Tyromyces ELMERI, I 268

U

- Uleothyrium clavisporum*, IX 3175
Uncaria BREVICARPA, IX 3270
 BULUSANENSIS, IX 3271

- canescens*, I 37
canescens, V 1903
clavisepala, III 985
 CLAVISEPALA, I 350
florida, I 37
hookeri, I 37
 LAEVIFOLIA, V 1902
longiflora, IX 3272
 NERVOSA, III 985
pedicellata, I 37
perrottetii, VI 2192: VII 2436:
 IX 3271
philippinensis, V 1903
 PHILIPPINENSIS, I 38
pteropoda, I 37
sclerophylla, I 37
velutina, III 985
Ungulina atro-alba, VI 2250
 bicolor, VI 2250
 contracta, VI 2251
 ungulata, VI 2250
Unona AGUSANENSIS, V 1743
 dehiscens, V 1750
 ebracteolata, V 1745
 LEYTENSIS V 1744
 MINIATA, V 1740
 PALAWANENSIS, V 1742
 rubra, V 1741
Urandra FULIGINEA, II 491
 GITINGENSIS, IV 1476
 hallieri, IV 1477
 luzonensis, VII 2691
 sorsogonensis, X 3749
Uredo abri, VI 2073: VII 2424
 antidesmae-dioicae, VI 2073
 appendiculatus phaseoli, VII 2426
 arthraxonis-ciliaris, VI 2073: VII
 2425
 castaneae, VI 2073: VII 2425
 davaoensis, VI 2074: VII 2425
 desmium, VI 2074
 desmium, VII 2422
 dioscoreae, VI 2074: VII 2425
 dioscoreae-alatae, IV 1153
 dioscoreae-alatae, VI 2074
 dolichi, VII 2426
 fici, VI 2075
 fici, VII 2422
 gossypii, VI 2074: VII 2422
 hygrophilae, VI 2075: VII 2425
 knoxiae, VI 2075
 kuehnii, VI 2075
 manilensis, VI 2075: VII 2425
 nerviseda, VI 2075
 ngamboensis, VI 2075
 operculinae, VI 2076
 phaseoli, VII 2426
 phaseolorum, VII 2426
 philippinensis, VII 2425
 premnae, VI 2076: VII 2425
 rostrupii, VI 2076: VII 2425
 wedeliae-biflorae, VI 2076: VII
 2426
Urnula philippinarum, VII 2503
 PHILIPPINARUM, VI 2281
Uromyces appendiculatus, VI 2076:
 VII 2426
 deeringiae, VI 1920, 2076: VII
 2426
 hewittiae, VI 2076: VII 2426
 hewittiae, VI 2159
 linearis, VI 2077: VII 2426
 malloti, VI 2077: VII 2427
 mucunae, VI 2077: VII 2427
 setariae-italicae, IX 3133
 sidae, VII 2423
 sojae, VI 2077: VII 2427
Urophyllum arboreum, V 1902
 BANAHAENSE, I 70
 BATAANENSE, I 40
 elliptifolium, III 998
 glabrum, I 39
 glabrum, III 999, 1000: V 1902
 LUCRANENSE, I 71
 memecyloides, V 1902
 negrosense, III 998
 PLATYPHYLLUM, III 999
 RETICULATUM, III 999
 sablanense, III 1000
 sablanense, III 971, 1000
 SABLANENSE, I 39
 streptopodium, I 40
 URDANETENSE, V 1900
Urostigma apiocarpum, I 249: II 539
 caulocarpum, I 244: IV 1246
 haematocarpum, IV 1246
 odoratum, IV 1263
 tsjela, IV 1243
Urtica bullata, III 876
Usnea florida, II 436
Ustilaginoidea ochracea, VI 2099: IX
 3138
 oryzae, VI 2100
 virens, VI 2100: VII 2451
Ustilago andropogonis-aciculati, VII
 2429
 bursa, VI 2080: VII 2439
 emodensis, VII 2429

- emodensis*, VII 2429, 2430
flagellata, VI 2080
isachnes, VI 2080
kusanoi, VI 2080: VII 2430
manilensis, VI 2080
rosulata, VI 2080
sacchari, VI 2081: VII 2430
sorghii, VI 2081: VII 2430
tonglinensis, VI 2080: VII 2430
treubii, VII 2429
tulasnei, VII 2430
virens, VII 2451
Ustulina macrosperma, VI 1943, 2132: VII 2491
 maxima, VI 2132: VII 2491
 placentiformis, VII 2492
 PLACENTIFORMIS, VI 2207
 placentiformis magnifica, VII 2492
 PLACENTIFORMIS MAGNIFICA, VI 2207
 tessellata, VI 1943, 1944, 2132: VII 2491
 zonata, VI 1943, 2132: VII 2492
Uvaria alba, I 292
 CARDINALES, V 1748
 concava, V 1745
 larep, I 293
 littoralis, V 1749
 NUDISTELLATA, V 1746
 ovalifolia, V 1749
 PENINSULA, X 3691
 rubra, X 3810
 rufa, VI 2069
 scandens, V 1746: X 3692
 SIBUYANENSIS, V 1747
 stellata, V 1747
 SUBVERRUCOSA, V 1745
 zschokkei, X 3692
 ZSCHOKKEI, I 292
- V**
- Vaccinium AGUSANENSE*, VII 2630
 alvarezii, III 1099
 apoanum, III 1091
 apoanum, III 1097, 1098
 barandanum, X 3731
 benguetense, IX 3142
 calelanum, III 1098
 CALELANUM, III 1096
 coriaceum, IV 1491
 ELEGANS, III 1093
 gitingense, IV 1311
 GITINGENSE, IV 1490
 hasseltii, III 1094
 igorotorum, IX 3142
 malindangense, III 1096
 MEARNsii, III 1098
 MEDINILLOIDES, III 1097
 microphyllum, III 1092
 microphyllum, III 1089, 1090, 1093
 mindoreense, III 1093
 palawanense, III 1099
 palawanense, III 1090
 PERRIGIDUM, III 1094
 philippinense, X 3731
 SORSOGONENSE, X 3730
 SYLVATICUM, III 1095
 villarii, III 1092
 villarii, III 1090: IV 1491
 whitfordii, IV 1491
Valsa clavata, VI 2209
 stenospora, VI 2214
Valsaria aethiops, VI 2216: VII 2484
 citri, VII 2484
 CITRI, VI 2270
 colludens, VII 2484
 COLLUDENS, VI 2217
 consors, VI 2125
 discoidea, VII 2484
 DISCOIDEA, VI 2216
 hypoxylodes, VI 2217
 insitiva, VI 2216: VII 2484
 massarioides, VI 2270
 strebli, VII 2485
 STREBLI, VI 2270
Valsella pinangae, VI 2125: VII 2483
Vanda sanderiana, VI 2158
Vaniera cochinchinensis, IX 3175
Vanoverberghia diversifolium, VIII 2991
 DIVERSIFOLIUM, VIII 2913
 sepulchrei, VIII 2913, 2990
Vatica blancoana, VI 1958
 BLANCOANA, IV 1473
 bureavi, VI 1958
 mangachapoi, IV 1474
 MINDANENSIS, VI 1957
 obtusifolia, V 1541: VI 2092
 OBTUSIFOLIA, IV 1471
Vavaea amicorum, IX 3390
 ardisioides, IX 3391
 ARDISIOIDES, VIII 2767
 harveyi, IX 3390
 luzonensis, IX 3390
 sorsogonensis, IX 3390

surigaoensis, IX 3191
 SURIGAOENSIS, VIII 2768
 Ventilago PALAWANENSIS, V 1829
 Venturia litseae, VI 2116: VII 2468
 Verbesina *alba*, I 164
 Vermicularia breviseta, VII 2512
 capsici, VII 2513
 fallax, VII 2513
 horridula, VII 2513
 merrilliana, VII 2513
 pandani, VI 2154
 PANDANI, V 1546
 sesamina, VII 2513
 Vernonia ACUMINATISSIMA, VIII 3076
 andersoni, I 95
 APOENSIS, II 687
 arborea, I 90, 95
 arborea, I 89, 91, 95: II 687,
 688: VII 2593
 arborea vestita, I 91
 benguuetensis, I 94
 BENGUETENSIS, I 361
 celebica, VII 2593
 chinensis, I 93
 chinensis, I 89
 cinerea, I 94
 cinerea, I 89
 cinerea rotundifolia, I 94
 cumingiana, I 90, 95
 cuneata, I 92
 cuneata, I 89: VII 2594
 eupatorioides, I 95
 FLORESCENS, II 685
 javanica, I 90
 lancifolia, VII 2593
 lenticellata, I 89
 LENTICELLATA, I 91
 pectiniformis, I 95
 philippinensis, I 89
 philippinensis, I 89
 PULGARENSIS, VII 2590
 scandens, I 92: VII 2591
 urdanetensis, VIII 3077
 URDANETENSIS, VII 2591
 vestita, I 91
 vialis, I 94
 vialis, I 89, 361
 vidalii, I 91
 vidalii, I 89
 VILLARII, VII 2593
 Viburnum LAXUM, VII 2576
 luzonicum, VII 2577, 2578
 LUZONICUM APOENSE, VII 2577

odoratissimum, VI 2083: VII
 2432: IX 3182
 propinquum, VII 2579
 VALERIANICUM, VII 2578
 ZAMBALENSE, IX 3181
 Vigna *lutea*, VI 2076
 sesquipedalis, VI 2076
 unguiculata, VII 2509
 Villaria acutifolia, III 1007
 littoralis, III 1007
 philippinensis, III 1007
 rolfei, III 1007
 Viola APOENSIS, VIII 2878
 RUPICOLA, I 324
 serpens, II 505
 TOPPINGII, II 504
 Viscum LORANTHI, VIII 3089
 Vitex BULUSANENSIS, X 3798
 curranii, X 3799
 CURTIFRUTESCENS, VIII 2873
 negundo, VI 2257: VII 2432
 PREMNOIDES, VIII 2874
 Vittaria *alternans*, II 407: III 833
 amboinensis, III 834
 elongata, IX 3171
 lineata, III 833
 merrillii, II 407: III 833
 scolopendriana, II 407: III 834
 Vizella *hieronymi*, VI 1945
 passiflorae, VI 2096
 PASSIFLORAE, VI 1945
 Voacanga *cumingii*, I 334
 globosa, VI 2096: VII 2446
 PLUMERIAEFOLIA, I 333

W

Wallastonia *biflora*, I 166
 Wallichia *oblongifolia*, VIII 3023
 Walsura aherniana, IX 3391
 MONOPHYLLA, IX 3391
 multijuga, IX 3395
 PALAWANENSIS, IX 3393
 Webera cumingiana, I 40
 cumingiana, V 1898
 ELMERI, II 654
 INTEGERRIMA, II 653
 involuta, II 653
 longifolia, II 654
 luzonensis, I 40
 meyeri, III 1015
 mucronifolia, II 653
 rupestri, II 654

- Wedelia biflora*, I 166
biflora, VI 2075, 2076: VII 2426
calendulacea, I 166
Weinmannia BULUSANENSIS, X 3723
camiguinensis, X 3724, 3726
CAMIGUINENSIS, VII 2607
IROSINENSIS, X 3725
luzoniensis, II 578: VIII 3079
LUZONIENSIS PUBERULA, VIII 3078
NEGROSENSIS, II 577
URDANETENSIS, VII 2608
Wendlandia brachyantha, III 983
glabrata, III 983
luzoniensis, I 41: IV 1362
luzoniensis, I 358
MEMBRANIFOLIA, I 357
nervosa, III 984
paniculata, I 41
Whitfordia SCANDENS, II 689
Whitfordiodron SCANDENS, II 743
Wikstroemia indica, II 681
LINEARIFOLIA, II 680
PULGARENSIS, V 1844
viridiflora, II 681
Williamsia everettii, IX 3216
MINDANAENSIS, V 1904
sablanensis, III 1000
sablanensis, V 1905
VIRIDESCENS, IX 3215
Wormia luzonensis, VII 2622
SIBUYANENSIS, V 1772
Wrightia calycina, X 3699
HANLEYI, IV 1465
SORSOGONENSIS, X 3698

X

- Xanthochrous korthalsii*, VI 2249
Xanthophyllum affine, X 3777
affine macrocarpum, V 1677
FLAVO-VIRENS, X 3776
FLORIFERUM, V 1674
glandulosum, V 1676
macranthum, V 1674
multiramosum, V 1677
MULTIRAMOSUM, V 1676
PALAWANENSE, V 1673
subglobosum, V 1678
SUBGLOBOSUM, V 1676
SUBGLOBOSUM LONGIFOLIUM, V 1677

- vitellinum*, V 1674
Xanthophytum fruticulosum III 973: V 1905
Xanthostemon verdugonianus, IV 1311
Xeranthemum stachelina, I 123
Xylaria allantoidea, VI 2132, 2272: VII 2492
anisopleura, VI 2132: VII 2492
bacillaris, VII 2492
BACILLARIS, VI 2212
bataanensis, VI 2132: VII 2492
botuliformis, VI 2133
botuliformis, VI 2212
capillaris, VI 2212
clavata, VI 2209: VII 2493
compuncta, VI 2133
copelandii, VI 2133: VII 2493
corniformis, VI 2133
dealbata, VI 2133: VII 2493
euglossa, VI 2133, 2210: VII 2493
exalbata, VI 2210: VII 2493
fulvo-lanata, VI 2133
fulvo-lanata, VI 2211
gigantea, VI 2134: VII 2493
gigantochloae, VI 2134
gracilentia, VI 2134: VII 2493
grammica, VI 2134: VII 2494
hypoxylon, VI 2134: VII 2494
involuta, VI 2211: VII 2495
janthino-velutina, VI 2212: VII 2494
juruenis, VI 1945, 2134: VII 2494
luzonensis, VI 2134
myosurus, VI 2135, 2211: VII 2494
nigripes, VI 2210: VII 2494
obovata, IV 1153: VI 2135: VII 2495
obtusissima, VI 2135: VII 2495
pallida, VI 2211
pallida luzonensis, VII 2495
PALLIDA LUZONENSIS, VI 2211
parasitica, VI 2272
plebeja, VI 2135
polymorpha, VI 2135, 2211: VII 2495
scruposa, IV 1154: VI 2135: VII 2495
tabacina, VI 2211: VII 2495: VIII 2961

tabacina, VII 2495
telfairii, VI 2211: VII 2495
tuberiformis, VI 1945, 2136,
2272: VII 2496
tuberosa, VI 2136

Xylocarpus granatum, IX 3395

Xylopia DENSIFOLIA, V 1749

Y

Youngia japonica, I 184

Z

✓ *Zalacca clemensiana*, VIII 3028
Zanthoxylum crenulatum, V 1834
DIABOLICUM, II 477
integrifolium, IX 3404
IWAHIGENSE, V 1833
Zea mays, VI 2165: VIII 2924, 2951

Zignoella arengae, VI 2116
ARENGAE, VI 1938
lichenoides, VIII 2950
NOBILIS, VIII 2950
Zingiber apoense, VIII 2919
APOENSE, VIII 2914
BULUSANENSE, VIII 2993
gigantifolium, VIII 2963
GIGANTIFOLIUM, VIII 2916
mollis, II 607
mollis, VIII 2919
NEGROSENSE, VIII 2917
officinale, VIII 2991
sylvatica, VIII 2991
SYLVATICA, VIII 2919
zerumbet, VIII 2919, 2993
ZERUMBET MAGNUM, VIII 2992
Zinnia elegans, I 159
Zizyphus cumingiana, V 1829
cumingiana pilosa, X 3810
PALAWANENSIS, V 1828
Zygosporium oscheoides, VII 2528