




1000
1000



LIBRARY
OF
A.S. HITCHCOCK
AND
AGNES CHASE

凡





6
975
26
1
t. Hc

Sweet's Hortus Britannicus:

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE GARDENS OF GREAT BRITAIN;

ARRANGED IN

NATURAL ORDERS:

WITH THE ADDITION OF THE

Linnean Classes and Orders to which they belong, Reference to the Books where they are described, their Native Places of Growth, when introduced, Time of Flowering, Duration, & Reference to Figures; with numerous Synonyms.

PART I.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, The British Flower Garden, British Warblers, &c.

A. S. HITCHCOCK,

London:

JAMES RIDGWAY, 169, PICCADILLY.

1826.

0 5 1389

LIBRARIES

ADVERTISEMENT.



THE adoption of the arrangement of Plants according to the Natural method, is continually increasing; and under the very prevalent impression that it will, ere long, be brought into general use, the Author has been induced to compile the present Work according to the Natural System; at the same time, there is prefixed to each genus, the Linnean Class and Order to which it belongs; and it will be seen that, not unfrequently, Plants of one genus will belong to several of the Linnean Classes and Orders. Natural Orders are also of more real service to the cultivator, as it brings together the groups of Plants that are nearest related, and which very generally require nearly the same sort of management; and Plants that are difficult to propagate, may very frequently be readily increased, by grafting or inarching on some other belonging to the same Natural Order, but will seldom or never do any good on Plants that are not so related.

Besides the adopted names of the Plants, and references to the Books where they are figured or described, numerous of the most essential Synonyms are given, so that any Plant is known as well by its different names, as by the adopted one; the want of this has of late been much complained of by Cultivators.

TO THE PUBLIC.



THE applications for "SWEET'S HORTUS BRITANNICUS" having been so numerous and incessant, and the inconvenience (not to say distress) represented to be so generally felt from the want of it, especially among the Profession, that it has been thought advisable, in some measure to remedy it, to deviate from the original intention of publishing the whole in One Volume, to the present of Two Parts.

This mode, it is apprehended, will not be without its advantages, and which must be too evident to need particularizing, further than the few weeks gained by this arrangement will enable the Author to form an "*Addenda*" of those Plants which have become known too late for incorporation among their proper Orders, besides some alterations in the arrangement of some of the Genera, &c. that has been obtained from Publications procured since the printing of the First Part, thereby rendering the Work as complete as is possible.

The Second Part will appear in a few weeks.

London, August 1, 1826.

ABBREVIATIONS.

- A.B. Annals of Botany.
 Afz. Afzelius.
 A.G. Andrews's Geraniums.
 A.H. Andrews's Heaths.
 A.R. Andrews's Botanist's Repository.
 All. Allioni.
 Aub. Aublet.
 B.C. Loddiges' Botanical Cabinet.
 B.F.G. Sweet's British Flower Garden.
 B.M. Botanical Magazine.
 B.P. Brown's Prodromus Floræ Novæ Hollandiæ.
 B.R. Botanical Register.
 B.T. Burchell's Travels.
 C. Cav. Cavanilles.
 C.C. Colvill's Catalogue.
 C.I. Cavanilles Icones.
 C.L.T. Colebrooke in Linnæan Transactions.
 DC. Decandolle.
 D.D. David Don.
 Desf. Desfontaines.
 Desv. (Dv.) Desvaux.
 D.F. Dufresne Valerianæes.
 D.P. Don's Prodromus Floræ Nepalensis.
 E.B. Smith's English Botany.
 E.F. — English Flora.
 Ex.B. — Exotic Botany.
 F. Fischer.
 F.D. Flora Danica.
 F.G. Flora Græca.
 F.I. Flora Indica.
 G. Gärtner.
 G.D. George Don.
 H.B. Hortus Bengalensis.
 H.E.F. Hooker's Exotic Flora.
 H.G. Hoare's Geraniaceæ.
 H.K. Hortus Kewensis.
 H.M.N. Haworth's Miscellanea Naturalia.
 H.P. — in Taylor's Philosophical Magazine.
 H.R. — Saxifrages and Revisions of Succulent plants.
 H.S. — Synopsis Plantarum Succulentarum.
 H.S.S. — Supplementum Plantarum Succulentarum.
 H.S.L. Hortus Suburbanus Londinensis.
 H.T. Horticultural Society's Transactions.
 J. Jussieu.
 Jac. Jacquin.
 J.S. Jacquin, Stapeliæ.
 K.S. Kunth's Synopsis.
 L. Linnæus.
 Lag. Lagasca.
 Lam. Lamarck.
 L.C. Loddiges' Catalogue.
 L.col. Lindley, Collectanea Botanica.
 Len. Link's Enumeratio Plantarum.
 L'H. L'Heritier.
 L.R. Lindley, Rosarum Monographia.
 L.T. Transactions of the Linnæan Society.
 M. Michaux, Flora Boreali-Americana.
 M.B. Marshall de Bieberstein, Flora Taurico-Caucasica.
 N. Nuttall's genera of American plants.
 N.L.F. News of Literature and Fashion.
 Ph. Pursh, Flora America Septentrionalis.
 P.L. Salisbury, Paradisus Londinensis.
 P.S. Persoon's Synopsis Plantarum.
 R. (Rox.) Roxburgh.
 R.C. Roxburgh's plants of the coast of Coromandel.
 R.P. Ruiz and Pavon, Flora Peruviana.
 R.S. Rømer et Schultes Systema Vegetabilium.
 R.U. (Rch.) Reichenbach Übersicht der gattung Aconitum.
 Schr. (Schl.) Schleicher.
 S.C. Sweet's Cistineæ.
 S.G. — Geraniaceæ.
 S.M. Sole's Mints.
 S.S. Sprengel's Systema Vegetabilium.
 S.T. Savi, Observationes in varias Tri-foliorum species.
 Sw. Swartz.
 T.C. Tenore, Catalogus plantarum Horti Regii Neapolitani.
 T.N. — Flora Neapolitana.
 T.P. — Flora Neapolitanæ Prodromi.
 T.S. — Synopsis Floræ Neapolitanæ.
 Th. Thunberg.
 V. Ventenat.
 V.M. — Jardin de Malmaison.
 Viv. Viviani.
 W. Willdenow, Species Plantarum.
 W.en. — Enumeratio Plantarum Horti Bot. Berolinensis.
 W.A. — Historia Amaranthorum.
 Wall. Wallich.
 W.C. Wendland, Collectio Plantarum.
 W.D. Watson's Dendrologia Britannica.
 W.K. Waldstein et Kitaibel.
 ψ New plants from New Holland in Mr. Mackay's Nursery, with the MS. names, not published.
 1. 2. &c. Flowering the first and second month, &c.
 1. 12. Flowering all the year.
 — Same as the line above it.
 Uncertain.
 H. h. Hardy Shrub or Tree.
 F. h. Shrubs requiring the protection of a Frame or Mats.
 G. h. Greenhouse Shrub.
 S. h. Stove Shrub.
 D. s. h. Dry Stove Shrub, requiring very little water.
 h. Suffruticose, or a dwarf Shrub.
 4. Herbaceous Perennial, enduring several years.
 w. 4. Water Perennial.
 ♂. Biennial, enduring only 2 years.
 ○. Annual.
 b. Bulbous-rooted.
 ∪. Climbing plants.
 C. B. S. Cape of Good Hope.
 N. S. W. New South Wales.
 N. Holl. New Holland.
 V. Diem. Isl. Van Diemen's Island.

CLASSIS I.

DICOTYLEDONEÆ seu EXOGENÆ.

* SUBCLASSIS I. THALAMIFLORÆ.

ORDO 1.

RANUNCULACEÆ. DC. *systema naturae*. 127.

Tribus 1. CLEMATIDÆ.

CLEMATIS. W.	VIRGIN'S BOWER. Polyandria Polygynia. L.					
1 erecta. DC.	upright.	Austria.	1597.	6. 8.	H. 4.	Jacq. aust. 3. t. 291.
γ <i>hispanica</i> .	Spanish.					
2 flammula. DC.	sweet-scented.	S. Europe.	1596.	7. 10.	H. h. ~.	Lob. ic. 627. f. 1.
α <i>rotundifolia</i> .	round-leaved.	————	————	————	H. h. ~.	Ten. fl. neap. pr. v. 1. t. 48
β <i>vulgaris</i> .	oblong-leaved.	————	————	————	H. h. ~.	
γ <i>maritima</i> .	narrow-leaved.	————	————	————	H. h. ~.	
3 Massoniana. DC.	Masson's.	C. B. S.	G. h. ~.	
4 orientalis. DC.	oriental.	Levant.	1731.	7. 10.	H. h. ~.	Dill. elt. t. 119. f. 145.
5 glauca. W.	glaucous.	Siberia.	7. 8.	H. h. ~.	Willd. arb. 65. t. 4. f. 1.
6 chinensis. DC.	Chinese.	China.	1820.	H. h. ~.	Retz. obs. 2. n. 53. t. 2.
7 Vitalba. DC.	Traveller's Joy.	England.	7. 9.	H. h. ~.	Eng. bot. 612.
8 virginiana. DC.	Virginian.	N. Amer.	1767.	6. 8.	H. h. ~.	Wats. dend. brit. t. 74.
9 brasiliانا. DC.	Brazilian.	Brazil.	1820.	S. h. ~.	Deless. ic. sel. 1. t. 1.
10 dioica. DC.	Jamaica.	Jamaica.	1733.	5. 6.	S. h. ~.	Slo. hist. 1. t. 128. f. 1.
11 americana. DC.	West-Indian.	W. Ind.	S. h. ~.	
12 coriacea. DC.	leathery-ld.	N. S. W.	1821.	G. h. ~.	
13 aristata. DC.	awned-anther'd	————	1812.	5. 8.	G. h. ~.	Bot. reg. 238.
14 hedysarifolia. DC.	Hedysarum-ld.	Nepaul.	1819.	7. 2.	G. h. ~.	Bot. reg. 599.
15 triternata. DC.	triternate-ld.	1806.	H. h. ~.	
16 brachiata. DC.	armed.	C. B. S.	1804.	10. 12.	G. h. ~.	Bot. reg. 97.
17 grandiflora. DC.	great-flowered.	Sierra Leon.	1822.	S. h. ~.	
18 dahurica. DC.	Dahurian.	Dahuria.	1822.	H. h. ~.	
19 angustifolia. DC.	narrow-leaved.	Siberia.	1787.	5. 9.	H. 4.	Jacq. ic. 1. t. 104.
20 diversifolia. DC.	variously-leaved.	9. 10.	H. h. ~.	Deless. ic. sel. 1. t. 4.
21 Viorna. DC.	leathery-flow'd.	N. Amer.	1730.	6. 9.	H. h. ~.	Jacq. ecl. 1. t. 32.
22 cylindrica. DC.	long-flowered.	————	1802.	7. 9.	H. h. ~.	Bot. mag. 1160.
23 Simsii.	Sims's.	————	1812.	6. 9.	H. h. ~.	Bot. mag. 1816.
	<i>cordata</i> . B.M. <i>nec aliorum</i> .					
24 reticulata. DC.	netted.	————	————	————	H. h. ~.	Wats. dend. brit. t. 72.
25 integrifolia. DC.	entire-leaved.	Hungary.	1596.	6. 8.	H. 4.	Bot. mag. 65.
β <i>angustifolia</i> .	narrow entire ld.	Siberia.	H. 4.	
γ <i>elongata</i> . DC.	long-leaved.	————	1823.	H. 4.	Tratt. tab. 4. t. 178.
26 ochroleuca. DC.	silky.	N. Amer.	1767.	6. 7.	H. 4.	Bot. mag. 1175.
27 florida. DC.	large-flowered.	Japan.	1776.	4. 9.	H. h. ~.	Bot. mag. 834.
β <i>strepens</i> .	double-flowered.					
28 Viticella. DC.	smooth-seeded.	Spain.	1569.	6. 9.	H. h. ~.	Bot. mag. 565.
α <i>purpurea</i> .	purple-flowered.					
β <i>rubra</i> .	red-flowered.					
γ <i>pulchella</i> . P.S.	double-flowered.	————	————	————	H. h. ~.	Chabr. sci. p. 117. f. 5.

29	<i>crispa</i> . B.M.	curled-flower'd.	N. Amer.	1726.	7. 9.	H. $\frac{1}{2}$.	Bot. mag. 1892.
30	<i>cirrhusa</i> . DC.	tendriled.	S. Europe.	1596.	3. 4.	H. $\frac{1}{2}$.	Flor. græc. t. 517.
31	<i>pedicellata</i> .	pedicled.	Majorca.	—	H. $\frac{1}{2}$.	Bot. mag. 1070.
	<i>cirrhusa</i> . B.M. <i>nec aliorum</i> .						
	<i>cirrhusa</i> β <i>pedicellata</i> . DC.						
32	<i>calycina</i> . H.K.	evergreen.	Minorca.	1783.	2. 3.	H. $\frac{1}{2}$.	Bot. mag. 959.
	<i>balearica</i> . DC.						
ATRAGENE	W.	ATRAGENE.	Polyandria	Polygynia.	L.		
1	<i>austriaca</i> . B.M.	Austrian.	Austria.	1792.	5. 7.	H. $\frac{1}{2}$.	Bot. rep. 180.
	<i>Clematis alpina</i> . DC.						
2	<i>sibirica</i> . B.M.	Siberian.	Siberia.	1753.	3. 5.	H. $\frac{1}{2}$.	Bot. mag. 1951.
	<i>Clematis sibirica</i> . DC.						
3	<i>ochotensis</i> . Pall.	linear-petaled.	—	1822.	—	H. $\frac{1}{2}$.	
	<i>Clematis ochotensis</i> . DC.						
4	<i>americana</i> . B.M.	American.	N. Amer.	1797.	5. 6.	H. $\frac{1}{2}$.	Bot. mag. 887.
	<i>Clematis verticillaris</i> . DC.						
5	<i>occidentalis</i> . Horn.	shining-leaved.	1824.	H. $\frac{1}{2}$.	
NARAVELIA	DC.	NARAVELIA.	Polyandria	Polygynia.	L.		
	<i>zeylanica</i> . DC.	Ceylon.	Ceylon.	1796.	S. $\frac{1}{2}$.	
	β <i>Roxburghii</i> . DC.	<i>Roxburgh's</i> .	Coromandel.	—	S. $\frac{1}{2}$.	Roxb. cor. 2. t. 188.

Tribus II. ANEMONEÆ.

THALICTRUM	DC.	MEADOW-RUE.	Polyandria	Polygynia.	L.		
1	<i>contortum</i> . DC.	crook-seeded.	Siberia.	1796.	6. 7.	H. $\frac{1}{2}$.	
2	<i>aquilegifolium</i> . DC.	Columbine-ld.	Enrope.	1781.	5. 7.	H. $\frac{1}{2}$.	
	<i>a album</i> .	<i>white-stamened</i> .	—	—	—	H. $\frac{1}{2}$.	Jacq. aust. t. 318.
	β <i>atropurpureum</i> .	<i>purple</i> .	—	—	—	H. $\frac{1}{2}$.	Bot. mag. 1818.
	γ <i>formosum</i> . B.M.	<i>Sabine's</i> .	—	—	—	H. $\frac{1}{2}$.	Bot. mag. 2025.
3	<i>corynellum</i> . DC.	clubbed-stam'd.	N. Amer.	—	H. $\frac{1}{2}$.	
4	<i>revolutum</i> . DC.	revolute.	—	1806.	6. 7.	H. $\frac{1}{2}$.	
	<i>pubescens</i> . Ph. non. DC.						
5	<i>dioicum</i> . DC.	diœcious.	—	1759.	—	H. $\frac{1}{2}$.	Deles. ic. sel. 1. t. 8.
6	<i>carolinianum</i> . DC.	Carolina.	—	—	H. $\frac{1}{2}$.	
7	<i>purpurascens</i> . DC.	dwarf purple.	—	1699.	—	H. $\frac{1}{2}$.	
8	<i>petaloideum</i> . DC.	Dahurian.	Dahuria.	1799.	—	H. $\frac{1}{2}$.	Deles. ic. sel. 1. t. 9.
9	<i>alpinum</i> . DC.	Alpine.	Britain.	5. 7.	H. $\frac{1}{2}$.	Eng. bot. 262.
10	<i>fœtidum</i> . DC.	fœtid.	Europe.	1640.	—	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 174.
11	<i>pubescens</i> . DC.	pubescent.	—	—	—	H. $\frac{1}{2}$.	
12	<i>acutilobum</i> . DC.	acute-lobed.	Siberia.	—	H. $\frac{1}{2}$.	Deles. ic. sel. 1. t. 10.
13	<i>squarrosom</i> . DC.	squarrose.	—	1806.	—	H. $\frac{1}{2}$.	
14	<i>sibiricum</i> . DC.	Siberian.	—	1775.	—	H. $\frac{1}{2}$.	Gært. fruct. 1. t. 74.
15	<i>minus</i> . DC.	lesser.	Britain.	6. 7.	H. $\frac{1}{2}$.	Eng. bot. t. 11.
16	<i>collinum</i> . DC.	hill.	Germany.	1823.	—	H. $\frac{1}{2}$.	
17	<i>saxatile</i> . DC.	rock.	Enrope.	5. 7.	H. $\frac{1}{2}$.	
18	<i>elatum</i> . DC.	tall.	Hungary.	1794.	6. 8.	H. $\frac{1}{2}$.	Jacq. vind. 3. t. 95.
19	<i>majus</i> . DC.	greater.	England.	—	H. $\frac{1}{2}$.	Eng. bot. 611.
20	<i>nutans</i> . DC.	nodding.	Italy.	—	H. $\frac{1}{2}$.	
21	<i>medium</i> . DC.	middle.	Hungary.	1789.	—	H. $\frac{1}{2}$.	Jacq. vind. 3. t. 96.
22	<i>conciunum</i> . DC.	neat.	6.	H. $\frac{1}{2}$.	
23	<i>flexuosum</i> . Jac.	flexuose.	6. 8.	H. $\frac{1}{2}$.	
24	<i>acuminatum</i> . Spr.	acuminate.	—	H. $\frac{1}{2}$.	
25	<i>calabriculum</i> . Spr.	Calabrian.	Naples.	1802.	—	H. $\frac{1}{2}$.	
26	<i>trigynum</i> . DC.	three-styled.	Dahuria.	1823.	—	H. $\frac{1}{2}$.	
27	<i>glaucescens</i> . DC.	loose-flowered.	Russia.	—	6.	H. $\frac{1}{2}$.	
28	<i>galioides</i> . DC.	Galium-leaved.	Europe.	1816.	5. 7.	H. $\frac{1}{2}$.	Deles. ic. sel. 1. t. 11.
29	<i>angustifolium</i> . DC.	narrow-leaved.	Germany.	1739.	6. 7.	H. $\frac{1}{2}$.	Jacq. vind. 3. t. 43.
30	<i>cynapiifolium</i> . F.	Fool's-parsleyld	Siberia.	1821.	—	H. $\frac{1}{2}$.	
31	<i>oligospermum</i> . F.	few-seeded.	—	—	—	H. $\frac{1}{2}$.	
32	<i>divaricatum</i> . L. en.	spreading.	—	—	H. $\frac{1}{2}$.	
33	<i>diffusum</i> . Sch.	diffuse.	—	—	H. $\frac{1}{2}$.	
34	<i>laserpitifolium</i> . W.	Laserwort-ld.	1823.	—	H. $\frac{1}{2}$.	
35	<i>divergens</i> . L. en.	divergent.	Siberia.	1820.	6. 7.	H. $\frac{1}{2}$.	
	<i>divaricatum</i> . Spr.						
36	<i>lucidum</i> . DC.	shining.	Spain.	1739.	5. 7.	H. $\frac{1}{2}$.	Pluk. alm. t. 65. f. 5.
37	<i>nigricans</i> . DC.	black.	Austria.	1798.	—	H. $\frac{1}{2}$.	Jacq. aust. 5. t. 421.

38 flavum. DC.	common.	Britain.	—	H. 2.	Eng. bot. 367.	
39 vaginatum. Desf.	sheathed.	Europe.	—	H. 2.		
40 simplex. DC.	simple-stalked.	Sweden.	1778.	5. 6.	H. 2.		
41 cinereum. DC.	ash-coloured.	—	H. 2.		
42 glaucum. DC.	glaucous.	S. Europe.	1798.	6. 7.	H. 2.		
43 rugosum. DC.	rugged.	N. Amer.	1774.	7.	H. 2.		
44 ranunculium. DC.	Ranunculus-ld.	N. Amer.	1806.	6. 7.	H. 2.		
45 tuberosum. DC.	tuberous-rooted.	Spain.	1713.	6.	H. 2.	Mill. ic. t. 265. f. 2.	
46 anemonoides. DC.	Anemone-like.	N. Amer.	1768.	4. 5.	H. 2.	Bot. mag. 866.	
<i>Anemone thalictroides</i> . W.							
	<i>β flore pleno</i> .	double-flowered.	—	—	1822.	H. 2.	
PULSATILLA . W.en. PASQUE-FLOWER. Polyandria Polygynia.							
1 vernalis. W.en.	spring.	N. Europe.	1752.	4.	H. 2.	Fl. dan. t. 29.	
2 Halleri. W.en.	Haller's.	Switzerland	1816.	4. 5.	H. 2.	All. ped. t. 80. f. 2.	
3 cernua. W.	drooping.	Japan.	1806.	4. 6.	H. 2.		
4 patens. W.en.	spreading.	Siberia.	1752.	6. 7.	H. 2.	Breyn. ic. t. 61.	
	<i>β ochroleuca</i> . B.M.	straw-coloured.	—	—	5. 7.	H. 2.	Bot. mag. 1994.
5 vulgaris. W.en.	common.	England.	—	H. 2.	Eng. bot. 51.	
6 pratensis. W.en.	meadow.	Germany.	1731.	5.	H. 2.	Fl. dan. t. 611.	
7 obsoleta.	pale-flowered.	—	—	—	H. 2.	Bot. mag. 1863.	
8 dahurica. DC.	Dahurian.	Dahuria.	1823.	H. 2.		
9 alpina.	Alpine.	Europe.	1658.	7.	H. 2.	Bot. mag. 2007.	
10 apiifolia.	Parsley-leaved.	—	—	H. 2.	Jacq. misc. 2. t. 4.	
<i>Anemone alpina δ flavescens</i> . DC.							
ANEMONE . W.en. ANEMONE. Polyandria Polygynia. L.							
1 capensis. DC.	Cape.	C. B. S.	1795.	3. 7.	G. 2.	Bot. mag. 716.	
<i>Atragene capensis</i> . W.							
2 coronaria. DC.	Poppy.	Levant.	1596.	1. 12.	H. 2.	Bot. mag. 841.	
	<i>β flore-pleno</i> .	double-flowered.	—	—	4. 5.	H. 2.
3 pavonina. DC.	acute-petaled.	—	—	H. 2.	Clus. hist. 1. p. 261. ic.	
	<i>β flore-pleno</i> .	double-scarlet.	—	—	H. 2.	Bot. mag. 123.
4 stellata. DC.	star.	Italy.	1597.	—	H. 2.		
<i>hortensis</i> . B.M. 123.							
5 palmata. DC.	palmated.	Portugal.	1597.	5. 6.	H. 2.	Bot. reg. 200.	
6 parviflora. DC.	small-flowered.	Labrador.	1823.	3. 5.	H. 2.	Juss. ann. mus. 3. t. 21. f. 1	
<i>cuneifolia</i> . Ph.							
7 caroliniana. DC.	slender.	Carolina.	—	5.	H. 2.		
<i>tenella</i> . Ph.							
8 apennina. DC.	blue mountain.	England.	3. 4.	H. 2.	Eng. bot. 1062.	
9 baldensis. DC.	Strawberry-like.	Switzerland.	1792.	5.	H. 2.	Jac. ic. 1. t. 103.	
<i>fragifera</i> . Jacq.							
10 nemorosa. DC.	wood.	Britain.	3. 5.	H. 2.	Eng. bot. 355.	
	<i>β flore-pleno</i> .	double-flowered.	—	—	—	—	
11 lancifolia. DC.	lance-leaved.	N. Amer.	1823.	5. 7.	H. 2.		
12 trifolia. DC.	three-leaved.	France.	1597.	4. 5.	H. 2.	Lob. ic. 281. f. 1.	
13 ranunculoides. DC.	yellow wood.	England.	3. 4.	H. 2.	Eng. bot. 1484.	
14 sylvestris. DC.	Snowdrop.	Europe.	1596.	4. 5.	H. 2.	Bot. mag. 54.	
15 alba. DC.	five-sepaled.	Dahuria.	1818.	4. 5.	H. 2.	— 2167.	
<i>ochotensis</i> . F.							
16 virginiana. DC.	Virginian.	N. Amer.	1722.	5. 6.	H. 2.	Herm. par. t. 18.	
17 pensylvanica. DC.	Pennsylvanian.	—	1766.	—	H. 2.		
18 dichotoma. DC.	forked.	—	1768.	—	H. 2.	Lin. f. dec. 29. t. 15.	
19 narcissiflora. DC.	Narcissus-fl'd.	Europe.	1773.	5.	H. 2.	Bot. mag. 1120.	
20 sibirica. DC.	Siberian.	Siberia.	1804.	6.	H. 2.		
HEPATICA . DC. HEPATICA. Polyandria Polygynia. L.							
1 americana. B. reg.	American.	N. Amer.	1819.	3. 4.	H. 2.	Bot. reg. 387.	
2 triloba. DC.	three-lobed.	Europe.	1573.	2. 4.	H. 2.		
	<i>α cœrulea</i> .	blue.	—	—	—	—	
	<i>β cœruleo-plena</i> .	double-blue.	—	—	—	—	
	<i>γ rubra</i> .	red.	—	—	—	—	
	<i>δ rubro-plena</i> .	double-red.	—	—	—	—	
	<i>ε alba</i> .	red-anthered white.	—	—	—	—	
	<i>ζ nivea</i> .	snowy-white.	—	—	—	—	
HYDRASTIS . DC. YELLOW-ROOT. Polyandria Polygynia. L.							
canadensis. DC.	Canadian.	Canada.	1759.	5. 6.	H. 2.	Pict. hort. par. 37. t. 17.	
KNOWLTONIA . DC. KNOWLTONIA. Polyandria Polygynia. L.							
1 rigida. DC.	thick-leaved.	C. B. S.	1780.	3. 5.	G. 2.	Vent. malm. 22.	
2 vesicatoria. DC.	blistering.	—	1691.	2. 4.	G. 2.	Bot. mag. 775.	
3 gracilis. DC.	slender.	—	1820.	—	G. 2.	Delcs. ic. sel. 1. t. 19.	

4	hirsuta. DC.	hairy-leaved.	————	————	G. 7.	Burm. afr. t. 51.
5	dancifolia. DC.	Carrot-leaved.	————	1822.	G. 7.	
ADONIS. DC. Polyandria Polygynia. L.						
1	autumnalis. DC.	Pheasant's-eye.	Britain.	5. 10. H. ⊙.	Eng. bot. 308.
2	flava. DC.	yellow.	France.	6. 7. H. ⊙.	Tab. ic. 790. f. 1.
3	citrina. DC.	Citron-colour'd.	————	1822.	5. 6. H. ⊙.	
4	flammea. DC.	flame-coloured.	Austria.	1800.	6. 7. H. ⊙.	Jac. aust. 4. t. 355.
5	æstivalis. DC.	tall.	S. Europe.	1629.	— H. ⊙.	Weinm. phyt. t. 27.
	<i>miniata. Jac. aust. t. 354.</i>					
6	vernalis. DC.	vernal.	Europe.	1629.	3. 4. H. 7.	Bot. mag. 134.
7	apennina. w. en.	Apennine.	————	— H. 7.	Mentz. pug. t. 3. f. 1.
	<i>vernalis β Mentzelii. DC.</i>					
8	pyrenaica. DC.	Pyrenean.	Pyrenees.	1820.	6. 7. H. 7.	Deless. ic. sel. 1. t. 21.

Tribus III. RANUNCULÆ.

MYOSURUS. DC. MOUSE-TAIL. Pentandria Polygynia. L.						
	<i>minimus. DC.</i>	small.	Britain.	4. 5. H. ⊙.	Eng. bot. 435.
CERATOCEPHALUS. CERATOCEPHALUS. Pentandria Polygynia.						
1	falcatus. DC.	sickle-seeded.	S. Europe.	1739.	5. H. ⊙.	Jac. aust. t. 48.
2	orthoceras. DC.	straight-seeded.	Siberia.	1823.	— H. ⊙.	Deles. ic. sel. 1. t. 23.
RANUNCULUS. DC. CROW-FOOT. Polyandria Polygynia. L.						
1	hederaceus. DC.	Ivy-leaved.	Britain.	5. 8. H. w. 7.	Eng. bot. 2003.
2	tripartitus. DC.	three-parted.	————	— H. w. 7.	DC. ic. g. rar. 1. t. 49.
	<i>β obtusiflorus. DC.</i>	blunt-flowered.	————	— H. w. 7.	Pet. eng. herb. t. 39. f. 1.
3	aquatilis. DC.	water.	————	4. 8. H. w. 7.	Eng. bot. 101.
	<i>α heterophyllus. DC.</i>	various-leaved.	————	— H. w. 7.	Tab. ic. 54. f. 2.
	<i>β pellatus. DC.</i>	pellute-leaved.	————	— H. w. 7.	Lob. ic. 2. p. 35. f. 2.
4	pantothrix. DC.	divided-leaved.	————	— H. w. 7.	
	<i>α capillaceus. DC.</i>	fine-leaved.	————	— H. w. 7.	Pet. eng. herb. t. 39. f. 4.
	<i>β cæspitosus. DC.</i>	tufted.	————	— H. w. 7.	— t. 39. f. 3.
	<i>γ peucedanifolius. DC.</i>	Fennel-leaved.	————	— H. w. 7.	— t. 39. f. 2.
	<i>fluviatilis. w.</i>					
5	rutæfolius. DC.	Rue-leaved.	Austria.	1759.	5. 7. H. 7.	Jac. coll. 1. t. 6 et 7.
6	glacialis. DC.	two-flowered.	Lapland.	1775.	6. 8. H. 7.	Flor. dan. t. 19.
7	Seguieri. DC.	Seguier's.	Switzerland.	1820.	— H. 7.	Vill. dauph. 4. t. 49.
8	alpestris. DC.	Alpine.	Scotland.	— H. 7.	Eng. bot. 2390.
9	crenatus. DC.	crenate-leaved.	Hungary.	1822.	— H. 7.	W. et K. hung. 1. t. 10.
10	aconitifolius. DC.	Aconite-leaved.	Europe.	1596.	5. 6. H. 7.	
	<i>α humilis. DC.</i>	dwarf.	————	— H. 7.	Lob. adv. 300. f. 2.
	<i>β crassicaulis. DC.</i>	thick-stalked.	————	— H. 7.	
11	platanifolius. w.	Plane-tree-ld.	Germany.	1769.	6. 7. H. 7.	Flor. dan. t. 111.
	<i>β flore-pleno.</i>	double-flowered.	————	—	— H. 7.	Bot. mag. 204.
	<i>aconitifolius. B. M. 204.</i>					
12	lacerus. DC.	torn-leaved.	Piedmont.	— H. 7.	Bell. act. taur. 5. t. 8.
13	pyrenæus. DC.	Pyrenean.	Pyrenees.	4. 6. H. 7.	Deles. ic. sel. 1. t. 27. f. B.
	<i>β bupleurifolius. DC.</i>	one-flowered.	————	— H. 7.	Jac. misc. 1. t. 18. f. 1.
14	angustifolius. DC.	narrow-leaved.	————	1822.	— H. 7.	Deles. ic. sel. 1. t. 27. f. C.
15	amplexicanlis. DC.	Plantain-leav'd.	————	1633.	4. 5. H. 7.	Bot. mag. 266.
16	parnassifolius. DC.	Parnassia-leav'd.	————	1769.	6. 7. H. 7.	— 386.
17	gramineus. DC.	grass-leaved.	Wales.	4. 6. H. 7.	Eng. bot. 2306.
	<i>β flore-pleno.</i>	double-flowered.	— H. 7.	Lob. ic. 671. f. 2.
18	Lingua. DC.	greatspear-wort	Britain.	6. 8. H. w. 7.	Eng. bot. 100.
19	Flammula. DC.	less-spear-wort.	————	6. 9. H. w. 7.	— 387.
	<i>β serrata. DC.</i>	saw-leaved.	————	— H. w. 7.	Lob. ic. 670. f. 2.
	<i>γ ovata. DC.</i>	oval-leaved.	————	— H. w. 7.	
20	reptans. DC.	least-spear-wort.	————	— H. w. 7.	Flor. dan. t. 108.
21	ophioglossifolius. DC.	fistulous-stalk'd.	S. Europe.	1822.	6. H. w. ⊙.	Vill. dauph. 4. t. 49.
22	nodiflorus. DC.	knot-flowered.	France.	1714.	5. 7. H. w. ⊙.	
	<i>β dentatus. DC.</i>	toothed.	Hungary.	—	— H. w. ⊙.	Bot. mag. 2171.
23	salsuginosus. DC.	Russian.	Russia.	1821.	— H. 7.	Jac. vind. 3. t. 31.
	<i>ruthenicus. Jac. vind. s. t. 31.</i>					
24	bullatus. DC.	blistered.	S. Europe.	1640.	5. 8. H. 7.	
	<i>α parviflorus. DC.</i>	small-flowered.	————	—	— H. 7.	Clus. hist. 1. f. 2.
	<i>β grandiflorus. DC.</i>	large-flowered.	————	—	— H. 7.	— 1. f. 1.

	<i>γ flore pleno.</i>	double-flowered.	————	—	—	H. 2.	Corn. can. 95. ic.
25	<i>chærophyllus.</i> DC.	Chervil-leaved.	————	4. 6.	H. 2.	Barr. ic. t. 581.
	<i>a vulgaris.</i> DC.	common.	————	—	H. 2.	
	<i>β gregarius.</i> DC.	villous.	————	—	H. 2.	
26	<i>fumariæfolius.</i> DC.	Fumitory-leav ^d	—	H. 2.	Desf. ic. pict. h. par. t. 74.
27	<i>oxyspermus.</i> DC.	awned-seeded.	Tauria.	1822.	5.	H. 2.	
28	<i>pedatus.</i> DC.	pedate.	Hungary.	1806.	5. 6.	H. 2.	Pl. rar. hung. 2. t. 108.
29	<i>illyricus.</i> DC.	Illyrian.	Europe.	1596.	—	H. 2.	Pl. aust. t. 222.
30	<i>monsipeliacus.</i> DC.	Montpelier.	Montpelier.	1816.	—	H. 2.	Swt. br. fl. gar. 94.
	<i>a angustilobus.</i> DC.	narrow-lobed.	————	—	H. 2.	Besl. eyst. 1. t. 13. f. 1.
	<i>β cuneatus.</i> DC.	wedge-lobed.	————	—	H. 2.	DC. ic. gall. rar. t. 50.
	<i>γ rotundifolius.</i> DC.	round-leaved.	————	—	H. 2.	
31	<i>asiaticus.</i> DC.	garden.	Levant.	1596.	—	H. 2.	Dard. trait. ren. 1. t. 6.
	<i>a vulgaris.</i> DC.	common.	————	—	—	H. 2.	Mill. ic. t. 216.
	<i>β sanguineus.</i> DC.	Turban.	————	—	—	H. 2.	Lob. ic. 672. f. 2.
	<i>γ tenuilobus.</i> DC.	slender-lobed.	————	—	—	H. 2.	Debr. flor. nov. t. 31.
32	<i>creticus.</i> DC.	Cretan.	Candia.	1659.	4. 5.	H. 2.	Clus. hist. 1. p. 239. f. 1.
33	<i>Thora.</i> DC.	kidney-leaved.	AlpsEurope.	1710.	5. 6.	H. 2.	Jac. aust. 5. t. 442.
34	<i>scutatus.</i> DC.	shield-leaved.	Hungary.	1822.	4. 5.	H. 2.	Pl. rar. hung. 2. t. 187.
35	<i>hybridus.</i> DC.	hybrid.	Austria.	—	6. 7.	H. 2.	Jac. obs. 1. t. 13?
36	<i>auricomus.</i> DC.	Goldilocks.	Britain.	3. 5.	H. 2.	Eng. bot. 624.
37	<i>casubicus.</i> DC.	Cassubian.	Siberia.	1794.	6. 7.	H. 2.	Bot. mag. 2267.
38	<i>abortivus.</i> DC.	three-flowered.	N. Amer.	1713.	5. 8.	H. 2.	
39	<i>sceleratus.</i> DC.	Celery-leaved.	Britain.	—	H. w. ⊙.	Eng. bot. 681.
40	<i>hyerboreus.</i> DC.	northern.	Siberia.	1822.	6. 8.	H. 2.	Flor. dan. t. 331.
41	<i>nivalis.</i> DC.	snowy.	Lapland.	1775.	—	H. 2.	Fl. lap. ed. 1. t. 3. f. 2.
42	<i>montanus.</i> DC.	mountain.	Austria.	—	—	H. 2.	Jac. aust. 5. t. 442.
43	<i>Villarsii.</i> DC.	Villars's.	France.	5. 7.	H. 2.	Crantz. aust. 2. t. 4. f. 2?
44	<i>Gouani.</i> DC.	Gouan's.	Pyrenees.	1818.	—	H. 2.	Gouan ill. t. 17. f. 1. 2.
45	<i>acris.</i> DC.	upright.	Britain.	6. 7.	H. 2.	Eng. bot. 624.
	<i>β flore pleno.</i>	double-flowered.	————	—	H. 2.	Bot. mag. 215.
	<i>γ sylvaticus.</i> DC.	wood.	————	—	H. 2.	
	<i>δ multifidus.</i> DC.	multifid.	————	—	H. 2.	
46	<i>polyanthemos.</i> DC.	many-flowered.	N. Europe.	1596.	5. 6.	H. 2.	Cran. au. 2. t. 4. f. 1. s.
47	<i>nemorosus.</i> DC.	wood.	Switzerland.	1818.	5. 7.	H. 2.	
	<i>a multiflorus.</i> DC.	numerous-flower ^d	————	—	—	H. 2.	
	<i>β pauciflorus.</i> DC.	few-flowered.	————	—	—	H. 2.	
	<i>aureus.</i> schl. villosus.	St. Am. fl. ag. 227.	bon. t. 5.	—	—	—	
48	<i>lanuginosus.</i> DC.	woolly-leaved.	S. Europe.	1683.	6. 7.	H. 2.	Flor. dan. t. 397.
49	<i>repens.</i> DC.	creeping.	Britain.	5. 9.	H. 2.	Eng. bot. 516.
	<i>β flore pleno.</i>	double-flowered.	————	—	H. 2.	Tab. ic. 53. f. 1.
	<i>γ glabratus.</i> DC.	shining-leaved.	————	—	H. w. 2.	
50	<i>lappaceus.</i> DC.	New Holland.	N. S. W.	1822.	—	G. 2.	
51	<i>pensylvanicus.</i> DC.	Pennsylvanian.	N. Amer.	1785.	6. 7.	H. 2.	Jac. ic. 1. t. 105.
	<i>canadensis.</i> Jac.						
52	<i>marylandicus.</i> DC.	Maryland.	————	1811.	5. 7.	H. 2.	
53	<i>tomentosus.</i> DC.	tomentose.	————	1820.	—	H. 2.	
54	<i>bulbosus.</i> DC.	bulbous.	Britain.	4. 6.	H. 2.	Eng. bot. 515.
	<i>β flore pleno.</i>	double-flowered.	————	—	H. 2.	Lob. ic. 666. f. 2.
	<i>γ bracteatus.</i> schl.	bracted.	Pyrenees.	—	H. 2.	
55	<i>hirsutus.</i> H. K.	pale hairy.	Britain.	6. 10.	H. ⊙.	Eng. bot. 1504.
56	<i>parvulus.</i> Sm.	little upright.	England.	—	H. ⊙.	Col. ecphr. t. 316.
57	<i>arvensis.</i> DC.	corn.	Britain.	—	H. ⊙.	Eng. bot. 135.
58	<i>muricatus.</i> DC.	prickly seeded.	S. Enrope.	1683.	7. 8.	H. ⊙.	Lam. ill. t. 498.
59	<i>echinatus.</i> Ph.	American.	N. Amer.	6. 7.	H. ⊙.	Vent. cels. t. 73.
60	<i>parviflorus.</i> DC.	small-flowered.	England.	5. 6.	H. ⊙.	Eng. bot. 120.
61	<i>sessiliflorus.</i> DC.	sessile-flowered.	N. S. W.	1822.	—	H. ⊙.	
FICARIA. DC.			PILEWORT.	Polyandria	Polygynia.	L.	
	<i>ranunculoides.</i> DC.	vernal.	Britain.	3. 5.	H. 2.	Eng. bot. 584.
	<i>verna.</i> P. s. <i>Ranunculus Ficaria.</i> w.						
	<i>β flore pleno.</i>	double-flowered.	————	—	H. 2.	

Tribus IV. HELLEBOREÆ.

CALTHA. DC.	MARSH-MARYGOLD. Polyandria Polygynia. L.					
1 palustris. DC.	common. Britain.	3. 5.	H. w. 2.	Eng. bot. 506.	
β flore-pleno.	double-flowered.	H. w. 2.	Tab. ic. 751. f. 1.	
2 minor. Mill.	small.	H. w. 2.	750. f. 2.	
3 radicans. DC.	creeping. Scotland.	H. w. 2.	Linn. trans. 8. t. 17.	
4 flabellifolia. DC.	fan-leaved. N. Amer.	1818.	7. 8.	H. w. 2.		
5 natans. DC.	floating. Siberia.	1823.	4. 5.	H. w. 2.	Gmel. sib. 4. t. 82.	
TROLLIUS. DC.	GLOBE-FLOWER. Polyandria Polygynia. L.					
1 europæus. DC.	European. Britain.	5. 6.	H. 2.	Eng. bot. t. 28.	
α altissimus.	tall.	H. 2.		
β humilis. DC.	dwarf.	H. 2.		
2 napellifolius. DC.	intermediate.	H. 2.		
3 caucasicus. DC.	Caucasian. Caucasus.	H. 2.		
4 asiaticus. DC.	Asiatic. Siberia.	1759.	H. 2.	Bot. mag. 235.	
5 americanus. DC.	American. N. Amer.	1805.	5. 7.	H. 2.	1988.	
luxus. Ph.	Gaissenia verna. Raf.					
ERANTHIS. DC.	WINTER-ACONITE. Polyandria Polygynia. L.					
1 hyemalis. DC.	common. Europe.	1596.	1. 3.	H. 2.	Bot. mag. 3.	
2 sibirica. DC.	Siberian. Siberia.	1824.	H. 2.		
HELLEBORUS. DC.	HELLEBORE. Polyandria Polygynia. L.					
1 niger. DC.	Christmas-Rose. Europe.	1596.	1. 3.	H. 2.		
α latifolius.	broad-leaved.	H. 2.	Bot. mag. 8.	
β angustifolius.	narrow-leaved.	H. 2.		
2 purpurascens.	purplish. Hungary.	1817.	3. 4.	H. 2.	Pl. rar. hung. 2. t. 101.	
3 odorus. DC.	sweet-scented.	H. 2.		
4 viridis. DC.	green-flowered. Britain.	4. 6.	H. 2.	Eng. bot. 200.	
5 atrorubens. DC.	dark-red. Hungary.	1822.	1. 3.	H. 2.	Pl. rar. hung. 3. t. 271.	
6 dumetorum. DC.	bush.	1817.	3. 4.	H. 2.	Swt. br. fl. gar. 109.	
7 foetidus. DC.	Bear's-foot. England.	2. 4.	H. 2.	Eng. bot. 613.	
8 lividus. DC.	three-leaved. Corsica.	1710.	1. 5.	H. 2.	Bot. mag. 72.	
β integrilobus. DC.	entire-lobed.	H. 2.		
COPTIS. DC.	COPTIS. Polyandria Polygynia. L.					
trifolia. DC.	three-leaved. N. Amer.	1782.	6. 7.	H. 2.	Big. med. bot. 1. t. 5.	
ISOPYRUM. DC.	ISOPYRUM. Polyandria Polygynia. L.					
1 thalicroides. DC.	Meadow-Rue'd. Italy.	1759.	3. 4.	H. 2.	Jac. aust. 2. t. 105.	
2 fumarioides. DC.	Fumitory-ld. Siberia.	1741.	6. 7.	H. 2.	Schkuhrhand. 2. t. 153.	
3 grandiflorum. F.	large-flowered. Altay.	1804.	H. 2.		
GARIDELLA. DC.	GARIDELLA. Decandria Trigynia. L.					
Nigellastrum. DC.	Nigella-leaved. S. Europe.	1736.	6. 7.	H. 2.	Bot. mag. 1266.	
NIGELLA. DC.	Fennel-flower. Polyandria Pentagynia. L.					
1 corniculata. DC.	horned.	1822.	6. 9.	H. 2.		
2 orientalis. DC.	yellow. Syria.	1699.	H. 2.	Bot. mag. 1264.	
3 hispanica. DC.	Spanish. Spain.	1629.	H. 2.	1265.	
4 arvensis. DC.	field. Europe.	1683.	H. 2.	Bull. herb. t. 126.	
5 sativa. DC.	small. Egypt.	1548.	H. 2.	Flor. græc. t. 511.	
β cretica. DC.	Cretan. Crete.	H. 2.	Math. com. 581. f. iv.	
γ citrina. DC.	yellow-seeded.	H. 2.	Lob. ic. 741. f. 1.	
6 damascena. DC.	common. S. Europe.	1570.	H. 2.	Bot. mag. 22.	
β flore-pleno.	double-flowered.	H. 2.	Clus. hist. 2. p. 208. f. 1.	
7 coarctata. DC.	dwarf.	1793.	H. 2.		
AQUILEGIA. DC.	COLUMBINE. Polyandria Pentagynia. L.					
1 vulgaris. DC.	common. Britain.	5. 7.	H. 2.	Eng. bot. 297.	
β corniculata. DC.	downward-spur'd.	H. 2.	Barr. ic. 614. 615. 616. &c.	
γ inversa. DC.	upward-spurred.	H. 2.	613.	
δ stellata. DC.	starry.	H. 2.	619. 620. &c.	
ε degener. DC.	green-flowered.	H. 2.	608.	
2 viscosa. DC.	clammy. S. Europe.	1752.	5. 6.	H. 2.	Gou. ill. t. 19.	
3 sibirica. DC.	Siberian. Siberia.	H. 2.	Deles. ic. sel. 1. t. 47.	
4 glandulosa. F.	glandulous. Altay.	1821.	H. 2.		
5 alpina. DC.	Alpine. Switzerland.	1731.	H. 2.	Deles. ic. sel. 1. t. 48.	
6 pyrenaica. DC.	Pyrcnean. Pyrenees.	1821.	H. 2.	Trev. delph. 23. t. 2.	
7 canadensis. DC.	Canadian. N. Amer.	1640.	4. 5.	H. 2.	Bot. mag. 246.	

8	<i>formosa</i> . F.	handsome.	Kamtschatka	1824.	—	H. ♀.	
9	<i>viridiflora</i> . DC.	green-flowered.	Siberia.	1780.	5. 6.	H. ♀.	Jac. ic. 1. t. 102.
10	<i>atropurpurea</i> . DC.	dark-purple.	—	5. 6.	H. ♀.	
11	<i>hybrida</i> . DC.	hybrid.	—	H. ♀.	Bot. mag. 1221.
DELPHINIUM. DC. LARKSPUR. Polyandria Trigynia. L.							
1	<i>Ajacis</i> . DC.	Rocket.	Tauria.	1573.	6. 9.	H. ⊙.	Spreng. geh. 1. t. 24. f. 1-5
	<i>β flore-pleno</i> .	double-flowered.	—	—	—	H. ⊙.	Clus. hist. 2. f. 2.
2	<i>Consolida</i> . DC.	field.	England.	—	H. ⊙.	Eng. bot. 1839.
	<i>β flore-pleno</i> .	double-flowered.	—	—	H. ⊙.	Besl. eyst. 2. t. 14. f. 1.
3	<i>pubescens</i> . DC.	pubescent.	S. France.	—	H. ⊙.	Flor. græc. t. 504.
4	<i>Aconiti</i> . DC.	Aconite-like.	Levant.	1801.	—	H. ⊙.	Vahl symb. 1. 40. t. 13.
5	<i>junceum</i> . DC.	Rnsh-like.	—	1629.	—	H. ⊙.	Flor. græc. t. 506.
	<i>peregrinum</i> . Lin. non Lam.						
6	<i>cardiopetalum</i> . DC.	heart-petaled.	Pyrenees.	1822.	—	H. ⊙.	Math. com. 557. ic.
	<i>peregrinum</i> . Lam. non Lin.						
7	<i>ambiguum</i> . DC.	doubtful.	Barbary.	1759.	7. 9.	H. ⊙.	
8	<i>grandiflorum</i> . DC.	great-flowered.	Siberia.	1741.	6. 9.	H. ♀.	Bot. mag. 1686.
	<i>β chinense</i> . F.	Chinese.	China.	1816.	—	H. ♀.	Bot. reg. 472.
	<i>γ album</i> .	white-flowered.	—	—	—	H. ♀.	
	<i>δ flore pleno</i> .	double-flowered.	Siberia.	1741.	—	H. ♀.	
9	<i>cheilanthum</i> . DC.	hairy-leaved.	Dahuria.	1820.	—	H. ♀.	Bot. reg. 473.
10	<i>puniceum</i> . DC.	dark-purple.	Tartary.	1785.	7. 9.	H. ♀.	
11	<i>ochroleucum</i> . DC.	sulphur-colour'd.	Iberia.	1817.	—	H. ♀.	
12	<i>hybridum</i> . DC.	hairy.	Siberia.	1794.	6. 9.	H. ♀.	
13	<i>fissum</i> . P.S.	cloven.	Hungary.	1816.	—	H. ♀.	Pl. rar. hung. 1. t. 81.
14	<i>velutinum</i> . DC.	velvetty.	Italy.	1824.	—	H. ♀.	
15	<i>pentagynum</i> . DC.	five-styled.	Portugal.	1820.	—	H. ♀.	Pict. hort. par. t. 30.
16	<i>elegans</i> . DC.	elegant.	N. Amer.?	1824.	—	H. ♀.	
17	<i>tricornis</i> . DC.	three-horned.	N. Amer.	1806.	4. 6.	H. ♀.	Lodd. bot. cab. 306.
18	<i>amœnum</i> . DC.	pretty.	Siberia.	—	H. ♀.	Gmel. sib. 4. t. 77.
19	<i>azureum</i> . DC.	azure.	Carolina.	1805.	5. 7.	H. ♀.	
20	<i>exaltatum</i> . DC.	tall.	N. Amer.	1758.	7. 8.	H. ♀.	Mill. ic. t. 250. f. 2?
21	<i>urceolatum</i> . DC.	hollow-leaved.	—	1806.	6. 7.	H. ♀.	Jac. ic. 1. t. 101.
22	<i>revolutum</i> . DC.	revolute.	7. 9.	H. ♀.	
23	<i>palmatifidum</i> . DC.	palmate.	Siberia.	6. 9.	H. ♀.	
	<i>α hispidum</i> . DC.	hispid.	—	—	H. ♀.	Gmel. sib. 4. t. 79?
	<i>β glabellum</i> . DC.	smooth.	—	—	H. ♀.	— 4. t. 75?
24	<i>intermedium</i> . DC.	intermediate.	Europe.	1710.	7. 8.	H. ♀.	
	<i>α pilosissimum</i> . DC.	villous.	—	—	H. ♀.	Gmel. sib. 4. t. 80?
	<i>β alpinum</i> . DC.	Alpine.	—	—	H. ♀.	Pl. rar. hung. 3. t. 246.
	<i>γ leptostachyum</i> . DC.	slender-spiked.	—	—	H. ♀.	
	<i>δ ranuncutifolium</i> . DC.	<i>Ranunculus</i> -ld.	—	—	H. ♀.	
	<i>ε luxum</i> . DC.	loose-flowered.	—	—	H. ♀.	Mill. ic. t. 119?
25	<i>mesoleucum</i> . L.en.	notched-lipped.	—	H. ♀.	
26	<i>cuneatum</i> . DC.	wedge-leaved.	Siberia.	1815.	—	H. ♀.	Bot. reg. 327.
27	<i>villosum</i> . DC.	villous.	1819.	—	H. ♀.	
28	<i>dyctiocarpum</i> . DC.	netted-capsuled.	Siberia.	—	—	H. ♀.	
29	<i>laxiflorum</i> . DC.	loose-flowered.	—	—	6. 8.	H. ♀.	
30	<i>montanum</i> . DC.	mountain.	Pyrenees.	—	—	H. ♀.	
	<i>β bracteosum</i> . DC.	large-bracted.	Switzerland	—	—	H. ♀.	
31	<i>dasy carpum</i> . DC.	thick-capsuled.	Caucasus.	1824.	—	H. ♀.	
32	<i>speciosum</i> . DC.	large-flowered.	Caucasus.	1822.	8. 10.	H. ♀.	Gmel. sib. 4. t. 79.
33	<i>flexuosum</i> . DC.	flexuose.	—	1817.	7. 9.	H. ♀.	Trev. delph. t. 1. et 2.
34	<i>triste</i> . DC.	dark-flowered.	Siberia.	1822.	—	H. ♀.	
35	<i>Requienii</i> . DC.	Requien's.	S. Europe.	1819.	6. 7.	F. ♂.	Deles. ic. sel. 1. t. 63.
36	<i>pictum</i> . DC.	painted.	—	1816.	—	F. ♂.	Woodv. med. bot. t. 154.
37	<i>Staphysagria</i> . DC.	Stavesacre.	—	1596.	5. 6.	F. ♂.	Flor. græc. t. 508.
ACONITUM. DC. MONKSHOOD. Polyandria Trigynia. L.							
1	<i>Anthora</i> . L.	wholesome.	Pyrenees.	1596.	6. 8.	H. ♀.	
2	<i>Pallasii</i> . R.U.	Pallas's.	Caucasus.	1824.	—	H. ♀.	Rch. ac. 72. t. 6. f. A. B.
3	<i>Jacquinii</i> . R.U.	Jacquin's.	Austria.	—	H. ♀.	Jac. aust. t. 382.
4	<i>inclinatum</i> . DC.	inclined.	Jurasso.	—	H. ♀.	Ser. m. helv. 1. t. 15. f. 2.
	<i>anthoroidum</i> . R.U.	ac. t. 4. non. DC.					
5	<i>enoplum</i> . R.U.	eatable.	Caucasus.	1824.	—	H. ♀.	Rch. ac. 69. t. 5.
	<i>anthoroideum</i> . DC.						
6	<i>lycoctonum</i> . L.	great-yellow.	Alps.	1596.	7. 8.	H. ♀.	
7	<i>pyrenaicum</i> . DC.	Pyrenean.	Pyrenees.	1739.	6. 7.	H. ♀.	
8	<i>tragoctonum</i> . R.U.	Goat's-bane.	Alps.	—	H. ♀.	
9	<i>theriophonum</i> . R.U.	Park-bane.	—	—	H. ♀.	

10	lupicida. R.U.	Wolf's-bane.	Switzerland.	1824.	—	H. 4.	
11	thelyphonum. R.U.	Elwert's.	Alps.	—	—	H. 4.	
12	Vulparia. R.U.	Fox-bane.	—	—	—	H. 4.	Jac. aust. 4. t. 380.
13	altissimum. R.U.	tallest.	France.	—	H. 4.	
14	rectum. R.U.	upright.	—	1824.	—	H. 4.	
15	cynoctonum. R.U.	Dogs-bane.	—	—	—	H. 4.	
16	laxiflorum. R.U.	loose-flowered.	Switzerland.	—	—	H. 4.	
17	rubicundum. F.	rubicund.	Russia.	1822.	6. 8.	H. 4.	
18	australe. R.U.	Carpathian.	Carp.mount.	1815.	—	H. 4.	Bot. mag. 2196.
	<i>septentrionale. β carpathicum. B.M.</i>						
19	septentrionale. W.	northern.	N. Europe.	1800.	7. 8.	H. 4.	Flor. dan. t. 123.
20	ochroleucum. DC.	pale-white.	Caucasus.	1794.	6. 9.	H. 4.	
21	album. H.K.	white.	Levant.	1752.	7. 8.	H. 4.	
22	barbatum. DC.	bearded.	Siberia.	1807.	6. 7.	H. 4.	Deles. ic. sel. 1. t. 64.
23	Gmelini. R.U.	Gmelin's.	—	—	H. 4.	
24	variegatum. DC.	variegated.	S. Europe.	1597.	6. 8.	H. 4.	Ser. m. 1. t. 15. f. 12. 13.
25	hamatum. R.U.	hooked.	—	1804.	—	H. 4.	
26	rhynchanthum. R.U.	beaked.	Italy.	—	—	H. 4.	
	<i>β bicolor. R.U. two-coloured.</i>						
27	Cammarum. Jac.	purple.	Austria.	1752.	6. 7.	H. 4.	Jac. anst. 5. t. 424.
28	gibbosum. DC.	gouty.	Caucasus.	1823.	—	H. 4.	Ser. m. 1. t. 15. f. 14. 15.
29	rostratum. DC.	rostrate.	Switzerland.	—	H. 4.	Lodd. b. cab. 203.
30	gracile. R.U.	slender.	—	1824.	—	H. 4.	
31	hebegynum. DC.	downy-capsul'd.	—	—	H. 4.	Ser. m. 1. t. 15. f. 18. 19.
32	paniculatum. DC.	panicked.	—	—	H. 4.	— t. 15. f. 20. 21.
33	cernuum. R.U.	drooping.	Ratisbon.	1824.	—	H. 4.	
34	acuminatum. R.U.	acuminate.	Switzerland.	—	—	H. 4.	
35	Sterkianum. R.U.	Stoerk's.	—	—	—	H. 4.	Stor. lib. destram. 69. ic.
36	molle. R.U.	soft.	Alps.	1824.	6. 7.	H. 4.	Ser. m. 1. t. 15. f. 35. 36.
37	Clusii. R.U.	Clusius's.	Ratisbon.	—	H. 4.	Clus. hist. 2. f. 1.
38	japonicum. Th.	Japan.	Japan.	1790.	6. 9.	H. 4.	Ser. m. 1. t. 15. f. 22. 23.
39	uncinatum. L.	American.	N. Amer.	1768.	7. 8.	H. 4.	
	<i>β Michauxianum. DC. Michaux's.</i>						
40	speciosum. DC.	specious.	1801.	—	H. 4.	Bot. mag. 1119.
41	tortuosum. DC.	twisted.	1812.	—	H. 4.	Ser. m. 1. t. 15. f. 26. 27.
42	illinitum. R.U.	besmeared.	Switzerland.	1823.	—	H. 4.	— t. 15. f. 28. 29.
43	volubile. W.	twining.	Siberia.	1799.	—	H. 4.	
44	flaccidum. R.U.	flaccid.	—	—	H. 4.	Deles. ic. sel. 1. t. 65.
	<i>ciliare β polytrichum. DC.</i>						
45	maximum. DC.	large.	Kamtschatka	1823.	—	H. 4.	Ser. m. 1. t. 15. f. 31. 32.
46	productum. R.U.	long-lipped.	Siberia.	1824.	—	H. 4.	— t. 15. f. 33. 34.
47	exaltatum. DC.	high.	—	—	H. 4.	— t. 15. f. 37. 38.
48	Napellus. L.	common.	Europe.	5. 7.	H. 4.	— t. 15. f. 41. 42.
49	tauricum. R.U.	Taurian.	Tauria.	1752.	6. 7.	H. 4.	Rch. ac. t. 12. f. 2. 3.
50	Koelleanum. R.U.	Køelle's.	—	H. 4.	— t. 11. f. 1.
51	Braunii. R.U.	Braune's.	Switzerland.	1824.	—	H. 4.	
52	commutatum. R.U.	changeable.	Siberia.	—	—	H. 4.	Rch. ac. t. 18. f. 3.
53	callybotryon. R.U.	long-spiked.	Moravia.	—	—	H. 4.	— t. 16. f. 1.
54	Halleri. R.U.	Haller's.	Switzerland.	—	—	H. 4.	
	<i>β bicolor. R.U. two-coloured.</i>						
55	virgatum. R.U.	weak.	—	—	H. 4.	
56	eriosstemum. DC.	woolly-stamen'd	—	6. 8.	H. 4.	
57	amœnum. R.U.	delightful.	—	—	H. 4.	Rch. ac. t. 14. f. 1.
58	Hoppii. R.U.	Hoppe's.	Carinthia.	—	—	H. 4.	
59	semigaleatum. R.U.	half-helmeted.	Kamtschatka	—	—	H. 4.	Rch. ac. 77. t. 8.
60	formosum. R.U.	handsome.	—	—	H. 4.	— t. 18. f. 2.
61	venustum. R.U.	beautiful.	Switzerland.	1823.	—	H. 4.	
62	melectonum. R.U.	Badger-bane.	—	—	H. 4.	
63	elatum. R.U.	tall.	Europe.	—	H. 4.	
64	neubergense. DC.	Styrian.	Styria.	—	H. 4.	
65	strictum. DC.	straight.	Siberia.	—	H. 4.	Rch. ac. t. 15. f. 1.
66	Sprengelii. R.U.	Sprengel's.	1823.	—	H. 4.	
67	Bernhardianum. R.U.	Bernhard's.	—	—	H. 4.	
68	Schleicheri. R.U.	Schleicher's.	Switzerland.	—	—	H. 4.	
69	ampliflorum. R.U.	large-flowered.	Austria.	—	—	H. 4.	
70	pyramidale. M.	pyramidal.	Europe.	1596.	—	H. 4.	
71	versicolor. R.U.	various-colour'd.	Switzerland.	1823.	—	H. 4.	Lodd. bot. cab. 794.
72	decorum. R.U.	neat.	Pyrenees.	1823.	6. 8.	H. 4.	
73	recognitum. R.U.	recognised.	N. Amer.?	1812.	—	H. 4.	

74	Ottonianum. R. U.	Otto's.	1823.	—	H. 2.	
75	leucanthum. R. U.	white-flowered.	—	H. 2.	
76	squarrosus. DC.	squarrose.	Siberia	1823.	—	H. 2.	
77	galectonum. R. U.	Lizards-bane.	Hungary	—	—	H. 2.	
78	delphinifolium. DC.	Larkspur-leav'd	N. Amer.	1812.	—	H. 2.	Rech. ac. t. 9. f. 1. 2. 3.
79	autumnale. R. U.	autumnal.	1823.	8. 10.	H. 2.	— t. 17. f. 2.
80	laxum. R. U.	loose.	—	7. 9.	H. 2.	— t. 15. f. 4.
81	lætum. R. U.	great-flowered.	—	6. 8.	H. 2.	— t. 13. f. 2.
82	rubellum.	red-flowered.	Switzerland.	—	—	H. 2.	
	<i>Napellus floribus rubellis.</i> Sch.						
83	biflorum. DC.	two-flowered.	Siberia.	1824.	H. 2.	Ser. m. t. 15. f. 45. 46.
84	eminata. Koch.	eminent.	1822.	6. 8.	H. 2.	
85	inunctum. Koch.	anointed.	—	—	H. 2.	
86	lacinosum. Sch.	jagged.	Switzerland.	—	—	H. 2.	
87	Willdenowii. R. U.	Willdenow's.	1823.	—	H. 2.	

Tribus V. PÆONIACEÆ. DC. *prodr.* 1. 64.

CIMICIFUGA. L.	BUG-WORT.	Polyandria Pentagynia. L.					
1 fœtida. W.	stinking.	Siberia.	1777.	6. 7.	H. 2.	Linn. amæn. ac. 8. t. 4.	
2 podocarpa.	American.	Carolina.	1822.	8. 9.	H. 2.		
	<i>americana.</i> M. <i>Actæa podocarpa.</i> DC.						
3 palmata. Ph.	palmated.	1812.	7. 8.	H. 2.	Bot. mag. 1630.	
4 cordifolia. Ph.	heart-leaved.	—	6. 7.	H. 2.	— 2069.	
MACROTYS. Raf.	SNAKEROOT.	Polyandria Monogynia. L.					
	black.	N. Amer.	1732.	6. 7.	H. 2.	Dill. elth. 79. t. 67. f. 78.	
	<i>Actæa racemosa.</i> W. <i>Cimicifuga serpentaria.</i> Ph.						
ACTÆA. Ph.	BANE-BERRIES.	Polyandria Monogynia. L.					
1 spicata. DC.	coamon.	Britain.	4. 6.	H. 2.	Eng. bot. 918.	
2 rubra. W. en.	red-berried.	N. Amer.	—	H. 2.		
	<i>brachypetala.</i> β <i>rubra.</i> DC.						
3 alba. Mill.	white-berried.	—	H. 2.	Corn. canad. t. 77.	
	<i>brachypetala.</i> α <i>alba.</i> DC.						
ZANTHORHIZA. DC.	YELLOW-ROOT.	Pentandria Polygynia. L.					
	apiifolia. DC.	Parsley-leav'd	N. Amer.	1766.	2. 4.	H. 2.	Bot. mag. 1736.
PÆONIA. DC.	PÆONY.	Polyandria Digynia. L.					
1 Moutan. H. K.	Chinese-tree.	China.	1789.	4. 6.	H. 2.		
	α <i>papaveracea.</i> L. T. <i>Poppy-flowered.</i> — 1806. — H. 2. Bot. rep. 463.						
	β <i>Banksii.</i> L. T. <i>common.</i> — 1789. — H. 2. — 448.						
	γ <i>rosea.</i> L. T. <i>rose-coloured.</i> — 1794. — H. 2. — 373.						
2 edulis. P. L.	eatable-rooted.	5. 6.	H. 2.		
	<i>albiflora.</i> L. T.						
	α <i>vestalis.</i> L. T. <i>virgin.</i> Siberia. 1784. — H. 2. Bot. rep. 64.						
	β <i>candida.</i> L. T. <i>pale-flowered.</i> — — — — H. 2.						
	γ <i>tatarica.</i> L. T. <i>Tartarian.</i> Tartary. — H. 2. Bot. reg. 42.						
	δ <i>sibirica.</i> L. T. <i>Siberian.</i> Siberia. — H. 2.						
	ϵ <i>rubescens.</i> L. T. <i>pale-red.</i> — H. 2.						
	ζ <i>uniflora.</i> L. T. <i>one-flowered.</i> — H. 2. Bot. mag. 1756.						
	η <i>Whiteji.</i> L. T. <i>double-white.</i> China. 1808. 6. 7. H. 2. Bot. reg. 630.						
	θ <i>Humel.</i> L. T. <i>double-crimson.</i> — 1810. — H. 2. Bot. mag. 1768.						
	ι <i>fragrans.</i> L. T. <i>Rose-scented.</i> — 1805. — H. 2. Bot. reg. 485.						
3 anomala. L. T.	jagged-leaved.	Siberia.	1788.	5. 6.	H. 2.	Bot. mag. 1754.	
	<i>laciniata.</i> Pall. ross. 2. t. 85.						
4 hybrida. DC.	intermediate.	Caucasus.	1822.	...	H. 2.		
5 tenuifolia. L. T.	slender-leaved.	Siberia.	1765.	5. 6.	H. 2.	Bot. mag. 926.	
6 officinalis. L. T.	officinal.	Europe.	1548.	5. 6.	H. 2.		
	α <i>Sabini.</i> L. T. <i>Sabine's.</i> — — — — H. 2. Bot. mag. 1784.						
	β <i>rosea.</i> L. T. <i>rose-coloured.</i> — — — — H. 2.						
	γ <i>blanda.</i> L. T. <i>blush-flowered.</i> — — — — H. 2.						
	δ <i>rubra.</i> L. T. <i>double-red.</i> — — — — H. 2. Lob. ic. 684.						
	ϵ <i>carnescens.</i> L. T. <i>flesh-coloured.</i> — — — — H. 2.						
	ζ <i>albicans.</i> L. T. <i>double-blush.</i> — — — — H. 2.						
7 corallina. L. T.	English.	England.	—	H. 2.	Eng. bot. 1513.	
8 daurica. L. T.	Daurian.	Dauria.	1790.	—	H. 2.	Bot. mag. 1441.	
	<i>triternata.</i> DC. <i>prodr.</i>						

9 lobata. DC.	lobed-leaved.	Portugal.	1821.	—	H. 2.	Swt. br. fl. gar. 70.
10 Russi. DC.	crimson.	Sicily.	—	H. 2.	
11 pubens. B. M.	pubescent.	1821.	—	H. 2.	Bot. mag. 2264.
12 humilis. L. T.	dwarf.	Spain.	1633.	5.	H. 2.	— 1422.
13 decora. L. T.	comely.	Turkey.	—	H. 2.	
<i>a Pallasii.</i> L. T.	<i>Pallas's.</i>	—	H. 2.	
<i>β elatior.</i> L. T.	tall.	—	H. 2.	
14 arietina. L. T.	rams-horned.	—	H. 2.	
15 cretica. B. R.	Cretan.	Crete.	—	H. 2.	Bot. reg. 819.
16 peregrina. L. T.	Turkish.	Levant.	1588.	5. 6.	H. 2.	
<i>a byzantina.</i> L. T.	<i>Levant.</i>	—	H. 2.	Bot. mag. 1050.
<i>β compacta.</i> L. T.	<i>compact.</i>	France?	—	H. 2.	
<i>γ Grevillii.</i> L. T.	<i>Greville's.</i>	—	H. 2.	
17 paradoxa. L. T.	paradoxical.	Levant.	—	H. 2.	
<i>a simpliciflora.</i> L. T.	<i>single-flowered.</i>	—	H. 2.	
<i>β fimbriata.</i> L. T.	<i>double-flowered.</i>	—	H. 2.	Swt. br. fl. gar. 19.
18 mollis. L. T.	soft-leaved.	Siberia?	—	H. 2.	Bot. reg. 474.
19 villosa.	villous.	1822.	—	H. 2.	

ORDO II.

DILLENIACEÆ. DC. *systema naturae*. 1. p. 395.

Tribus I. DELIMACEÆ. DC.

TETRACERA. DC.	TETRACERA.	Polygamia Diœcia.
1 volubilis. DC.	climbing.	Barbadoes. S. 2.
2 alnifolia. DC.	Alder-leaved.	Sierra Leone. 1822. S. 2.
3 potatoria. Afz.	water-bearing. S. 2.
DOLIOCARPUS. DC.	DOLIOCARPUS.	Polyandria Monogynia.
1 Calinea. DC.	climbing.	Guiana. 1822. S. 2.
<i>Tetracera calinea.</i> w.	<i>Calinea scandens.</i> Aub.	
DELIMA. DC.	DELIMA.	Polyandria Monogynia.
sarmentosa. DC.	sarmentose.	Ceylon. 1822. S. 2.
<i>Tetracera sarmentosa.</i> w.		
CURATELLA. DC.	CURATELLA.	Polyandria Digynia.
americana. DC.	American.	Guiana. S. 2.

Tribus II. DILLENEÆ. DC.

PLEURANDRA. DC.	PLEURANDRA.	Polyandria Monogynia.
1 bracteata. DC.	elegant.	N. S. W. 1822. G. 2.
2 nitida. DC.	shining.	N. S. W. G. 2.
3 acicularis. DC.	needle-leaved. G. 2.
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.
1 grossulariæfolia. DC.	Gooseberry-ld.	N. Holl. 1803. 3. 8. G. 2.
<i>crenata.</i> A. R.		
2 volubilis. DC.	twining.	N. S. W. 1796. 5. 10. G. 2.
3 dentata. DC.	tooth-leaved.	N. Holl. 1814. 1. 8. G. 2.
4 virgata. DC.	twiggy.	N. S. W. 1822. G. 2.
5 linearis. DC.	linear-leaved. G. 2.
6 pedunculata. DC.	long-pedicled. G. 2.
WORMIA. DC.	WORMIA.	Polyandria Pentagynia.
dentata. DC.	tooth-leaved.	Ceylon. 1821. S. 2.
<i>Dillenia dentata.</i> w.		
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.
coromandeliana. DC.	Coromandel.	E. Ind. 1803. S. 2.
<i>Dillenia pentagynia.</i> w.		
DILLENIA. DC.	DILLENIA.	Polyandria Monogynia. L.
speciosa. DC.	large-flowered.	E. Ind. 1800. S. 2.

ORDO III.

WINTEREÆ. *Brown.*

ILLICIAM. DC.	ANISEED-TREE. Polyandria Polygynia. L.				
1 floridanum. DC.	red-flowered. Florida.	1766.	4. 6.	F. h.	Bot. mag. 439.
2 anisatum. DC.	Chinese. China.	—	F. h.	Lam. ill. t. 493. f. 2.
3 parviflorum. DC.	small-flowered. Florida.	1790.	—	F. h.	Vent. cels. t. 22.

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v. 1. p. 439.*

MICHELIA. DC.	MICHELIA. Polyandria Polygynia. L.				
<i>Champaca</i> . DC.	sweet-scented. E. Ind.	1779.	S. h.	Lam. ill. t. 493.
MAGNOLIA. DC.	MAGNOLIA. Polyandria Polygynia. L.				
1 grandiflora. DC.	Laurel-leaved. Carolina.	1734.	6. 10.	H. h.	
<i>a rotundifolia</i> .	round-leaved. ———	—	H. h.	
<i>β obovata</i> . H. K.	obovate-leaved. ———	—	H. h.	
<i>γ elliptica</i> . H. K.	elliptic-leaved. ———	—	H. h.	Mill. ic. v. 2. t. 172.
<i>δ ferruginea</i> . B. M.	ferruginous. ———	—	H. h.	Tr. Eh. p. 8. t. 33-35.
<i>ε lanceolata</i> . H. K.	Exmouth. ———	—	H. h.	Bot. mag. 1952.
2 glauca. DC.	glaucous-leav'd. N. Amer.	1688.	6. 9.	H. h.	Mich. arb. t. 2.
3 longifolia.	narrow-leaved. ———	—	H. h.	
<i>glauca β longifolia</i> . Ph.	hybrid. Hybrid.	1818.	—	H. h.	
4 Thompsoniana.	Umbrella. N. Amer.	1752.	5. 6.	H. h.	Mich. arb. t. 5.
5 acuminata. DC.	bluish-flower'd. ———	1736.	5. 7.	H. h.	Bot. mag. 2427.
6 auriculata. DC.	ear-leaved. ———	1786.	4. 5.	H. h.	— 1206.
8 pyramidata. DC.	small ear-l'd. ———	1811.	—	H. h.	Bot. reg. 407.
9 macrophylla. DC.	large-leaved. ———	1800.	6. 7.	H. h.	Bot. mag. 2189.
10 cordata. DC.	heart-leaved. ———	1801.	—	H. h.	Bot. reg. 325.
11 conspicua. P. L.	Youlan. China.	1789.	2. 5.	H. h.	Bot. mag. 1621.
<i>Yulan</i> . DC.					
12 Kobus. DC.	slender. ———	1804.	3. 4.	H. h.	Par. lond. 87.
<i>tomentosa</i> . W. <i>gracilis</i> . P. L.					
13 obovata. DC.	obovate-leaved. ———	1790.	4. 6.	H. h.	Bot. mag. 390.
<i>purpurea</i> . B. M. <i>discolor</i> . Vt.					
14 fasciata. DC.	brown-stalked. ———	1789.	—	H. h.	— 1008.
15 annonæfolia. P. L.	small-flowered. ———	1804.	—	G. h.	Par. lond. 5.
16 pumila. DC.	dwarf. ———	1786.	1. 12.	G. h.	Bot. mag. 977.
LIRIODENDRON. W. TULIP-TREE. Polyandria Polygynia. L.					
<i>tulipifera</i> . W.	common. N. Amer.	1663.	6. 7.	H. h.	Bot. mag. 275.
<i>a acutiloba</i> . M.	acute-lobed. ———	—	H. h.	
<i>β obtusiloba</i> . M.	blunt-lobed. ———	—	H. h.	

ORDO V.

ANONACEÆ. *DC. syst. nat. 1. p. 463.*

ANONA. DC.	CUSTARD-APPLE. Polyandria Polygynia. L.				
1 muricata. DC.	Soursop. W. Ind.	1656.	S. h.	Jacq. obs. 1. t. 5.
2 palustris. DC.	shining-leaved. ———	1731.	S. h.	Sloan. hist. 2. t. 228. f. 1.
3 longifolia. DC.	long-leaved. Guiana.	1820.	S. h.	Aub. gui. 1. t. 218.
4 punctata. DC.	spotted-fruited. Cayenne.	1822.	S. h.	— 1. t. 247.
5 paludosa. DC.	marsh. Guiana.	1803.	S. h.	— 1. t. 246.
6 squamosa. DC.	Sweetsop. S. Amer.	1731.	S. h.	Jac. obs. 1. t. 6. f. 1.
7 cinerea. DC.	cinereous. St. Thomas.	1823.	S. h.	
8 Cherimolia. DC.	Cherimolli. S. Amer.	1739.	7. 8.	S. h.	Bot. mag. 2011.
<i>tripetala</i> . W.					

9	reticulata. DC.	netted.	————	1690.	S. h.	Cates. car. 2. t. 86.
10	mucosa. DC.	narrow-leaved.	Guiana.	S. h.	Rumph. amb. 1. t. 45.
11	glabra. DC.	smooth-fruited.	Carolina.	1774.	7. 8.	S. h.	Cates. car. 2. t. 64.
12	asiatica. DC.	Ceylon.	Ceylon.	S. h.	
13	senegalensis. DC.	Senegal.	Senegal.	1822.	S. h.	Deles. ic. sel. 1. t. 86.
MONODORA. DC.		MONODORA.	Polyandria Monogynia.				
	myristica. DC.	Nutmeg.	Jamaica.	S. h.	Gært. fr. 2. t. 125. f. 1.
ASIMINA. DC.		ASIMINA.	Polyandria Polygynia.				
1	parviflora. DC.	small-flowered.	N. Amer.	1806.	4. 5.	H. h.	Dun. mon. t. 9.
2	triloba. DC.	trifid-fruited.	————	1736.	—	H. h.	Duh. arb. ed. 2. v. 2. t. 25.
	<i>Annona triloba.</i> W.	<i>Porcellia triloba.</i> Ph.					
3	pygmæa. DC.	dwarf.	————	1812.	—	H. h.	Dun. mon. t. 10.
	<i>Orchidocarpum pygmæum.</i> M.						
4	grandiflora. DC.	large-flowered.	Florida.	1820.	—	H. h.	Dun. mon. t. 11.
	<i>Porcellia grandiflora.</i> P. S.						
UVARIA. DC.		UVARIA.	Polyandria Polygynia. L.				
1	zeylanica. DC.	Ceylon.	E. Ind.	1794.	S. h.	Lam. ill. t. 495. f. 2.
2	Gærtneri. DC.	Gærtner's.	————	S. h.	— t. 495. f. 3.
3	lutea. DC.	yellow-fruited.	————	1822.	S. h.	Roxb. cor. 1. t. 36.
4	tomentosa. DC.	woolly.	————	S. h.	— 1. t. 35.
UNONA. DC.		UNONA.	Polyandria Polygynia. L.				
1	Narum. DC.	Rheede's.	E. Ind.	S. h.	Rheed. mal. 2. t. 9.
2	fuscata. DC.	brown-flower'd.	Guiana.	1820.	S. h.	
3	acuminata. DC.	taper-pointed.	————	—	—	S. h.	
4	odorata. DC.	sweet-scented.	Java.	1804.	5. 7.	S. h.	Lam. ill. t. 495. f. 1.
5	longifolia. DC.	long-leaved.	E. Ind.	1820.	S. h.	Sonn. voy. 4. t. 131.
6	aromatica. DC.	aromatic.	Guiana.	—	—	S. h.	Aub. gni. 2. t. 243.
7	æthiopica. DC.	Ethiopian.	Sierra Leone.	1822.	S. h.	Math. com. 1. p. 434. ic.
8	oxypetala. DC.	sour-petaled.	————	—	—	S. h.	
ARTABOTRYS. Br.		ARTABOTRYS.	Polyandria Polygynia. L.				
	odoratissimus. B. R.	sweet-scented.	China.	1758.	6. 7.	S. h.	Bot. reg. 423.
	<i>Anona hexapetala.</i> W.	<i>Uvaria odoratissima.</i> H. B.					
XYLOPIA. DC.		XYLOPIA.	Polyandria Polygynia. L.				
1	muricata. DC.	rough-fruited.	W. Ind.	1793.	S. h.	Brown. jam. 250. t. 5. f. 2.
2	frutescens. DC.	shrubby.	Guiana.	1823.	S. h.	Aub. gni. 1. t. 292.
3	glabra. DC.	smooth-fruited.	W. Ind.	S. h.	Dun. mon. t. 19.
GUATTERIA. DC.		GUATTERIA.	Polyandria Polygynia. L.				
1	ccrasoides. DC.	Cherry-fruited.	E. Ind.	1820.	S. h.	Roxb. cor. 1. t. 33.
2	suberosa. DC.	cork-barked.	————	—	—	S. h.	— 1. t. 34.
3	rufa. DC.	rufous.	India.	—	4. 8.	S. h.	Bot. reg. 836.
4	virgata. DC.	Lance-wood.	Jamaica.	1793.	S. h.	Dun. mon. t. 31.
	<i>Uvaria lancolata.</i> W.						
5	laurifolia. DC.	Laurel-leaved.	————	1820.	S. h.	— t. 32.
	<i>Uvaria laurifolia.</i> Sw.						

ORDO VI.

MENISPERMACEÆ. DC. *prodr.* 1. p. 95.

Tribus II. MENISPERMEÆ. DC.

COCCULUS. DC.		COCCULUS.	Diœcia Hexandria.				
1	rotundifolius. DC.	round-leaved.	1820.	S. h.	
2	cordifolius. DC.	heart-leaved.	E. Ind.	1822.	S. h.	Rheed. mal. 7. t. 21.
3	suberosus. DC.	cork-barked.	————	1790.	S. h.	Gært. fr. 1. t. 70. f. 7.
4	Plukenetii. DC.	Plukenet's.	————	—	—	S. h.	Pluk. man. 52. t. 345. f. 2.
5	incanus. C. L. T.	hoary.	————	1820.	S. h.	
6	tomentosus. C. L. T.	woolly-leaved.	————	—	—	S. h.	
7	crispus. C. L. T.	curled.	————	1822.	S. h.	Rumph. amb. 5. t. 44. f. 1.
8	palmatu. DC.	palmated.	————	S. h.	Berr. in As. res. 10. t. 5.
9	orbiculatus. DC.	orbicular-leav'd	————	1790.	S. h.	Rheed. mal. 11. t. 62.
10	laurifolius. DC.	Laurel-leaved.	————	1820.	1. 2.	S. h.	
COSCINIUM. C. L. T.		COSCINIUM.	Diœcia Hexandria.				
	fenestratum. C. L. T.	Knotted.	Ceylon.	1820.	S. h.	Gært. fr. 1. t. 46. f. 5.

TILIACORA. C. L. T.	TILIACORA.	Diœcia Hexandria.			
racemosa. C. L. T.	racemed.	E. Ind.	S. h. ∩.
WENDLANDIA. W.	WENDLANDIA.	Heptandria Polygynia.	W.		
populifolia. w.	Poplar-leaved.	Carolina.	1759.	6. 7.	H. h. ∩. Wend. h. herr. 3. t. 16.
	<i>Menispermum Carolinum.</i> L.	<i>Cocculus Carolinus.</i> DC.			
CISSAMPELOS. DC.	CISSAMPELOS.	Diœcia Monadelphia.	L.		
1 Pareira. DC.	velvet-leaf.	S. Amer.	1733.	7. 8.	S. h. ∩. Lam. ill. t. 830.
2 microcarpa. DC.	small-fruited.	W. Ind.	1823.	S. h. ∩.
3 hirsuta. DC.	hairy.	Nepaul.	1820.	G. h. ∩.
4 Mauritianâ. DC.	hispid-branch'd	Mauritius.	—	S. h. ∩.
5 Caapeba. DC.	nerved-leaved.	S. Amer.	1733.	7. 8.	S. h. ∩. Plum. ic. 67. f. 2.
6? capensis. DC.	Cape.	C. B. S.	1775.	G. h. ∩.
MENISPERMUM. DC.	MOON-SEED.	Diœcia Dodecandria.	L.		
1 canadense. DC.	Canadian.	N. Amer.	1691.	6. 7.	H. h. ∩. Bot. mag. 1910.
2 dauricum. DC.	Daurian.	Dahuria.	1823.	H. h. ∩. Deles. ic. sel. 1. t. 100.
3 smilacinum. DC.	Smilax-leaved.	Carolina.	1776.	G. h. ∩. Jacq. ic. 3. t. 629.
	<i>Cissampelos smilacina.</i> w.				
4 Lyoni. Ph.	Lyon's.	N. Amer.	1822.	6. 7.	H. ∩. ∩.
ABUTA. DC.	ABUTA.	<i>Menispermi sp.</i> w.			
rufescens. DC.	brown-leaved.	Guiana.	1822.	S. h. ∩. Aub. gui. 1. t. 250.

Tribus III. SCHIZANDREÆ. DC. *prodr.* 1. p. 104.

SCHIZANDRA. DC.	SCHIZANDRA.	Monœcia Pentandria.			
coccinea. DC.	scarlet-flower'd.	Carolina.	1806.	6. 7.	G. h. ∩. Bot. mag. 1413.

ORDO VII.

BERBERIDEÆ. DC. *sys. nat.* v. 2. 1.

BERBERIS. W.	BARBERRY.	Hexandria Monogynia.	L.		
1 vulgaris. DC.	common.	England.	4. 5.	H. h. Eng. bot. 49.
<i>a rubra.</i>	<i>red-fruited.</i>				
<i>β lutea.</i> DC.	<i>yellow-fruited.</i>				
<i>γ violacea.</i> DC.	<i>violet-fruited.</i>				
<i>δ purpurea.</i> DC.	<i>purple-fruited.</i>				
<i>ε nigra.</i> DC.	<i>black-fruited.</i>				
<i>ζ alba.</i> DC.	<i>white-fruited.</i>				
<i>ξ aspermu.</i> DC.	<i>stoneless.</i>				
2 iberica.	Iberian.	Iberia.	1790.	4. 5.	H. h.
<i>vulgaris.</i> <i>β iberica.</i> DC.					
3 einarginata. DC.	emarginate.	Siberia.	1820.	—	H. h.
4 canadensis. DC.	Canadian.	Canada.	1759.	4. 6.	H. h.
5 sinensis. DC.	China.	China.	1800.	—	H. h. Wats. dend. brit. t. 20.
6 aristata. DC.	awned.	Nepaul.	1820.	—	F. h. Bot. reg. 729.
<i>Chitria.</i> B. reg.					
7 cretica. DC.	Cretan.	Crete.	1759.	—	H. h. Flor. græc. t. 342.
8 illicifolia. DC.	Holly-leaved.	Terra del } Fuego.	1791.	7. 8.	H. h.
9 asiatica. DC.	Asiatic.	Nepaul.	1820.	F. h. Deles. ic. sel. 2. t. 1.
10 Wallichiana. DC.	Wallich's.	—	—	F. h.
11 heterophylla. DC.	various-leaved.	Magellan.	5. 6.	H. h. Hook. exot. fl. t. 14.
12 sibirica. DC.	Siberian.	Siberia.	1790.	6. 7.	H. h. Bot. reg. 487.
13 pinnata. B. reg.	pinnate-leaved.	America.	1820.	3. 5.	G. h. ——— 702.
<i>Mahonia fascicularis.</i> DC.					
14 aquifolium. Ph.	Lewis's.	N. Amer.	1822.	4. 5.	H. h. Pursh. Amer. J. t. 4.
<i>Mahonia aquifolia.</i> DC.					
NANDINA. DC.	NANDINA.	Hexandria Monogynia.			
domestica. DC.	garden.	China.	1804.	6. 7.	G. h. Bot. mag. 1109.
LEONTICE. DC.	LEONTICE.	Hexandria Monogynia.	L.		
1 Chrysozonum. DC.	Oak-leaved.	Levant.	1740.	3. 6.	H. ∩. Moris. hist. 2. t. 15. f. 7.

BERBERIDEÆ.

2	Leontopetalon. DC.	Lion's-leaf.	————	1597.	4. 5.	H. 2.	Lam. ill. t. 254. f. 1.
3	vesicaria. DC.	Bladder-capsd.	Siberia.	1822.	—	H. 2.	Pal. a. p. 1779. 2. t. 9 f. 1.
4	altaica. DC.	Altay.	————	—	—	H. 2.	— p. 257. t. 8. f. 1. 2. 3
5	thalictroides. DC.	Columbine-lq.	N. Amer.	1755.	5.	H. 2.	Mich. amer. 1. t. 21.
		<i>Caulophyllum thalictroides.</i>	M.				
	EPIMEDIUM. DC.	BARRENWORT.	Tetrandria Monogynia.	L.			
	alpinum. DC.	Alpine.	England.	4. 5.	H. 2.	Eng. bot. 438.
	DIPHYLLEIA. DC.	DIPHYLLEIA.	Hexandria Monogynia.	L.			
	cyposa. DC.	blue-berried.	N. Amer.	1812.	5. 6.	H. 2.	Bot. mag. 1666.

ORDO VIII.

PODOPHYLLEÆ. *DC. syst. nat. 2. p. 31.*Tribus I. *PODOPHYLLEÆ.*

	PODOPHYLLUM. DC.	DUCK'S-FOOT.	Polyandria Monogynia.	L.			
	peltatum. DC.	May-Apple.	N. Amer.	1664.	5.	H. 2.	Bot. mag. 1819.
	JEFFERSONIA. DC.	JEFFERSONIA.	Octandria Monogynia.				
	diphylla. DC.	two-leaved.	N. Amer.	1792.	5.	H. 2.	Bot. mag. 1513.
		<i>Podophyllum diphyllum.</i>	W.				

Tribus II. *HYDROPELTIDEÆ.*

	CABOMBA. DC.	CABOMBA.	Hexandria Digynia.	W.			
	aquatica. DC.	water.	Carolina.	1823.	S.w. 2.	Aubl. gul. 1. t. 124.
		<i>Nectris peltata.</i>	Ph.				
	HYDROPELTIS. DC.	HYDROPELTIS.	Polyandria Polygynia.				
	purpurea. DC.	purple.	N. Amer.	1795.	7. 8.	F.w. 2.	Bot. mag. 1147.
		<i>Brasenia peltata.</i>	Ph.				

ORDO IX.

NYMPHÆACEÆ. *DC. syst. nat. 2. p. 34.*Tribus I. *NELUMBONEÆ.*

	NELUMBIUM. DC.	SACRED-BEAN.	Polyandria Polygynia.	L.			
	1 speciosum. DC.	Indian.	India.	1787.	6. 8.	S.w. 2.	Bot. mag. 903.
		<i>Cyamus Nelumbo.</i>	Sm. Exot. bot. 1. t. 31. 32.				
	2 Tamara.	Rheede's.	————	—	S.w. 2.	Rheed. mal. x1. t. 30.
	3 caspicum. F.	Fischer's.	Volga.	1821.	S.w. 2.	
	4 luteum. DC.	yellow.	N. Amer.	1810.	F.w. 2.	Poit. a. m. 13. t. 29. f. 42.
	5 jamaicense. DC.	Jamaica.	W. Ind.	1823.	S.w. 2.	

Tribus II. *NYMPHÆEÆ.*

	EURYALE. DC.	EURYALE.	Polyandria Monogynia.	L.			
	ferox. DC.	prickly.	India.	1809.	7. 9.	S.w. 2.	Bot. mag. 1147.
		<i>Anneslea spinosa.</i>	And. bot. rep. 618.				

NYPHÆA. DC.		WATER-LILY. Polyandria Monogynia. L.	
1	scutifolia. DC.	Cape blue. C. B. S.	1792. 6. 9. S.w. 2. Bot. mag. 552.
	<i>carulea</i> . Bot. rep. 197.		
2	cœrulea. DC.	Egyptian blue. Egypt.	1812. — S.w. 2. Vent. malm. t. 6.
	<i>stellata</i> . var. Bot. mag. 2058.		
3	cyanea. H. B.	Indian-blue. E. Ind.	1809. — S.w. 2.
	<i>Cahlara</i> . Donn cant. ed. 7.		
4	stellata. DC.	star-flowered. ———	1803. — S.w. 2. Bot. rep. 330.
5	edulis. DC.	eatable. ——— — S.w. 2.
	<i>esculenta</i> . H. B.		
6	rubra. DC.	red-flowered. ———	1803. 7. 8. S.w. 2. Bot. mag. 1280.
7	rosea.	rose-coloured. ———	— S.w. 2. ——— 1361.
	<i>rubra</i> . β <i>rosea</i> . DC.		
8	pubescens. DC.	Indian Lotus. ———	— 5. 8. S.w. 2. Rheed. h. mal. xi. t. 26.
9	Lotus. DC.	Egyptian. Egypt.	1802. 6. 9. S.w. 2. Del. fl. egypt. ill. t. 60. f. 1.
10	thermalis. DC.	Hungarian. Hungary.	— — S.w. 2. Bot. mag. 797.
	<i>Lotus</i> . And. Bot. rep. 391.		
11	ampla. DC.	West-Indian. W. Ind. — S.w. 2. Plum. mss. 123. t. 4.
12	versicolor. DC.	changeable. E. Ind.	1807. — S.w. 2. Bot. mag. 1189.
13	reniformis. DC.	kidney-leaved. Carolina.	1823. 7. G.w. 2. Deles. ic. sel. 2. t. 5.
14	alba. DC.	white. Britain. 6. 7. H.w. 2. Eng. bot. 160.
15	odorata. DC.	sweet-scented. N. Amer.	1786. 7. H.w. 2. Bot. mag. 819.
16	minor. DC.	smaller. ———	1812. — H.w. 2. ——— 1652.
	<i>odorata</i> . β <i>minor</i> . B. M.		
17	nitida. DC.	cup-flowered. Siberia.	1809. 7. 8. H.w. 2. Bot. mag. 1359.
18	pygmæa. DC.	pigny. China.	1805. 5. 9. H.w. 2. ——— 1525.
	<i>Custalia pygmæa</i> . Sal. par. lond. 68.		
NUPHAR. DC.		Polyandria Monogynia. L.	
1	lutea. DC.	common. Britain. 6. 7. H.w. 2. Eng. bot. 159.
	<i>Nymphæa lutea</i> . W.		
2	pumila. DC.	small-yellow. Scotland. — H.w. 2. ——— 2292.
	<i>minima</i> . E. B.		
3	Kalmiana. DC.	Canadian. N. Amer.	1807. 7. 8. H.w. 2. Bot. mag. 1243.
4	advena. DC.	stripe-flowered. ———	1772. — H.w. 2. Bot. mag. 684.
	<i>Nymphæa advena</i> . W.		

ORDO X.

PAPAVERACEÆ. DC. *systema naturæ*. 2. p. 67.

PAPAVER. DC.		POPPY. Polyandria Monogynia.	
1	nudicanle. DC.	naked-stalked. Siberia.	1730. 6. 8. H. 2. Bot. mag. 1633.
	β <i>glabratum</i> . DC.	smooth-stalked. ——— — H. 2.
	γ <i>radicatum</i> . DC.	small hairy. Norway. — H. 2.
2	rubro-aurantiacum.	F. red orange. Dahuria.	1822. — H. 2. Bot. mag. t. 2344.
3	microcarpum. DC.	small-capsuled. Kamschatka.	— — H. 2.
4	pyrenaicum. DC.	Pyrenean. Pyrenees. — H. 2. Seg. ver. 1. t. 4. f. 4.
	<i>aurantiacum</i> . Lois.		
	α <i>luteum</i> . DC.	yellow-flowered. ——— — H. 2. Barr. ic. t. 764.
	β <i>puniceum</i> . DC.	red-flowered. ——— — H. 2.
5	alpinum. DC.	Alpine. Austria.	1759. — H. 2. Jacq. aust. t. 83.
6	hybridum. DC.	mongrel. England. 6. 7. H. C. Eng. bot. 43.
7	Argemone. DC.	rough. Britain. — H. C. ——— 643.
	β <i>maritimum</i> . With.	one-flowered. ——— — H. C.
8	dnubium. DC.	smooth. ——— — H. C. ——— 644.
9	Rhœas. DC.	common-corn. ——— — H. C. ——— 645.
	α <i>maculatum</i> .	spot-petaled. ——— — H. C. Curt. lond. t. 32.
	β <i>coccineum</i> .	scarlet-flowered. ——— — H. C. Tab. ic. f. 1.
	γ <i>carneum</i> .	flesh-coloured. ——— — H. C. Barr. obs. ic. t. 763.
	δ <i>album</i> .	white-flowered. ——— — H. C. Wein. phyt. t. 788. f. d.
	ε <i>albo-marginatum</i> .	white-edged. ——— — H. C. ——— t. 790. f. e.
	ζ <i>coccineo-marginatum</i> .	scarlet-edged. ——— — H. C. ——— t. 790. f. b.
10	lævigatum. DC.	slender. Caucasus.	1823. — H. C.
11	Roubiæi. DC.	Roubien's. Montpelier.	— — H. C.
12	floribundum. DC.	many-flowered. Levant.	1815. — H. ♂. Vig. diss. 39. n. 4. t. 1. f. 1. Bot. reg. 134.


13 orientale. DC.	oriental.	————	1714.	5. 6.	H. ♀.	Bot. mag. 57.
14 bracteatum. DC.	bracted.	Caucasus.	1821.	5. 8.	H. ♀.	Lind. coll. t. 23.
15 setigerum. DC.	bristle-pointed.	Italy.	1824.	—	H. ♂.	Deles. ic. sel. 2. t. 7.
16 somniferum. DC.	garden.	England.	7. 8.	H. ♂.	
* nigrum. DC.	black-seeded.	—	H. ♂.	Loc. ic. t. 274. f. 1.
β flore-pleno.	double-red.	—	H. ♂.	Swert. flor. 2. t. 22. f. 1.
γ fimbriatum.	fringed-flower'd.	—	H. ♂.	Wein. phyt. t. 795. f. c.
* album. DC.	white-seeded.	England.	—	H. ♂.	Eng. bot. 2145.
β flore-pleno.	double-white.	————	—	H. ♂.	Swert. flor. 2. t. 22. f. 2.
γ variegatum.	variegated.	————	—	H. ♂.	
17 caucasicum. DC.	Caucasean.	Caucasus.	1813.	6. 7.	H. ♂.	Bot mag. 1675.
18 armeniacum. DC.	Armenian.	Armenia.	1815.	—	H. ♂.	
<i>Argemone armeniaca.</i> W.						
ARGEMONE. DC.	ARGEMONE.	Polyandria Monogynia.				
1 mexicana. DC.	Mexican.	Mexico.	1592.	7. 8.	H. ♂.	Bot. mag. 243.
2 albiflora. B. M.	white-flowered.	Louisiana.	1820.	—	H. ♂.	Bot. mag. 2342.
MECONOPSIS. DC.	MECONOPSIS.	Polyandria Monogynia.				
cambrica. DC.	Welsh.	Wales.	5. 8.	H. ♀.	Eng. bot. 66.
<i>Papaver cambricum.</i> W.						
SANGUINARIA. DC.	PUCCOON.	Polyandria Monogynia.				
canadensis. DC.	Bloodwort.	N. Amer.	1680.	3. 4.	H. ♀.	Bot. mag. 162.
BOCCONIA. DC.	BOCCONIA.	Dodecandria Monogynia.				
1 frutescens. DC.	TreeCelandine.	W. Indies.	1739.	1. 4.	S. ♀.	Lodd. bot. cab. t. 83.
2 integrifolia. DC.	entire-leaved.	Peru.	1822.	S. ♀.	H. et B. nov. pl. 1. t. 35.
3 cordata. DC.	heart-leaved.	China.	1795.	5. 8.	H. ♀.	Bot. mag. 1905.
RÖEMERIA. DC.	RÖEMERIA.	Polyandria Monogynia.				
1 hybrida. DC.	violet-flower'd.	England.	5. 7.	H. ♂.	Eng. bot. 201.
<i>Glaucium violaceum.</i> H. K.						
2 refracta. DC.	pendulous-frd.	Tauria.	1823.	—	H. ♂.	Deles. ic. sel. 2. t. 8.
GLAUCIUM. DC.	HORN-POPPY.	Polyandria Monogynia.				
1 flavum. DC.	yellow.	Britain.	6. 10.	H. ♂.	Eng. bot. t. 8.
<i>Glaucium luteum.</i> H. K. <i>Chelidonium glaucium.</i> L.						
2 fulvum. DC.	orange.	S. Europe.	1802.	8. 9.	H. ♀.	Swt. br. fl. gar. 35.
3 corniculatum. DC.	various-colour'd	Europe.	6. 7.	H. ♂.	
α phæniceum. DC.	red-flowered.	England.	—	H. ♂.	Eng. bot. 1433.
β flaviflorum. DC.	yellow-flowered.	Tauria.	1823.	—	H. ♂.	
CHELIDONIUM. DC.	CELANDINE.	Polyandria Monogynia. L.				
1 majus. DC.	common.	Britain.	4. 10.	H. ♀.	Eng. bot. 1581.
2 grandiflorum. DC.	large-flowered.	Dahuria.	1823.	—	H. ♀.	
3 laciniatum. DC.	jagged.	S. Europe.	—	H. ♀.	Mill. ic. 1. t. 92. f. 2.
HYPECOUM. DC.	HYPECOUM.	Tetrandria Digynia. L.				
1 procumbens. DC.	procumbent.	S. Europe.	1596.	6. 7.	H. ♂.	Flor. græc. 2. t. 155.
2 pendulum. DC.	pendulous.	S. France.	1640.	—	H. ♂.	Mill. ic. t. 250. f. 1.
3 erectum. DC.	erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. rnth. 58. t. 9.

ORDO XI.

FUMARIACEÆ. DC. *syst. nat.* 2. p. 105.

DICLYTRA. DC.	DICLYTRA.	Diadelphia Hexandria. L.				
1 cucullaria. DC.	naked-stalked.	N. Amer.	1731.	6. 7.	H. ♀.	Bot. mag. 1127.
<i>Fumaria cucullaria.</i> B. M.						
2 bracteosa. DC.	leafy-bracted.	————	1823.	—	H. ♀.	
3 formosa. DC.	blush.	————	1796.	—	H. ♀.	Bot. mag. 1335.
4 eximia. DC.	choice.	————	1812.	—	H. ♀.	Bot. reg. 51.
<i>Fumaria eximia.</i> B. R.						
5 canadensis. DC.	Canadian.	Canada.	1823.	—	H. ♀.	
6 lachenaliæflora. DC.	Lachenalia-fl'd.	Siberia.	1824.	H. ♀.	Rudol. m.sc.pet. 1. t. 19.
ADLUMIA. DC.	ADLUMIA.	Diadelphia Hexandria. L.				
cirrhosa. DC.	tendrilled.	N. Amer.	1778.	6. 9.	H. ♂.	Vent. choix. t. 19.
<i>Fumaria fungosa.</i> W.						
CYSTICAPNOS. DC.	CYSTICAPNOS.	Diadelphia Hexandria. L.				
africana. DC.	African.	C. B. S.	1696.	6. 8.	H. ♂.	Wein. phyt. t. 521. f. c.
<i>Fumaria vesicaria.</i> W.						

CORYDALIS. DC.	CORYDALIS.	Diadelphia Hexandria. L.			
1 pauciflora. DC.	few-flowered.	Siberia.	1823.	H. ♀.
2 Marschalliana. DC.	Marschall's.	Tauria.	—	4. 5.	H. ♀.
3 tuberosa. DC.	hollow-rooted.	Europe.	1596.	2. 4.	H. ♀.
β albiflora.	white-flowered.	—	—	—	H. ♀.
Fumaria cava. albiflora. B. M.					
4 fabacea. DC.	Bean-leaved.	Germany.	1815.	—	H. ♀.
5 caucasica. DC.	Caucasean.	Caucasus.	1823.	—	H. ♀.
6 bulbosa. DC.	solid-rooted.	Britain.	—	H. ♀.
Fumaria solida. E. B. Corydalis Halleri. W. en.					
7 angustifolia. DC.	narrow-leaved.	Iberia.	1823.	—	H. ♀.
8 bracteata. DC.	large-bracted.	Siberia.	—	—	H. ♀.
9 nobilis. DC.	great-flowered.	—	1783.	5.	H. ♀.
10 pæoniæfolia. DC.	Pæony-leaved.	—	1823.	—	H. ♀.
11 glauca. DC.	glaucous.	N. Amer.	1683.	7. 8.	H. ♀.
Fumaria sempervirens. W.					
12 impatiens. DC.	impatient.	Dahuria.	1823.	—	H. ♂.
13 aurea. DC.	golden.	N. Amer.	1812.	5. 7.	H. ♂.
Fumaria aurea. B. R.					
14 lutea. P. S.	yellow.	England.	4. 10.	H. ♀.
15 capnoides. P. S.	white-flowered.	S. Europe.	1596.	5. 10.	H. ♂.
16 uralensis. DC.	Fischer's.	Siberia.	1823.	H. ♀.
17 breviflora. DC.	short-flowered.	Kamtchatka.	—	5. 10.	H. ♂.
18 claviculata. DC.	climbing.	Britain.	—	H. ♂.
SARCOCAPNOS. DC.	SARCOCAPNOS.	Diadelphia Hexandria. L.			
enneaphylla. DC.	nine-leaved.	Spain.	1714.	5. 7.	H. ♀.
Fumaria enneaphylla. W.					
FUMARIA. DC.	FUMITORY.	Diadelphia Hexandria. L.			
1 spicata. DC.	narrow-leaved.	S. Europe.	1714.	7. 8.	H. ♂.
2 capreolata. DC.	climbing.	Europe.	5. 9.	H. ♂.
β? Burchellii. DC.	Burchell's.	C. B. S.	1812.	—	H. ♂.
3 media. DC.	intermediate.	Britain.	—	H. ♂.
capreolata. E. B.					
4 officinalis. DC.	common.	—	—	H. ♂.
5 parviflora. DC.	small-flowered.	England.	8. 9.	H. ♂.
6 Vaillantii. DC.	Vaillant's.	France.	5. 6.	H. ♂.
7 densiflora. DC.	close-flowered.	Montpelier.	1823.	—	H. ♂.



ORDO XII.

CRUCIFERÆ. DC. syst. nat. 2. p. 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. ARABIDEÆ seu Pleurorrhizeæ Siliquosæ. DC.

MATHIOLA. DC.	Stock.	Tetradynamia Siliquosa. L.			
1 simplicicaulis.	Brompton.	5. 8.	H. ♂.
α coccinea.	scarlet.	—	H. ♂.
β alba.	white.	—	H. ♂.
2 incana. DC.	queen.	England.	5. 11.	H. ♀.
α coccinea.	scarlet.	—	—	H. ♀.
β purpurea.	purple.	—	—	H. ♀.
γ alba.	white.	—	—	H. ♀.
δ multiplex.	double-flowered.	—	—	H. ♀.
3 annua. DC.	ten-week.	S. Europe.	1731.	5. 11.	H. ♂.
α coccinea.	scarlet.	—	—	—	H. ♂.
β purpurea.	purple.	—	—	—	H. ♂.
δ rubra.	red.	—	—	—	H. ♂.
ε rosea.	rose-coloured.	—	—	—	H. ♂.
ζ carnea.	flesh-coloured.	—	—	—	H. ♂.
η fuscata.	brown.	—	—	—	H. ♂.

♀ <i>fulva</i> .	<i>taeuny</i> .	—————	—	—	H. ⊙.	
♂ <i>lilacina</i> .	<i>lilac</i> .	—————	—	—	H. ⊙.	
κ <i>alba</i> .	<i>white</i> .	—————	—	—	H. ⊙.	
λ <i>variegata</i> .	<i>variegated</i> .	—————	—	—	H. ⊙.	Dalech. lug. 802. f. 1.
μ <i>flore pleno</i> .	<i>double-flowered</i> .	—————	—	—	H. ⊙.	
4 <i>glabra</i> . DC.	<i>Wall-flower-ld</i>	—	H. ♀.	Wein. phyt. t. 642. f. 2.
α <i>alba</i> .	<i>white-flowered</i>	—	H. ♀.	Moris. ox. s. 3. t. 8. f. 2.
β <i>purpurea</i> .	<i>purple</i>	—	H. ♀.	
γ <i>coccinea</i> .	<i>scarlet</i>	—	H. ♀.	
δ <i>flore pleno</i> .	<i>double-flowered</i>	—	H. ♀.	
5 <i>græca</i> . DC.	<i>smooth-leaved</i> .	Greece.	—	H. ⊙.	
6 <i>fenestralis</i> . DC.	<i>window</i> .	Crete.	1759.	7. 8.	F. ♀.	Jacq. vind. 2. t. 179.
7 <i>sinuata</i> . DC.	<i>great sea</i> .	England.	5. 8.	H. ♂.	Eng. bot. 462.
8 <i>acaulis</i> . DC.	<i>stalkless</i> .	Egypt.	1823.	—	H. ⊙.	
9 <i>odoratissima</i> . DC.	<i>sweet-scented</i> .	Tauria.	1797.	6. 7.	G. ♀.	Bot. mag. 1711.
β <i>taucensis</i> . DC.	<i>fragrant</i> .	Tanaim.	1822.	—	G. ♀.	
10 <i>varia</i> . DC.	<i>entire-leaved</i> .	Greece.	5. 7.	G. ♀.	Fl. græc. t. 636.
11 <i>tristis</i> . DC.	<i>various-leaved</i> .	S. Europe.	1768.	—	G. ♀.	Barr. ic. t. 803.
12 <i>longipetala</i> . DC.	<i>long-petaled</i> .	Bagdad.	1819.	—	H. ⊙.	Vent. ccls. t. 93.
13 <i>tricuspidata</i> . DC.	<i>three-forked</i> .	Barbary.	1739.	7. 10.	H. ⊙.	Swt. br. fl. gar. 46.
14 <i>parviflora</i> . DC.	<i>small-flowered</i> .	Morocco.	1799.	—	H. ⊙.	
CHEIRANTHUS. DC.	WALL-FLOWER.	Tetradynamia Siliquosa. L.				
1 <i>Cheiri</i> . DC.	<i>garden</i> .	S. Europe.	1573.	4. 7.	H. ♀.	Schkuhr hand. 2. t. 184.
α <i>vulgaris</i> .	<i>common</i> .	—————	—————	—————	H. ♀.	Besl. eyst. 2. t. 5. f. 3.
β <i>flore pleno</i> .	<i>double-yellow</i> .	—————	—————	—————	H. ♀.	————— 2. t. 4. f. 2. 3.
γ <i>grandiflorus</i> .	<i>large-flowered</i> .	—————	—————	—————	H. ♀.	————— 2. t. 5. f. 2.
δ <i>maximus</i> .	<i>largest</i> .	—————	—————	—————	H. ♀.	————— 2. t. 5. f. 1.
ε <i>serratus</i> .	<i>saw-leaved</i> .	—————	—————	—————	H. ♀.	
ζ <i>patulus</i> .	<i>double-spreading</i> .	—————	—————	—————	H. ♀.	
η <i>ferrugineus</i> .	<i>rusty-flowered</i> .	—————	—————	—————	H. ♀.	
κ <i>varius</i> .	<i>various-coloured</i> .	—————	—————	—————	H. ♀.	
λ <i>sanguineus</i> .	<i>bloody</i> .	—————	—————	—————	H. ♀.	
μ <i>hæmanthus</i> .	<i>double-bloody</i> .	—————	—————	—————	H. ♀.	
ν <i>flavescens</i> .	<i>pale-yellow</i> .	—————	—————	—————	H. ♀.	
ξ <i>thyrsoides</i> .	<i>bunch-flowered</i> .	—————	—————	—————	H. ♀.	
2 <i>fruticulosus</i> . E. B.	<i>common</i> .	England.	—	H. ♀.	Eng. bot. 1934.
3 <i>alpinus</i> . DC.	<i>Alpine</i> .	Norway.	1823.	—	H. ♀.	Wahl. fl. lap. t. 12. f. 1.
4 <i>ochroleucus</i> . DC.	<i>pale yellow</i> .	Switzerland.	1820.	6. 8.	H. ♀.	
5 <i>decumbens</i> . W. en.	<i>fine-leaved</i> .	Madeira.	1777.	5. 6.	F. ♀.	
6 <i>tennifolius</i> . DC.	<i>changeable</i> .	—————	—————	3. 5.	F. ♀.	Bot. mag. 195.
7 <i>longifolius</i> . v.	<i>long-leaved</i> .	—————	1815.	9. 12.	F. ♀.	Vent. malm. t. 83.
8 <i>scoparius</i> . DC.	<i>rock</i> .	Teneriffe.	—	3. 8.	F. ♀.	
α <i>purpurascens</i> . DC.	<i>purplish</i> .	—————	—————	—————	F. ♀.	
β <i>ærginosus</i> . DC.	<i>rusty</i> .	—————	—————	—————	F. ♀.	
γ <i>chamaeleo</i> . DC.	<i>Chamaeleon</i> .	—————	—————	—————	F. ♀.	Bot. reg. 219.
<i>Cheiri</i> , var. <i>Chamaeleon</i> . B. R.						
9 <i>semperflorens</i> . DC.	<i>ever-blowing</i> .	Barbary.	—	1. 12.	F. ♀.	
10 <i>frutescens</i> . P. s.	<i>frutescent</i> .	—————	—————	3. 7.	F. ♀.	
11 <i>linifolius</i> . DC.	<i>flax-leaved</i> .	Spain.	—	3. 8.	F. ♀.	
NASTURTIIUM. DC.	NASTURTIIUM.	Tetradynamia Siliquosa. L.				
1 <i>officinale</i> . DC.	<i>Water Cress</i> .	Britain.	5. 7.	H. w. ♀.	Eng. bot. 855.
<i>Sisymbrium Nasturtium</i> . w.						
2 <i>sylvestre</i> . DC.	<i>creeping</i> .	—————	6. 9.	H. w. ♀.	————— 2324.
3 <i>palustre</i> . DC.	<i>marsh</i> .	—————	—	H. w. ⊙.	————— 1747.
<i>Sisymbrium terrestre</i> . E. B.						
4 <i>sagittatum</i> . DC.	<i>arrow-leaved</i> .	Siberia.	1780.	5. 6.	H. ♀.	Jacq. ic. 1. t. 122.
5 <i>lippizense</i> . DC.	<i>Carinthian</i> .	Carinthia.	1823.	—	H. ♀.	————— 3. t. 505.
6 <i>pyrenaicum</i> . DC.	<i>Pyrenean</i> .	Pyrenees.	1775.	—	H. ♀.	All. fl. ped. t. 18. f. 1.
7 <i>amphibium</i> . DC.	<i>amphibious</i> .	Britain.	6. 8.	H. w. ♀.	Eng. bot. 1840.
α <i>indivisum</i> . DC.	<i>brd. wat.-radish</i> .	—————	—	H. w. ♀.	Pet. h. brit. t. 49. f. 8.
β <i>varifolium</i> . DC.	<i>jag. wat.-radish</i> .	—————	—	H. w. ♀.	————— t. 49. f. 10.
LEPTOCARPÆA. DC.	LEPTOCARPÆA.	Tetradynamia Siliquosa. L.				
<i>Læselii</i> . DC.	<i>Loeselius's</i> .	Germany.	1683.	5. 8.	H. ⊙.	Jacq. aust. t. 324.
<i>Sisymbrium Læselii</i> . w. <i>Turritis Læselii</i> . H. K.						
NOTOCERAS. DC.	NOTOCERAS.	Tetradynamia Siliquosa. L.				
1 <i>canariense</i> . DC.	<i>Canary</i> .	Canaries.	1779.	8. 9.	H. ⊙.	Jacq. fil. eclog. t. 111.
2 <i>hispanicum</i> . DC.	<i>Spanish</i> .	Spain.	1822.	3. 10.	H. ⊙.	Deles. ic. sel. 2. t. 17.

BARBAREA. DC.	WINTER-CRESS.	Tetradynamia Siliquosa. L.				
1 vulgaris. DC.	common.	Britain.	5. 8.	H. ♀.	Eng. hot. 413.
	<i>Erysimum Barbarea.</i> w.					
2 præcox. DC.	early.	England.	4. 10.	H. ♀.	— 1129.
3 iberica. DC.	Iberian.	Iberia.	1816.	5. 8.	H. ♀.	
	<i>Cheiranthus ibericus.</i> W.en.					
4 plantaginica. DC.	Plantain-leav'd.	Greece.	1823.	—	H. ♀.	
STEVENIA. DC.	STEVENIA.	Tetradynamia Siliquosa. L.				
1 alyssoides. DC.	Alyssum-like.	Siberia.	1823.	6. 8.	H. ⊙.	Deles. ic. sel. 2. t. 20.
2 cheiranthoides. DC.	Wall-flow.-like.	—	—	—	H. ♀.	— 2. t. 21.
BRAYA. DC.	BRAYA.	Tetradynamia Siliquosa. DC.				
alpina. DC.	Alpine.	Carinthia.	1821.	4. 5.	H. ♀.	Deles. ic. sel. 2. t. 22.
TURRITIS. DC.	TOWER-MUSTARD.	Tetradynamia Siliquosa. L.				
1 glabra. DC.	long-podded.	England.	5. 6.	H. ⊙.	Eng. bot. 777.
2 salsuginosa. DC.	shorter-podded.	Siberia.	1822.	—	H. ⊙.	Pall. it. 2. app. n. 114. t. V.
ARABIS. DC.	WALL-CRESS.	Tetradynamia Siliquosa. L.				
1 verna. DC.	vernal.	S. Europe.	1710.	4. 5.	H. ⊙.	Flor. græc. t. 641.
	<i>Hesperis verna.</i> w.					
2 alpina. DC.	Alpine.	Pyrenees.	1596.	3. 5.	H. ♀.	Bot. mag. 226.
	<i>Clusiana.</i> DC.	—	—	—	H. ♀.	Clus. hist. 2. p. 125. f. 2.
3 albida. DC.	early-flowered.	Tauria.	1798.	1. 5.	H. ♀.	Jacq. f. ecl. 1. t. 71.
	<i>caucasica.</i> B. M. 2016.					
4 undulata. L.en.	wave-leaved.	S. Europe.	1823.	5. 8.	H. ⊙.	
5 longifolia. DC.	long-leaved.	Persia.	1820.	—	H. ♀.	Deles. ic. sel. 2. t. 25.
6 auriculata. DC.	ear-leaved.	S. Europe.	1805.	5. 6.	H. ⊙.	
	<i>aspera.</i> All. ped. t. 2. f. 2.					
7 saxatilis. DC.	rock.	—	—	—	H. ♂.	Vill. dauph. 3. t. 37.
8 crispata. DC.	curled-leaved.	Carniola.	1816.	3. 4.	H. ♀.	
9 sagittata. DC.	arrow-leaved.	Europe.	5. 7.	H. ♂.	
10 hirsuta. DC.	hairy.	Britain.	—	H. ♂.	Eng. bot. 587.
11 stenopetala. W.en.	narrow-petal'd.	1822.	6. 8.	H. ⊙.	
12 Allionii. DC.	Allioni's.	Italy.	5. 7.	H. ♀.	
13 muralis. DC.	dwarf.	Switzerland.	1824.	5. 6.	H. ♀.	
14 stricta. DC.	Bristol.	England.	—	H. ♀.	Eng. bot. 614.
15 ciliata. DC.	ciliated.	Ireland.	6. 7.	H. ♂.	— 1746.
	<i>Turritis alpina.</i> E. B.					
16 incana. DC.	hoary.	Switzerland.	1816.	5. 6.	H. ♂.	
17 Thaliana. DC.	common.	Britain.	4. 6.	H. ⊙.	Eng. bot. 901.
18 serpyllifolia. DC.	Thyme-leaved.	Pyrenees.	1824.	6. 7.	H. ♂.	
19 procurrens. DC.	procurent.	Hungary.	—	5. 6.	H. ♀.	W. et. Kit. hun. 2. t. 144.
20 petraea. DC.	short-podded.	Europe.	5. 7.	H. ♀.	
	<i>a Crantziana.</i> DC.	Germany.	—	H. ♀.	Crantz. aust. t. 3. f. 2.
	<i>β hispida.</i> DC.	Wales.	—	H. ♀.	Flor. dan. t. 386.
	<i>γ hastulata.</i> DC.	Britain.	—	H. ♀.	Eng. bot. 409.
21 lyrata. DC.	lyre-leaved.	N. Amer.	1823.	5. 6.	H. ♀.	
22 arenosa. DC.	purple.	Europe.	1798.	6. 7.	H. ⊙.	Schranck. m. 3. t. 256.
23 Halleri. DC.	Haller's.	—	1820.	5.	H. ♂.	W. et Kit. hun. 2. t. 120.
24 stolonifera. DC.	stoloniferous.	Carniola.	1824.	—	H. ♀.	Scop. carn. ed. 2. t. 39.
25 ovirensis. DC.	reddish.	Carinthia.	—	5. 6.	H. ♀.	Jacq. ic. 1. t. 125.
26 Turrita. DC.	tower.	England.	4. 5.	H. ♂.	Eng. bot. 178.
27 pendula. DC.	pendulous.	Siberia.	1752.	5. 6.	H. ⊙.	Jacq. vind. 3. t. 34.
28 lucida. DC.	slining-leaved.	Hungary.	1790.	6. 7.	H. ♀.	
29 canadensis. DC.	sickle-podded.	N. Amer.	1768.	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 28.
30 pumila. DC.	nodding.	Switzerland.	1658.	4. 7.	H. ♀.	Jacq. fl. aust. t. 281.
	<i>nutans.</i> B. M. 2219.					
31 bellidifolia. DC.	Daisy-leaved.	—	1773.	5. 6.	H. ♀.	— 3. t. 280.
32 cœrulea. DC.	blue.	—	1793.	6. 7.	H. ♀.	Sturm. deut. fl. ic.
33 collina. DC.	hill.	Naples.	1823.	—	H. ♀.	
MACROPODIUM. DC.	MACROPODIUM.	Tetradynamia Siliquosa. L.				
nivale. DC.	Siberian.	Siberia.	1796.	6. 9.	H. ♀.	Pall. it. 2. ap. n. 113. t. v.
	<i>Cardamine nivalis.</i> Pall.					
CARDAMINE. DC.	LADY'S SMOCK.	Tetradynamia Siliquosa. L.				
1 rotundifolia. DC.	round-leaved.	N. Amer.	1823.	5. 6.	H. w. ♀.	
2 asarifolia. DC.	kidney-leaved.	Italy.	1710.	6. 7.	H. w. ♀.	Bot. mag. 1735.
3 bellidifolia. DC.	Daisy-leaved.	Scotland.	4. 6.	H. ♀.	
	<i>a petiolaris.</i> DC.	Lapland.	—	H. ♀.	(Ed. fl. Dan. t. 20.
	<i>β alpina.</i> DC.	Scotland.	—	H. ♀.	Eng. bot. 2355.
4 resedifolia. DC.	Rocket-leaved.	Germany.	1658.	7.	H. ⊙.	Sturm. fl. germ. ic.
5 africana. DC.	African.	C. B. S.	1691.	5. 6.	G. ♀.	Pluk. alm. t. 101. f. 5.

6 trifolia. DC.	three-leaved.	Europe.	1629.	3. 6.	H.w. ♀.	Bot. mag. 452.
7 amara. DC.	bitter.	Britain.	4. 5.	H.w. ♀.	Eng. bot. 1000.
8 pratensis. DC.	Cuckoo-flower.	————	—	H.w. ♀.	— 776.
<i>β flore pleno.</i>	double-flowered.	————	—	H.w. ♀.	Clus. hist. 2. p. 129. f. 1.
9 dentata. DC.	toothed.	Poland.	1823.	—	H.w. ♀.	—
10 hirsuta. DC.	hairy.	Britain.	1. 12.	H. ⊙.	Eng. bot. 492.
11 sylvatica. DC.	wood.	Europe.	5. 6.	H. ⊙.	Flor. dan. t. 735.
12 parviflora. DC.	small-flowered.	————	1822.	4. 5.	H. ⊙.	Gmel. fl. sib. 3. t. 64.
13 impatiens. DC.	impatiant.	Britain.	4. 6.	H. ⊙.	Eng. bot. 80.
14 latifolia. DC.	broad-leaved.	Spain.	1710.	6. 8.	H.w. ♀.	Herm. par. p. 203. t. 69.
15 macrophylla. DC.	large-leaved.	Siberia.	1824.	—	H. ♀.	—
16 chelidonia. DC.	Celandine-ld.	Italy.	1739.	3. 5.	H. ♀.	W. et Kit. hung. 2. t. 140.
17 thalictroides. DC.	Thalictrum-ld.	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
PTERONEURUM. DC.	PTERONEURUM.	Tetradynamia Siliquosa. L.				
1 carnosum. DC.	fleshy.	Dalmatia.	1824.	6. 8.	H. ♀.	W. et Kit. hung. 2. t. 129.
2 græcum. DC.	Grecian.	S. Europe.	1710.	—	H. ⊙.	Flor. græc. t. 631.
	<i>Cardamine græca.</i> W.					
DENTARIA. DC.	TOOTH-WORT.	Tetradynamia Siliquosa. L.				
1 polyphylla. DC.	many-leaved.	Hungary.	1817.	5. 6.	H. ♀.	W. et Kit. hung. 2. t. 160.
2 enneaphylla. DC.	nine-leaved.	Austria.	1656.	—	H. ♀.	Jacq. fl. aust. t. 316.
3 glandulosa. DC.	glandular.	Hungary.	1815.	—	H. ♀.	W. et Kit. hung. 3. t. 272.
4 laciniata. DC.	laciniate.	N. Amer.	1823.	4. 6.	H. ♀.	—
5 diphylla. DC.	two-leaved.	————	1810.	5. 6.	H. ♀.	Bot. mag. 1465.
6 digitata. DC.	fingere.	Switzerland.	1656.	—	H. ♀.	— 2202.
<i>pentaphylla.</i> B. M.	<i>Cardamine pentaphylla.</i> H. K. ed. 2.					
7 pinnata. DC.	seven-leaved.	————	1683.	—	H. ♀.	Boiss. fl. eur. t. 449.
8 quinquefolia. DC.	five-leaved.	Caucasus.	1823.	4. 5.	H. ♀.	—
9 bulbifera. DC.	bulbiferous.	England.	—	H. ♀.	Eng. bot. 309.
	<i>Cardamine bulbifera.</i> H. K. ed. 2.					
NEUROLOMA. DC.	NEUROLOMA.	Tetradynamia Siliquosa. L.				
<i>arabidiflorum.</i> DC.	Arabis-flower'd.	Siberia.	1798.	5. 6.	H. ♀.	Lin. am. ac. 2. t. L. f. 20.
<i>Arabis grandiflora.</i> L.						

Tribus II. *ALYSSINEÆ* seu Pleurorbizææ Latiseptæ. DC.

LUNARIA. DC.	HONESTY.	Tetradynamia Siliculosa. L.				
1 rediviva. DC.	perennial.	Germany.	1596.	5. 6.	H. ♀.	Hill veg. syst. t. 38. f. 1.
2 biennis. DC.	biennial.	————	1570.	—	H. ♂.	— t. 38. f. 2.
<i>annua.</i> W.						
<i>α violacea.</i>	violet-flowered.	————	—	—	H. ♂.	—
<i>β albiflora.</i>	white-flowered.	————	—	—	H. ♂.	—
RICOTIA. DC.	RICOTIA.	Tetradynamia Siliculosa. L.				
Lunaria. DC.	Syrian.	Syria.	1757.	6. 7.	H. ⊙.	Lam. ill. t. 561.
<i>ægyptiaca.</i> B. R. 49.						
FARSETIA. DC.	FARSETIA.	Tetradynamia Siliculosa. L.				
1 ægyptiaca. DC.	Stock-like.	Levaut.	1788.	6. 7.	G. ♀.	Desf. atl. 2. t. 160.
<i>cheiranthoides.</i> H. K.	<i>Cheiranthus Farsetia.</i> L.					
2 suffruticosa. DC.	suffruticent.	Persia.	1820.	4. 5.	G. ♀.	Vent. cels. t. 19.
3 lunarioides. DC.	oriental.	Greece.	1731.	6. 7.	H. ♀.	Tour. ic. ed. ger. 1. t. 30.
4 clypeata. DC.	buckler-podded.	S. Europe.	1596.	—	H. ♂.	Schkuhr. han. 2. t. 181.
<i>Alyssum clypeatum.</i> L.						
BERTEROA. DC.	BERTEROA.	Tetradynamia Siliculosa. L.				
1 incana. DC.	hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.
<i>Alyssum incanum.</i> W.						
2 mutabilis. DC.	changeable.	Levant.	1802.	7. 8.	H. ♀.	Vent. cels. t. 85.
3 obliqua. DC.	oblique-podded.	Naples.	1821.	—	H. ♀.	Flor. græc. t. 623.
AUBRIETIA. DC.	AUBRIETIA.	Tetradynamia Siliculosa. L.				
1 deltoidea. DC.	spreading.	Levant.	1710.	3. 5.	H. ♀.	Bot. mag. 126.
<i>Farsetia deltoidea.</i> H. K. <i>Alyssum deltoideum.</i> L.						
2 purpurea. DC.	tufted.	————	1821.	—	H. ♀.	Flor. græc. t. 643.
VESICARIA.	VESICARIA.	Tetradynamia Siliculosa. L.				
1 utriculata. DC.	smooth.	Levant.	1739.	4. 6.	H. ♀.	Bot. mag. 130.
<i>Alyssum utriculatum.</i> B. M.						
2 reticulata. DC.	veined-podded.	————	6.	H. ♀.	Tour. voy. 2. p. 252. ic.

3	<i>sinuata</i> . DC.	sinuate-leaved.	Spain.	1596.	4. 6.	H. ♂.	Schkuhr. han. 2. t. 181.
4	<i>cretica</i> . DC.	Cretan.	Crete.	1739.	5. 8.	H. ♀.	Alp. ex. p. 117 et 118. ic.
	<i>Alyssum creticum</i> . W.						
SCHIVERECKIA, DC.		SCHIVERECKIA.		Tetradynamia		Siliculosa. L.	
	<i>podolica</i> . DC.	caescent.	Podolia.	1821.	5. 7.	H. ♀.	Swt. br. fl. gar. t. 77.
ALYSSUM, DC.		MADWORT.		Tetradynamia		Siliculosa. L.	
1	<i>saxatile</i> . DC.	rock.	Russia.	1710.	4. 5.	H. ♀.	Bot. mag. 159.
2	<i>gemonense</i> . DC.	caescent.	Germany.	—	—	H. ♀.	Jacq. ic. 3. t. 503.
3	<i>orientale</i> . DC.	oriental.	Crete.	—	—	H. ♀.	Flor. græc. t. 625.
4	<i>spathulatum</i> . DC.	spathulate.	Siberia.	1821.	4. 6.	H. ♀.	Deles. ic. sel. 2. t. 37.
5	<i>argenteum</i> . DC.	silvery.	Switzerland.	—	5. 6.	H. ♀.	All. ped. t. 54. f. 3.
6	<i>murale</i> . DC.	wall.	Europe.	1801.	6. 8.	H. ♀.	W. et Kit. hung. 1. t. 6.
7	<i>obtusifolium</i> . DC.	blunt-leaved.	Siberia.	1812.	—	H. ♀.	Deles. ic. sel. 2. t. 38.
8	<i>serpyllifolium</i> . DC.	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ♀.	
9	<i>tortuosum</i> . DC.	twisted.	Hungary.	1804.	6. 7.	H. ♀.	W. et Kit. hung. 1. t. 91.
10	<i>vernale</i> . DC.	vernal.	1823.	4. 5.	H. ♀.	
11	<i>alpestre</i> . DC.	Italian.	Italy.	1777.	6. 10.	H. ♀.	Flor. græc. t. 624.
12	<i>montanum</i> . DC.	mountain.	Germany.	1713.	5. 8.	H. ♀.	Bot. mag. 419.
13	<i>Wulfenianum</i> . DC.	Wulfen's.	Carinthia.	1821.	—	H. ♀.	
14	<i>rostratum</i> . DC.	beaked.	Tauria.	1824.	6. 9.	H. ♂.	Stev. m. ac. P. 3. t. 15. f. 1.
15	<i>micropetalum</i> . DC.	small-petaled.	Iberia.	—	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 39.
16	<i>hirsutum</i> . DC.	hairy.	—	—	—	H. ♂.	— 2. t. 40.
17	<i>campestre</i> . DC.	field.	Europe.	1768.	6. 8.	H. ♂.	Flor. græc. t. 626.
18	<i>calycinum</i> . DC.	persistent-cal'd.	—	1740.	—	H. ♂.	Jacq. aust. t. 338.
19	<i>minimum</i> . DC.	small.	—	1791.	—	H. ♂.	Tratt. thes. bot. t. 35.
20	<i>edentulum</i> . DC.	toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et Kit. hung. 1. t. 92.
	<i>Adysetum edentulum</i> . L. en.						
21	<i>maritimum</i> . DC.	sweet.	England.	5. 10.	H. ♀.	Eng. bot. 1729.
	<i>Adysetum maritimum</i> . L. en.						
22	<i>rupestre</i> . DC.	silvery rock.	Italy.	1824.	—	H. ♀.	Tenor fl. nap. t. 60.
23	<i>halimifolium</i> . DC.	Halimus-leav'd.	—	—	—	H. ♀.	All. ped. t. 54. f. 1.
24	<i>spinusum</i> . DC.	thorny.	S. Europe.	1683.	6. 8.	F. ♀.	Bar. ic. t. 808.
MENIOCUS, DC.		MENIOCUS.		Tetradynamia		Siliculosa. L.	
	<i>linifolius</i> . DC.	Flax-leaved.	Levant.	1822.	5. 6.	H. ♂.	Deles. ic. sel. 2. t. 42.
	<i>Alyssum linifolium</i> . W.						
CLYPEOLA, DC.		TREACLE-MUSTARD.		Tetradynamia		Siliculosa. L.	
1	<i>Jonthlaspi</i> . DC.	common.	S. Europe.	1710.	5. 7.	H. ♂.	Desv. j. bot. 3. t. 25. f. 7.
2	<i>eriphora</i> . DC.	woolly-podded.	Spain.	1820.	—	H. ♂.	— 3. t. 25. f. 10.
PELTARIA, DC.		PELTARIA.		Tetradynamia		Siliculosa. L.	
	<i>alliacea</i> . DC.	garlic-scented.	Austria.	1601.	5. 7.	H. ♀.	Jacq. aust. 2. t. 123.
PETROCALLIS, DC.		PETROCALLIS.		Tetradynamia		Siliculosa. L.	
	<i>pyrenaica</i> . DC.	Pyrenean.	Pyrenees.	1759.	5. 6.	H. ♀.	Lodd. bot. cab. 635.
	<i>Draba pyrenaica</i> . B. M. 713.						
DRABA, DC.		WHITLOW-GRASS.		Tetradynamia		Siliculosa. L.	
1	<i>aizoides</i> . DC.	sen-green.	Wales.	2. 4.	H. ♀.	Eng. bot. 1271.
2	<i>brachystemon</i> . DC.	short-stamened.	1731.	—	H. ♀.	Bot. inag. 170.
	<i>aizoides</i> . B. M. <i>ciliaris</i> . H. K.						
3	<i>aizoon</i> . DC.	hairy-podded.	Hungary.	1821.	—	H. ♀.	
4	<i>cuspidata</i> . DC.	sharp-pointed.	Tauria.	—	4. 5.	H. ♀.	
5	<i>bryoides</i> . DC.	Bryum-like.	Caucasus.	—	3. 4.	H. ♀.	
6	<i>ericæfolia</i> . DC.	Heath-leaved.	—	1823.	5. 6.	H. ♀.	
7	<i>alpina</i> . DC.	Alpine.	Norway.	—	4. 5.	H. ♀.	Flor. dan. t. 56.
8	<i>incompta</i> . DC.	straggling.	Caucasus.	—	6.	H. ♀.	Deles. ic. sel. 2. t. 44.
9	<i>oblongata</i> . DC.	oblong-leaved.	Baffins-bay.	1820.	5. 6.	H. ♀.	
10	<i>corymbosa</i> . DC.	corymbose.	—	—	—	H. ♀.	
11	<i>hirta</i> . DC.	hairy.	Lapland.	5. 7.	H. ♀.	Wahl. f. lap. t. 11. f. 3.
12	<i>rupestris</i> . DC.	rock.	Scotland.	—	H. ♀.	Eng. bot. 1338.
	<i>hirta</i> . E. B. non Linn.						
13	<i>helvética</i> . DC.	Swiss.	Switzerland.	1824.	—	H. ♀.	
14	<i>fladnizensis</i> . DC.	fringe-leaved.	—	—	6. 8.	H. ♀.	Jacq. misc. 1. t. 17. f. 1.
15	<i>tomentosa</i> . DC.	woolly-leaved.	—	—	5. 7.	H. ♀.	Wahl. helv. p. 123. t. 3.
16	<i>stellata</i> . DC.	starry.	—	1820.	—	H. ♀.	Jacq. obs. t. 4. f. 3.
	<i>hirta</i> . Jacq. aust. t. 432.						
17	<i>contorta</i> . DC.	twisted-podded.	Britain.	5. 6.	H. ♂.	Eng. bot. t. 388.
	<i>incana</i> . E. B.						
18	<i>confusa</i> . DC.	confused.	N. Europe.	—	H. ♂.	Flor. dan. t. 130.
	<i>incana</i> . F. D.						
19	<i>nemoralis</i> . DC.	wood.	Europe, &c.	1759.	—	H. ♂.	Houtt. syst. 4. t. 60. f. 1.
20	<i>muralis</i> . DC.	wall.	England.	4. 5.	H. ♂.	Eng. bot. 912.

EROPHILA. DC.		EROPHILA. Tetradynamia Siliculosa. L.		
1	<i>americana. DC.</i>	American.	N. Amer.	1823. 3. 4. H.⊙.
2	<i>vulgaris. DC.</i>	common.	Britain. — H.⊙.
	<i>Draba verna. Eng. bot. 586.</i>			
COCHLEARIA. DC.		SCURVY-GRASS. Tetradynamia Siliculosa. L.		
1	<i>saxatilis. DC.</i>	rock.	Europe.	1775. 6. 7. H.⊙.
	<i>Myagrum saxatile. L.</i>			
	<i>β incisa. DC.</i>	cut-leaved.	— — —	— — — H.⊙.
2	<i>auriculata. DC.</i>	eared.	Pyrenees.	1824. 5. 6. H.⊙.
3	<i>Armoracia. DC.</i>	Horse-radish.	England. 5. H.⊙.
	<i>Armoracia rusticana. Baumg.</i>			
4	<i>macrocarpa. DC.</i>	large-fruited.	Hungary.	1806. 6. 8. H.⊙.
5	<i>glastifolia. DC.</i>	Wood-leaved.	S. Europe.	1648. 5. 7. H.⊙.
6	<i>anglica. DC.</i>	English.	England. 5. H.⊙.
7	<i>officinalis. DC.</i>	common.	Britain. 4. 5. H.⊙.
	<i>β minor. DC.</i>	lesser.	— — — — H.⊙.
	<i>γ rotundifolia. DC.</i>	round-leaved.	— — — — H.⊙.
	<i>grœnlandica. With. brit. 573. nou. Lin.</i>			
8	<i>pyrenaica. DC.</i>	Pyrenean.	Pyrenees. 6. 8. H.⊙.
9	<i>grœnlandica. DC.</i>	Greenland.	Scotland. 5. 6. H.⊙.
10	<i>danica. DC.</i>	Danish.	Britain. — H.⊙.
11	<i>alpina.</i>	Alpine.	— — — — H.⊙.

Tribus III. *THLASPIDEÆ* seu Pleurorhizeæ Angustiseptæ. DC.

THLASPI. DC.		BASTARD-CRESS. Tetradynamia Siliculosa. L.		
1	<i>ceratocarpon. DC.</i>	horn-podded.	Siberia.	1779. 7. H.⊙.
2	<i>arvense. DC.</i>	Penny-cress.	Britain. 6. 7. H.⊙.
3	<i>alliaceum. DC.</i>	Garlic-scented.	S. Europe.	1714. 5. 7. H.⊙.
4	<i>perfoliatum. DC.</i>	perfoliate.	England. 4. 7. H.⊙.
5	<i>montanum. DC.</i>	mountain.	Europe. 5. 6. H.⊙.
6	<i>alpestre. DC.</i>	Alpine.	England. 5. 7. H.⊙.
CAPSELLA. DC.		SHEPHERDS-PURSE. Tetradynamia Siliculosa. L.		
	<i>Bursa-pastoris. DC.</i>	common.	Britain. 1. 12. H.⊙.
	<i>Thlaspi Bursa-pastoris. L.</i>			
	<i>β minor. DC.</i>	small.	— — — — H.⊙.
	<i>γ integrifolia. DC.</i>	entire-leaved.	— — — — H.⊙.
	<i>δ coronopifolia. DC.</i>	Buck's-horn-l'd.	— — — — H.⊙.
HUTCHINSIA. DC.		HUTCHINSIA. Tetradynamia Siliculosa. L.		
1	<i>rotundifolia. DC.</i>	round-leaved.	Switzerland.	1759. 5. 7. H.⊙.
	<i>Iberis rotundifolia. L.</i>			
2	<i>cepeæfolia. DC.</i>	toothed-leaved.	Carinthia.	1824. 4. 5. H.⊙.
3	<i>alpina. DC.</i>	Alpine.	Pyrenees.	1775. 4. 6. H.⊙.
	<i>Lepidium alpinum. L.</i>			
4	<i>petræa. DC.</i>	rock.	England. 3. 5. H.⊙.
	<i>Lepidium petræum. L.</i>			
5	<i>procumbens. DC.</i>	procumbent.	Europe.	1823. — H.⊙.
TEESDALIA. DC.		TEESDALIA. Tetradynamia Siliculosa. L.		
	<i>Iberis. DC.</i>	Shepherds-cress	England. 5. 7. H.⊙.
	<i>nudicaulis. H. K. Iberis nudicaulis. L. Guepinia Iberis. DC.</i>			
IBERIS. DC.		CANDY-TUFT. Tetradynamia Siliculosa. L.		
1	<i>semperflorens. DC.</i>	broad-leaved.	Sicily.	1679. 1. 12. G.⊙.
2	<i>gibraltaria. DC.</i>	Gibraltar.	Gibraltar.	1732. 5. 6. G.⊙.
3	<i>saxatilis. DC.</i>	rock.	S. Europe.	1739. 4. 6. H.⊙.
4	<i>corifolia.</i>	Coris-leaved.	— — —	— — — H.⊙.
	<i>saxatilis β corifolia. Bot. mag. 1642.</i>			
5	<i>pubescens. DC.</i>	pubescent.	1821. — H.⊙.
6	<i>sempervirens. DC.</i>	evergreen.	Crete.	1731. — H.⊙.
7	<i>Garrexiana. DC.</i>	Allioni's.	Pyrenees. 6. 8. H.⊙.
8	<i>amara. DC.</i>	bitter.	England. — H.⊙.
9	<i>pinnata. DC.</i>	wing-leaved.	S. Europe.	1596. — H.⊙.
10	<i>odorata. DC.</i>	sweet-scented.	Crete.	1806. — H.⊙.
11	<i>Lagaseana. DC.</i>	Lagasca's.	Spain.	1824. — H.⊙.
12	<i>umbellata. DC.</i>	purple.	S. Europe.	1596. — H.⊙.
13	<i>linifolia. DC.</i>	Flax-leaved.	— — —	1759. — H.⊙.

Flor. dan. t. 983.

Jacq. aust. 2. t. 128.

Mor. ox. 2. n. 11. s. 3. t. 17.

Berg. phyt. 3. p. 140. ic.

Eng. bot. 2223.

W. et Kit. hun. 2. t. 184.

Lob. ic. t. 321. f. 2.

Eng. bot. 552.

— — — 551.

Deles. ic. scl. 2. t. 48.

Eng. bot. 2403.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

— — — 696.

14 ciliata. DC.	fringed.	-----	—	H. ♂.		
15 taurica. DC.	Taurian.	Tauria.	1802.	5. 7.	H. ♂.		
16 violacea. DC.	blunt-leaved.	1782.	6. 7.	H. ⊙.		
17 nana. DC.	dwarf.	S. Europe.	1822.	6. 8.	H. ♂.	All. auct. p. 15. t. 2. f. 1.	
18 Tenoreana. DC.	Tenore's.	Naples.	—	5. 7.	H. ♀.	Swt. br. fl. gar. 88.	
BISCUTELLA. DC.	BUCKLER-MUSTARD.	Tetradynamia Siliculosa. L.					
1 auriculata. DC.	car-podded.	S. Europe.	1683.	6. 7.	H. ⊙.	DC. diss. n. 1. t. 1. f. 2.	
2 erigerifolia. DC.	Erigeron-leav'd	Spain.	1824.	—	H. ⊙.	Deles. ic. sel. 2. t. 55.	
3 hispida. DC.	hispid.	S. France.	1822.	—	H. ⊙.	Bot. mag. 2444.	
4 cichoriifolia. DC.	Succory-leaved.	Pyrenees.	—	—	H. ♀.	DC. diss. n. 4. t. 2.	
5 lyrata. DC.	lyre-leaved.	Spain.	1799.	—	H. ⊙.	Bocc. sic. 45. t. 23.	
6 raphanifolia. DC.	Radish-leaved.	Sicily.	1824.	—	H. ⊙.		
7 maritima. DC.	sea.	Naples.	—	—	H. ⊙.	Tenor. fl. nap. t. 61.	
8 ciliata. DC.	fringe-podded.	Italy.	1790.	—	H. ⊙.	DC. ic. gal. rar. 1. t. 39.	
	<i>coronopifolia. W. non.</i>	Lin.					
9 depressa. DC.	dwarf.	Egypt.	1823.	—	H. ⊙.		
10 microcarpa. DC.	small-podded.	Gibraltar.	—	5. 6.	H. ⊙.		
11 Columnæ. DC.	Columna's.	Apulia.	1824.	6. 7.	H. ⊙.	Col. ecphr. 1. t. 284. f. 1.	
12 apula. DC.	spear-leaved.	Italy.	1710.	—	H. ⊙.	Fl. græc. t. 629.	
13 leiocarpa. DC.	smooth-capsul'd	Levant.	1824.	—	H. ⊙.	Gært. fruct. 2. t. 141.	
14 obovata. DC.	obovate-leaved.	—	H. ⊙.		
15 lævigata. DC.	smooth-podded.	Europe.	1777.	—	H. ♀.	DC. ic. rar. 11. t. 38.	
	<i>β alpestris. W. en.</i>	Hungarian.	Hungary.	1816.	—	H. ♀.	W. et Kit. hung. 3. t. 228.
16 coronopifolia. DC.	Buck's-horn-l'd.	S. Europe.	1790.	—	H. ♀.	DC. diss. n. 22. t. 18.	
17 ambigua. DC.	ambiguous.	-----	—	H. ♀.	— n. 23. t. 11. f. 1.	
18 saxatilis.	rock.	-----	1824.	—	H. ♀.	— n. 24. t. 10.	
19 sempervirens. DC.	downy-leaved.	Spain.	1784.	—	F. ♀.	Barr. ic. t. 841.	
MEGACARPÆA. DC.	MEGACARPÆA.	Tetradynamia Siliculosa. L.					
	laciniata. DC.	jagged-leaved.	Volga.	1823.	6. 7.	H. ♀.	DC. diss. bisc. n. 5. t. 3.

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizæ Nucamentacæ. DC.

EUCLIDIUM. DC.	EUCLIDIUM.	Tetradynamia Siliculosa. L.				
1 syriacum. DC.	Syrian.	Levant.	1778.	7. 8.	H. ⊙.	Jacq. aust. 1. t. 6.
	<i>Bunias syriaca. W.</i>	<i>Anastatica syriaca. Jacq.</i>				
2 tataricum. DC.	Tartarian.	Tartary.	1823.	4. 5.	H. ⊙.	Pall. it. 3. ap. t. v. f. 2.
	<i>Bunias tatarica. W.</i>					
OCHTHODIUM. DC.	OCHTHODIUM.	Tetradynamia Siliculosa. L.				
<i>ægyptiacum. DC.</i>	Egyptian.	Egypt.	1787.	8.	H. ⊙.	Jacq. vind. t. 145.
	<i>Rapistrum ægyptiacum. H. K.</i>	<i>Bunias ægyptiaca. L.</i>				

Tribus V. *ANASTATICEÆ* seu Pleurorhizæ Septulataæ. DC.

ANASTATICA. DC.	ROSE OF JERICHO.	Tetradynamia Siliculosa. L.				
	Hierochuntina. DC. common.	Levant.	1597.	5. 8.	H. ⊙.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorhizæ Lomentacæ. DC.

CAKILE. DC.	CAKILE.	Tetradynamia Siliculosa. L.				
1 maritima. DC.	Sea Rocket.	Britain.	6. 9.	H. ⊙.	Eng. bot. 231.
	<i>β sinuatifolia. DC.</i>	<i>sinuate-leaved.</i>	-----	H. ⊙.	Horn. fl. dan. t. 1583.
2 americana. DC.	American.	America.	—	H. ⊙.	Tussac fl. ant. 1. f. 17.
CHORISPORA. DC.	CHORISPORA.	Tetradynamia Siliquosa. L.				
1 tenella. DC.	purple.	Tauria.	1780.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. l. f. 3.
2 sibirica. DC.	Siberian.	Siberia.	1822.	—	H. ⊙.	Murr. com. gett. t. 11.
3 iberica. DC.	strong-scented.	Iberia.	—	—	H. ⊙.	Deles. ic. scl. 2. t. 58.

Subordo II. NOTORHIZEÆ. DC. syst. 2. p. 438.

Tribus VII. SISYMBREÆ seu Notorhizeæ Siliquosæ. DC.

MALCOMIA. DC.		MALCOMIA. Tetradynamia Siliquosa. L.			
1	<i>africana. DC.</i>	African.	Africa.	1747.	6. 7. H. ⊙. Buxb. cent. 4. t. 44.
2	<i>taraxacifolia. DC.</i>	Dandelion-ld.	1795.	— H. ⊙.
3	<i>laxa. DC.</i>	loose-branched.	Siberia.	1822.	— H. ⊙.
4	<i>Chia. DC.</i>	dwf.-branching.	Chio.	1732.	5. 6. H. ⊙. Swt. br. fl. gar. 40.
5	<i>maritima. DC.</i>	dwarf annual.	S. Europe.	1713.	— H. ⊙. Bot. mag. 166.
	<i>Cheiranthus maritimus. E. M.</i>				
6	<i>arenaria. DC.</i>	sand.	Barbary.	1801.	— H. ⊙. Desf. fl. atl. 2. t. 162.
	<i>Hesperis arenaria. Desf.</i>				
7	<i>parviflora. DC.</i>	small-flowered.	S. Enrope.	1822.	6. 8. H. ⊙. DC. ic. gall. rar. t. 35.
8	<i>littorea. DC.</i>	sea.	— — —	1683.	6. 11. H. ♂. Swt. br. fl. gar. 54.
HESPERIS. DC.		ROCKET. Tetradynamia Siliquosa. L.			
1	<i>tristis. DC.</i>	night-smelling.	Austria.	1622.	4. 6. H. ♂. Bot. mag. 730.
2	<i>fragrans. F.</i>	evening-scentd.	Siberia?	1823.	— H. ♂. Swt. br. fl. gar. 61.
3	<i>laciniata. DC.</i>	laciniated.	Italy.	1820.	5. 6. H. ♂. All. ped. n. 985. t. 82. f. 1.
4	<i>runcinata. DC.</i>	runcinate.	Hungary.	1804.	5. 7. H. ♂. W. et Kit. hung. 2. t. 200.
5	<i>bituminosa. W. en.</i>	clammy.	1816.	— H. ♂.
6	<i>matronalis. L.</i>	common.	Europe.	1597.	5. 8. H. ♀. Lob. ic. t. 323. f. 2.
	<i>a albiflora. DC.</i>	single-white.	— — —	—	— H. ♀. Tabern. kraut. 692. f. 1.
	<i>β albo-plena.</i>	double-white.	— — —	—	— H. ♀.
	<i>γ purpurea. DC.</i>	single-purple.	— — —	—	— H. ♀. Tabern. kraut. 692. f. 2.
	<i>δ purpureo-plena.</i>	double-purple.	— — —	—	— H. ♀. Wein. phyt. t. 572. f. c.
	<i>ε variegata. DC.</i>	double-variegated	— — —	—	— H. ♀. Munt. phyt. cur. t. 186.
	<i>ζ foliiflora. DC.</i>	green-flowered.	— — —	—	— H. ♀. Wein. phyt. t. 572. f. a.
7	<i>inodora. L.</i>	scentless.	Britain.	— H. ♀. Eng. bot. 731.
8	<i>sibirica. DC.</i>	Siberian.	Siberia.	— H. ♀.
9	<i>aprica. DC.</i>	sun.	— — —	1823.	5. 6. H. ♀. Deles. ic. sel. 2. t. 62.
ANDREOSKIA. DC.		ANDREOSKIA. Tetradynamia Siliquosa. L.			
	<i>integrifolia. DC.</i>	entire-leaved.	Siberia.	1824.	6. 7. H. ⊙.
	<i>Sisymbrium integrifolium. W.</i>	<i>Hesperis glandulosa. P. S.</i>			
SISYMBRIUM. DC.		SISYMBRIUM. Tetradynamia Siliquosa. L.			
1	<i>officinale. DC.</i>	Hedge-mustard	Britain.	5. 7. H. ⊙. Eng. bot. 725.
	<i>Erysimum officinale. E. B.</i>				
2	<i>strictissimum. DC.</i>	spear-leaved.	Europe.	1658.	6. 8. H. ♀. Jacq. aust. 2. t. 194.
	<i>Cheirinia strictissima. L. en.</i>				
3	<i>juncuum. DC.</i>	rushy.	Hungary.	1804.	7. H. ♀. W. et Kit. hung. 3. t. 234.
	<i>Erysimum juncuum. W.</i>	<i>Cheirinia juncea. L. en.</i>			
4	<i>hispanicum. DC.</i>	Spanish.	Spain.	1820.	5. 6. H. ♂. Jacq. ic. rar. 1. t. 124.
5	<i>pumilum. DC.</i>	dwarf.	Caucasus.	—	4. 5. H. ⊙.
6	<i>obtusangulum. DC.</i>	blunt-angled.	Switzerland.	5. 8. H. ⊙. Moris. ox. 2. s. 3. t. 5. f. 10.
7	<i>acutangulum. DC.</i>	acute-angled.	Pyrenees.	1791.	6. 7. H. ♂. Jacq. viind. 3. t. 97.
	<i>sinapoides. H. K.</i>	<i>Sinapis pyrenaica. Jacq.</i>			
8	<i>taraxacifolium. DC.</i>	Dandelion-ld.	France.	1823.	5. 6. H. ♂. DC. ic. rar. p. 11. t. 37.
9	<i>austriacum. DC.</i>	Austrian.	Austria.	1799.	6. 8. H. ⊙. Jacq. aust. 3. t. 262.
10	<i>eckartsbergense. W.</i>	bending-podd'd	— — —	—	— H. ♂.
11	<i>Irio. DC.</i>	London Rocket.	England.	5. 8. H. ⊙. Eng. bot. 1631.
12	<i>nitidum. DC.</i>	glossy.	6. 8. H. ⊙.
13	<i>subhastatum. DC.</i>	halb-ert-leaved.	Archipelago.	1822.	4. 5. H. ⊙.
14	<i>Columnæ. Jacq.</i>	Column's.	Italy.	1796.	6. 7. H. ⊙. Jacq. aust. t. 323.
15	<i>altissimum. L.</i>	tall.	Siberia.	1759.	8. H. ⊙. Walth. hort. t. 122.
16	<i>orientale. L.</i>	oriental.	Levant.	1739.	7. 8. H. ⊙.
17	<i>pannonicum. DC.</i>	Hungarian.	Hungary.	1787.	— H. ⊙. Jacq. ic. rar. 1. t. 123.
18	<i>asperum. DC.</i>	rough-podded.	S. Enrope.	1778.	5. 6. H. ⊙. J. Bauh. hist. 2. f. 3.
19	<i>fugax. DC.</i>	fugacious.	Spain.	1820.	7. 8. H. ♀.
20	<i>Sophia. DC.</i>	Flix-weed.	Britain.	7. 8. H. ⊙. Eng. bot. 963.
21	<i>persicum. DC.</i>	Persian.	Persia.	1820.	— H. ⊙.
22	<i>tripinnatum. DC.</i>	tripinnate.	C. B. S.	1817.	— H. ⊙.
23	<i>millefolium. DC.</i>	Milfoil-leaved.	Canaries.	1779.	5. 9. G. ♯. Jacq. ic. rar. 1. t. 127.

24	tanacetifolium. DC.	Tansy-leaved.	Italy.	1731.	6. 7.	H. ♀.	Mor. his. 2. s. 3. t. 6. f. 19.
25	supinum. DC.	trailing.	S. Europe.	1778.	—	H. ⊙.	Isn. act. Par. 1721. t. 18.
	<i>Erysimum supinum.</i>	L.en.					
26	hirsutum. DC.	hairy-podded.	—	1822.	—	H. ⊙.	
	<i>Erysimum hirsutum.</i>	L.en.					
27	polyceratium. DC.	sinuate-leaved.	—	1633.	—	H. ⊙.	Jacq. vind. t. 79.
	<i>Erysimum polyceratium.</i>	L.en.					
28	bursifolium. DC.	various-leaved.	—	1732.	—	H. ⊙.	Dill. elt. t. 148. f. 177.
29	pinnatifidum. DC.	pinnatifid.	—	1822.	5. 8.	H. ♀.	All. ped. t. 57. f. 3.
30	contortuplicatum. DC.	twisted-podd.	Cumana.	—	6. 8.	H. ⊙.	
	<i>Hesperis contortuplicatus.</i>	Bieb.	<i>Cheiranthus contortuplicatus.</i>	w.			
ALLIARIA. DC.	ALLIARIA.	Tetradynamia	Siliquosa.	L.			
	officinalis. DC.	garlick-scented.	Britain.	5. 6.	H. ♀.	Eng. bot. 796.
	<i>Erysimum Alliaria.</i>	E. B.	<i>Hesperis Alliaria.</i>	Lam.			
ERYSIMUM. DC.	ERYSIMUM.	Tetradynamia	Siliquosa.	L.			
1	siculum. DC.	Sicilian.	Sicily.	1824.	6. 7.	H. ♂.	
2	sessiliflorum. DC.	sessile-flower'd.	Siberia.	1794.	—	H. ♀.	L. Her. strip. 1. t. 44.
	<i>Cheiranthus quadrangulus.</i>	w.	<i>Cheirinia sessiliflora.</i>	L.en.	<i>Syrenia Lamarckii.</i>	Andrz.	
3	angustifolium. DC.	narrow-leaved.	Hungary.	1800.	7. 8.	H. ♂.	W. et Kit. hung. 1. t. 98.
	<i>Cheirinia angustifolia.</i>	L.en.	<i>Syrenia Ehrharti.</i>	Andrz.			
4	cuspidatum. DC.	sharp-pointed.	Caucasus.	1800.	5. 6.	H. ♂.	Buxb. cent. 2. t. 33. f. 1.
	<i>Syrenia Biebersteinii.</i>	Andrz.	<i>Cheiranthus cuspidatus.</i>	w.			
5	suffruticosum. DC.	suffruticose.	1822.	4. 5.	H. ♀.	
6	strictum. DC.	upright.	Austria.	1795.	6. 8.	H. ♂.	Jacq. aust. 1. t. 73.
	odoratum. w.	<i>hieracifolium.</i>	Jacq.	<i>Cheirinia stricta.</i>	L.en.		
7	virgatum. DC.	twiggy.	Portugal.	1807.	6. 7.	H. ♂.	Fl. Dan. t. 923?
8	longisiliquosum. DC.	long-podded.	Switzerland.	1823.	—	H. ♂.	DC. ic. gal. rar. t. 36.
9	hieracifolium. DC.	Hawkweed-ld.	Europe.	—	5. 6.	H. ♂.	J. Bauh. his. 2. t. 2.
10	aureum. DC.	golden.	Caucasus.	1824.	—	H. ♂.	Deles. ic. sel. 2. t. 66.
11	ibericum. DC.	Iberian.	Iberia.	1803.	5. 8.	H. ♂.	Bot. mag. 835.
	<i>Cheiranthus armeniacus.</i>	B. M.	<i>Cheiranthus ibericus.</i>	Bieb.			
12	cheiranthoides. DC.	treacle.	Britain.	6. 8.	H. ⊙.	Eng. bot. 942.
13	repandum. DC.	small-flowered.	S. Europe.	1772.	5. 6.	H. ⊙.	Jacq. aust. 1. t. 22.
14	helveticum. DC.	Swiss.	Switzerland.	1793.	—	H. ♂.	Jacq. vind. t. 9.
	<i>Cheiranthus helveticus.</i>	Jacq.	<i>Cheirinia helvetica.</i>	L.en.			
15	canescens. DC.	canescent.	S. Europe.	1731.	5. 7.	H. ♂.	Barr. ic. t. 884.
	<i>Cheiranthus alpinus.</i>	Jacq. fl. aust. 1. t. 75.					
16	lanceolatum. DC.	spear-leaved.	—	1597.	—	H. ♂.	Jacq. aust. t. 74.
	<i>Cheiranthus erysimoides.</i>	Jacq.					
17	firmum.	hoary-podded.	Switzerland.	1824.	—	H. ♂.	
	<i>Cheirinia firma.</i>	L.en.	<i>Cheiranthus firmus.</i>	w.en.			
18	rhæticum. DC.	Rhætian.	Rhætia.	—	—	H. ♂.	
19	dubium. DC.	doubtful.	—	—	H. ♂.	
20	longifolium. DC.	long-leaved.	Algiers.	1822.	—	H. ♀.	
21	altissimum. DC.	tall.	Limbourg.	—	6. 7.	H. ♂.	
	<i>Cheirinia altissima.</i>	L.en.					
CONRINGIA. L.en.	CONRINGIA.	Tetradynamia	Siliquosa.	L.			
1	alpina. L.en.	Alpine.	Europe.	1793.	5. 6.	H. ♀.	Vill. danph. 3. t. 36.
	<i>Brassica alpina.</i>	D.	<i>Erysimum alpinum.</i>	DC.			
2	perfoliata. L.en.	perfoliate.	England.	—	H. ⊙.	Eng. bot. 1804.
	<i>Brassica orientalis.</i>	E. B.	<i>Erysimum perfoliatum.</i>	DC.			
3	austriaca.	Austrian.	Austria.	—	H. ⊙.	Jacq. aust. t. 283.
	<i>Brassica austriaca.</i>	Jacq.	<i>Erysimum austriacum.</i>	DC.			

Tribus VIII. CAMELINEÆ seu Notorhizeæ Latiseptæ. DC.

CAMELINA. DC.	CAMELINA.	Tetradynamia	Siliculosa.	L.			
1	sativa. DC.	Gold of pleasure.	Britain.	5. 7.	H. ⊙.	Eng. bot. 1254.
	<i>Alyssum sativum.</i>	E. B.	<i>Myagrum sativum.</i>	L.			
	<i>a pilosa.</i>	DC.	<i>hairy.</i>	—	H. ⊙.	Moris. ox. 2. s. 3. t. 21. f. 2.
	<i>β glabrata.</i>	DC.	<i>smooth.</i>	—	H. ⊙.	Lind. als. 94. t. 1.
2	dentata. DC.	tooth-leaved.	Europe.	1806.	—	H. ⊙.	J. Bauh. hist. 2. p. 893. ic.
3	barbareæfolia. DC.	Barbarea-ld.	Siberia.	1824.	—	H. ♀.	
4	austriaca. DC.	Austrian.	Austria.	1795.	6. 7.	H. ⊙.	Jacq. aust. 2. t. 111.

NESLIA. DC.	NESLIA.	Tetradynamia Siliculosa. L.			
paniculata. DC.	panicked.	Europe. 1683.	7. 8.	H. ⊙.	Flor. dan. t. 204.
<i>Rapistrum paniculatum.</i>	Gært.	<i>Myagrum paniculatum.</i>	L.		

Tribus IX. *LEPIDINEÆ* seu Notorhizæ Angustiseptæ. DC.

SENEBIERA. DC.	SENEBIERA.	Tetradynamia Siliculosa. L.			
1 pinnatifida. DC.	pinnatifid.	England.	7. 8.	H. ⊙.	Eng. bot. 248.
<i>Coronopus didyma.</i>	E. B. <i>Lepidium didymum.</i>	L.			
2 Coronopus. DC.	common.	Britain.	6. 10.	H. ⊙.	— — — 1660.
<i>Coronopus Ruellii.</i>	E. B. <i>Cochlearia Coronopus.</i>	L.			
LEPIDIUM. DC.	PEPPERWORT.	Tetradynamia Siliculosa. L.			
1 Draba. DC.	Whitlow-grass.	Europe. 1596.	5. 6.	H. ♀.	Jacq. fl. aust. 4. t. 315.
<i>Cochlearia Draba.</i>	Jacq.				
2 chalepense. DC.	Aleppo.	Aleppo. 1798.	5. 7.	H. ⊙.	Moris. ox. 2. s. 3. t. 25.
3 coronopifolium. DC.	Buckshorn-ld.	Volga. 1823.	—	H. ♀.	
4 sativum. DC.	common Cress.	Persia. 1548.	5. 10.	H. ⊙.	Fl. græc. t. 616.
<i>β crispum.</i>	DC. <i>curled Cress.</i>	— — —	—	H. ⊙.
<i>γ latifolium.</i>	DC. <i>broad-leaved.</i>	— — —	—	H. ⊙.
5 campestre. DC.	hoary field.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1385.
<i>Thlaspi campestre.</i>	E. B.				
6 hirtum. DC.	hairy.	— — —	—	H. ♂.
<i>Thlaspi hirtum.</i>	E. B.				— — — 1803.
7 spinosum. DC.	prickly.	Levant. 1787.	4. 9.	H. ⊙.	Ard. spec. 2. t. 16.
8 virginicum. DC.	Virginian.	America. 1713.	6. 7.	H. ⊙.	Schkuhr hand. 2. t. 180.
9 subulatum. DC.	awl-leaved.	Spain. 1739.	7. 8.	F. ♀.	Asso syn. arr. t. 6. f. 3.
10 ruderale. DC.	narrow-leaved.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1595.
11 incisum. DC.	cut-leaved.	Tauria. 1824.	5. 6.	H. ⊙.	
12 perfoliatum. DC.	various-leaved.	Austria. 1640.	4. 6.	H. ⊙.	Jacq. aust. 4. t. 346.
13 Cardamines. DC.	Spanish Cress.	Spain. 1789.	6. 7.	F. ♂.	Ard. spec. 1. t. 19.
14 divaricatum. DC.	close-spiked.	C. B. S. 1774.	5. 8.	G. ♀.	
15 bonariense. DC.	Buenos Ayres.	S. Amer. 1732.	5. 6.	H. ⊙.	Dill. elt. t. 286. f. 370.
16 cuneifolium. DC.	wedge-leaved.	N. S. W. 1820.	6. 8.	H. ⊙.	
17 piscidium. DC.	South Sea.	Society Isl. 1779.	9.	H. ⊙.	Mont. n. a. n. c. 6. t. 5. a.
18 lyratum. DC.	lyre-leaved.	Levant. 1759.	6. 7.	H. ⊙.	Tourn. it. 2. t. 389.
19 latifolium. DC.	broad-leaved.	Britain.	—	H. ♀.	Eng. bot. 182.
20 affine. DC.	saw-leaved.	Siberia. 1823.	7. 8.	H. ♀.	
21 crassifolium. DC.	thick-leaved.	Hungary. —	5. 6.	H. ♀.	W. et Kit. hung. 1. t. 4.
22 suffruticosum.	shrubby.	Spain. 1790.	7. 8.	F. ♀.	Cav. ic. 2. t. 161. f. 2.
23 lineare. DC.	linear-leaved.	Spain.	—	F. ♀.	
24 Iberis. DC.	grass-leaved.	S. Europe. 1683.	6. 9.	H. ♀.	Moris. his. 2. s. 3. t. 21. f. 1.
<i>graninifolia.</i>	H. K.				
25 capense. DC.	Cape.	C. B. S. 1818.	6. 7.	G. ♀.	
BIVONÆA. DC.	BIVONÆA.	Tetradynamia Siliculosa. L.			
lutea. DC.	yellow.	Sicily. 1823.	4. 5.	H. ⊙.	Cup. pan. sic. 2. t. 256.
<i>Thlaspi luteum.</i>	Bly.				
ÆTHIONEMA. DC.	ÆTHIONEMA.	Tetradynamia Siliculosa. L.			
1 saxatile. DC.	rock.	S. Europe. 1759.	6. 7.	H. ⊙.	Jacq. aust. 3. t. 236.
2 gracile. DC.	slender.	Carniola. 1822.	—	H. ♀.	Boc. mus. p. 79. t. 70.
3 Buxbaumii. DC.	Buxbaum's.	Iberia. 1820.	—	H. ⊙.	Buxb. cent. 1. t. 5. f. 1.
4 monospermum. DC.	one-seeded.	Spain. 1778.	7. 8.	H. ♂.	

Tribus X. *ISATIDEÆ* seu Notorhizæ Nucamentacæ. DC.

TAUSCHERIA. DC.	TAUSCHERIA.	Tetradynamia Siliculosa. L.			
1 lasiocarpa. DC.	villous-podded.	Siberia. 1824.	6. 7.	H. ⊙.	
2 gymnocarpa. DC.	smooth-podded.	— — —	5. 6.	H. ⊙.	
ISATIS. DC.	WOAD.	Tetradynamia Siliculosa. L.			
1 armena. DC.	Armenian.	Armenia. 1824.	6. 7.	H. ⊙.	Desv. j. 3. t. 25. f. 6.
2 lusitanica. DC.	Portugal.	Portugal. 1739.	—	H. ⊙.	
3 alpina. DC.	Alpine.	Italy. 1800.	—	H. ♀.	All. ped. t. 86. f. 2.

4 præcox. DC.	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
5 littoralis. DC.	sea-side.	Tauria.	—	6. 7.	H. ⊙.	
6 tinctoria. DC.	common.	England.	5. 7.	H. ♂.	Eng. bot. 97.
7 campestris. DC.	field.	Podolia.	1823.	—	H. ⊙.	
8 bannatica. DC.	Bannatic.	Bannatu.	—	—	H. ⊙.	
9 orientalis. DC.	oriental.	Levant.	—	H. ⊙.	
10 aleppica. DC.	Aleppo.	—	1739.	6. 7.	H. ⊙.	Scop. d. ins. 2. t. 16.
MYAGRUM. DC.	MYAGRUM.	Tetradynamia	Siliculosa. L.			
perfoliatum. DC.	perfoliate.	Europe.	1648.	6. 7.	H. ⊙.	Schkuhr han 2. t. 178.
SOBOLEWSKIA. DC.	SOBOLEWSKIA.	Tetradynamia	Siliculosa. L.			
lithophila. DC.	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Bieb. cent. 2. t. 59.

Tribus XI. *ANCHONIEÆ* seu Notorhizeæ Lomentaceæ. DC.

GOLDBACHIA. DC.	GOLDBACHIA.	Tetradynamia	Siliquosa. L.			
lævigata. DC.	smooth.	Astracan.	1823.	5. 6.	H. ⊙.	Deles. ic. sel. 2. t. 81.
STERIGMA. DC.	STERIGMA.	Tetradynamia	Siliquosa. L.			
1 tomentosum. DC.	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
	<i>Cheiranthus tomentosus.</i> w.					
2 torulosum. DC.	twisted-podded.	Iberia.	—	—	H. ♂.	

Subordo III. *ORTHOPOCEÆ*. DC. *systema*. 2. p. 581.

Tribus XII. *BRASSICEÆ* seu Orthoploceæ Siliquosæ. DC.

BRASSICA. DC.	CABBAGE.	Tetradynamia	Siliquosa. L.			
1 oleracea. DC.	common.	England.	4. 6.	H. ♂.	
A. SYLVESTRIS. DC.	WILD.	—	—	H. ♂.	Eng. bot. t. 637.
B. ACEPHALA. DC.	CATTLE.	—	H. ♂.	
a <i>ramosa.</i> DC.	<i>branching.</i>	—	H. ♂.	
β <i>vulgaris.</i> DC.	<i>upright.</i>	—	H. ♂.	
* <i>viridis.</i> DC.	<i>green.</i>	—	H. ♂.	Lob. ic. 243. f. 1.
** <i>purpurascens.</i> DC.	<i>purple.</i>	—	H. ♂.	Chabr. sciag. 270. f. 6.
γ <i>quercifolia.</i> DC.	<i>oak-leaved.</i>	—	H. ♂.	— 270. f. 1.
δ <i>sabellica.</i> DC.	BORECOLE.	—	H. ♂.	— 271. f. 1.
* <i>pinnata.</i> DC.	<i>winged-leaved.</i>	—	H. ♂.	Lob. ic. 246. f. 2.
** <i>purpurascens.</i> DC.	<i>purple.</i>	—	H. ♂.	
*** <i>versicolor.</i> DC.	<i>variegated.</i>	—	H. ♂.	
ε <i>palmifolia.</i> DC.	<i>palm-leaved.</i>	—	H. ♂.	
ζ <i>costata.</i> DC.	<i>thick-ribbed.</i>	—	H. ♂.	
* <i>nepenthiformis.</i> DC.	<i>tubular-leaved.</i>	—	H. ♂.	
C. BULLATA. DC.	SAVOY.	—	H. ♂.	
a <i>vulgaris.</i> DC.	<i>common.</i>	—	H. ♂.	Lob. ic. t. 244. f. 1.
* <i>præcox.</i> DC.	<i>early.</i>	—	H. ♂.	
** <i>humilis.</i> DC.	<i>dwarf.</i>	—	H. ♂.	
*** <i>turionensis.</i> DC.	<i>Tourraine.</i>	—	H. ♂.	
**** <i>aurata.</i> DC.	<i>yellow.</i>	—	H. ♂.	
β <i>oblonga.</i> DC.	<i>winter.</i>	—	H. ♂.	Lob. ic. t. 224. f. 2.
γ <i>major.</i> DC.	<i>large.</i>	—	H. ♂.	
δ <i>gemmifera.</i> DC.	<i>Brussel's-sprouts</i>	—	H. ♂.	Lob. ic. 243. f. 2.
D. CAPITATA. DC.	HEADED.	—	H. ♂.	
a <i>depressa.</i> DC.	<i>drum-head.</i>	—	H. ♂.	
β <i>sphærica.</i> DC.	<i>common.</i>	—	H. ♂.	
* <i>alba.</i> DC.	<i>white.</i>	—	H. ♂.	
** <i>rubra.</i> DC.	<i>red.</i>	—	H. ♂.	Dod. pempt. 621. f. 2.
γ <i>obovata.</i> DC.	<i>heart.</i>	—	H. ♂.	
δ <i>elliptica.</i> DC.	<i>early york.</i>	—	H. ♂.	
ε <i>subacuta.</i>	<i>Battersea.</i>	—	H. ♂.	
ζ <i>conica.</i> DC.	<i>Sugarloaf.</i>	—	H. ♂.	
E. CAULO-RAPA. DC.	TURNIP-STALK	—	H. ♂.	

a communis. DC.	flat-leaved.	—	H. ♂	Lob. ic. 246. f. 1.
* alba. DC.	white-stemmed.	—	H. ♂	
** purpurascens. DC.	violet-stemmed.	—	H. ♂	Weinm. phyt. t. 264.
β? crispa. DC.	curl-leaved.	—	H. ♂	
F. BOTRYTIS. DC.	BROCCOLI.	—	H. ♂	Lob. ic. 245. f. 1.
a cauliflora. DC.	Cauliflower.	—	H. ♂	Weinm. phyt. t. 256.
β asparagoides. DC.	Broccoli.	—	H. ♂	Dalech. lugd. 522. f. 1.
* communis. DC.	white.	—	H. ♂	Chabr. sciagr. 269. f. 3.
** violacea. DC.	violet.	—	H. ♂	
*** viridis.	green.	—	H. ♂	
**** ramosa.	branching.	—	H. ♂	
***** autumnalis.	Cape.	—	H. ♂	
2 campestris. DC.	field.	England.	6.	H. ♂	Eng. bot. 2224.
A. OLEIFERA. DC.	COLE-SEED.	H. ♂	
* autumnalis. DC.	autumnal.	H. ♂	
** præcox. DC.	early.	H. ♂	
B. PABULARIA. DC.	SHEEP'S.	H. ♂	
C. NAPO-BRASSICA. DC.	TURNEP-Rd	H. ♂	
a communis. DC.	common.	H. ♂	
* alba. DC.	white-rooted.	H. ♂	
** purpurascens. DC.	purple-rooted.	H. ♂	
β Rutabaga. DC.	Swedish Turnep.	H. ♂	
3 Rapa. DC.	Turnep.	4. 6.	H. ♂	Eng. bot. 2176.
A. DEPRESSA. DC.	FLAT-ROOTED.	H. ♂	Mart. fl. rust. t. 49. 50.
* alba. DC.	white-round.	H. ♂	
** flavescens. DC.	yellow-round.	H. ♂	
*** nigricans. DC.	dark-round.	H. ♂	
**** punicea. DC.	red-round.	H. ♂	
***** viridis. DC.	green-round.	H. ♂	
***** præcox.	early Dutch.	H. ♂	
B. OBLONGA. DC.	OBLONG-RD.	H. ♂	Lob. ic. t. 197. f. 2.
C. OLEIFERA. DC.	OIL-BEARING.	Dauphiny.	H. ♂	— t. 298. f. 1.
4 Napus. DC.	Rape.	Britain.	5.	H. ♂	Eng. bot. 2146.
A. OLEIFERA. DC.	wild.	H. ♂	Lob. ic. t. 200. f. 2.
B. ESCULENTA. DC.	esculent.	H. ♂	— 200. f. 1.
a alba. DC.	white-rooted.	H. ♂	Blackw. herb. t. 410.
β flava. DC.	yellow-rooted.	H. ♂	
γ nigricans. DC.	black-rooted.	H. ♂	
5 præcox. DC.	early.	S. Europe.	5. 6.	H. ⊙	
6 chinensis. DC.	Chinese.	China.	1770.	7.	H. ⊙	
7 violacea. DC.	violet-flowered.	H. ⊙	
8 incana. DC.	hoary.	Naples.	1824.	4. 5.	H. ♀	Cup. panph. 1. t. 132.
9 Gravinæ. DC.	pubescent.	Aprntia.	5. 6.	H. ♀	Ten. fl. nap. t. 62.
10 pinnatifida. DC.	pinnatifid.	Spain.	9. 10.	H. ♀	Desf. fl. atl. 2. t. 165.
11 humilis. DC.	dwarf.	S. France.	4. 5.	H. ♀	
12 repanda. DC.	wavy.	S. Europe.	1818.	6. 8.	H. ♀	Vill. dauph. 3. t. 39.
13 monensis. DC.	Isle of Man.	Britain.	H. ⊙	Eng. bot. 962.
14 Erucastrum. DC.	stinkinate.	S. Europe.	1790.	H. ⊙	Bull. herb. t. 331.
15 Cheiranthos. DC.	Stock-like.	H. ♀	Vill. dauph. 3. t. 36.
16 cheiranthiflora. DC.	Wall-flowered.	1820.	H. ⊙	Willd. hort. ber. t. 19.
17 Tournefortii. DC.	Tournefort's.	Spain.	6. 7.	H. ⊙	Gou. ill. p. 44. t. 20. f. A.
18 lævigata. DC.	smooth.	1825.	H. ♂	
19 valentina. DC.	Spanish.	4. 5.	H. ⊙	Barr. ic. t. 195. f. 1.
20 fruticulosa. DC.	frutescent.	S. Europe.	1820.	2. 4.	H. ♀	Cyr. pl. rar. 2. t. 1.
21 elongata. DC.	stalk-leaved.	Hungary.	1801.	5. 6.	H. ♂	W. et K. hung. 1. t. 28.
22 sabularia. DC.	gravel.	Portugal.	1818.	H. ⊙	Brot. phyt. p. 97. t. 43.
SINAPIS. DC.	MUSTARD.	Tetradymia	Siliquosa. L.			
1 nigra. DC.	common.	Britain.	4. 8.	H. ⊙	Eng. bot. 969.
2 lævigata. DC.	smooth.	Spain.	1769.	6. 7.	H. ♂	
3 auriculata. DC.	eared.	H. ⊙	
4 integrifolia. DC.	entire-leaved.	E. Ind.	1804.	7. 8.	H. ⊙	W. hort. ber. t. 14.
5 juncea. DC.	fine-leaved.	China.	1710.	6. 7.	H. ⊙	Jacq. h. vind. t. 171.
6 chinensis. DC.	Chinese.	1782.	H. ⊙	Ard. spec. 1. t. 10.
7 brassicata. DC.	Cabbage-leav'd.	1801.	H. ⊙	
8 pubescens. DC.	downy.	Scily.	1789.	H. ♀	Ard. spec. 1. t. 9.
9 arvensis. DC.	Charlock.	Britain.	4. 8.	H. ⊙	Eng. bot. 1748.
10 orientalis. DC.	oriental.	Levant.	1778.	6. 7.	H. ⊙	Schk. hand. 1. t. 186.
11 taurica. DC.	Taurian.	Tauria.	1823.	4. 8.	H. ⊙	
12 subbipinnatifida.	subbipinnatifid.	Spain.	6. 7.	H. ⊙	

13 Kaber. DC.	Persian.	Persia.	—	—	H.⊙.	
14 Allionii. DC.	Allionii's.	Egypt.	1789.	—	H.⊙.	Jacq. h. vind. 2. t. 168.
15 turgida. DC.	turgid-podded.	—	—	—	H.⊙.	
16 incana. DC.	hoary-jointed.	S. Europe.	1771.	7.	H.♂.	Jacq. h. vind. 2. t. 169.
17 heterophylla. DC.	various-leaved.	Spain.	1820.	5. 6.	H.♂.	
18 alba. DC.	white-seeded.	Britain.	—	4. 10.	H.⊙.	Eng. bot. 1677.
19 hispida. DC.	hispid.	Spain.	1804.	6. 7.	H.⊙.	
20 dissecta. DC.	cut-leaved.	—	—	4. 6.	H.⊙.	
21 foliosa. DC.	leafy.	Levant.	—	5. 6.	H.⊙.	
22 frutescens. DC.	frutescent.	Madeira.	1777.	12. 6.	G.♀.	
23 ramosa. H. B.	branching.	E. Indies.	1804.	7. 8.	H.⊙.	
MORICANDIA. DC.	MORICANDIA.	Tetradynamia Siliquosa.	L.			
arvensis. DC.	field.	S. Europe.	1739.	6.	F.♀.	Fl. græc. t. 644.
<i>Brassica arvensis.</i> L.	<i>Turritis arvensis.</i> H. K.					
DIPLOTAXIS. DC.	DIPLOTAXIS.	Tetradynamia Siliquosa.	L.			
1 crassifolia. DC.	thick-leaved.	Sicily.	1824.	5. 8.	H.♀.?	
2 eruroides. DC.	dwarf.	S. Europe.	1736.	6. 7.	H.⊙.	Jacq. vind. 2. t. 170.
<i>Sinapis eruroides.</i> L.						
3 virgata. DC.	slender.	Spain.	1820.	—	H.⊙.	
4 catholica. DC.	Spanish.	—	—	4. 5.	H.⊙.	
<i>Sisymbrium catholicum.</i> L.						
5 tenuifolia. DC.	Wall rocket.	England.	—	7. 10.	H.⊙.	Eng. bot. 525.
<i>Sisymbrium tenuifolium.</i> E. B.	<i>Sinapis tenuifolia.</i> H. K.					
6 muralis. DC.	sand.	England.	—	7. 9.	H.⊙.	— 1090.
<i>Sisymbrium murale.</i> L.	<i>Sinapis muralis.</i> H. K.					
7 viminea. DC.	twiggy.	S. Europe.	—	5. 6.	H.⊙.	Mor. his. ox. 2. t. 5. f. 8.
8 saxatilis. DC.	rock.	—	—	—	H.♀.	
ERUCA. DC.	ERUCA.	Tetradynamia Siliquosa.	L.			
1 sativa. DC.	stripe-flowered.	S. Europe.	1573.	7.	H.⊙.	Fl. græc. t. 646 et 647.
<i>Brassica Eruca.</i> L.	<i>Euzomum sativum.</i> L. en.					
2 vesicaria. DC.	bladdered.	Spain.	1820.	—	H.⊙.	

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VELLA. DC.	CRESS-ROCKET.	Tetradynamia Siliculosa.	L.			
pseudocytisus. DC.	shrubby.	Spain.	1759.	4. 5.	H.♀.	Bot. reg. 293.
CARRICHTERA. DC.	CARRICHTERA.	Tetradynamia Siliculosa.	L.			
Vellæ. DC.	annual.	England.	—	6. 7.	H.⊙.	Eng. bot. 1441.
<i>Vella annua.</i> E. B.						
SUCCOWIA. DC.	SUCCOWIA.	Tetradynamia Siliculosa.	L.			
balearica. DC.	Minorca.	Minorca.	1781.	6. 7.	H.⊙.	Jacq. vind. 2. t. 144.
<i>Bunias balearica.</i> L.						

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCHINE. DC.	PSYCHINE.	Tetradynamia Siliculosa.	L.			
stylosa. DC.	striped-flow'r'd.	Barbary.	1822.	4. 5.	H.⊙.	Desf. fl. atl. 2. t. 148.

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentacæ. DC.

ZILLA. DC.	ZILLA.	Tetradynamia Siliculosa.	L.			
myagroides. DC.	spiny.	Egypt.	—	4. 5.	H.♀.	Vent. malm. t. 16.
<i>Bunias spinosa.</i> Vent.						
CALEPINA. DC.	CALEPINA.	Tetradynamia Siliculosa.	L.			
Corvini. DC.	annual.	S. Europe.	1820.	4. 6.	H.⊙.	W. et Kit. hung. 2. t. 107.
<i>Bunias cochlearioides.</i> W.						

Tribus XVI. *RAPHANÆ* seu Orthoploceæ Lomentaceæ. DC.

CRAMBE. DC.	COLEWORT.	Tetradynamia	Siliculosa. L.			
1 maritima. DC.	Sea Kale.	Britain.	5. 6.	H. ♀.	Eng. bot. 924.
2 pinnatifida. DC.	smooth winged.	Siberia.	1759.	6. 7.	H. ♀.	Jacq. ic. 1. t. 128.
3 orientalis. DC.	oriental.	Levant.	1752.	6. 7.	H. ♀.	
4 tatarica. DC.	Tartarian.	Hungary.	1789.	—	H. ♀.	Jacq. ic. 1. t. 129.
5 aspera. DC.	rough.	Tauria.	1823.	5. 6.	H. ♀.	
6 cordifolia. DC.	heart-leaved.	Caucasus.	—	6. 7.	H. ♀.	
7 hispanica. DC.	Spanish.	Spain.	1683.	—	H. ♀.	Jacq. obs. 2. t. 41.
8 filiformis. DC.	Patagonian.	Patagonia.	1796.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 504.
9 fruticosa. DC.	Madeira.	Madeira.	1777.	5. 11.	G. ♀.	
10 strigosa. DC.	strigose shrubb.	Canaries.	1779.	5. 6.	G. ♀.	L. her. stirp. 1. t. 72.
RAPISTRUM. DC.	RAPISTRUM.	Tetradynamia	Siliculosa. L.			
1 perenne. DC.	perennial.	Europe.	1789.	7.	H. ♀.	Jacq. aust. 5. t. 414.
	<i>Myagr. perenne.</i> L.	<i>Cakile perennis.</i>	H. K.			
2 rugosum. DC.	wrinkled.	—	1739.	6. 7.	H. ⊙.	All. ped. 1. t. 78.
	<i>Myagr. rugosum.</i> L.	<i>Cakile rugosa.</i>	H. K.			
3 orientale. DC.	oriental.	Levant.	1795.	—	H. ⊙.	Flor. græc. t. 612.
RAPHANUS. DC.	RADISH.	Tetradynamia	Siliquosa. L.			
1 sativus. M.	common.	China.	1548.	5. 6.	H. ⊙.	Fuchs. hist. 659. ic.
	<i>a præcox.</i>	early Salmon.				
	<i>β macrorhizus.</i>	long Salmon.				
	<i>γ purpureus.</i>	purple-rooted.				
2 rotundus. M.	Turnep-rooted.	—	—	—	H. ⊙.	Lob. ic. t. 201. f. 1.
3 chinensis. M.	oil-seeded.	—	—	—	H. ⊙.	
4 niger. DC.	black Spanish.	—	—	—	H. ⊙.	Lob. ic. 202. f. 1.
	<i>a vulgaris.</i> DC.	long-rooted.	—	—	H. ⊙.	Wein. phyt. t. 860. f. c.
	<i>β rotundus.</i> DC.	round-rooted.	—	—	H. ⊙.	— t. 860. f. b.
	<i>γ griseus.</i> DC.	grey.	—	—	H. ⊙.	
5 orbicularis. M.	white Spanish.	—	—	—	H. ⊙.	
6 caudatus. DC.	long-podded.	Java.	1815.	5. 8.	H. ⊙.	Lin. f. dec. 1. t. 10.
7 Raphanistrum. DC.	wild.	Britain.	4. 8.	H. ⊙.	Eng. bot. 856.
	<i>a album.</i>	white-flowered.	—	—	H. ⊙.	Wein. phyt. t. 862. f. a.
	<i>β purpurascens.</i>	purple-flowered.	—	—	H. ⊙.	— t. 862. f. b.
	<i>γ flavum.</i>	yellow-flowered.	—	—	H. ⊙.	J. Bauh. h. 2. p. 844. ic.
8 maritimus. DC.	sea-side.	—	5. 7.	H. ♂.	Eng. bot. 1643.

Subordo IV. *SPIROLOBÆ*. DC. *systema*. 2. p. 670.Tribus XVII. *BUNIADEÆ* seu Spirolobæ Nucamentaceæ. DC.

BUNIAS. DC.	BUNIAS.	Tetradynamia	Siliculosa. L.			
1 Erucago. DC.	prickly-podded	S. Europe.	1640.	6. 7.	H. ⊙.	Jacq. aust. 4. t. 340.
2 aspera. DC.	rough.	Portugal.	1823.	6. 7.	H. ⊙.	
3 orientalis. DC.	oriental.	Levant.	1795.	5. 7.	H. ♀.	Schk. han. 2. t. 189.

Tribus XVIII. *ERUCARIEÆ* seu Spirolobæ Lomentaceæ. DC.

ERUCARIA. DC.	ERUCARIA.	Tetradynamia	Siliquosa. L.			
aleppica. DC.	Aleppo.	Levant.	1680.	7. 8.	H. ⊙.	Vent. h. cels. t. 64.
	<i>Cordylocarpus levigatus.</i> w.					

Subordo V. **DIPLECOLOBEÆ.** *DC. syst. 2. p. 676.*

Tribus XIX. **HELIOPHILÆÆ** seu Diplecolobææ Siliquosæ. L.

HELIOPHILA. DC.	HELIOPHILA.	Tetradynamia Siliquosa. L.			
1 filiformis. DC.	awl-podded.	C. B. S.	1786.	7. 9.	H. ⊙. Lam. ill. t. 563. f. 3. ?.
2 amplexicanlis. DC.	stem-clasping.	—	1774.	6. 9.	H. ⊙. Jacq. frag. t. 64. f. 2.
3 rivalis. DC.	rivulet.	—	1819.	—	H. ⊙.
4 pendula. DC.	pendulous.	—	1792.	—	H. ⊙. Lam. ill. t. 562. f. 2.
5 trifida. DC.	trifid-leaved.	—	1819.	—	H. ⊙.
6 pinnata. Vent. malm. t. 113. non. L.	—	—	—	—	—
7 pinnata. L. non. Vent.	—	—	—	—	—
8 pusilla. DC.	small.	—	1824.	—	H. ⊙. Pluk. mant. t. 432. f. 2.
9 lepidioides. L. en.	Cress-like.	—	—	—	H. ⊙.
10 diffusa. DC.	spreading.	—	1820.	—	H. ⊙.
11 Peltaria. DC.	small-white.	—	—	—	H. ⊙.
12 pilosa. DC.	hairy.	—	1768.	—	H. ⊙.
13 a integrifolia. DC.	entire-leaved.	—	—	—	H. ⊙. Jacq. ic. 3. t. 506.
14 β incisa. DC.	cut-leaved.	—	—	—	H. ⊙. Bot. mag. 496.
15 arabioides. B. M.	—	—	—	—	—
16 stricta. B. M.	upright.	—	1824.	—	H. ⊙. ——— 2526.
17 digitata. DC.	fingered.	—	1819.	—	H. ⊙. Bot. reg. 838.
18 coronopifolia. DC.	Buck's-horn-ld.	—	1778.	6. 7.	H. ⊙. Herm. lugd. t. 367.
19 pectinata. DC.	pectinated.	—	1819.	—	H. ⊙.
20 fœniculacea. DC.	Fennel-leaved.	—	1774.	6. 9.	H. ⊙.
21 crithmifolia. DC.	Samphire-ld.	—	1816.	—	H. ⊙. Deles. ic sel. 2. t. 97.
22 platysiliqua. DC.	flat-podded.	—	1774.	7. 8.	G. ♯.
23 linearifolia. DC.	linear-leaved.	—	1819.	—	G. ♯.
24 scoparia. DC.	Broom-like.	—	1802.	—	G. ♯. Deles. ic. sel. 2. t. 98.
25 incana. DC.	hoary.	—	1774.	5. 8.	G. ♯.
26 cleomoides. DC.	Cleome-like.	—	1802.	1. 12.	G. ♯. Deles. ic. sel. 2. t. 99.

Tribus XX. **SUBULARIÆÆ** seu Diplocolobææ Latiseptæ. DC.

SUBULARIA. DC.	AWLWORT.	Tetradynamia Siliculosa. L.			
aquatica. DC.	water.	Britain.	7.	H. ⊙. Eng. bot. 732.

SCHIZOPETALUM. B. M.	SCHIZOPETALUM.	Tetradynamia Siliquosa. L.			
Walkeri. B. M.	Walker's.	Chili.	1822.	7. 9.	H. ⊙. Hook. ex. fl. 74.

ORDO XIII.

CAPPARIDEÆ. *DC. prod. 1. p. 237.*

Tribus I. **CLEOMEÆ.** DC.

PERITOMA. DC.	PERITOMA.	Tetradynamia Siliquosa. L.			
serrulatum. DC.	saw-leaved.	Missouri.	1823.	6. 8.	H. ⊙.
Cleome serrulata. Ph.	—	—	—	—	—
GYNANDROPSIS. DC.	GYNANDROPSIS.	Tetradynamia Siliquosa. L.			
1 sessilifolia. DC.	sessile-leaved.	W. Indies.	1820.	6. 8.	H. ⊙.

2	triphylla. DC.	three-leaved.	————	—	—	H.⊙.	Herm. lugd. 565. ic.
	<i>Cleome triphylla</i> . L.?						
3	pentaphylla. DC.	five-leaved.	India.	1640.	—	H.⊙.	Jacq. vind. 1. t. 21.
	<i>Cleome pentaphylla</i> . B. M. 1681.						
	4 heterotricha. DC.	various-haired.	C. B. S.	1822.	—	H.⊙.	
	CLEOME. DC.	CLEOME.	Tetradynamia	Siliquosa. L.			
1	gigantea. DC.	gigantic.	S. Amer.	1774.	6. 8.	S. h.	Jacq. obs. 4. t. 76.
2	heptaphylla. DC.	seven-leaved.	W. Indies.	1820.	—	H.⊙.	
3	spinosa. DC.	white-flowered.	————	1731.	5. 10.	S. h.	Marc. bras. t. 34.
4	pungens. DC.	pink-flowered.	S. Amer.	1812.	7. 8.	S.⊙.	W. hort. ber. 1. t. 18.
	<i>spinosa</i> . B. M. 1640.						
5	pubescens. B. M.	pubescent.	————	1815.	7. 8.	H.⊙.	Bot. mag. 1857.
6	monophylla. DC.	simple-leaved.	E. Indies.	1759.	—	H.⊙.	Rheed. mal. 9. t. 34.
	<i>β zeylanica</i> . DC.	<i>Ceylon</i> .	————	—	—	H.⊙.	Burm. zeyl. t. 100. f. 2.
7	procumbens. DC.	procumbent.	W. Indies.	1798.	—	S. 2.	Jacq. amer. t. 120.
8	violacea. DC.	violet-coloured.	Portugal.	1776.	6. 7.	H.⊙.	Schk. han. 2. t. 189. f. 1.
9	Dilleniana. DC.	Dillenius's.	Levant.	1732.	—	H.⊙.	Dill. elt. t. 266. f. 345.
	<i>ornithopodioides</i> . W.						
10	iberica. DC.	Iberian.	Iberia.	1820.	—	H.⊙.	
11	virgata. DC.	twiggy.	Persia.	—	H.⊙.	Buxb. cent. 1. t. 9. f. 2.
12	arabica. DC.	Arabian.	Arabia.	1794.	—	H.⊙.	Lin. f. dec. t. 8.
13	polygama. DC.	polygamous.	W. Indies.	1822.	—	H.⊙.	Slo. jam. t. 124. f. 1.
14	aculeata. DC.	prickly.	S. Amer.	—	—	H.⊙.	
15	Houstoni. DC.	Houstoun's.	W. Indies.	1730.	—	H.⊙.	Mart. dec. t. 45.
16	diffusa. DC.	spreading.	Brazil.	1823.	—	H.⊙.	
17	micrantha.	small-flowered.	1824.	6. 10.	S. h.	
	POLANISIA. DC.	POLANISIA.	Dodecandria	Monogynia. L.			
1	Chelidonii. DC.	Celandine-fl.	E. Indies.	1790.	7. 10.	H.⊙.	
	<i>Cleome Chelidonii</i> . L.						
2	graveolens. DC.	strong-scented.	N. Amer.	—	H.⊙.	Corn. can. 131. ic.
3	viscosa. DC.	viscid.	Ceylon.	1730.	—	H.⊙.	Rheed. mal. 9. t. 23.
4	dodecandra. DC.	three-leaved.	————	1795.	—	H.⊙.	Burm. zeyl. t. 100. f. 1.
	<i>Cleome dodecandra</i> . L.						
5	uniglandulosa. DC.	one-glanded.	S. Amer.	1823.	—	H.⊙.	Cav. ic. 4. t. 306.

Tribus II. CAPPAREÆ. DC.

CRATEVA. DC.	CRATEVA.	Dodecandria	Monogynia. L.				
1	gynandra. DC.	thin-leaved.	Jamaica.	1789.	S. h.	Pluk. alm. t. 147. f. 6.
2	Tapia. DC.	smooth.	S. Amer.	1752.	S. h.	Plum. gen. t. 21.
3	fragrans. DC.	fragrant.	Sierra Leon.	1795.	6. 7.	S. h. ∪.	Bot. mag. 596.
	<i>capparioides</i> . A. R. 176.						
NIEBUHRIA. DC.	NIEBUHRIA.	Polyandria	Monogynia. L.				
1	cafra. DC.	Caffrarian.	C. B. S.	1820.	G. h.	
2	madagascariensis. DC.	Madagascar.	Madagascar.	1822.	S. h.	
3	oblongifolia. DC.	oblong-leaved.	E. Indies.	1823.	S. h. ∪.	
	<i>Capparis heteroclita</i> . H. B.						
BOSCIA. DC.	BOSCIA.	Dodecandria	Monogynia. L.				
	senegalensis. DC.	Senegal.	Senegal.	1822.	S. h.	Lam. ill. t. 395.
CAPPARIS. DC.	CAPER-TREE.	Polyandria	Monogynia. L.				
1	mariana. DC.	heart-leaved.	Timor.	1822.	S. h.	Jacq. Schœnb. t. 109.
2	spinosa. DC.	common.	S. Europe.	1596.	5. 8.	G. h. ∪.	
3	ovata. W.	oval-leaved.	Mauritania.	—	G. h. ∪.	Boc. sic. t. 42. f. 3.
	<i>Fontanesii</i> . DC.						
4	herbacea. DC.	herbaceous.	Tauria.	1819.	—	H. 2.	
5	ægyptia. DC.	Egyptian.	Egypt.	1822.	G. h.	Delil. fl. eg. t. 31. f. 3.
6	aphylla. DC.	leafless.	E. Indies.	—	S. h.	
7	zeylanica. DC.	Ceylon.	Ceylon.	—	S. h. ∪.	
8	acuminata. DC.	acuminate.	E. Indies.	1821.	S. h. ∪.	
9	frondosa. DC.	large-leaved.	Carthage.	1800.	S. h. ∪.	Jacq. amer. t. 104.
10	triflora. DC.	three-flowered.	S. Amer.	S. h.	
11	cynophallophora. DC.	Bay-leaved.	W. Indies.	1752.	S. h.	Jacq. amer. t. 98.
12	eustachiana. DC.	purple-flower'd.	————	1822.	S. h.	— ed. pict. t. 146.
13	saligna. DC.	Willow-leaved.	St. Cruz.	1807.	S. h.	
14	linearis. DC.	linear-leaved.	W. Indies.	1793.	S. h.	Jacq. amer. t. 102.

15	<i>pulcherrima</i> . DC.	handsome.	Carthagera.	S. h.	
	<i>arborescens</i> . M.						
16	<i>amygdalina</i> . DC.	Almond-leav'd.	S. Amer.	1819.	G. h.	Plum. gen. 40. t. 16.
17	<i>odoratissima</i> . DC.	sweet-scented.	Caracas.	1814.	S. h.	Jacq. schœn. t. 110.
18	<i>tenuisiliqua</i> . DC.	slender-podded	Carthagera.	1822.	S. h.	Jacq. amer. t. 105.
19	<i>ferruginea</i> . DC.	ferruginous.	Jamaica.	S. h.	— t. 100.
	<i>octandra</i> . Jacq.						
20	<i>Breyenia</i> . DC.	Oleaster-leav'd	W. Indies.	1752.	G. h. ∪	Jacq. amer. t. 103.?
21	<i>jamaicensis</i> . DC.	Jamaica.	—	1793.	S. h. ∪	— t. 101.
22	<i>torulosa</i> . DC.	twisting.	—	1819.	S. h. ∪	
STEPHANIA. DC.		STEPHANIA.	Hexandria	Monogynia.			
	<i>cleomoides</i> . DC.	Cleome-like.	Caracas.	1823.	S. h.	Jacq. Schœn. t. 111.
	<i>Capparis paradoxa</i> . Jacq.						

ORDO XIV.

FLACOURTIANÆ. DC. *prod.* 1. p. 255.

Tribus I. PATRISIEÆ. DC.

RYANÆA. DC.	RYANÆA.	Polyandria	Monogynia.				
<i>speciosa</i> . DC.	beautiful.	Trinidad.	1822.	S. h.	Vahl ecl. 1. p. 51. t. 9.	
<i>Patrisia pyrifera</i> . P. S.							

Tribus II. FLACOURTIEÆ. DC.

FLACOURTIA. DC.	FLACOURTIA.	Diœcia	Polyandria.	L.			
1 <i>Ramontchi</i> . DC.	shining-leaved.	Madagascar.	1775.	6. 7.	S. h.	L. Her. stirp. 59. t. 30.	
2 <i>sapida</i> . DC.	esclent.	E. Indies.	1800.	S. h.	Roxb. cor. 1. t. 69.	
3 <i>inermis</i> . DC.	unarmed.	Moluccas.	1814.	10. 2.	S. h.		
4 <i>sepiaria</i> . DC.	obovate-leaved.	Coromandel.	1820.	S. h.	Roxb. cor. 1. t. 68.	
5 <i>cataphracta</i> . DC.	many-spined.	E. Indies.	1804.	S. h.		
6 <i>rotundifolia</i> . H. B.	round-leaved.	—	1823.	S. h.		
7 <i>flavescens</i> . DC.	yellow-flower'd	Guinea.	1780.	S. h.		
8 <i>rhamnoides</i> . DC.	Rhamnus like.	C. B. S.	1819.	G. h.		

Tribus III. KIGGELARIEÆ. DC.

KIGGELARIA. DC.	KIGGELARIA.	Diœcia	Decandria.	L.			
1 <i>africana</i> . DC.	African.	C. B. S.	1683.	5. 6.	G. h.	Lam. ill. t. 821.	
2 <i>integrifolia</i> . DC.	entire-leaved.	—	1819.	—	G. h.	Jacq. ic. rar. t. 628.	
MELICYTUS. DC.	MELICYTUS.	Diœcia	Pentandria.				
<i>ramiflorus</i> . DC.	branch-flow'r'd.	N. Zealand.	1822.	G. h.	Lam. ill. t. 812. f. 1.	

ORDO XV.

BIXINEÆ. DC. *prodr.* 1. p. 259.

BIXA. DC.	ANOTTA.	Polyandria	Monogynia.	L.			
1 <i>purpurea</i> .	purple.	E. Indies.	1820.	S. h.		
2 <i>Orellana</i> . DC.	heart-leaved.	S. Amer.	1690.	5. 8.	S. h.	Bot. mag. 1456.	
3 <i>Urucrana</i> . W.	white-leaved.	Brazil.	1823.	S. h.		

LÆTIA, DC.	LÆTIA. Polyandria Monogynia. L.					
Thammia, DC.	shining-leaved. Jamaica.	S. h.	Browne jam. t. 25. f. 2.	
PROCKIA, DC.	PROCKIA. Polyandria Monogynia. L.					
1 Crucis, DC.	oval-leaved. Santa Cruz.	S. h.	Vahl symb. 3. t. 64.	
2 serrata, DC.	saw-leaved. Montserrat. 1822.	S. h.		
3 thecæformis, DC.	Tea-leaved. Bourbon.	—	S. h.	Bory voy. 2. t. 24.	
<i>Ludia heterophylla</i> .	Bory non. Lam.					
LUDIA, DC.	LUDIA. Polyandria Monogynia. L.					
1 heterophylla, DC.	various-leav'd. Mauritius. 1822.	S. h.	Lam. ill. t. 466. f. 1. 2.	
2 sessiliflora, DC.	sessile-flowered	—	—	S. h.	Jacq. schœnb. 1. t. 112.
<i>tuberculata</i> , Jacq.						

ORDO XVI.

CISTINEÆ. DC. *prodr.* 1. p. 263.

CISTUS, DC.	ROCK-ROSE. Polyandria Monogynia. L.				
1 purpureus, DC.	purple. Levant.	6. 7.	F. h.	Bot. reg. 408.
2 heterophyllus, DC.	various-leaved. Algiers.	—	F. h.	Swt. cist. t. 6.
3 parviflorus, DC.	small-flowered. Crete.	—	F. h.	Swt. cist. t. 14.
4 complicatus, DC.	complicate. Spain.	—	F. h.	
5 villosus, DC.	villous. ————	1640.	—	F. h.	Duham. arb. 1. t. 64.
6 creticus, DC.	Cretan. Levant.	1731.	6. 8.	F. h.	Jacq. ic. 1. t. 95.
7 incanus, DC.	hoary-leaved. S. Europe.	1596.	—	F. h.	Bot. mag. 43.
8 Dunalianus, DC.	Dunal's.	—	F. h.	
<i>undulatus</i> , DC. non. L. en.					
9 crispus, DC.	curled-leaved. S. Europe.	1656.	—	F. h.	Swt. cist. t.
10 albidus, DC.	white-leaved. ————	1640.	—	F. h.	Clus. hist. 1. t. 68.
11 candidissimus, DC.	Canary Island. Canaries.	1817.	—	F. h.	Swt. cist. t. 3.
12 vaginatus, DC.	oblong-leaved. Teneriffe.	1779.	4. 6.	F. h.	Swt. cist. t. 9.
13 cyrnosus, DC.	cyme-flowered.	6. 8.	F. h.	
14 salvifolius, DC.	Sage-leaved. Europe.	1548.	—	H. h.	Cav. ic. 2. t. 137.
15 corbariensis, DC.	mountain. S. France.	5. 6.	H. h.	Swt. cist. t. 8.
16 florentinus, DC.	Florentine. Italy.	6. 7.	H. h.	
17 monspeliensis, DC.	Montpelier. S. Europe.	1656.	—	F. h.	Swt. cist. t.
18 Ledon, DC.	many-fl'd. gum. S. France.	1730.	6. 8.	H. h.	Duham. arb. 1. t. 66.
19 hirsutus, DC.	hairy. Spain.	1656.	—	H. h.	Swt. cist. t.
20 laxus, DC.	waved-leaved. ————	—	—	H. h.	Swt. cist. t.
21 longifolius, DC.	long-leaved. ————	—	H. h.	Swt. cist. t.
22 populifolius, s. c.	Poplar-leaved. ————	1656.	5. 6.	H. h.	Swt. cist. t.
23 latifolius, s. c.	broad-leaved. Barbary.	—	F. h.	Swt. cist. t.
24 laurifolius, DC.	Laurel-leaved. S. Europe.	1731.	6. 8.	H. h.	Clus. hist. 1. p. 78. f. 1.
25 cyprusi, DC.	Cyprus-gum. Cyprus.	—	H. h.	
26 ladaniferus, L. en.	flat-leaved gum. Spain.	1629.	—	F. h.	
<i>a albiflorus</i> , DC.	white-flowered. ————	—	—	F. h.	Clus. hist. 1. p. 78. ic.
<i>β maculatus</i> , DC.	spot-flowered. ————	—	—	F. h.	Swt. cist. t. 1.
27 undulatus, L. en.	undulate. ————	—	—	F. h.	
<i>ladaniferus undulatus</i> , W.					
28 Clusii, DC.	Clusius's. Spain.	—	F. h.	Clus. hist. 1. p. 60. ic.
HELIANTHEMUM, DC.	SUN-ROSE. Polyandria Monogynia. L.				
1 Libanotis, DC.	Rosemary-like. Spain.	1752.	6.	F. h.	Barr. ic. 294.
2 umbellatum, DC.	umbel-flower'd. S. Europe.	1731.	6. 8.	F. h.	Swt. cist. t. 5.
3 ocyroides, DC.	Basil-like. ————	—	F. h.	Clus. hist. 1. p. 72. ic.
<i>Cistus sampsucifolius</i> .	Cav. ic. 1. t. 96.				
4 alyssoides, DC.	Alyssum-like. ————	—	F. h.	Vent. choix. t. 20.
5 rugosum, DC.	rugose. Portugal.	—	F. h.	
6 scabrosum, DC.	rough. Italy.	1775.	—	F. h.	
7 algarvense, DC.	Algarvian. Portugal.	1800.	7. 8.	F. h.	Bot. mag. 627.
<i>Cistus algarvensis</i> , B. M.					
8 formosum, DC.	beautiful. ————	1780.	5. 7.	F. h.	— 264.
<i>Cistus formosus</i> , B. M.					
9 atriplicifolium, DC.	Orach-leaved. Spain.	1656.	6. 7.	F. h.	Barr. ic. t. 292.

10 lasianthum. DC.	downy.	Portugal.	1822.	—	F. h.	Barr. ic. t. 289. ?
11 cheiranthoides. DC.	Stock-like.	—	1800.	7. 8.	F. h.	
12 halimifolium. S. C.	Sea-Purslane-ld	—	1656.	—	F. h.	Swt. cist. t. 4.
13 rosmarinifolium. DC.	Rosemary-ld.	N. Amer.	1823.	—	H. 2.	
14 glomeratum. DC.	cluster-flower'd	S. Amer.	—	—	F. h.	
15 ramuliflorum. DC.	branch-flowers.	Carolina.	1823.	—	H. 2.	
16 canadense. DC.	Canadian.	Canada.	1799.	—	H. 2.	
17 carolinianum. DC.	Carolina.	Carolina.	1823.	—	F. 2.	Vent. cels. 74.
18 Tuberia. DC.	Plantain-leaf'd.	S. Europe.	1752.	—	F. 2.	Cav. ic. 1. t. 67.
19 plantagineum. DC.	Plantain like.	—	1823.	—	H. 2.	
20 guttatum. DC.	spotted-flow'r'd	England.	6. 8.	H. 2.	Eng. bot. 544.
21 eriocaulon. DC.	woolly-stalked.	Spain.	1823.	—	H. 2.	
22 punctatum. DC.	punctated.	France.	1816.	—	H. 2.	
23 lunulatum. DC.	lunulate-mark'd	Piedmont.	—	H. 2.	All. auct. p. 30. t. 2. f. 3.
24 villosum. DC.	villous.	Spain.	1823.	—	H. 2.	
25 niloticum. DC.	Nile.	Egypt.	—	H. 2.	
26 ledifolium. DC.	Ledum-leaved.	England.	—	H. 2.	Eng. bot. 2414.
27 intermedium. DC.	intermediate.	Spain.	1759.	—	H. 2.	Cav. ic. t. 144.
28 salicifolium. Cav.	Willow-leaved.	—	—	—	H. 2.	Seg. ver. 3. t. 6. f. 3.
29 sanguineum. DC.	bloody-stalked.	—	1823.	—	H. 2.	
30 ægyptiacum. DC.	Egyptian.	Egypt.	1764.	—	H. 2.	Jaqu. obs. 3. t. 68.
31 Lippii. DC.	small-petaled.	—	1820.	—	F. h.	
32 confertum. DC.	close-flowered.	Teneriffe.	6. 7.	F. h.	
33 canariense. DC.	Canary.	Canaries.	1790.	—	F. h.	Jaqu. ic. 1. t. 97.
34 ericoides. DC.	Heath-leaved.	S. Europe.	6. 8.	F. h.	Cav. ic. 2. t. 172.
35 fumana. DC.	Heath-like.	—	1752.	—	F. h.	Desf. atl. 1. t. 105.
36 procumbens. DC.	procumbent.	—	—	F. h.	Barr. ic. t. 445.
37 lævipes. DC.	cluster-leaved.	—	1690.	—	G. h.	Bot. mag. 1782.
38 juniperinum. DC.	Juniper-leaved.	—	—	G. h.	Barr. ic. t. 443.
39 Barrelieri. DC.	Barrellier's.	Italy.	1822.	—	F. h.	Bot. mag. 2371.
40 thymifolium. DC.	Thyme-leaved.	Spain.	1658.	—	F. h.	Barr. rar. t. 444.
41 glutinosum. DC.	clammy.	—	1790.	—	F. h.	— t. 415. ?
42 molle. DC.	soft.	—	—	F. h.	Cav. ic. 3. t. 262. f. 2.
43 organifolium. DC.	Marjoram-ld.	—	1795.	—	F. h.	— 3. t. 262. f. 1.
44 dichotomum. DC.	forked.	—	—	F. h.	— 3. t. 263. f. 1.
45 oelandicum. DC.	smooth-leaved.	Europe.	1816.	—	H. h.	Clus. hist. p. 73. ic.
46 alpestre. DC.	alpine.	—	—	—	H. h.	Swt. cist. t. 2.
47 penicillatum. DC.	pencilled.	S. Europe.	—	H. h.	
48 italicum. DC.	Italian.	Italy.	1779.	7. 9.	H. h.	Barr. rar. t. 366.
49 vineale. DC.	slender-trailing.	Europe.	1823.	—	H. h.	Swt. cist. t.
50 canum. DC.	hoary.	—	1772.	6. 7.	F. h.	— t.
51 marifolium. DC.	Marum-leaved.	—	—	F. h.	Barr. rar. t. 441.
52 cinereum. DC.	gray.	Spain.	—	F. h.	Cav. ic. 2. t. 141.
53 squammatum. DC.	scaly.	—	1815.	—	F. h.	— 2. t. 139.
54 lavandulæfolium. DC.	Lavender-ld.	Levant.	1739.	—	F. h.	Barr. ic. t. 288.
55 β syriacum. DC.	Syrian.	Syria.	—	—	F. h.	Jaqu. ic. 1. t. 96.
56 stæchadifolium. DC.	woolly-leaved.	Portugal.	1819.	—	F. h.	
57 croceum. DC.	Saffron-colour'd	Spain.	—	F. h.	Desf. atl. 1. t. 110.
58 glaucum. DC.	glaucous-leav'd	—	1815.	6. 8.	F. h.	Cav. ic. 3. t. 261.
59 tomentosum. DC.	tomentose.	Scotland.	7. 8.	H. h.	Eng. bot. 2208.
60 leptophyllum. DC.	narrow-leaved.	Spain.	—	F. h.	Swt. cist. t.
61 vulgare. DC.	common.	Britain.	—	F. h.	Eng. bot. 1321.
62 surrejanum. DC.	double-flowered.	—	—	H. h.	
63 ovatum. DC.	dotted-leaved.	England.	7. 10.	H. h.	Eng. bot. 2207.
64 grandiflorum. DC.	ovate-leaved.	Geneva.	6. 8.	H. h.	Viv. frag. 1. t. 8. f. 2.
65 sampsucifolium. DC.	large-flowered.	Pyrenees.	1800.	—	H. h.	Scop. carn. ed. 2. t. 25.
66 Cistus sampsucifolius.	rough dwarf.	Montpelier.	—	H. h.	Bot. mag. 1803.
67 obscurum. DC.	B. M. non Cav.	—	—	—	—	
68 nummularium. DC.	obsure.	Europe.	—	H. h.	Swt. cist. t.
69 angustifolium. DC.	Money-wort.	—	1752.	—	H. h.	
70 hirtum. DC.	distinct-petal'd.	1800.	—	H. h.	Jaqu. vind. 3. t. 53.
71 apenninum. DC.	bristly-calyxed.	Spain.	1759.	—	F. h.	Cav. ic. 2. t. 146.
α Baticum. DC.	green-leaved.	—	—	—	—	
β aureum. DC.	canescent-leaved.	—	—	—	—	
72 pilosum. DC.	hairy.	S. Europe.	1731.	—	F. h.	
73 apenninum. DC.	Apennine.	Europe.	—	—	H. h.	Swt. cist. t.

72	papyraceum. s.c.	paper white.	5. 6.	H. ½.	Swt. cist. t.
73	hispidum. DC.	hispid.	S. France.	—	—	H. ½.	
74	pulverulentum. DC.	powdered.	—	—	H. ½.	Swt. cist. t. 13.
75	canescens. s.c.	canescent.	—	H. ½.	Swt. cist. t.
	<i>Cistus roseus.</i> Jacq. vind. 3, t. 65. non All.						
76	rhodanthum. DC.	rose-flowered.	Spain.	—	H. ½.	Swt. cist. t. 7.
77	versicolor. s.c.	various-colour'd	—	—	H. ½.	Swt. cist. t.
78	venustum. s.c.	charming.	—	H. ½.	Swt. cist. t. 10.
	<i>β flore pleno.</i>	<i>double-flowered.</i>					
79	polifolium. DC.	white-mountain	England.	5. 7.	H. ½.	Eng. bot. 1322.
80	mutabile. DC.	changeable.	Spain.	1795.	6. 7.	H. ½.	Jacq. ic. 1. t. 99.
81	sulphureum. DC.	snlphur-colour'd	—	1815.	—	H. ½.	
82	roseum. DC.	rosy.	S. Enrope.	—	H. ½.	All. ped. 2. t. 45. f. 4.
83	fœtidum. DC.	Bryony-scented	—	H. ½.	Jacq. ic. 1. t. 98.
HUDSONIA. DC.	HUDSONIA.	Dodecandria Monogynia. L.					
	ericoides. DC.	Heath-like.	N. Amer.	1805.	5. 7.	F. ½.	W. hort. ber. t. 15.
LECHEA. DC.	LECHEA.	Tri-Dodecandria Trigynia.					
1	villosa. DC.	villous.	Canada.	1780.	7. 8.	H. ¼.	Lam. ill. t. 52. f. 2.
	<i>major.</i> Ph. non Lin.	<i>minor</i> L. non Ph.					
2	minor. DC.	lesser.	—	1802.	—	H. ¼.	— t. 52. f. 1.
3	thymifolia. DC.	Thyme-leaved.	N. Amer.	1823.	—	H. ¼.	

ORDO XVII.

VIOLARIEÆ. DC. prodr. 1. p. 287.

Tribus I. VIOLEÆ. DC.

CALYPTRIION. DC.	CALYPTRIION.	Pentandria Monogynia.					
Aubletii. DC.	Aublet's.	S. Amer.	1820.	S. ½.		Aub. gui. 2. t. 319.
	<i>Viola Hybanthus.</i> Aub.	<i>Jonidium Aubletii.</i> R. s.					
NOISETTIA. DC.	NOISETTIA.	Pentandria Monogynia.					
	longifolia. DC.	long-leaved.	Cayenne.	1822.	S. ½.	Nov. g.am.t.499.b. f.2.
	<i>Jonidium longifolium.</i> R. s.						
VIOLA. DC.	VIOLET.	Pentandria Monogynia.					
1	pedata. DC.	cut-leaved.	N. Amer.	1759.	5. 8.	H. ¼.	Swt. br. fl. gar. t. 69.
2	flabellifolia. B. C.	fan-leaved.	—	1822.	—	H. ¼.	Lod. bot. cab. 777.
	<i>pedata β atropurpurea.</i> DC.	<i>pedata var. bicolor.</i> Ph.					
3	palmata. DC.	palmated.	—	1752.	5. 6.	H. ¼.	Bot. mag. 535.
4	asarifolia. DC.	Asarum-leaved.	—	1823.	—	H. ¼.	
5	papilionacea. DC.	variegated.	—	1800.	—	H. ¼.	
6	obliqua. Ph.	oblique-flow'r'd	—	1762.	—	H. ¼.	
7	cucullata. Ph.	hollow-leaved.	—	1772.	5. 7.	H. ¼.	Bot. mag. 1795.
8	pinnata. R. s.	winged-leaved.	Europe.	1752.	5. 6.	H. ¼.	All. m. taur. 3. t. 5. f. 2.
9	multifida. R. s.	multifid.	Siberia.	—	—	H. ¼.	Gmel. sib. 4. t. 48. f. 4.
10	variegata. DC.	variegated.	Dahuria.	1818.	—	H. ¼.	
11	primulæfolia. DC.	Primrose-ld.	N. Amer.	1783.	4. 6.	H. ¼.	
12	lanceolata. DC.	spear-leaved.	—	1759.	6. 7.	F. ¼.	Lod. bot. cab. 211.
13	Patriuii. DC.	Siberian.	Siberia.	—	H. ¼.	
14	ovata. DC.	oval-leaved.	N. Amer.	1822.	—	H. ¼.	
15	sagittata. DC.	arrow-leaved.	—	1775.	—	H. ¼.	
16	betonicaefolia. DC.	Betony-leaved.	N. S. W.	1823.	—	F. ¼.	
17	suavis. F.	fragrant.	Siberia.	—	—	H. ¼.	
18	palustris. DC.	marsh.	Britain.	5. 6.	H. ¼.	Eng. bot. 444.
19	blanda. DC.	white-flowered.	N. Amer.	1802.	5. 7.	H. ¼.	W. hort. ber. 1. t. 24.
20	rotundifolia. DC.	round-leaved.	—	1800.	—	H. ¼.	
21	sororia. W.	white-rooted.	—	1802.	4. 6.	H. ¼.	W. hort. ber. t. 72.
22	hirta. E. B.	hairy.	England.	—	H. ¼.	Eng. bot. 894.
23	ambigua. R. s.	ambignous.	Danube.	1822.	—	H. ¼.	
24	odorata. DC.	sweet.	Britain.	3. 5.	H. ¼.	Eng. bot. 619.
	<i>a purpurea.</i>	<i>purple-flowered.</i>					
	<i>β alba.</i>	<i>white-flowered.</i>					

γ <i>cærulea</i> .	<i>blue-flowered.</i>				
δ <i>purpureo-plena</i> .	<i>double-purple.</i>				
ε <i>albo-plena</i> .	<i>double-white.</i>				
ζ <i>cæruleo-plena</i> .	<i>double-blue.</i>				
η <i>pallido-plena</i> .	<i>Neapolitan.</i>				
25 <i>nliginosa</i> . DC.	<i>fen.</i>	Carniola.	1822.	4. 5.	H. γ .
26 <i>mirabilis</i> . DC.	<i>broad-leaved.</i>	Europe.	1732.	6. 8.	H. γ .
27 <i>striata</i> . DC.	<i>streaked.</i>	N. Amer.	1772.	—	H. γ .
28 <i>ochrolenca</i> . DC.	<i>snlphnr-color'd.</i>	—	—	—	H. γ .
29 <i>canina</i> . DC.	<i>dog's</i>	Britain.	—	4. 6.	H. γ .
30 <i>sylvestris</i> . R. s.	<i>wood.</i>	Hungary.	1823.	—	H. γ .
31 <i>debilis</i> . DC.	<i>weak.</i>	N. Amer.	1820.	—	H. γ .
32 <i>arenaria</i> . DC.	<i>sand.</i>	Europe.	—	—	H. γ .
<i>Allionii</i> . R. s.	<i>glauca</i> . M. B.				
33 <i>pumila</i> . DC.	<i>small.</i>	Europe.	—	—	H. γ .
34 <i>montana</i> . R. s.	<i>mountain.</i>	—	1683.	5. 6.	H. γ .
35 <i>lactea</i> . R. s.	<i>cream-coloured.</i>	England.	—	—	H. γ .
36 <i>Ruppii</i> . All.	<i>Piedmont.</i>	Piedmont.	1820.	—	H. γ .
37 <i>arborescens</i> . DC.	<i>shrubby.</i>	S. Europe.	1779.	4. 5.	G. γ .
38 <i>biflora</i> . DC.	<i>two-flowered.</i>	Europe.	1752.	—	H. γ .
39 <i>Nuttalli</i> . DC.	<i>Nuttal's.</i>	N. Amer.	1812.	5. 6.	H. γ .
40 <i>canadensis</i> . DC.	<i>Canadian.</i>	—	1783.	—	H. γ .
41 <i>pubescens</i> . DC.	<i>downy.</i>	—	1772.	6. 7.	H. γ .
42 <i>eriocarpa</i> . DC.	<i>woolly-capsul'd.</i>	—	1820.	—	H. γ .
43 <i>uniflora</i> . DC.	<i>Siberian.</i>	Siberia.	1774.	—	H. γ .
44 <i>cornuta</i> . DC.	<i>horned.</i>	Pyrenees.	1776.	5. 6.	H. γ .
45 <i>cenisia</i> . DC.	<i>Alpine.</i>	Switzerland.	1759.	6. 7.	H. γ .
46 <i>valderia</i> . R. s.	<i>fringed-leaved.</i>	—	1805.	5. 6.	H. γ .
47 <i>calcarata</i> . R. s.	<i>spurred.</i>	Europe.	1752.	3. 6.	H. γ .
48 <i>Zoysii</i> . R. s.	<i>crenated.</i>	—	—	7. 9.	H. γ .
49 <i>amœna</i> . DC.	<i>purple.</i>	Scotland.	—	5. 8.	H. γ .
50 <i>altaica</i> . DC.	<i>Tartarian.</i>	Altai.	1805.	3. 6.	H. γ .
<i>grandiflora</i> . L. non DC.					
β <i>purpurea</i> . DC.	<i>purple-flowered.</i>	—	—	—	H. γ .
51 <i>prostrata</i> . R. s.	<i>prostrate.</i>	Teneriffe.	1824.	—	H. \odot .
52 <i>sudetica</i> . W. en.	<i>large-blue.</i>	Europe.	—	5. 8.	H. γ .
<i>grandiflora</i> . DC. fl. fr. 5. p. 620.					
53 <i>lutea</i> . E. B.	<i>large yellow.</i>	Britain.	—	—	H. γ .
54 <i>saxatilis</i> . R. s.	<i>rock.</i>	Bohemia.	1824.	—	H. γ .
55 <i>rothomagensis</i> . DC.	<i>Rouen.</i>	France.	1783.	—	H. γ .
56 <i>tricolor</i> . R. s.	<i>Heart's-case.</i>	Britain.	—	4. 9.	H. \odot .
57 <i>banatica</i> . R. s.	<i>intermediate.</i>	Hungary.	—	—	H. \odot .
58 <i>arvensis</i> . R. s.	<i>corn.</i>	Britain.	—	—	H. \odot .
59 <i>Kitaiabeliana</i> . R. s.	<i>Kitaiabel's.</i>	Switzerland.	1824.	—	H. \odot .
60 <i>Selkirkii</i> . DC.	<i>Selkirk's.</i>	N. Amer.	1823.	—	H. γ .
SOLEA. DC.	<i>SOLEA. Pentandria Monogynia.</i>				
concolor. DC.	<i>green-flowered.</i>	N. Amer.	1788.	6. 7.	H. γ .
POMBALIA. DC.	<i>POMBALIA. Pentandria Monogynia.</i>				
Itubu. DC.	<i>whitelpecacuanha.</i>	Brazil.	1822.	7. 8.	S. γ .
<i>Jonidium Ipecacuanha</i> . β . B. M. 2453.					
JONIDIUM. DC.	<i>JONIDIUM. Pentandria Monogynia.</i>				
1 strictum. DC.	<i>upright.</i>	St. Domingo.	1820.	—	S. γ .
2 polygalæfolium. DC.	<i>Milkwort-ld.</i>	S. Amer.	1797.	4. 8.	G. γ .
3 verbenaceum. DC.	<i>Vervain-like.</i>	—	1822.	6. 8.	H. \odot .

Tribus II. ALSODINEÆ. DC.

ALSODEIA. DC.	<i>ALSODEIA. Pentandria Monogynia.</i>				
1 arborea. DC.	<i>tree.</i>	Madagascar.	1823.	—	S. γ .
2 latifolia. DC.	<i>broad-leaved.</i>	—	—	—	S. γ .

Tribus III. SAUVAGEÆ. DC.

SAUVAGESIA. DC.	SAUVAGESIA.	Pentandria Monogynia.
1 erecta. DC.	upright.	S. Amer. 1823. 7. 9. H. ⊙.
2 nutans. DC.	nodding.	Madagascar. — — — H. ⊙.

ORDO XVIII.

DROSERACEÆ. DC. *prodr.* 1. p. 317.

DROSERA. DC.	SUNDEW.	Pentandria Pentagynia. L.
1 acaulis. DC.	stalkless.	C. B. S. 1821. 7. 8. G. w. 2.
2 pauciflora. DC.	few-flowered.	————— ———— G. w. 2.
3 rotundifolia. DC.	round-leaved.	Britain. — H. w. 2. Eng. bot. 867.
4 intermedia. DC.	intermediate.	England. — H. w. 2. D. et H. 3. t. 75. A.
<i>longifolia.</i> E. B. 868.		
5 anglica. DC.	great.	————— — H. w. 2. Eng. bot. 869.
<i>longifolia.</i> D. et H. 3. t. 75. A.		
6 linearis. DC.	linear-leaved.	N. Amer. 1822. 5. 6. H. w. 2.
7 filiformis. Ph.	thready-leaved.	————— 1811. — H. w. 2.
BYBLIS. DC.	BYBLIS.	Pentandria Monogynia.
<i>liniflora.</i> DC.	blue-flowered.	N. S. W. 1803. 5. 6. G. w. 2. ? Salisb. par. 95.
DIONÆA. DC.	DIONÆA.	Decandria Monogynia. L.
<i>Muscipula.</i> DC.	Venus Flytrap.	Carolina. 1768. 7. 8. G. w. 2. Bot. mag. 785.
PARNASSIA. DC.	PARNASSIA.	Pentandria Tetragynia. L.
1 palustris. DC.	marsh.	Britain. 7. 8. H. w. 2. Eng. bot. 82.
2 parviflora. DC.	small-flowered.	N. Amer. ... 5. 6. H. w. 2.
3 caroliniana. DC.	Carolina.	Carolina. 1802. 5. 8. H. w. 2. Bot. mag. 1459.
4 asarifolia. DC.	Asarum-leav'd.	N. Amer. 1812. 7. 8. H. w. 2. Vent. malm. t. 39.

ORDO XIX.

POLYGALEÆ. DC. *prodr.* 1. p. 321.

POLYGALA. DC.	MILKWORT.	Diadelphia Octandria. L.
1 oppositifolia. DC.	opposite-leav'd.	C. B. S. 1790. 1. 12. G. h. Bot. reg. 636.
2 cordifolia. DC.	heart-leaved.	————— 1791. — G. h.
3 tetragona. DC.	square-stalked.	————— 1820. — G. h.
4 nummularia. DC.	Moneywort-ld.	————— 1812. — G. h.
5 latifolia. B. R.	broad-leaved.	————— 1820. — G. h. Bot. reg. 645.
<i>cordifolia.</i> B. M. non DC.		
6 borboniæfolia. DC.	Borbonia-leav'd	————— 1790. — G. h.
<i>oppositifolia.</i> B. M. non DC.		
7 myrtifolia. DC.	Myrtle-leaved.	————— 1707. 5. 8. G. h. Bot. reg. 669.
8 ligularis. DC.	ligulate-leaved.	————— 1820. — G. h. ———— 637.
9 intermedia. DC.	intermediate.	————— ... 5. 10. G. h.
10 bracteolata. DC.	spear-leaved.	————— 1713. — G. h. Bot. mag. 345.
11 umbellata.	hispid-stalked.	————— — G. h. Burm. afr. t. 73. f. 5.
12 Burmanni. DC.	Burman's.	————— — G. h. ———— t. 73. f. 4.
13 simplex. DC.	simple-stalked.	————— 1820. — G. h.
14 speciosa. DC.	showy.	————— 1814. — G. h. Bot. reg. 150.
15 teretifolia. DC.	columnar-ld.	————— 1791. 5. 8. G. h. Bot. rep. 370.
16 Garcini. DC.	slender-branch.	————— 5. 10. G. h. Burm. afr. t. 73. f. 3.

17 major. DC.	large Austrian.	Austria.	1739.	7. 8.	H. 2.	Jacq. aust. 5. t. 413.
18 vulgaris. DC.	common.	Britain.	5. 7.	H. 2.	Eng. bot. 76.
<i>a vera</i> . DC.	true.	————	————	————	H. 2.	Flor. dan. t. 516.
<i>β pubescens</i> . DC.	pubescent.	————	————	H. 2.	
<i>γ elata</i> . DC.	tall.	————	————	H. 2.	Schk. handb. t. 194.
<i>δ Verriana</i> . DC.	white-flowered.	————	————	H. 2.	
<i>ε acutifolia</i> . DC.	blue-flowered.	————	————	H. 2.	
<i>ζ angustifolia</i> . DC.	rose-coloured.	————	————	H. 2.	
<i>η grandiflora</i> . DC.	red-flowered.	————	————	H. 2.	
19 amara. DC.	bitter.	Europe.	1775.	————	H. 2.	Bot. mag. 2437.
20 monspeliaca. DC.	Montpelier.	Montpelier.	1823.	6. 9.	H. 2.	DC. ic. rar. 1. t. 9.
21 incarnata. DC.	flesh-coloured.	N. Amer.	1812.	6. 7.	H. 2.	
22 cruciata. DC.	four-leaved.	————	1739.	————	H. 2.	
23 brevifolia. DC.	short-leaved.	————	1824.	————	H. 2.	
24 fastigiata. DC.	close-branched.	————	————	————	H. 2.	
25 lutea. DC.	golden.	————	1739.	————	H. 2.	Pluk. am. t. 438. f. 6.
26 nana. DC.	dwarf.	————	1815.	7. 8.	H. 2.	
27 purpurea. DC.	purple.	————	1739.	7. 9.	H. 2.	
<i>sanguinea</i> . Mich.						
28 sanguinea. DC.	bloody.	————	————	————	H. 2.	
29 ambigua. DC.	ambiguous.	————	1824.	6. 7.	H. 2.	
30 verticillata. DC.	whorl-leaved.	————	1739.	————	H. 2.	Pluk. am. t. 438. f. 4.
31 paniculata. DC.	panicled.	S. Amer.	1822.	7. 10.	S. 2.	Bot. reg. 761.
32 graminifolia. DC.	grass-leaved.	N. Amer.	————	6. 7.	F. 2.	
33 Senega. DC.	Rattlesnake-rt.	————	1739.	————	H. 2.	Bot. mag. 1051.
34 paucifolia. DC.	naked-stalked.	————	1791.	5. 6.	H. 2.	
<i>purpurea</i> . H. K. non DC.						
35 Chamæbuxus. DC.	Box-leaved.	Europe.	1658.	—	H. 2.	Bot. mag. 316.
MURALTIA. DC.	MURALTIA.	Diadelphia Octandria.	L.			
1 Heisteria. DC.	Furze-leaved.	C. B. S.	1787.	1. 12.	G. 2.	Bot. mag. 340.
<i>Polygala Heisteria</i> . B. M.						
2 alopecuroides. DC.	Fox-tail.	————	1800.	5. 8.	G. 2.	———— 1006.
<i>Polygala alopecuroides</i> . B. M.						
3 squarrosa. DC.	squarrose.	————	1821.	—	G. 2.	
4 stipulacea. DC.	stipuled.	————	1801.	4. 9.	G. 2.	Bot. mag. 1715.
5 juniperifolia. DC.	Juniper-leaved.	————	—	G. 2.	
6 diffusa. DC.	diffuse.	————	1800.	1. 12.	G. 2.	
7 virgata. DC.	twiggy.	————	————	————	G. 2.	
8 linophylla. DC.	Flax-leaved.	————	1812.	5. 8.	G. 2.	
9 macroceras. DC.	long-horned.	————	————	————	G. 2.	
10 mixta. DC.	Heath-leaved.	————	1791.	1. 12.	G. 2.	Bot. mag. 1714.
<i>Polygala mixta</i> . B. M.						
11 ciliaris. DC.	ciliated.	————	1822.	5. 7.	G. 2.	
12 humilis. DC.	humble.	————	1817.	5. 8.	G. 2.	Lodd. bot. cab. 420.
<i>Polygala humilis</i> . B. C.						
MUNDIA. DC.	MUNDIA.	Diadelphia Octandria.	L.			
<i>spinosa</i> . DC.	spiny.	C. B. S.	1780.	1. 5.	G. 2.	
<i>a latifolia</i> . DC.	broad-leaved.					
<i>β angustifolia</i> . DC.	narrow-leaved.					
SECURIDACA. DC.	SECURIDACA.	Diadelphia Octandria.	L.			
<i>volubilis</i> . DC.	climbing.	W. Indies.	1739.	S. 2.	Jacq. amer. t. 183. f. 38.

ORDO XX.

TREMANDREÆ. DC. *prodr.* 1. p. 343.

TETRATHECA. DC.	TETRATHECA.	Octandria Monogynia.				
1 juncea. DC.	rushy.	N. S. W.	1803.	7. 8.	G. 2.	Sm. nov. hol. 1. t. 2.
2 glandulosa. DC.	glandular.	V. Diemen.	1822.	—	G. 2.	Lab. nov. hol. 1. t. 123.
3 pilosa. DC.	hairy.	————	————	————	G. 2.	———— 1. t. 122.
<i>glandulosa</i> . Ex. bot. 21.						
4 ericifolia. DC.	Heath-leaved.	N. S. W.	—	—	G. 2.	Sm. exot. bot. t. 20.

ORDO XXI.

PITTOSPOREÆ. DC. *prodr.* 1. p. 345.

BILLARDIERA. DC.	APPLE-BERRY.	Pentandria Monogynia.	L.				
1 scandens. DC.	downy-fruited.	N. S. W.	1796.	6. 8.	G. h. ∪.	Bot. mag.	801.
2 mutabilis. DC.	changeable.	————	1795.	5. 9.	G. h. ∪.	————	1313.
3 longiflora. DC.	blue-fruited.	V. Diemen.	1810.	————	G. h. ∪.	————	1507.
4 fusiformis. DC.	long-fruited.	————	1822.	————	G. h. ∪.	Lab. nov. holl.	t. 90.
5 angustifolia. DC.	narrow-leaved.	N. S. W.	————	————	G. h. ∪.	————	————
PITTOSPORUM. DC.	PITTOSPORUM.	Pentandria Monogynia.	L.				
1 coriaceum. DC.	thick-leaved.	Madeira.	1787.	5. 6.	G. h. ∪.	Bot. rep.	151.
2 viridiflorum. DC.	green-flowered.	C. B. S.	1806.	————	G. h. ∪.	Bot. mag.	1684.
3 Tobira. DC.	glossy-leaved.	China.	1804.	3. 8.	G. h. ∪.	————	1396.
4 undulatum. DC.	wave-leaved.	N. S. W.	1789.	2. 6.	G. h. ∪.	Bot. reg.	16.
5 revolutum. DC.	downy-leaved.	————	1795.	2. 4.	G. h. ∪.	————	186.
6 tenuifolium.	Willow-leaved.	————	1818.	————	G. h. ∪.	Gært. fr. 1.	t. 59.
7 ferrugineum. DC.	rusty-leaved.	Guinea.	1787.	2. 5.	S. h. ∪.	Bot. mag.	2075.
BURSARIA. DC.	BURSARIA.	Pentandria Monogynia.	L.				
spinosa. DC.	thorny.	N. S. W.	1793.	8. 12.	G. h. ∪.	Bot. mag.	1767.
SENACIA. DC.	SENACIA.	Pentandria Monogynia.	L.				
undulata. DC.	wave-leaved.	Mauritius.	1785.	S. h. ∪.	————	————

ORDO XXII.

FRANKENIACEÆ. DC. *prodr.* 1. p. 349.

FRANKENIA. DC.	SEA HEATH.	Hexandria Monogynia.	L.				
1 pulverulenta. DC.	powdery.	England.	7.	H. 2.	Eng. bot.	2222.
2 nodiflora. DC.	knotted-flow'r'd	C. B. S.	1818.	6. 8.	G. 2.	Lam. ill. t. 262.	f. 4.
3 Nothria. DC.	Capec.	————	1816.	————	G. 2.	Berg. cap. 171.	t. 1. f. 2.
	<i>Nothria repens.</i> Berg.						
4 lævis. DC.	smooth.	England.	7. 8.	H. 2.	Eng. bot.	205.
5 intermedia. DC.	sea-side.	S. Europe.	1820.	6. 8.	H. 2.	Mich. gen. t. 22.	f. 2.
	<i>hirsuta.</i> var. <i>calabrica.</i> L.						
6 hispida. DC.	hairy.	Siberia.	1789.	————	H. 2.	Flor. græc. t. 313.	
	<i>hirsuta.</i> var. <i>cretica.</i> L.						
7 ericifolia. DC.	Heath-leaved.	Canaries.	1815.	————	G. 2.		

ORDO XXIII.

CARYOPHYLLÆ. DC. *prodr.* 1. p. 351.

Tribus I. SILENEÆ. DC.

GYPSOPHILA. DC.	GYPSOPHILA.	Decandria Digynia.	L.				
1 Struthium. DC.	flesh-leaved.	Spain.	1729.	7. 8.	H. 2.	Barr. ic. 64.	t. 119.
2 fastigiata. DC.	angular-leaved.	Europe.	1759.	6. 7.	H. 2.	Gmel. sib. 4.	t. 61. f. 1.
3 arenaria. DC.	sand.	Hungary.	1801.	7. 8.	H. 2.	W. et. K. hung.	t. 41.
4 viscosa. DC.	clammy.	Levant.	1773.	6. 8.	H. ⊙.	Mur. c. got. 1783.	t. 3.
5 altissima. DC.	upright.	Siberia.	1759.	7. 8.	H. 2.	Gmel. sib. 4.	t. 60.

6	perfoliata. DC. <i>β tomentosa.</i> DC.	perfoliate. woolly.	Spain. Tauria.	1732. —	— —	H. 4. H. 4.	Dill. elt. t. 276. Barr. ic. t. 1002.
7	scorzonerifolia. DC.	Scorzonera-ld.	—	1823.	—	H. 4.	
8	acutifolia. DC.	sharp-leaved.	Caucasus.	1821.	—	H. 4.	
9	paniculata. DC.	panicled.	Siberia.	1759.	6. 7.	H. 4.	Jacq. aust. 5. t. app. 1.
10	adscendens. DC.	ascending.	Levant.	1819.	—	H. 4.	Jacq. h. vind. 2. t. 138.
11	elegans. DC.	elegant.	Tauria.	1820.	6. 8.	H. 4.	Swt. br. fl. gar.
12	Steveni. DC.	Steven's.	Iberia.	1817.	—	H. 4.	
13	tenuifolia. DC.	slender-leaved.	Caucasus.	1824.	—	H. 4.	
14	repens. DC.	creeping.	Pyrenees.	1774.	7. 9.	H. 4.	Bot. mag. 1448.
15	ubia. DC.	doubtful.	1815.	5. 9.	H. 4.	
16	prostrata. DC.	trailing.	Siberia.	1759.	7. 9.	H. 4.	Bot. mag. 1281.
17	muralis. DC.	wall.	Europe.	1739.	6. 10.	H. 4.	Lam. ill. t. 375. f. 1.
18	serotina. W.en.	late-flowering.	Magdeburg.	1816.	—	H. 4.	
19	glomerata. DC.	round-headed.	Tauria.	1804.	6. 7.	H. 4.	
20	saxifraga. DC.	small.	Germany.	1774.	7. 8.	H. 4.	Exot. bot. 2. t. 90.
21	rigida. L.	rigid.	France.	1769.	6. 8.	H. 4.	
DIANTHUS. DC.		PINK. Decandria Digynia. L.					
1	prolifer. DC.	proliferous.	England.	7. 8.	H. 4.	Eng. bot. 956.
2	diminitus. W.	small-flowered.	S. Europe.	1771.	—	H. 4.	
3	Armeria. DC.	Deptford.	England.	7. 9.	H. 4.	Eng. bot. 317.
4	pseudo-armeria.	canescent.	Tauria.	1820.	—	H. 4.	Bot. mag. 2288.
5	armerioides. DC.	Thrift-like.	New Jersey.	—	—	H. 4.	
6	barbatus. DC. <i>β flore pleno.</i>	Sweet-William. double.	Germany.	1573.	6. 7.	H. 4.	Bot. mag. 207.
7	latifolius. DC.	broad-leaved.	5. 11.	H. 4.	Swt. br. fl. gar. t. 2.
8	aggregatus. DC.	clustered.	1820.	6. 8.	H. 4.	
9	japonicus. DC.	Japanese.	China.	1804.	6. 10.	F. 4.	Thunb. jap. t. 23.
10	capitatus. DC.	headed.	Tauria.	1794.	6. 7.	H. 4.	
11	polymorphus. DC.	variable.	—	1820.	6. 8.	H. 4.	
12	diutinus. L.en.	pedicled.	Hungary.	—	—	H. 4.	Swt. br. fl. gar.
13	ferrugineus. DC.	rusty.	Pyrenees.	1756.	7. 9.	H. 4.	Barr. ic. t. 497.
14	Carthusianorum. DC.	Carthusian.	Europe.	1573.	—	H. 4.	
15	atrorubens. All.	dark-red.	Italy.	1802.	—	H. 4.	Jacq. ic. 3. t. 467.
16	nanus.	dwarf.	—	1820.	—	H. 4.	
17	arboresus. DC.	arborescent.	Crete.	—	—	G. 4.	Lodd. bot. cab. 459.
18	fruticosus. DC.	frutescent.	—	1815.	6. 9.	G. 4.	Tourm. it. 1. t. 9.
19	suffruticosus. DC.	shrubby.	1804.	6. 7.	G. 4.	
20	carolinianus. DC.	Carolina.	N. Amer.	1811.	6. 9.	F. 4.	
21	asper. W.en.	rough-stalked.	Switzerland.	1802.	7. 8.	H. 4.	
22	collinus. W.en.	hill.	Hungary.	1800.	7. 9.	H. 4.	Parad. lond. 62.
23	campestris. DC.	field.	Tauria.	1815.	7. 8.	H. 4.	Bot. mag. 1739.
24	alpestris. DC.	pasture.	—	1820.	—	H. 4.	Balb. act. taur. 7. t. 1.
25	nitidus. DC.	glossy.	Hungary.	1821.	6. 8.	H. 4.	W. et K. hung. 2. t. 191.
26	hirtus. DC.	hairy.	Dauphiny.	—	—	H. 4.	Vill. delph. 3. t. 46.
27	guttatus. DC.	spotted.	Caucasus.	1816.	7. 9.	H. 4.	
28	versicolor. DC.	various-colour'd	Russia.	1821.	—	H. 4.	
29	pratensis. DC. <i>ochroleucus.</i> L.en. non. P. s.	meadow.	Tauria.	—	6. 8.	H. 4.	
30	chinensis. DC. <i>β flore-pleno.</i>	China. double-flowered.	China.	1713.	7. 9.	H. 4.	Bot. mag. 28.
31	montanus. DC. <i>discolor.</i> B. M.	mountain.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. t. 1162.
32	Caryophyllus. DC. <i>β flore pleno.</i> <i>γ fruticosus.</i> <i>δ imbricatus.</i>	Clove. Carnation. tree-Carnation. Wheat-ear.	England.	6. 8.	H. 4. H. 4. H. 4. H. 4.	Eng. bot. 214. Bot. mag. 39.
33	sylvestris. <i>virginicus.</i> B. M. 1740. non. L.	short-scaled.	Jurassa.	6. 7.	H. 4.	Bot. mag. 1622. Jacq. ic. rar. t. 82.
34	longicaulis. DC.	long-stalked.	Naples.	1824.	—	H. 4.	
35	monadelphus. DC. <i>procumbens.</i> P. s.	procumbent.	Levant.	—	H. 4.	Vent. h. cels. t. 39.
36	suaveolens. DC.	sweet-scented.	1823.	—	H. 4.	
37	Poiretianus. DC. <i>β flore-pleno.</i>	Poiret's. double-flowering.	H. 4.	
38	Liboschitzianus. DC. <i>petraeus.</i> M. B. non DC.	Armenian.	Armenia.	1823.	6. 8.	H. 4.	
39	sylvaticus. DC.	wood.	Ratisbon.	1815.	—	H. 4.	
40	pomeridianus. DC.	afternoon.	Palestine.	1804.	—	H. 4.	Parad. lond. 57.

41 leptopetalus. DC.	narrow-petaled	Caucasus.	1814.	—	H. 4.	Bot. mag. 1739.
42 pungens. DC.	pungent.	Spain.	1781.	8. 10.	H. 4.	
43 bicolor. DC.	two-coloured.	Tauria.	1818.	6. 8.	H. 4.	
44 furcatus. DC.	forked.	Piedmont.	1820.	—	H. 4.	Balb. act. taur. 7. f. 2.
45 virginæus. DC.	virgin.	Montpelier.	1732.	—	H. 4.	Dill. elt. 401. t. 385 ?
46 deltoïdes. DC.	maiden.	Britain.	6. 10.	H. 4.	Eng. bot. 61.
47 glaucens. L.	glaucous.	—	—	—	H. 4.	
48 crenatus. E. R.	long-cupped.	C. B. S.	1817.	8.	G. 4.	Bot. reg. 256.
49 rigidus. DC.	rigid.	Tauria.	1802.	6. 10.	H. 4.	
50 suavis. DC.	sweet.	1820.	6. 7.	H. 4.	
51 cæsius. DC.	tufted.	Britain.	—	H. 4.	Eng. bot. 62.
52 alpinus. DC.	Alpine.	Austria.	1759.	—	H. 4.	Bot. mag. 1205.
53 glacialis. DC.	acute-leaved.	France.	1820.	—	H. 4.	
54 Hornemannii. DC.	Horneman's.	Italy.	1822.	—	H. 4.	
55 petræus. DC.	rock.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 3. t. 222.
<i>β Simsii.</i>	<i>Sims's.</i>	—	—	—	H. 4.	Bot. mag. 1204.
56 ibericus. DC.	Iberian.	Iberia.	1820.	6. 8.	H. 4.	
<i>Willdenowii.</i> L. en.						
57 ruthenicus. DC.	Russian.	Russia.	—	—	H. 4.	
58 albens. DC.	white Cape.	C. B. S.	1787.	8.	G. 4.	
59 plunarius. DC.	common.	Europe.	1629.	6. 8.	H. 4.	
60 hortensis. W. en.	garden.	—	1805.	—	H. 4.	
61 caucasens. DC.	Caucasian.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. 795.
62 squarrosus. DC.	squarrose.	Tauria.	1823.	6. 8.	H. 4.	Bieb. cent. 1. t. 33.
63 fragrans. B. M.	fragrant.	Caucasus.	1804.	6. 7.	H. 4.	Bot. mag. 2067.
64 serotinus. DC.	late-flowering.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 2. t. 172.
65 arenarius. DC.	sand.	N. Europe.	8.	H. 4.	Bot. mag. 2038.
66 prostratus. DC.	prostrate.	C. B. S.	8. 9.	G. 4.	Jacq. schœnb. 3. t. 271.
67 fimbriatus. DC.	fringed.	Iberia.	1802.	6. 8.	H. 4.	Bot. mag. 1069.
68 monspessulanus. DC.	Montpelier.	Pyrenees.	1764.	7. 8.	H. 4.	
69 superbus. DC.	superb.	Europe.	1596.	7. 9.	H. 4.	Bot. mag. 297.
SAPONARIA. DC.	SOAPWORT.	Decandria Digynia. L.				
1 vaccaria. DC.	annual.	Europe.	1596.	7. 8.	H. 4.	Bot. mag. 2290.
2 perfoliata. DC.	perfoliate.	E. Indies.	1820.	—	H. 4.	
3 officinalis. DC.	common.	England.	7. 10.	H. 4.	Eng. bot. t. 1060.
<i>β flore pleno.</i>	<i>double-flowered.</i>					
4 acymoides. DC.	Basil-leaved.	Europe.	1768.	5. 7.	H. 4.	Bot. mag. 154.
5 glutinosa. DC.	small-flowered.	Tauria.	1823.	—	H. 4.	Bieb. cent. 2. t. 66.
6 porrigens. DC.	hairy.	Levant.	1680.	7. 8.	H. 4.	Jacq. vind. 2. t. 109.
7 orientalis. DC.	small annual.	—	1732.	6. 8.	H. 4.	Dill. elt. t. 167. f. 204.
8 lutea. DC.	yellow.	Switzerland.	1804.	—	H. 4.	All. ped. t. 23. f. 1.
9 bellidifolia. DC.	Daisy-leaved.	Italy.	—	H. 4.	Smith spic. t. 5.
CUCUBALUS. DC.	CAMPION.	Decandria Trigynia. L.				
bacciferus. DC.	berry-bearing.	England.	6. 7.	H. 4.	Eng. bot. 1577.
SILENE. DC.	CATCHFLY.	Decandria Trigynia. L.				
1 acaulis. DC.	stemless.	Britain.	6. 8.	H. 4.	Eng. bot. 1081.
<i>β alba.</i> DC.	<i>white-flowered.</i>	—	—	H. 4.	
2 pumilio. DC.	dense.	Germany.	1823.	—	H. 4.	Stur. dent. 1. fas. 22. t. 11
3 fimbriata. DC.	fringe-flowered	Crete.	1803.	5. 8.	H. 4.	Bot. mag. 908.
4 lacera. DC.	jagged-flower'd	Caucasus.	1818.	—	H. 4.	— 2255.
5 stellata. DC.	four-leaved.	N. Amer.	1696.	6. 8.	H. 4.	— 1107.
6 inflata. DC.	bladder.	Britain.	5. 9.	H. 4.	Eng. bot. 164.
<i>Cucubalus Behen.</i> E. B.						
7 maritima. E. B.	sea.	—	8. 9.	H. 4.	Eng. bot. 957.
8 fabaria. H. K.	thick-leaved.	Sicily.	1731.	6. 8.	F. 4.	Boc. mus. 133. t. 92.
9 Behen. DC.	Cretan.	Crete.	1713.	6. 7.	H. 4.	Dill. elt. t. 317. f. 409.
10 indica. DC.	Indian.	Nepaul.	1824.	—	F. 4.	
11 procumbens. DC.	procumbent.	Siberia.	1820.	—	H. 4.	Murr. c. goet. p. 83. t. 2.
12 rubella. DC.	small red.	Portugal.	1732.	5. 6.	H. 4.	Del. fl. æg. t. 29. f. 3.
13 apetala. DC.	petalless.	Spain.	1801.	6. 7.	H. 4.	
14 Gypsophila. DC.	Gypsophila-like	—	H. 4.	
15 Otites. DC.	Spanish.	England.	7. 8.	H. 4.	Eng. bot. 85.
<i>Cucubalus Otites.</i> E. B.						
16 wolgensis. DC.	Volga.	Volga.	1821.	6. 8.	H. 4.	
17 parviflora. DC.	small-flowered.	Hungary.	1796.	—	H. 4.	
18 effusa. DC.	spreading.	Volga.	1821.	—	H. 4.	
19 sibirica. DC.	Siberian.	Siberia.	1773.	—	H. 4.	Hall. g. 1. p. 150. ic.
20 multiflora. DC.	many-flowered.	Hungary.	1794.	—	H. 4.	W. et K. hung. 1. t. 56.
21 tatarica. DC.	Tartarian.	Tartary.	1769.	—	H. 4.	

22 gigantea. DC.	gigantic.	Africa.	1738.	—	G. ♂.	Walt. hort. 32. t. 11.
23 viscosa. DC.	clammy.	Levant.	1739.	7.	H. ♂.	
24 conica. DC.	corn.	England.	6. 7.	H. ⊙.	Eng. bot. 922.
25 conoidea. DC.	conoid.	S. Europe.	1683.	—	H. ⊙.	Clus. his. 1. p. 288. f. 2.
26 undulata. DC.	wave-leaved.	C. B. S.	1775.	8.	G. ♂.	
27 anglica. DC.	English.	England.	6. 7.	H. ⊙.	Eng. bot. 1178.
28 lusitana. DC.	Portugal.	Portugal.	1732.	—	H. ⊙.	Dill. elt. t. 311. f. 401.
29 gallica. DC.	French.	France.	1683.	5. 6.	H. ⊙.	Vail. par. t. 16. f. 12.
30 ocyroides. DC.	Basil-like.	1819.	6. 7.	H. ⊙.	
31 disticha. DC.	two-ranked.	1817.	—	H. ⊙.	Schrank. pl. rar. t. 39.
32 cerastoides. DC.	Cerastium-like.	S. Europe.	1732.	7. 8.	H. ⊙.	Dill. elt. t. 309. f. 397.
33 quinquevulnera. DC.	variegated.	England.	6. 8.	H. ⊙.	Eng. bot. 86.
34 nocturna. DC.	spiked.	S. Europe.	1683.	—	H. ⊙.	Dill. elt. t. 310. f. 400.
35 reflexa. H. K.	reflexed.	—	1726.	—	H. ⊙.	Magn. h. mons. 171. ic.
36 mutabilis. H. K.	changeable.	—	1688.	—	H. ⊙.	
37 micropetala. DC.	small-petaled.	Chili.	1822.	6. 7.	H. ⊙.	
38 dichotoma. DC.	dichotomous.	Hungary.	1791.	—	H. ⊙.	W. et K. hung. t. 29.
39 nyctantha. DC.	various-leaved.	1815.	6. 8.	H. ⊙.	
40 bellidifolia. DC.	Daisy-leaved.	1794.	—	H. ⊙.	Jacq. vind. 3. t. 81.
41 vespertina. DC.	evening.	Barbary.	1796.	7. 8.	H. ⊙.	Swt. br. fl. gar. 58.
<i>bipartita.</i> Desf. atl. 1. t. 100.						
42 obtusifolia. DC.	blunt-leaved.	—	1823.	6. 8.	H. ⊙.	
43 colorata. DC.	coloured.	—	1804.	—	H. ⊙.	
44 crassifolia. DC.	thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
45 gracilis. DC.	slender.	1823.	6. 8.	H. ⊙.	
46 jenseensis. DC.	two-coloured.	Siberia.	1817.	6. 7.	H. ♀.	
47 ciliata. DC.	ciliated.	Crete.	1804.	—	H. ⊙.	
48 pendula. DC.	pendulous.	Sicily.	1731.	5. 7.	H. ⊙.	Bot. mag. 114.
49 longicaulis. DC.	long-stalked.	Spain.	1818.	6. 7.	H. ⊙.	
50 secundiflora. DC.	side-flowered.	—	—	H. ⊙.	
51 viscosissima. DC.	viscons.	Naples.	1822.	—	H. ⊙.	
52 quadridentata. DC.	four-toothed.	Italy.	1783.	5. 6.	H. ⊙.	Jacq. aust. 2. t. 120.
<i>Lychnis quadridentata.</i> w.						
53 pusilla. w. en.	dwarf.	Hungary.	1804.	6. 7.	H. ♀.	W. et K. hung. 3. t. 212.
54 alpestris. DC.	Austrian.	Austria.	1774.	5. 7.	H. ♀.	Jacq. aust. 1. t. 96.
55 rupestris. DC.	rock.	Switzerland.	1774.	5. 7.	H. ♀.	Flor. dan. 4.
56 glaucifolia. DC.	glaucous-leav'd.	Spain.	1823.	—	H. ♀.	
57 inaperta. DC.	unopen-flow'r'd	S. Europe.	1732.	6. 7.	H. ⊙.	Dill. elt. t. 314. f. 407.
58 clandestina. DC.	hidden-flower'd	C. B. S.	1801.	—	H. ⊙.	Jacq. col. sup. t. 3. f. 3.
59 portensis. w.	Oporto.	Portugal.	1759.	7. 8.	H. ⊙.	
60 antirrhina. DC.	Snap-dragon.	Virginia.	1732.	6. 7.	H. ⊙.	Dill. elt. t. 313. f. 403.
61 geminiflora. DC.	twin-flowered.	1816.	H. ⊙.	
62 flavescens. DC.	yellowish.	Hungary.	1804.	—	H. ♀.	W. et K. hung. 2. t. 175.
63 linifolia. DC.	Flax-leaved.	1817.	7. 8.	H. ⊙.	
64 cretica. DC.	Candian.	Candia.	1732.	5. 8.	H. ⊙.	Dill. elt. t. 314. f. 404.
65 sedoides. DC.	Sedum-like.	Crete.	1822.	6. 8.	H. ⊙.	Jacq. col. sup. t. 14 f. 1.
66 Saxifraga. DC.	Saxifrage.	S. Europe.	1640.	—	H. ♀.	Lodd. bot. cab. 454.
67 petraea. DC.	fine-toothed.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 2. t. 164.
68 campanula. DC.	bell-flowered.	Piedmont.	1822.	—	H. ♀.	All. auct. p. 28. t. 1. f. 3.
69 longipetala. DC.	long-petaled.	Aleppo.	—	—	H. ⊙.	Vent. hort. cels. t. 83.
70 nutans. E. B.	Nottingham.	England.	6. 7.	H. ♀.	Eng. bot. 465.
71 saxatilis. B. M.	stone.	Siberia.	1800.	—	H. ♀.	Bot. mag. 689.
72 livida. w. en.	livid.	Carniola.	1816.	—	H. ♀.	
73 tenuis. DC.	slender.	Siberia.	—	—	H. ♀.	
74 quadrifida. DC.	four-cleft.	Italy.	1820.	—	H. ♀.	
75 viridiflora. DC.	green-flowered.	Portugal.	1739.	—	H. ♂.	Herm. parad. t. 199.
76 chlorantha. DC.	pale-flowered.	Germany.	1732.	6. 8.	H. ♀.	Dill. elt. t. 316. f. 408.
77 psammittis. DC.	sulphur-colour'd	1820.	—	H. ♀.	
78 niceensis. DC.	villous clammy.	S. Europe.	—	—	H. ⊙.	All. ped. t. 44. f. 2.
79 catholica. DC.	panicled.	Italy.	1711.	7. 9.	H. ♀.	Jacq. vind. 1. t. 59.
80 diversifolia. DC.	various-leaved.	1820.	—	H. ⊙.	
81 repens. DC.	creeping.	Siberia.	1806.	7. 8.	H. ♀.	
82 tenuifolia. DC.	slender-leaved.	Dahuria.	1820.	—	H. ⊙.	
83 virginica. DC.	Virginian.	Virginia.	1783.	5. 8.	H. ♀.	Pluk. alm. t. 203. f. 1.
84 Catesbæi. DC.	Catesby's.	Carolina.	—	H. ♀.	Catesb. car. 54. ic.
85 stricta. DC.	upright.	Spain.	1802.	6. 7.	H. ⊙.	
86 Muscipula. DC.	Spanish.	—	1596.	7. 8.	H. ⊙.	Clus. hist. 1. p. 289. f. 1.
87 noctiflora. DC.	night-flowering.	England.	7.	H. ⊙.	Eng. bot. 291.
88 ornata. DC.	dark-coloured.	C. B. S.	1775.	5. 9.	G. ♂.	Bot. mag. 382.

89	<i>ægyptiaca</i> . DC.	Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
90	<i>sericea</i> . DC.	silky.	Corsica.	1801.	6. 8.	H. ⊙.	All. ped. t. 79. f. 3.
91	<i>picta</i> . DC.	painted.	1818.	7. 9.	H. ⊙.	Swt. br. fl. gar. 92.
92	<i>bicolor</i> . DC.	two-coloured.	France.	—	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 42.
93	<i>reticulata</i> . DC.	netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ⊙.	Desf. atl. 1. t. 99.
94	<i>pensylvanica</i> . DC.	Pennsylvanian.	N. Amer.	1806.	6. 9.	H. ♀.	Bot. reg. 247.
	<i>incarnata</i> . B. C. 41.						
95	<i>vallesia</i> . DC.	hard-rooted.	Switzerland.	1765.	6. 8.	H. ♀.	All. ped. t. 23. f. 2.
96	<i>fruticosa</i> . DC.	shrubby.	Sicily.	1629.	6. 7.	F. ♀.	Comm. hort. t. 33.
97	<i>caspia</i> . DC.	Caspian.	Caucasus.	1823.	—	H. ♀.	
98	<i>amœna</i> . DC.	Tartarian.	Tartary.	1779.	7.	H. ♀.	
99	<i>supina</i> . DC.	trailing.	Caucasus.	1804.	6. 8.	H. ♀.	Bot. mag. 1997.
100	<i>depressa</i> . DC.	depressed.	Iberia.	1823.	—	H. ♀.	
101	<i>paradoxa</i> . DC.	Dover.	England.	...	7.	H. ♀.	Jacq. vind. 3. t. 84.
102	<i>chloræfolia</i> . DC.	Armenian.	Armenia.	1796.	8. 9.	H. ♀.	Bot. mag. 807.
103	<i>italica</i> . DC.	Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79.
	<i>Cucubalus italicus</i> . L.						
104	<i>polyphylla</i> . DC.	many-leaved.	Austria.	6. 7.	H. ♀.	Clus. hist. 1. t. 290.
105	<i>nemoralis</i> . DC.	wood.	Hungary.	1823.	—	H. ♀.	W. et K. hung. 3. t. 249.
106	<i>longiflora</i> . DC.	long-flowered.	—	1793.	7. 9.	H. ♀.	— 1.p.7.t.8.
107	<i>bupleuroides</i> . DC.	spear-leavcd.	Persia.	1801.	6. 7.	H. ♀.	Tourn. it. t. 154.
108	<i>mollissima</i> . DC.	velvet.	Italy.	1739.	7. 9.	H. ♀.	W. et K. hung. 3. t. 248.
	<i>Cucubalus mollissimus</i> . L.						
109	<i>regia</i> . DC.	splendid.	N. Amer.	1811.	5. 8.	G. ♂.	Bot. mag. 1724.
110	<i>Atocion</i> . DC.	Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ⊙.	Jacq. vind. 3. t. 32.
	<i>orchidea</i> . H. K.						
111	<i>psendo-Atocion</i> . DC.	Atlantic.	Atlantic.	1818.	—	H. ⊙.	
112	<i>Armeria</i> . DC.	Lobel's.	England.	7. 9.	H. ⊙.	Eng. bot. 1398.
	<i>a rubra</i> .	red-flowered.					
	<i>β alba</i> .	white-flowered.					
113	<i>compacta</i> . DC.	compact.	Russia.	1816.	—	H. ♂.	
VISCARIA. Røhl.	VISCARIA.	Decandria Pentagynia.	L.				
1	<i>vulgaris</i> . Røhl.	common.	Britain.	5. 7.	H. ♀.	Eng. bot. 788.
	<i>Lychnis viscaria</i> . L.						
	<i>β flore-pleno</i> .	double-red.					
	<i>2 albiflora</i> .	white-flowered.	—	H. ♀.	
LYCHNIS. DC.	LYCHNIS.	Decandria Pentagynia.	L.				
1	<i>chalconica</i> . DC.	scarlet.	Japan.	1596.	6. 7.	H. ♀.	Bot. mag. 257.
	<i>β albiflora</i> .	white-flowered.					
	<i>γ flore pleno</i> .	double-flowered.					
2	<i>Flos-jovis</i> . DC.	umbelled.	Piedmont.	1726.	7.	H. ♀.	Bot. mag. 398.
	<i>Agrostenma Flos-jovis</i> . B. M.						
3	<i>coronata</i> . W.	Chinese.	China.	1774.	6. 9.	H. ♀.	Bot. mag. 223.
	<i>grandiflora</i> . Jacq. pl. rar. t. 84.						
4	<i>fulgens</i> . DC.	brilliant.	Siberia.	1819.	7. 9.	H. ♀.	Bot. mag. 2104.
5	<i>Cœli-rosa</i> . DC.	smooth-leaved.	Levant.	1713.	7. 8.	H. ⊙.	Bot. mag. 295.
	<i>Agrostenma Cali-rosa</i> . L.						
AGROSTEMMA.	AGROSTEMMA.	Decandria Pentagynia.	L.				
1	<i>apetala</i> . DC.	petalless.	Lapland.	1819.	6. 8.	H. ♀.	Lin. fl. lap. t. 12. f. 1.
	<i>Lychnis apetala</i> . L.						
2	<i>brachypetala</i> . L. en.	short-petaled.	—	—	H. ♀.	
3	<i>ylvestris</i> . DC.	red-flowered.	Britain.	6. 7.	H. ♀.	Eng. bot. 1579.
	<i>Lychnis dioica rubra</i> . E. B.						
	<i>β flore-pleno</i> .	double-flowered.					
4	<i>dioica</i> . DC.	white-flowered.	-----	—	H. ♀.	Eng. bot. 1580.
	<i>Lychnis dioica alba</i> . E. B. <i>vespertina</i> . Sibt.						
	<i>β flore-pleno</i> .	double-white.					
	<i>γ viridiflora</i> .	double-green.					
5	<i>læta</i> . DC.	small.	Portugal.	1778.	7.	H. ⊙.	
6	<i>corsica</i> . DC.	Corsican.	Corsica.	1824.	6. 8.	H. ⊙.	
7	<i>pyrenaica</i> . DC.	Pyrenean.	Pyrenees.	1820.	4. 6.	H. ♀.	
8	<i>alpina</i> . DC.	Alpine.	Scotland.	4. 5.	H. ♀.	Eng. bot. 2254.
	<i>Lychnis alpina</i> . L.						
9	<i>Flosculi</i> . DC.	Ragged Robin.	Britain.	6. 9.	H. ♀.	Eng. bot. 573.
	<i>Lychnis Flosculi</i> . L.						
	<i>β flore-pleno</i> .	double.					
10	<i>coronaria</i> . DC.	Rose Champion.	Italy.	1596.	—	H. ♀.	
	<i>a rubra</i> .	red-flowered.	-----	—	—	H. ♀.	Bot. mag. 21.
	<i>β alba</i> .	white-flowered.					
	<i>γ plenu</i> .	double-flowered.					

GITHAGO. Desf.	GITHAGO. Decandria Pentagynia. L.		
1 segetum. Desf.	Corn-Cockle. Britain. 6. 8. H.⊙.	Eng. bot. 741.
	<i>Agrostemma Githago</i> . L.		
2 niceensis.	long-calyxed. Italy.	1794. — H.⊙.	
VELEZIA. DC.	VELEZIA. Pentandria Digynia. L.		
rigida. DC.	rigid. Spain.	1683. 7. H.⊙.	Barr. rar. t. 1018.
DRYPIS. DC.	DRYPIS. Pentandria Trigynia. L.		
spinosa. DC.	prickly. Italy.	1775. 6. 7. H.⊙.	Bot. mag. 2216.

Tribus II. ALSINEÆ. DC.

ORTEGIA. DC.	ORTEGIA. Triandria Monogynia. L.		
1 hispanica. DC.	Spanish. Spain.	1768. 6. 7. H.⊙.	
2 dichotoma. DC.	forked. Italy.	1781. 8. 9. H.⊙.	All. ped. t. 4. f. 1.
	<i>hispanica</i> . Cav. ic. 1. t. 47.		
BUFFONIA. DC.	BUFFONIA. Tetrandria Digynia. L.		
1 annua. DC.	annual. England. 6. H.⊙.	Eng. bot. 1313.
	<i>tenuifolia</i> . E. B.		
2 perennis. DC.	perennial. France.	1820. 6. 7. H.⊙.	Lam. ill. t. 87. f. 2.
SAGINA. DC.	PEARL-WORT. Tetrandria Tetragynia. L.		
1 procumbens. DC.	procumbent. Britain. 5. 9. H.⊙.	Eng. bot. 890.
2 cerastoides. DC.	Cerastium like. ———— 6. 7. H.⊙.	———— 166.
	<i>Cerastium tetrandrum</i> . H. K.		
3 filiformis. DC.	filiform. Pyrenees.	1824. — H.⊙.	
4 maritima. E. B.	sea-side. Ireland. 5. 8. H.⊙.	Eng. bot. 2195.
5 apetala. DC.	small-flowered. Britain. 5. 6. H.⊙.	———— 881.
MENCHIA. P. S.	MENCHIA. Tetrandria Tetragynia. L.		
glauca. P. S.	glaucous. Britain. 4. 5. H.⊙.	Eng. bot. 609.
	<i>quaternella</i> . L. en. <i>Sagina erecta</i> . E. B.		
MËHRINGIA. DC.	MËHRINGIA. Octandria Digynia. L.		
1 muscosa. DC.	mossy. S. Europe.	1775. 6. 7. H.⊙.	Lam. ill. t. 314.
2 sedifolia. DC.	Stonecrop-ld. ————	1823. — H.⊙.	W.ber.m.1818.t.3.f.23.
ELATINE. DC.	WATERWORT. Octandria Tetragynia. L.		
1 Hydropiper. DC.	small. Britain. 8. H.⊙.	Eng. bot. 955.
2 hexandra. DC.	hexandrous. France. — H.⊙.	DC. ic. rar. 1. t. 43. f. 1.
MOLLUGO. W.	MOLLUGO. Triandria Trigynia. L.		
1 verticillata. DC.	whorled. Virginia.	1748. 6. 8. H.⊙.	Ehret pict. t. 6.
2 Schrankii. DC.	Schrank's. Brazil.	1821. 7. 9. H.⊙.	Schrank pl. rar. 64.
	<i>dichotoma</i> . Schr.		
3 Linkii. DC.	Link's. ————	— — — H.⊙.	
	<i>triphyllo</i> . L. en. non Lour.		
PHARNACEUM. W.	PHARNACEUM. Pentandria Trigynia. L.		
1 Mollugo. w.	LadiesBedstraw E. Indies.	1752. 7. 8. S.⊙.	Burm. ind. t. 5. f. 4.
	<i>Mollugo Spermula</i> . DC.		
2 corditolum. w.	heart-leaved. C. B. S.	1820. — H.⊙.	Jacq. h. schœn. t. 349.
3 dichotomum. w.	forked. ————	1783. — H.⊙.	
4 Cerviana. w.	umbelled. Russia.	1771. 6. 7. H.⊙.	Lam. ill. t. 214. f. 1.
5 lineare. w.	linear-leaved. C. B. S.	1795. 5. 6. G. ⚮.	Bot. rep. 326.
6 ineanum. E. M.	hoary. ————	1782. 5. 10. G. ⚮.	Bot. mag. 1883.
HOLOSTEUM. DC.	HOLOSTEUM. Triandria Trigynia. L.		
umbellatum. DC.	umbelled. England. 7. 8. H.⊙.	Eng. bot. 27.
SPERGULA. DC.	SPURREY. Decandria Pentagynia. L.		
1 arvensis. DC.	rough-seeded. Britain. 7. 8. H.⊙.	Eng. bot. 1535.
2 pentandra. DC.	smooth-seeded. England. 6. 7. H.⊙.	———— 1536.
3 pallida. DC.	pale. C. B. S. 7. 9. H.⊙.	
4 nodosa. DC.	knotted. Britain. 7. 8. H.⊙.	Eng. bot. 694.
5 larcinea. DC.	Larch-leaved. Siberia.	1823. 6. 8. H.⊙.	Sm. ic. ined. 1. t. 18.
6 saginoides. DC.	Sagina like. Scotland. — H.⊙.	Eng. bot. 2105.
7 subulata. DC.	awl-leaved. Britain. 6. 7. H.⊙.	———— 1082.
LARBREA. DC.	LARBREA. Decandria Pentagynia. L.		
aquatica. DC.	water. Britain. 7. 8. H.⊙.	Eng. bot. 538.
	<i>Cerastium aquaticum</i> . E. B. <i>Stellaria aquatica</i> . P. S.		
DRYMARIA. DC.	DRYMARIA. Pentandria Trigynia. L.		
1 cordata. DC.	heart-leaved. W. Indies.	1814. 7. 9. H.⊙.	Lam. ill. t. 51. f. 2.
	<i>Holostium cordatum</i> . L.		

2	divaricata. DC.	divaricate.	Lima.	1823.	—	H. ⊙.	
STELLARIA. DC.		STICHWORT.	Decandria	Trigynia. L.			
1	memorum. DC.	wood.	Britain.	4. 6.	H. ♀.	Eng. bot. 92.
2	latifolia. DC.	broad-leaved.	Germany.	1816.	6. 8.	H. ⊙.	
3	media. DC.	Chickweed.	Britain.	1. 12.	H. ⊙.	Eng. bot. 537.
	<i>Alsine media. L.</i>						
4	dichotoma. DC.	forked.	Siberia.	1774.	6. 8.	H. ♀.	Smith ic. ined. 1. t. 14.
5	bulbosa. DC.	bulbiferous.	Carinthia.	1820.	—	H. ♀.	Jacq. ic. rar. 3. t. 468.
6	viscida. DC.	viscous.	Tanria.	1804.	—	H. ⊙.	W. et K. hung. 1. t. 22.
	<i>Cerastium anomalum. w.</i>						
7	Holostea. DC.	greater.	Britain.	4. 6.	H. ♀.	Eng. bot. 511.
8	velutina. DC.	velvetty.	Siberia.	1824.	6. 8.	H. ♀.	
9	graminea. DC.	grass-leaved.	Britain.	5. 8.	H. ♀.	Eng. bot. 803.
10	glauca. DC.	glaucous marsh.	—	—	H. ♀.	— 825.
11	aquatica. DC.	bog.	—	6. 7.	H. ⊙.	— 1074.
	<i>uliginosa. E. B. alsine.</i>	Hof. germ. 1. t. 5.					
12	cerastoides. DC.	Alpine.	Scotland.	—	H. ♀.	— 911.
13	arenaria. DC.	sand.	Spain.	1799.	6. 8.	H. ⊙.	
14	scapigera. DC.	naked-stalked.	Scotland.	6. 7.	H. ♀.	Eng. bot. 1269.
15	multicaulis. w.	many-stemmed.	Carinthia.	1815.	6. 8.	H. ♀.	Jacq. coll. 1. t. 19.
16	muralis. DC.	wall.	Crete.	1821.	—	H. ⊙.	
17	elegans. DC.	elegant.	Siberia.	1823.	—	H. ♀.	
18	longipes. DC.	long pedicled.	N. Amer.	1821.	—	H. ♀.	
ARENARIA. DC.		SANDWORT.	Decandria	Trigynia. L.			
1	segetalis. DC.	hedge.	France.	1805.	6. 10.	H. ⊙.	Vail. par. t. 3. f. 3.
	<i>Alsine segetalis. L.</i>						
2	rubra. DC.	purple.	Britain.	6. 8.	H. ⊙.	Eng. bot. 852.
3	salina. DC.	salt marsh.	Bohemia.	1820.	—	H. ⊙.	
4	rubella. F. L.	red-flowered.	England.	—	H. ⊙.	Flor. lond. t.
5	media. DC.	marine.	Britain.	—	H. ♀.	Eng. bot. 958.
	<i>marina. E. B.</i>						
6	glandulosa. Jac.	glandular.	Europe.	1820.	6. 7.	H. ⊙.	Jacq. Schoenb. 3. t. 355.
7	canadensis. DC.	Canadian.	N. Amer.	1812.	—	H. ⊙.	
8	graminifolia. DC.	grass-leaved.	Caucasus.	1815.	—	H. ♀.	Schrad. h. gøtt. t. 5.
	<i>β glaberrima. DC.</i>	<i>smooth.</i>	—	—	—	H. ♀.	
9	longifolia. DC.	long-leaved.	Volga.	1820.	—	H. ♀.	Gmel. sib. 4. t. 63. f. 2.
10	dahurica. DC.	Dahurian.	Dahuria.	1824.	—	H. ♀.	
11	otitoides. DC.	dense-flower'd.	Siberia.	—	—	H. ♀.	
12	rigida. DC.	rigid.	—	—	—	H. ♀.	
13	formosa. DC.	handsome.	Dahuria.	—	—	H. ♀.	
14	imbricata. DC.	imbricate.	Caucasus.	1821.	—	H. ♀.	
15	juniperina. DC.	Juniper-leav'd.	Armenia.	1800.	—	H. ♀.	Sm. ic. ined. t. 35.
16	stricta. DC.	upright.	N. Amer.	1812.	5. 6.	H. ♀.	
17	laricifolia. L.	Larch-leaved.	Britain.	8.	H. ♀.	Jacq. aust. 3. t. 272.
18	rostrata. w. en.	beaked.	Hungary.	1816.	6. 7.	H. ♀.	
19	striata. w.	striated.	Switzerland.	1683.	—	H. ♀.	Vill. dauph. 4. t. 47. f. 6.
20	arctica. DC.	small.	Siberia.	1807.	—	H. ♀.	
21	anstriaca. DC.	Austrian.	Austria.	1793.	6. 9.	H. ♀.	Jacq. aust. 3. t. 270.
22	grandiflora. DC.	great-flowered.	Switzerland.	1783.	—	H. ♀.	All. ped. n. 1711. t. 10. f. 1
23	triflora. L.	three-flowered.	—	1816.	—	H. ♀.	Cav. ic. 3. t. 249. f. 2.
24	Helmii. DC.	long-peduncled.	Siberia.	1824.	—	H. ♀.	
25	verna. DC.	vernal.	Britain.	5. 8.	H. ♀.	Eng. bot. 512.
26	ramosissima. DC.	branching.	Hungary.	1820.	—	H. ♀.	
27	saxatilis. DC.	rock.	Germany.	1732.	7. 8.	H. ♀.	Barr. ic. t. 580.
28	pendula. DC.	pendulous.	Hungary.	1816.	6. 7.	H. ♀.	W. et K. hung. 1. t. 87.
29	tenuifolia. DC.	fine-leaved.	England.	—	H. ⊙.	Eng. bot. 219.
30	calycina. DC.	large-calixed.	Barbary.	1824.	—	H. ⊙.	
31	triandra. DC.	triandrous.	—	—	H. ⊙.	Schranck. h. mon. t. 30.
32	mediterranea. DC.	Mediterranean.	S. Europe.	1821.	—	H. ⊙.	
33	recurva. DC.	recurved-leav'd	—	—	—	H. ♀.	Jacq. coll. 2. t. 16. f. 1.
34	hirsuta. DC.	hairy.	Tauria.	1824.	—	H. ♀.	
35	setacea. DC.	bristly.	France.	1820.	—	H. ♀.	
36	fasciculata. DC.	dense-flower'd.	Europe.	1815.	—	H. ⊙.	Jacq. aust. 2. t. 182?
	<i>fastigiata. E. B. 1744.</i>						
37	filifolia. DC.	thread-leaved.	Arabia.	—	H. ♀.	Vahl. symb. 1. t. 12.
38	mucronata. DC.	mucronate.	—	1777.	—	H. ⊙.	
39	uliginosa. DC.	marsh.	Switzerland.	1824.	—	H. ♀.	DC. ic. gall. t. 46.
40	polygonoides. DC.	procumbent.	—	—	—	H. ♀.	Jacq. coll. 1. t. 15.
41	tetraquetra. DC.	square-stalked.	S. France.	1731.	8.	H. ♀.	All. ped. 2. t. 89. f. 1.

42 cherlerioides. VIII.	cherleria-leav'd	————	7. 8.	H. ♀.	Vill. delph. 4. t. 47. f. 1.
43 montana. DC.	mountain.	————	1800.	4. 7.	H. ♀.	Bot. mag. 1118.
44 serpyllifolia. DC.	Thyme-leaved.	Britain.	6. 7.	H. ⊙.	Eng. bot. 923.
45 ciliata. DC.	fringed.	Ireland.	3. 8.	H. ♀.	———— 1745.
46 multicaulis. W.	many-stalked.	Europe.	1794.	7. 8.	H. ♀.	Jacq. coll. 1. t. 17. f. 1.
47 trinervia. DC.	three-nerved.	Britain.	5. 7.	H. ⊙.	Eng.-bot. 1483.
48 balearica. DC.	Majorca.	Majorca.	1787.	3. 8.	H. ♀.	L. Her. stirp. 1. t. 15.
49 biflora. DC.	two-flowered.	S. Europe.	1823.	—	H. ♀.	All. ped. t. 64. f. 3.
50 peploides. DC.	Sea chickweed.	Britain.	5. 7.	H. ♀.	Eng. bot. 189.
CERASTIUM. DC.	MOUSE-EAR CHICKWEED.	Decandria			Pentagynia. L.	
1 nemorale. DC.	wood.	Caucasus.	1823.	5. 6.	H. ⊙.	
2 perfoliatum. DC.	perfoliate.	Greece.	1725.	6. 7.	H. ⊙.	Dill. elt. t. 217. f. 284.
3 dahuricum. DC.	glaucous.	Dahuria.	1815.	5. 9.	H. ♀.	Schrank. h. mon. t. 75.
<i>amplexicaule.</i> B. M. 1789.						
4 maximum. DC.	greatest.	Siberia.	1792.	6. 7.	H. ⊙.	Gmel. sib. 4. t. 62. f. 2.
5 dichotomum. DC.	forked.	Spain.	1725.	—	H. ⊙.	
6 rudérale. DC.	pendulous-fruit.	Caucasus.	1824.	—	H. ⊙.	
7 tauricum. DC.	Taurian.	Tauria.	—	—	H. ⊙.	
8 vulgatum. DC.	common.	Britain.	4. 6.	H. ⊙.	Eng. bot. 789.
9 viscosum. DC.	clammy.	————	4. 9.	H. ♀.	———— 790.
10 barbulatorum. L. en.	bearded.	S. Europe.	1821.	—	H. ⊙.	
11 holosteoides. DC.	Holosteum like.	Sweden.	—	—	H. ♀.	
12 pentandrum. DC.	five-stamened.	Spain.	1820.	—	H. ⊙.	
13 semidecandrum. DC.	least.	Britain.	3. 4.	H. ⊙.	Eng. bot. 1630.
14 brachyptalum. DC.	small-flowered.	France.	1816.	4. 5.	H. ♀.	DC. ic. gall. t. 44.
15 diffusum. DC.	spreading.	4. 9.	H. ♀.	
16 serpyllifolium. W. en.	Thyme-leaved.	S. Europe.	1824.	5. 6.	H. ♀.	
17 manticum. DC.	long-peduncul'd.	Hungary.	1801.	6. 7.	H. ⊙.	W. et K. hung. 1. t. 96.
18 grandiflorum. DC.	large-flowered.	————	1820.	—	H. ♀.	———— 2. t. 168.
19 tomentosum. DC.	white-leaved.	S. Europe.	1648.	—	H. ♀.	Col. phyt. ed. 1744 t. 31.
20 Biebersteinii. DC.	Bieberstein's.	Tauria.	1820.	—	H. ♀.	
21 lanatum. DC.	woolly.	Pyrenees.	—	—	H. ♀.	
22 alpinum. DC.	Alpine.	Britain.	—	H. ♀.	Eng. bot. 472.
23 ovatum. DC.	oval-leaved.	Carinthia.	1816.	—	H. ♀.	
24 latifolium. DC.	broad-leaved.	Britain.	—	H. ♀.	Eng. bot. 473.
25 arvense. DC.	field.	————	5. 8.	H. ♀.	———— 93.
26 repens. W.	creeping.	S. Europe.	1759.	5. 7.	H. ♀.	Lam. ill. t. 392. f. 2.
27 strictum. W.	upright.	Austria.	1793.	—	H. ♀.	Scop. carn. t. 19. f. 1.
28 suffruticosum. W.	suffruticose.	S. Europe.	1796.	—	H. ♀.	
29 pensylvanicum. DC.	Pennsylvanian.	N. Amer.	1823.	—	H. ♀.	
30 pubescens. DC.	pubescent.	————	1822.	—	H. ♀.	
31 matrense. L. en.	Matram.	Hungary.	1823.	—	H. ♀.	
32 dioicum. H. K.	Spanish.	Spain.	1766.	6. 7.	H. ♀.	
33 pilosum. L. en.	hairy.	1823.	—	H. ♀.	
34 Sprengelii. DC.	Sprengel's.	—	—	H. ♂.	
CHERLERIA. DC.	CHERLERIA.	Decandria			Trigynia. L.	
sedoides. DC.	dwarf.	Scotland.	7. 8.	H. ♀.	Eng. bot. 1312.

ORDO XXIV.

LINEÆ. DC. *prodr.* 1. p. 423.

LINUM. DC.	FLAX. Pentandria	Pentagynia. L.				
1 gallicum. DC.	annual yellow.	France.	1777.	7. 8.	H. ⊙.	Ger. prov. t. 15. f. 1.
2 aureum. DC.	golden.	Hungary.	1823.	—	H. ⊙.	W. et K. hung. 2. t. 177.
3 luteolum. DC.	yellowish.	Tauria.	—	—	H. ⊙.	Buxb. cent. 5. t. 59.
4 nodiflorum. DC.	knotted.	Italy.	1759.	—	H. ♀.	Flor. græc. t. 307.
5 strictum. DC.	upright.	S. Europe.	—	5. 7.	H. ♂.	Lob. ic. t. 411. f. 2.
6 rigidum. DC.	stiff-leaved.	Missouri.	1807.	7.	H. ⊙.	
7 virginianum. DC.	Virginian.	N. Amer.	—	—	H. ♂.	
8 dahuricum. DC.	Dahurian.	Dahuria.	1822.	6. 8.	H. ♀.	
9 maritimum. DC.	sea.	S. Europe.	1596.	7. 8.	H. ♀.	Jacq. vind. 2. t. 154.
10 arboreum. DC.	shrubby.	Candia.	1788.	5. 8.	G. ♀.	Bot. mag. 231.

11 campanulatum. w.	glaucous-leav'd.	S. Europe.	1795.	—	H. ½.	
12 tauricum. w.en.	Taurian.	Tauria.	—	6. 8.	H. ¼.	
13 flavum. w.	yellow.	S. Europe.	1793.	—	H. ¼.	Bot. mag. 312.
14 trigynum. DC.	three-styled.	E. Indies.	1799.	10. 3.	G. ½.	Bot. mag. 1100.
15 africanum. DC.	African.	C. B. S.	1771.	6. 7.	G. ½.	— 403.
16 quadrifolium. DC.	four-leaved.	—	1787.	5. 6.	G. ½.	— 431.
17 hypericifolium. P.L.	Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. ¼.	— 1048.
<i>venustum.</i> A. R. 477.						
18 hirsutum. w.	hairy.	Austria.	1759.	7. 8.	H. ¼.	Jacq. aust. 1. t. 31.
19 ascyrifolium. B. M.	blue and white.	Portugal.	1800.	—	H. ¼.	Bot. mag. 1087.
20 nervosum. DC.	nervose.	Hungary.	1820.	—	H. ¼.	W. et K. hung. 2. t. 105.
21 narbonense. DC.	Narbonne.	S. France.	1759.	5. 7.	F. ¼.	Barr. ic. t. 1007.
22 usitatissimum. DC.	common.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1357.
23 marginatum. DC.	white-margin'd	1823.	—	H. ¼.	
<i>angustifolium.</i> W. en. non. E. B.						
24 reflexum. DC.	reflexed-leav'd.	S. Europe.	1777.	7.	H. ¼.	
25 diffusum. DC.	spreading.	1823.	6. 8.	H. ¼.	
26 angustifolium. DC.	narrow-leaved.	England.	7.	H. ¼.	Eng. bot. 381.
27 sibiricum. DC.	Siberian.	Siberia.	1775.	6. 7.	H. ¼.	Mill. ic. t. 166. f. 2.
<i>austriacum.</i> B. M. 1056.						
28 Lewisii. Ph.	Lewis's.	N. Amer.	1821.	—	H. ¼.	
29 anglicum. DC.	English.	England.	6. 8.	H. ¼.	Eng. bot. 40.
<i>perenne.</i> E. B.						
30 austriacum. DC.	Austrian.	Austria.	1775.	6. 7.	H. ¼.	Jacq. aust. t. 418.
31 montanum. DC.	mountain.	Switzerland.	7. 8.	H. ¼.	Scop. carn. ed. 2. t. 11.
32 alpinum. DC.	Alpine.	Austria.	1739.	7. 8.	H. ¼.	Swt. br. fl. gar. t. 17.
33 tenuifolium. DC.	slender-leaved.	Europe.	1759.	6. 7.	H. ¼.	Jacq. aust. 3. t. 215.
34 salsoloides. DC.	Salt-wort-like.	S. France.	1823.	7. 8.	H. ½.	
35 suffruticosum. DC.	Spanish.	Spain.	1759.	8.	F. ½.	Cav. ic. 2. t. 108.
36 catharticum. DC.	purging.	Britain.	6. 8.	H. ⊙.	Eng. bot. 382.
RADIOLA. DC.	RADIOLA.	Tetrandria Tetragynia.				
linoides. DC.	All-seed.	Britain.	7. 8.	H. ⊙.	Eng. bot. 893.
<i>milligrana.</i> E. B. <i>Linum Radiola.</i> L.						

ORDO XXV.

MALVACEÆ. DC. *prodr.* 1. p. 429.

MALOPE. DC.	MALOPE.	Monadelphia Polyandria. L.				
1 malacoides. DC.	Barbary.	Barbary.	1710.	6. 7.	G. ¾.	Cav. diss. 2. t. 27. f. 1.
2 trifida. DC.	trifid.	—	1808.	7. 8.	H. ⊙.	— 2. t. 27. f. 2.
MALVA. DC.	MALLOW.	Monadelphia Polyandria. L.				
1 tricuspidata. DC.	Jamaica.	W. Indies.	1726.	7. 8.	S. ¾.	Cav. diss. 2. t. 22. f. 2.
<i>coromandeliana.</i> w. <i>americana.</i> Cav.						
2 americana. DC.	American.	—	1736.	6. 7.	H. ⊙.	
3 scabra. DC.	rough-stemmed.	Peru.	1798.	—	G. ½.	Cav. diss. 5. t. 138. f. 1.
<i>scoparia.</i> Jacq. ic. 139.						
4 scoparia. DC.	Birch-leaved.	—	1782.	8. 9.	G. ½.	L'her. stirp. t. 27.
5 borbonica. DC.	Bourbon.	Mauritius.	1816.	7. 8.	S. ½.	
6 polystachya. DC.	many-spiked.	Peru.	1798.	—	G. ½.	Cav. dis. 5. t. 138. f. 3.
7 spicata. DC.	simple-spiked.	Jamaica.	1726.	9. 10.	S. ½.	Cav. dis. 2. t. 20. f. 4.
8 ovata. L. en.	oval-leaved.	Brazil.	—	S. ½.	— 2. t. 20. f. 2.
9 waltherifolia. DC.	Waltheria-ld.	Java.	1821.	S. ¼.	
10 trachelifolia. DC.	Trachelium-ld.	—	7. 8.	H. ⊙.	
11 gangetica. DC.	Indian.	E. Indies.	—	—	H. ⊙.	Pluk. t. 74. f. 6.
12 leprosa. DC.	leprons.	Cuba.	1815.	5. 7.	S. ¼.	
13 Sherardiana. DC.	Sherard's.	Bithynia.	—	S. ¼.	Cav. dis. 2. t. 26. f. 4.
14 hispanica. DC.	Spanish.	Spain.	1710.	7.	H. ⊙.	Desf. atl. 2. t. 170.
15 stipulacea. DC.	long-stipuled.	—	1815.	6. 8.	H. ⊙.	Cav. dis. 2. t. 15. f. 2.
16 ægyptia. DC.	Egyptian.	Egypt.	1739.	6. 7.	H. ⊙.	— 2. t. 17. f. 1.
17 trifida. DC.	large-flowered.	Spain.	1815.	—	H. ⊙.	— 5. t. 137. f. 2.
18 Tournefortiana. DC.	Tournefort's.	—	1759.	7. 8.	H. ⊙.	— 2. t. 17. f. 3.

19	Alcea. DC.	Vervain.	Europe.	1597.	7. 10.	H. 2.	Bot. mag. 2297.
20	moschata. DC.	rusk.	Britain.	7. 8.	H. 2.	Eng. bot. 754.
	<i>β luciniana.</i> DC.	<i>white-flowered.</i>	—	H. 2.	Bot. mag. 2298.
21	mauritaniana. DC.	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. 2.	Swt. br. fl. gar. 81.
22	syvestris. DC.	common.	Britain.	5. 10.	H. 2.	Eng. bot. 671.
23	Henningii. DC.	Henning's.	Moscow.	1823.	6. 8.	H. 2.	
24	rotundifolia. DC.	round-leaved.	Britain.	6. 9.	H. 2.	Eng. bot. 1092.
	<i>β pusilla.</i> E. B.	<i>dwarf.</i>	—	—	H. 2.	— 241.
25	niænsis. DC.	Italian.	Italy.	1823.	—	H. 2.	Cav. dis. 2. t. 25. f. 1.
26	microcarpa. DC.	small-fruited.	Egypt.	—	—	H. 2.	
27	parviflora. DC.	small-flowered.	Barbary.	1779.	6. 7.	H. 2.	Cav. dis. 2. t. 26. f. 1.
28	verticillata. DC.	whorl-flowered.	China.	1683.	—	H. 2.	Jacq. vind. 1. t. 10.
29	crispa. DC.	curled.	Syria.	1573.	6. 8.	H. 2.	Cav. dis. 2. t. 23. f. 1.
30	flexuosa. DC.	flexuose.	1823.	—	H. 2.	
31	amœna. DC.	lobe-leaved.	C. B. S.	1796.	4. 8.	H. 2.	Bot. mag. 1998.
	<i>calycina.</i> B. R. t. 297.						
32	calycina. DC.	large-calyxed.	—	1812.	—	G. h.	Cav. dis. 2. t. 23. f. 4.
33	virgata. DC.	twiggy.	—	1727.	5. 7.	G. h.	— 2. t. 18. f. 2.
34	capensis. DC.	Cape.	—	1713.	1. 12.	G. h.	Bot. reg. 295.
35	balsamica. DC.	balsamic.	—	1800.	5. 9.	G. h.	Jacq. ic. 1. t. 140.
36	oxyacanthoides. DC.	Hawthorn-ld.	—	—	G. h.	
37	tridaetylites. DC.	reflex-flowered.	—	1791.	6. 8.	G. h.	Cav. dis. 2. t. 21. f. 2.
	<i>reflexa.</i> A. R. t. 135.						
38	divaricata. DC.	straddling.	—	1792.	6. 9.	G. h.	And. bot. rep. 182.
39	retusa. DC.	blunt-leaved.	—	1803.	3. 5.	G. h.	Cav. dis. 2. t. 21. f. 1.
40	fragrans. DC.	fragrant.	—	1759.	5. 7.	G. h.	Bot. reg. 296.
41	stricta. DC.	upright.	—	1805.	5. 8.	G. h.	Jacq. schœnb. 3. t. 294.
42	bryoniafolia. DC.	Bryony-leaved.	—	1731.	7. 8.	G. h.	Wend. h. her. 1. t. 4.
43	grossulariæfolia. DC.	Gooseberry-ld.	—	1732.	5. 9.	G. h.	Bot. reg. 561.
44	asperima. DC.	roughest.	—	1796.	—	G. h.	Jacq. schœnb. 2. t. 139.
45	lactea. DC.	panicked white.	Mexico.	1780.	1. 2.	G. h.	Cav. ic. 1. t. 30.
46	capitata. DC.	various-leaved.	Peru.	1798.	11. 12.	G. h.	Cav. dis. 5. t. 137. f. 1.
47	miniata. DC.	painted.	S. Amer.	—	4. 5.	G. h.	Cav. ic. 3. t. 278.
48	operculata. DC.	lid capsuled.	Peru.	1795.	7. 8.	G. h.	Cav. dis. 2. t. 35. f. 1.
49	peruviana. DC.	Peruvian.	—	1759.	6. 8.	H. 2.	Jacq. vind. 2. t. 156.
50	limensis. DC.	blue-flowered.	—	1768.	—	H. 2.	— 2. t. 140.
51	umbellata. DC.	umbelled.	S. Amer.	1814.	1. 3.	G. h.	Lod. Bot. cab. 222.
52	abutiloides. DC.	Bahama.	Bahama Isl.	1725.	6. 9.	G. h.	Jacq. schœnb. 3. t. 293.
53	elegans. DC.	elegant.	C. B. S.	1791.	5. 8.	G. h.	Cav. dis. 2. t. 16. f. 1.
54	angustifolia. DC.	narrow-leaved.	Mexico.	1780.	8.	G. h.	— 2. t. 20. f. 1.
55	caroliniana. DC.	Carolina.	Carolina.	1723.	6. 7.	H. 2.	— 2. t. 15. f. 1.
56	prostrata. DC.	trailing.	Brazil.	1806.	5. 7.	G. 2.	Bot. mag. 2515.
57	decumbens. DC.	decumbent.	S. Amer.	1815.	6. 8.	G. 2.	
	KITAIBELIA. DC.	KITAIBELIA.	Monadelphia				
	vitifolia. DC.	Vine-leaved.	Hungary.	1801.	7. 9.	H. 2.	Bot. mag. 821.
	ALTHEA. DC.	ALTHEA.	Monadelphia				
1	officinalis. DC.	Marsh-Mallow.	Britain.	7. 9.	H. 2.	Eng. bot. 147.
2	tauriensis. DC.	intermediate.	S. Europe.	1823.	—	H. 2.	
3	narbonensis. DC.	Narbonne.	—	1780.	8. 9.	H. 2.	Jacq. ic. 1. t. 138.
4	cannabina. DC.	Hemp-leaved.	—	1597.	6. 7.	H. 2.	Jacq. aust. 2. t. 101.
5	hirsuta. DC.	hairy.	—	1683.	—	H. 2.	— 2. t. 170.
6	Ludwigii. DC.	Ludwig's.	Sicily.	1791.	—	H. 2.	Cav. ic. 5. t. 423.
7	acaulis. DC.	stemless.	Aleppo.	1680.	—	H. 2.	Cav. dis. 2. t. 27. f. 3.
8	caribæa. DC.	West Indian.	W. Indies.	1816.	3. 4.	S. 2.	Bot. mag. 1916.
9	striata. DC.	streaked.	1820.	6. 8.	H. 2.	
10	pallida. DC.	pale-flowered.	Hungary.	1805.	—	H. 2.	
11	rosea. DC.	Hollyhock.	China.	1573.	7. 9.	H. 2.	Cav. dis. 2. t. 28. f. 1.
	<i>β biloba.</i> DC.	<i>two-lobed.</i>					
12	sinensis. DC.	China.	—	—	H. 2.	Cav. dis. 2. t. 29. f. 3.
13	flexuosa. DC.	flexuose.	E. Indies.	1803.	6. 8.	S. 2.	Bot. mag. 892.
14	ficifolia. DC.	Fig-leaved.	Levant.	1597.	6. 9.	H. 2.	Cav. dis. 2. t. 28. f. 2.
	LAVATERA. DC.	LAVATERA.	Monadelphia				
1	trimestris. DC.	common annual.	S. Enrope.	1633.	7. 9.	H. 2.	Bot. mag. 109.
2	phœnicea. DC.	scarlet.	Madeira.	1823.	6. 9.	G. h.	Vent. malm. t. 120.
3	acerifolia. DC.	Maple-leaved.	Teneriffe.	—	—	G. h.	Lois. h. amat. t. 322.
4	hispidia. DC.	hispid.	Algiers.	1804.	6. 7.	G. h.	Desf. atl. 2. t. 171.
5	Olbia. DC.	downy-leaved.	France.	1570.	6. 10.	G. h.	Cav. dis. 2. t. 32. f. 2.
6	unguiculata. DC.	clawed.	Greece.	1807.	7. 9.	G. h.	
7	micans. DC.	glittering.	Spain.	1796.	6. 7.	G. h.	Moris. ox. t. 17. f. 9.

- 8 lusitania. DC. Portugal. Portugal. 1731. 8. 9. G. h. .
 9 flava. DC. yellow. Sicily. 1823. 6. 8. H. 2. . Desf. atl. 2. t. 172.
 10 plebeia. B.M. vulgar. N. S. W. 1820. — G. 2. . Bot. mag. 2269.
 11 thuringiaca. DC. large-flowered. Germany. 1731. 7. 9. H. 2. . ——— 517.
 12 biennis. DC. biennial. Caucasus. 1823. 5. 8. H. 2. .
 13 punctata. DC. spotted-stalked Italy. 1800. 7. 9. H. 2. .
 14 maritima. DC. sea side. S. Europe. 1597. 4. 6. G. h. . Cav. dis. 2. t. 32. f. 3.
 15 triloba. DC. three-lobed. Spain. 1759. 6. 7. G. h. . Bot. mag. 2226.
 16 arborea. DC. Tree Mallow. Britain. 7. 10. H. 2. . Eng. bot. 1841.
 17 neapolitana. DC. Neapolitan. Naples. 1823. — H. 2. .
 18 cretica. DC. Cretan. Crete. 1723. 7. 9. H. 2. . Cav. dis. 2. t. 32. f. 1.
 19 lanceolata. W.en. spear-leaved. 1823. — H. 2. .
 20 sylvestris. DC. wood. Portugal. — H. 2. .
 21 ambigua. DC. ambiguous. Naples. 1824. — H. 2. .
MALACHRA. DC. MALACHRA. Monadelphia Polyandria. L.
 1 rotundifolia. DC. round-leaved. Brazil. 1823. 6. 9. S. 2. . Schrank. h. mon. t. 56.
 2 capitata. DC. headed. W. Indies. 1759. 8. 9. S. 2. . Cav. dis. 2. t. 33. f. 1. 2.
 3 fasciata. DC. fasciate. Caracas. 1820. — S. 2. . Jacq. ic. 3. t. 548.
 4 triloba. DC. three-lobed. — S. 2. .
 5 radiata. DC. rayed. St. Domingo. 1794. 7. 9. S. 2. . Cav. dis. 2. t. 33. f. 3.
 6 alceaefolia. DC. Hollyhock-ld. Caracas. 1805. 8. 9. S. 2. . Jacq. ic. 3. t. 549.
 7 heptaphylla. DC. many-flowered. Brazil. 1820. 6. 10. S. 2. .
fasciata. B. reg. 467. non DC.
URENA. DC. URENA. Monadelphia Polyandria. L.
 1 lobata. DC. angular-leav'd. China. 1731. 6. 7. S. h. . Dill. elt. t. 319. f. 412.
 2 scabriuscula. DC. roughish. India. 1820. — S. h. . Cav. dis. 6. t. 185. f. 1.
 3 repanda. DC. netted-leaved. ——— — S. h. .
 4 multifida. DC. multifold. Mauritius. 1817. 10. 1. S. h. . Cav. dis. 6. t. 184. f. 2.
 5 tricuspis. DC. three-pointed. ——— 1820. 6. 9. S. h. . ——— 6. t. 183. f. 1.
 6 reticulata. DC. netted. St. Domingo. 1816. — S. h. . ——— 6. t. 183. f. 2.
americana. L. non Sm.
 7 subtriloba. DC. various-leaved. Brazil. 1823. — S. 2. . Schrank. h. mon. t. 79.
 8 Swartzii. DC. Swartz's. Surinam. — S. h. .
sinuata. Sw. americana. Sm.
 9 sinnata. DC. cut-leaved. E. Indies. 1759. 7. 8. S. h. . Cav. dis. 6. t. 185. f. 2.
 10 muricata. DC. muricate-fruit'd ——— 1823. — S. h. .
PAVONIA. DC. PAVONIA. Monadelphia Polyandria. L.
 1 spinifex. DC. prickly-seeded. W. Indies. 1778. 7. 8. S. h. . Bot. reg. 339.
 2 Typhalea. DC. globular-headed ——— 1823. — S. h. . Cav. dis. 2. t. 197.
 3 urens. DC. stinging. Mauritius. 1801. — S. h. . Jacq. ic. 3. t. 522.
 4 coccinea. DC. scarlet. St. Domingo. 1816. — S. h. . Cav. dis. 3. t. 47. f. 1.
 5 Colmella. DC. angular-leaved. Bourbon. 1807. — S. h. . ——— 3. t. 48. f. 3.
 6 parviflora. DC. small-flowered. 1820. — S. h. .
 7 racemosa. DC. naked-racemed. Jamaica. ——— — S. h. . Cav. dis. 3. t. 46. f. 1.
spicata. Cav.
 8 præmorsa. DC. bitten-leaved. C. B. S. 1774. 6. 8. G. h. . Bot. mag. 436.
 9 paniculata. DC. panicked. Caracas. 1823. — S. h. . Cav. dis. 3. t. 46. f. 2.
 10 odorata. DC. fragrant. E. Indies. 1807. — S. h. .
 11 sidoides. DC. Sida like. ——— 1820. — S. 2. .
 12 zeylanica. DC. Ceylon. ——— 1790. 7. 9. S. 2. . Cav. dis. 3. t. 48. f. 2.
 13 cancellata. DC. arrow-leaved. Surinam. 1823. — S. 2. . Lin. sup. t. 311.
MALVA VISCUS. DC. ACHANIA. Monadelphia Polyandria. L.
 1 arboreus. DC. smooth-leaved. Jamaica. 1714. 1. 12. S. h. . Cav. dis. 3. t. 48. f. 1.
Achania malva viscus. W.
 2 mollis. DC. soft-leaved. Mexico. 1780. — S. h. . Bot. reg. 11.
Achania mollis. B. R.
 3 pilosa. DC. hairy. Jamaica. 1780. 10. 11. S. h. . Lodd. bot. cab. 829.
LEBRETONIA. DC. LEBRETONIA. Monadelphia Polyandria. L.
 coccinea. DC. scarlet. Brazil. 1823. 6. 8. S. h. . Schrank. h. mon. t. 90.
HIBISCUS. DC. HIBISCUS. Monadelphia Polyandria. L.
 1 liliiflorus. DC. Lily-flowered. Bourbon. 1822. 8. 12. S. h. . Cav. dis. 3. t. 57. f. 1.
 2 pedunculatus. DC. long-peduncled. C. B. S. 1812. 5. 12. S. h. . Bot. reg. 231.
 3 Lampas. DC. three-pointed. E. Indies. 1806. 10. 2. S. h. . Cav. dis. 3. t. 56. f. 2.
 4 membranaceus. DC. leafy-calyxed. 1816. S. h. . ——— 3. t. 57. f. 2.
 5 tubulosus. DC. tubular. E. Indies. 1796. 7. 10. S. 2. . ——— 3. t. 68. f. 2.
 6 pentacarpos. DC. angular-fruited. Venice. 1752. — G. 2. . Jacq. ic. 1. t. 143.
 7 virginicus. DC. Virginian. Virginia. 1798. — H. 2. . ——— 1. t. 142.
 8 Manihot. DC. palmated. E. Indies. 1712. 7. 9. S. h. . Bot. mag. 1702.
 9 ficulneus. DC. Fig-leaved. Ceylon. 1732. 6. 7. S. h. . Cav. dis. 3. t. 52. f. 2.

10	tetraphyllus. DC.	four-leaved.	E. Indies.	1807.	7. 10.	S. ⊙.	
11	platanifolius.	Plane-leaved.	————	1820.	—	S. h.	Pl. sel. h. ber. t. 1.
	<i>acerifolius</i> . DC. non.	P. L. <i>Pavonia platanifolia</i> . L. en.					
12	<i>Rosa-sinensis</i> . DC.	China Rose.	————	1731.	1. 12.	S. h.	Bot. mag. 158.
	• <i>rubro-plenus</i> .	double-red.	————	—	—	S. h.	
	• <i>carneo-plenus</i> .	double-salmon.	————	—	—	S. h.	
	• <i>variegatus</i> .	double-striped.	————	—	—	S. h.	
	• <i>flavo-plenus</i> .	double-buff.	————	—	—	S. h.	Lod. bot. cab. 513.
	• <i>luteo-plenus</i> .	double-yellow.	————	1822.	—	S. h.	
13	<i>acerifolius</i> . P. L.	Maple-leaved.	China.	1798.	3. 6.	G. h.	Sal. par. lond. 22.
14	<i>syriacus</i> . DC.	Althæa frutex.	Syria.	1596.	8. 9.	H. h.	Bot. mag. 83.
	• <i>α purpureus</i> .	purple-flowered.					
	• <i>β ruber</i> .	red-flowered.					
	• <i>γ albus</i> .	white-flowered.					
	• <i>δ variegatus</i> .	striped-flowered.					
	• <i>ε marginatus</i> .	variegated.					
	• <i>ζ albo-plenus</i> .	double-white.					
	• <i>η purpureo-plenus</i> .	double-purple.					
15	<i>pruriens</i> . DC.	stinging.	E. Indies.	1804.	7. 9.	S. ♂.	Bot. rep. 498.
16	<i>rattensis</i> . DC.	prickly-stalk'd.	————	1731.	—	S. ⊙.	Bot. mag. 1356.
17	<i>radiatus</i> . DC.	rayed.	————	1790.	6. 8.	S. ⊙.	———— 1911.
18	<i>furcatus</i> . DC.	forked.	————	1816.	7. 9.	S. ⊙.	
19	<i>scaber</i> . DC.	scabrous.	Carolina.	1810.	—	G. ♀.	
20	<i>strigosus</i> . B. R.	strigose.	S. Amer.	1822.	1. 12.	S. h.	Bot. reg. 860.
21	<i>diversifolius</i> . DC.	different-leaf'd.	E. Indies.	1798.	6. 7.	S. h.	Jacq. ic. 3. t. 551.
22	<i>heterophyllus</i> . DC.	various-leaved.	N. S. W.	1808.	8. 9.	G. h.	Bot. reg. 29.
23	<i>cannabinus</i> . DC.	Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.
24	<i>vitifolius</i> . DC.	Vine-leaved.	————	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.
25	<i>obtusifolius</i> . DC.	blunt-leaved.	————	1820.	—	S. ♂.	
26	<i>Bammia</i> . L. en.	Egyptian.	Egypt.	6. 7.	S. ⊙.	Tozz. mus. d. fir. 2. t. 7.
• 27	<i>esculentus</i> . L. en.	eatable.	India?	1692.	—	S. ⊙.	
28	<i>longifolius</i> . DC.	long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.	
29	<i>moscheutos</i> . DC.	swamp.	N. Amer.	8. 10.	H. w. ♀.	Cav. dis. 3. t. 65. f. 1.
	<i>palustris</i> . B. M. 882. non L.	marsh.	————	1759.	7. 9.	H. w. ♀.	———— 3. t. 65. f. 2.
30	<i>palustris</i> . DC.	marsh.	————	1759.	7. 9.	H. w. ♀.	———— 3. t. 65. f. 2.
31	<i>aquaticus</i> . DC.	water.	Etruria.	1820.	—	H. w. ♀.	
32	<i>incanus</i> . DC.	hoary.	Carolina.	1806.	9.	G. ♀.	Wend. h. her. 4. t. 24.
33	<i>militaris</i> . DC.	smooth.	Louisiana.	1804.	8. 9.	G. ♀.	Bot. mag. 2385.
• 34	<i>speciosus</i> . DC.	superb.	Carolina.	1778.	6. 9.	G. ♀.	———— 360.
• 35	<i>grandiflorus</i> . DC.	great-flower'd.	Georgia.	1823.	—	G. ♀.	
36	<i>ferrugineus</i> . DC.	rusty.	Madagascar.	1820.	—	S. h.	Cav. dis. 3. t. 60. f. 1.
37	<i>lunarifolius</i> . DC.	Lunaria-leaf'd.	E. Indies.	—	S. h.	
38	<i>æthiopicus</i> . DC.	dwf. wedge'd.	C. B. S.	1774.	8.	G. h.	Cav. dis. 3. t. 61. f. 1.
• 39	<i>mutabilis</i> . DC.	changeable.	E. Indies.	1690.	10. 12.	S. h.	Bot. reg. 589.
	• <i>β flore-pleno</i> .	double-flowered.					
40	<i>clypeatus</i> . DC.	shield-capsuled.	Jamaica.	1759.	7. 8.	S. h.	Cav. dis. 3. t. 58. f. 1.
• 41	<i>Abelmoschus</i> . DC.	Musk Okro.	India.	1640.	7. 9.	S. h.	———— 3. t. 62. f. 2.
42	<i>eriocarpus</i> . DC.	woolly-capsul'd.	E. Indies.	1820.	—	S. h.	
43	<i>phœniceus</i> . B. R.	purple-flow'r'd.	S. Amer.	1796.	—	S. h.	Bot. reg. 230.
44	<i>hirtus</i> . L.	hairy.	E. Indies.	—	S. h.	Cav. dis. 3. t. 67. f. 3.
45	<i>Rosa malabarica</i> .	Malabar Rose.	————	1818.	8. 10.	S. h.	Bot. reg. 337.
46	<i>rhombifolius</i> . DC.	rhomb-leaved.	————	1823.	—	S. h.	Cav. dis. 3. t. 69. f. 3.
47	<i>gossypinus</i> . DC.	cottony.	C. B. S.	1818.	—	G. h.	
48	<i>micranthus</i> . DC.	small-flowered.	E. Indies.	1794.	—	S. h.	Cav. dis. 3. t. 66. f. 1.
49	<i>Trionnum</i> . DC.	BladderKetmia	Italy.	1596.	6. 9.	H. ⊙.	Bot. mag. 209.
50	<i>hispidus</i> . M.	hispid.	C. B. S.	—	G. h.	Bot. reg. 806.
51	<i>Richardsoni</i> .	Richardson's.	N. S. W.	1822.	—	G. h.	———— 875.
52	<i>vesicarius</i> . DC.	African.	Africa.	1713.	7. 8.	H. ⊙.	Cav. dis. 3. t. 62. f. 2.
53	<i>Sabdariffa</i> . DC.	Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.
54	<i>digitatus</i> . DC.	fingered.	Brazil.	1318.	—	S. ⊙.	Cav. dis. 3. t. 70. f. 2.
	• <i>Kerriamus</i> . DC.	Ker's.	Rio Janeiro.	—	—	S. ⊙.	Bot. reg. 608.
55	<i>tricuspidis</i> . DC.	sharp-pointed.	Society Isl.	1820.	—	S. h.	Cav. dis. 3. t. 55. f. 2.
56	<i>tiliaceus</i> . DC.	Lime tree'd.	E. Indies.	1739.	7. 8.	S. h.	Bot. reg. 232.
57	<i>elatus</i> . DC.	tall.	Jamaica.	1790.	—	S. h.	
58	<i>abutiloides</i> . DC.	smooth-leaved.	S. Amer.	1820.	S. h.	
59	<i>macrophyllus</i> . DC.	large-leaved.	E. Indies.	—	S. h.	
60	<i>collinus</i> . H. B.	hill.	————	1822.	S. h.	
61	<i>cancellatus</i> . H. B.	netted.	Nepaul.	1823.	10. 2.	S. ♂.	
62	<i>truncatus</i> . H. B.	truncate.	E. Indies.	—	8. 10.	S. ⊙.	

63 scandens. H. B.	climbing.	————	————	S. h. ◊	
64 strictus. H. B.	upright.	————	1820.	8. 10.	S. ◊	
65 gangeticus. L. en.	dwarf.	————	1804.	S. h.	
66 setosus. H. B.	bristly.	————	1820.	S. h.	
67 tortuosus. H. B.	twisted.	E. Indies.	1808.	6. 9.	S. h.	
68 flavescens. DC.	yellowish.	Brazil.	1822.	—	S. h.	Cav. dis. 3. t. 70. f. 3.
69 Patersonii. DC.	Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. h.	Bot. rep. 286.
70 unidens. B. R.	one-toothed.	Brazil.	1824.	11. 4.	S. h.	Bot. reg. 878.
THESPESIA. DC.	THESPESIA.	Monadelphia	Polyandria.	L.		
populnea. DC.	Poplar-leaved.	E. Indies.	1770.	S. h.	Cav. dis. 3. t. 56. f. 1.
<i>Hibiscus populneus.</i>	w.					
GOSSYPIUM. DC.	COTTON-TREE.	Monadelphia	Polyandria.	L.		
1 herbaceum. DC.	common.	E. Indies.	1594.	7.	S. ♂.	Cav. dis. 6. t. 161. f. 2.
2 indicum. DC.	Indian.	————	—	S. ♂.	———— 6. t. 169.
3 arboreum. DC.	tree.	————	1694.	7. 8.	S. h.	———— 6. t. 195.
4 vitifolium. DC.	Vine-leaved.	————	1805.	—	S. h.	———— 6. t. 166.
5 hirsutum. DC.	hairy.	S. Amer.	1731.	—	S. ♂.	———— 6. t. 167.
6 religiosum. DC.	spotted-bark'd.	E. Indies.	1777.	—	S. h.	———— 6. t. 164. f. 1.
7 latifolium. DC.	broad-leaved.	—	S. h.	Murr. c. gæt. p. 32. t. 1.
8 barbadense. DC.	Barbadoes.	Barbadoes.	1759.	8. 10.	S. ♂.	Bot. reg. 84.
9 obtusifolium. H. B.	blunt-leaved.	E. Indies.	1822.	7. 8.	S. h.	
REDOUTEA. DC.	REDOUTEA.	Monadelphia	Polyandria.	L.		
heterophylla. DC.	various-leaved.	St. Thomas.	1824.	7. 9.	S. ◊	Vent. cels. t. 11.
LOPIMIA. DC.	LOPIMIA.	Monadelphia	Polyandria.	L.		
malacophylla. DC.	Mallow-leav'd.	Brazil.	1824.	S. h.	Pl. sel. h. ber. t. 30.
<i>Sida malacophylla.</i>	L. en.					
PALAVIA. DC.	PALAVIA.	Monadelphia	Polyandria.	L.		
1 malvæfolia. DC.	Mallow-leaved.	Lima.	1794.	6. 8.	H. ◊	Cav. dis. 1. t. 11. f. 4.
2 moschata. DC.	musk-scented.	————	1822.	—	H. ◊	———— 1. t. 11. f. 5.
CRISTARIA. Ph.	CRISTARIA.	Monadelphia	Polyandria.	L.		
coccinea. Ph.	scarlet.	Missouri.	1811.	7. 9.	H. ♀.	Bot. mag. 1673.
<i>Malva coccinea.</i>	Nut. <i>Sida? coccinea.</i>	DC.				
ANODA. DC.	ANODA.	Monadelphia	Polyandria.	L.		
1 hastata. DC.	halberd-leav'd.	Mexico.	1799.	6. 7.	S. ◊	Bot. rep. 588.
2 triloba. DC.	three-lobed.	————	1720.	7. 9.	G. ◊	Cav. dis. 1. t. 10. f. 3.
<i>Sida cristata.</i>	w.					
3 Dilleniana. DC.	Dillenius's.	————	1725.	6. 11.	G. ◊	Cav. dis. 1. t. 11. f. 1.
<i>Sida cristata.</i>	B. M. 330. non w.					
4 triangularis. DC.	triangular-ld.	————	1824.	7. 9.	G. ◊	
5 acerifolia. DC.	Maple-leaved.	Mexico.	1809.	1. 12.	S. ♂.	Bot. mag. 1541.
<i>Sida hastata.</i>	B. M. non w.					
6 parviflora. DC.	small-flowered.	New Spain.	1823.	6. 10.	G. ◊	Cav. ic. 5. t. 431.
PERIPTERA. DC.	PERIPTERA.	Monadelphia	Polyandria.	L.		
punicea. DC.	purple.	New Spain.	1813.	6. 9.	S. h.	Bot. mag. 1614.
<i>Sida periptera.</i>	B. M. <i>Anoda punicea.</i>	Lag.				
SIDA. Kth.	SIDA.	Monadelphia	Polyandria.	L.		
1 linifolia. DC.	Flax-leaved.	S. Amer.	1822.	6. 9.	S. h.	Cav. dis. 1. t. 2. f. 1.
2 angustifolia. DC.	narrow-leaved.	Bourbon.	1726.	7. 9.	S. h.	———— 1. t. 2. f. 2.
3 viminea. L. en.	slender.	Brazil.	1823.	—	S. h.	
4 spinosa. DC.	prickly.	E. Indies.	1680.	—	S. ♂.	Cav. dis. 1. t. 1. f. 9.
5 alba. DC.	white-flowered.	————	1732.	6. 7.	S. ◊	Dill. elt. 2. t. 171. f. 210.
6 stipulata. DC.	large-stipuled.	Mauritius.	1820.	S. h.	Cav. dis. 1. t. 3. f. 10.
7 Jamaicensis. DC.	Jamaica.	Jamaica.	1818.	6. 9.	S. h.	———— 1. t. 2. f. 5.
8 bracteolata. DC.	bracteolate.	S. Amer.	—	—	S. h.	
9 carpinifolia. DC.	Hornbeam-ld.	Canaries.	1774.	7. 9.	G. h.	Cav. dis. 5. t. 134. f. 1.
10 carpinoides. DC.	Hornbeam-like	—	S. h.	
11 spiræifolia. J. en.	Spiræa-leaved.	—	S. h.	
12 Schrankii. DC.	Schrank's.	Brazil.	1824.	—	S. ♀.	
<i>brasilæ.</i>	L. en.					
13 erosa. DC.	jagged.	————	—	—	S. ♀.	
14 ciliaris. DC.	ciliated.	St. Domingo.	1798.	—	S. h.	Cav. dis. 1. t. 3. f. 9.
15 alnifolia. DC.	Alder-leaved.	E. Indies.	1732.	—	S. ♂.	Dill. elt. t. 172. f. 211.
16 canariensis. DC.	Canary Tea.	Canaries.	—	S. h.	Cav. dis. 1. t. 3. f. 8.
<i>alba.</i>	cav. non L.					
17 rhombifolia. DC.	rhomboid-ld.	Brazil.	1732.	6. 8.	S. h.	Cav. dis. 1. t. 3. f. 12.
18 rhomboidea. DC.	rhomboid.	E. Indies.	1818.	—	S. h.	
19 retusa. DC.	retuse-leaved.	————	—	—	S. h.	Cav. dis. 1. t. 3. f. 4.
20 recisa. DC.	notched.	Brazil.	1823.	—	S. ♀.	
21 calyxhymenia. DC.	New Holland.	N. Holl.	1820.	—	G. h.	

22	maculata, DC. <i>suberosa</i> , L. her. stirp. t. 54.	corky.	St. Domingo.	1798.	S. h.	Cav. dis. 1. t. 3. f. 7.
23	acuminata, DC.	acuminate.	—	1805.	7. 9.	S. h.	
24	humilis, DC.	dwarf.	E. Indies.	1800.	7. 8.	S. ♂.	Cav. dis. 5. t. 134. f. 2.
25	cordifolia, DC.	heart-leaved.	—	1732.	6. 9.	S. ⊙.	— 1. t. 3. f. 2.
26	arguta, DC.	sharp-leaved.	W. Indies.	1732.	7. 8.	S. h.	
27	althæifolia, DC.	Althæa-leaved.	—	1818.	—	S. h.	Sloan. his. 1. t. 136. f. 2.
28	urens, DC.	stinging.	—	1781.	—	S. h.	Cav. dis. 1. t. 2. f. 7.
29	verticillata, DC.	whorl-flowered.	Brazil.	1823.	—	S. h.	— 1. t. 1. f. 12.
30	paniculata, DC. <i>atrosanguinea</i> , Jacq. ic. 1. t. 136.	dark purple.	S. Amer.	1795.	7. 9.	S. h.	Cav. dis. 1. t. 12. f. 5.
31	triloba, DC.	three-lobed.	C. B. S.	1794.	—	G. ♂.	Jacq. schœn. 2. t. 142.
32	jatrophioides, DC.	Jatropha-like.	Peru.	1787.	8.	S. ♂.	L. Her. stirp. 1. t. 56.
33	graveolens, DC.	strong-scented.	E. Indies.	1820.	6. 9.	S. ♀.	
34	purpurascens, L. en.	purplish.	Brazil.	—	7. 9.	S. h.	
35	patens, DC.	spreading.	Abyssinia.	1806.	—	S. ♂.	Bot. rep. 571.
36	lasiostega, L. en.	woolly.	Brazil.	1823.	—	S. h.	
37	pentacarpos, DC.	five capsuled.	E. Indies.	—	—	S. ⊙.	
38	pilosa, DC.	pilose.	W. Indies.	1793.	—	S. ♂.	Cav. dis. 1. t. 8.
39	Napæa, DC. . . . <i>Napæa laevis</i> , L.	smooth.	Virginia.	1748.	8. 9.	H. ♀.	Bot. mag. 2193.
40	dioica, DC.	rough.	—	1759.	—	H. ♀.	Cav. dis. 5. t. 132. f. 2.
BASTARDIA, Kth.		BASTARDIA.	Monadelphia Polyandria.	L.			
1	viscosa, Kth. <i>Sida viscosa</i> , DC.	viscous.	S. Amer.	1822.	7. 8.	S. h.	Sloan. his. 1. t. 139. f. 4.
2	foetida, DC. <i>Sida foetida</i> , DC.	stinking.	Peru.	1795.	—	S. ⊙.	L. Her. stirp. 1. t. 53.
GAYA, Kth.		GAYA.	Monadelphia Polyandria.	L.			
1	occidentalis, Kth. <i>Sida occidentalis</i> , DC.	downy.	America.	1732.	7. 8.	S. ⊙.	Cav. dis. 1. t. 4. f. 3.
ABUTILON, Kth.		ABUTILON.	Monadelphia Polyandria.	L.			
1	periplocofolium. <i>Sida periplocofolia</i> , DC.	Periploca-ld.	India.	1691.	7. 8.	S. ♂.	Cav. dis. 1. t. 5. f. 2.
2	ferrugineum, Kth.	ferruginous.	Peru.	1822.	—	S. h.	
3	hernandioides.	Hernandia-ld.	Hispaniola.	1798.	S. h.	L. Her. stirp. 1. t. 58.
4	lucianum. <i>Sida luciana</i> , DC.	St. Lucian.	St. Lucia.	1822.	S. h.	
5	Lechenaultianum. <i>Sida Lechenaultiana</i> , DC.	Lechenault's.	E. Indies.	1820.	S. h.	
6	nudiflorum.	naked-flower'd.	Peru.	1731.	5. 6.	S. h.	L. Her. stirp. 1. t. 59.
7	polyanthon. <i>Sida polyantha</i> , DC.	many-flowered.	1822.	—	S. h.	
8	arritum. <i>Sida aurita</i> , B. M.	eared-stipuled.	Java.	1820.	12. 3.	S. h.	Bot. mag. 2495.
9	triquetrum.	triangular.	W. Indies.	1775.	7. 8.	S. h.	Jacq. vind. 2. t. 118.
10	incanum. <i>Sida incana</i> , L. en.	hoary.	Sandwich Isl.	1821.	—	S. h.	
11	pulchellum.	neat.	N. Holland.	—	—	S. h.	Bonpl. nav. t. 2.
12	umbellatum.	umbelled.	Jamaica.	1785.	7. 9.	S. ♂.	Jacq. vind. t. 56.
13	giganteum.	gigantic.	Caracas.	1823.	S. h.	Jacq. schœnb. 2. t. 141.
14	reflexum.	reflex-flower'd.	Peru.	1799.	7. 8.	S. h.	Cav. dis. 1. t. 7.
15	crispum.	curled.	America.	1726.	—	H. ⊙.	— 1. t. 7. f. 1.
16	virgatum.	twiggy.	Peru.	1820.	—	S. h.	Cav. ic. 1. t. 73.
17	arboresm.	great-flowered.	—	1772.	—	S. h.	L. her. stirp. 1. t. 63.
18	Mauritianum. <i>Sida planiflora</i> , Cav.	hairy capsuled.	Mauritius.	1789.	7. 9.	S. h.	Jacq. ic. 1. t. 137.
19	tiliæfolium.	Lime-tree-ld.	China.	1820.	—	S. ⊙.	Jacq. f. ecl. 1. t. 35.
20	Avicennæ, G. <i>Sida Abutilon</i> , DC.	brôad-leaved.	S. France.	1596.	6. 8.	H. ⊙.	Houtt. syst. 8. t. 61.
21	americanum. <i>Sida americana</i> , DC.	American.	Jamaica.	1730.	6. 8.	S. ⊙.	
22	asiaticum.	small-flowered.	E. Indies.	1768.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 2.
23	populifolium.	Poplar-leaved.	—	1796.	—	S. ⊙.	— 1. t. 7. f. 9.
24	hirtum. <i>Sida hirta</i> , DC.	hairy.	—	1820.	—	S. ⊙.	Rumph. amb. 4. t. 10?
25	grandifolium. <i>Sida mollis</i> , DC.	large-leaved.	Peru.	1817.	10. 12.	S. h.	Bot. reg. 360.
26	mollissimum.	soft-leaved.	—	1789.	6. 7.	S. ♂.	Cav. dis. 2. t. 11. f. 1.
27	permolle. <i>Sida permollis</i> , DC.	woolly-leaved.	—	1818.	—	S. h.	

28 indicum.	Indian.	E. Indies.	1731.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 10.
29 vesicarium.	bladdered.	Mexico.	1796.	—	S. h.	— 2. t. 14. f. 3.
30 glaucum.	glaucous.	Senegal.	1822.	—	S. h.	Cav. ic. 1. t. 11.
31 albidum.	white-leaved.	Canaries.	—	—	G. h.	
<i>Sida albidula</i> . DC.						
32 mollicomum.	soft.	1804.	7. 9.	S. h.	
<i>Sida sericea</i> . Cav?	<i>Sida mollicoma</i> . DC.					
33 Sonneratianum.	Sommerat's.	C. B. S.	1806.	6. 7.	G. ♂.	Cav. dis. 1. t. 6. f. 4.
LAGUNEA. DC.	LAGUNEA.	Monadelphia	Polyandria.	L.		
1 lobata. DC.	Maple-leaved.	Bourbon.	1787.	7. 8.	S. ⊙.	Cav. dis. 5. t. 136. f. 1
2 sinuata. DC.	sinuate.	—	S. ⊙.	

ORDO XXVI.

BOMBACEÆ. DC. *prodr.* 1. p. 475.

HELICTERES. DC.	SCREW-TREE.	Monadelphia	Dodecandria.	L.		
1 Isora. DC.	great-fruited.	E. Indies.	1733.	6. 7.	S. h.	Bot. mag. 2061.
2 barnensis. DC.	small-fruited.	W. Indies.	1739.	9. 10.	S. h.	Jacq. amer. t. 149.
3 Jamaicensis. DC.	broad-leaved.	—	—	6. 7.	S. h.	Jacq. vind. 2. t. 143.
4 guazumæfolia. DC.	Guazuma-ld.	S. Amer.	1820.	6. 8.	S. h.	
5 verbascifolia. DC.	Verbascum-ld.	Brazil.	—	—	S. h.	Lodd. bot. cab. 504.
6 ferruginata. DC.	yellow-flow'r'd.	—	—	—	S. h.	
7 lanceolata. DC.	spear-leaved.	E. Indies.	1823.	S. h.	
8 spicata. H. B.	spike-flowered.	—	—	S. h.	
MYRODIA. DC.	MYRODIA.	Monadelphia	Dodecandria.	L.		
turbinata. DC.	short-flowered.	W. Indies.	1793.	S. h.	Fl. mex. ic. ined.
PLAGIANTHUS. DC.	PLAGIANTHUS.	Monadelphia	Dodecandria.	L.		
divaricatus. DC.	small-leaved.	New Zealand.	1821.	G. h.	Forst. gen. t. 43.
ADANSONIA. DC.	SOUR-GOURD.	Monadelphia	Polyandria.	L.		
digitata. DC.	palmate.	Senegal.	1724.	S. h.	Cav. dis. 5. t. 157.
CAROLINEA. DC.	CAROLINEA.	Monadelphia	Polyandria.	L.		
1 princeps. DC.	digitated.	W. Indies.	1787.	S. h.	Aub. gni. 2. t. 291-2.
<i>Pachira aquatica</i> . A.						
2 insignis. DC.	great-flowered.	—	1796.	...	S. h.	Cav. dis. 5. t. 154.
3 minor. DC.	lesser.	Guiana.	1798.	7. 8.	S. h.	Bot. mag. 1412.
4 alba. B. C.	white-flowered.	Brazil.	—	S. h.	Lod. bot. cab. 752.
BOMBAX. DC.	SILK-COTTON-TREE.	Monadelphia	Polyandria.	L.		
1 Ceiba. DC.	five-leaved.	S. Amer.	1692.	S. h.	Jacq. am. t. 176. f. 1.
<i>quinatum</i> . Jacq.						
2 septenatum. DC.	seven-leaved.	—	1699.	S. h.	
<i>heptaphyllum</i> . L. non Cav.						
3 malabaricum. DC.	Malabar.	E. Indies.	S. h.	Roxb. cor. 3. t. 247.
<i>heptaphyllum</i> . Roxb. non L.						
ERIODENDRON. DC.	ERIODENDRON.	Monadelphia	Dodecandria.	L.		
1 leiantherum. DC.	Brazilian.	Brazil.	1822.	S. h.	Cav. dis. 5. t. 152. f. 1.
<i>Bombax erianthos</i> . Cav.						
2 anfractuosum. DC.	twisted-anther'd	1739.	S. h.	Cav. dis. 5. t. 151.
<i>Bombax pentandrum</i> . L.						
α indicum. DC.	East Indian.	E. Indies.	—	S. h.	Rheed. mal. 3. t. 49. 51.
β caribæum. DC.	West Indian.	W. Indies.	—	S. h.	Jacq. am. t. 176. f. 70.
γ africanum. DC.	African.	Africa.	1823.	S. h.	
OCHROMA. DC.	OCHROMA.	Monadelphia	Pentandria.	L.		
1 Lagopus. DC.	downy-leaved.	Jamaica.	1802.	S. h.	Sw. fl. 2. t. 23.
2 tomentosum. DC.	woolly-leaved.	S. Amer.	1816.	S. h.	
CHEIROSTEMON. DC.	CHEIROSTEMON.	Monadelphia	Decandria.	L.		
platanoides. DC.	plane-leaved.	New Spain.	1820.	11. 1.	S. h.	H. et B. pl. æq. 1. t. 24.
<i>Chiranthodendron</i> . Larr. dis. ic.						

ORDO XXVII.

BUTTNERIACEÆ. *Kunth Synops. 3. p. 266.*

Tribus I. *STERCULIÆ.* DC. *prodr. 1. p. 481.*

STERCULIA. DC.		STERCULIA.		Monecia Monadelphica. L.		
1	Balanghas. DC.	many-seeded.	E. Indies.	1787.	6. 9.	S. h. Rheed. mal. 1. t. 49.
2	nobilis. DC.	few-seeded.	China.	—	—	S. h. Bot. reg. 185.
	<i>Balanghas. B. R.</i>	<i>Southwellia nobilis.</i>	Par. lond. 69.			
3	acuminata. DC.	taper-pointed.	Africa.	1822.	S. h. Beau. fl. ow. 1. t. 24.
4	grandiflora. DC.	large-flowered.	E. Indies.	1820.	S. h.
5	coccinea. DC.	scarlet fruited.	—	—	S. h.
6	angustifolia. DC.	narrow-leaved.	Nepaul.	1823.	S. h.
7	guttata. DC.	spotted.	E. Indies.	1819.	S. h. Rheed. mal. 4. t. 61.
8	Ivira. DC.	hairy capsuled.	W. Indies.	1793.	S. h. Aub. gui. 2. t. 279.
	<i>crinita. Cav. dis. 5. t. 162.</i>					
9	platanifolia. DC.	Plane-leaved.	China.	1757.	7.	G. h. Cav. dis. 5. t. 145.
10	colorata. DC.	scarlet.	E. Indies.	1818.	S. h. Roxb. cor. 1. t. 25.
11	urens. DC.	stinging.	—	—	6. 9.	S. h. — 1. t. 24.
12	villosa. DC.	villous-leaved.	—	1818.	S. h.
13	fœtida. DC.	fetid.	—	1690.	S. h. Cav. dis. 5. t. 145.
HERITIERA. DC.		LOOKING-GLASS PLANT.		Diceia Monadelphica.		
1	littoralis. DC.	large-leaved.	E. Indies.	1780.	S. h. Rheed. mal. 6. t. 21.
2	minor. DC.	small-leaved.	—	1816.	S. h. Gært. fr. 2. t. 98. f. 2.

Tribus. II. *BUTTNERIÆ.*

THEOBROMA. DC.		CHOCOLATE-NUT.		Polyadelphia Decandria. L.		
1	Cacao. DC.	smooth-leaved.	S. Amer.	1739.	6. 9.	S. h. Lodd. bot. cab. 545.
2	guianensis. DC.	woolly-leaved.	Guiana.	1803.	S. h. Aub. gui. 2. t. 275.
3	bicolor. DC.	two-coloured.	S. Amer.	1820.	S. h. H. et B. pl. eq. 1. t. 30.
ABROMA. DC.		ABROMA.		Polyadelphia Dodecandria. L.		
1	augusta. DC.	smooth-stalked.	E. Indies.	1770.	6. 9.	S. h. Bot. reg. 518.
2	fastuosa. DC.	prickly-stalked.	N. Holland.	1800.	—	S. h. Sal. par. lond. 102.
GUAZUMA. DC.		BASTARD CEDAR.		Polyadelphia Dodecandria. L.		
1	ulmifolia. DC.	Elm-leaved.	W. Indies.	1739.	8. 9.	S. h. Trew ehret. t. 76.
	<i>Bubroma Guazuma. w.</i>					
2	tomentosa. DC.	tomentose.	S. Amer.	—	S. h.
3	polybotrya. DC.	velvety.	W. Indies.	—	S. h. Cav. ic. 3. t. 299.
COMMERSONIA. DC.		COMMERSONIA.		Pentandria Pentagynia. L.		
1	echinata. DC.	oval-leaved.	Moluccas.	1806.	6. 7.	S. h. Rumph. amb. 3. t. 119.
2	platyphylla. DC.	broad-leaved.	—	—	—	S. h. And. bot. rep. 519.
RULINGIA. Br.		RULINGIA.		Pentandria Pentagynia. L.		
1	dasyphylla.	hairy-leaved.	N. Holland.	1808.	4. 7.	G. h. Bot. rep. 603.
	<i>Commersonia dasyphylla. A. R. Byttneria dasyphylla. DC.</i>					
2	pannosa. B. M.	cloth-leaved.	—	1819.	—	G. h. Bot. mag. 2191.
3	hermanniæfolia.	Hermannia-ld.	—	—	—	G. h.
BUTTNERIA. L.		BUTTNERIA.		Pentandria Monogynia. L.		
1	herbacea. DC.	herbaceous.	E. Indies.	1820.	4. 7.	S. 2. Roxb. cor. 1. t. 29.
2	grandifolia. DC.	large-leaved.	—	—	—	S. h.
3	catalpæfolia. DC.	Catalpa-leav'd.	Caracas.	1823.	S. h. Jacq. schœnb. 1. t. 46.
4	cordata. DC.	heart-leaved.	Peru.	—	S. h. Cav. dis. 5. t. 150.
5	microphylla. DC.	small-leaved.	S. Amer.	1816.	S. h. — 5. t. 148. f. 2.
6	scabra. DC.	rough.	—	1793.	7. 8.	S. h. — 5. t. 148. f. 1.
AYENIA. DC.		AYENIA.		Pentandria Monogynia.		
1	pusilla. DC.	small.	Jamaica.	1756.	7. 9.	S. 2. Mill. ic. t. 118.
2	lævigata. DC.	smooth.	—	—	S. h.

- KLEINHOVIA. DC. KLEINHOVIA. Monadelphia Dodecandria.
Hospita. dc. purple-flower'd Moluccas. 1800. 7. 9. S. h. Cav. dis. 5. t. 146.

Tribus III. LASIOPEŦALEÆ. DC.

- SERINGIA. DC. SERINGIA. Pentandria Monogynia.
platyphylla. dc. broad-leaved. N. Holland. 1802. 4. 7. G. h. Gay dis. p. 13. t. 1. 2.
Lasioptetulum arborescens. H. K.
LASIOPEŦALUM. DC. LASIOPEŦALUM. Pentandria Monogynia.
1 ferrugineum. dc. rusty. N. Holland. 1791. 4. 7. G. h. Bot. mag. 1766.
2 parviflorum. dc. small-flowered. ——— 1810. ——— G. h. Linn. trans. 10. t. 19. f. 2.
THOMASIA. DC. THOMASIA. Pentandria Monogynia.
1 purpurea. dc. purple. N. Holland. 1803. 4. 7. G. h. Bot. mag. 1755.
Lasioptetulum purpureum. H. K.
2 foliosa. dc. leafy. ——— 1822. ——— G. h. Gay dis. p. 24. t. 7.
3 solanacea. dc. Solanum like. ——— 1803. ——— G. h. ——— p. 26. t. 6.
Lasioptetulum solanaceum. B. M. 1486.
4 quercifolia. dc. Oak-leaved. ——— ——— G. h. Bot. mag. 1485.

Tribus IV. HERMANNIÆ. DC.

- MELOCHIA. DC. MELOCHIA. Monadelphia Pentandria. DC.
1 pyramidata. dc. pyramidal. Brazil. 1768. 7. 8. S. h. Jacq. vind. 1. t. 30.
2 tomentosa. dc. downy. W. Indies. ——— 5. 6. S. h. Cav. dis. 6. t. 172. f. 2.
3 parvifolia. dc. small-leaved. Caracas. 1823. .. S. h.
RIEDLEIA. DC. RIEDLEIA. Monadelphia Pentandria. L.
1 velutina. dc. soft-leaved. E. Indies. 1820. 6. 8. S. h.
2 depressa. dc. depressed. Havannah. ——— S. h.
3 supina. dc. procumbent. E. Indies. 1823. ——— S. f. Pluk. alm. t. 232. f. 4.
4 corchorifolia. dc. Corchorus-ld. ——— 1732. 7. 8. S. ⊙. Dill. elt. t. 176. f. 217.
Melochia corchorifolia. L.
5 nodiflora. dc. knot-flowered. S. Amer. 1823. ——— S. h. Sloan. his. t. 135. f. 2.
Mougeotia nodiflora. Kth. *Melochia nodiflora.* Sw.
6 caracasana. dc. Caracas. Caracas. 1823. ——— S. h. Jacq. ic. 3. t. 507.
Mougeotia caracasana. Kth. *Melochia caracasana.* Jacq.
WALTHERIA. DC. WALTHERIA. Monadelphia Pentandria. L.
1 americana. dc. American. S. Amer. 1691. 5. 10. S. h. Jacq. ic. 1. t. 130.
2 glabra. dc. smooth. W. Indies. 1823. ——— S. h. Schrank. h. mon. t. 55.
lævis. L. en.
3 indica. dc. Indian. E. Indies. 1759. 6. 8. S. h. Burm. zeyl. t. 68.
4 elliptica. dc. woolly-leaved. ——— 1812. ——— S. h. Cav. dis. 6. t. 171. f. 2.
5 microphylla. dc. small-leaved. ——— 1823. ——— S. h. ——— G. t. 170. f. 2.
HERMANNIA. DC. HERMANNIA. Monadelphia Pentandria. L.
1 althæifolia. dc. Althæa-leaved. C. B. S. 1728. 3. 7. G. h. Bot. mag. 307.
2 plicata. dc. plaited-leaved. ——— 1774. 11. 12. G. h. Jacq. schœnb. 2. t. 213.
3 candicans. dc. white. ——— 4. 6. G. h. ——— 1. t. 117.
4 mollis. dc. soft-leaved. ——— 1818. ——— G. h.
5 decumbens. dc. decumbent. ——— ——— G. h.
6 hyssopifolia. dc. Hyssop-leaved. ——— 1725. ——— G. h. Cav. dis. 6. t. 181. f. 3.
7 trifoliata. dc. three-leaved. ——— 1752. 5. 8. G. h. ——— 6. t. 182. f. 2.
8 triphylla. dc. three-parted. ——— 1820. ——— G. h. ——— 6. t. 178. f. 3.
9 glandulosa. dc. glandular. ——— ——— G. h.
10 fragrans. dc. fragrant. ——— ——— G. h.
11 disermæfolia. dc. simple-flow'r'd. ——— 1795. 3. 4. G. h. Jacq. schœnb. 1. t. 121.
12 disticha. dc. round-leaved. ——— 1789. 5. 8. G. h. S. et Wend. sert. h. t. 10.
rotundifolia. J. S. t. 121.
13 melochioides. dc. Melochia like. ——— 1818. ——— G. h.
14 bryonifolia. dc. Bryony-leaved. ——— ——— G. h.
15 salvifolia. dc. Sage-leaved. ——— 1795. 4. 6. G. h. Cav. dis. 6. t. 180. f. 2.
16 micans. dc. glittering. ——— 1790. 5. 8. G. h. S. et Wend. s. han. t. 5.
latifolia. J. S. t. 119.
17 involucrata. dc. involucred. ——— 1794. 5. 6. G. h. Cav. dis. 6. t. 177. f. 1.

18 scordifolia. DC.	Germander-ld.	— — — —	4. 11.	G. h.	Jacq. schœn. 1. t. 120.
19 denudata. DC.	smooth.	— — — —	1774.	5. 7. G. h.	— — — — 1. t. 122.
20 alnifolia. DC.	Alder-leaved.	— — — —	1728.	2. 5. G. h.	Bot. mag. 299.
21 cuneifolia. DC.	wedge-leaved.	— — — —	1791.	8. 9. G. h.	Jacq. schœn. 1. t. 124.
22 holosericea. DC.	velvet-leaved.	— — — —	1792.	5. 6. G. h.	— — — — 3. t. 292.
23 hirsuta. DC.	hairy-branch'd.	— — — —	1790.	5. 6. G. h.	S. et Wend. s. h. 1. t. 4.
24 scabra. DC.	rough-leaved.	— — — —	1789.	3. 4. G. h.	Jacq. schœn. 1. t. 127.
25 multiflora. DC.	many-flowered.	— — — —	1791.	3. 5. G. h.	— — — — 1. t. 128.
26 flammea. DC.	flame-flowered.	— — — —	1791.	1. 12. G. h.	Bot. mag. 1349.
27 angularis. DC.	angular-calyx'd	— — — —	1791.	4. 5. G. h.	Jacq. schœn. 1. t. 126.
28 trifurcata. DC.	three-forked.	— — — —	1789.	4. 7. G. h.	— — — — 1. t. 125.
29 odorata. DC.	sweet-scented.	— — — —	1780.	2. 10. G. h.	
30 lavandulæfolia. DC.	Lavender-ld.	— — — —	1732.	5. 9. G. h.	Bot. mag. 304.
31 velutina. DC.	mucronate.	— — — —	1818.	— — — — G. h.	
32 filifolia. DC.	thread-leaved.	— — — —	1816.	5. 8. G. h.	Jacq. schœn. 1. t. 123.
33 procumbens. DC.	procumbent.	— — — —	1792.	5. 6. G. h.	Cav. dis. 6. t. 177. f. 2.
34 tenuifolia. DC.	slender-leaved.	— — — —	...	6. 7. G. h.	Bot. mag. 1318.
35 incisa. DC.	cut-leaved.	— — — —	1806.	— — — — G. h.	
36 pulverulenta. DC.	powdered.	— — — —	1800.	5. 8. G. h.	And. bot. rep. 164.
37 argentea. DC.	silvery-leaved.	— — — —	1818.	— — — — G. h.	
38 coronopifolia. DC.	Buckshorn-ld.	— — — —	— — — —	6. 8. G. h.	
MAHERNIA. DC.	MAHERNIA.	Monadelphia Pentandria.			
1 verticillata. DC.	whorl-leaved.	C. B. S.	1820.	6. 8. G. h.	Cav. dis. 6. t. 176. f. 1.
2 resedæfolia. DC.	Reseda-leaved.	— — — —	1818.	— — — — G. h.	
3 bipinnata. DC.	winged-leaved.	— — — —	1752.	— — — — G. h.	Bot. mag. 277.
	<i>pinnata</i> . B. M.				
4 incisa. DC.	cut-leaved.	— — — —	1792.	7. 9. G. h.	— — — — 353.
5 diffusa. DC.	diffuse.	— — — —	1774.	6. 8. G. h.	Lodd. bot. cab. 187.
6 heterophylla. DC.	various-leaved.	— — — —	1731.	4. 5. G. h.	Cav. dis. 6. t. 178. f. 1.
	<i>Hermannia grossulariæfolia</i> . L.				
7 seselifolia. DC.	Seseli-leaved.	— — — —	1818.	6. 8. G. h.	
8 pulchella. DC.	neat.	— — — —	1792.	7. 9. G. h.	Cav. dis. 6. t. 177. f. 3.
9 glabrata. DC.	sweet-scented.	— — — —	1789.	4. 5. G. h.	Jacq. schœnb. 1. t. 53.
	<i>odorata</i> . A. R. 85.				
10 vesicaria. DC.	inflated.	— — — —	1818.	— — — — G. h.	Cav. dis. 6. t. 181. f. 2.
11 grandiflora.	great-flowered.	— — — —	1791.	5. 8. G. h.	
	<i>Hermannia grandiflora</i> . H. K.				
12 Burchellii.	Burchell's.	— — — —	1818.	— — — — G. h.	Bot. reg. 224.
	<i>grandiflora</i> . B. R. non H. K.				

Tribus V. *DOMBEYACEÆ*. DC.

RUIZIA. DC.	RUIZIA.	Monadelphia Polyandria. L.			
1 lobata. DC.	lobed-leaved.	Bourbon.	1820. S. h.	Cav. dis. 3. t. 36. f. 1.
2 variabilis. DC.	various-leaved.	— — — —	1792.	5. S. h.	Jacq. schœn. 3. t. 295.
PENTAPETES. DC.	PENTAPETES.	Monadelphia Dodecandria. L.			
1 phœnicea. DC.	scarlet-flower'd	India.	1690.	7. 8. S. ♂.	Bot. reg. 575.
2 ovata. DC.	oval-leaved.	New Spain.	1805.	6. 9. S. ♂.	Cav. ic. 5. t. 433.
	<i>Brotera ovata</i> . Cav.				
ASSONIA. DC.	ASSONIA.	Monadelphia Dodecandria.			
1 populnea. DC.	Poplar-leaved.	Bourbon.	1822. S. h.	Cav. dis. 3. t. 42. f. 3.
2 viburnoides. DC.	Viburnum-ld.	— — — —	— — — — S. h.	
DOMBEYA. DC.	DOMBEYA.	Monadelphia Dodecandria.			
1 cordifolia. DC.	heart-leaved.	E. Indies.	1820. S. h.	
2 ferruginea. DC.	rusty.	Mauritius.	1815. S. h.	Cav. dis. 3. t. 42. f. 2.
3 ovata. DC.	oval-leaved.	Bourbon.	1822. S. h.	— — — — 3. t. 41. f. 2.
MELHANIA. DC.	MELHANIA.	Monadelphia Pentandria.			
1 Erythroxylon. DC.	red wood.	St. Helena.	1772.	5. 8. S. h.	Bot. mag. 1000.
2 Melanoxylon. DC.	black-wood.	— — — —	1800.	7. 8. S. h.	Pluk. mant. 6. t. 333. f. 5.
3 Burchellii. DC.	Burchell's.	C. B. S.	1818.	— — — — S. h.	
PTEROSPERMUM. DC.	PTEROSPERMUM.	Monadelphia Dodecandria.			
1 acerifolium. DC.	Maple-leaved.	E. Indies.	1790.	7. 9. S. h.	Bot. mag. 620.
2 suberifolium. DC.	various-leaved.	— — — —	1783.	9. 10. S. h.	— — — — 1526.
3 lanceæfolium. DC.	lance-leaved.	— — — —	1818.	— — — — S. h.	

4 canescens. H.B.	canescent.	Ceylon.	—	—	S. h.	
5 semisagittatum. DC.	fringe-bracted.	E. Indies.	—	—	S. h.	
ASTRAPÆA. DC.	ASTRAPÆA.	Monadelphia	Dodecandria.			
1 Wallichii. DC.	Wallich's.	Mauritius.	1820. 12. 1.	S. h.		Bot. reg. 691.
2 viscosa.	viscous.	Madagascar.	1823.	S. h.		
3 tiliaefolia.	Lime-leaved.	Bourbon.	1824.	S. h.		
KYDIA. DC.	KYDIA.	Monadelphia	Dodecandria.			
1 calycina. DC.	calycine.	E. Indies.	1818.	S. h.		Roxb. cor. 3. t. 215.
2 fraterna. DC.	long-stamcn'd.	—	1823.	S. h.		— 3. t. 216.

Tribus VI. WALLICHIEÆ. DC.

ERIOLENÆ. DC.	ERIOLENÆ.	Monadelphia	Polyandria.			
Wallichii. DC.	Wallich's.	E. Indies.	1823.	S. h.		DC. m. mus. 10. p. 102. ic.

ORDO XXVIII.

TILIACEÆ. DC. *prodr.* 1. p. 503.

ENTELEA. B.M.	CORK-TREE.	Polyandria	Monogynia.			
arborescens. B.M.	New Zealand.	N. Zealand.	1821. 5. 6.	G. h.		Bot. mag. 2480.
SPARRMANNIA. DC.	SPARRMANNIA.	Polyandria	Monogynia.	L.		
africana. DC.	African.	C. B. S.	1790. 3. 7.	G. h.		Bot. mag. 516.
HELIOCARPUS. DC.	HELIOCARPUS.	Dodecandria	Monogynia.			
americana. DC.	American.	Vera Cruz.	1733.	S. h.		Trew elcrt. t. 45.
CORCHORUS. DC.	CORCHORUS.	Polyandria	Monogynia.	L.		
1 siliquosus. DC.	Germander-ld.	S. Amer.	1732. 6. 8.	S. 2.		Jacq. vind. 3. t. 59.
2 hirtus. DC.	hairy.	—	1820. —	S. 2.		Plum. ed. B. t. 103. f. 2.
3 pilobolus. DC.	hairy-podded.	—	—	S. 2.		
4 trilocularis. DC.	three-celled.	Arabia.	1790. 7. 8.	S. ⊙.		Jacq. vind. 2. t. 173.
5 olitorius. DC.	bristly-leav'd.	India.	1640. 6. 8.	S. ⊙.		Lam. ill. t. 478. f. 1.
6 æstuans. DC.	Hornbeam-ld.	S. Amer.	1731. 6. 7.	S. ⊙.		Jacq. vind. 1. t. 85.
7 acutangulus. DC.	acute-angled.	India.	1816. —	S. h.		Pluk. phyt. t. 44. f. 1.
8 capsularis. DC.	heart-leaved.	E. Indies.	1725. —	S. ⊙.		Jacq. f. eclog. 2. t. 120.
9 hirsutus. DC.	woolly capsuled	S. Amer.	1752. —	S. h.		Jacq. vind. 3. t. 59.
TRIUMFETTA. DC.	TRIUMFETTA.	Dodecandria	Monogynia.	L.		
1 Lappula. DC.	prickly-seeded.	W. Indies.	1739. 7. 8.	S. h.		Plum. ic. t. 255.
2 heterophylla. DC.	various-leaved.	—	1823. —	S. h.		Pluk. t. 425. f. 3.
3 suborbiculata. DC.	subrotund.	E. Indies.	S. h.		
4 glandulosa. DC.	gland-toothed.	Manritius.	... —	S. h.		Lam. ill. t. 400. f. 1.
5 trichoclada. DC.	oval-leaved.	Nepaul.	1823. —	S. 3.		
6 oblongata. DC.	oblong-leaved.	—	—	S. 3.		
7 annua. DC.	annual.	Java.	1760. 8. 9.	S. ⊙.		Bot. mag. 2296.
8 angulata. DC.	angular-leaved	E. Indies.	1739. 6. 7.	S. h.		Lam. ill. t. 400. f. 2.
9 semitriloba. DC.	Mallow-leaved.	W. Indies.	1773. —	S. h.		Jacq. vind. 3. t. 76.
10 rhomboidea. DC.	rhomboid.	S. Amer.	1819. 5. 6.	S. h.		Lindl. coll. t. 29.
11 althæoides. DC.	Althæa-leaved	Cayenne.	—	S. h.		
macrophylla. Vahl.						
12 grandiflora. DC.	large-flowered.	W. Indies.	1810. —	S. h.		
13 trilocularis. DC.	three-celled.	E. Indies.	1817. 10. 4.	S. h.		
GREWIA. DC.	GREWIA.	Polyandria	Monogynia.	L.		
1 tomentosa. DC.	tomentose.	Java.	1818.	S. h.		Juss. an. 2. t. 49. f. 1.
2 hirsuta.	hairy.	—	1816. 7. 9.	S. h.		
3 bracteata. DC.	bracted.	E. Indies.	1818. 7. 9.	S. h.		
4 Mallocoeca. DC.	rough-fruited.	Tongatabu.	1792. 8. 9.	S. h.		Forst. gen. t. 39.
Mallocoeca crenata. Forst.						
5 oppositifolia. DC.	sharp-leaved.	Nepaul.	1818. —	S. h.		
6 umbellata. DC.	umbel-flowered	E. Indies.	—	S. h.		
7 bicolor. DC.	two-coloured.	Senegal.	1822.	S. h.		Juss. ann. t. 50. f. 2.
8 Rothii. DC.	Roth's.	E. Indies.	1819. 7. 9.	S. h.		

9	salvifolia. DC.	Sage-leaved.	—————	—————	—————	S. h.	
10	flava. DC.	yellow.	C. B. S.	1818.	—————	G. h.	
11	ovalifolia. DC.	oval-leaved.	E. Indies.	—————	—————	S. h.	
12	Microcos. DC.	panicked.	—————	1779.	—————	S. h.	Rheed. mal. 1. t. 56.
	<i>Microcos paniculata.</i>	L.					
13	paniculata. DC.	villous-leaved.	—————	1820.	S. h.	
14	orientalis. DC.	oriental.	—————	1767.	7. 8.	S. h.	Rheed. mal. 5. t. 46.
15	pilosa. DC.	pilose.	—————	1804.	—————	S. h.	
16	serrulata. DC.	serrulate.	—————	1818.	—————	S. h.	
17	occidentalis. DC.	Elm-leaved.	C. B. S.	1690.	7. 9.	G. h.	Bot. mag. 422.
18	asiatica.	Asiatic.	E. Indies.	1792.	7. 8.	S. h.	Sonn. voy. 2. t. 138.
19	subinæqualis. DC.	oblique-leaved.	—————	1816.	—————	S. h.	
20	aspera. DC.	rough-leaved.	—————	1818.	—————	S. h.	
21	tiliaefolia. DC.	Lime-leaved.	—————	1812.	—————	S. h.	
22	villosa. DC.	villous.	—————	1816.	—————	S. h.	
23	therebinthinacea. DC.	strong-scented	—————	—————	S. h.	
24	obtusifolia. DC.	blunt-leaved.	C. B. S.	1818.	G. h.	
25	ulmifolia. H.B.	Chinese.	China.	—————	G. h.	
BROWNLOWIA. R.	BROWNLOWIA.	Polyandria Monogynia.					
	elata. R.	tall.	E. Indies.	1812.	S. h.	Roxb. cor. c. ic.
TILIA. DC.	LIME-TREE.	Polyandria Monogynia. L.					
1	microphylla. DC.	small-leaved.	Britain.	8. 9.	H. h.	Eng. bot. 1705.
	<i>parcifolia.</i> E.B.						
2	intermedia. DC.	intermediate.	N. Europe.	—————	H. h.	Hayn. et Sv. bot. t. 40.
3	rubra. DC.	red-twigg'd.	Europe.	6. 8.	H. h.	
4	platyphylla. DC.	common.	Britain.	—————	H. h.	Eng. bot. 610.
	<i>europæa.</i> E.B.						
	<i>β laciniata.</i>	<i>jagged leaved.</i>					
5	glabra. DC.	broad-leaved.	N. Amer.	1752.	6. 7.	H. h.	Vent. dis. p. 9. t. 2.
	<i>americana.</i> L.						
6	laxiflora. DC.	loose-flowered.	—————	1820.	—————	H. h.	
7	pubescens. DC.	pubescent.	—————	1726.	7. 8.	H. h.	Vent. dis. p. 10. t. 3.
	<i>β leptophylla.</i> DC.	<i>narrow-leaved.</i>	—————	—————	—————	H. h.	
8	heterophylla. DC.	white-leaved.	—————	6. 8.	H. h.	Vent. dis. p. 16. t. 5.
	<i>alba.</i> Mich. arb. 3. t. 2.						
	<i>argentea.</i> DC.	silver-leaved.	Hungary.	1767.	—————	H. h.	————— p. 13. t. 4.
	<i>alba.</i> W. et K. hung. 1. t. 3.	<i>rotundifolia.</i> Vent.					
MUNTINGIA. DC.	MUNTINGIA.	Polyandria Monogynia. L.					
	Calabura. DC.	Jamaica.	Jamaica.	1690.	6. 7.	S. h.	Jacq. amer. t. 107.
APEIBA. DC.	APEIBA.	Polyandria Monogynia. L.					
1	Tibourbou. DC.	hairy.	S. Amer.	1756.	S. h.	Anb. gui. 1. t. 213.
	<i>Aubletia Tibourbou.</i> W.						
2	Petoumo. DC.	hoary.	—————	1817.	S. h.	————— 1. t. 215.
3	aspera. DC.	prickly-capsul'd	Cayenne.	1792.	S. h.	————— 1. t. 216.
	<i>Aubletia aspera.</i> W.						
4	glabra. DC.	smooth.	—————	1817.	S. h.	————— 1. t. 214.
	<i>Aubletia laevis.</i> W.						
SLOANEA. DC.	SLOANEA.	Polyandria Monogynia. L.					
1	dentata. DC.	Chestnut-leav'd	S. Amer.	1752.	S. h.	Plum. ic. 244.
2	sinemariensis. DC.	round-leaved.	W. Indies.	1820.	S. h.	Aub. gui. 1. t. 212.
GYROSTEMON. DC.	GYROSTEMON.	Dioecia Polyandria.					
	ramulosum. DC.	branching.	N. Holland.	1820.	G. h.	Desf. m. mus. 6. t. 6.
BERRYA. DC.	BERRYA.	Polyandria Monogynia.					
	ammonilla. H.B.	Ceylon.	Ceylon.	1818.	S. h.	

ORDO XXIX.

ELÆOCARPEÆ. DC. prodr. 1. p. 519.

ELEOCARPUS. DC.	ELEOCARPUS.	Dodecandria Monogynia.					
1	serratus. DC.	saw-leaved.	E. Indies.	1774.	S. h.	Burm. zeyl. t. 40.
2	cyaneus. DC.	blue-fruited.	N. Holland.	1803.	6. 8.	G. h.	Bot. mag. 1737.
	<i>reticulatus.</i> B. R. 657.						

ACERATIUM. DC.	ACERATIUM. Dodecandria Monogynia.	
oppositifolium. DC.	opposite-leaved Amboyna. 1818.	S. h.
DICERA. DC.	DICERA. Dodecandria Monogynia.	
dentata. DC.	tooth-leaved. N. Zealand. 1820. 6. 8.	G. h. Forst. gen. t. 40.
FRIESIA. DC.	FRIESIA. Dodecandria Monogynia.	
peduncularis. DC.	peduncled. Van Diem. 1818.	G. h. Lab. n. holl. 2. t. 155.
<i>Elæocarpus peduncularis.</i> Lab.		

ORDO XXX.

CHLENACEÆ. DC. *prodr.* 1. p. 521.

† *Genus Chlenaceis affine.*

HUGONIA. DC.	HUGONIA. Monadelphia Decandria.	
1 Mystax. DC.	entire-leaved. E. Indies. 1818. 6. 9.	S. h. Rheed. mal. 2. t. 29.
2 serrata. DC.	saw-leaved. Mauritius. 1820. —	S. h. Cav. dis. 3. t. 73. f. 1.

ORDO XXXI.

TERNSTRÆMIACEÆ. DC. *prodr.* 1. p. 523.

Tribus I. TERNSTRÆMIÆ. DC.

TERNSTRÆMIA. DC.	TERNSTRÆMIA. Polyandria Monogynia. L.	
1 peduncularis. DC.	long-peduncled W. Indies. 1818. 6. 8.	S. h.
2 venosa. DC.	veined-leaved Brazil. 1820. —	S. h.
3 serrata. H.B.	saw-leaved. Silhet. — S. h.

Tribus II. FREZIEREÆ. DC.

CLEYERA. DC.	CLEYERA. Polyandria Monogynia.	
japonica. DC.	Japan. Japan. 1822.	S. h. Kæmp. am. 5. p. 774. ic.
FREZIERA. DC.	FREZIERA. Polyandria Monogynia.	
thæoides. DC.	Tea-like. Jamaica. 1818.	S. h.
EURYA. DC.	EURYA. Polygamia Monœcia.	
1 chinensis. DC.	China. China. 1818.	S. h.
2 multiflora. DC.	many-flowered. Nepaul. 1823.	S. h.
LETTSONIA. DC.	LETTSONIA. Polyandria Monogynia.	
tomentosa. DC.	tomentose. Pern. 1823.	S. h. Ruiz et P. prod. t. 14.

Tribus III. SAURAUJÆ. DC.

SAURAUJA. DC.	SAURAUJA. Polyandria Pentagynia.	
1 excelsa. DC.	tall. Caracas. 1824.	S. h. Willd. n. act. ber. 3. t. 4.
2 napaulensis. DC.	Nepaul. Nepaul. — S. h.

Tribus IV. *LAPLACEÆ*. DC.

COCHLOSPERMUM. DC. COCHLOSPERMUM. Monadelphia Polyandria.

- 1 *Gossypium*. DC. large-flowered. E. Indies. 1822. S. h. Sonn. voy. 2. t. 133.
Bombax grandiflorum. Son. *Bombax Gossypium*. L.
 2 *serratifolium*. DC. saw-lobed. S. Amer. 1820. S. h. Fl. mex. ic. ined.

Tribus V? *GORDONIÆ*. DC.

MALACHODENDRON. DC. MALACHODENDRON. Monadelphia Polyandria. L.

- ovatum. DC. oval-leaved. N. Amer. 1785. 8. 9. H. h. Exot. bot. t. 101.
Stuartia pentagynia. Ex. bot.
 STUARTIA. W. STUARTIA. Monadelphia Polyandria. L.
virginica. DC. Virginian. N. Amer. 1742. 5. 8. H. h. Cav. dis. 5. t. 159. f. 2.
Malachodendron. L. *marylandica*. A. R. t. 73.
 GORDONIA. DC. GORDONIA. Monadelphia Polyandria. L.
 1 *Lasianthus*. DC. smooth. N. Amer. 1739. 8. 11. F. h. Bot. mag. 668.
 2 *hamatoxylon*. DC. red-wooded. Jamaica. 1820. S. h.
 3 *pubescens*. DC. pubescent. N. Amer. 1774. 8. 11. F. h. Vent. malm. t. 1.
 4 *Franklini*. L. Her. Franklin's. ———— ———— F. h.
 POLYSPORA. N. L. F. POLYSPORA. Monadelphia Polyandria.
axillaris. N. L. F. axillary-flower'd E. Indies. 1816. 11. 3. S. h. Bot. reg. 349.
Camellia axillaris. B. R. et B. M. 2047.

ORDO XXXII.

CAMELLIÆ. DC. *prodr.* 1. p. 529.

- CAMELLIA. Ker. CAMELLIA. Monadelphia Polyandria. L.
 1 *Thea*. L. en. Bohea Tea. China. 1768. 11. 2. G. h. Lob. bot. cab. 226.
 2 *viridis*. L. en. green Tea. ———— 10. 12. G. h. ———— 227.
Thea chinensis. B. M. 698.
 3 *oleifera*. oleiferous. ———— 1819. 1. 3. G. h.
 4 *Kissi*. DC. Nepaul. 1823. G. h.
 5 *Sesangua*. DC. Lady Banks's. China. 1811. 11. 1. G. h.
 β alba. *semidouble white*. ———— ———— G. h. Bot. reg. 12.
 γ rosea. *double rosy*. ———— 1819. 1. 4. G. h. ———— 547.
 6 *japonica*. DC. common. ———— 1739. 12. 5. G. h. Cav. dis. 6. t. 160.
 α rubra. *single-red*. ———— ———— G. h. Bot. mag. 42.
 β alba. *single-white*. ———— ———— G. h. Bot. reg. 353.
 γ semiduplex. *semidouble red*. ———— ———— G. h. Bot. rep. 559.
 δ rubro-plena. *double red*. ———— ———— G. h. ———— 199.
 ε carnea. *Middlemist's*. ———— ———— G. h. Lod. bot. cab. 455.
 ζ myrtifolia. *Myrtle-leaved*. ———— ———— G. h. Bot. mag. 1670.
 η involuta. *Lady Long's*. ———— ———— G. h. Bot. reg. 633.
 θ hexangularis. *six sided*. ———— ———— G. h.
 ι atrorubens. *Loddiges' red*. ———— ———— G. h. Lod. bot. cab. 170.
 κ anemoniflora. *red Waratah*. ———— ———— G. h. Bot. mag. 1654.
 λ dianthiflora. *Carnation War*. ———— ———— G. h. Bot. mag. 2577.
 μ blanda. *blush Waratah*. ———— ———— G. h.
 ν variabilis. *white Waratah*. ———— ———— G. h.
 ξ pomponia. *Kew-blush*. ———— ———— G. h. Bot. reg. 22.
 ο pœoniiflora. *Pœony-flowered*. ———— ———— G. h. Lod. bot. cab. 238.
 π Welbankii. *Welbank's*. ———— ———— G. h.
 ρ luteo-alba. *pale yellow*. ———— ———— G. h. Bot. reg. 708.
 σ flavescens. *buff*. ———— ———— G. h. ———— 112.
 τ albo-plena. *double white*. ———— ———— G. h. Bot. rep. 25.

<i>v</i> <i>fimbriata</i> .	<i>fringed white</i> .	— — — —	—	G. h.	
<i>φ</i> <i>variegata</i> .	<i>double striped</i> .	— — — —	—	G. h.	Bot. rep. 91.
<i>χ</i> <i>crassinervis</i> .	<i>thick-nerved</i> .	— — — —	—	G. h.	
<i>ψ</i> <i>expansa</i> .	<i>expanded</i> .	— — — —	—	G. h.	
<i>ω</i> <i>conchiflora</i> .	<i>shell-flowered</i> .	— — — —	—	G. h.	
<i>ς</i> <i>rubricaulis</i> .	<i>Ly. Al. Campbell's</i>	— — — —	—	G. h.	
<i>α</i> <i>a longifolia</i> .	<i>long-leaved</i> .	— — — —	—	G. h.	
<i>β</i> <i>β versicolor</i> .	<i>striped Waratah</i> .	— — — —	—	G. h.	Bot. reg. 887.

ORDO XXXIII.

OLACINÆ. DC. *prod.* 1. p. 531.

OLAX. DC.	OLAX. Triandria Monogynia. L.					
1 scandens. DC.	climbing.	E. Indies.	1829.	1. 12.	S. h.	Roxb. cor. 2. t. 102.
2 imbricata. DC.	imbricate.	— — — —	— — — —	S. h.	
SPERMXYRUM. DC.	SPERMXYRUM. Triandria Monogynia.					
strictum. DC.	upright.	N. S. W.	1820.	G. h.	
XIMENIA. DC.	XIMENIA. Octandria Monogynia. L.					
1 americana. DC.	spring.	W. Indies.	1759.	6. 9.	S. h.	Jacq. am. pict. t. 107.
2 inermis. DC.	unarmed.	— — — —	1820.	S. h.	

ORDO XXXIV.

AURANTIACÆ. DC. *prodr.* 1. p. 535.

ATALANTIA. DC.	ATALANTIA. Monadelphia Octandria.					
monophylla. DC.	simple-leaved.	E. Indies.	1777.	6. 8.	S. h.	Roxb. cor. 2. t. 83.
<i>Limonia monophylla</i> . R.						
TRIPHASIA. DC.	TRIPHASIA. Hexandria Monogynia.					
trifoliata. DC.	three-leaved.	China.	1787.	7. 8.	S. h.	Jacq. ic. rar. t. 463.
<i>Limonia trifoliata</i> . And. rep. 143.						
LIMONIA. DC.	LIMONIA. Decandria Monogynia. L.					
1 citrifolia. DC.	various-leaved.	China.	6. 8.	S. h.	
2 parviflora. DC.	small-flowered.	— — — —	1820.	2. 5.	S. h.	Bot. mag. 2416.
3 crenulata. DC.	crenulate.	E. Indies.	1808.	5. 7.	S. h.	Roxb. cor. 1. t. 86.
4 scandens. H.B.	climbing.	— — — —	1820.	S. h.	
COOKIA. DC.	COOKIA. Decandria Monogynia. L.					
punctata. DC.	Wampee tree.	China.	1795.	5. 7.	S. h.	Jacq. schœnb. 1. t. 101.
MURRAYA. DC.	MURRAYA. Decandria Monogynia. L.					
1 exotica. DC.	Ash-leaved.	E. Indies.	1771.	8. 9.	S. h.	Bot. reg. 431.
2 paniculata. DC.	panicled.	— — — —	1821.	4. 5.	S. h.	Hook. ex. flor. 134.
AGLAIÆ. DC.	AGLAIÆ. Pentandria Monogynia.					
odorata. DC.	sweet-scented.	China.	1810.	2. 5.	S. h.	Rumph. amb. 5. t. 18.
BERGERA. DC.	BERGERA. Decandria Monogynia. L.					
1 Kœnigii. DC.	Kœnig's.	E. Indies.	1818.	3. 6.	S. h.	Rumph. amb. 1. t. 53. f. 1.
2 integerrima. DC.	entire-leaved.	— — — —	1820.	S. h.	
CLAUSENIA. DC.	CLAUSENIA. Octandria Monogynia.					
pentaphylla. DC.	five-leaved.	E. Indies.	1823.	S. h.	
GLYCOSMIS. DC.	GLYCOSMIS. Decandria Monogynia.					
1 arborea. DC.	tree.	E. Indies.	1796.	5. 8.	S. h.	Roxb. cor. 1. t. 85.
<i>Limonia arborea</i> . R.						
2 pentaphylla. DC.	five-leaved.	— — — —	1790.	6. 7.	S. h.	— — — — 1. t. 84.
<i>Limonia pentaphylla</i> . R.						
FERONIA. DC.	ELEPHANT APPLE. Decandria Monogynia.					
elephantum. DC.	Indian.	E. Indies.	1804.	S. h.	Roxb. cor. 2. t. 141.
ÆGLE. DC.	BENGAL QUINCE. Polyandria Monogynia.					
1 Marmelos. DC.	thorny.	E. Indies.	1759.	S. h.	Roxb. cor. 2. t. 143.

CITRUS. DC.	ORANGE-TREE. Polyadelphia Polyandria. L.				
1 medica. DC.	Lemon-tree. Asia.	1648.	5. 7.	G. h.	Ris.an.mus.20.t.2.f.2.
2 Limetta. DC.	Bergamotte. ———	—	G. h.	— 20.t.2.f.1.
3 Limonum. DC.	Lime-tree. ———	—	G. h.	Ferr. hesp. t. 247. &c.
4 Aurantium. DC.	common. ———	1595.	—	G. h.	Ris.an.mus.20.t.1.f.1.2
5 vulgaris. DC.	Myrtle-leaved. ———	—	G. h.	Bot. reg. t. 346.
6 decumana. DC.	Shaddock. India.	1724.	—	G. h.	Rumph. am.2. t.24. f.2.
7-hystrix. DC.	very spiny. ———	—	G. h.	— 2. t. 28?
8 japonica. DC.	small-fruited. Japan.	1815.	—	G. h.	Th. ic. jap. t. 15.
9 nobilis. DC.	Mandarin. China.	1805.	—	G. h.	Bot. rep. 608.
β minor.	smaller. ———	—	—	G. h.	Bot. reg. 211.
10 Margarita. DC.	sweet Lemon. ———	1820.	—	G. h.	—
11 madurensis. DC.	spineless. China.	1816.	—	G. h.	Rumph. amb. 2. t. 31.
12 angulata. DC.	angular-fruited. E. Indies.	—	G. h.	— 2. t. 32.
13 baxifolia. DC.	retuse-leaved. China.	—	G. h.	—

ORDO XXXV.

HYPERICINEÆ. DC. prodr. 1. p. 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. VISMIEÆ. DC.

VISMIA. DC.	VISMIA. Polyadelphia Polyandria.				
1 brasiliensis. DC.	Brasilian. Brazil.	1822.	5. 6.	S. h.	Chois. p. hyp. 35. t. 2.
2 guineensis. DC.	African. SierraLeon.	1823.	—	S. h.	Lin. amœn. 8. t. 8. f. 1.

Tribus II. HYPERICEÆ. DC.

ANDROSÆMUM. DC.	TUTSAN. Monadelphia Polyandria.				
officinale. DC.	common. Britain.	7. 9.	H. h.	Eng. bot. 1225.
HYPERICUM. DC.	ST. JOHN'S-WORT. Polyadelphia Polyandria. L.				
1 elatum. DC.	tall. N. Amer.	1762.	7. 8.	H. h.	Wats. dend. brit. t. 85.
2 frondosum. DC.	green. ———	1806.	—	H. h.	—
3 amenum. DC.	pretty. Carolina.	1812.	—	H. h.	—
4 grandifolium. DC.	great-leaved. Teneriffe.	1818.	—	G. h.	Chois. pr. hyp. t. 3.
5 hircinum. DC.	stinking. S. Europe.	1610.	7. 9.	H. h.	Wats. dend. brit. t. 86.
β minus.	smaller. ———	—	—	H. h.	— t. 87.
6 foliosum. DC.	shining. Azores.	1778.	8.	G. h.	—
7 floribundum. DC.	many-flowered. Madeira.	1779.	—	G. h.	Com. hort. 2. t. 68.
8 olympicum. DC.	Olympic. Levant.	1706.	7. 9.	H. h.	Exot. bot. 2. t. 96.
9 canariense. DC.	Canary. Canaries.	1699.	—	G. h.	—
10 chinense. DC.	Chinese. China.	1753.	3. 9.	G. h.	Bot. mag. 334.
monogynum. B. M.	—	—	—	—	—
11 cordifolium. DC.	heart-leaved. Nepal.	1822.	6. 9.	G. h.	—
12 pyramidatum. DC.	pyramidal. Canada.	1759.	7. 8.	H. h.	Vent. malm. t. 118.
13 Ascyron. DC.	Siberian. Siberia.	1774.	6. 9.	H. h.	Gmel. sib. 4. t. 69.
14 ascyroides. DC.	large-capsuled. N. Amer.	1812.	6. 7.	H. h.	—
15 patulum. DC.	spreading. Japan.	1820.	7. 9.	G. h.	Thunb. jap. ic. 17.
16 Uralum. D. P.	Nepaul. Nepal.	—	—	F. h.	Bot. mag. 2375.
17 Kalmianum. DC.	Kalmia-leaved. Virginia.	1759.	6. 7.	H. h.	—
18 calycinum. DC.	large-flowered. Ireland.	6. 9.	H. h.	Eng. bot. 2017.
19 balearicum. DC.	warted. Majorca.	1714.	3. 9.	G. h.	Bot. mag. 137.
20 virginicum. DC.	Virginian. N. Amer.	1800.	7. 9.	H. h.	Bot. rep. 552.
Elodea campanulata. Ph.	—	—	—	—	—
21 angulosum. DC.	tooth'd-flow'r'd N. Amer.	1812.	6. 7.	H. h.	—
22 punctatum. DC.	spotted. ———	1789.	7. 9.	F. h.	—
carybosum. w. maculatum. wat.	—	—	—	—	—

23	dolabriforme. DC.	hatchet-like.	————	1818.	—	H. 4.	
24	densiflorum. DC.	dense-flowered.	Virginia.	1812.	6. 8.	F. ½.	
25	rosmarinifolium. DC.	Rosemary-ld.	Carolina.	—	—	F. ½.	
26	prolificum. DC.	prolific.	N. Amer.	1758.	—	H. ½.	Wats. dend. brit. t. 88.
27	glaucum. DC.	glaucous.	————	1812.	7. 8.	H. ½.	
28	lævigatum. H. K.	smooth.	————	1772.	—	H. ½.	
29	nudiflorum. DC.	naked-panicled	————	1811.	8. 10.	H. ½.	
30	quadrangulum. W.	square-stalked.	Britain.	7. 8.	H. ½.	Eng. bot. 370.
31	dubium. E. B.	imperforate.	————	—	H. ½.	— 296.
32	maculatum. All.	spot-flowered.	Europe.	—	H. ½.	All. ped. t. 83. f. 1.
33	undulatum. W. en.	wave-leaved.	Barbary.	1802.	—	F. ½.	
34	japonicum. DC.	Japan.	Japan.	1820.	—	G. ½.	Thunb. jap. t. 31.
35	crispum. DC.	curl-leaved.	Greece.	1688.	—	F. ½.	Bocc. mus. 2. t. 12.
36	pilosum. DC.	pilose.	N. Amer.	1818.	—	H. ½.	Pluk. alm. t. 245. f. 6.
	<i>setosum.</i> H. K.						
37	simplex. DC.	simple-stalked.	————	—	—	H. 0.	— t. 421. f. 3.
38	heterophyllum. DC.	various-leaved.	Persia.	1812.	—	G. ½.	Vent. cels. t. 68.
39	ægyptiacum. DC.	Egyptian.	Egypt.	1787.	6. 7.	G. ½.	Bot. reg. 196.
40	humifusum. DC.	trailing.	Britain.	7. 8.	H. ½.	Eng. bot. 1226.
41	pusillum. DC.	small.	N. S. W.	1818.	—	G. ½.	Lab. nov. holl. 2. t. 175.
42	involutum. DC.	involute-fl'd.	————	1822.	—	G. ½.	— 2. t. 174.
43	perforatum. DC.	perforate.	Britain.	—	H. ½.	Eng. bot. 295.
44	quinquevium. DC.	small-flowered	N. Amer.	1759.	6. 9.	F. ½.	
	<i>mutilum.</i> W.						
45	canadense. DC.	Canadian.	Canada.	1770.	7. 9.	H. ½.	
46	perfoliatum.	perfoliate.	Italy.	1785.	5. 6.	F. ½.	
47	axillare. DC.	clustered.	N. Amer.	1806.	7.	F. ½.	
	<i>fasciculatum.</i> W.						
48	Elodes. DC.	marsh.	Britain.	7. 8.	H. ½.	Eng. bot. 109.
49	tomentosum. DC.	woolly.	S. Europe.	1648.	7. 9.	F. ½.	Moris. his. 2. s. 5. t. 6. n. 5.
50	lanuginosum. DC.	downy.	Levant.	1822.	—	F. ½.	
51	hirsutum. DC.	hairy.	Britain.	6. 7.	H. ½.	Eng. bot. 1156.
52	nummularium. DC.	Money-wort.	S. Europe.	1818.	—	H. ½.	Lam. ill. t. 643.
53	elegans. DC.	elegant.	Siberia.	—	7. 9.	H. ½.	Spr. fl. hal. n. 861. t. 9.
	<i>Kohlium.</i> Spr.						
54	glandulosum. DC.	glandular.	Madeira.	1777.	5. 8.	G. ½.	
55	reflexum. DC.	reflex-leaved.	Teneriffe.	1778.	6. 9.	G. ½.	
56	pulehrum. DC.	small upright.	Britain.	7. 8.	H. ½.	Eng. bot. 1227.
57	elodeoides. DC.	close panicled.	Nepaul.	1823.	G. ½.	
	<i>nervosum.</i> D. P.						
58	barbatum. DC.	bearded.	Scotland.	6. 10.	H. ½.	Eng. bot. 1985.
59	montanum. DC.	mountain.	Britain.	7. 8.	H. ½.	— 371.
60	fimbriatum. DC.	fimbriate.	Pyrenees.	1818.	—	H. ½.	Vill. delph. 3. t. 44.
61	æthiopicum. DC.	Ethiopian.	C. B. S.	1817.	—	G. ½.	
62	ciliatum. DC.	fringed.	S. Europe.	1739.	7.	F. ½.	Boc. mus. 2. t. 127.
63	serpyllifolium. DC.	Thyme-leaved.	Levant.	1688.	7. 8.	F. ½.	Mor. his. 2. s. 5. t. 6. f. 2.
64	triplinerve. DC.	triply-nerved.	N. Amer.	1823.	7. 9.	H. ½.	Vent. cels. t. 58.
65	Coris. DC.	Coris-leaved.	Levant.	1640.	5. 9.	G. ½.	Bot mag. 178.
66	ericoides. DC.	Heath-leaved.	S. Europe.	1818.	—	G. ½.	Cav. ic. 2. t. 122.
67	fasciculatum. DC.	Aspalathas-like	N. Amer.	1811.	6. 8.	F. ½.	
	<i>aspalathoides.</i> W.						
68	verticillatum. DC.	whorl-leaved.	C. B. S.	1784.	—	G. ½.	
ASCYRUM. DC.		ASCYRUM.	Monadelphia				
1	pumilum. DC.	dwarf.	Georgia.	1806.	6. 8.	G. ½.	
2	Crux Andreae. DC.	St. Andrew's-cr	N. Amer.	1759.	7.	G. ½.	Burm. am. 146. t. 152.
3	hypericoides. DC.	Hypericum like	————	—	7. 9.	G. ½.	Burm. am. t. 152. f. 1.
4	stans. DC.	large-flowered.	————	1806.	—	G. ½.	
5	amplexicaule. DC.	stem-clasping.	————	—	—	G. ½.	

 Subordo II. *HYPERICINEÆ ANOMALÆ.* DC.

CARPODONTOS. DC.	CARPODONTOS.	Polyandria	Pentagynia.				
<i>lucida.</i> DC.	shining.	V. Diem. Is.	1820.	G. ½.	Lab. voy. 2. t. 18.	

ORDO XXXVI.

GUTTIFERÆ. DC. *prodr.* 1. p. 557.Tribus I. *CLUSIÆ*. DC.

CLUSIA. DC.	BALSAM-TREE. Polygamia Monœcia. L.		
1 rosea. DC.	Rose-coloured. America. 1692. 7. 8. S. h.	Cates. car. 2. t. 99.	
2 alba. DC.	white-flowered. S. Amer. 1752. — S. h.	Jacq. amer. t. 166.	
3 flava.	yellow-flowered Jamaica. 1759. 9. S. h.	Bot. rep. 223.	
4 venosa. DC.	veiny-leaved. S. Amer. 1733. S. h.	Plum. ic. 87. f. 2.	
HAVETIA. Kth.	HAVETIA. Diœcia Tetrandria.		
laurifolia. Kth.	Laurel-leaved. S. Amer. 1820. S. h.	H. et B. n. g. am. 5. t. 462.	
<i>Clusia tetrandra.</i> w.			

Tribus II. *GARCINIÆ*. DC.

MICRANTHERA. DC.	MICRANTHERA. Diœcia Polyandria.		
clusiæfolia. DC.	Clusia-leaved. Cayenne. 1823. S. h.	Chois. m. h. P. 1. t. 11. 12.	
GARCINIA. DC.	GARCINIA. Polyandria Monogynia.		
1 Mangostana. DC.	Mangosteen. Java. 1789. S. h.	Lam. ill. t. 405.	
2 cornea. DC.	nodding flow'r'd E. Indies. 1817. S. h.	Rumph. amb. 3. t. 30.	
3 Cambogia. DC.	yellow-flower'd ——— 1822. S. h.	Rheed. mal. 1. t. 24.	
4 Cowa. DC.	polygamous. ——— ——— S. h.		

Tribus. III. *CALOPHYLLÆ*. DC.

MAMMEA. DC.	MAMMEE-TREE. Polyandria Monogynia. L.		
1 americana. DC.	America. S. Amer. 1737. S. h.	Jacq. amer. t. 182. f. 32.	
2 africana. DC.	African. Sierra Leon. 1820. S. h.		
XANTHOCHYMUS. DC.	XANTHOCHYMUS. Polyadelphia Polyandria.		
1 pictorius. H.B.	painters. E. Indies. 1796. S. h.	Roxb. cor. 2. t. 196.	
2 dulcis. H.B.	sweet. ——— 1820. S. h.		
3 ovalifolius. H.B.	oval-leaved. ——— ——— S. h.		
CALOPHYLLUM. DC.	CALOPHYLLUM. Polyandria Monogynia. L.		
1 Inophyllum. DC.	sweet-scented. E. Indies. 1793. S. h.	Rheed. mal. 4. t. 38.	
2 Tacamahaca. DC.	acute-leaved. Bourbon. 1822. S. h.	Pluk. alm. t. 147. f. 3.	
3 Calaba. DC.	Calaba-tree. W. Indies. 1780. S. h.	Jacq. amer. t. 165.	
4 spurium. DC.	spurions. E. Indies. ——— S. h.	Rheed. mal. 4. t. 39.	
<i>Calaba.</i> L.			
PENTADESMA. H.T.	BUTTER-TREE. Polyandria Monogynia.		
butyræa. H.T.	African. Sierra Leon. 1821. S. h.		

Tribus IV. *SYMPHONIÆ*. DC.

CANELLA. DC.	CANELLA. Dodecandria Monogynia.		
1 alba. DC.	broad-leaved. W. Indies. 1735. S. h.	Linn. trans. 1. t. 8.	
2 laurifolia. L.C.	narrow-leaved. ——— S. h.		

ORDO XXXVII.

MARCRAVIACEÆ. *DC. prodr. 1. p. 565.*Subordo I. *MARCRAVIEÆ. DC.*

ANTHOLOMA. DC.	ANTHOLOMA.	Polyandria Monogynia.		
<i>montana. DC.</i>	<i>mountain.</i>	<i>N. Caledonia 1820.</i>	<i>G. h.</i>	<i>Labill. voy. t. 41.</i>
MARCRAVIA. DC.	MARCRAVIA.	Polyandria Monogynia.	L.	
1 <i>umbellata. DC.</i>	<i>umbelled.</i>	<i>W. Indies. 1792. 6. 8.</i>	<i>S. h.</i>	<i>Hook. exot. flor. 160.</i>
2 <i>coriacea. DC.</i>	<i>leathery-leav'd.</i>	<i>Guiana. 1820. —</i>	<i>S. h.</i>	

Subordo II. *NORANTEÆ. DC.*

NORANTEA. DC.	NORANTEA.	Polyandria Monogynia.	L.	
<i>brasiliensis. DC.</i>	<i>Brasilian.</i>	<i>Brazil. 1820.</i>	<i>S. h.</i>	
RUYSCHIA. DC.	RUYSCHIA.	Pentandria Monogynia.		
<i>clusiæfolia. DC.</i>	<i>Clusia-leaved.</i>	<i>W. Indies. 1823.</i>	<i>S. h.</i>	<i>Jacq. amer. t. 51. f. 2.</i>

ORDO XXXVIII.

HIPPOCRATEACEÆ. *DC. prodr. 1. p. 567.*

HIPPOCRATEA. DC.	HIPPOCRATEA.	Triandria Monogynia.	L.	
1 <i>obcordata. DC.</i>	<i>obcordate.</i>	<i>W. Indies. 1819.</i>	<i>S. h.</i>	<i>Lam. ill. 1. t. 28. f. 1.</i>
<i>scandens. Jacq. amer. t. 9.</i>	<i>oval-leaved.</i>	<i>S. Amer. 1739.</i>	<i>S. h.</i>	<i>Lam. ill. 1. t. 28. f. 2.</i>
2 <i>ovata. DC.</i>	<i>volubilis. L.</i>	<i>E. Indies. 1818.</i>	<i>S. h.</i>	<i>Roxb. cor. 2. t. 130.</i>
3 <i>indica. DC.</i>	<i>Indian.</i>	<i>———— 1820.</i>	<i>S. h.</i>	<i>————</i>
4 <i>obtusifolia. DC.</i>	<i>blunt-leaved.</i>	<i>———— 1822.</i>	<i>S. h.</i>	<i>Roxb. cor. 3. t. 205.</i>
5 <i>arborea. DC.</i>	<i>tree.</i>			
ANTHODON. DC.	ANTHODON.	Triandria Monogynia.		
1 <i>paniculatum. DC.</i>	<i>panicled.</i>	<i>Rio Janeiro. 1818.</i>	<i>S. h.</i>	
2 <i>ellipticum. DC.</i>	<i>elliptic-leaved.</i>	<i>———— ————</i>	<i>S. h.</i>	
JOHNSIA. F. I.	JOHNSIA.	Triandria Monogynia.	F. I.	
1 <i>salacioides. F. I.</i>	<i>entire-leaved.</i>	<i>E. Indies. 1822.</i>	<i>S. h.</i>	
2 <i>coromandeliana. F. I.</i>	<i>saw-leaved.</i>	<i>———— ————</i>	<i>S. h.</i>	

ORDO XXXIX.

ERYTHROXYLEÆ. *DC. prodr. 1. p. 573.*

ERYTHROXYLUM. DC.	ERYTHROXYLUM.	Decandria Trigynia.	L.	
1 <i>hypericifolium. DC.</i>	<i>Hypericum-ld.</i>	<i>Mauritius. 1818.</i>	<i>S. h.</i>	<i>Cav. dis. 8. t. 230.</i>
2 <i>havanense. DC.</i>	<i>Havannah.</i>	<i>W. Indies. 1822.</i>	<i>S. h.</i>	<i>Jacq. amer. t. 87. f. 2.</i>
3 <i>laurifolium. DC.</i>	<i>Laurel-leaved.</i>	<i>Mauritius. ————</i>	<i>S. h.</i>	<i>Cav. dis. 8. t. 226.</i>
SETHIA. Kth.	SETHIA.	Decandria Monogynia.		
<i>indica. DC.</i>	<i>Indian.</i>	<i>E. Indies. 1823.</i>	<i>S. h.</i>	<i>Roxb. cor. 1. t. 88.</i>

Erythroxyton monogynum. H. B.

ORDO XL.

MALPIGHIACEÆ. DC. *prodr.* 1. p. 577.

Tribus I. MALPIGHIEÆ. DC.

MALPIGHIA. DC.	MALPIGHIA.	Decandria	Trigynia.	L.	
1 fucata. DC.	painted.	W. Indies.	1814.	1. 12.	S. h. Bot. reg. 189.
2 urens. DC.	stinging.	S. Amer.	1737.	7. 10.	S. h. ——— 94.
3 angustifolia. DC.	narrow-leaved.	W. Indies.	——	7. 8.	S. h. Lod. bot. cab. 321.
4 aquifolia. DC.	Holly-leaved.	S. Amer.	1759.	8. 9.	S. h. Cav. dis. 8. t. 236. f. 2.
5 coccifera. DC.	kermes-oak-ld.	——	1733.	——	S. h. Bot. reg. 568.
6 glabra. DC.	smooth-leaved.	——	1757.	3. 7.	S. h. Bot. mag. 813.
7 biflora. DC.	two-flowered.	——	——	S. h. Cav. dis. 8. t. 234. f. 2.
<i>punicifolia.</i> Cav.					
8 punicifolia. DC.	Panna-leaved.	——	1690.	——	S. h. Plum. ic. t. 166. f. 2.
9 nitida. DC.	glossy-leaved.	S. Amer.	1733.	3. 8.	S. h.
10? faginea. DC.	Beech-leaved.	——	1822.	S. h.
BYRSONIMA. DC.	BYRSONIMA.	Decandria	Trigynia.	L.	
1 verbascifolia. DC.	Mullein-leaved.	Guiana.	1818.	3. 8.	S. h. Aub. gui. 1. t. 184.
2 nervosa. DC.	prominent-nd.	Brazil.	——	——	S. h.
3 altissima. DC.	tall.	Guiana.	1820.	S. h. Aub. gui. 1. t. 181.
4 crassifolia. DC.	thick-leaved.	——	1793.	8.	S. h. ——— 1. t. 182.
<i>Malpighia crassifolia.</i> w.					
5 chrysophylla. DC.	golden-leaved.	S. Amer.	1822.	S. h.
6 spicata. DC.	spiked.	Brazil.	1818.	5. 8.	S. h. Cav. dis. 8. t. 237.
7 lucida. DC.	wedge-leaved.	W. Indies.	1759.	——	S. h. Bot. mag. 2462.
<i>Malpighia lucida.</i> w.					
8 coriacea. DC.	leathery-leaved	Jamaica.	1811.	——	S. h. Sloan. his. 2. t. 163. f. 1.
9 pallida. DC.	pale-leaved.	W. Indies.	1820.	——	S. h.
10? volubilis. DC.	twining.	——	1793.	8. 9.	S. h. Bot. mag. 809.
<i>Malpighia volubilis.</i> B.M.					
BUNCHOSIA. DC.	BUNCHOSIA.	Decandria	Monogynia.		
1 glandulosa. DC.	2-glanded.	Antilles.	1804.	3. 5.	S. h. Cav. dis. 8. t. 239. f. 2.
<i>Malpighia glandulosa.</i> Cav.					
2 glandulifera. DC.	4-glanded.	Caracas.	1806.	——	S. h. Jacq. coll. 5. f. 3.
<i>Malpighia glandulosa.</i> Jacq. ic. 3. t. 469.					
3 polystachya. DC.	many-spiked.	W. Indies.	——	——	S. h. And. bot. rep. 604.
4 media. DC.	intermediate.	——	1790.	——	S. h.
<i>Malpighia media.</i> H.K.					
5 tuberculata. DC.	tuberculate.	Caracas.	1823.	S. h. Jacq. schœn. 1. t. 104.
6 argentea. DC.	silvery.	——	1820.	S. h. Jacq. frag. t. 83.
7 nitida. DC.	glossy-leaved.	W. Indies.	1733.	3. 8.	S. h. Cav. dis. 8. t. 239. f. 1.
8 caucensens. DC.	downy-leaved.	——	1742.	S. h.

Tribus II. HYPTAGEÆ. DC.

HIPTAGE. DC.	HIPTAGE.	Decandria	Monogynia.		
1 Madablot. DC.	clustered.	E. Indies.	1796.	3. 4.	S. h. Roxb. cor. 1. t. 18.
<i>Gærtnera racemosa.</i> A. R. 600.					
2 obtusifolia. DC.	blunt-leaved.	China.	1822.	S. h.
<i>Gærtnera obtusifolia.</i> H. B.					

Tribus III. BANISTERIEÆ. DC.

HIRÆA. DC.	HIRÆA.	Decandria	Trigynia.	L.	
1 odorata. DC.	sweet-scented.	Guinea.	1822.	S. h.

2 nutans. DC.	nodding.	E. Indies.	1818.	5. 8.	S. h.	—
3 indica. DC.	Indian.	—	—	—	S. h.	Roxb. cor. 2. t. 160.
TRIOPTERIS. DC.	TRIOPTERIS.	Decandria Trigynia.	L.	—	—	—
jamaicensis. DC.	Jamaica.	Jamaica.	1818.	5. 9.	S. h.	—
TETRAPTERIS. DC.	TETRAPTERIS.	Decandria Trigynia.	L.	—	—	—
1 buxifolia. DC.	Box-leaved.	St. Domingo.	5. 8.	S. h.	Cav. dis. 9. t. 262. f. 1.
2 citrifolia. DC.	Citron-leaved.	Jamaica.	1819.	—	S. h.	— 9. t. 260.
BANISTERIA. DC.	BANISTERIA.	Decandria Trigynia.	L.	—	—	—
1 auriculata. DC.	eared.	Brazil.	1818.	S. h.	Cav. dis. 9. t. 255.
2 ciliata. DC.	ciliated.	—	1796.	S. h.	— 9. t. 254.
3 splendens. DC.	shining.	S. Amer.	1812.	S. h.	— 9. t. 253.
<i>heterophylla. w. fulgens. cav.</i>	—	—	—	—	—	—
4 sericea. DC.	silky.	Brazil.	1810.	S. h.	— 9. t. 258.
5 tomentosa. DC.	woolly-leaved.	Antilles.	1818.	5. 8.	S. h.	—
6 ferruginea. DC.	ferruginous.	Brazil.	—	S. h.	Cav. dis. 9. t. 248.
7 periplocæfolia. DC.	Periploca-leav ^d	Porto Rico.	—	S. h.	—
8? laurifolia. DC.	Laurel-leaved.	Jamaica.	1733.	7. 8.	S. h.	—
9 fulgens. DC.	fulgent.	W. Indies.	1759.	S. h.	—
10 ovata. DC.	oval-leaved.	St. Domingo.	1819.	S. h.	Vent. choix. t. 51. A.
HETEROPTERIS. DC.	HETEROPTERIS.	Decandria Trigynia.	L.	—	—	—
1 purpurea. DC.	purple.	W. Indies.	1759.	S. h.	Cav. dis. 9. t. 246. f. 1.
2 parvifolia. DC.	small-leaved.	St. Thomas.	1822.	S. h.	Vent. choix. t. 51.
3 brachiata. DC.	cross-branched.	S. Amer.	1759.	S. h.	—
4 chrysophylla. DC.	Star-apple-ld.	Brazil.	1793.	S. h.	Jacq. schœn. 1. t. 105.
5 cœrulea. DC.	blue-flowered.	W. Indies.	1822.	S. h.	Cav. dis. 9. t. 243.
6 nitida. DC.	glossy.	S. Amer.	1809.	S. h.	— 9. t. 244.
7 appendiculata. DC.	long-pointed.	W. Indies.	1823.	S. h.	—

ORDO XLI.

ACERINEÆ. DC. *prodr.* 1. p. 593.

ACER. DC.	MAPLE. Polygamia Monœcia. L.	—	—	—	—	—
1 oblongum.	oblong-leaved.	Nepaul.	1820.	H. h.	—
2 tataricum. DC.	Tartarian.	Tartary.	1759.	5. 6.	H. h.	Pall. fl. ros. t. 3.
3 striatum. DC.	striped-barked.	N. Amer.	1755.	5. 6.	H. h.	Mich. f. arb. 2. t. 17.
<i>pensylvanicum. L.</i>	—	—	—	—	—	—
4 Pseudo-Platanus.	DC. Sycamore.	Britain.	4. 5.	H. h.	Eng. bot. 303.
<i>β variegatum.</i>	<i>variegated.</i>	—	—	H. h.	Duham. arb. 1. t. 36.
<i>γ subobtusum. DC.</i>	<i>blunt-leaved.</i>	—	—	H. h.	—
5 spicatum. DC.	mountain.	N. Amer.	1750.	—	H. h.	Schm. arb. 1. t. 11.
<i>montanum. H. K.</i>	—	—	—	—	—	—
6 hybridum. DC.	hybrid.	Hybrid.	—	H. h.	—
7 campestre. DC.	common.	Britain.	5. 6.	H. h.	Eng. bot. 304.
8 austriacum. L. en.	Austrian.	Austria.	—	H. h.	Tratt. arch. 1. n. 6. ic.
9 Opalus. W.	Italian.	Italy.	1752.	—	H. h.	—
10 opalifolium. L. en.	Opalus-leaved.	S. Europe.	—	H. h.	Tratt. arch. 1. n. 13. ic.
11 obtusatum. DC.	Hungarian.	Hungary.	1818.	—	H. h.	— 1. n. 14. ic.
12 creticum. DC.	Cretan.	Levant.	1752.	—	H. h.	— 1. n. 19. ic.
13 monspessulanum. DC.	Montpelier.	France.	1739.	5.	H. h.	— 1. n. 20. ic.
14 heterophyllum. DC.	evergreen.	Levant.	1759.	5. 6.	H. h.	Willd. arb. 10. t. 1. f. 1.
15 barbatum. DC.	bearded.	N. Amer.	1812.	4. 5.	H. h.	—
16 platanoides. DC.	Norway.	Europe.	1683.	5. 7.	H. h.	Schm. arb. 1. t. 3. 4.
<i>β laciniatum.</i>	<i>cut-leaved.</i>	—	—	—	H. h.	— 1. t. 5.
17 saccharinum. DC.	Sugar.	N. Amer.	1735.	4. 5.	H. h.	Mich. f. arb. 2. t. 15.
18 nigrum. DC.	black-sugar.	—	1812.	—	H. h.	— 2. t. 16.
19 niocarpum. DC.	Sir C. Wager's.	—	1725.	—	H. h.	— 2. t. 13.
<i>dasycarpum. W.</i>	—	—	—	—	—	—
20 rubrum. DC.	red-flowered.	—	1656.	—	H. h.	— 2. t. 14.
21 palmatum. DC.	palmate.	China.	1820.	H. h.	Tratt. arch. 1. n. 17. ic.
NEGUNDO. DC.	NEGUNDO. Diccia Pentandria.	—	—	—	—	—
fraxinifolium. DC.	Ash-leaved.	N. Amer.	1688.	4.	H. h.	Mich. f. arb. 2. t. 16.
<i>Acer Negundo. L.</i>	—	—	—	—	—	—

ORDO XLII.

HIPPOCASTANÆ. DC. *prod.* 1. p. 597.

ÆSCULUS. DC.		HORSE-CHESTNUT. Heptandria Monogynia. L.			
1	Hippocastanum. DC. common.	Asia.	1629.	4. 5.	H. h. Schm. arb. 1. t. 38.
	<i>β variegata.</i>	<i>striped-leaved.</i>			
2	rubicunda. DC.	red-flowered.	5. 6.	H. h. Herb. amat. t. 367.
3	glabra. DC.	smooth-leaved.	N. Amer. 1812.	—	H. h.
4	ohioensis. DC.	Ohio.	—	1818.	— H. h.
5	pallida. DC.	pale-flowered.	—	1812.	6. H. h.
PAVIA.		SMOOTH-CHESTNUT. Heptandria Monogynia. L.			
1	macrostachya. DC.	long-spiked.	N. Amer. 1786.	7. 8.	H. h. Jacq. ecl. 1. t. 9.
	<i>Æsculus parviflora.</i> H. K.				
2	rubra. DC.	red-flowered.	N. Amer. 1711.	5. 6.	H. h. Duham. arb. 2. t. 19.
	<i>Æsculus Pavia.</i> L.				
3	hybrida. DC.	variegated-fl.	—	1812.	— H. h.
4	discolor.	dwarf.	—	—	H. h. Bot. reg. 310.
	<i>Æsculus discolor.</i> Ph.	<i>non hybrida.</i> DC.			
5	flava. DC.	yellow-flowered	—	1764.	— H. h. Schmid. arb. 1. t. 40.

ORDO XLIII.

RHIZOBOLEÆ. DC. *prodr.* 1. p. 599.

CARYOCAR. DC.		CARYOCAR. Polyandria Tetragynia.			
1	glabrum. DC.	smooth-leaved.	Guiana. 1820.	S. h. Aub. gui. 2. t. 240.
2	tomentosum. DC.	woolly-leaved.	—	S. h. ——— 1. t. 239.

ORDO XLIV.

SAPINDACEÆ. DC. *prodr.* 1. p. 601.

Tribus I. PAULLINIÆ. DC.

CARDIOSPERMUM. L. HEART-SEED. Octandria Trigynia. L.					
1	Halicacabum. DC.	smooth-leaved.	India. 1594.	6. 8.	S. ⊙ Bot. mag. 1049.
2	grandiflorum. DC.	large-flowered.	Jamaica. 1823.	S. h. ∪
3	coluteoides. DC.	Colutea-like.	Caracas. —	S. ∪ ∪
4	Corindum. L.	Parsley-leaved.	Brazil. 1750.	7. 8.	S. ⊙
5	pubescens. DC.	pubescent.	N. Spain. 1820.	—	S. h. ∪
URVILLÆA. Kth. URVILLÆA. Octandria Monogynia.					
	ulmacea. Kth.	Elm-leaved.	Caracas. 1823.	S. h. ∪ H. et B. n. gen. 5. t. 440.
SERIANA. Kth. SERIANA. Octandria Trigynia. L.					
1	sinuata. DC.	sinuate-leaved.	S. Amer.	7. 9.	S. h. ∪ Sch. ac. hafn. 3. t. 12. f. 1.
2	divaricata. DC.	divaricate.	W. Indies. 1823.	S. h. ∪ ——— t. 12. f. 2.
3	caracasana. DC.	tooth-leaved.	Caracas. 1816.	7. 9.	S. h. ∪ Jacq. schœn. 1. t. 99.
4	triternata. DC.	Supple-Jack.	W. Indies. 1739.	S. h. ∪ Jacq. obs. 3. t. 61. f. 10.
	<i>Paullinia polyphylla.</i> L.				
PAULLINIA. DC. PAULLINIA. Octandria Trigynia. L.					
1	pinnata. DC.	winged-leaved.	S. Amer. 1752.	7. 9.	S. h. ∪ Jacq. obs. 3. t. 62. f. 12.

2	Vespertilio. DC.	Bat-winged.	W. Indies.	1823.	—	S. h.	Sch. act. hafn. 3. t. 11. f. 1.
3	meliaefolia. DC.	Melia-leaved.	Brazil.	1818.	—	S. h.	Hook. ex. flor. 110.
4	curassavica. DC.	shining-leaved.	S. Amer.	1739.	6. 8.	S. h.	Jacq. obs. 3. t. 61. f. 1.
5	barbadensis. DC.	Barbadoes.	W. Indies.	1786.	S. h.	— 3. t. 61. f. 9.
6	caribæa. DC.	Caribbean.	Caribees.	S. h.	Jacq. obs. 3. t. 62. f. 7.
7	hispidia. DC.	hispid.	Caracas.	1823.	S. h.	Jacq. schæn. 3. t. 268.
8	cauliflora. DC.	stem-flowering.	—	—	6. 8.	S. h.	Jacq. ic. rar. 3. t. 450.

Tribus II. *SAPINDEÆ*. DC.

SAPINDUS. DC.		SOAP-BERRY.	Octandria Trigynia. L.				
1	Saponaria. DC.	common.	W. Indies.	1697.	7. 9.	S. h.	Comm. hert. 1. t. 94.
2	marginatus. DC.	marginated.	Carolina.	—	G. h.	
3	rigidus. DC.	Ash-leaved.	S. Amer.	1759.	—	S. h.	Pluk. alm. t. 217. f. 7.
4	senegalensis. DC.	Senegal.	Senegal.	1823.	S. h.	
5	laurifolius. DC.	Laurel-leaved.	E. Indies.	1818.	S. h.	Rheed. mal. 4. t. 19.
6	longifolius. DC.	long-leaved.	—	—	S. h.	
7	emarginatus. DC.	emarginate.	—	1820.	S. h.	
8	rubiginosus. DC.	rusty-leaved.	—	—	S. h.	Roxb. cor. 1. t. 62.
9?	indicus. DC.	various-leaved.	—	—	S. h.	
BLIGHIA. DC.		AKEE-TREE.	Octandria Monogynia.				
	sapida. DC.	Ash-leaved.	Africa.	1723.	S. h.	Koen. an. bot. 2. t. 16. 17.
MATAYBA. DC.		MATAYBA.	Octandria Monogynia.				
	guianensis. DC.	Ash-leaved.	Guiana.	1803.	7. 9.	S. h.	Aub. gui. 1. t. 128.
	<i>Ephelis fraxinea.</i> W.						
SCHMIDELIA. DC.		SCHMIDELIA.	Octandria Monogynia. L.				
1	serrata. DC.	saw-leaved.	E. Indies.	1804.	6. 8.	S. h.	Roxb. cor. 1. t. 61.
	<i>Ornitrophe serrata.</i> W.						
2	racemosa. DC.	clustered.	—	1818.	S. h.	Burm. ind. t. 32. f. 1.
3	Cominia. DC.	yellow-berried.	Jamaica.	1759.	6. 9.	S. h.	Sloan. h. 2. t. 208. f. 1.
	<i>Ornitrophe Cominia.</i> W.	<i>Rhus Cominia.</i> L.					
EUPHORIA. DC.		EUPHORIA.	Octandria Monogynia. L.				
1	Litchi. DC.	Lee-Chee.	China.	1786.	5. 6.	S. h.	Lam. ill. t. 306.
	<i>Dimocarpus Litchi.</i> W.	<i>Scytalia chinensis.</i> G. fr. t. 42. f. 3.					
2	Longana. DC.	loose-panicled.	—	—	—	S. h.	Bnchoz. ic. col. t. 99.
3	Nephelium. DC.	Rambootan.	E. Indies.	1809.	S. h.	Lam. ill. t. 764.
	<i>Nephelium lappaceum.</i> W.	<i>Scytalia Rambootan.</i> H. B.					
CUPANIA. DC.		CUPANIA.	Octandria Monogynia.				
1	tomentosa. DC.	woolly-leaved.	W. Indies.	1818.	5. 7.	S. h.	
	<i>Trigonis tomentosa.</i> Jacq. am. 102.						
2	glabra. DC.	smooth-leaved.	—	—	—	S. h.	
3	Saponaria. DC.	Soap-wort-ld.	—	1820.	S. h.	
MOLINÆA. J.		MOLINÆA.	Octandria Monogynia.				
	canescens. H. B.	canescent.	E. Indies.	1817.	5. 6.	S. h.	
COSSIGNIA. DC.		COSSIGNIA.	Hexandria Monogynia.				
	borbonica. DC.	golden-leaved.	Bourbon.	1811.	S. h.	Lam. ill. t. 256.
	<i>pinnata.</i> Lam.	<i>Ruizia aurea.</i> Hort.					
MELICOCCA. DC.		HONEY-BERRY.	Octandria Monogynia. L.				
1	bijuga. DC.	winged-leaved.	Jamaica.	1778.	S. h.	Jacq. amer. 103. t. 72.
2	olivæformis. DC.	large-leaved.	S. Amer.	1818.	S. h.	

Tribus III. *DODONÆACEÆ*. DC.

KOELREUTERIA. DC.		KOELREUTERIA.	Octandria Monogynia. L.				
	paniculata. DC.	panicled.	China.	1763.	7. 8.	H. h.	Bot. reg. 320.
DODONÆA. DC.		DODONÆA.	Octandria Monogynia. L.				
1	viscosa. DC.	clammy.	S. Amer.	1690.	6. 7.	S. h.	Plum. ic. t. 247. f. 2.
2	jamaicensis. DC.	Jamaica.	Jamaica.	—	—	S. h.	Cav. ic. t. 327.
	<i>viscosa.</i> Cav.	<i>angustifolia.</i> Sw.					
3	Burmänniana. DC.	Burman's.	E. Indies.	1758.	5. 8.	S. h.	Burm. zeyl. t. 23.
	<i>angustifolia.</i> H. B.						
4	microcarpa. DC.	small-fruited.	Bourbon.	1818.	—	S. h.	Lam. ill. t. 304. f. 2.

5 salicifolia. DC.	Willow-leaved.	C. B. S.	1758.	—	G. h.	
<i>angustifolia</i> . Lam.						
6 dioica. DC.	dioecious.	Et Indies.	—	S. h.	
7 triquetra. DC.	three-sided.	N. S. W.	1790.	6. 8.	G. h.	Bot. rep. 230.
8 oblongifolia. L.en.	oblong-leaved.	—	—	—	G. h.	
9 cuneata. DC.	wedge-leaved.	—	—	—	G. h.	Linn. trans. 11. t. 19.
10 asplenifolia. DC.	Asplenium-ld.	—	—	—	G. h.	— 11. t. 20.
11 filiformis. DC.	slender-leaved.	—	1820.	—	G. h.	
12 angustissima. DC.	narrow-leaved.	—	—	—	G. h.	
13 elæagnoides. DC.	scaly-leaved.	W. Indies.	1819.	S. h.	
14? pinnata. DC.	winged-leaved.	N. S. W.	1810.	G. h.	

ORDO XLV.

MELIACEÆ. DC. *prodr.* 1. p. 619.

Tribus I. MELIÆ. DC.

TURRÆA. DC.	TURRÆA.	Decandria Monogynia.	L.			
1 virens. DC.	green.	E. Indies.	1822.	S. h.	Sm. ic. ined. 1. t. 10.
2 rigida. DC.	rigid.	Mauritius.	1820.	S. h.	Vent. choix. t. 48.
QUIVISIA. DC.	QUIVISIA.	Octandria Monogynia.				
heterophylla. DC.	various-leaved.	Mauritius.	1821.	S. h.	Cav. dis. 7. t. 213.
SANDORICUM. DC.	SANDORICUM.	Decandria Monogynia.				
indicum. DC.	Indian.	E. Indies.	1818.	S. h.	Cav. dis. 7. t. 202, 203.
MELIA. DC.	BEAD-TREE.	Decandria Monogynia.	L.			
1 Azedarach. DC.	common.	Syria.	1656.	6. 8.	G. h.	Bot. mag. 1066.
2 superba. H.B.	superb.	E. Indies.	1821.	1. 2.	S. h.	
3 robusta. H.B.	robust.	—	—	S. h.	
4 sempervirens. DC.	evergreen.	Jamaica.	1656.	6. 9.	S. h.	Bot. reg. 643.
5 composita. DC.	compound-ld.	E. Indies.	1818.	1. 3.	S. h.	
6 Azadirachta. DC.	Ash-leaved.	—	1759.	6. 8.	S. h.	Cav. dis. 7. t. 208.

Tribus II. TRICHILIÆ. DC.

TRICHILIA. DC.	TRICHILIA.	Decandria Monogynia.	L.			
1 hirta. DC.	hairy.	Jamaica.	1820.	6. 7.	S. h.	Sloan. h. 2. t. 220. f. 1.
2 spondioides. DC.	Spondias-like.	—	—	—	S. h.	Jacq. schœn. 1. t. 102.
3 havanensis. DC.	smooth.	W. Indies.	1791.	—	S. h.	Jacq. amer. t. 175. f. 38.
<i>glabra</i> . L.						
4 odorata. A.R.	sweet-scented.	—	1801.	—	S. h.	Bot. rep. 637.
5 glandulosa. DC.	glandular.	N. S. W.	1821.	G. h.	
EKEBERGIA. DC.	EKEBERGIA.	Decandria Monogynia.				
capensis. DC.	Cape.	C. B. S.	1789.	7. 8.	G. h.	Lam. ill. t. 358.
GUAREA. DC.	GUAREA.	Octandria Monogynia.	L.			
1 trichilioides. L.	Ash-leaved.	S. Amer.	1752.	5. 6.	S. h.	Jacq. am. t. 176. f. 37.
<i>grandifolia</i> . DC.	<i>Melia Guara</i> . Jacq.					
2 Swartzii.	Swartz's.	W. Indies.	1822.	S. h.	Sloan. h. 2. t. 170. f. 1.
<i>trichilioides</i> . Sw.						
3 ramiflora. DC.	branch-flow'r'd.	Porto Rico.	—	S. h.	Vent. choix. t. 41.
HEYNEA. DC.	HEYNEA.	Decandria Monogynia.				
1 trijuga. DC.	Walnut-like.	Nepaul.	1812.	9.	S. h.	Bot. mag. 1738.
2 quinquejuga. H.B.	five-paired.	Moluccas.	1821.	S. h.	

Tribus III. CEDRELEÆ. DC.

CEDRELA. DC.	BASTARD CEDAR. Pentandria Monogynia. L.			
1 odorata. DC.	fragrant. W. Indies. 1739. 7. 9. S. h.	Lam. ill. t. 137.		
2 Toona. DC.	Nepaul. Nepaul. 1821. S. h.	Roxb. cor. 3. t. 238.		
3 velutina. DC.	velvetty. S. h.			
SWIETENIA. DC.	MAHOGANY-TREE. Decandria Monogynia. L.			
1 Mahagoni. DC.	common. W. Indies. 1734. S. h.	Cav. dis. 7. t. 209.		
2 febrifuga. DC.	Febrifuge. E. Indies. 1796. S. h.	Roxb. cor. 1. t. 17.		
CHLOROXYLON. DC.	CHLOROXYLON. Decandria Monogynia.			
Swietenia. DC.	Satin-wood. E. Indies. 1822. S. h.	Roxb. cor. 1. t. 64.		
<i>Swietenia chloroxylon.</i> Roxb.				
FLINDERSIA. DC.	FLINDERSIA. Decandria Monogynia.			
australis. DC.	New Holland. N. Holland. 1821. G. h.	Brown gen. rem. t. 1.		
CARAPA. DC.	CARAPA. Decandria Monogynia.			
1 proccra. DC.	tall. W. Indies. S. h.			
2 guineensis.	glossy-leaved. Sierra Leon. 1793. S. h.			
<i>Azelia splendens.</i> Hort.				

ORDO XLVI.

AMPELIDEÆ. DC. *prodr.* 1. p. 627.

Tribus I. VINIFERÆ seu SARMENTACEÆ. DC.

CISSUS. DC.	CISSUS. Tetrandia Monogynia. L.			
1 vitiginea. DC.	vine-leaved. India. 1772. 7. 8. S. h.	Pluk. mant. t. 337. f. 4.		
2 adnata. DC.	pointed-leaved. E. Indies. 1818. — S. h.			
3 glauca. DC.	glaucous. ——— S. h.			
4 repens. DC.	creeping. ——— 1821. S. h.	Rheed. mal. 7. t. 48.		
5 punctinosa. DC.	strumons. Cayenne. 1818. S. h.			
6 quadrangularis. DC.	square-stalked. E. Indies. 1790. S. h.	Rumph. amb. 5. t. 44. f. 2.		
7 sicyoides. DC.	naked-leaved. Jamaica. 1768. 7. 8. S. h.	Jacq. amer. 22. t. 15.		
8 ovata. DC.	oval-leaved. ——— 1822. S. h.	Brown. jam. t. 4. f. 1. 2.		
9 antarctica. DC.	Kanguru-Vine. N. S. W. 1790. 6. 8. G. h.	Bot. mag. 2488.		
10 capensis. DC.	Cape. C. B. S. 1792. — G. h.			
11 acida. DC.	acid. Jamaica. 1692. — S. h.	Jacq. schœn. 1. t. 33.		
12 carnosata. DC.	flat-stemmed. E. Indies. 1818. S. h.	Rheed. mal. 7. t. 9.		
13 trifoliata. DC.	three-leaved. Jamaica. 1739. 6. 8. S. h.	Sloan. jam. t. 142. f. 5. 6?		
14 alata. DC.	winged-stalk'd. ——— S. h.	——— 1. t. 144.		
15 angustifolia. DC.	narrow-leaved. E. Indies. 1818. S. h.			
16 quinata. DC.	wedge-leaved. C. B. S. 1790. 7. G. h.			
17 pentaphylla. DC.	Japan. Japan. — 4. 9. G. h.			
18 quinquefolia. B.M.	five-leaved. Brazil. — 8. 9. S. h.	Bot. mag. 2443.		
19 diversifolia. DC.	various-leaved. S. h.			
<i>heterophylla.</i> L. en. non DC.				
20 elongata. DC.	long-branched. E. Indies. 1818. S. h.			
21 auriculata. DC.	ear-stipuled. ——— S. h.			
22 orientalis. DC.	oriental. Levant. — 6. 8. G. h.			
AMPELOPSIS. DC.	AMPELOPSIS. Pentandria Monogynia. L.			
1 cordata. DC.	heart-leaved. N. Amer. 1803. 6. 8. H. h.			
<i>Cissus Ampelopsis.</i> P. S.				
2 hederacea. DC.	Virginian creeper. ——— 1629. — H. h.	Com. canad. t. 100.		
<i>Hedera quinquefolia.</i> L. <i>Cissus hederacea.</i> P. S.				
3 hirsuta. DC.	hairy. ——— 1806. — H. h.			
4 bipinnata. DC.	Pepper Vine. ——— 1700. 7. 9. H. h.	Pluk. mant. t. 412. f. 2.		
<i>Vitis arborea.</i> W. <i>Cissus stans.</i> P. S.				
VITIS. DC.	VINE. Pentandria Monogynia. L.			
1 vinifera. DC.	common Grape. Asia. 6. 7. H. h.	Jacq. ic. 1. t. 50.		

2	laciniosa. DC.	Parsley-leaved.	1648.	—	H. h. (.)	Schm. ic. 34. t. 8.
3	dentata. DC.	toothed.	1818.	H. h. (.)	
4	Wallichii. DC.	Wallich's.	Nepaul.	—	H. h. (.)	
5	indica. DC.	Indian.	E. Indies.	1692.	S. h. (.)	Rheed. mal. 7. t. 6.
6	caribæa. DC.	West Indian.	W. Indies.	S. h. (.)	Sloan. his. 2. t. 210. f. 1.
7	Labrusca. DC.	downy-leaved.	N. Amer.	1656.	5. 6.	H. h. (.)	Jacq. schœn. t. 426.
8	blanda.	white-berried.	—	—	—	H. h. (.)	
9	æstivalis. DC.	Fox Grape.	—	—	—	H. h. (.)	Jacq. schœn. t. 425.
	<i>vulpina.</i> W.						
10	cordifolia. DC.	Winter Grape.	—	1806.	H. h. (.)	— t. 427.
	<i>incisa.</i> Jacq.						
11	riparia. DC.	sweet-scented.	—	—	5. 6.	H. h. (.)	Bot. mag. 2429.
12	rotundifolia. DC.	Bullet Grape.	—	—	—	H. h. (.)	

Tribus II. *LEEACEÆ.* DC.

LEEÆ. DC.	LEEÆ. Pentandria Monogynia. L.						
1	sambucina. DC.	Elder-leaved.	E. Indies.	1790.	S. h.	Cav. dis. 7. t. 218.
2	crispa. DC.	fringe-stalked.	C. B. S.	1676.	8. 10.	S. h.	Bot. rep. t. 355.
	<i>pinnata.</i> A.R.						
3	æquata. DC.	round-stalked.	E. Indies.	1777.	S. h.	
4	hirta. DC.	hairy.	—	1816.	S. h.	
5	robusta. H.B.	robust.	—	1820.	S. h.	
6	macrophylla. DC.	large-leaved.	—	—	S. h.	

ORDO XLVII.

GERANIACEÆ. DC. *prodr.* 1. p. 637.

Tribus I. *GERANIEÆ.* S.G. 1. p. VII.

SARCOCAULON. DC.	SARCOCAULON. Monadelphia Dodecandria.						
1	L'Heritieri.	L. Heritier's.	C. B. S.	1790.	5. 6.	G. h.	L. Herit. ger. t. 42.
	<i>Monsonia L'Heritieri.</i> DC. <i>Monsonia spinosa.</i> L. Her.						
2	Burmanni. DC.	Burman's.	—	—	7.	G. h.	Burm. afr. t. 31.
	<i>Geranium spinosum.</i> Cav. dis. 4. t. 75. f. 2.						
MONSONIA. S.G.	MONSONIA. Monadelphia Dodecandria.						
1	ovata. DC.	oval-leaved.	C. B. S.	1774.	8.	G. ♂.	Cav. dis. 4. t. 113. f. 1.
2	lobata. DC.	broad-leaved.	—	—	4. 5.	G. ♀.	Sweet ger. 3. t. 273.
3	pilosa. W.en.	hairy.	—	1778.	7. 8.	G. ♀.	Sweet ger. 2. t. 199.
	<i>filia.</i> A.R. 276. <i>nec aliorum.</i>						
4	speciosa. L.	large-flowered.	—	1774.	4. 5.	G. ♀.	
	<i>a rubra.</i>	<i>red-flowered.</i>	—	—	12. 2.	G. ♀.	Bot. mag. 73.
	<i>β pallida.</i>	<i>pale-flowered.</i>	—	—	4. 5.	G. ♀.	Sweet ger. 1. t. 77.
GERANIUM. DC.	CRANES-BILL. Monadelphia Decandria.						
1	sibiricum. DC.	Siberian.	Siberia.	1758.	6. 7.	H. ♀.	Jacq. vind. 1. t. 19.
2	sanguineum. DC.	bloody.	Britain.	6. 9.	H. ♀.	Eng. bot. 272.
3	prostratum. L.en.	Lancashire.	—	—	—	H. ♀.	Cav. dis. 4. t. 76. f. 3.
4	multifidum. S.G.	multifid.	C. B. S.	1817.	—	G. ♀.	Sweet ger. 3. t. 245.
5	incanum. DC.	hoary.	—	1701.	5. 7.	G. ♀.	Cav. dis. 4. t. 82. f. 2.
6	canescens. DC.	silky-leaved.	—	1787.	—	G. ♀.	L. Herit. ger. t. 38.
7	argenteum. DC.	silvery-leaved.	S. Europe.	1699.	6. 7.	H. ♀.	Sweet ger. 1. t. 59.
8	cinereum. DC.	grey.	Pyrenees.	6. 8.	H. ♀.	Cav. dis. 4. t. 89. f. 1.
	<i>varium.</i> L'Her. ger. t. 37.						
9	anemonefolium. DC.	Anemone-ld.	Canaries.	1778.	5. 8.	G. h.	Sweet ger. 3. t. 244.
10	macrorhizon. DC.	long-rooted.	Italy.	1576.	5. 6.	H. ♀.	Sweet ger. 3. t. 271.
11	tuberosum. DC.	tuberous-root'd.	—	1596.	5. 8.	H. ♀.	Sweet ger. 2. t. 155.
12	ibericum. DC.	Iberian.	Iberia.	1802.	6. 9.	H. ♀.	— I. t. 84.
13	nodosum. DC.	knotted.	England.	5. 10.	H. ♀.	Eng. bot. 1091.

14	angulatum. DC.	angular-stalk'd.	1789.	5. 6.	H. ½.	Bot. mag. 203.
15	Wallichianum. S.G.	Wallich's.	Nepaul.	1820.	6. 10.	H. ½.	Sweet ger. 1. t. 90.
16	Vlassovianum. DC.	Vlassof's.	Siberia.	—	5. 8.	H. ½.	— 3. t. 228.
17	striatum. DC.	streaked.	Italy.	1629.	5. 10.	H. ½.	Bot. mag. 55.
18	reflexum. DC.	reflex-flower'd.	—	1758.	5. 6.	H. ½.	Cav. dis. 4. t. 81. f. 1.
19	phæum. DC.	dusky.	England.	4. 6.	H. ½.	Eng. bot. 322.
20	fuscum. W.	brown.	S. Europe.	1759.	7.	H. ½.	—
21	lividum. W.	wrinkle-leaved.	Switzerland.	1775.	6. 7.	H. ½.	Sweet ger. 3. t. 268.
22	eristemon. DC.	woolly-stamen'd	Dahuria.	1822.	7. 9.	H. ½.	—
	<i>a cæruleum. S.G.</i>	<i>bright blue.</i>	—	—	—	H. ½.	Swt. ger. 2. t. 197. f. a.
	<i>β pallidum. S.G.</i>	<i>pale blue.</i>	Nepaul.	—	—	H. ½.	— 2. t. 197. f. b.
23	sylvaticum. DC.	wood.	Britain.	5. 6.	H. ½.	Eng. bot. 121.
24	batrachoides. L.en.	hairy.	Enrope.	—	H. ½.	Cav. dis. 4. t. 85. f. 1.
25	pratense. DC.	Crowfoot-leav'd	Britain.	5. 7.	H. ½.	Eng. bot. 404.
	<i>a cæruleum.</i>	<i>blue-flowered.</i>	—	—	—	H. ½.	—
	<i>β variegatum.</i>	<i>variegated.</i>	—	—	—	H. ½.	—
	<i>γ album.</i>	<i>white-flowered.</i>	—	—	—	H. ½.	—
	<i>δ flore pleno.</i>	<i>double-blue.</i>	—	—	—	H. ½.	—
26	longipes. DC.	long-peduncled.	1824.	—	H. ½.	—
	<i>Loudesii. L.en.</i>	—	—	—	—	—	—
27	maculatum. DC.	spotted.	N. Amer.	1732.	5. 8.	H. ½.	Sweet ger. 3. t.
28	collinum. DC.	hill.	Tauria.	1815.	—	H. ½.	—
29	palustre. DC.	marsh.	Europe.	1732.	—	H. ½.	Sweet ger. 1. t. 3.
30	aconitifolium. DC.	Aconite-leaved.	Switzerland.	1775.	5. 6.	H. ½.	L. Herit. ger. t. 40.
31	pilosum. DC.	pointed anth'r'd	N. Zealand.	1821.	5. 8.	H. ½.	Sweet ger. 2. t. 119.
32	parviflorum. DC.	small-flowered.	Van Diem.	1816.	5. 8.	G. ½.	—
33	nepalense. S.G.	Nepaul.	Nepaul.	1819.	—	H. ½.	Sweet ger. 1. t. 12.
34	cristatum. DC.	crested.	Iberia.	1823.	—	H. ½.	Stev. m. mosc. 4. t. 5.
	<i>album. M.B.</i>	—	—	—	—	—	—
35	pyrenaicum. DC.	mountain.	Britain.	—	H. ½.	Eng. bot. 405.
36	umbrosum. P.S.	naked-stalked.	Hungary.	1804.	6. 9.	H. ½.	W.etKit.hung.2.t.124.
37	molle. DC.	Dove's-foot.	Britain.	4. 8.	H. ⊙.	Eng. bot. 778.
38	pusillum. DC.	small-flowered.	England.	6. 9.	H. ⊙.	— 385.
39	rotundifolium. DC.	round-leaved.	—	6. 7.	H. ⊙.	— 157.
40	columbinum. DC.	long-stalked.	Britain.	—	H. ⊙.	— 259.
41	dissectum. DC.	jagged-leaved.	—	5. 7.	H. ⊙.	— 753.
42	carolinianum. DC.	veined petaled.	N. Amer.	1725.	7. 8.	H. ⊙.	Cav. dis. 4. t. 84. f. 1.
43	lanuginosum. W.en.	woolly.	—	—	H. ⊙.	Jacq. schœn. 2. t. 140.
44	villosum. DC.	villous.	Naples.	1824.	—	H. ⊙.	—
45	bohemicum. DC.	Bohemian.	Bohemia.	1683.	6. 8.	H. ⊙.	Sweet ger. t.
46	divaricatum. DC.	straddling.	Hungary.	1799.	7. 8.	H. ⊙.	W.etKit.hung.2.t.123.
47	lucidum. DC.	shining.	Britain.	5. 8.	H. ⊙.	Eng. bot. 75.
48	Briceanum.	Miss Brice's.	Bristol.	4. 10.	H. ⊙.	—
49	Robertianum. DC.	Herb-Robert.	Britain.	—	H. ⊙.	Eng. bot. 1486.
50	purpureum. W.	purple.	—	—	H. ⊙.	Vill. danph. 3. t. 40.
ERODIUM. DC.		HERON'S-BILL.		Monadelphia Pentandria.			
1	petraeum. DC.	rock.	S. Europe.	1640.	6. 7.	H. ½.	Gouan. ill. t. 21. f. 1.
2	glandulosum. DC.	glandulous.	Spain.	1798.	—	H. ½.	Cav. dis. 5. t. 125. f. 2.
3	Stephanianum. DC.	multifid.	Dahuria.	1820.	—	H. ½.	—
4	alpinum. DC.	Alpine.	Italy.	1814.	5. 8.	H. ½.	L'Herit. ger. t. 3.
5	crassifolium. DC.	thick-leaved.	Cyprus.	1788.	3. 8.	G. ½.	Sweet ger. 2. t. 111.
6	laciniatum. DC.	lacinated.	Crete.	1794.	5. 8.	G. ½.	Cav. dis. 4. t. 113. f. 3.
7	hirtum. DC.	hairy.	Egypt.	1823.	—	G. ½.	Jacq. f. ecl. 1. t. 58.
8	Ciconium. DC.	long-beaked.	S. Europe.	1711.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 18.
9	ciutarium. E.B.	Hemlock-leav'd	Britain.	4. 9.	H. ⊙.	Eng. bot. 1768.
10	pimpinellæfolium.	Pimpinella'd.	Europe.	1823.	—	H. ⊙.	Cav. dis. 4. t. 95. f. 2.
11	bipinnatum. W.	Numidian.	Numidia.	1803.	5. 6.	H. ♂.	— 5. t. 126. f. 3.
12	romanum. W.	Roman.	Rome.	1721.	—	H. ½.	Bot. mag. 377.
13	caucalisfolium. S.G.	Canealis-leaved	S. Europe.	1816.	6. 8.	H. ½.	Sweet ger. t. 6.
14	moschatum. DC.	musky.	England.	5. 7.	H. ⊙.	Eng. bot. 902.
15	botrys. DC.	large-blue.	Italy.	1819.	—	H. ⊙.	Cav. dis. 4. t. 90. f. 2.
16	murcicum. DC.	small-blue.	Murcia.	—	—	H. ⊙.	— 5. t. 126. f. 1.
17	grninum. DC.	broad-leaved.	Crete.	1596.	6. 7.	H. ⊙.	— 4. t. 88. f. 2.
18	serotinum. DC.	late-flowering.	Tyre.	1816.	6. 9.	H. ½.	Stev.m.ac.P.3.t.15.f.2.
	<i>multicaule. S.G. t. 137.</i>	—	—	—	—	—	—
19	chium. DC.	Levant.	Levant.	1721.	6. 7.	H. ⊙.	Cav. dis. 4. t. 92. f. 1.
20	hymenodes. DC.	three-leaved.	Barbary.	1789.	1. 12.	H. ½.	Sweet ger. 1. t. 23.
21	Gussonii. S.G.	Gussone's.	Naples.	1822.	5. 8.	H. ½.	— 2. t. 200.
22	malachoides. DC.	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. ⊙.	Cav. dis. 4. t. 91. f. 1.

23	ribifolium, w.	Currant-leaved.	C. B. S.	6. 8.	H. ☉.	Jacq. ic. rar. 3. t. 509.
24	incarnatum, DC.	flesh-coloured.	-----	1787.	5. 7.	G. ♀.	Sweet ger. 1. t. 94.
25	glaucophyllum, DC.	glaucous-leaved	Egypt.	1732.	7. 8.	H. ♀.	Cav. dis. 4. t. 92. f. 2.
26	malpoides, DC.	velvety-leaved.	Sicily.	1818.	5. 8.	H. ♀.	----- 4. t. 90. f. 1.
27	littoreum, DC.	smooth.	Narbonne.	-----	-----	H. ♀.	-----
28	maritimum, DC.	sea-side.	England.	5. 9.	H. ♀.	Eng. bot. 646.
29	Reichardi, DC.	dwarf.	Minorca.	1783.	4. 9.	H. ♀.	Bot. mag. 18.
	<i>chamærdioides</i> , w.	<i>Geranium Reichardi</i> .	B.M.				

Tribus II. *GRIELEÆ*. S. G. p. VII.

GRIELUM, W.		GRIELUM. Decandria Pentagynia.					
1	tennifolium, w.	large-flowered.	C. B. S.	1790.	4. 6.	G. ♀.	Sweet ger. 2. t. 171.
2	laciniatum, G.	jagged-leaved.	-----	1825.	G. ♀.	-----

Tribus III. *PELARGONIEÆ*. S. G. p. VIII.

PHYMATANTHUS, S. G.		WART-FLOWER. Monadelphia Pentandria.					
1	tricolor, s. G.	three-coloured.	C. B. S.	1791.	6. 10.	G. ♀.	Sweet ger. 1. t. 43.
	<i>Pelargonium tricolor</i> .		B.M. 240.				
2	elatus, s. G.	tall.	-----	1795.	-----	G. ♀.	----- 1. t. 96.
3	villosum,	villous.	Hybrid.	1823.	-----	G. ♀.	-----
4	grandiflorum,	large-flowered.	-----	-----	-----	G. ♀.	-----
5	latifolium, c. C.	broad-leaved.	-----	-----	-----	G. ♀.	-----
CAMPYLIA, S. G.		CAMPYLIA. Monadelphia Pentandria.					
1	carinata, s. G.	keeled-stipuled.	C. B. S.	1810.	4. 9.	G. ♀.	Sweet ger. 1. t. 21.
2	variegata, s. G.	variegated-fl'd.	Hybrid.	1823.	-----	G. ♀.	----- 3. t. 266.
3	holosericea, s. G.	silky-leaved.	-----	1820.	-----	G. ♀.	----- 1. t. 75.
4	blattaria, s. G.	downy-leaved.	C. B. S.	1790.	6. 9.	G. ♀.	----- 1. t. 88.
5	elegans, s. G.	elegant.	Hybrid.	1822.	-----	G. ♀.	----- 3. t. 222.
6	verbasciflora, s. G.	Mullein-fl'd.	C. B. S.	1811.	-----	G. ♀.	----- 2. t. 157.
7	cana, s. G.	hoary-leaved.	-----	1794.	7. 12.	G. ♀.	----- 2. t. 114.
8	eriosomon, s. G.	velvet-leaved.	-----	-----	3. 6.	G. ♀.	Jacq. schön. 2. t. 132.
	<i>Pelargonium eriosomon</i> .		Jacq.				
9	coronopifolia.	Buck's-horn-l'd.	-----	1791.	6. 10.	G. ♀.	Jacq. ic. rar. 3. t. 526.
10*	œnotheræ.	œnothera-like.	-----	1812.	4. 8.	G. ♀.	----- 3. t. 525.
	<i>Pelargonium œnotheræ</i> .		Jacq.				
OTIDIA, S. G.		OTIDIA. Monadelphia Pentandria.					
1	carnea, s. G.	fleshy-stalked.	C. B. S.	1724.	6. 8.	G. ♀.	Sweet ger. 1. t. 98.
2	ceratophylla, s. G.	horn-leaved.	Africa.	1786.	5. 7.	G. ♀.	Bot. mag. 315.
	<i>Pelargonium ceratophyllum</i> .		B.M.				
3	dasycaulon, s. G.	thick-stemmed.	Africa.	1795.	7. 12.	G. ♀.	Bot. mag. 2029.
4	laxa, s. G.	loose-panicked.	C. B. S.	1821.	6. 9.	G. ♀.	Sweet ger. 2. t. 196.
5	erithimifolia, s. G.	Samphire-l'd.	-----	1790.	4. 9.	G. ♀.	Smith ic. pict. 1. t. 13.
6	alternans, s. G.	Parsley-leaved.	-----	1791.	5. 8.	G. ♀.	Wend. h. her. 1. t. 10.
GRENVILLEA, S. G.		GRENVILLEA. Monadelphia Tetrandia.					
	conspicua.	conspicuous.	Africa.	1810.	7. 11.	G. ♀.	Sweet ger. 3. t. 262. f. 2.
	<i>Geranium Grenvilleæ</i> .		A. G. c. ic.				
HOAREA, S. G.		HOAREA. Monadelphia Pentandria.					
1	violæflora, s. G.	white violet-fl'd.	C. B. S.	1821.	5. 8.	G. ♀.	Sweet ger. 2. t. 123.
2	nivea, s. G.	snowy white.	-----	-----	-----	G. ♀.	----- 2. t. 182.
3	bubonifolia, †	Bubon-leaved.	-----	1800.	3. 7.	G. ♀.	And. bot. rep. 328.
4	Leeana, s. G.	Mr. Lee's.	-----	1823.	6. 8.	G. ♀.	Sweet ger. 3. t.
5	laciniata, †	jag-leaved.	-----	1800.	5. 6.	G. ♀.	And. bot. rep. 131.
6	penniformis, †	winged.	-----	-----	-----	G. ♀.	----- 269.
7	purpurascens, †	purplish.	-----	-----	-----	G. ♀.	----- 204.
8	incrassata, †	fleshy-leaved.	-----	1801.	6. 7.	G. ♀.	Bot. mag. 761.
9	carinata, s. G.	boat-flowered.	-----	1812.	5. 8.	G. ♀.	Sweet ger. 2. t. 135.
10	cordydaliflora, s. G.	Fumitory-fl'd.	-----	-----	-----	G. ♀.	----- 1. t. 18.
11	rapacea.	Turnep-rooted.	-----	1788.	4. 6.	G. ♀.	Bot. rep. 239.
	<i>Geranium Selinum</i> .		A. R.				

Those marked thus (†) are only known to us by Andrews's Figures.

12	setosa. s.g.	bristle-pointed.	————	1818.	4. 8.	G. 7.	Sweet ger. 1. t. 38.
13	pilosa.	hairy.	————	1801.	5. 7.	G. 7.	And. bot. rep. 259.
	<i>Geranium pilosum.</i>	<i>var.</i> 1. A.G. ic.					
14	bicolor.	two-coloured.	————	—	3. 8.	G. 7.	Andr. geran. c. ic.
	<i>Geranium pilosum.</i>	<i>var.</i> 2. A.G. ic.					
15	blanda.	blushflowered.	————	—	—	G. 7.	Andr. geran. c. ic.
	<i>Geranium pilosum.</i>	<i>var.</i> 3. A.G. ic.					
16	selinifolia. s.g.	Milk-parsley-ld	Hybrid.	1821.	—	G. 7.	Sweet ger. 2. t. 159.
17	radicata. s.g.	fleshy-fringed-ld	C. B. S.	1802.	5. 8.	G. 7.	— 1. t. 174.
18	ciliata.	ciliated.	————	1795.	4. 6.	G. 7.	L'Herit. ger. t. 7.
19	auriculata.	ear-leaved.	————	—	G. 7.	Jacq. ic. rar. 3. t. 519.
	<i>Pelargonium ciliatum.</i>	Jacq.					
20	ovalifolia. s.g.	oval-leaved.	————	1820.	4. 8.	G. 7.	Sweet ger. 2. t. 106.
21	reticulata. s.g.	netted-petaled.	————	—	—	G. 7.	— 1. t. 91.
22	longifolia.	long-leaved.	————	1812.	5. 6.	G. 7.	Jacq. ic rar. 3. t. 518.
23	longiflora.	long-flowered.	————	—	5. 8.	G. 7.	— 3. t. 521.
24	depressa.	depressed.	————	—	—	G. 7.	— 3. t. 520.
25	nervifolia.	nerved-leaved.	————	—	5. 8.	G. 7.	— 3. t. 517.
26	triphylla.	three-leaved.	————	—	—	G. 7.	— 3. t. 515.
27	lutea. †	small yellow.	————	1800.	5. 8.	G. 7.	And. bot. rep. t. 123.
28	nummularifolia.	money-wort-ld	————	1801.	5. 8.	G. 7.	Sal. par. lond. t. 23.
29	integrifolia. c.c.	entire-leaved.	Hybrid.	1821.	4. 8.	G. 7.	
30	fuscata. c.c.	brown-flowered	————	—	—	G. 7.	
31	nigricans. c.c.	blackish.	————	1822.	—	G. 7.	
32	magica. c.c.	dark-flowered.	————	—	—	G. 7.	
33	atra. s.g.	dark brown.	C. B. S.	1793.	—	G. 7.	Sweet ger. 1. t. 72.
34	dioica. c.c.	diœcions.	————	1795.	6. 8.	G. 7.	And. bot. rep. 209.
	<i>Geranium melananthum.</i>	A.R.					
35	undulæflora. s.g.	waved-petaled.	C. B. S.	1821.	4. 8.	G. 7.	Sweet ger. 3. t. 263.
36	melanantha. s.g.	black-flowered.	————	1790.	—	G. 7.	— 1. t. 73.
37	varia. s.g.	various-leaved.	Hybrid.	1821.	—	G. 7.	— 2. t. 166.
38	Colvillii. s.g.	Colvill's.	————	1823.	—	G. 7.	— 3. t. 260.
39	Jenkinsoni. c.c.	Jenkinson's.	————	—	—	G. 7.	
40	diluta.	diluted.	————	1821.	—	G. 7.	
41	replicata.	replicate.	————	—	—	G. 7.	
42	rubescens.	reddish.	————	—	—	G. 7.	
43	intermixta.	intermixed.	————	1822.	—	G. 7.	
44	capitata.	headed.	————	—	—	G. 7.	
45	superba.	superb.	————	—	—	G. 7.	
46	villosa.	villous.	————	1821.	—	G. 7.	
47	ungiculata.	clawed.	————	—	5. 8.	G. 7.	
48	tennifolia.	slender-leaved.	————	—	—	G. 7.	
49	marginata.	marginated.	————	1823.	—	G. 7.	
50	atrosanguinea. s.g.	dark-crimson.	————	1822.	4. 8.	G. 7.	Sweet ger. 2. t. 151.
51	elegans. s.g.	elegant.	————	—	—	G. 7.	— 2. t. 132.
	<i>Pelargonium Sweetianum.</i>	DC.					
52	coccinea. s.g.	scarlet.	————	—	—	G. 7.	
53	recurviflora.	recurv'd-petal'd	————	1821.	—	G. 7.	
54	sanguinolenta.	bloody-flower'd	————	1823.	—	G. 7.	
55	pulchella.	neat.	————	—	—	G. 7.	
56	amœna.	delightful.	————	—	—	G. 7.	
57	patens.	spreading.	————	1822.	—	G. 7.	
58	lilacina.	Lilac-coloured.	————	—	—	G. 7.	
59	venosa. s.g.	veined-petaled.	————	1823.	—	G. 7.	Sweet ger. 3. t. 209.
60	literata.	lettered.	————	—	—	G. 7.	
61	labyrinthica. s.g.	labyrinth-ld	————	—	—	G. 7.	Sweet ger. 3. t. 276.
62	rosea. s.g.	rose-coloured.	C. B. S.	1792.	—	G. 7.	Sweet ger. 3. t. 262. f. t.
	<i>Geranium roseum.</i>	A.R. 173. <i>Pelargonium condensatum.</i>	P.S.				
63	hedysarifolia. s.g.	Hedysarum-ld.	Hybrid.	1823.	—	G. 7.	Sweet ger. t.
64	galegifolia.	Galega-leaved.	————	—	—	G. 7.	
65	sisymbriifolia. s.g.	Water-rocket-ld.	————	—	—	G. 7.	Sweet ger. t.
66	hirsuta.	various-ld hairy.	C. B. S.	1788.	3. 5.	G. 7.	Cav. dis. 4. t. 101. f. 2.
DIMACRIA. S.G. DIMACRIA. Monadelphia Pentandria.							
1	pinnata. s.g.	wing-leaved.	C. B. S.	1779.	4. 6.	G. 7.	Sweet ger. 1. t. 46.
	<i>Pelargonium viciaefolium.</i>	DC.					
2	bipartita. s.g.	forked-leaved.	Hybrid.	1821.	4. 8.	G. 7.	— 2. t. 142.
3	foliolosa. s.g.	leafy.	C. B. S.	1800.	—	G. 7.	And. bot. rep. 311.
	<i>Geranium pinnatum.</i>	A.R.					
4	astragalifolia. s.g.	Astragalus-ld.	————	1788.	6. 8.	G. 7.	Sweet ger. 2. t. 103.

5	tenella.†	slender.	————	1802.	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium tenellum.</i>	A.G.					
6	imbata.	stained-petaled.	Hybrid.	1822.	4. 8.	G. 4.	
7	fulgens. c.c.	shining-scarlet.	————	1821.	—	G. 4.	
8	Andrewsii.†	Andrews's.	C. B. S.	1802.	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium heterophyllum.</i>	A.G. non Jacq.					
9	elegans. s.G.	elegant.	Hybrid.	1822.	—	G. 4.	Sweet ger. 3. t. 202.
10	coronillæfolia.†	Coronilla-leav'd	C. B. S.	1795.	6. 7.	G. 4.	And. bot. rep. 305.
11	apiifolia.†	Parsley-leaved.	————	1802.	4. 8.	G. 4.	Andr. geran. c. ic.
	<i>Geranium apiifolium.</i>	A.G. non Jacq.					
12	sulphurea. s.G.	sulphur-color'd.	Hybrid.	1821.	—	G. 4.	Sweet ger. 2. t. 163.
13	carnea.	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 4.	Jacq. ic. rar. 3. t. 512.
14	floribunda.†	many-flowered.	————	1795.	3. 5.	G. 4.	And. bot. rep. 420.
15	fissifolia.†	cloven-leaved.	————	—	4. 8.	G. 4.	———— 378.
16	barbata.†	bearded.	————	1790.	5. 8.	G. 4.	———— 303.
17	recurvata.†	recurved.	————	—	—	G. 4.	———— 323.
	<i>Geranium barbatum.</i>	v. minor. A.R.					
18	aristata.†	awned.	————	—	—	G. 4.	———— 366.
	<i>Geranium barbatum.</i>	v. undulatum. A.R.					
19	revoluta.†	revolute.	————	1800.	7. 8.	G. 4.	———— 354.
20	oxalidifolia.†	Oxalis-leaved.	————	1801.	5. 8.	G. 4.	———— 300.
21	reflexa.†	reflex-leaved.	————	1800.	6. 7.	G. 4.	———— 224.
22	undulata.†	wave-flowered.	————	1795.	5. 7.	G. 4.	———— 292.
23	spathulata.†	spatula-leaved.	————	—	4. 6.	G. 4.	———— 152.
24	affinis.†	fring'd-spat.-ld.	————	—	—	G. 4.	———— 282.
25	virginæa.†	virgin.	————	—	5. 7.	G. 4.	———— 317.
26	radiata.†	ray-leaved.	————	1801.	6. 8.	G. 4.	———— 222.
27	linearis.†	linear-petaled.	————	1800.	—	G. 4.	———— 193.
28	punctata.†	dotted-flowered	————	1794.	4. 6.	G. 4.	———— 60.
SEYMOURIA. S.G.			SEYMOURIA.	Monadelphia		Pentandria.	
1	asarifolia. s.G.	Asarum-leaved.	C. B. S.	1821.	11. 2.	G. 4.	Sweet ger. 3. t. 206.
2	L'Heritierii. s.G.	L'Heritier's.	————	1795.	4. 5.	G. 4.	L'Herit. ger. t. 43.
	<i>Pelargonium dipetalum.</i>	L'Her.					
PELARGONIUM. S.G.			STORK'S-BILL.	Monadelphia		Heptandria.	
1	amœnum. s.G.	delightful.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 121.
2	dimacriæflorum. s.G.	Dimaeria-fl'd.	————	1822.	—	G. 4.	———— 3. t. 220.
3	ringens. s.G.	ringent-flow'r'd	————	—	—	G. 4.	———— 3. t. 256.
4	concaavam. s.G.	concave-petal'd	————	—	—	G. 4.	———— 3. t. 237.
5	hoaræflorum. s.G.	Hoarea-fl'd.	————	1821.	—	G. 4.	———— 2. t. 133.
6	clausum. c.c.	closed-petaled.	————	1822.	—	G. 4.	————
7	patens. s.G.	spreading-fl'd.	————	1820.	—	G. 4.	Sweet ger. 2. t. 125.
8	cruentum. s.G.	blood-red.	————	1822.	—	G. 4.	———— 2. t. 170.
9	aulicum.	courtly.	————	1823.	5. 10.	G. 4.	————
10	Avronianum. s.G.	Avron's.	————	—	—	G. 4.	Sweet ger. 3. t.
11	concretum. c.c.	intermixed.	————	1822.	4. 8.	G. 4.	————
12	punicinum. c.c.	puniceous.	————	—	—	G. 4.	————
13	pusillum. c.c.	dwarf.	————	1823.	—	G. 4.	————
14	pygmæum. c.c.	small.	————	—	5. 8.	G. 4.	————
15	venulosum.	veined-petaled.	————	1821.	—	G. 4.	————
16	intertextum. s.G.	interwoven.	————	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 185.
17	acidum. s.G.	sour-leaved.	————	1823.	5. 9.	G. 4.	———— 3. t. 261.
18	pallens. s.G.	cream coloured.	C. B. S.	1800.	—	G. 4.	———— 2. t. 148.
19	caryophyllaceum.	Clove-scented.	Hybrid.	1822.	—	G. 4.	————
20	paradoxum.	paradoxical.	————	—	—	G. 4.	————
21	multiradiatum. s.G.	many-rayed.	C. B. S.	1818.	6. 10.	G. 4.	Sweet ger. 2. t. 145.
22	sphondyliifolium. s.G.	Sphondylium-ld	Hybrid.	1822.	4. 8.	G. 4.	———— 3. t. 246.
23	cherophyllum. s.G.	Cow-Parsley-ld	————	—	—	G. 4.	———— 3. t. 257.
24	nitidum.	glossy.	————	—	—	G. 4.	————
25	sanguineum. s.G.	crimson.	C. B. S?	1819.	—	G. 4.	Sweet ger. 1. t. 76.
26	ardens. s.G.	glowing.	Hybrid.	1810.	3. 8.	G. 4.	———— 1. t. 45.
27	confertifolium.	close-leaved.	————	—	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium ardens minor.</i>	A.G.					
28	pulchellum. B.M.	nonesuch.	C. B. S.	1795.	3. 5.	G. 4.	Sweet ger. 1. t. 31.
29	jonquillinum. s.G.	Jonquil-scent'd	Hybrid.	1822.	5. 10.	G. 4.	———— 3. t. 241.
30	selectum. s.G.	select.	————	1822.	—	G. 4.	———— 2. t. 190.
31	imbricatum. s.G.	imbricate-pet'd.	C. B. S?	1800.	5. 8.	G. 4.	———— 1. t. 65.
32	bicolor. s.G.	two-coloured.	————	1778.	7. 8.	G. 4.	Bot. mag. 201.
	<i>α atrum.</i>	s.G. dark-edged.	————	—	—	G. 4.	Sweet ger. 1. t. 97. f. 1.
	<i>β pallidum.</i>	s.G. pale-edged.	————	—	—	G. 4.	———— 1. t. 97. f. 2.

33	quinquevulnerum. DC.	dark-fl'd.	Hybrid.	1796.	5. 10.	G. h̄.	Sweet ger. 2. t. 161.
34	Blandfordianum. S.G.	hoary-leaved.	—	1812.	1. 12.	G. h̄.	— 2. t. 101.
35	millefoliatum. S.G.	Milfoil-leaved.	C. B. S.	1819.	6. 10.	G. 2.	— 3. t. 230.
36	flavum. DC.	pale yellow.	—	1721.	7. 9.	G. 2.	— 3. t. 254.
37	scabridum. C.C.	rough-edged.	—	1822.	—	G. 2.	—
38	triste. DC.	night-smelling.	—	1632.	5. 10.	G. 2.	Delann. h. am. t. 27.
39	filipendulifolium. S.G.	Dropwort-l'd.	—	1812.	—	G. 2.	Sweet ger. 1. t. 85.
40	heracleifolium. S.G.	Heracleum-l'd.	—	1820.	—	G. 2.	— 3. t. 211.
41	lobatum. DC.	Cow-parsnep-l'd.	—	1710.	—	G. 2.	— 1. t. 51.
42	orbiculatum.	orbicular-l'd.	Hybrid.	1823.	—	G. 2.	—
43	pulverulentum. S.G.	powdered-l'd.	C. B. S.	1822.	—	G. 2.	Sweet ger. 3. t. 218.
44	pedicellatum. S.G.	long-pedicled.	—	—	—	G. 2.	— 3. t. 250.
45	luridum. S.G.	lurid.	—	1811.	7. 12.	G. 2.	— 3. t. 281.
	<i>Geranium luridum.</i> A.G. ic.						
46	rapaeifolium.	Turnep-leaved.	Hybrid.	1821.	5. 10.	G. 2.	—
47	glaucofolium. S.G.	Glaucium-l'd.	—	—	—	G. h̄.	Sweet ger. 2. t. 179.
48	gibbosum. DC.	knotted-stalk'd.	C. B. S.	1712.	—	G. h̄.	— 1. t. 61.
49	mutabile. S.G.	changeable-col'd.	Hybrid.	1822.	7. 10.	G. h̄.	— 3. t. 213.
50	vespertinum. S.G.	evening-scent'd.	—	—	8. 12.	G. h̄.	— 3. t. 239.
51	sinapifolium.	Mustard-leav'd.	Hybrid.	—	6. 10.	G. h̄.	—
52	brassicatum.	Cabbage-leav'd	—	—	—	G. h̄.	—
53	adscendens.	ascending.	—	—	—	G. h̄.	—
54	circumflexum.	bending.	—	—	—	G. h̄.	—
55	campylæflorum. S.G.	Campylia-fl'd.	—	1823.	—	G. h̄.	Sweet ger. 3. t. 251.
56	reniforme. DC.	kidney-leaved.	C. B. S.	1791.	1. 12.	G. h̄.	— 1. t. 48.
57	flexuosum. S.G.	bent-stalked.	Hybrid.	1821.	3. 10.	G. h̄.	— 2. t. 180.
58	sapefloreus. S.G.	frequent-flow'rg	—	1801.	—	G. h̄.	— 1. t. 48.
59	comptum. S.G.	decked.	—	1821.	—	G. h̄.	— 3. t. 255.
60	echinatum. DC.	prickly-stalked.	C. B. S.	1789.	6. 10.	G. h̄.	— 1. t. 54.
61	armatum. S.G.	long-spined.	—	—	3. 6.	G. h̄.	— 3. t. 214.
62	intermedium. C.C.	intermediate.	Hybrid.	1821.	6. 10.	G. h̄.	—
63	particeps. S.G.	participant.	—	1806.	5. 10.	G. h̄.	Sweet ger. 1. t. 49.
64	cortusæfolium. DC.	Cortusa-leaved.	Africa.	1786.	6. 10.	G. h̄.	— 1. t. 14.
65	erectum. S.G.	upright.	Hybrid.	1822.	—	G. h̄.	— 2. t. 187.
66	Stapletoni. S.G.	MissStapleton's	—	—	—	G. h̄.	— 2. t. 212.
67	crassicaule. S.G.	Crowslip-scent'd	Africa.	1786.	—	G. h̄.	L'Herit. ger. t. 26.
	<i>α album.</i> S.G.	<i>white-flowered.</i>	—	—	—	G. h̄.	Sweet ger. 2. t. 192. f. a.
	<i>β maculatum.</i> S.G.	<i>spotted-flowered.</i>	—	—	—	G. h̄.	— 2. t. 192. f. b.
68	anomalum.	anomalous.	Hybrid.	1822.	4. 8.	G. h̄.	—
69	tennifolium. DC.	slender-leaved.	C. B. S.	1768.	5. 7.	G. h̄.	L'Herit. ger. t. 12.
70	hirtum. DC.	hairy.	—	—	3. 9.	G. h̄.	Sweet ger. 2. t. 113.
71	anthriscifolium. S.G.	Anthriscus-l'd.	Hybrid.	1823.	7. 9.	G. h̄.	— 3. t. 233.
72	fulgidum. DC.	Celandine-l'd.	C. B. S.	1723.	3. 10.	G. h̄.	— 1. t. 69.
73	aurantiacum. S.G.	orange-colour'd	Hybrid.	1821.	4. 8.	G. h̄.	— 1. t. 198.
	<i>α undulatum.</i> S.G.	<i>wave-leaved.</i>	—	—	—	G. h̄.	— 2. t. 198. f. a.
	<i>β planifolium.</i> S.G.	<i>flat-leaved.</i>	—	—	—	G. h̄.	— 2. t. 198. f. b.
74	ardescens. S.G.	burnished.	—	1822.	—	G. h̄.	— 3. t. 231.
75	torrefactum. S.G.	burnt-petaled.	—	—	—	G. h̄.	— 3. t. 243.
76	Potteri. S.G.	Potter's.	—	—	6. 9.	G. h̄.	— 2. t. 147.
77	luculentum.	bright-flower'd.	—	—	—	G. h̄.	—
78	dilectum.	chosen.	—	—	4. 8.	G. h̄.	—
79	nanum. S.G.	pigny.	—	1820.	—	G. h̄.	Sweet ger. 2. t. 102.
80	incurvum. S.G.	incurved-petald	—	1821.	—	G. h̄.	— 3. t. 249.
81	ignescens. S.G.	fiery-flowered.	—	1812.	—	G. h̄.	— 1. t. 2. & 55.
	<i>α major.</i>	<i>large-flowered.</i>	—	1818.	—	G. h̄.	— 1. t. 2.
	<i>β coccineum.</i>	<i>scarlet-flowered.</i>	—	1822.	—	G. h̄.	—
	<i>γ splendens.</i>	<i>splendid.</i>	—	—	—	G. h̄.	—
	<i>δ superbum.</i>	<i>superb.</i>	—	—	—	G. h̄.	—
	<i>ε sterile.</i> S.G.	<i>barren-anthered.</i>	—	1812.	—	G. h̄.	Sweet ger. 1. t. 55.
82	laxiflorum. S.G.	spreads-umb'd.	—	1822.	—	G. h̄.	— 3. t. 216.
83	floccosum. S.G.	nappy.	—	1821.	—	G. h̄.	— 2. t. 129.
84	rubicundum.	rubicund.	—	1822.	—	G. h̄.	—
85	hæmanthum.	blood-coloured.	—	1823.	—	G. h̄.	—
86	multiflorum.	many-flowered.	—	—	—	G. h̄.	—
87	exile.	thin-branched.	—	1822.	—	G. h̄.	—
88	gracilescens.	slender-stalked.	—	—	—	G. h̄.	—
89	splendidum.	splendid.	—	—	—	G. h̄.	—
90	consimile.	likened.	—	1822.	—	G. h̄.	—
91	Broughtoniæ. S.G.	LadyBroughton's	—	—	—	G. h̄.	Sweet ger. 2. t. 181.

92	Bakerianum, s.g.	Mrs. Jenkinson's	————	————	G. h.	Sweet ger. 3. t. 240.
93	rubescens, s.g.	Lady Liverpool's	————	1819.	G. h.	———— 1. t. 30.
94	Boscawenæ, c.c.	Mrs. Boscawen's	————	————	G. h.	————
95	pavoninum, s.g.	peacock-spott'd	————	————	G. h.	Sweet ger. 1. t. 40.
96	carnescens.	pale red.	————	1822.	G. h.	————
97	Smithii, s.g.	Smith's.	————	1819.	G. h.	Sweet ger. 2. t. 110.
98	spectabile, s.g.	showy.	————	1821.	G. h.	———— 2. t. 136.
	<i>a maculatum, s.g.</i>	<i>spot-flowered.</i>	————	————	G. h.	———— 2. t. 136. f. 1.
	<i>β atrorubens, s.g.</i>	<i>dark-red.</i>	————	————	G. h.	————
	<i>γ striatum, s.g.</i>	<i>streak-flowered.</i>	————	————	G. h.	———— 2. t. 136. f. 2.
	<i>δ recurvum, s.g.</i>	<i>recurved-petaled.</i>	————	————	G. h.	———— 2. t. 136. f. 3.
	<i>ε purpurascens.</i>	<i>purplish.</i>	————	————	G. h.	————
99	Tibbittianum.	Mr. Tibbitts'.	————	————	G. h.	Sweet ger. 2. t. 158.
100	eriphorum.	wool-bearing.	————	1823.	G. h.	————
101	irregularè.	irregular-ld.	————	————	G. h.	————
102	flammeum, c.c.	flame-coloured.	————	1822.	G. h.	————
103	affine, c.c.	related.	————	————	G. h.	Sweet ger. 3. t. 277.
104	Colvillii, s.g.	Colvill's.	————	1820.	G. h.	Sweet ger. 1. t. 86.
105	Valleti, c.c.	Vallet's.	————	1822.	G. h.	————
106	incomparabile.	incomparable.	————	————	G. h.	————
107	heteromallum.	soft-leaved.	————	1823.	G. h.	————
108	hibiscifolium.	Hibiscus-ld.	————	————	G. h.	————
109	atrorubens, c.c.	dark-red.	————	1822.	G. h.	————
110	Allenii, s.g.	Allen's.	————	1823.	G. h.	Sweet ger. 3. t. 229.
111	Daveyanum, s.g.	Davey's.	————	1819.	G. h.	———— 1. t. 32.
112	phœniceum, s.g.	reddish purple.	————	1824. 4. 12.	G. h.	———— 3. t. 207.
113	calycinum, s.g.	large-calyxed.	————	1815. 4. 10.	G. h.	———— 1. t. 81.
	<i>a verum, s.g.</i>	<i>true.</i>	————	————	G. h.	———— 1. t. 81. f. a.
	<i>β maculatum, s.g.</i>	<i>large-spotted.</i>	————	1820.	G. h.	———— 1. t. 81. f. b.
	<i>γ angulatum, s.g.</i>	<i>angular-leaved.</i>	————	————	G. h.	———— 1. t. 81. f. c.
114	planiflorum, c.c.	flat-flowered.	————	————	G. h.	————
115	Dennisianum, s.g.	Dennis's.	————	1819.	G. h.	Sweet ger. 1. t. 20.
116	Barringtonii, DC.	Barrington's.	C. B. S.	G. h.	————
117	elatum, c.c.	tall purple.	Hybrid.	1812.	G. h.	————
118	Tornanni, L.en.	Torman's.	————	1821.	G. h.	————
119	Chandleri, c.c.	Chandler's.	————	1814.	G. h.	————
120	crenulatum, s.g.	crenulate-leav'd	————	1821.	G. h.	Sweet ger. 2. t. 162.
121	Robinsoni, s.g.	Robinson's.	————	1822.	G. h.	———— 2. t. 150.
122	Mostynæ, s.g.	Mrs. Mostyn's.	————	1816.	G. h.	———— 1. t. 10.
123	ucculatum, DC.	hooded-leaved.	C. B. S.	1690.	G. h.	Cav. dis. 4. t. 106. f. 1.
	<i>β striatiflorum.</i>	<i>Prince Regent.</i>	————	1810.	G. h.	————
	<i>γ major, c.c.</i>	<i>Royal George.</i>	————	1812.	G. h.	————
	<i>δ grandiflorum, c.c.</i>	<i>great-flowered.</i>	————	1818.	G. h.	————
	<i>ε parvifolium, c.c.</i>	<i>smaller-leaved.</i>	————	————	G. h.	————
124	cochleatum, W.en.	concave-leaved.	————	G. h.	Wendl. col. 2. t. 64.
	<i>concaivifolium, Wendl.</i>	————	————	————	G. h.	———— 2. t. 54.
125	rubens, W.en.	red-flowered.	————	G. h.	————
126	robustum, c.c.	robust.	Hybrid.	1821.	G. h.	————
127	angulosum, DC.	Marshmallow-l.	C. B. S.	1724. 7. 9.	G. h.	Cav. dis. 4. t. 112. f. 2.
128	cardiifolium, s.g.	Cockle-shell-ld.	————	1816. 4. 9.	G. h.	Sweet ger. 1. t. 15.
129	fasciculatum, c.c.	Banbury.	Hybrid.	1803. 5. 10.	G. h.	Andr. geran. c. ic.
	<i>Geranium speciosum, var. flore purpureo.</i>	<i>A.G.</i>	————	————	G. h.	————
130	rugosum, c.c.	wrinkled-ld.	C. B. S.	G. h.	Andr. geran. c. ic.
131	speciosum, DC.	specious.	————	1794.	G. h.	————
132	formosum, s.g.	variegated-fl'd.	Hybrid.	G. h.	Sweet ger. 2. t. 120.
133	solubile, s.g.	dissolvable-col'd	————	1818.	G. h.	———— 1. t. 24.
134	multinerve, s.g.	many-nerved.	————	————	G. h.	———— 1. t. 17.
135	tyrianthinum, s.g.	royal purple.	————	1820.	G. h.	———— 2. t. 183.
136	æmulum, s.g.	rival.	————	————	G. h.	———— 2. t. 160.
137	accedens, c.c.	approached.	————	————	G. h.	————
138	villosum, s.g.	villous.	————	————	G. h.	Sweet ger. 1. t. 100.
139	floridum, s.g.	abundant-fl'd.	————	1816. 6. 10.	G. h.	———— 1. t. 41.
140	pulchrum, s.g.	gay.	————	1820. 5. 10.	G. h.	———— 2. t. 107.
141	Watsoni, s.g.	Watson's.	————	1812. 7. 11.	G. h.	———— 2. t. 130.
142	fusculorum, s.g.	brown-marked.	————	1822. 4. 10.	G. h.	———— 3. t. 210.
	<i>fuscatum, s.g. errata.</i>	————	————	————	G. h.	————
143	coarctatum, s.g.	close-leaved.	————	1814. 6. 10.	G. h.	———— 1. t. 70.
144	paucidentatum, s.g.	distant-toothed.	————	1821. 5. 10.	G. h.	———— 2. t. 156.

145	nervosum. s.G.	prominent-nerv'd	-----	1818.	---	G. h.	Sweet ger. 1. t. 47.
146	exornatum.	adorned.	-----	1823.	---	G. h.	
147	Youngii. s.G.	Young's.	-----	1820.	---	G. h.	----- 2. t. 131.
148	Jenkinsoni. s.G.	Mr. Jenkinson's	-----	---	---	G. h.	----- 2. t. 154.
149	Brownii. s.G.	Brown's.	-----	---	---	G. h.	----- 2. t. 146.
150	difforme. s.G.	various-leaved.	-----	---	---	G. h.	----- 2. t. 105.
151	involuturatum. s.G.	large-bracted.	-----	---	G. h.	
	<i>a maximum.</i> s.G.	largest-flowered.	-----	1818.	---	G. h.	----- 1. t. 33.
	<i>β albidum.</i> s.G.	white-flowered.	-----	1817.	---	G. h.	
	<i>γ incarnatum.</i> s.G.	commander in chief	-----	1815.	---	G. h.	
	<i>δ intermedium.</i> s.G.	high-admiral.	-----	1817.	---	G. h.	
	<i>ε lilacinum.</i> s.G.	Lilac-coloured.	-----	---	---	G. h.	
	<i>ζ roseum.</i> s.G.	rosy-coloured.	-----	---	---	G. h.	
	<i>η coriaceum.</i> C.C.	lathery.	-----	1820.	---	G. h.	
	<i>θ maculatum.</i> C.C.	coronation.	-----	---	---	G. h.	
152	Baileyanum. s.G.	Bailey's.	-----	1819.	---	G. h.	Sweet ger. 1. t. 87.
153	Josephinae. Lee.	Josephine's.	-----	1822.	---	G. h.	
154	formosissimum. s.G.	superb-white.	C. B. S.	1794.	---	G. h.	Sweet ger. 3. t. 215.
	<i>a album.</i> s.G.	white-flowered.	-----	---	---	G. h.	----- 3. t. 215. f. a.
	<i>β lineatum.</i> s.G.	lined-flowered.	-----	---	---	G. h.	----- 3. t. 215. f. b.
155	Boyleæ. s.G.	C. of Cork's.	Hybrid.	1818.	---	G. h.	Sweet ger. 1. t. 50.
156	pannifolium. s.G.	cloth-leaved.	-----	---	---	G. h.	----- 1. t. 9.
157	candidum. s.G.	fair-flowered.	-----	---	---	G. h.	----- 2. t. 128.
158	blandum. s.G.	blush-flowered.	-----	1816.	---	G. h.	----- 1. t. 4.
159	aceroides. s.G.	Acer-leaved.	-----	1822.	---	G. h.	----- 3. t. 242.
160	Gardneriæ. C.C.	Lady Gardner's.	-----	1817.	---	G. h.	
161	interlitum.	interlined.	-----	---	---	G. h.	
162	lividum.	livid marked.	-----	---	---	G. h.	
163	ramulosum. s.G.	small-branch'd.	-----	1820.	---	G. h.	Sweet ger. 2. t. 177.
164	maculatum.	spot-flowered.	C. B. S.	1805.	---	G. h.	Andr. ger. c. ic.
165	Hammersleia. s.G.	Mrs Hammersley's.	Hybrid.	1822.	---	G. h.	Sweet ger. 3. t. 225.
166	pulcherrimum. s.G.	beautiful.	-----	1819.	---	G. h.	----- 2. t. 134.
167	sidaefolium. W.en.	Sida-leaved.	-----	---	G. h.	
168	acerifolium. DC.	Maple-leaved.	C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
169	cuneatum. DC.	wedge-leaved.	Hybrid.	5. 8.	G. h.	
170	Balbisanum. DC.	Balbis's.	-----	---	G. h.	
171	gloriosum. L.en.	renowned.	-----	---	G. h.	
172	Beaufortianum. s.G.	Beaufort's.	C. B. S.?	---	G. h.	Sweet ger. 2. t. 138.
173	principiæ. s.G.	P. Charlotte's.	-----	1810.	5. 10.	G. h.	----- 2. t. 139.
174	purpureum.	purple-flowered	-----	1800.	---	G. h.	Andr. geran. c. ic.
175	versicolor. s.G.	various-colour'd	Hybrid.	1819.	---	G. h.	Sweet ger. 1. t. 78.
176	pectinifolium. s.G.	Scallop-shell-ld.	-----	1820.	---	G. h.	----- 1. t. 66.
177	Thynneæ. s.G.	Lady Bath's.	-----	1815.	---	G. h.	----- 1. t. 74.
178	obtusifolium. s.G.	blunt-leaved.	-----	---	---	G. h.	----- 1. t. 25.
179	Beadoniæ. s.G.	Mrs. Beadon's.	-----	---	---	G. h.	----- 2. t. 191.
180	adulterinum. DC.	hoary trifid-ld.	-----	1785.	4. 6.	G. h.	----- 1. t. 22.
181	obtusilobum. s.G.	blunt-lobed.	-----	1806.	5. 10.	G. h.	----- 1. t. 8.
182	Comptoniæ. s.G.	L. Northampton's	-----	1818.	---	G. h.	----- 2. t. 122.
183	affluens. s.G.	numerous-fl'd.	-----	1821.	---	G. h.	----- 2. t. 194.
184	Saundersii. s.G.	Saunders's.	-----	---	---	G. h.	----- 3. t. 205.
185	atropurpureum. s.G.	dark purple.	-----	1822.	---	G. h.	----- 2. t. 152.
186	coruscans. s.G.	glittering.	-----	1821.	---	G. h.	----- 2. t. 173.
187	concinnum. s.G.	comely.	-----	1819.	---	G. h.	----- 2. t. 108.
188	Seymouriæ. s.G.	Mrs. Seymour's.	-----	---	---	G. h.	----- 1. t. 37.
189	Lousadianum. s.G.	Miss Lousada's.	-----	---	---	G. h.	----- 1. t. 44.
190	lepidum. s.G.	pretty.	-----	1822.	---	G. h.	----- 2. t. 156.
191	inscriptum. s.G.	scribbled.	-----	---	---	G. h.	----- 2. t. 193.
192	labyrinthicum.	labyrinth-mark'd.	-----	---	---	G. h.	
193	planifolium. s.G.	flat-leaved.	-----	1823.	---	G. h.	Sweet ger. 3. t. 219.
194	incanescens. s.G.	whitish-leaved.	-----	---	6. 12.	G. h.	----- 3. t. 203.
195	notatum. s.G.	marked-petal'd.	-----	1821.	5. 10.	G. h.	----- 3. t. 208.
196	lineatum. s.G.	striped-flower'd	-----	1810.	---	G. h.	----- 1. t. 16.
197	dimosum. s.G.	bushy.	-----	1816.	---	G. h.	----- 1. t. 19.
198	Scarboroviæ. s.G.	L. Scarborough's	-----	1817.	---	G. h.	----- 2. t. 117.
199	pustulosum. s.G.	blistered-leav'd	-----	1816.	5. 10.	G. h.	Sweet ger. 1. t. 11.
200	bellulum. s.G.	neat.	-----	---	---	G. h.	----- 1. t. 60.
	<i>moschatum.</i> A.G.		-----	---	---	G. h.	
201	Fairliciæ. s.G.	Mrs. Fairlie's.	-----	1821.	---	G. h.	----- 2. t. 178.

202	scintillans. s.G.	sparkling.	————	1812.	—	G. h.	————	1. t. 28.
203	platypetalon. s.G.	broad-petaled.	————	————	————	G. h.	————	2. t. 116.
	<i>a rigidum.</i> s.G.	<i>rigid.</i>	————	————	————	G. h.	————	2. t. 116. f.a.
	<i>β hirsutum.</i> s.G.	<i>hairy.</i>	————	————	————	G. h.	————	2. t. 116. f.b.
204	optabile. s.G.	desirable.	————	————	————	G. h.	————	1. t. 62.
205	ornatum. s.G.	ornate.	————	1817.	————	G. h.	————	1. t. 39.
206	modestum. s.G.	modest.	————	1822.	————	G. h.	————	3. t. 204.
207	Newslamianum. s.G.	Miss Newsham's	————	1821.	————	G. h.	————	2. t. 144.
208	Cosmianum. s.G.	perfumed.	————	————	————	G. h.	————	2. t. 189.
209	Brightianum. s.G.	Miss Bright's.	————	1823.	————	G. h.	————	3. t. 227.
210	dependens. s.G.	pendent-petal'd.	————	————	————	G. h.	————	2. t. 195.
211	Mattocksianum. s.G.	Mrs. Sweet's.	————	————	————	G. h.	————	3. t. 234.
212	venustum. s.G.	comely-flow'r'd.	————	1822.	————	G. h.	————	2. t. 167.
213	obscurum. s.G.	darkened-pet'd.	————	1818.	————	G. h.	————	1. t. 89.
214	atrofusum. s.G.	dark-brown.	————	————	————	G. h.	————	1. t. 82.
215	acutifolium. s.G.	acute-lobed.	————	1822.	————	G. h.	————	2. t. 184.
216	compar. c.c.	partner.	————	1818.	————	G. h.	————	————
217	Hoareanum. s.G.	fair Rosamond.	————	————	————	G. h.	————	Sweet ger. 1. t. 80.
218	Lamberti. s.G.	Lambert's.	————	————	————	G. h.	————	2. t. 104.
219	recurvatum. s.G.	recurved-pet'd.	————	————	————	G. h.	————	———— 3. t. 223.
220	penicillatum. w.en.	pencilled.	————	1794.	————	G. h.	————	Willd. h. ber. 1. t. 37.
221	dentatum. A.G.	toothed.	————	····	————	G. h.	————	Andr. geran. c. ic.
222	veniflorum. s.G.	veined-flow'r'd.	————	1822.	————	G. h.	————	Sweet ger. 3. t. 258.
223	florescens. H.G.	triangular-ld.	————	1818.	————	G. h.	————	————
224	Sabini. H.S.	Sabine's.	————	1821.	————	G. h.	————	————
225	betulinum. DC.	Birch-leaved.	C. B. S.	1759.	————	G. h.	————	Bot. mag. 148.
226	alnifolium. w.en.	Alder-leaved.	Hybrid.	····	————	G. h.	————	————
227	betulæfolium. Sch.	Birch-like.	————	····	————	G. h.	————	————
228	Willdenowii. s.	Willdenow's.	————	····	————	G. h.	————	————
229	hermannifolium. DC.	Hermannia-ld.	C. B. S.	····	4. 6.	G. h.	————	Jacq. ic. rar. 3. t. 545.
230	rigidum. DC.	rigid.	————	1790.	5. 8.	G. h.	————	————
231	ribifolium. DC.	Currant-leav'd.	————	1798.	————	G. h.	————	Jacq. ic. rar. 3. t. 538.
232	odoriferum.	odoriferous.	————	····	————	G. h.	————	Andr. geran. c. ic.
	<i>Geranium scabrum.</i> A.G. <i>nec aliorum.</i>							
233	jocundum. H.G.	pleasant.	Hybrid.	1818.	—	G. h.	————	————
234	Broadleix. c.c.	Mrs. Broadley's	————	————	————	G. h.	————	Andr. geran. c. ic.
235	propinquum. c.c.	neighbouring.	————	1818.	————	G. h.	————	————
236	decorum. c.c.	graceful.	————	————	————	G. h.	————	————
237	delicatum. H.G.	delicate.	————	————	————	G. h.	————	Sweet ger. 3. t. 267.
238	semitrilobum. DC.	three-lobed.	C. B. S.	1800.	4. 7.	G. h.	————	Jacq. schœn. 2. t. 139.
239	imbutum. c.c.	stained-petal'd.	————	————	————	G. h.	————	————
240	Irbyanum. c.c.	Irby's.	Hybrid.	····	————	G. h.	————	Andr. geran. c. ic.
241	mixtum. s.G.	mixed.	Hybrid.	1819.	5. 8.	G. h.	————	Sweet ger. 1. t. 71.
242	myrtillum. H.S.	Myrtle-scented.	————	1820.	————	G. h.	————	————
243	rubidum.	red-purple.	C. B. S.	1805.	————	G. h.	————	Andr. geran. c. ic.
	<i>Geranium rubens.</i> A.G. <i>non Wendl.</i>							
244	spurium. w.en.	spurious.	Hybrid.	····	————	G. h.	————	————
245	nothum. w.en.	mungrel.	————	····	————	G. h.	————	————
246	crispum. DC.	curl-leaved.	C. B. S.	1774.	6. 11.	G. h.	————	L'Herit. ger. t. 32.
247	gratum. w.en.	grateful-scent'd	Hybrid.	····	4. 8.	G. h.	————	————
248	consanguineum. w.en.	kindred.	————	····	————	G. h.	————	————
249	pallidum. w.en.	pale-flowered.	————	····	————	G. h.	————	————
250	citriodorum.	Citron-scented.	C. B. S.	····	————	G. h.	————	Andr. geran. c. ic.
251	uniflorum. DC.	one-flowered.	————	····	————	G. h.	————	————
252	limonium. s.G.	Lemon-scented.	Hybrid.	1823.	————	G. h.	————	Sweet ger. 3. t. 278.
253	notabile. s.G.	Hoare's Harlequin.	————	1822.	————	G. h.	————	Sweet ger. 3. t.
254	scabrum. DC.	rough wedge-ld.	C. B. S.	1775.	————	G. h.	————	L'Herit. ger. t. 31.
255	tricuspidatum. DC.	three-pointed.	————	1780.	————	G. h.	————	———— t. 30.
256	Perryanum. c.c.	Perry's.	Hybrid.	1816.	————	G. h.	————	————
257	glaucoides. w.c.	glaucom-like.	————	————	————	G. h.	————	Wendl. coll. ic.
258	glaucum. DC.	glaucom-leav'd.	C. B. S.	1775.	6. 8.	G. h.	————	Sweet ger. 1. t. 57.
259	lanceolatum.	lance-leaved.	————	————	————	G. h.	————	Andr. geran. c. ic.
260	diversifolium. w.c.	different-leav'd.	————	1794.	————	G. h.	————	Wendl. coll. ic.
261	cuspidatum. DC.	sharp-pointed.	————	····	————	G. h.	————	————
262	sororium. DC.	sister.	Hybrid.	····	————	G. h.	————	————
263	Tankervilleæ. H.G.	Lv. Tankerville's	————	····	————	G. h.	————	————
264	acutifolium.	acute-leaved.	————	1821.	————	G. h.	————	————
265	trifurcatum. c.c.	three-forked.	————	····	————	G. h.	————	————
266	lævigatum. DC.	glaucom trifid-l.	C. B. S.	····	—	G. h.	————	Cav. dis. 4. t. 121. f. 1.

267	<i>trifoliatum</i> . A.G. <i>oxyphyllum</i> . DC.	trifoliate-leav'd	— — —	1799.	—	G. h.	Andr. geran. c. ic.
268	<i>patulum</i> . DC.	spreading.	— — —	1812.	4. 7.	G. h.	Jacq. ic. rar. 3. t. 541.
269	<i>hepaticifolium</i> . DC.	Hepatica-ld.	— — —	1791.	5. 8.	G. h.	Andr. geran. c. ic.?
270	<i>fuscatum</i> . DC.	dark-marked.	— — —	1812.	—	G. h.	Jacq. ic. rar. 3. t. 540.
271	<i>saniculæfolium</i> . DC.	Sanicle-leaved.	— — —	1806.	6. 9.	G. h.	— 3. t. 539.
271	<i>cortusæfolium</i> . Jacq.	<i>non</i> L. Her.	— — —	—	—	—	—
272	<i>crenæforum</i> . C.C.	notch'd-petal'd	Hybrid.	1817.	—	G. h.	—
273	<i>sceleratum</i> . C.C.	Celery-leaved.	— — —	1819.	—	G. h.	—
274	<i>smyrniifolium</i> .	Smyrniium-ld.	— — —	1822.	—	G. h.	—
275	<i>expansum</i> .	expanded.	— — —	1823.	5. 10.	G. h.	—
276	<i>multidentatum</i> .	many-toothed.	— — —	—	—	G. h.	—
277	<i>grandidentatum</i> . S.G.	large-toothed.	— — —	—	—	G. h.	Sweet ger. 3. t. 217.
278	<i>Belladonna</i> . S.G.	painted-lady.	— — —	—	—	G. h.	— 3. t. 270.
279	<i>triumphans</i> . C.C.	triumphant.	— — —	1818.	—	G. h.	—
280	<i>serratifolium</i> . S.G.	saw-leaved.	— — —	1822.	—	G. h.	Sweet ger. 3. t. 221.
281	<i>variegatum</i> . DC.	variegated-fl'd.	C. B. S.	1812.	—	G. h.	Cav. dis. 4. t. 118. f. 3.
282	<i>amplissimum</i> . W.C.	stately.	Hybrid.	1796.	—	G. h.	Wendl. coll. ic.
283	<i>grandiflorum</i> . DC.	great-flowered.	C. B. S.	1794.	—	G. h.	Sweet ger. 1. t. 29.
284	<i>Parmentieri</i> . C.C.	Parmentier's.	Hybrid.	1822.	—	G. h.	—
285	<i>delphinifolium</i> . DC.	Larkspur-ld.	— — —	—	G. h.	—
286	<i>elcctum</i> . S.G.	elect.	— — —	1804.	—	G. h.	Sweet. ger. 3. t. 238.
287	<i>asperifolium</i> . S.G.	rough-leaved.	— — —	1807.	—	G. h.	— 2. t. 169.
288	<i>Curtisianum</i> . DC.	Curtis's.	— — —	—	G. h.	—
289	<i>nobile</i> . DC.	noble.	— — —	1822.	—	G. h.	—
290	<i>opulifolium</i> . S.G.	Gnelder-Rose-ld.	— — —	1819.	—	G. h.	Sweet ger. 1. t. 53.
291	<i>malvaceum</i> .	Mallow-like.	— — —	—	G. h.	—
292	<i>macranthon</i> . S.G.	large-flowered.	— — —	1821.	—	G. h.	Sweet ger. 1. t. 83.
293	<i>Couttsiæ</i> . S.G.	Mrs. Coutts's.	— — —	1822.	—	G. h.	— 3. t. 269.
294	<i>rutilum</i> C.C.	light red.	— — —	1821.	—	G. h.	—
295	<i>schizophyllum</i> .	jagged.	— — —	1822.	—	G. h.	Sweet ger. 3. t.
296	<i>Barnardianum</i> . S.G.	Mr. Barnard's.	— — —	1820.	—	G. h.	— 2. t. 127.
297	<i>mucronatum</i> .	mucronate.	— — —	1823.	—	G. h.	— 3. t. 275.
298	<i>conchiifolium</i> .	shell-leaved.	— — —	1820.	—	G. h.	—
299	<i>striatum</i> . S.G.	streak-flower'd.	— — —	1818.	3. 8.	G. h.	Sweet ger. 1. t. 1.
300	<i>rigescens</i> . S.G.	stiff-leaved.	— — —	—	4. 9.	G. h.	— 2. t. 112.
301	<i>eriophyllum</i> . S.G.	woolly round-ld.	— — —	—	5. 10.	G. h.	— 2. t. 141.
302	<i>intermixtum</i> .	intermixed.	— — —	—	4. 8.	G. h.	—
303	<i>cordatum</i> . DC.	heart-leaved.	C. B. S.	1774.	3. 8.	G. h.	Sweet ger. 1. t. 67.
304	<i>conduplicatum</i> . DC.	cur'd-heart-ld.	Hybrid.	—	G. h.	—
305	<i>rubro-cinctum</i> . DC.	red-edged.	— — —	—	G. h.	—
306	<i>papilionaceum</i> . DC.	Butterfly.	C. B. S.	1724.	4. 7.	G. h.	Sweet ger. 1. t. 27.
307	<i>tomentosum</i> . DC.	Pennyroyal.	— — —	1790.	—	G. h.	— 2. t. 168.
308	<i>vitifolium</i> . DC.	Vine-leaved.	— — —	1724.	4. 8.	G. h.	Cav. dis. 4. t. 111. f. 2.
309	<i>capitatum</i> . DC.	Rose-scented.	— — —	1690.	—	G. h.	— 4. t. 105. f. 1.
310	<i>concolor</i> . S.G.	self-coloured.	Hybrid.	1820.	—	G. h.	Sweet ger. 2. t. 140.
	<i>β major</i> . S.G.	larger.	— — —	—	—	G. h.	— 2. t. 140. f. b.
311	<i>graveolens</i> . DC.	Odour of Rose.	C. B. S.	1774.	3. 7.	G. h.	L'Herit. ger. t. 17.
	<i>β variegatum</i> .	striped-leaved.	— — —	—	G. h.	Andr. geran. c. ic.
	<i>Geranium capitatum</i> . var. A.G.	— — —	— — —	—	—	—	—
312	<i>asperum</i> . DC.	rough multifid.	— — —	1795.	5. 9.	G. h.	Roth abh. p. 51. t. 10.
313	<i>Radula</i> . DC.	rasp-leaved.	— — —	1774.	3. 7.	G. h.	L'Herit. ger. t. 16.
314	<i>balsameum</i> . DC.	balsamic.	— — —	1790.	5. 9.	G. h.	Jacq. ic. rar. 3. t. 543.
315	<i>Vandesiæ</i> . S.G.	Comtesse de Vandes.	Hybrid.	1818.	—	G. h.	Sweet ger. 1. t. 7.
316	<i>hispidum</i> . DC.	hispid.	C. B. S.	1790.	—	G. h.	Cav. dis. 4. t. 110. f. 1.
317	<i>anthemifolium</i> . DC.	Anthemis-ld.	Hybrid.	1822.	—	G. h.	—
318	<i>pyrethriifolium</i> . S.G.	Feverfew-ld.	— — —	1821.	—	G. h.	—
319	<i>chrysanthemifolium</i> .	Chrysanthum-ld.	— — —	—	4. 10.	G. h.	Sweet ger. 2. t. 153.
320	<i>Dobreeanum</i> . S.G.	Mrs. Dobree's.	— — —	1818.	—	G. h.	— 3. t. 124.
321	<i>Bisshoppæ</i> . S.G.	Mrs. Bisshopp's.	— — —	1822.	—	G. h.	— 3. t. 253.
322	<i>signatum</i> . S.G.	marked-leaved.	— — —	—	—	G. h.	— 3. t. 272.
323	<i>dianthiflorum</i> .	Pink-flowered.	Hybrid.	3. 9.	G. h.	— 3. t. 265.
324	<i>quercifolium</i> . DC.	Oak-leaved.	C. B. S.	1774.	3. 8.	G. h.	L'Herit. ger. t. 14.
	<i>β bipinnatifidum</i> .	bipinnatifid.	— — —	—	—	G. h.	— t. 15.
325	<i>eximium</i> . S.G.	select.	Hybrid.	1818.	4. 8.	G. h.	Sweet ger. 1. t. 26.
326	<i>Essexiæ</i> . C.C.	Lady Essex's.	— — —	—	—	G. h.	—
327	<i>oblatum</i> . S.G.	oblate-leaved.	— — —	—	—	G. h.	Sweet ger. 1. t. 35.
328	<i>Murrayanum</i> . S.G.	Ld. Jas. Murray's	— — —	—	—	G. h.	— 2. t. 164.
329	<i>calocephalon</i> . S.G.	pretty-headed.	— — —	1820.	—	G. h.	— 3. t. 201.

330	augustum. DC. <i>β Brucei. c.c.</i>	august. Bruce's.	— — —	1809.	—	G. h.	Andr. geran. c. ic.
331	Breesianum. s.g.	Breese's.	— — —	1818.	—	G. h.	Sweet ger. 1. t. 61.
332	Husseyanum. s.g.	Lady Hussey's.	— — —	—	—	G. h.	— — — 1. t. 92.
333	Wellsianum. s.g.	Mr. Wells's.	— — —	1822.	3. 8.	G. h.	— — — 2. t. 175.
334	Kingii. s.g.	Mr. King's.	— — —	—	3. 12.	G. h.	— — — 3. t. 248.
335	Scottii. s.g.	Sir C. Scott's.	— — —	—	3. 9.	G. h.	— — — 3. t. 264.
336	Palkii. s.g.	Mr. Palk's.	— — —	—	1. 12.	G. h.	— — — 3. t. 224.
337	rotundilobum. s.g.	round-lobed.	— — —	1823.	3. 9.	G. h.	— — — 3. t. 252.
338	latilobum. s.g.	broad-lobed.	— — —	—	—	G. h.	— — — 3. t. 236.
339	obcordatum. s.g.	obcordate-pet'd.	— — —	—	—	G. h.	— — — 3. t.
340	incomparabile.	incomparable.	— — —	1822.	—	G. h.	— — —
341	lasiophyllum. s.g.	woollydivided-ld.	— — —	—	—	G. h.	Sweet ger. 3. t.
342	Lechianum. DC.	acute-notched.	— — —	1820.	—	G. h.	— — —
343	jatrophæfolium. DC.	Jatropha-ld.	— — —	—	—	G. h.	— — —
344	denticulatum. DC.	tooth-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 109.
345	viscosissimum. s.g.	viscous.	— — —	1820.	3. 8.	G. h.	— — — 2. t. 118.
	<i>α album.</i>	<i>white-flowered.</i>	— — —	—	—	G. h.	— — —
	<i>β carucum.</i>	<i>flesh-coloured.</i>	— — —	—	—	G. h.	— — —
346	glutinosum. DC.	clammy.	— — —	1777.	5. 6.	G. h.	L'Herit. ger. t. 20.
	<i>β nigrescens.</i>	<i>black-marked.</i>	— — —	—	—	G. h.	Bot. mag. 143.
347	cynosbatifolium. DC.	Cynosbati-ld.	Hybrid.	4. 8.	G. h.	Sweet ger. 3. t. 259.
	<i>Geranium oxoniense.</i>	A.G. ic.	— — —	—	—	—	— — —
348	verbenæfolium. s.g.	Vervain-leaved	Hybrid.	1818.	—	G. h.	— — — 2. t. 149.
	<i>piperatum. DC?</i>	— — —	— — —	—	—	—	— — —
349	melissinum. s.g.	Balm-scented.	— — —	—	—	G. h.	— — — 1. t. 5.
350	ternatum. DC.	ternate-leaved.	C. B. S.	1789.	5. 8.	G. h.	— — — 2. t. 165.
351	patentissimum. w.c.	most-spreading.	— — —	1822.	—	G. h.	Wendl. coll. ic.
352	spinosum. DC.	thorny.	— — —	1795.	5. 6.	G. h.	Paters. it. t. ad. p. 67.
353	tripartitum. s.g.	brittle-stalked.	— — —	1789.	5. 8.	G. h.	Sweet ger. 2. t. 115.
	<i>Geranium fragile. A.R. 37.</i>	— — —	— — —	—	—	—	— — —
354	incisum. DC.	cut-leaved.	— — —	1791.	—	G. h.	— — — 1. t. 93.
355	canescens. s.g.	canescent.	— — —	—	G. h.	— — —
356	abrotanifolium. DC.	Southernwood-ld.	— — —	1791.	—	G. h.	Jacq. schœn. 2. t. 136.
357	artemisifolium. DC.	Wormwood-ld.	— — —	1817.	—	G. h.	— — —
358	fragrans. DC.	Nutmeg-scent'd	Hybrid.	5. 10.	G. h.	Sweet ger. 2. t. 172.
359	odoratissimum. DC.	sweet-scented.	C. B. S.	1724.	—	G. h.	Andr. ger. c. ic.
360	exstipulatum. DC.	soft trifid-ld.	— — —	1779.	—	G. h.	L'Herit. ger. t. 35.
	<i>Geranium suaveolens.</i>	A.G. ic.	— — —	—	—	—	— — —
361	dissectum. s.g.	dissected-ld.	Hybrid.	1822.	5. 11.	G. h.	Sweet ger. 3. t. 247.
362	glomeratum. DC.	close-headed.	N. S. W.	1792.	5. 8.	G. h.	Jacq. fl. ecl. 1. t. 98.
	<i>australe. s.g. es. non DC.</i>	— — —	— — —	—	—	—	— — —
363	australe. DC.	New Holland.	— — —	—	—	G. y.	Jacq. fl. ecl. 1. t. 100.
364	inodorum. DC.	scentless.	— — —	1796.	3. 8.	G. y.	Sweet ger. 1. t. 56.
365	columbinum. DC.	Doves-foot.	C. B. S.	1795.	6. 10.	G. y.	Jacq. schœn. 2. t. 133.
366	procumbens. DC.	procumbent.	— — —	1801.	4. 5.	G. y.	Andr. bot. rep. 231.
367	humifusum. DC.	trailing.	Canaries.	—	4. 10.	H. ⊙	Sweet ger. 1. t. 42.
368	chamædryfolium. DC.	Chamædry-ld.	C. B. S.	1812.	5. 6.	G. y.	Jacq. ic. rar. 3. t. 523.
369	althæoides. DC.	Althæa-leaved.	— — —	1724.	4. 6.	G. y.	L'Herit. ger. t. 10.
370	grossularioides. DC.	Gooseberry-ld.	— — —	1731.	4. 8.	G. y.	Cav. dis. 4. t. 119. f. 2.
371	anceps. DC.	flat-stalked.	— — —	1788.	5. 7.	G. y.	Jacq. col. 4. t. 22. f. 3.
372	parviflorum. A.G.	small-flowered.	— — —	1800.	—	G. y.	Andr. geran. c. ic.
373	acnagium. L.T.	Tristan d'Acuna.	T.d'Acenna.	1818.	—	G. y.	— — —
374	senecioides. DC.	Grondsel-ld.	C. B. S.	1775.	6. 7.	G. ⊙	L'Herit. ger. t. 11.
375	alchimilloides. DC.	mantle-leaved.	— — —	1693.	5. 10.	G. y.	Cav. dis. 4. t. 98. f. 1.
376	Heritieri.	L'Heritier's.	— — —	1820.	—	G. y.	— — —
377	tabulare. DC.	rough-stalked.	— — —	1775.	5. 8.	G. h.	L'Herit. ger. t. 9.
378	ovale. DC.	oval-leaved.	— — —	1774.	—	G. h.	Sweet ger. 3. t. 235.
379	elegans. DC.	elegant.	— — —	1795.	—	G. h.	Andr. repos. 98.
	<i>α major. s.g.</i>	<i>smaller-flowered.</i>	— — —	—	—	G. h.	Sweet ger. 1. t. 36. f. a.
	<i>β minor. s.g.</i>	<i>larger-flowered.</i>	— — —	—	—	G. h.	— — — 1. t. 36. f. b.
380	schizopetalum. s.g.	divided-petal'd.	— — —	1821.	6. 10.	G. h.	— — — 3. t. 232.
381	pinguifolium. s.g.	greasy-leaved.	Hybrid?	5. 10.	G. h.	— — — 1. t. 52.
382	lateripes. DC.	Ivy-leaved.	C. B. S.	1787.	—	G. h.	L'Herit. ger. t. 24.
	<i>α virulifolium.</i>	<i>green-leaved.</i>	— — —	—	—	G. h.	Andrews's geran. c. ic.
	<i>β zonatum.</i>	<i>Horseshoe-mark'd</i>	— — —	—	—	G. h.	— — —
	<i>γ roseum.</i>	<i>rose-coloured.</i>	— — —	—	—	G. h.	— — —
	<i>δ albomarginatum. DC.</i>	<i>white-margined.</i>	— — —	—	—	G. h.	Andrews's geran. c. ic.

383	<i>peltatum</i> , DC.	peltate-leaved.	-----	1701.	---	G. h. ∪	Bot. mag. 20.
	β <i>variegatum</i> , A.G.	<i>variegated-leaved</i>	-----	-----	---	G. h. ∪	Andr. geran. c. ic.
384	<i>scutatum</i> , S.G.	shield-leaved.	-----	1819.	---	G. h. ∪	Sweet ger. 1. t. 95.
385	<i>polytrichum</i> , S.G.	many-haired.	Hybrid.	1823.	---	G. h.	3. t. 274.
386	<i>dilutum</i> , S.G.	stained-petal'd.	-----	-----	---	G. h.	3. t.
387	<i>heterotrichum</i> , S.G.	unequal-haired.	-----	-----	---	G. h.	3. t.
388	<i>Moreanum</i> , S.G.	More's victory.	-----	-----	---	G. h.	3. t.
389	<i>rutaceum</i> , S.G.	Rue-like.	-----	-----	---	G. h.	3. t. 279.
390	<i>polyanthon</i> , S.G.	numerous-fl'd.	-----	-----	---	G. h.	3. t.
391	<i>ligulatum</i> , S.G.	ligulate-petaled	-----	-----	---	G. ʒ.	3. t.
392	<i>volatiferum</i> , S.G.	flying-flowered.	-----	-----	---	G. h.	3. t.
393	<i>variifolium</i> , S.G.	various-leaved.	-----	-----	---	G. h.	3. t. 280.
394	<i>mundulum</i> , S.G.	spruce.	-----	-----	---	G. ʒ.	
395	<i>rhodolentum</i> , S.G.	rose-smelling.	-----	-----	---	G. h.	
396	<i>rhodanthum</i> , S.G.	rose-coloured.	-----	1821.	---	G. h.	Sweet ger. 3. t. 282.
397	<i>Southcoteanum</i> , S.G.	MissSouthcote's	-----	-----	---	G. h.	
398	<i>compactum</i> , S.G.	compact.	-----	-----	---	G. h.	
399	<i>Barclayanum</i> , S.G.	Mr. Barclay's.	-----	-----	---	G. h.	
400	<i>Milleri</i> .	Mr. Miller's.	-----	-----	---	G. h.	
401	<i>brevipes</i> .	short-peduncul'd	-----	-----	---	G. h.	
402	<i>Hesclrigii</i> .	L. Hesclrige's.	-----	-----	---	G. h.	
JENKINSONIA , S.G.		JENKINSONIA .	Monadelphia Heptandria .				
1	<i>tetragona</i> , S.G.	square-stalked.	C. B. S.	1774.	5. 8.	G. h. ∪	Sweet ger. 1. t. 99.
	β <i>variegata</i> .	<i>variegated</i> .	-----	-----	---	G. h. ∪	1. t. 99.
2	<i>quinata</i> , S.G.	quinate-leaved.	-----	1793.	-----	G. h.	1. t. 79.
	<i>Pelargonium quinatum</i> , B.M. 547.	<i>Geranium præmorsuum</i> , A.R. 150.					
3	<i>pendula</i> , S.G.	pendulous-branch'd.	-----	---	G. h. ∪	Sweet ger. 2. t. 183.
4	<i>longicaulis</i> , S.G.	long-stalked.	-----	---	G. h. ∪	Jacq. ic. rar. 3. t. 533.
	<i>Pelargonium longicaule</i> , Jacq.						
5	<i>anemonefolia</i> , S.G.	Anemone-ld.	-----	---	G. h. ∪	3. t. 535.
6	<i>caucalifolia</i> , S.G.	Caucalus-leaf'd	-----	1812.	3. 9.	G. ʒ.	3. t. 529.
7	<i>multicaulis</i> , S.G.	many-stalked.	-----	1802.	6. 8.	G. ʒ.	3. t. 534.
8	<i>lacera</i> , S.G.	torn-leaved.	-----	1731.	-----	G. ʒ.	3. t. 532.
9	<i>coriandrifolia</i> , S.G.	Coriander-ld.	-----	1724.	3. 9.	G. ʒ.	Sweet ger. 1. t. 31.
	<i>Pelargonium coriandrifolium</i> , S.G.						
10	<i>myrrhifolia</i> , S.G.	Myrrh-leaved.	-----	1696.	5. 8.	G. h.	Jacq. ic. rar. 3. t. 531.
	<i>Pelargonium betonicum</i> , Jacq.						
11	<i>bullata</i> , S.G.	blistered.	-----	---	G. h.	3. t. 530.
12	<i>canariensis</i> .	Canary.	Canaries.	1802.	5. 9.	G. ʒ.	Willd. hort. ber. t. 17.
	<i>Pelargonium canariense</i> , W.						
CICONIUM , S.G.		CICONIUM .	Monadelphia Heptandria .				
1	<i>acetosum</i> , S.G.	Sorrel-leaved.	C. B. S.	1710.	5. 9.	G. h.	Andr. geran. c. ic.
2	<i>scandens</i> , S.G.	climbing.	-----	1800.	-----	G. h.	
3	<i>stenopetalum</i> , S.G.	narrow-petal'd.	-----	-----	---	G. h.	
4	<i>leptopetalum</i> .	slender-petal'd.	-----	-----	---	G. h. ∪	Andr. geran. c. ic.
	<i>Geranium stenopetalum</i> , A.G. nec <i>aliorum</i> .						
5	<i>pumilum</i> , S.G.	dwarf.	-----	-----	---	G. h.	Andr. geran. c. ic.
	<i>Geranium zonale minima</i> , A.G.						
6	<i>lateritium</i> , S.G.	brick-coloured.	-----	-----	---	G. h.	Jacq. ecl. 1. t. 97. f. ult.
7	<i>malvæfolium</i> .	Mallow-leaved.	-----	1812.	-----	G. h.	1. t. 97.
	<i>Pelargonium malvæfolium</i> , Jacq.						
8	<i>heterogamum</i> , S.G.	six-stamened.	Hybrid.	1786.	-----	G. h.	L'Herit. geran. t. 18.
9	<i>albidum</i> , C.C.	white-flowered.	C. B. S.	---	G. h.	
10	<i>zonale</i> , S.G.	horse-shoe.	-----	1710.	4. 12.	G. h.	Cav. diss. 4. t. 98. f. 2.
	α <i>lilacinum</i> .	<i>lilac-coloured</i> .	-----	-----	---	G. h.	
	β <i>coccineum</i> .	<i>scarlet</i> .	-----	-----	---	G. h.	
	γ <i>crystallinum</i> .	<i>coral-stalked</i> .	-----	-----	---	G. h.	
	δ <i>marginatum</i> .	<i>white-edged</i> .	-----	-----	---	G. h.	
11	<i>reticulatum</i> , S.G.	netted-veined.	Hybrid.	1810.	5. 10.	G. h.	Sweet ger. 2. t. 143.
12	<i>Fothergillii</i> , S.G.	Fothergill's.	C. B. S.	---	G. h.	3. t. 226.
	α <i>coccineum</i> .	<i>scarlet</i> .	-----	-----	---	G. h.	3. t. 226. a.
	β <i>purpureum</i> .	<i>purple</i> .	-----	-----	---	G. h.	3. t. 226. b.
13	<i>monstrum</i> , S.G.	cluster-leaved.	Hybrid.	1784.	7. 8.	G. h.	1. t. 13.
14	<i>æqualiflorum</i> , C.C.	victory.	-----	1819.	5. 10.	G. h.	
15	<i>hybridum</i> , S.G.	hybrid.	C. B. S.	1732.	-----	G. h.	Sweet ger. 1. t. 63.
16	<i>oxyphyllum</i> , C.C.	sour-leaved.	Hybrid.	---	G. h.	Andr. geran. c. ic.
	<i>Geranium miniatum</i> , v. <i>album</i> , A.G.						
17	<i>humile</i> .	low-spreading.	C. B. S.	---	G. h.	

18 crenatum. s.g.	scolloped-ld.	-----	---	G. h.	Andr. geran. c. ic.
19 bracteosum.	large-bracted.	Hybrid.	---	G. h.	
	<i>Pelargonium bracteosum.</i> DC.					
20 Bentinckianum.	Bentinck's.	C. B. S.	---	G. h.	Andr. geran. c. ic.
	<i>Pelargonium Bentinckianum.</i> DC.	<i>Geranium crenatum</i> ; var. <i>mollifoliata.</i>			A.G.	
21 cerinum. s.g.	wax-flowered.	Hybrid?	---	G. h.	Sweet ger. 2. t. 176.
22 inquinans. s.g.	staining-gland'd	C. B. S.	1714.	5. 9.	G. h.	Andr. geran. c. ic.
23 micranthum.	small-flowered.	-----	---	G. h.	
ISOPETALUM. S.G.	ISOPETALUM.	Monadelphia	Pentandria.			
1 Cotyledonis. s.g.	Hollyhock-ld.	St. Helena.	1765.	5. S.	G. h.	Sweet ger. 2. t. 126.
	<i>Pelargonium Cotyledonis.</i> w.					
2? discipes. c.c.	central-stalked.	-----	1808.	G. h.	

ORDO XLVIII.

TROPÆOLEÆ. DC. *prodr.* 1. p. 683.

TROPÆOLUM. DC.	INDIAN-CRESS.	Octandria	Monogynia.	L.		
1 minus. DC.	small.	Peru.	1596.	6. 10.	H. ⊙.	Bot. mag. 98.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	-----	---	G. 2.	
2 majus. DC.	great.	-----	1686.	---	H. ⊙.	Bot. mag. 23.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	-----	---	G. 2.	
3 hybridum. DC.	hybrid.	Hybrid.	---	G. 2.	Berg. act. holm. 32. t. 1.
4 aduncum. DC.	fringe-flower'd.	Peru.	1775.	---	G. ⊙.	Bot. reg. t. 718.
	<i>peregrinum.</i> B.R. non L.					
5 pinnatum. DC.	pinnate-flow'r'd	-----	---	G. 2.	Andr. reposit. t. 535.

ORDO XLIX.

BALSAMINEÆ. DC. *prodr.* 1. p. 685.

BALSAMINA. DC.	BALSAM.	Pentandria	Pentagynia.			
1 hortensis. DC.	garden.	E. Indies.	1596.	7. 10.	S. ⊙.	Blackw. t. 583.
	<i>Impatiens Balsamina.</i> L.					
2 coccinea. DC.	glandular-ld.	-----	1808.	6. 9.	S. ⊙.	Bot. mag. 1256.
3 mysorensis. DC.	Mysore.	-----	1823.	---	S. ⊙.	
4 bifida. DC.	bifid-spurred.	C. B. S.	1818.	7. 10.	H. ⊙.	
5 capensis. DC.	Cape.	-----	---	---	H. ⊙.	
6 chinensis. DC.	Chinese.	China.	1823.	---	H. ⊙.	
IMPATIENS. DC.	TOUCH ME NOT.	Pentandria	Monogynia.	L.		
1 natans. DC.	floating.	E. Indies.	1823.	6. 10.	S. w. ⊙.	
2 biflora. w.	two-flowered.	N. Amer.	---	H. ⊙.	Swt. br. fl. gar. t. 43.
	<i>fulva.</i> DC.					
3 pallida. DC.	pale-flowered.	-----	1812.	---	H. ⊙.	
4 Noli-tangere. DC.	common.	England.	---	H. ⊙.	Eng. bot. 937.
5 tripetala. DC.	three-petaled.	E. Indies.	1823.	---	S. ⊙.	

ORDO L.

OXALIDEÆ. DC. *prodr.* 1. p. 689.

AVERRHOA. DC.	AVERRHOA.	Pentandria	Pentagynia.	L.		
1 Carambola. DC.	Carambola-tree	E. Indies.	1793.	S. h.	Rumph. amb. 1. t. 35.
2 Bilimbi. DC.	Bilimbi-tree.	-----	1791.	5. 7.	S. h.	----- 1. t. 36.

BIOPHYTUM. DC.	BIOPHYTUM.	Decandria Pentagynia.			
sensitivum. DC.	sensitive.	E. Indies.	1824.	5. 7.	S. 2.
<i>Oxalis sensitiva</i> . L.					Jacq.ox.n.21.t.78.f.1.
OXALIS. DC.	WOOD-SORREL.	Decandria Pentagynia. L.			
1 Plumieri. DC.	Plumier's.	S. Amer.	1822.	4. 6.	S. 2.
2 Barrelieri. DC.	Barrelier's.	—	—	—	S. 2.
3 fruticosa. DC.	frutescent.	Rio Janeiro.	—	—	S. 2.
4 perennans. DC.	perennial.	N. S. W.	5. 9.	G. 2.
5 Dillenii. DC.	Dillenius's.	America.	1798.	—	H. 2.
6 florida. s.p.	prostrate.	—	—	H. 2.
7 stricta. DC.	upright.	N. Amer.	1658.	6. 10.	H. 2.
8 corniculata. DC.	procumbent.	Britain.	5. 10.	H. 2.
9 Lyoni. DC.	Lyons'.	N. Amer.	1812.	—	H. 2.
10 microphylla. DC.	small-leaved.	N. Holland.	—	H. 2.
<i>rubens</i> . H.M.					
11 repens. DC.	creeping-stalk'd	C. B. S.	1793.	3. 4.	G. 2.
12 rosea. DC.	crimson.	Chili.	1822.	4. 6.	G. 2.
13 lateriflora. DC.	side-flowering.	C. B. S.	—	—	G. 2.
14 macrostylis. DC.	long-styled.	—	1793.	10. 11.	G. b.
15 tubiflora. DC.	tube-flowered.	—	1790.	—	G. b.
16 canescens. DC.	canescent.	—	1822.	—	G. b.
17 secunda. DC.	secund.	—	1790.	—	G. b.
18 hirta. DC.	hairy-stalked.	—	1787.	1. 3.	G. b.
19 hirtella. DC.	tooth-stamen'd.	—	1820.	—	G. b.
20 multiflora. DC.	many-flowered.	—	1789.	2. 3.	G. b.
21 rubella. DC.	branching red.	—	1791.	9. 11.	G. b.
22 rosacea. DC.	rose-coloured.	—	1793.	10. 2.	G. b.
23 virginea. DC.	virgin.	—	1822.	11. 12.	G. b.
24 reptatrix. DC.	creeping-rooted	—	1795.	—	G. 2.
25 incarnata. DC.	flesh-coloured.	—	1739.	4. 6.	G. b.
26 venosa. DC.	veined-flow'r'd.	—	1821.	—	G. b.
27 cupræa. B.C.	copper-colour'd	—	1822.	—	G. b.
28 tetraphylla. DC.	four-leaved.	Mexico.	—	—	H. b.
29 sericea. DC.	silky-leaved.	C. B. S.	1794.	—	G. b.
30 violacea. DC.	violet-coloured.	N. Amer.	1772.	5. 6.	H. b.
31 caprina. DC.	goats-foot.	C. B. S.	1757.	3. 6.	G. b.
32 cernua. DC.	drooping yellow	—	—	2. 5.	G. b.
<i>caprina</i> . B.M. 237. non DC.					
<i>β flore pleno</i> .	double-flower'd	—	—	—	G. b.
33 compressa. DC.	compressed.	—	1794.	12. 1.	G. b.
34 dentata. DC.	toothed.	—	1793.	11. 12.	G. b.
35 livida. DC.	livid.	—	—	10. 11.	G. b.
36 purpurata. DC.	purplish-leav'd.	—	1820.	—	G. b.
37 macrophylla. DC.	large-leaved.	—	—	—	G. b.
38 lobata. DC.	lobed.	Chili.	1821.	4. 6.	H. b.
39 monophylla. DC.	simple-leaved.	C. B. S.	1774.	10. 11.	G. b.
40 rostrata. DC.	beaked.	—	1795.	—	G. b.
41 crispa. DC.	curled.	—	1793.	—	G. b.
42 leporina. DC.	Hare's-eared.	—	1795.	10. 11.	G. b.
43 asinina. DC.	asses-eared.	—	1792.	11. 12.	G. b.
44 lanceæfolia. DC.	spear-leaved.	—	1795.	10. 11.	G. b.
45 fabæfolia. DC.	Bean-leaved.	—	1794.	—	G. b.
46 laburnifolia. DC.	Laburnum-l'd.	—	1793.	9. 10.	G. b.
47 sanguinea. DC.	bloody-leaved.	—	1795.	10. 12.	G. b.
48 tricolor. DC.	three-coloured.	—	1794.	—	G. b.
49 ciliaris. DC.	ciliated.	—	1793.	—	G. b.
50 arcuata. DC.	gland-covered.	—	1795.	—	G. b.
51 flaccida. DC.	flaccid.	—	1812.	—	G. b.
52 ferruginata. DC.	rust-spotted.	—	1822.	—	G. b.
53 ambigua. DC.	ambiguous.	—	1790.	9. 12.	G. b.
54 undulata. DC.	wave-leaved.	—	1795.	10. 11.	G. b.
55 glandulosa. DC.	glandulous.	—	1822.	—	G. b.
56 fuscata. DC.	brown-spotted.	—	1795.	5. 6.	G. b.
57 sulphurea. DC.	sulphur-colour'd	—	—	10. 11.	G. b.
58 speciosa. DC.	specious.	—	1690.	9. 11.	G. b.
59 variabilis. DC.	variable.	—	1795.	10. 12.	G. b.
<i>α longiscapa</i> . DC.	white-flowered.	—	—	—	G. b.
<i>β rubra</i> . DC.	red-flowered.	—	—	—	G. b.
60 grandiflora. W.	great-flowered.	—	1870.	—	G. b.
<i>β Simsii</i> . DC.	Sims's.	—	—	—	G. b.

61	purpurea, DC.	purple.	————	1812.	—	G.b.	Jacq. ox. n. 70. t. 56.
62	convexula, DC.	convex-leaved.	————	1789.	11. 1.	G.b.	———— n. 69. t. 55.
63	lævigata, DC.	smooth.	1818.	6. 8.	H.⊙.	
64	marginata, DC.	green-margin'd.	C. B. S.	1812.	9. 12.	G.b.	Jacq. ox. n. 85. t. 68.
65	pulchella, DC.	beautiful.	————	1795.	10. 11.	G.b.	———— n. 86. t. 69.
66	obtusa, DC.	blunt-leaved.	————	1812.	—	G.b.	———— n.83.t.79.f.1.
67	lanata, DC.	woolly-leaved.	————	1791.	—	G.b.	———— n.81.t.77.f.2.
68	luteola, DC.	yellowish.	————	1822.	—	G.b.	———— n. 80. t. 65.
69	Acetosella, DC.	common.	Britain.	4. 6.	H. ½.	Eng. bot. 762.
70	americana, DC.	American.	N. Amer.	—	H. ½.	
71	tenella, DC.	slender.	C. B. S.	1793.	—	G.b.	Jacq. ox. n. 32. t. 19.
72	natans, DC.	floating.	————	1795.	9. 12.	G.w.b.	———— n. 78. t. 76. f.2.
73	filicanulis, DC.	bilobed-leaved.	————	1815.	9. 10.	G.b.	Jacq. schœnb. 2. t. 205.
74	bifida, DC.	cloven-leaved.	————	1791.	9. 10.	G.b.	Jacq.ox. n.89.t.79.f.4.
75	cuneata, DC.	wedge-leaved.	————	1818.	—	G.b.	———— n. 55. t. 40.
76	cuneifolia, DC.	wedge-shaped.	————	1793.	4. 5.	G.b.	———— n. 56. t. 41.
77	linearis, DC.	linear-leaved.	————	1795.	9. 11.	G.b.	———— n. 47. t. 32.
78	reclinata, DC.	reclining.	————	—	—	G.b.	———— n. 49. t. 34.
79	gracilis, DC.	slender-stalked	————	—	G.b.	———— n. 48. t. 33.
80	miniata, DC.	miniated.	————	1818.	—	G.b.	———— n. 50. t. 35.
81	glabra, DC.	smooth.	————	1795.	5. 6.	G.b.	———— n. 58. t. 76. f.3.
82	versicolor, DC.	striped-flow'r'd	————	1774.	1. 3.	G.b.	Bot. mag. 155.
83	elongata, DC.	elongated.	————	1791.	9. 10.	G.b.	Jacq. ox. n. 52. t. 37.
84	amœna, L.en.	handsome.	————	—	—	G.b.	Jacq. schœnb. t. 206.
85	tenuifolia, DC.	fine-leaved.	————	1790.	10. 11.	G.b.	Lodd. b. cab. t. 712.
86	polyphylla, DC.	many-leaved.	————	1791.	9. 1.	G.b.	Jacq. ox. n. 59. t. 39.
87	filifolia, DC.	slender-leaved.	————	1818.	—	G.b.	Jacq. schœnb. 3. t. 273.
88	pentaphylla, DC.	five-leaved.	————	1800.	11. 2.	G.b.	Bot. mag. 1549.
89	lupinifolia, DC.	Lupine-leaved.	————	1791.	10. 11.	G.b.	Jacq. ox. n. 92. t. 72.
90	flava, DC.	narrow-leaved.	————	1775.	3. 4.	G.b.	Bot. reg. 117.
91	pectinata, DC.	pectinated.	————	1790.	9. 11.	G.b.	Jacq. ox. n. 95. t. 75.
92	flabellifolia, DC.	fan-leaved.	————	1789.	—	G.b.	———— n. 94. t. 74.
93	tomentosa, DC.	downy-leaved.	————	1791.	4. 5.	G.b.	———— n. 96. t. 81.

ORDO LI.

ZYGOPHYLLÆ. DC. *prodr.* 1. p. 703.

TRIBULUS, DC.	CALTROPS.	Decandria Monogynia, L.				
1 cistoides, DC.	Cistus-like.	S. Amer.	1752.	7.	S. ½.	Bot. reg. 791.
2 terrestris, DC.	small.	S. Europe.	1596.	6. 7.	H.⊙.	Lam. ill. t. 346. f. 1.
3 maximus, DC.	great.	Jamaica.	1728.	—	S.⊙.	Jacq. ic. rar. t. 462.
4 trijugatus, DC.	Nuttall's.	America.	1823.	—	H.⊙.	
FAGONIA, DC.	FAGONIA.	Decandria Monogynia, L.				
1 cretica, DC.	Cretan.	Candia.	1739.	6. 8.	H.⊙.	Bot. mag. 241.
2 arabica, DC.	Arabian.	Arabia.	1759.	—	G. ½.	
ZYGOPHYLLUM, DC.	BEAN-CAPER.	Decandria Monogynia, L.				
1 cordifolium, DC.	heart-leaved.	C. B. S.	1774.	10.	G. ½.	
2 Fabago, DC.	common.	Syria.	1596.	7. 9.	H. ½.	Lam. ill. t. 345. f. 1.
3 fœtidum, DC.	fœtid.	C. B. S.	1790.	6. 8.	G. ½.	Schr. s. han. p. 17. t. 9.
β insuave, B.M.	unpleasant.	————	—	—	G. ½.	Bot. mag. 372.
4 fruticosum, DC.	frutescent.	N. Holland.	1822.	—	G. ½.	
5 maculatum, DC.	spotted.	C. B. S.	1782.	10. 11.	G. ½.	
6 microphyllum, DC.	small-leaved.	————	1820.	—	G. ½.	
7 Morgsana, DC.	four-leaved.	————	1732.	5. 9.	G. ½.	Dill. elth. t.116. f. 141.
8 sessilifolium, DC.	sessile-leaved.	————	1713.	7. 8.	G. ½.	———— t. 116. f. 142.
9 spinosum, DC.	spiny.	————	1818.	—	G. ½.	
10 coccineum, DC.	scarlet.	Egypt.	—	—	G. ½.	Forsk. des. 87. ic. t. 11.
11 album, DC.	white.	————	1770.	10. 11.	G. ½.	DC. pl. gras. t. 154.
12 prostratum, DC.	hairy-jointed.	C. B. S.	1818.	—	G. ½.	
GUAIAIACUM, DC.	LIGNUM VITÆ.	Decandria Monogynia, L.				
1 officinale, DC.	common.	W. Indies.	1694.	7. 9.	S. ½.	Lam. ill. t. 342.

2	verticale. DC.	vertical-petal'd.	New Spain.	1823.	S. h.	
3	arboreum. DC.	tree.	S. Amer.	—	S. h.	Jacq. amer. 130. t. 83.
	<i>Zygophyllum arboreum</i> , Jac.						

§ 2. ZYGOPHYLLÆ SPURIÆ ALTERNIFOLIÆ. DC.

MELIANTHUS. DC.	HONEY-FLOWER.	Didynamia Angiospermia. L.					
1	major. DC.	great.	C. B. S.	1688.	5. 7.	G. h.	Bot. reg. 45.
2	minor. DC.	small.	—	—	1696.	8.	G. h.
3	comosus. DC.	tufted.	—	—	1818.	—	G. h.
BALANITES. DC.	BALANITES.	Diccandria Monogynia.					Comm. rar. t. 4.
	ægyptiaca. DC.	Egyptian.	Africa.	1822.	S. h.	Del. fl. eg. t. 28. f. 1.
	<i>Ximenia ægyptiaca</i> , L.						

ORDO LII.

RUTACEÆ. DC. *prodr.* 1. p. 709.

Tribus I. DIOSMÆÆ. DC.

RUTA. DC.	RUE.	Decandria Monogynia. L.					
1	pinnata. DC.	winged-leaved.	Canaries.	1780.	3. 8.	G. h.	Bot. reg. 307.
2	montana. DC.	mountain.	S. Europe.	1596.	8. 9.	H. 2.	Jacq. ic. rar. 1. t. 76.
3	graveolens. DC.	common.	—	—	1562.	6. 9.	H. h.
4	bracteosa. DC.	large-bracted.	Sicily.	1823.	—	H. h.	Duham. arb. 2. t. 61.
5	divaricata. DC.	spreading.	Italy.	—	—	H. h.	Ten. fl. nap. 1. t. 36.
6	angustifolia. DC.	narrow-leaved.	S. France.	1722.	—	G. h.	Bot. mag. 2311.
7	macrophylla. DC.	long-leaved.	Africa.	—	—	G. h.	— 2018.
	<i>chalepensis</i> , a. L.						
8	albiflora. D.P.	white-flowered.	Nepaul.	1820.	9. 10.	G. 2.	Hook. ex. fl. t. 79.
9	patavina. DC.	Italian.	Italy.	—	6. 9.	H. 2.	Mich. gen. t. 19.
10	pubescens. DC.	pubescent.	Spain.	1816.	5. 8.	H. 2.	
11	linifolia. DC.	Flax-leaved.	—	1752.	6. 9.	H. h.	Andr. rep. 565.
12	suaveolens. DC.	Primrose-scent'd.	Tauria.	6. 9.	H. h.	Bot. mag. 2254.
13	dahurica. DC.	Milk-wort-ld.	Dahuria.	1816.	7. 8.	H. 2.	Gmel. sib. 4. t. 68. f. 2.
	<i>Peganum dauricum</i> , β. L.						
PEGANUM. DC.	SYRIAN-RUE.	Dodecandria Monogynia. L.					
	Harmala. DC.	common.	Levant.	1570.	7. 8.	H. 2.	Lam. ill. t. 401.
DICTAMNUS. DC.	FRAXINELLA.	Decandria Monogynia. L.					
1	Fraxinella. L.en.	red-flowered.	S. Enrope.	1596.	5. 7.	H. 2.	
2	albus. L.en.	white-flowered.	—	—	—	H. 2.	
CALODENDRON. DC.	CALODENDRON.	Pentandria Monogynia.					
	capense. DC.	Cape.	C. B. S.	1789.	G. h.	Lam. j. h. nat. 56. t. 3.
ADENANDRA. W.en.	ADENANDRA.	Pentandria Monogynia. L.					
1	uniflora. W.en.	one-flowered.	C. B. S.	1775.	4. 7.	G. h.	Bot. mag. 273.
2	acuminata.	acute-leaved.	—	1812.	—	G. h.	Lodd. bot. cab. 493.
	<i>Diosma acuminata</i> , B.C. non DC.						
3	amœna.	charming.	—	1798.	—	G. h.	Bot. reg. 553.
	<i>Diosma amœna</i> , B.C. 161.						
4	speciosa.	umbel-flower'd.	—	1790.	—	G. h.	Bot. mag. 1271.
	<i>umbellata</i> , W.en.						
5	fragrans. R.S.	red-flowered.	—	1812.	5. 7.	G. h.	— 1519.
6	villosa. R.S.	villous.	—	—	—	G. h.	
	<i>Diosma villosa</i> , DC. non Hort.						
7	marginata. R.S.	marginate.	—	1806.	4. 6.	G. h.	
8	tetragona.	tetragonal.	—	1789.	7. 8.	G. h.	Thunb. voy. 4. t. 5.
BAROSMA. W.en.	BAROSMA.	Pentandria Monogynia. L.					
1	serratifolia. W.en.	saw-leaved.	C. B. S.	1789.	3. 6.	G. h.	Bot. mag. 456.

2	odorata. R.S.	odoriferous.	————	—	—	G. h.	Wend. coll. 1. t. 15.
	<i>Diosma latifolia</i> . B.C. 200.						
3	latifolia. R.S.	broad-leaved.	————	—	—	G. h.	Andr. rep. t. 33.
4	crenata.	crenated.	————	1774.	1. 5.	G. h.	Lodd. bot. cab. t. 404.
5	retulina.	wedge-leaved.	————	1790.	5. 7.	G. h.	
	<i>orbicularis</i> . Hort.	<i>Diosma betulina</i> . DC.					
6	ovata. L.en.	oval-leaved.	————	—	2. 9.	G. h.	Bot. mag. 1616.
	<i>Diosma ovata</i> . B.M.						
AGATHOSMA. W.en.		AGATHOSMA.	Pentandria Monogynia. L.				
1	dioica.	barren.	C. B. S.	1816.	4. 8.	G. h.	Bot. reg. 502.
	<i>Diosma dioica</i> . B.R.	<i>linifolia</i> . B.C. 400.					
2?	orbicularis.	round-leaved.	————	1790.	—	G. h.	
3	pulchella.	blunt-leaved.	————	1787.	2. 9.	G. h.	Bot. mag. 1357.
4	obtusa.	obtuse-pointed.	————	1774.	4. 8.	G. h.	Lodd. bot. cab. 210.
	<i>Diosma ciliata</i> . B.C. non L.						
	<i>a ovata</i> .	oval-leaved.	————	—	—	G. h.	Wendl. coll. 1. t. 13.
	<i>β oblonga</i> .	oblong-leaved.	————	—	—	G. h.	— 1. t. 14.
	<i>γ lanceolata</i> .	lanceolate.	————	—	—	G. h.	Bot. reg. 476.
5	ciliata.	ciliated.	————	—	—	G. h.	— 366.
6	prolifera.	white-flowered.	————	—	G. h.	
7	rugosa. L.en.	rugose.	————	1790.	—	G. h.	
8	ambigua.	doubtful.	————	—	G. h.	Lodd. bot. cab. 461.
	<i>Diosma ambigua</i> . B.C.						
9	barbata. Spr.	bearded.	————	—	G. h.	
10	acuminata. W.en.	acuminate.	————	1812.	—	G. h.	Wendl. coll. 1. t. 28.
11	imbricata. W.en.	imbricated.	————	1774.	—	G. h.	— 1. t. 9.
12	Cerefolium.	Chervil-scent'd.	————	1790.	—	G. h.	Vent. malm. t. 93.
13	villosa. W.en.	shaggy.	————	1786.	6. 8.	G. h.	Wendl. coll. 1. t. 2.
	<i>Diosma Wendlandiana</i> . DC.						
14	erecta.	upright.	————	1816.	—	G. h.	— 1. t. 3.
15	hirta.	hairy.	————	1794.	5. 7.	G. h.	Bot. reg. 369.
16	hispida.	rough-leaved.	————	1786.	6. 8.	G. h.	
17	brevifolia.	short-leaved.	————	1816.	—	G. h.	
18	reflexa. L.en.	reflex-leaved.	————	—	—	G. h.	
19	bruniades.	Brunia-like.	————	—	—	G. h.	
DIOSMA. W.en.		DIOSMA.	Pentandria Monogynia. L.				
1	oppositifolia. DC.	opposite-leav'd.	C. B. S.	1752.	3. 7.	G. h.	
2	succulenta. DC.	succulent-ld.	————	4. 6.	G. h.	Wendl. coll. 1. t. 1.
3	cupressina. DC.	Cypress-like.	————	1790.	6. 7.	G. h.	Lodd. bot. cab. t. 303.
4	teretifolia. L.en.	round-leaved.	————	1818.	—	G. h.	
5	linearis. DC.	linear-leaved.	————	1800.	3. 7.	G. h.	
6	pectinata. DC.	pectinated.	————	1812.	4. 6.	G. h.	
7	subulata. DC.	awl-leaved.	————	—	3. 6.	G. h.	Wendl. coll. 1. t. 8.
8	alba. DC.	white-flower'd.	————	1800.	—	G. h.	
9	rubra. DC.	Heath-leaved.	————	1752.	2. 5.	G. h.	Bot. reg. 563.
10	hirsuta. DC.	hairy-leaved.	————	1731.	—	G. h.	Wendl. coll. 1. t. 27.
11	tenuissima. L.en.	slender-leaved.	————	—	G. h.	
12	ericoides. DC.	Heath-like.	————	1756.	3. 7.	G. h.	Mill. ic. t. 124. f. 2.
13	capitata. DC.	headed.	————	1790.	5. 6.	G. h.	
14	longifolia. DC.	long-leaved.	————	—	G. h.	Wendl. coll. 1. t. 19.
EMPLEURUM. DC.		EMPLEURUM.	Monœcia Tetrandria.				
	<i>serrulatum</i> . DC.	saw-leaved.	C. B. S.	1774.	6. 7.	G. h.	Sm. exot. bot. 2. t. 63.
CORRÆA. Sm.		CORRÆA.	Octandria Monogynia.				
1	alba. DC.	white.	N. S. W.	1793.	4. 7.	G. h.	Andr. bot. rep. 18.
2	rufa. DC.	rusty-leaved.	————	1819.	—	G. h.	Labill. voy. 2. t. 17.
3	speciosa. DC.	red-flowered.	————	1806.	11. 5.	G. h.	Bot. reg. 26.
4	virens. DC.	green-flower'd.	————	1800.	—	G. h.	Sm. exot. bot. 2. t. 72.
5	pulchella. φ.	pretty.	N. Holland.	1824.	—	G. h.	
PHEBALIUM. DC.		PHEBALIUM.	Decandria Monogynia.				
	<i>squamulosum</i> . DC.	scaly.	N. S. W.	1820.	4. 6.	G. h.	Vent. malm. t. 102.
CROWEA. DC.		CROWEA.	Decandria Monogynia.				
	<i>saligna</i> . DC.	Willow-leaved.	N. S. W.	1790.	7. 12.	G. h.	Bot. mag. 989.
ERIOSTEMON. DC.		ERIOSTEMON.	Decandria Monogynia.				
1	buxifolium. DC.	Box-leaved.	N. S. W.	1822.	4. 6.	G. h.	
2	salicifolium. DC.	Willow-leaved.	————	—	—	G. h.	Linn. trans. 11. t. 26.
PHILOTHECA. L.T.		PHILOTHECA.	Monadelphia Decandria.				
	<i>australis</i> . L.T.	Salsola-leaved.	N. S. W.	1822.	—	G. h.	Linn. trans. 11. t. 21.
BORONIA. DC.		BORONIA.	Octandria Monogynia.				
1	pinnata. DC.	Hawthorn-scented.	N. S. W.	1794.	2. 5.	G. h.	Bot. mag. 1763.

2	tetrandra. DC.	tetrandrous.	N.Holland.	1824.	G. h.	Lab. nov. hol. 1. t. 125.	
3	serrulata. DC.	Rose-scented.	N. S. W.	1816.	2. 5.	G. h.	Bot. reg. 842.	
4	polygalæfolia. DC.	Polygala-ld.	-----	1824.	G. h.	Smith tracts. t. 7.	
5	ledifolia. DC.	Ledum-leaved.	-----	-----	G. h.		
CYMINOSMA. DC.		CYMINOSMA.	Octandria Monogynia.					
1	pedunculata. DC.	peduncled.	E. Indies.	1800.	S. h.	Vahl. symb. 3. t. 61.	
	<i>Jambolifera pedunculata.</i> w.							
2	odorata. DC.	sweet-scented.	China.	1818.	S. h.		
ZIERIA. DC.		ZIERIA.	Tetrandria Monogynia.					
1	lanceolata. DC.	spear-leaved.	N. S. W.	1808.	4. 7.	G. h.	Bot. mag. 1395.	
	<i>Smithii.</i> Bot. rep. 606.							
2	macrophylla. DC.	large-leaved.	-----	1820.	---	G. h.		
3	lævigata. DC.	smooth-leaved.	-----	1822.	---	G. h.		
4	microphylla. DC.	small-leaved.	-----	---	---	G. h.		
5	pilosa. DC.	hairy.	-----	---	---	G. h.	Linn. trans. 10. t. 17. f. 2.	
6	hirsuta. DC.	hirsute.	-----	---	---	G. h.		
MELICOPE. DC.		MELICOPE.	Octandria Monogynia.					
	ternata. DC.	ternate-leaved.	N. Zealand.	1822.	G. h.	Lam. ill. t. 294.	
ELAPHRUM. DC.		ELAPHRUM.	Octandria Monogynia.					
	glabrum. DC.	smooth.	Carthagenæ.	1818.	S. h.	Jacq. amer. t. 71. f. 4.	
	<i>Fagara Elaphrium.</i> w.							
EVODIA. DC.		EVODIA.	Tetrandria Monogynia.					
	triphylla. DC.	three-leaved.	Pulo Penang.	1820.	S. h.	Rumph. amb. 2. t. 62.	
	<i>Fagara triphylla.</i> F. I.							
ZANTHOXYLUM. DC.		ZANTHOXYLUM.	Tetrandria Monogynia et Diocia Pentandria.					
1	tragodes. DC.	prickly-leaved.	St. Domingo.	1759.	8. 9.	S. h.	Jacq. amer. 21. t. 14.	
	<i>Fagara tragodes.</i> w.							
2	Pterota. DC.	Lentiscus-ld.	W. Indies.	1768.	---	S. h.	Br. jam. 146. t. 5. f. 1.	
	<i>Fagara lentiscifolia.</i> w. en.							
3	piperitum. DC.	Ash-leaved.	Japan.	1773.	9.	G. h.	Kæmpf. am. t. 893.	
4	Avicennæ. DC.	short-panicled.	China.	1823.	G. h.	Lob. ic. 2. t. 133. f. 2.	
5	heterophyllum. DC.	various-leaved.	Bourbon.	---	S. h.		
6	emarginatum. DC.	notch-leaved.	Jamaica.	1739.	S. h.	Sloan. j. 2. t. 168. f. 4.	
7	acuminatum. DC.	taper-pointed.	-----	1818.	S. h.		
8	tricarpum. DC.	Ash-leaved.	N. America.	1806.	H. h.	Cat. car. 1. t. 26.	
9	fraxineum. DC.	common.	-----	1759.	3. 4.	H. h.	Duham. arb. 1. t. 97.	
10	mite. DC.	soft-leaved.	-----	1812.	---	H. h.		
11	Clava Herculis. L.	clubbed.	W. Indies.	1739.	4. 5.	S. h.	Pluk. t. 239. f. 4.	
12	aromaticum. DC.	aromatic.	St. Domingo.	1823.	S. h.	Jacq. f. ecl. 1. t. 70.	
13	armatum. DC.	armed.	E. Indies.	1816.	S. h.		
14	nitidum. DC.	shining-leaved.	China.	1822.	2. 3.	G. h.	Bot. mag. 2558.	
15	sapindoides. DC.	Licca-tree.	Jamaica.	G. h.	Br. jam. 207. t. 20. f. 2.	
	<i>Sapindus spinosus.</i> L.							
SPIRANTHERA. DC.		SPIRANTHERA.	Pentandria Monogynia.					
	odoratissima. DC.	Jasmine-scent'd.	Brazil.	1823.	S. h.	N. et Mart. ac. b. xi. t. 31.	
	<i>Terpanthus jasmiodorus.</i> Nees.							

Tribus II. **CUSPARIÆ. DC.**

MONNIERA. DC.	MONNIERA.	Monadelphja Diandria.					
	trifolia. DC.	three-leaved.	Guiana.	1792.	7. 8.	S. ⊙.	Aub. gui. 2. t. 293.
GALIPEA. DC.	GALIPEA.	Diandria Monogynia.					
	trifoliata. DC.	three-leaved.	Guiana.	1803.	S. h.	Aub. gui. 2. t. 269.

ORDO LIII.

SIMARUBEÆ. DC. prodr. 1. p. 733.

QUASSIA. DC.	QUASSIA.	Decandria Monogynia. L.					
	amara. DC.	bitter.	Guiana.	1790.	6. 7.	S. h.	Bot. mag. 497.

SIMARUBA. DC.	SIMARUBA.	Monœcia Decandria.				
1 officinalis. DC.	officinal.	Guiana.	1787.	S. h.	Aub. gui. 2. t. 331-2.
	<i>Quassia Simaruba.</i> L.					
2 excelsa. DC.	tall.	Jamaica.	1822.	S. h.	Sw. act. holm. 1788. t. 8.
	<i>Quassia excelsa.</i> Sw.					
SIMABA. DC.	SIMABA.	Decandria Monogynia.				
guianensis. DC.	Guiana.	Guiana.	1822.	S. h.	Aub. gui. 1. t. 153.
	<i>Zwingera amara.</i> W.					

ORDO LIV.

OCHNACEÆ. DC. *prodr.* 1. p. 735.

OCHNA. DC.	OCHNA.	Polyandria Monogynia.	L.			
1 squarrosa. Rox.	blunt-leaved.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 89.
2 lucida. DC.	acute-leaved.	————	1818.	—	S. h.	Lam. ill. t. 472. f. 1.
3 nitida. DC.	shining.	C. B. S.	1816.	S. h.	DC. ann. m. 17. n. 3. t. 2.
4 multiflora. DC.	many-flowered.	Sierra Leon.	1822.	S. h.	———— n. 4. t. 3.
5 mauritiana. DC.	Mauritius.	Mauritius.	————	S. h.	———— n. 8. t. 5.
6 atropurpurea. DC.	purple-calyxed.	C. B. S.	1816.	S. h.	Pluk. alm. t. 263. f. 1. 2.
GOMPHIA. DC.	GOMPHIA.	Decandria Monogynia.	W.			
1 obtusifolia. DC.	blunt-leaved.	Madagascar.	1803.	S. h.	DC. ann. mus. n. 4. t. 8.
	<i>Ochna laevigata.</i> Vahl.					
2 Jabotapita. DC.	spear-leaved.	W. Indies.	1818.	S. h.	Lam. ill. 472. f. 2.
3 nitida. DC.	glossy-leaved.	————	1803.	S. h.	DC. an. mus. n. 13. t. 13.
4 laurifolia. DC.	laurel-leaved.	————	1822.	S. h.	———— n. 15. t. 15.

ORDO LV.

CORIARIEÆ. DC. *prod.* 1. p. 739.

CORIARIA. DC.	CORIARIA.	Mono-Diœcia Decandria.				
1 myrtifolia. DC.	Myrtle-leaved.	S. Europe.	1629.	5. 8.	H. h.	Duham. arb. 1. t. 73.
2 sarmentosa. DC.	sarmentose.	N. Zealand.	1820.	7. 9.	G. 4.	Bot. mag. 2470.

** SUBCLASSIS II. CALYCIFLORÆ.

ORDO LVI.

RHAMNEACEÆ. Brown.

HOVENIA. R.S.	HOVENIA.	Pentandria Monogynia.	R. S.			
1 dulcis. R.S.	smooth-leaved.	China.	1812.	4. 6.	G. h.	Lam. ill. t. 131.
	<i>acerba.</i> B.R. 500.					
2 pubescens.	pubescent-ld.	Nepaul.	1823.	G. h.	
	<i>dulcis.</i> D.P. et F.I. <i>nec aliorum.</i>					
VENTILAGO. R.S.	VENTILAGO.	Pentandria Monogynia.	R. S.			
madraspatana. F.I.	Madras.	Bengal.	1822.	S. h.	Rumph. amb. 3. t. 2.

GOUANIA. R.S.	GOUANIA. Polygamia Monœcia. L.				
1 domingensis. R.S.	Chaw-stick. W. Indies.	1739.	S. h. ~	Jacq. amer. t. 179. f. 40.
2 mauritiana. R.S.	Mauritius. Mauritius.	1823.	S. h. ~	
3 tomentosa. R.S.	woolly-leaved. W. Indies.	—	S. h. ~	
4 tilæfolia. F.1.	Lime-tree-ld. E. Indies.	1810.	4. 6.	S. h. ~	Roxb. cor. 1. t. 98.
PHYLICA. R.S.	PHYLICA. Pentandria Monogynia. L.				
1 glabrata. R.S.	smooth-leaved. C. B. S.	1820.	3. 5.	G. h.	
2 ericoides. R.S.	Heath-leaved. ———	1790.	9. 4.	G. h.	Bot. mag. 224.
3 parviflora. R.S.	small-flowered. ———	—	4. 7.	G. h.	
4 acerosa. R.S.	needle-leaved. ———	1819.	—	G. h.	Spr. m. ber. 8. B. f. 1.
5 lanceolata. R.S.	lance-leaved. ———	1790.	4. 5.	G. h.	
6 bicolor. R.S.	two-coloured. ———	1823.	—	G. h.	
7 eriophora. R.S.	pale-flowered. ———	1774.	11. 3.	G. h.	
8 stipularis. R.S.	horned. ———	1786.	5. 9.	G. h.	Wendl. coll. t. 32.
9 imberbis. R.S.	beardless. ———	1823.	—	G. h.	Breyn. cent. 18. t. 7.
10 secunda. R.S.	secund. ———	1812.	—	G. h.	
11 villosa. R.S.	villous. ———	1790.	—	G. h.	
12 hirsuta. R.S.	hairy. ———	1820.	—	G. h.	
13 pinifolia. R.S.	Pine-leaved. ———	1789.	5. 6.	G. h.	
14 racemosa. R.S.	clustered. ———	1790.	5. 9.	G. h.	
15 plumosa. R.S.	feathered. ———	1752.	3. 5.	G. h.	Lam. ill. t. 127. f. 4.
16 imbricata. R.S.	imbricated. ———	1801.	8. 11.	G. h.	
17 capitata. R.S.	headed. ———	1800.	5. 8.	G. h.	Bot. reg. 711.
18 Commelini. R.S.	Commelin's. ———	—	—	G. h.	Comm. præl. 63. t. 13.
19 reclinata. R.S.	reclined. ———	1820.	—	G. h.	Wendl. coll. 11. t. 56.
20 rosmarinifolia. R.S.	Rosemary-ld. ———	1815.	—	G. h.	
21 axillaris. R.S.	axillary-flow'r'd. ———	1812.	5. 6.	G. h.	Spr. m. ber. f. 4.
22 pauciculata. R.S.	panicle. ———	—	4. 6.	G. h.	
23 buxifolia. R.S.	Box-leaved. ———	1759.	5. 9.	G. h.	Wendl. coll. t. 26.
24 cordata. R.S.	heart-leaved. ———	1789.	5. 6.	G. h.	Comm. rar. 62. t. 12.
25 orientalis. L.en.	oriental. ———	1820.	—	G. h.	
26 callosa. R.S.	callous-leaved. ———	1774.	3. 4.	G. h.	
27 spicata. R.S.	spiked. ———	—	11. 12.	G. h.	Lam. ill. t. 127. f. 3.
28 cylindrica. R.S.	cylindrical. - ———	4. 8.	G. h.	Wendl. coll. t. 7.
29 pubescens. H.K.	pubescent. ———	1774.	2. 4.	G. h.	Burm. afr. t. 44. f. 3.
30 pumila. R.S.	dwarf. ———	1820.	—	G. h.	
31 excelsa. R.S.	tall. ———	—	3. 5.	G. h.	Wendl. coll. 111. t. 4.
32 papillosa. R.S.	papillose. ———	—	—	G. h.	— — — p. 5. t. 71.
33 atrata. R.S.	black-downed. ———	—	—	G. h.	
34 squarrosa. B.C.	squarrose. ———	—	—	G. h.	Lodd. Bot. cab. 36.
35 australis. L.en.	southern. ———	1812.	—	G. h.	
CRYPTANDRA. Sm.	CRYPTANDRA. Pentandria Monogynia. R.S.				
1 australis. L.T.	bundle-leaved. N. S. W.	1821.	5. 7.	G. h.	Linn. trans. X. t. 18. f. 1.
2 ericifolia. L.T.	Heath-leaved. ———	1823.	—	G. h.	— — — X. t. 18. f. 2.
3 amara. L.T.	bitter. ———	—	4. 6.	G. h.	
COLLETIA. R.S.	COLLETIA. Pentandria Monogynia. R.S.				
1 orbordata. R.S.	orbordate. Peru.	1822.	5. 7.	G. h.	Vent. h. cels. t. 92.
2 serratifolia. R.S.	saw-leaved. ———	1823.	G. h.	Vent. choix. t. 15.
POMADERRIS. Lab.	POMADERRIS. Pentandria Monogynia. R.S.				
1 phyllicæfolia. B.C.	Phyllica-leaved. N. S. W.	1810.	3. 5.	G. h.	Lodd. bot. cab. 120.
	<i>Ceanothus? Wendlandiana. R.S.?</i>				
2 apetala. R.S.	petalless. N. Holland.	1803.	5. 6.	G. h.	Lab. nov. hol. 1. t. 87.
3 elliptica. R.S.	elliptic-leaved. ———	1805.	4. 7.	G. h.	— — — 1. t. 36.
4 acuminata. L.en.	loose-flowered. ———	1816.	—	G. h.	
5 lanigera. B.M.	woolly. ———	1806.	—	G. h.	Bot. mag. 1823.
	<i>Ceanothus laniger. A.R.</i>				
CEANOTHUS. R.S.	CEANOTHUS. Pentandria Monogynia. L.				
1 americanus. W.	New Jersey Tea. N. America.	1713.	7. 8.	H. h.	Bot. mag. 1479.
2 tardiflorus. R.S.	late-flowering. ———	1812.	9. 10.	H. h.	
3 microphyllus. Ph.	small-leaved. ———	1806.	6. 7.	H. h.	
4 macrocarpus. W.	large-capsuled. New Spain.	1823.	—	S. h.	Cav. ic. 3. t. 276.
5 sanguinens. Ph.	red-stalked. N. America.	1812.	5. 7.	H. h.	
6 intermedius. Ph.	intermediate. ———	—	6. 7.	H. h.	Pluk. alm. t. 28. f. 6.
7 perennis. Ph.	perennial. ———	1822.	—	H. 2.	
8 asiaticus. W.	Asiatic. E. Indies.	1691.	7. 8.	S. h.	Cav. ic. 5. t. 440. f. 1.
9 azureus. B.R.	blue. New Spain.	1818.	4. 5.	G. h.	Bot. reg. 291.
	<i>cæruleus. Lag.</i>				
10 africanus. W.	African. C. B. S.	1712.	3. 4.	G. h.	Pluk. phyt. 126. f. 1.
11 globulosus. H.K.	round-headed. N. Holland.	1803.	4. 5.	G. h.	Lab. nov. hol. 1. t. 85.

12	discolor. R.S.	two-coloured.	—	—	—	G. h.	Vent. malm. t. 58.
13	nepalensis. F.I.	Nepaul.	Nepaul.	1823.	H. h.	
DALRYMPLEA. F.I.		DALRYMPLEA.	Pentandria	Monogynia.			
	pomifera. F.I.	apple-bearing.	Silhet.	1823.	S. h.	
RHAMNUS. R.S.		BUCKTHORN.	Pentandria	Monogynia.	L.		
1	catharticus. w.	purging.	England.	5. 6.	H. h.	Eng. bot. 1629.
2	tinctorius. w.K.	dycr's.	Hungary.	1823.	—	H. h.	W. et K. hung. t. 255.
3	saxatilis. L.	rock.	S. Europe.	1752.	—	H. h.	Jacq. aust. 1. t. 53.
4	infectorius. L.	yellow-berried.	—	1683.	6. 7.	H. h.	
5	oleoides. L.	Olive-leaved.	Spain.	1752.	—	H. h.	
6	pubescens. R.S.	pubescent.	S. France.	1820.	—	H. h.	
7	buxifolius. R.S.	Box-leaved.	S. Europe.	—	—	H. h.	
8	lycioides. w.	Boxthorn-like.	Spain.	1752.	9. 12.	G. h.	Cav. ic. 2. t. 182.
	<i>β latifolius.</i>	<i>broad-leaved.</i>					
9	theezans. w.	Thea.	China.	—	G. h.	
10	crenulatus. w.	crenulate.	Teneriffe.	1778.	3.	G. h.	
11	virgatus. F.I.	slender.	Nepaul.	1819.	4. 5.	H. h.	
12	erythroxylo. R.S.	red-wooded.	Siberia.	1822.	—	H. h.	Pall. ross. 2. t. 62.
13	tetragonus. w.	sqnare-branch'd.	C. B. S.	1816.	G. h.	Act.gorenck.1812.c.ic.
14	valentinus. w.	Spanish.	Spain.	1825.	H. h.	Cav. ic. 2. t. 181.
	<i>pumilus C. non. w.</i>						
15	cubensis. w.	Cuba.	Cuba.	1824.	S. h.	Jacq. vind. 3. t. 49.
	<i>Ceanothus cubensis.</i> Lam.						
16	colubrinus. w.	Bahama red-wood.	Bahama.	1726.	6.	S. h.	— 3. t. 50.
	<i>Ceanothus colubrinus.</i> P.S.						
17	alpinus. w.	Alpine.	Switzerland.	1752.	5. 6.	H. h.	Hall. helv.n. 823. t. 40.
18	alnifolius. w.	Alder-leaved.	N.America.	1778.	—	H. h.	
19	pumilus. w.	dwarf.	Carniola.	1752.	7.	H. h.	Jacq. coll. 2. t. 11.
	<i>β rupestris.</i>	<i>small.</i>					
20	Frangula. w.	berry-bearing.	Britain.	4. 5.	H. h.	Eng. bot. 250.
21	latifolius. w.	broad-leaved.	Azores.	1778.	7.	H. h.	Wats. dend. brit. t. 11.
22	ellipticus. w.	oval-leaved.	Jamaica.	1758.	8.	S. h.	Brown. jam. t. 29. f. 2.
	<i>Ceanothus reclinator.</i> P.S.						
23	prinoides. w.	Prinos-leaved.	C. B. S.	1778.	8. 9.	G. h.	L. Her. sert. ang. t. 9.
24	celtifolius. R.S.	Celtis-leaved.	—	—	G. h.	Burm. afr. 242. t. 88.
25	mystacinus. w.	wiry.	Africa.	1775.	11.	S. h.	
26	hybridus. w.	hybrid.	Hybrid.	5. 6.	H. h.	
27	glandulosus. w.	Madeira.	Canaries.	1785.	6. 7.	G. h.	Vent. malm. t. 34.
28	Alaternus. w.	Alaternus.	S. Europe.	1629.	4. 6.	H. h.	
	<i>a latifolius.</i>	<i>broad-leaved.</i>					
	<i>β baleuricus.</i>	<i>round-saw-ld.</i>					
	<i>γ hispanicus.</i>	<i>Spanish.</i>					
	<i>δ glaber.</i>	<i>smooth-leaved.</i>					
	<i>ε integrifolius.</i>	<i>entire-leaved.</i>					
	<i>ζ maculatus.</i>	<i>spot-leaved.</i>					
	<i>η aureo-marginatus.</i>	<i>gold-striped.</i>					
	<i>θ argenteus.</i>	<i>silver-striped.</i>					
29	Clusii. R.S.	narrow-leav'd.	—	—	—	H. h.	
30	integrifolius. nc.	entire-leaved.	New Spain.	1820.	S. h.	DC.h.mons. ined.t.16.
31	lanceolatus. Ph.	spear-leaved.	N. America.	1812.	4. 5.	H. h.	
32	longifolius. L.en.	long-leaved.	1822.	—	H. h.	
	<i>Willdenowiana.</i> R.S.						
33	microphyllus. R.S.	small-leaved.	Mexico.	—	G. h.	
ZIZYPHUS. R.S.		ZIZYPHUS.	Pentandria	Monogynia.	R.S.		
1	Lotus. R.S.	Barbary.	Africa.	1731.	G. h.	Desf.act.ac.1788.t.21.
2	mucronata. w.en.	mucronate.	C. B. S.	1820.	G. h.	
	<i>bubalina.</i> R.S.						
3	Oenopia. R.S.	oblique-leaved.	Ceylon.	S. h.	Burm. zsyl. 131. t. 61.
4	Jujuba. R.S.	blunt-leaved.	E. Indies.	1759.	4. 5.	S. h.	Rheed. mal. 4. t. 41.
5	albans. F.I.	white-fruited.	China.	1822.	...	G. h.	
6	Spina Christi. R.S.	Christ's-thorn.	Egypt.	4. 5.	G. h.	Pluk. alm. t. 197. f. 3.
7	Napeca. R.S.	spotted-fruited.	Ceylon.	1816.	S. h.	— t. 216. f. 6.
8	vulgaris. R.S.	common.	S. Europe.	1640.	8. 9.	H. h.	Pall. ross. 2. t. 59.
9	nitida. F.I.	shining.	China.	1822.	G. h.	
10	Xylopyrus. R.S.	cork-barked.	E. Indies.	—	S. h.	
11	incurva. F.I.	incurved.	Nepaul.	1820.	5. 6.	F. h.	
12	flexuosa. F.I.	flexuose.	—	—	F. h.	
13	sororia. R.S.	pubescent-ld.	E. Indies.	1823.	S. h.	

OENOPLIA. R.S.	OENOPLIA.	Pentandria Monogynia. R.S.		
1 lineata. R.S.	lined.	China.	1801.	G. h. Osb. lt. 219. t. 7.
<i>Zizyphus lineatus.</i> w.	<i>Rhamnus lineatus.</i> L.			
2 volubilis. R.S.	twining.	Carolina.	1714. 6. 7.	H. h. Jacq. ic. 2. t. 336.
<i>Rhamnus volubilis.</i> L.	<i>Zizyphus volubilis.</i> w.			
PALIURUS. R.S.	CHRIST'S-THORN.	Pentandria Trigynia. B.M.		
1 anstralis. R.S.	common.	S. Europe.	1596. 6. 7.	H. h. Bot. mag. 1893.
<i>Zizyphus Paliurus.</i> B.M.				
2 virgatus. D.P.	Nepaul.	Nepaul.	1819. 8. 9.	H. h. ——— 2535.
PLECTRONIA. R.S.	PLECTRONIA.	Pentandria Monogynia. R.S.		
ventosa. R.S.	corymbed.	C. B. S.	1816.	G. h. Burm. prod. afr. t. 94.
<i>corymbosa.</i> P.S.				
AUCUBA. W.	AUCUBA.	Monœcia Tetrandria.		
japonica. w.	Japan.	Japan.	1783. 5. 7.	H. h. Bot. mag. 1197.
MYGINDA. W.	MYGINDA.	Tetrandria Tetragynia.		
1 latifolia. w.	broad-leaved.	W. Indies.	1795. 4. 5.	S. h.
2 Rhacoma. w.	blunt-leaved.	Jamaica.	1798.	S. h. Jacq. ic. 2. t. 311.
3 uragoga. w.	saw-leaved.	S. America.	1790. 8. 9.	S. h. Jacq. amer. 21. t. 16.
ILEX. R.S.	HOLLY.	Tetrandria Tetragynia. L.		
1 canadensis. R.S.	Canadian.	N.America.	1802. 4. 5.	H. h. Mich. amer. 2. t. 49.
<i>Prinos lucidus.</i> w.				
2 salicifolia. R.S.	Willow-leaved.	Mauritius.	1818. —	S. h. Jacq. coll. 4. t. 2. f. 2.
3 chinensis. B.M.	Chinese.	China.	1810. —	G. h. Bot. mag. 2043.
4 angustifolia. R.S.	narrow-leaved.	N.America.	1806. 5. 6.	F. h. Wats. dend. brit. t. 4.
5 myrtifolia. R.S.	Myrtle-leaved.	W. Indies.	1806. 7. 8.	S. h.
6 vomitoria. R.S.	South Sea Tea.	Florida.	1700. 6. 7.	G. h. Jacq. ic. 2. t. 310.
<i>ligustrina.</i> Jacq.				
7 Dahoon. R.S.	Dahoon.	Carolina.	1726. 5. 6.	F. h.
8 Cassine. R.S.	broad-ld. Dahoon.	—————	—	8. F. h. Cat. car. 1. t. 31.
9 prinoides. R.S.	deciduous.	N.America.	1760. 7.	H. h.
10 cassinoides. L.en.	Cassine-leaved.	—————	1820. —	H. h.
11 paraguensis. L.P.	Paraguay Tea.	Paraguay.	1823.	G. h. Lamb. pin. ic.
12 Perado. R.S.	thick-leaved.	Madeira.	1760. 4. 5.	F. h. Meerb. ic. 2. t. 6.
13 crocea. R.S.	African.	C. B. S.	1791. 5. 6.	G. h.
14 recurva. L.en.	recurved-spined.	—————	4. 6. H. h.
15 opaca. R.S.	Carolina.	Carolina.	1744. 5. 6.	F. h. Wats. dend. brit. t. 3.
16 laxiflora. R.S.	loose-flowered.	—————	1811. —	F. h.
17 balearica. L.en.	Minorca.	Minorca.	1815. —	H. h.
18 Aquifolium. R.S.	common.	Britain.	4. 6. H. h. Eng. bot. 496.
<i>β heterophylla.</i>	<i>various-leaved.</i>	—————	H. h.
<i>γ crassifolia.</i>	<i>thick-leaved.</i>	—————	H. h.
<i>δ serot.</i>	<i>hedge-hog.</i>	—————	H. h.
<i>ε echinata.</i>	<i>striped hedge-hog</i>	—————	H. h.
<i>ζ flava.</i>	<i>yellow-berried.</i>	—————	H. h.
<i>η albo-marginata.</i>	<i>white-marginated.</i>	—————	H. h.
<i>θ aureo-marginata.</i>	<i>gold-edged.</i>	—————	H. h.
<i>ι medio-picta.</i>	<i>painted.</i>	—————	H. h.
PRINOS. R.S.	WINTER-BERRY.	Hexandria Monogynia. L.		
1 verticillatus. w.	deciduous.	N.America.	1736. 7. 8.	H. h. Wats. dend. brit. t. 30.
2 ambiguus. M.	Carolina.	—————	1812. —	H. h. ——— t. 29.
3 lævigatus. Ph.	smooth.	—————	—	H. h. ——— t. 28.
4 lanceolatus. Ph.	scarlet-berry'd.	Carolina.	1811. 6. 7.	H. h.
5 glaber. w.	evergreen.	Canada.	1759. 7. 8.	H. h. Wats. dend. brit. t. 27.
6 coriaceus. Ph.	leathery-leav'd.	Georgia.	1820. 6. 7.	H. h.
7 atomarius. N.	atomiferous.	—————	—	H. h.
8 prunifolius. Desf.	Plum-leaved.	—	H. h.

ORDO LVII.

CELASTRINÆ. *Brown.*

CELASTRUS. R.S.	STAFF-TREE.	Pentandria Monogynia. L.	
1 oleoides. R.S.	Olive-leaved.	C. B. S.	1823. 5. 6. G. h.

2	tricuspidatus. R.S.	three-pointed.	————	1816.	5. 6.	G. h.	
	<i>Cassine lavigata</i> . P.S.						
3	lucidus. w.	shining.	————	1722.	4. 9.	G. h.	L'Her. stirp. 1. t. 25.
4	bullatus. w.	scarlet-fruited.	Virginia.	1759.	7.	H. h.	Pluk. alm. t. 28. f. 5.
5	scandens. w.	climbing.	N.America.	1736.	5. 6.	H. h.	Duham. arb. 1. t. 95.
6	punctatus. R.S.	spotted-stalk'd.	Japan.	1816.	G. h.	
7	cassinoides. w.	crenated.	Canaries.	1779.	8. 9.	G. h.	L'Her. sert. ang. t. 10.
8	cernuus. w.	drooping.	C. B. S.	1815.	G. h.	
9	myrtifolius. w.	Myrtle-leaved.	W. Indies.	6. 8.	G. h.	Sloan. jam. 2. t. 193. f. 1.
10	tetragonus. w.	four-sided.	C. B. S.	1816.	G. h.	
11	retusus. R.S.	notched.	Peru.	1823.	G. h.	
	<i>emarginatus</i> . P.S.						
12	linearis. R.S.	linear-leaved.	C. B. S.	—	G. h.	
13	emarginatus. w.	emarginate.	E. Indies.	1820.	S. h.	
14	cymosus. B.M.	cymose.	C. B. S.	1815.	6. 8.	G. h.	Bot. mag. 2070.
15	buxifolius. w.	Box-leaved.	————	1752.	5. 8.	G. h.	———— 2114.
16	multiflorus. R.S.	many-flowered.	Africa.	1816.	—	G. h.	
17	pyranthus. w.	red-fruited.	C. B. S.	1752.	5. 6.	G. h.	Bot. mag. 1167.
18	octogonus. w.	angular-leaved.	Peru.	1786.	10. 11.	G. h.	
EUONYMUS. L.		SPINDLE-TREE.	Pentandria Monogynia.	L.			
1	japonicus. w.	Japan.	1804.	6. 8.	G. h.		Kæmpf. ic. t. 8.
2	europæus. w.	European.	Britain.	5. 7.	H. h.	Eng. bot. 362.
3	verrucosus. w.	warted.	Austria.	1763.	5. 6.	H. h.	Schmidt. arb. t. 72.
4	latifolius. w.	broad-leaved.	S. Europe.	1730.	6. 7.	H. h.	— t. 74.
5	atropurpureus. w.	dark-purple.	N. Amer.	1756.	—	H. h.	Jacq. vind. 2. t. 120.
6	americanus. w.	evergreen.	————	1683.	—	H. h.	Schmidt arb. t. 75.
7	sarmentosus. N.	sarmentose.	————	1823.	—	H. h.	
8	obovatus. N.	obovate-leaved.	————	—	—	H. h.	
9	angustifolius. Ph.	narrow-leaved.	————	1806.	—	H. h.	
10	micranthus. D.P.	small-flowered.	Nepaul.	1820.	H. h.	
11	lacerus. D.P.	torn-leaved.	————	—	H. h.	
12	lucidus. D.P.	shining-leaved.	————	—	H. h.	
13	grandiflorus. F.I.	large-flowered.	————	1823.	H. h.	
STAPHYLEA. W.		BLADDER-NUT.	Pentandria Trigynia.	L.			
1	pinnata. w.	five-leaved.	England.	4. 6.	H. h.	Eng. bot. 1560.
2	trifolia. w.	three-leaved.	N.America.	1640.	5. 6.	H. h.	Schmidt arb. t. 80.
ELÆODENDRON. W.		OLIVE-WOOD.	Pentandria Monogynia.				
1	orientale. w.	oriental.	Madagascar.	1771.	S. h.	Jacq. ic. 1. t. 48.
	<i>Rubentina olivina</i> . Juss.						
2	indicum. F.I.	Indian.	Mauritius.	1823.	S. h.	Gært. carp. 1. t. 57.
3	glaucum. P.S.	glaucous.	Ceylon.	1823.	S. h.	Rottb. a. hav. T. 2. t. 1. f. 1.
PORTENSCHLAGIA.		Tr. PORTENSCHLAGIA.	Pentandria Monogynia.				
	australis. Tr.	New Holland.	N. S. W.	1796.	6. 8.	G. h.	Vent. malm. 117.
	<i>Elæodendrum australe</i> .	Vent. <i>Lamarckia dentata</i> .	Hort.				
CASSINE. L.		CASSINE.	Pentandria Trigynia.	L.			
1	capensis. w.	Cape Phillyrea.	C. B. S.	1629.	7. 8.	G. h.	Burm. afr. t. 85.
2	Colpoon. w.	Colpoon tree.	————	1791.	—	G. h.	———— t. 86.
3	barbara. w.	tetragonal.	————	1816.	—	G. h.	
4	Maurocenia. w.	Hottentot cherry.	————	1690.	—	G. h.	Dill. elt. t. 121. f. 147.
5	æthiopica. R.S.	Ethiopian.	————	—	G. h.	
6	xylocarpa. v.	bony-seeded.	Antilles.	1816.	—	S. h.	Vent. choix. t. 23.
7	excelsa. F.I.	tall.	Nepaul.	1823.	S. h.	

ORDO LVIII.

BRUNIACEÆ.

LINCONIA. R.S.		LINCONIA.	Pentandria Digynia.				
1	thymifolia. s.S.	Thyme-leaved.	C. B. S.	1825.	G. h.	Sw. mag. g. n. Ber. iv. t. 4.
	<i>Brunia laxa</i> . Th.						
2	cuspidata. R.S.	cuspidate.	————	—	G. h.	— V. p. 284. t. 7. f. 1.
STAAVIA. R.S.		STAAVIA.	Pentandria Monogynia.	R.S.			
1	radiata. R.S.	rayed.	C. B. S.	1787.	5. 6.	G. h.	Breyn. cent. t. 82.
2	glutinosa. R.S.	clammy.	————	1793.	4. 5.	G. h.	Lodd. bot. cab. 852.

BRUNIA. R.S.	BRUNIA. Pentandria Monogynia. L.				
1 <i>lævis. R.S.</i>	smooth.	C. B. S.	1823.	5. 7.	G. h.
2 <i>nodiflora. R.S.</i>	imbricated.	————	1786.	7. 8.	G. h.
3 <i>deusta. R.S.</i>	black-tipped.	————	1804.	6. 8.	G. h.
4 <i>lanuginosa. R.S.</i>	woolly.	————	1774.	—	G. h.
5 <i>comosa. R.S.</i>	tufted.	————	1823.	—	G. h.
6 <i>verticillata. R.S.</i>	whorled.	————	1794.	—	G. h.
7 <i>squarrosa. R.S.</i>	squarrose.	————	1818.	—	G. h.
8 <i>alopécuroides. R.S.</i>	Fox-tail.	————	1816.	5. 7.	G. h.
9 <i>paleacea. R.S.</i>	chaffy.	————	1791.	6. 8.	G. h.
10 <i>abrotanoides. R.S.</i>	Thyme-leaved.	————	1787.	5. 7.	G. h.
11 <i>microphylla. R.S.</i>	small-leaved.	————	1804.	6. 8.	G. h.
12 <i>plumosa. R.S.</i>	feathered.	————	1822.	—	G. h.
13 <i>phylicoides. R.S.</i>	Phylica-leaved.	————	—	—	G. h.
14 <i>superba. R.S.</i>	superb.	————	1791.	—	G. h.
15 <i>fragarioides. R.S.</i>	Strawberry-like.	————	1794.	5. 7.	G. h.
16 <i>ciliata. R.S.</i>	fringed.	————	1812.	—	G. h.
17 <i>ericoides. R.S.</i>	Heath-leaved.	————	—	—	G. h.
18 <i>formosa. R.S.?</i>	handsome.	————	1812.	—	G. h.
19 <i>macrocephala. S.S.</i>	large-headed.	————	—	—	G. h.
? BUMALDA. R.S.	BUMALDA. Pentandria Digynia. R.S.				
<i>trifolia. R.S.</i>	three-leaved.	Japan.	1812.	6. 9.	G. h.

Brey. cent. 22. t. 10.

Wendl. coll. 1. t. 11.

Wendl. coll. t. 21.

———— II. t. 45.

Wendl. coll. II. t. 57.

ORDO LIX.

SAMYDEÆ. Kth. Synops. 3. p. 291.

SAMYDA. Kth.	SAMYDA. Decandria Monogynia. S.S.				
1 <i>glabrata. S.S.</i>	smooth.	Jamaica.	1818.	5. 8.	S. h.
2 <i>villosa. S.S.</i>	villous.	————	—	—	S. h.
3 <i>decurrent. S.S.</i>	decurent.	Brazil.	1822.	—	S. h.
4 <i>pubescens. S.S.</i>	pubescent.	W. Indies.	1793.	—	S. h.
5 <i>serrulata. S.S.</i>	saw-leaved.	————	1723.	7. 8.	S. h.
6 <i>rosea. B.M.</i>	rose-coloured.	————	1793.	6. 7.	S. h.
<i>serrulata. A.R. 202. nec aliorum.</i>					
7 <i>nitida. S.S.</i>	glossy-leaved.	Jamaica.	—	—	S. h.
8 <i>macrophylla. S.S.</i>	large-leaved.	E. Indies.	1823.	S. h.
CASEARIA. Kth.	CASEARIA. Decandria Monogynia. S.S.				
1 <i>sylvestris. S.S.</i>	wood.	Jamaica.	1823.	S. h.
2 <i>parviflora. S.S.</i>	small-flowered.	W. Indies.	1818.	5. 7.	S. h.
3 <i>serrulata. S.S.</i>	serrulate.	————	—	—	S. h.
4 <i>glabra. H.B.</i>	smooth.	E. Indies.	1820.	—	S. h.
5 <i>hirsuta. S.S.</i>	hairy.	W. Indies.	—	S. h.
6 <i>zizyphoides. Kth.</i>	Zizyphus-like.	Caracas.	1824.	S. h.
7 <i>arguta. Kth.</i>	sharp-toothed.	Mexico.	—	S. h.

Jacq. col. 2. t. 17. f. 1.
Bot. mag. 550.

Br. jam. 217. t. 23. f. 3.

Sloan. hist. 2. t. 211. f. 2.

ORDO LX.

JUGLANDEÆ. DC. theor. ed. 1. p. 215.

JUGLANS. N.	WALNUT-TREE. Monœcia Polyandria. L.				
1 <i>regia. w.</i>	common.	Persia.	1562.	4. 5.	H. h.
<i>β maxima. P.S.</i>	double fruited.	————	—	—	H. h.
<i>γ scrotina. P.S.</i>	late fruited.	————	—	—	H. h.
2 <i>nigra. w.</i>	black.	N. Amer.	1629.	—	H. h.

Lam. ill. t. 781.

Wats. dend. brit. t. 158.

3	cinerea. w.	shell-bark.	————	1656.	—	H. h.	————	1. t. 192.
	<i>cathartica</i> . Michaux. arb. 1. t. 2.		————	————	—	H. h.		
4	fraxinifolia. Lam.	Ash-leaved.	————	————	—	H. h.		
CARYA.	Nutt.	HICKORY-NUT.	Monœcia	Tetrandria.				
1	olivæformis. N.	Olive-fruited.	N. America.	4. 5.	H. h.		Mich. arb. 1. t. 3.
2	angustifolia. H.K.	narrow-leaved.	————	1766.	—	H. h.		
3	sulcata. N.	channelled.	————	1804.	—	H. h.		Mich. arb. 1. t. 8.
4	alba. N.	white.	————	1730.	4. 5.	H. h.		Mich. arb. 1. t. 7.
	<i>Juglans compressa</i> . W.							
5	tomentosa. N.	tomentose.	————	1629.	—	H. h.	————	1. t. 6.
	<i>Juglans alba</i> . W.							
6	pubescens.	pubescent.	————	—	H. h.		
	<i>Juglans pubescens</i> . L.en.							
7	microcarpa. N.	small-fruited.	————	1824.	H. h.		
8	amara. N.	bitter.	————	1800.	5.	H. h.		
9	obcordata.	obcordate.	————	1812.	—	H. h.		Mich. arb. 1. t. 9. f. 3-4.
10	glabra.	smooth-leaved.	————	1799.	—	H. h.	————	1. t. 9. f. 1-2.

ORDO LXI.

CASSUVIÆ. *Brown.*

ANACARDIUM. W.	CASHEW-NUT.	Enneandria	Monogynia.	L.				
1	occidentale. w.	common.	India.	1599.	S. h.		Catesb. car. 3. t. 9.
	<i>Cassuivum pomiferum</i> . Lam.							
2	dubium. H.B.	doubtful.	E. Indies.	1824.	S. h.		
SEMECARPUS. R.S.	SEMECARPUS.	Pentandria	Trigynia.	L.				
	<i>Anacardium</i> . R.S.	long-leaved.	E. Indies.	1820.	S. h.		Roxb. cor. 1. t. 12.
	<i>Anacardium longifolium</i> . Lam.							
MANGIFERA. R.S.	MANGO-TREE.	Monandria	Monogynia.	R.S.				
1	indica. R.S.	common.	E. Indies.	1690.	6. 9.	S. h.		Andr. rep. 425.
2	oppositifolia. F.t.	opposite-leav'd.	————	1823.	S. h.		
RHUS. R.S.	SUMACH.	Pentandria	Trigynia.	L.				
1	Coriaria. R.S.	Elm-leaved.	S. Europe.	1596.	7.	H. h.		Flor. græc. t. 290.
2	typhina. R.S.	Virginian.	N. America.	1629.	7. 8.	H. h.		Wats. dend. t. 17. mas.
	<i>a arborescens</i> . R.S.	<i>arborescent.</i>	————	————	————	H. h.		———— t. 18. fem.
	<i>β frutescens</i> . R.S.	<i>frutescent.</i>	————	————	————	H. h.		
3	javanica. R.S.	Java.	Java.	1799.	7. 9.	S. h.		
4	semialata. R.S.	Service-leaved.	Macao.	1780.	—	G. h.		Murr. com. got. vi. t. 3.
5	viridiflora. R.S.	green-flower'd.	N. America.	7.	H. h.		
6	glabra. R.S.	smooth.	————	1726.	7. 9.	H. h.		Wats. dend. t. 15.
7	elegans. R.S.	scarlet-flow'r'd.	————	————	————	H. h.		———— t. 16.
8	Vernix. R.S.	varnish.	————	1713.	—	H. h.		———— t. 19.
9	Kæmpferi.	Chinêsè varnish.	China.	—	G. h.		Kæmp. amœn. t. 792.
	<i>Rhus Vernix</i> . Th. nec Ph.							
10	Amela. D.P.	large-leaved.	Nepaul.	1823.	G. h.		
11	juglandifolia. D.P.	Walnut-leaved.	————	————	G. h.		
12	fraxinifolia. D.P.	Ash-leaved.	————	————	G. h.		
13	parviflora. H.B.	small-flowered.	————	1824.	G. h.		
14	succedanea. R.S.	red Lac.	China.	1768.	6.	G. h.		Kæmp. amœn. t. 795.
15	copallina. R.S.	Lentiscus-ld.	N. America.	1688.	8. 9.	H. h.		Jacq. schœn. 3. t. 341.
16	alata. R.S.	winged-leaved.	C. B. S.	1818.	G. h.		
17	pauciflora. R.S.	few-flowered.	————	————	G. h.		
18	pumila. R.S.	dwarf-poisonous.	N. America.	1806.	7.	H. h.		
19	digitata. R.S.	fingered.	C. B. S.	1818.	G. h.		
20	obliqua. R.S.	oblique-leaved.	————	————	G. h.		
21	pentaphylla. R.S.	various-leaved.	Barbary.	1816.	G. h.		
22	chinensis. Mill.	Chinese.	China.	1740.	G. h.		
23	cirrhiiflora. R.S.	tendrill-flow'r'd.	C. B. S.	1825.	G. h.		
24	Thunbergiana. R.S.	Thunberg's.	————	1697.	7. 8.	G. h.		
25	glauca. R.S.	glaucons.	————	1818.	—	G. h.		
26	tridentata. R.S.	three-toothed.	————	————	G. h.		
27	Toxicodendron. N.	Poison oak.	N. America.	1640.	6. 7.	H. h.		Schuh. hand. 1. t. 82.

28 radicans. N.	rooting.	————	1724.	—	H. h.	Bot. mag. 1806.
29 crenata. R.S.	crenated.	C. B. S.	—	G. h.	
30 dentata. R.S.	rough-stalked.	————	1798.	—	G. h.	
31 sinuata. R.S.	sinuated.	————	1818.	—	G. h.	
32 cuneifolia. R.S.	wedge-leaved.	————	1816.	—	G. h.	
33 dimidiata. R.S.	variable-ld.	————	—	—	G. h.	
34 dissecta. R.S.	dissected-ld.	————	—	—	G. h.	
35 incisa. R.S.	cut-leaved.	————	1789.	—	G. h.	
36 tomentosa. R.S.	woolly-leaved.	————	1691.	—	G. h.	
37 villosa. R.S.	villous-leaved.	————	1714.	7.	G. h.	Pluk. alm. t. 219. f. 8.
38 spicata. R.S.	spiked.	————	1816.	—	G. h.	
39 pubescens. R.S.	pubescent.	————	—	—	G. h.	
40 mucronata. R.S.	mucronate.	————	1825.	G. h.	
41 viminalis. R.S.	Willow-leaved.	————	1774.	6. 7.	G. h.	Jacq. schœn. 3. t. 314.
42 erosa. R.S.	erose-leaved.	————	1816.	—	G. h.	
43 lancea. R.S.	lance-leaved.	————	—	—	G. h.	
44 angustifolia. R.S.	narrow-leaved.	————	1714.	—	G. h.	Pluk. alm. t. 219. f. 6.
45 rosmarinifolia. R.S.	Rosemary-ld.	————	1800.	—	G. h.	
46 undulata. R.S.	wave-leaved.	————	1818.	—	G. h.	Jacq. schœn. 3. t. 346.
47 lævigata. R.S.	polished-ld.	————	1758.	—	G. h.	———— 3. t. 345.
48 elliptica. Jacq.	elliptic-leaved.	————	1816.	—	G. h.	
49 pendulina. R.S.	pendulous.	————	—	—	G. h.	
50 lucida. R.S.	shining-leaved.	————	1697.	7. 8.	G. h.	Cav. ic. 2. t. 132.
51 concinna. B.T.	pretty.	————	1816.	—	G. h.	
52 nervosa. R.S.	nerved-leaved.	————	—	G. h.	
53 pyroides. B.T.	Pyrus-like.	————	1816.	—	G. h.	
54 oxyacanthoides. R.S.	Hawthorn-like.	Africa.	1823.	G. h.	
55 tridactylis. B.T.	three-fingered.	C. B. S.	1816.	G. h.	
56 heterophylla. R.S.	various-leaved.	—	6. 8.	G. h.	
57 serratifolia. B.T.	saw-leaved.	C. B. S.	—	—	G. h.	
58 zizyphina. R.S.	Zizyphus-like.	Sicily.	—	G. h.	
59 Cotinus. R.S.	Venice.	S. Europè.	1656.	6. 7.	H. h.	Jacq. aust. 3. t. 210.
LOBADIUM. Raf.	LOBADIUM.	Pentandria Trigynia.				
1 aromaticum.	aromatic.	N. America.	1772.	5.	H. h.	Turp. ann. mus. v. t. 30.
2 suaveolens.	sweet.	————	1759.	—	H. h.	
	<i>Schmaltzia suarcolens.</i> Desv.	<i>Rhus suarcolens.</i> R.S.				
BUCHANANIA. H.B.	BUCHANANIA.	Decandria Monogynia.				
1 latifolia. H.B.	broad-leaved.	E. Indies.	1820.	S. h.	
2 angustifolia. s.s.	narrow-leaved.	————	—	S. h.	

ORDO LXII.

AMYRIDEÆ *Brown.*

AMYRIS. W.	AMYRIS.	Octandria Monogynia.	L.			
1 polygama. s.s.	simple-leaved.	Chili.	1790.	6. 7.	H. h.	Cav. ic. 3. t. 239.
	<i>Schinus dependens.</i> H. K.					
2 Lunani. s.s.	Lunan's.	Jamaica.	—	S. h.	
3 brasiliensis. s.s.	Brazilian.	Brazil.	1822.	—	S. h.	
4 sylvatica. s.s.	wood.	Carthagenæ.	1793.	—	S. h.	Jacq. amer. pict. t. 188.
5 balsamifera. s.s.	Balsam.	W. Indies.	1800.	—	S. h.	Sloan. jam. t. 168. f. 4.
6 Agallocha. H.B.	hill.	E. Indies.	1820.	S. h.	
7 acuminata. H.B.	acuminate.	————	1822.	S. h.	
8 heptaphylla. H.B.	seven-leaved.	————	—	S. h.	
9 nana. H.B.	dwarf.	————	1824.	S. h.	
10 punctata. H.B.	dotted.	————	1818.	S. h.	
SCHINUS. W.	SCHINUS.	Diœcia Decandria.	L.			
1 Molle. w.	Mastick tree.	Pern.	1597.	7. 8.	G. h.	Mill. ic. 2. t. 246.
2 dentata. A.R.	tooth-leaved.	Owhyhec.	1795.	5. 7.	G. h.	Bot. rep. 620.
3 virgata.	slender.	Lima.	1822.	H. h.	

POUPARTIA. J. borbonica. P.S.	POUPARTIA. Decandria Pentagynia. P.S. Bourbon. Bourbon. 1824. S. h.	
BURSERA. L. 1 gummifera. L. 2 serrata. Roxb.	BURSERA. Polygamia Diœcia. L. Jamaica. W. Indies. 1690. S. h. saw-leaved. E. Indies. 1818. S. h.	Jacq. amer. t. 65.

ORDO LXIII.

CONNARACEÆ. *Brown.*

CONNARUS. W. 1 paniculatus. H.B. 2 nitidus. H.B. 3 africanus. w.	CONNARUS. Monadelphia Decandria. panicled. Chittagong. 1824. S. h. glossy. Silhet. ———— S. h. African. Sierra Leon. 1822. S. h.	Cav. dis. 7. t. 221.
CNESTIS. J. 1 glabra. w. 2 polyphylla. w.	CNESTIS. Decandria Pentagynia. smooth. Manritius. 1824. S. h. many-leaved. Madagascar. ———— S. h.	Lam. ili. t. 387. f. 1.

ORDO LXIV.

TEREBINTHACEÆ. *Juss. gen. 368.*

CNEORUM. L. 1 tricoccum. w. 2 pulverulentum. v.	WIDOW-WAIL. Triandria Monogynia. L. smooth. S. Europe. 1793. 4. 9. F. h. powdered. Teneriffe. 1820. ———— F. h.	Lam. ill. t. 27. Vent. cels. t. 77.
COMOCLADIA. L. 1 integrifolia. w. 2 dentata. w. 3 ilicifolia. w.	COMOCLADIA. Triandria Monogynia. L. entire-leaved. Jamaica. 1778. 7. 9. S. h. tooth-leaved. W. Indies. 1790. ———— S. h. Holly-leaved. Caribees. 1789. ———— S. h.	Sl. jam. 2. t. 222. f. 1. Jacq. am. 13. t. 173. f. 4. Lam. ill. t. 27. f. 2.
CANARIUM. A.B. 1 commune. w. 2 Pimela. A.B.	CANARIUM. Diœcia Hexandria. common. Moluccas. 1821. S. h. Chinese. China. 1823. S. h.	Rumph. amb. 2. t. 47. Ann. Bot. 1. t. 7. f. 2.
BOSWELLIA. H.B. 1 thurifera. H.B. 2 glaber. H.B.	BOSWELLIA. Decandria Monogynia. Olibanum tree. Coromandel. 1816. S. h. smooth. ———— 1824. S. h.	
GARUGA. R.C. pinnata. R.C.	GARUGA. Decandria Monogynia. winged-leaved. E. Indies. 1808. S. h.	Roxb. cor. 3. t. 208.
TODDALIA. J. 1 aculeata. P.S. asiatica. R.S. 2 paniculata. R.S. inermis. P.S.	TODDALIA. Pentandria Monogynia. L. prickly. E. Indies. 1790. 6. 8. S. h. <i>Scopolia aculeata.</i> w. panicled. I. of France. 1824. S. h. <i>Scopolia paniculata.</i> s.s.	Rheed. mal. 5. t. 41. Lam. ill. t. 139. f. 2.
SPATHHELIA. W. simplex. w.	SPATHHELIA. Pentandria Trigynia. L. Sumach-leav'd. Jamaica. 1778. 4. 6. S. h.	Bot. reg. 670.
PISTACHIA. W. 1 officinarum. H.K. Mas. P. trifolia. W. Fem. P. vera. W. 2 reticulata. w. 3 Terebinthus. w. 4 atlantica. w. 5 Lentiscus. w. β massiliensis.	PISTACHIA TREE. Diœcia Pentandria. L. official. Levant. 1570. 4. 5. H. h. <i>male-flowered.</i> ———— ———— ———— <i>female.</i> ———— ———— ———— netted-leaved. Levant. 1752. ———— H. h. turpentine. S. Europe. 1656. 6. 7. H. h. Atlantic. Barbary. 1790. G. h. Mastick-tree. S. Europe. 1664. 5. 6. F. h.	Lam. ill. t. 118. Bocc. mus. t. 93. Rauw. it. 72. t. 9. Bot. mag. 1967.
SPONDIAS. W. 1 Mombin. w. <i>Myrobalanus.</i> Jacq.	Decandria Pentagynia. L. flat-stemmed. W. Indies. 1817. S. h.	Jacq. amer. 139. t. 83.

2 Myrobalanus. w.	yellow.	————	1739.	6. 8.	S. h.	Morlau. surin. t. 13.
<i>Mombin.</i> Jacq.						
3 dulcis. w.	Otaheite apple.	Society Isles.	1793.	—	S. h.	Lam. ill. t. 384.
4 axillaris. H.B.	axillary.	Nepaul.	1824.	S. h.	
5 mangifera. w.	Mango bearing.	E. Indies.	1818.	S. h.	
6 acuminata. H.B.	taper-pointed.	Malabar.	1824.	S. h.	
AILANTHUS. W.	AILANTHUS.	Polygamia Monœcia.	L.			
1 glandulosa. w.	Chinese.	China.	1751.	8.	S. h.	Wats.dend. brit. t.104.
2 excelsa. w.	Indian.	E. Indies.	1800.	S. h.	Roxb. cor. 1. t. 23.
BRUCEA. S.S.	BRUCEA.	Tetrandria Tetragynia.	F.I.			
1 ferruginea. s.s.	rusty.	Abyssinia.	1775.	4. 5.	S. h.	Bruce's tr. 5. p. 69. ic.
2 sumatrana. F.I.	Sumatra.	Sumatra.	1822.	—	S. h.	
3 trichotoma. s.s.	trichotomous.	China.	—	—	S. h.	
BRUNELIA. S.S.	BRUNELIA.	Dodecandria Pentagynia.				
<i>inermis.</i> H.P.	various-leaved.	Peru.	1823.	G. h.	
? PTELEA. W.	SHRUBBY-TREFOIL.	Tetrandria Monogynia.	L.			
<i>trifoliata.</i> w.	three-leaved.	N. America.	1704.	6. 7.	H. h.	Schm. arb. 2. t. 76.

ORDO LXV.

LEGUMINOSÆ. *Juss. gen. 345.*

SUBORDO I. MIMOSEÆ. *Brown.*

MIMOSA. W.	SENSITIVE-PLANT.	Octandria Monogynia.	S.S.			
1 viva. s.s.	lively.	Jamaica.	1739.	7. 9.	S. 2.	Slo. jam. 2. t. 182. f. 7.
2 casta. s.s.	chaste.	E. Indies.	1741.	7.	S. h.	Comm. hort. 1. t. 28.
3 floribunda. s.s.	many-flowered.	Caracas.	1824.	6. 7.	S. h.	
4 sensitiva. s.s.	true.	Brazil.	1648.	4. 9.	S. h.	Bot. reg. 25.
5 obtusifolia. w.en.	blunt-leaved.	————	1816.	—	S. h.	
6 strigosa. s.s.	strigose.	S. America.	1822.	—	S. h.	
7 pulchra. s.s.	fringe-stipuled.	Brazil.	—	—	S. h.	
8 pudica. s.s.	Humble plant.	————	1638.	—	S. h.	And. reposit. 544.
9 polystachya. s.s.	many-spiked.	W. Indies.	1816.	—	S. h.	
10 armata. s.s.	close-spined.	E. Indies.	1820.	—	S. h.	
11 rubicaulis. s.s.	Bramble-stalk'd.	————	1799.	6. 7.	S. h.	Roxb. cor. 2. t. 200.
<i>octandra.</i> R. <i>spinosiliqua.</i> Rotler.	various-spined.	W. Indies.	1822.	—	S. h.	
12 asperata. s.s.	straight-spined.	Vera Cruz.	1733.	—	S. h.	Mill. ic. 2. t. 182. f. 3.
13 pigra. L.	spotted-stalk'd.	E. Indies.	1818.	—	S. h.	
14 abstergens. s.s.	neat.	————	1794.	S. h.	
15 concinna. w.	flat-spined.	Madagascar.	1822.	S. h.	
16 latispinosa. s.s.	Mr. Barclay's.	————	—	—	S. h.	
17 Barclayana.	hispid.	Caracas.	1824.	S. h.	
18 hispida. s.s.	Brazilian.	Brazil.	—	S. h.	
19 brasiliensis. s.s.	ferruginous.	E. Indies.	1818.	6. 7.	S. h.	
20 ferruginea. s.s.	SCHRANKIA.	Octandria Monogynia.	S.S.			
SCHRANKIA. W.	SCHRANKIA.	Octandria Monogynia.	S.S.			
1 aculeata. s.s.	prickly.	Vera Cruz.	1733.	7. 8.	S. 2.	Mill. ic. 2. t. 182. f. 1.
2 uncinata. s.s.	hooked.	N. America.	1789.	—	H. 2.	Vent. choix. 28.
ENTADA. S.S.	ENTADA.	Decandria Monogynia.	S.S.			
1 Parrana. s.s.	climbing.	India.	1780.	S. h.	Rheed. mal. 8. t. 32-34.
<i>Acacia scandens.</i> w.	<i>Mimosa scandens.</i> L.					
2 Rheedii. s.s.	Rheed's.	E. Indies.	—	S. h.	— 9. t. 77.
<i>Mimosa Entada.</i> w.						
DESMANTHUS. W.	DESMANTHUS.	Decandria Monogynia.	S.S.			
1 lacustris. s.s.	marsh.	S. America.	1823.	6. 8.	S. ⊙.	
2 natans. s.s.	floating.	China.	1800.	7. 9.	S. ⊙.	Andr. reposit. 629.
3 triquetrus. s.s.	triquetrous.	E. Indies.	1823.	—	S. ⊙.	
4 plenus. s.s.	double yellow.	Vera Cruz.	1733.	—	S. ⊙.	Mill. ic. 2. t. 182. f. 2.
5 diffusus. s.s.	prostrate.	W. Indies.	1731.	—	S. h.	Pluk. alm. t. 307. f. 2.
6 virgatus. s.s.	twiggy.	————	1771.	—	S. h.	Jacq. vind. 1. t. 80.

7	punctatus. s.s.	spotted-stalk'd.	Jamaica.	1636.	—	S. ♂.	Comm. hort. 1. t. 81.
8	cinereus. w.	Ash-coloured.	E. Indies.	1739.	6. 7.	S. ♀.	Roxb. cor. 2. t. 174.
	<i>Mimosa cinerea.</i> R.C.						
9	divergens. w.en.	prickly.	Abyssinia.	1816.	—	S. ♀.	
	PROSOPIS. S.S.	PROSOPIS.	Decandria Monogynia.	S.S.			
1	spicigera. s.s.	eatable podd'd.	E. Indies.	1812.	6. 7.	S. ♀.	Roxb. cor. 1. t. 63.
2	cumanensis. s.s.	Cumana.	Cumana.	1824.	S. ♀.	
	<i>Acacia cumanensis.</i> w.						
3	dulcis. s.s.	sweet-podded.	S. America.	—	S. ♀.	
	<i>Acacia edulis.</i> w.						
	INGA. W.	INGA. Polygamia Monœcia.	W.				
1	microphylla. w.en.	small-leaved.	Cumana.	1815.	S. ♀.	
2	dulcis. w.	Sappan fruit.	E. Indies.	1800.	5. 7.	S. ♀.	Roxb. cor. 1. t. 09.
	<i>Mimosa dulcis.</i> R.C.						
3	Unguis-Cati. w.	four-leaved.	W. Indies.	1690.	4. 6.	S. ♀.	Jacq. schœn. 3. t. 392.
4	bigemina. w.	two-paired.	E. Indies.	1823.	S. ♀.	Rheed. mal. 6. t. 12.
5	fœtida. w.	strong-smelling.	W. Indies.	1818.	S. ♀.	Jacq. schœn. 3. t. 390.
6	tergemina. w.	three-paired.	Martinica.	—	S. ♀.	Jacq. amer. t. 177. f. 81.
7	vera. w.	common.	—	1739.	7. 8.	S. ♀.	Sloan. j. 2. t. 183. f. 1.
8	rhoifolia. w.en.	villous.	Brazil.	1815.	S. ♀.	
9	spuria. w.	spurious.	Brazil.	1823.	S. ♀.	
10	alba. w.	white.	E. Indies.	1804.	7. 8.	S. ♀.	
11	quassiaefolia. w.	Quassia-leaved.	Brazil.	1820.	S. ♀.	
12	fastuosa. w.	villous-flow'r'd.	Caracas.	—	S. ♀.	Jacq. frag. p. 15. t. 10.
	<i>Mimosa fastuosa.</i> Jacq.						
13	marginata. w.	Beech-leaved.	W. Indies.	1752.	—	S. ♀.	Pluk. alm. t. 141. f. 2.
14	nodosa. w.	knobbed.	Ceylon.	1690.	—	S. ♀.	— t. 211. f. 5.
15	punctata. w.	spotted-branch'd.	Caracas.	1818.	S. ♀.	Jacq. amer. t. 164.
	<i>Mimosa fugifolia.</i> Jacq.						
16	laurina. w.	Laurel-leaved.	W. Indies.	—	S. ♀.	
17	latifolia. w.	broad-leaved.	W. Indies.	1768.	3. 4.	S. ♀.	Plum. ic. t. 9.
18	biglobosa. w.	double-headed.	Guinea.	1822.	S. ♀.	Jacq. amer. t. 179. f. 87.
19	purpurea. w.	Soldier-wood.	W. Indies.	1733.	3. 4.	S. ♀.	Bot. reg. 129.
	<i>Mimosa purpurea.</i> A.R. 872.						
20	circinalis. w.	spiral-podded.	—	1726.	S. ♀.	Plum. ic. t. 5.
21	comosa. w.	tufted.	Jamaica.	1820.	S. ♀.	
	ACACIA. W.	ACACIA. Polygamia Monœcia.	W.				
1	verticillata. w.	whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. ♀.	Bot. mag. 110.
2	juniperina. w.	Juniper-leav'd.	N. S. W.	1790.	3. 6.	G. ♀.	Vent. malm. 64.
	<i>ulicina.</i> s.P.						
3	genistifolia. L.en.	Genista-leav'd.	N. Holland.	1820.	—	G. ♀.	
4	taxifolia. w.	Yew-leaved.	China.	—	—	G. ♀.	
5	micracantha. C.C.	small-spined.	N. Holland.	1822.	—	I. ♀.	
6	pugioniformis. W.A.	needle-leaved.	N. S. W.	1796.	—	G. ♀.	
	<i>acicularis.</i> H.K. non. w.						
7	sulcata. H.K.	furrow'd-leav'd.	N. Holland.	1803.	5. 8.	G. ♀.	Bot. reg. ic.
8	canaliculata. C.C.	glaucous-furrow'd.	—	1823.	—	I. ♀.	
9	calamifolia. C.C.	quill-leaved.	N. S. W.	1822.	1. 12.	G. ♀.	Bot. reg. 839.
10	diffusa. B.R.	spreading.	—	—	3. 6.	G. ♀.	— 634.
	<i>prostrata.</i> B.C. 631.						
11	lunata. B.C.	lunate-leaved.	V. Diem. Isl.	1816.	—	G. ♀.	Lodd. bot. cab. 384.
12	snaveolens. w.	sweet-scented.	N. S. W.	1790.	2. 6.	G. ♀.	
13	angustifolia. W.A.	narrow-leaved.	—	—	—	G. ♀.	Jacq. schœn. 3. t. 391.
14	crassiuscula. W.A.	thick-leaved.	—	1803.	—	G. ♀.	Wend. ac. 31. t. 8.
15	glaucescens. W.en.	glaucescent.	—	1790.	—	G. ♀.	Willd. hort. ber. t. 101.
16	floribunda. w.	many-flowered.	—	1796.	5. 6.	G. ♀.	Vent. choix. 13.
17	mucronata. W.A.	mucronate.	—	1812.	9. 1.	G. ♀.	Wend. ac. 46. t. 12.
18	uncinata. C.C.	hooked-leaved.	N. Holland.	1823.	—	G. ♀.	
19	longissima. W.A.	long linear-ld.	N. S. W.	1812.	8. 12.	G. ♀.	Botan. regis. 680.
20	linifolia. w.	Flax-leaved.	—	1790.	3. 6.	G. ♀.	Bot. mag. 2168.
21	abietina. w.	Fir-leaved.	—	—	—	G. ♀.	
22	linearis. B.M.	linear-leaved.	—	1812.	—	G. ♀.	Bot. mag. 2156.
23	leucophylla. C.C.	white-leaved.	N. Holland.	1820.	—	I. ♀.	
24	cochlearis. Lab.	spoon-leaved.	—	—	—	G. ♀.	Lab. nov. holl. c. ic.
25	saligna. Lab.	Willow-leaved.	—	—	—	G. ♀.	— c. ic.
26	stricta. w.	upright.	N. S. W.	1790.	2. 5.	G. ♀.	Bot. mag. 1121.
27	viscosa. W.A.	clammy.	—	1818.	5. 6.	G. ♀.	Wend. ac. 30. t. 7.
	<i>dodonœifolia.</i> W.en.						
28	longifolia. w.	long-leaved.	—	1792.	3. 6.	G. ♀.	Andr. repos. 207.

29 heteromalla.	broad woolly-ld.	N. Holland.	1822.	—	I. h.	
30 falcata. w.	sickle-leaved.	N. S. W.	1790.	5. 6.	G. h.	Wend. ao. 20. t. 14.
31 platyphylla.	broad-leaved.	N. Holland.	1822.	I. h.	
32 Richardsonsonl.	Richardson's.	—	—	1. 8.	I. h.	
33 laurifolia. w.	Laurel-leaved.	Tanna.	1775.	S. h.	
34 melanoxylo. H.K.	black-wooded.	V. Dicm. Isl.	1808.	4. 6.	G. h.	Bot. mag. 1659.
35 Sophora. H.R.	Sophora-podd'd.	—	1805.	—	G. h.	Lab. nov. holl. 2. t. 237.
36 marginata. H.K.	marginate.	N. S. W.	1803.	—	G. h.	Wend. ac. 19. t. 5. A.
37 myrtifolia. w.	Myrtle-leaved.	—	1789.	2. 5.	G. h.	Bot. mag. 302.
38 hispidula. w.	little harsh.	—	1794.	4. 5.	G. h.	Sm. n. holl. 53. t. 16.
39 vestita. B.R.	clothed.	N. Holland.	1820.	3. 6.	G. h.	Botan. regis. t. 698.
40 decipiens. H.K.	paradoxical.	—	1803.	—	G. h.	Bot. mag. 1745.
41 biflora. H.K.	two-flowered.	—	—	—	G. h.	
42 undulata. B.R.	wave-leaved.	—	1818.	—	G. h.	Botan. regis. t. 843.
43 affinis.	related.	—	1822.	—	G. h.	
44 hybrida.	Whitley's mule.	Hybrid.	—	—	G. h.	
45 armata. H.K.	armed.	N. Holland.	1803.	4. 6.	G. h.	Bot. mag. 1653.
46 alata. H.K.	wing-stalked.	—	—	4. 7.	G. h.	Botan. regist. 396.
47 heterophylla. w.	various-leaved.	Bourbon.	1820.	S. h.	
48 xylocarpa. w.	woody-podded.	E. Indies.	1822.	S. h.	Roxb. cor. 1. t. 100.
49 diptera. w.en.	two-winged.	S. America.	—	S. h.	
50 cassioides. w.en.	Cassia like.	—	—	S. h.	
51 reticulata. w.	netted.	C. B. S.	1816.	4. 7.	I. h.	Pluk. alm. 3. t. 123. f. 2.
52 strombulifera. w.	twisted podded.	Pern.	1823.	G. h.	
53 pulchella. H.K.	zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. 212.
54 strigosa. L.en.	ciliate winged.	—	—	3. 6.	G. h.	
	<i>ciliata. H.K. nec aliorum.</i>					
55 nigricans. H.K.	unequal-wing'd.	—	—	5. 7.	G. h.	Bot. mag. 2188.
56 cumanensis. w.	Cumana.	Cumana.	1823.	S. h.	
57 lucida. H.B.	glossy.	E. Indies.	1816.	S. h.	
58 Sirissa. H.B.	Shireesh.	—	—	S. h.	
59 guianensis. w.	Guiana.	Cayenne.	1803.	S. h.	Anb. gui. 2. t. 357.
60 tamariscina. w.	Tamarisk-like.	Mauritius.	1824.	S. h.	Pluk. mant. 1. t. 329. f. 3.
61 Houstoni. w.	Houston's.	Vera Cruz.	1729.	9. 11.	S. h.	Botan. regis. 98.
	<i>Anneslia falcifolia. S.P. 64.</i>					
62 chrysostachys.	golden-spiked.	Mauritius.	1823.	S. h.	
63 trichodes. w.	warted-stalked.	Caracas.	1824.	S. h.	Jacq. schœn. 3. t. 394.
64 procera. w.	lofty.	Coromandel.	—	S. h.	Roxb. cor. 2. t. 121.
65 odoratissima. w.	fragrant.	—	1790.	4. 6.	S. h.	— 2. t. 120.
66 venusta. w.en.	charming.	S. America.	1816.	S. h.	
67 arborea. w.	tree.	Jamaica.	1768.	S. h.	Pluk. alm. 6. t. 251. f. 2.
68 Julibrissin. w.	smooth tree.	Levant.	1745.	8.	H. h.	Scop. insub. 1. t. 8.
69 speciosa. w.	splendid.	E. Indies.	1742.	8. 0.	S. h.	Jacq. ic. 1. t. 198.
70 elata. H.B.	tall.	Bengal.	1820.	S. h.	
71 Kalkora. H.B.	large.	E. Indies.	—	S. h.	
72 Lebbeck. w.	Egyptian.	Egypt.	G. h.	Pluk. mant. 2. f. 1.
73 vaga. w.	Brazilian.	Brazil.	1823.	S. h.	
74 latisiliqua. w.	broad-podded.	W. Indies.	1777.	3. 6.	S. h.	Plum. ic. 3. t. 6.
75 discolor. w.	two-coloured.	N. S. W.	1788.	—	G. h.	Andr. repos. 235.
	<i>Mimosa botrycephala. V.C. t. 1.</i>					
76 caracasana. w.	-Caracas.	Caracas.	1823.	S. h.	Jacq. ic. 3. t. 632.
77 amara. H.B.	bitter.	Coromandel.	—	S. h.	Roxb. cor. 2. t. 122.
78 Smithiana. H.B.	Smith's.	Silhet.	—	S. h.	
79 semicordata. H.B.	semicordate.	E. Indies.	—	S. h.	
80 leucocephala. L.en.	white-headed.	S. America.	1818.	4. 6.	S. h.	
81 portoricensis. w.	Portorico.	Portorico.	1820.	S. h.	Jacq. ic. 3. t. 633.
82 tetragona. w.	tetragonal.	Caracas.	1822.	S. h.	
83 lophantha. w.	two-spiked.	N. Holland.	1803.	5. 7.	G. h.	Botan. regist. 361.
	<i>Mimosa elegans. A.R. 563.</i>					
84 pubescens. H.K.	hairy-stemmed.	N. S. W.	1790.	3. 6.	G. h.	Bot. mag. 1263.
85 brachyloba. w.	Illinois.	N. America.	1803.	9. 10.	H. h.	
86 glandulosa. w.	glandulous.	—	1806.	—	F. h.	Vent. choix. t. 27.
87 mollissima. w.en.	soft-leaved.	N. S. W.	1818.	3. 6.	G. h.	
88 dealbata. L.en.	white-leaved.	—	—	—	G. h.	Botan. regist. 371.
	<i>decurrens β mollis. B.R.</i>					
89 decurrens. w.	decurent.	—	1790.	5. 7.	G. h.	Vent. malm. 61.
90 quadrangularis. L.en.	quadrangular.	1816.	—	S. h.	
91 permanibuca. P.S.	thornful.	W. Indies.	1786.	7. 8.	S. h.	Pluk. alm. t. 307. f. 3.
92 filicina. w.	Fern-leaved.	Mexico.	1825.	S. h.	Cav. ic. 1. t. 78.

93	microphylla. w.	small-leaved.	Caracas.	1820.	S. h.	
94	peregrina. w.	white-flowered.	S. America.	1780.	7. 8.	S. h.	
95	grandiflora. w.	great-flowered.	E. Indies.	1769.	6. 9.	S. h.	Andr. repos. 592.
96	glauca. w.	glaucous.	S. America.	1690.	—	S. h.	Trew chret. t. 36.
97	frondosa. w.	frondose.	E. Indies.	1816.	S. h.	
98	fruticosa. H.B.	frutescent.	China.	1820.	5. 6.	G. h.	
99	stipulata. H.B.	stipuled.	Bengal.	—	—	S. h.	
100	pedunculata. H.B.	peduncled.	E. Indies.	1822.	S. h.	
101	triquetra. H.B.	triquetrous.	Coromandel	1821.	S. 2.	
102	juliflora. w.	long-flowered.	Jamaica.	1793.	5. 6.	S. h.	
103	capensis. B.T.	common cape.	C. B. S.	1816.	6. 10.	I. h.	
104	Giraffæ. B.T.	Camelopard's.	—	—	I. h.	
105	elephantina. B.T.	Elephant's.	—	—	I. h.	
106	atomiphylla. B.T.	atomous-leaf'd.	—	—	I. h.	
107	detinens. B.T.	detaining.	—	—	I. h.	
108	robusta. B.T.	robust.	—	—	I. h.	
109	litakunensis. B.T.	Litakun.	—	—	I. h.	
110	heteracantha. B.T.	various-spined.	—	—	I. h.	
111	viridiramis. B.T.	green branch'd.	—	—	I. h.	
112	stolonifera. B.T.	stoloniferous.	C. B. S.	—	I. h.	
113	dumosa. H.B.	bushy.	Hindostan.	1824.	S. h.	
114	latronum. w.	white spined.	E. Indies.	—	S. h.	
115	caffra. w.	Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
116	Chandra. w.	hook-spined.	E. Indies.	1789.	S. h.	
117	Catechu. w.	medicinal.	—	1790.	S. h.	
118	leucophlœa. W.en.	panicled.	—	1812.	S. h.	Roxb. cor. 2. t. 175. — 2. t. 150.
119	concordiana. H.B.	Coromandel.	Coromandel.	1818.	S. h.	
120	cornigera. w.	Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	Pluk. alm. 3. t. 122. f. 2.
121	eburnea. w.	ivory thorned.	E. Indies.	1792.	S. h.	Roxb. cor. 2. t. 199.
122	hæmatoxylon. W.en.	hoary.	C. B. S.	1816.	I. h.	
123	horrida. w.	long-spined.	Africa.	1823.	S. h.	Jacq. schœn. 3. t. 393.
	<i>Mimosa leucacantha.</i> Jacq.						
124	flexuosa. w.	flexuose.	Cumana.	1822.	S. h.	
125	tortuosa. w.	twisted.	Jamaica.	—	S. h.	
126	farnesiana. w.	Sponge-tree.	St. Domingo.	1656.	6. 8.	S. h.	Duham. arb. ed. n. t. 28.
127	arabica. w.	Arabian.	Arabia.	—	S. h.	Roxb. cor. 2. t. 149.
128	vera. w.	Egyptian.	Egypt.	1596.	7.	I. h.	Vesl. egypt. t. 8.
129	tomentosa. w.	tomentose.	E. Indies.	1816.	5. 7.	S. h.	
130	brachyacantha. W.en.	short-spined.	S. America.	—	S. h.	
131	ciliata. W.en.	fringed.	—	1823.	S. h.	
132	acicularis. W.en.	needle-spined.	—	—	S. h.	
133	peruviana. W.en.	Peruvian.	Peru.	1822.	S. h.	
134	edulis. W.en.	eatable.	S. America.	—	S. h.	
135	acantholoba. w.	prickly-podd'd.	—	—	S. h.	
136	cæsia. w.	gray.	E. Indies.	1773.	6. 8.	S. h.	Pluk. mant. 1. t. 330. f. 3.
137	pennata. w.	fine-leaved.	—	—	—	S. h.	Burm. zeyl. 2. t. 1.
138	Intsia. w.	angular-stalk'd.	—	1778.	—	S. h.	Rheed. mal. 6. t. 4.
139	acanthocarpa. W.en.	prickly-fruited.	S. America.	1818.	4. 7.	H. h.	
	<i>Mimosa aculeaticarpa.</i> P.S.						
140	Ceratonia. w.	round-leaved.	—	1800.	S. h.	Plum. ic. t. 8.
141	tamarindifolia. w.	Tamarind-ld.	W. Indies.	1774.	S. h.	Jacq. schœn. 3. t. 396.
142	arrophula. D.P.	Nepaul.	Nepaul.	1823.	G. h.	
143	guilandinæfolia. C.C.	Guilandina-ld.	N. S. W.	1818.	7. 9.	I. h.	
144	Lambertiana. B.R.	Mr. Lambert's.	S. America.	1820.	—	S. h.	Botan. regist. 271.

SUBORDO II. CÆSALPINEÆ. Brown.

GLEDITSCHIA. W.	GLEDITSCHIA.	Polygamia Diœcia. L.					
1	tricanthos. ph.	three-thorned.	N. America.	1700.	6. 8.	H. h.	Wats. dend. brit. 2. t. 138
	β incermis.	spinless.	—	—	—	—	
2	brachycarpa. Ph.	curved-spined.	—	—	H. h.	
3	monosperma. Ph.	single-seeded.	—	1723.	—	H. h.	Catesb. car. 1. t. 43.
4	horrida. w.	strong-spined.	China.	1774.	—	H. h.	Wats. dend. brit. 75.
5	macracantha. W.en.	large-spined.	—	—	H. h.	
6	sinensis. P.S.	Chinese.	—	1812.	F. h.	
7	indica. P.S.	Indian.	E. Indies.	—	S. h.	

8	<i>ferox</i> . Desf.	fieree.	6. 8.	H. ♀.	
9	<i>caspica</i> . Desf.	Caspian.	Caspia.	1822.	—	H. ♀.	
GYMNOCLADUS. W.		GYMNOCLADUS.		Diœcia		Decandria. W.	
	<i>canadensis</i> . w.	Canadian.	Canada.	1748.	5. 6.	H. ♀.	Mich. amer. 2. t. 51.
	<i>Guilandina dioica</i> . L.						
CERATONIA. W.		CAROB-TREE.		Polygamia		Diœcia.	
	<i>Siliqua</i> . w.	St. John's bread.	Levant.	1570.	9. 10.	G. ♀.	Andrews's rep. 567.
PARKINSONIA. W.		PARKINSONIA.		Decandria		Monogynia. L.	
	<i>aculeata</i> . w.	prickly.	W. Indies.	1739.	6. 9.	S. ♀.	Jacq. amer. t. 80.
TAMARINDUS. W.		TAMARIND TREE.		Monadelphia		Triandria. W.	
	<i>indica</i> . w.	common.	India.	1633.	6. 7.	S. ♀.	Jacq. amer. t. 10.
OMPHALOBIMUM. S.S.		OMPHALOBIMUM.		Decandria		Monogynia. S.S.	
	<i>Schotia</i> . s.s.	broad-leaved.	C. B. S.	1816.	4. 6.	I. ♀.	Hook. ex. flor. t. 159.
	<i>Schotia latifolia</i> . H.						
SCHOTIA. W.		SCHOTIA.		Decandria		Monogynia. W.	
1	<i>speciosa</i> . w.	superb.	C. B. S.	1759.	7. 12.	I. ♀.	Andr. repos. 348.
2	<i>tamarindifolia</i> . D.M.	Tamarind-ld.	—	1795.	5. 9.	I. ♀.	Botan. magaz. 1153.
3	<i>stipulata</i> . H.K.	stipuled.	—	1794.	—	I. ♀.	
CATHARTOCARPUS. P.S.		CATHARTOCARPUS.		Decandria		Monogynia.	
1	<i>Fistula</i> . P.S.	purging.	E. Indies.	1731.	6. 7.	S. ♀.	Rheed. mal. 1. t. 22.
2	<i>rhombifolius</i> . H.B.	rhomb-leaved.	—	1820.	—	S. ♀.	
3	<i>nodosus</i> . H.B.	knotted.	—	1824.	—	S. ♀.	
4	<i>Bacillus</i> . P.S.	smooth.	—	1818.	—	S. ♀.	Botan. regist. 881.
5	<i>marginatus</i> . H.B.	margined.	—	1823.	—	S. ♀.	
6	<i>conspicuus</i> . G.D.	drumstick tree.	Sierra Leon.	1822.	S. ♀.	
7	<i>grandis</i> . P.S.	large.	S. America.	—	S. ♀.	Breyn. cent. t. 21.
	<i>Cassia mollis</i> . w.	<i>Bactrylobium grande</i> . L.en.					
8	<i>javanicus</i> . P.S.	Java.	Java.	1779.	6. 7.	S. ♀.	Rumph. amb. 2. t. 22.
CASSIA. P.S.		CASSIA.		Decandria		Monogynia. L.	
1	<i>exigua</i> . H.B.	dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
2	<i>diphylla</i> . w.	two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cav. ic. 5. t. 605. f. 1.
3	<i>Absus</i> . w.	four-leaved.	India.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
4	<i>viminea</i> . w.	twiggy.	W. Indies.	1786.	S. ♀.	Sloan. j. 2. t. 189. f. 67.
5	<i>gracilis</i> . s.s.	slender.	S. America.	1816.	S. ♀.	
6	<i>obtusifolia</i> . s.s.	blunt-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Dill. elt. t. 62. f. 72.
7	<i>humilis</i> . s.s.	dwarf.	S. America.	—	S. ⊙.	Plum. spec. 18. t. 72. f. 2.
8	<i>Tora</i> . s.s.	oval-leaved.	E. Indies.	1693.	—	S. ⊙.	Dill. elt. t. 63. f. 73.
9	<i>toroides</i> . H.B.	Mysore.	—	1812.	—	S. ⊙.	
10	<i>ciliaris</i> . s.s.	fringe-stipuled.	—	—	—	S. ♂.	
11	<i>Tagera</i> . s.s.	long-podded.	E. Indies.	1803.	7. 8.	S. ♂.	
12	<i>Aponcunita</i> . s.s.	acuminate.	Guiana.	1823.	S. ♀.	Aub. gui. 1. t. 146.
	<i>acuminata</i> . w.						
13	<i>sennoides</i> . s.s.	Senna-leaved.	E. Indies.	1808.	7. 8.	S. ♀.	Jacq. ic. 1. t. 70.
14	<i>mollissima</i> . w.en.	soft-leaved.	S. America.	1816.	—	S. ♀.	
15	<i>bicapsularis</i> . w.	six-leaved.	W. Indies.	1739.	5. 6.	S. ♀.	Merian. sur. t. 32.
16	<i>corymbosa</i> . s.s.	corymbose.	Buenos Ay.	1796.	7. 8.	S. ♀.	Bot. magaz. 633.
17	<i>purpurea</i> . B.R.	purple-stalked.	E. Indies.	1823.	6. 11.	S. ♀.	Botan. regist. 856.
18	<i>emarginata</i> . s.s.	notch-leaved.	Jamaica.	1759.	5. 6.	S. ♀.	Sloan. j. 2. t. 180. f. 1-4.
19	<i>sericea</i> . s.s.	silky-leaved.	—	1731.	5. 8.	S. ⊙.	Jacq. ic. 3. t. 459.
	<i>sensitiva</i> . Jacq.						
20	<i>laevigata</i> . w.en.	smooth.	—	S. ♀.	
21	<i>pubescens</i> . s.s.	pubescent.	1818.	—	S. ♀.	
22	<i>floribunda</i> . s.s.	many-flowered.	S. America.	1822.	—	S. ♀.	
23	<i>dispar</i> . s.s.	various-leaved.	—	—	—	S. ♀.	
24	<i>arborescens</i> . w.	tree.	E. Indies.	1800.	6. 8.	S. ♀.	Rheed. mal. 6. t. 9. 10.
25	<i>occidentalis</i> . w.	occidental.	W. Indies.	1759.	3. 8.	S. ♀.	Botan. regist. 83.
26	<i>atomaria</i> . s.s.	woolly.	S. America.	1822.	—	S. ♀.	
27	<i>Senna</i> . w.	Senna.	Egypt.	1640.	7. 8.	G. ⊙.	Nectoux voy. t. 2.
	<i>lancoolata</i> . s.s. non P.S.						
28	<i>obovata</i> . s.s.	obovate-leaf'd.	—	G. ⊙.	
29	<i>biflora</i> . w.	two-flowered.	W. Indies.	1766.	12. 4.	S. ♀.	Botan. magaz. 810.
30	<i>esculenta</i> . H.B.	esulent.	E. Indies.	1823.	7. 9.	S. ⊙.	
31	<i>ægyptiaca</i> . s.s.	Egyptian.	Egypt.	—	—	G. ⊙.	
32	<i>patula</i> . s.s.	shining.	W. Indies.	1778.	8. 9.	S. ♀.	
33	<i>orientalis</i> . P.S.	oriental.	Levant.	7. 9.	H. ⊙.	Tabern. ic. 507.
34	<i>prostrata</i> . s.s.	prostrate.	S. America.	1823.	—	S. ♀.	
35	<i>planisiliqua</i> . s.s.	flat-podded.	W. Indies.	1822.	—	S. ♀.	Plum. sp. t. 77.
36	<i>caracasana</i> . s.s.	villous-leaved.	Caracas.	—	—	S. ♀.	

37	<i>ruscifolia</i> . s.s.	Ruscus-leaved.	Madeira.	1816.	5. 7.	G. ♀.	Jacq. ic. 1. t. 71.
38	<i>chinensis</i> . p.s.	Chinese.	China.	1807.	—	G. ♀.	— 1. t. 73.
39	<i>lineata</i> . s.s.	lined.	Jamaica.	1820.	—	S. ♀.	
40	<i>multiglandulosa</i> . w.	many-glanded.	Teneriffe.	1779.	6. 8.	G. ♀.	Jacq. ic. 1. t. 72.
41	<i>tomentosa</i> . w.	tomentose.	S. America.	1822.	—	S. ♀.	
42	<i>hirsuta</i> . w.	hairy.	—	1778.	7.	S. ♂.	
43	<i>ligustrina</i> . w.	Privet-leaved.	Bahama Isl.	1726.	—	S. ♀.	Botan. regist. 109.
44	<i>speciosa</i> . H.B.	handsome.	E. Indies.	1823.	S. ♀.	
45	<i>sumatrana</i> . H.B.	Sumatra.	Sumatra.	—	S. ♀.	
46	<i>stipulacea</i> . w.	large-stipuled.	Chili.	1786.	S. ♀.	Fenill. per. 3. t. 42.
47	<i>alata</i> . w.	winged-podded.	W. Indies.	1731.	S. ♀.	Jacq. obs. 2. t. 45. f. 2.
48	<i>marilandica</i> . w.	Maryland.	N. America.	1723.	8. 10.	H. ♀.	Dill. elt. t. 260. f. 339.
49	<i>robinoides</i> . s.s.	Robinia-like.	S. America.	1820.	S. ♀.	
50	<i>frondosa</i> . w.	smoothshrubby.	W. Indies.	1769.	3. 4.	S. ♀.	Jacq. ic. 1. t. 74.
51	<i>spectabilis</i> . s.s.	showy.	Caracas.	1823.	S. ♀.	
52	<i>Sophera</i> . s.s.	round podded.	E. Indies.	1658.	7. 9.	S. ♀.	Rheed. mal. 2. t. 52.
53	<i>coromandeliana</i> . s.s.	Coromandel.	Coromandel.	1824.	S. ♀.	
54	<i>bracteata</i> . s.s.	bracteate.	Surinam.	1822.	S. ♀.	
55	<i>reticulata</i> . s.s.	netted-leaved.	Brazil.	—	S. ♀.	
56	<i>montana</i> . s.s.	mountain.	E. Indies.	—	S. ♀.	
57	<i>auriculata</i> . s.s.	eared.	—	1777.	7. 9.	S. ♀.	Pluk. alm. t. 314. f. 4.
58	<i>virgata</i> . s.s.	slender twigg'd.	Jamaica.	1820.	S. ♀.	
59	<i>capensis</i> . s.s.	Cape.	C. B. S.	1816.	4. 6.	G. ♀.	
60	<i>pumila</i> . s.s.	small.	China.	1820.	—	G. ♂.	Pluk. alm. t. 120. f. 1.
61	<i>nictitans</i> . s.s.	Virginian.	N. America.	1800.	7.	G. ♂.	— t. 314. f. 5.
62	<i>chamæcrista</i> . s.s.	dwarf.	America.	1699.	6. 9.	S. ♂.	Botan. magaz. 157.
63	<i>glandulosa</i> . s.s.	glandular.	W. Indies.	1822.	—	S. ♀.	
64	<i>marginata</i> . s.s.	marginated.	Surinam.	—	S. ♀.	
65	<i>hirta</i> . w.en.	hairy branched.	S. America.	—	S. ♀.	
66	<i>microphylla</i> . s.s.	small-leaved.	W. Indies.	—	6. 9.	S. ♂.	
67	<i>dimidiata</i> . D.P.	fine-leaved.	Nepaul.	1812.	—	S. ♂.	
68	<i>mimosoides</i> . s.s.	Mimosa-leaved.	E. Indies.	1806.	—	S. ♂.	
69	<i>tenella</i> . H.B.	small-branched.	—	1818.	—	S. ♂.	
70	<i>procumbens</i> . s.s.	procumbent.	N. America.	1806.	—	H. ♂.	Comm. petrop. t. 11.
HYPERANTHERA . W. HORSE-RADISH TREE. Decandria Monogynia.							
	<i>Moringa</i> . w.	smooth.	E. Indies.	1759.	S. ♀.	Lam. ill. t. 336.
	<i>Moringa zeylanica</i> . Lam.						
HÆMATOXYLON . W. LOGWOOD. Decandria Monogynia. L.							
	<i>campechianum</i> . w.	common.	S. America.	1724.	S. ♀.	Catesb. car. 2. t. 66.
ADENANTHERA . W. ADENANTHERA. Decandria Monogynia.							
1	<i>pavonina</i> . w.	yellow-flower'd.	E. Indies.	1759.	5. 8.	S. ♀.	Jacq. coll. 4. t. 23.
2	<i>falcata</i> . w.	woolly-leaved.	—	1812.	—	S. ♀.	Rumph. amb. 3. t. 111.
3	<i>aculeata</i> . H.B.	prickly.	Coromandel.	1821.	S. ♀.	
POINCIANA . J. POINCIANA. Decandria Monogynia. L.							
1	<i>pulcherrima</i> . B.M.	Flower-feuce.	E. Indies.	1691.	6. 9.	S. ♀.	Botan. magaz. 995.
	<i>Casalpinia pulcherrima</i> . s.s.						
2	<i>elata</i> . H.K.	smooth.	—	1778.	—	S. ♀.	
	<i>Casalpinia elata</i> . s.s.						
CÆSALPINIA . J. BRASILETTO. Decandria Monogynia. L.							
1	<i>punctata</i> . s.s.	dotted-leaved.	Brazil.	1818.	S. ♀.	
2	<i>brasiliensis</i> . s.s.	Brazilian.	—	1739.	S. ♀.	
3	<i>procera</i> . s.s.	tall.	Cuba.	1822.	S. ♀.	
4	<i>bijuga</i> . s.s.	broad-leaved.	Jamaica.	1770.	6. 9.	S. ♀.	Sloan. j. 2. t. 181. f. 2. 3.
5	<i>cassioides</i> . s.s.	Cassia-like.	S. America.	1823.	S. ♀.	
6	<i>mucronata</i> . s.s.	mucronate.	Brazil.	—	S. ♀.	
7	<i>bahamensis</i> . s.s.	emarginate.	Bahama.	—	S. ♀.	
8	<i>Tara</i> . R.P.	Peruvian.	Peru.	1818.	S. ♀.	
9	<i>Sappan</i> . s.s.	narrow-leaved.	E. Indies.	1773.	S. ♀.	Roxb. cor. 1. t. 16.
10	<i>olæosperma</i> . H.B.	oil-seeded.	—	1800.	S. ♀.	
11	<i>cucullata</i> . H.B.	hooded.	—	1822.	S. ♀.	
12	<i>sepiaria</i> . H.B.	Mysore thorn.	—	1806.	6. 9.	S. ♀.	
13	<i>enneaphylla</i> . H.B.	nine-leaved.	—	1812.	S. ♀.	
14	<i>chinensis</i> . H.B.	Chinese.	China.	—	S. ♀.	
15	<i>paniculata</i> . H.B.	panicled.	E. Indies.	—	S. ♀.	Rheed. mal. 6. t. 19.
16	<i>tortuosa</i> . H.B.	twisting.	—	1822.	S. ♀.	
17	<i>sumatrana</i> . H.B.	Sumatra.	—	—	S. ♀.	
18	<i>Crista</i> . s.s.	oval-leaved.	Jamaica.	S. ♀.	Plum. gen. t. 68.
19	<i>Nuga</i> . s.s.	acute-leaved.	Ambouyna.	1801.	S. ♀.	Rumph. amb. 5. t. 50.
20	<i>mimosoides</i> . s.s.	Mimosa-leaved.	E. Indies.	1806.	S. ♀.	

GUILANDINA. W.	NICKER-TREE. Decandria Monogynia. L.				
1 Bonduc. L.T.	Sumatra.	Sumatra.	1640. S. h. ~	Pluk. phyt. t. 2. f. 2.
2 Bonducella. L.T.	common.	E. Indies.	— S. h. ~	Rumph. amb. 5. t. 49. f. 1.
CADIA. W.	CADIA. Decandria Monogynia. W.				
purpurea. w.	purple.	Arabia.	1755. 7. 10.	S. h.	Pic. hort. pan. 9. c. ic.
HOFFMANSEGGIA. W.	HOFFMANSEGGIA. Decandria Monogynia. W.				
falcaria. w.	sickle-podded.	Chili.	1806. 7. 8.	S. h.	Cavan. ic. t. 392.
CYNOMETRA. S.S.	CYNOMETRA. Decandria Monogynia. L.				
1 cauliflora. s.s.	stem-flowering.	E. Indies.	1804.	S. h.	Lam. ill. t. 331.
2 polyandra. s.s.	many-anthered.	—	1822.	S. h.	
MACROLOBIUM. W.	MACROLOBIUM. Triandria Monogynia. W.				
bijugum. L.T.	two-paired.	E. Indies.	1823.	S. h.	Linn. trans. 12. t. 17.
HYMENÆA. S.S.	LOCUST-TREE. Decandria Monogynia. L.				
1 Courbaril. s.s.	leathery-leav'd.	W. Indies.	1688.	S. h.	Lam. ill. t. 330. f. 1.
2 verrucosa. s.s.	warted podded.	Madagascar.	1808.	S. h.	— t. 330. f. 2.
BAUHINIA. S.S.	MOUNTAIN EBONY. Decandria Monogynia. L.				
1 scandens. s.s.	climbing.	E. Indies.	1799.	S. h. ~	Rheed. mal. 8. t. 29.
2 racemosa. s.s.	large-leaved.	—	1790. —	S. h. ~	Vahl. symb. 3. t. 62.
3 tomentosa. s.s.	tomentose.	—	1808.	S. h.	Rheed. mal. 1. t. 35.
4 ferruginea. H.B.	ferruginous.	—	1822.	S. h. ~	
5 purpurea. s.s.	purple.	—	1778.	S. h.	Rheed. mal. 4. t. 33.
6 variegata. L.T.	variegated.	E. Indies.	1690. 6. 7.	S. h.	Rheed. mal. 1. t. 32.
7 candida. w.	white-flowered.	—	1777. 5. 6.	S. h.	
8 parviflora. s.s.	small-flowered.	—	1808.	S. h.	
9 aurita. w.	long-eared.	Jamaica.	1756. 9. 10.	S. h.	Mill. ic. 1. t. 61.
10 porrecta. s.s.	smooth-leaved.	W. Indies.	1737. 7. 8.	S. h.	Botan. magaz. 1708.
11 acuminata. s.s.	acute-leaved.	E. Indies.	1808. —	S. h.	Rheed. mal. 1. t. 34.
12 anguina. s.s.	snake.	—	1818.	S. h. ~	
13 divaricata. s.s.	dwarf.	W. Indies.	1742. 6. 9.	S. h.	Linn. h. cliff. t. 15.
14 esculenta. B.T.	eatable rooted.	C. B. S.	1816.	I. y.	
15 triandra. H.B.	triandrous.	E. Indies.	1823.	S. h.	
16 retusa. H.B.	retuse.	—	S. h.	
17 corymbosa. H.B.	corymbose.	China.	1816.	S. h. ~	
18 semibifida. H.B.	semibifid.	Sumatra.	1818.	S. h. ~	
19 malabarica. H.B.	Malabar.	Malabar.	1823.	S. h.	
20 anatomica. L.C.	jagged leaved.	S. America.	1816.	S. h.	
21 rotundifolia. P.S.	round-leaved.	—	S. h.	Cav. ic. 5. t. 406.
22 aculeata. S.S.	prickly-stalked.	W. Indies.	1737. 6. 8.	S. h.	Plum. ic. t. 44. f. 1.
23 forficata. s.s.	forked.	Brazil.	1824.	S. h.	
24 heterophylla. s.s.	various-leaved.	Caracas.	—	S. h.	
25 speciosa. L.C.	handsome.	S. h.	
26 microphylla. L.C.	small-leaved.	S. h.	
COPAIFERA. W.	BALSAM OF CAPEVI. Decandria Monogynia. L.				
officinalis. w.	officinal.	S. America.	1774.	S. h.	Jacq. amer. t. 86.
BROWNEA. W.	BROWNEA. Monadelphua Decandria. L.				
coccinea. w.	scarletflower'd.	W. Indies.	1793. 7. 8.	S. h.	Jacq. amer. t. 121.

SUBORDO III. *PAPILIONACEÆ.* *Brown.*

ANAGYRIS. W.	BEAN TREFOIL. Decandria Monogynia. L.				
1 fetida. w.	stinking.	Spain.	1570. 4. 5.	F. h.	Lam. ill. t. 328.
2 latifolia. w.en.	broad-leaved.	Teneriffe.	1815. —	F. h.	
3 chinensis. s.s.	Chinese.	China.	1822. —	F. h.	
CERCIS. W.	JUDAS-TREE. Decandria Monogynia. L.				
1 Siliquastrum. W.	European.	S. Europe.	1596. 5. 6.	H. h.	Botan. magaz. 1138.
2 canadensis. w.	American.	N. America.	1730. —	H. h.	
EDWARDSIA. L.T.	EDWARDSIA. Decandria Monogynia.				
1 grandiflora. L.T.	large-flowered.	N. Zealand.	1772. 3. 6.	F. h.	Botan. magaz. 167.
<i>Sophora tetraptera.</i> B.M.					
2 chrysophylla. L.T.	golden-leaved.	—	F. h.	Botan. regist. 738.
3 microphylla. L.T.	small-leaved.	—	1772. —	F. h.	Botan. magaz. 1442.
4 minima. L.C.	smallest.	—	1816. —	F. h.	
SOPHORA. H.K.	SOPHORA. Decandria Monogynia. L.				
1 tomentosa. w.	downy.	India.	1690.	S. h.	Lam. ill. t. 325. f. 2.
2 occidentalis. P.S.	West Indian.	W. Indies.	S. h.	Trév. ehret. t. 59.

3	<i>sylvatica</i> . B.T.	Cape.	C. B. S.	1816.	8. 10.	G. h.	
4	<i>japonica</i> . w.	Japanese.	Japan.	1753.	8. 9.	H. h.	Andr. repos. 585.
	β <i>pendula</i> . L.C.	<i>pendulous</i> .					
5	<i>robusta</i> . H.B.	robust.	Silhet.	1820.	S. h.	
6	<i>chinensis</i> . L.C.	China.	China.	H. h.	
7	<i>alopecurioides</i> . s.s.	Fox-tail.	Levant.	1731.	7. 8.	H. h.	Pall. astr. t. 87.
8	<i>sericea</i> . N.	silky.	Missouri.	1811.	6. 7.	H. h.	
	<i>Astragalus carnosus</i> . Ph.						
9	<i>flavescens</i> . s.s.	Siberian.	Siberia.	1785.	5. 7.	H. h.	
ORMOSIA. L.T.	NECKLACE-TREE.	Decandria Monogynia.					
	<i>dasycarpa</i> . L.T.	smooth-leaved.	W. Indies.	1793.	6. 7.	S. h.	Linn. trans. 10. t. 26.
	<i>Sophora monosperma</i> . w.						
VIRGILIA. H.K.	VIRGILIA.	Decandria Monogynia.					
1?	<i>Intea</i> . Ph.	yellow-flower'd.	N. America.	1812.	6. 7.	H. h.	Mich. arb. c. ic.
2	<i>aurea</i> . H.K.	golden.	Abyssinia.	1777.	7.	G. h.	L'Her. st. nov. 1. t. 75.
3	<i>intrusa</i> . H.K.	small-flowered.	C. B. S.	1790.	5. 8.	G. h.	
4	<i>capensis</i> . H.K.	Vetch-leaved.	—	1767.	7. 8.	G. h.	Botan. magaz. 1590.
CYCLOPSIA. V.	CYCLOPSIA.	Decandria Monogynia.					
1	<i>genistoides</i> . v.	Genista-leaved.	C. B. S.	1787.	7. 8.	G. h.	Botan. magaz. 1259.
	<i>Ibbetsonia genistoides</i> . B.M.	<i>Gomphotobium maculatum</i> . A.R.	427.				
2	<i>elata</i> .	tall.	—	1818.	—	G. h.	
3	<i>ternata</i> .	ternate-leaved.	—	—	—	G. h.	
	<i>Sophora ternata</i> . Th.						
4	<i>triphylla</i> .	three-leaved.	—	—	—	G. h.	
	<i>Sophora triphylla</i> . Th.						
THERMOPSIS. H.K.	THERMOPSIS.	Decandria Monogynia.					
1	<i>laburnifolia</i> . D.P.	Laburnum-ld.	Nepaul.	1819.	5. 6.	H. h.	Hook. ex. flor. 131.
	<i>Baptisia nepalensis</i> . H.E.F.						
2	<i>rhombifolia</i> . N.	rhomb-leaved.	Louisiana.	1811.	6. 7.	H. h.	
	<i>Cytisus rhombifolius</i> . Ph.						
3	<i>lanceolata</i> . H.K.	sharp-leaved.	Siberia.	1776.	—	H. h.	Botan. magaz. 1389.
	<i>Podalyria lupinoides</i> . w.	<i>Sophora lupinoides</i> . Pallas.					
BAPTISIA. V.	BAPTISIA.	Decandria Monogynia.					
1	<i>perfoliata</i> . s.s.	perfoliate.	Carolina.	1732.	8.	H. h.	Dill. elt. t. 102. f. 122.
	<i>Rafnia perfoliata</i> . w.						
2	<i>exaltata</i> . B.F.G.	tall upright.	N. America.	1812.	6. 7.	H. h.	Swt. br. fl. gar. 97.
3	<i>australis</i> . s.s.	spreading blue.	—	1758.	—	H. h.	Botan. magaz. 509.
4	<i>alba</i> . s.s.	white-flowered.	—	1724.	—	H. h.	— 1177.
5	<i>tinctoria</i> . s.s.	dyer's.	—	1759.	7. 8.	H. h.	— 1099.
6	<i>villosa</i> . s.s.	villous.	Georgia.	1811.	6. 7.	H. h.	
PODALYRIA. S.S.	PODALYRIA.	Decandria Monogynia.					
1	<i>myrtillifolia</i> . w.	Myrtle-leaved.	C. B. S.	1795.	4. 7.	G. h.	
2	<i>sericea</i> . H.K.	silky-leaved.	—	1778.	10. 1.	G. h.	Botan. magaz. 1923.
3	<i>cuneifolia</i> . v.	wedge-leaved.	—	1804.	5. 8.	G. h.	Vent. cels. t. 99.
4	<i>biflora</i> . w.	two-flowered.	—	1789.	2. 6.	G. h.	Botan. magaz. 753.
5	<i>calyptrata</i> . w.	one-flowered.	—	1792.	4. 5.	G. h.	
6	<i>styracifolia</i> . B.M.	Storax-leaved.	—	—	5. 7.	G. h.	Botan. magaz. 1580.
7	<i>buxifolia</i> . w.	Box-leaved.	—	1790.	5. 10.	G. h.	Botan. regist. 869.
8	<i>oleæfolia</i> . P.L.	Olive-leaved.	—	1804.	5.	G. h.	Parad. lond. 114.
9	<i>hirsuta</i> . w.	hairy.	—	1774.	7. 8.	G. h.	
10	<i>cordata</i> . H.K.	heart-leaved.	—	1794.	5. 7.	G. h.	
CALLISTACHYS. V.	CALLISTACHYS.	Decandria Monogynia.					
1	<i>ovata</i> . B.M.	oval-leaved.	N. Holland.	1815.	6. 8.	G. h.	Botan. magaz. 1925.
2	<i>lanceolata</i> . v.	spear-leaved.	—	—	—	G. h.	Botan. regist. 216.
OXYLOBIUM. H.K.	OXYLOBIUM.	Decandria Monogynia.					
1	<i>retusum</i> . B.R.	retuse-leaved.	N. Holland.	1822.	4. 6.	G. h.	Botan. regist. 913.
2	<i>arborescens</i> . H.K.	tall.	V. Diem. Isl.	1805.	5. 9.	G. h.	— 392.
3	<i>ellipticum</i> . H.K.	elliptic-leaved.	—	—	—	G. h.	Lab. n. holl. 1. t. 135.
4	<i>cordifolium</i> . A.R.	heart-leaved.	N. S. W.	1807.	4. 9.	G. h.	Andr. repos. 492.
GASTROLOBIUM. H.K.	GASTROLOBIUM.	Decandria Monogynia.					
	<i>bilobum</i> . H.K.	two-lobed.	N. Holland.	1803.	3. 5.	G. h.	Botan. regist. 411.
EUCHILUS. H.K.	EUCHILUS.	Decandria Monogynia.					
	<i>obcordatus</i> . H.K.	heart-leaved.	N. Holland.	1803.	3. 6.	G. h.	Botan. regist. 403.
PULTENÆA. H.K.	PULTENÆA.	Decandria Monogynia.					
1	<i>daphnoides</i> . s.s.	Daphne-leav'd.	N. S. W.	1792.	6. 7.	G. h.	Botan. magaz. 1394.
2	<i>obcordata</i> . s.s.	heart-leaved.	V. Diem. Isl.	1808.	5. 7.	G. h.	Andr. repos. t. 574.
3	<i>biloba</i> . s.s.	two-lobed.	N. Holland.	1818.	—	G. h.	Botan. magaz. 2091.
4	<i>stricta</i> . s.s.	upright.	N. S. W.	1803.	4. 6.	G. h.	Lod. bot. cab. 974.
5	<i>scabra</i> . s.s.	rough-leaved.	—	—	5. 7.	G. h.	

- 6 *retusa*. s.s. blunt-leaved. — — — 1789. 4. 5. G. h. Botan. regist. 378.
7 *linophylla*. s.s. Flax-leaved. — — — — — 5. 7. G. h. Schrad. s. han. 3. t. 18.
8 *dentata*. s.s. tooth-bracted. — — — — — 1818. — G. h.
9 *paleacea*. L.T. chaffy. — — — — — 1789. — G. h. Lodd. bot. cab. 291.
10 *stipularis*. s.s. scaly. — — — — — 1792. 4. 6. G. h. Botan. magaz. 435.
11 *rosmarinifolia*. †. Rosemary-ld. N.Holland. 1824. . . . G. h.
12 *incarnata*. †. flesh-coloured. — — — — — G. h.
13 *villosa*. s.s. villous. N. S. W. 1790. 4. 5. G. h. Botan. magaz. 967.
14 *flexilis*. s.s. shining-leaved. — — — — — 1801. 4. 6. G. h.
15 *vestita*. s.s. awned. N.Holland. 1803. 4. 7. G. h.
16 *elliptica*. L.T. elliptic-leaved. N. S. W. 1818. — G. h. Linn. trans. 11. t. 24.
17 *polygalifolia*. L.T. Polygala-ld. — — — — — — G. h. ————— 11. t. 25.
18 *ferruginea*. L.T. ferruginous. — — — — — — G. h. ————— 11. t. 23.
19 *tenuifolia*. B.M. slender-leaved. — — — — — — G. h. Botan. magaz. 2086.
- AOTUS**. H.K. AOTUS. Decandria Monogynia.
villosa. H.K. villous. V.Diem. Isl. 1790. 4. 6. G. h. Botan. magaz. 949.
- EUTAXIA**. H.K. EUTAXIA. Decandria Monogynia.
myrtifolia. H.K. Myrtle-leaved. N.Holland. 1803. 3. 6. G. h. Botan. magaz. 1274.
Dillwynia obovata. B.M.
- DAVIESIA**. S.S. DAVIESIA. Decandria Monogynia.
1 *alata*. s.s. winged. N. Holland. 1820. 4. 6. G. h. Botan. regist. 728.
2 *acicularis*. s.s. needle-leaved. N. S. W. 1804. 6. 7. G. h.
3 *alicina*. s.s. Furze-like. — — — — — 1792. 4. 8. G. h. Andr. reposit. 304.
4 *reticulata*. s.s. netted-leaved. — — — — — 1822. — G. h.
5 *umbellulata*. L.T. small-umbelled. — — — — — — G. h.
6 *corymbosa*. s.s. corymb-flow'r'd — — — — — 1804. 5. 8. G. h.
7 *glauca*. B.C. glaucous-ld. — — — — — 1812. — G. h. Lodd. bot. cab. 43.
mimosoides. B.M. 1957. non H.K.
8 *mimosoides*. H.K. green-leaved. — — — — — 1809. — G. h. Andr. repos. 526.
corymbosa. A.R.
9 *incrassata*. s.s. thick-leaved. — — — — — 1820. — G. h.
10 *cordata*. s.s. †. heart-leaved. N.Holland. 1824. . . . G. h.
11 *latifolia*. s.s. broad-leaved. N. S. W. 1805. 5. 8. G. h. Botan. magaz. 1757.
- BRACHYSEMA**. H.K. BRACHYSEMA. Decandria Monogynia.
1 *latifolium*. H.K. broad-leaved. N.Holland. 1803. 4. 7. G. h. Botan. regist. 118.
2 *undulatum*. B.R. wave-leaved. — — — — — 1820. 2. 7. G. h. ————— 642.
- CHORIZEMA**. S.S. CHORIZEMA. Decandria Monogynia.
1 *ilicifolium*. s.s. Holly-leaved. N.Holland. 1803. 3. 10. G. h. Labill. voy. 1. t. 21.
2 *nanum*. s.s. dwarf. — — — — — — G. h. Botan. magaz. 1032.
3 *rhombum*. s.s. few-flowered. — — — — — 4. 6. G. h.
- PODOLOBIUM**. H.K. PODOLOBIUM. Decandria Monogynia.
1 *trilobatum*. H.K. common. N. S. W. 1791. 4. 7. G. h. Botan. magaz. 1477.
Chorizema trilobatum. L.T. *Pultenaea ilicifolia*. A.R. 320.
2 *spinosum*. C.C. spiny-leaved. — — — — — 1821. 3. 5. G. h.
aquifolium. L.C.
- JACKSONIA**. H.K. JACKSONIA. Decandria Monogynia.
1 *scoparia*. H.K. Broom-like. N. S. W. 1803. 6. 8. G. h. Lodd. bot. cab. 427.
2 *spinosa*. H.K. spinous. N. Holland. — 4. 9. G. h. Labil. n. hol. 1. t. 136.
- VIMINARIA**. H.K. VIMINARIA. Decandria Monogynia.
dennudata. H.K. half-naked. N. S. W. 1789. 6. 9. G. h. Botan. magaz. 1190.
- SPHÆROLOBIUM**. H.K. SPHÆROLOBIUM. Decandria Monogynia.
1 *vimineum*. H.K. yellow-flow'r'd. N.Holland. 1802. 5. 8. G. h. Botan. magaz. 969.
2 *medium*. H.K. red-flowered. — — — — — 1803. 6. 8. G. h.
- MIRBELIA**. L.T. MIRBELIA. Decandria Monogynia.
1 *reticulata*. L.T. netted-leaved. N. S. W. 1792. 5. 8. G. h. Botan. magaz. 1211.
2 *dilatata*. H.K. lobed-leaved. N.Holland. 1803. — G. h.
- SCLEROTHAMNUS**. H.K. SCLEROTHAMNUS. Decandria Monogynia.
microphyllus. H.K. small-leaved. N. Holland. 1803. 5. 6. G. h.
- DILLWYNIA**. H.K. DILLWYNIA. Decandria Monogynia.
1 *parvifolia*. B.M. small-leaved. N. S. W. 1800. 3. 7. G. h. Botan. magaz. 1527.
2 *cinerascens*. B.M. ash-coloured. — — — — — 1818. 6. 7. G. h. ————— 2247.
3 *juniperina*. B.C. Juniper-leaved — — — — — — G. h. Lodd. bot. cab. 401.
4 *ericæfolia*. s.s. Heath-leaved. — — — — — 1794. 3. 7. G. h. Sm. exot. bot. t. 25.
5 *glaberrima*. L.T. smooth. — — — — — 1800. — G. h. Botan. magaz. 944.
6 *floribunda*. L.T. close-flowered. — — — — — 1794. 4. 7. G. h. Sm. exot. bot. t. 26.
ericifolia. B.M. 1545. nec *altiorum*.
- BURTONIA**. H.K. BURTONIA. Decandria Monogynia.
scabra. H.K. rough-leaved. N.Holland. 1803. 5. 7. G. h.

GOMPHOLOBIUM. L.T. GOMPHOLOBIUM. Decandria Monogynia.					
1	latifolium. L.T. broad-leaved.	N. S. W.	1803.	3. 9.	G. h. Sm. exot. bot. 1. t. 58.
	<i>finbriatum. Ex. B. psoraliaefolium. P.L.</i>	————	————	————	G. h. Botan. regist. 484.
2	grandiflorum. L.T. large-flowered.	————	————	————	G. h.
3	marginatum. H.K. small-flowered.	N. Holland.	————	3. 9.	G. h.
4	polymorphum. H.K. variable.	————	————	3. 8.	G. h. Botan. magaz. 1533.
	<i>grandiflorum. A.R. nec aliorum.</i>	————	————	————	————
5	minus. L.T. hairy-stalked.	N. S. W.	1812.	————	G. h.
6	heterophyllum. †. various-leaved.	N. Holland.	1821.	G. h.
7	lanatum. †. woolly.	————	————	G. h.
8	tomentosum. H.K. tomentose.	————	1803.	4. 7.	G. h.
9	venustum. H.K. purple-flow'r'd.	————	————	————	G. h.
10	pinnatum. L.T. pinnate-leaved.	N. S. W.	1822.	3. 6.	G. d.
MULLERA. W. MULLERA. Diadelphia Decandria. L.					
	moniliformis. w. bracelet.	Guiana.	1792.	S. h.
ULEX. W. URZE. Diadelphia Decandria. L.					
1	europæus. w. common.	Britain.	4. 6.	H. h. Eng. bot. 742.
2	nanus. w. dwarf.	————	1. 12.	H. h. 743.
3	provincialis. DC. Provence.	S. Europe.	1815.	6. 8.	H. h.
	<i>Stauracanthus aphyllus. w.en.</i>	————	————	————	————
ASPALATHUS. W. ASPALATHUS. Diadelphia Decandria. L.					
1	capitata. w. headed.	C. B. S.	1823.	6. 7.	G. h. Lam. ill. t. 620. f. 2.
2	Chenopoda. w. cluster-leaved.	————	1759.	7. 8.	G. h. Botan. magaz. 2225.
3	albens. w. white-leaved.	————	1774.	————	G. h.
4	hystrix. w. silky-spined.	————	1824.	————	G. h.
5	pedunculata. w. small-leaved.	————	1775.	————	G. h. Botan. magaz. 344.
6	thymifolia. w. Thyme-leaved.	————	1825.	G. h. Pluk. mant. t. 413. f. 1.
7	ericifolia. w. Heath-leaved.	————	1789.	7. 8.	G. h. ——— t. 413. f. 6.
8	hispidia. w. hispid.	————	1823.	————	G. h.
9	asparagoides. w. Asparagus-ld.	————	1812.	————	G. h.
10	multiflora. w. many-flowered.	————	1818.	————	G. h.
11	pinguis. w. succulent-leaf'd.	————	————	————	G. h.
12	carnea. w. fleshy-leaved.	————	1795.	5. 6.	G. h. Botan. magaz. 1289.
13	crassifolia. A.R. thick-leaved.	————	1800.	7. 8.	G. h. Andr. repos. 351.
14	affinis. w. likened.	————	1816.	————	G. h.
15	ciliaris. w. ciliated.	————	1799.	————	G. h. Botan. magaz. 2233.
16	genistoides. w. Genista-like.	————	1825.	G. h.
17	squarrosa. w. squarrose.	————	————	G. h.
18	galioides. w. Galium-like.	————	1816.	7. 8.	G. h.
19	bracteata. w. bracteate.	————	————	————	G. h.
20	uniflora. w. single-flowered.	————	1812.	————	G. h. Pluk. mant. t. 414. f. 7.
21	pinea. w. Pine-leaved.	————	1816.	————	G. h.
22	subulata. w. awl-leaved.	————	1789.	————	G. h.
23	globosa. A.R. globular.	————	1802.	6. 7.	G. h. Andr. repos. 392.
24	araneosa. w. cobweb.	————	1795.	————	G. h. Botan. magaz. 829.
25	indica. w. Indian.	E. Indies.	1759.	7. 8.	S. h.
26	quinquefolia. w. five-leaved.	C. B. S.	1816.	————	G. h. Pluk. alm. t. 278. f. 4.
27	sericea. w. silky.	————	————	————	G. h.
28	argentea. w. silver-leaved.	————	1759.	————	G. h.
29	candicans. H.K. white.	————	1774.	————	G. h.
30	callosa. w. oval-spiked.	————	1812.	————	G. h. Botan. magaz. 2329.
31	mucronata. w. thorny-branched.	————	1796.	6. 7.	G. h.
SARCOPHYLLUM. B.M. SARCOPHYLLUM. Diadelphia Decandria. W.					
	carnosum. B.M. jointed-leaved.	C. B. S.	1812.	5. 8.	G. h. Botan. magaz. 2502.
BORBONIA. W. BORBONIA. Diadelphia Decandria. L.					
1	ericifolia. w. Heath-leaved.	C. B. S.	1812.	7. 8.	G. h.
2	trinervia. w. three-nerved.	————	1759.	————	G. h. Pluk. alm. t. 297. f. 4.
3	lanceolata. w. many-nerved.	————	1752.	————	G. h. Jacq. schœn. 2. t. 217.
4	lævigata. B.C. polished.	————	1799.	————	G. h. Lodd. bot. cab. 247.
5	ruscifolia. B.M. Ruscus-leaved.	————	1816.	————	G. h. Botan. magaz. 2128.
6	perfoliata. w. perfoliate.	————	1812.	————	G. h.
7	ciliata. w. fringed.	————	1816.	————	G. h. Hout. syst. 8. t. 62. f. 2.
8	undulata. w. wave-leaved.	————	1812.	————	G. h.
9	cordata. w. heart-leaved.	————	1759.	7. 8.	G. h. Jacq. schœn. 2. t. 218.
10	crenata. w. notch-leaved.	————	1774.	6. 8.	G. h. Botan. magaz. 274.
LIPARIA. W. LIPARIA. Diadelphia Decandria. W.					
1	sphærica. w. globe-flowered.	C. B. S.	1794.	7. 8.	G. h. Botan. magaz. 1241.
2	capitata. w. headed.	————	1812.	————	G. h.
3	tomentosa. w. downy.	————	————	————	G. h.

4	vestita. w.	concave-leaf'd.	————	1800.	5. 6.	G. ♀.	Botan. magaz. 2223.
	<i>villosa</i> . A.R. 382. <i> nec aliorum.</i>						
5	graminifolia. w.	narrow-leaved.	————	————	6. 7.	G. ♀.	
6	myrtifolia. w.	Myrtle-leaved.	————	1825.	G. ♀.	
7	umbellifera. w.	umbel-flower'd.	————	————	G. ♀.	
8	villosa. w.	villous.	————	1774.	6. 7.	G. ♀.	Seb. thes. 1. t. 24. f. 1.
9	teres. w.	smooth-stalked.	————	1816.	————	G. ♀.	
10	hirsuta. w.	shaggy-stemm'd.	————	1792.	12. 4.	G. ♀.	Botan. regist 8.
11	sericea. w.	silky-leaved.	————	1794.	6. 7.	G. ♀.	
BOSSIAEA. L.T.		BOSSIAEA.	Diadelphia Decandria.				
1	<i>Scolopendrium</i> . H.K.	plank-plant.	N. S. W.	1792.	5. 7.	G. ♀.	Vent. malm. 55.
	<i>Platylobium Scolopendrum</i> . A.R. 191.						
2	<i>rufa</i> . H.K.	red-flowered.	N. Holland.	1803.	6. 9.	G. ♀.	
3	<i>heterophylla</i> . H.K.	various-leaved.	N. S. W.	1792.	5. 12.	G. ♀.	Botan. magaz. 1144.
	<i>Platylobium lanceolatum et ovatum</i> . A.R. 205. et 276.						
4	<i>linophylla</i> . H.K.	narrow-leaved.	N. Holland.	1803.	7. 9.	G. ♀.	———— 2191.
5	<i>prostrata</i> . H.K.	procumbent.	N. S. W.	————	————	G. ♀.	———— 1493.
6	<i>cinerea</i> . H.K.	sharp-leaved.	V. Diem. Isl.	1805.	5. 7.	G. ♀.	Botan. regist. 306.
7	<i>microphylla</i> . H.K.	small-leaved.	N. S. W.	1803.	————	G. ♀.	Botan. magaz. 863.
PLATYLOBIUM. L.T.		FLAT PEA.	Diadelphia Decandria.				
1	<i>fomosum</i> . w.	large-flowered.	N. S. W.	1790.	6. 8.	G. ♀.	Botan. magaz. 469.
2	<i>parviflorum</i> . w.	small-flowered.	————	1792.	5. 9.	G. ♀.	———— 1520.
3	<i>triangulare</i> . H.K.	triangular-l'd.	V. Diem. Isl.	1805.	————	G. ♀.	———— 1508.
SCOTTIA. H.K.		SCOTTIA.	Diadelphia Decandria.				
	<i>dentata</i> . H.K.	tooth-leaved.	N. Holland.	1803.	6. 9.	G. ♀.	
TEMPLETONIA. H.K.		TEMPLETONIA.	Diadelphia Decandria.				
1	<i>retusa</i> . H.K.	green-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Botan. regist. 383.
2	<i>glauca</i> . B.M.	glaucous-leaf'd.	————	————	————	G. ♀.	Botan. magaz. 2088.
GOODIA. P.L.		GOODIA.	Diadelphia Decandria.				
1	<i>lotifolia</i> . P.L.	Lotus-leaved.	V. Diem. Isl.	1793.	4. 7.	G. ♀.	Sal. par. lond. 41.
2	<i>subpubescens</i> .	hairy-leaved.	————	1812.	————	G. ♀.	
3	<i>pubescens</i> . B.M.	downy.	————	1805.	————	G. ♀.	Botan. magaz. 1310.
4	<i>retusa</i> . †.	notched.	N. Holland.	1824.	G. ♀.	
LODDIGESIA. B.M.		LONDIGESIA.	Diadelphia Decandria.				
	<i>oxalidifolia</i> . B.M.	Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. ♀.	Botan. magaz. 965.
WIBORGIA. W.		WIBORGIA.	Diadelphia Decandria.				
	<i>sericea</i> . w.	silky.	C. B. S.	1780.	7. 8.	G. ♀.	
CROTALARIA. W.		CROTALARIA.	Diadelphia Decandria.				
1	<i>sagittalis</i> . w.	Virginian.	America.	1731.	6. 7.	H. ⊙.	Pluk. alm. t. 169. f. 6.
2	<i>prostrata</i> . D.P.	prostrate.	E. Indies.	1804.	————	S. ♀.	
3	<i>parviflora</i> . w.	small-flowered.	N. America.	1823.	————	H. ⊙.	
4	<i>rubiginosa</i> . w.	ferruginous.	E. Indies.	1807.	————	S. ♀.	
5	<i>anthylloides</i> . w.	large-calixed.	————	1789.	8. 9.	S. ♀.	
6	<i>tetragona</i> . A.R.	square-stalked.	Nepaul.	1806.	————	S. ♀.	Andr. reposit. 593.
7	<i>juncea</i> . w.	rush-stalked.	E. Indies.	1700.	6. 7.	S. ⊙.	Botan. magaz. 490.
8	<i>chinensis</i> . w.	Chinese.	China.	1820.	————	S. ♀.	
9	<i>bengalensis</i> . P.S.	Bengal.	Bengal.	1806.	————	S. ⊙.	Pluk. alm. t. 169. f. 5.
10	<i>fenestrata</i> . B.M.	window-calix'd.	E. Indies.	1815.	————	S. ⊙.	Botan. magaz. 1933.
11	<i>sericea</i> . w.	silky.	————	1807.	————	S. ⊙.	
12	<i>linifolia</i> . w.	Flax-leaved.	————	1823.	————	S. ⊙.	
13	<i>stipulacea</i> . H.B.	large-stipuled.	————	————	————	S. ♀.	
14	<i>montana</i> . H.B.	mountain.	————	1816.	————	S. ♀.	
15	<i>tuberosa</i> . D.P.	tuberous-root'd.	Nepaul.	————	————	S. ♀.	
16	<i>fulva</i> . H.B.	tawny.	E. Indies.	————	————	S. ♀.	
17	<i>pulcherrima</i> . B.M.	Mysore.	————	1814.	————	S. ♀.	Botan. magaz. 2027.
18	<i>retusa</i> . w.	wedge-leaved.	————	1731.	————	S. ⊙.	Botan. regist. 253.
19	<i>verrucosa</i> . w.	blue-flowered.	————	————	7. 9.	S. ⊙.	Andr. reposit. 308.
20	<i>pulchra</i> . A.R.	short-podded.	————	1800.	3. 5.	S. ♀.	———— 601.
21	<i>semperflorens</i> . v.	ever-blowing.	————	1816.	3. 9.	S. ♀.	Vent. cels. t. 17.
22	<i>hirsuta</i> . w.	hairy-podded.	————	1823.	6. 8.	S. ⊙.	
23	<i>biflora</i> . w.	two-flowered.	————	1790.	————	S. ⊙.	Burm. ind. t. 48. f. 2.
24	<i>hirta</i> . W.en.	hairy.	————	1816.	————	S. ⊙.	
25	<i>alata</i> . D.P.	winged-stalked.	————	1818.	————	S. ♀.	
26	<i>bialata</i> . L.en.	two-winged.	————	————	————	S. ♀.	
27	<i>tenuifolia</i> . H.B.	slender-leaved.	————	————	————	S. ♀.	
28	<i>diffusa</i> . L.en.	diffuse.	————	————	S. ♀.	
29	<i>angulosa</i> . H.B.	angular-stalk'd.	Manritius.	————	————	S. ⊙.	
30	<i>nepalensis</i> . L.en.	Nepaul.	Nepaul.	1821.	————	S. ⊙.	
31	<i>paniculata</i> . w.	paniced.	E. Indies.	1807.	————	S. ♀.	

32	lotifolia. w.	Lotus-leaved.	Jamaica.	1732.	6. 7.	S. ⊙.	Dill. elt. t. 102. f. 121.
33	micans. L.en.	glittering.	E. Indies.	1823.	—	S. ♀.	
34	argentea. w.	silvery-leaved.	C. B. S.	—	—	G. ♀.	
35	laburnifolia. w.	Laburnum-ld.	E. Indies.	1739.	7. 9.	S. ♂.	Rheed. mal. 9. t. 27.
36	floribunda. B.C.	many-flowered.	1812.	—	G. ♀.	Lodd. bot. cab. 509.
	<i>Anthyllis cuneata.</i> Hort.						
37	elliptica. H.B.	elliptic.	China.	1823.	—	G. ♀.	
38	cordifolia. w.	heart-leaved.	C. B. S.	1790.	4. 6.	G. ♀.	
39	purpurea. v.	purple-flow'r'd.	—	—	3. 5.	G. ♀.	Botan. regist. 128.
40	pulchella. B.M.	large-flowered.	—	1800.	7. 8.	G. ♀.	Botan. magaz. 1699.
41	Saltiana. A.R.	Salt's.	Abyssinia.	1810.	6. 7.	S. ♀.	Andr. reposit. 648.
42	axillaris. w.	axil-flowered.	Guinea.	1781.	7. 8.	S. ⊙.	
43	orixensis. w.en.	strigose.	E. Indies.	1816.	—	S. ⊙.	
44	vitellina. B.R.	yellow-twigged.	Brazil.	1819.	5. 7.	S. ♀.	Botan. regist. 447.
45	incanescens. w.	spreading.	C. B. S.	1774.	6. 10.	G. ♀.	Jacq. vind. 3. t. 64.
46	incana. w.	hoary.	W. Indies.	1714.	6. 7.	S. ⊙.	
47	trifolium. w.	Trefoil-leaved.	E. Indies.	1818.	—	S. ♀.	
48	pallida. w.	pale-flowered.	Africa.	1775.	—	S. ⊙.	
49	curtata. L.en.	short-keeled.	1820.	—	S. ⊙.	
50	micrantha. L.en.	small-blossom'd.	Ceylon.	—	—	S. ⊙.	
51	psoraloides. P.S.	Psoralea-like.	Madagascar.	—	—	S. ♀.	
52	angustifolia. w.	narrow-leaved.	C. B. S.	1815.	5. 9.	G. ♀.	Jacq. schœn. 2. t. 219.
53	bracteata. H.B.	large bracted.	E. Indies.	1818.	—	S. ♀.	
54	quinquefolia. w.	five-leaved.	—	1792.	6. 7.	S. ⊙.	Rheed. mal. 9. t. 22.
HOVEA. H.K.	HOVEA. Diadelphia Decandria.						
1	lanceolata. B.M.	spear-leaved.	N. S. W.	1805.	3. 7.	G. ♀.	Botan. magaz. 1624.
2	linearis. H.K.	linear-leaved.	—	1796.	—	G. ♀.	Botan. regist. 463.
	<i>Poiretia linearis.</i> L.T.						
3	longifolia. H.K.	long-leaved.	—	1805.	—	G. ♀.	Botan. regist. 614.
4	elliptica.	elliptic-leaved.	—	1817.	—	G. ♀.	
	<i>Poiretia elliptica.</i> L.T.						
5	latifolia. B.C.	broad-leaved.	—	—	—	G. ♀.	Lodd. bot. cab. 30.
6	Celsi. B.R.	Cels's.	N. Holland.	1818.	—	G. ♀.	Botan. regist. 280.
7	ilicifolia. †.	Holly-leaved.	—	1821.	G. ♀.	
RAFANIA. W.	RAFANIA. Diadelphia Decandria.						
1	amplexicanlis. w.	stem-clasping.	C. B. S.	1816.	6. 7.	G. ♀.	Seb. thes. 1. t. 24. f. 5.
2	elliptica. w.	elliptic-leaved.	—	—	—	G. ♀.	
3	cuneifolia. w.	wedge-leaved.	—	1820.	—	G. ♀.	
4	triflora. w.	three-flowered.	—	1786.	—	G. ♂.	Botan. magaz. 482.
	<i>Borbonia cordata.</i> A.R. 21. nec aliorum.						
5	opposita. w.	opposite-leav'd.	—	1825.	G. ♀.	
LEBECKIA. W.	LEBECKIA. Diadelphia Decandria.						
1	contaminata. w.	narrow-leaved.	C. B. S.	1787.	4. 5.	G. ♀.	
2	sepiaria. w.	filiform-leaved.	—	1816.	—	G. ♀.	Pluk. mant. t. 424. f. 1.
3	sericea. w.	silky.	—	1774.	—	G. ♀.	
4	cytisoides. w.	Cytisus-leaved.	—	—	—	G. ♀.	Comm. hort. 2. t. 107.
SPARTIUM. L.en.	BROOM. Diadelphia Decandria. L.						
1	monospermum. L.en.	white single-seeded.	S. Europe.	1690.	6. 7.	F. ♀.	Botan. magaz. 683.
2	sphærocarpon. L.en.	yellow single-seeded.	—	1731.	—	F. ♀.	Renealm. spec. t. 33.
3	aphyllum. L.en.	violet-coloured.	Volga.	1818.	—	H. ♀.	Pall. it. 3. app. t. 5. f. 2.
4	parviflorum. L.en.	small-flowered.	—	—	F. ♀.	
SPARTIANTHUS. L.en.	SPARTIANTHUS. Diadelphia Decandria. L.						
	juncens. L.en.	Spanish-broom.	S. Europe.	1548.	7. 9.	H. ♀.	Botan. magaz. 85.
	α simplex.	common.					
	β plenum.	double-flowered.					
GENISTA. L.en.	GENISTA. Diadelphia Decandria. L.						
1	cinerea. L.en.	ash-coloured.	S. France.	1818.	5. 7.	H. ♀.	Wats. dend. brit. t. 76.
	<i>Spartium cinereum.</i> w.						
2	angulata. L.en.	small-flowered.	Levant.	1739.	—	H. ♀.	Venten. cels. 87.
3	congesta.	close-branched.	Teneriffe.	4. 7.	G. ♀.	
	<i>Spartium congestum.</i> w.en.						
4	virgata. L.en.	long-twigged.	Madeira.	1777.	3. 6.	G. ♀.	Botan. magaz. 2265.
	<i>Spartium virgatum.</i> w.						
5	linifolia. L.	Flax-leaved.	Spain.	1739.	1. 6.	G. ♀.	Botan. magaz. 442.
6	radiata. L.en.	rayed.	Italy.	1758.	5. 7.	H. ♀.	2260.
	<i>Spartium radiatum.</i> B.M.						
7	pilocarpa. L.en.	hairy-podded.	1820.	—	F. ♀.	
8	clavata. Poir.	clavate.	Mogadore.	1812.	5. 8.	G. ♀.	Vent. choix. t. 17.
	<i>Spartium sericeum.</i> v.						

9	purgans. Bul.	purging.	S. France.	1768.	6. 7.	H. h.	Bull. herb. t. 115.
10	umbellatum.	umbelled.	Barbary.	1799.	4. 6.	G. h.	Desf. atl. 2. t. 180.
	<i>Spartium umbellatum.</i> w.						
11	pilosa. w.	hairy green-weed.	England.	----	5. 6.	H. h.	Engl. bot. 208.
12	sericea. w.	silky-leaved.	Austria.	1812.	----	H. h.	Jacq. ic. 3. t. 556.
13	diffusa. w.	diffuse.	Italy.	1816.	----	H. h.	----- 3. t. 555.
14	decumbens. w.	decumbent.	France.	1775.	----	H. h.	Lodd. bot. cab. 718.
15	procumbens. w.	procumbent.	Hungary.	1816.	6. 8.	H. h.	
16	florida. w.	Spanish.	Spain.	1752.	----	H. h.	
17	ovata. w.	oval-leaved.	Hungary.	1816.	----	H. h.	Wats. dend. brit. t. 77.
18	sibirica. w.	Siberian.	Siberia.	1785.	----	H. h.	Jacq. vind. 2. t. 190.
19	tinctoria. w.	Dyer's green-weed.	Britain.	----	----	H. h.	Engl. bot. 44.
20	scariosa. L.en.	scariose.	Italy.	1820.	----	H. h.	
21	anxantica. Ten.	smooth.	----	----	----	H. h.	
22	triangularis. w.	three-sided.	Hungary.	1815.	5. 6.	H. h.	W. et Kit. h. 2. t. 153.
23	sagittalis. w.	jointed.	Germany.	1570.	----	H. h.	Jacq. aust. 3. t. 209.
24	triquetra. w.	triangular.	Corsica.	1770.	5. 6.	H. h.	Wats. dend. brit. t. 79.
25	viscosa. w.	clammy.	Canaries.	1815.	4. 7.	G. h.	
26	candicans. w.	hoary.	Spain.	1735.	----	G. h.	Wats. dend. brit. t. 80.
27	canariensis. w.	Canary.	Canaries.	1656.	5. 9.	G. h.	Botan. regist. 217.
28	ferox. L.en.	fierce.	Barbary.	1800.	6. 7.	G. h.	Desf. atl. 2. t. 182.
	<i>Spartium ferox.</i> B.R. 36s.						
29	germanica. w.	German.	Germany.	1773.	6. 8.	H. h.	
30	hispanica. w.	dwarf prickly.	Spain.	1759.	----	H. h.	Cav. ic. 3. t. 211.
31	lusitana. w.	Portugal.	Portugal.	1771.	3. 5.	H. h.	Andrews' reposit. 419.
32	triacanthos. L.en.	three-spined.	----	1821.	5. 6.	H. h.	
33	falcata. P.S.	falcate-podded.	----	----	3. 5.	H. h.	
34	anglica. w.	Petty Whin.	Britain.	----	5. 8.	H. h.	Engl. bot. 132.
35	Scorpius. L.en.	Scorpion.	S. Europe.	1570.	3. 4.	H. h.	Wats. dend. brit. t. 78.
	<i>Spartium Scorpius.</i> w.						
CALYCOTOME. L.en.		CALYCOTOME.		Diadelphia		Decandria.	
1	spinosa. L.en.	prickly.	S. Europe.	1596.	6. 7.	F. h.	Lob. ic. 2. p. 95.
	<i>Spartium spinosum.</i> w.						
2	villosa. L.en.	villous.	----	1822.	----	F. h.	
	<i>Spartium villosum.</i> w.						
CYTISUS. L.en.		CYTISUS.		Diadelphia		Decandria. L.	
1	nubigenus. L.en.	cluster-flow'r'd.	Teneriffe.	1779.	5. 8.	F. h.	
	<i>Spartium nubigenum.</i> w.						
2	scoparius. L.en.	common Broom.	Britain.	----	4. 6.	H. h.	Engl. bot. 1339.
	<i>Spartium scoparium.</i> w.						
3	patens.	woolly-podded.	Portugal.	1752.	6. 7.	H. h.	Cav. ic. 2. t. 176.
	<i>Spartium patens.</i> w.						
4	procernus. L.en.	tall.	----	1816.	----	H. h.	
5	multiflorus.	white Portugal.	----	1752.	5.	H. h.	Duham. arb. t. 23.
	<i>albus.</i> L.en. <i>Spartium multiflorum.</i> w.						
6	proliferus. w.	silky.	Canaries.	1779.	4. 5.	G. h.	Botan. regist. 121.
7	Laburnum. w.	Laburnum.	Europe.	1596.	5. 6.	H. h.	Botan. magaz. 176.
8	alpinus. w.en.	Scotch Laburnum.	----	----	6. 7.	H. h.	
9	? tomentosus. A.R.	tomentose.	C. B. S.	1798.	7. 8.	G. h.	Andr. reposit. 237.
10	nigricans. w.	black-rooted.	Austria.	1730.	6. 7.	H. h.	Jacq. aust. t. 387.
11	sessilifolius. w.	common.	Italy.	1629.	5. 6.	H. h.	Botan. magaz. 255.
12	nanus. w.en.	dwarf.	Levant.	1816.	6. 8.	H. h.	Wats. dend. brit. 81.
13	hirsutus. w.	hairy.	S. Europe.	1739.	----	H. h.	Jacq. obs. 4. t. 96.
14	capitatus. w.	cluster-flow'r'd.	Austria.	1774.	6. 7.	H. h.	Schmidt arb. 1. t. 29.
15	austriacus. w.	Austrian.	----	1741.	6. 9.	H. h.	Jacq. aust. 1. t. 21.
16	leucantinus. w.	cream-colour'd.	Hungary.	1806.	6. 7.	H. h.	Botan. magaz. 1438.
17	purpureus. w.	purple-flow'r'd.	Austria.	1792.	5. 8.	H. h.	----- 1176.
	<i>β albus.</i> white-flowered.						
18	elongatus. w.en.	long-branched.	Hungary.	1804.	5. 6.	H. h.	Wats. dend. brit. 82.
19	falcatus. w.en.	sickle-shaped.	----	1816.	6. 8.	H. h.	W. et Kit. h. 3. t. 238.
20	supinus. w.	trailing.	S. Europe.	1755.	5. 8.	H. h.	Jacq. aust. 1. t. 20.
21	biflorus. w.	two-flowered.	Hungary.	1760.	5. 6.	H. h.	Botan. regist. 308.
22	triflorus. w.	three-flowered.	Spain.	1640.	6. 7.	H. h.	
23	mollis. w.en.	soft-leaved.	-----	1820.	----	H. h.	
24	argentens. w.	silver-leaved.	France.	1739.	8.	H. h.	
ADENOCARPUS. DC.		ADENOCARPUS.		Diadelphia		Decandria.	
1	divaricatus. β.	straddling.	S. Europe.	1656.	7. 8.	F. h.	Botan. magaz. 1387.
	<i>Cytisus divaricatus.</i> β. B.M.						
2	parviflorus. DC.	small-flowered.	----	----	----	F. h.	

3	foliolosus. DC.	leafy.	Canaries.	1779.	7. 8.	F. h.	Botan. magaz. 426.
	<i>Cytisus foliolosus.</i> w.						
4	hispanicus. DC.	Spanish.	Spain.	—	F. h.	Clus. hisp. 190. ic. 192.
CALOPHACA. F.	CALOPHACA.	Diadelphia	Decandria.				
	wolgarica. F.	wing-leaved.	Siberia.	1786.	5. 6.	H. h.	Wats. dend. brit. 83.
	<i>Cytisus wolgaricus.</i> w.						
CAJANUS. DC.	PIGEON PEA.	Diadelphia	Decandria.				
1	bicolor. DC.	two-coloured.	E. Indies.	1687.	7. 8.	S. h.	Jacq. vind. 2. t. 119.
2	flavus. DC.	yellow-flow'r'd.	—	—	—	S. h.	
	<i>Cytisus Cajan.</i> L.						
LUPINUS. W.	LUPINE.	Diadelphia	Decandria. L.				
1	arboresus. B.M.	tree.	S. America.	1793.	7. 9.	H. h.	Botan. magaz. 682.
2	mutabilis. B.F.G.	changeable.	Bogato.	1825.	—	H. h.	Swt. brit. fl. gar. 130.
3	mexicanus. Lag.	Mexican.	Mexico.	1819.	—	H. h.	Botan. regist. 457.
4	villosus. w.	villous.	Carolina.	1787.	—	F. h.	Pursh. fl. am. sep. 2. t. 21.
5	perennis. w.	smooth perennial.	N. America.	1658.	5. 7.	H. h.	Botan. magaz. 202.
6	nootkatensis. Ph.	hairy perennial.	Nootka Sound.	1794.	6. 8.	H. h.	— 1311.
7	albus. w.	white.	Levant.	1596.	7. 8.	H. o.	
8	Termin. w.	Egyptian.	Egypt.	1802.	6. 7.	H. o.	
9	varius. w.	small blue.	S. Europe.	1596.	7. 8.	H. o.	
10	hirsutus. w.	large blue.	—	1629.	—	H. o.	
11	pilosus. w.	rose.	—	1710.	—	H. o.	
12	angustifolius. w.	narrow-leaved.	Spain.	1686.	—	H. o.	Knor. del. 2. t. L. 7.
13	linifolius. w.	Flax-leaved.	1799.	—	H. o.	Roth. abb. 14. t. 5.
14	lutens. w.	yellow.	Sicily.	1596.	—	H. o.	Botan. magaz. 140.
15	microcarpus. B.M.	small-podded.	Chili.	1822.	4. 6.	H. o.	— 2413.
ONONIS. W.	REST-HARROW.	Diadelphia	Decandria. L.				
1	antiquorum. w.	tall.	S. Europe.	1790.	6. 7.	H. h.	
2	spinosa. E.B.	Cammock.	Britain.	6. 8.	H. h.	Eng. bot. 682.
	<i>arvensis.</i> E.B.						
3	repens. w.	creeping.	Britain.	—	H. h.	Dill. elt. t. 25. f. 28.
4	hircina. w.	stinking.	Italy.	1596.	5. 8.	H. h.	Jacq. vind. 1. t. 93.
5	minutissima. w.	pointed calyx'd.	—	1818.	6. 8.	H. o.	Cav. ic. 2. t. 143.
	<i> barbata.</i> Cav. <i>saxatilis.</i> Lam.						
6	Columnæ. w.	small-flowered.	S. Europe.	1732.	6. 7.	H. h.	Jacq. aust. 3. t. 240.
	<i>parviflora.</i> P.S. <i>minutissima.</i> Jacq. <i>non w.</i>						
7	capitata. w.	capitate.	Spain.	1818.	—	H. h.	Cav. ic. 2. t. 159. f. 2.
8	mitissima. w.	cluster-flow'r'd.	Portugal.	1732.	—	H. o.	Dill. elt. t. 24. f. 27.
9	alopecuroides. w.	Fox-tail.	—	1696.	7. 8.	H. o.	Lapey. pyr. 1. t. 9.
10	variegata. w.	variegated.	Spain.	1784.	—	H. o.	Desf. atl. 2. t. 185.
11	striata. P.S.	striated.	Pyrenees.	1814.	6. 7.	H. h.	
12	diffusa. T.S.	diffuse.	Italy.	1824.	7. 8.	H. o.	
13	oligophylla. T.S.	few-leaved.	—	—	—	H. h.	Botan. magaz. 2450.
	<i>hispanica.</i> B.M.						
14	pubescens. w.	downy.	S. Europe.	1680.	6. 8.	H. o.	
15	cernua. w.	hanging-podded.	C. B. S.	1774.	7. 9.	G. h.	Comm. hort. 2. t. 82.
16	umbellata. w.	umbel-flow'r'd.	—	1818.	—	G. h.	
17	glabra. w.	smooth-leaved.	—	1816.	—	G. h.	
18	capensis. w.	Cape annual.	—	1823.	7. 9.	H. o.	
19	geminata. w.	two-flowered.	—	1787.	—	G. h.	
20	villosa. w.	villous.	—	1825.	—	G. h.	
21	pendula. w.	pendulous.	Barbary.	1818.	—	H. o.	Desf. atl. 2. t. 191.
22	reclinata. w.	spreading.	S. Europe.	1800.	6. 8.	H. o.	
23	cenisia. w.	narrow-leaved.	Italy.	1759.	—	H. h.	All. ped. 1. t. 10. f. 2.
24	foetida. S.M.	fetid.	Marocca.	1804.	7. 10.	H. o.	
25	vaginalis. w.	sheathed.	Egypt.	1815.	6. 8.	G. h.	Vent. cels. t. 32.
26	Cherleri. w.	dwarf.	S. Europe.	1771.	6. 7.	H. h.	Bauh. hist. 2. f. 1.
27	viscosa. w.	clammy.	—	1759.	7. 8.	H. o.	Barr. ic. 1239.
28	biflora. w.	two-flowered.	Barbary.	1824.	—	H. o.	
29	ornithopodioides. w.	Bird's-foot.	Sicily.	1713.	—	H. o.	Cav. ic. 2. t. 192.
30	ramosissima. w.	branching.	Barbary.	1825.	H. h.	Desf. atl. 2. t. 186.
31	picta. w.	painted.	—	—	—	H. h.	— 2. t. 137.
32	pinguis. w.	greasy.	S. Europe.	1739.	7. 8.	F. h.	
33	Natrix. w.	yellow shrubby.	—	1683.	5. 9.	F. h.	Botan. magaz. 329.
34	hispanica. w.	Spanish.	Spain.	1799.	—	F. h.	Barrel. ic. 775.
35	tridentata. w.	three-toothed.	—	1752.	6. 8.	F. h.	Cav. ic. 2. t. 152.
36	crispa. w.	curl-leaved.	—	1739.	—	F. h.	Rem. arch. v. 1. p. 3. t. 1.
37	arborescens. w.	tree.	Barbary.	1825.	..	F. h.	Desf. atl. 2. t. 193.
38	fruticosa. w.	shrubby.	S. France.	1680.	5. 6.	H. h.	Botan. magaz. 317.

39	rotundifolia. w.	round-leaved.	Switzerland.	1570.	5. 7.	H. ♀.	Botan. magaz. 335.
ARACHIS. W.	hypogæa. w.	EARTH NUT.	Diadelphia	Decandria.	L.		
ANTHYLLIS. W.		American.	S. America.	1712.	5. 6.	S. ♂.	Trew pl. rar. t. 5. f. 3.
1	tetraphylla. w.	four-leaved.	S. Europe.	1640.	7. 8.	H. ♂.	Botan. magaz. 108.
2	Vulneraria. w.	common.	Britain.	5. 8.	H. ♀.	Eng. bot. 104.
	<i>β pilosa. P.S.</i>	<i>red-flowered.</i>					
3	montana. w.	mountain.	S. Europe.	1759.	6. 7.	H. ♀.	Swt. br. fl. gar. 79.
4	Dillenii. Sch.	Dillenius's.	-----	-----	-----	H. ♀.	
5	cornicina. w.	horned.	Spain.	1759.	7. 8.	H. ♂.	Cav. ic. 1. t. 39. f. 2.
6	lotoides. w.	Lotus-like.	-----	1739.	6. 7.	H. ♂.	----- 1. t. 40.
7	sericea. w.	wing-leaved.	Barbary.	1786.	7. 8.	G. ♂.	Desf. act. par. 1. t. 3.
8	hamosa. w.	hooked.	-----	1820.	-----	H. ♂.	
9	Gerardi. w.	Gerard's.	Provence.	1806.	6. 8.	H. ♂.	Ger. prov. t. 18.
10	onobrychioides. w.	Saintfoin-like.	Spain.	1818.	-----	H. ♀.	Cav. ic. 2. t. 150.
11	alpina. Ly.	Alpine.	Britain.	6. 7.	H. ♀.	
12	linifolia. w.	Flax-leaved.	C. B. S.	1816.	-----	G. ♀.	
13	Barba-Jovis. w.	Jupiter's-beard.	S. Europe.	1640.	3. 5.	G. ♀.	Botan. magaz. 1927.
14	cretica. w.	Cretan.	Crete.	1737.	6. 7.	F. ♀.	----- 1092.
	<i>Ebenus cretica. L.</i>						
15	heterophylla. w.	various-leaved.	Spain.	1768.	-----	G. ♀.	
16	cytisoides. w.	downy-leaved.	-----	1731.	4. 6.	F. ♀.	Barr. ic. 1182.
17	Hermannie. w.	Lavender-ld.	Levant.	1739.	4. 7.	F. ♀.	Botan. magaz. 2576.
18	Erinacea. w.	prickly.	Spain.	1759.	4. 5.	F. ♀.	Botan. magaz. 676.
19	Hystrix.	Porcupine.	S. Europe.	-----	F. ♀.	
PETALOSTEMON. M.	PETALOSTEMON.	Diadelphia	Pentandria.				
1	candidum. Ph.	white.	N. America.	1811.	7. 8.	H. ♀.	Mich. am. 2. t. 37. f. 1.
2	carneum. Ph.	flesh-coloured.	-----	-----	-----	H. ♀.	
3	violaceum. Ph.	purple.	-----	-----	7. 9.	H. ♀.	Botan. magaz. 1707.
4	corymbosum. Ph.	corymbose.	-----	-----	-----	H. ♀.	
	<i>Dalca Kuhnistera. w.</i>						
DALEA. J.	DALEA.	Diadelphia	Decandria.	W.			
1	Cliffortiana. w.	Vera Cruz.	Vera Cruz.	1737.	7. 8.	H. ♂.	
2	Linnæi. M.	Fox-tail.	Mississippi.	1812.	-----	H. ♂.	Mich. am. 2. t. 33.
	<i>Petalostemon alopecuroidum. Ph.</i>						
3	aurea. N.	golden.	Louisiana.	1811.	-----	H. ♀.	
4	laxiflora. Ph.	loose-flowered.	-----	-----	-----	H. ♀.	
5	enneaphylla. w.	nine-leaved.	W. Indies.	1772.	-----	S. ♂.	
6	phymatodes. w.	obovate-leaved.	Caracas.	1824.	-----	S. ♂.	
7	nutans. w.	nodding.	S. America.	-----	-----	S. ♀.	Cav. ic. 3. t. 201.
8	citriodora. w.	leafy.	New Spain.	1780.	10. 11.	S. ♂.	----- 3. t. 271.
	<i>Psoralea citriodora. C.I.</i>						
9	mutabilis. w.	changeable.	S. America.	1821.	9. 10.	S. ♀.	Botan. magaz. 2466.
	<i>bicolor. Hook. ex. flor. 43.</i>						
10	Lagopus. w.	downy-spiked.	Mexico.	1780.	10. 11.	G. ♂.	Cav. ic. 1. t. 86.
11	lutea. w.	yellow.	-----	1823.	7. 9.	G. ♀.	----- 4. t. 325.
12	tomentosa. w.	woolly.	-----	-----	-----	G. ♀.	----- 3. t. 240.
PSORALEA. W.	PSORALEA.	Diadelphia	Decandria.	L.			
1	pinnata. w.	wing-leaved.	C. B. S.	1690.	5. 7.	G. ♀.	Herm. lugd. t. 273.
2	odoratissima. w.	fragrant.	-----	1795.	-----	G. ♀.	Jacq. schœn. 2. t. 239.
	<i>pinnata. A.R. 474. nec aliorum.</i>						
3	verrucosa. w.	narrow-leaved.	-----	1774.	5. 8.	G. ♀.	----- 2. t. 226.
	<i>angustifolia. Jacq. arborea. L.M. 2090.</i>						
4	aculeata. w.	prickly-leaved.	-----	-----	-----	G. ♀.	Andr. reposit. 146.
5	bracteata. w.	oval-spiked.	-----	1731.	6. 7.	G. ♀.	Botan. magaz. 446.
6	spicata. w.	long-spiked.	-----	1774.	7. 8.	G. ♀.	Andr. reposit. 411.
7	involverata. w.	large-bracted.	-----	1824.	-----	G. ♀.	
8	aphylla. w.	leafless.	-----	1790.	6. 8.	G. ♀.	Botan. magaz. 1727.
9	multicaulis. w.	many-stalked.	-----	1793.	8. 10.	G. ♀.	Jacq. schœn. 2. t. 239.
10	tenuifolia. w.	fine-leaved.	-----	-----	6. 7.	G. ♀.	----- 2. t. 225.
11	axillaris. w.	axillary-flow'r'd.	-----	1816.	-----	G. ♀.	
12	decumbens. w.	trailing.	-----	1774.	4. 6.	G. ♀.	Lodd. bot. cab. 281.
13	hirta. w.	hairy.	-----	1713.	5. 9.	G. ♀.	Jacq. schœn. 2. t. 228.
14	Stachydis. w.	Stachy's-leav'd.	-----	1793.	4. 6.	G. ♀.	
15	striata. w.	streaked.	-----	1816.	6. 8.	G. ♀.	
16	argentea. w.	silvery.	-----	-----	-----	G. ♀.	
17	tomentosa. w.	woolly.	-----	1825.	G. ♀.	
18	repens. w.	creeping.	-----	1774.	7. 8.	G. ♀.	
19	pedunculata. B.R.	flat-headed.	-----	1815.	1. 12.	G. ♀.	Botan. regist. 223.

20	bituminosa. w.	bituminous.	S. Europe.	1570.	4. 9.	G. ♀.	Schkuhr. han. 2. t. 210.
21	glandulosa. w.	stripe-flowered.	Pern.	1770.	5. 9.	F. ♀.	Botan. magaz. 990.
22	divaricata. w.en.	divaricate.	S.America.	1820.	—	G. ♀.	
23	pubescens. w.en.	pubescent.	—	—	—	G. ♀.	
24	palæstina. w.	Palestine.	Levant.	1771.	4. 9.	F. ♀.	Jacq. vind. 2. t. 184.
25	americana. w.	Madeira.	Madeira.	1640.	7. 8.	G. ♀.	Jacq. schœn. 2. t. 227.
26	capitata. w.	headed.	C. B. S.	1793.	6. 8.	G. ♀.	
27	canescens. M.	canescent.	Carolina.	1823.	—	H. ♀.	
28	cuspidata. Ph.	large-rooted.	Louisiana.	1811.	—	H. ♀.	
29	esculenta. Ph.	Bread root.	Missonri.	—	—	H. ♀.	Pursh. am. sept. 2. t. 22.
30	incana. N.	silky.	—	1813.	—	H. ♀.	
	<i>argophylla.</i> Ph.						
31	arenaria. N.	sand.	—	1823.	—	H. ♀.	
	<i>lanceolata et elliptica.</i> Ph.						
32	Lupinellus. Ph.	small-flowered.	Carolina.	1812.	—	H. ♀.	
33	Onobrychis. N.	rough-podded.	Louisiana.	—	—	H. ♀.	Botan. regist. 453.
34	meliilotoides. w.	Melilot-like.	Carolina.	1814.	—	H. ♀.	— 454.
	<i>Melilotus psoraloides.</i> N.						
35	lathyrifolia. w.en.	Lathyrus-leav'd.	—	1823.	—	G. ♀.	Balb. h. turin. f. 1.
36	corylifolia. w.	Hazel-leaved.	India.	1739.	6. 7.	S. ♂.	Botan. magaz. 665.
MELILOTUS. J.		MELILOT.	Diadelphia Decandria.	L.			
1	cœrulea. P.S.	blue.	Germany.	1562.	8. 9.	H. ⊙.	Botan. magaz. 2283.
	<i>Trifolium cœruleum.</i> B.M.						
2	parviflora. DC.	small-flowered.	India.	1810.	6. 8.	H. ⊙.	
	<i>rugulosa.</i> w.en.						
3	indica. w.en.	Indian.	—	1680.	—	H. ⊙.	Pluk. alm. t. 45. f. 4.
4	Boumeti. L.en.	yellow-flow'r'd.	—	1818.	—	H. ⊙.	
5	altissima. L.en.	tallest.	S. Europe.	—	—	H. ⊙.	
6	messanensis. P.S.	Sicilian.	Sicily.	1680.	—	H. ⊙.	
7	mauritanica. w.en.	Barbary.	Barbary.	1798.	—	H. ⊙.	
8	sulcata. DC.	furrowed.	—	—	—	H. ⊙.	
9	polonica. P.S.	Polish.	Poland.	1778.	—	H. ⊙.	
10	macrorhiza. P.S.	long-rooted.	Hungary.	1801.	7. 8.	H. ♀.	W. et K. hung. 1. t. 26.
11	dentata. P.S.	toothed.	—	1802.	6. 8.	H. ♀.	— 1. t. 42.
12	officinalis. L.en.	common.	Britain.	6. 9.	H. ⊙.	Eng. bot. 1340.
13	vulgaris. w.en.	white-flowered.	Europe.	—	H. ♂.	
14	Kochiana. w.en.	smooth-podd'd.	Germany.	1816.	—	H. ♂.	
15	Petitperriana. w.en.	rough-podded.	—	—	—	H. ♂.	
	<i>altissima.</i> P.S.						
16	linearis. P.S.	linear-leaved.	Spain.	—	—	H. ⊙.	
17	hamosa. M.B.	hooked.	Siberia.	1823.	—	H. ⊙.	
18	plicata. F.	plaited.	—	—	H. ⊙.	
19	taurica. F.	Taurian.	Tauria.	—	—	H. ⊙.	
20	italica. P.S.	Italian.	Italy.	1596.	—	H. ⊙.	Camer. hort. t. 29.
21	rotundifolia. L.en.	round-leaved.	—	1824.	—	H. ⊙.	
22	cretica. P.S.	Cretan.	Candia.	1713.	—	H. ⊙.	Bauh. prodr. t. 142.
23?	ornithopodioides. P.S.	Bird's-foot.	Britain.	—	H. ⊙.	Eng. bot. 1047.
	<i>Trifolium ornithopodioides.</i> E.B.						
	<i>Trigonella ornithopodioides.</i> DC.						
LUPINASTER. Ph.		LUPINASTER.	Diadelphia Decandria.	L.			
	<i>pentaphyllum.</i>	five-leaved.	Siberia.	1741.	7. 8.	H. ♀.	Botan. magaz. 879.
	<i>Trifolium Lupinaster.</i> B.M.						
	<i>Pentaphyllum Lupinaster.</i> P.S.						
TRIFOLIUM. J.		TREFOIL.	Diadelphia Decandria.	L.			
1	reflexum. w.	reflexed.	Virginia.	1794.	6. 8.	H. ♀.	
2	angulatum. w.	angular.	Hungary.	1803.	—	H. ⊙.	W. et K. hung. 1. t. 27.
3	strictum. w.	upright.	S. Europe.	1805.	7. 8.	H. ⊙.	— 1. t. 37.
4	hybridum. w.	hybrid.	Europe.	1777.	—	H. ♀.	Mich. gen. t. 25. f. 2. 6.
5	Michelianum. P.S.	Italian.	Italy.	1815.	—	H. ⊙.	Mich. n. g. pl. t. 25. f. 2.
6	elegans. P.S.	elegant.	—	1823.	—	H. ⊙.	Savi fl. pis. 161. t. 1. f. 2.
7	palescens. P.S.	pale.	Hungary.	1804.	—	H. ⊙.	
8	cæspitosum. w.	turfy.	Switzerland.	1815.	6. 8.	H. ♀.	Vill. delph. 3. t. 41.
9	repens. w.	white clover.	Britain.	5. 9.	H. ♀.	Eng. bot. 1769.
	<i>β pentaphyllum.</i> P.S.	<i>purple 5-leaved.</i>	—	—	H. ♀.	
10	comoun. w.	tufted.	America.	1798.	6. 7.	H. ♀.	
11	alpinum. w.	Alpine.	Italy.	1775.	6. 8.	H. ♀.	Sturm Kl. dent. c. ic.
12	globosum. w.	globular.	Levant.	1713.	6. 8.	H. ⊙.	
13	subterraneum. w.	subterraneous.	England.	5. 6.	H. ⊙.	Eng. bot. 1048.
14	hispidum. w.	hispid.	S. Europe.	1823.	—	H. ⊙.	Desf. atl. 2. t. 209. f. 1.
15	Cherleri. w.	hairy.	Montpelier.	1750.	—	H. ⊙.	Barrel. ic. 859.
16	villosum. P.S.	villous.	France.	1818.	—	H. ⊙.	

17	<i>pictum</i> . w.	painted.	1800.	6. 8.	H. ⊙	
18	<i>diffusum</i> . P.S.	diffuse.	Hungary.	1801.	—	H. ⊙	W. et K. hung. 1. t. 50.
19	<i>saxatile</i> . w.	rock.	Switzerland.	1816.	—	H. ♂	All. ped. t. 59. f. 3.
20	<i>capense</i> . w.	Cape.	C. B. S.	1825.	G. ♀	
21	<i>lappaceum</i> . w.	burr.	Montpelier.	1787.	6. 8.	H. ⊙	
22	<i>rubens</i> . w.	long-spiked.	S. Europe.	1633.	6. 9.	H. ♀	Jacq. aust. 4. t. 385.
23	<i>pratense</i> . w.	common clover.	Britain.	5. 9.	H. ♀	Eng. bot. 1770.
24	<i>medium</i> . w.	zigzag.	England.	6. 8.	H. ♀	Eng. bot. 190.
25	<i>alpestre</i> . w.	oval-spiked.	Europe.	1789.	—	H. ♀	Jacq. aust. 5. t. 433.
26	<i>pensylvanicum</i> . Ph.	Buffalo clover.	N. America.	1811.	6. 9.	H. ♀	
27	<i>pannonicum</i> . w.	Hungarian.	Hungary.	1752.	6. 7.	H. ♀	Jacq. obs. 2. t. 42.
28	<i>noricum</i> . P.S.	white-flowered.	—	1823.	—	H. ♀	Sturm deut. c. ic.
29	<i>bracteatum</i> . w. en.	large-bracted.	Morocco.	1804.	—	H. ♂	
30	<i>pallidum</i> . w.	pale-flowered.	Hungary.	1803.	—	H. ⊙	W. et K. hung. 1. t. 36.
31	<i>alpeucroides</i> . P.S.	fox-tail.	—	—	H. ♀	
32	<i>canescens</i> . w.	gray.	Caucasus.	1803.	5. 6.	H. ♀	Botan. magaz. 1168.
33	<i>maritimum</i> . w.	teasel-headed.	England.	6. 7.	H. ⊙	Eng. bot. 220.
	<i>irregular</i> . DC.						
34	<i>squarrosus</i> . w.	various-leaved.	Spain.	1640.	7.	H. ⊙	Moris. his. 2. t. 13. f. 1.
35	<i>incarnatum</i> . w.	flesh-coloured.	Italy.	1596.	—	H. ⊙	Botan. magaz. 328.
36	<i>Molineri</i> . w. en.	long-headed.	—	1823.	—	H. ⊙	
37	<i>ochroleucum</i> . w.	sulphur-color'd.	England.	5. 7.	H. ♀	Eng. bot. 1224.
38	<i>angustifolium</i> . w.	narrow-leaved.	S. Europe.	1640.	6. 8.	H. ⊙	Barrel. ic. t. 698.
39	<i>lasiocephalum</i> . L. en.	woolly-headed.	C. B. S.	1825.	—	H. ⊙	
40	<i>involutum</i> . w.	involucered.	S. Europe.	—	—	H. ⊙	
41	<i>armenium</i> . w. en.	Armenian.	Armenia.	1816.	5. 7.	H. ♀	
42	<i>arvensis</i> . w.	Hare's-foot.	Britain.	7. 8.	H. ⊙	Eng. bot. 944.
43	<i>stellatum</i> . w.	starry-headed.	England.	—	H. ⊙	— 1546.
44	<i>gracile</i> . P.S.	slender.	France.	1818.	—	H. ⊙	
45	<i>clypeatum</i> . w.	oriental.	Levant.	1711.	6. 8.	H. ⊙	Alp. exot. t. 306.
46	<i>albidum</i> . w.	white.	1796.	7. 8.	H. ⊙	
47	<i>Bocconi</i> . L. en.	Boccone's.	Italy.	1825.	—	H. ⊙	
48	<i>scabrum</i> . w.	rough.	Britain.	5. 6.	H. ⊙	Eng. bot. 903.
49	<i>rigidum</i> . P.S.	rigid.	Italy.	1818.	—	H. ⊙	Savi fl. pes. 2. t. 1. f. 1.
50	<i>glomeratum</i> . w.	round-headed.	England.	...	6.	H. ⊙	Eng. bot. 1063.
51	<i>striatum</i> . w.	soft-knotted.	Britain.	—	H. ⊙	— 1843.
52	<i>gemellum</i> . w.	double-headed.	Spain.	1825.	7. 8.	H. ⊙	
53	<i>Gussoni</i> . T.	Gussone's.	Italy.	—	—	H. ⊙	
54	<i>phleoides</i> . w.	Phleum-spiked.	Spain.	—	—	H. ⊙	
55	<i>alexandrinum</i> . w.	Egyptian.	Egypt.	1798.	6. 7.	H. ⊙	
56	<i>malacanthum</i> . L. en.	sharp-sepaled.	1824.	6. 7.	H. ⊙	
57	<i>suffocatum</i> . w.	suffocated.	England.	—	H. ⊙	Eng. bot. 1049.
58	<i>conicum</i> . S.T.	conical.	1823.	—	H. ⊙	
59	<i>aristatum</i> . w. en.	awned.	Portugal.	1820.	—	H. ⊙	
60	<i>parviflorum</i> . w.	small-flower'd.	Hungary.	1805.	7. 8.	H. ⊙	
61	<i>spumosum</i> . w.	bladdered.	France.	1771.	6. 7.	H. ⊙	
62	<i>resupinatum</i> . w.	resupinate.	Germany.	1713.	—	H. ⊙	Barr. ic. t. 872.
63	<i>vesiculosum</i> . P.S.	recurved.	Hungary.	1805.	—	H. ⊙	W. et K. hung. 2. t. 165.
	<i>recurvum</i> . W.K.						
64	<i>formosum</i> . Savi.	sweet-scented.	S. Europe.	1818.	—	H. ⊙	
	<i>suavecolens</i> . W. en.						
65	<i>tomentosum</i> . w.	woolly.	—	1640.	—	H. ⊙	Magn. monsp. t. 264.
66	<i>fragiferum</i> . w.	Strawberry-headed.	England.	7. 8.	H. ♀	Eng. bot. 1050.
67	<i>Cupani</i> . L. en.	long-flowered.	Italy.	1820.	—	H. ⊙	
68	<i>rupestris</i> . T.S.	villous-headed.	—	1824.	—	H. ♀	
69	<i>tenuiflorum</i> . T.S.	slender-flowered.	—	—	—	H. ♀	
70	<i>tenuifolium</i> . T.S.	slender-leav'd.	—	—	—	H. ♀	
71	<i>badium</i> . P.S.	villous-stalked.	Pyrenees.	6. 8.	H. ♀	
72	<i>spadiceum</i> . w.	Bay-coloured.	Europe.	1778.	—	H. ♀	Botan. magaz. 557.
73	<i>speciosum</i> . w.	large-flowered.	Candia.	1752.	6. 7.	H. ♀	
74	<i>agrarium</i> . w.	golden.	Europe.	1815.	—	H. ⊙	Barrel. ic. 1024.
75	<i>Sebastiani</i> . Savi.	Sebastian's.	Italy.	1823.	—	H. ⊙	
76	<i>montanum</i> . w.	mountain.	Europe.	1786.	7. 8.	H. ♀	Flor. dan. t. 1172.
77	<i>procumbens</i> . E.B.	Hop.	Britain.	6. 7.	H. ⊙	Eng. bot. t. 945.
	<i>campestris</i> . P.S.	<i>agrarium</i> . C.L.					
78	<i>minus</i> . E.B.	lesser yellow.	—	—	H. ⊙	— t. 1256.
	<i>procumbens</i> . C.L.						
79	<i>filiforme</i> . E.B.	slender yellow.	—	—	H. ⊙	— t. 1257.

MEDICAGO. W.		MEDICK. Diadelphia Decandria. L.				
1 arborea. w.	Moon trefoil.	Italy.	1596.	5. 11.	F. h.	Flor. græc. 767.
2 cretacea. w.en.	suffruticose.	Tauria.	1805.	7.	H. h.	
3 sativa. w.	Lucerne.	England.	6. 7.	H. y.	Eng bot. 1749.
4 media. P.S. <i>falcata</i> . Lam. non L.	pale-flowered.	Europe.	—	H. y.	
5 falcata. w.	yellow.	Britain.	7. 8.	H. y.	Eng. bot. 1016.
6 glomerata. P.S.	clustered.	Italy.	—	H. y.	
7 glutinosa. w.	glutinous.	Tauria.	1818.	—	H. y.	
8 prostrata. w.	prostrate.	Italy.	1793.	—	H. y.	Jacq. vind. 1. t. 89.
9 brachycarpa. M.B.	short-podded.	Tiflin.	1818.	—	H. o.	
10 suffruticosa. DC.	frutescent.	Pyrenees.	—	6. 7.	H. h.	
11 lupulina. E.B.	nonesuch.	Britain.	5. 8.	H. o.	Eng. bot. 971.
12 Willdenowii. DC.	Willdenow's.	Europe.	—	H. o.	
13 obscura. P.S.	doubtful.	1734.	7. 8.	H. o.	Retz. obs. 1. p. 24. t. 1.
14 orbicularis. w.	flat-podded.	S. Europe.	1688.	—	H. o.	Gært. sem. 2. t. 155.
15 marginata. w.en.	marginated.	S. Europe.	1816.	—	H. o.	
16 elegans. w.	elegant.	Sicily.	1680.	—	H. o.	Moris. s. 2. t. 15. f. 4.
17 scutellata. w.	snail-podded.	S. Europe.	1562.	6. 8.	H. o.	— 2. t. 15. f. 3.
18 Helix. w.	many fld. snail.	—	1816.	—	H. o.	
19 tornata. w.	smooth-podd'd.	—	1658.	—	H. o.	
20 turbinata. w.	Turban.	—	1680.	—	H. o.	Moris. s. 2. t. 15. f. 5.
21 tuberculata. w.	wart-podded.	—	1658.	—	H. o.	— 2. t. 15. f. 6.
22 aculeata. w.	prickly.	1802.	—	H. o.	
23 Mnrex. w.	Burdock-podded.	—	—	H. o.	
24 intertexta. w.	hedge-hog.	S. Europe.	1629.	—	H. o.	Moris. s. 2. t. 15. f. 7.
25 Echinus. DC.	Sea-egg.	—	1820.	—	H. o.	
26 histrix. T.S.	Porcupine.	Italy.	1824.	—	H. o.	
27 ciliaris. w.	fringed.	France.	1686.	7. 8.	H. o.	
28 granatensis. W.en.	Spanish.	Spain.	1816.	6. 8.	H. o.	
29 carstiensis. w.	creeping-rooted.	Carinthia.	1789.	6. 7.	H. y.	Botan. magaz. 909.
30 maculata. w. <i>polymorpha</i> . E.B.	heart.	England.	5. 6.	H. o.	Eng. bot. 1616.
31 flexuosa. T.S.	flexuose.	Italy.	1824.	6. 8.	H. o.	
32 arenaria. T.S. <i>littoralis</i> . L.en.	sand.	—	—	—	H. o.	
33 tentaculata. w.	distichous-spined.	S. Europe.	—	—	H. o.	Gært. sem. 2. t. 155.
34 coronata. w.	crowned.	—	1660.	—	H. o.	Moris. s. 2. t. 15. f. 16.
35 apiculata. w.	tufted.	—	1800.	—	H. o.	
36 spinulosa. DC.	spinulous.	—	1820.	—	H. o.	
37 denticulata. w.	toothed.	—	1800.	—	H. o.	
38 muricata. w.	prickly.	England.	5. 6.	H. o.	Pluk. phyt. t. 113. f. 6.
39 Gerardi. w.	Gerard's.	Hungary.	1816.	6. 8.	H. o.	Moris. s. 2. t. 15. f. 18.
40 agrestis. T.S.	field.	Italy.	1824.	—	H. o.	
41 marina. w.	sea.	S. Europe.	1596.	—	H. o.	Cav. ic. 2. t. 130.
42 Terebellum. w.	short-spined.	—	1798.	—	H. o.	
43 tribuloides. w.	Caltraps-like.	—	1739.	—	H. o.	
44 uncinata. w.	hooked.	—	1820.	—	H. o.	
45 distans. Poir.	distant.	—	—	H. o.	
46 caspica. L.en.	Caspian.	Caspia.	—	—	H. o.	
47 pubescens. W.en.	pubescent.	S. Europe.	1823.	—	H. o.	
48 rigidula. w.	thorny-podded.	—	1730.	—	H. o.	
49 catalanica. L.en.	Catalanian.	Catalania.	1816.	—	H. o.	
50 græca. W.en.	Grecian.	Greece.	1804.	—	H. o.	
51 minima. w.	least.	England.	—	H. o.	Flor. dan. 211.
52 nigra. w.	black.	France.	1789.	—	H. o.	Moris. s. 2. t. 15. f. 19.
53 laciniata. w.	cut-leaved.	S. Europe.	1683.	—	H. o.	
54 ovata. H.E.	oval-leaved.	—	1818.	—	H. o.	
55 strumaria. H.E.	strumous.	—	—	—	H. o.	
HYMENOCARPOS. W. HYMENOCARPOS. Diadelphia Decandria.						
1 radiatus. L.en. <i>Medicago radiata</i> . w.	ray-podded.	Italy.	1629.	6. 7.	H. o.	Lob. ic. 2. p. 38. f. 2.
2 circinnatus. L.en. <i>Medicago circinnata</i> . w.	kidney-podded.	Italy.	1640.	7. 8.	F. o.	Gært. sem. 2. t. 155.
3 nummularius. L.en.	Money-wort.	S. Europe.	—	H. o.	
TRIGONELLA. W. FENUGREEK. Diadelphia Decandria. L.						
1 ruthenica. w.	small.	Siberia.	1741.	5. 7.	H. y.	Gmcl. sibir. 4. t. 8.
2 platycarpus. w.	round-leaved.	—	—	6. 9.	H. f.	— 4. t. 9.
3 hybrida. DC.	hybrid.	France.	1806.	—	H. y.	

4	<i>striata</i> . w.	streaked.	1824.	—	H. ♀.	
5	<i>polycerata</i> . w.	broad-leaved.	S. Europe.	1640.	7. 9.	H. ⊙.	
6	<i>hamosa</i> . w.	hooked.	Egypt.	—	7. 8.	H. ⊙.	Alp. ægypt. t. 124.
7	<i>spinosa</i> . w.	thorny.	Candia.	1710.	—	H. ⊙.	Lam. ill. t. 611. f. 2.
8	<i>corniculata</i> . w.	horse-shoe.	S. Europe.	1597.	6. 7.	H. ⊙.	Moris. s. 2. t. 16. f. 11.
9	<i>cancellata</i> . P.S.	netted-podded.	1818.	—	H. ⊙.	
10	<i>tennis</i> . M.E.	slender.	Tifliu.	—	—	H. ⊙.	
11	<i>flexuosa</i> . M.B.	flexuose.	—	—	—	H. ⊙.	
12	<i>calliceras</i> . M.B.	rostrate.	—	1824.	—	H. ⊙.	
13	<i>monspehica</i> . w.	Montpelier.	Montpelier.	1710.	—	H. ⊙.	W. et K. hung. 2. t. 142.
14	<i>ægyptiaca</i> . Poir.	Egyptian.	Egypt.	1823.	—	H. ⊙.	
15	<i>elongata</i> . L.en.	elongated.	—	—	H. ⊙.	
16	<i>tomentosa</i> . w.	tomentose.	C. B. S.	—	7. 9.	H. ⊙.	
17	<i>laciniata</i> . w.	laciniate.	Egypt.	—	—	H. ⊙.	
18	<i>pinnatifida</i> . w.	pinnatifid.	Spain.	1801.	6. 8.	H. ⊙.	Cav. ic. 1. t. 38.
19	<i>indica</i> . w.	Indian.	E. Indies.	1793.	6. 9.	S. ⊙.	Pluk. alm. t. 200. f. 7.
20	<i>Fœnum-græcum</i> . w.	common.	Montpelier.	1597.	—	H. ⊙.	Schk. s. han. 2. t. 211.
21	<i>esculenta</i> . w.en.	esculent.	E. Indies.	1815.	—	S. ⊙.	
22	<i>gladiata</i> . M.B.	gladiate.	S. Europe.	1820.	—	H. ⊙.	
LOTUS. W.		BIRDSFOOT TREFOIL. Diadelphia Decandria. L.					
1	<i>edulis</i> . w.	esculent.	Italy.	1710.	7. 8.	H. ⊙.	Cav. ic. 2. t. 157.
2	<i>peregrinus</i> . w.	flat-podded.	S. Europe.	1713.	—	H. ⊙.	
3	<i>glaucus</i> . w.	glaucous.	Madeira.	1777.	6. 8.	G. ♂.	
4	<i>anthylloides</i> . w.	Anthyllis-like.	C. B. S.	1812.	—	G. ♀.	Vent. malm. t. 92.
5	<i>angustissimus</i> . w.	narrow-podd'd.	S. France.	5. 6.	H. ♂.	Bauh. hist. 2. f. 2.
6	<i>diffusus</i> . E.B.	slender-podd'd.	England.	—	H. ⊙.	Eng. bot. 925.
7	<i>gracilis</i> . w.	slender.	Hungary.	1818.	—	H. ♀.	
8	<i>conimbricensis</i> . P.S.	Portugal.	Portugal.	1800.	6. 7.	H. ⊙.	
9	<i>arabicus</i> . w.	red-flowered.	Arabia.	1773.	7. 9.	H. ⊙.	Jacq. vind. 2. t. 155.
10	<i>australis</i> . B.W.	New Holland.	N. S. W.	1803.	5. 9.	G. ♀.	Botan. magaz. 1365.
11	<i>Gebelia</i> . v.	Aleppo.	Aleppo.	1823.	—	H. ⊙.	Vent. cels. t. 57.
12	<i>Dioscoridis</i> . w.	Dioscorides'.	Crete.	1658.	6. 7.	H. ⊙.	All. ped. 1. t. 59. f. 1.
13	<i>tennis</i> . w.K.	slender.	Hungary.	1816.	6. 8.	H. ♀.	
	<i>depressus</i> . w.en.						
14	<i>ornithopodioides</i> .	claw-podded.	Sicily.	1683.	—	H. ⊙.	Cav. ic. 2. t. 163.
15	<i>jacobæus</i> . w.	dark-flowered.	Cape Verd. Isl.	1714.	1. 12.	G. ♀.	Botan. magaz. 79.
16	<i>decumbens</i> . DC.	decumbent.	France.	1820.	5. 7.	H. ♀.	
17	Forsteri.	Forster's.	Britain.	—	H. ♀.	
	<i>decumbens</i> . E.F. non DC.						
18	<i>creticus</i> . w.	silver-leaved.	Levant.	1680.	6. 9.	G. ♀.	Cav. ic. 2. t. 156.
19	<i>lanuginosus</i> . v.	pendulous.	Levant.	1818.	7. 8.	H. ♀.	Vent. malm. 92.
20	<i>hirsutus</i> . w.	hairy.	S. Europe.	1683.	6. 8.	H. ♀.	Botan. magaz. 336.
21	<i>sericeus</i> . DC.	silky.	—	1820.	—	H. ♀.	
22	<i>rectus</i> . w.	upright.	—	1640.	—	H. ♀.	Moris. s. 2. t. 18. f. 13.
23	<i>palustris</i> . w.	marsh.	Italy.	1824.	—	H. ♀.	
24	<i>parviflorus</i> . w.	small-flowered.	—	—	7. 8.	H. ⊙.	Desf. atl. 2. t. 211.
25	<i>subbiflorus</i> . P.S.	two-flowered.	—	1820.	—	H. ⊙.	
26	<i>prostratus</i> . P.S.	prostrate.	—	—	6. 8.	H. ♀.	
27	<i>suaveolens</i> . P.S.	sweet-scented.	Barbary.	1804.	—	H. ♀.	Botan. magaz. 1233.
	<i>odoratus</i> . B.M.						
28	<i>ciliatus</i> . T.S.	ciliate.	Italy.	1820.	—	H. ♀.	
29	<i>pedunculatus</i> . w.	long-peduncul'd.	Spain.	1814.	—	H. ♀.	Cav. ic. 2. t. 164.
30	<i>corniculata</i> . E.B.	common.	Britain.	—	H. ♀.	Eng. bot. 2090.
31	<i>major</i> . E.B.	greater.	—	—	H. ♀.	— 2091.
32	<i>hispidus</i> . P.S.	hispid.	S. Europe.	1820.	—	H. ♀.	
33	<i>cytisoides</i> . w.	downy.	—	1752.	7. 8.	H. ♀.	Barrel. rar. 71. t. 1031.
DORYCNIUM. W.		DORYCNIUM! Diadelphia Decandria. L.					
1	<i>monspehense</i> . w.	suffruticose.	S. Europe.	1640.	7. 9.	F. ♀.	Park. theat. 360. f. 1.
	<i>fruticosum</i> . P.S. <i>Lotus Dorycnium</i> . L.						
2	<i>herbaceum</i> . w.	herbaceous.	—	1802.	6. 9.	H. ♀.	Vill. dauph. 3. t. 41.
3	<i>latifolium</i> . w.	broad-leaved.	Levant.	1818.	—	F. ♀.	
TETRAGONOLOBUS. TETRAGONOLOBUS. Diadelphia Decandria.							
1	<i>maritimus</i> . L.en.	sea-side.	Enrope.	1683.	5. 10.	H. ♀.	Flor. dan. 800.
	<i>Lotus maritimus</i> . w.						
2	<i>siliquosus</i> . L.en.	square-podded.	S. Europe.	—	7. 8.	H. ♀.	Jacq. aust. 4. t. 361.
3	<i>edulis</i> . L.en.	winged pea.	Sicily.	1796.	—	H. ⊙.	Botan. magaz. 151.
	<i>Lotus tetragonolobus</i> . w.						
4	<i>conjungatus</i> . L.en.	yellow-flow'r'd.	Montpelier.	1754.	—	H. ⊙.	

DOLICHOS. W.		DOLICHOS. Diadelphia Decandria. L.					
1	Lablab. w.	black-seeded.	Egypt.	1694.	6. 7.	S. ♂	Botan. magaz. 896.
2	sinensis. w.	Chinese.	India.	1776.	7. 8.	H. ♂	2232.
3	benghalensis. w.	Bengal.	Bengal.	1820.	—	S. ♀	Jacq. hort. 2. t. 124.
4	luteolus. w.	yellow.	America.	1805.	—	H. ♂	1. t. 90.
5	unguiculatus. w.	Birds foot.	W. Indies.	1780.	6. 7.	S. ♂	Jacq. vind. 1. t. 23.
6	tranquebaricus. w.	Tranquebar.	E. Indies.	1801.	—	S. ♂	3. t. 70.
7	cultratus. w.	sharp-edged.	Japan.	1818.	—	H. ♂	—
8	gladiatus. w.	sabre-podded.	E. Indies.	1801.	—	S. ♂	Jacq. ic. 3. t. 560.
9	tetragonolobus. w.	square-podded.	—	1816.	9. 11.	S. ♂	—
10	sesquipedalis. w.	long-podded.	W. Indies.	1781.	8.	S. ♂	Jacq. vind. 1. t. 67.
11	rotundifolius. P.S. <i>emarginatus.</i> Jacq.	round-leaved.	—	1818.	7. 8.	S. ♀	Jacq. schœn. 2. t. 221.
12	hirsutus. w.	hirsute.	China.	1802.	6.	G. ♀	Kæmpf. ic. t. 41.
13	pilosus. w.	hairy-podded.	E. Indies.	1790.	8.	S. ♂	—
14	minimus. w.	small.	Jamaica.	1776.	7. 8.	S. ♂	Jacq. obs. 1. t. 22.
15	tetraspermus. w.	four-seeded.	E. Indies.	1816.	5. 8.	S. ♂	—
16	medicagineus. w.	Medick-like.	—	1822.	—	S. ♂	Burm. zeyl. t. 84. f. 2.
17	obcordatus. H.B.	obcordate.	China.	—	—	S. ♀	—
18	virosus. H.B.	virose.	E. Indies.	1818.	—	S. ♂	Rheed. mal. 8. t. 45.
19	capensis. w.	Cape.	C. B. S.	—	—	G. ♀	—
20	scarabœoides. w.	silver-leaved.	E. Indies.	1773.	6. 7.	S. ♂	Pluk. alm. t. 53. f. 5.
21	reticulatus. w.	net-leaved.	N. S. W.	1781.	—	G. ♀	—
22	bulbosus. w.	bulbous.	E. Indies.	—	7.	S. ♀	Rumph. amb. 5. t. 132.
23	falcatus. w.	falcate-podded.	—	1820.	—	S. ♀	—
24	lobatus. w.	lobe-leaved.	C. B. S.	1818.	6. 7.	G. ♀	Hout. syst. 8. t. 64. f. 1.
25	gangeticus. H.B.	Ganges.	Bengal.	1824.	—	S. ♀	—
26	glutinosus. H.B.	glutinous.	E. Indies.	—	—	S. ♀	—
27	sanguineus. Ja.	bloody-podded.	—	1822.	—	S. ♀	—
28	purpureus. w.	purple.	—	1790.	5. 10.	S. ♀	Exot. bot. 2. t. 74.
29	violaceus. Mart.	violet-coloured.	S. America.	1823.	7. 8.	S. ♂	—
30	albus. w.	white-flowered.	China.	—	—	H. ♂	Rumph. amb. t. 137.
31	lignosus. w.	woody.	E. Indies.	1776.	—	G. ♀	Botan. magaz. 380.
32	luteus. w.	yellow-flow'r'd.	Jamaica.	1812.	—	S. ♀	—
33	phaseoloides. H.B.	Phaseolus-like.	E. Indies.	1823.	—	S. ♀	—
34	ensiformis. w.	cineter-podd'd.	—	1778.	—	S. ♂	Jacq. ic. 3. t. 559.
35	Soja. w.	Soy.	—	1790.	—	S. ♂	1. t. 145.
36	Catiang. w.	small-fruited.	—	1793.	—	S. ♂	Rheed. mal. 8. t. 41.
37	biflorus. w.	two-flowered.	—	1776.	—	S. ♂	Pluk. alm. t. 213. f. 4.
38	rosens. w.	Rose-coloured.	Jamaica.	1812.	—	S. ♂	—
39	frutescens. D.P.	frutescent.	Nepaul.	1824.	—	S. ♀	—
STIZOLOBIUM. P.S.		Cow-ITCH. Diadelphia Decandria.					
1	altissimum. P.S.	tall.	Martinico.	1779.	—	S. ♀	Jacq. amer. t. 182. f. 85.
2	urens. P.S.	broad-podded.	W. Indies.	1691.	6. 7.	S. ♀	Plum. amer. t. 107.
3	pruriens. P.S.	common.	India.	1680.	—	S. ♀	Jacq. amer. t. 122.
4	mite. P.S.	oblique-leaved.	Peru.	1823.	—	S. ♀	—
CARPOGON. H.B.		CARPOGON. Diadelphia Decandria.					
1	monospermum. H.B.	single-seeded.	E. Indies.	1818.	7. 9.	S. ♀	—
2	atropurpureum. H.B.	dark purple.	—	1820.	—	S. ♀	—
3	niveum. H.B.	white.	—	—	—	S. ♂	—
4	giganteum. H.B.	gigantic.	—	1815.	—	S. ♀	Rheed. mal. 8. t. 36.
5	imbricatum. H.B.	imbricated.	—	—	—	S. ♀	—
6	bracteatum. H.B.	bracted.	—	1822.	—	S. ♀	—
7	anguineum. Roxb.	snake.	—	—	—	S. ♀	—
8	capitatum. H.B.	capitate.	—	—	7. 9.	S. ♂	—
PHASEOLUS. W.		KIDNEY-BEAN. Diadelphia Decandria. L.					
1	vulgaris. w.	common.	India.	1597.	5. 9.	H. ♂	Lob. ic. 2. p. 59.
2	multiflorus. w. <i>coccineus.</i> P.S.	scarlet runner.	S. America?	1633.	7. 9.	H. ♂	Schk. han. 2. t. 199. a.
3	perennis. w.	perennial.	Carolina.	1823.	—	H. ♀	—
4	lunatus. w.	cineter-podd'd.	E. Indies.	1779.	6. 7.	S. ♂	Hout. syst. 8. t. 63. f. 1.
5	inamœnus. w.	various-colour'd	Africa.	1794.	7. 8.	H. ♂	Jacq. vind. 1. t. 66.
6	farinosus. w.	mealy.	E. Indies.	1759.	—	S. ♀	Niss. act. par. 1730. t. 42.
7	sublobatus. H.B.	lobed-leaved.	—	1820.	—	S. ♂	—
8	calcaratus. H.B.	spurred.	—	—	—	S. ♂	—
9	dolichoides. H.B.	Dolichos like.	—	—	—	S. ♀	—
10	minimus. H.B.	small.	China.	1823.	—	H. ♂	—
11	vexillatus. w.	sweet-scented.	W. Indies.	1732.	—	H. ♂	Jacq. vind. 2. t. 102.
12	helvolus. w.	pale red.	Carolina.	—	—	H. ♂	Dill. elt. t. 233. f. 300.

Dolichos helvolus. N.

13	<i>hirtus</i> . w.	hairy.	C. B. S.	1818.	—	H.⊙.	
14	<i>semierectus</i> . w.	dark red.	W. Indies.	1732.	—	S.⊙.	Dill. elt. t. 233. f. 301.
15	<i>angulosus</i> . P.S.	angular-stalk'd.	S. America.	1818.	—	H.⊙.	
16	<i>mesoleucus</i> . L.en.	Brasilian.	Brazil.	—	—	H.⊙.	
17	<i>heterophyllus</i> . W.en.	different-leav'd.	S. America.	—	—	S.⊙.	
18	<i>subtrifolius</i> . L.en.	acute-lobed.	Brazil.	—	—	H.⊙.	
19	<i>alatus</i> . w.	winged.	Carolina.	1732.	—	H.⊙.	Dill. elt. t. 235. f. 303.
20	<i>Caracalla</i> . w.	Snail-flower.	India.	1690.	8. 9.	S.⊙.	Botan. regist. 341.
21	<i>aconitifolius</i> . w.	Aconite-leav'd.	E. Indies.	1731.	6. 8.	S.⊙.	Jacq. obs. 3. t. t. 52.
22	<i>angustifolius</i> . H.B.	narrow-leaved.	—	1818.	—	S.⊙.	
23	<i>trifolius</i> . w.	three-lobed.	—	1777.	7. 8.	S.⊙.	Burm. ind. t. 50. f. 1.
24	<i>stipularis</i> . w.	large-stipuled.	Pern.	1805.	—	H.⊙.	
25	<i>nanus</i> . L.	common dwarf.	India.	—	6. 9.	H.⊙.	
26	<i>radiatus</i> . w.	rayed.	China.	1732.	6. 7.	H.⊙.	Dill. elt. t. 235. f. 305.
27	<i>Max</i> . w.	hairy-podded.	India.	1758.	—	H.⊙.	Rumph. amb. 5. t. 140.
28	<i>Mungo</i> . w.	small-fruited.	—	1790.	—	H.⊙.	
29	<i>diversifolius</i> . P.S.	various-leaved.	N. America.	1806.	—	H.⊙.	
	<i>trifolus</i> . Ph. <i>Glycine</i>	<i>angulosa</i> . w.					
30	<i>lathyroides</i> . w.	Lathyrus-like.	Jamaica.	1786.	7. 8.	S.⊙.	Sloan. j. 1. t. 116. f. 1.
31	<i>sphaerospermus</i> . w.	round-seeded.	S. America.	1823.	—	S.⊙.	— 1. t. 117. f. 1. 2. 3.
32	<i>glaber</i> . H.B.	smooth.	Mauritius.	—	—	S.⊙.	
33	<i>torosus</i> . H.B.	Nepaul.	Nepaul.	—	—	H.⊙.	
TERAMNUS. W.	TERAMNUS.	Diadelphia	Decandria.	L.			
1	<i>volubilis</i> . w.	twining.	Jamaica.	1822.	—	S. h.	
2	<i>uncinatus</i> . w.	hooked.	—	—	—	S. h.	Plum. sp. 8. ic. 221.
ERYTHRINA. W.	CORAL-TREE.	Diadelphia	Decandria.	L.			
1	<i>herbacea</i> . w.	herbaceous.	Carolina.	1724.	6. 9.	H. h.	Botan. magaz. 377.
2	<i>carnea</i> . w.	flesh-coloured.	Vera Cruz.	1733.	5.	S. h.	Botan. regist. 389.
3	<i>Corallodendrum</i> . w.	common.	W. Indies.	1690.	5. 6.	S. h.	Comm. hort. 1. t. 108.
4	<i>indica</i> . w.	Indian.	E. Indies.	1814.	—	S. h.	Rheed. mal. 6. t. 7.
5	<i>fusca</i> . w.	brown-flower'd.	—	1800.	S. h.	Rumph. amb. 2. t. 78.
6	<i>caffra</i> . w.	Cape.	C. B. S.	1816.	5. 6.	S. h.	Botan. regist. 736.
7	<i>speciosa</i> . A.R.	large-flowered.	W. Indies.	1805.	5. 10.	S. h.	Andr. repos. 443.
8	<i>fulgens</i> .	fulgent.	E. Indies.	1801.	—	S. h.	
9	<i>aculeatissima</i> . Desf.	very prickly.	—	1816.	—	S. h.	
10	<i>picta</i> . w.	prickly-leaved.	E. Indies.	1696.	—	S. h.	Rumph. amb. 2. t. 77.
11	<i>glauca</i> . w.	glaucous.	Caracas.	1824.	S. h.	
12	<i>mitis</i> . w.	smooth-stemm'd.	—	1818.	6. 8.	S. h.	Jacq. schœn. 2. t. 216.
13	<i>pscidioides</i> .	Piscidia-leav'd.	E. Indies.	1800.	S. h.	
14	<i>abyssinica</i> . w.en.	Abyssinian.	Africa.	1820.	S. h.	
15	<i>incana</i> . w.en.	hoary.	—	—	S. h.	
16	<i>portoricensis</i> . Desf.	Portorico.	Portorico.	—	S. h.	
17	<i>poianthes</i> . L.T.	crowded-fl'd.	—	—	2. 4.	S. h.	Linn. trans. 14. t. 10. 11.
18	<i>secundiflora</i> . L.T.	side-flowering.	Brazil.	1818.	4. 6.	S. h.	— 14. t. 12.
19	<i>crista-galli</i> . L.	Cock's comb.	—	1771.	3. 10.	H. h.	Swt. br. fl. gar. t. 142.
20	<i>stricta</i> . H.B.	straight.	E. Indies.	1816.	4. 6.	S. h.	
21	<i>ovalifolia</i> . H.B.	oval-leaved.	—	—	S. h.	
22	<i>suberosa</i> . H.B.	cork-barked.	—	1818.	S. h.	
23	<i>arborescens</i> . H.B.	arborescent.	Nepaul.	—	S. h.	
24	<i>arborea</i> . D.L.	tree.	Trinidad.	1822.	S. h.	
25	<i>resupinata</i> . H.B.	resupinate.	E. Indies.	—	S. h.	
BUTEA. W.	BUTEA.	Diadelphia	Decandria.				
1	<i>frondosa</i> . w.	downy-branched.	E. Indies.	1796.	S. h.	Roxb. cor. 1. t. 21.
2	<i>superba</i> . w.	smooth-branched.	—	1798.	S. h.	— 1. t. 22.
3	<i>parviflora</i> . H.B.	small-flower'd.	Coromandel.	1820.	S. h.	
CLITORIA. P.S.	CLITORIA.	Diadelphia	Decandria.	L.			
1	<i>Ternatea</i> . w.	wing-leaved.	E. Indies.	1739.	7. 8.	S. h.	
	<i>a cœrulea</i> .	blue-flowered.	—	—	—	S. h.	Botan. magaz. 1542.
	<i>β alba</i> .	white-flowered.	—	1812.	—	S. h.	
2	<i>multiflora</i> . w.	many-flowered.	W. Indies.	1823.	—	S. h.	
3	<i>heterophylla</i> . w.	various-leaved.	E. Indies.	1812.	—	S. h.	Botan. magaz. 2111.
4	<i>brasiliiana</i> . w.	Brazilian.	Brazil.	1759.	—	S.⊙.	Brey. cent. t. 32.
5	<i>virginiana</i> . w.	Virginian.	America.	1732.	—	S.⊙.	Parad. lond. 51.
	<i>calcarigera</i> . P.L.						
6	<i>Plumieri</i> . P.S.	Plumier's.	W. Indies.	1815.	8. 11.	S. h.	Botan. regist. 268.
7	<i>mariana</i> . w.	Maryland.	N. America.	1759.	8.	H.⊙.	
8	<i>mexicana</i> . L.en.	Mexican.	Mexico.	1823.	6. 8.	S.⊙.	
9	<i>erecta</i> . H.B.	erect.	E. Indies.	1822.	7. 8.	S. h.	
10	<i>arborescens</i> . H.K.	tree.	Trinidad.	1804.	S. h.	

GALACTIA. M.	GALACTIA.	Diadelphia Decandria.			
1 pendula. P.S.	pendulous.	Jamaica.	1794.	7. 8.	S. h. Botan. regist. 269.
2 mollis. Ph.	soft.	Carolina.	1812.	—	G. 2.
3 sericea. P.S.	silky.	Bourbon.	1824.	—	S. h.
WISTERIA. N.	WISTERIA.	Diadelphia Decandria.			
1 speciosa. N.	handsome.	N. America.	1724.	6. 9.	H. h. Botan. magaz. 2103.
<i>Glycine frutescens</i> B.M.	<i>Apios frutescens.</i> Ph.				
2 sinensis.	Chinese.	China.	1818.	5. 7.	H. h. Botan. regist. 650.
<i>Glycine sinensis.</i> E.R.					
APIOS. N.	APIOS.	Diadelphia Decandria.			
tuberosa. N.	tuberous-root'd.	N. America.	1640.	8. 9.	H. 2. Botan. magaz. 1198.
AMPHICARPA. N.	AMPHICARPA.	Diadelphia Decandria.			
1 monoica. N.	pale-flowered.	N. America.	1781.	9.	H. 2. Wend. in R. Ar. 3. t. 2.
<i>Glycine monoica.</i> Ph.					
2 comosa.	tufted.	—	1812.	7. 9.	H. 2.
<i>Glycine comosa.</i> Ph.					
3 sarmentosa. N.	sarmentose.	Carolina.	1805.	6. 8.	H. O. Schk. in bot. ann. 12. t. 2.
GLYCINE. W.	GLYCINE.	Diadelphia Decandria.			
1 claudestina. w.	small-flowered.	N. S. W.	1810.	4. 8.	G. 2.
2 angulosa. w.	angular.	N. America.	1806.	6. 8.	H. O.
3 vincentina. B.R.	St. Vincent.	St. Vincent's.	1823.	—	S. h. Botan. regist. 799.
4 angustifolia. w.	narrow-leaved.	C. B. S.	1795.	—	G. h. Jacq. schœn. 2. t. 231.
5 heterophylla. w.	various-leaved.	—	1816.	—	G. h.
6 subterranea. w.	subterraneous.	S. America.	1820.	—	S. O.
7 humifusa. w.en.	trailing.	—	—	—	S. O.
8 precatória. w.en.	Abrus-like.	—	—	—	S. h.
9 parviflora. w.	small-flowered.	E. Indies.	1812.	7. 8.	S. 2.
10 debilis. w.	hairy.	—	1778.	6. 7.	S. 2.
11 viscida. P.S.	viscous.	—	1823.	—	S. 2.
12 phaseoloides. P.S.	Abrus-seeded.	W. Indies.	1820.	—	S. h. Botan. magaz. 2284.
13 tomentosa. N.	downy.	N. America.	1732.	6. 9.	H. 2. Dill. elt. t. 26. f. 29.
14 reniformis. Ph.	kidney-leaved.	Carolina.	1806.	7. 8.	F. 2.
<i>monophylla.</i> N.					
15 reticulata. w.	net-leaved.	Jamaica.	1779.	7. 9.	S. h.
16 picta. w.	painted.	W. Indies.	1823.	—	S. h. Aub. guian. 2. t. 306.
17 suaveolens. w.	sweet-scented.	E. Indies.	1816.	—	S. h.
18 striata. w.	streaked.	S. America.	1823.	—	S. h. Jacq. hort. 1. t. 76.
19 caribæa. w.	trailing.	W. Indies.	1742.	9. 10.	S. h. Jacq. ic. 1. t. 146.
20 bituminosa. w.	clammy.	C. B. S.	1774.	4. 9.	G. h. Botan. regist. 261.
21 secunda. w.	side-flowering.	—	1825.	6. 9.	G. h.
22 rhombifolia. w.	rhomb-leaved.	E. Indies.	1815.	5. 8.	S. h.
23 sagittata. w.en.	arrow-leaved.	Havannah.	—	—	S. h.
KENNEDIA. Vent.	KENNEDIA.	Diadelphia Decandria.			
1 rubicunda. v.	dingy-flowered.	N. S. W.	1788.	3. 8.	G. h. Botan. magaz. 268.
2 coccinea. v.	many-flowered.	N. Holland.	1803.	5. 8.	G. h. Vent. nialm. 105.
3 prostrata. H.K.	single-flowered.	N. S. W.	1790.	3. 8.	G. h. Botan. magaz. 270.
4 monophylla. v.	simple-leaved.	—	—	—	G. h. 263.
<i>Glycine bimaculata.</i> B.M.					
5 ovata. B.M.	oval-leaved.	—	1820.	—	G. h. 2169.
6? Comptoniana.	Comptonian.	—	1803.	3. 6.	G. h. Botan. regist. 298.
<i>Glycine Comptoniana.</i> B.R.					
CYLISTA. W.	CYLISTA.	Diadelphia Decandria.			
1 villosa. H.K.	Cape.	C. B. S.	1776.	4. 6.	G. h. Andr. reposit. 446.
<i>Dolichos hirtus.</i> A.R.					
2 albiflora. B.M.	white-flowered.	Mauritius.	4. 5.	S. h. Botan. magaz. 1859.
3 tomentosa. H.B.	tomentose.	E. Indies.	1818.	S. h.
4 scariosa. w.	rough.	—	1806.	4. 6.	S. h. Roxb. cor. 1. t. 92.
CARMICHÆLIA. B.R.	CARMICHÆLIA.	Diadelphia Decandria.			
australis. B.R.	New Zealand.	N. Zealand.	1822.	3. 5.	G. h. Botan. regist. 912.
<i>Lotus arboreus.</i> w.					
ABRUS. W.	WILD LIQUORICE.	Diadelphia Decandria.			
precatorius. w.	common.	India.	1680.	3. 5.	S. h. Rheed. mal. 3. t. 39.
<i>α erythrosperma.</i>	red-seeded.	—	—	—	S. h. Rumph. amb. 5. t. 32.
<i>β melanosperma.</i>	black-seeded.	—	1812.	—	S. h.
AMORPHA. W.	BASTARD INDIGO.	Diadelphia Decandria.			
1 fruticosa. w.	shrubby.	Carolina.	1724.	6. 8.	H. h. Botan. regist. 427.
2 crocealana. w.D.	yellow-haired.	—	1812.	—	H. h. Wats. dend. brit. t. 139.
3 emarginata.	emarginate-ld.	—	—	—	H. h.

4	<i>nana</i> , N. <i>microphylla</i> , Ph.	dwarf.	Missouri,	1811.	7. 8.	F. ♀.	Botan. magaz. 2112.
5	<i>pubescens</i> , Ph. <i>herbacea</i> , N. <i>pumila</i> , M.	pubescent.	Carolina,	1803.	6. 7.	F. ♀.	
6	<i>canescens</i> , N.	canescent.	Missouri,	1812.	7. 8.	F. ♀.	
PISCIDIA, W.			Diadelphia Decandria, L.				
	<i>Erythrina</i> , w.		Jamaica Dogwood, W. Indies.	1690.	S. ♀.	Lam. ill. t. 605.
ASTRAGALUS, DC.			MILK-VETCH, Diadelphia Decandria, L.				
1	<i>austriacus</i> , w.	Austrian.	Austria,	1640.	6. 7.	H. ♀.	Jacq. aust. 2. t. 195.
2	<i>annularis</i> , DC.	ring-podded.	Egypt.	1800.	—	H. ⊙.	DC. astr. t. 7.
3	<i>Stella</i> , w.	star-podded.	S. Europe.	1658.	7. 8.	H. ⊙.	Pluk. alm. t. 79. f. 4.
4	<i>sesameus</i> , w.	Sesama.	—	1616.	6. 7.	H. ⊙.	Garid. prov. t. 12.
5	<i>ammodytes</i> , w.	silky-leaved.	Siberia.	1823.	—	H. ♀.	Pall. astr. p. 7. t. 5.
6	<i>pentaglottis</i> , w.	rough spanish.	Spain.	1739.	—	H. ⊙.	Cav. ic. 2. t. 188.
7	<i>purpureus</i> , DC.	purple.	France.	1824.	—	H. ♀.	DC. astr. t. 12.
8	<i>hypoglottis</i> , w.	purple mountain.	Britain.	—	H. ♀.	Eng. bot. 274.
9	<i>leontinus</i> , w.	Lion's-tail.	Austria.	1816.	5. 6.	H. ♀.	Jacq. ic. 1. t. 154.
10	<i>sinicus</i> , w.	chinese annual.	China.	1763.	7. 8.	H. ⊙.	Botan. magaz. 1350.
11	<i>Glaux</i> , w.	small spanish.	Spain.	1596.	6. 7.	H. ⊙.	Clus. hist. 2. t. 241.
12	<i>Laxmanni</i> , P.S.	Laxmann's.	Siberia.	1804.	6. 8.	H. ♀.	Jacq. vind. 3. t. 37.
13	<i>Onobrychis</i> , w.	purple-spiked.	Austria.	1640.	—	H. ♀.	Jacq. aust. 1. t. 38.
14	<i>tenuifolius</i> , w. <i>linearifolius</i> , P.S.	fine-leaved.	Siberia.	1780.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 73.
15	<i>vesicarius</i> , L. <i>abidus</i> , w.	white Italian.	Europe.	1737.	—	H. ♀.	W. et K. hung. 1. t. 40.
16	<i>vinineus</i> , w.	slender.	Siberia.	1824.	—	H. ♀.	Pall. astrag. t. 21.
17	<i>fruticosus</i> , w.	woody.	—	1804.	6. 7.	H. ♀.	— t. 19.
18	<i>arenarius</i> , w.	sand.	Germany.	1798.	—	H. ♀.	Retz. obs. 3. t. 3.
19	<i>leucophæus</i> , w.	dwarf white.	1776.	5. 8.	H. ♀.	Lodd. bot. cab. 111.
20	<i>snbuliformis</i> , P.S.	awl-podded.	Siberia.	1824.	—	H. ♀.	Pall. astrag. t. 22.
21	<i>varius</i> , P.S. <i>virgatus</i> , w.	twiggy.	—	1806.	—	H. ♀.	— t. 18.
22	<i>sulcatus</i> , w.	furrowed.	Siberia.	1785.	7.	H. ♀.	Jacq. vind. 3. t. 40.
23	<i>melilotoides</i> , w.	Melilot like.	—	—	6. 7.	H. ♀.	Pall. astrag. t. 41.
24	<i>scorpioides</i> , w.	blue-flowered.	Spain.	1824.	7. 9.	H. ⊙.	
25	<i>depressus</i> , w.	depressed.	Europe.	1772.	5. 6.	H. ♀.	Lodd. bot. cab. 680.
26	<i>heltintocarpus</i> , DC.	stalkless.	—	1824.	—	H. ♀.	Vill. delph. 3. t. 42.
27	<i>cornutoplicatus</i> , w.	wave-podded.	Siberia.	1764.	7. 8.	H. ⊙.	Pall. astrag. t. 79.
28	<i>trimestris</i> , w.	Egyptian.	Egypt.	1739.	—	H. ⊙.	Jacq. vind. 2. t. 174.
29	<i>hætius</i> , w.	hook podded.	Spain.	1633.	6. 8.	H. ⊙.	Lam. ill. t. 622. f. 4.
30	<i>batiens</i> , w.	triangular-podded.	S. Europe.	1759.	—	H. ⊙.	Bocc. sic. 7. t. 4.
31	<i>glyciphyllus</i> , w.	sweet.	Britain.	6. 7.	H. ♀.	Eng. bot. 203.
32	<i>epiglottis</i> , w.	heart-podded.	S. Europe.	1737.	—	H. ♀.	Herm. lugd. t. 77.
33	<i>Cicer</i> , w.	bladdered.	Europe.	1570.	—	H. ♀.	Jacq. aust. t. 251.
34	<i>carnosus</i> , N.	fleshy-podded.	N. America.	1811.	—	H. ♀.	
35	<i>caryocarpus</i> , B.R.	swelled-pod'd.	—	—	—	H. ♀.	Botan. regist. 176.
36	<i>brachycarpus</i> , B.M.	short-podded.	Siberia.	1820.	—	H. ♀.	Botan. magaz. 2335.
37	<i>microphyllus</i> , w.	small-leaved.	—	1773.	—	H. ♀.	
38	<i>Buceras</i> , w. en.	horned.	1816.	—	H. ⊙.	
39	<i>Ægiceras</i> , w. en.	Goat's-horn.	—	—	H. ⊙.	
40	<i>canaliculatus</i> , w. en.	channelled.	—	—	H. ⊙.	
41	<i>galegiformis</i> , w.	Goat's-rne-ld.	Siberia.	1729.	6. 8.	H. ♀.	Pall. astrag. t. 29.
42	<i>chinensis</i> , w.	upright Chinese.	China.	1795.	—	H. ♀.	Linn. f. dec. 1. t. 3.
43	<i>asper</i> , w.	rough Astracan.	Astracan.	1796.	7. 8.	H. ♀.	Jacq. ic. t. 152.
44	<i>semibilocularis</i> , P.S. <i>Laxmanni</i> , Jacq. vind. 3. t. 38.	semibilocular.	Siberia.	1804.	6. 8.	H. ♀.	Dec. astrag. t. 23.
45	<i>canadensis</i> , w.	woolly.	N. America.	1732.	6. 7.	H. ♀.	Lodd. bot. cab. 372.
46	<i>carolinianus</i> , w.	Carolina.	—	—	—	H. ♀.	Dill. elt. t. 39. f. 45.
47	<i>uliginosus</i> , w.	marsh.	Siberia.	1752.	6. 8.	H. ♀.	Pall. astrag. t. 26.
48	<i>odoratus</i> , w.	sweet-scented.	Levant.	1816.	—	H. ♀.	Dec. astrag. t. 24.
49	<i>falcatus</i> , DC.	sickle-podded.	Siberia.	6. 7.	H. ♀.	— t. 26.
50	<i>falciformis</i> , DC.	sickle-like.	Barbary.	—	H. ♀.	Desf. atl. 2. t. 207.
51	<i>virescens</i> , H.K.	green-flowered.	Siberia.	1737.	—	H. ♀.	
52	<i>christianus</i> , w.	great yellow.	Armenia.	7.	—	H. ♀.	Tourn. it. 2. t. 254.
53	<i>vulpinus</i> , w.	Fox-tail.	Siberia.	1815.	6. 7.	H. ♀.	Pall. astrag. t. 7.
54	<i>alopeuroides</i> , w.	Fox-tail like.	Spain.	1737.	—	H. ♀.	— t. 8.
55	<i>stipulatus</i> , D.P.	large-stipuled.	Nepaul.	1821.	8. 9.	H. ♀.	Botan. magaz. 2380.
56	<i>macrorhizus</i> , D.P.	large-rooted.	—	—	—	H. ♀.	

57	<i>alopencias. w.</i>	axillary-head'd.	Siberia.	1823.	6. 7.	H. ♀.	Pall. astrag. t. 9.
58	<i>narbonensis. w.</i>	French.	S. Europe.	1789.	—	H. ♀.	— t. 10.
59	<i>tomentosus. w.</i>	downy-leaved.	Egypt.	1800.	7.	H. ♀.	Dec. astrag. t. 29.
60	<i>capitatus. w.</i>	headed.	Levant.	1759.	7. 8.	H. ♀.	—
61	<i>cruciatus. L.en.</i>	oblong-leaved.	1823.	—	H. ♂.	—
62	<i>caucasicus. w.</i>	Caucasian.	Caucasus.	—	—	H. ♀.	Pall. astrag. 2. t. 2.
63	<i>Poterium. w.</i>	small goat's-thorn.	Levant.	1640.	6. 7.	H. ♀.	— 1. t. 1.
64	<i>Tragacantha. w.</i>	large goat's-thorn.	S. Europe.	—	—	H. ♀.	Wats. dend. brit. t. 84.
65	<i>aristatus. w.</i>	awned.	Pyrenees.	1791.	5. 7.	H. ♀.	Pall. astrag. t. 3.
66	<i>armatus. w.</i>	armed.	Barbary.	6. 7.	G. ♀.	Desf. atl. 2. t. 194.
	<i>Anthyllis tragacanthoides. Desf.</i>						
67	<i>caprinus. w.</i>	scented.	Barbary.	1683.	6. 7.	H. ♀.	Moris. hist. 2. t. 24. f. 3.
68	<i>longiflorus. w.</i>	long-flowered.	Tartary.	1806.	—	H. ♀.	Pall. astrag. t. 69.
69	<i>tragacanthoides. w.</i>	Armenian.	Armenia.	1791.	5. 7.	H. ♀.	Buxb cent. 3. t. 38. f. 2.
70	<i>exscapus. w.</i>	hairy-podded.	Hungary.	1787.	5. 7.	H. ♀.	Jacq. ic. 3. t. 561.
71	<i>halicacabus. DC.</i>	bladdered.	Armenia.	1806.	6.	H. ♀.	Schreb. decad. t. 3.
	<i>Phaca vesicaria. w.</i>						
72	<i>incanus. w.</i>	hoary.	Montpelier.	1759.	6. 7.	H. ♀.	—
73	<i>monspessulanus. w.</i>	Montpelier.	—	1710.	7. 8.	H. ♀.	Botan. magaz. 375.
74	<i>physodes. w.</i>	inflated yellow.	Siberia.	1759.	6. 7.	H. ♀.	Dec. astrag. t. 48.
75	<i>testiculatus. w.</i>	woolly-podded.	Caspia.	1824.	—	H. ♀.	Pall. astrag. t. 67.
76	<i>diffusus. w.</i>	diffuse.	—	—	—	H. ♀.	— t. 68.
77	<i>ponticus. w.</i>	villous calyxed.	Tauria.	—	—	H. ♀.	— t. 11.
78	<i>oxyglottis. M.B.</i>	Taurian.	—	—	7. 9.	H. ♂.	—
79	<i>adsurgens. W.en.</i>	assurgent.	Siberia.	—	6. 7.	H. ♀.	Pall. astrag. t. 31.
80	<i>utriger. w.</i>	elliptic-podded.	Tauria.	1825.	—	H. ♀.	— t. 61.
	<i>gracilis. N.</i>	long-peduncul'd.	Missouri.	1812.	—	H. ♀.	—
	OXYTROPIS. DC.		OXYTROPIS.			Diadelphia	Decandria.
1	<i>montana. DC.</i>	mountain.	Austria.	1531.	7. 8.	H. ♀.	Botan. magaz. 843.
	<i>Astragalus montana. B.M.</i>						
2	<i>Lambertii. Ph.</i>	Mr. Lambert's.	Missouri.	1811.	8. 9.	H. ♀.	— 2147.
3	<i>uralensis. P.S.</i>	silky.	Siberia.	1800.	7.	H. ♀.	Pall. astrag. t. 42.
4	<i>sordida. P.S.</i>	hairy mountain.	Scotland.	5. 8.	H. ♀.	Eng. bot. 466.
	<i>Astragalus uralensis. E.B. non P.S.</i>						
5	<i>ambigua. DC.</i>	ambiguous.	Siberia.	1824.	—	H. ♀.	Pall. astrag. t. 43.
6	<i>grandiflora. DC.</i>	large-flowered.	—	—	—	H. ♀.	— t. 46.
7	<i>songarica. DC.</i>	spear-podded.	—	—	—	H. ♀.	— t. 51.
8	<i>campestris. P.S.</i>	field.	Scotland.	7.	H. ♀.	Eng. bot. 2522.
9	<i>Gmelini. F.</i>	Gmelin's.	Siberia.	1824.	—	H. ♀.	—
10	<i>viscosa. P.S.</i>	viscous.	Europe.	1818.	—	H. ♀.	Vill. delph. 3. t. 43.
11	<i>uncata. P.S.</i>	hooked.	Aleppo.	1768.	7. 8.	H. ♀.	—
12	<i>taurica. P.S.</i>	Taurian.	Tauria.	1824.	—	H. ♀.	Pall. astrag. t. 38.
	<i>filiformis. DC.</i>						
13	<i>altaica. P.S.</i>	Altaic.	Siberia.	1802.	7. 9.	H. ♀.	— t. 45.
14	<i>microphylla. DC.</i>	small-leaved.	—	1823.	—	H. ♀.	— t. 76.
15	<i>oxyphylla. DC.</i>	sharp-leaved.	—	—	—	H. ♀.	— t. 74.
16	<i>cymbicarpos. DC.</i>	boat-podded.	Portugal.	1800.	7. 8.	H. ♂.	—
17	<i>verticillaris. DC.</i>	whorl-leaved.	Siberia.	1824.	—	H. ♀.	Amm. ruth. t. 19. f. 1.
18	<i>myriophylla. P.S.</i>	many-leaved.	—	—	—	H. ♀.	Pall. astrag. t. 71.
	<i>Astragalus verticillaris. w.</i>						
19	<i>pilosa. DC.</i>	pale-flowered.	—	1732.	6. 8.	H. ♀.	Jacq. aust. 1. t. 51.
20	<i>glaucus.</i>	glaucous.	Tauria.	1823.	—	H. ♀.	—
	<i>Astragalus glaucus. M.B.</i>						
21	<i>dealbata. P.S.</i>	mealy.	Caucasus.	1803.	7. 8.	H. ♀.	Pall. astrag. t. 23. f. 23.
22	<i>deflexa. DC.</i>	small-flowered.	Siberia.	1800.	6. 7.	H. ♀.	Jacq. ic. 1. t. 153.
	<i>Astragalus parviflorus. w. hians. Jacq.</i>						
23	<i>dichoptera. DC.</i>	pubescent.	—	1815.	—	H. ♀.	Pall. astrag. t. 39.
	BISERRULA. W.	HATCHET-VETCH.	Diadelphia			Decandria. I.	
	<i>Pelecinus. w.</i>	bastard.	S. Europe.	1640.	7. 8.	H. ♂.	Lam. ill. t. 622.
	PHACA. W.	BASTARD-VETCH.	Diadelphia			Decandria. L.	
1	<i>bœtica. w.</i>	hairy.	Spain.	1640.	7.	H. ♀.	Moris. S. 2. t. 8. f. 1.
2	<i>frigida. w.</i>	small.	Austria.	1795.	—	H. ♀.	Jacq. anst. t. 166.
3	<i>alpina. w.</i>	smooth Alpine.	—	1759.	—	H. ♀.	Jacq. ic. 1. t. 151.
4	<i>membranacea. F.</i>	membranous.	Siberia.	1823.	—	H. ♀.	—
5	<i>australis. w.</i>	trailing.	S. Europe.	1779.	5. 6.	H. ♀.	Jacq. misc. 2. t. 3.
6	<i>arenaria. w.</i>	sand.	Siberia.	1796.	7. 8.	H. ♀.	Pall. it. 4. t. 19. f. 3. 4.
7	<i>glabra. DC.</i>	smooth.	S. Europe.	1822.	—	H. ♀.	—
8	<i>triangularis. F.</i>	triangular.	Siberia.	1824.	—	H. ♀.	—
9	<i>campestris. Wab.</i>	field.	Europe.	—	—	H. ♀.	—

10 montana. Wab.	mountain.	—————	—————	—————	H. 2.	
11 lapponica. Wab.	Lapland.	Lapland.	—————	—————	H. 2.	
12 astragalina. DC.	procumbent.	Europe.	1771.	6. 7.	H. 2.	Lodd. bot. cab. 429.
LESSERTIA. DC.	LESSERTIA.	Diadelphia	Decandria.			
1 annua. DC.	annual.	C. B. S.	1731.	6. 7.	G. 2.	Hook. ex. flor. 84.
2 diffusa. H.K.	procumbent.	—————	1792.	7. 8.	G. 2.	Jacq. ic. 3. t. 576.
<i>Galega dubia.</i> Jacq.						
3 pulchra. B.M.	pretty.	—————	1817.	5. 7.	G. 2.	Botan. magaz. 2064.
4 prostrata.	prostrate.	—————	1820.	—————	G. 2.	
<i>Colutea prostrata.</i> P.S.						
5 perennans. DC.	perennial.	—————	1753.	8.	G. 2.	Jacq. vind. 3. t. 3.
6 annularis. B.T.	annular.	—————	1816.	5. 7.	G. 2.	
SWAINSONA. H.K.	SWAINSONA.	Diadelphia	Decandria.			
1 coronillæfolia. H.K.	purple-flow'r'd.	N. S. W.	1802.	7. 8.	G. 2.	Botan. magaz. 1725.
2 galegifolia. H.K.	red-flowered.	—————	1800.	—————	G. 2.	————— 792.
3 astragalifolia. C.C.	white-flower'd.	—————	1802.	—————	G. 2.	
SUTHERLANDIA. H.K.	SUTHERLANDIA.	Diadelphia	Decandria.			
frutescens. H.K.	scarlet.	C. B. S.	1683.	6. 7.	F. 2.	Botan. magaz. 181.
<i>Colutea frutescens.</i> B.M.						
<i>β canescens.</i>	<i>hoary-ld. dwarf.</i>	—————	1816.	—————	F. 2.	
COLUTEA. W.	BLADDER SENNA.	Diadelphia	Decandria. L.			
1 cruenta. w.en.	red-flowered.	Levant.	1710.	6. 7.	H. 2.	Schmidt. arb. t. 119.
2 Pocockii. w.en.	Pocock's.	—————	1752.	5. 10.	H. 2.	————— t. 120.
3 media. w.en.	smaller.	6. 8.	H. 2.	Wats. dend. brit. t. 140.
4 arborescens. w.en.	common.	France.	1568.	—————	H. 2.	Botan. magaz. 81.
GLYCIRRHIZA. W.	LIQUORICE.	Diadelphia	Decandria. L.			
1 echinata. w.	prickly-leaved.	Italy.	1596.	6. 9.	H. 2.	Botan. magaz. 2154.
2 fœtida. w.	strong-scented.	Barbary.	1823.	—————	H. 2.	Desf. atl. 2. t. 199.
3 glandulifera. w.	glandulous.	Hungary.	1805.	6. 8.	H. 2.	W. et K. hung. 1. t. 21.
4 lepidota. Ph.	silky-leaved.	Missonri.	1811.	7. 8.	H. 2.	Botan. magaz. 2150.
5 glabra. w.	common.	S. Europe.	1562.	—————	H. 2.	Lam. ill. t. 625. f. 2.
6 asperima. w.	rough.	Siberia.	1795.	7. 8.	H. 2.	Pall. it. app. t. M. f. 3.
7 hirsuta. w.	hairy.	Levant.	1739.	—————	H. 2.	
GALEGA. P.S.	GOAT'S-RUE.	Diadelphia	Decandria. L.			
1 officinalis. P.S.	officinal.	Spain.	1568.	6. 9.	H. 2.	Schk. hand. 2. t. 208.
<i>a cœrulea.</i>	<i>purple-flowered.</i>	—————	—————	—————	H. 2.	
<i>β alba.</i>	<i>white-flower'd.</i>	—————	—————	—————	H. 2.	
2 orientalis. w.	blue-flowered.	Levant.	1801.	—————	H. 2.	Botan. regist. 326.
3 persica. P.S.	yellow-flow'r'd.	Persia.	1816.	—————	H. 2.	
4 biloba. B.F.G.	two-lobed.	1823.	—————	H. 2.	Swt. br. fl. gar.
5 heterophylla. F.	various-leaved.	Siberia.	—————	—————	H. 2.	
6? caribæa. w.	Caribbean.	Caribees.	1786.	6. 7.	S. 2.	Jacq. amer. t. 125.
7? Heyniana. H.B.	Heyne's.	E. Indies.	1807.	7.	S. 2.	
TEPHROSIA. P.S.	TEPHROSIA.	Diadelphia	Decandria.			
1 filifolia. P.S.	filiform-leaved.	C. B. S.	1824.	6. 7.	G. 2.	
2 sericea. P.S.	silky-leaved.	—————	—————	—————	G. 2.	
3 longifolia. P.S.	long-leaved.	S. America.	—————	S. 2.	Jacq. ic. 3. t. 572.
4 toxicaria. P.S.	Fish poison.	—————	1791.	S. 2.	Plum. ic. t. 135.
5 virginiana. P.S.	Virginian.	Virginia.	1765.	6. 8.	H. 2.	Pluk. alm. t. 23. f. 2.
6 grandiflora. P.S.	large-flowered.	C. B. S.	1774.	6. 9.	I. 2.	Bot. regist. 769?
<i>Galega grandiflora.</i> B.R. 769?	<i>Galega rosca.</i> Hort.					
7 stricta. P.S.	straight-podd'd.	—————	—————	5. 6.	I. 2.	Scop. insub. 1. t. 3.
8 pallens. P.S.	pale-flowered.	—————	1787.	6. 8.	I. 2.	
9 villosa. P.S.	villous.	E. Indies.	1779.	—————	S. 2.	Pluk. phyt. t. 59. f. 6.
10 Colonila. L.T.	Colonil.	—————	1818.	—————	S. 2.	
11 purpurca. P.S.	purple.	—————	1768.	7. 8.	S. 2.	Burm. zeyl. t. 32.
12 piscatoria. P.S.	woolly.	—————	1778.	6. 7.	S. 2.	
13 ochroleuca. P.S.	sulphur-colour'd	1799.	S. 2.	Jacq. ic. 1. t. 150.
14 lanceafolia. L.en.	spear-leaved.	E. Indies.	1824.	S. 2.	
15 linearis. P.S.	linear-leaved.	Guinea.	1822.	S. 2.	
16 apollinea. L.en.	Egyptian.	Egypt.	—————	6. 7.	F. 2.	
INDIGOFERA. W.	INDIGO.	Diadelphia	Decandria. L.			
1 filifolia. w.	naked-stalked.	C. B. S.	1812.	7. 10.	G. 2.	Botan. regist. 104.
<i>Lebeckia contaminata.</i>	B.R. <i>Lebeckia nuda.</i> B.M. 2214.					
2 linifolia. w.	Flax-leaved.	E. Indies.	1792.	7. 8.	S. 2.	Roxb. cor. 2. t. 194.
3 sericea. w.	silky.	C. B. S.	1824.	—————	G. 2.	
4 trifoliata. w.	trifoliolate.	E. Indies.	1818.	—————	S. 2.	
5 psoraloides. w.	Psoralea-like.	C. B. S.	1758.	—————	G. 2.	Botan. magaz. 476.
6 candicans. w.	white-leaved.	—————	1774.	5. 9.	G. 2.	————— 198.

7	<i>amœna</i> . w.	scarlet-flow'r'd.	—	—	3. 5.	G. h.	Botan. regist. 300.
8	<i>incana</i> . w.	hoary.	—	1812.	5. 7.	G. h.	
9	<i>spinosa</i> . w.	spiny.	E. Indies.	1822.	S. h.	
10	<i>procumbens</i> . w.	procumbent.	C. B. S.	1816.	5. 7.	G. h.	
11	<i>sarmentosa</i> . w.	dwarf.	—	1786.	6. 7.	G. h.	
12	<i>stipularis</i> . L.en.	stipuled.	—	1816.	—	G. h.	
13	<i>denudata</i> . w.	smooth-leaved.	—	1790.	5. 7.	G. h.	Jacq. schœn. 2. t. 233.
14	<i>glandulosa</i> . w.	glandular.	E. Indies.	1818.	—	S. 2.	
15	<i>trita</i> . w.	oval-leaved.	E. Indies.	1802.	6. 7.	S. 3.	
16	<i>microphylla</i> . P.S.	small-leaved.	C. B. S.	1812.	1. 12.	G. h.	
17	<i>coriacea</i> . w.	leathery-leav'd.	—	1774.	7. 8.	G. h.	
18	<i>filiformis</i> . w.	slender-branched.	—	1816.	—	G. h.	
19	<i>enneaphylla</i> . w.	trailing.	E. Indies.	1776.	—	S. 0.	Burm. ind. t. 55. f. 1.
20	<i>endecaphylla</i> . B.R.	eleven-leaved.	St. Thomas.	1822.	—	S. 0.	Botan. regist. 789.
21	<i>fragrans</i> . w.	fragrant.	E. Indies.	1824.	S. 2.	
22	<i>glabra</i> . w.	smooth.	—	—	7. 9.	S. 0.	Rheed. mal. 9. t. 67.
23	<i>cytisoides</i> . w.	angular-stalk'd.	C. B. S.	1774.	—	G. h.	Botan. magaz. 742.
24	<i>frutescens</i> . w.	frutescent.	—	1823.	—	G. h.	
25	<i>stricta</i> . w.	upright.	—	1812.	—	G. h.	Jacq. schœn. 2. t. 236.
26	<i>hirsuta</i> . w.	hairy-leaved.	E. Indies.	1759.	—	S. h.	Burm. zeyl. t. 14.
27	<i>angustifolia</i> . w.	narrow-leav'd.	C. B. S.	1774.	6. 10.	G. h.	Botan magaz. 465.
28	<i>australis</i> . w.	Botany Bay.	N. S. W.	1790.	3. 6.	G. h.	Vent. malm. 45.
29	<i>viscosa</i> . w.	clammy.	E. Indies.	1806.	6. 7.	S. 0.	Sert. han. 2. t. 12.
30	<i>cœrulea</i> . H.B.	blue.	—	1820.	—	S. h.	
31	<i>Anil</i> . w.	West Indian.	W. Indies.	1731.	7. 8.	S. 3.	
32	<i>tinctoria</i> . w.	East Indian.	E. Indies.	—	—	S. h.	Rheed. mal. 1. t. 54.
33	<i>atropurpurea</i> . D.P.	dark purple.	Nepaul.	1820.	—	S. h.	
34	<i>elliptica</i> . H.B.	elliptic-leaved.	Bengal.	—	—	S. h.	
35	<i>pulchella</i> . H.B.	pretty.	E. Indies.	1823.	—	S. h.	
36	<i>arborea</i> . H.B.	tree.	—	—	S. h.	
37	<i>virgata</i> . H.B.	twiggy.	Nepaul.	—	7. 8.	S. h.	
38	<i>argentea</i> . w.	silver-leaved.	W. Indies.	1776.	—	S. h.	L'Her. stirp. t. 79.
39	<i>violacea</i> . H.B.	violet-coloured.	E. Indies.	1825.	S. h.	
40	<i>lateritia</i> . w.	brick-coloured.	Guinea.	1822.	7. 8.	S. 0.	Jacq. ic. 3. t. 569.
41	<i>aspalathifolia</i> . H.B.	<i>Aspalathus</i> -ld.	—	1823.	S. h.	
CARAGANA. J.		CARAGANA.	Diadelphia	Decandria.	L.		
1	<i>arborescens</i> . Lam.	common.	Siberia.	1752.	4. 5.	H. h.	Schmidt arb. 1. t. 33.
	<i>Robinia Caragana</i> . w.	—	—	—	—	—	
2	<i>arenaria</i> .	sand.	—	1802.	6. 7.	H. h.	Botan. magaz. 1886.
	<i>Robinia Caragana</i> . v.	<i>arenaria</i> . B.M.	—	—	—	—	
3	<i>Altagana</i> . P.S.	flat-podded.	—	1789.	4. 6.	H. h.	L'Herit. stirp. t. 76.
4	<i>Redowskii</i> . F.	Redowski's.	—	1822.	H. h.	
5	<i>microphylla</i> . Lam.	small-leaved.	—	1816.	H. h.	
6	<i>grandiflora</i> . M.B.	large-flowered.	—	1822.	H. h.	
7	<i>jubata</i> . P.S.	bearded.	—	1796.	H. h.	Pall. act. pet. 10. t. 6.
8	<i>tragacanthoides</i> . P.S.	Goat's-thorn like.	—	1816.	4. 6.	H. h.	— 10. t. 7.
9	<i>spinosa</i> . P.S.	thorny.	—	1775.	—	H. h.	Schmidt arb. 1. t. 76.
10	<i>purpurea</i> . L.en.	purple-flow'r'd.	1816.	—	S. h.	
11	<i>Halodendron</i> . P.S.	Salt-tree.	Siberia.	1779.	5. 6.	H. h.	Botan. magaz. 1016.
	<i>argentea</i> . Lam. ill. t. 607. f. 3.	—	—	—	—	—	
12	<i>Chamlagu</i> . P.S.	shining.	China.	1773.	—	H. h.	L'Herit. stirp. t. 77.
13	<i>frutescens</i> . P.S.	shrubby.	Siberia.	1752.	4. 5.	H. h.	Schmidt arb. 1. t. 34.
14	<i>mollis</i> . M.B.	soft-leaved.	—	1822.	—	H. h.	
15	<i>pygmæa</i> . P.S.	dwarf.	—	1751.	—	H. h.	Schmidt arb. 1. t. 37.
ROBINIA. J.		ROBINIA.	Diadelphia	Decandria.	L.		
1	<i>Pseud-Acacia</i> . w.	common or Locust tree.	N. Amer.	1640.	5. 6.	H. h.	Schmidt arb. 1. t. 32.
2	<i>inermis</i> .	smooth.	—	H. h.	
3	<i>macrophylla</i> . L.C.	long-leaved.	Siberia.	1797.	6. 7.	H. h.	
4	<i>spectabilis</i> . L.C.	showy.	—	H. h.	
5	<i>sophoræfolia</i> . L.en.	<i>Sophora</i> -leav'd.	—	H. h.	
6	<i>amorphæfolia</i> . L.en.	<i>Amorpha</i> -ld.	—	H. h.	
7	<i>dubia</i> . L.en.	doubtful.	—	H. h.	
8	<i>stricta</i> . L.en.	upright.	—	H. h.	
9	<i>pendulina</i> .	pendulous.	—	H. h.	
	<i>pendula</i> . L.en. non P.S.	—	—	—	—	—	
10	<i>tortuosa</i> . L.C.	twisting.	—	H. h.	
11	<i>monstrosa</i> . L.C.	monstrous.	—	H. h.	
12	<i>viscosa</i> . w.	clammy.	N. America.	1797.	6. 8.	H. h.	Vent. cels. t. 4.
	<i>glutinosa</i> . B.M. 560.	—	—	—	—	—	

13	<i>striata</i> . w.	streaked.	Caracas.	1824.	S. h.	
14	<i>guineensis</i> . w.en. <i>Cytisus hispidus</i> . w.	Guinea.	Guinea.	1821.	S. h.	
15	<i>hispidus</i> . w. <i>β rosea</i> . Ph.	Rose-Acacia. smooth-branched.	Carolina.	1743.	5. 9.	H. h.	Botan. magaz. 811.
16	<i>sepinum</i> . w.	ledge.	W. Indies.	1820.	S. h.	
17	<i>rubiginosa</i> . w.	rusty-branched.	Trinidad.	1823.	S. h.	
18	<i>candida</i> . H.B.	white-leaved.	E. Indies.	1810.	S. h.	
19	<i>suberosa</i> . H.B.	cork-barked.	—————	1818.	S. h.	
20	<i>fruticosa</i> . H.B.	shrubby.	—————	1820.	S. h.	
LATHYRUS. W. LATHYRUS. Diadelphia Decandria. L.							
1	<i>Aphaca</i> . w.	yellow vetchling.	England.	6. 7.	H. ⊙.	Eng. bot. 1167.
2	<i>Nissolia</i> . w.	crimson.	—————	5.	H. ⊙.	————— 112.
3	<i>amphicarpos</i> . w.	Earth Pea.	Levant.	1680.	6. 7.	H. ⊙.	Moris. his. 2. t. 23. f. 1.
4	<i>Cicera</i> . w.	flat-podded.	S. Europe.	1633.	—	H. ⊙.	Ger. emac. f. 3.
5	<i>sativus</i> . w. <i>α caruleus</i> . <i>β albus</i> .	chickling vetch. <i>blue-flowered</i> . <i>white-flowered</i> .	—————	1640.	—	H. ⊙.	Botan. magaz. 115.
6	<i>inconspicuus</i> . w.	small-flowered.	Levant.	1739.	7. 8.	H. ⊙.	
7	<i>setifolius</i> . w.	bristle-leaved.	S. Europe.	—	6. 7.	H. ⊙.	
8	<i>sphaericus</i> . DC. <i>coccineus</i> . P.S.	scarlet.	Italy.	1800.	—	H. ⊙.	
9	<i>axillaris</i> . P.S. <i>inconspicuus</i> . Jacq.	axillary-flow'r'd	S. Europe.	—	—	H. ⊙.	Jacq. vind. 1. t. 86.
10	<i>angulatus</i> . w.	angular-seeded.	—————	1683.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.
11	<i>tumidus</i> . w. <i>turgidus</i> . Lam.	tumid-podded.	1816.	—	H. ⊙.	
12	<i>articulatus</i> . w.	joint-podded.	S. Europe.	1640.	7. 8.	H. ⊙.	Botan. magaz. 258.
13	<i>spurius</i> . w.en.	bastard.	1815.	6. 7.	H. ⊙.	
14	<i>auriculatus</i> .	eared.	S. Europe.	1820.	—	H. ⊙.	
15	<i>odoratus</i> . w. <i>α sicularis</i> . w. <i>β zeylanicus</i> . W.	sweet pea. <i>dark-flowered</i> . <i>light-flowered</i> .	Sicily.	1700.	—	H. ⊙.	Botan. magaz. 60.
16	<i>grandiflorus</i> . B.M.	large-flowered.	S. Europe.	1814.	6. 8.	H. ♀.	Botan. magaz. 1938.
17	<i>annuus</i> . w.	yellow annual.	—————	1621.	—	H. ⊙.	
18	<i>tingitanus</i> . w.	Tangier.	Barbary.	1680.	—	H. ⊙.	Botan. magaz. 100.
19	<i>Clymenum</i> . w.	various-flow'r'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.
20	<i>attenuatus</i> . P.S.	long-leaved.	Italy.	1824.	—	H. ♀.	Vivian. fl. it. fr. t. 19.
21	<i>tenuifolius</i> . w.	slender-leaved.	Algiers.	—	—	H. ♀.	
22	<i>cornutus</i> . spr.	horned.	—	—	H. ⊙.	
23	<i>hirsutus</i> . w.	rough-podded.	England.	7.	H. ⊙.	Eng. bot. 1255.
24	<i>magellanicus</i> . w.	Lord Anson's pea.	Cape Horn.	1744.	6. 7.	H. ⊙.	
25	<i>tuberosus</i> . w.	tuberous-root'd.	Holland.	1596.	7. 8.	H. ♀.	Botan. magaz. 111.
26	<i>rotundifolius</i> . w.	round-leaved.	Tauria.	1824.	—	H. ♀.	
27	<i>pratensis</i> . w.	meadow.	Britain.	6. 8.	H. ♀.	Eng. bot. 670.
28	<i>sylvestris</i> . w.	wood.	—————	7. 9.	H. ♀.	————— 805.
29	<i>latifolius</i> . w.	everlasting pea.	England.	—	H. ♀.	————— 1108.
30	<i>heterophyllus</i> . w.	various-leaved.	Europe.	1731.	—	H. ♀.	
31	<i>palustris</i> . w.	marsh.	Britain.	7. 8.	H. ♀.	Eng. bot. 169.
32	<i>incurvus</i> . w.	curve-podded.	Russia.	1802.	—	H. ♀.	Buxb. cent. 4. t. 46.
33	<i>myrtifolius</i> . w.	Myrtle-leaved.	N. America.	1823.	—	H. ♀.	
34	<i>polymorphus</i> . N.	variable.	Missonri.	—	—	H. ♀.	
35	<i>venosus</i> . w.	veined.	N. America.	—	—	H. ♀.	
36	<i>pisiformis</i> . w.	Siberian.	Siberia.	1759.	6. 7.	H. ♀.	Linn. fil. dec. t. 20.
PISUM. W. PEA. Diadelphia Decandria. L.							
1	<i>sativum</i> . w.	common.	S. Europe.	5. 10.	H. ⊙.	Lam. ill. t. 633.
2	<i>arvense</i> . w.	field.	Europe.	6. 9.	H. ⊙.	
3	<i>maritimum</i> . w.	sea.	England.	7.	H. ♀.	Eng. bot. 1046.
4	<i>Jomardi</i> . sch.	two-flowered.	Europe.	1818.	6. 9.	H. ⊙.	
5	<i>thebaicum</i> . w.en.	short-peduncul'd.	—————	—	—	H. ⊙.	
OCHRUS. P.S. OCHRUS. Diadelphia Decandria. L.							
	<i>pallida</i> . p.s. <i>Pisum Ochrus</i> . w.	yellow-flow'r'd.	S. Europe.	1633.	6. 7.	H. ⊙.	Schk. hand. 2. t. 280.
OROBUS. W. BITTER-VETCH. Diadelphia Decandria. L.							
1	<i>lathyroides</i> . w.	upright.	Siberia.	1758.	6.	H. ♀.	Botan. magaz. 2098.
2	<i>hirsutus</i> . w.	hairy.	S. Europe.	1818.	5. 6.	H. ♀.	————— 2345.
3	<i>luteus</i> . w.	yellow.	Siberia.	1759.	6. 7.	H. ♀.	Gmel. sib. 4. t. 4.
4	<i>lævigatus</i> . W.K.	smooth.	Hungary.	1818.	—	H. ♀.	W. et K. hung. 3. t. 243.
5	<i>variegatus</i> . T.S.	variegated.	Italy.	—	5. 6.	H. ♀.	Swt. br. fl. gar. ic.

6	vernus. w.	spring.	Europe.	1629.	3. 4.	H. ♀.	Botan. magaz. 521.
7	tuberosus. w.	tuberous-root'd.	Britain.	5. 6.	H. ♀.	Eng. bot. 1153.
8	tenuifolius. Roth.	slender-leaved.	Germany.	1818.	—	H. ♀.	
9	albus. w.	white-flowered.	Austria.	1794.	—	H. ♀.	Swt. br. fl. gar. 22.
	<i>pannonicus.</i> Jacq. aust.	1. t. 39.					
10	varius. B.M.	particoloured.	Italy.	1759.	—	H. ♀.	Botan. magaz. 675.
11	angustifolius. w.	narrow-leaved.	Siberia.	1766.	—	H. ♀.	Gmel. sib. 4. t. 5.
12	canescens. w.	canescent.	France.	1823.	5. 6.	H. ♀.	
13	saxatilis. v.	rock.	S. France.	—	6. 8.	H. ♂.	Venten. cels. t. 4.
14	pallescens. M.B.	pale-flowered.	Tauria.	1824.	5. 6.	H. ♀.	
15	sessilifolius. Sm.	sessile-leaved.	—	—	—	H. ♀.	
	<i>digitatus.</i> M.B.						
16	alpestris. w.K.	Alpine.	Hungary.	1818.	—	H. ♀.	W. et K. hung. 2. t. 126.
17	venosus. L.en.	veined.	Siberia.	—	—	H. ♀.	Gmel. sib. 4. t. 5.
	<i>pauciflorus.</i> Hort.						
18	niger. w.	black.	Europe.	1596.	6. 7.	H. ♀.	Botan. magaz. 2261.
19	pyrenaicus. w.	Pyrenean.	Pyrenees.	1699.	5. 6.	H. ♀.	Pluk. alm. t. 210. f. 2.
20	sylvaticus. w.	wood.	Britain.	5. 7.	H. ♀.	Eng. bot. t. 518.
21	ochroleucus. w.	sulphur-coloured.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 2. t. 118.
VICIA. J.							
	VETCH. Diadelphia Decandria. L.						
1	pisiformis. w.	Pea-shaped.	Austria.	1739.	7. 8.	H. ♀.	Jacq. aust. 4. t. 364.
2	dumetorum. w.	great wood.	France.	1752.	5. 6.	H. ♀.	Spreng. fl. halens. t. 7.
3	sylvatica. w.	common wood.	Britain.	7. 8.	H. ♀.	Eng. bot. 79.
4	americana. w.	American.	N. America.	1818.	—	H. ♀.	
5	Gerardi. Jacq.	Gerard's.	Germany.	1711.	6. 7.	H. ♀.	Jacq. aust. 3. t. 229.
6	abbreviata. F.	shortened.	Tauria.	1818.	—	H. ♀.	
7	multiflora. DC.	many-flower'd.	S. Europe.	—	—	H. ♀.	
8	dentata. L.en.	toothed.	Siberia.	—	—	H. ♂.	
9	consentiana. L.en.	sulphur-coloured.	Italy.	1824.	—	H. ♀.	
10	atropurpurea. w.	dark-purple.	Algiers.	1815.	—	H. ♀.	Venten. cels. t. 84.
11	villosa. w.	villous.	Germany.	—	—	H. ♂.	
12	polyphylla. w.	many-leaved.	Hungary.	1823.	—	H. ♂.	
13	Cracca. w.	tufted.	Britain.	6. 8.	H. ♀.	Eng. bot. 1168.
14	tenuifolia. w.	slender-leav'd.	Germany.	1799.	6. 7.	H. ♀.	Botan. magaz. 2141.
15	onobrychioides. w.	Saintfoin-like.	S. Europe.	1789.	—	H. ♂.	— 2206.
16	biennis. w.	biennial.	Siberia.	1753.	7. 9.	H. ♂.	Gmel. sib. 4. t. 2.
17	nissoliana. w.	red-flowered.	Levant.	1773.	6. 7.	H. ♂.	
18	benghalensis. w.	Bengal.	E. Indies.	1792.	7. 9.	H. ♂.	Herm. lugd. t. 625.
19	canescens. w.	hoary.	Libanus.	1800.	6. 8.	H. ♂.	Labil. syr. 17. t. 7.
20	capensis. w.	Cape.	C. B. S.	1802.	—	G. ♀.	
21	pellucida. w.	pellucid.	—	1812.	—	G. ♀.	Jacq. schœn. 2. t. 222.
22	Ervilia. w.	officinal.	S. Europe.	1596.	—	H. ♂.	Blackw. t. 208. f. 3.
	<i>Ervilia sativa.</i> L.en.						
23	biflora. w.	two-flowered.	Algiers.	1801.	—	H. ♂.	Desf. atl. 2. t. 197.
24	oroboides. w.	Orobis like.	Carniola.	1818.	—	H. ♀.	
25	bicolor. w.en.	two-coloured.	—	—	H. ♀.	
26	ochroleuca. T.N.	pale-flowered.	Italy.	1824.	—	H. ♀.	
27	longifolia. Poir.	long-leaved.	—	—	H. ♀.	
28	grandiflora. Scop.	large-flowered.	Switzerland.	1823.	—	H. ♂.	
29	alba. Mœn.	white-flower'd.	Germany.	1798.	—	H. ♂.	
30	globosa. w.	globular.	1804.	—	H. ♂.	
31	sativa. w.	common.	Britain.	5. 6.	H. ♂.	Eng. bot. 334.
	<i>β nemoralis.</i> P.S.	wood.					
32	segetalis. Schl.	hedge.	Switzerland.	—	H. ♂.	
33	leucosperma. Mœn.	white-seeded.	—	H. ♂.	
34	angustifolia. P.S.	narrow-leaved.	Europe.	—	H. ♂.	
35	peregrina. w.	broad-podded.	France.	1779.	7. 8.	H. ♂.	Pluk. alm. t. 233. f. 6.
36	megalosperma. M.B.	large-seeded.	Tauria.	1798.	—	H. ♂.	
37	Michauxii. Spr.	Michaux's.	1803.	—	H. ♂.	
38	amphicarpos. P.S.	subterraneous.	France.	1815.	—	H. ♂.	Clus. exot. t. 88.
39	lathyroides. w.	spring.	Britain.	4. 6.	H. ♂.	Eng. bot. 30.
40	lutca. w.	yellow.	—	6. 8.	H. ♀.	— 481.
41	hybrida. w.	hairy-flowered.	England.	—	H. ♀.	— 482.
42	hirta. Bab.	hairy.	France.	1820.	—	H. ♂.	
43	sordida. w.K.	large-yellow.	Hungary.	1802.	—	H. ♂.	W. et K. hung. 2. t. 134.
44	lævigata. w.	smooth-podded.	England.	7. 8.	H. ♀.	Eng. bot. 483.
45	pannonica. w.	Hungarian.	Hungary.	1658.	6. 7.	H. ♂.	Jacq. aust. 1. t. 34.
46	striata. M.B.	streaked.	Tauria.	1824.	—	H. ♂.	
47	articulata. w.en.	jointed.	S. Europe.	—	H. ♂.	

48 monantha. w.en.	single-flowered.	Barbary.	1790.	7. 8.	H.⊙.	
49 pilosa. M.B.	pilose.	Tauria.	1820.	—	H.⊙.	
50 sepium. w.	bush.	Britain.	...	5. 6.	H.⊙.	Eng. bot. 1515.
51 bithynica. w.	purple.	England.	...	7. 8.	H.⊙.	— 1842.
52 platycarpus. w.	flat-podded.	Germany.	1723.	—	H.⊙.	Roth abhand. 10. t. 1.
53 narbonensis. w.	broad-leaved.	France.	1596.	6. 7.	H.⊙.	— t. 2.
54 serratifolia. w.	saw-leaved.	Hungary.	1723.	—	H.⊙.	Jacq. aust. app. t. 8.
FABA. J.	BEAN.	Diadelphia	Decandria. L.			
sativa.	garden.	Egypt.	...	5. 8.	H.⊙.	
β equina.	horse.	—	—	H.⊙.	
ERVUM. W.	TARE.	Diadelphia	Decandria. L.			
1 longifolium. T.S.	long-leaved.	Italy.	1823.	6. 8.	H.⊙.	
<i>Vicia gracilis.</i> Lois.						
2 tetraspermum. w.	smooth.	Britain.	...	6.	H.⊙.	Eng. bot. 1223.
3 hirsutum. w.	hairy.	—	6. 7.	H.⊙.	— 970.
4 lentoides. T.S.	pubescent.	Italy.	1823.	—	H.⊙.	
5 Lens. L.	Lentil.	France.	1548.	5.	H.⊙.	
<i>Cicer Lens. w. Lens</i>	<i>esculenta.</i> Men.					
6 uniflorum. T.S.	single-flowered.	Italy.	1824.	6. 8.	H.⊙.	
7 lenticula. L.en.	bent-pointed.	—	H.⊙.	
8 camelorum. Spr.	broad-podded.	—	—	H.⊙.	
<i>dispermum.</i> W.en.						
9 nigricans. M.B.	black.	Tauria.	—	—	H.⊙.	
CICER. L.	CHICK PEA.	Diadelphia	Decandria. L.			
arietinum. w.	common.	S. Europe.	1548.	7. 8.	H.⊙.	Schk. hand. 2. t. 202.
SCORPIURUS. W.	CATERPILLAR.	Diadelphia	Decandria. L.			
1 vermiculata. w.	common.	S. Europe.	1621.	6. 7.	H.⊙.	Moris. hist. 2. t. 11. f. 3.
2 lævigata. sm.	smooth.	Levant.	1820.	—	H.⊙.	
3 muricata. w.	two-flowered.	S. Europe.	1640.	—	H.⊙.	Moris. hist. 2. t. 11. f. 4.
4 sulcata. w.	three-flowered.	—	1596.	—	H.⊙.	Desf. atl. 2. f. 4.
5 subvillosa. w.	four-flowered.	—	1731.	—	H.⊙.	Moris. hist. 2. t. 11. f. 2.
ORNITHOPUS. W.	BIRDS-FOOT.	Diadelphia	Decandria. L.			
1 perpusillus. w.	common.	Britain.	5. 8.	H.⊙.	Eng. bot. 369.
2 compressus. w.	hairy.	S. Europe.	1730.	6. 7.	H.⊙.	
3 sativus. L.en.	upright.	Portugal.	1816.	—	H.⊙.	
4 ebracteatus. P.S.	round-podded.	—	5. 6.	H.⊙.	
5 durus. Cav.	perennial.	Spain.	1805.	6. 7.	H.⊙.	Cav. ic. 1. t. 41.
6 lotoides. Viv.	Lotus-like.	S. Europe.	1823.	—	H.⊙.	
7 scorpioides. w.	Purslane-ld.	—	1596.	—	H.⊙.	Cav. ic. 1. t. 37.
8 repandus. P.S.	repand.	Barbary.	1805.	—	H.⊙.	Lam. ill. t. 631. f. 2.
<i>heterophyllus.</i> w.en.						
HIPPOCREPIS. W.	HORSESHOE VETCH.	Diadelphia	Decandria. L.			
1 unisiliquosa. w.	single-podded.	Italy.	1570.	6. 7.	H.⊙.	Lam. ill. t. 630.
2 multisiliquosa. w.	many-podded.	S. Europe.	1683.	6. 8.	H.⊙.	Schk. hand. 2. t. 206.
3 ciliata. w.	ciliated.	Spain.	1823.	—	H.⊙.	
4 balearica. w.	shrubby.	Minorca.	1776.	5. 6.	G. h.	Botan. magaz. 427.
5 biflora. Spr.	two-flowered.	1824.	—	H.⊙.	
6 comosa. w.	tufted.	England.	4. 8.	H.⊙.	Eng. bot. 31.
CORONILLA. W.	CORONILLA.	Diadelphia	Decandria. L.			
1 Emerus. w.	ScorpionSenna.	France.	1596.	4. 6.	H. h.	Botan. magaz. 445.
2 juncea. w.	Rush.	—	1656.	6. 7.	G. h.	Botan. regist. 820.
3 valentina. w.	nine-leaved.	S. Europe.	1596.	11. 3.	F. h.	Botan. magaz. 185.
4 glauca. w.	seven-leaved.	France.	1722.	9. 5.	F. h.	— 13.
5 viminalis. P.L.	slender.	Mogador.	1798.	5. 11.	G. h.	Sal. par. lond. 13.
6 iberica. M.B.	Iberian.	Iberia.	1818.	7. 10.	H. h.	Swt. br. fl. gar. 25.
7 coronata. w.	large-headed.	S. Europe.	1776.	6. 7.	F. h.	Botan. magaz. 907.
8 minima. w.	least.	—	1658.	7. 8.	F. h.	— 2179.
9 argentea. w.	silvery-leaved.	Crete.	1664.	5. 6.	G. h.	Mill. ic. 2. t. 289. f. 3.
10 cappadocica. w.	obcordate-ld.	Cappadocia.	—	H. h.	
11 varia. w.	purple.	Europe.	1597.	6. 11.	H. h.	Botan. magaz. 258.
12 cretica. w.	Cretan.	Crete.	1731.	6. 7.	H.⊙.	Jacq. vind. 1. t. 25.
SECURIGERA. DC.	HATCHET VETCH.	Diadelphia	Decandria.			
coronilla. DC.	commou.	S. Europe.	1562.	7. 8.	H.⊙.	Lam. ill. t. 626.
<i>Coronilla Securidaca.</i> w.						
SMITHIA. Sal.	SMITHIA.	Diadelphia	Decandria.			
1 sensitiva. P.L.	sensitive.	E. Indies.	1785.	7. 10.	S.⊙.	Sal. par. lond. 92.
2 aspera. H.R.	rough.	—	1812.	—	S.⊙.	
SESBANIA. P.S.	SESBANIA.	Diadelphia	Decandria.			
1 grandiflora. P.S.	great-flowered.	E. Indies.	1768.	7. 8.	S. h.	Rheed. mal. 1. t. 61.

2	coccinea. P.S.	red-flowered.	————	1824.	S. h.	Rumph. amb. 1. t. 77.
3	occidentalis. P.S.	West Indian.	W. Indies.	1823.	S. h.	
4	ægyptiaca. P.S.	Egyptian.	Egypt.	1680.	7. 8.	S. g.	Alp. ægypt. 81. t. 82.
5	aculeata. P.S.	prickly.	E. Indies.	1690.	—	S. ○	Jacq. ic. 3. t. 564.
	<i>Æschynomene spinulosa</i> . H.B. <i>bispinosa</i> . Jacq.						
6	paludosa. H.B.	marsh.	————	1818.	—	S. ○	
7	cannabina. P.S.	Hemp.	————	1800.	—	S. ○	
8	procumbens. H.B.	procumbent.	————	1818.	—	S. ○	
9	uliginosa.	water.	————	—	—	S. ○	
	<i>Æschynomene uliginosa</i> . H.B.						
10	sericea. L.en.	silky.	————	—	—	S. ○	
11	picta. P.S.	variegated.	W. Indies.	1822.	4. 9.	S. h.	Botan. regist. 873.
12	platycarpa. P.S.	flat-podded.	Carolina.	—	7. 8.	S. ○	
	ÆSCHYNOMENE. P.S. ÆSCHYNOMENE. Diadelphia Decandria. L.						
1	aristata. w.	awned.	St. Domingo.	1820.	S. h.	Jacq. schœn. 2. t. 237.
2	sensitiva. w.	sensitive.	W. Indies.	1733.	S. h.	Plum. ic. t. 139.
3	viscidula. m.	viscous.	N. America.	1818.	7. 8.	H. ○	
4	aspera. w.	rough-stemm'd.	E. Indies.	1759.	6. 7.	S. ○	Breyn. cent. t. 52.
5	hispidula. w.	hispid.	N. America.	1803.	8. 9.	H. ○	
6	americana. w.	hairy.	Jamaica.	1732.	7. 8.	S. ○	Sloan. hist. 1. t. 118. f. 3.
7	indica. w.	Indian.	E. Indies.	1799.	6. 7.	S. ○	Rheed. mal. 9. t. 18.
	STYLOSANTHES. Sw. STYLOSANTHES. Diadelphia Decandria.						
1	procumbens. w.	procumbent.	Jamaica.	1820.	6. 8.	S. ʒ.	Sloan. hist. 1. t. 110. f. 2.
2	viscosa. w.	viscous.	————	—	—	S. ʒ.	— 1. t. 119. f. 1.
3	mucronata. w.	mucronate.	E. Indies.	1818.	—	S. h.	Burm. zeyl. t. 106. f. 2.
	<i>Arachis fruticosa</i> . H.B.						
4	elatior. sw.	tall.	Carolina.	1823.	7. 8.	H. ʒ.	Sw. act. holm. t. 11. f. 2.
	HALLIA. Th. HALLIA. Diadelphia Decandria.						
1	alata. w.	wing-stalked.	C. B. S.	1818.	6. 8.	G. h.	
2	flaccida. w.	long-leaved.	————	1789.	8. 9.	G. g.	
3	cordata. w.	heart-leaved.	————	1787.	6. 8.	G. h.	Jacq. schœn. 3. t. 296.
4	imbricata. w.	imbricated.	————	1812.	—	G. h.	Bot. mag. 1850, & 2596.
5	Asarina. w.	Asarum-like.	————	1816.	—	G. h.	
	LESPEDEZA. M. LESPEDEZA. Diadelphia Decandria.						
1	fruticosa. P.S.	shrubby.	Virginia.	1739.	7. 8.	H. h.	Jacq. vind. 3. t. 89.
2	sessiliflora. Ph.	sessile-flow'r'd.	N. America.	—	H. ʒ.	
3	juncea. P.S.	slender-branch'd.	Siberia.	1776.	—	H. ʒ.	Lin. fil. dec. 1. t. 4.
4	reticulata. P.S.	netted.	N. America.	1823.	—	H. ʒ.	
5	capitata. P.S.	headed.	————	1789.	6. 7.	H. ʒ.	
6	polystachya. P.S.	hairy.	————	—	6. 8.	H. ʒ.	Mich. amer. 2. t. 40.
	<i>Hedysarum hirtum</i> . w.						
7	Stuvei. N.	Stuve's.	N. America.	1823.	7. 9.	H. ○	
8	violacea. Ph.	Violet-flow'r'd.	————	1789.	7. 8.	H. ʒ.	
9	procumbens. N.	procumbent.	————	1812.	—	H. ʒ.	
10	prostrata. N.	prostrate.	————	1818.	—	H. ʒ.	
11	lagopodioides. P.S.	hare's-foot.	China.	1790.	—	H. ʒ.	Burm. ind. t. 53. f. 2.
	ZORNIA. M. ZORNIA. Diadelphia Decandria.						
1	tetraphylla. M.	four-leaved.	Carolina.	1823.	7. 8.	H. ʒ.	
2	capensis. P.S.	Cape.	C. B. S.	1824.	5. 6.	G. ʒ.	Thunb. a. ups. 6. t. 3.
3	pulchella. P.S.	neat Indian.	E. Indies.	1799.	7. 8.	S. h.	Burm. zeyl. 116. f. 52.
4	diphylla. P.S.	two-leaved.	————	1733.	—	S. ○	Rheed. mal. 9. t. 82.
	FLEMINGIA. H.B. FLEMINGIA. Diadelphia Decandria.						
1	stricta. H.B.	straight.	India.	1798.	7. 9.	S. h.	
2	seniatala. H.B.	winged.	Nepaul.	1805.	7. 8.	S. h.	Roxb. corom. 3. t. 249.
3	lineata. H.B.	branch-spiked.	E. Indies.	1793.	—	S. h.	Burm. ind. t. 53. f. 1.
4	congesta. H.B.	crowded-spik'd.	————	1802.	7. 9.	S. h.	
5	angustifolia. H.B.	narrow-leaved.	————	1812.	—	S. h.	
6	strobilifera. H.K.	Beech-leaved.	————	1787.	—	S. h.	Botan. regist. 617.
	<i>Hedysarum strobiliferum</i> . w. <i>Zornia strobilifera</i> . P.S.						
7	nana. H.B.	dwarf.	————	1804.	8.	S. h.	
8	procumbens. H.B.	procumbent.	————	1816.	—	S. h.	
9	prostrata. H.B.	prostrate.	China.	1820.	7. 9.	S. h.	
	MANNA. D.P. MANNA. Diadelphia Decandria.						
	hebraica. D.P.	Levant.	Levant.	1714.	7. 8.	G. h.	Rauw. it. 94. t. 14.
	<i>Alhagi mannifera</i> . Desv. <i>Hedysarum Alhagi</i> . w.						
	HEDYSARUM. W. HEDYSARUM. Diadelphia Decandria. L.						
1	bupleurifolium. w.	Hare's-ear-ld.	India.	1793.	7. 3.	S. g.	Roxb. corom. 2. t. 191.
2	gramineum. w.	grass-leaved.	————	1799.	—	S. ○	Wendl. h. her. 1. t. 5.
3	nummularifolium. w.	Moneywort-ld.	————	1777.	7. 9.	S. ○	Pet. gaz. t. 26. f. 4.

4	moniliferum. w.	neck-lace.	E. Indies.	1824.	—	S. 2.	Burm. ind. t. 52. f. 3.
5	styracifolium. w.	Storax-leaved.	—	1796.	S. 2.	
6	gangeticum. w.	oval-leaved.	—	1762.	7. 8.	S. 3.	Rumph. amb. 6. t. 66.
7	maculatum. w.	spotted.	—	1732,	6. 8.	S. 3.	Dill. elth. t. 141. f. 168.
8	vaginale. w.	sheathed.	—	1790.	7. 8.	S. 3.	Burm. zeyl. t. 49. f. 1.
9	triquetrum. w.	triangular.	—	1802.	—	S. 3.	Burm. ind. t. 52. f. 2.
10	sagittatum. P.S.	arrow-leaved.	—	1807.	S. 2.	
11	alatum. H.B.	winged stalk'd.	—	1809.	S. 2.	
12	procumbens. H.B.	procumbent.	—	—	7. 8.	S. 2.	
13	diversifolium. P.S.	different-leav'd.	Madagascar.	1820.	S. 2.	
14	Vespertilionis. w.	bat-winged.	Cochinchina.	1780.	7. 8.	S. 3.	Jacq. ic. 3. t. 566.
15	collinum. H.B.	hill.	E. Indies.	1822.	—	S. 2.	
16	latifolium. B.R.	broad-leaved.	—	1809.	—	S. 2.	Botan. regist. 355.
17	bracteatum. H.B.	bracted.	—	1820.	—	S. 2.	
18	sororium. H.B.	sister.	—	—	S. 2.	
19	incanum. w.	hoary.	W. Indies.	—	7. 8.	S. 2.	Plum. ic. 149. f. 1.
20	tomentosum. w.	woolly.	China.	1782.	6. 7.	G. 2.	
21	umbellatum. w.	umbel-flower'd.	E. Indies.	1801.	—	S. 2.	Jacq. schœn. 3. t. 297.
22	biarticulatum. w.	jointed.	—	1808.	S. 2.	Burm. zeyl. t. 50. f. 2.
23	cæspitosum. P.S.	tufted.	Mauritius.	1820.	—	S. 2.	
24	adscendens. w.	ascending.	Jamaica.	—	7. 9.	S. 2.	
25	mexicanum.	Mexican.	Mexico.	—	11. 5.	S. 2.	Botan. regist. 815.
	<i>adscendens. var. caruleum.</i>	B.R. <i>virgatum.</i>	Cerv. non Th.				
26	mauritanium. w.	creeping root'd.	Mauritius.	1822.	7. 9.	S. 2.	
27	gyrans. w.	moving plant.	E. Indies.	1775.	—	S. 3.	Jacq. ic. 3. t. 565.
28	gyroides. H.B.	gyrans-like.	—	1818.	—	S. 2.	
29	rhombifolium. H.B.	rhomb-leaved.	—	1820.	—	S. 2.	
30	tenellum. D.P.	slender.	Nepaul.	1823.	—	S. 2.	
31	retsum. D.P.	retuse-leaved.	—	—	—	S. 2.	
32	floribundum. D.P.	abundant-flg.	—	—	—	S. 2.	
33	trigonum. P.S.	three-sided.	Jamaica.	1733.	—	S. 2.	
34	canadense. w.	Canadian.	N. America.	1640.	7. 8.	H. 2.	Corn. canad. t. 45.
35	canescens. Ph.	canescent.	—	1733.	—	H. 2.	
36	marilandicum. w.	Maryland.	—	1725.	7. 10.	H. 2.	Dill. elth. t. 144. f. 171.
37	obtusum. Ph.	obtuse.	—	1805.	7. 8.	H. 2.	
38	ciliare. N.	fringed.	—	1823.	—	H. 2.	
39	viridiflorum. w.	green-flower'd.	—	1787.	7. 9.	H. 2.	Pluk. alm. t. 308. f. 5.
40	cuspidatum. w.	sharp-pointed.	—	1806.	7. 8.	H. 2.	
41	paniculatum. w.	paniced.	—	1781.	7.	H. 2.	Pluk. mant. t. 432. f. 6.
42	glutinosum. w.	glutinous.	—	1805.	7. 8.	H. 2.	
43	nudiflorum. w.	naked-flow'r'd.	—	1823.	—	H. 2.	
44	repandum. w.	repand.	Bourbon.	—	—	S. 2.	
45	capitatum. w.	headed.	Ceylon.	7.	S. 2.	Burm. ind. t. 54. f. 1.
46	supinum. w.	trailing.	Jamaica.	1820.	7. 8.	S. 2.	Sloan. jam. 1. t. 118. f. 2.
47	tortuosum. w.	twisted-podd'd.	—	1781.	—	S. 2.	— 1. t. 116. f. 2.
48	tuberosum. w.	tuberos.	E. Indies.	1806.	S. 2.	
49	serotinum. w. en.	late-flowering.	—	—	7. 9.	H. 2.	
50	malacophyllum. L. en.	soft hairy ld.	Manila.	1824.	S. 2.	
51	abyssinicum. w. en.	Abyssinian.	Abyssinia.	1802.	7.	S. 2.	
52	aparines. L. en.	hairy-staked.	Mexico.	1820.	—	S. 2.	
53	virgatum. w.	slender.	Japan.	—	—	G. 2.	
54	heterophyllum. w.	various-leaved.	Ceylon.	—	6. 7.	S. 2.	Burm. zeyl. t. 54. f. 1.
55	triflorum. w.	three-flower'd.	India.	1796.	—	S. 2.	Burm. ind. t. 54. f. 2.
56	uncinatum. w.	uncinate	Caracas.	1823.	—	S. 2.	Jacq. schœn. 3. t. 208.
57	hamosum. H.B.	hooked.	Bengal.	—	—	S. 2.	
58	alopecuroides. H.B.	Foxtail.	E. Indies.	—	—	S. 2.	
59	auriculatum. H.B.	card.	—	1818.	7. 9.	S. 3.	
60	orbiculatum. H.B.	round-leaved.	—	—	S. 2.	
61	recurvatum. H.B.	recurved.	—	1824.	S. 2.	
62	divergens. H.B.	divergent.	—	—	S. 2.	
63	purpureum. H.B.	purple-flow'r'd.	E. Indies.	1818.	6. 8.	S. 2.	
64	cephalotes. H.B.	round-headed.	—	1820.	S. 2.	
65	patens. H.B.	spreading.	—	1824.	6. 8.	S. 2.	
66	arboresum. H.B.	tree.	—	1818.	S. 2.	
67	grandiflorum. M.B.	large-flowered.	Iberia.	1829.	6. 8.	H. 2.	
	<i>sericeum.</i> M.B.	<i>Astragalus grandiflorus.</i> L.					
68	asperum. P.S.	harsh.	—	6. 8.	S. 2.	
69	pictum. w.	painted-leaved.	Guinea.	1788.	S. 2.	Jacq. ic. 3. t. 567.
70	candidum. M.B.	silver-leaved.	Siberia.	1796.	7. 8.	H. 2.	Pall. it. 2. t. 9.
	<i>argenteum.</i> w. non. L. fl.						

71 fruticosum. w.	shrubby	Siberian.	1782.	6. 7.	H. ♀.	Pall. it. 3. t. 5. f. 1.
72 sennoides. w.	Senna-like.	E. Indies.	1818.	—	S. ♀.	
73 alpinum. w.	Alpine.	Siberia.	1798.	—	H. ♀.	Botan. magaz. 2213.
74 obscurum. w.	creeping-root'd.	Europe.	1640.	7. 8.	H. ♀.	— 282.
75 tauricum. w.	Taurian.	Tauria.	1801.	—	H. ♀.	
76 rosenum. B.M.	rose-coloured.	Caucasus.	1803.	—	H. ♀.	Botan. magaz. 996.
77 coronarum. w.	French Honeysuckle.	Italy.	1596.	6. 7.	H. ♂.	
78 humile. w.	dwarf.	Spain.	1640.	7. 8.	H. ♀.	Bauh. hist. 2. p. 336. c. ic.
79 carnum. L.C.	flesh-coloured.	Siberia.	1818.	—	H. ♀.	Lodd. bot. cab. 312.
80 flexuosum. w.	wave-podded.	Asia.	1680.	7. 8.	H. ♂.	Schk. hand. 2. t. 207.
81 depressum. w. en.	depressed.	Barbary.	—	H. ♂.	
capitatum. Desf. non	Burn.					
82 pallidum. w.	pale-flowered.	—	—	H. ♀.	Botan. magaz. 1251.
capitatum. B.M. nec	aliorum.					
83 muricatum. w.	prickly-podd'd.	Patagonia.	1793.	6. 7.	F. ♀.	Jacq. ic. 3. t. 568.
84 spinosissimum. w.	thorny.	Spain.	1731.	7. 8.	H. ♂.	Pluk. alm. t. 50. f. 2.
85 brasilianum. P.S.	Brazilian.	Brazil.	1823.	S. ♀.	
86 elongatum. F.	long-stalked.	Russia.	—	6. 8.	H. ♀.	
87 crinitum. w.	crook-podded.	E. Indies.	1780.	7. 9.	S. ♀.	Burm. ind. t. 56.
88 lasiocarpum. Beau.	woolly-podded.	Guinea.	1822.	—	S. ♀.	
ONOBRYCHIS. T.	SAINTFOIN.	Diadelphia	Decandria.			
1 sativa. DC.	common.	Britain.	6. 7.	H. ♀.	Eng. bot. 96.
Hedysarum Onobrychis. w.						
2 carpatica. F.	Carpathian.	Carp. Mount.	1818.	—	H. ♀.	
3 tanaitica. F.	spreading.	Siberia.	1823.	—	H. ♀.	
4 Buxbaumiana. Dv.	Buxbaum's.	Tauria.	—	—	H. ♀.	
Hedysarum Pallasii. w.						
5 montana. DC.	mountain.	Europe.	1816.	—	H. ♀.	
6 supinum. DC.	trailing.	—	—	—	H. ♀.	
7 album. P.S.	white-flowered.	Hungary.	1804.	7. 8.	H. ♀.	W. et K. hung. 2. t. 111.
8 saxatile. P.S.	rock.	S. Europe.	1790.	6. 8.	H. ♀.	All. ped. 1. t. 19. f. 1.
9 petrea. F.	stone.	Caucasus.	1818.	—	H. ♀.	
10 arenaria. L. en.	sand.	Hungary.	—	—	H. ♀.	
11 cretica. Dv.	Cretan.	Crete.	1823.	—	F. ♀.	
12 Caput-galli. P.S.	Cock's-head.	France.	1731.	7. 8.	H. ♂.	
13 Crista-galli. P.S.	Cock's-comb.	S. Europe.	1710.	6. 8.	H. ♂.	
PHYILLOLOBIUM. F.	PHYILLOLOBIUM.	Diadelphia	Decandria.			
chinense. F.	Chinese.	China.	1818.	6. 8.	G. ♀.	
DALBERGIA. W.	DALBERGIA.	Diadelphia	Decandria. L.			
1 latifolia. w.	broad-leaved.	E. Indies.	1811.	S. ♀.	Roxb. corom. 2. t. 113.
2 Sissoo. H.B.	large.	—	1823.	S. ♀.	
3 emarginata. H.B.	emarginate.	—	—	S. ♀.	
4 frondosa. H.B.	frondose.	—	1818.	S. ♀.	
5 paniculata. w.	panicle.	—	1811.	S. ♀.	Roxb. corom. 2. t. 114.
6 zeylanica. H.B.	Ceylon.	Ceylon.	1816.	S. ♀.	
7 robusta. H.B.	robust.	E. Indies.	1811.	S. ♀.	
8 alata. H.B.	winged.	—	1823.	S. ♀.	
9 Crowey. H.B.	Silhet.	—	—	S. ♀.	
10 domingensis. P.S.	violet.	St. Domingo.	1759.	S. ♀.	
Robinia violacea. w.						
11 rubiginosa. w.	rusty.	E. Indies.	1811.	S. ♀.	Roxb. corom. 2. t. 115.
12 volubilis. H.B.	twining.	—	1820.	S. ♀.	
13 marginata. H.B.	marginated.	—	—	S. ♀.	
14 Barclayi. Hk.	Mr. Barclay's.	Mauritius.	1823.	5. 7.	S. ♀.	
15 Telfairii. Hk.	Telfair's.	—	—	S. ♀.	
16 scandens. H.B.	scandent.	E. Indies.	1811.	5. 7.	S. ♀.	
17 tamarindifolia. H.B.	Tamarind-ld.	—	1820.	S. ♀.	
18 stipulacea. H.B.	stipuled.	—	—	S. ♀.	
19 rimosa. H.B.	rimose.	—	1824.	S. ♀.	
AMERIMNUM. W.	AMERIMNUM.	Diadelphia	Decandria. L.			
1 Brownei. w.	Browne's.	W. Indies.	1793.	6. 8.	S. ♀.	Jacq. amer. t. 180. f. 58.
2 latifolium. w.	broad-leaved.	S. America.	1814.	S. ♀.	— 1. t. 177. f. 50.
3 pubescens. w.	violet-flowered.	Caracas.	1820.	S. ♀.	
4 scandens. w.	climbing.	—	1822.	S. ♀.	
PONGAMIA. V.	PONGAMIA.	Diadelphia	Decandria.			
1 glabra. v.	smooth-leaved.	E. Indies.	1699.	S. ♀.	Vent. malm. t. 28.
Galedupa indica. Lam.	Dalbergia arborea. w.					
2 elliptica.	elliptic-leaved.	—	1820.	S. ♀.	
Galedupa elliptica. H.B.						

3 piscidia. H.B.	Piscidia-leav'd.	————	1818.	S. h.	
4 marginata. H.B.	marginated.	————	1824.	S. h.	
PTEROCARPUS. W.	PTEROCARPUS.	Diadelphia	Decandria.	L.		
1 Draco. w.	official.	S. America.	1818.	S. h.	Jacq. amer. t. 163. f. 92.
2 indicus. w.	Indian.	E. Indies.	—	S. h.	
3 dalbergioides. H.B.	Dalbergia-like.	————	1820.	S. h.	
4 Marsupium. w.	emarginate-ld.	————	1811.	S. h.	Roxb. cor. 2. t. 116.
5 lunatus. w.	crescent-podded.	S. America.	1792.	S. h.	Lam. ill. t. 602. f. 5.
6 santalinus. w.	red sandal wood.	E. Indies.	1800.	S. h.	
7 Ebenus. P.S.	JamaicaEbony.	W. Indies.	1713.	7. 8.	S. h.	Brown. jam. t. 31. f. 2.
<i>Amerinum Ebenus. w.</i>						
ECASTAPHYLLUM. P.S.	ECASTAPHYLLUM.	Diadelphia	Decandria.			
Brownei. P.S.	oval-leaved.	W. Indies.	1733.	...	S. h.	Brown. jam. t. 32. f. 1.
<i>Pterocarpus Ecataphyllum. w.</i>						
GEOFFROYA. W.	GEOFFROYA.	Diadelphia	Decandria.	L.		
inermis. w.	bastard cabbage-tree.	Jamaica.	1778.	S. h.	Phil. trans. 1777. t. 10.
NISSOLIA. W.	NISSOLIA.	Diadelphia	Decandria.	L.		
1 retusa. w.en.	retuse-leaved.	S. America.	1823.	S. h.	
2 fruticosa. w.	shrubby.	————	1766.	7. 11.	S. h.	Jacq. vind. 2. t. 167.
3 glabrata. L.en.	smooth-leaved.	————	1818.	—	S. h.	
DIPTERIX. W.	TONQUIN BEAN.	Diadelphia	Decandria.			
odorata. w.	sweet-scented.	Guiana.	1793.	S. h.	Aub. gui. 2. t. 296.
<i>Baryosma Tonga. Gæit. Coumarouni odorata. Aub.</i>						

ORDO LXVI.

CALYCANTHACEÆ. *Lindley.*

CHIMONANTHUS. B.R.	CHIMONANTHUS.	Icosandria	Polygynia.			
fragrans. B.R.	fragrant.	Japan.	1766.	12. 3.	H. h.	Botan. magaz. 466.
<i>Calycanthus præcox. B.M.</i>						
β luteus.	yellow-flowered.	————	1814.	—	H. h.	
γ grandiflorus. B.R.	large-flowered.	————	1812.	—	H. h.	Botan. regist. 451.
CALYCANTHUS. B.R.	CALYCANTHUS.	Icosandria	Polygynia.	L.		
1 floridus. w.	Carolina allspice.	Carolina.	1726.	5. 8.	H. h.	Botan. magaz. 503.
2 glaucus. N.	glaucous-leav'd.	————	1806.	—	H. h.	Botan. regist. 404.
<i>fertilis. B.R.</i>						
3 oblongifolius. N.	oblong-leaved.	————	1812.	—	H. h.	
4 lævigatus. N.	smooth-leaved.	————	1806.	—	H. h.	Botan. regist. 481.

ORDO LXVII.

HOMALINEÆ. *Brown.*

HOMALIUM. S.S.	HOMALIUM.	Polyandria	Trigynia.			
racemosum. s.s.	racemed.	W. Indies.	1818.	5. 7.	S. h.	Botan. regist. 519.
BLACKWELLIA. S.S.	BLACKWELLIA.	Dodecandria	Pentagynia.			
1 spiralis. s.s.	spiral.	Isl. France.	1820.	S. h.	
2 paniculata. s.s.	panicled.	— — —	1818.	5. 7.	S. h.	
3 glauca. s.s.	glaucous.	————	1823.	S. h.	
4 axillaris. s.s.	axillary-spiked.	Madagascar.	—	S. h.	Lam. ill. t. 412. f. 1.

ORDO LXVIII.

CHRYSOBALANEÆ. *Brown.*

PARINARIUM. J.	PARINARIUM. Heptandria Monogynia.			
1 excelsum. G.D.	rough Plum. Sierra Leon. 1822.	S. h.	
2 macrophyllum. G.D.	gingerbread plum. ————	S. h.	
CHRYSOBALANUS. W.	COCOA-PLUM. Icosandria Monogynia. L.			
1 Icaco. w.	West Indian. W. Indies. 1752.	S. h.	Jacq. amer. t. 94.
2 oblongifolius. Ph.	American. Georgia. 1812.	...	G. h.	Bartr. iter. c. ic.
HIRTELLA. W.	HIRTELLA. Pentandria Monogynia. L.			
americana. w.	American. W. Indies. 1782.	S. h.	Aubl. guian. 1. t. 98.

ORDO LXIX.

AMYGDALINÆ. *Jussieu.*

AMYGDALUS. W.	ALMOND. Icosandria Monogynia. L.			
1 Persica. w.	common Peach. Persia. 1562.	4. 5.	H. h.	
β nectarina.	Nectarine. ————	—	H. h.	
γ flore pleno.	double blossomed.			
δ nana.	dwarf Peach.			
2 communis.	sweet Almond. Barbary. 1548.	3. 4.	H. h.	
3 amara.	bitter Almond. ————	—	H. h.	Blackw. t. 195.
4 nana. w.	common dwarf. Russia. 1683.	—	H. h.	Botan. magaz. 161.
5 incana. w.	woolly. Caucasus.	—	H. h.	Pall. ross. 1. t. 7.
6 prostrata. Kth.	trailing. Crete. 1802.	5.	H. h.	Botan. regist. 136.
Prunus prostrata. B.R.				
7 pumila. w.	double dwarf. Africa. 1683.	5. 6.	H. h.	Botan. magaz. 2176.
Prunus sinensis. P.S.				
8 georgica. Desf.	Georgian. Georgia. 1820.	3. 4.	H. h.	
9 sibirica. L.C.	Siberian. Siberia.	3. 4.	H. h.	
10 orientalis. w.	silvery-leaved. Levant. 1756.	—	G. h.	
argentea. Lam.				
ARMENIACA. J.	APRICOT. Icosandria Monogynia.			
1 vulgaris. P.S.	common. Levant. 1548.	2. 3.	H. h.	Lam. ill. t. 431.
2 dasycarpa. P.S.	black-fruited.	3. 4.	H. h.
3 sibirica. P.S.	Siberian. Siberia. 1788.	4.	H. h.	Pall. ross. 1. t. 8.
4 brigantiaca. P.S.	spiny. S. Europe.	—	H. h.	
PRUNUS. W.	PLUM-TREE. Icosandria Monogynia. L.			
1 domestica. w.	common. England. ...	4.	H. h.	Eng. bot. 1783.
2 pyramidalis. DC.	pyramidal. Europe.	—	H. h.	
3 maritima. w.en.	sea-side. N.America. 1800.	5.	H. h.	
4 cerasifera. w.	Myrobalan. ————	1629.	4. 5.	H. h.
5 insititia. w.	Bullace-tree. Britain.	4.	H. h.	Eng. bot. 841.
6 spinosa. w.	Sloe-tree. ————	3. 4.	H. h.
7 Chicasa. M.	Chicasaw. N.America. 1806.	4. 5.	H. h.	— 842.
8 sphaerica. w.eu.	brown-toothed. Europe. 1820.	3. 4.	H. h.	
9 hyemalis. M.	mountain. N.America. 1805.	5.	H. h.	
10 depressa. Ph.	depressed. ————	5.	H. h.	
11 Susquehannæ. w.en.	glaucous-leav'd. ————	1800.	—	H. h.
12 pumila. w.	dwarf. ————	1756.	—	H. h.
13 pygmæa. w.	small. ————	1818.	—	H. h.
14 persicifolia. Df.	peach-leaved. ————	—	4. 5.	H. h.
15 nigra. w.	black. ————	1773.	5. 6.	H. h.
16 pennsylvanica. w.	Pennsylvanian. ————	—	5.	H. h.
17 borealis. Ph.	northern. ————	1818.	5. 6.	H. h.
				Mill. ic. t. 89. f. 2.
				Botan. magaz. 1117.
				Willd. arb. t. 3. f. 3.

18 duracina.	hard Cherry.	Europe.	4. 5.	H. h.	
<i>Cerasus duracina</i> . DC.						
19 macrophylla. Poir.	large-leaved.	————	—	H. h.	
20 avium. w.	pubescent-ld.	England.	4. 5.	H. h.	Blackw. t. 425.
<i>Cerasus avium</i> . DC.						
21 <i>Cerasus</i> . w.	common Cherry.	————	—	H. h.	Eng. bot. 706.
<i>β flore pleno</i> .	<i>double blossom'd.</i>					
22 semperflorens. w.	late-fruited.	N. America.	5. 6.	H. h.	Wats. dend. brit. 131.
23 pendula. Dr.	pendulous.	—	H. h.	
24 chamæcerasus. w.	bastard Cherry.	Austria.	1597.	5.	H. h.	Jacq. ic. 1. t. 90.
25 fruticosa. Pall.	shrubby.	Russia.	—	H. h.	Pall. ros. 1. t. 8.
26 Mahaleb. w.	perfumed.	Austria.	1714.	4. 5.	H. h.	Jacq. aust. 3. t. 227.
27 paniculata. w.	panicled.	Japan.	1820.	—	G. h.	Botan. regist. 800.
28 japonica. w.	Japan-Cherry.	————	1810.	3. 5.	H. h.	————— 27.
29 <i>Laurocerasus</i> . w.	common Laurel.	Levant.	1629.	4. 5.	H. h.	Duham. arb. 1. t. 133.
<i>β pumila</i> .	<i>dwarf.</i>					
30 caroliniana. w.	evergreen.	Carolina.	1759.	5.	H. h.	
31 lusitana. w.	Portugal Laurel.	Portugal.	1648.	6.	H. h.	Mill. ic. t. 196. f. 1.
32 occidentalis. w.	West Indian.	Jamaica.	1781.	12. 1.	S. h.	
33 sphaerocarpa. w.	round-fruited.	————	1818.	—	S. h.	
34 serotina. w.	American bird.	N. America.	1629.	5. 6.	H. h.	Wats. dend. brit. 48.
35 virginiana. w.	Virginian.	————	1724.	—	H. h.	Willd. arb. t. 5. f. 1.
36 rubra. w.	red fruited.	4. 5.	H. h.	————— t. 4. f. 2.
37 Padus. w.	Bird Cherry.	Britain.	4. 5.	H. h.	Eng. bot. 1383.
<i>Cerasus Padus</i> . DC.						

ORDO LXX.

POMACEÆ. *Jussieu.*

MESPILUS. G.	MESPILUS. Icosandria Di-Pentagynia.					
1 odoratissima. A. R.	sweet-scented.	Crimea.	5. 6.	H. h.	Andr. reposit. 590.
2 tanacetifolia. A. R.	Tansy-leaved.	Greece.	1789.	—	H. h.	Sm. exot. bot. 2. t. 85.
3 apiifolia. s. s.	Parsley-leaved.	N. America.	1812.	—	H. h.	
4 Azarolus. s. s.	Azarole.	S. Europe.	1640.	—	H. h.	Andr. reposit. 579.
5 pentagyna. s. s.	pentagynous.	Hungary.	1818.	—	H. h.	
6 nigra. s. s.	villous-leaved.	————	—	—	H. h.	W. et K. hung. 1. t. 61.
7 melanocarpa. s. s.	black-fruited.	Tauria.	—	—	H. h.	
8 monogyna. s. s.	one-styled.	S. Europe.	—	H. h.	
<i>β rosea</i> .	<i>red-flowered.</i>					
9 elegans. Poir.	elegant.	France.	—	H. h.	
10 laciniata. st.	jagged.	Siberia.	1822.	—	H. h.	
11 <i>Oxyacantha</i> . E. B.	Hawthorn.	Britain.	—	H. h.	Eng. bot. 2504.
<i>Cratægus Oxyacantha</i> . L.						
<i>β major</i> .	<i>great-fruited.</i>	————	—	H. h.	
<i>γ plena</i> .	<i>double flowered.</i>	————	—	H. h.	
<i>δ aurea</i> .	<i>yellow-berried.</i>	————	—	H. h.	
<i>ε præcox</i> .	<i>Glastonbury.</i>	————	4. 5.	H. h.	
12 Celsiana. w. en.	Cels's.	1822.	5. 6.	H. h.	
13 Aronia. w. en.	Aronian.	Aronia.	—	H. h.	Wats. dend. brit. 165.
14 purpurea. W. D.	purple.	N. America.	4. 5.	H. h.	————— 60.
15 coccinea. s. s.	scarlet-fruited.	————	1683.	—	H. h.	————— 62.
16 cordata. s. s.	Maple-leaved.	————	1738.	5.	H. h.	————— 63.
17 glandulosa. s. s.	hollow-leaved.	————	1750.	5. 6.	H. h.	————— 58.
18 sanguinea. Pall.	bloody.	Siberia.	—	H. h.	Pall. ros. 1. t. 11.
19 pyrifolia. s. s.	Pear-leaved.	N. America.	1765.	6.	H. h.	Wats. dend. brit. 61.
20 latifolia. Poir.	broad-leaved.	————	—	H. h.	
21 flava. w. en.	yellow-berried.	————	1724.	5.	H. h.	Wats. dend. brit. 59.
22 viridis.	green-leaved.	————	5. 6.	H. h.	
<i>Cratægus viridis</i> . W.						
23 spatulata. s. s.	spatula-leaved.	————	1806.	—	H. h.	
24 parvifolia. w. en.	Gooseberry-ld.	————	1704.	—	H. h.	Wats. dend. brit. 65.
<i>xanthocarpos</i> . s. s.						

25	punctata. W.en.	spotted-fruited.	————	1746.	—	H. h.	Wats. dend. brit. 57.
26	Crus-galli. W.en. lucida. s.s. α splendens. β pyracanthifolia.	Cockspur-thorn. shining-leaved. Pyracantha-l'd.	———— ———— ————	1691.	—	H. h.	———— 56.
27	linearis. P.s.	linear-leaved.	————	————	—	H. h.	
28	elliptica. W.en.	oval-leaved.	————	1765.	5.	H. h.	
29	lobata. Poir.	lobed-leaved.	————	1818.	5. 6.	H. h.	
30	fissa. Poir.	cloven-leaved.	————	————	—	H. h.	
31	Oliveriana. Poir.	Oliver's.	Levant.	————	—	H. h.	
32	paniciflora. Poir.	few-flowered.	Switzerland.	————	—	H. h.	
33	Pyracantha. w.	evergreen thorn.	S. Europe.	1629.	5.	H. h.	Schmidt, arb. t. 90.
34	crenulata. D.P.	crenulate.	Nepaul.	1818.	6. 7.	H. h.	
35	tinctoria. D.P. Photinia dubia. L.T.	Dyer's. Photinia dubia. L.T.	———— ————	———— ————	—	H. h.	Linn. trans. 13. t. 10.
36	grandiflora. Ex.b.	large-flowered.	S. Europe.	1800.	5. 6.	H. h.	Exot. bot. 1. t. 18.
37	germanica. W.	Medlar.	England.	5. 7.	H. h.	Eng. bot. 1523.
RAPHIOLEPIS. L.T.		RAPHIOLEPIS.	Icosandria	Digynia.			
1	salicifolia. B.R.	Willow-leaved.	China.	1820.	5. 6.	G. h.	Botan. regist. 652.
2	indica. B.R.	Indian.	————	1818.	—	G. h.	———— 468.
3	rubra. L.C.	red-stamen'd.	————	1806.	—	G. h.	Lindl. collect. t. 3.
	Cratægus indica. B.M. 1726.						
PHOTINIA. L.T.		PHOTINIA.	Icosandria	Digynia.			
1	arbutifolia. B.R.	Arbutus-leav'd.	California.	1796.	7. 8.	H. h.	Botan. regist. 491.
	Cratægus arbutifolia.						
2	serrulata. L.T.	serrulate-leav'd.	China.	1804.	4. 7.	H. h.	Botan. magaz. 2105.
	Cratægus glabra. B.M.						
3	integrifolia. L.T.	entire-leaved.	Nepaul.	1820.	H. h.	
	Pyrus integerrima. D.P.						
ERIOBOTRYA. L.T.		LOQUAT.	Icosandria	Pentagynia.			
1	japonica. L.T.	Japan.	Japan.	1787.	10.	F. h.	Botan. regist. 366.
2	elliptica. L.T.	elliptic-leaved.	Nepaul.	1822.	H. h.	
	Mespilus Cula. D.P.						
COTONEASTER. L.T.		COTONEASTER.	Icosandria	Pentagynia.			
1	vulgaris. L.T.	common.	Europe.	1656.	4. 5.	H. h.	Schmidt. arb. t. 89.
	Mespilus Cotoneaster. w.						
2	tomentosa. L.T.	Quince-leaved.	————	1759.	—	H. h.	
3	eriocarpa. DC.	woolly-fruited.	————	6. 7.	H. h.	Wats. dend. brit. 55.
	Mespilus eriocarpa. w.D.						
4	affinis. L.T.	likened.	Nepaul.	1820.	H. h.	
5	acuminata. L.T.	taper-pointed.	————	H. h.		Linn. trans. 13. t. 9.
AMELANCHIER. L.T.		AMELANCHIER.	Icosandria	Pentagynia.			
1	vulgaris.	common.	S. Europe.	1596.	4. 5.	H. h.	Schmidt arb. t. 85.
	Pyrus Amelanchier. w.						
2	Botryapium. L.T.	snowy.	N. America.	1746.	—	H. h.	———— t. 81.
	Mespilus canadensis. L.						
3	ovalis. L.T.	oval-leaved.	————	1800.	—	H. h.	
4	sanguinea.	red-branched.	————	1812.	—	H. h.	
	Pyrus sanguinea. Ph.						
ARONIA. P.S.		ARONIA.	Icosandria	Pentagynia.			
1	arbutifolia. N.	red-berried.	N. America.	1700.	5. 6.	H. h.	Mill. ic. 109.
	Pyrus arbutifolia. Ph.	Aronia pyrifolia. P.S.					
2	melanocarpa. N.	black fruited.	————	—	—	H. h.	Schmidt arb. t. 86.
PYRUS. W.		PEAR & APPLE.	Icosandria	Pentagynia. L.			
1	Chama-mespilus. s.s.	Bastard Quince.	Pyrenees.	1683.	5. 6.	H. h.	Schmidt. arb. t. 87.
2	communis. w.	common Pear.	England.	4.	H. h.	Eng. bot. 1784.
3	angustifolia. w.	narrow-leaved.	N. America.	1750.	5.	H. h.	Wats. dend. brit. 132.
4	prunifolia. w.	Siberian Crab.	Siberia.	1758.	4. 5.	H. h.	Mill. ic. 2. t. 269.
5	spectabilis.	Chinese apple.	China.	1780.	5.	H. h.	Botan. magaz. 267.
6	baccata. w.	small Crab.	Siberia.	1784.	4. 5.	H. h.	Wats. dend. brit. 51.
7	coronaria. w.	sweet-scented.	Virginia.	1724.	5.	H. h.	Botan. magaz. 2009.
8	Malus. w.	common Apple.	Britain.	4. 5.	H. h.	Eng. bot. 179.
9	acerba. DC.	sour.	Europe.	—	H. h.	
10	dioica. w.	dioccions.	—	H. h.	
11	præcox.	Paradise.	Russia.	1784.	4.	H. h.	
12	pumila. Mill.	dwarf evergreen.	4. 5.	H. h.	
13	torminalis. s.s.	Wild Service.	England.	—	H. h.	Eng. bot. 298.
14	Pollveria. s.s.	woolly-leaved.	Germany.	1786.	—	H. h.	
15	nivalis. s.s.	white-leaved.	Austria.	5.	H. h.	Jacq. aust. 2. t. 107.

16 alpina. s.s.	Alpine.	1820.	4. 5.	H. h.	
17 edulis. s.s.	eatable.	France.	1816.	6.	H. h.	Wats. dend. brit. 52.
18 sinaica. s.s.	Mount Sinai.	Levant.	5.	H. h.	----- 49.
19 Aria. s.s.	white-beam.	Britain.	5. 6.	H. h.	Eng. bot. 1858.
20 intermedia. s.s.	Swedish.	Sweden.	1789.	4. 5.	H. h.	Flor. dan. 301.
21 elæagnifolia. s.s.	Elæagnus-ld.	Tauria.	1818.	—	H. h.	
22 salicifolia. s.s.	Willow-leaved.	Russia.	1780.	5. 6.	H. h.	Botan. regist. 514.
23 crenata. D.P.	crenated.	Nepaul.	1820.	H. h.	
24 lanata. D.P.	woolly.	-----	-----	... H.	H. h.	
25 arbuscula. Poir.	long-leaved.	Europe.	... 5. 6.	H. h.	H. h.	
26 latifolia. P.S.	broad-leaved.	France.	—	H. h.	
27 hybrida. s.s.	hybrid.	Hybrid.	—	H. h.	Mœnch. weis. t. 6.
28 pinnatifida. E.B.	pinnatifid.	England.	—	H. h.	Eng. bot. 2331.
29 sorbifolia. W.D.	service-leaved.	—	H. h.	Wats. dend. brit. 53.
30 domestica. s.s.	Service-tree.	England.	—	H. h.	Eng. bot. 350.
31 aucuparia. s.s.	Mountain Ash.	Britain.	—	H. h.	----- 337.
32 americana. s.s.	purple-berrid.	Canada.	1782.	—	H. h.	Wats. dend. brit. t. 54.
33 microcarpa. s.s.	small-fruited.	N.America.	—	H. h.	
CYDONIA. J.	QUINCE. Icosandria Pentagynia. L.					
1 vulgaris. P.S.	common.	Austria.	1573.	5. 6.	H. h.	Jacq. aust. 4. t. 342.
2 japonica. P.S.	Japan.	Japan.	1796.	1. 12.	H. h.	
<i>a rubra.</i>	red-flowered.	-----	-----	—	H. h.	Botan. magaz. 622.
<i>Pyrus japonica.</i> B.M.						
β <i>alba.</i>	white-flowered.	-----	1812.	—	H. h.	Lodd. bot. cab. 541.
3 chinensis. B.R.	Chinese.	China.	1815.	4. 5.	H. h.	Botan. regist. 905.

ORDO LXXI.

ROSACEÆ. *Don Prodr. fl. nepal. p. 229.*

Sect. I. ROSÆ. Juss. gen. 335.

ROSA. L.	Rose. Icosandria Polygynia. L.					
1 herberifolia. w.	Berberry-ld.	Persia.	1790.	6. 7.	F. h.	Redout. ros. 1. 27. t. 2.
<i>simplicifolia.</i> P.L. 101.						
2 ferox. L.R.	hedgelog.	Caucasus.	1795.	6. 8.	H. h.	Botan. regist. 420.
3 kamchatica. L.R.	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. h.	----- 419.
β <i>nitens.</i> B.R.	<i>glossy.</i>	-----	1820.	—	H. h.	----- 821.
4 involucrata. L.R.	floral-leaved.	China.	1814.	5. 10.	H. h.	----- 739.
5 clinophylla. R.R.	naked-flower'd.	-----	1820.	—	H. h.	Redout. ros. 1. t. 10.
6 bracteata. L.R.	Macartney.	-----	1795.	6. 10.	H. h.	----- 1. t. 6.
β <i>scabriuscula.</i> L.R.	<i>rough Macartney.</i>	-----	-----	—	H. h.	Botan. magaz. 1377.
7 nitida. w.en.	dwarf	Labrador. N.America.	1773.	7. 8.	H. h.	Lindl. ros. t. 2.
8 rapa. R.R.	double Burnet.	-----	1726.	—	H. h.	Redout. ros. 1. 7. t. 2.
9 lucida. w.	single Burnet.	-----	1773.	—	H. h.	Miss Lawr. ros. t. 24.
10 Lindleyi. s.s.	sprcading.	-----	1726.	—	H. h.	Lindl. ros. t. 3.
<i>laxa.</i> L.R. non Retz.						
11 parviflora. w.	small-flowered.	-----	1724.	—	H. h.	
<i>a Single Pensylvanian.</i>		-----	-----	—	H. h.	Miss Lawr. ros. t. 68.
β <i>Double Pensylvanian.</i>		-----	-----	—	H. h.	----- t. 66.
12 Woodsii. L.R.	Woods's.	-----	1815.	6. 7.	H. h.	
13 gemella. s.s.	twin-flowering.	-----	1800.	7. 8.	H. h.	
14 Lyonii. s.s.	Lyon's.	Tennessee.	1812.	—	H. h.	
15 florida. L.C.	flowering.	N. America.	—	6. 7.	H. h.	
16 carolina. L.R.	Carolina.	-----	1726.	—	H. h.	Lindl. ros. t. 4.
17 pensylvanica. L.en.	Pensylvanian.	-----	-----	—	H. h.	
18 blanda. L.R.	Hudson's Bay.	-----	1773.	5. 8.	H. h.	Miss Lawr. ros. t. 27.
19 fraxinifolia. L.R.	Ash-leaved.	Newfoundland.	—	4. 6.	H. h.	Botan. regist. 458.
β <i>Red Alpine Rose.</i>		-----	-----	—	H. h.	Miss Lawr. ros. t. 75.
20 cinnamomea. E.B.	Single Cinnamon.	England.	5.	H. h.	Eng. bot. 2388.
21 fecundissima.	double Cinnamon.	Europe.	4. 5.	H. h.	Lindl. ros. t. 5.
22 majalis. L.R.	dwarf Cinnamon.	S. Europe.	—	H. h.	Flor. dan. t. 688.

23	frutetorum, s.s.	short peduncul'd.	Volhynia.	1820.	5. 6.	H. h.	
24	ambigua, s.s.	ambiguous.	—	—	H. h.	
25	macrophylla, L.R.	long-leaved.	Nepaul.	1822.	H. h.	Lindl. ros. t. 6.
26	americana, L.en.	American.	America.	—	H. h.	
27	alpina, L.R.	Alpine.	Europe.	1683.	6. 7.	H. h.	Botan. regist. 424.
	<i>a</i> Alpine Rose.		—	—	—	H. h.	Miss Lawr. ros. t. 30.
	<i>β</i> pyrenaica, L.R.	Pyrenean.	—	—	—	H. h.	Jacq. schœnb. 4. t.416.
	<i>γ</i> pendulina, L.R.	pendulous.	—	1726.	—	H. h.	Miss Lawr. ros. t. 9.
28	pygmæa, s.s.	pigmy.	Tauria.	—	H. h.	
29	rubella, E.B.	long-fruited.	England.	7.	H. h.	Eng. bot. 2521.
	<i>β</i> melanocarpa, L.R.	black-fruited.	—	—	H. h.	
30	muricata, L.en.	muricate.	1823.	6. 7.	H. h.	
31	balsamica, s.s.	balsamic.	—	—	H. h.	
32	stricta, L.R.	upright.	N.America.	1726.	—	H. h.	Lindl. ros. t. 7.
	<i>Upright Carolina.</i>		—	—	—	H. h.	Miss. Lawr. ros. t. 36.
33	snavis, s.s.	sweet.	1817.	—	H. h.	
34	acicularis, L.R.	grey Siberian.	Siberia.	3. 4.	H. h.	Lindl. ros. t. 8.
35	paniciflora, L.Y.	few-flowered.	—	—	H. h.	
36	sulphurea, w.	double-yellow.	Levant.	1629.	7.	H. h.	Botan. regist. 46.
37	lutescens, Ph.	yellowish.	N.America?	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	<i>hispidia</i> , B.M.		—	—	—	H. h.	
38	spinosissima, E.B.	Scotch.	Britain.	6. 7.	H. h.	Eng. bot. 187.
	<i>β</i> reversa, L.R.	reversed prickle.	—	—	H. h.	Botan. regist. 431.
	<i>γ</i> striped-flowered Scotch.		—	—	H. h.	Miss Lawr. ros. t. 15.
	<i>δ</i> Red Scotch.		—	—	H. h. t. 62.
	<i>ε</i> Double Scotch.		—	—	H. h. t. 63.
	<i>ζ</i> Tall Scotch.		—	—	H. h. t. 19.
	<i>η</i> Marbled Scotch.		—	—	H. h. t. 78.
39	altaica, w.en.	Pallas's.	Siberia.	—	H. h.	Pall. ros. 2. t. 75.
40	ochroleuca, L.en.	sulphur-color'd.	—	1814.	—	H. h.	
41	melanocarpa, s.s.	small black fruited.	S.Europe.	1823.	—	H. h.	
42	grandiflora, L.R.	large flowered.	Siberia.	5.	H. h.	Botan. regist. 888.
43	involuta, E.B.	Dr. Walker's.	Hebrides.	6. 7.	H. h.	Eng. bot. 2068.
44	reversa, L.R.	reversed.	Hungary.	1817.	—	H. h.	W. et K. hung. 3. t.264.
45	Biebersteinii, Ly.	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
46	Doniana, L.T.	Mr. Don's.	Britain.	6. 7.	H. h.	
47	gracilis, L.T.	slender.	Britain.	7. 8.	H. h.	Eng. bot. 583.
	<i>villosa</i> , E.B. non L.		—	—	—	H. h.	
48	Sabini, L.T.	Mr. Sabine's.	—	—	H. h.	
49	marginata, L.R.	margin'd.	Germany.	1823.	—	H. h.	
50	coruscans, L.en.	glittering.	—	—	H. h.	
51	damascena, L.R.	red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
52	centifolia, L.R.	Provins.	Caucasus.	1596.	—	H. h. t. 8.
	<i>β</i> muscova, L.R.	Moss.	—	1724.	—	H. h.	Botan. regist. 53.
	<i>γ</i> pomponia, L.R.	Pomponie.	—	—	H. h.	Redout. ros. 1. 65. t. 21.
	<i>δ</i> bipinnata, L.R.	bipinnate.	—	—	H. h. 2. 11. t. 4.
53	gallica, L.R.	official.	Europe.	1596.	—	H. h.	Botan. regist. 448.
	<i>β</i> pumila, L.R.	dwarf.	Austria.	1773.	—	H. h.	Jacq. aust. 2. t. 198.
54	pulchella, s.s.	neat.	France.	—	H. h.	
55	parvifolia, L.R.	Burgundy.	Europe.	—	H. h.	Botan. regist. t. 452.
56	turbinata, L.R.	Frankfort.	—	1629.	—	H. h.	Miss Lawr. ros. t. 69.
57	villosa, L.T.	villous.	Britain.	6.	H. h.	Eng. bot. 2459.
	<i>mollis</i> , E.B.		—	—	—	H. h.	
	<i>β</i> carulea, L.T.	blue-stalked.	—	—	H. h.	
	<i>γ</i> concavifolia, L.T.	concave-leaved.	Scotland.	—	H. h.	
	<i>δ</i> suberecta, L.T.	suberect.	Yorkshire.	—	H. h.	
58	scabriuscula, L.T.	roughish.	Britain.	—	H. h.	Eng. bot. 1896.
59	heterophylla, L.T.	various-leaved.	Scotland.	—	H. h.	
60	tomentosa, L.T.	downy-ld. dog.	Britain.	—	H. h.	Eng. bot. 990.
	<i>β</i> sylvestris, L.T.	wood.	—	—	H. h.	
	<i>γ</i> canescens, L.T.	canescent.	—	—	H. h.	
	<i>δ</i> incana, L.T.	hoary.	—	—	H. h.	
61	nuda, L.T.	naked.	Westmoreland.	—	H. h.	
62	alba, L.R.	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
63	montana, s.s.	mountain.	Tauria.	1820.	—	H. h.	
64	hibernica, L.T.	Irish.	Ireland.	6. 11.	H. h.	Eng. bot. 2196.
65	lutea, L.R.	yellow.	Germany.	1596.	6.	H. h.	Botan. magaz. 363.
	<i>β</i> bicolor.	red and yellow.	—	—	—	H. h. 1077.
66	Sherardi, sm.	Sherard's.	Britain.	6. 7.	H. h.	

67	<i>rubiginosa</i> . E.B.	sweet briar.	—	—	H. h.	Eng. bot. 991.
	<i>β umbellata</i> . L.R.	<i>umbel-flowered</i> .					
68	<i>micrantha</i> . L.T.	small.	England.	—	H. h.	— 2490.
69	<i>sepium</i> . DC.	hedge.	France.	—	H. h.	
70	<i>Borreri</i> . L.T.	Borrer's.	Britain.	—	H. h.	Eng. bot. 2579.
	<i>dumetorum</i> . E.B. <i>ucc aliorum</i> .						
71	<i>adenophylla</i> . s.s.	glandulous.	1816.	—	H. h.	
72	<i>pruinosa</i> . L.C.	frosted.	1817.	5. 6.	H. h.	
	<i>pulverulenta</i> . L.R. <i>non</i> M.B.						
73	<i>Montezumæ</i> . Kth.	Mexican.	Mexico.	1823.	H. h.	Redout. ros. 1. t. 16.
74	<i>caucasica</i> . M.B.	Caucasian.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
75	<i>cæsia</i> . L.T.	grey-leaved.	Scotland.	7.	H. h.	Eng. bot. 2367.
76	<i>sarmentacea</i> . L.T.	sarmentose.	Britain.	6. 7.	H. h.	
	<i>β nitens</i> . L.T.	<i>glossy-leaved</i> .					
77	<i>bractescens</i> . L.T.	long-bracted.	Lancashire.	—	H. h.	
78	<i>dumetorum</i> . L.T.	bushy.	England.	6.	H. h.	
79	<i>Forsteri</i> . Sm.	Forster's.	—	—	H. h.	
80	<i>collina</i> . L.T.	hill.	—	—	H. h.	Jacq. aust. 2. t. 197.
81	<i>canina</i> . L.T.	dog or hep.	Britain.	6. 7.	H. h.	Eng. bot. 992.
	<i>β cera</i> . L.T.	<i>waxy</i> .					
	<i>γ glandulifera</i> . L.T.	<i>glandular</i> .					
	<i>δ simpliciuscula</i> . L.T.	<i>simple-calyxed</i> .					
82	<i>surculosa</i> . L.T.	surculose.	—	—	H. h.	
83	<i>lencantha</i> . Len.	white-flowered.	Siberia.	1824.	H. h.	
84	<i>rubrifolia</i> . L.R.	reddish-leaved.	S. Europe.	5. 6.	H. h.	Botan. regist. 430.
85	<i>sericea</i> . L.R.	silky-leaved.	Nepaul.	1823.	H. h.	Lindl. ros. t. 12.
86	<i>microphylla</i> . L.R.	small-leaved.	China.	1822.	6. 8.	H. h.	Botan. regist. 919.
87	<i>longifolia</i> . w.	Willow-leaved.	—	2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
88	<i>indica</i> . w.	common China.	—	1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	<i>β centifolia</i> .	<i>large-double</i> .					
	<i>γ purpurea</i> .	<i>purple China</i> .					
	<i>δ subalba</i> .	<i>whitish China</i> .					
	<i>ε media</i> .	<i>middle China</i> .					
	<i>ζ minor</i> .	<i>small China</i> .					
	<i>η fragrans</i> .	<i>animating</i> .					
	<i>odorata</i> .	<i>sweet-scented</i> .					
	<i>indica odorata</i> . A.R. <i>indica fragrans</i> . R.R. 1. 115. t. 42.						
	<i>β flavescens</i> .	<i>yellow China</i> .		1823.	—	H. h.	
90	<i>semperflorens</i> . L.R.	red China.	—	1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	<i>α diversifolia</i> . v.	<i>single</i> .					Vent. cels. t. 35.
	<i>β atrorubens</i> .	<i>double red</i> .		1789.	F. h.	Botan. magaz. 284.
	<i>γ resplendens</i> .	<i>resplendent</i> .					
	<i>δ fragrans</i> .	<i>fragrant</i> .		1820.	—	F. h.	
	<i>ε Terneauxi</i> .	<i>Terneaux's</i> .					
	<i>ζ Bichonii</i> .	<i>Bichon's</i> .					
91	<i>Lawranceana</i> .	Miss Lawrance's.	—	1810.	—	F. h.	Botan. regist. 538.
	<i>β flore pleno</i> .	<i>double-flowered</i> .		1824.	—	F. h.	
92	<i>systyla</i> . L.T.	clustered dog.	Britain.	6. 7.	H. h.	Eng. bot. 1895.
93	<i>arvensis</i> . L.T.	field.	—	—	H. h.	— 188.
	<i>β scandens</i> .	<i>Ayrshire</i> .					Botan. magaz. 2054.
94	<i>geminata</i> . Rau.	Swiss.	Switzerland.	—	H. h.	
95	<i>sempervirens</i> . w.	evergreen.	S. Europe.	1629.	6. 8.	H. h.	Botan. regist. 465.
96	<i>Boursoulti</i> .	Boursoult's.	Hybrid.	1821.	4. 7.	H. h.	
97	<i>hyacinthina</i> .	Hyacinth-scented.	—	—	H. h.	
98	<i>Grevillii</i> .	Greville's.	China.	—	H. h.	
99	<i>Roxburghii</i> .	Roxburgh's.	—	—	H. h.	
100	<i>multiflora</i> . w.	many-flowered.	—	1804.	6. 8.	H. h.	Botan. regist. 425.
101	<i>Brunonii</i> . L.R.	Mr. Brown's.	Nepaul.	1820.	—	H. h.	Lindl. ros. t. 14.
102	<i>moschata</i> . L.R.	musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	<i>β plena</i> .	<i>double musk</i> .					— t. 53.
103	<i>nivea</i> . Dup.	snow white.	Hybrid.	1823.	—	H. h.	Botan. regist. 861.
104	<i>Noisetiana</i> . R.R.	Noisette's.	—	1816.	5. 11.	H. h.	
	<i>β Fraseri</i> .	<i>Fraser's</i> .					
	<i>γ purpurea</i> .	<i>purple</i> .		1823.	—	H. h.	
105	<i>rubifolia</i> . L.R.	bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	
	<i>β fenestralis</i> . L.R.	<i>thin-leaved</i> .					Lindl. ros. t. 15.
106	<i>sinica</i> . L.R.	shining-leaved.	China.	1759.	6. 8.	F. h.	— t. 16.
107	<i>Banksiæ</i> . L.R.	Lady Banks's.	—	1807.	—	H. h.	Botan. regist. t. 397.
	<i>β lutea</i> .	<i>yellow-flowered</i> .		1823.	—	H. h.	

GARDEN VARIETIES.

I. spinosissima.

- 1 Aberdeen.
- 2 Aberfoil.
- 3 alba.
- 4 Alloa.
- 5 Ancram.
- 6 Arbroath.
- 7 Argyll.
- 8 Arrochar.
- 9 Aurora borealis.
- 10 Balloch.
- 11 Banff.
- 12 Bannochburn.
- 13 Borisdale.
- 14 Bass.
- 15 Bengloe.
- 16 Ben Lomond.
- 17 Ben More.
- 18 Berwick.
- 19 bicolor.
- 20 Biggar.
- 21 Birnam.
- 22 Blair Athol.
- 23 Boharm.
- 24 Borthwick.
- 25 Buchan.
- 26 Bute.
- 27 Caithness.
- 28 Calder.
- 29 Callender.
- 30 Campsie.
- 31 *carnescens*.
- 32 Carron.
- 33 Cheviot.
- 34 ciphieri.
- 35 Clydesdale.
- 36 Cromarty.
- 37 Dalkeith.
- 38 Dalrymple.
- 39 Dornock.
- 40 Douglas.
- 41 Dumbarton.
- 42 Dumblane.
- 43 Dumfermline.
- 44 Dumfries.
- 45 Dunbar.
- 46 Duncrief.
- 47 Dundee.
- 48 Dunglass.
- 49 Dunkeld.
- 50 Dunlop.
- 51 Dunmore.
- 52 dwarf bicolor.
- 53 Dysart.
- 54 Eden.
- 55 Elgin.
- 56 Etterick.
- 57 Fairy.
- 58 Falkirk.
- 59 Falkland.
- 60 Falla.
- 61 Fife.
- 62 *flavescens*.
- 63 Forfar.
- 64 Forth.
- 65 Fort William.
- 66 fulgens.

GARDEN VARIETIES.

- 67 Furness.
- 68 Galloway.
- 69 Glasgow.
- 70 Glenco.
- 71 Glenfallach.
- 72 Glengarry.
- 73 Gourcock.
- 74 Grahamston.
- 75 Grampian.
- 76 Greenock.
- 77 Haddington.
- 78 Halkirk.
- 79 Hamilton.
- 80 Hawick.
- 81 Hawthorndean.
- 82 Hector.
- 83 *humilis*.
- 84 Huntly.
- 85 *incarnata*.
- 86 Inverary.
- 87 Inverness.
- 88 Invermay.
- 89 Janus.
- 90 Jedburgh.
- 91 Jura.
- 92 Keith.
- 93 Kelso.
- 94 Kilmarnock.
- 95 Kincardine.
- 96 Kinnaird.
- 97 Kinross.
- 98 Kircaldy.
- 99 Kirkwall.
- 100 Lanark.
- 101 Laxford.
- 102 Leith.
- 103 Leslie.
- 104 Lismore.
- 105 Lochaber.
- 106 Lochaird.
- 107 Loch fine.
- 108 Lochleven.
- 109 Lochlomond.
- 110 Lothian.
- 111 Maidenkirk.
- 112 Melrose.
- 113 Moncrieff.
- 114 Monteith.
- 115 Montgomery.
- 116 Montrose.
- 117 Mount stuart.
- 118 Mull.
- 119 Moray.
- 120 *mutabilis*.
- 121 Nevis.
- 122 Northumberland.
- 123 Paisley.
- 124 *penicillata*.
- 125 Pentland.
- 126 perpetual.
- 127 *picta*. L.B.C. 637.
- 128 Proteus.
- 129 Robertson.
- 130 Rosslyn.
- 131 Rothsay.
- 132 *rubicunda*.
- 133 Selkirk.

GARDEN VARIETIES.

- 134 Shetland.
 - 135 Sky.
 - 136 Staffa.
 - 137 Stirling.
 - 138 Strathmore.
 - 139 *striata*.
 - 140 Stronsa.
 - 141 Sutherland.
 - 142 Tiviotdale.
 - 143 Tarbet.
 - 144 Thornhill.
 - 145 Thurso.
 - 146 Tranent.
 - 147 *variegata*.
 - 148 *venulosa glabra*.
 - 149 *venulosa hispida*.
- II. gallica.*
- 150 *aimable beaute*.
 - 151 atlas.
 - 152 *belle aurore*.
 - 153 *belle carmosie*.
 - 154 *belle pourpre*.
 - 155 *belle violette*.
 - 156 Bijou.
 - 157 blue and purple.
 - 158 blush hundred-ld.
 - 159 bright purple.
 - 160 brunette.
 - 161 carmine brillante.
 - 162 chancellor.
 - 163 *conleur de feu*.
 - 164 dark marbled.
 - 165 dark violet.
 - 166 delicious.
 - 167 dingy.
 - 168 double velvet.
 - 169 double marbled. M.L.R. 57.
 - 170 dutch tree.
 - 171 dutch 100 leaved.
 - 172 early Ranunculus.
 - 173 favourite purple.
 - 174 fiery.
 - 175 Flanders.
 - 176 giant. M.L.R. 49.
 - 177 Goliah. — 80.
 - 178 granaat appel.
 - 179 grand purple.
 - 180 infernal.
 - 181 Italian.
 - 182 la grand belle pourpre.
 - 183 Leyden.
 - 184 light purple.
 - 185 Lisbon. M.L.R. 67.
 - 186 L'ombre agreable.
 - 187 L'ombre superbe.
 - 188 maiden.
 - 189 Malabar.
 - 190 mignonne.
 - 191 mignonne striped.
 - 192 mignonne incised.
 - 193 mignonne blush.
 - 194 mirabelle.
 - 195 Montaubon.
 - 196 Morocco.
 - 197 mundi. M.L.R. 13.
 - 198 nonsuch.

GARDEN VARIETIES.

- 199 ornament de parade.
 200 Pæstana.
 201 perruque.
 202 petite 100 leav'd. M.L.R. 55.
 203 plicate. — t. 87.
 204 pompadour.
 205 pourpre charmante.
 206 princess.
 207 prince William V.
 208 pyramidal.
 209 queen.
 210 red and violet.
 211 royal purple.
 212 royal virgin. M.L.R. 7.
 213 Saint John's.
 214 shell. M.L.R. 39.
 215 single velvet.—51.
 216 Singleton's 100 leaved.—85.
 217 Spanish.
 218 stadtholder.
 219 triumphant.
 220 Tuscany. B.R.
 221 velours pourpre.
 222 violette de rouge.

III. *centifolia*.

- 223 aurora.
 224 beaute supreme.
 225 Blandford. M.L.R. 21.
 226 black mottled.
 227 blue.
 228 blush royal. M.L.R. 47.
 229 blush cabbage.
 230 bouquet rouge royale.
 231 bright crumpled.
 232 Brussels.
 233 burning coal.
 234 cardinal. M.L.R. 59.
 235 carmine.
 236 cherry.
 237 cluster.
 238 Cupid.
 239 dragon.
 240 early 100 leaved.
 241 Elysian.
 242 emperor.
 243 grand cremois.
 244 grand marbled.
 245 grand Provins.
 246 Jmo.
 247 king.
 248 lurid.
 249 Majorca.
 250 Malta.
 251 mignonne, scarlet.
 252 mignonne, crimson.
 253 mignonne, purple.
 254 mignonne, favourite.
 255 mignonne, red.
 256 mottled purple.
 257 Neapolitan.
 258 nonpareil.
 259 one-sided.
 260 paragon.
 261 Persian.
 262 Pluto. M.L.R. 39.
 263 poppy.

GARDEN VARIETIES.

- 264 Portland.
 265 pourpre aimable.
 266 pourpre favourite.
 267 poupre violette.
 268 prolific.
 269 Proserpine.
 270 Provins, single.
 271 Provins, common. M.L.R. 8.
 272 Provins, cabbage.
 273 Provins, blush cabbage.
 274 Provins, scarlet. M.L.R. 22.
 275 Provins, Childings.—43.
 276 Provins, blush.—1.
 277 Provins, white.—4.
 278 Provins, Shailer's.—76.
 279 Provins, Colvill's.
 280 Provins, damask.
 281 Provins, dwarf.
 282 Provins, invincible.
 283 Provins, Dutch.
 284 Provins, imperial.
 285 Provins, royal.
 286 rouge superbe.
 287 royal red.
 288 sanspareil.
 289 siren.
 290 Spong's.
 291 striped nosegay.
 292 superb carmine.
 293 superb red.
 294 surpassante.
 295 Trafalgar.
 296 Versailles.
 * *centifolia* muscosa.
 297 single moss.
 298 blush moss.
 299 dark moss.
 300 mottled moss.
 301 prolific moss.
 302 royal moss.
 303 scarlet moss.
 304 semidouble moss.
 305 striped moss.
 306 Shailer's white moss.
 307 Bristol white moss.
 † *centifolia* pomponia.
 308 de Meax. M.L.R. 31.
 309 de Rheims. — 71.
 310 dwarf Bagshot.
 311 mossy de Meaux.
 312 mossy Pompone.
 313 Pompone. M.L.R. 50.
 314 prolific Pompone.
 315 St. Francis. M.L.R. 38.

IV. *damascena*.

- 316 blush Belgic. M.L.R. 70.
 317 blush monthly.—18.
 318 blush damask.—52.
 319 early blush.
 320 four seasons.
 321 fringed. M.L.R. 82.
 322 great royal. M.L.R. 58.
 323 grand monarque.
 324 imperial blush. M.L.R. 90.
 325 incomparable.
 326 lesser Belgic.

GARDEN VARIETIES.

- 327 pale cluster.
 328 red damask. M.L.R. 39.
 329 red monthly. M.L.R. 5.
 330 red Belgic.—83.
 331 rouge agathe.
 332 white monthly. M.L.R. 17.
 333 York and Lancaster.—10.
 334 Zealand.
 V. *alba*.
 335 celestial.
 336 cluster maiden's blush.
 [M.L.R. 230.
 337 de Belgique.
 338 full double white. M.L.R. 25.
 339 great maiden's blush.
 [M.L.R. 32.
 340 Moraga la favourite.
 341 semidouble white.
 342 spineless virgin.
 VI. *rubiginosa*.
 343 cluster blush sweet briar.
 344 double mossy sweet briar.
 [M.L.R. 72.
 345 double red sweet briar.—61.
 346 double rosy sweet briar.
 347 evergreen sweet briar.
 348 large blush sweet briar.
 349 Manning's sweet briar.
 [M.L.R. 41.
 350 monstrous sweet briar.
 351 royal sweet briar.
 [M.L.R. 74.
 352 scarlet sweet briar.
 353 semidouble sweet briar.
 [M.L.R. 65.
 VII. *various garden Roses*.
 354 abundant.
 355 abyla.
 356 Achaia.
 357 Achilles.
 358 Adelina.
 359 admirable.
 360 Adonis.
 361 African black.
 362 agate.
 363 agate superb.
 364 agate japonese.
 365 agate magnifique.
 366 agate nouvelle.
 367 agate prolifere.
 368 agate Marie Louise.
 369 agate royale.
 370 agate thalie.
 371 aglace noir.
 372 aimable violette.
 373 Ajax.
 374 aland.
 375 alba feuille fermee.
 376 alba bifera.
 377 Albanian.
 378 alba nova pleno.
 379 alba nova celestialis.
 380 albo-rosea.
 381 alba triangularis.

GARDEN VARIETIES.

382 aline.
 383 amaranth.
 384 Amazon.
 385 amour constant.
 386 Andalusian.
 387 anemoneflora.
 388 Antwerp.
 389 Arcadian.
 390 arcaro.
 391 archbishop.
 392 ardoise.
 393 Armenian.
 394 armida.
 395 Assyrian.
 396 Athenian.
 397 augusta.
 398 aurelia.
 399 baden.
 400 balbec.
 401 beaute frappante.
 402 beaute insurmontable.
 403 beaute panache.
 404 beaute renommee.
 405 beaute rouge.
 406 beaute sanspareille.
 407 beaute tendre.
 408 belladonna.
 409 belle actrise.
 410 belle aimable.
 411 belle aurore descemet.
 412 belle brune.
 413 belle cataline.
 414 belle cerise.
 415 belle d'annay.
 416 belle du jour.
 417 belle flamande.
 418 belle forme.
 419 belle galathee.
 420 belle hative.
 421 belle incarnate.
 422 belle inconnue.
 423 belle matilde.
 424 belle mahæca.
 425 belle parade.
 426 belle Tigridia.
 427 belle zulme.
 428 belle rouge.
 429 belle sans flatterie.
 430 belle sanspareille.
 431 belle therese.
 432 belle vue.
 433 bellona.
 434 Berkshire.
 435 bifera carnea.
 436 bifera de Naples.
 437 bengale floride.
 438 bengale thisbe.
 439 bifera grandiflora.
 440 bishop. M.L.R. 29.
 441 bizard royal.
 442 black frizzled.
 443 black purple.
 444 blanche superbe.
 445 blondine.
 446 blush Italian.
 447 blush velvet.
 448 bold.

GARDEN VARIETIES.

449 Bonaparte.
 450 Bonifacius.
 451 bouquet blanc.
 452 bouquet panache.
 453 bouquet parfait.
 454 bouquet superb.
 455 Bourbon.
 456 Brabant.
 457 bracelet d'amour.
 458 brigitte.
 459 brilliant.
 460 brune brillante.
 461 brunette aimable.
 462 brunette superbe.
 463 Brunswick.
 464 bucephalus.
 465 bullata.
 466 cabinet.
 467 Calypso.
 468 camellote.
 469 cannabina.
 470 canopus.
 471 carnation.
 472 Carthaginian.
 473 Castile.
 474 Catalonian.
 475 cecropia.
 476 Ceres.
 477 cervalis.
 478 champion.
 479 chance.
 480 changeable.
 481 charmante pourpre.
 482 chausse.
 483 chiron.
 484 cicris pale rose.
 485 Clementina.
 486 Cleopatra.
 487 comtesse de Genlis.
 488 cornelian.
 489 cossack.
 490 couleur a la mode.
 491 couleur de cendre.
 492 couleur de cerise.
 493 couleur excellent.
 494 coupee.
 495 couronne.
 496 couronne des roses.
 497 couronne imperiale.
 498 eramoisi eblouissant.
 499 eramoisi elegant.
 500 eramoisi fonce.
 501 eramoisi imperial.
 502 eramoisi incomparable.
 503 eramoisi minor.
 504 eramoisi nouveau.
 505 eramoisi panache.
 506 eramoisi sanspareil.
 507 eramoisi triomphant.
 508 crimson.
 509 crimson perpetual.
 510 crown imperial.
 511 crown purple.
 512 cybele.
 513 danæ.
 514 Danish.
 515 dark miguonne.

GARDEN VARIETIES.

516 dark mottled.
 517 dark shell.
 518 darling.
 519 de bengal gros violet.
 520 Dejanira.
 521 delicate.
 522 Derby.
 523 descemets.
 524 diadem.
 525 damascena argentea.
 526 dianthiflora.
 527 Dickson's duchess.
 528 Dido.
 529 don des dames.
 530 Dione.
 531 discolor.
 532 Dorothee.
 533 double apple bearing.
 [M.L.R. 29.
 534 double dog.—60.
 535 double minims.
 536 double Pæony.
 537 double purple.
 538 double red thornless.
 539 double white thornless.
 540 duc de Brabant.
 541 Duchess.
 542 duchess d'Angouleme.
 543 duchesse de Berri.
 544 duchesse d'Oldenburgh.
 545 duke of Clarence.
 546 Durham.
 547 Dutch Cinnamon.
 548 Dutch crimson.
 549 Dutch velvet.
 550 dwarf burnet-ld.
 551 dwarf Chester.
 552 dwarf prolific.
 553 early Provins.
 554 early red.
 555 eglanteria alba.
 556 eglanteria pumila.
 557 eglantine sweet briar.
 558 Egyptian.
 559 elegans.
 560 enchanters.
 561 erato.
 562 Etna.
 563 euphrosyne.
 564 evratina.
 565 ex alba rosea.
 566 fair maid.
 567 favonius.
 568 favorite.
 569 favorite des dames.
 570 fausse unique.
 571 felicie.
 572 felicite.
 573 Felix.
 574 feu amoureux.
 575 feuille chiffonee.
 576 feuille crenulee.
 577 feuille de chene.
 578 feuille de frene.
 579 few-spined.
 580 fine panachee.
 581 fine crimson.

GARDEN VARIETIES.

582 fine purple.
 583 flavia pourpre.
 584 Flemish.
 585 flesh-coloured.
 586 flesh-coloured four seasons.
 587 fleur de parade.
 588 fleur de pomme.
 589 fleur et feuille marbree.
 590 fleur panachee.
 591 flora.
 592 flore nigricante.
 593 florentine.
 594 flore rubra.
 595 floribunda.
 596 florio.
 597 flos puniceus.
 598 folie de corse.
 599 formidable.
 600 four seasons semidouble.
 601 franconian.
 602 Frankfort.
 603 Frankfort agate.
 604 freckled.
 605 frilled.
 606 frizzled.
 607 gallica foliacea.
 608 garnett.
 609 Gascony.
 610 Genoese.
 611 Genoese velvet.
 612 gienvieve.
 613 globe.
 614 gloomy.
 615 gloria mundi.
 616 gloria mundi flore pallida.
 617 gloria mundi pourpre.
 618 gloria rubrorum.
 619 gloriosa.
 620 glowing.
 621 grand Alexandre.
 622 grande Angloise.
 623 grand Cæsar.
 624 grand centifolia.
 625 grande chausse.
 626 grand cramois.
 627 grande foncée.
 628 grand Mogul.
 629 grand pivoine.
 630 grande pompadour.
 631 grand pyramidal.
 632 grand rouge.
 633 grand triumphant.
 634 grandesse royale.
 635 grandeur royal.
 636 great Mogul.
 637 grey.
 638 grisdeline.
 639 grisdeline sans epines.
 640 Hainault.
 641 Haarlem.
 642 harpagus.
 643 Helena.
 644 Hebe.
 645 hero.
 646 Hertford.
 647 Hildesheim.
 648 Hollandia magniflora.

GARDEN VARIETIES.

649 hortulanus.
 650 hundred leaved mignonne.
 651 hyacinth.
 652 hybrida perfecta.
 653 hybride nouvelle.
 654 iconium.
 655 idumea.
 656 illustrious.
 657 imperatrice.
 658 imperatrice de France.
 659 Indian queen.
 660 inermis.
 661 iris noir.
 662 Isabelle.
 663 Isis.
 664 jaqueline.
 665 Jeanne d'arc.
 666 Jersey.
 667 jessica.
 668 jolie.
 669 Josephine.
 670 Julian.
 671 king Agrippa.
 672 king of Mexico.
 673 la belle elise.
 674 la belle rosine.
 675 l'abondance.
 676 la constance.
 677 la coquette.
 678 la Diane.
 679 l'admirable.
 680 la fidele.
 681 la graciense.
 682 la grandesse.
 683 l'aimable de Stors.
 684 lake.
 685 la maculee.
 686 la magnifique.
 687 la majestense.
 688 la mignarde.
 689 l'amitie.
 690 la moderne.
 691 Lancaster.
 692 lanckman.
 693 la negresse.
 694 la parfaite.
 695 la Parisienne.
 696 la petite lisette.
 697 la plus belle.
 698 la plus rouge.
 699 la pomme grenade
 700 la precieuse pourpre.
 701 la reine.
 702 la reine des roses.
 703 large platter.
 704 large perfect.
 705 la rose de Medicis
 706 la rose d'Ispahan.
 707 la royale.
 708 la superbe.
 709 la superbe en brun.
 710 la tendresse.
 711 la victorieuse.
 712 la virginité.
 713 leafy.
 714 Leander.
 715 le dauphin.

GARDEN VARIETIES.

716 Lee's perpetual.
 717 le grandeur.
 718 le grand lowendaël.
 719 le grand suwarrow.
 720 le grand visir.
 721 Leipsick.
 722 les alliées.
 723 le violet triumphant.
 724 light 100 leaved.
 725 l'impayable.
 726 l'importante.
 727 lively.
 728 l'obscurité.
 729 Lodona.
 730 Lodoiska.
 731 l'ombre panaché.
 732 l'ombre sanspareille.
 733 London pride.
 734 Louis 18th.
 735 Lubeck.
 736 Ludolph.
 737 Ludovicus.
 738 Luxemburg.
 739 Lyonnoise.
 740 lystra.
 741 madder.
 742 magdalen.
 743 maiden blush.
 744 mantle.
 745 marbled.
 746 marble apple bearing.
 747 Margareta.
 748 Marie anne.
 749 marquis de la Romana.
 750 Marseilles.
 751 maxima.
 752 mere gigon.
 753 merveilleuse.
 754 Mexican.
 755 Milanese.
 756 Minerva.
 757 mirabelle.
 758 miroir des dames.
 759 Mogul.
 760 mon bijou.
 761 monstrosa.
 762 monstrous cluster.
 763 monstrous 100 l'd. M.L.R. 75.
 764 Montpelier.
 765 morin.
 766 morning star.
 767 mottled.
 768 mourning.
 769 multiplex.
 770 Neapolitan.
 771 Napoli di romana.
 772 Narbonne.
 773 Nassau.
 774 negro.
 775 negre panaché.
 776 Neptune.
 777 new mottled.
 778 new Provins.
 779 nigritienne.
 780 Niobe.
 781 noblesse.
 782 noir foncé.

GARDEN VARIETIES.

783 non plus ultra.
 784 Normandica.
 785 nouvelle favorite.
 786 nouvelle de Provins.
 787 nouvelle pivoine.
 788 Oldenburg.
 789 Oliver.
 790 Olympic.
 791 omphale.
 792 orient.
 793 orion.
 794 ornement de park.
 795 ornement de violet.
 796 oubliée des François.
 797 painted.
 798 painted Belgic.
 799 Palestine.
 800 panachée admirable.
 801 panachée nouvelle.
 802 panachée sanspareille.
 803 panachée superbe.
 804 Pannonian.
 805 paradise.
 806 Paris 100-leaved.
 807 Parnassus.
 808 parson.
 809 party coloured.
 810 Patmos.
 811 Palmyra.
 812 Paulina.
 813 Pearson's gigantic.
 814 Pegasus.
 815 pencilled mignonne.
 816 pencilled Provins.
 817 Penelope.
 818 perfecta.
 819 perle de l'orient.
 820 perpetuelle rouge.
 821 Peruvian.
 822 petit Cæsar.
 823 petit cramoi.
 824 petit favorite.
 825 petit mignon.
 826 petit panaché.
 827 phœnix.
 828 pierian.
 829 pilgrim.
 830 pink velvet.
 831 plicata purpurea.
 832 Pomeranian.
 833 pomegranate.
 834 pomona.
 835 pompone.
 836 pompone blanc.
 837 pompone bifera.
 838 pompone quatre saisons.
 839 pompone varin.
 840 Poniatowski.
 841 Pope's cluster.
 842 portlandica grandiflora.
 843 portlandica perpetua.
 844 Portobella.
 845 Portugal.
 846 pourpre agreeable.
 847 pourpre de Paris.
 848 pourpre de Tyre.
 849 pourpre sans epines.

GARDEN VARIETIES.

850 pourpre de Vienne.
 851 pourpre imperial.
 852 pourpre incomparable.
 853 pourpre obscur.
 854 pourpre sans défaut.
 855 pourpre sanspareil.
 856 pourpre superb.
 857 predominant.
 858 Presburg.
 859 prince.
 860 prince d'Aremberg.
 861 princely.
 862 prince regent.
 863 princess Charlotte.
 864 princesse noble.
 865 professor.
 866 prolificarous carmine.
 867 purple crimson.
 868 purple crown.
 869 purple imperial.
 870 purple velvet.
 871 pyramide pourpre.
 872 quatre saisons blanche.
 873 quatre saisons François.
 874 quatre saisons panaché.
 875 quatre saisons sans epines.
 876 queen's Provins.
 877 ragged robin.
 878 ranunculus.
 879 Raphael.
 880 Ratisbon.
 881 ravenna.
 882 red cluster.
 883 red crown.
 884 red Provins.
 885 red velvet.
 886 refulgent.
 887 regina florum.
 888 reine Caroline.
 889 reine d'Hongrie.
 890 renoncule nouvelle.
 891 rex rubrorum.
 892 riche en fleurs.
 893 roi des negres.
 894 roi de Rome.
 895 roi de Maroc.
 896 roi des pays bas.
 897 roi des pourpres.
 898 Roman.
 899 Rosabel.
 900 Rosanna.
 901 rose agreeable.
 902 rose bouquet.
 903 rose de Ceres.
 904 rose des dames.
 905 rose du roi.
 906 rose d'Orleans.
 907 rose du prince.
 908 rose la mode.
 909 rose lee.
 910 rose pivoine.
 911 rose proliferere.
 912 rouge agreeable.
 913 rouge bien vif.
 914 rouge eclatant.
 915 rouge formidable.
 916 rouge frappant.

GARDEN VARIETIES.

917 rouge luisant.
 918 rouge panaché.
 919 rouge sans epines.
 920 rouge semidouble.
 921 rouge vegetable.
 922 royal bouquet.
 923 royal carmine.
 924 royal crimson.
 925 royal gabina.
 926 royal mantle.
 927 royal viscosus.
 928 rubripina.
 929 rubiginosa umbellata.
 930 ruby.
 931 sable.
 932 St. Antoine.
 933 St. Catharine.
 934 St. George.
 935 St. Germain.
 936 St. Gothard.
 937 St. Jago.
 938 St. Mark.
 939 St. Patrick.
 940 sans défaut.
 941 sans petales.
 942 Sarmatian.
 943 scarlet Brabant.
 944 sceptre.
 945 scone purple.
 946 semidouble hep.
 947 semidouble mignonne.
 948 semidouble monthly.
 949 semidouble new.
 950 seigneur d'Ertzelaar.
 951 septum cerise.
 952 Seville.
 953 Sheffield.
 954 Shylock.
 955 Silenus.
 956 Silesian.
 957 shining semidouble.
 958 simplicité.
 959 singuliere agate.
 960 Sirius.
 961 soliditas.
 962 Southampton.
 963 Spartan.
 964 spineless red.
 965 spiral.
 966 stæbon.
 967 standard.
 968 state.
 969 Stephanus.
 970 Stepney, M.L.R. 46.
 971 striped monthly.
 972 striped Provins.
 973 striped velvet.
 974 sugarloaf.
 975 sulphurea.
 976 sulphurea minor.
 977 Sultan, M.L.R. 35.
 978 superb.
 979 superb amaranth.
 980 superbe brune.
 981 superbe pyramide.
 982 surpasse Singleton.
 983 surpasse tout.

GARDEN VARIETIES.	GARDEN VARIETIES.	GARDEN VARIETIES.
984 Swiss.	1010 vacua.	1036 violette sanspareille.
985 Syrian.	1011 vagrant.	1037 violette superbe.
986 Tangiers.	1012 velours cramoisie.	1038 violette superieure.
987 ten-leaved.	1013 veloute.	1039 virgin's.
988 temple d'Apollon.	1014 venerable.	1040 virginale.
989 tête de mort.	1015 venetatus.	1041 virbilis.
990 Theseus.	1016 Venetian.	1042 virgo cramoisie.
991 Tigris.	1017 ventome noir.	1043 ulterio.
992 tricolor.	1018 Venus.	1044 ultramarine.
993 tomentosa alba.	1019 venusta.	1045 umbrella.
994 toujours.	1020 veritas.	1046 unique rouge.
995 tous les mois gris.	1021 vermillion.	1047 Waterloo.
996 transparent.	1022 vesta.	1048 Watson's blush.
997 transparent nouvelle.	1023 Vesuvius.	1049 Watson's white.
998 Trebonius.	1024 victoria.	1050 Wellington.
999 tree burnet-leav'd.	1025 Vidua.	1051 woolly-leaved.
1000 tree pæony.	1026 villosa nouvelle.	1052 white damask.
1001 tresorier.	1027 Vilmorin.	1053 white pomphone.
1002 triangular.	1028 violette.	1054 York.
1003 triomphe.	1029 violette agreeable.	1055 Yorkshire blush.
1004 triomphe des dames.	1030 violette aimable.	1056 Yorkshire Provins.
1005 triomphe royale.	1031 violette brillante.	1057 zabet.
1006 Triton.	1032 violette curieuse.	1058 zatre.
1007 turban.	1033 violette foncée.	1059 Zenobia.
1008 two-coloured 100-leaved.	1034 violette maculée.	
1009 two-coloured mignonne.	1035 violette nonvelle.	

SUBORDO II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS. W.	BRAMBLE.	Icosandria Polygynia. L.				
1 pinnatus. s.s.	pinnate.	C. B. S.	1789.	6. 7.	G. h.	
2 rosæfolius. s.s.	Rose-leaved.	Manritius.	1811.	10. 4.	G. h.	Smith ic. 3. t. 60.
3 coronarius.	double-flow'r'd.	China.	—	—	H. h.	Botan. magaz. 1783.
<i>rosæfolius</i> β <i>coronarius</i> . B.M.						
4 micranthus. D.P.	small-flowered.	Nepaul.	{1818.	6. 8.	H. h.	Botan. regist. 854.
<i>pauciflorus</i> . B.R. <i>exl. syn.</i>						
5 distans. D.P.add.	distant-leaved.	—	—	—	H. h.	
<i>pinnatus</i> . D.P. 254. <i>nec aliorum.</i>						
6 asper. D.P.	rough.	—	1822.	—	H. h.	
7 apetalus. s.s.	petalless.	Manritius.	1823.	S. h.	
8 sanguinolentus. s.s.	red-wooded.	—	—	6. 8.	S. h.	
9 parvifolius. s.s.	small-leaved.	China.	1818.	6. 8.	H. h.	Botan. regist. 496.
10 Idæus. s.s.	Raspberry.	Britain.	5. 6.	H. h.	Eng. bot. 2442.
11 fruticosus. s.s.	common.	—	6. 9.	H. h.	— 715.
12 affinis. Wei.	related.	—	—	H. h.	Weihe. rub. germ. t. 3.
13 suberectus. E.B.	upright.	—	—	H. h.	Eng. bot. 2572.
14 Linkianus.	double-flow'r'd.	—	H. h.	
15 corylifolius. E.B.	Hazel-leaved.	Britain.	7.	H. h.	Eng. bot. 827.
16 nitidus. s.s.	glossy-leaved.	—	7. 8.	H. h.	Weihe. rub. germ. t. 4.
17 leucostachys. s.s.	white-spiked.	—	—	H. h.	
18 rhamnifolius. Wei.	Rhamnus-ld.	—	7. 8.	H. h.	Weihe. rub. germ. t. 6.
19 cordifolius. Wei.	heart-leaved.	Germany.	—	H. h.	
20 rubricaulis. Wei.	red-staked.	—	—	H. h.	
21 plicatus. s.s.	plaited-leaved.	Britain.	7.	H. h.	Weihe. rub. germ. t. 1.
22 Sprengelii. s.s.	Sprengel's.	Germany.	1816.	—	H. h.	
23 Menkii. s.s.	velvety.	—	—	—	H. h.	
24 Schlechtendalii. s.s.	Schlechtendalc's.	—	—	—	H. h.	
25 tilixfolius. s.s.	Lime-tree ld.	—	—	—	H. h.	
26 Schleicheri. s.s.	Schleicher's.	—	1824.	—	H. h.	
27 horridus. s.s.	very prickly.	—	6. 7.	H. h.	
28 villosus. s.s.	shaggy.	N. America.	1777.	7. 8.	H. h.	
29 cuneifolius. s.s.	wedge-leaved.	—	1811.	6. 8.	H. h.	
30 laciniatus. s.s.	jagged-leaved.	6. 9.	H. h.	Willd. hort. ber. t. 82.

31	jamaicensis. s.s.	Jamaica.	Jamaica.	1820.	—	S. ½.	Sloan. j. 2. t. 213. f. 1.
32	cæsius. s.s.	Dewberry.	Britain.	6. 7.	H. ½.	Eng. bot. 826.
33	sanctus. L.en.	obovate-leaved.	Levant.	—	H. ½.	
34	tomentosus. s.s.	woolly-leaved.	Germany.	1816.	—	H. ½.	
35	glandulosus. s.s.	glandular-stalk'd.	Britain.	7. 8.	H. ½.	
36	hirtus. s.s.	hairy.	Hungary.	1816.	—	H. ½.	
37	ulmifolius.	elm-leaved.	Spain.	1824.	—	H. ½.	
38	occidentalis. s.s.	American raspberry.	N.Amer.	1696.	5. 6.	H. ½.	Dill. elt. t. 247. f. 319.
39	hispidus. w.	bristly.	Canada.	1768.	8.	H. ½.	
40	trivialis. Ph.	American dewberry.	N.Amer.	1789.	6. 7.	H. ½.	
41	flagellaris. Ph.	shining-leaved.	—	—	—	H. ½.	
42	tetraphyllus. w.en.	four-leaved.	—	1812.	—	H. ½.	
43	argutus. L.en.	sharp-toothed.	—	1824.	—	H. ½.	
44	foliolosus. D.P.ad- microphyllus. D.P.	leafy. 231. nec aliorum.	Nepaul.	1823.	7. 8.	H. ½.	
45	pedunculatus. D.P.	long-peduncled.	—	1820.	—	H. ½.	
46	moluccanus. s.s.	Molucca.	Molucca.	1810.	6. 7.	S. ½.	
47	reflexus. s.s.	reflexed.	China.	1818.	—	G. ½.	Botan. regist. 461.
48	ringosus. D.P.	ringose.	Nepaul.	—	—	H. ½.	
49	parviflorus. N.	Vine-leaved.	N. America.	—	H. ½.	
50	odoratus. s.s.	flowering Raspberry.	—	1700.	—	H. ½.	Botan. magaz. 323.
51	inermis. s.s.	smooth.	—	1805.	—	H. ½.	
52	canadensis. s.s.	purple stalked.	—	1811.	—	H. ½.	
53	strigosus. s.s.	strigose.	—	—	H. ½.	
54	obovatis. s.s.	roundly-oval-ld.	—	1823.	5. 7.	H. ½.	
55	saxatilis. E.B.	stone.	Britain.	6.	H. ½.	Eng. bot. 2233.
56	arcticus. E.B.	dwarf erimson.	Scotland.	5. 8.	H. ½.	— 1585.
57	pistillatus. s.s.	close-styled.	Labrador.	1802.	6. 7.	H. ½.	Exot. bot. 2. t. 86.
58	Chamaemorus. E.B.	Cloud-berry.	Britain.	—	H. ½.	Eng. bot. 716.
59	stellatus. s.s.	stellate.	N. America.	1823.	—	H. ½.	
DALIBARDA. M.	DALIBARDA.	Icosandria Polygynia.					
1	repens. L.	Violet-leaved.	N. America.	1768.	5. 6.	H. ½.	Mich. amer. 1. t. 27.
	violaeoides. M.						
DRYAS. W.	DRYAS.	Icosandria Polygynia. L.					
	octopetala. w.	mountain.	Britain.	7. 8.	H. ½.	Eng. bot. 451.
SIEVERSIA. Br.	SIEVERSIA.	Icosandria Polygynia.					
1	geoides. s.s.	Geum-like.	Siberia.	1780.	6.	H. ½.	Jacq. vind. 3. t. 68.
	Dryas geoides. Pall.	Geum potentilloides. w.					
2	reptans. s.s.	creeping.	Switzerland.	1775.	6. 8.	H. ½.	Jacq. aust. 5. t. app. 22.
	Geum reptans. w.						
3	montana. s.s.	mountain.	Austria.	1597.	5. 9.	H. ½.	Jacq. aust. 4. t. 373.
	β minor.	small mountain.	—	—	—	H. ½.	Barrel. rar. t. 399.
4	anemonoides. s.s.	Anemone-like.	N. America.	1824.	—	H. ½.	Pall. it. 3. n. 92. t. E. e. f. 4.
GEUM. S.S.	AVENS.	Icosandria Polygynia. L.					
1	agrimonoides. s.s.	Agrimony-ld.	N. America.	1811.	6. 7.	H. ½.	
2	strictum. w.	upright.	—	1778.	5. 6.	H. ½.	Jacq. ic. 1. t. 93.
3	hirsutum. L.en.	hairy.	—	1818.	—	H. ½.	
4	intermedium. w.en.	intermediate.	Europe.	1794.	5. 8.	H. ½.	W. hort. ber. 1. t. 69.
5	rivale. s.s.	water.	Britain.	6. 7.	H. ½.	Eng. bot. 106.
6	pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1804.	—	H. ½.	Lam. ill. t. 44.
7	macrophyllum. w.	large-leaved.	Kamtshatka.	—	—	H. ½.	
8	atlanticum. s.s.	Atlantic.	Africa.	1820.	—	H. ½.	
9	heterophyllum.	various-leaved.	—	H. ½.	
10	hybridum. Jacq.	hybrid.	Europe.	—	H. ½.	Jacq. ic. 1. t. 94.
11	inclinatum. Sch.	inclinate.	Switzerland.	1821.	—	H. ½.	
12	radiatum. M.	radiate.	N. America.	1822.	—	H. ½.	
13	virginianum. s.s.	Virginian.	—	7. 8.	H. ½.	
14	album. s.s.	white-flowered.	—	1730.	—	H. ½.	Jacq. vind. 2. t. 175.
	canadense. Jacq.						
15	urbanum. s.s.	common.	Britain.	5. 8.	H. ½.	Eng. bot. 1400.
COMARUM. W.	COMARUM.	Icosandria Polygynia. L.					
	palustre. E.B.	marsh cinquefoil.	Britain.	6. 7.	H. ½.	Eng. bot. t. 172.
TORMENTILLA. W.	SEPTFOIL.	Icosandria Polygynia. L.					
1	erecta. w.	common.	Britain.	5. 10.	H. ½.	Eng. bot. 863.
	officinalis. E.B.	Potentilla Tormentilla. s.s.					
2	reptans. w.	large-flowered.	—	6. 7.	H. ½.	— 864.
	Potentilla nemoralis. s.s.						
POTENTILLA. W.	CINQUEFOIL.	Icosandria Polygynia. L.					
1	fruticosa. w.	shrubby.	England.	6. 8.	H. ½.	Eng. bot. 88.

2	<i>floribunda</i> . Ph.	cluster-flow'r'd.	N.America.	1811.	6. 10.	H. h.	Wats. dend. brit. t. 70.
3	<i>glabra</i> . B.C.	white-flow'r'd.	Davuria.	1818.	—	H. h.	Lodd. bot. cab. 914.
4	<i>pennsylvanica</i> . s.s.	Pennsylvanian.	N.America.	1725.	6. 8.	H. h.	Jacq. vind. 2. t. 189.
5	<i>viscosa</i> . s.s.	clammy.	Siberia.	1797.	7. 8.	H. h.	
6	<i>splendens</i> . D.P. <i>striata</i> . s.s.	silver-leaved.	Nepaul.	1818.	7. 10.	H. h.	Swt. br. fl. gar. 150.
7	<i>arguta</i> . s.s.	sharp-toothed.	N.America.	—	5. 7.	H. h.	
8	<i>pimpinelloides</i> . s.s.	Burnet-leaved.	Levant.	1758.	6. 8.	H. h.	Buxb. cent. 1. t. 48.
9	<i>Sprengeliana</i> . s.s.	Sprengel's.	Siberia.	1824.	—	H. h.	
10	<i>geoides</i> . s.s.	Aven's-like.	Tauria.	1820.	—	H. h.	
11	<i>sericea</i> . s.s.	silky.	Siberia.	1780.	5. 6.	H. h.	
12	<i>agrimonioides</i> . s.s.	Agrimony-ld.	Caucasus.	1823.	6. 8.	H. h.	
13	<i>verticillaris</i> . s.s.	whorled.	Siberia.	—	—	H. h.	
14	<i>bifurea</i> . s.s.	bifid-leaved.	—	1773.	6. 7.	H. h.	Gmel. it. 1. t. 27. f. 1.
15	<i>ruthenica</i> . W.	Russian.	—	1799.	5. 6.	H. h.	Moris. s. 2. t. 20. f. 2.
16	<i>supina</i> . s.s.	trailing.	—	1696.	7. 8.	H. h.	Jacq. aust. 5. t. 406.
17	<i>multifida</i> . s.s.	cut-leaved.	—	1759.	5. 6.	H. h.	
18	<i>fragarioides</i> . s.s.	Strawberry-ld.	—	1773.	—	H. h.	Gmel. sib. 3. t. 34. f. 2.
19	<i>Anserina</i> . s.s.	Wild Tansey-	Britain.	5. 9.	H. h.	Eng. bot. 861.
20	<i>rupestris</i> . s.s.	rock.	England.	—	H. h.	— 2058.
21	<i>Salesovii</i> . s.s.	suffruticose.	Siberia.	1823.	6. 8.	H. h.	
22	<i>recta</i> . s.s.	upright.	S. Europe.	1648.	6. 7.	H. h.	
23	<i>obscura</i> . s.s.	obscure.	Siberia.	1816.	—	H. h.	
24	<i>hirta</i> . s.s.	hairy.	S. Europe.	1725.	5. 9.	H. h.	
25	<i>taurica</i> . s.s.	Taurian.	Tauria.	1824.	—	H. h.	
26	<i>intermedia</i> . s.s. <i>opaca</i> . E.B. non L.	various-leaved.	Scotland.	—	6. 7.	H. h.	Eng. bot. 2449.
27	<i>pedata</i> . s.s.	pedate-leaved.	Italy.	1818.	H. h.	Lodd. bot. cab. 579.
28	<i>laciniosa</i> . s.s.	jagged.	Hungary.	—	—	H. h.	
29	<i>stipularis</i> . s.s.	large-stipuled.	Siberia.	1807.	—	H. h.	
30	<i>pumila</i> . s.s.	dwarf.	N.America.	1818.	5. 6.	H. h.	
31	<i>astracantha</i> . s.s.	Astracan.	Siberia.	1787.	6. 8.	H. h.	Jacq. ic. 1. t. 92.
32	<i>canescens</i> . DC.	canescent.	S. Europe.	1822.	—	H. h.	
33	<i>argentea</i> . s.s.	silvery.	Britain.	—	H. h.	Eng. bot. 89.
34	<i>calabra</i> . T.S.	Calabrian.	Italy.	1825.	—	H. h.	Ten. fl. nap. 1. t. 45.
35	<i>Guntheri</i> . s.s.	Gunther's.	Bohemia.	1823.	—	H. h.	
36	<i>collina</i> . s.s.	hill.	Germany.	—	—	H. h.	
37	<i>Dethomasii</i> . T.S.	silky-haired.	Italy.	1825.	—	H. h.	Ten. fl. nap. 1. t. 44.
38	<i>patula</i> . s.s.	spreading.	Hungary.	1806.	—	H. h.	
39	<i>aurea</i> . E.B. <i>crocea</i> . s.s. <i>alpestris</i> .	safron-colour'd.	Scotland.	—	6. 7.	H. h.	Eng. bot. 561.
40	<i>Halleri</i> . Ser. <i>aurca</i> . s.s.	C.F.B. ed. 4. Haller's.	Europe.	—	H. h.	Hall. hist. t. 21. f. 4.
41	<i>canadensis</i> . s.s.	Canadian.	N.America.	1818.	5. 8.	H. h.	
42	<i>incisa</i> . s.s.	jagged.	—	—	H. h.	
43	<i>opaca</i> . s.s.	opaque-leaved.	N.America.	6. 7.	H. h.	
44	<i>verna</i> . E.B.	spring.	Britain.	3. 5.	H. h.	Eng. bot. 37.
45	<i>subacaulis</i> . s.s.	short-stalked.	S. Europe.	1820.	4. 6.	H. h.	
46	<i>simplex</i> . s.s. <i>sarmentosa</i> . W.en.	sarmentose.	N.America.	1804.	5. 8.	H. h.	
47	<i>reptans</i> . E.B.	common.	Britain.	6. 8.	H. h.	Eng. bot. 862.
48	<i>bithynica</i> . L.en.	Bithynian.	Bithynia.	1822.	—	H. h.	
49	<i>thuringiaca</i> . L.en.	Thuringian.	Thuringia.	—	—	H. h.	
50	<i>Weinmannii</i> . L.C.	Weinmann's.	—	—	—	H. h.	Lodd. bot. cab. 706.
51	<i>alba</i> . E.B.	white-flowered.	Wales.	7. 8.	H. h.	Eng. bot. 1384.
52	<i>valderia</i> . s.s.	woolly.	S. Europe.	1818.	6. 8.	H. h.	All. ped. n. 1454. t. 24. f. 1
53	<i>lupinoides</i> . s.s.	close-flowered.	—	1739.	6. 7.	H. h.	Lodd. bot. cab. 654.
54	<i>Clusiana</i> . s.s.	Clusius's.	Alps.	1806.	7. 8.	H. h.	Botan. magaz. 1327.
55	<i>caulescens</i> . s.s.	caulescent.	Austria.	1759.	5. 6.	H. h.	Jacq. anst. t. 220.
56	<i>formosa</i> . D.P. <i>nepalensis</i> . H. ex. fl. 88.	handsome.	Nepaul.	1820.	6. 9.	H. h.	Swt. br. fl. gar. t. 136.
57	<i>atroanguinea</i> . D.P.	dark crimson.	—	—	—	H. h.	— t. 124.
58	<i>norvegica</i> . s.s.	Norwegian.	N. Europe.	1764.	6. 7.	H. h.	Flor. dan. 171.
59	<i>hirsuta</i> . s.s.	hairy-leaved.	N.America.	1820.	—	H. h.	
60	<i>monspeliensis</i> . W.	Montpelier.	France.	1680.	7. 8.	H. h.	Moris. h. s. 2. t. 20. f. 2.
61	<i>grandiflora</i> . s.s.	great-flower'd.	Siberia.	1640.	6. 7.	H. h.	Botan. magaz. 75.
62	<i>velutina</i> . s.s.	velvetty.	S. France.	—	H. h.	
63	<i>nivea</i> . s.s.	snowy-leaved.	S. Europe.	1816.	6. 8.	H. h.	Lodd. bot. cab. 460.

64	<i>micrantha</i> , s.s.	small-blossom'd.	Pyrenees.	—	—	H. 2.	
65	<i>frigida</i> , s.s.	frigid.	Alps.	—	—	H. 2.	
66	<i>Brauneana</i> , s.s. <i>minima</i> , B.C.	small.	—	—	—	H. 2.	Lodd. bot. cab. 480.
67	<i>tridentata</i> , s.s.	trifid-leaved.	Scotland.	5. 6.	H. 2.	Eng. bot. 2389.
68	<i>fragariastrum</i> , Ehr. <i>Fragaria sterilis</i> , E.B.	Strawberry-like.	Britain.	3. 4.	H. 2.	1785.
69	<i>Jamesoniana</i> , s.s.	Jameson's.	Greenland.	1822.	6. 7.	H. 2.	
70	<i>nitida</i> , s.s.	glossy.	Austria.	1798.	—	H. 2.	Jacq. aust. 5. t. 25.
71	<i>apenninum</i> , T.S.	Apennine.	Italy.	1825.	—	H. 2.	Ten. fl. nap. 1. t. 46.
72	<i>vinosa</i> , L.C.	vinous.	—	—	—	H. 2.	
FRAGARIA, DC.	STRAWBERRY.	Icosandria	Polygynia	L.			
1	<i>monophylla</i> , s.s.	one-leaved.	—	1773.	5. 6.	H. 2.	Botan. magaz. 63.
2	<i>vesca</i> , DC. <i>a sylvestris</i> , DC.	wood. <i>common.</i>	Britain.	4. 6.	H. 2.	Eng. bot. 1521.
	<i>β semperflorens</i> , DC.	<i>ever-bearing.</i>	—	4. 11.	H. 2.	Nois. jard. fr. t.11. f.2.
	<i>γ minor</i> , DC.	<i>small English.</i>	Britain.	4. 6.	H. 2.	
	<i>δ hortensis</i> , DC.	<i>garden.</i>	—	—	H. 2.	
	<i>ε eftlagcllis</i> , DC.	<i>short-shooted.</i>	—	—	H. 2.	
	<i>ζ multiplex</i> , DC.	<i>double-blossom'd.</i>	—	—	H. 2.	Blackw. herb. t.77. f.3.
	<i>η botryformis</i> , DC.	<i>crowm-flowered.</i>	—	—	H. 2.	
	<i>θ muricata</i> , DC.	<i>bristly-styled.</i>	—	—	H. 2.	
3	<i>calycina</i> , DC.	large-calyxed.	France.	—	H. 2.	
4	<i>collina</i> , DC. <i>a rubra.</i> <i>β alba,</i>	Alpine. <i>red fruited.</i> <i>white fruited.</i>	Germany.	1768.	4. 11.	H. 2.	
5	<i>platanoides</i> , DC.	plane-leaved.	N.America?	4. 6.	H. 2.	
6	<i>Majaufea</i> , DC. <i>a bifera</i> , DC. <i>β dubia</i> , DC.	plaited-leaved. <i>double-bearing.</i> <i>flat-fruited.</i>	France.	4. 11.	H. 2.	
7	<i>Breslingea</i> , DC. <i>a abortiva</i> , DC. <i>β nigra</i> , DC. <i>γ pendula</i> , DC. <i>δ hispida</i> , DC. <i>ε viridis</i> , DC. <i>ζ pratensis</i> , DC.	leathery-leav'd. <i>sterile.</i> <i>black.</i> <i>pear-fruited.</i> <i>Longchamp.</i> <i>green-fruited.</i> <i>dwarf.</i>	—	4. 6.	H. 2.	Nois. jard. fr. t.13. f. 2.
8	<i>elatiar</i> , DC. <i>a moschata</i> , DC. <i>β dioica</i> , DC.	Hautboy. <i>musky.</i> <i>diacious.</i>	England?	4. 6.	H. 2.	Eng. bot. 2197. Nois. jard. fr. t.13. f.1.
9	<i>virginiana</i> , DC. <i>β hybrida</i> , DC.	scarlet. <i>hybrid.</i>	N.America.	1629.	—	H. 2.	Dulham. arb. 1. t. 5.
10	<i>grandiflora</i> , W. <i>a ananassa</i> , DC. <i>β calyculata</i> , DC. <i>γ tincta</i> , DC.	Pine. <i>large.</i> <i>Bath.</i> <i>Canterbury.</i>	Surinam.	1759.	—	H. 2.	Mill. ic. 2. t. 288. Nois. jard. fr. t.14. f. 2. — t.11. f.1 et 14. f.1. Dill. hort. t. 20. f. 140.
11	<i>chilensis</i> , DC.	Chili.	S.America.	1727.	5. 6.	H. 2.	Dulham. arb. 1. t. 3.
12	<i>canadensis</i> , DC.	Canada.	Canada.	—	H. 2.	
13	<i>indica</i> , DC. <i>Duchesnea fragiformis</i> , L.T.	yellow-flow'r'd. <i>L.T.</i>	Nepaul.	1805.	5. 10.	H. 2.	Botan. regist. 61.
COMAROPSIS, DC.	COMAROPSIS.	Icosandria	Polygynia				
1	<i>fragarioides</i> , DC. <i>Dalibarda fragarioides</i> , M.	strawberry-like.	N.America.	1803.	5. 6.	H. 2.	Mich. amer. 1. t. 28.
2	<i>Doniana</i> , DC. <i>Dalibarda fragarioides</i> , B.M.	Don's. <i>B.M.</i>	—	—	—	H. 2.	Botan. magaz. 1567.
WALDSTEINIA, S.S.	WALDSTEINIA.	Icosandria	Digynia	L.			
	<i>geoides</i> , s.s.	Avens-leaved.	Hungary.	1804.	6. 7.	H. 2.	Lodd. bot. cab. 492.
SIBBALDIA, DC.	SIBBALDIA.	Pentandria	Pentagynia	L.			
1	<i>procumbens</i> , DC.	procumbent.	Britain.	6. 8.	H. 2.	Eng. bot. 897.
2	<i>parviflora</i> , DC.	small-flowered.	Levant.	—	H. 2.	Will. a. ber. 1799. t.5. f.4.
3	<i>erecta</i> , DC.	upright.	Siberia.	1806.	—	H. 2.	Amm. ruth. t. 15.
4	<i>polygynia</i> , DC.	many-styled.	—	1824.	—	H. 2.	
AREMONIA, DC.	AREMONIA.	Octandria	Digynia				
	<i>agrimonoides</i> , DC. <i>Spallanzania agrimonoides</i> , s.s.	Agrimony like. <i>Agrimonia agrimonoides</i> , L.	Italy.	1739.	6. 8.	H. 2.	Col. ecphr. 1. t. 144.
AGRIMONIA, DC.	AGRIMONY.	Dodecandria	Digynia	L.			
1	<i>Eupatoria</i> , DC.	common.	Britain.	6. 7.	H. 2.	Eng. bot. 1335.
2	<i>nepalensis</i> , D.P.	Nepaul.	Nepaul.	1820.	—	H. 2.	
3	<i>odorata</i> , DC.	sweet-scented.	Italy.	1640.	7.	H. 2.	

4 pilosa. DC.	hairy.	Siberia.	1820.	—	H. ½.
5 snaveolens. DC.	fragrant.	N.America.	1820.	6. 7.	H. ½.
6 repens. DC.	creeping.	Levant.	1737.	7. 9.	H. ½.
7 parviflora. DC.	small-flowered.	N.America.	1766.	7.	H. ½.
8 striata. M.	white-flowered.	—	1812.	6. 8.	H. ½.

SUBORDO III. SANGUISORBEÆ. DC. prodr. v. 2. p. 588.

ALCHIMILLA. DC.	LADIES MANTLE. Di-Tetrandria Monogynia. L.
1 capensis. DC.	Cape. C. B. S. 1818. 4. 6. G. ½. Lam. ill. t. 86. f. 2.
2 vulgaris. DC.	common. Britain. 6. 8. H. ½. Eng. bot. 597.
<i>β</i> variegata.	variegated-leaf'd. H. ½.
<i>γ</i> glabra. DC.	smooth. Pyrences. H. ½.
3 hybrida. DC.	mountain. Saxony. H. ½. Pluk. t. 240. f. 2.
<i>montana</i> . W.en.	
4 pubescens. DC.	pubescent. Caucasus. 1813. — H. ½. Willd. hort. ber. 2. t. 79.
5 alpina. DC.	silvery. Britain. 7. H. ½. Eng. bot. 244.
6 sericea. DC.	silky. Caucasus. 1813. 6. 8. H. ½.
7 pentaphylla. DC.	five-leaved. Switzerland. 1784. 7. H. ½. Bocc. mus. p. 18. t. 1.
8 sibbaldiæfolia. DC.	Sibbaldia-ld. Mexico. 1823. — F. ½. H. et B. n. g. am. 6. t. 561.
9 arvensis. DC.	Parsley piert. Britain. 4. 6. H. ½. Eng. bot. 1011.
<i>Aphanes w. Aphanes arvensis. L.</i>	
CEPHALOTUS. DC.	CEPHALOTUS. Dodecandria Hexagynia.
<i>follicularis. DC.</i>	pitchee-plant. N. Holland. 1822. G. ½. Lab. nov. holl. 2. t. 145.
ACÆNA. Kth.	ACÆNA. Tri-Pentandria Monogynia.
1 latebrosa. DC.	hairy. C. B. S. 1774. 4. 6. G. ½. Gärt. fruct. 1. t. 32.
2 pinnatifida. DC.	pinnatifid. Chili. 1823. — G. ½. Fl. per. 1. t. 104. f. 1. b.
3 sericea. DC.	silky. Port Desire. G. ½. Jacq. f. ecl. 1. t. 55.
ANCISTRUM. Kth.	ANCISTRUM. Di-Pentandria Monogynia.
1 sanguisorbæ. L.	Burnet-leaved. N. Zealand. 1796. 6. F. ½. Gärt. fruct. t. 32.
2 ovalifolium.	oval-leaved. Peru. 1802. 5. 6. F. ½. Vent. h. eels. t. 5.
<i>repens. V.</i>	
3 argenteum. Kth.	silvery-leaved. S. America. 1823. — F. ½. Fl. per. 1. t. 103. f. b.
4 adscendens.	ascending. Magellan. — H. ½.
5 lævigatum.	smooth. — 1790. 6. 8. H. ½.
6 magellanicum. Lam.	Magellan. — H. ½. Lam. ill. t. 22. f. 2.
7 lucidum. Lam.	shining. Falkland Isl. 1777. 5. 6. H. ½. — t. 22. f. 3.
SANGUISORBA. DC.	GREAT-BURNET. Tetrandria Monogynia. L.
1 officinalis. DC.	officinal. Britain. 6. 8. H. ½. Eng. bot. 1312.
<i>β</i> auriculata. DC.	ear'd. Italy. H. ½. Bocc. mus. 19. t. 9.
2 carnea. DC.	flesh-coloured. 1818. — H. ½.
3 mauritanica. DC.	Barbary. Algiers. H. ½. Moris. ox. s. 8. t. 18. f. 4.
4 tenuifolia. DC.	slender-leaved. Dahruria. 1820. — H. ½. Schran. h. monac. t. 69.
5 media. DC.	short-spiked. Canada. 1785. — H. ½. Moris. ox. s. 8. t. 18. f. 8.
6 canadensis. DC.	Canadian. — 1633. — H. ½. — sect. 8. t. 18. f. 12.
POTERIUM. DC.	BURNET. Monœcia Polyandria. L.
1 spinosum. DC.	prickly shrubby. Levant. 1595. 4. 8. G. ½. Moris. ox. s. 8. t. 18. f. 5.
<i>β</i> crispum. DC.	curled-leaved. G. ½.
<i>γ</i> inerme. DC.	spineless. G. ½.
2 caudatum. DC.	shrubby. Canaries. 1779. 1. 4. G. ½. Botan. magaz. 2341.
3 Sanguisorba. DC.	common. England. 7. H. ½. Eng. bot. 860.
4 agrimonifolium. DC.	Agrimony-ld. Spain. 1818. 6. 7. H. ½.
5 hybridum. W.	sweet. France. 1683. — H. ½. Barrel. ic. t. 632.
6 polygamum. DC.	Hungarian. Hungary. 1803. 7. 8. H. ½. W. et K. hung. 2. t. 198.
CLIFFORTIA. DC.	CLIFFORTIA. Diœcia Polyandria. L.
1 ilicifolia. DC.	Holly-leaved. C. B. S. 1714. 5. 9. G. ½. Linn. hort. cliff. t. 30.
2 cordifolia. DC.	heart-leaved. — 1816. — G. ½.
3 tridentata. DC.	three-toothed. — 1752. 6. 7. G. ½.
4 ruscifolia. DC.	Ruscus-leaved. — — G. ½. Linn. hort. cliff. t. 31.
<i>arachnoides. B.C. 260.</i>	
5 cuneata. DC.	wedge-leaved. — 1787. 4. G. ½.
6 strobilifera. DC.	cone-bearing. — 1816. 5. 7. G. ½. Pluk. alm. t. 275. f. 2.
7 ericæfolia. DC.	heath-leaved. — 1799. 7. 9. G. ½.
8 sarmentosa. DC.	twiggy. — 1795. 6. 8. G. ½.
9 falcata. DC.	falcate-leaved. — 1816. — G. ½.

10 ternata. DC.	ternate-leaved.	———— ———— ————	G. h.	Linn. hort. cliff. t. 32.
11 trifoliata. DC.	three-leaved.	———— 1752. 4. 7.	G. h.	Pluk. alm. t. 319. f. 4.
12 obcordata. DC.	obcordate.	———— 1790. 6. 8.	G. h.	
13 obligna. DC.	oblique-leaved.	———— 1816. ————	G. h.	
14 crenata. DC.	notched-leaved	———— 1791. 7. 8.	G. h.	
15 pulchella. DC.	beautiful.	———— 1795. 4. 5.	G. h.	
16 cinerea. DC.	cinereous.	———— 1800. 6. 7.	G. h.	

ORDO LXXII.

SPIRÆACEÆ. *Don. prodr. fl. nepal. p. 227.*

KERRIA. DC.	KERRIA. Icosandria Penta-Octogynia.				
japonica. DC.	Japanese.	Japan.	1804. 5. 9.	H. h.	
<i>flore pleno.</i>	double-flowered.	———— ————	———— ————	H. h.	Botan. magaz. 1296.
<i>Corchorus japonicus.</i>	B.M.				
SPIRÆA. DC.	SPIRÆA. Icosandria Pentagynia. L.				
1 opulifolia. DC.	Gnelder-rose-ld.	N. America.	1690. 6. 7.	H. h.	Schmidt arb. 1. t. 52.
2 ulmifolia. DC.	Elm-leaved.	Siberia.	1790. ————	H. h.	Jacq. vind. 2. t. 140.
3 flexuosa. DC.	flexuose.	1820. ————	H. h.	
4 bella. D.P.	red-flowered.	Nepaul.	1818. 6. 8.	H. h.	Botan. magaz. 2426.
5 chamædrifolia. DC.	Germander-ld.	Siberia.	1789. 6. 7.	H. h.	Pall. ross. 1. t. 15.
6 oblongifolia. W.K.	oblong-leaved.	Hungary.	1816. 5. 6.	H. h.	W. et K. hung. 3. t. 235.
7 trilobata. DC.	three-lobed.	Siberia.	1801. 5.	H. h.	Pall. ross. 1. t. 17.
8 alpina. DC.	Alpine.	————	1806. 7.	H. h.	———— 1. t. 20.
9 thalictroides. DC.	meadow rue-ld.	————	1790. 5.	H. h.	———— 1. t. 18.
10 hypericifolia. W.	Hypericum-ld.	N. America.	1640. 4. 5.	H. h.	Schmidt arb. 1. t. 26.
11 uralensis.	Fischer's.	Siberia.	1822. ————	H. h.	
<i>hypericifolia. a. uralensis.</i>	DC.				
12 acutifolia. W.en.	acute-leaved.	———— ————	———— ————	H. h.	
13 crenata. L.	Hawthorn-ld.	————	1739. ————	H. h.	Schmidt arb. 1. t. 45.
14 obovata. W.K.	obovate-leav'd.	Hungary.	1816. 5. 6.	H. h.	
15 ceanothifolia. DC.	Ceanothus-ld.	1820. ————	H. h.	
16 corymbosa. DC.	corymbose.	Virginia.	1812. 5. 6.	H. h.	Lodd. bot. cab. 671.
17 betulifolia. DC.	Birch-leaved.	Siberia.	———— 6. 7.	H. h.	Pall. ross. 1. t. 16.
18 lævigata. DC.	smooth-leaved.	————	1774. 4. 6.	H. h.	Schmidt arb. 1. t. 49.
19 salicifolia. E.B.	Willow-leaved.	Britain. 6. 8.	H. h.	Eng. bot. 1468.
20 alba. W.D.	white-flowered.	H. h.	Wats. dend. brit. 133.
21 carpinifolia. W.D.	Hornbeam-ld.	N. America. 7. 8.	H. h.	———— 66.
22 tomentosa. DC.	tomentose.	————	1736. 8. 9.	H. h.	Schmidt arb. 1. t. 51.
23 sorbifolia. DC.	Service-leaved.	Siberia.	1759. 8.	H. h.	———— 1. t. 58.
<i>alpina. DC.</i>	dwarf.	Kamtschatka.	1817. ————	H. h.	Pall. ross. 1. t. 25.
24 Aruncus. DC.	Goat's-beard.	Siberia.	1633. 6. 7.	H. h.	———— 1. t. 26.
<i>β? americana. DC.</i>	American.	N. America.	H. h.	
25 Ulmaria. DC.	Meadow-sweet.	Britain. 6. 10.	H. h.	Eng. bot. 960.
<i>a tomentosa. DC.</i>	tomentose.	————	H. h.	
<i>β multiplex. DC.</i>	double-flowered.	————	H. h.	
<i>γ variegata.</i>	variegated-ld.	————	H. h.	
26 lobata. DC.	lobed-leaved.	Siberia.	1765. 7. 8.	H. h.	Jacq. vind. 1. t. 88.
27 palmata. DC.	palmated.	China.	1823. ————	H. h.	
28 digitata. DC.	digitate.	Siberia.	————	H. h.	Pall. ross. 1. t. 27.
29 Filipendula. DC.	Dropwort.	Britain. 6. 10.	H. h.	Eng. bot. 284.
<i>β multiplex. DC.</i>	double-flowered.	————	H. h.	
GILLENIA. DC.	GILLENIA. Dodecandria Pentagynia.				
1 trifoliata. DC.	three-leaved.	N. America.	1713. 6. 7.	H. h.	Botan. magaz. 489.
<i>Spiræa trifoliata. B.M.</i>					
2 stipulacea. DC.	large-stipuled.	N. America.	1805. 6. 7.	H. h.	Bart. med. bot. t. 6.
<i>Spiræa stipulacea. Ph.</i>					

ORDO LXXIII.

RESEDACEÆ. *DC. theor. ed. 1. p. 214.*

RESEDA. W.	RESEDA. Dodecandria Trigynia. L.				
1 Luteola. w.	Dyers weed.	Britain.	6. 7.	H. ⊙. Eng. bot. 320.
2 crispata. L.en.	curled-leaved.	S. Europe.	1820.	—	H. ⊙.
3 vireseens. s.s.	greenish.	Spain.	—	—	H. ⊙.
4 canescens. s.s.	hoary.	—	1597.	5. 7.	H. ♀. Clus. hist. 1. t. 295.
5 glauca. s.s.	glaucous.	S. Europe.	1700.	—	F. ♀. Pluk. alm. t. 107. f. 2
6 scoparia. s.s.	Broom-like.	Teneriffe.	1815.	8. 9.	G. ♀.
7 dipetala. s.s.	two-petaled.	C. B. S.	1774.	8.	G. ♂.
8 limifolia. s.s.	flax-leaved.	S. Europe.	1820.	7. 8.	F. ♂.
9 sesamoides. s.s.	spear-leaved.	France.	1787.	—	H. ⊙.
10 mediterranea. s.s.	Mediterranean.	Palestine.	1791.	6. 9.	H. ⊙. All. ped. 2. t. 88. f. 3.
11 odorata. s.s.	Mignonette.	Egypt.	1752.	6. 10.	H. ⊙. Jacq. ic. 3. t. 475.
β frutescens. B.R.	<i>trec mignonette.</i>	—	—	G. ♀. Botan. magaz. 29.
12 Phyteuma. s.s.	trifid.	S. Europe.	—	6. 9.	H. ⊙. Jacq. aust. 2. t. 132.
13 incisa. T.C.	cut-leaved.	Italy.	1825.	—	H. ⊙.
14 ramosissima. s.s.	branching.	Spain.	1816.	—	H. ♀.
15 saxatilis. s.s.	rock.	—	—	—	H. ♀.
stricta. P.S.					
16 pruinosa. s.s.	papillose-ld.	Egypt.	1823.	—	H. ♀.
17 lutea. s.s.	Base-rocket.	Britain.	7. 8.	H. ♂. Eng. bot. 321.
18 undata. s.s.	wave-leaved.	Spain.	1739.	6. 8.	H. ♀. Barrel. rar. t. 587.
19 alba. s.s.	upright white.	S. Europe.	1596.	5. 10.	H. ♂. Lobel. ic. 222.
20 frutescens. s.s.	frutescent.	Spain.	1791.	9.	G. ♀. Jacq. ic. 3. t. 474.
21 bipinnata. s.s.	bipinnate.	—	1816.	6. 8.	G. ♀.
22 myriophylla. T.C.	numerous-ld.	Italy.	1825.	—	H. ♀.

ORDO LXXIV.

SALICARIÆ. *Juss. gen. p. 331.*

LAGERSTRÆMIA. W.	LAGERSTRÆMIA. Icosandria Monogynia. Roxb.				
1 indica. w.	Indian.	China.	1759.	8. 10.	S. ♀. Botan. magaz. 405.
2 reginæ. w.	oblong-leaved.	E. Indies.	1792.	S. ♀. Roxb. cor. 1. t. 65.
3 grandiflora. H.B.	large-flowered.	—	1809.	S. ♀.
4 parviflora. H.B.	small-flowered.	—	1816.	S. ♀.
GRISLEA. W.	GRISLEA. Octandria Monogynia. L.				
1 tomentosa. w.	downy.	E. Indies.	1804.	5. 12.	S. ♀. Botan. regist. 30.
<i>Woodfordia floribunda.</i> P.L.					
2 secunda. w.	secund.	Caracas.	1824.	S. ♀.
LAWSONIA. W.	LAWSONIA. Octandria Monogynia. L.				
1 inermis. w.	smooth.	Egypt.	1759.	S. ♀. Rauw. ic. 60. t. 7.
2 spinosa. w.	prickly.	E. Indies.	1759.	S. ♀. Rheed. mal. 1. t. 40.
LYTHRUM. W.	LYTHRUM. Dodecandria Monogynia. L.				
1 Salicaria. w.	common.	Britain.	7. 8.	H. ♀. Eng. bot. 1061.
2 tomentosum. Mill.	woolly.	N. America.	—	H. ♀.
<i>Salicaria β pubescens.</i> Ph.					
3 Græfferi. T.S.	Græffer's.	Italy.	1825.	H. ♀.
4 diffusum. B.F.G.	spreading.	N. America.	1822.	7. 9.	H. ♀. Swt. br. fl. gar. 149.
<i>virgatum.</i> Ph. <i>nec aliorum.</i>					
5 virgatum. w.	slender-branched.	Austria.	1776.	6. 9.	H. ♀. Botan. magaz. 1003.
6 alatum. Ph.	winged-stalk'd.	N. America.	1812.	5. 11.	F. ♀. Botan. magaz. 1812.
7 Kennediamum. Kth.	Kennedy's.	New Spain.	1821.	—	G. ♀.
8 lineare. w.	linear-leaved.	N. America.	1812.	7. 8.	H. ♀.

9	hyssopifolium. w.	Hyssop-leaved. England.	8.	H.⊙.	Eng. bot. 292.
10	thymifolium. w.	Thyme-leaved. S. Europe.	1820.	—	H.⊙.	Barrel. ic. 773. f. 2.
NESÆA. Kth.		NESÆA. Dec-Dodecandria Monogynia.				
1	triflora. Kth.	three-flowered. America.	1802.	8.	H. ½.	
	<i>Lythrum triflorum.</i> w.					
2	verticillata. Kth.	whorl-flowered. N. America.	1759.	7. 9.	H. ¼.	
3	salicifolia. Kth.	willow-leaved. Mexico.	1824.	9. 10.	G. ½.	
CUPHEA. Kth.		CUPHEA. Dodecandria Monogynia.				
1	viscosissima. w.	clummy. America.	1776.	7. 10.	H.⊙.	Swt. br. fl. gar. 60.
2	procumbens. s.s.	procumbent. Mexico.	1816.	7. 9.	H.⊙.	Botan. regist. 182.
3	spicata. s.s.	Circæa-like. S. America.	1819.	8. 10.	H.⊙.	Cav. ic. 4. t. 381.
	<i>circæoides.</i> B.M. 2201.					
4	virgata. s.s.	twiggy. Mexico.	1824.	—	H.⊙.	— 4. t. 382. f. 1.
5	decandra. s.s.	decandrous. Jamaica.	1789.	6. 10.	S. ½.	
6	parviflora. H.E.F.	small-flow'r'd. W. Indies.	1824.	10. 12.	S. ½.	Hook. ex. flor. 161.
7	Simsii.	Sims's. Trinidad.	1823.	8.	S. ½.	Botan. magaz. 2580.
	<i>serpyllifolia.</i> B.M. non Kth.					
8	Melvilla. B.R.	Melville's. W. Indies.	1822.	6. 10.	S. ½.	Botan. regist. 852.
AMMANNIA. S.S.		AMMANNIA. Tetrandria Monogynia. L.				
1	ægyptiaca. w.	Egyptian. Egypt.	1818.	7. 8.	H.⊙.	
2	caspica. M.B.	Caspian. Astracan.	—	—	H.⊙.	
3	viridis. R.S.	green.	—	—	H.⊙.	
4	baccifera. R.S.	berry-bearing. E. Indies.	1820.	7. 8.	S.⊙.	
5	auriculata. R.S.	eared. Egypt.	—	—	S.⊙.	Willd. hort. ber. t. 7.
6	multiflora. s.s.	many-flowered. E. Indies.	1818.	—	S.⊙.	
7	diffusa. R.S.	spreading. —	—	—	S.⊙.	
8	sanguinolenta. R.S.	bloody. Jamaica.	1803.	—	S.⊙.	
9	octandra. R.S.	octandrous. E. Indies.	1818.	—	S.⊙.	
	<i>coccinea.</i> P.S.					
10	pentandra. s.s.	pentandrous. —	1823.	—	S.⊙.	
11	debilis. R.S.	cluster-flow'r'd. —	1778.	—	S.⊙.	
12	rubra. D.P.	red-flowered. Nepaul.	1822.	7. 8.	H.⊙.	
13	ramosior. R.S.	branching. Virginia.	1759.	—	H.⊙.	
14	humilis. R.S.	small. N. America.	1823.	—	H.⊙.	
15	latifolia. R.S.	broad-leaved. W. Indies.	1733.	—	S.⊙.	Sloan. jam. 1. t. 7. f. 4.
16	rotundifolia. D.P.	round-leaved. Nepaul.	1818.	—	H.⊙.	
GONOCARPUS. Th.		GONOCARPUS. Tetrandria Monogynia.				
	<i>micranthus.</i> Th.	small-flowered. China.	1805.	6. 9.	H.⊙.	Thunb. jap. 69. t. 15.
PEPLIS. W.		WATER PURSLANE. Hexandria Monogynia. L.				
	Portula. w.	common. Britain.	7. 9.	H.⊙.	Eng. bot. 1211.
ACISANTHERA. J.		ACISANTHERA. Decandria Monogynia.				
	quadrata. P.S.	four-sided. Jamaica.	1804.	S. ½.	Brown. jam. t. 22. f. 1.

ORDO LXXV.

ONAGRARIÆ. *Jussieu.*

MONTINIA. L.		MONTINIA. Diœcia Tetrandria. L.				
	<i>caryophyllacea.</i> H.K.	Sea-purslane l'd. C. B. S.	1774.	7.	G. ½.	Smith spic. 14. t. 15.
	<i>acris.</i> w.					
CIRCÆA. W.		ENCHANTER'S NIGHT-SHADE. Diandria Monogynia.				
1	lutetiana. w.	common. Britain.	...	6. 8.	H. ¼.	Eng. bot. 1056.
2	alpina. w.	mountain. —	6. 9.	H. ¼.	— 1057.
LOPEZIA. R.S.		LOPEZIA. Monandria Monogynia. L.				
1	racemosa. B.M.	smooth. Mexico.	1792.	8. 10.	G. ½.	Botan. magaz. 251.
	<i>mexicana.</i> R.S.					
2	coronata. R.S.	coronet-flow'r'ing. —	1805.	7. 9.	H.⊙.	Swt. br. fl. gar. 108.
3	pumila. Kth.	dwarf. —	1825.	—	H.⊙.	
4	hirsuta. R.S.	hairy. —	1796.	9. 11.	G. ½.	Jacq. coll. 5. t. 15. f. 4.
5	miniata. DC.	frutescent. —	1824.	—	G. ½.	
	<i>frutescens.</i> R.S.					

LUDWIGIA, W.	LUDWIGIA, Tetrandria Monogynia, L.				
1 alternifolia, w. <i>macrocarpa</i> , M.	large-capsuled.	Virginia.	1752. 6. 7.	H. ⊙	Lam. ill. 1. t. 77.
2 hirsuta, Ph.	hairy.	N. America.	1812. 6. 8.	H. ♀	
ISNARDIA, W.	ISNARDIA, Tetrandria Monogynia, L.				
palustris, w.	marsh.	Europe.	1776. 7.	H. ⊙	Schk. han. 1. t. 25.
JUSSIEA, J.	JUSSIEA, Oct-Decandria Monogynia.				
1 suffruticosa, w.	tall.	India.	1808. 8. 9.	S. ♀	Andr. repos. 621.
2 ovalifolia, B.M.	oval-leaved.	Madagascar.	1823. 7. 8.	S. ♀	Botan. magaz. 2530.
3 hirta, s.s.	hairy.	W. Indies.	—	S. ♀	Plum. ic. t. 174. f. 2.
4 octovalvis, P.S.	spear-leaved.	S. America. 7. 9.	S. ♂	
5 scabra, w.en.	rough.	—	1816.	S. ♀	
6 erecta, w.	upright.	—	1739.	S. ♂	Plum. ic. t. 175. f. 2.
7 grandiflora, s.s.	great-flowered.	Carolina.	1812. 7. 10.	G. ♀	Botan. magaz. 2122.
8 leptocarpa, N.	narrow-podd'd.	Mississippi.	1824. 7. 9.	H. ♀	
9 repens, s.s.	creeping.	E. Indies.	1816.	S. ♀	Rheed. mal. 2. t. 51.
GENOTHERA, L.	EVENING-PRIMROSE, Octandria Monogynia, L.				
1 biennis, w.	common.	N. America.	1629. 6. 9.	H. ♂	Eng. bot. 1534.
2 grandiflora, B.M.	large-flowered.	—	1778. 6. 8.	H. ♂	Botan. magaz. 2068.
3 parviflora, w.	small-flowered.	—	1757.	H. ♂	Meerb. ic. 1. t. 34.
4 cruciata, N.	cross-petaled.	—	1821. 6. 10.	H. ♀	
5 mucicata, w.	prickly-stalked.	—	1789. 7. 8.	H. ♂	Mur. com. got. 6. t. 1.
6 longiflora, w.	long-flowered.	Buenos Ayres.	1776. 7. 9.	H. ♂	Botan. magaz. 365.
7 corymbosa, B.M.	corymbose.	Mexico.	1816. 7. 10.	G. ♂	— 1974.
8 villosa, w.	villous.	C. B. S.	1791. 7. 8.	G. ♂	
9 nocturna, w.	night-smelling.	—	1790. 4. 8.	G. ♂	Jacq. ic. 3. t. 455.
10 sinuata, w.	scollop-leaved.	N. America.	1770. 7.	H. ⊙	Mur. com. got. 5. t. 9.
11 ganroides, w.en.	Gaura like.	—	1816.	H. ♀	
12 striata, L.en.	streaked.	—	—	6. 9.	H. ⊙
13 odorata, s.s.	sweet scented.	Patagonia.	1790. 4. 8.	H. ♀	Botan. regist. 147.
β undulata.	purple-stalked.	—	—	H. ♀	Botan. magaz. 2403.
14 serrulata, N.	saw-leaved.	N. America.	1821. 6. 10.	H. ♀	Swt. br. fl. gar. 133.
15 media, L.en.	intermediate.	—	—	7. 9.	H. ♀
16 dentata, s.s.	toothed.	Chili.	1818. 6. 9.	H. ⊙	Lindl. collect. t. 10.
17 salicifolia, Desf.	Willow-leaved.	—	—	H. ⊙	
18 micrantha, s.s.	small-blossom'd.	California.	1820.	H. ⊙	
19 cheiranthifolia, s.s.	Wallflower-ld.	Chili.	—	H. ♀	
20 purpurea, s.s.	purple-flow'r'd.	N. America.	1794. 5. 9.	H. ⊙	Botan. magaz. 352.
21 Romanzovii, s.s.	Romanzoff's.	—	1819.	H. ⊙	Botan. regist. 562.
22 tenella, s.s.	slender.	Chili.	1822.	H. ⊙	Botan. magaz. 2424.
23 albicaulis, N.	white-stalked.	N. America.	1811.	H. ♀	
24 mollissima, s.s.	soft wave-ld.	Buenos Ayre.	1732. 6. 10.	H. ♂	Schk. handb. 1. t. 105.
25 pinnatifida, N.	pinnatifid.	Missouri.	1811.	5. 8.	H. ⊙
26 caspitosa, s.s.	tufted.	N. America.	—	6. 7.	H. ♀
27 acaulis, s.s.	short-stalked.	Chili.	1822.	F. ♀	Botan. magaz. 1593.
28 tetraptera, s.s.	white-flowered.	Mexico.	1796. 6. 8.	H. ⊙	Botan. regist. 763.
29 speciosa, N.	handsome.	Louisiana.	1821.	H. ♀	Botan. magaz. 468.
30 rosea, s.s.	rose-coloured.	Peru.	1783. 5. 8.	F. ♀	Hook. ex. flor. 80.
31 triloba, N.	root-flowering.	Louisiana.	1821. 6. 10.	H. ♀	Botan. magaz. 317.
rhizocarpa, s.s.					— 2566.
32 macrocarpa, Ph.	broad-leaved.	N. America.	1811. 6. 8.	H. ♀	Swt. br. fl. gar. 5.
33 missouriensis, B.M.	narrow-leaved.	—	—	H. ♀	Botan. magaz. 1592.
alata, N.					
34 fruticosa, N.	frutescent.	—	1737.	H. ♀	— 332.
35 tetragona, Roth.	blunt-leaved.	—	H. ♀	
36 ambigua, s.s.	ambiguous.	—	H. ♀	
37 Fraseri, s.s.	Fraser's.	—	1811.	5. 10.	H. ♀
38 glauca, s.s.	glaucous.	—	1812.	H. ♀	Botan. magaz. 1674.
39 serotina.	late-flowered.	—	1820.	7. 10.	H. ♀
40 linearis, s.s.	linear-leaved.	—	6. 8.	H. ♀
41 pumila, s.s.	dwarf.	—	1757.	5. 9.	H. ♀
42 spectabilis, Bern.	showy.	—	1822.	H. ♀	Botan. magaz. 355.
GAURA, W.	GAURA, Octandria Monogynia.				
1 mutabilis, s.s.	changeable.	S. America.	1795. 7. 8.	F. ♂	Botan. magaz. 388.
2 biennis, s.s.	biennial.	N. America.	1762. 8. 10.	H. ♂	— 389.
3 coccinea, N.	scarlet.	Louisiana.	1811.	H. ♀	
4 fruticosa, s.s.	shrubby.	S. America.	1816. 7. 9.	G. ♀	Jacq. ic. 3. t. 457.

5	<i>œnotheriflora</i> . z.	<i>Enothera</i> -fl ^d .	S. America.	1816.	7. 9.	F. ♂.	
6	<i>tripetala</i> . s.s.	three-petaled.	Mexico.	1804.	8. 9.	H. ☉.	Cav. ic. 4. t. 396. f. 1.
EPILOBIUM . W.							
1	<i>angustifolium</i> . w.	Rose-Bay.	Britain.	7. 8.	H. ♀.	Eng. bot. 1947.
2	<i>spicatum</i> . n.	spike-flowered.	N. America.	—	H. ♀.	
3	<i>angustissimum</i> . w.	narrow-leaved.	Europe Alps.	1775	H. ♀.	Botan. magaz. 76.
4	Halleri. Retz.	Haller's.	Switzerland.	1798.	6. 8.	H. ♀.	
	<i>Dodonæi</i> . All.	<i>angustissimum</i> . β. w.					
5	<i>latifolium</i> . w.	Orache-leaved.	N. Europe.	1779.	7. 8.	H. ♀.	Sal. par. lond. 58.
	<i>Chamæmerium halimifolium</i> . P. L.						
6	<i>hirsutum</i> . w.	Codlins & Cream.	Britain.	—	H. ♀.	Eng. bot. 838.
7	<i>parviflorum</i> . E. B.	small-flowered.	—	—	H. ♀.	— 795.
8	<i>villosum</i> . w.	villous.	C. B. S.	1799.	—	G. ♀.	
9	<i>montanum</i> . w.	mountain.	Britain.	—	H. ♀.	Eng. bot. 1177.
10	<i>roseum</i> . E. B.	pale smooth-ld.	England.	—	H. ♀.	— 693.
11	<i>alsinifolium</i> . E. B.	Chickweed-ld.	Britain.	—	H. ♀.	— 2000.
12	<i>coloratum</i> . ph.	Pink-flowered.	N. America.	1805.	H. ♀.	
13	<i>tetragonum</i> . w.	square-stalked.	Britain.	—	H. ♀.	Eng. bot. 1948.
14	<i>palustre</i> . E. B.	round-stalked.	—	—	H. ♀.	— 346.
15	<i>davuricum</i> . s.s.	Davurian.	Davuria.	1816.	—	H. ☉.	
16	<i>alpestre</i> . s.s.	simple-stalked.	Switzerland.	—	H. ♀.	
17	<i>alpinum</i> . w.	Alpine.	Britain.	6.	H. ♀.	Eng. bot. 2001.
TRAPA . S.S.							
WATER-CALTROPS. Tetrandria Monogynia. L.							
1	<i>natans</i> . s.s.	European.	Europe.	1781.	6. 8.	H. w. ☉.	Botan. regist. 259.
2	<i>quadrifida</i> . s.s.	four-spined.	E. Indies.	1823.	—	S. w. ☉.	
3	<i>bicornis</i> . s.s.	Chinese.	China.	1790.	G. w. ♀.	Gært. sem. 2. t. 95.
4	<i>bispinosa</i> . s.s.	two-spined.	E. Indies.	1822.	6. 9.	S. w. ☉.	
FUCHSIA . S.S.							
FUCHSIA. Octandria Monogynia. L.							
1	<i>coccinea</i> . s.s.	scarlet.	Chili.	1788.	5. 8.	F. ♀.	Botan. magaz. 97.
2	<i>gracilis</i> . B. R.	slender.	—	1822.	—	F. ♀.	Botan. regist. 847.
	<i>decussata</i> . B. M. 2507.	<i>non R. P.</i>					
	β <i>tenella</i> .	<i>weak</i> .	—	—	—	F. ♀.	
3	<i>macrostemma</i> . s.s.	large-crowned.	Chili.	1823.	G. ♀.	Flor. per. t. 323. f. b.
4	<i>lycioides</i> . s.s.	Box-thorn-ld.	—	1796.	4. 10.	G. ♀.	Botan. magaz. 1024.
5	<i>arborescens</i> . B. M.	arborescent.	Mexico.	1823.	6. 10.	G. ♀.	— 2620.
6	<i>excorticata</i> . s.s.	changeable-cold.	N. Zealand.	1821.	8. 4.	G. ♀.	Botan. regist. 857.

ORDO LXXVI.

COMBRETACEÆ. *Brown prodr.* 351.

COMBRETUM . L.							
COMBRETUM. Oct-Decandria Monogynia.							
1	<i>laxum</i> . s.s.	loose-racemed.	S. America.	1822.	S. ♀. ~.	Lam. ill. t. 282. f. 1.
2	<i>purpureum</i> . s.s.	scarlet-flow'r'd.	Madagascar.	1818.	3. 9.	S. ♀. ~.	Botan. regist. 429.
3	<i>decandrum</i> . w.	Roxburgh's.	E. Indies.	1822.	S. ♀.	Roxb. corom. 1. t. 59.
	<i>Roxburghii</i> . s.s.						
4	<i>secundum</i> . s.s.	side-flow'ring.	W. Indies.	—	S. ♀.	Jacq. am. pict. t. 260.
5	<i>comosum</i> . G. D.	tufted.	Sierra Leon.	—	S. ♀. ~.	
6	<i>intermedium</i> . G. D.	intermediate.	—	—	S. ♀. ~.	
7	<i>grandiflorum</i> . G. D.	large-flower'd.	—	—	S. ♀. ~.	
QUISQUALIS . S.S.							
QUISQUALIS. Decandria Monogynia. L.							
1	<i>indica</i> . B. R.	Indian.	China.	1815.	5. 8.	S. ♀. ~.	Botan. regist. 492.
2	<i>pubescens</i> .	pubescent.	E. Indies.	—	S. ♀. ~.	
CACOUCIA . Aub.							
CACOUCIA. Dodecandria Monogynia.							
	<i>coccinea</i> . Aub.	scarlet.	Guiana.	1815.	S. ♀. ~.	Aub. gui. 1. t. 179:
	<i>Schousbæa coccinea</i> . w.						
BUCCIDA . W.							
OLIVE-BARK-TREE. Decandria Monogynia. L.							
	<i>Buceras</i> . w.	Jamaica.	Jamaica.	1793.	7. 10.	S. ♀.	Botan. regist. 907.
TERMINALIA . W.							
TERMINALIA. Polygamia Monœcia. L.							
1	<i>mauritiana</i> . s.s.	Mauritius.	Mauritius.	1822.	S. ♀.	
2	<i>latifolia</i> . s.s.	broad-leaved.	W. Indies.	1816.	S. ♀.	
3	<i>Catappa</i> . s.s.	large-leaved.	E. Indies.	1778.	S. ♀.	Jacq. ic. 1. t. 197.

4 subcordata. Kth.	heart-leaved.	W. Indies.	1816.	S. $\frac{1}{2}$.	
5 moluccana. s.s.	smooth-leaved.	Molucca's.	—	S. $\frac{1}{2}$.	
6 Chebula. s.s.	oval-leaved.	E. Indies.	1796.	S. $\frac{1}{2}$.	Roxb. corom. 2. t. 197.
7 Bellerica. s.s.	axillary-fl'd.	—	1818.	S. $\frac{1}{2}$.	
8 procera. s.s.	tall.	—	1816.	S. $\frac{1}{2}$.	
9 angustifolia. w. <i>Benzoin. L?</i>	narrow-leaved.	—	1692.	S. $\frac{1}{2}$.	Jaqu. vind. 3. t. 100.
10 citrina. H.B.	Citron-leaved.	—	1823.	S. $\frac{1}{2}$.	
11 gangetica. H.B.	Ganges.	—	—	S. $\frac{1}{2}$.	
12 biticaria. H.B.	Silbet.	—	1824.	S. $\frac{1}{2}$.	
13 arbuscula. P.S.	tree like.	S. America.	1822.	...	S. $\frac{1}{2}$.	
GETONIA. S.S.	GETONIA. Decandria Monogynia.					
1 floribunda. s.s.	many-flowered.	E. Indies.	1815.	S. $\frac{1}{2}$.	Roxb. corom. t. 87.
2 nutans. H.B.	nodding.	—	1823.	S. $\frac{1}{2}$.	
CONOCARPUS. W.	BUTTON-FREE. Pentandria Monogynia. L.					
1 erecta. w.	upright.	Jamaica.	1752.	S. $\frac{1}{2}$.	Catesb. car. 2. t. 33.
2 procumbens. w.	procumbent.	Cuba.	1730.	S. $\frac{1}{2}$.	Jaqu. amer. t. 52. f. 2.
3 latifolia. H.B.	broad-leaved.	E. Indies.	1816.	S. $\frac{1}{2}$.	

ORDO LXXVII.

LOASEÆ. *Jussieu. ann. mus. d'hist. nat. v. 5. p. 18.*

Sect. I. LOASEÆ VERÆ. *Kunth synops. 3. p. 402.*

LOASA. S.S.	LOASA. Polyadelphia Icosandria.					
1 nitida. H.E.F.	shining-leaved.	Pern.	1822.	8.10.	H. ⊙.	Hook. ex. fl. 83.
2 acanthifolia. B.R.	Acanthus-ld.	Chili.	—	—	H. ⊙.	Botan. regist. 785.
3 tricolor. B.R.	three-colour'd.	—	—	—	H. ⊙.	— 667.
4 volubilis. s.s.	climbing.	—	—	—	F. ⊙.	Juss. an. m. c. 25. t. 5. f. 1.
BARTONIA. B.M.	BARTONIA. Icosandria Monogynia.					
1 ornata. ph. <i>decapetala. B.M.</i>	naked-seeded.	Missouri.	1811.	7. 9.	G. ♂.	Botan. magaz. 1487.
2 nuda. ph.	winged-seeded.	—	—	—	G. ♀.	
MENTZELIA. S.S.	MENTZELIA. Icosandria Monogynia.					
1 hispida. s.s.	hispid.	Mexico.	1824.	6. 9.	G. ♀.	Cav. ic. 1. t. 70.
2 aspera. s.s.	rough.	America.	1773.	7. 8.	S. ⊙.	Plum. ic. 174. f. 1.
3 oligosperma. f.s. <i>aurea. N.</i>	few-seeded.	Louisiana.	1812.	5. 6.	G. ♀.	Botan. magaz. 1760.

Sect. II. TURNERACEÆ. *Kunth synops. 3. p. 406.*

TURNERA. Kth.	TURNERA. Pentandria Trigynia. L.					
1 ulmifolia. R.S.	Elm-leaved.	Jamaica.	1733.	6. 9.	S. $\frac{1}{2}$.	Hort. cliff. t. 10.
2 angustifolia. B.M.	narrow-leav'd.	—	—	4. 9.	S. $\frac{1}{2}$.	Botan. magaz. 281.
3 elegans. R.S.	elegant.	Brazil.	1821.	—	S. $\frac{1}{2}$.	
4 cuneiformis. R.S.	wedge-leaved.	—	1812.	—	S. $\frac{1}{2}$.	
5 trioniflora. B.M.	Ketmia-fl'd.	—	—	—	S. $\frac{1}{2}$.	Botan. magaz. 2106.
6 Pumilea. R.S.	nettle-leaved.	Jamaica.	1796.	8. 9.	S. ⊙.	Pet. gaz. 59. t. 38. f. 9.
7 cistoides. R.S.	Cistus-like.	America.	1774.	6.10.	H. ⊙.	Plum. ic. t. 150. f. 1.
PIRIQUETA. Kth.	PIRIQUETA. Pentandria Trigynia.					
racemosa. <i>Turnera racemosa. w.</i>	clustered.	1789.	7.10.	H. ⊙.	Jaqu. vind. 3. t. 94.

ORDO LXXVIII.

MYRTACEÆ. *Kunth. synopsis. 3. p. 410.*Sect. I. MYRTEÆ. *Kth. loc. cit. 410.*

ALANGIUM. J.	ALANGIUM.	Icosandria Monogynia.				
1 decapetalum. s.s.	Sage-leaved.	E. Indies.	1779.	S. h.	Rheed. mal. 4. t. 17.
2 hexapetalum. s.s.	six-petal'd.	—————	1822.	S. h.	————— 4. t. 26.
PHILADELPHUS. S.S.	SYRINGA.	Icosandria Monogynia. L.				
1 coronarius. s.s.	common.	S. Europe.	1596.	5. 6.	H. h.	Botan. magaz. 391.
<i>β variegatus.</i>	striped-leaved.	—————	—	H. h.	
<i>γ multiplex.</i>	double-blossom'd.	—————	—	H. h.	
2 nanus. Mill.	dwarf.	—————	—	H. h.	
3 grandiflorus. Ph.	large-flowered.	Carolina.	1811.	6. 7.	H. h.	Wats. dend. brit. t. 46.
4 hirsutus. N.	hairy.	Louisiana.	1816.	—	H. h.	————— t. 47.
5 inodorus. Ph.	scentless.	Carolina.	1738.	—	H. h.	Botan. magaz. 1478.
LEPTOSPERMUM. W.	LEPTOSPERMUM.	Icosandria Monogynia.				
1 grandifolium. s.s.	large-leaved.	N. S. W.	1803.	6. 7.	G. h.	Botan. magaz. 1810.
2 emarginatum. s.s.	emarginate.	—————	1816.	—	G. h.	
3 sericeum. s.s.	silky-leaved.	N. Holland.	1820.	—	G. h.	
4 marginatum. s.s.	white margin'd.	—————	1816.	—	G. h.	
5 pubescens. s.s.	pubescent.	N. S. W.	1774.	—	G. h.	
6 lanigerum. s.s.	woolly-leaved.	—————	—	—	G. h.	
7 scoparium. s.s.	N. Zealand Tea.	N. Zealand.	1772.	—	G. h.	Andr. reposit. 622.
8 rubricaulis. L.en.	red-stalked.	N. S. W.	1812.	—	G. h.	
9 tuberculatum. s.s.	tuberculate.	—————	1816.	—	G. h.	
10 grandiflorum. B.C.	large-flowered.	—————	—	—	G. h.	Lodd. bot. cab. 514.
11 attenuatum. s.s.	fine-branched.	—————	1795.	5. 7.	G. h.	
12 flavescens. s.s.	yellowish.	—————	1787.	—	G. h.	Sch. s. han. 24. t. 14.
13 triloculare. s.s.	trilocular.	—————	1816.	—	G. h.	Vent. malm. 85.
14 juniperinum. s.s.	Juniper-leaved.	—————	1790.	6. 7.	G. h.	————— 89.
15 baccatum. s.s.	berry-fruited.	—————	—	—	G. h.	Cav. ic. 4. t. 331. f. 2.
16 arachnoideum. s.s.	cobweb.	—————	1795.	5. 7.	G. h.	Gært. sem. 1. t. 35.
17 parvifolium. s.s.	small-leaved.	—————	—	6. 7.	G. h.	
18 imbricatum. s.s.	imbricated.	—————	1800.	—	G. h.	
19 ambiguum. s.s.	hook-leaved.	—————	1791.	—	G. h.	Sm. exot. bot. 1. t. 59.
20? flexuosum. s.s.	flexuose-stalk'd.	N. Holland.	1812.	—	G. h.	
21? salignum. s.s.	Willow-leaved.	—————	—	G. h.	
22? ovalifolium.	oval-leaved.	—————	—	G. h.	
<i>Fabricia myrtifolia.</i>	Hort. non. W.					
FABRICIA. G.	FABRICIA.	Icosandria Monogynia.				
1 myrtifolia. s.s.	opposite-leav'd.	N. Holland.	G. h.	Gært. sem. 1. t. 355. f. 4.
2 lævigata. s.s.	smooth-leaved.	N. S. W.	1788.	5. 6.	G. h.	Botan. magaz. 1304.
3? sericea.	silky-leaved.	N. Holland.	G. h.	
CALLISTEMON. B.R.	CALLISTEMON.	Icosandria Monogynia.				
1 speciosum. c.c.	splendid.	N. S. W.	1803.	3. 6.	G. h.	Botan. magaz. 1761.
<i>Metrosideros speciosa.</i>	B.M.					
2 lanceolatum. c.c.	spear-leaved.	—————	1788.	11. 6.	G. h.	————— 260.
<i>Metrosideros citrina.</i>	B.M.					
3 salignum. c.c.	Willow-leaved.	—————	—	5. 7.	G. h.	————— 1821.
4 rigidum. B.R.	rigid-leaved.	—————	1800.	3. 6.	G. h.	Botan. regist. 393.
<i>Metrosideros viminalis.</i>	Hort. non. Sm.					
5 lineare. c.c.	linear-leaved.	—————	1788.	6. 7.	G. h.	Sert. han. 19. t. 11.
6 viridiflorum.	green-flowered.	—————	1820.	—	G. h.	Botan. magaz. 2602.
<i>ruscifolium. c.c.</i>	<i>Metrosideros viridiflora.</i>	B.M.				
7 pinifolium.	Pine-tree-ld.	N. S. W.	6. 7.	G. h.	
8? marginatum.	margined.	—————	1816.	G. h.	Cav. ic. 4. t. 332.
<i>Metrosideros marginata.</i>	Cav.					
MELALEUCA. H.K.	MELALEUCA.	Polyadelphia Icosandria. L.				
1 Leucadendron. w.	aromatic.	E. Indies.	1796.	S. h.	Rumph. amb. 2. t. 16.
2 Cajuputi. H.B.	Cajuputi-tree.	—————	1816.	S. h.	————— 2. t. 17. f. 1.

3	viridiflora. w.	green-flowered.	N. S. W.	1798.	G. h.	Cav. ic. 4. t. 333.
4	paludosa. H.K.	long-leav'd red.	N.Holland.	1803.	7. 9.	G. h.	
5	globifera. H.K.	globe-fruited.	————	————	G. h.	
6	diosmifolia. A.R.	Diosma-leaved.	————	1791.	6. 7.	G. h.	Andr. reposit. 476.
7	stpheloides. H.K.	Styphelia-ld.	N. S. W.	1793.	5. 6.	G. h.	
8	genistifolia. H.K.	Gemista-leaved.	————	————	————	G. h.	Sm. exot. bot. 1. t. 55.
9	striata. H.K.	rigid-leaved.	N. Holland.	1803.	————	G. h.	
10	thymoides. H.K.	yellow spear-ld.	————	————	————	G. h.	Lab. nov. holl.2. t.167.
11	imbricata. L.en.	imbricated.	————	————	————	G. h.	
12	lanceolata. L.en.	spear-leaved.	————	1812.	————	G. h.	Otto hort. ber. 36.
13	squamca. H.K.	scaly-branched.	V. Diem. Isl.	1805.	6. 7.	G. h.	Botan. regist. 477.
14	nodosa. H.K.	Whin-leaved.	N. S. W.	1790.	————	G. h.	Sm. exot. bot. 1. t. 35.
15	ericifolia. H.K.	Heath-leaved.	————	1788.	7. 9.	G. h.	———— 1. t. 34.
16	armillaris. H.K.	pale-flowered.	————	————	6. 7.	G. h.	Andr. reposit. 175.
17	uncinata. H.K.	hook-leaved.	N. Holland.	1803.	G. h.	
18	scabra. H.K.	rough-thread-ld.	————	————	6. 7.	G. h.	
19	pulchella. H.K.	pendulous.	————	————	6. 9.	G. h.	Lodd. bot. cab. 200.
20	incana. B.R.	hoary.	N. S. W.	1812.	6. 8.	G. h.	Botan. regist. 410.
	<i>canescens.</i> Hort. ber. 37.	<i>lanata.</i> Hort.					
21	thymifolia. H.K.	Thyme-leaved.	N. S. W.	1792.	7. 9.	G. h.	Sm. exot. bot. 1. t. 36.
	<i>coronata.</i> A.R. 278.						
22	decussata. H.K.	decussate.	N. Holland.	1803.	6. 9.	G. h.	Botan. magaz. 2260.
23	rotundifolia. C.C.	round-leaved.	V. Diem. Isl.	1822.	6. 8.	G. h.	
24	fulgens. H.K.	splendid.	N.Holland.	1803.	————	G. h.	Botan. regist. 103.
25	linariifolia. H.K.	Toad-flax-ld.	N. S. W.	1793.	7. 9.	G. h.	Sm. exot. bot. 1. t. 56.
26	hypericifolia. H.K.	Hypericum-ld.	————	1792.	————	G. h.	Andr. reposit. 200.
27	squarrosa. H.K.	Myrtle-leaved.	————	1791.	6. 8.	G. h.	Botan. magaz. 1935.
28	calycina. H.K.	permanent-cup'd.	N.Holland.	1803.	————	G. h.	
29	parviflora. L.en.	small-flowered.	————	————	————	G. h.	Otto hort. ber. 37.
30	densa. H.K.	whorl-leaved.	————	————	G. h.	
	TRISTANIA. H.K.	TRISTANIA.	Polyadelphia	Icosandria.			
1	neriifolia. H.K.	Oleander-ld.	N. S. W.	1804.	7. 9.	G. h.	Botan. magaz. 1058.
	<i>Melaleuca neriifolia.</i> B.M.						
2	laurina. H.K.	Laurel-leaved.	————	1798.	G. h.	
3	depressa. L.C.	depressed.	————	1820.	G. h.	
4	conferta. H.K.	Pittosporum-ld.	————	1805.	7. 9.	G. h.	
	<i>Pittosporum hirtum.</i> Hort.						
5	arborescens.	arborescent.	N.Holland.	1822.	G. h.	
	CALOTHAMNUS. H.K.	CALOTHAMNUS.	Polyadelphia	Icosandria.			
1	quadrifida. H.K.	four-cleft.	N.Holland.	1803.	1. 12.	G. h.	Botan. magaz. 1506.
2	villosa. H.K.	hairy 5-cleft.	————	————	————	G. h.	Lodd. bot. cab. 92.
3	gracilis. H.K.	slender-leaved.	————	————	————	G. h.	
	BEAUFORTIA. H.K.	BEAUFORTIA.	Polyadelphia	Icosandria.			
1	decussata. H.K.	splendid.	N. Holland.	1803.	3. 8.	G. h.	Botan. regist. 18.
2	sparsa. H.K.	alternate-ld.	————	————	G. h.	
	BÆCKEA. L.T.	BÆCKEA.	Octandria	Monogynia.			
1	frutescens. Sm.	Chinese.	China.	1806.	9. 12.	G. h.	Osborne voy. v. 2. t. 1.
2	virgata. B.M.	slender.	N. S. W.	————	8. 10.	G. h.	Botan. magaz. 2127.
3	linifolia. L.T.	Flax-leaved.	————	1820.	6. 8.	G. h.	
4	denisfolia. L.T.	close-leaved.	————	1812.	————	G. h.	
5	camphorata. L.T.	camphor-scent'd.	————	1823.	————	G. h.	
	METROSIDEROS. S.S.	METROSIDEROS.	Icosandria	Monogynia.			
1	vera. L. Col.	Ironwood.	E. Indies.	1815.	5. 8.	S. h.	Lindl. collect. 18.
2	hispida. L.T.	rough.	N. S. W.	1789.	————	G. h.	Sm. exot. bot. 1. t. 42.
3	floribunda. L.T.	many-flow'r'd.	————	1788.	————	G. h.	
4	costata. L.T.	ribbed.	————	1816.	————	G. h.	Gært. sem. 1. t.31. f.2.
5	glomulifera. L.T.	cluster-flow'r'd.	————	1805.	5. 6.	G. h.	
6	angustifolia. L.T.	narrow-leaved.	C. B. S.	1787.	G. h.	
	* EUCALYPTUS. L.T.	* EUCALYPTUS.	Icosandria	Monogynia.			
1	robusta. L.T.	brown gum-tree.	N. S. W.	1791.	8. 9.	G. h.	Sm. nov. holl. t. 13.
2	reticulata. L.en.	netted-leaved.	————	1816.	G. h.	
3	pinularis. L.T.	small-fruited.	————	1804.	2. 5.	G. h.	
4	rostrata. Cav.	beaked.	————	————	G. h.	Cav ic. 4. t. 342.
5	cornuta. s.s.	horned.	N.Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
6	globulus. s.s.	variable-leav'd.	————	1804.	5. 6.	G. h.	Lab. nov. holl. 1. t. 13.
	<i>pulverulenta.</i> Hort. non	B.M.					
7	incrassata. s.s.	thick-leaved.	————	1820.	G. h.	

* We suspect that many of these species will belong to *Metrosideros* when the Flowers are seen.

8	<i>marginata</i> . L.T.	thick-edged.	N. S. W.	1794.	4. 7.	G. h.	
9	<i>longifolia</i> . L.en.	long-leaved.	N. S. W.	1818.	—	G. h.	
10	<i>tereticornis</i> . L.T.	long-horned.	—	1804.	—	G. h.	
11	<i>resinifera</i> . L.T.	red gum-tree.	—	1788.	—	G. h.	Andr. repos. 400.
12	<i>multiflora</i> . s.s.	many-flow'r'd.	N.Holland.	1820.	—	G. h.	
13	<i>capitellata</i> . L.T.	headed.	N. S. W.	1804.	—	G. h.	White's voy. 226. t.f.a.
14	<i>saligna</i> . L.T.	willow-like.	—	—	—	G. h.	
15	<i>persicifolia</i> . B.C.	Peach-leaved.	—	1812.	—	G. h.	Lodd. bot. cab. 501.
16	<i>media</i> . L.en.	taper-pointed.	—	1820.	...	G. h.	
17	<i>micronata</i> . L.en.	micronate.	—	—	...	G. h.	
18	<i>triantha</i> . L.en.	three-flowered.	—	—	4. 6.	G. h.	
19	<i>elongata</i> . L.en.	elongated.	—	—	—	G. h.	
20	<i>myrtifolia</i> . L.en.	Myrtle-leaved.	—	1812.	—	G. h.	
21	<i>microphylla</i> . L.en.	small-leaved.	—	1816.	—	G. h.	
22	<i>stenophylla</i> . L.en.	slender-leaved.	—	—	...	G. h.	
23	<i>angustifolia</i> . L.en.	narrow-leaved.	—	—	...	G. h.	
24	<i>viminalis</i> . s.s.	slender.	N. Holland.	—	...	G. h.	
25	<i>verrucosa</i> . C.C.	warted.	N. S. W.	—	...	G. h.	
26	<i>hypericifolia</i> . L.en.	Hypericum-ld.	—	1804.	...	G. h.	
27	<i>purpurascens</i> . L.en.	purple-veined.	—	—	...	G. h.	
28	<i>albicanlis</i> . C.C.	white-stemm'd.	V. Diem. Isl.	1822.	...	G. h.	
29	<i>perfoliata</i> . C.C.	perfoliate-ld.	—	1812.	4. 6.	G. h.	
30	<i>pulverulenta</i> . B.M. <i>cordata</i> . B.C. 328. non Lab.	powdered.	N.Holland.	1816.	11. 3.	G. h.	Botan. magaz. 2087.
31	<i>hirsuta</i> . L.en.	hairy.	N. S. W.	1804.	3. 6.	G. h.	
32	<i>undulata</i> . C.C.	wave-leaved.	—	—	...	G. h.	
33	<i>alata</i> . C.C.	winged-stalked.	V. Diem. Isl.	1822.	...	G. h.	
34	<i>botryoides</i> . L.T.	flat-peduncled.	N. S. W.	1803.	4. 7.	G. h.	Cav. ic. 4. t. 341.
35	<i>hæmastoma</i> . L.T.	red-mouthed.	—	—	—	G. h.	
36	<i>amygdalina</i> . s.s.	Almond-leaved.	N.Holland.	1822.	...	G. h.	
37	<i>piperita</i> . L.T.	Peppermint tree.	N. S. W.	1788.	4. 7.	G. h.	White's voy. t. c. ic.
38	<i>obliqua</i> . L.T.	oblique-leaved.	V. Diem. Isl.	1774.	7. 8.	G. h.	Sal. par. lond. 15.
39	<i>corymbosa</i> . L.T.	corymbus-fl'd.	N. S. W.	1788.	...	G. h.	Cav. ic. 4. t. 340.
40	<i>paniculata</i> . L.T.	panicled.	—	1804.	...	G. h.	
41	<i>ovata</i> . s.s.	oval-leaved.	N.Holland.	1822.	...	G. h.	
CALYTRIX. Lab.		Icosandria Monogynia.					
1	<i>glabra</i> . B.R.	smooth.	N. S. W.	1818.	4. 6.	G. h.	Botan. regist. 409.
2	<i>pubescens</i> .	pubescent.	N.Holland.	1824.	—	G. h.	
CARYOPHYLLUS. P.S. CLOVE-TREE.		Icosandria Monogynia.					
	<i>aromaticus</i> . P.S.	aromatic.	Moluccas.	1797.	S. h.	Rumph. amb. 2. t. 1.2.
	<i>Eugenia caryophyllata</i> . w.	<i>Myrtus Caryophyllus</i> . s.s.					
EUGENIA. W.		Icosandria Monogynia. L.					
1	<i>malaccensis</i> . w.	Malay Apple.	E. Indies.	1768.	5. 8.	S. h.	Andr. reposit. 458.
2	<i>macrocarpa</i> . H.B.	large-fruited.	—	1822.	...	S. h.	
3	<i>glandulifera</i> . H.B.	glandular.	—	1823.	...	S. h.	
4	<i>pulchella</i> . H.B.	pretty.	—	1822.	...	S. h.	
5	<i>aquea</i> . H.B.	watery.	—	1819.	...	S. h.	
6	<i>acuminata</i> . H.B.	taper-pointed.	—	1816.	5. 6.	S. h.	
7	<i>ternifolia</i> . H.B.	three-leaved.	—	1822.	...	S. h.	
8	<i>obtusifolia</i> . H.B.	blunt-leaved.	—	1823.	...	S. h.	
9	<i>amplexicaulis</i> . H.B.	stem clasping.	—	1820.	...	S. h.	
10	<i>cerasoides</i> . H.B.	Cherry-fruited.	—	1823.	...	S. h.	
11	<i>Jambos</i> . w.	narrow-leaved.	—	1768.	2. 7.	S. h.	Botan. magaz. 1696.
12	<i>baruensis</i> . w.	many-flowered.	S. America.	S. h.	Jacq. ic. 3. t. 480.
13	<i>axillaris</i> . w.	axillary.	Jamaica.	1793.	9.	S. h.	
14	<i>fragrans</i> . w.	sweet scented.	—	1790.	4. 5.	S. h.	Botan. magaz. 1242.
15	<i>Mini</i> . w.	small-fruited.	Guiana.	1803.	...	S. h.	Aub. gui. 1. t. 197.
16	<i>Smithii</i> . Poir. <i>elliptica</i> . Sm. non Lam.	Smith's.	N. S. W.	1790.	5. 9.	G. h.	Botan. magaz. 1872.
17	<i>myrtifolia</i> . B.M. <i>Myrtus australis</i> . s.s.	Myrtle-leaved.	N.Holland.	1812.	—	G. h.	— 2230.
18	<i>ligustrina</i> . w.	Privet-leaved.	Hispaniola.	1798.	8.	S. h.	
19	<i>uniflora</i> . w.	one-flowered.	Brazil.	1759.	1. 3.	S. h.	Botan. magaz. 473.
20	<i>zeylanica</i> . A.R.	Ceylon.	E. Indies.	1798.	6. 7.	S. h.	Andr. reposit. 619.
21	<i>balsamica</i> . w.eu.	balsamic.	1816.	...	S. h.	Jacq. frag. t. 45. f. 2.
22	<i>latifolia</i> . w.	broad-leaved.	Guiana.	1793.	...	S. h.	Aub. gui. 1. t. 199.
23	<i>bracteata</i> . w.	bracteate.	E. Indies.	1820.	...	S. h.	
24	<i>macrophylla</i> . Lam.	large-leaved.	—	—	...	S. h.	
25	<i>buxifolia</i> . w.	Box-leaved.	W. Indies.	1822.	4. 6.	S. h.	

26 floribunda. w.	many-flowered. W. Indies.	—	S. h.	
27 obovata. Poir.	obovate-leaved. Isl. France.	1823.	S. h.	
MYRTUS.	MYRTLE. Icosandria Monogynia.	L.			
1 communis. w.	common. S. Europe.	1597.	7. 8.	G. h.	Duham. arb. e. n. t. 43.
<i>a romana.</i>	<i>broad-leaved.</i>	—	—	G. h.	Mill. ic. t. 184. f. 1.
<i>β tarentina.</i>	<i>Box-leaved.</i>	—	—	G. h.	
<i>γ italica.</i>	<i>upright Italian.</i>	—	—	G. h.	
<i>δ bætica.</i>	<i>Orange-leaved.</i>	—	—	G. h.	Blackwell t. 114.
<i>ε lusitanica.</i>	<i>Portugal.</i>	—	—	G. h.	Clus. hist. 1. t. 1.
<i>ζ belgica.</i>	<i>broad-ld. Dutch.</i>	—	—	G. h.	
<i>η mucronata.</i>	<i>Rosemary-ld.</i>	—	—	G. h.	
<i>θ multiplex.</i>	<i>double-blossom'd.</i>	—	—	G. h.	
<i>ι variegata.</i>	<i>striped-leaved.</i>	—	—	G. h.	
<i>χ maculata.</i>	<i>blotch-leaved.</i>	—	—	G. h.	
2 tenuifolia. L.T.	slender-leaved. N. Holland.	1824.	G. h.	Botan. magaz. 250.
3 tomentosa. w.	woolly-leaved. China.	1776.	6. 6.	S. h.	Botan. magaz. 250.
4 affinis.	smooth-leaved.	1823.	S. h.	
5 biflora. w.	two-flowered. Jamaica.	1759.	4. 5.	S. h.	Brown. jam. t. 25. f. 3.
6 lucida. w.	shining. Surinam.	1793.	S. h.	
7 trinervia. L.T.	three-nerved. N. S. W.	1823.	S. h.	
8 dumosa. w.	bushy. W. Indies.	1793.	6. 7.	S. h.	
9 disticha. w.	globe-berried. Jamaica.	—	4. 7.	S. h.	Botan. magaz. 867.
10 Pimenta. w.	narrow-ld. Allspice. W. Ind.	1723.	5. 7.	S. h.	— 1236.
11 aeris. w.	broad-ld. Allspice.	1759.	—	S. h.	Lodd. bot. cab. 178.
<i>Pimenta. B.C. non. w. pimentoides. L.</i>					
12 coriacea. w.	Sumach-leaved. Hispaniola.	1759.	—	S. h.	Plum. ic. t. 208. f. 2.
13 virgultosa. w.	twiggy. W. Indies.	1787.	7. 8.	S. h.	— t. 208. f. 1.
14 Gregii. w.	Greg's. Dominica.	1776.	5. 7.	S. h.	Gært. sem. 1. t. 33. f. 3.
CALYPTRANTHES.	W. CALYPTRANTHES. Icosandria Monogynia.				
1 Zuzygium. w.	oval-leaved. W. Indies.	1778.	5. 7.	S. h.	Brown. jam. t. 7. f. 2.
2 Jambolana. w.	Jambolana-tree. E. Indies.	1796.	S. h.	Rumph. amb. 1. t. 42.
3 caryophyllifolia. w.	Clove-leaved.	1822.	S. h.	
<i>Eugenia caryophyllifolia. H.B.</i>					
4 Chytraculia. w.	forked. Jamaica.	1778.	3. 5.	S. h.	Brown. jam. t. 37. f. 2.
PSIDIUM. S.S.	GUAVA. Icosandria Monogynia.	L.			
1 pyriferum. s.s.	Pear-fruited. W. Indies.	1656.	6. 7.	S. h.	Rumph. amb. 1. t. 47.
2 latifolium. L.en.	broad-leaved.	—	S. h.	
3 aromaticum. s.s.	aromatic. W. Indies.	1779.	S. h.	Aub. gui. 1. t. 191.
4 Cattleyanum. s.s.	Cattle's.	1816.	1. 12.	S. h.	Lindl. collect. 16.
5 guianense. s.s.	Guiana. Guiana.	1823.	S. h.	
6 sapidissimum. s.s.	pleasant.	—	6. 7.	S. h.	
7 cordatum. s.s.	spice. W. Indies.	1811.	5. 7.	S. h.	Botan. magaz. 1779.
8 pomiferum. s.s.	apple-fruited.	1692.	6. 7.	S. h.	Rheed. mal. 3. t. 35.
9 polycarpon. L.T.	many-fruited.	1809.	4. 8.	S. h.	Linn. trans. v. 11. t. 17.
10 montanum. s.s.	mountain.	1779.	5. 7.	S. h.	
11 oligospermum. s.s.	few-seeded.	S. h.	
12 chinense. L.C.	yellow Chinese. China.	1. 4.	S. h.	
13 fragrans. L.C.	fragrant.	4. 8.	S. h.	
14 myrtifolia. L.C.	Myrtle-leaved.	—	S. h.	
PUNICA. W.	POMEGRANATE. Icosandria Monogynia.	L.			
1 nana. w.	dwarf. W. Indies.	1723.	7. 9.	G. h.	Botan. magaz. 634.
2 Granatum. w.	common. S. Europe.	1548.	6. 9.	H. h.	— 1832.
<i>β multiplex.</i>	<i>double-flowered.</i>	—	H. h.	
<i>γ alba.</i>	<i>whitish-flow'r'd.</i>	—	H. h.	Andr. reposit. 96.
<i>δ flava.</i>	<i>yellowish.</i>	—	H. h.	
DECUMARIA. W.	DECUMARIA. Dodecandria Monogynia.	L.			
1 barbara. Ph.	smaller. Carolina.	1785.	7. 8.	H. h.	
2 sarmentosa. Ph.	larger.	1758.	—	H. h.	Act. par. 1. t. 13.

Sect. II. LECYTHIDEÆ. *Kth. synops.* 3. p. 424.

LECYTHIS. S.S.	LECYTHIS. Icosandria Monogynia.				
1 Ollaria. s.s.	sessile-leaved. Brazil.	1820.	S. h.	
2 bracteata. s.s.	bracted. Guiana.	—	S. h.	Aub. gui. 2. t. 282.
<i>Couroupita gujanensis. Aub.</i>					

GUSTAVIA. L.	GUSTAVIA. Monadelphia Polyandria. L.		
<i>augusta</i> . w.	large-flowered. Guiana. 1794.	S. h.	Aub. gui. 1. t. 192.
<i>Pirigara tetrapetala</i> . Aub.			
STRAVADIUM. J.	STRAVADIUM. Monadelphia Polyandria.		
1 <i>acutangulum</i> .	acute-angled. E. Indies. 1822.	S. h.	Rheed. mal. 4. t. 7.
<i>Barringtonia acutangula</i> . H.B.	<i>Eugenia acutangula</i> . L.		
2 <i>racemosum</i> .	racemed. ————	S. h.
<i>Barringtonia racemosa</i> . H.B.	<i>Eugenia racemosa</i> . L.		
BARRINGTONIA. L.	BARRINGTONIA. Monadelphia Polyandria. L.		
<i>speciosa</i> . w.	Laurel-leaved. E. Indies. 1786.	S. h.	Rumph. amb. 3. t. 114.
<i>Butonica speciosa</i> . Lam.			

ORDO LXXIX.

MELASTOMACEÆ. *Juss. gen. 328*

MEMECYLON. W.	MEMECYLON. Octandria Monogynia. L.		
1 <i>edule</i> . s.s.	eatable. E. Indies. 1823.	S. h.	
2 <i>capitellatum</i> . s.s.	Ceylon. ————	1796. 7.	S. h.
PETALOMA. S.S.	PETALOMA. Decandria Monogynia.		
1 <i>myrtilloides</i> . s.s.	sessile-leaved. Jamaica. 1818.	S. h.	
2 <i>alternifolia</i> . s.s.	alternate-leav'd. E. Indies. 1823.	S. h.	
BLAKEA. L.	BLAKEA. Dodecandria Monogynia. L.		
<i>trinervia</i> . s.s.	three-ribbed. Jamaica. 1789. 6. 7.	S. h.	Botan. magaz. 451.
MELASTOMA. D.D.	MELASTOMA. Decandria Monogynia.		
1 <i>sanguinea</i> . B.M.	red-veined. Sts. Sunda. 1818. 5. 12.	S. h.	Botan. magaz. 2241.
2 <i>macrocarpa</i> . D.D.	large-fruited. E. Indies. 1793. 1. 8.	S. h.	————— 529.
<i>malabathrica</i> . B.M. non L.			
3 <i>affinis</i> . D.D.	likened. ————	1816. —	S. h.
4 <i>malabathrica</i> . L.	Malabar. ————	S. h.
5 <i>aspera</i> . w.	rough. ————	1815. 8. 11.	S. h.
6 <i>candida</i> . D.D.	white-leaved. China. 1820. 4. 8.	S. h.	
7 <i>nepalensis</i> . B.C.	Nepaul. Nepaul. 1819. 2. 6.	S. h.	Lodd. bot. cab. 707.
8 <i>octandra</i> . w.	octandrous. Ceylon. 1815.	S. h.	
9 <i>corymbosa</i> . H.K.	corymbose. Sierra Leon. 1792. 4. 8.	S. h.	Botan. magaz. 904.
10 <i>elongata</i> . G.D.	tuberous-root'd. ————	1822.	S. h.
MICONIA. D.D.	MICONIA. Decandria Monogynia.		
1 <i>ecostata</i> .	ribless. Jamaica. 1793. 5. 6.	S. h.	
<i>Melastoma ecostata</i> . H.K.			
2 <i>tetrandra</i> . D.D.	tetrandrous. Jamaica. 1815.	S. h.	
3 <i>trinervia</i> . D.D.	three-nerved. ————	1793. 7.	S. h.
4 <i>purpurea</i> . D.D.	purple. Guiana. 1804. 4. 8.	S. h.	Aub. gui. 1. t. 154.
5 <i>lævigata</i> . D.D.	smooth. S. America. 1815. —	S. h.	Botan. regist. 363.
6 <i>grandifolia</i> . D.D.	large-leaved. ————	1818. —	S. h.
<i>Melastoma grandifolia</i> . And. mss. <i>latifolia</i> . Bondp. mss. in Herb. Lamb.			
7 <i>rubescens</i> . D.D.	reddish. ————	1820. —	S. h.
<i>Melastoma rubescens</i> . Bondp. mss. in H.L.			
8 <i>tennifolia</i> . D.D.	slender-leaved. ————	—	S. h.
<i>Melastoma tenuifolia</i> . Bondp. mss. in H.L.			
9 <i>angustata</i> . D.D.	narrow-leaved. Trinidad. —	—	S. h.
10 <i>impetiolaris</i> . D.D.	great-leaved. Guiana. 1822.	S. h.	
11 <i>decussata</i> . D.D.	cross-branched. ————	1818. 3. 6.	S. h.
12 <i>semicrenata</i> . D.D.	semicrenate. W. Indies. 1823.	S. h.	
13 <i>Acinodendron</i> .	oval-leaved. Jamaica. 1804.	S. h.	Plum. ic. 142. f. 2.
14 <i>purpurascens</i> . D.D.	purplish. W. Indies. 1822. 3. 6.	S. h.	
CHITONIA. D.D.	CHITONIA. Decandria Monogynia.		
1 <i>Fothergilla</i> . D.D.	Fothergill's. S. America. 1815.	S. h.	Aub. gui. 1. t. 175.
<i>Melastoma Fothergilla</i> . s.s. <i>Fothergilla mirabilis</i> . Aub.			
2 <i>albicans</i> . D.D.	white-leaved. Jamaica. —	S. h.
3 <i>macrophylla</i> . D.D.	large-leaved. W. Indies. 1820.	S. h.	
PLEROMA. D.D.	PLEROMA. Decandria Monogynia.		
1 <i>granulosa</i> . D.D.	rough-leaved. S. America. 1818. 4. 8.	S. h.	Botan. regist. 671.
<i>Melastoma granulosa</i> . B.R. <i>Rhexia Fontanesii</i> . Kth.			

2	heteromalla. D.D.	woolly-leaved.	————	—	—	S. h.	————	644.
	<i>Melastoma heteromalla.</i>	B.R.						
3	viminea. D.D.	slender.	————	1820.	—	S. h.	————	664.
	<i>Rhexia viminea.</i>	B.R.						
4	holosericea. D.D.	silky.	Brazil.	1816.	—	S. h.	————	323.
	<i>Rhexia holosericea.</i>	B.R.						
TOCOCA. Aub.		TOCOCA. Decandria Monogynia.						
1	Aubletii. D.D.	Aublet's.	Guiana.	1822.	S. h.	Aub. gui. 1. t. 174.	
	<i>guianensis.</i>	Aub.	<i>Melastoma physiphora.</i>	Vahl.				
2	lanata. D.D.	woolly.	W. Indies.	—	S. h.		
	<i>Melastoma lanata.</i>	And. C.						
CLIDEMIA. D.D.		CLIDEMIA. Decandria Monogynia.						
1	hirta. D.D.	hairy.	Jamaica.	1740.	3. 6.	S. h.	Botan. magaz. 1971.	
	<i>Melastoma hirta.</i>	B.M.						
2	elegans. D.D.	elegant.	Trinidad.	1822.	—	S. h.	Aub. gui. 1. t. 167.	
3	rubra. D.D.	red.	Guiana.	1793.	5. 6.	S. h.	———— 1. t. 161.	
4	cernua. D.D.	nodding.	Jamaica.	1820.	—	S. h.		
	<i>Melastoma cernua.</i>	Bondp. mss. in H. Lamb.						
5	microphylla. D.D.	small-leaved.	————	—	—	S. h.		
6	holosericea. D.D.	silky-leaved.	Brazil.	—	—	S. h.	Pluk. mant. 4. t. 252. f. 2.	
7	velutina. D.D.	velvety-leav'd.	Jamaica.	1818.	7. 10.	S. h.		
8	nivea. D.D.	snowy-white.	————	1820.	—	S. h.	Bondp. mon. t. 44.	
	<i>Melastoma nivea.</i>	B.						
9	aggregata. D.D.	clustered.	————	—	—	S. h.		
ACIOTIS. D.D.		ACIOTIS. Decandria Monogynia.						
1	discolor. D.D.	two-coloured.	W. Indies.	1793.	3. 9.	S. h.	Plum. ic. t. 42. f. 1.	
	<i>Melastoma discolor.</i>	W.						
2	aquatica. D.D.	marsh.	S. America.	—	—	S. h.	Aub. gui. 1. t. 169.	
	<i>Rhexia aquatica.</i>	W.						
MERIANIA. Swartz.		MOUNTAIN ROSE. Decandria Monogynia.						
	<i>purpurea.</i>	P.S.	purple-flow'r'd.	Jamaica.	1825.	S. h.	
OSBECKIA. W.		OSBECKIA. Oct-Decandria Monogynia.						
1	zeylanica. W.	Ceylon.	Ceylon.	1749.	5. 9.	S. h.	Botan. regist. 565.	
2	chinensis. W.	Chinese.	China.	1816.	—	S. h.	———— 542.	
	<i>Melastoma osbeckioides.</i>	B.M. 2235.	<i>Rhexia glomerata.</i>	B.C. 334.				
3	stellata. D.P.	starry-haired.	Nepaul.	1818.	—	S. h.	———— 674.	
4	nepalensis. H.E.F.	handsome.	————	1820.	—	S. h.	Hook. ex. flor. t. 31.	
	<i>speciosa.</i>	D.P.						
RHEXIA. W.		RHEXIA. Octandria Monogynia. L.						
1	mariana. W.	Maryland.	N. America.	1759.	6. 8.	H. 2.	Pluk. mant. t. 428. f. 1	
	<i>a purpurea.</i>	Ph.	purple-flowered.	————	—	H. 2.		
	<i>β rubella.</i>	Ph.	reddish-flowered.	————	—	H. 2.	Swt. br. fl gar. 41.	
2	virginica. W.	Virginian.	————	—	—	H. 2.	Botan. magaz. 968.	
3	ciliosa. M.	ciliated.	————	1812.	—	F. 2.	Pursh. fl. amer. 1. t. 10	
4	angustifolia. N.	narrow-leaved.	————	—	—	H. 2.		
	<i>mariana γ exalbida.</i>	M.						

ORDO LXXX.

TAMARISCINEÆ. *Desvaux.*

TAMARIX. R.S.		TAMARISK. Tetr-Pent-Decandria Trigynia.						
1	gallica. R.S.	red-wooded.	England.	7. 8.	H. h.	Eng. bot. 1318.	
2	indica. R.S.	Indian.	E. Indies.	S. h.		
3	articulata. R.S.	jointed.	————	1816.	S. h.	Vahl. symb. 2. t. 32.	
4	dioica. H.B.	diœcions.	————	1812.	S. h.		
5	germanica. R.S.	green-wooded.	Germany.	1582.	6. 9.	H. h.	Flor. dan. t. 234.	

ORDO LXXXI.

CUCURBITACEÆ. *Juss. gen. 393.*

GRONOVIA. W.	GRONOVIA. Pentandria Monogynia. L.				
scandens. w.	climbing. Jamaica. 1731.	6. 7.	S. 4. . . .	Jacq. ic. 2. t. 338.	
SICYOS. W.	SICYOS. Monœcia Monadelphia. W.				
1 angulata. w.	angular-leav'd. N. America. 1710.	7. 9.	H. ⊙. . .	Lam. ill. t. 796.	
2 parviflora. w.	small-flowered. Mexico. 1823.	—	H. ⊙. . .	—	
3 microphylla. Kth.	small-leaved. ————	—	H. ⊙. . .	—	
4 vitifolia. w.	Vine-leaved.	—	H. ⊙. . .	—	
SECIUM. Sw.	CHOKO. Monœcia Monadelphia.				
edule. sw.	eatable. S. America. 1823.	7. 8.	F. ⊙. . .	—	
BRYONIA. W.	BRYONY. Monœcia Monadelphia. W.				
1 scabra. w.	globe-fruited. C. B. S.	1774. 9. 10.	G. 4. . .	—	
2 verrucosa. w.	rough. Canaries. 1779.	6. 10.	G. 4. . .	—	
3 punctata. w.	dotted. C. B. S.	1816.	—	G. 4. . .	
4 cordata. w.	cordate. ————	—	—	G. 4. . .	
5 grandis. w.	great-flowered. E. Indies.	1783.	5. 8.	S. 4. . .	Rumph. am. 5. t. 166. f. 1.
6 epigæa. w.	umbel-flower'd. ————	1815.	—	S. 4. . .	—
7 scabrella. w.	rough-seeded. ————	1781.	6. 7.	S. ⊙. . .	—
8 latebrosa. w.	hairy. Canaries.	1779.	6. 8.	G. 4. . .	—
9 triloba. w.	three-lobed. C. B. S.	1816.	—	G. ⊙. . .	—
10 dioica. w.	common. Britain. . . .	5. 9.	H. 4. . .	—	Eng. bot. 439.
11 alba. w.	white. Europe.	1807.	6. 7.	H. 4. . .	Lam. ill. t. 796.
12 cretica. w.	Cretan. Candia.	1759.	7. 9.	G. 4. . .	Desf. an. mus. 12. t. 17.
13 quinqueloba. w.	five-lobed. C. B. S.	6. 10.	G. 4. . .	Botan. regist. 82.
14 ficifolia. w.	Fig-leaved. Buenos Ayres. 1726.	—	—	G. 4. . .	Dill. elth. t. 50. f. 58.
15 divisa. w. en.	divided-leaved.	1818.	—	G. 4. . .	—
16 palmata. w.	palmated. Ceylon.	1778.	7. 8.	S. 4. . .	—
17 Garcini. w.	Ceylon. ————	1818.	—	S. 4. . .	Burm. ind. t. 57. f. 3.
18 laciniosa. w.	laciniated. E. Indies.	1710.	—	S. 4. . .	Herm. lugd. t. 97.
19 africana. w.	African. C. B. S.	1759.	—	G. 4. . .	Herm. parad. t. 708.
20 dissecta. w.	smooth-leaved. ————	1710.	—	G. 4. . .	—
21 pinnatifida. B. T.	pinnatifid. ————	1816.	—	G. 4. . .	—
22 tenella. H. B.	slender. E. Indies.	1820.	—	S. 4. . .	—
23 filiformis. H. B.	filiform. ————	—	—	S. 4. . .	—
ELATERIUM. L.	ELATERIUM. Monœcia Monandria. W.				
tamnoides. w. en.	Tamus-leaved. Mexico. 1818.	6. 9.	H. ⊙. . .	—	
MELOTHRIA. W.	MELOTHRIA. Triandria Monogynia. W.				
pendula. w.	pendulous. America. 1752.	6. 7.	H. ⊙. . .	Plum. ic. t. 66. f. 2.	
ANGURIA. W.	ANGURIA. Monœcia Diandria. W.				
trilobata. w.	three-lobed. Carthage. 1793.	—	S. 4. . .	Jacq. amer. pict. t. 234.	
LUFFA. P. S.	LUFFA. Monœcia Pentandria.				
1 foetida. P. S.	stinking. Isl. France. 1812.	6. 10.	F. ⊙. . .	—	Botan. magaz. 1638.
2 acutangula. H. B.	acute-angled. E. Indies.	1818.	—	F. ⊙. . .	—
3 clavata. H. B.	upright. ————	1820.	—	F. ⊙. . .	—
4 amara. H. B.	bitter. ————	—	—	F. ⊙. . .	—
5 graveolens. H. B.	strong-scented. ————	1823.	—	F. ⊙. . .	—
6 racemosa. H. B.	racemed. ————	—	—	F. ⊙. . .	—
MOMORDICA. W.	MOMORDICA. Monœcia Monandria. W.				
1 Balsamina. w.	Balsam Apple. India. 1568.	6. 7.	F. ⊙. . .	—	
2 Charantia. w.	hairy. E. Indies.	1710.	—	F. ⊙. . .	Botan. magaz. 2455.
3 muricata. w.	tuberled. ————	—	F. ⊙. . .	Rheed. mal. 8. t. 10.
4 operculata. w.	rough-fruited. W. Indies.	1731.	6. 9.	F. ⊙. . .	Comm. rar. t. 22.
5? Luffa. w.	Egyptian. Egypt.	1739.	7. 8.	F. ⊙. . .	—
6 monadelphia. H. B.	perennial. E. Indies.	1812.	—	S. 4. . .	—
7 dioica. H. B.	diœcious. ————	1820.	—	S. 4. . .	Rheed. mal. 8. t. 18.
8 mixta. H. B.	mixed. ————	—	—	S. 4. . .	—
9 umbellata. H. B.	umbel-flower'd. ————	1818.	—	S. 4. . .	—
10? Elaterium. w.	squirting Cucumber. S. Europe. 1548.	6. 7.	H. 4. . .	—	Botan. magaz. 1914.
CUCUMIS. W.	CUCUMBER. Monœcia Monadelphia. W.				
1 Colycinthis. w.	bitter. C. B. S.	1551.	5. 8.	F. ⊙. . .	—

2 prophetarum. w.	globe.	Levant.	1777.	6. 9.	F. ⊙.	Jacq. vind. 1. t. 9.
3 africanus. L.	African.	C. B. S.	1816.	—	H. ⊙.	Hern. parad. t. 134.
4 Anguria. w.	round prickly.	Jamaica.	1692.	7. 8.	F. ⊙.	Mill. ic. 1. t. 33.
5 acutangulus. w.	acute-angled.	India.	—	6. 9.	F. ⊙.	Jacq. vind. 3. t. 73. 74.
6 Melo. w.	Melon.	Tartary.	1570.	5. 9.	F. ⊙.	
7 deliciosus. Roth.	delicious.	E. Indies.	1818.	—	F. ⊙.	
8 Dudaim. w.	Apple-fruited.	Levant.	1705.	7. 8.	H. ⊙.	Andr. reposit. 548.
9 Chate. w.	hairy.	—	1759.	6. 7.	H. ⊙.	Alp. ægypt. t. 117.
10 pubescens. w.	pubescent.	1815.	6. 9.	F. ⊙.	
11 sativus. w.	common.	E. Indies.	1573.	7. 9.	H. ⊙.	
12 Momordica. H.B.	Momordica-like.	—	1812.	—	F. ⊙.	
13 utilitissimus. H.B.	useful.	—	1820.	—	F. ⊙.	
14 turbinatus. H.B.	top-shaped.	—	—	—	F. ⊙.	
15 anguinus. w.	Snake-fruited.	—	—	—	F. ⊙.	Rumph. amb. 5. t. 148.
16 flexuosus. w.	flexuose-snake.	—	1597.	5. 9.	F. ⊙.	Ger. herb. 763. f. 3.
17 maderaspatanus. w.	Madras.	—	1805.	7. 8.	F. ⊙.	Pluk. alm. t. 170. f. 2.
18 integrifolius. H.B.	entire-leaved.	—	1825.	—	F. ⊙.	
CUCURBITA. W.	GOURD.	Monœcia	Monadelphia.	W.		
1 lagenaria. w.	bottle.	India.	1597.	7. 9.	H. ⊙.	Rumph. amb. 5. t. 144.
2 Pepo. w.	Pumpkin.	Levant.	1570.	6. 8.	H. ⊙.	
3 Potira. P.S.	large-fruited.	—	H. ⊙.	
4 moschata. Duc.	musky.	—	H. ⊙.	
5 maxima. Duc.	largest.	—	H. ⊙.	
6 aurantia. w.	orange-fruited.	1802.	—	H. ⊙.	
7 ovifera. w.	egg-shaped.	Astracan.	—	—	H. ⊙.	
8 verrucosa. w.	warted.	1658.	—	H. ⊙.	
9 Melopepo. w.	Squash.	1597.	5. 9.	H. ⊙.	Moris. s. 1. t. 8.
10 Citrullus. w.	Water Melon.	S. Europe.	—	—	F. ⊙.	Rumph. amb. 5. t. 146.
TRICHOSANTHES. W.	SNAKE-GOURD.	Monœcia	Monadelphia.	W.		
1 Anguina. w.	common.	China.	1755.	5. 6.	F. ⊙.	Botan. magaz. 722.
2 dioica. H.B.	diœcious.	E. Indies.	1820.	—	S. ♀.	
3 cucumerina. w.	Cucumber-like.	—	1804.	6. 7.	F. ⊙.	Rheed. mal. 8. t. 15.
4 lobata. H.B.	lobed-leaved.	—	1812.	—	F. ⊙.	
5 cordata. H.B.	heart-leaved.	—	1823.	S. ⊙.	
CERATOSANTHES. J.	HORN-GOURD.	Monœcia	Monadelphia.			
tuberosa.	tuberos-root'd.	W. Indies.	1810.	6. 7.	S. ♀.	Plum. ic. 24.
<i>Trichosanthes tuberosa. w.</i>						
CARICA. W.	PAPAW-TREE.	Diœcia	Decandria.	L.		
1 Papaya. w.	common.	India.	1690.	7. 8.	S. ♀.	Botan. regist. 459.
2 cauliflora. w.	stem-flowering.	Caracas.	1806.	6. 8.	S. ♀.	Jacq. schœn. 3. t. 311.
3 microcarpa. w.	small-fruited.	—	—	—	S. ♀.	— 3. t. 309-10.
4 monoica. Desf.	monœcious.	1816.	S. ♀.	
5 spinosa. w.	spiny.	Gniana.	1822.	S. ♀.	Aub. gui. 2. t. 246.

ORDO LXXXII.

FICOIDEÆ. *Juss. gen. 315.*

REAUMURIA. W.	REAUMURIA.	Icosandria	Pentagynia.			
hypericoides. w.	Hypericum-like.	Syria.	1800.	7. 10.	G. ♀.	Botan. magaz. 2057.
NITRARIA. W.	NITRARIA.	Dodecandria	Monogynia.	W.		
1 caspica. w.en.	Caspian.	Caspia.	1822.	H. ♀.	
2 Schoberi. w.	Siberian.	Siberia.	1778.	5. 8.	H. ♀.	Andr. reposit. 529.
3 tridentata. w.	African.	Barbary.	1822.	H. ♀.	
SESUVIUM. W.	SESUVIUM.	Icosandria	Trigynia.	L.		
1 pedunculatum. DC.	peduncled.	W. Indies.	1692.	6. 8.	S. ♀.	Lam. ill. t. 434. f. 1.
2 sessile. P.S.	sessile-flow'r'd.	—	—	S. ♀.	DC. plant. grass. 9.
<i>Portulacastrum. w.</i>						
3 revolutifolium. w.en.	revolute-leav'd.	S. America.	—	7. 8.	S. ♀.	Botan. magaz. 1701.
4 longifolium. w.en.	long-leaved.	—	1816.	—	S. ⊙.	
5 repens. w.en.	creeping.	E. Indies.	—	—	S. ⊙.	Rumph. amb. 5. t. 72. f. 1.

AIZOON, W.		AizoON, Icosandria Pentagynia, L.			
1	canariense, w.	Purslane-ld.	Canaries,	1731.	7. 8. H. ⊙. Andr. reposit. 201.
2	perfoliatum, w.	perfoliate.	C. B. S.	1816.	6. 8. G. ♀.
3	glinoides, w.	hairy.	—	1774.	— G. ♀.
4	hispanicum, w.	Spanish.	Spain.	1728.	7. 8. H. ⊙. DC. plant. grass. 30.
5	lanceolatum, w.	spear-leaved.	C. B. S.	1752.	8. G. ♂.
GLINUS, W.		GLINUS, Dodecandria Pentagynia, L.			
	lotoides, w.	hairy.	S. Europe.	1788.	7. H. ⊙. Bocc. sic. 21. t. 11.
MESEMBRYANTHEMUM, FIG-MARYGOLD.		Icosandria Pentagynia, L.			
1	minutum, H.R.	small-white.	C. B. S.	1795.	9. 11. I. ♀. Botan. magaz. 1376.
2	minimim, H.R.	small chequer'd.	—	1776.	9. 12. I. ♀. Pet. gaz. t. 39. 3.
3	perpusillum, H.R.	small exerted.	—	1819.	— I. ♀.
4	obcordellum, H.R.	glaucous chequer'd.	—	1776.	10. 2. I. ♀. Botan. magaz. 1647.
5	obconellum, H.R.	green chequer'd.	—	1794.	— I. ♀.
6	ficiforme, H.R.	fig-shaped.	—	1819. I. ♀.
7	truncatellum, H.R.	large dotted.	—	1795.	10. 2. I. ♀.
8	fibuliforme, H.R.	cloth button.	—	—	11. I. ♀.
9	uvæforme, H.R.	Grape-like.	—	1820. I. ♀. Burm. dec. t. 10. f. 2?
10	nuciforme, H.R.	nut-shaped.	—	1790. I. ♀.
11	testiculare, H.R.	broad short white.	—	1774.	11. I. ♀.
12	octophyllum, H.R.	narrow short white.	—	—	I. ♀. Botan. magaz. 1573.
	<i>testiculare</i> , B.M.				
	<i>β longiusculum</i> .	<i>longer-leaved</i> .	—	—	I. ♀.
	<i>γ roseum</i> .	<i>rosy</i> .	—	—	I. ♀.
13	obtusum, H.R.	obtuse cloven.	—	1792.	3. 4. I. ♀.
14	fissum, H.R.	cloven white.	—	1776. I. ♀.
15	digitiforme, H.R.	finger-formed.	—	1775. I. ♀.
	<i>digitatum</i> , H.K.?				
16	magnipunctum, H.R.	great dotted club.	—	1816.	9. 11. I. ♀.
	<i>α sesquiunciale</i> , H.R.	<i>thickest-leaved</i> .	—	— I. ♀.
	<i>β unciale</i> , H.R.	<i>thinner-leaved</i> .	—	— I. ♀.
17	nobile, H.P.	noble.	—	—	11. I. ♀.
18	canum, H.R.	hoary club-ld.	—	1795. I. ♀.
19	aloides, H.R.	Aloe-like.	—	1816.	9. 11. I. ♀.
20	caninum, H.R.	dog-chop.	—	1717.	8. 10. G. ♀. DC. plant. grass. 95.
21	vulpinum, H.R.	fox-chop.	—	1795.	— G. ♀.
22	hybridum, H.R.	hybrid.	Hybrid.	— G. ♀.
23	albidum, H.R.	white.	C. B. S.	1714.	7. 8. G. ♀. Botan. magaz. 1824.
24	tigrinum, H.P.	tiger-chop.	—	1790.	9. 11. G. ♀. Botan. regist. 260.
25	felinum, H.P.	cat-chop.	—	1730.	8. 11. G. ♀. DC. plant. grass. 152.
26	lupinum, H.P.	wolf's chop.	—	1822. G. ♀.
27	mustelinum, H.P.	weasel-chop.	—	1818.	8. 11. G. ♀.
28	murinum, H.P.	mouse-chop.	—	1790.	9. G. ♀.
29	dolabriforme, H.R.	hatchet-leaved.	—	1705.	5. 11. G. ♀. Botan. magaz. 32.
30	carinans, H.R.	scymetar-ld.	—	1820. G. ♀.
31	scapiger, H.P.	great-scaped.	—	1822.	8. 9. G. ♀.
32	denticulatum, H.R.	toothed, beak'd.	—	1793.	4. G. ♀.
	<i>α canum</i> , H.R.	<i>white-leaved</i> .	—	—	G. ♀.
	<i>β glaucum</i> , H.R.	<i>glaucous-leaved</i> .	—	—	G. ♀.
	<i>γ candidissimum</i> , H.R.	<i>whitest</i> .	—	—	G. ♀.
33	robustum, H.R.	robust-beaked.	—	1795. G. ♀.
34	compactum, H.R.	compact.	—	1780.	11. G. ♀.
35	quadrifidum, H.R.	quadrifid.	—	1795.	— G. ♀.
36	bifidum, H.R.	bifid beaked.	—	—	G. ♀.
37	bibracteatum, H.R.	double-bracted.	—	1803.	4. 11. G. ♀.
38	rostratum, H.R.	heron-beaked.	—	1732.	4. 5. G. ♀. Dill. elth. f. 229.
	<i>β tuberculatum</i> , H.R.	<i>tuberculate</i> .	—	— G. ♀.
39	ramulosum, H.R.	small-beaked.	—	1803.	3. 11. G. ♀.
40	pisiforme, H.R.	pea-shaped.	—	1796.	... I. ♀.
41	moniliforme, H.R.	necklace.	—	1791.	3. 4. I. ♀.
42	scalpratum, H.R.	great tongue.	—	1714.	8. 10. G. ♀. Dill. elth. t. 183. f. 224.
43	fragrans, H.R.	sweet-scented.	—	1820.	— G. ♀.
44	præpingue, H.R.	soft-tongue.	—	1792.	— G. ♀.
45	medium, H.R.	large-tongue.	—	1816.	— G. ♀.
46	cultratum, H.R.	long cultrated.	—	1820.	— G. ♀.
47	lucidum, H.R.	high-polished.	—	1768.	— G. ♀. Dill. elth. f. 227.
48	adscendens, H.R.	long-peduncul'd.	—	1805.	8. 11. G. ♀.
49	pustulatum, H.R.	blis't'r'd tongue.	—	1816.	— G. ♀.

50	longum. H.R.	long thin-ld.	C. B. S.	1725.	8. 10.	G. 2.	
	<i>α flaccidum.</i> H.R.	long-flaccid.	—	—	—	G. 2.	Botan. magaz. 1866.
	<i>depressum.</i> B.M. nec	<i>aliorum.</i>	—	—	—	—	
	<i>β declive.</i> H.R.	lesser erect-edg'd.	—	—	—	G. 2.	
	<i>γ angustius.</i> H.R.	tufted narrow-ld.	—	1819.	—	G. 2.	
	<i>δ purpurascens.</i> H.R.	purple green.	—	1819.	—	G. 2.	
	<i>ε uncatum.</i> H.R.	leaden green.	—	—	—	G. 2.	
	<i>ζ attollens.</i> H.R.	narrow dark.	—	—	—	G. 2.	
51	linguæforme. H.R.	common tongue.	—	1732.	11. 3.	G. 2.	Dill. elth. f. 226?
	<i>β rufescens.</i> H.R.	reddish green.	—	1804.	G. 2.	
	<i>γ suberuciatum.</i> H.R.	subcruciate.	—	1820.	8. 11.	G. 2.	
	<i>δ prostratum.</i> H.R.	prostrate.	—	—	—	G. 2.	
	<i>ε assurgens.</i> H.R.	ussurgent.	—	1819.	—	G. 2.	
52	latum. H.R.	broad tongue.	—	1732.	—	G. 2.	Dill. elth. f. 225.
	<i>β breve.</i> H.R.	short flat.	—	1802.	—	G. 2.	
53	depressum. H.R.	small recurving-ld.	—	1795.	9. 11.	G. 2.	Dill. elth. f. 226?
	<i>α pallens.</i> H.R.	light green.	—	—	—	G. 2.	
	<i>β lividum.</i> H.R.	rufous green.	—	1819.	—	G. 2.	
54	cruciatum. H.R.	soft cruciate.	—	1792.	5. 11.	G. 2.	
55	taurinum. H.R.	Bull's-horn.	—	1795.	9. 11.	G. 2.	
56	Salmii. H.R.	Prince de Salm's.	—	1818.	—	G. 2.	
	<i>α decussatum.</i> H.R.	decussate.	—	—	—	G. 2.	
	<i>β semicruciatum.</i> H.R.	semicruciate.	—	1820.	—	G. 2.	
	<i>γ angustifolium.</i> H.R.	narrow-leaved.	—	—	—	G. 2.	
57	surrectum. H.R.	thick acnte tongue.	—	1819.	—	G. 2.	
58	heterophyllum. H.R.	various-leaved.	—	1795.	—	G. 2.	
59	angustum. H.R.	narrow tongue.	—	1790.	3. 10.	G. 2.	
	<i>β pallidum.</i> H.R.	paler-leaved.	—	1819.	G. 2.	
	<i>γ heterophyllum.</i> H.K.	semicylindric-ld.	—	8. 10.	G. 2.	Andr. reposit. 540.
60	difforme. H.R.	difformed.	—	1732.	—	G. 2.	Dill. elth. f. 242.
61	bidentatum. H.R.	double-toothed.	—	1816.	—	G. 2.	
	<i>α minus.</i> H.R.	smaller.	—	—	—	G. 2.	
	<i>β majus.</i> H.R.	larger.	—	—	—	G. 2.	
62	semicylindricum. H.R.	small difform'd.	—	1732.	3. 11.	G. 2.	Dill. elth. t. 194. f.241.
63	gibbosum. H.R.	great pale gibbous.	—	1780.	1. 4.	G. 2.	
64	luteo-viride. H.R.	long pale gibbous.	—	1795.	—	G. 2.	
65	perviride. H.R.	dark green gibbous.	—	1792.	1. 5.	G. 2.	
66	pubescens. H.R.	hoary gibbous.	—	—	—	G. 2.	
67	calamiforme. H.R.	white fld. quill.	—	1717.	7. 9.	G. 2.	DC. plant. grass. t. 5.
68	obsubulatum. H.R.	reversed quill.	—	1796.	G. 2.	
69	cylindricum. H.R.	cylindric quill.	—	1792.	9. 2.	G. 2.	
70	teretifolium. H.R.	round quill.	—	1794.	—	G. 2.	
71	teretisculm. H.R.	roundish quill.	—	—	—	G. 2.	
72	bellidiflorum. H.R.	daisy-flowered.	—	1717.	6. 8.	G. 2.	Dill. elth. 224. t. 233.
	<i>α glaucescens.</i> H.R.	small glaucous.	—	—	—	G. 2.	
	<i>β subulatum.</i> H.R.	great green.	—	1768.	—	G. 2.	DC. plant. gras. t. 41.
	<i>γ viride.</i> H.R.	pea green.	—	1822.	—	G. 2.	
73	acutum. H.R.	great awl-ld.	—	1792.	11. 4.	G. 2.	
74	punctatum. H.R.	middle-spotted.	—	G. 2.	
75	diminutum. H.R.	small awl-ld.	—	1789.	4.	G. 2.	
	<i>β cauliculatum.</i> H.R.	stalked.	—	1817.	—	G. 2.	
76	loreum. H.R.	leathery-stalk'd.	—	1732.	9.	G. 2.	Dill. elth. t. 200. f. 255.
	<i>β congestum.</i> H.R.	crowded-leaved.	—	1805.	G. 2.	
77	diversifolium. H.R.	short horn-ld.	—	1726.	3. 10.	G. 2.	Dill. elth. t. 198. f.252.
	<i>α majus.</i> H.R.	larger.	—	—	—	G. 2.	
	<i>β glaucus.</i> H.R.	glaucouscent.	—	—	G. 2.	
	<i>γ brevifolium.</i> H.R.	short-leaved.	—	8.	G. 2.	
	<i>δ late-virens.</i> H.R.	pale green.	—	G. 2.	
	<i>ε atro-virens.</i> H.R.	dark green.	—	8. 9.	G. 2.	
78	decipiens. H.R.	middle horn-ld.	—	1820.	G. 2.	
79	dubium. H.R.	round stalked.	—	1800.	11. 5.	G. 2.	Bradl. succ. d.4. t. 40.
80	corniculatum. H.R.	long horn-ld.	—	1732.	3. 5.	G. 2.	DC. plant. gras. 108.
81	procumbens. H.R.	purple-jointed.	—	1820.	G. 2.	
82	tricolorum. H.R.	three-coloured.	—	1794.	10.	G. 2.	
83	pugioniforme. H.R.	great dagger-ld.	—	1714.	7. 9.	G. 2.	DC. plant. gras. 72.
	<i>β carneum.</i> H.R.	flesh-coloured.	—	—	G. 2.	
	<i>γ purpureum.</i> H.R.	purple.	—	—	G. 2.	
	<i>ε bienne.</i> H.R.	biennial.	—	—	G. 2.	

84	capitatum. H.R.	lesser dagger-ld.	C. B. S.	1717.	7. 9.	G. 7.	Botan. regist. 494.
	<i>β ramigerum.</i> H.R.	branching.	_____	1816.	_____	G. 7.	
85	brevicaule. H.R.	dwarf dagger-ld.	_____	_____	_____	G. 7.	
86	coruscans. H.R.	glittering dagger.	_____	1813.	_____	G. 7.	
87	elongatum. H.R.	tuberous long-ld.	_____	1793.	5.	G. 7.	
	<i>a grandiflorum.</i>	large-flowered.	_____	_____	_____	G. 7.	
	<i>β minus.</i> H.R.	lesser.	_____	_____	_____	G. 7.	
88	gemmiflorum. H.R.	small pale.	_____	1819.	_____	G. 7.	Botan. regist. 493.
89	simile. H.R.	short-jointed.	_____	_____	G. 7.	
90	laxum. H.R.	long-jointed.	_____	_____	G. 7.	
91	sarmentosum. H.R.	sarmentose.	_____	1805.	4.	G. 7.	
92	rigidicaule. H.R.	stiff-stemmed.	_____	1819.	G. 7.	
93	Schollii. H.R.	Scholl's.	_____	1818.	G. 7.	Jacq. frag. t. 51. f. 2.
	<i>aduncum.</i> Jacq. non H.	<i>recurvum.</i> H.S.S.	_____	_____	_____	_____	
94	filamentosum. H.R.	thready.	_____	1732.	3. 4.	G. 7.	Dill. elth. t. 212. f. 273.
95	serrulatum. H.R.	rosy-stalked.	_____	1795.	11. 12.	G. 7.	
	<i>a glaucum.</i> H.R.	glaucous.	_____	_____	_____	G. 7.	
	<i>β viridius.</i> H.R.	greenish.	_____	_____	_____	G. 7.	
96	rubricaule. H.R.	deep red-stalk'd.	_____	1802.	12. 2.	G. 7.	
	<i>a gracilius.</i> H.R.	slenderest.	_____	_____	_____	G. 7.	
	<i>β densius.</i> H.R.	crowded.	_____	G. 7.	
	<i>γ subvirens.</i> H.R.	tall-green.	_____	G. 7.	
97	acinaciforme. H.R.	great scymetar-ld.	_____	1714.	8. 9.	G. 7.	Dill. elth. f. 270. 271.
	<i>a breve.</i> H.R.	short-branched.	_____	_____	_____	G. 7.	Andr. reposit. 508.
	<i>β longum.</i> H.R.	longer-branched.	_____	_____	_____	G. 7.	
98	lævigatum. H.R.	smooth scymetar.	_____	1802.	_____	G. 7.	
99	rubro-cinctum. H.R.	red-edged.	_____	1811.	_____	G. 7.	
	<i>a crassum.</i> H.R.	thick-leaved.	_____	_____	G. 7.	
	<i>β compressum.</i> H.R.	compressed.	_____	G. 7.	
	<i>γ tenerum.</i> H.R.	tender.	_____	L. 7.	
100	subalatum. H.R.	wing-stalked.	_____	1802.	G. 7.	
101	edule. H.R.	Hottentot's-fig.	_____	1690.	7. 8.	G. 7.	Dill. elth. t. 212. f. 272.
102	dimidiatum. H.R.	lesser eatable.	_____	1811.	G. 7.	
103	glaucescens. H.R.	glaucous.	N.Holland.	1804.	7.	G. 7.	
104	Rossi. H.R.	Ross's.	V.Diem. Isl.	1821.	G. 7.	
105	virescens. H.R.	virescent.	N.Holland.	1804.	6. 8.	G. 7.	
106	aequilaterale. H.R.	equal angled.	_____	1791.	_____	G. 7.	
107	virens. H.R.	smooth-edged green.	C. B. S.	1821.	G. 7.	
108	reptans. H.R.	creeping.	_____	1774.	6. 8.	G. 7.	
109	australe. H.R.	New Zealand.	N.Zealand.	1773.	_____	G. 7.	
110	crassifolium. H.R.	thick-leaved.	C. B. S.	1727.	5. 8.	G. 7.	Dill. elth. t. 208. f. 257.
111	clavellatum. H.R.	club-ld. creeping.	N.Holland.	1803.	6. 7.	G. 7.	
	<i>β aggregatum.</i> H.R.	cluster branched.	_____	_____	_____	G. 7.	
	<i>γ minus.</i> H.R.	shorter-branch'd.	_____	_____	_____	G. 7.	
112	forficatum. H.R.	scissor-leaved.	C. B. S.	1758.	9. 10.	G. 7.	Jacq. vind. 1. t. 26.
113	geminatum. H.R.	white twin-shooted.	_____	1792.	G. 7.	
114	marginatum. H.R.	white-edged.	_____	1793.	G. 7.	
115	rostellum. H.R.	little prostrate beak.	_____	1820.	8. 10.	G. 7.	
116	perfoliatum. H.R.	great-hooked.	_____	1714.	6. 8.	G. 7.	Dill. elth. t. 192. f. 240.
	<i>a tricanthum.</i> H.R.	three-thorned.	_____	_____	_____	G. 7.	Bradl. suc. 5. t. 46.
	<i>β monacanthum.</i> H.R.	one-thorned.	_____	_____	_____	G. 7.	Bradl. suc. dec. 3. f. 26.
117	uncinellum. H.R.	small-hooked.	_____	1819.	G. 7.	
118	uncinatum. H.R.	greenish-hook'd.	_____	1725.	8.	G. 7.	DC. plant. grass. 54.
119	semidentatum. H.R.	slender-hook'd.	_____	1818.	G. 7.	
120	viride. H.R.	deep green.	_____	1792.	7.	G. 7.	
121	acutangulum. H.P.	sharp-angled.	_____	1820.	G. 7.	
122	curtum. H.R.	short-sheathed.	_____	1811.	G. 7.	
	<i>β majus.</i> H.R.	larger.	_____	_____	G. 7.	
	<i>γ politum.</i> H.R.	polished.	_____	_____	G. 7.	
123	hamatum. W.	hook'd sheathing.	_____	_____	G. 7.	
124	vaginatum. H.R.	rough sheathing.	_____	1802.	7. 8.	G. 7.	
	<i>β parviflorum.</i> H.R.	smaller-flow'r'd.	_____	_____	_____	G. 7.	
125	parviflorum. H.R.	small-flowered.	_____	1800.	8.	G. 7.	
126	rigidum. H.R.	rigid.	_____	1793.	_____	G. 7.	
127	tenellum. H.R.	least perfoliate.	_____	1792.	_____	G. 7.	
128	imbricatum. H.R.	imbricated.	_____	1792.	7.	G. 7.	
129	multiflorum. H.R.	many-flowered.	_____	_____	7. 9.	G. 7.	Pluk. phyt. t. 117. f. 1.
	<i>a majus.</i> H.R.	larger white.	_____	_____	_____	G. 7.	
	<i>β minus.</i> H.R.	lesser white.	_____	_____	_____	G. 7.	

	<i>γ rubrum</i> . H.R.	<i>red-flowered</i> .	C. B. S.	1816.	G. h.	
	<i>δ patens</i> . H.R.	<i>single flower'd</i> .	-----	-----	G. h.	
	<i>ε nitens</i> . H.R.	<i>bright-green</i> .	-----	-----	G. h.	
130	<i>umbellatum</i> . H.R.	<i>umbel-flower'd</i> .	-----	1727.	6. 9.	G. h.	Dill. elth. t. 208. f. 266.
131	<i>tumidulum</i> . H.R.	<i>tumid</i> .	-----	1802.	3.	G. h.	
132	<i>foliosum</i> . H.R.	<i>many-leaved</i> .	-----	-----	9.	G. h.	
133	<i>lineolatum</i> . H.R.	<i>tumid sheath'd</i> .	-----	1819.	G. h.	
	<i>β minus</i> . H.R.	<i>lesser</i> .	-----	-----	G. h.	
	<i>γ nitens</i> . H.R.	<i>glittering</i> .	-----	-----	-----	G. h.	
134	<i>serratum</i> . H.R.	<i>saw-keeled</i> .	-----	1707.	6. 7.	G. h.	Dill. elth. t. 192. f. 238.
135	<i>lacernum</i> . H.R.	<i>ragged-keeled</i> .	-----	1792.	6.	G. h.	
136	<i>heteropetalum</i> . H.R.	<i>various-petal'd</i> .	-----	1794.	5-8.	G. h.	
137	<i>glaucinum</i> . H.R.	<i>glaucine</i> .	-----	1818.	G. h.	
	<i>α angustum</i> . H.R.	<i>slenderest-ld</i> .	-----	-----	G. h.	
	<i>β crassum</i> . H.R.	<i>thicker-leaved</i> .	-----	-----	G. h.	
138	<i>mutabile</i> . H.R.	<i>changeable</i> .	-----	1792.	7. 9.	G. h.	DC. plant. gras. 60.
	<i>filamentosum</i> . DC.						
139	<i>inclaudens</i> . H.R.	<i>open-flowered</i> .	-----	1805.	6. 9.	G. h.	Andr. reposit. 388.
140	<i>caulescens</i> . H.R.	<i>smooth delta-ld</i> .	-----	1731.	5. 7.	G. h.	Dill. elth. f. 243-4.
141	<i>deltoides</i> . H.R.	<i>great delta-ld</i> .	-----	-----	5.	G. h.	DC. plant. gras. 53.
142	<i>muricatum</i> . H.R.	<i>small delta-ld</i> .	-----	-----	-----	G. h.	Dill. elth. t. 195. f. 246.
	<i>β minus</i> . H.R.	<i>smaller-leaved</i> .	-----	-----	G. h.	
143	<i>microphyllum</i> . H.R.	<i>small-green-ld</i> .	-----	1795.	-----	G. h.	
144	<i>mucronatum</i> . H.R.	<i>bristle-pointed</i> .	-----	1794.	G. h.	
145	<i>pygmæum</i> . H.R.	<i>pygmy connate</i> .	-----	1820.	G. h.	
146	<i>canescens</i> . H.R.	<i>small grey-ld</i> .	-----	1793.	4.	G. h.	
	<i>pulchellum</i> . H.S.						
	<i>β revolutum</i> . H.R.	<i>revolving</i> .	-----	1819.	-----	G. h.	
147	<i>inaximum</i> . H.R.	<i>great crescent-ld</i> .	-----	1787.	3. 8.	G. h.	
148	<i>lunatum</i> . H.R.	<i>small crescent-ld</i> .	-----	-----	G. h.	
149	<i>falcatum</i> . H.R.	<i>small sickle-ld</i> .	-----	1727.	6. 8.	G. h.	Dill. elth. f. 275-6.
150	<i>decumbens</i> . H.R.	<i>dwarf decumbent</i> .	-----	1759.	5. 10.	G. h.	
151	<i>incurvum</i> . H.R.	<i>incurved</i> .	-----	1802.	6.	G. h.	
	<i>β dilatans</i> . H.R.	<i>dilated</i> .	-----	1805.	9. 10.	G. h.	
	<i>γ pallidius</i> . H.R.	<i>pale-flowering</i> .	-----	-----	-----	G. h.	
	<i>δ densifolium</i> . H.R.	<i>dense lesser-ld</i> .	-----	1819.	-----	G. h.	
	<i>ε roseum</i> . H.R.	<i>rosy</i> .	-----	-----	-----	G. h.	
152	<i>confertum</i> . H.R.	<i>crowded-ld</i> .	-----	1805.	-----	G. h.	
153	<i>falciforme</i> . H.R.	<i>sickle-shaped</i> .	-----	-----	7. 8.	G. h.	
154	<i>glomeratum</i> . H.R.	<i>clustered</i> .	-----	1732.	6. 8.	G. h.	Dill. elth. t. 213. f. 274.
155	<i>inflexum</i> . H.R.	<i>inflex-leav'd</i> .	-----	1818.	G. h.	
156	<i>scabrum</i> . H.R.	<i>rough</i> .	-----	1731.	7.	G. h.	Dill. elth. t. 197. f. 251.
	<i>α pallidum</i> . H.R.	<i>pale-bloomed</i> .	-----	-----	-----	G. h.	
	<i>β purpureum</i> . H.R.	<i>purple</i> .	-----	-----	-----	G. h.	
157	<i>versicolor</i> . H.R.	<i>changeable rough</i> .	-----	1795.	5. 8.	G. h.	
158	<i>retroflexum</i> . H.R.	<i>reflex-flower'd</i> .	-----	1794.	5. 10.	G. h.	
159	<i>imbricans</i> . H.R.	<i>imbricate-ld</i> .	-----	1818.	G. h.	
160	<i>deflexum</i> . H.R.	<i>smooth deflex'd</i> .	-----	1774.	7. 10.	G. h.	
161	<i>leptaleon</i> . H.R.	<i>slender deflex'd</i> .	-----	1820.	-----	G. h.	
162	<i>polyanthon</i> . H.R.	<i>copious-flow'r'd</i> .	-----	1803.	8.	G. h.	
163	<i>flexile</i> . H.R.	<i>little flexile</i> .	-----	1820.	-----	G. h.	
164	<i>polyphyllum</i> . H.R.	<i>crowded-ld</i> .	-----	1819.	6. 10.	G. h.	
165	<i>violaceum</i> . H.R.	<i>deep violaceous</i> .	-----	1820.	10.	G. h.	
166	<i>emarginatum</i> . H.R.	<i>notch-petal'd</i> .	-----	1732.	6. 8.	G. h.	Dill. elth. t. 197. f. 250.
167	<i>dilatatum</i> . H.R.	<i>gibbons-keeled</i> .	-----	1795.	7.	G. h.	
168	<i>virgatum</i> . H.R.	<i>slender-twigg'd</i> .	-----	1793.	2. 4.	G. h.	
169	<i>bracteatum</i> . H.R.	<i>double-bracted</i> .	-----	1774.	7. 10.	G. h.	
170	<i>anceps</i> . H.R.	<i>broad-bracted</i> .	-----	1811.	9. 10.	G. h.	
	<i>β pallidum</i> . H.R.	<i>paler-flowered</i> .	-----	-----	-----	G. h.	
171	<i>gracile</i> . H.R.	<i>slender bracteate</i> .	-----	1794.	8. 11.	G. h.	
	<i>stellatum</i> . H.S. non DC.						
	<i>β gracilius</i> . H.R.	<i>pale flat-bracted</i> .	-----	-----	G. h.	
172	<i>radiatum</i> . H.R.	<i>radiate</i> .	-----	1732.	-----	G. h.	Dill. elth. t. 197. f. 249.
173	<i>compressum</i> . H.R.	<i>rough compress'd</i> .	-----	1792.	7. 9.	G. h.	
174	<i>patulum</i> . H.R.	<i>paler-flowered</i> .	-----	1811.	10. 11.	G. h.	
175	<i>asperum</i> . H.R.	<i>large rough-ld</i> .	-----	1818.	G. h.	
	<i>α majus</i> . H.R.	<i>broader-leaved</i> .	-----	-----	G. h.	
	<i>β carulescens</i> . H.R.	<i>bluish-leaved</i> .	-----	1820.	G. h.	
176	<i>formosum</i> . H.R.	<i>white-ey'd red</i> .	-----	-----	8. 9.	G. h.	

177	spectabile. H.R.	glaucous showy.	C. B. S.	1787.	5. 8.	G. ♀.	Botan. magaz. 396.
178	conspicuum. H.R.	dark red showy.	————	1806.	9. 10.	G. ♀.	————
179	blandum. H.R.	fair-flowered.	————	1816.	6. 12.	G. ♀.	Botan. regist. 582.
180	curviflorum. H.R.	incurving white.	————	1818.	————	G. ♀.	————
181	aureum. H.R.	great orange.	————	1750.	3. 10.	G. ♀.	Botan. magaz. 262.
182	aurantium. H.R.	glaucous orange.	————	1793.	6. 8.	G. ♀.	————
183	glaucum. H.R.	great gold-fl'd.	————	1696.	6. 7.	G. ♀.	DC. plant. gras. 116.
184	cymbifolium. H.P.	greater boat-ld.	————	1823.	G. ♀.	————
185	strictum. H.R.	upright boat-ld.	————	1795.	G. ♀.	————
186	mucroniferum. H.P.	mucronate boat-ld.	————	1823.	G. ♀.	————
187	cymbiforme. H.R.	small boat-ld.	————	1793.	G. ♀.	————
188	graniforme. H.R.	grain-leaved.	————	1727.	9. 10.	G. ♀.	Bradl. succ. 2. t. 20.
189	molle. H.R.	soft.	————	1774.	10.	G. ♀.	————
190	coccineum. H.R.	scarlet-flow'r'd.	————	1696.	5. 9.	G. ♀.	Botan. magaz. 59.
	α obtusum. H.R.	blunt-calyxed.	————	————	————	G. ♀.	DC. plant. grass. 83.
	β acutius. H.R.	acute-calyxed.	————	————	G. ♀.	————
	γ minus. H.R.	lesser.	————	————	G. ♀.	————
191	bicolorum. H.R.	two-coloured.	————	1732.	————	G. ♀.	————
	α erectum. H.R.	tall upright.	————	————	————	G. ♀.	Dill. elth. t. 202. f. 258.
	β patulum. H.R.	spreading.	————	————	G. ♀.	————
	γ minus. H.R.	dwarf spreading.	————	————	G. ♀.	————
192	inæquale. H.R.	unequal-cupp'd.	————	1716.	————	G. ♀.	Bradl. succ. 1. t. 7.
193	tenuifolium. H.R.	slender-leav'd.	————	1700.	6. 9.	G. ♀.	Dill. elth. t. 201. f. 256.
	β erectum. H.R.	upright slender-ld.	————	..	————	G. ♀.	DC. plant. gras. 82.
194	variabile. H.R.	changeable-fl'd.	————	1796.	6. 8.	G. ♀.	————
	α densius. H.R.	rough close-ld.	————	————	————	G. ♀.	————
	β laxius. H.R.	smoother distant-ld.	————	————	————	G. ♀.	————
195	spiniforme. H.R.	thorn-shaped.	————	1793.	9. 10.	G. ♀.	————
	β subaduncum. H.R.	greater hook-ld.	————	1810.	10. 11.	G. ♀.	————
196	curvifolium. H.R.	great curve-ld.	————	1799.	10.	G. ♀.	————
197	flexifolium. H.R.	lesser curve-ld.	————	1818.	G. ♀.	————
	α perviride. H.R.	dark-green.	————	————	G. ♀.	————
	β late virens. H.R.	apple-green.	————	————	G. ♀.	————
198	aduncum. H.R.	small curve-ld.	————	1795.	2. 3.	G. ♀.	————
199	fili caule. H.R.	thready-stem'd.	————	1800.	9.	G. ♀.	————
200	spinosum. H.R.	thorny.	————	1714.	6. 9.	G. ♀.	Dill. elth. t. 208. f. 265.
201	productum. H.R.	great-cupped.	————	1820.	6. 8.	G. ♀.	————
202	stipulaceum. H. R.	tall, stipuled.	————	1723.	5. 8.	G. ♀.	Dill. elth. f. 267 & 268.
203	corallinum. H.R.	coral-stemmed.	————	1819.	..	G. ♀.	————
204	Haworthii. H.R.	Haworth's.	————	1793.	6. 1.	G. ♀.	————
205	læve. H.R.	blunt white-ld.	————	1774.	7. 9.	G. ♀.	————
206	veruculatum. H.R.	long spit-ld.	————	1731.	5. 6.	G. ♀.	————
	α Dillenii. H.R.	Dillenius's.	————	————	————	G. ♀.	Dill. elth. f. 259.
	β Candollii. H.R.	cluster spit-ld.	————	————	————	G. ♀.	DC. plant. gras. 36.
207	purpuro-croceum. H.R.	purple saffron-fl'd.	————	1780.	8. 10.	G. ♀.	————
	β flavo-croceum. H.R.	yellow-saffron.	————	1816.	5. 9.	G. ♀.	————
208	croceum. H.R.	saffron-flow'r'd.	————	————	10. 11.	G. ♀.	Jacq. frag. p. 17. t. 11. f. 2.
209	crystallinum. H.R.	diamond.	————	1727.	5. 8.	G. ♂.	DC. plant. gras. 128.
210	glaciale. H.R.	Ice-plant.	Greece.	1787.	————	G. ⊙.	————
211	pinnatifidum. H.R.	jagged-leaved.	C. B. S.	1774.	5. 10.	G. ⊙.	Botan. magaz. 67.
212	sessiliflorum. H.R.	small ice-plant.	————	————	7. 8.	G. ⊙.	————
	α luteum. H.R.	yellow-flowered.	————	————	————	G. ⊙.	————
	β album. H.R.	white-flowered.	————	————	1816.	G. ⊙.	————
213	humifusum. H.R.	narrow-ld. ice-pt.	————	1774.	————	G. ♀.	————
214	Aitoni. H.R.	Aiton's.	————	6. 10.	————	G. ♂.	Jacq. vind. 3. t. 7.
215	lancoelatum. H.R.	spear-leaved.	————	1795.	5. 8.	G. ⊙.	————
	α album. H.R.	white-flowered.	————	————	————	G. ⊙.	————
	β roseum. H.R.	rosy.	————	1812.	————	G. ⊙.	————
216	cordifolium. H.R.	heart-leaved.	————	1774.	5. 9.	G. ♀.	DC. plant. gras. 102.
217	pomeridianum. H.R.	great yellow-fl'd.	————	————	7. 9.	G. ⊙.	Botan. magaz. 540.
	β Andrewsii. H.R.	Andrews's.	————	————	G. ⊙.	Andr. reposit. 57.
218	Candollii. H.R.	Decandolle's.	————	————	G. ⊙.	DC. plant. gras. 135.
	helianthoides. DC. nec aliorum.	————	————	————	————	————	————
219	pilosum. H.R.	hairy yellow.	————	1800.	6. 8.	G. ⊙.	Breyn. cent. t. 79.
220	calendulaceum. H.R.	hispid narrow-cup'd.	————	1819.	8.	G. ⊙.	————
221	helianthoides. H.R.	spatula-leaved.	————	1774.	8. 10.	G. ⊙.	————
222	limpidum. H.R.	transparent.	————	7.	————	G. ⊙.	Jacq. ic. 3. t. 288.
223	tricolor. H.R.	annual 3-colour'd.	————	1820.	4. 7.	G. ⊙.	————
	α pyropæum. H.R.	the ruby.	————	————	————	G. ⊙.	Botan. magaz. 2144.

	<i>β roseum</i> . H.R.	<i>the rosy</i> .	C. B. S.	—	—	G. ⊙.	
	<i>γ album</i> . H.R.	<i>blush white</i> .	—	1819.	—	G. ⊙.	
224	<i>villosum</i> . H.R.	<i>villous</i> .	—	1759.	7.	G. ♀.	
225	<i>caducum</i> . H.R.	<i>deciduous</i> .	—	1774.	7. 8.	G. ⊙.	
226	<i>apetalum</i> . H.R.	<i>dwarf spreading</i> .	—	—	—	G. ⊙.	Jaqu. vind. 3. t. 6.
227	<i>nodiflorum</i> . H.R.	<i>knot-flowered</i> .	Egypt.	1739.	8. 10.	G. ⊙.	DC. plant. gras. 88.
228	<i>ciliatum</i> . H.R.	<i>ciliated</i> .	C. B. S.	1774.	G. ♀.	
229	<i>geniculiflorum</i> . H.R.	<i>joint-flowered</i> .	—	1727.	7. 9.	G. ♀.	DC. plant. gras. 17.
230	<i>Tripolium</i> . H.R.	<i>Aster-leaved</i> .	—	1700.	6. 10.	G. ♂.	Dill. elth. t. 179. f. 220.
231	<i>expansum</i> . H.R.	<i>houseleek-ld.</i>	—	1705.	7. 8.	G. ♀.	DC. plant. gras. 94.
	<i>tortuosum</i> . DC.						
232	<i>varians</i> . H.R.	<i>varying</i> .	—	1706.	7. 10.	G. ♀.	Pet. gaz. t. 78. f. 10.
233	<i>tortuosum</i> . H.R.	<i>twisting-ld.</i>	—	1705.	6. 10.	G. ♀.	Dill. elth. t. 181. f. 222.
234	<i>pallens</i> . H.R.	<i>pale-flowered</i> .	—	1774.	7. 8.	G. ♀.	DC. plant. gras. 47.
	<i>expansum</i> . DC.						
235	<i>crassicaule</i> . H.P.	<i>thick-stalked</i> .	—	1822.	5.	G. ♀.	
236	<i>loratum</i> . H.R.	<i>glaucous strap-ld.</i>	—	1819.	—	G. ♀.	
237	<i>relaxatum</i> . H.R.	<i>livid strap-ld.</i>	—	—	G. ♀.	
238	<i>anatomicum</i> . H.R.	<i>skeleton-leav'd</i> .	—	1803.	7. 8.	G. ♀.	
239	<i>rectum</i> . H.R.	<i>upright egg-ld.</i>	—	1819.	G. ♀.	
240	<i>crassuloides</i> . H.R.	<i>Crassula-like</i> .	—	—	7. 8.	G. ♀.	
241	<i>incomptum</i> . H.R.	<i>persistent cup'd</i> .	—	1816.	—	G. ♀.	
242	<i>splendens</i> . H.R.	<i>shining white-ld.</i>	—	1716.	6. 8.	G. ♀.	DC. plant. gras. 35.
243	<i>flexuosum</i> . H.R.	<i>flexuose-leaved</i> .	—	1795.	7. 8.	G. ♀.	
244	<i>acuminatum</i> . H.P.	<i>long-cupped</i> .	—	1820.	8. 9.	G. ♀.	
245	<i>sulcatum</i> . H.R.	<i>acute-cupped</i> .	—	1819.	—	G. ♀.	
246	<i>fastigiatum</i> . H.R.	<i>level-topped</i> .	—	1794.	7. 9.	G. ♀.	
	<i>β reflexum</i> . H.R.	<i>reflex-leaved</i> .	—	1792.	8. 9.	G. ♀.	
247	<i>micranthou</i> . H.R.	<i>small-blossom'd</i> .	—	1804.	G. ♀.	
248	<i>junceum</i> . H.R.	<i>Rushy</i> .	—	1800.	8. 10.	G. ♀.	
249	<i>granulicaule</i> . H.P.	<i>shagreen-stem'd</i> .	—	1821.	G. ♀.	
250	<i>tenue</i> . H.R.	<i>slender rushy</i> .	—	1819.	G. ♀.	
251	<i>spinuliferum</i> . H.R.	<i>spinulescent</i> .	—	1794.	6. 10.	G. ♀.	
252	<i>grossum</i> . H.R.	<i>gouty</i> .	—	1774.	8. 10.	G. ♀.	
253	<i>salmoneum</i> . H.R.	<i>salmon-colour'd</i> .	—	1819.	—	G. ♀.	
254	<i>cauliculatum</i> . H.R.	<i>channel-leaved</i> .	—	1794.	7. 10.	G. ♀.	
255	<i>viridiflorum</i> . H.R.	<i>green-flowered</i> .	—	1774.	7. 11.	G. ♀.	Botan. magaz. 326.
256	<i>tenuiflorum</i> . H.R.	<i>slender-flow'r'd</i> .	—	1824.	G. ♀.	Jaqu. frag. 52. f. 3.
257	<i>longispinulum</i> . H.P.	<i>rosy-cup'd yellow</i> .	—	1821.	8. 11.	G. ♀.	
258	<i>nitidum</i> . H.R.	<i>shrubby crystalline</i> .	—	1790.	7. 10.	G. ♀.	
259	<i>subincanum</i> . H.P.	<i>soft-leav'd white</i> .	—	1821.	8. 9.	G. ♀.	
260	<i>brachiatum</i> . H.R.	<i>three-forked</i> .	—	1774.	6. 8.	G. ♀.	
261	<i>testaceum</i> . H.R.	<i>tile-coloured</i> .	—	1816.	—	G. ♀.	
262	<i>tuberosum</i> . H.R.	<i>tuberous shrubby</i> .	—	1714.	6. 10.	G. ♀.	DC. plant. gras. 78.
	<i>β minus</i> . H.R.	<i>lesser-leaved</i> .	—	—	—	G. ♀.	
263	<i>noctiflorum</i> . H.R.	<i>night-flowering</i> .	—	—	6. 8.	G. ♀.	DC. plant. gras. 10.
	<i>α phœniceum</i> . H.R.	<i>deep rosy</i> .	—	—	—	G. ♀.	Dill. elth. f. 262.
	<i>β stramineum</i> . H.R.	<i>straw-coloured</i> .	—	—	—	G. ♀.	— f. 263.
	<i>γ elatum</i> . H.R.	<i>tall-rosy</i> .	—	1819.	—	G. ♀.	
264	<i>fulvum</i> . H.R.	<i>grey-barked</i> .	—	1732.	—	G. ♀.	
265	<i>horizontale</i> . H.R.	<i>spreading-ld.</i>	—	1795.	—	G. ♀.	
266	<i>speciosum</i> . H.R.	<i>glitt'ring orange</i> .	—	1793.	5. 10.	G. ♀.	
267	<i>micans</i> . H.R.	<i>glitt'ring orange</i> .	—	1704.	5. 8.	G. ♀.	Botan. magaz. 448.
268	<i>maculatum</i> . H.R.	<i>spotted-stalked</i> .	—	1792.	G. ♀.	
269	<i>flavum</i> . H.R.	<i>small glittering</i> .	—	1820.	8.	G. ♀.	
270	<i>obliquum</i> . H.R.	<i>bright afternoon fig.</i>	—	1819.	—	G. ♀.	
271	<i>parvifolium</i> . H.R.	<i>small triquetrous</i> .	—	1820.	7. 10.	G. ♀.	
272	<i>brevifolium</i> . H.R.	<i>short-leaved</i> .	—	1777.	—	G. ♀.	
273	<i>subglobosum</i> . H.R.	<i>globular</i> .	—	1795.	—	G. ♀.	
274	<i>pulverulentum</i> . H.R.	<i>powdered</i> .	—	1792.	5.	G. ♀.	
275	<i>hispidum</i> . H.R.	<i>hispid-stalked</i> .	—	1704.	5. 10.	G. ♀.	DC. plant. gras. 66.
	<i>α Dillenii</i> . H.R.	<i>the bushy</i> .	—	—	—	G. ♀.	Dill. elth. f. 278.
	<i>β platypetalum</i> . H.R.	<i>tall</i> .	—	1820.	—	G. ♀.	
276	<i>hirtellum</i> . H.R.	<i>dwarf bristly</i> .	—	1792.	5. 11.	G. ♀.	
277	<i>can dens</i> . H.R.	<i>trailing hispid</i> .	—	1820.	—	G. ♀.	
278	<i>floribundum</i> . H.R.	<i>crowded-ld.</i>	—	1704.	5. 10.	G. ♀.	Dill. elth. t. 214. f. 280.
279	<i>torquatum</i> . H.R.	<i>twisted hairy</i> .	—	1820.	—	G. ♀.	— f. 279.
280	<i>calycinum</i> . H. .R.	<i>hispid long-cup'd</i> .	—	1819.	—	G. ♀.	
281	<i>striatum</i> . H.R.	<i>striped bristly</i> .	—	1727.	—	G. ♀.	Dill. elth. t. 215. f. 281.

282	attenuatum. H.R.	slender hispid.	————	1820.	—	G. ♀.	
283	hispidifolium. H.R.	hispid-leaved.	————	1814.	—	G. ♀.	
	<i>a fastigiatum.</i> H.R.	level-topped.	————	—	—	G. ♀.	
	<i>β roseum.</i> H.R.	rosy-flowered.	————	—	—	G. ♀.	
284	echinatum. H.R.	hedge-hog.	————	1774.	7. 10.	G. ♀.	DC. plant. gras. 24.
	<i>a luteum.</i>	yellow.	————	—	—	G. ♀.	
	<i>β album.</i>	white-flowered.	————	—	—	G. ♀.	
285	strumosum. H.R.	tuberous hedge-hog.	————	1820.	—	G. ♀.	
286	barbatum. H.P.	bearded bushy.	————	1793.	5. 10.	G. ♀.	Botan. magaz. 70.
287	stelligerum. H.P.	procumbent bearded.	—	1705.	6. 8.	G. ♀.	DC. plant. gras. 28.
288	bulbosum. H.P.	bearded tuberos.	————	1820.	—	G. ♀.	
289	intonsum. H.P.	black bearded.	————	—	7.	G. ♀.	
	<i>a rubicundum.</i> H.P.	red-flowered.	————	—	—	G. ♀.	
	<i>β album.</i> H.P.	white-flowered.	————	—	—	G. ♀.	
290	stellatum. H.P.	small-bearded.	————	1716.	9. 10.	G. ♀.	DC. plant. gras. 29.
291	densum. H.P.	dwarf-bearded.	————	1732.	5. 8.	G. ♀.	Botan. magaz. 1220.
HYMENOGYNE. H.R.		HYMENOGYNE.	Icosandria	Pentagynia.			
	<i>glabra.</i> H.R.	smooth.	C. B. S.	1787.	7. 8.	G. ⊙.	
	<i>Mesembryanthemum glabrum.</i>	H.S. non A.R.					
TETRAGONIA. W.		TETRAGONIA.	Icosandria	Pentagynia.	L.		
1	<i>expansa.</i> H.S.	horned.	N.Zealand.	1772.	8. 9.	G. ♂.	DC. plant. gras. 113.
2	<i>crystallina.</i> H.S.	diamond.	Peru.	1788.	6. 12.	G. ⊙.	———— 34.
3	<i>fruticosa.</i> H.S.	shrubby.	C. B. S.	1712.	7. 9.	G. ♀.	Mill. ic. 2. t. 263. f. 2.
4	<i>linearis.</i> H.R.	linear-leaved.	————	1819.	9.	G. ♀.	
5	<i>obovata.</i> H.R.	obovate-leav'd.	————	—	—	G. ♀.	
6	<i>decumbens.</i> H.S.	trailing.	————	1758.	7. 9.	G. ♀.	DC. plant. gras. 23.
7	<i>Tetrapteris.</i> H.S.	wing-seeded.	————	1795.	—	G. ♀.	
8	<i>spicata.</i> H.S.	spiked.	————	—	—	G. ♀.	
9	<i>herbacea.</i> H.S.	tuberous-root'd.	————	1752.	6. 7.	G. ♀.	Comm. hort. 2. t. 102.
10	<i>eclinata.</i> H.S.	hedge-hog.	————	1774.	5. 8.	G. ♂.	DC. plant. gras. 113.

ORDO LXXXIII.

HYGROBIÆ. *Rich. analyse du fruit. p. 34.*

HALORAGIS. W.		HALORAGIS.	Octandria	Tetragynia.			
1	<i>Cercodia. w.</i>	whorl-flowered.	N.Zealand.	1772.	4. 9.	G. ♀.	Jacq. ic. 1. t. 69.
	<i>alata.</i> Jacq.	<i>Cercodia erecta.</i> Mur.					
2	<i>prostrata.</i> w.	prostrate.	N. S. W.	1818.	—	G. ♀.	
SERPICULA. W.		SERPICULA.	Monœcia	Tetrandria.	L.		
	<i>repens.</i> w.	creeping.	C. B. S.	1789.	7. 8.	G. ♀.	Lam. ill. t. 758.
MYRIOPHYLLUM. W.		WATER-MILFOIL.	Monœcia	Polyandria.	L.		
1	<i>spicatum.</i> w.	spiked.	Britain.	—	6. 8.	H.w. ♀.	Eng. bot. 83.
2	<i>verticillatum.</i> w.	verticillate.	England.	—	7.	H.w. ♀.	———— 218.
PROSERPINACA. W.		PROSERPINACA.	Triandria	Trigynia.			
1	<i>palustris.</i> Ph.	marsh.	N.America.	1822.	7. 8.	H.w. ⊙.	
2	<i>pectinata.</i> Ph.	pectinated.	————	—	—	H.w. ⊙.	
CALLITRICHE. W.		WATER-STARWORT.	Monandria	Digynia.	L.		
1	<i>verna.</i> R.S.	vernal.	Britain.	—	4. 6.	H.w. ⊙.	Eng. bot. 722.
2	<i>autumnalis.</i> R.S.	autumnal.	————	—	6. 10.	H.w. ⊙.	Gmel. sib. III. t. 1.
HIPPURIS. W.		MARE'S-TAIL.	Monandria	Monogynia.	L.		
	<i>vulgaris.</i> w.	common.	Britain.	—	5.	H.w. ♀.	Eng. bot. 763.

ORDO LXXXIV.

PORTULACÆ. *Juss. gen. 312.*

CLAYTONIA. W.		CLAYTONIA.	Pentandria	Monogynia.	L.		
1	<i>virginica.</i> w.	Virginian.	N.America.	1748.	3. 5.	H. ♀.	Botan. magaz. 941.
2	<i>caroliniana.</i> M.	spatula-leaved.	————	1789.	—	H. ♀.	Pluk. alm. t. 102. f. 3.
	<i>spathulæfolia.</i> Par. lond.	71.					

3 lanceolata, Ph.	spear-leaved.	—	1812.	—	H. 4.	Pursh. fl. am. 1. t. 3.
4 sibirica, w.	Siberian.	Siberia.	1768.	5. 8.	H. ①.	Swt. br. fl. gar. 16.
5 alsinoides, B.M.	chickweed-like.	Nootka sound.	1794.	3. 6.	H. ①.	Botan. magaz. 1309.
6 perfoliata, B.M.	small-flowered.	N. America.	—	5. 8.	H. ①.	— 1336.
LIMEUM, W.	LIMEUM.	Heptandria Dignya, L.				
africanum, w.	African.	C. B. S.	1774.	6. 7.	G. 4.	
TRIANTHEMA, W.	TRIANTHEMA.	Peut-Decandria Mono-Dignya.				
1 monogyna, w.	Purslane-ld.	Jamaica.	1710.	7. 8.	S. ①.	DC. plant. gras. 109.
2 obcordata, H.B.	obcordate.	E. Indies.	1820.	—	S. ①.	
3 decandra, w.	trailing.	—	1762.	—	S. ①.	Burm. ind. t. 31. f. 3.
CORRIGIOLA, W.	STRAPWORT.	Pentandria Trigynia, L.				
littoralis, w.	sand.	England.	7. 8.	H. ①.	Eng. bot. 668.
TELEPHIUM, W.	ORPINE.	Pentandria Trigynia, L.				
Imperati, w.	true.	S. Europe.	1658.	6. 8.	H. 4.	Lam. ill. t. 213.
PORTULACARIA, W.	PURSLANE-TREE.	Pentandria Trigynia.				
afra, w.	African.	Africa.	1732.	G. 4.	Jacq. coll. 1. t. 22.
MONTIA, W.	CHICKWEED.	Triandria Trigynia, L.				
fontana, w.	water.	Britain.	4. 5.	H. ①.	Eng. bot. 1206.
PORTULACA, S.S.	PURSLANE.	Dodecandria Monogynia, L.				
1 sativa, H.S.	garden.	S. America.	1652.	6. 9.	H. ①.	
β aurca, H.S.	golden.	—	—	—	H. ①.	
2 oleracea, H.S.	small.	Europe.	1562.	6. 7.	H. ①.	DC. plant. gras. 123.
3 parvifolia, H.S.	small-leaved.	Jamaica.	1799.	8.	H. ①.	
4 pilosa, H.S.	hairy.	W. Indies.	1690.	6. 8.	S. 4.	Botan. regist. 792.
5 foliosa, B.R.	leafy.	Guinea.	1822.	—	S. 4.	— 793.
6 guineensis, S.S.	Guinea.	—	—	—	S. 4.	
7 involucrata, H.R.	leafy-flow'r'd.	1819.	8. 9.	S. 4.	
8 halimoides, L.	Halimus-leav'd.	Jamaica.	1823.	—	S. ①.	Sloan. hist. 1. t. 129. f. 3.
9 quadrifida, H.S.	quadrifid.	E. Indies.	1773.	—	S. ①.	Jacq. coll. 2. t. 17. f. 4.
10 meridiana, H.S.	noonday.	—	1791.	5. 6.	S. ①.	
TALINUM, J.	TALINUM.	Dodecandria Monogynia.				
1 triangulare, H.S.	triangular.	W. Indies.	1739.	8. 9.	S. 4.	Jacq. obs. 1. t. 23.
2 crassifolium, H.S.	thick-leaved.	1800.	—	S. 4.	Jacq. vind. 3. t. 52.
3 patens, H.S.	spreading-fl'd.	S. America.	1776.	8. 10.	S. 4.	— 1. t. 151.
4 cneifolium, w.	wedge-leaved.	Arabia.	1823.	—	S. 4.	
5 paniculatum, P.S.	panicle.	S. America.	1812.	—	S. 4.	
6 Andrewsii.	Andrews's.	W. Indies.	—	—	S. 4.	Andrews's repos. 253.
patens, A.R. nec aliorum.	—	—	—	—	—	
7 reflexum, H.S.	reflex-flow'r'd.	—	1800.	—	S. 4.	Botan. magaz. 1543.
8 ciliatum, H.E.F.	ciliated.	Chili.	1823.	—	S. ①.	Hook. ex. flor. 82.
9 teretifolium, B.C.	round-leaved.	N. America.	1820.	7. 8.	G. 4.	Lod. bot. cab. 819.
ANACAMPSEROS, B.M.	ANACAMPSEROS.	Dodecandria Monogynia.				
1 rotundifolia.	round-leaved.	C. B. S.	1732.	7. 9.	I. 4.	DC. plant. gras. 3.
<i>Talinum Anacampseros, w. Rulingia Anacampseros, H.S.</i>	—	—	—	—	—	
2 arachnoides, B.M.	cobweb.	—	1790.	—	I. 4.	Botan. magaz. 1368.
3 varians.	various-leaved.	—	1812.	—	I. 4.	
<i>Rulingia varians, H.S.S.</i>	—	—	—	—	—	
4 rufescens, H.R.	rufescent.	—	1818.	—	I. 4.	
5 rubens, H.S.	red-leaved.	—	1796.	—	I. 4.	
6 filamentosa, B.M.	thready.	—	1795.	—	I. 4.	Botan. magaz. 1367.
7 polyphylla.	many-leaved.	—	1818.	—	I. 4.	Pluk. phyt. 41. t. 6.
<i>Rulingia polyphylla, H.R.</i>	—	—	—	—	—	
8 lanceolata, H.S.	spear-leaved.	—	1796.	—	I. 4.	
9 angustifolia.	narrow-leaved.	—	1819.	—	I. 4.	
<i>Rulingia angustifolia, H.R.</i>	—	—	—	—	—	

ORDO LXXXV.

OPUNTIACEÆ. *Kth. synopsis.* 3. p. 368.

CACTUS, H.S.	MELON-THISTLE.	Icosandria Monogynia, L.				
1 melocactus, H.S.	Turk's-cap.	W. Indies.	1688.	7. 8.	D.S. 4.	DC. plant. gras. 112.
2 macrocanthos, H.R.	large-spined.	S. America.	1820.	—	D.S. 4.	

3 ?	depressus. H.S.	depressed.	————	1789.	D.S. h.
4 ?	parvispineus. H.S.S.	small-spined.	W. Indies.	1815.	D.S. h.
5 ?	erinaceus. H.S.S.	hedgehog.	1818.	D.S. h.
6 ?	senilis. H.P.	grey-headed.	Mexico.	1823.	D.S. h.
7 ?	latispinus. H.P.	broad-spined.	————	————	D.S. h.
8 ?	nobilis. L.	recurv'd-spin'd.	Peru.	1768.	D.S. h.
	<i>recurvus. H.S.</i>					
9 ?	intortus. H.S.	twisted.	Antigua.	—	D.S. h.
10 ?	reductus. S.S.	removed.	Mexico.	1796.	D.S. h.

nobilis. H.S. non. L.

MAMMILLARIA. H.S. MAMMILLARIA. Icosandria Monogynia.

1	simplex. H.S.	small-red-spin'd.	W. Indies.	1688.	7. 8.	D.S. h. DC. plant. gras. 111.
	<i>Cactus mammillaris. S.S.</i>					
2	prolifera. H.S.	white-spined.	————	————	—	D.S. h.
3	discolor. H.S.	large discolor'd.	1800.	D.S. h.
4	straminea. H.S.S.	straw-spined.	1811.	D.S. h.
5	flavescens. H.S.S.	yellow-spined.	S. America.	—	D.S. h.
6	conica. H.S.S.	cone-beaded.	1808.	D.S. h.
7	parviamma. H.S.S.	small-beaded.	1817.	D.S. h.
	<i>Cactus Microthete. S.S.</i>					
8	magniamma. H.P.	large-beaded.	Mexico.	1823.	D.S. h.
9	lanifera. H.P.	wool-bearing.	————	—	D.S. h.
10	stellata.	hoary-starry.	S. America.	1816.	6. 9.	D.S. h. Lodd. bot. cab. 79.
	<i>Cactus stellatus. S.S.</i>					
11	geminispina. H.P.	twin-spined.	Mexico.	1823.	D.S. h.
12	coronaria. H.R.	the great.	S. America.	1820.	D.S. h.
13	vivipara. H.S.S.	viviparous.	Louisiana.	1813.	6. 8.	D.S. h.
14	missouriensis.	Missouri.	Missouri.	—	—	G. h.
	<i>Cactus mamillar. N. nec aliorum.</i>					
15	pusilla.	small.	1820.	G. h.
	<i>Cactus pusillus. S.S.</i>					

CEREUS. H.S. CEREUS. Icosandria Monogynia.

1	gibbosus.	gibbous.	1805.	6. 8.	D.S. h. Botan. regist. 137.
	<i>Cactus gibbosus. B.R.</i>					
2	Hystrix.	Porcupine.	W. Indies.	1818.	D.S. h.
	<i>Cactus Hystrix. H.S.S.</i>					
3	abnormis.	irregular.	S. America.	1816.	D.S. h.
	<i>Cactus abnormis. S.S.</i>					
4	regalis. H.S.S.	royal.	D.S. h.
5	multangularis. H.S.S.	many-angled.	S. America.	1815.	D.S. h.
6	euphorbioides. H.S.S.	Euphorbia-like.	————	D.S. h.
7	heptagonus. H.S.	great 7-angled.	W. Indies.	1728.	7.	D.S. h.
8	hexagonus. H.S.	great 6-angled.	Surinam.	1690.	7. 8.	D.S. h. Andr. repos. 513.
9	peruvianus. H.S.	great Peruvian.	Peru.	1728.	8.	D.S. h. DC. plant. gras. 58.
10	eburneus. S.S.	ivory-thorned.	S. America.	1818.	—	D.S. h.
11	nobilis. H.S.	noble.	W. Indies.	1811.	D.S. h.
	<i>Cactus Haworthii. S.S.</i>					
12	grandis. H.S.S.	straddling-spin'd.	Brazil.	D.S. h.
13	tetragonus. H.S.	great 4-angled.	S. America.	1710.	7.	D.S. h.
14	pentagonus. H.S.	5-angled.	————	1769.	7. 8.	D.S. h.
15	triangularis. H.S.	great triangular.	W. Indies.	1690.	—	D.S. h. Bot. mag. 1884.
16	quadrangularis. H.S.	quadrangular.	S. America.	1809.	D.S. h. Pl. am. t. 199. f. 1.
17	trigonus. H.S.	small triangular.	————	—	—	D.S. h. ——— t. 200. f. 2.
18	triqueter. H.S.	least triangular.	————	1794.	D.S. h.
19	bifrons. H.S.S.	rooting 4-angular.	St. Domingo.	1818.	D.S. h.
20	speciosissimus.	beautiful.	S. America.	1816.	6. 9.	D.S. h. Bot. regist. 486.
	<i>Cactus speciosissimus. B.R. speciosus. w.en</i>					
21	Royen. H.S.	Royen's 9-angl'd.	W. Indies.	1728.	D.S. h.
22	lanuginosus. H.S.	woolly.	————	1690.	7. 8.	D.S. h. Herm. parad. t. 115.
23	griseus. H.S.	grey-spined.	S. America.	1809.	9. 10.	D.S. h.
24	fulvispinosus. H.S.	tawny-spined.	————	1795.	D.S. h.
25	repandus. H.S.	waved short-spin'd.	W. Indies.	1728.	8. 10.	D.S. h. Botan. regist. 336.
26	subrepandus. H.S.S.	waved long-spin'd.	————	1817.	D.S. h.
27	obtusus. H.R.	blunt 3-angled.	1820.	D.S. h.
28	serpentinus. H.S.S.	white-spined.	S. America.	1817.	D.S. h.
29	prismaticus. H.S.S.	prismatic.	————	1818.	D.S. h.
30	imbricatus. H.R.	imbricated.	1820.	D.S. h.
31	niger. H.R.	the black.	S. America.	—	D.S. h.

- 32 *cylindricus*. H.S. cylindrical. Peru. 1799. D.S. $\frac{1}{2}$.
 33 *strictus*. L.en. straight. S.America. 1822. D.S. $\frac{1}{2}$.
 34 *albispinus*. L.en. green, white-spin'd. D.S. $\frac{1}{2}$.
 35 *crenulatus*. L.en. crenulate. W. Indies. — D.S. $\frac{1}{2}$.
 36 *flavispinus*. L.en. yellow-spined. D.S. $\frac{1}{2}$.
 37 *albisetosus*. H.S.S. trailing white-spin'd. St. Domingo, 1816. ... D.S. $\frac{1}{2}$.
 38 *reptans*. H.S.S. creeping. W. Indies. 1813. ... D.S. $\frac{1}{2}$.
 39 *grandiflorus*. H.S. night-flow'ring. Jamaica. 1700. 6. 8. D.S. $\frac{1}{2}$. Andr. reposit. 508.
 40 *flagelliformis*. H.S. creeping. Pern. 1690. 3. 6. G. $\frac{1}{2}$. Botan. magaz. 17.
 41 *speciosus*. rose-flowered. S. America. 1816. 5. 8. G. $\frac{1}{2}$. Botan. regist. 304.
Cactus speciosus. B.R. *Epiphyllum speciosum*. H.S.S.
 42 *truncatus*. truncated. Brazil. 1818. — S. $\frac{1}{2}$. — 696.
Cactus truncatus. B.R. *Epiphyllum truncatum*. H.S.S.
EPIPHYLLUM. H.S. EPIPHYLLUM. Icosandria Monogynia.
 1 *alatum*. H.S.S. gibbons-tooth'd. W. Indies. 1818. D.S. $\frac{1}{2}$.
 2 *phyllanthoides*. Phyllanthus-like. S.America. 1820. 6. 7. D.S. $\frac{1}{2}$. Botan. magaz. 2092.
Cactus phyllanthoides. B.M.
 3 *Phyllanthus*. H.S. Spleenwort-ld. — 1710. 6. 7. D.S. $\frac{1}{2}$. DC. plant. gras. 145.
OPUNTIA. H.S. INDIAN-FIG. Icosandria Monogynia.
 1 *Brasiliensis*. H.S.S. round-stem'd. Brazil. 1817. D.S. $\frac{1}{2}$.
 2 *elator*. H.S. great black-spin'd. S.Amer. 1731. 7. 8. D.S. $\frac{1}{2}$. Dill. elt. t. 294. f. 379.
 3 *Tuna*. H.S. great yellow-spin'd. — — — — — t. 295. f. 380.
 4 *Dillenii*. H.S.S. Dillenius's. — — — — — 9. 10. D.S. $\frac{1}{2}$. Botan. regist. 255.
Cactus Dillenii. B.R.
 5 *nigricans*. H.S. lesser black-spin'd. — 1795. 8. D.S. $\frac{1}{2}$. Botan. magaz. 1557.
 6 *humilis*. H.S. humble. W. Indies. — D.S. $\frac{1}{2}$.
 7 *polyantha*. H.S. many-flower'd. S. America. 1811. 7. 8. D.S. $\frac{1}{2}$. DC. plant. gras. c. ic.
 8 *vulgaris*. H.S. common dwarf. S. Europe. 1596. 7. 9. F. $\frac{1}{2}$. Knor. thes. 1. t. F. a.
Cactus Opuntia. S.S.
 9 *stricta*. H.S. oval upright. S. America. 1796. — D.S. $\frac{1}{2}$. DC. plant. gras. c. ic.
Cactus Opuntia inermis. DC.
 10 *tuberculata*. H.S.S. tuberculated. 1818. D.S. $\frac{1}{2}$.
 11 *crassa*. H.S.S. thick-lobed. Mexico. 1817. G. $\frac{1}{2}$.
 12 *monacantha*. H.S.S. one-spined. S. America. 1816. D.S. $\frac{1}{2}$.
 13 *elongata*. H.S.S. various-spined. — — — — — D.S. $\frac{1}{2}$.
 14 *maxima*. H.S. great oblong. — — — — — 1768. D.S. $\frac{1}{2}$.
 15 *decumana*. H.R. great. — — — — — 1820. D.S. $\frac{1}{2}$.
 16 *Ficus-indica*. H.S. Indian-fig. — — — — — 1731. 7. 8. D.S. $\frac{1}{2}$.
 17 *cochinellifera*. H.S. Cochineal. — — — — — 1688. 7. 9. D.S. $\frac{1}{2}$. Andr. reposit. 533.
 18 *lanceolata*. H.S. spear-shaped. — — — — — 1796. 7. D.S. $\frac{1}{2}$.
 19 *triacantha*. three-spined. — — — — — D.S. $\frac{1}{2}$.
Cactus triacanthos. W.en.
 20 *tomentosa*. L.en. woolly-branch'd. — — — — — 1824. D.S. $\frac{1}{2}$.
 21 *subinermis*. L.en. nearly smooth. — — — — — D.S. $\frac{1}{2}$.
 22 *spinosissima*. H.S. cluster-spined. Jamaica. 1732. 7. D.S. $\frac{1}{2}$.
 23 *ferox*. H.S.S. ferocious. S. America. 1817. D.S. $\frac{1}{2}$.
 24 *polyacantha*. H.S.S. many-spined. Missouri. 1814. H. $\frac{1}{2}$.
Cactus ferox. N. non. W.en.
 25 *media*. H.S.S. lesser many-spin'd. — — — — — H. $\frac{1}{2}$.
 26 *fragilis*. H.S.S. brittle-jointed. — — — — — H. $\frac{1}{2}$.
 27 *pusilla*. H.S. greater Pin-pillow. S.Amer. 1805. 6. D.S. $\frac{1}{2}$.
 28 *curassavica*. H.S. Pin pillow. Curassao. 1690. 6. 7. D.S. $\frac{1}{2}$. Knor. thes. 2. t. O. 2.
a major. H.S. larger. — — — — — D.S. $\frac{1}{2}$.
 β media. H.S. middle. — — — — — D.S. $\frac{1}{2}$.
 γ minor. H.S. smaller. — — — — — D.S. $\frac{1}{2}$.
 δ longa. H.R. longer. Brazil. 1820. — D.S. $\frac{1}{2}$.
 29 *foliosa*. W.en. glaucous. S. America. 1817. — D.S. $\frac{1}{2}$.
RHIPSALIS. G. RHIPSALIS. Icosandria Monogynia.
 1 *Cassutha*. G. naked. W. Indies. 1758. 9. D.S. $\frac{1}{2}$. Hook. exot. fl. 2.
Cactus pendulus. W.
 2 *parasiticus*. H.S. hairy. S. America. 1800. D.S. $\frac{1}{2}$. DC. plant. gras. 59.
 3 *fasciculatus*. H.S.S. cluster-branch'd. — — — — — 1817. D.S. $\frac{1}{2}$.
 4 *salicornioides*. H.S.S. Salicornia-like. W. Indies. 1818. 5. 8. D.S. $\frac{1}{2}$. Botan. magaz. 2461.
 5 *mesembryanthoides*. fig-mary gold. — — — — — D.S. $\frac{1}{2}$.
 6 *grandiflorus*. H.R. great-flowered. 7. 8. D.S. $\frac{1}{2}$.
Cactus fanalis. S.S.
PERESKIA. H.S. BARBADOES GOOSEBERRY. Icosandria Monogynia.
 1 *aculeata*. H.S. short-spined. W. Indies. 1696. 10. 11. S. $\frac{1}{2}$. Dill. elt. t. 227. f. 294.
Cactus Pereskia. W.

2 longispina. H.s.s.	long-spined.	S. America.	1808.	S. h.
3 grandifolia. H.s.s.	great-leaved.	Brazil.	1818.	S. h.

ORDO LXXXVI.

GROSSULARIÆ. DC. fl. fr. ed. 3. v. 4. p. 405.

RIBES. R.S.	CURRENT.	Pentandria Monogynia. L.				
1 rubrum. R.S.	red.	Britain.	4. 5.	H. h.	Eng. bot. 1289.
β album.	white.	-----	---	H. h.	---
2 petraeum. R.S.	rock.	England.	5.	H. h.	Eng. bot. 705.
3 multiflorum. R.S.	many-flow'r'd.	Hungary.	1818.	---	H. h.	Botan. magaz. 2368.
4 spicatum. R.S.	acid.	England.	...	---	H. h.	Eng. bot. 1290.
5 rigens. R.S.	rigid.	N.America.	1812.	4. 5.	H. h.	---
6 procumbens. R.S.	trailing.	Dahuria.	1804.	5. 6.	H. h.	Pall. ross. 2. t. 65.
7 prostratum. R.S.	glandulous.	N.America.	1777.	4. 5.	H. h.	L'Herit. stirp. 1. t. 2.
8 alpinum. R.S.	Alpine.	Britain.	---	H. h.	Eng. bot. 704.
9 triste. R.S.	dark-coloured.	Siberia.	1818.	---	H. h.	---
10 sanguineum. R.S.	red-flowered.	N.America.	1820.	---	H. h.	---
11 aureum. R.S.	golden.	Missouri.	1812.	---	H. h.	Botan. regist. 125.
12 nigrum. R.S.	black.	Britain.	---	H. h.	Eng. bot. 1291.
13 floridum. R.S.	Pennsylvanian.	N.America.	1729.	---	H. h.	Dill. elt. t. 241. f.315.
14 laxiflorum. R.S.	loose-flowered.	-----	1812.	---	H. h.	---
15 resinosum. R.S.	clammy.	-----	1800.	---	H. h.	Botan. magaz. 1583.
16 glandulosum. R.S.	glandular-calyx'd.	Chili.	1820.	5. 6.	H. h.	Flor. peruv. t. 233. f.b.
17 hirtellum. R.S.	hairy.	N.America.	1812.	4. 5.	H. h.	---
18 gracile. R.S.	slender.	-----	---	---	H. h.	---
19 triflorum. R.S.	three-flower'd.	-----	---	---	H. h.	Willd. hort. ber. 1. t. 61.
20 orientale. R.S.	oriental.	-Syria.	1820.	---	H. h.	---
21 Diacanthia. R.S.	two-spined.	Siberia.	1781.	5. 6.	H. h.	Pall. ross. II. t. 66.
22 reclinator. R.S.	procumbent.	Germany.	1683.	4. 5.	H. h.	---
23 oxycanthoides. R.S.	Hawthorn-l'd.	N.America.	1705.	---	H. h.	Dill. elt. t. 159. f. 166.
24 lacustre. R.S.	swamp.	-----	1812.	---	H. h.	Lodd. bot. cab. 884.
25 Cynosbati. R.S.	prickly-fruited.	Canada.	1759.	4.	H. h.	Schmidt. arb. 98.
26 caucasicum. R.S.	Caucasean.	Caucasus.	1820.	4. 5.	H. h.	---
27 uva-crispa. R.S.	smooth Gooseberry.	England.	...	---	H. h.	Eng. bot. 2057.
28 Grossularia. R.S.	rough Gooseberry.	-----	---	H. h.	----- 1292.

GARDEN VARIETIES.

a red fruited.

- 1 Ackerley's Rodney.
- 2 Ackerley's seedling.
- 3 Adam's Cheshire sheriff.
- 4 Alcock's king.
- 5 Alcock's duke of York.
- 6 Alexander the great.
- 7 Andrews's conqueror.
- 8 Ashton's seedling.
- 9 Ashton's red globe.
- 10 Astley's seedling.
- 11 Bestaufremont.
- 12 Beggar lad.
- 13 Black Wallnut.
- 14 Black eagle.
- 15 Black bull.
- 16 Black ram.
- 17 Black king.
- 18 Black virgin.
- 19 Black dragon.
- 20 Blackley's swing'em.
- 21 Boardman's royal oak.
- 22 Bradshaw's redcap.

GARDEN VARIETIES.

- 23 Brundrit's Atlas.
- 24 Calderbank's seedling.
- 25 Carpenter.
- 26 Carthington's conqueror.
- 27 Champaign.
- 28 Chapman's incomparable.
- 29 Cheadle's surprize.
- 30 Cleeatham's bright Venus.
- 31 Chelmerdine's Cheshire.
- 32 Clarke's seedling.
- 33 Clyton's Britannia.
- 34 Coe's Hannibal.
- 35 Crimson Wallnut.
- 36 Damson.
- 37 Dean's glory of England.
- 38 Down's Cheshire round.
- 39 Dickinson's sapphire.
- 40 Elliot's red hot ball.
- 41 Fairlow's Lord Hood.
- 42 Fisher's conqueror.
- 43 Fok's jolly smoaker.
- 44 Fok's royal.
- 45 Gerriot's Achilles.

GARDEN VARIETIES.

- 46 Gill's first seedling.
- 47 Gill's second seedling.
- 48 Gordon's emperor.
- 49 Gordon's nonsuch.
- 50 Gregory's perfection.
- 51 Gregory's supreme.
- 52 Gregory's great Britain conqueror.
- 53 Hall's porcupine.
- 54 Halmon's dumpling.
- 55 Heart of oak.
- 56 Hector.
- 57 High sheriff.
- 58 Hippard's attractor.
- 59 Hogbean's king.
- 60 Hott's regulator.
- 61 Hulton's great Caesar.
- 62 Jackson's hero.
- 63 Jackson's slim.
- 64 Jackson's scarlet seedling.
- 65 Jared's Achilles.
- 66 Jared's Admiral Kepple.
- 67 Johnson's twig'em.

GARDEN VARIETIES.

- 68 Johnny lad.
 69 Kenyon's Samson.
 70 Knight's colonel Tarleton.
 71 Knight's scarlet seedling.
 72 Lancashire farmer.
 73 Late red.
 74 Late damson.
 75 Layforth's seedling.
 76 Lee's red lion.
 77 Lee's black.
 78 Lincolnshire top.
 79 Little John.
 80 Livesey's Duke William.
 81 Lomack's victory.
 82 Malkin wood.
 83 Mason's Hercules.
 84 Mather's admiral.
 85 Mather's Alexander.
 86 Mather's black lady.
 87 Monk's Charles Fox.
 88 Monk's Watkin.
 89 Mongrel.
 90 Morello.
 91 Moss weather.
 92 Murrey.
 93 Mussey's black prince.
 91 Nero.
 95 New champagne.
 96 Old rough red.
 97 Ostrich's egg.
 98 Oswego sylvan.
 99 Pendleton's Mogul.
 100 Pendleton's matchless.
 101 Pendleton's bullocks heart
 102 Pineapple.
 103 Plum.
 104 Proctor's scarlet nonsuch.
 105 Raffold's beauty.
 106 Raspberry.
 107 Ratcliff's red lion.
 108 Rawlinson's favourite.
 109 Rawlinson's king.
 110 Raymond's red.
 111 Read's jolly red nose.
 112 Red mogul.
 113 Red Orleans.
 114 Red supreme.
 115 Red wolf.
 116 Red Lion.
 117 Richmond red.
 118 Rider's black prince.
 119 Rider's old England.
 120 Ring's sheriff.
 121 Ring's governor Penn.
 122 Ring's free bearer.
 123 Rombonillon.
 124 Shaw's hilly dean.
 125 Shelmartine's red rose.
 126 Shelmartine's Cheshire stag.
 127 Siddal's top.
 128 Singleton's Mogul.
 129 Stanley's earl of Derby.
 130 Stanley's Oronoco.
 131 Stapleton's black prince.
 132 Stuckley's red.
 133 Taylor's red rose.

GARDEN VARIETIES.

- 134 Taylor's voluntary.
 135 Thorpe's master tup.
 136 Thorpe's master Wolfe.
 137 Tilletson's saint John.
 138 Tilletson's seedling.
 139 Tom of Lincoln.
 140 Trop's pretty Betty.
 141 Twambow's seedling.
 142 Two pounders.
 143 Victory.
 144 Wareham russet.
 145 Warrington red.
 146 Welchman's red.
 147 Whitley's plentiful bearer
 148 Whittington's royal princess.
 149 Wild's red Wallnut.
 150 Worthington's defiance.
 151 Worthington's Emperor of Morocco.
 152 Worthington's glory of eccles.
 153 Worthington's seedling.
 154 Worthington's conqueror.
 155 Worthington's hero.
 156 Worthington's Cornwallis.
β yellow fruited.
 157 Adern's seedling.
 158 Bangen.
 159 Barley's seedling.
 160 Bell's bright farmer.
 161 Blackley's eclipse.
 162 Bradshaw's yellow top.
 163 Brundrit's Sir Sydney.
 164 Cartenden's Goliath's champion.
 165 Caton's canary.
 166 Chad's golden lion.
 167 Cheadle's golden lion.
 168 Chetham's brandy yellow.
 169 Clyton's canary.
 170 Coe's Diogenes.
 171 Coe's Washington.
 172 Cooke's golden champion.
 173 Davenport's defender.
 174 Davenport's creeping Ceres.
 175 Early brown.
 176 Goldfinch.
 177 Golden ball.
 178 Golden drop.
 179 Goliath.
 180 Hammet's Kilton.
 181 Hill's golden pumpkin.
 182 Hill's royal governor.
 183 Honeycomb.
 184 Hulm's dumpling.
 185 Jackson's golden drop.
 186 Kershaw's yellow willow.
 187 Large amber.
 188 Leigh's prince of Orange.
 189 Maddock's drop of gold.
 190 Mason's jolly gypsy.
 191 Mason's golden conqueror
 192 Nixon's golden eagle.
 193 Oswego sylvan.

GARDEN VARIETIES.

- 194 Parkinson's goldfinder.
 195 Pendleton's nonsuch.
 196 Rawlinson's yellow amber.
 197 Ridder's speel-scented Lemon.
 198 Rider's Goliath.
 199 Rider's brandy yellow.
 200 Robin Hood.
 201 Robinson Crusoe.
 202 Smith's sparkles.
 203 Stanley's golden ball.
 204 Stanley's independent.
 205 Stanley's golden griffin.
 206 Stanley's mullion.
 207 Stanley's dolphin.
 208 Sweet amber.
 209 Taylor's Nimrod.
 210 Thorp's lamb.
 211 Unsworth's primrose.
 212 Williamson's yellow hornet.
 213 Wittington's gold'n sceptre
 214 Wrigley's melon.
 215 Yellow seedling.
γ green fruited.
 216 Blackley's green chissel.
 217 Boardman's green oak.
 218 Brandrit's tickle Toby.
 219 Chadwick's hero.
 220 Creeping germings.
 221 Cucumber.
 222 Dean's Lord Hood.
 223 Early green hairy.
 224 Fok's green goose.
 225 General Carlton.
 226 Green globe.
 227 Green gage.
 228 Green chancellor.
 229 Green dragon.
 230 Green fig.
 231 Green dorrington.
 232 Green Gascoign.
 233 Green Griffin.
 234 Green gros berry.
 235 Green nonsuch.
 236 Green Wallnut.
 237 Green sngar.
 238 Harrison's favourite.
 239 Harrison's Cæsar.
 240 Heilton's Cæsar.
 241 Jackson's green John.
 242 Jackson's green disart.
 243 Jay's wing.
 244 Johnson's green willow.
 245 Lee's victory.
 246 Mills's Langley green.
 247 Monk's Joseph.
 248 Nield's gage.
 249 Nixon's Myrtle.
 250 Old ball.
 251 Oswego sylvan.
 252 Pomme water.
 253 Rawlingson's royal George
 254 Read's pleasure.
 255 Royal George.
 256 Robinson's stump.

GARDEN VARIETIES.

GARDEN VARIETIES.

GARDEN VARIETIES.

- 257 Sharret's green-gage.
 258 Sheldardine's genteelly green.
 259 Shipley's unicorn.
 260 Smith's green mask.
 261 Spronson's saint David.
 262 Stanley's Reine Claude.
 263 Stanley's green Margill.
 264 Stanley's syringe.
 265 Taylor's rainbow.
 266 Taylor's green-lined.
 267 Trial.
 268 Triumph.
 269 Winning's green.
 270 Worthington's Patrick.
 271 Worthington's vanguard.
 272 Wrigley's favourite.
 273 Yates's Duke of Bedford.
 274 Yearsley's black lion.
 ♂ *white fruited.*
 275 Adams's snowball.
 276 Atkinson's Whitehall.
 277 Boardman's highland queen.

- 278 Button's silver heels.
 279 Calderbank's white.
 280 Chapman's highland white
 281 Cheshire white walnut.
 282 Crawford's seedling.
 283 Davenport's lady.
 284 Extra white.
 285 Gibson's Apollo.
 286 Gregory's highland king.
 287 Gregory's mount pleasant.
 288 Heroine.
 289 Holding's white muslin.
 290 Joye's white groat.
 291 Johnson's white globe.
 292 Kenyon's white genteelly.
 293 Kenyon's white lion.
 294 Liptrot's Duke of Bedford
 295 Mather's white mogul.
 296 Mills's white champion.
 297 Milkmaid.
 298 Miss bold.
 299 Moore's white bear.
 300 Nayden's rule all.
 301 Nield's white rose.

- 302 Nield's white stag.
 303 Nixon's heart.
 304 Pigeon's egg.
 305 Platt's white.
 306 Redford's lily.
 307 Rider's white hellebore.
 308 Royal white.
 309 Squire Houghton's barra-
 doe.
 310 Stafford's white imperial.
 311 Sugarloaf.
 312 Swan's-egg.
 313 Thin-skinned crystal.
 314 Thorp's white queen.
 315 White crystal.
 316 White belmont.
 317 White imperial.
 318 White lion.
 319 White mogul.
 320 White olive.
 321 White Orleans.
 322 White walnut.
 323 Whittington's rose.
 324 Woodward's whitesmith.

ORDO LXXXVII.

PARONYCHIEÆ. *St. Hilaire in ann. mus.*

LEFLINGIA. W. hispanica. w.	LÆFLINGIA. Spanish.	Triandria Monogynia. L. Spain. 1770. 6. H.⊙.	Cav. ic. 1. t. 47.
MINUARTIA. W. 1 dichotoma. w. 2 campestris. w. 3 montana. w.	MINUARTIA. field. mountain.	Triandria Trigynia. L. Spain. 1771. 6. 7. H.⊙. 1806. — H.⊙.	Act.stock.1758.1.1.f.2. — t. 1. f. 3. Lœf. it. rar. t. 1. f. 4.
QUERIA. W. hispanica. w.	QUERIA. Spanish.	Triandria Trigynia. L. Spain. 1800. 5. 9. H.⊙.	
POLYCARPON. W. tetraphyllum. W.	ALL-SEED. four-leaved.	Triandria Trigynia. England. 7. H.⊙.	Eng. bot. 1031.
POLLICHIA. W. campestris. w.	POLLICHIA. whorl-leaved.	Monandria Monogynia. L. C. B. S. 1789. 9. G. ♂.	Smith. spicil. 1. t. 1.
MNIARUM. B.P. biflorum. B.P.	MNIARUM. two-flowered.	Monandria Monogynia. N.Holland. 1818. 5. 7. G. ♀.	Forst. gen. 1. t. 1.
SCLERANTHUS. W. 1 annuus. w. 2 perennis. w.	KNAWEI. annual. perennial.	Decandria Digynia. L. Britain. 7. 8. H.⊙. 8. 9. H. ♀.	Eng. bot. 351. — 352.
ILLECEBRUM. B.P. 1 verticillatum. R.S. 2 cymosum. B.P. 3 echinatum. R.S.	KNOT-GRASS. whorled. cymose. bristly.	Pentandria Monogynia. L. England. 7. H. ♀. S. Europe. 1817. 6. 7. H. ♀. — — — — — H. ♀.	Eng. bot. 895. Flor. græc. t. 215. Schrad. journ. 1801. t. 4.
PARONYCHIA. J. 1 polygonifolia. J. 2 italica. R.S. 3 hispanica. DC.	PARONYCHIA. Polygonum-ld. Italian. mountain.	Pentandria Monogynia. S. Europe. 1816. 5. 8. H. ♀. Italy. — — — — — H. ♀. S. Europe. 1640. — — — — — H. ♀.	Vill. delph. 2. t. 16. Flor. græc. t. 216.
4 pubescens. DC. 5 serpyllifolia. R.S. 6 capitata. R.S. 7 nivea. R.S. 8 tenuifolia. L.en. 9 alsinifolia. R.S.	Illecebrum Paronychia. w. pubescent. Thyme-leaved. capitate. villous. slender-leav'd. Chickweed-ld.	Pyrenees. 1818. — — — — — H. ♀. S. France. 1820. — — — — — H. ♀. Spain. 1683. 6. 8. F. ♀. — — — — — 1812. — — — — — F. ♀. 1822. — — — — — H.⊙. Spain. — — — — — H.⊙.	Hacq. pl. alp. 3. t. 2. f. 1. Flor. græc. t. 247. Barrel. ic. 657. Scop. del. ins. t. 13.

ANYCHIA. M.	ANYCHIA. Pentandria Monogynia.					
dichotoma. R.S.	forked.	N. America.	1806.	5. 8.	H. ♂.	Ort. dec. t. 15. f. 2.
<i>Queria canadensis.</i> W.						
HAGEA. P.S.	HAGEA. Pentandria Monogynia.					
1 diffusa.	forked.	Canaries.	1779.	7. 8.	H. ⊙.	Willd. hort. ber. t. 11.
<i>Mollia diffusa.</i> W.	<i>Lahayu diffusa.</i> R.S.					
2 latifolia. R.S.	broad-leaved.	————	1816.	—	G. ♀.	
3 aristata. R.S.	bearded.	————	1750.	6. 7.	G. ♀.	
<i>Mollia aristata.</i> H.K.						
4 polycarpoides. R.S.	Polycarpon-like.	Sicily.	1818.	6. 8.	H. ♀.	
5 gnaphaloides. R.S.	woolly-leaved.	Barbary.	—	—	H. ♀.	
HERNIARIA. R.S.	RUPTURE-WORT. Pentandria Digynia. L.					
1 glabra. R.S.	smooth.	England.	7.	H. ♀.	Eng. bot. 206.
2 hirsuta. R.S.	hairy.	————	7. 8.	H. ♀.	———— 1379.
3 cinerea. DC.	cinereous.	Montpelier.	1816.	—	H. ♀.	
4 alpina. R.S.	Alpine.	S. France.	—	—	H. ♀.	
5 fruticosa. R.S.	frutescent.	S. Europe.	1814.	5. 8.	H. ♀.	
6 incana. R.S.	hoary.	————	1818.	—	H. ♀.	Pluk. adm. t. 53. f. 3.
7 polygonoides. R.S.	Knot-grass like.	————	1752.	—	F. ♀.	Cavan. ic. 2. t. 131.

ORDO LXXXVIII.

CRASSULACEÆ. *Jussieu.*

BULLIARDA. DC.	BULLIARDA. Tetrandria Tetragynia.					
Vaillantii. DC.	Vaillant's.	S. Europe.	1825.	6. 8.	H.w. ⊙.	DC. plant. gras. t. 74.
TILLÆA. R.S.	TILLÆA. Tetrandria Tetragynia. L.					
1 aquatica. R.S.	water.	N. Europe.	1816.	6. 8.	H.w. ⊙.	Ust. N. ann. 6. t. 1.
2 muscosa. R.S.	mossy.	England.	6. 10.	H. ⊙.	Eng. bot. 116.
VAUANTHES. H.R.	V-FLOWER. Pentandria Pentagynia. H.					
chloraflora. H.R.	Chlora-flow'r'd.	C. B. S.	1774.	6. 7.	H. ⊙.	Herm. lugdb. t. 553.
<i>Crassula dichotoma.</i> W.						
GLOBULEA. H.S.	GLOBULEA. Pentandria Pentagynia. H.					
1 cultrata. H.S.	sharp-leaved.	C. B. S.	1732.	7. 8.	G. ♀.	Botan. magaz. 1940.
<i>Crassula cultrata.</i> B.M.						
2 atropurpurea. H.P.	dingy purple.	————	1823.	—	G. ♀.	
3 radicans. H.P.	rooting-branch'd	————	—	12. 3.	G. ♀.	
4 lingua. H.P.	larger tongue-ld.	————	—	5. 6.	G. ♀.	
5 lingula. H.P.	lesser tongue-ld.	————	—	—	G. ♀.	
6 capitata. H.R.	large-ld. grey.	————	1819.	7. 8.	G. ♀.	
7 obvallata. H.S.	houseleek-ld.	————	1795.	—	G. ♀.	DC. plant. gras. 61.
<i>Crassula obvallata.</i> DC.						
8 canescens. H.S.	grey.	————	1800.	—	G. ♀.	
9 paniculata. H.P.	panicled.	————	1823.	—	G. ♀.	
10 impressa. H.P.	impressed.	————	1822.	—	G. ♀.	
β minor. H.P.	lesser.	————	—	—	G. ♀.	
11 sulcata. H.R.	sulcate.	————	1820.	5. 9.	G. ♀.	
12 nudicaulis. H.S.	naked-stem'd.	————	1732.	—	G. ♀.	DC. plant. gras. 133.
<i>Crassula nudicaulis.</i> DC.						
13 hispida. H.P.	hispid.	————	1823.	10. 11.	G. ♀.	
14 mesembryanthoides.	Fig-marygold like.	————	1822.	7. 9.	G. ♀.	
15 mollis. H.P.	soft.	————	1774.	—	G. ♀.	
<i>Crassula mollis.</i> W.						
16 subincana. H.P.	hoary frutescent.	————	1822.	—	G. ♀.	
α decumbens. H.P.	decumbent.	————	—	—	G. ♀.	
β erecta. H.P.	erect.	————	—	—	G. ♀.	
TURGOSEA. H.R.	TURGOSEA. Pentandria Pentagynia. H.					
1 linguæfolia. H.R.	tongue-leaved.	C. B. S.	1803.	8.	G. ♀.	
<i>Crassula linguæfolia.</i> H.S.						
2 tomentosa. H.R.	tomentose.	————	1790.	4. 5.	G. ♀.	
3 pertusa. H.R.	impress-dotted.	————	1818.	9. 11.	G. ♀.	Com. præl. t. 29?

4	turrita, H.R.	tower-like.	C. B. S.	—	2. 3.	G. ♂.	
	<i>Crassula turrita</i> , H.S.s.						
	β rosea, H.S.s.	rose-colour'd.	—	—	—	G. ♂.	
5	obovata, H.R.	obovate-leav'd.	—	—	7. 8.	G. ♂.	
6	aloides, H.R.	ovate hispid.	—	1774.	6. 8.	G. ♂.	
7	capitella, H.R.	square-spiked.	—	—	7. 8.	G. ♂.	
CRASSULA, H.R.	CRASSULA.	Pentandria Pentagynia, L.					
1	moschata, H.S.	musky.	N. S. W.	1791.	5. 11.	H. ⊙.	
2	diffusa, H.S.	diffuse.	C. B. S.	1774.	6. 8.	H. ⊙.	
3	sparsa, H.S.	alternate-ld.	—	—	—	G. ♂.	
4	expansa, H.S.	awl-leaved.	—	—	—	H. ⊙.	
5	verticillaris, H.S.	whorl-flower'd.	S.Europe.	1788.	7. 8.	H. ⊙.	
6	Magnolii, DC.	Magnol's.	—	—	—	H. ⊙.	Magn.bot.p.237.et238.
7	rubens, H.S.	annual red.	Italy.	1759.	5. 8.	H. ⊙.	DC. plant. gras. 55.
8	pulchella, H.R.	pretty.	C. B. S.	1778.	7. 8.	H. ⊙.	
9	glabra, H.R.	smooth cluster'd.	—	1774.	6. 10.	H. ⊙.	
10	glomerata, H.S.	rough cluster'd.	—	—	8. 10.	H. ⊙.	DC. plant. gras. 67.
11	centauroides, H.S.	Centaury-fl'd.	—	—	5. 6.	G. ♂.	Botan. magaz. 1765.
12	lineolata, H.S.	channelled.	—	—	6. 8.	G. ♂.	
13	subulata, R.S.	awl-leaved.	—	1820.	—	H. ⊙.	Petiv. gaz. t. 89. f. 8.
14	retroflexa, H.S.	orange-flow'r'd.	—	1788.	—	H. ⊙.	
15	orbicularis, H.S.	starry.	—	1731.	7. 9.	G. ♀.	DC. plant. gras. t. 43.
16	rosularis, H.R.	great starry.	—	1819.	—	G. ♀.	
17	Cotyledon, H.S.	Cotyledon-ld.	—	1800.	—	G. ♀.	
18	cordata, H.S.	heart-leaved.	—	1774.	5. 8.	G. ♀.	DC. plant. gras. t. 121.
19	spathulata, H.S.	notch-leaved.	—	—	7. 9.	G. ♀.	— t. 49.
20	pellucida, H.S.	pellucid.	—	1732.	6. 9.	G. ♀.	Jacq. frag. t. 131.
21	marginalis, H.S.	marginated.	—	1774.	7. 8.	G. ♀.	Jacq. schœnb. t. 471.
22	punctata, H.S.	dotted.	—	1759.	4. 8.	G. ♀.	
23	perfilata, H.S.	filed.	—	1785.	9.	G. ♀.	Scop. d. ins. 3. t. 6. C.
	<i>perfossa</i> , DC. pl. gr. t. 25.						
24	argentea, R.S.	silvery-leaved.	—	1820.	7. 9.	G. ♀.	
25	imbricata, H.S.	whip-cord.	—	1760.	6. 7.	G. ♀.	
26	ericoides, H.P.	large whipcord.	—	1820.	9. 10.	G. ♀.	
27	columnaris, H.S.	columnar.	—	1789.	7. 10.	G. ♀.	Burm. afr. t. 9. f. 2.
28	squamulosa, H.R.	small scaly.	—	1817.	6. 9.	G. ♀.	
29	scabrella, H.R.	patent-leaved.	—	1820.	—	G. ♀.	
30	scabra, H.R.	rough-leaved.	—	1730.	6. 7.	G. ♀.	Dill. elt. t. 90. f. 117.
31	bullulata, H.R.	roughyellow-fl'd.	—	1800.	—	G. ♀.	Mart. cent. t. 24.
32	corymbulosa, L.en.	small corymb'd.	—	1821.	—	G. ♀.	
33	ramuliflora, L.en.	branch-flow'r'd.	—	—	—	G. ♀.	
34	dejecta, R.S.	dejected.	—	—	—	G. ♀.	Jacq. schœnb. t. 433.
35	biconvexa, H.S.	double convex.	—	1800.	8.	G. ♀.	
36	concinella, H.P.	elegant.	—	1822.	...	G. ♀.	
37	concinna, H.R.	small neat.	—	1820.	...	G. ♀.	
38	lignifolia, H.R.	latchet-leaved.	—	—	...	G. ♀.	
39	ciliata, H.S.	ciliated.	—	1732.	7. 8.	G. ♀.	DC. plant. gras. 7.
40	albiflora, B.M.	white-flower'd.	—	1820.	7. 9.	G. ♀.	Botan. magaz. 2391.
41	lactea, H.S.	milk white.	—	1774.	9. 2.	G. ♀.	— 1771.
42	obliqua, H.S.	oblique-leav'd.	—	1759.	4. 5.	G. ♀.	DC. plant. gras. 79.
43	arborescens, H.S.	arborescent.	—	1739.	5. 6.	G. ♀.	Botan. magaz. 384.
	<i>Cotyledon</i> , B.M.						
44	revolvens, H.P.	recurving-ld.	—	1820.	8. 10.	G. ♀.	
45	filicaulis, H.P.	thready-stem'd.	—	—	—	G. ♀.	
46	bibracteata, H.P.	double-bracted.	—	—	—	G. ♀.	
	α minor, H.P.	smaller.	—	—	—	G. ♀.	
	β major, H.P.	larger.	—	—	—	G. ♀.	
47	biplanata, H.P.	flat-leaved.	—	—	9. 10.	G. ♀.	
48	acutifolia, H.S.	acute-leaved.	—	1795.	9. 11.	G. ♀.	DC. plant. gras. t. 2.
49	tetragona, H.S.	square-leaved.	—	1711.	8. 9.	G. ♀.	— t. 19.
50	ramosa, H.S.	branching.	—	1774.	7. 8.	G. ♀.	
51	telephioides, H.R.	Orpine-like.	—	1820.	—	G. ♀.	
CURTOGYNE, H.R.	CURTOGYNE.	Pentandria Pentagynia.					
1	undulata, H.R.	lesser-waved.	C. B. S.	1797.	8. 11.	G. ♀.	Lodd. bot. cab. 584.
	<i>Crassula undulata</i> , R.S.						
2	undata, H.R.	greater-waved.	—	1818.	—	G. ♀.	
KALOSANTHES, H.R.	KALOSANTHES.	Pentandria Pentagynia.					
1	coccinea, H.R.	scarlet.	C. B. S.	1710.	6. 8.	G. ♀.	Botan. magaz. 495.
	<i>Crassula coccinea</i> , B.M. <i>Dietrichia coccinea</i> , Trat.						

2	media. H.R.	great changeable.	————	1820.	—	G. ½.	
3	versicolor. H.R.	various-color'd.	————	1816.	—	G. ½.	Botan. regist. 320.
	<i>Crassula versicolor.</i>	H.R.					
4	bicolor. H.R.	two-coloured.	————	1820.	—	G. ½.	
5	odoratissima. H.R.	sweet-scented.	————	1793.	6. 7.	G. ½.	Andr. reposit. 26.
	<i>Crassula odoratissima.</i>	A.R. <i>Dietrichia odoratissima.</i>	Trat-				
6	flava.	yellow.	————	1802.	8. 9.	G. ½.	Pluk. alm. t. 314. f. 2.
	<i>Crassula flava.</i>	L. <i>Larochea? flava.</i>	H.S.				
7	cymosa. H.R.	cyme-flowered.	————	1800.	—	G. ½.	
8	biconvexa. H.P.	convex-leaved.	————	1822.	7. 8.	G. ½.	
9	jasminea. H.R.	Jasmine-fl'd.	————	1812.	6. 8.	G. ½.	Botan. magaz. 2178.
	<i>Crassula jasminea.</i>	B.M.					
LAROCHEA. H.R. LAROCHEA. Pentandria Pentagynia.							
1	falcata. H.R.	falcated.	C. B. S.	1785.	6. 9.	G. ½.	DC. plant. gras. t. 103.
	<i>Crassula falcata.</i>	B.M. 2035. <i>Rochea falcata.</i>	DC.				
	<i>β minor.</i>	H.R. lesser falcated.	————	1821.	—	G. ½.	
2	perfoliata. H.R.	great perfoliate.	————	1725.	7. 8.	G. ½.	DC. plant. gras. 13.
	<i>β alba.</i>	H.R. white perfoliate.	————	—	—	G. ½.	
SEPTAS. H.S. SEPTAS. Heptandria Heptagynia. L.							
1	capensis. H.S.	CAPE.	C. B. S.	1774.	8. 9.	G. ¼.	Andr. repos. 98.
2	globiflora. B.M.	globe-flow'ring.	————	1809.	3. 5.	G. ¼.	Botan. magaz. 1472.
3	umbella. H.S.	skreen.	————	1800.	7.	G. ¼.	Jacq. vind. 2. t. 352.
	<i>Crassula umbella.</i>	Jacq.					
COTYLEDON. H.S. NAVELWORT. Decandria Pentagynia. L.							
1	orbiculata. H.S.	round-leaved.	C. B. S.	1789.	7. 8.	G. ½.	
2	ovata. H.S.	ovate-leaved.	————	1789.	7. 10.	G. ½.	Botan. magaz. 321.
	<i>orbiculata.</i>	B.M.					
3	oblonga. H.S.	oblong-leaved.	————	1690.	—	G. ½.	
4	triflora. H.R.	three-flowered.	————	1821.	—	G. ½.	
5	ramosa. H.S.S.	branching.	————	1768.	—	G. ½.	Moris. sect. 12. t. 7. f. 39.
6	ramosissima. H.S.S.	cluster-branch'd.	————	1816.	...	G. ½.	
7	fascicularis. H.S.	clustered.	————	1759.	7. 9.	G. ½.	Burm. afr. 41. t. 18.
8	hemisphærica. H.S.	thick-leaved.	————	1731.	6. 7.	G. ½.	DC. plant. gras. 87.
9	sparia. H.S.	narrow-leav'd.	————	—	7. 8.	G. ½.	Comm. rar. t. 23.
10	mucronata. S.S.	mucronate.	————	1818.	...	G. ½.	Burm. dec. t. 19. f. 2.
	<i>undulata.</i>	H.S.S.					
11	jasminiflora. H.R.	Jasmine-fl'd.	————	—	6. 8.	G. ½.	
12	elata. H.S.S.	tall powdered.	————	1816.	—	G. ½.	
13	cuneata. H.S.S.	large pubesc'nt.	————	1813.	...	G. ½.	
14	coruscans. H.S.S.	sparkling.	————	1818.	3. 5.	G. ½.	Botan. magaz. 2601.
	<i>canalicifolia.</i>	H.P.					
15	curviflora. B.M.	curv'd-flow'r'd.	————	1813.	7. 8.	G. ½.	————— 2044.
	<i>purpurea.</i>	H.S.S. vix <i>Thunb.</i>					
16	decussata. B.M.	cross-leaved.	————	—	5. 6.	G. ½.	————— 2518.
	<i>papillaris.</i>	H.S.S. non <i>Thunb.</i>					
17	tricuspidata. H.P.	trident-leaved.	————	1820.	...	G. ½.	
18	calalioides. H.R.	Cacalia-leaved.	————	—	5. 6.	G. ½.	
19	rhombifolia. H.P.	rhomb-leaved.	————	1823.	...	G. ½.	
20	mamillaris. H.S.S.	mammillary.	————	1818.	5. 7.	G. ½.	Burm. dec. t. 21. f. 1.
21	canaliculata. H.S.S.	channel-leav'd.	————	1818.	...	G. ½.	
22	maculata. H.R.	spotted-leaved.	————	—	5. 7.	G. ½.	
23	coccinea. Cav.	scarlet.	1816.	1. 8.	G. ½.	Botan. magaz. 2572.
24	tuberculosa. S.S.	tubercled.	C. B. S.	1822.	...	G. ½.	
25	ungulata. S.S.	ungulate.	————	—	...	G. ½.	
26	gracilis. H.S.S.	slender.	Portugal.	1800.	5. 8.	G. ½.	
27	cæspitosa. H.M.N.	tongue-leaved.	California.	1796.	6. 8.	G. ¼.	
	<i>linguaformis.</i>	H.K.					
28	dichotoma. H.R.	fork-spined.	C. B. S.	1818.	—	G. ½.	
29	spinosa. S.S.	spiny.	Siberia.	F. ¼.	
30	serrata. H.S.	notch-leaved.	Crete.	1732.	6. 7.	H. ¼.	Dill. elt. t. 95. f. 112.
31	hispanica. H.S.	Spanish.	Spain.	1796.	—	H. ½.	DC. plant. gras. 122.
32	Umbilicus. E.B.	Pennywort.	Britain.	6. 9.	H. ¼.	Eng. bot. 325.
33	lutea. E.B.	yellow.	England.	—	H. ¼.	— — — 1522.
OROSTACHYS. F. OROSTACHYS. Decandria Pentagynia.							
	<i>Malacophyllum.</i>	F. annual.	Davuria.	1815.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. G. f. 1.
	<i>Cotyledon malacophyllum.</i>	w.					
KALANCHOE. H.S. KALANCHOE. Octandria Tetragynia.							
1	spatulata. DC.	yellow spatulate.	China.	1820.	7. 9.	D.S. ½.	DC. plant. gras. 63.
2	ægyptiaca. DC.	red spatulate.	Egypt.	—	—	D.S. ½.	— — — 64.

- 3 rotundifolia. H.P. round Orpine-ld. C. B. S. 1820. 7. 9. G. $\frac{1}{2}$. -
Crassula rotundifolia. H.P. 188.
- 4 acutiflora. H.R. white flower'd. E. Indies? 1806. — D.S. $\frac{1}{2}$. Andr. reposit. 460.
Veria acutiflora. A.R.
- 5 Verca. P.S. Vere's. Sierra Leon. 1793. — D.S. $\frac{1}{2}$. ——— 21.
Veria crenata. A.R. *Cotyledon crenata*. B.M. 1436.
- 6 laciniata. DC. cut-leaved. E. Indies. 1731. 7. 8. D.S. $\frac{1}{2}$. DC. plant. gras. 100.
- 7 ceratophylla. H.R. buck's-horn-ld. China. 1820. 9. 1. D.S. $\frac{1}{2}$.
- BRYOPHYLLUM. P. L. BRYOPHYLLUM. Octandria Tetragynia.
- calycinum. P. L. large-cupped. Mauritius. 1800. 4. 7. D.S. $\frac{1}{2}$. Parad. lond. 3.
- RHODIOLA. L. ROSE-ROOT. Diœcia Octandria. L.
- rosea. L. common. Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. 508.
- SEDUM. L. STONECROP. Decandria Pentagynia. L.
- 1 maximum. L. en. great purple. Spain. 1794. 7. 8. H. $\frac{1}{2}$.
Anacampseros maxima. H.S.
- 2 albicans. great white. Europe. ——— H. $\frac{1}{2}$.
Anacampseros albicans. H.S.
- 3 triphyllum. threc-ld. purple. Portugal. ——— H. $\frac{1}{2}$.
purpureum. L. en. *Anacampseros triphylla*. H.S.
- 4 verticillatum. W. whorl-leaved. S. Europe. 7. 9. H. $\frac{1}{2}$. Amœn. ac. 2. t. 4. f. 14.
- 5 argutum. lance-toothed. Carpathian. m. 1820. ——— H. $\frac{1}{2}$.
Anacampseros arguta. H.R.
- 6 paucidens. H.R. few-toothed. ——— H. $\frac{1}{2}$.
- 7 pectinatum. pectinated. ——— H. $\frac{1}{2}$.
Anacampseros pectinata. H.R.
- 8 Telephium. E. B. common Orpine. Britain. ——— H. $\frac{1}{2}$. Eng. bot. 1319.
Anacampseros vulgaris. H.S.
- 9 Anacampseros. W. evergreen. France. 1596. 7. 8. H. $\frac{1}{2}$. Botan. magaz. 118.
Anacampseros senpervirens. H.S.
- 10 telephioides. M. Rhodiola-like. N. America. 1810. ——— H. $\frac{1}{2}$.
- 11 lividum. W. en. livid. 1820. ——— H. $\frac{1}{2}$.
- 12 Aizoon. W. yellow Orpine. Siberia. 1757. 7. 9. H. $\frac{1}{2}$. DC. plant. gras. 101.
- 13 populifolium. W. Poplar-leaved. 1780. 7. 8. H. $\frac{1}{2}$. Botan. magaz. 211.
- 14 divaricatum. W. spreading. Madeira. 1777. 6. 7. G. $\frac{1}{2}$.
- 15 ciliaræ. fringed. Caucasus. 1810. 7. 9. H. $\frac{1}{2}$. Botan. magaz. 1807.
oppositifolium. B. M. *Anacampseros ciliaris*. H.R.
- 16 spurium. W. en. greater fringed. ——— ——— H. $\frac{1}{2}$. ——— 2370.
- 17 dentatum. H. R. large-toothed. ——— H. $\frac{1}{2}$.
- 18 hybridum. W. Germander-ld. Siberia. 1766. 5. 7. H. $\frac{1}{2}$. Mur. c. got. 6. t. 5.
- 19 ternatum. M. dwarf 3-leav'd. N. America. 1789. 7. 8. H. $\frac{1}{2}$. Botan. regist. 142.
- 20 stellatum. W. starry. S. Europe. 1640. 6. 7. H. \odot . Cam. hort. 7. ic. 2.
- 21 Cerpæa. W. paniced. France. ——— 7. 8. H. \odot . W. et K. hung. t. 104.
spatulatum. W. K.
- 22 sempervivoides. F. houseleek-ld. Iberia. 1823. 6. 8. H. $\frac{1}{2}$. Botan. magaz. 2474.
- 23 ochroleucum. H. P. tall sharp-cup'd. Greece. 7. 8. F. $\frac{1}{2}$.
- 24 altissimum. DC. tall blunt-cup'd. Italy. 1769. ——— H. $\frac{1}{2}$. Jacq. vind. 1. t. 81.
Jacquini. H. P. *Sempervivum sediforme*. Jacq.
- 25 cœrulescens. H. P. great straw-ld. ——— H. $\frac{1}{2}$.
- 26 reflexum. H. P. reflex-leaved. Britain. 6. 7. H. $\frac{1}{2}$. Eng. bot. 695.
- 27 septangulare. H. P. 7-angled glaucous. Europe. 7. 8. H. $\frac{1}{2}$. DC. plant. gras. 115.
rupestre. DC. non L. *collinum*. W. en. ex H. P.
- 28 glaucum. H. P. glaucous short-ld. England. 6. 7. H. $\frac{1}{2}$. Eng. bot. 2477.
- 29 minus. H. P. lesser short-ld. ——— H. $\frac{1}{2}$. DC. plant. gras. 116.
reflexum. DC. non H. P.
- 30 spirale. H. P. small 7-angled. 1820. 6. 7. H. $\frac{1}{2}$. DC. plant. gras. 118.
sexangulare. DC. non E. B.
- 31 recurvatum. H. P. slender recurv'd. ——— H. $\frac{1}{2}$.
- 32 anopetalum. H. P. broader-leaved. S. France. 1815. ——— H. $\frac{1}{2}$.
 β aurantiacum. H. P. orange-colour'd. ——— H. $\frac{1}{2}$.
- 33 virens. H. P. deep green-ld. Portugal. 1774. ——— H. $\frac{1}{2}$.
- 34 rupestre. H. P. expanding glaucous. England. ——— H. $\frac{1}{2}$. Eng. bot. 170.
virescens. W. en.
- 35 Forsterianum. E. B. Forster's. Wales. 7. 8. H. $\frac{1}{2}$. ——— 1802.
- 36 quadrifidum. W. four-cleft. N. Asia. 1800. ——— H. $\frac{1}{2}$. Pall. it. 3. a. t. P. f. 1.
- 37 nudum. W. naked-branch'd. Madeira. 1777. ——— G. $\frac{1}{2}$.
- 38 quinquefidum. H. R. linear-leaved. ——— H. $\frac{1}{2}$.
- 39 hexapetalum. H. R. six-petaled. ——— H. $\frac{1}{2}$.
- 40 sexfidum. H. R. six-cleft. Caucasus. 1818. ——— H. \odot .
- 41 montregalense. W. en. clammy. S. Europe. 1816. 6. 7. H. $\frac{1}{2}$. Lodd. bot. cab. 464.
 2 A 2

42 hispanicum. w.	Spanish.	Spain.	1732.	—	H. ♀.	Jacq. aust. 5. t. a. 47.	
43 album. E.B.	white.	England.	6. 7.	H. ♀.	Eng. bot. 1578.	
44 villosum. E.B.	hairy.	Britain.	—	H. ♀.	— 171.	
45 annuum. w.	annual.	N. Europe.	1739.	7. 9.	H. ⊙.		
46 atratum. w.	dark annual.	Italy.	1795.	—	H. ⊙.	Jacq. aust. 1. t. 8.	
47 dasyphyllum. E.B.	thick-leaved.	England.	6. 7.	H. ♀.	Eng. bot. 656.	
48 pallidum. M.B.	pale-red.	Caucasus.	1820.	7. 9.	H. ⊙.		
49 cœruleum. w.	blue pubescent.	N. Africa.	1821.	—	H. ♀.	Botan. regist. 520.	
50 sexangulare. E.B.	insipid.	England.	6. 7.	H. ♀.	Eng. bot. 1946.	
51 acre. E.B.	biting.	Britain.	—	H. ♀.	— 839.	
52 saxatile. w.	rock.	S. Europe.	1820.	7. 9.	H. ♀.		
53 pallens. H.R.	5-petaled glaucous.	—	H. ⊙?		
54 oblongum. H.R.	oblong-leaved.	England.	7. 8.	H. ♀.		
55 anglicum. H.R.	small English.	—	—	H. ♀.	Eng. bot. 171.	
	<i>β microphyllum.</i> H.R.	<i>least English.</i>	—	H. ♀.		
MONANTHES. H.R.	MONANTHES.	Dodecandria Heptagynia.					
	polyphylla. H.R.	many-leaved.	Canaries.	1777.	7. 9.	G. ♀.	Botan. magaz. 93.
	<i>Sempervivum monanthos.</i> B.M.						
SEMPERVIVUM. L.	HOUSELEEK.	Dodecandria Dodecagynia. L.					
1 arboreum. w.	tree.	Levant.	1640.	12. 3.	G. ♀.	Botan. regist. 99.	
	<i>β variegatum.</i> H.R.	<i>variegated.</i>	—	G. ♀.		
	<i>γ atropurpureum.</i> H.R.	<i>dark-purple-ld.</i>	—	G. ♀.		
2 canariense. w.	Canary.	Canaries.	1699.	6. 7.	G. ♀.	DC. plant. gras. 141.	
3 glutinosum. w.	clammy.	Madeira.	1777.	7. 8.	G. ♀.	Botan. regist. 278.	
4 Smithii. B.M.	Smidt's.	Canaries.	1815.	9.	G. ♀.	Botan. magaz. 1980.	
5 tabulæforme. H.R.	table-shaped.	Madeira.	—	7. 9.	G. ♀.		
6 anreum. s.s.	chalice formed.	—	—	6. 7.	G. ♀.	Botan. regist. 892.	
	<i>calyciforme.</i> H.S.S.						
7 spurium. H.R.	spurious.	Hybrid.	—	G. ♀.		
8 barbatum. s.s.	bearded.	Madeira.	1815.	—	G. ♀.		
	<i>lineolare.</i> H.S.S.						
9 glandulosum. w.	gland-edged.	—	1777.	3. 5.	G. ♀.		
10 ciliatum. s.s.	ciliated.	Teneriffe.	1815.	G. ♀.		
11 cæspitosum. s.s.	latchet-leaved.	Madeira.	1815.	9. 4.	G. ♀.	Botan. magaz. 1978.	
	<i>ciliatum.</i> B.M. <i>non w.</i>	<i>ciliare.</i> H.S.S.					
12 hybridum. H.R.	hybrid.	Hybrid.	—	G. ♀.		
13 laxum. H.R.	loose-flowered.	1820.	7. 10.	G. ♂.	
14 villosum. w.	small shrubby villous.	Madeira.	1777.	6. 7.	G. ♀.		
15 stellatum. H.R.	annual villous.	—	1790.	7. 8.	H. ⊙.	Botan. magaz. 1809.	
	<i>villosum.</i> B.M.						
16 tortuosum. w.	twisted.	Canaries.	1779.	—	G. ♀.	— 296.	
17 dodrantale. w.en.	smooth-ld annual.	Teneriffe.	1815.	—	H. ⊙.		
18 africanum. H.S.	African.	C. B. S.	1768.	G. ♀.		
19 tectorum. w.	common.	Britain.	6. 9.	H. ♀.	Eng. bot. 1320.	
20 grandiflorum. H.R.	great-flowered.	Germany.	1731.	6. 7.	H. ♀.	Botan. magaz. 507.	
	<i>globiferum.</i> B.M. <i>non L.</i>						
21 flagelliforme. s.s.	whip-lash.	Siberia.	1818.	—	H. ♀.		
22 hirtum. w.	hairy.	Italy.	1804.	—	H. ♀.	Schmidt ic. t. 17.	
23 montanum. w.	red-flowered.	Switzerland.	1752.	—	H. ♀.	DC. plant. gras. 105.	
24 globiferum. H.R.	hen & chicken.	Germany.	—	H. ♀.	Botan. magaz. 1457.	
25 arachnoideum. w.	cobweb.	Italy.	1699.	—	H. ♀.	— 68.	
26 cuspidatum. H.R.	pin pointed.	Siberia.	1790.	8.	H. ♀.	Gmel. sib. t. 67. f. 2.	
PENTHORUM. W.	PENTHORUM.	Decandria Pentagynia. L.					
	sedoides. w.	American.	Virginia.	1768.	7. 8.	H. ♀.	Lam. ill. t. 390.

ORDO LXXXIX.

SAXIFRAGÆ. *Juss. gen. 308.*

SAXIFRAGA. L.	SAXIFRAGE.	Decandria Digynia. L.				
1 crassifolia. L.T.	thick-leaved.	Siberia.	1765.	3. 5.	H. ♀.	Botan. magaz. 196.
	<i>Bergenia crassifolia.</i> Men.	<i>Megasea crassifolia</i> H.R.				
2 cordifolia. L.T.	heart-leaved.	—	1779.	—	H. ♀.	

- 3 *media*. intermediate. ——— 1819. — H. 4.
Megasea media. H.R.
- 4 *ligulata*. L.T. fringed-leaved. Nepaul. 1818. — H. 4. Swt. br. fl. gar. 59.
Megasea ciliata. H.R.
- 5 *Geum*. L.T. kidney-leaved. Ireland. 6. 7. H. 4. Eng. bot. 61.
6 *hirsuta*. L.T. hirsute. ——— 5. 6. H. 4. ——— 2322.
7 *polita*. L.en. polished. ——— — H. 4.
Robertsonia polita. H.S.
- 8 *dentata*. L.en. toothed. ——— — H. 4.
Robertsonia dentata. H.S.
- 9 *crenata*. crenated. 1790. — H. 4.
Robertsonia crenata. H.S.
- 10 *sphæroidea*. spheroid. Pyrenees? 1800. — H. 4.
Robertsonia sphæroidea. H.S.
- 11 *punctata*. L. dotted-flow'r'd. Siberia. 1699. — H. 4.
12 *serrata*. L.en. sawed-leaved. Ireland. — H. 4.
Robertsonia serrata. H.S.
- 13 *umbrosa*. L.T. London pride. Britain. 4. 6. H. 4. Eng. bot. 633.
14 *cuneifolia*. L.T. wedge-leaved. Switzerland. 1768. 5. 6. H. 4. W. et K. hung. 1. t. 44.
15 *hybrida*. L.en. hybrid. 1820. — H. 4. Sternb. sax. 17. t. 8. f. 3
16 *stellaris*. L.T. starry. Britain. 6. 7. H. 4. Eng. bot. 167.
δ Schleicheri. L.T. Schleicher's. Switzerland. 1819. — H. 4.
Spatularia stellaris. γ *depilata*. H.R.
- 17 *leucanthemifolia*. L.T. Stock-leav'd. N. America. 1812. — H. 4. Lap. pyr. sax. t. 25.
18 *sarmentosa*. L.T. sarmentose. China. 1771. — F. 4. Botan. magaz. 92.
Diptera sarmentosa. Bork. *Ligularia sarmentosa*. H.R.
- 19 *cuscutæformis*. B.C. dodder-like. ——— 1815. 2. 7. F. 4. Lodd. bot. cab. t. 186.
Ligularia minor. H.R.
- 20 *erosa*. L.T. jagged-leaved. N. America. 1812. 5. 6. H. 4.
Aulaxis nuda. H.R.
β hirsuta. L.T. hairy. ——— — H. 4.
Aulaxis micranthifolia. H.R.
- 21 *rotundifolia*. L.T. round-leaved. Austria. 1596. — H. 4. Botan. magaz. 424.
Miscopetalum rotundifolium. H.R.
β repanda. L.T. repand. ——— — H. 4. Sternb. saxif. t. 5.
22 *granulata*. L.T. grain-rooted. Britain. 5. H. 4. Eng. bot. 500.
β multiplex. double-flowered. ——— — H. 4.
23 *cernua*. L.T. drooping. Scotland. 7. H. 4. Eng. bot. 664.
Lobaria cernua. H.R.
- 24 *sibirica*. L.T. Siberian. Siberia. 1802. 5. 6. H. 4. Sternb. sax. t. 12. f. 4?
25 *rivularis*. L.T. Alpine brook. Scotland. 6. 7. H. 4. Eng. bot. 2275.
Lobaria rivularis. H.R.
- 26 *hederacea*. L.T. Ivy-leaved. Levant. 1752. 7. H. 4. Flor. græc. t. 379.
27 *Hirculus*. L.T. yellow marsh. England. 8. H. 4. Eng. bot. 1009.
Hirculus ranunculoides. H.R.
- 28 *flagellaris*. L.T. flagelliferous. Baffin's Bay. 1820. — H. 4. Sternb. sax. p. 25. t. 6.
29 *aizoides*. L.T. smaller mountain. Britain. 7. 8. H. 4. ——— t. 8. f. 1.
β autumnalis. larger mountain. ——— — H. 4. Eng. bot. 39.
Leptasea aizoides. H.R.
- 30 *bronchialis*. L.T. spiny-fringed. Siberia. 1819. — H. 4. Gmel. sib. 4. t. 65. f. 2.
31 *tenella*. L.T. slender. Carinthia. 1824. — H. 4. Jacq. coll. 3. t. 17.
32 *aspera*. L.T. rough. Switzerland. 1752. 8. H. 4. Jacq. aust. 5. t. 31.
Ciliaria aspera. H.R.
- 33 *bryoides*. L.T. thread-moss like. ——— — 6. 7. H. 4. Jacq. misc. 2. t. 5. f. 1.
34 *hieracifolia*. L.T. Hawkweed-ld. Hungary. 1789. 5. 6. H. 4. W. et K. hung. 1. t. 18.
35 *pennsylvanica*. L.T. Pennsylvanian. N. America. 1732. — H. 4. Dill. elt. t. 253. f. 328.
β glabra. smother-leaved. ——— — H. 4.
36 *semipubesces*. L.T. semipubescent. ——— — H. 4.
- Micranthes semipubesces*. H.S.
- 37 *virginiensis*. L.T. Virginian. ——— 1790. 5. 7. H. 4. Botan. magaz. 1664.
Dermasea pilosa. H.R.
- 38 *congesta*. H.S.L. close-headed. ——— 1812. — H. 4.
nivalis. Ph. nec *aliorum*.
- 39 *nivalis*. L.T. clustered Alpine. Britain. 6. 7. H. 4. Eng. bot. 440.
Dermasea nivalis. H.R.
- 40 *Cotyledon*. L.T. pyramidal. Alps Europe. 1596. 5. 7. H. 4. Flor. dan. t. 241.
Chondrosea pyramidalis. H.R.
- 41 *intermedia*. related. 1808. 7. H. 4.
Chondrosea intermedia. H.R.

42	lingulata. L.T. <i>longifolia</i> . s.s. <i>β media</i> . L.T.	tongue-leaved. middle.	Pyrenees.	5. 7.	H. 2.	
43	crustata. L.en.	crusted.	————	—	H. 2.	Sternb. sax. p. 1. t. 1. a. ———— t. 1. b.
44	Aizoon. L.T.	large margined.	————	1731.	—	H. 2.	Jacq. aust. t. 438.
45	recta. P.S. <i>intacta</i> . L.T. <i>Chondrosea Aizoon</i> . H.R. <i>β minor</i> . H.R. <i>γ parviflos</i> . H.R.	straight-leav'd. lesser. smaller-flower'd.	AlpsEurope.	5. 7.	H. 2.	Lap. pyr. sax. t. 15.
46	mutata. L.T.	saffron-colour'd.	Switzerland.	1779.	6. 7.	H. 2.	Botan. magaz. 351.
47	aretioides. L.T.	Aretia-like.	————	1825.	H. 2.	Lap. pyr. sax. t. 13.
48	Burseriana. L.T.	Burser's.	Italy.	—	5. 6.	H. 2.	Jacq. misc. 1. t. 17. f. 3.
49	retusa. L.T.	purple-flow'r'd.	Pyrenees.	3. 4.	H. 2.	Lap. pyr. sax. t. 18.
50	oppositifolia. L.T. <i>Antiphylla cœrulea</i> . H.R.	opposite-leav'd. H.R.	Britain.	—	H. 2.	Eng. bot. t. 9.
51	biflora. L.T.	two-fl'd purple.	Switzerland.	1825.	—	H. 2.	Lap. pyr. sax. t. 17.
52	cœsia. L.T.	grey.	————	1752.	5. 6.	H. 2.	Jacq. aust. 4. t. 374.
53	androsacea. L.T.	Androsace-ld.	————	1792.	—	H. 2.	Jacq. aust. 4. t. 389.
54	sedioides. L.T.	Stonecrop-like.	Europe.	1825.	H. 2.	Jacq. misc. 2. t. 21. f. 22.
55	tenera. L.T. <i>planifolia</i> . s.s.	flat-leaved.	Switzerland.	—	5. 6.	H. 2.	Sternb. sax. t. 9. f. 4.
56	geranioides. L.S.	cranesbill-ld.	Pyrenees.	1770.	4. 5.	H. 2.	Lap. pyr. sax. t. 43.
57	irrigua. L.T.	crowfoot-ld.	Siberia.	1820.	—	H. 2.	M. B. cent. pl. rar. t. 73.
58	pedatifida. L.T. <i>β minor</i> . H.R.	pedatifid. smaller villous.	Scotland.	5. 6.	H. 2.	Eng. bot. 2278.
59	quinquefida. H.R.	quinquefid.	————	—	H. 2.	
60	ceratophylla. L.T.	shining-calyx'd.	Spain.	1804.	—	H. 2.	Botan. magaz. 1651.
61	ajugifolia. L.T.	Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. 2.	Lap. pyr. sax. t. 31.
62	affinis. L.T.	affined.	Ireland.	—	H. 2.	
63	pentadactyla. L.T.	five-fingered.	Pyrenees.	1815.	5. 6.	H. 2.	Lap. pyr. sax. t. 40.
64	decipiens. L.T. <i>palmata</i> . E.B.	palmate.	Wales.	—	H. 2.	Eng. bot. 455.
65	hirta. L.T.	hairy.	Ireland.	—	H. 2.	———— 2291.
66	platypetala. L.T.	broad-petaled.	Scotland.	6.	H. 2.	———— 2276.
66	incurvifolia. L.T.	incurved-ld.	Ireland.	—	H. 2.	
68	denudata. L.T.	half naked.	Scotland.	—	H. 2.	
69	Sternbergii. L.T.	Sternberg's.	Germany.	5. 6.	H. 2.	Sternb. sax. t. 24.
70	pulchella. L.T.	pretty.	————	1818.	—	H. 2.	
71	tridentata. L.T.	three-toothed.	—	H. 2.	
72	cœspitosa. L.T.	tufted.	Wales.	—	H. 2.	Eng. bot. 794.
73	exarata. L.T. <i>nervosa</i> . Lap.	furrowed.	Pyrenees.	1818.	—	H. 2.	Lap. pyr. sax. t. 39.
74	moschata. L.T.	musky.	————	—	H. 2.	Jacq. misc. 2. t. 21. f. 2.
75	muscoïdes. L.T. <i>Muscaria muscoïdes</i> . H.R.	Moss like.	England.	—	H. 2.	Lap. pyr. sax. t. 35.
76	pygmæa. L.T. <i>moschata</i> . E.B. non Jacq. <i>Muscaria cœspitosa</i> . H.R.	pigmy.	Scotland.	—	H. 2.	Eng. bot. 2214.
77	tridactylites. E.B. <i>Tridactylites annua</i> . H.R.	Rue-leaved.	Britain.	3. 5.	H. 2.	———— 501.
78	controversa. s.s.	confused.	N. Europe.	—	H. 2.	Sternb. sax. t. 16.
79	petræa. L.T.	rock.	Carinthia.	1752.	4. 5.	H. 2.	Jacq. ic. 1. t. 81.
80	ascendens. L.T. <i>aquatica</i> . St.	ascending.	Pyrenees.	—	5. 6.	H. 2.	Sternb. sax. t. 19. f. 1. 2.
81	condensata. L.T.	close.	Scotland.	H. 2.	Gmel. fl. bad. t. 3.
82	elongella. L.T.	long peduncled.	————	—	H. 2.	Eng. bot. 2277.
83	leptophylla. L.T. <i>β angustifida</i> . L.T.	narrow-leaved. narrow-lobed.	Wales.	5. 6.	H. 2.	
84	lætevirens. L.T.	light-green.	Scotland.	—	H. 2.	
85	hypnoides. L.T. <i>β viscosa</i> . L.T. <i>γ angustifolia</i> . L.T. <i>δ muscosa</i> . L.T. <i>ε pulchella</i> . L.T. <i>ζ spatulata</i> . H.R. <i>η latifida</i> . H.R. <i>θ rhodopetala</i> . H.R. <i>ι recurvula</i> . H.R. <i>κ aristata</i> . H.R. <i>λ septifida</i> . H.R.	moosy. viscous. narrow-leaved. tufted. larger. spatulate. broad-cleft. rosy-petaled. recurving-cup'd. awned. seven-cleft.	Britain.	4. 6.	H. 2.	Eng. bot. 454.

86 lanceolata. H.B.	spear-leaved.	Europe.	1808.	—	H. ½.	
obtusa. H.R.	blunt-leaved.	—	1820.	—	H. ½.	
87 altifida. H.R.	deep-cleft.	—	—	H. ½.	
88 viscosa. H.R.	viscous.	—	—	H. ½.	
89 quinquedens. H.R.	five-toothed.	—	—	H. ½.	
90 Haworthii. H.S.L.	Haworth's.	—	—	H. ½.	
<i>hirta</i> . H.R. non E.B.						
HEUCHERA. L.	HEUCHERA.	Pentandria Digynia.	L.			
1 americana. L.	viscid.	N.America.	1656.	5. 7.	H. ½.	Pluk alm. t. 58. f. 3.
<i>viscida</i> . Ph.						
2 pubescens. Ph.	pubescent.	—	1812.	—	H. ½.	
3 hispida. Ph.	hispid.	—	1820.	—	H. ½.	
4 villosa. M.	villous.	—	1812.	—	H. ½.	
5 canescens. Ph.	caulescent.	—	—	H. ½.	
TIARELLA. L.	TIARELLA.	Decandria Digynia.	L.			
1 cordifolia. Ph.	heart-leaved.	N.America.	1731.	4. 5.	H. ½.	Botan. magaz. 1589.
2 Menziesii. Ph.	leafy-stemmed.	—	1812.	—	H. ½.	
3 polyphylla. D.P.	many-leaved.	Nepaul.	1818.	—	H. ½.	
ASTILBE. D.P.	ASTILBE.	Oct-Decandria Digynia.				
<i>decandra</i> . D.P.	decandrous.	Carolina.	1812.	5. 6.	F. ½.	Vent. malm. 54.
<i>Tiarella biternata</i> . V.						
MITELLA. L.	MITELLA.	Decandria Digynia.	L.			
1 diphylla. W.	two-leaved.	N.America.	1731.	4. 5.	H. ½.	Botan. regist. 166.
2 cordifolia. W.	heart-leaved.	—	1812.	—	H. ½.	Lam. ill. t. 373. f. 3.
3 reniformis. Lam.	kidney-leaved.	—	1758.	6. 8.	H. ½.	— t. 373. f. 2.
<i>nuda</i> . W.						
4 prostrata. M.	prostrate.	—	1812.	5. 6.	H. ½.	
CHRYSOSPLENIUM. L.	GOLDEN SAXIFRAGE.	Oct-Decandria Digynia.				
1 alternifolium. W.	alternate-ld.	Britain.	4. 5.	H. ½.	Eng. bot. 54.
2 oppositifolium. W.	opposite-leav'd.	—	—	H. ½.	— 490.
3 nepalense. D.P.	Nepaul.	Nepaul.	1824.	—	H. ½.	
ADOXA. L.	MOSCHATEL.	Oct-Decandria Tetragynia.				
<i>Moschatellina</i> . E.B.	tuberosus.	Britain.	3. 5.	H. ½.	Eng. bot. 453.
HYDRANGEA. L.	HYDRANGEA.	Decandria Digynia.	L.			
1 arborescens. W.	shrubby.	Virginia.	1736.	7. 8.	H. ½.	Botan. magaz. 437.
<i>vulgaris</i> . Ph.						
2 cordata. Ph.	heart-leaved.	Carolina.	1806.	—	H. ½.	Wats. dend. brit. t. 42.
3 radiata. W.	white-leaved.	—	1786.	—	H. ½.	Lam. ill. t. 370. f. 2.
<i>nivea</i> . Wats. dend. brit. 43.						
4 heteromalla. D.P.	woolly-leaved.	Nepaul.	1823.	H. ½.	
5 quercifolia. W.	Oak-leaved.	Florida.	1803.	6. 9.	F. ½.	Botan. magaz. 975.
6 hortensis. W.	changeable.	China.	1788.	4. 9.	F. ½.	— 438.

ORDO XC.

CUNONIACEÆ. *Brown.*

WEINMANNIA. L.	WEINMANNIA.	Octandria Digynia.	L.			
1 glabra. L.	smooth.	W. Indies.	1818.	5. 7.	S. ½.	Lam. ill. t. 313. f. 1.
2 hirta. W.	hairy.	—	—	—	S. ½.	
3 elliptica. K.S.	elliptic-leaved.	Peru.	1823.	G. ½.	
4 ovata. K.S.	oval-leaved.	—	—	G. ½.	Cav. ic. 6. t. 566.
CUNONIA. L.	CUNONIA.	Decandria Digynia.	L.			
<i>capensis</i> . W.	Cape.	C. B. S.	1816.	5. 7.	G. ½.	Botan. regist. 828.
CALLICOMA. A.R.	CALLICOMA.	Dodecandria Digynia.				
<i>serratifolia</i> . A.R.	saw-leaved.	N. S. W.	1793.	5. 8.	G. ½.	Andr. reposit. 566.
CERATOPETALUM. Sm.	CERATOPETALUM.	Decandria Monogynia.				
<i>gummiferum</i> . Sm.	gum-bearing.	N.Holland.	1820.	G. ½.	Sm. n. holl. 1. t. 3.
BAUERA. Sal.	BAUERA.	Polyandria Digynia.	H.K.			
1 rubiæfolia. Sal.	Madder-leaved.	N. S. W.	1793.	7. 12.	G. ½.	Sal. ann. bot. 1. t. 10.
<i>rubioides</i> . A.R. 198. B.M. 715.						
2 humilis. L.en.	dwarf.	—	1804.	—	G. ½.	

ORDO XCI.

UMBELLIFERÆ. *Juss. gen.* 218.

ARCTOPUS. S.S.	ARCTOPUS.	Polygamia Diœcia. L.			
echinatus. s.s.	rough.	C. B. S.	1774.	6. 9.	G. 4. Botan. regist. 705.
ERYNGIUM. S.S.	ERYNGO.	Pentandria Digynia. L.			
1 aquaticum. s.s.	marsh.	N. America.	1699.	7. 9.	H. 4. Botan. regist. 372.
2 longifolium. s.s.	long-leaved.	Mexico.	1812.	—	G. 4. Cav. ic. 6. t. 555.
3 bromelifolium. s.s.	Bromelia-ld.	New Spain.	1822.	G. 4. Laroch. eryng. t. 28.
4 ebracteatum. s.s.	bractless.	Monte Video.	1810.	7. 9.	G. 4. — t. 32.
5 planum. s.s.	flat-leaved.	Europe.	1596.	—	H. 4. Jacq. aust. 4. t. 391.
6 tricuspidatum. s.s.	trifid.	Spain.	1699.	9.	H. 4. Laroch. eryng. t. 9
7 asperifolium. s.s.	rough-leaved.	1824.	6. 8.	H. 4. — t. 11.
8 dichotomum. s.s.	forked.	S. Europe.	—	7. 9.	H. 4. Desf. atl. 1. t. 55.
9 cœruleum. M.B.	blue.	Caucasus.	1816.	—	H. 4.
10 giganteum. s.s.	gigantic.	Armenia.	1823.	—	H. 4.
11 alpinum. s.s.	Alpine.	Switzerland.	1597.	—	H. 4. Botan. magaz. 922.
β rigidum. P.S.	rigid.	France.	1816.	—	H. 4.
12 virgatum. s.s.	oval-leaved.	N. America.	1810.	6. 7.	H. 4. Laroch. eryng. t. 20.
13 gracile. s.s.	slender.	New Spain.	1818.	7. 9.	G. 4. — t. 24.
14 corniculatum. s.s.	horned.	Portugal.	1803.	6. 8.	H. 4. Botan. magaz. 1427.
15 tenue. s.s.	slender annual.	—	—	H. 4. Moris. sect. 7. t. 35. f. 15.
16 pusillum. s.s.	dwarf.	Spain.	1640.	—	H. 4. Laroch. eryng. t. 16.
17 virginianum. s.s.	Virginian.	Virginia.	7. 9.	H. 4. — t. 19.
18 serratum. s.s.	serrated.	New Spain.	1823.	8. 10.	G. 4. Cav. ic. 6. t. 55.
19 fœtidum. s.s.	stinking.	W. Indies.	1714.	—	S. 4. Sloan. jam. t. 156. f. 3. 4.
20 maritimum. s.s.	sea Holly.	Britain.	7. 10.	H. 4. Eng. bot. 718.
21 campestre. s.s.	field.	—	7. 8.	H. 4. — 57.
22 Bourgati. s.s.	cut-leaved.	S. France.	1731.	6. 8.	H. 4. Gouan. ill. 7. t. 3.
23 amethystinum. s.s.	amethystine.	Styria.	1648.	7. 8.	H. 4. W. et K. hung. 3. t. 215.
24 dilatatum. s.s.	dilated.	Portugal.	—	H. 4. Laroch. eryng. t. 4.
25 comosum. s.s.	tufted.	New Spain.	1818.	—	S. 4. — t. 7.
26 azureum. R.S.	azure blue.	—	—	H. 4.
ECHINOPHORA. S.S.	ECHINOPHORA.	Pentandria Digynia. L.			
1 spinosa. s.s.	prickly.	England.	7.	H. 4. Eng. bot. 2413.
2 tenuifolia. s.s.	fine-leaved.	Apulia.	1731.	7. 8.	H. 4. Flor. græc. t. 266.
ACTINOTUS. Lab.	ACTINOTUS.	Pentandria Digynia.			
Helianthi. Lab.	larger.	N. S. W.	1821.	6. 12.	G. 4. Botan. regist. 654.
<i>Eriocalia major.</i> Ex. bot. 80.					
SANICULA. S.S.	SANICLE.	Pentandria Digynia. L.			
1 europæa. s.s.	wood.	Britain.	6. 7.	H. 4. Eng. bot. 98.
2 canadensis. s.s.	Canadian.	Canada.	1800.	—	H. 4.
3 marilandica. s.s.	Maryland.	N. America.	1765.	—	H. 4. Jacq. ic. 2. t. 348.
DONDIA. S.S.	DONDIA.	Pentandria Digynia. L.			
Epipactis. s.s.	dwarf.	S. Europe.	1818.	5. 7.	H. 4. Jacq. aust. 5. t. 11.
<i>Astrantia Epipactis.</i> w.					
ASTRANTIA. S.S.	ASTRANTIA.	Pentandria Digynia. L.			
1 major. w.	great black.	Alps Europe.	1596.	5. 9.	H. 4. Exot. bot. 2. t. 76.
2 carniolica. w.	Carniolian.	Carniola.	1812.	5. 6.	H. 4. Jacq. aust. 5. app. t. 10.
3 caucasica. R.S.	Caucasean.	Caucasus.	1824.	—	H. 4.
<i>intermedia.</i> M.B.					
4 maxima. Pall.	Hellebore-ld.	—	1804.	6. 7.	H. 4. Botan. magaz. 1553.
5 minor. w.	small.	Switzerland.	1686.	5. 6.	H. 4. Sm. exot. bot. 2. t. 77.
HYDROCOTYLE. S.S.	MARSH-PENNYWORT.	Pentandria Digynia. L.			
1 vulgaris. s.s.	common.	Britain.	5. 6.	H. w. 4. Eng. bot. 751.
2 umbellata. s.s.	umbelled.	N. America.	1795.	7. 8.	H. w. 4. Spreng. umb. 1. t. 1.
3 americana. s.s.	American.	—	1790.	5. 8.	H. w. 4. — p. 3. t. 2. f. 3.
4 villosa. s.s.	villous.	C. B. S.	1795.	8.	G. w. 4.
5 nepalensis. H.E.F.	Nepaul.	Nepaul.	1818.	2. 6.	G. w. 4. Hook. ex. flor. 30.
<i>hispida.</i> D.P.					
6 nitidula. s.s.	glossy.	Java.	1821.	—	S. w. 4. — 29.

CHONDROCARPUS. N. CHONDROCARPUS. Pentandria Digynia. N.

- 1 repanda. N. Pilewort-ld. N. America. 1806. 6. 7. G.w. 2. Spreng. umb. t. 2. f. 4.
Hydrocotyle repanda. s.s. *Glyceria repanda*. N.
 2 asiatica. N. thick-leaved. Asia. 1690. 7. 8. G.w. 2. Rheed. mal. 10. t. 46.
 3 sibthorpioides. N. Sibthorpia-like. Mauritius. 1818. — S.w. 2.

SPANANTHE. S.S. SPANANTHE. Pentandria Digynia. S.S.

- paniculata. s.s. panicked. Caracas. 1795. 7. 8. S. ♂. Jacq. ic. 2. t. 350.
Hydrocotyle Spananthe. w.

TRACHYMENE. L.T. TRACHYMENE. Pentandria Digynia. S.S.

- incisa. L.T. cut-leaved. N. S. W. 1820. 6. 8. G. 2. Linn. trans. 10. t. 21. f. 2.

BUPLEURUM. S.S. HARE'S-EAR. Pentandria Digynia. L.

- 1 arborescens. s.s. arborescent. C. B. S. 1816. G. h.
Tenoria arborescens. R.S.
 2 coriaceum. s.s. thick-leaved. Gibraltar. 1784. 7. 8. G. h. Jacq. ic. 2. t. 351.
 3 fruticosum. s.s. shrubby. S. Europe. 1596. — H. h. Flor. græc. t. 263.
 4 frutescens. s.s. frutescent. Spain. 1752. 8. 9. H. h. Cav. ic. 2. t. 106.
 5 plantagineum. s.s. plantain-ld. Barbary. 1809. — G. h. Desf. atl. 1. t. 57.
 β canescens. P.S. hoary. — G. h.
 6 spinosum. s.s. thorny. Spain. 1752. — G. h. Gouan. ill. 8. t. 2. f. 3.
 7 difforme. s.s. various-leaved. C. B. S. — G. h. Burm. afr. t. 71. f. 1.
 8 rotundifolium. s.s. round-leaved. England. 6. 7. H. ⊙. Eng. bot. 99.
 9 protractum. s.s. protracted. Portugal. 1824. — H. ⊙.
 10 heterophyllum. s.s. various-leaved. Egypt. — H. ⊙.
 11 aureum. s.s. golden. Siberia. — H. 2.
 12 longifolium. s.s. long-leaved. Switzerland. 1713. 5. 7. H. 2. Moris. sect. 9. t. 11.
 13 pyrenaicum. s.s. Pyrenean. Pyrenees. 1814. — H. 2. Gouan. ill. t. 4.
 14 angulosum. w. angular-leaved. Switzerland. 1759. — H. 2. Moris. sect. 9. t. 12.
 15 ranunculoides. w. Crowfoot-like. Pyrenees. 1790. 7. 8. H. 2. Park. theatr. f. 7.
 16 caricifolium. w. Carex-leaved. S. France. 1824. — H. 2.
 17 Burserianum. w.en. Burser's. — 1820. — H. 2.
 18 graminifolium. s.s. Grass-leaved. Switzerland. 1768. 5. 7. H. 2. Jacq. ic. 1. t. 56.
 19 stellatum. s.s. starry. — 1775. — H. 2. Hall. helv. t. 18.
 20 falcatum. s.s. twisted-stalk'd. Germany. 1739. 5. 9. H. 2. Jacq. aust. 2. t. 158.
scorzoneræfolium. w.en.

- 21 rigidum. R.S. rigid. S. France. — H. 2. Moris. sect. 9. t. 12.
 22 nudum. s.s. naked-stalked. C. B. S. 1778. 10. G. 2.
 23 canariense. s.s. cut-leaved. Canaries. 1780. 7. G. ♂.

Crithmum latifolium. L. *Tenoria canariensis*. R.S.

- 24 Odontites. s.s. narrow-leaved. England. — H. ⊙. Eng. bot. 2468.
Odontites luteola. R.S.
 25 junceum. s.s. linear-leaved. S. Europe. 1722. 7. 8. H. ⊙. Moris. sect. 9. t. 12.
 β Gerardi. R.S. *Gerard's*. — 1804. — H. ⊙. Jacq. aust. t. 256.
 26 baldense. R.S. channel-leav'd. M. Baldo. 1818. — H. ⊙. W. et K. hung. 3. t. 257.

- exaltatum*. P.S.
 27 lancifolium. Horn. lance-leaved. 1824. 6. 9. H. ⊙.
 28 semicompositum. s.s. dwarf. Spain. 1778. — H. ⊙. Flor. græc. t. 261.
Odontites semicomposita. R.S.

- 29 Pollichii. R.S. Pollich's. Italy. 1820. — H. ⊙.
 30 tenuissimum. s.s. slender. England. 7. 8. H. ⊙. Eng. bot. 478.
 31 trifidum. s.s. trifid-umbel'd. Italy. 1824. 6. 9. H. 2.

HERMAS. S.S. HERMAS. Polygamia Monœcia. W.

- 1 gigantea. s.s. gigantic. C. B. S. 1794. 6. 7. G. 2. Thunb. act. pet. 14. t. 11.
 2 villosa. s.s. villous. — 1795. — G. 2. Burm. afr. t. 71. f. 2.
depauperata. L.

PIMPINELLA. S.S. BURNET SAXIFRAGE. Pentandria Digynia. L.

- 1 magna. s.s. great. England. 6. 8. H. 2. Eng. bot. 408.
 2 media. P.S. middle. Germany. — H. 2. Hoff. deut. fl. t. 397.
orientalis. Jacq. aust. t. 397.
 3 dissecta. w. cut-leaved. France. — H. 2. Retz. obs. 3. t. 2.
 4 rotundifolia. M.B. round-leaved. Caucasus. 1816. — H. ♂. Spr. Anl. ed. 2. t. 4. f. 1. 1.

- Sison rotundifolius*. s.s.
 5 Saxifraga. w. common. Britain. — H. 2. Eng. bot. 407.
 6 nigra. w.en. black-rooted. Germany. 1683. — H. 2. Moris. sect. 9. t. 5.
 7 lateriflora. L.en. side-flowering. Hungary. 1816. — H. 2.
 8 dichotoma. w. dichotomous. Spain. 1798. — H. 2.

TRINIA. Hof. TRINIA. Pentandria Digynia. L.en.

- 1 Hoffmanni. M.B. Hoffman's. England. 5. 6. H. 2. Eng. bot. 1209.

Pimpinella dioica. E.B.

- 2 *Henningii*. M.B. Henning's. Hungary. 1803. 6. 8. H. ♀. W. et K. hung. t. 72.
Pimpinella glauca. W.
- TRAGIUM. S.S.** **TRAGIUM.** Pentandria Digynia. S.S.
 1 *Anisum*. L.en. Anise. Egypt. 1551. 6. 8. H. ⊙. Moris. sect. 9. t. 9.
Sison Anisum. R.S. *Anisum vulgare*. G.
- 2 *Columnæ*. s.s. Columna's. S. Europe. 1821. — H. ♀. Column. phyt. t. 17.
Pimpinella Tragiium. P.S.
- 3 *peregrinum*. s.s. nodding. Italy. 1640. — H. ♀. Jacq. vind. 2. t. 131.
 4 *aromaticum*. s.s. aromatic. Caucasus. 1824. — H. ♀.
 5 *Broteri*. s.s. Bubon-like. Portugal. 1814. — H. ♀.
Pimpinella bubonoides. P.S.
- 6 *Schonsbæi*. R.S. villous-flow'r'd. Morocco. 1821. — H. ♀.
Pimpinella villosa. Schous.
- LEDEBURIA. L.en.** **LEDEBURIA.** Pentandria Digynia. L.en.
pimpinelloides. L.en. Taurian. Tauria. 1824. 6. 8. H. ♀.
Tragium tauricum. s.s.
- SESELI. S.S.** **MEADOW SAXIFRAGE.** Pentandria Digynia. S.S.
 1 *elatum*. s.s. tall. Austria. 1710. 7. 8. H. ♀. Gouan. ill. 16. t. 8.
 2 *glaucum*. s.s. glaucous. France. 1759. — H. ♀. Jacq. aust. 2. t. 144.
 3 *montanum*. s.s. mountain. Italy. 1658. 6. 7. H. ♀. Jacq. vind. 2. t. 129.
 4 *annuum*. s.s. annual. Europe. 1816. 7. 8. H. ♂. Jacq. aust. t. 55.
Carum simplex. W.
- 5 *dubium*. s.s. doubtful. ——— 1818. — H. ♀.
 6 *pimpinelloides*. s.s. nodding-fl'd. S. Europe. 1796. — H. ♀.
 7 *Hippomarathum*. s.s. various-l'd. Austria. 1656. — H. ♀. Jacq. aust. 2. t. 143.
 8 *tortuosum*. s.s. crooked. S. Europe. 1597. 10. H. ♀. Moris. sect. 9. t. 6.
 9 *leucospermum*. s.s. woolly-headed. Hungary. 1805. 7. H. ♀. W. et K. hung. t. 89.
 10 *proliferum*. s.s. prolific. 1823. 5. 8. H. ♀.
 11 *chærophyloides*. s.s. Chervil-like. C. B. S. 1816. — G. ♀.
 12 *divaricatum*. s.s. shining-leaved. N. America. 1812. 6. 7. H. ♀. Botan. magaz. 1742.
 13 *striatum*. s.s. striped-stalked. C. B. S. 1816. 7. 3. G. ♀.
 14 *gracile*. s.s. slender. Hungary. 1805. 6. 7. H. ♀. W. et K. hung. 2. t. 117.
 15 *ammoides*. s.s. Milfoil-leaved. S. Europe. 1759. — H. ⊙. Jacq. vind. 1. t. 52.
 16 *verticillatum*. s.s. whorled. S. Europe. 1825. — H. ⊙.
 17 *varium*. s.s. various-leaved. 1818. 7. 8. H. ♀.
 18 *corsicum*. L.en. dwarf annual. Corsica. 1825. — H. ⊙.
 19 *Pallasii*. Bess. Pallas's. Siberia. 1823. — H. ♀.
 20 *Lobelianum*. Bess. Lobel's. — H. ♀.
- SISON. S.S.** **SISON.** Pentandria Pentagynia. L.
 1 *Amonum*. E.B. hedge. Britain. . . . 7. 8. H. ⊙. Eng. bot. 951.
 2 *segetum*. E.B. corn. England. . . . 8. H. ⊙. ——— 228.
 3 *peregrinus*. s.s. Parsley-leav'd. Portugal. 1633. 6. 7. H. ♂. Jacq. vind. 3. t. 18.
Ligusticum peregrinum. Jacq.
- 4 *aureum*. s.s. golden. N. America. 1699. 5. 6. H. ♀.
Smyrniun aureum. W. *Thaspium aureum*. N.
- 5 *integerrimus*. s.s. entire-leaved. ——— 1759. 6. H. ♀.
 6 *capillaceus*. s.s. slender-leaved. ——— 1812. 7. 8. H. ⊙.
 7 *Ammi*. s.s. narrow-leaved. S. Europe. 1824. — H. ⊙. Jacq. vind. t. 200.
- ÆGOPODIUM. L.** **GOUT-WEED.** Pentandria Digynia. L.
Podagraria. E.B. common. Britain. . . . 5. 7. H. ♀. Eng. bot. 910.
Sison Podagraria. s.s.
- CARUM. S.S.** **CARAWAY.** Pentandria Digynia. L.
Carvi. s.s. common. Britain. . . . 6. H. ♂. Eng. bot. 1503.
Feniculum Carvi. L.en.
- CNIDIUM. S.S.** **CNIDIUM.** Pentandria Digynia. S.S.
 1 *Monnieri*. s.s. annual. S. Europe. 1771. 7. 8. H. ⊙. Jacq. vind. 1. t. 62.
Selinum Monnieri. Jacq.
- 2 *pyrenaicum*. s.s. Pyrenean. Pyrenees. 1739. 6. 7. H. ♀. Gouan. ill. t. 7. f. 2.
Ligusticum pyrenaicum. w. *Seseli aristatum*. H.K.
- 3 *Silaus*. s.s. meadow. England. . . . 6. 8. H. ♀. Eng. bot. 2142.
Peucedanum Silaus. E.B.
- 4 *alsaticum*. s.s. small-headed. Austria. 1774. — H. ♀. Jacq. aust. 1. t. 70.
 5 *Fischeri*. s.s. Fischer's. Siberia. 1820. — H. ♀.
Angelica Fischeri. R.S. *Ligusticum Fischeri*. L.en.
- CENANTHE. S.S.** **WATER-DROPWORT.** Pentandria Digynia. L.
 1 *fistulosa*. s.s. common. Britain. . . . 6. 8. H. ♀. Eng. bot. 363.
 2 *tenuifolia*. s.s. slender-leaved. C. B. S. 1816. 6. 8. G. ♀.
 3 *peucedanifolia*. s.s. round-rooted. S. Europe. . . . — H. w. ♀. Pollich. palat. t. 3.
 4 *silafolia*. s.s. oblong-rooted. England. . . . — H. w. ♀. Eng. bot. 343.
peucedanifolia. E.B. non s.s.

5	<i>gymnorhiza</i> . s.s.	naked rooted.	N. Europe.	1824.	---	H.w. ♀.	
6	<i>pimpinelloides</i> . s.s.	Burnet Saxifrage.	England.	---	H.w. ♀.	Eng. bot. 347.
7	<i>prolifera</i> . s.s.	proliferous.	S. Europe.	1739.	---	H.w. ♀.	Jacq. vind. 3. t. 62.
8	<i>globulosa</i> . s.s.	globe-headed.	Portugal.	1710.	---	H. ♂.	Gouan. ill. 18. t. 9.
9	<i>crocata</i> . s.s.	poisonous.	Britain.	---	H.w. ♀.	Eng. bot. 2313.
10	<i>Phellandrium</i> . s.s.	waterHemlock.	-----	6. 7.	H.w. ♂.	----- 684.
	<i>Phellandrium aquaticum</i> . E.E.						
11	<i>apiifolia</i> . s.s.	Parsley-leaved.	Portugal.	1806.	6. 8.	H. ♀.	
12	<i>australis</i> . r.s.	southern.	S. Europe.	1824.	---	H. ♀.	
13	<i>involutrata</i> . Cav.	involvered.	Spain.	---	---	H. ♀.	
14	<i>interrupta</i> . s.s.	interrupted.	C. B. S.	1816.	---	G. ♀.	
15	<i>inebrians</i> . s.s.	various-leaved.	-----	---	8. 9.	G. ♀.	
APIUM. S.S.		PARSLEY. Pentandria Digynia. L.					
1	<i>Petroselinum</i> . s.s.	common.	Sardinia.	1548.	6. 7.	H. ♂.	Moris. sect. 9. t. 8. f. 2.
	<i>β crispum</i> .	curled-leaved.	-----	---	H. ♂.	----- 9. t. 8. f. 3.
2	<i>romanum</i> . Zuc.	large.	Greece.	---	H. ♂.	
3	<i>prostratum</i> . s.s.	prostrate.	V. Diem. Isl.	1818.	---	G. ♂.	Vent. malm. t. 81.
4	<i>graveolens</i> . s.s.	Celery.	Britain.	6. 8.	H. ♂.	Eng. bot. 1210.
	<i>α fistulosum</i> .	hollow-stalked.	-----	---	H. ♂.	
	<i>β solidum</i> .	solid-stalked.	-----	---	H. ♂.	
	<i>γ rubrum</i> .	red-stalked.	-----	---	H. ♂.	
	<i>δ napaceum</i> . Mill.	Turnep-rooted.	---	H. ♂.	
MEUM. S.S.		BAWD-MONEY. Pentandria Digynia. S.S.					
1	<i>athamanticum</i> . s.s.	common.	Britain.	4. 6.	H. ♀.	Eng. bot. 2249.
2	<i>heterophyllum</i> . s.s.	Coriander-ld.	Pyrenees.	1778.	7.	H. ♂.	Jacq. vind. t. 198.
	<i>Æthusa Bunius</i> . w.						
3	<i>Mutellina</i> . s.s.	Alpine.	Austria.	1774.	7. 8.	H. ♀.	Jacq. aust. t. 56.
	<i>Phellandrium Mutellina</i> . L.						
4	<i>sibiricum</i> . s.s.	Siberian.	Siberia.	1820.	---	H. ♀.	
FENICULUM. G.		FENNEL. Pentandria Digynia.					
1	<i>vulgare</i> . G.	common.	Britain.	7. 8.	H. ♀.	Eng. bot. 1208.
	<i>Anethum Fœniculum</i> . E.E.	<i>Meum Fœniculum</i> . s.s.					
2	<i>dulce</i> . DC.	sweet.	S. Europe.	1824.	---	H. ⊙.	DC. hort. m. ined. t. 96.
3	<i>segetum</i> .	hedge.	Portugal.	1796.	6. 7.	H. ⊙.	
4	<i>piperitum</i> .	peppery.	Italy.	1824.	---	H. ♂.	
	<i>Meum piperitum</i> . R.S.	<i>Anethum piperitum</i> . Bert.					
ANETHUM. L.en.		DILL. Pentandria Digynia. L.					
1	<i>graveolens</i> . w.	common.	Spain.	1570.	6. 7.	H. ♂.	Hoff. umb. gen. t. 1. f. 13.
	<i>Pastinaca Anethum</i> . s.s.						
2	<i>segetum</i> . L.en.	Portugal.	Portugal.	1796.	---	H. ⊙.	Jacq. vind. t. 132.
3	<i>Sowa</i> . H.B.	Indian.	E. Indies.	1810.	---	H. ⊙.	
SMYRNIUM. S.S.		ALEXANDERS. Pentandria Digynia. L.					
1	<i>Olusatrum</i> . s.s.	common.	Britain.	5. 6.	H. ♂.	Eng. bot. 230.
2	<i>perfoliatum</i> . w.	perfoliate.	Italy.	1596.	5.	H. ♀.	Lobel. ic. 709.
	<i>Dodonæi</i> . s.s.						
3	<i>Dioscoridis</i> . s.s.	Dioscorides.	S. Europe.	---	H. ♂.	Flor. græc. t. 289.
4	<i>apiifolium</i> . s.s.	Smallage-ld.	Candia.	1731.	5. 7.	H. ♀.	
5	<i>nudicaule</i> . s.s.	naked-stalked.	Caucasus.	1820.	---	H. ♀.	Spreng. umb. t. 4. f. 7.
6	<i>cordatum</i> . s.s.	heart-leaved.	N. America.	1759.	6. 7.	H. ♀.	
CACHRYS. L.en.		CACHRYS. Pentandria Digynia. L.					
1	<i>odontalgica</i> . s.s.	Pallas's.	Siberia.	1824.	7. 8.	H. ♀.	
2	<i>Morisoni</i> . s.s.	Morison's.	S. Europe.	1710.	---	H. ♀.	Moris. umb. t. 3. f. 1.
CRITHMUM. L.en.		SAMPHIRE. Pentandria Digynia. L.					
1	<i>Libanotis</i> . L.en.	smooth-seeded.	Sicily.	1570.	7. 8.	H. ♀.	Schk. handb. 1. t. 65.
	<i>Cachrys Libanotis</i> . s.s.						
2	<i>maritimum</i> . w.	sea.	Britain.	7. 9.	H. ♀.	Eng. bot. 819.
HIPPOMARATHRUM. L.en.		HIPPOMARATHRUM. Pentandria Digynia.					
	<i>siculum</i> . L.en.	hairy-seeded.	Sicily.	1640.	7. 8.	H. ♀.	Moris. umb. t. 3. f. 2.
	<i>Cachrys sicula</i> . s.s.						
RUMIA. L.en.		RUMIA. Pentandria Digynia.					
	<i>taurica</i> . L.en.	Taurian.	Tauria.	1820.	7. 8.	H. ♀.	Hoff. umb. p. 173. f. 17.
	<i>Cachrys taurica</i> . s.s.						
ULOSPERMUM. L.en.		ULOSPERMUM. Pentandria Digynia.					
	<i>dichotomum</i> . L.en.	dichotomous.	Barbary.	1800.	6. 7.	H. ⊙.	Desf. atl. 1. t. 66.
	<i>Conium dichotomum</i> .	Desf. <i>Cachrys dichotoma</i> . s.s.	<i>Tordylium peregrinum</i> . w.				
CORIANDRUM. S.S.		CORIANDER. Pentandria Digynia. L.					
	<i>sativum</i> . s.s.	common.	England.	6.	H. ⊙.	Eng. bot. 67.
BIFORIS. S.S.		BIFORIS. Pentandria Digynia. S.S.					
1	<i>flosculosa</i> . s.s.	flosculose.	S. Europe.	1640.	6. 7.	H. ⊙.	Moris. sect. 9. t. 11.
	<i>Corion testiculatum</i> . L.en.	<i>Coriandrum testiculatum</i> . L.					

- 2 radians. s.s. rayed. Tauria. — H.⊙.
- SILER. S.S.** SILER. Pentandria Digynia. S.S.
 1 aquilegifolium. s.s. Columbine-ld. Austria. 1796. 5. 7. H. ♀. Jacq. aust. 2. t. 147.
Laserpitium aquilegifolium. w.
- 2 caucasicum. s.s. Caucasean. Caucasus. 1823. — H. ♀.
- Cachrys latifolia. M.B.*
- 3 salsum. s.s. fine-leaved. Siberia. 1804. 7. 8. H. ♀. Pall. act. pet. 1779. t. 8.
- Sison salsum. L.*
- CICUTA. S.S.** COWBANE. Pentandria Digynia. L.
 1 virosa. s.s. long-leaved. Britain. 7. H. ♀. Eng. bot. 479.
 2 daurica. s.s. Daurian. Siberia. 1824. — H. ♀. Gmel. sib. 1. t. 47.
 3 maculata. s.s. spotted. N. America. 1759. 7. 8. H. ♀. Pluk. alm. t. 76. f. 1.
 4 bulbifera. s.s. bulb-bearing. ——— 1823. — H. ♀.
- ÆTHUSA. R.S.** FOOLS-PARSLEY. Pentandria Digynia. L.
 1 Cynapium. w. common. Britain. 7. 9. H.⊙. Eng. bot. 1192.
 2 cynapioides. M.B. Caucasean. Caucasus. 1820. — H.⊙.
 3 elata. L.en. tall. Siberia. ——— H.⊙.
 4 fatua. R.S. fine-leaved. 1781. — H. ♀.
- PHYSOSPERMUM. S.S.** PHYSOSPERMUM. Pentandria Digynia. S.S.
 commutatum. s.s. Cornish. England. 7. 8. H. ♀. Eng. bot. 683.
Ligusticum cornubiense. E.B.
- PLEUROSPERMUM. S.S.** PLEUROSPERMUM. Pentandria Digynia. S.S.
 austriacum. s.s. Austrian. Austria. 1596. 6. 8. H. ♀. Jacq. aust. 2. t. 151.
Ligusticum austriacum. w.
- HASSELQUISTIA. S.S.** HASSELQUISTIA. Pentandria Digynia. L.
 1 ægyptiaca. s.s. Egyptian. Egypt. 1768. 7. H.⊙. Jacq. vind. 1. t. 37.
 2 cordata. s.s. heart-leaved. 1787. — H.⊙. ——— 2. t. 193.
- TORDYLIUM. S.S.** HARTWORT. Pentandria Digynia. L.
 1 syriacum. s.s. Syrian. Syria. 1597. 7. H.⊙. Jacq. vind. 1. t. 54.
 2 officinale. s.s. officinal. England. — H.⊙. Eng. bot. 2440.
 3 apulum. s.s. small. Italy. 1739. — H.⊙. Jacq. vind. 1. t. 53.
 4 maximum. s.s. great. England. 6. 7. H.⊙. Eng. bot. 1173.
 5 lusitanicum. w.en. Portugal. Portugal. 1820. — H.⊙.
- ZOSIMIA. M.B.** ZOSIMIA. Pentandria Digynia.
 absinthifolia. L.en. Wormwood-ld. Persia. 1816. 7. 8. H.⊙. Vent. choix. t. 22.
Heracleum absinthifolium. s.s. Tordylium absinthifolium. P.s.
- THYSSELINUM. R.S.** THYSSELINUM. Pentandria Digynia. S.S.
 1 palustre. s.s. marsh. Britain. 7. 8. H. ♀. Eng. bot. 229.
Selinum palustre. E.B.
- 2 Plinii. s.s. Pliny's. Switzerland. — H. ♀. Moris. sect. 9. t. 17.
- CALLISACE. F.** CALLISACE. Pentandria Digynia.
 daurica. F. Daurian. Dauria. 1820. 7. 8. H. ♀.
- Thyselinum dauricum. s.s.*
- CAUCALIS. S.S.** BUR-PARSLEY. Pentandria Digynia. L.
 1 grandiflora. s.s. great-flowered. S. Europe. 1648. 7. 8. H.⊙. Jacq. anst. 1. t. 54.
 2 latifolia. s.s. broad-leaved. England. — H.⊙. Eng. bot. 198.
 3 daucoides. s.s. small. ——— — H.⊙. ——— 197.
 4 platycarpus. s.s. broad-seeded. S. Europe. 1800. 7. 8. H.⊙. Jacq. vind. 3. t. 10.
 5 mauritanica. s.s. Barbary. Barbary. 1823. — H.⊙.
 6 leptophylla. s.s. fine-leaved. Europe. 1739. — H.⊙. Jacq. vind. t. 195.
 7 pumila. w. dwarf. S. Europe. 1640. 7. 8. H.⊙. Cav. ic. 2. t. 101.
 8 orientalis. M.B. villous-fruited. Caucasus. 1699. 6. 7. H. ♂. Moris. s. 9. t. 14. f. 5.
 9 pulcherrima. M.B. setose-fruited. ——— 1816. — H. ♂.
 10 littoralis. M.B. sea-shore. Odessa. 1824. — H. ♂.
- Cachrys littoralis. s.s.*
- DAUCUS. S.S.** CARROT. Pentandria Digynia. L.
 1 Carota. w. wild. Britain. 6. 7. H. ♂. Eng. bot. 1174.
β lutea. yellow-rooted, garden. — H. ♂.
γ aurantia. long-orange. — H. ♂.
δ præcox. early horn. — H. ♂.
- 2 mauritanicus. w. fine-leaved. Spain. 1768. — H. ♂. All. ped. 2. t. 61. f. 1.
 3 polygamus. L.en. polygamous. ——— — H. ♂. Jacq. vind. 3. t. 78.
 4 maritimus. E.B. sea-side. England. — H. ♂. Eng. bot. 2560.
 5 gummifer. s.s. gum-bearing. Italy. 1722. — H. ♂. Moris. sect. 9. t. 13.
 6 hispidus. s.s. hispid. Barbary. 1804. — H. ♂. Desf. atl. t. 63.
 7 Gingidium. s.s. shining-leaved. France. 1722. — H. ♂. Moris. s. 9. t. 13. f. 4.
lucidus. w.
- 8 muricatus. s.s. prickly-seeded. Barbary. 1683. — H.⊙. ——— t. 14. f. 4.
 9 littoralis. s.s. sea-shore. Greece. 1823. — H.⊙. Flor. græc. t. 271.

TRACHYSPERMUM. L.en. TRACHYSPERMUM. Pentandria Pentagynia.						
copticum. L.en.	Egyptian.	Egypt.	1773.	6. 7.	H. ⊙.	Jacq. vuid. 2. t. 196.
<i>Daucus copticus.</i> s.s. <i>Ammi copticum.</i> L. <i>Bunium copticum.</i> s.s.						
TORILIS. S.S. TORILIS. Pentandria Digynia. S.S.						
1 Anthriscus. s.s.	upright.	Britain.	7. 8.	H. ⊙.	Eng. bot. 987.
2 infesta. E.F.	spreading.	-----	-----	H. ⊙.	----- 1314.
<i>helvetica.</i> s.s. <i>arvensis.</i> L.en. <i>Caucalis infesta.</i> E.B.						
3 nodosa. s.s.	knotted.	-----	5. 7.	H. ⊙.	----- 199.
4 crinita. s.s.	whorl-leaved.	Barbary.	1804.	6. 7.	H. ♀.	Desf. atl. t. 62.
<i>Daucus crinitus.</i> Desf.						
5 trichosperma. s.s.	trifid-umbelled.	Egypt.	1818.	5. 7.	H. ⊙.	
OLIVERIA. V. OLIVERIA. Pentandria Digynia. S.S.						
decumbens. v.	Thyme-scent'd.	Bagdad.	1816.	5. 7.	H. ⊙.	Venten. cels. 21.
ATHAMANTA. S.S. SPIGNELL. Pentandria Digynia. L.						
1 panicifolia. s.s.	Parsnep-leav'd.	Sicily.	1752.	7. 8.	H. ♀.	Bocc. sic. 1. t. 1.
<i>Cachrys panicifolia.</i> w.						
2 Libanotis. w.	mountain.	England.	7. 8.	H. ♀.	Eng. bot. 138.
3 condensata. w.	close-headed.	Siberia.	1773.	7. 9.	H. ♀.	Gmel. sib. 1. t. 44.
4 sibirica. w.	Siberian.	-----	1771.	7. 8.	H. ♀.	Lam. ill. t. 194. f. 1.
5 sicula. s.s.	Flixweed-ld.	Sicily.	1686.	6. 7.	H. ♀.	Ten. fl. nap. 1. t. 25.
6 Matthioli. s.s.	fine-leaved.	Carniola.	1802.	-----	H. ♀.	Jacq. ic. rar. 1. t. 57.
7 cretensis. s.s.	candy-carrot.	Austria.	1596.	-----	H. ♀.	Jacq. aust. 1. t. 62.
8 incana. s.s.	hoary.	Siberia.	1802.	7. 8.	H. ♀.	
9 annua. w.	annual.	Candia.	1731.	6. 7.	H. ⊙.	
10 Oreoselinum. w.	divaricated.	Germany.	1768.	7. 8.	H. ♀.	Jacq. aust. 1. t. 68.
BUBON. W. BUBON. Pentandria Digynia. L.						
1 macedonicum. w.	Macedonian.	Greece.	1596.	6. 8.	G. ♂.	Loebel. ic. 708.
<i>Athamanta macedonica.</i> s.s.						
2 buchtormensis. s.s.	Siberian.	Siberia.	1822.	7. 8.	H. ♀.	
3 glaucus. s.s.	glaucous.	Tauria.	1824.	-----	H. ♀.	
<i>Seseli petræum.</i> M.B.						
4 rigidus. s.s.	rigid.	Europe.	1710.	6. 8.	H. ♂.	Bocc. mus. 2. t. 76.
5 gummiferus.	gun-bearing.	Crimea.	1804.	7. 9.	H. ♂.	Sm. exot. bot. t. 120.
<i>Seseli gummiferum.</i> B.M. 2259.						
6 dichotomus. L.en.	forked.	Tauria.	1816.	-----	H. ♂.	Botan. magaz. 2073.
<i>Seseli dichotomum.</i> B.M.						
7 cuneifolius. s.s.	wedge-leaved.	Sicily.	1823.	-----	H. ♀.	Moris. sect. 9. t. 7.
<i>siculus.</i> R.S. <i>Seseli cuneifolius.</i> M.B.						
8 Galbanum. w.	Lovage-leaved.	C. B. S.	1596.	7. 8.	G. ♀.	Jacq. viud. 3. t. 36.
BUNIAM. E.B. EARTH-NUT. Pentandria Digynia. L.						
1 flexuosum. E.B.	common.	England.	5. 6.	H. ♀.	Eng. bot. 988.
2 Bulbocastanum. w.	great.	Portugal.	-----	H. ♀.	Flor. dan. 220.
CAPNOPHYLLUM. S.S. CAPNOPHYLLUM. Pentandria Digynia. S.S.						
africanum. s.s.	Rue-leaved.	C. B. S.	1759.	6. 9.	H. ⊙.	Jacq. vind. t. 194.
<i>Conium africanum.</i> w. <i>Rumia capensis.</i> L.en.						
SCANDIX. S.S. CICELY. Pentandria Digynia. L.						
1 Pecten. s.s.	Venus's-comb.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1397.
2 australis. s.s.	radiated.	S. Europe.	1713.	5. 6.	H. ⊙.	Flor. græc. t. 285.
3 pinnatifida. s.s.	cut-leaved.	Persia.	1805.	-----	H. ⊙.	Venten. cels. 14.
MYRRHIS. S.S. MYRRH. Pentandria Digynia. S.S.						
1 odorata. s.s.	sweet-scented.	Britain.	5. 6.	H. ♀.	Eng. bot. 697.
2 Claytoni. s.s.	sweet-rooted.	N.America.	1806.	7. 8.	H. ♀.	Spreng. umb. t. 3. f. 6.
3 aromatica. s.s.	aromatic.	Scotland.	1726.	6. 8.	H. ♀.	Jacq. aust. 2. t. 150.
<i>Cherophyllum aromaticum.</i> Jacq.						
4 hirsuta. s.s.	hairy-leaved.	Switzerland.	1759.	6. 7.	H. ♀.	----- 2. t. 148.
5 cicutaria.	Cicuta-like.	S. Europe.	1816.	-----	H. ♀.	
<i>Cherophyllum cicutarium.</i> L.en.						
6 aurea. s.s.	golden.	Scotland.	6.	H. ♀.	Eng. bot. 2103.
<i>Cherophyllum aurcum.</i> E.B.						
7 bulbosa. s.s.	bulbous-rooted.	Europe.	1726.	6. 7.	H. ♂.	Jacq. anst. 1. t. 63.
8 temulenta. E.F.	rough.	Britain.	7. 8.	H. ♂.	Eng. bot. 1521.
9 maculata.	spotted.	S. Europe.	1824.	6. 7.	H. ♀.	
<i>Cherophyllum maculatum.</i> w.en.						
10 capensis. s.s.	Cape.	C. B. S.	1816.	-----	G. ♂.	
11 colorata. s.s.	color'd-bract'd.	Illyria.	1806.	7. 8.	H. ♂.	Moris. s. 9. t. 10. f. 6.
12 canadensis. s.s.	Canada.	N.America.	1699.	-----	H. ♀.	----- sect. 9. t. 11.
<i>Sison canadense.</i> w.						
13 procumbens. s.s.	procumbent.	-----	-----	6. 7.	H. ⊙.	----- s. 9. t. 11. f. ult.
14 rosca. s.s.	rose-coloured.	Iberia.	1824.	-----	H. ♂.	Hoff. umb. t. 1. B. f. 33.

- 15 tenuifolia, s.s. slender-leaved. Morocco. — — F. ♂.
- CHEROPHYLLUM**. S.S. CHERVIL. Pentandria Digynia. L.
- 1 sativum, s.s. garden. Britain. 6. H. ⊙. Eng. bot. 1268.
- Scandix cerefolium*. E.B.
- 2 sylvestre, s.s. smooth. — — 4. 5. H. ♀. — — — 752.
- 3 monogonum. L.en. one-angled. Hungary. 1820. 4. 6. H. ♀.
- 4 angulatum, Kit. angular. — — — — H. ♀.
- 5 nitidum. Wahl. glossy-seeded. Carpathian-m. — — H. ♀.
- 6 Biebersteinii. Lag. Bieberstein's. Caucasus. 1824. 5. 6. H. ♀.
- ANTHRISCUS**. S.S. ROUGH CHERVIL. Pentandria Digynia. L.
- 1 vulgaris, s.s. common. Britain. 5. 6. H. ⊙. Eng. bot. 818.
- Scandix anthriscus*. E.B.
- 2 nemorosa, s.s. wood. Caucasus. 1823. 7. 8. H. ♀. Hoff. umb. 2. t. 1. B. f. 19.
- 3 fumarioides, s.s. Fumitory like. Hungary. 1818. — H. ♂. W. et K. hung. 3. t. 224.
- 4 nodosa, s.s. knotted. Sicily. 1656. 5. 6. H. ♀. Jacq. vind. 3. t. 25.
- AMMI**. S.S. BISHOP'S WEED. Pentandria Digynia. L.
- 1 majus, s.s. great. S. Europe. 1551. 6. 7. H. ⊙. Flor. græc. t. 273.
- 2 Bœberi. L.en. Bœber's. Crete. 1818. 7. 8. H. ♀.
- 3 Visnaga, s.s. Toothpick. S. Europe. 1596. 6. 8. H. ⊙. Gart. fr. 1. t. 107.
- Visnaga daucoides*. G.
- 4 glaucifolium, s.s. glaucous-leav'd. France. 1816. — H. ♀. Lapeyr. pyr. t. 75.
- 5 acanle, s.s. stalkless. Caucasus. 1823. — H. ♂.
- CUMINUM**. S.S. CUMIN. Pentandria Digynia. L.
- Cyminum, s.s. officinal. Egypt. 1594. 6. 7. H. ⊙. Cav. ic. 4. t. 360.
- SIUM**. S.S. WATER-PARSNEP. Pentandria Digynia. L.
- 1 latifolium, s.s. broad-leaved. Britain. 7. 8. H. w. ♀. Eng. bot. 204.
- 2 lancifolium, s. s. spear-leaved. Siberia. 1823. — H. w. ♀. Gmel. sib. 1. t. 47.
- 3 angustifolium, s.s. narrow-leav'd. Britain. — H. w. ♀. Eng. bot. 139.
- 4 nodiflorum, s.s. procumbent. — — — — H. w. ♀. — — — 639.
- 5 repens, s.s. creeping. — — — — 6. H. w. ♀. — — — 1431.
- 6 Falcaria, s.s. decurrent. Europe. 1726. 7. 8. H. ♀. Jacq. aust. 3. t. 257.
- 7 Sisarum, s.s. Skirret. China. 1548. — H. ♀. Schkuhr. hand. 1. t. 69.
- 8 siculum, s.s. Sicilian. Sicily. 1686. — H. ♀. Jacq. vind. 2. t. 133.
- 9 inundatum. E.F. water. Britain. 5. 6. H. w. ⊙. Eng. bot. 227.
- Sison inundatum*. F.B.
- 10 verticillatum, s.s. whorled-leav'd. — — — — 7. 8. H. w. ♀. — — — 395.
- 11 peucedanoides, s.s. Sulphurwort-like. Caucasus. 1823. — H. ♀.
- CONIUM**. S.S. HEMLOCK. Pentandria Digynia. L.
- 1 maculatum, s.s. common. Britain. 6. 7. H. ♂. Eng. bot. 1191.
- 2 croaticum, W.K. Hungarian. Hungary. — H. ♂.
- 3 rigens, w. fine-leaved. C. B. S. 1787. 6. 7. G. ♀.
- Bunium rigens*, s.s.
- 4 Arracacha. H.E.F. Arracacha. S. America. 1822. 4. 5. S. ♀. Hook. ex. flor. 152.
- LIGUSTICUM**. S.S. LOVAGE. Pentandria Digynia. L.
- 1 Levisticum, s.s. common. Italy. 1596. 6. 7. H. ♀. Schk. hand. t. 68.
- 2 scoticum, s.s. Scotch. Britain. — H. ♀. Eng. bot. 1207.
- 3 nodiflorum, s.s. knot-flowered. Apennines. 1818. — H. ♀. Allion. ped. t. 72.
- verticillatum*. W.K. 2. t. 171.
- 4 peloponesiacum, s.s. Hemlock-ld. Switzerland. 1596. 5. 7. H. ♀. Jacq. aust. app. t. 13.
- 5 obtusifolium, s.s. blunt-leaved. Tangiers. 1824. 7. 8. H. ♀.
- 6 Cervaria, s.s. broad-leaved. Europe. 1597. — H. ♀. Jacq. aust. 1. t. 69.
- Athamanta Cervaria*. Jacq.
- 7 athamantoides, s.s. Carrot-leaved. Pyrenees. 1734. — H. ♀. Scop. carn. t. 10.
- Anmi daucifolium*. W. *Athamanta pyrenaica*. Jacq. vind. 2. t. 197.
- 8 alatum, s.s. winged-stalk'd. Caucasus. 1823. — H. ♀.
- 9 apioides, s.s. Parsley-leaved. Europe. 1791. 6. 7. H. ♀. Jacq. aust. 5. ap. t. 44.
- Laserpitium silaifolium*. Jacq.
- 10 simplex, s.s. shining. Switzerland. 1775. 7. H. ♂. Jacq. misc. 2. t. 2.
- Laserpitium simplex*. Jacq. *lucidum*. H.K.
- 11 ferulaceum, s.s. Fennel-leaved. Levant. 1752. 6. H. ♀. Allion. ped. t. 60.
- Laserpitium dauricum*. Jacq. vind. 3. t. 33.
- 12 candicans, s.s. pale. 1780. 7. 8. H. ♀.
- 13 actæifolium, r.s. Actæa-leaved. N. America. 1824. — H. ♀.
- 14 Fontanesii, s.s. fine-leaved. Algiers. 6. 7. H. ♀. Desf. atl. 1. t. 71.
- Laserpitium peucedanoides*. Desf.
- MELANOSELINUM**. H. BLACK-PARSLEY. Pentandria Digynia.
- 1 decipiens, H. shrubby. Madeira. 1785. 6. 7. G. ♀. Wend. s. han. 3. t. 13.
- 2 Seguieri, H. Fennel-leaved. Italy. 1774. 7. 8. H. ♀. Jacq. vind. 1. t. 61.

OREOSELINUM. H.		OREOSELINUM. Pentandria Digynia.		
1	latifolium. M.B.	broad-leaved.	Caucasus. 1816.	7. 8. H. ♀.
2	austriacum. H.	Austrian.	Austria. 1804.	— H. ♀.
	<i>Selinum austriacum.</i> Jacq.			
3	montanum. Lag.	mountain.	Switzerland. 1816.	— H. ♀.
4	polymorphum. Lag.	variable.	Russia. 1824.	— H. ♀.
5	baicalense. Lag.	Baical.	Siberia.	— H. ♀.
6	rablense. H.	linear-leaved.	N. Europe. 1816.	— H. ♀.
	<i>Selinum lineare.</i> s.s. <i>Ferula rablensis.</i> w.			
7	Bellardi. Lag.	Bellard's.	— 1824.	— H. ♀.
8	elegans. Lag.	elegant.	— — — —	— H. ♀.
9	peucedanoides. H.	Sulphurwort-like.	S. France.	— H. ♀.
10	Chabræi. M.B.	fine-leaved.	Europe. 1791.	— H. ♀.
11	podolicum. H.	Polish.	Poland. 1819.	— H. ♀.
12	caucasicum. M.B.	Caucasian.	Caucasus. 1824.	— H. ♀.
	<i>Imperatoria caucasica.</i> s.s.			
SELINUM. L.		MILK-PARSLEY. Pentandria Digynia. L.		
1	Carvifolia. w.	Caraway-ld.	Austria. 1774.	7. 8. H. ♀.
2	pyrenaicum. L.en.	Pyrenean.	Pyrenees. 1818.	— H. ♀.
	<i>Angelica pyrenaica.</i> s.s.			
3	Angelicastrum. Lk.	Angelica like.	— H. ♀.
	<i>Angelica lancifolia.</i> s.s.			
PEUCEDANUM. S.S.		SULPHURWORT. Pentandria Digynia. L.		
1	officinale. s.s.	official.	England. 5. 7. H. ♀.
2	album. Hort.	white-flowered. 1824. H. ♀.
3	alsaticum. w.	small-headed.	Austria. 1774.	6. 8. H. ♀.
4	gallicum. s.s.	French.	France. 1816.	— H. ♀.
5	italicum. P.S.	yellow-flow'r'd.	Italy. 5. 7. H. ♀.
6	ruthenicum. s.s.	Russian.	Russia. 1824.	6. 8. H. ♀.
7	arenarium. s.s.	sand.	Hungary. 1816.	6. 7. H. ♀.
8	Matthioli. s.s.	late-flowering.	Italy. 1824.	7. 8. H. ♀.
9	alpestre. s.s.	Alpine.	France. 1739.	6. 7. H. ♀.
10	aureum. s.s.	golden.	Canaries. 1779.	6. G. ♂.
11	tenuifolium. s.s.	slender-leaved.	C. B. S. 1816.	6. 8. G. ♂.
12	Vocontiorum. s.s.	dwarf.	Dauphiny. 1800.	5. 7. H. ♀.
	<i>Heracleum pumilum.</i> VIII.			
HERACLEUM. S.S.		COW-PARSNEP. Pentandria Digynia. L.		
1	Sphondylium. w.	common.	Britain. 5. 6. H. ♀.
2	flavescens. w.	yellowish.	Austria. 1789.	6. 7. H. ♀.
3	elegans. w.	rough-leaved.	— 1800.	5. 6. H. ♀.
4	angustifolium. w.	narrow-leaved.	— — — — H. ♀.
5	longifolium. Jacq.	long-leaved.	— — — — H. ♀.
6	sibiricum. s.s.	Siberian.	Siberia. 1768.	— H. ♀.
7	Panaces. s.s.	Fig-leaved.	— 1596.	7. 8. H. ♀.
8	pyrenaicum. w.	Pyrenean.	Pyrenees. 1804.	— H. ♀.
9	amplifolium. Lap.	large-leaved.	— — — —	— H. ♀.
10	gummuiferum. w.	gum-bearing.	— 1816.	— H. ♀.
11	speciosum. Horn.	handsome.	— — — —	— H. ♀.
12	asperum. M.B.	rough.	Caucasus.	— H. ♀.
13	villosum. s.s.	villous.	Siberia.	— H. ♀.
14	marginatum. F.	marginated.	— — — —	— H. ♀.
15	pubescens. M.B.	pubescent.	Caucasus. 1824.	— H. ♀.
16	alpinum. s.s.	Alpine.	Switzerland. 1739.	6. 7. H. ♀.
17	austriacum. s.s.	Austrian.	Austria. 1816.	— H. ♀.
	<i>Tordylium siifolium.</i> w.			
18	ligusticifolium. s.s.	Lovage-leaved.	Tauria. 1821.	— H. ♂.
19	subvillosum. F.	subvillous.	Siberia. 1820.	— H. ♀.
20	giganteum. F.	gigantic.	— — — —	— H. ♀.
21	basvicum. F.	stately.	— — — —	— H. ♀.
22	laciniatum. F.	jagged.	— 1824.	— H. ♀.
23	tauricum. F.	Taurian.	Tauria. 1823. H. ♀.
24	lanatum. M.	woolly.	N. America.	— 6. 7. H. ♀.
PASTINACA. S.S.		PARSNEP. Pentandria Digynia. L.		
1	lucida. s.s.	shining-leav'd.	S. Europe. 1771.	6. 7. H. ♂.
2	sativa. w.en.	cultivated.	7. H. ♂.
3	opaca. w.en.	wild.	Britain. H. ♂.
	<i>sativa β arvensis.</i> P.S.			
4	graveolens. s.s.	strong-scented.	Tauria. 1819.	7. 8. H. ♀.
5	pimpinellifolia. s.s.	Burnet Saxifrage.	Caucasus. 1821.	— H. ♂.
				Jacq. aust. 1. t. 71.
				Flor. dan. t. 1330.
				Jacq. aust. 1. t. 72.
				Gouan. ill. p. 11. t. 5.
				Eng. bot. 1767.
				Jacq. aust. 1. t. 70.
				Gmel. sib. 1. t. 41.
				W. et K. hung. 1. t. 20.
				Botan. regist. 559.
				Vill. delph. 2. t. 14.
				Eng. bot. 939.
				Jacq. aust. 2. t. 173.
				— — — — 2. t. 175.
				— — — — 2. t. 174.
				— — — — 2. t. 374.
				Gmel. sib. 1. t. 50.
				Lobel. ic. 701.
				Lap. fl. pyr. t. 79.
				Wild. hort. ber. t. 53. 54.
				Barrel. ic. 55.
				Jacq. aust. t. 61.
				Jacq. vind. 2. t. 199.
				Flor. dan. t. 1206.
				Eng. bot. 556.
				Hoff. umb. t. 1. B. f. 6.
				Buxb. cent. 3. t. 27.

6	<i>dissecta</i> . s.s.	cut-leaved.	Levant.	1816.	6. 7.	H. ♂.	Venten. cels. t. 78.
7	<i>rigida</i> . s.s. <i>Sium rigidius</i> . w.	Virginian.	Virginia.	1774.	7. 8.	H. ♀.	Moris. s. 9. t. 7. f. 1.
8	<i>nudicaulis</i> . s.s. <i>Smyrnum nudicaule</i> . Ph.	naked-stalked.	N.America.	1816.	—	H. ♀.	
9	<i>divaricata</i> . Desf.	spreading.	1824.	H. ♀.	
FERULA. S.S.		GIANT-FENNEL.		Pentandria Digynia.		L.	
1	<i>lævigata</i> . s.s. <i>Bubon lævigatum</i> . w.	smooth.	C. B. S.	1774.	12. 3.	G. ♀.	
2	<i>Opopanax</i> . s.s. <i>Pastinaca Opopanax</i> . w.	rough.	S. Europe.	1640.	6. 7.	H. ♀.	W. et K. hung. 3. t. 211.
3	<i>Asa fœtida</i> . s.s.	Asa fœtida.	Persia.	1818.	7. 8.	H. ♀.	
4	<i>communis</i> . s.s.	common.	S. Europe.	1597.	6. 7.	H. ♀.	Moris. s. 9. t. 15. f. 3.
5	<i>glauca</i> . s.s.	glaucous.	Italy.	1596.	—	H. ♀.	
6	<i>nodiflora</i> . s.s. <i>sulcata</i> . Desf.	knot-flowered.	S. Europe.	—	—	H. ♀.	Desf. atl. 1. t. 67.
7	<i>Ferulago</i> . s.s. <i>nodiflora</i> . Jacq. non s.s.	Fennel-leaved.	—	—	—	H. ♀.	Jacq. aust. 5. ap. t. 5.
8	<i>thyrsiflora</i> . s.s.	thyrsè-flower'd.	Crete.	1823.	—	F. ♀.	Flor. græc. t. 280.
9	<i>tingitana</i> . s.s.	Tangier.	Barbary.	1680.	—	H. ♂.	Herm. parad. t. 165.
10	<i>stricta</i> . s.s.	upright.	C. B. S.	1816.	—	G. ♂.	
11	<i>sibirica</i> . s.s. <i>Peucedanum sibiricum</i> . w.	Siberian.	Siberia.	1804.	—	H. ♀.	W. et K. hung. 1. t. 20.
12	<i>caspica</i> . s.s.	Caspian.	Caspia.	1824.	—	H. ♀.	Spreng. umb. t. 7. f. 14.
13	<i>orientalis</i> . s.s.	eastern.	Levant.	1759.	7. 8.	H. ♀.	Tourn. it. 3. t. 239.
14	<i>persica</i> . s.s.	stinking.	Persia.	1782.	—	H. ♀.	Andr. repos. 558.
15	<i>longifolia</i> . s.s.	long-leaved.	Wolga.	1823.	—	H. ♀.	
16	<i>meoides</i> . s.s.	Meum-like.	Levant.	—	—	H. ♀.	
ANGELICA. S.S.		ANGELICA.		Pentandria Digynia.		L.	
1	<i>Archangelica</i> . s.s.	garden.	England.	6. 8.	H. ♂.	Eng. bot. 2561.
2	<i>sylvestris</i> . s.s.	wild.	Britain.	—	H. ♀.	— 1128.
3	<i>Razoulii</i> . s.s.	decurrent-ld.	Pyrenees.	1816.	—	H. ♀.	Gouan. ill. 13. t. 6.
4	<i>atropurpurea</i> . s.s.	dark purple.	Canada.	1759.	7. 8.	H. ♀.	Cornut. canad. t. 199.
5	<i>flavescens</i> . Desf.	yellowish.	Pyrenees.	1816.	—	H. ♀.	
6	<i>lucida</i> . s.s.	shining.	Canada.	1640.	—	H. ♂.	Jacq. vind. 3. t. 24.
7	<i>pratensis</i> . s.s.	field.	Galicia.	1824.	—	H. ♀.	
IMPERATORIA. S.S.		MASTERWORT.		Pentandria Digynia.		L.	
1	<i>Ostruthium</i> . s.s.	common.	Scotland.	5. 7.	H. ♀.	Eng. bot. 1380.
2	<i>verticillaris</i> . s.s. <i>Angelica verticillaris</i> . w.	whorl-flowered.	Italy.	1683.	7.	H. ♀.	Jacq. vind. 2. t. 130.
3	<i>angustifolia</i> . s.s. <i>Selinum Imperatorioides</i> . L.en.	narrow-leaved.	Alps Europe.	1818.	5. 7.	H. ♀.	Moris. sect. 9. t. 4.
THAPSIA. S.S.		DEADLY CARROT.		Pentandria Digynia.		L.	
1	<i>villosa</i> . s.s.	villous.	S. Europe.	1710.	6. 7.	H. ♀.	Moris. s. 9. t. 18. f. 3.
2	<i>fœtida</i> . s.s.	stinking.	Spain.	1596.	7. 8.	H. ♀.	— t. 18. f. 7.
3	<i>gummifera</i> . s.s. <i>Laserpitium gummiferum</i> . Desf.	gun-bearing.	S. Europe.	1824.	—	H. ♀.	Desf. atl. 1. t. 72.
4	<i>Asclepium</i> . s.s.	oriental.	Levant.	—	H. ♀.	Flor. græc. t. 286.
5	<i>garganica</i> . s.s.	Garganian.	Barbary.	1683.	—	H. ♀.	Gouan. ill. 18. t. 10.
6	<i>trifoliata</i> . s.s.	three-leaved.	N.America.	1759.	6. 7.	H. ♀.	
LASERPITIMUM.		LASERWORT.		Pentandria Digynia.		L.	
1	<i>latifolium</i> . s.s.	broad-leaved.	Europe.	1640.	6. 7.	H. ♀.	Jacq. aust. t. 146.
2	<i>Libanotis</i> . s.s.	pubescent.	S. Europe.	1824.	—	H. ♀.	Lob. ic. 705.
3	<i>marginatum</i> . s.s.	purple-margin'd.	Hungary.	1818.	—	H. ♀.	W. et K. hung. 2. t. 192.
4	<i>trilobum</i> . s.s. <i>alpinum</i> . w.K.	three-lobed.	S. Europe.	1640.	5. 7.	H. ♀.	— 3. t. 253.
5	<i>aquilegifolium</i> . w.	Columbine-ld.	Austria.	1796.	—	H. ♀.	Jacq. aust. 2. t. 147.
6	<i>Siler</i> . s.s.	mountain.	—	1640.	—	H. ♀.	— 2. t. 145.
7	<i>angustifolium</i> . w.	narrow-leaved.	S. Europe.	1738.	6. 7.	H. ♀.	Moris. s. 9. t. 19. f. 9.
8	<i>peucedanoides</i> . w.	fine-leaved.	Italy.	—	H. ♀.	Jacq. ic. 2. t. 350.
9	<i>hirsutum</i> . s.s.	hairy.	Switzerland.	1759.	—	H. ♀.	Hall. stirp. t. 19.
10	<i>Archangelica</i> . s.s.	spotted-stalked.	Hungary.	1818.	—	H. ♀.	Jacq. ic. 1. t. 58.
11	<i>pilosum</i> . s.s.	sulphur-color'd.	Caucasus.	1759.	—	H. ♀.	
12	<i>pruthenicum</i> . s.s.	Prussian.	Germany.	—	7. 8.	H. ♀.	Jacq. aust. 2. t. 153.
13	<i>hispidum</i> . M.B.	hispid.	Caucasus.	1818.	—	H. ♀.	
14	<i>Athamantæ</i> . s.s.	branching.	Siberia.	—	—	H. ♂.	
15	<i>gallicum</i> . s.s.	French.	S. Europe.	1683.	6. 7.	H. ♀.	Pluk. phyt. t. 198. f. 6.
16	<i>fernlaceum</i> . w.	Fennel-leaved.	Levant.	1752.	—	H. ♀.	Tourn. it. 2. t. 121.
17	<i>triquetrum</i> . v.	winged.	—	1816.	—	H. ♀.	Vent. cels. t. 97.

ARTEDIA. S.S.	ARTEDIA. Pentandria Digynia. L.			
squamata. s.s.	Fennel-leaved. Levant.	1740.	7.	H.⊙ Lam. ill. t. 193.
LAGŒCIA. L.	WILD CUMIN. Pentandria Monogynia. L.			
cuminoides. s.s.	common. Levant.	1640.	6. 7.	H.⊙ Lam. ill. t. 242.

ORDO XCII.

ARALIACEÆ. *Juss. gen. p. 217.*

PANAX. L.	PANAX. Polygamia Diœcia. L.			
1 quinquefolium. w.	Ginseng. N.America.	1740.	6.	H.Ϸ Botan. magaz. 1333.
2 trifolium. w.	lesser. ———	1759.	5. 6.	H.Ϸ ——— 1334.
pusilla. a. B.M.				
3 fruticosum. w.	shrubby. Ternate.	1800.	8. 9.	S.Ϸ Andr. reposit. 595.
4 digitatum. H.B.	fingered. E. Indies.	1818.	S.Ϸ
5 arboreum. w.	tree. N.Zealand.	1822.	G.Ϸ
6 chrysophyllum. R.S.	golden-leaved. Guiana.	——	S.Ϸ Aub. gui. 2. t. 360.
7 conchifolium. H.B.	shell-leaved. ———	1820.	S.Ϸ Rumph. amb. 4. t. 31.
8 aculeatum. w.	prickly. China.	1773.	11.	S.Ϸ Jacq. ic. 3. t. 634.
CUSSONIA. W.	CUSSONIA. Pentandria Digynia. L.			
1 thyrsiflora. w.	thyrsè-flow'r'd. C. B. S.	1795.	8. 10.	G.Ϸ Th.nov.act.ups.3. t.12.
2 spicata. w.	spike-flowered. ———	1789.	——	G.Ϸ ——— 3. t. 13.
SCIODAPHYLLUM. S.S.	SCIODAPHYLLUM. Pentandria Pentagynia. S.S.			
1 acuminatum. s.s.	acuminate-peta'l'd. Peru.	1818.	S.Ϸ Flor. peruv. t. 310.
Actinophyllum acuminatum. R.P.				
2 conicum. s.s.	conical-flow'r'd. ———	——	S.Ϸ ——— p. 75. t. 309.
3 pedicellatum. s.s.	pedicelled. ———	——	S.Ϸ ——— t. 308.
Actinophyllum pedicellatum. R.P.				
4 Brownii. s.s.	upright. W. Indies.	1793.	6. 8.	S.Ϸ Brown jam. t.19. f.1.2.
Aralia Sciodaphyllum. w.				
ARALIA. D.P.	ARALIA. Pentandria Pentagynia. L.			
1 pentaphylla. s.s.	five-ld. prickly. China.	1822.	G.Ϸ
2 spinosa. s.s.	Angelica tree. Virginia.	1688.	9.	H.Ϸ Comm. hort. 1. t. 47.
3 racemosa. s.s.	berry-bearing. N.America.	1658.	6. 9.	H.Ϸ Schkuhr. hand. 1. t. 86.
4 nudicaulis. s.s.	naked-stalked. ———	1731.	6. 7.	H.Ϸ Pluk. alm. t. 238. f. 5.
5 hispida. s.s.	hispid. ———	1799.	——	H.Ϸ Botan. magaz. 1085.
6 pubescens. DC.	pubescent. New Spain.	1819.	S.Ϸ DC. mons. ined. t. 45.
GASTONIA. J.	GASTONIA. Dodecandria Dodecagynia.			
palmata. H.B.	palmate-leaved. E. Indies.	1818.	3. 4.	S.Ϸ Botan. regist. 894.
HEDERA. D.P.	Ivy. Pentandria Mono-Pentagynia.			
1 umbraculifera. H.B.	large. E. Indies.	1818.	3. 4.	S.Ϸ
Aralia umbraculifera. H.B.				
2 digitata. H.B.	fingered. ———	——	——	S.Ϸ
3 aculeata. D.P.	prickly Nepaul. Nepal.	1816.	F.Ϸ
4 fragrans. D.P.	fragrant. ———	——	F.Ϸ
5 cochleata. R.S.	shell-leaved. E. Indies.	1820.	S.Ϸ Rumph. amb. 4. t. 31.
Aralia cochleata. R.S.				
6 arborea. R.S.	tree. Jamaica.	——	S.Ϸ Jacq. schœnb. t. 51.
7 capitata. R.S.	cluster-flow'r'd. W. Indies.	1777.	8.	S.Ϸ Smith ic. pict. 4.
8 canariensis. R.S.	Irish. Canaries.	1807.	9. 10.	H.Ϸ Willd.ber.m.2.t.5.f.1.
9 Helix. R.S.	common. Britain.	——	H.Ϸ Eng. bot. 1267.
β poetica. R.S.	Poet's. ———	——	——	H.Ϸ
γ albo-variegata.	white-variegated. ———	——	——	H.Ϸ
δ flavo-variegata.	yellow-variegated. ———	——	——	H.Ϸ

ORDO XCIII.

CAPRIFOLIACEÆ. *Juss. gen. p. 210.*

CORNUS. L.	Dogwood. Tetrandria Monogynia. L.				
1 alternifolia. R.S.	alternate-ld.	N.America. 1760.	9.	H. h.	Schm. arb. 2. t. 70.
2 paniculata. R.S.	panicked.	———— 1758.	6. 7.	H. h.	———— 2. t. 68.
3 stricta. R.S.	upright.	———— ————	————	H. h.	———— 2. t. 67.
β variegata.	variegated-ld.	———— ————	————	H. h.	
4 oblonga. F.T.	oblong-leaved.	Nepaul. 1818.	H. h.	
5 circinata. R.S.	Pensylvanian.	N.America. 1784.	7. 8.	H. h.	Schm. arb. 2. t. 69.
6 alba. R.S.	white berried.	Siberia. 1741.	6. 9.	H. h.	———— 2. t. 65.
7 sibirica. L.C.	Siberian.	————	————	H. h.	
8 sericca. R.S.	blue-berried.	N.America. 1683.	8.	H. h.	Schm. arb. 2. t. 64.
9 sanguinea. R.S.	common.	Britain.	6. 7.	H. h.	Eng. bot. 249.
β variegata.	variegated.	————	————	H. h.	
10 mascula. R.S.	Cornelian Cherry.	Europe. 1596.	2. 4.	H. h.	Flor. græc. t. 151.
β variegata.	variegated.	———— ————	————	H. h.	
11 florida. R.S.	great-flower'd.	N.America. 1731.	4. 5.	H. h.	Botan. magaz. 526.
12 canadensis. R.S.	Canadian.	Canada. 1774.	6. 8.	H. h.	———— 880.
13 suecica. R.S.	dwarf.	Britain.	4.	H. h.	Eng. bot. 310.
SAMBUCUS. L.	ELDER. Pentandria Trigynia. L.				
1 Ebulus. R.S.	herbaceous.	Britain.	6. 7.	H. h.	Eng. bot. 475.
2 humilis. Mill.	dwarf.	H. h.	
3 nigra. R.S.	common.	Britain.	5. 7.	H. h.	Eng. bot. 476.
β variegata.	variegated.	————	————	H. h.	
γ aurea.	golden-leaved.	————	————	H. h.	
δ pulverulenta.	powdered-leaved.	————	————	H. h.	
ε monstrosa.	deformed.	————	————	H. h.	
ζ virescens.	green-fruited.	————	————	H. h.	
η albida.	white-fruited.	————	————	H. h.	
4 laciniata. L.en.	Parsley-leaved.	H. h.	Schm. arb. t. 144.
5 canadensis. R.S.	Canadian.	N.America. 1761.	6. 8.	H. h.	———— t. 142.
6 racemosa. R.S.	red-berried.	S. Europe. 1596.	5. 6.	H. h.	Jacq. ic. 1. t. 59.
a purpurea.	purple-flowered.	———— ————	————	H. h.	
β flavescens.	yellowish.	———— ————	————	H. h.	
7 pubens. R.S.	pubescent.	N.America. 1812.	————	H. h.	
VIBURNUM. L.	VIBURNUM. Pentandria Trigynia. L.				
1 molle. R.S.	soft.	N.America. 1812.	6. 7.	H. h.	
2 acerifolium. R.S.	Maple-leaved.	———— 1736.	————	H. h.	Wats. dend. brit. 118.
3 edule. R.S.	eatable-fruited.	———— 1812.	7.	H. h.	
4 Oxyccocos. R.S.	Cranberry like.	————	H. h.	
5 Opulus. R.S.	Guelder-Rose.	Britain.	5. 6.	H. h.	Eng. bot. 332.
β roseum. R.S.	Snowball tree.	H. h.	Schm. arb. t. 174.
γ variegatum.	variegated-ld.	H. h.	
6 davuricum. R.S.	Siberian.	Dahuria. 1785.	6. 7.	H. h.	Pall. ross. 1. t. 38.
7 lantanoides. R.S.	Lantana like.	N.America.	5. 6.	H. h.	
8 Lantana. R.S.	wayfaring-tree.	Britain.	————	H. h.	Eng. bot. 331.
9 Lentago. R.S.	tree.	N.America. 1761.	7.	H. h.	Wats. dend. brit. 21.
10 squamatum. R.S.	scaly.	———— 1812.	6. 7.	H. h.	———— t. 24.
11 pyriform. R.S.	pear-leaved.	————	5. 6.	H. h.	———— t. 22.
12 prunifolium. R.S.	plum-leaved.	———— 1731.	————	H. h.	———— t. 23.
13 pubescens. R.S.	pubescent.	———— 1736.	6. 7.	H. h.	
14 dentatum. R.S.	tooth-leaved.	———— ————	————	H. h.	Wats. dend. brit. 25.
15 lævigatum. R.S.	Cassioberry bush.	———— 1724.	7. 8.	H. h.	Mill. ic. 1. t. 83. f. 1.
16 nitidum. R.S.	shining-leaved.	———— 1758.	5. 6.	H. h.	
17 cassinoides. R.S.	thick-leaved.	———— 1761.	6. 7.	H. h.	
18 obovatum. R.S.	obovate-leaved.	———— 1812.	5. 6.	H. h.	
19 odoratissimum. B.R.	sweet-scented.	China. 1810.	5. 6.	G. h.	Botan. regist. 456.
chinense. Zeyh.					
20 nudum. R.S.	oval-leaved.	N.America. 1752.	5. 6.	H. h.	Wats. dend. brit. 20.
21 villosum. R.S.	villous.	Jamaica. 1820.	4. 6.	S. h.	
22 rugosum. R.S.	rugged-leaved.	Canaries. 1796.	4. 5.	H. h.	Botan. regist. 376.
rigidum. Vent. malm. t. 98.					

- 23 strictum, L. en. upright Laurestine. S. Europe. 1596. 3. 5. H. h. twiggy. ——— ——— ——— H. h.
- β virgatum. ——— ——— ——— H. h.
- 24 Tinus, R.S. common Laurestine. ——— ——— 12. 4. H. h. Botan. magaz. 38.
- 25 Incidium, R.S. shining Laurestine. ——— ——— 2. 5. H. h. Clus. hist. 1. 49. ic.
- SYMPHORIA. S.S. St. PETER'S-WORT. Pentandria Monogynia.
- 1 glomerata, s.s. common. N. America. 1730. 8. 9. H. h. Schmidt arb. t. 115.
- 2 racemosa, s.s. Snowberry. ——— 1812. 7. 9. H. h. Wats. dend. brit. 7.
- DIERVILLA, J. DIERVILLA. Pentandria Monogynia.
- humilis, P.S. yellow-flow'r'd. N. America. 1739. 6. 7. H. h. Botan. magaz. 1796.
- lutea, Ph. Tournfortii, R.S. canadensis, s.s. Lonicera Diervilla, L.
- LONGICERA, W. HONEYSUCKLE. Pentandria Monogynia, L.
- 1 Caprifolium, w. early. England. 4. 6. H. h. Eng. bot. 799.
- β rubra. early red. S. Europe. H. h. Schmidt arb. t. 106.
- 2 etrusca, s.s. Italian. Italy. H. h. San. viag. al. mont. t. 1.
- Caprifolium etruscum, R.S.
- 3 dioica, s.s. small-flowered. N. America. 1766. 6. 7. H. h. Botan. regist. 138.
- Caprifolium parviflorum, Ph. bracteosum, M.
- 4 flava, B.M. yellow-flow'r'd. ——— 1810. 5. 7. H. h. Botan. magaz. 1318.
- Fraseri, s.s. Caprifolium Fraseri, Ph.
- 5 pubescens, pubescent. ——— 1820. ——— H. h. Hook. ex. flor. 27.
- Goldii, s.s. Caprifolium pubescens, H.E.F.
- 6 grata, s.s. evergreen. N. America. 1730. 6. 8. H. h. Hort. angl. n. 10. t. 8.
- 7 sempervirens, s.s. trumpet. ——— 1656. 5. 8. H. h. Botan. magaz. 781.
- β minor, smaller. Carolina. 1812. ——— H. h. ——— 1753.
- 8 Periclymenum, s.s. Woodbine. Britain. 5. 7. H. h. Eng. bot. 800.
- a vulgaris, H.K. common. ——— H. h. Schmidt arb. t. 107.
- β serotina, H.K. late-red. H. h. ——— t. 108.
- γ belgica, H.K. dutch. H. h. Hort. angl. n. 5. t. 6.
- δ quercifolia, H.K. Oak-leaved. Britain. H. h.
- ε variegata, H.K. variegated-l. ——— H. h.
- 9 implexa, s.s. Minorca. Minorca. 1772. 6. 9. H. h.
- 10 japonica, w. Japan. China. 1806. 7. 9. H. h. Botan. regist. 70.
- Caprifolium japonicum, R.S. non D.P.
- 11 chinensis, W.D. Chinese. ——— 1814. 4. 8. H. h. Wats. dend. brit. 117.
- glabrata, F.I. flexuosa, B.R. nec aliorum.
- 12 alpigena, s.s. red-berried. Switzerland. 1596. 4. 5. H. h. Schmidt arb. t. 112.
- 13 microphylla, s.s. small-leaved. Siberia. 1818. 5. 6. H. h.
- 14 sibirica, R.S. Siberian. ——— H. h.
- 15 orientalis, R.S. oriental. Levant. 1820. ——— H. h.
- caucasica, Pall.
- 16 punicea, B.M. crimson-fl'd. 4. 5. H. h. Botan. magaz. 2169.
- 17 iberica, R.S. Iberian. Iberia. 1818. 5. 6. H. h.
- 18 cœrulea, R.S. blue-berried. Switzerland. 1629. 3. 4. H. h. Botan. magaz. 1965.
- 19 villosa, R.S. villous. Canada. 1818. 4. 5. H. h.
- Xylosteum villosum, M.
- 20 Xylosteum, R.S. fly. England. 6. 7. H. h. Eng. bot. 916.
- 21 canescens, R.S. canescent. Barbary. 1820. ——— H. h. Desf. atl. 1. t. 52.
- biflora, Desf.
- 22 canadensis, R.S. Canadian. Canada. 1812. 4. 5. H. h.
- 23 tatarica, R.S. Tartarian. Tartary. 1752. ——— H. h. Pall. ros. 1. t. 36.
- a alba, white-flowered. ——— ——— H. h.
- β rubra, red-flowered. ——— ——— H. h.
- 24 nigra, R.S. black-berried. Switzerland. 1597. 3. 4. H. h. Schmidt arb. 110.
- 25 flexuosa, R.S. flexuose. China. 1806. 7. 9. H. h.
- 26 pyrenaica, R.S. Pyrenean. Pyrenees. 1739. 5. H. h. Magn. hort. t. 209.
- TRIOSTEUM, R.S. FEWERWORT. Pentandria Monogynia, L.
- 1 perfoliatum, R.S. perfoliate. N. America. 1730. 6. 7. H. h. Swt. br. fl. gar. 154.
- 2 angustifolium, R.S. narrow-leaved. ——— 1699. ——— H. h. Pluk. alm. t. 104. f. 2.
- LINNÆA, W. LINNÆA. Didynamia Angiospermia, L.
- borealis, w. two-flowered. Britain. 5. 8. H. h. Eng. bot. 433.

ORDO XCIV.

RHIZOPHOREÆ. *Brown.*

RHIZOPHORA. L.	RHIZOPHORA.	Octandria Monogynia.			
Mangle. s.s.	common.	India.	1818. S. h.	Jacq. amer. t. 89.

ORDO XCV.

LORANTHÆ. *Juss. ann. mus. 12. p. 292.*

LORANTHUS. L.	LORANTHUS.	Hexandria Monogynia.			
europæus. s.s.	European.	Europe.	1824. H. h.	Jacq. aust. t. 30.
VISCUM. L.	MISSILTOE.	Diœcia Tetrandia. L.			
album. E.B.	common.	England. 5.	H. h.	Eng. bot. 1470.

ORDO XCVI.

RUBIACEÆ. *Juss. gen. 196.*Sect. I. GUETTARDEÆ. *Kunth synops. 3. p. 67.*

GUETTARDA. S.S.	GUETTARDA.	Monœcia Tetr-Pent-Hexandria.			
1 hirsuta. s.s.	hairy.	Peru.	1822. S. h.	Flor. per. 2. t. 145. f.a.
	<i>Laugeria hirsuta.</i> R.P.				
2 tomentosa. s.s.	tomentose.	Jamaica.	— S. h.	
3 lucida. s.s.	glossy.	—	1818. S. h.	Vahl. symb. 3. t. 57.
	<i>Laugeria lucida.</i> Sw.				
4 scabra. s.s.	rough.	W. Indies.	— S. h.	Vent. choix. 1. t. 1.
	<i>Matthiola scabra.</i> L.				
5 rugosa. s.s.	rough-leaved.	—	1793. S. h.	
6 speciosa. s.s.	great-flowered.	E. Indies.	1771. S. h.	Rl'eed. mal. 4. t. 47. 48.
VANGUERIA. J.	VANGUERIA.	Pentandria Monogynia. S.S.			
1 edulis. s.s.	eatable.	E. Indies.	1809. S. h.	Lam. ill. t. 159.
2 spinosa. H.B.	spiny.	—	1818. S. h.	
ERITHALIS. S.S.	ERITHALIS.	Pentandria Monogynia. L.			
fruticosa. s.s.	shrubby.	Jamaica.	1793.	7. 8. S. h.	Jacq. am. p.t. 260. f. 20.
	<i>odorifera.</i> R.S.				

Sect. II. HAMELIACEÆ. *Kth. synops. 3. p. 63.*

HAMELIA. S.S.	HAMELIA.	Pentandria Monogynia. L.			
1 axillaris. s.s.	axillary-fl'd.	Jamaica.	1820.	7. 8. S. h.	
2 ventricosa. s.s.	large flowered.	W. Indies.	1778.	9. 11. S. h.	Sal. par. lond. 55.
	<i>grandiflora.</i> P.L.				
3 chrysantha. s.s.	yellow-flow'r'd.	—	1820.	— S. h.	Jacq. ic. 2. t. 335.
4 patens. s.s.	spreading.	—	1752.	7. 8. S. h.	Exot. bot. 1. t. 24.
5 sphaerocarpa. P.S.	round-fruited.	Peru.	1811.	— S. h.	Flor. per. t. 221. f. b.

ISERTIA. S.S. Hexandria Monogynia. S.S.
 coccinea, s.s. scarlet-flow'r'd. S. America. 1820. S. h. Aub. gui. 1. t. 123.

Sect. III. GARDENIÆ. *Sal. par. lond. 46.*

- MUSSÆNDA. R.S. MUSSÆNDA. Pentandria Monogynia. L.
 1 frondosa, R.S. frondose. E. Indies. 1815. 5. 10. S. h. Botan. regist. 517.
 2 glabra, R.S. smooth. ——— 1820. ——— S. h.
 3 pubescens, R.S. pubescent. China. 1805. 5. 9. G. h. Botan. magaz. 2099.
 4 arcuata, R.S. arched. Isle France. 1822. S. h.
- LUCULIA. B.F.G. LUCULIA. Pentandria Monogynia.
 gratissima, B.F.G. sweet-scented. Nepaul. 1818. 10. 2. G. h. Swt. br. fl. gar. 145.
Cinchona gratissima, F.I. *Mussænda Luculia*, D.P.
- RANDIA. R.S. RANDIA. Pentandria Monogynia. R.S.
 1 aculeata, R.S. prickly. W. Indies. 1733. 5. 6. S. h. Botan. magaz. 1841.
Gardenia Randia, W.
 2 obovata, R.S. obovate-leaved. Peru. 1818. ——— S. h. Flor. per. 2. t. 220. f. b.
 3 rotundifolia, R.S. round-leaved. ——— ——— S. h.
 4 macrantha, R.S. large-flowered. Sierra Leon. 1796. 8. 9. S. h. Sal. par. lond. 93.
longiflora, P.L. non R.S.
 5 racemosa, H.B. racemed. E. Indies. 1818. S. h.
 6 longiflora, R.S. long-flowered. E. Indies. 1818. S. h. Lam. ill. t. 156. f. 3.
Gardenia multiflora, W.
- GARDENIA. R.S. GARDENIA. Pentandria Monogynia. L.
 1 amœna, s.s. crimson-tipped. China. 1810. 6. 8. S. h. Botan. magaz. 1904.
 2 dumetorum, s.s. bushy. E. Indies. 1779. 7. 9. S. h. Roxb. cor. 2. t. 136.
Posoqueria dumetorum, F.I. *Canthium coronatum*, Lam.
 3 uliginosa, s.s. marsh. ——— 1802. ——— S. h. ——— 2. t. 135.
 4 nutans, H.B. drooping. ——— 1818. ——— S. h.
Posoqueria nutans, F.I.
 5 spinosa, s.s. thorny. China. 1804. ——— S. h. Thunb. gar. n.7. t. 2. f. 4.
 6 armata, s.s. armed. W. Indies. 1813. S. h. Jacq. amer. pict. t. 71.
Mussænda spinosa, Jacq.
 7 tetracantha, s.s. four-thorned. New Spain. 1818. S. h.
 8 longispina, H.B. long-spined. E. Indies. 1812. S. h.
Posoqueria longispina, F.I.
 9 fragrans, s.s. fragrant. ——— 1822. S. h.
Posoqueria fragrans, F.I.
 10 esculenta, s.s. esculent. China. 1823. 5. 6. S. h.
 11 florida, s.s. Cape Jasmine. ——— 1754. 7. 10. S. h. Botan. regist. 419.
β flore-pleno. *double-flowered*. ——— ——— S. h. Ehret. pict. t. 15.
 12 angustifolia, B.C. narrow-leaved. ——— 1820. ——— S. h. Lodd. bot. cab. 512.
 13 radicans, s.s. rooting. ——— 1804. 3. 6. G. h. Botan. regist. 73.
 14 latifolia, s.s. broad-leaved. E. Indies. 1787. S. h. Roxb. cor. 2. t. 134.
 15 lucida, F.I. glossy-leaved. ——— 1820. S. h.
 16 Thunbergia, s.s. starry. C. B. S. 1773. 1. 3. S. h. Botan. magaz. 1004.
 17 Rothmannia, s.s. spotted-fl'd. ——— 1774. 7. G. h. ——— 690.
 18 micrantha, R.S. small-flowered. China. 1806. 6. 8. S. h. Thunb. gar. n.8. t. 1. f. 2.
 19 montana, F.I. mountain. E. Indies. 1818. ——— S. h.
 20 campanulata, F.I. bell-flowered. ——— 1812. ——— S. h.
- OXYANTHUS. DC. OXYANTHUS. Pentandria Monogynia.
 speciosus, DC. tube-flowered. Sierra Leon. 1789. 7. 12. S. h. Botan. magaz. 1992.
Gardenia tubiflora, A.R. 183.
- GENIPA. R.S. GENIP-TREE. Pentandria Monogynia.
 1 oblongifolia, R.S. oblong-leaved. Peru. 1823. S. h. Flor. per. 2. t. 220. f. a.
 2 americana, R.S. American. S. America. 1779. S. h. Plum. ic. t. 136.
 3 Merianæ, R.S. hairy. Cayenne. 1800. S. h. Merian. sur. t. 43.
Duroia eriopila, L.
- WEBERA. S.S. WEBERA. Pentandria Monogynia.
 1 corymbosa, s.s. corymbose. E. Indies. 1759. 4. 6. S. h. Botan. regist. 119.
 2 cymosa, s.s. cymose. ——— 1811. S. h.
- BURCHELLIA. B.R. BURCHELLIA. Pentandria Monogynia.
 1 capensis, B.R. broad-leaved. C. B. S. 1818. 3. 6. G. h. Botan. regist. 466.
 2 parviflora, B.R. smaller-fl'd. ——— ——— G. h. ——— 891.
babalina, B.M. 2339.

CATESBÆA. S.S.	CATESBÆA. Tetrandria Monogynia. L.		
1 spinosa. s.s.	spiny. Isl. Prov. 1726. 5. 9.	S. h.	Botan. magaz. 131.
2 latifolia. B.R.	broad-leaved. W. Indies. 1818. 9. 11.	S. h.	Botan. regist. 858.
3 parviflora. s.s.	small-flowered. ———— 1810.	S. h.	Sloan. h. 2. t. 207. f. 1.
FERNELIA. J.	FERNELIA. Tetrandria Monogynia.		
1 obovata. Lam.	obovate-leaved. Isl. France. 1816.	S. h.	
2 buxifolia. Lam.	Box-leaved. ———— ————	S. h.	
	<i>Coccocypselum buxifolium. s.s.</i>		
COCCOCYPSELUM. S.S.	COCCOCYPSELUM. Tetrandria Monogynia. S.S.		
repens. s.s.	creeping. W. Indies. 1793. 5.	S. h.	Brown. jam. t. 6. f. 1.

Sect. IV. CINCHONEÆ. *Kth. synopsis. 3. p. 47.*

PORTLANDIA. S.S.	PORTLANDIA. Pentandria Monogynia. L.		
1 grandiflora. R.S.	great-flowered. Jamaica. 1775. 6. 8.	S. h.	Sm. ic. pict. 1. t. 6.
2 coccinea. R.S.	scarlet-flow'r'd. ———— 1812. ...	S. h.	
COUTAREA. S.S.	COUTAREA. Hexandria Monogynia. S.S.		
speciosa. s.s.	Laurel-leaved. Guiana. 1803.	S. h.	Aub. gui. 1. t. 122.
	<i>Portlandia hexandra. Jacq. am. pict. t. 65.</i>		
EXOSTEMMA. R.S.	EXOSTEMMA. Pentandria Monogynia. R.S.		
1 caribæum. R.S.	Caribbean. W. Indies. 1780. 6. 9.	S. h.	Andr. reposit. 481.
	<i>Cinchona caribæa. W.</i>		
2 floribundum. R.S.	many-flowered. ———— 1794.	S. h.	Lamb. cinch. 27. t. 7.
PINCKNEYA. M.	PINCKNEYA. Pentandria Monogynia.		
pubens. M.	pubescent. Georgia. 1786. 6. 7.	F. h.	Mich. amer. t. 13.
HYMENODICTYON. F.I.	HYMENODICTYON. Pentandria Monogynia.		
1 thyrseiflorum. wall.	thyrses-flower'd. E. Indies. 1816.	S. h.	
2 excelsum. wall.	tall. ———— ————	S. h.	Roxb. cor. 2. t. 106.
	<i>Cinchona excelsa. R.S.</i>		
HILLIA. S.S.	HILLIA. Tetr-Hexandria Monogynia. S.S.		
1 longiflora. s.s.	long-flowered. W. Indies. 1789. 2. 3.	S. h.	Botan. magaz. 721.
2 tetrandra. s.s.	mountain. Jamaica. 1793. 6. 7.	S. h.	
MACROCNEUM. L.	MACROCNEUM. Pentandria Monogynia. L.		
jamaicense. R.S.	Jamaica. Jamaica. 1806.	S. h.	Swartz obs. t. 3. f. 1.
RONDELETIA. R.S.	RONDELETIA. Pentandria Monogynia. L.		
1 americana. R.S.	American. W. Indies. 1752. 8.	S. h.	Plum. ic. t. 242. f. 1.
2 lævigata. R.S.	smooth-leaved. ———— 1790. 7. 8.	S. h.	
3 racemosa. R.S.	racemed. ———— 1818. ————	S. h.	Brown. jam. 143. t. 2. f. 3.
4 tomentosa. R.S.	downy-leaved. ———— ————	S. h.	
5 hirta. R.S.	hairy. ———— 1776. 6. 8.	S. h.	Lodd. bot. cab. 350.
6 paniculata. F.I.	panicked. E. Indies. 1820.	S. h.	

Sect. V. HEDYOTIDÆÆ. *Kth. synopsis. 3. p. 40.*

HEDYOTIS. R.S.	HEDYOTIS. Tetrandria Monogynia. L.		
1 diffusa. R.S.	spreading. E. Indies. 1818. 7. 9.	S. ⊙.	
2 herbacea. R.S.	herbaceous. ———— 1816. 6. 9.	S. ⊙.	Rheed. mal. 10. t. 35.
3 umbellata. R.S.	Indian Madder. E. Indies. 1792. 7. 8.	S. ♀.	Roxb. cor. 1. t. 3.
	<i>Oldenlandia umbellata. L.</i>		
4 cymosa. R.S.	Hyssop-leaved. Jamaica. 1739. 6. 10.	S. ⊙.	Ehret pic. t. 2. f. 1. et t. 4.
	<i>Oldenlandia corymbosa. W.</i>		
5 ramosissima. R.S.	branching. 1816. ————	S. ⊙.	
6 biflora. R.S.	two-flowered. E. Indies. ————	S. ⊙.	
7 lactea. R.S.	milk-coloured. ———— ————	S. ⊙.	
MANETTIA. R.S.	MANETTIA. Tetrandria Monogynia. L.		
1 Lygistum. R.S.	veined-leaved. W. Indies. 1822. 2. 4.	S. h. ∪.	Brown. jam. t. 3. f. 2.
2 coccinea. R.S.	scarlet. Trinidad. 1806. 12. 4.	S. h. ∪.	Botan. regist. 693.
BOUARDIA. R.S.	BOUARDIA. Tetrandria Monogynia.		
1 triphylla. R.S.	three-leaved. Mexico. 1794. 4. 11	G. h.	Sal. par. loud. 88.
	<i>Jacquinii. s.s. Houstonia coccinea. A.R. 106.</i>		
	<i>α pubescens. pubescent. ———— ————</i>	G. h.	Botan. regist. 107.
	<i>β glabra. smooth. ———— ————</i>	G. h.	
2 versicolor. s.s.	various-color'd. S. America. 1814. 7. 1.	S. h.	Botan. regist. 245.

DENTE ^{LLA} . W.	DENTE ^{LLA} . Pentandria Monogynia. W.				
repens. W.	creeping.	N. Holland. 1802.	7.	H. ♂.	Lam. ill. t. 118.
SPERMADICTYON. B. R.	SPERMADICTYON. Pentandria Monogynia.				
suaveolens. B. R.	sweet-scented.	E. Indies.	1816.	8. 12.	S. ♀.
<i>Hamiltonia suaveolens</i> . F. I.					Botan. regist. 348.

Sect. VI. CEPHALANTHIEÆ. *Kth. synopsis. 3. p. 37.*

NAUCLEA. R. S.	NAUCLEA. Pentandria Monogynia. L.				
1 Adina. Sm.	Myrtle-leaved.	China.	1804.	7. 8.	S. ♀.
<i>Adina globiflora</i> . P. L.	115.				Botan. regist. 895.
2 orientalis. R. S.	oriental.	E. Indies.	1800.	S. ♀.
3 Cadamba. F. I.	broad-leaved.	— — —	1823.	S. ♀.
4 undulata. F. I.	wave-leaved.	— — —	— — —	S. ♀.
5 cordifolia. R. S.	heart-leaved.	— — —	— — —	S. ♀.
SARCOCEPHALUS. Afz.	SARCOCEPHALUS. Pentandria Monogynia.				
esculentus. Afz.	eatable-fruited.	Sierra Leon.	1822.	6. 8.	S. ♀.
CEPHALANTHUS. L.	BUTTON-WOOD. Tetrandria Monogynia. L.				
occidentalis.	American.	N. America.	1735.	8.	S. ♀.
MORINDA. L.	MORINDA. Pentandria Monogynia. L.				
1 umbellata. R. S.	umbelled.	E. Indies.	1809.	S. ♀.
2 citrifolia. R. S.	broad-leaved.	Otaheite.	1793.	S. ♀.
3 bracteata. F. I.	bracted.	E. Indies.	1816.	S. ♀.
4 angustifolia. F. I.	narrow-leaved.	— — —	— — —	S. ♀.
5 Royoc. R. S.	Laurel-leaved.	W. Indies.	1793.	7. 10.	S. ♀.

Sect. VII. COFFEACEÆ. *Kth. synopsis. 3. p. 20.*

MITCHELLA. L.	MITCHELLA. Tetrandria Monogynia. L.				
repens. L.	creeping.	N. America.	1761.	6.	H. ♀.
PAVETTA. R. S.	PAVETTA. Tetrandria Monogynia. L.				
1 indica. R. S.	Indian.	E. Indies.	1791.	8. 10.	S. ♀.
2 arenosa. R. S.	tuberced.	China.	3. 10.	S. ♀.
<i>indica</i> . B. R. <i>nec aliorum</i> .					Botan. regist. 198.
IXORA. L.	IXORA. Tetrandria Monogynia. L.				
1 grandiflora. B. R.	great-flowered.	E. Indies.	1814.	7. 9.	S. ♀.
<i>coccinea</i> . L. <i>non</i> B. M.					Botan. regist. 154.
2 Bandhuca. F. I.	stem-clasping.	— — —	— — —	1. 4.	S. ♀.
3 fulgens. F. I.	glossy.	— — —	1820.	S. ♀.
<i>longifolia</i> . Sm. <i>lancoolata</i> . Lam.					— — — — — 513.
4 flammea. S. P.	flame-coloured.	China.	1690.	4. 8.	S. ♀.
<i>coccinea</i> . B. M. <i>stricta</i> . F. I.					Rumph. amb. 4. t. 46.
5 Crocata. B. R.	saffron-color'd.	— — —	1820.	— — —	S. ♀.
6 incarnata. B. C.	flesh-coloured.	— — —	— — —	— — —	S. ♀.
7 blanda. B. R.	charming.	— — —	1812.	— — —	S. ♀.
8 alba. W.	white.	E. Indies.	1768.	6.	S. ♀.
9 cuneifolia. F. I.	wedge-leaved.	E. Indies.	1820.	— — —	S. ♀.
10 brachiata. F. I.	brachiate-panicled.	— — —	— — —	— — —	S. ♀.
11 Pavetta. A. R.	fragrant.	— — —	— — —	S. ♀.
12 parviflora. F. I.	small-flowered.	— — —	1800.	8. 10.	S. ♀.
13 barbata. F. I.	bearded.	— — —	1822.	6. 8.	S. ♀.
14 undulata. F. I.	wave-leaved.	— — —	1818.	— — —	S. ♀.
15 rosea. F. I.	rose-coloured.	— — —	1820.	4. 8.	S. ♀.
16 obovata. R. S.	obovate-leav'd.	— — —	S. ♀.
<i>purpurea</i> . F. ?					Botan. regist. 540.
CHOMELIA. W.	CHOMELIA. Tetrandria Monogynia. W.				
spinosa. W.	spiny.	W. Indies.	1793.	S. ♀.
SIDERODENDRON. S. S.	IRON-TREE. Tetrandria Monogynia. W.				
triflorum. S. S.	three-flowered.	W. Indies.	1793.	S. ♀.
TETRAMERIUM. G.	TETRAMERIUM. Tetrandria Monogynia. S. S.				
1 odoratissimum. S. S.	sweet-scented.	W. Indies.	1793.	4. 6.	S. ♀.
<i>Coffea occidentalis</i> . W. <i>Icora americana</i> . Sw.					Jacq. amer. 18. t. 13.
2 paniculatum. S. S.	panicled.	Guiana.	1822.	S. ♀.
					Jacq. amer. 19. t. 175. f. 9
					Jacq. amer. t. 47.
					Aub. guian. t. 58.

COFFEA, L.	COFFEE-TREE.	Pentandria Monogynia.	L.	
arabica, w.	Arabian.	Yemen.	1696. 8. 11.	S. h. Botan. magaz. 1303.
CEPHAELIS, S.S.	CEPHEALIS.	Pentandria Monogynia.	L.	
1 elata, s.s.	tall.	Jamaica.	1793.	S. h.
2 axillaris, s.s.	axillary-fl'd.	Brazil.	1816. 4. 5.	S. h. Lind. coll. 21.
calycina, L. col.				
3 pedunculata, P.L.	long-peduncul'd.	Sierra Leon. 2. 4.	S. h. Sals. par. lond. 103.
PSYCHOTRIA, R.S.	PSYCHOTRIA.	Pentandria Monogynia.	L.	
1 asiatica, R.S.	Indian.	E. Indies.	1806. 4. 5.	S. h. Jacq. amer. p. t. 260. f. 19
2 glabrata, R.S.	smooth.	Jamaica.	1822. —	S. h.
3 citrifolia, R.S.	Citron-leaved.	W. Indies.	1793. 1. 12.	S. h.
4 elliptica, B.R.	elliptic-leaved.	Brazil.	1820. 2. 6.	S. h. Botan. regist. 607.
5 parasitica, R.S.	parasitic.	W. Indies.	1802. 5. 8.	S. h. Jacq. amer. t. 51. f. 1.
6 brachiata, R.S.	cross-branched.	————	1793.	S. h.
7 pubescens, R.S.	pubescent.	Jamaica.	1812.	S. h.
8 undata, R.S.	wave-leaved.	Bahama.	1818. 4. 6.	S. h. Jacq. schœnb. 3. t. 260.
GEOPHILA, D.P.	GEOPHILA.	Pentandria Monogynia.		
reniformis, D.P.	kidney-leaved.	W. Indies.	1793. 4. 6.	S. y. Jacq. amer. t. 46.
Psychotria herbacea, w.				
CHIOCOCCA, W.	SNOWBERRY.	Pentandria Monogynia.	L.	
racemosa, w.	cluster-flow'r'd.	Jamaica.	1729. 2.	S. h. Andr. reposit. 284.
ERNODEA, S.S.	ERNODEA.	Tetrandria Monogynia.	W.	
montana, s.s.	mountain.	Sicily.	1820. 6. 7.	H. f. Flor. græc. t. 143.
Asperula calabrica, L.				
SERISSA, S.S.	SERISSA.	Pentandria Monogynia.	W.	
fetida, s.s.	Japanese.	Japan.	1787. 5. 9.	G. h. Botan. magaz. 361.
β multiplex.	double-flowered.	————	————	G. h.
PLOCAMA, W.	PLOCAMA.	Pentandria Monogynia.	W.	
pendula, w.	pendulous.	Canaries.	1779.	G. h.
? PÆDERIA, W.	PÆDERIA.	Pentandria Monogynia.	L.	
fetida, w.	stinking.	China.	1806.	G. h. Icon. Kämpf. 9.

Sect. VIII. SPERMACEÆ. *Kth. synops. 3. p. 14.*

RICHARDSONIA, Kth.	RICHARDSONIA.	Hexandria Monogynia.	L.	
scabra, B.F.G.	rough.	S. America.	1812. 9. 10.	H. C. Swt. br. fl. gar. 91.
PHYLLIS, W.	BASTARD HARE'S-EAR.	Pentandria Digynia.	L.	
Nobla, w.	Canary.	Canaries.	1699. 6. 7.	G. h. Dill. elth. t. 299. f. 386.
DIODIA, S.S.	DIODIA.	Tetrandria Monogynia.	W.	
1 virginica, s.s.	Virginian.	Virginia.	1820. 6. 8.	H. y. Jacq. ic. 1. t. 29.
2 sarmentosa, s.s.	sarmentose.	W. Indies.	1821. —	S. h.
3 verticillata, s.s.	whorl-leaved.	Santa Cruz.	— S. y.
BIGELOVIA, S.S.	BIGELOVIA.	Tetrandria Monogynia.	S.S.	
1 verticillata, s.s.	whorl-flowered.	Africa.	1732. 6. 8.	S. h. Dill. elth. t. 277. f. 358.
Spermacoce verticillata, L.				
2 commutata, s.s.	starry-headed.	W. Indies.	1818. —	S. y.
3 stricta, s.s.	upright.	————	1821. —	S. C.
Spermacoce stricta, L.				
SPERMACEÆ, S.S.	BUTTON-WEED.	Tetrandria Monogynia.	L.	
1 glabra, s.s.	smooth.	N. America.	1823. 7. 8.	H. C.
2 diodina, s.s.	Diodia-like.	————	1820. —	H. C.
3 hispida, s.s.	bristly.	E. Indies.	1781. 8. 9.	S. C. Burm. zeyl. t. 20. f. 3.
4 latifolia, s.s.	broad-leaved.	Guiana.	1803. 7.	S. ♂ Aub. gui. t. 19. f. 1.
5 coraifolia, s.s.	Dogwood-l'd.	Brazil.	1820. 8. 9.	S. C.
6 stylosa, s.s.	long-styled.	Manila.	—	S. C.
7 suffruticosa, s.s.	suffruticose.	1823. 7. 8.	S. h.
8 radicans, s.s.	rooting.	Guiana.	1803. —	S. y. Aub. gui. 1. t. 20. f. 4.
9 tenuior, s.s.	slender.	W. Indies.	1732. 6. 8.	H. C. Sch. hand. 1. t. 22.
10 lanccolata, L. en.	spear-leaved.	————	1818. —	H. C.
11 hirta, s.s.	hairy.	Jamaica.	1822. 7. 9.	H. C. Jacq. ic. t. 308.
12 scabra, s.s.	rough.	E. Indies.	1816. —	S. C. Rheed. mal. 9. t. 76.
13 rubra, s.s.	Cross-wort.	S. America.	1760. 7. 8.	S. ♂ Jacq. schœn. 3. t. 256.
strigosa, B.M. 1558.				
14 Fischeri, s.s.	Fischer's.	Jamaica.	1820. —	S. C.
15 Roxburghii, s.s.	Roxburgh's.	E. Indies.	1818. —	S. ♂
lavis, F.L. non Lam.				

- KNOXIA. S.S.** **KNOXIA.** Tetrandria Monogynia. W.
 1 *corymbosa. s.s.* Sumatra. E. Indies. 1818. 4. 6. S. $\frac{1}{2}$.
Spermacece sumatrensis. F.I.
 2 *umbellata. s.s.* umbel-flower'd. Nepaul. 1820. — S. $\frac{1}{2}$.
Spermacece teres. F.I.

Sect. IX. GALEÆ. *Kth. synopsis. 3. p. 10.*

- ANTHOSPERMUM. W. AMBER-TREE.** Diœcia Tetrandria. L.
æthiopicum. s.s. Ethiopian. C. B. S. 1692. 6. 7. G. $\frac{1}{2}$. Pluk. alm. t. 183. f. 1.
CRUCIANELLA. R.S. Cross-wort. Tetrandria Monogynia. L.
 1 *angustifolia. R.S.* narrow-leaved. S. Europe. 1658. 6. 7. H. \odot . Sm. exot. bot. 2. t. 109.
 2 *ciliata. R.S.* ciliated. Levant. 1805. 7. 8. H. \odot .
 3 *patula. R.S.* spreading. Spain. 1798. 6. 7. H. \odot .
 4 *latifolia. R.S.* broad-leaved. S. Europe. 1633. — H. \odot . Flor. græc. t. 139.
 5 *ægyptiaca. R.S.* Egyptian. Egypt. 1800. — H. \odot .
 6 *monsopeliaca. R.S.* Montpellier. S. France. 1791. 7. 8. H. \odot . Flor. græc. t. 140.
 7 *maritima. R.S.* sea-side. — 1640. — G. $\frac{1}{2}$. Sabb. hort. 2. t. 13.
 8 *americana. R.S.* American. Vera Cruz. S. $\frac{1}{2}$.
 9 *pubescens. R.S.* pubescent. Candia. 1799. 7. 8. G. $\frac{1}{2}$.
 10 *molluginoides. R.S.* Mollugo-like. Caucasus. 1800. — H. $\frac{1}{2}$. Buxb. cent. 2. t. 30. f. 1.
anomala. M.B.
SHERARDIA. R.S. SHERARDIA. Tetrandria Monogynia. L.
arvensis. R.S. little. Britain. 4. 9. H. \odot . Eng. bot. 891.
RUBIA. R.S. Madder. Tetrandria Monogynia. L.
 1 *tincorum. R.S.* dyer's. S. Europe. 1596. 6. H. $\frac{1}{2}$. Flor. græc. t. 141.
 2 *splendens. R.S.* glossy. Portugal. 1812. 6. 8. H. $\frac{1}{2}$.
 3 *galioides. R.S.* Galium-like. Canaries. 1816. — F. $\frac{1}{2}$.
 4 *peregrina. R.S.* wild. England. 7. H. $\frac{1}{2}$. Eng. bot. 851.
 5 *lucida. R.S.* shining. Majorca. 1762. — F. $\frac{1}{2}$. Flor. græc. t. 142.
 6 *fruticosa. R.S.* prickly-leaved. Canaries. 1779. 9. F. $\frac{1}{2}$.
 7 *Bocconi. R.S.* Boccone's. Italy. 1823. — H. $\frac{1}{2}$.
 8 *angustifolia. R.S.* narrow-leaved. S. Europe. 1772. 7. 8. F. $\frac{1}{2}$. Lam. ill. t. 60. f. 2.
 9 *cordifolia. R.S.* heart-leaved. Siberia. 1783. 7. H. $\frac{1}{2}$. Pall. it. 3. ap. t. L. f. 1.
ASPERULA. R.S. WOODRUFF. Tetrandria Monogynia. L.
 1 *lævigata. R.S.* shining. S. Europe. 1775. 6. H. $\frac{1}{2}$. Moris. his. 3. t. 21. f. 4.
 2 *taurina. R.S.* broad-leaved. Italy. 1739. 4. 6. H. $\frac{1}{2}$. Lob. ic. 800. f. 1.
 3 *longiflora. R.S.* long-flowered. Hungary. 1818. — H. $\frac{1}{2}$. W. et K. hung. 2. t. 150.
 4 *aristata. R.S.* awned. S. Europe. 1823. — H. $\frac{1}{2}$.
 5 *supina. R.S.* trailing. Caucasus. — 6. 7. H. $\frac{1}{2}$.
 6 *brevifolia. R.S.* short-leaved. Levant. 1818. — H. $\frac{1}{2}$.
 7 *cynanchica. R.S.* small. England. 7. H. $\frac{1}{2}$. Eng. bot. 33.
 8 *alpina. s.s.* Alpine. Caucasus. 1825. — H. $\frac{1}{2}$.
 9 *crassifolia. R.S.* thick-leaved. Levant. 1775. 6. H. $\frac{1}{2}$.
 10 *scabra. s.s.* rough. Italy. 1824. — H. $\frac{1}{2}$.
 11 *tinctoria. R.S.* narrow-leaved. Europe. 1764. 6. 7. H. $\frac{1}{2}$. Tabern. ic. 151.
 12 *montana. R.S.* mountain. Hungary. 1801. — H. $\frac{1}{2}$.
 13 *arvensis. R.S.* field. Europe. 1596. 7. H. \odot . Lobel. ic. t. 801. f. 2.
 14 *arcadiensis. s.s.* Arcadian. Arcadia. 1819. 5. H. $\frac{1}{2}$. Botan. magaz. 2146.
 15 *hirta. R.S.* thick-rooted. Pyrenees. — 5. 6. H. $\frac{1}{2}$. Ram. phil. t. 9. f. 1. 2.
 16 *hirsuta. R.S.* hairy creeping. S. Europe. 1820. — H. $\frac{1}{2}$.
repens. Brot.
 17 *incana. R.S.* hoary. Crete. 1823. 6. 7. H. $\frac{1}{2}$. Flor. græc. t. 119.
 18 *galioides. s.s.* glaucous. S. Europe. 1710. 6. 9. H. $\frac{1}{2}$. Jacq. aust. 1. t. 81.
Galium glaucum. L.
 19 *humifusa. s.s.* spreading. Caucasus. 1825. — H. $\frac{1}{2}$.
 20 *longifolia. R.S.* long-leaved. Greece. 1823. — H. $\frac{1}{2}$. Flor. græc. t. 118.
 21 *Aparine. R.S.* marsh. Crete. — — H. $\frac{1}{2}$. — — — t. 117.
rivalis. Sm.
 22 *odorata. R.S.* sweet-scented. Britain. 5. 6. H. $\frac{1}{2}$. Eng. bot. 755.
VALANTIA. S.S. VALANTIA. Tetrandria Monogynia. S.S.
 1 *muralis. s.s.* wall. S. Europe. 1739. 5. 7. H. \odot . Colum. Eepr. t. 297.
 2 *hispidia. s.s.* bristly. — 1768. — H. \odot . Gært. fr. C. 2. t. 24. f. 1.
 3 *filiformis. s.s.* least. Canaries. 1780. 7. 9. H. \odot .
GALIUM. S.S. BEDSTRAW. Tetrandria Monogynia. L.
 1 *cruciata. s.s.* Crosswort. Britain. 5. 6. H. $\frac{1}{2}$. Eng. bot. 143.
Valantia cruciata. w.

2	pedemontanum, s.s.	Piedmont.	Hungary.	1799.	7.	H.⊙.	W. et K. hung. 1. t.33.
3	Bauhini, s.s.	Bauhin's.	Europe.	1731.	7. 8.	H. ½.	1. t. 32.
	<i>Valantia glabra</i> , w.						
4	vernum, s.s.	Haller's.	Switzerland.	1823.	5. 6.	H. ½.	
	<i>Halleri</i> , R.S.						
5	articulatum, s.s.	jointed.	Egypt.	1752.	7. 8.	H.⊙.	
6	rubroides, s.s.	Madder-leav'd.	S. Europe.	1775.	7.	H. ½.	Buxb. cent. 2. t. 29.
7	diffusum, s.s.	spreading.	—	1820.	—	H. ½.	
8	valantoides, s. s.	Valantia-like.	Caucasus.	1823.	—	H. ½.	
9	palustre, s.s.	water.	Britain.	—	H.w. ½.	Eng. bot. 1857.
10	satureiæfolium, s.s.	Savory-leaved.	Caucasus.	1818.	—	H.w. ½.	
11	trifidum, s.s.	3-fid-flowered.	N. Europe.	—	—	H.w. ½.	
12	fruticosum, s.s.	frutescent.	Crete.	1823.	7. 8.	F. ½.	
13	Witheringii, s.s.	rough.	England.	6. 7.	H. ½.	Eng. bot. 2206.
14	glabrum, s.s.	smooth.	C. B. S.	1816.	—	G. ½.	
15	uliginosum, s.s.	marsh.	Britain.	7. 8.	H.w. ½.	Eng. bot. 1972.
16	divaricatum, s.s.	divaricate.	S. France.	1820.	—	H.⊙.	DC. ic. gal. rar. t. 24.
17	campestre, s.s.	field.	Barbary.	1818.	8. 9.	H.⊙.	
18	austriacum, R.S.	Austrian.	Europe.	1804.	6. 7.	H. ½.	Jacq. aust. t. 80.
19	Bocconi, R.S.	Boccone's.	—	1801.	5. 6.	H. ½.	Bocc. mus. t. 101.
20	obliquum, R.S.	oblique-leaved.	S. France.	—	H. ½.	Vill. delph. 2. n. 9. t. 8.
21	pusillum, E.B.	least.	England.	7. 8.	H. ½.	Eng. bot. 74.
22	alpestre, R.S.	smooth-leaved.	S. Europe.	1824.	—	H. ½.	Vill. delph. 2. t. 7. bis.
23	tenuifolium, R.S.	slender-leav'd.	—	1820.	6. 7.	H. ½.	
24	rubrum, s.s.	red.	Italy.	1597.	—	H. ½.	Ger. herb. 967. f. 3.
25	tenuissimum, s.s.	slenderest.	Caucasus.	1818.	7. 9.	H.⊙.	
26	verum, s.s.	cheese-rennet.	Britain.	—	H. ½.	Eng. bot. 660.
27	tyrolense, R.S.	Tyrolese.	Tyrol.	1801.	7.	H. ½.	
28	Mollugo, R.S.	great hedge.	Britain.	7. 8.	H. ½.	Eng. bot. 1673.
29	campanulatum, s.s.	bell-flowered.	Europe.	1710.	6. 9.	H. ½.	Jacq. aust. t. 81.
	<i>glaucum</i> , Jacq.						
30	erectum, s.s.	upright.	Britain.	6. 7.	H. ½.	Eng. bot. 2067.
31	lucidum, R.S.	glossy.	S. Europe.	1820.	—	H. ½.	All. ped. 1. t. 77. f. 2.
32	linifolium, s.s.	Flax-leaved.	—	1759.	—	H. ½.	Barr. ic. t. 356 et 583.
33	rigidum, s.s.	rigid.	1778.	—	H. ½.	
34	sylvaticum, s.s.	wood.	S. Europe.	1658.	7. 8.	H. ½.	
35	cinereum, s.s.	cinereous.	Scotland.	8.	H. ½.	All. ped. t. 77. f. 4.
36	aristatum, s.s.	awned.	—	7. 8.	H. ½.	Barr. ic. t. 356.
37	purpureum, s.s.	purple.	Switzerland.	1731.	6. 7.	H. ½.	
38	saxatile, s.s.	smooth heath.	Britain.	7. 8.	H. ½.	Eng. bot. 815.
39	helveticum, s.s.	Swiss.	Switzerland.	1823.	—	H. ½.	J.m.ac.p.1714.t.15.f.1.
40	tricornè, E.B.	three-flowered.	Britain.	7.	H.⊙.	Eng. bot. 1641.
41	spurium, E.B.	spurious.	—	6. 7.	H. ½.	— 1871.
42	verrucosum, E.B.	warted.	—	6. 8.	H.⊙.	— 2173.
	<i>saccharatum</i> , R.S.	<i>Valantia Aparine</i> , w.					
43	Cucullaria, s.s.	hooded.	Levant.	1780.	5. 6.	H.⊙.	Buxb. cent. 1. t. 19. f. 2.
44	boreale, E.B.	cross-leaved.	Britain.	7.	H. ½.	Eng. bot. 105.
45	rotundifolium, s.s.	round-leaved.	Europe.	6. 7.	H. ½.	Jacq. anst. t. 94.
46	ellipticum, s.s.	elliptic-leaved.	Sicily.	1820.	—	H. ½.	Barr. ic. t. 21. f. 4.
47	pilosum, R.S.	hairy.	N.America.	1778.	—	H. ½.	
48	reflexum, s.s.	reflexed.	Tauria.	1818.	—	H. ½.	
	<i>tauricum</i> , R.S.	<i>Valantia taurica</i> , w.					
49	maritimum, s.s.	sea-side.	S. Europe.	—	7. 8.	H. ½.	
50	anglicum, E.B.	English.	England.	6. 7.	H.⊙.	Eng. bot. 384.
51	parisiense, R.S.	Paris.	France.	1818.	—	H.⊙.	
52	murale, s.s.	wall.	Italy.	1805.	6. 8.	H.⊙.	All. ped. 34. t. 77. f. 1.
	<i>Sherardia muralis</i> , w.						
53	græcum, s.s.	Candian.	Candia.	1798.	6. 7.	H. ½.	Flor. græc. t. 136.
54	Aparine, E.B.	Cleavers.	Britain.	5. 9.	H.⊙.	Eng. bot. 316.
55	infestum, R.S.	infesting.	Europe.	1818.	—	H.⊙.	W. et K. hung. 3. t. 202.
56	scaberrimum, R.S.	roughest.	Egypt.	—	6. 9.	H.⊙.	

ORDO XCVII.

OPERCULARIÆ. *Juss. ann. mus. 4. p. 418.*

OPERCULARIA. J.	OPERCULARIA.	Tetrandria Monogynia. W.	
1 umbellata. R.S.	umbel-flower'd.	N.Holland. 1818.	6. 7. G. $\frac{1}{2}$. Lam. ill. t. 58. f. 1.
2 aspera. s.s.	rough.	N. Zealand. 1790.	6. 7. G. $\frac{1}{2}$. Gært. fr. 1. t. 24. f. 4.
3 hispida. s.s.	hispid.	N. S. W. ———	G. $\frac{1}{2}$. Juss. an. mus. 4. t. 70. f. 1.
	<i>aspera. J.</i>		
4 sessiliflora. R.S.	sessile-flow'r'd.	———— 1816.	———— G. $\frac{1}{2}$. ——— 4. t. 70. f. 2.
5 ocyimifolia. R.S.	Basil-leaved.	———— 1820.	———— G. $\frac{1}{2}$.
CRYPTOSPERMUM. P.S.	CRYPTOSPERMUM.	Monandria Monogynia. P.S.	
Youngii. P.S.	Young's.	N. S. W. 1793.	7. 8. G. $\frac{1}{2}$. Linn. trans. 3. t. 5.
	<i>Opercularia paleata. R.S.</i>		

ORDO XCVIII.

VALERIANEÆ. *DC. fl. fr. ed. 3. v. 4. p. 418.*

CENTRANTHUS. DC.	CENTRANTHUS.	Monandria Monogynia. R.S.	
1 ruber. DC.	common.	England.	6. 10. H. $\frac{1}{2}$. Eng. bot. 1531.
	<i>Valeriana rubra. E.B.</i>		
	β <i>albus.</i>	<i>white-flowered.</i>	———— ——— H. $\frac{1}{2}$.
	γ <i>carneus.</i>	<i>flesh-coloured.</i>	———— ——— H. $\frac{1}{2}$.
2 angustifolius. DC.	narrow-leaved.	Europe. 1731.	5. 7. H. $\frac{1}{2}$. Flor. græc. 1. t. 29.
3 Calcitrapa. R.S.	cut-leaved.	Portugal. 1570.	———— H. \odot . ——— 1. t. 30.
VALERIANA. DC.	VALERIAN.	Triandria Monogynia. L.	
1 dioica. E.B.	diœcious.	Britain.	5. 7. H. $\frac{1}{2}$. Eng. bot. 62S.
2 Phu. R.S.	garden.	Germany. 1597.	———— H. $\frac{1}{2}$. Plenck. t. 28.
3 officinalis. E.B.	great wild.	Britain.	6. 7. H. $\frac{1}{2}$. Eng. bot. 698.
4 sambucifolia. R.S.	Elder-leaved.	Sweden. 1818.	———— H. $\frac{1}{2}$.
5 sisymbriifolia. R.S.	water-rocket-ld.	Levant. 1820.	———— H. $\frac{1}{2}$.
6 cardamines. M.B.	Ladies-smock-ld.	Caucasus. 1823.	———— H. $\frac{1}{2}$.
7 montana. R.S.	mountain.	Switzerland. 1748.	———— H. $\frac{1}{2}$. Lodd. bot. cab. 317.
8 tripteris. R.S.	three-leaved.	———— 1752.	3. 5. H. $\frac{1}{2}$. Jacq. aust. 3. t. 268.
9 pyrenaica. E.B.	heart-leaved.	Scotland.	5. 6. H. $\frac{1}{2}$. Eng. bot. 1591.
10 tuberosa. R.S.	tuberous-root'd.	S. Europe. 1629.	———— H. $\frac{1}{2}$. Lapeyr. pyr. t. 53.
11 elongata. R.S.	elongated.	Austria. 1812.	6. 7. H. $\frac{1}{2}$. Jacq. ic. 3. t. 219.
12 supina. R.S.	creeping-root'd.	Germany. 1818.	———— H. $\frac{1}{2}$. Jacq. misc. 2. t. 17. f. 2.
13 saxatilis. R.S.	rock.	———— 1748.	7. H. $\frac{1}{2}$. Jacq. aust. 3. t. 267.
14 salinca. R.S.	headed-flow'rd.	Italy. 1824.	6. 7. H. $\frac{1}{2}$. All. ped. 1. t. 70. f. 1.
15 celtica. R.S.	raceme-flow'rd.	Switzerland. 1748.	———— H. $\frac{1}{2}$. Jacq. coll. 1. t. 1.
16 capensis. R.S.	Cape.	C. B. S. 1816.	———— F. $\frac{1}{2}$.
PATRINIA. J.	PATRINIA.	Tetrandria Monogynia. R.S.	
1 sibirica. J.	Siberian.	Siberia. 1759.	5. 6. H. δ . Botan. magaz. 2325.
	<i>Valeriana sibirica. L. ruthenica. B.M.</i>		
2 rupestris. J.	rock.	———— 1801.	———— H. δ . Botan. magaz. 714.
	<i>Valeriana sibirica. B.M.</i>		
3 intermedia. R.S.	intermediate.	———— 1823.	———— H. δ .
4 scabiosæfolia. s.s.	Scabious-ld.	Dahluria. ———	6. 8. H. $\frac{1}{2}$. Swt. br. fl. gar. 154.
FEDIA. DC.	FEDIA.	Diandria Monogynia.	
Cornucopiæ. R.S.	purple.	S. Europe. 1596.	5. 8. H. \odot . Botan. regist. 155.
	<i>Valeriana cornucopiæ. B.R.</i>		
VALERIANELLA. DC.	VALERIANELLA.	Triandria Monogynia.	
1 echinata. DC.	prickly-capsul'd.	S. Europe. 1807.	7. 8. H. $\frac{1}{2}$. Du Fresn. Val. t. 3. f. 10.
2 olitoria. DC.	Lamb's Lettuce.	Britain.	4. 8. H. \odot . Eng. bot. 811.
	<i>Valeriana locusta. E.B. Fedia olitoria. R.S.</i>		

3	carinata. DC.	keeled.	France.	—	H.⊙.	Dufres. val. t. 2.
4	dentata. DC.	oval-fruited.	Britain.	—	H.⊙.	Eng. bot. 1370.
	<i>Valeriana dentata</i> , E.B.	<i>Fedia dentata</i> , R.S.					
5	discoidea. DF.	discoïd.	Italy.	1731.	4. 7.	H. ʒ.	Dufres. val. t. 3. n. 3.
6	vesicaria. DF.	bladdered.	Candia.	1739.	—	H.⊙.	Flor. græc. 1. t. 34.
7	coronata. DC.	prickly seeded.	Portugal.	1731.	—	H.⊙.	Dufres. val. t. 3. f. 2.
8	radiata. DF.	rayed.	N. America.	1818.	—	H.⊙.	— t. 3. n. 7.
9	auricula. DC.	eared.	Montpelier.	—	—	H.⊙.	
10	pumila. DC.	small.	S. Europe.	1823.	—	H.⊙.	Moris. sect. 7. f. 37.
11	ericarpa. DC.	woolly-capsul'd.	France.	—	—	H.⊙.	— 7. t. 16. f. 33.
12	uncinata. DF.	hooked.	Tauria.	1818.	—	H.⊙.	
13	dasycarpa. L.en.	thick-capsuled.	—	—	—	H.⊙.	
14	tridentata. L.en.	three-toothed.	—	1823.	—	H.⊙.	

ORDO XCIX.

DIPSACEÆ. *Juss. gen. 194.*

MORINA. R.S.	MORINA.	Diandria Monogynia. L.					
persica. R.S.	Persian.	Persia.	1740.	7. 8.	G. ʒ.		Flor. græc. 1. t. 28.
DIPSACUS. S.S.	TEASEL.	Tetrandria Monogynia. L.					
1 fullonum. s.s.	manured.	Britain.	7.	H. ʒ.		Eng. bot. 2080.
2 sylvestris. s.s.	wild.	—	—	H. ʒ.		— 1032.
3 laciniatus. s.s.	cut-leaved.	Germany.	1683.	7. 8.	H. ʒ.		Jacq. aust. 5. t. 403.
4 Gmelini. s.s.	Gmelin's.	Caucasus.	1820.	—	H. ʒ.		
5 ferox. s.s.	fierce.	Corsica.	—	—	H. ʒ.		Tratt. tab. t. 235.
6 pilosus. s.s.	small.	Britain.	8.	H. ʒ.		Eng. bot. 877.
SCABIOSA. S.S.	SCABIOUS.	Tetrandria Monogynia. L.					
1 arvensis. s.s.	field.	Britain.	7. 10.	H. ʒ.		Eng. bot. 659.
<i>Trichera arvensis</i> . R.S.							
2 sylvatica. s.s.	broad-leaved.	Austria.	1633.	7.	H. ʒ.		Jacq. aust. 4. t. 362.
3 montana. s.s.	mountain.	Caucasus.	1823.	—	H. ʒ.		Jacq. f. eclog. t. 60.
4 longifolia. s.s.	long-leaved.	Hungary.	1802.	7. 8.	H. ʒ.		W. et K. hung. 1. t. 5.
5 pubescens. s.s.	pubescent.	—	1820.	—	H. ʒ.		
6 ciliata. s.s.	ciliated.	—	—	—	H. ʒ.		
7 hybrida. s.s.	hybrid.	S. Europe.	—	6. 9.	H.⊙.		
8 integrifolia. s.s.	entire-leaved.	—	1748.	6. 8.	H.⊙.		
9 australis. s.s.	creeping-root'd.	Italy.	1823.	—	H. ʒ.		
SUCCISA. S.S.	SUCCISA.	Tetrandria Monogynia. S.S.					
1 pratensis. s.s.	Devil's-bit.	Britain.	8. 10.	H. ʒ.		Eng. bot. 878.
<i>Scabiosa Succisa</i> . L.							
2 glabrata.	smooth-leaved.	Austria.	1823.	7. 9.	H. ʒ.		
<i>Scabiosa glabrata</i> . R.S.							
3 syriaca. s.s.	Syrian.	Syria.	1633.	7.	H. ʒ.		Flor. græc. t. 105.
4 transylvanica. s.s.	Transylvanian.	Hungary.	1699.	—	H.⊙.		Jacq. vind. 2. t. 111.
5 uralensis. s.s.	Uralian.	Siberia.	1789.	7. 8.	H.⊙.		Murr. c. got. 1782. t. 4.
6 tatarica. s.s.	Tartarian.	Russia.	1759.	6. 8.	H. ʒ.		Lin. act. ups. 1744. t. 1.
7 alpina. s.s.	Alpine.	Switzerland.	1570.	6. 7.	H. ʒ.		Moris. s. 6. t. 13. f. 10.
<i>Cephalaria alpina</i> . R.S.	<i>Scabiosa alpina</i> . W.						
8 leucantha. s.s.	white-flowered.	France.	1633.	9. 10.	H. ʒ.		Ger. emac. f. 8.
9 centauroides. s.s.	Centaur-like.	S. Europe.	1816.	7. 8.	H. ʒ.		
10 lævigata. s.s.	smooth.	Hungary.	1823.	—	H. ʒ.		W. et K. hung. 3. t. 230.
11 corniculata.	horned.	—	1801.	—	H. ʒ.		— 1. t. 13.
<i>Cephalaria corniculata</i> . R.S.	<i>Scabiosa corniculata</i> . W.K.						
12 rigida. s.s.	rough-leaved.	C. B. S.	1731.	7.	G. ʒ.		
13 attenuata.	narrow-leaved.	—	1774.	7. 9.	G. ʒ.		
<i>trifida</i> . s.s.	<i>Scabiosa attenuata</i> . L.						
ASTEROCEPHALUS. S.S.	ASTEROCEPHALUS.	Tetrandria Monogynia. S.S.					
1 prolifer. s.s.	prolific.	Egypt.	1683.	7. 9.	H.⊙.		Flor. græc. t. 107.
<i>Scabiosa prolifera</i> . L.							
2 graminifolius. s.s.	grass-leaved.	Switzerland.	—	6.	H. ʒ.		Botan. regist. 835.
<i>Scabiosa graminifolia</i> . B.R.							
3 creticus. s.s.	Cretan.	Crete.	1596.	6. 10.	G. ʒ.		Moris. s. 6. t. 15. f. 31.

4	Massoni.	Masson's.	Azores.	1779.	6. 8.	H. ♀.	
	<i>lucidus</i> , s.s.	<i>Scabiosa lucida</i> , H.K.	<i>Massoni</i> , H.S.L.	<i>nitens</i> , R.S.			
5	dichotomus, s.s.	forked.	Sicily.	1804.	6. 8.	H. ⊙.	
6	africanus, s.s.	African.	Africa.	1690.	7. 10.	G. ♀.	Herm. parad. t. 219.
7	palestinus, s.s.	Palestine.	Palestine.	1771.	7. 8.	H. ⊙.	Jacq. vind. 1. t. 96.
8	<i>lucidus</i> .	shining.	France.	1800.	6. 9.	H. ♀.	
	<i>Scabiosa lucida</i> , R.S.						
9	silenifolius, s.s.	Silene-leaved.	Hungary.	1823.	7. 8.	H. ♀.	W. et K. hung. 2. t. 157.
10	canescens, s.s.	canescent.	—	1802.	—	H. ♀.	— 1. t. 53.
11	setifer, s.s.	setiferous.	France.	1820.	—	H. ♀.	
12	lyratus, s.s.	lyrate-leaved.	Turkey.	1799.	—	G. ♂.	
13	micanthus, s.s.	small-flowered.	Armenia.	1823.	—	H. ♀.	Desf. an. mus. 11. t. 25.
14	Biebersteinii.	Bieberstein's.	Caucasus.	—	—	H. ⊙.	
	<i>Scabiosa Biebersteinii</i> , R.S.	<i>sicula</i> , M.B.					
15	siculus, s.s.	Sicilian.	Sicily.	1783.	—	H. ⊙.	Jacq. vind. 1. t. 15.
16	amœnus, s.s.	glossy.	1823.	—	H. ♀.	
17	stellatus, s.s.	starry.	Spain.	1596.	—	H. ⊙.	Moris. s. 6. t. 15. f. 39.
18	atropurpureus, s.s.	sweet.	E. Indies.	1629.	7. 9.	H. ♂.	Botan. magaz. 247.
	<i>Scabiosa atropurpurea</i> , B.M.						
	<i>β carneus</i> ,	<i>flesh-coloured</i> .	—	—	—	H. ♂.	
	<i>γ roseus</i> ,	<i>rose-coloured</i> .	—	—	—	H. ♂.	
	<i>δ variegatus</i> ,	<i>variegated</i> .	—	—	—	H. ♂.	
	<i>ε albus</i> ,	<i>white-flowered</i> .	—	—	—	H. ♂.	
	<i>ζ prolifer</i> ,	<i>large-flowered</i> .	—	—	—	H. ♂.	
19	caucasicus, s.s.	Caucasean.	Caucasus.	1803.	7. 8.	H. ♀.	Moris. s. 6. t. 14. f. 2.
	<i>β elegans</i> , s.s.	<i>elegant</i> .	—	1820.	—	H. ♀.	Botan. magaz. 886.
20	holosericeus, s.s.	silky.	Pyrenees.	—	—	H. ♀.	
21	pyrenaicus.	Pyrenean.	—	1823.	—	H. ♀.	Barrel. ic. 223.
22	Webbianus, s.s.	Webb's.	Levant.	1820.	—	H. ♀.	Botan. regist. 717.
	<i>Scabiosa Webbiana</i> , B.R.						
23	crenatus, s.s.	crenated.	Sicily.	1824.	7. 8.	H. ♀.	Cyril. pl. rar. 1. t. 3.
	<i>Scabiosa coronopifolia</i> , Flor. græc. t. 114.						
24	rutæfolius.	Rue-leaved.	—	1804.	6. 8.	H. ♀.	Bocc. sic. t. 40. f. 3.
25	urceolatus, s.s.	jagged.	Barbary.	—	7. 8.	H. ♀.	— t. 52.
26	argentens, s.s.	silvery.	Levant.	1713.	6. 10.	H. ♀.	Flor. græc. t. 108.
27	maritimus, s.s.	sea-side.	S. Europe.	1818.	7. 9.	H. ⊙.	Bauh. hist. 3. f. 2.
28	ucranicus, s.s.	Ukraine.	Ukraine.	1795.	9.	H. ♀.	Gmel. sib. 2. t. 87.
29	Columbaria, s.s.	fine-leaved.	Britain.	7. 8.	H. ♀.	Eng. bot. 1311.
30	grandiflorus.	great-flowered.	Barbary.	1804.	6. 9.	H. ♀.	Scop. del. ins. 3. t. 14.
31	altissimus, s.s.	tall.	C. B. S.	1816.	—	G. ♀.	Jacq. vind. 2. t. 185.
32	mollissimus, s.s.	soft.	S. Europe.	—	7. 8.	H. ♀.	
33	ochroleucus, s.s.	pale-flowered.	Germany.	1597.	—	H. ♀.	Jacq. aust. 5. t. 439.
34	gramuntius, s.s.	cut-leaved.	S. Europe.	—	—	H. ♀.	Gerard herb. f. 2.
35	isetensis, s.s.	Siberian.	Siberia.	1801.	—	H. ♀.	Gmel. sib. 2. t. 88. f. 1.
36	baunaticus, s.s.	Hungarian.	Hungary.	1800.	—	H. ♀.	W. et K. hung. 1. t. 12.
37	Columnæ. Ten.	Column's.	Italy.	1823.	—	H. ♀.	
38	agrestis, s.s.	field.	Hungary.	—	—	H. ♀.	W. et K. hung. 3. t. 204.
39	incanus, R.S.	hoary.	—	—	H. ♀.	
PTEROCEPHALUS, S.S. PTEROCEPHALUS, Tetrandria Monogynia, S.S.							
1	plumosus, s.s.	feathered.	Greece.	1821.	7. 8.	H. ⊙.	Flor. græc. t. 3.
	<i>Scabiosa plumosa</i> , Sm.	<i>Knautia plumosa</i> , L.					
2	Vaillantii, s.s.	Vaillant's.	S. Europe.	1739.	—	H. ⊙.	
	<i>Scabiosa papposa</i> , L.						
KNAUTIA, R.S. KNAUTIA, Tetrandria Monogynia, L.							
1	orientalis, R.S.	red-flowered.	Levant.	1713.	6. 9.	H. ⊙.	Schk. handb. 1. t. 22.
2	propontica, R.S.	purple-flow'rd.	—	1768.	—	H. ♂.	Lam. ill. t. 58.

ORDO C.

CALYCERÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICARPHA, L.T.	ACICARPHA, Syngenesia Necessaria, P.S.		
<i>spatulata</i> , L.T.	<i>spatulata</i> -ld.	Brazil,	1816. 6. 9. G. ♀.

ORDO CI.

COMPOSITÆ. *Adanson fam.* 2. 103.SUBORDO I. CICHORACEÆ. *Kth. synops.* 2. p. 352.

- GEROPOGON. W.** OLD MAN'S-BEARD. Syngenesia Polygamia Æqualis.
 1 glaber. w. smooth. Italy. 1704. 7. 8. H. ⊙. Botan. magaz. 479.
 2 hirsutus. w. hirsute. ——— 1759. — H. ⊙. Col. ecphr. 1. t. 231.
 3 calyculatus. w. perennial. ——— 1774. 6. 8. H. ♀. Jacq. vind. 2. t. 106.
- TRAGOPOGON. W.** GOAT'S-BEARD. Syngenesia Polygamia Æqualis.
 1 pratensis. w. yellow. Britain. 5. 6. H. ♂. Eng. bot. 431.
 2 mutabilis. w. changeable. Siberia. 1816. — H. ♂. Jacq. ic. 1. t. 157.
 3 undulatus. w. wave-leaved. Crimea. 1790. — H. ♂. ——— 1. t. 158.
 4 parviflorus. L.en. small-flowered. 1822. — H. ♂.
 5 orientalis. w. oriental. Levant. 1787. 6. 7. H. ♂.
 6 canus. w.K. hoary. Hungary. 1822. — H. ♂.
 7 major. w. great. Austria. 1788. 5. 6. H. ♂. Jacq. aust. 1. t. 29.
 8 porrifolius. w. purple. England. H. ♂. Eng. bot. 638.
 9 floccosus. w.K. woolly. Hungary. 1816. — H. ♂. W. et K. hung. 2. t. 112.
 10 dubius. L.en. doubtful. 1822. — H. ♂.
 11 crocifolius. w. Crocus-leaved. Italy. 1739. 6. 7. H. ♂. Flor. græc. 779.
 12 angustifolius. w. narrow-leaved. ——— 1816. — H. ♂.
 13 villosus. w. hairy. Spain. 1794. 5. 6. H. ♂.
 14 roseus. D.P. rose-coloured. Hungary. 1807. 7. H. ♀. W. et K. hung. 2. t. 121.
- Scorzonera rosea. W.K.*
- TROXIMON. P.S.** TROXIMON. Syngenesia Polygamia Æqualis.
 1 glaucum. Ph. glaucous-ld. Missouri. 1811. 7. 8. H. ♀. Botan. magaz. 1667.
 2 cuspidatum. P.S. cuspidate. N.America. 1811. 4. 6. H. ♀.
marginatum. N.
- ARNOPOGON. W.** SHEEP'S-BEARD. Syngenesia Polygamia Æqualis.
 1 Dalechampii. w. great-flowered. S. Europe. 1739. 6. 10. H. ♀. Botan. magaz. 1623.
 2 picroides. w. prickly-cupp'd. ——— 1683. 7. 8. H. ⊙. Flor. græc. t. 781.
 3 asper. w. rough. Montpellier. 1774. — H. ⊙. ——— t. 782.
 4 capense. w. Cape. C. B. S. 1824. 6. 3. G. ♂. Jacq. ic. 3. t. 577.
- SCORZONERA. W.** VIPER'S-GRASS. Syngenesia Polygamia Æqualis.
 1 tomentosa. w. white. Armenia. 1789. 6. 7. H. ♀.
 2 humilis. w. dwarf. Europe. 1597. 8. H. ♀.
nervosa. P.S.
- 3 austriaca. w.en. Austrian. Austria. — H. ♀. Jacq. aust. 1. t. 36.
humilis. Jacq. non w.
- 4 plantaginifolia. Sch. Plantain-ld. Switzerland. 1816. — H. ♀.
 5 hispanica. w. garden. Spain. 1576. 6. 9. H. ♀. Lam. ill. t. 647. f. 5.
 6 glastifolia. w. Wood-leaved. Germany. 1816. — H. ♀.
 7 taurica. M.B. Taurian. Tauria. 1823. — H. ♀.
 8 rumicifolia. L.en. Dock-leaved. 1822. — H. ♀.
 9 caricifolia. w. Carex-leaved. Siberia. 1805. — H. ♀. Pall. it. 3. ap. t. J. 1. f. 1.
 10 parviflora. w. small-flowered. Austria. 1816. — H. ♀. Jacq. aust. 4. t. 305.
 11 lanata. M.B. woolly. Iberia. 1823. 6. 7. H. ♀.
 12 purpurea. w. purple-flow'r'd. Austria. 1759. 5. 6. H. ♀. Jacq. aust. 1. t. 35.
 13 angustifolia. w. narrow-leaved. S. Europe. 1759. 6. 8. H. ♀. W. et K. hung. 2. t. 122.
 14 angiosperma. M.B. woolly-seeded. Siberia. 1805. — H. ♀.
 15 ensifolia. M.B. sword-leaved. Caucasus. 1823. — H. ♀.
 16 hirsuta. w. hairy. S. Europe. — H. ♀. All. ped. t. 31. f. 33.
- PODOSPERMUM. DC.** PODOSPERMUM. Syngenesia Polygamia Æqualis.
 1 calcitrapifolium. DC. Calcitrapa-ld. Levant. 1823. 6. 8. H. ♀. Barr. ic. 800.
 2 resedifolium. DC. spreading. Spain. 1729. 6. 7. H. ♂. Bocc. sic. 13. t. 7. f. 4.
 3 laciniatum. DC. cut-leaved. S. Europe. 1610. — H. ♂. Jacq. aust. 4. t. 356.
 4 octangulare. DC. 8-angled. ——— 1820. — H. ♂.
 5 pumilum. small. Spain. 1822. 7. 9. H. ⊙. Cav. ic. 2. t. 121. f. 2.
Scorzonera pumila. w.
- 6 asperrimum. roughest. Galatia. — 8. 9. H. ♀.
Scorzonera asperrima. w.

7	<i>asperum.</i>	rough.	Levant.	—	7. 8.	H. 2.	Desf. an. mus. 1. t. 9.
	<i>Scorzonera aspera.</i>	Desf. <i>stylosa.</i>	P.S.				
8	<i>subulatum.</i>	DC. grass-leaved.	Portugal.	1759.	—	H. 2.	Jacq. obs. 4. t. 100.
	<i>Scorzonera graminifolia.</i>	F.G. 784.					
9	<i>muricatum.</i>	DC. bristly.	Piedmont.	1818.	—	H. 2.	
10	<i>taraxacifolium.</i>	Dandelion-ld.	Bohemia.	1801.	6. 8.	H. 2.	Jacq. ic. 1. t. 106.
	<i>Scorzonera taraxacifolia.</i>	w.					
PICRIDIMUM. P.S. PICRIDIMUM. Syngenesia Polygamia Æqualis.							
1	<i>vulgare.</i>	P.S. various-leaved.	France.	1773.	6. 8.	H. 2.	All. ped. 1. t. 16. f. 1.
	<i>Scorzonera picroides.</i>	L. <i>Sonchus picroides.</i>	w.				
2	<i>tingitanum.</i>	P.S. Tangier.	Barbary.	1713.	6. 9.	H. 2.	Botan. magaz. 142.
	<i>Scorzonera tingitana.</i>	B.M. <i>Sonchus tingitanus.</i>	w.				
3	<i>hispanicum.</i>	v. Spanish.	Spain.	1816.	—	H. 2.	Jacq. schœnb. 2. t. 143.
4	<i>albidum.</i>	P.S. pale-flowered.	France.	1781.	7. 10.	H. 2.	Jacq. ic. 1. t. 164.
	<i>Crepis albid.</i>	w.					
SONCHUS. W. SOW-THISTLE. Syngenesia Polygamia Æqualis.							
1	<i>maritimus.</i>	w. sea-side.	S. Europe.	1748.	7. 9.	H. 2.	All. ped. 1. t. 16. f. 2.
2	<i>fruticosus.</i>	w. shrubby.	Madeira.	1777.	4. 7.	G. 2.	Jacq. ic. 1. t. 161.
3	<i>lævigatus.</i>	w.en. smooth.	—	1816.	—	G. 2.	
4	<i>lyratus.</i>	w.en. lyre-leaved.	—	—	—	G. 2.	
5	<i>hyoseridifolius.</i>	w.en. Hyoseris-ld.	—	1818.	—	G. 2.	
6	<i>pinatus.</i>	w. wing-leaved.	—	1777.	—	G. 2.	
7	<i>radicatus.</i>	w. long-rooted.	Canaries.	1780.	7.	G. 2.	
8	<i>palustris.</i>	w. tall marsh.	England.	7. 9.	H. 2.	Eng. bot. 935.
9	<i>uliginosus.</i>	M.B. annual marsh.	Caucasus.	1823.	—	H. 2.	
10	<i>arvensis.</i>	w. corn.	Britain.	—	H. 2.	Eng. bot. 674.
11	<i>lacerus.</i>	w. torn-leaved.	1823.	—	H. 2.	
12	<i>oleraceus.</i>	w. commonsmooth.	Britain.	6. 8.	H. 2.	Eng. bot. 843.
	<i>oleraceus a. lævis.</i>	L.					
13	<i>asper.</i>	L.en. rough.	—	—	H. 2.	Blackw. ic. t. 30.
	<i>oleraceus β. asper.</i>	L.					
14	<i>tenerrimus.</i>	w. clammy.	S. Europe.	1691.	7. 8.	H. 2.	Flor. græc. 790.
15	<i>flexuosus.</i>	Led. flexuose.	1822.	—	H. 2.	
16	<i>caucasicus.</i>	Spr. Caucasean.	Caucasus.	1820.	—	H. 2.	
17	<i>Plumieri.</i>	w. Plumier's.	Pyrenees.	1794.	—	H. 2.	
18	<i>alpinus.</i>	w. Alpine.	Scotland.	—	H. 2.	Eng. bot. 2425.
	<i>cæruleus.</i>	E.B.					
19	<i>lapponicus.</i>	w. Lapland.	Lapland.	1804.	—	H. 2.	Smith ic. ined. t. 21.
	<i>alpinus.</i>	L.					
20	<i>leucophæus.</i>	w. whitish-fl'd.	N. America.	1820.	—	H. 2.	
21	<i>macrophyllus.</i>	w. large-leaved.	—	—	—	H. 2.	
	<i>canadensis.</i>	P.S.					
22	<i>floridanus.</i>	w. small-flowered.	N. America.	1713.	7.	H. 2.	
23	<i>acuminatus.</i>	w. acuminate.	—	1812.	8. 9.	H. 2.	
LACTUCA. D.P. LETTUCE. Syngenesia Polygamia Æqualis.							
1	<i>pallida.</i>	D.P. Canadian.	Canada.	1704.	7. 9.	H. 2.	Rob. ic. 143 et 151.
	<i>Sonchus pallidus.</i>	w.					
2	<i>sibirica.</i>	D.P. Siberian.	Siberia.	1759.	—	H. 2.	Gmel. sib. 2. f. 3.
	<i>Sonchus sibiricus.</i>	w.					
3	<i>tatarica.</i>	D.P. Tartarian.	Tartary.	1784.	6. 7.	H. 2.	
	<i>Sonchus tataricus.</i>	w.					
4	<i>integrifolia.</i>	N. entire-leaved.	Missouri.	1812.	—	H. 2.	
5	<i>sonchifolia.</i>	w. Sonchus-leav'd.	Levant.	1821.	—	H. 2.	
6	<i>perennis.</i>	w. perennial.	Germany.	1596.	6. 8.	H. 2.	Mill. ic. 2. t. 157.
7	<i>tenerrima.</i>	w. purple-flow'r'd.	S. Europe.	1815.	7. 8.	H. 2.	
8	<i>segusiana.</i>	P.S. various-leaved.	Piedmont.	1823.	—	H. 2.	
9	<i>indica.</i>	w. Indian.	E. Indies.	1784.	8. 10.	H. 2.	
10	<i>viminea.</i>	L.en. rushy-twigg'd.	Austria.	1789.	7. 8.	H. 2.	Jacq. aust. 1. t. 9.
	<i>Prenanthes viminea.</i>	w.					
11	<i> muralis.</i>	D.P. wall.	Britain.	7.	H. 2.	Eng. bot. 457.
	<i>Prenanthes muralis.</i>	E.B.					
12	<i>saligna.</i>	w. least.	England.	7. 8.	H. 2.	Eng. bot. 707.
13	<i>sagittata.</i>	w. arrow-leaved.	Hungary.	1805.	—	H. 2.	W. et K. hung. 1. t. 1.
14	<i>altissima.</i>	M.B. tall.	Caucasus.	1818.	—	H. 2.	
15	<i>angustana.</i>	w. entire-leaved.	Italy.	1791.	—	H. 2.	All. ped. 1. t. 52. f. 1.
16	<i>maculata.</i>	L.en. spot-leaved.	Europe.	—	H. 2.	
17	<i>virosa.</i>	w. strong-scented.	Britain.	7. 9.	H. 2.	Eng. bot. 1957.
18	<i>Scariola.</i>	w. prickly.	England.	7. 8.	H. 2.	— 268.
19	<i>elongata.</i>	w. elongated.	Pennsylvania.	1805.	6. 7.	H. 2.	

- 20 *cichoriifolia*. DC. Succory-leaved. France. 1818. — H. ♀.
- 21 *stricta*. w. upright. Hungary. 1805. — H. ♂. W. et K. hung. 1. t. 48.
- 22 *quercina*. w. Oak-leaved. Sweden. 1686. 5. 7. H. ⊙.
- 23 *intybasea*. w. Endive-leaved. S. America. 1781. 6. 8. H. ⊙. Jacq. ic. 1. t. 162.
- 24 *palmata*. w. Savoy. 1683. 6. 7. H. ⊙.
- 25 *crispa*. w. curled. 1570. — H. ⊙.
- 26 *sativa*. w. garden. 1562. — H. ⊙.
- CHONDRILLA**. W. GUM-SUCCORY. Syngenesia Polygamia Æqualis.
- 1 *juncea*. w. common. France. 1633. 9. 10. H. ♀. Jacq. aust. 5. t. 427.
- 2 *Decandollei*. Spr. Decandolle's. ——— 1824. 7. 9. H. ⊙.
- 3 *graminea*. M.B. grass-leaved. Caucasus. ——— H. ♀.
- 4 *latifolia*. M.B. broad-leaved. ——— H. ♂.
- PRENANTHES**. W. PRENANTHES. Syngenesia Polygamia Æqualis.
- 1 *hispidia*. w. hispid. Siberia. 1823. 6. 8. H. ♀.
- 2 *purpurea*. w. purple-flow'rd. Germany. 1658. 7. 9. H. ♀. Jacq. aust. 4. t. 317.
- 3 *altissima*. w. tallest. N. America. 1696. 7. 8. H. ♀. Pluk. alm. t. 317. f. 2.
- 4 *cordata*. w. heart-leaved. ——— 1816. — H. ♀.
- 5 *virgata*. Ph. tall slender. ——— 1823. 8. 9. H. ♀.
- 6 *alba*. w. white-flowered. ——— 1762. 7. 8. H. ♀. Botan. magaz. 1079.
- 7 *serpentaria*. Ph. Lion's-foot. N. America. 1823. 8. 10. H. ♀. Pursh. am. sept. 2. t. 24.
- 8 *rubicunda*. Ph. rubicund. ——— H. ♀.
- 9 *racemosa*. M. racemed. Canada. 1822. — H. ♀.
- 10 *spinosa*. w. prickly. Barbary. 1640. 3. 5. F. ½. Park. theatr. 804. f. 7.
- 11 *arborea*. w. en. arborescent. Canaries. 1823. F. ½.
- 12 *pinnata*. w. pinnated. ——— F. ½.
- 13 *hieracifolia*. w. hawkweed-ld. Scotland. 6. 9. H. ⊙. Eng. bot. 2325.
- pulchra*. DC. *Crepis pulchra*. E.B.
- LEONTODON**. W. DANDELION. Syngenesia Polygamia Æqualis.
- 1 *Taraxacum*. w. common. Britain. 4. 7. H. ♀. Eng. bot. 510.
- 2 *glaucescens*. M.B. glaucescent. Russia. 1820. — H. ♀.
- 3 *serotinum*. w. late-flowering. Hungary. 1816. 7. 9. H. ♀. W. et K. hung. 2. t. 114.
- 4 *palustre*. E.B. marsh. Britain. 6. 7. H. ♀. Eng. bot. 553.
- lividus*. W.K. *Taraxacum palustre*. DC.
- 5 *obovatum*. w. obovate-leaved. Spain. 1805. 7. H. ♀.
- 6 *nigricans*. W.K. black. Hungary. 1823. — H. ♀.
- 7 *bessarabicum*. L. en. small-flowered. Bessarabia. ——— H. ♀.
- 8 *lævigatum*. w. smooth. Spair. ——— H. ♀.
- APARGIA**. W. APARGIA. Syngenesia Polygamia Æqualis.
- 1 *aurantiaca*. w. orange-color'd. Hungary. 1816. 5. 6. H. ♀. Jacq. aust. 1. t. 93.
- 2 *alpina*. w. Alpine. Austria. ——— H. ♀.
- 3 *crocea*. w. saffron-color'd. Hungary. 1820. — H. ♀.
- 4 *hastilis*. w. shining-leaved. S. Europe. 1796. 7. 8. H. ♀. Jacq. aust. 2. t. 164.
- 5 *dubia*. w. tooth-leaved. Germany. 8. H. ♀.
- 6 *caucasica*. M.B. Caucasian. Caucasus. 1823. 7. 8. H. ♀.
- 7 *tuberosa*. w. tuberous-root'd. France. 1683. 5. 7. H. ♀. Flor. græc. t. 797.
- Thrinia tuberosa*. DC.
- 8 *incana*. w. hoary. S. Europe. 1784. 5. 6. H. ♀. Jacq. aust. 3. t. 287.
- 9 *Taraxaci*. w. Dandelion-ld. Britain. 8. H. ♀. Eng. bot. 1109.
- 10 *autumnalis*. w. autumnal. ——— H. ♀. ——— 830.
- 11 *hispidia*. w. rough. ——— 7. 9. H. ♀. ——— 554.
- Hedypnois hispida*. E.B.
- 12 *crispa*. w. curled. France. 1803. 7. 8. H. ♀. Vill. dauph. 3. p. 84. t. 25.
- 13 *Villarsii*. w. Villars's. ——— 1818. — H. ♀. ——— 3. p. 82. t. 25.
- 14 *coronopifolia*. w. bucks-horn-ld. Barbary. 1820. — H. ♀. Desf. atl. 2. t. 214.
- 15 *aspera*. w. hairy. Hungary. 1805. 6. 7. H. ♀. W. et K. hung. 2. t. 110.
- THRINCIA**. W. THRINCIA. Syngenesia Polygamia Æqualis.
- 1 *glabra*. Schl. smooth. Switzerland. 1823. 7. 8. H. ♀.
- 2 *hirta*. w. simple-haired. Britain. H. ♀. Eng. bot. 555.
- Hedypnois hirta*. E.B.
- 3 *hispidia*. w. hispid. S. Europe. 1815. 6. 8. H. ⊙. Vill. daup. 3. p. 166. t. 25.
- 4 *maroccana*. P.s. Morocco. Morocco. 1799. 7. 8. H. ⊙.
- 5 *pygmæa*. P.s. pigmy. Madeira. H. ⊙.
- Hyoseris pygmæa*. w.
- PICRIS**. W. OX-TONGUE. Syngenesia Polygamia Æqualis.
- 1 *hieracioides*. w. Hawkweed like. England. 7. 8. H. ⊙. Eng. bot. 196.
- 2 *dahurica*. F. Daurian. Dahuria. 1820. 7. 8. H. ⊙.
- 3 *sprengeriana*. P.s. branched. Portugal. 1783. 6. 7. H. ⊙. Moris. s. 7. t. 5. f. 17.
- Hieracium Sprengerianum*. L. *Crepis Sprengeriana*. w. en.
- 4 *pauciflora*. w. few-flowered. S. France. 1818. — H. ⊙. Cært. fr. 2. t. 158. f. 2.

5	Rhagadiolus. P.S.	Spanish.	Spain.	—	—	H. ☉.	Jacq. schœnb. 2. t. 144.
	<i>Crepis Rhagadiolus.</i>	Jacq.					
6	asplenioides. w.	Spleenwort-ld.	Barbary.	1805.	7. 8.	H. 7.	L'Herit. stirp. t. 82.
7	hispidâ. H.K.	hispid.	Levant.	1789.	—	H. 7.	
8	strigosa. M.B.	strigose.	Caucasus.	1823.	—	H. 7.	
9	kamtschatica. Led.	Kamtschatka.	Kamtschatka.	—	—	H. ☉.	
HIERACIUM. W.		HAWKWEED.	Syngenesia	Polygamia	Æqualis.		
1	aureum. w.	golden.	Italy.	1769.	5. 7.	H. 7.	Jacq. aust. 3. t. 297.
2	alpestre. w.	smooth-leaved.	Austria.	1823.	—	H. 7.	— t. 191.
3	rupestre. w.	rock.	Switzerland.	—	—	H. 7.	All. auct. t. 1. f. 2.
4	alpinum. w.	Alpine.	Britain.	7. 8.	H. 7.	Eng. bot. 1110.
5	pumilum. w.	small.	Germany.	1804.	—	H. 7.	
6	glabratum. w.	smooth.	Switzerland.	1823.	6. 8.	H. 7.	
7	bulbosum. w.	bulbous-rooted.	S. Europe.	—	—	H. 7.	
8	Pilosella. w.	Mouse-ear.	Britain.	5. 7.	H. 7.	Eng. bot. 1093.
9	dubium. w.	branching.	—	7. 8.	H. 7.	— 2332.
10	Auricula. w.	umbell'd mouse-ear.	England.	—	H. 7.	— 2368.
11	fallax. w.en.	hairy spear-ld.	1816.	—	H. 7.	
12	angustifolium. w.	narrow-leaved.	Mt. Cenis.	1822.	—	H. 7.	
13	florentinum. w.	Florentine.	Germany.	1796.	—	H. 7.	
	<i>præaltum.</i> DC.						
14	cymosum. w.	small-flowered.	Europe.	1739.	5. 6.	H. 7.	Moris. s. 7. t. 8. f. 10.
15	piloselloides. P.S.	Mouse-ear like.	France.	1823.	5. 7.	H. 7.	Vill. delph. 3. p. 100. t. 27.
16	staticifolium. w.	thrift-leaved.	Europe.	1804.	6. 7.	H. 7.	— 3. p. 116. t. 27.
17	præmorsum. w.	præmorse.	Siberia.	1820.	—	H. 7.	Gmel. sib. 2. t. 13.
18	succisæfolium. P.S.	Succisa-leaved.	Piedmont.	1822.	—	H. 7.	
19	flagellare. w.en.	creeping.	1816.	5. 7.	H. 7.	
20	bifurcum. M.B.	two-forked.	S. Europe.	1822.	—	H. 7.	
21	bifidum. w.en.	bifid.	Hungary.	—	6. 7.	H. 7.	
22	incarnatum. w.	flesh-coloured.	Carniola.	1815.	—	H. 7.	Jacq. ic. t. 578.
23	aurantiacum. w.	orange-color'd.	Scotland.	—	H. 7.	Eng. bot. 1469.
24	venosum. w.	veined.	N. America.	1790.	—	H. 7.	
25	Gronovii. w.	Gronovius's.	—	1798.	—	H. 7.	
26	Gmelini. w.	Gmelin's.	Siberia.	—	—	H. 7.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhini. Schult.	Bauhin's.	Switzerland.	1820.	—	H. 7.	
28	Lawsoni. w.	Lawson's.	Britain.	—	H. 7.	Eng. bot. 2083.
29	paniculatum. w.	panicled.	Canada.	1800.	—	H. 7.	
30	chondrilloides. w.	Gum-succory.	Austria.	1640.	—	H. 7.	Jacq. aust. 5. t. 429.
31	humile. w.	low.	S. Europe.	1816.	—	H. 7.	— t. 189.
	<i>pumilum.</i> Jacq. <i>Jacquini.</i> Vill. delph. 3. t. 28.						
32	pictum. P.S.	painted-leaved.	Switzerland.	1823.	—	H. 7.	
33	nigrescens. w.	dark-coloured.	1801.	7. 8.	H. 7.	Willd. hort. ber. t. 10.
34	prunellæfolium. w.	Prunella-ld.	Switzerland.	1823.	6. 7.	H. 7.	All. ped. t. 15. f. 2.
35	montanum. w.	mountain.	S. Europe.	1775.	—	H. 7.	Jacq. aust. 2. t. 190.
36	porrifolium. w.	Leek-leaved.	Austria.	1640.	7. 8.	H. 7.	— 3. t. 286.
37	saxatile. w.	rock.	—	1801.	—	H. 7.	Jacq. ic. 1. t. 163.
38	glaucum. w.	glaucous.	S. Europe.	1807.	6. 7.	H. 7.	All. ped. t. 81. f. 1.
39	molle. w.	soft-leaved.	Scotland.	7. 8.	H. 7.	Eng. bot. 2210.
40	croaticum. W.K.	Hungarian.	Hungary.	1820.	—	H. 7.	
41	Sternbergii. L.en.	Sternberg's.	—	—	—	H. 7.	
42	pallescens. w.en.	pale.	—	1815.	6. 7.	H. 7.	W. et K. hung. 3. t. 217.
43	murorum. E.B.	wall.	Britain.	7.	H. 7.	Eng. bot. 2082.
44	maculatum. E.B.	stained-leaved.	England.	7. 8.	H. 7.	— 2121.
45	ramosum. w.	branching.	Hungary.	1805.	—	H. 7.	
46	sylvaticum. E.B.	wood.	Britain.	8.	H. 7.	Eng. bot. 2031.
47	pulmonarium. E.B.	lungwort.	Scotland.	7. 8.	H. 7.	— 2307.
48	lapsanoides. w.	Lapsana-like.	Pyrenees.	1812.	—	H. 7.	Gouan. ill. t. 21. f. 3.
49	lyratum. w.	lyre-leaved.	Siberia.	1777.	—	H. 7.	Gmel. sib. 2. t. 9.
50	cerinthoides. E.B.	honeywort.	Scotland.	8.	H. 7.	Eng. bot. 2378.
51	flexuosum. w.	bending-stalk'd.	Hungary.	1804.	7. 8.	H. 7.	
52	amplexicaule. w.	heart-leaved.	Pyrenees.	1739.	—	H. 7.	All. ped. 1. t. 15. f. 1.
53	grandiflorum. w.	great-flowered.	Europe.	1791.	—	H. 7.	W. et K. hung. 1. t. 99.
54	intybaecum. w.	endive-leaved.	—	1794.	—	H. 7.	Jacq. aust. ap. t. 43.
55	Halleri. w.	Haller's.	—	1802.	—	H. 7.	Vill. dauph. 3. t. 26.
56	eriphyllum. L.en.	villous.	—	1816.	—	H. 7.	
57	villosum. E.B.	shaggy alpine.	Scotland.	—	H. 7.	Eng. bot. 2379.
58	pilocephalum. L.en.	hairy-headed.	Europe.	1816.	—	H. 7.	
59	trichocephalum. w.en.	three-headed.	—	1823.	—	H. 7.	
60	prostratum. w.en.	prostrate.	S. Europe.	—	—	H. 7.	

61	speciosissimum. w.en.	handsome.	—————	—————	—————	H. 4.	
62	ciliatum. w.	fringed.	Crete.	1823.	—————	H. 4.	
63	Milleri. L.en.	Miller's.	—————	H. 4.	
64	Schraderi. P.s.	Schrader's.	Switzerland.	1823.	—————	H. 4.	
65	lanatum. w.	woolly.	Hungary.	—————	—————	H. 4.	W. et K. hung. 2. t. 127.
66	andryaloides. P.s.	Andryala-like.	France.	1818.	—————	H. 4.	Vill. delph. 3. t. 29.
67	verbascifolium. P.s.	Mullein-leaved.	S. Europe.	1732.	5. 6.	H. 4.	Mill. ic. 1. t. 146. f. 1.
	<i>Andryala lanata. w.</i>						
68	echioides. w.	viper's-bugloss.	Hungary.	1802.	7. 8.	H. 4.	W. et K. hung. 1. t. 85.
69	verruculatum. L.en.	warted.	1823.	—————	H. 4.	
70	undulatum. w.	wave-leaved.	Spain.	1778.	—————	H. 4.	
71	glutinosum. w.	clammy.	S. Europe.	1796.	—————	H. 4.	
72	Kalmii. w.	Kalm's.	Pensylvania.	1794.	8.	H. 4.	
73	fasciculatum.	bundled.	Canada.	7. 8.	H. 4.	
74	racemosum. w.	racemed.	Hungary.	1818.	—————	H. 4.	W. et K. hung. 2. t. 193.
75	foliosum. w.	leafy.	—————	1805.	—————	H. 4.	————— 2. t. 145.
76	corymbosum. P.s.	corymbose.	1820.	—————	H. 4.	
77	sabandum. w.	frutescent.	Britain.	—————	H. 4.	Eng. bot. 349.
78	umbellatum. w.	umbel-flow'r'd.	—————	8. 9.	H. 4.	————— 1771.
79	prenanthoides. E.E.	rough-border'd.	Scotland.	6. 9.	H. 4.	————— 2235.
80	latifolium. L.en.	broad-leaved.	Pyrenees.	1823.	—————	H. 4.	
81	denticulatum. E.B.	small-toothed.	Scotland.	7. 8.	H. 4.	Eng. bot. 2122.
82	cydoniæfolium. w.en.	Quince-leaved.	France.	1816.	—————	H. 4.	
83	lævigatum. w.	smooth.	1804.	8. 9.	H. 4.	Willd. hort. ber. t. 16.
84	canescens. L.en.	canescent.	1820.	7. 8.	H. 4.	
85	bracteolatum. L.en.	bracted.	S. Europe.	1823.	—————	H. 4.	
86	coronopifolium. L.en.	Buckshorn-ld.	—————	—————	H. 4.	
87	longifolium. L.en.	long-leaved.	—————	—————	H. 4.	
88	parviflorum. Schl.	small-flowered.	Switzerland.	—————	—————	H. 4.	
89	ochroleucum. Schl.	sulphur-color'd.	—————	1821.	—————	H. 4.	
90	ovatum. Schl.	oval-leaved.	—————	1820.	—————	H. 4.	
91	calcareum. Horn.	spurred.	1823.	—————	H. 4.	
92	compositum. Lap.	compound.	Pyrenees.	—————	H. 4.	
93	crassifolium. Schu.	thick-leaved.	—————	—————	H. 4.	
94	incisum. Hop.	ent-leaved.	Germany.	—————	—————	H. 4.	
95	rotundatum. Horn.	rounded.	—————	—————	H. 4.	
66	sudeticum. St.	Swedish.	Sweden.	—————	—————	H. 4.	
97	virgatum. Ph.	twiggy.	N. America.	1816.	—————	H. 4.	
98	virescens. Schl.	greenish.	Switzerland.	1820.	—————	H. 4.	
99	fruticosum. w.	shrubby.	Madeira.	1785.	6. 7.	H. 4.	
HAPALOSTEPHIUM. D.P. HAPALOSTEPHIUM. Syngenesia Polygamia Æqualis.							
1	paludosum. D.P.	Succory-leaved.	Britain.	7. 8.	H. 4.	Eng. bot. 1094.
	<i>Hieracium paludosum. E.B.</i>						
2	pyrenaicum. D.P.	Pyrenean.	Pyrenees.	1723.	—————	H. 4.	
	<i>Hieracium blattarioides. P.s.</i>						
3	pilosum. D.P.	hairy.	—————	—————	—————	H. 4.	Herm. parad. t. 184.
4	austriacum.	Austrian.	Austria.	—————	—————	H. 4.	Jacq. aust. t. 441.
	<i>Crepis austriaca. Jacq.</i>						
5	sibiricum. D.P.	Siberian.	Siberia.	1755.	—————	H. 4.	Gmel. sib. 2. t. 10.
	<i>Crepis sibirica. L. Hieracium sibiricum. w.</i>						
LAGOSERIS. L.en. LAGOSERIS. Syngenesia Polygamia Æqualis.							
1	bursifolia. L.en.	pinnatifid.	Sicily.	1823.	7. 8.	H. 4.	Bocc.m.2. t.106 et 112.
	<i>Crepis bursifolia. L.</i>						
2	versicolor. L.en.	various-color'd.	Dauria.	—————	—————	H. 4.	
3	cernua. L.en.	nodding.	Calabria.	—————	6. 8.	H. 4.	
4	nemausensis.	Palestine.	S. Europe.	1794.	6. 7.	H. 4.	Vill. delph. 3. t. 26.
	<i>Crepis nemausensis. w.</i>						
5	leontodontoides. L.en.	Dandelion-like.	Italy.	1804.	7. 8.	H. 4.	
6	raphanifolia. L.en.	Radish-leaved.	1816.	6. 7.	H. 4.	
7	taurinensis. L.en.	bladdered.	S. Europe.	1823.	5. 7.	H. 4.	
8	intybaea. L.en.	Succory-leaved.	Portugal.	1816.	6. 7.	H. 4.	
BORKHAUSIA. L.en. BORKHAUSIA. Syngenesia Polygamia Æqualis.							
1	alpina. L.en.	Alpine.	Italy.	1739.	7.	H. 4.	Gmel. sib. 2. t. 5.
	<i>Crepis alpina. w.</i>						
2	rubra. L.en.	purple.	—————	1632.	6. 7.	H. 4.	Flor. græc. 801.
3	fætida. L.en.	fetid.	Britain.	—————	H. 4.	Eng. bot. 406.
	<i>Crepis fætida. E.B.</i>						
4	graveolens. L.en.	strong-scent'd.	1824.	7. 9.	H. 4.	
5	aspera. L.en.	rough.	Sicily.	1797.	7. 8.	H. 4.	Flor. græc. 804.
	<i>Crepis aspera. w.</i>						

- 6 hispida. L.en. hispid. S. Europe. 1798. — H.⊙. W. et K. hung. 1. t. 43.
 7 nicaensis. L.en. glandular-haired — 1824. — H.⊙.
- CREPIS. L.en.** Syngenesia Polygamia Æqualis.
 1 rigida. w. rigid. Hungary. 1805. 5. 7. H. 2. W. et K. hung. 1. t. 19.
 2 rigens. w. bristle-leaved. Azores. 1778. 7. 8. G. 2.
 3 hieracioides. w. hawkweed-like. Hungary. 1816. — H. 2. W. et K. hung. 1. t. 70.
 4 tectorum. E.B. smooth. Britain. . . . 6. 9. H.⊙. Eng. bot. 1111.
 5 cinerea. P.S. red-stalked. — — — — — H. ♂.
 6 Dioscoridis. w. Dioscorides'. France. 1772. 6. 7. H.⊙. Flor. græc. 808.
 7 biennis. w. biennial. England. . . . 6. 8. H. ♂. Eng. bot. 149.
 8 agrestis. w. field. Hungary. 1801. 7. 8. H.⊙.
 9 bannatica. W.en. Hungarian. — — — — — H.⊙.
 10 virens. w. green. Switzerland. 1796. 6. 7. H.⊙. Lobel. ic. 229. f. 2.
 11 pinnatifida. w. pinnatifid. S. Europe. 1820. — H.⊙.
 12 coronopifolia. w. fleshy-leaved. Canaries. 1777. 8. 9. H.⊙. Desf. act. par. 38. t. 9.
 13 filiformis. w. fine-leaved. Madeira. — 6. 7. G. ♂.
 14 latifolia. P.S. broad-leaved. Europe. 1816. — H.⊙.
 15 Gmelini. Schu. Gmelin's. Bavaria. 1823. — H.⊙.
 16 rhœadifolia. M.B. Poppy-leaved. Caucasus. — — — H.⊙.
 17 pulcherrima. F. elegant. Siberia. — — — H.⊙.
- MYOSERIS. L.en.** Syngenesia Polygamia Æqualis.
 purpurea. L.en. purple. Tauria. 1823. 6. 7. H.⊙.
Lagosevis purpurea. M.B.
- HELMINTHIA. J.** HELMINTHIA. Syngenesia Polygamia Æqualis.
 echioides. w. bristly. Britain. . . . 6. 7. H.⊙. Eng. bot. 972.
Picris echioides. E.B.
- TOLPIS. G.** TOLPIS. Syngenesia Polygamia Æqualis.
 1 barbata. w. purple-eyed. France. 1620. 6. 7. H.⊙. Botan. magaz. 35.
Crepis barbata. L. *Drepania barbata.* DC.
 2 umbellata. P.S. umbelled. Genoa. 1818. — H.⊙.
Drepania umbellata. DC.
 3 altissima. P.S. tall. Piedmont. — — — H.⊙. Ballb. diss. p. 4. t. 1.
- ANDRYALA. P.S.** ANDRYALA. Syngenesia Polygamia Æqualis.
 1 cheiranthifolia. w. various-leaved. Madeira. 1777. 5. 10. G. 2. L'Herit. stirp. 35. t. 18.
 2 pinnatifida. w. wing-leaved. — — — 1778. 7. 8. G. ♂.
 3 crithmifolia. w. Samphire-ld. — — — 6. 8. G. ♂.
 4 nigricans. w. dark-flowered. Barbary. 1804. — H.⊙.
 5 ragusina. w. downy. Archipelago. 1753. — G. 2. Mill. ic. 1. t. 146. f. 1.
 6 Rothia. P.S. Spanish. Spain. 1810. 8. H.⊙. Gært. sem. 2. t. 174.
Rothia andryaloides. w.
 7 sinuata. P.S. Stock-leaved. — — — 1768. 7. 8. H.⊙.
Rothia cheiranthifolia. w.
 8 runcinata. P.S. hoary. S. Europe. 1711. 7. 8. H. ♂.
- KRIGIA. W.** KRIGIA. Syngenesia Polygamia Æqualis.
 1 virginica. w. Virginian. N. America. 1811. 5. 7. H.⊙.
 2 amplexicaulis. N. stem-clasping. — — — 1799. 7. 8. H. 2.
- Troximon virginicum.* Ph. *Hyoseris amplexicaulis.* M.
- HYOSERIS. W.** SWINE'S SUCCORY. Syngenesia Polygamia Æqualis.
 1 radiata. w. starry. S. Europe. 1640. 6. 7. H. 2. Pluk. alm. t. 37. f. 2.
 2 lucida. w. shining. Levant. 1770. 6. 8. H. 2. Schum. ic. t. 39. 41.
 3 scabra. w. rugged. Sicily. 1789. 7. 8. H.⊙. Lam. ill. t. 654. f. 1.
 4 hispida. w. hispid. Morocco. 1779. — H.⊙.
 5 arenaria. w. sand. — — — 1800. — H.⊙.
- HEDYPNOIS. W.** HEDYPNOIS. Syngenesia Polygamia Æqualis.
 1 monspeliensis. w. branching. S. Europe. 1683. 6. 7. H.⊙. Flor. græc. 813.
 2 cretica. w. Cretan. Crete. 1731. 6. 7. H.⊙.
 3 coronopifolia. T.C. buckshorn-ld. Italy. 1823. — H.⊙.
 4 tubæformis. T.C. thick-tubed. — — — — — H.⊙.
 5 mauritanica. w. Barbary. — — — — — H.⊙.
 6 rhagadioloides. w. Nipple-wort. S. Europe. 1773. 7. 8. H.⊙. Cav. ic. 1. t. 43.
 7 pendula. w. pendulous. 1818. — H.⊙.
- ARNOSERIS. G.** ARNOSERIS. Syngenesia Polygamia Æqualis.
 1 fœtida. L.en. stinking. Italy. 1722. 7. 8. H. 2. W. et K. hung. 1. t. 49.
Lapsana fœtida. w. *Hyoseris fœtida.* P.S.
 2 minima. L.en. least. Britain. . . . 5. 6. H.⊙. Eug. bot. 95.
Hyoseris minima. E.B. *Lapsana pusilla.* w.
- SERIOLA. W.** SERIOLA. Syngenesia Polygamia Æqualis.
 1 lævigata. w. smooth. Caudia. 1772. 7. 8. H.⊙. Desf. atl. 2. t. 216.
 2 æthnensis. w. rough. Italy. 1763. — H.⊙. Jacq. obs. 4. t. 79.

3	<i>cretensis</i> . w.	Cretan.	Crete.	1820.	—	H.⊙.	
4	<i>Alliata</i> . L.en.	wood.	Ætna.	1823.	—	H.⊙.	Biv. cent. pl. 2. t. 7.
5	<i>urens</i> . w.	stinging.	S. Europe.	1773.	—	H.⊙.	Schmid. ic. t. 32.
ROBERTIA. DC.		ROBERTIA. Syngenesia Polygamia		Æqualis.			
	<i>taraxacoides</i> . DC.	Dandelion-like.	Corsica.	1824.	7. 8.	H.⊙.	Loisel. gal. 530. t. 28.
	<i>Seriola taraxacoides</i> . Lois.						
HYPOCHÆRIS. W.		CATS-EAR. Syngenesia Polygamia		Æqualis.			
1	<i>helvetica</i> . w.	one-flowered.	Switzerland.	1799.	6. 7.	H.⊙.	Jacq. ic. 1. t. 165.
2	<i>maculata</i> . w.	spotted.	England.	—	H.⊙.	Eng. bot. 225.
3	<i>minima</i> . w.	least.	Barbary.	1797.	7. 8.	H.⊙.	Flor. græc. 816.
4	<i>hispida</i> . w.en.	bristly.	S. Europe.	1804.	—	H.⊙.	Willd. hort. ber. 1. t. 46.
5	<i>Balbisii</i> . w.en.	Balbis's.	—	1822.	—	H.⊙.	
6	<i>glabra</i> . w.	smooth.	Britain.	—	H.⊙.	Eng. bot. 575.
7	<i>radicata</i> . w.	long rooted.	—	6. 9.	H.⊙.	— 831.
	<i>Achyrophorus radicans</i> . G.						
LAPSANA. W.		NIPPLEWORT. Syngenesia Polygamia		Æqualis.			
1	<i>communis</i> . w.	common.	Britain.	6. 7.	H.⊙.	Eng. bot. 844.
2	<i>crispa</i> . w.	curled.	1799.	7. 8.	H.⊙.	
3	<i>pubescens</i> . Zey.	pubescent.	Europe.	1820.	7. 8.	H.⊙.	
4	<i>lyrata</i> . w.en.	lyrate.	Caucasus.	1816.	—	H.⊙.	
	<i>grandiflora</i> . M.B.						
5	<i>intermedia</i> . M.B.	intermediate.	—	1823.	—	H.⊙.	
ZACINTHA. W.		ZACINTHA. Syngenesia Polygamia		Æqualis.			
	<i>verrucosa</i> . w.	warted.	S. Europe.	1633.	6. 7.	H.⊙.	Gært. sem. 2. t. 157. f. 7.
RHAGADIOLUS. W.		RHAGADIOLUS. Syngenesia Polygamia		Æqualis.			
1	<i>stellatus</i> . w.	starry.	S. Europe.	1633.	6. 7.	H.⊙.	Flor. græc. 817.
2	<i>edulis</i> . w.	heart-leaved.	Levant.	—	—	H.⊙.	— 818.
	<i>Lapsana Rhagadiolus</i> . L.						
KÆLPINIA. Pall.		KÆLPINIA. Syngenesia Polygamia		Æqualis.			
	<i>linearis</i> . Pall.	linear-leaved.	Levant.	1788.	7.	H.⊙.	Flor. græc. 819.
	<i>Rhagadiolus Kælpinia</i> . w. <i>Lapsana Kælpinia</i> . L.						
CATANANCHE. W.		CATANANCHE. Syngenesia Polygamia		Æqualis.			
1	<i>cœrulea</i> . w.	blue.	S. Europe.	1596.	7. 10.	H.⊙.	Botan. magaz. 293.
2	<i>lutea</i> . w.	yellow.	Candia.	1640.	6. 7.	H.⊙.	Flor. græc. 821.
CICHORIUM. W.		SUCCORY. Syngenesia Polygamia		Æqualis.			
1	<i>Intybus</i> . w.	common.	Britain.	6. 8.	H.⊙.	Eng. bot. 539.
2	<i>pumilum</i> . w.	dwarf.	1799.	7. 8.	H.⊙.	Jacq. obs. 4. t. 80.
3	<i>Endivia</i> . w.	Endive.	E. Indies.	1548.	—	H.⊙.	
	<i>α latifolia</i> .	broad-leaved.	—	—	—	H.⊙.	
	<i>β crispa</i> .	curled-leaved.	—	—	—	H.⊙.	
	<i>γ leucophylla</i> .	white-leaved.	—	—	H.⊙.	
4	<i>divaricatum</i> . w.	branching.	Barbary.	1798.	—	H.⊙.	
5	<i>spinosum</i> . w.	prickly.	Candia.	1633.	—	F. ♂.	Bauh. prodr. t. 62.
SCOLYMUS. W.		GOLDEN-THISTLE. Syngenesia Polygamia		Æqualis.			
1	<i>maculatus</i> . w.	annual.	S. Europe.	1633.	7. 8.	H.⊙.	Flor. græc. 824.
2	<i>hispanicus</i> . w.	Spanish.	—	1658.	7. 9.	H.⊙.	— 825.
3	<i>grandiflorus</i> . w.	great-flowered.	Barbary.	1820.	—	H.⊙.	Desf. atl. 2. t. 218.

SUBORDO II. LABIATIFLORÆ. Lagasca et DC. in ann. mus.

LERIA. DC.		LEPIA. Syngenesia Polygamia		Superflua.			
1	<i>nutans</i> . DC.	drooping-fl'd.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.
	<i>Tussilago nutans</i> . w.						
2	<i>albicans</i> . DC.	woolly-leaved.	Jamaica.	1821.	—	S.⊙.	
CHAPTALIA. V.		CHAPTALIA. Syngenesia Polygamia		Necessaria.			
	<i>tomentosa</i> . v.	woolly.	N. America.	1806.	5. 6.	H.⊙.	Botan. magaz. 2257.
	<i>Tussilago integrifolia</i> . M.						
CHUQUIRAGA. J.		CHUQUIRAGA. Syngenesia Polygamia		Æqualis.			
	<i>insignis</i> . Kth.	large-flowered.	S. America.	1824.	G. h.	Lam. ill. t. 691.
	<i>Johannia insignis</i> . w.						
TRIPTILION. R.P.		TRIPTILION. Syngenesia Polygamia		Æqualis.			
	<i>cordifolium</i> . B.R.	heart-leaved.	Peru.	1823.	6. 8.	H.⊙.	Botan. regist. 853.
PERDICIUM. DC.		PERDICIUM. Syngenesia Polygamia		Superflua.			
	<i>Anandria</i> . nc.	Siberian.	Siberia.	1759.	8.	H.⊙.	Gmel. sib. 2. t. 68. f. 1.
TRIXIS. DC.		TRIXIS. Syngenesia Polygamia		Superflua.			
	<i>senecioides</i> . H.E.F.	Groundsel-like.	Chili.	1822.	8. 10.	F. ♀.	Hook. ex. flor. 101.

SUBORDO III. *CARDUACEÆ*. *Don prodr. p. 166.*Div. I. *CARDUACEÆ VERÆ*. *Kth. synopsis. 2. p. 363.*

ARCTIUM. L.		BURDOCK. Syngenesia Polygamia Æqualis.			
1	<i>Lappa. w.</i>	smooth-headed. Britain.	7. 8.	H. ♂. Eng. bot. 1228.
2	<i>minus. M.B.</i>	smaller. Europe.	—	H. ♂.
	<i>Lappa minor. DC.</i>				
3	<i>Bardana. w.</i>	woolly-headed. Britain.	—	H. ♂. Eng. bot. 2478.
	<i>tomentosum. P.S.</i>				
SERRATULA. D.P.		SAWWORT. Syngenesia Polygamia Æqualis.			
1	<i>pulehella. B.M.</i>	purple-scaled. Siberia.	1823.	6. 7.	H. ♀. Botan. magaz. 2589.
2	<i>depressa. L.T.</i>	depressed. Caucasus.	1820.	—	H. ♀. Linn. trans. v. 11. t. 38.
3	<i>elegans. L.T.</i>	elegant. ———	—	—	H. ♀. ——— v. 11. t. 37.
4	<i>alpina. E.B.</i>	Alpine. Britain.	7. 8.	H. ♀. Eng. bot. 599.
	<i>Saussurea alpina. DC.</i>				
5	<i>angustifolia. w.</i>	narrow-leaved. Siberia.	1816.	—	H. ♀. Gmel. sib. 2. t. 33.
6	<i>discolor. w.</i>	two-coloured. Enrope.	—	—	H. ♀. Moris. s. 7. t. 22. f. 1.
	<i>Saussurea discolor. DC.</i>				
	<i>β lapathifolia. DC.</i>	<i>Dock-leaved.</i> ———	—	—	H. ♀.
7	<i>serrata.</i>	saw-leaved. ———	—	—	H. ♀.
	<i>Saussurea serrata. DC.</i>				
8	<i>salicifolia. w.</i>	Willow-leaved. Siberia.	1796.	—	H. ♀. Gmel. sib. 2. t. 27.
9	<i>alata.</i>	winged. Europe.	1823.	—	H. ♀.
	<i>Saussurea alata. DC.</i>	<i>non Serratula alata. w.en.</i>			
10	<i>salsa. M.B.</i>	salt. Caucasus.	1824.	—	H. ♀.
CARDUUS. D.P.		THISTLE. Syngenesia Polygamia Æqualis.			
1	<i>alatus. B.F.G.</i>	winged-stalked.	1812.	6. 8.	H. ♂. Swt. br. fl. gar. 103.
2	<i>tinctorius. D.P.</i>	common. Britain.	7. 10.	H. ♀. Eng. bot. 38.
	<i>Serratula tinctoria. E.B.</i>				
3	<i>quinquefolius. D.P.</i>	five-leaved. Persia.	1804.	7. 8.	H. ♀. Botan. magaz. 1871.
	<i>Serratula quinquefolia. B.M.</i>				
4	<i>coronatus. D.P.</i>	lyre-leaved. Italy.	1739.	7. 8.	H. ♀. Gmel. sib. 2. t. 20.
	<i>Serratula coronata. w.</i>				
5	<i>centauroides. D.P.</i>	Centaur-like. Siberia.	1804.	—	H. ♀. ——— 1. t. 40.
6	<i>radiatus. w.K.</i>	rayed. Hungary.	1800.	—	H. ♂. W. et K. hung. 1. t. 11.
7	<i>polyclonos. w.</i>	Siberian. Siberia.	1823.	—	H. ♀.
8	<i>argutus.</i>	sharply-tooth'd. ———	1823.	—	H. ♀.
	<i>Serratula arguta. L.en.</i>				
9	<i>cyanoides. w.</i>	blue-bottle-ld. Siberia.	1778.	—	H. ♀. Gmel. sib. 2. t. 15.
10	<i>simplex.</i>	one-flowered. Caucasus.	1817.	—	H. ♀. Botan. magaz. 2482.
	<i>mollis. w. Serratula simplex. DC.</i>				
11	<i>xeranthemoides.</i>	everlasting-fl'd. ———	1804.	—	H. ♀. Gmel. sib. 2. t. 47. f. 1.
	<i>Serratula xeranthemoides. M.B.</i>	<i>Centaurea radiata. w.</i>			
12	<i>lycopifolius. w.</i>	various-leaved. France.	1823.	—	H. ♀. Vill. delph. 3. t. 19.
	<i>Serratula heterophylla. DC.</i>				
13	<i>leucographus. w.</i>	white-spotted. Italy.	1752.	6. 7.	H. ⊙. Jacq. vind. 3. t. 23.
14	<i>arabicus. w.</i>	Arabian. Arabia.	1789.	7. 8.	H. ⊙. Jacq. ic. 1. t. 166.
15	<i>nutans. w.</i>	musk. Britain.	—	—	H. ⊙. Eng. bot. 1112.
16	<i>carlinoides. w.en.</i>	Pyrenean. Pyreness.	1784.	—	H. ♂. Gouan. ill. t. 23.
	<i>Carlina pyrenaica. L.</i>				
17	<i>carlinæfolius. w.</i>	Carline-leaved. ———	1804.	—	H. ♂.
18	<i>acanthoides. w.</i>	welted. Britain.	6. 7.	H. ⊙. Eng. bot. 973.
19	<i>hamulosus. w.</i>	hooked. Hungary.	1802.	—	H. ⊙.
20	<i>tenniflorus. E.B.</i>	slender-flow'r'd. Britain.	—	H. ⊙. Eng. bot. 412.
21	<i>crispus. w.</i>	curled. Europe.	1804.	7. 8.	H. ♂. Flor. dan. t. 621.
22	<i>candicans. w.</i>	hoary. Hungary.	1805.	—	H. ♂. W. et K. hung. 1. t. 83.
23	<i>personatus. w.</i>	cut-leaved. Austria.	1776.	—	H. ♂. Jacq. aust. 4. t. 348.
24	<i>polyanthemus. w.</i>	many-flowered. Rome.	1739.	6. 7.	H. ♂. Triumf. obs. t. 103.
25	<i>paniculatus. w.</i>	paniced. S. Europe.	1781.	—	H. ♀.
26	<i>pyneocephalus. w.</i>	Italian. ———	1739.	7. 9.	H. ♀. Jacq. vind. 1. t. 34.
27	<i>onopordioides. M.B.</i>	Onopordum-like. Iberia.	1824.	7. 8.	H. ♀.
28	<i>argentatus. w.</i>	white Egyptian. Egypt.	1789.	6. 8.	H. ⊙. Jacq. vind. 2. t. 192.
29	<i>arctioides. w.</i>	pinnated. Hungary.	1804.	7. 8.	H. ♀.

- 30 *alpestris*. w. alpine. ——— 1805. — H. ♀.
- 31 *defloratus*. w. different-leav'd. Austria. 1570. 7. 9. H. ♀. Jacq. aust. 1. t. 89.
- 32 *Argemone*. DC. Argemone-ld. Pyrenees. 1816. — H. ♀.
- 33 *parviflora*. w. small-flowered. S. Europe. 1781. 6. 7. H. ♀.
- 34 *crassifolius*. w.en. thick-leaved. 1805. 7. H. ♀.
- 35 *sumanus*. L.en. Pollini's. Italy. 1823. 7. 8. H. ♀.
- 36 *atriplicifolius*. L.en. Orach-leaved. Russia. — H. ♀.
- 37 *nitidus*. w. glossy. Hungary. 1806. — H. ♀. W. et K. hung. 1. t. 52.
- 38 *nudicaulis*. P.s. naked-stalked. S. Europe. 1739. — H. ♀. Cav. ic. 3. t. 226.
- cerinthoides*. w. *glaucus*. Cav. *Centaurea nudicaulis*. L. *Serratula nudicaulis*. DC.
- 39 *cichoraceus*. Ræu. Succory-leav'd. Europe. 1824. — H. ♀.
- 40 *orientalis*. M.B. oriental. Iberia. 1804. 7. H. ♀.
- 41 *salinus*. M.B. narrow-leaved. Siberia. — H. ♀.
- SILYBUM**. G. **SILYBUM**. Syngenesia Polygamia Æqualis.
- 1 *marianum*. G. milk. Britain. . . . 7. H. ♂. Eng. bot. 976.
- Carduus marianus*. E.B.
- 2 *cernuum*. G. nodding. Siberia. 1755. 6. 7. H. ♀. Mill. ic. 2. t. 248.
- Cnicus cernuus*. w.
- CIRSIUM**. G. **HORSE-THISTLE**. Syngenesia Polygamia Æqualis.
- 1 *palustre*. DC. marsh. Britain. . . . 7. 8. H. ♂. Eng. bot. 974.
- Carduus palustris*. E.B. *Cnicus palustris*. w.
- 2 *elatum*. L.en. tall. 1823. — H. ♀.
- 3 *uliginosum*. M.B. swamp. Narzana. 1820. — H. ♀.
- 4 *canum*. L.e. hoary. Austria. 1633. — H. ♀. Jacq. anst. 1. t. 42-3.
- 5 *Acarna*. DC. yellow. Spain. 1683. 7. 9. H. ♂. Cavan. ic. 1. t. 53.
- 6 *pyrenaicum*. DC. Pyrenean. Pyrenees. 1818. 7. 8. H. ♀. Jacq. obs. 4. t. 95.
- 7 *monspeulanum*. DC. Montpelier. Montpelier. 1596. 6. 7. H. ♀.
- 8 *pannonicum*. L.en. Hungarian. Hungary. 1816. 7. 9. H. ♀. Jacq. aust. 3. t. 5.
- 9 *strictum*. L.en. straight. Naples. 1820. — H. ♀.
- 10 *lanceolatum*. DC. common. Britain. . . . 6. 9. H. ♂. Eng. bot. 107.
- Carduus lanceolatus*. E.B. *Cnicus lanceolatus*. w.
- 11 *desertorum*. L.en. desert. Siberia. 1823. 7. 8. H. ♀.
- 12 *ciliatum*. L.en. fringed. ——— 1787. 8. H. ♀. Murr. com. got. 6. t. 5.
- 13 *serrulatum*. M.B. serrulate. Tauria. 1820. 7. 8. H. ♀.
- 14 *laniflorum*. M.B. woolly-flow'r'd. ——— 1823. — H. ♀.
- 15 *arachnoideum*. M.B. cobweb. ——— — H. ♀.
- 16 *strigosum*. M.B. strigose. Caucasus. 1818. — H. ♂.
- 17 *horridum*. M.B. very spiny. ——— 1820. — H. ♀.
- 18 *munitum*. M.B. armed. ——— 1816. — H. ♀.
- 19 *obvallatum*. M.B. crowded-fl'd. ——— — H. ♀.
- 20 *scleranthum*. M.B. Carlina-like. ——— 1824. — H. ♂.
- carlinoides*. F. *Carlina Echinus*. M.B.
- 21 *echinatum*. L.en. hedgehog. Barbary. ——— — H. ♀.
- 22 *eriphorum*. DC. woolly-headed. Britain. . . . — H. ♂. Eng. bot. 386.
- Carduus eriophorus*. E.B. *Cnicus eriophorus*. w.
- 23 *ferox*. DC. fierce. S. Europe. 1683. — H. ♂. All. ped. 1. t. 50.
- 24 *discolor*. L.en. two-coloured. N. America. 1803. — H. ♂.
- 25 *inermis*. L.en. unarmed. Pyrenees. 1818. — H. ♀.
- 26 *altissimum*. L.en. giant. N. America. 1726. 8. 9. H. ♀. Dill. elth. t. 69. f. 80.
- 27 *pratense*. meadow. Britain. . . . 6. 7. H. ♀. Eng. bot. 177.
- anglicum*. DC. *Carduus pratensis*. E.B. *Cnicus pratensis*. w.
- 28 *heterophyllum*. DC. melancholy. ——— 7. 8. H. ♀. ——— 675.
- 29 *helenioides*. L.en. Elecampane-ld. Siberia. 1804. — H. ♀.
- 30 *serratuloides*. L.en. sawwort-like. ——— 1752. 6. 10. H. ♀. Jacq. aust. 2. t. 127.
- 31 *heteromallum*. Nepal. Nepal. 1820. — H. ♂.
- Cnicus heteromallus*. D.P. *Carduus candicans*. Wal.
- 32 *arvensis*. DC. corn or way. Britain. . . . 7. H. ♀. Eng. bot. 975.
- Serratula arvensis*. w. *Carduus arvensis*. E.B. *Cnicus arvensis*. ph.
- 33 *rivulare*. L.en. river. Hungary. 1804. 7. 8. H. ♀. Jacq. aust. 1. t. 91.
- tricephalodes*. DC. *Cnicus rivularis*. w.
- β salisburgense*. smaller. ——— ——— — H. ♀.
- 34 *ambiguum*. DC. ambiguous. S. Europe. 1823. — H. ♀.
- 35 *orgyale*. L.en. tall. ——— — H. ♀.
- 36 *carniolicum*. Scop. Carniola. Carniola. 1792. — H. ♀. Scop. carn. 1005. t. 54.
- 37 *pauciflorum*. few-flowered. Hungary. 1816. — H. ♂. W. et K. hung. 2. t. 161.
- 38 *tataricum*. All. Tartarian. Siberia. 1775. 7. 8. H. ♀. Jacq. aust. 1. t. 90.
- 39 *rigens*. L.en. upright alpine. Switzerland. ——— — H. ♀. LaChenal. act. h. 4. t. 16.
- 40 *oleraceum*. DC. pale-flowered. Europe. 1570. — H. ♀. Flor. dan. 860.
- 41 *Erisithales*. L.en. clammy. France. 1752. 6. 8. H. ♀. Jacq. aust. 4. t. 310.
- glutinosum*. DC. *Cnicus Erisithales*. w.

- 42 mite. L.en. soft. Russia. 1818. — H.⊙.
- 43 ochroleucum. DC. pale yellow. Switzerland. 1801. 7. H.⊙.
- 44 bulbosum. DC. tuberous. England. 8. 10. H.⊙. Eng. bot. 2562.
- Cnicus tuberosus*. E.B. *Carduus tuberosus*. L.
- 45 setosum. M.B. setose. Tauria. 1823. 7. 8. H.⊙.
- 46 acaule. DC. dwarf. Britain. — H.⊙. Eng. bot. 161.
- Carduus acaulis*. E.B. *Cnicus acaulis*. W.
- β caulescens*. P.S. stalked. — H.⊙.
- 47 Casabonæ. DC. fish-bone. S. Europe. 1714. 6. 8. F. ♂. Schmidt ic. t. 51-52.
- 48 stellatum. DC. starry. Italy. 1665. 6. 7. H.⊙. Flor. græc. 830.
- 49 Diacantha. L.en. two-spined. Barbary. 1800. — F. ♂. Lab. ic. pl. syr. 1. t. 3.
- Cnicus afer*. W. Jacq. schœnb. 2. t. 145.
- 50 syriacum. L.en. Syrian. Levant. 1771. 7. 8. H.⊙. Flor. græc. 831.
- 51 spuosissimum. Scop. feathery-headed. Switzerland. 1759. 6. 8. H.⊙. Botan. magaz. 1366.
- 52 echinocephalum. prickly-headed. Levant. 1823. — H.⊙.
- Cnicus echinocephalus*. W.
- 53 carthamoides. L.en. Carthamus-like. ——— 1823. — H.⊙.
- 54 pygmaeum. DC. pigmy. Austria. 1816. — H.⊙. Jacq. aust. t. 440.
- Serratula pygmaea*. W.
- ERYTHROLÆNA. ERYTHROLÆNA. Syngenesia Polygamia Æqualis.
- conspicua. B.F.G. conspicuous. Mexico. 1824. 9. 10. F. ♂. Swt. br. fl. gar. 134.
- ONOPORDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.
- 1 acanthium. E.B. woolly. Britain. 7. 8. H. ♂. Eng. bot. 977.
- 2 tauricum. W. Taurian. Tauria. 1800. — H. ♂.
- 3 virens. DC. green. S. Europe. 1822. — H. ♂.
- 4 macrocanthum. W. long-spined. Barbary. 1798. — H. ♂. Schousb. maroc. t. 5.
- 5 illyricum. W. Illyrian. S. Europe. 1648. — H. ♂. Jacq. vind. 2. t. 148.
- 6 arabicum. W. Arabian. ——— 1686. 7. H. ♂. ——— 2. t. 149.
- 7 elatum. Sm. tall. Greece. 1818. 7. 8. H. ♂.
- 8 deltoides. W. Siberian. Siberia. 1784. 8. H.⊙.
- 9 græcum. W. Grecian. Greece. 1799. 6. 7. H.⊙. Gouan. ill. t. 25.
- 10 cynaroides. L.en. Cynara-like. Caucasus. 1823. 7. 8. H.⊙.
- Carthamus cynaroides*. M.B.
- 11 viscosum. Schr. viscosus. Europe. ——— — H. ♂.
- 12 pyrenaicum. DC. Pyrenean. Pyrenees. 1818. — H.⊙.
- 13 acaulon. W. dwarf. 1739. — H. ♂. Jacq. ic. 1. t. 167.
- BERARDIA. P.S. BERARDIA. Syngenesia Polygamia Æqualis.
- subcaulis. P.S. round-leaved. Italy. 1791. 7. 8. H.⊙. Vill. dauph. 3. t. 22.
- Arctium lanuginosum*. DC. *Onopordum rotundifolium*. W.
- CYNARA. W. ARTICHOKE. Syngenesia Polygamia Æqualis.
- 1 Cardunculus. W. Cardoon. Candia. 1658. 8. 9. H.⊙. Tabern. ic. 696.
- 2 Scolymus. W. common. S. Europe. 1548. — H.⊙. Blackw. t. 458.
- 3 horrida. W. very prickly. Madeira. 1778. — G.⊙. Flor. græc. 834.
- 4 humilis. W. dwarf. Spain. 1613. 7. 8. H.⊙. Plak. alm. t. 81. f. 2.
- 5 glomerata. W. Cape. C. B. S. 1816. — G.⊙.
- 6 pygmaea. W. small. Spain. 1824. — H.⊙.
- CESTRINUS. Cass. CESTRINUS. Syngenesia Polygamia Æqualis.
- carthamoides. Cass. Carthamus-like. Barbary. 1799. 7. H.⊙. Desf. atl. 2. t. 223.
- Cynara acaulis*. W. *Serratula acaulis*. DC.
- CARLINA. W. CARLINE-THISTLE. Syngenesia Polygamia Æqualis.
- 1 acaulis. W. dwarf. Italy. 1640. 6. H.⊙. Knorr. thes. 2. t. c. 1.
- β caulescens*. P.S. stalked. ——— — H.⊙.
- 2 acanthifolia. W. Acanthus-ld. Pyrenees. 1818. 6. 7. H.⊙. Allion. ped. t. 51.
- 3 simplex. P.S. single-flow'r'd. Hungary. 1816. — H.⊙. W. et K. hung. 2. t. 152.
- 4 aggregata. W. clustered. ——— 1804. 6. 9. H.⊙.
- 5 lyrata. W. lyre-leaved. C. B. S. 1816. — G. ♂.
- 6 lanata. W. woolly. S. Europe. 1683. 6. 7. H.⊙. Garid. aix. t. 21.
- 7 corymbosa. W. corymbed. ——— 1640. 7. 8. H.⊙. Flor. græc. 837.
- 8 vulgaris. W. common. Britain. 5. 9. H. ♂. Eng. bot. 1144.
- 9 racemosa. W. racemed. Spain. 1658. 6. 8. H.⊙.
- STOBÆA. W. STOBÆA. Syngenesia Polygamia Æqualis.
- pinnata. W. Carthamus-like. C. B. S. 1812. 1. 12 G. ♂. Botan. magaz. 1788.
- CARTHAMUS. BASTARD SAFFRON. Syngenesia Polygamia Æqualis.
- tinctorius. W. common. Egypt. 1551. 6. 7. H.⊙. Botan. regist. 170.
- HERACANTHA. L.en. HERACANTHA. Syngenesia Polygamia Æqualis.
- 1 lanata. L.en. woolly. S. Europe. 1596. 7. 8. H.⊙. Botan. magaz. 2143.
- Carthamus lanatus*. E.M. *Centaurea lanata*. DC.
- 2 cretica. L.en. Cretan. Candia. 1781. 6. 7. H.⊙.
- Carthamus creticus*. W.

- 3 taurica. L.en. Taurian. Tauria. 1818. — H.⊙.
 4 glauca. glaucous. Iberia. — — H.⊙.
Carthamus glaucus. M.B.
- ONOBROMA. G. ONOBROMA. Syngenesia Polygamia Æqualis.
 1 tingitana. Tangier. Barbary. 1759. 6. 7. H.⊙. Cavan. ic. 2. t. 128.
Carthamus tingitanus. w. blue-flowered. Spain. 1640. — H.⊙. Botan. magaz. 2293.
Carthamus cœruleus. w.
- CARDUNCELLUS. DC. CARDUNCELLUS. Syngenesia Polygamia Æqualis.
 1 vulgaris. DC. common. France. 1776. 5. 6. H.⊙. Lob. ic. 2. p. 20.
Carthamus Carduncellus. w. small. ——— 1734. 6. 7. H.⊙.
 2 mitissimus. DC. tree. Spain. 1731. 7. 8. G.⊙.
 3? arborescens. *Carthamus arborescens.* w.
- CARLOWIZIA. DC. CARLOWIZIA. Syngenesia Polygamia Æqualis.
 salicifolia. DC. Willow-leaved. Madeira. 1784. 8. G.⊙.
Carthamus salicifolius. w. *Onobroma salicifolium.* L.en.
- ATRACTYLIS. W. ATRACTYLIS. Syngenesia Polygamia Æqualis.
 humilis. w. dwarf. Spain. 1759. 6. 7. H.⊙. Cav. ic. 1. t. 54.
- ACARNA. W. ACARNA. Syngenesia Polygamia Æqualis.
 1 gummifera. w. gummy-rooted. S. Europe. 1640. 6. 8. H.⊙. Cavan. ic. 3. t. 228.
 2 cancellata. w. netted. ——— 6. 7. H.⊙. Lam. ill. t. 662. f. 1.
Atractylis cancellata. p.s.
- STOKESIA. W. STOKESIA. Syngenesia Polygamia Æqualis.
 cyanea. w. blue-flowered. Carolina. 1766. 8. G.⊙. L'Herit. sert. 27. t. 38.
- STÆHELINA. W. STÆHELINA. Syngenesia Polygamia Æqualis.
 1 dubia. w. Rosemary-ld. S. Enrope. 1640. 6. 7. H.⊙. Lam. ill. t. 666. f. 4.
 2 arborescens. w. Storax-leaved. Candia. 1739. 7. 9. F.⊙. Flor. græc. t. 345.
 3 chamæpeuce. w. Pine-leaved. ——— 1640. 7. 11. F.⊙. ——— t. 347.
- PTERONIA. W. PTERONIA. Syngenesia Polygamia Æqualis.
 1 camphorata. w. aromatic. C. B. S. 1774. 6. 7. G.⊙. Pluk. mant. t. 345. f. 2.
 2 stricta. w. cluster-flow'r'd. ——— 4. 6. G.⊙.
 3 eclinata. w. prickly-cupp'd. ——— 1820. — G.⊙.
 4 flexicaulis. w. bending-stalk'd. ——— 1812. 6. 8. G.⊙.
 5 fasciculata. w. cluster-flow'r'd. ——— 1816. — G.⊙.
 6 pallens. w. pale. ——— — G.⊙.
 7 oppositifolia. w. opposite-leav'd. ——— 1774. 7. G.⊙. Lam. ill. t. 667. f. 2.
 8 glomerata. w. crowded. ——— 1823. 6. 8. G.⊙.
 9 scariosa. w. window-cupp'd. ——— 1815. — G.⊙.
- ZÆGEA. W. ZÆGEA. Syngenesia Polygamia Frustranea.
 Leptaurea. w. yellow-flow'r'd. Levant. 1779. 7. 8. H.⊙. Jacq. ic. 1. t. 177.
- LEUZEÄ. DC. LEUZEÄ. Syngenesia Polygamia Frustranea.
 1 confiera. DC. cone. S. Europe. 1683. 6. 9. H.⊙. DC. ann. mus. 16. t. 14.
Centauria confiera. w.
- 2 altaica. L.en. large-flowered. Altay. 1818. — H.⊙.
 3 australis. New Holland. N. Holland. 1821. 8. 9. H.⊙. Swt. br. fl. gar. ic.
- GALACTITES. DC. GALACTITES. Syngenesia Polygamia Frustranea.
 tomentosa. DC. woolly. S. Europe. 1738. 7. H.⊙. DC. ann. mus. 16. t. 16.
Centauria galactites. w.
- CRUPINA. G. CRUPINA. Syngenesia Polygamia Frustranea.
 1 vulgaris. Cas. black-seeded. Italy. 1596. 6. 7. H.⊙. Colum. ecph. 1. t. 34.
Centauria Crupina. w.
 2 Lippii. P.S. Lippi's. Egypt. 1739. — H.⊙. Isn. act. par. 1719. t. 10.
Centauria Lippii. w.
- CENTAUREA. J. CENTAURY. Syngenesia Polygamia Frustranea.
 1 moschata. w. sweet sultan. Persia. 1629. 7. 10. H.⊙. Knor. thes. 2. t. C. 4.
 2 glauca. w. glaucous. Caucasus. 1805. 6. 7. H.⊙.
 3 suaveolens. w. yellow sultan. Levant. 1633. 7. 10. H.⊙. Swt. brit. fl. gar. 1. t. 51.
 4 alpina. w. Alpine. Italy. 1640. 7. 8. H.⊙. Cornut. can. 69. t. 70.
 5 Centaurium. w. great. ——— 1596. — H.⊙.
 6 ruthenica. w. Russian. Russia. 1806. — H.⊙. Gmel. sib. 2. t. 41.
 7 phrygia. w. feathery-cupp'd. Switzerland. 1633. 6. 10. H.⊙. Flor. dan. 520.
 8 rivularis. P.S. river-side. Portugal. 1812. 7. 9. H.⊙.
 9 salicifolia. w. Willow-leaved. Caucasus. 1816. — H.⊙.
 10 austriaca. w. Austrian. Austria. 1815. 6. 10. H.⊙.
 11 pectinata. w. pectinated. France. 1727. 7. 10. H.⊙.
 12 uniflora. w. one-flowered. S. Europe. 1824. 6. 8. H.⊙. Bocc. mus. 2. t. 2.
 13 flosculosa. w. flosculose. Italy. 1817. — H.⊙.
 14 nervosa. W.en. nerved. S. Europe. 1815. 6. 9. H.⊙.

15	tricocephala. w.	downy-cupped.	Siberia.	1805.	7. 8.	H. ♀.	Gmel. sib. 2. t. 45. f. 1, 2.
16	hyssopifolia. w.	Hyssop-leaved.	Spain.	1812.	—	F. ♀.	Barrel. ic. 305.
17	coronopifolia. w.	Buck's-horn-la.	Levant.	1739.	6. 7.	H. ♂.	
18	procumbens. P.S.	procumbent.	Italy.	1821.	—	H. ♀.	
19	nigra. w.	black knapweed.	Britain.	5. 8.	H. ♀.	Eng. bot. 278.
20	pratensis. P.S.	field.	France.	1821.	—	H. ♀.	
21	nigrescens. w.	dark.	Hungary.	1805.	6. 8.	H. ♀.	
22	Triumfetti. w.	Cenisian.	Mt. Cenis.	—	—	H. ♀.	
23	montana. w.	mountain.	Austria.	1596.	—	H. ♀.	Botan. magaz. 77.
24	seusana. P.S.	silvery-fringed.	S. Europe.	1816.	—	H. ♀.	Barrel. ic. 389.
	<i>axillaris. w. variegata.</i> Lam.						
25	Cyanus. w.	blue-bottle.	Britain.	—	H. ♂.	Eng. bot. 277.
	<i>Cyanus segetum.</i> Moen.						
26	americana. N.	American.	N. America.	1823.	7. 10.	H. ♂.	Swt. br. fl. gar. ic.
27	ochroleuca. w.	Caucasean.	Caucasus.	1801.	7. 8.	H. ♀.	Botan. magaz. 1175.
28	ovina. w.	small-flowered.	Caucasus.	1802.	7. 11.	H. ♀.	
29	paniculata. w.	paniced.	Europe.	1640.	7. 8.	H. ♂.	Jacq. aust. 4. t. 320.
30	intybacea. Lam.	Succory-leaved.	S. Europe.	1778.	7. 9.	H. ♀.	
31	spinosa. w.	prickly-branch'd.	Candia.	1640.	—	F. ♀.	Botan. magaz. 2493.
32	ragusina. w.	white-leaved.	—	1710.	6. 7.	G. ♀.	— 494.
33	argentea. w.	silver-leaved.	—	1739.	7. 8.	F. ♀.	Barrel. ic. t. 218.
34	Cineraria. w.	hoary-leaved.	Italy.	1710.	—	H. ♀.	Moris. s. 7. t. 26. f. 20.
35	cinerea. w.	gray.	—	—	6. 7.	H. ♀.	Jacq. vind. 1. t. 92.
36	dealbata. M.B.	mealy.	Caucasus.	1804.	7. 8.	H. ♀.	
37	cutatofolia. Horn.	Cicuta-leaved.	Europe.	1824.	—	H. ♀.	
38	maculosa. P.S.	spotted-cupp'd.	Siberia.	1816.	—	H. ♀.	Gmel. sib. 2. t. 44. f. 1, 2.
39	sempervirens. w.	evergreen.	Spain.	1683.	—	H. ♀.	Bocc. sic. t. 39. f. 3.
40	coriacea. w.	leathery-leav'd.	Hungary.	1804.	6. 7.	H. ♀.	W. et K. hung. 2. t. 195.
41	Scabiosa. w.	greater-knapweed.	Britain.	6. 8.	H. ♀.	Eng. bot. 56.
42	tatarica. w.	Tartarian.	Tartary.	1801.	7. 8.	H. ♀.	
43	Stœbe. w.	wing-leaved.	Austria?	1759.	6. 7.	H. ♀.	
44	Fischeri. w.en.	Fischer's.	Siberia.	1816.	—	H. ♀.	
45	macrocephala. w.	large-headed.	Caucasus.	1805.	6. 8.	H. ♀.	Botan. magaz. 1248.
46	atropurea. w.	dark purple.	Hungary.	1802.	—	H. ♀.	W. et K. hung. 2. t. 116.
47	calocephala. w.en.	smooth-stalked.	Levant.	1816.	—	H. ♀.	
48	canariensis. w.en.	Canary.	Teneriffe.	1815.	—	G. ♀.	
49	orientalis. w.	oriental.	Levant.	1759.	7. 8.	H. ♀.	
50	arachnoidea. P.S.	cobweb.	Italy.	1823.	—	H. ♀.	
51	sibirica. w.	Siberian.	Siberia.	1782.	—	H. ♀.	Gmel. sib. 2. t. 42. f. 2.
52	diluta. w.	pale-flowered.	S. Europe.	1781.	—	H. ♀.	
53	alata. w.	winged-stalk'd.	Tartary.	—	8. 9.	H. ♀.	Venten. cels. 80.
54	elongata. Desf.	elongated.	Barbary.	1822.	—	H. ♀.	
55	Behen. w.	saw-leaved.	Levant.	1797.	7. 8.	H. ♂.	
56	repens. w.	creeping.	—	1739.	6. 8.	H. ♀.	
57	Jacea. w.	brown knapweed.	England.	7. 9.	H. ♀.	Eng. bot. 1678.
58	decumbens. P.S.	decumbent.	France.	1815.	—	H. ♀.	
59	amara. w.	bitter.	Italy.	7. 8.	H. ♀.	Bocc. mus. 31. t. 17.
60	alba. w.	white-flowered.	Spain.	1597.	6. 9.	H. ♀.	
61	splendens. w.	shining.	—	—	7. 8.	H. ♂.	
62	nitesus. w.	glittering.	Caucasus.	1823.	—	H. ♂.	Buxb. cent. 2. t. 15. f. 1.
63	tagana. w.	Portugal.	Portugal.	1640.	—	H. ♀.	Brot. phyt. lus. t. 3.
64	babylonica. w.	Babylonian.	Levant.	1710.	6. 9.	H. ♀.	Alp. exot. t. 282.
65	glastifolia. w.	hood-leaved.	Siberia.	1731.	—	H. ♀.	Botan. magaz. 62.
RHAPANTICUM. D.C. RHAPANTICUM. Syngenesia Polygamia Frustranea.							
1	scariosum. Lam.	common.	Switzerland.	1640.	7. 8.	H. ♀.	Botan. magaz. 1752.
	<i>Centaurea Rhapontica.</i> B.M.						
	<i>β lyratum.</i> DC.	lyrate.	—	—	H. ♀.	
2	uniflorum. DC.	onc-flowered.	Siberia.	1796.	—	H. ♀.	Gmel. sib. 2. t. 38.
	<i>Cnicus uniflorus.</i> w.						
CROCODILUM. J. CROCODILUM. Syngenesia Polygamia Frustranea.							
1	cucullatum.	blush-flowered.	Levant.	1777.	7. 8.	H. ♂.	Barrel. rar. t. 503.
	<i>Centaurea Crocodylium.</i> w. <i>Calitrapa cucullata.</i> Moen.						
2	peregrinum.	soft-leaved.	S. Europe.	1749.	—	H. ♂.	
	<i>Centaurea peregrina.</i> w.						
3	muricatum.	muricated.	Spain.	1621.	—	H. ♂.	
4	aureum.	great golden.	S. Europe.	1758.	7. 9.	H. ♀.	Botan. magaz. 421.
	<i>Centaurea aurea.</i> B.M.						
5	salmanticum. sp.	ragwort-leav'd.	—	1596.	7. 8.	H. ♂.	Jacq. vind. 1. t. 64.
6	verutum. sp.	dwarf.	Levant.	1780.	8. 9.	H. ♂.	Jacq. ic. 1. t. 178.

CALCITRAPA. J.	STAR-THISTLE.	Syngenesia	Polygamia	Frustranea.	
1 sordida. P.S.	sordid.	1817.	7. 8. H. ♀.	
<i>Centaurea sordida.</i> W.					
2 pubescens. P.S.	downy.	1804.	— H. ♀.	
3 rupestris. P.S.	rock.	Italy.	—	— H. ♀.	Column. eph. 1. t. et f. 2.
4 collina. P.S.	hill.	S. Europe.	1596.	6. 7. H. ♀.	
5 centauroides. L.en.	lyre-leaved.	—	1739.	5. 7. H. ♀.	Column. eph. 1. t. 35.
6 reflexa. L.en.	crook-spined.	Iberia.	1801.	7. 8. H. ♀.	
7 parviflora. L.en.	small-flowered.	—	1823.	— H. ♀.	
8 hybrida. L.en.	hybrid.	Italy.	1821.	— H. ♂.	
9 eriophora. P.S.	woolly-headed.	Portugal.	1714.	6. 10. H. ♂.	
10 balsamita. L.en.	bristle-spined.	Armenia.	1824.	7. 8. H. ♀.	
11 rigida. L.en.	rigid.	—	— H. ♀.	
12 stellata. Lam.	common.	England.	— H. ♂.	Eng. bot. 125.
<i>Centaurea Calcitrapa.</i> E.B.					
13 phœnicea.	Phœnician.	Levant.	1683.	6. 7. H. ♂.	
<i>Centaurea calcitrapoides.</i> W.					
14 ægyptiaca.	Egyptian.	Egypt.	1790.	6. 9. F. ♀.	
15? benedicta.	blessed thistle.	Spain.	1548.	6. 10. H. ♂.	Zorn. ic. 122.
SERIDIA. J.	SERIDIA.	Syngenesia	Polygamia	Frustranea.	
1 aspera.	rough.	S. Europe.	1772.	6. 10. H. ♂.	Bocc. mus. 35. t. 26.
<i>Centaurea aspera.</i> W.					
2 napifolia.	Turnep-leaved.	Candia.	1691.	7. 9. H. ♂.	Herm. parad. t. 189.
3 straminea.	straw-coloured.	Egypt.	1801.	7. 8. H. ♂.	Willd. hort. ber. 26.
4 polyacantha.	many-spined.	Portugal.	1804.	— H. ♂.	
5 prolifera.	proliferous.	Egypt.	1816.	— H. ♂.	Vent. hort. cels. t. 16.
6 auriculata.	eared.	—	— H. ♂.	
<i>Centaurea auriculata.</i> P.S.					
7 Isnardi.	Jersey.	Jersey.	— H. ♀.	Eng. bot. 2256.
<i>Centaurea Isnardi.</i> E.B.					
8 sphærocephala.	globe-headed.	S. Europe.	1683.	— H. ♀.	Botan. magaz. 2551.
<i>Centaurea sphærocephala.</i> B.M.					
9 sicula.	Sicilian.	Sicily.	1710.	— H. ♀.	Bocc. sic. t. 8. f. 1.
10 Adami.	Adam's.	Siberia.	1804.	— H. ♂.	
11 melitensis.	cluster-headed.	Malta.	1710.	— H. ♂.	Bocc. sic. t. 35.
12 sulphurea.	sulphur-color'd.	1815.	— H. ♂.	
13 solstitialis.	St. Barnaby's.	England.	— H. ♂.	Eng. bot. 243.
<i>Centaurea solstitialis.</i> E.B.					
14 pullata.	sad-coloured.	S. Europe.	1714.	6. 7. H. ♂.	Mill. ic. 2. t. 152. f. 2.
15 ferox.	hedgehog.	Barbary.	1790.	7. 9. F. ♀.	Desf. atl. 2. t. 242.
16 romana.	Roman.	Rome.	1739.	— H. ♂.	Barrel. rar. t. 501.
17 cruenta.	obovate-leaved.	1816.	6. 8. H. ♀.	
18 sonchifolia.	Sow-thistle'd.	S. Europe.	1780.	8. 10. H. ♀.	Pluk. phyt. 39. f. 1.
19 latifolia.	purple-flower'd.	Spain.	1686.	6. 8. H. ♀.	Pluk. alm. t. 38. f. 1.
<i>Centaurea seridis.</i> W.					
CARDOPATUM. J.	CARDOPATUM.	Syngenesia	Polygamia	Segregata.	
corymbosum. P.S.	umbelled.	S. Europe.	1640.	6. 7. H. ♀.	Moris. s. 7. t. 33. f. 17.
<i>Brotera corymbosa.</i> W.					

Div. II. ECHINOPSIDEÆ. *Kth. synopsis. 2. p. 364.*

ROLANDRA. W.	ROLANDRA.	Syngenesia	Polygamia	Segregata. L.	
argentea. w.	silver-leaved.	W. Indies.	1714.	7. S. ♀.	Sloan. jam. 1. t. 7. f. 3.
ECHINOPS. W.	GLOBE-THISTLE.	Syngenesia	Polygamia	Segregata. L.	
1 sphærocephalus. w. great.	great.	Austria.	1596.	7. 8. H. ♀.	Flor. græc. 923.
<i>β exaltatus.</i> Schr.	tall.	—	1820. H. ♀.	
2 spinosus. w.	thorny-headed.	Egypt.	1597.	— H. ♀.	Flor. græc. 924.
3 paniculatus. B.R.	panicled.	Spain.	1815.	— H. ♂.	Botan. regist. 356.
4 horridus. P.S.	horrid.	Persia.	1817.	— H. ♀.	
5 viscosus. M.B.	viscous.	Caucasus.	1823.	— H. ♂.	
6 tauricus. w.en.	Taurian.	Tauria.	1816.	— H. ♀.	
7 ruthenicus. M.B.	Russian.	Russia.	1819.	— H. ♀.	
8 Ritro. w.	small.	Europe.	1570.	7. 9. H. ♀.	Botan. magaz. 932.
9 tenuifolius. F.	slender-leaved.	Russia.	1823.	— H. ♀.	
10 strictus. B.M.	upright.	—	1822.	8. 10. H. ♂?	Botan. magaz. 2457.

11 strigosus. w.	annual.	Spain.	1729.	7. 9.	H. ⊙.	Botan. magaz. 2109.
12 lanuginosus. w.	woolly.	Levant.	1736.	6. 7.	H. ♀.	Flor. græc. 926.
GUNDELIA. W.	GUNDELIA.	Syngenesia Polygamia Segregata. L.				
Tournefortii. w.	Tournefort's.	Levant.	1739.	6. 8.	H. ♀.	Mill. ic. t. 287.
SPHERANTHUS.	SPHERANTHUS.	Syngenesia Polygamia Segregata. L.				
1 mollis. H.B.	soft.	E. Indies.	1818.	7. 9.	S. ⊙.	
2 indicus.	Indian.	————	1699.	8. 12.	S. ♀.	Burm. zeyl. t. 94. f. 3.
3 africanus. w.	African.	C. B. S.	1759.	7. 8.	G. ⊙.	Pluk. mant. t. 108. f. 7.
ANGIANTHUS. W.C.	ANGIANTHUS.	Syngenesia Polygamia Segregata.				
tomentosus. w.C.	woolly.	N. Holland.	1803.	7. 8.	G. ♀.	Wend. coll. 2. t. 48.
<i>Cassinia aurea.</i> H.K.K.	<i>non</i> L.T.					
BROTERA. P.S.	BROTERA.	Syngenesia Polygamia Segregata. P.S.				
trinervata. p.s.	three-nerved.	S. America.	1799.	7. 8.	H. ⊙.	Schr. b. jour. 180. 2. t. 5.
<i>Contrayerva.</i> Spr.	<i>Nauenburgia trinervata.</i> w.					
ÆDERA. W.	ÆDERA.	Syngenesia Polygamia Segregata. L.				
prolifera. w.	proliferous.	C. B. S.	1789.	5. 6.	G. ♀.	Botan. magaz. 1637.
ELEPHANTOPUS. W.	ELEPHANT'S-FOOT.	Syngenesia Polygamia Segregata. L.				
1 scaber. W.	rough-leaved.	E. Indies.	1695.	6. 9.	S. ♀.	Rheed. mal. 10. t. 7.
2 carolinianus. w.	Carolina.	America.	1732.	7. 9.	G. ♀.	Dill. elth. t. 106. f. 126.
3 tomentosus. w.	woolly.	W. Indies.	1733.	7. 8.	S. ♀.	
4 mollis. K.S.	soft-leaved.	Caracas.	1825.	—	S. ♀.	
5 nudiflorus. w.	naked-flow'r'd.	W. Indies.	1822.	—	S. ♀.	
6 spicatus. w.	spiked.	————	————	————	S. ♀.	Sloan. hist. 1. t. 150. f. 3. 4
7 angustifolius. w.	narrow-leaved.	————	1823.	—	S. ♀.	———— t. 148. f. 4.
STØBE. W.	STØBE.	Syngenesia Polygamia Segregata. L.				
1 æthiopica. w.	Juniper-leaved.	C. B. S.	1759.	8.	G. ♀.	
<i>Seriphium æthiopicum.</i> p.s.						
2 ericoides. w.	Heath-like.	————	1816.	7. 9.	G. ♀.	Moris. s. 7. t. 18. f. 12.
3 cinerea. w.	Heath-leaved.	————	1774.	—	G. ♀.	Pluk. mant. t. 297. f. 1.
<i>Seriphium cinereum.</i> p.s.						
4 reflexa. w.	reflex-leaved.	————	1816.	—	G. ♀.	
CÆSULIA. Roxb.	CÆSULIA.	Syngenesia Polygamia Segregata. L.T.				
axillaris. w.	axillary-flow'r'd.	E. Indies.	1804.	7. 9.	S. ♀.	Andr. reposit. 431.
LAGASCA. Cav.	LAGASCA.	Syngenesia Polygamia Segregata. L.T.				
mollis. w.	soft.	S. America.	1815.	6. 9.	S. ⊙.	Botan. magaz. 1804.
NOCCA. W.	NOCCA.	Syngenesia Polygamia Segregata.				
1 rubra.	red-flowered.	Mexico.	1823.	S. ♀.	Hum. et Bondp. 4. t. 311.
<i>LAGASCA rubra.</i> K.S.						
2 suaveolens.	sweet-scented.	————	————	S. ♀.	
<i>LAGASCA suaveolens.</i> K.S.						
3 latifolia. L.H.	broad-leaved.	————	————	S. ♀.	

 Div. III. VERNONIACEÆ. *Kth. synopsis. 2. p. 367. et ASTEREE. l. c. p. 399.*

AMPHEREPHIS. K.S.	AMPHEREPHIS.	Syngenesia Polygamia Æqualis.				
intermedia. L.en.	intermediate.	Brazil.	1822.	7. 9.	G. ♀.	Pl. sel. hrt. ber. t. 5.
ASCARICIDA. Cass.	ASCARICIDA.	Syngenesia Polygamia Æqualis.				
anthelmintica.	Indian.	E. Indies.	1770.	8. 9.	S. ♂.	Rheed. mal. 2. t. 21.
<i>indica.</i> Cass.	<i>Vernonia anthelmintica.</i> w.	<i>Conyza anthelmintica.</i> L.				
VERNONIA. W.	VERNONIA.	Syngenesia Polygamia Æqualis. W.				
1 noveboracensis. w.	long-leaved.	N. America.	1710.	9. 11.	H. ♀.	Dill. elt. t. 263. f. 342.
2 præalta. w.	tall.	————	1732.	—	H. ♀.	———— t. 264. f. 343.
3 angustifolia. Ph.	narrow-leaved.	————	1817.	—	H. ♀.	
4 glauca. w.	glaucous-leav'd.	————	1710.	—	H. ♀.	Dill. elt. t. 262. f. 341.
<i>oligophylla.</i> M.						
5 altissima. N.	tallest.	————	1823.	—	H. ♀.	
6 pandurata. L.en.	fiddle form.	————	—	—	H. ♀.	
7 sericea. B.R.	silky.	Brazil.	1818.	9. 1.	S. ♀.	Botan. regist. 522.
8 arborescens. P.S.	tree.	Jamaica.	1733.	11. 12.	S. ♀.	
9 fruticosa. P.S.	shrubby.	S. America.	1818.	—	S. ♀.	Plum. ic. 95. f. 1.
<i>Conyza fruticosa.</i> L.						
10 flexuosa. B.M.	flexuose-branch'd.	Brazil.	1823.	9. 10.	S. ♀.	Botan. magaz. 2477.
LIATRIS. W.	LIATRIS.	Syngenesia Polygamia Æqualis. W.				
1 spicata. w.	long-spiked.	N. America.	1732.	8. 10.	H. ♀.	Swt. br. fl. gar. 49.
<i>β pumila.</i> B.C.C.	<i>dwarf.</i>	————	—	H. ♀.	Lodd. bot. cab. 147.
2 pycnostachya. M.	pubescent.	————	1732.	—	H. ♀.	Dill. elt. t. 72. f. 83.

3 heterophylla. Ph.	various-leaved.	N.America.	1790.	7. 8.	H. ♀.	
4 intermedia. B.R.	intermediate.	————	1823.	8. 9.	H. ♀.	Botan. regist. 948.
5 cylindracea. M.	cylindrical-cup'd.	————	1811.	10.	H. ♀.	
6 pilosa. Ph.	hairy-leaved.	————	1783.	—	H. ♀.	Botan. regist. 595.
7 gracilis. Ph.	smooth-leaved.	————	1812.	—	H. ♀.	
8 turbinata. B.F.G.	turbinate-cup'd.	————	1823.	—	H. ♀.	Swt. br. fl. gar. ic.
9 elegans. w.	hairy-cup'd.	————	1787.	9. 10.	H. ♀.	Botan. regist. 267.
10 sphaeroidea. M.	globular-cup'd.	————	1817.	8. 10.	H. ♀.	Swt. br. fl. gar. 87.
11 scariosa. w.	scariosc-cup'd.	————	1739.	9. 10.	H. ♀.	Botan. regist. 590.
12 squarrosa. w.	rough-cup'd.	————	1732.	9. 10.	H. ♀.	Swt. br. fl. gar. 44.
13 paniculata. w.	panicled.	————	1826.	8. 10.	H. ♀.	
14 odoratissima. w.	sweet-scented.	Carolina.	1786.	—	F. ♀.	Andr. reposit. 633.
15 corymbosa. w.	corymbose.	N.America.	1825.	—	F. ♀.	
BRACHYLÆNA. L.T.	BRACHYLÆNA.	Syngenesia	Polygamia	Superflua.		
neriifolia.	Oleander-ld.	C. B. S.	1752.	8. 11.	G. ♀.	
<i>Baccharis neriifolia. w.</i>						
BACCHARIS. W.	PLOWMAN'S-SPIKENARD.	Syngenesia	Polygamia	Superflua.		
1 ivæfolia. w.	Peruvian.	America.	1696.	7. 8.	G. ♀.	Schk. handb. 3. t. 241.
2 angustifolia. M.	narrow-leaved.	N.America.	1812.	7. 9.	G. ♀.	
3 glomeruliflora. M.	close-flowered.	————	1817.	8. 10.	H. ♀.	
4 halimifolia. w.	Groundsel-tree.	————	1683.	10. 11.	H. ♀.	Schmidt arb. t. 82.
5 Dioscoridis. w.	Dioscorides'.	Levant.	1822.	7. 9.	G. ♀.	
6 scoparia. P.S.	broom.	Jamaica.	—	—	S. ♀.	Brown. jam. t. 34. f. 4.
<i>Calea scoparia. L.</i>						
7 parviflora. P.S.	small-flowered.	Peru.	—	—	S. ♀.	
8 fœtida. w.	Camphor-scent'd.	N.America.	1704.	8. 10.	G. ♀.	Dill. elt. t. 89. f. 105.
<i>Conyza camphorata. Ph.</i>						
CONYZA. W.	FLEA-BANE.	Syngenesia	Polygamia	Superflua. L.		
1 squarrosa. w.	great.	Britain.	—	—	7. 8. H. ♂.	Eng. bot. 1195.
2 marylandica. Ph.	Maryland.	N. America.	—	—	8. 10. H. ♂.	Dill. elt. t. 88. f. 104.
3 patula. w.	spreading.	China.	1758.	7. 9.	H. ♂.	Mill. ic. 2. t. 247.
4 axillaris. w.	axillary.	————	1824.	—	H. ♂.	
5 bifrons. w.	oval-leaved.	N.America.	1739.	8. 9.	H. ♀.	Pluk. alm. t. 87. f. 4.
6 purpurascens. w.	purplish.	Jamaica.	1822.	—	S. ♂.	Sloan. hist. 1. t. 159. f. 1.
7 candida. L.	woolly.	Candia.	1714.	6. 7.	F. ♀.	Flor. græc. 865.
<i>verbascifolia. w.</i>						
8 limonifolia. F.G.	white-leaved.	————	—	—	F. ♀.	Barr. ic. t. 217.
<i>candida. w. non L.</i>						
9 balsamifera. w.	balsamiferous.	China.	1818.	—	S. ♀.	Rumph. amb. 6. t. 24. f. 1.
10 chinensis. w.	Chinese.	————	1796.	7. 8.	S. ♂.	— 6. t. 14. f. 2.
11 cinerea. w.	grey.	E. Indies.	—	—	S. ♂.	— 6. t. 14. f. 1.
12 fastigiata. w.en.	clustered.	————	1820.	—	H. ♂.	
13 prolifera. w.	proliferous.	Java.	1819.	7. 9.	S. ♀.	Rumph. am. 5. t. 104. f. 1.
14 hirsuta. w.	shaggy.	China.	1767.	8. 9.	G. ♂.	
15 ægyptiaca. w.	Egyptian.	Egypt.	1778.	7. 9.	H. ♂.	Jacq. vind. 3. t. 19.
16 pinnatifida. R.	pinnatifid.	E. Indies.	1816.	—	S. ♀.	
17 Gouani. w.	Gouan's.	Canaries.	1772.	7. 8.	G. ♂.	Jacq. vind. 3. t. 79.
18 sicula. w.	red-stalked.	Sicily.	1779.	8. 9.	H. ♂.	Bocc. sic. t. 31. f. 4.
19 aurita. w.	eared.	E. Indies.	1818.	—	S. ♂.	
20 fœtida. w.	stinking.	Africa.	1724.	—	G. ♀.	Mill. ic. 2. t. 233.
21 amœna. L.en.	pretty.	————	1816.	—	S. ♀.	
22 glomerata. L.en.	crowded.	————	1824.	—	S. ♀.	
23 spatulata. L.en.	spatulate.	————	1824.	7. 9.	S. ♀.	
24 adnata. K.S.	decurrent.	Mexico.	—	—	S. ♀.	
<i>Baccharis adnata. W.en.</i>						
25 thapsoides. M.B.	Thapsus-leav'd.	Caspian Sea.	1806.	—	H. ♀.	
26 sordida. w.	small-flowered.	S. Europe.	1570.	—	F. ♀.	Barr. ic. t. 368.
27 saxatilis. w.	stone.	————	1640.	7. 8.	F. ♀.	Schk. handb. 3. t. 241.
28 rupestris. w.	rock.	Arabia.	1790.	—	G. ♀.	Schmidel ic. t. 36.
29 Tenorii. L.en.	Tenore's.	S. Europe.	1824.	—	F. ♀.	
30 sericea. w.	snowy.	Canaries.	1779.	—	G. ♀.	
31 geminiflora. L.en.	twin-flowered.	S. Europe.	1824.	—	F. ♀.	
32 innoides. w.	cluster-flow'r'd.	Teneriffe.	1780.	7. 8.	G. ♀.	Jacq. ic. 1. t. 171.
33 odorata. w.	sweet-scented.	India.	1759.	6. 8.	S. ♀.	Plum. ic. t. 97.
34 incisa. w.	cut-leaved.	C. B. S.	1774.	—	G. ♀.	
35 carolinensis. w.	Carolina.	Carolina.	1823.	—	G. ♀.	Jacq. ic. 3. t. 185.
36 virgata. w.	wing-stalked.	America.	1783.	8. 9.	G. ♀.	Sloan. hist. 1. t. 152. f. 5.
37 rugosa. H.K.	St. Helena.	St. Helena.	1772.	11.	G. ♀.	

- CARPESUM. W.**
 1 cernuum. w. CARPESUM. Syngenesia Polygamia Superflua. L. drooping. Austria. 1739. 7. 8. H. ♀. Jacq. aust. 3. t. 204.
 2 abrotanoides. w. Southernwood like. China. 1768. — H. ♀. Osbeck it. t. 10.
- INULA. W.**
INULA. Syngenesia Polygamia Superflua. L.
 1 Helenium. w. Elecampane. Britain. 7. 8. H. ♀. Eng. bot. 1546.
 2 Oculus-Christi. w. hoary. Austria. 1759. 7. 9. H. ♀. Jacq. aust. 3. t. 223.
 3 britannica. w. creeping-root'd. Germany. — H. ♀. Flor. dan. 413.
 4 dysenterica. w. meadow. England. 8. 9. H. ♀. Eng. bot. 1115.
 5 undulata. w. wave-leaved. Egypt. 1739. 7. 10. H. ♂.
 6 indica. w. Indian. E. Indies. — S. ♂. Burm. zeyl. t. 55. f. 2.
 7 Pulicaria. w. small fleawort. England. 8. 9. H. ♂. Eng. bot. 1196.
Pulicaria vulgaris. G.
- 8 arabica. w. Arabian. Arabia. 1823. — H. ♂. Pluk. alm. t. 149. f. 4.
 9 squarrosa. w. net-leaved. S. Europe. 1768. 7. 9. H. ♀. Flor. græc. 875.
 10 viscosa. w. clammy. Barbary. 1633. 7. 8. G. ♀. Jacq. vind. 2. t. 165.
Erigeron viscosum. Jacq.
- 11 tuberosa. p.s. tuberous-root'd. S. Europe. 1640. — H. ♀. Moris. s. 7. t. 19. f. 20.
Erigeron tuberosum. w.
- 12 salicina. w. willow-leaved. N. Europe. 1648. 8. 9. H. ♀. Flor. dan. t. 786.
 13 Bubonium. w. Austrian. Austria. 1801. 7. 9. H. ♀. Jacq. aust. 5. ap. t. 19.
 14 hirta. w. hairy. — 1759. 6. 9. H. ♀. — 4. t. 358.
 15 glandulosa. w. glandular. Georgia. 1804. 7. 8. H. ♀. Botan. magaz. 1907.
 16 mollis. L.en. soft. 1823. — H. ♀.
 17 suaveolens. w. woolly-leaved. S. Europe. 1758. 6. 8. H. ♀. Jacq. vind. 3. t. 51.
 18 Vaillantii. w. Vaillant's. France. 1739. — H. ♀. Hall. helv. n. 73. t. 2.
 19 mariana. w. American. N. America. 1742. 7. 8. H. ♀. Mill. ic. 1. t. 57. f. 1.
 20 germanica. w. German. Germany. 1759. 6. 7. H. ♀. Jacq. aust. 2. t. 134.
 21 ensifolia. w. sword-leaved. Austria. 1793. 7. 9. H. ♀. — 2. t. 162.
 22 crithunifolia. w. Samphire-ld. England. 8. 9. H. ♀. Eng. bot. 68.
 23 provincialis. w. oval-leaved. France. 1778. 7. 8. H. ♀.
 24 montana. w. mountain. S. Europe. 1759. — H. ♀. Garid. aix. t. 10.
 25 bifrons. w. Italian. — 1713. 6. 8. H. ♀. Herm. parad. t. 127.
 26 thapsoides. L.en. Mullein-like. 1823. — H. ♀.
 27 gossypina. M. cottony. N. America. — H. ♀.
 28 saturejoides. w. Savory-leaved. Vera Cruz. 1733. S. ♀. Reliq. honst. 8. t. 19.
 29 fœtida. w. stinking. Malta. 1688. 6. 8. H. ♂. Bocc. sic. 26. t. 13.
 30 odora. w. sweet-scented. S. Europe. 1824. — H. ♀. Moris. s. 7. t. 21. f. 6.
 31 villosa. L. villous. — H. ♂.
- Pulicaria villosa. L.en.*
- IXODIA. H.K.**
 achillæoides. H.K. Milfoil-like. N. Holland. 1803. 3. 9. G. ♀. Botan. magaz. 1534.
- HUMEA. Sm.**
HUMEA. Syngenesia Polygamia Æqualis.
 elegans. H.K. N. S. W. 1800. 6. 10. G. ♂. Exot. bot. 1. t. 1.
- CASSINIA. L.T.**
CASSINIA. Syngenesia Polygamia Æqualis.
 1 spectabilis. L.T. Humea-like. N. Holland. 1821. 5. 10. G. ♂. Botan. regist. 678.
 2 affinis. L.T. related. N. S. W. 1823. 4. 6. G. ♀.
 3 aurea. L.T. golden. — 1821. — G. ♀. Botan. regist. 764.
 4 longifolia. L.T. long-leaved. — — G. ♀.
 5 leptophylla. L.T. narrow-leaved. N. Zealand. — G. ♀.
- OZOTHAMNUS. L.T.**
OZOTHAMNUS. Syngenesia Polygamia Æqualis.
 1 cinereus. L.T. rusty. V. Diem. Isl. 1820. 4. 8. G. ♀. Lab. nov. hol. 2. t. 182.
Chrysocoma cinerea. Lab.
 2 rosmarinifolius. L.T. Rosemary-ld. — 1822. — G. ♀. — 2. t. 181.
Eupatorium rosmarinifolium. Lab.
 3 ferrugineus. L.T. ferruginous. — — G. ♀. — 2. t. 180.
Eupatorium ferrugineum. Lab.
- AMMOBIUM. Br.**
 alatum. B.M. AMMOBIUM. Syngenesia Polygamia Æqualis. winged-stalk'd. N. S. W. 1823. 8. 9. F. ♀. Swt. br. fl. gar. 48.
- ANTENNARIA. L.T.**
ANTENNARIA. Syngenesia Polygamia Superflua. L.
 1 dioica. L.T. red-flowered. Britain. 5. 7. H. ♀. Eng. bot. 267.
Gnaphalium dioicum. E.B.
 2 alpina. L.T. Alpine. Alps Europ. 1775. 6. 7. H. ♀.
 3 carpatica. L.T. Carpathian. Carp. mount. — H. ♀. Flor. dan. t. 332.
Gnaphalium alpinum. w. non. L.
 4 plantaginea. L.T. Plantain-ld. Virginia. 1759. 6. 7. H. ♀. Pluk. alm. t. 348. f. 9.
Gnaphalium plantaginifolium. w.
 5 margaritacea. L.T. pearly. England. 7. 9. H. ♀. Eng. bot. 2018.
 6 triplinervis. D.P. triple-nerved. Nepal. 1823. 6. 9. F. ♀. Botan. magaz. 2468.
 7 contorta. D.P. twisted-leaved. — 1818. — F. ♀. Botan. regist. 605.

- LEONTOPODIUM. L.T. LION'S-FOOT.** Syngenesia Polygamia Superflua, L.
helveticum. D.D. Swiss. Switzerland. 1776. 6. 7. H. ♀. Botan. magaz. 1958.
Gnaphalium Leontopodium. B.M.
- GNAPHALIUM. L.T. EVERLASTING.** Syngenesia Polygamia Superflua, L.
- 1 *luteo-album.* w. Jersey. Jersey. 7. 8. H. ♂. Eng. bot. 1002.
 - 2 *albescens.* w. white Jamaica. Jamaica. 1793. S. ♀.
 - 3 *sanguineum.* w. bloody. Egypt. 1768. 5. 7. H. ♀. Rauw. it. 285. t. 37.
 - 4 *undulatum.* w. wave-leaved. Africa. 1732. 6. 9. H. ♂. Dill. elth. t. 108. f. 130.
 - 5 *obtusifolium.* w. blunt-leaved. N. America. 1699. 7. 9. H. ♂. ——— t. 108. f. 131.
 - 6 *purpureum.* w. purple-flow'r'd. S. America. 1732. 6. 9. G. ♂. ——— t. 109. f. 132.
 - 7 *involutum.* w. involucred. N. Zealand. 1823. 7. 8. G. ♀. Botan. magaz. 2582.
 - 8 *americanum.* w.en. Jamaica. Jamaica. 1815. S. ♀.
 - 9 *pensylvanicum.* w.en. American. N. America. — 7. 9. H. ♂.
 - 10 *sylvaticum.* w. highland. Britain. 8. 9. H. ♀. Eng. bot. 913.
 - 11 *rectum.* w. upright wood. ——— H. ♀. ——— 124.
 - 12 *coarctatum.* w. crowded. Chili. 1820. — H. ♂.
 - 13 *supinum.* w. dwarf. Scotland. 6. 7. H. ♀. Eng. bot. 1193.
 - 14 *pusillum.* w. small. Sweden. 1818. — H. ♀. Krock. siles. t. 41.
 - 15 *sphaericum.* w.en. sphaerical. S. Europe. — H. ♀.
 - 16 *cephaloideum.* w.en. headed. ——— — H. ♂.
 - 17 *uliginosum.* w. marsh. Britain. 8. 9. H. ♂. Eng. bot. 1194.
 - 18 *germanicum.* w. common. ——— 6. 8. H. ♂. ——— 948.
 - 19 *gallicum.* w. narrow-leaved. England. H. ♂. ——— 2369.
 - 20 *pyramidatum.* w. pyramidal. S. Europe. 1779. — H. ♂.
 - 21 *minimum.* w. least. Britain. 7. 8. H. ♂. Eng. bot. 1157.
 - 22 *arvense.* w. corn. Europe. 1804. — H. ♂.
 - 23 *australe.* F. southern. S. Europe. 1823. — H. ♂.
- METALASIA. L.T. METALASIA.** Syngenesia Polygamia Superflua.
- 1 *muricata.* L.T. muricate. C. B. S. 1816. 6. 9. G. ♀.
 - 2 *divergens.* spreading. ——— — G. ♀. Burm. afr. t. 72. f. 2.
 - 3 *fastigiata.* close-flowered. ——— 1812. 5. 8. G. ♀. Petiv. gaz. 12. t. 7. f. 3.
 - 4 *mucronata.* L.T. mucronate. ——— 1821. — G. ♀. Burm. afr. t. 66. f. 3.
- SPIRALEPIS. D.D. SPIRALEPIS.** Syngenesia Polygamia Superflua.
- 1 *squarrosa.* D.D. squarrose. C. B. S. 1816. 7. 10. G. ♀. Jacq. frag. t. 3. f. 4.
 - 2 *glomerata.* D.D. cluster-flow'r'd. ——— 1774. 3. 9. G. ♀.
 - 3 ? *declinata.* D.D. creeping. ——— 1787. 7. 9. G. ♀.
- Gnaphalium squarrosum.* Jacq.
- Gnaphalium declinatum.* w.
- ASTELMA. Br. ASTELMA.** Syngenesia Polygamia Superflua.
- 1 *eximium.* B.R. giant. C. B. S. 1793. 6. 9. G. ♀. Botan. regist. 532.
 - 2 *milleflorum.* D.D. many-flowered. ——— 1802. 6. 9. G. ♀.
 - 3 *spiralis.* D.D. spiral-leaved. ——— 1801. 7. 10. G. ♀. Andr. reposit. 262.
 - 4 *variegatum.* D.D. large globular-fl'd. ——— — 5. 6. G. ♀.
 - 5 *speciosissimum.* D.D. showy. ——— 1691. 7. 9. G. ♀. Andr. reposit. 51.
 - 6 *imbricatum.* D.D. imbricated. ——— 1816. — G. ♀.
 - 7 *canescens.* D.D. elegant. ——— 1794. 8. 4. G. ♀. Botan. magaz. 420.
 - 8 *retortum.* D.D. trailing. ——— 1732. 7. 8. G. ♀. Dill. elth. t. 322. f. 415.
 - 9 *Stahelina.* D.D. keel-leaved. ——— 1801. 12. 1. G. ♀. Andr. reposit. 428.
 - 10 ? *fragrans.* fragrant. ——— 1803. 7. 9. G. ♀. ——— 313.
- Elichrysum spirale.* w.
- Elichrysum speciosissimum.* w.
- Elichrysum imbricatum.* w.
- HELICHRYSUM. P.S. HELICHRYSUM.** Syngenesia Polygamia Superflua.
- 1 *grandiflorum.* D.D. great-flowered. C. B. S. 1731. 6. 8. G. ♀. Burm. afr. t. 76. f. 1.
 - 2 *fruticans.* D.D. frutescent. ——— 1779. — G. ♀. Botan. magaz. 1802.
 - 3 *crispum.* D.D. curled. ——— 1809. — G. ♀.
 - 4 *arbozeum.* D.D. shrubby. ——— 1770. 2. 8. G. ♀.
 - 5 *congestum.* D.D. close-headed. ——— 1791. 5. 6. G. ♀. Botan. regist. 243.
 - 6 *patulum.* D.D. spreading. ——— 1771. 8. 1. G. ♀.
 - 7 *discolorum.* D.D. two-coloured. ——— 1815. 5. 8. G. ♀. Burm. afr. t. 97. f. 4.
 - 8 *cephalotes.* D.D. large-headed. ——— 1789. 11. 1. G. ♀. Pluk. phyt. t. 410. f. 2.
- Gnaphalium grandiflorum.* w.
- Astelma fruticans.* B.R. 726. *Gnaphalium fruticans.* B.M. *grandiflorum.* A.R. 489.

9?	diosmæfolium.	Diosma-leaved.	————	1812.	3. 8.	G. ♀.	Vent. malm. t. 74.
	<i>Gnaphalium diosmæfolium</i> .	v.					
10	ericoides. D.D.	Heath-leaved.	————	1774.	—	G. ♀.	Botan. magaz. 435.
	<i>Gnaphalium ericoides</i> .	B.M. non <i>Helichrysum ericoides</i> .	P.S.				
11	teretifolium. D.D.	round-leaved.	————	1812.	—	G. ♀.	Burm. afr. t. 77. f. 2.
12?	tephrodes.	slender-leaved.	————	1816.	—	G. ♀.	
	<i>Gnaphalium tephrodes</i> .	L.en.					
13?	acuminatum.	taper-pointed.	————	—	—	G. ♀.	
	<i>Gnaphalium acuminatum</i> .	L.en.					
14?	lasiocaulon.	woolly-stalked.	————	1823.	6. 9.	G. ♀.	
	<i>Gnaphalium lasiocaulon</i> .	L.en.					
15	Stæchas. D.D.	common shrubby.	S.Europe.	1629.	6. 10.	H. ♀.	Barrel. ic. 410.
16	angustifolium.	narrow-leaved.	————	1818.	—	H. ♀.	
	<i>Gnaphalium angustifolium</i> .	P.S.					
17	conicum.	conical.	————	1824.	—	H. ♀.	
	<i>Gnaphalium conicum</i> .	L.en.					
18	ignescens. D.D.	red-flowered.	C. B. S.	1731.	6. 10.	G. ♀.	
19	microphyllum. D.D.	small-leaved.	Crete.	1823.	—	G. ♀.	
20?	dasyanthum.	hairy-flowered.	C. B. S.	1812.	—	G. ♀.	
	<i>Gnaphalium dasyanthum</i> .	W.en.					
21	crassifolium. D.D.	thick-leaved.	S. Europe.	1774.	7. 9.	G. ♀.	
22	maritimum. D.D.	sea-side.	C. B. S.	1772.	6. 8.	G. ♀.	Burm. afr. t. 77. f. 2.
23	apiculatum. D.D.	New Holland.	V.Diem.Isl.	1804.	1. 12.	G. ♀.	Botan. regist. 240.
	<i>Gnaphalium apiculatum</i> .	B.R.					
24	fetidum. D.D.	strong-scented.	C. B. S.	1692.	6. 9.	G. ♂.	Botan. magaz. 1987.
	<i>Gnaphalium fetidum</i> .	B.M.					
25	cylindricum. D.D.	cylindrical.	C. B. S.	1780.	6. 8.	G. ♀.	Pluk. plyt. 298. f. 4.
26	orientale. D.D.	eastern.	Africa.	1629.	4. 8.	G. ♀.	Comm. hort. 2. t. 55.
27	arenarium. D.D.	sand.	Europe.	1739.	7. 9.	H. ♀.	Botan. magaz. 2159.
28	graveolens.	strong-smelling.	Tauria.	1819.	—	H. ♀.	
	<i>Gnaphalium graveolens</i> .	M.B.					
29	odoratissimum.	sweet-scented.	C. B. S.	1691.	4. 8.	G. ♀.	Mill. ic. 1. t. 131. f. 2.
30	candidissimum. D.D.	white-leaved.	Caucasus.	1819.	7. 9.	H. ♀.	
31	rutilans. D.D.	shining-flow'r'd.	C. B. S.	1731.	6. 7.	G. ♀.	Dill. elt. t. 107. f. 127.
32	cymosum. D.D.	branching.	Africa.	—	4. 8.	G. ♀.	— t. 107. f. 128.
33	helianthemifolium. D.D.	Sun-rose-l'd.	C. B. S.	1774.	7. 10.	G. ♀.	Volck. norib. t. 194.
	<i>bracteatum</i> . D.D.	wave-leaved.	N.Holland.	1799.	7. 10.	H. ♂.	Andr. reposit. 375.
	<i>chrysanthum</i> . P.S.	<i>Xeranthemum bracteatum</i> .	V.M. t. 2.				
35	fulgidum. P.S.	great yellow.	C. B. S.	1774.	2. 10.	G. ♀.	Botan. magaz. 414.
36	dealbatum. P.S.	herbaceous.	V.Diem.Isl.	1812.	1. 12.	G. ♀.	Lab. nov. hol. 2. t. 190.
37	paniculatum. P.S.	corymb-fl'd.	C. B. S.	1800.	6. 9.	G. ♀.	Burm. afr. t. 67. f. 1.
	<i>argenteum</i> . A.R. 552.	<i>nec aliorum</i> .					
38	argenteum. P.S.	silvery.	————	—	—	G. ♀.	
39	rigidum. A.R.	rigid-leaved.	————	1801.	5. 6.	G. ♀.	Andr. reposit. 387.
40	herbaceum. A.R.	shining-flow'r'd.	————	1802.	7. 9.	G. ♀.	— — — — 487.
	<i>splendens</i> . B.M. 1773.						
LEUCOSTEMMA. D.D. LEUCOSTEMMA. Syngenesia Polygamia Superflua.							
	vestitum. D.D.	upright.	C. B. S.	1774.	7. 9.	G. ♀.	Burm. afr. t. 66. f. 1.
	<i>Elichrysum vestitum</i> .	w.					
PHŒNOCOMA. D.D. PHŒNOCOMA. Syngenesia Polygamia Superflua.							
	prolifera. D.D.	proliferous.	C. B. S.	1789.	5. 11.	G. ♀.	Botan. regist. 21.
	<i>Elichrysum proliferum</i> .	B.R. <i>Xeranthemum proliferum</i> .	L.				
APHELEXIS. D.D. APHELEXIS. Syngenesia Polygamia Superflua.							
1	humilis. D.D.	dwarf.	C. B. S.	1812.	6. 9.	G. ♀.	Andr. reposit. ic.
	<i>Elichrysum spectabile</i> .	B.C. 59. <i>pinifolium</i> .	P.S.?				
2	sesamoides. D.D.	superb.	————	1739.	4. 6.	G. ♀.	Botan. magaz. 425.
	<i>Elichrysum sesamoides</i> .	w. <i>Xeranthemum sesamoides</i> .	B.M.				
3	fasciculata. D.D.	bundle-leaved.	————	1799.	3. 9.	G. ♀.	Andr. reposit. 242.
	<i>a lutescens</i> .	yellowish.	————	—	—	G. ♀.	
	<i>β versicolor</i> .	variegated-fl'd.	————	—	—	G. ♀.	Breyn. ic. t. 16. f. 2.
	<i>γ alba</i> .	white-flowered.	————	—	—	G. ♀.	Andr. reposit. 279.
	<i>δ rubra</i> .	red-flowered.	————	—	—	G. ♀.	— — — — 650.
4	ericoides.	filiform.	————	1796.	—	G. ♀.	Lam. ill. t. 693. f. 2.
	<i>Helichrysum ericoides</i> .	P.S.					
FILAGO. W. COTTON-ROSE. Syngenesia Polygamia Necessaria. W.							
	pygmæa. w.	pigmy.	S. Europe.	1629.	7. 8.	H. ♂.	Cavan. ic. 1. t. 36.
	<i>Evax pygmæa</i> .	G.					
MICROPUS. W. MICROPUS. Syngenesia Polygamia Necessaria. W.							
1	supinus. w.	trailing.	S. Europe.	1710.	6. 9.	H. ♂.	Schk. hand. 3. t. 267.
2	erectus. w.	upright.	————	1683.	—	H. ♂.	Lœfl. hisp. t. 1. f. 3.

- ERIGERON. W.**
 1 graveolens. w. strong-smelling. S. Europe. 1633. 7. 8. H. ⊙. Ger. emac. 481. f. 2.
 2 compositum. Ph. daisy-flowered. N. America. 1811. — H. ♀.
 3 carolinianum. w. Hyssop-leaved. — 1727. — H. ♀. Dill. elt. t. 306. f. 394.
 4 canadense. w. Canada. England. 8. 9. H. ⊙. Eng. bot. 2019.
 5 nudicaule. m. naked-stalked. N. America. 1812. 7. H. ♀.
 6 bonariense. w. buck's-horn. S. America. 1732. 7. 8. H. ⊙. Dill. elt. t. 257. f. 334.
 7 linifolium. w. flax-leaved. — H. ⊙.
 8 lævigatum. L. en. smooth. Cayenne. 1823. — S. ♂.
 9 delphinifolium. w. en. Larkspur-ld. S. America. 1816. — S. ♂.
 10 strigosum. w. strigose. N. America. 1818. — H. ♂.
 11 heterophyllum. w. various-leaved. — 1640. 7. 9. H. ♂. Flor. græc. t. 486.
Aster annuus. L. Diplopappus dubius. Cas.
 12 chinense. w. Chinese. China. 1818. — H. ⊙. Jacq. schœnb. 3. t. 303.
 13 jamaicensis. w. Jamaica. Jamaica. 1820. — S. ⊙. Swartz obs. t. 8. f. 2.
 14 philadelphicum. w. spreading. N. America. 1778. 7. 8. H. ♀.
 15 purpureum. w. purple. Hudson's Bay. 1776. — H. ♀.
 16 bellidifolium. w. Plantain-leav'd. N. America. 1790. — H. ♀.
serpentarium. Hort.
 17 glaucum. B. R. glaucous-leav'd. S. America. 1812. 1. 12. G. ♀. Botan. regist. 10.
 18 chilense. D. P. Chili. 1816. 7. 9. H. ⊙.
Conyza chilensis. L. en.
 19 Villarsii. w. Villars's. Piedmont. 1804. 7. 8. H. ♀. Botan. regist. 583.
atticum. vil.
 20 rupestre. Schl. rock. Switzerland. 1818. — H. ♀.
 21 grandiflorum. Hop. large-flowered. — 1825. — H. ♀.
 22 acre. w. common. Britain. H. ♂. Eng. bot. 1158.
 23 alpinum. w. Alpine. Scotland. 7. H. ♀. — 464.
 24 uniflorum. w. dwarf. — 8. 9. H. ♀. — 2416.
 25 gramineum. w. grass-leaved. Siberia. 1824. — H. ♀. Gmel. sib. 2. t. 76. f. 2.
 26 caucasicum. M. B. Caucasean. Caucasus. — 7. 8. H. ♀.
 27 asteroides. L. en. Starwort-like. 1812. — H. ♀.
- JASONIA. Cas.** *Syngenesia Polygamia Superflua.*
 longifolia. Cas. long-leaved. N. America. 1818. 7. 8. H. ♀.
- ERIGERON longifolium. P. s.**
- CALOTIS. B. R.** *Syngenesia Polygamia Superflua.*
 cuneifolia. B. R. wedge-leaved. N. Holland. 1819. 7. 8. G. ♀. Botan. regist. 504.
- ASTER. W.** *STARWORT. Syngenesia Polygamia Superflua. L.*
 1 reflexus. w. reflexed-leav'd. C. B. S. 1759. 2. 9. G. ♀. Botan. magaz. 884.
 2 tomentosus. w. tooth-leaved. N. S. W. 1793. 5. 7. G. ♀. Wend. s. han. p. 8. t. 24.
dentatus. Andr. rep. 61.
 3 stellatus. P. s. starry-haired. V. Diem. Isl. 1823. — G. ♀. Lab. nov. hol. 2. t. 195.
 4 exasperatus. L. en. rough-leaved. N. Holland. 1816. — G. ♀.
 5 argophyllus. P. s. musk-scented. V. Diem. Isl. 1804. — G. ♀. Botan. magaz. 1563.
 6 liratus. B. M. fluted-stemm'd. N. S. W. 1812. — G. ♀. — 1509.
 7 sericeus. w. silky-leaved. Missouri. 1802. 5. 11. G. ♀. Venten. cels. 33.
 8 Cymbalaria. w. Ivy-leaved. C. B. S. 1786. 5. 11. G. ♀. Venten. malm. 95.
 9 angustifolius. w. narrow-leaved. — 1804. 5. 7. G. ♀. Jacq. schœnb. 3. t. 370.
 10 villosus. w. villous. — 1812. — G. ♀.
 11 obtusatus. w. obtuse-leaved. — 1793. — G. ♀.
 12 fruticosus. w. shrubby. — 1759. 3. 7. G. ♀. Jacq. frag. 9. t. 5. f. 4.
 13 filifolius. v. thread-leaved. — 1812. — G. ♀. Venten. malm. t. 82.
 14 aculeatus. P. s. prickly-leaved. V. Diem. Isl. 1818. — G. ♀. Lab. nov. hol. 2. t. 200.
 15 tenellus. w. slender. C. B. S. 1769. 4. 10. G. ♀. Botan. magaz. 33.
 16 alpinus. w. Alpine. Alps Europe. 1658. 5. 8. H. ♀. — 199.
 17 pulchellus. w. narrow-rayed. Armenia. 1818. — H. ♀.
 18 caucasicus. w. Caucasean. Caucasus. 1804. 7. 8. H. ♀.
 19 alwartensis. B. M. large-flowered. — H. ♀. Botan. magaz. 2321.
 20 heterophyllum. w. en. various-leaved. N. America. 1811. 7. 9. H. ♀.
 21 macrophyllum. w. large-leaved. — 1739. — H. ♀.
 22 corymbosus. w. corymbed. — 1765. 9. H. ♀.
 23 cordifolius. w. heart-leaved. — 1759. 7. 8. H. ♀.
 24 paniculatus. w. panicked. — 1640. 9. 10. H. ♀. Corn. canad. t. 65.
 25 sagittifolius. w. arrow-leaved. — 1818. 7. 9. H. ♀.
 26 undulatus. w. wave-leaved. — 1699. 8. 10. H. ♀. Herm. parad. 96.
 27 præcox. w. en. early-flowering. — 1800. 7. 8. H. ♀.
 28 pallens. w. en. pale-flowered. 9. 10. H. ♀.
 29 conyzoides. w. Conyza-like. — 1778. 8. 9. H. ♀.
 30 amygdalinus. Ph. Almond-leav'd. — 1759. 7. 9. H. ♀.
umbellatus. w.

31	humilis. w.	low.	————	1699.	8. 10.	H. 2.	Willd. hort. ber. 67.
32	altaicus. w.en.	dwarf.	Siberia.	1804.	5. 8.	H. 2.	
33	memoralis. H.K. <i>ledifolius</i> . Ph.	wood.	N.America.	1778.	8. 9.	H. 2.	
34	hyssopifolius. w.	Hyssop-leaved.	————	1683.	9. 10.	H. 2.	Dodart. mem. t. 60.
35	punctatus. w.	dotted.	Hungary.	1815.	8. 9.	H. 2.	W.etK. hung. 2. t.109.
36	acris. w.	acid.	S. Europe.	1731.	—	H. 2.	Pluk. alm. t. 271. f. 3.
37	canus. w.	hoary-leaved.	Hungary.	1816.	—	H. 2.	W. et K. hung. 1. t. 30.
38	solidaginoides. w.	Solidago-like.	N.America.	1699.	—	H. 2.	Pluk. alm. t. 79. f. 2.
39	rigidus. Ph. <i>memoralis</i> . w.	stiff-leaved.	————	1759.	8. 10.	H. 2.	———— t. 14. f. 7.
40	linifolius. w.	flax-leaved.	————	1739.	7. 8.	H. 2.	
41	linariifolius. Ph.	Toad-flax-ld.	————	1699.	9. 10.	H. 2.	
42	subulatus. M.	awl-leaved.	————	1823.	8. 10.	H. 2.	
43	pilosus. w.	hairy.	————	1812.	—	H. 2.	
44	foliolosus. w.	leafy.	————	1732.	10.	H. 2.	Dill. elth. t. 35. f. 39.
45	tennifolius. w.	slender-leaved.	————	1725.	9. 10.	H. 2.	Pluk. alm. t. 78. f. 5.
46	dumosus. w.	bushy.	————	1734.	—	H. 2.	Herm. parad. 95.
47	ericoides. w.	heath-leaved.	————	1758.	9.	H. 2.	
48	multiflorus. w.	many-flowered.	————	1732.	9. 10.	H. 2.	Dill. elth. t. 36. f. 40.
49	ciliatus. w.	ciliated.	————	—	H. 2.	
50	canescens. Ph. <i>biennis</i> . N.	canescent.	N.America.	1812.	9. 10.	H. 2.	
51	sparsiflorus. Ph.	scattered-fl'd.	————	1798.	9. 11.	H. 2.	
52	coridifolius. w.	Coris-leaved.	————	8. 11.	H. 2.	
53	squarrosus. w.	ragged.	————	1801.	6. 7.	H. 2.	
54	argenteus. H.K.	silver-leaved.	————	—	7. 9.	H. 2.	
55	concolor. w.	self-coloured.	————	1759.	8. 11.	H. 2.	
56	reticulatus. Ph.	netted-leaved.	————	1812.	—	H. 2.	
57	cornifolius. w.	Dogwood-ld.	————	1811.	—	H. 2.	
58	salicifolius. w.	Willow-leaved.	————	1760.	9. 10.	H. 2.	Rob. ic. 307.
59	æstivus. w.	summer.	————	1776.	7. 8.	H. 2.	
60	pannonicus. w.	Hungarian.	Hungary.	1815.	—	H. 2.	Jacq. vind. 1. t. 8.
61	Amellus. w. <i>a latifolius</i> . <i>β angustifolius</i> .	Italian. <i>broad-leaved</i> . <i>narrow-leaved</i> .	Italy.	1596.	8. 9.	H. 2.	Botan. regist. 340.
62	novæ angliæ. w. <i>β rubra</i> .	New England. <i>red-flowered</i> .	N.America.	1710.	9. 10.	H. 2.	Botan. regist. 183.
63	cyanens. N.	bright-blue.	————	1812.	—	H. 2.	— 183. f. inf.
64	paludosus. w.	marsh.	————	1789.	—	H. 2.	Hoff. phyt. 1. t. B. f. 1.
65	grandiflorus. w.	great-flowered.	————	1784.	—	H. 2.	
66	carolinianus. w.	tall.	Carolina.	1720.	10. 11.	H. 2.	Botan. regist. 273.
67	oblongifolius. N.	oblong-leaved.	Missouri.	1823.	—	H. 2.	
68	phlogifolius. w.	Phlox-leaved.	N.America.	1797.	7. 10.	H. 2.	
69	patens. w.	spreading.	————	1773.	9. 11.	H. 2.	Swt. brit. fl. gar. ic.
70	Tripolium. w.	sea-side.	Britain.	8. 9.	H. 2.	Eng. bot. 87.
71	salignus. w.	Sallow-leaved.	Germany.	1815.	—	H. 2.	
72	punicens. w.	red-stalked.	N.America.	1710.	7. 10.	H. 2.	Herm. ludgb. t. 651.
73	hispidus. w.	rough-stalked.	China.	1804.	9. 10.	H. 2.	Kæmpf. ic. t. 29.
74	tataricus. w.	Tartarian.	Siberia.	1818.	7. 9.	H. 2.	
75	sibiricus. w. <i>Grindelia sibirica</i> . Spr.	Siberian. <i>cut-leaved</i> .	————	1768.	—	H. 2.	Gmel. sib. 2. t. 80. f. 1.
76	incisus. F.	cut-leaved.	————	1816.	6. 9.	H. 2.	
77	elegans. w.	elegant.	1790.	8. 10.	H. 2.	
78	amplexicaulis. w.	stem-clasping.	N.America.	9. 11.	H. 2.	
79	adulterinus. w.en.	bastard.	————	8. 10.	H. 2.	
80	lævigatus. w.	smooth-stem'd.	————	1794.	9. 11.	H. 2.	
81	longifolius. P.s.	long-leaved.	————	1798.	10.	H. 2.	Moris. s. 7. t. 22. f. 26.
82	versicolor. w.	various-color'd.	————	1790.	8. 9.	H. 2.	
83	mutabilis. w.	changeable.	————	1710.	9. 10.	H. 2.	Herm. lugd. t. 67
84	lævis. w.	smooth.	————	1753.	—	H. 2.	
85	concinus. w.en.	neat.	————	1800.	—	H. 2.	
86	floribundus. w.	abundant-fl'd.	————	—	H. 2.	
87	novi belgii. w.	New-York.	————	1710.	—	H. 2.	Herm. lugd. t. 69.
88	firmus. L.en.	firm.	————	1818.	—	H. 2.	
89	bellidiflorus. w.en.	daisy-flowered.	————	—	H. 2.	
90	spectabilis. w.	showy.	————	1777.	8. 9.	H. 2.	
91	serotinus. w.	late-flowering.	————	9. 11.	H. 2.	
92	tardiflorus. w.	spear-leaved.	————	1775.	7. 9.	H. 2.	

93	blandus. Ph.	charming.	————	1800.	10. 11.	H. 2.	
94	acuminatus. Ph.	acuminate.	————	1806.	8. 10.	H. 2.	
95	eminens. W.en.	eminent.	————	9. 11.	H. 2.	
96	Radula. W.	rasp-leaved.	————	1785.	—	H. 2.	
97	glaucus. W.en.	glaucous-leav'd.	1823.	—	H. 2.	
98	prenanthoides. W.	hairy-branch'd.	N.America.	1817.	—	H. 2.	
99	strictus. Ph.	upright dwarf.	————	1806.	—	H. 2.	
100	Tradescanti. W.	Michaelmas daisy.	————	1633.	7. 9.	H. 2.	Moris. s. 7. t. 21. f. 42.
101	vimineus. W.	slender.	————	1818.	—	H. 2.	
102	recurvatus. W.	recurved.	————	1800.	8. 9.	H. 2.	
103	laxus. W.en.	loose-stalked.	————	9. 11.	H. 2.	
104	simplex. W.en.	simple-stalked.	————	8. 10.	H. 2.	
105	polyphyllus. W.en.	many-leaved.	————	—	H. 2.	
106	junceus. W.	slender-stalk'd.	————	1758.	9. 10.	H. 2.	
107	lanceolatus. W.	lanceolate.	————	1811.	8. 11.	H. 2.	
108	dracunculoides. W.	Tarragon-like.	————	—	9. 11.	H. 2.	
109	fragilis. W.	brittle.	————	1800.	9.	H. 2.	
110	pinifolius. L.en.	Pine-leaved.	————	1823.	—	H. 2.	
111	laxiflorus. L.en.	loose-flowered.	————	8. 10.	H. 2.	
112	miser. W.	meagre-fl'd.	————	1759.	9. 10.	H. 2.	
113	divergens. W.	spreading downy	————	1758.	—	H. 2.	
114	diffusus. W.	diffuse.	————	1777.	—	H. 2.	
115	pendulus. W.	pendulous.	————	1758.	—	H. 2.	
116	parviflorus. L.en.	small-flowered.	————	1822.	—	H. 2.	
117	rigidulus. L.en.	stiffish.	————	—	—	H. 2.	
118	myrtifolius. L.en.	Myrtle-leaved.	————	1819.	8. 9.	H. 2.	
119	pulcherrimus. B.C.	beautiful.	————	1811.	9. 10.	H. 2.	Lodd. bot. cab. 6.
CALLISTEMA. Cas.		CHINA ASTER.	Syngenesia	Polygamia		Superflua.	
	hortensis. Cas.	garden.	China.	1731.	7. 9.	H. 2.	Dill. elth. t. 34. f. 38.
	α cœrulea.	blue-flowered.	————	—	—	H. 2.	
	β rubra.	red-flowered.	————	—	—	H. 2.	
	γ alba.	white-flowered.	————	—	—	H. 2.	
	δ variegata.	variegated.	————	—	—	H. 2.	
	ε multiplex.	double-flowered.	————	—	—	H. 2.	
	ζ brachyantha.	bonnet.	————	—	—	H. 2.	
SOLIDAGO. W.		GOLDEN-ROD.	Syngenesia	Polygamia		Superflua. L.	
1	canadensis. W.	Canadian.	N.America.	1648.	7. 9.	H. 2.	Schk. hand. 3. f. 246.
2	procera. W.	great.	————	1758.	9. 10.	H. 2.	
3	serotina. W.	upright smooth.	————	—	7. 8.	H. 2.	
4	gigantea. W.	gigantic.	————	—	8. 9.	H. 2.	
5	ciliaris. W.	ciliated.	————	1811.	—	H. 2.	
6	reflexa. W.	hanging-leav'd.	————	1758.	8. 9.	H. 2.	
7	fragrans. W.en.	fragrant.	————	7. 9.	H. 2.	
8	lateriflora. W.	lateral-flow'r'd.	————	1758.	8. 9.	H. 2.	
9	aspera. W.	rough-leaved.	————	1732.	9.	H. 2.	Dill. elth. t. 305. f. 392.
10	altissima. W.	tall.	————	1686.	8. 9.	H. 2.	Mart. cent. 14.
11	recurvata. W.en.	recurved.	————	1814.	—	H. 2.	
12	rugosa. Ph.	wrinkle-leaved.	————	1732.	—	H. 2.	Dill. elth. t. 308. f. 396.
13	villosa. Ph.	villous.	————	—	—	H. 2.	
14	scabra. W.	rough.	————	1811.	—	H. 2.	
15	nemoralis. W.	woolly-stalked.	————	1769.	9.	H. 2.	
16	patula. W.	spreading.	————	1805.	9. 10.	H. 2.	
17	ulmifolia. W.	Elm-leaved.	————	—	8. 10.	H. 2.	
18	arguta. W.	sharp-notched.	————	1758.	7. 8.	H. 2.	
19	juncea. W.	rush-stalked.	————	1769.	8. 9.	H. 2.	
20	elliptica. W.	oval-leaved.	————	1759.	—	H. 2.	
21	odora. W.	sweet smelling.	————	1699.	7. 8.	H. 2.	Pluk. alm. t. 116. f. 6.
22	lævigata. N.	fleshy-leaved.	————	—	10. 11.	H. 2.	
23	pyramidata. Ph.	pyramidal.	————	1812.	8. 9.	H. 2.	
24	mexicana. W.	Mexican.	America.	1683.	7. 10.	H. 2.	Dodart. act. 4. t. 219.
25	sempervirens. N.	evergreen.	N.America.	1699.	9. 10.	H. 2.	Corn. canad. t. 169.
26	speciosa. N.	handsome.	————	1812.	—	H. 2.	
27	pauciflosculosa. M.	slender-fl'd.	————	1811.	8. 10.	H. 2.	
28	bicolor. W.	two-coloured.	————	1759.	8. 9.	H. 2.	Pluk. alm. t. 114. f. 8.
	Aster bicolor. Nces.	————	————	—	—	—	
29	petiolaris. W.	late-flowered.	————	1758.	10. 12.	H. 2.	
30	stricta. W.	Willow-leaved.	————	—	9.	H. 2.	
31	humilis. Ph.	dwarf.	————	1811.	7. 8.	H. 2.	
32	livida. W.en.	livid.	————	—	H. 2.	

33	hirta. w.en.	hairy.	————	9. 10.	H. 2.	
34	lithospermifolia. Ph.	Gromwell-ld.	————	1811.	8. 10.	H. 2.	
35	hispida. w.	hispid.	————	1820.	—	H. 2.	
36	cæsia. w.	Maryland.	————	1732.	9. 10.	H. 2.	
37	flexicaulis. w.	crook-stalked.	————	1725.	9.	H. 2.	Pluk. alm. t. 235. f. 3.
38	latifolia. L.	broad-leaved.	————	—	—	H. 2.	———— t. 235. f. 4.
39	ambigua. w.	angular-stalked.	1759.	7. 8.	H. 2.	
40	macrophylla. Ph.	large-leaved.	N.America.	8. 10.	H. 2.	
41	glomerata. M.	close-flowered.	————	1820.	—	H. 2.	
42	alpestris. w.k.	Alpine.	Europe.	—	7. 9.	H. 2.	
43	Virgaurea. w.	common.	Britain.	—	H. 2.	Eng. bot. 301.
44	cambrica. w.	Welsh.	Wales.	7. 8.	H. 2.	Dill. elth. t. 306. f. 393.
45	axillaris. Ph.	axillary.	N.America.	1811.	8. 10.	H. 2.	
46	erecta. Ph.	upright.	————	—	H. 2.	
47	viminea. w.	twiggy.	————	1759.	9.	H. 2.	
48	angustifolia. N.	narrow-leaved.	————	1824.	—	H. 2.	
49	decurrens. Lour.	decurrent.	China.	1823.	8. 10.	H. 2.	
50	puberula. N.	pubescent.	N.America.	—	—	H. 2.	
51	minuta. w.	least.	Pyrenees.	1772.	7. 8.	H. 2.	Lodd. bot. cab. 189.
52	multiradiata. w.	Labrador.	Labrador.	1776.	—	H. 2.	
53	clata. Ph.	tall hairy.	N.America.	1811.	8. 10.	H. 2.	
54	rigida. w.	hard-leaved.	————	1710.	9.	H. 2.	Herm. parad. 243.
EUTHAMIA. N.		EUTHAMIA.	Syngenesia Polygamia Superflua.				
1	graminifolia. N.	grass-leaved.	N.America.	1758.	8. 10.	H. 2.	Botan. magaz. 2546.
	<i>Chrysocoma graminifolia. L. Solidago lanceolata. w.</i>						
2	tennifolia. N.	slender-leaved.	————	—	9. 10.	H. 2.	
CHRYSOCOMA. W.		GOLDY-LOCKS.	Syngenesia Polygamia Æqualis. L.				
1	comaurea. w.	great shrubby.	C. B. S.	1731.	6. 8.	G. 2.	Botan. magaz. 1972.
2	patula. w.	spreading.	————	1816.	—	G. 2.	
3	cœrua. w.	small shrubby.	————	1712.	5. 9.	G. 2.	Comm. hort. 2. t. 45.
4	ciliaris. w.	Heath-leaved.	————	1759.	7. 10.	G. 2.	———— 2. t. 48.
5	nivea. w.	woolly-leaved.	————	1820.	5. 9.	G. 2.	Jacq. schœn. 2. t. 147.
	<i>tomentosa. Jacq. non L.</i>						
6	scabra. w.	rugged.	————	1732.	8. 9.	G. 2.	Dill. elth. t. 88. f. 103.
7	denticulata. w.	toothed.	—	G. 2.	Jacq. schœn. 3. t. 368.
8	Linosyris. w.	flax-leaved.	Europe.	9. 10.	H. 2.	Eng. bot. 2505.
9	dracunculoides. w.	Siberian.	Siberia.	—	H. 2.	
10	biflora. w.	two-flowered.	————	1741.	8. 9.	H. 2.	Gmel. sib. 2. t. 82. f. 1.
11	graveolens. N.	Rue-scented.	Missouri.	1822.	—	H. 2.	
12	nudata. N.	naked.	N.America.	1819.	—	H. 2.	
13	virgata. N.	slender.	————	—	—	H. 2.	
14	villosa. w.	villous.	Hungary.	1799.	—	H. 2.	W. et K. hung. 1. t. 58.
BOLTONIA. W.		BOLTONIA.	Syngenesia Polygamia Superflua. L.				
1	asteroides. w.	Starwort-flid.	N.America.	1758.	8. 10.	H. 2.	Botan. magaz. 2554.
2	glastifolia. w.	glaucous-ld.	————	—	9.	H. 2.	———— 2381.
AMELLUS. W.		AMELLUS.	Syngenesia Polygamia Superflua.				
	Lychnitis. w.	————	C. B. S.	1768.	6. 7.	G. 2.	Botan. regist. 586.
SIDERANTHUS. Fras.		SIDERANTHUS.	Syngenesia Polygamia Superflua.				
1	villosus.	villous.	Missouri.	1811.	8. 9.	H. 2.	
	<i>Sideranthus integrifolius. Fras. Amellus villosus. Ph.</i>						
2	spinulosus.	spiny.	————	—	—	H. 2.	
	<i>Amellus spinulosus. Ph. Sideranthus pinnatifidus. Fras.</i>						
STARKEA. W.		STARKEA.	Syngenesia Polygamia Superflua.				
	umbellata. w.	umbel-flower'd.	Jamaica.	1768.	6. 7.	S. 2.	Lam. ill. t. 682. f. 2.
ANDROMACHIA. K.S.		ANDROMACHIA.	Syngenesia Polygamia Superflua.				
	igniaria. k.s.	close-flowered.	S. America.	1823.	6. 8.	G. 2.	H. et B. pl. æq. 2. t. 112.
	<i>Hierba de Santa Maria. incolarum.</i>						
GRINDELIA. W.en.		GRINDELIA.	Syngenesia Polygamia Superflua. W.				
1	glutinosus. Dun.	glutinous.	Mexico.	1803.	1. 12.	G. 2.	Botan. regist. 187.
	<i>Donia glutinosa. B.R. Doronicum glutinosum. w.</i>						
2	inuloides. w.en.	Inula-like.	————	1815.	6. 9.	G. 2.	———— 248.
3	angustifolia. B.R.	narrow-leaved.	————	1822.	—	G. 2.	———— 781.
4	spatulata. L.en.	spatulate-ld.	————	—	—	G. 2.	
5	squarrosa. Dun.	Snake-headed.	Missouri.	1811.	7. 9.	G. 2.	Botan. magaz. 1706.
6	ciliata.	ciliated.	Arkansa.	1821.	9. 10.	H. 2.	Hook. ex. flor. 45.
	<i>Donia ciliata. H.E.F.</i>						
PODOLEPIS. Lab.		PODOLEPIS.	Syngenesia Polygamia Superflua.				
1	rugata. H.K.	wrinkle-scaled.	N. Holland.	1803.	7. 8.	G. 2.	Lab. nov. holl. 2. t. 208.
2	acuminata. H.K.	sharp-scaled.	N. S. W.	—	5. 8.	G. 2.	Botan. magaz. 956.
	<i>Scalia jaceoides. B.M.</i>						

GERBERIA. B.R.	GERBERIA.	Syngenesia Polygamia Superflua.			
<i>crenata. B.R.</i>	<i>crenata.</i>	C. B. S.	1820.	4. 8. G. ♀.	Botan. regist. 855.
ARNICA. W.	ARNICA.	Syngenesia Polygamia Superflua.			
1 <i>montana. w.</i>	<i>mountain.</i>	Europe.	1731.	7. 8. H. ♀.	Botan. magaz. 1749.
2 <i>scorpioides. w.</i>	<i>alternate-ld.</i>	Austria.	1710.	— H. ♀.	Jacq. aust. 4. t. 349.
3 <i>Doronicum. w.</i>	<i>Clusius's.</i>	—	1816.	— H. ♀.	— 1. t. 92.
<i>Clusii. All. t. 17. f. 1. 2.</i>					
4 <i>glacialis. w.</i>	Alpine.	Germany.	—	— H. ♀.	Jacq. ic. 3. t. 586.
BELLIDIASTRUM. Cas.	BELLIDIASTRUM.	Syngenesia Polygamia Superflua.			
<i>Micheli. Cas.</i>	<i>Micheli's.</i>	Austria.	1570.	6. 8. H. ♀.	Botan. magaz. 1196.
<i>Arnica Bellidiastrum.</i>	<i>B.M. Doronicum Bellidiastrum. L.</i>				
DORONICUM. W.	LEOPARD'S-BANE.	Syngenesia Polygamia Superflua. W.			
1 <i>Pardalifanches. w.</i>	<i>great.</i>	Britain.	5. H. ♀.	Eng. bot. 630.
2 <i>macrophyllum. L.en.</i>	<i>large-leaved.</i>	Europe.	— H. ♀.	
3 <i>scorpioides. w.</i>	<i>mountain.</i>	Germany.	4. 6. H. ♀.	
4 <i>caucasicum. M.B.</i>	<i>Caucasian.</i>	Caucasus.	1815.	— H. ♀.	
<i>orientale. w.en.</i>					
5 <i>altaicum. w.</i>	Siberian.	Siberia.	1783.	6. 8. H. ♀.	Pall. a. pet. 1779. t.16.
6 <i>dentatum. L.en.</i>	<i>toothed.</i>	5. 6. H. ♀.	
7 <i>plantagineum. L.</i>	<i>Plantain-ld.</i>	S. Europe.	1570.	— H. ♀.	
8 <i>austriacum. w.</i>	<i>Anstrian.</i>	Austria.	1816.	— H. ♀.	Jacq. aust. t. 130.
BELLIS. W.	DAISY.	Syngenesia Polygamia Superflua. L.			
1 <i>sylvestris. w.</i>	<i>large Portugal.</i>	Portugal.	1797.	5. 7. H. ♀.	Botan. magaz. 2511.
2 <i>perennis. w.</i>	<i>common.</i>	Britain.	3. 8. H. ♀.	Eng. bot. 424.
<i>β hortensis.</i>	<i>large double.</i>	— H. ♀.	Botan. magaz. 228.
<i>γ fistulosa.</i>	<i>red quilled.</i>	— H. ♀.	
<i>δ tubulosa.</i>	<i>white quilled.</i>	— H. ♀.	
<i>ε prolifera.</i>	<i>Hen & Chicken.</i>	— H. ♀.	
3 <i>hybrida. Ten.</i>	<i>Italian.</i>	Italy.	1824.	4. 8. H. ♀.	
4 <i>annua. w.</i>	<i>annual.</i>	S. Europe.	1759.	3. 7. H. ⊙.	Botan. magaz. 2174.
BELLIUM. W.	BELLIUM.	Syngenesia Polygamia Superflua. L.			
1 <i>bellioides. w.</i>	<i>small.</i>	Italy.	1796.	6. 9. H. ⊙.	Lam. ill. t. 684.
2 <i>minutum. w.</i>	<i>dwarf.</i>	Levant.	1772.	6.10. H. ♀.	Schreb. a.ups.1.t.5.f.2.
PSIADIA. W.	PSIADIA.	Syngenesia Polygamia Necessaria. W.			
<i>glutinosa. w.</i>	<i>glutinous.</i>	Mauritius.	1796.	6. 8. S. ♀.	Jacq. schœn. 2. t. 152.

* Omitted at page 223, where it should follow APHELEXIS.

XERANTHEMUM. W.	XERANTHEMUM.	Syngenesia Polygamia Superflua. L.			
1 <i>annuum. w.</i>	<i>annual.</i>	S. Europe.	1570.	7. 8. H. ⊙.	Jacq. aust. 4. t. 388.
2 <i>inapertum. w.</i>	<i>small-flowered.</i>	—	1620.	— H. ⊙.	Moris. s. 6. t. 12. f. 1.
3 <i>orientale. w.</i>	<i>oriental.</i>	Levant.	1713.	— H. ⊙.	

SUBORDO IV. EUPATOREÆ. *Kth. synops. 2. p. 408.*

KUHNIA. W.	KUHNIA.	Syngenesia Polygamia Æqualis.			
1 <i>eupatorioides. v.</i>	<i>Eupatorium-like.</i>	N. America.	1812.	6. 8. H. ♀.	Linn. fil. dec. t. 11.
<i>Critonia eupatorioides. G.</i>					
2 <i>Critonia. w.</i>	<i>glandular-ld.</i>	—	1816.	— H. ♀.	Gært. carp. 2. t. 174. f. 7.
<i>Critonia Kuhnia. G.</i>					
EUPATORIUM. W.	EUPATORIUM.	Syngenesia Polygamia Æqualis. L.			
1 <i>Dalea. w.</i>	<i>shrubby.</i>	Jamaica.	1773.	8. S. ♀.	Jacq. schœn. 2. t. 146.
2 <i>parviflorum. w.</i>	<i>small-flowered.</i>	—	1823.	— S. ♀.	
3 <i>triflorum. w.</i>	<i>three-flowered.</i>	Trinidad.	1821.	7. 8. S. ♀.	Aub. gui. 2. t. 314.
4 <i>macrophyllum. w.</i>	<i>large-leaved.</i>	S. America.	1824. S. ♀.	Plum. spec. 10. t. 129.
5 <i>populifolium. K.S.</i>	<i>Poplar-leaved.</i>	Mexico.	— S. ♀.	
6 <i>canescens. w.</i>	<i>canescent.</i>	S. America.	1822.	6. 8. S. ♀.	Vahl symb. 3. t. 73.
7 <i>veronicæfolium. K.S.</i>	<i>Speedwell-ld.</i>	Mexico.	1825. S. ♀.	H. et B. v. 4. t. 341.
8 <i>fœniculaceum. w.</i>	<i>Fennel-leaved.</i>	N. America.	1807.	6. 9. H. ♀.	
9 <i>coronopifolium. w.</i>	<i>Buck's-horn-ld.</i>	—	1819.	8. 9. H. ♀.	
10 <i>hyssopifolium. w.</i>	<i>Hyssop-leaved.</i>	—	1699.	— H. ♀.	Dill. elth. t. 115. f. 140.
11 <i>sessilifolium. w.</i>	<i>sessile-leaved.</i>	—	1777.	9. 10. H. ♀.	
12 <i>truncatum. w.</i>	<i>truncate-leav'd.</i>	—	1822.	8. 10. H. ♀.	
13 <i>album. w.</i>	<i>white-flowered.</i>	—	—	— H. ♀.	
14 <i>lanceolatum. w.</i>	<i>spear-leaved.</i>	—	1819.	8. 11. H. ♀.	
15 <i>teucrifolium. w.</i>	<i>Teucrium-ld.</i>	—	1816.	— H. ♀.	Willd. hort. ber. 32.

16	rotundifolium. w.	round-leaved.	-----	1699.	7. 8.	H. 2.	Pluk. alm. t. 88. f. 4.
17	pubescens. w.	pubescent.	-----	1816.	8. 10.	H. 2.	
18	ceanothifolium. w.	Ceanothus-like.	-----	1812.	8. 11.	H. 2.	
19	altissimum. w.	tall.	-----	1699.	9. 10.	H. 2.	Jacq. vind. 2. t. 161.
20	trifoliatum. w.	three-leaved.	-----	1768.	8. 10.	H. 2.	
21	cannabinum. w.	Hemp agrimony.	Britan.	7. 10.	H. 2.	Eng. bot. 428.
22	syriacum. w.	Syrian.	Syria.	1807.	7. 9.	H. 2.	Jacq. ic. 1. t. 170.
23	purpureum. w.	purple-stalked.	N. America.	1640.	9. 10.	H. 2.	Corn. canad. t. 72.
24	maculatum. w.	spotted-stalked.	-----	1656.	8. 9.	H. 2.	Herm. parad. t. 158.
25	punctatum. Ph.	punctated.	-----	1815.	—	H. 2.	
26	verticillatum. w.	whorl-leaved.	-----	1811.	—	H. 2.	
27	perfoliatum. w.	Feverwort.	-----	1699.	8. 10.	H. 2.	Pluk. alm. t. 87. f. 6.
28	salviaefolium. B.M.	Sage-leaved.	-----	1812.	—	H. 2.	Botan. magaz. 2010.
29	lamiifolium. L.en.	Lamium-leav'd.	-----	1818.	—	H. 2.	
30	paniculatum. Mil.	paniced.	-----	—	H. 2.	
31	melissoides. w.	Balm-leaved.	-----	1821.	8. 10.	H. 2.	
32	aromaticum. w.	aromatic.	-----	1739.	7. 8.	H. 2.	Pluk. alm. t. 88. f. 3.
33	urticaefolium. w.	Nettle-leaved.	S. America.	1803.	—	G. 2.	Smith ined. t. 68.
34	ageratoides. w.	Ageratum-like.	N. America.	1640.	8. 10.	H. 2.	Corn. canad. t. 21.
35	deltoidum. w.	deltoid-leaved.	1818.	—	S. 2.	Jacq. schœn. 3. t. 369.
36	scandens. L.en.	climbing.	S. America.	1822.	S. 2.	
37	squarrosus. w.	squarrose.	Mexico.	1821.	S. 2.	Cavan. ic. 1. t. 98.
38	atriplicifolium. w.	Orache-leaved.	W. Indies.	1820.	S. 2.	
39	odoratum. w.	sweet-scented.	Jamaica.	1752.	8. 10.	S. 2.	Pluk. alm. t. 177. f. 3.
40	ivæfolium. w.	Iva-leaved.	-----	1794.	6. 7.	S. 2.	
41	iresinoides. K.S.	Iresine-like.	S. America.	1821.	S. 2.	H. et B. v. 4. t. 340.
42	pulchellum. K.S.	pretty.	Mexico.	—	S. 2.	— v. 4. t. 345.
43	xalapense. K.S.	six-angled.	-----	—	S. 2.	
44	repandum. w.	repand-leaved.	Antilles.	1822.	S. 2.	Plum. ic. 130. f. 1.
MIKANIA. W.		MIKANIA.	Syngenesia Polygamia	Æqualis.	W.		
1	Houstoni. w.	Houston's.	Jamaica.	1733.	7. 8.	S. 2.	
2	hastata. w.	halbert-leaved.	-----	—	S. 2.	Brown jam. t. 34. f. 3.
3	scandens. w.	climbing.	N. America.	1714.	8. 9.	H. 2.	Jacq. ic. 1. t. 169.
4	Guaco. K.S.	medicinal.	S. America.	1823.	S. 2.	H. et B. pl. 2. t. 105.
5	amara. w.	bitter.	Trinidad.	1824.	S. 2.	Aubl. gui. 2. t. 315.
6	opifera. Mart.	snakewort.	Brazil.	1822.	S. 2.	
STEVIA. W.		STEVIA.	Syngenesia Polygamia	Æqualis.	W.		
1	Eupatoria. w.	entire-leaved.	Mexico.	1798.	7. 9.	H. 2.	Botan. magaz. 1849.
2	purpurea. w.en.	purple-flow'r'd.	-----	1812.	8. 9.	H. 2.	Botan. regist. 93.
	<i>Eupatoria. B.R. nec aliorum.</i>						
3	hyssopifolia. B.M.	Hyssop-leaved.	-----	—	H. 2.	Botan. magaz. 1861.
4	lanceolata. Lag.	spear-leaved.	-----	1824.	—	H. 2.	
5	ivæfolia. w.en.	Iva-leaved.	-----	1816.	7. 9.	H. 2.	
6	serrata. w.	saw-leaved.	-----	1799.	—	H. 2.	Jacq. schœn. 3. t. 300.
7	salicifolia. w.	Willow-leaved.	-----	1803.	—	H. 2.	Cavan. ic. 4. t. 354.
8	ovata. w.en.	oval-leaved.	-----	1816.	8. 9.	H. 2.	
9	pubescens. Lag.	pubescent.	-----	1823.	—	H. 2.	
10	viscida. K.S.	rose-coloured.	-----	1824.	9. 10.	H. 2.	
11	virgata. K.S.	slender.	-----	—	—	H. 2.	
12	tomentosa. K.S.	tomentose.	-----	1825.	—	H. 2.	
13	monardæfolia. K.S.	Monarda-ld.	-----	—	8. 9.	H. 2.	
14	angustifolia. K.S.	narrow-leaved.	-----	—	—	H. 2.	
PALAFOXIA. Lag.		PALAFOXIA.	Syngenesia Polygamia	Æqualis.			
	linearis. Lag.	linear-leaved.	Mexico.	1816.	8. 10.	G. 2.	Botan. magaz. 2132.
	<i>Stevia linearis. w.</i>	<i>Ageratum lineare.</i>	Cav. ic. 3. t. 205.				
AGERATUM. W.		AGERATUM.	Syngenesia Polygamia	Æqualis.	L.		
1	strictum. B.M.	upright.	Nepaul.	1820.	9. 11.	H. 2.	Botan. magaz. 2410.
2	conyzoides. w.	hairy.	America.	1714.	7. 8.	H. 2.	Schk. haud. 3. t. 238.
3	cæruleum. P.S.	blue-flowered.	S. America.	1820.	7. 8.	H. 2.	
4	mexicanum. B.M.	Mexican.	Mexico.	1823.	8. 10.	H. 2.	Swt. br. fl. gar. 89.
5	latifolium. w.	broad-leaved.	Pern.	1800.	7. 8.	H. 2.	Cavan. ic. 4. t. 357.
CÆLESTINA. Cas.		CÆLESTINA.	Syngenesia Polygamia	Æqualis.			
1	suffruticosa.	suffruticose.	S. America.	7. 10.	G. 2.	Botan. magaz. 1730.
	<i>Ageratum cælestinum. B.M.</i>						
2	ageratoides. K.S.	Ageratum-like.	New Spain.	1824.	—	G. 2.	
3	cærulea. Cas.	blue-flowered.	N. America.	1732.	7. 11.	H. 2.	Dill. elth. t. 114. f. 139.
	<i>Eupatorium cælestinum. w.</i>						
ALOMIA. K.S.		ALOMIA.	Syngenesia Polygamia	Æqualis.			
	ageratoides. K.S.	white-flowered.	New Spain.	1823.	7. 9.	G. 2.	H. et B. 4. t. 354.

PIQUERIA. W.	PIQUERIA. Syngenesia Polygamia Æqualis. W.				
1 trinervia. w.	three-nerved. Mexico.	1798.	7. 8.	G. 2.	Cavan. ic. 3. t. 235.
2 pilosa. K.S.	hairy. ———	1824.	—	G. 2.	
3 latifolia.	smooth-broad-ld. ———	—	8. 12.	G. 2.	
SELLOA. Spr.	SELLOA. Syngenesia Polygamia Æqualis.				
glutinosa. B.R.	clammy. Brazil.	1815.	1. 5.	G. 7.	Botan. regist. 462.
LEYSERA. W.	LEYSERA. Syngenesia Polygamia Superflua. W.				
1 ciliata. w.	ciliated. C. B. S.	1816.	7. 8.	G. 7.	
2 gnaphalodes. w.	woolly. ———	1774.	7. 9.	G. 7.	Jacq. ic. 3. t. 588.
3 squarrosa. w.	squarrose. ———	1815.	—	G. 7.	Pluk. alm. t. 302. f. 3.
=====					
SUBORDO. V. JACOBÆÆ. <i>Kth. synops. 2. p. 440.</i>					
KLEINIA. W.	KLEINIA. Syngenesia Polygamia Æqualis. W.				
1 ruderalis. w.	glaucous-leav'd. S. America.	1824.	7. 10.	S. 10.	Jacq. amer. t. 137.
2 Porophyllum. w.	perforated. ———	1699.	6. 10.	S. 10.	Cavan. ic. 3. t. 222.
3 viridiflora. K.S.	green-flowered. Mexico.	1823.	—	S. 7.	
4 tagetoides. K.S.	Tagetes-like. ———	—	—	H. 10.	
5 suffruticosa. w.	suffruticose. S. America.	1825.	—	S. 7.	Cavan. ic. 3. t. 257.
6 colorata. K.S.	violet-colour'd. Mexico.	—	—	H. 10.	
CACALIA. W.	CACALIA. Syngenesia Polygamia Æqualis. L.				
1 papillaris. w.	rough-stalked. C. B. S.	1727.	—	G. 7.	Dill. elth. t. 55. f. 63.
2 Anteuphorbium. w.	oval-leaved. ———	1596.	2. 3.	G. 7.	— t. 55. f. 2. 3.
3 Kleinia. w.	Oleander-ld. Canaries.	1732.	9. 10.	G. 7.	DC. plant. gras. 12.
4 Ficoides. w.	flat-leaved. C. B. S.	1710.	6. 11.	G. 7.	— t. 90.
5 repens. w.	glaucous-leav'd. ———	1759.	6. 10.	G. 7.	— t. 42.
6 cylindrica. DC.	cylindrical. Africa.	1818.	—	G. 7.	— t. ic.
7 carnosa. w.	narrow-leaved. C. B. S.	1757.	6.	G. 7.	
8 Haworthii. H.S.L.	woolly-leaved. ———	1795.	—	G. 7.	
<i>Kleinia tomentosa.</i> H.S. non <i>c. tomentosa.</i> L.					
9 longifolia. H.R.	long-leaved.	1820.	—	S. 7.	
<i>pugioniformis.</i> L.en.					
10 articulata. w.	jointed. C. B. S.	1775.	9. 11.	G. 7.	DC. plant. gras. 18.
11 tomentosa. w.	tomentose. ———	1795.	—	G. 7.	
12 reticulata. w.en.	netted. Bourbon.	1823.	—	G. 7.	
13 appendiculata. w.	appendaged. Teneriffe.	1815.	6. 9.	G. 7.	
14 salicina. Lab.	willow-leaved. V. Diem. Isl.	1820.	4. 6.	G. 7.	Botan. regist. 923.
15 bicolor. w.	two-coloured. E. Indies.	1804.	9. 5.	S. 7.	— 110.
16 ovalis. B.R.	oval-leaved. ———	—	—	S. 7.	— 102.
17 sonchifolia. w.	Sonchus-leav'd. ———	1768.	7.	S. 10.	Rheed. mal. 10. t. 68.
18 coccinea. B.M.	scarlet-flow'r'd. S. America.	1799.	6. 7.	H. 10.	Botan. magaz. 564.
19 sagittata. w.	arrow-leaved. Java.	1824.	—	S. 10.	
<i>Emilea flammea.</i> Cas.					
20 sarracenia. w.	creeping-root'd. France.	1772.	8. 10.	H. 2.	
21 runcinata. K.S.	runcinate. Mexico.	1825.	—	H. 2.	
22 hastata. w.	spear-leaved. Siberia.	1780.	8. 10.	H. 2.	Gmel. sib. 2. t. 66.
23 rhombifolia. w.en.	rhomb-leaved. ———	1816.	—	H. 2.	
24 suaveolens. w.	sweet-scented. N. America.	1752.	—	H. 2.	
25 atriplicifolia. w.	Orache-leaved. ———	1699.	8.	H. 2.	Pluk. alm. t. 101. f. 2.
26 cordifolia. K.S.	heart-leaved. Mexico.	1825.	—	H. 2.	
27 reniformis. w.	kidney-leaved. N. America.	1801.	7. 8.	H. 2.	
28 tuberosa. N.	tuberous-root'd. ———	1812.	—	H. 2.	
29 alpina. w.	Alpine. Austria.	1739.	—	H. 2.	Jacq. aust. 3. t. 234.
<i>Adenostyles viridis.</i> Cas.					
30 albifrons. w.	white-leaved. ———	—	—	H. 2.	— 3. t. 235.
<i>Adenostyles albidus.</i> Cas.					
31 pinnata. w.en.	pinnate-leav'd. Iberia.	1816.	—	H. 2.	
32 peltata. K.S.	peltated. Mexico.	1825.	—	G. 2.	H. et Bondp. 4. t. 361.
33 scandens. w.	climbing. C. B. S.	1774.	4.	G. 2.	
TUSSILAGO. W.	COLTSFOOT. Syngenesia Polygamia Superflua. L.				
1 alpina. w.	Alpine. Austria.	1710.	3. 5.	H. 2.	Botan. magaz. 84.
2 discolor. w.	two-coloured. ———	1633.	4. 5.	H. 2.	Jacq. aust. 3. t. 247.
3 sylvestris. w.	wood. ———	1816.	—	H. 2.	— 5. app. t. 12.
4 Farfara. w.	common. Britain.	—	—	H. 2.	Eng. bot. 429.
<i>β variegata.</i>	<i>variegated-leav'd.</i> ———	—	—	H. 2.	
5 frigida. w.	Lapland. Lapland.	1710.	5.	H. 2.	Flor. dan. t. 61.

6	fragens. w.	fragrant.	Italy.	1806.	1. 3.	H. ♀.	Botan. magaz. 1388.
7	alba. w.	white butter-bur.	Europe.	1683.	1. 4.	H. ♀.	Flor. dan. 524.
8	nivea. w.	downy-leaved.	Switzerland.	1713.	4.	H. ♀.	Retz. obs. 2. t. 3.
	<i>paradoxa</i> . Retz.						
9	Petasites. E.B.	common butter bur.	Britain.	3. 4.	H. ♀.	Eng. bot. 431.
10	hybrida. E.B.	large-leaved.	————	—	H. ♀.	———— 430.
11	spuria. w.	lobed-leaved.	Germany.	1790.	—	H. ♀.	Retz. obs. 1. t. 2.
	<i>paradoxa</i> . Roth.						
12	palmata. w.	cut-leaved.	Labrador.	1778.	4.	H. ♀.	Hort. Kew. v. 3. t. 11.
SENECIO. W.		GROUNDSEL.		Syugesia Polygamia Superflua.		W.	
1	reclinatus. w.	grass-leaved.	C. B. S.	1774.	6. 8.	G. ♂.	Jacq. ic. 1. t. 174.
2	hieracifolius. w.	hawkweed-ld.	N. America.	1699.	8.	H. ⊙.	Herm. parad. t. 226.
3	purpureus. w.	purple.	C. B. S.	1774.	7. 9.	G. ♀.	Jacq. ic. 3. t. 580.
4	cernuus. w.	drooping.	E. Indies.	1780.	7. 8.	H. ⊙.	Jacq. vind. 3. t. 98.
5	erubescens. w.	blush-coloured.	C. B. S.	1774.	6. 10.	G. ♂.	
6	hæmatophyllus. w. en.	purple-leaved.	————	1789.	—	G. ♀.	
7	divaricatus. w.	straddling.	China.	1801.	7.	G. ♂.	
8	croaticus. w.	Croatian.	Hungary.	1805.	7. 8.	H. ♀.	W. et K. hung. 2. t. 143.
9	Pseudo-China. w.	Chinese.	China.	1732.	6. 8.	S. ♀.	Dill. elth. t. 258. f. 335.
10	japonicus. w.	jagged-leaved.	Japan.	1774.	8.	H. ♀.	
11	vulgaris. w.	common.	Britain.	1. 12.	H. ♀.	Eng. bot. 747.
12	peucedanifolius. w.	Peucedanum-ld.	C. B. S.	1816.	6. 8.	G. ♀.	Jacq. ic. 3. t. 581.
	<i>Cacalia peucedanifolia</i> . Jacq.						
13	arabicus. w.	Arabian.	Egypt.	1804.	7. 8.	H. ♂.	
14	verbenæfolius. w.	Vervain-leav'd.	————	1803.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 3.
15	glomeratus. L. en.	close-flowered.	N. Holland.	1816.	8. 10.	H. ⊙.	
16	acalioides. L. en.	Cacalia-like.	Brazil.	1820.	—	H. ⊙.	
17	triflorus. w.	three-flowered.	Egypt.	1776.	7. 9.	H. ⊙.	
18	ægyptius. w.	Egyptian.	————	1771.	7. 8.	H. ⊙.	
19	crassifolius. w.	thick-leaved.	S. Europe.	1815.	—	H. ⊙.	
20	lividus. w.	livid.	Britain.	—	H. ⊙.	Eng. bot. 2515.
21	telephifolius. w.	Telephium-ld.	C. B. S.	1823.	—	H. ⊙.	Jacq. frag. 1. t. 1. f. 3.
22	trilobus. w.	three-lobed.	Spain.	1728.	6. 8.	H. ⊙.	
23	cinerascens. w.	gray.	C. B. S.	1774.	5. 7.	G. ♀.	Jacq. schœn. 2. t. 150.
24	viscosus. w.	stinking.	Britain.	6. 10.	H. ⊙.	Eng. bot. 32.
25	sylvaticus. w.	mountain.	————	7. 8.	H. ⊙.	———— 748.
26	coronopifolius. w.	Buck'shorn-ld.	Spain.	1821.	—	H. ⊙.	
27	nebrodensis. w.	Nebrodes.	S. Europe.	1704.	6. 8.	H. ⊙.	Barrel. rar. 401.
28	glaucus. w.	sea-green.	Egypt.	1739.	—	H. ⊙.	
29	hastatus. w.	halberd-ld.	C. B. S.	1722.	5. 8.	G. ♀.	Dill. elth. t. 152. f. 184.
30	pubigerus. w.	runcinate-ld.	————	1816.	—	G. ♀.	Moris. s. 7. t. 18. f. 32.
31	vernalis. w.	spring.	Hungary.	1803.	4. 6.	H. ⊙.	W. et K. hung. 1. t. 24.
32	montanus. w.	smooth mountain.	Germany.	1819.	—	H. ⊙.	
33	rupestris. w.	rock.	Hungary.	1805.	6. 7.	H. ♀.	W. et K. hung. 2. t. 128.
34	dentatus. w.	toothed-leaved.	C. B. S.	1823.	—	G. ♀.	
35	squamosus. w.	scaly.	————	1816.	—	G. ♀.	
36	venustus. w.	wing-leaved.	————	1774.	5. 11.	G. ♀.	Botan. regist. 901.
37	elegans. w.	elegant.	————	1700.	6. 8.	H. ⊙.	
	<i>a ruber</i> .	<i>red-flowered</i> .	————	—	—	H. ⊙.	
	<i>β albus</i> .	<i>white-flowered</i> .	————	—	—	H. ⊙.	
	<i>γ pleno-albus</i> .	<i>double-white</i> .	————	—	4. 11.	G. ♀.	
	<i>δ pleno-ruber</i> .	<i>double red</i> .	————	—	—	G. ♀.	Botan. magaz. 238.
38	speciosus. w.	red-flowered.	China.	1789.	7. 8.	G. ♀.	Botan. regist. 41.
39	squalidus. w.	elegant.	England.	6. 10.	H. ⊙.	Eng. bot. 600.
40	erucæfolius. w.	Eruca-leaved.	Europe.	1816.	7. 8.	H. ♀.	
41	chrysanthemifolius.	Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H. ♀.	Bocc. sic. t. 67.
42	uniflorus. w.	one-flowered.	S. Europe.	1799.	7. 8.	H. ♀.	All. ped. t. 17. f. 8.
43	incanus. w.	downy.	————	1759.	—	H. ♀.	Pluk. alm. t. 39. f. 6.
44	abrotanifolius.	Southernwood-ld.	————	1640.	7. 10.	H. ♀.	Jacq. aust. 1. t. 79.
45	artemisæfolius. p.s.	Wormwood-ld.	France.	1820.	—	H. ♀.	
46	canadensis. w.	Canadian.	N. America.	1818.	—	H. ♀.	
47	delphinifolius. w.	Larkspur-ld.	Sicily.	1823.	—	H. ♀.	Vahl symb. 2. t. 43.
48	tenuifolius. w.	slender-leaved.	Britain.	7. 8.	H. ♀.	Eng. bot. 574.
49	Jacobæa. w.	common ragwort.	————	—	H. ♀.	———— 1130.
50	aquaticus. w.	marsh.	————	5. 7.	H. ♀.	———— 1131.
51	arcus. w.	golden.	N. America.	1758.	7. 8.	H. ♀.	
52	Balsamitæ. w.	various-leaved.	————	1819.	6. 8.	H. ♀.	
53	obovatus. w.	obovate-leaved.	————	—	—	H. ♀.	
54	leucophyllus. DC.	white-leaved.	S. Europe.	1821.	—	H. ♀.	

55	rosmarinifolius. w.	Rosemary-ld.	C. B. S.	7. 8.	G. h.	Jacq. ic. 3. t. 587.
56	asper. w.	rough.	1774.	—	G. h.	
57	linifolius. w.	Flax-leaved.	Spain.	1817.	H. y.	Barrel. rar. t. 802.
58	rigescens. w.	stiff-leaved.	C. B. S.	1815.	G. h.	Jacq. coll. 5. t. 6. f. 1.
59	paludosus. w.	Bird's-tongue.	England.	...	6. 8. H. y.	Eng. bot. 650.
60	persicæfolius. DC.	peach-leaved.	Pyrenees.	1817.	H. y.	Ram. bul. phil. t. 11. f. 3.
61	memorensis. w.	branching.	Austria.	1785.	7. 8. H. y.	Jacq. aust. 2. t. 184.
62	sarraceniensis. w.	creeping-root'd.	Britain.	...	7. 10. H. y.	Eng. bot. 2211.
63	ovatus. w.	oval-leaved.	Germany.	1817.	H. y.	
64	coriacea. w.	leathery-leav'd.	Levant.	1728.	7. 8. H. y.	Dill. elth. t. 105. f. 125.
65	Doria. w.	broad-leaved.	Austria.	1570.	7. 9. H. y.	Jacq. aust. 2. t. 185.
66	macrophyllus. M.B.	large-leaved.	Caucasus.	1817.	H. y.	
67	Doronicum. w.	Leopard's-bane.	S. Europe.	1705.	H. y.	Jacq. aust. 5. t. ap. 45.
68	umbrosus. w. K.	ear-leaved.	Hungary.	1815.	H. y.	
69	Barrelieri. w.	Barrelier's.	Pyrenees.	1824.	H. y.	Barrel. ic. 146.
70	lanceus. w.	spear-leaved.	C. B. S.	1774.	7. 10. G. h.	
71	oporinus. w.	Jacquin's.	—	—	G. y.	Jacq. schœn. 3. t. 304.
72	longifolius. w.	long-leaved.	—	1775.	8. 11. G. h.	Comm. hort. 2. t. 71.
73	halimifolius. w.	succulent-ld.	—	1723.	7. G. h.	Dill. elth. t. 104. f. 124.
74	ilicifolius. w.	Ilex-leaved.	—	1731.	6. 7. G. h.	Comm. rar. t. 42.
75	rigidus. w.	hard-leaved.	—	1704.	6. 9. G. h.	Comm. hort. 2. t. 75.
76	solidaginoides. w.	Golden-rod-like.	—	1819.	G. h.	Hout. syst. 4. t. 32. f. 1.
77	vernus. Biv.	vernal.	Italy.	—	H. y.	
CINERARIA. W. Syngenesia Polygamia Superflua. L.						
1	americana. w.	American.	S. America.	1823.	...	S. h.
2	incana. P.S.	hoary.	Jamaica.	—	6. 8.	S. h.
3	discolor. P.S.	two-coloured.	—	1822.	—	S. h.
4	lucida. P.S.	glossy.	W. Indies.	—	—	S. h.
5	geitfolia. w.	kidney-leaved.	C. B. S.	1710.	4. 8.	G. h.
6	canescens L.en.	small-flowered.	—	1790.	—	G. h.
7	aurita. w.	purple-flower'd.	Madeira.	1777.	6. 7.	G. h.
8	lactea. w.en.	milk-coloured.	1816.	—	G. h.
9	lanata. w.	woolly.	Canaries.	1780.	5. 9.	G. h.
10	hybrida. w.en.	hybrid.	Hybrid.	2. 5.	G. h.
11	elatiar. L.en.	tall.	—	G. h.
12	cruenta. w.	purple-leaved.	Canaries.	1777.	—	G. h.
	aurita. A.R. 24.					
13	pulchella.	bright red-fl'd.	—	1818.	—	G. h.
14	populifolia. H.K.	Poplar-leaved.	—	1780.	6. 9.	G. h.
15	lobata. w.	lobed.	C. B. S.	1774.	6. 8.	G. h.
16	malvæfolia. w.	Mallow-leaved.	Azores.	1777.	8.	G. y.
17	petasites. B.M.	butter-bur-ld.	Mexico.	1812.	12. 2.	G. h.
18	præcox. w.	early-flow'ring.	—	1824.	2. 4.	G. h.
19	sibirica. w.	Siberian.	Siberia.	1784.	6. 8.	H. y.
20	speciosa. L.en.	large-flowered.	—	1818.	—	H. y.
21	caucasica. M.B.	Caucasian.	Caucasus.	1820.	—	H. y.
22	gigantea. H.K.	gigantic.	Cape Horn.	1801.	7. 8.	H. y.
23	glanca. w.	glaucous-leav'd.	Siberia.	1790.	6. 7.	H. y.
24	palustris. w.	marsh.	England.	...	—	H. y.
25	aurantiaca. w.	orange-colour'd.	Switzerland.	1818.	5. 7.	H. y.
26	campestris. w.	mountain.	N. Europe.	—	H. y.
27	integrifolia. E.B.	entire-leaved.	England.	—	H. y.
28	longifolia. w.	long-leaved.	Austria.	1792.	6. 8.	H. y.
29	crispa. w.	curled.	—	1818.	—	H. y.
30	cordifolia. w.	heart-leaved.	—	1739.	7. 8.	H. y.
31	media. w.K.	intermediate.	Hungary.	1818.	—	H. y.
32	alpina. w.	Alpine.	Austria.	1683.	6. 8.	H. y.
33	aurea. w.	golden.	Siberia.	1825.	—	H. y.
34	maritima. w.	sea ragwort.	S. Europe.	1633.	7. 9.	F. h.
35	bicolor. w.	shining-leaved.	1820.	—	F. h.
36	canadensis.	Canadian.	Canada.	1739.	6. 8.	H. y.
37	linifolia. w.	flax-leaved.	C. B. S.	—	G. h.
38	angustifolia. K.S.	narrow-leaved.	Mexico.	1825.	G. h.
39	humifusa. w.	trailing.	C. B. S.	1704.	7. 8.	G. y.
40	viscosa. w.	clanmy.	—	1774.	6. 8.	G. y.
AGATHÆA. Cas. Syngenesia Polygamia Superflua.						
	cælestis. cas.	Cape-Aster.	C. B. S.	1753.	2. 9.	G. h.
	Cineraria amelloids. w.					Botan. magaz. 249.

KAULFUSSIA. Nees.	KAULFUSSIA.	Syngenesia Polygamia Superflua.			
<i>amelloides.</i> Nees.	blue-flowered.	C. B. S.	1819.	6. 7.	H. ⊙ Botan. regist. 490.
TAGETES. W.	TAGETES.	Syngenesia Polygamia Superflua. L.			
1 <i>lucida.</i> w.	sweet-scented.	S. America.	1798.	7. 11.	G. ♀ Botan. magaz. 740.
2 <i>patula.</i> w.	French Marygold.	Mexico.	1573.	7. 10.	H. ⊙ ——— 150.
3 <i>corymbosa.</i> B.F.G.	<i>corymbus</i> -fld.	————	1825.	9. 11.	H. ⊙ Swt. br. fl. gar. 151.
<i>α purpurea.</i>	purple-flowered.	————	————	————	H. ⊙
<i>β lutea.</i>	yellow-flowered.	————	————	————	H. ⊙
4 <i>erecta.</i> w.	African Marygold.	————	1596.	6. 9.	H. ⊙ Lam. ill. t. 684.
5 <i>tenuifolia.</i> w.	fine-leaved.	————	1797.	7. 10.	H. ⊙ Swt. br. fl. gar. 141.
6 <i>minuta.</i> w.	small-flowered.	Chili.	1728.	8. 10.	H. ⊙ Dill. elth. t. 280. f. 362.
7 <i>clandestina.</i> Lag.	small-rayed.	Mexico.	1822.	————	H. ⊙
<i>coronopifolia.</i> W.en.	————	————	————	————	————
8 <i>micrantha.</i> w.	solitary-fld.	————	————	————	H. ⊙ Cavan. ic. 4. t. 352.
9 <i>glandulosa.</i> L.en.	glandular.	S. America.	1825.	————	H. ⊙
BÆBERA. W.	BÆBERA.	Syngenesia Polygamia Superflua.			
1 <i>glandulosa.</i> N.	glandular.	N. America.	1823.	8. 9.	H. ⊙ Ventcn. cels. t. 36.
<i>chrysanthemoides.</i> W.en.	<i>Tagetes papposa.</i> v. <i>Dyssodia glandulosa.</i> cav.	————	————	————	————
2 <i>Porophyllum.</i> K.S.	Mexican.	Mexico.	————	————	H. ⊙
<i>Dyssodia Porophyllum.</i> W.en.	————	————	————	————	————
OTHONNA. W.	RAGWORT.	Syngenesia Polygamia Necessaria. L.			
1 <i>flabellifolia.</i> B.C.	fan-leaved.	C. B. S.	1822.	7. 9.	G. ♀ Lodd. bot. cab. 728.
2 <i>pinnatifida.</i> P.S.	pinnatifid.	————	1823.	————	G. ♀
3 <i>pinnata.</i> w.	wing-leaved.	————	1759.	4. 6.	G. ♀ Botan. magaz. 768.
4 <i>Tagetes.</i> w.	slender-stalked.	————	1823.	7. 9.	H. ⊙
5 <i>pectinata.</i> w.	Wormwood-ld.	————	1731.	4. 6.	G. ♀ Botan. magaz. 306.
6 <i>Athanasia.</i> w.	Athanasia-like.	————	1795.	11. 12.	G. ♀ Jacq. schœn. 2. t. 242.
7 <i>abrotanifolia.</i> w.	Southernwood-ld.	————	1692.	1. 5.	G. ♀ Botan. regist. 108.
8 <i>digitata.</i> w.	finger-leaved.	————	1822.	6. 9.	G. ♀
9 <i>retrofracta.</i> w.	axillary-fld.	————	1812.	————	G. ♀ Jacq. schœn. 3. t. 376.
10 <i>coronopifolia.</i> w.	Buckshorn-ld.	————	1731.	7. 9.	G. ♀ Comm. hort. 2. t. 70.
11 <i>cheirifolia.</i> w.	Stock-leaved.	Barbary.	1752.	4. 6.	F. ♀ Botan. regist. 266.
12 <i>crassifolia.</i> w.	thick-leaved.	C. B. S.	1710.	9. 10.	G. ♀ Mill. ic. 2. t. 245. f. 2.
13 <i>denticulata.</i> w.	tooth-leaved.	————	1774.	4. 7.	G. ♀ Botan. magaz. 1979.
14 <i>heterophylla.</i> w.	various-leaved.	————	1812.	————	G. ♀
15 <i>Lingua.</i> w.	tongue-leaved.	————	1787.	5. 9.	G. ♀ Jacq. schœn. 2. t. 238.
16 <i>filicaulis.</i> w.	Yam-rooted.	————	1791.	4. 5.	G. ♀ ——— 2. t. 211.
17 <i>bulbosa.</i> w.	bulbous.	————	1774.	5. 6.	G. ♀ Breyn. cent. t. 66.
18 <i>parviflora.</i> w.	small-flowered.	————	1704.	7. 8.	G. ♀ Volk. uorib. t. 226.
19 <i>perfoliata.</i> H.K.	perfoliate.	————	1789.	5. 7.	G. ♀ Jacq. schœn. t. 240.
<i>amplexicaulis.</i> B.M. 1812. non Thunb.	————	————	————	————	————
20 <i>ericoides.</i> w.	Heath-leaved.	————	1815.	7. 8.	G. ♀
21 <i>linifolia.</i> w.	Flax-leaved.	————	1825.	————	G. ♀
22 <i>tenuissima.</i> w.	fine-leaved.	————	1759.	4. 7.	G. ♀ Jacq. schœn. 2. t. 239.
23 <i>frutescens.</i> w.	frutescent.	————	1816.	7. 8.	G. ♀ Comm. hort. 2. t. 70.
24 <i>arborescens.</i> w.	tree.	————	1723.	————	G. ♀ Dill. elth. t. 103. f. 123.
25 <i>cacalioides.</i> w.	tuberous.	————	1774.	5. 9.	G. ♀

SUBORDO VI. *HELIANTHÆ.* Kth. synopsis. 2. p. 463.

HYMENOPAPPUS. J.	HYMENOPAPPUS.	Syngenesia Polygamia Æqualis.			
1 <i>pedatus.</i> Lag.	pedate-leaved.	Mexico.	1803.	7. 9.	G. ⊙ Cavan. ic. 4. t. 356.
<i>Stevia pedata.</i> B.M. 2040. <i>Florestina pedata.</i> Cas.	————	————	————	————	————
2 <i>scabiosæus.</i> ph.	Scabious-like.	Missouri.	1812.	6. 8.	H. ⊙ Jour. de hist. nat. n. 1. ic.
3 <i>tenuifolius.</i> ph.	slender-leaved.	————	1811.	————	F. ♂
SCHKUHRIA. W.	SCHKUHRIA.	Syngenesia Polygamia Superflua. L.			
<i>abrotanoides.</i> w.	Wormwood-ld.	Mexico.	1798.	7. 9.	H. ⊙ Schk. hand. 3. t. 250. b.
PECTIS. W.	PECTIS.	Syngenesia Polygamia Superflua. L.			
1 <i>humifusa.</i> w.	trailing.	W. Indies.	1822.	7. 9.	S. ⊙ Plum. ic. t. 95. f. 2.
2 <i>prostrata.</i> w.	prostrate.	New Spain.	1824.	————	S. ⊙ Cavan. ic. 4. t. 324.
3 <i>ciliaris.</i> w.	ciliated.	Hispaniola.	1793.	7.	S. ⊙ Plum. ic. 151. f. 2.
4 <i>linifolia.</i> w.	Flax-leaved.	Jamaica.	1732.	7. 8.	S. ⊙ Sloan. bist. 1. t. 149. f. 3.
HETEROSPERMUM. W.	HETEROSPERMUM.	Syngenesia Polygamia Superflua. W.			
<i>pinnatum.</i> w.	wing-leaved.	New Spain.	1799.	8. 9.	H. ⊙ Cavan. ic. 3. t. 267.
MELANANTHERA. M.	MELANANTHERA.	Syngenesia Polygamia Æqualis. P.S.			
1 <i>Linnæi.</i> K.S.	Linnæus's.	S. America.	1799.	6. 8.	S. ♂ Jacq. ic. 3. t. 583.
<i>Bidens nivea.</i> L. <i>Calca aspera.</i> Jacq.	————	————	————	————	2 H

- 2 hastata. M. hastate-leaved. N. America. 1732. — G. ♀. Dill. elth. t. 47. f. 55.
 β *pandurata*. Ph. *fiddle-leaved*. — — — — — G. ♀. ———— t. 46. f. 54.
- MARSHALLIA. W. MARSHALLIA. Syngenesia Polygamia Æqualis. W.
 1 lanceolata. Ph. spear-leaved. Carolina. 1812. 6. 7. F. ♀.
 2 latifolia. Ph. broad-leaved. ———— 1806. — F. ♀. Mich. amer. 2. t. 43.
Persoonia latifolia. M. *Trattenickia latifolia*. P. S.
- PLATYPTERIS. K. S. PLATYPTERIS. Syngenesia Polygamia Æqualis.
crocata. K. S. saffron-colour'd. Mexico. 1812. 1. 3. S. ♀. Botan. magaz. 1627.
Spilanthes crocata. B. M.
- SPILANTHES. W. SPILANTHES. Syngenesia Polygamia Æqualis. L.
 1 tenella. K. S. slender. Caracas. 1823. 8. 10. G. ⊙.
 2 Pseudo-Acmella. w. spear-leaved. Ceylon. 1768. 7. S. ⊙. Pluk. alm. t. 159. f. 4.
 3 uliginosa. w. marsh. Jamaica. 1820. 7. 9. S. ⊙.
 4 alba. w. white-flower'd. Peru. 1783. 6. 7. H. ⊙. L'Herit. stirp. 7. t. 4.
 5 oleracea. w. esulent. E. Indies. 1770. 7. 9. S. ♂. Jacq. vind. 2. t. 135.
- ACMELLA. P. S. ACMELLA. Syngenesia Polygamia Superflua. P. S.
 1 mauritiana. P. S. Balm-leaved. Mauritius. 1768. 7. 8. S. ⊙. Rumph. amb. 6. t. 65.
Spilanthes Acmella. W.
 2 repens. P. S. creeping. N. America. 1819. — H. ⊙.
 3 occidentalis. P. S. oval-leaved. S. America. 1825. — H. ⊙.
 4 buphthalmoides. P. S. Ox-eye-leaved. ———— 1798. 7. 9. H. ⊙. Jacq. schœn. 2. t. 151.
- LAVENIA. W. LAVENIA. Syngenesia Polygamia Æqualis.
 erecta. w. upright. E. Indies. 1739. 7. 9. S. ⊙. Burm. zeyl. t. 42.
- SALMEA. DC. SALMEA. Syngenesia Polygamia Æqualis.
 1 scandens. DC. climbing. S. America. 1815. 4. 6. S. ♀. Botan. magaz. 2062.
Calca Amellus. L.
 2 hirsuta. DC. hairy. ———— ———— S. ♀.
- PETROBIUM. L. T. PETROBIUM. Syngenesia Polygamia Æqualis.
 arboreum. tree. St. Helena. 1816. S. ♀.
Spilanthes arboreus. Forst.
- CALEA. L. T. CALEA. Syngenesia Polygamia Æqualis. L.
 1 jamaicensis. L. T. purple-flow'r'd. W. Indies. 1739. 6. 7. S. ♀. Sloan. jam. 1. t. 151. f. 3.
 2 cordifolia. L. T. heart-leaved. Jamaica. 1822. — S. ♀.
- CALEACTE. L. T. CALEACTE. Syngenesia Polygamia Æqualis.
 1 urticifolia. L. T. Nettle-leaved. Vera Cruz. S. ♀.
Solidago urticifolia. Mill.
 2 pinnatifida. L. T. pinnatifid. Brazil. 1816. 6. 8. S. ♀.
- ISOCARPHA. L. T. ISOCARPHA. Syngenesia Polygamia Æqualis.
 oppositifolia. opposite-leav'd. W. Indies. 1739. 7. 8. S. ♂.
- Calca oppositifolia*. W.
- NEUROLÆNA. L. T. NEUROLÆNA. Syngenesia Polygamia Æqualis.
 lobata. halberd-weed. W. Indies. 1733. 6. 7. S. ♀. Botan. magaz. 1734.
Calca lobata. B. M.
- MADIA. W. MADIA. Syngenesia Polygamia Superflua. W.
 1 viscosa. w. viscous. Chili. 1794. 7. 8. H. ⊙. Botan. magaz. 2574.
 2 mellosa. w. stem-clasping. ———— 1824. — H. ⊙.
- TETRAGONOTHECA. TETRAGONOTHECA. Syngenesia Polygamia Superflua. W.
 helianthoides. w. Sunflower-like. Virginia. 1726. 8. 10. H. ♀. Schk. hand. 3. t. 263.
- XIMENESIA. W. XIMENESIA. Syngenesia Polygamia Superflua. W.
 1 encelioides. w. oval-leaved. Mexico. 1795. 6. 11. G. ♂. Cavan. ic. 2. t. 178.
 2 fœtida. K. S. fetid. ———— 1799. 7. 8. H. ⊙. ———— 1. t. 77.
Coreopsis fœtida. Cav. *Simsia ficifolia*. P. S.
 3 cordata. K. S. heart-leaved. ———— ———— H. ♀.
- HELENIUM. W. HELENIUM. Syngenesia Polygamia Superflua. W.
 1 autumnale. w. smooth. N. America. 1729. 8. 10. H. ♀. Schk. hand. 3. t. 250.
 2 pubescens. w. downy. ———— 1776. 8. 9. H. ♀.
 3 quadripartitum. L. en. four-parted. 1825. — G. ♂.
 4 quadridentatum. w. four-toothed. Louisiana. 1790. 5. 10. H. ♀. Botan. regist. 598.
 5 pumilum. w. en. dwarf. N. America. 1819. — H. ♀.
 6 mexicanum. K. S. Mexican. Mexico. 1823. 8. 10. H. ♀.
- ZINNIA. W. ZINNIA. Syngenesia Polygamia Superflua. W.
 1 pauciflora. w. yellow-flow'r'd. Peru. 1753. 7. 8. H. ⊙. Mill. ic. 1. t. 64.
 2 multiflora. w. red-flowered. N. America. 1770. 6. 10. H. ⊙. Botan. magaz. 149.
 3 verticillata. w. whorl-leaved. Mexico. 1789. 7. 8. H. ⊙. Andr. repos. 189.
 4 elegans. w. purple-flow'r'd. ———— 1796. 7. 10. H. ⊙. Botan. magaz. 527.
violacea. A. R. 55.
 5 tenuiflora. w. slender-fl'd. ———— 1799. 7. 8. H. ⊙. ———— 555.
 6 angustifolia. K. S. narrow-leaved. ———— 1825. — H. ⊙.
- RELHANIA. W. RELHANIA. Syngenesia Polygamia Superflua. W.
 1 squarrosa. w. cross-leaved. C. B. S. 1774. 5. 6. G. ♀.

- 2 genistifolia. w. Genista-leav'd. ——— 1823. — G. ½.
 3 lateriflora. w. side-flowering. ——— ——— G. ½.
 4 pungens. w. pungent-leav'd. ——— 1820. 6. 8. G. ½. Botan. regist. 587.
- ATHRIXIA. B.R.** **ATHRIXIA.** Syngenesia Polygamia Superflua.
 capensis. B.R. Cape. C. B. S. 1823. 6. 8. G. ¼. Botan. regist. 681.
- LONGCHAMPIA. W.** **LONGCHAMPIA.** Syngenesia Polygamia Superflua. W.
 capillifolia. w. Leysera-like. Africa. 1824. 6. 8. H. ⊙.
- Gnaphalium leyserooides.* Desf.
- SANVITALIA. W.** **SANVITALIA.** Syngenesia Polygamia Superflua. W.
 procumbens. w. trailing. Mexico. 1798. 7. 8. H. ⊙. Botan. regist. 707.
- TRIDAX. L.** **TRIDAX.** Syngenesia Polygamia Superflua. L.
 procumbens. L. procumbent. Mexico. 1804. 7. 8. H. ⊙.
- Balbisia elongata.* w.
- COLUMELLIA. W.** **COLUMELLIA.** Syngenesia Polygamia Superflua. W.
 biennis. w. biennial. C. B. S. 1820. 7. 9. G. ½. Jacq. schœn. 3. t. 301.
- Nestlera biennis.* Spr.
- ECLIPTA. W.** **ECLIPTA.** Syngenesia Polygamia Superflua. L.
 1 erecta. w. upright. S. America. 1690. 7. 9. H. ⊙. Dill. elth. t. 113. f. 137.
 2 punctata. w. dotted. W. Indies. 1822. — S. ⊙. Jacq. amer. pict. t. 197.
 3 prostrata. w. trailing. E. Indies. 1732? — S. ⊙. Dill. elth. t. 113. f. 138.
 4 procumbens. m. procumbent. Carolina. 1819. — H. ⊙.
- CHRYSANTHELLUM. CHRYSANTHELLUM.** Syngenesia Polygamia Superflua. P.S.
 procumbens. P.S. procumbent. W. Indies. 1768. 6. 7. S. ⊙. Swartz obs. 314. t. 8. f. 1.
- Verbesina mutica.* w.
- SIEGESBECKIA. W.** **SIEGESBECKIA.** Syngenesia Polygamia Superflua. L.
 1 orientalis. w. oriental. E. Indies. 1730. 8. 10. H. ⊙. Schk. hand. 3. t. 256.
 2 triangularis. Cav. triangular-ld. Mexico. . . . — H. ⊙. Cav. ic. 3. t. 253.
 3 iberica. w. Iberian. Iberia. 1823. — H. ⊙. Buxb. cent. 3. t. 52.
 4 droseroides. B.F.G. Sundew-like. Mexico. 1825. — H. ¼. ? Swt. br. fl. gar. ic.
 5 flosculosa. w. small-flower'd. Peru. 1784. 6. 7. H. ⊙. L'Herit. stirp. t. 19.
- VERBESINA. W.** **VERBESINA.** Syngenesia Polygamia Superflua. L.
 1 alata. w. wing-stalked. S. America. 1699. 5. 10. G. ¼. Botan. magaz. 1716.
 2 virginica. w. white-flowered. N. America. 1812. 7. 9. H. ¼.
 3 virgata. w. slender. Mexico. 1825. — H. ¼.
 4 gigantea. w. tree. W. Indies. 1758. — S. ½. Cav. ic. 3. t. 275.
 5 Boswellia. L. catable. E. Indies. 1818. — S. ⊙. Jacq. ic. 1. t. 175.
 6 serrata. w. saw-leaved. Mexico. 1803. 7. 10. G. ¼. Cav. ic. 3. t. 214.
 7 Siegesbeckia. w. American. Virginia. 1731. 10. 11. H. ¼.
 8 salicifolia. K.S. Willow-leaved. Mexico. 1824. — H. ¼.
 9 diehotoma. w. forked. E. Indies. 1789. 6. 7. S. ⊙.
 10 biflora. w. two-flowered. ——— 1818. 7. 9. S. ⊙. Rheed. mal. 19. t. 40.
 11 calendulacea. w. Marygold-fl'd. Ceylon. 1739. — S. ⊙. Burm. zeyl. t. 22. f. 1.
 12 fruticosa. w. shrubby. W. Indies. 1759. 6. 6. S. ½. Plum. ic. t. 52.
- SYNEDRELLA. P.S.** **SYNEDRELLA.** Syngenesia Polygamia Superflua. P.S.
 nodiflora. P.S. sessile-flow'r'd. W. Indies. 1726. 6. 7. S. ⊙. Dill. elth. t. 45. f. 53.
- ENCELIA. J.** **ENCELIA.** Syngenesia Polygamia Superflua. P.S.
 1 canescens. P.S. canescent. Mexico. 1786. 7. 9. G. ½. Botan. regist. 909.
Pallasia halimifolia. w. *Coreopsis limensis.* Jacq. ic. 3. t. 594.
 2 halimifolia. P.S. great-flowered. ——— 1825. — G. ½. Cavan. ic. 3. t. 216.
Pallasia grandiflora. w.
- GALINSOGEA. K.S.** **GALINSOGEA.** Syngenesia Polygamia Superflua. W.
 1 trilobata. w. three-lobed. Peru. 1797. 8. 11. H. ⊙. Swt. br. fl. gar. 56.
 2 balbisoides. K.S. Mexican. Mexico. 1825. — H. ⊙. H. et B. 4. t. 386.
 3 parviflora. w. small-flowered. S. America. 1796. 6. 8. H. ⊙. Cavan. ic. 3. t. 281.
Wiborgia parviflora. K.S.
- PTILOSTEPHIUM. K.S.** **PTILOSTEPHIUM.** Syngenesia Polygamia Superflua.
 1 coronopifolium. K.S. Buckshorn-ld. Mexico. 1823. 8. 10. H. ⊙. H. et B. 4. t. 387.
 2 trifidum. K.S. trifid-leaved. ——— ——— H. ⊙. ——— 4. t. 388.
- ZALUZANIA. P.S.** **ZALUZANIA.** Syngenesia Polygamia Superflua. P.S.
 triloba. P.S. three-lobed. Mexico. 1798. 7. 9. F. ¼.
- PASCALIA. W.** **PASCALIA.** Syngenesia Polygamia Superflua. W.
 glauca. w. glaucous-leav'd. Chili. 1799. 6. 8. H. ¼. Andr. reposit. 549.
- HELIOPSIS. P.S.** **HELIOPSIS.** Syngenesia Polygamia Superflua. P.S.
 1 canescens. K.S. hoary-leaved. S. America. 1820. 8. 10. H. ¼. Botan. regist. 592.
 2 lævis. P.S. smooth. N. America. 1714. 7. 10. H. ¼. L'Herit. stirp. t. 45.
Buphthalmum helianthoides. w. *Helianthus lævis.* L.
- DIOMEDEA. Cas.** **DIOMEDEA.** Syngenesia Polygamia Superflua.
 1 glabrata. K.S. smooth. S. America. 1699. 5. 9. G. ½. Dill. elth. t. 38. f. 43.
Buphthalmum arborescens. w.

- 2 bidentata. Cas. two-toothed. ——— 1696. 6. 8. G. h. Dill. elth. t. 28. f. 44.
 3 argentea. K.S. silvery-leaved. ——— 1823. ——— G. h.
- BUPHTHALMUM.**
 1 sericeum. w. Ox-EYE. Syngenesia Polygamia Superflua. L. Botan. magaz. 1836.
 2 spinosum. w. Canaries. 1779. 5. 7. G. h.
 3 aquaticum. w. prickly. Spain. 1570. 6. 9. H. ⊙.
 4 maritimum. w. sweet-scented. S. Europe. 1731. 7. 8. H. ⊙. Breyn. cent. t. 77.
 5 salicifolium. w. sea. Sicily. 1640. 7. 9. H. ♀. Bocc. mus. t. 129.
 6 grandiflorum. w. Willow-leaved. Austria. 1759. 6. 10. H. ♀. Jacq. aust. 4. t. 370.
 7 cordifolium. w. great-flowered. ——— 1722. ——— H. ♀. Moris. s. 6. t. 7. f. 52.
 8 procumbens. Desf. heart-leaved. Hungary. 1739. 6. 8. H. ♀. W. et K. hung. 2. t. 113.
 9 procumbens. Desf. procumbent. ——— 1820. ——— H. ♀.
- WEDELIA. K.S.**
 1 acapulcensis. K.S. WEDELIA. Syngenesia Polygamia Necessaria. W.
 2 hispida. K.S. Acapulco. S. America. 1823. 6. 8. S. h.
 3 radiosa. B.R. hispid. New Spain. 1819. ——— S. h. Botan. regist. 543.
 4 radiosa. B.R. rayed. S. America. 1822. ——— S. h. ——— 610.
- GYMNOLOMA. K.S.**
 1 triplinerve. K.S. GYMNOLOMA. Syngenesia Polygamia Necessaria.
 2 maculatum. B.R. triple-nerved. S. America. 1825. 6. 9. S. ♀.
 3 maculatum. B.R. spotted-stalk'd. ——— 1822. ——— S. ♀. Botan. regist. 662.
- ACTINOMERIS. N.**
 1 squarrosa. N. ACTINOMERIS. Syngenesia Polygamia Frustranea.
 Coreopsis alternifolia. Jacq. Verbesina Coreopsis. Ph. N. America. 1640. 9. 11. H. ♀. Jacq. vind. 2. t. 110.
 2 procera. N. tall. ——— 1765. 9. 10. H. ♀.
 Coreopsis procera. H. K.
- 3 helianthoides. N. Sunflower-like. Louisiana. 1825. ——— H. ♀.
 4 alata. wing-stalked. Mexico. 1803. 7. 8. H. ♀. Cavan. ic. 3. t. 260.
 Coreopsis alata. W.
- HELIANTHUS. W.**
 1 annuus. w. SUNFLOWER. Syngenesia Polygamia Frustranea. L.
 2 indicus. w. annual. S. America. 1596. 6. 10. H. ⊙.
 3 tubæformis. w. dwarf annual. Egypt. 1785. ——— H. ⊙. Tabern. ic. 764.
 4 dentatus. w. tube-flowered. Mexico. 1799. 7. 8. H. ⊙. Jacq. schön. 3. t. 375.
 5 multiflorus. w. tooth-leaved. ——— 1798. 9. 11. G. ♀. Cavan. ic. 3. t. 220.
 β plenus. double-flowered. N. America. 1597. 8. 10. H. ♀. Botan. magaz. 227.
 6 tuberosus. w. Jerusalem Artichoke. Brazil. 1617. 9. 10. H. ♀. Jacq. vind. 2. t. 161.
 7 pubescens. B.R. pubescent. N. America. 1795. 7. 10. H. ♀. Botan. regist. 524.
 8 atrorubens. B.R. dark-eyed. ——— 1732. ——— H. ♀. ——— 508.
 diffusus. B.M. 2020. missuricus. Spr. pale-flowered. ——— H. ♀.
 9 ketiflorus. P.S. divaricate. ——— 1759. 8. 10. H. ♀. Moris. s. 6. t. 7. f. 66.
 10 divaricatus. w. divaricate. ——— 1818. ——— H. ♀.
 11 trachelifolius. w. Trachelium-ld. ——— 1812. ——— H. ♀.
 12 longifolius. Ph. long-leaved. Georgia. 1812. ——— H. ♀.
 13 pauciflorus. N. few-flowered. Louisiana. 1823. ——— H. ♀.
 14 giganteus. w. gigantic. N. America. 1714. 9. 10. H. ♀.
 15 altissimus. w. tall. ——— 1731. 7. 9. H. ♀. Jacq. vind. 2. t. 160.
 16 strumosus. w. Carrot-rooted. ——— 1710. ——— H. ♀. Bocc. sic. t. 27. f. 4.
 17 prostratus. w. rough. ——— 1800. ——— H. ♀.
 18 decapetalus. w. ten-rayed. ——— 1759. 8. 11. H. ♀. Rob. ic. 235.
 19 mollis. w. soft. ——— 1805. 7. 10. H. ♀.
 20 macrophyllus. w. large-leaved. ——— 1800. 8. 10. H. ♀. Willd. hort. ber. t. 70.
 21 angustifolius. w. narrow-leaved. ——— 1789. 9. 10. H. ♀. Mill. ic. t. 224. f. 2.
 22 excelsus. w. lofty. Mexico. 1824. ——— H. ♀. Cav. ic. 3. t. 219.
 giganteus. Cav. non w.
- 23 linearis. w. linear-leaved. ——— 1818. 8. 10. H. ♀. Botan. regist. 523.
 24 parviflorus. K.S. small-flowered. ——— 1824. ——— H. ♀. H. et B. 4. t. 378.
 25 cornifolius. K.S. Dogwood-ld. ——— ——— H. ♀.
 26 trilobatus. L. en. three-lobed. ——— 1823. ——— H. ♀.
- VIGUIERA. K.S.**
 helianthoides. K.S. VIGUIERA. Syngenesia Polygamia Frustranea. H. et B. 4. t. 379.
 GALARDIA. W. GALARDIA. Syngenesia Polygamia Frustranea. W.
 1 bicolor. w. two-coloured. Carolina. 1787. 7. 10. H. ♀. Botan. magaz. 1602.
 2 aristata. Ph. long-awned. N. America. 1812. ——— H. ♀.
- RUBECKIA. W.**
 1 pinnata. Ph. RUBECKIA. Syngenesia Polygamia Frustranea. L.
 2 digitata. Ph. narrow-jagged-ld. N. America. 1803. 8. 9. H. ♀. Swt. br. fl. gar. 146.
 3 laciniata. Ph. broad jagged-ld. ——— 1640. 7. 9. H. ♀. Moris. s. 6. t. 6. f. 54.
 4 columnaris. Ph. high-crowned. ——— 1811. 8. 9. H. ♀. ——— s. 6. t. 6. f. 53.
 5 subtomentosa. Ph. downy-lobed. ——— 1802. ——— H. ♀. Botan. magaz. 1601.
 6 triloba. Ph. three-lobed. ——— 1699. ——— H. ♀. Botan. regist. 525.

7 hirta. Ph.	great hairy.	————	1714.	6. 11.	H. ♀.	Swt. br. fl. gar. 82.
8 fulgida. Ph.	small hairy.	————	1760.	7. 8.	H. ♀.	Botan. magaz. 1996.
9 lævigata. Ph.	smooth.	Carolina.	1812.	—	F. ♀.	
10 amplexifolia. Ph.	stem-clasping.	Louisiana.	1793.	—	H. ⊙.	Jacq. ic. 3. t. 592.
11 serotina. B.F.G.	hispid-stalked.	————	1816.	8. 10.	H. ♀.	Swt. br. fl. gar. t. 4.
12 purpurea. Ph.	purple.	N.America.	1699.	7. 10.	H. ♀.	Botan. magaz. 2.
13 napifolia. K.S.	Rape-leaved.	New Spain.	1824.	—	G. ♀.	
COSMEA. W.	COSMEA. Syngenesia Polygamia Frustranea. W.					
1 sulphurea. w.	Southernwood-ld.	Mexico.	1799.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 595.
2 tenella. K.S.	slender.	————	1825.	10. 11.	G. ⊙.	
3 bipinnata. w.	purple-flow'r'd.	————	1799.	—	G. ⊙.	Botan. magaz. 1535.
4 crithmifolia. K.S.	Samphire-ld.	————	1825.	—	G. ⊙.	
5 parviflora. w.	white-flowered.	————	1800.	—	H. ⊙.	Jacq. schœn. 3. t. 374.
DAHLIA. Cav.	DAHLIA. Syngenesia Polygamia Superflua. W.					
1 superflua. H.K.	fertile-rayed.	Mexico.	1789.	7. 11.	H. ♀.	Cavan. ic. 1. t. 80.
<i>Georgina pinnata. w.</i>						
<i>a purpurea.</i>	purple-flowered.	————	————	————	H. ♀.	Ann. mus. 3. t. 37. f. t.
<i>β lilacina.</i>	rose-coloured.	————	————	————	H. ♀.	Sal. par. lond. 16.
<i>γ pallida.</i>	pale-flowered.	————	————	————	H. ♀.	
<i>δ alba.</i>	white-flowered.	————	————	————	H. ♀.	
<i>ε flava.</i>	yellow-flowered.	————	————	————	H. ♀.	
<i>ζ cuprea.</i>	copper-coloured.	————	————	————	H. ♀.	
<i>η rubra.</i>	red-flowered.	————	————	————	H. ♀.	Botan. magaz. 1885. A.
<i>θ punicea.</i>	Pomegranate.	————	————	————	H. ♀.	Botan. regist. 55.
<i>ι atropurpurea.</i>	dark-purple.	————	————	————	H. ♀.	
<i>κ nigra.</i>	very dark.	————	————	————	H. ♀.	
<i>λ variegata.</i>	variegated-fl'd.	————	————	————	H. ♀.	
<i>μ nana.</i>	double dwarf lilac.	————	————	————	H. ♀.	Andr. reposit. 483.
<i>ν superba.</i>	double purple.	————	————	————	H. ♀.	Botan. magaz. 1885. B.
<i>ξ ranunculiflora.</i>	Ranunculus-fl'd.	————	————	————	H. ♀.	
<i>ο pœoniæflora.</i>	double Pœony-fl'd.	————	————	————	H. ♀.	
<i>π coccineo-aurantiaca.</i>	scarlet orange.	————	————	————	H. ♀.	
<i>ρ sulphurea.</i>	sulphur-coloured.	————	————	————	H. ♀.	
<i>σ sulphureo-nana.</i>	dwarf-sulphur.	————	————	————	H. ♀.	
<i>τ camelliæflora.</i>	Camellia-fl'd.	————	————	————	H. ♀.	
2 frustranea. H.K.	barren-rayed.	————	1802.	—	H. ♀.	Cavan. ic. t. 266.
<i>a coccinea.</i>	scarlet.	————	————	————	H. ♀.	Botan. magaz. 762.
<i>β fulgens.</i>	bright scarlet.	————	————	————	H. ♀.	
<i>γ aurantia.</i>	orange-coloured.	————	————	————	H. ♀.	
<i>δ crocea.</i>	saffron-coloured.	————	————	————	H. ♀.	
<i>ε lutea.</i>	yellow.	————	————	————	H. ♀.	
COREOPSIS. W.	COREOPSIS. Syngenesia Polygamia Frustranea. L.					
1 fernlæfolia. w.	Fennel-leaved.	Mexico.	1799.	10. 11.	F. ♀.	Jacq. schœn. 3. t. 373.
2 verticillata. w.	whorl-leaved.	N.America.	1759.	7. 10.	H. ♀.	Botan. magaz. 156.
3 tenuifolia. w.	slender-leaved.	————	1780.	7. 8.	H. ♀.	Pluk. man. t. 344. f. 4.
4 trichosperma. M.	pinnate-leaved.	Carolina.	1822.	8. 10.	G. ♂.	
5 chrysantha. w.	Angelica-ld.	W. Indies.	1752.	7. 9.	S. ♂.	Plum. ic. 53. f. 1.
6 aurea. w.	Hemp-leaved.	N.America.	1785.	8. 9.	H. ♀.	
7 tripteris. Ph.	three-leaved.	————	1737.	8. 10.	H. ♀.	Moris. s. 6. t. 3. f. 44.
8 discolor. L.en.	two-coloured.	————	1818.	—	H. ♀.	
9 senifolia. Ph.	sessile-leaved.	————	1812.	—	H. ♀.	
10 amplexicaulis. Cav.	stem-clasping.	1806.	7. 8.	H. ♀.	
11 alba. w.	climbing.	Jamaica.	1699.	6. 7.	S. ♀.	Herm. parad. 124.
12 incisa. B. reg.	jagged-leaved.	W. Indies.	9. 12.	S. ♀.	Botan. regist. 7.
13 reptans. w.	trailing.	————	1792.	7. 9.	S. ⊙.	Smith spic. t. 22.
14 tinctoria. N.	dyeing.	Arkansa.	1823.	6. 10.	H. ⊙.	Swt. brit. fl. gar. 72.
15 palmata. N.	palmate-leaf'd.	Louisiana.	—	8. 10.	H. ♀.	
16 auriculata. w.	ear-leaved.	N.America.	1699.	8. 10.	H. ♀.	Schk. han. 3. t. 260.
17 latifolia. w.	broad-leaved.	————	1786.	8. 9.	H. ♀.	
18 arguta. Ph.	sharp-notched.	Carolina.	—	H. ♀.	
19 lanceolata. w.	spear-leaved.	————	1724.	7. 9.	H. ♀.	Swt. br. fl. gar. 10.
20 crassifolia. w.	thick-leaved.	————	1786.	8. 10.	H. ♀.	
21 angustifolia. w.	narrow-leaved.	N.America.	1778.	6. 8.	H. ♀.	
22 rosea. N.	rose-coloured.	————	————	————	H. ♀.	
BIDENS. K.S.	BIDENS. Syngenesia Polygamia Frustranea.					
1 nodiflora. w.	sessile-flower'd.	E. Indies.	1732.	7. 8.	S. ⊙.	Dill. eth. t. 44. f. 52.
2 tripartita. w.	trifid.	Britain.	7. 9.	H. ⊙.	Eng. bot. 1113.
3 cernua. w.	nodding.	————	7. 9.	H. ⊙.	———— 1114.
4 heterophylla. w.	various-leaved.	Mexico.	1803.	8. 9.	G. ♀.	Orteg. dec. 8. t. 12.

5 luxurians. W.en.	luxuriant.	————	1823.	—	G. 2.	
6 frondosa. w.	smooth-stalk'd.	N. America.	1710.	7. 8.	H. ⊙.	Moris. s. 6. t. 5. f. 21.
7 foliosa. W.en.	leafy.	1823.	—	H. ⊙.	
8 connata. w.	connate.	N. America.	—	—	H. ⊙.	
9 leucantha. w.	white-flower'd.	S. America.	—	H. ⊙.	
10 chinensis. w.	Chinese.	China.	1801.	6. 7.	H. ⊙.	Rumph. amb. 6. t. 15. f. 2.
11 diversifolia. w.	different-ld.	S. America.	1811.	9. 10.	H. ⊙.	Botan. magaz. 1689.
<i>Cosmea lutea.</i> B.M.	<i>Coreopsis diversifolia.</i> Jacq.					
12 pilosa. w.	hairy.	N. America.	1732.	7.	H. ⊙.	Dill. elth. t. 43. f. 51.
13 sambucifolia. w.	Elder-leaved.	S. America.	1801.	7. 8.	H. 2.	Cavan. ic. 3. t. 229.
14 odorata. w.	sweet-scented.	Mexico.	1823.	—	H. ⊙.	———— 1. t. 13.
15 bipinnata. w.	Hemlock-ld.	N. America.	1687.	—	H. ⊙.	Herm. parad. t. 123.
16 parviflora. W.en.	small-flowered.	1823.	—	H. ⊙.	
17 bullata. w.	rough-leaved.	N. America.	1759.	—	H. ⊙.	Arduin. spec. 2. t. 18.
18 reflexa. L.en.	reflexed.	Mexico.	1824.	—	G. 2.	
19 crithmifolia. K.S.	Samphire-ld.	S. America.	—	9. 10.	G. 2.	
20 angustifolia. K.S.	narrow-leaved.	New Spain.	—	—	H. 2.	
21 procera. B.R.	tall.	S. America.	1818.	—	H. 2.	Botan. regist. 684.
OSMITES. W.	OSMITES.	Syngenesia Polygamia Frustranea.	W.			
1 bellidiastrum. w.	Daisy-like.	C. B. S.	1816.	4. 8.	G. h.	
2 camphorina. w.	Camphire-scent'd.	————	1794.	4. 7.	G. h.	Seb. mus. 1. t. 90. f. 2.
SCLEROCARPUS. W.	SCLEROCARPUS.	Syngenesia Polygamia Frustranea.	W.			
1 africanus. w.	African.	Guinea.	1812.	7. 8.	G. ⊙.	Jacq. ic. 1. t. 176.
CULLUMIA. H.K.	CULLUMIA.	Syngenesia Polygamia Frustranea.	H.K.			
1 ciliaris. H.K.	ciliated.	C. B. S.	1774.	5. 6.	G. h.	Burm. afr. t. 54. f. 1.
2 setosa. H.K.	recurved smooth-ld.	————	1780.	6. 8.	G. h.	
3 squarrosa. H.K.	recurv'd-awl-ld.	————	1786.	—	G. h.	Th. act. hafn. 3. t. 5.
BERCKHEYA. H.K.	BERCKHEYA.	Syngenesia Polygamia Frustranea.	H.K.			
1 cynaroides. w.	Artichoke-cup'd.	C. B. S.	1789.	6.	G. 2.	
2 obovata. w.	smooth shrubby.	————	1794.	6. 8.	G. h.	Hout. n. h. 6. t. 34. f. 2.
3 incana. w.	hoary.	————	1739.	7. 8.	G. h.	Jacq. ic. 3. t. 591.
4 cuneata. w.	wedge-leaved.	————	1812.	6. 8.	G. h.	Th. act. hafn. 3. t. 10.
5 palmata. w.	palmated.	————	1800.	—	G. h.	———— 3. t. 13.
6 grandiflora. w.	large-flowered.	————	1812.	—	G. h.	Botan. magaz. 1844.
7 uniflora. w.	single-flowered.	————	1815.	—	G. h.	Th. act. hafn. 3. t. 7.
8 cernua. H.K.	drooping-ld.	————	1774.	5. 7.	G. g.	Meerb. ic. 1. t. 40.
DIDELTA. H.K.	DIDELTA.	Syngenesia Polygamia Frustranea.	H.K.			
1 carnosum. H.K.	alternate-ld.	C. B. S.	1774.	6. 7.	G. h.	L'Her. stirp. t. 28.
2 spinosum. H.K.	opposite-leav'd.	————	—	—	G. h.	Wendl. obs. t. 4. f. 32.
GORTERIA. H.K.	GORTERIA.	Syngenesia Polygamia Frustranea.	H.K.			
1 personata. H.K.	procumbent.	C. B. S.	1774.	7. 8.	G. ⊙.	Jacq. coll. 4. t. 21. f. 1.
GAZANIA. H.K.	GAZANIA.	Syngenesia Polygamia Frustranea.	H.K.			
1 uniflora. B.M.	golden.	C. B. S.	1816.	7. 8.	G. h.	Botan. magaz. 2270.
2 rigens. H.K.	great-flowered.	————	1755.	5. 9.	G. h.	———— 90.
3 heterophylla. w.	various-leaved.	————	1812.	—	G. 2.	Willd. hort. ber. t. 97.
4 Pavonia. H.K.	Peacock.	————	1804.	6. 7.	G. 2.	Botan. regist. 35.
5 subulata. H.K.	awl-leaved.	————	1792.	7. 8.	G. 2.	
CRYPTOSTEMMA. H.K.	CRYPTOSTEMMA.	Syngenesia Polygamia Frustranea.				
1 calendulaceum. H.K.	Marygold-ld.	C. B. S.	1752.	6. 8.	H. ⊙.	Botan. magaz. 2252.
2 hypochondriacum. H.K.	divided-rayed	————	1731.	7. 8.	H. ⊙.	
3 runcinatum. H.K.	Dandelion-ld.	————	1794.	—	H. ⊙.	
ARCTOTHECA. W.	ARCTOTHECA.	Syngenesia Polygamia Frustranea.	H.K.			
1 repens. w.	creeping.	C. B. S.	1793.	7. 8.	G. 2.	Jacq. schœn. 3. t. 306.
2 hirta. L.en.	hairy.	————	1818.	7. 9.	G. 2.	
SPIHENOGYNE. H.K.	SPIHENOGYNE.	Syngenesia Polygamia Frustranea.	H.K.			
1 anthemoides. H.K.	white-crowned.	C. B. S.	1774.	7. 9.	H. ⊙.	Botan. magaz. 544.
2 crithmifolia. H.K.	Samphire-ld.	————	1768.	4. 8.	G. h.	Burm. afr. t. 65. f. 1.
3 scariosa. H.K.	scaly-cupped.	————	1774.	—	G. h.	
4 abrotanifolia. H.K.	Southernwood-ld.	————	1789.	5. 8.	G. h.	
5 dentata. H.K.	small-leaved.	————	1787.	6. 7.	G. h.	Burm. afr. t. 64.
6 pilifera. B.R.	hair toothed.	————	1820.	—	G. h.	Botan. regist. 604.
7 feniculacea.	Fennel-leaved.	————	1825.	5. 9.	G. ⊙.	Jacq. schœn. 2. t. 156.
<i>Arctotis feniculacea.</i> Jacq.						
8 leucanthemoides.	Ox-eye Daisy-ld.	————	—	—	G. ⊙.	———— 2. t. 164.
<i>Arctotis leucanthemoides.</i> Jacq.						
9 odorata. H.K.	smooth-seeded.	————	1774.	4. 6.	G. h.	
TITHONIA. W.	TITHONIA.	Syngenesia Polygamia Frustranea.	W.			
1 tagetiflora. w.	Tagetes-ld.	W. Indies.	1821.	8. 9.	S. 2.	Botan. regist. 591.

ARCTOTIS. H.K.		ARCTOTIS. Syngenesia Polygamia Necessaria.		L.			
1	acaulis. w.	dwarf.	C. B. S. 1759.	4. 7.	G. 2.	Botan. regist. 122.	
2	tricolor. w.	three-coloured.	1794.	5. 7.	G. 2.	131.	
3	undulata. w.	wave-leaved.	1795.	4. 6.	G. 2.	Jacq. schœn. 2. t. 160.	
4	grandiflora. H.K.	great-flowered.	1774.	3. 5.	G. 2.		
5	speciosa. w.	showy.	1812.	6. 8.	G. 2.	Botan. magaz. 2182.	
6	glaucophylla. w.	Sea-green-ld.	1794.	5. 8.	G. 2.	Jacq. schœn. 2. t. 170.	
7	plantaginea. w.	Plantain-ld.	1768.	6. 8.	G. 2.		
8	argentea. w.	silver-leaved.	1774.	8.	G. 2.		
9	rosea. w.	Rose.	1793.	7. 9.	G. 2.	Jacq. schœn. 2. t. 162.	
10	decumbens. w.	decumbent.	1790.	—	G. 2.	3. t. 381.	
11	angustifolia. w.	narrow-leaved.	1739.	—	G. 2.		
12	flaccida. w.	bending-stalk'd.	1794.	5. 7.	G. 2.	Jacq. schœn. 2. t. 163.	
13	virgata. w.	slender-twigg'd.	1816.	7. 9.	H. 2.	3. t. 307.	
14	paniculata. w.	panicled.	—	—	G. 2.	3. t. 380.	
15	decurrens. w.	decurrent.	—	6. 7.	G. 2.	2. t. 165.	
16	melanocicla. w.en.	various-colour'd.	1812.	—	G. 2.		
17	reptans. w.	creeping.	1795.	7. 9.	G. 2.	Jacq. schœn. 3. t. 382.	
18	auriculata. w.	ear-leaved.	—	6. 8.	G. 2.	2. t. 169.	
19	fastuosa. w.	Orange-ld.	—	5. 7.	G. 2.	2. t. 166.	
10	spinulosa. w.	thorny-leaved.	—	5. 8.	G. 2.	2. t. 167.	
21	maculata. w.	spotted.	1812.	—	G. 2.	Botan. regist. 130.	
22	aspera. B. reg.	broad rough-ld.	1710.	7. 9.	G. 2.	34.	
23	elatior. w.	tall.	1816.	—	G. 2.	Jacq. schœn. 2. t. 172.	
24	arborescens. w.	arborescent.	—	—	G. 2.	2. t. 171.	
25	aureola. B. reg.	narrow rough-ld.	—	—	G. 2.	Botan. regist. 32.	
26	revoluta. w.	revolute-leav'd.	1824.	8. 10.	H. 2.	Jacq. schœn. 2. t. 173.	
27	cuprea. w.	copper-colour'd.	—	7. 8.	G. 2.	2. t. 176.	
28	squarrosa. w.	squarrose.	1825.	—	G. 2.	2. t. 177.	
29	Cineraria. w.	black-eyed.	—	—	G. 2.	2. t. 174.	
30	bicolor. w.en.	two-coloured.	1812.	—	G. 2.		
31	glabrata. w.	smooth-leaved.	1816.	7. 9.	G. 2.	Jacq. schœn. 2. t. 175.	
CALENDULA. W.		MARYGOLD. Syngenesia Polygamia Necessaria.		L.			
1	arvensis. w.	field.	Europe.	1597.	6. 9.	H. 2.	
2	sicula. w.en.	Sicilian.	Sicily.	1816.	—	H. 2.	
3	stellata. w.	starry.	Barbary.	1795.	6. 9.	H. 2.	Schk. hand. 3. t. 265.
4	officinalis. w.	common.	S. Europe.	1573.	—	H. 2.	
	<i>β plena.</i>	<i>double-flowered.</i>	—	—	—	H. 2.	
5	ægyptiaca. P.S.	Egyptian.	Egypt.	1820.	—	H. 2.	
6	suffruticosa. w.	suffrutescent.	S. Europe.	1823.	—	G. 2.	
7	sancta. w.	pale-flowered.	Levant.	1731.	5. 9.	H. 2.	
8	incana. w.	hoary.	Barbary.	1796.	6. 8.	H. 2.	Desf. alt. 2. t. 245.
9	pluvialis. w.	small Cape.	C. B. S.	1699.	—	H. 2.	Mill. ic. t. 75. f. 2.
10	hybrida. w.	great Cape.	—	1752.	6. 7.	H. 2.	Swt. h.r. fl. gar. 39.
11	nudicaulis. w.	naked-stalked.	—	1731.	6. 8.	H. 2.	Comm. hort. 2. t. 33.
12	denticulata. w.en.	toothed.	S. Europe.	1821.	—	H. 2.	
13	graminifolia. w.	Grass-leaved.	—	1731.	5. 9.	G. 2.	Botan. regist. 289.
14	Tragus. w.	bending-stalk'd.	—	1774.	5. 6.	G. 2.	Botan. magaz. 408.
	<i>β flaccida. V.</i>	<i>flaccid.</i>	—	—	—	G. 2.	Botan. regist. 28.
15	viscosa. H.K.	viscous.	1790.	6. 9.	G. 2.	Andr. reposit. 412.	
	<i>Arctotis glutinosa. B.M. 1343.</i>	—	—	—	—	—	
16	dentata. B.R.	tooth-leaved.	1790.	5. 6.	G. 2.	Andr. reposit. c. ic.	
17	oppositifolia. w.	glaucons-ld.	1774.	8.	G. 2.		
18	fruticosa. w.	shrubby.	1752.	6. 7.	G. 2.	Mill. ic. 2. t. 283.	
19	chrysanthemifolia. v.	large-flowered.	1790.	3. 8.	G. 2.	Botan. regist. 40.	
20	arborescens. w.	rough-leaved.	1774.	12.	G. 2.	Jacq. ic. 3. t. 596.	
21	muricata. w.	muricate.	1816.	—	G. 2.		
POLYMNIA. W.		POLYMNIA. Syngenesia Polygamia Necessaria.		L.			
1	canadensis. w.	Canadian.	N. America.	1768.	7. 8.	H. 2.	Lin. am. ac. 3. t. 1. f. 5.
2	Uvedalia. w.	broad-leaved.	—	1699.	8. 10.	H. 2.	Moris. s. 6. t. 7. f. 55.
3	maculata. Cav.	spotted-stalked.	Mexico.	1823.	9. 11.	H. 2.	Cav. ic. 3. t. 227.
4	abyssinica. w.	upright.	Africa.	1775.	4. 5.	S. 2.	
MELAMPODIUM. W.		MELAMPODIUM. Syngenesia Polygamia Necessaria.		W.			
1	americanum. w.	American.	Vera Cruz.	1733.	8. 10.	S. 2.	Reliq. Houst. 9. t. 21.
2	humile. w.	dwarf.	Jamaica.	1782.	6. 10.	S. 2.	
3	hispidum. K.S.	hispid.	New Spain.	1825.	9. 11.	H. 2.	H. et B. 4. t. 399.
4	perfoliatum. K.S.	perfoliate.	—	1796.	8. 10.	H. 2.	Cavan. ic. 1. t. 15.
	<i>Alcina perfoliata. Cav.</i>	—	—	—	—	—	
5	longifolium. w.en.	long-leaved.	Canaries.	1820.	—	H. 2.	

MILLERIA. L.	MILLERIA. Syngenesia Polygamia Necessaria. L.		
1 quinqueflora. w.	five-flowered.	Vera Cruz. 1731. 7. 10. H.⊙	Cavan. ic. 1. t. 82.
2 biflora. w.	two-flowered.	S. America. 1730. — H.⊙	Mart. dec. 47. f. 1.
FLAVERIA. J.	FLAVERIA. Syngenesia Polygamia Necessaria. P. S.		
1 Contrayerba. k.s.	Peruvian.	Peru. 1794. 8. 10. S. ♂	Cavan. ic. 1. t. 4.
2 angustifolia. k.s.	narrow-leaved.	Mexico. 1825. — H.⊙	— — — 3. t. 223.
3 maritima. k.s.	sea-side.	Cuba. 1822. — S.⊙	
BALTIMORA. W.	BALTIMORA. Syngenesia Polygamia Necessaria. L.		
recta. w.	upright.	Vera Cruz. 1699. 6. 7. H.⊙	Schk. ha. 3. t. 261. C.
SILPHIUM. W.	SILPHIUM. Syngenesia Polygamia Necessaria. L.		
1 laciniatum. w.	jagged-leaved.	N. America. 1781. 7. 9. H.⊙	Lin. fil. fas. 1. t. 3.
2 compositum. w.	scollop-leaved.	— — — 1789. — H. ♀	
3 therebinthinaceum.	broad-leaved.	— — — 1765. 8. 9. H. ♀	Jacq. vind. 1. t. 43.
4 perfoliatum. w.	perfoliate.	— — — 1766. 7. 10. H. ♀	
5 conjunctum. w.en.	conjoined.	— — — — H. ♀	
6 connatum. w.	round-stalked.	— — — 1765. — H. ♀	
7 Asteriscus. w.	hairy-stalked.	— — — 1732. 7. 9. H. ♀	Dill. elth. t. 37. f. 42.
8 scabrum. N.	rough-leaved.	— — — 1823. — H. ♀	
9 pumilum. w.	dwarf woolly.	— — — — H. ♀	
10 trifoliatum. w.	three-leaved.	— — — 1755. 7. 10. H. ♀	Moris. s. 6. t. 3. f. 65.
11 ternatum. w.	various-leaved.	— — — 1806. — H. ♀	
12 atropurpureum. w.	purple-stalked.	— — — 1812. — H. ♀	
OSTEOSPERMUM.	OSTEOSPERMUM. Syngenesia Polygamia Necessaria. L.		
1 spinosum. H. K.	rough-leaved.	C. B. S. 1700. 2. 10. G. h.	Com. hort. 2. t. 43.
2 spinescens. H. K.	smooth-leaved.	— — — 1793. 3. 6. G. h.	Jacq. schoen. 3. t. 377.
3 pisiferum. w.	smooth.	— — — 1757. 3. 5. G. h.	Mill. ic. 2. t. 194. f. 1.
4 moniliferum. w.	Poplar-leaved.	— — — 1714. 7. 8. G. h.	Dill. elth. t. 68. f. 79.
5 ilicifolium. w.	Holly-leaved.	— — — 1816. — G. h.	Burm. afr. 172. t. 62.
6 rigidum. w.	rigid.	— — — 1774. 4. 7. G. h.	
7 cœruleum. w.	blue-flowered.	— — — 6. 9. G. h.	Jacq. ic. 1. t. 179.
8 perfoliatum. w.	perfoliate.	— — — 1816. 5. 8. G. h.	
9 nivenum. w.	white-leaved.	— — — 1820. — G. h.	
10 corymbosum. w.	corymbed.	— — — — G. h.	
11 incanum. w.	hoary-leaved.	— — — 1816. 7. 8. G. h.	
12 polygaloides. w.	Milkwort-ld.	— — — 1759. — G. h.	Pluk. mant. t. 382.

SUBORDO VII. AMBROSIACEÆ. Link enum. 2. p. 366.

PARTHENIUM. W.	PARTHENIUM. Syngenesia Polygamia Necessaria. L.		
1 integrifolium. w.	entire-leaved.	Virginia. 1661. 6. 10. H. ♀	Willd. hort. ber. 4.
2 incanum. k.s.	hoary.	Mexico. 1824. — H.⊙	H. et B. 4. t. 391.
3 Hysterophorus. w.	cut-leaved.	W. Indies. 1728. 7. 10. H.⊙	Botan. magaz. 2275.
IVA. W.	IVA. Syngenesia Polygamia Necessaria. L.		
1 ciliata. w.	ciliated.	N. America. 1820. 7. 8. H.⊙	
2 annua. w.	annual.	S. America. 1768. — H.⊙	Schmidel ic. t. 16.
3 frutescens. w.	shrubby.	N. America. 1711. 8. H. h.	Pluk. alm. t. 27. f. 1.
AMBROSIA. W.	AMBROSIA. Monœcia Pentandria. L.		
1 integrifolia. w.	entire-leaved.	N. America. 1816. 7. 9. H.⊙	
2 trifida. w.	trifid-leaved.	— — — 1699. — H.⊙	Moris. s. 6. t. 1. f. 4.
3 elatior. w.	tall.	— — — 1696. 7. 8. H.⊙	Herm. lugdb. t. 35.
4 artemisiæfolia. w.	Mugwort-leav'd.	— — — 1759. — H.⊙	
5 paniculata. w.	panicled.	— — — 1811. 7. 9. H.⊙	Pluk. alm. t. 10. f. 5.
6 maritima. w.	sea.	Italy. 1570. 7. 8. H.⊙	Schk. hand. 3. t. 292.
7 cumanensis. k.s.	Cumana.	S. America. 1823. 9. 11. G. ♀	
8 peruviana. w.	Peruvian.	Peru. 1821. — G. ♀	
XANTHIUM. W.	XANTHIUM. Monœcia Pentandria. L.		
1 Strumarium. w.	small burdock.	England. 7. 9. H.⊙	Eng. bot. 2544.
2 orientale. w.	oriental.	China. 1685. — H.⊙	Schk. hand. 3. t. 291.
3 echinatum. w.	hedgohog. 1818. — H.⊙	
4 catharticum. k.s.	divided-leaved.	S. America. 1825. 9. 10. H.⊙	
5 spinosum. w.	spiny.	S. Europe. 1713. 7. 9. H.⊙	Herm. parad. 246.
NEPHELIUM. W.	NEPHELIUM. Monœcia Pentandria. L.		
lappaceum. w.	Bur-seeded.	E. Indies. 1809. S. h.	Lam. ill. t. 764.
FRANSERIA. W.	FRANSERIA. Monœcia Pentandria. W.		
1 artemisioides. w.	Mugwort-ld.	Peru. 1759. 7. 9. G. h.	Willd. hort. ber. t. 2.
2 ambrosioides. w.	Ambrosia-ld.	Mexico. 1796. — G. h.	Cavan. ic. 2. t. 200.

INDEX GENERUM.

	Page.		Page.		Page.
Abronia	55	Alsodeia	37	<i>Anthyllis</i>	111, 123
Abrus	121	ALSODINEÆ	37	<i>Antiphylla</i>	182
Abuta	13	Althæa	49	Anychia	176
Abutilon	53	ALYSSINEÆ	20	Aotus	108
Acacia	101	Alyssum	21	Apargia	208
<i>Acacia</i>	100, 101	<i>Alyssum</i>	20, 21	Apeiba	59
Acæna	148	Ambrosia	240	<i>Aphanes</i>	148
Acarna	216	AMBROSIACEÆ		Aphelixis	223
Acer	68		240	Apios	121
<i>Acer</i>	68	Amelanchier	135	<i>Apios</i>	121
Aceratium	60	Amellus	227	Apium	187
ACERINEÆ	60	<i>Amellus</i>	227	Aquilegia	6
Achania	50	Amerimnum	131	ARABIDEÆ	17
<i>Achyrophorus</i>	212	<i>Amerimnum</i>	132	Arabis	19
Acicarpa	205	Amanthia	151	<i>Arabis</i>	20
Aciotis	160	Ammi	190	Arachis	114
Acisanthera	151	<i>Ammi</i>	189	<i>Arachis</i>	129
Acmella	234	Ammobium	221	Aralia	193
Aconitum	7	Amorpha	121	<i>Aralia</i>	193
Actæa	9	AMPELIDEÆ	72	ARALIACEÆ	193
<i>Actæa</i>	9	Ampelopsis	72	Arctium	213
Actinomeris	236	Ampherephis	219	<i>Arctium</i>	215
<i>Actinophyllum</i>	193	Amphicarpa	121	Arctotheca	238
Actinotus	184	AMYGDALINEÆ		Arctotis	239
Adansonia	54		133	<i>Arctotis</i>	238, 239
Adenandra	88	Amygdalus	133	Aremonia	147
Adenanthra	105	AMYRIDEÆ	98	Arenaria	46
Adenocarpus	112	Amyris	98	Argemone	16
Adenostyles	230	Anacampseros	170	<i>Argemone</i>	16
Adina	199	<i>Anacampseros</i>	179	Armeniaca	133
Adlumia	16	Anacardium	97	<i>Armeniaca</i>	133
Adonis	4	<i>Anacardium</i>	97	Arnica	228
Adoxa	183	Anagyris	106	<i>Arnica</i>	228
<i>Adysetum</i>	21	Anastatica	23	Arnopogon	206
Ægle	62	ANASTATICEÆ	23	Arnoseris	211
Ægopodium	186	ANCHONIEÆ	27	Aronia	135
Æschynomene	129	Ancistrum	148	<i>Aronia</i>	135
<i>Æschynomene</i>	129	Andreoskia	24	Artabotrys	12
Æsculus	69	Andromachia	227	Arteria	193
<i>Æsculus</i>	69	Androsæmum	63	Ascarida	219
Æthionema	26	Andryala	211	Asimina	12
Æthusa	188	<i>Andryala</i>	210	Aspalathus	109
<i>Æthusa</i>	187	Anemone	3	<i>Asperula</i>	200
Afzelia	72	ANEMONEÆ	2	<i>Asperula</i>	201
Agathæa	232	Anethum	187	Assonia	57
Agathosma	89	<i>Anethum</i>	187	Astelma	222
Ageratum	229	Angelica	192	<i>Astelma</i>	222
<i>Ageratum</i>	229	<i>Angelica</i>	186, 191, 192	Aster	224
Aglaia	62	Angianthus	219	<i>Aster</i>	224, 226
Agrimonia	147	Anguria	161	Asterocephalus	204
<i>Agrimonia</i>	147	Anisum	186	Astilbe	183
Agrostemma	44	<i>Aneslea</i>	14	Astragalus	122
<i>Agrostemma</i>	44, 45	<i>Aneslia</i>	102	Astragalus	107, 123, 130
Ailanthus	100	Anoda	52	Astrantia	184
Aizoon	163	<i>Anoda</i>	52	<i>Astrantia</i>	184
Alangium	155	Anona	11	Astrapæa	58
Alchimilla	148	ANONACEÆ	11	Atalantia	62
<i>Alcina</i>	239	Antennaria	221	Athamanta	189
<i>Alhagi</i>	129	Anthodon	66	<i>Athamanta</i>	189, 190
Alliaria	25	Antholoma	66	Athrixia	235
Alomia	229	Anthospernum	201	Atractylis	216
<i>Alsine</i>	46	Anthriscus	190	<i>Atractylis</i>	216
ALSINEÆ	45	Anthyllis	114	Atragene	2
				<i>Atragene</i>	3
				<i>Aubletia</i>	59
				Aubrietia	20
				Aucuba	94
				<i>Aulaxis</i>	181
				AURANTIACEÆ	62
				Averrhoa	85
				Ayenia	55
				Baccharis	220
				<i>Baccharis</i>	220
				<i>Bactrylobium</i>	104
				Bæckia	156
				Balanites	88
				<i>Balbisia</i>	235
				BALSAMINEÆ	85
				Balsamina	85
				Baltimora	240
				Banisteria	68
				BANISTERIEÆ	67
				Baptisia	107
				<i>Baptisia</i>	107
				Barbarea	19
				Barosma	88
				Barringtonia	159
				<i>Barringtonia</i>	159
				Bartonia	154
				<i>Baryosma</i>	132
				Bastardia	53
				Bauera	183
				Bauhinia	106
				Beaufortia	156
				Bellidiastrum	228
				Bellis	228
				Bellium	228
				Berardia	215
				BERBERIDEÆ	13
				Berberis	13
				Berckheya	238
				<i>Bergenia</i>	180
				Bergera	62
				Berrya	59
				Berteroa	20
				Bidens	237
				<i>Bidens</i>	233
				Biforis	187
				Bigelovia	200
				Billardiera	40
				Biophytum	86
				Biscutella	23
				Biserrula	123
				Bivonæa	26
				Bixa	33
				BIXINEÆ	33
				Blackwellia	132
				Blakea	159
				Blighia	70
				Bocconia	16
				Bœbera	233
				Boltonia	227
				BOMBACEÆ	54
				Bombax	54
				<i>Bombax</i>	54, 60
				Borbonia	109

INDEX GENERUM.

	Page.		Page.		Page.
<i>Borbonia</i>	111	<i>Calcitrapa</i>	217	<i>Carthamus</i> ..	215, 216
<i>Borkhausia</i>	210	<i>Calea</i>	231	<i>Carum</i>	186
<i>Boronia</i>	89	<i>Calea</i>	220, 233, 234	<i>Carum</i>	186
<i>Boscia</i>	32	<i>Caleacte</i>	234	<i>Carya</i>	97
<i>Bossiaea</i>	110	<i>Calendula</i>	239	<i>Caryocar</i>	69
<i>Boswellia</i>	99	<i>Calepina</i>	29	CARYOPHYLLÆ	
<i>Bouvardia</i>	198	<i>Calinea</i>	10	40
<i>Brachylæna</i>	220	<i>Callicoma</i>	183	<i>Caryophyllus</i>	157
<i>Brachysema</i>	108	<i>Callisace</i>	188	<i>Casearia</i>	96
<i>Brusenia</i>	14	<i>Callistachys</i>	107	<i>Cassia</i>	104
<i>Brassicæ</i>	27	<i>Callistema</i>	226	<i>Cassia</i>	104
<i>Brassica</i>	25, 29	<i>Callistemon</i>	155	<i>Cassine</i>	95
BRASSICÆÆ	27	<i>Callitriche</i>	169	<i>Cassine</i>	95
<i>Braya</i>	19	<i>Calodendron</i>	88	<i>Cassiniæ</i>	221
<i>Brotera</i>	219	<i>Calophaca</i>	113	<i>Cassiniæ</i>	219
<i>Brotera</i>	57, 218	CALOPHYLLÆÆ	65	CASSUVIÆÆ	97
<i>Brownæa</i>	106	<i>Calophyllum</i>	65	<i>Cassuvium</i>	97
<i>Brownlowia</i>	59	<i>Calothamnus</i>	156	<i>Castalia</i>	15
<i>Brucea</i>	100	<i>Calotis</i>	224	<i>Catananche</i>	212
<i>Brunelia</i>	100	<i>Caltha</i>	6	<i>Catesbæa</i>	198
<i>Brunia</i>	96	CALYCANTHA-		<i>Cathartocarpus</i> ..	104
<i>Brunia</i>	95	CEÆ	132	<i>Caucalis</i>	188
BRUNIACÆÆ	95	<i>Calycanthus</i>	132	<i>Caucalis</i>	189
<i>Bryonia</i>	161	<i>Calycanthus</i>	132	<i>Caulophyllum</i>	14
<i>Bryophyllum</i>	179	CALYCIFLORÆ	91	<i>Ceanothus</i>	92
<i>Bubon</i>	189	<i>Calycotome</i>	112	<i>Ceanothus</i>	92, 93
<i>Bubon</i>	192	<i>Calyptanthes</i>	158	<i>Cedrela</i>	72
<i>Bubroma</i>	55	CALYCERÆÆ	205	CEDRELEÆÆ	72
<i>Bucida</i>	153	<i>Calyptrix</i>	36	<i>Celastrum</i>	94
<i>Buffonia</i>	45	<i>Calytrix</i>	157	CELASTRINÆÆ	94
<i>Bulliarda</i>	176	<i>Camelina</i>	25	<i>Centaurea</i>	216
<i>Bumalda</i>	96	CAMELINEÆÆ	25	<i>Centaurea</i> 213, 214, 215,	
<i>Bunchosia</i>	67	<i>Camellia</i>	61	216, 217, 218
BUNIADEÆÆ	30	<i>Camellia</i>	61	<i>Centranthus</i>	203
<i>Bunias</i>	30	CAMELLIÆÆ	61	<i>Cephalis</i>	200
<i>Bunias</i>	23, 29	<i>Campylia</i>	75	<i>Cephalanthus</i>	109
<i>Bunium</i>	189	<i>Canarium</i>	99	CEPHALANTHÆÆ	199
<i>Bunium</i>	189, 190	<i>Canella</i>	65	<i>Cephalotus</i>	148
<i>Bupleurum</i>	185	<i>Canthium</i>	197	<i>Cerastium</i>	47
<i>Bupthalmum</i>	236	<i>Canophyllum</i> ..	189	<i>Cerastium</i>	45, 46
<i>Bupthalmum</i>	235	CAPPARÆÆ	32	<i>Cerasus</i>	134
<i>Burchellia</i>	197	CAPPARIDEÆÆ	31	<i>Ceratocephalus</i> ..	4
<i>Bursaria</i>	40	<i>Capparis</i>	32	<i>Ceratonia</i>	104
<i>Bursaria</i>	99	<i>Capparis</i>	32, 33	<i>Ceratopetalum</i> ..	183
<i>Burtonia</i>	108	CAPRIFOLIACÆÆ		<i>Ceratostyles</i>	162
<i>Butea</i>	120	194	<i>Cercis</i>	106
<i>Butonica</i>	159	<i>Caprifolium</i>	195	<i>Cercodia</i>	169
<i>Buttneria</i>	55	<i>Capsella</i>	22	<i>Cerens</i>	171
BUTTNERIACÆÆ	55	<i>Caragana</i>	125	<i>Cestrinus</i>	215
<i>Byblis</i>	38	<i>Carapa</i>	72	<i>Chærophyllum</i> ..	190
<i>Byrsonima</i>	67	<i>Cardamine</i>	19	<i>Chærophyllum</i>	189
<i>Byttneria</i>	55	<i>Cardamine</i>	19, 20	<i>Chamænerium</i>	153
<i>Cabomba</i>	14	<i>Cardiospermum</i> ..	69	<i>Chaptalia</i>	212
<i>Cacalia</i>	230	<i>Cardopatium</i>	218	<i>Cheiranthus</i>	18
<i>Cachrys</i>	187	CARDUACÆÆ	213	<i>Cheiranthus</i> 19, 20, 24,	
<i>Cachrys</i> ..	187, 188, 189	<i>Carduncellus</i>	216	25, 27
<i>Cacoucia</i>	153	<i>Carduus</i>	213	<i>Cheirinia</i>	24, 25
<i>Cactus</i>	170	<i>Carduus</i>	214, 215	<i>Cheirostemon</i>	54
<i>Cactus</i>	171, 172	<i>Carica</i>	162	<i>Chelidonium</i>	16
<i>Cadia</i>	106	<i>Carlina</i>	215	<i>Cherleria</i>	47
CÆSALPINÆÆ	103	<i>Carlina</i> ..	213, 214	<i>Chimonanthus</i> ..	132
<i>Cæsalspinia</i>	105	<i>Carlowizia</i>	216	<i>Chiococca</i>	200
<i>Cæsalspinia</i>	105	<i>Carmichaelia</i>	121	<i>Chiranthodendron</i>	54
<i>Cæsulia</i>	219	<i>Carolinea</i>	54	<i>Chitonia</i>	159
<i>Cajanus</i>	113	<i>Carpesium</i>	221	CHLENACÆÆ	60
<i>Cakile</i>	23	<i>Carpodites</i>	64	<i>Chloroxylon</i> ..	72
<i>Cakile</i>	30	<i>Carpopogon</i>	119	<i>Chomelia</i>	199
<i>Cakileæ</i>	23	<i>Carrichtera</i>	29	<i>Chondrilla</i>	208
<i>Calcitrapa</i>	218	<i>Carthamus</i>	215	<i>Chondrilla</i>	208
				<i>Chondrocarpus</i> ..	185
				<i>Chondrosea</i> ..	181, 182
				<i>Chlorispora</i>	23
				<i>Chorizema</i>	108
				<i>Chorizema</i>	108
				<i>Chrysanthellum</i> ..	235
				CHRYSOBALANÆÆ	
				133
				<i>Chrysobalanus</i> ..	133
				<i>Chrysocoma</i>	227
				<i>Chrysocoma</i> ..	221, 227
				<i>Chrysosplenium</i> ..	183
				<i>Chyquiraga</i>	212
				<i>Cicer</i>	128
				<i>Cicer</i>	128
				CICHORACÆÆ	206
				<i>Cichorium</i>	212
				<i>Ciconium</i>	84
				<i>Cicuta</i>	188
				<i>Ciliaria</i>	181
				<i>Cimicifuga</i>	9
				<i>Cimicifuga</i>	9
				<i>Cinchona</i>	197, 198
				<i>Cineraria</i>	232
				<i>Cineraria</i>	232
				CINCHONÆÆ	198
				<i>Circæa</i>	151
				<i>Cirsium</i>	214
				<i>Cissampelos</i>	13
				<i>Cissus</i>	72
				<i>Cissus</i>	72
				CISTINÆÆ	34
				<i>Cistus</i>	34
				<i>Cistus</i>	34, 35, 36
				<i>Citrus</i>	63
				<i>Clausenia</i>	62
				<i>Claytonia</i>	169
				CLEMATIDÆÆ	1
				<i>Clematis</i>	1
				<i>Clematis</i>	2
				<i>Cleome</i>	32
				<i>Cleome</i>	31, 32
				CLEOMÆÆ	31
				<i>Cleyera</i>	60
				<i>Clidemia</i>	160
				<i>Cliffortia</i>	148
				<i>Clitoria</i>	120
				<i>Clusia</i>	65
				<i>Clusia</i>	65
				CLUSIÆÆ	65
				<i>Clypeola</i>	21
				<i>Cneorum</i>	99
				<i>Cnestis</i>	99
				<i>Cnidium</i>	186
				<i>Cnicus</i>	217
				<i>Coccocypselum</i> ..	198
				<i>Coccocypselum</i> ..	198
				<i>Cocculus</i>	12
				<i>Cocculus</i>	13
				<i>Cochlearia</i>	22
				<i>Cochlearia</i>	26
				<i>Cœlestina</i>	229
				<i>Coffea</i>	200
				<i>Coffea</i> ..	199
				COFFEEACÆÆ	199
				<i>Colbertia</i>	10
				<i>Colletia</i>	92
				<i>Columellia</i>	235
				<i>Colutea</i>	124

INDEX GENERUM.

Page.		Page.		Page.		Page.	
124	<i>Colutea</i>	161	<i>Cucumis</i>	224	<i>Diplopappus</i>	29	<i>Eruca</i>
147	<i>Comaropsis</i>	162	<i>Cucurbita</i>	29	<i>Diplotaxis</i>	30	<i>Erucaria</i>
145	<i>Comarum</i>	CUCURBITACEÆ , 161		181	<i>Diptera</i>	30	ERUCARIÆÆ
147	<i>Comarum</i>	238	<i>Cullumia</i>	132	<i>Dipterix</i>	127	<i>Errilia</i>
153	COMBRETACEÆ	199	<i>Cuminum</i>	70	<i>Dodonæa</i>	128	<i>Ervum</i>
152	<i>Combretum</i>	183	<i>Cunonia</i>	70	DODONÆACEÆ	184	<i>Eryngium</i>
55	<i>Commersonia</i>	183	CUNONIACEÆ	119	<i>Dolichos</i>	25	<i>Erysimum</i>
99	<i>Comocladia</i>	70	<i>Cupania</i>	119	<i>Dolichos</i>	9, 24, 25	<i>Erysimum</i>
206	COMPOSITÆ ..	151	<i>Cuphea</i>	57	<i>Dombeya</i>	120	<i>Erythrina</i>
190	<i>Conium</i>	10	<i>Curatella</i>	57	DOMBEYACEÆ ..	215	<i>Erythrolæna</i>
187, 189	<i>Conium</i>	177	<i>Curtogyne</i>	184	<i>Dondia</i>	ERYTHROXYLÆÆ , 66	
99	CONNARACEÆ	90	<i>Cuspariæ</i>	227	<i>Donia</i>	66	<i>Erythroxyton</i>
99	<i>Connarus</i>	90	<i>Cussonia</i>	228	<i>Doronicum</i>	156	<i>Eucalyptus</i>
154	<i>Conocarpus</i>	193	<i>Cyanus</i>	227, 228	<i>Doronicum</i>	107	<i>Euclilus</i>
25	<i>Conringia</i>	14	<i>Cyanus</i>	118	<i>Dorycnium</i>	23	EUCLEDIÆÆ
220	<i>Conyza</i>	217	<i>Cyanus</i>	21	<i>Draba</i>	23	<i>Euclidiæ</i>
219, 220, 221	<i>Conyza</i>	107	<i>Cyclopia</i>	21, 22	<i>Draba</i>	157	<i>Eugenia</i>
62	<i>Cookia</i>	136	<i>Cydonia</i>	211	<i>Drepania</i>	159	<i>Eugenia</i> 157, 158, 159
106	<i>Copaifera</i>	121	<i>Cylista</i>	38	<i>Drosera</i>	95	<i>Euonymus</i>
58	<i>Corchorus</i>	90	<i>Cyminosma</i>	38	DROSERACEÆ	228	<i>Eupatoreæ</i>
149	<i>Cordyllocarpus</i>	215	<i>Cynara</i>	145	<i>Dryas</i>	228	<i>Eupatorium</i> ..
237	<i>Coreopsis</i>	215	<i>Cynara</i>	145	<i>Dryas</i>	221, 229	<i>Eupatorium</i> ..
234, 236, 237	<i>Coreopsis</i>	106	<i>Cynometra</i>	45	<i>Drymaria</i>	70	<i>Euphoria</i>
187	<i>Coriandrum</i>	16	<i>Cysticapnos</i>	45	<i>Drypis</i>	60	<i>Eurya</i>
187	<i>Coriandrum</i>	112	<i>Cytisus</i>	147	<i>Duchesnea</i>	14	<i>Euryale</i>
91	<i>Coriaria</i>	126	<i>Cytisus</i> , 107, 112, 113, 126	197	<i>Duroia</i>	108	<i>Entaxia</i>
91	CORIARIÆÆ ..	237	<i>Dahlia</i>	233	<i>Dyssodia</i>	227	<i>Euthamia</i>
187	<i>Corion</i>	131	<i>Dalbergia</i>	114	<i>Ebenus</i>	29	<i>Euzaomum</i>
187	<i>Corion</i>	131	<i>Dalbergia</i>	184	<i>Ecacastaphyllum</i> ..	223	<i>Evax</i>
194	<i>Cornus</i>	114	<i>Dalea</i>	218	<i>Echinophora</i> ..	90	<i>Evodia</i>
128	<i>Coronilla</i>	114	<i>Dalea</i>	218	<i>Echinops</i>	198	<i>Exostemma</i>
128	<i>Coronilla</i>	145	<i>Dalibarda</i>	235	ECHINOPSIDÆÆ ..	128	<i>Faba</i>
26	<i>Coronopus</i>	147	<i>Dalibarda</i>	106	<i>Eclipta</i>	155	<i>Fabricia</i>
89	<i>Corraea</i>	93	<i>Dalrymplea</i>	71	<i>Edwardsia</i>	155	<i>Fabricia</i>
170	<i>Corrigiola</i>	188	<i>Daucus</i>	59	<i>Ekebergia</i>	90	<i>Fagara</i>
17	<i>Corydalis</i>	189	<i>Daucus</i>	59	ELÆOCARPEÆ	87	<i>Fagonia</i>
12	<i>Cosciniium</i>	108	<i>Daviesia</i>	60	<i>Elæocarpus</i>	20	<i>Farsetia</i>
237	<i>Cosmea</i>	148	<i>Decamaria</i>	95	<i>Elæocarpus</i>	20	<i>Farsetia</i>
237	<i>Cosmea</i>	10	<i>Delima</i>	95	<i>Elæodendron</i>	203	<i>Fedia</i>
70	<i>Cossignia</i>	10	DELMACEÆ	90	<i>Elæodendrum</i>	198	<i>Fernelia</i>
135	<i>Cotoneaster</i>	7	<i>Delphinium</i>	90	<i>Elaphrium</i>	62	<i>Feronia</i>
178	<i>Cotyledon</i>	20	<i>Dentaria</i>	45	<i>Elatarium</i>	192	<i>Ferula</i>
178, 179	<i>Cotyledon</i>	199	<i>Dentella</i>	219	<i>Elatine</i>	5	<i>Fericaria</i>
132	<i>Coumarouna</i>	181	<i>Dermasea</i>	222, 223	<i>Elephantopus</i>	162	<i>Ficoideæ</i>
158	<i>Couropita</i>	100	<i>Desmanthus</i>	63	<i>Elichrysium</i>	223	<i>Filago</i>
198	<i>Coutarea</i>	41	<i>Dianthus</i>	230	<i>Elodea</i>	33	<i>Filago</i>
30	<i>Crambe</i>	60	<i>Dicera</i>	89	<i>Emilea</i>	33	FLACOURTIAÆÆ
177	<i>Crassula</i>	16	<i>Dicytra</i>	235	<i>Empleurum</i>	240	FLACOURTIANÆÆ
176, 177, 178, 179	<i>Crassula</i>	88	<i>Dictamnus</i>	100	<i>Encelia</i>	129	<i>Flaveria</i>
176	CRASSULACEÆ	238	<i>Didelta</i>	58	<i>Entada</i>	233	<i>Flemingia</i>
134, 135	<i>Cratægus</i>	195	<i>Diervilla</i>	70	<i>Entelea</i>	187	<i>Florestina</i>
32	<i>Cratæva</i>	177, 178	<i>Dietrichia</i> ..	153	<i>Ephelis</i>	159	<i>Florestina</i>
211	<i>Crepis</i>	10	<i>Dillenia</i>	14	<i>Epilobium</i>	147	<i>Foeniculum</i>
208, 209, 210	<i>Crepis</i>	10	<i>Dillenia</i>	172	<i>Epimedium</i>	159	<i>Fothergilla</i>
52	<i>Cristaria</i>	10	DILLENACEÆ	172	<i>Epiphyllum</i>	147	<i>Fragaria</i>
187	<i>Crithmum</i>	168	<i>Dillwynia</i>	172	<i>Epyphyllum</i>	147	<i>Fragaria</i>
185	<i>Crithmum</i>	108	<i>Dilwynia</i>	6	<i>Eranthis</i>	40	<i>Frankenia</i>
228	<i>Critonia</i>	76	<i>Dimaeria</i>	224	<i>Erigeron</i>	240	FRANKENIACEÆ
217	<i>Crocodilium</i>	70	<i>Dimocarpus</i>	221, 224	<i>Erigeron</i>	60	<i>Franseria</i>
110	<i>Crotalaria</i>	200	<i>Diodia</i>	135	<i>Eriobotrya</i>	60	<i>Freziera</i>
89	<i>Crowea</i>	235	<i>Diomedea</i>	184	<i>Eriocaulia</i>	60	FREZIERÆÆ
17	CRUCIFERÆ ..	38	<i>Dionæa</i>	54	<i>Eriodendron</i>	60	<i>Friesia</i>
201	<i>Crucianella</i>	88, 89	<i>Diosma</i>	58	<i>Eriodendron</i>	153	<i>Fuchsia</i>
216	<i>Crupina</i>	89	<i>Diosma</i>	89	<i>Eriostemon</i>	17	<i>Fumaria</i>
92	<i>Cryptandra</i>	204	DIPSACEÆ	196	<i>Erithalis</i>	16, 17	<i>Fumaria</i>
203	<i>Cryptospermum</i> ..	201	<i>Dipsacus</i>	200	<i>Ernoða</i>	16	FUNARIACEÆ ..
42	<i>Cucubalus</i>	14	<i>Diphyllea</i>	73	<i>Erodium</i>	67	<i>Gumtnera</i>
42, 44	<i>Cucubalus</i>	29	DIPLECOLOBÆÆ	22	<i>Erophila</i>	121	<i>Galactia</i>

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Galactites	216	Guarea	71	HIPPOCASTANÆ	69	Ixora	199
Galardia	236	Guatteria	12	" " "	66	Ixora	199
GALEÆ	201	Guzunia	55	Hippocratea	66	Jacksonia	108
Galedupa	131	Gnettarda	196	HIPPOCRATEA-	66	JACOBÆÆ	230
Galega	124	GUETTARDEÆ	196	CEÆ	66	Jambolifera	90
Galega	124	Guilandina	106	Hippocrepis	128	Jasonia	224
Galinsogea	235	Guilandina	104	Hippomarathrum	187	Jeffersonia	14
Galipea	90	Gundelia	219	Hippuris	169	Jenkinsonia	84
Galium	201	Gustavia	159	Hiræa	67	Johnia	66
Garcinia	65	GUTTIFERÆ	65	Hirculus	181	Jonidium	37
GARCINIÆ	65	Gymnocladus	104	Hirtella	133	Jonidium	36, 37
Gardenia	197	Gymnoloma	236	Hoarea	75	JUGLANDEÆ	96
Gardenia	197	Gynaudropsis	31	Hoffmanseggia	106	Juglans	96
GARDENIÆ	197	Gypsophila	40	Holostenum	45	Juglans	97
Garidella	6	Gyrostemon	59	Holostenum	45	Jussiaea	152
Caraya	99	Hæmia toylon	105	HOMALINÆ	132	Kalanchoe	178
Gastonia	193	Hagea	176	Homalium	132	Kalmia	264
Gastrolobium	107	Hallia	129	Houstonia	198	Kalosanthes	177
Gaura	152	Haloragis	169	Hovea	111	Kaulfussia	233
Gaya	53	Hamelia	196	Hovenia	91	Kennedia	121
Gazania	238	HAMELACEÆ	196	Hudsonia	36	Kerria	149
Genipa	197	Hamiltonia	199	Hugonia	60	Kiggelaria	33
Genista	111	Hapalostephium	210	Humea	221	KIGGELARIÆ	33
Geoffroya	132	Hasselquistia	188	Hutchinsia	22	Kitabelia	49
Geophila	200	Havetia	65	Hydrangea	183	Kleinovia	56
Geranium	73	Hedera	193	Hydrastis	3	Kleinia	220
Geranium	73, 85	Hedera	72	Hydrocotyle	184	Kleinia	230
GERANIACEÆ	73	HEDYOTIDÆ	198	Hydrocotyle	185	Knautia	205
Gerberia	228	Hedyotis	198	HYPROELITIDÆ	14	Knautia	205
Geropogon	206	Hedynois	211	Hydropeltis	14	Knowltonia	3
Getonia	154	Hedypnois	208	HYGROBIÆ	169	Knoxia	201
Geum	145	Hedysarum	129	Hymenæa	106	Kœlpinia	212
Geum	145	Hedysarum	129, 131	Hymenocarpos	117	Kœlreuteria	70
Gillenia	149	Helenium	234	Hymenodictyon	198	Krigia	211
Githago	45	Helianthemum	34	Hymenogyne	169	Kuhnia	220
Glaucium	16	Helianthus	236	Hymenopappus	233	Kydia	58
Glaucium	16	Helianthus	235	Hyoseris	211	LABIATIFLORÆ	212
Gleditschia	103	Helichrysum	222	Hyoseris	208, 211	Lactuca	207
Glinus	163	Helicteres	54	Hypocoun	16	Lætia	34
Globulea	176	Heliocarpus	58	Hyperanthera	105	Lasgasca	219
Glyceria	185	Heliophila	31	HYPERICINÆ	63	Lasgasca	219
Glycine	121	HELIOPHILÆ	31	Hypericum	63	Lagerstrœmia	150
Glycine	120, 121	Heliopsis	235	Hypochæris	212	Lagœcia	193
Glycirrhiza	124	Helleborus	6	Hypota	67	Lagoseris	210
Glycosmis	62	HELLEBOREÆ	6	HYPAGEÆ	67	Lagoseris	211
Gnaphalium	222	Helminthia	211	Ibbetsonia	107	Lagunea	54
Gnaphalium	221, 222, 235	Hepatica	3	Iberis	22	Lahaya	176
Goldbachia	27	Heracantha	215	Iberis	22	Lamarckia	95
Gomphia	91	Heracleum	191	Ilex	94	LAPLACEÆ	61
Gompholobium	109	Heracleum	189, 191	Illecebrum	175	Lappa	213
Gompholobium	107	Heritiera	55	Illecebrum	175	Lapsana	212
Gonocarpus	151	Hermannia	56	Illicium	11	Lapsana	211, 212
Goodia	110	Hermannia	57	Impatiens	85	Larbrea	45
Gordonia	61	HERMANNIÆ	56	Impatiens	85	Larochea	178
GORDONIÆ	61	Hermas	185	Imperatoria	192	Laserpitium	192
Gorteria	238	Herniaria	176	Imperatoria	191	Laserpitium	188, 190, 192
Gossypium	52	Hesperis	24	Indigofera	124	LASIOPETALEÆ	56
Gouania	92	Hesperis	19, 24, 25	Inga	101	Lasiopetalum	56
Grenvillea	75	Heteropteris	68	Inula	221	Lasiopetalum	56
Grewia	58	Heterospermum	233	ISATIDÆ	26	Lathyrus	126
GRIEVLÆ	75	Heuchera	183	Isatis	26	Lathyrus	126
Grielim	75	Heynea	71	Isertia	197	Laugeria	196
Grindelia	227	Hibbertia	10	Isnardia	152	Lavatera	49
Grindelia	225	Hibiscus	50	Isocarpha	234	Lavenia	234
Grislea	150	Hibiscus	52	Isopetalum	85	Lawsonia	150
Gronovia	161	Hieracium	209	Isopyrum	6	Lebeckia	111
GROSSULARIÆ	173	Hieracium	208, 210	Iva	240	Lebeckia	124
Guaiacum	87	Hillia	198	Ixodia	221	Lebretonia	50

INDEX GENERUM.

	Page.		Page.		Page.
Oxalis	86	Phœnocoma	223	Prinos	94
<i>Oxalis</i>	86	Photinia	135	Prockia	34
Oxyanthus	197	Phyllica	92	Proserpinaca	169
Oxylobium	107	Phyllis	200	Prosopis	101
Oxytropis	193	Phyllolobium	131	Prunus	133
Ozthamnus	221	Phymatanthus	75	<i>Prunus</i>	133
<i>Pachira</i>	54	Phyospermum	188	Psiadia	228
Pæderia	200	Picridium	207	Psidium	158
Pæonia	9	Pieris	208	Psoralea	114
PEONIACEÆ ..	9	<i>Picris</i>	211	<i>Psoralea</i>	114
Palafoxia	229	Pimpinella	185	Psychine	29
Palavia	52	<i>Pimpinella</i>	185, 186	PSYCHINEÆ	29
Paliurus	94	Pinckneya	198	Psychotria	200
<i>Pallasia</i>	235	Piqueria	230	<i>Psychotria</i>	200
Panax	193	<i>Pirigara</i>	159	Ptelea	100
Papaver	15	Piriqnetta	154	Pterocarpus	132
<i>Papaver</i>	16	Piscidia	122	<i>Pterocarpus</i>	132
PAPAVERACEÆ 15		Pistacia	99	Pteroccephalus	205
PAPILIONACEÆ 106		Pisum	126	Pteronenum	20
Parinarium	133	<i>Pisum</i>	126	Pteronia	216
Parkinsonia	104	PITTOSPOREÆ 40		Pterospernum	57
Parnassia	38	Pittosporum	40	Ptilostephium	235
Paronychia	175	<i>Pittosporum</i>	156	Pulicaria	221
PARONYCHIEÆ 175		Plagianthus	54	Pulsatilla	3
Parthenium	249	Platylobium	110	Pultenæa	107
Pascalina	235	<i>Platylobium</i>	110	<i>Pultenæa</i>	108
Pastinaca	191	Platypteris	234	Punica	158
<i>Pastinaca</i>	187, 192	Plectroonia	91	Pyrus	135
Patrinia	203	Pleroma	159	<i>Pyrus</i>	135, 136
<i>Patrisia</i>	33	Pleurandra	10	Quassia	90
PATRISIEÆ	33	PLEURORHIZEÆ 17		<i>Quassia</i>	91
Paullinia	69	Pleurospermum	188	Queria	175
<i>Paullinia</i>	69	Plocama	200	<i>Queria</i>	176
PAULLINIEÆ ..	69	Podalyria	107	Quisqualis	153
Pavetta	199	<i>Podalyria</i>	107	Quivisia	71
Pavia	69	PODOPHYLLEÆ 14		Radiola	48
Pavonia	50	Podophyllum	14	Ræmeria	16
<i>Pavonia</i>	51	<i>Podophyllum</i>	14	Rafnia	111
Pectis	233	Podospermum	206	<i>Rafnia</i>	107
Peganum	88	Poicniana	105	Ramonda	296
<i>Peganum</i>	88	<i>Poiretia</i>	111	Randia	197
PELARGONIEÆ ..	75	Polanisia	32	RANUNCULACEÆ 1	
Pelargonium	77	Pollichia	175	RANUNCULEÆ ..	4
<i>Pelargonium</i>	75, 85	Pollycarpon	175	Ranunculus	4
Peltaria	21	Polygala	38	<i>Ranunculus</i>	5
Pentadesma	65	<i>Polygala</i>	39	RAPHANEÆ	30
Pentapetes	57	POLYGALÆÆ ..	38	Raphanus	30
<i>Pentaplyllon</i>	115	Polymnia	239	Raphiolepis	135
Penthorum	180	Polyspora	61	Rapistrum	30
Peplis	151	POMACEÆ	134	<i>Rapistrum</i>	23, 26
Perdicium	212	Pomaderris	92	Rauwolfia	273
Pereskia	172	Pombalia	37	<i>Rauwolfia</i>	273
Periptera	52	Pongamia	131	Reaumuria	162
Peritoma	31	Porcelia	12	Reseda	150
<i>Persoonia</i>	234	Portenschlagia	95	RESEDACEÆ	150
Petaloma	159	Portlandia	198	Retzia	286
Petalostemon	114	Portlandia	198	Rhagadiolus	212
Petrobinum	231	Portulaca	170	<i>Rhagadiolus</i>	212
Petrocallis	21	Portulacaria	170	RHAMNEACEÆ 91	
Peucedanum	191	PORTULACEÆ 169		Rhamnus	93
<i>Peucedanum</i>	192	<i>Posoqueria</i>	197	<i>Rhamnus</i>	94
Phaca	123	Potentilla	145	Rhaponticum	217
<i>Phaca</i>	123	<i>Potentilla</i>	145	Rhexia	160
Pharnacum	45	POTENTILLEÆ ..	144	Rhexia	159, 160
Phaseolus	119	Poterium	148	Rhinanthus	307
Phebalium	69	Prenanthes	208	Rhipsalis	172
<i>Phellandrium</i>	187	<i>Prenanthes</i>	207		
Philotheca	89	Prinos	94		
				RHIZOBOLEÆ	69
				Rhizophora	196
				RHIZOPHOREÆ 196	
				Rhodiola	179
				Rhododendron	264
				Rhodora	264
				RHODORACEÆ 264	
				Rhus	97
				<i>Rhus</i>	70, 97, 98
				Ribes	173
				Richardsonia	200
				Ricotia	20
				Riedleia	56
				Rindera	293
				Robertia	212
				<i>Robertsonia</i>	181
				Robinia	125
				<i>Robinia</i>	125, 131
				<i>Rochea</i>	178
				<i>Rochelia</i>	293
				Roella	251
				<i>Roella</i>	250
				Rolandra	218
				Rosa	136
				ROSACEÆ	136
				Rosmarinus	311
				<i>Rothia</i>	211
				Royena	270
				<i>Rubentia</i>	95
				Rubia	201
				RUBIACEÆ	196
				Rubus	144
				Rudbeckia	236
				Ruellia	326
				<i>Ruellia</i>	327
				Ruizia	57
				<i>Ruizia</i>	70
				Rulingia	55
				<i>Rulingia</i>	170
				Rumia	187
				<i>Rumia</i>	189
				Russelia	303
				Ruta	88
				RUTACEÆ	88
				Rnyschia	66
				Ryanæa	33
				Sagina	45
				Sagina	45
				SALICARIEÆ ..	150
				Salmea	234
				Sambucus	194
				Samyda	96
				SAMYDEÆ	96
				Sandoricum	71
				Sanguinaria	16
				Sanguisorba	148
				SANGUISORBEÆ ..	148
				Sanicula	184
				Sapivitalia	235
				SAPINDACEÆ 69	
				Sapindus	70
				<i>Sapindus</i>	90
				Saponaria	42
				Sarcocapnos	17
				Sarcocapnos	73
				Sarcoccephalus	199
				Sarcophyllum	109
				Saurauja	60

INDEX GENERUM.

	Page.		Page.		Page.		Page.
SAURAUJÆE	60	Sida	52	Stellaria	46	Thrinicia	208
Saussurea	213	Sida	52, 53, 54	Stellaria	45	Thysselinum	188
SAUVAGEÆ	38	Sideranthus	227	Stephania	33	Thysselinum	188
Sauvagesia	38	Siderodendron	199	Sterculia	55	Tiarella	183
Saxifraga	180	Siegesbeckia	235	STERCULIÆE	55	Tiarella	183
SANIFRAGÆE	180	Sieversia	145	Sterigma	27	Tilia	59
Scabiosa	204	Silene	42	Stevenia	19	TILIACEÆ	58
Scabiosa	204, 205	SILENÆE	40	Stevia	229	Tiliacora	13
Scalea	227	Siler	188	Stevia	229, 233	Tillæa	176
Scandix	189	Silphium	240	Stizolobium	119	Tithonia	238
Scandix	190	Silybum	214	Stobæa	215	Tococa	160
Schinus	98	Simaba	91	Stœbe	219	Toddalia	99
Schinus	98	Simaruba	91	Stokesia	216	Tolpis	211
Schivereckia	21	SIMARUBÆE	90	Stravadium	159	Tordylium	188
Schizandra	13	Simsia	234	Stuartia	61	Tordylium	187, 188, 191
Schizopetalum	31	Sinapis	28	Stuartia	61	Torilis	169
Schkuhria	233	Sinapis	29	Stylosanthes	129	Tormentilla	145
Schmultzia	98	Sison	186	Subularia	31	Trachymene	185
Schmidelia	70	Sison	185, 186, 188, 189, 190	SUBULARIÆE	31	Trachyspermum	189
Schotia	104	SISYMBREÆE	24	Succisa	204	Tragium	186
Schotia	104	Sisymbrium	24	Succowia	29	Tragium	186
Schousboea	153	Sisymbrium	18, 24, 29	Sutherlandia	124	Tragopogon	206
Schrankia	100	Sium	190	Swainsona	124	Trapa	153
Sciodaphyllum	193	Sium	192	Swietenia	72	Trattenickia	234
Scleranthus	175	Sium	192	Swietenia	72	TREMANDREÆ	39
Sclerocarpus	238	Sloanea	59	SYMPHONIÆE	65	Trianthes	170
Sclerothamnus	108	Smithia	128	Symphoria	195	Tribulus	87
Scolymus	212	Smyrniun	187	Synedrella	235	Trichera	204
Scopolia	99	Smyrniun	186, 192	Syrenia	25	Trichilia	71
Scorpiurus	128	Sobolewska	27	Tagetes	233	TRICHLIÆE	71
Scorzonera	206	Solea	37	Tagetes	233	Trichosanthes	162
Scorzonera	206, 207	Solidago	226	Talinum	170	Trichosanthes	162
Scottia	110	Solidago	227, 234	Talinum	170	Trichactylites	182
Scytalia	70	Sonchus	207	Tamarindus	104	Tridax	234
Sechium	161	Sonchus	207	TAMARISCINÆE	160	Trifolium	115
Securidaca	39	Sophora	106	Tamarix	160	Trifolium	115
Securigera	128	Sophora	106, 107	Taraxacum	208	Trigonella	117
Sedum	179	Southwellia	55	Teesdalia	22	Trigonella	115
Selinum	191	Spalanzania	147	Telephium	170	Trigonis	70
Selinum	186, 188, 191, 192	Spananthe	185	Templetonia	110	Trinia	185
Selloa	230	Sparmannia	58	Tenoria	185	Triopteris	68
Semecarpus	97	Spartianthus	111	Tephrosia	124	Triostenum	195
Sempervivum	180	Spartium	111, 112	Teramnus	120	Triphasia	62
Sempervivum	179, 180	Spathelia	99	TEREBINTHACEÆ	99	Triphilion	212
Senecia	40	Spatularia	181	Terminalia	153	Tristania	156
Senecbiera	26	Spergula	45	Ternstroemia	60	Triumfetta	58
Senecio	231	Spermacoe	200	TERNSTRÆMIA- CÆE	60	Trixis	212
Septas	178	Spermacoe	200, 201	Terpnanthus	90	Trollius	6
Seriana	69	SPERMACOCEÆ	200	Tetracera	10	TROPEOLEÆ	85
Seridia	218	Spermadictyon	199	Tetracera	10	Tropeolum	85
Seringia	56	Spermaxyrum	62	Tetracera	10	Troximon	206
Seriola	211	Sphæranthus	219	Tetragonia	169	Troximon	211
Seriola	212	Sphærolobium	108	Tetragonolobus	118	Turgosea	176
Seriphium	219	Sphenogyne	238	Tetragonotheca	234	Turnera	154
Serissa	200	Sphilanthes	234	Tetramerium	199	Turnera	154
Serpicula	169	Spilanthes	234	Tetrapteris	68	TURNERACEÆ	154
Serratala	213	Spiræa	149	Tetratheca	39	Turraea	71
Serratala	213, 215	Spiræa	149	Thalictrum	2	Turritis	19
Sesbania	125	SPIRÆACEÆ	149	Thapsia	192	Turritis	18, 19, 29
Seseli	186	Spiralepis	222	Thaspium	186	Tussilago	230
Seseli	186, 189	Spiranthera	90	Thespesia	52	Tussilago	212
Sesuvium	162	Spondias	99	Theobroma	55	Ulex	109
Sethia	66	Staavia	95	Theomopsis	107	Ulopernum	187
Seymouria	77	Stæhelia	216	Thespesia	52	UMBELLIFERÆ	184
Sherardia	201	Staphylea	95	Thlaspi	22	Unona	12
Sibbaldia	147	Starkea	227	Thlaspi	22, 26	Urena	50
Sicyos	161	Stauracanthus	109	THLASPIDÆE	22	Urvillæa	69
				Thomasia	56	Uvaria	12

INDEX GENERUM.

	Page.		Page.		Page.
<i>Ucaria</i>	12	<i>Vesicaria</i>	20	<i>Waltheria</i>	56
<i>Valantia</i>	201	<i>Viburnum</i>	194	<i>Webera</i>	197
<i>Valantia</i>	201, 202	<i>Vicia</i>	127	<i>Wedelia</i>	236
<i>Valeriana</i>	203	<i>Vicia</i>	128	<i>Weinmannia</i>	183
<i>Valeriana</i> ..	203, 204	<i>Vigniera</i>	236	<i>Wendlandia</i>	13
VALERIANEÆ ..	203	<i>Viminaria</i>	108	<i>Wiborgia</i>	110
<i>Valerianella</i>	203	VINIFERÆ	72	<i>Wiborgia</i>	235
<i>Vangueria</i>	196	<i>Viola</i>	36	WINTEREÆ ..	11
<i>Vauanthes</i>	176	<i>Viola</i>	36	<i>Wisteria</i>	121
<i>Velezia</i>	45	VIOLARIEÆ ..	36	<i>Woodfordia</i>	150
<i>Vella</i>	29	<i>Virgilia</i>	107	<i>Wormia</i>	10
<i>Vella</i>	29	<i>Viscaria</i>	44	<i>Xanthium</i>	240
VELLEÆ	29	<i>Viscum</i>	196	<i>Xanthochymus</i> ..	65
<i>Ventilago</i>	91	<i>Vismia</i>	63	<i>Xeranthemum</i> ..	228
<i>Verbesina</i>	235	VISMIEÆ	63	<i>Xeranthemum</i> ..	223
<i>Verbesina</i> ..	235, 236	<i>Visnaga</i>	190	<i>Ximenesia</i>	234
<i>Verea</i>	179	<i>Vitis</i>	72	<i>Ximenia</i>	62
<i>Vernonia</i>	219	<i>Vitis</i>	72	<i>Ximenia</i>	88
<i>Vernonia</i>	219	<i>Waldsteinia</i>	147	<i>Xylopia</i>	12
VERNONIACEÆ ..	219	WALLICHIEÆ	58	<i>Xylosteum</i>	195
				<i>Zacintha</i>	188
				<i>Zaluzania</i>	235
				<i>Zanthorhiza</i>	9
				<i>Zanthoxylon</i>	90
				<i>Zieria</i>	90
				<i>Zilla</i>	29
				ZILLEÆ	29
				<i>Zinnia</i>	234
				<i>Zizyphus</i>	93
				<i>Zizyphus</i>	94
				<i>Zœgea</i>	216
				<i>Zornia</i>	129
				<i>Zornia</i>	129
				<i>Zosimia</i>	188
				<i>Zwingera</i>	91
				ZYGOPHYLLEÆ ..	87
				<i>Zygophyllum</i>	87
				<i>Zygophyllum</i>	88

ENGLISH INDEX.

Page.	Page.	Page.	Page.
Achania 50	Bladder-nut 95	Chick-Pea 128	Drumstick-tree 101
African Marygold 233	Bladder-Senna .. 124	Chickweed 46	Duck's-foot 14
Agrimony 147	Black Parsley .. 190	China Aster 226	Dyer's-green-weed 112
Akee-tree 70	Blue bottle 217	Chinese varnish .. 97	Earth-nut 114, 189
Alaternus 93	Borecole 27	Chocolate-nut ... 55	Earth Pea 126
Alexander's 187	Bramble 144	Choko 161	Elder 194
All-seed .. 48, 175	Brasiletto 105	Christmas Rose .. 6	Elecampane 221
Almond 133	Bread-root 115	Christ's-thorn 93, 94	Elephant Apple .. 62
Amber-tree 201	Broccoli 28	Cicely 189	Elephant's-foot .. 219
Angelica 192	Broom 111	Cinquefoil 145	Enchanter's nightshade
Angelica-tree ... 193	Bryony 161	Clevers 202 151
Aniseed-tree .. 11	Buckler-mustard.. 23	Cloud-berry 145	Endive 212
Anotta 33	Buckthorn 93	Clove 41	Eryngo 184
Apple 135	Bugwort 9	Clove-tree 157	Evening Primrose 152
Apple-berry 40	Bullace-tree 133	Cocks-pur-thorn 135	Everlasting 222
Apricot 133	Burdock 213	Cocoa-Plum 133	Everlasting Pea .. 126
Arracacha 190	Burnet 148	Codlins & Cream 153	Fennel 187
Artichoke 215	Bur-Parsley 188	Coffee-tree 200	Fennel-flower 6
Asafoetida 192	Butter-bur 231	Coleseed 28	Fenugreek 117
Avens 145	Butter-tree 65	Colewort 30	Feverwort 195
Awlwort 31	Button-tree 154	Colpoon-tree 95	Fig Marygold 163
Azarole 134	Button-weed 200	Coltsfoot 230	Flat Pea 110
Balsam 85	Button-wood 199	Columbine 6	Flax 47
Balsam Apple .. 161	Cabbage 27	Common-Acacia .. 125	Fleabane 220
Balsam of Capevi 106	Cajuputi-tree ... 155	Common Broom .. 112	Fleawort 221
Balsam-tree 65	Caltrrops 87	Coral-tree 120	Flix-weed 24
Bane-berries 9	Campion 42	Coriander 187	Flower-fence 105
Barbadoes Gooseberry	Candy-carrot 189	Corn Cockle 45	Fool's Parsley ... 188
..... 172	Candy-tuft 22	Cornelian Cherry 194	Fox-grape 73
Barberry 13	Cape Aster 232	Cotton Rose 223	Fraxinella 68
Barrenwort 14	Cape-Jasmine ... 197	Cotton-thistle ... 215	French Honeysuckle
Bastard Cabbage-tree	Cape Phillyrea .. 95	Cotton-tree 52 131
..... 132	Caper-tree 32	Cowbane 188	French Marygold 233
Bastard Cedar 55, 72	Carambola-tree 85	Cowitch 119	Fumitory 17
Bastard Cress .. 22	Caraway 186	Cow Parsnep 191	Furze 109
Bastard Hare's-ear 200	Cardoon 215	Crane's-bill 73	Genip-tree 197
Bastard Indigo .. 121	Carline-thistle .. 215	Cress 26	Giant Fennel 192
Bastard Quince .. 135	Carnation 41	Cress-Rocket 29	Gingerbread Plum 133
Bastard Saffron .. 215	Carob-tree 104	Crosswort .. 200, 201	Ginseng 193
Bastard Vetch .. 123	Carolina Allspice 132	Crowfoot 4	Glastonbury-thorn 134
Bawd-money 187	Carrot 188	Cuckold-tree 103	Globe-flower 6
Bead-tree 71	Cashew-nut 97	Cuckoo-flower .. 20	Globe-thistle 218
Bean 128	Cassioberry-bush 194	Cucumber 161	Goat's-beard 149, 206
Bean-Caper 87	Catchfly 42	Cumin 190	Goat's-rue 124
Bean Trefoil 106	Caterpillar 128	Currant 173	Goat's-horn 122
Bear's-foot 6	Cats-ear 212	Custard Apple .. 11	Goat's-thorn 123
Bedstraw 201	Cauliflower 23	Daisy 228	Golden-rod 226
Bengal Quince .. 62	Celandine 16	Dandelion 208	Golden Saxifrage 97
Bilimbi-tree 85	Celery 187	Deadly Carrot .. 192	Golden-thistle .. 212
Bird's-foot 128	Centaury 216	Devil's-bit 204	Gold of pleasure .. 25
Bird's-foot Trefoil 118	Cheese Rennet .. 202	Dewberry 145	Goldilock's 5
Bishop's-weed ... 190	Cherimolli 11	Dill 187	Goldy-lock's 227
Bitter Vetch 126	Cherry 134	Dogwood 194	Gooseberry 173
Bladder Ketmia .. 51	Chervil 190	Dropwort 149	Gourd 162

ENGLISH INDEX.

Page.	Page.	Page.	Page.
<p>Goutweed 186 Grape-vine 72 Great Burnet 148 Groundsel 231 Groundsel-tree 220 Guava 158 Guelder-Rose 194 Gum Succory 208 Hare's-ear 185 Hartwort 188 Hatchet Vetch, 123, 128 Hawkweed 209 Hawthorn 134 Heart's-ease 37 Heart-seed 69 Hedge-mustard 24 Hellebore 6 Hemlock 190 Hemp Agrimony 229 Herb Robert 74 Heron's-bill 74 Hickory-tree 97 Hog-Plum 99 Holly 94 Hollyhock 49 Honesty 20 Honey-berry 70 Honey-flower 88 Honeysuckle 195 Horn Gourd 162 Horn Poppy 16 Horse Chestnut 69 Horse Radish 22 Horse-radish-tree 105 Horseshoe Vetch 128 Horse-thistle 214 Hottentot Cherry 95 Houseleek 180 Humble-plant 100 Ice-plant 167 Indian Cress 85 Indian Fig 172 Indian Lotus 15 Indian Madder 198 Indigo 121 Iron-tree 199 Ivy 193 Jamaica Dogwood 122 Jamaica Ebony 132 Jambolana-tree 158 Jersey-thistle 218 Judas-tree 106 Jupiter's-beard 114 Kanguru Vine 72 Kidney-Bean 119 Kidney Vetch 114 Knapweed 217 Knawel 175 Knot-grass 175 Laburnum 112 Ladies's Bedstraw 45 Ladies' Mantle 148 Ladies' Smock 19 Lamb's Lettuce 203 Lance-wood 12 Larkspur 7 Laserwort 192 Laurel 134</p>	<p>Laurestine 195 Lee-Chee 70 Lemon 63 Lentil 128 Leopard's-bane 228 Lettuce 207 Licca-tree 90 Lignum-Vita 87 Lime 63 Lime-tree 59 Lion's-foot 208, 222 Liquorice 124 Locust-tree 106, 125 Logwood 105 London pride 181 London Rocket 24 Looking-glass-plant 55 Loquat 135 Lord Anson's Pea 126 Lovage 190 Lupine 113 Madder 201 Madwort 21 Mahogany-tree 72 Malay Apple 157 Mallow 48 Mammce-tree 65 Mangosteen 65 Mango-tree 97 Maple 68 Mare's-tail 169 Marsh cinquefoil 145 Marsh Mallow 49 Marsh Marygold 6 Marsh Pennywort 184 Marygold 239 Masterwort 192 Mastick-tree 98, 99 May Apple 14 Meadow Rne 2 Meadow Saxifrage 186 Meadow-sweet 149 Medick 117 Medlar 134 Melilot 115 Melon 162 Melon Thistle 170 Mignonette 150 Milk Parsley 191 Milk Vetch 122 Milkwort 38 Misseltow 196 Monkshood 7 Moonseed 13 Moschatel 183 Mountain Ash 136 Mountain Ebony 106 Mountain Rose 160 Mouse-ear 209 Mouse-ear-chickweed 47 Mouse-tail 4 Moving-plant 130 Musk Okro 51 Mustard 28 Myrrh 189 Myrtle 158 Mysore-thorn 105</p>	<p>Navelwort 178 Nectarine 133 Necklace-tree 107 New Jersey Tea 192 New Zealand Cork-tree 158 New Zealand Tea 155 Nicker-tree 106 Nipplewort 212 Old man's beard 206 Olibanum-tree 209 Olive-bark-tree 153 Olive-wood 195 Orange-tree 163 Orpine 170 Ox-eye 236 Ox-tongue 208 Pæony 109 Papaw-tree 162 Paraguay Tea 194 Parsley 187 Parsley piert 148 Parsnep 191 Pasque-flower 3 Pea 126 Peach 133 Pear 135 Pearlwort 45 Penny-cress 143 Pennywort 178 Peppermint-tree 157 Pepper-Vine 72 Peppervort 26 Petty Whin 112 Pheasant's-eye 4 Pigeon-pea 113 Pilewort 5 Pink 41 Pin-pillow 172 Pistachia-tree 99 Plank-plant 110 Plowman's Spikenard 220 Plum-tree 133 Poison Oak 97 Pomegranate 158 Poppy 15 Puccoon 16 Pumpkin 162 Purslane 170 Purslane-tree 170 Pyracantha 135 Quince 136 Radish 30 Ragged Robin 44 Ragwort 231, 232, 233 Rambutan 70 Rape 28 Raspberry 145 Rattlesnake-root 39 Red Lac 97 Rest-harrow 113 Rocket 24 Rock-Rose 34 Rose 136 Rose Acacia 126 Rose Campion 44 Rose of Jericho 23</p>	<p>Rose-root 179 Rough Chervil 190 Rough skin'd Plum 133 Rue 88 Rupture-wort 176 Sacred Bean 14 St. Andrew's cross 64 St. Barnaby's-thistle 218 Saintfoin 131 St. John's-bread 104 St. John's-wort 63 St. Peter's-wort 195 Salt-tree 125 Samphire 187 Sandwort 46 Sanicle 184 Sappan-fruit 101 Satin-wood 72 Savoy 27 Sawwort 213 Saxifrage 180 Scabious 204 Scorpion Senna 128 Screw-tree 54 Scurvy-grass 22 Sea Chickweed 47 Sea Heath 40 Sea Holly 184 Sea Kale 30 Sea Rocket 23 Sensitive plant 100 Septfoil 145 Service-tree 136 Shaddock 63 Sheep's-beard 206 Shepherd's-cress 22 Shepherd's-purse 22 Shrubby Trefoil 100 Siberian Crab 135 Silk-cotton-tree 54 Skirret 190 Sloe-tree 133 Smooth Chestnut 69 Snake-Gourd 162 Snakeroot 9 Snowball-tree 194 Snowberry 200 Soap-berry 70 Soapwort 42 Soldier-wood 101 Sour Gourd 54 Soursop 11 Sow-thistle 207 Spanish Broom 111 Spanish Cress 26 Spignell 189 Spindle-tree 95 Sponge-tree 103 Spurrey 45 Squash 162 Squirting Cucumber 161 Staff-tree 94 Star Thistle 218 Starwort 224 Stitchwort 46 Stock 17 Stonecrop 179 Stork's-bill 77</p>

ENGLISH INDEX.

	Page.		Page.		Page.
Strapwort	170	Teasel	204	Vine	72
Strawberry	147	Tea-tree	61	Violet	36
Succory	212	Thistle	213	Viper's Grass	206
Sulphurwort	191	Tonquin Bean	132	Virginian Creeper	72
Sumach	97	Toothpick	190	Virgin's-bower	1
Sundew	38	Toothwort	20	Wall-Cress	19
Sunflower	236	Touch me not	85	Wallflower	18
Sun-Rose	34	Tower Mustard	19	Wall-Rocket	29
Snapple-jack	69	Traveller's-joy	1	Walnut-tree	96
Sweet-briar	138	Treacle Mustard	21	Wampee-tree	62
Sweet-Pea	126	Tree Celandine	16	Wart-flower	75
Sweetsop	11	Tree Mallow	50	Water Caltrops	153
Sweet Sultan	216	Trefoil	115	Water Chickweed	170
Sweet William	41	Tulip-tree	11	Watercress	18
Swine's Succory	211	Turnep	28	Water Dropwort	186
Syrian Rue	88	Valerian	203	Water Hemlock	187
Syringa	155	Venus's-comb	189	Water-Lily	15
Tamarind-tree	104	Venus's Flytrap	38	Water Melon	162
Tamarisk	160	Vetch	127	Water Milfoil	169
Tare	128	V. flower	176		

BOTANICAL JOURNAL

REVISED EDITION

JAMES RIDGWAY, No. 100 BROADWAY, N.Y.

THE BOTANICAL JOURNAL

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

Published by James Ridgway, No. 100 Broadway, N.Y. Price \$1.00 per Annum in Advance.

IMPORTANT
BOTANICAL WORKS,
PUBLISHING

BY
JAMES RIDGWAY, No. 169, PICCADILLY.

The BOTANICAL REGISTER, No. 132, for February 1826 (continued Monthly), completed the Eleventh Volume. Price 4s. With an Appendix, containing an Alphabetical Index to the Volume, a General Index to the Ten Volumes, &c. &c. Price 1s. By SYDENHAM EDWARDS, F.L.S. and others.

Each Number contains EIGHT coloured PORTRAITS, from Life, of the most beautiful and rare EXOTIC PLANTS cultivated in the public and private Hot Houses, Green Houses, and Gardens of this Country. Accompanied by their History, Mode of Treatment in Cultivation, and any thing else which may be thought of interest to the general, as well as scientific reader.

"We look upon this Work (Edwards's Botanical Register) to be the only one of its class capable of bearing the inspection of the Botanist in all its departments; and for beauty of execution in its plates and typography, it stands unrivalled by any whatever which have come under our notice. Comparisons are odious; but when a work like the present meets our view, so little short, if any, of perfection (and at so small a cost, too), it is with more than ordinary pleasure we recommend a preference, certain of receiving the approbation of those who rely on our opinion."—*Literary Chronicle.*

"It cannot fail to please every lover of this fashionable and interesting science, as well as admirers of beautiful works in general."—*Monthly Critical Gazette.*

* * * Those Ladies and Gentlemen who have lately become Subscribers to the "Botanical Register," without taking the prior Numbers (many of which were out of print), are informed they are now severally reprinted, and in future will always be kept so, that such as may prefer completing their sets gradually or periodically, may do so without disappointment.

CISTINEÆ,

The NATURAL ORDER of CISTUS, or ROCK-ROSE.

No. 8, for Sept. 1st, to be completed in One Volume, royal 8vo.

A Number to be published every alternate Month. Price Three Shillings.

Each Number will contain Four very full and finely-coloured Figures, from living Plants, of this handsome Family, at present so little known, and so much confused, in the collections of this country; with their Scientific and English Names and Descrip-

AN ESSAY ON THE WEEDS OF AGRICULTURE; with their Common and Botanical Names, their respective Characters and bad Qualities, whether as infesting Samples of Corn, or encumbering the Soil. Also, Practical Remarks on their Destruction by Fallowing or otherwise. The posthumous Work of Benjamin Holdich, Esq. late Editor of the Farmer's Journal. Edited by G. SINCLAIR, F.L.S. F.H.S., Author of the *Hortus Gramineus Woburnensis*, &c. &c. Second Edition. Price 2s. 6d.


THE FRUIT GROWER'S INSTRUCTOR; or, a Practical Treatise on Fruit Trees, from the Nursery to Maturity; and a Description and Enumeration of all the best Fruits now in Cultivation, both for keeping and immediate use; with useful Hints as to the planting for Orchards or in Gardens. To which is added, a full Definition of the Apple Fly, commonly termed the American Blight, which causes the Canker in Apple Trees; its Effectual Remedy and Prevention; together with some practical Observations on Horticulture in general. By G. BLISS, Nurseryman. Price 6s.

"This is a Practical Treatise on the Culture and Preservation of Fruit Trees in general, and more particularly the Apple Tree, by one of the most extensive growers in the kingdom. The best modes of Grafting, Pruning, and Budding, are laid down with the utmost clearness. A very ample Catalogue of our Fruit Trees, and a description of the appearance, flavour, and qualities of their production, is also given. * * * * " But the most valuable part of this volume is that which relates to the Canker, and the remedy which Mr. Bliss has discovered for this destructive blight. * * *"—*Monthly Critical Gazette*.

A SYSTEM for MANAGING HEAVY and WET LANDS without SUMMER FALLOWS; under which a considerable Farm in Hertfordshire is kept perfectly clean, and made productive. By THOMAS GREG, Esq. Third Edition. With an Appendix, pointing out how the infant Turnip may be protected from Insects by a critical application of Lime; to which are added, Extracts from some Letters written by the Earl of Thanet, proving the Infallibility of the Plan: as presented to the Board of Agriculture, and now published at their request. 5s.

PRACTICAL REMARKS on the IMPROVEMENT of GRASS LAND, by Means of Irrigation, Winter-flooding, and Drainage, in a Letter to the Owners and Occupiers of Land in the County of Essex. By C. C. WESTERN, Esq. M.P. 1s. 6d.

PRACTICAL TREATISE ON BREEDING, REARING, AND FATTENING POULTRY, &c. after Plans pursued with Advantage and Profit in France. Second Edition. 5s. Third Edition.—One Volume, Royal 8vo., dedicated, with Permission, to T. W. COKE, Esq. M.P.





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00619 1878