





[Faint, illegible handwritten text or signature]

175
26
t. 2
t. H-C

(Dr Hooker New York
per R Barclay

Sweet's Hortus Britannicus:

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE GARDENS OF GREAT BRITAIN;

ARRANGED IN

NATURAL ORDERS:

WITH THE ADDITION OF THE

Linnean Classes and Orders to which they belong, Reference to the Books where they are described, their Native Places of Growth, when introduced, Time of Flowering, Duration, & Reference to Figures; with numerous Synonyms.

PART II.

BY ROBERT SWEET, F.L.S.


Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, The British Flower Garden, British Warblers, &c.

A. S. HITCHCOCK.

London:

PRINTED FOR JAMES RIDGWAY, 169, PICCADILLY.

1826.



THE UNIVERSITY OF CHICHESTER

PHILOSOPHY

STYLISH AND MODERN

The first and foremost consideration in the design of this book is to provide a comprehensive and up-to-date account of the philosophy of the modern world. The book is written in a clear and concise style, and is suitable for both students and general readers. It covers the main areas of philosophy, including metaphysics, epistemology, ethics, and political philosophy. The book is written in a clear and concise style, and is suitable for both students and general readers.

THE HISTORY OF THE WORLD

The history of the world is a vast and complex subject, and this book provides a comprehensive and up-to-date account of the world's history. The book is written in a clear and concise style, and is suitable for both students and general readers. It covers the main areas of world history, including the ancient world, the middle ages, and the modern world. The book is written in a clear and concise style, and is suitable for both students and general readers.

THE HISTORY OF THE WORLD

The history of the world is a vast and complex subject, and this book provides a comprehensive and up-to-date account of the world's history. The book is written in a clear and concise style, and is suitable for both students and general readers. It covers the main areas of world history, including the ancient world, the middle ages, and the modern world. The book is written in a clear and concise style, and is suitable for both students and general readers.

TILLING, PRINTER, CHELSEA.

POSTSCRIPT.



THE Author now feels it a duty incumbent on him to acknowledge his obligations for the information he has received from various friends, since the commencement of the present publication; particularly to **A. B. Lambert, Esq.** whose extensive Library and Herbarium has been always open to his inspection, and which is, from its richness, and the liberality of its owner, of more real service to science than any other collection in this country.

To **Miss Lousada** he has to return his best thanks for the kind interest she has taken in this work; also to **Mr. George Charlwood**, both for the loan of Books, and for information that was of much importance. He feels also obliged to **Messrs. George and David Don**, for interesting communications, and the use of Monographs, &c.; and to many other friends, who have rendered him more or less assistance;—to the whole of whom he returns his most grateful acknowledgments.

Not having received the second Volume of **M. Decandolle's Prodronus** before that part of the present work was printed, he has made the alterations necessary in the Addenda, with the addition of many other Plants, that he has seen or heard of, since the former Part of the work has been printed.

ABBREVIATIONS in addition to those in PART I.

- | | |
|--|---|
| B.A. Barton's American Flora. | K.P. Knight's Proteæ. |
| C.R. Colla's Hortus Ripulensis. | K.R. Ker's Review of the Amaryllideæ. |
| D. Desfontaines. | L.P. Lambert's Pinus. |
| Ell. Elliot's Flora of South Carolina, &c. | M.P. Martius's Palms. |
| F.T. Cunningham's Appendix to Baron Field's Travels. | P.B. Palisot de Beauvois, Agrostographiæ. |
| G.C. Catalogue of the Botanic Garden of Glasgow. | R.L. Redoute's Liliaceæ. |
| H.A. Herbert's Appendix. | R.Sc. Roscoe's Scitamineæ. |
| H.G.W. } Sinclair's Hortus Gramineus | Sc. Schrader. |
| S. G.W. } Woburnensis. | S.A.B. Salisbury in Annals of Botany. |
| I. h. Intermediate House between Hot-house and Greenhouse. | S.P. Salisbury's Prodrômus. |
| | Tr. Trinius. |

SUBORDO VIII. *ANTHEMIDEÆ*. *Kth. synopsis. 2. p. 513.*

CEPHALOPHORA. W. CEPHALOPHORA. Syngenesia Polygamia Æqualis. W.					
glauca. w.	glaucous.	Chili.	1798. 7. 8.	H. ⊙.	Cavan. ic. 6. t. 599.
<i>Græmia aromatica</i> . Hook. ex. flor. 189.					
ETHULIA. W. ETHULIA. Syngenesia Polygamia Æqualis. W.					
1 conyzoides. w.	panicked.	India.	1776.	7. 8. S. ⊙.	Linn. fil. dec. t. 1.
2 divaricata. w.	spreading.	————	1815.	— S. ⊙.	Lam. ill. t. 699.
<i>Epaltes divaricata</i> . Cas.					
3 ramosa. H. B.	branching.	————	1818.	— S. ⊙.	
4 brasiliensis. L. en.	Brazilian.	Brazil.	1822.	— S. ♀.	
TARCHONANTHUS. W. AFRICAN FLEABANE. Syngenesia Polygamia Æqualis. L.					
1 camphoratus. w.	strong-scented.	C. B. S.	1690. 6. 10.	G. ♀.	Lam. ill. t. 671.
2 dentatus. P. S.	scentless.	————	1816.	— G. ♀.	
OTANTHUS. L. en. OTANTHUS. Syngenesia Polygamia Æqualis.					
maritimus. L. en.	sea-side.	England.	—	7. 9. H. ♀.	Eng. bot. 141.
<i>Santolina maritima</i> . E. B.					
SANTOLINA. W. LAVENDER-COTTON. Syngenesia Polygamia Æqualis. L.					
1 Chamæ-Cyparissus. w.	common.	S. Europe.	1573. 7.	H. ♀.	Lam. ill. t. 671. f. 3.
2 squarrosa. w.	hoary.	————	1570. 7. 8.	H. ♀.	Moris. s. 6. t. 3. f. 17.
3 viridis. w.	dark-green.	————	1727. 7.	H. ♀.	
4 rosmarinifolia. w.	Rosemary-ld.	————	1683. 7. 9.	H. ♀.	Sm. exot. bot. 2. t. 62.
5 alpina. w.	Alpine.	Italy.	1798.	— H. ♀.	Barr. rar. t. 522.
6 eriosperma. P. S.	woolly-seeded.	————	1818.	— H. ♀.	
7 crithmifolia. w. en.	Samphire-ld.	S. Europe.	1823.	— H. ♀.	
8 pinnata. viv.	wing-leaved.	————	1791.	— G. ♀.	
9 anthemoides. w.	Chamomile-ld.	————	1727. 7. 8.	H. ♀.	Flor. græc. t. 854.
ATHANASIA. W. ATHANASIA. Syngenesia Polygamia Æqualis. L.					
1 crenata. w.	crenated.	C. B. S.	1816. 6. 8.	G. ♀.	
2 punctata. w.	punctated.	————	1822. 5. 7.	G. ♀.	Petiv. gaz. t. 81. f. 6.
3 capitata. w.	hairy.	————	1774. 1. 3.	G. ♀.	Moris. s. 6. t. 3. f. 48.
4 pubescens. w.	villous-leaved.	————	1768. 6. 8.	G. ♀.	Comm. hort. 2. t. 47.
5 canescens. w.	canescent.	————	1822.	— G. ♀.	Cavan. ic. 1. t. 3.
<i>lanuginosa</i> . Cav.					
6 cuneifolia. P. S.	wedge-leaved.	————	1816. 7. 9.	G. ♀.	Lam. ill. t. 670. f. 3.
7 annua. w.	annual.	Barbary.	1686. 7. 8.	H. ⊙.	Botan. magaz. 2276.
8 dentata. w.	tooth-leaved.	C. B. S.	1759.	— G. ♀.	Comm. rar. t. 41.
9 trifurcata. w.	trifid-leaved.	————	1710.	— G. ♀.	Comm. hort. 2. t. 49.
10 virgata. w.	twigg.	————	1815.	— G. ♀.	Jacq. schæn. 2. t. 148.
11 tomentosa. w.	Lavender-ld.	————	1774. 5. 6.	G. ♀.	Lam. ill. t. 670. f. 1.
<i>cinerea</i> . L.					
12 filiformis. w.	fine-leaved.	————	1787. 8.	G. ♀.	
13 crithmifolia. w.	Samphire-ld.	————	1723. 7. 8.	G. ♀.	Comm. hort. 2. t. 50.
14 parviflora. w.	small-flow'r d.	————	1731. 4.	G. ♀.	Jacq. schæn. 2. t. 149.
15 tricuspis. P. S.	three-pointed.	————	1816.	— G. ♀.	
16 pectinata. w.	pectinated.	————	1774. 5. 6.	G. ♀.	
17 pinnata. w.	pinnated.	————	1824. 6. 8.	G. ♀.	Lam. ill. t. 670. f. 4.
BALSAMITA. W. COSTMARY. Syngenesia Polygamia Æqualis. W.					
1 virgata. w.	twigg.	Italy.	1791. 6. 7.	H. ♀.	Jacq. obs. 4. t. 81.
2 ageratifolia. w.	Ageratum-ld.	Candia.	1605. 6. 10.	G. ♀.	Alp. exot. t. 326.
3 vulgaris. w.	common.	Italy.	1568. 8. 9.	H. ♀.	Schk. hand. 3. t. 240.
4 annua. DC.	annual.	S. Europe.	1629. 7. 8.	H. ⊙.	Mill. ic. 2. t. 227. f. 1.
<i>Tanacetum annuum</i> . W.					
PENTZIA. Th. PENTZIA. Syngenesia Polygamia Æqualis. W.					
flabelliformis. w.	fan-leaved.	C. B. S.	1774. 5. 8.	G. ♀.	Botan. magaz. 212.
<i>Tanacetum flabelliforme</i> . B. M.					
TANACETUM. W. TANSY. Syngenesia Polygamia Superflua. L.					
1 vestitum. w.	imbricated.	C. B. S.	1816. 8. 9.	G. ♀.	
2 linifolium. w.	Flax-leaved.	————	1774. 8.	G. ♀.	
3 suffruticosum. w.	shrubby.	————	1751. 5. 9.	G. ♀.	Comm. hort. 2. t. 100.
4 sibiricum. w.	Siberian.	Siberia.	1823.	— H. ♀.	Gmel. sib. 2. t. 65. f. 2.
5 argenteum. w.	silvery.	Levant.	1812.	— H. ♀.	
6 grandiflorum. w.	great-flowered.	C. B. S.	1825.	— G. ♀.	
7 myriophyllum. w.	many-leaved.	Levant.	1818.	— H. ♀.	
<i>Achillea bipinnata</i> . L.					

8	angulatum. w.	angular-cupp'd.	Levant.	—	—	H. 4.	
	<i>Achillea filipendulina.</i>	P.S.					
1	canariense. DC.	Canary.	Canarles.	1816.	—	G. 7.	
10	vulgaro. w.	common.	Britain.	—	H. 4.	Eng. bot. 1229.
	<i>β crispum.</i>	curled.					
ARTEMISIA. W.		WORMWOOD.	Syngenesia	Polygamia	Superflua.	L.	
1	judaica. w.	Judean.	Levant.	1688.	8.	G. 7.	Pluk. alm. t. 73. f. 2.
2	valentina. w.	Spanish.	Spain.	1739.	7. 8.	F. 7.	Barr. ic. t. 485.
3	arragonensis. w.	snowy white.	—	1816.	—	F. 7.	Asso arrag. t. 8. f. 1.
4	subcanescens. w.en.	hoary-leaved.	S. Europe.	—	F. 7.	
5	Abrotanum. w.	Southernwood.	—	1548.	8. 10.	H. 7.	Blackw. t. 555.
6	procera. w.	tall.	S. Europe.	1816.	—	F. 7.	Lobel. ic. 768.
	<i>paniculata.</i>	I.am.					
7	tenuifolia. w.	slender-leaved.	1732.	9. 12.	G. 7.	Dill. clth. t. 33. f. 37.
8	afra. w.	Cape.	C. B. S.	1816.	—	G. 7.	
9	arborescens. w.	tree.	Levant.	1640.	6. 8.	H. 7.	Flor. græc. 856.
10	argentea. w.	silvery.	Madeira.	1777.	6. 7.	G. 7.	
11	pauciflora. M.B.	few-flowered.	Russia.	1821.	—	H. 7.	
12	glacialis. w.	silky.	Switzerland.	1739.	7. 8.	H. 4.	Jacq. aust. 5. t. ap. 35.
13	rupestris. w.	stone.	N. Europe.	—	H. 7.	All. ped. t. 9. f. 1.
14	mutellina. w.	Alpine.	Alps of Eur.	1815.	—	H. 4.	Vill. daup. 3. t. 35.
15	pedemontana. L.en.	Swiss.	Switzerland.	1823.	—	H. 4.	
16	caucasica. w.	Caucasian.	Caucasus.	1804.	6. 7.	H. 4.	
17	spicata. w.	spiked.	Switzerland.	1790.	—	H. 4.	Jacq. aust. 5. t. ap. 34.
18	pectinata. w.	comb-leaved.	Dauria.	1806.	—	H. 7.	Pall. it. 3. t. Hh. f. 2.
19	tanacetifolia. w.	Tansy-leaved.	Siberia.	1768.	7. 8.	H. 7.	All. ped. 1. t. 10. f. 3.
20	laciniata. w.	jagged.	Dauria.	1823.	—	H. 4.	
21	insipida. w.	insipid.	S. Europe.	—	—	H. 4.	Vill. delph. 3. t. 35.
22	Santonica. w.	Tartarian.	Siberia.	1596.	9. 11.	H. 7.	Gmel. sib. 2. t. 51.
23	scoparia. w.	besom.	Hungary.	1796.	7. 9.	H. 7.	W. et K. hung. 1. t. 65.
24	campestris. w.	field.	England.	8.	H. 4.	Eng. bot. 338.
25	herbacea. w.	herbaceous.	Siberia.	1817.	—	H. 4.	
26	desertorum. w.en.	desert.	—	—	—	H. 4.	
27	inodora. M.B.	few-flowered.	Siberia.	1800.	—	H. 4.	
	<i>pauciflora.</i>	w.					
28	palustris. w.	marsh.	—	1804.	7. 8.	H. 7.	Gmel. sib. 2. t. 55.
29	neglecta. w.en.	neglected.	—	1815.	—	H. 4.	
30	camphorata. w.	Camphor-scent'd.	S. Europe.	1820.	—	H. 7.	Lob. ic. t. 769. f. 1.
31	albida. w.en.	white-leaved.	—	—	H. 4.	
32	humilis. w.en.	dwarfish.	Carniola.	8. 10.	H. 7.	
33	crithmifolia. w.	Samphire-la.	Portugal.	1739.	8. 10.	H. 7.	
34	saxatilis. w.	rock.	Hungary.	1816.	6. 8.	H. 4.	
35	glauca. w.	glaucous.	Siberia.	1806.	—	H. 4.	
36	nutans. w.	nodding.	Tartary.	1819.	7. 9.	H. 4.	
37	monogyna. w.	one-styled.	Hungary.	1816.	—	H. 4.	W. et K. hung. 1. t. 75.
38	palmata. w.	palmated.	S. Europe.	1739.	6. 7.	G. 7.	
39	nivea. w.en.	snowy.	Siberia.	1815.	—	H. 4.	
40	maritima. w.	drooping-fl'd.	Britain.	8. 9.	H. 4.	Eng. bot. 1706.
41	gallica. w.	upright-flow'r'd.	—	—	H. 4.	— 1001.
42	salina. w.	sea-side.	Germany.	1817.	—	H. 4.	Spreng. halens. t. 12.
43	fragrans. w.	Lavender-ld.	Armenia.	1739.	6. 7.	H. 4.	
44	austriaca. w.	Austrian.	Austria.	1597.	8. 10.	H. 4.	Jacq. aust. 1. t. 100.
45	vallesiaca. w.	downy.	Italy.	1739.	7. 8.	H. 4.	
46	taurica. w.	Taurian.	Tauria.	1824.	—	H. 4.	
47	orientalis. w.	oriental.	Armenia.	8. 10.	H. 4.	
48	sericea. w.	silky-leaved.	—	1796.	6. 7.	H. 4.	Gmel. sib. t. 64. f. 1.
49	repens. w.	creeping.	—	1805.	6. 7.	H. 4.	
50	balsamita. w.en.	Balsam-scent'd.	1816.	—	H. 4.	
51	pentica. w.	Roman.	Austria.	1570.	9.	H. 4.	Jacq. aust. 1. t. 99.
52	chamæmelifolia. w.	Chamomile-ld.	S. Europe.	1739.	7. 8.	F. 7.	Vill. dauph. 3. t. 35.
53	annua. w.	annual.	Siberia.	1741.	—	H. 7.	Am. ruth. t. 196. f. 23.
54	biennis. ph.	biennial.	Missouri.	1804.	—	H. 7.	Botan. magaz. 2472.
55	Absinthium. w.	common.	Britain.	7. 10.	H. 4.	Eng. bot. 1230.
56	Siversiana. w.	Sivers's.	Siberia.	1800.	7. 8.	H. 7.	
57	vulgaris. w.	Mugwort.	Britain.	8. 9.	H. 4.	Eng. bot. 978.
58	procumbens. DC.	procumbent.	Siberia.	1823.	—	H. 4.	
59	incisa. w.en.	cut-leaved.	—	—	H. 4.	
60	fasciculata. M.B.	fascicled.	Iberia.	1820.	—	H. 4.	
61	indica. w.	Indian.	E. Indies.	1796.	9. 10.	F. 7.	Rheed. mal. 10. t. 45.



62	integrifolia. w.	entire-leaved.	Siberia.	1759.	7. 8.	H. ½.	Gm. sib. 2. t. 48. f. 1, 2.
63	japonica. w.	Japanese.	Japan.	1804.	10. 11.	H. ½.	
64	carulescens. w.	bluish.	England.	...	8. 10.	H. ½.	Eng. bot. 2426.
65	Redowskii. Led.	inodorous.	Siberia.	1548.	7. 8.	H. ½.	Gm. sib. 2. t. 59 & 60. f. 1.
	<i>inodora. w. en. non M.B.</i>						
66	Dracunculus. w.	Tarragon.	S. Europe.	—	—	H. ½.	
67	chinensis. w.	Chinese.	China.	1816.	—	H. ½.	Gmel. sib. 2. t. 61. f. 1, 2.
ERIOCEPHALUS. W.		WOOLHEAD.	Syngenesia Polygamia Necessaria.	L.			
1	africanus. w.	cluster-leaved.	C. B. S.	1732.	1. 4.	G. ½.	Botan. magaz. 833.
	<i>frutescens. H.K.</i>						
2	decussatus. B.T.	cross-leaved.	— —	1816.	3. 6.	G. ½.	
3	purpureus. B.T.	purple.	— —	—	—	G. ½.	
4	racemosus. w.	silver-leaved.	— —	1739.	3. 4.	G. ½.	
5	spinescens. B.T.	spiny.	— —	1816.	—	G. ½.	
HIPPIA. W.		HIPPIA.	Syngenesia Polygamia Necessaria.	L.			
1	frutescens. w.	shrubby.	C. B. S.	1710.	2. 8.	G. ½.	Botan. magaz. 1855.
2	integrifolia. w.	annual.	E. Indies.	1777.	7. 8.	S. ⊙.	Hout. n. hist. t. 67. f. 2.
SOLIVA. L.T.		SOLIVA.	Syngenesia Polygamia Necessaria.	L.			
1	anthemifolia.	Chamomile-ld.	S. America.	1812.	4. 12.	H. ⊙.	J. ann. mus. t. 61. f. 1.
	<i>Gymnostyles anthemifolia. P.S.</i>						
2	stolonifera. L.T.	stoloniferous.	Portugal?	1818.	—	H. ⊙.	
	<i>Hippia stolonifera. P.S.</i>						
3	pedicellata. P.S.	pedicelled.	S. America.	—	—	H. ⊙.	
LIDBECKIA. W.		LIDBECKIA.	Syngenesia Polygamia Superflua.	W.			
1	lobata. w.	lobe-leaved.	C. B. S.	1816.	5. 6.	G. ½.	Lam. ill. t. 701. f. 3.
	<i>Lancisia lobata. P.S. Cotula quinqueloba. L.</i>						
2	pectinata. w.	silver-leaved.	C. B. S.	1774.	5. 6.	G. ½.	Ber. cap. 306. t. 5. f. 9.
CENIA. J.		CENIA.	Syngenesia Polygamia Superflua.	L.			
	turbinata. P.S.	turbinated.	C. B. S.	1713.	7. 8.	H. ⊙.	Lam. ill. t. 701. f. 1.
	<i>Lidbeckia turbinata. w. Cotula turbinata. L.</i>						
COTULA. W.		COTULA.	Syngenesia Polygamia Superflua.	W.			
1	anthemoides. w.	Anthemis-like.	St. Helena.	1696.	7. 8.	S. ⊙.	Dill. elth. t. 23. f. 25.
2	aurea. w.	golden.	S. Europe.	1823.	7. 9.	H. ⊙.	
3	nudicaulis. w.	naked-stalked.	C. B. S.	1816.	—	G. ½.	Houtt. syst. t. 69. f. 4.
4	coronopifolia. w.	Buck's Horn.	— —	1683.	—	G. ⊙.	Lam. ill. t. 700. f. 1.
5	viscosa. w.	clammy.	Vera Cruz.	1739.	8.	S. ½.	
6	tanacetifolia. w.	Tansy-leaved.	C. B. S.	1780.	6. 8.	H. ⊙.	Pluk. man. t. 430. f. 7.
7	sericea. w.	silky.	— —	1816.	—	G. ½.	
GRANGEA. J.		GRANGEA.	Syngenesia Polygamia Superflua.	W.			
1	cuneifolia. Lam.	wedge-leaved.	China.	1816.	7. 9.	H. ⊙.	Lam. ill. t. 699. f. 2.
2	minima. w.	least.	— —	1768.	—	H. ⊙.	Burm. ind. t. 58. f. 3.
3	decumbens. Des.	decumbent.	N. Holland.	1815.	—	H. ⊙.	
4	maderaspatana. Lam.	Madras.	E. Indies.	1780.	7. 8.	S. ⊙.	Lam. ill. t. 699. f. 3.
	<i>Cotula maderaspatana. w.</i>						
5	bicolor. L. en.	two-coloured.	— —	1804.	—	S. ⊙.	— — t. 699. f. 1.
	<i>Cotula bicolor. w. latifolia. P.S.</i>						
6	cinerea. L. en.	grey.	Egypt.	1825.	—	H. ⊙.	
ANACYCLUS. W.		ANACYCLUS.	Syngenesia Polygamia Superflua.	W.			
1	creticus. w.	trailing.	Candia.	1759.	6. 8.	H. ⊙.	Ann. mus. 11. t. 22.
2	orientalis. w.	oriental.	Bevat.	1731.	—	H. ⊙.	Boer. lugd. 1. t. 110.
3	aureus. w.	golden-flow'r'd.	— —	1570.	—	H. ⊙.	Lam. ill. t. 700. f. 2.
4	radiatus. L. en.	rayed.	— —	1823.	—	H. ⊙.	
5	clavatus. L. en.	clavate.	Barbary.	—	—	H. ⊙.	
6	Pyrethrum. L. en.	Pellitory of Spain.	S. Europe.	1570.	6. 7.	H. ½.	Botan. magaz. 462.
	<i>Anthemis Pyrethrum. w.</i>						
7	valentinus. w.	fine-leaved.	Spain.	1656.	6. 7.	H. ⊙.	Schk. han. 3. t. 254. b.
8	divaricatus. Cav.	spreading.	— —	1824.	—	H. ⊙.	
ANTHEMIS. W.		CHAMOMILE.	Syngenesia Polygamia Superflua.	L.			
1	rigescens. w. en.	rigid.	Caucasus.	1805.	7. 9.	H. ½.	W. hort. ber. 1. t. 62.
	<i>nigricans. Hort.</i>						
2	Cota. w.	Venetian.	Italy.	1714.	7. 8.	H. ⊙.	Pluk. alm. t. 17. f. 5.
3	altissima. w.	tall.	S. Europe.	1731.	8.	H. ⊙.	Flor. græc. 881.
4	punctata. w.	dotted.	Levant.	1825.	7. 9.	G. ½.	Desf. atl. 2. t. 139.
5	maritima. w.	sea.	England.	...	7. 8.	H. ⊙.	Eng. bot. 2370.
6	tomentosa. w.	downy.	Levant.	1795.	7. 10.	H. ½.	
7	ruthenica. M.B.	Russian.	Tauria.	1823.	—	H. ⊙.	
8	fruticulosa. M.B.	frutescent.	— —	—	—	H. ½.	Barrel. ic. 451.
9	pubescens. w.	pubescent.	S. Europe.	1803.	7. 8.	H. ½.	
10	mixta. w.	simple-leaved.	France.	1731.	—	H. ⊙.	Mich. gen. t. 30. f. 1.

11 saxatilis. w.en.	rock.	Hungary.	1807.	—	H. 4.		
12 coronopifolia. w.	Buckshorn-l'd.	Spain.	—	—	H. 4.		
13 australis. w.	procumbent.	S. France.	1818.	—	H. 4.		
14 alpina. w.	Alpine.	Europe.	—	—	H. 4.	Jacq. aust. 6. ap. t. 30.	
15 carpatica. w.	Carpathian.	Carpathian-m.	—	—	H. 4.		
16 corymbosa. w.	corymbose.	Austria.	1821.	—	H. 4.		
17 Chamomilla. w.en.	various-leaved.	S. Europe.	—	—	H. 4.		
18 chia. w.	cut-leaved.	Chio.	1731.	6. 10.	H. 4.		
19 nobilis. w.	common.	Britain.	7. 9.	H. 4.	Eng. bot. 980.	
20 arvensis. w.	corn.	—	6. 8.	H. 4.	— 602.	
21 austriaca. w.	Austrian.	Austria.	1759.	5. 8.	H. 4.	Jacq. aust. 5. t. 114.	
22 Cotula. w.	stinking.	Britain.	6. 9.	H. 4.	Eng. bot. 1772.	
23 fallax. w.en.	false Chamomile.	—	—	—	H. 4.		
24 fuscata. w.	brown-scaled.	Portugal.	1805.	7. 8.	H. 4.		
25 peregrina. w.	close-branched.	Piedmont.	1817.	—	H. 4.		
26 montana. w.	mountain.	Italy.	1759.	7. 10.	H. 4.	Ger. prov. t. 8!	
27 incassata. L.en.	thick-stalked.	S. Europe.	1823.	—	H. 4.		
28 pertræa. L.en.	long-stalked.	Naples.	—	—	H. 4.		
29 globosa. w.	globe.	—	—	8. 9.	G. 4.	Jacq. schœn. 3. t. 371.	
30 valentina. w.	purple-stalked.	S. Europe.	1596.	7. 8.	H. 4.	Breyn. cent. t. 75.	
31 tinctoria. w.	Ox Eye.	Britain.	6. 11.	H. 4.	Eng. bot. 1472.	
32 discoidea. w.	saw-leaved.	Italy.	1800.	7. 8.	H. 4.		
33 apiifolia. n.n.	Parsley-leav'd.	1764.	8. 9.	H. 4.	Botan. regist. 527.
CLADANTHUS. Cas.	CLADANTHUS.	Syngenesia Polygamia Superflua.					
arabicus. Cas.	Arabian.	Barbary.	1759.	7. 8.	H. 4.	Smith spic. 9. t. 10.	
Anthemis arabica. w.							
MATRICARIA. W.	MATRICARIA.	Syngenesia Polygamia Superflua. L.					
1 suaveolens. w.	sweet.	Europe.	1781.	6. 8.	H. 4.		
2 Chamomilla. w.	Wild Chamomile.	Britain.	5. 7.	H. 4.	Eng. bot. 1232.	
3 capensis. w.	Cape.	C. B. S.	1699.	7. 9.	G. 4.	Seb. thes. 1. t. 16. f. 2.	
4 pusilla. w.en.	small.	—	H. 4.		
ACHILLEA. W.	MILFOIL.	Syngenesia Polygamia Superflua. L.					
1 lingulata. w.	tongue-leaved.	Hungary.	1815.	7. 8.	H. 4.	W. et K. hung. 1. t. 2.	
2 Herba-rotæ. w.	Herbarota.	France.	1640.	6. 7.	H. 4.	All. ped. 1. t. 9. f. 3.	
3 grandiflora. M.D.	great-flowered.	Caucasus.	1815.	7. 8.	H. 4.		
4 Ptarmica. w.	Sneezewort.	Britain.	7. 11.	H. 4.	Eng. bot. 757.	
β flore pleno.	double-flowered.						
5 cristata. w.	slender-branch'd.	Italy.	1784.	7. 8.	H. 4.		
6 Ageratum. w.	Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. 4.		
7 decolorans. w.en.	pale yellow.	1798.	6. 8.	H. 4.		
8 speciosa. w.en.	spear-leaved.	1804.	7. 9.	H. 4.		
9 biserrata. M.B.	two-toothed.	Iberia.	1825.	—	H. 4.		
10 alpina. w.	Alpine.	Siberia.	1731.	7. 11.	H. 4.	Bocc. mus. 141. t. 101.	
11 serrata. w.	saw-leaved.	Switzerland.	1686.	8. 9.	H. 4.		
12 coronopifolia. w.	buckshorn-l'd.	Levant.	1816.	—	H. 4.		
13 Clavennæ. w.	silver-leaved.	Austria.	1656.	6. 7.	H. 4.	Botan. magaz. 1287.	
14 impatiens. w.	impatiant.	Siberia.	1759.	6. 9.	H. 4.	Gmel. sib. 2. t. 83. f. 1.	
15 pectinata. w.	comb-leaved.	Hungary.	1801.	8. 9.	H. 4.	W. et K. hung. 1. t. 31.	
ochroleuca. w.K. non w.							
16 Gerheri. w.	various-leaved.	Siberia.	1816.	—	H. 4.	Gmel. sib. 2. t. 83. f. 2.	
17 squarrosa. w.	rough-headed.	1775.	7. 8.	H. 4.		
18 falcata. w.	sickle-leaved.	Levant.	1739.	6. 9.	H. 4.	Lam. ill. t. 683. f. 3.	
19 tennifolia. w.	slender-leaved.	—	1733.	6. 8.	H. 4.		
20 Santolina. w.	Lavender-cotton-l'd.	—	1759.	—	H. 4.	Flor. græc. 891.	
21 anthemoides. w.	Chamomile-like.	—	H. 4.		
22 atrata. w.	black-capped.	Austria.	1596.	7. 9.	H. 4.	Jacq. aust. 1. t. 77.	
23 moschata. w.	musk.	Italy.	1775.	6. 7.	H. 4.	— 5. t. ap. 33.	
24 nana. w.	dwarf.	—	1759.	6. 8.	H. 4.	All. ped. 1. t. 9. f. 3.	
25 cretica. w.	Cretan.	Candia.	1739.	7. 8.	H. 4.	Bocc. mus. t. 34.	
26 ægyptiaca. w.	Egyptian.	Levant.	1640.	7. 9.	G. 4.	Flor. græc. 892.	
27 macrophylla. w.	large-leaved.	Italy.	1710.	7. 8.	H. 4.	Triumf. obs. t. 23.	
28 aurea. w.	golden-flow'r'd.	Levant.	1739.	6. 9.	H. 4.		
29 Eupatorium. w.	Caspian.	Caspian Shres.	1803.	7. 8.	H. 4.		
30 compacta. w.	compact.	—	H. 4.		
31 pubescens. w.	downy.	Levant.	1739.	6. 9.	H. 4.		
32 crithmifolia. w.	Samphire-l'd.	Hungary.	1801.	7. 8.	H. 4.	W. et K. hung. 1. t. 66.	
33 tanacetifolia. w.	Tansy-leaved.	Switzerland.	1658.	—	H. 4.	Moris. s. 6. t. 11. f. 14.	
34 distans. w.	branching.	Italy.	1804.	7. 8.	H. 4.	All. ped. t. 53. f. 1.	
35 lanata. w.en.	woolly.	—	H. 4.		

36	<i>magna</i> . w.	great.	S. Europe.	1683.	6. 11.	H. 2.	Flor. græc. 896.
37	<i>Millefolium</i> . w.	Yarrow.	Britain.	6. 10.	H. 2.	Eng. bot. 758.
	<i>β rubra</i> .	red-flowered.	-----	---	H. 2.	
38	<i>albida</i> . w.en.	white woolly.	1819.	---	H. 2.	
39	<i>asplenifolia</i> . P.S.	Rose-coloured.	N. America.	1803.	6. 8.	H. 2.	Vent. cels. t. 93.
40	<i>micrantha</i> . w.	small-flower'd.	Levant.	1805.	6. 10.	H. 2.	
41	<i>tomentosa</i> . w.	tomentose.	S. Europe.	1648.	5. 10.	H. 2.	Botan. magaz. 498.
42	<i>ochroleuca</i> . w.	cream-colour'd.	1804.	7. 9.	H. 2.	
43	<i>montana</i> . Sch.	mountain.	Switzerland.	1798.	---	H. 2.	
44	<i>bannatica</i> . W.K.	Hungarian.	Hungary.	1823.	---	H. 2.	
45	<i>microphylla</i> . w.	small-leaved.	Spain.	1800.	---	H. 2.	Barr. ic. 1114.
46	<i>ligustica</i> . w.	Lignrian.	Italy.	1791.	6. 8.	H. 2.	Flor. græc. 897.
47	<i>nobilis</i> . w.	showy.	Germany.	1640.	---	H. 2.	Schk. hand. 3. t. 255.
48	<i>myriophylla</i> . W.en.	many-leaved.	1798.	7. 9.	H. 2.	
49	<i>odorata</i> . w.	sweet-scented.	Spain.	1729.	6. 8.	H. 2.	Jacq. col. 1. t. 21.
50	<i>setacea</i> . w.	bristly.	Hungary.	1805.	---	H. 2.	W. et K. hung. 1. t. 80.
51	<i>abrotanifolia</i> . w.	Southern wood-ld.	Levant.	1739.	---	H. 2.	
52	<i>chamæmelifolia</i> . DC.	Chamomile-ld.	Pyrenees.	1820.	---	H. 2.	
53	<i>mongolica</i> . F.	Mongolic.	Tartary.	1823.	---	H. 2.	
54	<i>sibirica</i> . Desf.	Siberian.	Siberia.	1800.	---	H. 2.	
55	<i>rosea</i> . W.K.	rosy.	Hungary.	1803.	---	H. 2.	
56	<i>decumbens</i> . Lam.	decumbent.	Spain.	1800.	---	H. 2.	
57	<i>ubia</i> . F.	doubtful.	Siberia.	---	---	H. 2.	
58	<i>heterophylla</i> . spr.	different-ld.	1804.	7. 9.	H. 2.	
59	<i>leptophylla</i> . M.D.	narrow-leaved	Tanria.	1823.	---	H. 2.	
60	<i>holosericea</i> . F.G.	silky-leaved.	Greece.	---	---	H. 2.	
CHRYSANTHEMUM. W. CHRYSANTHEMUM. Syngenesia Polygamia Superflua. L.							
1	<i>atratum</i> . w.	fleshy-leaved.	Austria.	1731.	7. 8.	H. 2.	
2	<i>Leucanthemum</i> . w.	Ox-eye Daisy.	Britain.	6. 7.	H. 2.	Eng. bot. 601.
3	<i>montanum</i> . w.	mountain.	France.	1759.	---	H. 2.	Jacq. obs. 4. t. 91.
4	<i>heterophyllum</i> . w.	various-leaved.	Switzerland.	1806.	7. 8.	H. 2.	
5	<i>paludosum</i> . w.	marsh.	Barbary.	1817.	8. 9.	H. 2.	Desf. atl. 2. t. 238.
6	<i>rotundifolium</i> . w.	round-leaved.	Hungary.	1819.	7. 8.	H. 2.	
7	<i>graminifolium</i> . w.	Grass-leaved.	Montpelier.	1739.	5. 7.	H. 2.	Jacq. obs. 4. t. 92.
8	<i>pulverulentum</i> . P.S.	powdered.	Spain.	---	8. 10.	H. 2.	Barrel. ic. 421.
9	<i>anomalum</i> . P.S.	anomalous.	-----	1824.	7. 9.	H. 2.	
10	<i>daucifolium</i> . P.S.	carrot-leaved.	---	---	H. 2.	
11	<i>monspeiense</i> . w.	Montpelier.	-----	1739.	6. 9.	H. 2.	Jacq. obs. 4. t. 93.
12	<i>Achilleæ</i> . w.	Milfoil-leaved.	Italy.	1775.	6. 8.	H. 2.	Mich. gen. 34. t. 29.
13	<i>argenteum</i> . w.	silver-leaved.	Levant.	1731.	7. 8.	H. 2.	
14	<i>arcticum</i> . w.	northern.	Kamtschatka.	1801.	6. 8.	H. 2.	Willd. hort. ber. 33.
15	<i>carinatum</i> . w.	three-coloured.	Barbary.	1796.	7. 10.	H. 2.	Botan. magaz. 508.
16	<i>pumilum</i> . W.en.	small.	1806.	---	H. 2.	
17	<i>sylvestre</i> . W.en.	field.	1804.	6. 7.	H. 2.	
18	<i>segetum</i> . w.	corn.	Britain.	6. 8.	H. 2.	Eng. bot. 540.
19	<i>Myconis</i> . w.	tongue-leaved.	Italy.	1775.	7. 8.	H. 2.	Jacq. obs. 4. t. 94.
20	<i>italicum</i> . w.	Italian.	-----	1796.	6. 7.	H. 2.	
21	<i>coronarum</i> . w.	garden.	Sicily.	1629.	7. 9.	H. 2.	Lam. ill. t. 678. f. 6.
22	<i>indicum</i> . P.S.	Indian.	China.	1819.	10. 12.	G. 2.	Hort. trans. v. 4. pl. 12.
23	<i>sinense</i> . L.T.	variable chinese.	-----	1790.	---	H. 2.	
<i>Anthemisiæfolia</i> . w. <i>Chrysanthemum indicum</i> . B.M. non L.							
	<i>β purpureum</i> .	old purple.	-----	---	---	H. 2.	Botan. magaz. 327.
	<i>γ variabile</i> .	changeable white.	-----	1802?	---	H. 2.	----- 2042.
	<i>δ tubulosum album</i> .	quilled white.	-----	1808.	---	H. 2.	Botan. regist. 1.
	<i>ε superbum</i> .	superb white.	-----	1817.	---	H. 2.	----- 455.
	<i>ζ tessellatum</i> .	tasselled white.	-----	1816.	---	H. 2.	
	<i>η tubulosum luteum</i> .	quilled yellow.	-----	1802.	---	H. 2.	
	<i>θ sulphureum</i> .	straw-coloured.	-----	---	---	H. 2.	
	<i>ι aurcum</i> .	golden yellow.	-----	---	---	H. 2.	Botan. regist. 4. f. sup.
	<i>κ discolor</i> .	large lilac.	-----	1808.	---	H. 2.	
	<i>λ lilacinum</i> .	pink or lilac.	-----	1798.	---	H. 2.	
	<i>μ cupreum</i> .	buff or copper-col'd.	-----	---	---	H. 2.	
	<i>ν fulvum</i> .	Spanish brown.	-----	1806.	---	H. 2.	
	<i>ξ flammcum</i> .	quilled flame yellow.	-----	1819.	---	H. 2.	Hort. trans. v. 4. pl. 14.
	<i>ο tubulosum roseum</i> .	quilled pink.	-----	---	---	H. 2.	Botan. regist. 616.
	<i>π atropurpureum</i> .	early crimson.	-----	1820.	---	H. 2.	Hort. trans. v. 5. pl. 3. inf
	<i>ρ aurantiacum</i> .	large quilled orange.	-----	---	---	H. 2.	----- v. 5. pl. 3. f. sup
	<i>σ expansum</i> .	expanded light purple.	-----	---	---	H. 2.	Botan. magaz. 2556.
	<i>τ purpurascens</i> .	quilled light purple.	-----	---	---	H. 2.	

<i>v involutum.</i>	<i>curled lilac.</i>	Chlna.	—	—	H. ½.	Swt. br. fl. gar. 7.
<i>φ fasciculatum.</i>	<i>superb clustered yellow.</i>	—	—	—	H. ½.	— 14.
<i>χ tubulosum carneum.</i>	<i>semidouble quilled pink.</i>	—	—	—	H. ½.	Hort. tr. v. 5. pl. 17*. inf.
<i>ψ album semiduplex.</i>	<i>semidouble quilled white.</i>	—	—	—	H. ½.	—
<i>ω tubulosum aurantium.</i>	<i>semidouble quilled orange.</i>	—	—	—	H. ½.	Hort. tr. v. 5. pl. 17** inf.
<i>αα serotinum.</i>	<i>late pale purple.</i>	—	—	—	H. ½.	—
<i>ββ-salmonium.</i>	<i>quilled salmon-col'd.</i>	—	—	—	H. ½.	Hort. tr. v. 5. pl. 17*. sup.
<i>γγ parvulum.</i>	<i>small yellow.</i>	—	—	—	H. ½.	Hort. t. 5. pl. 17** f. sup.
<i>δδ papraceum.</i>	<i>paper white.</i>	—	—	1821.	H. ½.	—
<i>εε pallidum.</i>	<i>pale pink.</i>	—	—	1822.	H. ½.	—
CENTROSPERMUM.	Sp. CENTROSPERMUM.	Syngenesia Polygamia	Superflua.			
<i>chrysanthemum.</i>	<i>Sp. yellow-flower'd.</i>	Spain.	1821.	8. 10.	H. ⊙.	—
<i>Heteranthesis hirta.</i>	Schot.					—
PYRETHRUM.	W. FEVERFEW.	Syngenesia Polygamia	Superflua.		W.	—
1 <i>fœniculaceum.</i>	<i>w.en. Fennel-leaved.</i>	Teneriffe.	1815.	1. 12.	G. ½.	Botan. regist. 272.
2 <i>crithmifolium.</i>	<i>w.en. Samphire-ld.</i>	—	—	—	G. ½.	—
3 <i>anthifolium.</i>	<i>w.en. Dill-leaved.</i>	—	—	—	G. ½.	—
4 <i>frutescens.</i>	<i>w.en. shrubby.</i>	Canaries.	1699.	—	G. ½.	—
5 <i>coronopifolium.</i>	<i>w.en. Buckshorn-ld.</i>	—	—	—	G. ½.	—
6 <i>grandiflorum.</i>	<i>w.en. great-flowered.</i>	—	—	1815.	G. ½.	—
7 <i>speciosum.</i>	<i>w.en. large-flowered.</i>	—	—	—	G. ½.	—
8 <i>ptarmicæfolium.</i>	<i>w. Sneezewort-ld.</i>	Caucasus.	1803.	7. 8.	H. ¼.	—
9 <i>serotinum.</i>	<i>w. creeping-root'd.</i>	N. America.	1731.	9. 10.	H. ¼.	Jacq. obs. 4. t. 90.
10 <i>uliginosum.</i>	<i>w. marsh.</i>	Hungary.	1816.	7. 9.	H. ¼.	—
11 <i>alpinum.</i>	<i>w. Alpine.</i>	Switzerland.	1759.	7. 8.	H. ¼.	—
12 <i>Halleri.</i>	<i>w.en. Haller's.</i>	—	—	1820.	H. ¼.	Barrel. ic. 458. f. 2.
13 <i>ceratophylloides.</i>	<i>w.en. Stags-horn-ld.</i>	Piedmont.	1808.	6. 7.	H. ¼.	All. ped. t. 37. f. 1.
<i>Chrysanthemum ceratophylloides.</i>	All.					—
14 <i>pinnatifidum.</i>	<i>w.en. cut-leaved.</i>	Madeira.	1777.	5. 8.	G. ½.	—
15 <i>maximum.</i>	<i>DC. broad-leaved.</i>	Pyrenees.	1816.	—	H. ¼.	—
<i>latifolium.</i>	<i>w.</i>	—	—	—	—	—
16 <i>Balsamita.</i>	<i>w. various-leaved.</i>	Levant.	1779.	—	H. ¼.	Jacq. obs. 4. t. 89.
17 <i>macrophyllum.</i>	<i>w. large-leaved.</i>	Hungary.	1803.	—	H. ¼.	W. et K. hung. 1. t. 94.
18 <i>roseum.</i>	<i>w.en. scarlet-flow'r'd.</i>	Caucasus.	1804.	8. 9.	H. ¼.	Botan. magaz. 1080.
<i>Chrysanthemum coccineum.</i>	B. M.					—
19 <i>corymbosum.</i>	<i>w. mountain.</i>	Germany.	1596.	6. 8.	H. ¼.	Jacq. anst. 4. t. 379.
20 <i>pulverulentum.</i>	<i>w.en. powdered.</i>	Iberia.	1806.	6. 8.	H. ¼.	—
21 <i>Parthenium.</i>	<i>w. common.</i>	Britain.	—	—	6. 9.	Eng. bot. 1231.
<i>β flore pleno.</i>	<i>double-flowered.</i>	—	—	—	H. ¼.	—
22 <i>parthenifolium.</i>	<i>w. Parthenium-ld.</i>	Caucasus.	1804.	6. 7.	H. ¼.	Vent. cels. t. 43.
23 <i>caucasicum.</i>	<i>w. Caucasian.</i>	—	—	—	7. 8.	H. ¼.
24 <i>tenuifolium.</i>	<i>w.en. slender-leaved.</i>	—	—	—	1806.	H. ¼.
25 <i>sericcum.</i>	<i>M. B. silky.</i>	Iberia.	1824.	—	H. ¼.	—
26 <i>inodorum.</i>	<i>w. scentless.</i>	Britain.	—	—	8. 9.	H. ⊙. Eng. bot. 676.
27 <i>maritimum.</i>	<i>w. sea.</i>	—	—	—	6. 10.	H. ¼. — 979.
28 <i>parviflorum.</i>	<i>w. small-flow'r'd.</i>	—	—	—	H. ⊙.	—
29 <i>achillæfolium.</i>	<i>M. B. Milfoil-like.</i>	Cumana.	—	—	H. ⊙.	—
30 <i>millefoliatum.</i>	<i>w. Milfoil-leaved.</i>	Siberia.	1731.	5. 9.	H. ¼.	Mill. ic. 1. t. 9.
31 <i>bipinnatum.</i>	<i>w. wing-leaved.</i>	—	—	—	1796.	6. 7. H. ¼. Gmcl. sib. 2. t. 85. f. 1.
32 <i>indicum.</i>	<i>H. K. Indian.</i>	E. Indies.	1810.	6. 9.	H. ⊙.	Botan. magaz. 1521.

ORDO CII.

LOBELIACEÆ. *Juss. ann. mus. 13. p. 1.*

LOBELIA.	R. S.	LOBELIA.	Pentandria Monogynia.	R. S.	—
1 <i>linearis.</i>	<i>r.s. linear-leaved.</i>	C. B. S.	1791.	5. 8.	G. ½.
2 <i>setacea.</i>	<i>r.s. bristle-leaved.</i>	—	1816.	—	G. ¼.
3 <i>simplex.</i>	<i>r.s. simple-stalked.</i>	—	1794.	—	G. ½.
4 <i>undentata.</i>	<i>r.s. single-toothed.</i>	—	—	—	G. ¼.
5 <i>pinifolia.</i>	<i>r.s. Pine-leaved.</i>	—	1752.	—	G. ¼.
6 <i>Dortmanna.</i>	<i>r.s. water.</i>	Britain.	—	—	7. 8. H. w. ¼.
—	—	—	—	—	Act. Gorenk. 1811. f. 11.
—	—	—	—	—	Botan. magaz. 1484.
—	—	—	—	—	Andr. reposit. 240.
—	—	—	—	—	Eng. bot. 140.

7	paludosa. R.S.	marsh.	N. America.	1823.	—	H. w. ♀.	
8	Tupa. R.S.	Mullein-leav'd.	Pern.	1824.	8. 10.	G. ♀.	Botan. magaz. 2550.
9	salicifolia. H.S.L.	Willow-leaved.	Chill.	1794.	6. 8.	G. ♀.	1325.
	<i>Tupa</i> , H.K. non I.	<i>gigantea</i> , B.M. non Cav.					
10	Kalmii. R.S.	Kalm's.	N. America.	1820.	7. 9.	H. ♀.	2238.
11	Nuttallii. R.S.	Nuttall's.	—	—	—	H. ♀.	
	<i>gracilis</i> , N. nec <i>aliorum</i> .						
12	pauciflora. K.S.	few-flowered.	Mexico.	1824.	—	G. ♀.	
	<i>commutata</i> , R.S.						
13	chinensis. R.S.	Chinese.	China.	1822.	—	H. ⊙.	
14	bellidifolia. R.S.	Daisy-leaved.	C. B. S.	1790.	5. 8.	G. ♀.	
15	rhizophyta. R.S.	rooting branch'd.	—	1814.	—	G. ♀.	Botan. magaz. 2519.
	<i>decumbens</i> , B.M. 2277 ?						
16	triquetra. R.S.	triangular.	—	1774.	—	G. ♀.	
17	longiflora. R.S.	long-flowered.	Jamaica.	1752.	—	S. ♀.	Botan. magaz. 2563.
18	tomentosa. R.S.	tomentose.	C. B. S.	1816.	—	G. ♀.	
19	secunda. R.S.	side-flowering.	—	1790.	—	G. ♀.	
20	trialata. D.P.	three-winged.	Nepaul.	1820.	—	G. ♀.	Hook. ex. flor. t. 44.
	<i>micrantha</i> , H.E.F. non K.S.						
21	alata. B.P.	winged-stalked.	N. S. W.	1804.	—	G. ♀.	Lab. nov. hol. 1. t. 72.
22	acuminata. R.S.	taper-pointed.	Jamaica.	1822.	6. 9.	S. ♀.	Sloan. his. 1. t. 95. f. 2.
23	nicotianæfolia. R.S.	Tobacco-ld.	E. Indies.	—	—	S. ♀.	
24	persicifolia. R.S.	Peach-leaved.	W. Indies.	1818.	—	S. ♀.	
25	Cavanillesiana. R.S.	Cavanille's.	New Spain.	1825.	—	S. ♀.	Cavan. ic. 6. t. 518.
	<i>persicifolia</i> , Cav. non Lam.						
26	Claytoniana. R.S.	Clayton's.	N. America.	1799.	6. 8.	H. ♀.	Willd. hort. ber. 30.
	<i>goodenioides</i> , W. <i>pallida</i> , Roth.						
27	assurgens. R.S.	purple.	W. Indies.	1787.	6. 10.	S. ♀.	Andr. reposit. 553.
28	pyramidalis. D.P.	pyramidal.	Nepaul.	1819.	7. 10.	G. ♀.	Botan. magaz. 2387.
29	fulgens. R.S.	fulgent.	Mexico.	1809.	5. 9.	F. ♀.	Botan. regist. 165.
30	splendens. R.S.	splendid.	—	1814.	—	F. ♀.	60.
31	cardinalis. R.S.	Cardinal flow'r.	Virginia.	1629.	—	F. ♀.	Botan. magaz. 320.
32	syphilitica. R.S.	blue cardinal.	—	1665.	8. 10.	H. ♀.	Botan. regist. 537.
33	debilis. R.S.	feeble.	C. B. S.	1774.	4. 8.	H. ⊙.	
34	gracilis. B.P.	slender.	N. S. W.	1801.	7. 10.	G. ⊙.	Botan. magaz. 741.
35	purpurascens. B.P.	purplish.	—	1809.	6. 8.	G. ♀.	
36	surinamensis. R.S.	Surinam.	W. Indies.	1786.	1. 7.	S. ♀.	Botan. magaz. 225.
37	Cliffortiana. s.s.	purple-flow'r'd.	S. America.	1723.	7. 8.	H. ⊙.	Lin. h. cliff. 426. t. 26.
38	Michauxii. N.	Michaux's.	—	—	—	H. ⊙.	
	<i>Cliffortiana</i> , M. non L.						
39	inflata. R.S.	bladder-podded	N. America.	1759.	—	H. ⊙.	Swt. br. fl. gar. t. 99.
40	urens. R.S.	acid.	England.	—	6. 7.	H. ♀.	Eng. bot. 953.
41	puberula. R.S.	downy.	N. America.	1819.	—	H. ♀.	
42	amena. R.S.	bright blue.	—	1812.	6. 8.	H. ♀.	Ann. mus. 18. t. 1. n. 1.
43	minuta. R.S.	small.	C. B. S.	1772.	6. 9.	H. ♀.	Botan. magaz. 2590.
44	minima. B.M.	least.	—	—	6. 10.	G. ♀.	2077.
45	Laurentia. R.S.	Italian.	Italy.	1778.	7.	H. ⊙.	Mich. gen. 18. t. 14.
46	campanuloides. R.S.	campanulate.	Japan.	1819.	7. 9.	G. ♀.	Botan. regist. 733.
47	Erinus. R.S.	ascending.	C. B. S.	1752.	6. 9.	H. ♀.	Botan. magaz. 901.
48	erinoides. R.S.	trailing.	—	1759.	6. 8.	G. ♂.	Herm. lugd. t. 109.
49	bicolor. R.S.	spotted.	—	1795.	—	H. ⊙.	Botan. magaz. 514.
50	ilicifolia. B.M.	Holly-leaved.	—	1815.	5. 9.	G. ♀.	1896.
51	pubescens. R.S.	downy-leaved.	—	1780.	6. 8.	G. ♀.	Jacq. schœn. 2. t. 178.
52	hirsuta. R.S.	blue-fl'd. hairy.	—	1759.	5. 9.	G. ♀.	Burm. afr. t. 40. f. 2.
53	zeylanica. R.S.	Ceylon.	E. Indies.	1824.	—	S. ♀.	
54	lutea. R.S.	yellow.	C. B. S.	1774.	6. 7.	G. ♀.	Botan. magaz. 1319.
55	variifolia. B.M.	various-leaved.	—	1812.	—	G. ♀.	1692.
56	coronopifolia. R.S.	Buckshorn-ld.	—	1752.	7. 8.	G. ♀.	644.
57	Thunbergii.	upright-raceme-fl'd.	—	1812.	7. 10.	G. ♀.	
	<i>coronopifolia</i> , Th. non B.M.						
58	crenata. R.S.	notched-leav'd.	—	1794.	4. 5.	G. ♀.	
59	Simsii.	long-peduncul'd.	—	1819.	8. 11.	G. ♀.	Botan. magaz. 2251.
	<i>pedunculata</i> , B.M. non B.P.						
60	concolor. B.P.	self-coloured.	N. S. W.	—	5. 6.	G. ♀.	
61	inundata. B.P.	inundated.	—	1822.	5. 8.	G. w. ♀.	
62	pedunculata. B.P.	long-stalked.	—	—	—	G. ♀.	
63	dentata. B.P.	toothed.	—	1819.	—	G. ♀.	Cavan. ic. 6. t. 522.
64	gibbosa. B.P.	gibbous.	—	1824.	—	G. ♀.	Lab. nov. hol. 1. t. 71.
65	racemosa. B.M.	racemed.	Caribees.	1818.	7. 9.	S. ♀.	Botan. magaz. 2137.

MONOPSIS. Sal.	MONOPSIS. Pentandria Monogynia.			
1 <i>conspicua.</i> H.T.	conspicuous.	C. B. S.	1812. 7. 8.	H. ☉. Botan. magaz. 1499.
	<i>Lobelia speculum.</i> B.M.	————	————	————
2 <i>inconspicua.</i> H.T.	inconspicuous.	————	— H. ☉.
ISOTOMA. B.R.	ISOTOMA. Pentandria Monogynia.			
axillaris. B.R.	axillary-fl'd.	N. Holland.	1824. 7. 10.	H. ☉. Botan. regist. 964.
CYPHIA. R.S.	CYPHIA. Pentandria Monogynia. W.			
1 <i>volubilis.</i> R.S.	climbing.	C. B. S.	1795. 6. 8.	S. ♀. —
2 <i>bulbosa.</i> R.S.	bulb-bearing.	————	1791. 8. 9.	S. ♀. Burm. afr. t. 38. f. 2.
3 <i>Phyteuma.</i> R.S.	<i>Phyteuma</i> -ld.	————	1820. 2. 5.	S. ♀. Botan. regist. 625.
4 <i>Cardamines.</i> R.S.	<i>Cardamine</i> -ld.	————	————	— S. ♀.

ORDO CIII.

STYLIDÆ. *Brown prodr.* 1. p. 565.

STYLIDIUM. B.P.	STYLIDIUM. Gynandria Diandria.			
1 <i>graminifolium.</i> B.P.	grass-leaved.	N. S. W.	1803. 4. 8.	G. ♀. Botan. regist. 90.
2 <i>lineare.</i> B.P.	linear-leaved.	————	1820. —	G. ♀. Sm. exot. bot. 2. t. 67.
	<i>Ventenatia minor.</i> Ex. b.	————	————	————
3 <i>scandens.</i> B.P.	climbing.	N. Holland.	1803. 7. 8.	G. ♀. —
4 <i>fruticosum.</i> B.P.	frutescent.	————	—	5. 10. G. ♀. Sal. par. lond. 77.
	<i>glandulosum.</i> P.L.	————	————	————
5 <i>laricifolium.</i> B.R.	Larch-leaved.	N. S. W.	1818. —	G. ♀. Botan. regist. 550.
	<i>tenuifolium.</i> B.M. 2249.	————	————	————
6 <i>adnatum.</i> B.P.	adnate.	N. Holland.	1824. —	G. ♀. ————— 914.

ORDO CIV.

GOODENOVIEÆ. *Brown prodr.* 1. p. 573.

GOODENIA. B.P.	GOODENIA. Pentandria Monogynia. W.			
1 <i>bellidifolia.</i> B.P.	Daisy-leaved.	N. S. W.	1823. 6. 9.	G. ♀. Cavan. ic. 6. t. 507.
2 <i>paniculata.</i> B.P.	panicled.	————	—	G. ♀. Andr. reposit. 68.
3 <i>ovata.</i> B.P.	oval-leaved.	————	1793. 6. 10.	G. ♀. Botan. magaz. 890.
4 <i>grandiflora.</i> B.P.	large-flowered.	————	1802. 6. 8.	G. ♀.
5 <i>hederacea.</i> B.P.	Ivy-leaved.	————	1823. —	G. ♀.
EUTHALES. B.P.	EUTHALES. Pentandria Monogynia. R.S.			
<i>trinervis.</i> B.P.	three-nerved.	N. Holland.	1803. 5. 9.	G. ♀. Botan. magaz. 1137.
	<i>Goodenia tenella.</i> A.R. 466.	————	————	————
VELLEIA. B.P.	VELLEIA. Pentandria Monogynia. R.S.			
1 <i>paradoxa.</i> B.P.	paradoxical.	N. S. W.	1823. 6. 8.	G. ♀. Botan. regist. 551.
2 <i>lyrata.</i> B.P.	lyrate-leaved.	————	1819. 4. 6.	G. ♀.
3 <i>spathulata.</i> B.P.	spathulate.	————	1823. —	G. ♀.
LECHENAULTIA. B.P.	LECHENAULTIA. Pentandria Monogynia. R.S.			
<i>formosa.</i> B.P.	handsome.	N. Holland.	1823. 6. 9.	G. ♀. Botan. regist. 916.
SCÆVOLA. B.P.	SCÆVOLA. Pentandria Monogynia. R.S.			
1 <i>Kœnigii.</i> R.S.	Kœnig's.	E. Indies.	1818.	S. ♀.
2 <i>Plumieri.</i> R.S.	Plumier's.	W. Indies.	1724.	S. ♀. Jacq. amer. t. 179. f. 98.
	<i>Lobelia Plumieri.</i> Jacq.	————	————	————
3 <i>Taccada.</i> F.I.	Indian.	E. Indies.	1818.	S. ♀. Gært. fruct. 1. t. 25.
4 <i>crassifolia.</i> B.P.	thick-leaved.	N. Holland.	1805. 8. 10.	G. ♀. Lab. nov. hol. 1. t. 79.
5 <i>cuneiformis.</i> B.P.	wedge-leaved.	V. Diem. Isl.	1823. —	G. ♀. ————— I. t. 80.
6 <i>microcarpa.</i> B.P.	small-fruited.	N. S. W.	1790. 5. 9.	G. ♀. Botan. magaz. 287.
	<i>Goodenia levigata.</i> B.M.	————	————	————
7 <i>suaevolens.</i> B.P.	sweet-scented.	————	1798. —	G. ♀. Andr. reposit. 22.
	<i>Goodenia calendulacea.</i> A.R.	————	————	————

8 hispida. B.P.	branching.	N. S. W.	1820.	5. 8.	G. 2.	Sm. new. hol. 15. t. 5.
<i>Goodenia ramosissima</i> . Sm.						
DAMPIERA. B.P.	stricta. B.P.	Pentandria	Monogynia.	R.S.		
	upright.	N. S. W.	1814.	6. 8.	G. 2.	

ORDO CV.

CAMPANULACEÆ. *Juss. gen.* 163.

CANARINA. W.	CANARINA.	Hexandria	Monogynia.	W.		
Campanula. w.	Canary.	Canaries.	1696.	1. 3.	G. 2.	Botan. magaz. 444.
MICHAUXIA. W.	MICHAUXIA.	Octandria	Monogynia.	W.		
campanuloides. w.	rough-leaved.	Levant.	1787.	6. 8.	G. 3.	Botan. magaz. 219.
LIGHTFOOTIA. R.S.	LIGHTFOOTIA.	Pentandria	Monogynia.	R.S.		
1 oxycoccoides. R.S.	lance-leaved.	C. B. S.	1787.	7.	G. 2.	Sm. exot. bot. 2. t. 69.
2 subulata. R.S.	awl-leaved.	————	————	————	G. 2.	L'Herit. s. angl. 4. t. 5.
ADENOPHORA. F.	ADENOPHORA.	Pentandria	Monogynia.			
1 marsupiflora. F.	bellied.	Dahuria.	1815.	7. 8.	H. 2.	Botan. regist. 149.
Campanula coronata. B.R.						
2 Gmelini. F.	Gmelin's.	————	1823.	5. 8.	H. 2.	Gmel. sib. 3. t. 33.
3 coronopifolia. F.	buck's-horn-ld.	————	1822.	————	H. 2.	Swt. br. fl. gar. 104.
4 denticulata. F.	toothed.	————	————	5. 7.	H. 2.	———— 116.
Campanula tricuspida. R.S.						
5 communis. F.	common.	Siberia.	1784.	5. 9.	H. 2.	Botan. regist. 236.
Campanula liliifolia. B.R.						
β suaveolens. R.S.	sweet-scented.	Hungary.	1816.	————	H. 2.	
γ hybrida. R.S.	upright-flow'r'd.	————	————	H. 2.	
6 intermedia. F.	intermediate.	Siberia.	1820.	————	H. 2.	
Campanula intermedia. R.S.						
7 stylosa. F.	long-styled.	————	————	————	H. 2.	Gmel. sib. 3. t. 27.
8 verticillata. F.	whorl-leaved.	————	1783.	6.	H. 2.	Pall. it. 3. t. G. f. 1.
WAHLENBERGIA. Sc.	WAHLENBERGIA.	Pentandria	Monogynia.			
1 grandiflora. Sc.	great-flowered.	Siberia.	1782.	6. 8.	H. 2.	Botan. magaz. 252.
Campanula grandiflora. B.M.						
2 pendula. Sc.	pendulous.	Madeira.	1777.	7. 8.	H. 2.	
Campanula beloioides. R.S.						
3 elongata. Sc.	elongated.	1816.	————	H. 2.	
CAMPANULA. R.S.	CAMPANULA.	Pentandria	Monogynia.	L.		
1 cenisia. R.S.	ciliated.	Switzerland.	1775.	6. 7.	H. 2.	All. ped. 1. t. 6. f. 2.
2 Bellardi. R.S.	Bellardi's.	Italy.	1813.	————	H. 2.	———— t. 85. f. 5.
3 pulla. R.S.	dark-flowered.	Austria.	1779.	————	H. 2.	Botan. magaz. 2492.
4 Zoysii. R.S.	blunt-leaved.	Carniola.	1813.	6. 8.	H. 2.	Jacq. ic. 2. t. 334.
5 diffusa. R.S.	diffuse.	Italy.	1818.	————	H. 2.	
β fragilis. L.en.	brittle.	————	————	————	H. 2.	Cyr. pl. rar. n. t. 11. f. 2.
6 carpathica. R.S.	Carpathian.	Carp. Alps.	1774.	————	H. 2.	Botan. magaz. 117.
7 rotundifolia. R.S.	round-leaved.	Britain.	————	H. 2.	Eng. bot. 866.
8 excisa. R.S.	cut-flowered.	Switzerland.	1816.	————	H. 2.	Lodd. bot. cab. 561.
9 pusilla. R.S.	small.	Europe Alps.	————	H. 2.	Scheuch. it. 4. f. 4.
10 pumila. R.S.	dwarf.	Switzerland.	6. 8.	H. 2.	Botan. magaz. 512.
11 cæspitosa. R.S.	tufted.	Carniola.	1818.	————	H. 2.	Scop. carn. ed. 2. t. 4.
12 pubescens. R.S.	pubescent.	Bohemia.	1813.	————	H. 2.	
13 gracilis. B.M.	slender.	N. S. W.	1794.	4. 8.	G. 3.	Botan. magaz. 691.
14 stricta. Sm.	upright.	————	————	————	G. 3.	Sm. exot. bot. 45.
15 littoralis. Lab.	sea-side.	————	1820.	————	G. 3.	Lab. nov. hol. 1. t. 70.
16 quadrifida. B.P.	quadrid.	————	1822.	————	G. 3.	
17 Waldsteiniana. R.S.	Waldstein's.	Hungary.	————	6. 8.	H. 2.	W. et K. hung. t. 136.
18 virgata. R.S.	twiggy.	N. America.	1823.	————	H. 2.	
19 linifolia. R.S.	Flax-leaved.	Sweden.	1816.	————	H. 2.	Vill. delph. 1. t. 10.
20 Scheuchzeri. s.s.	Scheuchzer's.	Alps Europe.	1813.	————	H. 2.	Lodd. bot. cab. 485.
21 patula. R.S.	spreading.	Britain.	7. 8.	H. 2.	Eng. bot. 42.
22 neglecta. R.S.	neglected.	Europe.	1818.	————	H. 2.	
23 Rapunculus. R.S.	Rampion.	Britain.	————	H. 2.	Eng. bot. 283.

24	<i>persicifolia</i> , R.S. <i>α cœrulea</i> . <i>β alba</i> . <i>γ maxima</i> , B.M. <i>δ albo-plena</i> . <i>ε cœruleo-plena</i> .	Peach-leaved. blue-flower'd. white-flower'd. large-flower'd. double white. double blue.	Europe.	1596.	7. 9.	H. ♀. — H. ♀. — H. ♀. — H. ♀. — H. ♀. — H. ♀.	Flor. dan. t. 1087. Botan. magaz. 397.
25	<i>pyramidalis</i> , R.S.	pyramidal.	Carniola.	1596.	—	H. ♀.	
26	<i>versicolor</i> , R.S. <i>planiflora</i> , W.en. non	various-color'd. Lam. Willdenowiana, R.S.	Greece.	1788.	—	H. ♀.	Andr. reposit. 396.
27	<i>obliqua</i> , R.S.	oblique-fl'd.	N. Europe.	1813.	6. 7.	H. ♂.	Jacq. schœn. 3. t. 336.
28	<i>americana</i> , R.S.	American.	N. America.	1763.	7.	H. ♂.	
29	<i>nitida</i> , H.K. <i>α cœrulea</i> . <i>β alba</i> .	glossy. blue-flower'd. white-flower'd.	—	1731.	7. 8.	H. ♀. — H. ♀. — H. ♀.	Dodart. mem. 4. t. 113.
30	<i>aurea</i> , R.S. <i>α latifolia</i> , R.S. <i>β angustifolia</i> , R.S.	golden-flow'r'd. broad-leaved. narrow-leaved.	Madeira.	1777.	7. 9.	G. ♀. G. ♀. G. ♀.	Botan. regist. 57. Dulham. ed. nov. t. 41. Jacq. schœn. 4. t. 472.
31	<i>rhomboidea</i> , R.S.	Germander-l'd.	Switzerland.	1775.	7.	H. ♀.	Barrel. ic. 567.
32	<i>Alpini</i> , R.S.	Alpinus'.	Italy.	1823.	7. 9.	H. ♀.	
33	<i>latifolia</i> , R.S. <i>alba</i> .	giant. white-flower'd.	Britain.	—	7.	H. ♀. — H. ♀.	Eng. bot. 302. Flor. dan. t. 85.
34	<i>macrantha</i> , L.en.	great-flower'd.	Russia.	1822.	6. 7.	H. ♀.	Botan. magaz. 2553.
35	<i>ericarpa</i> , R.S.	woolly-capsul'd.	Caucasus.	1824.	—	H. ♀.	
36	<i>urticifolia</i> , R.S.	Nettle-leaved.	Germany.	1800.	8.	H. ♀.	
37	<i>Trachelium</i> , R.S.	throatwort.	Britain.	—	6. 8.	H. ♀.	Eng. bot. 12.
38	<i>rapunculoides</i> , R.S.	creeping.	England.	—	6. 7.	H. ♀.	— 1369.
39	<i>infundibuliformis</i> , B.M.	funnel-shap'd.	—	1817.	—	H. ♀.	Botan. magaz. 2632.
40	<i>ucranica</i> , R.S.	Ukraine.	Ukraine.	1819.	—	H. ♀.	
41	<i>trachelioides</i> , R.S.	throatwort-like.	Caucasus.	1818.	—	H. ♀.	
42	<i>bononiensis</i> , R.S.	panicled.	Italy.	1773.	8. 9.	H. ♀.	Moris. s. 5. t. 4. f. 38.
43	<i>simplex</i> , DC.	simple-stalk'd.	—	1823.	7. 8.	H. ♀.	
44	<i>obliquifolia</i> , R.S.	oblique-leaved.	—	1820.	—	H. ♀.	Ten. fl. neap. t. 17.
45	<i>trichocalycina</i> , R.S.	long-pointed-calyx'd.	Italy.	1824.	7. 8.	H. ♀.	— t. 16.
46	<i>ruthenica</i> , R.S.	Russian.	Russia.	1815.	6. 8.	H. ♀.	Buxb. cent. 5. t. 19.
47	<i>graminifolia</i> , R.S.	grass-leaved.	Hungary.	1823.	—	H. ♀.	W. et K. hung. 2. t. 154.
48	<i>glomerata</i> , R.S.	clustered.	Britain.	—	5. 9.	H. ♀.	Eng. bot. 90.
49	<i>elliptica</i> , R.S.	elliptic-leaved.	Hungary.	1819.	—	H. ♀.	Bocc. nus. 70. t. 58.
50	<i>aggregata</i> , R.S.	crowded-fl'd.	Bavaria.	—	—	H. ♀.	
51	<i>speciosa</i> , R.S. <i>glomerata β dahurica</i> B.R.	specious. —	Siberia.	—	—	H. ♀.	Botan. regist. 620.
52	<i>foliosa</i> , R.S.	leafy.	Italy.	—	6. 9.	H. ♀.	Ten. fl. neap. t. 18.
53	<i>Cervicaria</i> , R.S.	wave-leaved.	Germany.	1765.	7.	H. ♂.	Flor. dan. t. 787.
54	<i>multiflora</i> , R.S. <i>macrostachya</i> , W.en.	many-flower'd. —	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 263.
55	<i>collina</i> , R.S.	Sage-leaved.	Caucasus.	1803.	7. 8.	H. ♀.	Botan. magaz. 927.
56	<i>azurea</i> , R.S.	azure.	Switzerland.	1778.	6. 7.	H. ♀.	— 551.
57	<i>Lorei</i> , R.S.	Pollini's.	Mt. Baldo.	1819.	6. 9.	H. ♂.	— 2581.
58	<i>lactiflora</i> , R.S.	milk-coloured.	Caucasus.	1814.	7. 9.	H. ♀.	Botan. regist. 241.
59	<i>thyrsoides</i> , R.S.	long-spiked.	Switzerland.	1785.	6. 8.	H. ♂.	Botan. magaz. 1290.
60	<i>peregrina</i> , R.S.	rough-leaved.	C. B. S.	1794.	—	G. ♂.	— 1257.
61	<i>cernua</i> , R.S.	nodding-fl'd.	—	1804.	—	G. ♂.	
62	<i>capensis</i> , R.S. <i>Roella decurrens</i> , A.R. 235.	Cape. —	—	1803.	—	G. ♂.	Botan. magaz. 782.
63	<i>Allioni</i> , R.S.	Allioni's.	S. Europe.	1818.	—	H. ♀.	All. ped. n. 418. t. 6. f. 3.
64	<i>barbata</i> , R.S.	bearded.	Italy.	1752.	—	H. ♀.	Botan. magaz. 1258.
65	<i>punctata</i> , R.S.	dotted-flower'd.	Siberia.	1813.	5. 6.	H. ♀.	— 1723.
66	<i>Medium</i> , R.S.	Canterbury.	Germany.	1597.	6. 9.	H. ♂.	Knor. delic. 1. t. 9.
67	<i>betonicifolia</i> , R.S.	Betony-leaved.	Olympus.	1823.	—	H. ♂.	Flor. græc. t. 210.
68	<i>spicata</i> , R.S.	spiked.	Switzerland.	1786.	7.	H. ♂.	All. ped. 1. t. 46. f. 2.
69	<i>alpina</i> , R.S.	Alpine.	—	1779.	—	H. ♀.	Botan. magaz. 957.
70	<i>mollis</i> , R.S.	soft.	Syria.	1788.	5. 8.	G. ♀.	— 404.
71	<i>saxatilis</i> , R.S.	rock.	Candia.	1768.	—	G. ♀.	Barrel. ic. t. 813.
72	<i>alliarifolia</i> , R.S. <i>macrophylla</i> , B.M.	Alliaria-leav'd. —	Caucasus.	1803.	8. 9.	H. ♀.	Sal. par. lond. 26.
73	<i>sarmatica</i> , B.R. <i>gummifera</i> , R.S. <i>betonicifolia</i> , M.B.	gum-bearing. —	Siberia.	—	6. 8.	H. ♀.	Botan. regist. 237.
74	<i>lamiifolia</i> , R.S.	Lamium-l'd.	Caucasus.	1818.	—	H. ♀.	Buxb. cent. 5. t. 18.
75	<i>pendula</i> , R.S.	pendulous.	—	1824.	—	H. ♀.	
76	<i>sibirica</i> , R.S.	Siberian.	Siberia.	1783.	7. 9.	H. ♀.	Botan. magaz. 659.

77	<i>divergens</i> . R.S. <i>spatulata</i> . W.K.	divergent.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 258.
78	<i>lingulata</i> . R.S.	tongue-leaved.	————	1804.	7. 8.	H. ♀.	———— 1. t. 64.
79	<i>caucasica</i> . R.S.	Caucasian.	Caucasus.	————	————	H. ♀.	
80	<i>laciniata</i> . R.S.	jagged-leaved.	Greece.	1788.	5. 8.	G. ♀.	Andr. reposit. 385.
81	<i>capitata</i> . R.S.	headed.	————	1768.	6. 7.	H. ♀.	Botan. magaz. 811.
82	<i>lanuginosa</i> . R.S.	woolly.	1824.	————	H. ♂.	
83	<i>Erinus</i> . R.S.	forked.	S. Europe.	1768.	7. 8.	H. ⊙.	Moris. s. 5. t. 3. f. 25.
84	<i>drabifolia</i> . R.S.	Draba-leaved.	Athens.	1823.	————	H. ⊙.	Flor. græc. t. 215.
85	<i>crinoides</i> . R.S.	Erinus-like.	Africa.	————	————	H. ⊙.	Herm. lagd. t. 111 ?
86	<i>Elatines</i> . R.S.	trailing-stalk'd.	S. Europe.	————	7. 9.	H. ♀.	All. ped. n. 422. t. 7. f. 1.
87	<i>hederacea</i> . R.S.	Ivy-leaved.	England.	5. 6.	H. ♀.	Eng. bot. 73.
88	<i>hispidula</i> . R.S.	hispid-calyxed.	C. B. S.	1816.	7. 9.	H. ⊙.	Comm. hort. 2. t. 37.
PRISMATOCARPUS.		L'H. VENUS-LOOKING-GLASS.		Pentandria Monogynia.			
1	<i>fruticosus</i> . L'H.	shrubby.	C. B. S.	1787.	8.	G. ♀.	
2	<i>nitidas</i> . L'H.	shining.	————	————	6. 8.	H. ⊙.	L'Her. sert. ang. 2. t. 3.
		<i>Campanula Prismaticarpus</i> . w.					
3	<i>Speculum</i> . L'H.	common.	S. Europe.	1596.	5. 8.	H. ⊙.	Botan. magaz. 102.
		<i>β albus</i> .	————	————	————	H. ⊙.	
4	<i>hirsutus</i> . T.N.	hairy.	Italy.	1822.	————	H. ⊙.	Ten. fl. neap. t. 19.
5	<i>falcatus</i> . T.N.	falcate.	————	————	————	H. ⊙.	———— t. 20.
6	<i>hybridus</i> . L'H.	corn.	England.	————	H. ⊙.	Eng. bot. 375.
7	<i>pentagonius</i> . L'H.	five-angled.	Turkey.	1686.	————	H. ⊙.	Botan. regist. 56.
8	<i>perfoliatus</i> .	perfoliate.	N. America.	1680.	————	H. ⊙.	Moris. s. 5. t. 2. f. 23.
		<i>Campanula perfoliata</i> . R.S. <i>amplexicaulis</i> . m.					
ROELLA. R.S.		ROELLA.		Pentandria Monogynia. L.			
1	<i>ciliata</i> . R.S.	ciliate.	C. B. S.	1774.	6. 9.	G. ♀.	Botan. magaz. 378.
2	<i>filiformis</i> . R.S.	filiform.	————	1816.	————	G. ♀.	Lam. ill. t. 123. f. 2.
3	<i>decurrens</i> . R.S.	decurrent.	————	1787.	7. 9.	H. ⊙.	L'Her. sert. ang. 4. t. 6.
4	<i>squarrosa</i> . R.S.	trailing.	————	————	7. 8.	G. ♀.	
5	<i>muscosa</i> . R.S.	moss-like.	————	1802.	8. 10.	H. ⊙.	
PHYTEUMA. R.S.		PHYTEUMA.		Pentandria Monogynia. L.			
1	<i>pauciflorum</i> . R.S.	few-flowered.	Germany.	1823.	6. 8.	H. ♀.	
2	<i>globulariæfolium</i> . R.S.	<i>Globularia</i> -ld.	S. Europe.	————	————	H. ♀.	
3	<i>Scheuchzeri</i> . R.S.	Scheuchzer's.	Switzerland.	1813.	5. 6.	H. ♀.	Botan. magaz. 1797.
4	<i>scorzonerifolium</i> . R.S.	<i>Scorzonera</i> -ld.	Europe.	1817.	————	H. ♀.	———— 2271.
5	<i>hemisphæricum</i> . R.S.	linear-leaved.	Switzerland.	1752.	7.	H. ♀.	Jacq. ic. 2. t. 333.
6	<i>comosum</i> . R.S.	tufted.	Austria.	————	6. 7.	H. ♀.	Jacq. aust. ap. t. 50.
7	<i>orbiculare</i> . R.S.	round-headed.	England.	6. 8.	H. ♀.	Eng. bot. 142.
8	<i>Charmelii</i> . R.S.	long-bracted.	Pyrenees.	1819.	————	H. ♀.	Vill. delph. 2. t. 11. f. 3. A
9	<i>cordatum</i> . B.M.	heart-leaved.	S. Europe.	1804.	7. 8.	H. ♀.	Botan. magaz. 1466.
10	<i>ellipticum</i> . R.S.	elliptic-leaved.	Switzerland.	1820.	————	H. ♀.	Vill. delph. 2. t. 11. f. 2.
11	<i>nigrum</i> . R.S.	black-flowered.	Bohemia.	————	————	H. ♀.	
12	<i>betonicifolium</i> . R.S.	Betony-leaved.	Switzerland.	1816.	6. 8.	H. ♀.	Botan. magaz. 2066.
13	<i>spicatum</i> . R.S.	spiked.	Europe.	1597.	————	H. ♀.	Flor. dan. 362.
14	<i>Halleri</i> . R.S.	Haller's.	Switzerland.	1819.	————	H. ♀.	
		<i>β ovatum</i> . w.	————	1814.	————	H. ♀.	
15	<i>strictum</i> . B.M.	upright.	S. Europe.	1819.	————	H. ♀.	Botan. magaz. 2145.
16	<i>virgatm</i> . R.S.	slender-branch'd.	Levant.	1823.	7. 9.	H. ♀.	Lab. syr. 2. p. 11. t. 6.
17	<i>campanuloides</i> . R.S.	Campanula-like.	Caucasus.	1804.	6. 8.	H. ♀.	Botan. magaz. 1015.
18	<i>canescens</i> . R.S.	canescent.	Hungary.	1804.	6. 8.	H. ♀.	W. et K. hung. 1. t. 14.
19	<i>pinnatum</i> . R.S.	winged-leav'd.	Candia.	1640.	————	G. ♀.	Venten. cels. 52.
TRACHELIUM. R.S.		THROATWORT.		Pentandria Monogynia. L.			
1	<i>cæruleum</i> . R.S.	blue.	Italy.	1640.	7. 9.	H. ♂.	Botan. regist. 72.
2	<i>diffusum</i> . R.S.	shrubby.	C. B. S.	1787.	————	G. ♀.	
JASIONE. R.S.		SHEEP'S SCABIOUS.		Pentandria Monogynia. W.			
1	<i>montana</i> . R.S.	mountain.	Britain.	6. 7.	H. ♀.	Eng. bot. 882.
2	<i>perennis</i> . R.S.	perennial.	France.	1787.	————	H. ♀.	Botan. regist. 505.

ORDO CVI.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GESNERIA. L.	GESNERIA. Didymia Angiospermia. L.				
1 tomentosa. s.s.	woolly.	S. America. 1752.	11. 6.	S. h.	Botan. magaz. 1023.
2 scabra. s.s.	rough.	Jamaica. 1822.	6. 8.	S. h.	
3 corymbosa. s.s.	corymbose.	—————	—————	S. h.	
4 prasiata. s.s.	green-flowered.	Brazil. 1816.	5. 6.	S. h.	Botan. regist. 428.
5 aggregata. s.s.	clustered.	—————	6. 10.	S. h.	————— 329.
6 bulbosa. s.s.	bulbous-rooted.	—————	5. 8.	S. 2.	————— 343.
7 acaulis. s.s.	stemless.	Jamaica. 1793.	—————	S. 2.	Sloan.jam.1. t.102. f.1.
BESLERIA. L.	BESLERIA. Didymia Angiospermia. L.				
1 cristata. s.s.	crested.	W. Indies. 1739.	6. 8.	S. h.	Jacq. amer. t. 119.
2 coccinea. s.s.	scarlet.	Guiana. 1824.	5. 8.	S. h.	Aub. gui. 2. t. 255.
3 dichrus. s.s.	two-coloured.	Brazil. 1823.	—————	S. h.	
4 pulchella. s.s.	large-flowered.	W. Indies. 1806.	—————	S. h.	Botan. magaz. 1146.
5 melittifolia. s.s.	Balm-leaved.	Guiana. 1739.	6. 7.	S. h.	Sm. exot. bot. 1. t. 54.
6 serrulata. s.s.	saw-leaved.	W. Indies. 1806.	—————	S. h.	Jacq. schen. 3. t. 290.
7 lutea. s.s.	yellow-flow'r'd.	Guiana. 1739.	7. 8.	S. h.	Plum. ic. 49. f. 1.
8 grandifolia. s.s.	large-leaved.	Brazil. 1823.	—————	S. h.	
9 hirtella. s.s.	hairy-leaved.	—————	—————	S. h.	
10 incarnata. s.s.	flesh-coloured.	Guiana. ————	—————	S. h.	Aub. gui. 2. t. 256.
GLOXINIA. S.S.	GLOXINIA. Didymia Angiospermia. W.				
1 maculata. s.s.	spotted-stalk'd.	S. America. 1739.	7. 10.	S. 2.	Botan. magaz. 1191.
2 speciosa. s.s.	many-flow'r'd.	Brazil. 1815.	6. 11.	S. 2.	Botan. regist. 213.
β alba.	white-flowered.	—————	S. 2.	

ORDO CVII.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

VACCINIUM. W.	WHORTLE-BERRY. Oct-Decandria Monogynia.					
1 Myrtilus. w.	Blea-berry.	Britain.	4. 6.	H. h.	Eng. bot. 456.	
2 stamineum. Ph.	long-stamen'd.	N. America. 1772.	5. 6.	H. h.	Pluk. alm. t. 339. f. 3.	
3 album. Ph.	white-flowered.	—————	—————	H. h.	Andr. reposit. 263.	
stamineum. A.R. non Ph.						
4 pallidum. w.	pale.	—————	—————	H. h.		
5 uliginosum. w.	great Bilberry.	Britain.	4. 5.	H. h.	Eng. bot. 581.	
6 diffusum. w.	tree.	N. America. 1765.	5. 11.	H. h.	Botan. magaz. 1607.	
arboresum. M.						
7 dumosum. B.M.	bushy.	—————	1774.	5. 6.	H. 2.	————— 1106.
hirtellum. H.K.						
β humile. W.D.	dwarf.	—————	—————	H. h.	Wats. dend. brit. 32.	
8 frondosum. w.	blunt-leaved.	—————	1761.	H. h.	Andr. reposit. 140.	
9 venustum. H.K.	red-twigged.	—————	1770.	H. h.		
10 resinosum. w.	clammy.	—————	1772.	H. h.	Wang. am. t. 30. f. 69.	
β rubescens.	red-flowered.	—————	—————	H. h.	Botan. magaz. 1288.	
11 parviflorum. A.R.	small-flower'd.	—————	1804.	H. h.	Andr. reposit. 125.	
12 corymbosum. w.	corymbose.	—————	1806.	6. 7.	H. h.	Wats. dend. brit. 123.
13 amenum. w.	broad-leaved.	—————	1765.	5. 6.	H. h.	Botan. regist. 400.
14 virgatum. w.	twiggy.	—————	1767.	4. 5.	H. h.	Andr. reposit. 181.
β angustifolium. W.D.	narrow-leaved.	—————	—————	H. h.	Wats. dend. brit. 34.	
15 marianum. W.D.	Maryland.	—————	1812.	5. 6.	H. h.	————— 124.
16 grandiflorum. W.D.	great-flower'd.	—————	—————	7. 8.	H. h.	————— 125. A.
17 elongatum. W.D.	elongated.	—————	—————	H. h.	————— 125. B.	
18 minutiflorum. W.D.	minute-flow'r'd.	—————	—————	H. h.	————— 125. C.	

19	glabrum. w.D.	smooth.	N. America.	—	—	H. h.	Wats.dend.brit.125.D.
20	mucronatum. L.	mucronate.	—	—	5. 6. H. h.	
21	fuscatum. w.	cluster-flow'r'd.	—	—	1770.	H. h.	Botan. regist. 302.
	<i>formosum</i> . A.R. 07.						
	<i>β angustifolium</i> . Ph.	narrow-leaved.	—	—	—	H. h.	
22	galezans. M.	Gale-leaved.	—	—	1806.	H. h.	
23	ligustrinum. w.	Privet-leaved.	—	—	H. h.	
24	tenellum. w.	Pensylvanian.	—	—	1772.	H. h.	Wats. dend. brit. 35.
	<i>pensylvanicum</i> . M.						
25	angustifolium. w.	narrow-leaved.	—	—	1776.	4. 5. H. h.	
	<i>myrtilloides</i> . M.						
26	Arctostaphylos. w.	oriental.	Levant.	1777.	6. 8.	H. h.	Botan. magaz. 974.
27	maderense. s.s.	Madeira.	Madeira.	1810.	7. 9.	H. h.	Andr. reposit. 30.
	<i>Arctostaphylos</i> . A.R.						
28	meridionale. w.	Jamaica.	Jamaica.	1778.	3. 6.	G. h.	
29	crassifolium. s.s.	thick-leaved.	Carolina.	1787.	6. 7.	F. h.	Botan. magaz. 1152.
30	myrtifolium. M.	Myrtle-leaved.	—	—	1812.	5. 7.	F. h.
31	nitidum. s.s.	glossy-leaved.	—	—	1794.	5. 6.	F. h.
	<i>β decumbens</i> . B.M.	<i>decumbent</i> .	—	—	—	F. h.	Botan. regist. 480.
32	myrsinites. M.	Myrsine-leav'd.	—	—	F. h.	Botan. magaz. 1550.
33	buxifolium. s.s.	Box-leaved.	N.America.	1794.	—	H. h.	Botan. magaz. 928.
34	Vitis Idæa. w.	Cow-berry.	Britain.	4. 6.	H. h.	Eng. bot. 598.
	<i>α minor</i> .	<i>smaller</i> .	—	—	H. h.	Lodd. bot. cab. 1023.
	<i>β major</i> .	<i>larger</i> .	N. America.	—	H. h.	— 616.
35	halleriæfolium. Lod.	Halleria-leav'd.	—	—	5. 6.	H. h.
OXYCOCCUS. P.S.		CRANBERRY.	Octandria Monogynia.				
1	palustris. P.S.	common.	Britain.	5. 6.	H. h.	Eng. bot. 319.
	<i>Vaccinium Oxycoccus</i> . E.B. Schollera		<i>Oxycoccus</i> . Roth.				
2	macrocarpus. Ph.	large-fruited.	N.America.	1760.	5. 8.	H. h.	Wats. dend. brit. 122.
3	erectus. Ph.	upright.	—	—	1806.	6. 8.	H. h.
	<i>Vaccinium erythrocarpum</i> . M.						— 31.
4	hispidulus. P.S.	Thyme-leaved.	—	—	1776.	5. 7.	H. h.
	<i>Vaccinium hispidulum</i> . w. <i>Arbutus thymifolia</i> . Ait. <i>Gualtheria serpyllifolia</i> . Ph.						Mich. amer. 1. t. 23.

ORDO CVIII.

ERICEÆ. *Don Prodr. p. 148.*

Sect. I. ERICEÆ VERÆ.

ARCTOSTAPHYLOS. K.S.	ARCTOSTAPHYLOS.	Decandria Monogynia.					
1	Uva-ursi. s.s.	Bear-berry.	Britain.	4. 6.	H. h.	Eng. bot. 714.
	<i>Arbutus Uva-ursi</i> . E.B. <i>Mairania Uva-ursi</i> . Desv.						
2	alpina. s.s.	Alpine.	Scotland.	4. 5.	H. h.	— 2030.
ARBUTUS. K.S.		STRAWBERRY-TREE.	Decandria Monogynia. L.				
1	Unedo. s.s.	common.	Ireland.	9. 12.	H. h.	Eng. bot. 2377.
	<i>β rubra</i> .	<i>red-flowered</i> .	—	—	H. h.	Lodd. bot. cab. 123.
	<i>γ flore pleno</i> .	<i>double-flowered</i> .	—	—	H. h.	
	<i>δ schizopetala</i> .	<i>jagged-petaled</i> .	—	—	H. h.	
	<i>ε integrifolia</i> .	<i>entire-leaved</i> .	—	—	H. h.	
	<i>ζ crispa</i> .	<i>curled-leaved</i> .	—	—	H. h.	
	<i>η salicifolia</i> .	<i>Willow-leaved</i> .	—	—	H. h.	
2	canariensis. s.s.	long-leaved.	Canaries.	1796.	5. 6.	G. h.	Botan. magaz. 1577.
3	hybrida. s.s.	hybrid.	Hybrid.	—	H. h.	Botan. regist. 619.
	<i>serratifolia</i> . B.C. 580.	<i>andrachnoides</i> . L.en.					
4	Andrachne. s.s.	oriental.	Levant.	1724.	3. 4.	G. h.	— 113.
5	laurifolia. s.s.	Laurel-leaved.	Mexico.	1825.	G. h.	
6	phillyræfolia. s.s.	Phillyrea-ld.	Peru.	1812.	G. h.	
7?	pumila. s.s.	dwarf.	Magellan.	1824.	G. h.	
GUALTHERIA. S.S.		GUALTHERIA.	Decandria Monogynia. L.				
1	procumbens. s.s.	trailing.	N.America.	1762.	7. 9.	H. h.	Andr. reposit. 116.
2	fragrans. D.P.	fragrant.	Nepaul.	1824.	H. h.	Wal.as.res.13.p.297.ic.

ENKIANTHUS. B.M.	ENKIANTHUS.	Decandria Monogynia.				
1 quinqueflorus. B.R.	Canton.	China.	1812.	10. 2.	G. h.	Botan. regist. 884.
2 reticulatus. B.R.	netted-leaved.	—	1820.	—	G. h.	— 885.
ANDROMEDA. N.	ANDROMEDA.	Decandria Monogynia. L.				
1 hypnoides. W.	Moss-like.	Lapland.	1798.	6. 7.	H. h.	Flor. dan. 10.
2 mariana. W.	Maryland.	N.America.	1736.	—	H. h.	Pluk. mant. t. 448. f. 6.
<i>α ovalis.</i>	oval-leaved.	—	—	—	H. h.	Botan. magaz. 1579.
<i>β oblonga.</i>	oblong-leaved.	—	—	—	H. h.	—
3 jamaicensis. W.	Jamaica.	Jamaica.	1793.	...	S. h.	—
4 speciosa. Ph.	large-flowered.	Carolina.	1800.	6. 9.	H. h.	—
<i>α nitida.</i> Ph.	smooth leaved.	—	—	—	H. h.	Botan. magaz. 970.
<i>cassinæfolia.</i> B.M.	—	—	—	—	—	—
<i>β glauca.</i> W.D.	<i>glauca</i> -leaved.	—	—	—	H. h.	Wats. dend. brit. 26.
<i>γ pulcherrula.</i> Ph.	<i>moss</i> -like.	—	—	—	H. h.	Botan. magaz. 667.
5 rosmarinifolia. s.s.	Rosemary-ld.	N.America.	5. 9.	H. h.	Pall. ros. 2. t. 70. f. B.
6 glaucophylla. L.en.	glaucous-leav'd.	—	—	H. h.	Lodd. bot. cab. 546.
<i>polifolia β latifolia.</i> B.C.	—	—	—	—	—	—
7 polifolia. w.	marsh.	Europe.	—	H. h.	—
<i>α media.</i> H.K.	<i>wild Rosemary.</i>	Britain.	—	H. h.	Eng. bot. 713.
<i>β oleifolia.</i>	<i>Olive</i> -leaved.	Europe.	—	H. h.	—
<i>γ ? subulata.</i> P.S.	<i>awl</i> -leaved.	—	—	H. h.	—
8 calyculata. Ph.	Box-leaved.	1748.	2. 4.	H. h.	—
<i>α ventricosa.</i> H.K.	<i>globe</i> -flowered.	Russia.	—	—	H. h.	Botan. magaz. 1286.
<i>β nana.</i> B.C.	<i>dwarf.</i>	—	H. h.	Lodd. bot. cab. 862.
<i>γ latifolia.</i> H.K.	<i>broad</i> -leaved.	Newfoundland..	—	—	H. h.	— 530.
9 angustifolia. Ph.	narrow-leaved.	N. America.	—	H. h.	—
<i>crispa.</i> L.en.	—	—	—	—	—	—
10 fasciculata. W.	bundled-fl'd.	Jamaica.	1822.	S. h.	—
11 buxifolia. P.S.	Box-leaved.	Mauritius.	—	S. h.	Sm. ic. ined. 1. t. 59.
12 coriacea. W.	thick-leaved.	N.America.	1765.	6. 8.	H. h.	Botan. magaz. 1095.
<i>nitida.</i> M. <i>lucida.</i> Lam. <i>mariana.</i> Jacq.	—	ic. 3. t. 465. <i>nec aliorum.</i>	—	—	—	—
13 acuminata. W.	acute-leaved.	—	—	8.	H. h.	Sm. exot. bot. 2. t. 89.
14 Catesbæi. w.	spiny-leaved.	—	1793.	6. 7.	H. h.	Botan. magaz. 1955.
<i>spinulosa.</i> Ph.	—	—	—	—	—	—
15 axillaris. w.	axil-flowering.	—	1765.	6. 8.	H. h.	Duham. ar. ed. nov. t. 39.
<i>β longifolia.</i>	<i>long</i> -leaved.	—	—	—	H. h.	Botan. magaz. 2357.
16 floribunda. Ph.	many-flowered.	Georgia.	1812.	5. 6.	H. h.	— 1566.
17 racemosa. W.D.	branching.	N.America.	1736.	7.	H. h.	—
18 spicata. W.D.	spiked.	6. 7.	H. h.	Wats. dend. brit. 36.
19 arborea. w.	Sorrel-tree.	—	1752.	7. 9.	H. h.	Botan. magaz. 905.
20 ovalifolia. D.P.	oval-leaved.	Nepaul.	1823.	G. h.	Wall. as. res. 13. p. 39. ic.
LYONIA. N.	LYONIA.	Decandria Monogynia. N.				
1 ferruginea. N.	rusty-leaved.	Georgia.	1784.	6. 7.	G. h.	Venten. malm. 80.
<i>Andromeda ferruginea.</i> w.	—	—	—	—	—	—
2 rigida. N.	rigid.	—	1774.	4. 5.	G. h.	Lodd. bot. cab. 430.
3 salicifolia. W.D.	Willow-leaved.	N. America.	6. 7.	H. h.	Wats. dend. brit. 38.
4 paniculata. N.	panicked.	—	1748.	5. 6.	H. h.	— t. 37.
5 capreaefolia. W.D.	tendril-leaved.	—	1812.	7.	H. h.	— t. 127.
6 multiflora. W.D.	many-flowered.	—	—	—	H. h.	— t. 128.
7 frondosa. N.	bristly-flow'r'd.	—	1806.	5. 6.	H. h.	—
MYLOCARYUM. W.en.	BUCKWHEAT-TREE.	Decandria Monogynia. W.				
<i>ligustrinum.</i> Ph.	Privet-leaved.	Georgia.	1786.	5. 6.	G. h.	Botan. magaz. 1625.
<i>Cliftonia ligustrina.</i> s.s.	—	—	—	—	—	—
CLETHRA. W.	CLETHRA.	Decandria Monogynia. W.				
1 alnifolia. s.s.	Alder-leaved.	N.America.	1731.	8. 10.	H. h.	Lam. ill. t. 369.
2 tomentosa. s.s.	woolly-leaved.	—	—	—	H. h.	Wats. dend. brit. t. 39.
3 scabra. s.s.	rough-leaved.	Georgia.	1806.	—	H. h.	—
4 acuminata. s.s.	acute-leaved.	Carolina.	—	—	H. h.	—
5 paniculata. s.s.	panicked.	N.America.	1770.	—	H. h.	—
6 arborea. s.s.	tree.	Madeira.	1784.	—	G. h.	Botan. magaz. 1057.
<i>β variegata.</i>	<i>variegated.</i>	—	—	—	G. h.	—
<i>γ minor.</i>	<i>dwarf.</i>	—	—	G. h.	—
7 ferruginea. s.s.	ferruginous.	S. America.	1818.	—	G. h.	—
CYRILLA. L.	CYRILLA.	Pentandria Monogynia. L.				
<i>racemiflora.</i> L.	Carolina.	Carolina.	1765.	6. 8.	F. h.	Botan. magaz. 2456.
<i>caroliniana.</i> P.S.	<i>Itea Cyrilla.</i> w.	—	—	—	—	—
BROSSÆA. L.	BROSSÆA.	Pentandria Monogynia. L.				
<i>coccinea.</i> L.	scarlet.	S. America.	S. h.	Lam. ill. t. 111. f. 3.

BLÆRIA. W.		BLÆRIA. Tetrandria Monogynia. W.			
1	ericoides. s.s.	heath-leaved.	C. B. S. 1774.	8. 10.	G. h. Wendl. coll. 1. t. 25.
2	muscosa. s.s.	Moss-leaved.	— — — —	6. 8.	G. h.
3	fasciculata. s.s.	close-headed.	— — — —	1812.	G. h.
4	paucifolia. s.s.	few-leaved.	— — — —	— — — —	G. h. Wendl. coll. 2. t. 43.
5	articulata. s.s.	jointed.	— — — —	1795.	5. 6. G. h. ————— 2. t. 44.
6	scabra. s.s.	rough.	— — — —	1806.	G. h. ————— 1. t. 31.
7	depressa. R.S.	depressed.	— — — —	1816.	G. h.
8	purpurea. s.s.	purple-flow'r'd.	— — — —	1791.	G. h.
9	dumosa. s.s.	bushy.	— — — —	1806.	6. 8. G. h. Wendl. coll. 2. t. 38.
10	glabella. s.s.	smooth.	— — — —	1816.	G. h. Seb. thes. 1. t. 20. f. 2.
11	ciliaris. s.s.	fringed.	— — — —	1795.	G. h. Wendl. coll. 2. t. 49.
SYMPIEZA. R.S.		SYMPIEZA. Tetrandria Monogynia. R.S.			
	capitellata. R.S.	headed.	C. B. S. 1812.	6. 8.	G. h. Wendl. coll. 2. t. 37.
	<i>Blæria bracteata.</i> Wendl.				
CALLUNA. Sal.		CALLUNA. Octandria Monogynia.			
	vulgaris. w.en.	common.	Britain.	6. 8. H. h. Eng. bot. 1013.
	<i>Erica vulgaris.</i> E.B.				
	<i>a carnea.</i>	<i>flesh-coloured.</i>	— — — —	H. h.
	<i>β alba.</i>	<i>white-flowered.</i>	— — — —	H. h.
	<i>γ multiplex.</i>	<i>double-flowered.</i>	— — — —	H. h.
ERICA. W.		HEATH. Octandria Monogynia. L.			
1	absinthoides. H.K.	Wormwood-like.	C. B. S. 1792.	3. 6.	G. h.
2	actæa. L.en.	cluster-leaved.	— — — —	1810.	G. h.
3	acuminata. A.H.	pointed-leaved.	— — — —	1798.	5. 6. G. h. Andr. heaths. v. 3.
	<i>β pallida.</i>	<i>pale-flowered.</i>	— — — —	— — — —	G. h.
4	acuta. A.H.	pointed-cupp'd.	— — — —	1799.	5. 8. G. h. Andr. heaths. v. 2.
5	acutangularis. Lod.	acute-angled.	— — — —	1823.	G. h.
6	adenophora. s.s.	gland-haired.	— — — —	1810.	G. h.
7	aggregata. s.s.	clustered.	— — — —	— — — —	G. h. Wendl. er. f. 13. n. 5.
8	Aitoniana. H.K.	Aiton's.	— — — —	1790.	6. 9. G. h. Botan. magaz. 429.
9	albens. H.K.	pallid.	— — — —	1789.	3. 8. G. h. ————— 440.
10	albida. Lod.	white-flowered.	— — — —	1823.	5. 8. G. h.
11	alopeuroides. s.s.	fox-tail.	— — — —	1812.	G. h. Lodd. bot. cab. 874.
	ambigua. s.s.	ambiguous.	— — — —	1798.	G. h. Andr. heath. c. ic.
	<i>cylindrica.</i> A.H. non Th.				
13	amœna. H.K.	feathery.	— — — —	1795.	3. 7. G. h. Wendl. eric. 17. p. 73. ic.
	<i>plumosa.</i> A.H.				
14	ampullacea. H.K.	flask.	— — — —	1790.	6. 8. G. h. Botan. magaz. 303.
15	andromæflora. H.K.	Andromeda-fl'd	— — — —	1803.	3. 6. G. h. ————— 1250.
16	anthona. s.s.	full-flowering.	— — — —	1811.	G. h.
17	aperta. s.s.	open-flowered.	— — — —	— — — —	G. h.
18	Aphanes. s.s.	Parsley-piert.	— — — —	1820.	G. h.
19	arborea. s.s.	tree.	S. Europe.	1658.	2. 6. G. h.
	<i>β stylosa.</i> P.S.	<i>long-styled.</i>	— — — —	— — — —	G. h.
20	arbuscula. B.C.	little-tree.	C. B. S.	1818.	4. 8. G. h. Lodd. bot. cab. 843.
21	arctata. Lod.	arched.	— — — —	— — — —	G. h.
22	Archeriana. H.K.	Lady Archer's.	— — — —	1796.	8. 11. G. h. Andr. heath. v. 2. ic.
23	ardens. H.K.	ardent.	— — — —	1800.	4. 6. G. h. Botan. regist. 115.
24	argentiflora. s.s.	silvery-flow'r'd.	— — — —	1816.	G. h. Andr. heath. c. ic.
25	aristata. H.K.	awned.	— — — —	1801.	3. 8. G. h. Botan. magaz. 1249.
26	armata. s.s.	spiny-cupped.	— — — —	1816.	G. h.
27	assurgens. L.en.	assurgent.	— — — —	5. 8.	G. h.
28	aurea. H.K.	golden.	— — — —	1799.	7. 9. G. h. Andr. heath. v. 2.
29	auricularis. L.T.	eared.	— — — —	3. 7. G. h.
30	australis. H.K.	Spanish.	Spain.	1769.	4. 7. H. h. Andr. heath. v. 3.
31	axillaris. w.	axillary.	C. B. S.	1798.	5. 7. G. h.
32	azaleæfolia. L.T.	Azalea-leaved.	— — — —	— — — —	5. 8. G. h.
33	baccans. H.K.	Arbutus-fl'd.	— — — —	1774.	4. 7. G. h. Botan. magaz. 358.
34	Bandoniæ. Lod.	Lady Bandon's.	— — — —	1816.	5. 8. G. h.
35	Banksii. H.K.	Banks's.	— — — —	1787.	2. 7. G. h. Andr. heath. v. 1.
36	barbata. H.K.	bearded.	— — — —	1799.	5. 8. G. h. ————— v. 2.
37	bella. s.s.	pretty.	— — — —	— — — —	G. h.
38	Bergiana. H.K.	Bergius's.	— — — —	1787.	4. 8. G. h. Lodd. bot. cab. 939.
	<i>quadriflora.</i> A.H. v. 2.				
39	bicolor. w.	two-coloured.	— — — —	1790.	8. 3. G. h.
	<i>calathiflora.</i> L.T.				
40	biflora. B.C.	two-flowered.	— — — —	1820.	5. 8. G. h. Lodd. bot. cab. 683.
41	blanda. H.K.	charming.	— — — —	1800.	4. 9. G. h. Andr. heath. v. 3.

42	Blandfordiana. H.K.	Blandford's.	C. B. S.	1803.	3. 6.	G. h.	Botan. magaz. 1793.
43	Bonplandiana. B.M.	Bonpland's.	————	1816.	————	G. h.	———— 2126.
44	borboniæfolia. L.T.	Borbonia-ld.	————	————	————	G. h.	————
45	Bowieana. B.C.	Bowie's.	————	————	3. 9.	G. h.	Lodd. bot. cab. 842.
46	brachialis. L.T.	armed.	————	1792.	————	G. h.	————
47	bracteata. w.	red-bracted.	————	1800.	5. 7.	G. h.	————
48	bracteolaris. P.S.	bracteate.	————	————	3. 7.	G. h.	————
49	brevifolia. L.T.	short-leaved.	————	8. 1.	G. h.	————
50	bruniades. w.	Brunia-like.	————	1790.	4. 7.	G. h.	————
51	buccinæformis. L.T.	Buccinum-fl'd.	————	————	G. h.	————
52	cæsia. L.T.	grey.	————	1795.	2. 5.	G. h.	————
53	caffra. A.H.	sweet-scented.	————	1774.	8. 10.	G. h.	Lodd. bot. cab. 196.
54	callosa. s.s.	callous-leaved.	————	1799.	6. 9.	G. h.	Andr. heath. ic.
	<i>canaliculata</i> β minor.	A.H.	————	————	————	G. h.	————
55	calycina. w.	calycine.	————	————	————	G. h.	————
56	calyculata. P.S.	rusty-flowered.	————	1800.	5. 7.	G. h.	————
57	campanulata. H.K.	bell-flowered.	————	1791.	4. 8.	G. h.	Andr. heath. v. 1.
58	campylophylla. s.s.	hook-leaved.	————	1802.	3. 5.	G. h.	————
	<i>incurva</i> . A.M.	————	————	————	————	————	————
59	canaliculata. H.K.	channelled.	————	1799.	8. 2.	G. h.	Andr. heath. v. 3.
60	canescens. H.K.	canescent.	————	1790.	5. 8.	G. h.	———— v. 2.
	<i>eriocephala</i> . A.H. non	Lam-	————	————	————	————	————
61	capax. L.T.	capacious.	————	1806.	————	G. h.	————
62	capitata. H.K.	downy-headed.	————	1774.	3. 7.	G. h.	Andr. heath. v. 1.
63	carduifolia. L.T.	Carduus-leav'd.	————	1806.	5. 7.	G. h.	————
64	carinata. B.C.	keeled.	————	————	6. 9.	G. h.	Lodd. bot. cab. 1071.
65	carnea. H.K.	early dwarf.	Germany.	1763.	1. 8.	H. h.	Botan. magaz. 471.
	<i>herbacea</i> . B.M.	————	————	————	————	————	————
66	carniula. B.C.	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. 926.
67	catervæfolia. L.T.	huddled-leav'd.	————	1790.	4. 7.	G. h.	————
68	Celsiana. Lod.	Cels's.	————	————	G. h.	————
69	cephalotes. w.	purple-headed.	————	1812.	3. 7.	G. h.	————
70	cerinthoides. H.K.	honeywort-fl'd.	————	1774.	5. 9.	G. h.	Botan. magaz. 220.
	<i>a glabriuscula</i> .	<i>smoothish</i> .	————	————	————	G. h.	————
	β hispida.	<i>bristly</i> .	————	————	————	G. h.	————
71	cernua. H.K.	drooping-fl'd.	————	1791.	8. 12.	G. h.	————
72	cerviciflora. L.T.	Stag's-horn-fl'd.	————	3. 7.	G. h.	————
	<i>inaperta</i> . Hort.	————	————	————	————	————	————
73	chlamydiflora. L.T.	cloak'd-fl'd.	————	1801.	5. 9.	G. h.	————
74	ciliaris. w.	ciliated.	Portugal.	1759.	7. 9.	H. h.	Botan. magaz. 484.
75	ciliatiflora. L.T.	fringe-flower'd.	C. B. S.	5. 8.	G. h.	————
76	cinerascens. w.	greyish.	————	————	G. h.	————
77	cinerea. w.	fine-leaved.	Britain.	6. 9.	H. h.	Eng. bot. 1015.
	<i>a atropurpurea</i> .	<i>dark-purple</i> .	————	————	H. h.	————
	β rubra.	<i>red-flowered</i> .	————	————	H. h.	————
	γ carnea.	<i>flesh-coloured</i> .	————	————	H. h.	————
	δ alba.	<i>white-flowered</i> .	————	————	H. h.	————
78	cistifolia. L.en-	Cistus-leaved.	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. ic.
	<i>barbata</i> β minor. A.H.	————	————	————	————	————	————
79	clavæflora. H.K.	club-flowered.	————	1779.	8. 10.	G. h.	Andr. heath. v. 2.
	<i>sessiliflora</i> . A.H. non L.	————	————	————	————	————	————
80	clavata. s.s.	clubbed.	————	1812.	————	G. h.	Andr. heath. ic.
81	Clintoniæ. Lee.	Lady Clinton's.	————	1816.	5. 8.	G. h.	————
82	coarctata. s.s.	close.	————	————	G. h.	Wendl.eric. f. 19. n. 1.
83	coccinea. H.K.	scarlet-flow'r'd.	————	1783.	1. 12.	G. h.	Andr. heath. v. 1.
84	colorans. B.R.	changing-col'd.	————	1812.	1. 6.	G. h.	Botan. regist. 601.
85	comosa. H.K.	tufted.	————	1787.	4. 8.	G. h.	IC. hort. kew. 18.
	<i>a rubra</i> .	<i>red-flowered</i> .	————	————	————	G. h.	Wendl.eric. 12. p.7. ic.
	β alba.	<i>white-flowered</i> .	————	————	————	G. h.	Andr. heath. v. 2.
86	complanata. s.s.	flattened.	————	————	G. h.	————
87	Comptoniana. s.s.	Ly Northampton's.	————	1820.	————	G. h.	Andr. heath. ic.
88	concava. B.C.	concave-fl'd.	————	1808.	2. 5.	G. h.	Lodd. bot. cab. 134.
89	gocinna. H.K.	blush.	————	1773.	7. 10.	G. h.	Andr. heath. v. 2.
90	concolor. Lod.	self-coloured.	————	3. 6.	G. h.	————
91	conferta. H.K.	crowded-fl'd.	————	1800.	10. 2.	G. h.	Andr. heath. v. 2.
92	confertifolia. s.s.	crowded-leav'd	————	5. 8.	G. h.	————
93	congesta. s.s.	close-headed.	————	1812.	————	G. h.	Wendl.eric. f. 17. n.5.
94	conica. Lod.	conical.	————	1820.	————	G. h.	————
95	conspicua. H.K.	conspicuous.	————	1774.	————	G. h.	Andr. heath. v. 2.

96	constantia. Lee.	constant-flg.	C. B. S.	—	G. h.	
97	cordata. H.K.	heart leaved.	—	1799.	4. 7.	G. h.	Andr. heath. v. 3.
98	corifolia. H.K.	Coris-leaved.	—	1774.	8. 12.	G. h.	Botan. magaz. 422.
	<i>articularis.</i> B.M. <i>calycina.</i> A.H.						
99	corydalis. L.T.	winged anther'd.	—	2. 5.	G. h.	
100	costata. H.K.	ribbed-flow'r'd.	—	1795.	2. 6.	G. h.	Andr. heath. v. 1.
101	Coventryana. B.C.	Lord Coventry's.	—	1808.	5. 6.	G. h.	Lodd. bot. cab. 423.
102	cristæflora. L.T.	crested.	—	1803.	—	G. h.	
103	crossota. s.s.	fringed-calyx'd.	—	—	G. h.	
104	cruciformis. s.s.	cross-like.	—	1818.	—	G. h.	Andr. heath. ic.
105	cruenta. H.K.	bloody-flow'r'd.	—	1774.	9. 5.	G. h.	— v. 1.
106	cubica. H.K.	cube-flowered.	—	1790.	4. 7.	G. h.	— v. 1.
	<i>β minor.</i> B.C.	<i>lesser cube-fl'd.</i>	—	—	—	G. h.	Lodd. bot. cab. 972.
107	cumuliflora. L.T.	heap-flowered.	—	1801.	5. 9.	G. h.	
108	curviflora. H.K.	curve-flowered.	—	1774.	7. 10.	G. h.	Andr. heath. v. 1.
109	curvirostris. L.T.	declining.	—	1790.	—	G. h.	
	<i>declinata.</i> Hort.						
110	Cushiniana. Lee.	Cushin's.	—	1816.	—	G. h.	
111	cuspidigera. L.T.	cuspidate.	—	2. 5.	G. h.	
112	cyrillaeflora. L.T.	Cyrilla-flow'r'd.	—	1800.	2. 8.	G. h.	
113	daphnæflora. B.C.	Daphne-fl'd.	—	1791.	4. 5.	G. h.	Lodd. bot. cab. 543.
114	daphnoides. B.C.	Daphne-like.	—	—	—	G. h.	— 154.
115	decolorans. w.	discoloured.	—	—	G. h.	
116	decora. H.K.	graceful.	—	1790.	11. 1.	G. h.	Andr. heath. v. 3.
117	deflexa. Lod.	deflexed.	—	5. 8.	G. h.	
118	demissa. Lod.	low.	—	1810.	—	G. h.	
119	densa. s.s.	dense.	—	—	—	G. h.	Andr. heath. ic.
120	densiflora. w.	dense-leaved.	—	1811.	3. 8.	G. h.	
121	denticulata. w.	tooth-calyxed.	—	—	—	G. h.	Lodd. bot. cab. 1090.
122	depressa. H.K.	depressed.	—	1789.	6. 8.	G. h.	Andr. heath. v. 2.
	<i>rupestris.</i> A.H.						
123	dianthifolia. L.T.	pink-leaved.	—	1796.	3. 8.	G. h.	
124	diaphana. s.s.	transparent.	—	1800.	5. 8.	G. h.	Andr. heath. c. ic.
	<i>transparentis.</i> B.C. 177. <i>non</i> Th.						
125	dichrus. s.s.	Andrew's 2-color'd.	—	1790.	8. 5.	G. h.	Andr. heath. ic.
	<i>bicolor.</i> A.H. <i>non</i> W.						
126	Dickensoni. Lod.	Mr. Dickenson's.	—	1809.	—	G. h.	
	<i>a alba.</i>	<i>white-flowered.</i>	—	—	—	G. h.	
	<i>β rubra.</i>	<i>red-flowered.</i>	—	—	—	G. h.	
127	diosmæfolia. L.T.	Diosma-leaved.	—	1792.	3. 7.	G. h.	
128	diotæflora. L.T.	Diotis-flower'd.	—	1795.	3. 8.	G. h.	
129	discolor. H.K.	different-col'd.	—	1788.	10. 3.	G. h.	Andr. heath. v. 1.
130	doliiformis. L.T.	tun-bellied.	—	1798.	5. 9.	G. h.	
131	Donniana. Lee.	Donn's.	—	1812.	—	G. h.	
132	dumosa. A.H.	bushy.	—	—	—	G. h.	Andr. heath. ic.
133	echiiflora. H.K.	Echium-fl'd.	—	1798.	2. 7.	G. h.	— v. 3.
134	elata. H.K.	tall.	—	1790.	7. 9.	G. h.	— v. 2.
135	elegans. H.K.	elegant.	—	1799.	11. 5.	G. h.	Botan. magaz. 960.
136	elongata. B.C.	elongated.	—	1820.	3. 6.	G. h.	Lodd. bot. cab. 738.
137	emarginata. A.H.	hairy cupped.	—	1800.	6. 10.	G. h.	Andr. heath. ic.
138	embothriifolia. L.T.	Embothrium-ld.	—	2. 5.	G. h.	
139	empetrifolia. H.K.	crowberry-ld.	—	1774.	4. 7.	G. h.	Botan. magaz. 447.
140	empetroides. H.K.	close-flowered.	—	1788.	5. 8.	G. h.	Andr. heath. v. 2.
141	epistonia. Lod.	spiggot.	—	1800.	—	G. h.	
142	equisetifolia. L.T.	Equisetum-ld.	—	—	—	G. h.	
	<i>articularis.</i> Hort.						
143	erosa. B.C.	gnawed-petal'd.	—	1816.	—	G. h.	Lodd. bot. cab. 133.
144	crubescens. H.K.	reddish-fl'd.	—	1800.	3. 8.	G. h.	Andr. heath. v. 3.
145	Ewerana. H.K.	Ewer's.	—	1793.	7. 11.	G. h.	— v. 2.
	<i>a glabra.</i>	<i>smooth-leaved.</i>	—	—	—	G. h.	
	<i>β longiflora.</i>	<i>long-flowered.</i>	—	—	—	G. h.	
	<i>γ pilosa.</i>	<i>hairy-leaved.</i>	—	—	—	G. h.	
146	exigua. L.T.	small downy.	—	1790.	3. 9.	G. h.	
147	eximia. Lod.	choice.	—	1811.	—	G. h.	
148	exserta. Lod.	exserted.	—	1820.	—	G. h.	
149	expansa. Lod.	expanded.	—	1811.	—	G. h.	
150	expromta. s.s.	woolly-branch'd.	—	—	—	G. h.	
151	exsudans. B.C.	sweating.	—	1810.	8. 10.	G. h.	Lodd. bot. cab. 287.
152	exsurgens. H.K.	quiver-formed.	—	1792.	1. 12.	G. h.	Andr. heath. v. 1.

153	<i>fabriliis</i> . L.T.	tilled-leaved.	C. B. S.	1791.	4. 8.	G. h.	
154	<i>fallax</i> . L.T.	viscous-flow'r'd.	—	11. 3.	G. h.	
155	<i>fascicularis</i> . H.K.	cluster-flow'r'd.	—	1787.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>coronata</i> . A.H. <i>radiiflora</i> . L.T.						
156	<i>fastigiata</i> . w.	Walker's.	—	1792.	2. 7.	G. h.	— v. 1.
	<i>Walkeri</i> . A.H.						
157	<i>fausta</i> . L.T.	bristly-leaved.	—	1795.	4. 6.	G. h.	
158	<i>ferruginea</i> . H.K.	rusty.	—	1798.	5. 7.	G. h.	Andr. heath. v. 3.
159	<i>fasta</i> . L.T.	angular-stalk'd.	—	3. 5.	G. h.	
160	<i>fibula</i> . L.en.	button.	—	1812.	5. 6.	G. h.	
161	<i>filamentosa</i> . H.K.	long-peduncul'd.	—	1800.	1. 12.	G. h.	Botan. regist. 6.
162	<i>filiformis</i> . L.T.	filiform.	—	2. 5.	G. h.	
163	<i>fimbriata</i> . A.H.	fringed.	—	1800.	3. 7.	G. h.	Andr. heath. ic.
164	<i>finitima</i> . Lod.	related.	—	—	G. h.	
165	<i>fistulæflora</i> . L.T.	white slender-fl'd.	—	1800.	7. 11.	G. h.	Andr. heath. v. 3.
	<i>tenuiflora</i> β <i>alba</i> . A.H. <i>Cliffordiana</i> . B.C. 34.						
166	<i>flaccida</i> . L.en.	flaccid.	—	1810.	—	G. h.	
167	<i>flagellaris</i> . L.en.	whipcord.	—	—	—	G. h.	
168	<i>flammea</i> . H.K.	flame-flow'r'd.	—	1798.	10. 5.	G. h.	Andr. heath. v. 2.
	<i>bibax</i> . L.T.						
169	<i>flava</i> . H.K.	3-leaved yellow.	—	1795.	9. 4.	G. h.	— v. 2.
	β <i>imbricata</i> . B.M.	<i>imbricated</i> .	—	—	—	G. h.	Botan. magaz. 1815.
170	<i>flexicaulis</i> . H.K.	crook-stalked.	—	1800.	5. 1.	G. h.	Andr. heath. v. 2.
	<i>glandulosa</i> . A.R. <i>nec aliorum</i> .						
171	<i>flexuosa</i> . H.K.	zigzag.	—	1792.	4. 7.	G. h.	Andr. heath. v. 1.
172	<i>floribunda</i> . B.C.	many-flowered.	—	1800.	11. 3.	G. h.	Lodd. bot. cab. 176.
173	<i>florida</i> . H.K.	yellow.	—	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.
174	<i>filiculinaris</i> . H.K.	flow pencil'd.	—	1794.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>Petiveriana</i> . A.H.						
175	<i>formosa</i> . w.	handsome.	—	1795.	3. 8.	G. h.	Thunb.eric. n. 82. t. 3.
	α <i>alba</i> .	<i>white-flowered. reflexa alba</i> . Hort.					
	β <i>rubra</i> .	<i>red-flowered. reflexa rubra</i> . Hort.					
176	<i>fragrans</i> . H.K.	fragrant.	—	1803.	3. 7.	G. h.	Botan. magaz. 2181.
177	<i>fucata</i> . Wend.	painted.	—	1811.	—	G. h.	
178	<i>fugax</i> . L.T.	fugacious.	—	1800.	3. 5.	G. h.	
179	<i>furfurosa</i> . H.K.	columnar-threaded.	—	1789.	8. 12.	G. h.	Andr. heath. v. 1.
	<i>monadelpha</i> . A.H. <i>non</i> B.M.						
180	<i>gelida</i> . H.K.	green verticillate.	—	1790.	4. 7.	G. h.	— v. 2.
	<i>gilva</i> . w. <i>alveiflora</i> . L.T.						
181	<i>gemmifera</i> . B.M.	jewel.	—	1802.	7. 10.	G. h.	Botan. magaz. 2266.
182	<i>genistæfolia</i> . L.T.	Genista-leaved.	—	10. 5.	G. h.	
183	<i>glabra</i> . L.en.	glabrous.	—	1802.	5. 8.	G. h.	
184	<i>glandulosa</i> . Th.	glandular-haired.	—	1801.	—	G. h.	
185	<i>glauca</i> . H.K.	glaucons-leaved.	—	1792.	—	G. h.	Botan. magaz. 580.
186	<i>globosa</i> . w.	globular-fl'd.	—	1789.	7. 9.	G. h.	Andr. heath. ic.
187	<i>glomerata</i> . s.s.	glomerate.	—	1812.	—	G. h.	Andr. heath. ic.
188	<i>glomiflora</i> . L.T.	round-flower'd.	—	4. 9.	G. h.	
189	<i>glutinosa</i> . H.K.	glutinous.	—	1787.	7. 10.	G. h.	Icon. hort. kew. 17.
	<i>droseroides</i> . A.H.						
190	<i>gnaphalodes</i> . w.	cudweed-like.	—	1812.	2. 4.	G. h.	Plnk.m.68. t.346. f.11.
191	<i>gracilis</i> . H.K.	gracile.	—	1794.	2. 6.	G. h.	Wend. eric. 8. p. 9. ic.
192	<i>grandiflora</i> . H.K.	great-flowered.	—	1775.	5. 9.	G. h.	Botan. magaz. 189.
193	<i>grandinosa</i> . B.C.	hail-flowered.	—	1820.	—	G. h.	Lodd. bot. cab. 627.
194	<i>halicacaba</i> . H.K.	bladder-fl'd.	—	1780.	5. 8.	G. h.	Andr. heath. v. 2.
195	<i>helianthemifolia</i> . L.T.	plain-leaved.	—	1796.	6. 9.	G. h.	
196	<i>Hibbertiana</i> . H.K.	Hibbert's.	—	1800.	—	G. h.	Andr. heath. v. 3.
197	<i>hirsuta</i> . B.C.	hairy.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. 754.
198	<i>hirta</i> . w.	hairy-leaved.	—	1795.	4. 7.	G. h.	Thunb. eric. n. 56. t. 2.
199	<i>hirtiflora</i> . B.M.	hairy-flowered.	—	1790.	—	G. h.	Botan. magaz. 481.
200	<i>hispida</i> . s.s.	hispid.	—	1791.	7. 9.	G. h.	Andr. heath. ic.
201	<i>hispidula</i> . w.	bristly-stemm'd.	—	—	6. 8.	G. h.	
202	<i>holosericea</i> . L.T.	velvety.	—	2. 7.	G. h.	
203	<i>horizontalis</i> . H.K.	horizontal-ld.	—	1800.	7. 9.	G. h.	Andr. heath. v. 2.
204	<i>Humeana</i> . B.C.	Sir A. Hume's.	—	1808.	5. 7.	G. h.	Lodd. bot. cab. 389.
205	<i>humifusa</i> . L.T.	low.	—	6. 7.	G. h.	
206	<i>hyacinthoides</i> . H.K.	Hyacinth-fl'd.	—	1798.	6. 8.	G. h.	Andr. heath. v. 3.
207	<i>hyssopifolia</i> . L.T.	Hyssop-leaved.	—	1800.	5. 9.	G. h.	
208	<i>ignescens</i> . H.K.	fiery.	—	1792.	3. 7.	G. h.	Andr. heath. v. 2.
209	<i>imbecilla</i> .	feeble.	—	1793.	6. 7.	G. h.	
	<i>gracilis</i> . L.T. <i>nec aliorum</i> .						

210	<i>imbricata</i> . w.	imbricated.	C. B. S.	1786.	5. 8.	G. h.	
211	<i>imperialis</i> . s.s.	imperial.	_____	1816.	_____	G. h.	Andr. heath. ic.
212	<i>incana</i> . s.s.	hoary.	_____	_____	_____	G. h.	Wend. er. f.18. n.4. ic.
213	<i>incarnata</i> . w.	flesh-coloured.	_____	1791.	_____	G. h.	Andr. heath. ic.
214	<i>incurva</i> . w.	incurved.	_____	_____	_____	G. h.	
215	<i>inflata</i> . w.	inflated.	_____	1800.	5. 9.	G. h.	
216	<i>infundibuliformis</i> .	funnel-flow'r'd.	_____	1812.	_____	G. h.	Lodd. bot. cab. 589.
217	<i>intertexta</i> . B.C.	interwoven.	_____	1816.	_____	G. h.	_____ 1034.
218	<i>intervallaris</i> . L.T.	distant-leaved.	_____	_____	5. 11.	G. h.	
219	<i>Irbyana</i> . A.H.	Irby's.	_____	1800.	6. 10.	G. h.	Andr. heath. v. 3.
220	<i>jasminiflora</i> . H.K.	Jasmine-fl'd.	_____	1794.	_____	G. h.	_____ v. 1.
221	<i>jubata</i> . s.s.	crest-flowered.	_____	1816.	_____	G. h.	
222	<i>Juliana</i> . s.s.	Julian's.	_____	1812.	5. 10.	G. h.	Lodd. bot. cab. 799.
223	<i>labialis</i> . L.T.	lipped.	_____	_____	_____	G. h.	
224	<i>lachnæifolia</i> . H.K.	Lachnea-leav'd.	_____	1793.	5. 7.	G. h.	Andr. heath. v. 3.
225	<i>lactiflora</i> . B.C.	milk-coloured.	_____	1816.	_____	G. h.	Lodd. bot. cab. 901.
226	<i>lævis</i> . A.H.	smooth.	_____	1790.	3. 6.	G. h.	Andr. heath. v. 3.
227	<i>Lambertiana</i> . H.K.	Lambert's.	_____	1800.	5. 8.	G. h.	_____ v. 2.
228	<i>lanata</i> . w.	woolly.	_____	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
229	<i>lanceolata</i> . P.S.	spear-leaved.	_____	1791.	6. 12.	G. h.	
230	<i>lanuginosa</i> . H.K.	large brown-fl'd.	_____	1803.	9. 1.	G. h.	Andr. heath. v. 3.
231	<i>lasciva</i> . L.T.	imbricate-calyx'd.	_____	1800.	1. 8.	G. h.	
232	<i>lasiophylla</i> . s.s.	downy-leaved.	_____	1816.	5. 8.	G. h.	
233	<i>lateralis</i> . H.K.	side-flowered.	_____	1791.	3. 7.	G. h.	Andr. heath. v. 1.
234	<i>latifolia</i> . H.K.	broad-leaved.	_____	1800.	5. 8.	G. h.	_____ v. 2.
235	<i>lavandulæfolia</i> . L.T.	Lavender-l'd.	_____	1795.	_____	G. h.	
236	<i>Lawsoni</i> . B.M.	red slender-fla.	_____	1802.	4. 7.	G. h.	Botan. magaz. 1720.
237	<i>laxa</i> . H.K.	loose-flowered.	_____	1800.	9. 2.	G. h.	Andr. heath. v. 3.
238	<i>Leeana</i> . H.K.	Lee's.	_____	1788.	8. 1.	G. h.	_____ v. 1.
239	<i>leucantha</i> . L.en.	white-blossom'd.	_____	1803.	1. 5.	G. h.	_____ v. 2.
	<i>leucanthera</i> . A.H. non L.						
240	<i>leucanthera</i> . w.	white-tipped.	_____	1803.	2. 6.	G. h.	
241	<i>Linnaëana</i> . H.K.	Linnaeus's.	_____	1790.	1. 5.	G. h.	Andr. heath. v. 2.
	<i>Linnaëoides</i> . A.H.						
242	<i>longiflora</i> . B.C.	long-flowered.	_____	...	4. 8.	G. h.	Lodd. bot. cab. 983.
243	<i>longifolia</i> . w.	long-leaved.	_____	1787.	2. 7.	G. h.	Wend. eric. t. 3.
	<i>pinæa</i> . Wend.						
244	<i>longipedunculata</i> .	long-stalked.	_____	1818.	3. 8.	G. h.	Lodd. bot. cab. 103.
245	<i>lucida</i> . H.K.	lucid.	_____	1800.	4. 1.	G. h.	Andr. heath. v. 2.
246	<i>lutea</i> . H.K.	yellow.	_____	1774.	2. 5.	G. h.	_____ v. 1.
247	<i>lyrigera</i> . L.T.	lyre-bearing.	_____	1790.	_____	G. h.	
248	<i>magnifica</i> . s.s.	magnificent.	_____	1816.	4. 8.	G. h.	Andr. heath. ic.
249	<i>mammosa</i> . w.	nipple.	_____	1762.	7. 10.	G. h.	_____ v. 1.
	<i>a purpurea</i> .	purple-flowered.	_____	_____	_____	G. h.	Lodd. bot. cab. 125.
	<i>β pallida</i> .	pale-flowered.	_____	_____	_____	G. h.	_____ 951.
250	<i>margaritacea</i> . H.K.	pearl-flowered.	_____	1775.	5. 9.	G. h.	Andr. heath. v. 1.
251	<i>marifolia</i> . H.K.	Marum-leaved.	_____	1773.	5. 7.	G. h.	_____ v. 1.
252	<i>Massoni</i> . H.K.	Masson's.	_____	1787.	7. 10.	G. h.	Botan. magaz. 336.
253	<i>mediterranea</i> . w.	Mediterranean.	Portugal.	1648.	3. 5.	H. h.	_____ 471.
254	<i>melanthera</i> . w.	dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. 867.
255	<i>melastoma</i> . A.H.	black-anthered.	_____	1795.	4. 7.	G. h.	_____ 333.
256	<i>mellifera</i> . s.s.	honey-bearing.	_____	1816.	_____	G. h.	
257	<i>metulæflora</i> . H.K.	nine-pin.	_____	1798.	6. 8.	G. h.	Botan. magaz. 612.
258	<i>microphylla</i> . Lod.	small-leaved.	_____	_____	G. h.	
259	<i>microstoma</i> . s.s.	aggregate-fl'd.	_____	1816.	_____	G. h.	
260	<i>mirabilis</i> . Lod.	wonderful.	_____	_____	3. 8.	G. h.	
261	<i>modesta</i> . L.T.	modest.	_____	_____	G. h.	
262	<i>mollearis</i> . P.S.	soft-leaved.	_____	1803.	4. 10.	G. h.	
263	<i>mollis</i> . s.s.	soft.	_____	1816.	_____	G. h.	
264	<i>mollissima</i> . Lod.	softest.	_____	_____	G. h.	
265	<i>monadelphæ</i> . B.M.	monadelphous.	_____	1789.	5. 7.	G. h.	Botan. magaz. 1370.
	<i>Banksia β purpurea</i> . A.H.						
266	<i>Monsoniæ</i> . H.K.	Lady Monson's.	_____	1787.	4. 9.	G. h.	_____ 1915.
267	<i>montana</i> . Lod.	mountain.	_____	1816.	_____	G. h.	
268	<i>moschata</i> . A.H.	musky.	_____	1805.	5. 7.	G. h.	Andr. heath. ic.
269	<i>mucosa</i> . H.K.	mucous.	_____	1787.	2. 4.	G. h.	_____ v. 1.
270	<i>mucronata</i> . s.s.	mucronate.	_____	1812.	4. 8.	G. h.	Andr. heath. ic.
271	<i>multiflora</i> . H.K.	many-flow'r'd.	France.	1731.	6. 11.	G. h.	_____ v. 2.
272	<i>munda</i> . L.T.	neat-flowered.	C. B. S.	5. 7.	G. h.	

273	mundula, B.C.	neat.	C. B. S.	1816.	3. 8.	G. h.	Lodd. bot. cab. 114.
274	Muscari, H.K.	musk.	————	1790.	—	G. h.	Andr. heath. v. 1.
275	mutabilis, H.K.	mutable.	————	1798.	2. 10.	G. h.	———— v. 3.
276	nana, L.T.	dwarf.	————	1792.	5. 8.	G. h.	
	<i>depressa</i> , A.H.						
277	nidiflora, L.T.	nest-flowered.	————	10. 5.	G. h.	
278	nidularia, B.C.	nest-like.	————	1816.	5. 8.	G. h.	Lodd. bot. cab. 764.
279	nigricans, s.s.	black-stamen'd.	————	—	—	G. h.	
280	nigrita, H.K.	black-tipped.	————	1790.	3. 7.	G. h.	Andr. heath. v. 1.
281	nitida, H.K.	shining.	————	1800.	7. 10.	G. h.	———— v. 3.
282	nivea, s.s.	snowy.	————	1816.	5. 9.	G. h.	
283	Niveni, H.K.	Niven's.	————	1799.	2. 7.	G. h.	Andr. heath. v. 2.
284	nodiflora, L.T.	knot-flowered.	————	—	3. 8.	G. h.	
285	nołæflora, L.T.	bell-shaped.	————	2. 5.	G. h.	
286	notabilis, s.s.	notable.	————	1816.	3. 8.	G. h.	
287	nudiflora, w.	small-bracted.	————	1783.	7. 8.	G. h.	
288	obbata, H.K.	bottle.	————	1796.	4. 7.	G. h.	Andr. heath. v. 2.
289	obcordata, s.s.	obcordate.	————	1812.	—	G. h.	
290	obliqua, H.K.	oblique-leaved.	————	1789.	8. 10.	G. h.	Andr. heath. v. 1.
291	obtusa, B.C.	obtuse.	————	1816.	5. 8.	G. h.	Lodd. bot. cab. 1027.
292	octogona, Lod.	eight-angled.	————	—	—	G. h.	
293	odorata, H.K.	perfumed.	————	1804.	4. 7.	G. h.	Andr. heath. v. 3.
294	ollula, s.s.	close-smooth-ld.	————	1812.	—	G. h.	———— c. ic.
295	onosmæflora, L.T.	Onosma-fl'd.	————	1789.	9. 5.	G. h.	Andr. heath. v. 1.
	<i>glutinosa</i> , A.H. <i>viscosa</i> , Wend.						
296	oppositifolia, A.H.	opposite-leaf'd.	————	1804.	3. 5.	G. h.	Andr. heath. c. ic.
	<i>a alba</i> .	<i>white-flowered</i> .	————	—	—	G. h.	
	<i>β rubra</i> , B.C.	<i>red-flowered</i> .	————	—	—	G. h.	Lodd. bot. cab. 1060.
297	ovata, B.C.	ovate.	————	1791.	2. 5.	G. h.	———— 417.
298	oxycoccifolia, L.T.	Cranberry-ld.	————	—	—	G. h.	
299	pallens, s.s.	pale.	————	1812.	3. 8.	G. h.	Andr. heath. ic.
300	pallida, s.s.	pallid.	————	—	—	G. h.	
301	palliiflora, L.T.	pale-flowered.	————	2. 8.	G. h.	
302	palustris, H.K.	marsh.	————	1799.	5. 10.	G. h.	Andr. heath. v. 2.
303	paniculata, w.	panieled.	————	1774.	2. 8.	G. h.	
304	pannosa, L.T.	cloth-flowered.	————	2. 6.	G. h.	
305	parilis, L.T.	matched.	————	1789.	5. 8.	G. h.	
306	Parmentieri, B.C.	Parmentier's.	————	1816.	—	G. h.	Lodd. bot. cab. 197.
	<i>rosea</i> , Lod.	<i>rose-coloured</i> .	————	—	—	G. h.	
307	parviflora, L.T.	small-fl'd. downy.	————	1790.	3. 9.	G. h.	
308	Passerina, w.	sparrow-wort.	————	1800.	11. 5.	G. h.	Petiv. gaz. t. 3. f. 7.
309	patens, A.H.	spreading.	————	—	3. 6.	G. h.	Andr. heath. v. 3.
310	Patersoni, H.K.	Paterson's.	————	1791.	3. 8.	G. h.	———— v. 1.
311	pavetæflora, L.T.	Pavetta-fl'd.	————	5. 8.	G. h.	
312	pectinifolia, L.T.	pectinated.	————	1800.	11. 6.	G. h.	
313	pedunculata, s.s.	peduncled.	————	1810.	5. 9.	G. h.	
314	pellucida, A.H.	pellucid.	————	1800.	10. 6.	G. h.	Andr. heath. v. 3.
315	pendula, w.	pendulous.	————	1791.	7. 8.	G. h.	Lodd. bot. cab. 902.
316	penicillata, A.H.	pencilled.	————	1774.	4. 7.	G. h.	Andr. heath. v. 2.
317	penicilliflora, L.T.	white-pencill'd.	————	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5. ic.
318	periplocæflora, L.T.	Periploca-ld.	————	8. 12.	G. h.	
319	persoluta, H.K.	garland.	————	1774.	2. 5.	G. h.	Botan. magaz. 342.
320	perspicua, H.K.	clear-flowered.	————	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7. ic.
	<i>β Linnaea</i> , A.H. v. 2.						
321	petiolata, H.K.	rosemary-ld.	————	1774.	3. 7.	G. h.	Andr. heath. v. 3.
322	Petiveriana, H.K.	Petiver's.	————	—	—	G. h.	Lam. ill. t. 288. f. 3.
323	Peziza, B.C.	button-flower'd.	————	5. 8.	G. h.	Lodd. bot. cab. 265.
324	phyllicoides, w.	Phyllia-like.	————	1800.	4. 7.	G. h.	
325	physodes, H.K.	sticky.	————	1788.	3. 7.	G. h.	Botan. magaz. 443.
326	picta, Lod.	painted.	————	1800.	—	G. h.	
327	pilosa, s.s.	pilose.	————	—	—	G. h.	Lodd. bot. cab. 606.
328	pilulifera, w.	ball-bearing.	————	1789.	4. 5.	G. h.	
329	pinæa, s.s.	Pine-tree-ld.	————	1790.	8. 12.	G. h.	
330	pityophylla, s.s.	Pine-leaved.	————	—	6. 12.	G. h.	Andr. heath. ic.
	<i>pinifolia</i> , A.H.						
331	Plukenetiana, H.K.	Plukenet's.	————	1774.	4. 7.	G. h.	Andr. heath. v. 1.
	<i>β pallida</i> .	<i>pale-flowered</i> .	————	—	—	G. h.	
332	præcox, Lod.	early dwarf.	————	1805.	2. 5.	G. h.	

333	prægnans. A.H. <i>β coccinea.</i>	swelled. scarlet-flowered.	C. B. S.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
334	præstans. s.s.	excelling.	—	—	—	G. h.	Andr. heath. ic.
335	primuloides. A.H.	Cowslip-fl'd.	—	1802.	4. 7.	G. h.	Botan. magaz. 1548.
336	princeps. H.K.	fine red.	—	1800.	—	G. h.	Andr. heath. v. 2.
337	procera. s.s.	lofty.	—	1791.	—	G. h.	
338	procumbens. s.s.	procumbent.	—	1816.	—	G. h.	
339	propendens. H.K.	pendent.	—	1800.	7. 8.	G. h.	Botan. magaz. 2140.
340	protrudens. L.en.	protruding.	—	1816.	5. 8.	G. h.	
341	pubescens. H.K.	pale downy.	—	1790.	2. 12.	G. h.	
342	pubigera. L.T.	pubescent-fl'd.	—	1792.	1. 5.	G. h.	
343	pudibunda. L.T. <i>nutans.</i> Wend.	nodding.	—	1812.	3. 8.	G. h.	
344	pulchella. W.	neat.	—	—	—	G. h.	
345	pulverulenta. Lod.	powdered.	—	—	—	G. h.	
346	pulviniformis. L.T.	cushion.	—	2. 5.	G. h.	
347	pumila. s.s.	short.	—	1812.	3. 8.	G. h.	Andr. heath. ic.
348	pura. B.C.	clear.	—	5. 8.	G. h.	Lodd. bot. cab. 72.
349	purpurea. H.K.	purple-flow'r'd.	—	1789.	1. 12.	G. h.	Andr. heath. v. 2.
350	pusilla. L.T.	low.	—	6. 7.	G. h.	
351	pygmæa. s.s.	pigmy.	—	1812.	5. 8.	G. h.	Andr. heath. ic.
352	pyramidalis. H.K.	pyramidal.	—	1787.	2. 5.	G. h.	Botan. magaz. 366.
353	pyramidiformis. s.s.	pyramid-form'd.	—	1818.	—	G. h.	
354	quadraeflora. L.T.	four-flowered.	—	3. 8.	G. h.	
355	radiata. H.K.	rayed.	—	1798.	8. 11.	G. h.	Andr. heath. v. 1.
356	racemosa. W.	racemed.	—	1795.	4. 5.	G. h.	
357	racemifera. H.K.	compact-flow'r'd.	—	1803.	4. 6.	G. h.	Andr. heath. v. 2.
358	ramentacea. H.K.	slender-branch'd.	—	1786.	7. 12.	G. h.	— v. 1.
359	ramulosa. Viv.	Italian.	Italy.	1826.	5. 8.	H. h.	
360	recurvata. B.C.	recurved.	C. B. S.	—	G. h.	Lodd. bot. cab. 1093.
361	reflexa. s.s.	reflexed.	—	—	G. h.	
362	refulgens. A.H.	refulgent.	—	1816.	5. 9.	G. h.	Andr. heath. ic.
363	regerminans. W.	clustered-fl'd.	—	1791.	5. 8.	G. h.	
364	resinosa. H.K. <i>vernex.</i> A.H. v. 3.	varnished.	—	1803.	—	G. h.	Botan. magaz. 1139.
365	retorta. H.K.	recurved-ld.	—	1787.	—	G. h.	Botan. magaz. 362.
366	retroflexa. H.K. <i>pulchella.</i> A.H. non Th. <i>articularis.</i> Th. non L.	jointed.	—	—	7. 9.	G. h.	Andr. heath. ic.
367	rigidifolia. s.s.	rigid-leaved.	—	1816.	6. 8.	G. h.	
368	rosea. H.K.	rose-coloured.	—	1798.	6. 10.	G. h.	Andr. heath. v. 2.
369	rubella. B.M.	reddish.	—	1812.	5. 8.	G. h.	Botan. magaz. 2165.
370	rubens. H.K.	red-flowered.	—	1798.	6. 9.	G. h.	
371	rugosa. s.s.	wrinkled.	—	1812.	—	G. h.	Andr. heath. ic.
372	Russelliana. B.C.	Duke of Bedford's.	—	—	G. h.	Lodd. bot. cab. 1013.
373	sacciflora. L.T.	sack-flowered.	—	3. 7.	G. h.	
374	Salisburyana. s.s.	Sainsbury's.	—	1804.	7. 9.	G. h.	Andr. heath. ic.
375	salax. L.T.	broad-stigma'd.	—	1796.	5. 9.	G. h.	
376	Salisburyana. s.s.	Salisbury's.	—	—	G. h.	Andr. heath. ic.
377	sanguinea. B.C.	bloody.	—	3. 8.	G. h.	Lodd. bot. cab. 36.
378	sanguinolenta. B.M.	dark-flowered.	—	1812.	—	G. h.	Botan. magaz. 2263.
379	Savileana.	Savile's.	—	1800.	6. 7.	G. h.	Lodd. bot. cab. 96.
380	scabriuscula. B.C.	roughish.	—	1800.	—	G. h.	— 517.
381	scariosa. B.C.	scariose.	—	—	—	G. h.	— 477.
382	sceptraformis. L.T.	sceptre-like.	—	1790.	5. 9.	G. h.	
383	Schollii. B.C.	Scholl's.	—	—	—	G. h.	Lodd. bot. cab. 538.
384	scoparia. W.	small green-fl'd.	—	1770.	4. 5.	F. h.	Linn. eric. n. 14. f. fl.
385	Sebana. H.K. <i>a fusca.</i> Lod. <i>β lutea.</i> Lod. <i>γ minor.</i> Lod.	Seba's. <i>brown-flowered.</i> <i>yellow-flowered.</i> <i>smaller.</i>	—	1774.	3. 6.	G. h.	Andr. heath. v. 1.
386	selaginifolia. L.T.	Selago-leaved.	—	1801.	2. 6.	G. h.	
387	serpyllifolia. B.C.	Serpyllum-ld.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. 744.
388	serratifolia. H.K.	saw-leaved.	—	1790.	8. 12.	G. h.	Andr. heath. v. 1.
389	serrulata. Lod.	sawed.	—	1814.	6. 8.	G. h.	
390	setacea. A.H.	bristly-leaved.	—	1796.	2. 8.	G. h.	Andr. heath. v. 1.
391	sexfaria. H.K.	six-angled.	—	1774.	5. 8.	G. h.	— v. 2.
392	Shannoniæ. A.H.	LadyShannon's.	—	1800.	6. 7.	G. h.	Lodd. bot. cab. 168.
393	sicæfolia. L.T.	dagger-leaved.	—	1791.	2. 7.	G. h.	
394	simpliciflora. H.K.	single-flowered.	—	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.

395	Smithiana. Lod.	Smith's.	C. B. S.	1810.	—	G. h.	
396	secciflora. L.T. <i>Sebana viridis.</i> A.H.	green-pencil'd.	—	1799.	4. 5.	G. h.	Andr. heath. v. 1.
397	Solandri. H.K.	Solander's.	—	1800.	3. 9.	G. h.	Andr. heath. v. 2.
398	sordida. H.K. <i>laniflora.</i> Wend.	sordid.	—	1790.	8. 5.	G. h.	— v. 1.
399	Sparmanni. H.K. <i>aspera.</i> A.H. <i>hystriciflora.</i> L.T.	Sparman's. scattered.	—	1794.	9. 3.	G. h.	Andr. heath. v. 3.
400	sparsa. Lod.	—	—	1816.	3. 8.	G. h.	
401	speciosa. H.K.	specious.	—	1800.	6. 9.	G. h.	Andr. heath. v. 2.
402	spicata. H.K.	spiked.	—	1789.	1. 12.	G. h.	— v. 1.
403	spiralis. Lod.	spiral.	—	1816.	5. 8.	G. h.	
404	splendens. w.	splendid.	—	1792.	4. 9.	G. h.	Wend. eric. 8. p. 5. ic.
405	spumosa. H.K.	spumous.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. 566.
406	spuria. H.K.	spurious.	—	1796.	4. 8.	G. h.	Andr. heath. v. 1.
407	squamæflora. L.T.	scaly-flowered.	—	—	5. 11.	G. h.	
408	squamosa. H.K.	scaly-cupped.	—	1794.	4. 6.	G. h.	Andr. heath. v. 3.
409	squarrosa. L.T.	squarrose.	—	—	3. 8.	G. h.	
410	stagnalis. L.T.	stagnant.	—	1790.	3. 6.	G. h.	
411	staminea. A.H.	reflex-stamen'd.	—	1799.	6. 9.	G. h.	Andr. heath. v. 3.
412	stellata. B.C.	starry.	—	1806.	—	G. h.	Lodd. bot. cab. 893.
413	stellifera. s.s.	star-bearing.	—	—	4. 8.	G. h.	Andr. heath. ic.
414	stricta. H.K.	straight-branch'd.	S. Europe.	1765.	8. 11.	G. h.	— v. 2.
415	strigosa. H.K.	dwarf downy.	C. B. S.	1775.	3. 8.	G. h.	
416	struthiolæflora. Lod.	Struthiola-fl'd.	—	1812.	5. 8.	G. h.	
417	stylaris. s.s.	prominent-styl'd.	—	—	—	G. h.	
418	stylosa. L.T.	long-styled.	—	1789.	1. 8.	G. h.	
419	suaveolens. B.C.	sweet.	—	—	5. 11.	G. h.	Lodd. bot. cab. 24.
420	subulata. s.s.	awl-leaved.	—	1818.	6. 8.	G. h.	
421	sulphurea. B.M.	sulphur-color'd.	—	1812.	3. 5.	G. h.	Botan. magaz. 1984.
422	Swainsoniana. s.s.	Swainson's.	—	—	6. 7.	G. h.	Andr. heath. ic.
423	tardiflora. L.T. <i>pubescens.</i> B.M. <i>non</i> L.	pubescent.	—	1790.	3. 8.	G. h.	Botan. magaz. 480.
424	taxifolia. H.K.	yew-leaved.	—	1788.	7. 11.	G. h.	Andr. heath. v. 1.
425	tegulæfolia. L.T.	tiled.	—	—	1. 5.	G. h.	
426	tenella. H.K.	delicate.	—	1791.	8. 5.	G. h.	Andr. heath. v. 2.
427	tenuiflora. A.H.	slender yellow-fl'd.	—	1800.	4. 6.	G. h.	— v. 3.
428	tenuifolia. H.K.	slender-leaved.	—	1794.	4. 8.	G. h.	Seb. mus. 1. t. 73. f. 6.
429	tenuis. L.T.	slender.	—	1790.	8. 2.	G. h.	
430	tenuissima. s.s.	very-slender.	—	1803.	2. 8.	G. h.	Wend. eric. 6. p. 9. ic.
431	tetragona. H.K.	square-flower'd.	—	1789.	7. 9.	G. h.	Andr. heath. v. 3.
432	Tetralix. H.K. <i>a rubra.</i> <i>β carnea.</i> <i>γ alba.</i>	cross-leaved. <i>red-flowered.</i> <i>flesh-coloured.</i> <i>white-flowered.</i>	Britain.	—	6. 8.	H. h.	Eng. bot. 1014.
433	teneriifolia. s.s.	Teucrium-ld.	C. B. S.	1812.	5. 9.	G. h.	
434	thalictriflora. s.s.	meadow-rue-fl'd.	—	1810.	—	G. h.	
435	Thunbergii. H.K.	Thunberg's.	—	1794.	5. 3.	G. h.	Botan. magaz. 1214.
436	thymifolia. H.K.	Thyme-leaved.	—	1789.	—	G. h.	Andr. heath. v. 2.
437	tiaræflora. H.K.	turban-flow'r'd.	—	1800.	—	G. h.	— v. 3.
438	togata. B.M.	large-cupped.	—	1812.	6. 8.	G. h.	Botan. magaz. 1620.
439	tomentosa. L.T.	woolly-flow'r'd.	—	—	2. 8.	G. h.	
440	tortuosa. Lod.	twisted.	—	1816.	3. 6.	G. h.	
441	tragulifera. L.T.	broad-anther'd.	—	—	5. 8.	G. h.	
442	translucens. Lee.	translucent.	—	1797.	—	G. h.	
443	transparens. Th.	transparent.	—	1800.	—	G. h.	
444	triceps. B.C.	three-headed.	—	1809.	—	G. h.	Lodd. bot. cab. 962.
445	tricolor. H.S.L. <i>aristata minor.</i> A.H.	three-coloured. <i>non tricolor.</i> s.s.	—	1803.	6. 9.	G. h.	Andr. heath. v. 3.
446	triflora. H.K.	three-flowered.	—	1774.	3. 6.	G. h.	Wend. eric. 12. p. 13.
447	triphylla. L.en.	three-leaved.	—	1812.	—	G. h.	
448	triumphans. B.C.	triumphant.	—	—	5. 10.	G. h.	Lodd. bot. cab. 257.
449	trossula. B.C.	dapper.	—	—	—	G. h.	— 668.
450	tubercularis. L.T.	tubercled.	—	1790.	2. 8.	G. h.	
451	tubiflora. H.K.	tube-flowered.	—	1775.	4. 7.	G. h.	Andr. heath. v. 1.
452	tumida. B.R.	tumid.	—	1812.	5. 9.	G. h.	Botan. regist. 65.
453	turbiniflora. L.T.	top-flowered.	—	1793.	10. 2.	G. h.	
454	turgida. L.en.	turgid.	—	1800.	3. 6.	G. h.	
455	turrigera. L.T. <i>cupressina.</i> Hort.	Cypress.	—	1796.	6. 9.	G. h.	

456	umbellata. H.K.	umbelled.	Portugal.	1782.	5. 7.	G. h.	Andr. heath. v. 2.
457	unica. s.s.	one-flowered.	C. B. S.	1812.	—	G. h.	
	<i>pedunculata</i> . A.H.	<i>nec aliorum.</i>					
458	urceolaris. H.K.	pitcher-flow'r'd.	—	1778.	—	G. h.	Icon. hort. kew. 16.
459	ursina. Lee.	shaggy.	—	1812.	4. 8.	G. h.	
460	vagans. H.K.	Cornish.	Cornwall.	...	7. 8.	H. h.	Eng. bot. 3.
	<i>β alba.</i>	<i>white-flowering.</i>	—	...	—	H. h.	
461	velitaris. L.T.	javelin-flow'r'd.	C. B. S.	1790.	1. 6.	G. h.	
462	velleriflora. H.K.	woolly-flow'r'd.	—	1774.	2. 6.	G. h.	Andr. heath. v. 1.
	<i>bruniades</i> . A.H.						
463	ventricosa. H.K.	porcelain.	—	1787.	4. 9.	G. h.	Botan. magaz. 350.
464	verecunda. L.T.	blushing.	—	—	G. h.	Andr. heath. ic.
	<i>cernua</i> . A.H.						
465	verniciflua. L.T.	viscous-leaved.	—	1804.	3. 9.	G. h.	
466	versicolor. H.K.	various-color'd.	—	1790.	11. 5.	G. h.	
467	verticillata. A.H.	verticillate.	—	1774.	7. 10.	G. h.	— v. 1.
468	vesicularis. L.T.	bladdered.	—	1796.	2. 8.	G. h.	
469	vestiflua. L.T.	clothed.	—	3. 6.	G. h.	
470	vestita. H.K.	tremulous.	—	1789.	1. 12.	G. h.	
	<i>α alba</i> . H.K.	<i>white.</i>	—	—	—	G. h.	Andr. heath. v. 1.
	<i>β incarnata</i> . H.K.	<i>flesh-coloured.</i>	—	1789.	1. 12.	G. h.	— v. 2.
	<i>γ purpurea</i> . H.K.	<i>purple-flowered.</i>	—	—	—	G. h.	— v. 1.
	<i>δ rosea</i> . H.K.	<i>rose-coloured.</i>	—	—	—	G. h.	— v. 2.
	<i>ε fulgida</i> . H.K.	<i>bright red.</i>	—	—	—	G. h.	— v. 2.
	<i>ζ coccinea</i> . H.K.	<i>scarlet.</i>	—	—	—	G. h.	— v. 1.
	<i>η lutea</i> . H.K.	<i>yellow.</i>	—	—	—	G. h.	— v. 3.
			—	—	—	G. h.	— v. 3.
471	villosa. H.K.	villous.	—	1800.	2. 6.	G. h.	
472	viridescens. B.C.	greenish.	—	1. 6.	G. h.	Lodd. bot. cab. 233.
473	viridipurpurea. w.	green & purple.	Portugal.	5. 8.	F. h.	Linn. eric. n. 9. f. fl.
474	viridis. H.K.	green-flowered.	C. B. S.	1800.	—	G. h.	Andr. heath. v. 2.
475	viscaria. H.K.	clammy-flow'r'd.	—	1774.	3. 7.	G. h.	Icon. hort. kew. 1.
476	xeranthemifolia. L.T.	Xeranthemum-ld.	—	1812.	5. 8.	G. h.	
MENZIESIA. Sm.		MENZIESIA. Octandria Monogynia.					
1	ferruginea. s.s.	ferruginous.	N.America.	1811.	5. 6.	H. h.	Sm. ic. ined. 1. t. 56.
2	globularis. s.s.	globular-fl'd.	—	1806.	—	H. h.	Sal. par. lond. 44.
	<i>ferruginea β</i> . B.M. 1571.						
3	polifolia. s.s.	Irish.	Ireland.	6. 9.	H. h.	Eng. bot. 35.
	<i>Erica Daboecia</i> . E.B.						
	<i>β nana.</i>	<i>dwarf.</i>	—	H. h.	
4	cœrulea. s.s.	yew-leaved.	Scotland.	6. 7.	H. h.	Eng. bot. 2169.
PYROLA. S.S.		WINTER-GREEN. Decandria Monogynia. L.					
1	uniflora. s.s.	single-flower'd.	Britain.	6. 7.	H. h.	Eng. bot. 146.
2	secunda. s.s.	serrated.	—	—	H. h.	— 517.
3	minor. s.s.	lesser.	—	—	H. h.	— 158.
	<i>β rosea</i> . E.B.	<i>rose-coloured.</i>	England.	7. 8.	H. h.	— 2543.
4	media. s.s.	intermediate.	—	6. 7.	H. h.	— 945.
5	rotundifolia. s.s.	round-leaved.	Britain.	—	H. h.	— 213.
6	asarifolia. s.s.	Asarum-leaved.	N.America.	1822.	—	H. h.	
7	chlورانtha. s.s.	cream-colour'd.	—	—	—	H. h.	
CHIMAPHILA. Ph.		CHIMAPHILA. Decandria Monogynia.					
1	umbellata. s.s.	umbelled.	N.America.	1752.	6. 8.	H. h.	Botan. magaz. 778.
	<i>corymbosa</i> . Ph. <i>Pyrola umbellata</i> . L.						
2	maculata. s.s.	spotted-leaved.	—	—	—	H. h.	Botan. magaz. 897.
DIAPENSIA. W.		DIAPENSIA. Pentandria Monogynia. L.					
	lapponica. w.	obtuse-leaved.	Lapland.	1801.	2. 3.	H. h.	Botan. magaz. 1108.
PYXIDANTHERA. M.		PYXIDANTHERA. Pentandria Monogynia.					
	barbulata. M.	barbed.	Carolina.	1806.	7.	G. h.	Mich. amer. t. 17.
GALAX. W.		GALAX. Pentandria Monogynia. W.					
	aphylla. w.	heart-leaved.	N.America.	1786.	6. 7.	H. h.	Botan. magaz. 754.
	<i>cordifolia</i> . H.K. <i>Blandfordia cordata</i> . A.R.						

Sect. II. MONOTROPEÆ. Don prodr. p. 151.

HYPOPTHYS. N.		YELLOW BIRDS-NEST. Decandria Monogynia. L.					
	europæa. N.	common.	Britain.	6. 7.	H. h.	Eng. bot. 69.
	<i>Monotropa Hypopitys</i> . E.B.						

MONOTROPA. N. MONOTROPA. Decandria Monogynia. L. Hook. ex. flor. 85.
 uniflora. N. one-flowered. N.America. 1822. 6. 8. H. ♀.

Sect. III. RHODORACEÆ. Don prodr. p. 152.

KALMIA. W.	KALMIA. Decandria Monogynia. L.				
1 latifolia. w.	broad-leaved.	N.America. 1734.	5. 7.	H. ♀.	Botan. magaz. 175.
2 angustifolia. w.	narrow-leaved.	1736.	—	H. ♀.	331.
β variegata.	variegated.	—	—	H. ♀.	—
γ minima.	least.	—	—	H. ♀.	—
δ nana.	dwarf.	—	—	H. ♀.	—
ε pumila.	small.	—	—	H. ♀.	—
ζ rosea.	rose-coloured.	—	—	H. ♀.	—
η rubra. B.C.	red-flowered.	—	—	H. ♀.	Lodd. bot. cab. 502.
θ ovata. Ph.	oval-leaved.	New Jersey.	—	H. ♀.	—
3 glauca. w.	glaucous.	N.America. 1767.	4. 5.	H. ♀.	Botan. magaz. 177.
4 rosmarinifolia. Ph.	Rosemary-ld.	1812.	—	H. ♀.	—
5 hirsuta. w.	hairy.	1786.	8. 9.	H. ♀.	Botan. magaz. 138.
EPIGÆA. W.	EPIGÆA. Decandria Monogynia. L.				
repens. w.	creeping.	N.America. 1736.	7. 8.	H. ♀.	Botan. regist. 201.
RHODORA. W.	RHODORA. Decandria Monogynia. L.				
canadensis. w.	Canadian.	N.America. 1767.	4. 5.	H. ♀.	Botan. magaz. 474.
RHODODENDRON. W.	RHODODENDRON. Decandria Monogynia. L.				
1 maximum. w.	large.	N.America. 1736.	6. 8.	H. ♀.	Botan. magaz. 951.
2 album. Ph.	white-flower'd.	1811.	—	H. ♀.	—
3 purpureum. Ph.	purple-flow'rd.	—	—	H. ♀.	—
4 ponticum. w.	common.	Gibraltar. 1763.	5. 6.	H. ♀.	Botan. magaz. 650.
β roseum.	rose-coloured.	—	—	H. ♀.	—
γ album.	white.	—	—	H. ♀.	—
δ variegatum.	variegated.	—	—	H. ♀.	—
ε marginatum.	silver-edged.	—	—	H. ♀.	—
ζ multiplex.	double-blossom'd.	—	—	H. ♀.	—
5 punctatum. w.	dotted-leaved.	N.America. 1786.	6. 8.	H. ♀.	Andr. reposit. 36.
α minus. W.D.	smallest.	—	—	H. ♀.	Wats. dend. brit. 162.
β major. B.R.	larger.	—	—	H. ♀.	Botan. regist. 37.
6 obtusum. W.D.	blunt-leaved.	Hybrid.	6. 8.	H. ♀.	Wats. dend. brit. 162.
7 azaleoides. s.s.	Azalea-like.	—	—	H. ♀.	Andr. reposit. 379.
ponticum β subdeciduum. A.R.					
8 hybridum. B.R.	Herbert's hybrid.	—	—	H. ♀.	Botan. regist. 195.
9 arboreum. Sm.	tree.	India. 1817.	4. 6.	G. ♀.	890.
β roseum.	rose-coloured.	—	—	G. ♀.	—
γ niveum.	snowy white.	—	—	G. ♀.	—
10 campanulatum. D.P.	bell-flowered.	Nepaul. 1824.	G. ♀.	—
11 anthopogon. D.P.	bearded-fl'd.	—	—	G. ♀.	—
12 setosum. D.P.	bristly.	—	1820.	G. ♀.
13 dauricum. w.	Daurian.	Siberia. 1780.	2. 4.	H. ♀.	Botan. magaz. 636.
β altaicum. F.	Altay.	—	1824.	—	H. ♀.
γ atrovirens. B.R.	dark green.	—	—	H. ♀.	Botan. regist. 194.
14 myrtifolium. B.C.	Myrtle-leaved.	Hybrid.	6. 8.	H. ♀.	Lodd. bot. cab. 908.
15 ferrugineum. w.	rusty-leaved.	Switzerland. 1752.	5. 7.	H. ♀.	Jacq. aust. 3. t. 255.
16 hirsutum. w.	hairy-leaved.	—	1656.	—	Botan. magaz. 1853.
17 chrysanthum. w.	yellow.	Siberia. 1796.	6. 7.	H. ♀.	Sal. par. lond. 80.
officinale. P.L.					
18 caucasicum. w.	Caucasean.	Caucasus. 1803.	5. 7.	H. ♀.	Botan. magaz. 1145.
19 catawbiense. m.	Catawba.	N.America. 1809.	6. 8.	H. ♀.	1671.
20 Catesbæi. Lod.	Catesby's.	—	—	H. ♀.	—
21 camtschaticum. w.	Kantschatka.	Kantschatka. 1802.	H. ♀.	Pall. ros. 1. t. 33.
22 chamæcisticum. w.	Thyme-leaved.	Siberia. 1786.	5. 6.	H. ♀.	Botan. magaz. 488.
AZALEA. W.	AZALEA. Pentandria Monogynia. L.				
1 indica. w.	Indian.	China. 1808.	3. 5.	G. ♀.	—
α punicea.	red-flowered.	—	—	G. ♀.	Botan. magaz. 1480.
β alba.	white-flowered.	—	1819.	—	G. ♀.
γ purpurea.	double-purple.	—	—	G. ♀.	Botan. magaz. 2509.
δ lutea.	double yellow.	—	1826.	—	G. ♀.
2 sinensis. B.C.	Chinese.	—	1824.	—	G. ♀.

3	pontica. w.	yellow.	Turkey.	1793.	5. 6.	H. h.	Botan. magaz. 433.
	β cupræa.	copper-coloured.	_____	_____	H. h.	
	γ glauca.	glaucous.	_____	_____	H. h.	
	δ pallida.	pale.	_____	_____	H. h.	
	ε albiflora. B.M.	white-flowered.	_____	_____	H. h.	Botan. magaz. 2383.
	ζ tricolor.	three-coloured.	_____	_____	H. h.	
4	calendulacea. Ph.	yellow American.	N. America.	1806.	_____	H. h.	
	α crocea.	saffron-coloured.	_____	_____	_____	H. h.	Botan. magaz. 1721.
	β chrysolecta.	golden.	_____	_____	H. h.	
	γ grandiflora.	large-flowered.	_____	_____	H. h.	
	δ cupræa.	copper-coloured.	_____	_____	H. h.	
	ε splendens.	shining.	_____	_____	H. h.	
	ζ flammea.	flame-coloured.	_____	1812.	_____	H. h.	Botan. regist. 145.
	η triumphans.	triumphant.	_____	_____	_____	H. h.	
	θ ignescens.	fiery-flowered.	_____	_____	_____	H. h.	
5	canescens. M.	canescent.	_____	1812.	5. 6.	H. h.	
6	speciosa. W.en.	large-calyxed.	_____	_____	H. h.	Wats. dend. brit. 116.
	α major.	large scarlet.	_____	_____	H. h.	Lodd. bot. cab. 624.
	β crispa.	curled.	_____	_____	H. h.	
	γ aurantia.	orange.	_____	_____	H. h.	
	δ obliqua.	oblique-leaved.	_____	_____	H. h.	
	ε prunifolia.	Plum-leaved.	_____	_____	H. h.	
	ζ cucullata.	hollow-leaved.	_____	_____	H. h.	
	η revoluta.	revolute.	_____	_____	H. h.	
	θ ciliata.	fringed.	_____	_____	H. h.	
	ι acutifolia.	acute-leaved.	_____	_____	H. h.	
	κ undulata.	wave-leaved.	_____	_____	H. h.	
	λ tortulifolia.	twisted-leaved.	_____	_____	H. h.	
7	nudiflora. W.	small calyxed.	_____	1734.	_____	H. h.	
	α alba.	early white.	_____	_____	_____	H. h.	
	β albo-plena.	double white.	_____	_____	H. h.	
	γ blanda.	blush-flowered.	_____	_____	H. h.	
	δ carnea.	pale red.	_____	1734.	_____	H. h.	Botan. regist. 120.
	ε caroliniana.	Carolina.	_____	_____	H. h.	
	ζ coccinea.	scarlet.	_____	_____	H. h.	Botan. magaz. 130.
	η corymbosa.	corymb-flower'd.	_____	_____	H. h.	
	θ crispa.	curled.	_____	_____	H. h.	
	ι cumulata.	bundled.	_____	_____	H. h.	
	κ discolor.	two-coloured.	_____	_____	H. h.	
	λ fastigiata.	crowded.	_____	_____	H. h.	
	μ florida.	abundant-fl.	_____	_____	H. h.	
	ν globosa.	globose.	_____	_____	H. h.	
	ξ glomerata.	clustered.	_____	_____	H. h.	
	ο incana.	hoary-leaved.	_____	_____	H. h.	
	π incarnata.	flesh-coloured.	_____	_____	H. h.	
	ρ mirabilis.	wonderful.	_____	_____	H. h.	
	σ montana.	mountain.	_____	_____	H. h.	
	τ pallida.	pale-flowered.	_____	_____	H. h.	
	υ paludosa.	marsh.	_____	_____	H. h.	
	φ papilionacea.	Butterfly.	_____	_____	H. h.	
	χ partita.	five-parted.	_____	_____	H. h.	
	ψ parviflora.	small-flowered.	_____	_____	H. h.	
	ω prolifera.	proliferous.	_____	_____	H. h.	
	αα pumila.	dwarf.	_____	_____	H. h.	
	ββ purpurascens.	purplish.	_____	_____	H. h.	
	γγ purpurea.	purple.	_____	_____	H. h.	
	δδ purpureo-plena.	double purple.	_____	_____	H. h.	
	εε rosea.	rosy.	_____	_____	H. h.	
	ζζ ruberrima.	dark-red.	_____	_____	H. h.	
	ηη rubescens.	reddish.	_____	_____	H. h.	
	θθ rubicunda.	rubicund.	_____	_____	H. h.	
	ιι rubra. B.C.	red-flowered.	_____	_____	H. h.	Lodd. bot. cab. 51.
	κκ rubro-plena.	double-red.	_____	_____	H. h.	
	λλ rufa.	rufous.	_____	_____	H. h.	
	μμ rutilans.	deep red.	_____	_____	H. h.	
	νν semiduplex.	semidouble.	_____	_____	H. h.	
	ξξ staminea.	long-stamened.	_____	_____	H. h.	
	οο stellata.	starry.	_____	_____	H. h.	
	ππ tricolor.	three-coloured.	_____	_____	H. h.	

<i>pp variabilis.</i>	<i>variable.</i>	N.America.	5. 6.	H. h.	
<i>σ variegata.</i>	<i>variegated.</i>	_____	_____	H. h.	
<i>ττ versicolor.</i>	<i>various-coloured.</i>	_____	_____	H. h.	
<i>vv violacea.</i>	<i>violet.</i>	_____	_____	H. h.	
8 <i>bicolor.</i> Ph.	<i>two-coloured.</i>	_____	1734.	_____	H. h.	Trew, ehret. t. 48.
9 <i>viscosa.</i> Ph.	<i>viscid.</i>	_____	_____	7. 8.	H. h.	Meerb. ic. 2. t. 9.
<i>a odorata.</i>	<i>common white.</i>	_____	_____	_____	H. h.	
<i>β crispa.</i>	<i>curled.</i>	_____	_____	_____	H. h.	
<i>γ dealbata.</i>	<i>powdered.</i>	_____	_____	_____	H. h.	
<i>δ vittata.</i>	<i>striped-flowered.</i>	_____	_____	_____	H. h.	
<i>ε penicillata.</i>	<i>pencilled.</i>	_____	_____	_____	H. h.	
<i>ζ variegata.</i>	<i>variegated.</i>	_____	_____	_____	H. h.	
<i>η rubescens.</i>	<i>reddish-flower'd.</i>	_____	_____	_____	H. h.	
<i>θ pubescens.</i>	<i>pubescent.</i>	_____	_____	_____	H. h.	Lodd. bot. cab. 441.
<i>ι fissa.</i>	<i>narrow-petaled.</i>	_____	_____	_____	H. h.	
10 <i>arborescens.</i> Ph.	<i>arborescent.</i>	_____	1818.	5. 7.	H. h.	
11 <i>nitida.</i> Ph.	<i>glossy-leaved.</i>	_____	1812.	6. 8.	H. h.	Botan. regist. 414.
12 <i>glauca.</i> Ph.	<i>glaucous dwarf.</i>	_____	1784.	6.	H. h.	Wats. dend. brit. 5.
13 <i>hispidia.</i> Ph.	<i>tall glaucous.</i>	_____	_____	6. 8.	H. h.	_____ 6.
LOISELEURIA, R.S.	LOISELEURIA.	Pentandria Monogynia, R.S.				
<i>procumbens.</i> R.S.	<i>trailing.</i>	Britain.	4. 5.	H. h.	Eng. bot. 865.
<i>Azalea procumbens.</i> L.	<i>Chamaedon procumbens.</i> L.en.					
AMMYRSINE, Ph.	AMMYRSINE.	Decandria Monogynia, Ph.				
<i>buxifolia.</i> Ph.	<i>box-leaved.</i>	N.America.	1736.	4. 5.	H. h.	Botan. regist. 531.
<i>Ledum buxifolium.</i> w.	<i>Leiophyllum thymifolium.</i> s.s.					
LEDUM, Ph.	LEDUM.	Decandria Monogynia, L.				
1 <i>palustre.</i> w.	<i>marsh.</i>	Europe.	1762.	4. 5.	H. h.	Flor. dan. 1031.
<i>β decumbens.</i>	<i>dwarf.</i>	Hudson's-bay.	—	—	H. h.	
2 <i>latifolium.</i> w.	<i>broad-leaved.</i>	N.America.	1763.	—	H. h.	
BEFARIA, L.	BEFARIA.	Dodecandria Monogynia, L.				
<i>racemosa.</i> s.s.	<i>sweet-scented.</i>	Florida.	1810.	6. 7.	G. h.	Vent. cels. t. 51.
<i>paniculata.</i> M.	<i>Bejaria racemosa.</i> Ph.					
? ITEA, L.	ITEA.	Pentandria Monogynia, L.				
<i>virginica.</i> L.	<i>Virginian.</i>	N.America.	1744.	6. 8.	H. h.	Wats. dend. brit. 12.

ORDO CIX.

EPACRIDEÆ. *Brown prodr. 1. p. 535.*

Sect. I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM, B.P.	DRACOPHYLLUM.	Pentandria Monogynia.				
<i>secundum.</i> B.P.	<i>side-flowering.</i>	N. S. W.	1824.	4. 6.	G. h.	
SPRENGELIA, Sm.	SPRENGELIA.	Pentandria Monogynia.				
<i>incarnata.</i> B.P.	<i>flesh-coloured.</i>	N. S. W.	1793.	4. 6.	G. h.	Botan. magaz. 1719.
ANDERSONIA, B.P.	ANDERSONIA.	Pentandria Monogynia.				
<i>sprengelioides.</i> B.P.	<i>Sprengelia-like.</i>	N. Holland.	1803.	3. 7.	G. h.	Botan. magaz. 1645.
LYSINEMA, B.P.	LYSINEMA.	Pentandria Monogynia.				
1 <i>conspicuum.</i> B.P.	<i>conspicuous.</i>	N. Holland.	1824.	G. h.	
2 <i>pungens.</i> B.P.	<i>pungent.</i>	N. S. W.	1804.	3. 6.	G. h.	Cav. ic. 4. t. 346.
<i>α alba.</i>	<i>white-flowered.</i>	_____	_____	_____	G. h.	Lodd. bot. cab. 38.
<i>Epacris attenuata.</i> B.C.	<i>red-flowered.</i>	_____	_____	_____	G. h.	Botan. magaz. 1199.
<i>β rubra.</i>	<i>red-flowered.</i>	_____	_____	_____	G. h.	
<i>Epacris rosea.</i> B.C.	<i>Epacris pungens.</i> B.M.					
EPACRIS, B.P.	EPACRIS.	Pentandria Monogynia.				
1 <i>purpurascens.</i> B.P.	<i>rigid.</i>	N. S. W.	1803.	2. 6.	G. h.	Botan. magaz. 844.
<i>pungens.</i> B.M.	<i>red-flowered.</i>	_____	_____	_____	G. h.	Lodd. bot. cab. 876.
<i>β rubra.</i>	<i>sweet-scented.</i>	_____	1804.	3. 6.	G. h.	_____ 170.
2 <i>pulchella.</i> B.P.	<i>small-leaved.</i>	_____	1817.	—	G. h.	
3 <i>microphylla.</i> B.P.	<i>crimson.</i>	_____	1803.	1. 6.	G. h.	Botan. magaz. 982.
4 <i>grandiflora.</i> B.P.	<i>impressed.</i>	V. Diem. Isl.	1824.	2. 5.	G. h.	Lab. nov. hol. 1. t. 58.
5 <i>impressa.</i> B.P.						

6 obtusifolia, B.P.	blunt-leaved.	N. S. W.	1804.	4. 6.	G. h.	Sm. exot. bot. 1. t. 40.
7 paludosa, B.P.	marsh.	————	1824.	—	G. h.	
8 exserta, B.P.	exserted.	V. Diem. Isl.	1812.	—	G. h.	

Sect. II. STYPHELIÆ.

TROCHOCARPA, B.P.	TROCHOCARPA.	Pentandria Monogynia.				
laurina, B.P.	Laurel-leaved.	N. S. W.	1820.	G. h.	Linn. trans. 8. t. 9.
	<i>Styphelia cornifolia</i> , L.T.					
MONOTOCA, B.P.	MONOTOCA.	Pentandria Monogynia.				
1 lineata, B.P.	lineated.	V. Diem. Isl.	1804.	5. 8.	G. h.	Lab. nov. hol. 1. t. 61.
2 elliptica, B.P.	elliptic-leaved.	N. S. W.	1802.	—	G. h.	
LEUCOPOGON, B.P.	LEUCOPOGON.	Pentandria Monogynia.				
1 lanceolatus, B.P.	small-flowered.	N. S. W.	1790.	5. 8.	G. h.	Andr. reposit. 287.
	<i>Styphelia parviflora</i> , A.R.					
2 Richei, B.P.	oblong-leaved.	————	1824.	—	G. h.	Lab. nov. hol. 1. t. 60.
3 virgatus, B.P.	twiggy.	————	—	—	G. h.	———— 1. t. 64.
4 amplexicaulis, B.P.	stem-clasping.	————	1815.	—	G. h.	Linn. trans. 8. t. 8.
5 microphyllus, B.P.	small-leaved.	————	1818.	—	G. h.	Cavan. ic. 4. t. 349. f. 2.
6 juniperinus, B.P.	Juniper-leaved.	————	1804.	4. 6.	G. h.	Lodd. bot. cab. 447.
LISSANTHE, B.P.	LISSANTHE.	Pentandria Monogynia.				
1 subulata, B.P.	awl-leaved.	N. S. W.	1823.	4. 7.	G. h.	
2 strigosa, B.P.	strigose.	————	—	—	G. h.	Sm. new holl. 48.
CYATHODES, B.P.	CYATHODES.	Pentandria Monogynia.				
glauca, B.P.	glaucous.	V. Diem. Isl.	1818.	4. 6.	G. h.	Lab. nov. holl. 1. t. 81.
STENANTHERA, B.P.	STENANTHERA.	Pentandria Monogynia.				
pinifolia, B.P.	Pine-leaved.	N. S. W.	1811.	5. 7.	G. h.	Botan. regist. 218.
ASTROLOMA, B.P.	ASTROLOMA.	Pentandria Monogynia.				
humifusum, B.P.	Juniper-leav'd.	N. S. W.	1807.	5. 10.	G. h.	Botan. magaz. 1439.
STYPHELIA, B.P.	STYPHELIA.	Pentandria Monogynia.				
1 tubiflora, B.P.	crimson.	N. S. W.	1802.	5. 8.	G. h.	Sm. new holl. 45. t. 14.
2 triflora, B.P.	three-flowered.	————	1796.	—	G. h.	Botan. magaz. 1297.
3 viridiflora, B.P.	green-flower'd.	————	1791.	4. 6.	G. h.	Andr. reposit. 312.
4 latifolia, B.P.	broad-leaved.	————	1823.	G. h.	
5 longifolia, B.P.	long-leaved.	————	1807.	4. 6.	G. h.	Botan. regist. 24.

*** SUBCLASSIS III. COROLLIFLORÆ. DC.

ORDO CX.

SYMPLOCINEÆ. Don Prodr. p. 144.

SYMPLOCOS, L.H.	SYMPLOCOS.	Polyadelphia Polyandria.	L.			
1 coccinea, K.S.	scarlet.	Mexico.	1825.	S. h.	H. et B. pl. æq. 1. t. 52.
2 tinctoria, w.	Laurel-leaved.	Carolina.	1780.	G. h.	Catesb. car. 1. t. 54.
	<i>Hopea tinctoria</i> , Ph.					
3 sinica, B.R.	Chinese.	China.	1822.	4. 6.	G. h.	Botan. regist. 710.
4 cratægoides, D.P.	Hawthorn-like.	Nepaul.	1824.	G. h.	

ORDO CXI.

STYRACINEÆ. Kth. synops. 2. p. 315.

STYRAX, W.	STORAX.	Decandria Monogynia.	L.			
1 officinale, w.	officinal.	Italy.	1597.	7.	H. h.	Andr. reposit. 631.
2 grandifolium, w.	great-leaved.	N. America.	1765.	—	H. h.	Wats. dend. brit. 129.

3 pulverulentum. M.	powdered.	N.America. 1794.	6. 7.	H. h.	Wats. dend. brit. t. 41.
4 lævigatum. W.	smooth.	—————	1765.	7. 8.	H. h. Botan. magaz. 921.
	<i>glabrum. W.D. 40. non Sw.</i>				
HALESIA. W.	SNOWDROP-TREE.	Dodecandria	Monogynia.	L.	
1 tetraptera. w.	four-winged.	Carolina.	1756.	4. 5.	H. h. Botan. magaz. 910.
2 parviflora. B.R.	small-flower'd.	—————	1812.	5.	H. h. Botan. regist. 952.
3 diptera. w.	two-winged.	N.America. 1758.	4. 5.	H. h.	Cavan. dis. 6. t. 137.

ORDO CXII.

MYRSINEÆ. *Brown prodr. 532.*

MÆSA. J.	MÆSA. Pentandria	Monogynia.			
1 indica.	Indian.	E. Indies.	1812.	2. 6.	S. h. Botan. magaz. 2052.
	<i>Bæobotrys indica. F.I.</i>				
2 tomentosa. D.P.	tomentose.	Nepaul.	1818.	—	S. h.
3 argentea. F.I.	silvery-leaved.	E. Indies.	—	—	S. h.
4 macrophylla. F.I.	large-leaved.	—————	1823.	—	S. h.
JACQUINIA. W.	JACQUINIA.	Pentandria	Monogynia.	W.	
1 arborea. w.	blunt-leaved.	W. Indies.	1820.	—	S. h.
2 armillaris. w.	armed-leaved.	—————	1768.	—	S. h. Jacq. amer. pict. t. 56.
3 aurantiaca. H.K.	orange-color'd.	Sandwich Isl.	1796.	4. 9.	S. h. Botan. magaz. 1639.
4 ruscifolia. w.	Ruscus-leaved.	S. America.	1729.	—	S. h.
5 macrocarpa. Cav.	large capsuled.	—————	1820.	—	S. h. Cavan. ic. 5. t. 483.
ARDISIA. W.	ARDISIA.	Pentandria	Monogynia.	W.	
1 acuminata. w.	acuminate.	Guiana.	1803.	7. 8.	S. h. Botan. magaz. 1678.
	<i>Myrsine Icacorea. R.S.</i>				
2 solanacea. w.	Nightshade-like.	E. Indies.	1798.	6. 9.	S. h. Botan. magaz. 1677.
3 paniculata. F.I.	panicked.	—————	1818.	3. 8.	S. h. Botan. regist. 638.
4 colorata. F.I.	red-flowered	—————	1816.	—	S. h. Lodd. bot. cab. 465.
5 umbellata. F.I.	umbel-flower'd.	—————	1809.	6. 9.	S. h. ———— 531.
	<i>litoralis. A.R. 630.</i>				
6 lancolata. F.I.	leathery-leav'd.	—————	1818.	—	S. h.
7 elegans. A.R.	elegant.	—————	1809.	7. 9.	S. h. Andr. reposit. 623.
	<i>crenata. F.I.</i>				
8 punctata. B.R.	spotted-fl'd.	China.	1823.	6. 9.	S. h. Botan. regist. 827.
9 lentiginosa. B.R.	freckled.	—————	1809.	3. 12.	G. h. ———— 533.
	<i>crenulata. B.C. 2. non Vent. crenata. B.M. 1950.</i>				
10 macrocarpa. F.I.	large-fruited.	Nepaul.	1824.	—	S. h.
11 complanata. F.I.	pubescent.	Pinang.	—	—	S. h.
12 thyrsiflora. D.P.	thyrs-flower'd.	Nepaul.	—	—	S. h.
13 pyramidalis. Cav.	pyramidal.	Santa Cruz.	1818.	4. 9.	S. h. Lodd. bot. cab. 448.
14 excelsa. w.	Laurel-leaved.	Madeira.	1784.	7. 8.	G. h. Gärt. sem. 1. t. 77. f. 1.
	<i>Myrsine Heberdenia. R.S.</i>				
15 serrulata. w.	saw-leaved.	W. Indies.	1820.	—	S. h. Plum. ic. 80.
16 crenulata. v.	crenulated.	Antilles.	1809.	6. 9.	S. h. Venten. choix. t. 5.
17 lateriflora. w.	side-flowering.	W. Indies.	1793.	—	S. h.
18 canaliculata. w.	channelled.	E. Indies.	1824.	4. 8.	S. h. Lodd. bot. cab. 1033.
EMBELIA. L.	EMBELIA.	Pentandria	Monogynia.	L.	
1 robusta. F.I.	robust.	E. Indies.	1823.	—	S. h.
MYRSINE. B.P.	MYRSINE.	Polygamia	Diœcia.	L.	
1 africana. s.s.	African.	C. B. S.	1691.	3. 5.	G. h. Comm. hort. 1. t. 64.
2 retusa. s.s.	round-leaved.	Azores.	1778.	6.	G. h. Venten. cels. 86.
3 semiserrata. F.I.	semiserrate.	Nepaul.	1822.	—	G. h.
4 capitellata. F.I.	axillary headed.	—————	—	—	G. h.
5 bifaria. F.I.	bifarious.	—————	—	—	G. h.
6 subspinosa. D.P.	spiny-leaved.	—————	1823.	—	G. h.
7 coriacea. B.P.	leathery-ld.	Jamaica.	1822.	—	S. h.
	<i>Samara coriacea. Sw.</i>				
8 Samara. s.s.	oval-leaved.	C. B. S.	1770.	11. 2.	G. h.
	<i>Samara pentandra. W.</i>				
9 mclanophleous. s.s.	Laurel-leaved.	—————	1783.	3. 6.	G. h. Jacq. vind. 1. t. 71.
	<i>Sideroxyton mclanophleum. w.</i>				

10	mitis. s.s.	pointed-leav'd.	C. B. S.	6. 9.	G. h.	Botan. magaz. 1858.
	<i>Sideroxylon mite.</i>	B.M. <i>Scleroxylum mite.</i>	w.en. <i>Manglilla Milleriana.</i>	P.S.			
11	venulosa. s.s.	veined-leaved.	_____	1816.	—	G. h.	
12	canariense. s.s.	Canary.	Canaries.	—	—	G. h.	
13	variabilis. B.P.	variable.	N. S. W.	1820.	—	G. h.	

ORDO CXIII.

SAPOTÆ. *Brown prodr. 1. p. 528.*

INOCARPUS. W.	OTAHEITE-CHESTNUT.	Decandria Monogynia.	W.				
<i>edulis.</i> w.	eatable.	South-seaIsl.	1793.	S. h.	Lam. ill. t. 362.	
BUMELIA. S.S.	BUMELIA.	Pentandria Monogynia.	W.				
1	lycioides. s.s.	Boxthorn-ld.	N.America.	1758.	8.	H. h.	Duham. arb. 2. t. 68.
2	oblongifolia. N.	oblong-leaved.	Missisipi.	1818.	7. 8.	H. h.	
3	tenax. R.S.	silvery-leaved.	Carolina.	1765.	—	H. h.	Wats. dend. brit. t. 10.
	<i>chrysophylloides.</i> w.D.	<i>Sideroxylon tenax.</i>	L.				
4	lanuginosa. R.S.	woolly-leaved.	_____	—	—	H. h.	
5	reclinata. s.s.	reclined.	_____	1806.	—	H. h.	Venten. choix. 22.
6	strigosa. s.s.	strigose.	—	G. h.	
	<i>Sideroxylon strigosum.</i>	w.en.					
7	nigra. s.s.	black.	W. Indies.	1806.	S. h.	
8	salicifolia. s.s.	Willow-leav'd.	S. America.	1758.	S. h.	Sloan. hist. 2. t. 206. f. 2.
9	fœtidissima. s.s.	fetid.	W. Indies.	5. 7.	S. h.	
10	rotundifolia. s.s.	round-leaved.	_____	1816.	—	S. h.	
SERSALISIA. B.P.	SERSALISIA.	Pentandria Monogynia.					
<i>sericea.</i> B.P.	silky-leaved.	N.Holland.	1772.	G. h.		
	<i>Sideroxylon sericeum.</i>	w.					
SIDEROXYLON. W.	IRON-WOOD.	Pentandria Monogynia.	L.				
1	inermis. w.	smooth.	C. B. S.	1692.	7.	G. h.	Lam. ill. 2. t. 120. f. 1.
2	tomentosum. w.	tomentose.	E. Indies.	1818.	S. h.	Roxb. corom. 1. t. 28.
ARGANIA. R.S.	ARGANIA.	Pentandria Monogynia.					
<i>Sideroxylum.</i> r.s.	spiny.	Morocco.	1711.	7.	H. h.	Comm. hort. 1. t. 83.	
	<i>Sideroxylum spinosum.</i>	L. <i>Elæodendron Argan.</i>	w.				
CHRYSOPHYLLUM. W.	STAR-APPLE.	Pentandria Monogynia.	L.				
1	Cainito. w.	broad-leaved.	W. Indies.	1737.	5. 6.	S. h.	Jacq. amer. t. 37. f. 1.
	<i>β jamaicensis.</i>	purple-fruited.	_____	—	—	S. h.	_____ t. 52.
	<i>γ cœruleum.</i>	blue-fruited.	_____	—	—	S. h.	_____ t. 37.
	<i>δ microphyllum.</i>	small-leaved.	_____	—	—	S. h.	Jacq. amer. pict. t. 53.
2	monopyrenum. w.	acute-leaved.	_____	1816.	—	S. h.	Burm. amer. t. 69.
3	argenteum. w.	silvery.	Martinico.	1758.	S. h.	Jacq. amer. pict. t. 51.
4	macrophyllum. G.D.	large-leaved.	Sierra Leon.	1822.	S. h.	
5	glabrum. w.	smooth-leaved.	Peru.	1818.	S. h.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P.	NYCTERISITION.	Pentandria Monogynia.					
<i>ferrugineum.</i> R.P.	ferruginous.	S. America.	1823.	S. h.	Flor. peruv. 2. t. 187.	
ACHRAS. J.	SAPOTA.	Hexandria Monogynia.	S.S.				
1	Sapota. w.	common.	S. America.	1731.	4. 6.	S. h.	Jacq. amer. 57. t. 41.
	<i>β Zapotilla.</i> Jacq.	<i>Naseberry-tree.</i>	_____	—	—	S. h.	_____ 57. t. 41. b.
2	australis. B.P.		New Holland.	N. S. W.	1823.	G. h.
LUCUMA. J.	LUCUMA.	Pentandria Monogynia.					
1	mammosum. K.S.	Mammee.	S. America.	1739.	5. 8.	S. h.	Jacq. amer. t. 182. f. 19.
2	Bonplandii. K.S.	Bonpland's.	Havannah.	1822.	S. h.	
3	obovatum. K.S.	obovate-leaved.	Peru.	_____	S. h.	Flor. peruv. 3. t. 239.
4	salicifolium. K.S.	Willow-leaved.	Mexico.	1823.	S. h.	
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia.	L.				
1	Elengi. s.s.	pointed-leaved.	E. Indies.	1796.	5. 7.	S. h.	Roxb. cor. 1. t. 14.
2	dissecta. s.s.	oval-leaved.	South-seaIsl.	1804.	S. h.	
3	hexandra. s.s.	hexandrous.	E. Indies.	1816.	S. h.	
4	Kauki. s.s.	obtusely-leaved.	_____	1796.	5. 8.	S. h.	Rumph. amb. 3. t. 8.
IMBRICARIA. J.	IMBRICARIA.	Octandria Monogynia.					
<i>borbonica.</i> G.	Bourbon.	Bourbon.	1820.	S. h.		
BASSIA. L.	BASSIA.	Dodecandria Monogynia.	L.				
1	longifolia. w.	long-leaved.	E. Indies.	1811.	S. h.	Lam. ill. t. 398.
2	latifolia. w.	broad-leaved.	_____	1799.	S. h.	Roxb. cor. 1. t. 19.
3	butyracea. D.P.	butter-tree.	Nepaul.	1823.	S. h.	

ORDO CXIV.

EBENACEÆ. *Brown prodr.* 1. p. 524.

MABA. J.	MABA. Diœcia Hexandria. W.					
<i>buxifolia</i> . P.S.	Box-leaved.	E. Indies.	1810.	S. h.	Roxb. cor. 1. t. 45.
<i>Ferreola buxifolia</i> . Roxb.						
CARGILLIA. B.P.	CARGILLIA. Polygamia Diœcia.					
<i>australis</i> . B.P.	southern.	N. S. W.	1816.	G. h.	
DIOSPYROS. S.S.	DATE PLUM. Polygamia Diœcia. W.					
1 <i>virginiana</i> . s.s.	Virginian.	N. America.	1629.	6. 7.	H. h.	Wats. dend. brit. 146.
2 <i>pubescens</i> . s.s.	pubescent.	_____	1812.	4.	H. h.	
3 <i>reticulata</i> . s.s.	netted.	Mauritius.	1823.	S. h.	
4 <i>Ebenaster</i> . s.s.	Ebenus-like.	E. Indies.	1792.	S. h.	Rumph. amb. 1. t. 6.
5 <i>melanoxylon</i> . s.s.	black-wooded.	_____	1817.	S. h.	Roxb. cor. 1. t. 46.
6 <i>Ebenum</i> . s.s.	smooth.	_____	1792.	S. h.	Rotb. act. hafn. 2. t. 5.
7 <i>montana</i> . s.s.	mountain.	_____	1819.	S. h.	
8 <i>obovata</i> . s.s.	four-seeded.	W. Indies.	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.
9 <i>sylvatica</i> . s.s.	wood.	E. Indies.	1812.	S. h.	Roxb. cor. 1. t. 47.
10 <i>Embryopteris</i> . s.s.	glutiniferous.	_____	1796.	5. 8.	S. h.	Botan. regist. 499.
<i>Embryopteris glutinifera</i> . B.C. 1. t. 70.						
11 <i>lobata</i> . s.s.	lobed-fruited.	China.	1822.	—	G. h.	
12 <i>vaccinioides</i> . Lod.	Vaccinium-like.	_____	—	—	G. h.	
13 <i>edulis</i> . Lod.	eatable.	E. Indies.	—	S. h.	
14 <i>Lotus</i> . s.s.	European.	Italy.	1596.	6. 7.	H. h.	Mill. ic. t. 116.
15 <i>Kaki</i> . s.s.	Japan.	Japan.	1789.	—	G. h.	Kæmp. amœn. t. 806.
16 <i>hirsuta</i> . s.s.	hairy.	Ceylon.	1816.	S. h.	
17 <i>chloroxylon</i> . s.s.	cluster-flower'd.	E. Indies.	1822.	S. h.	
18 <i>cordifolia</i> . s.s.	heart-leaved.	_____	1794.	S. h.	Roxb. cor. 1. t. 50.
ROYENA. W.	ROYENA. Decandria Digynia. L.					
1 <i>lucida</i> . w.	shining-leaved.	C. B. S.	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.
2 <i>villosa</i> . w.	heart-leaved.	_____	1774.	6. 7.	G. h.	
3 <i>pallens</i> . w.	pale.	_____	1789.	—	G. h.	
4 <i>myrtifolia</i> . Wen.	Myrtle-leaved.	_____	1812.	—	G. h.	
5 <i>glabra</i> . w.	smooth.	_____	1731.	7. 9.	G. h.	Comm. hort. 1. t. 65.
6 <i>pubescens</i> . w.en.	pubescent.	_____	1752.	—	G. h.	Botan. regist. 500.
7 <i>hirsuta</i> . w.en.	hairy-leaved.	_____	—	—	G. h.	Lam. ill. t. 370. f. 2.
8 <i>angustifolia</i> . w.	willow-leaved.	_____	1789.	6. 7.	G. h.	
9 <i>latifolia</i> . w.en.	broad-leaved.	_____	1816.	G. h.	
10 <i>ambigua</i> . v.	obovate-leaved.	_____	1815.	6. 7.	G. h.	Vent. malm. t. 17.
11 <i>polyandra</i> . w.	oval-leaved.	_____	1774.	G. h.	

ORDO CXV.

OLEINÆ. *Brown prodr.* 1. p. 522.

FRAXINUS. W.	ASH-TREE. Polygamia Diœcia. L.					
1 <i>excelsior</i> . w.	common.	Britain.	4. 5.	H. h.	Eng. bot. 1692.
β <i>argentea</i> .	<i>silver-striped</i> .	_____	—	H. h.	
γ <i>pendula</i> .	<i>weeping</i> .	_____	—	H. h.	
δ <i>horizontalis</i> .	<i>horizontal</i> .	_____	—	H. h.	
ε <i>jaspidea</i> .	<i>coloured branch'd</i>	_____	—	H. h.	
ζ <i>erosa</i> .	<i>erose-leaved</i> .	_____	—	H. h.	
2 <i>aurea</i> . w.en.	yellow barked.	H. h.	
3 <i>atrovirens</i> . P.S.	green curl'd-ld.	H. h.	
4 <i>nana</i> . w.en.	dwarf.	H. h.	

5 verrucosa. L.en.	warted.	4. 5.	H. h.	
6 heterophylla. S.S.	various-leaved.	England.	—	H. h.	Eng. bot. 2176.
<i>simplicifolia.</i> E.B.						
7 parvifolia. S.S.	small-leaved.	Levant.	1816.	—	H. h.	
8 lentiscifolia. S.S.	Lentiscus-ld.	Aleppo.	1710.	5. 6.	H. h.	Pluk. alm. t. 182. f. 4.
9 argentea. S.S.	silver-leaved.	Corsica.	1825.	...	H. h.	
10 sambucifolia. S.S.	Elder-leaved.	N.America.	1800.	H. h.	
11 oxycarpa. S.S.	sharp-leaved.	Tauria.	1815.	5. 6.	H. h.	
<i>oxyphylla.</i> M.B.						
12 pallida. S.S.	pale.	N.America.	1818.	H. h.	
13 rufa. S.S.	rufous.	—	1822.	H. h.	
14 fusca. S.S.	brown branch'd.	—	—	H. h.	
15 nigra. S.S.	black-twigged.	—	1818.	4. 6.	H. h.	
16 elliptica. S.S.	elliptic-leaved.	—	1824.	H. h.	
17 ovata. S.S.	oval-leaved.	—	—	H. h.	
18 Richardi. S.S.	Richard's.	—	—	H. h.	
19 alba. S.S.	grey branched.	—	1825.	H. h.	
20 cinerea. S.S.	cinereous.	—	1818.	H. h.	
21 viridis. S.S.	green-branch'd.	—	1816.	H. h.	
22 longifolia. S.S.	long-leaved.	—	1825.	H. h.	
23 rubicunda. S.S.	red-veined.	—	—	H. h.	
24 pulverulenta. S.S.	powdered.	—	—	H. h.	
25 mixta. S.S.	mixed.	—	—	H. h.	
26 expansa. S.S.	expanded.	—	—	H. h.	
27 platycarpa. S.S.	flat-seeded.	—	1816.	4. 6.	H. h.	Catesb. car. t. 80.
28 quadrangulata. S.S.	four-sided.	—	1811.	—	H. h.	Mich. f. arb. ic.
29 epiptera. S.S.	dotted-stalked.	—	—	—	H. h.	— t. 33.
<i>discolor.</i> M.						
30 lancea. Bosc.	lance-leaved.	—	1823.	—	H. h.	
31 pannosa. S.S.	cloth-leaved.	—	1818.	—	H. h.	
32 pubescens. S.S.	pubescent.	—	1783.	5.	H. h.	Du Roi. ed. 2. t. 1.
33 caroliniana. S.S.	Carolina.	—	1811.	4. 6.	H. h.	
34 juglandifolia. S.S.	Walnut-leaved.	—	1783.	—	H. h.	
35 acuminata. S.S.	taper-pointed.	—	1723.	—	H. h.	
36 americana. S.S.	white.	—	—	—	H. h.	
ORNUS. P.S.	FLOWERING ASH. Diandria Monogynia.	P.S.				
1 americana. Ph.	American.	N.America.	1812.	5. 6.	H. h.	
2 europæa. P.S.	European.	Italy.	1710.	—	H. h.	Flor. græc. 1. t. 4.
<i>Fraxinus Ornus.</i> w.						
3 rotundifolia. P.S.	manna.	—	1697.	4. 5.	H. h.	
4 striata.	streak-barked.	1818.	—	H. h.	
<i>Fraxinus striata.</i> S.S.						
5 floribunda.	many-flowered.	Nepaul.	—	H. h.	
<i>Fraxinus floribunda.</i> F.I.						
CHIONANTHUS. S.S.	FRINGE-TREE. Diandria Monogynia.	L.				
1 virginica. w.	smooth-leaved.	N.America.	1736.	5. 7.	H. h.	Catesb. car. 1. t. 68.
2 maritima.	pubescent-ld.	—	—	—	H. h.	Wats. dend. brit. t. 1.
<i>virginica</i> β <i>maritima.</i> Ph.	<i>virginica</i> β <i>angustifolia.</i> w.D.					
3 axillaris. B.P.	axil-flowering.	N. Holland.	1810.	S. h.	
LINOCIERA. S.S.	LINOCIERA. Diandria Monogynia.	S.S.				
1 ligustrina. S.S.	Privet-like.	W. Indies.	1820.	S. h.	
2 cotinifolia. S.S.	Cotinus-leav'd.	Ceylon.	1818.	S. h.	
3 compacta. S.S.	Caribbean.	W. Indies.	1793.	S. h.	Jacq. coll. 2. t. 6. f. 1.
FONTANESIA. S.S.	FONTANESIA. Diandria Monogynia.	W.				
<i>phillyræoides.</i> S.S.	Phillyrea-ld.	Syria.	1787.	6. 8.	H. h.	Wats. dend. brit. t. 2.
NOTELÆA. B.P.	NOTELÆA. Diandria Monogynia.	S.S.				
1 longifolia. B.P.	long-leaved.	N. S. W.	1790.	3. 6.	G. h.	Venten. choix. 25.
<i>Olea apetal.</i> A.R. 316.						
2 ovata. B.P.	oval-leaved.	—	1818.	—	G. h.	
3 ligustrina. B.P.	Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. h.	
4 rigida. R.S.	rigid-leaved.	—	1820.	—	G. h.	
OLEA. B.P.	OLIVE. Diandria Monogynia.	L.				
1 europæa. S.S.	European.	S. Europe.	1570.	6. 8.	G. h.	
α <i>Oleaster.</i> R.S.	<i>spiny-branched.</i>	Portugal.	—	G. h.	Flor. græc. 1. t. 3.
β <i>longifolia.</i> R.S.	<i>long-leaved.</i>	S. Europe.	—	G. h.	Lodd. bot. cab. 456.
γ <i>ferruginea.</i> K.S.	<i>ferruginous.</i>	—	—	G. h.	
δ <i>latifolia.</i> R.S.	<i>broad-leaved.</i>	—	—	G. h.	
ε <i>obliqua.</i> R.S.	<i>oblique-leaved.</i>	—	—	G. h.	
ζ <i>buxifolia.</i> R.S.	<i>Box-leaved.</i>	—	—	G. h.	

2 verrucosa. s.s.	warted.	C. B. S.	1814.	—	G. h.		
3 americana. s.s.	American.	N. America.	1758.	6.	G. h.	Catesb. car. 1. t. 61.	
4 fragrans. s.s.	fragrant.	China.	1771.	6. 8.	G. h.	Botan. magaz. 1552.	
5 lancea. s.s.	lance-leaved.	Mauritius.	1818.	—	S. h.		
6 dioica. F.I.	dæcious.	E. Indies.	—	—	S. h.		
7 capensis. s.s.	Cape.	C. B. S.	1730.	6. 9.	G. h.	Botan. regist. 613.	
8 undulata. s.s.	wave-leaved.	—	—	—	G. h.	Lodd. bot. cab. 379.	
9 emarginata. R.S.	emarginate.	Mauritius.	1816.	—	S. h.		
10 excelsa. s.s.	Laurel-leaved.	Madeira.	1784.	5. 6.	G. h.	Jacq. schœn. 3. t. 251.	
11 cernua. s.s.	drooping-fl.	Mauritius.	1816.	—	S. h.		
12 angustifolia.	narrow-ld.	Phillyrea. S. Europe.	1597.	5. 6.	H. h.	Lam. ill. t. 8. f. 3.	
<i>Phillyrea angustifolia</i> . s.s.							
<i>a lanceolata.</i>	<i>spear-leaved.</i>	—	—	—	H. h.		
<i>β rosmarinifolia.</i>	<i>Rosemary-ld.</i>	—	—	—	H. h.		
<i>γ brachiata.</i>	<i>cross-branched.</i>	—	—	—	H. h.		
13 media. R.S.	twiggy	Phillyrea.	—	—	H. h.		
<i>β buxifolia.</i>	<i>Box-leaved.</i>	—	—	—	H. h.		
14 ligustrifolia. R.S.	Privet-leaved.	—	—	—	H. h.		
15 pendula. R.S.	pendulous.	—	—	—	H. h.		
16 oleæfolia. R.S.	Olive-ld.	Phillyrea.	—	—	H. h.	Pluk. alm. t. 310. f. 5.	
17 lævis. R.S.	smooth-leaved.	—	—	—	H. h.	Duham. arb. t. 125.	
18 latifolia. R.S.	broad-leaved.	—	—	—	H. h.	Flor. græc. t. 2.	
19 obliqua. R.S.	oblique-leaved.	—	—	—	H. h.		
20 spinosa. R.S.	Holly-leaved.	—	—	—	H. h.		
<i>Phillyrea ilicifolia</i> . w.en.							
LIGUSTRUM. W.	PRIVET.	Diandria Monogynia.	L.				
1 vulgare. R.S.	common.	Britain.	—	6. 7.	H. h.	Eng. bot. 764.	
<i>β variegatum.</i>	<i>striped-leaved.</i>	—	—	—	H. h.		
<i>γ angustifolium.</i>	<i>narrow-leaved.</i>	—	—	—	H. h.		
<i>δ leucocarpum.</i>	<i>white-berried.</i>	—	—	—	H. h.		
<i>ε italicum.</i> Mill.	<i>evergreen.</i>	Italy.	—	—	H. h.		
2 lucidum. R.S.	Wax-tree.	China.	1794.	6. 9.	F. h.	Wats. dend. brit. 137.	
SYRINGA. R.S.	LILAC.	Diandria Monogynia.	L.				
1 vulgaris. w.	common.	Persia.	1597.	5.	H. h.	Schk. hand. 1. t. 2.	
<i>a lilacina.</i>	<i>pale-flowered.</i>	—	—	—	H. h.	Botan. magaz. 183.	
<i>β purpurea.</i>	<i>purple-flowered.</i>	—	—	—	H. h.		
<i>γ violacea.</i>	<i>violet.</i>	—	—	—	H. h.		
<i>δ alba.</i>	<i>white-flowered.</i>	—	—	—	H. h.		
<i>ε variegata.</i>	<i>variegated-ld.</i>	—	—	—	H. h.		
2 chinensis. w.	Siberian.	China.	1795.	—	H. h.		
3 persica. w.	Persian.	Persia.	1640.	—	H. h.	Botan. magaz. 486.	
<i>a lilacina.</i>	<i>pale-flowered.</i>	—	—	—	H. h.		
<i>β alba.</i>	<i>white-flowered.</i>	—	—	—	H. h.		
<i>γ laciniata.</i>	<i>cut-leaved.</i>	—	—	—	H. h.	Schmidt arb. 2. t. 79.	

ORDO CXVI.

JASMINEÆ. *Brown prodr.* 1. p. 520.

NYCTANTHES. W.	NYCTANTHES.	Diandria Monogynia.	L.				
arbor tristis. w.	square-stalked.	E. Indies.	1781.	6. 9.	S. h.	Botan. regist. 399.	
JASMINUM. W.	JASMINE.	Diandria Monogynia.	L.				
1 Sambac. s.s.	single Arabian.	E. Indies.	1665.	1. 12.	S. h.	Botan. regist. 1.	
<i>β multiplex.</i>	<i>semidouble.</i>	—	1700.	—	S. h.	Andr. reposit. 497.	
<i>γ trifoliatum.</i>	<i>Tuscan.</i>	—	1730.	—	S. h.	Botan. magaz. 1785.	
2 undulatum. s.s.	wave-leaved.	—	1812.	2. 6.	S. h.	Botan. regist. 436.	
3 hirsutum. s.s.	hairy Indian.	—	1759.	5. 12.	S. h.	Sm. ex. bot. 2. t. 118.	
<i>multiflorum.</i> A.R. 496.							
4 angustifolium. F.I.	narrow-leaved.	—	1816.	1. 12.	S. h.	Rheed. mal. 6. t. 53.	
5 laurifolium. F.I.	Laurel-leaved.	—	—	—	S. h.	Botan. regist. 521.	
6 trinerve. s.s.	three-nerved.	Java.	1804.	4. 6.	S. h.	— 918.	
7 glaucum. s.s.	glaucous.	C. B. S.	1774.	6. 8.	S. h.	Sal. stirp. rar. t. 8.	
8 bracteatum. s.s.	bracteate.	Sumatra.	1820.	—	S. h.		

9	latifolium. s.s.	broad-leaved.	E. Indies.	1817.	—	S. h.	—
10	arborescens. s.s.	arborescent.	—	1824.	S. h.	—
11	scandens. s.s.	scandent.	—	—	S. h.	—
12	simplicifolium. s.s.	simple-leaved.	Society Isl.	3. 6.	S. h.	Botan. magaz. 980.
13	elongatum. s.s.	long-branched.	E. Indies.	1823.	S. h.	—
14	gracile. s.s.	slender.	Norfolk Isl.	1791.	1. 12.	G. h.	Andr. reposit. 127.
15	acuminatum. s.s.	acuminate.	N. Holland.	1820.	6. 9.	G. h.	—
16	auriculatum. s.s.	auriculate.	E. Indies.	1790.	5. 9.	S. h.	Botan. regist. 264.
17	paniculatum. s.s.	variable-ld.	China.	1812.	2. 12.	S. h.	— 690.
18	flexile. s.s.	acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h.	—
19	tortuosum. s.s.	twisting.	C. B. S.	—	—	S. h.	Jacq. schœn. 4. t. 490.
	<i>flexile.</i> Jacq. non w.						
20	campanulatum. s.s.	bell-shaped calyx'd.	—	—	S. h.	—
21	capense. s.s.	Cape.	C. B. S.	1816.	—	G. h.	—
22	azoricum. s.s.	white Azorian.	Madeira.	1724.	4. 11.	G. h.	Botan. regist. 89.
23	dispersum. s.s.	two-seeded.	Nepaul.	1825.	G. h.	—
24	fruticans. s.s.	common yellow.	S. Europe.	1570.	4. 10.	H. h.	Botan. magaz. 461.
25	humile. s.s.	Italian.	1656.	6. 9.	H. h.	Botan. regist. 350.
26	odoratissimum. s.s.	yellow Azorian.	Madeira.	—	5. 11.	G. h.	Botan. magaz. 285.
27	revolutum. s.s.	yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h.	Botan. regist. 178.
	<i>chrysanthemum.</i> F. I.						
28	officinale. s.s.	common white.	E. Indies.	1548.	6. 10.	H. h.	Botan. magaz. 31.
	<i>β leucophyllum.</i>	<i>white-edged.</i>	—	—	H. h.	—
	<i>γ chrysophyllum.</i>	<i>yellow-edged.</i>	—	—	H. h.	—
	<i>δ multipler.</i>	<i>double-blossom'd.</i>	—	1823.	—	H. h.	—
29	grandiflorum. s.s.	Catalonian.	—	1629.	—	G. h.	Botan. regist. 91.

ORDO CXVII.

APOCINEÆ. *Brown prodr. 1. p. 465.*

ALYXIA. B.P.	ALYXIA. Pentandria Monogynia.						
Richardsoni.	Richardson's.	N. Holland.	1823.	4. 6.	S. h.	Botan. regist. ined.	
RAUWOLFIA. S.S.	RAUWOLFIA. Pentandria Monogynia.	W.					
1 nitida. s.s.	shining.	S. America.	1752.	6. 9.	S. h.	Lodd. bot. cab. 339.	
2 ternifolia. s.s.	three-leaved.	—	1822.	—	S. h.	Botan. magaz. 2440.	
3 canescens. s.s.	hoary.	Jamaica.	1739.	S. h.	Plum. ic. t. 236, f. 2.	
4 tomentosa. s.s.	woolly.	S. America.	1823.	S. h.	Jacq. amer. pict. t. 46.	
OPHIOXYLON. W.	OPHIOXYLON. Polygamia Monœcia.	W.					
serpentinum. w.	serpent-wood.	E. Indies.	1690.	5. 6.	S. h.	Botan. magaz. 784.	
STRYCHNOS. S.S.	STRYCHNOS. Pentandria Monogynia.	W.					
1 Nux vomica. s.s.	Poison-nut.	E. Indies.	1778.	S. h.	Roxb. cor. 1. t. 4.	
2 colubrina. s.s.	muricate-fruit'd.	—	1818.	S. h.	Rheed. mal. 7. t. 5.	
3 potatorum. s.s.	clearing-nut.	—	1794.	S. h.	Roxb. cor. 1. t. 5.	
4 madagascariensis. s.s.	Madagascar.	Madagascar.	1818.	S. h.	—	
5 spinosa. s.s.	spiny.	—	1824.	S. h.	—	
6 axillaris. s.s.	axillary-fl'd.	E. Indies.	1818.	S. h.	—	
CARISSA. L.	CARISSA. Pentandria Monogynia.	L.					
1 Carandas. s.s.	Jasmine-fl'd.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 77.	
2 spinarum. s.s.	Box-leaved.	—	1809.	8. 12.	S. h.	Lodd. bot. cab. 162.	
3 ovata. B.P.	oval-leaved.	N. Holland.	1817.	6. 9.	G. h.	—	
4 Xylopicron. s.s.	nerved-leaved.	Mauritius.	1820.	—	S. h.	Aub. Thon. obs. p. 24. ic.	
ARDUINA. L.	ARDUINA. Pentandria Monogynia.	L.					
bispinosa. s.s.	two-spined.	C. B. S.	1760.	3. 8.	G. h.	Mill. ic. 2. t. 300.	
	<i>Carissa Arduina.</i> F. S.						
THEOPHRASTA. S.S.	THEOPHRASTA. Pentandria Monogynia.						
Jussiei. s.s.	Jussieu's.	S. America.	1818.	S. h.	Lind. coll. t. 26.	
GELSEMIUM. J.	GELSEMIUM. Pentandria Monogynia.						
sempervirens. P.S.	evergreen.	N. America.	1640.	6. 7.	G. h.	Catesb. car. 1. t. 53.	
	<i>nitidum.</i> R. S. <i>Bignonia sempervirens.</i> W.						
VALLESIA. R.P.	VALLESIA. Pentandria Monogynia.						
cymbæfolia. r.s.	boat-leaved.	S. America.	1816.	6. 8.	S. h.	Cavan. ic. 3. t. 297.	
	<i>Rauwolfia glabra.</i> W.						

- CERBERA. W.**
1 Ahouai. s.s. oval-leaved. Brazil. 1739. 6. 7. S. ♀. Botan. magaz. 737.
2 ovata. s.s. ovate-leaved. N. Spain. — S. ♀. Cavan. ic. 3. t. 270.
3 fruticosa. s.s. purple-flower'd. Pegu. 1817. 3. 9. S. ♀. Botan. regist. 391.
4 Odallam. L.T. spear-leaved. E. Indies. 1759. 6. 9. S. ♀. Botan. magaz. 1845.
Manghas. B.M. non L.T.
5 lactaria. L.T. Milk-tree. ———— — S. ♀. Rumph. amb. 2. t. 81.
Manghas. G. 2. t. 123 et 124. f. 1. non L.T.
6 laurifolia. B.C. Laurel-leaved. ———— 1819. — S. ♀. Lodd. bot. cab. 989.
7 maculata. A.S.R. waved-leaved. Bourbon. 1782. 6. 7. S. ♀. Andr. reposit. 130.
undulata. A.S.R.
8 thevetioides. s.s. revolute-margin'd. N. Spain. 1820. S. ♀.
9 Thevetia. s.s. linear-leaved. S. America. 1735. S. ♀. Jacq. amer. 48. t. 31.
- OCHROSIA. J.**
1 borbonica. r.s. OCHROSIA. Pentandria Monogynia. R.S. Bourbon. Bourbon. 1823. S. ♀.
Cerbera borbonica. s.s. Ophioxylon Ochrosia. P.S.
- DISSOLENA. R.S.**
1 verticillata. r.s. DISSOLENA. Pentandria Monogynia. r.s. whorl-leaved. China. 1812. S. ♀.
- ALLAMANDA. S.S.**
1 cathartica. s.s. ALLAMANDA. Pentandria Monogynia. L. Willow-leaved. Guiana. 1785. 6. 7. S. ♀. Botan. magaz. 338.
2? verticillata. s.s. whorl-leaved. E. Indies. 1812. S. ♀.
Nerium tinctorium. Hort.
- VINCA. R.S.**
1 herbacea. r.s. PERIWINKLE. Pentandria Monogynia. L. herbaceous. Hungary. 1816. 6. 7. H. ♀. Botan. regist. 301.
2 minor. r.s. lesser. Britain. 3. 9. H. ♀. Eng. bot. 917.
α cœrulea. blue-flowered. ———— — H. ♀.
β alba. white-flowered. ———— — H. ♀.
γ atropurpurea. dark-purple. ———— — H. ♀.
δ multiplex. double-flowered. ———— — H. ♀.
ε variegata. variegated. ———— — H. ♀.
3 major. r.s. greater. England. — H. ♀. Eng. bot. 514.
4 pusilla. r.s. small-flowered. E. Indies. 1778. 8. S. ☉. Rheed. mal. 9. t. 33.
parviflora. w. Madagascar. ———— 1756. 3. 10. S. ♀. Botan. magaz. 248.
rosea. r.s. white-flowered. ———— ———— S. ♀.
β alba. red-eyed. ———— ———— S. ♀.
γ ocellata. ———— ———— S. ♀.
- WRIGHTIA. S.S.**
1 antidyenterica. s.s. WRIGHTIA. Pentandria Monogynia. S.S. oval-leaved. E. Indies. 1778. S. ♀. Burm. zeyl. t. 77.
2 zeylanica. s.s. spear-leaved. ———— S. ♀. ———— t. 12. f. 2.
3 dubia. s.s. doubtful. ———— 5. 8. S. ♀. Botan. magaz. 1646.
Cameraria dubia. B.M.
4 coccinea. scarlet. ———— 1820. 6. 8. S. ♀. Lodd. bot. cab. 894.
Nerium coccineum. B.C.
5 tinctoria. s.s. dyer's. ———— 1812. — S. ♀. Botan. regist. 933.
- STROPHANTHUS. D.C.**
1 dichotomus. DC. forked. China. 1816. 2. 10. S. ♀. Botan. regist. 469.
2 sarmentosus. DC. sarmentose. Sierra Leon. 1822. S. ♀. Desf. an. mus. 1. t. 27.
- NERIUM. R.S.**
1 Oleander. r.s. OLEANDER. Pentandria Monogynia. L. common. S. Europe. 1596. 6. 10. G. ♀. Flor. græc. t. 248.
β alba. white-flowered. ———— ———— G. ♀. Lodd. bot. cab. 700.
γ splendens. double-hybrid. Hybrid. 1815. — G. ♀. Botan. regist. 74.
2 odorum. r.s. sweet-scented. E. Indies. 1683. 6. 8. S. ♀. Rheed. mal. 9. t. 2.
β carneum. flesh-coloured. ———— 1816. — S. ♀. Botan. magaz. 2032.
γ flore pleno. double-flowered. ———— ———— S. ♀. Rheed. mal. 9. t. 1.
3 flavescens. r.s. yellowish. 1816. — S. ♀.
- TABERNÆMONTANA. TABERNÆMONTANA. Pentandria Monogynia. L.**
1 citrifolia. r.s. Citron-leaved. Jamaica. 1734. 5. 8. S. ♀. Plum. ic. t. 248. f. 2.
2 alba. r.s. white-flow'r'd. W. Indies. 1780. — S. ♀. Jacq. amer. t. 175. f. 13.
citrifolia. Jacq. non L.
3 laurifolia. r.s. Laurel-leaved. ———— 1768. — S. ♀. Botan. regist. 716.
4 cymosa. r.s. cyme-flowered. S. America. 1820. S. ♀. Jacq. amer. t. 181. f. 14.
5 amygdalifolia. r.s. Peach-leaved. ———— 1780. 4. 8. S. ♀. Botan. regist. 338.
6 discolor. r.s. two-coloured. Jamaica. 1822. — S. ♀.
7 arcuata. r.s. arch'd follicled. Peru. 1820. — S. ♀. Flor. peruv. 2. t. 143.
8 crispata. L.T. wave-leaved. E. Indies. 1818. 5. 10. S. ♀. Rheed. mal. 1. t. 46.
9 coronaria. L.T. broad-leaved. ———— 1710. 6. 10. S. ♀. Lodd. bot. cab. 406.
β flore pleno. double-flowered. ———— ———— S. ♀. Botan. magaz. 1865.
Nerium coronarium. B.M.
10 undulata. r.s. waved. Trinidad. 1824. ... S. ♀.

11	odorata. s.s.	yellow-flow'r'd.	Cayenne.	1793.	10. 11.	S. h.	Aub. guian. 1. t. 102.
	<i>Cameraria lutea</i> . w.	<i>Cameraria Tunaquarina</i> .	Ambr.				
CAMERARIA. S.S. BASTARD MANGENEEL. Pentandria Monogynia. L.							
1	latifolia. s.s.	broad-leaved.	Havannah.	1733.	8.	S. h.	Andr. reposit. 261.
2	angustifolia. s.s.	narrow-leaved.	S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
AMSONIA. R.S. AMSONIA. Pentandria Monogynia. P.S.							
1	latifolia. r.s.	broad-leaved.	N. America.	1759.	5. 6.	H. 4.	Botan. regist. 151.
2	salicifolia. r.s.	Willow-leaved.	————	1812.	————	H. 4.	Botan. magaz. 1873.
3	angustifolia. r.s.	hairy-stalked.	————	1774.	————	H. 4.	Venten. choix. 29.
PLUMERIA. S.S. PLUMERIA. Pentandria Monogynia. L.							
1	rubra. r.s.	red-flowered.	Jamaica.	1690.	7. 8.	S. h.	Botan. regist. 780.
2	purpurea. r.s.	purple.	Peru.	1820.	————	S. h.	Flor. peruv. 2. t. 137.
3	acuminata. H.K.	acnte-leaved.	E. Indies.	1790.	6. 9.	S. h.	Botan. regist. 114.
	<i>acutifolia</i> . r.s.						
4	obtusa. r.s.	blunt-leaved.	W. Indies.	1733.	7. 8.	S. h.	Catesb. car. 1. t. 93.
5	alba. r.s.	white.	Jamaica.	————	7. 8.	S. h.	Jacq. amer. t. 174. f. 2.
6	bicolor. R.P.	two-coloured.	S. America.	1815.	6. 9.	S. h.	Botan. regist. 480.
7	tricolor. R.P.	three-coloured.	————	————	————	S. h.	———— 510.
8	lutea. R.P.	yellow-flow'r'd.	————	————	————	S. h.	Flor. peruv. 2. t. 142.
9	pubica. r.s.	wax-flowered.	————	————	7. 8.	S. h.	
10	longifolia. R.S.	long-leaved.	Madagascar.	1816.	————	S. h.	
11	tuberculata. B.C.	tuberled.	S. America.	1820.	6. 8.	S. h.	Lodd. bot. cab. 681.
12	tenuifolia. Lod.	slender-leaved.	————	————	————	S. h.	
13	Northiana. Lod.	North's.	————	————	————	S. h.	
14	mexicana. B.C.	Mexican.	Mexico.	————	6. 9.	S. h.	Lodd. bot. cab. 1024.
15	Blandfordiana. Lod.	Blandford's.	S. America.	————	————	S. h.	
16	nivea. Lod.	snowy white.	————	————	6. 8.	S. h.	
17	conspicua. Lod.	conspicuous.	————	————	————	S. h.	
18	macrophylla. Lod.	large-leaved.	————	————	————	S. h.	
19	leucantha. Lod.	white-blossom'd.	————	————	————	S. h.	
PRESTONIA. S.S. PRESTONIA. Pentandria Monogynia. S.S.							
1	fomentosa. s.s.	tomentose.	Brazil.	1820.	5. 8.	S. h. ∪	
2	glabrata. s.s.	smooth.	S. America.	1823.	————	S. h. ∪	
ALSTONIA. S.S. ALSTONIA. Pentandria Monogynia. S.S.							
1	scholaris. s.s.	whorl-leaved.	E. Indies.	1816.	····	S. h.	Rheed. mal. 1. t. 45.
2	venenata. s.s.	poisonous.	————	1823.	····	S. h.	
THENARDIA. K.S. THENARDIA. Pentandria Monogynia.							
	floribunda. K.S.	abundant-fl'd.	Mexico.	1823.	····	S. h. ∪	H. et B. 3. t. 240.
ECHITES. R.S. ECHITES. Pentandria Monogynia. L.							
1	longiflora. s.s.	long-flowered.	Brazil.	1816.	5. 8.	S. h. ∪	
2	bispinosa. s.s.	two-spined.	C. B. S.	1795.	7. 11.	S. h.	
3	succulenta. s.s.	succulent.	————	1820.	————	S. h.	Th.n.act.pet.14.t.9.f.2.
4	tuberosa. H.S.S.	tuberous-root'd.	————	1813.	····	S. h. ∪	
5	biflora. s.s.	twin-flowered.	W. Indies.	1793.	7. 8.	S. h. ∪	Jacq. amer. 30. t. 21.
6	umbellata. s.s.	umbelled.	Jamaica.	1733.	7.	S. h. ∪	———— 30. t. 22.
7	torosa. s.s.	climbing.	————	1778.	6. 8.	S. h. ∪	Jacq. amer. 33. t. 27.
8	suberecta. s.s.	Savanna-flr.	————	1759.	————	S. h. ∪	Botan. magaz. 1064.
9	caryophyllata. s.s.	Clove-scented.	E. Indies.	1812.	9. 11.	S. h. ∪	———— 1919.
10	difformis. s.s.	deformed.	Carolina.	1806.	6. 7.	G. h. ∪	
11	reticulata. s.s.	netted-leaved.	E. Indies.	1818.	————	S. h. ∪	
12	Heynii. s.s.	Heyne's.	————	————	————	S. h. ∪	
13	frutescens. H.B.	frutescent.	————	1816.	————	S. h. ∪	
14	paniculata. H.B.	panicled.	————	————	————	S. h. ∪	
BEAUMONTIA. B.R. BEAUMONTIA. Pentandria Monogynia.							
1	grandiflora. B.R.	oval-leaved.	E. Indies.	1812.	5. 7.	S. h. ∪	Botan. regist. 911.
2	longifolia. Lod.	long-leaved.	————	1818.	····	S. h. ∪	
HEMADICTYON. H.T. HEMADICTYON. Pentandria Monogynia.							
	venosum. H.T.	red-veined.	W. Indies.	1820.	4. 8.	S. h. ∪	Botan. magaz. 2473.
	<i>Echites nutans</i> . B.M.						
VALLARIS. S.S. VALLARIS. Pentandria Monogynia. S.S.							
	Pergulans. s.s.	smooth-leaved.	E. Indies.	1818.	····	S. h. ∪	Rumph. amb. 5. t. 29.
	<i>Pergularia glabra</i> . w.	<i>Emericia Pergularia</i> .	R.S.				
ICHNOCARPUS. S.S. ICHNOCARPUS. Pentandria Monogynia. S.S.							
	frutescens. s.s.	shrubby.	E. Indies.	1759.	7. 8.	S. h.	Burm. zeyl. t. 12. f. 1.
PARSONSIA. R.S. PARSONSIA. Pentandria Monogynia. R.S.							
1	corymbosa. R.S.	corymb-flow'r'd.	W. Indies.	1820.	6. 8.	S. h. ∪	Jacq. amer. pict. t. 37.
	<i>Echites corymbosa</i> . Jacq.						
2	floribunda. R.S.	many-flowered.	Jamaica.	————	————	S. h.	
	<i>Echites floribunda</i> . w.						

WILLUGHBEIA. S.S.	WILLUGHBEIA.	Pentandria Monogynia. S.S.			
<i>edulis. s.s.</i>	<i>eatable.</i>	<i>E. Indies. 1818.</i>	<i>6. 8.</i>	<i>S. h. ∞.</i>	
LYONIA. B.P.	LYONIA.	Pentandria Monogynia. S.S.			
<i>straminea. B.P.</i>	<i>climbing.</i>	<i>N. S. W. 1820.</i>	<i>6. 8.</i>	<i>S. h. ∞.</i>	
MELODINUS. R.S.	MELODINUS.	Pentandria Mono-Digynia.			
<i>1 scandens. R.S.</i>	<i>climbing.</i>	<i>N. Caledonia. 1775.</i>		<i>S. h. ∞.</i>	<i>Lam. ill. t. 179.</i>
<i>2 monogynus. B.R.</i>	<i>one-styled.</i>	<i>E. Indies. 1816.</i>	<i>4. 8.</i>	<i>S. h. ∞.</i>	<i>Botan. regist. 834.</i>
APOCYNUM. S.S.	DOG'S-BANE.	Pentandria Monogynia. R.S.			
<i>1 androsæmifolium. s.s.</i>	<i>Tutsan-leaved.</i>	<i>N. America. 1688.</i>	<i>7. 9.</i>	<i>H. 2.</i>	<i>Botan. magaz. 280.</i>
<i>2 cannabinum. s.s.</i>	<i>Hemp-like.</i>	<i>————— 1699.</i>	<i>7. 9.</i>	<i>H. 2.</i>	<i>Moris. s. 15. t. 3. f. 14.</i>
<i>3 hypericifolium. s.s.</i>	<i>Hypericum-ld.</i>	<i>————— 1758.</i>	<i>6. 7.</i>	<i>H. 2.</i>	<i>Jacq. vind. 3. t. 66.</i>
<i>4 venetum. s.s.</i>	<i>Venetian.</i>	<i>Adriatic Isl. 1690.</i>	<i>————</i>	<i>H. 2.</i>	<i>Lob. ic. 372. f. 1. 2.</i>

ORDO CXVIII.

ASCLEPIADEÆ. *Brown prodr. 1. p. 458.*

PERIPLOCA. R.S.	PERIPLOCA.	Pentandria Digynia. L.			
<i>1 græca. R.S.</i>	<i>Virginian-silk.</i>	<i>Syria. 1597.</i>	<i>7. 8.</i>	<i>H. h. ∞.</i>	<i>Botan. regist. 803.</i>
<i>2 mauritiana. R.S.</i>	<i>long-leaved.</i>	<i>Mauritins. 1823.</i>		<i>S. h. ∞.</i>	<i>Rheed. mal. 9. t. 11.</i>
<i>3 lævigata. R.S.</i>	<i>smooth.</i>	<i>Canaries. 1779.</i>	<i>6. 8.</i>	<i>G. h. 2.</i>	<i>Cavan. ic. 3. t. 217.</i>
HEMIDESMUS. R.S.	HEMIDESMUS.	Pentandria Digynia. R.S.			
<i>indicus. R.S.</i>	<i>Indian.</i>	<i>Ceylon. 1796.</i>		<i>S. h. 2.</i>	<i>Burm. zeyl. t. 83. f. 1.</i>
CRYPTOSTEGIA. B.R.	CRYPTOSTEGIA.	Pentandria Digynia. S.S.			
<i>grandiflora. B.R.</i>	<i>large-flowered.</i>	<i>E. Indies. 1812.</i>	<i>6. 8.</i>	<i>S. h. ∞.</i>	<i>Botan. regist. 435.</i>
SECAMONE. R.S.	SECAMONE.	Pentandria Digynia. R.S.			
<i>1 emetica. R.S.</i>	<i>narrow-leaved.</i>	<i>India. 1816.</i>		<i>S. h. 2.</i>	<i>Willd. phyt. 1. t. 5. f. 2.</i>
<i>2 ægyptiaca. H.K.</i>	<i>Egyptian.</i>	<i>Egypt. 1752.</i>	<i>7.</i>	<i>G. h. ∞.</i>	<i>Alp. ægypt. t. 134.</i>
<i>Alpini. R.S.</i>	<i>Periploca Secamone. W.</i>				
DUVALLIA. H.S.S.	DUVALLIA.	Pentandria Digynia. H.S.			
<i>1 reclinata. H.S.</i>	<i>reclined.</i>	<i>C. B. S. 1795.</i>	<i>8. 10.</i>	<i>D.S. h. 2.</i>	<i>Botan. magaz. 1397.</i>
<i>2 elegans. H.S.</i>	<i>elegant.</i>	<i>—————</i>	<i>————</i>	<i>D.S. h. 2.</i>	<i>————— 1184.</i>
<i>Stapelia elegans. B.M.</i>					
<i>3 hirtella. s.s.</i>	<i>hairy.</i>	<i>—————</i>	<i>————</i>	<i>D.S. h. 2.</i>	
<i>Stapelia hirtella. Jacq.</i>					
<i>4 cæspitosa. H.S.</i>	<i>tufted.</i>	<i>————— 1790.</i>	<i>8. 11.</i>	<i>D.S. h. 2.</i>	<i>Mass. stap. 20. t. 29.</i>
<i>5 radiata. H.S.</i>	<i>radiated.</i>	<i>————— 1795.</i>	<i>9. 11.</i>	<i>D.S. h. 2.</i>	<i>Botan. magaz. 619.</i>
<i>6 replicata. s.s.</i>	<i>replicate.</i>	<i>————— 1806.</i>	<i>8. 10.</i>	<i>D.S. h. 2.</i>	
<i>Stapelia replicata. Jacq.</i>					
<i>7 mastodes. s.s.</i>	<i>teat.</i>	<i>————— 1821.</i>	<i>————</i>	<i>D.S. h. 2.</i>	
<i>8 Jacquiniana. R.S.</i>	<i>Jacquin's.</i>	<i>————— 1802.</i>	<i>7. 9.</i>	<i>D.S. h. 2.</i>	<i>Jacq. stap. t. 37.</i>
<i>Stapelia radiata. Jacq. non B.M.</i>					
<i>9 tuberculata. H.S.S.</i>	<i>tubercled.</i>	<i>————— 1774.</i>	<i>7. 11.</i>	<i>D.S. h. 2.</i>	
<i>10 lævigata. H.S.S.</i>	<i>smooth.</i>	<i>————— 1808.</i>	<i>————</i>	<i>D.S. h. 2.</i>	
<i>11 glomerata. H.S.S.</i>	<i>clustered.</i>	<i>—————</i>	<i>————</i>	<i>D.S. h. 2.</i>	
<i>12 compacta. H.S.S.</i>	<i>compact.</i>	<i>————— 1800.</i>	<i>8. 11.</i>	<i>D.S. h. 2.</i>	
PECTINARIA. H.S.S.	PECTINARIA.	Pentandria Digynia. H.S.			
<i>articulata. H.S.S.</i>	<i>jointed.</i>	<i>C. B. S. 1774.</i>	<i>8. 9.</i>	<i>D.S. h. 2.</i>	<i>Mass. stap. 20. t. 30.</i>
<i>Stapelia articulata. Mas.</i>					
ORBEA. H.S.	ORBEA.	Pentandria Digynia. H.S.			
<i>1 maculosa. H.S.</i>	<i>spotted.</i>	<i>C. B. S. 1804.</i>	<i>6. 9.</i>	<i>D.S. h. 2.</i>	<i>Botan. magaz. 1833.</i>
<i>2 mixta. H.S.</i>	<i>mixed.</i>	<i>————— 1795.</i>	<i>————</i>	<i>D.S. h. 2.</i>	<i>Mass. stap. 23. t. 38.</i>
<i>Stapelia mixta. Mas.</i>					
<i>3 mutabilis. s.s.</i>	<i>changeable.</i>	<i>————— 1823.</i>	<i>6. 9.</i>	<i>D.S. h. 2.</i>	<i>Jacq. stap. ic.</i>
<i>Stapelia mutabilis. Jacq.</i>					
<i>4 quinquenervia. H.S.</i>	<i>five-nerved.</i>	<i>————— 1810.</i>	<i>10. 12.</i>	<i>D.S. h. 2.</i>	
<i>5 bisulca. H.S.</i>	<i>bisulcate.</i>	<i>————— 1806.</i>	<i>————</i>	<i>D.S. h. 2.</i>	
<i>6 variegata. H.S.</i>	<i>variegated.</i>	<i>————— 1727.</i>	<i>6. 10.</i>	<i>D.S. h. 2.</i>	<i>Moris. s. 15. t. 3. f. 4.</i>
<i>Stapelia variegata. L. non B.M.</i>					
<i>7 Curtisii. H.S.</i>	<i>Curtis's.</i>	<i>————— 1787.</i>	<i>————</i>	<i>D.S. h. 2.</i>	<i>Botan. magaz. 26.</i>
<i>Stapelia variegata. B.M.</i>					
<i>8 lepida. H.S.S.</i>	<i>pretty.</i>	<i>————— 1865.</i>	<i>7. 8.</i>	<i>D.S. h. 2.</i>	<i>Jacq. stap. ic.</i>
<i>9 orbicularis. H.S.</i>	<i>large orb'd.</i>	<i>————— 1799.</i>	<i>7. 11.</i>	<i>D.S. h. 2.</i>	<i>Andr. reposit. 448.</i>

10	bufonia. H.S.	toad-like.	C. B. S.	1806.	8. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1676.
	<i>Stapelia Bufonis</i> . B.M.						
11	clypeata. H.S.S.	shield-flower'd.	—	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
12	planiflora. H.S.S.	flat-flowered.	—	1805.	7. 11.	D.S. $\frac{1}{2}$.	— c. ic.
13	inodora. H.S.S.	scentless.	—	1788.	6. 8.	D.S. $\frac{1}{2}$.	—
14	rugosa. S.S.	rugged.	—	1805.	5. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
15	Wendlandiana. R.S.	Wendland's.	—	—	6. 9.	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 52.
	<i>Stapelia rugosa</i> . Wend. non Jacq.						
16	marginata. R.S.	margin'd.	—	1805.	—	D.S. $\frac{1}{2}$.	—
17	conspurcata. R.S.	dirty'd.	—	1795.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
18	normalis. R.S.	sulphur-col'd.	—	1821.	—	D.S. $\frac{1}{2}$.	Botan. regist. 755.
19	marmorata. R.S.	marbled.	—	—	—	D.S. $\frac{1}{2}$.	—
20	retusa. H.S.	retuse.	—	1808.	9. 10.	D.S. $\frac{1}{2}$.	—
21	anguinea. H.S.	snake.	—	1806.	8. 9.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 328.
22	picta. H.S.	painted.	—	1799.	6. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 1169.
23	Woodfordiana. H.S.	Woodford's.	—	1805.	—	D.S. $\frac{1}{2}$.	—
24?	arida. S.S.	dry.	—	1795.	8.	D.S. $\frac{1}{2}$.	Mass. stap. 21. t. 33.
	<i>Stapelia arida</i> . Mas.						
25?	aperta. S.S.	open-flower'd.	—	—	7. 8.	D.S. $\frac{1}{2}$.	— 23. t. 37.
	<i>Stapelia aperta</i> . Mas.						
STAPELIA. H.S.		CARRION-FLOWER. Pentandria Digynia. L.					
1	grandiflora. R.S.	great-flowered.	C. B. S.	1795.	9. 12.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 11.
2	spectabilis. H.S.	showy.	—	1802.	—	D.S. $\frac{1}{2}$.	Botan. magaz. 585.
	<i>grandiflora</i> . B.M. non Mas.						
3	ambigua. R.S.	ambiguous.	—	1795.	6. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 12.
4	sororia. R.S.	sister.	—	1797.	6. 8.	D.S. $\frac{1}{2}$.	— 23. t. 39.
5	patula. R.S.	spreading.	—	—	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>sororia</i> . Jacq. non Mas.						
6	deflexa. B.M.	deflexed.	—	1806.	—	D.S. $\frac{1}{2}$.	Botan. magaz. 1890.
	<i>reflexa</i> . H.S.						
7	lucida. R.S.	glossy.	—	1821.	—	D.S. $\frac{1}{2}$.	—
8	brevirostris. W.en.	short-beaked.	—	—	D.S. $\frac{1}{2}$.	—
9	Massoni. H.S.	Masson's.	—	1808.	—	D.S. $\frac{1}{2}$.	—
10	Asterias. R.S.	Starfish.	—	1795.	5. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 536.
11	stellaris. H.S.S.	starry.	—	1804.	8. 10.	D.S. $\frac{1}{2}$.	—
12	hirsuta. R.S.	hairy.	—	1710.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. misc. 1. t. 3.
	β <i>atra</i> . B.R. dark-flowered.						
13	lanifera. H.S.S.	woolly-flow'r'd.	—	1814.	6. 9.	D.S. $\frac{1}{2}$.	—
14	flavicomata. H.S.S.	yellow-haired.	—	1810.	—	D.S. $\frac{1}{2}$.	—
15	hamata. R.S.	hooked.	—	1805.	—	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 242.
16	comata. R.S.	very-hairy.	—	1821.	—	D.S. $\frac{1}{2}$.	—
17	rufa. R.S.	rusty brown.	—	1795.	6. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 239.
18	pulvinata. R.S.	cushioned.	—	—	—	D.S. $\frac{1}{2}$.	Botan. magaz. 1240.
19	fissirostris. R.S.	cloven-beaked.	—	1821.	—	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
20	pilifera. R.S.	hairy-tubercled.	—	1790.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 17. t. 23.
21	concinna. R.S.	spruce.	—	1795.	—	D.S. $\frac{1}{2}$.	— 15. t. 18.
22	glandulifera. R.S.	hairy-glanded.	—	—	—	D.S. $\frac{1}{2}$.	—
23	hispidula. R.S.	hispid.	—	1821.	—	D.S. $\frac{1}{2}$.	—
24	glanduliflora. R.S.	gland-flowered.	—	1795.	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 16. t. 19.
25	acuminata. R.S.	acuminated.	—	—	7. 9.	D.S. $\frac{1}{2}$.	— 15. t. 17.
26?	ramosa. R.S.	branched.	—	—	6. 8.	D.S. $\frac{1}{2}$.	— 21. t. 32.
27?	mammillaris. R.S.	mammillary.	—	1774.	—	D.S. $\frac{1}{2}$.	Burm. afr. 27. t. 11.
28?	cordata. H.S.	heart-shaped.	—	1805.	—	D.S. $\frac{1}{2}$.	—
29?	canescens. H.S.	canescent.	—	1795.	—	D.S. $\frac{1}{2}$.	—
30?	ophiuncula. H.S.	serpent-like.	—	1805.	—	D.S. $\frac{1}{2}$.	—
TRIDENTEA. H.S.		TRIDENTEA. Pentandria Digynia. H.S.					
1	gemmiflora. H.S.	gem-flowered.	C. B. S.	1795.	10. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 14. t. 15.
2	stygia. H.S.	Stygian.	—	1800.	8. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1839.
	<i>Stapelia gemmiflora</i> . β . B.M.						
3	moschata. H.S.S.	musk-scented.	—	1799.	9. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 1051.
	<i>Stapelia hirsuta</i> . Jacq.						
4	vetula. H.S.	purple smooth.	—	1793.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 16.
5	Simsii. H.S.	Sims's.	—	1800.	—	D.S. $\frac{1}{2}$.	Botan. magaz. 1234.
	<i>Stapelia vetula</i> . B.M.						
6?	paniculata. R.S.	panicled.	—	1805.	6. 9.	D.S. $\frac{1}{2}$.	—
7?	juvencula. S.S.	short-flowered.	—	—	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
8?	depressa. R.S.	depressed.	—	—	D.S. $\frac{1}{2}$.	— c. ic.
TROMOTRICHE. H.S.		TROMOTRICHE. Pentandria Digynia. H.S.					
1	fuscata. H.S.S.	brown-flow'r'd.	C. B. S.	1814.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
	<i>Stapelia fuscata</i> . Jacq.						

2	glauca. H.S.	large glaucous.	C. B. S.	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
3	revoluta. H.S.	revolute-fl'd.	————	1790.	6. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 724.
	<i>Stapelia revoluta.</i> B.M.						
4?	pruinosa. H.S.	frosted.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 41.
5	obliqua. R.S.	oblique-flow'r'd.	————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
PODANTHES. H.S. PODANTHES. Pentandria Digynia. H.S.							
1	pulchra. H.S.	beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S. $\frac{1}{2}$.	
	β major.	larger.	————	————	————	D.S. $\frac{1}{2}$.	Botan. magaz. 786.
	<i>Stapelia verrucosa.</i> B.M. nec aliorum.						
2	irrorata. H.S.	dewy.	————	1795.	7. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 12. t. 9.
3	verrucosa. H.S.	warted.	————	————	8. 10.	D.S. $\frac{1}{2}$.	———— 11. t. 8.
4	roriflua. R.S.	dew-bearing.	————	1802.	————	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
	<i>Stapelia roriflua.</i> Jacq.						
5	pulchella. H.S.	beautiful.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 36.
6	incarnata. S.S.	flesh-coloured.	————	1793.	4. 8.	D.S. $\frac{1}{2}$.	———— 22. t. 34.
7?	ciliata. H.S.	fringed.	————	1795.	10. 12.	D.S. $\frac{1}{2}$.	———— 9. t. 1.
	<i>Stapelia ciliata.</i> Mas.						
OBESIA. H.S. OBESIA. Pentandria Digynia. H.S.							
1	serrulata. S.S.	sawed.	C. B. S.	1805.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
	<i>Stapelia serrulata.</i> Jacq.						
2	geminata. H.S.	twin-flowered.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 1326.
	<i>Stapelia geminata.</i> B.M.						
3	decora. H.S.	neat.	————	————	————	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 26.
GONOSTEMON. H.S. GONOSTEMON. Pentandria Digynia. H.S.							
1	divaricatum. H.S.	divaricated.	C. B. S.	1793.	6. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 1007.
	<i>Stapelia divaricata.</i> B.M.						
2	strictum. H.S.S.	upright.	————	1819.	10. 12.	D.S. $\frac{1}{2}$.	Botan. magaz. 2037.
	<i>Stapelia stricta.</i> B.M.						
3	pallidum. R.S.	pale-flowered.	————	————	————	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 51.
4?	Gordonii. S.S.	Gordon's.	————	1796.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 40.
	<i>Stapelia Gordonii.</i> Mas.						
CARUNCULARIA. H.S. CARUNCULARIA. Pentandria Digynia. H.S.							
	pedunculata. H.S.	long-peduncul'd.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 793.
	<i>Stapelia pedunculata.</i> B.M.						
PIARANTHUS. B. PIARANTHUS. Pentandria Digynia. H.S.							
1	punctatus. B.S.	purple dotted.	C. B. S.	1795.	7. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 18. t. 24.
2	pullus. R.S.	many-flowered.	————	1774.	8. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 1648.
	<i>Stapelia pulla.</i> B.M.						
3?	parviflorus. S.S.	small-flowered.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 35.
HUERNIA. B. HUERNIA. Pentandria Digynia. R.S.							
1	reticulata. H.S.	netted.	C. B. S.	1793.	7. 8.	D.S. $\frac{1}{2}$.	Botan. magaz. 1662.
	<i>Stapelia reticulata.</i> B.M.						
2	campanulata. H.S.	bell-shaped.	————	1795.	7. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1227.
3	clavigera. H.S.S.	club-haired.	————	————	————	D.S. $\frac{1}{2}$.	———— 1661.
	<i>Stapelia campanulata.</i> B.M. nec aliorum.						
4	venusta. H.S.	showy.	————	————	6. 7.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 3.
5	lentiginosa. H.S.	freckled.	————	————	7. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 506.
6	guttata. H.S.	red-spotted.	————	————	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 4.
7	humilis. H.S.	humble.	————	————	————	D.S. $\frac{1}{2}$.	———— 10. t. 5.
8	tubata. H.S.	tube-flowered.	————	1805.	————	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
9	crispa. H.S.	curled.	————	————	————	D.S. $\frac{1}{2}$.	
10	barbata. H.S.	bearded.	————	1795.	————	D.S. $\frac{1}{2}$.	Mass. stap. 11. t. 7.
BRACHYSTEMMA. B. BRACHYSTEMMA. Pentandria Digynia. S.S.							
	tuberosum. B.R.	tuberous-root'd.	C. B. S.	1820.	4. 10.	S. $\frac{1}{2}$.	Botan. regist. 722.
CARALLUMA. H.S. CARALLUMA. Pentandria Digynia. S.S.							
1	ascendens. H.S.	ascending.	E. Indies.	1804.	7.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 30.
2	umbellata. H.S.	umbelled.	————	————	————	D.S. $\frac{1}{2}$.	
HOYA. B.P. HOYA. Pentandria Digynia. R.S.							
1	crassifolia. H.S.S.	large-leaved.	China.	1817.	10. 1.	D.S. $\frac{1}{2}$.	
2	carnea. H.K.	fleshy-leaved.	————	1802.	7. 10.	G. $\frac{1}{2}$.	Botan. magaz. 788.
3	pallida. B.R.	pale.	————	1820.	————	S. $\frac{1}{2}$.	Botan. regist. 951.
	<i>acuta.</i> H.R.						
4	Pottii.	Potts's.	————	1822.	————	S. $\frac{1}{2}$.	
TYLOPHORA. B.P. TYLOPHORA. Pentandria Digynia. R.S.							
1	grandiflora. B.P.	great-flowered.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	
2	barbata. B.P.	bearded.	————	————	————	G. $\frac{1}{2}$.	
3	exilis. L.T.	slender.	E. Indies.	1823.	————	S. $\frac{1}{2}$.	Lin. trans. 12. t. 16.
CEROPEGIA. R.S. CEROPEGIA. Pentandria Digynia. R.S.							
1	aphylla. H.S.	leafless.	Canaries.	1808.	S. $\frac{1}{2}$.	

2	dichotoma. H.R.	forked.	E. Indies.	1806.	8.	S. $\frac{1}{2}$.	
3	juncea. R.S.	rnshy.	————	1820.	S. $\frac{1}{2}$.	Roxb. cor. 1. t. 10.
4	africana. B.R.	African.	C. B. S.	1821.	4. 11.	S. $\frac{1}{2}$.	Botan. regist. 626.
5	bulbosa. R.S.	tuberos-rooted.	E. Indies.	————	————	S. $\frac{1}{2}$.	Roxb. cor. 1. t. 7.
6	tuberosa. R.S.	tuberos-root'd.	————	————	S. $\frac{1}{2}$.	———— 1. t. 9.
PERGULARIA. R.S.							
PERGULARIA.							
1	odoratissima. R.S.	large.	E. Indies.	1784.	6. 7.	S. $\frac{1}{2}$.	Botan. regist. 412.
2	minor. R.S.	smaller.	————	1790.	5. 8.	S. $\frac{1}{2}$.	Botan. magaz. 755.
3	sanguinolenta. B.M.	bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. $\frac{1}{2}$.	———— 2532.
MARSDENIA. B.P.							
MARSDENIA.							
1	suaveolens. B.P.	sweet-scented.	N. S. W.	1816.	3. 8.	G. $\frac{1}{2}$.	Botan. regist. 489.
2	erecta. R.S.	upright.	Syria.	1597.	7. 8.	G. $\frac{1}{2}$.	Jacq.vind. 1. t. 38.
DISCHIDIA. B.P.							
DISCHIDIA.							
	bengalensis. L.T.	Bengal.	E. Indies.	1818.	6. 8.	S. $\frac{1}{2}$.	Linn. trans. 12. t. 15.
GYMNEA. B.P.							
GYMNEA.							
1	sylvestre. R.S.	netted-leaved.	Ceylon.	1816.	6. 8.	S. $\frac{1}{2}$.	Willd. phyt. 1. t. 5. f.3.
2	tingens. s.s.	pointed-leaved.	E. Indies.	1823.	————	S. $\frac{1}{2}$.	————
3	tenacissimum. s.s.	tough.	————	1806.	S. $\frac{1}{2}$.	————
SARCOLOBUS. R.S.							
SARCOLOBUS.							
1	globosus. R.S.	globular-fruit'd.	E. Indies.	1823.	S. $\frac{1}{2}$.	Wall. as. res. 12. t. 4.
2	carinata. R.S.	keeled-fruited.	————	————	S. $\frac{1}{2}$.	———— 12. t. 5.
GONOLOBUS. R.S.							
GONOLOBUS.							
1	maritimus. R.S.	sea-side.	Caracas.	1823.	6. 10.	S. $\frac{1}{2}$.	Botan. regist. 931.
2	suberosus. R.S.	cork-barked.	America.	1732.	7. 9.	S. $\frac{1}{2}$.	Dill. elt. t. 220. f. 206.
3	crispiflorus. R.S.	curled-flower'd.	S. America.	1741.	7. 8.	S. $\frac{1}{2}$.	Plum. ic. t. 216. f. 1.
4	rostratus. R.S.	beaked-petal'd.	Trinidad.	1823.	————	S. $\frac{1}{2}$.	————
5	niger. R.S.	black-flower'd.	Mexico.	1825.	S. $\frac{1}{2}$.	Cavan. ic. 2. t. 159.
	<i>Cynanchum nigrum.</i>	Cav.	————	————	————	————	————
6	uniflorus. K.S.	solitary-fl'd.	————	————	S. $\frac{1}{2}$.	H. et B. 3. t. 238.
7	carolinensis. N.	yellowish-fl'd.	N.America.	1820.	7. 9.	H. $\frac{1}{2}$.	Lodd. bot. cab. 365.
	<i>hirsutus. B.C. nec aliorum.</i>	————	————	————	————	————	————
8	hirsutus. R.S.	hairy.	————	1806.	6. 9.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 1.
9	macrophyllus. N.	large-leaved.	————	1822.	————	H. $\frac{1}{2}$.	————
10	discolor. R.S.	Virginian.	————	1809.	7. 9.	H. $\frac{1}{2}$.	Botan. magaz. 1273.
	<i>Cynanchum discolor.</i>	B.M.	————	————	————	————	————
11	obliquus. R.S.	oblique-fl'd.	Carolina.	1818.	————	H. $\frac{1}{2}$.	Jacq. ic. 2. t. 341.
12	Nuttallianus. s.s.	Nuttall's.	Mississippi.	1822.	————	H. $\frac{1}{2}$.	————
	<i>viridiflorus. N. non R.S.</i>	————	————	————	————	————	————
13	lævis. R.S.	smooth.	————	1806.	6. 7.	H. $\frac{1}{2}$.	————
14	diadematus. B.R.	red-crowned.	Mexico.	1812.	9. 10.	S. $\frac{1}{2}$.	Botan. regist. 252.
ASCLEPIAS. R.S.							
SWALLOW-WORT.							
1	syriaca. R.S.	Virginian.	N.America.	1629.	7. 8.	H. $\frac{1}{2}$.	Blackw. t. 521.
2	exaltata. L.en.	tall.	————	————	H. $\frac{1}{2}$.	————
3	phytolaccoides. R.S.	Phytolacca-like.	————	1812.	————	H. $\frac{1}{2}$.	————
4	parviflora. R.S.	small-flowered.	————	1774.	7. 10.	H. $\frac{1}{2}$.	————
5?	salicifolia. B.C.	Willow-leaved.	S. America.	1816.	6. 9.	G. $\frac{1}{2}$.	Lodd. bot. cab. 272.
6	curassavica. R.S.	Curassavian.	————	1692.	6. 10.	S. $\frac{1}{2}$.	Botan. regist. 81.
7	nivea. R.S.	Almond-leav'd.	N.America.	1730.	7. 9.	H. $\frac{1}{2}$.	Botan. magaz. 1181.
8	incarnata. R.S.	flesh-coloured.	————	1710.	7. 8.	H. $\frac{1}{2}$.	Botan. regist. 250.
9	pulchra. R.S.	hairy.	————	————	H. $\frac{1}{2}$.	————
10	amœna. R.S.	oval-leaved.	————	1732.	————	H. $\frac{1}{2}$.	Dill. elt. t. 27. f. 30.
11	purpurascens. R.S.	purple.	————	————	————	H. $\frac{1}{2}$.	———— t. 28. f. 31.
12	variegata. R.S.	variegated.	————	1597.	————	H. $\frac{1}{2}$.	Botan. magaz. 1182.
13	obtusifolia. R.S.	blunt-leaved.	————	1823.	————	H. $\frac{1}{2}$.	————
14	amplexicaulis. R.S.	stem-clasping.	————	————	H. $\frac{1}{2}$.	————
15	laurifolia. M.	Laurel-leaved.	————	1823.	————	H. $\frac{1}{2}$.	Pluk. amal. t. 358. f.2.
	<i>periplocaefolia. N. acuminata. Ph.</i>	————	————	————	————	————	————
16	quadrifolia. R.S.	four-leaved.	————	————	8. 9.	H. $\frac{1}{2}$.	Jacq. obs. 2. t. 33.
17	verticillata. B.S.	whorl-leaved.	————	1759.	8. 10.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 144.
18	mexicana. R.S.	Mexican.	Mexico.	1823.	7. 9.	G. $\frac{1}{2}$.	Cavan. ic. 1. t. 58.
19	rosea. K.S.	rose-coloured.	————	1824.	————	G. $\frac{1}{2}$.	————
20	linifolia. R.S.	Flax-leaved.	————	————	————	G. $\frac{1}{2}$.	————
21	linaria. R.S.	toadflax-leav'd.	————	1802.	————	G. $\frac{1}{2}$.	Cavan. ic. 1. t. 57.
22	rubra. R.S.	red-flowered.	N.America.	1820.	————	H. $\frac{1}{2}$.	————
23	tuberosa. R.S.	tuberos-root'd.	————	1690.	7. 9.	H. $\frac{1}{2}$.	Botan. regist. 76.
	<i>β decumbens. Ph.</i>	decumbent.	————	1731.	————	H. $\frac{1}{2}$.	————
ACERATES. Ell.							
ACERATES.							
	longifolia. Ell.	long-leaved.	N.America.	1816.	7. 8.	H. $\frac{1}{2}$.	————
	<i>Asclepius longifolia.</i>	R.S. <i>Gomphocarpus longifolius.</i>	s.s.	————	————	————	————

- ANANTHERIX. N. ANANTHERIX. Pentandria Digynia. N.
viridis. N. green-flower'd. N. America. 1812. 8. 10. H. ½.
- STYLANDRA. N. STYLANDRA. Pentandria Digynia. N.
pumila. N. dwarf. Carolina. 1812. 7. 8. G. ¼.
- Podostigma pubescens*. s.s. *Asclepias pedicellata*. Ph.
- GOMPHOCARPUS. R.S. GOMPHOCARPUS. Pentandria Digynia. R.S.
1 arborescens. R.S. broad-leaved. C. B. S. 1714. 12. G. ½. Jacq. schoenb. 1. t. 50.
2 crispus. R.S. curled-leaved. ——— 1774. 7. G. ½. Moris. s. 15. t. 3. f. 37.
3 fruticosus. R.S. Willow-leaved. ——— 1714. 6. 9. G. ½. Botan. magaz. 1628.
Asclepias fruticosa. w.
- OXYSTELMA. R.S. OXYSTELMA. Pentandria Digynia. R.S.
esculentum. R.S. esculent. E. Indies. 1816. S. ¼. Roxb. corom. 1. t. 11.
- XYSMALOBIMUM. R.S. XYSMALOBIMUM. Pentandria Digynia. R.S.
undulatum. R.S. waved-leaved. C. B. S. 1783. 7. 8. G. ½. Comm. rar. t. 16.
- CALOTROPIS. R.S. CALOTROPIS. Pentandria Digynia. R.S.
1 procera. R.S. bell-flowered. Persia. 1714. 7. 9. S. ½. Andr. reposit. 271.
Asclepias gigantea. A.R.
2 gigantea. R.S. curl'd-flower'd. E. Indies. 1690. — S. ½. Botan. regist. 58.
- CYNANCHUM. R.S. CYNANCHUM. Pentandria Digynia. L.
1 acutum. R.S. acute-leaved. Europe. 1596. 7. H. ¼. Flor. græc. 250.
2 monspeliacum. R.S. Montpelier. S. Europe. — 8. 9. H. ¼. ——— 251.
3 pilosum. R.S. hairy. C. B. S. 1726. 6. 9. G. ½. Botan. regist. 111.
Periploca africana. A.R. 557.
- 4 crassifolium. R.S. thick-leaved. ——— 1816. G. ½.
5 capense. R.S. Cape. ——— 1820. G. ½.
6 roseum. R.S. rosy. Dahuria. 1816. 7. 8. H. ¼. Gmel. sib. 4. t. 42.
Asclepias daurica. w.
- 7 nigrum. R.S. black. S. Europe. 1596. 5. 8. H. ¼. Botan. magaz. 2390.
8 medium. R.S. middle. — H. ¼.
9 Vincetoxicum. R.S. official. Europe. 1596. — H. ¼. Flor. dan. 849.
Asclepias Vincetoxicum. w.
- 10 fuscatum. s.s. yellow-flow'r'd. ——— — H. ¼.
11 sibiricum. R.S. Siberian. Siberia. 1775. 7. 8. H. ¼. Murr. gott. 2. t. 7.
12 fetidum. R.S. fetid. Mexico. 1823. — G. ½. Cavan. ic. 2. t. 158.
13 viridiflorum. B.M. green-flowered. E. Indies. 1814. 10. 12. S. ½. Botan. magaz. 1929.
14 ? undatum. A.R. wave-leaved. ——— 1803. 7. 8. S. ½. Andr. reposit. 410.
15 ? mucronatum. A.R. sharp-pointed. Trinidad. 1804. — S. ½. ——— 515.
- DÆMIA. R.S. DÆMIA. Pentandria Digynia. R.S.
1 extensa. R.S. smooth-leaved. E. Indies. 1776. 7. 8. S. ½. Jacq. ic. 1. t. 54.
2 bicolor. two-coloured. ——— 1806. — S. ½. Andr. reposit. 562.
Cynanchum bicolor. A.R.
- DIPLOLEPIS. R.S. DIPLOLEPIS. Pentandria Digynia.
1 vomitoria. H.T. dull-leaved. China. 1820. 6. 9. S. ½.
2 apiculata. H.T. glossy-leaved. ——— — S. ½.
- SARCOSTEMMA. R.S. SARCOSTEMMA. Pentandria Digynia. R.S.
1 viminale. R.S. twisting. E. Indies. 1731. 7. S. ½.
2 Swartzianum. R.S. Swartz's. W. Indies. S. ½. Sloan. hist. 1. t. 131. f. 1.
- EUSTEGIA. R.S. EUSTEGIA. Pentandria Digynia. R.S.
hastata. R.S. halberd-leaved. C. B. S. 1816. 6. 8. G. ½. Spr. n. ent. t. 1. f. 5-10.
Apocynum hastatum. w.
- MICROLOMA. R.S. MICROLOMA. Pentandria Digynia. R.S.
1 sagittatum. R.S. arrow-leaved. C. B. S. 1775. 7. 8. G. ½. Jacq. schoen. 1. t. 38.
2 lineare. R.S. linear-leaved. ——— 1816. — G. ½. Pluk. mant. 17. t. 335. f. 5.
- ASTEPHANUS. R.S. ASTEPHANUS. Pentandria Digynia. R.S.
1 triflorus. R.S. three-flowered. C. B. S. 1816. 7. 9. G. ¼.
2 linearis. R.S. panicked. ——— — G. ¼.

ORDO CXIX.

GENTIANEÆ. *Brown prodr.* 1. p. 449.

- GENTIANA. R.S. GENTIAN. Tetr-Pentandria Digynia.
1 lutea. R.S. yellow. Alps Europ. 1596. 6. 7. H. ¼. Mill. ic. t. 130.
2 hybrida. R.S. hybrid. Switzerland. 1825. — H. ¼.

3	purpurea, R.S.	purple.	Switzerland.	1768.	—	H. ♀.	Andr. reposit. 117.
4	pannonica, R.S.	round-petal'd.	—	—	—	H. ♀.	Jacq. aust. 2. t. 136.
5	punctata, R.S.	dotted-flow'r'd.	—	1775.	—	H. ♀.	— 5. t. ap. 28.
6	septemfida, R.S.	crested.	Levant.	1804.	—	H. ♀.	Botan. magaz. 1229.
	<i>β guttata.</i>	spotted.	—	—	—	H. ♀.	— 1410.
7	asclepiadea, R.S.	swallowwort-ld.	Austria.	1629.	7. 8.	H. ♀.	— 1078.
8	cruciata, R.S.	Crösswort.	—	1596.	6. 7.	H. ♀.	Jacq. aust. 4. t. 372.
9	macrophylla, R.S.	long-leaved.	Siberia.	1796.	7. 8.	H. ♀.	Botan. magaz. 1414.
10	ascendens, S.S.	ascending.	—	1799.	6. 7.	H. ♀.	— 705.
	<i>β decumbens, R.S.</i>	decumbent.	—	—	—	H. ♀.	— 723.
11	frigida, R.S.	frigid.	Carpathian m.	1816.	—	H. ♀.	Froel. gent. n. 13. ic.
12	algida, R.S.	narrow-leaved.	Siberia.	1808.	—	H. ♀.	Pall. ros. 2. t. 95.
13	gelida, R.S.	cream-colour'd.	Caucasus.	1816.	—	H. ♀.	—
14	Pneumonanthe, R.S.	Calathian violet.	England.	—	8. 9.	H. ♀.	Eng. bot. 20.
	<i>β guttata, B.M.</i>	spotted-flowered.	—	—	—	H. ♀.	Botan. magaz. 1101.
15	linearis, R.S.	linear-leaved.	N.America.	1816.	—	H. ♀.	—
16	triflora, R.S.	three-flowered.	Siberia.	1807.	6. 7.	H. ♀.	Pall. ross. 1. t. 93. f. 1.
17	Saponaria, B.M.	barrel-flow'r'd.	N.America.	1776.	8. 9.	H. ♀.	Botan. magaz. 1039.
18	Catesbæi, N.	Catesby's.	—	—	6. 8.	H. ♀.	Andr. reposit. 418.
19	intermedia, B.M.	intermediate.	—	1820.	8. 9.	H. ♀.	Botan. magaz. 2303.
20	incarnata, B.M.	flesh-coloured.	—	1812.	9. 11.	H. ♀.	— 1856.
21	ochroleuca, R.S.	pale-flowered.	—	1803.	8. 9.	H. ♀.	— 1551.
22	quinqueflora, R.S.	five-flowered.	—	1823.	7. 9.	H. ♂.	—
	<i>amarelloides, M.</i>	—	—	—	—	—	—
23	aurea, R.S.	large involucr'd.	Norway.	—	—	H. ♂.	Flor. dan. t. 344.
	<i>quinquefolia, F.D.</i>	—	—	—	—	—	—
24	umbellata, M.B.	umbel-flow'r'd.	Caucasus.	—	8. 10.	H. ○.	—
25	acaulis, R.S.	dwarf.	Wales.	—	3. 6.	H. ♀.	Eng. bot. 1594.
26	alpina, R.S.	Alpine.	Switzerland.	1818.	—	H. ♀.	Lodd. bot. cab. 476.
27	pyrenaica, R.S.	Pyrenean.	Pyrenees.	1825.	—	H. ♀.	W. et K. hung. t. 207.
28	pumila, R.S.	small.	Switzerland.	—	—	H. ♀.	Jacq. obs. 2. t. 49.
29	verna, R.S.	spring.	England.	—	—	H. ♀.	Eng. bot. 493.
30	bavarica, R.S.	Bavarian.	Germany.	1775.	7.	H. ♀.	Vill. delph. 2. t. 10.
31	imbricata, R.S.	imbricated.	Switzerland.	1825.	—	H. ♀.	Barrel. ic. 101. f. 2.
32	utriculosa, R.S.	bladdered.	—	—	7. 9.	H. ○.	W. et K. hung. t. 206.
33	ivalis, R.S.	small alpine.	Scotland.	—	8. 9.	H. ○.	Eng. bot. 896.
34	germanica, R.S.	German.	Germany.	1825.	—	H. ○.	Mayrh. fl. mon. t. 278.
35	Amarella, R.S.	autumnal.	Britain.	—	8. 10.	H. ○.	Eng. bot. 236.
36	caucasica, R.S.	Caucasian.	Caucasus.	1804.	7. 8.	H. ○.	Botan. magaz. 1038.
37	campestris, R.S.	field.	Britain.	—	8. 10.	H. ○.	Eng. bot. 237.
38	angustifolia, R.S.	slender-leav'd.	N.America.	1820.	8. 9.	H. ♀.	—
39	glacialis, R.S.	northern.	N. Europe.	1826.	—	H. ○.	Sch. 10m. arc. 1. t. 2. f. 5.
40	ciliata, R.S.	fringe-flow'r'd.	S. Europe.	1759.	8. 9.	H. ♀.	Jacq. aust. t. 113.
41	crinita, R.S.	jagged-flow'r'd.	N.America.	1804.	7. 10.	H. ♂.	Swt. br. fl. gar. 139.
	<i>fimbriata, A.R. 509.</i>	—	—	—	—	—	—
42	barbata, R.S.	bearded.	Siberia.	—	8. 9.	H. ♂.	Botan. magaz. 639.
	<i>ciliata, B.M.</i>	—	—	—	—	—	—
SWERTIA, R.S.		FELWORT.	Tetr-Pentandria Dignia.				
1	perennis, R.S.	marsh.	England.	—	7. 8.	H. ♀.	Eng. bot. 1441.
2	Michauxiana, R.S.	American.	N.America.	1824.	—	H. ♂.	—
CHLORA, S.S.		YELLOW-WORT.	Octandria Monogynia.				
1	imperfoliata, s.s.	sessile-leaved.	Italy.	1826.	—	H. ○.	—
2	perfoliata, s.s.	perfoliate.	Britain.	—	6. 7.	H. ○.	Eng. bot. 60.
FRASERA, M.		FRASERA.	Tetrandria Monogynia, R.S.				
	Walteri, M.	Walter's.	N.America.	1795.	7. 8.	H. ♂.	—
	<i>carolinensis, Walt.</i>	—	—	—	—	—	—
ERYTHRÆA, R.S.		ERYTHRÆA.	Pentandria Monogynia, P.S.				
1	Centaurium, R.S.	common.	Britain.	—	7. 8.	H. ○.	Eng. bot. 417.
2	latifolia, s.s.	broad-leaved.	Lancashire.	—	—	H. ○.	—
3	pulchella, R.S.	dwarf branching.	England.	—	8. 9.	H. ○.	Eng. bot. 458.
4	littoralis, R.S.	simple dwarf.	Britain.	—	6. 8.	H. ○.	— 2305.
5	conferta, R.S.	close-flowered.	Spain.	1818.	5. 11.	H. ♀.	—
6	aggregata, B.F.G.	cluster-branch'd.	Nepaul.	1824.	3. 11.	H. ♀.	Swt. br. fl. gar. 137.
7	maritima, R.S.	sea-side.	S. Europe.	1777.	7. 8.	H. ♀.	Cavan. ic. 3. t. 296. f. 1.
8	lutea, R.S.	yellow-flow'r'd.	—	—	—	H. ○.	Barrel. ic. 468.
SABBATIA, R.S.		SABBATIA.	Pentandria Monogynia, R.S.				
1	gracilis, R.S.	slender.	N. America.	—	7.	H. ♂.	Sal. par. lond. 32.
2	angularis, R.S.	angular-stalk'd.	—	1823.	7. 8.	H. ♂.	—
3	calycosa, R.S.	dichotomous.	—	1812.	6. 8.	H. ♂.	Botan. magaz. 1600.

- 4 chloroides. R.S. Chlora-like. N.America. 1817. 8. 9. H. ♂.
5 paniculata. R.S. panicked. ————— H. ♀.
- EUSTOMA. P.L.** EUSTOMA. Pentandria Monogynia.
silenifolium. P.L. Silene-leaved. Providence Isl. 1804. 7. S. ⊙. Sal. par. lond. 241.
- CHIRONIA. R.S.** CHIRONIA. Pentandria Monogynia. L.
1 jasminoides. R.S. Jasmine-like. C. B. S. 1812. 4. 7. G. ♀. Botan. regist. 197.
2 lychnoides. R.S. Lychnis-fl'd. ————— 1816. ——— G. ♀.
3 nudicaulis. R.S. naked-stalked. ————— ——— G. ♀. Linn. trans. 7. t. 12. f. 3.
4 linoides. R.S. flax-leaved. ————— 1787. 7. 9. G. ♀. Botan. magaz. 511.
5 baccifera. R.S. berry-bearing. ————— 1759. 6. 7. G. ♀. ————— 233.
6 angustifolia. B.M. narrow-leaved. ————— 1800. 6. 8. G. ♀. ————— 818.
7 frutescens. R.S. frutescent. ————— 1756. 6. 9. G. ♀. ————— 37.
β albiflora. white-flowered. ————— G. ♀.
8 decussata. R.S. cross-leaved. ————— 1789. ——— G. ♀. Botan. magaz. 707.
- HIPPION. S.S.** HIPPION. Pentandria Monogynia. S.S.
viscosum. S.S. clammy. Canaries. 1781. 6. 7. G. ♂. Sm. ic. fas. 3. t. 18.
Exacum viscosum. Sm. *Gentiana viscosa*. H.K.
- SEBÆA. B.P.** SEBÆA. Tetr-Pentandria Monogynia. S.S.
1 ovata. B.P. oval-leaved. N. S. W. 1820. 8. 10. G. ⊙. Lab. nov. hol. 1. t. 52.
2 albens. B.P. white-flowered. C. B. S. ——— G. ⊙. Burm. afr. t. 74. f. 4.
3 cordata. B.P. heart-leaved. ————— 1815. 7. 8. H. ⊙. ————— t. 74. f. 5.
- CICENDIA. Adans.** CICENDIA. Tetrandria Monogynia.
filiforme. slender-stalk'd. Britain. 7. 8. H. ⊙. Eng. bot. 235.
Exacum filiforme. E.B. *Microcala filiforme*. Lk.
- EXACUM. B.P.** EXACUM. Tetrandria Monogynia. L.
tetragonum. D.P. square-stalked. Nepaul. 1820. 8. 10. H. ⊙.
- MITRASACME. B.P.** MITRASACME. Tetrandria Monogynia. R.S.
1 polymorpha. B.P. variable. N. S. W. 1822. 6. 8. G. ♀.
2 canescens. B.P. canescent. ————— 1820. ——— G. ♀.
- HOUSTONIA. R.S.** HOUSTONIA. Tetrandria Monogynia. L.
1 cœrulea. R.S. blue-flowered. N.America. 1785. 5. 8. H. ♀. Botan. magaz. 370.
2 purpurea. R.S. purple-flow'r'd. ————— 1800. ——— H. ♀.
- SPIGELIA. R.S.** WORM-GRASS. Pentandria Monogynia. L.
1 Anthelmia. R.S. annual. W. Indies. 1759. 7. S. ⊙. Botan. magaz. 2359.
2 marylandica. R.S. perennial. N.America. 1694. 7. 8. H. ♀. ————— 80.
LISIANTHUS. R.S. LISIANTHUS. Pentandria Monogynia. L.
1 longifolius. R.S. long-leaved. Jamaica. 1793. 7. 9. S. ♀. Botan. regist. 880.
2 glaucifolius. R.S. glaucous-leav'd. W. Indies. S. ♀. Jacq. ic. 1. t. 33.
3 exsertus. R.S. oval-leaved. ————— 1793. 7. 9. S. ♀.
4 latifolius. R.S. broad-leaved. ————— 1822. S. ♀.
5 umbellatus. R.S. umbel-flower'd. ————— S. ♀.
6 cordifolius. R.S. heart-leaved. ————— 1816. 6. 8. S. ♀. Brown. jam. 2. t. 9. f. 2.
7 acutangulus. R.S. acute-angled. Pern. 1820. ——— S. ♀. Flor. per. 2. t. 122. fa.
8 angustifolius. K.S. narrow-leaved. S.America. 1824. 7. 10. S. ⊙.
- LOGANIA. B.P.** LOGANIA. Pentandria Monogynia. R.S.
1 latifolia. B.P. broad-leaved. N. Holland. 1816. G. ♀. Lab. nov. hol. 1. t. 61.
Exacum vaginale. Lab.
2 floribunda. B.P. many-flowered. N. S. W. 1797. 4. 5. G. ♀. Andr. reposit. 520.
Euosma albiflora. A.R.
- VILLARSIA. R.S.** VILLARSIA. Pentandria Monogynia. R.S.
1 nymphoides. R.S. common. England. 6. 7. H.w. ♀. Eng. bot. 217.
Menyanthes nymphoides. E.B.
2 indica. R.S. Indian. E. Indies. 1790. 6. 8. S.w. ♀. Botan. magaz. 658.
3 sarmentosa. R.S. sarmentose. N. S. W. 1806. ——— G.w. ♀. ————— 1323.
Menyanthes sarmentosa. B.M.
4 lacunosa. v. smooth-fl'd. N.America. 1812. 6. 7. G.w. ♀. Venten. choix. 9.
5 reniformis. B.P. kidney-leaved. N. S. W. 1820. ——— G.w. ♀.
6 parnassiifolia. B.P. tall. ————— 1805. 6. 10. G.w. ♀. Botan. magaz. 1029.
Menyanthes exaltata. B.M. *Sivertia parnassiifolia*. Lab. n. hol. t. 97.
7 ovata. R.S. oval-leaved. C. B. S. 1786. 5. 7. G.w. ♀. Botan. magaz. 1909.
- MENYANTHES. R.S.** BUCK-BEAN. Pentandria Monogynia. L.
1 trifoliata. E.B. common. Britain. 6. 7. H.w. ♀. Eng. bot. 495.
2 americana. American. N. America. 4. 6. H.w. ♀.
trifoliata β *minor*. P.S.

ORDO CXX.

BIGNONIACEÆ. *Brown prodr. 1. p. 470.*

- CHILOPSIS. D.D.** CHILOPSIS. Didymia Angiospermia.
 linearis. linear-leaved. Mexico. 1825. S. h. Cavan. ic. 3. t. 269.
Bignonia? linearis. Cav.
- CATALPA. J.** CATALPA. Diandria Monogynia, S.S.
 1 syringifolia, s.s. common. N. America. 1726. 6. 8. H. h. Botan. magaz. 1094.
Bignonia Catalpa. L.
- 2 longissima, s.s. wave-leaved. W. Indies. 1777. S. h. Plum. ic. t. 57.
 3 microphylla, s.s. small-leaved. Hispaniola. 1820. S. h. ——— t. 55.
- BIGNONIA. S.S.** TRUMPET-FLOWER. Didymia Angiospermia, L.
- 1 Unguis, s.s. Barbadoes. W. Indies. 1759. S. h. Plum. amer. t. 94.
 2 staminea, s.s. long-stamen'd. Hispaniola. 1820. 6. 9. S. h. Plum. ic. 56. f. 2.
 3 capreolata, s.s. four-leaved. N. America. 1710. 6. 8. H. h. Botan. magaz. 864.
 4 pubescens, s.s. downy. New Spain. 1759. 6. 7. S. h. ———
 5 æquinoctialis, s.s. equinoctial. W. Indies. 1768. 6. 8. S. h. Plum. ic. t. 55. f. 1.
 6 Chamberlaynii, B.M. Chamberlayne's. S. America. 1818. ——— S. h. Botan. magaz. 2148.
 7 chrysoleuca, s.s. yellow & white. ——— 1824. ——— S. h. ———
 8 alliacea, s.s. garlick-scent'd. W. Indies. 1790. S. h. ———
 9 spectabilis, s.s. showy. S. America. 1824. S. h. ———
 10 picta, K.S. flat-stemmed. ——— S. h. ———
 11 laurifolia, s.s. Laurel-leaved. Guiana. 1804. S. h. ———
 12 rigescens, s.s. rigid-leaved. S. America. 1816. 6. 8. S. h. Jacq. schœn. 2. t. 210.
 13 grandifolia, B.R. large-leaved. ——— 4. 7. S. h. Botan. regist. 418.
 14 latifolia, s.s. broad-leaved. Cayenne. 1824. S. h. ———
 15 elongata, s.s. long-racemed. S. America. 1820. S. h. Vahl. ecl. 2. t. 16.
 16 mollissima, K.S. soft-leaved. Caracas. 1812. S. h. ———
 17 diversifolia, K.S. different-leav'd. Mexico. 1824. S. h. ———
 18 floribunda, K.S. abundant-fl'd. ——— S. h. ———
 19 crucigera, s.s. cross-bearing. S. America. 1759. 6. 8. S. h. Plum. ic. t. 58.
 20 heterophylla, s.s. various-leaved. Guiana. 1820. S. h. Aub. gui. 2. t. 260.
 21 venusta, s.s. comely. S. America. 1816. 9. 12. S. h. Botan. regist. 249.
 22 incarnata, s.s. flesh-coloured. Guiana. 1818. 6. 9. S. h. Aub. gui. 3. t. 261.
 23 mollis, s.s. soft. ——— S. h. Vahl. ecl. 2. t. 10.
tomentosa. Rich. non Th.
- 24 littoralis, K.S. sea-side. Mexico. 1824. S. h. ———
 25 viridiflora, B.C. green-flowered. S. America. 1820. 6. 9. S. h. Lodd. bot. cab. 1026.
 26 triphylla, s.s. three-leaved. Mexico. 1733. S. h. ———
 27 pallida, B.R. pale. S. America. 1823. 7. 8. S. h. Botan. regist. 965.
 28 fluviatilis, s.s. marsh. ——— 1818. S. h. Aub. gui. 2. t. 267.
 29 Leucoxylois, s.s. white-wooded. W. Indies. 1759. 6. 7. S. h. Andr. reposit. 43.
 30 chrysantha, s.s. golden-flow'r'd. Caracas. 1822. S. h. Jacq. schœnb. 2. t. 211.
 31 æsculifolia, s.s. Æsculus-leav'd. Mexico. 1821. S. h. ———
 32 serratifolia, s.s. saw-leaved. Trinidad. 1822. S. h. ———
 33 bijuga, s.s. Madagascar. ——— S. h. ———
 34 Clematis, K.S. Clematis-ld. Caracas. S. h. ———
 35 chelonoides, s.s. tree. E. Indies. 1808. S. h. Rheed. mal. 6. t. 26.
 36 variabilis, s.s. variable-leav'd. Caracas. 1820. 6. 8. S. h. Jacq. schœnb. 2. t. 212.
 37 indica, w. Indian. E. Indies. 1775. S. h. Rheed. mal. 1. t. 43.
 38 jasminifolia, K.S. Jasmine-leaved. S. America. 1824. S. h. ———
 39? alba, w. white-flowered. Guiana. 1823. S. h. Aub. gui. 2. t. 266.
- Jacaranda alba.* s.s.
- 40? echinata, w. bristly-fruited. ——— 1804. S. h. Aub. gui. 2. t. 264.
- Jacaranda echinata.* s.s.
- 41 purpurea, Lod. purple. S. America. 1822. S. h. ———
 42? tomentosa, Th. tomentose. Japan. 1823. S. h. Kæmpf. amœn. t. 860.
- Incarvillea tomentosa.* s.s.
- MILLINGTONIA. L.** MILLINGTONIA. Didymia Angiospermia, L.
 hortensis, L. cork-barked. E. Indies. 1818. S. h. ———
Bignonia suberosa. Roxb.

- TECOMA. J.** **TECOMA.** Didynamia Angiospermia. S.S.
 1 pentaphylla. s.s. five-leaved. Jamaica. 1733. S. h. Marc. bras. t. 118.
 2 digitata. k.s. digitate-leaved. S. America. 1818. S. h.
 3 australis. B.P. broad-leaved. N. S. W. 1793. 4. 7. G. h. Botan. magaz. 365.
Bignonia Pandoræ. B.M.
 4 meonantha. narrow-leaved. ——— 1815. — G. h.
Bignonia meonantha. L.en.
 5 mollis. k.s. soft-leaved. Mexico. 1824. S. h.
 6 radicans. s.s. Ash-leaved. N. America. 1640. 7. 8. H. h.
a major. H.K. great. ——— ——— H. h. Botan. magaz. 485.
β minor. H.K. smaller. ——— ——— H. h. Catesb. car. 1. t. 65.
 7 grandiflora. large-flowered. China. 1800. 6. 9. G. h. Botan. magaz. 1398.
Bignonia grandiflora. B.M. *Incarvillea grandiflora.* s.s.
 8 stans. s.s. upright ash-ld. S. America. 1730. 7. 9. S. h. Plum. ic. t. 54.
 9 incisa. cut-leaved. Trinidad. 1824. S. h.
JACARANDA. S.S. **JACARANDA.** Didynamia Angiospermia. S.S.
 1 tomentosa. D.D. tomentose. Brazil. 1821. S. h.
 2 mimosifolia. B.R. Mimosa-leaved. ——— 1818. 4. 5. S. h. Botan. regist. 631.
ovalifolia. B.M. 2327.
 3 bahamensis. B.M. Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. 1. t. 42.
Bignonia cœrulea. W.
 4 copaia. D.D. Box-leaved. Guiana. 1793. S. h. Aub. gui. 2. t. 265.
Bignonia procera. W.
 5 rhombifolia. s.s. rhomb-leaved. Surinam. 1823. S. h.
flicifolia. D.D.
SPATHODEA. S.S. **SPATHODEA.** Didynamia Angiospermia. S.S.
 1 uncata. s.s. hooked. Guiana. 1804. 6. 9. S. h. Botan. magaz. 1511.
Bignonia uncata. B.M.
 2 corymbosa. s.s. corymb-fl'd. Trinidad. 1823. S. h.
 3 Rheedii. s.s. Rheedee's. E. Indies. 1794. S. h. Roxb. cor. 2. t. 141.
Bignonia spathacea. W.
 4 Roxburghii. s.s. Roxburgh's. ——— 1820. S. h.
Bignonia quadrilocularis. Roxb.
 5 fraxinifolia. k.s. Ash-leaved. Caracas. 1821. S. h.
Bignonia fraxinifolia. s.s.
AMPHILOPHIUM. K.S. **AMPHILOPHIUM.** Didynamia Angiospermia. S.S.
 paniculatum. k.s. panicked. S. America. 1788. S. h. Jacq. amcr. t. 116.
Bignonia paniculata. Jacq.
ECCREMOCARPUS. **ECCREMOCARPUS.** Didynamia Angiospermia. S.S.
 1 scaber. s.s. rough. Chili. 1823. 7. 9. G. h. Botan. regist. 939.
 2 longiflorus. k.s. long-flowered. Peru. 1824. G. h.
FIELDIA. Cun. **FIELDIA.** Didynamia Angiospermia.
 australis. Cun. New Holland. N. Holland. 1824. G. h. Ap. to B. Field's trav. ic.

ORDO CXXI.

COBÆACEÆ. *D. Don in Edinb. phil. journ.*

- COBÆA.** Cav. **COBÆA.** Pentandria Monogynia.
 scandens. Cav. climbing. Mexico. 1792. 5. 10. G. h. Botan. magaz. 851.

ORDO CXXII.

PEDALINÆ. *Brown prodr.* 519.

- PEDALIUM. S.S.** **PEDALIUM.** Didynamia Angiospermia. S.S.
 Murex. s.s. prickly-fruited. E. Indies. 1778. 8. 9. S. C. Lam. ill. t. 538.

ORDO CXXIII.

SESAMEÆ. *Brown.*

TOURRETTIA. S.S.	TOURRETTIA.	Didymia Angiospermia. S.S.			
lappacea. s.s.	scarlet-flower'd.	Peru.	1788.	6. 8.	S.⊙.
<i>Dombeya lappacea.</i>	Sal.				Sal. stirp. rar. 5. t. 3.
MARTYNIA. J.	MARTYNIA.	Didymia Angiospermia. L.			
1 diandra. s.s.	two-stamened.	New Spain.	1731.	7. 8.	S.⊙.
2 proboscidea. s.s.	horn-capsuled.	America.	1733.	6. 8.	G.⊙.
<i>annua. L.</i>					Andr. reposit. 575. Botan. magaz. 1056.
3 longiflora. s.s.	long-flowered.	C. B. S.	1781.	7. 8.	G.⊙.
CRANIOLARIA. J.	CRANIOLARIA.	Didymia Angiospermia. L.			
<i>annua. K.S.</i>	annual.	S. America.	1733.	7. 8.	S.⊙.
<i>Martynia Craniolaria.</i>	w.				Meerb. ic. 1. t. 7. Jacq. amer. t. 110.
SESAMUM. S.S.	OILY-GRAIN.	Didymia Angiospermia. L.			
1 orientale. s.s.	oriental.	E. Indies.	1731.	7.	S.⊙.
2 indicum. s.s.	Indian.	—————	—————	—————	S.⊙.
					Rheed. mal. 9. t. 54. Botan. magaz. 1788.

ORDO CXXIV.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S.	GREEK VALERIAN.	Pentandria Monogynia. L.			
1 ceruleum. s.s.	common.	Britain.	6.	H. 2.
<i>β album.</i>	<i>white-flowered.</i>	—————	—————	—————	H. 2.
<i>γ maculatum.</i>	<i>spot-flowered.</i>	—————	—————	—————	H. 2.
2 gracile. w.en.	slender.	Dahuria.	1818.	6. 7.	H. 2.
3 mexicanum. s.s.	Mexican.	Mexico.	1817.	4. 6.	H. 2.
4 reptans. s.s.	creeping.	N. America.	1758.	4. 5.	H. 2.
5 sibiricum. D.D.	bipinnate.	Siberia.	1800.	6.	H. 2.
PHLOX. R.S.	LYCHNIDEA.	Pentandria Monogynia. L.			
1 paniculata. R.S.	panicled.	N. America.	1732.	8. 9.	H. 2.
<i>β alba.</i>	<i>white-flowered.</i>	—————	1813.	—————	H. 2.
2 undulata. R.S.	wave-leaved.	—————	1759.	7. 8.	H. 2.
3 acuminata. R.S.	cross-leaved.	—————	1812.	6. 8.	H. 2.
<i>decussata. N.</i>					Botan. regist. 460. Botan. magaz. 1887.
4 virginica. Lod.	Virginian.	—————	—————	—————	H. 2.
5 intermedia. Lod.	intermediate.	—————	7. 9.	H. 2.
6 maculata. R.S.	spotted-stalked.	—————	1740.	7. 8.	H. 2.
7 pyramidalis. R.S.	pyramidal.	—————	1800.	6. 8.	H. 2.
8 latifolia. R.S.	broad-leaved.	—————	1812.	—————	H. 2.
9 carolina. R.S.	rough-stemm'd.	—————	1728.	7. 9.	H. 2.
10 glaberrima. R.S.	smooth-stalked.	—————	1725.	6. 8.	H. 2.
11 triflora. R.S.	flesh-coloured.	—————	1816.	7. 9.	H. 2.
<i>carnea. B.M. 2155.</i>					Dill. clth. t. 166. f. 203. Dill. clth. t. 166. f. 202. Swt. br. fl. gar. 29.
12 suaveolens. R.S.	white-flowered.	—————	1766.	7. 8.	H. 2.
13 suffruticosa. B.R.	glossy-leaved.	—————	1790.	7. 9.	H. 2.
14 ovata. w.	ovate-leaved.	—————	1759.	5. 7.	H. 2.
15 reptans. M.	creeping.	—————	1800.	6. 9.	H. 2.
<i>stolonifera. B.M. prostrata. H.K.</i>					Botan. regist. 68. Botan. magaz. 528. ————— 563.
16 pilosa. B.M.	hairy-leaved.	—————	1759.	5. 6.	H. 2.
<i>aristata. M.</i>					————— 1307.
17 amena. B.M.	Fraser's hairy.	—————	1809.	6. 7.	H. 2.
<i>pilosa. β. R.S.</i>					————— 1308.
18 divaricata. R.S.	early-flowering.	—————	1746.	4. 6.	H. 2.
					————— 163.

- 19 subulata, R.S. awl-leaved. N. America. 1786. — H. ♀. Botan. magaz. 411.
 20 nivalis, B.C. snowy white. — 1820. — H. ♀. Lodd. bot. cab. 780.
 21 setacea, R.S. bristle-leaved. — 1786. 4. 5. H. ♀. Botan. magaz. 415.
GILIA, R.P. **GILIA.** Pentandria Monogynia, S.S.
 1 coronopifolia, s.s. elegant. Carolina. 1726. 8. 9. G. ♂. Sm. exot. bot. 1. t. 13.
Cantua coronopifolia, w. *Ipomopsis elegans*, Ex. B.
 2 inconspicua. small blue. America. 1793. 9. 11. H. ⊙. — 1. t. 14.
Ipomopsis inconspicua, Ex. bot.
HOITZIA, J. **HOITZIA.** Pentandria Monogynia, S.S.
 coccinea, K.S. scarlet. Mexico. 1826. S. ♀. Cavan. ic. 6. t. 365.
CALDASIA, S.S. **CALDASIA.** Pentandria Monogynia.
 heterophylla, s.s. various-leaved. New Spain. 1813. 5. 12. S. ⊙. Botan. regist. 92.
Bonplandia geminiflora, Cav. ic. 6. t. 532.

ORDO CXXV.

HYDROLEACEÆ. *Kth. synopsis. 2. p. 234.*

- HYDROLEA, S.S.** **HYDROLEA.** Pentandria Digynia, L.
 1 spinosa, s.s. thorny. S. America. 1791. 7. 8. S. ♀. Botan. regist. 566.
 2 quadrivalvis, s.s. four-valved. Carolina. 1824. — G. ♀.
NAMA, S.S. **NAMA.** Pentandria Digynia, L.
 jamaicensis, s.s. Jamaica. 1812. 6. 9. S. ⊙. Lam. ill. t. 184.

ORDO CXXVI.

CONVOLVULACEÆ. *Brown prodr. 1. p. 481.*

- ? **RETZIA, R.S.** **RETZIA.** Pentandria Monogynia, R.S.
 spicata, R.S. spiked. C. B. S. 5. 6. G. ♀. Lam. ill. t. 103.
CONVOLVULUS, B.P. **BINDWEED.** Pentandria Monogynia, L.
 1 arvensis, R.S. small. Britain. 6. 9. H. ♀. Eng. bot. 312.
 2 chinensis, B.R. Chinese. China. 1816. — H. ♀. Botan. regist. 322.
 3 emarginatus, s.s. emarginate. 1824. — H. ♀.
 4 bicuspidatus, s.s. two-pointed. Davuria. — H. ♀.
 5 Scammonia, R.S. Scammony. Levant. 1596. 7. 8. H. ♀. Mill. ic. 1. t. 102.
 6 erubescens, R.S. maiden blush. N. S. W. 1803. 7. 9. G. ♂. Botan. magaz. 1067.
 7 dentatus, R.S. toothed-lobed. E. Indies. 1820. S. ♀.
 8 pannifolius, R.S. cloth-leaved. Canaries. 1805. 6. 9. G. ♀. Botan. regist. 222.
 9 canariensis, R.S. Canary. — 1690. — G. ♀. Botan. magaz. 1228.
 10 Massoni, R.S. Masson's. — 1788. — G. ♀. Botan. regist. 133.
Dryandri, s.s. *suffruticosus*, B.R.
 11 bogotensis, K.S. Bogota. S. America. 1820. S. ♀.
 12 tiliacens, R.S. Lime-tree-ld. Brazil. — 6. 8. H. ♀.
 13 guianensis, R.S. Guiana. — — S. ♀. Aub. gui. 1. t. 52.
 14 ciliatus, R.S. fringed-leav'd. Cayenne. — — S. ♀.
 15 maximus, R.S. great Ceylon. Ceylon. 1799. 7. S. ♀. Rheed. mal. 11. t. 53.
 16 pentanthus, R.S. five-flowered. W. Indies. 1808. 4. 10. S. ♀. Botan. regist. 439.
 17 farinosus, R.S. mealy-stalked. Madeira. 1777. 5. 6. G. ♀. Sal. par. lond. 45.
 18 Hermannia, s.s. Peruvian. Peru. 1799. 8. 9. G. ♀. Jacq. ic. 2. t. 315.
crenatus, Jacq.
 19 tenuissimus, R.S. slender-leaved. Levant. 6. 10. G. ♀. Flor. græc. t. 195.
 20 althæoides, R.S. Althæa-leaved. — 1597. 6. 9. F. ♀. — t. 194.
 21 bryoniaefolius, R.S. Bryony-leaved. China. 1802. 7. 8. G. ♀. Botan. magaz. 943.
 22 italicus, R.S. Italian. Italy. F. ♀. Ten. fl. neap. 1. t. 15.
hirsutus, T. N. non M. B.
 23 hirsutus, M. B. hairy. Tauria. 1824. — H. ♀.

24	alceifolius. R.S.	Hollyhock-ld.	C. B. S.	1823.	—	G. 4. ∪	
25	macrocarpus. R.S.	long-fruited.	S. America.	1752.	—	S. ⊙. ∪	Burm. amer. t. 91. f. 1.
26	quinquefolius. R.S.	five-leaved.	Vera Cruz.	—	S. ⊙. ∪	Pluk. alm. t. 167. f. 6.
27	glaber. R.S.	smooth.	Cayenne.	1806.	S. 7. ∪	Aub. gui. 1. t. 53.
28	siculus. R.S.	small-flowered.	S. Europe.	1640.	6. 8.	H. ⊙.	Botan. regist. 445.
29	elongatus. S.S.	long-peduncul'd.	Canaries.	1815.	7. 8.	H. ⊙.	— 498.
	<i>pseudo-siculus</i> . R.S.						
30	Sibthorpii. R.S.	Sibthorp's.	Samos.	1823.	—	H. 4.	Flor. græc. t. 193.
	<i>sagittifolius</i> . F.G. non M.						
31	hirtus. R.S.	hairy-stalked.	E. Indies.	1806.	6. 8.	S. ⊙.	
32	multifidus. R.S.	multifid.	C. B. S.	1822.	—	G. 4.	
33	tricolor. R.S.	three-coloured.	S. Europe.	1629.	7. 9.	H. ⊙.	Botan. magaz. 27.
	<i>β albiflorus</i> .	<i>white-flowered</i> .				H. ⊙.	
34	pentapetaloides. R.S.	Majorca.	Majorca.	1789.	6. 7.	H. ⊙.	Jacq. col. 4. t. 22. f. 2.
35	lineatus. R.S.	dwarf.	S. Europe.	1714.	—	H. 4.	Flor. græc. t. 199.
36	Gerardi. R.S.	Gerard's.	—	—	H. 4.	Barrel ic. t. 311.
37	undulatus. R.S.	waved.	—	1816.	6. 10.	H. ⊙.	Cavan. ic. 3. t. 277. f. 1.
	<i>humilis</i> . Jacq. col. 4. t. 22. f. 3.	<i>evoluloides</i> . F.G. 198.	<i>ciliatus</i> . P.S.				
38	Cneorum. R.S.	silvery-leaved.	Levant.	1640.	5. 9.	G. 7.	Botan. magaz. 459.
39	saxatilis. R.S.	rock.	S. Europe.	1796.	6. 8.	F. 4.	Bocc. mus. 138. t. 96.
40	floridus. R.S.	many-flowered.	Teneriffe.	1779.	8. 9.	G. 7.	Jacq. ic. 1. t. 34.
41	Cantabrica. R.S.	flax-leaved.	S. Europe.	1680.	5. 9.	H. 4.	Jacq. aust. 3. t. 296.
42	salvifolius. L. EN.	Sage-leaved.	Palestine.	1825.	—	H. 4.	
43	linearis. R.S.	narrow-leaved.	S. Europe.	1770.	G. 7.	Botan. magaz. 289.
44	Doryeniun. R.S.	silky-leaved.	Levant.	1806.	6. 7.	H. 7.	
45	holosericeus. R.S.	silky.	Tauria.	1824.	—	H. 4.	
46	scoparius. R.S.	broom.	Canaries.	1733.	8. 9.	G. 7.	Venten. choix. t. 24.
	arborescens. K.S.	arborescent.	Mexico.	1818.	S. 7.	
CALYSTEZIA. B.P.		BEARBIND.	Pentandria Monogynia. R.S.				
1	sepiun. R.S.	great-hedge.	Britain.	6. 9.	H. 4. ∪	Eng. bot. 313.
	<i>β incarnata</i> .	<i>red-flowered</i> .	N. America.	—	H. 4. ∪	Botan. magaz. 732.
2	sylvestris. R.S.	wood.	Hungary.	1815.	—	H. 4. ∪	
	<i>Convolvulus sylvestris</i> . W. EN.						
3	dahurica. B.M.	Dahurian.	Dahuria.	1820.	7. 8.	H. 4. ∪	Botan. magaz. 2609.
4	tonentosa. R.S.	woolly.	N. America.	1818.	6. 7.	H. 4.	
	<i>Convolvulus stans</i> . M.						
5	spithamæa. R.S.	small upright.	—	1796.	7. 8.	H. 4.	Hook. ex. flor. 97.
6	Soldanella. R.S.	sea-side.	Britain.	6. 7.	H. 4.	Eng. bot. 314.
	<i>Convolvulus Soldanella</i> . E.B.						
7	reniformis. B.P.	kidney-leaved.	N. S. W.	1822.	6. 8.	F. 4.	Swt. br. fl. gar. v. 2.
8	Keriana.	Mr. Ker's.	Manritius.	1818.	6. 8.	S. ⊙.	Botan. regist. 318.
	<i>Convolvulus involucreatus</i> . B.R. non Beau.	<i>Convolvulus bicolor</i> . B.M. 2205.	<i>neç aliorum</i> .				
IPOMÆA. B.P.		IPOMÆA.	Pentandria Monogynia. R.S.				
1	Quamoclit. R.S.	wing-leaved.	E. Indies.	1629.	7. 9.	S. ⊙. ∪	Botan. magaz. 244.
	<i>β albiflora</i> .	<i>white-flowered</i> .				S. ⊙. ∪	
2	dissecta. R.S.	cut-leaved.	Tropic's.	1813.	6. 9.	S. 4. ∪	Willd. phyt. 1. t. 2. f. 3.
3	tuberosa. R.S.	tuberous-root'd.	W. Indies.	1731.	8. 10.	S. 4. ∪	Botan. regist. 768.
4	digitata. R.S.	fingered.	S. America.	—	S. 4. ∪	Plum. ic. 92. f. 1.
5	sinuata. R.S.	sinuated.	N. America.	1813.	6. 9.	G. 4. ∪	Jacq. vind. t. 159.
	<i>dissecta</i> . Ph. non W.	<i>Convolvulus dissectus</i> . M.					
6	tuberculata. R.S.	tuberled.	Bourbon.	1818.	—	S. 7. ∪	Jacq. schœn. 2. t. 199.
	<i>stipulacea</i> . Jacq.						
7	pes-tigridis. R.S.	palmated.	E. Indies.	1732.	8. 10.	S. ⊙.	Rheed. mal. 2. t. 59.
8	cairica.	jagged-leaved.	Egypt.	1680.	6. 9.	S. 7. ∪	Botan. magaz. 699.
	<i>Convolvulus cairicus</i> . B.M.						
9	pendula. B.P.	pendulous-fl'd.	N. S. W.	1808.	5. 10.	G. 7. ∪	Botan. regist. 632.
10	dasyperma. J.E.	warted.	E. Indies.	1815.	8. 9.	G. ⊙. ∪	— 86.
	<i>tuberculata</i> . B.R.						
11	platensis. B.R.	Plata.	S. America.	1817.	6. 9.	S. 4. ∪	— 333.
12	setosa. B.R.	bristly-stalked.	Brazil.	—	8. 10.	S. 7. ∪	— 335.
13	paniculata. R.S.	panicled.	E. Indies.	1799.	6. 9.	S. 7. ∪	— 62.
14	insignis. A.R.	large purple.	—	1814.	—	S. 7. ∪	— 75.
	<i>gossypifolia</i> . R.S.						
15	splendens. G.D.	splendid.	Sierra Leon.	1822.	—	S. 7. ∪	
16	parviflora. R.S.	small-flowered.	Santa Cruz.	—	7. 10.	S. ⊙. ∪	Sloan. hist. 1. t. 97. f. 1.
17	heterophylla. R.S.	various-leaved.	S. America.	1817.	—	S. 4.	Jacq. frag. t. 42. f. 4.
18	macrorhizos. R.S.	large-rooted.	W. Indies.	—	—	S. 4.	Plum. cat. mss. v. 2. t. 58.
19	umbellata. R.S.	umbelled.	S. America.	1739.	6. 7.	S. 4.	Burm. amer. t. 92. f. 2.
20	carolina. R.S.	Carolina.	Carolina.	1732.	7. 8.	G. 4. ∪	Dill. elth. t. 84. f. 98.

- 21 *venosa*. R.S. veined-leaved. Mauritius. 1820. — S. h. . . .
- 22 *pentaphylla*. R.S. five-leaved. W. Indies. 1739. 8. 9. S. ⊙. . . . Jacq. ic. 2. t. 319.
- 23 *Cavanillesii*. R.S. Cavanille's. S. America. 1815. — S. h. . . . Cavan. ic. 3. t. 256.
- 24 *armata*. R.S. armed-calyxel. Mexico. 1824. 7. 10. S. ⊙. . . . — 5. t. 478. f. 2.
- 25 *muricata*. Cav. non Jacq. bright-scarlet. W. Indies. 1713. 6. 9. S. ⊙. . . . Andr. reposit. 99.
- 26 *luteola*. R.S. common scarlet. Guatimala. 1759. — H. ⊙. . . . Botan. magaz. 221.
- 27 *coccinea*. B.M. angular-leaved. E. Indies. 1806. — S. ⊙. . . .
- 28 *angularis*. R.S. phanicea. F.I. starry. N. America. 1640. 7. 8. H. ⊙. . . . Dill. elth. t. 87. f. 102.
- 29 *lacunosa*. R.S. sweet potatoe. India. 1597. . . . S. ♀. . . . Rheed. mal. 7. t. 50.
- 30 *Batatas*. R.S. *Convolvulus Batatas*. w. square-stalked. Ceylon. 1752. 3. 6. S. ♀. . . . Botan. regist. 279.
- 31 *chryseidum*. B.R. golden. China. 1817. 6. 10. S. ♀. . . . — 270.
- 32 *Jalapa*. true Jalap. S. America. 1733. 8. 11. S. h. . . . Botan. magaz. 1572.
- 33 *Jalapa. β rosea*. B.R. 621. *Convolvulus Jalapa*. B.M. Michauxii. Michaux's. Georgia. 1815. — G. ♀. . . . Botan. regist. 342.
- 34 *Jalapa. α*. B.R. *macrorhiza*. M. non R.S. blood-flowered. W. Indies. 1812. 2. 11. S. h. . . . — 9.
- 35 *sanguinea*. R.S. scolloped. — 1793. 5. 10. S. h. . . . Sal. par. lond. 81.
- 36 *repanda*. R.S. variable-leaf'd. S. America. 1816. — S. ♀. . . .
- 37 *Convolvulus pubescens*. s.s. deep-lobed. N. America. 1729. 8. 10. H. ⊙. . . . Botan. regist. 85.
- 38 *hederacea*. B.R. *barbata*. Roth. sharp-pointed. S. America. 1732. 6. 7. H. ⊙. . . . Flor. per. 2. t. 119. f. a.
- 39 *cuspidata*. R.S. Dillenius's. Guinea. . . . — S. ⊙. . . . Dill. elth. t. 81. f. 93.
- 40 *Dilleni*. R.S. blue. S. America. 1597. 7. 9. S. ⊙. . . . Botan. magaz. 188.
- 41 *Nil*. P.S. East Indian. E. Indies. 1815. — S. ⊙. . . . Botan. regist. 276.
- 42 *cœrulea*. B.R. three-lobed. W. Indies. 1752. 6. 7. S. ⊙. . . .
- 43 *triloba*. R.S. Ivy-leaved. S. America. 1773. 7. H. ⊙. . . . Plum. ic. t. 93. f. 2.
- 44 *hederifolia*. R.S. Hepatica-ld. E. Indies. 1759. 8. 9. S. ⊙. . . . Bnm. ind. t. 20. f. 2.
- 45 *hepaticifolia*. R.S. spotted-calyx'd. S. America. . . . 7. 11. S. ⊙. . . . Dill. elth. t. 83. f. 96.
- 46 *punctata*. R.S. white-flowered. — 1823. 7. 11. S. ⊙. . . .
- 47 *scabra*. R.S. changeable. — 1812. 5. 9. S. h. . . . Botan. regist. 39.
- 48 *mutabilis*. B.R. hairy-capsuled. N. America. . . . — H. ⊙. . . . Dill. elth. t. 84. f. 98.
- 49 *commutata*. R.S. Ganget. E. Indies. 1812. — S. h. . . .
- 50 *gangetica*. *Convolvulus gangeticus*. F.I. rough. E. Indies. 1777. 7. 8. S. ⊙. . . . Jacq. schön. 3. t. 323.
- 51 *muricata*. R.S. *bona nox β purpurascens*. B.R. 290. *Convolvulus muricatus*. w. flesh-coloured. S. America. 1799. 8. 9. S. ⊙. . . . Jacq. amer. 26. t. 18.
- 52 *carnea*. R.S. involucred. Sierra Leon. 1822. 8. 10. S. ⊙. . . . Beauv. fl. d'ow. 2. t. 89.
- 53 *involuta*. R.S. bearded-calyx'd. America. 1824. 7. 10. H. ⊙. . . . Swt. br. fl. gar. 86.
- 54 *barbigera*. B.F.G. purple. — 1629. 6. 9. H. ⊙. . . . Botan. magaz. 113.
- 55 *purpurea*. R.S. *β incarnata*. flesh-coloured. — — — H. ⊙. . . .
- 56 *β incarnata*. R.S. white-flowered. — — — H. ⊙. . . .
- 57 *γ leucantha*. striped-flowered. — — — H. ⊙. . . . Botan. magaz. 1682.
- 58 *δ varia*. B.M. spotted-flower'd. — — — H. ⊙. . . . — 1005.
- 59 *elatior*. B.M. *discolor*. Jacq. purple-flow'r'd. S. America. 1732. 8. 9. S. ⊙. . . . Plum. ic. t. 93. f. 1.
- 60 *violacea*. R.S. corymbose. India. 1823. — S. h. . . . — t. 89. f. 2.
- 61 *corymbosa*. R.S. bell-flowered. E. Indies. 1800. — S. ⊙. . . . Rheed. mal. 2. t. 56.
- 62 *campanulata*. H.S. umbel-flow'r'd. W. Indies. 1739. 6. 7. S. ♀. . . . Plum. amer. 88. t. 102.
- 63 *polyanthes*. R.S. *Convolvulus umbellatus*. w. many-flowered. Jamaica. . . . — S. ♀. . . . Pluk. phyt. t. 167. f. 1.
- 64 *multiflora*. R.S. Malabar. E. Indies. 1823. . . . S. h. . . . Rheed. mal. 2. t. 51.
- 65 *malabarica*. R.S. Nightshade-ld. America. 1759. 7. 8. S. ♂. . . . Plum. ic. 94. f. 1.
- 66 *solanifolia*. R.S. white-flowered. S. America. 1823. 8. 10. H. ⊙. . . . Jacq. ic. 2. t. 318.
- 67 *leucantha*. R.S. hairy. E. Indies. 1732. 6. 8. S. ⊙. . . . Botan. regist. 239.
- 68 *obscura*. R.S. crowded. — 1816. — S. ♀. . . .
- 69 *fastigiata*. *Convolvulus fastigiatus*. F.I. bluish-flowered. — 1820. . . . S. h. . . .
- 70 *blanda*. *Convolvulus blandus*. F.I. Laurel-leaved. — 1822. 5. 8. S. h. . . .
- 71 *laurifolia*. *Convolvulus laurifolius*. F.I. round-headed. — 1816. 8. 10. S. ⊙. . . .
- 72 *sphærocephala*. *Convolvulus sphærocephalus*. F.I. Siberian. Siberia. 1779. 7. 8. H. ⊙. . . . Pall. it. 3. p. 723. t. K.

69	<i>tamnifolia</i> . R.S.	Tamus-leaved.	Carolina.	1732.	7.	H.⊙.	Dill. elth. t.318. f. 410.
70	<i>capitata</i> . R.S.	headed.	E. Indies.	1823.	7. 10.	S. 4.	
71	<i>triquetra</i> . R.S.	triquetrous.	Santa Cruz.	—	S. 4.	
72	<i>pilosa</i> .	various-ld hairy.	E. Indies.	1815.	—	S.⊙.	
	<i>Convolvulus pilosus</i> . F.I.						
73	<i>denticulata</i> . B.P.	denticulate.	—	1778.	7. 8.	S.⊙.	Botan. regist. 317.
	<i>Convolvulus Medium</i> . W.						
74	<i>bicolor</i> .	two-coloured.	—	1815.	—	S. 4.	
	<i>Convolvulus bicolor</i> . F.I.						
75	<i>grandiflora</i> . R.S.	great-flowered.	E. Indies.	1802.	9.	S. 4.	Andr. reposit. 188.
76	<i>latiflora</i> . R.S.	broad-flower'd.	W. Indies.	9. 10.	S. 4.	Jacq. vind. 3. t. 69.
77	<i>filiformis</i> . R.S.	filiform.	—	1823.	—	S. 4.	Jacq. amer. pict. t.26.
78	<i>salicifolia</i> . F.I.	Willow-leaved.	E. Indies.	1816.	5. 7.	S. 4.	
79	<i>Roxburghii</i> .	Roxburgh's.	—	1817.	—	S. 4.	
	<i>multiflora</i> . F.I. nec <i>aliorum</i> .						
80	<i>sepiaria</i> . F.I.	hedge.	—	—	—	S. 4.	Rheed. mal. 11. t. 53.
81	<i>pandurata</i> . B.R.	Virginian.	N.America.	1732.	6. 9.	G. 4.	Botan. regist. 588.
	<i>Convolvulus panduratus</i> . B.M. 1939.						
82	<i>candicans</i> .	hoary.	—	6. 8.	G. 4.	Botan. magaz. 1603.
	<i>Convolvulus candicans</i> . B.M.						
83	<i>glaucifolia</i> . R.S.	glaucous-leav'd.	Mexico.	1732.	5. 7.	G. 4.	Dill. elth. t. 87. f. 101.
84	<i>reptans</i> . R.S.	creeping.	E. Indies.	1806.	—	S. 4.	Rumph.am.5.t.155.f.1.
85	<i>longiflora</i> . K.S.	long-flowered.	Cuba.	1803.	—	S. 4.	
86	<i>hastigera</i> . K.S.	halberd-leaved.	Mexico.	1824.	—	S. 4.	
87	<i>angustifolia</i> . R.S.	narrow-leaved.	E. Indies.	1800.	7. 8.	S.⊙.	Jacq. ic. rar. t. 317.
88	<i>tridentata</i> . R.S.	trifid.	—	1778.	—	S.⊙.	Rheed. mal. 2. t. 65.
89	<i>stans</i> . R.S.	Mexican.	Mexico.	1824.	—	S. 4.	
90	<i>bignonioides</i> . B.M.	trumpet-fl'd.	Cayenne.	1823.	—	S. 4.	Botan. magaz. 2645.
91	<i>sagittifolia</i> . B.R.	arrow-leaved.	Carolina.	1819.	6. 9.	G. 4.	Botan. regist. 437.
	<i>Convolvulus sagittifolius</i> . R.S.						
92	<i>cœrulescens</i> . F.I.	pale blue.	E. Indies.	1820.	—	S. 4.	
93	<i>vitifolia</i> .	Vine-leaved.	—	—	—	S. 4.	Burm. ind. t. 18. f. 1.
	<i>Convolvulus vitifolius</i> . R.S.						
94	<i>stipulacea</i> .	stipuled.	—	1805.	8. 10.	S. 4.	
	<i>Convolvulus stipulaceus</i> . F.I.						
95	<i>brasiliensis</i> .	three-flowered.	Brazil.	1726.	6. 7.	S. 4.	Plum. amer. 89. t. 104.
	<i>Convolvulus brasiliensis</i> . W.						
96	<i>pes-capræ</i> .	single-flower'd.	E. Indies.	1770.	—	S. 4.	Botan. regist. 319.
	<i>maritima</i> . B.R. <i>Convolvulus pes-capræ</i> . F.I.						
ARGYREIA. S.S. ARGYREIA. Pentandria Monogynia. S.S.							
1	<i>splendens</i> .	glossy-leaved.	E. Indies.	1814.	11. 1.	S. 4.	Botan. magaz. 2628.
	<i>Ipomœa splendens</i> . B.M. <i>Lettsomia splendens</i> . F.I.						
2	<i>speciosa</i> .	broad-leaved.	—	1778.	7. 9.	S. 4.	2446.
	<i>Ipomœa speciosa</i> . B.M. <i>Convolvulus speciosus</i> . W. <i>Lettsomia nervosa</i> . F.I.						
3	<i>cuneata</i> . B.R.	wedge-leaved.	—	1817.	6. 9.	S. 4.	Botan. regist. 661.
	<i>Lettsomia cuneata</i> . F.I. <i>Ipomœa atrosanguinea</i> . B.M. 2170.						
4	<i>cymosa</i> .	cyme-flowered.	—	1823.	S. 4.	
	<i>Lettsomia cymosa</i> . F.I.						
5	<i>bona-nox</i> .	night-flow'ring.	—	1799.	6. 9.	S. 4.	
	<i>Lettsomia bona-nox</i> . F.I.						
6	<i>uniflora</i> .	kidney-leaved.	—	1817.	S. 4.	
	<i>Lettsomia uniflora</i> . F.I.						
7	<i>ornata</i> .	large white-fl'd.	—	1824.	S. 4.	
	<i>Lettsomia ornata</i> . F.I.						
DINETUS. B.F.G. DINETUS. Pentandria Monogynia.							
1	<i>racemosus</i> . B.F.G.	cluster-flow'r'd.	Nepaul.	1823.	7. 11.	H.⊙.	Swt. br. fl. gar. 127.
	<i>Porana racemosa</i> . F.I.						
2	<i>paniculatus</i> .	panicled.	E. Indies.	—	S. 4.	
	<i>Porana paniculata</i> . F.I.						
PORANA. W. PORANA. Pentandria Digynia.							
	<i>volubilis</i> . W.	climbing.	E. Indies.	1823.	S. 4.	Burm. ind. t. 21. f. 1.
EVOLVULUS. S.S. EVOLVULUS. Pentandria Digynia. R.S.							
1	<i>nummularius</i> . R.S.	round-leaved.	Jamaica.	1816.	10.	S.⊙.	Jacq. amer. t.260. f.23.
2	<i>gangeticus</i> . R.S.	Ganges.	E. Indies.	1823.	—	S.⊙.	
3	<i>emarginatus</i> . R.S.	kidney-leaved.	—	1816.	—	S.⊙.	Burm. ind. t. 30. f. 1.
4	<i>alsinoides</i> . R.S.	chickweed-ld.	—	1733.	6. 7.	S. 4.	Rheed. mal. 11. t. 64.
5	<i>linifolius</i> . R.S.	flax-leaved.	Jamaica.	1782.	8. 9.	S.⊙.	Brown. jam. t. 10. f. 2
6	<i>Nuttallianus</i> . R.S.	Nuttall's.	Missouri.	1821.	5. 6.	H. 4.	
	<i>argenteus</i> . N.						

7 latifolius. B.R.	broad-leaved.	Brazil.	1819.	6. 7.	S. 4.	Botan. regist. 401.
CRESSA. R.S.	CRESSA.	Pentandria Digynia. L.				
cretica. R.S.	Cretan.	Levant.	1822.	7. 9.	H. ⊙.	Flor. græc. t. 256.
DICHONDRA. R.S.	DICHONDRA.	Pentandria Digynia. L.				
1 repens. R.S.	creeping.	N. S. W.	1803.	6. 8.	G. 4.	Sm. ic. ined. 1. t. 8.
2 rotundifolia. L.en.	round-leaved.	Persia.	1816.	—	H. 4.	
3 caroliniana. R.S.	Carolina.	Carolina.	1812.	—	G. 4.	
4 sericea. S.S.	silky.	W. Indies.	1793.	—	S. 4.	Swartz. ic. t. 10.
5 argentea. R.S.	silvery.	New Spain.	1818.	—	S. 4.	Willd. hort. ber. t. 81.
FALKIA. R.S.	FALKIA.	Pentandria Digynia. L.				
repens. R.S.	creeping.	C. B. S.	1774.	5. 8.	G. 7.	Andr. reposit. 257.
CUSCUTA. R.S.	DODDER.	Pentandria Digynia. R.S.				
1 europæa. R.S.	great.	England.	8. 9.	H. ⊙.	Eng. bot. 378.
2 Epithymum. R.S.	lesser.	Britain.	7. 10.	H. 4.	— 55.
3 chinensis. R.S.	Chinese.	China.	1803.	—	G. ⊙.	
4 australis. B.P.	New Holland.	N. Holland.	1818.	—	G. 4.	
5 chilensis. B.R.	Chili.	Chili.	1821.	1. 12.	G. 4.	Botan. regist. 603.
6 verrucosa. B.F.G.	warted-caly'x'd.	Nepaul.	1822.	9. 11.	H. 4.	Swt. br. fl. gar. 6.
7 Hookeri.	Hooker's.	E. Indies.	1823.	—	H. ⊙.	Hook. ex. flor. 150.
<i>reflexa.</i> var. <i>verrucosa.</i> H.E.F. <i>excl. synonym.</i>						

ORDO CXXVII.

BORAGINEÆ. *Brown prodr.* 1. p. 492.

TIARIDIUM. S.S.	TIARIDIUM.	Pentandria Monogynia. S.S.				
indicum. s.s.	Indian.	W. Indies.	1713.	6. 8.	S. ⊙.	Botan. magaz. 1837.
<i>Heliotropium indicum.</i> B.M.						
HELIOTROPIUM. S.S.	TURNSOLE.	Pentandria Monogynia. L.				
1 peruvianum. s.s.	Peruvian.	Peru.	1757.	5. 9.	G. 7.	Botan. magaz. 141.
β hybridum.	<i>More's hybrid.</i>	Hybrid.	1815.	—	G. 7.	
2 corymbosum. s.s.	large-flowered.	—	1808.	—	G. 7.	Botan. magaz. 1609.
<i>grandiflorum.</i> L.en.						
3 maroccanum. s.s.	Morocco.	Morocco.	1821.	—	G. 7.	
4 parviflorum. s.s.	small-flowered.	India.	1732.	7. 9.	S. 7.	Dill. elth. t. 146. f. 175.
5 europæum. s.s.	European.	S. Europe.	1562.	6. 10.	H. ⊙.	Jacq. aust. 3. t. 207.
6 commutatum. R.S.	smaller.	—	—	H. ⊙.	
7 suaveolens. s.s.	sweet-scented.	Caucasus.	1823.	—	H. ⊙.	
8 coromandelianum. s.s.	Coromandel.	E. Indies.	1812.	7. 10.	S. 7.	
9 curassavicum. s.s.	glaucous.	S. America.	1731.	6. 7.	S. 7.	Sloan. hist. 1. t. 132. f. 3.
10 anisophyllum. Beau.	unequal-leav'd.	Africa.	1822.	—	S. 7.	Beav. fl. d. ow. 2. t. 94.
11 chenopodioides. R.S.	smooth-leaved.	S. America.	1820.	—	S. 7.	
12 zeylanicum. R.S.	Ceylon.	Ceylon.	1815.	—	S. 7.	Burm. ind. t. 16. f. 2.
13 linifolium. R.S.	flax-leaved.	C. B. S.	—	—	G. 7.	
<i>Myosotis fruticosa.</i> w.						
14 demissum. R.S.	dwarf.	S. America.	1752.	5. 6.	S. 7.	Plum. ic. 227. f. 2.
<i>Tournefortia humilis.</i> w.						
15 supinum. s.s.	trailing.	S. Europe.	1640.	6. 7.	H. ⊙.	Tourn. voy. 1. t. 23.
LITHOSPERMUM. S.S.	GROMWELL.	Pentandria Monogynia. L.				
1 fruticosum. s.s.	shrubby.	S. Europe.	1683.	5. 6.	H. 7.	Flor. græc. t. 161.
2 prostratum. s.s.	prostrate.	—	1825.	—	H. 7.	Lois. fl. gall. add. 1. t. 4.
3 arvense. s.s.	corn.	Britain.	—	H. ⊙.	Eng. bot. 123.
4 officinale. s.s.	officinal.	—	5. 8.	H. 4.	— 134.
5 latifolium. s.s.	broad-leaved.	America.	1816.	—	H. 4.	
6 distichum. s.s.	two-spiked.	Mexico.	1806.	—	G. 4.	
7 orientale. s.s.	yellow-flow'r'd.	Levant.	1713.	—	H. 4.	Botan. magaz. 515.
8 lineatum. s.s.	lined.	1816.	—	H. 4.	
9 apulum. s.s.	small.	S. Europe.	1768.	6. 7.	H. ⊙.	Flor. græc. t. 158.
10 villosum. s.s.	villous.	—	1820.	—	H. 4.	
11 tinctorium. s.s.	dyer's.	—	1596.	6. 10.	H. 4.	
12 purpureo-cæruleum.	creeping.	England.	5. 6.	H. 4.	Eng. bot. 117.
13 tenuiflorum. s.s.	slender-fl'd.	Egypt.	1796.	—	H. ⊙.	Jacq. ic. 2. t. 313.
14 dispernum. s.s.	two-seeded.	Spain.	1799.	6. 7.	H. ⊙.	Linn. dec. 1. t. 7.

15	davuricum. s.s.	Daurian.	Davuria.	1812.	5. 6.	H. ½.	Swt. br. fl. gar. 121.
	<i>Pulmonaria daurica.</i>	B.M. 1743.					
16	denticulatum. s.s.	toothed.	N.America.	1801.	—	H. ½.	
17	sibiricum. s.s.	Siberian.	Siberia.	—	6. 7.	H. ½.	Gmel. sib. 4. n. 15. t. 39.
18	maritimum. s.s.	sea-side.	Britain.	—	H. ½.	Eng. bot. 368.
	<i>Pulmonaria maritima.</i>	E.B.					
19	pulchrum. s.s.	Virginian.	N.America.	1699.	3. 5.	H. ½.	Botan. magaz. 160.
	<i>Pulmonaria virginica.</i>	B.M.					
20	paniculatum. s.s.	panicked.	Hudson's Bay.	1778.	5. 6.	H. ½.	Botan. regist. 146.
	<i>Pulmonaria paniculata.</i>	B.R.					
21	marginatum. s.s.	marginated.	Louisiana.	1813.	—	H. ½.	
	<i>Pulmonaria lanceolata.</i>	Ph. marginata. N.					
BATSCHIA. M. BATSCHIA. Pentandria Monogynia.							
1	Gmelini. M.	Carolina.	Carolina.	1812.	5. 7.	H. ½.	
	<i>caroliniana.</i>	R.S. <i>Liliospermum hirtum.</i>	S.S.				
2	caesescens. M.	canescent.	N.America.	—	H. ½.	Mich. amer. 1. t. 14.
3	longiflora. N.	long-flowered.	Missouri.	1812.	—	H. ½.	
PULMONARIA. S.S. LUNGWORT. Pentandria Monogynia. L.							
1	azurea. s.s.	azure.	Hungary.	1823.	5.	H. ½.	
2	angustifolia. s.s.	narrow-leaved.	Britain.	4. 5.	H. ½.	Eng. bot. 1628.
3	tuberosa. s.s.	tuberous-root'd.	Hungary.	1824.	5.	H. ½.	
4	mollis. s.s.	soft-leaved.	—	1816.	—	H. ½.	Swt. br. fl. gar. ic.
5	officinalis. R.S.	common.	England.	—	H. ½.	Eng. bot. 118.
6	saccharata. L.en.	white-flowered.	Germany.	1816.	—	H. ½.	Moris. s. 11. t. 29.
7	grandiflora. R.S.	large-flowered.	—	H. ½.	DC. ic. ined. t. 64.
8	oblongata. Schr.	oblong-leaved.	Germany.	1820.	—	H. ½.	
ONOSMODIUM. M. ONOSMODIUM. Pentandria Monogynia. R.S.							
1	hispidum. R.S.	hispid.	N.America.	1759.	6.	H. ½.	Moris. s. 11. t. 28. f. 3.
2	molle. R.S.	soft.	—	1812.	6. 8.	H. ½.	Mich. amer. t. 15.
ONOSMA. R.S. ONOSMA. Pentandria Monogynia. L.							
1	echioides. s.s.	hairy.	S. Europe.	1633.	3. 6.	H. ½.	Flor. græc. t. 172.
2	giganteum. s.s.	gigantic.	Tauria.	1818.	—	H. ½.	
3	arenarium. R.S.	sand.	Hungary.	1801.	3. 7.	H. ½.	W. et K. hung. 3. t. 279.
4	stellulatum. W.K.	starry-haired.	—	1816.	—	H. ½.	2. t. 173.
5	tauricum. B.M.	golden-flow'r'd.	Tauria.	1801.	4. 6.	F. ½.	Botan. magaz. 889.
6	rupestre. R.S.	rock.	Caucasus.	1823.	—	H. ½.	
7	orientale. s.s.	oriental.	Levant.	1752.	5. 6.	G. ½.	
8	divaricatum. s.s.	spreading.	Caucasus.	1818.	4. 6.	H. ½.	
9	simplicissimum. R.S.	linear-leaved.	Siberia.	1768.	—	H. ½.	Botan. magaz. 2248.
10	trinervium. s.s.	three-nerved.	Mexico.	1825.	—	G. ½.	
11	sericeum. R.S.	silky-leaved.	Levant.	1752.	6. 7.	F. ½.	
SYMPHYTUM. R.S. COMFREY. Pentandria Monogynia. L.							
1	officinale. R.S.	common.	Britain.	5. 7.	H. ½.	Eng. bot. 817.
	<i>β purpurascens.</i>	purplish.	—	—	H. ½.	
2	bohemium. P.S.	red-flowered.	Bohemia.	—	H. ½.	
3	caucasicum. R.S.	Caucasean.	Caucasus.	1816.	—	H. ½.	
4	tuberosum. R.S.	tuberous-root'd.	Scotland.	5. 10.	H. ½.	Eng. hot. 1502.
5	orientale. R.S.	eastern.	Turkey.	1752.	5. 7.	H. ½.	Botan. magaz. 1912.
6	bullatum. s.s.	blistered.	Tauria.	1806.	—	H. ½.	1787.
	<i>tauricum.</i>	B.M.					
7	cordatum. W.K.	heart-leaved.	Hungary.	1813.	—	H. ½.	W. et K. hung. 6. t. 7.
8	asperimum. R.S.	roughest.	Caucasus.	1799.	5. 9.	H. ½.	Botan. magaz. 929.
9	peregrinum. s.s.	oblique-leaved.	Poland.	1816.	5. 7.	H. ½.	
CERINTE. R.S. HONEYWORT. Pentandria Monogynia. L.							
1	major. R.S.	great.	S. Europe.	1596.	7. 8.	H. ⊙.	Botan. magaz. 333.
2	aspera. R.S.	rough.	—	1633.	—	H. ⊙.	Flor. græc. t. 170.
3	minor. R.S.	small.	Austria.	1570.	6. 10.	H. ⊙.	Jacq. aust. 2. t. 121.
4	maculata. R.S.	spotted.	Tauria.	1804.	—	H. ½.	
ECHIUM. R.S. VIPER'S-BUGLOSS. Pentandria Monogynia. L.							
1	fruticosum. R.S.	frutescent.	C. B. S.	1759.	5. 6.	G. ½.	Botan. regist. 86.
2	hispidum. R.S.	hispid-leaved.	—	1816.	—	G. ½.	
3	laevigatum. R.S.	smooth-stalked.	—	1774.	6. 7.	G. ½.	
4	glaucophyllum. R.S.	glaucous-leav'd.	—	1792.	6. 8.	G. ½.	Jacq. ic. t. 312.
5	glabrum. R.S.	smooth.	—	1791.	5. 6.	G. ½.	
6	paniculatum. R.S.	panicked.	—	1815.	—	G. ½.	
7	grandiflorum. R.S.	great-flower'd.	—	1787.	6. 7.	G. ½.	Botan. regist. 124.
	<i>formosum.</i>	P.S.					
8	ferocissimum. A.R.	prickly-stalked.	—	1794.	—	G. ½.	Andr. reposit. 39.
9	spicatum. R.S.	spiked dwarf.	—	1799.	3. 5.	G. ½.	

10	caudatum. R.S.	tailed.	C. B. S.	1815.	6. 9.	G. h.	
11	capitatum. R.S.	headed.	————	1822.	————	G. h.	
12	verrucosum. R.S.	warted.	————	1820.	5. 8.	G. h.	
13	argenteum. R.S.	silvery.	————	1789.	6. 7.	G. h.	Andr. reposit. 154.
14	lasiophyllum. L. en.	woolly-leaved.	1819.	————	G. h.	
15	strigosum. R.S.	strigose.	C. B. S.	————	————	G. h.	
16	giganteum. R.S.	gigantic.	Canaries.	1779.	7. 11.	G. h.	
17	aculeatum. R.S.	prickly.	————	1815.	5. 8.	G. h.	
18	molle. R.S.	soft-leaved.	————	————	————	G. h.	
19	neruosum. H.K.	sinewy-leaved.	Madeira.	1777.	6. 8.	G. h.	
20	bifrons. DC.	two-fronted.	Canaries.	1815.	————	G. h.	
21	ambiguum. DC.	ambiguons.	————	————	5. 7.	G. h.	DC. ic. mons. ined. t. 20.
22	virescens. DC.	green-leaved.	————	————	————	G. h.	
23	candicans. R.S.	hoary tree.	Madeira.	1777.	5. 6.	G. h.	Botan. regist. 43.
24	cynoglossoides. R.S.	hound's-tongue.	Id. Canaries.	1816.	————	G. h.	
25	densiflorum. DC.	dense-flowered.	————	————	————	G. h.	DC. ic. m. ined. t. 22.
26	fastuosum. H.K.	fastuous.	————	1779.	4. 8.	G. h.	Jacq. f. eclog. t. 41.
27	strictum. R.S.	upright.	————	————	5. 12.	G. j.	Jacq. schœn. 1. t. 35.
28	lineatum. R.S.	lined.	————	1815.	5. 6.	G. h.	Jacq. f. eclog. t. 42.
29	macrophyllum. R.S.	large-leaved.	1812.	————	G. h.	
30	foliosum. R.S.	leafy.	————	————	G. h.	
31	simplex. DC.	simple-stalked.	Canaries.	————	5. 12.	G. j.	DC. ic. m. ined. t. 21.
32	brachyanthum. R.S.	short-flowered.	Madeira.	1820.	5. 7.	G. h.	
33	scabrum. R.S.	rough.	C. B. S.	————	————	G. h.	
34	plantagineum. R.S.	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ⊙	Flor. græc. t. 179.
35	lusitanicum. R.S.	Portugal.	S. Europe.	1731.	7. 8.	H. ⊙	
36	plantaginoides. R.S.	Plantain-like.	————	1825.	————	H. ⊙	Jacq. vind. 1. t. 45.
37	prostratum. R.S.	prostrate.	Egypt.	1824.	————	H. ♀	
38	macranthum. R.S.	large-flowered.	Barbary.	————	7. 10.	H. ⊙	Desf. atl. 1. t. 46.
39	australe. R.S.	oval-leaved.	S. Europe.	1824.	————	H. ⊙	Swt. br. fl. gar. 101.
40	maritimum. R.S.	sea-side.	Italy.	1815.	————	H. ⊙	Bocc. mus. 2. t. 78.
41	italicum. R.S.	white.	Jersey.	7. 8.	H. j.	Eng. bot. 2081.
42	pyrenaicum. R.S.	Pyrenean.	Pyrences.	1815.	7. 8.	H. j.	
43	thyrsoides. R.S.	bunch-flowered.	1823.	————	H. j.	
44	rubrum. R.S.	red-flowered.	Hungary.	1791.	————	H. ♀	Botan. magaz. 1822.
45	vulgare. R.S.	common.	Britain.	————	H. j.	Eng. bot. 181.
	<i>β album.</i>	<i>white-flowered.</i>	————	————	H. j.	
46	violaceum. R.S.	violet-flower'd.	Austria.	1658.	H. ⊙	
47	parviflorum. H.K.	small-flowered.	Barbary.	1798.	————	H. ⊙	
	<i>micranthum. R.S.</i>						
48	tenue. s.s.	slender.	————	1824.	————	H. ⊙	
49	Sibthorpii. R.S.	Sibthorp's.	Naples.	————	————	H. j.	Flor. græc. t. 181.
	<i>hispidum. F.G. nec aliorum. elegans. Lehm.</i>						
50	creticum. R.S.	Cretan.	Levant.	1683.	7. 9.	H. ⊙	———— t. 183.
51	orientale. R.S.	oriental.	————	1780.	7. 8.	H. ⊙	Tourn. it. 2. f. 107.
52	salmanticum. R.S.	long-stamen'd.	Spain.	1824.	————	H. ⊙	
53	longiflorum. Dum.	long-flowered.	C. B. S.	1806.	6. 7.	G. h.	
54	pyramidatum. Dum.	pyramidal.	1824.	G. h.	
NONEA. DC.							
1	violacea. DC.	violet-coloured.	S. Europe.	1686.	5. 7.	H. ⊙	Moris. s. 11. t. 26. f. 11.
	<i>Lycopsis vesicaria. W.</i>						
2	nigricans. DC.	black-flowered.	————	————	H. ⊙	Zanon. hist. 56. t. 38.
3	pulla. DC.	dark-flowered.	Germany.	1648.	6. 7.	H. ♀	Jacq. aust. 2. t. 188.
4	ciliata. R.S.	fringed.	Levant.	1804.	————	H. ⊙	
5	rosea. L. en.	rose-coloured.	Caucasus.	1824.	————	H. ⊙	
	<i>Anchusa rosea. M.B. Lycopsis rosea. s.s.</i>						
6	versicolor.	various-color'd.	————	1820.	————	H. ⊙	
	<i>Anchusa versicolor. R.S.</i>						
7	lutea. DC.	pale yellow.	S. Europe.	1805.	————	H. ⊙	Nocc. hort. tran. t. 3.
	<i>Anchusa lutea. R.S. Lycopsis lutea. s.s.</i>						
8	picta.	painted.	Tauria.	1818.	————	H. ⊙	
	<i>Anchusa picta. M.B. Lycopsis picta. s.s.</i>						
LYCOPSIS. L.							
	arvensis. L.	common.	Britain.	5. 8.	H. ⊙	Eng. bot. 938.
ASPERUGO. L.							
	procumbens. L.	procumbent.	Britain.	4. 5.	H. ⊙	Eng. bot. 661.
ANCHUSA. R.S.							
	1 Barrelieri. s.s.	Barrelier's.	Hungary.	1815.	6. 7.	H. ♀	W. et K. hung. 1. t. 100.
	<i>Myosotis obtusa. W.K.</i>						

2	<i>paniculata</i> . R.S. <i>italica</i> . B.R. 483.	panicked.	S. Europe.	1597.	6. 10.	H. ♀.	Flor. græc. t. 163.
3	Milleri. R.S.	Miller's.	—	H. ♂.	
4	<i>stylosa</i> . R.S.	long-styled.	Tauria.	1824.	—	H. ♂.	M.B. cent. pl. rar. t. 23.
5	<i>procera</i> . S.S.	tall.	Poland.	1822.	—	H. ♀.	
6	<i>lycopsoides</i> . L.en.	Lycopsis-like.	—	—	H. ♀.	
7	<i>variegata</i> . S.S. <i>Lycopsis variegata</i> . F.G.	variegated.	Levant.	1683.	6. 7.	H. ♂.	Flor. græc. t. 178.
8	<i>ovata</i> . S.S. <i>Lycopsis orientalis</i> . R.S.	oval-leaved.	————	1796.	—	H. ♂.	Buxb. cent. 5. t. 30.
9	<i>tinctoria</i> . R.S.	dyer's.	————	1596.	6. 10.	H. ♀.	Flor. græc. t. 166.
10	<i>hispida</i> . R.S.	hispid.	Egypt.	1823.	—	H. ♀.	
11	<i>tenella</i> . R.S. <i>zeylanica</i> . Jacq.	slender.	China.	1816.	—	H. ♂.	Jacq. f. ecl. t. 29.
12	<i>officinalis</i> . R.S.	common.	Britain.	—	H. ♀.	Eng. bot. 662.
13	<i>incarnata</i> . Schr.	flesh-coloured.	Europe.	—	H. ♀.	
14	<i>undulata</i> . R.S.	wave-leaved.	S. Europe.	1739.	6. 8.	H. ♀.	Botan. magaz. 2119.
15	<i>ochroleuca</i> . R.S.	pale-flowered.	Caucasus.	1810.	7. 8.	H. ♀.	———— 1608.
16	<i>angustifolia</i> . R.S.	narrow-leaved.	Europe.	1640.	5. 6.	H. ♀.	Flor. græc. t. 164.
17	<i>leptophylla</i> . R.S. <i>angustifolia</i> . B.M.	blue-flowered.	————	—	—	H. ♀.	Botan. magaz. 1897.
18	<i>capensis</i> . R.S.	Cape.	C. B. S.	1800.	7. 8.	G. ♂.	Andr. reposit. 336.
19	<i>hybrida</i> . R.S.	villous.	Naples.	1818.	7. 10.	H. ♂.	Ten. fl. neap. t. 11.
20	<i>Agardhii</i> . R.S.	tubercle-leav'd.	Siberia.	1823.	7. 9.	H. ♀.	
21	<i>verrucosa</i> . R.S.	warted.	Egypt.	—	7. 10.	H. ♂.	Jacq. vind. 3. t. 21.
22	<i>rupestris</i> . R.S.	rock.	Siberia.	1802.	7.	H. ♀.	Pall. it. 3. ap. t. E. f. 3.
23	<i>sericea</i> . R.S.	silky.	————	—	6. 8.	H. ♀.	
MYOSOTIS. R.S.		SCORPION-GRASS.	Pentandria Monogynia. L.				
1	<i>palustris</i> . E.B. <i>scorpioides</i> . W.	marsh.	Britain.	6. 9.	H. w. ♀.	Eng. bot. 1973.
2	<i>cæspitosa</i> . S.S.	tufted.	————	5. 7.	H. w. ♀.	
3	<i>intermedia</i> . S.S.	intermediate.	————	4. 6.	H. ♂.	Fl. dan. 583. f. maj.
4	<i>sylvatica</i> . R.S.	wood.	————	6. 8.	H. ♀.	Raii syn. t. 9. f. 2.
5	<i>alpestris</i> . R.S. <i>rupicola</i> . E.B.	rock.	Scotland.	6. 8.	H. ♀.	Eng. bot. 2559.
6	<i>lithospermifolia</i> . R.S.	Gromwell-ld.	Caucasus.	1823.	—	H. ♀.	
7	<i>suaveolens</i> . R.S.	sweet-scented.	Europe.	—	—	H. ♀.	
8	<i>arvensis</i> . E.B.	corn.	Britain.	6. 9.	H. ♂.	Eng. bot. 2558.
9	<i>versicolor</i> . E.B.	various-colour'd.	————	4. 6.	H. ♂.	———— 480. f. 1.
10	<i>sparsiflora</i> . R.S.	scattered-fl'd.	Europe.	1818.	—	H. ♂.	
11	<i>stricta</i> . R.S.	upright.	————	—	—	H. ♂.	
12	<i>nana</i> . R.S.	dwarf.	————	6. 8.	H. ♀.	Hacq. pl. alp. car. t. 2. f. 6
13	<i>peduncularis</i> . S.S.	peduncled.	Astracan.	1823.	—	H. ♂.	
ECHINOSPERMUM. S.S.		ECHINOSPERMUM.	Pentandria Monogynia. S.S.				
1	<i>virginianum</i> . S.S. <i>Myosotis virginiana</i> . W. <i>Rochelia virginiana</i> . R.S.	Virginian.	Virginia.	1699.	6. 7.	H. ♂.	Moris. s. 11. t. 30. f. 9.
2	<i>deflexum</i> . S.S.	deflexed.	Hungary.	1823.	—	H. ♂.	Wahl. a. holm. 1810. t. 4.
3	<i>Lappula</i> . S.S.	common.	Europe.	1656.	4. 8.	H. ♂.	Flor. dan. t. 692.
4	<i>squarrosum</i> . L.en. <i>patulum</i> . S.S.	squarrose.	Siberia.	1802.	—	H. ♂.	
5	<i>Redowskii</i> . Lehm.	Redowski's.	Russia.	1821.	6. 7.	H. ♂.	
6	<i>barbatum</i> . S.S.	bearded.	Tauria.	1819.	—	H. ♂.	
7	<i>marginatum</i> . S.S.	margin'd.	Astracan.	—	—	H. ♂.	
OMPHALODES. Lehm.		OMPHALODES.	Pentandria Monogynia. L.en.				
1	<i>nitida</i> . Lehm. <i>Cynoglossum nitidum</i> . B.M. <i>Picotia nitida</i> . R.S.	shining.	Portugal.	1812.	4. 6.	H. ♀.	Botan. magaz. 2529.
2	<i>verna</i> . L.en. <i>Cynoglossum Omphalodes</i> . B.M. <i>Picotia verna</i> . R.S.	Comfrey-ld.	S. Europe.	1633.	3. 5.	H. ♀.	Botan. magaz. 7.
3	<i>brassicæfolia</i> . <i>amplexicaulis</i> . Lehm. <i>Picotia brassicæfolia</i> . R.S.	stem clasping.	Spain.	1824.	6. 8.	H. ♂.	Lehm. m. ber. 8. 2. t. 6.
4	<i>linifolia</i> . L.en.	Venus Navelwort.	Portugal.	1648.	—	H. ♂.	Barrel. ic. 1234.
5	<i>scorpioides</i> . L.en.	variable-ld.	Bohemia.	1823.	—	H. ♂.	Lehm. m. ber. 8. 2. t. 7.
6	<i>sempervirens</i> . D.P. <i>Anchusa sempervirens</i> . E.B.	evergreen.	Britain.	5. 6.	H. ♀.	Eng. bot. 45.
RINDERA. R.S.		RINDERA.	Pentandria Monogynia. R.S.				
1	<i>lævigata</i> . R.S. <i>tetraspis</i> . Pall. <i>Cynoglossum Rindera</i> . Pall. <i>Cynoglossum lævigatum</i> . W.	smooth.	Siberia.	1824.	6. 7.	H. ♀.	Pall. ross. 2. t. 88.
MATTIA. R.S.		MATTIA.	Pentandria Monogynia. R.S.				
1	<i>umbellata</i> . R.S.	umbel-flower'd.	Hungary.	1818.	6. 7.	H. ♀.	W. et K. hung. 2. t. 146.

- 2 lauata. R.S. woolly. Levant. 1800. — G. ♀. Tourn.au.mus.10. t.37.
Cynoglossum lanatum. w.
- CYNOGLOSSUM. R.S. HOUND'S-TONGUE. Pentandria Monogynia. L.**
- 1 officinale. R.S. common. Britain. 6. 7. H. ♂. Eng. bot. 921.
 2 Hænkii. R.S. rough-leaved. Hungary. 1815. — H. ♂.
 3 sylvaticum. R.S. green-leaved. Britain. — H. ♂. — 1642.
 4 Dioscoridis. R.S. Dioscoride's. Dauphny. 1818. — H. ♂.
 5 bicolor. R.S. two-coloured. Germany. — — H. ♂.
 6 elongatum. R.S. long-branched. — — H. ♂.
 7 pictum. R.S. Madeira. Madeira. 1658. 8. G. ♂. Clus. hist. 2. f. 2.
 8 hirsutum. R.S. hairy. C. B. S. 1806. 7. 8. H. ♂. Jacq. schœn. 4. t. 489.
 9 virginicum. s.s. stem-clasping. N.America. 1812. 6. 7. H. ♀.
amplexicaule. M.
- 10 clandestinum. R.S. hidden-fl'd. Barbary. 1823. — G. ♂. Desf. atl. 1. t. 42.
 11 canescens. R.S. canescent. E. Indies. 1815. 7. 10. G. ♂.
 12 apenninum. R.S. Apennine. Italy. 1731. 4. 7. H. ♂. Sabb. hort. rom. 2. t. 36.
 13 magellense. R.S. woolly. — 1823. 5. 7. H. ♀.
 14 australe. B.P. New Holland. N. S. W. 1820. — G. ♀.
 15 cheirifolium. s.s. silvery-leaved. Levant. 1596. 6. 7. H. ♂.
- Anchusa lanata*. R.S.
- TRICHODESMA. B.P. TRICHODESMA. Pentandria Monogynia. R.S.**
- 1 indicum. R.S. Indian. E. Indies. 1759. 6. 10. H. ♂. Pluk. alm. 30. t. 76. f. 3.
Borago indica. L.
- 2 africanum. R.S. African. C. B. S. — 7. 8. H. ♂. Isn. act. par. 1718. t. 11.
 3 zeylanicum. R.S. Ceylon. E. Indies. 1799. — S. ♂. Jacq. ic. 2. t. 314.
- BORAGO. R.S. BORAGE. Pentandria Monogynia. L.**
- 1 officinalis. R.S. common. Britain. 6. 9. H. ♂. Eng. bot. 36.
β albiflora. white-flowered. — H. ♂.
 2 orientalis. R.S. oriental. Turkey. 1752. 3. 5. H. ♀. Botan. regist. 288.
 3 cretica. R.S. Cretan. Greece. 1823. 5. 6. H. ♀. Flor. græc. t. 176.
 4 laxiflora. R.S. bell-flowered. Corsica. 1813. 5. 8. H. ♂. Botan. magaz. 1798.
 5 crassifolia. R.S. thick-leaved. Persia. 1824. — H. ♀. Venten. cels. t. 100.
- TOURNEFORTIA. R.S. TOURNEFORTIA. Pentandria Monogynia. L.**
- 1 cymosa. R.S. broad-leaved. Jamaica. 1777. 7. S. ♀. Jacq. ic. t. 31.
 2 fœtidissima. R.S. Tobacco-leav'd. — 1739. 9. S. ♀. Plum. ic. 226. t. 230.
 3 bicolor. R.S. two-coloured. — 1812. S. ♀.
 4 suffruticosa. R.S. hoary-leaved. — 1759. 6. 9. S. ♀. Sloan. hist. 2. t. 162. f. 4.
 5 mutabilis. R.S. changeable. Java. 1820. — S. ♀. Venten. choix. t. 3.
 6 gnaphalodes. R.S. Gnaphalium-like. W. Indies. — S. ♀. Jacq. amer. t. 173. f. 11.
Heliotropium gnaphalodes. w.
- 7 fruticosa. R.S. shrubby. Canaries. 1779. 6. 10. G. ♀. Botan. regist. 464.
Messerschmidia fruticosa. w.
- 8 angustifolia. R.S. narrow-leaved. — G. ♀.
 9 argentea. R.S. silvery-leaved. E. Indies. 1822. — S. ♀. Rumph. amb. 4. t. 55.
 10 Argusia. R.S. herbaceous. Siberia. 1780. — H. ♀. Gmel. it. 2. t. 27.
- MESSERSCHMIDIA. R.S. MESSERSCHMIDIA. Pentandria Monogynia. R.S.**
- 1 hirsutissima. R.S. very hairy. S. America. 1818. 5. 8. S. ♀. Sloan. hist. 2. t. 212. f. 1.
Tournefortia hirsutissima. w.
- 2 volubilis. R.S. climbing. Jamaica. 1752. 7. 8. S. ♀. — 1. t. 143. f. 2.
Tournefortia volubilis. w.
- 3 scandens. R.S. scandent. S. America. 1816. — S. ♀. Flor. peruv. 2. t. 148.
 4 laurifolia. R.S. Laurel-leaved. W. Indies. 1823. S. ♀. Venten. choix. t. 2.
- BEURRERIA. G. BEURRERIA. Pentandria Monogynia. R.S.**
- 1 succulenta. s.s. oval-leaved. W. Indies. 1758. 5. 7. S. ♀. Jacq. obs. 2. t. 26.
 2 exsua. s.s. dry-fruited. — 1804. — S. ♀. Jacq. amer. t. 173. f. 17.
- EHRETIA. S.S. EHRETIA. Pentandria Monogynia. L.**
- 1 tinifolia. s.s. Tinus-leaved. Jamaica. 1734. 6. 7. S. ♀. Trew Ehret. t. 24.
 2 acuminata. B.P. acuminate. N. S. W. 1820. — G. ♀.
 3 laxa. s.s. loose-flowered. Mauritius. 1821. — S. ♀. Jacq. schœn. 1. t. 41.
 4 internodis. s.s. axillary-fl'd. — — S. ♀. L'Herit. stirp. 1. t. 24.
 5 lævis. s.s. smooth. E. Indies. 1816. S. ♀. Roxb. corom. 1. t. 56.
 6 buxifolia. s.s. Box-leaved. — S. ♀. — 1. t. 57.
 7 microphylla. s.s. small-leaved. — 1818. 6. 8. S. ♀. Pluk. phyt. t. 31. f. 1.
 8 aspera. s.s. rough-leaved. — 1795. — S. ♀. Roxb. corom. 1. t. 55.
- CORDIA. B.P. CORDIA. Pentandria Monogynia. L.**
- 1 Myxa. R.S. smooth-leaved. E. Indies. 1640. S. ♀. Rheed. mal. 4. t. 37.
 2 monoica. R.S. Birch-leaved. — 1799. 3. 4. S. ♀. Roxb. corom. 1. t. 58.
 3 Colococca. R.S. long-leaved. Jamaica. 1759. S. ♀. Sloan. hist. 2. t. 203. f. 2.
 4 micranthus. R.S. small-flowered. — 1822. S. ♀.

5	Geraschanthus, R.S.	Spanish Elm.	W. Indies.	1789.	5.	S. ♀.	Jacq. amer. t. 175. f. 16.
6	nodosa, R.S.	hairy.	Guiana.	1803.	6. 7.	S. ♀.	Aub. gui. 1. t. 86.
	<i>hirsuta</i> , w. <i>Collococcus</i> .	Aub. non. L.					
7	flavescens, R.S.	yellow-fruited.	—————	1818.	S. ♀.	————— 1. t. 89.
8	spinescens, R.S.	spiny.	E. Indies.	————	S. ♀.	
9	macrophylla, R.S.	broad-leaved.	W. Indies.	1752.	S. ♀.	Sloan. hist. 2. t. 221. f. 1.
10	Sebastena, R.S.	rough-leaved.	—————	1728.	7. 8.	S. ♀.	Botan. magaz. 794.
11	reticulata, R.S.	netted-leaved.	E. Indies.	1820.	————	S. ♀.	
	<i>angustifolia</i> , F.I.						
12	dentata, R.S.	toothed.	Caracas.	1823.	S. ♀.	
13	elliptica, R.S.	elliptic-leaved.	W. Indies.	1804.	S. ♀.	
14	dichotoma, R.S.	forked.	N. Holland.	1824.	S. ♀.	
15	angustifolia, R.S.	narrow-leaved.	Santa Cruz.	1808.	6. 8.	S. ♀.	
16	curassavica, R.S.	long-spiked.	S. America.	1759.	—	S. ♀.	Centur. amer. t. 56.
	<i>Varronia curassavica</i> , w.						
17	martinicensis, R.S.	Martinico.	Martinico.	1795.	8. 9.	S. ♀.	Jacq. amer. 41. t. 32.
18	bullata, R.S.	blister-leaved.	W. Indies.	1823.	S. ♀.	Jacq. amer. pict. t. 43.
19	monosperma, R.S.	single-seeded.	Caracas.	1820.	S. ♀.	Jacq. schœn. 1. t. 39.
20	lineata, R.S.	round-spiked.	W. Indies.	1793.	6. 9.	S. ♀.	Brown. jam. t. 13. f. 2.
	<i>Varronia lineata</i> , w.						
21	mirabiloides, R.S.	jointed.	Hispaniola.	1798.	9.	S. ♀.	Jacq. amer. 41. t. 33.
22	alba, R.S.	white-flowered.	Carthagenæ.	1818.	S. ♀.	Comm. hort. 1. t. 80.
23	bifurcata, R.S.	forked.	Peru.	————	S. ♀.	Flor. peruv. 2. t. 146. f. a.
	<i>Varronia dichotoma</i> .	R.P. <i>parviflora</i> , P.S.					
PATAGONULA, R.S.			PATAGONULA.		Pentandria Monogynia.		R.S.
	americana, R.S.	spear-leaved.	S. America.	1732.	6. 8.	G. ♀.	Dill. clth. t. 226. f. 293.
	<i>Cordia Patagonula</i> , w.						

ORDO CXXVIII.

HYDROPHYLLÆ. *Brown.*

HYDROPHYLLUM, L.		WATER-LEAF.		Pentandria Monogynia.		L.	
1	virginicum, L.	Virginian.	N. America.	1739.	5. 6.	H. ♀.	Botan. regist. 331.
2	canadense, L.	Canadian.	Canada.	1759.	—	H. ♀.	————— 242.
PHACELIA, B.P.		PHACELIA.		Pentandria Monogynia.		R.S.	
1	magellanica, B.P.	woolly.	Magellan.	1816.	6. 10.	H. ♀.	Lam. j. hist. nat. t. 19.
	<i>Hydrophyllum magellanicum</i> .	Lam. <i>Aldea circinata</i> , w. en.					
2	Aldea, B.P.	various-leaved.	Peru.	1820.	—	G. ♀.	Flor. peruv. 2. t. 14.
	<i>Aldea pinnata</i> , R.P.						
NEMOPHILA, N.		NEMOPHILA.		Pentandria Monogynia.		S.S.	
1	phacelioides, N.	Phacelia-like.	N. America.	1822.	6. 9.	H. ⊙.	Swt. br. fl. gar. 32.
2	paniculata, S.S.	panicled.	—————	1812.	5. 6.	H. ♀.	
	<i>Hydrophyllum appendiculatum</i> , M.						
ELLISIA, R.S.		ELLISIA.		Pentandria Monogynia.		W.	
	Nyctelea, R.S.	cut-leaved.	Virginia.	1755.	7. 8.	H. ⊙.	Lam. ill. t. 97.

ORDO CXXIX.

SOLANEÆ. *Brown prodr. 1. p. 443.*

Sect. I. PERICARPIUM CAPSULARE.

ANTHOCERCIS, B.P.		ANTHOCERCIS.		Didynamia Angiospermia.		S.S.	
1	littorea, B.P.	yellow.	N. Holland.	1803.	5. 8.	G. ♀.	Botan. regist. 212.
2	albicans, Cunn.	white-flowered.	—————	1823.	4. 6.	G. ♀.	Ap. to B. Field trav. ic.
3	viscosa, B.P.	viscous.	—————	—	—	G. ♀.	

CELSIA. S.S.	CELSIA. Pentandria Monogynia. L.				
1 orientalis. s.s.	oriental.	Levant.	1713.	7. 8.	H. ⊙. Lam. ill. t. 532.
2 Arcturus. w.	scollop-leaved.	Candia.	1780.	7. 9.	F. ♂. Botan. magaz. 1962.
3 coromandelina. w.	Coromandel.	E. Indies.	1783.	7. 8.	S. ⊙. Botan. magaz. 964.
4 cretica. s.s.	great-flowered.	Crete.	1752.	7. 9.	F. ♂.
5 viscosa. s.s.	clammy.	1816.	—	F. ⊙.
6 betonicaefolia. s.s.	Betony-leaved.	Barbary.	1824.	—	F. ♂.
7 sublanata. B.R.	woolly.	1818.	—	H. ♀. Botan. regist. 438.
8 lanceolata. s.s.	spear-leaved.	Levant.	1816.	—	F. ♂. Venten. cels. t. 27.
VERBASCUM. L.	MULLEIN. Pentandria Monogynia. L.				
1 Thapsus. R.S.	Shepherd's club.	Britain.	7. 8.	H. ♂. Eng. bot. 549.
2 elongatum. W.en.	long-spiked.	Europe.	1813.	—	H. ♂.
3 thapsoides. R.S.	branching.	Portugal.	—	H. ♂. Schrad. verb. t. 5. f. 2.
4 thapsiforme. R.S.	simple-stalked.	Europe.	—	H. ♂.
5 crassifolium. R.S.	thick-leaved.	S. Europe.	1816.	—	H. ♂. H. et Lk. fl. port. 1. t. 26
6 cuspidatum. R.S.	sharp-pointed.	Austria.	—	—	H. ♂. Schrad. verb. t. 1. f. 1.
7 gossypinum. M.B.	cottony.	Iberia.	1824.	6. 8.	H. ♂.
8 niveum. R.S.	snowy.	Naples.	—	—	H. ♂. Ten. fl. neap. t. 22.
9 macranthum. H.S.	large-flowered.	Portugal.	1823.	—	H. ♂. H. et Lk. fl. port. t. 27.
10 australe. R.S.	southern.	S. Europe.	1816.	—	H. ♂. Schrad. hung. t. 2.
11 phlomoides. R.S.	woolly.	Italy.	1739.	—	H. ♂. Mill. ic. t. 273.
<i>rugulosum. w.</i>	close-flowered.	Austria.	1818.	—	H. ♂. Schrad. verb. t. 3.
12 condensatum. R.S.	wood.	—	—	—	H. ♂. ——— t. 1. f. 2.
13 nemorosum. R.S.	hill.	Germany.	1820.	—	H. ♂. ——— t. 5. f. 1.
14 collinum. R.S.	scattered-fl.	—	1815.	6. 8.	H. ♀.
15 versiflorum. R.S.	scollop-leaved.	S. Europe.	1570.	7. 8.	H. ♂. Flor. græc. t. 227.
16 sinuatum. R.S.	plaited-leaved.	Levant.	1816.	—	H. ♂. ——— t. 226.
17 undulatum. R.S.	<i>plicatum. F.G.</i>				
18 bipinnatifidum. B.M.	bipinnatifid.	Tauria.	1813.	—	H. ♂. Botan. magaz. 1777.
19 pinnatifidum. R.S.	pinnatifid.	Archipelago.	1788.	5.	G. ♀.
20 Chaixi. R.S.	French.	France.	1816.	7. 8.	H. ♂. Vill. delph. 2. t. 13.
21 Boerhaavii. R.S.	annual.	S. Europe.	1731.	—	H. ⊙. Mill. ic. 2. t. 273.
22 ovalifolium. B.M.	oval-leaved.	Caucasus.	1804.	7. 9.	H. ♀. Botan. magaz. 1037.
23 formosum. B.R.	beautiful.	Russia.	1814.	7. 8.	H. ♂. Botan. regist. 558.
24 Lychnitis. R.S.	white.	Britain.	6. 8.	H. ♂. Eng. bot. 58.
25 austriacum. R.S.	Austrian.	Austria.	1819.	—	H. ♂.
26 pulverulentum. R.S.	powdered.	England.	—	H. ♂. Eng. bot. 487.
27 pyramidatum. R.S.	pyramidal.	Caucasus.	1804.	7. 8.	H. ♀. Swt. br. fl. gar. 31.
28 ovatum. R.S.	oval-leaved.	—	—	H. ♂. Schrad. h. gott. t. 15.
29 rotundifolium. R.S.	round-leaved.	Naples.	1826.	—	H. ♂. Ten. fl. neap. t. 23.
30 floccosum. R.S.	wool-bearing.	Hungary.	1805.	6. 7.	H. ♂. W. et K. hung. 1. t. 79.
31 leptostachyum. R.S.	slender-spiked.	S. France.	1824.	7. 9.	H. ♂.
32 angustifolium. R.S.	narrow-leaved.	Naples.	1822.	—	H. ♂.
33 longifolium. R.S.	long-leaved.	—	—	—	H. ♂. Ten. fl. neap. t. 21.
34 nigrum. R.S.	black-rooted.	England.	6. 8.	H. ♀. Eng. bot. 59.
35 orientale. R.S.	oriental.	Caucasus.	1820.	—	H. ♀.
36 Alopecurus. R.S.	fox-tail.	France.	1818.	—	H. ♀.
37 virgatum. R.S.	slender.	Britain.	8.	H. ♂. Eng. bot. 550.
38 speciosum. R.S.	splendid.	Austria.	1820.	6. 8.	H. ♀. Schrad. h. gott. t. 16.
39 grandiflorum. R.S.	great-flowered.	1816.	—	H. ♀. ——— t. 15.
40 Blattaria. R.S.	moth.	Britain.	7. 9.	H. ♂. Eng. bot. 393.
<i>β album.</i>	<i>white-flowered.</i>	—	H. ♂.
41 repandum. R.S.	waved.	1813.	7. 8.	H. ♂.
42 glabrum. R.S.	smooth.	1805.	—	H. ♂.
43 hæmorrhoidale. R.S.	Madeira.	Madeira.	1777.	6. 8.	G. ♂. Botan. magaz. 1226.
44 cupreum. R.S.	copper-coloured.	Hybrid.	1798.	5. 9.	H. ♀. ——— 885.
45 phœniceum. R.S.	purple-flower'd.	S. Europe.	1596.	5. 8.	H. ♀. Schrad. h. gott. t. 14.
46 puniceum. R.S.	pink-flowered.	—	1815.	—	H. ♀. W. et K. hung. 2. t. 197.
47 rubiginosum. R.S.	brown-flower'd.	Hungary.	—	—	H. ♂. Trew Ehret. t. 16. f. 1.
48 ferrugineum. R.S.	rusty.	S. Europe.	1683.	—	H. ♀. Andr. reposit. t. 162.
49 triste. R.S.	dark-flowered.	Levant.	1788.	—	H. ♀.
<i>ferrugineum. A.R. nec aliorum.</i>	showy.	Tauria.	1822.	6. 8.	H. ♂.
50 spectabile. M.B.	spiny.	Candia.	1824.	5. 8.	G. ♀. Moris. s. 5. t. 10. f. 8.
51 spinosum. R.S.	Osbeck's.	Spain.	1752.	7. 8.	H. ♂. Tourn. it. 2. t. 83.
52 Osbeckii.	RAMONDA. Pentandria Monogynia. P.S.				
RAMONDA. P.S.	RAMONDA. Pentandria Monogynia. P.S.				
<i>pyrenaica. P.S.</i>	Borage-leaved.	Pyrenees.	1731.	5.	H. ♀. Botan. magaz. 236.
<i>Verbascum Myconi. B.M.</i>					

HYOSCYAMUS. R.S. HENBANE.		Pentandria Monogynia. L.			
1	niger. R.s.	common.	Britain.	6. 7. H. ♂. Eng. bot. 591.
2	agrestis. R.S.	field.	Hungary.	1816.	6. 9. H. ⊙. Swt. br. fl. gar. 27.
3	pallidus. R.S.	pale-flowered.	_____	1815.	— H. ⊙.
4	reticulatus. R.S.	Egyptian.	Egypt.	1640.	7. 9. H. ⊙. Comm. hort. 77. t. 22.
5	albus. R.S.	white.	S. Europe.	1570.	7. 8. H. ⊙. Flor. græc. t. 239.
6	aureus. R.S.	golden.	Levant.	1640.	3. 10. G. ♀. Botan. magaz. 87.
7	Senecionis. R.S.	yellow-flow'r'd.	Egypt.	1812.	— G. ♀.
8	canariensis. B.R.	various-leaved.	Canaries.	1816.	1. 12. G. ♂. Botan. regist. 180.
9	muticus. R.S.	three-coloured.	Egypt.	1818.	5. 8. G. ♂.
10	pusillus. R.S.	dwarf.	Persia.	1691.	7. H. ⊙. Pluk. alm. t. 37. f. 5.
11	physaloides. R.S.	purple-flow'r'd.	Siberia.	1777.	3. 4. H. ♀. Swt. br. fl. gar. 13.
12	orientalis. R.S.	oriental.	Iberia.	1815.	— H. ♀. — t. 12.
SCOPOLIA. Jacq.		SCOPOLIA. Pentandria Monogynia. R.S.			
	carniolica. Jacq.	Nightshade-l'd.	Carniola.	1780.	4. 5. H. ♀. Botan. magaz. 1126.
	atropoides. R.S.	<i>Hyoscyamus Scopolia.</i> B.M.			
NICOTIANA. R.S.		TOBACCO. Pentandria Monogynia. L.			
1	chinensis. R.S.	frutescent.	China.	1815.	6. 8. G. ♀.
2	fruticosa. R.S.	broad-leaved.	C. B. S.	1699.	7. 9. G. ♀.
3	latissima. DC.	_____	America.	— H. ⊙.
	macrophylla. R.S.	_____	_____	_____	_____
4	Tabacum. R.S.	Virginian.	_____	1570.	— H. ⊙. Blackw. t. 146.
	α attenuata.	slender.	_____	— H. ⊙.
	β pallescens.	pale-flowered.	_____	— H. ⊙.
	γ alipes.	winged.	_____	— H. ⊙.
	δ serotina.	late-flowered.	_____	— H. ⊙.
	ε gracilipes.	slender-stalked.	_____	— H. ⊙.
	ζ Verdun.	Verdan.	_____	— H. ⊙.
	η lingua.	tongue-leaved.	_____	— H. ⊙.
5	angustifolia. R.S.	narrow-leaved.	Chili.	1822.	— H. ⊙. Flor. peruv. 2. t. 130. f. a.
6	viscosa. R.S.	viscous.	Buenos Ayres.	1824.	— H. ⊙.
7	pusilla. R.S.	Primrose-l'd.	Vera Cruz.	1733.	8. S. ♂. Mill. ic. t. 185. f. 2.
8	glutinosa. R.S.	clammy.	Peru.	1759.	7. 9. H. ⊙. Swt. br. fl. gar. 107.
9	rustica. R.S.	common.	America.	1570.	— H. ⊙. Blackw. t. 437.
10	humilis. L.en.	lesser.	_____	— H. ⊙.
11	paniculata. R.S.	panicked.	Pern.	1752.	— H. ⊙. Flor. peruv. 2. t. 129. f. b.
12	cerinthoides. R.S.	honeywort.	America.	1816.	— H. ⊙. Lehm. nicot. t. 2.
13	Langsdorffii. s.s.	Langsdorff's.	S. America.	1824.	— H. ⊙. Botan. magaz. 2555.
14	repanda. R.S.	stem-clasping.	Havannah.	1822.	8. 10. H. ⊙. — 2484.
	lyrata. K.S.	_____	_____	_____	_____
15	plumbaginifolia. R.S.	curled-leaved.	America.	1816.	5. 10. G. ♀. Jacq. fragm. t. 84.
	crispa. Jacq.	_____	_____	_____	_____
16	suaveolens. R.S.	sweet-scented.	N. S. W.	1800.	5. 9. G. ♀. Botan. magaz. 673.
	undulata. B.M.	_____	_____	_____	_____
17	vincaflora. s.s.	Vinca-flower'd.	S. America.	1825.	8. 10. H. ⊙.
18	dilatata. L.en.	dilated-leaved.	_____	_____	— H. ⊙.
19	nana. B.R.	dwarf.	_____	1822.	— H. ⊙. Botan. regist. 833.
20	quadrialvis. R.S.	four-valved.	N. America.	1811.	7. 8. H. ⊙. Botan. magaz. 1778.
PETUNIA. J.		PETUNIA. Pentandria Monogynia. R.S.			
	nyctaginiflora. J.	large-flowered.	S. America.	1824.	4. 10. G. ♀. Swt. br. fl. gar. 119.
DATURA. R.S.		THORN-APPLE. Pentandria Monogynia. L.			
1	ferox. R.S.	Chinese.	China.	1731.	7. 10. H. ⊙. Zanon. hist. t. 162.
2	Stramonium. R.S.	common.	England.	— H. ⊙. Eng. bot. 1288.
3	Tatula. R.S.	light blue.	S. America.	1629.	— H. ⊙. Swt. br. fl. gar. 83.
4	muricata. s.s.	muricated.	1819.	— H. ⊙.
5	Metel. R.S.	downy.	Asia.	1596.	6. 10. H. ⊙. Botan. magaz. 1440.
6	quercifolia. K.S.	Oak-leaved.	Mexico.	1824.	— H. ⊙.
7	fastuosa. R.S.	purple.	Egypt.	1629.	— H. ⊙. Rumph. am. 5. t. 243. f. 2.
8	lævis. R.S.	smooth-fruited.	Africa.	1780.	— H. ⊙. Jacq. vind. 3. t. 82.
9	ceratocaula. R.S.	horn-stalked.	Cuba.	1805.	— H. ⊙. Jacq. schœn. 3. t. 339.
10	fruticosa. L.en.	frutescent.	1825.	— S. ♀.
BRUGMANSIA. P.S.		BRUGMANSIA. Pentandria Monogynia. R.S.			
1	candida. P.S.	downy-stalked.	Peru.	1818.	8. 9. S. ♀. Flor. peruv. 2. t. 128.
	Datura arborea. L.	_____	_____	_____	_____
2	suaveolens.	smooth-stalked.	S. America.	1733.	— S. ♀.
	Datura arborea. Hort.	_____	_____	_____	_____
VESTIA. W.		VESTIA. Pentandria Monogynia. W.			
	lycioides. W.en.	Box-thorn-like.	Chili.	1815.	1. 12. G. ♀. Botan. regist. 299.

Sect. II. *PERICARPIUM BACCATUM.*

ANISODUS. S.S.	ANISODUS.	Pentandria Monogynia. S.S.			
luridus. s.s.	lurid.	Nepaul.	1823.	8. 10.	H. 2.
WHITLEYA. B.F.G.	WHITLEYA.	Pentandria Monogynia.			
stramonifolia. B.F.G.	Stramonium-ld.	Nepaul.	1818.	7. 9.	H. 2.
ATROPA. R.S.	ATROPA.	Pentandria Monogynia. L.			
1 Belladonna. R.S.	deadly nightshade.	Britain.	6. 7.	H. 2.
2 arborescens. R.S.	shrubby.	Peru.	1819.	—	G. 2.
SARACHA. R.S.	SARACHA.	Pentandria Monogynia.			
1 procumbens. R.P.	procumbent.	Peru.	1822.	7. 9.	H. 2.
<i>Atropa procumbens.</i>	Cav. <i>Bellinia procumbens.</i>	R.S.			
2 umbellata. DC.	umbel-flower'd.	Pern.	—	—	H. 2.
MANDRAGORA. J.	MANDRAKE.	Pentandria Monogynia. R.S.			
1 præcox. n.f.g.	small-leaved.	Switzerland.	1818.	3. 4.	H. 2.
2 vernalis. s.s.	large-leaved.	S. Europe.	1562.	5. 6.	H. 2.
3 autumnalis. s.s.	autumn-flow'r'd.	Levant.	—	8. 9.	H. 2.
NOLANA. R.S.	NOLANA.	Pentandria Monogynia. L.			
1 prostrata. R.S.	trailing.	Peru.	1761.	7. 9.	H. 2.
2 paradoxa. B.R.	violet-coloured.	Chili.	1822.	—	H. 2.
NICANDRA. R.S.	NICANDRA.	Pentandria Monogynia. R.S.			
1 physaloides. R.S.	American.	America.	1759.	7. 9.	H. 2.
2 indica. R.S.	Indian.	Nepaul.	1823.	—	H. 2.
PHYSALIS. R.S.	WINTER CHERRY.	Pentandria Monogynia. L.			
1 arborescens. w.	arborescent.	Campeachy.	1733.	6. 8.	S. 2.
2 frutescens. DC.	frutescent.	Spain.	1737.	1. 3.	G. 2.
<i>Atropa frutescens.</i>	R.S.				
3 aristata. w.	bearded.	Canaries.	1779.	5. 8.	G. 2.
<i>Atropa aristata.</i>	R.S.				
4 somnifera. R.S.	clustered.	Mexico.	1596.	7. 8.	G. 2.
5 flexuosa. R.S.	flexuose.	E. Indies.	1759.	—	G. 2.
6 curassavica. R.S.	Curassavian.	S. America.	1699.	6. 9.	S. 2.
7 viscosa. R.S.	clammy.	America.	1732.	7.	H. 2.
8 pensylvanica. R.S.	Pennsylvanian.	N. America.	1726.	7. 9.	H. 2.
9 Jacquini. L.en.	Jacquin's.	—	—	H. 2.
<i>viscosa.</i>	Jacq. non L.				
10 Alkekengi. R.S.	common.	S. Europe.	1548.	—	H. 2.
11 tuberosa. R.S.	tuberous-root'd.	1816.	—	S. 2.
12 chenopodifolia. R.S.	goose-foot-ld.	S. America.	1798.	7. 8.	S. 2.
13 peruviana. R.S.	Peruvian.	Peru.	1773.	—	S. 2.
14 edulis. B.M.	eatable.	S. America.	—	—	S. 2.
15 pubescens. R.S.	pubescent.	America.	1640.	—	H. 2.
16 micrantha. L.en.	small-flowered.	—	—	H. 2.
17 nodosa. R.S.	knotted.	—	—	H. 2.
18 barbadosensis. R.S.	Barbadoes.	W. Indies.	1798.	—	H. 2.
19 dubia. L.en.	dubious.	Brazil.	1819.	—	H. 2.
20 foetidissima. R.S.	stinking.	New Spain.	—	—	H. 2.
21 angulata. R.S.	angular-branch'd.	India.	1732.	6. 9.	H. 2.
22 atriplicifolia. R.S.	Atriplex-ld.	1798.	7. 8.	H. 2.
<i>chenopodifolia.</i>	w.				
23 minima. R.S.	least.	E. Indies.	1759.	—	H. 2.
24 pruinosa. R.S.	hairy annual.	America.	1726.	7. 8.	H. 2.
25 Lagasce. R.S.	Lagasca's.	New Spain.	1824.	—	H. 2.
26 prostrata. R.S.	trailing.	Peru.	1782.	—	H. 2.
CAPSICUM. R.S.	CAPSICUM.	Pentandria Monogynia. L.			
1 annuum. R.S.	annual.	India.	1548.	6. 7.	G. 2.
2 longum. R.S.	long-fruited.	—	—	G. 2.
3 cordiforme. R.S.	heart-shaped.	India.	—	G. 2.
4 tetragonum. R.S.	four-sided.	—	—	G. 2.
5 angulosum. R.S.	angular-fruit'd.	—	S. 2.
6 sphaericum. R.S.	round-fruited.	1807.	4. 7.	S. 2.
7 ovatum. R.S.	oval-fruited.	—	S. 2.
8 pendulum. R.S.	pendulous.	1804.	—	S. 2.
9 grossum. R.S.	various-fruited.	India.	1759.	5. 8.	S. 2.
<i>a globosum.</i>	R.S.	<i>globular-fruited.</i>	—	—	S. 2.
<i>β luteum.</i>	R.S.	<i>yellow oval-fruit'd.</i>	—	—	S. 2.

Swt. br. fl. gar. 125.

Eng. bot. 592.

Flor. peruv. 2. t. 182. f. a.

Cavan. ic. 1. t. 72.

Swt. br. fl. gar. 85.

Swt. br. fl. gar. ic.

Flor. græc. t. 232.

Botan. magaz. 731.

— 2604.

Botan. magaz. 2458.

Rumph. amb. 6. t. 26. f. 1.

Mill. ic. 2. t. 206. f. 2.

Cavan. ic. 2. t. 102.

Cavan. ic. 2. t. 103.

Jacq. f. ccl. t. 23.

Pluk. alm. t. 111. f. 5.

Botan. magaz. 2625.

Jacq. vind. 2. t. 136.

Flor. græc. t. 234.

Botan. magaz. 1068.

Fenil. per. 3. t. 1.

Jacq. ic. 1. t. 39.

Dill. elth. t. 12. f. 12.

Jacq. frag. t. 85. f. a.

Rheed. mal. 10. t. 71.

Dill. elth. 10. t. 9. f. 9.

Andr. reposit. 75.

Rheed. mal. 2. t. 35.

Dodon. pemph. 716. f. 3.

Besl. cyst. 2. t. 2. f. 1.

10	conoides. R.S.	conical-fruited.	India.	5. 8.	S. h.	
11	pyramidale. R.S.	pyramidal.	Egypt.	—	S. h.	
12	cerasiforme. R.S.	Cherry-fruit'd.	W. Indies.	1759.	—	S. h.	
13	Milleri. R.S.	Miller's.	New Spain.	—	—	S. h.	
	<i>cerusiforme.</i> Mil.						
14	frutescens. R.S.	shrubby.	India.	1656.	6. 9.	S. h.	Rheed. mal. 2. t. 56.
	<i>β torulosum.</i>	<i>twisted.</i>	—	—	S. h.	
15	bicolor. R.S.	purple-flow'r'd.	W. Indies.	1801.	—	S. h.	Botan. magaz. 1835.
	<i>nigrum.</i> W.en. <i>violaceum.</i> DC.						
16	baccatum. R.S.	Bird pepper.	India.	1731.	—	S. h.	Sloan. j. 1. t. 146. f. 2.
17	sinense. R.S.	oval Chinese.	China.	1807.	—	S. h.	Jacq. vind. 3. t. 67.
18	microcarpum. R.S.	small-fruited.	S. America.	1824.	—	S. h.	
19	micranthum. R.S.	small-flowered.	Brazil.	—	—	S. h.	
LYCOPERSICUM. R.S. LOVE-APPLE. Pentandria Monogynia. R.S.							
1	pimpinellifolium. R.S.	Pimpinella-ld.	S. America.	6. 8.	S. ʒ.	
2	peruvianum. R.S.	Peruvian.	Peru.	—	G. ʒ.	Jacq. ic. t. 327.
	<i>Solanum peruvianum.</i> W.						
3	Humboldtii. R.S.	Humboldt's.	S. America.	1815.	—	H. ○.	Willd. hort. ber. 1. t. 27.
4	pyriforme. R.S.	Pear-fruited.	—	—	H. ○.	Dunal solan. t. 26.
5	cerasiforme. R.S.	Cherry-fruited.	Peru.	1800.	7. 9.	H. ○.	Jacq. vind. 1. t. 11.
	<i>Solanum pseudolycopersicum.</i> Jacq.						
	<i>a rubr.</i>	<i>red-fruited.</i>	—	—	—	H. ○.	
	<i>β luteum.</i>	<i>yellow-fruited.</i>	—	—	—	H. ○.	
6	esculentum. R.S.	Tomato.	S. America.	1596.	—	H. ○.	Dunal solan. t. 3. f. 3.
	<i>a erythrocarpum.</i>	<i>red-fruited.</i>	—	—	—	H. ○.	
	<i>β chrysocarpum.</i>	<i>yellow-fruited.</i>	—	—	—	H. ○.	
	<i>γ leucocarpum.</i>	<i>white-fruited.</i>	—	—	—	H. ○.	
7	procumbens. R.S.	procumbent.	—	—	H. ○.	
SOLANUM. R.S. NIGHTSHADE. Pentandria Monogynia. L.							
1	tuberosum. R.S.	Potatoe.	Peru.	1597.	6. 8.	H. ʒ.	Plenck off. t. 121.
2	appendiculatum. R.S.	appendaged.	Mexico.	1823.	—	S. h.	Dunal solan. ed. 2. t. 84.
3	Seaforthianum. R.S.	Seaforth's.	Barbadoes.	1804.	7. 9.	S. h.	Andr. reposit. 504.
4	betaceum. R.S.	Beet-leaved.	New Spain.	1803.	6. 7.	S. h.	— 511.
5	muricatum. R.S.	warted.	Peru.	1785.	7. 8.	S. h.	Feuil. peruv. 2. t. 26.
6	diversifolium. R.S.	different-leav'd.	Caracas.	1824.	—	S. h.	Dunal solan. ed. 2. t. 88.
7	oliganthum. R.S.	climbing.	Orinoco.	—	—	S. h.	— ed. 2. t. 90.
8	reclinatum. R.S.	reclining.	Peru.	—	S. h.	
9	laciniatum. B.P.	cut-leaved.	N. Holland.	1772.	—	G. h.	Botan. magaz. 349.
	<i>a fruticosum.</i>	<i>frutescent.</i>	N. S. W.	—	—	G. h.	
	<i>β herbaceum.</i>	<i>herbaceous.</i>	V. Diem. Isl.	—	—	G. ʒ.	
10	quercifolium. R.S.	Oak-leaved.	Peru.	1787.	6. 7.	H. ʒ.	Feuil. per. 2. t. 15?
11	radicans. R.S.	rooting.	—	1771.	7. 8.	G. ʒ.	Linn. dec. 1. t. 10.
12	corymbosum. R.S.	corymb-flow'r'd.	—	1736.	—	S. ʒ.	Jacq. ic. 1. t. 40.
13	Dulcamara. R.S.	bitter-sweet.	Britain.	6. 8.	H. h.	Eng. bot. 565.
	<i>β album.</i>	<i>white-flowered.</i>	—	—	H. h.	
	<i>γ variegatum.</i>	<i>variegated.</i>	—	—	H. h.	
14	littorale. L.en	sea-side.	Europe.	—	H. h.	
15	Tegore. R.S.	hairy-stemmed.	Guiana.	1820.	—	S. h.	Aubl. guian. 1. t. 84.
16	quintense. S.S.	Lima.	Lima.	1825.	—	S. h.	Dun. sol. ed. 2. t. 92. f. b.
17	macrocarpon. S.S.	large-fruited.	Peru.	1759.	5. 9.	S. h.	Mill. ic. 2. t. 294.
18	calycinum. R.S.	large-calyxed.	Mexico.	1825.	—	S. h.	Dunal sol. ed. 2. t. 29.
19	racemiflorum. R.S.	racemed.	S. America.	1818.	7. 9.	H. ○.	Jacq. schœn. 3. t. 333.
20	æthiopicum. R.S.	Ethiopian.	Ethiopia.	1597.	—	H. ○.	Jacq. vind. 1. t. 12.
21	Zuccagnianum. R.S.	Zuccagni's.	1818.	—	H. ○.	Dunal solan. t. 11.
22	pseudo-capsicum.	Winter-cherry.	Madeira.	1596.	6. 9.	G. h.	Sabb. h. rom. t. 59.
23	Dillenii. R.S.	Dillenius's.	Hungary.	—	H. ○.	Dill. elth. t. 275. f. 355.
24	nodiflorum. R.S.	knot-flowered.	Guiana.	1815.	—	G. ○.	Jacq. ic. 2. t. 326.
25	guineense. R.S.	large-berried.	Guinea.	—	H. ○.	Dill. elth. t. 274. f. 354.
26	nigrum. R.S.	black-berried.	Britain.	—	H. ○.	Eng. bot. 566.
27	suffruticosum. R.S.	frutescent.	Barbary.	1804.	5. 9.	G. h.	
28	oleraceum. R.S.	cultivated.	W. Indies.	6. 9.	S. ○.	Piso lib. 4. c. 50. f. 3.
29	pterocaulis. R.S.	wing-stalked.	America.	—	H. ○.	Dill. elth. t. 275. f. 256.
30	judaicum. R.S.	rough-stalked.	Europe.	—	H. ○.	
31	triangulare. R.S.	three-sided.	E. Indies.	—	S. ○.	
32	rubrum. R.S.	red-berried.	S. America.	—	H. ○.	
33	miniatum. R.S.	pubescent-stalk'd.	Europe.	—	H. ○.	
34	humile. R.S.	small.	S. Europe.	—	H. ○.	
35	flavum. R.S.	yellow-berried.	Hungary.	1816.	—	H. ○.	
	<i>ochrolucum.</i> Dun.						

36	<i>villosum</i> , R.S.	villous annual.	S. Europe.	—	H.⊙.	Dill. elth. t. 274. f. 353.
37	<i>hirsutum</i> , R.S.	hairy annual.	Egypt.	—	H.⊙.	
38	<i>longiflorum</i> , R.S. <i>longifolium</i> , Dun.	long-flowered.	Guiana.	1823.	6. 8.	S. h.	Dunal solan. t. 9.
39	<i>triquetrum</i> , R.S.	triquetrous.	New Spain.	1821.	—	S. h.	Cavan. ic. 3. t. 259.
40	<i>bombense</i> , R.S.	Bomba.	S. America.	1818.	—	S. h.	Jacq. f. eclog. t. 24.
41	<i>pubigerum</i> , R.S. <i>Cervantesii</i> , Lag.	downy.	Mexico.	1823.	—	S. h.	Dunal sol. t. 6.
42	<i>verbascifolium</i> , R.S.	Mullein-leaved.	W. Indies.	1749.	—	S. h.	Jacq. vind. 1. t. 13.
43	<i>auriculatum</i> , R.S.	ear-leaved.	Madagascar.	1773.	S. h.	Scop. del. 3. t. 8.
44	<i>pubescens</i> , R.S.	pubescent.	E. Indies.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 3.
45	<i>argenteum</i> , R.S.	silvery.	Brazil.	—	—	S. h.	Dunal sol. ed. 2. t. 39.
46	<i>diphyllum</i> , R.S.	two-leaved.	W. Indies.	1699.	6. 7.	S. h.	Jacq. ic. 2. t. 322.
47	<i>arboreum</i> , R.S.	tree.	Cumana.	1819.	—	S. h.	Dunal sol. ed. 2. t. 193.
48	<i>havanense</i> , R.S.	Havannah.	W. Indies.	1793.	7. 8.	S. h.	Jacq. amer. pict. t. 48.
49	<i>aggregatum</i> , R.S.	crowded.	Guinea.	—	—	S. h.	Jacq. ic. 2. t. 323.
50	<i>lycioides</i> , R.S.	spiny.	Peru.	1791.	5. 6.	S. h.	— 1. t. 46.
51	<i>monanthum</i> , R.S.	one-flowered.	New Spain.	1816.	—	S. h.	—
52	<i>fugax</i> , R.S.	fugacious.	Caracas.	—	—	S. h.	Jacq. ic. 2. t. 324.
53	<i>stellatum</i> , R.S.	starry.	S. America.	—	—	S. h.	— 2. t. 325.
54	<i>virgatum</i> , R.S.	twiggy.	W. Indies.	1819.	—	S. h.	Dunal sol. ed. 2. t. 40.
55	<i>lentum</i> , R.S.	climbing woolly.	New Spain.	1823.	6. 8.	S. h.	Cavan. ic. 4. t. 303.
56	<i>elaagnifolium</i> , R.S.	Elæagnus-ld.	Chili.	—	—	S. h.	— 3. t. 243.
57	<i>stelligerum</i> , R.S.	starry-haired.	N. Holland.	1820.	—	S. h.	Sm. exot. bot. 2. t. 88.
58	<i>racemosum</i> , R.S.	wave-leaved.	W. Indies.	1781.	7. 8.	S. h.	Jacq. amer. pict. t. 50.
59	<i>igneum</i> , R.S.	red-spined.	S. America.	1714.	3. 11.	S. h.	Jacq. vind. 1. t. 14.
60	<i>subarmatum</i> , R.S.	partly armed.	—	1823.	—	S. h.	—
61	<i>bahamense</i> , R.S.	Bahama.	Bahama.	1732.	6. 7.	S. h.	Dill. elth. t. 271. f. 350.
62	<i>hirtum</i> , R.S.	hairy-calyxed.	Trinidad.	1823.	—	S. h.	Vahl. ic. rar. d. 3. t. 21.
63	<i>tomentosum</i> , R.S.	tomentose.	S. America.	1662.	—	S. h.	Bocc. sic. 8. t. 5.
64	<i>hybridum</i> , R.S.	hybrid.	Guinea.	1815.	—	S. h.	Jacq. vind. 2. t. 113.
65	<i>coccineum</i> , R.S.	scarlet-fruited.	1820.	—	S. h.	Jacq. ic. 1. t. 43.
66	<i>jamaicense</i> , R.S.	Jamaica.	Jamaica.	—	—	S. h.	—
67	<i>cuneifolium</i> , R.S.	wedge-leaved.	W. Indies.	—	S. h.	Dunal sol. t. 22.
68	<i>heterophyllum</i> , R.S.	variable-leav'd.	Gniana.	1823.	7. 9.	S. h.	— ed. 2. t. 62.
69	<i>volubile</i> , R.S.	twining.	Hispaniola.	—	—	S. h.	Plum. Mss. t. 4. f. 32.
70	<i>lanceæfolium</i> , R.S.	lance-leaved.	S. America.	—	S. h.	Jacq. ic. 2. t. 329.
71	<i>bonariense</i> , R.S.	Buenos Ayres.	Buenos Ayres.	1727.	6. 9.	H. h.	Dill. elth. t. 272. f. 351.
72	<i>fastigiatum</i> , R.S.	fastigiata.	S. America.	1820.	—	S. h.	Jacq. f. eclog. t. 6.
73	<i>oporinum</i> , R.S. <i>macrophyllum</i> , Dun.	large-leaved.	—	—	—	S. h.	Dunal sol. t. 16.
74	<i>subinerme</i> , R.S.	spear-leaved.	W. Indies.	1752.	7. 8.	S. h.	Jacq. amer. t. 40. f. 3.
75	<i>lanceolatum</i> , R.S.	lanceolate.	New Spain.	6. 7.	S. h.	Cavan. ic. 3. t. 245.
76	<i>astroides</i> , Jacq.	Aster-like.	S. America.	1823.	—	S. h.	Jacq. f. eclog. t. 65.
77	<i>glutinosum</i> , R.S.	glutinous.	1818.	6. 8.	S. h.	Dunal sol. ed. 2. t. 54.
78	<i>Brownii</i> , R.S. <i>violaceum</i> , B.P. non Jacq.	Brown's.	N. S. W.	1820.	—	S. h.	—
79	<i>giganteum</i> , R.S.	tall.	C. B. S.	1792.	—	G. h.	Botan. magaz. 1921.
80	<i>torvum</i> , R.S.	curved-prick'd.	W. Indies.	1816.	—	S. h.	—
81	<i>ferrugineum</i> , R.S.	ferruginous.	—	—	S. h.	Jacq. schœn. 3. t. 334.
82	<i>esculentum</i> , R.S.	eatable.	Tropics.	1597.	6. 9.	G.⊙.	Dunal sol. t. 3. f. E.
83	<i>ovigerum</i> , R.S. <i>α violaceum</i> .	Egg-plant. <i>violot-fruited.</i>	Arabia.	—	G.⊙.	Blackw. t. 549.
	<i>β album</i> .	<i>white-fruited.</i>	—	—	G.⊙.	—
	<i>γ luteum</i> .	<i>yellow-fruited.</i>	—	—	G.⊙.	—
	<i>δ ruber</i> .	<i>red-fruited.</i>	—	—	G.⊙.	—
84	<i>undatum</i> , R.S.	waved.	E. Indies.	1818.	—	S. h.	Rheed. mal. 2. t. 37.
85	<i>fuscatum</i> , R.S.	brown branch'd.	America.	7. 8.	G.⊙.	Jacq. ic. 1. t. 42.
86	<i>sodomum</i> , R.S.	black-spined.	Africa.	1688.	6. 7.	G. h.	Flor. græc. t. 235.
87	<i>incanum</i> , R.S.	hoary.	Mauritius.	1823.	—	S. h.	Scop. del. 1. t. 1.
88	<i>indicum</i> , R.S.	Indian.	India.	1732.	7.	S. h.	Dill. elth. t. 270. f. 349.
89	<i>coagulans</i> , R.S.	scollop-leaved.	Arabia Felix.	1802.	—	S. h.	Jacq. schœn. 4. t. 469.
90	<i>sanctum</i> , R.S.	oblique-leaved.	Egypt.	—	—	S. h.	—
91	<i>marginatum</i> , R.S.	white margin'd.	Africa.	1775.	6. 9.	G. h.	Botan. magaz. 1928.
92	<i>congense</i> , Len.	Congo.	—	1815.	—	G. h.	—
93	<i>campechiense</i> , R.S.	purple-spined.	America.	1732.	7.	G. h.	Dill. elth. t. 268. f. 347.
94	<i>platanifolium</i> , B.M.	Plane-leaved.	S. America.	1822.	7. 9.	S. h.	Botan. magaz. 2618.
95	<i>myriacanthum</i> , R.S.	many-spined.	—	—	—	S. h.	—
96	<i>aculeatissimum</i> , R.S.	very-prickly.	—	1800.	—	S. h.	Jacq. ic. 1. t. 41.

97	mammosum. R.S.	nipple.	W. Indies.	1699.	7. 8.	H.⊙.	Merian. surin. t. 27.
98	ciliatum. R.S.	ciliated.	1816.	—	H.⊙.	Dunal sol. t. 18.
99	stramonifolium. R.S.	broad-leaved.	E. Indies.	1778.	6. 9.	S. h.	Jacq. ic. 1. t. 44.
100	flavescens. R.S.	yellowish.	Trinidad.	1822.	—	S. h.	
101	ferox. R.S.	Malabar.	Malabar.	1795.	8. 9.	S. ʒ.	Dunal sol. ed. 2. t. 68.
102	campanulatum. B.P.	bell-flowered.	N. S. W.	1818.	—	G.⊙.	
103	armatum. B.P.	armed.	—	1819.	—	S. ʒ.	Dunal sol. ed. 2. t. 69.
104	pungetium. B.P.	pungent.	—	1823.	—	G.⊙.	— ed. 2. t. 70.
105	cinereum. B.P.	grey.	—	—	—	G. ʒ.	
106	Milleri. R.S.	Miller's.	C. B. S.	1762.	7. 8.	G. h.	Jacq. ic. 2. t. 330.
107	trilobatum. R.S.	three-lobed.	W. Indies.	1759.	8.	S. h.	Pluk. alm. t. 316. f. 5.
108	acetosæfolium. R.S.	Sorrel-leaved.	E. Indies.	—	—	S. h.	Burm. ind. t. 22. f. 2.
109	rigescens. R.S.	rigid.	C. B. S.	1815.	6. 8.	G. h.	Jacq. schœn. 1. t. 42.
110	carolinense. R.S.	Carolina.	Carolina.	1732.	7. 9.	G. ʒ.	Jacq. ic. 2. t. 331.
111	pyracanthium. B.M.	orange-thorn'd.	Madagascar.	1789.	8. 9.	S. h.	Sm. exot. bot. 2. t. 64.
	<i>β inermis.</i>	<i>smooth-calyxed.</i>	—	—	—	S. h.	Botan. magaz. 2547.
112	virginianum. R.S.	Virginian.	Virginia.	1662.	5. 8.	H.⊙.	Dill. elth. t. 267. f. 346.
113	Jacquinii. R.S.	Jacquin's.	E. Indies.	1804.	9. 11.	S.⊙.	Jacq. ic. 2. t. 332.
114	Balbisii. R.S.	Balbis's.	S. America.	1816.	4. 9.	S. h.	Botan. magaz. 2568.
	<i>decurvens.</i> B.R. 140.	<i>brancefolium.</i> Jacq.	f. ecl. t. 7.	<i>viscosum.</i> DC.	—	S. h. ~.	
115	scandens. R.S.	scandent.	Surinam.	1822.	—	S. h. ~.	
NYCTERIUM. V.			Pentandria Monogynia.				
1	cordifolium. v.	Canary.	Canaries.	1779.	3. 4.	G. h.	Venten. malm. 85.
	<i>Solanum vespertilio.</i> R.S.						
2	Amazonium. B.M.	Lambert's.	Brazil.	1814.	5. 9.	S. h.	Botan. magaz. 1801.
	<i>Solanum Amazonium.</i> B.R. 71.						
3	cornutum. L.en.	horned.	S. America.	1825.	—	S. h.	Juss. ann. mus. 3. t. 9.
4	lobatum.	Missouri.	Missouri.	1813.	7. 9.	H.⊙.	Pursh fl. amer. 1. t. 7.
	<i>Solanum heterandrum.</i> Ph.	<i>Androcera lobata.</i> N.					
5	rostratum. L.en.	beaked.	Mexico.	1823.	—	H.⊙.	Dunal sol. t. 24.
6	Fontanesianum.	Desfontaine's.	Brazil.	1813.	—	H.⊙.	Botan. regist. 177.
7	heterodoxum. L.en.	very prickly.	Mexico.	1824.	—	H.⊙.	Dunal sol. t. 25.
WITHERINGIA. R.S.			Tetr-Pentandria Monogynia.				
1	solanacea. R.S.	yellow-flower'd.	S. America.	1742.	5. 9.	S. ʒ.	L'Herit. sert. angl. t. 1.
2	stramonifolia. K.S.	Stramonium-ld.	Mexico.	1823.	—	S. h.	
3	crassifolia. R.S.	thick-leaved.	C. B. S.	—	G. h.	Dill. elth. t. 273. f. 352.
4	montana. R.S.	mountain.	Peru.	1822.	—	G. ʒ.	Fenil. peruv. t. 46.
5	phyllantha. R.S.	annual.	—	—	7. 9.	H.⊙.	Cavan. ic. 4. t. 359. f. 1.
6	pinnatifida. R.S.	pinnatifid.	—	—	6. 8.	G. ʒ.	Flor. peruv. 2. t. 170. f. b.
CESTRUM. R.S.			Pentandria Monogynia. L.				
1	laurifolium. R.S.	Laurel-leaved.	W. Indies.	1691.	5. 8.	S. h.	Smith spicil. 2. t. 2.
2	citrifolium. R.S.	Citron-leaved.	1816.	—	S. h.	
3	macrophyllum. R.S.	large-leaved.	W. Indies.	1812.	—	S. h.	Venten. choix. 18.
4	venenatum. R.S.	poisonous.	C. B. S.	1787.	2. 4.	G. h.	
5	nocturnum. R.S.	night-smelling.	E. Indies.	1732.	11.	S. h.	Dill. elth. t. 153. f. 185.
6	hirtum. R.S.	hairy.	Jamaica.	1822.	5. 8.	S. h.	
7	Parqui. R.S.	Willow-leaved.	S. America.	1787.	6. 7.	G. h.	Botan. magaz. 1770.
8	suberosum. R.S.	cork-barked.	1815.	—	S. h.	Jacq. schœn. 4. t. 452.
9	auriculatum. v.	earcd-leaved.	Peru.	1774.	—	S. h.	L'Herit. s. nov. 1. t. 35.
10	tinctorium. R.S.	dying.	Caracas.	1823.	5. 6.	S. h.	Jacq. schœn. 3. t. 332.
11	undulatum. R.S.	waved-leaved.	Peru.	—	—	S. h.	Flor. peruv. 2. t. 155.
12	latifolium. R.S.	broad-leaved.	Trinidad.	1822.	—	S. h.	
13	hirsutum. R.S.	hairy-stalked.	—	—	S. h.	Jacq. schœn. 3. t. 324.
14	cauliflorum. R.S.	stem-flowering.	Martinica.	1818.	—	S. h.	— 3. t. 325.
15	salicifolium. R.S.	Sallow-leaved.	Caracas.	3. 6.	S. h.	— 3. t. 326.
16	pendulinum. R.S.	pendulous.	—	1820.	—	S. h.	— 3. t. 327.
17	vespertinum. R.S.	cluster-flow'r'd.	W. Indies.	1759.	5. 7.	S. h.	— 3. t. 328.
18	fetidissimum. R.S.	stinking.	5. 8.	S. h.	—	— 3. t. 329.
19	fastigiatum. R.S.	Honeysuckle.	10. 12.	S. h.	—	Botan. magaz. 1729.
20	odontospermum. R.S.	smooth.	1793.	7. 9.	S. h.	
21	diurnum. R.S.	day smelling.	W. Indies.	1732.	10. 11.	S. h.	Dill. elth. t. 154. f. 186.
22	tomentosum. R.S.	downy.	S. America.	1790.	6. 7.	S. h.	
23	angustifolium. B.C.	narrow-leaved.	—	1820.	—	S. h.	Lodd. bot. cab. 618.
LYCIUM. R.S.			Pentandria Monogynia. L.				
1	afrum. R.S.	African.	C. B. S.	1712.	6. 7.	H. h.	Bot. reg. 354.
2	tenue. R.S.	slender.	—	—	—	H. h.	
3	rigidum. R.S.	rigid.	—	1795.	—	H. h.	Trew Ehret. t. 24. f. 1.
4	carnosum. P.S.	fleshy-leaved.	—	—	—	H. h.	
5	microphylla. R.S.	small-leaved.	—	—	—	H. h.	

6 ruthenicum. R.S.	Russian.	Siberia.	1804.	—	H. h.	Pall. ros. 1. t. 49.
7 tetrandrum. R.S.	tetrandrous.	C. B. S.	—	H. h.	
8 barbarum. R.S.	Willow-leaved.	Barbary.	1696.	5. 8.	H. h.	Wats. dend. brit. 9.
9 Shawii. R.S.	white-flowered.	—	—	H. h.	Shaw afric. f. 349.
10 Trewianum. R.S.	Trew's.	China.	—	H. h.	Trew Ehret t. 68.
11 chinense. R.S.	Chinese.	—	—	H. h.	Wats. dend. brit. 8.
12 lanceolatum. P.S.	spear-leaved.	S. Europe.	—	H. h.	Duham. arb. nov. t. 32.
13 turbinatum. P.S.	top-shaped.	China.	1709.	—	H. h.	— t. 31.
14 cinereum. R.S.	gray.	C. B. S.	1815.	6. 8.	H. h.	
15 europæum. R.S.	European.	S. Europe.	1730.	5. 8.	H. h.	Flor. græc. t. 236.
16 horridum. R.S.	succulent-ld.	C. B. S.	1791.	7. 8.	H. h.	
17 boerhaaviæfolium.	glaucons-ld.	Peru.	1780.	4. 5.	G. h.	L'Herit. stirp. t. 83.
18 carolinianum. R.S.	Carolina.	Carolina.	1806.	7. 9.	H. h.	
SOLANDRA. R.S.	SOLANDRA.	Pentandria Monogynia.	R.S.			
1 grandiflora. R.S.	large-flower'd.	Jamaica.	1781.	3. 8.	S. h.	Botan. magaz. 1874.
2 nitida. R.S.	glossy-leaved.	—	S. h.	
3 viridiflora. s.s.	green-flower'd.	Brazil.	1816.	5. 6.	S. h.	Botan. magaz. 1948.

Sect. III. GENERA SOLANEIS AFFINIA.

BRUNFELSIA. W.	BRUNFELSIA.	Didynamia Angiospermia.	L.			
1 undulata. w.	large-flowered.	Jamaica.	1780.	6. 7.	S. h.	Botan. regist. 228.
2 americana. w.	American.	W. Indies.	1735.	—	S. h.	Botan. magaz. 393.
<i>a latifolia.</i>	broad-leaved.	—	—	—	S. h.	
<i>β angustifolia.</i>	narrow-leaved.	—	—	—	S. h.	
3 violacea. B.C.	purple-stalked.	—	1820.	—	S. h.	Lod. bot. cab. 792.
CRESCENTIA. W.	CALABASH-TREE.	Didynamia Angiospermia.	L.			
1 Cujete. w.	oval-fruited.	Jamaica.	1690.	S. h.	Jacq. amer. t. 111.
2 acuminata. K.S.	acuminate.	Cuba.	1822.	S. h.	
3 cucurbitina. w.	round-fruited.	W. Indies.	1733.	S. h.	Plum. ic. t. 109.
? TANÆCIUM. W.	TANÆCIUM.	Didynamia Angiospermia.	W.			
pinnatum. w.	wing-leaved.	Mauritius.	1823.	S. h.	Jacq. coll. 3. t. 18.
<i>Crescentia pinnata.</i>	Jacq. <i>Tripinnaria africana.</i>	s.s.				

ORDO CXXX.

SCROPHULARINÆ. *Brown prodr. 1. p. 433.*

Sect. I. STAMINA (4) ANTHERIFERA.

BUDDLEA. S.S.	BUDDLEA.	Tetrandria Monogynia.	L.			
1 madagascariensis.	Madagascar.	Madagascar.	1824.	S. h.	Lam. enc. 1. t. 69. f. 3.
2 saligna. s.s.	Willow-like.	C. B. S.	1816.	8. 9.	G. h.	Jacq. schœn. 1. t. 29.
3 paniculata. s.s.	panicked.	Nepaul.	1823.	G. h.	
4 salvifolia. s.s.	Sage-leaved.	C. B. S.	1760.	8. 9.	G. h.	Jacq. schœn. 1. t. 28.
5 Neemda. s.s.	Nepaul.	Nepaul.	1822.	G. h.	
6 brasiliensis. s.s.	Brazilian.	Brazil.	—	G. h.	
7 globosa. s.s.	round-headed.	Chili.	1774.	5. 7.	H. h.	Botan. magaz. 174.
8 salicifolia. s.s.	Willow-leaved.	S. America.	1823.	S. h.	
9 diversifolia. R.S.	various-leaved.	Java.	—	S. h.	
SCOPARIA. L.	SCOPARIA.	Tetrandria Monogynia.	L.			
dulcis. L.	sweet.	S. America.	1730.	6. 9.	S. ⊙	Herm. parad. t. 211.
CAPRARIA. S.S.	GOAT-WEED.	Didynamia Angiospermia.	L.			
1 undulata. s.s.	wave-leaved.	C. B. S.	1774.	3. 7.	G. h.	Botan. magaz. 1556.
2 cuneata. s.s.	wedge-leaved.	S. America.	1759.	6. 8.	S. h.	
3 lanceolata. s.s.	spear-leaved.	C. B. S.	1774.	5. 7.	G. h.	Pl. sel. h. ber. t. 4.
4 biflora. s.s.	two-flowered.	S. America.	1752.	7. 8.	S. h.	Jacq. amer. t. 115.
5 humilis. w.	dwarf.	E. Indies.	1781.	—	S. ⊙	

- TEEDIA. S.S.** **TEEDIA.** Didynamia Angiospermia. S.S.
 1 lucida. s.s. shining. C. B. S. 1774. 4. 7. G. ♀. Botan. regist. 210.
Capraria lucida. w. *Borkhausenia lucida.* Roth.
 2 pubescens. s.s. pubescent. ———— 1816. 5. 10. G. ♀. ———— 214.
- HALLERIA. S.S.** **HALLERIA.** Didynamia Angiospermia. L.
 1 lucida. s.s. shining-leaved. C. B. S. 1752. 6. 8. G. ♀. Botan. magaz. 1744.
 2 elliptica. s.s. elliptic-leaved. ———— 1816. ———— G. ♀. Burm. afr. t. 84. f. 1.
- STEMODIA. S.S.** **STEMODIA.** Didynamia Angiospermia. W.
 1 suffruticosa. s.s. suffruticose. S. America. 1823. 5. 8. S. ♀.
 2 viscosa. s.s. viscous. E. Indies. 1818. 7. 10. S. ♂.
 3 verticillaris. s.s. whorled. Brazil. 1822. ———— H. ♂.
 4 parviflora. H.K. small-flowered. S. America. 1759. 7. 8. S. ♀.
 5 maritima. s.s. sea-side. Cuba. 1822. ———— S. ♂. Jacq. amer. t. 174. f. 66.
- RUSSELLIA. S.S.** **RUSSELLIA.** Didynamia Angiospermia. W.
 1 floribunda. K.S. abundant-flow'g. Mexico. 1824. 6. 8. S. ♀.
 2 multiflora. s.s. many-flowered. ———— 1812. ———— S. ♀. Botan. magaz. 1528.
- TREVIRANIA. S.S.** **TREVIRANIA.** Didynamia Angiospermia. S.S.
 coccinea. s.s. scarlet. Jamaica. 1778. 8. 10. S. ♀. Botan. magaz. 374.
Cyrilla pulchella. B.M. *Achimenes coccinea.* P.S.
- COLUMNEA. S.S.** **COLUMNEA.** Didynamia Angiospermia. L.
 1 scandens. s.s. climbing. W. Indies. 1759. 8. 9. S. ♀. Botan. regist. 805.
 2 hirsuta. s.s. hairy. ———— 1780. 8. 11. S. ♀. Brown. jam. t. 30. f. 3.
 3 rutilans. s.s. red-leaved. ———— 1823. ———— S. ♀.
- MAURANDIA. S.S.** **MAURANDIA.** Didynamia Angiospermia. W.
 1 semperflorens. s.s. red-flowered. Mexico. 1796. 1. 12. G. ♀. Botan. magaz. 460.
 2 antirrhiniflora. s.s. blue-flowered. ———— 1814. ———— G. ♀. ———— 1643.
- DODARTIA. S.S.** **DODARTIA.** Didynamia Angiospermia. L.
 orientalis. s.s. oriental. Levant. 1752. 7. 8. H. ♀. Swt. br. fl. gar. 147.
- CYMBARIA. S.S.** **CYMBARIA.** Didynamia Angiospermia. L.
 davurica. s.s. Daurian. Davuria. 1796. 6. 7. H. ♀. Amm. ruth. t. 1. f. 2.
- NEMESIA. S.S.** **NEMESIA.** Didynamia Angiospermia. S.S.
 1 chamædryfolia. s.s. Chamædry's-ld. C. B. S. 1787. 4. 9. G. ♀.
Antirrhinum macrocarpum. w.
 2 bicorne. s.s. horned. ———— 1774. 7. 8. G. ♂. Burm. afr. t. 75. f. 3.
 3 fœtens. s.s. fœtid. ———— 1798. 4. 9. G. ♀. Venten. malm. t. 41.
- ANARRHINUM. S.S.** **ANARRHINUM.** Didynamia Angiospermia. S.S.
 bellidifolium. s.s. Daisy-leaved. France. 1629. 6. 8. H. ♂. Botan. magaz. 2056.
- ANTIRRHINUM. S.S.** **SNAP-DRAGON.** Didynamia Angiospermia. L.
 1 majus. s.s. great. England. 6. 8. H. ♀. Eng. bot. 129.
β coccinea. scarlet. ———— ———— H. ♀.
β bicolor. two-coloured. ———— ———— H. ♀.
δ multiplex. double-flowered. ———— ———— H. ♀.
 2 meoanthum. L.en. smaller-flow'rd. S. Europe. 1820. ———— H. ♀. Lk. fl. port. 1. t. 56.
 3 angustifolium. Poir. narrow-leaved. Italy. 1818. ———— H. ♀.
 4 siculum. s.s. Sicilian. Sicily. 1804. 7. 8. H. ♀.
 5 Orontium. s.s. Calf's-snout. Britain. 7. 9. H. ♂. Eng. bot. 1155.
 6 calycinum. L.en. long-calyxed. S. Europe. ———— H. ♂.
 7 Asarina. s.s. heart-leaved. Italy. 1699. 7. F. ♀. Botan. magaz. 902.
 8 molle. s.s. soft-leaved. Spain. 1752. 7. 10. F. ♀.
- LINARIA. S.S.** **TOAD-FLAX.** Didynamia Angiospermia. S.S.
 1 frutescens. s.s. frutescent. C. B. S. 1816. 5. 7. G. ♀.
Antirrhinum frutescens. Th.
 2 dalmatica. s.s. Dalmatian. Levant. 1731. 6. 7. G. ♀. Buxb. cent. 1. t. 24.
 3 scoparia. s.s. broom-like. Teueriffe. 1815. ———— G. ♀.
 4 Cymbalaria. s.s. Ivy-leaved. England. 5. 11. H. ♀. Eng. bot. 502.
 5 pubescens. s.s. pubescent. Italy. 1824. ———— H. ♀.
 6 pilosa. s.s. hairy-leaved. ———— 1800. 6. 9. H. ♀. Jacq. obs. 2. t. 48.
 7 Elatine. s.s. sharp-pointed. England. 7. 11. H. ♂. Eng. bot. 692.
 8 cirrhosa. s.s. cirrhose. Egypt. 1777. 7. 8. H. ♂. Jacq. vind. 1. t. 82.
 9 spurium. s.s. round-leaved. England. 7. 9. H. ♂. Eng. bot. 691.
Antirrhinum spurium. E.B.
- 10 lanigera. s.s. woolly. S. Europe. 1820. ———— H. ♂.
 11 dealbata. s.s. villous-leaved. Portugal. 1820. 7. 9. H. ♂.
 12 latifolia. s.s. broad-leaved. Barbary. 1800. 6. 7. H. ♂. Desf. atl. 2. t. 134.
 13 triphylla. s.s. three-leaved. Sicily. 1596. 6. 9. H. ♂. Botan. magaz. 324.
 14 reflexa. s.s. reflex-flower'd. S. Europe. 1824. ———— H. ♂. All. misc. taur. 2. t. 1.
 15 organifolia. s.s. Marjoram-ld. ———— 1785. 6. 9. F. ♀. Barrel. ic. 598.
 16 virgata. s.s. slender-stalked. Barbary. 1824. ———— H. ♂. Desf. atl. 2. t. 135.
 17 thymifolia. s.s. Thyme-leaved. S. Europe. ———— ———— H. ♂.

18	<i>villosa</i> . s.s.	villous.	Spain.	1786.	7. 8.	F. ♀.	Barrel. ic. 597.
19	<i>rubrifolia</i> . s.s.	red-leaved.	S. France.	1824.	—	F. ♀.	
20	<i>hirta</i> . s.s.	shaggy-leaved.	Spain.	1759.	6. 9.	H. ⊙.	Jacq. ic. 1. t. 117.
	<i>Antirrhinum viscosum</i> . B.M. 368.						
21	<i>trionithophora</i> .	three bird's.	Portugal.	1710.	—	F. ♀.	Botan. magaz. 523.
22	<i>bipartita</i> . s.s.	cloven-flower'd.	Barbary.	1801.	—	H. ⊙.	Swt. br. fl. gar. 30.
	<i>speciosa</i> . Donn.						
23	<i>minor</i> . s.s.	little erect.	England.	6. 11.	H. ⊙.	Eng. bot. 2014.
24	<i>littoralis</i> . s.s.	shore.	Austria.	1824.	—	H. ⊙.	
25	<i>chalepensis</i> . s.s.	white-flowered.	Levant.	1680.	6. 7.	H. ⊙.	Moris. s. 5. t. 35. f. 9.
26	<i>tristis</i> . s.s.	melancholy.	Spain.	1727.	7. 8.	G. ♀.	Botan. magaz. 74.
27	<i>versicolor</i> . s.s.	various-colour'd.	France.	1777.	7. 9.	H. ♀.	Jacq. ic. 1. t. 116.
28	<i>micrantha</i> . s.s.	small-flowered.	Spain.	1825.	5. 7.	H. ⊙.	Cavan. ic. 1. t. 69. f. 3.
29	<i>viscosa</i> . s.s.	clammy.	—	1786.	7.	H. ⊙.	
30	<i>purpurea</i> . s.s.	purple.	S. Europe.	1648.	7. 9.	H. ♀.	Botan. magaz. 99.
31	<i>arenaria</i> . s.s.	sand.	Hungary.	1825.	—	H. ⊙.	
32	<i>alpina</i> . s.s.	Alpine.	Austria.	1570.	7. 11.	H. ♀.	Botan. magaz. 205.
33	<i>lusitanica</i> . s.s.	Portugal.	S. Europe.	1820.	6. 7.	H. ♀.	
34	<i>Hælava</i> .	hairy calyxed.	Egypt.	1803.	7. 9.	H. ⊙.	
35	<i>pelisseriana</i> . s.s.	violet-coloured.	S. Europe.	1640.	6. 9.	H. ⊙.	Barrel. ic. 1162.
36	<i>repens</i> . H.K.	creeping rooted.	England.	7. 10.	H. ♀.	Eng. bot. 1253.
37	<i>amethystina</i> . s.s.	bright blue.	S. Europe.	1816.	—	H. ⊙.	Cavan. ic. 1. t. 33. f. 1.
	<i>Antirrhinum bipunctatum</i> . Cav. nec aliorum.						
38	<i>supina</i> . s.s.	trailing.	Spain.	1728.	—	H. ⊙.	
39	<i>bipunctata</i> . s.s.	two-spotted.	—	1749.	6. 8.	H. ⊙.	
40	<i>spartea</i> . s.s.	branching.	—	1772.	6. 10.	H. ⊙.	Botan. magaz. 200.
41	<i>simplex</i> . s.s.	upright.	S. Europe.	1816.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 499.
42	<i>arvensis</i> . s.s.	corn.	—	—	H. ⊙.	
43	<i>multicaulis</i> . s.s.	many-stalked.	Levant.	1728.	5. 7.	H. ⊙.	Bocc. sic. t. 19. f. 1.
44	<i>macroura</i> . L.en.	large-spurred.	Caucasus.	1823.	6. 9.	H. ♀.	
45	<i>reticulata</i> . s.s.	netted-flower'd.	Algiers.	1788.	5. 7.	F. ♀.	Smith ic. pict. 2.
46	<i>glauca</i> . s.s.	glaucous-leav'd.	S. Europe.	1800.	6. 8.	H. ⊙.	Buxb. cent. 4. t. 37.
47	<i>ægyptiaca</i> . s.s.	Egyptian.	Egypt.	1771.	7.	H. ⊙.	
48	<i>silenifolia</i> . Lk.	Silene-leaved.	Portugal.	1820.	7. 9.	H. ⊙.	
49	<i>genistifolia</i> . s.s.	Broom-leaved.	Austria.	1704.	7. 8.	H. ♀.	Jacq. aust. 3. t. 244.
50	<i>linifolia</i> . s.s.	flax-leaved.	Italy.	1824.	—	H. ♀.	
51	<i>vulgaris</i> . s.s.	common.	Britain.	6. 9.	H. ♀.	Eng. bot. 658.
	<i>Antirrhinum Linaria</i> . E.D.						
	<i>β Peloria</i> .	<i>regular-flower'd</i> .	—	—	H. ♀.	— 260.
52	<i>Lœselii</i> . s.s.	Loesel's.	Russia.	1824.	—	H. ⊙.	
53	<i>juncea</i> . s.s.	rush-stalked.	Spain.	1780.	7. 8.	H. ⊙.	
54	<i>canadensis</i> . s.s.	Canadian.	N. America.	1812.	6. 8.	H. ⊙.	Venten. cels. 49.
	SCROPHULARIA. L. FIGWORT. Didynamia Angiospermia. L.						
1	<i>marilandica</i> . s.s.	Maryland.	N. America.	1759.	5. 7.	H. ♀.	
2	<i>peregrina</i> . s.s.	Nettle-leaved.	Italy.	1640.	6. 8.	H. ♂.	Camer. hort. t. 43.
3	<i>nodosa</i> . s.s.	knotty-rooted.	Britain.	5. 7.	H. ♀.	Eng. bot. 1544.
4	<i>aquatica</i> . s.s.	water.	—	—	H. ♀.	— 854.
5	<i>glabrata</i> . s.s.	spear-leaved.	Canaries.	1779.	4. 5.	G. ♂.	Jacq. schœn. 2. t. 209.
6	<i>biserrata</i> . s.s.	double-serrate.	1816.	5. 7.	H. ♀.	
7	<i>arguta</i> . s.s.	slender upright.	Canaries.	1778.	—	H. ⊙.	
8	<i>vernalis</i> . s.s.	yellow.	Britain.	3. 5.	H. ♂.	Eng. bot. 567.
9	<i>Smithii</i> . L.en.	Smith's.	Canaries.	1815.	4. 8.	G. ♀.	
10	<i>glandulosa</i> . s.s.	glandular.	Hungary.	1806.	6. 9.	H. ♀.	W. et K. hung. t. 214.
11	<i>rugosa</i> . W.K.	rugged.	—	1816.	—	H. ♀.	
12	<i>Scopolii</i> . P.s.	Scopoli's.	Germany.	—	—	H. ♀.	Scop. carn. 2. t. 32.
13	<i>Scorodonia</i> . s.s.	balm-leaved.	Britain.	7. 8.	H. ♀.	Eng. bot. 2209.
14	<i>altaica</i> . s.s.	white-flowered.	Siberia.	1786.	5. 6.	H. ♀.	Mnr. com. got. 4. t. 2.
15	<i>betonicaefolia</i> . s.s.	Betony-leaved.	Spain.	1752.	6. 8.	H. ♀.	Barrel. ic. 274.
16	<i>hirsuta</i> . L.en.	hairy.	S. Europe.	1822.	—	H. ♀.	
17	<i>appendiculata</i> . s.s.	heart-leaved.	Morocco.	1805.	7.	H. ♀.	
18	<i>Balbisii</i> . s.s.	Balbis's.	Italy.	1823.	6. 8.	H. ♀.	
19	<i>auriculata</i> . s.s.	ear-leaved.	Spain.	1772.	7. 8.	H. ♀.	Lobel. ic. 533.
20	<i>trifoliata</i> . s.s.	three-leaved.	Africa.	1731.	5. 9.	H. ♂.	Jacq. schœn. 3. t. 286.
21	<i>laciniata</i> . W.K.	jag-leaved.	Hungary.	1806.	7.	H. ♀.	W. et K. hung. 2. t. 170.
22	<i>verbenaefolia</i> . Poir.	Vervain-leav'd.	1816.	7. 8.	H. ♀.	
23	<i>adscendens</i> . W.en.	ascending.	—	—	H. ♀.	
24	<i>variegata</i> . s.s.	variegated.	Caucasus.	—	—	H. ♀.	
25	<i>ebulifolia</i> . s.s.	Elder-leaved.	—	1824.	—	H. ♀.	
26	<i>grandiflora</i> . DC.	large-flowered.	1816.	—	H. ♀.	

27	<i>frutescens</i> , s.s.	shrubby.	Portugal.	1768.	6. 8.	F. ♀.	Herm. lugd. t. 547.
28	<i>orientalis</i> , s.s.	oriental.	Levant.	1710.	7. 8.	H. ♀.	Schk. hand. 2. t. 173.
29	<i>melissæfolia</i> , s.s.	balm-like.	—	1823.	—	H. ♀.	—
30	<i>lyrata</i> , s.s.	lyrate-leaved.	Portugal.	1816.	—	H. ♀.	W. hort. ber. 1. t. 55.
31	<i>mellifera</i> , s.s.	honey-bearing.	Barbary.	1786.	—	H. ♀.	Desf. atl. 2. t. 143.
32	<i>sambucifolia</i> , s.s.	Elder-like.	Spain.	1640.	7. 9.	H. ♀.	Mill. ic. 2. t. 231.
33	<i>hispida</i> , s.s.	hispid.	Levant.	1820.	—	H. ♀.	—
34	<i>tanacetifolia</i> , s.s.	Tansy-leaved.	Tauria.	1804.	—	H. ♀.	W. hort. ber. 1. t. 56.
35	<i>canina</i> , s.s.	wing-leaved.	S. Europe.	1683.	6. 8.	H. ♀.	Lobel. ic. 2. p. 55.
36	<i>chrysanthemifolia</i> .	Chrysanthemum-ld.	Tauria.	1816.	—	H. ♀.	W. hort. ber. 1. t. 59.
37	<i>lucida</i> , s.s.	shining-leaved.	Levant.	1596.	—	H. ♀.	— 1. t. 57.
38	<i>filicifolia</i> , s.s.	Fern-leaved.	Crete.	—	H. ♀.	Tourn. it. t. 85.
39	<i>multifida</i> , s.s.	multifid-leaved.	1816.	—	H. ♀.	W. hort. ber. 1. t. 58.
DIGITALIS. S.S.		FOXGLOVE. Didynamia Angiospermia. L.					
1	<i>Sceptrum</i> , s.s.	Madeira shrubby.	Madeira.	1777.	7. 8.	G. ♀.	Sm. exot. bot. 2. t. 73.
2	<i>canariensis</i> , s.s.	Canary.	Canaries.	1698.	6. 7.	G. ♀.	Botan. regist. 48.
3	<i>lutea</i> , s.s.	small yellow.	France.	1629.	7. 8.	H. ♀.	— 251.
4	<i>parviflora</i> , s.s.	small-flowered.	1798.	6. 8.	H. ♀.	— 257.
5	<i>media</i> , s.s.	middle yellow.	Germany.	1816.	7. 8.	H. ♀.	—
6	<i>obscura</i> , s.s.	Willow-leaved.	Spain.	1778.	—	H. ♀.	Lind. digit. t. 26.
7	<i>micrantha</i> , s.s.	small-blossom'd.	Switzerland.	1824.	—	H. ♀.	—
8	<i>minor</i> , s.s.	dwarf.	Spain.	1789.	6. 7.	H. ♀.	Lind. digit. 5. 6.
9	<i>purpurascens</i> , s.s.	blush-flowered.	Italy.	1776.	—	H. ♀.	— t. 20.
	<i>erubescens</i> , H.K.	—	—	—	—	—	—
10	<i>orientalis</i> , s.s.	oriental.	Levant.	1818.	7. 8.	H. ♀.	Botan. regist. 554.
11	<i>lanata</i> , s.s.	woolly.	Hungary.	1789.	6. 7.	H. ♀.	Botan. magaz. 1159.
12	<i>leucophaea</i> , s.s.	broad-lipped.	Greece.	1788.	6. 10.	H. ♀.	Lind. digit. t. 14.
13	<i>aurea</i> , s.s.	golden.	—	1815.	7. 8.	H. ♀.	— t. 13.
14	<i>ferruginea</i> , s.s.	iron-coloured.	Italy.	1597.	—	H. ♀.	— t. 12.
15	<i>lævigata</i> , s.s.	shining-leaved.	Hungary.	1810.	—	H. ♀.	— t. 10.
16	<i>fulva</i> , s.s.	tawny.	1820.	6. 8.	H. ♀.	— t. 9.
17	<i>ambigua</i> , w.	greater yellow.	Switzerland.	1596.	7. 8.	H. ♀.	Botan. regist. 64.
	<i>grandiflora</i> , s.s.	—	—	—	—	—	—
18	<i>ochroleuca</i> , s.s.	sulphur-color'd.	Germany.	1816.	—	H. ♀.	Lind. digit. t. 8.
19	<i>fuscens</i> , s.s.	netted-flow'r'd.	Hungary.	1824.	—	H. ♀.	—
20	<i>tomentosa</i> , s.s.	tomentose.	Portugal.	1820.	6. 8.	H. ♀.	—
21	<i>Thapsi</i> , s.s.	Mullein.	Spain.	1752.	5. 8.	H. ♀.	Sm. exot. bot. 1. t. 43.
22	<i>purpurea</i> , s.s.	common.	Britain.	6. 9.	H. ♂.	Eng. bot. 1297.
	<i>β alba</i> .	white-flowered.	—	—	H. ♂.	—
CHELONE. S.S.		CHELONE. Didynamia Angiospermia. L.					
1	<i>glabra</i> , w.	white-flowered.	N.America.	1730.	8. 10.	H. ♀.	Trew Ehret. t. 83.
2	<i>obliqua</i> , w.	red-flowered.	—	1752.	—	H. ♀.	Botan. regist. 175.
3	<i>Lyoni</i> , s.s.	Lyon's.	—	1812.	7. 9.	H. ♀.	Botan. magaz. 1864.
	<i>major</i> , B.M.	—	—	—	—	—	—
4	<i>rosca</i> , Cerv.	rose-coloured.	Mexico.	1825.	G. ♀.	—
5	<i>barbata</i> , s.s.	scarlet.	—	1794.	6. 9.	H. ♀.	Botan. regist. 116.
6	<i>campanulata</i> , s.s.	bell-flowered.	—	—	3. 10.	F. ♀.	Botan. magaz. 1878.
	<i>Pentstemon campanulata</i> , Jacq. schœn. 3. t. 362.	—	—	—	—	—	—
7	<i>angustifolia</i> , K.S.	narrow-leaved.	—	1825.	G. ♀.	H. et B. 2. t. 173.
8	<i>lævigata</i> , s.s.	smooth.	N.America.	1776.	8. 9.	H. ♀.	Botan. magaz. 1425.
9	<i>hirsuta</i> , s.s.	narrow-ld. hairy.	—	1758.	—	H. ♀.	Moris. s. 11. t. 21. f. 3.
10	<i>pubescens</i> .	broad-ld. hairy.	—	—	—	H. ♀.	Botan. magaz. 1424.
	<i>Pentstemon pubescens</i> , B.M.	—	—	—	—	—	—
11	<i>digitalis</i> , B.F.G.	foxglove-fl'd.	Arkansa.	1824.	6. 8.	H. ♀.	Swt. br. fl. gar. 120.
	<i>Pentstemon digitalis</i> , B.M. 2587.	—	—	—	—	—	—
12	<i>erianthera</i> , s.s.	blue-flowered.	Louisiana.	1811.	7. 9.	F. ♀.	Botan. magaz. 1672.
	<i>Pentstemon glabra</i> , B.M.	—	—	—	—	—	—
13	<i>cristata</i> , s.s.	crested.	—	—	—	F. ♀.	—
14	<i>cœrulea</i> , s.s.	slender blue.	—	—	—	F. ♀.	—
	<i>Pentstemon angustifolium</i> , Ph.	—	—	—	—	—	—
15	<i>grandiflora</i> , s.s.	great-flowered.	—	—	—	F. ♀.	—
16	<i>albida</i> , s.s.	dwarf.	—	—	—	F. ♀.	—
HERPESTIS. G.		HERPESTIS. Didynamia Angiospermia. S.S.					
1	<i>stricta</i> , s.s.	upright.	Brazil.	1823.	6. 8.	S. ♀.	Ehret. pict. t. 14. f. 2.
2	<i>Monnieria</i> , K.S.	thyme-leaved.	S. America.	1772.	7. 9.	S. ♀.	Botan. magaz. 2557.
3	<i>portulacæa</i> , B.M.	Purslane-ld.	—	1823.	—	S. ♀.	—
4	<i>cuneifolia</i> , Ph.	wedge-leaved.	N.America.	1812.	8.	H. ♀.	—
5	<i>amplexicaulis</i> , s.s.	stem-clasping.	Carolina.	1822.	6. 8.	H. ♀.	—

- MAZUS. B.P. rugosus. B.P. *Lindernia japonica*. Th. China. 1780. 5. 10. H.⊙. Swt. br. fl. gar. 36.
- TORENIA. B.P. 1 ovata. *Hornemannia ovata*. L.en. Tittmannia ovata. s.s. Manila. 1823. 5. 10. H.⊙. Pl. sel. hort. ber. t. 9.
- 2 viscosa. *Hornemannia viscosa*. w.en. Tittmannia viscosa. s.s. E. Indies. — — — S.⊙.
- LINDERNIA. B.P. LINDERNIA. Didynamia Angiospermia. L. European. S. Europe. 1789. 6. 8. H.⊙. Lam. ill. t. 522.
- MIMULUS. L. MONKEY-FLOWER. Didynamia Angiospermia. L. orange-colored. California. 1794. 1. 12. G. h. Botan. magaz. 354.
- 1 glutinosus. s.s. gaping. N.America. 1759. 7. 8. H. ½. ————— 283.
- 2 ringens. s.s. oval-leaved. ————— 1783. — H. ½.
- 3 alatus. s.s. spotted-fld. America. 1812. 6. 9. F. ½. Botan. magaz. 1501.
- 4 guttatus. DC. *luteus*. B.M. non L. small-flowered. Mexico. 1824. — H.⊙. Botan. regist. 874.
- 5 parviflorus. B.R. BROWALLIA. Didynamia Angiospermia. L. upright. Peru. 1768. 6. 9. G.⊙. Botan. magaz. 34.
- BROWALLIA. L. BROWALLIA. Didynamia Angiospermia. L. spreading. S. America. 1735. — G.⊙. ————— 1136.
- ANGELONIA. K.S. ANGELONIA. Didynamia Angiospermia. L. salicariæfolia. K.S. Salicaria-ld. S. America. 1818. 7. 10. S. h. Botan. regist. 415.
- ALONSOA. R.P. ALONSOA. Didynamia Angiospermia. H.K. 1 incisifolia. R.P. *Nettle-leaved*. Chili. 1795. 5. 10. G. h. Botan. magaz. 417.
- 2 acutifolia. R.P. *Celsia urticæfolia*. B.M. *Hemimeris urticæfolia*. w. acute-leaved. Peru. 1790. — G. h.
- 3 linearis. H.K. linear-leaved. — — — G. h. Botan. magaz. 210.
- Celsia linearis*. B.M. *Hemimeris coccinea*. w.
- DIASCIA. L.en. DIASCIA. Didynamia Angiospermia. S.S. 1 Bergiana. L.en. Bergius's. C. B. S. 1816. 7. 10. H.⊙. Pluk. phyt. 320. f. 5.
- Hemimeris diffusa*. w.
- VANDELLIA. S.S. VANDELLIA. Didynamia Angiospermia. L. spreading. S. America. 1824. 7. 9. S.⊙. Marc. bras. 1. c.15. f.1.
- LIMOSELLA. L. MUDWORT. Didynamia Angiospermia. L. aquatica. L. water. Britain. . . . 7. 9. H.⊙. Eng. bot. 357.
- DISANDRA. L. DISANDRA. Heptandria Monogynia. L. prostrata. L. trailing. Madeira. 1771. 5. 8. G. ½. Botan. magaz. 218.
- SIBTHORPIA. L. SIBTHORPIA. Didynamia Angiospermia. L. european. I. Cornish money-wort. England. . . . 7. 8. H. ½. Eng. bot. 619.
- ERINUS. S.S. ERINUS. Didynamia Angiospermia. L. 1 Lychmeida. s.s. Phlox-flower'd. C. B. S. 1821. 3. 10. G. h. Botan. regist. 748.
- 2 fragrans. H.K. fragrant. ————— 1776. 5. 6. G. h. Burm. afr. t. 49. f. 4.
- 3 alpinus. P.S. smooth-leaved. Pyrenees. 1739. 3. 4. H. ½. Botan. magaz. 310.
- 4 hispanicus. P.S. hairy-leaved. Spain. — — — H. ½.
- MANULEA. S.S. MANULEA. Didynamia Angiospermia. L. 1 viscosa. s.s. clammy. C. B. S. 1774. 6. 11. G. h. Botan. magaz. 217.
- Buchnera viscosa*. B.M. 2 tomentosa. s.s. tomentose. ————— 1774. 5. 12. G. h. ————— 322.
- 3 oppositifolia. v. opposite-leav'd. — — — G. h.
- 4 villosa. P.S. villous. ————— 1783. 6. 7. G.⊙. Burm. afr. t. 50. f. 2.
- Buchnera capensis*. w. 5 rubra. s.s. red. ————— 1790. 4. 9. G. h.
- 6 Cheiranthus. s.s. Wallflower-like. ————— 1795. 6. 8. G. ♂. Comm. hort. 2. t. 42.
- 7 argentea. s.s. silvery. ————— 1801. 7. 11. G.⊙.
- 8 pedunculata. P.S. solitary-fld. ————— 1790. 6. 11. G. h. Andr. reposit. 81.
- 9 fœtida. s.s. stinking. ————— 1794. 6. 9. G.⊙. ————— 80.
- Buchnera fœtida*. A.R. 10 rhyuchantha. s.s. wedge-leaved. ————— 1816. — G. h.
- 11 violacea. s.s. violet-flowered. — — — G. h.
- 12 cordata. s.s. trailing heart-ld. — — — G. ½.
- BUCHNERA. S.S. BUCHNERA. Didynamia Angiospermia. L. americana. s.s. American. N.America. 1733. 6. 8. H. ½.
- EUPHRASIA. W. EYE-BRIGHT. Didynamia Angiospermia. L. 1 linifolia. s.s. flax-leaved. S. France. 1823. 7. 9. H.⊙.
- 2 lutea. s.s. yellow. S. Europe. 1816. — H.⊙. Jacq. aust. t. 398.
- 3 alpina. s.s. Alpine. ————— 1823. — H.⊙.
- 4 officinalis. s.s. common. Britain. . . . — H.⊙. Eng. bot. 1416.
- BARTSIA. S.S. BARTSIA. Didynamia Angiospermia. L. 1 viscosa. s.s. yellow viscid. Britain. . . . 7. 8. H.⊙. Eng. bot. 1045.

- 2 alpina. s.s. Alpine. Britaln. 7. 8. H.⊙. Eng. bot. 361.
 3 Odontites. s.s. red-flowered. ———— 7. 9. H.⊙. ———— 1415.
 4 Trixago. s.s. simple-stalked. S. Europe, 1820. ———— H.⊙. Column.ecphr.1. t.197.
- EUCHROMA. N.** PAINTED CUP. Didynamia Angiospermla. N.
 1 coccinea. n. scarlet. N.America. 1787. 7. H.⊙. Pluk. alm. t. 102. f. 5.
Bartsia coccinea. L.
- 2 grandiflora. N. large-flowered. Louisiana. 1811. 7. 8. H.⊙.
Castilleja sessiliflora. Ph.
- CASTILLEJA. S.S.** CASTILLEJA. Didynamia Angiospermla. S.S.
 1 integrifolia. s.s. entire-leaved. S. America. 1825. G. ♂. Sm. ic. ined. t. 39.
 2 toluccensis. s.s. procumbent. Mexico. ———— G. ♂.
 3 septentrionalis. B.R. northern. N.America. 1824. 7. 8. H.⊙. Botan. regist. 925.
 4 pallida. s.s. pale-flowered. Siberia. 1782. 6. 9. H.⊙. Gmel. sib. 3. t. 42.
Bartsia pallida. W.
- RHINANTHUS. W.** YELLOW RATTLE. Didynamia Angiospermla. L.
 1 Crista-galli. w. Cock's-comb. Britain. 6. 8. H.⊙. Eng. bot. 657.
 2 Alecterolophus. L.en.villosus. Germany. 1816. ———— H.⊙. Bull. herb. t. 125.
villosus. P.S.
- MELAMPYRUM. S.S.** COW-WHEAT. Didynamia Angiospermla. L.
 1 cristatum. E.B. crested. England. 7. 8. H.⊙. Eng. bot. 41.
 2 arvense. E.B. corn-field: ———— 6. 7. H.⊙. ———— 53.
 3 nemorosum. s.s. colour'd-bract'd. Europe. 1823. ———— H.⊙. Flor. dan. t. 305.
 4 pratense. E.B. common. Britain. 7. 8. H.⊙. Eng. bot. 113.
 5 sylvaticum. E.B. wood. ———— H.⊙. ———— 801.
- PEDICULARIS. S.S.** LOUSEWORT. Didynamia Angiospermla. L.
 1 incarnata. s.s. flesh-coloured. Austria. 1796. 6. 7. H.⊙. Jacq. aust. 2. t. 140.
 2 rostrata. s.s. beaked. S. Europe. 1823. ———— H.⊙. ———— t. 205.
 3 tuberosa. s.s. tuberous. Switzerland. 1799. 7. 8. H.⊙. Hall. helv. n. 323. t. 10.
 4 ascendens. Schl. ascending. ———— 1825. ———— H.⊙.
 5 gyroflexa. s.s. bending. ———— ———— H.⊙. Vill. delph. 2. t. 9.
 6 atrorubens. DC. dark-red. ———— ———— H.⊙.
 7 uncinata. s.s. hooked-fl'd. Siberia. 1815. ———— H.⊙. Gmel. sib. 3. t. 45.
 8 compacta. s.s. close-headed. ———— ———— H.⊙.
 9 resupinata. s.s. resupinate. ———— 1816. 5. 7. H.⊙. Gmel. sib. 3. t. 44.
 10 palustris. E.B. marsh. Britain. 6. 7. H.⊙. Eng. bot. 399.
 11 euphrasioides. s.s. eyebright-ld. Siberia. 1816. ———— H.⊙. Gmel. sib. 3. t. 43.
 12 canadensis. s.s. Canadian. N. America. 1800. 7. 8. H.⊙. Swt. br. fl. gar. 37.
 13 sylvatica. E.B. common. Britain. 5. 7. H.⊙. Eng. bot. 400.
 14 myriophylla. s.s. Milfoil-leaved. Dahuria. 1816. ———— H.⊙. Pall. it. 3. ap. t. 8. f. 1.
 15 sudetica. s.s. Swedish. N. Europe. ———— H.⊙.
 16 flammea. s.s. upright. ———— 1775. 7. H.⊙. Hall. helv. t. 8. f. 3.
 17 versicolor. s.s. various-colour'd. Switzerland. 1825. 7. 8. H.⊙.
 18 comosa. s.s. spiked. Italy. 1775. ———— H.⊙. All. ped. 1. t. 4. f. 1.
 19 Sceptrum. s.s. sceptred. Sweden. 1793. ———— H.⊙. Flor. dan. t. 26.
 20 recutita. s.s. jagged-leaved. Austria. 1787. 7. 8. H.⊙. Jacq. aust. 3. t. 258.
 21 foliosa. s.s. leafy. ———— 1786. ———— H.⊙. ———— 2. t. 139.
 22 verticillata. s.s. whorled. ———— 1790. 5. 6. H.⊙. ———— 3. t. 206.
 23 rosea. s.s. rose-coloured. S. Europe. 1825. 7. 8. H.⊙. Jacq. ic. 1. t. 115.
- GERARDIA. S.S.** GERARDIA. Didynamia Angiospermla.
 1 delphinifolia. s.s. Larkspur-ld. E. Indies. 1800. 6. 7. S. ♂. Roxb. corom. 1. t. 90.
 2 purpurea. s.s. purple. N. America. 1772. 7. 8. H. ♂. Botan. magaz. 2048.
 3 tenuifolia. s.s. slender-leaved. ———— 1812. ———— H. ♂. Pluk. alm. t. 12. f. 4.
 4 maritima. s.s. sea-side. ———— 1823. ———— H. ♂.
 5 flava. s.s. yellow. ———— 1796. ———— H.⊙. Pluk. amal. t. 389. f. 3.
 6 quercifolia. s.s. oak-leaved. ———— 1812. ———— H.⊙. Pursh amer. 1. t. 19.
- SEYMERIA. S.S.** SEYMERIA. Didynamia Angiospermla. S.S.
 1 tenuifolia. s.s. slender-leaved. Carolina. 7. 9. H.⊙.
Afzelia cassioides. Gmel. Gerardia Afzelia. M.
 2 pectinata. s.s. pectinated. ———— ———— H.⊙.

Sect. II. STAMINA (2) ANTHERIFERA.

- CALCEOLARIA. R.S.** SLIPPERWORT. Diandria Monogynia. L.
 1 Fothergillii. R.S. Fothergill's. Falkland Isl. 1777. 5. 8. G. ♂. Botan. magaz. 348.
 2 corymbosa. R.S. corymb-fl'd. Chili. 1823. 4. 8. G. ♂. Botan. regist. 723.

3	<i>rugosa</i> . R.P.	rugged-leaved.	Chili.	1823.	6. 8.	G. ♀.	Hook. ex. flor. 99.
	<i>crenata</i> . B.R. 790.						
4	<i>integrifolia</i> . R.P.	entire-leaved.	————	————	————	G. ♀.	Botan. regist. 744.
	<i>rugosa</i> . B.M. 2523.						
5	<i>pinnata</i> . R.S.	wing-leaved.	Peru.	1773.	7. 9.	H. ⊙.	Botan. magaz. 41.
6	<i>scabiosæfolia</i> . R.S.	Scabious-ld.	————	1823.	————	G. ♀.	———— 2405.
SCHIZANTHUS. R.P.		SCHIZANTHUS.		Diandria Monogynia.			
1	<i>pinnatus</i> . H.E.F.	winged-leav'd.	Chili.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. 63.
2	<i>porrigens</i> . H.E.F.	spreading.	————	————	————	H. ⊙.	———— 76.
SCHWENCKIA. R.S.		SCHWENCKIA.		Diandria Monogynia. W.			
	<i>americana</i> . R.S.	American.	Cayenn.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
BONNAYA. S.S.		BONNAYA.		Diandria Monogynia. S.S.			
1	<i>brachiata</i> . s.s.	brachiate.	E. Indies.	1825.	6. 9.	H. ⊙.	Pl. sel. h. ber. t. 11.
2	<i>veronicæfolia</i> . s.s.	Speedwell-ld.	————	1798.	————	S. ♂.	Rheed. mal. 9. t. 59.
	<i>Gratiola veronicæfolia</i> . w.						
3	<i>reptans</i> . s.s.	creeping.	————	1820.	————	S. ⊙.	
GRATIOLA. B.P.		HEDGE-HYSSOP.		Diandria Monogynia. L.			
1	<i>latifolia</i> . B.P.	broad-leaved.	N. S. W.	1822.	6. 8.	G. ♀.	
2	<i>officinalis</i> . R.S.	officinal.	Europe.	1568.	5. 8.	H. ♀.	Flor. dan. 363.
3	<i>virginica</i> . R.S.	Virginian.	Virginia.	1759.	8.	H. ♀.	
WULFENIA. R.S.		WULFENIA.		Diandria Monogynia. R.S.			
	<i>carinthiaca</i> . R.S.	blue-flowered.	Carinthia.	1817.	6. 9.	H. ♀.	Swt. br. fl. gar. 66.
PÆDEROTA. R.S.		PÆDEROTA.		Diandria Monogynia. L.			
	<i>Ageria</i> . R.S.	sulphur-col'd.	Italy.	1825.	6. 7.	H. ♀.	Jacq. vind. 2. t. 121.
LEPTANDRA. N.		LEPTANDRA.		Diandria Monogynia. N.			
1	<i>virginica</i> .	Virginian.	Virginia.	1714.	7. 9.	H. ♀.	Pluk. alm. t. 70. f. 2.
	<i>Veronica virginica</i> . w.						
	<i>β incarnata</i> .	flesh-coloured.	————	————	H. ♀.	
2	<i>sibirica</i> . N.	Siberian.	Siberia.	1779.	7. 8.	H. ♀.	Amm. ruth. 20. t. 4.
VERONICA. R.S.		SPEEDWELL.		Diandria Monogynia. L.			
1	<i>foliosa</i> . R.S.	leafy.	Hungary.	1805.	7. 9.	H. ♀.	W.ct K. hung. 2. t. 102.
2	<i>crenulata</i> . R.S.	notch-flowered.	S. Europe.	1804.	————	H. ♀.	Hoff. phyt. p. 95. t. E. f. 3.
	<i>villosa</i> . Schr. V. t. 1. f. 3.						
3	<i>maritima</i> . R.S.	sea-side.	————	1570.	————	H. ♀.	Schrad. ver. t. 1. f. 1.
4	<i>Hostii</i> . R.S.	Host's.	Italy.	————	H. ♀.	Tabern. n. krent. 2. f. 4.
5	<i>spuria</i> . R.S.	spurious.	Siberia.	1731.	————	H. ♀.	Gmel. it. 1. t. 39.
	<i>amethystina</i> . w.en.						
6	<i>paniculata</i> . R.S.	panicled.	Tartary.	1797.	6. 7.	H. ♀.	
7	<i>complicata</i> . R.S.	bundled.	S. Europe.	1812.	9. 10.	H. ♀.	Hoff. phyt. p. 98. t. E. f. 4.
8	<i>azurea</i> . R.S.	azure.	1818.	6. 9.	H. ♀.	
9	<i>glabra</i> . R.S.	smooth.	S. Europe.	1804.	7. 9.	H. ♀.	Schrad. ver. p. 25. t. 1. f. 4.
10	<i>brachyphylla</i> . R.S.	short-leaved.	1818.	————	H. ♀.	
	<i>brevifolia</i> . L.en.						
11	<i>clatior</i> . R.S.	tall.	S. Europe.	1808.	————	H. ♀.	
12	<i>acuta</i> . R.S.	acute-leaved.	1820.	————	H. ♀.	
13	<i>arguta</i> . R.S.	sharp-notched.	S. Europe.	1812.	————	H. ♀.	Schrad. ver. n. 7. t. 2. f. 2.
14	<i>nitida</i> . L.en.	glossy-leaved.	1816.	————	H. ♀.	
15	<i>longibracteata</i> . L.en.	long-bracted.	————	————	H. ♀.	
	<i>β latifolia</i> .	broad-leaved.	————	————	H. ♀.	
16	<i>media</i> . R.S.	long-spiked.	Germany.	1804.	————	H. ♀.	Schrad. ver. n. 8. t. 1. f. 2.
17	<i>persicifolia</i> . R.S.	* Peach-leaved.	1819.	————	H. ♀.	
18	<i>australis</i> . R.S.	pubescent.	S. Europe.	1812.	————	H. ♀.	———— n. 9. t. 2. f. 3.
19	<i>longifolia</i> . R.S.	long-leaved.	————	1731.	————	H. ♀.	———— p. 26. t. 2. f. 1.
20	<i>neglecta</i> . R.S.	caescent.	Siberia.	1797.	————	H. ♀.	Swt. br. fl. gar. 55.
21	<i>angustifolia</i> . s.s.	narrow-leaved.	————	1823.	————	H. ♀.	
22	<i>incana</i> . R.S.	hoary.	Russia.	1759.	7. 9.	H. ♀.	Hoff. c. gott. 15. t. 6.
23	<i>elegans</i> . R.S.	elegant.	————	H. ♀.	
24	<i>spicata</i> . R.S.	spiked.	England.	————	H. ♀.	Eng. bot. t. 2.
25	<i>Clusii</i> . R.S.	Clusius's.	N. Europe.	————	H. ♀.	Flor. dan. t. 52.
26	<i>menthaefolia</i> . R.S.	Mint-leaved.	Austria.	1818.	————	H. ♀.	
27	<i>Barrelieri</i> . R.S.	Barrelier's.	S. Europe.	————	H. ♀.	Barrel. ic. t. 682.
28	<i>orchidea</i> . R.S.	Orchis-like.	Europe.	————	H. ♀.	
29	<i>crassifolia</i> . R.S.	thick-leaved.	Hungary.	1818.	————	H. ♀.	
30	<i>hybrida</i> . R.S.	Welsh.	England.	————	H. ♀.	Eng. bot. 673.
31	<i>longiflora</i> . R.S.	long-flowered.	1823.	————	H. ♀.	
32	<i>ruthenica</i> . R.S.	Russian.	Russia.	————	————	H. ♀.	
33	<i>Pouæ</i> . R.S.	dwarf.	Pyrenees.	————	————	H. ♀.	Gouan. ill. t. 1. f. 1.
34	<i>polystachya</i> . L.en.	many-spiked.	1819.	————	H. ♀.	
35	<i>pinnata</i> . R.S.	wing-leaved.	Siberia.	1776.	6. 8.	H. ♀.	Hoff. c. gott. 15. t. 10.

36	<i>incisa</i> . R.S.	cut-leaved.	Siberia.	1779.	6. 8.	H. 2.	
37	<i>laciniata</i> . R.S.	jagged-leaved.	—	1780.	—	H. 2.	Jung. ic. rar. C. 1. f. 2.
38	<i>gentianoides</i> . R.S.	Gentian-leav'd.	Levant.	1748.	5. 6.	H. 2.	Botan. magaz. 1002?
39	<i>pallida</i> . R.S.	pale.	—	1816.	—	H. 2.	
40	<i>bellidioides</i> . R.S.	Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 2.	Hall. hist. t. 15. f. 1.
41	<i>fruticlosa</i> . R.S.	flesh-coloured.	Scotland.	...	6. 8.	H. 2.	Eng. bot. 1028.
42	<i>saxatilis</i> . R.S.	blue rock.	—	...	7.	H. 2.	— 1027.
43	<i>nummularia</i> . R.S.	moneywort.	Pyrenees.	1820.	6. 8.	H. 2.	Gouan. ill. 1. t. 1. f. 2.
44	<i>alpina</i> . R.S.	Alpine.	Scotland.	...	5. 6.	H. 2.	Eng. bot. 484.
	<i>α acutifolia</i> .	<i>acute entire-ld.</i>	Europe.	...	—	H. 2.	
	<i>β pumila</i> . All.	<i>saw-leaved.</i>	—	...	—	H. 2.	Allion. ped. t. 22. f. 5.
	<i>γ obtusifolia</i> .	<i>blunt entire-ld.</i>	Scotland.	...	—	H. 2.	Eng. bot. 484.
	<i>δ integrifolia</i> . W.	<i>entire-leaved.</i>	Europe.	...	—	H. 2.	Krocker siles. t. 3.
	<i>ε heterophylla</i> .	<i>various-leaved.</i>	—	...	—	H. 2.	
	<i>ζ rotundifolia</i> .	<i>round-leaved.</i>	—	...	—	H. 2.	
45	<i>depauperata</i> . R.S.	few-flowered.	Hungary.	1819.	—	H. 2.	Braun. salisb. n. 15. t. 2.
46	<i>serpyllifolia</i> . R.S.	smooth.	Britain.	...	4. 7.	H. 2.	W. et K. hung. 3. t. 245.
	<i>α ovata</i> .	<i>common.</i>	—	...	—	H. 2.	Eng. bot. 1075.
	<i>β tenella</i> . Schm.	<i>roundish-leaved.</i>	Europe.	...	—	H. 2.	
	<i>γ neglecta</i> . Schm.	<i>neglected.</i>	—	...	—	H. 2.	
	<i>δ quaternata</i> .	<i>four-leaved.</i>	—	...	—	H. 2.	
	<i>ε nummulariaefolia</i> .	<i>moneywort-ld.</i>	—	...	—	H. 2.	
	<i>ζ humifusa</i> . L.T.	<i>trailing.</i>	—	...	—	H. 2.	
47	<i>hirsuta</i> . R.S.	bristly.	Scotland.	...	—	H. 2.	
	<i>setigera</i> . S.S.	—	—	...	—	H. 2.	
48	<i>tenella</i> . R.S.	slender.	Pyrenees.	1820.	5. 6.	H. 2.	Allion. ped. t. 22. f. 1.
49	<i>parviflora</i> . R.S.	small-flowered.	N. Zealand.	1822.	6. 8.	H. 2.	
50	<i>decussata</i> . R.S.	cross-leaved.	Falkland Isl.	1776.	—	F. 2.	Botan. magaz. 242.
51	<i>aphylla</i> . R.S.	naked-stalked.	Italy.	1775.	5.	H. 2.	Seguier. ver. t. 3. f. 2.
52	<i>Beccabunga</i> . R.S.	brook-lime.	Britain.	...	5. 6.	H. w. 2.	Eng. bot. 655.
53	<i>Anagallis</i> . R.S.	long-ld. water.	—	...	6. 8.	H. w. 2.	— 781.
54	<i>scutellata</i> . R.S.	marsh.	—	...	—	H. w. 2.	— 782.
55	<i>Parmularia</i> . R.S.	tooth-ld. marsh.	Austria.	1816.	6. 8.	H. w. 2.	Trattin. fl. aust. b. 20.
56	<i>pectinata</i> . R.S.	pectinated.	Levant.	1820.	—	H. 2.	Buxb. C. 1. t. 39. f. 1.
57	<i>orientalis</i> . R.S.	various-leaved.	—	1748.	—	H. 2.	Sal. stirp. rar. 7. t. 4.
58	<i>trichocarpa</i> . R.S.	hairy-capsuled.	—	1820.	—	H. 2.	
	<i>pilocarpa</i> . L.en.	—	—	—	—	—	
59	<i>Jacquinii</i> . R.S.	Jacquin's.	Austria.	1748.	—	H. 2.	Jacq. aust. 4. t. 329.
	<i>austriaca</i> . Jacq. non L.	—	—	—	—	—	
60	<i>austriaca</i> . R.S.	Austrian.	—	—	—	H. 2.	
	<i>polymorpha</i> . W.en.	—	—	—	—	—	
61	<i>multifida</i> . R.S.	multifid-leaved.	Siberia.	—	—	H. 2.	Botan. magaz. 1079.
62	<i>caucasica</i> . R.S.	Caucasean.	Caucasus.	1815.	—	H. 2.	
63	<i>taurica</i> . W.	Taurian.	Tauria.	—	—	H. 2.	Lodd. bot. cab. 911.
64	Allionii. R.S.	shining-leaved.	S. Europe.	1748.	—	H. 2.	Allion. ped. 1. t. 46. f. 3.
65	<i>officinalis</i> . R.S.	officinal.	Britain.	...	4. 7.	H. 2.	Eng. bot. 765.
66	<i>Mulleriana</i> . R.S.	Muller's.	Styria.	1825.	5. 7.	H. 2.	
67	<i>Chaixi</i> . R.S.	Chaix's.	S. Europe.	—	—	H. 2.	
68	<i>prostrata</i> . R.S.	trailing.	Germany.	1774.	5. 6.	H. 2.	Bauh. hist. 3. p. 287. ic.
69	<i>plicata</i> . R.S.	plaited-leaved.	Bohemia.	1823.	—	H. 2.	Pohl tent. fl. b. p. 15. f. 1.
70	<i>micrantha</i> . R.S.	soft-leaved.	Portugal.	—	—	H. 2.	Hoff. f. port. t. 57.
	<i>mollis</i> . Zea.	—	—	—	—	—	
71	<i>latifolia</i> . R.S.	broad-leaved.	Austria.	1748.	6. 7.	H. 2.	Swt. br. fl. gar. 23.
72	<i>Teucrium</i> . R.S.	sawed-leaved.	Enrope.	1596.	6. 8.	H. 2.	Lodd. bot. cab. 425.
73	<i>dentata</i> . R.S.	toothed-leaved.	S. Europe.	1816.	—	H. 2.	
74	<i>Schmidtii</i> . R.S.	Schmidt's.	Bohemia.	1797.	6. 7.	H. 2.	
	<i>paniculata</i> . W. non Pall.	—	—	—	—	—	
75	<i>Chamædryis</i> . R.S.	Germander.	Britain.	...	5. 8.	H. 2.	Eng. bot. 623.
76	<i>urticaefolia</i> . R.S.	Nettle-leaved.	Austria.	1776.	6. 7.	H. 2.	Jacq. aust. 1. t. 59.
77	<i>montana</i> . R.S.	mountain.	Britain.	...	7. 8.	H. 2.	Eng. bot. 766.
78	<i>peduncularis</i> . R.S.	peduncled.	Caucasus.	1825.	6. 8.	H. 2.	Buxb. C. 1. t. 41. f. 1.
79	<i>plebeia</i> . B.P.	plebeian.	N. S. W.	1822.	—	G. 2.	
	<i>arguta</i> . R.S.	—	—	—	—	—	
80	<i>Brownii</i> . B.P.	sharp-toothed.	—	—	—	G. 2.	
81	<i>gracilis</i> . B.P.	slender.	—	—	—	G. 2.	
82	<i>perfoliata</i> . B.P.	perfoliate.	—	1815.	7. 8.	G. 2.	Botan. magaz. 1936.
83	<i>labiata</i> . B.P.	labiated.	N. Holland.	1802.	4. 7.	F. 2.	— 1660.
	<i>Derwentia</i> . B.R. 531.	—	—	—	—	—	
84	<i>mollissima</i> . R.S.	softest.	1819.	6. 8.	H. 2.	

85	Waldsteiniana. R.S.	Waldstein's.	1819.	6. 8.	H. ½.	
86	verna. R.S.	vernal.	Britain.	4. 5.	H. ○.	Eng. bot. 25.
87	digitata. R.S.	fingered.	Spain.	1805.	6. 7.	H. ○.	
88	triphyllus. R.S.	variable-leav'd.	Britain.	4. 5.	H. ○.	Eng. bot. 26.
89	hederifolia. R.S.	Ivy-leaved.	3. 10.	H. ○.	784.
90	Cymbalaria. R.S.	fleshy-leaved.	Levant.	1823.	4. 8.	H. ○.	Flor. græc. t. 9.
91	peregrina. R.S.	knotgrass-ld.	N. Europe.	1680.	5. 6.	H. ○.	Flor. dan. 407.
92	amœna. R.S.	pretty.	Iberia.	1823.	—	H. ○.	M.B.cent.ros. t. 1. f. 18.
93	præcox. R.S.	early-flowered.	Europe.	—	3. 5.	H. ○.	Allion. ped. t. 1. f. 1.
94	acinifolia. R.S.	Basil-leaved.	S. Europe.	1788.	4. 5.	H. ○.	Poit.etTurp.par.1.t.23
95	arvensis. R.S.	wall.	Britain.	4. 7.	H. ○.	Eng. bot. 734.
96	agrestis. R.S.	field.	1. 12.	H. ○.	783.
	<i>a polita.</i>	<i>polished.</i>	—	H. ○.	
	<i>β versicolor.</i>	<i>various-coloured.</i>	—	H. ○.	
	<i>γ opaca.</i>	<i>dull-coloured.</i>	—	H. ○.	
97	pulchella. R.S.	neat.	1823.	3. 6.	H. ○.	
98	Buxbaumii. S.S.	Buxbaum's.	S. Europe.	1820.	—	H. ○.	Ten. fl. nap. t. 1.
99	filiformis. S.S.	long-stalked.	Levant.	1780.	5.	H. ○.	Buxb. cent. 1. t. 40. f. 1.
100	persica. S.S.	Persian.	Persia.	1816.	1. 12.	H. ○.	
DIPLOPHYLLUM. S.S.		DIPLOPHYLLUM. Diandria Monogynia. S.S.					
	veronicaforme. S.S.	Speedwell-like.	Caucasus.	1813.	4. 6.	H. ○.	Linn. trans. v. 11. t. 31.
	<i>Veronica crista galli.</i>	L.T.					
HEMIMERIS. L.		HEMIMERIS. Diandria Monogynia.					
	montana. L.	mountain.	C. B. S.	1816.	6. 8.	G. ½.	Lam. ill. t. 532.

ORDO CXXXI.

LABIATÆ. *Brown prodr. 1. p. 499.*

LYCOPUS. R.S.		WATER-HOREHOUND. Diandria Monogynia. L.					
1	australis. B.P.	New Holland.	N. S. W.	1823.	5. 7.	G. ¼.	
2	europæus. R.S.	Europæan.	Britain.	7. 8.	H. ½.	Eng. bot. 1105.
3	exaltatus. R.S.	tall.	Italy.	1739.	—	H. ½.	Flor. græc. 1. t. 12.
4	virginicus. R.S.	Virginian.	N. America.	1760.	8. 9.	H. ½.	
	<i>β quercifolius.</i> Ph.	<i>Oak-leaved.</i>	—	H. ½.	
5	intermedius.	intermediate.	Europe.	7. 8.	H. ½.	
AMETHYSTEA. R.S.		AMETHYSTEA. Diandria Monogynia. L.					
	caerulea. R.S.	blue-flowered.	Siberia.	1759.	6. 7.	H. ○.	Botan. magaz. 2448.
CUNILA. N.		CUNILA. Diandria Monogynia. L.					
	mariana. N.	Mint-leaved.	N. America.	1759.	7. 9.	H. ½.	Moris. s. 11. t. 19. f. 7.
HEDEOMA. N.		HEDEOMA. Diandria Monogynia. P.S.					
1	pulegioides. N.	Pennyroyal-ld.	N. America.	1777.	6. 8.	H. ○.	
2	thymoides. P.S.	Thyme-leaved.	France.	1699.	—	H. ○.	Moris. s. 11. t. 19. f. 6.
ZIZIPHORA. S.S.		ZIZIPHORA. Diandria Monogynia. L.					
1	clinopodioides. R.S.	headed.	Siberia.	1799.	7. 8.	H. ○.	Rud. mem. p. 1810. t. 11.
	<i>Cunila capitata.</i> L.						
2	acinoides. W.en.	Thyme-leaved.	1786.	—	H. ○.	
3	media. L.en.	middle.	1816.	—	H. ½.	
4	capitata. R.S.	oval-leaved.	Syria.	1752.	—	H. ○.	Flor. græc. 1. t. 13.
5	hispanica. R.S.	Spanish.	Spain.	1759.	6.	H. ○.	Lam. ill. t. 18. f. 1.
6	tenuior. R.S.	spear-leaved.	Levant.	1752.	6. 7.	H. ○.	— t. 18. f. 2.
7	taurica. R.S.	Taurian.	Tauria.	1816.	7. 9.	H. ○.	M.B.cent.pl.rar.2.t.82.
8	serpyllacea. R.S.	sweet-scented.	Caucasus.	1803.	7. 8.	H. ½.	Botan. magaz. 906?
9	dasyantha. R.S.	hairy-flowered.	Siberia.	1803.	6. 8.	H. ½.	1093.
	<i>Pouschkinii.</i> B.M.						
MONARDA. R.S.		MONARDA. Diandria Monogynia. L.					
1	fistulosa. R.S.	fistulous.	N. America.	1656.	6. 8.	H. ¼.	Mill. ic. t. 122. f. 2.
2	media. R.S.	purple-bracted.	6. 9.	H. ½.	Swt. br. fl. gar. 98.
3	mollis. R.S.	soft.	6. 7.	H. ½.	
4	oblongata. R.S.	long-leaved.	1761.	7. 9.	H. ½.	
5	altissima. R.S.	tallest.	1818.	—	H. ½.	
6	affinis. L.en.	affined.	—	—	H. ½.	
7	rugosa. R.S.	white-flowered.	1761.	—	H. ½.	

8	<i>purpurea</i> , R.S.	purple-flower'd.	N.America.	1789.	6. 8.	H. ♀.	Botan. magaz. 145.
	<i>fistulosa</i> , var. <i>crimson</i> , B.M.						
9	Kalmiana, R.S.	pubescent-fl'd.	————	1813.	—	H. ♀.	Pursh. amer. 1. t. 1.
10	didyma, R.S.	Oswego Tea,	————	1752.	—	H. ♀.	Botan. magaz. 546.
11	Russelliana, N.	Russel's,	————	1823.	—	H. ♀.	Swt. br. fl. gar. 160.
12	clinopodia, Ph.	wild basil-ld.	————	1771.	7.	H. ♀.	
13	gracilis, R.S.	slender,	————	1824.	7. 8.	H. ♀.	
14	ciata, R.S.	blue-flowered.	————	1798.	7.	H. ♀.	Pluk. alm. t. 161. f. 3.
15	hirsuta, R.S.	hairy,	————	—	7. 9.	H. ♀.	
16	punctata, R.S.	spotted,	————	1714.	6. 10.	F. ♀.	Botan. regist. 87.
17	citriodora, R.S.	Citron-scented,	New Spain.	1823.	—	F. ♀.	
ROSMARINUS, R.S.		ROSEMARY. Diandria Monogynia. L.					
1	officinalis, R.S.	common,	S. Europe.	1548.	1. 4.	H. ♀.	Flor. græc. 1. t. 14.
	<i>α angustifolius</i> ,	narrow-leaved,	————	—	—	H. ♀.	
	<i>β latifolius</i> ,	broad-leaved,	————	—	—	H. ♀.	
	<i>γ argenteus</i> ,	silver-striped,	————	—	—	H. ♀.	
	<i>δ aureus</i> ,	gold-striped,	————	—	—	H. ♀.	
2	chilensis, R.S.	Chili,	Chili,	1795.	7.	G. ♀.	
SALVIA, R.S.		SAGE. Diandria Monogynia. L.					
1	promifera, R.S.	Apple-bearing,	Candia.	1699.	7. 8.	H. ♀.	Flor. græc. t. 15.
2	calycina, R.S.	broad-calyced.	Greece.	1823.	—	G. ♀.	———— t. 16.
3	canariensis, R.S.	Canary.	Canaries.	1697.	6. 9.	G. ♀.	Trew. pl. rar. 2. t. 19.
4	aurea, R.S.	golden.	C. B. S.	1731.	4. 11.	G. ♀.	Botan. magaz. 182.
5	dentata, R.S.	tooth-leaved.	————	1774.	12. 1.	G. ♀.	
6	splendens, S.S.	splendid,	Brazil.	1823.	8. 3.	S. ♀.	Botan. regist. 687.
7	bracteata, S.S.	long-bracted.	Syria.	1788.	6. 8.	G. ♀.	Pluk. alm. t. 194. f. 6.
8	interrupta, R.S.	interrupted,	Barbary.	1825.	5. 6.	H. ♀.	Swt. br. fl. gar. 169.
9	pinnata, R.S.	winged-leaved.	Levant.	1731.	7.	H. ♂.	Boer. lugd. 1. t. 167.
10	Habliziana, R.S.	Taurian,	Tauria.	1795.	8.	H. ♀.	Botan. magaz. 1429.
11	lanceolata, R.S.	lance-leaved.	S. America.	1818.	7. 9.	H. ⊙.	Jacq. f. ecl. t. 12.
12	hirsuta, R.S.	hirsute,	Mexico.	1801.	5. 6.	H. ⊙.	Jacq. schæn. 3. t. 252.
13	leucantha, R.S.	white-flowered.	————	1825.	G. ♀.	Cavan. ic. 1. t. 24.
14	angustifolia, R.S.	narrow-leaved.	————	1806.	6. 7.	G. ♀.	———— 4. t. 317.
	<i>reptans</i> , Jacq. schæn. t. 319.						
15	azurea, R.S.	azure-flowered.	Carolina.	—	8. 9.	H. ♀.	Botan. magaz. 1728.
16	occidentalis, R.S.	West Indian.	W. Indies.	1820.	—	S. ♀.	
17	pseudococcinea,	pale scarlet.	S. America.	1797.	6. 8.	S. ♀.	Jacq. ic. 2. t. 209.
18	amœna, B.M.	fine blue.	W. Indies.	1793.	9. 12.	S. ♀.	Botan. magaz. 1294.
	<i>Boosiana</i> , Jacq. f. ecl. 1. t. 47.	<i>amœna</i> , B.R. 446.					
19	rosea, R.S.	rose-coloured.	E. Indies.	1816.	6. 9.	S. ♀.	
20	tubifera, R.S.	long-tubed.	Mexico.	1824.	—	S. ♀.	Cavan. ic. 1. t. 25.
21	mexicana, R.S.	Mexican.	————	1724.	5. 7.	G. ♀.	———— 1. t. 26.
22	chamædryoides, R.S.	Germander like.	————	1795.	6. 9.	G. ♀.	Botan. magaz. 808.
23	caesia, R.S.	grey,	S. America.	1813.	—	G. ♀.	
24	involuta, R.S.	large-bracted.	Mexico.	1825.	S. ♀.	Cavan. ic. 2. t. 105.
25	purpurea, R.S.	purple.	————	—	5. 7.	S. ♀.	———— 2. t. 166.
26	hispanica, R.S.	Spanish.	Spain.	1739.	6. 8.	H. ⊙.	Botan. regist. 359.
27	serotina, R.S.	late-flowering.	Chio.	1803.	8.	G. ♀.	Jacq. ic. 1. t. 3.
28	dominica, R.S.	Dominican.	W. Indies.	1759.	7.	S. ♀.	Swartz. obs. p. 18. t. 1. f. 1
29	tiliæfolia, R.S.	Lime-leaved.	S. America.	1793.	6. 8.	S. ♀.	Jacq. schæn. 3. t. 254.
30	micantha, R.S.	small-flowered.	————	1818.	—	S. ♀.	
31	leurooides, R.S.	shining-leaved.	Pern.	1783.	4. 10.	G. ♀.	Lam. ill. t. 20. f. 3.
	<i>formosa</i> , B.M. 370-						
32	coccinea, R.S.	scarlet-flow'r'd.	S. America.	1774.	—	G. ♀.	
33	pulchella, R.S.	pretty.	————	8. 12.	G. ♀.	Murr. c. gott. 1778. t. 1.
34	amarissima, R.S.	bitter.	Mexico.	1803.	7. 8.	G. ♀.	Botan. regist. 347.
35	glutinosa, R.S.	glutinous.	Europe.	1596.	6. 9.	H. ♀.	Sabb. hort. rom. t. 3.
36	nubicola, N.F.G.	Nepaul.	Nepaul.	1824.	8. 10.	H. ♀.	Swt. br. fl. gar. 140.
37	ægyptiaca, R.S.	Egyptian.	Egypt.	1770.	6. 7.	H. ⊙.	Jacq. vind. 2. t. 108.
38	cretica, R.S.	Crete.	Crete.	1760.	6. 8.	F. ♀.	Rivin. monop. t. 128.
39	paniculata, R.S.	panicled.	C. B. S.	1758.	—	G. ♀.	Mill. ic. t. 225. f. 1.
40	africana, R.S.	African.	————	1731.	4. 6.	G. ♀.	Comm. hort. t. 2. 91.
41	colorata, R.S.	colour'd-calyced.	————	1758.	7. 8.	G. ♀.	Mill. ic. t. 225. f. 2.
42	officinalis, R.S.	garden.	S. Europe.	1597.	6. 7.	H. ♀.	Lam. ill. t. 20. f. 1.
	<i>β variegata</i> ,	variegated,	————	—	—	H. ♀.	
	<i>γ tenuior</i> ,	narrow-leaved.	Spain.	—	—	H. ♀.	
43	Spielmanni, R.S.	Spielman's.	Caucasus.	1813.	—	H. ♀.	Jacq. f. ecl. 2. t. 15.
44	phlomooides, R.S.	Mullein-leav'd.	Spain.	1805.	5. 6.	H. ♀.	Rem. script. his. t. 1. f. 1.
45	urticifolia, R.S.	Nettle-leaved.	N. America.	1799.	6. 7.	H. ♀.	Moris. his. 3. t. 13. f. 31.

46	<i>lusitanica</i> . R.S. <i>bullata</i> . w.en. <i>elongata</i> . Spr.	blistered.	Portugal.	1804.	7. 8.	H. ʒ.	Jacq. f. ecl. t. 38.
47	<i>rugosa</i> . R.S.	wrinkle-leaved.	C. B. S.	1775.	—	H. ʒ.	
48	<i>verticillata</i> . R.S. <i>β parviflora</i> .	whorled. <i>small-flowered</i> .	Germany.	1658.	6. 11.	H. ʒ.	Mirb.an.m.15.t.15.f.10
49	<i>indica</i> . R.S.	Indian.	India.	1731.	5. 7.	H. ʒ.	Botan. magaz. 395.
50	<i>Tenorii</i> . R.S.	Tenore's.	Italy.	1820.	5. 8.	H. ʒ.	Swt. br. fl. gar. 26.
51	<i>candidissima</i> . R.S. <i>crassifolia</i> . F.G. non Cay.	hoary-leaved.	Levant.	1804.	6. 7.	G. ʒ.	Flor. græc. t. 26.
52	<i>verbascifolia</i> . R.S.	Verbascum-ld.	Iberia.	1825.	—	H. ʒ.	
53	<i>odorata</i> . R.S.	sweet-scented.	Bagdad.	1804.	7.	F. ʒ.	Jacq. f. ecl. t. 16.
54	<i>compressa</i> . R.S.	compressed.	Levant.	1816.	7. 8.	H. ʒ.	Venten. cels. t. 59.
55	<i>mollis</i> . R.S.	soft.	Siberia.	1596.	6. 10.	H. ʒ.	Jacq. f. ecl. t. 37.
56	<i>grandiflora</i> . R.S.	great-flower'd.	S. Europe.	1616.	6. 9.	H. ʒ.	— t. 36.
57	<i>crassifolia</i> . R.S.	thick-leaved.	1804.	—	H. ʒ.	
58	<i>pratensis</i> . R.S.	meadow.	England.	5. 11.	H. ʒ.	Eng. bot. 153.
59	<i>virgata</i> . R.S.	variegated.	Hungary.	1814.	6. 8.	H. ʒ.	
60	<i>hæmatodes</i> . R.S.	bloody-veined.	Italy.	1699.	7. 8.	H. ʒ.	Barrel. ic. t. 185.
61	<i>nepetifolia</i> . R.S.	Catmint-leav'd.	1823.	—	H. ʒ.	
62	<i>viscosa</i> . R.S.	clammy.	Italy.	1773.	5. 6.	H. ʒ.	Jacq. ic. 1. t. 5.
63	<i>disermas</i> . R.S.	long-spiked.	Syria.	—	7.	H. ʒ.	Barrel. ic. 187.
64	<i>nutans</i> . R.S.	nodding.	Russia.	1780.	6. 8.	H. ʒ.	Botan. magaz. 2436.
65	<i>pendula</i> . R.S. <i>betonicafolia</i> . w. <i>β grandiflora</i> .	Betony-leaved. <i>large-flowered</i>	—	—	H. ʒ.	
66	<i>amplexicaulis</i> . R.S.	stem-clasping.	Levant.	1813.	7. 9.	H. ʒ.	
67	<i>austriaca</i> . R.S.	Austrian.	Austria.	1776.	6. 7.	H. ʒ.	Jacq. aust. 2. t. 112.
68	<i>syriaca</i> . R.S.	Syrian.	Levant.	1759.	7.	G. ʒ.	Arduin. spec. 1. t. 1.
69	<i>nubia</i> . R.S.	Nubian.	Africa.	1784.	6. 7.	G. ʒ.	Murr. c. gott. 1778. t. 3.
70	<i>virgata</i> . R.S.	long-branched.	Armenia.	1758.	7. 11.	H. ʒ.	Jacq. schœn. 1. t. 37.
71	<i>campestris</i> . R.S.	field.	Tauria.	1813.	6. 7.	H. ʒ.	
72	<i>sylvestris</i> . R.S.	wood.	Germany.	1759.	6. 10.	H. ʒ.	Jacq. aust. 3. t. 212.
73	<i>nemorosa</i> . R.S.	spear-leaved.	1728.	—	H. ʒ.	
74	<i>patula</i> . R.S.	spreading.	Portugal.	1805.	5. 7.	H. ʒ.	
75	<i>tingitana</i> . R.S.	Tangier.	Barbary.	1796.	7.	G. ʒ.	Rivin. monop. 1. t. 52.
76	<i>Sclarea</i> . R.S.	common Clary.	Italy.	1562.	7. 9.	H. ʒ.	Flor. græc. 1. t. 25.
77	<i>spinosa</i> . R.S.	thorny-calyxed.	Egypt.	1789.	6.	G. ʒ.	Jacq. ic. 1. t. 7.
78	<i>Æthiopsis</i> . R.S.	woolly.	Austria.	1570.	5. 6.	H. ʒ.	Jacq. aust. 3. t. 211.
79	<i>argentea</i> . R.S.	silvery.	Crete.	1759.	5. 7.	H. ʒ.	Flor. græc. 1. t. 27.
80	<i>applanata</i> . R.S.	short-spined.	1818.	6. 8.	H. ʒ.	
81	<i>Horminum</i> . R.S. <i>α violacea</i> . <i>β rubra</i> .	annual Clary. <i>purple-topped</i> . <i>red-topped</i> .	S. Europe.	1596.	—	H. ʒ.	Flor. græc. 1. t. 20.
82	<i>viridis</i> . R.S.	green topped.	Italy.	1759.	—	H. ʒ.	Flor. græc. 1. t. 19.
83	<i>pyramidalis</i> . R.S.	pyramidal.	1825.	—	H. ʒ.	
84	<i>verbenaca</i> . R.S.	wild clary.	Britain.	6. 10.	H. ʒ.	Eng. bot. 154.
85	<i>triloba</i> . R.S.	three-lobed.	S. Europe.	1596.	6. 7.	H. ʒ.	Flor. græc. 1. t. 17.
86	<i>lyrata</i> . R.S.	lyre-leaved.	N. America.	1728.	—	H. ʒ.	Moris. s. 11. t. 13. f. 27.
87	<i>gigantea</i> . R.S.	giant.	1816.	—	H. ʒ.	
88	<i>abyssinica</i> . R.S.	Abyssinian.	Abyssinia.	1775.	6. 7.	G. ʒ.	Jacq. ic. 1. t. 6.
89	<i>nilotica</i> . R.S.	Nilotic.	Egypt.	1780.	6. 8.	H. ʒ.	Jacq. vind. 3. t. 92.
90	<i>Forskohlilii</i> . R.S.	Forskohl's.	Levant.	1800.	—	H. ʒ.	Botan. magaz. 988.
91	<i>napifolia</i> . R.S.	Rape-leaved.	Italy.	1776.	6. 7.	H. ʒ.	Jacq. vind. 2. t. 262.
92	<i>aurita</i> . R.S.	ear-leaved.	C. B. S.	1795.	5. 6.	G. ʒ.	
93	<i>bicolor</i> . R.S.	two-coloured.	Barbary.	1793.	6. 7.	H. ʒ.	Botan. magaz. 1774.
94	<i>laciniata</i> . R.S.	jagged-leaved.	1818.	—	H. ʒ.	
95	<i>runcinata</i> . R.S.	runcinated.	C. B. S.	1795.	—	G. ʒ.	Jacq. schœn. 1. t. 8.
96	<i>scabra</i> . R.S.	rough-leaved.	1774.	4. 9.	G. ʒ.	
97	<i>erosa</i> . R.S.	erose-leaved.	1823.	6. 9.	H. ʒ.	
98	<i>multifida</i> . L.en. <i>polymorpha</i> . R.S.	multifid.	S. Europe.	—	5. 6.	H. ʒ.	Flor. græc. 1. t. 23.
99	<i>clandestina</i> . R.S.	cut-leaved.	Italy.	1739.	4. 7.	H. ʒ.	— 1. t. 24.
100	<i>ceratophylla</i> . R.S.	stag's-horn-ld.	Persia.	1699.	7. 8.	H. ʒ.	Pluk. alm. t. 194. f. 5.
101	<i>ceratophylloides</i> .	branching.	Egypt.	1771.	6. 8.	H. ʒ.	Arduin. spec. 2. t. 2.
102	<i>prismatica</i> . R.S.	slender-spiked.	Mexico.	1822.	—	H. ʒ.	
COLLINSONIA. R.S.		COLLINSONIA.	Diandria Monogynia. L.				
1	<i>canadensis</i> . R.S.	Nettle-leaved.	N. America.	1735.	8. 10.	H. ʒ.	Linn. hort. clif. t. 5.
2	<i>scabriuscula</i> . R.S.	rough-stalked.	Florida.	1776.	7. 9.	H. ʒ.	
3	<i>ovalis</i> . R.S.	oval-leaved.	Carolina.	1812.	8.	H. ʒ.	

4	tuberosa. M. <i>scrotina</i> . R.S.	tuberous.	Carolina.	1806.	8.	H. 2.	
5	anisata. R.S.	Anise-scented.	—————	—————	10.	H. 2.	Botan. magaz. 1213.
LUMNITZERA. S.S. LUMNITZERA. Didynamia Gymnospermia. S.S.							
1	ocymoides. s.s.	Basil-like.	1823.	6. 8.	S. 0.	
2	polystachya. s.s. <i>Ocymum polystachion</i> . w.	many-spiked.	E. Indies.	1783.	7. 8.	S. 0.	Murr. c. gott. 3. t. 3.
3	tenuiflora. s.s.	slender-spiked.	—————	1708.	—	S. 3.	Rumph. amb. 5. t. 92. f. 2.
4	capitata. s.s. <i>Ocymum capitellatum</i> . w.	small-headed.	China.	1806.	—	H. 0.	
OCYUM. W. BASIL. Didynamia Gymnospermia. L.							
1	thyrsiflorum. s.s.	thyrses-flower'd.	E. Indies.	1806.	7. 8.	S. 3.	Jacq. vind. 3. t. 72.
2	gratissimum. s.s.	shrubby.	—————	1752.	—	S. 7.	Jacq. ic. 3. t. 495.
3	Basilicum. w.	common sweet.	India.	1548.	—	H. 0.	Blackw. t. 104.
4	pilosum. w. en.	hairy.	1816.	7. 9.	H. 0.	
5	micranthum. s.s.	small-flowered.	—	—	S. 0.	
6	viride. s.s.	green.	E. Indies.	—	—	S. 7.	
7	suave. s.s.	sweet-scented.	—————	—	—	S. 7.	
8	canum. B.M.	hoary.	China.	1822.	—	H. 0.	Botan. magaz. 2452.
9	sanctum. s.s.	purple-stalked.	E. Indies.	1758.	—	S. 0.	Rheed. mal. 10. t. 92.
10	febrifugum. s.s.	Feverwort.	Sierra Leon.	1821.	—	S. 0.	Botan. regist. 753.
11	album. s.s.	large white-fl'd.	E. Indies.	1816.	—	S. 0.	
12	americanum. s.s.	American.	S. America.	1789.	7. 8.	S. 0.	Jacq. vind. 3. t. 86.
13	caryophyllatum. H.B.	Clove-scented.	E. Indies.	1817.	—	S. 2.	
14	villosum. H.B.	villous.	—————	—	—	S. 2.	
15	menthoides. s.s.	Mint-leaved.	—————	1783.	—	S. 0.	
16	inodorum. Lam.	scentless.	—————	1823.	—	S. 0.	
17	cristatum. H.B.	crested.	—————	1812.	—	S. 0.	
18	grandiflorum. s.s.	great-flower'd.	Abyssinia.	1802.	9. 10.	G. 7.	L'Herit. s. nov. t. 43.
19	minimum. s.s.	bush.	—————	1573.	—	H. 0.	Schk. handb. 2. t. 166.
PLECTRANTHUS. S.S. PLECTRANTHUS. Didynamia Gymnospermia. S.S.							
1	fruticosus. s.s.	shrubby.	C. B. S.	1774.	6. 9.	G. 7.	L'Herit. stirp. 85. t. 41.
2	scutellarioides. s.s.	Skullcap-like.	E. Indies.	1764.	7. 8.	S. 0.	Botan. magaz. 1446.
<i>Ocymum scutellarioides</i> . B.M.							
3	galeatus. s.s.	helmetted.	Nepaul.	1820.	—	S. 0.	
4	graveolens. B.P.	strong-scented.	N. S. W.	—	—	G. 7.	
5	australis. B.P.	New Holland.	—————	1823.	—	G. 0.	
6	incanus. s.s.	hoary.	Nepaul.	—	—	G. 2.	
7	monachorum. s.s.	monk's basil.	E. Indies.	1796.	—	S. 0.	
<i>Ocymum monachorum</i> . w.							
8	mollis. s.s.	heart-leaved.	—————	1781.	9. 10.	S. 0.	
9	Forskohlii. s.s. <i>barbatus</i> . A.R. 694.	Forskohl's.	Abyssinia.	1806.	10. 11.	S. 7.	Botan. magaz. 2036.
10	strobiliferus. H.B.	thick-spiked.	E. Indies.	1804.	6. 9.	S. 0.	Rheed. mal. 10. t. 90.
11	secundus. H.B.	side-flowering.	—————	1816.	—	S. 0.	
12	punctatus. s.s.	dotted.	Africa.	1775.	1. 5.	G. 3.	L'Herit. stirp. 1. t. 41.
13	rotundifolius. s.s.	round leaved.	Mauritius.	1823.	6. 8.	S. 0.	
14	parviflorus. s.s.	small-flowered.	S. America.	1805.	6. 9.	G. 7.	W. hort. ber. 1. t. 65.
15	cordifolius. D.P.	heart-leaved.	Nepaul.	1823.	—	G. 7.	
16	comosus. B.M.	tufted.	—————	1820.	—	S. 7.	Botan. magaz. 2318.
17	coloratus. D.P.	coloured bracted.	—————	1823.	—	G. 7.	
18	Coetsa. D.P.	caescent.	—————	—	—	G. 2.	
19	ternatus. B.M.	ternate-leaved.	Madagascar.	1820.	11.	S. 2.	Botan. magaz. 2460.
PRUNELLA. S.S. SELF-HEAL. Didynamia Gymnospermia. L.							
1	vulgaris. s.s. <i>β alba</i> .	common. <i>white-flowered</i> .	Britain.	7. 8.	H. 2.	Eng. bot. 961.
2	pensylvanica. s.s.	Pennsylvanian.	N. America.	1801.	7. 9.	H. 0.	W. hort. ber. 1. t. 9.
3	grandiflora. s.s.	great-flowered.	Austria.	1596.	—	H. 2.	Botan. magaz. 2014.
4	intermedia. s.s. <i>grandiflora</i> . B.M.	intermediate.	S. Europe.	1790.	—	H. 2.	— 337.
5	incisa. L. en.	cut-leaved.	—————	—	H. 2.	
6	laciniata. L.	yellow-flow'r'd.	Austria.	1713.	—	H. 0.	Lam. ill. t. 516. f. 2.
7	hastata. s.s.	halberd-leaved.	Portugal.	—	H. 2.	
8	longifolia. P.S.	long-leaved.	France.	—	H. 2.	
9	hyssopifolia. s.s.	hyssop-leaved.	S. Europe.	1731.	7. 9.	H. 2.	Moris. s. 11. t. 5. f. 7.
MELISSA. S.S. BALM. Didynamia Gymnospermia. L.							
1	officinalis. w. <i>β hirsuta</i> .	common. <i>hairy</i> .	S. Europe.	1573.	6. 10.	H. 2.	

2 cordifolia. P.S.	heart-leaved.	S. Europe.	6. 10.	H. ½.	
3 altissima. S.S.	tall.	—	1823.	—	H. ½.	
HORMINUM. P.S.	HORMINUM.	Didynamia	Gymnospermia.	P.S.		
pyrenaicum. P.S.	Pyrenean.	Pyrcnees.	1820.	6. 7.	H. ½.	Jacq. vind. 2. t. 183.
DRACOCEPHALUM.	DRAGON'S-HEAD.	Didynamia	Gymnospermia.	L.		
1 virginianum. S.S.	Virginian.	N. America.	1683.	7. 9.	H. ½.	Botan. magaz. 467.
2 speciosum. B.F.G.	beautiful.	—	1820.	—	H. ½.	Swt. br. fl. gar. 93.
3 denticulatum. S.S.	toothed.	Carolina.	1787.	8. 9.	H. ½.	Botan. magaz. 214.
4 variegatum. S.S.	variegated.	—	1812.	—	H. ½.	Venten. cels. t. 44.
5 Ruyshiana. S.S.	Hyssop-leaved.	N. Europe.	1699.	6. 9.	H. ½.	Flor. dan. 121.
6 austriacum. S.S.	Austrian.	Austria.	1597.	6. 7.	H. ½.	Jacq. ic. 1. t. 112.
7 botryoides. S.S.	woolly-leaved.	Caucasus.	1823.	—	H. ½.	
8 palmatum. S.S.	palmated.	Siberia.	1815.	6. 8.	H. ½.	
9 canariense. S.S.	Balm of Gilead.	Canaries.	1697.	7. 9.	G. ½.	Comm. hort. 2. t. 41.
10 peregrinum. S.S.	prickly-leaved.	Siberia.	1759.	7. 8.	H. ½.	Botan. magaz. 1084.
11 argunense. S.S.	Fischer's.	—	1822.	7. 9.	H. ½.	Swt. br. fl. gar. 47.
12 grandiflorum. S.S.	great-flowered.	—	1759.	—	H. ⊙.	Botan. magaz. 1009?
13 altaïense. S.S.	Betony-leaved.	Georgia.	1787.	—	H. ½.	Nov.com.pet. t. 29. f. 3.
14 Moldavica. S.S.	Moldavian.	Moldavia.	1596.	7. 8.	H. ⊙.	Lam. ill. t. 513. f. 1.
15 canescens. S.S.	hoary-leaved.	Levant.	1711.	—	H. ⊙.	Swt. br. fl. gar. 38.
16 peltatum. S.S.	Willow-leaved.	—	—	—	H. ⊙.	Lam. ill. t. 513. f. 2.
17 thymiflorum. S.S.	small-flowered.	Siberia.	1752.	6. 9.	H. ⊙.	Gmel. sib. 3. t. 50.
18 nmtans. S.S.	nodding.	—	1731.	7. 8.	H. ½.	Botan. regist. 841.
19 sibiricum. S.S.	Siberian.	—	1760.	6. 8.	H. ½.	Botan. magaz. 2185.
PRASIUM. S.S.	PRASIUM.	Didynamia	Gymnospermia.	L.		
1 majus. S.S.	great.	S. Europe.	1699.	6. 8.	G. ½.	Flor. græc. 584.
2 minus. S.S.	smaller.	—	1752.	—	F. ½.	
PHRYMA. S.S.	PHRYMA.	Didynamia	Gymnospermia.	L.		
leptostachya. S.S.	slender-spiked.	N. America.	1802.	8. 9.	H. ½.	Lam. ill. t. 516.
CLEONIA. S.S.	CLEONIA.	Didynamia	Gymnospermia.	L.		
lusitanica. S.S.	sweet-scented.	Portugal.	1710.	6. 7.	H. ⊙.	Mill. ic. 1. t. 70.
TRICHOSTEMMA. S.S.	S. TRICHOSTEMMA.	Didynamia	Gymnospermia.	L.		
1 dichotomum. S.S.	Marjoram-ld.	N. America.	1759.	6. 7.	H. ⊙.	Lam. ill. t. 515.
2 linearis. S.S.	linear-leaved.	—	—	—	H. ⊙.	
THYMUS. S.S.	THYME.	Didynamia	Gymnospermia.	L.		
1 villosus. S.S.	hairy.	Portugal.	1759.	6. 7.	F. ½.	Hof. et Lk. fl. lus. t. 14.
2 cephalotus. S.S.	great headed.	—	—	7. 8.	H. ½.	— t. 13.
3 capitatus. L.en.	headed.	—	1823.	—	H. ½.	
4 odoratissimus. S.S.	very sweet.	Tauria.	—	—	H. ½.	
5 acicularis. S.S.	needle-shaped.	Hungary.	1806.	6. 8.	H. ½.	W. et K. lung. 2. t. 147.
6 hirsutus. S.S.	hairy.	—	1816.	—	H. ½.	
7 Zygis. S.S.	Spanish.	Spain.	1771.	8.	H. ½.	Barrel. ic. 777.
8 Marshallianus. S.S.	Marshall's.	Russia.	1815.	6. 8.	H. ½.	
9 glabrescens. L.en.	smooth.	S. Europe.	1823.	—	H. ½.	Hof. et Lk. fl. lus. t. 15.
10 angustifolius. S.S.	narrow-leaved.	Europe.	—	H. ½.	
11 Serpyllum. S.S.	wild or mother of.	Britain.	—	H. ½.	Eng. bot. 1514.
12 exserens. S.S.	exserted.	—	—	H. ½.	
13 citriodorus. L.en.	Lemon.	Europe.	—	H. ½.	
14 collinus. S.S.	hill.	Tauria.	1823.	—	H. ½.	
15 montanus. W.K.	mountain.	Hungary.	1800.	6. 7.	H. ½.	W. et K. lung. 1. t. 71.
16 nummularius. M.B.	moneywort.	Caucasus.	1818.	—	H. ½.	
17 pannonicus. W.en.	Hungarian.	Hungary.	—	—	H. ½.	
18 lanuginosus. S.S.	woolly.	Europe.	6. 8.	H. ½.	
19 tomentosus. S.S.	tomentose.	Spain.	1816.	—	H. ½.	
20 albicaus. S.S.	white-leaved.	Portugal.	—	—	H. ½.	
21 adscendens. L.en.	ascending.	S. Europe.	—	H. ½.	
22 lucidus. S.S.	shining-leaved.	1816.	—	H. ½.	
23 vulgaris. S.S.	common.	S. Europe.	1548.	5. 8.	H. ½.	
β latifolius.	broad-leaved.	—	—	—	H. ½.	
24 Mastichina. S.S.	Mastick.	Spain.	1596.	7. 9.	F. ½.	Blackw. t. 134.
25 elongatus. L.en.	elongated.	1816.	—	F. ½.	
26 Tragoriganum. S.S.	goat's.	Candia.	1640.	5. 6.	F. ½.	Alp. exot. t. 78.
27 filiformis. S.S.	filiform.	Minorca.	1770.	6. 7.	G. ½.	
28 fruticosus. S.S.	frutescent.	Sicily.	1823.	—	H. ½.	
29 croaticus. P.S.	oval-leaved.	Hungary.	1802.	7. 8.	H. ½.	W. et K. lung. 2. t. 156.
<i>Piperella. W.K. non L.</i>						
30 ericæfolius. W.en.	Heath-leaved.	Spain.	1806.	6. 8.	H. ½.	
CALAMINTHA. Ph.	CALAMINT.	Didynamia	Gymnospermia.			
1 marifolia. P.S.	Marum-leaved.	Spain.	1788.	6. 7.	H. ½.	Cavan. ic. 6. t. 576.
<i>Nepeta marifolia. Cav.</i>	<i>Thymus marifolius. W.en.</i>					

2	cretica. P.S.	Cretan.	S. Europe.	1596.	6. 7.	F. h.	Barrel. ic. 1166.
3	fruticosa. P.S.	shrubby.	Spain.	1752.	7. 9.	F. h.	
4	alba. L.en.	white.	Hungary.	1818.	—	H. 2.	
5	Nepeta. P.S.	lesser.	England.	7. 10.	H. 2.	Eng. bot. 1414.
	<i>Melissa Nepeta</i> . L.	<i>Thymus Nepeta</i> . E.B.	—	7. 8.	H. 2.	— 1676.
6	vulgaris.	common.	—	7. 8.	H. 2.	— 1676.
	<i>Melissa Calamintha</i> . L.	<i>Thymus Calamintha</i> . E.B.	—	7. 8.	H. 2.	— 1676.
7	grandiflora. P.S.	great-flowcred.	Italy.	1596.	6. 9.	H. 2.	Botan. magaz. 208.
	<i>Melissa grandiflora</i> . B.M.	—	—	—	—	—	—
8	caroliniana. N.	Carolina.	Carolina.	1804.	6. 7.	F. h.	— 997.
	<i>Thymus grandiflorus</i> . B.M.	—	—	—	—	—	—
ACINOS. P.S. ACINOS. Didynamia Gymnospermia. P.S.							
1	vulgaris. P.S.	Basil-leaved.	Britain.	6. 8.	H. 0.	Eng. bot. 411.
	<i>Thymus Acinos</i> . E.B.	—	—	—	—	—	—
2	graveolens. L.en.	strong-scented.	Tauria.	1823.	—	H. h.	
3	villosus. P.S.	villous.	Germany.	1817.	—	H. 0.	
4	alpinus. P.S.	Alpine.	Austria.	1731.	6. 9.	H. 0.	Jacq. aust. 1. t. 97.
5	purpurascens. P.S.	purple.	Spain.	1820.	—	H. 0.	
6	patavinus. P.S.	Marjoram-ld.	S. Europe.	1776.	6. 8.	H. 0.	Jacq. obs. 4. t. 87.
7	rotundifolius. P.S.	round-leaved.	Spain.	1820.	—	H. h.	
THYMBRA. S.S. THYMBRA. Didynamia Gymnospermia. L.							
1	spicata. L.	spiked-flow'r'd.	Levant.	1699.	6. 7.	G. h.	Pluk. alm. t. 116. f. 5.
2	verticillata. L.	whorl-flowered.	Spain.	1702.	—	G. h.	
LEPECHINIA. S.S. LEPECHINIA. Didynamia Gymnospermia. W.							
	spicata. s.s.	spiked.	Mexico.	1800.	7. 8.	H. 2.	W. hort. ber. t. 21.
CLINOPODIUM. S.S. WILD-BASIL. Didynamia Gymnospermia. L.							
1	vulgare. s.s.	common.	Britain.	6. 8.	H. 2.	Eng. bot. 1401.
2	ægyptiacum. s.s.	Egyptian.	Egypt.	1759.	—	H. 2.	
MELITTIS. S.S. BASTARD-BALM. Didynamia Gymnospermia. L.							
1	Melissophyllum. s.s.	common.	England.	6. 8.	H. 2.	Eng. bot. 577.
	<i>β alpina</i> .	Alpine.	Switzerland.	—	H. 2.	
2	grandiflora. s.s.	great-flowered.	England.	5.	H. 2.	Eng. bot. 636.
SCUTELLARIA. S.S. SKULLCAP. Didynamia Gymnospermia. L.							
1	galericulata. s.s.	common.	Britain.	6. 9.	H. 2.	Eng. bot. 523.
2	hastifolia. s.s.	hastate-leaved.	Germany.	1798.	6. 7.	H. 2.	
3	minor. s.s.	lesser.	Britain.	7. 8.	H. 2.	Eng. bot. 524.
4	parvula. s.s.	slender.	N.America.	1823.	—	H. 2.	Hook. ex. flor. 106.
5	havanensis. s.s.	Havannah.	Havannah.	1793.	5. 6.	S. 2.	Jacq. obs. 2. t. 29.
6	humilis. B.P.	dwarf.	N. S. W.	1822.	6. 8.	G. 2.	
7	grandiflora. s.s.	large-flowered.	Siberia.	1804.	7. 8.	H. 2.	Botan. magaz. 635.
8	lateriflora. s.s.	Virginian.	N.America.	1752.	6. 9.	H. 2.	
9	orientalis. s.s.	yellow-flow'r'd.	Levant.	1729.	7. 9.	H. 2.	Swt. br. fl. gar. 45.
10	altaica. F.	Altay.	Siberia.	1816.	—	H. 2.	
11	alpina. s.s.	Alpine.	Hungary.	1752.	6. 10.	H. 2.	Swt. br. fl. gar. t. 90.
12	peregrina. s.s.	Florentine.	Italy.	1783.	—	H. 2.	W. et K. hung. 2. t. 125.
13	altissima. s.s.	tall.	Levant.	1731.	7. 8.	H. 2.	
14	pallida. s.s.	pale-flowered.	Tauria.	1824.	—	H. 2.	
15	Columnæ. s.s.	heart-leaved.	Italy.	1806.	6. 8.	H. 2.	Swt. br. fl. gar. 52.
16	rubicunda. s.s.	rubicund.	1815.	—	H. 2.	
17	albida. s.s.	hairy white.	Levant.	1771.	6. 7.	H. 2.	Flor. græc. 581.
18	lupulina. s.s.	Tartarian.	Tartary.	1739.	6. 9.	H. 2.	Schmidel ic. t. 73.
19	integrifolia. s.s.	entire-leaved.	N.America.	1731.	6. 9.	H. 2.	Pluk. alm. t. 441. f. 6.
20	hyssopifolia. w.	Hyssop-leaved.	—	—	—	H. 2.	
21	purpurascens. s.s.	purplish.	W. Indies.	1823.	—	S. 2.	
22	caroliniana. s.s.	Carolina.	Carolina.	1811.	—	H. 2.	Lam. ill. t. 515. f. 3.
23	pilosa. s.s.	pilose.	N.America.	—	—	H. 2.	
24	serrata. s.s.	saw-leaved.	—	1800.	—	H. 2.	Andr. reposit. 491.
25	scordifolia. F.	Scordium-ld.	Siberia.	1823.	—	H. 2.	
26	verna. Bess.	vernal.	—	5. 6.	H. 2.	
PROSTANTHERA. B.P. PROSTANTHERA. Didynamia Gymnospermia. S.S.							
1	lasianthos. B.P.	villous-flower'd.	N. S. W.	1808.	6. 7.	G. h.	Botan. regist. 143.
2	linearis. B.P.	linear-leaved.	—	1823.	—	G. h.	
3	denticulata. B.P.	tooth-leaved.	—	—	—	G. h.	
4	violacea. B.P.	violet-coloured.	—	—	4. 6.	G. h.	
AJUGA. S.S. AJUGA. Didynamia Gymnospermia. L.							
1	Iva. s.s.	musky.	S. Europe.	1759.	7. 8.	H. 0.	Cavan. ic. 2. t. 120.
2	reptans. s.s.	common.	Britain.	5. 6.	H. 2.	Eng. bot. 439.
	<i>a cærulea</i> .	blue-flowered.	—	—	H. 2.	
	<i>β rubra</i> .	red-flowered.	—	—	H. 2.	
	<i>γ alba</i> .	white-flowered.	Britain.	5. 6.	H. 2.	

3 alpina. s.s.	Alpine.	England.	5. 7.	H. ½.	Eng. bot. 477.
4 genevensis. s.s.	Geneva.	Switzerland.	1656.	5. 6.	H. ½.	Bull. herb. t. 361.
5 pyramidalis. s.s.	pyramidal.	Britain.	—	H. ½.	Eng. bot. 1270.
6 orientalis. s.s.	oriental.	Levant.	1732.	—	H. ½.	Swf. br. fl. gar. ic.
7 Chamæpitys. s.s.	ground pine.	England.	4. 7.	H. ½.	Eng. bot. 77.
ANISOMELES. B.P.	ANISOMELES.	Didynamia	Gymnospermia.	S.S.		
1 ovata. s.s.	broad-leaved.	E. Indies.	1783.	7. 8.	S. ½.	Burm. zeyl. t. 71. f. 1.
2 malabarica. s.s.	Malabar.	—	1817.	—	S. ½.	Rheed. mal. 10. t. 93.
3 furcata.	forked.	Nepaul.	1823.	—	S. h.	
	<i>nepalensis. s.s. Ajuga furcata. L.en.</i>					
TEUCRIUM. S.S.	GERMANDER.	Didynamia	Gymnospermia.	L.		
1 fruticans. w.	narrow-ld. shrubby.	Spain.	1640.	6. 9.	H. ½.	Dill. elt. t. 284. f. 366.
2 latifolium. L.	broad-ld. shrubby.	—	—	—	H. ½.	Botan. magaz. 245.
3 heterophyllum. s.s.	various-leaved.	Madeira.	1759.	6. 7.	G. ½.	
4 Laxmanni. s.s.	Laxmann's.	Siberia.	1800.	6. 8.	H. ½.	
5 brevifolium. s.s.	short-leaved.	Crete.	1824.	—	H. ½.	
6 asiaticum. s.s.	Asiatic.	1777.	6. 10.	G. ½.	Jacq. vind. 3. t. 41.
7 cubense. s.s.	Cuba.	Cuba.	1733.	5.	S. ½.	Jacq. obs. 2. t. 30.
8 Nissolianum. s.s.	Nissolle's.	Spain.	1752.	6. 7.	F. ½.	Moris. s. t. 22. f. 19.
9 campanulatum. s.s.	bell-flowered.	Levant.	1728.	7. 8.	H. ½.	
10 regium. s.s.	royal.	Spain.	1699.	5. 10.	F. ½.	Pluk. alm. t. 65. f. 1.
11 multiflorum. s.s.	many-flowered.	—	1731.	7. 9.	H. ½.	Bocc. mus. t. 117.
12 lucidum. s.s.	shining.	S. Europe.	1730.	6. 9.	H. ½.	Magn. hort. 52.
13 Chamædrys. s.s.	wall.	England.	5. 8.	H. ½.	Eng. bot. 680.
14 Scordium. s.s.	water.	—	7. 8.	H. w. ½.	— 828.
15 scordioides. s.s.	likened.	S. Europe.	1816.	—	H. ½.	
16 spinosum. s.s.	thorny.	Spain.	1640.	5. 6.	H. ½.	Cavan. ic. 1. t. 31.
17 Botrys. s.s.	cut-leaved.	S. Europe.	1633.	7. 9.	H. ½.	Ger. emac. 525. f. 2.
18 trifidum. s.s.	trifid-leaved.	C. B. S.	1791.	6. 8.	G. ½.	
19 angustissimum. s.s.	narrow-leaved.	Spain.	1818.	—	H. ½.	Barrel. rar. t. 1080.
20 pumilum. s.s.	small.	—	1816.	7. 8.	F. ½.	— t. 1092.
21 thymifolium. s.s.	Thyme-leaved.	Spain.	—	6. 10.	F. ½.	
22 supinum. s.s.	procumbent.	Austria.	1752.	—	H. ½.	Jacq. aust. 5. t. 417.
23 montanum. s.s.	dwarf mountain.	S. Europe.	1710.	7. 10.	F. ½.	
24 Polium. s.s.	Poley.	—	1562.	7. 9.	F. ½.	Barrel. rar. t. 1074.
25 Pseudohyssopus. s.s.	Hyssop-leav'd.	Italy.	1804.	6. 7.	H. ½.	Col. ecphr. 1. t. 67.
26 capitatum. s.s.	round-headed.	Spain.	1731.	7. 8.	F. ½.	Cavan. ic. 2. t. 119.
27 lusitanicum. s.s.	Portugal.	Portugal.	1816.	—	F. ½.	
28 pycnophyllum. s.s.	clustered.	Spain.	—	—	H. ½.	Barrel. rar. t. 1096.
29 gnaphalodes. s.s.	woolly-calyx'd.	—	—	7. 9.	F. ½.	— t. 1083.
30 aureum. s.s.	golden Poley.	S. Europe.	1731.	6. 7.	F. ½.	Cavan. ic. 2. t. 117.
31 flavescens. P.s.	yellow Poley.	7. 9.	F. ½.	Barrel. rar. t. 1073.
32 hyrcanicum. s.s.	Betony-leaved.	Persia.	1763.	8. 10.	H. ½.	Botan. magaz. 2013.
33 inflatum. s.s.	thick-spiked.	Jamaica.	1778.	—	S. ½.	
34 virginicum. s.s.	Virginian.	N. America.	1768.	5. 6.	H. ½.	
35 canadense. s.s.	Canadian.	—	—	8. 9.	H. ½.	
36 abutiloides. s.s.	Mulberry-ld.	Madeira.	1777.	4. 5.	G. ½.	Jacq. schœn. 3. t. 358.
37 Scorodonia. s.s.	wood sage.	Britain.	7.	H. ½.	Eng. bot. 1543.
38 betonicum. s.s.	hoary.	Madeira.	1775.	5. 8.	G. ½.	Botan. magaz. 1114.
39 flavum. s.s.	yellow-flow'r'd.	S. Europe.	1640.	7. 9.	H. ½.	Park. theat. 109. f. 1.
40 massiliense. s.s.	sweet-scented.	France.	1731.	6. 7.	H. ½.	Jacq. vind. 1. t. 94.
41 resupinatum. s.s.	resupinate.	Barbary.	1801.	7. 8.	H. ½.	Desf. atl. 2. t. 117.
42 Marum. s.s.	Cat-thyme.	Spain.	1640.	7. 9.	F. ½.	Park. theat. 17. f. 2.
43 subspinosum. s.s.	Minorca.	Minorca.	1816.	—	G. ½.	
44 creticum. s.s.	Cretan.	Crete.	1825.	—	G. ½.	
45 pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1731.	6. 8.	H. ½.	
46 orientale. s.s.	great-flower'd.	Levant.	1752.	7. 8.	H. ½.	Botan. magaz. 1279.
47 sibiricum. L.	Siberian.	Siberia.	1804.	7.	H. ½.	
WESTRINGIA. S.S.	WESTRINGIA.	Didynamia	Gymnospermia.	S.S.		
1 rosmariniformis. B.P.	Rosemary like.	N. S. W.	1791.	5. 8.	G. ½.	Andr. reposit. 214.
2 Dampieri. B.P.	Dampier's.	N. Holland.	1803.	5. 7.	G. ½.	
3 angustifolia. B.P.	narrow-leaved.	V. Diem. Isl.	1823.	—	G. ½.	
LAVANDULA. S.S.	LAVENDER.	Didynamia	Gymnospermia.	L.		
1 Spica. s.s.	common.	S. Europe.	1568.	7. 9.	H. ½.	Schk. hand. 2. t. 157.
β alba.	white-flowered.	—	—	—	H. ½.	
2 latifolia. s.s.	broad-leaved.	—	—	—	H. ½.	
3 Stechas. s.s.	French.	S. Europe.	1562.	5. 7.	G. ½.	Barrel. ic. t. 301.
4 viridis. s.s.	Madeira.	Madeira.	1777.	—	G. ½.	Hoff. et Lk. lus. 1. t. 4.
5 dentata. s.s.	tooth-leaved.	Spain.	1597.	6. 9.	G. ½.	Botan. magaz. 401.

6	pinnata, s.s.	pinnated.	Madeira.	1777.	4. 8.	G. h.	Botan. magaz. 400.
7	heterophylla, s.s.	various-leaved.	1816.	—	G. h.	
8	formosa, L.en.	handsome.	—	—	G. h.	
9	multifida, s.s.	cut-leaved.	Canaries.	1597.	7. 9.	G. f.	Lobel. ic. 432.
10	abrotanoides, s.s.	Southernwood-ld.	—	1699.	6. 9.	G. h.	Comm. rar. t. 27.
11?	carnea, w.	thick-leaved.	E. Indies.	1788.	6. 7.	S. f.	Linn. amœn.ac.10. t.3.
	<i>Plectranthus dubius,</i> s.s.						
SIDERITIS, S.S.		IRONWORT.		Didynamia Gymnospermia, L.			
1	canariensis, s.s.	Canary.	Canaries.	1697.	5. 8.	G. f.	Jacq. vind. 3.-t. 30.
2	candicans, s.s.	Mullein-leav'd.	Madeira.	1714.	4. 7.	G. f.	Comm. hort. 2. t. 99.
3	eretica, s.s.	Cretan.	Crete.	1823.	—	G. f.	
4	montana, s.s.	mountain.	Austria.	1752.	7. 8.	H. O.	Jacq. aust. 5. t. 434.
5	elegans, s.s.	dark-flowered.	1787.	7.	H. O.	Murr. com. got. 1. t. 4.
6	romana, s.s.	Roman.	Italy.	1759.	6. 8.	H. O.	Cavan. ic. 2. t. 187.
7	syriaca, s.s.	Syrian.	Levant.	1597.	6. 9.	G. f.	Sabb. hort. 3. t. 40.
8	taurica, w.en.	Taurian.	Tauria.	1818.	—	H. f.	
9	perfoliata, s.s.	perfoliate.	Levant.	1731.	8. 11.	H. f.	
10	incana, s.s.	Lavender-ld.	Spain.	1752.	7. 8.	H. f.	Cavan. ic. 2. t. 186.
11	angustifolia, s.s.	narrow-leaved.	—	1825.	—	H. h.	
12	spinosa, s.s.	spiny.	6. 9.	H. f.	Cavan. ic. 3. t. 209.
13	ilicifolia, s.s.	Holly-leaved.	Levant.	—	H. f.	
14	serrata, s.s.	saw-leaved.	Spain.	1818.	—	H. f.	
15	hyssopifolia, s.s.	Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. f.	Schk. hand. 2. t. 158.
16	fœtida, L.en.	strong-scented.	—	H. f.	
17	pyrenaica, s.s.	Pyrenean.	Pyrenees.	1816.	—	H. f.	
18	chamædryfolia, s.s.	Germander-ld.	Spain.	—	—	H. f.	
19	scordoides, s.s.	scollop-leaved.	France.	1597.	8. 11.	H. f.	Barrel. ic. t. 343.
20	hirsuta, s.s.	hairy.	S. Europe.	1731.	6. 7.	H. f.	Cavan. ic. 4. t. 302.
21	crispata, s.s.	curled-leaved.	Gibraltar.	1816.	6. 9.	F. f.	
ORIGANUM, S.S.		MARJORAM.		Didynamia Gymnospermia, L.			
1	vulgare, s.s.	common.	Britain.	6. 10.	H. f.	Eng. bot. 1143.
2	virens, s.s.	green.	Portugal.	1816.	—	H. f.	Hoff. et Lk. fl. p. 1. t. 9.
3	heracleoticum, s.s.	winter, sweet.	S. Europe.	1640.	—	H. f.	Lobel. ic. 492.
4	creticum, s.s.	Cretan.	—	1596.	—	H. f.	Schk. hand. 2. t. 164.
5	macrostachyon, s.s.	long-spiked.	Portugal.	1820.	—	H. f.	
6	hirtum, L.en.	hairy.	S. Europe.	—	—	H. f.	
7	oblongatum, L.en.	oblong-spiked.	—	1823.	—	H. f.	
8	smyrnæum, L.	Smyrna.	Smyrna.	1722.	6. 7.	G. f.	
9	Onites, s.s.	pot.	Sicily.	1759.	7. 11.	H. f.	Bocc. mus. t. 38.
10	Maru, w.	Lavender-scent'd.	Crete.	1822.	—	F. f.	Botan. magaz. 2605.
11	Majoranoides, w.	shrubby sweet.	—	F. f.	
12	Majorana, s.s.	knotted.	Portugal.	1573.	6. 7.	F. f.	Moris. s. 11. t. 3. f. 1.
13	indicum, s.s.	Indian knotted.	E. Indies.	1829.	—	S. f.	
14	salvifolium, Roth.	Sage-leaved.	—	F. f.	
15	Tournefortii, s.s.	Tournefort's.	Amorgos.	1788.	8. 9.	F. f.	Andr. reposit. 537.
16	sipyleum, s.s.	Mount Sipylum.	Levant.	1699.	6. 9.	F. f.	Herm. lugd. t. 463.
17	Dictamnus, s.s.	Dittany of Crete.	Candia.	1551.	—	F. f.	Botan. magaz. 298.
18	ægyptiacum, s.s.	Egyptian.	Egypt.	1731.	6. 8.	G. f.	Alp. ægypt. t. 95.
PYCNANTHEMUM, M.		PYCNANTHEMUM.		Didynamia Angiospermia, S.S.			
1	linifolium, s.s.	Flax-leaved.	N.America.	1739.	7. 8.	H. f.	Herm. parad. t. 218.
2	lanceolatum, s.s.	spear-leaved.	—	1812.	—	H. f.	
3	aristatum, s.s.	awned.	—	1752.	8.	H. f.	Mich. amer. 2. t. 33.
4	verticillatum, s.s.	whorl-leaved.	—	1816.	7. 8.	H. f.	
5	Monardella, s.s.	Monarda-like.	—	—	—	H. f.	
6	incanum, s.s.	hoary.	—	1732.	7. 10.	H. f.	Dill. elt. t. 74. f. 85.
ISANTHUS, M.		ISANTHUS.		Didynamia Gymnospermia, S.S.			
	cœrulens, M.	blue.	N.America.	1732.	6. 8.	H. f.	Dill. elt. t. 285. f. 369.
	<i>Trichostema brachiata,</i> L.						
SATUREJA, S.S.		SAVORY.		Didynamia Gymnospermia, L.			
1	approximata, s.s.	bundle-leaved.	Sicily.	1825.	5. 7.	F. h.	
2	viminea, s.s.	Pennyroyal tree.	Jamaica.	1783.	S. h.	
3	montana, s.s.	winter.	S. Europe.	1562.	6. 7.	H. f.	
4	rupestris, s.s.	rock.	Carniola.	1798.	—	H. f.	Jacq. ic. 3. t. 494.
5	obovata, s.s.	obovate-leaved.	Spain.	1824.	—	H. f.	
6	tennifolia, s.s.	slender-leaved.	Italy.	1820.	—	H. f.	
7	Juliana, s.s.	linear-leaved.	—	1596.	5. 9.	F. f.	Lam. ill. t. 504. f. 1.
8	græca, s.s.	Grecian.	Greece.	1759.	6. 7.	F. f.	Alp. exot. t. 264.
9	hirsuta, s.s.	hairy.	Sicily.	1824.	—	F. f.	

10	Teneriffæ. s.s.	Teneriffe.	Teneriffe.	1815.	—	F. 4.	
11	hortensis. s.s.	summer.	Italy.	1652.	6. 8.	H. ☉.	Lam. ill. t. 504. f. 1.
12	capitata. w.	ciliated.	Levant.	1596.	6. 10.	H. ☿.	Barrel. ic. t. 897.
13	nervosa. s.s.	nerved.	Sicily.	1824.	—	H. ♀.	
14	Thymbra. s.s.	whorl-flower'd.	Candia.	1640.	5. 7.	G. ♀.	Barrel. ic. t. 898.
15	congesta. s.s.	close-flowered.	1825.	—	G. ♀.	
BYSTROPOGON. S.S. BYSTROPOGON. Didymia Gymnospermia. S.S.							
1	origanifolius. s.s.	Marjoram-ld.	Teneriffe.	1815.	7. 8.	G. ♀.	
2	plumosus. s.s.	woolly-flow'r'd.	Canaries.	1779.	6. 7.	G. ♀.	
3	canariensis. s.s.	Canary.	1714.	6. 8.	G. ♀.	Comm. hort. 2. t. 65.
4	punctatus. s.s.	cluster-flow'r'd.	Madeira.	1775.	7. 9.	G. ♀.	
POGOSTEMON. S.S. POGOSTEMON. Didymia Gymnospermia. S.S.							
	plectranthoides. s.s.	Plectranthus-like.	1818.	6. 8.	S. ☿.	Desf. m. mus. 2. t. 6.
HYSSOPUS. S.S. HYSSOP. Didymia Gymnospermia.							
1	officinalis. s.s.	common.	S. Enrope.	1548.	6. 9.	H. ☿.	Jacq. aust. 3. t. 254.
2	orientalis. w.	narrow-leaved.	Caucasus.	—	H. ☿.	Botan. magaz. 2299.
	<i>angustifolius. M.B.</i>						
3	Lophanthus. s.s.	Mint-leaved.	Siberia.	1752.	8. 9.	H. 4.	Jacq. vind. 2. t. 182.
4	nepetoides. s.s.	square-stalked.	N. America.	1692.	8. 10.	H. 4.	— 1. t. 68.
5	scrophularifolius.	Figwort-leav'd.	1800.	7. 8.	H. 4.	Herm. parad. t. 106.
ELSHOLTZIA. S.S. ELSHOLTZIA. Didymia Gymnospermia. W.							
1	cristata. s.s.	crested.	Siberia.	1789.	5. 7.	H. ☉.	Botan. magaz. 2560.
2	ocymoides. s.s.	Basil-like.	E. Indies.	1823.	—	S. 4.	
PERILLA. W. PERILLA. Didymia Gymnospermia. L.							
1	ocymoides. w.	Basil-leaved.	India.	1770.	7. 8.	H. ☉.	Arduin. spec. 2. t. 13.
2	fruticosa. D.P.	frutescent.	Nepaul.	1818.	—	S. ♀.	
MENTHA. L. MINT. Didymia Gymnospermia. L.							
1	quadrifolia. D.P.	four-leaved.	Nepaul.	1823.	6. 8.	G. ♀.	
2	viridis. w.	spear.	Britain.	8.	H. 4.	Eng. bot. 2424.
3	lævigata. w.en.	smooth-leaved.	Germany.	6. 8.	H. 4.	
4	balsamea. w.en.	Balsam-scent'd.	Italy.	1801.	7. 8.	H. 4.	
5	crispata. w.en.	crumpled.	1807.	—	H. 4.	
6	piperita. E.B.	pepper.	England.	8. 9.	H. 4.	Eng. bot. 637.
7	niliaca. s.s.	Egyptian.	Egypt.	1796.	7. 8.	H. 4.	Jacq. vind. 3. t. 87.
8	sylvestris. E.B.	wild.	Britain.	—	H. 4.	Eng. bot. 686.
9	nemorosa. w.en.	wood.	—	H. 4.	Flor. dan. t. 484.
10	hirta. w.en.	hairy.	—	H. 4.	
11	pubescens. w.en.	pubescent.	—	H. 4.	
12	Auricularia. w.	Indian.	E. Indies.	1796.	—	S. 4.	Rumph. amb. 6. t. 16.
13	crispa. w.	curled.	Siberia.	1640.	—	H. 4.	
14	pyramidalis. T.N.	pyramidal.	Naples.	1821.	—	H. 4.	
15	undulata. w.en.	wave-leaved.	1816.	—	H. 4.	
16	incana. w.en.	hoary.	1790.	—	H. 4.	
17	lavandulacea. w.en.	Lavender-ld.	Spain.	1825.	—	H. 4.	
18	capensis. w.	Cape.	C. B. S.	1816.	—	G. 4.	
19	rotundifolia. E.B.	round-leaved.	Britain.	8. 9.	H. 4.	Eng. bot. 446.
	<i>β variegata.</i>	<i>variegated.</i>	—	H. 4.	
20	macrostachya. T.N.	long-spiked.	Naples.	1820.	—	H. 4.	
21	gratissima. w.	oblong-leaved.	Britain.	7. 8.	H. 4.	
22	citrata. s.s.	Bergamot.	England.	—	H. 4.	Eng. bot. 1025.
	<i>odorata. E.B.</i>						
23	hirsuta. E.B.	hairy water.	Britain.	7. 9.	H. w. 4.	Eng. bot. 447.
24	acutifolia. E.B.	acute-leaved.	England.	9.	H. w. 4.	— 2415.
25	sativa. E.B.	tall-red.	8. 9.	H. w. 4.	— 448.
26	rubra. E.B.	common red.	Britain.	9.	H. w. 4.	— 1413.
27	gentilis. E.B.	bushy red.	7. 8.	H. w. 4.	— 2118.
28	gracilis. H.K.	narrow-leaved.	—	H. w. 4.	— 449.
29	palustris. S.M.	marsh.	9.	H. w. 4.	
30	villosa. S.M.	horse.	7. 8.	H. w. 4.	
31	pratensis. S.M.	meadow.	—	H. w. 4.	Sole's Mints. t. 17.
32	rivalis. S.M.	river.	—	H. w. 4.	
33	paludosa. S.M.	brook.	9.	H. w. 4.	
34	arvensis. E.B.	corn.	7. 9.	H. 4.	Eng. bot. 2119.
35	præcox. S.M.	early-flow'ring.	6.	H. 4.	Sole's Mints ic.
36	agrestis. E.B.	field.	7. 8.	H. 4.	Eng. bot. 2120.
37	austriaca. s.s.	Austrian.	Austria.	1818.	—	H. 4.	
38	dentata. w.	toothed.	Germany.	1816.	—	H. 4.	
39	canadensis. w.	Canadian.	N. America.	1801.	—	H. 4.	
40	glabrata. s.s.	smooth.	Egypt.	1802.	—	H. 4.	

41	<i>Pulegium</i> . s.s.	Pennyroyal.	Britain.	8. 9.	H. φ .	Eng. bot. 1026.
42	<i>cervina</i> . s.s.	Hyssop-leaved.	S. France.	1648.	6. 8.	H. φ .	Moris. s. 3. t. 7. f. 7.
GALEOBDOLO . S.S.		DEAD-NETTLE.	<i>Didynamia</i>	<i>Angiospermia</i> .	S.S.		
	luteum. E.B.	yellow.	Britain.	...	5. 6.	H. φ .	Eng. bot. 737.
GALEOPSIS . S.S.		HEMP-NETTLE.	<i>Didynamia</i>	<i>Gymnospermia</i> .	L.		
1	<i>Ladanum</i> . E.B.	red.	Britain.	..	7. 9.	H. \odot .	Eng. bot. 884.
2	<i>angustifolia</i> . P.S.	narrow-leaved.	Europe.	1820.	—	H. \odot .	
3	<i>pubescens</i> . s.s.	pubescent.	Germany.	—	—	H. \odot .	
4	<i>ochroleuca</i> . s.s.	downy.	Britain.	7. 8.	H. \odot .	Eng. bot. 2353.
	<i>villosa</i> . E.B.						
5	<i>Tetrahit</i> . E.B.	common.	—	—	H. \odot .	— 207.
6	<i>versicolor</i> . E.B.	various-colour'd.	—	—	H. \odot .	— 667.
	<i>cannabin</i> . w.						
LAMIUM . S.S.		ARCHANGEL.	<i>Didynamia</i>	<i>Gymnospermia</i> .	L.		
1	<i>Orvala</i> . s.s.	Balm-leaved.	Italy.	1596.	5. 7.	H. φ .	Botan. magaz. 172.
2	<i>rugosum</i> . s.s.	rough.	—	1766.	7. 8.	H. φ .	Bocc. mus. 5. t. 23.
3	<i>maculatum</i> . E.B.	spotted.	Britain.	...	4. 5.	H. φ .	Eng. bot. 2550.
4	<i>album</i> . E.B.	white.	—	4. 9.	H. φ .	— 768.
5	<i>bifidum</i> . s.s.	bifid-helmetted.	Naples.	1825.	—	H. φ .	Cyr. rar. fasc. 1. t. 7.
6	<i>moschatum</i> . s.s.	musk-scented.	Levant.	1739.	7. 9.	H. \odot .	
7	<i>molle</i> . s.s.	Pellitory-leav'd.	1683.	4. 5.	H. φ .	
8	<i>flexuosum</i> . T.N.	flexuose.	Naples.	1824.	4. 8.	H. φ .	
9	<i>garganicum</i> . s.s.	woolly.	Italy.	1729.	7. 8.	H. φ .	Sm. exot. bot. 1. t. 48.
10	<i>lævigatum</i> . s.s.	smooth.	—	1711.	3. 10.	H. φ .	Pluk. alm. t. 198. f. 1.
11	<i>purpureum</i> . s.s.	purple.	Britain.	2. 8.	H. \odot .	Eng. bot. 769.
	<i>β albidum</i> .	white-flowered.	—	—	H. \odot .	
12	<i>incisum</i> . s.s.	cut-leaved.	England.	5. 7.	H. \odot .	— 1933.
13	<i>amplexicaule</i> . s.s.	Henbit.	Britain.	—	H. \odot .	— 770.
14	<i>multifidum</i> . s.s.	multifid-leaved.	Levant.	1752.	4. 5.	H. \odot .	Comm. rar. t. 26.
GLECHOMA . L.		GROUND-IVY.	<i>Didynamia</i>	<i>Gymnospermia</i> .	L.		
1	<i>hederacea</i> . E.B.	common.	Britain.	3. 5.	H. φ .	Eng. bot. 853.
2	<i>hirsuta</i> . P.S.	hairy.	Hungary.	—	H. φ .	W. et K. hung. t. 119.
NEPETA . L.		CATMINT.	<i>Didynamia</i>	<i>Gymnospermia</i> .	L.		
1	<i>croatica</i> . s.s.	Hungarian.	Hungary.	1820.	6. 8.	H. φ .	
2	<i>grandiflora</i> . s.s.	large-flowered.	Caucasus.	1806.	7. 8.	H. φ .	
3	<i>melissæfolia</i> . s.s.	Balm-leaved.	Candia.	1752.	—	H. φ .	
4	<i>longiflora</i> . H.K.	long-flowered.	Persia.	1802.	6. 8.	H. φ .	Venten. cels. 66.
5	<i>Mussini</i> . H.K.	scolloped-ld.	Siberia.	1804.	5. 8.	H. φ .	Botan. magaz. 923.
	<i>longiflora</i> . B.M. non v.						
6	<i>incana</i> . s.s.	hoary.	Levant.	1723.	8.	H. φ .	
7	<i>graveolens</i> . s.s.	strong-smelling.	S. Europe.	1804.	7. 8.	H. φ .	All. ped. t. 2. f. 1.
8	<i>amethystina</i> . Poir.	amethystine.	—	1820.	—	H. φ .	
9	<i>Nepetella</i> . s.s.	small.	—	1758.	—	H. φ .	
10	<i>teucriifolia</i> . s.s.	<i>Teucrium</i> -ld.	Armenia.	1816.	—	H. φ .	
11	<i>lamiifolia</i> . s.s.	<i>Lamium</i> -leav'd.	—	1806.	—	H. φ .	
12	<i>angustifolia</i> . s.s.	narrow-leaved.	Spain.	1798.	6. 7.	H. φ .	
13	<i>Cataria</i> . s.s.	common.	Britain.	7. 9.	H. φ .	Eng. bot. 137.
14	<i>ucranica</i> . s.s.	Ukranian.	Ukraine.	1789.	7. 8.	H. φ .	
15	<i>nuda</i> . L.	naked.	S. Europe.	1710.	—	H. φ .	Jacq. aust. 1. t. 24.
16	<i>pannonica</i> . L.	close-flowered.	Hungary.	1683.	8. 10.	H. φ .	— 2. t. 129.
17	<i>violacea</i> . s.s.	violet-coloured.	Spain.	1723.	7. 9.	H. φ .	Bocc. mus. t. 36.
18	<i>cœrulea</i> . s.s.	blue-flowered.	1777.	5. 6.	H. φ .	
19	<i>latifolia</i> . s.s.	broad-leaved.	Pyrenees.	1818.	7. 8.	H. φ .	
20	<i>macrura</i> . s.s.	long-tailed.	Siberia.	—	—	H. φ .	
21	<i>crispa</i> . s.s.	curl-leaved.	Levant.	1800.	—	H. φ .	
22	<i>diffusa</i> . s.s.	spreading.	Siberia.	1820.	—	H. φ .	
23	<i>imbricata</i> . s.s.	imbricated.	Spain.	1825.	—	H. φ .	
24	<i>teucrioides</i> . s.s.	<i>Teucrium</i> -like.	Levant.	1819.	—	H. φ .	
25	<i>italica</i> . w.	Italian.	Italy.	1640.	6. 8.	H. φ .	Jacq. vind. 2. t. 112.
26	<i>marrubioides</i> . w. en.	horehound-ld.	—	—	H. φ .	
27	<i>multibracteata</i> . s.s.	many-bracted.	Barbary.	1823.	—	H. φ .	
28	<i>lanata</i> . s.s.	woolly.	S. Europe.	1774.	5. 6.	H. φ .	Jacq. obs. 3. t. 75.
29	<i>tuberosa</i> . s.s.	tuberous-root'd.	Spain.	1683.	6. 8.	H. φ .	Barrel. ic. t. 602.
30	<i>reticulata</i> . s.s.	netted.	Morocco.	1801.	7. 8.	H. φ .	Desf. atl. 2. t. 124.
31	<i>Scordotis</i> . s.s.	sessile-spiked.	Crete.	1823.	—	G. $\frac{1}{2}$.	Alp. exot. t. 283.
32	<i>suaveolens</i> . Rœm.	sweet-scented.	1804.	—	H. φ .	
33	<i>multifida</i> . w.	multifid.	Siberia.	1797.	7. 8.	H. φ .	Gmel. sib. 3. t. 55.
34	<i>botryoides</i> . w.	annual.	—	1779.	6. 7.	H. \odot .	Cavan. ic. 1. t. 49.
	<i>bipinnata</i> . Cav.						

HYPTIS, S.S.		HYPTIS, Didynamia Gymnospermia, S.S.		
1	ebracteata, s.s.	small-headed,	W. Indies, 1778.	10. 1. S.⊙. Poit. an. mus. 7. t. 29. f. 2.
2	radiata, s.s.	Carolina.	Carolina, 1690.	6. 7. G. ½. ——— 7. t. 27. f. 2.
3	capitata, s.s.	Jamaica.	W. Indies, 1714.	— S. ½. ——— 7. t. 27. f. 1.
4	polyanthes, s.s.	many-flowered.	S. America, 1819.	— S.⊙.
5	brevipes, s.s.	short peduncul'd.	W. Indies, 1822.	— S.⊙.
6	recurvata, s.s.	recurved.	Cayenne.	— S. ½.
7	albida, s.s.	white-leaved.	Mexico, 1825.	— S. ½.
8	persica, P.s.	Persian.	Persia, 1800.	7. G. ½. Linn. trans. 6. t. 12.
	<i>Brutera persica</i> , L.T.			
9	spicata, s.s.	spiked.	S. America, 1819.	7. 9. G.⊙. Poit. an. mus. t. 28. f. 2.
10	Plumieri, K.s.	Plumier's.	—	— S.⊙. Plum. ic. t. 163. f. 1.
11	stachyodes, s.s.	whorl-spiked.	Brazil, 1820.	— S.⊙.
12	pectinata, s.s.	pectinated.	W. Indies, 1776.	12. 1. S. ½. Poit. an. mus. 7. t. 30.
STACHYS, S.S.		HEDGE-NETTLE, Didynamia Gymnospermia, L.		
1	spinosa, s.s.	thorny.	Candia, 1640.	7. F. ½. Moris. s. 11. t. 10. f. 9.
2	glutinosa, s.s.	clammy.	—	1729. 6. 7. H. ½. ——— 11. t. 4. f. 17.
3	fruticulosa, s.s.	frutescent.	Caucasus, 1825.	— H. ½.
4	æthiopica, s.s.	Ethiopian.	C. B. S., 1770.	4. 7. G. ½. Jacq. obs. 4. t. 77.
5	corsica, s.s.	Corsican.	Corsica, 1825.	— H. ½.
6	angustifolia, s.s.	narrow-leaved.	Tauria, 1823.	6. 7. H. ½.
7	rugosa, s.s.	rough.	C. B. S., 1774.	7. 8. G. ½. Jacq. ic. 3. t. 493.
8	betonicaefolia, s.s.	Betony-leaved.	Crete, 1812.	6. 7. H. ½.
9	stenophylla, s.s.	linear-leaved.	S. Spain, 1819.	— F. ½.
10	orientalis, s.s.	oriental.	Levant, 1768.	— H. ½.
11	maritima, s.s.	sea-side.	S. Europe, 1714.	7. H. ½. Jacq. vind. 1. t. 70.
12	annua, s.s.	annual.	—	1713. 6. 8. H.⊙. Jacq. aust. 4. t. 360.
13	hirta, s.s.	procumbent.	Spain, 1725.	— H. ½. All. ped. 1. t. 2. f. 3.
14	arvensis, s.s.	corn.	Britain, . . .	7. 8. H.⊙. Eng. bot. 1154.
15	arenaria, s.s.	sand.	Barbary, 1824.	6. 8. H. ½. Desf. atl. 2. t. 126.
16	diffusa, Schweig.	diffuse.	S. Europe, 1804.	— H. ½. Botan. magaz. 1915.
	<i>arenaria</i> , B.M. non	Desf. <i>rubra</i> , Donn.		
17	iberica, M.B.	Iberian.	Iberia, 1823.	— H. ½.
18	scordifolia, W.en.	wedge-leaved.	1816. 7. 8. H. ½.
19	aspera, M.	harsh-leaved.	N. America, —	— H. ½.
20	tennifolia, M.B.	slender-leaved.	Tauria, 1819.	— H. ½.
21	Balbisii, L.en.	Balbis's.	Italy, 1823.	— H. ½.
22	nepetaefolia, s.s.	Catmint-leaved.	Levant, 1805.	6. 8. H. ½.
23	arabica, s.s.	Arabian.	Arabia, 1820.	— H.⊙.
24	ambigua, s.s.	ambignous.	Britain, . . .	6. 7. H. ½. Eng. bot. 2089.
25	sylvatica, s.s.	common.	—	. . . 7. 8. H. ½. ——— 416.
26	Fœniculum, s.s.	Fennel-scent'd.	Missouri, 1820.	— H.⊙.
	<i>Hyssopus anisatus</i> , N?			
27	circinata, s.s.	blunt-leaved.	Barbary, 1777.	5. 7. H. ½. L'Herit. s. nov. t. 26.
	<i>canariensis</i> , Jacq. ic. 1. t. 108.			
28	mollissima, W.en.	soft-leaved.	Corfu, 1806.	7. 8. H. ½. W. hort. ber. t. 60.
29	decumbens, P.s.	decumbent.	1816. 5. 7. H. ½.
30	coccinea, s.s.	scarlet.	S. America, 1798.	6. 8. F. ½. Botan. magaz. 666.
31	recta, s.s.	upright.	S. Europe, 1683.	6. 8. H. ½. Jacq. aust. 4. t. 359.
32	heraclea, w.	Phlomis-leav'd.	Italy, 1816.	6. 7. H. ½. All. ped. t. 84. f. 1.
	<i>phlomoïdes</i> , W.en.			
33	obliqua, P.s.	oblique-leaved.	Hungary, —	— H. ½. W. et K. hung. t. 133.
34	palustris, s.s.	Clown's all-heal.	Britain,	8. H. ½. Eng. bot. 1675.
35	germanica, s.s.	downy.	England, . . .	7. 8. H. ½. ——— 829.
36	intermedia, w.	oblong-leaved.	Carolina, 1762.	6. 7. H. ½.
37	sibirica, L.en.	Siberian.	Siberia, 1822.	6. 8. H. ½. Swt. br. fl. gar. 100.
38	polystachya, s.s.	many-spiked.	Naples, 1824.	— H. ½.
39	salviæfolia, s.s.	Sage-leaved.	—	— H. ½.
40	cretica, s.s.	Cretan.	Candia, 1640.	— F. ½. Walt. hort. 108. t. 19.
41	alpina, s.s.	Alpine.	Germany, 1597.	— H. ½. Lap. pyr. 1. t. 8.
42	lanata, s.s.	woolly.	Siberia, 1782.	6. 9. H. ½. Jacq. ic. 1. t. 107.
43	latifolia, s.s.	broad-leaved.	1775. 6. 7. H. ½.
44	biennis, Roth.	biennial.	Germany, 1801.	6. 8. H. ½.
45	lusitanica.	Portugal.	Portugal, 1800.	— H. ½.
	<i>Eriostemon lusitanicum</i> , Lk.			
ZIETENIA, P.S.		ZIETENIA, Didynamia Gymnospermia, P.S.		
	orientalis, P.s.	Lavender-ld.	Levant, 1816.	5. 7. H. ½.
	<i>lavandulifolia</i> , L.en.	<i>Stachys lavandulifolia</i> , w.		

LEONURUS. S.S.		MOTHERWORT.	Didymia Gymnospermia. L.	
1	Cardiaca. s.s.	common.	Britain.	7. 8. H. 2. Eng. bot. 286.
2	villosus. s.s.	villous.	Tauria.	1824. — H. 2.
3	marrubiastrum.	small-flowered.	Austria.	1710. 6. 8. H. 2. Jacq. aust. 5. t. 405.
4	crispus. s.s.	curl-leaved.	Siberia.	1658. 7. 8. H. 2. Murr. c. gott. 8. t. 4.
5	supinus. s.s.	procumbent.	—	1816. 6. 8. H. 2.
6	tataricus. s.s.	Tartarian.	Tartary.	1756. 8. 10. H. 2. Mill. ic. 1. t. 80.
7	sibiricus. s.s.	Siberian.	Siberia.	1759. 6. 8. H. 2. Sim. exot. bot. 2. t. 91.
8	condensatus. s.s.	condensed.	—	1824. — H. 2.
9	heterophyllus. B.F.G.	various-leav'd.	S. America.	— H. 2. Swt. br. fl. gar. ic.
10	multifidus. Desf.	multifid.	— H. 2.
11	neglectus. Sch.	neglected.	— H. 2.
12	lanatus. s.s.	woolly.	Siberia.	1752. — H. 2. Gmel. sib. 3. t. 54.
	<i>Ballota lanata. w.</i>			
BALLOTA. S.S.		STINKING HOREHOUND.	Didymia Gymnospermia. L.	
1	vulgaris. s.s.	common.	Europe.	7. 9. H. 2.
2	foetida. L.en.	strong-scented.	Britain. H. 2. Eng. bot. 46.
	<i>a nigra.</i>	<i>purple-flowered.</i> H. 2.
	<i>β alba.</i>	<i>white-flowered.</i> H. 2.
BETONICA. S.S.		BETONY.	Didymia Gymnospermia. L.	
1	officinalis. s.s.	wood.	Britain.	7. 8. H. 2. Eng. bot. 1142.
2	stricta. s.s.	Danish.	Denmark.	1592. 6. 7. H. 2.
3	incana. s.s.	hoary.	Italy.	1759. — H. 2. Botan. magaz. 2125.
4	orientalis. s.s.	oriental.	Levant.	1737. — H. 2. Lam. ill. t. 507. f. 2.
5	alopecurus. s.s.	Foxtail.	S. Europe.	1759. 7. H. 2. Jacq. aust. 1. t. 78.
6	hirsuta. s.s.	hairy.	Italy.	1710. 6. 7. H. 2. Mur. com. got. 2. t. 3.
7	grandiflora. s.s.	great-flower'd.	Siberia.	1800. — H. 2. Botan. magaz. 700.
MARRUBIUM. S.S.		HOREHOUND.	Didymia Gymnospermia. L.	
1	Alyssum. s.s.	plaited-leaved.	Spain.	1597. 7. 8. H. 2. Ger. herb. 379. f. 1.
2	astracanicum. s.s.	Astracan.	Levant.	1816. — H. 2. Jacq. ic. 1. t. 109.
3	peregrinum. w.	Sicilian.	Sicily.	1640. 7. 9. H. 2. Jacq. aust. 2. t. 160.
4	candidissimum. s.s.	woolly white.	Levant.	1732. — H. 2. Dill. elt. 274. f. 214.
5	creticum. w.	Cretan.	—	1596. — H. 2.
6	affine. L.en.	related.	Siberia.	1816. — H. 2.
7	supinum. s.s.	procumbent.	S. Europe.	1714. 8. 10. H. 2. Bocc. mus. 2. t. 96.
8	catariæfolium. s.s.	Catmint-leav'd.	Levant.	1823. 7. 9. H. 2.
9	vulgare. s.s.	common.	Britain. 6. 9. H. 2. Eng. bot. 410.
10	africanum. s.s.	African.	C. B. S.	1710. 7. 9. G. 2. Comm. hort. 2. t. 90.
11	crispum. s.s.	curled-leaved.	S. Europe.	1714. 7. 8. H. 2. Herm. parad. t. 200.
12	apulum. T.N.	Italian.	Italy.	1824. 6. 9. H. 2.
13	cinereum. s.s.	cinereous.	S. Europe.	— H. 2.
14	hirsutum. w.	hairy.	— 6. 7. H. 2.
15	hispanicum. w.	Spanish.	Spain.	1714. 7. 8. H. 2. Herm. parad. t. 201.
16	acetabulosum. s.s.	saucer-leaved.	Candia.	1676. 6. 8. F. 2. Barrel. ic. 129.
17	Pseudo-Dictamnus.	shrubby white.	—	1596. 7. 8. F. 2. Lam. ill. t. 508. f. 2.
PHLOMIS. S.S.		JERUSALEM-SAGE.	Didymia Gymnospermia. L.	
1	fruticosa. s.s.	shrubby.	Spain.	1596. 6. 7. H. 2. Botan. magaz. 1843.
2	ferruginea. s.s.	ferruginous.	Naples. H. 2.
3	lanata. s.s.	small shrubby.	S. Europe.	1596. — H. 2.
4	cretica. s.s.	Cretan.	Crete.	1823. — G. 2.
5	scariosa. s.s.	scariose-bract'd.	Italy.	— F. 2.
6	virens. s.s.	green shrubby.	Levant. F. 2.
7	purpurea. s.s.	purple.	S. Europe.	1661. 6. 8. F. 2. Smith spicil. 6. t. 3.
8	italica. s.s.	Italian.	Italy.	— F. 2.
9	Nissolii. s.s.	Nissolle's.	Levant.	1757. 6. 7. F. 2. Mill. ic. 2. t. 204.
10	Lychnites. s.s.	lamp-wick.	S. Europe.	1658. 6. 8. G. 2. Botan. magaz. 999.
11	Samia. s.s.	Samian.	N. Africa.	1714. 6. 7. H. 2. — 1891.
12	Russelliana. Lag.	Russell's.	Levant.	1821. — H. 2. Russ. alep. 2. t. 16.
	<i>lunarifolia β Russelliana. B.M. 2542.</i>			
13	Herba-venti. s.s.	rough-leaved.	S. Europe.	1596. 7. 9. H. 2. Swt. br. fl. gar. 33.
14	pungens. s.s.	pungent.	Levant.	1818. 6. 8. H. 2.
15	alpina. s.s.	Alpine.	Siberia.	1802. 6. 9. H. 2. Pall. act. pet. 2. t. 13.
16	tuberosa. s.s.	tuberous-root'd.	—	1759. 6. 10. H. 2. Botan. magaz. 1555.
17	laciniata. s.s.	jagged-leaved.	Levant.	1731. 7. H. 2. Swt. br. fl. gar. 24.
LEUCAS. B.P.		LEUCAS. Didymia Gymnospermia. S.S.		
1	chinensis. s.s.	Chinese.	China.	1822. 6. 8. S. 2. Jacq. ic. 1. t. 111.
2	zeylanica. s.s.	Ceylon.	E. Indies.	1777. 6. 10. S. 2.
3	linifolia. s.s.	Flax-leaved.	—	1816. — S. 2.

4	cephalotes. s.s.	large-headed.	E. Indies.	1811.	—	S.⊙.	
5	aspera. s.s.	rough.	Persia.	1823.	—	S.⊙.	
6	indica. s.s.	Indian.	E. Indies.	1789.	7. 8.	S.⊙.	
7	urticæfolia. s.s.	Nettle-leaved.	—	1810.	—	S.⊙.	
8	martinicensis.	West-Indian.	W. Indies.	1781.	7. 8.	S.⊙.	Jacq. ic. 1. t. 110.
	<i>Phlomis martinicensis. w.</i>						
9	biflora. s.s.	two-flowered.	E. Indies.	1820.	—	S.⊙.	Burm. zeyl. t. 63. f. 1.
LEONOTIS. S.S.	LION'S-EAR.		Didynamia	Gymnospermia.	S.S.		
1	Leonurus. s.s.	narrow-leaved.	C. B. S.	1712.	10. 12.	G. h.	Botan. magaz. 478.
	<i>Phlomis Leonurus. w.</i>						
2	ovata. s.s.	dwarf shrubby.	—	1713.	6. 7.	G. h.	Mill. ic. 2. t. 162. f. 1.
3	intermedia. s.s.	intermediate.	S. Africa.	1823.	—	G. h.	Botan. regist. 850.
4	nepetifolia. s.s.	Catmint-leav'd.	E. Indies.	1778.	9. 10.	S.⊙.	— 281.
MOLUCELLA. S.S.	MOLUCCA-BALM.		Didynamia	Gymnospermia.	L.		
1	tuberosa. s.s.	tuberous-root'd.	Tartary.	1796.	7.	H. ♀.	Pall. it. 3. app. t. T.
2	lævis. s.s.	smooth.	Syria.	1570.	7. 8.	H.⊙.	Botan. magaz. 1852.
3	spinosa. s.s.	prickly.	Levant.	1596.	—	H.⊙.	Lam. ill. t. 510.
PYCNOTACHYS.	PYCNOTACHYS.		Didynamia	Gymnospermia.			
cærulea. H.E.F.	blue-flowered.	Madagascar.	1825.	8. 10.	F.⊙.		Hook. ex. flor. 202.

ORDO CXXXII.

VERBENACEÆ. *Brown prodr. 1. p. 510.*

CLERODENDRUM. B.P.	CLERODENDRUM.	Didynamia	Angiospermia.	L.			
1	ligustrinum. s.s.	Privet-leaved.	Mauritius.	1789.	8. 11.	S. h.	Jacq. col. sup. t. 5. f. 1.
2	inermis. s.s.	smooth.	E. Indies.	1692.	—	S. h.	— t. 4. f. 1.
3	angustifolium. s.s.	narrow-leaved.	Jamaica.	1823.	—	S. h.	Lam. ill. t. 544. f. 2.
4	volubile. s.s.	climbing.	Guinea.	1822.	S. h. ~.	
5	buxifolium. s.s.	Box-leaved.	1818.	7. 8.	S. h.	
	<i>Volkameria buxifolia. w.en.</i>						
6	heterophyllum. s.s.	various-leaved.	Mauritius.	1805.	8. 9.	S. h.	Andr. reposit. 554.
	<i>Volkameria angustifolia. A.R.</i>						
7	macrophyllum. B.M.	large-leaved.	—	1822.	—	S. h.	Botan. magaz. 2536.
8	serratum. s.s.	saw-leaved.	E. Indies.	—	—	S. h.	
9	lividum. B.R.	livid-bracted.	China.	1824.	9. 11.	S. h.	Botan. regist. 945.
10	cernuum. wat.	drooping.	E. Indies.	1822.	S. h.	
11	Siphonanthus. s.s.	whorl-leaved.	—	1796.	S. h.	Burm. ind. t. 43. f. 1.
	<i>Siphonanthus indica et Ovieda mitis. L.</i>						
12	verticillatus. D.P.	four-leaved.	Nepaul.	1818.	S. h.	
13	odoratum. D.P.	odoriferous.	—	1820.	S. h.	
14	fetidum. D.P.	strong-scented.	—	—	S. h.	
15	nutans. D.P.	nodding.	—	—	S. h.	
16	scandens. s.s.	scandent.	Guinea.	1822.	S. h. ~.	
17	trichotomum. s.s.	three-forked.	Japan.	1800.	G. h.	
18	fortunatum. s.s.	spear-leaved.	E. Indies.	1784.	7.	S. h.	Osb. it. t. 11.
19	squamatum. s.s.	scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
20	tomentosum. s.s.	downy.	N. S. W.	1791.	3. 5.	G. h.	Botan. magaz. 1518.
21	infortunatum. s.s.	long-flowered.	E. Indies.	S. h.	
22	phlomoides. s.s.	Phlomis like.	—	1820.	5. 7.	S. h.	
23	fragrans. s.s.	fragrant.	China.	1790.	12. 8.	S. h.	Burm. ind. t. 45. f. 1.
	<i>β multiplex. double-flowered.</i>						
24	viscosum. s.s.	clammy.	E. Indies.	1796.	5. 8.	S. h.	Venten. malm. 70.
25	paniculatum. s.s.	panicked.	Java.	1809.	7. 10.	S. h.	Botan. magaz. 1834.
26	urticifolium. H.B.	Nettle-leaved.	E. Indies.	1822.	—	S. h.	— 1805.
27	violaceum. L.en.	violet-coloured.	—	S. h.	Botan. regist. 406.
28	japonicum.	Japan.	Japan.	1823.	S. h.	
	<i>Volkameria japonica. Th.</i>						
VOLKAMERIA. S.S.	VOLKAMERIA.	Didynamia	Angiospermia.	L.			
aculeata. s.s.	prickly.	W. Indies.	1739.	8. 10.	S. h.		Brown. jam. t. 20. f. 2.
ÆGIPHILA. R.S.	ÆGIPHILA.	Tetrandria	Monogynia.	L.			
1	martinicensis. R.S.	Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. 132.
2	arborescens. R.S.	arborescent.	Trinidad.	1823.	S. h.	Aub. gui. 1. t. 24.

3 elata. R.S.	tall.	W. Indies.	1823.	7. 11.	S. h.	Botan. regist. 946.
4 fœtida R.S.	fetid.	————	1800.	6. 7.	S. h.	
5 diffusa. R.S.	diffuse.	————	1804.	7. 8.	S. h.	Andr. reposit. t. 578. f. 1.
6 obovata. R.S.	oval-leaved.	————	————	————	S. h.	———— t. 578. f. 2.
CALLICARPA. R.S.	CALLICARPA.	Tetrandria	Monogynia.	L.		
1 americana. R.S.	American.	Carolina.	1724.	6. 7.	G. h.	Catesb. car. 2. t. 47.
2 cana. R.S.	hoary.	E. Indies.	1799.	————	S. h.	
3 lanãta. R.S.	woolly.	————	1788.	————	S. h.	Gært. fruct. 1. t. 94.
4 incana. F.I.	white-leaved.	————	1816.	6. 10.	S. h.	
5 macrophylla. R.S.	large-leaved.	————	1808.	————	S. h.	
6 lanceolaria. F.I.	lance-leaved.	————	1816.	————	S. h.	
7 ferruginea. R.S.	rusty.	Jamaica.	1794.	6. 7.	S. h.	
8 reticulata. R.S.	netted-leaved.	————	1822.	————	S. h.	
9 longifolia. R.S.	long-leaved.	China.	————	————	S. h.	Hook. ex. flor. 133.
10 rubella. B.R.	red-flowered.	————	————	————	S. h.	Botan. regist. 883.
11 purpurea. F.I.	purple-flower'd.	————	————	7. 9.	S. h.	
12 arborea. F.I.	tree.	Nepaul.	————	————	S. h.	
VITEX. S.S.	CHASTE-TREE.	Didynamia	Angiospermia.	L.		
1 ovata. s.s.	oval-leaved.	China.	1796.	7. 8.	S. h.	
2 triflora. s.s.	three-flowered.	Cayenne.	1823.	————	S. h.	
3 altissima. s.s.	tall.	Ceylon.	1802.	····	S. h.	
4 alata. s.s.	winged.	E. Indies.	1818.	6. 8.	S. h.	
5 bicolor. s.s.	two-coloured.	————	1810.	————	S. h.	
6 trifolia. s.s.	three-leaved.	————	1759.	————	S. h.	Botan. magaz. 2187.
7 Negundo. s.s.	Ash-leaved.	————	····	····	S. h.	Rheed. mal. 2. t. 11.
8 Agnus-castus. W.	common.	Sicily.	1570.	9.	H. h.	
β latifolia.	broad-leaved.	————	————	————	H. h.	
9 incisa. s.s.	cut-leaved.	China.	1758.	7. 9.	G. h.	Botan. magaz. 364.
Negundo. B.M.						
10 saligna. H.B.	Willow-leaved.	E. Indies.	1823.	····	S. h.	
11 Doniana.	Don's.	Sierra Leon.	1824.	····	S. h.	
umbrosa. H.T. non Sw.						
WALLROTHIA. S.S.	WALLROTHIA.	Didynamia	Angiospermia.	S.S.		
Leucoxyton. s.s.	white-wooded.	Ceylon.	1793.	····	S. h.	
Vitex Leucoxyton. L.						
CHLOANTHES. B.P.	CHLOANTHES.	Didynamia	Angiospermia.	S.S.		
1 stœchadis. B.P.	white-leaved.	N. S. W.	1822.	6. 8.	G. h.	
2 glandulosa. B.P.	glandular-ld.	————	1824.	————	G. h.	
PREMNA. S.S.	PREMNA.	Didynamia	Angiospermia.	S.S.		
1 integrifolia. s.s.	entire-leaved.	E. Indies.	1822.	····	S. h.	Rumph. amb. 3. t. 133.
2 spinosa. H.B.	spiny.	————	————	····	S. h.	
3 esculenta. H.B.	esculent.	————	1824.	····	S. h.	
HOLMSKIOLDIA.	HOLMSKIOLDIA.	Didynamia	Angiospermia.	S.S.		
1 sanguinea. s.s.	scarlet.	E. Indies.	1796.	10. 4.	S. h.	Botan. regist. 692.
Hastingsia coccinea. Sm. ex. bot. 80.						
2 scandens.	climbing.	————	1824.	————	S. h. ∞.	
Hastingsia scandens. H.B.						
PETRÆA. S.S.	PETRÆA.	Didynamia	Angiospermia.	L.		
1 volubilis. s.s.	climbing.	Vera Cruz.	1733.	7. 8.	S. h. ∞.	Botan. magaz. 628.
2 rugosa. K.S.	rough-leaved.	Caracas.	1824.	····	S. h.	
HOSTA. Jacq.	HOSTA.	Diandria	Monogynia.			
1 cœrulea. Jacq.	blue-flowered.	S. America.	1733.	6. 9.	S. h.	Jacq. schœub. 1. t. 114.
Cornutia punctata. B.M. 2611.						
2 latifolia. K.S.	broad-leaved.	Mexico.	1824.	————	S. h.	
CORNUTIA. P.S.	CORNUTIA.	Diandria	Monogynia.	S.S.		
pyramidata. P.S.	pyramidal.	W. Indies.	1733.	····	S. h.	Lam. ill. t. 541.
GMELINA. S.S.	GMELINA.	Didynamia	Angiospermia.	L.		
1 arborea. s.s.	tree.	E. Indies.	1812.	····	S. h.	Rheed. mal. 1. t. 41.
2 villosa. H.B.	villous.	————	1818.	····	S. h.	
3 asiatica. s.s.	oval-leaved.	————	1792.	····	S. h.	Lam. ill. t. 542.
4 parviflora. P.S.	small-flowered.	————	1817.	····	S. h.	Roxb. corom. 1. t. 32.
parvifolia. s.s.						
CITHAREXYLUM. W.	FIDDLE-WOOD.	Didynamia	Angiospermia.	L.		
1 caudatum. s.s.	upright.	Jamaica.	1763.	····	S. h.	Jacq. ic. 3. t. 501.
erectum. Jacq.						
2 villosum. s.s.	hairy-leaved.	W. Indies.	1784.	····	S. h.	———— 1. t. 118.
3 subserratum. s.s.	subserrate.	Hispaniola.	1819.	····	S. h.	
4 quadrangulare. s.s.	square-stalked.	Jamaica.	1759.	6. 8.	S. h.	Jacq. vind. 1. t. 22.
5 cinereum. s.s.	ash-coloured.	W. Indies.	1739.	————	S. h.	Jacq. amer. t. 118.

- 6 molle. s.s. soft-leaved. 1822. — S. h.
 7 pentandrum. s.s. pentandrous. Portorico. 1815. — S. h. Vent. cels. t. 47.
- DURANTA. S.S.** DURANTA. Didynamia Angiospermia. L.
 1 Plumieri. B.R. smooth. S.America. 1733. 6. 10. S. h. Botan. regist. 244.
 2 Ellisia. B.M. prickly. W. Indies. 1739. 8. S. h. Botan. magaz. 1759.
 3 inermis. Mill. unarmed. S. America. . . . — S. h.
 4 xalapensis. K.S. Mexican. 1822. . . . S. h.
 5 Mutisii. K.S. Mutis's. S. America. — 6. 8. S. h.
- AMASONIA. S.S.** AMASONIA. Didynamia Angiospermia. S.S.
 punicea. s.s. puniceous. Trinidad. 1823. . . . S. h.
- LANTANA. S.S.** LANTANA. Didynamia Angiospermia. L.
 1 aculeata. s.s. changeable-col'd. W. Indies. 1692. 4. 11. S. h. Botan. magaz. 96.
 2 purpurea. s.s. purple-flow'r'd. S. America. 1822. — S. h.
 3 scabrida. s.s. rough. W. Indies. 1774. 7. 10. S. h.
 4 mista. w. Nettle-leaved. — 1732. 8. 10. S. h. Lodd. bot. cab. 68.
 5 melissæfolia. s.s. Balm-leaved. — — 7. 9. S. h. Dill. elt. t. 57. f. 66.
 6 nivea. s.s. snowy white. E. Indies. . . . — S. h. Botan. magaz. 1946.
 7 stricta. s.s. narrow-leaved. Jamaica. 1733. — S. h. Sloan. jam. 2. t. 195. f. 4.
 8 Radula. w. Rasp-leaved. W. Indies. 1803. — S. h.
 9 salviaefolia. s.s. Sage-leaved. C. B. S. 1823. — G. h. Jacq. schœnb. 3. t. 285.
 10 recta. s.s. upright. Jamaica. 1758. 6. 8. S. h. — 3. t. 360.
 11 involuocrata. s.s. round-leaved. W. Indies. 1690. 5. 7. S. h. Pluk. alm. t. 114. f. 5.
 12 odorata. s.s. sweet-scented. — 1758. 5. 11. S. h. Plum. ic. 71. f. 2.
 13 Camara. s.s. various-colour'd. — 1691. 4. 9. S. h. Dill. elt. t. 56. f. 65.
 14 trifolia. s.s. three-leaved. — 1733. 6. 9. S. h. Botan. magaz. 1449.
 15 annua. s.s. annual. S. America. — 7. 8. S. ☉. — 1022.
 16 fucata. s.s. painted. Brazil. 1822. — S. h. Botan. regist. 798.
 17 lavandulacea. s.s. Lavender-like. — — S. h.
 18 crocea. L.en. saffron-color'd. Jamaica. — — S. h. Jacq. schœn. t. 473.
 19 violacea. Desf. violet-colour'd. S. America. 1824. . . . S. h.
 20 brasiliensis. L.en. Brazilian. Brazil. — — S. h.
 21 alba. L.en. white-flowered. S. America. . . . — S. h.
 22 horrida. K.S. horrid. Mexico. 1825. — S. h.
- SPIELMANNIA. S.S.** SPIELMANNIA. Didynamia Angiospermia. S.S.
 africana. s.s. African. C. B. S. 1710. 2. 11. G. h. Botan. magaz. 1899.
- TECTONA. W.** TEAK-WOOD. Pentandria Monogynia. L.
 grandis. w. great. E. Indies. 1777. . . . S. h. Roxb. corom. 1. t. 6.
- COLEBROOKIA. S.S.** COLEBROOKIA. Didynamia Gymnospermia. S.S.
 1 oppositifolia. D.P. opposite-leav'd. Nepal. 1816. 6. 9. S. h. Sm. exot. bot. t. 115.
 2 ternifolia. s.s. three-leaved. E. Indies. — — S. h.
- STREPTIUM. S.S.** STREPTIUM. Didynamia Angiospermia. S.S.
 asperum. s.s. rough. E. Indies. 1799. 7. 8. S. h. Roxb. corom. 2. t. 146.
- Tortula aspera. w. Priva leptostachya. P.S.*
- PRIVA. S.S.** PRIVA. Didynamia Angiospermia. S.S.
 1 lappulacea. P.S. bristly-fruited. S. America. 1822. 6. 8. S. h. Jacq. obs. 1. t. 24.
 2 mexicana. P.S. Mexican. Mexico. 1726. 8. 9. S. h. Dill. elth. t. 302. f. 389.
hispidia. K.S. Verbena mexicana. L.
- TAMONEA. S.S.** TAMONEA. Diandria Monogynia.
 verbenacea. s.s. thorny-fruited. W. Indies. 1733. 8. S. ☉. Banks. vel. Hous. t. 2.
curassavica. P.S. Ghinia spinosa. w.
- STACHYTARPHETA. BASTARD Vervain.** Diandria Monogynia. S.S.
 1 angustifolia. R.S. narrow-leaved. S. America. . . . 6. 9. S. ☉. Jacq. obs. 4. t. 86.
 2 indica. R.S. Indian. Ceylon. 1732. 8. 9. S. ☉.
 3 urticifolia. B.M. Nettle-leaved. S. America. . . . 5. 9. S. ♂. Botan. magaz. 1848.
 4 jamaicensis. R.S. Jamaica. W. Indies. 1714. 6. 9. S. ♂. — 1860.
 5 cayennensis. s.s. Cayenne. Cayenne. 1819. — S. h.
 6 prismatica. R.S. Germander-ld. W. Indies. 1699. 5. 6. S. ♂. Jacq. ic. 2. t. 208.
 7 orbica. R.S. Orubian. S. America. — 6. 8. G. ♂. Ehr. pict. t. 5. f. 1.
 8 mutabilis. R.S. changeable-fld. — 1801. 3. 9. S. h. Botan. magaz. 976.
Verbena mutabilis. w. Cymburus mutabilis. P.L. 49.
- 9 hirsutissima. L.en. hairy. Brazil. 1821. 6. 9. S. h.
- ZAPANIA. J.** ZAPANIA. Didynamia Angiospermia. P.S.
 1 stæchadifolia. P.S. oyal-spiked. W. Indies. 1732. 8. 9. S. h. Brown. jam. t. 3. f. 1.
 2 nodiflora. B.P. knot-flowered. America. 1664. 7. 8. G. h. Flor. græc. 553.
Verbena nodiflora. L. Lippia nodiflora. s.s.
- ALOYSIA. P.S.** ALOYSIA. Didynamia Angiospermia. P.S.
 citrodora. P.S. Lemon-scent'd. Chili. 1784. 5. 9. G. h. Botan. magaz. 367.
Verbena triphylla. B.M. Lippia citrodora. K.S.

VERBENA. S.S.	VERVAIN. Didymia Angiospermia. S.S.		
1 angustifolia. s.s.	narrow-leaved. N.America. 1802.	6. 8. H. ♀.	
2 paniculata. s.s.	panicled. ———— 1800.	7. 8. H. ♀.	
3 bonariensis. s.s.	cluster-flow'r'd. BuenosAyres. 1732.	7. 10. H. ♂.	Dill. elt. t. 300. f. 387.
4 caroliniana. s.s.	Carolina. N.America. ————	6. 9. H. ♀.	———— t. 301. f. 388.
5 urticæfolia. s.s.	Nettle-leaved. ———— 1683.	7. 9. H. ♀.	Rob. ic. 26.
6 stricta. s.s.	upright. ———— 1802.	7. 8. H. ♀.	Botan. magaz. 1976.
7 lasiostachys. s.s.	woolly-spiked. California. 1823.	— H. ♀.	
8 bracteosa. s.s.	long-bracted. N.America. 1812.	7. H. ♀.	
9 Aubletia. s.s.	rose. ———— 1774.	6. 8. F. ♂.	Botan. magaz. 308.
10 Lambertii. B.M.	Lambert's. Peru. 1816.	— F. ♀.	———— 2200.
11 hastata. s.s.	halberd-leaved. Canada. 1710.	— H. ♀.	Herm. parad. t. 242.
12 scabra. s.s.	rough. Mexico. 1825.	— H. ♀.	
13 officinalis. E.B.	common. Britain.	6. 9. H. ♀.	Eng. bot. 769.
14 sororia. D.P.	sister. Nepal. 1823.	8. 10. H. ♀.	Swt. br. fl. gar. ic.
15 spuria. s.s.	jagged-leaved. N.America. 1731.	7. 8. H. ♂.	
16 erinoides. s.s.	Erinus-like. Peru. 1820.	— H. ♂.	Flor. peruv. I. t. 33. f. c.
<i>multifida. R.P.</i>			
17 canescens. s.s.	canescent. Mexico. ————	— H. ♀.	H. et. B. 2. t. 136.
18 supina. s.s.	trailing. Spain. 1640.	6. 7. H. ♂.	Park. theat. 675. f. 2.
19 prostrata. H.K.	prostrate. N.America. 1794.	— H. ♀.	
LIPPIA. J.	LIPPIA. Didymia Angiospermia. S.S.		
<i>purpurea. s.s.</i>	purple. Mexico. 1823.	6. 8. G. ♀.	Jacq. f. eclog. t. 85.
HEBENSTREITIA. S.S.	HEBENSTREITIA. Didymia Angiospermia. L.		
1 scabra. w.	rough-leaved. C. B. S. 1816.	5. 9. G. ♀.	
2 integrifolia. w.	entire-leaved. ———— 1792.	4. 6. G. ♀.	Andr. reposit. 252.
<i>aurea. A.R.</i>			
3 dentata. w.	dwarf-tooth'd. ———— 1739.	5. 9. G. ♂.	Botan. magaz. 483.
4 ciliata. w.	ciliated. ———— 1815.	5. 7. G. ♀.	
5 spicata. P.S.	spiked. ————	— G. ♀.	
6 erinoides. s.s.	Erinus-leaved. ———— 1816.	5. 11. G. ♀.	
7 fruticosa. B.M.	frutescent. ————	— G. ♀.	Botan. magaz. 1970.
8 cordata. s.s.	heart-leaved. ———— 1774.	7. 8. G. ♀.	
SELAGO. S.S.	SELAGO. Didymia Gymnospermia. L.		
1 canescens. s.s.	canescent. C. B. S. 1812.	7. 11. G. ♀.	
2 diffusa. s.s.	spreading. ———— 1807.	7. 8. G. ♀.	
3 spinea. L.en.	reflex-leaved. ———— 1816.	— G. ♀.	
4 ovata. s.s.	oval-headed. ———— 1774.	6. 7. G. ♀.	Botan. magaz. 186.
5 spicata. s.s.	spiked. ———— 1815.	— G. ♀.	
6 ramulosa. s.s.	branching. ————	6. 9. G. ♀.	
7 bracteata. s.s.	imbricate-bract'd. ———— 1816.	— G. ♀.	
8 dentata. s.s.	round-leaved. ————	— G. ♀.	
9 polygaloides. s.s.	Milkwort-like. ———— 1807.	7. 11. G. ♀.	
10 rapunculoides. s.s.	Rampion-like. ———— 1815.	— G. ♀.	
11 fasciculata. s.s.	cluster-flower'd. ———— 1774.	6. 7. G. ♀.	Botan. regist. 184.
12 lucida. v.	shining-leaved. ———— 1812.	— G. ♀.	Venten. malm. t. 10.
13 rotundifolia. s.s.	round-leaved. ———— 1816.	7. 9. G. ♀.	
14 corymbosa. s.s.	fine-leaved. ———— 1699.	— G. ♀.	Comm. hort. 2. t. 40.
15 spuria. s.s.	linear-leaved. ———— 1779.	7. 10. G. ♂.	

ORDO CXXXIII.

MYOPORINÆ. *Brown prodr. p. 514.*

MYOPORUM. B.P.	MYOPORUM. Didymia Angiospermia. S.S.		
1 ellipticum. B.P.	smooth-leaved. N. S. W. 1789.	1. 3. G. ♀.	Andr. reposit. 283.
<i>Pogonia glabra. A.R.</i>			
2 acuminatum. B.P.	acuminate. ———— 1812. G. ♀.	
3 montanum. B.P.	mountain. ———— 1822.	2. 6. G. ♀.	
4 parvifolium. B.P.	small-leaved. N. Holland. 1803.	3. 9. G. ♀.	Botan. magaz. 1691.
5 debile. B.P.	procumbent. N. S. W. 1793.	5. 8. G. ♀.	———— 1830.
6 diffusum. B.P.	diffuse. N. Holland.	8. 2. G. ♀.	

7 tuberculatum. B.P.	tubercled.	N. Holland.	1803.	5. 8.	G. h.	
8 viscosum. B.P.	viscid.	—————	—————	—————	G. h.	
9 crassifolium. s.s.	thick-leaved.	N. Zealand.	1822.	—	G. h.	
10 oppositifolium. s.s.	opposite-leav'd.	N. Holland.	1803.	1. 12.	G. h.	
STENOCHILUS. B.P.	STENOCHILUS.	Didynamia	Angiospermia.	S.S.		Botan. magaz. 1942.
1 glaber. B.P.	smooth-leaved.	N. Holland.	1803.	1. 12.	G. h.	Botan. regist. 647.
2 maculatus. B.R.	spott'd-flow'r'd.	—————	1820.	4. 8.	G. h.	
BONTIA. S.S.	BONTIA.	Didynamia	Angiospermia.	L.		Dill. elth. t. 49. f. 57.
daphnoides. s.s.	Barbadoes.	W. Indies.	1690.	6.	S. h.	
AVICENNIA. B.P.	AVICENNIA.	Didynamia	Angiospermia.	L.		Palisot. d'Owar. t. 47.
tomentosa. B.P.	downy-leaved.	India.	1793.	S. h.	

ORDO CXXXIV.

ACANTHACEÆ. *Brown prodr. 1. p. 472.*

ACANTHUS. S.S.	BEARS-BREECH.	Didynamia	Angiospermia.	L.		
1 mollis. w.	soft-leaved.	Italy.	1548.	7. 9.	H. 2.	Lam. ill. t. 550.
2 niger. L.en.	shining-leaved.	Portugal.	1759.	—	H. 2.	
3 spinosus. B.M.	prickly-leaved.	S. Europe.	1629.	—	H. 2.	Botan. magaz. 1808.
4 spinosissimus. P.S.	white-spined.	—————	—————	—————	H. 2.	
5 cardnifolius. s.s.	Cape.	C. B. S.	1816.	—	G. 2.	
6 ilicifolius. s.s.	Holly-leaved.	E. Indies.	1759.	S. h.	Rheed. mal. 2. t. 48.
BLEPHARIS. J.	BLEPHARIS.	Didynamia	Angiospermia.	P.S.		
1 capensis. s.s.	simple-spined.	C. B. S.	1816.	5. 9.	G. h.	
2 furcata. s.s.	fork-spined.	—————	—————	6. 8.	G. h.	
3 procumbens. s.s.	procumbent.	—————	1825.	—	G. h.	
THUNBERGIA. S.S.	THUNBERGIA.	Didynamia	Angiospermia.	S.S.		
1 grandiflora. s.s.	large-flowered.	E. Indies.	1822.	3. 8.	S. h. ∪	Botan. regist. 495.
2 fragrans. s.s.	white Indian.	—————	1796.	5. 9.	S. h. ∪	Botan. magaz. 1881.
3 cordata. C.R.	heart-leaved.	Brazil.	1823.	3. 8.	S. h. ∪	Coll. h. rip. t. 21.
4 capensis. s.s.	Cape.	C. B. S.	1816.	—	G. h. ∪	
5 alata. B.M.	winged.	Zanzebar.	1825.	1. 12.	S. h. ∪	Botan. magaz. 2591.
6 angulata. H.E.F.	angular-stalk'd.	Mauritius.	1824.	5. 8.	S. h. ∪	Hook. ex. flor. 166.
7 coccinea. D.P.	scarlet-flow'r'd.	Nepanl.	—	6. 2.	S. h. ∪	————— 195.
BARLERIA. S.S.	BARLERIA.	Didynamia	Angiospermia.	L.		
1 buxifolia. s.s.	Box-leaved.	E. Indies.	1763.	6. 7.	S. h.	Rheed. mal. 2. t. 47.
2 Prionitis. s.s.	thorny.	—————	1759.	7. 8.	S. h.	————— 9. t. 41.
3 longifolia. s.s.	long-leaved.	—————	1781.	7. 9.	S. 3.	Pluk. alm. t. 133. f. 4.
4 cristata. s.s.	crested.	—————	1796.	4. 9.	S. h.	Botan. magaz. 1615.
5 alba. B.C.	white-flowered.	—————	1818.	—	S. h.	Lodd. bot. cab. 360.
6 flava. s.s.	yellow-flow'r'd.	Arabia.	1816.	—	S. h.	Jacq. f. ecl. t. 46.
<i>mitis.</i> B.R. 191.	<i>Justicia flava.</i> w. <i>Eranthemum flavum.</i> w.en.					
7 longiflora. s.s.	long-flowered.	E. Indies.	—	6. 9.	S. h.	Vahl symb. 1. t. 16.
8 purpurea. B.C.	purple.	—————	1817.	—	S. h.	Lodd. bot. cab. 344.
9 dichotoma. H.B.	forked.	—————	1823.	—	S. h.	
10 cœrulea. H.B.	blue-flowered.	—————	—————	—————	S. h.	
HYGROPHILA. B.P.	HYGROPHILA.	Didynamia	Angiospermia.	S.S.		
ringens. s.s.	gaping-flow'r'd.	E. Indies.	1807.	7. 8.	S. h.	
RUELLIA. S.S.	RUELLIA.	Didynamia	Angiospermia.	L.		
1 ocymoides. s.s.	Basil-like.	Mexico.	1815.	7. 8.	S. h.	Cavan. ic. 5. t. 456.
2 ciliata. s.s.	fringed.	E. Indies.	1806.	—	S. h.	
3 australis. s.s.	New Holland.	N. S. W.	1820.	6. 9.	G. h.	Cavan. ic. 6. t. 586. f. 1.
4 fetida. s.s.	strong-scented.	Mexico.	1824.	—	G. h.	
5 biflora. s.s.	two-flowered.	Carolina.	1765.	7.	G. 2.	
6 violacea. s.s.	violet-flowered.	Guiana.	1822.	6. 9.	S. 2.	Aub. gni. 2. t. 271.
7 salicifolia. s.s.	Willow-leaved.	E. Indies.	—	—	S. h.	
8 ovata. s.s.	oval-leaved.	Mexico.	1800.	7. 8.	S. 2.	Cavan. ic. 3. t. 254.
9 patula. s.s.	spreading.	E. Indies.	1774.	—	S. h.	Jacq. ic. I. t. 119.

- 10 anisophylla. H.E.F. unequal-leaved. E. Indies. 1823. 9. 4. S. $\frac{1}{2}$. Hook. ex. flor. 191.
persicifolia. B.R. 955.
- 11 formosa. s.s. splendid. Brazil. 1808. 6. 9. S. $\frac{1}{2}$. Botan. magaz. 1400.
- 12 macrophylla. s.s. large-leaved. S. America. 1820. — S. $\frac{1}{2}$. Vahl symb. 2. t. 39.
- 13 tuberosa. s.s. tuberous-root'd. Jamaica. 1752. 7. 8. S. $\frac{1}{2}$. Sloan. jam. 1. t. 95. f. 1.
- 14 strepens. s.s. whorl-flowered. N. America. 1726. — G. $\frac{1}{2}$. Schk. hand. 2. t. 177.
- 15 lactea. s.s. white. Mexico. 1796. 6. 8. G. $\frac{1}{2}$. Cavan. ic. 3. t. 255.
- 16 clandestina. s.s. three-flowered. Barbadoes. 1728. 7. 8. S. $\frac{1}{2}$. Dill. elth. t. 248. f. 320.
- 17 paniculata. s.s. panicked. W. Indies. 1768. 8. 10. S. $\frac{1}{2}$. Botan. regist. 585.
- 18 fulgida. s.s. bright-flower'd. — 1804. 7. 8. S. $\frac{1}{2}$. Andr. reposit. 527.
- 19 undulata. s.s. wave-leaved. E. Indies. 1817. — S. $\frac{1}{2}$.
- 20 hirta. s.s. hairy. — — S. $\frac{1}{2}$. Vahl symb. 3. t. 67.
- 21 pubescens. P.S. pubescent. C. B. S. 1816. 5. 7. G. $\frac{1}{2}$.
- 22 tetragona. s.s. four-sided. Brazil. 1818. 6. 9. S. $\frac{1}{2}$.
- 23 longifolia. s.s. long-leaved. E. Indies. 1821. — S. $\frac{1}{2}$.
- 24 cernua. H.B. cernuous. — — S. $\frac{1}{2}$. Rumph. amb. 3. t. 23. f. 1.
- BLECHUM. B.P.** BLECHUM. Didymia Angiospermia. S.S.
- 1 Browni. s.s. dense-spiked. W. Indies. 1780. 6. S. $\frac{1}{2}$. Sloan. jan. 1. t. 109. f. 1.
- 2 laxiflorum. s.s. loose-flowered. — 1822. 6. 8. S. $\frac{1}{2}$.
- APHELANDRA. B.P.** APHELANDRA. Didymia Angiospermia. S.S.
- cristata*. s.s. dense-spiked. W. Indies. 1733. 6. 9. S. $\frac{1}{2}$. Botan. magaz. 1578.
Ruellia cristata. A.R. 506. *Justicia pulcherrima*. L.
- CROSSANDRA. P.S.** CROSSANDRA. Didymia Angiospermia.
- undulæfolia*. P.L. wave-leaved. E. Indies. 1800. 6. 1. S. $\frac{1}{2}$. Botan. regist. 69.
Ruellia infundibuliformis. A.R. 542. *Harrachia speciosa*. Jacq. ecl. t. 21.
- PHAYLOPSIS. W.** PHAYLOPSIS. Didymia Angiospermia. W.
- 1 longifolia. B.M. long-leaved. Sierra Leon. 1822. 3. 5. S. $\frac{1}{2}$. Botan. magaz. 2433.
- 2 imbricata. imbricated. Mauritius. — — S. $\frac{1}{2}$.
Æthelema imbricata. s.s.
- LEPIDAGATHIS. W.** LEPIDAGATHIS. Didymia Angiospermia. W.
- cristata*. w. crested. E. Indies. 1817. 5. 8. S. $\frac{1}{2}$.
- ELYTRARIA. R.S.** ELYTRARIA. Diandria Monogynia. S.S.
- 1 crenata. R.S. notched-leav'd. E. Indies. 1819. 11. 2. S. $\frac{1}{2}$. Roxb. corom. 2. t. 127.
- 2 lyrata. R.S. lyrate-leaved. — 1825. S. $\frac{1}{2}$.
- 3 virgata. R.S. twiggly. Carolina. 1813. 7. H. $\frac{1}{2}$. Mich. amer. 1. t. 1.
- 4 ramosa. K.S. branching. Mexico. 1825. G. $\frac{1}{2}$.
- JUSTICIA. R.S.** JUSTICIA. Diandria Monogynia. L.
- 1 bicalyculata. R.S. Malabar. E. Indies. 1785. 8. 10. S. \odot . Cavan. ic. 1. t. 71.
- 2 hispida. R.S. hispid. Sierra Leon. 1824. 4. 8. S. $\frac{1}{2}$.
- 3 Ecbohium. R.S. long-spiked. E. Indies. 1759. 3. 8. S. $\frac{1}{2}$. Botan. magaz. 1847.
- 4 thyrseiflora. F.I. thyrse-flower'd. — 1812. 5. 9. S. $\frac{1}{2}$.
- 5 vitellina. F.I. reflex-leaved. — 1818. — S. $\frac{1}{2}$.
- 6 alba. F.I. white-flowered. — 1816. 4. 8. S. $\frac{1}{2}$.
- 7 coccinea. R.S. scarlet. S. America. 1770. 12. 4. S. $\frac{1}{2}$. Botan. magaz. 432.
- 8 echioides. R.S. Echium-like. E. Indies. 1812. 6. 9. S. \odot . Rheed. mal. 9. t. 46.
- 9 quadrifida. R.S. twiggly. Mexico. 1795. 3. 9. S. $\frac{1}{2}$. Sal. par. lond. 50.
virgularis. P.L.
- 10 pumila. R.S. dwarf. S. America. 1820. — S. $\frac{1}{2}$.
- 11 nigricans. R.S. black-striped. China. 1819. 6. 9. G. $\frac{1}{2}$.
- 12 nitida. R.S. glossy. W. Indies. 1790. 3. 9. S. $\frac{1}{2}$. Andr. reposit. 570.
- 13 bracteolata. R.S. bracteolate. Caracas. 1824. 6. 8. S. $\frac{1}{2}$. Jacq. ic. t. 205.
- 14 picta. R.S. painted. E. Indies. 1780. 7. 8. S. $\frac{1}{2}$. Rheed. mal. 6. t. 60.
a alba. white-marked. — — S. $\frac{1}{2}$.
 β lurido-sanguinea. purple-leaved. — 1815. — S. $\frac{1}{2}$. Botan. magaz. 1870.
- 15 paniculata. R.S. panicked. — 1811. — S. $\frac{1}{2}$. Jacq. f. eclog. t. 34.
- 16 salicina. R.S. Willow-like. Peru. 1819. — S. $\frac{1}{2}$.
- 17 secunda. R.S. side-flowering. W. Indies. 1793. 5. 9. S. $\frac{1}{2}$. Botan. magaz. 2060.
- 18 geniculata. B.M. jointed-stalked. — 1822. 7. 10. S. $\frac{1}{2}$. — 2487.
- 19 ciliaris. R.S. ciliated. Cumana. 1780. 7. 8. S. \odot . Jacq. vind. 2. t. 104.
- 20 lucida. R.S. shining-leaved. W. Indies. 1795. — S. $\frac{1}{2}$. Botan. magaz. 1014.
- 21 salviaeflora. R.S. Sage-flowered. Mexico. 1823. — S. $\frac{1}{2}$.
- 22 Gandarussa. R.S. Willow-leaved. E. Indies. 1800. 6. 7. S. $\frac{1}{2}$. Botan. regist. 635.
- 23 carthagenensis. R.S. Carthaginian. Carthage. 1792. — S. $\frac{1}{2}$. — 797.
- 24 pedunculosa. R.S. long-peduncled. N. America. 1759. 7. 8. H. $\frac{1}{2}$. Botan. magaz. 2367.
americana. w.
- 25 procumbens. R.S. procumbent. E. Indies. 1798. — S. $\frac{1}{2}$. Pluck. alm. t. 56. f. 3.
- 26 quinqueangularis. F.I. five-angled. — 1820. — S. $\frac{1}{2}$.
- 27 comata. R.S. Balsam-herb. Jamaica. 1795. — S. $\frac{1}{2}$. Sloan. jam. 1. t. 103. f. 2.
- 28 eustachiana. R.S. Eustachian. St. Eustachia. 1799. 8. 9. S. $\frac{1}{2}$. Jacq. amer. pict. t. 5.

29 Keriana.	Ker's.	China.	1815.	6. 9.	S. ½.	Botan. regist. 309.
<i>eustachiana</i> .	B.R.—B.M. 2076.	non Jacq.				
30 nasuta. R.S.	white-flowering.	E. Indies.	1790.	2. 10.	S. ½.	Botan. magaz. 325.
31 lanceolaria. F.I.	lance-leaved.	————	1818.	8. 12.	S. ½.	
32 speciosa. F.I.	beautiful.	————	1823.	S. ½.	
33 Roxburghiana. R.S.	Roxburgh's.	————	1815.	6. 9.	S. ½.	Rumph. amb. 6. t. 22. f. 1.
<i>tinctoria</i> .	F.I. non Lour.	<i>baphica</i> . s.s.				
34 pectoralis. R.S.	GardenBalsam.	W. Indies.	1787.	5. 6.	S. ¼.	Botan. regist. 796.
35 periplocæfolia. R.S.	Periploca-ld.	S. America.	1799.	6. 8.	S. ½.	Jacq. coll. s. t. 7. f. 2.
36 furcata. R.S.	forked.	Peru.	1795.	4. 8.	S. ½.	Botan. magaz. 430.
<i>peruviana</i> .	B.M. Cavan. ic. 1. t. 28.					
37 lithospermifolia.	Gromwell-ld.	————	1796.	—	S. ½.	Jacq. schœn. 1. t. 4.
38 caracasana. R.S.	Caracas.	Caracas.	1818.	—	S. ½.	Jacq. ic. 2. t. 206.
39 Adhatoda. R.S.	Malabar-nnt.	Ceylon.	1699.	5. 7.	G. ½.	Botan. magaz. 861.
40 Betonica. R.S.	Betony-leaved.	E. Indies.	1739.	—	S. ½.	Rheed. mal. 2. t. 21.
41 ramosissima. F.I.	branching.	————	1812.	8. 12.	S. ½.	
42 plumbaginifolia. R.S.	Plumbago-ld.	1819.	6. 9.	S. ½.	Jacq. f. ecl. t. 12.
43 formosa. R.S.	handsome	—	—	S. ½.	
44 maculata. B.C.	spotted-leaved.	W. Indies.	1823.	—	S. ½.	Lodd. bot. cab. 626.
45 hyssopifolia. R.S.	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. ½.	Mill. ic. 9. t. 13.
46 orchioides. R.S.	Broom-leaved.	C. B. S.	1774.	8.	G. ½.	Vent. malm. t. 51.
47 retusa. B.C.	retuse.	1816.	7. 9.	S. ½.	Lodd. bot. cab. 724.
48 calytricha. H.E.F.	yellow-flower'd.	1825.	1. 3.	S. ½.	Hook. ex. flor. 212.
DICLIPTERA. J.	DICLIPTERA.	Diandria Monogynia. R.S.				
1 chinensis. R.S.	Chinese.	China.	1816.	8. 12.	S. ½.	Burm. ind. t. 4. f. 1?
2 bivalvis. R.S.	two-valved.	E. Indies.	1820.	S. ½.	
3 resupinata. R.S.	resupinate.	N. Spain.	1805.	5. 8.	S. ¼.	Cavan. ic. 3. t. 203.
<i>Justicia sexangularis</i> .	Cav. non L.					
4 pectinata. R.S.	pectinated.	E. Indies.	1801.	7. 9.	S. ¼.	Roxb. corom. 2. t. 153.
<i>Justicia parviflora</i> .	W.					
5 scorpioides. R.S.	Scorpion-grass-ld.	Vera Cruz.	—	—	S. ½.	Reliqu. Houst. t. 1.
6 sexangularis. R.S.	chickweed-ld.	S. America.	1733.	7.	S. ⊙.	Pluk. alm. t. 279. f. 6.
HYPOESTES. R.S.	HYPOESTES.	Diandria Monogynia. R.S.				
1 purpurea. R.S.	purple-flower'd.	China.	1822.	6. 8.	S. ¼.	
<i>Justicia purpurea</i> .	L.					
2 serpens. R.S.	creeping-stalked.	Mauritius.	1823.	—	S. ¼.	
3 involucrata. R.S.	involucred.	E. Indies.	1811.	7. 8.	S. ½.	
ERANTHEMUM. R.S.	ERANTHEMUM.	Diandria Monogynia. R.S.				
1 variabile. B.P.	variable.	N. S. W.	1820.	6. 9.	G. ½.	
2 pulchellum. F.I.	nervose.	E. Indies.	1796.	1. 10.	S. ½.	Andr. reposit. 88.
<i>Justicia nervosa</i> .	B.M. 1358.					
3 strictum. F.I.	upright.	————	1822.	—	S. ½.	Botan. regist. 867.
4 crenulatum. B.R.	crenulate.	————	1824.	—	S. ½.	———— 879.
5 bicolor. s.s.	two-coloured.	Philippines.	1802.	5. 8.	S. ½.	Botan. magaz. 1423.
<i>Justicia bicolor</i> .	B.M.					
6 spinosum. R.S.	thorny.	W. Indies.	1733.	7. 8.	S. ½.	Jacq. amer. 2. t. 2. f. 1.

ORDO CXXXV.

OROBANCHEÆ. *Ventenat.*

LATHRÆA. S.S.	TOOTHWORT.	Didynamia Angiospermia. L.				
squamarie. s.s.	scaly.	Britain.	... 4.	H. ¼.		Eng. bot. 50.
OROBANCHE. S.S.	BROOM-RAPE.	Didynamia Angiospermia. L.				
1 major. E.B.	greater.	Britain.	... 6. 7.	H. ¼.		Eng. bot. 421.
2 elatior. E.B.	taller.	————	... 7. 8.	H. ¼.		———— 568.
3 minor. E.B.	smaller.	————	... —	H. ¼.		———— 422.
4 rubra. E.B.	red.	Ireland.	... 8.	H. ¼.		———— 1786.
5 cœrulea. E.B.	blue.	Britain.	... 7.	H. ¼.		———— 423.
6 ramosa. E.B.	branching.	————	... 8. 9.	H. ¼.		———— 184.

ORDO CXXXVI.

LENTIBULARIÆ. *Brown prodr.* 1. p. 429.

PINGUICULA. L.	BUTTERWORT.	Diandria Monogynia. L.	
1 vulgaris. s.s.	common.	Britain. 5.	H.w. 2. Eng. bot. 70.
2 alpina. s.s.	Alpine.	Europe. 1794. 4.	H.w. 2. Flor. dan. t. 453.
3 grandiflora. s.s.	great-flowered.	Ireland. 5. 6.	H.w. 2. Eng. bot. 2184.
4 lusitana. s.s.	pale.	Britain. 6. 7.	H.w. 2. Eng. bot. 145.
5 lutea. E.R.	yellow.	Carolina. 1816. —	H.w. 2. Botan. regist. 126.
6 edentula. H.E.F.	toothless.	N.America. 1821. 4. 5.	H.w. 2. Hook. ex. flor. 16.
UTRICULARIA. L.	HOODED MILFOIL.	Diandria Monogynia. L.	
1 vulgaris. E.B.	common.	Britain. 7.	H. 2. Eng. bot. 253.
2 intermedia. E.E.	intermediate.	Ireland. —	H. 2. — 2489.
3 minor. E.B.	lesser.	Britain. —	H. 2. — 254.

ORDO CXXXVII.

PRIMULACEÆ. *Brown prodr.* p. 427.

CYCLAMEN. L.	CYCLAMEN.	Pentandria Monogynia. L.	
1 coum. R.S.	green, round-ld.	S. Europe. 1596. 1. 4.	H. 2. Botan. magaz. 4.
2 vernum. B.F.G.	spring.	— 1814. 2. 5.	H. 2. Swt. br. fl. gar. 9.
3 europæum. R.S.	round-leaved.	Europe. 1596. 7. 8.	H. 2. Jacq. aust. 5. t. 401.
4 persicum. R.S.	Persian.	Cyprus. 1731. 2. 4.	G. 2. Botan. magaz. 44.
<i>a inodorum.</i>	scentless.	— — — —	G. 2.
<i>β odoratum.</i>	sweet-scented.	— — — —	G. 2.
<i>γ albiflorum.</i>	pure white.	— — — —	G. 2.
5 hederæfolium. E.B.	Ivy-leaved.	Britain. 6. 8.	H. 2. Eng. bot. 1001.
<i>a purpurascens.</i>	purplish-flower'd.	— — — —	H. 2.
<i>β albidum.</i>	white-flowered.	— — — —	H. 2.
6 neapolitanum. T.N.	Neapolitan.	Naples. 1826. —	H. 2. Mat. med. veg. p. 43. t. 41
7 repandum. F.G.	angular-leaved.	Greece. 3. 4.	F. 2. Swt. br. fl. gar. 117.
8 latifolium. F.G.	broad-leaved.	— 1823.	F. 2. Flor. græc. t. 185.
9 linearifolium. R.S.	linear-leaved.	S. France. 1824.	F. 2. DC. ic. gall. rar. 1. t. 8.
DODECATHEON. L.	AMERICAN COWSLIP.	Pentandria Monogynia. L.	
Meadia. R.S.	Mead's.	Virginia. 1744. 4. 6.	H. 2. Botan. magaz. 12.
<i>β albiflora.</i>	white-flowered.	— 1820. —	H. 2.
SOLDANELLA. R.S.	SOLDANELLA.	Pentandria Monogynia. L.	
1 montana. R.S.	mountain.	Bohemia. 1816. 4.	H. 2. Swt. br. fl. gar. 11.
2 alpina. R.S.	Alpine.	Switzerland. 1656. —	H. 2. Botan. magaz. 49.
3 minima. R.S.	small.	Carp. mount. 1820. —	H. 2. Hop. in Sturm. fl. fas. 20.
4 pusilla. Baum.	lesser.	S. Europe. 1824. —	H. 2.
CORTUSA. L.	BEARS-EAR SANICLE.	Pentandria Monogynia. L.	
Mathioli. R.S.	short calyxed.	Austria. 1596. 4. 6.	H. 2. Botan. magaz. 987.
PRIMULA. L.	PRIMROSE.	Pentandria Monogynia. L.	
1 prænitens. B.R.	glossy.	China. 1820. 1. 12.	F. 2. Botan. regist. 539.
<i>sinensis. L.C. non Lour.</i>			
2 cortusoides. R.S.	Cortusa-leaved.	Siberia. 1794. 5. 7.	H. 2. Botan. magaz. 399.
3 dentiflora. A.R.	tooth-flowered.	—	H. 2. Andr. reposit. 451.
4 suaveolens. R.S.	sweet-scented.	Naples. 1826. —	H. 2. Ten. fl. neap. 1. t. 13.
<i>Columnæ. T.N.</i>			
5 inflata. R.S.	bellied-calyxed.	Hungary. 1824. —	H. 2.
6 brevistyla. R.S.	short-styled.	France.	H. 2.
<i>β versicolor.</i>	various-coloured.	—	H. 2.
7 veris. R.S.	Cowslip.	Britain. 5. 6.	H. 2. Eng. bot. 5.
<i>β rubra.</i>	red cowslip.	—	H. 2.

8	<i>acaulis</i> . R.S.	common.	Britain.	3. 5.	H. ♀.	Eng. bot. 4.
	<i>vulgaris</i> . E.B.						
	β <i>albo-plena</i> .	<i>double-white</i>	—	H. ♀.	
	γ <i>sulphureo-plena</i> .	<i>double-sulphur</i>	—	H. ♀.	
	δ <i>cupreo-plena</i> .	<i>double-copper</i>	—	H. ♀.	
	ε <i>salmonco-plena</i> .	<i>double-salmon</i>	—	H. ♀.	
	ζ <i>lilacino-plena</i> .	<i>double-lilac</i>	—	H. ♀.	Botan. magaz. 229.
	η <i>rubro-plena</i> .	<i>double-Scotch</i>	—	H. ♀.	
	θ <i>purpureo-plena</i> .	<i>double dark purple</i>	—	H. ♀.	
9	<i>elator</i> . R.S.	Oxlip.	Britain.	—	H. ♀.	Eng. bot. 518.
	β <i>polyantha</i> .	<i>Polyanthus</i>	—	H. ♀.	
	γ <i>calycantha</i> .	<i>coloured-calyxed</i>	—	H. ♀.	
10	<i>Perreiniana</i> . R.S.	Perrein's.	Spain.	—	H. ♀.	Flugg. an.mus.12. t.37.
	<i>Fluggeana</i> . Lehm.						
11	<i>Pallasii</i> . R.S.	Pallas's.	Altay.	1820.	—	H. ♀.	Botan. regist. 896.
12	<i>Auricula</i> . R.S.	<i>Auricula</i> .	Switzerland.	1596.	4. 5.	H. ♀.	Jacq. aust. 5. t. 415.
	β <i>lutea</i> .	<i>yellow-flowered</i> .	—	—	—	H. ♀.	
	γ <i>calycantha</i> .	<i>yellow-calyxed</i> .	—	—	H. ♀.	
	δ <i>integerrima</i> .	<i>entire-leaved</i> .	—	—	H. ♀.	Trattin. tabul. t. 431.
	ε <i>hortensis</i> .	<i>garden</i>	—	H. ♀.	— t. 432.
13	<i>Palinuri</i> . R.S.	unequal-bract'd.	Palinuri.	1816.	—	H. ♀.	Swt. br. fl. gar. 8.
14	<i>Balbisii</i> . R.S.	Balbis's.	Italy.	1826.	—	H. ♀.	Moret. fl. vicent. p. 7. ic.
15	<i>marginata</i> . B.M.	silver-edged.	Switzerland.	1777.	3. 4.	H. ♀.	Botan. magaz. 191.
	<i>crenata</i> . R.S.						
16	<i>longiflora</i> . R.S.	long-flowered.	—	1818.	4. 6.	H. ♀.	Jacq. aust. 5. t. 46.
17	<i>longifolia</i> . B.M.	long-leaved.	Levant.	1790.	4. 5.	H. ♀.	Botan. magaz. 392.
	<i>auriculata</i> . R.S.						
18	<i>farinosa</i> . R.S.	Bird's-eye.	Britain.	4. 7.	H. ♀.	Eng. bot. 6.
19	<i>scotica</i> . S.S.	Scotch bird's-eye.	Scotland.	7.	H. ♀.	Hook. fl. lond. t. 133.
20	<i>stricta</i> . R.S.	Horneman's.	N. Europe.	1822.	6. 7.	H. ♀.	Flor. dan. t. 1385.
	<i>Hornemanniana</i> . S.S.						
21	<i>davurica</i> . R.S.	Siberian bird's-eye.	Davuria.	1806.	5. 6.	H. ♀.	Botan. magaz. 1219.
	<i>intermedia</i> . B.M.						
22	<i>pusilla</i> . S.S.	American bird's-eye.	N. America.	1819.	—	H. ♀.	Hook. ex. flor. t. 68.
23	<i>finmarchica</i> . R.S.	Norwegian.	Norway.	1798.	—	H. ♀.	Flor. dan. t. 188.
24	<i>ivalis</i> . R.S.	snowy mountain.	Davuria.	1790.	4. 5.	H. ♀.	Pall. it. 3. app. t. 9. f. 2.
25	<i>viscosa</i> . R.S.	clammy.	Piedmont.	1792.	4.	H. ♀.	Trattin. tabul. t. 434.
26	<i>integrifolia</i> . R.S.	entire-leaved.	Pyrenees.	—	6. 7.	H. ♀.	Botan. magaz. 942.
27	<i>Simsii</i> .	Sims's.	Switzerland.	4. 6.	H. ♀.	— 1161.
	<i>villosa</i> β <i>flore albo</i> . B.M.						
28	<i>nivea</i> . F.	snowy white.	Siberia.	—	H. ♀.	
	<i>nivalis</i> . Hort. nec aliorum.						
29	<i>helvetica</i> . B.C.	Swiss.	Switzerland.	1790.	—	H. ♀.	Lodd. bot. cab. 348.
30	<i>pubescens</i> . R.S.	pubescent.	Pyrenees.	1768.	—	H. ♀.	Trattin. tabul. t. 427.
	<i>villosa</i> . B.M. 14. non Jacq.						
31	<i>villosa</i> . R.S.	villous.	S. Europe.	—	—	H. ♀.	Jacq. aust. 5. t. 27.
32	<i>ciliata</i> . R.S.	ciliated.	Switzerland.	—	H. ♀.	
	<i>decora</i> . B.M. 1922.						
33	<i>glutinosa</i> . R.S.	glutinous.	S. Europe.	1820.	—	H. ♀.	Jacq. aust. t. 26.
34	<i>minima</i> . R.S.	smallest.	Switzerland.	1819.	4. 5.	H. ♀.	Botan. regist. 581.
ANDROSACE. L.		ANDROSACE.	Pentandria Monogynia. L.				
1	<i>maxima</i> . R.S.	oval-leaved.	Austria.	1597.	3. 6.	H. ♂.	Jacq. aust. 4. t. 331.
2	<i>elongata</i> . R.S.	cluster-flow'r'd.	—	1776.	4. 5.	H. ♂.	— 4. t. 330.
3	<i>nana</i> . R.S.	dwarf.	S. Europe.	1825.	—	H. ♂.	
4	<i>septentrionalis</i> . R.S.	tooth-leaved.	Russia.	1755.	—	H. ♂.	Botan. magaz. 2021.
5	<i>coronopifolia</i> . A.R.	Buckshorn-lq.	Siberia.	1806.	6. 9.	H. ♂.	Andr. reposit. 647.
	<i>lactiflora</i> . R.S.						
6	<i>filiformis</i> . R.S.	filiform.	—	1823.	—	H. ♂.	Gmel. sib. 4. t. 44. f. 4.
7	<i>villosa</i> . R.S.	villous.	Pyrenees.	1790.	6. 7.	H. ♀.	Botan. magaz. 743.
8	<i>chamæjasme</i> . R.S.	grass-leaved.	Austria.	1768.	6. 8.	H. ♀.	Lodd. bot. cab. 232.
9	<i>lactea</i> . R.S.	white-flowered.	—	1752.	—	H. ♀.	Botan. magaz. 868.
10	<i>carnea</i> . R.S.	awl-leaved.	Switzerland.	1768.	7. 8.	H. ♀.	Lodd. bot. cab. 40.
11	<i>obtusifolia</i> . R.S.	blunt-leaved.	—	1820.	—	H. ♀.	All. ped. 1. t. 46. f. 1.
ARETIA. W.		ARETIA.	Pentandria Monogynia. L.				
1	<i>helvetica</i> . W.	imbriated.	Switzerland.	1775.	5. 6.	H. ♀.	Schk. hand. 1. t. 32.
2	<i>argentea</i> .	silvery.	—	1826.	—	H. ♀.	Lap. pyr. ic. ined. t. 67.
	<i>Androsace argentea</i> . R.S.						
3	<i>alpina</i> . W.	linear-leaved.	—	1775.	—	H. ♀.	Jacq. aust. 5. app. t. 18.
4	<i>Vitaliana</i> . W.	grass-leaved.	Pyrenees.	1787.	—	H. ♀.	Lodd. bot. cab. 166.
	<i>Primula sedifolia</i> . P.L. 107.	<i>Androsace Vitaliana</i> . R.S.					

GLAUX, L. maritima. R.S.	BLACK-SALTWORT. Pentandria Monogynia. L. sea-side. Britain. 5. 6. H. 2.	Eng. bot. 13.
TRIENTALIS, W. 1 europæa. w. 2 americana. Ph.	WINTER-GREEN. Heptandria Monogynia. L. oval-leaved. Britain. 5. 6. H. 2. spear-leaved. N. America. 1816. 7. 8. H. 2.	Eng. bot. 15.
CORIS, L. monspeiliensis. L.	CORIS. Pentandria Monogynia. L. Montpelier. S. Europe. 1640. 6. 7. G. ♂	Botan. regist. 536.
HOTTONIA, L. palustris. E.B.	WATER-VIOLET. Pentandria Monogynia. L. marsh. England. 7. 8. H. w. 2.	Eng. bot. 364.
LYSIMACHIA, L. 1 vulgaris. R.S. 2 Ephemera. R.S. 3 atropurpurea. R.S. 4 dubia. R.S. 5 stricta. R.S. <i>bulbifera</i> . B.M. <i>racemosa</i> . M.	LOOSE-STRIPE. Pentandria Monogynia. L. common. Britain. 7. 9. H. 2. Willow-leaved. Spain. 1730. — H. 2. dark purple. Levant. — H. ♂. purple-flow'r'd. — 1759. — H. ♂. upright. N. America. 1781. 7. 8. H. 2.	Eng. bot. 761. Murr. c. gott. 1782. t. 2. Hook. ex. flor. 180? Flor. græc. t. 188. Botan. magaz. 104.
6 capitata. R.S. 7 thyrsoflora. R.S. 8 quadrifolia. R.S. <i>hirsuta</i> . M.	headed. — 1813. 5. 7. H. 2. tufted. England. 5. 7. H. 2. four-leaved. N. America. 1798. 7. 8. H. 2.	Eng. bot. 176. Lam. ill. 1. t. 101. f. 2.
9 longifolia. R.S. <i>quadrifolia</i> . B.M.	long-leaved. — — — — H. 2.	Botan. magaz. 600.
10 verticillata. R.S. 11 ciliata. R.S. 12 punctata. R.S. 13 angustifolia. R.S. 14 hybrida. R.S. 15 nemorum. R.S. 16 maculata. B.P. 17 Nummularia. R.S.	whorl-leaved. Hungary. 1818. 6. 8. H. 2. ciliated. N. America. 1732. — H. 2. punctated. S. Europe. 1658. 7. 8. H. 2. narrow-leaved. N. America. 1803. 7. 9. H. 2. hybrid. — 1806. — H. 2. wood. Britain. 5. 7. H. 2. spotted. N. S. W. 1822. — G. 2. Moneywort. Britain. 6. 7. H. 2.	Swt. br. fl. gar. 21. Wachend. hort. t. 12. Jacq. aust. 4. t. 366. Eng. bot. 527. Eng. bot. 528.
LUBINIA, S.S. atropurpurea. s.s.	LUBINIA. Pentandria Monogynia. S.S. dark-purple. C. B. S. 1823. 7. 9. H. 2.	Link et Ot. h. ber. t. 27.
ASTEROLINON, Lk. stellatum. L.en. <i>Lysimachia Linum-stellatum</i> . F.G.	ASTEROLINON. Pentandria Monogynia. L.en. starry. Italy. 1658. 6. H. ♂.	Flor. græc. t. 189.
ANAGALLIS, L. 1 arvensis. E.B. <i>phænicea</i> . R.S. 2 carnea. Schl. 3 indica. B.F.G. 4 cœrulea. R.S. 5 collina. R.S. <i>fruticosa</i> . B.M. <i>grandiflora</i> . A.R. 367.	PIMPERNELL. Pentandria Monogynia. L. red-flowered. Britain. 6. 9. H. ♂. flesh-coloured. Switzerland. — — H. ♂. Indian. E. Indies. 1824. — H. ♂. blue-flowered. Britain. — H. ♂. large-flowered. Morocco. 1803. 5. 7. G. ♂.	Eng. bot. 529. Swt. br. fl. gar. 132. Eng. bot. 1823. Botan. magaz. 831.
6 latifolia. R.S. 7 Monelli. R.S. 8 linifolia. R.S. 9 tenella. R.S.	Spain. 1759. — G. ♂. — 2389. Italy. 1648. 5. 9. G. 2. — 319. Portugal. 1796. 6. 7. G. 2. bog. Britain. 7. 8. H. 2.	Moris. s. 5. t. 26. f. 3. Eng. bot. 530.
CENTUNCULUS, L. minimus. E.B.	BASTARD PIMPERNELL. Tetrandria Monogynia. L. least. Britain. 6. 7. H. ♂.	Eng. bot. 531.
? SAMOLUS, B.P. 1 Valerandi. E.B. 2 littoralis. B.P. 3 campanuloides. s.s. <i>Campanula porosa</i> , w.	BROOK-WEED. Pentandria Monogynia. L. common. Britain. 6. 8. H. 2. sea-side. N. S. W. 1806. 7. 9. G. 2. Campanulalike. C. B. S. 1816. — G. 2.	Eng. bot. 703. Lab. n. holl. 1. t. 54.

ORDO CXXXVIII.

LOBULARIÆ. *Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.*

LOBULARIA, L. 1 longifolia. w. <i>salicina</i> . R.S. 2 <i>Alypum</i> . R.S. <i>β integrifolia</i> .	LOBULARIA. Tetrandria Monogynia. L. Willow-leaved. Madeira. 1775. 7. 8. G. 2. three-toothed. S. Europe. 1640. 8. 9. G. 2. <i>entire-leaved</i> . — — G. 2.	Botan. regist. 685. Garid. aix. t. 42. Rœm. et Ust. b. m. 7. t. 5.
--	--	--

3	linifolia. R.S.	Flax-leaved.	Spain.	1818.	5. 6.	H. ½.	
4	vulgaris. R.S.	common.	Europe.	1640.	—	H. ½.	Swt. br. fl. gar. 20.
5	spinosa. R.S.	prickly-leaved.	Spain.	—	—	F. ½.	
6	cordifolia. R.S.	wedge-leaved.	Germany.	1633.	6. 7.	H. ½.	Swt. br. fl. gar. 34.
7	nana. R.S.	dwarf.	S. France.	1818.	—	H. ½.	DC. ic. pl. gal. rar. 1. t. 3.
8	nudicaulis. R.S.	naked-stalked.	Germany.	1629.	—	H. ½.	Jacq. aust. 3. t. 230.
9	bellidifolia. R.S.	Daisy-leaved.	Italy.	1824.	—	H. ½.	

**** SUBCLASSIS IV. MONOCHLAMYDEÆ.

ORDO CXXXIX.

PLUMBAGINEÆ. *Brown prodr.* 1. p. 425.

STATICE. T.	THRIFT.	Pentandria	Pentagynia.	L.			
1 vulgaris.	common.	Europe.	6. 8.	H. ½.	Schk. handb. t. 87.	
<i>Armeria vulgaris.</i> R.S.							
2 arenaria. P.S.	sand.	France.	5. 8.	H. ½.		
3 alpina.	flattish-stalked.	Carinthia.	—	H. ½.		
4 littoralis.	ciliate-leaved.	Portugal.	—	H. ½.		
<i>Armeria littoralis.</i> R.S.							
5 maritima. Mill.	sea-side.	Britain.	5. 7.	H. ½.	Eng. bot. 226.	
<i>Armeria. E.B. Armeria maritima.</i> R.S.							
6 humilis. P.S.	dwarf.	Portugal.	—	H. ½.		
7 juniperifolia. W.	Juniper-leaved.	Spain.	1818.	—	H. ½.	Quer. hisp. 6. t. 15. f. 1.	
8 pinifolia. Brot.	Pine-leaved.	Portugal.	—	H. ½.		
9 pungens. Brot.	pungent-leav'd.	—	—	H. ½.		
10 alliacea. W.	Garlic-leaved.	Spain.	1798.	5. 6.	H. ½.	Cavan. ic. 2. t. 109.	
11 scorzonerifolia.	spear-leaved.	S. Europe.	1816.	—	H. ½.		
<i>Armeria scorzonerifolia.</i> s.s.							
12 denticulata. Bert.	tooth-leaved.	Italy.	—	—	H. ½.		
13 latifolia.	broad-leaved.	Portugal.	1740.	5. 7.	H. ½.	Jacq. vind. 1. t. 42.	
<i>cephalotes. H.K. Armeria latifolia.</i> R.S.							
14 plantaginea.	Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. ½.		
15 dianthoides. B.F.G.	Pink-like.	—	1824.	5. 7.	H. ½.	Swt. br. fl. gar. ic.	
<i>Armeria dianthoides.</i> s.s.							
16 hirta.	hairy.	Gibraltar.	1818.	—	H. ½.		
<i>Armeria hirta.</i> R.S.							
17 fasciculata. P.S.	bundle-leaved.	Portugal.	4. 8.	H. ½.	Venten. cels. t. 38.	
TAXANTHEMA. B.P.	SEA LAVENDER.	Pentandria	Pentagynia.				
1 graminifolia. R.S.	Grass-leaved.	Siberia.	1780.	6. 7.	H. ½.		
2 Limonium. R.S.	common.	England.	5. 8.	H. ½.	Eng. bot. 102.	
<i>Statice Limonium.</i> E.B.							
3 elata. s.s.	tall.	Siberia.	1824.	—	H. ½.		
4 Gmelini. R.S.	Gmelin's.	—	1796.	6. 8.	H. ½.	Gmel. sib. 2. t. 90.	
5 caroliniana. R.S.	Carolina.	N. America.	1824.	—	H. ½.		
6 scoparia. R.S.	Broom.	Siberia.	1796.	—	H. ½.		
7 latifolia. R.S.	broad-leaved.	—	1791.	5. 7.	H. ½.	Hoff. c. gott. 1796. t. 1.	
8 purpurata. R.S.	purple.	C. B. S.	1800.	6. 7.	G. ½.		
9 bellidifolia. R.S.	Daisy-leaved.	Greece.	1823.	—	G. ½.		
10 globulariæfolia. R.S.	Globularia-ld.	S. Europe.	—	—	F. ½.	Flor. græc. t. 296.	
11 oleæfolia. R.S.	Olive-leaved.	Italy.	1688.	5. 8.	H. ½.	Lobel. ic. p. 295. f. 2.	
12 Willdenowiana.	Willdenow's.	S. France.	1804.	6. 8.	H. ½.	Willd. h. ber. t. 63.	
<i>Statice spathulata.</i> W. non Desf.							
13 auriculæfolia. R.S.	Auricula-ld.	Barbary.	1781.	7. 8.	F. ½.		
14 incana. R.S.	hoary.	Levant.	1823.	—	H. ½.	Gmel. it. 2. t. 34.	
15 spathulata. R.S.	spatula-leaved.	Barbary.	1804.	6. 8.	F. ½.	Botan. magaz. 1617.	
16 cordata. R.S.	retuse-leaved.	S. Europe.	1752.	5. 7.	F. ½.	Barrel. ic. 805.	
17 emarginata. R.S.	emarginate.	Gibraltar.	—	F. ½.		
18 caspia. R.S.	Caspian.	Siberia.	7. 8.	H. ½.	Gmel. sib. 2. t. 89. f. 2.	
19 scabra. R.S.	rough-branch'd.	C. B. S.	1788.	5. 7.	G. ½.		
20 tetragona. R.S.	square-stalked.	—	1816.	—	G. ½.		

21	reticulata. R.S.	matted.	England.	7. 8.	H. 2.	Eng. bot. 328.
	<i>Statice reticulata</i> . E.B.						
22	dichotoma. R.S.	forked.	Spain.	1818.	—	H. 2.	Cavan. ic. 1. t. 50.
23	virgata. R.S.	twiggy.	—	—	H. 2.	
24	viminea. R.S.	slender.	—	1823.	—	H. 2.	
25	eclioides. R.S.	rough-leaved.	S. Europe.	1752.	7. 8.	F. 2.	Flor. græc. t. 298.
26	speciosa. B.F.G.	Plantain-leaf'd.	Russia.	1776.	—	H. 2.	Swt. br. fl. gar. 105.
	<i>Statice speciosa</i> . B.M. 656.						
27	conspicua. R.S.	conspicuous.	—	1804.	—	H. 2.	Botan. magaz. 1629.
	<i>Statice conspicua</i> . B.M.						
28	tatarica. B.F.G.	Tartarian.	—	1731.	6. 7.	H. 2.	Swt. br. fl. gar. 37.
29	flexuosa. R.S.	zigzag.	Siberia.	1791.	7. 8.	H. 2.	Gmel. sib. 2. t. 89. f. 1?
30	minuta. R.S.	small.	S. Europe.	1658.	6. 7.	H. 2.	Bocc. sic. t. 13. f. 3.
31	pectinata. R.S.	triangular-stalk'd.	Canaries.	1780.	9. 10.	F. 2.	
32	macrophylla. s.s.	large-leaved.	—	1816.	7. 9.	F. 2.	
33	suffruticosa. R.S.	narrow-leaved.	Siberia.	1779.	5. 9.	H. 2.	Gmel. sib. 2. t. 88. f. 2. 3.
34	monopetala. R.S.	Sicilian shrubby.	Sicily.	1731.	7. 8.	F. 2.	Bocc. sic. t. 16. 17.
35	ferulacea. R.S.	Fennel-like.	Siberia.	1796.	5.	H. 2.	Moris. s. 15. t. 1. f. 23.
36	sinnata. R.S.	scollop-leaved.	Levant.	1629.	5. 9.	F. 2.	Botan. magaz. 71.
37	Thouini. R.S.	Thouin's.	Africa.	6. 10.	F. 2.	Mart. cent. t. 84.
38	alata. R.S.	winged.	1806.	—	F. 2.	
39	ægyptiaca. R.S.	Egyptian.	Egypt.	1816.	—	F. 2.	Botan. magaz. 2363.
40	mucronata. R.S.	curled.	Barbary.	1784.	—	F. 2.	L'Herit. stirp. t. 13.
	PLUMBAGO. L.	LEADWORT.	Pentandria Monogynia. L.				
1	europæa. R.S.	European.	S. Europe.	1596.	9. 10.	H. 2.	Botan. magaz. 2139.
2	lapathifolia. R.S.	Dock-leaved.	Iberia.	1824.	—	H. 2.	
3	capensis. R.S.	blue-flowered.	C. B. S.	1818.	9. 3.	S. 2.	Botan. regist. 417.
4	tristis. H.K.	dark-flowered.	—	1792.	5. 6.	G. 2.	
5	zeylanica. R.S.	Ceylon.	E. Indies.	1731.	4. 9.	S. 2.	Rheed. mal. 10. t. 8.
6	occidentalis.	West Indian.	W. Indies.	1817.	—	S. 2.	
	<i>zeylanica</i> β. R.S. <i>scandens</i> . Hort.						
7	rosea. R.S.	rose-coloured.	E. Indies.	1777.	3. 7.	S. 2.	Botan. magaz. 230.
8	scandens. R.S.	climbing.	W. Indies.	1699.	7. 8.	S. 2.	Jacq. amer. pict. t. 13.

ORDO CXL.

PLANTAGINEÆ. *Juss. gen. 89.*

PLANTAGO. L.		PLANTAIN. Tetrandria Monogynia. L.					
1	major. R.S.	greater.	Britain.	5. 7.	H. 2.	Eng. bot. 1558.
	β <i>rosea</i> .	<i>rose-bracted</i> .	—	—	H. 2.	
2	asiatica. R.S.	broad-leaved.	Siberia.	1787.	7.	H. 2.	Gmel. sib. 4. t. 37. ?
3	Cornuti. R.S.	Cornuti's.	S. Europe.	1801.	7. 8.	H. 2.	Corn. canad. p. 163. ic.
	<i>Gouani</i> . s.s.						
4	Brutia. R.S.	Calabrian.	Calabria.	1824.	7. 8.	H. 2.	
5	exaltata. R.S.	tallest.	—	—	H. 2.	
6	cordata. R.S.	heart-leaved.	N. America.	1818.	—	H. 2.	Jacq. f. ecl. t. 72.
7	maxima. R.S.	hollow-leaved.	Siberia.	1763.	—	H. 2.	Jacq. ic. 1. t. 26.
8	crassa. s.s.	succulent.	S. Europe.	1793.	6. 7.	H. 2.	Jacq. col. sup. 34. t. 16.
	<i>crispa</i> . Jacq. <i>bullata</i> . Donn.						
9	media. R.S.	hoary.	Britain.	5. 7.	H. 2.	Eng. bot. 1559.
10	camtschatica. s.s.	Kamtschatka.	Kamtschatka.	1819.	—	H. 2.	
11	lanceolata. R.S.	Rib-grass.	Britain.	5. 7.	H. 2.	Eng. bot. 507.
12	sibirica. R.S.	Siberian.	Siberia.	1823.	—	H. 2.	
13	montana. R.S.	mountain.	S. Europe.	—	—	H. 2.	
14	capensis. R.S.	Cape.	C. B. S.	1788.	5. 8.	G. 2.	
15	altissima. R.S.	tall.	Italy.	1774.	6. 7.	H. 2.	Jacq. obs. 4. t. 83.
16	Lagopus. R.S.	round-headed.	Spain.	1683.	—	H. 2.	Wein. phyt. 4. t. 820. f. a.
17	eriodachya. R.S.	woolly-spiked.	Naples.	1825.	7. 8.	H. 2.	
18	sphærocephala. R.S.	round-headed.	Austria.	1774.	6. 7.	H. 2.	Jacq. vind. 2. t. 125.
	<i>alpina</i> . Jacq. <i>non</i> L.						
19	lusitanica. R.S.	Portugal.	Portugal.	1781.	7. 8.	H. 2.	Barrel. ic. t. 745.
20	virginica. R.S.	Virginian.	N. America.	1688.	6. 9.	H. 2.	Moris. s. 8. t. 15. f. 8.

21 depressa. R.S.	depressed.	N.America.	1818.	—	H. ½.	
22 sparsiflora. R.S.	scattered-fl'd.	—	—	—	H. 0.	
23 saxatilis. R.S.	rock.	Iberia.	1820.	6. 8.	H. ½.	
24 sericea. R.S.	silky.	Hungary.	—	—	H. ½.	W. et K. hung. t. 151.
25 albicans. R.S.	woolly.	S. Europe.	1776.	6. 9.	H. ½.	Flor. græc. t. 145.
26 mexicana. S.S.	Mexican.	Mexico.	1820.	6. 7.	H. ½.	
27 patagonica. R.S.	Patagonian.	Patagonia.	1793.	6. 9.	H. 0.	Jacq. ic. 2. t. 306.
28 microcephala. R.S.	small-headed.	—	H. 0.	
29 Bellardi. R.S.	Bellardi's.	S. Europe.	1797.	—	H. 0.	Flor. græc. t. 146.
30 cretica. R.S.	Cretan.	Candia.	1711.	6. 7.	H. 0.	— t. 147.
31 graminea. R.S.	grass-leaved.	France.	1804.	—	H. ½.	Dod. pempt. 108. ic.
32 maritima. R.S.	sea-side.	Britain.	7.	H. ½.	Eng. bot. 175.
33 salsa. R.S.	saltwort.	Tauria.	1819.	—	H. ½.	
34 crassifolia. R.S.	thick-leaved.	Egypt.	1824.	—	H. ½.	
35 hirsuta. R.S.	hairy.	C. B. S.	1801.	6. 7.	G. ½.	Jacq. schœn. 3. t. 258.
36 tumida. L.en.	tumid-capsuled.	Chili.	1819.	—	H. 0.	
37 alpina. R.S.	Alpine.	S. Europe.	1774.	—	H. ½.	
38 tenuiflora. R.S.	slender-flow'r'd.	Hungary.	1819.	—	H. 0.	W. et K. hung. 1. t. 39.
39 recurvata. R.S.	recurved-leav'd.	S. Europe.	1799.	—	H. ½.	Murr. c. gott. 1780. t. 6.
40 Wulfeni. R.S.	Wulfen's.	Carinthia.	1802.	—	H. ½.	
41 subulata. R.S.	awl-leaved.	S. Europe.	1596.	7.	H. ½.	Lobel. ic. 429.
42 Holostenum. R.S.	Scopoli's.	Carniola.	1825.	7. 8.	H. ½.	Jacq. coll. 1. t. 10.
43 Coronopus. R.S.	star of the earth.	Britain.	4. 9.	H. 0.	Eng. bot. 892.
44 Jacquin. R.S.	Jacquin's.	S. Europe.	1801.	7. 8.	H. ½.	Jacq. ic. 1. t. 27.
<i>Cornuti. Jacq.</i>						
45 Serraria. R.S.	saw-leaved.	Barbary.	1640.	6. 7.	H. ½.	Moris. s. 8. t. 16. f. 19.
46 macrorrhiza. R.S.	large-rooted.	Morocco.	1798.	7. 8.	H. ½.	Bocc. sic. t. 15. f. 2.
47 Lœflingii. R.S.	narrow-leaved.	Spain.	—	H. 0.	Jacq. vind. 2. t. 126.
48 amplexicaulis. R.S.	stem-clasping.	—	1797.	6. 7.	H. 0.	Cavan. ic. 2. t. 125.
49 villosa. R.S.	villous.	Germany.	1804.	—	H. 0.	
50 vaginata. R.S.	sheathed.	Canaries.	1816.	—	G. ½.	Venten. cels. t. 29.
51 Cynops. R.S.	shrubby.	S. Europe.	1596.	5. 8.	H. ½.	Jacq. fragm. t. 182.
52 afra. R.S.	Barbary.	Barbary.	1640.	6.	F. ½.	Moris. s. 8. t. 17. f. 4.
53 divaricata. R.S.	spreading.	1824.	—	H. ½.	
54 squarrosa. R.S.	leafy-spiked.	Egypt.	1787.	8. 9.	H. 0.	Jacq. ic. 1. t. 28.
55 Psyllium. R.S.	Fleawort.	S. Europe.	1562.	7. 8.	H. 0.	Moris. s. 8. t. 17. f. 4.
56 arenaria. R.S.	sand.	Hungary.	1804.	5. 8.	H. 0.	W. et K. hung. 1. t. 51.
57 stricta. R.S.	upright.	Morocco.	—	7. 8.	H. 0.	Moris. s. 3. 8. t. 17. f. 2.
58 Ispaghul. R.S.	East Indian.	E. Indies.	1819.	—	S. 0.	
59 indica. R.S.	Indian.	India.	1780.	7. 8.	H. 0.	
60 pumila. R.S.	dwarf.	S. Europe.	1790.	—	H. 0.	Murr. c. gott. 1778. t. 5.
61 brasiliensis. B.M.	Brazilian.	Brazil.	1822.	7. 10.	S. ½.	Botan. magaz. 2616.
LITTORELLA. L.	SHORE-WEED.	Monœcia Tetrandia.	L.			
lacustris. E.E.	Plantain-leav'd.	Britain.	6. 9.	H. ½.	Eng. bot. 468.

ORDO CXLI.

NYCTAGINEÆ. *Juss. gen. 90.*

OXYBAPHUS. R.S.	UMBRELLA-WORT.	Triandria Monogynia.	R.S.			
1 viscosus. R.S.	viscid.	Peru.	1793.	5. 9.	H. ½.	Botan. magaz. 434.
2 glabrifolius. R.S.	smooth-leaved.	New Spain.	1811.	7. 8.	H. ½.	Cavan. ic. 4. t. 379.
3 ovatus. R.S.	oval-leaved.	Peru.	1820.	—	H. ½.	Flor. peruv. 1. t. 75. f. b.
4 Cervantesii. Lag.	Cervantes'.	Mexico.	1822.	7. 10.	H. ½.	Swt. br. fl. gar. 84.
5 expansus. R.S.	expanded.	Lima.	—	—	H. ½.	Flor. peruv. 1. t. 75. f. a.
6 aggregatus. R.S.	aggregate.	New Spain.	1811.	—	H. ½.	Cavan. ic. 5. t. 437.
7 nyctaginea. N.	heart-leaved.	Missouri.	1823.	7. 9.	H. ½.	
<i>Allionia nyctaginea. M. Calymenia nyctaginea. N.</i>						
8 pilosa. N.	pilose.	—	1812.	—	H. ½.	
<i>Calymenia pilosa. N. Allionia ovata. Ph.</i>						
9 hirsuta. N.	hairy.	Louisiana.	—	—	H. ½.	
10 angustifolia.	narrow-leaved.	—	—	—	H. ½.	
<i>Allionia linearis. Ph. Calymenia angustifolia. N.</i>						
11 decumbens. N.	decumbent.	Missouri.	1818.	—	H. ½.	

MIRABILIS. R.S.	MARVEL OF PERU. Pentandria Monogynia. L.				
1 dichotoma. R.S.	forked.	Mexico.	1640.	7. 8.	G. 2.
2 Jalapa. R.S.	common.	India.	1596.	6. 9.	H. 2.
<i>a alba.</i>	<i>white-flowered.</i>	_____	_____	_____	H. 2.
<i>β flava.</i>	<i>yellow-flowered.</i>	_____	_____	_____	H. 2.
<i>γ rubra.</i>	<i>red-flowered.</i>	_____	_____	_____	H. 2.
<i>δ rubro-flava.</i>	<i>red and yellow.</i>	_____	_____	_____	H. 2.
<i>ε rubro-alba.</i>	<i>red and white.</i>	_____	_____	_____	H. 2.
3 hybrida. R.S.	hybrid.	Hybrid.	1818.	6. 9.	H. 2.
4 longiflora. R.S.	long-flowered.	Mexico.	1759.	_____	H. 2.
5 suaveolens. K.S.	sweet-scented.	_____	1824.	_____	H. 2.
ABRONIA. R.S.	ABRONIA. Pentandria Monogynia. R.S.				
umbellata. R.S.	flesh-coloured.	California.	1823.	6. 8.	H. 2.
ALLIONIA. K.S.	ALLIONIA. Tetrandria Monogynia. L.				
1 violacea. K.S.	violet-coloured.	Cumana.	1820.	7. 9.	H. ⊙.
2 incarnata. K.S.	flesh-coloured.	_____	_____	_____	H. ⊙.
BOERHAAVIA. L.	HOGWEED. Mono-Tetrandria Monogynia.				
1 erecta. R.S.	upright.	W. Indies.	1733.	7. 9.	S. 2.
2 procumbens. F.I.	procumbent.	E. Indies.	_____	S. 2.
3 diffusa. R.S.	spreading.	W. Indies.	1690.	8. 9.	S. 2.
4 hirsuta. R.S.	scarlet trailing.	Jamaica.	1733.	5. 8.	S. 2.
5 plumbaginea. R.S.	Plumbago-ld.	Spain.	1822.	_____	S. 2.
6 discolor. K.S.	two-coloured.	Guayaquil.	1825.	_____	S. 2.
7 viscosa. K.S.	viscous.	_____	_____	_____	S. 2.
8 scandens. R.S.	climbing.	Jamaica.	1691.	4. 9.	S. 2.
9 excelsa. R.S.	lofty.	S. America.	1820.	_____	S. 2.
PISONIA. L.	PISONIA. Heptandria Monogynia. L.				
1 grandis. B.P.	superb.	N. Holland.	1805.	G. 2.
2 hirtella. K.S.	hairy.	Mexico.	1825.	G. 2.
3 fragrans. S.S.	fragrant.	_____	S. 2.
4 nigricans. S.S.	black.	W. Indies.	1806.	5. 7.	S. 2.
5 obtusata. S.S.	blunt-leaved.	_____	1822.	S. 2.
6 Mexicana. L.en.	Mexican.	Mexico.	1825.	S. 2.
<i>Boerhavia urborescens.</i> P.S.					
7 nitida. W.en.	glossy.	Madagascar.	1824.	S. 2.
8 aculeata. S.S.	prickly.	Jamaica.	1739.	3. 4.	S. 2.
BOLDOA. S.S.	BOLDOA. Triandria Monogynia. S.S.				
lanceolata. S.S.	lance-leaved.	Mexico.	1824.	5. 7.	G. 2.
<i>Salpianthus arenarius.</i> K.S.					
? ASTRANTHUS. S.S.	ASTRANTHUS. Heptandria Tetragynia. S.S.				
cochinchinensis.	Chinese.	China.	1821.	6. 7.	S. 2.

ORDO CXLII.

AMARANTHACEÆ. *Brown prodr. p. 413.*

AMARANTHUS. L.	AMARANTH. Monœcia Pentandria. L.				
1 tenuifolius. w.	fine-leaved.	E. Indies.	1801.	7. 9.	H. ⊙.
2 angustifolius. w.	narrow-leaved.	Levant.	1723.	_____	H. ⊙.
3 pallidus. S.S.	pale.	Tauria.	1823.	_____	H. ⊙.
4 persicarioides. S.S.	Persicaria-like.	Nepaul.	1818.	9. 11.	H. ⊙.
5 Acroglochm. S.S.	spiny-bracted.	_____	1820.	_____	H. ⊙.
6 albus. w.	white.	N. America.	1778.	7. 9.	H. ⊙.
7 græcizans. w.	Pellitory-leav'd	_____	1759.	_____	H. ⊙.
8 polygamus. w.	hermaphrodite.	E. Indies.	1780.	_____	H. ⊙.
9 Blitum. E.B.	wild.	England.	6. 8.	H. ⊙.
10 viridis. w.	green.	Brazil.	1768.	8. 9.	H. ⊙.
11 campestris. w.	field.	E. Indies.	1818.	_____	H. ⊙.
12 polygonoides. w.	spotted-leaved.	Jamaica.	1778.	7. 8.	H. ⊙.
13 melancholicus. w.	melancholy.	E. Indies.	1731.	6. 9.	H. ⊙.
14 tricolor. w.	three-coloured.	_____	1548.	_____	G. ⊙.
15 bicolor. w.	two-coloured.	_____	1802.	7. 9.	H. ⊙.

W. amar. 9. t. 1. f. 2.
 _____ 8. t. 4. f. 7.
 Rumph. amb. 5. t. 82.
 Eng. bot. 2212.
 W. amar. 18. t. 8. f. 16.
 W. amar. 11. t. 6. f. 12.
 _____ 15. t. 9. f. 18.
 Knor. thes. 2. t. A. 3. 5.

16 gangeticus. w.	oval-spiked.	E. Indies.	1778.	7. 9.	H.⊙.	W. amar. 16. t. 6. f. 11.	
17 mangostanus. w.	rhombe-leaved.	—————	1801.	—————	H.⊙.	————— 13. t. 12.	
18 polystachyus. w.	many-spiked.	—————	1816.	—————	H.⊙.	—————	
19 tristis. w.	round-headed.	China.	1759.	6. 8.	H.⊙.	W. amar. 21. t. 5. f. 10.	
20 inamœnus. w.	inelegant.	—————	1816.	—————	H.⊙.	—————	
21 incomptus. w.en.	slovenly.	—————	—————	—————	H.⊙.	—————	
22 lividus. w.	livid.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 20. t. i. f. 1.	
23 oleaceus. w.	eatable.	E. Indies.	1764.	7. 8.	H.⊙.	————— 17. t. 5. f. 9.	
24 lanceæfolius. H.B.	lance-leaved.	—————	1816.	8. 10.	H.⊙.	—————	
25 atropurpureus. H.B.	dark-purple.	—————	1821.	—————	H.⊙.	—————	
26 gracilis. s.s.	oval-leaved.	Guinea.	1806.	7. 8.	H.⊙.	Jacq. ic. 2. t. 344.	
<i>Chenopodium caudatum.</i> Jacq.							
27 prostratus. w.	trailing.	France.	1739.	7. 9.	H.⊙.	—————	
28 scandens. w.	climbing.	S. America.	1796.	7. 8.	S.⊙.	—————	
29 deflexus. w.	bending.	—————	1805.	—————	H.⊙.	W. amar. 10. t. 10. f. 20.	
30 fasciatus. H.B.	fasciate.	E. Indies.	1820.	8. 10.	H.⊙.	—————	
31 bullatus. s.s.	blistered.	—————	—————	7. 9.	H.⊙.	—————	
32 spicatus. P.S.	spiked.	France.	—————	—————	H.⊙.	—————	
33 cauliflorus. L.en.	stem-flowering.	Nepaul.	1816.	8. 10.	H.⊙.	—————	
34 pumilus. s.s.	dwarf.	N. America.	—————	6. 9.	H.⊙.	—————	
35 hybridus. w.	clustered.	—————	1656.	6. 9.	H.⊙.	W. amar. 26. t. 9. f. 17.	
36 hecticus. w.	oval-spiked.	—————	1796.	8.	H.⊙.	————— 25. t. 7. f. 13.	
37 lætus. w.	blunt-leaved.	Italy.	1799.	7. 9.	H.⊙.	————— 28. t. 8. f. 15.	
38 strictus. w.	upright.	—————	1793.	—————	H.⊙.	————— 27. t. 3. f. 5.	
39 paniculatus. w.	panicled.	N. America.	1798.	—————	H.⊙.	————— 32. t. 2. f. 4.	
40 celosioides. K.S.	Spinach-like.	S. America.	1824.	9. 11.	H.⊙.	—————	
41 caracasanus. K.S.	Caracas.	Caracas.	1821.	—————	H.⊙.	—————	
42 retroflexus. w.	hairy.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 33. t. 11. f. 21.	
43 flavus. w.	pale yellow.	India.	—————	—————	H.⊙.	————— 35. t. 3. f. 6.	
44 chlorostachys. w.	nodding.	—————	1796.	—————	H.⊙.	————— 34. t. 10. f. 19.	
45 parisiensis. s.s.	Paris.	—————	1819.	—————	H.⊙.	—————	
46 hypochondriacus. w.	Prince's feather.	Virginia.	1684.	—————	H.⊙.	—————	
47 sanguineus. w.	spreading.	Bahama Isl.	1775.	—————	H.⊙.	W. amar. 31. t. 2. f. 3.	
48 cruentus. w.	various-leaved.	China.	1728.	6. 8.	H.⊙.	—————	
49 speciosus. D.P.	showy.	Nepaul.	1819.	9. 11.	H.⊙.	Botan. magaz. 2227.	
50 caudatus. w.	Love lies bleeding.	E. Ind.	1596.	8. 9.	H.⊙.	—————	
<i>β maximus.</i>	tree.	—————	—————	—————	H.⊙.	—————	
51 spinosus. w.	prickly.	W. Indies.	1683.	7. 9.	H.⊙.	W. amar. 38. t. 4. f. 8.	
52 frumentaceus. H.B.	cultivated.	E. Indies.	1819.	—————	H.⊙.	—————	
CELOSIA. R.S. Cocks-comb. Pentandria Monogynia. L.							
1 argentea. R.S.	silvery-spiked.	China.	1714.	6. 9.	S.⊙.	Mart. cent. t. 7.	
<i>β linearis.</i>	narrow-leaved.	E. Indies.	—————	—————	S.⊙.	Rheed. mal. 10. t. 39.	
2 margaritacea. R.S.	pearl-flowered.	India.	—————	S.⊙.	————— 10. t. 38.	
3 cristata. R.S.	common.	Asia.	1570.	—————	S.⊙.	Rumph. amb. 5. t. 84.	
<i>a elata.</i>	tall red.	—————	—————	—————	S.⊙.	Knor. del. 1. t. H. 5. 6.	
<i>β compacta.</i>	dwarf red.	—————	—————	—————	S.⊙.	—————	
<i>γ flavescens.</i>	yellow.	—————	—————	—————	S.⊙.	—————	
4 comosa. R.S.	tufted.	E. Indies.	1802.	—————	S.⊙.	—————	
5 coccinea. R.S.	scarlet.	China.	1597.	—————	S.⊙.	—————	
6 castrensis. R.S.	branched.	E. Indies.	1739.	—————	S.⊙.	Barrel. rar. t. 1195.	
7 cernua. A.R.	drooping.	—————	1809.	7. 8.	S.⊙.	Andr. reposit. 635.	
8 Monsoniæ. R.S.	downy.	—————	1778.	7. 9.	S.⊙.	Pluk. alm. 11. t. 334. f. 4.	
<i>Achyranthes Monsoniæ. s.s. Illecebrum Monsoniæ. L.</i>							
9 nodiflora. R.S.	knotted.	—————	1780.	—————	S.⊙.	Jacq. vind. 1. t. 98.	
LESTIBUDESIA. R.S. LESTIBUDESIA. Pentandria Monogynia. R.S.							
1 virgata. R.S.	wave-leaved.	W. Indies.	1815.	8. 10.	S. ♀.	Jacq. ic. 2. t. 339.	
<i>Celosia virgata.</i> Jacq.							
2 paniculata. R.S.	panicled.	Jamaica.	1733.	6. 9.	S. ♂.	Sloan. hist. 1. t. 91. f. 2.	
3 trigyna. R.S.	oval-leaved.	Senegal.	1777.	8. 10.	S. ♂.	Jacq. vind. 3. t. 15.	
DEERINGIA. R.S. DEERINGIA. Pentandria Monogynia. R.S.							
1 indica. s.s.	Berry-bearing.	E. Indies.	1804.	8. 10.	S. ♂.	—————	
2 celosioides. B.P.	Cockscomb-like.	N. Holland.	1822.	—————	S. ♀.	—————	
CHAMISSOA. K.S. CHAMISSOA. Pentandria Monogynia. R.S.							
<i>altissima. K.S.</i>	tall.	S. America.	1819.	5. 6.	S. ♀.	H. et B. u. gen. 2. t. 125.	
CLADOSTACHYS. D.P. CLADOSTACHYS. Pentandria Monogynia.							
1 frutescens. D.P.	frutescent.	E. Indies.	1777.	8. 11.	S. ♀.	Rumph. amb. 5. t. 83.	
<i>Achyranthes muricata. L. Chamissoa muricata. s.s.</i>							
2 alternifolia.	alternate-leav'd.	—————	1789.	7. 8.	S.⊙.	Pluk. alm. t. 260. f. 1.	
<i>Achyranthes alternifolia. w. Desmochata alternifolia. D.C.</i>							

ACHYRANTHES. R.S. ACHYRANTHES. Pentandria Monogynia. L.					
1	argentea. R.S.	upright.	Sicily.	1713. 5. 10.	H. ♀. Bocc. sic. 16. t. 9.
2	aspera. R.S.	rough.	India.	1751. —	S. ♀. Mill. ic. t. 11. f. 2.
3	obtusifolia. Lam.	blunt-leaved.	————	———— S. ♀.
4	crispa. R.S.	curl-leaved.	1816. —	S. ♀.
5	virgata. R.S.	slender.	Portorico.	1823. —	S. ♀.
6	fruticosa. R.S.	shrubby.	E. Indies.	1816. —	S. ♀.
7	nivea. R.S.	white.	Canaries.	1780. 5. 7.	G. ♀.
8	pubescens. R.S.	pubescent.	1824. —	S. ♀.
9	porrigens. R.S.	crimson-fl'd.	Peru.	1802. 4. 8.	G. ♀. Botan. magaz. 830.
DESMOCHÆTA. R.S. DESMOCHÆTA. Pentandria Monogynia. R.S.					
1	atropurpurea. DC.	dark-purple.	E. Indies.	1759. 8. 10.	S. ♀. Rheed. mal. 10. t. 59.
		<i>Achyranthes lappacea. L. Pupalia lappacea. J.</i>			
2	flavescens. DC.	yellowish.	————	———— S. ♀. DC. h. mons. ined. t. 79.
3	prostrata. DC.	prostrate.	————	1793. 7. 8.	S. ♀. Rumph. amb. 6. t. 11.
ALTERNANTHERA. ALTERNANTHERA. Pentandria Monogynia. R.S.					
1	sessilis. R.S.	sessile-flow'r'd.	E. Indies.	1778. 7. 10.	S. ♂. Rheed. mal. 10. t. 11.
2	ficoides. R.S.	creeping-stalk'd.	S. America.	1819. —	S. ♀. Jacq. amer. pict. t. 90.
		<i>Gomphrena ficoidea. Jacq.</i>			
3	spinosa. R.S.	spiny.	————	———— S. ♀.
		<i>axillaris. DC. Achyranthes spinosa. Horn.</i>			
4	Achyrantha. R.S.	creeping.	Buenos Ayres.	1732. 6. 8.	S. ♀. Dill. elt. 8. t. 7. f. 7.
5	frutescens. R.S.	frutescent.	Peru.	1822. —	S. ♀. L'Herit. stirp. 1. t. 37.
6	polygonoïdes. R.S.	Persicaria-ld.	America.	1731. —	G. ♀. Herm. parad. t. 17.
ÆRUA. J. ÆRUA. Pentandria Monogynia. R.S.					
1	lanata. R.S.	woolly.	E. Indies.	1691. 4. 8.	S. ♂. Mill. ic. 1. t. 11. f. 1.
		<i>Illecebrum lanatum. L.</i>			
2	javanica. R.S.	spear-leaved.	————	1786. —	S. ♀. Burm. ind. t. 65. f. 2.
PHILOXERUS. B.P. PHILOXERUS. Pentandria Monogynia. R.S.					
1	brasiliensis. R.S.	upright.	Brazil.	1790. 7. 10.	S. ♀. Jacq. ic. 2. t. 346.
		<i>Gomphrena brasiliensis. Jacq.</i>			
2	vermicularis. R.S.	creeping.	S. America.	———— S. ♀. Herm. parad. t. 15.
3	aggregatus. R.S.	clustered.	Cumana.	1819. —	S. ♀.
GOMPHRENA. R.S. GLOBE AMARANTH. Pentandria Monogynia. L.					
1	globosa. R.S.	annual.	India.	1714. 5. 10.	S. ⊙. Rheed. mal. 10. t. 37.
		<i>β alba.</i>			
		<i>white-flowered.</i>	————	————	———— S. ⊙.
2	decumbens. R.S.	decumbent.	Mexico.	..	———— S. ⊙. Jacq. schœn. t. 482.
3	perennis. R.S.	perennial.	S. America.	1732. 7. 10.	S. ♀. Botan. magaz. 2614.
4	arborescens. R.S.	tree.	————	1802. —	S. ♀.
5	lactea. R.S.	milk-coloured.	————	1818. —	S. ♀. DC. h. mons. ined. t. 93.
6	interrupta. R.S.	trailing.	W. Indies.	1733. —	S. ♂. Jacq. ic. 1. t. 51.
IRESINE. S.S. IRESINE. Diœcia Pentandria. L.					
1	celosioïdes. s.s.	Florida.	America.	1733. 7. 8.	F. ♀. Lam. ill. t. 313.
2	elatior. s.s.	tall.	S. America.	1820. 8. 10.	S. ⊙.
3	diffusa. s.s.	spreading.	————	1812. 7. 9.	S. ♀.
4	elongata. s.s.	long-stalked.	————	1823. —	S. ♀.

ORDO CXLIII.

PHYTOLACEÆ. *Brown.*

PHYTOLACCA. W. PHYTOLACCA. Decandria Decagynia. L.					
1	octandra. w.	white-flowered.	Mexico.	1732. 7. 11.	G. ♀. Dill. elt. t. 239. f. 308.
2	abyssinica. w.	African.	Africa.	1775. 5. 6.	S. ♀. Hoff. c. gœt. t. 2.
3	heptandra. s.s.	7-anthered.	1819. 7. 10.	G. ♀.
4	bogotensis. k.s.	variable anther'd.	S. America.	1823. —	G. ♀.
5	decandra. w.	Virginian poke.	Virginia.	1615. 8. 9.	H. ♀. Botan. magaz. 931.
6	dodecandra. w.	recurved-ld.	5. 6. S. ♀.
7	mexicana.	Mexican.	Mexico.	1824. 7. 10.	G. ♀. Botan. magaz. 2633.
		<i>icosandra. B.M. non w.</i>			
8	icosandra. w.	red.	E. Indies.	1758. 7. 11.	S. ♀. Mill. ic. t. 207.
9	dioica. w.	tree.	S. America.	1768.	S. ♀. L'Herit. st. nov. t. 70.

RIVINA. R.S.	RIVINA. Tetrandria Monogynia. L.				
1 humilis. R.S.	downy.	W. Indies.	1699.	1. 10.	S. ♀. Botan. magaz. 1781.
2 lævis. R.S.	smooth.	—	1733.	2. 9.	S. ♀. Lam. ill. t. 81. f. 2.
3 brasiliensis. R.S.	wave-leaved.	Brazil.	1790.	6. 7.	S. ♀.
4 purpurascens. R.S.	purple.	W. Indies.	1815.	5. 8.	S. ♀. Schrad. gen. nov. t. 5.
5 lanceolata. L.en.	spear-leaved.	Brazil.	—	—	S. ♀.
6 octandra. R.S.	climbing.	W. Indies.	1752.	5. 6.	S. ♀. Plum. ic. 241.
MICROTEA. K.S.	MICROTEA. Pentandria Digynia. R.S.				
debilis. K.S.	slender.	S. America.	1824.	7. 9.	S. ⊙.
PETIVERIA. W.	PETIVERIA. Heptandria Monogynia. L.				
1 alliacea. w.	Garlic-scented.	Jamaica.	1759.	6. 7.	S. ♀. Lodd. bot. cab. 148.
2 octandra. w.	dwarf.	W. Indies.	1737.	—	S. ♀. Plum. ic. 213. t. 219.
GISEKIA. W.	GISEKIA. Pentandria Pentagynia. L.				
pharnacioides. w.	trailing.	E. Indies.	1783.	6.	S. ⊙. Roxb. corom. 2. t. 183.

ORDO CXLIV.

CHENOPODEÆ. *Brown prodr. p. 405.*

BASELLA. R.S.	MALABAR-NIGHTSHADE. Pentandria Trigynia. L.				
1 rubra. R.S.	red-flowered.	E. Indies.	1731.	7. 9.	S. ♂. Rheed. mal. 7. t. 24.
2 alba. R.S.	white-flowered.	—	1688.	7. 11.	S. ♂. Pluk. alm. t. 63. f. 1.
3 lucida. R.S.	shining.	—	1802.	—	S. ⊙.
4 cordifolia. R.S.	heart-leaved.	—	—	—	S. ⊙.
5 tuberosa. R.S.	tuberous-root'd.	S. America.	1824.	—	S. ♀.
6 marginata. R.S.	marginated.	—	—	—	S. ♀.
ANREDERA. J.	ANREDERA. Pentandria Trigynia.				
spicata. K.S.	spiked.	Cuba.	1749.	7. 9.	S. ♀. Sloan. hist. 1. t. 90. f. 1.
<i>Basella vesicaria.</i> Lam. ill. t. 215. f. 1.	<i>Polygonum scandens.</i> w.				
ANABASIS. L.	ANABASIS. Pentandria Digynia. L.				
1 aphylla. R.S.	leafless.	Levant.	1823.	5. 7.	F. ♀. Buxb. cent. 1. t. 18.
2 tamariscifolia. R.S.	Tamarisk-ld.	Spain.	1752.	6. 7.	F. ♀. Cavan. ic. 3. t. 283.
SALSOLA. R.S.	SALT-WORT. Pentandria Digynia. L.				
1 Kali. R.S.	prickly.	Britain.	7. 8.	H. ⊙. Eng. bot. 634.
2 Tragus. R.S.	smooth.	S. Europe.	1816.	—	H. ⊙. Pall. ill. 2. t. 29. f. 2.
3 crassa. R.S.	thick-leaved.	Caucasus.	1823.	8. 10.	H. ⊙. Buxb. cent. 1. t. 14. f. 2.
4 rosacea. R.S.	rose-coloured.	Asia.	1759.	7. 8.	H. ⊙. Schk. hand. 1. t. 57.
5 vermiculata. R.S.	suffruticose.	Siberia.	—	—	H. ♀. Gmel. sib. 3. t. 18. f. 2.
6 microphylla. R.S.	small-leaved.	Spain.	—	—	H. ⊙. Cavan. ic. 3. t. 287.
7 verrucosa. R.S.	warted.	Caucasus.	1822.	—	H. ♀. Pall. ill. 2. t. 16.
8 laniflora. R.S.	woolly-flow'r'd.	Siberia.	1797.	6. 8.	H. ⊙. — 2. t. 21.
9 sativa. R.S.	cultivated.	Spain.	1783.	7. 8.	H. ♀. Cavan. ic. 3. t. 291.
10 Soda. R.S.	long fleshy-ld.	S. Europe.	1683.	—	H. ⊙. Jacq. vind. 1. t. 68.
KOCHIA. R.S.	KOCHIA. Pentandria Digynia. R.S.				
1 arenaria. R.S.	sand.	Hungary.	1819.	7. 9.	H. ⊙. W. et K. hung. 1. t. 78.
2 prostrata. R.S.	trailing.	S. Europe.	1780.	6. 8.	F. ♀. Jacq. aust. 3. t. 294.
<i>Salsola prostrata.</i> Jacq.					
3 trigyna. L.en.	slender-leav'd.	Spain.	1804.	7. 8.	H. ⊙. Cavan. ic. 3. t. 289.
<i>Salsola altissima.</i> Cav. <i>Chenopodium trigynum.</i> R.S.					
4 hyssopifolia. R.S.	Hyssop-leaved.	Siberia.	1801.	6. 8.	H. ⊙. Pall. it. 1. ap. t. H. f. 1.
5 sedoides. R.S.	Stoncrop-like.	Tauria.	1823.	—	H. ♀. — 3. t. M. f. 8.
6 eriophora. R.S.	woolly.	Spain.	1816.	—	H. ⊙. Trattin. arch. t. 124.
7 scoparia. R.S.	Summer Cypress.	Greece.	1620.	6. 9.	H. ♀. Buxb. cent. 1. t. 16.
<i>Chenopodium Scoparia.</i> w.					
CHENOLEA. L.	CHENOLEA. Pentandria Monogynia. L.				
diffusa. w.	silky.	C. B. S.	1758.	8. 9.	G. ♀.
<i>Salsola sericea.</i> H.K. <i>Kochia sericea.</i> R.S. <i>Chenopodium sericeum.</i> s.s.					
CHENOPODIUM. R.S. GOOSE-FOOT. Pentandria Digynia. L.					
1 Bonus-Henricus.	English Mercury.	Britain.	5. 8.	H. ♀. Eng. bot. 1033.
2 urbicum. E.B.	upright.	—	8.	H. ⊙. — 717.
3 Atriplicis. R.S.	purple.	China.	1780.	8. 9.	H. ⊙. Jacq. vind. 3. t. 80.
4 giganteum. D.P.	gigantic.	Nepaul.	1820.	9. 11.	H. ⊙.
5 rubrum. R.S.	red.	Britain.	8. 9.	H. ⊙. Eng. bot. 1721.

6	melanospermum. s.s.	black-seeded.	Britain.	8. 9.	H. ⊙	
7	rhombifolium. R.S.	angular-leaved.	N. America.	1807.	7. 9.	H. ⊙	
8	guineense. w.	Guinea.	Guinea.	1790.	8. 9.	H. ⊙	Jacq. ic. 2. t. 345.
9	murale. E.B.	nettle-leaved.	Britain.	—	H. ⊙	Eng. bot. 1722.
10	serotinum. R.S.	late-flowering.	S. Europe.	—	H. ⊙	
11	ficifolium. E.B.	Fig-leaved.	England.	—	H. ⊙	Eng. bot. 1724.
12	album. E.B.	white.	Britain.	6. 9.	H. ⊙	— 1723.
	β subrotundum.	round-leaved.	—	—	H. ⊙	Petiv. h. brit. t. 8. f.2.
	γ viride. w.	green.	—	—	H. ⊙	
	δ integrifolium.	entire-leaved.	—	—	H. ⊙	
	ε crassifolium.	thick-leaved.	—	—	H. ⊙	
13	opulifolium. R.S.	Guelder-rose-ld.	S. Europe.	—	H. ⊙	Bast. j. bot. 1814. t. 3.
14	hybridum. E.B.	Maple-leaved.	Britain.	8. 9.	H. ⊙	Eng. bot. 1919.
15	Botrys. R.S.	cut-leaved.	S. Europe.	1548.	6. 9.	H. ⊙	Flor. græc. t. 253.
16	multifidum. R.S.	multifid.	Buenos Ayres.	1732.	6. 10.	G. ½	Dill. elt. t. 66. f. 77.
17	botryoides. E.B.	many clustered.	Britain.	6. 8.	H. ⊙	Eng. bot. 2217.
18	ambrosioides. R.S.	Mexican.	Mexico.	1640.	6. 10.	H. ⊙	Moris. s. 5. t. 35. f. 8.
19	suffruticosum. R.S.	suffrutescent.	—	1819.	—	G. ½	
20	anthelminticum. w.	American.	America.	1732.	7. 8.	G. ½	Dill. elt. t. 66. f. 76.
21	graveolens. R.S.	strong-scented.	Mexico.	1819.	8. 11.	H. ⊙	
22	glaucum. R.S.	Oak-leaved.	England.	7. 8.	H. ⊙	Eng. bot. 1454.
23	crassifolium. R.S.	fleshy-leaved.	1820.	—	H. ⊙	
24	radiatum. R.S.	rayed.	N. America.	1803.	6. 8.	H. ⊙	W. hort. ber. 1. t. 28.
	<i>Kochia dentata</i> . w.	<i>Salsola platyphylla</i> .	M.				
25	olidum. E.B.	stinking.	Britain.	7. 8.	H. ⊙	Eng. bot. 1034.
	<i>fœtidum</i> . R.S.	<i>Vulvaria</i> . w.					
26	polyspermum. R.S.	Allseed.	—	—	H. ⊙	Eng. bot. 1480.
27	acutifolium. E.B.	acute-leaved.	—	—	H. ⊙	— 1481.
28	laterale. R.S.	oblong-leaved.	1781.	8. 9.	S. ⊙	
29	sepium. R.S.	hedge.	Bohemia.	1822.	7. 8.	H. ⊙	
30	strictum. R.S.	upright.	E. Indies.	—	9. 11.	H. ⊙	
31	aristatum. R.S.	bearded.	Virginia.	1771.	6. 9.	H. ⊙	Gmel. sib. 3. t. 15. f. 1.
32	lanceolatum. R.S.	spear-leaved.	Pensylvania.	1809.	7.	H. ⊙	
33	fruticosum. R.S.	shrubby.	England.	8. 9.	H. ½	Eng. bot. 635.
	<i>Salsola fruticosa</i> . E.B.						
34	altissimum. R.S.	Grass-leaved.	Italy.	1775.	7. 8.	H. ⊙	Schrad. d. hal. t. 1. f. 3.
35	hirsutum. R.S.	hairy.	Denmark.	1791.	—	H. ⊙	Flor. dan. t. 187.
	<i>Salsola hirsuta</i> . F.D.						
36	salsum. R.S.	Saltwort.	Astracan.	1782.	8. 9.	H. ⊙	Jacq. vind. 3. t. 83.
37	spicatum. R.S.	spiked.	Spain.	1816.	8. 10.	H. ⊙	Cavan. ic. 3. t. 290.
38	setigerum. R.S.	setiferous.	—	—	—	H. ⊙	DC. h. mons. ined. t. 87.
39	maritimum. R.S.	sea blite.	Britain.	8.	H. ⊙	Eng. bot. 633.
ATRIPLEX. R.S.			ORACHE. Polygamia Monœcia. L.				
1	Halimus. R.S.	tall shrubby.	Spain.	1640.	7. 8.	H. ½	Park. theat. 724. f. 2.
2	portulacoides. R.S.	dwarf shrubby.	Britain.	—	H. ½	Eng. bot. 261.
3	albicans. R.S.	white.	C. B. S.	1774.	6. 7.	G. ½	
4	glaucum. w.	glaucous.	S. Europe.	1732.	7. 8.	F. ½	Dill. elt. t. 40. f. 46.
5	linifolia. K.S.	Flax-leaved.	S. America.	1819.	—	G. ½	
6	rosea. w.	rose.	S. Europe.	1739.	6. 7.	H. ⊙	Schk. hand. 3. t. 350.
7	sibirica. w.	Siberian.	Siberia.	1783.	7. 8.	H. ⊙	— 3. p. 538. t. 350.
8	tatarica. w.	Tartarian.	Tartary.	1778.	—	H. ⊙	— 3. p. 539. t. 349.
9	hortensis. w.	garden.	—	1548.	—	H. ⊙	Blackw. t. 99 ct 552.
	β <i>intermedia</i> .	<i>intermediate</i> .	—	—	—	H. ⊙	
	γ <i>rubra</i> .	<i>red garden</i> .	—	—	—	H. ⊙	
10	acuminata. w.K.	acuminate.	Hungary.	1820.	—	H. ⊙	W. et K. hung. t. 103.
11	veneta. w.	Venetian.	Venice.	—	—	H. ⊙	
12	incana. R.S.	hoary-leaved.	Spain.	1818.	—	H. ⊙	
13	laciniata. w.	frosted sea.	Britain.	—	H. ⊙	Eng. bot. 165.
14	hastata. w.	halberd-leav'd.	Europe.	—	H. ⊙	Flor. dan. t. 1286.
15	obtus. w.	blunt-leaved.	Siberia.	1825.	—	H. ⊙	
16	microsperma. w.	small-seeded.	Hungary.	1800.	—	H. ⊙	W. et K. hung. t. 250.
17	oblongifolia. w.K.	oblong-leaved.	—	—	—	H. ⊙	— t. 221.
18	patula. E.B.	spreading.	Britain.	6. 9.	H. ⊙	Eng. bot. 936.
19	angustifolia. E.B.	narrow-leaved.	—	6. 8.	H. ⊙	— 1774.
20	erecta. E.B.	upright.	England.	8.	H. ⊙	— 2223.
21	littoralis. E.B.	grass-leaved.	Britain.	8. 9.	H. ⊙	— 708.
22	pedunculata. E.B.	pedunculated.	England.	7. 9.	H. ⊙	— 232.
23	verticillata. R.S.	whorl-leaved.	Spain.	1824.	—	H. ⊙	Cavan. H. R. M. t. 21.
24	sulcata. Schr.	sulcate.	—	—	H. ⊙	

RHAGODIA, B.P.	RHAGODIA. Polygamia Monœcia.				
1 Billardieri. B.P.	narrow-leaved. N. S. W.	1822.	6. 7.	G. h.	Lab. nov. hol. 1. t. 96.
	<i>Chenopodium baccatum</i> , 1 ab-				
2 hastata. B.P.	halberd-leaved. ————	1803.	—	G. h.	
BETA, R.S.	BËET. Pentandria Digynia. L.				
1 vulgaris. R.S.	common. S. Europe.	1548.	8.	H. ♂.	Schk. hand. 1. t. 56.
<i>a viridis.</i>	green. ————	—	—	H. ♂.	Plenck off. t. 169.
<i>β rubra.</i>	red. ————	—	—	H. ♂.	
<i>γ lutea.</i>	yellow. ————	—	—	H. ♂.	Kern. abbild. t. 235.
<i>δ macrorhiza.</i>	Mangle wurzel. ————	—	H. ♂.	
2 Cicla. R.S.	white. Portugal.	1570.	—	H. ♂.	Plenck off. t. 170.
3 crispa. R.S.	curled-leaved.	—	H. ♂.	
4 trigyna. R.S.	Hungarian. Hungary.	1796.	7. 8.	H. ♀.	W. et K. hung. 1. t. 35.
5 maritima. E.B.	sea-side. Britain.	6. 8.	H. ♂.	Eng. bot. 285.
6 patula. R.S.	spreading. Madeira.	1778.	8.	G. ♂.	
SPINACIA, W.	SPINAGE. Diœcia Pentandria. L.				
oleracea. w.	common.	1568.	3. 10.	H. ⊙.	Sebkly. hand. 3. t. 324.
<i>a spinosa.</i> w.	prickly.	—	—	H. ⊙.	
<i>β inermis.</i>	round.	—	—	H. ⊙.	
ACNIDA, W.	VIRGINIAN HEMP. Diœcia Pentandria. L.				
cannabina. w.	common. N. America.	1640.	6. 7.	H. ⊙.	
BOSEA, R.S.	GOLDEN-ROD. Pentandria Digynia. L.				
ycrvamora. R.S.	tree. Canaries.	1728.	6. 9.	G. h.	Jacq. f. eclog. t. 25.
CORISPERMUM, L.	TICK-SEED. Monandria Digynia. L.				
1 hyssopifolium. R.S.	Hyssop-leav'd. Europe.	1739.	7.	H. ⊙.	Flor. græc. 1. t. 1.
2 canescens. R.S.	canescent. Hungary.	1822.	7. 9.	H. ⊙.	
3 intermedium. R.S.	intermediate. Prussia.	—	—	H. ⊙.	
4 tenue. L. en-	slender.	1823.	—	H. ⊙.	
5 squarrosum. R.S.	rough-spiked. Russia.	1759.	8. 9.	H. ⊙.	Pall. ros. 2. t. 99.
BLITUM, R.S.	STRAWBERRY-BLITE. Monandria Digynia. L.				
1 capitatum. R.S.	berry-headed. Austria.	1633.	5. 8.	H. ⊙.	Poit. et T. fl. p. 1. t. 2.
2 virgatum. R.S.	slender. S. Europe.	1680.	5. 9.	H. ⊙.	Botan. magaz. 276.
3 petiolare. L. en-	petiolate.	1818.	—	H. ⊙.	
4 maritimum. N.	sea-side. N. America.	1823.	—	H. ⊙.	
CERATOCARPUS, L.	CERATOCARPUS. Monœcia Monandria. L.				
arenarius. L.	sand. Tartary.	1757.	6. 7.	H. ⊙.	Buxb. in act. pet. 1. t. 9.
SALICORNIA, L.	GLASSWORT. Monandria Monogynia. L.				
1 herbacea. s.s.	marsh. Britain.	8. 9.	H. ⊙.	Eng. bot. 415.
2 procumbens. E.B.	procumbent. England.	—	H. ⊙.	— 2475.
3 radicans. E.B.	rooting. Britain.	9.	H. ♀.	— 1691.
4 perennans. R.S.	perennial. Siberia.	1823.	8. 9.	H. ♀.	Pall. it. 1. ap. T. D. f. 1.
5 fruticosa. E.B.	shrubby. Britain.	—	H. ♀.	
6 arabica. R.S.	Arabian. Arabia.	1758.	—	G. ♀.	Moris. s. 2. t. 33. f. 7.
POLYCNEMUM, R.S.	POLYCNEMUM. Triandria Monogynia. L.				
1 arvensis. R.S.	trailing. S. Europe.	1640.	7.	H. ⊙.	Jacq. aust. 4. t. 365.
2 oppositifolium. R.S.	opposite-leav'd. Tartary.	1820.	7. 8.	H. ⊙.	Pall. it. ap. T. E. f. 2.
CAMPHOROSMA, L.	CAMPHOROSMA. Tetrandria Monogynia. L.				
1 monspeliacum. w.	hairy. S. Europe.	1640.	8. 9.	G. ♀.	Schk. hand. 1. t. 26.
<i>perenne.</i> R.S.					
2 ovatum. R.S.	Hungarian. Hungary.	1823.	—	H. ⊙.	W. et K. hung. 1. t. 63.
GALENIA, W.	GALENIA. Octandria Digynia. L.				
<i>africana.</i> w.	African. C. B. S.	1752.	6. 8.	G. h.	Lam. ill. t. 314.
AXYRIS, W.	AXYRIS. Monœcia Triandria. L.				
1 amaranthoides. w.	simple-spiked. Siberia.	1758.	6. 7.	H. ⊙.	Gmel. sib. t. 2. f. 2.
2 hybrida. w.	bastard. ————	1780.	6. 8.	H. ⊙.	— t. 4. f. 1.
3 prostrata. w.	trailing. ————	1798.	7. 8.	H. ⊙.	— t. 4. f. 2.
DIOTIS, W.	DIOTIS. Monœcia Tetrandria. L.				
<i>ceratoides.</i> w.	shrubby. Siberia.	1780.	8.	H. ♀.	Jacq. ic. 1. t. 189.
<i>Axyris ceratoides.</i> Jacq.	<i>Ceratosperrum papposum.</i> P.S.				

ORDO CXLV.

BEGONIACEÆ. *Ventenat. et Don prodr. p. 223.*

BEGONIA. L.	BEGONIA. Monœcia Polyandria. L.				
1 nitida. s.s.	shining-leaved.	Jamaica.	1777.	5. 12.	S. h. Sal. par. lond. 72.
2 dichotoma. s.s.	forked.	Caracas.	1800.	7. 8.	S. h. Jacq. ic. 3. t. 619.
3 reniformis. s.s.	kidney-leaved.	Brazil.	1823.	—	S. h. Linn. trans. 1. t. 14. f. 1. 2.
4 spatulata. s.s.	spatula-leaved.	W. Indies.	1813.	8. 10.	S. 2. Lodd. bot. cab. 17.
5 odorata. s.s.	sweet-scented.	S. America.	1823.	6. 8.	S. h.
6 disticha. s.s.	distichous.	—	1820.	—	S. h.
7 macrophylla. s.s.	large-leaved.	Jamaica.	1793.	5. 9.	S. h.
8 hirtella. s.s.	fringed.	W. Indies.	1818.	—	S. h.
9 Evansiana. A.R.	Evan's.	China.	1804.	—	S. 2. Botan. magaz. 1473.
<i>discolor.</i> H.K. published 1813.	<i>Evansiana.</i> A.R. published 1811.	B.M. 1812.			
10 picta. sm.	painted.	Nepaul.	1823.	—	S. 2. Sm. exot. bot. t. 101.
11 palmata. D.P.	palmated.	—	1825.	—	S. 2.
<i>dubia.</i> H.S.S.?					
12 pauciflora. B.R.	few-flowered.	W. Indies.	1816.	—	S. h. Botan. regist. 471.
13 patula. H.S.S.	spreading.	1811.	—	S. h.
14 tuberosa. s.s.	tuberous.	Amboyna.	1810.	7. 9.	S. 2. Rumph. am. 5. t. 169. f. 2.
15 acutifolia. s.s.	acute-leaved.	W. Indies.	1822.	—	S. h. Sloan. jam. t. 127. f. 1. 2.
16 acuminata. s.s.	pointed-leav'd.	Jamaica.	1790.	5. 12.	S. h. Botan. regist. 364.
17 lucida. H.R.	polished.	Trinidad.	1820.	—	S. 0.
18 argyrostigma. B.R.	silver-spotted.	Brazil.	1819.	7. 9.	S. h. Botan. regist. 666.
<i>maculata.</i> s.s.					
19 suaveolens. B.C.	fragrant.	W. Indies.	1816.	5. 9.	S. h. Lodd. bot. cab. 69.
20 humilis. H.E.F.	dwarf.	—	1788.	10.	S. 3. Hook. ex. flor. 17.
21 hirsuta. s.s.	shaggy-leaved.	—	1789.	5. 6.	S. 3. Aub. gui. 2. t. 348.
22 ulmifolia. s.s.	Elm-leaved.	S. America.	1820.	6. 1.	S. h. Hook. ex. flor. 57.
23 scandens. s.s.	climbing.	Jamaica.	1824.	7. 9.	S. h. Aub. gui. 2. t. 349.

ORDO CXLVI.

POLYGONEÆ. *Brown prodr. p. 419.*

COCOLOBA. L.	SEASIDE-GRAPE. Octandria Trigynia. L.				
1 uvifera. s.s.	round-leaved.	W. Indies.	1690.	S. h. Jacq. amer. t. 73.
2 pubescens. s.s.	downy.	—	—	S. h. Plnk. phyt. 222. f. 8.
3 excoriata. s.s.	oval-leaved.	—	1733.	S. h. Plum. ic. t. 146. f. 1.
4 punctata. s.s.	spear-leaved.	—	—	S. h. Jacq. amer. 114. t. 77.
5 laurifolia. w.en.	Laurel-leaved.	S. America.	1816.	S. h.
6 diversifolia. s.s.	different-leav'd.	Hispaniola.	—	S. h. Jacq. amer. t. 76.
7 obtusifolia. s.s.	blunt-leaved.	S. America.	1823.	S. h. — t. 74.
8 microstachya. s.s.	small-spiked.	W. Indies.	—	S. h.
9 barbadosensis. s.s.	Barbadoes.	Barbadoes.	1790.	...	S. h. Jacq. obs. 1. t. 8.
10 latifolia. s.s.	broad-leaved.	S. America.	1812.	S. h. Lam. ill. t. 316. f. 4.
11 acuminata. K.S.	sharp-pointed.	—	1824.	S. h.
12 longifolia. L.en.	long-leaved.	—	1818.	S. h.
13 tenuifolia. s.s.	small-leaved.	Jamaica.	1824.	S. h. Brown. jam. 210. f. 3.
BRUNNICHIA. S.S.	BRUNNICHIA. Decandria Trigynia. W.				
<i>cirrhosa.</i> s.s.	Carolina.	Carolina.	1787.	...	G. h. Gært. s. 1. t. 48. f. 2.
POLYGONUM. L.	PERSICARIA. Tetr-Octandria Di-Trigyna.				
1 Bistorta. w.	Snake's-weed.	Britain.	5. 9.	H. 2. Eng. bot. 509.
2 viviparum. E.B.	alpine bistort.	—	5. 9.	H. 2. — 669.

3	petiolatum. D.P.	petiolate.	Nepaul.	1823.	5. 9.	H. ½.	
4	macrophyllum. D.P.	large-leaved.	—	1822.	—	H. ½.	
5	affine. D.P.	related.	—	1823.	—	H. ½.	
6	mite. P.S.	tasteless.	N.America.	1818.	6. 9.	H. ½.	
7	scandens. w.	climbing.	—	1749.	7. 9.	H. ½.	Pluk. alm. t. 177. f. 7.
8	Fagopyrum. w.	Buck-wheat.	England.	7. 8.	H. ½.	Eng. bot. 1044.
9	emarginatum. w.	Indian buckwheat.	Nepaul.	1796.	—	H. ½.	
10	tataricum. w.	Tartarian.	Siberia.	1759.	—	H. ½.	Gmel. sib. 3. t. 13. f. 1.
11	Convolvulus. w.	common climbing.	Britain.	5. 9.	H. ½.	Eng. bot. 941.
12	dumetorum. w.	bush.	S. Europe.	1803.	—	H. ½.	Flor. dan. t. 759.
13	adpressum. B.P.	polygamous.	N. S. W.	1822.	—	G. ½.	Lab. n. hol. 1. t. 127.
14	sagittatum. w.	arrow-leaved.	N.America.	1759.	7. 8.	H. ½.	Linn. h. cliff. t. 12.
15	chinense. w.	Chinese.	China.	1795.	—	H. ½.	Burm. ind. t. 30. f. 3.
16	patens. D.P.	spreading.	Nepaul.	1823.	—	H. ½.	
17	elegans. s.s.	elegant.	Naples.	1821.	—	H. ½.	
18	alpinum. w.	Alpine.	Italy.	1816.	—	H. ½.	Bocc. mus. 2. t. 27.
19	undulatum. w.	wave-leaved.	Siberia.	1789.	6. 7.	H. ½.	Gmel. sib. 3. t. 10.
20	divaricatum. w.	divaricated.	—	1759.	7. 8.	H. ½.	— 3. t. 11. f. 1.
21	salignum. w.	Willow-like.	—	1816.	5. 8.	H. ½.	
22	acidulum. w.	narrow-leaved.	—	—	6. 7.	H. ½.	
23	aviculare. E.B.	Knot-grass.	Britain.	4. 10.	H. ½.	Eng. bot. 1252.
24	Dryandri. s.s. <i>elegans. H.K.</i>	Dryander's.	E. Indies.	1796.	4. 8.	S. ½.	
25	arenarium. W.K.	sand.	Hungary.	1807.	5. 8.	H. ½.	W. et K. hung. t. 67.
26	littorale. L.en.	sea-side.	S. Europe.	1816.	—	H. ½.	
27	Bellardi. P.S.	Bellardi's.	—	1822.	—	H. ½.	All. ped. t. 90. f. 2.
28	patulum. M.B.	spreading-branch'd.	Tauria.	—	—	H. ½.	
29	maritimum. w.	sea-shore.	S. Europe.	1816.	6. 8.	H. ½.	
30	acetosum. M.B.	Sorrel-leaved.	Astracan.	1823.	—	H. ½.	
31	erectum. w.	upright.	N.America.	1792.	7. 8.	H. ½.	
32	pensylvanicum. w.	Pennsylvanian.	—	1819.	—	H. ½.	
33	orientale. w. <i>β album.</i>	common. <i>white-flowered.</i>	E. Indies.	1707.	7. 10.	H. ½.	Botan. magaz. 213.
34	tinctorium. w.	dyer's.	China.	1776.	7. 8.	G. ½.	
35	decipiens. B.P.	decipient.	N. S. W.	1822.	—	G. ½.	
36	plebeium. B.P.	linear-leaved.	—	—	—	G. ½.	
37	Persicaria.	spotted.	Britain.	—	H. ½.	Eng. bot. 756.
38	incanum. w.en.	hoary.	Germany.	1804.	—	H. ½.	Schrank. bav. 1. t. 3.
39	persicarioides. K.S.	Mexican.	Mexico.	1825.	—	H. ½.	
30	Hydropiper. E.B.	Water pepper.	Britain.	7. 9.	H. ½.	Eng. bot. 989.
41	glabrum. w.	smooth.	E. Indies.	1823.	—	S. ½.	
42	minus. E.B.	slender.	England.	—	H. ½.	Eng. bot. 1043.
43	arifolium. w.	Arum-leaved.	N.America.	1816.	5. 10.	H. ½.	Pluk. amal. t. 398. f. 3.
44	oreatum. w.	spear-leaved.	Siberia.	1780.	6. 9.	H. ½.	Gmel. sib. 3. t. 8.
45	virginianum. w.	Virginian.	N.America.	1640.	8. 9.	H. ½.	Park. theat. 857. f. 6.
46	amphibium. w.	amphibious.	Britain.	6. 8.	H.w. ½.	Eng. bot. 436.
47	barbatum. w.	bearded.	China.	1822.	—	G. ½.	
48	gracile. B.P.	slender-stalk'd.	N. S. W.	—	—	G. ½.	
49	acetosæfolium. P.S.	Brazilian.	Brazil.	—	—	S. ½.	Venten. cels. t. 88.
50	ramosum. L.en.	branching.	Siberia.	—	—	H. ½.	
TRAGOPYRUM. M.B. TRAGOPYRUM.			Octandria Trigynia.	R.S.			
1	lanceolatum. M.B.	spear-leaved.	Siberia.	1770.	7. 8.	H. ½.	Botan. regist. 255.
	<i>Polygonum frutescens.</i>	E.R.					
2	buxifolium. M.B.	Box-leaved.	Caucasus.	1800.	—	H. ½.	Botan. magaz. 1065.
	<i>Polygonum crispulum.</i>	B.M.					
ATRAPHAXIS. L.			Hexandria Digynia.	L.			
1	spinosa. s.s.	prickly.	Levant.	1732.	8.	G. ½.	L'Herit. stirp. 1. t. 14.
2	undulata. s.s.	waved-leaved.	C. B. S.	—	6. 7.	G. ½.	Dill. elt. t. 32. f. 36.
OXYRIA. Sm.			Hexandria Digynia.	Sm.			
	reniformis. Sm.	kidney-leaved.	Britain.	6. 7.	H. ½.	Eng. bot. 910.
	<i>Rumex dignus.</i>	E.B.					
RUMEX. L.			Hexandria Trigynia.	L.			
1	Hydrolapathum. s.s.	great water.	Britain.	7. 8.	H.w. ½.	Eng. bot. 2104.
	<i>aquaticus.</i>	E.B.					
2	Britannica. s.s.	Virginian.	N.America.	6. 7.	H. ½.	
3	maximus. s.s.	great.	Europe.	—	H. ½.	
4	acutus. E.B.	sharp.	Britain.	—	H. ½.	Eng. bot. 721.
5	Nemolapathum. w.	flat-valved.	Europe.	1816.	—	H. ½.	
6	nemorosus. w.en.	wood.	—	—	—	H. ½.	

7 sanguineus. E.B.	bloody-veined.	England.	6. 7.	H. 4.	Eng. bot. 1533.
8 condyloides. M.B.	spreading.	Caucasus.	1823.	—	H. 4.	
9 crispus. E.B.	curled.	Britain.	—	H. 4.	Eng. bot. 1998.
10 Patientia. w.	Patience.	Italy.	1573.	—	H. 4.	
11 confertus. W.en.	close-leaved.	—	1816.	—	H. 4.	
12 brasiliensis. L.en.	Brazilian.	Brazil.	1823.	—	G. 4.	
13 verticillatus. P.S.	whorled.	N.America.	1818.	—	H. 4.	
14 spatulatus. P.S.	spatulate-ld.	C. B. S.	1824.	8. 2.	G. 4.	
15 purpureus. P.S.	purple.	Europe.	6. 7.	H. 4.	
16 linearis. S.S.	linear-leaved.	C. B. S.	1824.	8. 12.	G. 4.	
17 obtusifolius. E.B.	broad-leaved.	Britain.	6. 8.	H. 4.	Eng. bot. 1999.
18 nepalensis. S.S.	Nepalese.	Nepaul.	1823.	—	H. 4.	
19 palustris. E.B.	yellow marsh.	England.	7. 8.	H. 4.	Eng. bot. 1932.
20 maritimus. E.B.	sea-side.	Britain.	—	H. 4.	725.
21 divaricatus. w.	divaricate.	Italy.	1793.	—	H. 4.	Till. pis. t. 37. f. 2.
22 strictus. L.en.	upright.	1824.	—	H. 4.	
23 persicarioides. w.	Persicaria-like.	N.America.	1773.	6. 7.	H. 4.	
24 dentatus. w.	dentated.	Egypt.	1732.	7. 8.	H. 4.	Dill. elt. t. 158. f. 101.
25 ægyptiacus. w.	Egyptian.	—	1734.	6. 7.	H. 4.	Till. pis. t. 37. f. 1.
26 ucranicus. S.S.	Ukraine.	Ukraine.	1820.	—	H. 4.	
27 crispatus. M.	curled-leaved.	N.America.	—	—	H. 4.	
28 cristatus. DC.	crested.	—	—	H. 4.	
29 pulcher. E.B.	fiddle.	Britain.	6. 8.	H. 4.	Eng. bot. 1576.
30 scutatus. w.	French sorrel.	France.	1596.	6. 7.	H. 4.	Jacq. ic. 1. t. 67.
31 hastifolius. M.B.	hastate-leaved.	Caucasus.	1816.	—	H. 4.	
32 vesicarius. w.	bladder.	Africa.	1656.	7. 8.	H. 4.	Moris. s. 5. t. 28. f. 7.
33 tingitanus. w.	Tangier.	Barbary.	1650.	6. 8.	H. 4.	Zanon. hist. 9. t. 6.
34 sarcorhizus. L.en.	fleshy-rooted.	C. B. S.	1824.	8. 12.	G. 4.	
35 Burchellii. S.S.	Burchell's.	—	1816.	8. 10.	G. 4.	
36 Lunaria. w.	tree.	Cavaries.	1698.	6. 7.	G. 4.	Pluk. alm. t. 252. f. 3.
37 domesticus. S.S.	various-leaved.	Sweden.	1823.	—	H. 4.	
38 roseus. w.	rose.	Egypt.	1737.	7. 8.	H. 4.	
39 bucephalophorus.	Basil-leaved.	Italy.	1683.	6.	H. 4.	Cavan. ic. 1. t. 41. f. 1.
40 fimbriatus. S.S.	fringe-valved.	C. B. S.	1816.	7. 9.	G. 4.	
41 Acetosella. E.B.	common Sorrel.	Britain.	6. 8.	H. 4.	Eng. bot. 127.
42 Acetosella. E.B.	sheep's sorrel.	—	5. 7.	H. 4.	1674.
43 abyssinicus. Jacq.	Abyssinian.	Abyssinia.	1823.	—	G. 4.	Jacq. vind. 3. t. 98.
44 tuberosus. w.	tuberous-root'd.	S. Europe.	1752.	6. 8.	H. 4.	
45 arifolius. w.	Arum-leaved.	Africa.	1775.	12. 4.	G. 4.	
46 amplexicaulis. S.S.	stem-clasping.	Pyrenees.	1816.	6. 8.	H. 4.	
47 luxurians. L.	luxuriant.	S. Europe.	—	H. 4.	
48 alpinus. w.	Alpine.	France.	1597.	6. 7.	H. 4.	Zorn. ic. 261.
49 frutescens. S.S.	frutescent.	Tristan d'Ac.	1816.	6. 9.	G. 4.	
50 giganteus. H.K.	tall.	Sandwich Isl.	1796.	6. 8.	G. 4.	
EMEX. S.S.	EMEX. Hexandria Trigynia. S.S.					
spinosis. S.S.	spiny-seeded.	Candia.	1656.	6. 7.	H. 4.	
<i>Rumex spinosus.</i> w.						
PODOPTERUS. K.S.	PODOPTERUS. Hexandria Trigynia. S.S.					
mexicanus. K.S.	Mexican.	Mexico.	1825.	G. 4.	H. et B. pl.æq.2. t. 107.
TRIPLARIS. K.S.	TRIPLARIS. Diœcia Enneandria. L.					
americana. K.S.	American.	S. America.	1823.	5. 8.	S. 4.	Jacq. amer. 13. t. 173. f. 5
RHEUM. L.	RHEUM. Enneandria Trigynia. L.					
1 Rhaponticum. w.	common.	Asia.	1573.	5. 6.	H. 4.	Sabb. hort. 1. t. 34.
2 undulatum. w.	waved-leaved.	China.	1734.	—	H. 4.	L. amœn. acad. 3. t. 4.
3 palmatum. w.	official.	—	1763.	4. 5.	H. 4.	Linn. fasc. 7. t. 4.
4 compactum. w.	thick-leaved.	Tartary.	1758.	5. 6.	H. 4.	Mill. ic. 2. t. 218.
5 tataricum. w.	Tartarian.	—	1793.	—	H. 4.	
6 hybridum. w.	bastard.	Asia.	1778.	—	H. 4.	Murr. c. gott. t. 1.
7 nutans. F.	nodding.	—	1824.	—	H. 4.	
8 Ribes. w.	warted-leav'd.	Levant.	1724.	—	F. 4.	Ann. mus. 1. t. 49.
9 austriacum. And.	Austrian.	Austria.	1819.	—	H. 4.	
10 Emodii. wal.	Nepaul.	Nepaul.	1826.	H. 4.	
11 crispum. And.	curl-leaved.	1820.	5. 6.	H. 4.	
12 sibiricum. And.	Siberian.	Siberia.	1819.	—	H. 4.	
13 fenestratum. Mill.	transparent.	1760.	—	H. 4.	
ERIOGONUM. M.	ERIOGONUM. Enneandria Trigynia. N.					
1 tomentosum. M.	woolly.	Carolina.	1811.	5. 6.	H. 4.	Mich. amer. t. 24.
2 flavum. N.	silky.	Missouri.	—	7.	H. 4.	
<i>sericeum.</i> Ph.						
3 longifolium. N.	long-leaved.	Arkansa.	1824.	—	H. 4.	

CALLIGONUM. W.	CALLIGONUM.	Dodecandria Tetragynia. L.			
Pallasia. w.	Caſpian.	Caſpian ſhores. 1780.8.	H. h.	Pall. ros. 2. t. 77. 78.	
KŒNIGIA. W.	KŒNIGIA.	Triandria Trigynia. L.			
islandica. w.	Iceland.	Iceland. 1773. 4.	H. ⊙.	Lam. ill. gen. t. 51.	

ORDO CXLVII.

LAURINÆ. *Brown prodr. p. 401.*

LAURUS. W.	LAURUS.	Euſeandria Monogynia. L.			
1 nobilis. w.	Sweet Bay.	S. Europe. 1561.	4. 5.	H. h.	Flor. græc. t. 365.
β undulata.	wave-leaved.	—————	—————	H. h.	
γ ſalicifolia.	Willow-leaved.	—————	—————	H. h.	
δ variegata.	variegated.	—————	—————	H. h.	
2 coriacea. s.s.	leathery-leav'd.	Jamaica. 1822.	S. h.	
3 ſalicifolia. s.s.	Willow-leav'd.	W. Indies.	S. h.	
4 Cateſbæi. P.s.	Cateſby's.	Florida. 1811.	4. 6.	G. h.	Cateſb. car. 1. t. 28.
5 carolinenſis. M.	Carolina.	N. America. 1806.	G. h.	————— 1. t. 63.
a glabra.	smooth-leaved.	—————	—————	G. h.	
β pubeſcens.	downy.	—————	—————	G. h.	
γ obtuſa.	bluſt-leaved.	—————	—————	G. h.	
6 Borbonia. w.	Bourbon.	S. America. 1739.	—————	G. h.	Plum. gen. 4.
7 thyrſiflora. s.s.	bunch-flower'd.	Madagaſcar. 1824.	S. h.	
8 indica. w.	royal bay.	Madeira. 1665.	10. 3.	G. h.	Pluk. alm. t. 304. f. 1.
9 fœtens. w.	Madeira or Til.	————— 1760.	—————	G. h.	
10 canarienſis. w.en.	Canary.	Canaries. 1815.	—————	G. h.	
11 aggregata. B.M.	clustered.	China. 1812.	—————	S. h.	Botan. magaz. 2497.
12 Chloroxylon. w.	Cogwood-tree.	Jamaica. 1778.	S. h.	Brown. jam. t. 7. f. 1.
13 pendula. w.	pendulous.	————— 1822.	S. h.	
14 glauca. w.	glaucous.	Japan. 1806.	G. h.	
15 æſtivalis. w.	veined-leaved.	N. America. 1765.	4. 5.	G. h.	
16 Benzoin. w.	Benjamin-tree.	————— 1683.	—————	H. h.	Comm. hort. 1. t. 97.
17 Diospyrus. P.s.	twiggy.	————— 1810.	—————	H. h.	Botan. magaz. 1470.
18 geniculata. M.	flexuouſe.	————— 1759.	—————	H. h.	————— 1471.
19 Sassafras. w.	Sassafras-tree.	————— 1633.	5. 6.	H. h.	Cateſb. car. 1. t. 55.
20 albida. N.	white Sassafras.	—————	H. h.	
PERSEA. G.	ALLIGATOR-PEAR.	Euſeandria Monogynia. S.S.			
gratiſſima. G.	common.	W. Indies. 1739.	4. 6.	S. h.	Pluk. alm. t. 267. f. 1.
Laurus Perſea. w.					
CINNAMOMUM. B.P.	CINNAMOMUM.	Euſeandria Monogynia.			
1 Caſſia?	pubeſcent.	E. Indies. 1768.	5. 9.	S. h.	Andr. reposit. 596.
Laurus Cinnamomum.	A.R. Perſea Caſſia. s.s.	—————	—————		
2 verum.	true.	Ceylon. 1763.	6. 9.	S. h.	Botan. magaz. 1636.
Laurus Caſſia. B.M.	Perſea Cinnamomum. s.s.	—————	—————		
3 nitidum. H.E.F.	gloſſy-leaved.	Sumatra. 1824.	—————	S. h.	Hook. ex. flor. 176.
4 Bejolghota.	ſquare-branch'd. E. Indies.	1805.	S. h.	
Laurus Bejolghota. L.T.	Laurus malubathrica. H.B?	—————	—————		
5 Culitlaban.	three-flowered.	Moluccas.	S. h.	Rumph. amb. 2. t. 14.
Laurus Culitlaban. H.B.					
6 gracile. Hort.	ſlender.	E. Indies. 1805.	S. h.	
7 Camphora.	Camphire-tree.	Japan. 1727.	3. 6.	G. h.	Botan. magaz. 2658.
Laurus Camphora. B.M.	Perſea Camphora. s.s.	—————	—————		
CRYPTOCARYA. B.P.	CRYPTOCARYA.	Euſeandria Monogynia. S.S.			
1 glauceſcens. B.P.	glaucous-leav'd.	N. S. W. 1820.	G. h.	
2 obovata. B.P.	obovate-leaved.	————— 1823.	G. h.	
TETRANTHERA. B.P.	TETRANTHERA.	Euſeandria Monogynia. S.S.			
1 laurifolia. B.R.	Laurel-leaved.	Japan. 1823.	1. 5.	G. h.	Botan. regist. 893.
2 apetalâ. B.P.	petalleſſ.	E. Indies. ———	—————	G. h.	Roxb. corom. 2. t. 147.
3 involucreta. Rox.	involucred.	————— 1820.	G. h.	
CASSYTHA. L.	CASSYTHA.	Euſeandria Monogynia. S.S.			
1 filiformis. L.	ſlender.	C. B. S.	5. 8.	G. h.	Rumph. amb. 5. t. 184. f. 4.
2 glabella. B.P.	smooth.	N. S. W. 1822.	—————	G. h.	

LAURINIS AFFINE.

GYROCARPUS. B.P.		GYROCARPUS.	Polygamia Monœcia.			
1	americanus. w.	American.	W. Indies.	1816.	S. h. Jacq. amer. t.178.f.80.
2	asiaticus. w.	Asiatic.	E. Indies.	1812.	S. h. Roxb. corom. 1. t. 1.
	<i>Jaquini.</i> R.C.					
HERNANDIA. L.		JACK IN A BOX.	Monœcia Triandria.	L.		
1	sonora. w.	peltate-leaved.	W. Indies.	1693.	S. h. Rumph. amb. 2. t. 85.
2	guianensis. w.	Guiana.	Guiana.	1823.	S. h. Aub. gui. 2. t. 309.
3	ovigera. w.	oval-leaved.	E. Indies.	1820.	S. h. Rumph. amb. 3. t. 123.

ORDO CXLVIII.

MYRISTICÆÆ. *Brown prodr. p. 399.*

MYRISTICA. W.		NUTMEG.	Diœcia Monadelphica.	L.		
1	moschata. w.	true.	E. Indies.	1795.	S. h. Hook. ex. flor. 155-156.
	<i>officinalis.</i> H.E.F.	<i>aromatica.</i> Lam.				
2	fatua. w.	tasteless.	Surinam.	1812.	S. h. Pluk. alm. t. 250. f. 6.

ORDO CXLIX.

PROTEACEÆ. *Brown Linn. trans. 10. p. 46.*

AULAX. P.L.		AULAX.	Diœcia Tetrandria.	H.K.		
1	pinifolia. L.T.	Pine-leaved.	C. B. S.	1780.	7. 9.	G. h. Andr. reposit. 76.
	<i>Protea pinifolia.</i> A.R.					
2	umbellata. L.T.	umbelled.	————	1774.	6. 8.	G. h. Andr. reposit. 248.
LEUCADENDRON. L.T.		LEUCADENDRON.	Diœcia Tetrandria.	H.K.		
1	argenteum. L.T.	Silver-tree.	C. B. S.	1693.	6. 8.	G. h. Botan. regist. 979.
	<i>Protea argentea.</i> w.					
2	plumosum. L.T.	feathered.	————	1774.	—	G. h. Thunb. diss. 40. t. 4.
	<i>Protea parviflora.</i> Th.					
3	retusum. L.T.	retuse-leaved.	————	1825.	G. h.
4	spathulatum. L.T.	spathulate.	————	1812.	6. 8.	G. h.
5	angustatum. L.T.	narrow-leav'd.	————	1824.	G. h.
6	imbricatum. L.T.	imbricated.	————	1790.	6. 8.	G. h.
7	buxifolium. L.T.	Box-leaved.	————	1812.	—	G. h. Wend. h. herr. t. 14?
8	Levisanus. L.T.	short-leaved.	————	1774.	4. 6.	G. h. ————— t. 1.
9	linifolium. L.T.	Flax-leaved.	————	—	G. h. Jacq. schœn. 1. t. 26.
10	stellatum.	starry.	————	5. 6.	G. h. Botan. magaz. 881.
	<i>Protea stellaris.</i> B.M.	<i>squarrosa.</i> K.P.	————	1790.	3. 5.	G. h. Botan. regist. 826.
11	tortum. L.T.	twisted-leaved.	————	1774.	7. 8.	G. h.
12	cinereum. L.T.	gray-leaved.	————	1790.	4. 7.	G. h. Botan. regist. 402.
13	corymbosum. L.T.	corymbed.	————	—	5. 8.	G. h.
14	decorum. L.T.	decorous.	————	1812.	—	G. h.
15	squarrosum. L.T.	squarrose.	————	—	—	G. h.
	<i>strobilina.</i> L.					
16	concolor. L.T.	one-coloured.	————	1774.	3. 6.	G. h. Andr. reposit. 307.
	<i>Protea globosa.</i> B.M.	<i>strobilina.</i> Schrad. s. han. 1. t. 1.	————	1789.	4. 6.	G. h. Sal. par. lond. 105.
17	grandiflorum. L.T.	great-flower'd.	————	1818.	—	G. h.
18	ovale. L.T.	oval-leaved.	————	—	—	G. h.
19	venosum. L.T.	veined-leaved.	————	1815.	—	G. h.

20	decurrens, L.T.	decurrent.	C. B. S.	1812.	6. 8.	G. h.	
21	glabrum, L.T.	smooth.	—	—	3. 6.	G. h.	
22	strictum, L.T.	upright.	—	1795.	4. 6.	G. h.	Sal. par. lond. 75.
	<i>Euryspermum salicifolium</i> , P.L. <i>Protea confera</i> , A.R. 541.						
23	virgatum, L.T.	slender.	—	—	G. h.	
24	ascendens, L.T.	ascending.	—	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f.6.
25	concinnum, L.T.	neat.	—	1800.	—	G. h.	
26	salignum, L.T.	Willow-leaved.	—	1774.	4. 6.	G. h.	Boer. lugd. 2. p.204. ic.
27	uliginosum, L.T.	swamp.	—	1795.	—	G. h.	Breyn. cent. 21. t. 9.
28	floridum, L.T.	florid.	—	—	—	G. h.	Andr. reposit. 572?
29	platyspermum, L.T.	flat-seeded.	—	1818.	—	G. h.	
30	comosum, L.T.	tufted.	—	1812.	5. 8.	G. h.	
31	æmulum, L.T.	related.	—	1789.	6. 9.	G. h.	
	<i>Protea incurva</i> , A.R. 429?						
32	abietinum, L.T.	Pine-leaved.	—	—	7. 9.	G. h.	Andr. reposit. 461.
33	scabrum, L.T.	rough.	—	1812.	4. 6.	G. h.	
34	sericeum, L.T.	silky-leaved.	—	1818.	—	G. h.	
35	Globularia, L.T.	globe-headed.	—	1810.	—	G. h.	Lam. ill. 1, t. 53.
36	inflexum, L.en.	inflexed.	—	1812.	—	G. h.	
37	caudatum, L.en.	tailed.	—	—	—	G. h.	
38	marginatum, L.en.	villous-margin'd.	—	1818.	—	G. h.	
	PETROPHILA, L.T.	PETROPHILA.	Tetrandria	Monogynia.	R.S.		
1	pulchella, L.T.	Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Botan. magaz. 796.
2	diversifolia, L.T.	various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
3	trifida, L.T.	trifid-leaved.	—	1824.	G. h.	
	ISOPOGON, L.T.	ISOPOGON.	Tetrandria	Monogynia.	R.S.		
1	teretifolius, L.T.	round-leaved.	N. Holland.	1824.	G. h.	
2	anethifolius, L.T.	Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
3	formosus, L.T.	handsome.	N. Holland.	1805.	—	G. h.	
4	anemonifolius, L.T.	Anemone-ld.	N. S. W.	1791.	7. 9.	G. h.	Botan. magaz. 697.
5	trilobus, L.T.	three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
6	longifolius, L.T.	long-leaved.	—	1820.	—	G. h.	Botan. regist. 900.
7	attenuatus, L.T.	attenuated.	—	1824.	G. h.	
	PROTEA, L.T.	PROTEA.	Tetrandria	Monogynia.	L.		
1	cynaroides, L.T.	Artichoke-fl'd.	C. B. S.	1774.	11. 3.	G. h.	Botan. magaz. 770.
2	latifolia, L.T.	ray-flowered.	—	1806.	7. 9.	G. h.	— 1717.
	<i>a coccineu.</i>	scarlet-flower'd.	—	—	—	G. h.	Andr. reposit. 646.
	<i>β viridiflora.</i>	green-flowered.	—	—	—	G. h.	— 646.
3	compacta, L.T.	compact.	—	1810.	—	G. h.	
4	longiflora, L.T.	long-flowered.	—	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
	<i>ochroleuca</i> , Sm. <i>lacticolor</i> , P.L. 27.						
5	coccinea, L.T.	scarlet-flow'r'd.	—	1810.	5. 6.	G. h.	
6	speciosa, L.T.	splendid.	—	1786.	3. 6.	G. h.	Knight's prot. c. ic.
7	obtusa, K.P.	obtuse.	—	—	—	G. h.	Andr. reposit. 110.
	<i>speciosa</i> , B.M. 1183.	<i>Erodendrum obtusum</i> , K.P.					
8	macrophylla, L.T.	large-leaved.	—	1810.	—	G. h.	
9	formosa, L.T.	handsome.	—	1789.	5. 6.	G. h.	Botan. magaz. 1713.
	<i>coronata</i> , A.R. 469.	<i>Erodendrum formosum</i> , P.L. 76.					
10	melaleuca, L.T.	black-fringed.	—	1786.	3. 7.	G. h.	Andr. reposit. 103.
11	Lepidocarpon, L.T.	crested.	—	1806.	—	G. h.	Wein. phyt. 4. t. 895.
12	neriifolia, L.T.	Oleander-ld.	—	—	2. 4.	G. h.	Botan. regist. 208.
13	pulchella, L.T.	wave-leaved.	—	1795.	3. 8.	G. h.	— 20.
	<i>a ciliata.</i>	fringe-leaved.	—	—	—	G. h.	Andr. reposit. 270.
	<i>β glabra.</i>	smooth-leaved.	—	—	—	G. h.	— 277.
	<i>γ speciosa.</i>	specious.	—	—	—	G. h.	— 442.
14	patens, L.T.	spreading.	—	1789.	3. 6.	G. h.	— 543.
15	magnifica, A.R.	magnificent.	—	—	—	G. h.	— 438.
16	incompta, L.T.	villous-branch'd.	—	1807.	5. 7.	G. h.	
17	longifolia, L.T.	long-leaved.	—	1798.	3. 8.	G. h.	Botan. regist. 47.
18	umbonalis, K.P.	embossed.	—	—	—	G. h.	Andr. reposit. 144.
	<i>longifolia</i> , var. <i>cono turbinato</i> , A.R.	<i>Erodendrum umbonale</i> , K.P.					
19	ligulæfolia, K.P.	strap-leaved.	—	—	—	G. h.	Andr. reposit. 133.
	<i>longifolia ferruginoso-purpurea</i> , A.R.	<i>Erodendrum ligulæfolium</i> , K.P.					
20	mellifera, L.T.	honey-bearing.	—	1774.	12. 5.	G. h.	Botan. magaz. 346.
	<i>β alba.</i>	white-flowered.	—	—	—	G. h.	Andr. reposit. ic.
21	grandiflora, L.T.	great-flowered.	—	1787.	5. 6.	G. h.	Botan. magaz. 2447.
	<i>β marginata.</i>	red margined.	—	—	—	G. h.	Botan. regist. 569.
22	Scolymus, L.T.	small-flower'd.	—	1780.	—	G. h.	Botan. magaz. 698.
23	mucronifolia, L.T.	dagger-leaved.	—	1803.	7. 12.	G. h.	— 933.

24	nana. L.T.	dwarf.	C. B. S.	1787.	4. 7.	G. h.	Sm. exot. bot. 1. t. 44.
	<i>rosacca</i> . Sm. <i>acuífolia</i> . P.L. 2.						
25	pendula. L.T.	pendulous.	—	1806.	3. 6.	G. h.	
26	tenax. L.T.	tough.	—	1801.	2. 5.	G. h.	Sal. par. lond. 70.
27	canaliculata. L.T.	channel-leaved.	—	1800.	12. 2.	G. h.	Andr. reposit. 437.
28	acuminata. B.M.	sharp-pointed.	—	1809.	3. 6.	G. h.	Botan. magaz. 1694.
29	acaulis. L.T.	short-stalked.	—	1802.	5. 9.	G. h.	Wein. phyt. 4. t. 898.
30	glaucophylla. P.L.	glaucous-leaf'd.	—	—	7. 9.	G. h.	Sal. par. lond. 11.
31	elongata. L.T.	elongated.	—	1810.	—	G. h.	
32	angustata. L.T.	narrow-leaved.	—	1809.	—	G. h.	
33	revoluta. L.T.	revolute-leaf'd.	—	1818.	—	G. h.	
34	tenuifolia. L.T.	slender-leaved.	—	1816.	—	G. h.	
35	lævis. L.T.	smooth-leaved.	—	1806.	5. 7.	G. h.	Botan. magaz. 2439.
	<i>longifolia</i> . P.L. non A.R.						
36	scabra. L.T.	rough-leaved.	—	1809.	—	G. h.	
37	repens. L.T.	creeping.	—	1800.	6. 8.	G. h.	Wein. phyt. 4. t. 897.a.
38	turbiniflora. L.T.	turfy.	—	1803.	4. 5.	G. h.	Sal. par. lond. 103.
39	Scolopendrium. L.T.	Hart's-tongue.	—	1802.	—	G. h.	
40	cordata. L.T.	heart-leaved.	—	1790.	3. 5.	G. h.	Andr. reposit. 289.
41	amplexicaulis. L.T.	stem-clasping.	—	1802.	1. 3.	G. h.	Sal. par. lond. 67.
42	humilis. L.T.	low-flowering.	—	—	6. 8.	G. h.	Andr. reposit. 532.
43	acerosa. L.T.	Pine-leaved.	—	1803.	3. 5.	G. h.	Botan. regist. 351.
LEUCOSPERMUM. L.T. LEUCOSPERMUM. Tetrandria Monogynia. R.S.							
1	lineare. L.T.	linear-leaved.	C. B. S.	1774.	8. 9.	G. h.	Thunb. dis. n. 35. t. 4.
2	attenuatum. L.T.	attenuated.	—	1810.	—	G. h.	
3	Tottum. L.T.	smooth-bracted.	—	1774.	6. 8.	G. h.	
4	medium. L.T.	oval-leaved.	—	1794.	—	G. h.	Andr. reposit. 17?
	<i>Protea formosa</i> . A.R.?						
5	ellipticum. L.T.	elliptic.	—	1803.	5. 8.	G. h.	
6	Conocarpum. L.T.	many-toothed.	—	1774.	—	G. h.	Boer. lugd. 2. p. 196.ic.
7	grandiflorum. L.T.	great-flower'd.	—	1800.	5. 7.	G. h.	Sal. par. lond. 116.
	<i>Leucadendron grandiflorum</i> . P.L.						
8	puberum. L.T.	downy-leaved.	—	1774.	5. 8.	G. h.	
9	spatulatum. L.T.	spathulate.	—	1810.	—	G. h.	
10	tomentosum. K.P.	cottony.	—	1789.	8. 9.	G. h.	
11	parile. K.P.	matched.	—	1790.	—	G. h.	
12	candicans. A.R.	Rose-scented.	—	—	—	G. h.	Andr. reposit. 294.
	<i>Protea candicans</i> . A.R.						
13	Hypophyllum. L.T.	trifid-leaved.	—	1787.	G. h.	Pluk. mant. t. 440. f. 3.
MIMETES. L.T. MIMETES. Tetrandria Monogynia. R.S.							
1	hirta. L.T.	hairy.	C. B. S.	1774.	6. 8.	G. h.	Wein. phyt. 4. t. 899. f. a.
2	palustris. K.P.	marsh.	—	1802.	—	G. h.	Boer. lugd. 2. p. 194.ic.
3	cucullata. L.T.	three-toothed.	—	1789.	G. h.	Pluk. alm. t. 304. f. 6.
	<i>Protea cucullata</i> . W.						
4	Hartogii. L.T.	woolly-leaved.	—	1810.	G. h.	Wein. phyt. 4. t. 906.a.
5	divaricata. L.T.	divaricate.	—	1795.	6. 9.	G. h.	
6	vacciniifolia. L.T.	Vaccinium-ld.	—	1800.	G. h.	
	<i>Diastralla vacciniifolia</i> . K.P.						
7	purpurea. L.T.	Heath-leaved.	—	1789.	11. 12.	G. h.	
SERRURIA. L.T. SERRURIA. Tetrandria Monogynia. R.S.							
1	diffusa. L.T.	diffuse.	C. B. S.	1810.	6. 8.	G. h.	
2	abrotanifolia. K.P.	Southernwood-ld.	—	1803.	—	G. h.	Andr. reposit. 522.
	<i>Protea abrotanifolia hirta</i> . A.R.						
3	millefolia. K.P.	thousand-leaf'd.	—	—	—	G. h.	— 337.
4	artemisifolia. K.P.	Wormwood-ld.	—	1789.	—	G. h.	— 264.
5	pinnata. L.T.	slender.	—	1803.	—	G. h.	— 512.
6	arenaria. L.T.	sand.	—	—	—	G. h.	
7	cyanoides. L.T.	trifid-leaved.	—	—	—	G. h.	Pluk. mant. t. 345. f. 6.
8	pedunculata. L.T.	woolly-headed.	—	1789.	—	G. h.	Andr. reposit. 264.
9	scoparia. L.T.	Broom.	—	1809.	—	G. h.	
10	Niveni. L.T.	Niven's.	—	1800.	—	G. h.	Andr. reposit. 349.
	<i>Protea decumbens</i> . A.R.						
11	villosa. L.T.	villous.	—	1810.	—	G. h.	
12	feniculacea. L.T.	Fennel-leaved.	—	1816.	—	G. h.	
13	ciliata. L.T.	ciliated.	—	1803.	—	G. h.	
14	congesta. L.T.	crowded.	—	1816.	—	G. h.	
15	squarrosa. L.T.	squarrose.	—	1810.	—	G. h.	
16	phylcoides. L.T.	Phyllica-flow'r'd.	—	1788.	—	G. h.	Andr. reposit. 507. f. 4.
	<i>Protea abrotanifolia</i> . A.R.						

17	<i>æmula</i> . L.T.	grey-branched.	C. B. S.	1803.	—	G. h.	
18	<i>parilis</i> . K.P.	matched.	—	—	—	G. h.	Andr. reposit. 507.
19	<i>odorata</i> .	sweet-scented.	—	—	—	G. h.	— 545.
	<i>Protea abrotanifolia odorata</i> . A.R.						
20	<i>emarginata</i> .	emarginate.	—	1800.	—	G. h.	— 536.
	<i>arenaria</i> . K.P. <i>Protea abrotanifolia minor</i> . A.R.						
21	<i>decumbens</i> . L.T.	decumbent.	—	1816.	—	G. h.	Thunb. diss. 1. t. 1.
22	<i>flagellaris</i> . L.T.	procumbent.	—	—	—	G. h.	
23	<i>glomerata</i> . L.T.	many-headed.	—	1789.	—	G. h.	Burm. afr. t. 99. f. 2.
24	<i>decipiens</i> . L.T.	decipient.	—	1806.	—	G. h.	
25	<i>Roxburghii</i> . L.T.	Roxburgh's.	—	—	—	G. h.	
26	<i>Burmanni</i> . L.T.	Burmans's.	—	1786.	—	G. h.	Burm. afr. t. 99. f. 1.
	<i>Protea Serraria</i> . L.						
27	<i>triternata</i> . L.T.	silvery-flowered.	—	1802.	—	G. h.	Andr. reposit. 447.
	<i>Protea argentiflora</i> . A.R.						
28	<i>elongata</i> . L.T.	long-peduncled.	—	1800.	—	G. h.	
29	<i>crithmifolia</i> . L.T.	Samphire-leav'd.	—	1816.	—	G. h.	
	NIVENIA . L.T.	NIVENIA . Tetrandria Monogynia.					
1	<i>Sceptrum</i> . L.T.	sceptre-like.	C. B. S.	1790.	5. 6.	G. h.	Sparm. a. st. 1777. t. 1.
2	<i>spatulata</i> . L.T.	maiden hair-ld.	—	—	7. 8.	G. h.	Thunb. dis. n. 58. t. 5.
3	<i>parvifolia</i> . L.T.	small-leaved.	—	1810.	—	G. h.	
4	<i>spicata</i> . L.T.	spiked.	—	1786.	6. 8.	G. h.	
5	<i>crithmifolia</i> . L.T.	Samphire-ld.	—	1797.	—	G. h.	Andr. reposit. 243.
	<i>Protea Lagopus</i> . A.R.						
6	<i>media</i> . L.T.	middle.	—	1803.	—	G. h.	— 234?
	<i>Protea spicata</i> . A.R.?						
7	<i>Lagopus</i> . L.T.	Hare's-foot.	—	1810.	—	G. h.	
	SOROCEPHALUS . L.T.	SOROCEPHALUS . Tetrandria Monogynia.					
1	<i>imberbis</i> . L.T.	smooth.	C. B. S.	1806.	6. 8.	G. h.	
2	<i>spatilloides</i> . L.T.	club-bearing.	—	1803.	—	G. h.	
3	<i>tenuifolia</i> . L.T.	slender-leaved.	—	1802.	—	G. h.	
4	<i>lanatus</i> . L.T.	woolly.	—	1790.	6. 9.	G. h.	Thunb. dis. n. 30. t. 3.
5	<i>imbricatus</i> . L.T.	imbricated.	—	1794.	4. 7.	G. h.	Andr. reposit. 517.
6	<i>diversifolius</i> . L.T.	various-leaved.	—	1807.	—	G. h.	
	SPATALLA . L.T.	SPATALLA . Tetrandria Monogynia.					
1	<i>nivea</i> . L.T.	snowy-bearded.	C. B. S.	1806.	4. 8.	G. h.	
2	<i>bracteata</i> . L.T.	bracteate.	—	—	—	G. h.	
3	<i>prolifera</i> . L.T.	proliferous.	—	1800.	6. 8.	G. h.	Thunb. dis. n. 27. t. 4.
4	<i>incurva</i> . L.T.	incurved-leaved.	—	1789.	5. 6.	G. h.	— n. 22. t. 3.
5	<i>caudata</i> . L.T.	tailed.	—	1812.	—	G. h.	— sec. ic. t. 2.
6	<i>Thunbergii</i> . L.T.	Thunberg's.	—	1806.	—	G. h.	
	CONOSPERMUM . L.T.	CONOSPERMUM . Triandria Monogynia.					
1	<i>ellipticum</i> . L.T.	elliptic-leaved.	N. S. W.	1822.	5. 7.	G. h.	
2	<i>ericifolium</i> . L.T.	Heath-leaved.	—	1820.	—	G. h.	Linn. trans. 10. t. 17. f. 1.
3	<i>longifolium</i> . L.T.	long-leaved.	—	1824.	G. h.	Sm. exot. bot. 2. t. 82.
	PERSOONIA . L.T.	PERSOONIA . Tetrandria Monogynia.					
1	<i>pinifolia</i> . L.T.	Pine-leaved.	N. S. W.	1818.	5. 7.	G. h.	Linn. trans. 10. t. 16. f. 1.
2	<i>juniperina</i> . L.T.	Juniper-leav'd.	V. Diem. Isl.	1823.	—	G. h.	Lab. n. holl. 1. t. 45.
3	<i>hirsuta</i> . L.T.	hairy.	N. S. W.	1800.	—	G. h.	Lodd. bot. cab. 327.
4	<i>mollis</i> . L.T.	soft.	—	1818.	—	G. h.	
5	<i>linearis</i> . L.T.	linear-leaved.	—	1794.	7. 8.	G. h.	Botan. magaz. 760.
6	<i>flexifolia</i> . L.T.	bending-leav'd.	—	1822.	—	G. h.	Lodd. bot. cab. 922.
7	<i>lanceolata</i> . L.T.	spear-leaved.	—	1791.	6. 7.	G. h.	Andr. reposit. 74.
	<i>β latifolia</i> . B.P.	broad-leaved.	—	—	—	G. h.	— 280?
8	<i>salicina</i> . L.T.	Willow-leaved.	—	1795.	6. 7.	G. h.	Cavan. ic. 4. t. 389?
9	<i>ferruginea</i> . L.T.	ferruginous.	—	1818.	—	G. h.	Sm. exot. bot. 2. t. 83.
	BRABEJUM . L.T.	AFRICAN ALMOND . Polygamia Monœcia.					
	<i>stellatifolium</i> . L.T.	common.	C. B. S.	1731.	3. 4.	G. h.	Hout. n. h. par. 2. t. 6. f. 37
	GREVILLEA . L.T.	GREVILLEA . Tetrandria Monogynia.					
1	<i>punicea</i> . L.T.	purple-flow'r'd.	N. S. W.	1822.	4. 9.	G. h.	Sm. n. holl. t. 9. f. 5.
2	<i>dubia</i> . L.T.	doubtful.	—	—	—	G. h.	
3	<i>sericea</i> . L.T.	silky.	—	1790.	—	G. h.	Botan. magaz. 862.
4	<i>linearis</i> . L.T.	linear-leaved.	—	—	—	G. h.	Andr. reposit. 272.
	<i>a incarnata</i> . B.M.	flesh-coloured.	—	—	—	G. h.	Botan. magaz. 2661.
	<i>β alba</i> . B.C.	white-flowered.	—	—	—	G. h.	Lodd. bot. cab. 858.
5	<i>stricta</i> . L.T.	upright.	—	1822.	—	G. h.	
6	<i>riparia</i> . L.T.	river-side.	—	1791.	4. 5.	G. h.	
7	<i>rosmarinifolia</i> . F.T.	Rosemary-ld.	—	1824.	—	G. h.	
8	<i>juniperina</i> . L.T.	Juniper-like.	—	1821.	—	G. h.	Lodd. bot. cab. 1003.

9 arenaria. L.T.	sand.	N. S. W.	1803.	4. 9.	G. h.	
10 acuminata. L.T.	acute-leaved.	—	1805.	—	G. h.	
11 cinerea. L.T.	grey.	—	1821.	—	G. h.	Lodd, bot. cab. 857.
12 mucronulata. L.T.	mucronulate.	—	1809.	—	G. h.	
13 sulphurea. F.I.	sulphur-colour'd	—	1823.	—	G. h.	
14 phyllicoides. L.T.	Phyllica-like.	—	—	—	G. h.	
15 buxifolia. L.T.	Box-leaved.	—	1790.	2. 9.	G. h.	Botan. regist. 443.
16 podalyriæfolia. c.c.	Podalyria-ld.	N.Holland.	1821.	5. 8.	S. h.	
17erberifolia. c.c.	Berberry-ld.	—	—	—	S. h.	
18 acanthiifolia. F.T.	Acanthus-ld.	—	—	—	S. h.	B. Field. trav. c. ic.
19 heterophylla.	various-leaved.	—	—	—	S. h.	
20 trifurcata. c.c.	three-forked.	—	—	—	S. h.	
21 aspleniifolia. L.T.	Spleenwort-ld.	N. S. W.	1806.	—	S. h.	
HAKEA. L.T.	HAKEA.	Tetrandria Monogynia.	R.S.			
1 pugioniformis. L.T.	dagger-fruited.	N. S. W.	1796.	5. 6.	G. h.	Lodd, bot. cab. 353.
2 parilis. K.P.	matched.	V.Diem.Isl.	—	—	G. h.	
3 epiglottis. L.T.	curvcd-fruited.	—	1822.	—	G. h.	Lab. nov. hol. 1. t. 40.
4 obliqua. L.T.	oblique-flow'r'd	N.Holland.	1803.	6. 9.	G. h.	
5 gibbosa. L.T.	gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
6 acicularis. L.T.	needle-leaved.	—	—	—	G. h.	Venten. malm. t. 111.
	<i>Conchium aciculare.</i> v.					
7 suaveolens. L.T.	sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
8 Lamberti. N.L.F.	Lambert's.	—	1823.	...	G. h.	
9 microcarpa. L.T.	small-fruited.	V.Diem.Isl.	1818.	4. 8.	G. h.	Botan. regist. 475.
10 trifurcata. L.T.	trifurcate.	N.Holland.	1824.	...	G. h.	
11 linearis. L.T.	linear-leaved.	—	—	...	G. h.	
12 florida. L.T.	many-flower'd.	—	1803.	5. 6.	G. h.	Botan. magaz. 2579.
13 ilicifolia. L.T.	Holly-leaved.	—	—	7. 9.	G. h.	
14 nitida. L.T.	glossy.	—	—	6. 8.	G. h.	Botan. magaz. 2246.
15 amplexicanlis. L.T.	smooth-stalkcd.	—	—	...	G. h.	
16 prostrata. L.T.	pubescent.	—	—	...	G. h.	
17 ceratophylla. L.T.	horn-leaved.	—	—	...	G. h.	
18 acanthophylla. L.en.	Acanthus-ld.	—	—	...	G. h.	
19 nndulata. L.T.	wave-leaved.	—	—	6. 8.	G. h.	
20 propinqua. F.T.	related.	—	1823.	...	G. h.	
21 oleifolia. L.T.	Olive-leaved.	—	1794.	6. 7.	G. h.	
22 saligna. L.T.	Willow-leaved.	—	1791.	3. 7.	G. h.	Andr. reposit. 215.
23 marginata. L.T.	marginate.	—	1824.	...	G. h.	
24 ruscifolia. L.T.	Ruscus-leaved.	—	—	...	G. h.	Lab. nov. holl. 1. t. 39.
25 canerea. L.T.	hoary-leaved.	—	1803.	6. 7.	G. h.	
26 canescens. L.en.	canescent.	N. S. W.	1800.	6. 8.	G. h.	
27 dactyloides. L.T.	nerved-leaved.	—	1790.	—	G. h.	Cavan. ic. 6. t. 535.
28 elliptica. L.T.	oval-leaved.	N.Holland.	1794.	—	G. h.	
29 clavata. L.T.	clavate.	—	1824.	...	G. h.	Lab. nov. holl. 1. t. 41.
LAMBERTIA. L.T.	LAMBERTIA.	Tetrandria Monogynia.	R.S.			
1 uniflora. L.T.	single-flowered.	N.Holland.	1824.	...	G. h.	
2 inermis. L.T.	unarmed.	—	—	...	G. h.	
3 formosa. L.T.	handsome.	N. S. W.	1788.	6. 8.	G. h.	Botan. regist. 528.
4 echinata. L.T.	lobe-leaved.	N.Holland.	1824.	...	G. h.	
XYLOMELUM. L.T.	WOODEN-PEAR-TREE.	Tetrandria Monogynia.	R.S.			
pyriforme. L.T.	prickly-leaved.	N. S. W.	1789.	...	G. h.	Cavan. ic. 6. t. 536.
RHOPALA. L.T.	RHOPALA.	Tetrandria Monogynia.	R.S.			
1 montana. L.T.	mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2 dentata. L.T.	tooth-leaved.	—	1802.	5. 8.	S. h.	
3 sessilifolia. L.T.	sessile-leaved.	—	1803.	—	S. h.	Rudg. gui. 1. t. 31.
TELOPEA. L.T.	WARATAH.	Tetrandria Monogynia.	R.S.			
speciosissima. L.T.	splendid.	N. S. W.	1789.	5. 7.	G. h.	Botan. magaz. 1128.
	<i>Embothrium speciosissimum.</i> B.M.					
LOMATIA. L.T.	LOMATIA.	Tetrandria Monogynia.	R.S.			
1 silaifolia. L.T.	cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Botan. magaz. 1272.
2 tinctoria. L.T.	various-leaved.	V.Diem.Isl.	1822.	...	G. h.	Lab. n. holl. 1. t. 42-43.
3 longifolia. L.T.	long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Botan. regist. 412.
4 dentata. L.T.	tooth-leaved.	Chili.	1824.	...	G. h.	Flor. peruv. 1. t. 94. a.
STENOCARPUS. L.T.	STENOCARPUS.	Tetrandria Monogynia.	R.S.			
salignus. L.T.	sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Botan. regist. 441.
BOTRYCERAS. W.	BOTRYCERAS.	Tetrandria Monogynia.	R.S.			
laurinum. w.	Laurel-like.	N.Holland.	1820.	6. 9.	G. h.	W.m.b.1811.t.10.f.10.
BANKSIA. L.T.	BANKSIA.	Tetrandria Monogynia.	R.S.			
1 pulchella. L.T.	small-flowered.	N.Holland.	1803.	...	G. h.	

2	sphærocarpa. L.T.	round-fruited.	N.Holland.	1803.	G. h.	
3	nutans. L.T.	nodding-fl'd.	_____	_____	4. 6.	G. h.	
4	ericifolia. L.T.	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.	Botan. magaz. 738.
5	spinulosa. L.T.	spiny-leaved.	_____	_____	12. 5.	G. h.	Andr. reposit. 457.
6	collina. L.T.	hill.	_____	1800.	G. h.	
7	occidentalis. L.T.	west-coast.	N. Holland.	1803.	G. h.	
8	littoralis. L.T.	sea-side.	_____	_____	4. 7.	G. h.	
9	marginata. L.T.	various-leaved.	N. S. W.	1804.	5. 8.	G. h.	Botan. magaz. 1947.
10	australis. L.T.	southern.	V. Diem. Isl.	1816.	_____	G. h.	Botan. regist. 787.
11	insularis. L.T.	Island.	_____	1823.	G. h.	
12	integrifolia. L.T.	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.	Cavan. ic. 6. t. 546.
13	compar. L.T.	related.	N.Holland.	1823.	G. h.	
14	verticillata. L.T.	whorl-leaved.	_____	1794.	7. 11.	G. h.	Hook. ex. flor. 96.
15	coccinea. L.T.	scarlet-flow'r'd.	_____	1803.	G. h.	Bauer. n. holl. ic.
16	paludosa. L.T.	marsh.	N. S. W.	1805.	1. 4.	G. h.	Botan. regist. 697.
17	intermedia. ψ.	intermediate.	N. Holland.	1824.	G. h.	
18	oblongifolia. L.T.	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.	Lodd. bot. cab. 241.
19	latifolia. L.T.	broad-leaved.	_____	1802.	_____	G. h.	Cavan. ic. 6. t. 543.
20	marcescens. L.T.	short-leaved.	N. Holland.	1791.	1. 12.	G. h.	Andr. reposit. 258.
	<i>præmorsa.</i> A.R. <i>spleniifolia.</i> K.P.						
21	attenuata. L.T.	attenuated, smooth-fl'd.	_____	1794.	G. h.	
22	serrata. L.T.	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.	Andr. reposit. 82.
23	æmula. L.T.	deeply-sawed.	_____	_____	1. 6.	G. h.	Botan. regist. 688.
24	dentata. L.T.	tooth-leaved.	N.Holland.	1822.	S. h.	
25	quercifolia. L.T.	Oak-leaved.	_____	1805.	G. h.	
26	dryandroides. ψ.	Dryandra-like.	_____	1824.	G. h.	
27	speciosa. L.T.	long-leaved.	_____	1805.	5. 8.	G. h.	
28	grandis. L.T.	great-flowered.	_____	1794.	G. h.	
29	prostrata. ψ.	prostrate.	_____	1824.	G. h.	
30	repens. L.T.	creeping.	_____	1803.	G. h.	Lab. voy. 1. t. 23.
31	ilicifolia. L.T.	Holly-leaved.	_____	1824.	G. h.	
	DRYANDRA. L.T.	DRYANDRA.	Tetrandria	Monogynia.	R.S.		
1	floribunda. L.T.	many-flowered.	N.Holland.	1803.	1. 12.	G. h.	Botan. magaz. 1581.
2	cuneata. L.T.	wedge-leaved.	_____	_____	11. 2.	G. h.	
	<i>α brevifolia.</i>	<i>short-leaved.</i>	_____	_____	_____	G. h.	
	<i>β longifolia.</i>	<i>long-leaved.</i>	_____	_____	_____	G. h.	
3	armata. L.T.	acute-leaved.	_____	_____	1. 12.	G. h.	
4	falcata. L.T.	falcate-leaved.	_____	1824.	G. h.	
5	formosa. L.T.	splendid.	_____	1803.	1. 12.	G. h.	Linn. trans. 10. t. 3.
6	mucronulata. L.T.	pointed-leaved.	_____	1824.	G. h.	
7	plumosa. L.T.	feathered.	_____	1803.	1. 8.	G. h.	
8	obtusa. L.T.	blunt-leaved.	_____	_____	G. h.	
9	nivea. L.T.	white-leaved.	_____	_____	7. 9.	G. h.	Lab. voy. 1. t. 24.
10	longifolia. L.T.	long-leaved.	_____	1805.	1. 12.	G. h.	Botan. magaz. 1582.
11	Baxteri. ψ.	Baxter's.	_____	1824.	G. h.	
12	tennifolia. L.T.	slender-leaved.	_____	1803.	3. 5.	G. h.	
13	nervosa. ψ.	nerved-leaved.	_____	1824.	G. h.	
14	pteridifolia. L.T.	Pteris-leaved.	_____	_____	_____	G. h.	

ORDO CL.

THYMELÆÆ. *Brown prodr. p. 358.*

DIRCA. W.	LEATHER-WOOD.	Octandria Monogynia.	L.			
palustris. w.	marsh.	Virginia.	1750.	3. 4.	H. h.	Botan. regist. 292.
LAGETTA. J.	LACE-BARK.	Octandria Monogynia.	S.S.			
linteraria. J.	Jamaica.	Jamaica.	1793.	12. 1.	S. h.	Lam. ill. t. 289.
DAPHNE. W.	DAPHNE.	Octandria Monogynia.	L.			
1 Mezereum. w.	Mezereon.	England.	2. 4.	H. h.	Eng. bot. 1381.
<i>α album.</i>	<i>white-flowered.</i>	_____	_____	H. h.	
<i>β rubrum.</i>	<i>red-flowered.</i>	_____	_____	H. h.	
<i>γ autumnale.</i>	<i>autumnal-flow'r'd.</i>	_____	8. 12.	H. h.	

2	Laureola. w.	spurge-laurel.	Britain.	1. 3.	H. h.	Eng. bot. 119.
3	pontica. w.	Pontic.	Pontus.	1759.	4. 5.	H. h.	Botan. magaz. 1232.
4	tinifolia. w.	Bonace-bark.	Jamaica.	1733.	5. 7.	S. h.	
5	Gnidium. w.	Flax-leaved.	Spain.	1597.	6. 8.	H. h.	Lodd. bot. cab. 150.
6	odora. w.	sweet-scented.	China.	1771.	12. 3.	G. h.	Botan. magaz. 1587.
7	alpina. w.	Alpine.	Italy.	1759.	5. 7.	H. h.	Lodd. bot. cab. 66.
8	altaica. w.	Altaic.	Siberia.	1796.	4. 5.	H. h.	Botan. magaz. 1875.
9	Cneorum. w.	trailing.	Austria.	1752.	4. 9.	H. h.	————— 313.
10	striata. s.s.	streaked.	Hungary.	—	H. h.	
11	collina. s.s.	hairy.	Italy.	1752.	1. 6.	H. h.	Botan. magaz. 428.
12	sericea. s.s.	silky-leaved.	Levant.	1818.	—	H. h.	
13	oleoides. s.s.	Olive-leaved.	Crete.	1815.	1. 12.	H. h.	Botan. magaz. 1917.
14	napolitana. B.C.	Neapolitan.	Italy.	1823.	1. 6.	H. h.	Lodd. bot. cab. 719.
	<i>collina</i> β <i>neapolitana</i> .	B.R. 822.					
15	Thymelæa. w.	smooth-leaved.	Spain.	1815.	2. 4.	H. h.	Pluk. alm. t. 229. f. 2.
16	Tarton-raira. w.	silvery-leaved.	France.	1640.	5. 7.	H. h.	————— t. 318. f. 6.
GNIDIA. L.		GNIDIA. Octandria Monogynia. L.					
1	pinifolia. w.	Pine-leaved.	C. B. S.	1768.	5. 6.	G. h.	Botan. regist. 19.
2	radiata. B.C.	radiate.	—————	1818.	—	G. h.	Lodd. bot. cab. 29.
3	imberbis. H.K.	smooth-scaled.	—————	1792.	8. 4.	G. h.	Botan. magaz. 1463.
4	simplex. H.K.	Flax-leaved.	—————	1786.	5. 6.	G. h.	————— 812.
5	juniperifolia. w.	Juniper-leaved.	—————	1822.	—	G. h.	
6	capitata. w.	purple-twigged.	—————	1788.	6. 7.	G. h.	
7	imbricata. w.	imbricated.	—————	1822.	4. 8.	G. h.	Botan. regist. 757.
	<i>denudata</i> . B.R.						
8	oppositifolia. H.K.	opposite-leaf'd.	—————	1783.	5. 7.	G. h.	————— 2.
9	tomentosa. s.s.	tomentose.	—————	1822.	—	G. h.	
10	sericea. w.	silky.	—————	1786.	—	G. h.	Andr. reposit. 225.
	<i>oppositifolia</i> . A.R. <i>nec aliorum</i> .						
LACHNÆA. W.		LACHNÆA. Octandria Monogynia. L.					
1	buxifolia. Lam.	green box-ld.	C. B. S.	1800.	5. 7.	G. h.	Botan. magaz. 1657.
2	glauca. H.K.	glaucous.	—————	—	—	G. h.	————— 1658.
3	purpurea. w.	purple-flow'r'd.	—————	—	—	G. h.	————— 1594.
4	eriocephala. w.	woolly-headed.	—————	1793.	6. 7.	G. h.	————— 1295.
5	conglomerata. w.	clustered.	—————	1773.	—	G. h.	
PASSERINA. W.		SPARROW-WORT. Octandria Monogynia. L.					
1	uniflora. w.	one-flowered.	C. B. S.	1759.	4. 7.	G. h.	Wend. obs. t. 2. f. 18.
2	laxa. w.	loose.	—————	1804.	6. 7.	G. h.	Lodd. bot. cab. 755.
3	tenuiflora. w.	slender-fl'd.	—————	1812.	—	G. h.	
4	filiformis. w.	filiform.	—————	1752.	6. 8.	G. h.	Wend. obs. t. 2. f. 15.
5	capitata. w.	headed.	—————	1759.	6. 10.	G. h.	————— t. 2. f. 17.
6	hirsuta. w.	hairy.	S. Europe.	1759.	—	G. h.	Botan. magaz. 1949.
7	striata. Lam.	striate.	C. B. S.	1822.	—	G. h.	
8	ericoides. w.	Heath-like.	—————	—	—	G. h.	
9	ciliata. w.	fringed.	—————	1819.	—	G. h.	Seb. mus. 2. t. 12. f. 9.
10	grandiflora. w.	great-flowered.	—————	1789.	5. 6.	G. h.	Botan. magaz. 292.
11	spicata. w.	spiked.	—————	1787.	5. 7.	G. h.	Lodd. bot. cab. 311.
12	anthylloides. w.	Anthyllus-like.	—————	1816.	—	G. h.	
STELLERA. W.		STELLERA. Octandria Monogynia. L.					
	Passerina. w.	Flax-leaved.	S. Europe.	1759.	7. 8.	H. ☉	Jacq. ic. 1. t. 68.
	<i>Passerina annua</i> . s.s.						
DAIS. L.		DAIS. Decandria Monogynia. L.					
	cotinifolia. w.	Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. h.	Botan. magaz. 147.
STRUTHIOLA. L.		STRUTHIOLA. Tetrandria Monogynia. L.					
1	virgata. H.K.	twiggy.	C. B. S.	1779.	4. 8.	G. h.	Andr. reposit. 139.
2	ciliata. A.R.	ciliated.	—————	—	—	G. h.	————— 149.
3	lateriflora. R.S.	side-flowering.	—————	1816.	—	G. h.	
4	pubescens. R.S.	downy.	—————	1790.	—	G. h.	Botan. magaz. 1212.
5	glabra. R.S.	upright smooth.	—————	1798.	4. 9.	G. h.	Wendl. obs. t. 2. f. 10.
	<i>erecta</i> . w. <i>stricta</i> . Donn.						
6	juniperina. R.S.	drooping.	—————	1758.	—	G. h.	Botan. magaz. 222.
	<i>erecta</i> . B.M.						
7	angustifolia. R.S.	narrow-leaved.	—————	1816.	—	G. h.	
8	lucana. B.C.	hoary.	—————	1802.	7. 8.	G. h.	Lodd. bot. cab. 11.
9	imbricata. R.S.	tiled-leaved.	—————	1794.	4. 8.	G. h.	Andr. reposit. 113.
10	ovata. R.S.	oval-leaved.	—————	1792.	2. 6.	G. h.	————— 119.
11	tomentosa. R.S.	downy-leaved.	—————	1799.	8. 9.	G. h.	————— 334.
PIMELEA. B.P.		PIMELEA. Diandria Monogynia. R.S.					
1	linifolia. B.P.	flax-leaved.	N. S. W.	1793.	2. 8.	G. h.	Botan. magaz. 891.

2 glauca. B.P.	glaucous-leav'd.	N. S. W.	1822.	—	G. h.	Linn. trans.10.t.13.f.2.
3 ligustrina. B.P.	Privet-like.	—	1823.	—	G. h.	Lab. nov. holl. 1. t. 3.
4 decussata. B.P.	cross-leaved.	—	—	4. 8.	G. h.	— 1. t. 5.
<i>ferruginea</i> . Lab.						
5 rosea. B.P.	rose-coloured.	N.Holland.	1800.	3. 9.	G. h.	Botan. magaz. 1458.
6 linoides. F.T.	flax-like.	N. S. W.	1824.	—	G. h.	—
7 pauciflora. B.P.	few-flowered.	V.Diem.Isl.	1812.	—	G. h.	Lodd. bot. cab. 179.
8 drupacea. B.P.	drupe-bearing.	—	1820.	—	G. h.	— 540.
9 spicata. B.P.	spiked.	N. S. W.	1824.	—	G. h.	Linn. trans.10. t.14.f.2.

ORDO CLI.

OSYRIDEÆ. *Brown.*

OSYRIS. W.	POET'S CASSIA.	Diœcia Triandria.	L.			
alba. w.	white.	S. Europe.	1739.	G. h.	Lam. ill. t. 802.
EXOCARPOS. B.P.	EXOCARPOS.	Pentandria Monogynia.				
1 cupressiformis. B.P.	Cypress-like.	N.Holland.	1820.	G. h.	Labill. voy. 1. t. 14.
2 humifusa. B.P.	low-procumbent.	V.Diem.Isl.	1822.	G. h.	
3 stricta. B.P.	upright.	N. S. W.	—	G. h.	

ORDO CLII.

SANTALACEÆ. *Brown prodr. p. 350.*

SANTALUM. B.P.	SANDAL-WOOD.	Tetrandria Monogynia.	W.			
1 album. F.I.	white.	E. Indies.	1804.	S. h.	Rumph. amb. 2. t. 11.
2 myrtifolium. F.I.	Myrtle-leaved.	—	1819.	G. h.	Roxb. corom. 1. t. 2.
3 obtusifolium. B.P.	blunt-leaved.	N. S. W.	1823.	G. h.	
FUSANUS. B.P.	FUSANUS.	Polygamia Monœcia.	L.			
compressus. H.K.	flat-stalked.	C. B. S.	1776.	G. h.	Berg. cap. 38. t. 1. f. 1.
LEPTOMERIA. B.P.	LEPTOMERIA.	Pentandria Monogynia.	R.S.			
1 acida. B.P.	acid.	N. S. W.	1823.	G. h.	
2 Billardieri. B.P.	Labillardiere's.	—	—	G. h.	Lab. nov. hol. 1. t. 93.
<i>Thesium drupaceum</i> . Lab.						
THESIUM. R.S.	THESIUM.	Pentandria Monogynia.	L.			
1 linophyllum. R.S.	common.	England.	6. 7.	H. h.	Eng. bot. 247.
2 intermedium. R.S.	intermediate.	Germany.	1818.	—	H. h.	Schkuhr hand. t. 51.
3 montanum. R.S.	mountain.	Europe.	—	H. h.	Hayn. sc. j. t. 119.
4 alpinum. R.S.	Alpine.	—	1814.	—	H. h.	Jacq. aust. 5. t. 416.
5 ebracteatum. R.S.	blunt-leaved.	Germany.	—	—	H. h.	Hayn. l. c. t. 7.
6? amplexicaule. R.S.	stem-clasping.	C. B. S.	1787.	—	G. h.	
COMANDRA. N.	COMANDRA.	Pentandria Monogynia.	N.			
umbellata. N.	umbelled.	N.America.	1782.	6.	H. h.	Pluk. mant. t.342. f.1.
<i>Thesium umbellatum</i> . w.						
HAMILTONIA. W.	OIL-NUT.	Polygamia Diœcia.	W.			
oleifera. w.	Olive-bearing.	N.America.	1800.	G. h.	Pursh. amer. 1. t. 13.
<i>Pyrularia pubera</i> . M.						
NYSSA. R.S.	TUPELO.	Polygamia Diœcia.	L.			
1 villosa. R.S.	hairy-leaved.	N.America.	1806.	5.	H. h.	Mich. arb. 2. t. 21.
2 aquatica. R.S.	water.	—	1739.	4. 5.	H. h.	— 2. t. 22.
<i>biflora</i> . w.						
3 candicans. R.S.	hoary.	—	1812.	H. h.	Mich. arb. 2. t. 20.
4 capitata. H.K.	headed.	Carolina.	1806.	H. h.	
5 tomentosa. R.S.	tomentose.	—	1812.	H. h.	Mich. arb. 2. t. 19.
6 denticulata. R.S.	toothed.	N.America.	1795.	5. 6.	H. h.	Catesb. car. 1. t. 60.

ORDO CLIII.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPOPHAE. L.	SEA-BUCKTHORN.	Diœcia Tetrandia. L.			
1 rhamnoides. w.	common.	England.	4. 5.	H. h. Eng. bot. 425.
2 salicifolia. D.P.	Willow-leav'd.	Nepaul.	1819.	H. h.
SHEPHERDIA. N.	SHEPHERDIA.	Diœcia Octandria. N.			
1 argentea. N.	silvery.	Missouri.	1818.	H. h.
<i>Hippophae argentea.</i> Ph.					
2 canadensis. N.	Canadian.	—	1759.	4. 5.	H. h.
<i>Hippophae canadensis.</i> w.					
ELÆAGNUS. L.	OLEASTER.	Tetrandia Monogynia. L.			
1 angustifolia. R.S.	narrow-leaved.	S. Europe.	1633.	7.	H. h. Pall. ros. 1. t. 4.
2 orientalis. R.S.	oriental.	Levant.	1748.	7. 8.	G. h. ——— 1. t. 5.
3 argentea. Ph.	silvery.	N. America.	1813.	—	H. h. Wats. dend. brit. 161.
4 arborea. F.I.	tree.	Nepaul.	1819.	H. h.
5 conferta. F.I.	close-flowered.	—	—	H. h. Burm. zeyl. t. 39. f. 1.
6 latifolia. R.S.	broad-leaved.	E. Indies.	1712.	7. 8.	S. h. ——— t. 39. f. 2.

ORDO CLIV.

ASARINÆ. *Kunth synopsis. 1. p. 442.*

ASARUM. L.	ASARABACCA.	Dodecandria Monogynia. L.			
1 europæum. s.s.	common.	England.	5.	H. 2. Eng. bot. t. 1083.
2 canadense. s.s.	Canadian.	Canada.	1713.	4. 7.	H. 2. Swt. br. fl. gar. 95.
3 virginicum. w.	Virginian.	Virginia.	1759.	4. 5.	H. 2. ——— t. 18.
4 arifolium. s.s.	Arum-leaved.	Carolina.	1818.	5. 6.	H. 2. Hook. ex. flor. 40.
ARISTOLOCHIA. W.	BIRTHWORT.	Gynandria Hexandria. L.			
1 bilobata. w.	bilobed.	W. Indies.	1822.	—	S. h. Plum. amer. t. 106.
2 trilobata. w.	three-lobed.	S. America.	1775.	6. 7.	S. h.
3 ringens. w.	gaping.	—	1820.	—	S. h. Vahl. symb. 2. t. 47.
4 labiosa. B.R.	lipped.	—	—	5. 9.	S. h. Botan. regist. 689.
5 panduriformis. w.	fiddle-leaved.	Caracas.	1823.	S. h.
6 maxima. w.	great.	New Spain.	1759.	7.	S. h. Jacq. amer. t. 146.
7 Siph. w.	broad-leaved.	N. America.	1763.	6. 7.	H. h. Botan. magaz. 534.
8 tomentosa. B.M.	downy.	—	1799.	—	H. h. ——— 1369.
9 odoratissima. w.	sweet-scented.	Jamaica.	1737.	7.	S. h. Sloan. jam. 1. t. 104. f. 1.
10 barbata. w.	bearded.	Caracas.	1796.	6. 8.	S. h. Jacq. ic. 3. t. 608.
11 indica. w.	Indian.	E. Indies.	1780.	6. 7.	S. h. Rheed. mal. 8. t. 25.
12 acuminata. w.	taper-pointed.	Mauritius.	1820.	S. h.
13 fœtida. K.S.	fetid.	Mexico.	1822.	6. 8.	S. h. H. et B. 2. t. 114.
14 hastata. K.S.	halberd-leaved.	Havannah.	—	S. h. ——— 2. t. 116.
15 bœtica. w.	Spanish.	Spain.	1596.	5. 6.	H. h. Moris. s. 12. t. 17. f. 6.
16 glauca. w.	glaucous.	Barbary.	1785.	6. 8.	G. h. Botan. magaz. 1115.
17 sempervirens. w.	evergreen.	Candia.	1727.	5. 6.	G. h. ——— 1116.
18 longa. w.	long-rooted.	S. Europe.	1548.	6. 10.	H. 2. Mill. ic. t. 51. f. 2.
19 Serpentina. w.	Snake-root.	N. America.	1632.	6. 7.	H. 2. Jacq. schœn. 3. t. 385.
20 sagittata. Muhl.	arrow-leaved.	—	1819.	—	H. 2.
21 bracteata. w.	bracteate.	E. Indies.	1793.	7.	S. 2.
22 Pistolochia. w.	small.	S. Europe.	1597.	6. 7.	H. 2.
23 rotunda. w.	round-rooted.	—	1596.	3. 10.	G. 2.
24 pallida. w.	pale-flowered.	Italy.	1640.	5. 8.	H. 2. Moris. s. 12. t. 18. f. 2.
25 hirta. w.	hairy.	Chio.	1759.	5. 6.	G. 2. Tourn. it. 1. t. 147.
26 Clematitis. w.	common.	England.	5. 8.	H. 2. Eng. bot. 398.
27 arborescens. w.	tree.	America.	1737.	6. 7.	G. h.

ORDO CLV.

PASSIFLOREÆ. *Juss. ann. mus. 6. p. 102.*

- PASSIFLORA. J.** **PASSION-FLOWER.** Monadelphia Pentandria. W.
- 1 serratifolia. w. notched-leav'd. W. Indies. 1731. 5. 10. S. h. ∪. Botan. magaz. 651.
- 2 coccinea. w. scarlet-flow'r'd. Guiana. 1823. S. h. ∪. Aub. gui. 3. t. 324.
- 3 pallida. w. pale-flowered. W. Indies. 1820. 5. 10. S. h. ∪. Botan. regist. 660.
- 4 cuprea. w. copper-colour'd. Bahama-Isl. 1724. 7. 8. S. h. ∪. Jacq. ic. 3. t. 606.
- 5 tiliæfolia. w. Lime-tree-ld. Pern. 1822. S. h. ∪. Cavan. diss. 10. t. 285.
- 6 maliformis. w. Apple fruited. W. Indies. 1731. 7. 11. S. h. ∪. Botan. regist. 95.
- 7 albida. B.R. white-flower'd. Brazil. 1816. — S. h. ∪. ———— 677.
- 8 angulata. angular-stalk'd. Mexico. 1823. S. h. ∪.
- 9 quadrangularis. w. square-stalked. Jamaica. 1768. 8. 9. S. h. ∪. Botan. regist. 14.
- 10 alata. w. wing-stalked. W. Indies. 1772. 4. 8. S. h. ∪. Botan. magaz. 66.
- 11 ligularis. J. ligulate. S. America. 1822. S. h. ∪. J. ann. mus. 6. t. 40.
- 12 laurifolia. w. Laurel-leaved. W. Indies. 1690. 6. 7. S. h. ∪. Botan. regist. 13.
- 13 tinifolia. J. Tinus-leaved. ———— 1822. — S. h. ∪. J. ann. mus. 6. t. 41. f. 2.
- 14 mucronata. w. mucronate. Brazil. ———— S. h. ∪. Cavan. diss. 10. t. 282.
- 15 multiflora. w. many-flowered. Vera Cruz. 1731. 6. 9. S. h. ∪. Plum. amer. t. 90.
- 16 rubra. w. red-fruited. W. Indies. ———— 4. 9. S. h. ∪. Botan. regist. 95.
- 17 normalis. w. linear-lobed. Vera Cruz. 1771. 5. 6. S. h. ∪.
- 18 lunata. w. crescent-leav'd. Jamaica. 1733. 6. 8. S. h. ∪. Sm. ic. pict. 1. t. 1.
- β acutiloba. long acute-lobed. ———— S. h. ∪. Botan. regist. 577.
- 19 mexicana. J. Mexican. Mexico. 1812. — S. h. ∪. J. ann. mus. 6. t. 38. f. 2.
- 20 Vespertilio. w. bat-winged. W. Indies. 1732. 5. 6. S. h. ∪. Dill. elt. t. 137. f. 164.
- 21 discolor. L. en. two-coloured. Brazil. 1820. 6. 10. S. h. ∪. Pl. sel. hort. ber. t. 5.
- vespertilio. B.R. 597. Maximiliana. Bory-
- 22 cuneata. L. en. wedge-leaved. S. America. ———— S. h. ∪.
- 23 oblongata. w. oblong-leaved. Jamaica. 1822. ———— S. h. ∪.
- 24 tuberosa. B.R. tuberous-root'd. S. America. 1784. ———— S. h. ∪. Botan. regist. 432.
- punctata. B.C. 101. nec aliorum.
- 25 rotundifolia. w. round-leaved. W. Indies. 1779. 5. 8. S. h. ∪. Cavan. diss. 10. t. 290.
- 26 punctata. w. dotted-leaved. Peru. 1784. 5. 6. S. h. ∪. ———— 6. t. 269.
- 27 lutea. w. yellow. America. 1714. ———— G. 2. ∪. Botan. regist. 79.
- 28 maculata. Donn. spotted-leaved. N. America. 1812. 6. 10. G. 2. ∪.
- peltata. Ph. nec aliorum.
- 29 gracilis. L. en. slender. S. America. 1823. ———— S. ⊙. ∪. Botan. regist. 870.
- 30 stipulata. w. large-stipuled. Guiana. 1815. 8. 9. S. h. ∪. Aub. gui. 3. t. 325.
- 31 angustifolia. w. narrow-leaved. W. Indies. 1773. 6. 9. S. h. ∪. Botan. regist. 188.
- heterophylla. Jacq. schen. 2. t. 181.
- 32 minima. w. small. Curassao. 1690. 7. 8. S. h. ∪. ———— 144.
- 33 hirsuta. w. hairy. W. Indies. 1778. 9. S. h. ∪. Plum. amer. t. 88. f. A.
- 34 suberosa. w. Cork-barked. ———— 1759. 6. 9. S. h. ∪. Sm. exot. bot. 1. t. 28.
- 35 peltata. w. peltate. ———— 1778. 8. 9. S. h. ∪. Botan. regist. 507.
- 36 hederacea. w. Ivy-leaved. Antilles. 6. 7. S. h. ∪. Plum. amer. t. 84.
- 37 glauca. w. glaucous-leav'd. Cayenne. 1779. 8. 9. S. h. ∪. Botan. regist. 88.
- 38 picturata. B.R. pictured. Brazil. 1823. 6. 9. S. h. ∪. ———— 673.
- 39 racemosa. L.T. racemed. ———— 1816. 1. 12. S. h. ∪. ———— 285.
- 40 cæruleo-racemosa. Whitley's mule. Hybrid. 1820. ———— G. h. ∪. Lodd. bot. cab. 573.
- 41 alato-cærulea. B.R. Masters's mule. ———— 1823. 4. 8. G. h. ∪. Botan. regist. 848.
- 42 vitifolia. K.S. Vine-leaved. S. America. 1824. S. h. ∪.
- 43 holosericea. w. silky-leaved. Vera Cruz. 1733. 5. 8. S. h. ∪. Botan. regist. 59.
- 44 fœtida. w. stinking. W. Indies. 1731. 7. 9. S. ♂. ∪. Botan. magaz. 2619.
- 45 hircina. shrubby stinking. Brazil. 5. 10. S. h. ∪. Botan. regist. 321.
- fœtida. B.R. nec aliorum. hirsuta. B.C. 138. nec aliorum.
- 46 ciliata. w. ciliated. Jamaica. 1783. 7. 9. S. h. ∪. Botan. magaz. 288.
- 47 edulis. B.M. eatable-fruited. Brazil. 1816. 6. 10. S. h. ∪. ———— 1989.
- incarnata. β. B.R. 152.
- 48 incarnata. w. flesh-coloured. N. America. 1629. 7. 8. H. 2. ∪. Botan. regist. 332.
- 49 Colvillii. B.F.G. Colvill's. Hybrid. 1823. ———— H. h. ∪. Swt. br. fl. gar. 126.
- 50 cœrulea. w. common. Brazil. 1699. ———— H. h. ∪. Botan. regist. 488.
- β glaucophylla. glaucous-leaved. ———— H. h. ∪.
- γ angustifolia. narrow-leaved. ———— H. h. ∪.

51 chinensis.	Chinese.	China.	1819.	—	G. h. ∞.	
52 filamentosa. w.	palmate-leav'd.	S. America.	—	—	G. h. ∞.	Botan. regist. 584.
	<i>palmata.</i>	B.C. 97.				
53 serrata. w.	saw-leaved.	Martinique.	1800.	S. h. ∞.	Cavan. diss. 10. t. 296.
54 pedata. w.	curl-flowered.	W. Indies.	1781.	S. h. ∞.	Plum. amer. t. 81.
55 heterophylla. Lam.	various-leaved.	—	1817.	S. h. ∞.	Plum. ic. 139.
MURUCUIA. J.	MURUCUIA.	Monadelphia	Pentandria.	P.S.		
1 ocellata. p.s.	ocellated.	W. Indies.	1739.	7. 8.	S. h. ∞.	Botan. regist. 574.
	<i>Passiflora Murucuja.</i>	B.R.				
2 perfoliata.	perfoliate-ld.	—	1806.	—	S. h. ∞.	— 78.
	<i>Passiflora perfoliata.</i>	B.R.				
3 Herbertiana.	Mr. Herbert's.	N. Holland.	1822.	6. 10.	G. h. ∞.	— 737.
	<i>Passiflora Herbertiana.</i>	B.R.				
4 adiantifolia.	Adiantum-ld.	Norfolk-Is.	1792.	—	G. h. ∞.	— 233.
	<i>Passiflora adiantifolia.</i>	B.R.				
TACSONIA. J.	TACSONIA.	Monadelphia	Pentandria.	P.S.		
1 peduncularis. p.s.	long-peduncul'd.	S. America.	1815.	S. h. ∞.	Cavan. ic. 5. t. 426.
	<i>Passiflora peduncularis.</i>	Cav.				
MODECCA. B.R.	MODECCA.	Monadelphia	Pentandria.			
1 lobata. B.R.	lobe-leaved.	Sierra Leon.	1816.	6. 9.	S. h. ∞.	Botan. regist. 433.
2 trilobata. H.B.	three-lobed.	E. Indies.	1823.	S. h. ∞.	
3 tuberosa. H.B.	tuberos-root'd.	E. Indies.	1822.	6. 9.	S. h. ∞.	Rumph. amb. 8. t. 20.
SMEATHMANNIA. L.T.	SMEATHMANNIA.	Polyandria	Pentagynia.	L.T.		
1 lævigata. L.T.	smooth.	Sierra Leon.	1822.	S. h. ∞.	

ORDO CLVI.

EUPHORBIACEÆ. *Juss. gen. 384.*

MERCURIALIS. W.	MERCURY.	Dicecia	Enneandria.	L.		
1 perennis. w.	perennial.	Britain.	4. 5.	H. 4.	Eng. bot. 1872.
2 ambigua. w.	doubtful.	Spain.	1806.	7. 8.	H. ∞.	Linn. f. dec. 1. t. 8.
3 annua. w.	annual.	Britain.	7. 9.	H. ∞.	
4 elliptica. w.	oval-leaved.	Portugal.	1802.	5. 7.	G. h. ∞.	Venten. cels. 12.
5 tomentosa. w.	woolly.	Spain.	1640.	7. 9.	H. h.	
PEDILANTHUS. Neck.	SLIPPER-SPURGE.	Dodecandria	Trigynia.	L.en.		
1 tithymaloides. B.R.	Myrtle-leaved.	S. America.	1699.	6. 7.	D.S. h.	Botan. regist. 837.
	<i>myrtifolius.</i>	L.en.				
	<i>Crepidaria myrtifolia.</i>	H.S.S.				
2 carinatus.	keel-leaved.	W. Indies.	1809.	—	D.S. h.	Botan. magaz. 2514.
	<i>Euphorbia carinata.</i>	B.M.				
	<i>Crepidaria carinata.</i>	H.S.S.				
3 subcarinatus. H.R.	small-keeled.	—	1819.	—	D.S. h.	
4 canaliculatus.	channelled-ld.	—	—	—	D.S. h.	Lodd. bot. cab. 727.
	<i>Euphorbia canaliculata.</i>	B.C.				
5 padifolius. H.S.	Padus-leaved.	—	1699.	—	D.S. h.	Dill. elt. t. 288. f. 372.
6 cordellatus.	small-heart-ld.	—	1795.	D.S. h.	
	<i>Crepidaria cordellata.</i>	H.S.				
EUPHORBIA. W.	SPURGE.	Dodecandria	Trigynia.	L.		
1 uncinata. DC.	twin-spined.	C. B. S.	1795.	6. 8.	D.G. h.	DC. plant. gras. 151.
	<i>Scolopendrea.</i>	H.S.				
2 trigona. H.S.	upright 3-sided.	E. Indies.	1768.	7. 8.	D.S. h.	
3 antiquorum. H.S.	spreading 3-sided.	—	1688.	—	D.S. h.	Comm. hort. 1. t. 12.
4 lactea. H.S.	marbled.	—	1804.	—	D.S. h.	
5 grandidens. H.P.	large-toothed.	C. B. S.	1820.	D.G. h.	
6 canariensis. W.	Canary.	Canaries.	1697.	3. 4.	D.G. h.	DC. plant. gras. 140.
7 heptagona. w.	seven-angled.	C. B. S.	1731.	7. 11.	D.G. h.	Bradl. suc. 2. t. 13.
	<i>a nigra.</i>	H.S.	—	—	D.G. h.	
	<i>β rubra.</i>	H.S.	—	—	D.G. h.	
8 enneagona. H.S.	nine-angled.	—	1790.	7. 10.	D.G. h.	
9 mammillaris. w.	warty-angled.	—	1759.	7. 8.	D.G. h.	Comm. præl. t. 9.
10 cereiformis. w.	naked.	—	1731.	6. 7.	D.G. h.	Burm. afr. t. 9. f. 3.
11 officinarum. w.	official.	Africa.	1597.	—	D.G. h.	DC. plant. gras. 77.
12 odontophylla. w.en.	white-spined.	C. B. S.	1824.	D.G. h.	

13	polygona. H.S.	many-angled.	C. B. S.	1790.	7. 9.	D.G. ½.	
14	nereifolia. w.	Oleander-ld.	India.	1690.	6. 7.	D.S. ½.	DC. plant. gras. 46.
15	Hystrix. w.	Porcupine.	C. B. S.	1695.	—	D.G. ½.	Jacq. schœn. 2. t. 207.
	<i>loricata</i> . P.S. <i>Treisia</i>	<i>Hystrix</i> . H.S.					
16	varians. H.S.	variable-stemm'd.	E. Indies.	1800.	6. 9.	D.S. ½.	
17	grandifolia. H.S.	great-leaved.	Sierra Leon.	1798.	—	D.S. ½.	
18	erosa. w.en.	erose.	1818.	D.S. ½.	
19	cucumerina. w.	Cucumber-like.	C. B. S.	5. 9.	D.G. ½.	Vail. it. t. 5.
20	meloformis. w.	Melon-like.	—	1774.	—	D.G. ½.	Andr. reposit. 617.
21	clava. w.	club.	—	—	3. 12.	D.G. ½.	Jacq. ic. 1. t. 85.
	<i>Treisia tuberculata</i> . H.S.S.						
22	Haworthii.	Haworth's.	—	—	D.G. ½.	
	<i>Treisia clava</i> . H.S. excl. <i>syn.</i> w.						
23	buplenrifolia. w.	cone-shaped.	—	1791.	6. 7.	D.G. ½.	Jacq. schœn. 1. t. 106.
24	Caput medusæ. w.	great Medusa's head.	Africa.	1731.	8.	D.G. ½.	Comm. præl. t. 7.
	<i>Medusea major</i> . H.S.						
	<i>β humilis</i> .	<i>dwarfer</i> .	—	1768.	—	D.G. ½.	Burm. afr. t. 8.
25	tessellata. H.S.	chequer'd-M'-head.	1788.	—	D.G. ½.	
26	fructus-pini. H.S.	small M'-head.	C. B. S.	1731.	—	D.G. ½.	DC. plant. gras. 150.
	<i>β geminata</i> .	<i>twin-branched</i> .	—	—	—	D.G. ½.	Burm. afr. 18. t. 9. f. 1.
27	procumbens. H.S.	least M'-head.	—	1768.	—	D.G. ½.	t. 10. f. 1.
28	patula. Mill.	spreading.	—	—	—	D.G. ½.	
	<i>Dactylanthus patula</i> . H.S.						
29	anacantha. w.	scaly.	—	1727.	9. 10.	D.G. ½.	Botan. magaz. 2520.
30	globosa. B.M.	roundish-jointed.	—	1822.	6. 11.	D.G. ½.	2624.
	<i>Dactylanthus globosa</i> . H.P.						
31	tuberculata. w.	tuberculate.	—	1805.	6. 8.	G. ½.	Jacq. schœn. 2. t. 208.
32	hamata. H.S.	hooked.	—	1795.	G. ½.	Burm. afr. t. 6. f. 3.
33	Ornithopus. w.en.	Bird's-foot.	—	1816.	6. 8.	G. ½.	Jacq. fragm. t. 120.
34	lophogona. w.	curl-winged.	Madagascar.	1824.	D.S. ½.	DC. plant. gras. ic.
35	pendula. L.en.	pendulous.	1808.	D.S. ½.	
	<i>Tithymalus pendulus</i> . H.						
36	Tirucalli. w.	Indian tree.	India.	1690.	D.S. ½.	Rheed. mal. 2. t. 34.
37	mauritanica. w.	Barbary.	Africa.	1732.	6. 8.	G. ½.	Dill. elt. t. 289. f. 373.
38	Lamarckii. H.S.L.	Lamarck's.	—	1808.	—	G. ½.	
	<i>mauritanica</i> . Lam. nec <i>aliorum</i> . <i>virgata</i> . P.S. non w.K.						
39	aphylla. w.en.	leafless.	Teneriffe.	1815.	6. 8.	G. ½.	
40	atropurpurea. w.en.	dark purple.	—	—	—	G. ½.	
41	variegata. B.M.	variegated.	Louisiana.	1811.	—	H. ⊙.	Botan. magaz. 1747.
42	pscatoria. w.	smooth spear-ld.	Canaries.	1777.	—	G. ½.	
43	balsamifera. w.	balsam.	—	1779.	—	G. ½.	
44	laurifolia. P.S.	Laurel-leaved.	Peru.	1820.	—	G. ½.	
45	hracteata. Jac.	bracteated.	1809.	S. ½.	
46	dendroides. w.	tree-like.	Italy.	1768.	6. 8.	H. ½.	Barrel. ic. 910.
47	læta. w.	Mezercon-ld.	S. Europe.	1758.	—	G. ½.	Jacq. ic. 1. t. 87.
48	punicea. w.	scarlet-flow'r'd.	Jamaica.	1778.	1. 9.	S. ½.	Botan. regist. 190.
49	heterophylla. w.	various-leaved.	W. Indies.	1690.	4. 9.	S. ½.	Plum. ic. t. 251. f. 3.
50	cyathophora. w.	coloured.	S. America.	1806.	7. 8.	S. ½.	Jacq. ic. 3. t. 480.
51	repanda.	waved.	E. Indies.	1808.	8.	S. ½.	
	<i>Tithymalus repandus</i> . H.S.						
52	biglandulosa. H.S.	twin-glanded.	Isl. Bourbon.	—	9.	S. ½.	
53	geniculata. P.S.	jointed.	Cuba.	1823.	7. 10.	S. ⊙.	Jacq. schœn. 3. t. 277.
	<i>prunifolia</i> . H.K. <i>Tithymalus prunifolius</i> . H.S.						
54	nudiflora.	naked-flow'r'd.	1800.	8.	S. ½.	Jacq. ic. 3. t. 470.
55	cotinifolia. w.	Cotinus-leaved.	S. America.	1690.	7. 8.	S. ½.	Comm. hort. 1. t. 15.
56	petiolaris. H.K.	long-stalked.	W. Indies.	1800.	5. 6.	D.S. ½.	Botan. magaz. 883.
57	mellifera. w.	honey-bearing.	Madeira.	1784.	4. 5.	G. ½.	1305.
58	toxicaria. L.en.	poisonous.	1825.	S. ½.	
59	picta. w.	painted.	S. America.	1789.	5. 7.	S. ¼.	Jacq. ic. 3. t. 477.
60	silenifolia.	Silene-leaved.	C. B. S.	1821.	—	G. ¼.	
	<i>Tithymalus silenifolius</i> . H.R.						
61	crispa. H.R.	curl-leaved.	—	—	G. ¼.	
62	tuberosa. w.	tuberous.	Ethiopia.	1800.	10. 12.	G. ½.	Burm. afr. 9. t. 4.
63	affinis. DC.	affined.	1823.	6. 8.	G. ½.	
64	linarifolia. w.	toad-flax-ld.	1794.	—	S. ½.	Jacq. ic. 1. t. 86.
65	linifolia. w.	Flax-leaved.	W. Indies.	—	—	S. ½.	
66	ocymoidea. w.	Basil-leaved.	S. America.	1733.	6. 8.	S. ⊙.	
67	dentata. M.	dentated.	N. America.	1806.	6. 7.	H. ⊙.	
68	hypericifolia. w.	Hypericum-ld.	America.	1727.	6. 9.	H. ⊙.	Comm. præl. t. 10.

69	Humboldtii. w.en.	Humboldt's.	S. America.	1809.	7. 10.	S. ♂.	
70	prostrata. w.	trailing-red,	W. Indies.	1758.	—	S. ♂.	
71	rosea. w.	rosy.	E. Indies.	1808.	8.	S. ♂.	
72	maculata. w.	spotted.	S. America.	1660.	7.	H. ♂.	Jacq. vind. 2. t. 186.
73	humifusa. w.en.	trailing.	1824.	6. 8.	H. ♂.	
74	pilulifera. w.	globular.	E. Indies.	1800.	—	S. ♀.	Jacq. ic. 3. t. 478.
75	hyssopifolia. w.	Hyssop-leaved.	W. Indies.	1787.	8. 9.	S. ♂.	
76	thymifolia. w.	Thyme-leaved.	India.	1699.	7. 8.	S. ♂.	Pluk. alm. t. 113. f. 2.
77	parviflora. w.	small-flowered.	E. Indies.	1818.	—	S. ♂.	Burm. zeyl. t. 105. f. 2.
78	canescens. w.	canescent.	Spain.	—	—	H. ♂.	Cavan. ic. 1. t. 63.
79	Chamæsyce. w.	scolloid-leaved.	S. Europe.	1752.	—	H. ♂.	Moris. s. 10. t. 2. f. 19.
80	Peplis. w.	purple.	Devonshire.	—	H. ♂.	Eng. bot. 2002.
81	polygonifolia. w.	knotgrass-ld.	N. America.	1704.	6. 7.	H. ♂.	Jacq. col. s. t. 13. f. 3.
82	Ipecacuanhæ. w.	Ipecacuanha.	—	1812.	—	H. ♀.	Botan. magaz. 1494.
83	Peplus. w.	petty.	Britain.	7. 8.	H. ♂.	Eng. bot. 959.
84	peplodes. DC.	least.	S. Europe.	1800.	7. 9.	H. ♂.	
	<i>Esula minima</i> . H.S.						
85	falcata. w.	sickle-leaved.	S. Europe.	1699.	6. 8.	H. ♂.	Jacq. aust. 2. t. 121.
86	acuminata. M.B.	acuminate.	Iberia.	1823.	—	H. ♂.	
87	exigua. w.	dwarf.	Britain.	7.	H. ♂.	Eng. bot. 1336.
88	diffusa. w.	diffuse.	Austria.	1798.	7. 8.	H. ♂.	Jacq. ic. 1. t. 88.
89	undulata. M.B.	undulate.	Caucasus.	1820.	—	H. ♀.	
90	micrantha. w.	small-flowered.	Persia.	1803.	7. 9.	H. ♂.	
91	Lathyris. w.	Caper.	England.	5. 10.	H. ♂.	Eng. bot. 2255.
92	terracina. w.	retuse-leaved.	S. Europe.	1818.	7. 10.	H. ♂.	
93	valentina. P.S.	Spanish.	Spain.	1804.	7. 8.	H. ♂.	
94	Apios. w.	pear-rooted.	Candia.	1596.	6. 7.	H. ♀.	
95	genistoides. w.	Genista-like.	C. B. S.	1808.	7. 8.	G. ♀.	
96	spinosa. w.	prickly.	Levant.	1710.	5. 9.	F. ♀.	Herm. lugdb. t. 601.
97	fruticosa. L.en.	shrubby.	Sicily.	1825.	—	F. ♀.	Biv. pl. sic. cent. 1. 35.
98	epithymoides. w.	broad-leaved.	Austria.	1805.	5. 6.	H. ♀.	Andr. reposit. 616.
99	villosa. W.K.	villous.	Hungary.	1818.	6. 9.	H. ♀.	W. et K. hung. t. 93.
100	condylocarpa. M.B.	warted-fruited.	Caucasus.	1824.	—	H. ♀.	
101	dulcis. w.	sweet.	S. Europe.	1759.	5. 6.	H. ♀.	Jacq. aust. 3. t. 213.
102	ambigua. W.K.	ambigious.	Hungary.	1824.	—	H. ♀.	W. et K. hung. t. 135.
103	carniolica. w.	Carniolian.	Carniola.	1795.	8.	H. ♀.	Scop. carn. t. 21.
104	angulata. w.	angular-stalk'd.	Austria.	1819.	7. 8.	H. ♀.	Jacq. ic. t. 481.
105	nummulariæfolia.	moneywort-ld.	1800.	7.	G. ♀.	
106	erythrina. L.en.	purple-margin'd.	C. B. S.	1816.	G. ♀.	
107	neapolitana. T.N.	Neapolitan.	Naples.	1825.	7. 8.	H. ♀.	Ten. fl. neap. t. 62.
108	Pithyusa. w.	Juniper-leaved.	S. Europe.	1741.	6. 7.	F. ♀.	Bocc. sic. t. 5.
109	portlandica. w.	Portland.	Britain.	5. 9.	H. ♀.	Eng. bot. 441.
110	saxatilis. w.	rock.	Austria.	1816.	6. 8.	H. ♀.	Jacq. aust. t. 345.
111	glareosa. M.B.	stony.	Caucasus.	1819.	—	H. ♀.	
112	Paralias. w.	sea.	England.	7. 9.	H. ♀.	Eng. bot. 195.
	<i>β suffruticosa</i> .	<i>shrubby sea.</i>	F. ♀.	
113	juncea. w.	rushy.	Madeira.	1779.	7. 8.	G. ♀.	Jacq. schæn. 1. t. 107.
114	congesta. w.en.	fiddle-leaved.	Spain.	1817.	—	H. ♀.	
115	aleppica. w.	Aleppo.	Crete.	1739.	—	F. ♀.	Alp. exot. t. 64.
116	taurinensis. w.en.	Italian.	Italy.	1818.	—	H. ♀.	All. ped. 2. t. 83. f. 2.
117	setabellis. w.	corn.	S. Europe.	1699.	—	H. ♂.	Jacq. aust. 5. t. 450.
118	binumbellata. DC.	double-umbel'd.	Barbary.	1780.	8.	H. ♂.	Poir. it. ed. germ. t. 1.
119	angustifolia.	narrow-leaved.	7. 8.	H. ♀.	
	<i>Esula angustifolia</i> . H.S.						
120	multicorymbosa.	many-flowered.	1805.	—	H. ♀.	
121	provincialis. w.	linear-leaved.	S. Europe.	1800.	8. 11.	H. ♂.	
122	juncoides. H.S.	Rush-like.	—	—	7. 8.	S. ♂.	
123	helioscopia. w.	Wartwort.	Britain.	—	H. ♂.	Eng. bot. 883.
124	bialata. L.en.	two-winged.	1819.	—	H. ♂.	
125	serrata. w.	narrow notch-ld.	S. Europe.	1710.	7.	G. ♀.	Jacq. ic. 3. t. 483.
126	uralensis. F.	Fischer's.	Tauria.	1824.	—	H. ♀.	
127	cretica. w.	Cretan hoary.	Levant.	1768.	H. ♀.	
128	Haworthii.	Haworth's.	1795.	7. 8.	H. ♀.	
	<i>Galarhæus rigidus</i> . H.S.						
129	verrucosa. w.	warted.	France.	1800.	6.	H. ♀.	Moris. s. 10. t. 3. f. 3.
130	corollata. w.	great-flowered.	N. America.	1803.	7. 9.	H. ♀.	Lodd. bot. cab. 390.
131	spatulæfolia. H.S.	spatula-leaved.	1800.	8.	G. ♀.	
132	coralloides. w.	Coral-stalked.	S. Europe.	1752.	6. 9.	H. ♀.	
133	androsæmifolia. H.S.	Tutsan-leaved.	Hungary.	1804.	7. 9.	H. ♀.	

134 pilosa. w.	hairy.	Siberia.	1758.	5. 8.	H. ♀.	Gmel. sib. 2. t. 93.
135 orientalis. w.	oriental.	Levant.	1739.	6. 7.	H. ♀.	
136 fragifera. L.en.	Strawberry-like.	Italy.	1825.	—	H. ♀.	
137 virgata. w. K.	twiggy.	Hungary.	1807.	7.	H. ♀.	W. et K. hung. t. 162.
138 platyphylla. H.s.	annual warded.	England.	7. 8.	H. ⊙.	Jacq. aust. t. 376.
139 stricta. E.B.	upright warded.	—	—	H. ⊙.	Eng. bot. 333.
140 literata. w.	blotch-leaved.	1790.	8.	H. ⊙.	Jacq. ic. 3. t. 482.
141 crispata. L.en.	crisp-leaved.	1819.	7. 9.	H. ♀.	
142 Esula. w.	leafy-branch'd.	Britain.	5. 7.	H. ♀.	Eng. bot. 1399.
143 Gerardiana. w.	Gerard's.	Germany.	1801.	7.	H. ♀.	Jacq. aust. t. 436.
144 Cyparissias. w.	Cypress.	England.	5. 9.	H. ♀.	Eng. bot. 840.
145 nicænsis. w.	sharp-leaved.	Spain.	1809.	F. ♀.	Jacq. ic. 3. t. 485.
146 myrsinites. w.	glaucous.	S. Enrope.	1570.	4. 6.	H. ♀.	
147 rigida. M.B.	rigid.	Tauria.	1819.	6. 8.	H. ♀.	Botan. regist. 274.
148 imbricata. w.	imbricated.	Portugal.	1804.	8. 9.	F. ♀.	
149 glaucescens. W.en.	glaucescent.	1819.	—	H. ♀.	
150 agraria. M.B.	field.	Tauria.	—	6. 8.	H. ♂.	
151 palustris. w.	marsh.	Sweden.	1570.	5. 8.	H. ♀.	Flor. dan. 866.
152 pallida. w.	pale.	Hungary.	1818.	6. 8.	H. ♀.	
153 lucida. w. K.	glossy.	—	1820.	—	H. ♀.	W. et K. hung. t. 55.
154 procer. M.B.	tall.	Terek.	1821.	—	H. ♀.	
155 ceratocarpa. T.N.	horn-capsuled.	Naples.	—	—	H. ♀.	Ten. fl. neap. t. 63.
156 emarginata. w.	freckled.	Italy.	1758.	7. 8.	H. ♀.	
157 hiberna. E.B.	Irish.	Ireland.	5. 6.	H. ♀.	Eng. bot. 1337.
158 salicifolia. w.	Willow-leaved.	Hungary.	1804.	—	H. ♀.	Lodd. bot. cab. 973.
159 sylvatica. w.	wood.	S. Europe.	1768.	7. 9.	F. ♀.	
160 amygdaloides. w.	Almond-leaf'd.	England.	3. 6.	H. ♀.	Eng. bot. 256.
161 Characias. w.	upright red.	—	—	F. ♀.	— 442.
162 vcneta. L.en.	venomous.	Europe.	—	F. ♀.	
163 marginata. K.s.	margin'd.	N. Spain.	1823.	4. 6.	S. ♀.	
CICCA. L.	CICCA. Monœcia Tetrandia. L.					
disticha. w.	long-leaved.	E. Indies.	1796.	S. ♀.	Jacq. schœn. 2. t. 194.
BUXUS. W.	BOX-TREE. Monœcia Tetrandia. L.					
1 chinensis. L.en.	China.	China.	1812.	4. 8.	G. ♀.	
2 balearica. w.	Minorca.	Minorca.	1780.	7.	H. ♀.	
3 sempervirens. w.	common.	England.	4.	H. ♀.	Eng. bot. 1341.
α arborescens. Mill.	tree.	—	—	H. ♀.	
† argentea.	silvery-leaved.	—	H. ♀.	
‡ aurea.	golden-leaved.	—	H. ♀.	
marginata.	margin'd.	—	H. ♀.	
β angustifolia. Mill.	narrow-leaved.	—	H. ♀.	
† variegata.	variegated.	—	H. ♀.	
γ myrtifolia. Mill.	myrtle-leaved.	—	H. ♀.	
δ suffruticosa.	dwarf.	—	H. ♀.	
PACHYSANDRA. M.	PACHYSANDRA. Monœcia Tetrandia. W.					
1 procumbens. M.	procumbent.	N. America.	1800.	3. 4.	H. ♀.	Botan. regist. 33.
2 coriacea. H.E.F.	coriaceous.	Nepaul.	1820.	4. 6.	G. ♀.	Hook. ex. flor. 148.
PLUKENETIA. W.	PLUKENETIA. Monœcia Monadelphia. L.					
volubilis. w.	twining.	W. Indies.	1739.	7. 8.	S. ♀.	Plum. ic. t. 226.
DALECHAMPIA. W.	DALECHAMPIA. Monœcia Monadelphia.					
1 scandens. w.	climbing.	W. Indies.	1739.	6. 7.	S. ♀.	Jacq. amer. 252. t. 160.
2 brasiliensis. w.	Brazilian.	Brazil.	1820.	—	S. ♀.	
ACALYPHA. W.	ACALYPHA. Monœcia Monadelphia. W.					
1 diversifolia. w.	various-leaved.	Caracas.	1824.	S. ♀.	
2 virginica. w.	Virginian.	N. America.	1759.	7. 8.	H. ⊙.	Schk. hand. 3. t. 311.
3 caroliniana. w.	Carolina.	—	1811.	—	H. ⊙.	Lam. ill. t. 780. f. 2.
4 ciliata. w.	ciliated.	E. Indies.	1799.	—	S. ⊙.	Vahl symb. 1. t. 20.
5 reptans. w.	creeping.	Jamaica.	1822.	—	S. ♀.	Sloan. hist. 1. t. 82. f. 3.
6 indica. w.	Indian.	E. Indies.	1759.	7. 9.	S. ⊙.	Rheed. mal. 10. t. 81.
7 hispida. w.	hispid.	—	1820.	—	S. ⊙.	
8 cuspidata. w.	cuspidate.	Caracas.	—	S. ♀.	Jacq. schœn. 2. t. 243.
9 rubra. w.en.	red.	S. America.	1823.	6. 9.	S. ⊙.	
10 brachystachya. w.en.	short-spiked.	China.	1816.	7. 8.	H. ⊙.	
11 pauciflora. w.en.	few-flowered.	—	—	—	H. ⊙.	
12 alopecuroides. w.	Fox-tail.	Venezuela.	1804.	7. 9.	H. ⊙.	Jacq. ic. 3. t. 620.
13 lævigata. w.	smooth.	Jamaica.	1819.	—	S. ♀.	
14 virgata. w.	twiggy.	—	1822.	—	S. ♀.	Brown. jam. t. 36. f. 2.
15 macrostachya. w.	long-spiked.	Caracas.	1824.	—	S. ♀.	Jacq. schœn. 2. t. 245.
16 polystachya. w.	many-spiked.	—	S. ♀.	— 2. t. 246.
17 scabrosa. w.	rough.	Jamaica.	1822.	—	S. ♀.	

CROTON. W.	CROTON. Monœcia Monadelphæ. L.				
1 variegatum. w.	variegated.	E. Indies.	1804.	6. 9.	S. ♀.
<i>α latifolium. H.B.</i>	broad-leaved.	—————	—————	—————	S. ♀.
<i>β crispum. H.B.</i>	curl-leaved.	—————	—————	S. ♀.
<i>γ medium. H.B.</i>	narrow-leaved.	—————	1820.	—————	S. ♀.
2 pictum. B.C.	painted-leaved.	—————	—————	—————	S. ♀.
3 lineare. Jac.	Willow-leaved.	W. Indies.	1733.	7.	S. ♀.
4 Cascarella. w.	Cascarella.	S. America.	1778.	7. 8.	S. ♀.
5 maritimum. w.	sea-side.	Carolina.	1786.	—————	G. ♀.
6 palustre. w.	marsh.	Vera Cruz.	1731.	—————	S. ⊙.
7 glabellum. w.	Laurel-leaved.	Jamaica.	1778.	5. 8.	S. ♀.
8 tinctorium. w.	official.	S. Europe.	1570.	7.	H. ⊙.
9 argenteum. w.	silvery-leaved.	S. America.	1733.	7. 8.	S. ⊙.
10 Tigium. w.	purging.	E. Indies.	1796.	8. 9.	S. ♀.
11 glandulosum. w.	glandular.	W. Indies.	1818.	—————	S. ⊙.
12 Eluteria. w.	sea-side Balsam.	Jamaica.	1748.	S. ♀.
13 lucidum. w.	shining.	—————	1822.	S. ♀.
14 micans. w.	glittering.	—————	1815.	S. ♀.
15 pungens. w.	pungent.	Caracas.	1791.	S. ♀.
16 penicillatum. w.	pencilled.	Cuba.	1799.	7. 8.	S. ♀.
17 macrophyllum. w.	large-leaved.	Jamaica.	1822.	S. ♀.
18 aromaticum. w.	aromatic.	Ceylon.	1793.	S. ♀.
19 humile. w.	humble.	Jamaica.	1799.	S. ♀.
20 moluccanum. w.	Molucca.	Ceylon.	1803.	S. ♀.
<i>Aleurites ambinux. P.S.</i>					
21 Astroites. w.	woolly-leaved.	W. Indies.	1782.	7. 8.	S. ♀.
22 lobatum. w.	variously-leaved.	Vera Cruz.	1730.	—————	S. ⊙.
23 gossypifolium. w.	Cotton-leaved.	Trinidad.	1823.	—————	S. ♀.
24 tomentosum. L.en.	tomentose.	S. ♀.
25 digitatum. F.	fingered.	N. S. W.	1810.	G. ♀.
26 lacerum. Desf.	torn-leaved.	1822.	S. ♀.
JATROPHA. W.	PHYSIC-NUT. Monœcia Monadelphæ. L.				
1 gossypifolia. w.	Cotton-leaved.	W. Indies.	1690.	5. 8.	S. ♀.
2 panduræfolia. w.	fiddle-leaved.	Cuba.	1800.	—————	S. ♀.
3 integerrima. w.	spicy.	—————	1809.	—————	S. ♀.
4 Curcas. w.	angular-leaved.	S. America.	1731.	S. ♀.
5 multifida. w.	multifid.	—————	1696.	6. 8.	S. ♀.
6 fragrans. K.S.	fragrant.	Cuba.	1822.	—————	S. ♀.
7 urens. w.	stinging.	Brazil.	1690.	5. 7.	S. ♀.
8 coccinea. L.en.	scarlet.	1822.	S. ♀.
9 herbacea. w.	annual.	Vera Cruz.	1759.	7. 8.	S. ⊙.
10 napæifolia. w.	Napæa-leaved.	Antilles.	1823.	—————	S. ♀.
JANIPHA. K.S.	JANIPHA. Monœcia Decandria.				
1 fetida. K.S.	strong-scented.	Mexico.	1824.	7. 8.	S. ♀.
2 Lœflingii. K.S.	Lœfling's.	S. America.	—————	S. ♀.
<i>Jatropha carthaginensis. Jacq. Janipha. w.</i>					
3 æsculifolia. K.S.	Æsculus-leav'd.	—————	1825.	S. ♀.
4 Manihot. K.S.	Cassava.	—————	1739.	7. 8.	S. ♀.
ALEURITES. W.	ALEURITES. Monœcia Monadelphæ. L.				
<i>triloba. w.</i>	three-lobed.	Society Isl.	1793.	S. ♀.
RICINUS. W.	PALMA-CHRISTI. Monœcia Monadelphæ. L.				
1 communis. w.	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ⊙.
2 viridis. w.	green.	—————	1802.	8.	H. ⊙.
3 africanus. w.	African.	Africa.	7. 8.	G. ♀.
4 lividus. w.	livid-leaved.	C. B. S.	1795.	—————	G. ♀.
5 inermis. w.	smooth-capsul'd.	India.	1758.	—————	S. ♂.
6 armatus. A.R.	rough-capsuled.	Malta.	1807.	—————	S. ♂.
7 Tanarius. w.	scalloped-leaved.	E. Indies.	1810.	7. 9.	S. ♀.
OMPHALEA. W.	OMPHALEA. Monœcia Monadelphæ. L.				
<i>triandra. w.</i>	long-leaved.	Jamaica.	1763.	6. 7.	S. ♀.
HIPPOMANE. W.	MANCHINEEL-TREE. Monœcia Monadelphæ. L.				
<i>Mancinella. w.</i>	common.	W. Indies.	1690.	S. ♀.
SAPIUM. W.	SAPIUM. Monœcia Monadelphæ. L.				
1 acuparium. w.	two-glanded.	W. Indies.	1692.	S. ♀.
2 indicum. w.	Indian.	E. Indies.	1817.	S. ♀.
3 ilicifolium. w.	Holly-leaved.	S. America.	1820.	S. ♀.
SIPHONIA. W.	ELASTIC-GUM-TREE. Monœcia Monadelphæ. W.				
<i>Cabuchu. w.</i>	common.	S. America.	1823.	S. ♀.
<i>elastica. P.S.</i>					

Rheed. mal. 6. t. 61.

Rumph. amb. 4. t. 26. f. 2.
4. t. 25.Lodd. bot. cab. 870.
Jacq. amer. t. 162. f. 4.
Catesb. car. 2. t. 46.Mart. dec. 4. t. 88.
Sloan. jam. 2. t. 174. f. 2.
Nis. act. par. 1712. t. 17.Rheed. mal. 2. t. 33.
Jacq. ic. 1. t. 194.
Sloan. hist. 2. t. 174. f. 2.Pluk. alm. t. 220. f. 5.
Jacq. ic. 3. t. 622.
Venten. choix. 12.

Rumph. amb. 3. t. 126.

Mart. dec. 5. t. 46.
Vahl. symb. t. 49.Botan. regist. 746.
Botan. magaz. 604.1464.
Jacq. vind. 3. t. 63.
Sal. par. lond. 91.

Jacq. vind. 1. t. 21.

Reliq. houst. 6. t. 15.

Jacq. amer. t. 162. f. 1.

H. et. B. 2. t. 109.
Sloan. jam. 1. t. 85.Lam. ill. t. 792.
W. hort. ber. 49.Jacq. ic. 1. t. 196.
1. t. 195.Andr. reposit. 430.
Rumph. amb. 3. t. 121.

Lodd. bot. cab. 519.

Catesb. car. 2. t. 95.

Jacq. amer. t. 158.

Plum. ic. 171. f. 1.

Lam. ill. t. 790.

AGYNEJA. W.	AGYNEJA. Monœcia Monadelphia. W.				
1 impubes. w.	smooth.	China.	1820.	7. 9.	H. ⊙
2 pubera. w.	woolly.	—	1823.	S. h.
STILLINGIA. W.	STILLINGIA. Monœcia Monadelphia. W.				
1 sylvatica. w.	wood.	Carolina.	1787.	7. 8.	G. ♀.
2 ligustrina. w.	Privet-leaved.	N. America.	1812.	G. h.
3 sebifera. w.	Tallow-tree.	China.	1703.	9.	S. h.
HURA. W.	SANDBOX-TREE. Monœcia Monadelphia. W.				
1 strepens. w.en.	unequal-tooth'd.	S. America.	7. 9.	S. h.
2 crepitans. w.en.	equal-toothed.	—	1733.	—	S. h.
BRADLEJA. W.	BRADLEJA. Monœcia Monadelphia. W.				
1 sinica. w.	Chinese.	China.	1816.	7. 9.	S. h.
2 nitida. H.B.	glossy.	E. Indies.	1820.	S. h.
PHYLLANTHUS. W.	PHYLLANTHUS. Monœcia Monadelphia. W.				
1 obovatus. w.	annual.	N. America.	1803.	7. 8.	H. ⊙
2 maderaspatensis. w.	Madras.	E. Indies.	1783.	—	S. h.
3 gracilis. H.B.	slender.	—	1820.	—	S. ♀.
4 longifolius. w.	long-leaved.	Isl. Bourbon.	1822.	S. h.
5 lanceolatus. w.	spear-leaved.	—	—	6. 8.	S. h.
6 nutans. w.	nodding.	Jamaica.	—	—	S. h.
7 grandifolius. w.	great-leaved.	Portorico.	1771.	—	S. h.
8 virosus. w.	venomous.	E. Indies.	1802.	S. h.
9 turbinatus. E.M.	shining-leaved.	China.	7. 9.	S. h.
10 Conami. w.	Brazilian.	Brazil.	1791.	—	S. h.
11 obcordatus. H.B.	obcordate.	E. Indies.	1818.	—	S. ♀.
12 reticulatus. B.C.	netted.	—	—	8. 9.	S. h.
13 lucens. w.	thick-veined.	China.	1822.	7. 9.	S. h.
14 racemosus. w.	racemed.	E. Indies.	1793.	7. 8.	S. h.
15 cantoniensis. L.en.	Canton.	China.	1819.	—	H. ⊙
16 cuneatus. w.en.	wedge-leaved.	—	—	—	H. ⊙
17 Niruri. w.	Indian.	E. Indies.	1692.	6. 9.	S. ⊙
18 Urinaria. w.	stinging.	—	1819.	—	S. ⊙
19 microphyllus. K.S.	small-leaved.	S. America.	1824.	S. h.
20 polyphyllus. w.	many-leaved.	E. Indies.	1805.	7. 9.	S. h.
21 minosoides. w.	Mimosa-like.	W. Indies.	1820.	—	S. h.
22 rhamnoides. w.	Rhamnus-like.	E. Indies.	—	—	S. h.
23 strictus. H.B.	upright.	—	1823.	—	S. h.
24 fraxinifolius. B.C.	Ash-leaved.	1818.	—	S. h.
25 juglandifolius. w.en.	Walnut-leaved.	—	6. 9.	S. h.
26 scandens. Roxb.	climbing.	E. Indies.	1803.	S. h.
EMBLICA. L.T.	EMBLICA. Monœcia Syngenesia. L.T.				
officialinalis. L.T.	official.	E. Indies.	1768.	6. 9.	S. h.
KIRGANELIA. J.	KIRGANELIA. Monœcia Monadelphia.				
elegans. J.	elegant.	Mauritius.	1820.	6. 9.	S. h.
	<i>Phyllanthus Kirganelia. w.</i>				
XYLOPHYLLA. W.	XYLOPHYLLA. Monœcia Monadelphia. W.				
1 longifolia. w.	long-leaved.	E. Indies.	1816.	1. 12.	S. h.
	<i>Phyllanthus ceramica. p.s.</i>				
2 latifolia. w.	Seaside Laurel.	S. America.	1783.	8. 10.	S. h.
3 speciosa.	handsome.	Jamaica.	1818.	—	S. h.
	<i>arbuscula. w. Phyllanthus speciosus. Jacq.</i>				
4 angustifolia. w.	narrow-leaved.	—	1789.	7. 8.	S. h.
5 linearis. p.s.	linear-leaved.	—	1822.	—	S. h.
6 elongata. B.C.	elongated.	—	—	—	S. h.
7 montana. w.	mountain.	—	1820.	11. 4.	S. h.
8 falcata. w.	falcate-leaved.	Bahama Isl.	1699.	7. 9.	S. h.
9 ramiflora. w.	oval-leaved.	Siberia.	1785.	7. 8.	H. h.
10 obovata. w.en.	obovate-leaved.	—	—	H. h.
ANDRACHNE. W.	BASTARD ORPINE. Monœcia Gynandria. L.				
telephoides. w.	annual.	Italy.	1732.	7. 8.	H. ⊙
BRIEDELIA. W.	BRIEDELIA. Polygamia Monœcia. W.				
scandens. w.	climbing.	E. Indies.	1804.	7. 9.	S. h.
CLUYTIA. W.	CLUYTIA. Diccia Gynandria. L.				
1 collina. w.	hill.	E. Indies.	1807.	S. h.
2 patula. w.	spreading.	—	1812.	S. h.
3 pulchella. w.	broad-leaved.	C. B. S.	1739.	1. 6.	G. h.
4 heterophylla. w.	various-leaved.	—	1816.	2. 4.	G. h.
5 tomentosa. w.	tomentose.	—	1812.	4. 6.	G. h.
6 pubescens. w.	pubescent.	—	1817.	—	G. h.

Pluk. amal. t. 390. f. 2.

Lam. ill. t. 793.

Gært. sem. 2. t. 109. f. 1.

Lam. ill. t. 156. f. 1.

Jacq. schœn. 2. t. 193.

Botan. magaz. 1862.

Aub. gui. 2. t. 354.

Lodd. bot. cab. 577.

Rheed. mal. 10. t. 15.

Rumph. amb. 6. t. 17. f. 2.

Lodd. bot. cab. 721.

Lodd. bot. cab. 731.

Lodd. bot. cab. 548.

Rumph. amb. 7. t. 12.

Botan. magaz. 1021.

Jacq. ic. 3. t. 616.

Lodd. bot. cab. 1091.

Botan. magaz. 2652.

Botan. regist. 373.

Pall. it. 3. t. E. f. 2.

Lam. ill. t. 797.

Roxb. corom. 2. t. 173.

Roxb. corom. 2. t. 169.

— 2. t. 170.

Botan. magaz. 1945.

7 polifolia. w.	Poley-leaved.	C. B. S.	1790.	4. 6.	G. h.	Jacq. schoen. 2. t. 50.
8 ericoides. w.	Heath-leaved.	————	————	————	G. h.	Botan. regist. 779.
9 daphnoides. w.	Daphne-like.	————	1731.	5. 6.	G. h.	W. hort. ber. 52.
10 polygonoides. w.	Polygonum-like.	————	1790.	12. 3.	G. h.	———— 51.
11 alaternoides. w.	narrow-leaved.	————	1692.	————	G. h.	Botan. magaz. 1321.
EXCÆCARIA. W.	EXCÆCARIA.	Diœcia Monadelphica. L.	————	————	————	————
1 Agallocha. w.	Indian.	E. Indies.	1823.	S. h.	Rumph. amb. 2. t. 79. 80.
2 serrata. H. K.	saw-leaved.	Chili.	1796.	11. 2.	G. h.	————
ADELIA. W.	ADELIA.	Diœcia Monadelphica. L.	————	————	————	————
1 Bernardia. w.	villous-leaved.	Jamaica.	1768.	7. 8.	S. h.	————
2 Ricinella. w.	smooth-leaved.	————	————	6. 8.	S. h.	————
3 Acidoton. w.	Box-leaved.	————	————	6. 7.	S. h.	————
LOUREIRA. W.	LOUREIRA.	Diœcia Monadelphica. W.	————	————	————	————
1 cuneifolia. w.	wedge-leaved.	Mexico.	1824.	6. 8.	G. h.	Cavan. ic. 5. t. 429.
<i>Mozinna spathulata.</i>	Ort. dec. 8. t. 13.	————	1799.	————	G. h.	———— 5. t. 430.
2 glandulosa. w.	glandulous.	————	————	————	————	————
BORYA. W.	BORYA.	Diœcia Diandria. W.	————	————	————	————
1 porulosa. w.	Florida.	Florida.	1806.	7. 8.	H. h.	————
2 ligustrina. w.	Privet-leaved.	N. America.	1812.	————	H. h.	————
3 prinoides. w. en.	Prinos-like.	————	1816.	————	H. h.	————
4 nitida. w. en.	glossy-leaved.	————	————	————	H. h.	————
5 retusa. w. en.	retuse-leaved.	————	1812.	————	H. h.	————
6 acuminata. w.	pointed.	————	————	————	H. h.	Mich. amer. 2. t. 48.
<i>Adelia acuminata.</i> M.	————	————	————	————	————	————
SECURINEGA. J.	SECURINEGA.	Monœcia Pentandria.	————	————	————	————
nitida. P. S.	Otaheite Myrtle.	Otaheite.	1793.	3. 8.	S. h.	Lindl. collect. t. 9.
TRAGIA. W.	TRAGIA.	Monœcia Triandria. W.	————	————	————	————
1 volubilis. w.	twining.	W. Indies.	1739.	6. 7.	S. h.	Trew. pl. rar. 2. t. 15.
2 involucrata. w.	involved.	E. Indies.	1759.	————	S. ⊙.	Jacq. ic. 1. t. 190.
3 mercurialis w.	Mercury-like.	————	1818.	————	S. ⊙.	Rheed. mal. 10. t. 82.
4 corniculata. w.	two-horned.	Trinidad.	1824.	————	S. ⊙.	————
5 urens. w.	stinging.	Virginia.	1699.	8.	H. ⊙.	Pluk. alm. t. 107. f. 5.
6 Chamælea. w.	lance-leaved.	E. Indies.	1793.	6. 7.	S. ⊙.	Rheed. mal. 2. t. 34.
7 cannabina. w.	Hemp-leaved.	————	1699.	————	S. ♀.	Burm. ind. t. 63. f. 1.

ORDO CLVII.

ANTIDESMEÆ.

ANTIDESMA. W.	ANTIDESMA.	Diœcia Pentandria. L.	————	————	————	————
1 alexiteria. w.	Laurel-leaved.	E. Indies.	1793.	5. 6.	S. h.	Rheed. mal. 5. t. 11.
2 pubescens. w.	pubescent.	————	1818.	————	S. h.	Roxb. corom. 2. t. 167.
3 paniculata. w.	panicled.	————	1800.	————	S. h.	————
STILAGO. W.	STILAGO.	Diœcia Triandria. W.	————	————	————	————
1 Bunius. w.	Laurel-leaved.	E. Indies.	1757.	8.	S. h.	Rheed. mal. 4. t. 56.
2 diandra. w.	diandrous.	————	1800.	S. h.	Roxb. corom. 2. t. 166.

ORDO CLVIII.

URTICEÆ. *Juss. gen.* 400.

FICUS. L.	FIG-TREE.	Polygamia Diœcia. W.	————	————	————	————
1 religiosa. R. S.	Poplar-leaved.	E. Indies.	1731.	S. h.	Rheed. mal. 1. t. 27.
2 superstiosa. L. en.	superstitious.	————	S. h.	————
3 nymphæifolia. R. S.	Water-lily-ld.	————	1759.	S. h.	————
4 cordata. R. S.	heart-leaved.	C. B. S.	1802.	S. h.	Thunb. fic. p. 8. c. ic.

5	oblongata. L.en.	oblong-leaved.	C. B. S.	1816.	S. h.	
6	crassinervia. R.S.	thick-nerved.	S. America.	—	S. h.	
7	rubiginosa. R.S. <i>australis. W.</i>	ferruginous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
8	costata. R.S.	rib-leaved.	E. Indies.	1763.	S. h.	
9	coronata. R.S.	crowned-fruit'd.	N. S. W.	1807.	3. 6.	G. h.	Colla h. rip. t. 8.
10	lucida. R.S.	shining-ld.	E. Indies.	1772.	S. h.	
11	scandens. R.S.	climbing.	S. America.	1816.	S. h.	
12	stipulata. R.S.	trailing.	China.	1771.	G. h.	
13	pedunculata. R.S.	Willow-leaved.	S. America.	1776.	S. h.	Pluk. alm. t. 178. f. 4.
14	venosa. R.S.	vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
15	leucotoma. R.S. <i>venosa. W. non H.K.</i>	white-spotted.	—	—	S. h.	W. hort. ber. 1. t. 36.
16	tinctoria. R.S.	Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
17	benjamina. R.S.	oval-leaved.	E. Indies.	1757.	S. h.	Rheed. mal. 1. t. 26.
18	glabrata. K.S.	smooth.	Teneriffe.	1816.	G. h.	
19	benghalensis. R.S.	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
20	microcarpa. R.S.	small-fruited.	Guinea.	1823.	S. h.	
21	americana. R.S.	American.	Jamaica.	1822.	S. h.	Plum. spec. t. 132. f. 2.
22	racemosa. R.S.	clustered.	E. Indies.	1759.	S. h.	Rheed. mal. 1. t. 25.
23	pertusa. R.S.	Laurel-leaved.	S. America.	1780.	S. h.	
24	terebrata. R.S.	obovate-leaved.	Mauritius.	1822.	S. h.	Bory it. t. 17.
25	pumila. R.S.	dwarf.	China.	1759.	G. h.	Kæmp. amœn. t. 804.
26	glomerata. R.S.	crowded.	E. Indies.	1818.	S. h.	Roxb. corom. 2. t. 123.
27	Hookeri. <i>nitida. H.E.F. nec aliorum.</i>	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. 111.
28	nitida. R.S.	glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
29	ciliolata. R.S.	fringe stipuled.	1816.	—	S. h.	
30	cotinifolia. K.S.	Cotinus-leaved.	Mexico.	1824.	S. h.	
31	obtusifolia. K.S.	blunt-leaved.	—	—	S. h.	
32	coriacea. R.S.	leathery-leav'd.	E. Indies.	1772.	S. h.	
33	populnea. R.S.	Poplar-leaved.	—	—	S. h.	
34	macrophylla. R.S.	large-leaved.	N. Holland.	1816.	G. h.	
35	elastica. H.B.	Indian rubber.	E. Indies.	1815.	G. h.	
36	Brassii. H.T.	Brass's.	Sierra Leon.	1822.	S. h.	
37	lasiophylla. L.en.	downy-leaved.	1816.	S. h.	
38	retusa. R.S.	retuse-leaved.	E. Indies.	1793.	S. h.	
39	laurifolia. R.S. <i>martiniensis. W.</i>	Laurel-leaved.	W. Indies.	1759.	S. h.	Sloan. jam. 2. t. 223.
40	brasiliensis. L.en.	Brazilian.	Brazil.	1820.	S. h.	
41	lævigata. R.S.	smooth-leaved.	W. Indies.	1822.	S. h.	
42	indica. R.S.	Banyan-tree.	E. Indies.	1759.	S. h.	Rheed. mal. 3. t. 63.
43	salicifolia. R.S.	Willow-leaved.	Arabia.	1818.	S. h.	
44	aurantiaca. L.od.	orange-color'd.	—	S. h.	
45	pendula. L.en.	pendulous.	1824.	S. h.	
46	myrtifolia. L.en.	Myrtle-leaved.	—	S. h.	
47	lanceolata. H.B.	spear-leaved.	E. Indies.	1820.	S. h.	
48	obtusata. L.en.	obtuse-tooth'd.	—	S. h.	
49	muntia. L.en.	rough-leaved.	N. Holland.	1818.	G. h.	
50	ulmifolia. R.S.	Elm-leaved.	Philippine.	1825.	S. h.	
51	capensis. R.S.	Cape.	C. B. S.	1816.	G. h.	
52	exasperata. R.S. <i>scabra. W. non Forst.</i>	very rough.	Guinea.	1822.	S. h.	Willden. fic. t. 2.
53	hispida. R.S. <i>oppositifolia. Rox. scabra. Jacq. schœn. 3. t. 315.</i>	opposite-leaved.	E. Indies.	1802.	S. h.	Roxb. corom. 2. t. 124.
54	aquatica. W.	water.	—	1758.	S. h.	
55	heterophylla. R.S.	various-leaved.	—	1816.	S. h.	Rheed. mal. 3. t. 62.
56	repens. R.S.	creeping-stemm'd	—	1805.	S. h.	
57	virgata. H.B.	twiggy.	—	1817.	G. h.	
58	Carica. R.S.	common.	S. Europe.	1548.	6. 7.	H. h.	Trew-Ehret. t. 73. 74.
ARTOCARPUS. W.			BREAD-FRUIT.		Monœcia Monandria, W.		
1	incisa. W.	true.	S. Sea Isl.	1793.	S. h.	Rumph. amb. 1. t. 33.
	<i>a nucifera.</i>	<i>nut-bearing.</i>	—	—	S. h.	
	<i>β apyrena.</i>	<i>seedless.</i>	—	—	S. h.	Rumph. amb. 1. t. 32.
2	integrifolia. W.	Jaca-tree.	E. Indies.	1778.	6.	S. h.	Rheed. mal. 3. t. 26-28.
	<i>β heterophylla. Lam.</i>	<i>various-leaved.</i>	—	—	—	S. h.	Rumph. amb. 1. t. 30.
MACLURA. N.			Diœcia Tetrandria, N.				
1	aurantiaca. N.	Osage Apple.	Missouri.	1824.	H. h.	Lamb. pin. v. 2. ap. t. 12.
2	tinctoria. R.D.	Fustick-wood.	W. Indies.	1739.	S. h.	Plum. ic. t. 204.
	<i>Morus tinctoria. W.</i>	<i>Broussonetia tinctoria. K.S.</i>					

BROUSSONETIA, W.		PAPER MULBERRY.		Diœcia Tetrandria, W.		
	papyrifera, w.	common.	Japan.	1751.	4. 7.	H. h. Andr. reposit. 488.
MORUS, W.		MULBERRY.		Monœcia Tetrandria, L.		
1	alba, w.	white.	China.	1596.	6.	H. h. Schk. hand. 3. t. 290.
2	tatarica, w.	Tartarian.	Tartary.	1784.	—	H. h. Pall. ros. 2. t. 52.
3	italica, P.S.	Italian.	Italy.	—	H. h.
4	constantinopolitana.	Constantinian.	Constantinople.	—	—	H. h.
5	nigra, w.	common.	Italy.	1548.	—	H. h. Wats. dend. brit. 159.
6	rubra, w.	red.	N. America.	1629.	6. 7.	H. h.
7	scabra, w.en.	rough.	—	1812.	—	H. h.
8	pensylvanica, L.C.	Pennsylvanian.	—	—	—	H. h.
9	pumila, L.C.	dwarf.	—	—	—	H. h.
10	indica, w.	Indian.	E. Indies.	1820.	S. h. Rheed. mal. 1. t. 49.
11	sinensis, L.C.	Chinese.	China.	—	G. h.
12	mauritiana, w.	Mauritius.	Mauritius.	—	S. h. Jacq. ic. 3. t. 617.
BËHMERIA, W.		BËHMERIA.		Monœcia Tetrandria, W.		
1	caudata, w.	tailed.	W. Indies.	1822.	S. h.
2	cylindrica, w.	cylindrical.	Virginia.	1759.	6. 8.	H. h. Sloan. j. 1. t. 82. f. 2.
3	macrophylla, D.P.	large-leaved.	Nepaul.	1820.	G. h.
4	rotundifolia, D.P.	round-leaved.	—	1819.	6. 8.	G. h.
5	platyphylla, D.P.	rough-leaved.	—	1818.	G. h.
6	ramiflora, w.	branch-flowering.	W. Indies.	1822.	S. h. Lam. ill. t. 763.
	<i>Caturus ramiflorus, L.</i>					
7	elongata, L.en.	elongated.	Brazil.	—	7. 9.	H. c.
8	lateriflora, w.	side-flowering.	N. America.	1816.	6. 8.	H. h.
9	rubescens, w.	tree.	Canaries.	1779.	2. 5.	G. h. Jacq. frag. n. 30. t. 5. f. 1.
	<i>Urtica arborea, L'Her.</i>	stirp. t. 20.				
10	frondosa, D.P.	frondose.	Nepaul.	1818.	G. h.
11	frutescens, w.	frutescent.	—	1819.	G. h.
URTICA, W.		NETTLE.		Monœcia Tetrandria, L.		
1	pilulifera, w.	Roman.	England.	6. 8.	H. c. Eng. bot. 148.
2	balearica, w.	Balearic.	Balearic Isl.	1731.	6. 7.	H. c. Blackw. t. 321. f. 1.
3	Dodartii, w.	Dodart's.	S. Europe.	1683.	7. 8.	H. c.
4	pumila, w.	dwarf.	N. America.	1817.	—	H. c.
5	crassifolia, w.	thick-leaved.	S. America.	1822.	—	S. h.
6	grandifolia, w.	great-leaved.	Jamaica.	1793.	7. 8.	S. h. Sloan. jam. 1. t. 83. f. 2.
7	reticulata, w.	net-leaved.	—	—	6. 8.	S. h.
8	involutrata, B.M.	imbossed.	W. Indies.	1823.	10. 11.	S. h. Botan. magaz. 2481.
9	diffusa, w.	spreading.	—	—	8. 10.	S. h.
10	rufa, w.	rusty.	Jamaica.	1793.	6. 9.	S. h.
11	scabrella, L.en.	rough.	E. Indies.	1815.	10. 12.	G. h.
12	scripta, D.P.	black-lined.	Nepaul.	1823.	H. h.
13	heterophylla, w.	various-leaved.	—	—	H. h. Rheed. mal. 2. t. 41.
14	urens, w.	small.	Britain.	6. 10.	H. c. Eng. bot. 1236.
15	dioica, w.	common.	—	7. 9.	H. h. ——— 1750.
16	chamædryoides, ph.	Germander-like	Georgia.	1813.	—	H. c.
17	membranacea, w.	membranaceous	S. Europe.	1818.	—	H. h.
18	angustifolia, F.	narrow-leaved.	Russia.	1821.	—	H. h.
19	ardens, L.en.	burning.	Nepaul.	1819.	8. 11.	H. c.
20	cannabina, w.	Hemp-leaved.	Siberia.	1749.	7. 9.	H. h. Amm. ruth. 249. t. 25.
21	rugosa, w.	rough-leaved.	Jamaica.	1793.	5. 7.	S. h.
22	gracilis, w.	slender-stalked.	Hudson's bay.	1782.	6. 8.	H. h.
23	Parietaria, w.	Pellitory-leav'd.	Jamaica.	1793.	7. 9.	S. h. Sloan. j. 1. t. 93. f. 1.
24	ciliata, w.	ciliated.	—	1815.	—	S. h.
25	nummularifolia, w.	moneywort-ld.	—	1822.	—	S. h. Sloan. hist. 1. t. 131. f. 4.
26	depressa, w.	depressed.	—	—	—	S. h.
27	microphylla, w.	small-leaved.	W. Indies.	1793.	4. 5.	S. h. Sloan. j. 1. t. 93. f. 2.
28	pulchella, L.en.	neat.	E. Indies.	1816.	S. h.
29	diversifolia, L.en.	different-ld.	—	1820.	S. h.
30	æstuans, w.	Surinam.	Surinam.	1803.	6. 7.	S. h. Jacq. schœn. 3. t. 388.
31	capitata, w.	headed.	N. America.	1820.	—	H. h.
32	canadensis, w.	Canadian.	Canada.	1656.	8. 10.	H. h. Pluk. alm. t. 239. f. 2.
33	nivea, w.	white-leaved.	China.	1739.	8. 9.	H. h. Jacq. vind. 2. t. 166.
34	caracasana, w.	Caracas.	Caracas.	1820.	S. h. Jacq. schœn. 3. t. 386.
35	caravellana, L.en.	pointed-leaved.	S. America.	—	8. 10.	H. c.
36	baccifera, w.	berry-bearing.	—	1793.	7. 8.	S. h. Andr. reposit. 454.
37	elongata, w.	elongated.	Philippines.	1823.	—	S. h.
38	ferocissima, w.	ferocious.	Nepaul.	1805.	8. 10.	H. c.
	<i>horrida, L.en. non K.S.</i>					
39	pentandra, H.B.	pentandrous.	E. Indies.	—	—	S. h.

- FORSKOHLEA. L.** **FORSKOHLEA.** **Monœcia Monandria. J.**
 1 tenacissima. w. clammy. Egypt. 1767. 7. 8. H. ⊙. Jacq. vind. 1. t. 48.
 2 candida. w. rough. C. B. S. 1774. 6. 7. G. ⊙.
 3 angustifolia. w. narrow-leaved. Teneriffe. 1779. 7. 8. H. ⊙. Murr. c. gott. p. 24. t. 2.
- PARIETARIA. W.** **PELLITORY.** **Polygamia Monœcia. L.**
 1 indica. w. Indian. E. Indies. 1790. 4. 5. S. ⊙.
 2 officinalis. w. common. Britain. 6. 9. H. ⊙. Eng. bot. 879.
 3 judaica. w. Basil-leaved. Germany. 1728. — H. ⊙. Schkuh. hand. 3. t. 34.
 4 pensitylvana. w. Pensylvanian. N. America. 1816. — H. ⊙.
 5 urticaefolia. w. Nettle-leaved. Isl. Bourbon. 1700. — S. ⊙.
 6 lusitanica. w. chickweed-l'd. Spain. 1710. 7. 8. H. ⊙. Bocc. sic. t. 24. f. 13.
 7 cretica. w. Cretan. Crete. 1818. — H. ⊙.
 8 prostrata. L. en. prostrate. 1823. — H. ⊙.
 9 polygonoides. w. Polygonum-l'd. Armenia. 1728. — H. ⊙.
- PILEA. L. col.** **PILEA.** **Monœcia Tetrandia.**
 muscosa. L. col. mossy. W. Indies. 1793. 4. 5. S. ⊙. Lindl. coll. 4.
- CANNABIS. W.** **HEMP.** **Diœcia Tetrandia. L.**
 sativa. w. common. India. ... 6. 7. H. ⊙. Schk. hand. 3. t. 325.
- HUMULUS. W.** **HOP.** **Diœcia Tetrandia. L.**
 Lupulus. w. common. Britain. 6. 8. H. ⊙. Eng. bot. 427.
- THELYGONUM. W.** **DOG'S-CABBAGE.** **Monœcia Polyandria. L.**
 Cynocrambe. w. common. S. Europe. 1710. 7. H. ⊙. Schk. hand. 3. t. 299.
- GNETUM. W.** **GNETUM.** **Monœcia Monadelphia. L.**
 Gnemon. w. Indian. India. 1815. S. ⊙. Rumph. amb. 1. t. 71.
- CECROPIA. W.** **SNAKE-WOOD.** **Diœcia Diandria. L.**
 1 peltata. w. peltated. Jamaica. 1778. S. ⊙. Lam. ill. t. 800.
 2 palmata. w. palmated. Brazil. 1823. S. ⊙.
 3 concolor. w. self-coloured. ———— S. ⊙.
- GUNNERA. W.** **GUNNERA.** **Gynandria Diandria. L.**
 perperna. w. marsh-marygold-l'd. C. B. S. 1688. G. ⊙. Botan. magaz. 2376.
- DORSTENIA. W.** **DORSTENIA.** **Tetrandia Monogynia. L.**
 1 cordifolia. w. heart-leaved. W. Indies. 1822. 5. 8. S. ⊙. Swart. obs. t. 7. f. 2.
 2 brasiliensis. w. Brazilian. S. America. 1792. 3. 4. S. ⊙.
 3 Houstoni. w. Houston's. ———— 1747. 6. 7. S. ⊙. Botan. magaz. 2017.
 4 arifolia. w. Arum-leaved. Brazil. 1823. — S. ⊙. Lam. ill. t. 83. f. 2.
 5 Contrayerva. w. Contrajerva-root. S. America. 1748. 5. 8. S. ⊙. Jacq. ic. 3. t. 614.
 6 Drakena. w. round-rooted. Vera Cruz. S. ⊙. Lodd. bot. cab. 677.
- MERTENSIA. K. S.** **MERTENSIA.** **Polygamia Monœcia. R. S.**
 1 lævigata. K. S. Mexican. Mexico. 1825. S. ⊙. H. et B. n. gen. 2. t. 103.
 2 ignanea. R. S. Jamaica. Jamaica. 1791. S. ⊙.
- Rhamnus iguaneus. L. Zizyphus iguanea. p. s. Celtis aculeata. w.*
- CELTIS. K. S.** **NETTLE-TREE.** **Polygamia Monœcia. L.**
 1 micrantha. w. smooth. Jamaica. 1739. 8. 9. S. ⊙. Plum. ic. t. 206. f. 1.
 2 orientalis. w. oriental. E. Indies. 1820. S. ⊙. Rheed. mal. 4. t. 40.
 3 pumila. Ph. dwarf. N. America. 1812. 5. H. ⊙.
 4 crassifolia. w. heart-leaved. ———— 5. 6. H. ⊙. Duham. arb. 2. t. 9.
 5 occidentalis. w. American. ———— 1656. 4. 5. H. ⊙. Wats. dend. brit. 147.
 β cordata. R. S. heart-leaved. ———— H. ⊙.
 γ scabriuscula. R. S. rough-leaved. ———— H. ⊙.
- 6 Willdenowiana. R. S. Willdenow's. China. H. ⊙.
 7 sinensis. R. S. Chinese. ———— H. ⊙.
 8 lævigata. R. S. smooth. Louisiana. 1812. 4. 5. H. ⊙.
 9 Tournefortii. w. Tournefort's. Levant. 1738. H. ⊙. Tourn. it. 2. t. 41.
 10 australis. w. European. S. Europe. 1796. 5. H. ⊙. Wats. dend. brit. 105.
- PLANERA. M.** **PLANERA.** **Tetrandia Digynia. S. S.**
 1 Richardi. M. Richard's. N. America. 1760. 4. 5. H. ⊙. Wats. dend. brit. 106.
 2 Gmelini. M. Gmelin's. ———— 1816. H. ⊙.
carpinifolia. w. d. Ulmus nemoralis. H. K.
aquatica. N.
- ULMUS. R. S.** **ELM-TREE.** **Pentandria Digynia. L.**
 1 campestris. E. B. common English. Britain. 4. 5. H. ⊙. Eng. bot. 1886.
 2 suberosa. E. B. cork-barked. ———— 3. 4. H. ⊙. ———— 2161.
 3 glabra. E. B. smooth. ———— H. ⊙. ———— 2248.
 4 major. E. B. declining-branch'd. ———— H. ⊙. ———— 2542.
 5 montana. E. B. Wych. ———— 4. 5. H. ⊙. ———— 1887.
 6 effusa. w. spreading-fl'd. ———— H. ⊙. Schk. hand. t. 57.
 7 alba. w. white. Hungary. 1816. — H. ⊙.
 8 crispa. w. curl-leaved. N. America. H. ⊙.

9 americana. w.	white.	N.America. 1752.	4. 5.	H. h.	
10 pendula. w.en.	pendulous.	_____	— H. h.	
11 fulva. M.	slippery.	_____	— H. h.	Mich. arb. 3. t. 6.
12 scabra. Mill.	rough.	— H. h.	
13 pumila. w.	dwarf.	Siberia. 1771.	—	H. h.	Pall. ros. 1. t. 48.
14 parvifolia. W.en.	small-leaved.	— H. h.	Jacq. schœn. t. 262.
15 microphylla. P.s.	jagged-leaved.	Siberia.	—	H. h.	Pall.r.1.t.48.f.A.B.C.
16 alata. M.	winged.	N.America. 1816.	—	H. h.	Mich. arb. 3. t. 5.
17 chinensis. P.s.	Chinese.	China.	G. h.	

ORDO CLIX.

AMENTACEÆ. *Juss. gen. 407.*

SUBORDO I. *SALICEÆ.* Kth. synops. 1. p. 364.

SALIX. W.	WILLOW. Diœcia 1-2-3-5-andra-Monadelphia.				
1 præcox. s.s.	early.	Europe.	3. 4.	H. h.	
2 pomeranica. w.en.	Pomeranian.	Pomerania. 1816.	3. 5.	H. h.	
3 cinerea. E.B.	gray.	Britain.	5.	H. h.	Eng. bot. 1897.
4 angustata. Ph.	narrow-leaved.	Pensylvania. 1811.	3. 4.	H. h.	
5 Wulfeniana. s.s.	Wulfen's.	Switzerland. 1818.	4. 5.	H. h.	
6 silesiaca. s.s.	Silesian.	Silesia. 1820.	—	H. h.	
7 Ammanniana. s.s.	Amman's.	Carinthia. —	—	H. h.	Hoffm. salic. 1. t. 17. f. 2.
8 acutifolia. s.s.	acute-leaved.	Caucasus. 1824.	H. h.	
9 hastata. w.	halber-leaved.	Lapland. 1780.	5.	H. h.	Lin. f. lap. t. 8. f. g.
10 malifolia. E.B.	Apple-leaved.	England.	4.	H. h.	Eng. bot. 1617.
11 serrulata. w. hastata. F.D.	saw-leaved.	Lapland. 1820.	5.	H. h.	Flor. dan. t. 1238.
12 phlycifolia. E.H.	Tea-leaved.	Scotland.	—	H. h.	Eng. bot. 1958.
13 Andersoniana. E.B.	Anderson's.	_____	H. h.	_____ 2343.
14 tenuifolia. E.B.	slender-leaved.	Britain.	5. 6.	H. h.	_____ 2186.
15 fragilis. E.B.	crack.	_____	4. 5.	H. h. _____ 1807.
16 Russelliana. E.B.	Bedford.	England.	—	H. h.	_____ 1808.
17 Trevirani. L.en.	Treviranus's.	Germany. 1825.	—	H. h.	
18 hippophœfolia. L.en.	Sea-buckthorn-ld.	_____ 1823.	—	H. h.	
19 triandra. E.B.	long-leaved.	Britain.	5. 8.	H. h.	Eng. bot. 1435.
20 amygdalina. E.B.	Almond-leaved.	_____	4. 5.	H. h. _____ 1936.
21 Hoppeana. w.	Hoppe's.	Switzerland. 1817.	—	H. h.	
22 ambigua. Ph.	ambiguous.	N.America. 1813.	4.	H. h.	
23 decipiens. E.B.	varnished.	England.	5.	H. h.	Eng. bot. 1937.
24 vitellina. E.B.	yellow twigged.	_____	3. 5.	H. h. _____ 1389.
25 alba. E.B.	common white.	Britain.	4. 5.	H. h.	_____ 2130.
26 cœrulea. E.B.	blue.	England.	—	H. h.	_____ 2431.
27 pedicellaris. s.s.	pedicellated.	N.America. 1811.	—	H. h.	
28 babylonica. w.	weeping.	Levant. 1692.	5.	H. h.	Rauw. it. 183. t. 25.
29 myricoides. s.s.	Myrica-like.	N.America. 1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 2.
30 lucida. s.s.	shining.	_____	5.	H. h.	_____ 2. t. 5. f. 7.
31 rigida. s.s.	rigid.	_____	4. 5.	H. h.	_____ 2. t. 5. f. 4.
32 cordata. s.s.	heart-leaved.	_____	—	H. h.	_____ 2. t. 5. f. 8.
33 nigra. s.s.	black.	_____	5.	H. h.	_____ 2. t. 5. f. 5.
34 riparia. w.	rivulet.	Europe. 1820.	—	H. h.	
35 incana. DC.	hoary.	_____	—	H. h.	
36 incanescens. Sch.	incanescent.	Switzerland. 1823.	—	H. h.	
37 lanata. w.	woolly.	Lapland. —	—	H. h.	
38 pentandra. E.B.	Bay-leaved.	Britain.	3. 6.	H. h.	Eng. bot. 1805.
39 Meyeriana. s.s.	Meyer's.	Germany. 1823.	4. 5.	H. h.	
40 tetrasperma. w.	four-seeded.	E. Indies. 1796.	—	S. h.	Roxb. corom. 1. t. 97.
41 gariepina. B.T.	Cape.	C. B. S. 1816.	—	G. h.	
42 Humboldtiana. w.	Humboldt's.	Peru. 1821.	G. h.	H. et B. 2. t. 99, 100.
43 finmarkica. s.s.	Finmark.	Sweden. —	4. 5.	H. h.	Flor. dan. t. 1051.
44 Villarsiana. w.	Villars's.	S. France. 1818.	5. 6.	H. h.	
45 myrtilloides. s.s.	Myrtle-leaved.	Sweden. 1772.	5.	H. h.	Vill. delph. 3. t. 50. f. 11.

46	retusa. w.	blunt-leaved.	Italy.	1763.	—	H. h.	
47	serpyllifolia. w.	Thyme-leaved.	Switzerland.	1818.	—	H. h.	
48	Uva-ursi. s.s.	Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	
49	herbacea. E.B.	least.	Britain.	6.	H. h.	Eng. bot. 1907.
50	monandra. Ard.	monandrous.	Europe.	3. 4.	H. h.	Ard. mem. 1. t. 11.
51	purpurea. E.B.	bitter purple.	England.	3.	H. h.	Eng. bot. 1388.
52	Helix. E.B.	Rose.	Britain.	3. 4.	H. h.	— 1343.
53	Lambertiana. E.B.	Boyton.	England.	—	H. h.	— 1359.
54	rubra. E.B.	red-stemmed.	—	4. 5.	H. h.	— 1145.
55	Forbiana. E.B.	basket osier.	—	4.	H. h.	— 1344.
56	viminalis. E.B.	common osier.	Britain.	4. 5.	H. h.	— 1898.
57	mollissima. s.s.	softest.	Germany.	—	H. h.	
58	Smithiana. s.s.	Smith's.	England.	—	H. h.	Eng. bot. 1509.
	<i>mollissima. E.B. non w.</i>						
59	acuminata. E.B.	acuminate.	Britain.	4.	H. h.	Eng. bot. 1434.
60	holosericea. w.	holosericeous.	Germany.	—	H. h.	
61	aurita. w.	eared.	Europe.	4. 5.	H. h.	Hoff. sal. 1. t. 22. f. 1.
62	uliginosa. w.en.	marsh.	Britain.	4. 6.	H. h.	Eng. bot. 1437.
	<i>aurita. E.B. non w.</i>						
63	paludosa. L.en.	fen.	Germany.	—	H. h.	
64	aquatica. E.B.	water.	Britain.	4.	H. h.	Eng. bot. 1437.
65	spatulata. w.en.	spatulate.	Germany.	—	H. h.	
66	caprea. E.B.	great round-ld.	Britain.	4. 5.	H. h.	Eng. bot. 1488.
67	sphacelata. E.B.	withered-pointed.	Scotland.	—	H. h.	— 2333.
68	laurina. w.	Laurel-leaved.	England.	—	H. h.	— 1806.
	<i>bicolor. E.B. non Ehr.</i>						
69	bicolor. w.	two-coloured.	Germany.	1818.	—	H. h.	
70	Pontederana. w.	Pontedera's.	—	—	—	H. h.	
71	Forsteriana. E.B.	Forster's.	Scotland.	—	H. h.	Eng. bot. 1403.
72	nigricans. E.B.	dark broad-ld.	England.	4.	H. h.	— 1213.
73	violacea. s.s.	violet.	4. 5.	H. h.	Andr. reposit. ic.
74	Weigeliana. s.s.	long-styled.	Silesia.	1820.	—	H. h.	
75	cotinifolia. E.B.	Quince-leaved.	Britain.	4.	H. h.	Eng. bot. 1403.
76	conifera. s.s.	cone-boaring.	N.America.	1800.	5.	H. h.	Wang. amer. t.31. f.72.
77	prinoides. s.s.	Prinos-like.	—	1811.	3. 4.	H. h.	
78	fuscata. s.s.	brown-stemm'd.	—	—	4.	H. h.	
79	recurvata. s.s.	recurve-flower'd.	—	—	—	H. h.	
80	tristis. s.s.	linear-leaved.	—	1765.	—	H. h.	
81	Muhlenbergiana.	Muhlenberg's.	—	1811.	—	H. h.	Ann. bot. 2. t. 5. f. 9.
82	grisea. w.en.	brown.	—	1816.	—	H. h.	
83	lanceolata. E.B.	sharp-leaved.	England.	4. 5.	H. h.	Eng. bot. 1436.
84	stipularis. E.B.	anricled.	Britain.	3.	H. h.	— 1214.
85	undulata. s.s.	wave-leaved.	Germany.	1819.	4. 5.	H. h.	
86	petiolaris. E.B.	dark long-ld.	N.America.	4.	H. h.	Eng. bot. 1147.
87	patula. s.s.	spreading.	Italy.	1818.	—	H. h.	
88	candida. s.s.	hoary.	N.America.	1811.	4. 5.	H. h.	
89	discolor. s.s.	brown-branched.	—	—	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
90	arenaria. E.B.	sand.	Scotland.	5.	H. h.	Eng. bot. 1809.
91	repens. E.B.	creeping.	Britain.	5.	H. h.	— 183.
92	incubacca. w.	trailing.	Europe.	1775.	—	H. h.	
93	rosmarinifolia. E.B.	Rosemary-ld.	Britain.	4. 5.	H. h.	Eng. bot. 1365.
94	Arbuscula. E.B.	little tree.	Scotland.	4.	H. h.	— 1366.
95	fusca. E.B.	brown.	Britain.	5.	H. h.	— 1960.
96	parvifolia. E.B.	small-leaved.	England.	4. 5.	H. h.	— 1961.
97	adscedens. E.B.	ascending.	—	—	—	H. h.	— 1962.
98	prostrata. E.B.	prostrate.	Britain.	5.	H. h.	— 1959.
99	canescens. w.en.	canescent.	Germany.	1815.	4. 5.	H. h.	
100	leucophylla. w.en.	white-leaved.	—	—	—	H. h.	
101	clæagnoides. L.en.	Elægnus-like.	Switzerland.	1823.	—	H. h.	
102	argentea. E.B.	silky sand.	Britain.	5.	H. h.	Eng. bot. 1364.
103	varifolia. s.s.	various-leaved.	N. Europe.	1824.	—	H. h.	
104	prunifolia. E.B.	Plum-leaved.	Scotland.	4. 5.	H. h.	Eng. bot. 1361.
105	Dicksoniana. E.B.	Dickson's.	—	5.	H. h.	— 1390.
106	humilis. w.en.	humble.	1824.	—	H. h.	
107	formosa. w.	handsome.	Switzerland.	1820.	—	H. h.	
108	myrsinites. E.B.	Whortle-leav'd.	Scotland.	4. 6.	H. h.	Eng. bot. 1360.
109	venulosa. E.B.	veiny-leaved.	—	4. 5.	H. h.	— 1362.
110	vacciniifolia. E.B.	Bilberry-ld.	—	—	H. h.	— 2341.
111	carinata. E.B.	folded-leaved.	—	—	H. h.	— 1363.

112	arbutifolia, w.	Arbutus-leav'd.	Switzerland.	1818.	—	H. h.	
113	rupestris, E.B.	rock.	Scotland.	4.	H. h.	Eng. bot. 2342.
114	livida, s.s.	livid.	Lapland.	1824.	—	H. h.	
115	longifolia, s.s.	long-leaved.	N.America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 6.
116	glauca, E.B.	glaucous.	Scotland.	5.	H. h.	Eng. bot. 1810.
117	sericea, w.	silky.	Alps Europe.	1816.	—	H. h.	Vill. delph. 3. t. 51. f. 27.
118	Stuartiana, E.B.	Stuart's.	Scotland.	7. 8.	H. h.	Eng. bot. 2586.
119	reticulata, E.B.	wrinkled.	Britain.	6. 7.	H. h.	— 1908.
120	hirta, E.B.	hairy-branch'd.	England.	4. 5.	H. h.	— 1404.
121	oleifolia, E.B.	Olive-leaved.	Britain.	3.	H. h.	— 1402.
122	Croweana, E.B.	Crowe's.	England.	4. 5.	H. h.	— 1146.
123	fagifolia, w.	Beech-leaved.	Hungary.	1819.	—	H. h.	
124	cordifolia, Ph.	heart-shaped.	N.America.	1811.	—	H. h.	
125	planifolia, Ph.	flat-leaved.	Labrador.	—	4. 5.	H. h.	
126	falcata, Ph.	sickle-leaved.	N.America.	—	—	H. h.	
127	tetrapla, L.en.	elegant.	1824.	H. h.	
128	obtus. L.en.	blunt-leaved.	Switzerland.	—	—	H. h.	
129	eriantha, L.en.	woolly-flow'r'd.	—	—	—	H. h.	
130	casia, vill.	casious.	N. Europe.	—	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
131	ulmifolia, w.en.	Elm-leaved.	Switzerland.	—	—	H. h.	
132	foliosa, w.	leafy.	Lapland.	1818.	—	H. h.	
133	obtusifolia, w.	obtuse-leaved.	—	—	—	H. h.	
134	atrovirens, Sch.	dark-green.	Switzerland.	1824.	—	H. h.	
135	australis, Sch.	southern.	—	—	—	H. h.	
136	carpinifolia, Sch.	Hornbeam-ld.	—	—	3. 4.	H. h.	
137	cydoniifolia, Sch.	Cydonia-leav'd.	—	—	—	H. h.	
138	subalpina, Sch.	subalpine.	—	—	4. 5.	H. h.	
139	proteæfolia, Sch.	Protea-leaved.	—	1820.	4.	H. h.	
140	strepida, Sch.	creaking.	—	—	—	H. h.	
141	glabrata, Sch.	smooth.	—	1823.	4. 5.	H. h.	
142	decumbens, Sch.	decumbent.	—	—	—	H. h.	
143	heterophylla, Deb.	different-leav'd.	—	—	H. h.	
144	murina, Sch.	wall.	Switzerland.	1824.	3. 4.	H. h.	
145	nervosa, Sch.	nerved.	—	—	—	H. h.	
146	pannosa, Sch.	cloth-leaved.	—	—	4. 5.	H. h.	
147	palleseens, Sch.	pallid.	—	—	—	H. h.	
148	pallida, Sch.	pale.	—	—	—	H. h.	
149	alaternoides, Sch.	Alaternus-like.	—	1823.	—	H. h.	
150	albescens, Sch.	whitish.	—	—	—	H. h.	
151	annularis, L.C.	annular-leaved.	—	H. h.	
152	cerasifolia, Sch.	Cherry-leaved.	Switzerland.	1824.	4.	H. h.	
153	cinnamomea, Sch.	Cinnamon-scented.	—	—	4. 5.	H. h.	
154	clethræfolia, Sch.	Clethra-leaved.	—	—	—	H. h.	
155	grisophylla, Sch.	gray-leaved.	—	—	—	H. h.	
156	lacustris, Sch.	lake.	—	—	—	H. h.	
157	mespilifolia, Sch.	Mespilus-ld.	—	—	—	H. h.	
158	obtuse-serrata, Sch.	bluntly-sawed.	—	—	—	H. h.	
159	pyrifolia, Sch.	Pear-leaved.	—	—	—	H. h.	
160	Schleicheriana, w.	Schleicher's.	—	—	—	H. h.	
POPULUS, L.		POPLAR, Diœcia Octandria, L.					
1	alba, E.B.	Abele-tree.	Britain.	3. 4.	H. h.	Eng. bot. 1618.
2	canescens, E.B.	gray.	England.	—	H. h.	— 1619.
3	nivea, w.	snowy.	Europe.	—	H. h.	
4	trepida, w.	trembling.	N.America.	1812.	—	H. h.	Mich. arb. 3. t. 8. f. 1.
5	tremula, w.	Aspen.	Britain.	3. 4.	H. h.	Eug. bot. 1909.
6	lævigata, w.	smooth.	N.America.	1769.	—	H. h.	Mich. arb. 3. t. 11.
7	tremuloides, M.	trembling-like.	—	1811.	—	H. h.	Duham. arb. 2. t. 53.
8	græca, w.	Athenian.	Archipelago.	1779.	—	H. h.	— 184. t. 54.
9	nigra, w.	black.	Britain.	—	H. h.	Eng. bot. 1910.
10	hudsonica, M. betulifolia, Ph.	American black.	N.America.	—	H. h.	Mich. arb. 3. t. 10. f. 1.
11	dilatata, w.	Lombardy.	Italy.	1758.	—	H. h.	
12	monilifera, w.	Canadian.	Canada.	1772.	3. 5.	H. h.	Wats. dend. brit. 102.
13	angulata, w.	Carolina.	Carolina.	1738.	3.	H. h.	Mich. arb. 3. t. 12.
14	grandidentata, M. β pendula, N.	large-toothed. weeping.	N.America.	1812.	4.	H. h.	
15	balsamifera, w.	Tacamahac.	—	1820.	—	H. h.	
16	candicans, w.	heart-leaved.	—	1692.	—	H. h.	Mich. arb. 3. t. 13. f. 1.
17	heterophylla, w.	various-leaved.	—	1772.	3.	H. h.	Catesb. car. 1. t. 34.
			—	1765.	4. 5.	H. h.	Mich. arb. 3. t. 9.

SUBORDO II. *BETULINÆ*. Kth. synopsis. I. p. 363.

ALNUS. W.		ALDER. Monœcia Tetrandria. W.					
1	<i>glutinosa. w.</i>	common.	Britain.	3. 4.	H. h.	Eng. bot. 1508.
	<i>β emarginata.</i>	<i>emarginate.</i>	————	—	H. h.	
	<i>γ incisa. w.</i>	<i>cut-leaved.</i>	————	—	H. h.	
	<i>δ laciniata. w.</i>	<i>jagged-leaved.</i>	————	—	H. h.	
	<i>ε quercifolia.</i>	<i>Oak-leaved.</i>	————	—	H. h.	
2	<i>incana. w.</i>	hoary-leaved.	Europe.	1780.	6.	H. h.	
	<i>β angulata. H.K.</i>	<i>angular-leaved.</i>	————	—	—	H. h.	
	<i>γ pinnata.</i>	<i>pinnated.</i>	————	—	H. h.	
3	<i>oblongata. w.</i>	oblong-leaved.	S. Europe.	1730.	7.	H. h.	
	<i>β elliptica.</i>	<i>elliptic-leaved.</i>	————	—	—	H. h.	
4	<i>undulata. w.</i>	undulate.	N. America.	1782.	5. 6.	H. h.	
	<i>crispa. Ph. Betula crispa. H.K.</i>		————	—	—		
5	<i>serrulata. w.</i>	notch-leaved.	————	1769.	3.	H. h.	Abb. ins. 2. t. 92.
6	<i>cordifolia. T.P.</i>	heart-leaved.	Naples.	1820.	3. 4.	H. h.	
7	<i>macrophylla. Desf.</i>	large-leaved.	1823.	H. h.	
8	<i>rubra. Desf.</i>	red.	—	H. h.	
9	<i>pumila. L.C.</i>	dwarf.	—	H. h.	
10	<i>oxyacanthifolia. L.C.</i>	Hawthorn-ld.	1812.	H. h.	
11	<i>subrotunda. Desf.</i>	roundish-leav'd.	1822.	H. h.	
BETULA. W.		BIRCH. Monœcia Polyandria. L.					
1	<i>alba. w.</i>	common.	Britani.	4. 6.	H. h.	Eng. bot. 2198.
	<i>β verrucosa. Ebr.</i>	<i>warted.</i>	————	—	H. h.	
	<i>γ pendula. Roth.</i>	<i>weeping.</i>	————	—	H. h.	
	<i>δ dalecarlica. L.</i>	<i>palmate-leaved.</i>	—	H. h.	
	<i>ε pontica. W.D.</i>	<i>eastern.</i>	Asia.	—	H. h.	Wats. dend. brit. 94.
	<i>ζ macrocarpa.</i>	<i>large-fruited.</i>	—	H. h.	
2	<i>pubescens. P.S.</i>	pubescent.	Europe.	4. 6.	H. h.	
3	<i>populifolia. w.</i>	Poplar-leaved.	N. America.	1750.	7.	H. h.	Wats. dend. brit. 151.
4	<i>excelsa. w.</i>	tall.	————	1767.	5.	H. h.	95.
5	<i>davurica. w.</i>	Daurian.	Dauria.	1786.	7.	H. h.	Pall. ros. 1. t. 39.
6	<i>nigra. w.</i>	black.	N. America.	1736.	7. 8.	H. h.	Wats. dend. brit. 153.
7	<i>lutea. M.</i>	yellow.	————	1816.	5. 6.	H. h.	
8	<i>lanulosa. M.</i>	woolly.	————	1812.	—	H. h.	
	<i>rubra. Mich. arb. 2. t. 3.</i>		————	—	—		
9	<i>papyracea. w.</i>	paper.	————	1750.	5. 6.	H. h.	Wats. dend. brit. 151.
10	<i>lenta. w.</i>	soft.	————	1759.	7.	H. h.	144.
11	<i>carpinifolia. w. en.</i>	Hornbeam-ld.	————	1812.	—	H. h.	
12	<i>ovata. w.</i>	oval-leaved.	Europe.	6. 7.	H. h.	Wats. dend. brit. 96.
	<i>viridis. Vill. Alnus viridis. DC.</i>		————	—	—		
13	<i>fruticosa. w.</i>	shrubby.	Siberia.	1816.	—	H. h.	Wats. dend. brit. 154.
14	<i>glandulosa. M.</i>	glandular.	N. America.	—	5.	H. h.	
15	<i>pumila. w.</i>	hairy dwarf.	————	1762.	4. 5.	H. h.	Wats. dend. brit. 97.
16	<i>nana. w.</i>	smooth dwarf.	Scotland.	5.	H. h.	Eng. bot. 2326.
	<i>β macrophylla. Sch.</i>	<i>large-leaved.</i>	Switzerland.	1823.	—	H. h.	
17	<i>tristis. L.en.</i>	dark.	Kamtschatka.	1824.	H. h.	
CARPINUS. W.		HORNBEAM. Monœcia Polyandria. L.					
1	<i>Betulus. w.</i>	common.	Britain.	3. 5.	H. h.	Eng. bot. 2032.
	<i>β variegata.</i>	<i>striped-leaved.</i>	————	—	H. h.	
	<i>γ incisa. H.K.</i>	<i>cut-leaved.</i>	—	H. h.	
	<i>δ quercifolia. Desf.</i>	<i>Oak-leaved.</i>	—	H. h.	
2	<i>americana. w.</i>	American.	N. America.	1812.	—	H. h.	Wats. dend. brit. 157.
3	<i>orientalis. w.</i>	eastern.	Levant.	1739.	5. 6.	H. h.	98.
OSTRYA. W.		HOP-HORNBEAM. Monœcia Polyandria. W.					
1	<i>vulgaris. w.</i>	common.	Italy.	1724.	5.	H. h.	Wats. dend. brit. 143.
2	<i>virginica. w.</i>	American.	N. America.	1692.	5. 6.	H. h.	Abb. ins. 2. t. 75.
CORYLUS. W.		NUT-TREE. Monœcia Polyandria. L.					
1	<i>Avellana. w.</i>	common Hazel.	Britain.	2. 4.	H. h.	Eng. bot. 723.
	<i>β alba. H.K.</i>	<i>white Filbert.</i>	—	H. h.	
	<i>γ rubra. H.K.</i>	<i>red Filbert.</i>	—	H. h.	
	<i>δ ovata. Lam.</i>	<i>oval-fruited.</i>	—	H. h.	
	<i>ε barcelonensis. L.C.</i>	<i>Barcelona.</i>	Spain.	—	H. h.	
	<i>ζ grandis. H.K.</i>	<i>Cob.</i>	—	H. h.	
	<i>η glomerata. H.K.</i>	<i>clustered.</i>	—	H. h.	
2	<i>tubulosa. w.</i>	Lambert's.	S. Europe.	1759.	3. 4.	H. h.	Lam. ill. t. 780.

3 americana. w.	Cuckold.	N. America.	1798.	—	H. h.	Wang. am. t. 29. f. 63.
4 humilis. w.	dwarf cuckold.	—	—	H. h.	—
5 rostrata. w.	common cuckold.	—	1745.	—	H. h.	Willd. arb. t. 1. f. 2.
6 Colurna. w.	Constantinople.	Constantinople.	1665.	—	H. h.	Wats. dend. brit. 99.

SUBORDO III. CUPULIFERÆ. Kth. synops. l. p. 353.

QUERCUS. W.	OAK. Monœcia Polyandria. L.					
1 Phellos. w.	Willow-leaved.	N. America.	1723.	5. 6.	H. h.	Mich. arb. 1. t. 12.
β humilis. Ph.	dwarf.	—	1812.	—	H. h.	Catesb. car. 1. t. 22.
2 maritima. w.	sea.	—	1811.	—	H. h.	Mich. querc. t. 13. f. 1.
3 sericea. w.	running.	—	1724.	—	H. h.	Mich. arb. 2. t. 15.
4 virens. w.	live.	—	1739.	5.	H. h.	— 2. t. 11.
5 cinerea. w.	ash-coloured.	—	1789.	5. 6.	H. h.	— 2. t. 14.
6 imbricaria. w.	tile-cupped.	—	1786.	—	H. h.	— 2. t. 13.
7 laurifolia. w.	Laurel-leaved.	—	—	5.	H. h.	Mich. querc. t. 17.
β obtusa. Ph.	blunt-leaved.	—	—	—	H. h.	— t. 18.
8 lutea. w.	yellow.	Mexico.	1825.	H. h.	—
9 glauca. w.	glaucous.	Japan.	1822.	H. h.	Banks ic. Kæmp. t. 17.
10 gramuntia. w.	Holly-leaved.	S. France.	1730.	6.	H. h.	—
11 Ballota. w.	Barbary.	Barbary.	1818.	H. h.	—
12 rotundifolia. w.	round-leaved.	Spain.	—	H. h.	—
13 Ilex. w.	evergreen.	S. France.	1581.	5. 6.	H. h.	Wats. dend. brit. 90.
α integrifolia. H.K.	entire-leaved.	—	—	—	H. h.	—
β serrata. H.K.	saw-leaved.	—	—	—	H. h.	Duham. arb. 1. t. 123.
γ oblonga. H.K.	long-leaved.	—	—	—	H. h.	— 1. t. 121.
δ fagifolia. L.C.	Beech-leaved.	—	—	H. h.	—
ε crispa. L.C.	curl-leaved.	—	—	H. h.	—
14 Suber. w.	Cork-tree.	—	1699.	6.	H. h.	Wats. dend. brit. 89.
15 coccifera. w.	Kermes.	—	1683.	5.	H. h.	— 91.
16 infectoria. w.	Levant.	Levant.	1812.	H. h.	—
17 Turneri. w. en.	Turner's.	—	—	H. h.	—
18 Prinus. w.	Chestnut-leaved.	N. America.	1730.	5. 6.	H. h.	Mich. arb. 2. t. 7.
19 bicolor. w.	white swamp.	—	1811.	5.	H. h.	— 2. t. 6.
20 montana. w.	rock Chestnut.	—	1800.	—	H. h.	— 2. t. 8.
21 Castanea. w.	yellow Chestnut	—	1816.	—	H. h.	— 2. t. 9.
22 prinoides. w.	dwarf Chestnut.	—	—	—	H. h.	— 2. t. 10.
Chinquapin. Ph.	—	—	—	—	—	—
23 heterophylla. Ph.	various-leaved.	—	—	H. h.	— 2. t. 16.
24 aquatica. Ph.	water.	—	1723.	—	H. h.	— 2. t. 17.
25 hemisphærica. w.	hemispherical.	—	1816.	—	H. h.	Mich. querc. t. 20. f. 2.
26 nana. w.	dwarf.	—	1738.	—	H. h.	Abb. ins. 2. t. 59.
27 triloba. w.	three-lobed.	—	1800.	—	H. h.	Mich. querc. t. 26.
28 nigra. w.	black.	—	1739.	—	H. h.	Mich. arb. 2. t. 18.
29 tinctoria. w.	dyer's.	—	1800.	—	H. h.	Mich. querc. t. 24.
30 discolor. w.	two-coloured.	—	1763.	—	H. h.	— t. 25.
31 lanuginosa. D.P.	Nepaul.	Nepaul.	1818.	G. h.	—
32 coccinea. w.	scarlet.	N. America.	1691.	5.	H. h.	Mich. arb. 2. t. 23.
33 ambigua. M.	gray.	—	1800.	—	H. h.	— 2. t. 21.
34 rubra. w.	champion.	—	1739.	5.	H. h.	— 2. t. 26.
35 Catesbæi. w.	barren scrub.	—	1820.	—	H. h.	— 2. t. 20.
36 falcata. M.	downy-leaved.	—	1763.	—	H. h.	— 2. t. 21.
elongata. w.	—	—	—	—	—	—
37 palustris. w.	marsh.	—	1800.	—	H. h.	— 2. t. 25.
38 Banisteri. w.	Banister's.	—	—	—	H. h.	— 2. t. 19.
ilicifolia. w.	—	—	—	—	—	—
39 stellata. w.	starred.	—	—	—	H. h.	— 2. t. 4.
obtusiloba. M.	—	—	—	—	—	—
40 macrocarpa. w.	overcup white.	—	1800.	—	H. h.	— 2. t. 3.
41 pseudo-suber. w.	cork-like.	Spain.	1818.	—	H. h.	Sant. itin. t. 4.
42 Ægilops. w.	Velanida.	S. Europe.	1731.	H. h.	Mill. dict. n. 7. t. 215.
43 alba. w.	white.	N. America.	1724.	5.	H. h.	Mich. arb. 2. t. 1.
44 repanda. L. en.	repand.	—	—	H. h.	Mich. querc. t. 5. f. 2.
45 Esculus. w.	Italian.	S. Europe.	1739.	—	H. h.	—

46	Robur. w. <i>sessiliflora</i> . E.B.	sessile-fruited.	Britain.	4. 5.	H. h.	Eng. bot. 1845.
47	pedunculata. w. <i>Robur</i> . E.B. non w.	common.	————	—	H. h.	Eng. bot. 1842.
48	pubescens. w.	Durmast.	England.	—	H. h.	Second. d. chen. t. 5.
49	conglomerata. P.S.	clustered.	Europe.	—	H. h.	
50	olivæformis. M.	mossy-cup.	N.America.	1811.	5.	H. h.	Mich. arb. 2. t. 2.
51	lyrata. w.	lyre-leaved.	————	1786.	—	H. h.	———— 2. t. 5.
52	Tauzin. P.S. <i>β laciniata</i> . Desv. <i>γ digitata</i> . Desv.	soft jagged-ld. <i>cut-leaved</i> . <i>fingered</i> .	S. Europe.	—	H. h.	
53	Cerris. w. <i>α frondosa</i> . H.K. <i>β bullata</i> . H.K. <i>γ sinuata</i> . H.K. <i>δ dentata</i> . W.D.	Turkey. <i>common</i> . <i>rough-leaved</i> . <i>narrow-leaved</i> . <i>Fulham</i> .	————	1735.	—	H. h.	Wats. dend. brit. 92.
54	Lucombeana. <i>exoniensis</i> . L.C.	Lucombe's.	5. 6.	H. h.	Wats. dend. brit. 93.
55	austriaca. W.en.	Austrian.	Austria.	4. 5.	H. h.	Clus. hist. l. p. 20. c. ic.
56	mexicana. K.S.	Mexican.	Mexico.	1824.	G. h.	H. et B. pl. æq. 2. t. 82.
57	spicata. K.S.	spiked.	————	—	G. h.	———— 2. t. 89.
58	Bonplandiana. <i>ambigua</i> . K.S. non M.	Bonpland's.	————	—	G. h.	———— 2. t. 93.
FAGUS. W.		BEECH. Monœcia Polyandria. L.					
1	americana. <i>sylvatica</i> . Ph.	white.	N. America.	...	5.	H. h.	Mich. arb. 2. t. 8.
2	<i>sylvatica</i> . w. <i>β purpurea</i> . H.K.	common. <i>dark purple</i> .	Britain.	4. 5.	H. h.	Eng. bot. 1846.
3	<i>ferruginea</i> . w.	ferruginous.	N.America.	1796.	5. 6.	H. h.	Mich. arb. 2. t. 9.
4	<i>comptoniæfolia</i> . Desf. <i>sylvatica γ asplenifolia</i> . H.S.L.	Fern-leaved.	—	H. h.	
CASTANEA. G.		CHESTNUT. Monœcia Polyandria. W.					
1	americana. P.S.	American.	N.America.	5. 6.	H. h.	Mich. arb. 2. t. 6.
2	<i>vesca</i> . w. <i>β variegata</i> . <i>γ asplenifolia</i> .	common. <i>striped-leaved</i> . <i>fern-leaved</i> .	England.	—	H. h.	Eng. bot. 386.
3	<i>pumila</i> . w.	dwarf.	N.America.	1699.	7.	H. h.	Mich. arb. 2. t. 7.
? SALISBURIA. L.T.	MAIDENHAIR-TREE. Monœcia Polyandria. H.K.						
	<i>adiantifolia</i> . L.T. <i>Ginkgo biloba</i> . L.	Japan.	Japan.	1754.	4. 5.	H. h.	Wats. dend. brit. 168.

SUBORDO IV. PLATANÆÆ.

PLATANUS. W.		PLANE-TREE. Monœcia Polyandria. L.					
1	<i>orientalis</i> . w.	oriental.	Levant.	1548.	4. 5.	H. h.	Wats. dend. brit. 101.
2	<i>cuneata</i> . w.	wave-leaved.	————	1739.	—	H. h.	
3	<i>acerifolia</i> . w.	Maple-leaved.	————	1724.	H. h.	
4	<i>occidentalis</i> . w.	American.	N.America.	1640.	—	H. h.	Wats. dend. brit. 100.
LIQUIDAMBAR. W.		SWEET-GUM-TREE. Monœcia Polyandria. L.					
1	<i>Styraciflua</i> . w.	Maple-leaved.	N.America.	1683.	3. 4.	H. h.	Catesb. car. 2. t. 65.
2	<i>imberbe</i> . w.	oriental.	Levant.	1759.	H. h.	

SUBORDO V. MYRICEÆ. Kth. synops. 1. p. 361.

COMPTONIA. W.		COMPTONIA. Monœcia Triandria. W.					
	<i>asplenifolia</i> . w.	Fern-leaved.	N.America.	1714.	3. 5.	H. h.	Wats. dend. brit. 166.
MYRICA. W.		CANDLEBERRY-MYRTLE. Diœcia Tetrandria. L.					
1	Gale. w.	Sweet Gale.	Britain.	5.	H. h.	Eng. bot. 562.
2	<i>cerifera</i> . w.	common.	N.America.	1699.	5. 6.	H. h.	Catesb. car. 1. t. 69.
3	<i>carolinensis</i> . Ph.	broad-leaved.	————	1730.	5.	H. h.	———— 1. t. 13.
4	<i>pensylvanica</i> . Ph.	Pensylvanian.	————	—	H. h.	Duham. arb. ed. n. 2. t. 55
5	Faya. w.	Azorian.	Azores.	1777.	6. 7.	F. h.	———— 2. t. 56.

6 mexicana, W.en.	Mexican.	Mexico.	1821.	6. 8.	G. h.	
7 esculenta, D.P.	eatable.	Nepaul.	—	G. h.	
8 segregata, w.	netted-leaved.	S. America.	—	G. h.	Jacq. ic. 3. t. 625.
9 athiopica, w.	African.	C. B. S.	1795.	6. 7.	G. h.	Pluk. alm. t. 48. f. 8.
10 serrata, w.	saw-leaved.	—	1793.	8.	G. h.	Burm. afr. t. 98. f. 1.
11 laciniata, w.en.	smooth Oak-ld.	—	1752.	6. 7.	G. h.	Jacq. frag. 2. t. 1. f. 4.
12 quercifolia, W.en.	hairy Oak-ld.	—	—	—	G. h.	
13 cordifolia, w.	heart-leaved.	—	1759.	5. 7.	G. h.	Pluk. alm. t. 319. f. 7.
CASUARINA, W.	CASUARINA.	Monœcia Monandria.	W.			
1 equisetifolia, w.	Horse-tail.	S. Sea Isl.	1793.	S. h.	Rumph. amb. 3. t. 57.
2 nodiflora, w.	knotted-flower'd	—	1818.	S. h.	
3 stricta, w.	upright.	N. S. W.	1775.	11. 2.	G. h.	Andr. reposit. 346.
4 distyla, w.	two-styled.	—	1812.	—	G. h.	Vent. dec. pl. nov. t. 62.
5 quadrivalvis, P.S.	four-valved.	N. Holland.	—	—	G. h.	Lab. nov. hol. 2. t. 218.
6 torulosa, w.	cork-barked.	N. S. W.	1772.	4. 6.	G. h.	
7 muricata, L.en.	muricate.	E. Indies.	1816.	S. h.	

ORDO CLX.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS, W.	WITCH-HAZEL.	Tetrandria Digynia.	L.			
1 virginica, w.	Virginian.	N. America.	1736.	11. 5.	H. h.	Lodd. bot. cab. 598.
2 macrophylla, Ph.	large-leaved.	—	1812.	—	H. h.	
FOTHERGILLA, W.	FOTHERGILLA.	Polyandria Digynia.	L.			
1 alnifolia, w.	obtuse-leaved.	N. America.	1765.	4. 6.	H. h.	Botan. magaz. 1341.
2 major, B.M.	large-leaved.	—	—	5. 6.	H. h.	— 1342.
3 Gardeni, Jacq.	acute-leaved.	—	—	—	H. h.	Jacq. ic. 1. t. 100.
4 serotina, B.M.	green-leaved.	—	—	—	H. h.	

ORDO CLXI.

CONIFERÆ. *Juss. gen. 411.*

SUBORDO I. TAXINÆ. *Richard.*

EPHEDRA, W.	EPHEDRA.	Diœcia Monadelphia.	L.			
1 distachya, w.	great.	France.	1570.	6. 7.	H. h.	Schk. hand. 3. t. 339.
2 monostachya, w.	small.	Siberia.	1772.	9. 11.	H. h.	Wats. dend. brit. 142.
3 altissima, w.	tall.	Barbary.	1823.	H. h.	Desf. atl. 2. t. 253.
TAXUS, W.	YEW-TREE.	Diœcia Monadelphia.	L.			
1 baccata, w.	common.	Britain.	2. 4.	H. h.	Eng. bot. 746.
2 canadensis, w.	Canadian.	Canada.	1818.	—	H. h.	
3 ? nucifera, w.	Acorn-bearing.	China.	1764.	G. h.	Kæmpf. amœn. t. 815.
PODOCARPUS, L'H.	PODOCARPUS.	Monœcia Monadelphia.				
1 aspleniifolia, P.S.	Fern-leaved.	V. Diem. Isl.	1825.	G. h.	Lab. n. holl. 2. t. 221.
2 elongata, P.S.	African.	C. B. S.	1774.	7.	G. h.	
3 chinensis.	Chinese.	China.	5. 7.	H. h.	
<i>Taxus chinensis</i> , H.B.						
4 verticillata.	whorl-leaved.	Japan.	1812.	G. h.	
5 macrophylla, L.en.	large-leaved.	China.	1804.	7. 8.	G. h.	Kæmpf. ic. t. 24.
6 nereifolia, L.P.	Wax-Dammar.	P. Wales Isl.	1809.	S. h.	Rumph. amb. 3. t. 26.

SUBORDO II. CUPRESSINÆ. Richard.

JUNIPERUS. W.		JUNIPER. Diœcia Monadelphïa. L.			
1	thurifera. w.	Spanish.	S. Europe. 1752.	5. 6.	H. h. Pluk. alm. t. 197. f. 4.
2	barbadensis. w.	Barbadoes.	Barbadoes. 1811.	G. h. Herm. lugd. t. 347.
3	bermudiana. w.	Bermudas	Cedar. Bermudas. 1683.	5. 6.	F. h.
4	chineusis. w.	Chinese.	China. 1804.	5. 6.	H. h.
5	excelsa. w.	tall.	Siberia. 1806.	H. h.
6	Sabina. w.	Savin.	S. Europe. 1548.	5. 6.	H. h.
	<i>β variegata.</i>	<i>variegated.</i>	—	—	H. h.
7	tamariscifolia.	Tamarisk-ld.	—	—	H. h.
8	prostrata. p.s.	prostrate.	N. America.	—	H. h.
9	daurica. A.R.	Daurian.	Dauria. 1791.	6. 8.	H. h. Andr. reposit. 534.
10	virginiana. w.	red Cedar.	N. America. 1664.	5. 6.	H. h. Mich. arb. 3. t. 5.
11	glauca. w.en.	glaucons.	China. 1814.	—	H. h.
12	recurva. D.P.	recurve-branch'd.	Nepaul. 1822.	H. h.
13	communis. w.	common.	Britain.	5. 6.	H. h. Eng. bot. 1100.
14	suecica. Mill.	Swedish.	N. Europe.	—	H. h.
15	nana. w.	dwarf.	Siberia. 1815.	—	H. h. Pall. ros. 2. t. 54. f. A. B.
16	Oxycedrus. w.	brown-berried.	Spain. 1739.	—	H. h. Duham. arb. 2. t. 128.
17	phœnicea. w.	Phœnician.	S. Europe. 1683.	—	H. h. Pall. ros. 2. t. 57.
18	lycia. w.	Lycian.	—	1693.	H. h. ——— 2. t. 56.
19	capensis. Lam.	Cape.	C. B. S. 1816.	G. h.
20	drupacea. Lab.	drupaceous.	H. h.
THUJA. W.		ARBOR-VITÆ. Monœcia Monadelphïa. L.			
1	occidentalis. w.	American.	N. America. 1596.	5.	H. h. Wats. dend. brit. 150.
2	pyramidalis. T.P.	pyramidal.	1824.	H. h.
3	orientalis. w.	Chinese.	China. 1752.	2. 3.	H. h. Wats. dend. brit. 149.
4	plicata. L.P.	Nee's.	Nootka sound. 1796.	—	H. h. Lamb. pin. v. 2. p. 19. t.
5	cnpressoides. w.	African.	C. B. S. 1799.	G. h.
6	articulata. w.	jointed.	Barbary. 1815.	2. 5.	F. h. Vahl. symb. 2. t. 48.
7	pendula. L.P.	weeping.	Tartary. 1810.	—	H. h. Lamb. pin. v. 2.
CUPRESSUS. W.		CYPRESS. Monœcia Monadelphïa. L.			
1	sempervirens. w.	common.	Candia. 1548.	5.	H. h. Pall. ros. 2. t. 53.
	<i>α stricta.</i>	<i>upright.</i>	—	—	H. h.
	<i>β horizontalis.</i>	<i>horizontal.</i>	—	—	H. h.
2	lusitanica. w.	Cedar of Goa.	Goa. 1683.	4. 5.	F. h. Lamb. pin. 95. t. 42.
3	pendula. Th.	pendulous.	Japan. 1818.	F. h.
4	thyoides. w.	white Cedar.	N. America. 1736.	4. 5.	H. h. Wats. dend. brit. 156.
5	bacciformis. w.en.	berry-like.	1818.	H. h.
6	juniperoides. w.	African.	C. B. S. 1756.	—	G. h.
7	australis. p.s.	New Holland.	N. Holland.	—	G. h.
TAXODIUM. Rich.		TAXODIUM. Monœcia Monadelphïa.			
	<i>distichum. Rich.</i>	deciduous.	America. 1640.	5.	H. h. Mich. arb. 3. t. 1.
	<i>Cupressus disticha.</i>	w. Schubertia. Mirb.	—	—	—
	<i>α patens. H.K.</i>	<i>spreading.</i>	—	—	H. h.
	<i>β nutans. H.K.</i>	<i>long-leaved.</i>	—	—	H. h.
DACRYDIUM. L.P.		DACRYDIUM. Monœcia Monadelphïa.			
	<i>cupressinum. L.P.</i>	N. Zealand spruce.	N. Zealand. 1825.	G. h. Lamb. pin. v. 1. t. 41.

SUBORDO III. ABIETINÆ. Richard.

DAMMARA. L.P.		DAMMARA. Monœcia Monadelphïa. L.en.			
1	australis. L.P.	Cowrie-tree.	N. Zealand. 1823.	G. h. Lamb. pin. 2. p. 14. t. 6.
2	orientalis. L.P.	Ambonyna pitch-tree.	Ambonyna. 1804.	S. h. ——— v. 1. t. 38. v. 2. p. 16.
	<i>loranthifolia. L.en.</i>	<i>Pinus Dammara. w. Agathis loranthifolia. sal.</i>	—	—	—
ARAUCARIA. J.		ARAUCARIA. Diœcia Monadelphïa. W.			
1	imbricata. w.	Chili Pine.	Chili. 1796.	H. h. Lamb. pin. 2. p. 9. t. 4. B.
2	brasiliانا. L.P.	Brazil Pine.	Brazil. 1816.	G. h. ——— 2. p. 12. t. 5.
3	excelsa. H.K.	Norfolk Island.	Norfolk Isl. 1793.	G. h. ——— 1. t. 39. 40.
	<i>Dombeya excelsa. L.P.</i>	—	—	—	—

BELIS. L.T.	BELIS. Monœcia Monadelphia. L.en.					
jaculifolia. L.T.	spear-leaved.	China.	1804.	G. h.	Lamb. pln. 1. p. 52. t. 34.
<i>Pinus lanceolata. L.P.</i>						
PINUS. W.	PINE OR FIR.	Monœcia Monadelphia. W.				
1 sylvestris. w.	Scotch.	Scotland.	5.	H. h.	Lamb. pln. 1. t. 1.
2 Laricio. P.S.	Corsican.	Corsica.	1814.	4. 5.	H. h.	— v. 2. p. 28. t. 9.
3 uncinata. DC.	hooked.	Pyrenees.	1820.	H. h.	
4 Pumilio. w.	upright-coned.	Carniola.	1779.	4. 5.	H. h.	Lamb. pin. p. 5. t. 2.
5 Mughus. w.	nodding-coned.	Austria.	—	H. h.	Jacq. ic. 1. t. 193.
6 pungens. M.	prickly-coned.	N.America.	1804.	H. h.	Mich. arb. 1. t. 5.
7 Banksiana. Ph.	Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H. h.	Lamb. pin. p. 7. t. 3.
8 Pallasiana. L.P.	Pallas's.	Crimea.	1804.	—	H. h.	— v. 2. p. 1. t. 1.
9 Pinaster. w.	cluster.	S. Europe.	1596.	4. 5.	H. h.	— v. 1. p. 9. t. 4. 5.
10 Pinea. w.	stone.	—	1548.	5.	H. h.	— v. 1. p. 11. t. 6. 7. 8.
11 maritima. w.	maritime.	—	1759.	5. 6.	H. h.	— v. 2. p. 30. t. 10.
12 halepensis. w.	Aleppo.	Levant.	1683.	5.	H. h.	— v. 1. p. 15. t. 11.
13 inops. Ph.	Jersey.	N.America.	1739.	—	H. h.	— v. 1. p. 18. t. 13.
14 resinosa. Ph.	pitch.	—	1756.	—	H. h.	— v. 1. p. 20. t. 14.
15 variabilis. Ph.	2 and 3-leaved.	—	1739.	5. 6.	H. h.	— v. 1. p. 22. t. 15.
16 canariensis. L.en.	Canary.	Canaries.	1815.	G. h.	
17 Clanbrassiliana. L.C.	dwarf.	1810.	H. h.	
18 Tæda. Ph.	frankincense.	N.America.	1713.	5. 6.	H. h.	— v. 1. p. 23. t. 16. 17.
19 serotina. Ph.	Fox-tail.	—	—	—	H. h.	Mich. arb. 1. t. 7.
20 rigida. Ph.	three-leaved.	—	1759.	—	H. h.	Lamb. pin. p. 25. t. 18. 19.
21 palustris. Ph.	swamp.	—	1730.	H. h.	— p. 27. t. 20.
22 longifolia. w.	long-leaved.	E. Indies.	1801.	H. h.	— p. 29. t. 21.
23 occidentalis. w.	West Indian.	W. Indies.	1820.	S. h.	Plum. sp. 17. t. 161.
24 Cembra. w.	Siberian stone.	Siberia.	1746.	5.	H. h.	Lamb. pin. p. 34. t. 23. 24.
25 Strobilus. w.	Weymouth.	N.America.	1705.	4.	H. h.	— p. 31. t. 22.
26 excelsa. D.P.	Bhotan.	Nepaul.	1822.	H. h.	— v. 2. p. 5. t. 3.
27 Cedrus. w.	Cedar of Lebanon.	Levant.	1683.	5.	H. h.	— v. 1. p. 59. t. 37.
28 Deodara. L.P.	Indian Cedar.	Nepaul.	1822.	H. h.	— v. 2. p. 8. t. 4.
29 pendula. w.	black Larch.	N.America.	1739.	5.	H. h.	— v. 1. p. 56. t. 36.
30 microcarpa. w.	red Larch.	—	1760.	—	H. h.	— p. 58. t. 37.
31 Larix. w.	common Larch.	Germany.	1629.	3. 4.	H. h.	— p. 53. t. 35.
32 canadensis. w.	hemlock Spruce.	N.America.	1736.	5.	H. h.	— p. 50. t. 32.
33 dumosa. D.P.	bushy.	Nepaul.	1820.	H. h.	
34 taxifolia. Ph.	Yew-leaved.	Columbia.	1822.	H. h.	Lam. pin. v. 1. p. 51. t. 33.
35 nigra. Ph.	black Spruce.	N.America.	1700.	5.	H. h.	— v. 1. p. 41. t. 27.
36 rubra. Ph.	red Spruce.	—	1755.	—	H. h.	— v. 1. p. 43. t. 28.
37 alba. Ph.	white Spruce.	—	1700.	5. 6.	H. h.	— v. 1. p. 39. t. 26.
38 Abies. w.	Norway Spruce.	N. Europe.	1548.	4.	H. h.	— v. 1. p. 37. t. 25.
39 Picea. w.	silver Fir.	Germany.	1603.	5.	H. h.	— p. 46. t. 30.
40 spectabilis. D.P.	purple-coned.	Nepaul.	1825.	H. h.	— v. 2. p. 3. t. 2.
41 Balsamea. w.	Balm of Gilead.	N.America.	1696.	5.	H. h.	— v. 1. p. 48. t. 31.
42 Fraseri. Ph.	double balsam.	Pensylvania.	1811.	—	H. h.	
43 adunca. Bose.	crooked.	1822.	—	H. h.	
44 Romania. H. Bel.	Roman.	—	H. h.	
45 sibirica. Dut.	Siberian.	Siberia.	—	H. h.	
46 Pichta. F.	pigmy.	—	1824.	H. h.	
47 orientalis. w.	oriental.	Levant.	—	H. h.	Lamb. pin. v. 1. p. 45. t. 29.

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* SUBCLASSIS I. PHANEROGANEÆ. DC.

ORDO CLXII.

CYCADEÆ. *Brown prodr.* 346.

<p>ZAMIA. W. 1 pungens. w. 2 cycadifolia. w. 3 tridentata. w. 4 angustifolia. Jac. 5 tennis. w. 6 media. w. 7 debilis. w. 8 integrifolia. w. 9 pygmæa. B.M. 10 furfuracea. w. 11 spiralis. B.P. 12 longifolia. w. 13 lanuginosa. w. 14 Cycadis. w. 15 horrida. w. 16 latifolia. L.C. 17 prunifera. L.C. 18 pumila. L.C. 19 repanda. L.C.</p>	<p>ZAMIA. Diœcia Polyandria. W. needle. C. B. S. 1775. Cycas-leaved. three-toothed. narrow-leaved. Bahama Isl. slender-leaved. intermediate. W. Indies. weak. dwarf. least. chaffy. spiral. N. S. W. long-leaved. C. B. S. woolly. Cycas-like. glaucous spiny. broad-leaved. Plum-like. small. repand.</p>	<p>..... G. ½. Till. pis. 129. t. 45. G. ½. Jacq. frag. 1. t. 25. 26. G. ½. S. ½. Jacq. ic. 3. t. 636. S. ½. S. ½. Botan. magaz. 1838. S. ½. Comm. hort. 1. t. 58. S. ½. Botan. magaz. 1851. S. ½. 1741. S. ½. 7. 8. S. ½. Trewheret. t. 61. G. ½. Jacq. frag. 1. t. 29. G. ½. 1.t.30.31. G. ½. Thunb. a. ups. 2. t. 6. G. ½. Jacq. frag. t. 27. 28. G. ½. S. ½. S. ½.</p>
<p>CYCAS. W. 1 circinalis. w. 2 glauca. L.en. 3 revoluta. w. 4 squamosa. L.C.</p>	<p>CYCAS. Diœcia Polyandria. W. broad-leaved. E. Indies. 1700. glaucous-ld. 1814. narrow-leaved. China. 1737. 7. 8. S. ½. scaly. S. ½.</p>	<p>..... S. ½. Rheed. mal. 3. t. 13-21 S. ½. S. ½. Linn. trans. 6. t. 29. S. ½.</p>

ORDO CLXIII.

HYDROCHARIDEÆ. *Brown prodr.* 344.

<p>VALLISNERIA. L. spiralis. L. HYDROCHARIS. L. Morsus-rauæ. L. DAMASONIUM. W. 1 indicum. w. 2 ovalifolium. B.P. STRATIOTES. W. aloides. w.</p>	<p>VALLISNERIA. Diœcia Diandria. L. spiral. S. Europe. 1818. FROG-BIT. Diœcia Enneandria. L. common. Britain. DAMASONIUM. Hexandria Polygynia. W. Indian. E. Indies. 1800. 7. 9. S.w. ½. oval-leaved. N. S. W. 1820. G.w. ½. WATER-SOLDIER. Diœcia Dodecandria. L. Aloe-like. England.</p>	<p>..... G.w. ½. Mich.n.g.12.t.10.f.1.2. G. 7. H.w. ½. Eng. bot. 808. S.w. ½. Botan. magaz. 1201. G.w. ½. G. 7. H.w. ½. Eng. bot. 379.</p>
---	--	--

ORDO CLXIV.

ALISMACEÆ. *Kth. synopsis. 1. p. 261.*

SAGITTARIA. W.	ARROW-HEAD.	Monœcia Polyandria. L.	
1 sagittifolia. w.	common.	England.	6. 8. <i>H.w. 2.</i> Eng. bot. 84.
2 latifolia. Ph.	broad-leaved.	N. America. 1816.	6. 8. <i>H.w. 2.</i>
3 sinensis. B.M.	Chinese.	China. 1812.	9. 11. <i>G.w. 2.</i> Botan. magaz. 1631.
4 obtusifolia.	blunt-leaved.	—————	1804. 7. 8. <i>G.w. 2.</i> Rheed. mal. 11. t. 45.
5 Doniana.	Don's.	Nepaul. 1820.	— <i>G.w. 2.</i>
<i>hastata. D.P. non Ph.</i>			
6 hastata. Ph.	hastate-leaved.	N. America. 1816.	— <i>H.w. 2.</i>
7 obtusa. Ph.	obtuse-leaved.	—————	1822. 6. 9. <i>H.w. 2.</i>
8 heterophylla. Ph.	various-leaved.	—————	6. 8. <i>H.w. 2.</i>
9 lancifolia. w.	lance-leaved.	W. Indies. 1787.	6. 7. <i>G.w. 2.</i> Botan. magaz. 1792.
10 falcata. Ph.	falcate-leaved.	Carolina. 1811.	— <i>H.w. 2.</i>
11 rigida. B.M.	brittle-leaved.	N. America. 1806.	— <i>H.w. 2.</i> ————— 1632.
12 graminea. Ph.	grass-leaved.	Carolina. 1812.	7. 8. <i>G.w. 2.</i>
13 natans. M.	floating.	—————	— <i>H.w. 2.</i>
ACTINOCARPUS. B.P.	ACTINOCARPUS.	Hexandria Hex-Octagynia.	
1 minor. B.P.	small.	N. S. W.	5. 8. <i>G.w. 2.</i>
2 Damasonium.	common.	England.	6. 8. <i>H.w. 2.</i> Eng. bot. 1615.
<i>Alisma Damasonium.</i>	<i>E.B. Damasonium stellatum. P.S.</i>		
ALISMA. B.P.	WATER-PLANTAIN.	Hexandria Polygynia. L.	
1 Plantago. w.	greater.	Britain.	6. 7. <i>H.w. 2.</i> Eng. bot. 837.
2 lanceolata. with.	spear-leaved.	— <i>H.w. 2.</i>
3 trivialis. Ph.	blunt-leaved.	N. America. 1816.	— <i>H.w. 2.</i>
4 parnassifolia. w.	Parnassus-ld.	Italy. 1824.	— <i>H.w. 2.</i>
5 natans. E.B.	floating.	Wales.	7. 8. <i>H.w. 2.</i> Eng. bot. 775.
6 ranunculoides. E.B.	lesser.	Britain.	8. <i>H.w. 2.</i> ————— 326.
7 repens. Cav.	creeping.	England.	9. 10. <i>H.w. 2.</i> Cavan. ic. 1. t. 55.

ORDO CLXV.

BUTOMEÆ. *Kth. synopsis. 1. p. 260.*

BUTOMUS. L.	FLOWERING RUSH.	Enneandria Hexagynia. L.	
1 umbellatus. L.	umbelled.	Britain.	6. 7. <i>H.w. 2.</i> Eng. bot. 651.
2 latifolius. D.P.	broad-leaved.	Nepaul. 1823.	— <i>H.w. 2.</i>
LIMNOCHARIS. K.S.	LIMNOCHARIS.	Polyandria Polygynia. B.M.	
Plumieri. K.S.	Plumier's.	S. America. 1822.	6. 10. S. ♂ Botan. magaz. 2525.
<i>emarginata. H. et B. pl. æq. 1. t. 34. Alisma flava. L.</i>			

ORDO CLXVI.

JUNCAGINEÆ. *Kth. synopsis. 1. p. 258.*

SCHEUCHZERIA. L.	SCHEUCHZERIA.	Hexandria Trigynia. L.	
palustris. E.B.	marsh.	England.	5. 6. <i>H.w. 2.</i> Eng. bot. 1801.
TRIGLOCHIN. L.	ARROW-GRASS.	Hexandria Trigynia. L.	
1 elatum. N.	long-spiked.	N. America. 1820.	5. 8. <i>H.w. 2.</i>

2 maritimum. E.B.	sea-side.	Britain.	—	H.w. 2.	Eng. bot. 255.
3 palustre. E.B.	marsh.	—	7. 8.	H.w. 2.	— 366.
4 decipiens. B.P.	New Holland.	N. S. W.	1820.	—	G. 2.	—
5 Barrelieri. S.S.	Barrelier's.	Italy.	1825.	—	H. 2.	—
6 bulbosum. B.M.	bulbous-rooted.	C. B. S.	1806.	10.	G. 2.	Botan. magaz. 1445.

ORDO CLXVII.

FLUVIALES. *Kth. synopsis. 1. p. 134.*

POTAMOGETON. L.	POND-WEED.	Tetrandria Tetragynia. L.
1 natans. E.B.	broad-leaved.	Britain. 7. 8. H.w. 2. Eng. bot. 1822.
2 heterophyllum. E.B.	various-leaved.	— 7. 9. H.w. 2. — 1285.
3 perfoliatum. E.B.	perfoliate.	— 7. 8. H.w. 2. — 168.
4 densum. E.B.	close-leaved.	— 5. 7. H.w. 2. — 397.
5 fluitans. E.B.	long-leaved.	— 7. 9. H.w. 2. — 1286.
6 lucens. E.B.	shining.	— 6. 8. H.w. 2. — 376.
7 lanceolatum. E.B.	spear-leaved.	England. 7. 8. H.w. 2. — 1985.
8 crispum. E.B.	curled.	Britain. 6. 7. H.w. 2. — 1012.
9 compressum. E.B.	flat-stalked.	— — H.w. 2. — 418.
10 cuspidatum. E.F.	sharp-pointed.	— 7. — H.w. 2. Loes. pruss. t. 66.
11 gramineum. E.B.	Grass-leaved.	— 7. 8. H.w. 2. Eng. bot. 2253.
12 pusillum. E.D.	small.	— — H.w. 2. — 215.
13 pectinatum. E.B.	Fennel-leaved.	— 6. 7. H.w. 2. — 323.
RUPPIA. L.	RUPPIA.	Tetrandria Tetragynia. L.
maritima. E.B.	sea.	Britain. 8. 9. H.w. 2. Eng. bot. 136.
APONOGETON. L.	APONOGETON.	Hex-Dodecandria Tri-Tetragynia.
1 monostachyon. w.	simple-spiked.	E. Indies. 1803. 8. 10. S.w. 2. Andr. reposit. 406.
2 distachyon. w.	broad-leaved.	C. B. S. 1788. 5. 7. G.w. b. Botan. magaz. 1293.
3 angustifolium. w.	narrow-leaved.	— — 4. 9. G.w. b. — 1268.
CERATOPHYLLUM. L.	HORNWORT.	Monœcia Polyandria. L.
1 demersum. E.B.	spiny-fruited.	Britain. 7. 9. H.w. 2. Eng. bot. 947.
2 submersum. E.B.	naked-fruited.	— 9. H.w. 2. — 679.
NAJAS. L.	NAJAS.	Monœcia Tetrandria. L.
monosperma. w.	single-seeded.	Europe. 1816. 7. 9. H.w. 2. Mich. N. gen. 11. t. 8. f. 2.
ZANNICHELLIA. L.	WATER-WEED.	Monœcia Monandria. L.
palustris. E.B.	horned.	Britain. 7. 8. H.w. 2. Eng. bot. 1844.
CALLITRICHE. L.	WATER-STARWORT.	Monandria Diginia. L.
1 verna. E.F.	vernal.	Britain. 4. 10. H.w. 2. Eng. bot. 722.
<i>aquatica.</i> E.B.	—	—
2 autumnalis. E.F.	autumnal.	— 6. 10. H.w. 2. Loes. pruss. t. 38.
LEMNA. L.	DUCK-WEED.	Monœcia Diandria.
1 trisulca. E.B.	Ivy-leaved.	Britain. 5. 6. H.w. 2. Eng. bot. 926.
2 minor. E.B.	lesser.	— 6. 7. H.w. 2. — 1095.
3 gibba. E.B.	thick-leaved.	— — H.w. 2. — 1233.
4 polyrrhiza. E.B.	greater.	— 7. 8. H.w. 2. — 2458.

ORDO CLXVIII.

HIPPURIDEÆ. *Link enum. h. ber. 1. p. 5.*

HIPPURIS. L.	MARE'S-TAIL.	Monandria Monogynia. L.
vulgaris. L.	common.	Britain. 5. H.w. 2. Eng. bot. 763.

ORDO CLXIX.

PANDANÆ. *Brown prodr.* 340.

PANDANUS. L.		SCREW-PINE.	Diœcia Monandria. L.		
1	integrifolius. Lour.	entire-leaved.	China.	1823.	S. h. Roxb. corom. 1. t. 94-6.
2	odoratissimus. w.	green-spined.	————	1771.	S. h.
3	utilis. W. en.	red-spined.	————	S. h.
4	humilis. w.	dwarf.	Mauritius.	S. h. Jacq. fragm. t. 14. f. 2.
5	latifolius. L.C.	broad-leaved.	E. Indies.	1820.	S. h.
6	fœtidus. H.B.	strong scented.	————	1822.	S. h.
7	marginatus. H.B.	red-margined.	Mauritius.	1823.	S. h.
8	furcatus. H.B.	forked.	E. Indies.	————	S. h. Rheed. mal. 2. f. 8.
9	pedunculatus. B.P.	peduncled.	N. Holland.	1825.	S. h.
10	spiralis. B.P.	spiral.	————	1805.	S. h.
11	amaryllifolius. H.B.	Amaryllis-ld.	E. Indies.	1820.	S. h.
12	inermis. H.B.	spineless.	————	S. h.
13	albus. L.C.	white-spined.	————	1823.	S. h.
14	reflexus. L.C.	reflexed-ld.	————	1820.	S. h.
15	longifolius. L.C.	long-leaved.	————	1823.	S. h.
16	turbatus. L.C.	top-shaped.	————	S. h.
PHYTELEPHAS. R.P.		PHYTELEPHAS.	Diœcia Polyandria. P.S.		
	macrocarpa. R.P.	large-fruited.	Peru.	1822.	S. h.

ORDO CLXX.

TYPHINÆ. *Kth. synops.* 1. p. 132.

TYPHA. L.		CAT'S-TAIL.	Monœcia Triandria. L.		
1	latifolia. E.B.	great.	Britain. 7.	H.w. 4. Eng. bot. 1455.
2	media. D.C.	dwarf.	England. —	H.w. 4. ——— 1457.
	<i>minor.</i> E.B.				
3	angustifolia. E.B.	lesser.	Britain. —	H.w. 4. Eng. bot. 1456.
4	minima. w.	least.	Europe.	1819. —	H.w. 4.
SPARGANIUM. L.		BUR-REED.	Monœcia Triandria. L.		
1	ramosum. E.B.	branched.	Britain. 7. 8.	H.w. 4. Eng. bot. 744.
2	simplex. E.B.	unbranched.	————	H.w. 4. ——— 745.
3	americanum. N.	American.	N. America.	1823. —	H.w. 4.
4	nataus. E.B.	floating.	England. 7.	H.w. 4. Eng. bot. 273.

ORDO CLXXI.

AROIDEÆ. *Juss. gen.* 23.

Sect. I. *ORONTIACEÆ.* *Brown prodr.* 1. p. 337.

POTHOS. L.		POTHOS.	Tetrandria Monogynia. L.		
1	scandens. R.S.	climbing.	E. Indies.	1818. 4. 6.	S. h. Rheed. mal. 7. t. 40.
2	officinalis. F.T.	officinal.	————	1820. 4. 7.	S. h. 3 C.

3	Peepla. F.I.	Peeplee.	E. Indies.	1820.	4. 7.	S. ½.	
4	gigantea. F.I.	gigantic.	—	1824.	S. ½.	
5	pertusa. F.I.	perforated.	—	—	S. ½.	Rheed. mal. 12. t. 20. 21.
6	lanceolata. R.S.	lance-leaved.	Barbadoes.	1790.	4. 7.	S. ¼.	Plum. amer. 47. t. 62.
7	acaulis. R.S.	stemless.	W. Indies.	—	—	S. ¼.	Lodd. bot. cab. 483.
8	violacea. R.S.	blue-fruited.	Jamaica.	1793.	4. 6.	S. ¼.	Hook. exot. flor. 55.
9	cannæfolia. R.S.	sweet-scented.	W. Indies.	1785.	4. 5.	S. ¼.	Botan. magaz. 603.
10	crassinervia. R.S.	thick-nerved.	S. America.	1796.	4. 6.	S. ¼.	Jacq. ic. 3. t. 609.
11	cordata. R.S.	heart-leaved.	—	1770.	4.	S. ¼.	Plum. ic. 26. t. 38.
12	sagittata. B.M.	arrow-leaved.	W. Indies.	1800.	8.	S. ¼.	Botan. magaz. 1584.
13	macrophylla. R.S.	large-leaved.	—	1794.	5. 6.	S. ¼.	Jacq. ic. 3. t. 610.
14	obtusifolia. R.S.	blunt-leaved.	Barbadoes.	1790.	—	S. ¼.	
15	coriacea. H.E.F.	leathery.	Brazil.	1824.	6.	S. ¼.	Hook. ex. flor. 210.
16	Harrisii. H.E.F.	Harris's.	—	—	—	S. ¼.	— 211.
17	pinnata. W.	wing-leaved.	E Indies.	1820.	S. ½.	Rumph. amb. 5. t. 183. f. 2
18	decursiva. F.I.	pinatifid-ld.	—	1824.	S. ½.	
19	heterophylla. F.I.	various-leaved.	—	1822.	S. ½.	
20	lasia. F.I.	prickly.	—	1819.	S. ¼.	
21	digitata. R.S.	fingered.	Caracas.	1823.	S. ½.	Jacq. ic. 3. t. 611.
22	palmata. R.S.	palmated.	S. America.	1803.	6. 7.	S. ¼.	Plum. amer. t. 64. 65.
23	pentaphylla. R.S.	five-leaved.	Cayenne.	—	10. 11.	S. ½.	Botan. magaz. 1375.
24	rubrinervia. L.en.	red-nerved.	S. America.	1820.	S. ¼.	
25	Scolopendrium. Spr.	Hart's-tongue.	1820.	S. ¼.	
SYMPLOCARPUS. N.		SCUNKWEED.	Tetrandria Monogynia. N.				
	fœtidus. N.	fetid.	N. America.	1735.	3. 5.	H. ¼.	Swt. br. fl. gar. 57.
	<i>Pothos fœtida.</i> B.M. 836.	<i>Dracontium fœtidum.</i> W.					
DRACONTIUM. W.		DRAGON. Heptandria Monogynia. L.					
1	polyphyllum. W.	purple-stalk'd.	India.	1759.	3. 6.	S. ¼.	Botan. regist. 700.
2	spinosa. W.	prickly.	Ceylon.	—	4. 5.	S. ¼.	
GYMNOSTACHYS. B.P.		GYMNOSTACHYS. Tetrandria Monogynia.					
	anceps. B.P.	flat-stemmed.	N. S. W.	1820.	6. 8.	G. ¼.	
HOULTUYNIA. J.		HOULTUYNIA. Polyandria Polygynia. P.S.					
	cordata. P.S.	heart-leaved.	China.	1820.	6. 8.	G. ¼.	Thunb. jap. 26.
CARLUDOVICA. R.P.		CARLUDOVICA. Monœcia Polyandria. P.S.					
1	palmata. R.S.	palmate.	S. America.	1818.	S. ½.	
	<i>Salmia palmata.</i> R.S.	<i>Ludovia palmata.</i> P.S.					
2	latifolia. R.P.	broad-leaved.	Pern.	1819.	S. ½.	Lodd. bot. cab. 1068.
3	angustifolia. R.P.	narrow-leav'd.	—	—	—	S. ½.	
4	jamaicensis. L.C.	Jamaica.	Jamaica.	1823.	S. ½.	
CYCLANTHUS. J.		CYCLANTHUS.					
	Plumieri. J.	Plumier's.	W. Indies.	1820.	S. ¼.	
ACORUS. L.		SWEET-FLAG. Hexandria Monogynia. L.					
1	Calamus. S.S.	common.	Britain.	6. 7.	H. w. ¼.	Eng. bot. 356.
2	terrestris. S.S.	Chinese.	China.	1822.	—	H. w. ¼.	
3	gramineus. S.S.	grass-leaved.	—	1786.	2.	H. w. ¼.	Smith spic. 15. t. 17.
ORONTIUM. L.		ORONTIUM. Hexandria Monogynia. L.					
	aquaticum. S.S.	aquatic.	N. America.	1775.	6.	H. ¼.	Hook. ex. flor. 19.
ROHDEA. S.S.		ROHDEA. Hexandria Monogynia. S.S.					
	japonica. S.S.	Japan.	Japan.	1783.	1. 4.	H. ¼.	Botan. magaz. 898.
	<i>Orontium japonicum.</i> B.M.						
TUPISTRA. B.M.		TUPISTRA. Hexandria Monogynia. S.S.					
	squalida. B.M.	brown-flow'r'd.	E. Indies.	1810.	4. 6.	S. ¼.	Botan. regist. 704.
ASPIDISTRA. B.R.		ASPIDISTRA. Octandria Monogynia. S.S.					
	lurida. B.R.	brown-flow'r'd.	China.	1820.	2. 4.	S. ¼.	Botan. regist. 628.
	<i>punctata.</i> B.R. 977.						

Sect. II. AROIDEÆ VERÆ. Brown prodr. 335.

CALLA. K.S.		CALLA. Heptandria Monogynia. L.					
1	palustris. W.	marsh.	N. Europe.	1768.	7. 8.	H. w. ¼.	Botan. magaz. 1831.
2	pertusa. K.S.	perforated.	W. Indies.	1752.	4. 6.	S. ¼.	Jacq. schoen. 2. t. 184. 5.
	<i>Dracontium pertusum.</i> Jacq.						
3	aromatica. B.M.	aromatic.	E. Indies.	1817.	—	S. ¼.	Botan. magaz. 2279.
4	oculta. B.C.	hidden-spiked.	China.	1817.	5. 7.	G. ¼.	Lodd. bot. cab. 12.
RICHARDIA. Kth.		RICHARDIA. Heptandria Monogynia.					
	æthiopia. Kth.	Ethiopian.	C. B. S.	1731.	1. 5.	G. ¼.	Botan. magaz. 832.
	<i>Calla æthiopia.</i> B.M.						

ARUM. W.	ARUM. Monœcia Polyandria. L.				
1 cernitum. w.	hairy-sheathed. Minorca.	1777.	3. 4.	F. 4.	Botan. regist. 831.
2 Dracunculus. w.	common Dragon. S. Europe.	1548.	6. 7.	H. 4.	Moris. s. 13. t. 5. f. 46.
3 Dracontium. w.	green Dragon. N. America.	1759.	6.	H. 4.	Botan. regist. 668.
4 bulbiferum. B.M.	bulb-bearing. E. Indies.	1813.	3. 6.	S. 4.	Botan. magaz. 2508.
5 venosum. w.	purple-flow'rd.	1774.	3.	S. 4.	
6 campanulatum. H.B.	bell-flowered. E. Indies.	1816.	4. 6.	S. 4.	
7 triphyllum. w.	three-leaved. N. America.	1664.	5. 6.	H. 4.	Lodd. bot. cab. 820.
β Zebrium. B.M.	striped. ————	—	—	H. 4.	Botan. magaz. 950.
8 pedatum. w. en.	pedate-leaved. S. America.	1815.	—	S. 4.	Pl. sel. hort. ber. t. 8.
9 polyphyllum. L. en.	many-leaved.	1818.	—	S. 4.	
10 ringens. w.	gaping. Japan.	1822.	—	G. 4.	
11 atrorubens. w.	purple-stalked. N. America.	1758.	6. 7.	H. 4.	Pluk. alm. t. 77. f. 5.
12 ternatum. w.	Japan. Japan.	1774.	5. 7.	F. 4.	
13 Colocasia. w.	Egyptian. Levant.	1551.	6. 8.	G. 4.	Rumph. amb. 5. t. 109.
14 orixense. B.P.	Orixian. E. Indies.	1802.	8. 10.	S. 4.	Botan. regist. 450.
15 macrorhizon. w.	long-rooted. ————	1803.	S. 4.	Herm. parad. 73.
16 pictum. w.	white-veined. S. Europe.	1820.	5. 6.	H. 4.	
17 divaricatum. w.	divaricated. E. Indies.	1759.	6. 7.	S. 4.	Rheed. mal. 11. t. 20.
18 trilobatum. w.	three-lobed. Ceylon.	1714.	5. 6.	S. 4.	Botan. magaz. 339.
β auriculatum. B.M.	eared. ————	—	S. 4.	————— 2324.
19 maculatum. w.	common. Britain.	5. 7.	H. 4.	Eng. bot. 1298.
20 orientale. M.B.	oriental. Caucasus.	1818.	—	H. 4.	
21 italicum. w.	Italian. Italy.	1683.	5. 6.	H. 4.	Botan. magaz. 2432.
22 minutum. w.	small. E. Indies.	1812.	5. 7.	S. 4.	Rheed. mal. 11. t. 17.
23 proboscideum. w.	proboscis. Apennines.	1825.	—	H. 4.	Bocc. mus. 2. t. 50.
24 Arisarum. w.	Friar's Cowl. S. Europe.	1596.	4. 6.	F. 4.	Jacq. schœn. 2. t. 192.
25 tennifolium. w.	grass-leaved. ————	1570.	—	H. 4.	Botan. regist. 512.
26 spirale. w.	spiral. E. Indies.	1816.	—	S. 4.	Botan. magaz. 2220.
27 flagelliforme. B.C.	whip-cord. ————	—	—	S. 4.	Lodd. bot. cab. 396.
28 sagittifolium. L. en.	arrow-leaved.	—	S. 4.	
29 hederaceum. w.	Ivy-leaved. W. Indies.	1793.	5. 6.	S. 4.	Jacq. amer. t. 152.
30 obtusilobum. L. en.	blunt-lobed.	1816.	—	S. 4.	
31 indicum. Lour.	Indian. China.	—	S. 4.	
32 ramosum. L. en.	branching.	—	S. 4.	
33 lingulatum. w.	tongue-leaved. W. Indies.	1793.	—	S. 4.	Plum. ic. 26. t. 37.
34 integrifolium. L. en.	entire-leaved.	1820.	S. 4.	
CALADIUM. V.	Monœcia Polyandria. W.				
1 helleborifolium. w.	Hellebore-ld. Caracas.	1796.	6. 7.	S. 4.	Jacq. ic. 3. t. 613.
2 pinnatifidum. w.	pinnatifid. ————	1817.	—	S. 4.	Jacq. schœn. 2. t. 187.
3 bicolor. w.	two-coloured. Brazil.	1773.	—	S. 4.	Botan. magaz. 2543.
4 nymphasifolium. w.	Water-lily-ld. E. Indies.	1800.	S. 4.	Rheed. mal. 11. t. 22.
5 esculentum. w.	esculent. America.	1739.	6. 8.	S. 4.	Sloan. jam. 1. t. 106. f. 1.
6 odorum. B.R.	odoriferous. E. Indies.	1818.	5. 7.	S. 4.	Botan. regist. 641.
7 viviparum. H.B.	viviparous. ————	1816.	—	S. 4.	Lodd. bot. cab. 281.
8 sagittifolium. w.	arrow-leaved. W. Indies.	1710.	—	S. 4.	Jacq. vind. 2. t. 157.
9 virginicum. H.E.F.	Virginian. N. America.	1759.	6. 7.	H. 4.	Hook. ex. flor. 182.
Arum virginicum. w.					
10 seguinum. w.	Dumb Cane. America.	—	5.	S. 4.	Hook. ex. flor. 1.
11 maculatum. B.C.	spotted. Trinidad.	1820.	4. 12.	S. 4.	Lodd. bot. cab. 608.
seguinum β maculatum.	Bot. magaz. 2606.				
12 cucullatum. p.s.	hooded. China.	1816.	S. 4.	
13 xanthorhizon. w.	yellow-rooted.	—	4. 8.	S. 4.	Jacq. schœn. 2. t. 188.
14 grandifolium. w.	large-leaved. Caracas.	1803.	3. 7.	S. 4.	Botan. magaz. 2643.
15 arborescens. w.	tree. W. Indies.	1759.	6. 7.	S. 4.	Plum. amer. 44. t. 60.
16 lacerum. w.	torn-leaved. Caracas.	1822.	S. 4.	
17 tripartitum. w.	ternate-leaved. ————	1816.	S. 4.	Jacq. schœn. 2. t. 190.
18 auritum.	ear-leaved. S. America.	1739.	6. 8.	S. 4.	————— 2. t. 191.
19 pedatum. H.E.F.	pedate-leaved. Brazil.	1824.	—	S. 4.	Hook. ex. flor. 206.
AMBROSINIA. W.	Monœcia Monandria. W.				
Bassii. w.	flat oval-leav'd. S. Europe.	1823.	6. 8.	H. 4.	Lam. ill. t. 737.

Sect. III. TACCACEÆ.

TACCA. W.	TACCA. Hexandria Monogynia. L.				
1 pinnatifida. w.	Salep. E. Indies.	1793.	6. 8.	S. 4.	Lodd. bot. cab. 692.

2 aspera. H.B.	rough-stemm'd.	E. Indies.	1820.	...	S. ½.	
3 lævis. H.B.	smooth.	—————	—————	S. ½.	
4 integrifolia. B.M.	entire-leaved.	—————	1810.	5. 7.	S. ½.	Botan. magaz. 1488.

Sect. IV. GENERA AROIDEIS AFFINIA.

ZOSTERA. L.	SEA MATWEED.	Monœcia	Monandria.	L.		
marina. E.B.	common.	Britain.	8. 9.	H. ½.	Eng. bot. 467.

ORDO CLXXII.

PIPERACEÆ. *Kth. synopsis. 1. p. 103.*

SAURURUS. W.	LIZARD'S-TAIL.	Heptandria	Tetragynia.	L.		
cernuus. w.	drooping.	Virginia.	1759.	9.	H. ½.	Lam. ill. t. 1.
PIPER. R.P.	PEPPER.	Diandria	Trigynia.	L.		
1 peltatum. R.S.	peltated.	W. Indies.	1748.	S. ½.	Plum. amer. t. 74.
2 umbellatum. R.S.	umbelled.	—————	—————	5. 7.	S. ½.	Flor. peruv. 1. t. 59. f. a.
3 macrophyllum. R.S.	broad-leaved.	—————	1800.	S. ½.	Sloan. hist. 1. t. 88. f. 1.
4 aduncum. R.S.	hooked.	Jamaica.	1748.	5.	S. ½.	Jacq. ic. 2. t. 210.
5 hirsutum. R.S.	hairy-leaved.	—————	1793.	7.	S. ½.	
6 hispidum. R.S.	hispid.	S. America.	—————	—————	S. ½.	
7 tuberculatum. R.S.	tuberculate.	—————	1816.	S. ½.	Jacq. ic. 2. t. 211.
8 Amalago. R.S.	rough-leaved.	Jamaica.	1759.	S. ½.	Sloan. hist. 1. t. 87. f. 1.
9 Betle. R.S.	Betle.	E. Indies.	1804.	S. ½.	Rheed. mal. 7. t. 15.
10 nigrum. R.S.	black.	—————	1790.	S. ½.	————— 7. t. 12.
11 trioicum. F.I.	glaucous-ld.	—————	1818.	S. ½.	
12 reticulatum. R.S.	netted.	W. Indies.	1748.	8.	S. ½.	Plum. amer. t. 75.
13 decumanum. R.S.	great.	Carthage.	1768.	S. ½.	Jacq. ic. 2. t. 215.
14 Siriboa. R.S.	Siriboa.	E. Indies.	—————	S. ½.	Rumph. am. 5. t. 117. f. 2.
15 longum. R.S.	long.	—————	1768.	S. ½.	Rheed. mal. 7. t. 14.
16 glabrum. H.S.S.	smooth.	Campeachy.	1768.	S. ½.	
17 laurifolium. H.S.S.	Laurel-leaved.	Jamaica.	—————	S. ½.	
18 racemosum. H.S.S.	racemed.	Campeachy.	—————	S. ½.	
<i>Staphyle.</i> R.S.						
19 acutifolium. R.S.	acute-leaved.	Peru.	1823.	S. ½.	Flor. per. 1. t. 61. f. a.
20 colubrinum. L.en.	spotted-stalkd.	Brazil.	1820.	S. ½.	
21 plantagineum. R.S.	Plantain-ld.	W. Indies.	—————	S. ½.	Jacq. ic. 1. t. 8.
<i>medium.</i> Jacq.						
22 marginatum. L.en.	purple-edged.	S. America.	1811.	S. ½.	Jacq. ic. 2. t. 215.
23 unguiculatum. R.S.	claw-pointed.	Peru.	1822.	S. ½.	Flor. per. 1. t. 57. f. b.
<i>glaucescens.</i> Jacq. ecl. 1. t. 76.						
24 humile. Mill.	humble.	Jamaica.	1768.	S. ½.	
25 tomentosum. H.S.S.	oval-ld. downy.	Vera Cruz.	—————	S. ½.	
26 nitidum. R.S.	glossy.	Jamaica.	1793.	5. 6.	S. ½.	
PEPEROMIA. R.P.	PEPEROMIA.	Diandria	Trigynia.			
1 brachyphylla.	short-leaved.	1818.	S. ½.	
<i>Piper brachyphyllum.</i> R.S.						
2 amplexicaulis. R.S.	stem-clasping.	W. Indies.	1793.	6. 9.	S. ½.	
3 magnoliæfolia. R.S.	Magnolia-ld.	—————	—————	1. 3.	S. ½.	Jacq. ic. 2. t. 213.
4 obtusifolia. R.S.	blunt-leaved.	S. America.	1739.	4. 7.	S. ½.	Trew ehret. 54. t. 96.
<i>Piper clusiæfolium.</i> Jacq. ic. 2. t. 212.						
5 cuneifolia. R.S.	wedge-leaved.	Caracas.	1809.	S. ½.	Jacq. ic. 2. t. 214.
6 alata. R.P.	winged.	S. America.	1812.	S. ½.	Flor. per. 1. t. 48. f. b.
7 acuminata. R.S.	acuminate.	W. Indies.	—————	4. 9.	S. ½.	Botan. magaz. 1882.
8 maculosa. R.S.	spot-stalked.	St. Domingo.	1790.	9.	S. ½.	Plum. amer. t. 66.
9 pellucida. K.S.	pellucid.	S. America.	1748.	4. 9.	S. ⊙.	————— t. 72.
10 rotundifolia. K.S.	round-leaved.	—————	1823.	S. ½.	————— t. 69.
11 hispidula. R.S.	annual hispid.	Jamaica.	1818.	8. 10.	S. ⊙.	Swartz icon. t. 4.
12 nummularifolia. K.S.	money-wort-ld.	—————	—————	4. 9.	S. ½.	

13 pubescens. R.S.	pubescent.	1818.	4. 9.	S. 2.	
14 subrotunda. H.S.S.	small Clusia-ld.	1811.	—	S. 2.	
15 repens. K.S.	creeping.	S. America.	1823.	—	S. 2.	
16 serpens. R.S.	trailing.	Jamaica.	—	—	S. 2.	
17 incana. H.E.F.	great downy.	Brazil.	1814.	2. 6.	S. 2.	Hook. ex. flor. 66.
18 amplexifolia. L.eu.	clasping-leaved.	Jamaica.	1822.	—	S. 2.	
19 talinifolia. K.S.	Talinum-ld.	S. America.	—	4. 8.	S. 2.	H. et B. n. gen. 1. t. 8.
20 pulchella. R.S.	small-leaved.	Jamaica.	1778.	7. 10.	S. 2.	Lodd. bot. cab. 574.
21 pereskiaefolia. K.S.	Pereskia-ld.	S. America.	1820.	5. 6.	S. 2.	Hook. ex. flor. 67.
22 blanda. K.S.	villous.	Caracas.	1802.	5. 11.	S. 2.	—, 21.
23 verticillata. R.S.	whorl-leaved.	Jamaica.	1816.	6. 10.	S. 2.	
24 polystachia. H.E.F.	many-spiked.	W. Indies.	1775.	6. 7.	S. 2.	Hook. ex. flor. 23.
25 quadrifolia. H.E.F.	four-leaved.	Santa Cruz.	1818.	5. 10.	S. 2.	—, 22.
26 Haworthii.	Haworth's.	India.	1809.	9. 10.	S. 2.	
<i>Piper pubescens</i> . H.S. non vah.						
27 inaequalifolia. R.P.	unequal-leaved.	Peru.	1800.	8. 10.	S. 2.	Flor. peruv. 1. t. 46. f.a.
28 stellata. R.S.	starry.	Jamaica.	1802.	5. 7.	S. 2.	Jacq. vind. 2. t. 217.
29 rubricaulis. L.eu.	red-stalked.	W. Indies.	1815.	—	S. 2.	Nees hort. ber. t. 8.
30 rubella. H.E.F.	red-leaved.	Jamaica.	1820.	—	S. 2.	Hook. ex. flor. 58.
31 trifolia. R.S.	three-leaved.	S. America.	1802.	6. 8.	S. 2.	Plum. amer. t. 68.
32 distachya. R.S.	two-rowed.	W. Indies.	1793.	—	S. 2.	—, t. 67.
33 discolor. R.S.	two-coloured.	Jamaica.	1821.	7. 8.	S. 2.	Lodd. bot. cab. 610.
34 coriacea. B.C.	coriaceous.	—	1815.	—	S. 2.	—, 128.
35 capensis. R.S.	Cape.	C. B. S.	1816.	—	G. 2.	
36 tricarinata. H.S.S.	triple-keeled.	1817.	—	S. 2.	

ORDO CLXXIII.

CYTINEÆ. *Brogniart.*

NEPENTHES. L.	PITCHER-PLANT.	Diœcia	Monadelphia.	L.
1 distillatoria. w.	cylindrical.	Ceylon.	1789.	4. 5. S.w. 2. Burm. zeyl. 42. t. 17.
2 Phyllamphora. w.	ventricose.	China.	1822.	6. 8. S.w. 2. Botan. magaz. 2629.

distillatoria. B.C. 1017. nec aliorum.

ORDO CLXXIV.

ORCHIDEÆ. *Juss. gen. 64.*

ORCHIS. B.P.	ORCHIS.	Gynandria	Monandria.	H.K.
1 Morio. w.	meadow.	Britain.	4. 6. H.b. 2. Eng. bot. 2059.
2 longicornu. w.	flat-spurred.	Barbary.	1815.	— H.b. 2. Botan. regist. 202.
3 pallens. w.	pale.	Switzerland.	1825.	5. 6. H.b. 2. Jacq. aust. t. 45.
4 mascula. w.	early purple.	Britain.	4. 5. H.b. 2. Eng. bot. 631.
5 palustris. w.	marsh.	Europe.	1824.	— H.b. 2. Jacq. ic. t. 181.
6 ustulata. w.	dwarf.	England.	5. 6. H.b. 2. Eng. bot. 18.
7 militaris. w.	military.	Switzerland.	1825.	4. 6. H.b. 2. Swt. br. fl. gar. 163.
8 Rivini. B.F.G.	Rivinus's.	—	—	5. 6. H.b. 2. —, 162.
9 Smithii. B.F.G.	Smith's.	England.	— H.b. 2. Eng. bot. 1873.
<i>militaris</i> . E.B. non w.				
10 fusca. w.	brown.	—	— H.b. 2. Jacq. aust. 4. t. 307.
11 Simia. P.S.	Ape.	—	— H.b. 2.
12 undulatifolia. B.B.	wave-leaved.	Italy.	1818.	— H.b. 2. Botan. regist. 375.
13 acuminata. w.	pointed-fl'd.	S. Europe.	1815.	4. 6. H.b. 2. Botan. magaz. 1932.
14 variegata. w.	variegated.	Switzerland.	1825.	— H.b. 2. Hall. helv. t. 30.
15 globosa. w.	round-spiked.	—	1792.	6. 7. H.b. 2. Jacq. aust. 3. t. 265.
16 pyramidalis. w.	pyramidal.	Britain.	— H.b. 2. Eng. bot. 110.

- 17 coriophora. w. strong-scented. S. Europe. 1825. 5. 6. H.b. 2. Jacq. aust. 2. t. 122.
 18 hircina. w. Lizard. England. 6. 7. H.b. 2. Eng. bot. 34.
Satyrium hircinum. E.B.
 19 Robertiana. P.S. long-bracted. S. Europe. 1818. 5. 6. H.b. 2. Botan. regist. 357.
longibracteata. B.B. non Schmidt.
 20 sulphurea. B.M. pale-yellow. ———— 1823. ———— H.b. 2. Botan. magaz. 2569.
 21 sambucina. w. Elder-scented. Europe. 1825. 4. 5. H.b. 2. Jacq. aust. 2. t. 108.
 22 Schleicheri. B.F.G. Schleicher's. Switzerland. ———— ———— H.b. 2. Swt. br. fl. gar. ic.
sambucina β rubra. Sch. non Jacq.
 23 maculata. w. spotted-palmate. Britain. 6. 7. H.b. 2. Eng. bot. 632.
 24 spectabilis. w. showy American. N. America. 1801. ———— H.b. 2. Swt. br. fl. gar. 65.
 25 papilionacea. w. papilionaceous. S. Europe. 1788. ———— H.b. 2. Buxb. cent. 3. t. 3.
 26 Cyrilli. T.S. Cyrillo's. Naples. 1825. ———— H.b. 2. Cyrill. ic. ined.
 27 pauciflora. T.S. few-flowered. Italy. ———— ———— H.b. 2.
 28 Nicodemi. T.S. Nicodemus's. ———— ———— H.b. 2. Cyrill. ic. ined.
 29 parviflora. T.S. small-flowered. ———— 1824. ———— H.b. 2.
GYMNADENIA. H.K. GYMNADENIA. Gynandria Monandria. H.K.
 1 conopsea. H.K. fragrant. Britain. 6. 7. H.b. 2. Eng. bot. 10.
Orchis conopsea. E.B.
 2 odoratissima. Rich. sweet-scented. Switzerland. 1824. ———— H.b. 2. Jacq. aust. 3. t. 264.
ACERAS. H.K. ACERAS. Gynandria Monandria. H.K.
 anthropophora. H.K. green-man. England. 6. H.b. 2. Swt. br. fl. gar. 168.
HERMINIUM. H.K. HERMINIUM. Gynandria Monandria. H.K.
 1 Monorchis. H.K. musk. England. 6. 7. H.b. 2. Eng. bot. 71.
Ophrys Monorchis. E.B.
 2 alpinum. Alpine. Switzerland. 1825. ———— H.b. 2. Jacq. vind. 1. t. 9.
Ophrys alpina. Jacq.
HABENARIA. H.K. HABENARIA. Gynandria Monandria. H.K.
 1 nigra. H.K. dark-flowered. N. Europe. 1759. 6. 7. H.b. 2. Flor. dan. 998.
 2 viridis. H.K. Frog. Britain. ———— H.b. 2. Eng. bot. 94.
Satyrium viride. E.B.
 3 bracteata. H.K. long-bracted. N. America. 1805. 5. 6. H.b. 2. Swt. br. fl. gar. 62.
 4 albida. H.K. small white. Britain. 6. 7. H.b. 2. Eng. bot. 505.
Satyrium albidum. E.B. *Orchis albida.* w.
 5 hyperborea. H.K. northern. N. Europe. 1805. ———— H.b. 2.
 6 bifolia. H.K. Butterfly. Britain. 5. 6. H.b. 2. Eng. bot. 22.
Orchis bifolia. E.B. *Platanthera bifolia.* Rich.
 7 herbiola. H.K. American. N. America. 1789. 6. 7. H.b. 2.
 8 dilatata. H.E.F. dilated. ———— 1822. 7. 8. H.b. 2. Hook. ex. flor. 95.
 9 orbiculata. H.E.F. round-leaved. ———— 1823. ———— H.b. 2. ———— 145.
 10 tridentata. H.E.F. three-toothed. ———— 1819. 5. 6. H.b. 2. ———— 81.
 11 ciliaris. H.K. yellow-fringed. ———— 1796. 6. 7. H.b. 2. Botan. magaz. 1668.
 12 blephariglottis. H.E.F. white fringed. ———— 1822. ———— H.b. 2. Hook. ex. flor. 87.
 13 cristata. H.K. yellow crested. ———— 1806. 9. H.b. 2.
 14 psycodes. yellow jagged. ———— 1823. 6. 8. H.b. 2.
Orchis psycodes. w.
 16 lacera. B.C. torn-flowered. ———— 1818. 7. H.b. 2. Lodd. bot. cab. 229.
 17 fibriata. H.K. purple-fringed. ———— 1777. ———— H.b. 2. Botan. regist. 405.
BARTHOLINA. H.K. BARTHOLINA. Gynandria Monandria. H.K.
 pectinata. H.K. pectinated. C. B. S. 1787. 10. G.b. 2. Jour. Sc. v. 4. t. 8. f. 2.
Orchis Burmanniana. Sw. *pectinata.* w.
BONATEA. W. BONATEA. Gynandria Monandria.
 speciosa. w. handsome. C. B. S. 1820. 7. 9. G.b. 2. Lodd. bot. cab. 284.
SERAPIAS. H.K. SERAPIAS. Gynandria Monandria. H.K.
 1 Lingua. w. tongue-lipped. S. Europe. 1786. 5. 6. F.b. 2. Hook. ex. flor. 11.
 2 longipetala. long-flowered. Italy. 1825. ———— H.b. 2.
Helleborine longipetala. T.S.
 3 cordigera. w. heart-lipped. S. Europe. 1806. 7. 8. F.b. 2. And. reposit. 475.
OPHRYS. H.K. OPHRYS. Gynandria Monandria. H.K.
 1 apifera. w. Bee. England. 6. 7. H.b. 2. Eng. bot. 383.
 2 tenthredinifera. w. Saw-fly. S. Europe. 1815. 4. 5. H.b. 2. Botan. regist. 205.
 3 arachnites. w. black Spider. Switzerland. 1805. ———— H.b. 2. Botan. magaz. 2516.
 4 aranifera. w. common Spider. England. ———— H.b. 2. Eng. bot. 65.
 5 arachnoides. A.R. Spider-like. Italy. 1805. ———— H.b. 2. Andr. reposit. 470.
 6 Spcclum. B.R. looking-glass. S. Europe. 1818. ———— H.b. 2. Botan. regist. 370.
 7 lutea. H.E.F. yellow. ———— 1821. ———— H.b. 2. Hook. ex. flor. 10.
 8 muscifera. E.B. Fly. England. 5. 6. H.b. 2. Eng. bot. 64.
myodes. w.

SATYRIUM. H.K.		SATYRIUM. Gynandria Monandria. H.K.	
1 cucullatum. H.K.	cucullate.	C. B. S.	1787. 6. 9. G.b. 4. Botan. regist. 416.
2 membranaceum. W.	membranaceous.	—	1822. — G.b. 4.
3 coriifolium. W.	leather-leaved.	—	1819. 5. 6. G.b. 4. Botan. regist. 2172.
4 parviflorum. W.	small-flowered.	—	1787. — G.b. 4. Jacq. schœn. 2. t. 179.
5 carneum. H.K.	great-flowered.	—	7. 9. G.b. 4. Botan. mag. 1512.
PTERYGODIUM. W.		PTERYGODIUM. Gynandria Monandria. H.K.	
1 alatum. W.	winged.	C. B. S.	1821. 6. 8. G.b. 4.
2 volucris. W.	arrow-lipped.	—	1797. 6. 7. G.b. 4.
DISA. W.		DISA. Gynandria Monandria. H.K.	
1 grandiflora. W.	large-flowered.	C. B. S.	1823. 7. 8. G.b. 4. Botan. regist. 926.
2 cornuta. W.	horned.	—	1805. 6. 7. G.b. 4.
3 Draconis. W.	Dragon.	—	1823. — G.b. 4.
4 ferruginea. W.	ferruginous.	—	1816. — G.b. 4.
5 bracteata. W.	small-flowered.	—	1818. — G.b. 4. Botan. regist. 324.
6 flexuosa. W.	flexuose.	—	1822. — G.b. 4.
7 prasinata. B.R.	green-flower'd.	—	1815. — G.b. 4. Botan. regist. 209.
8 spathulata. W.	spathulate.	—	1805. — G.b. 4. Journ. sc. v. 4. t. 8. f. 3.
9 graminifolia.	Grass-leaved.	—	1822. — G.b. 4. — v. 6. t. 1. f. 2.
10 maculata. W.	spotted-stalk'd.	—	1816. 7. 8. G.b. 4.
DISPERIS. W.		DISPERIS. Gynandria Monandria. H.K.	
1 capensis. W.	Cape.	C. B. S.	1816. 5. 6. G.b. 4.
2 cucullata. W.	cucullate.	—	1822. 6. 7. G.b. 4.
3 secunda. W.	side-flowering.	—	1797. — G.b. 4.
CORYCIUM. W.		CORYCIUM. Gynandria Monandria.	
1 orobanchoides. W.	Orobanche-like.	C. B. S.	1825. 6. 8. G.b. 4.
2 crispum. W.	curled-leaved.	—	— 5. 6. G.b. 4. Buxb. cent. 3. t. 11.
GLOSSULA. B.R.		GLOSSULA. Gynandria Monandria.	
tentaculata. B.R.	horned.	China.	1824. 5. 6. G.b. 4. Botan. regist. 862.
GOODYERA. H.K.		GOODYERA. Gynandria Monandria. H.K.	
1 repens. H.K.	creeping.	Scotland.	... 7. 8. H. 4. Eng. bot. 289.
<i>Satyrium repens. E.B. Neottia repens. W.</i>			
2 tessellata. B.C.	tessellated.	N. America.	1823. 6. 7. H. 4. Lodd. bot. cab. 952.
<i>Neottia repens. Ph. Goodyera pubescens. β minor. B.M. 2540.</i>			
3 pubescens. H.K.	downy.	—	1802. — H. 4. Lindl. coll. t. 25.
4 procera. H.E.F.	Nepaul.	Nepaul.	1821. 7. 12. G. 4. Hook. ex. flor. 39.
<i>Neottia procera. B.R. 639.</i>			
5 discolor. B.R.	red-leaved.	S. America.	1815. 10. 12. S. 4. Botan. regist. 271.
PELEXIA. B.R.		PELEXIA. Gynandria Monandria. B.R.	
spiranthoides. B.R.	decurrent-lipp'd.	W. Indies.	1823. 3. S. 4. Botan. regist. 985.
<i>Neottia adnata. Sw.</i>			
NEOTTIA. H.K.		NEOTTIA. Gynandria Monandria. H.K.	
1 speciosa. H.K.	showy.	W. Indies.	1790. 5. 6. S. 4. Botan. magaz. 1374.
2 orchoides. W.	frosted-fl'd.	Jamaica.	1806. — S. 4. Botan. regist. 701.
3 bicolor. B.R.	two-coloured.	W. Indies.	1821. 7. 8. S. 4. — 794.
4 elata. W.	tall.	—	1790. 4. 6. S. 4. Botan. magaz. 2026.
5 picta. H.K.	painted-leaved.	Trinidad.	1805. 2. 4. S. 4. — 1562.
6 cernua. H.K.	nodding-fl'd.	N. America.	1796. 8. 10. H. 4. Swt. br. fl. gar. 42.
7 tortilis. H.K.	twisting-spiked.	W. Indies.	1822. 6. 7. S. 4.
8 æstivalis. M.	summer.	N. America.	— H. 4.
<i>tortilis. Ph. non Sw.</i>			
9 spiralis. H.K.	Ladies-traces.	Britain.	... 8. 9. H.b. 4. Eng. bot. 541.
<i>Ophrys spiralis. E.B.</i>			
10 pudica.	modest.	China.	1819. 9. 12. G.b. 4. Lindl. coll. 30.
<i>australis. β. B.R. 602.</i>			
11 australis. B.P.	southern.	N. S. W.	1826. ... G.b. 4.
CALOCHILUS. B.P.		CALOCHILUS. Gynandria Monandria. B.P.	
1 campestris. B.P.	field.	N. S. W.	1826. ... G.b. 4.
2 paludosus. B.P.	marsh.	—	... G.b. 4.
PONTHIEVA. H.K.		PONTHIEVA. Gynandria Monandria. H.K.	
1 glandulosa. H.K.	glandular.	W. Indies.	1800. 1. 3. S. 4. Botan. magaz. 842.
2 petiolata. B.R.	stalked.	—	1823. 7. 8. S. 4. Botan. regist. 760.
PRASOPHYLLUM. B.P.		PRASOPHYLLUM. Gynandria Monandria. B.P.	
1 elatum. B.P.	tall.	N. S. W.	1826. ... G.b. 4.
2 flavum. B.P.	yellow.	—	... G.b. 4.
3 striatum. B.P.	streaked.	—	... G.b. 4.
4 fuscum. B.P.	brown.	—	... G.b. 4.
5 patens. B.P.	spreading.	—	... G.b. 4.
6 rufum. B.P.	rufous.	—	... G.b. 4.

- 7 fimbriatum. n.p. fringed. N. S. W. 1826. G.b. 2.
- CRYPTOSTYLIS. B.P.** **CRYPTOSTYLIS.** Gynandria Monandria. B.P.
- 1 erecta. E.P. upright. N. S. W. 1826. G. 2.
- 2 longifolia. B.P. long-leaved. ——— 1822. 5. 6. G. 2. Lab. n. holl. 2. t. 212.
Malaxis subulata. Lab.
- ORTHO CERAS. B.P.** **ORTHO CERAS.** Gynandria Monandria. B.P.
- strictum. B.P. upright. N. S. W. 1826. G.b. 2.
- DIURUS. B.P.** **DIURUS.** Gynandria Monandria. B.P.
- 1 maculata. B.P. spotted. N. S. W. 1823. 3. 5. G.b. 2. Sm. exot. bot. 1. t. 30.
- 2 aurea. B.P. golden-flower'd. ——— 1810. 4. 5. G.b. 2. ——— 1. t. 9.
- 3 pedunculata. B.P. peduncled. ——— 1822. 2. 4. G.b. 2.
- 4 sulphurea. E.P. sulphur-col'd. ——— 1826. G.b. 2.
- 5 elongata. B.P. elongated. ——— G.b. 2.
- THELYMITRA. B.P.** **THELYMITRA.** Gynandria Monandria. B.P.
- 1 ixioides. B.P. spotted blue. N. S. W. 1810. 4. 6. G.b. 2. Sm. ex. bot. 1. t. 29.
- 2 media. B.P. middle. ——— 1820. G.b. 2.
- 3 pauciflora. B.P. few-flowered. ——— 1826. G.b. 2.
- 4 angustifolia. B.P. narrow-leaved. ——— G.b. 2.
- 5 carnea. B.P. flesh-coloured. ——— 1823. G.b. 2.
- 6 venosa. B.P. veined. ——— 1826. G.b. 2.
- LISTERA. H.K.** **LISTERA.** Gynandria Monandria. H.K.
- 1 ovata. H.K. Tway-blade. Britain. 5. 6. H. 2. Eng. bot. 1548.
Ophrys ovata. E.B. *Epipactis ovata.* W.
- 2 cordata. H.K. heart-leaved. ——— 6. 7. H. 2. Eng. bot. 358.
- EPIPACTIS. H.K.** **EPIPACTIS.** Gynandria Monandria. H.K.
- 1 latifolia. w. broad-leaved. Britain. 7. 8. H. 2. Eng. bot. 269.
Serapias latifolia. E.B.
- 2 palustris. w. marsh. ——— — H. 2. Eng. bot. 270.
- 3 pallens. w. white. ——— 6. H. 2. ——— 271.
Serapias grandiflora. E.B.
- 4 ensifolia. w. narrow-leaved. ——— — H. 2. Eng. bot. 494.
- 5 rubra. w. purple. ——— 6. 7. H. 2. ——— 437.
- 6 Nidus-avis. w. Bird's-nest. ——— 5. H. 2. ——— 48.
Ophrys Nidus-avis. E.B.
- POGONIA. H.K.** **POGONIA.** Gynandria Monandria. H.K.
- 1 divaricata. H.K. Lily-leaved. N. America. 1787. 6. 7. H. 2. Catesb. car. 1. t. 58.
- 2 ophioglossoides. B.R. Adder's-tongue. ——— 1816. — H. 2. Botan. regist. 148.
- 3 pendula. B.R. drooping. ——— 1824. — H. 2. ——— 906.
Arcthusa pendula. w. *parviflora.* M. *Triphora pendula.* N.
- MICROTIS. B.P.** **MICROTIS.** Gynandria Monandria. B.P.
- parviflora. B.P. small-flowered. N. S. W. 1826. 4. 6. G.b. 2.
- ACIANTHUS. B.P.** **ACIANTHUS.** Gynandria Monandria. B.P.
- 1 fornicatus. B.P. enclosed. N. S. W. 1822. 4. 6. G.b. 2.
- 2 exsertus. B.P. exserted. ——— G.b. 2.
- 3 caudatus. B.P. long-awned. ——— 1826. G.b. 2.
- CYRTOSTYLIS. B.P.** **CYRTOSTYLIS.** Gynandria Monandria. B.P.
- reniformis. B.P. kidney-leaved. N. S. W. 1824. 4. 5. G. 2.
- CHIOGLOTTIS. B.P.** **CHIOGLOTTIS.** Gynandria Monandria. B.P.
- diphylla. B.P. two-leaved. N. S. W. 1826. G.b. 2.
- PRESCOTIA. H.E.F.** **PRESCOTIA.** Gynandria Monandria.
- plantaginifolia. H.E.F. Plantain-ld. Rio Janeiro. 1822. 9. 4. S. 2. Hook. ex. flor. 115.
- LIPARIS. Rich.** **LIPARIS.** Gynandria Monandria. H.K.
- 1 foliosa. B.R. leafy. Mauritius. 1823. 9. S. 2. Botan. regist. 882.
- 2 bituberculata. B.R. two-warted. Nepaul. 1822. 2. 3. S. 2. Hook. ex. flor. 116.
- 3 Loeselii. B.R. Loesel's. Britain. 7. H.b. 2. Eng. bot. 47.
Malaxis Loeselii. E.B.
- 4 Correana. N. two-leaved. N. America. 1823. 5. 6. H.b. 2.
- 5 liliifolia. B.R. Lily-leaved. ——— 1758. 6. 7. H.b. 2. Botan. magaz. 2004.
Malaxis liliifolia. B.M. *Ophrys liliifolia.* A.R. 65.
- 6 reflexa. B.R. reflexed. N. Holland. 1824. — G.b. 2.
- ERIOCHILUS. B.P.** **ERIOCHILUS.** Gynandria Monandria. B.P.
- autumnalis. B.P. autumnal. N. S. W. 1823. 9. 10. G.b. 2. Lab. n. holl. 2. t. 211. f. 2.
Epipactis cucullata. Lab.
- CALADENIA. B.P.** **CALADENIA.** Gynandria Monandria. H.K.
- 1 alba. B.P. white. N. S. W. 1810. 7. 8. G.b. 2.
- 2 carnea. B.P. flesh-coloured. ——— 1826. G.b. 2.
- 3 cœrulea. B.P. blue-flowered. ——— G.b. 2.
- 4 alata. B.P. winged. ——— 1823. 6. 8. G.b. 2.
- 5 testacea. B.P. fringe-flower'd. ——— 1826. G.b. 2.

LYPERANTHUS. B.P.		LYPERANTHUS.	Gynandria Monandria. B.P.			
1	suaveolens. B.P.	sweet-scented.	N. S. W.	1822.	5. 7.	G. b. 2.
2	ellipticus. B.P.	elliptic-leaved.	————	1826.	G. b. 2.
3	nigricans. B.P.	heart-leaved.	————	————	————	G. b. 2.
GLOSSODIA. B.P.		GLOSSODIA.	Gynandria Monandria. B.P.			
1	major. B.P.	larger.	N. S. W.	1810.	6. 8.	G. b. 2.
2	minor. B.P.	lesser.	————	1826.	—	G. b. 2.
PTEROSTYLIS. B.P.		PTEROSTYLIS.	Gynandria Monandria. B.P.			
1	conciinna. B.P.	neat.	N. S. W.	1826.	G. b. 2.
2	ophioglossa. B.P.	adder's-tongue.	————	————	G. b. 2.
3	curta. B.P.	short-lipped.	————	1822.	4. 6.	G. b. 2.
4	acuminata. B.P.	taper-pointed.	————	1826.	G. b. 2.
5	ucullata. B.P.	hooded.	V. Diem. Isl.	1823.	5. 7.	G. b. 2.
6	nutans. B.P.	nodding.	N. S. W.	1826.	G. b. 2.
7	obtusa. B.P.	blunt-lipped.	————	1810.	7. 8.	G. b. 2.
8	reflexa. B.P.	reflexed.	————	1826.	G. b. 2.
9	grandiflora. B.P.	large-flowered.	————	————	G. b. 2.
10	longifolia. B.P.	long-leaved.	————	1823.	6. 8.	G. b. 2.
11	gibbosa. B.P.	gibbons.	————	1826.	G. b. 2.
CORYSANTHES. B.P.		CORYSANTHES.	Gynandria Monandria. B.P.			
1	fimbriata. B.P.	fringed.	N. S. W.	1822.	5. 7.	G. b. 2.
2	anguculata. B.P.	pendulous-fl'd.	————	————	—	G. b. 2.
3	bicalcarata. B.P.	two-spurred.	————	—	G. b. 2.
	<i>Corybas aconitiflorus.</i> P. L. ?					
CALEYA. H.K.		CALEYA.	Gynandria Monandria. H.K.			
1	major. H.K.	smooth-lipped.	N. S. W.	1810.	6. 7.	G. b. 2.
2	minor.	tubercle-lipp'd.	————	1822.	—	G. b. 2.
	<i>Caleana minor.</i> B.P.					
CALOPOGON. H.K.		CALOPOGON.	Gynandria Monandria. H.K.			
	pulchellus. H.K.	tuberous root'd.	N. America.	1771.	7. 8.	H. b. 2.
	<i>Limodorum tuberosum.</i> B.M. 116. <i>Cymbidium pulchellum.</i> w.					
ARETHUSA. H.K.		ARETHUSA.	Gynandria Monandria. H.K.			
1	bulbosa. H.K.	bulbous.	N. America.	5. 6.	H. b. 2.
2?	plicata. A.R.	plaited.	E. Indies.	1806.	6. 8.	S. b. 2.
BLETIA. H.K.		BLETIA.	Gynandria Monandria. H.K.			
1	Tankervilleæ. H.K.	LyTankerville's.	China.	1778.	3. 4.	S. 2.
	<i>Limodorum Tankervilleæ.</i> w.					
2	pallida. B.C.	pale-flowered.	————	1820.	4. 8.	S. 2.
3	florida. H.K.	purple.	W. Indies.	1786.	7. 8.	S. 2.
4	verecunda. H.K.	tall.	————	1733.	1. 5.	S. 2.
	<i>Limodorum altum.</i> B.M. <i>Cymbidium verecundum.</i> w.					
5	hyacinthina. H.K.	hyacinthine.	China.	1802.	3. 9.	G. 2.
	<i>Cymbidium hyacinthinum.</i> B.M.					
6	capitata. H.K.	capitate.	W. Indies.	1795.	5. 7.	S. 2.
GEODORUM. H.K.		GEODORUM.	Gynandria Monandria. H.K.			
1	purpureum. H.K.	purple.	E. Indies.	1800.	6. 8.	S. 2.
	<i>Limodorum nutans.</i> R.C.					
2	citrinum. H.K.	Lemon-colour'd.	————	—	10. 12.	S. 2.
3	dilatatum. H.K.	shovel-lipped.	————	—	5. 8.	S. 2.
	<i>Limodorum recurvum.</i> R.C. 1. t. 39.					
CALYPSO. H.K.		CALYPSO.	Gynandria Monandria. H.K.			
	americana. H.K.	American.	N. America.	1805.	5. 6.	H. b. 2.
	<i>borcalis.</i> H.E.F. 12.					
MALAXIS. Rich.		MALAXIS.	Gynandria Monandria. H.K.			
	paludosa. E.B.	marsh.	England.	7.	H. 2.
MICROSTYLIS. N.		MICROSTYLIS.	Gynandria Monandria. N.			
	ophioglossoides. N.	Adder's tongue.	N. America.	1820.	4. 5.	H. b. 2.
CORALLORRHIZA. H.K.		CORALLORRHIZA.	Gynandria Monandria. H.K.			
1	innata. H.K.	spurless.	Scotland.	6. 7.	H. 2.
2	multiflora. H.E.F.	many-flower'd.	N. America.	1824.	5. 6.	H. 2.
3	odontorhiza. N.	tooth-rooted.	————	—	6. 7.	H. 2.
STELIS. H.K.		STELIS.	Gynandria Monandria. H.K.			
1	ophioglossoides. H.K.	Adder's-tongue.	W. Indies.	1791.	5. 6.	S. 2.
2	micrantha. H.K.	small-flowered.	Jamaica.	1805.	11. 12.	S. 2.
RODRIGUEZIA. R.P.		RODRIGUEZIA.	Gynandria Monandria. B.R.			
	secunda. K.S.	side-flowering.	S. America.	1819.	6. 12.	S. 2.
GOMEZA. B.M.		GOMEZA.	Gynandria Monandria. B.M.			
	recurva. B.M.	recurved.	Brazil.	1814.	5. 6.	S. 2.
						3 D

Botan. regist. 935.

Hook. ex. flor. 158.

Botan. regist. 930.

Botan. regist. 1748.

NOTYLIA. B.R.	NOTYLIA.	Gynandria Monandria.			
punctata. B.R.	dotted.	Trinidad.	1823.	7. 8. S. 2.	Botan. regist. 759.
<i>Pleurothallis punctata.</i>	<i>B.R. Gomeza tenuiflora.</i>	B.C.	806.		
CIRRHEA. B.R.	CIRRHEA.	Gynandria Monandria.			
dependens. B.R.	pendent.	China.	1824.	6. 8. S. 2.	Lodd. bot. cab. 936.
<i>Cymbidium dependens.</i>	B.C.				
CYMBIDIUM. H.K.	CYMBIDIUM.	Gynandria Monandria. H.K.			
1 aloifolium. H.K.	Aloe leaved.	China.	1789.	5. 6. S. 2.	Botan. magaz. 387.
<i>Epidendrum aloifolium.</i>	B.M.				
2 sinense. H.K.	Chinese.	—————	1793.	9. 10. S. 2.	————— 888.
3 lancifolium. H.E.F.	lance-leaved.	E. Indies.	1823.	5. 8. S. 2.	Hook. ex. flor. 51.
4 ensifolium. H.K.	sword-leaved.	China.	1780.	6. 10. S. 2.	Botan. magaz. 1751.
5 xiphiifolium. B.R.	Xiphium-ld.	—————	1814.	5. 8. S. 2.	Botan. regist. 529.
6 suave. B.P.	sweet-scented.	N. S. W.	1825.	... G. 2.	
7 reflexum. B.P.	reflexed.	—————	1820.	6. 8. G. 2.	
8 tripterum. w.	triangular-fruit'd.	Jamaica.	1790.	6. 7. S. 2.	Sm. ic. pict. 14.
ANISOPETALUM. H.	E.F. ANISOPETALUM.	Gynandria Monandria.			
Careyanum. H.E.F.	Carey's.	Nepaul.	1823.	8. 10. G. 2.	Hook. ex. flor. 149.
BRASSIA. H.K.	BRASSIA.	Gynandria Monandria. H.K.			
1 maculata. H.K.	spotted.	Jamaica.	1806.	6. 7. S. 2.	Botan. magaz. 1691.
2 candata. B.R.	long-tailed.	W. Indies.	1823.	— S. 2.	Botan. regist. 832.
ANGULO. K.S.	ANGULO.	Gynandria Monandria.			
grandiflora. K.S.	large-flowered.	S. America.	1823.	6. 8. S. 2.	H. et B. pl. æq. 1. t. 27.
CATASETUM. K.S.	CATASETUM.	Gynandria Monandria. B.M.			
1 tridentatum. H.E.F.	three-toothed.	Trinidad.	1823.	8. 12. S. 2.	Botan. regist. 2559.
2 Claveringi. B.R.	Clavering's.	Brazil.	—	— S. 2.	Botan. regist. 840.
3 floribundum. H.E.F.	many-flowered.	—————	—	— S. 2.	Hook. ex. flor. 151.
4 semiapertum. H.E.F.	greenish-fld.	—————	1825.	5. S. 2.	————— 213.
5 Hookeri. L.col.	Hooker's.	—————	1816.	— S. 2.	Lindl. coll. 40.
6 cristatum. B.R.	crested.	—————	1823.	— S. 2.	Botan. regist. 966.
CYRTOPODIUM. B.R.	CYRTOPODIUM.	Gynandria Monandria. H.K.			
1 Andersonii. H.K.	Anderson's.	W. Indies.	1804.	4. 8. S. 2.	Botan. magaz. 1800.
2 glutinosum. Mey.	gummy.	S. America.	1825.	... S. 2.	
3 Woodfordii. B.M.	Woodford's.	—————	1814.	10. S. 2.	Botan. magaz. 1814.
LISSOCHILUS. B.R.	LISSOCHILUS.	Gynandria Monandria. B.R.			
1 speciosus. B.R.	showy.	C. B. S.	1818.	5. 6. S. 2.	Botan. regist. 573.
2 lutens.	yellow.	—————	1822.	2. 5. S. 2.	
ONCIDIUM. H.K.	ONCIDIUM.	Gynandria Monandria. H.K.			
1 altissimum. w.	sharp-petaled.	W. Indies.	1793.	8. 9. S. 2.	Jacq. amer. t. 141.
2 carthagenense. w.	spread-eagle.	—————	1791.	5. 6. S. 2.	Botan. magaz. 777.
<i>Epidendrum undulatum.</i>	B.M.				
3 luridum. B.R.	lurid.	Trinidad.	1818.	2. 6. S. 2.	Botan. regist. 727.
4 Papilio. B.R.	Butterfly.	—————	1823.	4. 6. S. 2.	————— 910.
5 flexuosum. B.M.	Zigzag.	Brazil.	1818.	6. 7. S. 2.	Botan. magaz. 2203.
6 barbatum. L.col.	bearded.	S. America.	—	4. 5. S. 2.	Lindl. coll. 27.
7 pumilum. B.R.	dwarf.	Brazil.	1824.	6. 7. S. 2.	Botan. regist. 920.
8 bifolium. H.K.	two-leaved.	S. America.	1811.	7. 8. S. 2.	Botan. magaz. 1491.
9 triquetrum. H.K.	triangular-ld.	Jamaica.	1793.	— S. 2.	
10 variegatum. w.	variegated.	—————	1825.	— S. 2.	Sloan. hist. 1. t. 148. f. 2.
11 tetrapetalum. w.	four-petaled.	—————	1824.	— S. 2.	Jacq. amer. t. 142.
12 Cebolleta. w.	awl-leaved.	Carthage.	—	— S. 2.	————— t. 131. f. 2.
MACRADENIA. B.R.	MACRADENIA.	Gynandria Monandria. B.R.			
lutescens. B.R.	yellowish.	Trinidad.	1821.	12. 2. S. 2.	Botan. regist. 612.
CŒLOGYNE. B.R.	CŒLOGYNE.	Gynandria Monandria.			
fimbriata. B.R.	fringed.	China.	1824.	9. S. 2.	Botan. regist. 868.
MEGACLIINIUM. B.R.	MEGACLIINIUM.	Gynandria Monandria. B.R.			
falcatum. B.R.	falcate.	W. Indies.	1824.	6. 9. S. 2.	Botan. regist. 989.
TRIZEUXIS. L.col.	TRIZEUXIS.	Gynandria Monandria.			
falcata. L.col.	falcate.	Trinidad.	1820.	2. 6. S. 2.	Lindl. coll. 2.
PLEUROTHALLIS. H.K.	PLEUROTHALLIS.	Gynandria Monandria. H.K.			
1 ruscifolia. H.K.	Ruscus-leaved.	W. Indies.	1791.	5. 6. S. 2.	Hook. ex. flor. 197.
2 racemiflora. H.E.F.	racemed.	—————	1822.	7. 8. S. 2.	————— 123.
ORNITHOCEPHALUS.	BIRD'S-HEAD.	Gynandria Monandria.			
gladiatus. H.E.F.	sword-leaved.	Trinidad.	1822.	5. 8. S. 2.	Hook. ex. flor. 127.
OCTOMERIA. H.K.	OCTOMERIA.	Gynandria Monandria. H.K.			
1 guaminifolia. H.K.	Grass-leaved.	W. Indies.	1793.	6. 7. S. 2.	Plum. ic. 176. f. 1.
2 spicata. D.P.	spiked.	Nepaul.	1823.	— S. 2.	
TRIBRACHIA. B.R.	TRIBRACHIA.	Gynandria Monandria.			
pendula. B.R.	pendulous-spiked.	Sierra Leon.	1822.	6. 11. S. 2.	Botan. regist. 963.

GONGORA. R.P.	GONGORA.	Gynandria Monandria.		
atropurpurea. H.E.F.	dark-flowered.	Trinidad.	1824. 6. 7. S. 2.	Hook. ex. flor. 178.
DIPODIUM. B.P.	DIPODIUM.	Gynandria Monandria. B.P.		
punctatum. B.P.	spotted.	N. S. W.	1822. 6. 8. G. 2.	Sm. exot. bot. 1. t. 12.
<i>Dendrobium punctatum.</i> Sm.				
CAMARIDIUM. B.R.	CAMARIDIUM.	Gynandria Monandria. B.R.		
ochroleucum. B.R.	pale-flowered.	Trinidad.	1823. 7. 10. S. 2.	Botan. regist. 844.
<i>Dendrobium? album.</i> H.E.F. 142.				
ERIA. B.R.	ERIA.	Gynandria Monandria. B.R.		
1 stellata. B.R.	starry.	E. Indies.	1818. 5. 6. S. 2.	Botan. regist. 904.
2 pubescens. B.R.	pubescent.	— — —	1820. 3. 4. S. 2.	Hook. ex. flor. 124.
<i>Dendrobium pubescens.</i> H.E.F.				
3 rosea. B.R.	rose-coloured.	— — —	1824. 10. S. 2.	Botan. regist. 978.
XYLOBIUM. B.R.	XYLOBIUM.	Gynandria Monandria.		
squalens. B.R.	squalid.	Brazil.	1822. 7. 8. S. 2.	Botan. regist. 732.
<i>Dendrobium squalens.</i> B.R.				
MAXILLARIA. R.P.	MAXILLARIA.	Gynandria Monandria. B.R.		
1 Barringtoniæ. B.R.	Barrington's.	W. Indies.	1790. 6. 8. S. 2.	Sm. ic. pict. 25.
<i>Dendrobium Barringtoniæ.</i> H.E.F. 119.				
2 Harrisoniæ. B.R.	Mrs. Harrison's.	Brazil.	1820. 4. 8. S. 2.	Botan. regist. 897.
3 parvula. H.E.F.	small.	— — —	1824. 3. 5. S. 2.	Hook. ex. flor. 217.
4 aromatica. H.E.F.	aromatic.	— — —	1825. 5. S. 2.	— — — 219.
SARCOCHILUS. B.P.	SARCOCHILUS.	Gynandria Monandria. B.P.		
falcatus. B.P.	falcate.	N. S. W.	1821. 5. 8. G. 2.	
DENDROBIUM. H.K.	DENDROBIUM.	Gynandria Monandria. H.K.		
1 speciosum. B.P.	showy.	N. S. W.	1801. 6. 8. G. 2.	Sm. exot. bot. 1. t. 10.
2 æmulum. B.P.	rival.	— — —	1822. — G. 2.	
3 linguiforme. B.P.	tongue-leaved.	— — —	1810. — G. 2.	Sm. exot. bot. 1. t. 11.
4 teretifolium. B.P.	filiform-leaved.	— — —	1823. — G. 2.	
5 cucullatum. B.R.	cucullate.	E. Indies.	1815. 3. 5. S. 2.	Botan. regist. 548.
6 Pierardi. H.E.F.	Pierard's.	— — —	— 12. 6. S. 2.	Hook. ex. flor. 9.
7 Calceolaria. H.E.F.	hollow-lipped.	— — —	1820. — S. 2.	— — — 184.
8 fimbriatum. H.E.F.	fringed.	— — —	1818. 4. 6. S. 2.	— — — 71.
9 crumenatum. W.	pouched.	Java.	1822. — S. 2.	Rumph. amb. 6. t. 47. f. 2.
10 moniliforme. W.	glassy.	China.	1824. 6. 8. S. 2.	Kämpf. amœn. t. 865.
ORNITHIDIUM. H.K.	ORNITHIDIUM.	Gynandria Monandria. H.K.		
coccineum. H.K.	scarlet-flow'r'd.	W. Indies.	1790. 1. 12. S. 2.	Hook. ex. flor. 38.
<i>Cymbidium coccineum.</i> B.M. 1437.				
ISOCHILUS. H.K.	ISOCHILUS.	Gynandria Monandria. H.K.		
1 linearis. H.K.	linear-leaved.	W. Indies.	1791. 5. 7. S. 2.	Botan. regist. 745.
<i>Epidendrum lineare.</i> Jacq. amer. t. 131. f. 1. <i>Cymbidium lineare.</i> W.				
2 graminoides. H.E.F.	grass-like.	W. Indies.	1823. — S. 2.	Hook. ex. flor. 196.
3 prolifer. H.K.	proliferous.	— — —	1793. 6. 11. S. 2.	Botan. regist. 825.
POLYSTACHIA. H.E.F.	POLYSTACHYA.	Gynandria Monandria.		
1 luteola. H.E.F.	smooth.	W. Indies.	1818. 7. 8. S. 2.	Hook. ex. flor. 103.
<i>Dendrobium polystachyum.</i> W.				
2 puberula. B.R.	downy.	Sierra Leon.	1821. 8. S. 2.	Botan. regist. 851.
BRASSAVOLA. H.K.	BRASSAVOLA.	Gynandria Monandria. H.K.		
1 cucullata. H.K.	single-flowered.	W. Indies.	1793. 6. 7. S. 2.	Botan. magaz. 543.
<i>Epidendrum cucullatum.</i> B.M.				
2 nodosa. Ly.	many-flowered.	— — —	1824. 10. S. 2.	
BROUGHTONIA. K.H.	BROUGHTONIA.	Gynandria Monandria. H.K.		
sanguinea. H.K.	blood-coloured.	Jamaica.	1793. 6. 7. S. 2.	Lodd. bot. cab. 793.
CATTLEYA. L.col.	CATTLEYA.	Gynandria Monandria. H.E.F.		
1 labiata. L.col.	great-lipped.	S. America.	1818. 4. 10. S. 2.	Lindl. coll. 33.
2 Loddigesii. H.E.F.	Loddiges'.	— — —	1810. — S. 2.	Hook. ex. flor. 186.
<i>Epidendrum violaceum.</i> B.C. 337.				
3 Forbesii. B.R.	yellow.	Brazil.	1823. 9. S. 2.	Botan. regist. 953.
EPIDENDRUM. H.K.	EPIDENDRUM.	Gynandria Monandria. H.K.		
1 cochleatum. W.	shell-flowered.	W. Indies.	1786. 1. 12. S. 2.	Botan. magaz. 572.
2 fragrans. W.	sweet-scented.	— — —	1778. 10. S. 2.	— — — 1669.
3 secundum. W.	pale-flowered.	— — —	1793. 6. 7. S. 2.	Jacq. amer. t. 137.
4 polybulbon. W.	many-bulbed.	— — —	1822. — S. 2.	Hook. ex. flor. 112.
5 verrucosum. W.	warted.	— — —	1824. — S. 2.	Lodd. bot. cab. 1084.
6 nutans. W.	nodding.	— — —	1794. — S. 2.	Hook. ex. flor. 50.
7 umbellatum. W.	umbelled.	Jamaica.	1793. — S. 2.	Botan. regist. 80.
8 diffusum. W.	diffuse.	W. Indies.	1818. 4. 5. S. 2.	Lodd. bot. cab. 846.
9 anceps. B.C.	two-edged.	— — —	1820. 8. 10. S. 2.	— — — 887.
10 nocturnum. W.	night-smelling.	— — —	— 4. 6. S. 2.	— — — 713.

- 11 fuscatum. w. brown. W. Indies. 1790. 6. 7. S. 2. Botan. regist. 67.
 12 elongatum. w. long-stalked. Caracas. 1798. 5. 8. S. 2. Botan. magaz. 611.
 13 ellipticum. H.E.F. elliptic-leaved. Brazil. 1824. 3. 8. S. 2. Hook. ex. flor. 207.
 14 conopseum. H.K. Florida. Florida. 1775. 8. S. 2.
 15 monophyllum. H.E.F. one-leaved. W. Indies. 1822. 7. S. 2. Hook. ex. flor. 109.
 16 ciliare. B.R. fringed. ——— 1790. 6. 10. S. 2. Botan. regist. 784.
 17 cuspidatum. B.R. pointed. ——— 1808 ——— S. 2. ——— 783.
- CRYPTARRHENA. B.R. CRYPTARRHENA. Gynandria Monandria. B.R.**
 lunata. B.R. crescent-lipped. W. Indies. 1815. 5. 8. S. 2. Botan. regist. 153.
- EULOPHIA. B.R. EULOPHIA. Gynandria Monandria. B.R.**
 1 virens. B.R. green. E. Indies. 1823. 6. 8. S. 2. Roxb. corom. 1. t. 38.
Limodorum virens. R.C.
 2 guineensis. B.R. Guinea. Sierra Leone. 1822. 11. 2. S. 2. Botan. regist. 686.
 3 gracilis. B.R. slender. ——— ——— 6. 9. S. 2. ——— 742.
 4 triste. B.R. dark-flowered. C. B. S. 1825. 5. 6. G. 2.
 5 longicornis. B.R. long-spurred. ——— ——— 6. 8. G. 2.
 6 barbatum. B.R. bearded. ——— 1822. ——— G. 2.
- CALANTHE. B.R. CALANTHE. Gynandria Monandria. B.R.**
 1 veratrifolia. B.R. Veratrum-ld. E. Indies. 1819. 1. 9. S. 2. Botan. regist. 720.
 2 sylvestris. Ly. loose-spiked. Madagascar. 1823. 6. 7. S. 2.
- ANGRÆCUM. L.col. ANGRÆCUM. Gynandria Monandria. B.R.**
 1 maculatum. B.R. spotted. S. America. 1819. 10. 12. S. 2. Botan. regist. 618.
 2 falcatum. L.col. falcate. China. 1815. ——— S. 2. ——— 283.
Limodorum falcatum. B.R.
 3 luridum. Ly. lurid. Sierra Leone. 1822. 7. S. 2.
- IONOPSIS. K.S. IONOPSIS. Gynandria Monandria.**
 utricularioides. L.col. pale-flowered. Trinidad. 1822. 6. 9. S. 2. Hook. ex. flor. 113.
Iantha pallida. H.E.F.
- AERANTHES. B.R. AERANTHES. Gynandria Monandria. B.R.**
 1 grandiflora. B.R. large-flowered. Madagascar. 1823. 7. 8. S. 2. Botan. regist. 817.
 2 sesquipedalis. Ly. long-flowered. ——— ——— S. 2.
- AERIDES. H.K. AIR-PLANT. Gynandria Monandria. H.K.**
 1 odoratum. H.K. fragrant. China. 1800. S. 2.
 2 arachnites. w. common. Japan. 1793. S. 2.
Epidendrum flos aeris. L.
- PHOLIDOTA. H.E.F. PHOLIDOTA. Gynandria Monandria. H.E.F.**
 imbricata. H.E.F. imbricated. Nepal. 1823. 7. S. 2. Hook. ex. flor. 138.
- SARCANTHUS. L.col. SARCANTHUS. Gynandria Monandria. B.R.**
 1 paniculatus. L.col. panicle. China. 1812. 5. 8. S. 2. Botan. regist. 220.
Aerides paniculata. B.R.
 2 succisus. Ly. bitten. ——— 1824. S. 2.
 3 rostratis. B.R. rostrate. ——— 1819. 6. 12. S. 2. Botan. regist. 981.
 4 teretifolius. Ly. round-leaved. ——— ——— S. 2. ——— 676.
Vanda teretifolia. B.R.
- TRICHORHIZA. Ly. TRICHORHIZA. Gynandria Monandria.**
 teretifolia. L.C. round-leaved. E. Indies. 1819. 10. S. 2. Hook. ex. flor. 72.
Vanda? trichorhiza. H.E.F.
- VANDA. B.R. VANDA. Gynandria Monandria. B.R.**
 1 cruenta. L.C. red-flowered. China. 1819. S. 2.
 2 multiflora. L.col. many-flowered. ——— 1800. 6. 10. S. 2. Lindl. coll. 38.
 3 Roxburghii. B.R. Roxburgh's. E. Indies. 1816. 10. 12. S. 2. Botan. regist. 506.
 4 tessellata. L.C. tessellate. ——— S. 2. Roxb. cor. 1. t. 42.
Cymbidium tessellatum. R.C.
- VANILLA. W. VANILLA. Gynandria Monandria. H.K.**
 1 aromatica. H.K. aromatic. S. America. 1739. 6. 8. S. 2. Phm. ic. 183. t. 188.
 2 planifolia. H.K. flat-leaved. W. Indies. 1800. 4. 6. S. 2. Andr. reposit. 538.
- CYPRIPEDIUM. W. LADIES'-SLIPPER. Gynandria Diandria. H.K.**
 1 Calceolus. w. common. England. 5. 7. H. 2. Eng. bot. 1.
 2 parviflorum. w. small-flowered. N. America. 1759. ——— H. 2. Swt. br. fl. gar. 80.
 3 pubescens. w. yellow-downy. ——— 1790. ——— H. 2. ——— 71.
 4 spectabile. w. showy. ——— 1731. 6. 7. H. 2. Lodd. bot. cab. 697.
album. B.M. 216.
 5 humile. w. two-leaved. ——— 1786. 5. 6. H. 2. Botan. magaz. 192.
 6 arietinum. w. ram's-head. ——— 1808. ——— H. 2. ——— 1569.
 7 venustum. B.R. handsome. Nepaul. 1816. 7. 10. S. 2. Botan. regist. 788.
 8 insigne. L.col. noble. ——— 1819. ——— S. 2. Lindl. coll. 32.

ORDO CLXXV.

SCITAMINEÆ. *Brown prodr.* 1. p. 305.

GLOBBA. L.	GLOBBA. Monandria Monogynia. L.				
1 marantina. w.	marantine. E. Indies.	1800.	7. 8.	S. 2.	Exot. bot. 2. t. 103.
2 bulbifera. F.I.	bulb-bearing. ———	1818.	—	S. 2.	
3 orixensis. F.I.	Orixian. ———	1819.	—	S. 2.	
4 versicolor. Ex. B. <i>Hura. F.I.</i>	various-col'd. ———	1820.	—	S. 2.	Sm. exot. bot. 2. t. 117.
5 pendula. F.I.	pendulous-fl'd. ———	1822.	6. 8.	S. 2.	
6 Careyana. F.I.	Carey's. ———	1822.	—	S. 2.	Lodd. bot. cab. 691.
7 sessiliflora. B.M.	sessile-flower'd. ———	1807.	—	S. 2.	Botan. magaz. 1428.
MANTISIA. B.M.	MANTISIA. Monandria Monogynia. B.M.				
1 saltatoria. B.M.	Opera-girl's. E. Indies.	1808.	6.	S. 2.	Botan. magaz. 1320.
<i>Globba subulata. F.I.</i>	<i>purpurea. A.R.</i> 615. <i>saltatoria. R. Sc.</i>				
2 spatulata. R.S. <i>Globba spatulata. F.I.</i>	spathulate. ———	1822.	6. 8.	S. 2.	
CURCUMA. W.	TURMERIC. Monandria Monogynia. L.				
1 Zerumbet. F.I.	Zedoary. E. Indies.	1807.	4. 8.	S. 2.	Rumph. amb. 5. t. 68.
2 aromatica. F.I.	aromatic. ———	1797.	—	S. 2.	Sal. par. lond. 96.
3 Zedoaria. F.I.	silky-leaved. ———	—	—	S. 2.	Botan. magaz. 1546.
4 zanthorrhiza. F.I.	yellow-rooted. Amboyna.	1819.	4. 5.	S. 2.	
5 latifolia. R.Sc.	broad-leaved. E. Indies.	—	—	S. 2.	Rosc. scitam. ic.
6 elata. F.I.	tall. ———	—	—	S. 2.	
7 cæsia. F.I.	clouded-leaved. ———	—	5. 6.	S. 2.	
8 æruginosa. F.I.	verdigrise. ———	1807.	4. 8.	S. 2.	
9 ferruginea. F.I.	rusty. ———	1819.	—	S. 2.	
10 rubescens. F.I.	red. ———	—	4. 6.	S. 2.	Rox. scitam. ic.
11 comosa. F.I.	close-flowered. ———	—	—	S. 2.	
12 leucorrhiza. F.I.	white-rooted. ———	—	—	S. 2.	
13 angustifolia. F.I.	narrow-leaved. ———	1822.	—	S. 2.	
14 longa. F.I.	long-rooted. ———	1759.	6. 8.	S. 2.	Botan. regist. 886.
15 Amada. F.I.	Mango-ginger. ———	1819.	—	S. 2.	Rosc. scitam. ic.
16 viridiflora. F.I.	green-flowered. ———	1820.	—	S. 2.	
17 montana. F.I.	mountain. ———	1823.	4. 6.	S. 2.	Roxb. corom. 2. n. 151.
18 reclinata. F.I.	reclining. ———	1824.	—	S. 2.	
19 petiolata. F.I.	petiolate. ———	1822.	—	S. 2.	
20 rubricaulis. L.T.	red-stalked. ———	1818.	—	S. 2.	
KÆMPFERIA. L.	KÆMPFERIA. Monandria Monogynia. L.				
1 Galanga. w.	officinal. E. Indies.	1724.	6. 9.	S. 2.	Botan. magaz. 850.
2 rotunda. w.	round-rooted. ———	1768.	7. 8.	S. 2.	————— 920.
3 latifolia. s.s.	broad-leaved. ———	1803.	4. 7.	S. 2.	
4 angustifolia. F.I.	narrow-leaved. ———	—	—	S. 2.	Rosc. scitam. ic.
5 pandurata. F.I.	fiddle-lipped. ———	1812.	—	S. 2.	Botan. regist. 173.
6 ovalifolia. F.I.	oval-leaved. ———	1819.	—	S. 2.	Rosc. scitam. ic.
7 marginata. R.S.	red-margined. ———	1820.	—	S. 2.	————— c. ic.
ROSCOEIA. L.T.	ROSCOEIA. Monandria Monogynia.				
1 purpurea. L.T.	purple-flower'd. Nepaul.	1819.	7. 8.	S. 2.	Sm. exot. bot. 2. t. 108.
2 gracilis. L.T.	slender. ———	1820.	—	S. 2.	
3 clator. L.T.	tall. ———	—	—	S. 2.	
4 spicata. L.T.	spiked. ———	1821.	—	S. 2.	
5 capitata. L.T.	headed. ———	1819.	—	S. 2.	
ZINGIBER. L.T.	ZINGIBER. Monandria Monogynia. H.K.				
1 officinale. F.I.	narrow-leaved. E. Indies.	1605.	6. 8.	S. 2.	Rosc. scitam. ic.
2 Zerumbet. F.I.	broad-leaved. ———	1690.	9. 11.	S. 2.	Sm. exot. bot. 2. t. 112.
3 Casumunar. B.M. <i>purpureum. L.T. Cliffordia. A.R. t. 555.</i>	downy-leaved. ———	1796.	8.	S. 2.	Botan. mag. 1426.
4 roseum. F.I.	rose-coloured. ———	1823.	6. 8.	S. 2.	Roxb. corom. 2. t. 126.
5 ligulatum. F.I.	ligulate. ———	—	—	S. 2.	
6 rubens. F.I.	red-flowered. ———	1820.	5. 8.	S. 2.	Rosc. scitam. ic.
7 squarrosus. F.I.	squarrose. ———	—	—	S. 2.	

8	panduratum. F.I.	fiddle-leaved.	E. Indies.	1819.	5. 8.	S. 2.	
9	Mioga. L.T.	Japanese.	Japan.	1796.	—	S. 2.	Kæmpf. ic. Banks. t. 1.
10	chrysanthum. R. Sc.	yellow-flower'd.	E. Indies.	1823.	—	S. 2.	Rosc. scitam. ic.
11	capitatum. F.I.	headed.	—	1820.	6. 8.	S. 2.	— ic.
12	elatum. F.I.	tall.	—	—	—	S. 2.	—
AMOMUM. F.I. AMOMUM. Monandria Monogynia. L.							
1	Afzeli. L.T.	sweet-scented.	Sierra Leon.	1795.	5. 6.	S. 2.	Ann. bot. 1. t. 13.
2	grandiflorum. R. S.	large-flowered.	—	—	6. 7.	S. 2.	Sm. exot. bot. t. 111.
3	sylvestre. R. S.	wood.	Jamaica.	1804.	5. 7.	S. 2.	Sloan. hist. 1. t. 105. f. 2.
4	Cardamomum. F.I.	bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 2.	Rumph. amb. 5. t. 65. f. 1.
5	angustifolium. F.I.	narrow-leaved.	Madagascar.	—	—	S. 2.	Sonnerat. it. 2. f. 137.
6	aculeatum. F.I.	bristly-capsul'd.	E. Indies.	1823.	6. 8.	S. 2.	—
7	maximum. F.I.	great.	—	—	—	S. 2.	—
8	dealbatum. F.I.	insipid-seeded.	—	1819.	—	S. 2.	—
9	subulatum. F.I.	subulate-bracted.	—	—	5. 7.	S. 2.	—
10	aromaticum. F.I.	aromatic.	—	1823.	—	S. 2.	—
11	sericeum. F.I.	silky-leaved.	—	1819.	6. 8.	S. 2.	—
12	granum-paradisi. w.	Grains of Paradise.	Madagascar.	—	2. 4.	S. 2.	Blackw. t. 385.
COSTUS. F.I. COSTUS. Monandria Monogynia. L.							
1	speciosus. F.I.	large-flowered.	E. Indies.	1794.	8. 9.	S. 2.	Jacq. ic. 1. t. 1.
2	nepalensis. R. Sc.	Nepaul.	Nepaul.	1818.	—	S. 2.	Rosc. scitam. ic.
<i>speciosus</i> β. B.R. 665.							
3	Pisonis. B.R.	Brazilian.	Brazil.	1822.	5. 9.	S. 2.	Botan. regist. 899.
4	afer. B.R.	African.	Sierra Leon.	—	—	S. 2.	— 683.
5	maculatus. R. Sc.	spotted.	—	—	—	S. 2.	Rosc. scitam. ic.
6	lanatus. L.C.	woolly.	—	—	S. 2.	—
7	spicatus. L.T.	spiked.	S. America.	1793.	6.	S. 2.	Rosc. scitam. ic.
8	comosus. L.T.	tufted.	—	1815.	—	S. 2.	Jacq. ic. 3. t. 202.
<i>Alpinia comosa.</i> Jacq.							
9	spiralis. L.T.	spiral.	—	—	5. 7.	S. 2.	Jacq. schœn. 1. t. 1.
10	villosissima. R. S.	villous.	W. Indies.	1823.	—	S. 2.	Jacq. fragm. t. 80.
11	arabicus. L.T.	Arabian.	Arabia.	1752.	8.	S. 2.	—
HELLENIA. B.P. HELLENIA. Monandria Monogynia. W.							
1	cœrulea. B.P.	blue-flowered.	N. Holland.	1820.	5. 6.	G. 2.	Rosc. scitam. ic.
2	Allughas. w.	Ceylon.	E. Indies.	1796.	2. 3.	G. 2.	Andr. reposit. 501.
ALPINIA. L.T. ALPINIA. Monandria Monogynia. L.							
1	racemosa. L.T.	clustered.	W. Indies.	1752.	7. 9.	S. 2.	Plum. ic. 11. t. 20.
2	Galanga. F.I.	Galanga-major.	E. Indies.	1818.	6. 10.	S. 2.	Rumph. amb. 5. t. 63.
3	Roxburghii.	Roxburgh's.	—	1820.	—	S. 2.	—
<i>bracteata.</i> F.I. non L.T.							
4	malaccensis. F.I.	woolly-leaved.	—	1799.	4. 6.	S. 2.	Botan. regist. 328.
5	nutans. F.I.	nodding-fl'd.	—	1792.	—	S. 2.	Botan. magaz. 1903.
<i>Renealmia nutans.</i> A.R. 360.							
6	cernua. B.M.	drooping.	—	—	—	S. 2.	— 1900.
7	auriculata. R. Sc.	eared.	—	1822.	—	S. 2.	Rosc. scitam. ic.
8	exaltata. R. S.	tall.	—	1824.	...	S. 2.	—
9	diffusa. L.T.	cloven.	China.	—	4. 6.	S. 2.	Rosc. scitam. ic.
10	mutica. F.I.	spurless.	E. Indies.	1811.	4. 9.	S. 2.	— ic.
11	calcarata. F.I.	upright spiked.	China.	1804.	9.	S. 2.	Andr. reposit. 421.
12	spicata. F.I.	spiked.	E. Indies.	1823.	6. 9.	S. 2.	—
13	striata. L.en.	striated.	—	1818.	...	S. 2.	—
14	bracteata. L.T.	bracted.	China.	1823.	5. 8.	S. 2.	—
<i>Roscoeana.</i> R. S.							
GETHYRA. Sal. GETHYRA. Monandria Monogynia.							
1	occidentalis.	occidental.	Jamaica.	1793.	5. 7.	S. 2.	Gært. fruct. 1. t. 12.
<i>Alpinia occidentalis.</i> L.T.							
2	tubulata.	Mr. Lambert's.	Demarara.	1820.	7. 8.	S. 2.	Botan. regist. 777.
<i>Alpinia tubulata.</i> B.R.							
3	punicea.	bright-red.	E. Indies.	—	—	S. 2.	—
<i>Alpinia punicea.</i> F.I.							
4	Cardamomum medium.	9-winged.	—	—	—	S. 2.	—
5	linguiformis. F.I.	tongue-lipped.	—	1825.	...	S. 2.	—
ELETTARIA. L.T. CARDAMON. Monandria Monogynia.							
<i>Cardamomum.</i> L.T. true. E. Indies. 1815. S. 2. Linn. trans. 10. t. 4.5.							
<i>Alpinia Cardamomum.</i> F.I. Amomum Cardamomum. L.							
HEDYCHium. F.I. GARLAND-FLOWER. Monandria Monogynia. L.							
1	angustifolium. R. Sc.	narrow-leaved.	E. Indies.	1815.	5. 12.	S. 2.	Rosc. scitam. ic.
2	aurantiacum. R. Sc.	orange-color'd.	—	—	—	S. 2.	— ic.
<i>angustifolium.</i> B.R. 157. non Roxb.							

3	coccineum, R. Sc.	scarlet.	Nepaul.	1818.	5. 12.	S. 4.	Rosc. scitam. ic.
	<i>angustifolium</i> , B.M.	<i>non</i> Roxb.					
4	longifolium, R. Sc.	long-leaved.	E. Indies.	1820.	6. 8.	S. 4.	————— ic.
5	carneum, R. Sc.	flesh-coloured.	—————	—————	—————	S. 4.	Botan. magaz. 2637.
6	flavum, R. Sc.	yellow.	—————	1819.	—————	S. 4.	Rosc. scitam. ic.
7	flavescens, R. Sc.	yellowish.	—————	1822.	—————	S. 4.	————— ic.
8	heteromallum, B.R.	woolly.	—————	—————	—————	S. 4.	Botan. regist. 767.
9	villosum, F.I.	villous.	—————	—————	—————	S. 4.	
10	glaucum, R. Sc.	glaucous.	—————	1820.	—————	S. 4.	Rosc. scitam. ic.
11	ellipticum, R. Sc.	elliptic-leaved.	—————	—————	5. 8.	S. 4.	————— ic.
12	acuminatum, R. Sc.	taper-pointed.	—————	1822.	—————	S. 4.	————— ic.
13	elatum, B.R.	tall.	Nepaul.	1818.	7. 12.	S. 4.	Botan. regist. 526.
14	speciosum, F.I.	beautiful.	E. Indies.	1823.	8. 10.	S. 4.	
15	maximum, R. Sc.	large-flowered.	—————	1819.	5. 9.	S. 4.	Rosc. scitam. ic.
16	coronarum, F.I.	sweet-scented.	—————	1793.	7. 9.	S. 4.	Botan. magaz. 708.
17	Gardnerianum, R. Sc.	Gardner's.	Nepaul.	1819.	—————	S. 4.	Botan. regist. 771.
18	thyrsiflorum, R. Sc.	thyrsé-flower'd.	—————	1822.	—————	S. 4.	Rosc. scitam. ic.
19	spicatum, B.M.	spiked.	—————	1820.	8. 11.	S. 4.	Botan. magaz. 2300.
20	gracile, F.I.	slender.	E. Indies.	1821.	—————	S. 4.	

ORDO CLXXVI.

CANNEÆ. *Brown prodr. 1. p. 307.*

PHRYNIUM, F.I.	PHRYNIUM.	Monandria Monogynia, L.					
1	dichotomum, F.I.	forked.	E. Indies.	1807.	6. 9.	S. 4.	Rumph. amb. 4. t. 7.
2	virgatum, F.I.	slender-stem'd.	—————	1818.	—————	S. 4.	
3	spicatum, F.I.	spiked.	—————	—————	—————	S. 4.	
4	imbricatum, F.I.	imbricated.	—————	1824.	5. 8.	S. 4.	
5	grandiflorum, R. Sc.	great-flowered.	—————	1819.	6. 8.	S. 4.	Rosc. scitam. ic.
6	parviflorum, F.I.	small-flowered.	—————	—————	5. 9.	S. 4.	————— ic.
7	capitatum, F.I.	capitate.	—————	1820.	—————	S. 4.	Rheed. mal. 11. t. 34.
8	obliquum, L.C.	oblique-leaved.	—————	1824.	—————	S. 4.	
9	angustifolium, L.C.	narrow-leaved.	—————	—————	—————	S. 4.	
THALIA, W.	THALIA.	Monandria Monogynia, W.					
	dealbata, L.T.	mealy.	Carolina.	1791.	7. 9.	H.w. 4.	Botan. magaz. 1690.
CANNA, W.	INDIAN SHOT.	Monandria Monogynia, L.					
1	indica, L.T.	common.	E. Indies.	1570.	1. 12.	S. 4.	Botan. regist. 776.
2	coccinea, L.T.	scarlet.	W. Indies.	1731.	—————	S. 4.	Lodd. bot. cab. 739.
3	lutea, L.T.	yellow.	E. Indies.	1629.	—————	S. 4.	Botan. regist. 773.
	<i>β maculata.</i>	<i>spotted-flowered.</i>	—————	1820.	—————	S. 4.	Botan. magaz. 2085.
4	orientalis, R. Sc.	oriental.	—————	—————	—————	S. 4.	Rosc. scitam. ic.
5	patens, B.R.	spreading.	China.	1771.	7. 10.	H. 4.	Botan. regist. 576.
6	speciosa, B.M.	showy.	Nepaul.	1820.	—————	H. 4.	Botan. magaz. 2317.
7	gigantea, B.R.	gigantic.	America.	1788.	1. 12.	S. 4.	Botan. regist. 206.
8	latifolia, B.C.	broad-leaved.	S. 4.	Lodd. bot. cab. 634.
9	edulis, B.R.	eatable.	Peru.	1820.	6. 10.	S. 4.	Botan. regist. 775.
10	Lamberti, B.R.	Mr. Lambert's.	Trinidad.	1818.	5. 8.	S. 4.	————— 470.
11	excelsa, B.C.	tall.	Brazil.	1820.	1. 12.	S. 4.	Lodd. bot. cab. 743.
12	occidentalis, B.R.	West Indian.	W. Indies.	1822.	—————	S. 4.	Botan. regist. 772.
13	limbata, R. Sc.	bordered.	Brazil.	1818.	—————	S. 4.	Lodd. bot. cab. 449.
14	pallida, R. Sc.	pale.	—————	1823.	—————	S. 4.	Rosc. scitam. ic.
15	compacta, R. Sc.	compact.	E. Indies.	—————	—————	S. 4.	————— ic.
16	pedunculata, B.M.	stalked.	1820.	—————	S. 4.	Botan. magaz. 2323.
17	denudata, R. Sc.	naked-stalked.	Brazil.	1822.	—————	S. 4.	Rosc. scitam. ic.
18	lanceolata, L.C.	spear-leaved.	—————	—————	—————	S. 4.	
19	esculenta, L.C.	esulent.	S. America.	—————	—————	S. 4.	
20	sanguinea, L.C.	bloody.	—————	1824.	—————	S. 4.	
21	polymorpha, L.C.	variable.	—————	—————	—————	S. 4.	
22	iridiflora, B.M.	nodding-fl'd.	Peru.	1816.	—————	S. 4.	Botan. regist. 609.
23	flaccida, R. Sc.	flaccid.	S. Carolina.	1788.	—————	S. 4.	Rosc. scitam. ic.
24	glauca, L.T.	glaucous.	S. America.	1732.	—————	S. 4.	Sm. exot. bot. 102.
	<i>β rufa</i> , B.M.	<i>brown.</i>	—————	—————	S. 4.	Botan. magaz. 2302.

MARANTA. R.S.	ARROW-ROOT.	Monandria Monogynia, L.			
1 arundinacea. R.S.	Indian.	S. America. 1732.	7. 8.	S. 2.	Botan. magaz. 2307.
2 indica. R.S.	smooth-leaved.	India.	— S. 2.	Sloan. jam. t. 149.
3 Tonchat. R.S.	ovate.	E. Indies. 1819.	S. 2.	Rumph. amb. 4. t. 7.
4 Jacquini. R.S.	Jacquin's.	Caracas. 1809.	6. 7.	S. 2.	Jacq. ic. 2. t. 20.
	<i>lutea</i> , Jacq. non Lam.				
5 angustifolia. B.M.	narrow-leaved.	W. Indies. 1820.	7. 8.	S. 2.	Botan. magaz. 2398.
6 bicolor. B.R.	two-coloured.	S. America. 1823.	1. 12.	S. 2.	Botan. regist. 786.
7 gibba. R.S.	gibbous.	— — — — —	— — — — —	S. 2.	Rosc. scitam. ic.
8 obliqua. R.S.	oblique.	Guiana. 1803.	10. 1.	S. 2.	Rudg. gui. t. 11.
9 sylvatica. L.T.	wood.	W. Indies. 1799.	8. 9.	S. 2.	
10 comosa. R.S.	close-spiked.	Surinam. 1812.	6. 7.	S. 2.	
CALATHEA. S.S.	CALATHEA.	Monandria Monogynia, S.S.			
1 discolor. S.S.	two-coloured.	Caracas. 1823.	6. 8.	S. 2.	Jacq. frag. t. 63. f. 4.
	<i>Maranta Casupo</i> , Jacq.				
2 violacea. B.R.	violet-coloured.	Brazil.	— — — — —	S. 2.	Botan. regist. 961.
3 flavescens. B.R.	yellowish.	— — — — —	— — — — —	S. 2.	— — — — — 932.
4 Zebrina. B.R.	striped-leaved.	— — — — —	1815. 4. 7.	S. 2.	— — — — — 385.
	<i>Maranta Zebrina</i> , B.M. 1826.				
5 Rossii. L.C.	Ross's.	— — — — —	1825. — — — — —	S. 2.	
6 villosa. L.C.	villous.	— — — — —	— — — — —	S. 2.	

ORDO CLXXVII.

MUSACEÆ. *Juss. gen. 61.*

MUSA. L.	PLANTAIN-TREE.	Polygamia Monœcia. L.			
1 paradisiaca. w.	common.	India. 1690.	10. 12.	S. 2.	Trew ehret. 3. t. 18-20.
2 sapientum. w.	Banana-tree.	W. Indies. 1729.	10. 3.	S. 2.	— — — — — 4. t. 21-23.
3 maculata. w.	spotted.	Manritius. 1818.	— — — — —	S. 2.	
4 rosacea. w.	rose-coloured.	— — — — —	1805. 3. 6.	S. 2.	Botan. regist. 706.
5 coccinea. w.	scarlet-flow'r'd.	China. 1792.	12. 3.	S. 2.	Andr. reposit. t. 47.
6 ornata. F.I.	handsome.	E. Indies. 1823.	S. 2.	
7 superba. F.I.	superb.	— — — — —	S. 2.	
8 glauca. F.I.	glaucous.	— — — — —	1824.	S. 2.	
URANIA. W.	URANIA.	Hexandria Monogynia. W.			
speciosa. w.	Plantain-ld.	Madagascar. 1813.	S. 2.	Jacq. schœn. 1. t. 93.
	<i>Ravenalia madagascariensis</i> , Jacq.				
STRELITZIA. H.K.	STRELITZIA.	Pentandria Monogynia. H.K.			
1 augusta. H.K.	Plantain-like.	C. B. S. 1791.	2. 5.	S. 2.	Ker's Strelitz. ic.
2 reginæ. H.K.	Canna-leaved.	— — — — —	1773. 4. 5.	I. 2.	Redout. lil. 77. 78.
3 ovata. H.K.	oval-leaved.	— — — — —	1777. 2. 4.	I. 2.	Botan. magaz. 119. 120.
4 humilis. L.en.	dwarf.	— — — — —	I. 2.	
5 farinosa. H.K.	mealy-stalked.	— — — — —	1795. — — — — —	I. 2.	Ker's Strelitz. ic.
6 angustifolia. H.K.	narrow-leaved.	— — — — —	1778. 5. 6.	I. 2.	— — — — — ic.
7 parvifolia. H.K.	small-leaved.	— — — — —	1796. 5. 7.	I. 2.	— — — — — ic.
	<i>β juncea</i> . B.R.			I. 2.	Botan. regist. 516.
HELICONIA. R.S.	HELICONIA.	Pentandria Monogynia. L.			
1 Bihai. w.	Plantain-ld.	W. Indies. 1786.	4. 5.	S. 2.	Botan. regist. 374.
2 humilis. R.S.	dwarf.	Caracas. 1798.	5. 6.	S. 2.	Jacq. schœn. 1. t. 48. 49.
3 psittacorum. R.S.	Parrot-beaked.	W. Indies. 1797.	8. 9.	S. 2.	Andr. reposit. 124.
4 Swartziana. R.S.	Swartz's.	Jamaica. — — — — —	— — — — —	S. 2.	Botan. magaz. 502.
	<i>psittacorum β</i> . B.M.				
5 dealbata. L.C.	mealy.	S. America. 1823.	— — — — —	S. 2.	
6 hirsuta. R.S.	hairy-bracted.	— — — — —	— — — — —	S. 2.	
7 buccinata. F.I.	Indian.	E. Indies. 1820.	S. 2.	Rumph. amb. 5. t. 62. f. 2.

ORDO CLXXVIII.

IRIDEÆ. *Brown prodr.* 302.

IRIS. B.M.		FLOWER-DE-LUCE. Triandria Monogynia. L.				
1	susiana. R.S.	Chalcedonian.	Levant.	1596.	3. 4. H. ½.	Botan. magaz. 91.
2	livida. Trät.	livid.	_____	— H. ½.	Redout. lil. 1. t. 18.
3	florentina. R.S.	Florentine.	S. Europe.	1596.	5. 6. H. ½.	Botan. magaz. 671.
4	germanica. R.S.	German.	Germany.	1573.	— H. ½.	— 670.
	<i>nepalensis</i> . B. F. 816. 707 D. P.					
5	subbiflora. B.M.	double-bearing.	Portugal.	1596.	4. 5. H. ½.	Botan. magaz. 1130.
6	pallida. R.S.	pale Turkey.	Turkey.	—	5. 6. H. ½.	— 685.
7	longiflora. R.S.	long-flowered.	1824.	— H. ½.	
8	flavescens. R.S.	pale yellow.	Switzerland.	1825.	— H. ½.	
9	sordida. W.en.	dull-flowered.	_____	1818.	— H. ½.	
10	sambucina. R.S.	Elder-scented.	S. Europe.	1658.	6. H. ½.	Botan. magaz. 187.
11	squalens. R.S.	brown-flower'd.	_____	1768.	6. H. ½.	— 787.
12	lurida. R.S.	dark brown.	_____	1758.	4. 5. H. ½.	— 669. 986.
13	variegata. R.S.	variegated.	Hungary.	1597.	5. 6. H. ½.	— 16.
14	neglecta. R.S.	Horneman's.	1820.	6. H. ½.	— 2435.
15	Swertii. R.S.	reflex-fl'd.	1748.	5. 6. H. ½.	Redout. lil. 6. t. 360.
16	plicata. R.S.	plaited-leaved.	Hungary.	1823.	— H. ½.	— t. 336.
	<i>amena</i> β <i>hungarica</i> . R. L. <i>aphylla</i> . γ . B. M. 870.					
17	biflora. R.S.	two-flowered.	S. Europe.	1596.	4. 9. H. ½.	Besl. h. eyst. 8. f. 1.
18	furcata. R.S.	forked.	Tauria.	1822.	3. 4. H. ½.	Botan. regist. 301.
19	cristata. R.S.	crested.	N. America.	1756.	5. H. ½.	Botan. magaz. 412.
20	fimbriata. v.	fringed.	China.	1792.	5. 6. F. ½.	Vent. cels. t. 9.
	<i>chinensis</i> . B. M. 873.					
21	dichotoma. R.S.	forked.	Dauria.	1784.	6. 8. H. ½.	Swt. br. fl. gar. 96.
22	nudicaulis. R.S.	naked-stalked.	1748.	5. 6. H. ½.	
	<i>aphylla</i> . v.					
23	arenaria. R.S.	sand.	Hungary.	1802.	5. 6. H. ½.	Botan. regist. 549.
24	lutescens. R.S.	pale yellow.	Germany.	1748.	4. 5. H. ½.	Redout. lil. 5. t. 263.
25	flavissima. R.S.	bright yellow.	Siberia.	1814.	5. 6. H. ½.	Jacq. ic. 3. t. 220.
26	pumila. R.S.	dwarf.	Austria.	1596.	4. 5. H. ½.	Botan. magaz. 9.
27	violacea.	violet-coloured.	S. Europe.	— H. ½.	— 1261.
	<i>pumila</i> . var. <i>violacea</i> . B. M.					
28	hungarica. R.S.	Hungarian.	Hungary.	1815.	5. H. ½.	Swt. br. fl. gar. 74.
29	iberica. R.S.	Iberian.	Iberia.	1821.	5. 6. H. ½.	
30	moræoides. s.s.	Moræa-like.	C. B. S.	1758.	4. 8. G. ½.	Botan. magaz. 693.
	<i>Moræa iridioides</i> . B. M.					
31	Pseud-Acorus. R.S.	yellow-water.	Britain.	6. H. ½.	Eng. bot. 578.
	β <i>pallido-flava</i> . B. M. <i>pale-yellow</i> .		N. America.	1812.	— H. ½.	Botan. magaz. 2239.
32	Monnierii. R.S.	Monnier's.	Levant.	1820.	6. 7. H. ½.	Redout. lil. 4. t. 236.
33	fœtidissima. R.S.	Gladwyn.	Britain.	6. H. ½.	Eng. bot. 596.
	β <i>variegata</i> .	<i>striped-leaved</i> .	_____	— H. ½.	
34	versicolor. R.S.	various-color'd.	N. America.	1732.	5. 6. H. ½.	Botan. magaz. 21.
35	fulva. B.M.	copper-color'd.	_____	1812.	6. 7. H. ½.	— 1496.
	<i>cuprea</i> . Ph. published 1814. <i>fulva</i> . B. M. published 1812.					
36	tridentata. Ph. three-toothed.		_____	1824.	7. H. ½.	
	<i>tripetala</i> . N.					
37	virginica. R.S.	Virginian.	Virginia.	1758.	6. 7. H. ½.	Botan. magaz. 703.
38	gracilis. Bolt.	Bolton's.	N. America.	— H. ½.	
	<i>Boltoniana</i> . R.S.					
39	spuria. B.M.	spurious.	Siberia.	1759.	7. H. ½.	Botan. magaz. 58.
40	notha. M.B.	hybrid.	_____	1780.	— H. ½.	— 875.
	<i>halophila</i> . B. M.					
41	ochroleuca. L.	sulphur-color'd.	Levant.	1757.	— H. ½.	Botan. magaz. 61.
42	halophila. Pal.	long-leaved.	Siberia.	1780.	7. 9. H. ½.	— 1131.
43	stenogyna. R.L.	cream-colour'd.	Caucasus.	1804.	7. H. ½.	— 1515.
44	desertorum. Guld.	sweet-scented.	Russia.	1811.	— H. ½.	— 1514.
	<i>spatulata</i> . W.en.					

45	verna. M.	vernal.	N. America.	1748.	4. 5.	H. 2.	Swt. br. fl. gar. 68.
46	ventricosa. R.S.	bellied.	Dahuria.	1800.	6.	H. 2.	Pall. it. 3. t. B. f. 1.
47	sibirica. R.S.	Siberian.	Siberia.	1596.	5. 6.	H. 2.	Botan. magaz. 50.
	<i>β alba.</i>	<i>white-flowered.</i>	—————	—————	—————	H. 2.	————— 1163.
48	acuta. w.en.	acute-leaved.	—————	—————	H. 2.	
49	triflora. w.en.	three-flowered.	Italy.	1816.	—————	H. 2.	
50	hamatophylla. F.	red-leaved.	Siberia.	1790.	4. 5.	H. 2.	Swt. br. fl. gar. 118.
	<i>sanguinea. R.S. sibirica γ sanguinea. B.M. 1604.</i>						
51	flexuosa. R.S.	flexuose.	Germany.	5. 6.	H. 2.	Murr. c. gott. 7. t. 4.
52	prismatica. R.S.	New Jersey.	N. America.	1812.	—————	H. 2.	Botan. magaz. 1504.
53	graminea. R.S.	grass-leaved.	Austria.	1597.	6.	H. 2.	————— 681.
54	humilis. M.B.	pigmy.	Siberia.	1804.	5. 6.	H. 2.	————— 1123.
55	ruthenica. R.S.	Russian.	Russia.	1810.	4. 5.	H. 2.	————— 1393.
56	tenuifolia. w.	slender-leaved.	Dauria.	1796.	5.	H. 2.	Pall. it. 3. t. C. f. 2.
57	nepalensis. D.P.	Nepaul.	Nepaul.	1824.	6. 7.	H. 2.	
58	Pallasii. B.M.	Pallas's.	Siberia.	1820.	—————	H. 2.	
	<i>β chinensis. B.M.</i>	<i>Chinese.</i>	China.	—————	—————	H. 2.	Botan. magaz. 2331.
59	longispatha. B.M.	long-spathed.	Russia.	1822.	—————	H. 2.	————— 2528.
60	brachycuspis. B.M.	short-pointed.	Siberia.	1819.	6.	H. 2.	————— 2326.
61	celestina.	sky-blue.	N. America.	1824.	—————	F. 2.	
62	tuberosa. R.S.	snake's-head.	Levant.	1597.	3. 4.	H. b. 2.	Botan. magaz. 531.
63	reticulata. R.S.	netted-rooted.	Iberia.	1821.	4. 5.	H. b. 2.	
64	Xiphium. R.S.	small bulbous.	Spain.	1596.	6.	H. b. 2.	Botan. magaz. 686.
65	lusitanica. R.S.	Portuguese.	Portugal.	—————	4. 5.	H. b. 2.	————— 679.
66	Xiphoides. R.S.	great bulbous.	Spain.	1571.	6.	H. b. 2.	————— 687.
67	caucasica. R.S.	Caucasian.	Caucasus.	1821.	—————	H. b. 2.	
68	alata. Lam.	winged.	S. Europe.	1801.	H. b. 2.	Desf. atl. 1. t. 6?
	<i>scorpioides. Desf.</i>						
69	persica. R.S.	Persian.	Persia.	1629.	3.	H. b. 2.	Botan. magaz. 1.
MORÆA. B.M.	MORÆA. Triandria Monogynia. L.						
1	Sisyrinchium. B.M.	Spanish nut.	S. Europe.	1597.	5. 6.	F. b.	Botan. magaz. 1407.
2	Tenoreana. B.F.G.	Tenore's.	Naples.	1824.	6. 7.	F. b.	Swt. br. fl. gar. 110.
3	minuta. B.R.	small.	C. B. S.	1825.	—————	F. b.	
4	papilionacea. B.R.	Butterfly.	—————	1795.	5. 6.	F. b.	Botan. magaz. 750.
5	ciliata. B.R.	fringed-leaved.	—————	1787.	4. 6.	F. b.	————— 1061.
6	barbigera. sal.	bearded.	—————	—————	4. 5.	F. b.	————— 1012.
7	crispa. B.R.	short-spathed.	—————	1803.	—————	F. b.	————— 1284.
8	tristis. B.R.	dull-coloured.	—————	1768.	—————	F. b.	————— 577.
9	ramosa. B.R.	branching.	—————	1789.	5. 6.	F. b.	————— 771.
10	plumaria. B.R.	feathered.	—————	1825.	—————	F. b.	
11	viscaria. B.R.	bird-limed.	—————	1800.	6.	F. b.	Botan. magaz. 587.
12	bituminosa. B.R.	clammy.	—————	1787.	4. 5.	F. b.	————— 1045.
13	polystachya. B.R.	many-spiked.	—————	1825.	6. 7.	F. b.	
14	longiflora. B.R.	long-flowered.	—————	1801.	6. 7.	F. b.	Botan. magaz. 712.
15	sectacea. B.R.	bristle-leaved.	—————	1825.	—————	F. b.	Thunb. Ir. t. 1. f. 1.
16	edulis. B.M.	long-leaved.	—————	1792.	5. 6.	F. b.	Botan. magaz. 613.
17	odora. P.L.	sweet-scented.	—————	—————	—————	F. b.	Sal. par. lond. 10.
18	longifolia. A.R.	pale-yellow.	—————	1808.	—————	F. b.	Andrews' reposit. t. 45.
	<i>edulis γ lutescens. B.M. 1238.</i>						
19	augusta. B.R.	rolled-leaved.	—————	1790.	—————	F. b.	Botan. magaz. 1276.
MARICA. H.K.	MARICA. Triandria Monogynia. H.K.						
1	caerulea. B.C.	blue.	Brazil.	1810.	4. 10.	S. 2.	Botan. regist. 713.
2	Sabini. H.T.	Sabine's.	St. Thomas.	1822.	9. 11.	S. 2.	Hort. trans. v. 6. pl. 1.
3	Northiana. H.K.	broad-stemm'd.	Brazil.	1789.	4. 8.	S. 2.	Botan. magaz. 654.
	<i>Moræa Northiana. A.R. 255.</i>						
4	paludosa. B.M.	marsh.	Guiana.	1792.	7. 8.	S. 2.	Botan. magaz. 646.
5	semiaperta. B.C.	half-opened.	Brazil.	1820.	5. 7.	S. 2.	Lodd. bot. cab. 685.
6	humilis. B.C.	dwarf.	—————	1823.	—————	S. 2.	————— 1081.
7	martinicensis. H.K.	Martinico.	W. Indies.	1782.	—————	S. 2.	Botan. magaz. 416.
	<i>Iris martinicensis. B.M. Cipura martinicensis. K.S. Trimezia lurida. sal.</i>						
CYPELLA. B.M.	CYPELLA. Monadelphia Triandria. B.M.						
Herberti. B.M.	Mr. Herbert's. BuenosAyres.	1823.	6. 9.	F. b.			Botan. magaz. 2599.
	<i>Tigridia Herberti. B.M. Moræa Herberti. B.R. 949.</i>						
VIEUSSEUXIA. DC.	VIEUSSEUXIA. Triandria-Monadelphia Triandria.						
1	tripetaloides. DC.	three petal-like.	C. B. S.	1802.	4. 5.	F. b.	Botan. magaz. 702.
	<i>Moræa tripetala. B.M. Iris tripetala. w.</i>						
2	pavonia. DC.	Peacock.	—————	1790.	5. 6.	F. b.	Botan. magaz. 1247.
	<i>Moræa pavonia. B.M. Iris pavonia. w.</i>						

3	<i>villosa</i> . s.s.	villous-leaved.	C. B. S.	1789.	4. 5.	F.b.	Botan. magaz. 571.
4	<i>tricuspis</i> . s.s.	trident-petaled.	————	1776.	6.	F.b.	———— 696.
5	<i>glaucoapis</i> . DC.	white-flowered.	————	————	5. 7.	F.b.	Redout. lil. 1. t. 42.
	<i>Iris pavonia</i> . B.M. 168.	<i>nec aliorum</i> .					
6	<i>Bellendeni</i> .	Mr. Ker's.	————	1803.	6. 7.	F.b.	Botan. magaz. 772.
	<i>Moræa tricuspis</i> <i>γ lutea</i> . B.M.	certainly a very distinct species.					
7	<i>tenuis</i> . r.s.	slender.	————	1807.	5. 6.	F.b.	———— 1047.
8	<i>spiralis</i> . r.s.	spiral-flowered.	————	1825.	————	F.b.	De la Roch. dis. t. 5.
9	<i>unguicularis</i> . r.s.	long-clawed.	————	1802.	————	F.b.	Botan. magaz. 593.
10	<i>lurida</i> .	Mr. Griffin's.	————	1817.	6.	F.b.	Botan. regist. 312.
	<i>Moræa lurida</i> . B.R.						
HOMERIA. V.							
HOMERIA. Monadelphia Triandria.							
1	<i>spicata</i> .	spiked.	C. B. S.	1785.	5. 6.	F.b.	Botan. magaz. 1283.
	<i>Moræa spicata</i> . B.M.						
2	<i>collina</i> .	hill.	————	1768.	————	F.b.	———— 1033.
	<i>Moræa collina</i> . B.M.						
3	<i>exaltata</i> . B.F.G.	tall upright.	————	————	————	F.b.	Swt. br. fl. gar. ic.
	<i>Moræa collina</i> . <i>γ</i> . B.M. 1103.						
4	<i>lineata</i> . B.F.G.	lined-leaved.	————	1825.	————	F.b.	Swt. br. fl. gar. ic.
5	<i>porrifolia</i> . B.F.G.	leek-leaved.	————	————	————	F.b.	———— ic.
6	<i>elegans</i> .	elegant.	————	————	————	F.b.	Jacq. schen. 1. t. 2.
7	<i>flaccida</i> .	flaccid.	————	1810.	————	F.b.	Botan. mag. 1612.
	<i>Moræa collina</i> (<i>a</i>) <i>miniata minor</i> . B.M. 1612.						
8	<i>miniata</i> . B.F.G.	spot-flowered.	————	1799.	————	F.b.	Swt. br. fl. gar. 152.
9	<i>virgata</i> .	slender.	————	1825.	————	F.b.	Jacq. ic. 2. t. 228.
10	<i>flexuosa</i> .	flexuose.	————	1803.	————	F.b.	Botan. magaz. 695.
PARDANTHUS. S.S. PARDANTHUS. Triandria Monogynia, S.S.							
1	<i>chinensis</i> . s.s.	Chinese.	China.	1759.	6. 7.	H. $\frac{1}{2}$.	Botan. magaz. 171.
	<i>Ixia chinensis</i> . B.M.	<i>Belamcanda chinensis</i> . DC.					
	<i>nepalensis</i> .	Nepaul.	Nepaul.	1823.	H. $\frac{1}{2}$.	
BOBARTIA. L. BOBARTIA. Triandria Monogynia, L.							
1	<i>gladiata</i> .	hairy-stalked.	C. B. S.	1815.	6. 8.	G. $\frac{1}{2}$.	Botan. regist. 229.
	<i>Marica gladiata</i> . B.R.	<i>Moræa gladiata</i> . w.					
2	<i>spathacea</i> . L.	sheathed.	————	1798.	7.	G. $\frac{1}{2}$.	
SISYRINCHIUM. L. SISYRINCHIUM. Monadelphia Triandria.							
1	<i>latifolium</i> . H.K.	broad-leaved.	W. Indies.	1737.	6. 8.	S. $\frac{1}{2}$.	Botan. magaz. 655.
	<i>Marica plicata</i> . B.M.	<i>Moræa plicata</i> . w.					
2	<i>bermudianum</i> . w.	Iris-leaved.	Bermudas.	1732.	5. 7.	G. $\frac{1}{2}$.	Botan. magaz. 94.
	<i>iridioides</i> . B.M.						
3	<i>Nuttalli</i> .	Nuttall's.	N. America.	1823.	————	H. $\frac{1}{2}$.	
	<i>bermudianum</i> . N. <i>nec aliorum</i> .						
4	<i>anceps</i> . w.	narrow-leaved.	————	1693.	6. 7.	H. $\frac{1}{2}$.	Botan. magaz. 464.
5	<i>mucronatum</i> . M.	pointed-flow'r'd.	————	1812.	————	H. $\frac{1}{2}$.	
6	<i>convolutum</i> . w.	convolute.	S. America.	1816.	5. 7.	F. $\frac{1}{2}$.	Wild. h. ber. t. 91.
7	<i>tenuifolium</i> . w.	slender-leaved.	————	————	————	F. $\frac{1}{2}$.	———— t. 92.
8	<i>luteum</i> . L.en.	yellow-flow'r'd.	————	1823.	————	F. $\frac{1}{2}$.	
9	<i>californicum</i> . H.K.	Californian.	California.	1796.	5. 9.	F. $\frac{1}{2}$.	Botan. magaz. 983.
	<i>Marica californica</i> . B.M.						
10	<i>micranthum</i> . w.	small-flowered.	Peru.	1822.	————	F. $\frac{1}{2}$.	Cavan. diss. 6. t. 191. f. 2.
11	<i>iridifolium</i> . K.S.	Iris-leaved.	S. America.	————	————	F. $\frac{1}{2}$.	Botan. regist. 646.
	<i>laxum</i> . s.s. <i>Marica iridifolia</i> . B.R.						
12	<i>striatum</i> . H.K.	streaked-fl'd.	Mexico.	1788.	————	F. $\frac{1}{2}$.	Sm. ic. pict. 9.
	<i>Marica striata</i> . B.M.						
13	<i>palmifolium</i> . w.	Palm-leaved.	Brazil.	1779.	1. 5.	S. $\frac{1}{2}$.	
RENEALMIA. B.P. RENEALMIA. Triandria-Monadelphia Triandria.							
1	<i>paniculata</i> . B.P.	panicked.	N. S. W.	1823.	5. 8.	F. $\frac{1}{2}$.	
2	<i>grandiflora</i> . B.P.	largest-flow'r'd.	N. Zealand.	1822.	4. 9.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 64.
3	<i>pulchella</i> . B.P.	neat.	N. S. W.	1823.	————	F. $\frac{1}{2}$.	
PATERSONIA. B.P. PATERSONIA. Monadelphia Triandria. H.K.							
1	<i>sericea</i> . B.P.	silky.	N. S. W.	1803.	5. 7.	F. $\frac{1}{2}$.	Botan. magaz. 1041.
2	<i>longifolia</i> . B.P.	long-leaved.	————	1822.	————	F. $\frac{1}{2}$.	
3	<i>media</i> . B.P.	middle.	————	1824.	————	F. $\frac{1}{2}$.	
4	<i>glabrata</i> . B.P.	smooth.	————	1814.	————	F. $\frac{1}{2}$.	Botan. regist. 50.
5	<i>glauca</i> . B.P.	glaucous.	————	1826.	F. $\frac{1}{2}$.	Lab. nov. hol. 1. t. 9.
WITSENIA. H.K. WITSENIA. Triandria Monogynia.							
1	<i>maura</i> . H.K.	downy-flow'r'd.	C. B. S.	1790.	11. 1.	G. $\frac{1}{2}$.	Botan. regist. 5.
2	<i>corymbosa</i> . H.K.	corymbose.	————	1803.	4. 9.	G. $\frac{1}{2}$.	Botan. magaz. 895.
3	<i>ramosa</i> . s.s.	branching.	————	1809.	————	G. $\frac{1}{2}$.	
ARISTEA. Ker. ARISTEA. Triandria Monogynia, L.							
1	<i>cyanea</i> . H.K.	woolly-headed.	C. B. S.	1759.	4. 6.	G. $\frac{1}{2}$.	Botan. magaz. 458.

2	pusilla. B.M.	flat-stemmed.	C. B. S.	1806.	6. 7.	G. 7.	Botan. magaz. 1231.
3	spiralis. H.K.	spiral-flowered.	_____	1795.	4. 5.	G. 7.	_____ 520.
4	capitata. H.K.	tallest.	_____	1790.	7. 8.	G. 7.	_____ 605.
	<i>major</i> . A.R. 160.	<i>Moræa cœrulea</i> . Th. mor. t. 2. f. 2.					
5	melaenca. H.K.	three-coloured.	_____	1786.	5. 6.	G. 7.	Botan. magaz. 1277.
FERRARIA. Ker.	FERRARIA.	Monadelphia	Triandria.	H.K.			
1	angustifolia.	narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.	
2	atherosa. B.M.	green variegated.	_____	1800.	3. 7.	F.b.	Botan. magaz. 751.
	<i>Ferrariola</i> . H.K. <i>viridiflora</i> . A.R. 255.						
3	uncinata. B.F.G.	hook-leaved.	_____	1825.	_____	F.b.	Swt. br. fl. gar. 161.
4	undulata. W.	curled.	_____	1755.	_____	F.b.	Botan. magaz. 144.
5	divaricata. B.F.G.	spreading-anther'd.	_____	1825.	3. 7.	F.b.	Swt. br. fl. gar. ic.
6	obtusifolia. B.F.G.	blunt-leaved.	_____	_____	_____	F.b.	_____ 148.
TIGRIDIA. J.	TIGER-FLOWER.	Monadelphia	Triandria.	H.K.			
1	pavonia. H.K.	red-flowered.	Mexico.	1796.	5. 9.	H.b.	Redoute lil. t. 6.
	<i>Ferraria pavonia</i> . A.R. 178. <i>Tigridia</i> . B.M. 532.						
2	conchiflora. B.F.G.	yellow-flower'd.	_____	1824.	_____	H.b.	Swt. br. fl. gar. 123.
GALAXIA. Ker.	GALAXIA.	Monadelphia	Triandria.	H.K.			
1	ovata. W.	oval-leaved.	C. B. S.	1799.	5. 9.	F.b.	Andr. reposit. 94.
2	grandiflora. A.R.	large-flowered.	_____	_____	_____	F.b.	_____ 164.
3	mucronularis. Sal.	mucronated.	_____	_____	_____	F.b.	Jac. ic. t. 291. f. inf. sin.
4	versicolor. Sal.	various-colour'd.	_____	_____	_____	F.b.	_____ f. inf. ad dextr.
5	graminea. W.	narrow-leaved.	_____	1795.	7. 8.	F.b.	Botan. magaz. 1292.
LAPEYROUSIA. Ker.	LAPEYROUSIA.	Triandria	Monogynia.	H.K.			
1	corymbosa. B.M.	level-topped.	C. B. S.	1791.	5. 6.	F.b.	Botan. magaz. 595.
2	falcata. B.M.	sickle-leaved.	_____	1825.	_____	F.b.	Thunb. dis. 4. t. 1. f. 3.
3	fasciculata. B.M.	fascicled.	_____	_____	_____	F.b.	Jacq. ic. 2. t. 291.
	<i>Galaxia plicata</i> . Jacq. <i>Ixia heterophylla</i> . vahl. <i>Ovieda fasciculata</i> . s.s.						
4	fissifolia. B.M.	leafy-spiked.	_____	1809.	8. 9.	F.b.	Botan. magaz. 1246.
5	aculeata. B.F.G.	prickly-stemmed.	_____	1825.	5. 7.	F.b.	Swt. br. fl. gar. ic.
6	anceps. B.F.G.	flat-stemmed.	_____	_____	_____	F.b.	_____ 143.
7	silenoïdes. B.M.	Silene-like.	_____	1822.	_____	F.b.	Jacq. ic. 2. t. 270.
8	Fabricii. B.M.	slender-branch'd.	_____	1825.	_____	F.b.	
ANOMATHECA. Ker.	ANOMATHECA.	Triandria	Monogynia.	H.K.			
	juncea. H.K.	cut-leaved.	C. B. S.	1791.	4. 5.	F.b.	Botan. magaz. 606.
	<i>Lapeyrousia juncea</i> . B.M. <i>Gladiolus polystachyus</i> . A.R. 66.						
BABIANA. Ker.	BABIANA.	Triandria	Monogynia.	S.S.			
1	nana. s.s.	dwarf.	C. B. S.	1807.	4. 6.	F.b.	Andr. reposit. t. 137.
	<i>Gladiolus nanus</i> . A.R.						
2	rubro-cyanea. B.M.	red and blue.	_____	1794.	_____	F.b.	Botan. magaz. 410.
3	villosa. B.M.	dark red.	_____	1778.	8.	F.b.	_____ 583.
	<i>Ixia punicea</i> . Jacq. ic. 2. t. 287.						
4	obtusifolia. B.M.	blunt-leaved.	_____	1825.	5. 6.	F.b.	Jacq. ic. 2. t. 284.
	<i>Ixia villosa</i> . Jacq. non H.K.						
5	purpurea. B.M.	dark purple.	_____	1806.	_____	F.b.	Botan. magaz. 1052.
6	stricta. B.M.	upright.	_____	1757.	_____	F.b.	_____ 621.
7	angustifolia.	narrow-leaved.	_____	_____	_____	F.b.	_____ 637.
	<i>stricta</i> (a) B.M. <i>Ixia villosa</i> var. Jacq. frag. t. 14. f. 3.						
8	tenuiflora. B.F.G.	slender-fl'd.	_____	1825.	_____	F.b.	Swt. br. fl. gar. ic.
9	sulphurea. B.M.	pale-flowered.	_____	1803.	_____	F.b.	Botan. magaz. 1053.
10	mucronata. B.M.	mucronate.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 253.
11	plicata. B.M.	sweet-scented.	_____	1774.	_____	F.b.	Botan. magaz. 576.
12	disticha. B.M.	two-ranked.	_____	_____	6. 7.	F.b.	_____ 626.
	<i>Gladiolus plicatus</i> . Jacq. ic. t. 237. nec aliorum.						
13	ochroleuca.	cream-colour'd.	_____	1825.	5. 7.	F.b.	
14	spathacea. B.M.	stiff-leaved.	_____	1801.	_____	F.b.	Botan. magaz. 638.
15	sambucina. B.M.	Elder-scented.	_____	1799.	4. 5.	F.b.	_____ 1019.
16	tubata.	long-flowered.	_____	1774.	_____	F.b.	_____ 680.
	<i>Gladiolus tubatus</i> . Jacq. ic. 2. t. 263.						
17	tubiflora. B.M.	long-tubed.	_____	_____	_____	F.b.	_____ 847.
18	ringens. B.M.	gaping-fl'd.	_____	1752.	5. 6.	F.b.	Lodd. bot. cab. 1006.
19	Thunbergii. B.M.	many-spiked.	_____	1774.	_____	F.b.	
	<i>Antholyza plicata</i> . W.						
ANTHOLYZA. Ker.	ANTHOLYZA.	Triandria	Monogynia.	L.			
1	æthiopica. B.M.	flag-leaved.	C. B. S.	1759.	1. 4.	F.b.	Botan. magaz. 561.
2	præalta. DC.	tall.	_____	_____	_____	F.b.	Redout. lil. 7. t. 387.
	<i>æthiopica</i> . var. β . B.M. 1172. <i>vittigera</i> . Sal-						
3	montana. B.C.	mountain.	_____	1824.	5. 7.	F.b.	Lodd. bot. cab. 1022.
ANISANTHUS. B.F.G.	ANISANTHUS.	Triandria	Monogynia.				
1	splendens. B.F.G.	splendid.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. ic.

2	Cunonia, B.F.G.	scarlet.	C. B. S.	1756.	5. 6.	F.b.	Botan. magaz. 343.
	<i>Antholyza Cunonia</i> , B.M.	<i>Gladiolus Cunonia</i> , H.K.					
3	quadrangularis.	four-channell'd.		1799.	3. 4.	F.b.	567.
	<i>Gladiolus quadrangularis</i> , B.M.	<i>abbreviatus</i> , A.R.	166.				
WATSONIA, Ker. WATSONIA. Triandria Monogynia. H.K.							
1	aletroides, B.M.	Aletris-flow'r'd.	C. B. S.	1774.	5. 7.	F.b.	Botan. magaz. 441.
	<i>β variegata</i> , B.M.	<i>variegated</i> .				F.b.	533.
2	humilis, B.M.	lake-coloured.		1754.		F.b.	631.
3	Meriana, B.M.	red-flowered.		1750.		F.b.	418.
4	iridifolia, Jacq.	Iris-leaved.		1795.		F.b.	Jacq. ic. 2. t. 234.
5	fulgida, Sal.	scarlet.				F.b.	Botan. magaz. 600.
	<i>Antholyza fulgens</i> , A.R.	192.					
6	roseo-alba, B.M.	two-coloured.		7. 8.	F.b.	537.
	<i>β variegata</i> .	<i>variegated-fl'd</i>		F.b.	1193.
7	brevifolia, B.M.	short-leaved.		1794.	5. 7.	F.b.	601.
8	strictiflora, B.M.	upright-fl'd.		1810.	6.	F.b.	1406.
9	rosca, B.M.	pyramidal.		1803.	7. 8.	F.b.	1072.
10	marginata, B.M.	broad-leaved.		1774.	6. 7.	F.b.	608.
	<i>β minor</i> , B.M.	<i>shining-leaved</i> .		1812.		F.b.	1530.
11	punctata, H.K.	dotted-flow'r'd.		1800.	4. 5.	F.b.	Andr. reposit. 177.
	<i>Ixia punctata</i> , A.R.						
12	plantaginea, B.M.	Fox-tail.		1774.	6. 7.	F.b.	Botan. magaz. 553.
13	spicata, B.M.	hollow-leaved.		1791.	5.	F.b.	523.
	<i>Ixia fistulosa</i> , B.M.						
GLADIOLUS, Ker. CORN-FLAG. Triandria Monogynia. L.							
1	viperatus, B.M.	perfumed.	C. B. S.	1787.	4. 5.	F.b.	Swt. br. fl. gar. 156.
2	alatus, B.M.	wing-flowered.		1795.	5. 6.	F.b.	Botan. magaz. 586.
3	algoensis.	Algoa bay.		1824.	7.	F.b.	2605.
	<i>alatus β algoensis</i> , B.M.						
4	namaquensis, B.M.	thick-leaved.		1800.	5. 6.	F.b.	Botan. magaz. 592.
5	permeabilis, R.S.	tall.		1825.		F.b.	De la Roch. dis. t. 2.
6	Watsonius, B.M.	Watson's.		1791.	3. 5.	F.b.	Botan. magaz. 450.
	<i>β variegata</i> .	<i>variegated-fl'd</i> .		1801.		F.b.	569.
7	brevifolius, H.K.	short-leaved.		1802.		F.b.	727, 992.
8	hirsutus, H.K.	rose-coloured.		1795.	4. 6.	F.b.	574, 823.
9	versicolor, B.M.	various-color'd.		1794.	5. 6.	F.b.	Andr. reposit. 19.
10	binervis.	two-nerved.		1806.		F.b.	Botan. magaz. 1042. ε.
	<i>versicolor ε, binervis</i> , B.M.						
11	recurvus, B.M.	Violet-scent'd.		1758.	4. 5.	F.b.	Botan. magaz. 578.
12	gracilis, B.M.	slender.		1800.		F.b.	562.
13	maculatus.	spotted-flow'r'd.		1799.		F.b.	556.
	<i>versicolor γ, tenuior</i> , B.M.						
14	debilis, B.M.	weak.		1822.		F.b.	Botan. magaz. 2585.
15	trichonemifolius, B.M.	slender-ld.		1810.	5. 6.	F.b.	1483.
16	concolor, P.L.	pale yellow.		1790.		F.b.	Sal. par. lond. 8.
17	tristis, B.M.	square-leaved.		1745.		F.b.	Botan. magaz. 272.
18	hyalinus, Jacq.	transparent.		1825.		F.b.	Jacq. ic. 2. t. 242.
19	tenellus, Jacq.	feeble.				F.b.	t. 248.
20	Colvillii, B.F.G.	Colvill's.	Hybrid.	1823.		F.b.	Swt. br. fl. gar. 155.
21	angustus, B.M.	narrow-leaved.	C. B. S.	1757.		F.b.	Botan. magaz. 602.
22	hastatus, B.M.	spade.		1816.	4. 5.	F.b.	1564.
23	edulis, B.R.	eatable.			5. 6.	F.b.	Botan. regist. 169.
24	carneus, B.M.	flesh-coloured.		1796.		F.b.	Botan. magaz. 591.
25	cuspidatus, B.M.	sharp-pointed.		1795.	4. 5.	F.b.	582.
26	undulatus, B.M.	waved-flow'r'd.		1760.		F.b.	Jacq. ic. 2. t. 251.
	<i>α pallidus</i> .	<i>pale-flowered</i> .				F.b.	Botan. magaz. 647.
	<i>β carneus</i> .	<i>flesh-coloured</i> .				F.b.	538.
27	blandus, B.M.	fairest.		1774.	6.	F.b.	625.
28	albidus, Vahl.	white-flowered.				F.b.	648.
29	campanulatus, A.R.	bell-flowered.		1794.	5. 6.	F.b.	Andr. reposit. 188.
30	pictus.	painted-fl'd.				F.b.	Botan. magaz. 1665.
	<i>blandus δ</i> , B.M.						
31	trimaculatus, Vahl.	three-spotted.				F.b.	
32	involutus, B.M.	involute.		1757.		F.b.	Mill. ic. t. 286. f. 1.
33	flexuosus, B.M.	flexuose.		1825.		F.b.	Thunb. diss. t. 1. f. 1.
34	floribundus, B.M.	large-flowered.		1788.	5. 7.	F.b.	Botan. magaz. 610.
35	Milleri, B.M.	Miller's.		1751.	4. 5.	F.b.	632.
36	cardinalis, B.M.	superb.		1789.	7. 8.	F.b.	135.
37	byzantinus, B.M.	Turkish.	Turkey.	1629.	6. 7.	H.b.	874.

38 communis. B.M.	common.	S. Europe.	1596.	—	H.b.	Botan. magaz. 86.
<i>β carnea</i> . B.M.	<i>pale-flowered</i> .	—	—	—	H.b.	— 1575.
SPHÆROSPORA.	SPHÆROSPORA.	Triandria Monogynia.				
segetum.	European.	S. Europe.	1596.	6. 7.	H.b.	Botan. magaz. 719.
<i>Gladiolus segetum</i> . B.M.	<i>Antholyza segetum</i> . Ker.					
SYNNOTIA. B.F.G.	SYNNOTIA.	Triandria Monogynia.				
1 variegata. B.F.G.	variegated-fl'd.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. 150.
2 bicolor. B.F.G.	two-coloured.	—	1786.	3. 4.	F.b.	Botan. magaz. 548.
<i>Ixia bicolor</i> . B.M.	<i>Sparaxis bicolor</i> . Ker.	<i>Gladiolus bicolor</i> . W.				
3 galeata. B.F.G.	helmet-flow'r'd.	—	1825.	—	F.b.	Jacq. ic. 2. t. 258.
<i>Gladiolus galeatus</i> . Jacq.						
SPARAXIS. Ker.	SPARAXIS.	Triandria Monogynia.	H.K.			
1 tricolor. H.K.	three-colour'd.	C. B. S.	1789.	5.	F.b.	Botan. magaz. 381.
2 versicolor. B.F.G.	various-colour'd	—	1811.	—	F.b.	Swt. br. fl. gar. 160.
3 Griffini.	Mr. Griffin's.	—	—	—	F.b.	Bot. magaz. 1482.f.inf.
<i>tricolor γ violaceo-purpurea</i> . B.M.						
4 blanda.	blush-flowered.	—	—	—	F.b.	— 1482.f.med.
<i>tricolor, δ. subroseo-albida</i> . B.M.						
5 grandiflora. H.K.	large-flowered.	—	1758.	4. 5.	F.b.	Botan. magaz. 541.
<i>a purpurea</i> .	<i>velvet-flowered</i> .	—	—	—	F.b.	Andr. reposit. 87.
<i>β striata</i> .	<i>streaked-flower'd</i> .	—	—	—	F.b.	Botan. magaz. 779.
6 Liliago.	Lily-flowered.	—	—	—	F.b.	Redout. lil. 2. t. 109.
<i>Ixia Liliago</i> . R.L.	<i>Sparaxis grandiflora γ Liliago</i> . B.R.	258.				
7 bulbifera. H.K.	bulb-bearing.	—	1758.	5. 6.	F.b.	Botan. magaz. 545.
8 fragrans. B.M.	fragrant.	—	1825.	—	F.b.	Jacq. ic. 2. t. 274.
9 anemonæflora. B.M.	Anemone-fl'd.	—	—	—	F.b.	— 2. t. 273.
<i>Ixia anemonæflora</i> . Jacq.						
TRITONIA. Ker.	TRITONIA.	Triandria Monogynia.	H.K.			
1 crispa. H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 678.
2 anigozanthiflora.	Anigozanthus-fl'd.	—	1825.	6. 8.	F.b.	—
3 viridis. B.M.	green-flowered.	—	1788.	7.	F.b.	Botan. magaz. 1275.
4 rosea. H.K.	rosy.	—	1793.	6. 7.	F.b.	— 618.
5 capensis. B.M.	Cape.	—	1811.	8. 10.	F.b.	— 1531.
6 pallida. B.M.	pale-flowered.	—	1806.	—	F.b.	Jacq. ic. 2. t. 262.
7 longiflora. B.M.	long-flowered.	—	1774.	6. 8.	F.b.	Botan. magaz. 256.
<i>Hexaglottis longiflora</i> . v. <i>Gladiolus longiflorus</i> . Jacq.	<i>Ixia longiflora</i> . B.M.					
8 tenuiflora. B.M.	slender-flow'r'd.	—	1811.	4. 6.	F.b.	Botan. magaz. 1502.
9 concolor.	self-coloured.	—	—	—	F.b.	— 1502.f.minor.
10 Rocheana.	bending-fl'd.	—	—	8.	F.b.	— 1503.
11 pectinata. B.M.	pectinated.	—	1825.	5. 6.	F.b.	—
12 striata. B.M.	streaked.	—	—	—	F.b.	Jacq. ic. 2. t. 260.
13 lineata. B.M.	pencilled.	—	1774.	—	F.b.	Botan. magaz. 487.
14 securigera. B.M.	copper-color'd.	—	—	5.	F.b.	— 383.
15 flava. B.M.	yellow.	—	1780.	4. 6.	F.b.	Botan. regist. 747.
16 refracta. B.R.	reflexed.	—	1815.	5. 6.	F.b.	— 135.
17 squalida. B.M.	sweet-scented.	—	1774.	—	F.b.	Botan. magaz. 581.
18 fenestrata. B.M.	open-flowered.	—	1801.	—	F.b.	— 704.
19 crocata. B.M.	Crocus-flow'r'd.	—	1758.	—	F.b.	— 184.
<i>Ixia crocata</i> . B.M.						
20 deusta. B.M.	spotted.	—	1774.	—	F.b.	Botan. magaz. 622.
21 miniata. B.M.	late-flowered.	—	1795.	8.	F.b.	— 609.
22 xanthospila. s.s.	yellow-spotted.	—	1825.	5. 6.	F.b.	Redout. lil. 3. t. 124.
IXIA. Ker.	IXIA.	Triandria Monogynia.	L.			
1 linearis. H.K.	slender.	C. B. S.	1796.	4. 5.	F.b.	Botan. magaz. 570.
2 capillaris. B.M.	capillary.	—	1774.	—	F.b.	— 617.
3 aulica. H.K.	rose-coloured.	—	—	—	F.b.	— 1013.
4 fucata. B.M.	painted.	—	—	6. 7.	F.b.	— 1379.
5 incarnata. Jacq.	flesh-coloured.	—	—	—	F.b.	Jacq. ic. 2. t. 282.
6 aristata. B.M.	salver-flower'd.	—	1800.	—	F.b.	Botan. magaz. 589.
7 flexuosa. B.M.	flexuose.	—	1757.	4. 5.	F.b.	— 624.
8 hybrida. B.M.	spurious.	—	—	—	F.b.	— 128.
9 leucantha. P.S.	white-flowered.	—	1779.	5. 8.	F.b.	Jacq. ic. 2. t. 278.
10 patens. B.M.	spreading-fl'd.	—	—	4. 6.	F.b.	Botan. magaz. 522.
11 crateroides. B.M.	crimson.	—	1778.	—	F.b.	— 594.
12 monadelpha. B.M.	monadelphous.	—	1792.	—	F.b.	— 607.
13 curta. A.R.	shortened.	—	—	—	F.b.	Andr. reposit. t. 554.
<i>monadelpha β</i> . B.M.	1378.					
14 columellaris. B.M.	variegated.	—	1790.	6. 8.	F.b.	Botan. magaz. 630.
15 conica. B.M.	orange-color'd.	—	1757.	4. 5.	F.b.	— 539.

16	<i>dubia</i> . R.S.	doubtful.	C. B. S.	4. 5.	F.b.	Redout. lil. 2. t. 64.
17	<i>viridiflora</i> . R.S.	green-flowered.	_____	1780.	5. 6.	F.b.	Botan. magaz. 549.
18	<i>maculata</i> . W.	spot-flowered.	_____	_____	_____	F.b.	Jacq. schœn. t. 20. 21. &c
19	<i>ovata</i> .	ovate-spiked.	_____	_____	_____	F.b.	Andr. reposit. 23.
20	<i>capitata</i> . A.R.	headed.	_____	_____	_____	F.b.	_____ 159.
21	<i>ochroleuca</i> .	cream-colour'd.	_____	1809.	_____	F.b.	Botan. magaz. 1285.
22	<i>erecta</i> . H.K.	upright.	_____	1757.	_____	F.b.	Jacq. schœn. 1. t. 18.
	<i>a albiflora</i> .	white-flowered.	_____	_____	_____	F.b.	Botan. magaz. 623.
	<i>β incarnata</i> .	flesh-coloured.	_____	_____	_____	F.b.	Andr. reposit. 155.
	<i>γ lutca</i> .	yellow-flowered.	_____	_____	_____	F.b.	Botan. magaz. 546.
23	<i>retusa</i> . H.K.	sweet-scented.	_____	1793.	2. 4.	F.b.	Jacq. ic. 2. t. 275.
	<i>polystachia</i> . B.M. 629.	_____	_____	_____	_____	_____	_____
21	<i>scillaris</i> . B.M.	Squill-flower'd.	_____	1787.	_____	F.b.	Botan. magaz. 542.
25	<i>crispa</i> . B.M.	curled-leaved.	_____	_____	4. 5.	F.b.	_____ 599.
MELASPHÆRULA . Ker. MELASPHÆRULA. Triandria Monogynia. H.K.							
1	<i>iridifolia</i> . B.F.G.	Iris-leaved.	C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2	<i>intermedia</i> .	intermediate.	_____	1787.	4. 8.	F.b.	Botan. magaz. 615.
	<i>graminea</i> . B.M. excl. synonym.	_____	_____	_____	_____	_____	_____
3	<i>graminea</i> .	grass-leaved.	_____	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 236.
	<i>Gladiolus gramineus</i> . Jacq.	<i>Diasia graminifolia</i> . Red. lil. t. 163.	_____	_____	_____	_____	_____
HESPERANTHA . Ker. EVENING-FLOWER. Triandria Monogynia. H.K.							
1	<i>cinnamomea</i> . H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 1054.
2	<i>falcata</i> . H.K.	sickle-leaved.	_____	_____	_____	F.b.	_____ 566.
3	<i>graminifolia</i> .	Grass-leaved.	_____	1808.	8. 9.	F.b.	_____ 1254.
4	<i>pilosa</i> . H.K.	hairy.	_____	1811.	4. 5.	F.b.	_____ 1475.
5	<i>angusta</i> . B.M.	narrow-leaved.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 279.
	<i>Ixia angusta</i> . Jacq.	_____	_____	_____	_____	_____	_____
6	<i>radiata</i> . H.K.	nodding-fl'd.	_____	1794.	4. 6.	F.b.	Botan. magaz. 573.
GEISSORHIZA . Ker. TILE-ROOT. Triandria Monogynia. H.K.							
1	<i>Rocheana</i> .	plaid.	C. B. S.	1790.	5.	F.b.	Botan. magaz. 598.
2	<i>setacea</i> . B.M.	bristle-leaved.	_____	1809.	6. 7.	F.b.	_____ 1255.
3	<i>obtusata</i> . H.K.	pale-yellow.	_____	1801.	5.	F.b.	_____ 672.
4	<i>vaginata</i> . B.F.G.	sheathed.	_____	1825.	6. 9.	F.b.	Swt. br. fl. gar. 138.
5	<i>secunda</i> . B.M.	one-ranked.	_____	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
	<i>α cœrulea</i> .	blue-flowered.	_____	_____	_____	F.b.	Botan. magaz. 597.
	<i>β albescens</i> .	whitish-flowered.	_____	_____	_____	F.b.	_____ 1105.
6	<i>sublutea</i> . B.M.	yellowish.	_____	1825.	_____	F.b.	_____
	<i>Ixia sublutea</i> . Lam.	_____	_____	_____	_____	_____	_____
7	<i>imbricata</i> . B.M.	imbricated.	_____	_____	_____	F.b.	_____
8	<i>hirta</i> . B.M.	hairy.	_____	_____	_____	F.b.	_____
9	<i>ciliaris</i> . Sal	fringed.	_____	_____	F.b.	_____
10	<i>excisa</i> . B.M.	dwarf cut-ld.	_____	1789.	4. 5.	F.b.	Botan. magaz. 584.
	<i>Ixia excisa</i> . B.M.	_____	_____	_____	_____	_____	_____
TRICHONEMA . Ker. TRICHONEMA. Triandria Monogynia. H.K.							
1	<i>Bulbocodium</i> . H.K.	channel-leav'd.	S. Europe.	1739.	3. 4.	H.b.	Botan. magaz. 265.
2	<i>purpurascens</i> .	purple.	Naples.	1825.	_____	H.b.	Ten. fl. nap. v. 1. t. 2.
	<i>Ixia purpurascens</i> . T.S.	_____	_____	_____	_____	_____	_____
3	<i>Columnæ</i> . T.P.	Columna's.	_____	_____	_____	H.b.	_____
4	<i>cœlestinum</i> .	blue.	N.America.	1820.	_____	H.b.	Bartr. it. t. 3.
	<i>Ixia cœlestina</i> . Ph.	_____	_____	_____	_____	_____	_____
5	<i>roseum</i> . B.M.	rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Botan. magaz. 1225.
6	<i>speciosum</i> . B.M.	crimson.	_____	_____	3. 4.	F.b.	_____ 1476.
7	<i>puclium</i> . B.M.	blush.	_____	_____	6. 8.	F.b.	_____ 1244.
8	<i>caulescens</i> . B.M.	caulescent.	_____	1810.	6. 7.	F.b.	_____ 1392.
9	<i>monadelphum</i> .	monadelphous.	_____	1825.	6. 8.	F.b.	_____
10	<i>cruciatum</i> . B.M.	square-leaved.	_____	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
11	<i>quadrangulum</i> .	quadrangular.	_____	1825.	_____	F.b.	_____
	<i>Ixia quadrangula</i> . R.S.	_____	_____	_____	_____	_____	_____
12	<i>recurvum</i> . S.S.	recurved-ld.	_____	1812.	5. 7.	F.b.	Redout. lil. 5. p. 251. f. 1.
13	<i>chloroleucum</i> . B.M.	milk-coloured.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 270.
CROCUS . L. CROCUS. Triandria Monogynia. L.							
1	<i>vernus</i> . E.B.	spring.	England.	2. 4.	H.b.	Eng. bot. 344.
	<i>β neapolitanus</i> . R.S.	<i>Neapolitan</i> .	Naples.	_____	H.b.	Botan. magaz. 860.
	<i>γ obovatus</i> . R.S.	<i>obovate-flowered</i> .	S. Europe.	_____	H.b.	_____ 2240.
2	<i>striatus</i> . L.en.	striated.	_____	_____	H.b.	_____
3	<i>versicolor</i> . H.K.	party-coloured.	_____	1629.	_____	H.b.	Botan. magaz. 1110.
4	<i>biflorus</i> . H.K.	Scotch.	Crimea.	_____	2. 3.	H.b.	_____ 845.
5	<i>pusillus</i> . R.S.	small.	Italy.	1824.	_____	H.b.	Swt. br. fl. gar. 106.
6	<i>albiflorus</i> . R.S.	white-flowered.	Hungary.	_____	2. 4.	H.b.	_____

7	reticulatus. M.B.	netted.	Caucasus.	1825.	—	H.b.	M. B. cent. pl. rar. t.1.
8	susianus. H.K.	Cloth of Gold.	Turkey.	1605.	2. 3.	H.b.	Botan. magaz. 652.
9	stellaris. H.T.	starry cloth of gold.	S.Europe.	1629.	—	H.b.	Hort. trans. 1. p.136. ic.
10	sulphureus. B.M.	pale yellow.	—	—	—	H.b.	Botan. magaz. 1384.
11	lagenæflorus. P.L.	Gourd-flower'd.	Greece.	—	H.b.	— 2655.
	<i>a pallidus.</i>	<i>pale-flowered.</i>	—	—	H.b.	Sal. par. lond. 106.
	<i>β aureus.</i>	<i>golden.</i>	—	—	H.b.	Flor. græc. 35.
12	mæsiacus. B.M.	great yellow.	—	1629.	—	H.b.	Bot. mag. 1111, & 45.
13	sativus. R.S.	saffron.	England.	9. 10.	H.b.	Eng. bot. 343.
14	serotinus. R.S.	late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Botan. magaz. 1267.
15	Pallasii. M.B.	autumnal.	Tauria.	—	H.b.	—
	<i>autumnalis. R.S.</i>	—	—	—	—	—	—
16	nudiflorus. E.B.	naked-flow'r'd.	England.	10. 11.	H.b.	Eng. bot. 491.

ORDO CLXXIX.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDORFIA. L.		WACHENDORFIA.		Triandria Monogynia.		L.	
1	thyrsiflora. R.S.	tall-flowered.	C. B. S.	1759.	5. 6.	G. 2.	Botan. magaz. 1060.
2	paniculata. R.S.	paniced.	—	1700.	2. 5.	F. b.	— — — — 616.
3	Herberti.	Herbert's.	—	1823.	—	F. b.	— — — — 2610.
	<i>paniculata. β. H. in B.M.</i>	—	—	—	—	—	—
4	hirsuta. R.S.	hairy.	—	1687.	4. 6.	F. b.	Botan. magaz. 614.
5	brevifolia. B.M.	short-leaved.	—	1795.	3. 4.	F. b.	— — — — 1166.
6	Breyntiana. R.S.	Breyntius's.	—	1825.	—	F. b.	Breyn. cent. f. 37.
7	graminea. S.S.	Grass-leaved.	—	1810.	6.	G. 2.	—
8	tenella. R.S.	slender-leaved.	—	1816.	—	G. 2.	—
XIPHIDIUM. J.		XIPHIDIUM.		Triandria Monogynia.		W.	
1	albidum. S.S.	white.	W. Indies.	1787.	6. 8.	S. 2.	Sw. fl. ind. oc. 1. t. 2.
	<i>floribundum. Swartz.</i>	—	—	—	—	—	—
2	cœruleum. S.S.	blue.	—	1793.	—	S. 2.	Aub. gni. 1. t. 11.
HÆMODORUM. B.P.		HÆMODORUM.		Triandria Monogynia.		R.S.	
1	planifolium. B.P.	flat-leaved.	N. S. W.	1810.	7. 11.	F. 2.	Botan. magaz. 1610.
2	teretifolium. B.P.	round-leaved.	—	1822.	—	F. 2.	—
DILATRIS. Ker.		DILATRIS.		Triandria Monogynia.		R.S.	
1	corymbosa. W.	broad-petaled.	C. B. S.	1790.	5. 6.	F. 2.	Sm. exot. bot. 1. t. 16.
	<i>umbellata. L.</i>	—	—	—	—	—	—
2	viscosa. W.	clammy.	—	1795.	—	F. 2.	—
3	paniculata. W.	paniced.	—	1825.	—	F. 2.	—
GYROTHECA. H.T.		GYROTHECA.		Triandria Monogynia.		L.	
	<i>tinctoria.</i>	red-rooted.	N. America.	1812.	6. 7.	H. 2.	Mich. amer. 1. t. 4.
	<i>Lachnanthes tinctoria.</i>	—	—	—	—	—	—
LOPHIOLA. B.M.		LOPHIOLA.		Hexandria Monogynia.		B.M.	
	<i>aurea. B.M.</i>	golden-flow'r'd.	N. America.	1811.	5. 7.	H. 2.	Botan. magaz. 1596.
	<i>Conostylis americana. Ph.</i>	—	—	—	—	—	—
LANARIA. W.		LANARIA.		Hexandria Monogynia.		W.	
	<i>plumosa. W.</i>	woolly.	C. B. S.	1787.	—	G. 2.	—
CONOSTYLIS. B.P.		CONOSTYLIS.		Hexandria Monogynia.		S.S.	
1	aculeata. B.P.	prickly-leaved.	N. Holland.	1824.	F. 2.	—
2	serrulata. B.P.	serrulate.	—	—	F. 2.	—
ANIGOZANTHOS. B.P.		ANIGOZANTHOS.		Hexandria Monogynia.		L.	
1	flavida. B.P.	russet-green.	N. Holland.	1803.	5. 9.	F. 2.	Botan. magaz. 1151.
2	rufa. B.P.	rnfous.	—	1824.	F. 2.	Labill. voy. 1. t. 22.

ORDO CLXXX.

HYPOXIDÆ. *Brown.*

HYPOXIS. L.		HYPOXIS. Hexandria Monogynia. L.			
1 juncea. w.	rushy.	Carolina.	1787.	6. 7.	H.b. Sm. spic. 15. t. 16.
2 hygrometrica. B.P.	hairy-leaved.	N.Holland.	1820.	—	F.b. Lab. nov. holl. 1. t. 8.
3 alba. w.	white.	C. B. S.	1806.	—	F.b. Lodd. bot. cab. 1074.
4 linearis. A.R.	linear-leaved.	—	1792.	4. 5.	F.b. Andr. reposit. 171.
5 stellata. w.	yellow starry.	—	1752.	4. 6.	F.b. Botan. magaz. 662.
6 elegans. P.S.	white starry.	—	—	—	F.b. ———— 1223.
	<i>stellata</i> β. B.M. <i>certainly a distinct species.</i>				
7 serrata. w.	saw-leaved.	—	1788.	6. 7.	F.b. Botan. magaz. 709.
8 ovata. w.	smooth-leaved.	—	1806.	2. 5.	F.b. ———— 1010.
9 veratrifolia. w.	plaited-leaved.	—	1788.	6. 7.	F. 2. Jacq. ic. 2. t. 367.
	<i>plicata</i> . Jacq.				
10 carolinensis. M.	Carolina.	Carolina.	1822.	—	F.b. Mill. ic. 1. t. 39. f. 2.
11 decumbens. w.	decumbent.	Jamaica.	1755.	6. 9.	S. 2. Botan. regist. 663.
12 stellipilis. B.R.	starry-haired.	C. B. S.	1821.	6. 12.	F. 2. Andr. reposit. 195.
13 obliqua. w.	oblique-leaved.	—	1795.	6. 7.	F. 2.
14 pratensis. B.P.	field.	N. S. W.	1822.	—	F.b. Botan. magaz. 710.
15 erecta. s.s.	upright.	N.America.	1752.	6. 7.	H.b. ———— 711.
16 sobolifera. w.	creeping.	C. B. S.	1774.	6. 9.	F. 2. Jacq. ic. 2. t. 307.
17 villosa. w.	villous.	—	—	—	F. 2. Botan. regist. 169.
18 obtusa. B.R.	obtuse.	—	1816.	—	F. 2.
19 aquatica. w.	water.	—	1787.	6. 7.	F. 2.
CURCULIGO. B.P.		CURCULIGO. Hexandria Monogynia. S.S.			
1 plicata. B.R.	plaited.	C. B. S.	1788.	6. 7.	F. b. Jacq. schœn. 1. t. 80.
	<i>β glabra</i> .	—	1816.	—	F.b. Botan. regist. 345.
2 orchoides. s.s.	narrow-leaved.	E. Indies.	1800.	—	S. 2. Roxb. corom. 1. t. 13.
3 brevifolia. s.s.	short-leaved.	—	1804.	5. 7.	S. 2. Botan. magaz. 1076.
4 latifolia. s.s.	broad-leaved.	—	—	5. 8.	S. 2. Botan. regist. 754.
5 sumatrana. B.C.	Sumatra.	Sumatra.	1818.	—	S. 2. Lodd. bot. cab. 443.
6 recurvata. s.s.	recurved.	Bengal.	1805.	—	S. 2. Botan. regist. 770.

ORDO CLXXXI.

AMARYLLIDÆ. *Brown prodr. p. 296.*

STERNBERGIA. W.K.		STERNBERGIA. Hexandria Monogynia.			
1 colchiciflora. B.R.	Colchicum-fl.	Hungary.	1816.	9. 10.	H.b. W. et K. hung. 2. t. 157.
2 Clusiana. B.R.	Clusius's.	Constantinople.	—	—	H.b. Clus. hist. 1. t. 163.
3 lutea. B.R.	common yellow.	S. Europe.	1596.	—	H.b. Botan. magaz. 290.
	<i>Amaryllis lutea</i> . B.M.				
	<i>β angustifolia</i> .	narrow-leaved.	—	—	H.b.
ZEPHYRANTHES. H.A.		ZEPHYRANTHES. Hexandria Monogynia.			
1 chloroleuca. H.A.	one-leaved.	5. 8.	G.b. Ker's rev. pl. 8. f. 1.
2 Atamasco. H.A.	Atamasco Lily.	N.America.	1629.	5. 6.	H.b. Botan. magaz. 239.
	<i>Amaryllis Atamasco</i> . B.M.				
3 tubispatha. H.A.	tube-sheathed.	S. America.	5. 7.	S.b. Botan. magaz. 1586.
	<i>Amaryllis tubispatha</i> . B.M.				
4 candida. B.M.	white-flowered.	Peru.	1822.	7. 10.	H.b. Botan. magaz. 2607.
	<i>Amaryllis candida</i> B.R. 724.				
5 rosea. B.R.	rose-coloured.	Havannah.	—	9. 10.	G.b. Botan. regist. 821.
6 striata. B.M.	striped.	Mexico.	1824.	6. 8.	H.b. Botan. magaz. 2593.
7 verecunda. B.M.	modest.	—	—	—	H.b. ———— 2583.

8	carinata. B.M.	keeled-leaved.	Mexico.	1824.	6. 8.	H.b.	Botan. magaz. 2594.
9	grandiflora. B.R.	large-flowered.	_____	1825.	_____	H.b.	Botan. regist. 902.
HABRANTHUS. B.M. HABRANTHUS. Hexandria Monogynia.							
1	gracilifolius. B.M.	slender-leaved.	S. America.	1823.	9. 11.	G.b.	Botan. magaz. 2464.
2	angustus. B.M.	narrow.	BucnosAyres.	1825.	_____	G.b.	_____ 2639.
3	versicolor. B.M.	changeable.	S. America.	1823.	1. 4.	G.b.	_____ 2485.
4	lorifolius. B.M.	lorate-leaved.	_____	1824.	G.b.	_____ 2485.
5	bifidus. B.M.	two-cleft.	BucnosAyres.	1825.	6. 9.	G.b.	Botan. magaz. 2597.
6	spathacea. B.M.	broad-spathed.	_____	_____	G.b.	_____
AMARYLLIS. L. Hexandria Monogynia. L.							
1	Pumilio. w.	dwarf.	C. B. S.	1774.	11.	G.b.	_____
2	pudica. K.R.	modest.	_____	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
3	blanda. B.M.	charming.	_____	1754.	5. 6.	F.b.	Botan. magaz. 226.
4	Belladonna. w.	Belladonna Lily.	W. Indies?	1712.	7. 9.	H.b.	_____ 783.
5	pallida. H.A.	pale.	C. B. S.	_____	F.b.	Botan. regist. 714.
6	reticulata. w.	netted-veined.	Brazil.	1777.	4. 5.	S.b.	Botan. magaz. 657.
7	striatifolia.	striped-leaved.	_____	1815.	_____	S.b.	Botan. regist. 352.
8	brevifolia. c.c.	short-leaved.	Hybrid.	1821.	1. 12.	S.b.	_____
9	superba. c.c.	superb-flow'r'd.	_____	_____	_____	S.b.	_____
10	grandiflora. c.c.	large-flowered.	_____	_____	_____	S.b.	_____
11	atrorubens. c.c.	dark-red.	_____	_____	_____	S.b.	_____
12	obscura. c.c.	clouded.	_____	_____	_____	S.b.	_____
13	intermedia. c.c.	intermediate.	_____	_____	_____	S.b.	_____
14	sulcata. c.c.	channelled.	_____	_____	_____	S.b.	_____
15	recurvata. c.c.	recurved-fl'd.	_____	_____	_____	S.b.	_____
16	Wellsiana. c.c.	Mr. Wells's.	_____	_____	_____	S.b.	_____
17	Valleti.	Vallets'.	_____	_____	_____	S.b.	_____
<i>Vattesii. c.c. errata.</i>							
18	rugosa. c.c.	rugged.	_____	_____	_____	S.b.	_____
19	rubescens. c.c.	light red.	_____	_____	_____	S.b.	_____
20	purpurascens.	purplish.	_____	_____	_____	S.b.	_____
21	patens.	spreading.	_____	_____	_____	S.b.	_____
22	versicolor.	various-colored.	_____	_____	_____	S.b.	_____
23	costata.	strongly ribbed.	_____	_____	_____	S.b.	_____
24	dioica.	barren-stamen'd.	_____	_____	_____	S.b.	_____
25	amœna.	delightful.	_____	_____	_____	S.b.	_____
26	Colvillii.	Colvill's.	_____	_____	_____	S.b.	_____
27	undulæflora.	wave-flowered.	_____	_____	_____	S.b.	_____
28	palliiflora.	pale-flowered.	_____	_____	_____	S.b.	_____
29	discolor.	two-coloured.	_____	_____	_____	S.b.	_____
30	expansa.	expanded.	_____	_____	_____	S.b.	_____
31	decora. c.c.	neat.	_____	_____	_____	S.b.	_____
32	variegata. c.c.	variegated-fl'd.	_____	_____	_____	S.b.	_____
33	nervifolia.	nerve-leaved.	_____	_____	_____	S.b.	_____
34	phœnicea.	red-purple.	_____	_____	_____	S.b.	_____
35	stenantha.	narrow-fl'd.	_____	_____	_____	S.b.	_____
36	patentissima.	spreading-fl'd.	_____	_____	_____	S.b.	_____
37	bracteata.	large-bracted.	_____	_____	_____	S.b.	_____
38	Annesleyana.	Ld. Mountnorris'.	_____	_____	_____	S.b.	Miss Chapman's ic.
39	striatiflora.	streaked-fl'd.	_____	1823.	_____	S.b.	_____
40	consobrina.	cousin.	_____	_____	_____	S.b.	_____
41	Johnsoni.	Johnson's mule.	_____	1810.	_____	G.b.	Lodd. bot. cab. 159.
<i>spectabilis. B.C.</i>							
42	regina. w.	Mexican Lily.	S. America.	1725.	5. 7.	S.b.	Botan. magaz. 453.
43	palescens.	palish.	Hybrid.	1821.	1. 12.	S.b.	_____
44	rubicunda.	rubicund.	_____	_____	_____	S.b.	_____
45	accedens.	approaching.	_____	_____	_____	S.b.	_____
46	coccinea.	scarlet.	_____	_____	_____	S.b.	_____
47	ringens.	gaping.	_____	_____	_____	S.b.	_____
48	carnescens.	flesh-coloured.	_____	_____	_____	S.b.	_____
49	roseo-alba.	rosy and white.	_____	_____	_____	S.b.	_____
50	spathacea.	large-spathed.	_____	_____	_____	S.b.	Botan. magaz. 2315.
62	imbuta.	stained.	_____	_____	_____	S.b.	_____
53	compacta.	compact.	_____	_____	_____	S.b.	_____
54	consanguinea.	double hybrid.	_____	_____	_____	S.b.	_____
55	vittata. w.	striped.	S. America.	1769.	4. 5.	S.b.	Botan. magaz. 129.
<i>β latifolia. L.col.</i>		<i>broad-leaved.</i>	_____	1816.	_____	G.b.	Lindl. coll. bot. ic.
56	lineata. colla.	lined-flowered.	_____	1820.	_____	S.b.	Coll. hort. rip. ic.
<i>vittata γ. Harrisonia. B.R. 988.</i>							

57	vittifera.	stripe-flower'd.	Hybrid.	1823.	5. 6.	G.b.	
58	pulchra.	pretty.	—	—	4. 8.	G.b.	
59	variabilis.	variable.	—	—	—	G.b.	
60	advena. B.M.	streaked.	S. America.	1807.	5. 6.	S.b.	Botan. magaz. 1125.
61	rutila. K.R.	fiery.	Brazil.	1815.	1. 12.	S.b.	Botan. regist. 23.
62	splendens. H.A.	splendid.	Hybrid.	1819.	—	G.b.	Herb. append. p.52.ic.
63	attenuata.	attenuated.	—	1822.	—	S.b.	
64	punctata.	punctured.	—	—	—	S.b.	
65	fulgida. K.R.	fulgid.	Brazil.	1810.	—	S.b.	Botan. regist. 226.
66	subbarbata.	slightlybeard'd.	—	1823.	—	S.b.	Botan. magaz. 2475.
67	mutabilis.	changeable.	Hybrid.	1822.	—	S.b.	
68	rubro-crocea.	red and saffron.	—	—	—	S.b.	
69	cuprea.	copper-colored.	—	1821.	—	S.b.	
70	crocata. K.R.	saffron-colored.	Brazil.	1810.	4. 6.	S.b.	Botan. regist. 38.
71	stylosa.	long-styled.	Maranham.	1821.	2. 6.	S.b.	Botan. magaz. 2278.
	<i>maranensis.</i> B.R. 719.	<i>Hippeastrum stylosum.</i> B.M.					
72	acuminata. B.R.	acute-flowered.	—	—	4. 8.	S.b.	Bot. regist. 534.
	<i>Hippeastrum pulverulentum.</i> B.M. 2273.						
73	venosa.	veined.	Hybrid.	1822.	10. 6.	G.b.	
74	lateritia.	brick-coloured.	—	—	—	G.b.	
75	fulva.	tawny.	—	—	—	G.b.	
76	tricolor.	three-coloured.	—	—	—	G.b.	
77	glaucescens.	glaucous.	—	—	—	G.b.	
78	Hoodii.	Mr. Hood's.	—	—	—	G.b.	
79	macrantha.	great-flowered.	—	—	—	G.b.	
80	crispiflora.	curl-flowered.	—	—	—	G.b.	
81	breviflora.	short-flowered.	—	—	—	G.b.	
82	dilecta.	choice.	—	—	—	G.b.	
83	tortuliflora.	twisted-flow'r'd.	—	—	—	G.b.	
84	amabilis.	grand.	—	—	—	G.b.	
85	ignescens.	flaming.	—	—	—	G.b.	
86	princeps.	princely.	—	—	—	G.b.	
87	imperialis.	imperial.	—	—	—	G.b.	
88	angusta.	narrow-petal'd.	—	—	—	S.b.	
89	delicata.	delicate.	—	—	—	S.b.	
90	equestris. K.R.	Barbadoes Lily.	W. Indies.	1710.	7. 10.	S.b.	Botan. magaz. 305.
	<i>γ major.</i> B.R.	<i>larger.</i>	—	—	—	S.b.	Botan. regist. 234.
	<i>γ plena.</i>	<i>double-flow'r'd.</i>	—	1809.	—	S.b.	
91	miniata. R.P.	vermilion.	S. America.	—	—	S.b.	
92	solandriflora. L.col.	Solandra-fl'd.	—	1820.	4. 6.	S.b.	Lindl. coll. bot. t. 11.
	<i>a chloroleuca.</i>	<i>dull-coloured.</i>	—	—	—	S.b.	
	<i>β rubro-striata.</i>	<i>red-striped.</i>	—	—	—	S.b.	Botan. magaz. 2573.
	<i>γ purpurascens.</i>	<i>purple-tubed.</i>	—	—	—	S.b.	
	<i>δ striata.</i>	<i>purple-striped.</i>	—	—	—	S.b.	Botan. regist. 876.
93	calyptrata. K.R.	green-flowered.	Brazil.	1816.	5. 8.	S.b.	— 164.
94	anlica. K.R.	crowned.	—	—	1. 6.	S.b.	— 444.
95	psittacina. K.R.	parrot-like.	—	—	1. 12.	S.b.	— 199.
96	retinervia.	netted-nerved.	Hybrid.	1822.	10. 6.	S.b.	
97	tortuosa.	twisted.	—	—	—	S.b.	
98	quadricolor.	four-coloured.	—	—	—	S.b.	
99	multistriata.	many-lined.	—	—	—	S.b.	Miss Chapman ic.
100	canaliculata.	channelled.	—	—	—	S.b.	
101	retiflora.	net-flowered.	—	—	—	S.b.	
102	recurviflora.	recurved-petal'd.	—	—	—	S.b.	
103	sexmaculata.	six-spotted.	—	—	—	S.b.	
104	campanulata.	bell-flowered.	—	—	—	S.b.	
105	formosissima. W.	Jacoea Lily.	S. America.	1658.	5. 6.	F.b.	Botan. magaz. 47.
NERINE. H.A.		NERINE. Hexandria Monogynia.					
1	curvifolia. H.A.	curve-leaved.	C. B. S.	1794.	7. 9.	F.b.	Botan. magaz. 725.
	<i>Amaryllis curvifolia.</i> B.M. <i>Fothergillia.</i> A.R. 163.						
2	corusca. H.A.	brilliant.	—	1809.	—	F.b.	Botan. magaz. 1089.
3	rosea. B.M.	rose-coloured.	—	—	—	F.b.	— 2124.
4	venusta. H.A.	poppy-colored.	—	1806.	6. 8.	F.b.	— 1090.
5	sarniensis. H.A.	Guernsey Lily.	—	1659.	9. 10.	F.b.	— 294.
6	radiata.	Snowdrop-ld.	China.	1758.	. 9.	G.b.	Botan. regist. 596.
	<i>Amaryllis radiata.</i> B.R. <i>Lycoris radiata.</i> H.A.						
7	aurea.	golden.	—	1777.	8. 12.	G.b.	Botan. regist. 611.
	<i>Amaryllis aurea.</i> B.R. <i>Lycoris aurea.</i> H.A.						
8	pulchella. H.A.	pretty.	C. B. S.	1820.	7. 9.	F.b.	Botan. magaz. 2407.

9	<i>flexuosa</i> . H.A.	zigzag.	C. B. S.	1795.	9. 10.	F.b.	Botan. regist. 172.
10	<i>humilis</i> . H.A.	small.	_____	_____	7. 10.	F.b.	Botan. magaz. 726.
11	<i>undulata</i> . H.A.	waved-flow'r'd.	_____	1767.	7. 10.	F.b.	_____ 369.
12	<i>versicolor</i> . H.A.	changeable-col'd.	Hybrid.	1815.	—	F.b.	Herb. append. ic.
STRUMARIA. Ker.		STRUMARIA. Hexandria Monogynia. L.					
1	<i>truncata</i> . w.	truncated.	C. B. S.	1795.	4. 5.	F.b.	Jacq. ic. 2. t. 357.
2	<i>rubella</i> . w.	pale red.	_____	_____	5. 6.	F.b.	_____ 2. t. 358.
3	<i>angustifolia</i> . w.	narrow-leaved.	_____	_____	4. 5.	F.b.	_____ 2. t. 359.
4	<i>linguæfolia</i> . w.	tongue-leaved.	_____	_____	...	F.b.	_____ 2. t. 356.
5	<i>filifolia</i> . B.R.	fine-leaved.	_____	1774.	10. 12.	F.b.	Botan. regist. 440.
6	<i>spiralis</i> . B.M.	spiral-stalked.	_____	_____	4. 8.	F.b.	Botan. magaz. 1383.
7	<i>crispa</i> . B.M.	curled-flower'd.	_____	1790.	—	F.b.	_____ 1363.
		<i>Amaryllis crispa</i> . Jacq. schœn. t. 72.					
8	<i>undulata</i> . w.	waved.	_____	1825.	—	F.b.	Jacq. ic. t. 360.
9	<i>stellaris</i> . B.M.	starry.	_____	1794.	10. 11.	F.b.	Jacq. schœn. 1. t. 71.
10	<i>gemmata</i> . B.M.	gynandrous.	_____	1810.	8. 10.	F.b.	Botan. magaz. 1620.
BRUNSVIGIA. Ker.		BRUNSVIGIA. Hexandria Monogynia. H.K.					
1	<i>laticoma</i> .	broad-headed.	C. B. S.	1818.	3. 6.	F.b.	Botan. regist. 497.
		<i>lucida</i> . H.A. <i>Amaryllis laticoma</i> . B.R.					
2	<i>minor</i> . B.R.	lesser.	_____	1820.	—	F.b.	Botan. regist. 954.
3	<i>multiflora</i> . B.M.	many-flowered.	_____	1752.	6. 8.	F.b.	Bot. magaz. 1619.
		<i>Amaryllis orientalis</i> . w.					
4	<i>Josephinæ</i> . B.R.	Josephine's.	_____	1814.	—	F.b.	Redout. lil. t. 370-372.
		<i>β minor</i> . B.R.					
		smaller.	_____	_____	—	F.b.	Botan. regist. 192, 193.
	<i>γ striata</i> . B.M.	striped-flowered.	_____	1823.	—	F.b.	Botan. magaz. 2578.
5	<i>striata</i> . H.K.	striated.	_____	1795.	9. 10.	F.b.	Jacq. schœn. 1. t. 70.
6	<i>radula</i> . H.K.	rasp-leaved.	_____	1790.	4. 8.	F.b.	_____ 1. t. 68.
7	<i>marginata</i> . H.K.	red-margined.	_____	1795.	9. 10.	F.b.	_____ 1. t. 65.
8	<i>falcata</i> . B.M.	sickle-leaved.	_____	1774.	5. 6.	F.b.	Botan. magaz. 1443.
		<i>Amaryllis falcata</i> . w. <i>Ammocharis falcata</i> . H.A.					
9	<i>coranica</i> .	Mr. Burchell's.	_____	1816.	7. 8.	F.b.	Botan. regist. 139.
		<i>Amaryllis coranica</i> . B.R. <i>Ammocharis coranica</i> . H.A.					
10	<i>ciliaris</i> . B.R.	fringed-leaved.	_____	1752.	6. 8.	F.b.	Breyn. cent. t. 39.
		<i>Hemanthus ciliaris</i> . w. <i>Buphane ciliaris</i> . H.A.					
11	<i>toxicaria</i> . B.R.	Poison-bulb.	_____	1774.	9. 10.	F.b.	Botan. regist. 567.
		<i>Hemanthus toxicarius</i> . w. <i>Buphane toxicaria</i> . H.A.					
12	<i>disticha</i> .	distichous.	_____	1823.	...	F.b.	Patters. iter. t. 1.
		<i>Amaryllis disticha</i> . Pat. <i>Buphane disticha</i> . B.M.					
PHYCÉLLA. B.R.		PHYCÉLLA. Hexandria Monogynia.					
1	<i>igneæ</i> . B.R.	fiery.	Chili.	1824.	8. 10.	G.b.	Botan. regist. 809.
2	<i>cyrtanthoides</i> . B.R.	Cyrtanthus-like.	_____	1821.	6. 8.	G.b.	Botan. magaz. 2399.
		<i>Amaryllis cyrtanthoides</i> . B.M.					
GRIFFINIA. B.R.		GRIFFINIA. Hexandria Monogynia. B.R.					
1	<i>hyacinthina</i> . B.R.	largest.	Brazil.	1815.	6. 9.	S.b.	Botan. regist. 163.
		<i>Amaryllis hyacinthina</i> . B.R.					
2	<i>intermedia</i> . B.R.	intermediate.	_____	1825.	5. 7.	S.b.	_____ 990.
3	<i>parviflora</i> . B.R.	small flowered.	_____	1820.	—	S.b.	_____ 511.
HÆMANTHUS. W.		BLOOD-FLOWER. Hexandria Monogynia. L.					
1	<i>coccineus</i> . s.s.	salmon-colour'd.	C. B. S.	1629.	8. 10.	F.b.	Botan. magaz. 1075.
2	<i>coarctatus</i> . s.s.	compressed.	_____	1795.	2. 3.	F.b.	Botan. regist. 181.
3	<i>tigrinus</i> . s.s.	Tiger-spotted.	_____	1790.	12. 2.	F.b.	Botan. magaz. 1705.
4	<i>rotundifolius</i> . s.s.	round-leaved.	_____	_____	6. 10.	F.b.	_____ 1618.
5	<i>crassipes</i> . s.s.	thick-leaved.	_____	1816.	—	F.b.	_____
6	<i>hyalocarpus</i> . s.s.	clear-berried.	_____	_____	—	F.b.	_____
7	<i>quadrivalvis</i> . s.s.	four-valved.	_____	1790.	9. 10.	G.b.	Botan. magaz. 1523.
8	<i>humilis</i> . s.s.	small.	_____	1825.	—	F.b.	_____
9	<i>pumilio</i> . s.s.	dwarf.	_____	1789.	8. 9.	F.b.	Jacq. schœn. 1. t. 61.
10	<i>pubescens</i> . s.s.	villous-leaved.	_____	1774.	—	F.b.	Botan. regist. 382.
11	<i>albiflos</i> . w.	smooth broad-ld.	_____	1791.	4. 8.	F.b.	_____ 984.
12	<i>carneus</i> . s.s.	flesh-coloured.	_____	1819.	6. 8.	F.b.	_____ 509.
13	<i>lanœæfolius</i> . s.s.	spear-leaved.	_____	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 60.
14	<i>carinatus</i> . P.S.	keel-leaved.	_____	1759.	8. 9.	F.b.	_____
15	<i>amarylloides</i> . s.s.	Amaryllis-like.	_____	1825.	—	F.b.	_____
16	<i>moschatatus</i> . s.s.	musk-scented.	_____	1816.	—	F.b.	_____
17	<i>sanguineus</i> . s.s.	crimson.	_____	1820.	6. 8.	F.b.	_____
18	<i>puniceus</i> . s.s.	waved-leaved.	_____	1722.	5. 9.	G.b.	Botan. magaz. 1315.
19	<i>multiflorus</i> . s.s.	many-flowered.	Sierra Leon.	1783.	5. 9.	S.b.	_____ 1995 & 961.
CRINUM. H.A.		CRINUM. Hexandria Monogynia. L.					
1	<i>longiflorum</i> . H.A.	long-flowered.	W. Indics.	1816.	5. 8.	S.b.	Botan. regist. 303.
		<i>Amaryllis longifolia</i> γ <i>longiflora</i> . B.R.					

2	aquaticum. H.A.	water.	C. B. S.	1816.	5. 8.	G.b.	Botan. magaz. 2352.
3	revolutum. H.A.	revolute.	————	1774.	9.	G.b.	Botan. regist. 623.
	<i>Amaryllis revoluta.</i>	A.-B.R.					
4	crassifolium. H.A.	thick-leaved.	————	————	————	G.b.	———— 615.
	<i>Amaryllis revoluta.</i>	B.-B.R.					
5	riparium. H.A.	bank.	————	1816.	6. 9.	G.b.	Botan. regist. 546.
6	capense. H.A.	common Cape.	————	1752.	7. 9.	H.b.	Botan. magaz. 661.
	<i>Amaryllis longifolia.</i>	B.M.					
7	flaccidum. H.A.	flaccid.	N. S. W.	1820.	————	G.b.	———— 2133.
	<i>Amaryllis australasica.</i>	B.R. 426.					
8	arenarium. B.M.	sand.	N. Holland.	1818.	5. 8.	S.b.	Botan. magaz. 2355.
	<i>β blandum.</i>	blush-flowered.	————	1821.	————	S.b.	———— 2531.
9	confertum. B.M.	crowded-fl.	————	1822.	6. 7.	S.b.	Botan. magaz. 2522.
10	angustifolium. B.P.	rough-edged.	————	1823.	————	S.b.	————
11	Goweni.	Gowen's hybrid.	Hybrid.	————	H.b.	Hort. trans. ic.
12	formosum. H.A.	handsome.	Brazil.	1820.	S.b.	————
13	moluccanum. H.A.	Molucca.	Moluccas.	1819.	————	S.b.	Botan. magaz. 2292.
14	speciosum. H.A.	specious.	E. Indies.	————	————	S.b.	———— 2217.
15	insigne.	noble.	————	————	4. 8.	S.b.	Botan. regist. 579.
	<i>Amaryllis insignis.</i>	B.R.					
16	latifolium. H.A.	broad-leaved.	————	1806.	7. 9.	S.b.	Rheed. mal. 11. t. 39.
17	zeylanicum. H.A.	Ceylon.	Ceylon.	1771.	7. 8.	S.b.	Botan. magaz. 1171.
	<i>Amaryllis zeylanica.</i>	B.M.					
18	scabrum. H.A.	rough-leaved.	S. America.	1810.	1. 12.	S.b.	Botan. magaz. 2180.
19	Careyanum. B.M.	Dr. Carey's.	Mauritius.	1820.	————	S.b.	———— 2466.
20	submersum. B.M.	lake.	Brazil.	1823.	8. 10.	S.b.	———— 2463.
21	giganteum. A.R.	gigantic.	Sierra Leon.	1792.	7. 8.	S.b.	Andr. reposit. 169.
	<i>petiolatum.</i>	H.A. <i>Amaryllis gigantea.</i>	B.M. 923.				
22	distichum. H.A.	distichous.	Sierra Leon.	1740.	6. 10.	S.b.	Botan. magaz. 1253.
	<i>Amaryllis ornata.</i>	B.M.					
23	yuccæides. H.A.	Yucca-flow'r'd.	————	————	————	S.b.	————
24	Broussoneti. H.A.	Broussonet's.	————	————	————	S.b.	Botan. magaz. 2121.
25	macrocarpon. H.A.	large-fruited.	Pegu.	1820.	6. 8.	S.b.	————
26	brevilimbium. H.A.	short-limbed.	Pacific Isl.	————	————	S.b.	————
27	sumatranum. K.R.	Sumatra.	Sumatra.	1810.	————	S.b.	————
28	sinicum. H.A.	Chinese.	China.	1819.	————	S.b.	————
29	procerum. H.A.	lofty.	Pegu.	1820.	————	S.b.	————
30	anomalum. H.A.	plaited-leaved.	China.	1822.	S.b.	————
31	canaliculatum. K.R.	channel-leaved.	E. Indies.	1810.	4. 8.	S.b.	————
32	exaltatum. H.A.	high.	————	1820.	————	S.b.	————
33	pedunculatum. B.P.	New Holland.	N. S. W.	1790.	————	G.b.	Botan. regist. 52.
34	bracteatum. B.R.	short-leaved.	Mauritius.	1810.	6. 8.	S.b.	———— 179.
	<i>brevifolium.</i>	H.A.					
	<i>β angustifolium.</i>	H.A. narrow-leaved.				S.b.	
35	asiaticum. K.R.	Poison-bulb.	China.	1732.	————	S.b.	Botan. magaz. 1073.
	<i>toxicarium.</i>	H.A.					
36	elegans. H.A.	elegant.	Pegu.	1820.	9. 11.	S.b.	———— 2592.
37	verecundum. H.A.	blush.	E. Indies.	————	6. 9.	S.b.	————
38	canalifolium. H.A.	channelled.	————	————	————	S.b.	————
39	Commelin. K.R.	Commelin's.	S. America.	1798.	————	S.b.	Jacq. schœn. 2. t. 202.
40	lorifolium. K.R.	lorate-leaved.	E. Indies.	1819.	————	S.b.	————
41	longifolium. K.R.	long-leaved.	————	1810.	————	S.b.	————
42	mauritianum. B.M.	Mauritius.	Mauritius.	1816.	————	S.b.	Lodd. bot. cab. 650.
43	venustum. H.A.	pretty.	E. Indies.	1820.	S.b.	————
44	multiflorum. Desf.	many-flowered.	1822.	4. 8.	S.b.	————
45	amœnum. K.R.	delightful.	E. Indies.	1810.	————	S.b.	————
46	humile. B.M.	humble.	————	1816.	————	S.b.	Botan. magaz. 2636.
47	americanum. W.	American.	S. America.	1752.	7. 8.	S.b.	———— 1034.
48	strictum. B.M.	upright.	————	1820.	4. 8.	S.b.	———— 2635.
49	ensifolium. K.R.	sword-leaved.	E. Indies.	————	————	S.b.	———— 2301.
50	defixum. K.R.	marsh.	————	1810.	————	S.b.	———— 2208.
51	declinatum. H.A.	declined.	————	1819.	————	S.b.	———— 2231.
52	brachyandrum. K.R.	short-anthered.	N. Holland.	————	————	S.b.	————
53	angustum. K.R.	angust.	Mauritius.	————	————	S.b.	Botan. magaz. 2397.
54	anabile. K.R.	beautiful.	E. Indies.	1810.	1. 12.	S.b.	———— 1605.
55	cruentum. B.R.	red-flowered.	S. America.	————	6. 8.	S.b.	Botan. regist. 171.
56	crubescens. K.R.	blush-coloured.	————	1789.	————	S.b.	Botan. magaz. 1232.
	<i>α rubrilimbium.</i>	H.A. red-limbed.				S.b.	
	<i>β major.</i>	H.A. larger.				S.b.	
	<i>γ minor.</i>	H.A. smaller.				S.b.	

57 hybridum. B.M.	hybrid.	Hybrid.	—	S.b.	Botan. magaz. 2336.
VALLOTA. H.A.	VALLOTA.	Hexandria Monogynia.				
purpurea. H.A.	purple-stalked.	C. B. S.	1774.	5. 8.	F.b.	
<i>Amaryllis purpurea.</i> w.						
<i>a major.</i>	<i>larger.</i>	—	—	—	F.b.	Botan. magaz. 1430.
<i>β minor.</i>	<i>lesser.</i>	—	—	—	F.b.	Botan. regist. 552.
GASTRONEMA. H.A.	GASTRONEMA.	Hexandria Monogynia.				
clavatum. H.A.	clavate.	C. B. S.	1816.	5. 8.	F.b.	Botan. magaz. 2291.
<i>Cyrtanthus uniflorus.</i> B.R. 168.						
CYRTANTHUS. W.	CYRTANTHUS.	Hexandria Monogynia. W.				
1 obliquus. w.	oblique-leaved.	C. B. S.	1774.	5. 8.	G.b.	Botan. magaz. 1133.
2 striatus. B.M.	striped.	—	1823.	—	G.b.	— 2534.
3 spiralis. B.R.	spiral-leaved.	—	1790.	—	G.b.	Botan. regist. 167.
4 collinus. B.R.	hill.	—	1816.	—	G.b.	— 162.
5 pallidus. B.M.	pale-flowered.	—	1822.	—	G.b.	Botan. magaz. 2471.
6 ventricosus. w.	bellied.	—	1770.	—	G.b.	Jacq. schœn. 1. t. 76.
7 angustifolius. w.	narrow-leaved.	—	1774.	5. 6.	G.b.	Botan. magaz. 271.
8 odorus. B.R.	sweet-scented.	—	1818.	5. 7.	G.b.	Botan. regist. 503.
STENOMESSON. H.A.	STENOMESSON.	Hexandria Monogynia.				
1 flavum. B.M.	slender-tooth'd.	Peru.	1823.	5. 11.	G.b.	Botan. magaz. 2641.
<i>Chrysihiala flava.</i> B.R. 778.						
2 curvidentatum. B.M.	curve-toothed.	—	1824.	—	G.b.	Botan. magaz. 2640.
3 pauciflorum.	few-flowered.	—	1822.	—	G.b.	Hook. ex. flor. 132.
<i>Chrysihiala pauciflora.</i> H.E.F.						
CHLIDANTHUS. H.A.	CHLIDANTHUS.	Hexandria Monogynia.				
fragens. H.A.	yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Botan. regist. 640.
EUCROSIA. B.R.	EUCROSIA.	Hexandria Monogynia.				
bicolor. B.R.	two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Botan. regist. 207.
CALOSTEMMA. B.P.	CALOSTEMMA.	Hexandria Monogynia.				
1 luteum. B.R.	yellow.	N. Holland.	1819.	8. 10.	F.b.	Botan. regist. 421.
2 purpureum. B.P.	purple.	—	—	—	F.b.	— 422.
3 album. B.P.	white-flowered.	—	1824.	—	G.b.	
EURYCLES. Sal.	EURYCLES.	Hexandria Monogynia.				
1 nuda.	naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.	
<i>Crinum nervosum.</i> H.B.						
2 alata.	wing-stamen'd.	N. Holland.	1821.	—	S.b.	Botan. regist. 715.
<i>Pancratium australasicum.</i> B.R.						
3 coronata.	crowned.	E. Indies.	1759.	—	S.b.	Botan. magaz. 1419.
<i>Pancratium amboinense.</i> B.M. <i>Proiphys amboinensis.</i> H.A.						
PANCRATIUM. W.	PANCRATIUM.	Hexandria Monogynia.				
1 speciosum. K.R.	large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Botan. magaz. 1453.
2 ovatum. K.R.	oval-leaved.	—	—	S.b.	Botan. regist. 43.
3 amœnum. K.R.	handsome.	Guiana.	1790.	—	S.b.	Botan. magaz. 1467.
4 fragrans. L.T.	fragrant.	W. Indies.	—	S.b.	Lodd. bot. cab. 834.
5 guianense. B.R.	Guiana.	Guiana.	1818.	—	S.b.	Botan. regist. 265.
6 caribœum. K.R.	Caribbean.	W. Indies.	1730.	—	S.b.	Botan. magaz. 826.
7 declinatum. B.C.	declining.	Brazil.	—	S.b.	Lodd. bot. cab. 558.
8 undulatum. K.R.	wave-leaved.	S. America.	—	S.b.	
9 expansum. B.M.	expanded.	W. Indies.	1818.	—	S.b.	Botan. magaz. 1941.
10 pedale. B.C.	foot-flowered.	Brazil.	1815.	—	S.b.	Lodd. bot. cab. 809.
11 patens. K.R.	spreading.	W. Indies.	—	S.b.	Redout. lil. 6. t. 380.
12 littorale. K.R.	sea side.	S. America.	1758.	—	S.b.	Jacq. vind. 3. t. 75.
13 Dryandri. K.R.	Dryander's.	—	—	S.b.	Botan. magaz. 825.
14 distichum. H.A.	two-ranked.	—	—	S.b.	
15 angustum. K.R.	narrow-leaved.	—	—	S.b.	Botan. regist. 221.
16 crassifolium. H.A.	thick-leaved.	—	—	S.b.	
17 acutifolium.	acute-leaved.	Mexico.	1824.	—	G.b.	Botan. regist. 940.
<i>mexicanum.</i> B.R. <i>nec aliorum.</i> <i>Hymenocallis litoralis.</i> <i>δ acutifolia.</i> B.M. 2621.						
18 rotatum. K.R.	large-crowned.	Carolina.	1803.	7. 9.	G.b.	Botan. magaz. 827.
19 mexicanum. K.R.	Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl. 3. f. 2.
20 carolinianum. K.R.	Carolina.	Carolina.	1759.	6. 7.	G.b.	— pl. 3. f. 1.
21 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Botan. regist. 161.
<i>carolinianum.</i> B.R. 927. <i>nec aliorum.</i>						
22 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Botan. regist. 174.
23 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Botan. magaz. 718.
24 verecundum. K.R.	Narcissus-ld.	E. Indies.	1776.	6. 8.	G.b.	Botan. regist. 413.
25 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	—	S.b.	Botan. magaz. 2538.

ISMENE. Sal.		ISMENE. Hexandra Monogynia.				
1	nutans. H.A.	nodding.	Brazil.	1810.	6. 8.	S.b. Botan. magaz. 1561.
	<i>Panocratium calathinum.</i> B.M. non R.L.					
2	calathinum. H.A.	cup-flowered.	—————	—————	6. 7.	S.b. Botan. regist. 215.
3	Amancaes. H.A.	Narcissus-flid.	Peru.	1804.	—————	S.b. Botan. magaz. 1224.
	<i>Panocratium Amancaes.</i> B.M. <i>Narcissus Amancaes.</i> R.P. 3. t. 283. f. a.					
NARCISSUS. L.		NARCISSUS. Hexandria Monogynia. L.				
1	obvallaris. H.S.S.	Sibthorp's.	S. Europe.	3. 4.	H.b. Bot. mag. 1301. f. inf.
2	bicolor. B.M.	two-coloured.	Spain.	1629.	4. 5.	H.b. ——— 1187.
	<i>Ajax lorifolius.</i> H.S.S.					
3	tubæflorus. S.P.	tube-flowered.	S. Europe.	3. 5.	H.b.
	<i>Ajax bicolor.</i> H.S.S.					
4	moschatus. B.M.	greater white.	Spain.	1629.	4.	H.b. Botan. magaz. 924.
5	albus. L.T.	white flowered.	—————	1759.	3. 4.	H.b. ——— 1300.
	<i>moschatus. δ.</i> B.M. <i>Ajax albus.</i> H.S.S.					
6	abscissus. H.S.S.	clipt trunk.	———	H.b. Park. parad. t. 107. f. 1.
7	major. B.M.	large.	Spain.	1629.	———	H.b. Botan. magaz. 51.
8	propinquus. S.P.	great jagged.	S. Europe.	———	H.b. ——— 1301. f. sup.
	<i>major β.</i> B.M. <i>Ajax propinquus.</i> H.S.S.					
9	Telamonius. H.S.S.	Telamonian.	—————	———	H.b.
	<i>β plenus.</i> H.S.S.	<i>double Daffodil.</i>	—————	———	H.b.
	<i>γ grandiplenus.</i> H.S.S.	<i>great double.</i>	—————	———	H.b. Park. parad. t. 101. f. 7.
10	nobilis. H.S.S.	noble.	—————	———	H.b.
11	spurius. H.S.S.	spurious.	England.	———	H.b.
12	serratus. H.S.S.	serrate.	—————	———	H.b.
	<i>β suavis.</i> H.S.S.	<i>sweet-scented.</i>	—————	———	H.b.
13	Pseudo-Narcissus.	Daffodil.	—————	3. 4.	H.b. Eng. bot. t. 17.
	<i>β scoticus.</i> H.S.S.	<i>Scotch Daffodil.</i>	Scotland.	———	H.b.
	<i>γ plenus.</i> H.S.S.	<i>double French.</i>	———	H.b. Park. parad. t. 101. f. 9.
	<i>δ plenissimus.</i> H.S.S.	<i>rose double.</i>	———	H.b. ——— t. 101. f. 6.
14	pumilus. S.P.	small wedge-flid.	S. Europe.	3.	H.b. Besl. eyst. 3. fol. 5. f. 4.
	<i>Ajax cuneiflorus.</i> H.S.S.					
15	ninor. B.M.	small.	Spain.	1629.	3. 5.	H.b. Botan. magaz. 6.
16	Macleaii. B.M.	Macleay's.	Levant.	4. 5.	H.b. ——— 2588.
17	Sabini. B.R.	Sabine's.	—————	———	H.b. Botan. regist. 762.
18	tennifolius. L.T.	slender-leaved.	Biscay.	1760.	3. 4.	H.b. Swt. br. fl. gar. 114.
19	lobulatus. H.S.S.	lobed.	———	H.b.
20	obesus. S.P.	inflated.	Portugal.	1796.	———	H.b.
21	albicans. H.S.S.	Trompet Marin.	1629.	———	H.b. Lobel. advers. 462. ic.
22	Bulbocodium. w.	hoop petticoat.	S. Europe.	—————	———	H.b. Botan. magaz. 88.
	<i>Corbularia Bulbocodium.</i> H.S.S.					
23	aurantius. H.S.S.	orange rimmed.	—————	———	———	H.b. Park. parad. t. 71. f. 2.
	<i>Queltia aurantia.</i> H.S.S.					
	<i>β luteo-aurantius.</i>	<i>Butter and eggs.</i>	—————	———	———	H.b.
24	incomparabilis. B.M.	peerless.	Portugal.	———	4. 5.	H.b. Botan. magaz. 121.
25	sulphureus.	self coloured peerless.	1629.	4. 5.	H.b.
	<i>Queltia concolor.</i> H.S.S.					
	<i>β plenus.</i>	<i>double orange crown.</i>	———	H.b.
26	semipartitus. H.S.S.	cloven-cupped.	1818.	3. 4.	H.b.
27	Queltia.	peerless white.	———	4.	H.b.
	<i>Queltia alba.</i> H.S.S.					
	<i>β niveo-aurantius.</i>	<i>Orange Phoenix.</i>	———	H.b.
28	montanus. B.R.	mountain.	Pyrenees.	1620.	———	H.b. Botan. regist. 123.
29	galanthifolius. H.S.	Snowdrop-lid.	—————	1720.	5.	H.b. Park. parad. 73.
30	capax. H.S.S.	capacious.	———	H.b. Redout. lil. 177.
	<i>calathinus.</i> R.L. <i>Queltia capax.</i> H.S.S.					
31	orientalis. L.	oriental.	Levant.	1778.	4. 5.	H.b. Botan. magaz. 948.
	<i>incomparabilis. β.</i> B.M. <i>Schisanthes orientalis.</i> H.S.S.					
32	cernuus. S.P.	drooping.	Portugal.	1620.	4.	H.b. Botan. magaz. 48.
	<i>triandrus.</i> B.M. non L. <i>Ganymedes cernuus.</i> H.S.S. <i>ochroleucus.</i> H.R.					
33	triandrus. L.	white drooping.	S. Europe.	1629.	———	H.b. Park. parad. t. 93. f. 2.
	<i>Ganymedes albus.</i> H.R.					
34	nutans. H.S.S.	yellow cupped.	—————	1789.	3. 5.	H.b. Botan. magaz. 945.
	<i>trilobus.</i> B.M. <i>Ganymedes nutans.</i> H.S.S.					
35	concolor. H.S.S.	self-coloured.	—————	1626.	4.	H.b.
36	striatulus. H.S.S.	faint-striped.	—————	———	H.b.
37	pulchellus. H.S.S.	white-cupped.	—————	1620.	———	H.b.
38	rugulosus. H.S.S.	wrinkle-cupp'd.	—————	———	H.b.
39	odorus. L.	starry-flower'd.	Corsica.	1720.	3.	H.b. Botan. magaz. 934.
	<i>calathinus. a.</i> B.M. <i>Phylogyne odora.</i> H.S.S.					

40	interjectus. H.S.S.	great curled cup.	4.	H.b.		
41	trilobus. L.	three-lobed. Spain. 1629.	3.	H.b.	Botan. magaz. 78.	
	odorus. B.M. <i>Phylogyne triloba</i> . H.S.S. <i>calathina</i> . Sal.					
42	heminalis. H.S.S.	lesser curled cup.	4.	H.b.	Park. parad. t. 93. f. 4.	
43	Jonquilla. B.M.	Jonquil. Spain. 1596.	4. 5.	H.b.	Botan. magaz. 15.	
	<i>β plenus</i> .	<i>double Jonquil</i>	—	H.b.		
44	similis. H.S.S.	lesser Jonquil.	1626.	—	H.b.	
45	bifrons. B.M.	double-faced.	1807.	4.	H.b.	Botan. magaz. 1186.
46	compressus. L.T.	Jasmine Jonquil.	1790.	3. 4.	H.b.	
47	primulinus. H.S.	Cowslip-cupp'd.	—	H.b.	Botan. magaz. 1299.	
	<i>bifrons</i> . <i>β</i> . B.M. <i>Hermione primulina</i> . H.S.S.					
48	tereticaulis. L.T.	cream-colour'd. Levant.	4.	H.b.	Botan. magaz. 1298?	
49	citrinus. H.S.S.	Citroniere.	—	H.b.	— 946.	
	<i>orientalis</i> . <i>γ</i> . B.M.					
50	floribundus. H.S.S.	grand monarque.	—	H.b.		
51	Trewianus. B.M.	Bazelman major.	—	H.b.	Botan. magaz. 940.	
	<i>Hermione grandiflora</i> . H.S.S.					
52	crenulatus. H.S.	Bazelman minor.	—	H.b.	Park. parad. t. 81. f. 5.	
53	Tazetta. L.	French Daffodil.	1626.	—	H.b. — t. 81. f. 3.	
54	fistulosus. H.S.	pipe-stemmed.	—	H.b.		
55	cerinus. H.S.	waxen cupped.	5.	H.b.		
56	Luna. H.S.S.	broad white.	4.	F.b.		
57	papyratus. B.M.	paper white. Italy.	2. 3.	F.b.	Botan. magaz. 947.	
	<i>unicolor</i> . T.N. <i>Hermione papyratus</i> . H.S.S.					
58	italicus. B.M.	Italian.	—	F.b.	— 1188.	
	<i>præcox</i> . T.N. <i>Hermione italica</i> . H.S.S.					
	<i>γ semiplenus</i> .	<i>semidouble</i>	3.	F.b.		
	<i>δ plenus</i> .	<i>double Roman</i>	—	F.b.		
59	gracilis. B.M.	slender.	4.	H.b.	Botan. regist. 816.	
60	tenuor. B.M.	slender 2-flow'r'd. Italy. 1626.	—	H.b.	Botan. magaz. 379.	
61	latifolius. H.S.S.	broad-ld. orange. Levant.	4. 5.	H.b.		
62	multiflorus. H.S.S.	common yellow.	—	H.b.	Botan. magaz. 925.	
	<i>Tazetta</i> . B.M. non L.					
	<i>α aurantius</i> .	<i>great orange</i>	—	H.b.		
	<i>β aureus</i> .	<i>golden</i>	—	H.b.	Botan. magaz. 1026.	
63	obsoletus. H.S.S.	leafy autumnal. Spain. 1629.	9. 10.	H.b.	Park. parad. t. 89. f. 4.	
64	viridiflorus. E.M.	green-flower'd. Barbary. 1620.	—	F.b.	Botan. magaz. 1687.	
	<i>Chloraster fissus</i> . H.P.					
65	poeticus. L.	Poet's. Greece.	4.	F.b.	Park. parad. t. 75. f. 3.	
66	angustifolius. B.M.	narrow-leaved. Switzerland. 1626.	—	H.b.	Botan. magaz. 193.	
67	majalis. B.M.	May-flowering. England?	5.	H.b.	Eng. bot. 275.	
	<i>poeticus</i> . E.B. non L. <i>patellaris</i> . S.P.					
	<i>β exsertus</i> . H.S.S.	<i>long-stamen'd</i>	—	H.b.		
	<i>γ plenus</i> . H.S.S.	<i>double-flowered</i>	—	H.b.	Park. parad. t. 75. f. 1.	
68	biflorus. B.M.	two-flowered.	4. 5.	H.b.	Eng. bot. 276.	
GALANTHUS. L.		SNOWDROP. Hexandria Monogynia. L.				
1	nivalis. w.	common. Britain.	1. 3.	H.b.	Eng. bot. 19.	
2	plicatus. B.R.	plaited. S. Enrope. 1818.	2. 4.	H.b.	Botan. regist. 545.	
LEUCOJUM. L.		SNOWFLAKE. Hexandria Monogynia. L.				
1	vernum. w.	spring. Germany. 1596.	2. 4.	H.b.	Botan. magaz. 46.	
	<i>β carpathicum</i> .	<i>Carpathian</i> . Carp. mount. 1816.	—	H.b.	— 1993.	
2	æstivum. w.	summer. England.	4. 5.	H.b.	— 1210.	
3	pulchellum. P.L.	neat.	—	H.b.	Sal. par. lond. 21.	
4	trichophyllum. P.S.	winter. Barbary. 1812.	1. 2.	F.b.	Botan. regist. 544.	
5	autumnale. w.	autumnal. Portugal. 1629.	9.	F.b.	Botan. magaz. 960.	
GETHYLLIS. L.		GETHYLLIS. Hexandria Monogynia. L.				
1	spiralis. w.	spiral-leaved. C. B. S. 1780.	6. 7.	G.b.	Botan. magaz. 1088.	
2	ciliaris. w.	fringed.	1788.	—	G.b.	Jacq. schœn. 1. t. 79.
3	villosa. w.	hairy.	1787.	—	G.b.	
4	lanceolata. w.	spear-leaved.	1790.	—	G.b.	
ALSTRÆMERIA. W.		ALSTRÆMERIA. Hexandria Monogynia. L.				
1	Ligtu. w.	striped-flow'r'd. Lima. 1776.	2. 4.	S. $\frac{1}{2}$.	Botan. magaz. 125.	
2	Pelegrina. w.	spotted flower'd. Peru. 1753.	6. 9.	F. $\frac{1}{2}$.	Botan. magaz. 139.	
3	Simsii. s.s.	red-flowered. Chili. 1822.	—	F. $\frac{1}{2}$.	— 2353.	
	<i>pulchella</i> . B.M. & H.E.F. 64. non L.					
4	Hookeri.	rose-coloured.	—	F. $\frac{1}{2}$.	Hork. ex. flor. 181.	
	<i>rosea</i> . H.E.F. non R.P.					
5	Flos Martini. B.R.	St. Martin's.	—	F. $\frac{1}{2}$.	Botan. regist. 731.	
	<i>pulchra</i> . B.M. 2421. <i>tricolor</i> . H.E.F. 65.					

6 ovata. s.s.	oval-leaved.	Mexico.	1824.	F. 2. ∞.	Cavan. ic. l. t. 76.
7 Salsilla. w.	climbing.	S.America.	1806.	6. 7.	S. 2. ∞.	Botan. magaz. 1613.
	<i>edulis</i> . A.R. 649.					
8 hirtella. K.s.	hairy.	Mexico.	1824.	S. 2. ∞.	
DORYANTHES. B.P.	DORYANTHES.	Hexandria	Monogynia.	S.S.		
excelsa. B.P.	gigantic.	N. S. W.	1800.	7. 10.	G. 2.	Botan. magaz. 1685.

ORDO CLXXXII.

HEMEROCALLIDÆ. *Brown prodr.* 1. p. 295.

HEMEROCALLIS. S.S.	DAY LILY.	Hexandria	Monogynia.	L.		
1 graminea. B.M.	narrow-leaved.	Siberia.	1759.	6. 7.	H. 2.	Botan. magaz. 873.
2 flava. B.M.	yellow.	_____	1596.	_____	H. 2.	_____ 19.
3 disticha. B.F.G.	fan-like.	China.	1798.	5. 7.	H. 2.	Swt. br. fl. gar. 28.
4 fulva. B.M.	copper-colour'd.	Levant.	1596.	6. 8.	H. 2.	Botan. magaz. 61.
FUNKIA. S.S.	FUNKIA.	Hexandria	Monogynia.	S.S.		
1 alba.	white-flower'd.	Japan.	1790.	8. 9.	H. 2.	Botan. magaz. 1433.
subcordata. s.s.	<i>Hemerocallis japonica</i> .	B.M. <i>alba</i> .	A.R. 75.			
2 cœrulea.	blue-flowered.	_____	_____	6. 8.	H. 2.	Botan. magaz. 894.
ovata. s.s.	<i>Hemerocallis cœrulea</i> .	B.M.				
AGAPANTHUS. W.	AFRICAN LILY.	Hexandria	Monogynia.	L.		
1 umbellatus. w.	large-flowered.	C. B. S.	1692.	8. 2.	G. 2.	Botan. magaz. 500.
β variegatus.	striped-leaved.	_____	_____	_____	G. 2.	
2 præcox. w.en.	early-flowering.	_____	_____	1. 4.	G. 2.	
3 minor. B.C.	small.	_____	_____	_____	G. 2.	Lodd. bot. cab. 42.
POLIANTHES. L.	POLIANTHES.	Hexandria	Monogynia.	L.		
1 gracilis. L.en.	slender.	Brazil.	1822.	8. 10.	S. 2.	
2 tuberosa. w.	common.	E. Indies.	1629.	_____	S. 2.	Botan. regist. 63.
β flore pleno.	double-flowered.	_____	_____	_____	S. 2.	
BLANDFORDIA. B.P.	BLANDFORDIA.	Hexandria	Monogynia.	S.S.		
1 nobilis. B.P.	noble.	N. S. W.	1803.	7. 8.	G. 2.	Botan. regist. 286.
2 grandiflora. B.P.	large-flowered.	_____	1812.	_____	G. 2.	_____ 911.
TRITOMA. B.M.	TRITOMA.	Hexandria	Monogynia.	S.S.		
1 Uvaria. H.K.	great.	C. B. S.	1707.	8. 9.	H. 2.	Botan. magaz. 758.
2 media. H.K.	lesser.	_____	1789.	12. 6.	H. 2.	_____ 744.
3 pumila. H.K.	least.	_____	1774.	9. 11.	F. 2.	_____ 764.
VELTHEIMIA. B.M.	VELTHEIMIA.	Hexandria	Monogynia.	W.		
1 viridifolia. w.	green-leaved.	C. B. S.	1768.	11. 4.	G. b.	Botan. magaz. 501.
<i>Aletris capensis</i> . B.M.						
2 intermedia.	subglaucous.	_____	1819.	_____	G. b.	
3 glauca. w.	glaucous.	_____	1781.	1. 4.	G. b.	Botan. magaz. 1091.
ALETRIS. W.	COLIC-ROOT.	Hexandria	Monogynia.	L.		
1 farinosa. w.	common.	N. America.	1768.	6.	H. 2.	Botan. magaz. 1418.
2 aurea. Ph.	golden tipped.	_____	1811.	7. 8.	H. 2.	Willd. hort. ber. 8.
SANSEVIERA. W.	SANSEVIERA.	Hexandria	Monogynia.	W.		
1 glauca. H.s.	glaucous.	Sierra Leon.	S. 2.	
2 polyphylla. H.s.	upright-glaucous.	_____	S. 2.	
3 guineensis. H.s.	Guinea.	Guinea.	1690.	6. 11.	S. 2.	Botan. magaz. 1180.
4 lætivirens. H.s.	light green.	S. 2.	
5 longiflora. B.M.	long-flowered.	7. 8.	S. 2.	Botan. magaz. 2634.
6 spicata. H.s.	spiked.	S. 2.	Cavan. ic. 3. t. 246.
7 fulvocincta. H.s.s.	brown-edged.	Brazil.	1818.	S. 2.	
8 zeylanica. H.s.	Ceylon.	Ceylon.	1731.	6. 11.	S. 2.	Botan. regist. 160.
9 lanuginosa. w.	woolly.	E. Indies.	S. 2.	Rheed. mal. 11. t. 42.
10 ensifolia. H.s.	sword-leaved.	_____	S. 2.	
11 grandicuspis. H.s.	large-pointed.	S. 2.	
12 pumila. H.s.	dwarf.	C. B. S.	1796.	S. 2.	
13 stenophylla. L.en.	slender-leaved.	1818.	S. 2.	
14 carnea. A.R.	flesh-coloured.	China.	1792.	4. 10.	H. 2.	Andr. reposit. 361.
TULBAGIA. W.	TULBAGIA.	Hexandria	Monogynia.	L.		
1 alliacea. w.	Narcissus-ld.	C. B. S.	1774.	5. 7.	G. 2.	Botan. magaz. 806.
2 affinis. L.en.	linear-leaved.	_____	1820.	_____	G. 2.	
3 cepacea. w.	Onion-scented.	_____	1795.	4.	G. 2.	

BRODIAEA, L.T.		BRODIAEA, Triandria Monogynia, L.T.			
1	grandiflora, L.T. <i>Hookera coronaria</i> , P.L.	large-flowered.	Georgia.	1806.	6. G.b. Sal. par. lond. t. 98.
2	congesta, L.T.	close-headed.	—————	5.	G.b. Linn. trans. v. 10. t. I.
3	ixioides, B.M.	Ixia-like.	Chili.	1821.	7. H.b. Botan. magaz. 2382.
PACHIDENDRON, H.R.		PACHIDENDRON, Hexandria Monogynia, H.R.			
1	africanum, H.R.	African.	C. B. S.	1731.	7. D.G. h. 2.
	<i>α latum</i> , H.R.	broad-leaved.	—————	—————	D.G. h. 2.
	<i>β angustum</i> , H.R.	narrow-leaved.	—————	—————	D.G. h. 2. Botan. magaz. 2517.
	<i>Aloe pseudo-africana</i> , L.en.	<i>Aloe africana</i> , <i>β. angustior</i> , B.M.	—————	—————	—————
	<i>α</i>	revolving red-spin'd.	—————	D.G. h. 2.
3	angustifolium, H.R.	narrow-leaved.	—————	1812. D.G. h. 2.
4	ferox, H.R.	great hedgehog.	—————	1759.	4. 5. D.G. h. 2. Botan. magaz. 1975.
	<i>Aloe ferox</i> , B.M.	—————	—————	—————	—————
5	pseudo-ferox, H.R.	false hedgehog.	—————	D.G. h. 2. Comm. prælud. t. 20.
6	supralæve, H.R.	upright hedgehog.	—————	1731. D.G. h. 2.
ALOE, H.R.		ALOE, Hexandria Monogynia, L.			
1	dichotoma, H.S.	smooth-stem'd.	C. B. S.	1780. D.G. h. 2.
2	purpurascens, H.S.	purple.	—————	1789.	7. 10. D.G. h. 2. Botan. magaz. 1474.
3	soccotrina, H.S.	succotrine.	—————	1731.	4. 6. D.G. h. 2. ———— 472.
4	spicata, H.R.	white spotted.	—————	1795.	— D.G. h. 2.
5	pluridens, H.P.	many-toothed.	—————	1822. D.G. h. 2.
6	arborescens, H.S.	tree.	—————	1731.	11. 3. D.G. h. 2. Botan. magaz. 1306.
7	gracilis, H.P.	slender-stalk'd.	—————	1822. D.G. h. 2.
8	flavispina, H.S.	yellow-spined.	—————	1790.	8. D.G. h. 2.
9	mitræformis, H.S.	mitre.	—————	1732.	— D.G. h. 2. Botan. magaz. 1270.
10	nobilis, H.S.	great mitre.	—————	1800.	7. 8. D.G. h. 2.
11	Commelini, H.R.	Commeline's.	—————	1813. D.G. h. 2.
	<i>β mitræformis</i> , H.R.	yellowish-tooth'd.	————— D.G. h. 2.
12	distans, H.S.	small mitre.	—————	1732.	8. D.G. h. 2. Botan. magaz. 1362.
	<i>γ depressa</i> , H.R.	depressed.	—————	D.G. h. 2.
13	xanthacantha, H.S.S.	yellow mitre.	—————	1817. D.G. h. 2.
14	vulgaris, DC.	yellow-flow'r'd.	W. Indies.	1596.	8. D.S. h. 2. DC. plant. gras. 27.
	<i>barbadensis</i> , H.S.	—————	—————	—————	—————
15	chinensis, H.S.S.	Chinese.	China.	1817. D.G. h. 2.
16	cæsia, H.S.S.	cæsious tree.	C. B. S.	1818. D.G. h. 2.
	<i>β elatior</i> , H.S.S.	tall.	—————	————— D.G. h. 2.
17	frutescens, H.S.S.	lesser tree.	—————	D.G. h. 2.
18	albispina, H.S.	white-spined.	—————	1796. D.G. h. 2.
19	glauca, H.S.	glaucous red-spin'd.	—————	1731.	1. 9. D.G. h. 2.
	<i>α major</i> , H.S.	larger.	—————	—————	D.G. h. 2.
	<i>β rhodocantha</i> , B.M.	lesser red-spined.	—————	—————	D.G. h. 2. Botan. magaz. 1278.
	<i>γ spinosior</i> , H.R.	long-spined.	—————	1820. D.G. h. 2.
20	lineata, H.S.	striped red-spined.	—————	1789. D.G. h. 2.
	<i>α viridis</i> , H.R.	greenest-leaved.	—————	————— D.G. h. 2.
	<i>β glaucescens</i> , H.R.	glaucous.	—————	————— D.G. h. 2.
21	depressa, H.S.	depressed.	—————	1731.	8. D.G. h. 2. Botan. magaz. 1332.
22	brevifolia, H.S.	short-leaved.	—————	—————	6. 8. D.G. h. 2. Botan. regist. 996.
23	prolifera, H.R.	proliferous.	—————	1818.	— D.G. h. 2.
24	serra, DC.	saw-leaved.	—————	D.G. h. 2. Jacq. eclog. ic.
25	striata, H.S.	streaked.	—————	1795. D.G. h. 2.
26	striatula, H.P.	stripe-sheath'd.	—————	1820. D.G. h. 2.
27	ciliaris, H.P.	fringe-leaved.	—————	D.G. h. 2.
28	tennior, H.P.	green-sheathed.	—————	1819. D.G. h. 2.
29	albicincta, H.S.S.	pearl edged.	—————	1812. D.G. h. 2.
30	serrulata, H.S.	serrulated.	—————	1789.	7. 8. D.G. h. 2. Botan. magaz. 1415.
31	obscura, H.S.	great soap.	—————	1727.	6. 10. D.G. h. 2. ———— 1323.
	<i>picta</i> , α, B.M.	—————	—————	—————	—————
	<i>β glaucior</i> , H.R.	glaucous-leaved.	—————	1819.	— D.G. h. 2.
	<i>γ magnidens</i> , H.R.	large-toothed.	—————	D.G. h. 2.
32	pallescens, H.R.	pale serrulate.	—————	1820.	— D.G. h. 2.
33	latifolia, H.S.	broad-leaved.	—————	1795.	7. 8. D.G. h. 2. Botan. magaz. 1346.
34	saponaria, H.S.	common soap.	—————	1727.	— D.G. h. 2. ———— 1460.
	<i>β luteo-striata</i> , H.R.	yellow striped.	—————	1821.	— D.G. h. 2.
35	microcantha, H.S.S.	small-spined.	—————	1819.	— D.G. h. 2. Botan. magaz. 2272.
36	virens, H.S.	apple green.	—————	1790.	8. 9. D.G. h. 2. ———— 1355.
37	suberecta, H.S.	lesser hedgehog.	—————	1789.	3. 6. D.G. h. 2.
	<i>β semiguttata</i> , H.R.	half-warted.	—————	1819.	— D.G. h. 2.
38	acuminata, H.S.	middle hedgehog.	—————	1795.	— D.G. h. 2. Botan. magaz. 757.
	<i>humilis</i> , B.M. non H.S.	—————	—————	—————	—————

39	<i>echinata</i> . H.R.	great tubercled.	C. B. S.	1821.	3. 6.	D.G. 4.	
40	<i>tuberculata</i> . H.S.	tubercled.	_____	1796.	_____	D.G. 4.	
41	<i>aristata</i> . H.P.	bearded many-ld.	_____	1819.	_____	D.G. 4.	
42	<i>subtuberculata</i> . H.P.	rough & smooth.	_____	_____	_____	D.G. 4.	
43	<i>humilis</i> . H.S.	dwarf hedgehog.	_____	1731.	_____	D.G. 4.	DC. plant. gras. 39.
44	<i>incurva</i> . H.S.	incurved hedgehog.	_____	1796.	_____	D.G. 4.	Botan. magaz. 828.
	<i>humilis</i> β <i>incurva</i> . B.M.						
45	<i>tenuifolia</i> . H.R.	thin-leaved.	_____	1821.	_____	D.G. 4.	
46	<i>variegata</i> . H.S.	partridge-breast.	_____	1720.	3. 12.	D.G. 4.	Botan. magaz. 513.
RHIPIDODENDRON. W. RHIPIDODENDRON. Hexandria Monogynia.							
	<i>plicatile</i> . H.R.	fan.	Africa.	1723.	6. 7.	D.G. 4.	Botan. magaz. 457.
	<i>distichum</i> . W. <i>Aloe plicatilis</i> . B.M.						
	β <i>major</i> . H.R.	larger fan.	_____	1820.	_____	D.G. 4.	
GASTERIA. H.S. TONGUE-ALOE. Hexandria Monogynia. H.S.							
1	<i>obliqua</i> . H.S.	broad-marbled.	C. B. S.	1759.	6. 8.	D.G. 4.	Botan. magaz. 979.
	<i>Aloe lingua</i> . a. B.M.						
2	<i>pulchra</i> . H.S.	narrow-marbled.	_____	_____	7. 8.	D.G. 4.	Botan. magaz. 765.
	<i>Aloe maculata</i> . B.M.						
3	<i>acinacifolia</i> . H.R.	long sword-ld.	_____	1818.	_____	D.G. 4.	Botan. magaz. 2369.
4	<i>nigricans</i> . H.S.	dark-leaved.	_____	1790.	6. 7.	D.G. 4.	_____ 838.
	β <i>crassifolia</i> . H.R.	thick-leaved.	_____	1820.	_____	D.G. 4.	
	γ <i>fasciata</i> . H.R.	fasciated.	_____	_____	_____	D.G. 4.	
	δ <i>marmorata</i> . H.R.	marbled.	_____	_____	_____	D.G. 4.	
5	<i>mollis</i> . H.R.	soft muddy ld.	_____	1819.	_____	D.G. 4.	
6	<i>candicans</i> . H.R.	rough marbled white.	_____	1818.	7. 8.	D.G. 4.	
7	<i>nitida</i> . B.M.	shining.	_____	1820.	_____	D.G. 4.	Botan. magaz. 2304.
	<i>a parvipunctata</i> . H.R. <i>small dotted</i> .						
	β <i>grandipunctata</i> . H.R. <i>large-dotted</i> .						
8	<i>trigona</i> . H.R.	trigonal.	_____	_____	_____	D.G. 4.	
	<i>a elongata</i> . H.R.	elongated.	_____	_____	_____	D.G. 4.	
	β <i>obtusa</i> . H.R.	blunt.	_____	_____	_____	D.G. 4.	
9	<i>glabra</i> . H.S.	smooth-keeled.	_____	1796.	6. 7.	D.G. 4.	
	β <i>minor</i> . H.R.	smaller.	_____	1820.	_____	D.G. 4.	
10	<i>subcarinata</i> . H.S.S.	partly keeled.	_____	_____	_____	D.G. 4.	
	β <i>striata</i> . H.R.	striated.	_____	_____	_____	D.G. 4.	
12	<i>carinata</i> . H.S.	rough keeled.	_____	1731.	_____	D.G. 4.	Botan. magaz. 1331.
12	<i>latifolia</i> . H.S.	acute tongue.	_____	_____	3. 11.	D.G. 4.	
	β <i>multifaria</i> . H.S.	multifarious.	_____	_____	_____	D.G. 4.	
13	<i>denticulata</i> . H.S.S.	denticulated.	_____	1818.	6. 7.	D.G. 4.	
14	<i>ensifolia</i> . H.P.	long sword-ld.	_____	1820.	_____	D.G. 4.	
15	<i>angulata</i> . H.S.	retuse.	_____	1791.	3. 11.	D.G. 4.	
16	<i>angustifolia</i> . H.S.	narrow.	_____	1731.	_____	D.G. 4.	
	β <i>lævis</i> . H.R.	smooth.	_____	1820.	_____	D.G. 4.	
17	<i>longifolia</i> . H.S.	long-leaved.	_____	1796.	_____	D.G. 4.	
18	<i>conspurecata</i> . H.R.	dirtyed.	_____	_____	_____	D.G. 4.	
19	<i>obtusifolia</i> . H.R.	blunt-leaved.	_____	_____	_____	D.G. 4.	
20	<i>excavata</i> . L.en.	excavated.	_____	1824.	_____	D.G. 4.	
21	<i>pseudo-angulata</i> . L.en. <i>false-angled</i> .		_____	_____	_____	D.G. 4.	
22	<i>pseudo-nigricans</i> . H.R. <i>blackish</i> .		_____	1820.	_____	D.G. 4.	
	β <i>glabra</i> .	smooth.	_____	_____	_____	D.G. 4.	
23	<i>subverrucosa</i> . L.en.	large-warted.	_____	_____	_____	D.G. 4.	
	<i>a grandipunctata</i> . H.R. <i>large-dotted</i> .						
	β <i>parvipunctata</i> . H.R. <i>small-dotted</i> .						
24	<i>brevifolia</i> . H.S.	short-leaved.	_____	1809.	7. 8.	D.G. 4.	
25	<i>intermedia</i> . H.S.	intermediate.	_____	1790.	3. 11.	D.G. 4.	
	β <i>asperima</i> . H.R.	rough-leaved.	_____	1820.	_____	D.G. 4.	
26	<i>repens</i> . H.R.	creeping-root'd.	_____	_____	_____	D.G. 4.	
27	<i>verrucosa</i> . H.S.	pearl.	_____	1731.	3. 11.	D.G. 4.	Botan. magaz. 837.
	β <i>latifolia</i> . H.R.	broad-leaved.	_____	1820.	_____	D.G. 4.	
BOWIEA. H.P. BOWIEA. Hexandria Monogynia.							
	<i>africana</i> . H.P.	African.	C. B. S.	1820.	4. 10.	D.G. 4.	
HAWORTHIA. H.S.S. HAWORTHIA. Hexandria Monogynia. H.S.							
1	<i>viscosa</i> . H.S.	clammy.	C. B. S.	1732.	5. 7.	D.G. 4.	Botan. magaz. 814.
	<i>Aloe viscosa</i> . B.M.						
2	<i>aspera</i> . H.S.	rough triangular.	_____	1795.	_____	D.G. 4.	
3	<i>indurata</i> . H.R.	hard branchy.	_____	1819.	_____	D.G. 4.	
4	<i>pseudo-tortuosa</i> . H.S.S.	twisted triangular.	_____	1818.	_____	D.G. 4.	
5	<i>concinna</i> . H.S.S.	neat triangular.	_____	_____	_____	D.G. 4.	
6	<i>cordifolia</i> . H.S.S.	heart-leaved.	_____	_____	5. 7.	D.G. 4.	

7	asperiuscula. H.S.S.	roughish.	C. B. S.	1818.	5. 7.	D.G. 2.	
8	tortnosa. H.S.	twisted.	————	1794.	5. 9.	D.G. 2.	Botan. magaz. 1337.
	<i>Aloe rigida</i> . B.M.	non DC.					
	β <i>curta</i> . H.R.	short twisted.	————	1817.	—	D.G. 2.	
	γ <i>tortella</i> . H.R.	lesser twisted.	————	—	—	D.G. 2.	
9	expansa. H.S.	spreading-ld.	————	1795.	7. 10.	D.G. 2.	DC. plant. gras. 62.
	<i>Aloe rigida</i> . DC.						
10	hybrida. H.R.	bastard pearl.	————	1821.	5. 9.	D.G. 2.	
11	scabra. H.R.	rugged.	————	1818.	—	D.G. 2.	
12	sordida. H.R.	sordid.	————	—	—	D.G. 2.	
13	recurva. H.R.	recurved.	————	1795.	8.	D.G. 2.	Botan. magaz. 1353.
14	nigricans. H.P.	granulated black.	————	1820.	5. 9.	D.G. 2.	
15	parva. H.P.	dwarf.	————	—	—	D.G. 2.	
16	tessellata. H.P.	dark chequer'd.	————	1822.	—	D.G. 2.	
17	asperula. H.P.	pale rough.	————	—	—	D.G. 2.	
18	multifaria. H.P.	many-leaved.	————	—	—	D.G. 2.	
19	retusa. H.S.	smooth cushion.	————	1720.	—	D.G. 2.	Botan. magaz. 455.
	<i>Aloe retusa</i> . B.M.						
20	mutica. H.R.	blunt cushion.	————	1819.	—	D.G. 2.	
21	mirabilis. H.S.S.	rough cushion.	————	1795.	—	D.G. 2.	Botan. magaz. 1354.
22	turgida. H.S.S.	turgid cushion.	————	1818.	—	D.G. 2.	
23	læte-virens. H.S.S.	light-green.	————	—	—	D.G. 2.	
24	papillosa. H.S.S.	papillose.	————	—	—	D.G. 2.	
	β <i>semipapillosa</i> . H.R.	partly warted.	————	—	D.G. 2.	
25	erecta. H.R.	upright pearl.	————	1818.	—	D.G. 2.	DC. plant. gras. 57.
	<i>margaritifera</i> . DC.						
26	fasciata. H.S.S.	barred pearl.	————	—	—	D.G. 2.	
	β <i>major</i> . H.R.	larger.	————	—	D.G. 2.	
27	granata. H.S.S.	small pearl.	————	1732.	—	D.G. 2.	Dill. elth. t. 16. f. 18.
	<i>Aloe margaritifera</i> . γ.	<i>minima</i> . Dill.					
28	brevis. H.S.S.	short-leaved.	————	1810.	—	D.G. 2.	Botan. magaz. 1360.
	<i>Aloe margaritifera</i> . γ.	<i>minima</i> . B.M.					
29	minor. H.S.	lesser pearl.	————	5. 8.	D.G. 2.	Botan. magaz. 815.
30	margaritifera. H.S.S.	pearl.	————	1725.	—	D.G. 2.	Bradl. succ. 3. t. 21.
31	semiglabrata. H.S.S.	half-smoothed.	————	1810.	—	D.G. 2.	
32	radula. H.S.	raspy pearl.	————	1805.	6. 9.	D.G. 2.	Jacq. schœn. t. 35.
33	attenuata. H.S.	chalky pearl.	————	1790.	5. 8.	D.G. 2.	Botan. magaz. 1345.
	<i>Aloe radula</i> . B.M.	non Jacq.					
34	Reinwardti. H.R.	chequer'd-pearl.	————	1821.	—	D.G. 2.	
35	semimargaritifera.	semi-pearly.	————	1801.	—	D.G. 2.	
	α <i>maxima</i> . H.S.S.	largest.	————	—	—	D.G. 2.	Comm. hort. 2. t. 10.
	β <i>major</i> . H.S.S.	large.	————	1817.	—	D.G. 2.	
	γ <i>minor</i> . H.S.S.	smaller.	————	1818.	—	D.G. 2.	
	δ <i>multiperlata</i> .	many pearl'd.	————	—	—	D.G. 2.	
36	coarctata. H.P.	upright dull-spotted.	————	1822.	—	D.G. 2.	
37	albicans. H.S.	white-edged.	————	1795.	9. 10.	D.G. 2.	Botan. magaz. 1452.
38	lævis. H.R.	narrow-border'd.	————	1820.	—	D.G. 2.	Comm. hort. 2. t. 7.
39	ramifera. H.R.	branching white.	————	—	—	D.G. 2.	
40	virescens. H.R.	bordered green.	————	—	—	D.G. 2.	
	β <i>minor</i> . H.R.	lesser.	————	—	—	D.G. 2.	
41	arachnoides. H.S.	cobweb.	————	1727.	8. 9.	D.G. 2.	Botan. magaz. 756.
42	translucens. H.S.S.	transparent.	————	1795.	5. 8.	D.G. 2.	— 1417.
	<i>Aloe arachnoides</i> β <i>translucens</i> .	B.M.					
43	setata. H.S.S.	bristle edged.	————	1818.	—	D.G. 2.	
	β <i>nigricans</i> . H.R.	blackish.	————	—	—	D.G. 2.	
	γ <i>media</i> . H.R.	middle.	————	—	—	D.G. 2.	
	δ <i>major</i> . H.R.	larger.	————	—	—	D.G. 2.	
44	pallida. H.R.	pale green.	————	—	—	D.G. 2.	
45	atrovirens. H.R.	dark green.	————	1752.	5.	D.G. 2.	Botan. magaz. 1361.
	<i>Aloe atrovirens</i> . DC.	<i>arachnoides pumila</i> . B.M.					
46	chlorocantha. H.R.	green-toothed.	————	1820.	5. 8.	D.G. 2.	
47	angustifolia. H.P.	slender-leaved.	————	—	6. 7.	D.G. 2.	
48	reticulata. H.S.	netted.	————	1794.	5. 8.	D.G. 2.	Botan. magaz. 1314.
	<i>Aloe arachnoides</i> γ <i>reticulata</i> .	B.M.					
49	cymbiformis. H.S.	boat-leaved.	————	1795.	6. 8.	D.G. 2.	Botan. magaz. 802.
	<i>concaua</i> . H.R.						
50	altilinea. H.P.	ridge-lined.	————	1821.	—	D.G. 2.	
51	obtusa. H.P.	small blunt-ld.	————	—	—	D.G. 2.	
52	planifolia. H.P.	flat oval-ld.	————	—	—	D.G. 2.	

53 mucronata. H.R.	membrane-point'd.	C. B. S.	1818	6. 8.	D.G. ½.
54 limpida. H.R.	limpid.	————	————	————	D.G. ¼.
55 aristata. H.R.	pin-pointed.	————	————	————	D.G. ¼.
56 cuspidata. H.R.	sharp-pointed.	————	————	————	D.G. ¼.
57 denticulata. H.R.	pale pin-point'd.	————	————	————	D.G. ¼.
APICRA. H.S.S.	APICRA. Hexandria Monogynia.	H.S.S.			
1 spiralis. H.S.S.	great spiral.	C. B. S.	1790.	8. 9.	D.G. ½.
2 spirella. H.S.S.	small spiral.	————	1808.	————	D.G. ½.
3 bullulata. H.S.S.	blistered.	————	1818.	————	D.G. ½. Jacq. frag. t. 109.
4 pentagona. H.S.S.	five sided.	————	1731.	6. 8.	D.G. ½. Botan. magaz. 1338.
β torta. H.S.S.	twisted.	————	————	D.G. ½.
5 rigida. w.	gunpowdered.	————	1818.	---	D.G. ½. Jacq. fragm. t. 108.
pseudo-rigida. H.S.S.					
6 aspera. H.S.S.	rough triangled.	————	————	————	D.G. ½.
α minor. H.S.S.	lesser.	————	————	————	D.G. ½.
β major. H.S.S.	larger.	————	1795.	————	D.G. ½.
7 bicarinata. H.S.S.	double-keeled.	————	1819.	————	D.G. ½.
8 nigra. H.P.	rough black.	————	1820.	5. 8.	D.G. ½.
9 imbricata. H.R.	rough-flowered.	————	1731.	6. 7.	D.G. ½. Botan. magaz. 1455.
Aloe spiralis. B.M. non H.S.					
10 foliolosa. H.P.	many small-ld.	————	1795.	6. 8.	D.S. ½. Botan. magaz. 1352.

ORDO CLXXXII.

DIOSCOREÆ. *Brown prodr. 1. p. 294.*

RAJANIA. W.	RAJANIA. Diœcia Hexandria. L.				
1 hastata. w.	halberd-leaved.	W. Indies.	1822.	7. 8.	S. ¼. Plum. amer. 84. t. 98.
2 cordata. w.	heart-leaved.	————	1786.	---	S. ¼. Plum. ic. 155. f. 1.
3 quinquefolia. w.	five-leaved.	————	1820.	---	S. ¼. ——— 155. f. 2.
DIOSCOREA. W.	YAM. Diœcia Hexandria. L.				
1 pentaphylla. w.	five-leaved.	E. Indies.	1768.	S. ¼. Rheed. mal. 7. t. 35.
2 triphylla. w.	three-leaved.	————	1818.	S. ¼. Jacq. ic. t. 627.
3 quinqueloba. w.	five-lobed.	Japan.	1822.	7. 9.	G. ¼. Kæmpf. ic. t. 15.
4 brasiliensis. w.	Brazilian.	Brazil.	1818.	---	S. ¼.
5 heterophylla. H.B.	various-leaved.	E. Indies.	---	S. ¼.
6 aculeata. w.	prickly-stem'd.	————	1803.	7. 9.	S. ¼. Rheed. mal. 7. t. 37.
7 rubella. H.B.	reddish.	————	---	---	S. ¼.
8 purpurea. H.B.	purple.	————	1816.	---	S. ¼.
9 nummularia. w.	Money-wort.	————	1820.	S. ¼. Rumph. amb. 5. t. 162.
10 alata. w.	wing-stalked.	————	1739.	S. ¼. Rheed. mal. 7. t. 38.
11 bulbifera. w.	bulb-bearing.	————	1692.	7. 9.	S. ¼. Sal. par. lond. 17.
12 crispata. H.B.	curl-stalked.	————	1818.	---	S. ¼.
13 anguina. H.B.	snake.	————	1803.	---	S. ¼.
14 pulchella. H.B.	pretty.	————	1819.	S. ¼.
15 atropurpurea. H.B.	dark purple.	————	1820.	S. ¼.
16 globosa. H.B.	globular.	————	1818.	S. ¼.
17 fasciculata. H.B.	bundled.	————	1817.	S. ¼.
18 glabra. H.B.	smooth.	————	1803.	7. 9.	S. ¼.
19 sativa. w.	common.	W. Indies.	1733.	---	S. ¼. Rheed. mal. 8. t. 51.
20 piperifolia. w.	Pepper-leaved.	S. America.	1817.	S. ¼. Plum. ic. 117. f. 1.
21 nepalensis.	Nepaul.	Nepaul.	1816.	7. 8.	H. ¼.
22 quaternata. Ph.	four-leaved.	N. America.	1811.	7.	H. ¼.
23 villosa. Ph.	pubescent.	————	1752.	8.	H. ¼. Jacq. ic. 3. t. 626.
24 oppositifolia.	opposite-leav'd.	E. Indies.	1803.	...	S. ¼. Petiv. gaz. t. 31. f. 6.
TESTUDINARIA. B.T. TESTUDINARIA. Diœcia Hexandria.					
1 Elephantipes. B.R.	Elephant's-foot.	C. B. S.	1774.	7. 8.	G. ¼. Botan. regist. 92.
Tamus Elephantipes. B.M. 1347.					
2 montana. B.T.	glaucous-ld.	————	1816.	---	G. ¼.

ORDO CLXXXIII.

TAMEÆ. *Brown prodr.* 294 *in obs.*

TAMUS. L.	BLACK BRYONY. Diœcia Hexandria. L.			
1 communis. w.	common.	England.	5. 8. H. 2. Eng. bot. 91.
2 cretica. w.	Cretan.	Candia.	1739.	7. 8. H. 2.

ORDO CLXXXIV.

SMILACEÆ. *Brown prodr.* 292.

SMILAX. L.	SMILAX. Diœcia Hexandria. L.			
1 aspera. s.s.	rough bindweed.	S. Europe.	1648.	9. H. 2. Schk. handb. 3. t. 328.
β auriculata.	car-leaved.	—————	—————	————— H. 2. Pluk. alm. t. 110. f. 3.
2 nigra. s.s.	black.	—————	1817.	————— H. 2.
3 catalonica. s.s.	Catalonian.	—————	—————	————— H. 2.
4 mauritanica. s.s.	red-berried.	—————	1820.	8. 10. F. 2.
5 excelsa. s.s.	tall.	Syria.	1739.	8. 9. F. 2. Buxb. cent. 1. t. 32.
6 horrida. s.s.	straight-spined.	N. America.	1820.	————— H. 2.
7 zeylanica. s.s.	Ceylon.	E. Indies.	1778.	————— S. 2. Rumph. amb. 5. t. 161.
8 quadrangularis. s.s.	square-stalked.	N. America.	1812.	6. 8. H. 2. Wats. dend. brit. 109.
9 longifolia. s.s.	long-leaved.	Cayenne.	1823. S. 2.
10 Watsoni.	Watson's.	N. America.	1811.	7. 8. H. 2. Wats. dend. brit. 110.
longifolia. w. D. non Rich.	—————	—————	—————	—————
11 Sarsaparilla. s.s.	medicinal.	—————	1664.	————— H. 2. Wats. dend. brit. 111.
12 brasiliensis. s.s.	Brazilian.	Brazil.	1820.	————— S. 2.
13 hastata. s.s.	halberd-leaved.	Carolina.	1822.	————— F. 2. Pluk. alm. t. 111. f. 3.
14 China. s.s.	Chinese.	China.	1759. G. 2. Kæmpf. amœn. t. 782.
15 acuminata. s.s.	sharp-pointed.	W. Indies.	1822.	6. 7. S. 2. Plum. ic. 83.
16 glauca. B.M.	glaucous-ld.	N. America.	1811.	5. 7. H. 2. Botan. magaz. 1846.
17 australis. B.P.	oblong-leaved.	N. S. W.	1815. G. 2.
18 rotundifolia. s.s.	round-leaved.	N. America.	1760.	7. 8. H. 2.
19 laurifolia. s.s.	Laurel-leaved.	—————	1739.	————— H. 2. Catesb. car. 1. t. 15.
20 tannoides. s.s.	Tamus-leaved.	—————	—————	6. 7. H. 2. ————— 1. t. 52.
21 caduca. s.s.	deciduous.	—————	1759.	————— H. 2.
22 havanensis. s.s.	Havannah.	S. America.	1823. S. 2. Jacq. amer. t. 179. f. 102.
23 ovalifolia. D.P.	oval-leaved.	Nepaul.	1822. H. 2.
24 Bona-nox. s.s.	fringed.	N. America.	1739.	6. 7. H. 2. Pluk. alm. t. 111. f. 1.
25 maculata. D.P.	spotted.	Nepaul.	1819. H. 2.
26 prolifera. H.B.	proliferous.	E. Indies.	————— S. 2.
27 glabra. H.B.	smooth.	—————	1820. S. 2.
28 Alpini. s.s.	Grecian.	Greece.	—————	6. 8. F. 2.
29 latifolia. B.P.	broad-leaved.	N. Holland.	1791. F. 2.
30 lanceolata. Ph.	spear-leaved.	N. America.	1785.	5. 6. H. 2. Catesb. car. 2. t. 84.
31 herbacea. s.s.	herbaceous.	—————	1699.	7. H. 2. Botan. magaz. 1920.
32 peduncularis. s.s.	long-peduncul'd.	—————	1812.	5. 7. H. 2.
33 globifer. s.s.	Surinam.	Surinam.	1819. S. 2.
34 macrophylla. s.s.	large-leaved.	W. Indies.	1822. S. 2.
35 Pseudo-china. s.s.	Bastard China.	S. America.	1739.	5. 6. S. 2. Sloan. jam. 1. t. 143. f. 1.
36 glycyphylla. B.P.	Botany-bay Tea.	N. S. W.	1815.	————— S. 2.
37 canariensis. s.s.	Canary.	Canaries.	1816.	————— F. 2.
38 pubera. s.s.	downy.	N. America.	1806.	————— H. 2.
39 rubens. w. D.	pink-flowered.	—————	1811.	7. 8. H. 2. Wats. dend. brit. 108.
RIPOGONUM. B.P.	RIPOGONUM.	Hexandria Monogynia.		
album. B.P.	white-flowered.	N. S. W.	1820.	4. 6. G. 2.

- RUSCUS. L.** **BUTCHER'S-BROOM.** Diœcia Monadelphia. L.
- 1 aculeatus. w. prickly. England. 12. 6. H. ½. Eng. bot. 560.
- 2 laxus. L.T. loose. Europe. 1. 6. H. ½.
- 3 Hypophyllum. w. thick-leaved. Italy. 1640. 5. 6. H. ½. Botan. magaz. 2049.
- β latifolius. w. broad-leaved. S. Europe. ———— H. ½. Dill. elt. t. 251. f. 303.
- 4 Hypoglossum. w. double-leaved. Italy. 1596. 4. 5. H. ½. Schk. handb. 3. t. 340.
- 5 androgynus. w. climbing. Canaries. 1713. ———— G. ½. Botan. magaz. 1898.
- 6 reticulatus. w. netted-leaved. C. B. S. 1816. ———— G. ½.
- 7 volubilis. w. many-nerved. ———— G. ½.
- 8 racemosus. w. Alexandrian Laurel. Portugal. 1713. 6. H. ½. Wats. dend. brit. 145.
- POLYGONATUM. D. SOLOMON'S-SEAL.** Hexandria Monogynia.
- 1 leptophyllum. D.P. slender-leaved. Nepal. 1816. 6. 7. H. ¼.
- 2 oppositifolium. D.P. opposite-leaved. ———— H. ¼. Lodd. bot. cab. 640.
- Convallaria oppositifolia.* B.C.
- 3 vulgare. D. common. England. 5. 6. H. ¼. Eng. bot. 280.
- Convallaria Polygonatum.* E.E.
- 4 pubescens. Ph. pubescent. N. America. 1812. ———— H. ¼. Willd. hort. ber. t. 45.
- 5 canaliculatum. Ph. channel-leaved. ———— 6. H. ¼.
- 6 angustifolium. Ph. narrow-leaved. ———— 1824. 5. 6. H. ¼.
- 7 multiflorum. D. many-flowered. Britain. ———— H. ¼. Eng. bot. 279.
- 8 latifolium. D. broad-leaved. Europe. 1802. ———— H. ¼. Jacq. aust. 3. t. 232.
- 9 macrophyllum. large-leaved. N. America. 1823. ———— H. ¼.
- latifolium.* Ph. nec aliorum.
- 10 polyanthemum. M.B. many-flowered. Caucasus. ———— H. ¼.
- SMILACINA. D. SMILACINA.** Hexandria Monogynia. Ph.
- 1 racemosa. D. cluster-flow'r'd. N. America. 1640. 5. 6. H. ¼. Botan. magaz. 899.
- Convallaria racemosa.* B.M.
- 2 stellata. D. star-flowered. ———— 1633. ———— H. ¼. ———— 1043.
- 3 trifolia. D. three-leaved. ———— 1812. 6. 7. H. ¼. Gmel. sib. 1. t. 6.
- 4 canadensis. Ph. Canadian. ———— ———— H. ¼. Pluk. alm. t. 434. f. 4.
- 5 bifolia. D. least. N. Europe. 1596. 5. 6. H. ¼. Botan. magaz. 510.
- Convallaria bifolia.* B.M.
- 6 borealis. B.M. oval-leaved. N. America. 1778. 5. 6. H. ¼. Botan. magaz. 1403.
- 7 umbellata. D. umbel-flower'd. ———— ———— H. ¼. ———— 1155.
- OPHIPOGON. B.M. SNAKE'S-BEARD** Hexandria Monogynia. B.M.
- 1 japonicus. B.M. Japan. Japan. 1784. 6. F. ¼. Botan. magaz. 1063.
- 2 spicatus. B.R. spiked. China. 1821. 8. 10. F. ½. Botan. regist. 593.
- 3 intermedius. D.P. intermediate. Nepal. 1824. ———— F. ¼.
- CONVALLARIA. D. LILY OF THE VALLEY.** Hexandria Monogynia. L.
- majalis. E.E. common. Britain. 5. 6. H. ¼. Eng. bot. 1035.
- α alba. white-flowered. ———— ———— H. ¼.
- β rosea. rose-coloured. ———— ———— H. ¼.
- γ plena. double-flowered. ———— ———— H. ¼.
- STREPTOPUS. M. STREPTOPUS.** Hexandria Monogynia. Ph.
- 1 amplexifolius. R.L. heart-leaved. Europe. 1752. 5. H. ¼. W. et K. hung. t. 167.
- 2 distortus. M. distorted. N. America. ———— ———— H. ¼.
- 3 roseus. M. rose-coloured. ———— 1806. 6. 7. H. ¼. Botan. magaz. 1489.
- Uvularia rosea.* B.M.
- 4 lanuginosus. M. woolly. ———— 1812. ———— H. ¼. Botan. magaz. 1490.
- 5 simplex. D.P. simple-stalked. Nepal. 1822. ———— H. ¼.
- MEDEOLA. S.S. INDIAN CUCUMBER.** Hexandria Trigynia. L.
- virginica. s.s. Virginian. Virginia. 1759. 6. H. ¼. Botan. magaz. 1316.
- Gyromia virginica.* N.
- TRILLIUM. L. TRILLIUM.** Hexandria Trigynia. L.
- 1 sessile. s.s. sessile-flow'r'd. N. America. 1759. 4. 5. H. ¼. Botan. magaz. 40.
- 2 petiolatum. s.s. Plantain-leav'd. ———— 1811. ———— H. ¼.
- 3 erythrocarpum. M. painted-fl'd. ———— ———— 5. 6. H. ¼.
- pictum.* Ph.
- 4 undulatum. s.s. wave-flower'd. ———— ———— H. ¼.
- 5 pusillum. s.s. dwarf. Carolina. 1812. ———— F. ¼.
- 6 ovatum. s.s. purple-flow'r'd. N. America. ———— ———— F. ¼.
- 7 cernuum. s.s. drooping-fl'd. ———— 1758. 4. 5. H. ¼. Botan. magaz. 954.
- 8 erectum. w. stinking. ———— 1759. ———— H. ¼. ———— 470.
- 9 pendulum. s.s. white-flow'r'd. ———— 1805. ———— H. ¼. W. hort. ber. 1. t. 35.
- erectum.* β. B.M. 1027.
- 10 obovatum. s.s. obovate-petal'd. ———— 1824. ———— H. ¼.
- 11 grandiflorum. s.s. large-flowered. ———— 1799. 4. 6. H. ¼. Sal. par. lond. 1.
- erythrocarpum.* B.M. non M.
- 12 stylosum. N. long-styled. Carolina. 1823. ———— F. ¼.

PARIS. L.

- 1 quadrifolia. E.B.
2 verticillata. M.B.
3 polyphylla. D.P.

HERB-PARIS. Octandria Tetragynia. L.

- True-love or 1-berry, Engld. . . . 5. 6. H. ♀. Eng. bot. 7.
whorl-leaved. Siberia. 1825. — H. ♀.
many-leaved. Nepaul. 1816. — H. ♀.

ORDO CLXXXV.

ASPHODELEÆ. *Brown prodr.* 1. p. 274.

ASPHODELUS. L.

ASPHODEL. Hexandria Monogynia. L.

- 1 clavatus. H.B. club-seeded. E. Indies. 1808. 7. 10. S. ☉.
2 fistulosus. s.s. Onion-leaved. S. Europe. 1596. 6. 9. H. ♀. Botan. magaz. 984.
3 intermedius. L.en. intermediate. Canaries. 1824. — F. ♀.
4 albus. s.s. upright. S. Europe. . . . 5. 7. H. ♀. Blackw. t. 238.
5 æstivus. s.s. summer. Portugal. 1819. — H. ♀.
6 ramosus. s.s. branched. S. Europe. 1551. — H. ♀. Botan. magaz. 799.
7 tenuior. s.s. slender-leaved. Caucasus. 1823. 7. H. ♀. ———— 2626.
8 creticus. s.s. Cretan. Candia. 1821. 6. 7. H. ♀. Lodd. bot. cab. 915.
9 tauricus. s.s. Taurian. Tauria. 1812. 5. 7. H. ♀.
10 luteus. s.s. common yellow. Sicily. 1596. 5. 6. H. ♀. Botan. magaz. 773.
EREMURUS. S.S. EREMURUS. Hexandria Monogynia. S.S.
spectabilis. s.s. channel-leaved. Caucasus. 1800. 5. 6. H. ♀. Swt. br. fl. gar. ic.
Asphodelus altaiicus. w.

CZACKIA. S.S.

ST. BRUNO'S LILY. Hexandria Monogynia. S.S.

- Liliastrum. s.s. Savoy Spiderwort. Switzerland. 1629. 5. 6. H. ♀. Botan. magaz. 318.
Anthericum Liliastrum. B.M. *Hemerocallis Liliastrum.* w.en.

PHALANGIUM. J.

PHALANGIUM. Hexandria Monogynia.

- 1 Liliago. B.M. grass-leaved. S. Europe. 1596. 5. 6. H. ♀. Redout. lil. t. 269.
a major. B.M. larger. ———— ———— H. ♀. Botan. magaz. 1635.
β minor. B.M. lesser. ———— ———— H. ♀. ———— 914.
2 ramosus. B.M. branching. ———— 1570. ———— H. ♀. ———— 1055.
Anthericum ramosum. w.
3 nepalense. B.R. Nepaul. Nepaul. 1822. 6. 10. F. ♀. Botan. regist. 998.
4 glaucum. P.S. glaucous. S. America. 1816. ———— G. ♀.
5 pomeridianum. afternoon flg. ———— 1818. ———— G. ♀. Botan. regist. 564.
Anthericum pomeridianum. B.R. *Scilla pomeridiana.* DC.
6? sulphureum. pale yellow. Hungary. 1818. ———— H. ♀. Botan. magaz. 2623.
Anthericum sulphureum. B.M.

ANTHERICUM.

ANTHERICUM. Hexandria Monogynia. L.

- 1 canaliculatum. w. channel-leaved. C. B. S. 1774. 4. 5. G. ♀. Botan. magaz. 1124.
2 bipedunculatum. w. two-flowered. ———— 1825. ———— G. ♀. Jacq. ic. 2. t. 410.
3 triflorum. w. three-flowered. ———— 1782. 8. 10. G. ♀.
4 undulatum. w. wave-leaved. ———— 1825. 4. 6. G. ♀.
5 pilosum. w. pilose. ———— ———— G. ♀. Jacq. ic. 2. t. 416.
6 hirsutum. w. hairy. ———— 1822. ———— G. ♀.
7 longifolium. w. long-leaved. ———— 1825. ———— G. ♀. Jacq. ic. 2. t. 413.
8 graminifolium. w. grass-leaved. ———— 1794. 6. 7. G. ♀. ———— 2. t. 411.
9 vespertinum. w. afternoon-flg. ———— 1803. 5. 9. G. ♀. Botan. magaz. 1040.
10 fasciatum. w. sickle-leaved. ———— 1825. ———— G. ♀.
11 revolutum. w. curled-flow'r'd. ———— 1731. 9. 12. G. ♀. Botan. magaz. 1044.
12 floribundum. w. thick-spiked. ———— 1774. 3. 4. G. ♀.
13 squameum. w. scaly. ———— 1820. ———— G. ♀.
14 filiforme. w. thread-leaved. ———— 1774. 4. G. ♀.
15 flexifolium. w. flexuose-leav'd. ———— 1795. 5. 6. G. ♀. Jacq. ic. 2. t. 412.

BULBINE. L.

BULBINE. Hexandria Monogynia. L.

- 1 hispida. L. hairy-leaved. C. B. S. 1774. 5. 6. D.G. ♀. Jacq. ic. 2. t. 409.
2 semibarbata. s.s. half bearded. N. S. W. 1820. 4. 8. D.G. ♀. Lodd. bot. cab. 320.
Anthericum semibarbatum. B.P.
3 australis. s.s. bulbous. ———— 1819. ———— D.G. ♀.
Anthericum bulbosum. B.P.
4 annua. s.s. annual. C. B. S. 1731. 5. 6. H. ☉. Botan. magaz. 1451.
Anthericum annuum. B.M.
5 longiscapa. s.s. glaucous-leav'd. ———— 1759. 4. 8. D.G. ♀. Botan. magaz. 1339.
6 asphodeloides. s.s. upright-leav'd. ———— ———— 6. 8. D.G. ♂. Jacq. viud. t. 181.

7	rostrata. s.s.	glaucous shrubby.	C. B. S.	1812.	3. 8.	D.G. ½.	Jacq. ic. 2. t. 403.
8	frutescens. w.	shrubby.	_____	1702.	_____	D.G. ½.	Botan. magaz. 816.
9	pugioniformis. s.s.	dagger-leaved.	_____	1793.	4. 6.	D.G. ¼.	_____ 1454.
10	triquetra. s.s.	triquetrous.	_____	1825.	_____	D.G. ¼.	_____
11	scabra. s.s.	rough.	_____	_____	_____	D.G. ¼.	_____
12	ciliata. s.s.	fringed.	_____	_____	_____	D.G. ¼.	_____
13	præmorsa. s.s.	bitten-rooted.	_____	1816.	_____	D.G. ¼.	Jacq. ic. 2. t. 406.
14	graminea. H.R.	Grass-leaved.	_____	1819.	6. 8.	D.G. ¼.	_____
15	aloides. w.	Aloe-leaved.	_____	1732.	4. 8.	D.G. ¼.	Botan. magaz. 1317.
	<i>Anthericum aloides.</i> B.M.						
16	nutans. s.s.	nodding.	_____	1812.	_____	D.G. ¼.	Jacq. ic. 2. t. 407.
17	latifolia. s.s.	broad-leaved.	_____	_____	_____	D.G. ¼.	_____ 2. t. 408.
ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.							
1	cirrhatum. B.R.	large-flowered.	N. Zealand.	1819.	5. 8.	F. ¼.	Botan. regist. 709.
2	paniculatum. B.P.	panicled.	N. S. W.	1800.	6. 9.	F. ¼.	Botan. magaz. 1421.
	<i>minus.</i> B.R. <i>seg. non</i> B.P.						
3	minus. B.P.	simple-racem'd.	_____	1819.	_____	F. ¼.	_____
4	pendulum. s.s.	pendulous-fl'd.	N. Holland.	1817.	_____	F. ¼.	_____
	<i>Anthericum pendulum.</i> W.en.						
5	fimbriatum. B.P.	fringe-flow'r'd.	N. S. W.	1825.	_____	F. ¼.	_____
STYPANDRA. B.P. STYPANDRA. Hexandria Monogynia.							
1	glauca. B.P.	glaucous.	N. S. W.	1819.	4. 6.	F. ¼.	_____
2	cæspitosa. B.P.	turfy.	_____	1824.	_____	F. ¼.	_____
3	umbellata. B.P.	umbel-flow'r'd.	_____	1820.	_____	F. ¼.	_____
CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.							
	vittata. B.P.	nodding-fl'd.	N. S. W.	1816.	7. 8.	F. ¼.	_____
TRICORYNE. B.P. TRICORYNE. Hexandria Monogynia. S.S.							
1	simplex. B.P.	simple-stalked.	N. S. W.	1819.	7. 9.	H. ☉.	_____
2	elatior. B.P.	tall.	_____	1825.	_____	G. ¼.	_____
CHLOROPHYTUM. B.P. CHLOROPHYTUM. Hexandria Monogynia. S.S.							
1	inornatum. B.M.	green-flowered.	Sierra Leon.	6. 8.	S. ¼.	_____	Botan. magaz. 1071.
2	orchidastrum. B.R.	Orchis-like.	_____	1822.	1. 12.	S. ¼.	Botan. regist. 813.
3	elatum. B.P.	tall.	C. B. S.	1751.	8. 9.	G. ¼.	Redout. lil. 191.
PUSCHKINIA. M.B. PUSCHKINIA. Hexandria Monogynia. M.B.							
	scilloides. M.B.	Squill-like.	Iberia.	1819.	5. 6.	H. b.	Lindl. col. bot. 24.
ALBUCA. Ker. ALBUCA. Hexandria Monogynia. L.							
1	altissima. w.	tall.	C. B. S.	1780.	4. 5.	F. b.	Jacq. ic. 1. t. 63.
2	major. w.	great.	_____	1759.	_____	F. b.	Botan. magaz. 804.
3	minor. w.	small.	_____	1768.	5. 6.	F. b.	_____ 720.
4	flaccida. w.	flaccid.	_____	1791.	_____	F. b.	Jacq. ic. 2. t. 444.
5	viridiflora. w.	green-flowered.	_____	1794.	6. 7.	F. b.	Botan. magaz. 1656.
6	coarctata. w.	channel-leaved.	_____	1774.	5. 6.	F. b.	_____
7	fastigiata. w.	level-topped.	_____	_____	_____	F. b.	Andr. reposit. 450.
8	caudata. w.	upright-fl'd.	_____	1791.	5. 7.	F. b.	Jacq. ic. 2. t. 442.
9	setosa. w.	bristly-rooted.	_____	1795.	_____	F. b.	Botan. magaz. 1481.
10	aurea. w.	golden-flower'd.	_____	1825.	_____	F. b.	Jacq. ic. 2. t. 441.
11	abyssinica. w.	African.	_____	_____	_____	F. b.	_____
12	fragrans. w.	sweet-scented.	_____	1791.	6. 7.	F. b.	Jacq. schœn. 1. t. 81.
13	viscosa. w.	clammy-leaved.	_____	1779.	5. 6.	F. b.	Jacq. ic. 2. t. 445.
14	spiralis. w.	spiral-leaved.	_____	1795.	6.	F. b.	_____ 2. t. 439.
15	vittata. B.M.	ribbon.	_____	1802.	7. 8.	F. b.	Botan. magaz. 1329.
16	physodes. B.M.	dingy-flowered.	_____	1804.	6. 7.	F. b.	_____ 1046.
17	exuviata. B.M.	Adder skin.	_____	1795.	5. 7.	F. b.	_____ 871.
	<i>Anthericum exuviatum.</i> Jacq. ic. 2. t. 415.						
18	anthericoides.	Anthericum-like.	_____	1788.	8.	F. b.	_____
	<i>Anthericum albucoides.</i> w.						
19	filifolia. Ker.	filiform-leaved.	_____	1825.	7. 8.	F. b.	Jacq. ic. 2. t. 414.
20	fugax. B.R.	fugacious.	_____	1795.	4. 6.	F. b.	Botan. regist. 311.
	<i>Anthericum fragrans.</i> Jacq. schœn. 1. t. 86.						
ORNITHOGALUM. L. STAR OF BETHLEHEM. Hexandria Monogynia. L.							
1	uniflorum. w.	one-flowered.	Siberia.	1781.	5. 6.	H. b.	Nov. act. pet. 18. t. 6. f. 3.
2	ixioides. H.K.	Ixia-like.	California.	1796.	_____	H. b.	_____
3	montanum. T.N.	mountain.	Naples.	1825.	_____	H. b.	Ten. fl. nap. 1. t. 33.
4	umbellatum. E.B.	common.	England.	4. 6.	H. b.	_____	Eng. bot. 130.
5	refractum. W.en.	reflexed.	S. Europe.	1825.	_____	H. b.	_____
6	exscapum. T.N.	short-stalked.	Naples.	1823.	_____	H. b.	Ten. fl. nap. 1. t. 34.
7	fimbriatum. M.B.	fringed.	Tauria.	1820.	2. 3.	H. b.	Botan. regist. 555.
8	comosum. w.	short-spiked.	Austria.	1596.	6. 8.	H. b.	Jacq. ic. 2. t. 426.
9	conicum. w.	conical.	C. B. S.	1818.	_____	F. b.	_____ 2. t. 428.

10	niveum. w.	snowy.	C. B. S.	1774.	6. 8.	F.b.	Botan. regist. 235.
11	ovatum. w.	oval-leaved.	————	1816.	4. 8.	F.b.	
12	ciliatum. w.	ciliated.	————	1818.	4. 6.	F.b.	
13	crenulatum. w.	crenulate.	————	1825.	6. 8.	F.b.	
14	maculatum. w.	spotted-fl'd.	————	————	————	F.b.	
15	tenellum. w.	slender.	————	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.
16	pilosum. w.	hairy-leaved.	————	————	————	F.b.	
17	revolutum. w.	revolute-fl'd.	————	1795.	4. 8.	F.b.	Botan. regist. 315.
18	corymbosum. B.R.	corymbos.	Peru.	1822.	————	H.b.	———— 906.
19	tenuifolium. s.s.	slender-leaved.	C. B. S.	1812.	————	F.b.	Redout. lil. t. 312.
<i>Rudolphi.</i> Jacq. ecl. t. 20.							
20	prasinum. B.R.	green-flow'r'd.	————	1816.	6. 7.	F.b.	Botan. regist. 158.
21	virens. B.R.	greenish.	————	1823.	————	F.b.	———— 814.
22	suaveolens. w.	fragrant.	————	1816.	————	F.b.	Jacq. ic. 2. t. 431.
23	barbatum. w.	bearded.	————	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
24	polyphyllum. w.	many-leaved.	————	1825.	————	F.b.	Jacq. ic. 2. t. 430.
25	rupestre. w.	rock.	————	1795.	5. 8.	F.b.	
26	juncifolium. w.	Rush-leaved.	————	1794.	7. 8.	F.b.	Botan. magaz. 792.
27	fuscatum. w.	brown-flow'r'd.	————	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
28	odoratum. w.	sweet-scented.	————	1795.	5. 6.	F.b.	Andr. reposit. 260.
29	elatum. A.R.	Egyptian.	Egypt.	1804.	6. 7.	H.b.	———— 528.
30	pyramidale. w.	pyramidal.	Spain.	1752.	————	H.b.	Jacq. ic. 2. t. 425.
31	latifolium. w.	broad-leaved.	Egypt.	1629.	————	H.b.	Botan. magaz. 876.
32	japonicum. w.	Japanese.	Japan.	1821.	————	H.b.	
33	longibracteatum. w.	long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
34	caudatum. w.	long-spiked.	————	1774.	2. 8.	F.b.	Botan. magaz. 805.
35	scilloides. w.	Squill-like.	————	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 888.
36	narbonense. w.	Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Botan. magaz. 2519.
37	pyrenaicum. w.	spiked.	England.	6. 7.	H.b.	Eng. bot. 499.
38	stachyoides. w.	close-spiked.	S. Europe.	1771.	4. 7.	H.b.	Renalm. spec. t. 90.
39	lacteum. w.	milk white.	C. B. S.	1796.	6. 7.	F.b.	Botan. magaz. 1134.
40	nutans. w.	nodding.	Britain.	4. 5.	H.b.	Eng. bot. 1997.
41	coarctatum. w.	close-flowered.	C. B. S.	1804.	6. 7.	F.b.	Jacq. ic. 2. t. 435.
42	auren. w.	golden.	————	1790.	————	F.b.	Botan. magaz. 190.
<i>miniatum.</i> Jacq. ic. t. 438.							
43	flavissimum. Jacq.	great yellow.	————	————	————	F.b.	Jacq. ic. 2. t. 436.
44	thyrsoides. w.	thyse-flow'r'd.	————	1757.	————	F.b.	Botan. magaz. 1164.
	<i>a album.</i>	<i>white-flowered.</i>	————	————	————	F.b.	Botan. regist. 316.
	<i>β flavescens.</i>	<i>pale-yellow.</i>	————	————	————	F.b.	———— 305.
45	arabicum. w.	great-flowered.	Egypt.	1629.	3. 4.	F.b.	Botan. magaz. 728.
46	maritimum.	official Squill.	S. Europe.	————	4. 5.	F.b.	———— 918.
	<i>Squilla.</i> B.M. <i>Scilla maritima.</i> w.						
47	unifolium. B.M.	onc-leaved.	Gibraltar.	1805.	6. 7.	F.b.	Bot. magaz. 953 & 935.
GAGEA. S.A.B. GAGEA. Hexandria Monogynia.							
1	striata.	streak-flow'r'd.	Siberia.	1789.	5. 7.	H.b.	
	<i>Ornithogalum striatum.</i> s.s.						
2	serotina. Ker.	mountain.	Wales.	6.	H.b.	Eng. bot. 793.
	<i>Anthericum serotinum.</i> E.B.						
3	fascicularis. S.A.B.	bundle-flow'r'd.	Britain.	3. 4.	H.b.	Swt. br. fl. gar. 182.
	<i>lutea.</i> B.M. 1200. <i>Ornithogalum luteum.</i> E.B. 21. non L.						
4	glauca. B.F.G.	glaucous-leav'd.	Switzerland.	1825.	————	H.b.	Swt. br. fl. gar. 177.
5	bracteolaris. S.A.E.	sheathing-bracted.	————	————	H.b.	———— 158.
	<i>Ornithogalum luteum.</i> L. non E.B.						
6	minima.	corn-field.	Europe.	1825.	————	H.b.	Pers. in Ust. an. t. 1. f. 2.
	<i>stellaris.</i> S.A.B. <i>Ornithogalum arvense.</i> s.s.						
7	villosa. M.B.	villous.	Caucasus.	————	————	H.b.	
8	Sternbergii. Hop.	Sternberg's.	Switzerland.	————	————	H.b.	
9	spathacea. w.	sheathed.	Germany.	1759.	5.	H.b.	Hayn. in Ust. an. 15. t. 1.
10	pusilla. Schm.	small.	Bohemia.	1823.	————	H.b.	
11	circinata. L.	netted.	Siberia.	1789.	5. 6.	H.b.	Pall. it. 3. ap. t. D. f. 2.
SCILLA. W. SQUILL. Hexandria Monogynia. L.							
1	non scripta. L. en.	Harebells.	Britain.	3. 6.	H.b.	Eng. bot. 377.
	<i>nutans.</i> E.B. <i>Hyacinthus non scriptus.</i> L.						
2	cernua. L. en.	flesh-coloured.	Spain.	————	H.b.	Botan. magaz. 1461.
3	campanulata. w.	bell-flowered.	————	1633.	5. 6.	H.b.	———— 128. 1102.
4	corymbosa. s.s.	Cape.	C. B. S.	1793.	8. 12.	F.b.	———— 991.
	<i>Massonia corymbosa.</i> B.M. <i>Hyacinthus corymbosus.</i> L.						
5	brevifolia. B.M.	short-leaved.	————	1811.	1. 3.	F.b.	Botan. magaz. 1468.
6	sibirica. H.K.	Siberian.	Siberia.	1796.	2. 3.	H.b.	———— 1325.

7	<i>pumila</i> , s.s.	small.	Portugal.	1819.	4. 5.	H.b.	
8	<i>bifolia</i> , w.	two-leaved.	England.	----	2. 4.	H.b.	Eng. bot. 24.
	<i>a cœrulea</i> .	<i>blue-flowered</i> .	-----	----	----	H.b.	
	<i>β alba</i> .	<i>white-flowered</i> .	-----	----	----	H.b.	
9	<i>præcox</i> , w.	early-flowering.	1790.	3. 4.	H.b.	
10	<i>Lilio-hyacinthus</i> , w.	Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. 205.
11	<i>verna</i> , w.	vernal.	Britain.	----	4. 5.	H.b.	Eng. bot. 23.
12	<i>ancœna</i> , w.	nodding.	Levant.	1596.	3. 4.	H.b.	Botan. magaz. 341.
13	<i>umbellata</i> , s.s.	umbel-flower'd.	Pyrenees.	1817.	----	H.b.	
14	<i>italica</i> , s.s.	Italian.	Italy.	1605.	4. 7.	H.b.	Botan. magaz. 663.
15	<i>autumnalis</i> , w.	autumnal.	England.	----	8.	H.b.	Eng. bot. 78.
16	<i>peruviana</i> , w.	corymbose.	Spain.	1607.	5.	H.b.	Botan. magaz. 749.
	<i>a cœrulea</i> .	<i>blue-flowered</i> .	-----	----	----	H.b.	
	<i>β alba</i> .	<i>white-flowered</i> .	-----	----	----	H.b.	
17	<i>lusitanica</i> , B.M.	Portugal.	Portugal.	1777.	----	H.b.	Botan. magaz. 1999.
18	<i>hyacinthoides</i> , w.	Hyacinth-like.	Madeira.	1585.	8.	H.b.	----- 1140.
19	<i>monophylla</i> , Lk.	one-leaved.	Portugal.	----	5. 6.	H.b.	
20	<i>esculenta</i> , B.M.	Quamash.	N.America.	1811.	5. 7.	H.b.	Botan. magaz. 1574.
HYACINTHUS, S.S.		HYACINTH.	Hexandria Monogynia.	L.			
1	<i>orientalis</i> , w.	common.	Levant.	1596.	3. 5.	H.b.	Botan. regist. 995.
	<i>a cœruleus</i> .	<i>blue-flowered</i> .	-----	----	----	H.b.	
	<i>β ruber</i> .	<i>red-flowered</i> .	-----	----	----	H.b.	
	<i>γ flavus</i> .	<i>yellow-flowered</i> .	-----	----	----	H.b.	
	<i>δ albus</i> .	<i>white-flowered</i> .	-----	----	----	H.b.	
	<i>ε semiplenus</i> .	<i>semidouble</i> .	-----	----	----	H.b.	
	<i>ζ plenus</i> .	<i>double-flowered</i> .	-----	----	----	H.b.	
	<i>η multiplex</i> .	<i>full-flowered</i> .	-----	----	----	H.b.	
2	<i>amethystinus</i> , w.	Amethyst-colour'd.	SEurope.	1759.	4. 5.	H.b.	Swt. br. fl. gar. 135.
UROPETALON, B.R.		UROPETALON.	Hexandria Monogynia.	B.R.			
1	<i>viride</i> , B.R.	green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. 203.
	<i>Hyacinthus viridis</i> , L.	<i>Zuccagnia viridis</i> , Th.	<i>Lachenalia viridis</i> , w.				
2	<i>glaucum</i> , B.R.	glaucous-leav'd.	-----	1816.	7. 8.	F.b.	Botan. regist. 156.
3	<i>crispum</i> , B.R.	curled-leaved.	-----	----	----	F.b.	
4	<i>longifolium</i> , B.R.	long-leaved.	-----	1822.	----	F.b.	Botan. regist. 974.
5	<i>serotinum</i> , B.R.	late-flowering.	Spain.	1629.	6. 8.	F.b.	Botan. magaz. 859.
	<i>fulvum</i> , H.S.L.	tile-red.	Mogador.	1808.	6. 9.	F.b.	----- 1185.
	<i>Scilla serotina</i> β, B.M.						
BELLEVALIA, Lap.		BELLEVALIA.	Hexandria Monogynia.				
	<i>romana</i> .	Roman.	Italy.	1596.	5.	H.b.	Botan. magaz. 939.
	<i>operculata</i> , Lap.	<i>Scilla romana</i> , B.M.	<i>Hyacinthus romana</i> , L.				
MUSCARI, S.S.		GRAPE HYACINTH.	Hexandria Monogynia.	S.S.			
1	<i>moschatum</i> , s.s.	musk.	Levant.	1596.	4. 5.	H.b.	Botan. magaz. 734.
	<i>β flavum</i> , B.M.	<i>yellow</i> .	-----	1812.	----	H.b.	----- 1565.
2	<i>comosum</i> , s.s.	purple.	S. Europe.	1596.	----	H.b.	----- 133.
	<i>β monstrosum</i> .	<i>feathered</i> .	-----	----	----	H.b.	Moris. s.4. t. 11. f. 2.
3	<i>ciliatum</i> , s.s.	ciliated.	Tauria.	1818.	----	H.b.	Botan. regist. 394.
4	<i>pallens</i> , s.s.	pale-flowered.	-----	----	----	H.b.	
5	<i>racemosum</i> , s.s.	starch.	Britain.	----	----	H.b.	Eng. bot. 1391.
	<i>a major</i> .	<i>larger</i>	----	----	H.b.	
	<i>β minor</i> .	<i>smaller</i>	----	----	H.b.	Botan. magaz. 122.
6	<i>botryoides</i> , s.s.	bunch-flower'd.	Italy.	1596.	----	H.b.	----- 157.
	<i>a azureum</i> , B.F.G.	<i>bright-blue</i> .	-----	----	----	H.b.	Swt. br. fl. gar. 15. f.a.
	<i>β pallidum</i> , B.F.G.	<i>pale blue</i> .	-----	----	----	H.b.	----- 15. f.c.
	<i>γ album</i> , B.F.G.	<i>white-flowered</i> .	-----	----	----	H.b.	----- 15. f.b.
LACHENALIA, W.		LACHENALIA.	Hexandria Monogynia.	W.			
1	<i>pendula</i> , w.	pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.
	<i>a viridifolia</i> .	<i>green-leaved</i> .	-----	----	----	F.b.	Botan. magaz. 590.
	<i>β maculata</i> .	<i>spotted-leaved</i> .	-----	----	----	F.b.	
2	<i>quadricolor</i> , B.M.	four-coloured.	-----	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 358.
	<i>a viridifolia</i> .	<i>green-leaved</i> .	-----	----	----	F.b.	Botan. magaz. 588.
	<i>β colorata</i> .	<i>coloured-leaved</i> .	-----	----	----	F.b.	----- 1097.
3	<i>luteola</i> , Jacq.	yellow-flow'r'd.	-----	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.
	<i>a viridifolia</i> .	<i>green-leaved</i> .	-----	----	----	F.b.	Botan. magaz. 1020.
	<i>β maculata</i> .	<i>spotted-leaved</i> .	-----	----	----	F.b.	----- 1704.
4	<i>tricolor</i> , B.M.	three-coloured.	-----	----	----	F.b.	----- 82.
5	<i>rubida</i> , w.	dotted-flower'd.	-----	1803.	9. 10.	F.b.	----- 993.
6	<i>punctata</i> , s.s.	spotted-flow'r'd.	-----	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.
7	<i>flava</i> , A.R.	bright-yellow.	-----	1805.	5. 6.	F.b.	Andr. reposit. 77.
8	<i>isopetala</i> , w.	equal-flowered.	-----	1804.	----	F.b.	Jacq. ic. 2. t. 401.

9 sessiliflora. A.R.	sessile-flower'd. C. B. S.	1804.	5. 6.	F. b.	Andr. reposit. 460.
10 unifolia. w.	one-leaved. ———	1795.	3. 4.	F. b.	Botan. magaz. 766.
11 rosea. A.R.	rose-coloured. ———	1800.	4. 5.	F. b.	Andr. reposit. 296.
12 pusilla. w.	dwarf. ———	1825.	—	F. b.	Jacq. ic. 2. t. 385.
13 bifolia. B.M.	cowl-leaved. ———	1813.	3. 4.	F. b.	Botan. magaz. 1611.
14 contaminata. w.	contaminated. ———	1774.	2. 4.	F. b.	————— 1401.
15 purpurea. w.	purple. ———	1819.	4. 5.	F. b.	Jacq. ic. 2. t. 393.
16 violacea. w.	violet. ———	1795.	3. 4.	F. b.	————— 2. t. 394.
17 lucida. B.M.	glossy-leaved. ———	1798.	3. 5.	F. b.	Botan. magaz. 1372.
18 racemosa. B.M.	racemed. ———	1811.	5.	F. b.	————— 1517.
19 fragrans. w.	sweet-scented. ———	1798.	3. 5.	F. b.	Jacq. schœn. 1. t. 82.
20 unicolor. B.M.	self-coloured. ———	1806.	5. 6.	F. b.	Botan. magaz. 1373.
21 anguinea. B.F.G.	snake. ———	1825.	4. 5.	F. b.	Swt. br. fl. gar. 178.
22 purpureo-cœrulea.	purple-blue. ———	1798.	—	F. b.	Botan. magaz. 745.
23 pustulata. w.	blistered. ———	1790.	1. 4.	F. b.	————— 817.
24 liliiflora. w.	Lily-flowered. ———	1820.	4. 6.	F. b.	Jacq. ic. 2. t. 357.
25 patula. w.	spreading-fl'd. ———	1795.	4. 5.	F. b.	————— 2. t. 384.
26 nervosa. B.M.	nerved-leaved. ———	1810.	6.	F. b.	Botan. magaz. 1497.
27 angustifolia. w.	narrow-leaved. ———	1793.	4. 5.	F. b.	————— 735.
28 hyacinthoides. w.	Hyacinth-fl'd. ———	1812.	3. 4.	F. b.	Jacq. ic. 2. t. 382.
29 pallida. w.	pale-flowered. ———	1782.	—	F. b.	Botan. regist. 314.
30 mutabilis. B.F.G.	changeable. ———	1825.	2. 5.	F. b.	Swt. br. fl. gar. ic.
31 orchoides. w.	Orchis-like. ———	1752.	2. 4.	F. b.	Botan. magaz. 1269.
32 glaucina. w.	sea-green. ———	1795.	3. 4.	F. b.	Jacq. ic. 2. t. 391.
DRIMIA. S.S.	DRIMIA. Hexandria Monogynia. S.S.				
1 revoluta. H.S.L.	revolute-fl'd. C. B. S.	1774.	8. 10.	F. b.	Botan. magaz. 1380.
<i>lanceafolia</i> β. B.M.	<i>Hyacinthus revolutus</i> . H.K. <i>Lachenalia reflexa</i> . A.R. 187.				
2 lanceafolia. B.M.	lance-leaved. ———	1800.	9. 10.	F. b.	Botan. magaz. 643.
<i>Lachenalia lanceafolia</i> . B.M.					
3 undulata. s.s.	wave-leaved. ———	1825.	8. 10.	F. b.	Jacq. ic. 2. t. 376.
4 purpurascens. s.s.	purplish. ———	—	—	F. b.	
5 ciliaris. s.s.	ciliated. ———	...	—	F. b.	Botan. magaz. 1444.
6 pusilla. s.s.	dwarf. ———	1793.	5. 6.	F. b.	Jacq. ic. 2. t. 374.
7 media. s.s.	semicylindrical-ld. ———	1818.	7. 8.	F. b.	Jacq. ic. 2. t. 375.
8 elata. s.s.	tall. ———	1799.	10. 11.	F. b.	Botan. magaz. 822.
9 altissima. s.s.	tallest. ———	1791.	8. 9.	F. b.	————— 1074.
ERIOSPERMUM. W.	ERIOSPERMUM. Hexandria Monogynia. W.				
1 parvifolium. s.s.	small-leaved. C. B. S.	1795.	6. 8.	F. b.	Jacq. ic. 2. t. 422.
2 latifolium. s.s.	broad-leaved. ———	1800.	—	F. b.	————— 2. t. 420.
3 Bellendeni.	Mr. Ker's. ———	—	—	F. b.	Botan. magaz. 1382.
<i>latifolium</i> α. B.M. non Jacq.					
4 lanceafolium. s.s.	lance-leaved. ———	1795.	—	F. b.	Jacq. ic. 2. t. 421.
5 pubescens. s.s.	pubescent. ———	1820.	—	F. b.	Botan. regist. 578.
6 lanuginosum. s.s.	woolly-leaved. ———	—	—	F. b.	Jacq. schœn. 3. t. 265.
7 folioliferum. B.M.	leaflet-bearing. ———	1806.	—	F. b.	Andr. reposit. 521.
8 paradoxicum. B.M.	paradoxical. ———	1820.	—	F. b.	Jacq. col. sup. 81. t. 1.
MASSONIA. S.S.	MASSONIA. Hexandria Monogynia. W.				
1 grandiflora. B.R.	honey-bearing. C. B. S.	1825.	1. 4.	F. b.	Botan. regist. 958.
2 candida. Burch.	white-flowered. ———	1816.	2. 5.	F. b.	————— 694.
<i>longifolia</i> β. <i>candida</i> . B.R.					
3 longifolia. s.s.	long-leaved. ———	—	—	F. b.	
4 latifolia. s.s.	broad-leaved. ———	1775.	3. 4.	F. b.	Botan. magaz. 848.
5 cordata. s.s.	heart-leaved. ———	1820.	—	F. b.	
6 muricata. s.s.	prickly-leaved. ———	1790.	4. 5.	F. b.	Botan. magaz. 559.
7 scabra. H.K.	shagreen-ld. ———	—	1. 4.	F. b.	Andr. reposit. 220.
<i>pustulata</i> . B.M. 642.					
8 echinata. s.s.	rough-leaved. ———	—	5.	F. b.	
9 pauciflora. s.s.	few-flowered. ———	—	—	F. b.	
10 angustifolia. s.s.	narrow-leaved. ———	1775.	3. 4.	F. b.	Botan. magaz. 736.
11 undulata. s.s.	wave-leaved. ———	1791.	4.	F. b.	
12 ensifolia. s.s.	trumpet-fl'd. ———	1790.	9. 2.	F. b.	Botan. magaz. 554.
<i>violacea</i> . A.R. 46. <i>Agapanthus ensifolius</i> . w. <i>Hyacinthus bifolius</i> . Cav.					
EUCOMIS. S.S.	EUCOMIS. Hexandria Monogynia. W.				
1 nana. s.s.	dwarf. C. B. S.	1774.	5.	F. b.	Botan. magaz. 1495.
2 bifolia. s.s.	two-leaved. ———	1792.	4. 5.	F. b.	————— 840.
3 purpureocaulis. s.s.	purple-stalked. ———	1794.	3. 4.	F. b.	Andr. reposit. 369.
4 regia. s.s.	tongue-leaved. ———	1702.	3. 5.	F. b.	Dill. elth. t. 92. f. 109.
5 undulata. s.s.	wave-leaved. ———	1760.	—	F. b.	Botan. magaz. 1083.
6 punctata. s.s.	spotted. ———	1783.	7.	F. b.	————— 913.
7 striata. H.K.	streaked. ———	1790.	6. 12.	F. b.	————— 1539.

ALLIUM. L.		GARLIC.		Hexandria Monogynia. L.				
1	sativum. G.D.	common.	Sicily.	1548.	6. 7.	H.b.	Lobel. ic. t. 158.	
2	Ophioscorodon. G.D.	Rocamboles.	Crete.	1596.	8.	H.b.	Clus. his. p. 191. t. 210.	
3	contraversum. G.D.	simple-rooted.	Egypt.	1823.	—	H.b.	Cord. hist. p. 144. f. 1.	
	<i>Ophioscorodon. L. en.</i>							
4	arenarium. G.D.	sand.	Britain.	6. 8.	H.b.	Eng. bot. 1358.	
5	Scorodoprasum. G.D.	wild Rocamboles.	Denmark.	1596.	7.	H.b.	Flor. dan. t. 219. et 1455.	
6	littoreum. G.D.	Italian sand.	Italy.	1824.	8.	H.b.		
	<i>monsessulanum. W.</i>							
7	vineale. G.D.	Crow.	Britain.	6. 8.	H.b.	Eng. bot. 1974.	
8	pruinatum. G.D.	frosted.	Spain.	1819.	—	H.b.		
9	compactum. G.D.	two-headed crow.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f. 3.	
10	Purshii. G.D.	Pursh's crow.	N. America.	1824.	—	H.b.		
	<i>vineale. Ph. nec aliorum.</i>							
11	carneum. G.D.	blush-coloured.	France.	1816.	6. 7.	H.b.		
12	prolifera. G.D.	tree Onion.	Egypt.	7.	H.b.	Botan. magaz. 1469.	
	<i>Cepa β bulbifera. B.M.</i>							
13	Porrum. G.D.	Leek.	Switzerland.	1562.	5. 7.	H.b.	Plenck. ic. t. 421.	
14	Ampeloprasum. G.D.	blue Leek.	England.	7. 8.	H.b.	Eng. bot. 1657.	
15	rubicum. G.D.	marbled leek.	C. B. S.	—	F.b.	Botan. magaz. 1560.	
	<i>ampeloprasum β. B.M.</i>							
16	erectum. G.D.	upright leek.	— —	1824.	—	F.b.		
17	exsertum. G.D.	long-stamen'd.	Russia.	1819.	7.	H.b.		
18	pedemontanum. G.D.	Piedmont.	Piedmont.	1820.	6. 7.	H.b.	Allion. ped. t. 254.	
	<i>nigrum. All.</i>							
19	rotundum. G.D.	round headed.	S. Europe.	1819.	—	H.b.	Clus. hist. p. 195. t. 220.	
	<i>β majus. G.D.</i>	<i>pale flowered.</i>	— —	1818.	—	H.b.	Flor. græc. t. 312.	
	<i>Ampeloprasum. F.G.</i>							
20	acutiflorum. G.D.	sharp-flower'd.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f. 4.	
21	lineare. G.D.	linear-leaved.	Siberia.	1819.	—	H.b.	Gmel. sib. 1. t. 13 et 14. f. 1	
22	descendens. G.D.	early flowering.	Switzerland.	1766.	6.	H.b.	Hall. all. p. 355. f. 2.	
23	sphærocephalon. G.D.	late-flowered.	Germany.	1759.	7.	H.b.	Botan. magaz. 1764.	
24	Synnotii. G.D.	Synnot's.	C. B. S.	1825.	6. 7.	F.b.		
25	ascalonicum. G.D.	Shallot.	Palestine.	1548.	6. 7.	H.b.	Moris. sect. 4. t. 14. f. 4.	
	<i>β chinense. G.D.</i>	<i>Chinese Shallot.</i>	China.	—	H.b.		
	<i>γ majus. G.D.</i>	<i>Scallion.</i>	Asia minor.	—	H.b.	Matt. opus. p. 420. ic.	
	<i>Cepa fissilis. Matt.</i>							
26	Cepa. G.D.	Onion.	6.	H. ♂. b.	Flor. græc. t. 326.	
	<i>β aggregatum. G.D.</i>	<i>Potatoe Onion.</i>	—	H.b.		
27	Schaenoprasum. G.D.	Chives.	Britain.	5. 6.	H.b.	Eng. bot. 2438.	
28	foliosum. G.D.	leafy Chives.	France.	1820.	—	H.b.	Redout. lil. 4. t. 214.	
29	sibiricum. G.D.	Siberian Chives.	Siberia.	1778.	6. 8.	H.b.	Botan. magaz. 1141.	
30	fistulosum. G.D.	Welsh Onion.	— —	1629.	4. 5.	H. ♂. b.	— — — — 1230.	
	<i>β majus. G.D.</i>	Altaic.	Altay.	1823.	—	H.b.		
31	obliquum. G.D.	oblique-leaved.	Siberia.	1759.	6. 7.	H.b.	Botan. magaz. 1408.	
32	ramosum. G.D.	branching Chives.	— —	1824.	6.	H.b.		
33	Pallasii. G.D.	Pallas's Chives.	Russia.	—	H.b.	Murr. c. got. 6. 1775. t. 3.	
34	pusillum. G.D.	small.	Italy.	1824.	6. 7.	H.b.	Redout. lil. ic.	
35	oxypetalum. G.D.	acute-petal'd.	Switzerland.	1822.	7.	H.b.		
36	oleraceum. G.D.	purple-striped.	England.	7.	H.b.	Eng. bot. 488.	
37	carinatum. G.D.	keeled.	— —	5. 6.	H.b.	— — — — 1658.	
38	foetidum. G.D.	twisted.	Siberia.	1823.	—	H.b.		
39	violaceum. G.D.	violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.	
	<i>flexum. W.K.</i>							
40	flexuosum. G.D.	flexuose.	Greece.	1826.	—	F.b.		
41	fuscum. G.D.	brown.	Hungary.	1823.	—	H.b.	W. et K. hung. ic.	
42	asperum. G.D.	rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.	
	<i>carinatum. D.C. nec aliorum.</i>							
43	longispathum. G.D.	long-spathed.	— —	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.	
	<i>pallens. E.M. 1420.</i>							
44	paniculatum. G.D.	paniced.	— —	1780.	—	H.b.	Botan. magaz. 1432.	
45	pallens. G.D.	pale-flowered.	— —	1779.	—	H.b.	Redout. lil. 5. t. 272.	
46	parviflorum. G.D.	small-flowered.	— —	1781.	—	H.b.		
47	pulchellum. G.D.	beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.	
	<i>paniculatum. R.L. coloratum. s.s.</i>							
48	flavum. G.D.	yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Botan. magaz. 1330.	
49	caucasum. G.D.	Caucasian.	Caucasus.	1810.	—	H.b.	— — — — 973.	
50	rupestre. G.D.	small Caucasian.	— —	1824.	—	H.b.		
51	montanum. G.D.	mountain.	Greece.	—	—	H.b.		

52	saxatile. G.D.	rock.	Caucasus.	1825.	6. 7.	H.b.	
53	globosum. G.D.	globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
54	moschatum. G.D.	small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
	<i>setaceum.</i> W.K.						
55	strictum. G.D.	upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
56	nutans. G.D.	great nodding.	—	1785.	7. 8.	H.b.	Botan. magaz. 1143.
57	senescens. G.D.	Narcissus-ld.	—	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
58	Andersonii. G.D.	Anderson's.	—	1819.	—	H.b.	
59	hybridum. G.D.	bastard.	Germany.	—	—	H.b.	
60	glaucum. G.D.	glaucous.	—	1596.	6. 7.	H.b.	Botan. magaz. 1150.
	<i>senescens.</i> B.M. non L.	<i>baicalense.</i> w. en.					
61	angulosum. G.D.	angular-stalk'd.	—	1739.	6. 7.	H.b.	Botan. magaz. 1149.
62	acutangulum. G.D.	acute-angled.	—	1816.	—	H.b.	Ger. emac. p. 186. ic.
63	danubiale. G.D.	short-leaved.	—	—	—	H.b.	
64	laxum. G.D.	loose umbelled.	Russia.	1824.	—	H.b.	
65	serotinum. G.D.	late-flowering.	Switzerland.	—	8.	H.b.	
66	albidum. G.D.	whitish-flow'r'd.	Caucasus.	1823.	6. 8.	H.b.	
67	denudatum. G.D.	half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
68	rubens. G.D.	red-rooted.	S. Europe.	1805.	5.	H.b.	Botan. magaz. 1318.
	<i>bisulcum.</i> B.M.						
69	prostratum. G.D.	small trailing.	Siberia.	6.	H.b.	
70	congestum. G.D.	crowded-fl'd.	—	6.	H.b.	
71	narcissiflorum. G.D.	large-flowered.	France.	1818.	—	H.b.	Vill. danph. 2. t. 6.
72	suaveolens. G.D.	sweet-scented.	—	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
73	ochroleucum. G.D.	cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
74	cernuum. G.D.	drooping.	N. America.	1806.	6. 7.	H.b.	Botan. magaz. 1325.
75	stellatum. G.D.	starry-flower'd.	—	1811.	—	H.b.	— 1576.
76	reticulatum. G.D.	net-rooted.	—	—	7.	H.b.	— 1840.
77	carolinianum. G.D.	Carolina.	—	1819.	—	H.b.	Redout. lil. 2. t. 101.
78	paradoxum. G.D.	paradoxical.	Siberia.	1823.	4.	H.b.	
79	canadense. G.D.	Canadian.	N. America.	1739.	6. 7.	H.b.	Kalm. it. v. 3. p. 79.
80	mutabile. G.D.	changeable.	—	7.	H.b.	Redout. lil. 4. t. 240.
81	magicum. G.D.	broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
82	palustre. G.D.	marsh.	—	1823.	—	H.b.	
83	incarnatum. G.D.	flesh-coloured.	Greece.	..	5.	H.b.	Botan. magaz. 978.
84	amœnum. G.D.	fine red-fl'd.	Italy.	1820.	—	H.b.	Ten. fl. nap. t. 28.
	<i>carneum.</i> Best.						
85	roseum. G.D.	rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 213.
86	subhirsutum. G.D.	hairy.	S. Europe.	1596.	—	H.b.	Cyr. pl. r. nap. 2. t. 3.
	<i>β obtusum.</i>	<i>blunt-flowered.</i>	—	—	—	H.b.	Botan. magaz. 774.
87	Clusianum. G.D.	Clusius's.	—	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
88	Chamæ-Moly. G.D.	dwarf-Moly.	—	1774.	2. 4.	F.b.	Botan. magaz. 1203.
89	majale. G.D.	large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
90	Cowani. G.D.	Cowan's.	Chili.	1824.	5.	F.b.	Botan. regist. 758.
91	neapolitanum. G.D.	Neapolitan.	Italy.	—	4. 5.	H.b.	Swt. br. fl. gar. ic.
	<i>album.</i> Bivon.						
92	triquetrum. G.D.	triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Botan. magaz. 869.
93	pendulinum. G.D.	pendulous Italian.	Italy.	1824.	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
94	nigrum. G.D.	black.	S. Europe.	1596.	6.	H.b.	Botan. magaz. 1148.
	<i>magicum.</i> B.M.						
	<i>β rubescens.</i>	<i>pale red-flow'r'd.</i>	Greece.	—	H.b.	Flor. græc. t. 323.
95	Moly. G.D.	large yellow.	S. Europe.	1604.	—	H.b.	Botan. magaz. 499.
96	triloccum. G.D.	three-seeded.	N. America.	1770.	7.	H.b.	
97	ursinum. G.D.	sharp-fl'd. Ramson.	Britain.	4. 5.	H.b.	Eng. bot. 122.
98	ursinoides. G.D.	blunt fl'd. Ramson.	Europe.	—	H.b.	Redout. lil. 6. t. 303.
99	Victoralis. G.D.	long-rooted.	Austria.	1739.	5.	H.b.	Botan. magaz. 1222.
100	odorum. G.D.	sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
	<i>tataricum.</i> B.M. 1142.						
101	inodorum. B.M.	fragrant.	Carolina.	1776.	3. 4.	H.b.	Botan. magaz. 1129.
	<i>fragrans.</i> Vent. cels. t. 26.	<i>gracile.</i> w.					
102	striatum. G.D.	striated.	America.	1800.	5. 6.	H.b.	Bot. mag. 1524 & 1035.
	<i>Ornithogalum gramineum.</i> B.M. 2419.						
103	caspium. G.D.	Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
	<i>Anaryllis caspica.</i> w.	<i>Crinum caspicum.</i> Pal.					
SOWERBÆA. B.P.	SOWERBÆA.	Hexandria Monogynia. S.S.					
juncea. B.P.	Rush-leaved.	N. S. W.	1792.	5. 7.	G. 7.		Botan. magaz. 1104.
LAXMANNIA. B.P.	LAXMANNIA.	Hexandria Monogynia. S.S.					
gracilis. B.P.	slender.	N. S. W.	1822.	5. 7.	G. 7.		
APHYLLANTHES. L.	LILY PINK.	Hexandria Monogynia.					
monspeliensis. L.	Rush-like.	France.	1791.	6. 7.	H. 7.		Botan. magaz. 1132.

THYSANOTUS. B.P.	THYSANOTUS.	Hexandria Monogynia. S.S.			
1 tuberosus. B.P.	tuberous-root'd.	N. S. W.	1822.	7. 9.	G. 2.
2 elatior. B.P.	tall.	—	—	—	G. 2.
3 isantherus. B.P.	equal-anther'd.	V. Diem. Isl.	—	—	G. 2.
4 junceus. B.P.	rush-like.	N. S. W.	—	—	G. 2.
	<i>Chlamyosporium juncifolium.</i>	P. L.	103.		
CYANELLA. L.	CYANELLA.	Hexandria Monogynia. L.			
1 alba. s. s.	1-flower'd white.	C. B. S.	1825.	4. 6.	F. b.
2 lutea. s. s.	yellow-flower'd.	—	1788.	5. 12.	F. b.
3 orchidiformis. s. s.	Orchis-like.	—	1825.	4. 8.	F. b.
4 lineata. B. T.	lined.	—	1816.	—	F. b.
5 capensis. s. s.	purple-flower'd.	—	1768.	—	F. b.
CONANTHERA. R. P.	CONANTHERA.	Hexandria Monogynia. P. S.			
1 bifolia. R. P.	two-leaved.	Chili.	1823.	3. 5.	F. b.
2 Simsii.	Sims's.	—	—	—	F. b.
	<i>bifolia.</i> B. M. non R. P.				
3 campanulata. H. E. F.	bell-flowered.	—	—	4. 6.	F. b.
DIANELLA. B. P.	DIANELLA.	Hexandria Monogynia. W.			
1 ensifolia. B. M.	whitish-fl'd.	E. Indies.	1731.	8.	S. 2.
	<i>Dracæna ensifolia.</i> H. K.				
2 nemorosa. Lam.	blue Indian.	—	—	6. 8.	S. 2.
3 cœrulea. B. P.	rough edged.	N. S. W.	1783.	5. 8.	F. 2.
4 longifolia. E. P.	long-leaved.	—	1820.	—	F. 2.
5 laevis. B. P.	smooth-leaved.	—	1823.	—	F. 2.
6 revoluta. B. P.	revolute-margin'd.	—	1822.	—	F. 2.
7 divaricata. B. P.	divaricated.	N. Holland.	1805.	7. 8.	G. 2.
8 strumosa. B. R.	strumous.	—	1822.	5. 8.	G. 2.
LUZURIAGA. B. P.	LUZURIAGA.	Hexandria Monogynia. S. S.			
1 cymosa. B. P.	cymose.	N. S. W.	1820.	4. 6.	G. 2.
2 montana. B. P.	mountain.	—	1823.	—	G. 2.
EUSTREPHUS. B. P.	EUSTREPHUS.	Hexandria Monogynia. S. S.			
1 latifolius. B. P.	broadest-leav'd.	N. S. W.	1800.	6. 9.	G. 2.
2 angustifolius. B. P.	narrow-leaved.	N. Holland.	1816.	—	G. 2.
MYRSIPHYLLUM. S. S.	MYRSIPHYLLUM.	Hexandria Trigynia. S. S.			
1 asparagoides. s. s.	broadest-leav'd.	C. B. S.	1702.	10. 3.	G. 2.
	<i>Medeola asparagoides.</i> L.				
2 angustifolium. s. s.	narrow-leaved.	—	1752.	12. 3.	G. 2.
ASPARAGUS. L.	ASPARAGUS.	Hexandria Monogynia. L.			
1 amarus. s. s.	bitter.	S. France.	1820.	6. 8.	H. 2.
2 officinalis. s. s.	common.	England.	—	—	H. 2.
3 sylvaticus. s. s.	wood.	Hungary.	—	—	H. 2.
4 declinatus. s. s.	long-leaved.	C. B. S.	1759.	—	F. 2.
5 decumbens. s. s.	decumbent.	—	1792.	5.	F. 2.
6 flexuosus. s. s.	flexuose.	—	—	7. 8.	F. 2.
7 dauricus. s. s.	Daurian.	Dauria.	1819.	6. 8.	H. 2.
8 maritimus. s. s.	sea-side.	Siberia.	1820.	—	H. 2.
9 verticillaris. s. s.	whorl-leaved.	Caucasus.	1752.	—	H. 2.
10 acutifolius. s. s.	needle-leaved.	Spain.	1540.	—	H. 2.
11 racemosus. s. s.	branching.	E. Indies.	1808.	—	S. 2.
12 sarmentosus. s. s.	linear-leaved.	Ceylon.	1710.	8.	S. 2.
13 falcatus. s. s.	sickle-leaved.	E. Indies.	1792.	—	S. 2.
14 retrofractus. s. s.	Larch-leaved.	Africa.	1759.	8. 9.	G. 2.
15 capensis. s. s.	Cape.	C. B. S.	1691.	4. 5.	G. 2.
16 æthiopicus. w.	angular-stalk'd.	—	1816.	—	G. 2.
17 scandens. w.	climbing.	—	1795.	5. 6.	G. 2.
18 asiaticus. s. s.	Asiatic.	Asia.	1759.	—	G. 2.
19 subulatus. s. s.	awl-leaved.	C. B. S.	1811.	—	G. 2.
20 albus. s. s.	white.	Spain.	1540.	5. 7.	F. 2.
21 aphyllus. s. s.	prickly.	S. Europe.	1640.	—	F. 2.
22 horridus. s. s.	long-spined.	—	1819.	—	F. 2.
23 Broussonetii. L. en.	Broussonet's.	Canaries.	1815.	—	F. 2.
PHYLLOMA. B. M.	PHYLLOMA.	Hexandria Monogynia.			
1 aloiflorum. B. M.	Aloe-like.	Bourbon.	1766.	4. 6.	S. 2.
	<i>Lomatophyllum borbonicum.</i> w. <i>Dracæna marginata.</i> H. K. <i>dentata.</i> P. S.				
2 macra. L. en.	lean.	Mauritius.	1817.	6. 7.	S. 2.
	<i>Aloe macra.</i> H. S. S.				
3 rufocincta.	rosy-edged.	E. Indies.	1818.	—	S. 2.
	<i>Aloe rufocincta.</i> H. S. S.				

Botan. regist. 655.
— 656.

Botan. magaz. 1252.
Jacq. ic. 2. t. 447.

Botan. magaz. 568.

Lodd. bot. cab. 904.
Botan. magaz. 2496.

Hook. ex. flor. 214.
Botan. magaz. 1404.

Rumph. amb. 5. t. 73.
Botan. magaz. 505.
Botan. regist. 731.

Botan. regist. 751.

Botan. magaz. 1245.

Herm. lugd. t. 681.

Till. pis. 17. t. 12. f. 2.

Eng. bot. 339.
W. et K. hung. 3. t. 201.

Jacq. schœn. 1. t. 97.

Buxb. cent. 5. ap. t. 37.
Park. theat. f. 3.

Rheed. mal. 10. t. 10.
Burm. zeyl. t. 13. f. 2.
Pluk. alm. t. 375. f. 3.
Jacq. schœn. 3. t. 266.

Pluk. alm. t. 15. f. 4.

Moris. s. 1. t. 1. f. 3.
— sect. 1. t. 1. f. 2.

Cavan. ic. 2. t. 136.
Jacq. cclog. 2. t. 40.

Botan. magaz. 1585.

DRACENA. W.	DRAGON-TREE.	Hexandria Monogynia. L.		
1 Draco. s.s.	common.	E. Indies. 1640.	S. h. Blackw. t. 358.
2 ensifolia. H.s.	sword-leaved.	1800.	S. h.
3 indivisa. s.s.	undivided.	N. Zealand. 1819.	G. h.
4 australis. s.s.	Forster's.	G. h.
5 stricta. R.R.	loose-panicled.	N. Holland. 1821.	3. 5.	S. h. Botan. regist. 956.
6 congesta.	crowded-panicl'd.	S. h.
7 arborea. s.s.	tree.	Africa. 1810.	S. h.
8 fragrans. s.s.	fragrant.	1768. 2. 5.	S. h. Botan. magaz. 1081.
9 ferrea. L.	dark-purple.	China. 1771.	3. 4.	S. h. Redout. lil. 91.
10 terminalis. w.	red-leaved.	India. 1812.	S. h. Rumph. amb. 4. t. 34. f. 1.
11 umbraculifera. s.s.	umbrella.	Mauritius. 1788.	4. 6.	S. h. Lodd. bot. cab. 289.
12 cernua. s.s.	drooping.	S. h. Jacq. schœn. 1. t. 96.
13 tessellata. s.s.	red-margined.	Madagascar. 1816.	S. h.
<i>marginata. P.s.</i>				
14 mauritiana. s.s.	Mauritius.	Mauritius. —	S. h.
15 undulata. s.s.	wave-leaved.	C. B. S. —	G. h.
16 ovata. B.M.	oval-leaved.	Sierra Leon. 1790.	8. 9.	S. h. Botan. magaz. 1180.
17 nodosa. L.C.	knotted.	1822.	S. h.
18 reflexa. s.s.	reflex-leaved.	Madagascar. 1816.	S. h.
CORDYLINÆ. B.P.	CORDYLINÆ.	Hexandria Monogynia.		
hemichrysa. P.s.	golden-leaved.	Bourbon. 1823.	S. h.
PHORMIUM. W.	FLAX-LILY.	Hexandria Monogynia. W.		
tenax. w.	Iris-leaved.	N. Zealand. 1788.	8.	F. 2. Cook. it. v. 2. t. 96.
XANTHORRHŒA. B.P.	GUM-TREE.	Hexandria Monogynia. S.S.		
1 australis. B.P.	southern.	V. Diem. Isl. 1820.	F. h.
2 hostile. B.P.	yellow gum.	N. S. W. 1803.	4. 5.	F. h.
3 media. B.P.	intermediate.	1819.	F. h.
4 minor. B.P.	small.	1804.	F. 2.
5 bracteata. B.P.	long-bracted.	1810. 4. 5.	F. 2.

ORDO CLXXXVI.

BROMELIACEÆ. *Juss. gen. 49.*

AGAVE. L.	AGAVE.	Hexandria Monogynia. L.		
1 americana. H.s.	large American.	S. America. 1640.	8. 10.	D. G. 2. Andr. reposit. 438.
2 Milleri. H.s.	Miller's.	1768.	D. G. 2.
3 flaccida. H.s.	flaccid.	1790.	D. S. 2.
4 lurida. B.M.	Vera Cruz.	Vera Cruz. 1731.	6. 7.	D. S. 2. Botan. magaz. 1522.
5 angustifolia. H.s.	narrow-leaved.	St. Helena. 1770.	D. S. 2.
6 yuccæfolia. H.s.s.	Yucca-leaved.	1817.	D. S. 2.
7 mexicana. H.s.s.	Mexican.	Mexico. 1818.	D. G. 2.
8 Karatto. H.s.	Karatto.	S. America. 1768.	D. S. 2.
9 vivipara. H.s.	viviparous.	1731. 8. 10.	D. S. 2. Comm. præl. t. 15.
10 polyacantha. H.R.	black spined.	1800.	D. S. 2.
11 virginica. H.s.	Virginian.	N. America. 1765.	9.	F. 2. Botan. magaz. 1157.
FURCRŒA. V.	FURCRŒA.	Hexandria Monogynia. H.S.		
1 gigantea.	gigantic.	S. America. 1690.	9. 1.	D. S. h. DC. plant. gras. 126.
<i>Agave fatida. w.</i>				
2 tuberosa. H.K.	tuberos.	1739. 8. 9.	D. S. h.
3 cubensis. H.s.	Cuba.	D. S. h. Jacq. amer. t. 260. f. 25.
4 rigida. H.s.	Vera Cruz.	1768.	D. S. h.
5 australis. H.s.	entire-leaved.	1811.	D. S. 2.
6 madagascariensis. H.	Madagascar.	Madagascar. 1818.	D. S. 2.
7 cantala. H.s.s.	Canton.	China. —	D. G. 2.
LITTŒA. H.S.S.	LITTŒA.	Hexandria Monogynia. H.S.S.		
geminiflora. H.S.S.	twin-flowered.	S. America. 1810.	S. h. Journ. of sc. n. 3. t. 1.
<i>Agave geminiflora. Ker. Buonaparteæ juncea. H.s. nec aliorum.</i>				
BROMELIA. L.	PINE-APPLE.	Hexandria Monogynia. L.		
1 Ananas. s.s.	common.	S. America. 1690.	1. 12.	S. 2. Botan. magaz. 1554.
2 semiserrata. s.s.	semiserrate.	S. 2.
3 lucida. w.en.	shining-leaved.	S. 2.
4 lingulata. s.s.	tongue-leaved.	1759. 5. 6.	S. h. Plum. ic. t. 64. f. 1.

5	bracteata. s.s.	red-bracted.	Jamaica.	1785.	9. 10.	S. ½.	Sal. par. lond. 40.
6	fastuosa. L.col.	noble.	S. America.	1815.	8. 10.	S. ½.	Lind. coll. t. 1.
7	melanantha. B.R.	black-flowered.	Trinidad.	1823.	5. 7.	S. ½.	Botan. regist. 766.
8	nudicaulis. B.R. <i>pyramidalis</i> . B.M.	naked-stalked.	S. America.	2. 3.	S. ½.	————— 203.
9	Hookeri. <i>nudicaulis</i> . H.E.F. non B.R.	Hooker's.	Trinidad.	1822.	4. 6.	S. ¼.	Hook. ex. flor. 143.
10	Karatas. s.s.	upright-leaved.	W. Indies.	1739.	S. ½.	Jacq. vind. 1. t. 31. 32.
11	humilis. s.s.	dwarf.	—————	1789.	3.	S. ¼.	Jacq. ic. 1. t. 60.
12	pallida. B.R.	pale.	S. America.	1810.	6. 11.	S. ¼.	Botan. regist. 344.
13	Pinguin. s.s.	broad-leaved.	W. Indies.	1699.	3. 4.	S. ½.	Jacq. am. ed. pict. t. 91.
14	chrysantha. s.s.	yellow-flow'r'd.	S. America.	1820.	—	S. ½.	Jacq. schœn. 1. t. 55.
15	exudans. B.C.	clammy.	—————	1816.	—	S. ¼.	Lodd. bot. cab. 801.
16	paniculigera. s.s.	panicked.	W. Indies.	1822.	—	S. ¼.	—————
17	sylvestris. s.s.	wild.	S. America.	1820.	7. 8.	S. ¼.	Botan. magaz. 2392.
18	Acanga. s.s.	recurved.	—————	1824.	S. ¼.	Pis. bras. t. 91.
19	sessiliflora. L.C.	sessile-flow'r'd.	—————	—	S. ¼.	—————
GUZMANNIA. R.P.		GUZMANNIA.		Hexandria Monogynia.		S.S.	
	tricolor. R.P.	three-coloured.	S. America.	1818.	5. 6.	S. ¼.	Lind. coll. bot. 8.
PITCAIRNIA. S.S.		PITCAIRNIA.		Hexandria Monogynia.		L.	
1	staminea. s.s.	long-stamen'd.	S. America.	1823.	1. 3.	S. ¼.	Botan. magaz. 2411.
2	integrifolia. s.s.	entire-leaved.	W. Indies.	1800.	8.	S. ¼.	————— 1462.
3	latifolia. s.s.	broad-leaved.	—————	1785.	8. 9.	S. ¼.	————— 856.
4	bracteata. R.L.	large bract'd. red.	—————	1799.	4. 5.	S. ¼.	Redout. lil. 73. 74.
5	sulphurea. A.R. <i>bracteata</i> β <i>sulphurea</i> . B.M. 1416.	yellow-flow'r'd.	—————	1797.	6. 8.	S. ¼.	Andr. reposit. 249.
6	albiflos. B.M.	white-flowered.	Brazil.	1824.	9. 12.	S. ¼.	Botan. magaz. 2642.
7	bromeliæfolia. s.s.	Pine-apple-ld.	Jamaica.	1781.	6. 8.	S. ¼.	————— 824.
8	angustifolia. s.s.	narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. ¼.	————— 1547.
9	furfuracea. B.M.	mealy.	S. America.	1818.	7. 9.	S. ¼.	————— 2657.
10	media. L.C.	intermediate.	—————	1823.	—	S. ¼.	—————
11	iridiflora. L.C.	Iris-flowered.	—————	—	—	S. ¼.	—————
12	humilis. L.C.	dwarf.	—————	—	—	S. ¼.	—————
POURRETIA. R.P.		POURRETIA.		Hexandria Monogynia.		S.S.	
1	pyramidata. K.S.	pyramidal.	S. America.	1822.	4. 6.	S. ¼.	Flor. Peruv. 3. t. 257.
2	coarctata. R.P.	crowded-spik'd.	Chili.	—	S. ¼.	Feuil. per. 3. t. 39.
TILLANDSIA. L.		TILLANDSIA.		Hexandria Monogynia.		L.	
1	Bartramii. s.s.	Bartram's.	Carolina.	1825.	S. ¼.	—————
2	recurvata. s.s.	recurve-leaved.	Jamaica.	1793.	7.	S. ¼.	Sloan. jam. 1. t. 121. f. 1.
3	xiphioides. B.R.	Xiphium-like.	Buenos Ayres.	1815.	—	S. ¼.	Botan. regist. 105.
4	serrata. s.s.	saw-leaved.	Jamaica.	1793.	6. 7.	S. ¼.	Plum. ic. 63. t. 75. f. 1.
5	lingulata. s.s.	tongue-leaved.	—————	1776.	—	S. ¼.	Jacq. amer. t. 62.
6	setacea. s.s.	bristle-leaved.	—————	1822.	—	S. ¼.	—————
7	stricta. s.s.	stiff-leaved.	Brazil.	1810.	11.	S. ¼.	Botan. magaz. 1529.
8	bulbosa. H.E.F.	bulbous.	Trinidad.	1823.	8. 9.	S. ¼.	Hook. ex. flor. 173.
9	aloifolia. H.E.F.	Aloe-leaved.	—————	1824.	11. 12.	S. ¼.	————— 205.
10	pulchra. H.E.F.	pretty.	—————	1822.	10. 11.	S. ¼.	————— 154.
11	anceps. B.C.	two-edged.	W. Indies.	1819.	7.	S. ¼.	Lodd. bot. cab. 771.
12	utriculata. s.s.	bottle.	S. America.	1793.	7. 8.	S. ¼.	—————
13	tenuifolia. s.s.	slender-leaved.	W. Indies.	1822.	—	S. ¼.	Plum. ic. 232. f. 2.
14	acutifolia. L.en. <i>flexuosa</i> β <i>pallida</i> . B.R.	acute-leaved.	Brazil.	1815.	—	S. ¼.	Botan. regist. 749.
15	flexuosa. s.s.	flexuose.	W. Indies.	1790.	—	S. ¼.	Jacq. amer. t. 63.
16	nutans. s.s.	nodding-spik'd.	—————	1793.	—	S. ¼.	—————
17	fasciculata. s.s.	bundled.	—————	1822.	—	S. ¼.	—————
18	nitida. H.E.F.	shining broad-ld.	Jamaica.	1823.	11. 12.	S. ¼.	Hook. ex. flor. 218.
19	polystachya. s.s.	many-spiked.	W. Indies.	1820.	7. 9.	S. ¼.	—————
20	angustifolia. s.s.	narrow-leaved.	—————	1822.	—	S. ¼.	—————
21	paniculata. s.s.	panicked.	—————	1817.	—	S. ¼.	Plum. ic. 237.
22	coarctata. G.C.	crowded.	—————	1822.	S. ¼.	—————
23	compressa. G.C.	compressed.	—————	—	S. ¼.	—————
24	gracilis. G.C.	slender.	—————	—	S. ¼.	—————
25	ramosa. G.C.	branching.	—————	—	S. ¼.	—————
26	rigida. G.C.	rigid.	—————	—	S. ¼.	—————
BONAPARTEA. R.P.		BONAPARTEA.		Hexandria Monogynia.		S.S.	
	juncea. R.P.	rush-leaved.	Peru.	1800.	S. ¼.	Flor. peruv. 3. t. 242.

ORDO CLXXXVII.

TULIPACEÆ. *Kth. synops. 1. p. 292.*

- YUCCA. L.**
- ADAMS-NEEDLE. Hexandria Monogynia. L.**
- 1 *conspicua. H.S.S.* broad rough-edg'd. 1810. 8. 10. F. $\frac{1}{2}$.
 2 *aloifolia. H.S.S.* Aloe-leaved. W. Indies. 1696. — G. $\frac{1}{2}$. Botan. magaz. 1700.
 3 *serrulata. H.S.S.* narrow saw-ld. Carolina. 1808. . . . F. $\frac{1}{2}$.
 4 *Draconis. H.S.S.* drooping-ld. ——— 1732. 8. 9. F. $\frac{1}{2}$. Dill. elt. t. 324. f. 417.
 5 *crenulata. H.S.S.* rough-edged oblique. . . . 1818. . . . F. $\frac{1}{2}$.
 6 *arcuata. H.S.S.* arcuated. 1817. . . . F. $\frac{1}{2}$.
 7 *tenuifolia. H.S.S.* slender-leaved. Malta? — F. $\frac{1}{2}$.
 8 *concava. H.S.S.* hollow-thready. N. America. 1816. 7. 8. H. $\frac{1}{2}$.
 9 *filamentosa. H.S.S.* common-thready. Virginia. 1675. 7. 10. H. $\frac{1}{2}$. Botan. magaz. 900.
 10 *flaccida. H.S.S.* flaccid thready. N. America. 1816. — H. $\frac{1}{2}$.
 11 *recurva. H.S.S.* recurve-leaved. Georgia. 1795. 8. 9. H. $\frac{1}{2}$. Sal. par. lond. 31.
 12 *glaucescens. H.S.S.* glaucescent. N. America. 1815. 7. 8. H. $\frac{1}{2}$. Swt. br. fl. gar. 53.
glauca. B.M. 2662?
- 13 *stricta. B.M.* straight-leaved. Carolina. 1811. — H. $\frac{1}{2}$. Botan. magaz. 2222.
 14 *angustifolia. H.S.S.* narrow-leaved. Missouri. — H. $\frac{1}{2}$. ——— 2236.
 15 *superba. H.S.S.* superb. 8. 10. G. $\frac{1}{2}$. Andr. reposit. 473.
gloriosa. A.R. nec aliorum.
- 16 *gloriosa. H.S.S.* handsome. America. 1596. 7. 8. H. $\frac{1}{2}$. Botan. magaz. 1260.
 17 *rufocincta. H.S.S.* red-edged. 1816. — H. $\frac{1}{2}$.
 18 *obliqua. H.S.S.* oblique-leaved. 1808. — H. $\frac{1}{2}$.
 β major. H.S.S. larger. — H. $\frac{1}{2}$.
- TULIP. L.**
- TULIP. Hexandria Monogynia. L.**
- 1 *biflora. s.s.* two-flowered. Russia. 1806. 4. H. b. Botan. regist. 535.
 2 *tricolor. F.* three-coloured. ——— 1823. . . . H. b.
 3 *Celsiana. s.s.* Cels's. Levant. . . . 6. 7. H. b. Botan. magaz. 717.
Breyhiana. E.M. nec aliorum.
- 4 *sylvestris. s.s.* wild. England. . . . 4. 5. H. b. Eng. bot. 63.
 5 *turcica. W.en.* Florentine. S. Europe. . . . — H. b.
 6 *altaica. s.s.* Altaic. Altay. 1824. — H. b.
 7 *oculus solis. s.s.* Sun's-eye. S. Europe. 1816. — H. b. Botan. regist. 204.
 8 *præcox. s.s.* early-flowering. Naples. 1825. 3. 4. H. b. Swt. br. fl. gar. 157.
 9 *cornuta. R.L.* horn-petaled. Levant. 1816. 5. H. b. Botan. regist. 127.
 13 *Clusiana. s.s.* Clusius's. Sicily. 1636. 6. H. b. Botan. magaz. 1390.
 11 *subaveolens. s.s.* Van-Thol. S. Europe. 1603. 3. 4. H. b. ——— 839.
 12 *pubescens. s.s.* woolly-stalked. ——— H. b. Swt. br. fl. gar. 78.
 13 *Gesneriana. s.s.* common. Levant. 1577. 4. 5. H. b. Botan. regist. 380.
 β versicolor. various-colour'd. ——— — H. b. Botan. magaz. 1135.
 γ plena. double-flower'd. ——— — H. b.
 δ laciniata. Parrot. ——— — H. b.
- FRITILLARIA. L.**
- FRITILLARY. Hexandria Monogynia. L.**
- 1 *præcox.* early white. Europe. . . . 3. 4. H. b.
Melegris β præcox. P.S.
- 2 *Meleagris. E.B.* chequered. Britain. . . . 3. 5. H. b. Eng. bot. 622.
 3 *tenella. M.B.* slender. Caucasus. 1824. — H. b. Botan. magaz. 1216.
racemosa. a. minor. B.M. orientalis. Adam.
- 4 *nervosa. s.s.* nerved-leaved. ——— 4. 5. H. b. Botan. magaz. 853.
latifolia. β minor. B.M.
- 5 *lutea. M.B.* large yellow. ——— 1812. — H. b. Botan. magaz. 1538.
 6 *latifolia. w.* broad-leaved. ——— 1604. — H. b. ——— 1207.
 7 *ruthenica. s.s.* Russian. ——— 1820. — H. b.
 8 *verticillata. w.* whorl-leaved. Siberia. ——— — H. b.
 9 *messanensis. s.s.* Italian. Italy. 1825. — H. b.
 10 *lusitanica. s.s.* Portugal. Portugal. ——— — H. b.
 11 *nigra. B.M.* dark-flowered. Pyrenees. 1596. 5. H. b. Botan. magaz. 664.
pyrenaica. B.M. nec aliorum. aquitanica. Clus.
- 12 *pyrenaica. w.* cluster-flow'r'd. Russia. 1605. 5. 6. H. b. Botan. magaz. 952.
racemosa. B.M. 952.

13	<i>obliqua</i> . B.M. <i>tulipifolia</i> . M.B. <i>caucasica</i> . Adam.	Tulip-leaved. Caucasus.	4.	H.b.	Botan. magaz. 857.	
14	<i>persica</i> . B.M. <i>β minor</i> . B.M.	Persian. lesser.	Persia.	1596.	4. 5.	H.b. Botan. magaz. 1537. H.b. 962.	
15	<i>pubica</i> . s.s. <i>Lilium pudicum</i> . Ph.	dwarf. spear-leaved.	N.America.	1825.	H.b. Pursh. fl. amer. t. 8.	
16	<i>lanceolata</i> . Ph.	Camtschatka.	Camtschatka.	1759.	5.	H.b. Linn. trans. 10. t. 11.	
17	<i>Camtschatcensis</i> . <i>Lilium camtschatcense</i> . w.	white-flowered.	N.America.	1825.	H.b.	
18	<i>alba</i> . N.	Crown Imperial.	Persia.	1596.	3. 4.	H.b.	
19	<i>Imperialis</i> . w. <i>a rubra</i> . <i>β flava</i> .	red-flowered. yellow-flowered.	—	—	—	H.b. Botan. magaz. 194. H.b. 1215.	
LILIUM. L. LILY. Hexandria Monogynia. L.							
1	<i>candidum</i> . w. <i>β striatum</i> . <i>γ spicatum</i> . <i>δ variegatum</i> .	common white. striped-flowered. monstrous-fl'd. striped-leaved.	Levant.	1596.	6. 7.	H.b. Botan. magaz. 278. H.b. H.b. H.b.	
2	<i>bulbiferum</i> . w. <i>β umbellatum</i> . B.M.	bulb-bearing. umbel-flowering.	Italy.	1596.	—	H.b. Botan. magaz. 36. H.b. 1018.	
3	<i>croceum</i> . L.en.	saffron-color'd.	S. Europe.	—	H.b.	
4	<i>latifolium</i> . L.en.	broad-leaved.	—	—	H.b.	
5	<i>spectabile</i> . F. <i>pensylvanicum</i> . B.M. 872.	showy Siberian. <i>dauricum</i> . B.M. 1210. <i>in note</i> .	Siberia.	1754.	—	H.b. Swt. br. fl. gar. 75.	
6	<i>lancifolium</i> . s.s.	lance-leaved.	China.	1824.	H.b.	
7	<i>concolor</i> . s.s.	self-coloured.	—	—	7. 8.	F.b. Botan. magaz. 1165.	
8	<i>pumilum</i> . s.s. <i>angustifolium</i> . F. <i>linifolium</i> . Horn.	dwarf. umbel-flower'd.	Dahuria. Andes.	1816. 1811.	6. 8. 7. 8.	H.b. Botan. regist. 132. H.b. Botan. regist. 504.	
9	<i>andinum</i> . N. <i>umbellatum</i> . Ph.	Philadelphian. <i>philadelphicum β andinum</i> . B.R.	N.America.	1757.	—	H.b. Botan. magaz. 519.	
10	<i>philadelphicum</i> . w.	Catesby's.	Carolina.	1787.	7. 9.	H.b. 259.	
11	<i>Catesbæi</i> . w.	Carolina.	—	1820.	—	H.b. Botan. regist. 580.	
12	<i>carolinianum</i> . M.	long-flowered.	Japan.	1819.	—	F.b. 560.	
13	<i>longiflorum</i> . w.	Japan.	—	1804.	7. 8.	F.b. Botan. magaz. 1591.	
14	<i>japonicum</i> . w.	Pyrenean.	Pyrenees.	1596.	6. 7.	H.b.	
15	<i>pyrenaicum</i> . s.s.	scarlet pompone.	Siberia.	1629.	5. 6.	H.b. Botan. magaz. 971.	
16	<i>pomponium</i> . w.	scarlet Martagon.	Levant.	1596.	6. 7.	H.b. 30.	
17	<i>chalconicum</i> . w.	monadelphous.	Caucasus.	1800.	—	H.b. 1405.	
18	<i>monadelphum</i> . M.B.	tiger-spotted.	China.	1804.	7. 9.	H.b. 1237.	
19	<i>tigrinum</i> . B.M.	Canadian.	N.America.	1629.	7. 8.	H.b. 800.	
20	<i>canadense</i> . B.M. <i>β penduliflorum</i> . R.L. <i>red-flowered</i> . <i>canadense β rubra</i> . B.M. 858.	— — —	— — —	— — 1727.	— — 6. 8.	H.b. Redout. lil. t. 105. H.b. Botan. magaz. 936.	
21	<i>superbum</i> . w.	superb.	—	—	—	H.b.	
22	<i>glabrum</i> . s.s.	smooth.	—	—	—	H.b.	
23	<i>Martagon</i> . w. <i>a glabrum</i> . <i>β pubescens</i> .	Turk's-cap. smooth-stalked. hairy-stalked.	Germany.	1596.	6. 7.	H.b. Redout. lil. t. 146. H.b. Botan. magaz. 1634. H.b. 893.	
GLORIOSA. L. GLORIOSA. Hexandria Monogynia. L.							
1	<i>virescens</i> . B.M.	greenish-fl'd.	Mozambique.	1822.	7. 8.	S. 2. Botan. magaz. 2539.	
2	<i>superba</i> . L.	superb.	E. Indies.	1690.	—	S. 2. Botan. regist. 77.	
3	<i>simplex</i> . L. <i>Methonica gloriosa</i> . Sal.	simple-leaved.	Senegal.	1756.	—	S. 2.	
ERYTHRONIUM. L. DOG'S-TOOTH VIOLET. Hexandria Monogynia. L.							
1	<i>Dens canis</i> . w. <i>a major</i> . <i>β minor</i> . <i>γ album</i> .	common. large-flowered. smaller-flowered. white-flowered.	Europe.	1596.	3. 4.	H.b. Botan. magaz. 5. H.b. H.b. H.b.	
2	<i>americanum</i> . B.M. <i>lanceolatum</i> . Ph.	yellow-flow'r'd.	N.America.	1665.	4. 5.	H.b. Botan. magaz. 1113.	
3	<i>albidum</i> . N.	white American.	—	1825.	—	H.b.	

ORDO CLXXXVIII.

MELANTHACEÆ. *Brown prodr.* 272.

- BULBOCODIUM. W.** **BULBOCODIUM.** Hexandria Monogynia. L.
 1 vernum. s.s. spring-flowering. Spain. 1629. 2. 3. H.b. Botan. magaz. 153.
 2 versicolor. s.s. various-colored. Russia. 1820. 9. 10. H.b. Botan. regist. 571.
Colchicum versicolor. B.R.
- COLCHICUM. S.S.** **MEADOW SAFFRON.** Hexandria Trigynia. L.
 1 byzantinum. s.s. broad-leaved. Levant. 1629. 9. 10. H.b. Botan. magaz. 1122.
 2 autumnale. E.B. common. Britain. — H.b. Eng. bot. 133.
β album. white flowered. — H.b.
γ multipler. double-flowered. — H.b.
 3 crociflorum. B.M. Crocus-flower'd. — H.b. Botan. magaz. 2673.
 4 variegatum. w. chequer-flower'd. Greece. 1629. 8. 10. H.b. ————— 1028.
 5 arenarium. s.s. sand. Hungary. 1816. 9. 10. H.b. W. et K. hung. 2. t. 179.
β umbrosum. B.R. wood. — H.b. Botan. regist. 541.
 6 montanum. s.s. mountain. S. Europe. 1818. — H.b.
- UVULARIA. S.S.** **UVULARIA.** Hexandria Monogynia. L.
 1 perfoliata. s.s. perfoliate. N. America. 1710. 5. 6. H. ½. Sm. exot. bot. 1. t. 49.
 2 flava. s.s. yellow-flow'r'd. — H. ½. ————— 1. t. 50.
 3 lanceolata. H.K. spear-leaved. 1710. 7. 8. H. ½. Cornut. canad. t. 41.
 4 grandiflora. H.K. large yellow. 1802. 5. 6. H. ½. Sm. exot. bot. 1. t. 51.
 5 sessilifolia. s.s. sessile-leaved. 1790. 6. H. ½. ————— 1. t. 52.
 6 puberula. s.s. pubescent. 1818. — H. ½.
- DISPORUM. D.P.** **DISPORUM.** Hexandria Monogynia.
 1 parviflorum. D.P. small-flowered. Nepal. 1823. 6. 8. F. ½.
 2 fulvum. sat. brown-flower'd. China. 1801. 6. 11. F. ½. Botan. magaz. 916.
- Uvularia chinensis.* B.M.
- SCHELHAMMERA. B.P.** **SCHELHAMMERA.** Hexandria Monogynia. S.S.
 undulata. E.P. wave-leaved. N. S. W. 1822. 6. 9. F. ½.
- BURCHARDIA. B.P.** **BURCHARDIA.** Hexandria Monogynia. S.S.
 umbellata. B.P. umbel-flower'd. N. S. W. 1825. 6. 8. F. ½.
- ANGUILLARIA. B.P.** **ANGUILLARIA.** Hexandria Trigynia.
 1 dioica. B.P. dioecious. N. S. W. 1826. F. ½.
 2 biglandulosa. B.P. two-glanded. 1822. 6. 8. F. ½.
 3 indica. B.P. Indian. E. Indies. — F. ½.
- Melanthium indicum.* L.
- ORNITHOGLOSSUM. S.S.** **BIRD'S-TONGUE.** Hexandria Trigynia. S.S.
 1 undulatum. B.F.G. wave-leaved. C. B. S. 1825. 8. 10. F.b. Swt. br. fl. gar. 131.
 2 viride. s.s. green-flowered. 1788. 10. 11. F.b. Sal. par. lond. 54.
Melanthium viride. B.M. 994.
- ANDROCYMBIUM. W.** **ANDROCYMBIUM.** Hexandria Trigynia. S.S.
 1 melanthioides. s.s. narrow-leaved. C. B. S. 1825. 8. 10. F.b.
 2 encomoides. s.s. Tulip-leaved. 1794. 3. 5. F.b. Swt. br. fl. gar. 165.
Melanthium encomoides. B.M. 641.
 3 volutare. B.T. rolled-leaved. 1816. — F.b.
- MELANTHIUM. W.** **MELANTHIUM.** Hexandria Trigynia. L.
 1 uniflorum. w. yellow. C. B. S. 1787. 6. 7. F.b. Botan. magaz. 767.
 2 junceum. w. Rush-leaved. 1788. 6. 11. F.b. ————— 558.
 3 secundum. w. side-flowering. 1812. — F.b. Lam. ill. t. 269. f. 2.
 4 capense. w. spotted-fl'd. 1768. 5. 6. F.b.
 5 ciliatum. w. fringed. 1825. — F.b.
- WURMBEA. W.** **WURMBEA.** Hexandria Trigynia. W.
 1 campanulata. w. bell-flowered. C. B. S. 1788. 5. 6. F.b. Botan. magaz. 1291.
Melanthium monopetalum. N.M.
 2 purpurea. H.K. purple. — F.b. Botan. magaz. 694.
Melanthium spicatum. B.M. *Wurmbea capensis.* A.R. 221.
 3 pumila. w. dwarf. 1800. 5. 6. F.b.
 4 longiflora. w. long-flowered. — F.b.
- TOFIELDIA. L.T.** **TOFIELDIA.** Hexandria Trigynia. S.S.
 1 palustris. L.T. Scotch. Britain. 7. 8. H. ½. Eng. bot. 536.

- 2 alpina. L.T. Alpine. Europe. 7. 8. H. 2. Redout. lil. t. 256.
palustris. DC.
- 3 pubens. L.T. downy. N.America. 1790. 4. 5. H. 2. Pluk.mant.29.t.342.f.3
- XEROPHYLLUM. M. XEROPHYLLUM. Hexandria Trigynia. S.S.
- 1 graminum. s.s. grass-leaved. N.America. 1812. 5. 6. H. 2. Botan. mag. 1599.
Helonias graminea. B.M.
- 2 tenax. s.s. tough-leaved. ——— 1811. — H. 2. Ph. amer. 1. t. 9.
- 3 asphodeloides. s.s. Asphodel-like. ——— 1765. — H. 2. Botan. magaz. 748.
Helonias asphodeloides. B.M.
- HELONIAS. W. HELONIAS. Hexandria Trigynia. L.
- 1 bullata. w. broad-leaved. N.America. 1758. 4. 5. H. 2. Botan. magaz. 747.
latifolia. M.
- 2 erythrosperma. M. channel-leav'd. ——— 1770. 6. H. 2. Botan. magaz. 803.
lutea. B.M. *Melanthium luteum*. w.
- 3 angustifolia. M. narrow-leaved. ——— 1812. — H. 2. Botan. magaz. 1540.
- ZIGADENUS. M. ZIGADENUS. Hexandria Monogynia. S.S.
- 1 glaberrimus. w. smooth-leaved. N.America. 1811. 5. 6. H. 2. Mich. amer. 1. t. 22.
Helonias glaberrima. B.M. 1680.
- 2 bracteatus. bracted. ——— ——— H. 2. Botan. magaz. 1703.
Helonias bracteata. B.M.
- NOLINA. M. NOLINA. Hexandria Trigynia. S.S.
- 1 georgiana. M. Georgian. Georgia. 1812. 7. 8. H. 2. Pluk. mant. t. 342. f. 1.
- LEIMANTHIUM. W. LEIMANTHIUM. Polygamia Monœcia.
- 1 virginicum. w. Virginian. N.America. 1768. 6. 7. H. 2. Botan. magaz. 985.
Helonias virginica. B.M. *Melanthium virginicum*. Ph.
- 2 monoicum. monoecious. ——— 1817. — H. 2.
Melanthium monoicum. Ph.
- 3 hybridum. hybrid. ——— 1822. — H. 2.
Melanthium hybridum. Ph. *racemosum*. M.
- VERATRUM. L. WHITEHELLEBORE. Polygamia Monœcia. L.
- 1 nigrum. w. dark-flowered. Siberia. 1596. 6. 7. H. 2. Botan. magaz. 963.
- 2 album. w. white-flowered. S. Europe. 1548. 6. 8. H. 2. Flor. dan. 1120.
- 3 Lobelianum. w.en. Lobel's. ——— 1818. — H. 2.
- 4 viride. w. green-flower'd. N.America. 1742. 7. 8. H. 2. Botan. magaz. 1096.
- 5 parviflorum. M. small-flowered. ——— 1809. — H. 2.
- 6 angustifolium. Ph. narrow-leaved. ——— 1823. — H. 2.
- CHAMÆLIRIUM. W. CHAMÆLIRIUM. Diœcia Hexandria.
- 1 carolinianum. w. spiked-flowered. N.America. 1759. 7. 8. H. 2. Botan. magaz. 1062.
Helonias lutea. B.M. *dioica*. Ph. *Ophyostachys virginica*. R.L.

ORDO CLXXXIX.

PONTEDEREÆ. *Kth. synopsis*. 1. p. 273.

- PONTEDERIA. L. PONTEDERIA. Hexandria Monogynia. L.
- 1 cordata. s.s. heart-leaved. N.America. 1759. 6. 8. H.w. 2. Botan. magaz. 1156.
- 2 azurea. s.s. blue-flowered. Jamaica. 1822. — S.w. 2.
- 3 lanceolata. s.s. lanceolate. Carolina. 8. 9. G.w. 2. Lodd. bot. cab. 613.
- 4 angustifolia. s.s. narrow-leaved. N.America. 1806. 6. 8. H.w. 2.
- 5 crassipes. s.s. thick footstalk'd. Brazil. 1822. — S.w. 2. Mart. n. pl. bras. t. 4.
- 6 dilatata. s.s. spreading. E. Indies. 1806. 5. S.w. 2. Andr. reposit. 490.
- HETERANTHERA. R. S. HETERANTHERA. Triandria Monogynia. W.
- 1 reniformis. R.S. kidney-leaved. S. America. 1812. 6. 7. G.w. 2. Flor. per. 1. t. 71. f. a.
- 2 acuta. w. acute-leaved. N. America. — H.w. 2.
- 3 limosa. R.S. oval-leaved. W. Indies. 1822. — S.w. 2.
- LEPTANTHUS. M. LEPTANTHUS. Triandria Monogynia. Ph.
- 1 gramineus. M. grass-like. N.America. 1823. 7. 8. H.w. 2. Hook. ex. flor. 94.
Heteranthera graminea. Ph. *Schollera graminifolia*. w.

ORDO CXC.

COMMELINEÆ. *Brown prodr. p. 268.*

- DICHORISANDRA.S.S.** DICHORISANDRA. Hexandria Monogynia. S.S.
 1 thyrsiflora. s.s. bunch-flow'r'd. Brazil. 1820. 8. 10. S. ♀. Botan. regist. 682.
 2 gracilis. s.s. slender. ———— ———— S. ♀.
 3 puberula. s.s. pubescent. ———— ———— S. ♀.
- CAMPELIA. K.S.** CAMPELIA. Hexandria Monogynia. S.S.
 Zanonina. K.S. Gentian-leav'd. S.America. 1759. 7. 12. S. ♀. Redout. lil. 4. t. 192.
Commelina Zanonina. R.L. *Tradescantia Zanonina.* w. *Zanonina bibracteata.* Cram.
- TRADESCANTIA. L.** SPIDERWORT. Hexandria Monogynia. L.
 1 fuscata. s.s. rusty. S. America. 1820. 8. 12. S. ♀. Botan. regist. 482.
 2 malabarica. s.s. Grass-leaved. E. Indies. 1776. 7. 8. S. ♀. Rheed. mal. 9. t. 63.
 3 tuberosa. s.s. tuberous-root'd. ———— 1817. ———— S. ♀.
 4 speciosa. s.s. handsome. Mexico. 1825. ———— S. ♀.
 5 discolor. s.s. purple-leaved. S. America. 1783. 4. 9. S. ♀. Botan. magaz. 1192.
 6 cordifolia. s.s. heart-leaved. Jamaica. 1822. ———— S. ♂.
 7 erecta. s.s. upright. Mexico. 1794. 7. 8. H. ♂. Botan. magaz. 1340.
 8 undata. s.s. wave-leaved. S. America. 1817. 8. 10. H. ♂.
 9 pulchella. s.s. pretty. Mexico. 1825. ———— G. ♀.
 10 crassifolia. s.s. thick-leaved. ———— 1796. 7. 10. H. ♀. Botan. magaz. 1598.
 11 subaspera. s.s. Lyon's. N.America. 1812. 5. 10. H. ♀. ———— 1597.
 12 virginica. s.s. Virginian. ———— 1629. 5. 8. H. ♀. Park. parad. t.151. f.4.
a cœrulea. blue-flowered. ———— ———— H. ♀. Botan. magaz. 105.
β rubra. red-flowered. ———— ———— H. ♀.
γ albida. whitish-flowered. ———— ———— H. ♀.
δ nivea. snowy white. ———— 1824. ———— H. ♀.
- 13 rosea. s.s. rose-colour'd. Carolina. 1802. 5. 10. H. ♀. Swt. br. fl. gar. 181.
 14 multiflora. s.s. many-flowered. Jamaica. 1824. ———— S. ♀.
 15 procumbens. s.s. procumbent. Caracas. 1823. ———— S. ♀. Jacq. ic. 2. t. 355.
multiflora. Jacq. non w.
- 16 parviflora. s.s. small-flowered. Peru. 1822. ———— H. ♀. Flor. per. 3. t. 272. f.2.
 17 latifolia. s.s. broad-leaved. Lima. 1820. 9. 11. H. ♂. ———— 3. t. 272.
 18 divaricata. s.s. spreading. Trinidad. ———— 5. 8. S. ♀. Aub. gni. 1. t. 12.
 19 geniculata. s.s. knotted. W. Indies. 1783. 7. 8. S. ♀. Jacq. amer. t. 64.
 20 paniculata. s.s. panicked. E. Indies. 1824. ———— S. ♂.
- CYANOTIS. D.P.** CYANOTIS. Hexandria Monogynia.
 1 axillaris. D.P. axil-flowered. E. Indies. 1822. 8. 10. S. ♂. Rheed. mal. 10. t. 13.
 2 cristata. D.P. crest-bunched. Ceylon. 1770. 7. 9. S. ♂. Botan. magaz. 1435.
Tradescantia cristata. B.M.
- 3 barbata. D.P. bearded. Nepaul. 1824. ———— H. ♂.
- CARTONEMA. B.P.** CARTONEMA. Hexandria Monogynia.
 spicatum. B.P. spiked. N. Holland. 1822. 7. 8. S. ♀.
- CALLISIA. L.** TRIANDRIA Monogynia. L.
 repens. L. creeping. W. Indies. 1776. 6. 7. S. ♀. Jacq. amer. t. 11.
- ANEILEMA. B.P.** ANEILEMA. Triandria Monogynia.
 1 biflora. B.P. two-flowered. N. S. W. 1820. 7. 8. F. ♀.
 2 acuminata. B.P. sharp-pointed. ———— 1822. ———— F. ♀.
 3 longifolia. H.E.F. long-leaved. Zanzibar. 1823. 8. 9. S. ♀. Hook. ex. flor. 201.
 4 sinica. B.R. Chinese. China. 1820. 5. 6. G. ♀. Botan. regist. 659.
 5 nudiflora. B.P. naked-flower'd. E. Indies. ———— 8. 10. S. ♂. Rheed. mal. 9. t. 63.
 6 spirata. B.P. spear-leaved. ———— 1783. 7. 8. S. ♂.
- Commelina spirata.* L.
- 7 affinis. B.P. rough-angled. N. S. W. 1825. ———— F. ♀.
- COMMELINA. B.P.** COMMELINA. Triandria Monogynia L.
 1 angustifolia. R.S. narrow-leaved. Carolina. 1812. 7. 8. F. ♀.
 2 cyanea. B.P. bright-blue. N. S. W. 1820. ———— F. ♀.
 3 dianthifolia. DC. Pink-leaved. 1816. ———— S. ♀. Redout. lil. 7. t. 390.
 4 longicaulis. R.S. long-stalked. Caracas. 1806. 8. ———— S. ♀. Jacq. ic. 2. t. 294.
 5 hirtella. R.S. hairy. N.America. 1820. 7. 8. H. ♀.
 6 virginica. R.S. Virginian. ———— 1779. ———— H. ♀. Pluk. alm. t. 174. f. 4.
 7 africana. R.S. yellow-flow'r'd. C. B. S. 1759. 5. 10. G. ♀. Botan. magaz. 1431.
 8 fasciculata. R.S. woolly tuber'd. Lima. 1817. ———— H. ♀. Flor. peruv. 1. t. 72. f. b.

9 communis. R.S.	common.	America.	1732.	6. 7.	H. ☉.	Redout. lil. 4. t. 206.
10 polygama. R.S.	polygamous.	Japan.	—	H. 2.	Kæmpf. am. p. 888. ic.
11 caroliniana. R.S.	Carolina.	Carolina.	—	H. 2.	
12 dubia. R.S.	dubious.	1819.	7. 9.	H. 2.	Redout. lil. 6. t. 359.
13 tuberosa. R.S.	tuberosus-root'd.	Mexico.	1732.	—	H. 2.	Andr. reposit. 399.
14 cœlestis. R.S.	sky-blue.	1813.	7. 10.	H. 2.	Swt. br. fl. gar. 3.
15 pallida. R.S.	pale-flowered.	Mexico.	1822.	—	H. 2.	Willd. hort. ber. 2. t. 87.
16 erecta. R.S.	upright.	Virginia.	1732.	8. 9.	H. 2.	Dill. elt. 94. t. 77. f. 88.
17 mollis. R.S.	soft.	Caracas.	1804.	—	H. 2.	Jacq. ic. 2. t. 293.
18 bengalensis. R.S.	Bengal.	Bengal.	1794.	6.	S. 2.	Burm. ind. t. 7. f. 3.
19 parviflora. L.en.	small-flowered.	1823.	—	S. 2.	
20 deficiens. B.M.	deficient.	Brazil.	1825.	1. 12.	S. 2.	Botan. magaz. 2644.

ORDO CXCI.

PALMÆ. *Brown prodr. p. 266.*

CHAMÆDOREA. W.	CHAMÆDOREA.	Diœcia Hexandria. W.				
1 gracilis. w.	slender.	Caracas.	1803.	S. 2.	Jacq. schœn. 2. t. 247-8.
2 fragrans. M.P.	fragrant.	Peru.	1823.	Martius Palm. ic.
SABAL. P.S.	SABAL.	Hexandria Trigynia. P.S.				
1 Adasoni. B.M.	dwarf.	Florida.	1810.	6. 8.	S. 2.	Botan. magaz. 1434.
	<i>Corypha minor.</i> Jacq.	vind. 3. t. 8. <i>Chamærops acaulis.</i> M.				
2 Blackburniana. L.C.	Blackburn's.	S. America.	1824.	S. 2.	
3 graminifolia. L.C.	grass-leaved.	—	1822.	S. 2.	
4 umbraculifera. L.C.	umbrella.	—	—	S. 2.	
RHAPIS. W.	RHAPIS.	Polygamia Monœcia. W.				
1 flabelliformis. w.	creeping-root'd.	China.	1774.	8.	S. 2.	Botan. magaz. 1371.
2 arundinacea. w.	simple-leaved.	Carolina.	1765.	9.	G. 2.	
CHAMÆROPS. W.	CHAMÆROPS.	Polygamia Diœcia. W.				
1 excelsa. L.C.	tall.	Nepaul.	1822.	S. 2.	
2 gracilis. L.C.	slender.	S. America.	—	S. 2.	
3 guianensis. L.C.	Guiana.	Guiana.	1824.	S. 2.	
4 humilis. s.s.	dwarf fan palm.	S. Europe.	1731.	2. 3.	G. 2.	Andr. reposit. 599.
5 serrulata. s.s.	saw-leaved.	N. America.	1809.	G. 2.	
6 Hystrix. s.s.	Porcupine.	Georgia.	1801.	G. 2.	
7 Palmetto. s.s.	smooth-stem'd.	Carolina.	1809.	G. 2.	
LIVISTONA. B.P.	LIVISTONA.	Hexandria Monogynia. S.S.				
1 inermis. B.P.	spineless.	N. Holland.	1823.	S. 2.	
2 humilis. B.P.	dwarf spiuy.	—	—	S. 2.	
LATANIA. W.	LATANIA.	Diœcia Monadelphica. W.				
1 rubra. w.	red.	Mauritius.	1788.	S. 2.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	glaucous-leaf'd.	—	1821.	S. 2.	
3 borbonica. w.	Bourbon.	Bourbon.	—	S. 2.	Jacq. frag. 1. t. 11.
	<i>chinensis.</i> Jacq. <i>Livistonæ species?</i> B.P.					
CORYPHA. L.	FAN PALM.	Hexandria Monogynia. W.				
1 australis. B.P.	New Holland.	N. S. W.	1822.	S. 2.	
2 elata. H.B.	tall.	E. Indies.	1820.	S. 2.	
3 glaucescens. L.C.	glaucescent.	—	—	S. 2.	
4 umbraculifera. w.	great.	—	1742.	S. 2.	Rheed. mal. 3. t. 1-12.
5 Utan. s.s.	Molucca.	—	1822.	S. 2.	
TALIERA. S.S.	TALIERA.	Hexandria Monogynia. S.S.				
bengalensis. s.s.	Bengal.	E. Indies.	1822.	S. 2.	
	<i>Corypha Taliera.</i> H.B.					
PHENIX. W.	DATE PALM.	Diœcia Hexandria. W.				
1 dactylifera. w.	common.	Levant.	1597.	G. 2.	Kæmpf. am. 686. t. 1. 2.
2 sylvestris. H.B.	wood.	E. Indies.	1820.	S. 2.	
3 paludosa. H.B.	marsh.	—	—	S. 2.	
4 reclinata. w.	reclining.	C. B. S.	1792.	G. 2.	Jacq. frag. 1. t. 24.
5 farinifera. w.	small.	E. Indies.	1800.	S. 2.	Roxb. corom. 1. t. 74.
6 acaulis. s.s.	stalkless.	—	1820.	S. 2.	
7 leonensis. L.C.	African.	Sierra Leon.	—	S. 2.	
8 pygmaea. L.C.	pigmy.	—	S. 2.	

- SAGUS. W.**
 1 Rumphil. w.
 2 vinifera. P.S.
 3 Ruffia. w.
 4 pedunculata. Poir.
- HYPHÆNE. G.**
 coriacea. G.
Cucifera thebaica. Del.
- ARECA. W.**
 1 Catechu. w.
 2 humilis. w.
 3 rubra. w.
 4 crinita. w.
 5 oleracea. w.
 6 triandra. H.B.
 7 lutescens. w.
 8 exilis. L.C.
 9 Manicot. L.C.
 10 montana. L.C.
- CENOCARPUS. M.P.**
 Bataua. M.P.
- EUTERPE. G.**
 1 globosa. g.
Areca spicata. Lam.
 2 pisifera. g.
- WALLICHIA. S.S.**
 caryotoides. s.s.
- ELAIS. W.**
 1 guineensis. w.
 2 melanococca. g.
 3 pernambucana. L.C.
- SYAGRUS. M.P.**
 cocoides. M.P.
- ELATE. W.**
 sylvestris. w.
- ACROCOMIA. M.P.**
 1 sclerocarpa. M.P.
 2 aculeata. L.C.
Cocos aculeata. w.
 3 fusiformis.
Cocos fusiformis. w.
 4 minor. L.C.
- COCOS. W.**
 1 nucifera. w.
 2 flexuosa. M.P.
 3 plumosa. L.C.
- MAXIMILIANA. M.P.**
 regia. M.P.
- THRINAX. W.**
 parviflora. w.
- ASTROCARYUM. M.P.**
 1 acaule. M.P.
 2 campestre. M.P.
 3 aculeatum. s.s.
 4 vulgare. M.P.
 5 Murumuru. M.P.
- GEONOMA. W.**
 1 simplicifrons. w.
 2 macrostachys. M.P.
 3 acaulis. M.P.
 4 pinnatifrons. w.
 5 Schottiana. L.C.
- MAURITIA. L.**
 1 flexuosa. w.
 2 armata. M.P.
 3 vinifera. M.P.
- LICUALA. W.**
 1 spinosa. w.
 2 peltata. H.B.
- SAGO PALM.** Monœcia Hexandria. W.
 Rumphius's. E. Indies. 1800. S. h.
 prickly-leaved. Africa. 1820. S. h.
 Madagascar. Madagascar. S. h.
 peduncled. S. h.
- HYPHÆNE.** Diœcia Hexandria.
 leathery. Egypt. 1822. S. h.
- CABBAGE-TREE.** Monœcia Monadelphia. W.
 medicinal. E. Indies. 1690. S. h.
 dwarf. 1814. S. h.
 red. Isl. France. 1823. S. h.
 hairy. 1819. S. h.
 esculent. W. Indies. 1656. S. h.
 three-anther'd E. Indies. 1819. S. h.
 yellowish. Mauritius. S. h.
 slender. 1822. S. h.
 Manicot. S. h.
 mountain. 1819. S. h.
- CENOCARPUS.** Monœcia Hexandria.
 American. S. America. 1822. S. h.
- EUTERPE.** Polygamia Monœcia.
 globular. E. Indies. 1819. S. h.
- Pea-bearing. S. h.
- WALLICHIA.** Polygamia Monœcia.
 Caryota-like. E. Indies. 1818. S. h.
- OILY PALM.** Diœcia Hexandria. W.
 Guinea. Guinea. 1730. S. h.
 black-fruited. S. America. 1820. S. h.
 Pernambuco. S. h.
- SYAGRUS.** Polygamia Monœcia.
 Cocoa-like. Brazil. 1823. S. h.
- ELATE.** Monœcia Hexandria.
 prickly-leaved. E. Indies. 1763. 4. 6. S. h.
- ACROCOMIA.** Monœcia Hexandria.
 dry-fruited. Brazil. 1822. S. h.
 prickly. W. Indies. 1796. S. h.
- great Macaw-tree. 1731. S. h.
- lesser. S. America. 1823. S. h.
- COCOA-NUT-TREE.** Monœcia Hexandria. W.
 common. E. Indies. 1690. S. h.
 flexuose. Brazil. 1823. S. h.
 feathered. W. Indies. S. h.
- MAXIMILIANA.** Polygamia Monœcia.
 membranous-fl'd. Brazil. 1822. S. h.
- THRINAX.** Hexandria Monogynia. W.
 small. Jamaica. 1778. S. h.
- ASTROCARYUM.** Monœcia Hexandria.
 stalkless. Brazil. 1823. S. h.
 field. 1824. S. h.
 prickly. Guiana. S. h.
 common. Brazil. 1823. S. h.
 tall. S. h.
- GEONOMA.** Diœcia Hexandria.
 simple-fronded. S. America. 1823. S. h.
 large-spiked. S. h.
 stalkless. Brazil. 1822. S. h.
 pinnated. S. America. S. h.
 Schott's. Brazil. S. h.
- MAURITIA.** Diœcia Hexandria. W.
 flexuose. W. Indies. 1819. S. h.
 spiny. Brazil. 1822. S. h.
 straight-stem'd. S. h.
- LICUALA.** Hexandria Monogynia. W.
 spiny. E. Indies. 1802. S. h.
 peltate. 1819. S. h.
- Rumph. amb. 1. t. 17. 18.
 Beauv. fl. d'ow. t. 45.
 Jacq. frag. p. 7. t. 4. f. 2.
- Roxb. corom. 1. t. 75.
 Rumph. amb. 1. t. 7.
- Jacq. amer. t. 170.
- Martius. palm. ic.
- Roxb. corom. ic.
- Jacq. amer. t. 172.
- Martius palm. ic.
- Rheed. mal. 3. t. 22-25.
- Mart. palm. ic.
 Jacq. amer. 278. t. 169.
- Roxb. corom. 1. t. 73.
 Mart. palm. ic.
- Mart. palm. ic.
- Mart. palm. ic.
 ic.
- Mart. palm. ic.
 ic.
- Mart. palm. ic.
 ic.
- Mart. palm. ic.
 ic.
- Mart. palm. ic.
 ic.
- Rumph. amb. 1. t. 9.

CALAMUS. W.	CALAMUS. Hexandria Monogynia. S.S.				
1 verus. s.s.	true.	E. Indies.	1820.	S. h. Rumph. amb. 5. t. 54.
2 niger. s.s.	black.	_____	_____	S. h. _____ 5. t. 52.
3 Zalacca. s.s.	Java.	_____	1812.	S. h. Gært. fr. 2. t. 139. f. 2.
4 albus. P.S.	common.	_____	_____	S. h. Rumph. amb. 5. f. 52.
5 Draco. s.s.	Dragon.	_____	1819.	S. h. _____ 5. t. 58. f. 1.
SEAFORTHIA. B.P.	SEAFORTHIA. Polygamia Monœcia.				
elegans. B.P.	elegant.	N. Holland.	1822.	S. h.
CARYOTA. W.	CARYOTA. Monœcia Polyandria. W.				
1 urens. w.	toen-leaved.	E. Indies.	1788.	S. h. Rheed. mal. 1. t. 11.
2 horrida. w.	horrid.	S. America.	1820.	S. h.
DIPLOTHEMIUM. M.P.	P. DIPLOTHEMIUM. Polygamia Monœcia.				
1 maritimum. M.P.	sea-side.	Brazil.	1823.	S. 2. Mart. palm. ic.
2 campestre. M.P.	field.	_____	_____	S. 2. _____ ic.
ATTALEA. K.S.	ATTALEA. Monœcia Polyandria.				
1 humilis. M.P.	dwarf.	Brazil.	1823.	S. h. Mart. palm. ic.
2 compta. M.P.	decked.	_____	_____	S. h. _____ ic.
3 funifera. M.P.	rope-bearing.	_____	_____	S. h. _____ ic.
4 excelsa. M.P.	lofty.	_____	_____	S. h. _____ ic.
5 speciosa. M.P.	handsome.	_____	1824.	S. h. _____ ic.
6 Rossii. L.C.	Ross's.	_____	_____	S. h.
7 spectabilis. L.C.	showy.	_____	_____	S. h.
GOMUTUS. S.S.	GOMUTUS. Monœcia Polyandria.				
saccharifer. s.s.	sugar-bearing.	E. Indies.	1820.	S. h.
MANICARIA. G.	MANICARIA. Polygamia Monœcia.				
saccifera. G.	bag-like.	E. Indies.	1822.	S. h. Gært. sem. 2. t. 176.
BORASSUS. W.	BORASSUS. Diœcia Hexandria. W.				
flabelliformis. w.	fan-leaved.	E. Indies.	1771.	S. h. Roxb. corom. 1. t. 71. 72.
NIPA. W.	NIPA. Monœcia Monadelphica. W.				
fruticans. w.	shrubby.	E. Indies.	1822.	S. h. Rumph. amb. 1. t. 16.
DESMONCUS. M.P.	DESMONCUS. Monœcia Monadelphica.				
1 polyacanthus. M.P.	many-spined.	Brazil.	1822.	S. h. Mart. palm. ic.
2 orthacanthus. M.P.	long-spined.	_____	_____	S. h. _____ ic.
3 americanus. L.C.	American.	S. America.	1823.	S. h.
4 dubius. L.C.	doubtful.	_____	_____	S. h.
BACTRIS. W.	BACTRIS. Monœcia Hexandria. W.				
1 pectinata. M.P.	pectinated.	Brazil.	1825.	S. h. Mart. palm. ic.
2 cuspidata. M.P.	sharp-pointed.	_____	_____	S. h.
3 minor. w.	lesser.	S. America.	1691.	S. h. Jacq. amer. t. 171. f. 1.
4 macracantha. M.P.	large-spined.	Brazil.	1822.	S. h. Mart. palm. ic.
5 major. w.	greater.	Carthagena.	1800.	S. h. Jacq. amer. t. 171. f. 2.
6 caryotæfolia. M.P.	Caryota-leaved.	Brazil.	1825.	S. h. Mart. palm. ic.

ORDO CXCII.

JUNCEÆ. *Brown prodr. 1. p. 257.*

XEROTES. B.P.	XEROTES. Diœcia Hexandria.				
1 flexifolia. B.P.	bending-leav'd.	N. S. W.	1819.	6. 8.	F. 2. Thunb. diss. drac. 17. f. 2.
2 mucronata. B.P.	mucronated.	_____	1823.	_____	F. 2.
3 filiformis. B.P.	filiform.	_____	_____	_____	F. 2. Th. dis. drac. n. 1. ic.
<i>Dracæna filiformis.</i> Th.					
4 denticulata. B.P.	toothed.	_____	1825.	_____	F. 2.
5 laxa. B.P.	loose-flowered.	_____	1819.	_____	F. 2.
6 rigida. B.P.	stiff-leaved.	N. Holland.	1796.	6. 7.	F. 2. Lodd. bot. cab. 798.
<i>Lomandra rigida.</i> Lab. n. hol. 1. t. 120.					
7 montana. B.P.	mountain.	N. S. W.	1824.	_____	F. 2.
8 longifolia. B.P.	long-leaved.	_____	1796.	_____	F. 2. Lab. nov. hol. 1. t. 19.
<i>Lomandra longifolia.</i> Lab.					
9 Hystrix. B.P.	Porcupine.	_____	1823.	_____	F. 2.
10 æmula. B.P.	rival.	_____	_____	_____	F. 2.
PLEEA. M.	PLEEA. Enneandria Trigynia. Ph.				
tenuifolia. M.	slender-leaved.	Carolina.	1812.	5. 8.	F. 2. Botan. magaz. 1956.

ARTHECIUM. E.B.		NARTHECIUM. Hexandria Monogynia.		
1	ossifragum. E.B.	Lancashire Asphodel.	Britain.	7. 8. H. ½. Eng. bot. 535.
2	americana. E.M.	American.	N.America. 1811.	— H. ½. Botan. magaz. 1505.
LUZULA. DC.		WOODRUSH. Hexandria Monogynia. S.S.		
1	vernalis. DC.	spring.	Britain.	3. 5. H. ½. Eng. bot. 736.
<i>Juncus pilosus. E.B.</i>				
2	flavescens. S.S.	yellowish.	S. Europe. 1817.	— H. ½. Host. gram. 3. t. 94.
3	Forsteri. DC.	Forster's.	England.	5. 6. H. ½. Eng. bot. 1293.
4	glabratus. S.S.	smooth.	Switzerland. 1825.	— H. ½.
5	albida. DC.	white.	— 1815.	— H. ½. Leers. herb. t. 13. f. 6.
6	lutea. DC.	yellow.	—	— H. ½.
7	spadicea. DC.	light red.	Europe. 1816.	— H. ½. Vill. delph. 2. t. 6.
8	nivea. DC.	snowy.	Switzerland. 1770.	— H. ½. Scheuch. gram. t. 7. f. 7.
9	maxima. DC.	wood.	Britain.	5. H. ½. Eng. bot. 737.
<i>Juncus sylvaticus. E.B.</i>				
10	arcuata. S.S.	fringe-bracted.	Scotland.	7. H. ½. Wahl. lapp. t. 4.
11	spicata. DC.	spiked.	—	— H. ½. Eng. bot. 1176.
12	congesta. S.S.	close-headed.	Britain.	6. H. ½. Purt. suppl. t. 9.
<i>Juncus limiger. Purst.</i>				
13	sudetica. DC.	Swedish.	Sweden. 1824.	— H. ½. Krock. siles. t. 52.
14	pediformis. DC.	foot-shaped.	S. Europe. 1822.	5. 6. H. ½.
15	campestris. DC.	field.	Britain.	4. 5. H. ½. Eng. bot. 672.
16	multiflora. S.S.	many-flowered.	Europe. 1822.	5. 6. H. ½.
JUNCUS. DC.		RUSH. Hexandria Monogynia. L.		
1	polycephalus. E.F.	many-headed.	Scotland.	6. 7. H. ½.
2	obtusiflorus. L.T.	blunt-flowered.	Britain.	7. 8. H. ½. Eng. bot. 2144.
3	lampocarpus. L.T.	shining-fruited.	—	— H. ½. — 2143.
4	acutiflorus. L.T.	sharp-flowered.	—	— H. ½. — 238.
<i>articulatus. E.B.</i>				
5	subverticillatus. L.T.	whorled.	—	— H. ½. Flor. dan. t. 817.
6	canstaneus. E.B.	black-spiked.	Scotland.	7. H. ½. Eng. bot. 900.
7	biglumis. E.B.	two-flowered.	—	— H. ½. — 898.
8	triglumis. E.B.	three-flowered.	Britain.	7. H. ½. — 899.
9	capitatus. S.S.	beaded.	—	— 5. 7. H. ○. Weig. obs. t. 2. f. 5.
10	supinus. L.T.	dwarf.	—	— 7. H. ½. Flor. dan. 1099.
11	uliginosus. E.B.	little bulbous.	—	— 7. 8. H. ½. Eng. bot. 801.
12	triindus. E.B.	three-leaved.	Scotland.	— H. ½. — 1482.
13	Gesneri. E.F.	Gesner's.	—	— 7. H. ½. — 2174.
<i>gracilis. E.B. non B.P.</i>				
14	bufonius. E.B.	toad.	Britain.	6. 8. H. ½. Eng. bot. 802.
15	cœnosus. L.T.	mud.	—	— 7. 8. H. ½.
16	compressus. L.T.	round-fruited.	—	— H. ½. Eng. bot. 934.
<i>bulbosus. E.B.</i>				
17	squarrosus. E.B.	Goose-corn.	—	— 6. 7. H. ½. — 933.
18	Tenageia. S.S.	annual.	Europe. 1816.	— H. ○. Flor. dan. t. 1160.
19	aristatus. M.	awned.	N.America. 1820.	— H. ½.
20	plebeius. B.P.	linear-leaved.	N. S. W. 1816.	— F. ½.
21	planifolius. B.P.	flat-leaved.	— 1822.	7. 8. F. ½.
22	pauciflorus. B.P.	few-flowered.	—	— F. ½.
23	vaginatus. B.P.	sheathed.	— 1823.	— F. ½.
24	filiformis. E.B.	least.	Britain.	8. H. ½. Eng. bot. 1175.
25	arcticus. W.	arctic.	Scotland.	7. 8. H. ½. Flor. dan. t. 1095.
26	effusus. E.B.	soft.	Britain.	5. 8. H. ½. Eng. bot. 836.
27	conglomeratus. E.B.	common.	—	— 6. 7. H. ½. — 835.
28	glaucus. E.B.	glaucous.	—	— 7. 8. H. ½. — 665.
29	maritimus. E.B.	sea-side.	—	— 8. H. ½. — 1725.
30	acutus. E.B.	great sharp sea.	—	— 7. 8. H. ½. — 1614.
? FLAGELLARIA. L.		FLAGELLARIA. Hexandria Trigynia. L.		
	indica. L.	Indian.	India. 1782.	6. 7. S. ½. Redout. lil. 257.
? PHILYDRUM. B.P.		PHILYDRUM. Monandria Monogynia. B.M.		
	lanuginosus. B.P.	woolly.	N. S. W. 1801.	6. 7. S.w. ½. Botan. magaz. 783.
? BURMANNIA. L.		BURMANNIA. Triandria Monogynia.		
1	distachya. B.P.	two-spiked.	N. S. W. 1822.	6. 8. G.w. ½. Burm. zeyl. t. 20. f. 1.
2	biflora. L.	two-flowered.	Virginia.	9. G.w. ½.
? GILLIESIA. B.R.		GILLIESIA. Hexandria Monogynia.		
	graminea. B.R.	Grass-like.	S. America. 1824.	5. 7. G. ½. Botan. regist. 992.

ORDO CXCIII.

RESTIACEÆ. *Brown prodr. p. 243.*

XYRIS, B.P.	XYRIS. Triandria Monogynia, L.				
1 <i>lævis, B.P.</i>	smooth.	N. S. W.	1819.	6. 8.	G. 4.
2 <i>bracteata, B.P.</i>	bracteate.	————	1825.	—	G. 4.
3 <i>juncea, B.P.</i>	rushy.	————	1822.	—	G. 4.
4 <i>gracilis, B.P.</i>	slender.	V. Diem. Isl.	1821.	—	G. 4.
5 <i>operculata, B.P.</i>	rush-leaved.	N. S. W.	1804.	6. 7.	G. 4.
6 <i>brevifolia, M.</i>	short-leaved.	Carolina.	1812.	6. 8.	F. 4.
ERIOCAULON, L.	PIPEWORT. Triandria Trigynia, L.				
1 <i>septangulare, E.B.</i>	jointed.	Scotland.	9.	H. w. 4.
2 <i>australe, B.P.</i>	New Holland.	N. S. W.	1822.	8. 10.	G. w. 4.
HYPOLÆNA, B.P.	HYPOLÆNA. Diœcia Triandria.				
1 <i>fastigiata, B.P.</i>	crowded.	N. S. W.	1821.	6. 8.	F. 4.
2 <i>exsulca, B.P.</i>	round-stalked.	————	—	—	F. 4.
LEPTOCARPUS, B.P.	LEPTOCARPUS. Diœcia Triandria.				
<i>tenax, B.P.</i>	tough.	N. S. W.	1824.	6. 8.	F. 4.
<i>Schanodum tenax femina, Lab.</i>					Lab. nov. holl. 2. t. 229.
ELEGIA, W.	ELEGIA. Diœcia Triandria, W.				
1 <i>juncea, w.</i>	Rush-like.	C. B. S.	1789.	7. 8.	F. 4.
2 <i>racemosa, w.</i>	racemed.	————	1804.	5. 6.	F. 4.
LEPYRODIA, B.P.	LEPYRODIA. Diœcia Triandria.				
<i>gracilis, B.P.</i>	slender.	N. S. W.	1823.	5. 6.	F. 4.
WILLDENOVIA, S.S.	WILLDENOVIA. Diœcia Triandria, W.				
1 <i>striata, s.s.</i>	striated.	C. B. S.	1816.	6. 8.	F. 4.
2 <i>teres, s.s.</i>	round-stalked.	————	1790.	—	F. 4.
THAMNOCHORTUS, B.P.	THAMNOCHORTUS. Diœcia Triandria.				
<i>dichotomus, B.P.</i>	forked.	C. B. S.	1816.	6. 8.	F. 4.
RESTIO, B.P.	ROPE-GRASS. Diœcia Triandria, L.				
1 <i>australis, B.P.</i>	southern.	V. Diem. Isl.	1812.	4. 6.	F. 4.
2 <i>gracilis, B.P.</i>	slender.	N. S. W.	1823.	6. 8.	F. 4.
3 <i>tectorum, s.s.</i>	thatch.	C. B. S.	1793.	5. 6.	F. 4.
4 <i>vaginatus, s.s.</i>	sheathed.	————	1816.	—	F. 4.
5 <i>fastigiatus, B.P.</i>	crowded.	N. S. W.	1824.	—	F. 4.
6 <i>virgatus, s.s.</i>	twiggy.	C. B. S.	1816.	—	F. 4.
7 <i>paniculatus, s.s.</i>	panicled.	————	—	—	F. 4.
8 <i>lateriflorus, B.P.</i>	side-flowering.	N. S. W.	1819.	—	F. 4.
<i>Calorophus elongata, Lab.</i>					
9 <i>tetraphyllus, B.P.</i>	four-leaved.	————	1825.	—	F. 4.

ORDO CXCIV.

CYPERACEÆ. *Brown prodr. 1. p. 212.*

CAREX, L.	SEDGE. Monœcia Triandria, L.				
1 <i>dioica, w.</i>	diœcions.	Britain.	5. 6.	H. 4.
2 <i>Davalliana, w.</i>	Davall's.	————	—	H. 4.
3 <i>pauciflora, E.B.</i>	few-flowered.	————	6.	H. 4.
4 <i>pyrenaica, s.s.</i>	Pyrenean.	Pyrenees.	1816.	—	H. 4.
5 <i>pulcaris, E.B.</i>	Flea.	Britain.	6. 7.	H. 4.
6 <i>Fraseriana, H.K.</i>	Fraser's.	N. America.	1809.	4. 6.	H. 4.
7 <i>cyperoides, s.s.</i>	Bohemian.	Bohemia.	1801.	6. 7.	H. 4.
8 <i>foetida, s.s.</i>	stinking.	Switzerland.	1791.	7. 8.	H. 4.
9 <i>incurva, E.B.</i>	curved.	Scotland.	—	H. 4.
10 <i>stenophylla, s.s.</i>	slender-leaved.	Europe.	1824.	—	H. 4.

Eng. bot. 543.

— 2123.

— 2041.

— H. 4.

— H. 4.

Eng. bot. 1051.

Botan. magaz. 1391.

Schk. caric. t. A. f. 5.

— t. Hh. f. 96.

Eng. bot. 927.

Schk. caric. t. G. f. 32.

11	chordorrhiza. s.s.	creeping-root'd.	Germany.	1824.	7. 8.	H. 2.	Schk. caric. t. G. f. 31.
12	stellulata. E.B.	little prickly.	Britain.	5. 6.	H. 2.	Eng. bot. 806.
13	rosea. s.s.	Rose.	N.America.	1812.	—	H. 2.	Schk. caric. Zzz. f.179.
14	fœnea. s.s.	short-spiked.	—	1819.	—	H. 2.	—
15	muricata. E.B.	greater prickly.	Britain.	—	H. 2.	Eng. bot. 1097.
16	brizoides. s.s.	Briza-like.	Germany.	1815.	5. 7.	H. 2.	Host. gram. 36. t. 47.
17	argyroglochin. s.s.	silver-spiked.	—	1823.	—	H. 2.	—
18	straminea. s.s.	slender-stalked.	N.America.	1803.	6. 7.	H. 2.	Schk. caric. t. Xxx. f.174
19	stipata. s.s.	sharp-scaled.	—	1820.	—	H. 2.	— t. Hhh. f.132.
20	Schreberi. s.s.	Schreber's.	Germany.	1800.	—	H. 2.	Host. gram. 1. t. 46.
21	ovalis. E.B.	oval-spiked.	Britain.	—	H. 2.	Eng. bot. 306.
22	curta. E.B.	white.	—	6.	H. 2.	— 1386.
23	divisa. E.B.	bracteated.	—	5. 7.	H. 2.	— 1096.
24	sparganioides. s.s.	Sparganium-like.	N. Amer.	1822.	—	H. 2.	Schk. caric. t. Lll. f.142.
25	arenaria. E.B.	sand.	Britain.	6. 7.	H. 2.	Eng. bot. 928.
26	intermedia. E.B.	soft brown.	—	5. 7.	H. 2.	— 2042.
27	schœnoides. w.	Schœnus-like.	Austria.	1819.	—	H. 2.	Host. gram. 1. t. 45.
28	lagopodioides. w.	Hare's-foot.	N.America.	1805.	6. 7.	H. 2.	Schk. caric. t. Yyy. f.177
29	elongata. E.B.	elongated.	England.	5. 6.	H. 2.	Eng. bot. 1920.
30	remota. E.B.	remote.	Britain.	—	H. 2.	— 832.
31	axillaris. E.B.	axillary.	England.	—	H. 2.	— 993.
32	divulsa. E.B.	gray.	Britain.	5.	H. 2.	— 629.
33	nemorosa. s.s.	shady wood.	Germany.	5. 7.	H. 2.	—
34	vulpina. E.B.	great spiked.	Britain.	5. 8.	H. 2.	Eng. bot. 307.
35	appressa. E.P.	close-spiked.	N. S. W.	1802.	—	F. 2.	—
36	inversa. E.P.	inversed.	—	1820.	—	F. 2.	—
37	scoparia. w.	broom.	N.America.	1812.	6. 7.	H. 2.	Schk. caric. t. Xxx. f.175
38	multiflora. w.	many-flowered.	—	1819.	—	H. 2.	— t. Lll. f. 144.
39	paradoxa. w.	paradoxical.	Germany.	—	H. 2.	— t. E. f. 21.
40	teretiuscula. E.B.	lesser-panicled.	Britain.	5. 6.	H. 2.	Eng. bot. 1065.
41	paniculata. E.B.	great panicled.	England.	6. 7.	H. 2.	— 1064.
42	tenella. E.F.	slender.	Scotland.	6.	H. 2.	Schk. caric. t. P. f.104.
43	norvegica. w.	Norway.	Norway.	1823.	—	H. 2.	— t. S. f. 66.
44	atrata. E.B.	black.	Britain.	6. 7.	H. 2.	Eng. bot. 927.
45	bicolor. w.	two-coloured.	Switzerland.	1823.	—	H. 2.	Sch. car. t. Aaaa. f.181.
46	pedunculata. w.	peduncled.	N. America.	—	—	H. 2.	— t. Ggg. f. 131.
47	longifolia. B.P.	long-leaved.	N. S. W.	—	—	F. 2.	—
48	thuringiaca. w.	Thuringian.	Hungary.	—	—	H. 2.	Schk. caric. t. Ppp. f.155
49	Buxbanmii. w.	Buxbaum's.	S. Europe.	1819.	5. 6.	H. 2.	— t. X. f. 76.
50	glareosa. w.	narrow-leaved.	Norway.	—	—	H. 2.	— t. Aaa. f.97.
51	clandestina. E.B.	dwarf silvery.	Britain.	5.	H. 2.	Eng. bot. 2124.
52	digitata. E.B.	fingered.	England.	5. 6.	H. 2.	— 615.
53	plantaginea. w.	broad-leaved.	N.America.	1805.	—	H. 2.	Schk. caric. t. U. f. 70.
54	pilulifera. E.B.	round-headed.	Britain.	4. 6.	H. 2.	Eng. bot. 885.
55	montana. s.s.	mountain.	Europe.	1819.	5. 6.	H. 2.	Schk. caric. t. F. f. 29.
	<i>collina. w.</i>						
56	ciliata. w.	fringed.	Germany.	—	—	H. 2.	Schk. caric. t. I. f. 42.
57	præcox. E.B.	vernal.	Britain.	4.	H. 2.	Eng. bot. 1099.
58	tomentosa. E.B.	dowry-fruited.	England.	6.	H. 2.	— 2046.
59	extensa. E.B.	long-bracted.	Britain.	—	H. 2.	— 833.
60	flava. E.B.	yellow.	—	5. 6.	H. 2.	— 1294.
61	Æderi. E.B.	Æder's.	England.	6. 7.	H. 2.	— 1773.
62	alba. w.	bristle-leav'd.	Germany.	1819.	—	H. 2.	Host. gram. 1. t. 59.
63	Mielichoferi. E.B.	loose-spiked.	Scotland.	7. 8.	H. 2.	Eng. bot. 2293.
64	ferruginea. w.	ferruginous.	Europe.	1820.	6. 8.	H. 2.	Schk. caric. t. M. f. 48.
65	saxatilis. w.	rock.	N. Europe.	—	—	H. 2.	— t. I. f. 40.
66	rigida. E.B.	rigid.	Britain.	6. 7.	H. 2.	Eng. bot. 2047.
67	pulla. E.B.	russet.	Scotland.	7.	H. 2.	— 2045.
68	cæspitosa. E.B.	tufted bog.	Britain.	5. 6.	H. 2.	— 1507.
69	stricta. E.B.	straight-leaved.	—	4. 5.	H. 2.	— 914.
70	alpestris. w.	Alpine.	Europe.	1804.	5. 6.	H. 2.	Schk. caric. t. G. f. 35.
71	nitida. w.	glossy.	Austria.	1805.	—	H. 2.	Host. gram. 1. t. 71.
72	umbrosa. w.	shade.	—	1818.	6. 7.	H. 2.	— 1. t. 69.
73	granularis. w.	grain-seeded.	N.America.	1807.	—	H. 2.	Schk. caric. t. Vvv. f.169
74	anceps. w.	two-edged.	—	1805.	7. 8.	H. 2.	— t. Fff. f.128.
75	demissa. s.s.	low.	Norway.	1825.	—	H. 2.	—
76	binervis. E.B.	green-ribbed.	Britain.	6.	H. 2.	Eng. bot. 1235.
77	distans. E.B.	loose.	—	—	H. 2.	— 1234.
78	fulva. E.B.	tawny.	—	6. 7.	H. 2.	— 1295.

79	Micheli. w.	Micheli's.	Europe.	1818.	6. 7.	H. ½.	Host. gram. 1. t. 72.
80	pendula. E.B.	great pendulous.	Britain.	5. 6.	H. ½.	Eng. bot. 2315.
81	strigosa. E.B.	loose pendulous.	—	—	H. ½.	— 994.
82	depauperata. E.B.	starved-wood.	England.	6. 7.	H. ½.	— 1098.
83	pilosa. s.s.	hairy.	Germany.	1819.	—	H. ½.	Schk. caric. t. M. f. 49.
84	panicea. E.B.	Pink-leaved.	Britain.	5. 7.	H. ½.	Eng. bot. 1505.
85	oligocarpa. W.	few-seeded.	N. America.	1825.	—	H. ½.	Schk. caric. t. Vvv. f. 178
86	rostrata. w.	beaked.	—	1818.	—	H. ½.	— t. Hhb. f. 134.
87	conglobata. w.	globular-fruit'd.	Hungary.	—	—	H. ½.	—
88	sylvatica. E.B.	wood.	Britain.	5. 6.	H. ½.	Eng. bot. 995.
	<i>Drimeja. w.</i>						
89	Pseudocyperus. w.	Bastard Cypress.	—	6. 7.	H. ½.	Eng. bot. 242.
90	juncea. s.s.	rush-like.	N. America.	1823.	—	H. ½.	—
91	pallescens. E.B.	pale.	Britain.	4. 6.	H. ½.	Eng. bot. 2185.
92	limosa. E.B.	green and gold.	—	6.	H. ½.	— 2043.
93	rariflora. E.B.	loose-flowered.	Scotland.	—	H. ½.	— 2516.
94	capillaris. E.B.	capillary.	Britain.	7. 8.	H. ½.	— 2069.
95	laevigata. E.B.	smooth-stalked.	—	5. 6.	H. ½.	— 1387.
96	ustulata. E.B.	scorched alpine.	Scotland.	6. 7.	H. ½.	— 2404.
97	flexuosa. w.	bending.	N. America.	1807.	—	H. ½.	Schk. car. t. Ddd. f. 124.
98	recurva. E.B.	glaucous heath.	England.	5. 6.	H. ½.	Eng. bot. 1506.
	<i>β Micheliiana. E.B.</i>	<i>smooth-fruited.</i>	—	—	H. ½.	— 2236.
99	nutans. w.	nodding.	Austria.	1815.	6. 7.	H. ½.	Host. gram. 1. t. 83.
100	acuminata. w.	taper-pointed.	Istria.	1819.	—	H. ½.	— 1. t. 97.
101	hirta. E.B.	hairy.	Britain.	5. 6.	H. ½.	Eng. bot. 685.
102	filiformis. E.B.	slender-leaved.	—	6. 7.	H. ½.	— 904.
103	acuta. E.B.	slender-spiked.	—	5. 6.	H. w. ½.	— 580.
104	paludosa. E.B.	lesser common.	—	—	H. w. ½.	— 807.
105	riparia. E.B.	great common.	—	4. 6.	H. w. ½.	— 579.
106	vesicaria. E.B.	short-spiked.	—	5. 6.	H. ½.	— 779.
107	ampullacea. E.B.	slender-beak'd.	—	—	H. ½.	— 780.
108	bullata. w.	blistered.	N. America.	1811.	6.	H. ½.	Schk. caric. Uuu. f. 166.
109	hordeiformis. w.	Barley-like.	France.	1805.	6. 7.	H. ½.	—
110	crinita. w.	haired.	N. America.	1807.	—	H. ½.	Schk. caric. t. Eee. f. 125
111	aquatilis. w.	water.	Lapland.	1819.	—	H. w. ½.	—
112	secalium. w.	rye-like.	Europe.	1820.	—	H. ½.	Schk. caric. t. Ddd. f. 121
113	salina. w.	salt marsh.	Norway.	6.	H. ½.	—
KOBRESIA. W.		KOBRESIA. Monœcia Triandria. W.					
	caricina. w.	Carex-like.	Britain.	8.	H. ½.	Eng. bot. 1410.
	<i>Schaenus monoicus. E.B.</i>	<i>Carex hybrida. s.s.</i>					
SCLERIA. W.		SCLERIA. Monœcia Triandria. W.					
	1 hirtella. w.	hairy.	N. America.	1822.	6. 7.	H. ½.	—
	2 ciliata. w.	fringed.	—	1823.	—	H. ½.	—
SCHÆNUS. B.P.		BOG-RUSH. Triandria Monogynia. L.					
	1 nigricans. w.	black.	Britain.	7.	H. w. ½.	Eng. bot. 1121.
	1 mucronatus. R.S.	clustered.	S. Europe.	1781.	4. 5.	H. w. ½.	Flor. græc. 1. t. 43.
	3 imberbis. B.P.	beardless.	N. S. W.	1818.	4. 5.	F. ½.	—
	4 melanostachys. E.P.	black-spiked.	—	1822.	6. 8.	F. ½.	—
CHÆTOSPORA. B.P.		CHÆTOSPORA. Triandria Monogynia. S.S.					
	1 ferruginea. s.s.	brown.	Switzerland.	1818.	7. 8.	H. w. ½.	Host. gram. 4. t. 71.
	<i>Schaenus ferrugineus. R.S.</i>						
	2 turbinata. B.P.	turbinate.	N. S. W.	1822.	—	F. ½.	—
LEPIDOSPERMA. B.P.		LEPIDOSPERMA. Triandria Monogynia. S.S.					
	1 gladiata. B.P.	flat-stemmed.	N. Holland.	1819.	7. 8.	F. w. ½.	Lab. nov. hol. 1. t. 12.
DULICHIMUM. P.S.		DULICHIMUM. Triandria Monogynia. S.S.					
	spathacenn. P.S.	sheathed.	N. America.	1818.	7. 8.	H. w. ½.	Pluk. alm. t. 301. f. 1.
RHYNCHOSPORA. R.S.		RHYNCHOSPORA. Triandria Monogynia. S.S.					
	1 alba. R.S.	white headed.	Britain.	8.	H. w. ½.	Eng. bot. 985.
	<i>Schaenus albus. E.B.</i>						
	2 fusca. R.S.	brown-headed.	—	—	H. w. ½.	Eng. bot. 1575.
	3 distans. rh.	filiform-leaved.	N. America.	1820.	7. 8.	H. w. ½.	—
	4 comata. R.S.	leafy.	Brazil.	—	—	S. w. ½.	—
CLADIUM. B.P.		CLADIUM. Diandria Monogynia. S.S.					
	1 Mariscus. B.P.	prickly.	England.	7. 8.	H. w. ½.	Eng. bot. 950.
	<i>Schaenus Mariscus. E.B.</i>	<i>Mariscus germanicus. R.S.</i>					
	3 glomeratum. B.P.	close-headed.	N. S. W.	1819.	—	F. w. ½.	—
	3 junceum. B.P.	rushy.	—	1823.	—	F. w. ½.	—
	4 schœnoides. B.P.	Bogrush-like.	—	—	—	F. w. ½.	Lab. nov. hol. 1. t. 18.
	<i>Schaenus acutus. Lab.</i>						

- FIMBRISTYLIS. B.P. FIMBRISTYLIS. Triandria Monogynia. R.S.**
 1 annua. R.S. annual. S. Europe. 1818. 7. 9. H.w.⊙. Host. gram. 3. t. 63.
 2 puberula. R.S. pubescent. N. America. 1820. 7. 8. H. 4.
 3 dichotoma. R.S. forked. E. Indies. 1817. 7. 9. S.w.⊙. Rottb. gram. t. 13. f. 1.
- ABILDGAARDIA. B.P. ABILDGAARDIA. Triandria Monogynia. R.S.**
 1 monostachya. B.P. one-spiked. W. Indies. 1819. 6. 8. S. 4. Sloan. jam. 1. t. 79. f. 2.
- ELEOCHARIS. B.P. ELEOCHARIS. Triandria Monogynia. R.S.**
 1 acuta. B.P. acute-scaled. N. S. W. 1819. 7. 8. F.w. 4.
 2 geniculata. R.S. jointed. America. ———— F.w. 4. Sloan. hist. 1. t. 83. f. 3.
 3 palustris. R.S. marsh. Britain. 7. H.w. 4. Eng. bot. 131.
Scirpus palustris. E.B.
 4 ovata. R.S. ovate. Germany. 1818. 7. 8. H.w. 4. Host. gram. 3. t. 56.
 5 multicaulis. E.F. many-stalked. Britain. 7. H.w. 4. Eng. bot. 1187.
Scirpus multicaulis. E.B.
 6 acicularis. R.S. upright needle. ———— ———— H.w. 4. Eng. bot. 749.
 7 obtusa. R.S. obtuse-scaled. N. America. 1818. 7. 8. H.w. 4.
 8 glaucescens. R.S. glaucous. ———— 1819. ———— H.w. 4.
 9 tennis. R.S. slender. ———— ———— H.w. 4.
- ISOLEPIS. B.P. ISOLEPIS. Triandria Monogynia. R.S.**
 1 fluitans. R.S. floating. Britain. 7. 8. H.w. 4. Eng. bot. 216.
Scirpus fluitans. E.B.
 2 gracilis. knotted. N. Holland. 1820. ———— G.w. 4. Rottb. gram. 52. t. 8. f. 3.
nodosa. B.P. Scirpus gracilis. L.T. 10. t. 15. f. 2.
 3 setacea. R.S. bristle-like. Britain. 7. 8. H.w.⊙. Eng. bot. 1693.
 4 Holoschenus. R.S. round-headed. ———— ———— H.w. 4. ———— 1612.
 5 romana. R.S. Roman. S. Europe. ———— H.w. 4. Jacq. aust. 5. t. 448.
 6 complanata. R.S. flat-stemmed. E. Indies. 1823. S.w. 4.
- SCIRPUS. B.P. CLUB-RUSH. Triandria Monogynia. L.**
 1 cæspitosus. E.B. scaly-stalked. Britain. 7. H.w. 4. Eng. bot. 1029.
 2 paniciflorus. E.B. chocolate-headed. ———— 8. H.w. 4. ———— 1122.
Bæothryon. R.S.
 3 mucronatus. R.S. mucronated. ———— ———— H.w. 4. Scheuch agr. t. 9. f. 14.
 4 Luzula. R.S. clustered. E. Indies. 1776. 7. 9. S.w. 4.
 5 lacustris. E.B. tall. Britain. 7. H.w. 4. Eng. bot. 666.
 6 glaucus. E.B. glaucous. England. 7. 8. H.w. 4. ———— 2321.
 7 caricinus. S.S. compressed. Britain. 7. H.w. 4. ———— 791.
Schaenus compressus. E.B.
 8 rufus. S.S. rusty. ———— 6. 7. H.w. 4. Eng. bot. 1010.
Schaenus rufus. E.B.
 9 triqueter. E.B. triangular. England. 8. H.w. 4. Eng. bot. 1694.
 10 carinatus. E.B. blunt-edged. ———— 7. 8. H.w. 4. ———— 1983.
 11 maritimus. E.B. salt marsh. Britain. 7. 9. H.w. 4. ———— 542.
 12 sylvaticus. E.B. wood. ———— ———— H.w. 4. ———— 919.
 13 radicans. R.S. rooting. Germany. ———— H.w. 4. Schk. in Ust. an. 4. t. 1.
 14 atrovirens. R.S. dark-green. N. America. 1818. ———— H.w. 4.
 15 quinquangularis. R.S. five-angled. E. Indies. 1823. S.w. 4.
- CYPERUS. L. CYPERUS. Triandria Monogynia. L.**
 1 Aitoni. R.S. Aiton's. C. B. S. 6. 8. G.w. 4.
 2 articulatus. R.S. jointed. S. America. 1820. ———— S.w. 4. Sloan. hist. 1. t. 81. f. 1.
 3 viscosus. R.S. clammy. Jamaica. 1781. 5. 8. S.w. 4. Jacq. ic. 2. t. 295.
 4 tenellus. R.S. slender. C. B. S. 1819. 7. 9. H.⊙.
 5 mucronatus. R.S. pointed. Levant. ———— F.w. 4. Flor. græc. 1. t. 49.
 6 pannonicus. R.S. dwarf. Hungary. 1781. 7. 6. H.⊙. Jacq. aust. ap. t. 6.
 7 brizæus. R.S. Briza-like. W. Indies. 1824. ———— S.w. 4.
 8 alternifolius. R.S. alternately-ld. Madagascar. 1781. ———— S.w. 4. Jacq. ic. 2. t. 298.
 9 elegans. R.S. elegant. Jamaica. 1801. 5. 9. S. 4. Sloan. jam. 1. t. 75. f. 1.
 10 compressus. R.S. compressed. S. America. 1819. ———— S.w. 4. Rottb. gram. t. 9. f. 3.
 11 vegetus. R.S. smooth. America. 1790. ———— G.w. 4. Jacq. vind. 3. t. 12.
compressus. Jacq. non v.
 12 Luzula. R.S. compact. W. Indies. ———— S.w. 4. Rottb. gram. t. 13. f. 2.
polycephalus. Lam. non. L.en.
 13 paniculatus. R.S. panicked. ———— 1804. 5. 7. S.w. 4.
 14 flavescens. R.S. yellowish. Germany. 1776. 6. 9. F.w. 4. Flor. græc. t. 47.
 15 fuscus. R.S. brown. England. 1777. 7. 9. H.⊙. Host. gram. 3. t. 73.
 16 conglomeratus. R.S. many-flowered. Java. 1820. 5. 9. S.w. 4. Rottb. gram. t. 15. f. 7.
 17 erubescens. L.en. blnsh. ———— S.w. 4.
 18 australis. R.S. southern. S. Europe. ———— H.⊙. Seguiet. veron. 3. t. 2. f. 2.
 19 esculentus. R.S. Rush-nut. ———— 1597. 7. H. 4. Host. gram. 3. t. 75.
 20 Hydra. M. American. N. America. 1812. ———— H. 4.

21 Pangorei. R.S.	Ceylon.	Ceylon.	1823.	7. 9.	S.w. 2.	Rottb. gram. t. 7. f. 3.
22 badius. R.S.	saw-leaved.	Algiers.	1800.	—	F.w. 2.	Desf. atl. 1. t. 7. f. 2.
23 patulus. R.S.	spreading.	Hungary.	1818.	—	H.w. 2.	Host. gram. 3. t. 74.
24 longus. E.B.	sweet.	England.	7.	H.w. 2.	Eng. bot. 1309.
25 tenuiflorus. R.S.	slender-flower'd.	S. Europe.	1818.	7. 8.	H.w. 2.	Jacq. ic. 2. t. 296.
26 Monti. R.S.	spreading-spiked.	—	—	—	H.w. 2.	Host. gram. 4. t. 67.
27 Paramatta. R.S.	tuberous-root'd.	—	—	—	H.w. 2.	—
28 strigosus. R.S.	bristle-spiked.	W. Indies.	1786.	7. 9.	S.w. 2.	—
29 Iria. R.S.	tall.	E. Indies.	1802.	7.	S.w. 2.	Rheed. mal. 12. t. 56.
30 distans. R.S.	distant.	W. Indies.	1820.	7. 8.	S.w. 2.	Jacq. ic. t. 299.
31 fastigiatus. R.S.	lofty.	E. Indies.	1800.	5. 8.	S.w. 2.	Rottb. gram. t. 7. f. 2.
32 alopecuroides. R.S.	fox-tailed.	C. B. S.	1804.	—	G.w. 2.	— 38. t. 3. f. 2.
33 cruentus. R.S.	purple-spotted.	Arabia.	1820.	—	S.w. 2.	— 21. t. 5. f. 1.
34 glomeratus. R.S.	round-headed.	Italy.	1804.	—	H. 2.	—
35 polycephalus. L.en.	many-headed.	S. Europe.	1819.	6. 8.	H.w. 2.	—
36 polystachyos. R.S.	many-spiked.	E. Indies.	—	—	S.w. 2.	Rottb. gram. t. 11. f. 1.
37 difformis. R.S.	deformed.	—	—	—	S.w. 2.	— t. 9. f. 2.
38 protractus. L.en.	protracted.	Egypt.	1820.	—	H. 2.	Delil. æg. 152. t. 5. f. 3.
39 dives. s.s.	large-bracted.	—	—	7.	H. 2.	—
PAPYRUS. S.S.	PAPER-RUSH.	Triandria Monogynia. S.S.	—	—	—	—
1 antiqnorum. s.s.	common.	Egypt.	1802.	7. 9.	S.w. 2.	Michel. gen. pl. t. 19.
	<i>Cyperus Papyrus.</i> R.S.	—	—	—	—	—
2 laxiflorus. s.s.	loose-flowered.	Madagascar.	1822.	—	S.w. 2.	—
3 odoratus. s.s.	fragrant.	W. Indies.	1819.	—	S.w. 2.	Rudg. gui. 17. t. 20.
MARISCUS. R.S.	MARISCUS.	Triandria Monogynia. R.S.	—	—	—	—
1 aggregatus. R.S.	clustered.	1820.	7. 9.	S.w. 2.	—
2 lævis. B.P.	smooth.	N. S. W.	1819.	6. 8.	G.w. 2.	—
3 ovularis. R.S.	oval-spiked.	Carolina.	1818.	—	F.w. 2.	Pluk. alm. t. 91. f. 4.
4 umbellatus. R.S.	umbelled.	E. Indies.	1789.	—	S.w. 2.	Rottb. gram. t. 4. f. 2.
5 elatus. R.S.	tall.	—	1805.	—	S.w. 2.	Jacq. ic. 2. t. 300.
6 confexus. L.en.	contracted.	Brazil.	1819.	7. 8.	S.w. 2.	—
KYLLINGA. W.	KYLLINGA.	Triandria Monogynia. L.	—	—	—	—
1 monocephala. R.S.	one-headed.	India.	1793.	6. 7.	S.w. 2.	Rottb. gram. t. 4. f. 4.
2 intermedia. B.P.	intermediate.	N. S. W.	1822.	—	G.w. 2.	—
3 triceps. R.S.	three-headed.	E. Indies.	1776.	9. 11.	S.w. 2.	Rottb. gram. t. 4. f. 6.
4 uncinata. L.en.	hook-seeded.	Brazil.	1820.	7. 8.	S.w. 2.	—
5 polycephala. L.en.	many-headed.	—	—	—	S.w. 2.	—
FUIRENA. B.P.	FUIRENA.	Triandria Monogynia. L.	—	—	—	—
umbellata. R.S.	umbelled.	W. Indies.	1822.	6. 8.	S.w. 2.	Rottb. gram. t. 19. f. 3.
ELYNA. R.S.	ELYNA.	Triandria Monogynia. R.S.	—	—	—	—
spicata. R.S.	simple-spiked.	Europe.	1819.	6. 8.	H.w. 2.	Vill. delph. 2. t. 6.
	<i>Carex Bellardi.</i> Hort. gram. 4. t. 77.	—	—	—	—	—
TRICHOPHORUM. P.S.	TRICHOPHORUM.	Triandria Monogynia. P.S.	—	—	—	—
1 cyperinum. P.S.	cyperine.	N. America.	1802.	5. 9.	H.w. 2.	Pluk. mant. t. 419. f. 3.
2 alpinum. P.S.	Alpine.	Scotland.	7.	H.w. 2.	Eng. bot. 311.
	<i>Eriophorum alpinum.</i> E.B.	—	—	—	—	—
ERIOPHORUM. L.	COTTON-GRASS.	Triandria Monogynia. L.	—	—	—	—
1 vaginatum. E.B.	Hare's-tail.	Britain.	3. 4.	H.w. 2.	Eng. bot. 873.
2 capitatum. E.B.	round-headed.	Scotland.	8. 9.	H.w. 2.	— 2387.
3 gracile. E.B.	slender.	—	7. 8.	H.w. 2.	— 2402.
4 angustifolium.	narrow-leaved.	Britain.	4. 5.	H.w. 2.	— 564.
5 virginicum. R.S.	Virginian.	N. America.	1802.	5. 8.	H.w. 2.	Pluk. alm. t. 299. f. 4.
6 polystachion. E.B.	broad-leaved.	Britain.	4.	H.w. 2.	Eng. bot. 563.
7 pubescens. E.F.	pubescent.	—	4. 5.	H.w. 2.	—

ORDO CXCIV.

GRAMINEÆ. *Juss. gen. p. 28.*

NARDUS. R.S.	MAT-GRASS.	Triandria Monogynia. L.	—	—	—	—
stricta. E.B.	upright.	Britain.	6. 7.	H.w. 2.	Eng. bot. 290.
ORYZOPSIS. M.	ORYZOPSIS.	Triandria Monogynia. R.S.	—	—	—	—
asperifolia. M.	rough-leaved.	N. America.	1822.	7. 8.	H. 2.	Mich. amer. 1. t. 9.

LYGEUM. R.S.	LYGEUM. Triandria Monogynia. L.				
Spartum. R.S.	rush-leaved. Spain.	1776.	5. 6.	H. ♀.	Schreb. gram. t. 52. 53.
CORNUCOPIÆ. R.S.	HORN OF PLENTY. Triandria Monogynia. L.				
cucullatum. R.S.	hooded. Levant.	1788.	8.	H. ♂.	Flor. græc. 1. t. 51.
CENCHRUS. R.S.	CENCHRUS. Triandria Monogynia. L.				
1 tribuloides. R.S.	spinous. N. America.	1818.	5. 8.	H. ♂.	Sloan. list. 1. t. 65. f. 1.
2 echinatus. R.S.	rough-spiked. W. Indies.	1691.	8. 12.	S. ♂.	Cavan. ic. 5. p. 39. t. 462.
3 australis. B.P.	New Holland. N. S. W.	1822.	6. 8.	H. ♂.	
PENNISETUM. R.S.	PENNISETUM. Triandria Monogynia. R.S.				
1 setosum. R.S.	setose. W. Indies.	1804.	7. 8.	H. ♂.	
2 polystachyum. R.S.	many-spiked. E. Indies.	—	—	H. ♂.	Rumph. amb. 6. t. 7. f. 2.
3 cenchroides. R.S.	ciliated. C. B. S.	1777.	7. 8.	H. ♂.	Giseck. ic. 1. t. 23.
<i>Cenchrus ciliaris</i> . L.					
4 orientale. R.S.	oriental. Levant.	1819.	—	F. ♀.	
5 compressum. B.P.	flat-stemmed. N. S. W.	1820.	—	H. ♀.	
6 holcoides. R.S.	Holcus-like. E. Indies.	1823.	—	S. ♂.	
<i>Panicum holcoides</i> . F. I.					
7 barbatum. R.S.	bearded. ————	—	—	S. ♂.	
8 dichotomum. R.S.	forked. Egypt.	1824.	—	H. ♀.	Delil. ægyp. t. 8. f. 3.
9 nepalense. S.S.	Nepaul. Nepaul.	1822.	—	H. ♂.	
PENICILLARIA. R.S.	PENICILLARIA. Polygamia Monœcia. W.				
1 spicata. R.S.	spiked. E. Indies.	1592.	6. 7.	H. ♂.	Pluk. alm. t. 32. f. 4.
2 alopecuroides. ciliata. W. en. cylindrica. R.S.	Fox-tail. Jamaica. <i>Panicum alopecuroides</i> . L. <i>Alopecurus indicus</i> . L.	1739.	7. 10.	H. ♂.	— t. 92. f. 5.
SETARIA. R.S.	SETARIA. Triandria Dignia. R.S.				
1 sericea. R.S.	silky. W. Indies.	1780.	5. 9.	H. ♂.	
2 verticillata. R.S.	rough. England.	—	—	7. 8. H. ♂.	Eng. bot. 874.
3 viridis. R.S.	green. ————	—	—	H. ♂.	— 875.
<i>Panicum viride</i> . E. B.	<i>Pennisetum viride</i> . B. P.				
4 pumila. R.S.	dwarf. ————	1819.	—	H. ♂.	
5 macrochæta. R.S.	long-spiked. ————	—	—	H. ♂.	
6 purpurascens. R.S.	purplish. S. America.	1822.	—	H. ♂.	
7 intermedia. R.S.	intermediate. E. Indies.	1819.	8. 10.	H. ♂.	
8 Weinmanni. R.S.	Weinman's. Teneriffe.	1816.	—	H. ♂.	
9 glauca. R.S.	glaucous. S. Europe.	1771.	7. 8.	H. ♂.	Host. gram. 2. t. 16.
10 helvola. R.S.	pale red. E. Indies.	1822.	8. 10.	H. ♂.	
11 erubescens. R.S.	blush. S. America.	—	—	H. ♂.	
12 geniculata. R.S.	jointed. Antilles.	1805.	7. 8.	H. ♂.	
13 maritima. R.S.	sea-side. ————	1818.	—	H. ♂.	
14 germanica. R.S.	German. Germany.	1548.	—	H. ♂.	Host. gram. 2. t. 15.
15 italica. R.S.	Italian. Italy.	1616.	—	H. ♂.	Rumph. amb. 3. t. 76. f. 2.
<i>Panicum italicum</i> . Host. gram. 4. t. 14.	<i>Pennisetum italicum</i> . B. P.				
16 composita. R.S.	compound. S. America.	1823.	—	H. ♂.	
17 cylindrica. R.S.	cylindrical. ————	—	—	H. ♂.	
18 setosa. R.S.	bristly. W. Indies.	1822.	—	H. ♂.	
19 polystachia. R.S.	many-spiked. Brazil.	1824.	—	S. ♂.	
20 tenacissima. R.S.	tough. ————	1819.	—	H. ♂.	
21 Pennisetum. R.S.	Indian. E. Indies.	1820.	6. 8.	S. ♂.	
22 scandens. R.S.	climbing. ————	—	—	H. ♂.	
23 muricata. R.S.	sea-side. N. America.	1819.	—	H. ♂.	
24 auricoma. Lk.	golden-headed. ————	1826.	—	H. ♂.	
ANTHOXANTHUM. R.S.	SPRING-GRASS. Diandria Dignia. L.				
1 odoratum. E.B.	sweet-scented. Britain.	—	—	5. H. ♀.	Eng. bot. 647.
β laxa.	loose-spiked. ————	—	—	H. ♀.	Loes. ic. 22.
γ pubescens.	downy-spiked. ————	—	—	H. ♀.	
δ ramosa.	branching-spiked. ————	—	—	H. ♀.	
2 amarum. R.S.	bitter. S. Europe.	1810.	7.	H. ♀.	
3 gracile. R.S.	slender. Italy.	1825.	7. 8.	H. ♂.	Biv. Bern. st. rar. t. 1. f. 1.
4 ovatum. R.S.	oval-spiked. Spain.	1824.	—	H. ♂.	
SPARTINA. R.S.	SPARTINA. Triandria Monogynia. R.S.				
1 cynosuroides. R.S.	Dog's-tail. N. America.	1781.	8. 9.	H. ♀.	Linn. fil. fasc. 1. t. 9.
<i>Dactylis cynosuroides</i> . L. <i>Trachynotia cynosuroides</i> . M. <i>Limnætis cynosuroides</i> . P. S.					
2 stricta. R.S.	upright. Britain.	—	—	8. H. ♀.	Eng. bot. 380.
<i>Dactylis stricta</i> . E. B. <i>Limnætis pungens</i> . P. S.					
3 polystachia. R.S.	many-spiked. N. America.	1781.	8. 9.	H. ♀.	
4 pumila. R.S.	dwarf. ————	1820.	—	H. ♀.	
5 juncea. R.S.	rushy. ————	1781.	7. 8.	H. ♀.	
6 patens. R.S.	spreading. ————	—	—	H. ♀.	
7 geniculata. R.S.	jointed. Java.	1822.	—	S. ♀.	Burm. ind. t. 12. f. 3.

- ZOYSIA. R.S.** *ZOYSIA*. Triandria Digynia. W.
 pungens. R.S. pungent. E. Indies. 1819. 6. 8. S. 4.
- LEERSIA. B.P.** *LEERSIA*. Triandria Digynia. W.
 1 oryzoides. s.s. Rice-like. S. Europe. 1793. 7. 8. H. 4. Host. gram. 1. t. 35.
 2 virginica. s.s. Virginian. N. America. ——— H. 4.
 3 australis. B.P. southern. N. S. W. 1819. ——— H. 4.
- PEROTIS. R.S.** *PEROTIS*. Triandria Digynia. W.
 latifolia. R.S. broad-leaved. E. Indies. 1777. 8. 9. S. 0. Rheed. mal. 12. t. 62.
- ALOPECURUS. R.S.** *FOXTAIL-GRASS*. Triandria Digynia. L.
 1 agrestis. E.B. slender. Britain. 7. 8. H. 0. Eng. bot. 848.
 2 utriculatus. R.S. bladdered. Italy. 1777. ——— H. 0. Flor. græc. t. 63.
 3 pratensis. E.B. meadow. Britain. 5. H. 4. Eng. bot. 759.
 4 nigricans. R.S. blackish. Europe. 1815. 6. 7. H. 4. Jacq. ecl. gram. t. 13.
Tauntoniensis. S.G.W.
 5 geniculatus. E.B. floating. Britain. 5. 8. H. w. 4. Eng. bot. 1250.
 6 fulvus. E.B. orange-spiked. England. 6. H. w. 4. ——— 1467.
 7 alpinus. E.B. Alpine. Scotland. 5. 6. H. 4. ——— 1126.
 8 ramosus. R.S. branching. N. America. 1823. ——— H. 4.
 9 arundinaceus. R.S. Reed-like. 1819. ——— H. 4.
 10 macrostachyos. R.S. large-spiked. Barbary. 1824. 6. 8. H. 4.
 11 bulbosus. E.B. bulbous. England. 7. H. 4. Eng. bot. 1249.
 12 colobachnoides. R.S. Siberian. Siberia. 1826. 6. 7. H. 4.
 13 Gerardi. Trin. Gerard's. S. Europe. 1820. 6. 8. H. 4. Jacq. ic. t. 301.
Phleum Gerardi. R.S.
- PHLEUM. R.S.** *CAT'S-TAIL-GRASS*. Triandria Digynia. L.
 1 pratense. R.S. common. Britain. 7. H. 4. Eng. bot. 1076.
 a majus. S.G.W. greater. H. 4. Sinc. gr. wob. p. 195. ic.
 β minus. S.G.W. lesser. 7. 8. H. 4. ——— p. 197. ic.
 2 nodosum. W. knotted. 7. 9. H. 4. Flor. dan. t. 380.
 3 Bertolonii. R.S. Bertoloni's. France. 1818. ——— H. 4.
 4 alpinum. R.S. alpine. Scotland. 7. H. 4. Eng. bot. 519.
 5 commutatum. R.S. confused. Piedmont. 1819. ——— H. 4.
 6 felinum. R.S. Grecian. Greece. 1822. ——— H. 0.
 7 echinatum. R.S. hedgehog. Dalmatia. ——— 8. 9. H. 0. Host. gram. 3. t. 11.
- ACHNODONTON. R.S.** *ACHNODONTON*. Triandria Digynia. R.S.
 1 Bellardi. R.S. bulbous. Spain. 1798. 6. 7. H. 0.
- Phalaris Bellardii. W. bulbosa. L.*
 2 tenue. R.S. slender. S. Europe. 1826. ——— H. 0. Host. gram. t. 36.
 3 arenaria. L. en. sand. Britain. 6. 7. H. 0. Eng. bot. 222.
Phalaris arenaria. E.B. Phleum arenarium. F.D. t. 915. Chilocholea arenaria. R.S.
- CHILOCHLOA. R.S.** *CHILOCHLOA*. Triandria Digynia. R.S.
 1 Bœhmeri. R.S. Phalaris-like. England. 7. 9. H. 4. Eng. bot. 459.
Phalaris phleoides. E.B. Phleum phalaroides. Kœl. Bœhmeri. W.
 2 cuspidata. R.S. sharp-pointed. Tyrol. 1824. 7. 8. H. 4. Host. gram. 4. t. 20.
 3 Michelii. L. en. Micheli's. Scotland. 6. 7. H. 4. Eng. bot. 2265.
Phleum Michelii. E.B.
 4 aspera. R.S. rough. England. 7. H. 0. Eng. bot. 1077.
Phleum paniculatum. E.B. Phleum asperum. Jacq. ic. t. 14. Phalaris aspera. W.
 5 annua. R.S. annual. Caucasus. 1825. 7. 8. H. 0.
- SCHMIDTIA. S.S.** *SCHMIDTIA*. Diandria Digynia. S.S.
 subtilis. s.s. close umbelled. Bohemia. 1824. 6. 8. H. 0. Tratt. fl. aus. t. 451.
Coleanthus subtilis. R.S.
- POLYPOGON. R.S.** *POLYPOGON*. Triandria Digynia. W.
 1 monspeliensis. R.S. chaffy. Britain. 7. 8. H. 0. Eng. bot. 1704.
Agrostis panicea. E.B.
 2 littoralis. E.F. sea-side. 8. H. 4. Eng. bot. 1251.
 3 maritimus. R.S. shore. S. Europe. 1822. ——— H. 0.
 4 glomeratus. R.S. clustered. N. America. ——— 7. 8. H. 4.
 5 tataricus. F. Tartarian. Tartary. 1825. ——— H. 0.
- CERESIA. P.S.** *CERESIA*. Triandria Digynia. P.S.
 elegans. p.s. elegant. Peru. 1818. 8. 9. H. 4. Jacq. frag. t. 86.
Paspalum membranaceum. S.S.
- PASPALUM. W.** *PASPALUM*. Triandria Digynia. L.
 1 dissectum. s.s. dissected. S. America. 1822. 8. 10. H. 0.
 2 scrobiculatum. s.s. dimpled. E. Indies. 1778. 7. 9. S. 4. Hout. n. his. t. 89. f. 3.
 3 stoloniferum. s.s. purple. Peru. 1794. ——— G. 4. Jacq. ic. 2. t. 302.
 4 paniculatum. s.s. panicled. W. Indies. 1782. ——— S. 0. Sloan. hist. 1. t. 72. f. 2.
 5 virgatum. s.s. twiggy. ——— 1822. ——— S. 4. ——— 1. t. 69. f. 2.
 6 læve. M. smooth. N. America. 1818. ——— H. 4. Lecomt. pasp. t. 91.

7	difforme. R.S.	deformed.	— — —	H. 2.	Lecomt. pas. t. 91. p. 284.
8	pusillum. R.S.	small.	St. Thomas. 1822.	— — —	S. 2.
9	conjugatum. s.s.	conjugate.	W. Indies.	— — —	S. 2.
10	notatum. s.s.	two-spiked.	— — —	1776.	7. S. 3.
11	molle. s.s.	soft.	St. Thomas. 1822.	— — —	S. 2.
12	Kora. R.S.	smooth-fl'd.	E. Indies. 1818.	7. 8.	S. 2.
13	setaceum. M.	bristly.	N. America.	— — —	H. 2.
14	dubium. s.s.	doubtful.	— — —	H. 2.
15	glabrum. s.s.	smooth.	W. Indies. 1823.	— — —	S. 2.
16	tenellum. w. <i>elegans. s.s.</i>	elegant.	1817.	— — —
17	laxum. R.S.	loose.	S. America. 1819.	— — —	S. 2.
18	inæquale. L.en.	unequal-valv'd.	Manilla. 1822.	— — —	S. 2.
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia.	S.S.		
	strictus. B.P.	upright.	N. S. W.	1823.	5. 6. G. 2.
GASTRIDIVM. R.S.	GASTRIDIVM.	Triandria Digynia.	R.S.		
1	australe. R.S.	yellow.	England.	8. H. 0.
	<i>Milium lendigerum. E.B.</i>				Eng. bot. 1107.
2	muticum. R.S.	beardless.	Sicily.	1819.	7. 8. H. 0.
CHÆTURUS. R.S.	CHÆTURUS.	Triandria Digynia.	R.S.		
	fasciculatus. R.S.	fascicled.	S. Europe.	1815.	7. 9. H. 0.
MILIUM. R.S.	MILLET-GRASS.	Triandria Digynia.	L.		
1	effusum. E.B.	common.	Britain.	6. 7. H. 2.
2	vernale. R.S.	vernal.	Caucasus.	1819.	4. 5. H. 0.
3	gallecicum. R.S.	capillary.	Gallicia.	— — —	6. 8. H. 2.
4	velutinum. R.S.	downy.	Mexico.	1823.	— — —
PIPTATHERUM. R.S.	PIPTATHERUM.	Triandria Digynia.	R.S.		
1	paradoxum. R.S.	black-seeded.	France.	1771.	6. 7. H. 0.
	<i>Agrostis paradoxa. L. Milium paradoxum. w. Urachne virescens. Trin.</i>				Host. gram. 3. t. 23.
2	cœrulescens. R.S.	blueish.	Barbary.	1819.	— — —
3	multiflorum. R.S.	many-flowered.	S. Europe.	1778.	— — —
	<i>Milium arundinaceum. F.G. t. 66. Agrostis miliacea. L.</i>				Desf. atl. 1. t. 12. Host. gram. 3. t. 45.
CALAMAGROSTIS. S.S.	CALAMAGROSTIS.	Triandria Digynia.	S.S.		
1	epiejos. s.s.	wood.	Britain.	7. H. 2.
2	littorea. s.s.	sea-side.	Switzerland.	1824.	7. 8. H. 2.
3	laxa. Host.	loose.	— — —	— — —	H. 2.
4	glauca. R.S.	glaucous.	N. America.	— — —	H. 2.
5	Halleriana. s.s.	Haller's.	Switzerland.	1819.	— — —
	<i>Arundo pseudophragmites. R.S.</i>				Schrad. fl. ger. 1. t. 4. f. 3.
6	stricta. s.s.	upright.	Scotland.	7. 8. H. 2.
7	varia. Host.	various.	S. Europe.	1813.	— — —
8	acutiflora. R.S.	sharp-flowered.	Germany.	1819.	— — —
9	sylvatica. DC.	wood.	Europe.	1813.	— — —
	<i>arundinacea. Roth. Agrostis arundinacea. L. pyramidalis. Host.</i>				Eng. bot. 2160. Host. gram. 4. t. 47.
10	Langsdorffii. s.s.	Langsdorff's.	1823.	— — —
11	confinis. s.s.	hairy-flowered.	N. America.	1820.	— — —
12	montana. Host.	mountain.	Europe.	— — —	H. 2.
13	Hostii. R.S.	Host's.	— — —	— — —	H. 2.
	<i>sylvatica. Host. nec aliorum.</i>				Host. gram. 4. t. 46. — — — 4. t. 48.
14	lanceolata. s.s.	common.	England.	7. H. 2.
	<i>Arundo Calamagrostis. E.B. Agrostis lanceolata. R.S.</i>				Eng. bot. 2159.
15	speciosa. Host.	beautiful.	Germany.	1813.	7. 8. H. 2.
	<i>Agrostis Calamagrostis. R.S.</i>				Host. gram. 4. t. 45.
STIPA. R.S.	FEATHER-GRASS.	Triandria Digynia.	L.		
1	pennata. E.B.	common.	Britain.	7. 8. H. 2.
2	tortilis. R.S.	twisted-awned.	S. Europe.	1823.	— — —
3	juncea. R.S.	rushy.	France.	1772.	— — —
4	gigantea. R.S.	gigantic.	Spain.	1823.	— — —
5	capillata. R.S.	capillary.	S. Europe.	— — —	H. 2.
6	tenacissima. R.S.	tough.	— — —	1822.	— — —
7	Aristella. R.S.	awned.	Montpelier.	1806.	— — —
8	conferta. R.S.	close paniced.	1819.	— — —
9	sibirica. R.S.	Siberian.	Siberia.	1777.	— — —
TRICHODIVM. R.S.	WINTER-GREEN-GRASS.	Triandria Digynia.	R.S.		
1	caninum. R.S.	brown.	Britain.	7. H. 2.
	<i>Agrostis canina. E.B.</i>				Gmel. sib. 1. t. 22.
2	alpinum. R.S.	Alpine.	S. Europe.	1818.	7. 8. H. 2.
3	rupestre. R.S.	rock.	Pyrenees.	— — —	H. 2.
4	neglectum. R.S.	neglected.	Hungary.	1822.	— — —
					Host. gram. 3. t. 49. — — — 3. t. 50.

5	flavescens. R.S.	yellowish.	S. Europe.	—	—	H. 2.	Host. gram. 4. t. 52.
6	setaceum. R.S.	bristly.	Britain.	—	H. 2.	Eng. bot. 1188.
	<i>Agrostis setacea. E.B.</i>						
7	rubrum. R.S.	red.	Lapland.	1824.	—	H. 2.	
8	hybridum. R.S.	hybrid.	Switzerland.	—	—	H. 2.	
9	diffusum. L.en.	spreading.	1823.	—	H. 2.	
10	decumbens. R.S.	decumbent.	N. America.	1786.	6. 7.	H. 2.	Fraser mon. c. ic.
11	laxiflorum. R.S.	loose-flowered.	—	1816.	—	H. 2.	Mich. amer. 1. t. 8.
12	elegans. R.S.	elegant.	France.	—	7. 9.	H. 2.	Lois journ. bot. 2. t. 8. f. 1.
AGROSTIS. R.S.							
BENT-GRASS. Triandria Digynia. R.S.							
1	stolonifera. R.S.	creeping.	Britain.	7. 8.	H. 2.	Eng. bot. 1532.
	<i>a latifolia. S.G.W.</i>						
	<i>β angustifolia. S.G.W.</i>						
	<i>γ aristata. S.G.W.</i>						
	<i>δ nemoralis. S.G.W.</i>						
	<i>ε palustris. S.G.W.</i>						
2	diffusa. R.S.	spreading.	Europe.	1816.	—	H. 2.	Host. gram. 4. t. 55.
3	neglecta. R.S.	neglected.	Hungary.	—	—	H. 2.	
4	capillaris. R.S.	capillary.	S. Europe.	—	—	H. 2.	
5	tenella. R.S.	slender.	Switzerland.	1824.	—	H. 2.	Sm. ic. ined. t. 54.
6	alba. R.S.	white rooted.	Britain.	7.	H. 2.	Schad. fl. ger. 1. t. 5. f. 1.
	<i>β purpurascens.</i>						
	<i>γ vivipara.</i>						
7	tenuifolia. R.S.	slender-leaved.	Caucasus.	1819.	7. 8.	H. 2.	Sinc. gr. wob. p. 342. ic.
8	patula. R.S.	knotted spreading.	Switzerl ^d .	1824.	—	H. 2.	Eng. bot. 1189.
9	valentina. R.S.	Valentia.	Spain.	—	—	H. 2.	
10	dubia. R.S.	doubtful.	Germany.	1818.	—	H. 2.	Leers fl. herb. t. 4. f. 41
11	gigantea. R.S.	gigantic.	Caucasus.	—	—	H. 2.	
12	frondosa. R.S.	frondose.	Naples.	1824.	—	H. 2.	
13	vulgaris. R.S.	fine.	Britain.	—	H. 2.	Eng. bot. 1671.
14	ambigua. R.S.	ambiguous.	Germany.	1820.	—	H. 2.	Host. gram. t. 56.
15	Juressi. R.S.	close paniced.	—	—	—	H. 2.	
16	virginica. R.S.	Virginian.	N. America.	—	—	H. 2.	Lab. nov. holl. 1. t. 23.
17	Forsteri. R.S.	Forster's.	N. Zealand.	1822.	—	H. 2.	
<i>Avena filiformis. Forst.</i>							
18	Billardieri. B.P.	Labillardiere's.	N. Holland.	1806.	—	H. 2.	Lab. nov. holl. 1. t. 31.
19	plebeia. B.P.	plebeian.	N. S. W.	1822.	—	H. 2.	
20	æmula. B.P.	flat-leaved.	—	1806.	—	H. 2.	
21	Spica venti. E.B.	silky.	England.	6. 7.	H. 2.	Eng. bot. 951.
22	pallida. DC.	pale.	France.	1818.	—	H. 2.	
23	interrupta. R.S.	interrupted.	S. Europe.	—	—	H. 2.	Host. gram. 3. t. 48.
24	purpurea. R.S.	purple.	—	1820.	—	H. 2.	
25	pauciflora. R.S.	few-flowered.	Switzerland.	1824.	6. 8.	H. 2.	Schrad. fl. ger. 1. t. 3. f. 2.
26	decumbens. Host.	decumbent.	Hungary.	—	—	H. 2.	Host. gram. 4. t. 54.
SPOROBOLUS. B.P.							
SPOROBOLUS. Triandria Digynia.							
1	diandrus. R.S.	diandrous.	E. Indies.	1820.	6. 8.	S. 2.	
2	indicus. B.P.	Indian.	India.	1773.	8. 10.	H. 2.	Sloan. hist. 1. t. 73. f. 1.
3	purpurascens. R.S.	purplish.	Jamaica.	1820.	—	S. 2.	
4	tenacissimus. L.en.	tough.	W. Indies.	1801.	—	S. 2.	Jacq. ic. 1. t. 16.
5	elongatus. B.P.	elongated.	N. S. W.	1822.	—	H. 2.	
COLPODIUM. Trin.							
COLPODIUM. Triandria Digynia.							
1	Steveni. Trin.	various-colour'd.	Caucasus.	1823.	7. 8.	H. 2.	
<i>Agrostis versicolor. Stev.</i>							
2	latifolium. R. C.	broad-leaved.	Melville Isl.	1821.	—	H. 2.	
TRICHOCHLOA. Tr.							
TRICHOCHLOA. Triandria Digynia.							
1	tenuiflora. ✓	slender-fl'd.	N. America.	1820.	7. 8.	H. 2.	Willd. hort. ber. t. 12.
	<i>longiseta. Tr. Agrostis tenuiflora. w. Cinna tenuiflora. L.en.</i>						
2	mexicana. Tr.	Mexican.	America.	1780.	6. 9.	H. 2.	
3	foliosa. Tr.	leafy.	N. America.	1819.	7. 8.	H. 2.	
<i>Agrostis filiformis. w. Cinna filiformis. L.en.</i>							
4	sobolifera. Tr.	soboliferous.	—	—	—	H. 2.	
5	microsperma. DC.	small-seeded.	Mexico.	1818.	8. 10.	H. 2.	
6	capillaris. DC.	capillary.	Carolina.	—	—	H. 2.	
CINNA. L.							
CINNA. Monandria Digynia. L.							
	<i>arundinacea. L.</i>						
	<i>Knappia. Triandria Digynia. S.S.</i>						
	<i>agrostidea. E.B.</i>						
	<i>Agrostis minima. w. Chumagrostis minima. R.S. Sturmia verna. P.S.</i>						

- COLOBACHNE. R.S. COLOBACHNE. Triandria Digynia. R.S.
 vaginata. R.S. sheathed. Levant. 1818. 4. H. ♀. Flor. græc. t. 64.
Alopecurus angustifolius. F.G. *Polypogon vaginatus*. w.
- CRYPISIS. R.S. CRYPISIS. Triandria Digynia. L.
 1 alopecuroides. R.S. Fox-tail-like. Germany. 1816. 7. 8. H. ⊙. Host. gram. 1. t. 29.
Heleocholea alopecuroides. Host.
 2 schœnoides. R.S. Schœnus-like. S. Europe. 1783. — H. ⊙. Jacq. ic. 1. t. 15.
 3 aculeata. R.S. prickly. — — — — H. ⊙. Host. gram. 1. t. 31.
- LAPPAGO. W. LAPPAGO. Triandria Digynia. W.
 racemosa. w. branching. S. Europe. 1771. 7. 8. H. ⊙. Flor. græc. t. 101.
Tragus racemosus. R.S. *Cenchrus racemosus*. L.
- MUHLENBERGIA. W. MUHLENBERGIA. Triandria Digynia. W.
 diffusa. R.S. spreading. N. America. 1816. 5. 6. H. ♀. Schreb. gram. t. 51.
- CHÆTARIA. R.S. CHÆTARIA. Triandria Digynia. R.S.
 1 adscensionis. R.S. West Indian. W. Indies. 1822. 7. 8. S. ♀. Sloan. hist. 1. t. 2. f. 56.
Aristida adscensionis. w.
 2 Hystrix. R.S. Porcupine. E. Indies. — — — — S. ♀. Pluk. alm. t. 191. f. 5.
 3 divaricata. R.S. spreading. S. America. 1818. 7. 8. G. ♀. Jacq. eclog. gram. t. 6.
 4 cœrulescens. R.S. blueish. Canaries. — — — — H. ⊙. Desf. atl. t. 21. f. 2.
- ARISTIDA. R.S. ARISTIDA. Triandria Digynia. L.
 vagans. R.S. spreading-panicled. N. S. W. 1820. 7. 8. F. ♀. Cavan. ic. 5. t. 471.
- HORDEUM. R.S. BARLEY. Triandria Digynia. L.
 1 vulgare. R.S. spring. Levant. 7. H. ⊙. Host. gram. 3. t. 34.
 ✓ *β giganteum*. giant. — — — — H. ⊙.
 2 cœleste. R.S. naked-seeded. — — — — H. ⊙. Viborg cereal. t. 1.
 3 nigrum. R.S. black-seeded. — — — — H. ♂.
 4 hexastichon. R.S. winter. — — — — H. ⊙. Viborg cereal. t. 2.
 5 bulbosum. R.S. bulbous. S. Europe. 1770. — — — — H. ♀. Flor. græc. 1. t. 98.
 6 jubatum. R.S. long-bearded. N. America. 1782. 7. 8. H. ♂.
 7 distichon. R.S. common. Tartary. 7. H. ⊙. Viborg cereal. t. 3.
β imberbe. R.S. beardless. — — — — H. ⊙.
 8 nudum. R.S. naked seeded. — — — — H. ⊙. Arduin. sag. t. II. f. 4.
 9 Zeocriton. R.S. Battledore. 8. H. ⊙. Viborg cereal. t. 4.
 10 murinum. R.S. wall. Britain. 4. 8. H. ⊙. Eng. bot. 1971.
 11 pratense. R.S. meadow. 6. H. ♀. ———— 409.
 12 secalinum. Roth. rye-like. Europe. — — — — H. ⊙. Monti gram. p. 60. f. 96.
 13 maritimum. E.B. sea-side. Britain. 6. 7. H. ⊙. Eng. bot. 1205.
 14 nepalense. Nepaul. Nepaul. 1825. 7. 8. H. ⊙.
 15 Hystrix. R.S. hedgehog. Spain. 1817. — — — — H. ⊙.
- ÆGOPOGON. R.S. ÆGOPOGON. Triandria Digynia. R.S.
 1 pusillus. R.S. small. S. America. 1822. 7. 8. H. ⊙. Cav. h. r. mad. 1. t. 5. f. 2.
 2 trisetus. R.S. three awned. — — — — — — — — H. ⊙. ———— 1. t. 5. f. 3.
- MICROCHLOA. B.P. MICROCHLOA. Triandria Digynia. R.S.
 setacea. B.P. bristly. Tropics. 1806. 7. H. ⊙. Roxb. corom. 2. t. 132.
- MELINIS. S.S. MELINIS. Triandria Digynia. S.S.
 minutiflora. s.s. glutinous. Brazil. 1822. 6. 7. S. ♀. Nees Hort. ber. 54. t. 7.
Trisetis glutinosa. Nees. *Suaudia picta*. Schrank h. mon. 11. t. 58.
- DIGITARIA. R.S. DIGITARIA. Triandria Digynia. R.S.
 1 sanguinalis. R.S. slender-spiked. Britain. 8. H. ⊙. Eng. bot. 849.
Panicum sanguinale. E.B.
 2 bicornis. R.S. two-horned. E. Indies. 1825. 8. 9. H. ⊙.
 3 affinis. R.S. related. S. America. 1820. 7. 8. H. ⊙.
 4 ægyptiaca. R.S. Egyptian. Egypt. 1794. — — — — H. ⊙. Jacq. obs. 3. t. 30.
 5 filiformis. s.s. filiform. N. America. 1781. — — — — H. ⊙.
 6 Roxburghii. s.s. Roxburgh's. E. Indies. 1823. — — — — H. ⊙.
Panicum filiforme. F. I.
 7 villosa. s.s. villous. N. America. 1781. 7. 9. H. ⊙.
 8 glabra. R.S. smooth. S. Europe. 1817. — — — — H. ⊙. Schrad. germ. 1. t. 3. f. 6.
Syntherisma glabrum. Schrad.
 9 paspalodes. R.S. trailing. N. America. — — — — H. ⊙.
 10 ciliaris. R.S. fringed. S. Europe. 1804. — — — — H. ⊙. Host. gram. 4. t. 15.
 11 biformis. R.S. two-formed. Canaries. 1820. — — — — H. ⊙.
 12 marginata. R.S. margined. Brazil. 1825. — — — — H. ⊙.
 13 linearis. R.S. linear-spiked. India. 1804. — — — — H. ⊙. Burm. ind. 25. t. 10. f. 3.
- CYNODON. R.S. CYNODON. Triandria Digynia. R.S.
 1 Dactylon. R.S. creeping. England. ... 7. 8. H. ♀. Eng. bot. 850.
β indicus. Doob-grass. India. 1820. — — — — S. ♀. Sinc. gr. wob. p. 290. ic.
 2 linearis. R.S. linear-leaved. E. Indies. 1796. — — — — S. ♀.
 3 stellatus. R.S. starry. St. Helena. 1823. — — — — S. ♀.

- 4 præcox, R.S. early-flow'ring. N. America. 1823. 6. 7. H. 2.
- Digitaria sanguinalis*, M.
- PHALARIS, R.S.** CANARY-GRASS. Triandria Digynia. R.S.
- 1 canariensis, R.S. common. Britain. 6. 8. H. ⊙. Eng. bot. 1310.
- 2 microstachya, DC. small-spiked. N. America. 1818. — H. ⊙.
- 3 aquatica, R.S. water. Egypt. 1778. 6. 7. H. ⊙. Host. gram. 2. t. 38.
- 4 commutata, R.S. changed. Italy. 1823. — H. ⊙. Barrel. ic. 700. f. 2.
- 5 capensis, R.S. Cape. C. B. S. 1804. — H. ⊙.
- 6 bulbosa, R.S. bulb-bearing. Spain. 1824. — H. 2.
- 7 cœruleascens, R.S. blueish. S. Europe. — H. ⊙. Buxb. cent. 4. t. 53.
- 8 paradoxica, R.S. paradoxical. — H. ⊙. Flor. grac. 1. t. 58.
- 9 appendiculata, R.S. appendaged. Egypt. 1823. — H. ⊙.
- DIGRAPHIS, Tr.** DIGRAPHIS. Triandria Digynia.
- 1 arundinacea, Tr. Reed-like. Britain. 7. H. v. 2. Eng. bot. 402.
- Arundo colorata*, E.B. *Phalaris arundinacea*, L. *Baldingera*, Fl. wet.
- β variegata*, striped-leaved. — — — — H. 2.
- 2 americana, s.s. American. N. America. — H. 2.
- LAGURUS, R.S.** HARE'S-TAIL-GRASS. Triandria Digynia. L.
- ovatus, E.B. oval-spiked. Guernsey. 6. H. ⊙. Eng. bot. 1334.
- ECHINOPOGON, R.S.** ECHINOPOGON. Triandria Digynia.
- ovatus, R.S. ovate paniced. N. Holland. 1820. 7. 8. H. 2. Lab. nov. holl. 1. t. 21.
- Agrostis ovata*, Lab.
- HIEROCHLOE, P.B.** HIEROCHLOE. Triandria Digynia. R.S.
- 1 borealis, R.S. northern. Scotland. 5. 6. H. 2. Sinc. gr. wob. p. 167. ic.
- Holcus odoratus*, F.D. t. 963. *repens*, Host. gram. 3. t. 3.
- 2 australis, R.S. southern. S. Europe. 1777. 6. 7. H. 2.
- 3 fragrans, R.S. fragrant. N. America. — H. 2.
- CATABROSA, R.S.** CATABROSA. Triandria Digynia. R.S.
- 1 aquatica, R.S. water. Britain. 5. 6. H. v. 2. Eng. bot. 1557.
- Aira aquatica*, E.B.
- 2 viridula, R.S. close-paniced. 1718. — H. v. 2.
- 3 humilis, Tr. dwarf. Caucasus. 1824. 6. 7. H. 2.
- AIRA, R.S.** HAIR-GRASS. Triandria Digynia. L.
- 1 flexuosa, E.B. waved. Britain. 7. 8. H. 2. Eng. bot. 1519.
- 2 versicolor, R.S. various-color'd. S. Europe. 1823. — H. 2.
- 3 caryophyllea, E.B. silver. Britain. — H. ⊙. Eng. bot. 812.
- 4 elegans, R.S. elegant. Switzerland. 1824. — H. ⊙. Host. gram. 4. t. 35.
- 5 pulchella, R.S. pretty. Spain. 1820. — H. ⊙.
- 6 pallens, R.S. pale. N. America. — H. 2.
- 7 arundinacea, R.S. Reed-like. Cumana. 1823. — H. 2.
- 8 semineutra, s.s. doubtful. Hungary. 1819. 6. 7. H. 2.
- DESCHAMPSIA, R.S.** DESCHAMPSIA. Triandria Digynia. R.S.
- 1 cœspitosa, R.S. turfy. Britain. 8. H. 2. Eng. bot. 1453.
- Aira cœspitosa*, E.B.
- 2 Biebersteiniana. Bieberstein's. Caucasus. 1823. 6. 8. H. 2.
- 3 alpina, R.S. Alpine. Scotland. 5. 6. H. 2. Eng. bot. 2102.
- Aira lævigata*, E.B. *alpina*, L. *Avena alpina*, Tr.
- 4 bottnica, Tr. bristle-leaved. Bottnia. 1824. — H. 2.
- Aira bottnica*, R.S.
- SCHISMUS, R.S.** SCHISMUS. Triandria Digynia. R.S.
- 1 Gouani, Tr. Gonan's. Montpelier. 1820. 6. 7. H. 2.
- Aira media*, Gouan. *Deschampsia media*, R.S.
- 2 marginatus, R.S. margined. Spain. 1781. — H. ⊙. Cavan. ic. 1. t. 44. f. 2.
- Festuca calycina*, w.
- CORYNEPHORUS, R.S.** CORYNEPHORUS. Triandria Digynia. R.S.
- 1 canescens, R.S. canescent. England. 7. 8. H. 2. Eng. bot. 1190.
- Aira canescens*, E.B.
- 2 articulatus, R.S. jointed. S. Europe. 1824. — H. 2. Desf. atl. 1. t. 13.
- PERIBALLIA, Tr.** PERIBALLIA. Triandria Digynia. R.S.
- hispanica, Tr. Spanish. Spain. 1820. 6. 7. H. ⊙. Cavan. ic. 1. t. 44. f. 1.
- Aira involuocrata*, Cav. *Airopsis involuocrata*, R.S.
- AIROPSIS, R.S.** AIROPSIS. Triandria Digynia. R.S.
- 1 globosa, R.S. globe-flowered. S. Europe. 1823. 6. 8. H. ⊙. Cavan. ic. 3. t. 274. f. 1.
- 2 obtusata, R.S. blunt-flowered. N. America. — 6. 7. H. 2.
- 3 brevifolia, R.S. short-leaved. Missouri. 1818. — H. 2.
- 4 agrostidea, R.S. Agrostis-like. S. Europe. 1823. — H. 2. DC. ic. rar. t. 1.
- Poa agrostidea*, DC. *Aira agrostidea*, Lois.
- MELICA, R.S.** MELIC-GRASS. Triandria Digynia. L.
- 1 ciliatæ, R.S. ciliate'd. Europe. 1771. 7. H. 2. Flor. grac. 1. t. 70.

2 nutans. R.S.	mountain.	Britain.	6. 7.	H. ½.	Eng. bot. 1059.
3 uniflora. R.S.	wood.	————	5. 6.	H. ½.	———— 1058.
4 Bauhini. R.S.	Italian.	Italy.	1806.	6. 7.	H. ½.	Host. gram. 4. t. 23.
5 pyramidalis. R.S.	pyramidal.	Barbary.	1804.	—	H. ½.	Barrel. ic. t. 96. f. 1.
6 speciosa. R.S.	handsome.	N. America.	1812.	—	H. ½.	Schreb. gram. t. 54.
<i>glabra</i> . Ph.						
7 altissima. R.S.	tallest.	Siberia.	1770.	7. 8.	H. ½.	Host. gram. 2. t. 9.
8 sylvatica. Lk.	wood.	Europe.	1824.	—	H. ½.	
MOLINIA. P.B.	MOLINIA.	Triandria Digynia.	R.S.			
<i>cærulea</i> . P.B.	purple.	Britain.	8.	H. ½.	Eng. bot. 750.
<i>varia</i> . S.S.	<i>Melica cærulea</i> . E.B.	<i>Enodium cæruleum</i> . R.S.				
DINEBA. R.S.	DINEBA.	Triandria Digynia.	R.S.			
1 arabica. R.S.	Arabian.	Levant.	1816.	8. 9.	H. ½.	Jacq. fragm. t. 121. f. 1.
2 divaricata. R.S.	spreading.	Egypt.	1823.	—	H. ½.	
WANGENHEIMIA. Tr.	WANGENHEIMIA.	Triandria Digynia.	R.S.			
Lima. Tr.	imbricated.	Spain.	1776.	7. 8.	H. ½.	Cavan. ic. 1. t. 91.
<i>Cynosurus Lima</i> . Cav.	<i>Dineba Lima</i> . R.S.					
SACCHARUM. R.S.	SUGAR-CANE.	Triandria Digynia.	L.			
1 officinarum. R.S.	common.	India.	1597.	S. ½.	Rumph. amb. 5. t. 74. f. 1.
2 sinense. F.I.	Chinese.	China.	1822.	S. ½.	
3 procerum. F.I.	lofty.	E. Indies.	—	S. ½.	
4 violaceum. R.S.	violet-coloured.	W. Indies.	1816.	S. ½.	
5 caudatum. R.S.	tailed.	————	—	S. ½.	Sloan. hist. 1. t. 70. f. 1.
6 contractum. R.S.	contracted.	S. America.	1823.	S. ½.	
7 Munja. F.I.	slender.	E. Indies.	1805.	S. ½.	
IMPERATA. R.S.	IMPERATA.	Triandria Digynia.	R.S.			
1 arundinacea. R.S.	reed-like.	N. Holland.	1820.	7. 8.	F. ½.	Cyrl. ic. fasc. 2. t. 11.
2 spontanea. R.S.	spontaneous.	E. Indies.	1818.	S. ½.	Rheed. mal. 12. t. 46.
TRICHOLÆNA. R.S.	TRICHOLÆNA.	Triandria Digynia.	R.S.			
<i>micrantha</i> . R.S.	small-flowered.	S. Europe.	1816.	7. 8.	H. ½.	Jacq. ecl. gram. t. 34.
<i>Saccharum Teneriffæ</i> . Jacq.						
ERIANTHUS. R.S.	ERIANTHUS.	Triandria Digynia.	R.S.			
1 saccharoides. R.S.	Sugar-cane-like.	N. America.	1816.	7. 8.	H. ½.	
<i>Saccharum giganteum</i> . Ph.						
2 brevibarbis. R.S.	short-bearded.	————	1822.	—	H. ½.	
RIPIDIUM. Tr.	RIPIDIUM.	Polygamia Monœcia.	Tr.			
1 Ravennæ. Tr.	rough.	S. Europe.	1816.	7. 8.	H. ½.	Host. gram. 3. t. 1.
<i>Andropogon Ravennæ</i> . Host.	<i>Saccharum Ravennæ</i> . w.					
2 strictum. Tr.	upright.	Hungary.	1802.	—	H. ½.	———— 2. t. 2.
<i>Saccharum adpressum</i> . Kit.	<i>Andropogon strictus</i> . Host.					
ANDROPOGON. R.S.	ANDROPOGON.	Polygamia Monœcia.	L.			
1 argenteus. DC.	silvery.	Mexico.	1822.	G. ½.	
2 saccharoides. R.S.	Sugar-cane-like.	Jamaica.	1818.	—	S. ½.	
3 laguroides. R.S.	hares-tail-like.	New Spain.	1820.	S. ½.	DC. h. mons. ined. t. 69.
4 hirtus. R.S.	hairy.	S. Europe.	1802.	7. 8.	S. ½.	Host. gram. 4. t. 1.
5 angustifolius. R.S.	narrow-leaved.	————	1818.	—	H. ½.	Jacq. aust. 4. t. 384.
6 Ischæmum. R.S.	woolly.	————	1768.	—	H. ½.	Gerard. gall. p. 107. t. 4.
7 serratus. R.S.	saw-leaved.	Japan.	1816.	G. ½.	
<i>laxus</i> . w.						
8 comosus. R.S.	tufted.	Egypt.	1824.	H. ½.	
9 annulatus. R.S.	annular.	————	—	S. ½.	Forsk. egyp. t. 7.
10 furcatus. R.S.	forked.	N. America.	1818.	7. 8.	H. ½.	
CHRYSOPOGON. Tr.	CHRYSOPOGON.	Polygamia Monœcia.				
<i>Gryllus</i> . Tr.	purple-fl'd.	S. Europe.	1791.	6. 7.	H. ½.	Flor. græc. 1. t. 67.
<i>Andropogon Gryllus</i> . F.G.	<i>Holcus Gryllus</i> . B.P.					
POLLINIA. R.S.	POLLINIA.	Polygamia Monœcia.				
1 distachya. R.S.	two-spiked.	S. Europe.	1805.	7. 8.	H. ½.	Flor. græc. 1. t. 69.
2 striata. R.S.	nerve-glumed.	E. Indies.	1793.	8.	S. ½.	
3 undata. R.S.	waved.	Mauritius.	1823.	S. ½.	Jacq. ic. 3. t. 361.
CYMBOPOGON. R.S.	CYMBOPOGON.	Polygamia Monœcia.				
<i>Schœnanthus</i> . R.S.	Lemon-grass.	E. Indies.	1786.	S. ½.	Rumph. amb. 5. t. 72. f. 2.
<i>Andropogon Schœnanthus</i> . w.						
HETEROPOGON. R.S.	HETEROPOGON.	Polygamia Monœcia.				
1 Allionii. R.S.	Allionii's.	S. Europe.	1816.	7. 8.	H. ½.	Allion. fl. ped. t. 91. f. 4.
2 contortus. R.S.	twisted.	E. Indies.	1779.	7. 9.	S. ½.	Schk. hand. t. 342. f. a.
<i>Andropogon contortus</i> . w.						
APLUDA. R.S.	APLUDA.	Polygamia Monœcia.	L.			
<i>aristata</i> . R.S.	awned.	E. Indies.	1820.	S. ½.	Schreb. gram. 2. t. 42.

- ANATHERUM. R.S.** **ANATHERUM.** **Polygamia Monœcia.**
 1 muricatum. R.S. muricate. E. Indies. 1823. 8. ♀.
Andropogon muricatus. Retz. *squarrosus.* W.
- 2 virginicum. R.S. Virginian. N. America. 1819. 7. 8. H. ♀. Sloan. jam. 1. t. 68. f. 27
 3 muticum. R.S. smooth spiked. C. B. S. 1794. 7. 9. G. ♀.
- ANTHISTIRIA. R.S.** **ANTHISTIRIA.** **Polygamia Monœcia. L.**
 1 ciliata. R.S. fringed. Jamaica. 1821. 8. 10. S. ⊙. Cavan. ic. 5. t. 459.
 2 australis. B.P. New Holland. N. Holland. 1818. — F. ♀.
- SORGHUM. R.S.** **SORGHUM.** **Polygamia Monœcia.**
 1 vulgare. R.S. Indian Millet. India. 1596. 7. H. ⊙. Host. gram. 4. t. 2.
 2 nigrum. R.S. black-glumed. — H. ⊙. Ard. sag. pad. 1. t. 5. f. f.
 3 bicolor. R.S. two-coloured. Persia. 1731. — H. ⊙. Mieg. ac. helv. 8. t. 4. f. 1.
 4 cernuum. R.S. nodding. — H. ⊙. Host. gram. 4. t. 3.
 5 rubens. R.S. red. Africa. 1817. — H. ⊙.
 6 saccharatum. R.S. yellow-seeded. India. 1759. 7. 8. S. ♂. Host. gram. 4. t. 4.
 7 caffrorum. R.S. Cape. C. B. S. 1816. — H. ⊙. Ard. sag. pad. 1. t. 1. f. 1.
Arduini. Jacq. ecl. gram. t. 18.
- 8 avenaceum. R.S. Oat-like. ———— 1816. 7. 9. H. ⊙.
 9 halepense. R.S. paniced. Syria. 1691. 7. 8. H. ♀. Flor. græc. 1. t. 68.
 10 elongatum. R.S. long-paniced. N. Holland. 1823. — F. ♀.
- HOLCUS. R.S.** **SOFT-GRASS.** **Polygamia Monœcia. L.**
 1 mollis. R.S. creeping. Britain. 7. 8. H. ♀. Eng. bot. 1170.
 2 lanatus. R.S. meadow. ———— 6. 7. H. ♀. ———— 1169.
- ARRHENATHERUM. R.S.** **ARRHENATHERUM.** **Polygamia Monœcia.**
 1 avenaceum. R.S. Oat-like. Britain. 6. 7. H. ♀. Eng. bot. 813.
Holcus avenaceus. E. B. *Avena elatior.* F. D. t. 165.
β muticum. awntless. Scotland. — H. ♀.
 2 bulbosum. bulbous. Germany. — H. ♀. Host. gram. 4. t. 30.
Holcus bulbosus. Host. *Avena bulbosa.* W.
- ATHEROPOGON. R.S.** **ATHEROPOGON.** **Polygamia Monœcia.**
 apludoides. R.S. Apluda-like. N. America. 1808. 6. 7. H. ♀. Jacq. ecl. gram. t. 7.
Chloris curtipendula. M.
- CHLORIS. R.S.** **CHLORIS.** **Polygamia Monœcia. L.**
 1 ciliata. R.S. ciliated. Jamaica. 1779. 7. 9. S. ♀.
 2 radiata. R.S. many-spiked. W. Indies. 1739. 8. 9. S. ⊙. Hayn. term. bot. t. 40. f. 2
 3 pallida. R.S. pale-spiked. S. France. 1816. — H. ⊙.
 4 barbata. R.S. bearded. E. Indies. 1777. 6. 7. S. ⊙. Jacq. ecl. gram. 1. t. 8.
 5 Roxburghiana. R.S. Roxburgh's. ———— 1824. 7. 8. S. ⊙.
 6 inflata. R.S. inflated. California. ———— H. ♀.
 7 fasciculata. R.S. crowded. Brazil. ———— H. ⊙.
 8 polydactyla. R.S. many-spiked. W. Indies. 1818. — S. ⊙. Jacq. ecl. gram. 1. t. 9.
 9 elegans. R.S. elegant. Mexico. 1825. — H. ⊙. H. et B. n. gen. 1. t. 49.
 10 compressa. R.S. compressed. S. France. 1820. 6. 8. H. ⊙.
 11 ventricosa. B.P. swelled. N. S. W. 1818. — G. ♀.
 12 truncata. B.P. truncated. ———— 1822. — G. ♀.
 13 dolichostachya. R.S. long-spiked. Philippine Isl. 1824. 7. 8. H. ⊙.
 14 retusa. R.S. retuse-glumed. Buenos Ayres. ———— H. ⊙.
 15 gracilis. S.S. slender. ———— H. ⊙.
- Durandiana.* R.S.
- EUSTACHYS. R.S.** **EUSTACHYS.** **Polygamia Monœcia.**
 petraea. R.S. flat-stalked. Jamaica. 1779. 7. 8. S. ♀. Jacq. ecl. gram. 1. t. 11.
Chloris petraea. W.
- CHRYSURUS. R.S.** **CHRYSURUS.** **Polygamia Monœcia.**
 1 aureus. S.S. golden-spiked. Levant. 1770. 7. H. ⊙. Host. gram. 3. t. 4.
cyosuroides. R.S. *Cynosurus aureus.* F. G. 1. t. 79. *Lamarckia aurea.* DC.
 2 echinatus. R.S. rough. England. 8. H. ⊙. Eng. bot. 1333.
Cynosurus echinatus. E. B.
- 3 effusus. R.S. spreading. S. Europe. 1824. 7. 8. H. ⊙.
 4 elegans. R.S. elegant. ———— ———— H. ⊙. Desf. atl. 1. t. 17.
- ISCHEMUM. S.S.** **ISCHEMUM.** **Polygamia Monœcia. L.**
 1 aristatum. S.S. bearded. E. Indies. 1803. 6. 7. S. ♀.
 2 australe. B.P. southern. N. S. W. 1822. 7. 8. F. ♀.
 3 rugosum. S.S. rough. E. Indies. 1791. — S. ⊙. Sal. stirp. rar. 1. t. 1.
- ROTTBOELLIA. R.S.** **ROTTBOELLIA.** **Triandria Dignyia. L.**
 1 exaltata. R.S. tall. E. Indies. 1806. S. ♂.
 2 perforata. R.S. perforated. ———— 1822. S. ♀. Roxb. corom. t. 182.
- LEPTURUS. B.P.** **HARD-GRASS.** **Triandria Dignyia.**
 1 incurvatus. Tr. sea-side. Britain. 7. H. ⊙. Eng. bot. 760.
Rottboellia incurvata. E. B.

2	filiformis. Tr.	thready.	S. Europe.	1800.	7.	H. ♀.	Barrel. ic. t. 6.
3	cylindricus. Tr.	cylindrical.	Portugal.	1806.	—	H. ⊙.	Giorn. pis. 4. f. 4-8.
	<i>Rottboellia cylindrica</i> .	w. <i>subulata</i> .	DC.	<i>Monerma subulata</i> .	R.S.		
	PHOLIURUS. Tr.	PHOLIURUS.	Triandria	Digynia.			
	pannonicus. Tr.	Hungarian.	Hungary.	1804.	—	H. ⊙.	Host. gram. 1. t. 24.
	MONERMA. R.S.	MONERMA.	Monandria	Digynia.			
	monandra. R.S.	monandrous.	Spain.	1804.	7.	H. ⊙.	Cavan. ic. t. 39. f. 1.
	<i>Rottboellia monandra</i> .	Cav.	<i>Nardus aristata</i> .	L.	<i>Psilurus nardoides</i> .	Tr.	
	MANISURIS. R.S.	MANISURIS.	Polygamia	Monœcia.	W.		
	granularis. R.S.	round grained.	E. Indies.	1784.	6. 7.	S. ⊙.	Roxb. corom. 2. t. 118.
	ANTHEPHORA. R.S.	ANTHEPHORA.	Triandria	Monogynia.			
	elegans. R.S.	elegant.	Jamaica.	1776.	8. 9.	S. ⊙.	Schreb. gram. t. 44.
	<i>Tripsacum hermaphroditum</i> .	L.	<i>Cenchrus lævigatus</i> .	S.S.			
	TRIPSACUM. S.S.	TRIPSACUM.	Monœcia	Triandria.	L.		
1	dactyloides. s.s.	rough-seeded.	Virginia.	1640.	8.	H. ♀.	Lam. ill. t. 750.
2	monostachyon. s.s.	single-spiked.	N.America.	1815.	—	H. ♀.	Willd. hort. ber. t. 1.
	ECHINOCHLOA. R.S.	ECHINOCHLOA.	Triandria	Digynia.	R.S.		
1	stagnina. R.S.	pond.	E. Indies.	1802.	7. 8.	H. ⊙.	
2	commutata. R.S.	Hungarian.	Hungary.	—	—	H. ⊙.	Host. gram. 3. t. 51.
	<i>Panicum stagninum</i> .	Host.					
3	intermedia. R.S.	intermediate.	1816.	—	H. ⊙.	
4	erythrosperma. R.S.	red-seeded.	1825.	—	H. ⊙.	
5	Crus-Corvi. R.S.	Crow's-foot.	E. Indies.	1781.	—	H. ⊙.	
6	Crus-Galli. R.S.	Cock's-foot.	England.	—	H. ⊙.	Eng. bot. 876.
	<i>Panicum Crus-Galli</i> .	E.B.					
7	echinata. R.S.	bristly.	N.America.	1825.	—	H. ⊙.	
8	setigera. R.S.	setigerous.	E. Indies.	1820.	—	S. ⊙.	
	ORTHOPOGON. B.P.	ORTHOPOGON.	Triandria	Digynia.	S.S.		
1	hirtellus. s.s.	hairy.	W. Indies.	1795.	6. 7.	S. ♂.	
2	undulatifolius. s.s.	wave-leaved.	S. Europe.	—	—	H. ⊙.	Host. gram. 3. t. 52.
	<i>Panicum hirtellum</i> .	Host. non L.					
3	Burmanni. R.S.	Burman's.	E. Indies.	1819.	S. ⊙.	Burm. ind. t. 12. f. 1.
4	africanus.	African.	Africa.	1822.	7. 9.	S. ⊙.	Pal.fl.d'ow. 2. t. 67. f. 1.
	<i>Oplismenus africanus</i> .	R.S.					
5	compositus. s.s.	compound spiked.	E. Indies.	1819.	—	S. ⊙.	Linn. pfl. sys. 12. t. 96. f. 1
	PANICUM. R.S.	PANIC-GRASS.	Triandria	Digynia.	R.S.		
1	colomum. R.S.	purple.	E. Indies.	1699.	7. 8.	H. ⊙.	Ehret pict. t. 3. f. 3.
2	brizoides. R.S.	Briza-like.	—	1801.	6. 7.	S. ♂.	Jacq. gram. fasc. t. 2.
3	flavidum. R.S.	yellowish.	—	1823.	—	S. ♂.	
4	fasciculatum. R.S.	fascicled.	Jamaica.	1801.	—	H. ⊙.	
5	plicatum. R.S.	plaited.	E. Indies.	1824.	6. 8.	S. ♀.	
6	palmifolium. R.S.	Palm-leaved.	—	1804.	—	S. ♀.	Jacq. ecl. gram. t. 1.
7	neurodes. R.S.	nerved-leaved.	Nepaul.	1823.	—	G. ♀.	
	<i>nevosum</i> .	F.I. non Lam.					
8	costatum. F.I.	ribbed.	Mauritius.	1805.	—	S. ♀.	
9	carthaginense. R.S.	Carthagenæ.	S. America.	1818.	—	S. ♀.	
10	indicum. F.I.	Indian.	E. Indies.	—	—	S. ♀.	
11	hispidulum. R.S.	hispid.	—	1804.	7. 8.	H. ⊙.	
12	frumentaceum. F.I.	cultivated.	—	1810.	—	H. ⊙.	
13	dichotomum. R.S.	forked.	N.America.	1817.	—	H. ⊙.	Sp.m.act.pet. 1810. t. 4.
14	coloratum. R.S.	coloured.	Egypt.	1771.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 58?
15	repens. R.S.	slender.	S. Europe.	1777.	—	H. ⊙.	Flor. græc. 1. t. 61.
16	proliferum. R.S.	proliferous.	N.America.	1816.	—	H. ⊙.	
17	numidianum. R.S.	Numidian.	Barbary.	—	—	H. ⊙.	Desf. atl. 1. t. 11.
18	milliaceum. R.S.	Millet.	E. Indies.	1596.	—	H. ⊙.	Host. gram. 2. t. 20.
19	attenuatum. R.S.	attenuated.	1825.	—	H. ⊙.	
20	muricatum. R.S.	prickly.	E. Indies.	1805.	7. 9.	H. ⊙.	
21	capillare. R.S.	hair-panicled.	America.	1758.	6. 8.	H. ⊙.	
	<i>β minor</i> .	R.S.	—	—	—	H. ⊙.	Host. gram. 4. t. 16.
22	maximum. R.S.	Guinea-grass.	Tropics.	1822.	—	S. ♀.	Jacq. ic. 1. t. 13.
23	asperinum. R.S.	rough.	S. America.	1824.	7. 9.	H. ⊙.	
24	fuscum. R.S.	brown.	Jamaica.	1822.	—	S. ♀.	
25	latifolium. R.S.	broad-leaved.	N.America.	1765.	8. 9.	H. ♀.	Moris. his. 3. t. 5. f. 4.
26	clandestinum. R.S.	hidden-flow'r'd.	—	1802.	7.	H. ♀.	
27	virgatum. R.S.	twiggy.	—	1781.	8. 9.	H. ♀.	Spr. m. act. pet. 2. t. 5.
28	anceps. R.S.	flat-edged.	—	1816.	7. 8.	H. ♀.	
29	uliginosum. R.S.	marsh.	E. Indies.	1819.	—	S. w. ♀.	
30	nitidum. R.S.	glossy.	N.America.	1811.	—	H. ⊙.	
31	arundinaceum. R.S.	Reed-like.	Jamaica.	1819.	—	S. ♀.	

32	brevifolium. R.S.	short-leaved.	E. Indies.	1800.	7. 8.	S. ⊙.	Pluk. alm. t. 189. f. 4.
33	divaricatum. R.S.	divaricate.	Jamaica.	1800.	—	S. ♀.	Jacq. schœn. 1. t. 25.
34	interruptum. R.S.	interrupted.	E. Indies.	1820.	—	S. ♀.	
35	arborescens. R.S.	arborescent.	—	1776.	3. 4.	S. ♀.	
36	patens. R.S.	spreading.	—	1804.	7. 8.	S. ♂.	Burm. ind. t. 10. f. 3.
37	altissimum. R.S.	lofty.	—	1816.	—	H. ⊙.	
38	marginatum. B.P.	margin-leaved.	N. S. W.	1822.	—	F. ♀.	
39	bicolor. B.P.	two-coloured.	—	—	—	F. ♀.	
ISACHNE. B.P.		ISACHNE. Triandria Digynia. R.S.					
	australis. B.P.	—	New Holland.	N. S. W.	1820.	6. 8.	H. w. ♀.
MONACHNE. R.S.		MONACHNE. Triandria Digynia. R.S.					
	unilateralis. R.S.	one-sided.	Jamaica.	1819.	6. 8.	S. ♀.	Sloan. hist. 1. t. 14. f. 2.
	<i>Milium villosum. w.</i>						
AXONOPUS. R.S.		AXONOPUS. Triandria Digynia. R.S.					
1	digitatus. R.S.	fingered.	Jamaica.	1818.	6. 8.	H. ⊙.	
2	cimicinus. R.S.	spotted.	E. Indies.	1778.	7. 9.	H. ⊙.	
	<i>Panicum cimicinum. w. Milium cimicinum. L.</i>						
BECKMANNIA. R.S.		BECKMANNIA. Triandria Digynia. R.S.					
	erucaformis. R.S.	linear-spiked.	Europe.	1773.	7.	H. ⊙.	Host. gram. 3. t. 6.
SECALE. R.S.		RYE. Triandria Digynia. R.S.					
1	cereale. R.S.	common.	Tauria.	—	6. 7.	H. ⊙.	
	<i>α hybernum. R.S.</i>	winter.	—	—	—	H. ♂.	Blackw. t. 424.
	<i>β vernum. R.S.</i>	spring.	—	—	—	H. ⊙.	Host. gram. 2. t. 48.
	<i>γ compositum. R.S.</i>	compound-spiked.	—	—	—	H. ⊙.	
2	fragile. R.S.	brittle.	—	1816.	—	H. ⊙.	
TETRAPOGON. S.S.		TETRAPOGON. Triandria Digynia. S.S.					
	villosus. s.s.	villos.	Barbary.	1818.	7. 8.	H. ⊙.	Desf. atl. 2. t. 255.
TRITICUM. R.S.		WHEAT. Triandria Digynia. L.					
1	æstivum. R.S.	summer.	Baschiros.	—	6. 7.	H. ⊙.	Host. gram. 3. t. 26.
2	hybernum. R.S.	Lammas.	—	—	—	H. ♂.	— 3. t. 26. f. 8.
3	sibiricum. R.S.	Siberian.	Siberia.	—	—	H. ⊙.	
4	velutinum. R.S.	velvet-spiked.	—	—	—	H. ♂.	Rod. Schub. cer. n. 4. f. 4.
5	compositum. R.S.	Egyptian.	Egypt.	1799.	—	H. ⊙.	Host. gram. 3. t. 27.
6	Linnaeanum. R.S.	Linnean.	—	—	—	H. ⊙.	
7	turgidum. R.S.	turgid.	—	—	—	H. ⊙.	Host. gram. 3. t. 28.
8	fastuosum. R.S.	thick-grained.	—	—	—	H. ⊙.	
9	Gærtnerianum. R.S.	Gærtner's.	—	—	—	H. ⊙.	
10	platystachyum. R.S.	flat-spiked.	—	—	—	H. ⊙.	
11	cochleare. R.S.	spoon-like.	—	—	—	H. ⊙.	
12	Cevallos. R.S.	Trigo Moro.	—	—	—	H. ⊙.	
13	durum. R.S.	Barbary.	—	—	—	H. ⊙.	
	<i>β villosum. Host.</i>	villos.	—	—	—	H. ⊙.	Host. gram. 4. t. 6.
14	siculum. R.S.	Sicilian.	—	—	—	H. ⊙.	
15	hordeiforme. R.S.	Barley form.	—	—	—	H. ⊙.	Host. gram. 4. t. 5.
16	compactum. R.S.	compact.	—	—	—	H. ⊙.	— 4. t. 7.
17	polonicum. R.S.	Polish.	—	1692.	—	H. ⊙.	— 3. t. 31.
18	monococcum. R.S.	one-grained.	—	1648.	—	H. ⊙.	— 3. t. 32.
19	dicoccum. R.S.	two-grained.	—	—	—	H. ⊙.	Rod. Schub. cer. n. 15. f. 2
	<i>α album.</i>	white-spiked.	—	—	—	H. ⊙.	
	<i>β rufum.</i>	brown-spiked.	—	—	—	H. ⊙.	
20	atratum. R.S.	dark-spiked.	—	—	—	H. ⊙.	Host. gram. 4. t. 8.
21	triccoccum. R.S.	three-grained.	—	—	—	H. ⊙.	Rod. Schub. cer. n. 17. f. 3
22	Cienfugos. R.S.	tooth-valved.	—	—	—	H. ⊙.	
23	Baubini. R.S.	truncate-valved.	—	—	—	H. ⊙.	
24	Spelta. R.S.	Spelt.	—	—	—	H. ⊙.	Host. gram. 3. t. 29.
	<i>Zea. Host.</i>						
25	venulosum. R.S.	veined.	Egypt.	—	—	H. ⊙.	
26	villosum. R.S.	villos.	S. Europe.	1790.	—	H. ⊙.	Flor. græc. t. 97.
	<i>Secale villosum. F.G.</i>						
27	campestre. R.S.	field.	Hungary.	1816.	—	H. ⊙.	Host. gram. 4. t. 2.
28	creticum. R.S.	Cretan.	Candia.	—	—	H. ⊙.	
	<i>Secale creticum. L.</i>						
AGOPYRUM. R.S.		COUCH-GRASS. Triandria Digynia. R.S.					
1	juncum. R.S.	rushy.	England.	—	6. 7.	H. ♀.	Eng. bot. 814.
	<i>Triticum junceum. E.B.</i>						
2	acutum. R.S.	acute-glumed.	France.	1816.	—	H. ♀.	Host. gram. 4. t. 9.
	<i>Triticum littorale. Host.</i>						
3	rigidum. R.S.	rigid.	S. Enrope.	1805.	—	H. ♀.	
4	intermedium. Host.	intermediate.	Germany.	—	—	H. ♀.	Host. gram. 2. t. 22.

5	glaucum. R.S.	glaucous.	Switzerland.	1824.	6. 7.	H. ♀.	Host. gram. 4. t. 10 ?
6	rupestre. R.S.	rock.	Siberia.	1822.	—	H. ♀.	
7	obtusiflorum. R.S.	blunt-flowered.	—	H. ♀.	
8	pungens. R.S.	pungent.	S. Europe.	1824.	—	H. ♀.	
9	densiflorum. R.S.	close flowered.	Siberia.	—	—	H. ♀.	
10	giganteum. R.S.	gigantic.	S. Europe.	1805.	—	H. ♀.	Host. gram. 2. t. 23.
	<i>Triticum elongatum.</i>	Host.					
11	repens. R.S.	common.	Britain.	7. 8.	H. ♀.	Eng. bot. 909.
	<i>α arvense.</i> R.S.	field.	—	—	H. ♀.	Trattin. tab. t. 566.
	<i>β subulatum.</i> R.S.	subulate-glumed.	—	—	H. ♀.	Schreb. gram. t. 26. f. 2.
	<i>γ dumetorum.</i> R.S.	many-flowered.	—	—	H. ♀.	— f. II. IV. f. 3
	<i>δ Vaillantianum.</i> R.S.	Vaillant's.	—	—	H. ♀.	— f. 6.
	<i>ε Leersianum.</i> R.S.	Leers's.	—	—	H. ♀.	Leers fl. herb. t. 12. f. 4.
	<i>ζ capillare.</i> R.S.	hair-awned.	—	—	H. ♀.	
12	sibiricum. R.S.	Siberian.	Siberia.	1825.	—	H. ♀.	
13	dasyanthum. R.S.	thick-flowered.	Russia.	—	—	H. ♀.	
14	caninum. R.S.	bearded.	Britain.	—	H. ♀.	Eng. bot. 1372.
15	distichum. R.S.	two-ranked.	C. B. S.	1816.	—	G. ♀.	
16	prostratum. R.S.	prostrate.	Siberia.	1780.	6.	H. ♂.	Jacq. vind. 3. t. 44.
17	orientale. R.S.	hairy-spiked.	Levant.	1807.	6. 7.	H. ♂.	Will. n. act. ber. 2. t. 4. f. 3
	<i>Secale orientale.</i> W.						
18	patulum. Tr.	spreading.	Egypt.	1800.	—	H. ♂.	
	<i>Triticum squarrosom.</i>	R.S. Buonapartis. Spr.					
19	imbricatum. R.S.	imbricated.	Caucasus.	1824.	6. 8.	H. ♀.	Gmel. sib. 1. n. 51. t. 23.
20	pectiniforme. R.S.	comb-like.	Tauria.	—	—	H. ♀.	Buxb. cent. 1. t. 50. f. 3.
21	cristatum. R.S.	crested.	—	—	—	H. ♀.	Host. gram. 2. t. 24.
22	desertorum. R.S.	desert.	Cumana.	1822.	—	H. ♀.	
23	angustifolium. R.S.	narrow-leaved.	Siberia.	—	—	H. ♀.	
24	muricatum. R.S.	bristly.	—	1825.	—	H. ♀.	
25	pectinatum. R.S.	pectinated.	V. Diem. Isl.	1822.	—	H. ♀.	
26	variegatum. R.S.	variegated.	1818.	—	H. ♀.	
	LOLIUM. R.S.	DARNEL.	Triandria Digynia. L.				
1	perenne. R.S.	Rye-grass.	Britain.	5. 6.	H. ♀.	Eng. bot. 315;
	<i>α vulgare.</i> R.S.	common.	—	—	H. ♀.	Host. gram. 1. t. 25.
	<i>β tenue.</i> R.S.	slender.	—	—	H. ♀.	Sinc. gra. wob. p. 211. ic.
	<i>γ compositum.</i> R.S.	compound.	—	—	H. ♀.	Scheuch. agr. 1. f. 7. D.
	<i>δ ramosum.</i> R.S.	branching.	—	—	H. ♀.	Leers gram. t. 12. f. 1.
	<i>ε Russellianum.</i> H.G.W.	Russell's.	—	—	H. ♀.	Sinc. gra. wob. p. 216. ic.
	<i>ζ Whitworthii.</i> H.G.W.	Whitworth's.	—	—	H. ♀.	
	<i>η Stickneyanum.</i> H.G.W.	Stickney's.	—	—	H. ♀.	
	<i>θ paniculatum.</i> H.G.W.	panicled.	—	—	H. ♀.	
	<i>ι monstrosum.</i> H.G.W.	monstrous-fl'd.	—	—	H. ♀.	
	<i>κ viviparum.</i> R.S.	viviparous.	—	—	H. ♀.	
	<i>λ multiflorum.</i> P.S.	many-flowered.	—	—	H. ♀.	
	<i>μ humile.</i> R.S.	dwarf.	—	—	H. ♀.	
2	multiflorum. R.S.	many-flowered.	Europe.	1816.	—	H. ♂.	Vaill. par. t. 17. f. 3.
3	arvense. R.S.	beardless.	England.	7.	H. ♂.	Eng. bot. 1125.
4	complanatum. L. en.	rigid.	Switzerland.	1825.	—	H. ♂.	
	<i>rigidum.</i> R.S.						
5	temulentum. R.S.	bearded.	Britain.	7. 8.	H. ♂.	Eng. bot. 1124.
6	speciosum. R.S.	pretty.	Tauria.	1824.	—	H. ♂.	
	ÆGILOPS. R.S.	HARD-GRASS.	Polygamia Monœcia. L.				
1	caudata. R.S.	tailed.	Candia.	1820.	7. 8.	H. ♂.	
2	cylindrica. R.S.	cylindrical.	Hungary.	1805.	6. 7.	H. ♂.	Host. gram. 2. t. 7.
3	ovata. R.S.	oval-spiked.	S. Europe.	1683.	—	H. ♂.	Flor. græc. 1. t. 93.
4	triaristata. R.S.	three-awned.	—	1739.	7. 8.	H. ♂.	Host. gram. 2. t. 6.
	<i>truncialis.</i> Host. non W.						
5	truncialis. R.S.	long-spiked.	—	—	—	H. ♂.	Schreb. gram. t. 10. f. 1.
6	squarrosa. W.	rough-spiked.	Levant.	1794.	6. 7.	H. ♀.	— 2. t. 27. f. 2.
	<i>Triticum squarrosom.</i> R.S.						
7	Hystrix. N.	hedgehog.	Missouri.	1819.	7. 8.	H. ♀.	
	ELYMUS. R.S.	LYME-GRASS.	Triandria Digynia. L.				
1	arenarius. E.B.	sand.	Britain.	4. 6.	H. ♀.	Eng. bot. 1672.
2	geniculatus. E.B.	pendulous.	England.	7.	H. ♀.	— 1536.
3	sabulosus. R.S.	glaucous.	Siberia.	1806.	6. 7.	H. ♀.	
4	giganteus. R.S.	gigantic.	N. America.	1790.	7. 8.	H. ♀.	
5	mexicanus. R.S.	Mexican.	Mexico.	1823.	6. 8.	H. ♀.	Jacq. ecl. gr. t. 19.
6	sibiricus. R.S.	Siberian.	Siberia.	1758.	6. 7.	H. ♀.	Schreb. gram. 1. t. 21. f. 1
7	racemosus. R.S.	racemed.	1816.	—	H. ♀.	

8	tener. R.S.	tender.	Siberia.	1801.	6. 7.	H. 2.	
9	philadelphicus. R.S.	Philadelphian.	N. America.	1790.	7. 8.	H. 2.	
10	canadensis. R.S.	Canadian.	—————	1699.	—————	H. 2.	Moris. s. s. t. 2. f. 10.
11	glaucifolius. R.S.	glaucous.	—————	1816.	—————	H. 2.	
12	villosus. R.S.	villosus.	—————	1802.	6. 7.	H. 2.	
13	virginicus. R.S.	Virginian.	—————	1781.	—————	H. 2.	
14	striatus. R.S.	striated.	—————	1790.	—————	H. 2.	
	<i>β minor.</i> R.S.	lesser.	—————	—————	H. 2.	
15	europæus. R.S.	European.	England.	—————	H. 2.	Eng. bot. 1317.
16	crinitus. R.S.	long-awned.	Smyrna.	1806.	7. 8.	H. 2.	Host. gram. 1. t. 27.
17	intermedius. R.S.	intermediate.	Iberia.	1819.	7. 9.	H. 2.	Buxb. cent. 1. t. 52.
18	Caput-Medusæ. R.S.	Portuguese.	Portugal.	1784.	—————	H. 2.	Schreb. gram. 2. t. 24. f. 2
19	juncæus. R.S.	rushy.	Siberia.	1823.	7. 8.	H. 2.	
20	hordeiformis. R.S.	Barley-like.	1816.	—————	H. 2.	
21	Hystrix. R.S.	rough.	Levant.	1770.	—————	H. 2.	Jacq. ic. 2. t. 305.
	<i>Asprella Hystrix.</i> W. en.						
22	pseudo-hystrix. R.S.	rough American.	N. America.	1818.	—————	H. 2.	
PAPPOPHORUM. B.P. PAPPOPHORUM. Triandria Digynia. R.S.							
1	nigricans. B.P.	black.	N. Holland.	1822.	7. 8.	F. 2.	
2	phleoides. S.S.	Phleum-like.	S. America.	—————	—————	S. 2.	
ECHINARIA. R.S. ECHINARIA. Triandria Digynia. R.S.							
	capitata. R.S.	headed.	S. Europe.	1771.	5. 8.	H. 2.	Flor. græc. 1. t. 100.
	<i>Cenchrus capitatus.</i> F.G.	<i>Sesleria echinata.</i>	Host. gram. 3. t. 8.				
SESLERIA. R.S. SESLERIA. Triandria Digynia. R.S.							
1	elongata. R.S.	long-spiked.	Austria.	1805.	6. 7.	H. 2.	Host. gram. 2. t. 97.
2	cylindrica. R.S.	cylindrical.	S. Europe.	1818.	—————	H. 2.	Sav. Ust. ann. 1800. ic.
3	tenuifolia. R.S.	slender-leav'd.	—————	—————	4. 6.	H. 2.	Host. gram. 4. t. 22.
4	cœrulea. R.S.	blue.	Britain.	4. 5.	H. 2.	Eng. bot. 1613.
5	nitida. R.S.	glossy.	Italy.	1825.	5. 6.	H. 2.	
6	tenella. R.S.	weak.	Switzerland.	1819.	—————	H. 2.	Host. gram. 2. t. 100.
7	sphærocephala. R.S.	round-headed.	—————	—————	—————	H. 2.	————— 2. t. 99.
8	disticha. R.S.	distichous.	—————	1824.	—————	H. 2.	————— 2. t. 76.
	<i>Poa disticha.</i> Host.						
TRIODIA. B.P. TRIODIA. Triandria Digynia. R.S.							
	decumbens. R.S.	decumbent.	Britain.	7. 8.	H. 2.	Eng. bot. 792.
	<i>Poa decumbens.</i> E.B.	<i>Festuca decumbens.</i> w. <i>Danthonia decumbens.</i> DC.					
TRIDENS. R.S. REDTOP-GRASS. Triandria Digynia. R.S.							
	quinquefida. R.S.	five-cleft.	N. America.	1816.	7. 8.	H. 2.	Jacq. ccl. gr. 2. t. 16.
	<i>Triodia cupræa.</i> Jacq.	<i>Windsoria poæformis.</i> n. <i>Poa quinquefida.</i> Ph.					
DANTHONIA. DC. DANTHONIA. Triandria Digynia. R.S.							
1	longifolia. B.P.	long-leaved.	N. S. W.	1823.	7. 8.	F. 2.	
2	semiannularis. B.P.	semiannular.	N. Holland.	1822.	7. 8.	F. 2.	Labill. n. holl. 1. t. 33.
	<i>Arundo semiannularis.</i> Lab.						
3	pilosa. B.P.	hairy.	N. S. W.	1823.	—————	F. 2.	
4	provincialis. R.S.	Provence.	S. Europe.	1818.	6. 7.	H. 2.	Vill. delph. 2. t. 2. f. 9.
5	spicata. R.S.	spiked.	N. America.	1823.	—————	H. 2.	
6	strigosa. R.S.	bristle-pointed.	Britain.	—————	H. 2.	Eng. bot. 1266.
	<i>Avena strigosa.</i> E.B.						
7	macrantha. R.S.	large-flowered.	C. B. S.	1816.	—————	H. 2.	
8	curvifolia. R.S.	curve-leaved.	—————	—————	—————	G. 2.	
9	calycina. R.S.	glossy-calyxed.	—————	1822.	—————	G. 2.	
KÆLERIA. R.S. KÆLERIA. Triandria Digynia. R.S.							
1	cristata. R.S.	crested.	Europe.	6. 8.	H. 2.	Host. gram. 2. t. 75.
	<i>β glabra.</i> R.S.	smooth.	Britain.	7. 8.	H. 2.	Eng. bot. 648.
	<i>Aira cristata.</i> E.B.	<i>Poa cristata.</i> w.					
2	grandiflora. R.S.	large-flowered.	S. Europe.	1824.	6. 8.	H. 2.	
3	glauc. DC.	glaucous.	Germany.	1816.	—————	H. 2.	
4	pensylvanica. DC.	Pensylvanian.	N. America.	1818.	—————	H. 2.	Spr. mem. p. 2. 1810. t. 7.
5	macrantha. R.S.	large-flowered.	Russia.	1824.	—————	H. 2.	
6	valesiaca. R.S.	Swiss.	Switzerland.	—————	—————	H. 2.	
7	tuberosa. P.S.	tuberosus.	S. Europe.	1802.	7. 8.	H. 2.	Lam. ill. t. 45. f. 4.
8	hirsuta. R.S.	hairy.	Switzerland.	1824.	—————	H. 2.	
9	villosa. R.S.	villosus.	S. Europe.	1800.	6. 7.	H. 2.	
	<i>Aira pubescens.</i> w. <i>Phalaris pubescens.</i> Lam.						
10	phleoides. R.S.	cat's-tail.	Portugal.	1802.	7. 8.	H. 2.	Desf. atl. 1. t. 23.
11	hispid. R.S.	hispid.	S. Europe.	1819.	6. 7.	H. 2.	Savi fl. pis. t. 1. f. 5.
12	brachystachya. R.S.	short-spiked.	—————	—————	H. 2.	
13	parviflora. L. en.	small-flowered.	S. Europe.	—————	—————	H. 2.	Desf. atl. 1. t. 32.
	<i>Avena parviflora.</i> Desf. <i>Trisetum parviflorum.</i> R.S.						

AVENA. R.S.	OAT-GRASS.	Triandria Digynia. L.				
1 <i>præcox.</i> R.S.	early-flowering.	Britain.	5. 6.	H.⊙.	Eng. bot. 1296.
<i>Aira præcox.</i> E.B.						
2 <i>brevis.</i> R.S.	short.	Germany.	1804.	—	H.⊙.	Host. gram. 3. t. 42.
3 <i>alba.</i> R.S.	white.	France.	6. 7.	H.⊙.	
4 <i>sativa.</i> R.S.	common.	S. America.	—	H.⊙.	Host. gram. 2. t. 59.
<i>a melanosperma.</i>	<i>black Oat.</i>	—	—	H.⊙.	
<i>β leucosperma.</i>	<i>white Oat.</i>	—	—	H.⊙.	
5 <i>orientalis.</i> R.S.	Tartarian.	Levant.	1798.	—	H.⊙.	Host. gram. 3. t. 44.
6 <i>nuda.</i> R.S.	naked.	—	H.⊙.	3. t. 43.
7 <i>fatua.</i> R.S.	wild.	Britain.	8.	H.⊙.	Eng. bot. 2221.
8 <i>hirsuta.</i> R.S.	hairy.	S. Europe.	—	6. 8.	H.⊙.	
9 <i>sterilis.</i> R.S.	bearded.	—	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10 <i>sempervirens.</i> R.S.	evergreen.	Pyrenees.	1816.	6. 7.	H.⊙.	Host. gram. 3. t. 41.
11 <i>pratensis.</i> R.S.	narrow-leaved.	Britain.	—	H.⊙.	Eng. bot. 1204.
12 <i>bromoides.</i> R.S.	Bromus-like.	S. Europe.	—	H.⊙.	
13 <i>planiculmis.</i> R.S.	flat-stalked.	Hungary.	1822.	—	H.⊙.	Schrad. fl. ger. 1. t. 6. f. 2.
<i>latifolia.</i> Host. gram. 4. t. 32.						
14 <i>versicolor.</i> R.S.	various-colored.	Enrope.	1816.	6. 8.	H.⊙.	Host. gram. 2. t. 52.
GAUDINIA. R.S.	GAUDINIA.	Triandria Digynia. R.S.				
<i>fragilis.</i> R.S.	brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
<i>Avena fragilis.</i> Host.						
TRISETUM. R.S.	TRISETUM.	Triandria Digynia. R.S.				
1 <i>tenue.</i> R.S.	slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 55.
<i>striatum.</i> P.S. <i>Avena tenuis.</i> Host.						
2 <i>pensylvanicum.</i> R.S.	Pensylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3 <i>micranthum.</i> R.S.	small-flowered.	S. Europe.	1823.	—	H.⊙.	
4 <i>neglectum.</i> R.S.	neglected.	—	—	—	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5 <i>alopecurus.</i> R.S.	Foxtail.	1816.	—	H.⊙.	
6 <i>Loeflingianum.</i> R.S.	Loefling's.	S. Europe.	1770.	—	H.⊙.	Willd. ber. mag. 2. t. 8. f. 3.
7 <i>condensatum.</i> R.S.	close-flowered.	Sicily.	1824.	—	H.⊙.	
8 <i>pilosum.</i> R.S.	hairy.	Iberia.	—	—	H.⊙.	
9 <i>pubescens.</i> R.S.	pubescent.	Britain.	7. 8.	H.⊙.	Eng. bot. 1610.
<i>Avena pubescens.</i> E.B.						
10 <i>rigidum.</i> R.S.	rigid.	Caucasus.	1825.	—	H.⊙.	
11 <i>alpinum.</i> R.S.	Alpine.	Scotland.	7.	H.⊙.	Eng. bot. 2141.
<i>Avena planiculmis.</i> E.B. <i>non</i> Schrad.						
12 <i>carpathicum.</i> R.S.	Carpathian.	Carp. mount.	1818.	7. 8.	H.⊙.	Host. gram. 4. t. 31.
13 <i>flavescens.</i> R.S.	golden.	Britain.	6. 7.	H.⊙.	Eng. bot. 952.
<i>pratense.</i> P.S. <i>Avena flavescens.</i> E.B.						
14 <i>alpestre.</i> R.S.	mountain.	S. Europe.	1816.	—	H.⊙.	Host. gram. 3. t. 39.
15 <i>brevifolium.</i> R.S.	short-leaved.	—	—	—	H.⊙.	3. t. 40.
16 <i>argenteum.</i> R.S.	silvery.	Switzerland.	1791.	—	H.⊙.	2. t. 53.
17 <i>distichophyllum.</i>	fan-leaved.	—	1796.	—	H.⊙.	Vill. delph. 2. t. 4. f. 4.
18 <i>airoides.</i> R.S.	Aira-like.	—	1800.	—	H.⊙.	Flor. dan. t. 228.
<i>Avena airoides.</i> DC. <i>Aira subspicata.</i> W.						
19 <i>glabratum.</i> R.S.	smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTHECA. R.S.	CENTOTHECA.	Triandria Digynia. R.S.				
<i>lappacea.</i> R.S.	Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 7.
<i>Cenchrus lappaceus.</i> L.						
POA. R.S.	MEADOW-GRASS.	Triandria Digynia. L.				
1 <i>pratensis.</i> R.S.	smooth-stalk'd.	Britain.	5. 6.	H.⊙.	Eng. bot. 1073.
2 <i>angustifolia.</i> DC.	narrow-leaved.	—	5.	H.⊙.	Sinc. gra. wob. p. 184. ic.
3 <i>humilis.</i> R.S.	short-blueish.	—	5. 6.	H.⊙.	Eng. bot. 1004.
<i>subcœrulea.</i> E.B.						
4 <i>viridis.</i> R.S.	green.	N. America.	1816.	—	H.⊙.	
5 <i>hybrida.</i> R.S.	hybrid.	Switzerland.	1824.	—	H.⊙.	
6 <i>trivialis.</i> E.B.	common.	Britain.	6. 8.	H.⊙.	Eng. bot. 1072.
7 <i>annua.</i> E.B.	annual.	—	1. 12.	H.⊙.	1141.
8 <i>cœspitosa.</i> R.S.	tufted.	N. Zealand.	1822.	6. 8.	H.⊙.	
9 <i>gracilis.</i> R.S.	slender.	1818.	—	H.⊙.	
10 <i>bulbosa.</i> R.S.	bulbous.	England.	5. 6.	H.⊙.	Eng. bot. 1071.
11 <i>laxa.</i> R.S.	loose.	Scotland.	7.	H.⊙.	Host. gram. 3. t. 15.
<i>flexuosa.</i> E.B. 1123.						
12 <i>Halleri.</i> R.S.	Haller's.	Switzerland.	—	—	H.⊙.	
<i>pallens.</i> Hall.						
13 <i>cenisia.</i> R.S.	soft.	Mt. Cenis.	1791.	7. 8.	H.⊙.	Host. gram. 3. t. 16.
14 <i>alpina.</i> R.S.	Alpine.	Scotland.	6. 7.	H.⊙.	Eng. bot. 1003.
15 <i>collina.</i> R.S.	hill.	Europe.	1800.	—	H.⊙.	Host. gram. 2. t. 66.

16	concinna. R.S.	neat.	Switzerland.	1815.	6. 7.	H. 2.	
17	Molineri. R.S.	Molineri's.	—————	1816.	—	H. 2.	Balb. misc. t. 5. f. 1.
18	supina. R.S.	trailing.	—————	—	—	H. 2.	Host. gram. 4. t. 27.
19	miliacea. R.S.	Millet like.	Hungary.	1824.	—	H. 2.	
20	memoralis. R.S.	wood.	—————	6.	H. 2.	Host. gram. 1265.
	<i>β angustifolia.</i> H.G.W.	narrow-leaved.	—————	—	H. 2.	Sinc. gr. wob. p. 182. ic.
21	versicolor. R.S.	various-color'd.	Tauria.	1825.	6. 7.	H. 2.	
22	coarctata. L.en.	crowded.	Europe.	—	H. 2.	
23	glauca. E.B.	glaucous.	Britain.	—	H. 2.	Eng. bot. 1720.
24	cæsia. E.B.	sea-green.	Scotland.	—	H. 2.	1719.
25	brachyphylla. R.S.	short-leaved.	N. America.	1816.	—	H. 2.	
26	depauperata. R.S.	few-flowered.	Hungary.	—	—	H. 2.	
27	sterilis. R.S.	barren-ground.	Tauria.	1824.	—	H. 2.	
28	nervata. R.S.	nerved.	N. America.	1812.	—	H. 2.	Sinc. gr. wob. p. 190. ic.
29	imbecilla. R.S.	weak.	N. Zealand.	1822.	7. 8.	H. 2.	
30	flava. R.S.	yellow.	N. America.	—	—	H. 2.	
31	hirsuta. R.S.	hairy.	—————	—	—	H. 2.	
32	capillaris. R.S.	hair-panicled.	—————	1781.	10. 11.	H. 2.	Moris. s. 8. t. 6. f. 33.
33	Poiretii. R.S.	Poiret's.	1816.	6. 8.	H. 2.	
34	serotina. R.S.	late-flowering.	Germany.	1800.	7. 9.	H. 2.	
	<i>β palustris.</i> R.S.	marsh.	—————	—	—	H. w. 2.	Vill. cat. j. Stras. t. 2. f. 2.
35	effusa. R.S.	spreading.	Hungary.	1823.	6. 8.	H. 2.	
36	sudetica. R.S.	broad-leaved.	Germany.	1802.	7. 8.	H. 2.	Vill. delph. 2. t. 3.
37	viridis. Ph.	green.	N. America.	1812.	—	H. 2.	
38	amboinensis. R.S.	Amboyna.	E. Indies.	1800.	6. 7.	S. 2.	Rumph. amb. 6. t. 7. f. 3.
39	cilianensis. R.S.	Piedmont.	Piedmont.	1818.	7. 8.	H. 2.	All. ped. t. 91. f. 2.
40	caroliniana. R.S.	Carolina.	Carolina.	—	—	H. 2.	
41	chinensis. R.S.	China.	China.	—	—	H. 2.	
42	australis. B.P.	southern.	N. S. W.	1822.	—	H. 2.	Lab. nov. hol. 1. t. 35.
	<i>Arundo poæformis.</i> Lab.						
43	plebeia. B.P.	plebeian.	—————	—	—	H. 2.	
44	compressa. E.B.	compressed.	Britain.	6. 8.	H. 2.	Eng. bot. 365.
45	festucaformis. R.S.	Fescue-like.	Dalmatia.	1800.	7. 9.	H. 2.	Host. gram. 3. t. 17.
46	convoluta. R.S.	convolute.	1819.	—	H. 2.	
47	atrovirens. R.S.	dark green.	Barbary.	1825.	—	H. 2.	Desf. atl. 1. t. 17.
48	pallida. R.S.	pallid.	—	—	H. 2.	
49	peruviana. R.S.	Peruvian.	Peru.	1802.	7. 8.	H. 2.	Jacq. ic. 1. t. 18.
50	papillosa. R.S.	papillose.	C. B. S.	1816.	—	H. 2.	
51	digitata. B.P.	fingered.	N. S. W.	1800.	—	H. 2.	
SCLEROCHLOA. R.S. SCLEROCHLOA. Triandria Digynia. R.S.							
1	divaricata. R.S.	spreading.	S. Europe.	1802.	7. 8.	H. 2.	Gouan. ill. 4. t. 2. f. 1.
2	procumbens. R.S.	procumbent.	Britain.	—	H. 2.	Eng. bot. 532.
	<i>Poa procumbens.</i> E.B.	<i>Glyceria procumbens.</i> E.F.					
3	dura. R.S.	rigid.	S. Europe.	1776.	7. 8.	H. 2.	Host. gram. 2. t. 73.
	<i>Poa dura.</i> Host.	<i>Cynosurus durus.</i> L.					
4	rigida. L.en.	hard.	England.	6. 7.	H. 2.	Eng. bot. 1371.
	<i>Poa rigida.</i> E.B.	<i>Glyceria rigida.</i> E.F.	<i>Megastachya rigida.</i> R.S.				
5	articulata. L.en.	jointed.	Barbary.	1816.	—	H. 2.	Desf. atl. 1. t. 22.
6	maritima.	sea-side.	Europe.	—	H. 2.	Cyrril. neap. fasc. 2. t. 2.
	<i>dichotoma.</i> L.en.	<i>Triticum maritimum.</i> L.	<i>Festuca maritima.</i> DC.				
HYDROCHLOA. Har. HYDROCHLOA. Triandria Digynia.							
1	distans. Har.	distant.	Britain.	7.	H. w. 2.	Eng. bot. 986.
	<i>Poa distans.</i> E.B.	<i>Glyceria distans.</i> E.F.					
2	aquatica. Har.	water.	—————	—	H. w. 2.	Eng. bot. 1315.
	<i>Poa aquatica.</i> E.B.	<i>Glyceria aquatica.</i> E.F.					
3	arundinacea. E.B.	Reed like.	Caucasus.	1825.	—	H. w. 2.	
	<i>Poa arundinacea.</i> M.B.						
4	maritima. Har.	sea-side.	Britain.	—	H. w. 2.	Eng. bot. 1140.
	<i>Poa maritima.</i> E.B.	<i>Glyceria maritima.</i> E.F.					
GLYCERIA. B.P. SWEET-GRASS. Triandria Digynia. R.S.							
	fluitans. B.P.	floating.	Britain.	5. 8.	H. 2.	Eng. bot. 1520.
	<i>Poa fluitans.</i> E.B.	<i>Festuca fluitans.</i> W.					
ERAGROSTIS. R.S. ERAGROSTIS. Triandria Digynia. R.S.							
1	poæoides. R.S.	Poa-like.	Italy.	1699.	7.	H. 2.	Flor. græc. t. 73.
	<i>Poa Eragrostis.</i> F.G.						
2	tephrosanthos. R.S.	Martinica.	Martinica.	1824.	7. 9.	S. 2.	
3	pilosa. R.S.	hairy.	Italy.	1804.	7. 8.	H. 2.	Host. gram. 2. t. 68.
4	verticillata. R.S.	whorled.	S. Europe.	1816.	—	H. 2.	Cavan. ic. 1. t. 93.
5	punctata. R.S.	spotted.	E. Indies.	—	—	S. 2.	

- 6 ægyptiaca. R.S. Egyptian. Egypt. 1812. 7. 8. H.⊙. Descr. de l'Égypt. t. 10.
7 purpurascens. R.S. purplish. 1822. — H.⊙.
8 decipiens. R.S. doubtful. — H.⊙.
9 tenella. R.S. slender. E. Indies. 1781. — S.⊙. Rheed. mal. 12. t. 41.
10 cynosuroides. R.S. Dogstail. Egypt. 1824. — H.⊙. Descr. de l'Égypt. t. 10.
Poa cynosuroides. W.
11 capillaris. L.en. hair-panicked. N. America. 1781. 10. 11. H.⊙. Moris. s. 3. t. 6. f. 33.
Poa capillaris. R.S.
12 mexicana. L.en. Mexican. Mexico. 1816. 9. 10. H.⊙.
MEGASTACHYA. R.S. MEGASTACHYA. Triandria Digynia. R.S.
1 Eragrostis. R.S. Love-grass. S. Europe. 1776. 7. 8. H.⊙. Schreb. gram. t. 38.
Poa megastachya. P.S. *Briza Eragrostis*. w. *Eragrostis major*. Host. gram. 4. t. 24.
2 nigricans. R.S. blackish. S. America. 1823. — S. 2.
3 amabilis. R.S. purple. E. Indies. 1802. — S.⊙. L. pl. syst. 12. t. 91. f. 2.
Poa amabilis. L.
4 spectabilis. R.S. showy. N. America. 1816. — H.⊙.
5 pulchella. R.S. pretty. Tauria. 1825. — H.⊙.
6 elongata. R.S. long-panicked. E. Indies. 1812. — S. 2.
7 ciliaris. R.S. ciliated. Jamaica. 1776. — S.⊙. Jacq. ecl. gr. t. 3.
8 rupestris. R.S. rock. E. Indies. 1823. — S.⊙. Jacq. ic. 2. t. 304.
DACTYLIS. R.S. COCK'S-FOOT-GRASS. Triandria Digynia. L.
1 glomerata. R.S. rough. Britain. 6. 7. H. 2. Eng. bot. 335.
2 glaucescens. R.S. glaucescent. Europe. 1816. — H. 2.
3 hispanica. R.S. Spanish. Spain. 1814. — H. 2.
4 glauca. R.S. glaucous. 1823. — H. 2.
5 maritima. R.S. sea-side. Caucasus. — H. 2.
6 littoralis. R.S. shore. S. Europe. 1816. — H. 2.
7 repens. R.S. creeping. — 1824. — H. 2.
8 adscendens. R.S. ascending. C. B. S. 1823. — G. 2.
9 cynosuroides. R.S. Dog's-tailed. E. Indies. — S. 2.
BRIZA. R.S. QUAKING-GRASS. Triandria Digynia. R.S.
1 minor. R.S. small. England. 7. H. 2. Eng. bot. 1316.
2 virens. R.S. green. S. Europe. 1800. 7. 8. H.⊙. Hayn. term. bot. t. 25. f. 6.
3 media. E.B. common. Britain. 5. 6. H. 2. Eng. bot. 340.
4 Clusii. R.S. Clusius's. S. Europe. 1823. — H. 2. Fouc. j. bot. 3. t. 24. f. 2.
5 geniculata. R.S. jointed. C. B. S. 1816. 7. 8. H.⊙.
6 elatior. R.S. tall. Greece. 1788. 7. 8. H. 2. Flor. græc. 1. t. 75.
7 maxima. R.S. great-spiked. S. Europe. 1633. 6. 7. H.⊙. — 1. t. 76.
8 humilis. R.S. dwarf. Tauria. 1818. — H.⊙. Scheuch. agr. 4. t. 4. f. 10.
9 rubra. R.S. red. S. Europe. — H.⊙.
CYNOSURUS. R.S. DOGSTAIL-GRASS. Triandria Digynia. L.
cristatus. E.B. crested. Britain. 8. H. 2. Eng. bot. 316.
UNIOLA. R.S. SEASIDE OAT. Triandria Digynia. L.
1 paniculata. R.S. panicked. N. America. 1793. 6. 7. H. 2. Catesb. car. 1. t. 32.
2 latifolia. R.S. broad-leaved. — 1809. — H. 2.
3 spicata. R.S. spiked. — 1790. 7. H. 2.
4 distichophylla. R.S. two-ranked. — 1789. 6. 7. H. 2.
Festuca distichophylla. Ph.
CERATOCHELOA. R.S. CERATOCHELOA. Triandria Digynia. R.S.
unioloides. R.S. Uniola-like. N. America. 1796. 6. 7. H. 2. Willd. h. ber. t. 3.
Festuca unioloides. W.
LEPTOCHELOA. R.S. LEPTOCHELOA. Triandria Digynia. R.S.
1 cynosuroides. R.S. filiform. E. Indies. 1818. 8. 9. H.⊙.
2 procer. R.S. tall. Brazil. 1823. — S. 2.
3 filiformis. R.S. slender. S. America. 1818. — H.⊙. Jacq. ecl. gram. t. 4.
4 virgata. R.S. fine-spiked. — 1727. 7. 9. H.⊙. Sloan. jam. 1. t. 70. f. 2.
5 tenerrima. R.S. slenderest. China. 1820. — H.⊙.
6 domingensis. L.en. close-spiked. W. Indies. — 6. 8. S. 2.
ELEUSINE. R.S. ELEUSINE. Triandria Digynia. R.S.
1 coracana. R.S. thick-spiked. E. Indies. 1714. 7. 9. H.⊙. Schreb. gram. 2. t. 35.
2 indica. R.S. Indian. — — H.⊙. Rheed. mal. 12. t. 69.
3 verticillata. R.S. whorled. E. Indies. 1823. — H.⊙.
4 calycina. R.S. calycine. — — H.⊙.
DACTYLOCTENIUM. DACTYLOCTENIUM. Triandria Digynia. R.S.
ægyptiacum. R.S. Egyptian. Egypt. 1770. 7. 9. H.⊙. Moris. s. 8. t. 3. f. 7.
Cynosurus ægyptius. L. *Eleusine ægyptiaca*. P.S.
RHABDOCHLOA. R.S. RHABDOCHLOA. Triandria Digynia. R.S.
1 cruciata. R.S. cross-spiked. W. Indies. 1818. 7. 9. H.⊙. Sloan. his. 1. t. 69. f. 1.
Chloris cruciata. w. *Agrostis cruciata*. L.

- 2 mucronata. R.S. mucronate. N.America. 1820. 7. 9. H.⊙. Lam. ill. t. 48. f. 2.
 3 virgata. R.S. slender. W. Indies. — H.⊙.
- CHONDROSIUM, K.S. CHONDROSIUM. Triandria Digynia. R.S.
 1 procumbens. Desv. procumbent. Philippines. 1816. 7. 9. H.⊙. Jacq. ecl. gr. t. 12.
Actinochloa procumbens, R.S. *Atheropogon procumbens*. Jacq.
 2 tenue. K.S. slender. Mexico. 1823. — H.⊙. H. et B. n. gen. 1. t. 57.
 3 prostratum. prostrate. — — — H.⊙.
Actinochloa prostrata, R.S. *Bouteloua prostrata*. Lag.
 4 hirsutum. hairy. — — — H.⊙.
- CORYCARPUS, ZEA. CORYCARPUS. Diandria Digynia. S.S.
 arundinaceus. S.S. Reed-like. N.America. 1810. 6. 7. H. ½. Mich. amer. 1. t. 10.
Festuca diandra, M. *Diarrhena americana*, R.S. *Ræmeria Zea*, R.S.
- DIPLACHNE, R.S. DIPLACHNE. Triandria Digynia. R.S.
 fascicularis. R.S. fasciated. N.America. 1818. 6. 8. H.⊙.
Festuca polystachya, M.
- SCHEDONORUS, R.S. SCHEDONORUS. Triandria Digynia. R.S.
 1 pratensis. R.S. meadow. Britain. 6. 7. H.⊙. Eng. bot. 1592.
Festuca pratensis, E.B.
 2 phœnicoides. R.S. creeping-rooted. Switzerland. 1824. — H. ½.
 3 elatior. R.S. tall. Britain. — H. ½. Eng. bot. 1593.
Festuca elatior, E.B. *et* Sinc. gr. wob. p. 361. ic.
 4 cœrulescens. R.S. blueish. Barbary. 1818. 6. 7. H. ½.
 5 spadicus. R.S. Gerard's. Italy. 1775. 4. 6. H. ½. Host. gram. 3. t. 20.
 6 inermis. R.S. naked-spiked. Hungary. 1816. 6. 7. H. ½. ——— 1. t. 9.
 7 calamarius. R.S. Reed-like. Scotland. 7. 8. H. ½. Eng. bot. 1005.
 8 deciduus. deciduous. England. 6. 7. H. ½. ——— 2266.
Festuca decidua, E.B.
 9 sylvaticus. R.S. wood. Germany. 1804. 7. 8. H. ½. Host. gram. 2. t. 78.
 10 serotinus. R.S. late-flowering. S. Europe. 1818. 7. 9. H. ½. ——— 2. t. 92.
 11 loliacus. R.S. spiked. England. ... 6. 7. H. ½. Eng. bot. 1821.
 12 Scheuchzeri. R.S. Scheuchzer's. S. Europe. 1822. — H. ½.
 13 violaceus. R.S. violet coloured. Europe. — H. ½.
 14 nutans. R.S. nodding. Hungary. 1823. — H. ½. Host. gram. 4. t. 61.
 15 nigrescens. R.S. blackish. Switzerland. — — H. ½.
 16 poæformis. R.S. Poa-like. ——— 1818. — H. ½. Host. gram. 2. t. 81.
 17 pumilus. R.S. dwarf. S. Europe. — — H. ½. ——— 2. t. 91.
 18 tenellus. R.S. slender. N.America. 1804. 7. 8. H.⊙.
Festuca tenella, Ph. *Brachypodium festucoides*, L.en.
- FESTUCA, R.S. FESCUE-GRASS. Triandria Digynia. L.
 1 cynosuroides. R.S. dogs-tail. Barbary. 1825. 6. 8. H.⊙. Desf. atl. 1. t. 21.
 2 Fenas. R.S. tough. Spain. 1822. — H. ½.
Poa tenax, L.en.
 3 ovina. R.S. Sheep's. Britain. 6. H. ½. Eng. bot. 585.
 4 tenuifolia. L.en. slender-leaved. ——— — H. ½.
 5 cæsia. E.B. gray. England. 6. 7. H. ½. Eng. bot. 1917.
 6 vivipara. E.B. viviparous. Britain. 7. H. ½. ——— 1355.
 7 glauca. R.S. glaucous. S. Europe. 6. 7. H. ½.
 8 pallens. R.S. pale. Germany. 1816. — H. ½. Host. gram. 2. t. 88.
 9 stricta. Host. upright. ——— — H. ½. ——— 2. t. 86.
 10 hirsuta. Host. hairy. ——— — H. ½. ——— 2. t. 85.
 11 Halleri. R.S. Haller's. Europe. 1820. — H. ½.
 12 curvula. R.S. curved. Switzerland. ——— — H. ½.
 13 alpina. R.S. Alpine. ——— — H. ½.
 14 amethystina. R.S. blue. S. Europe. 1804. — H. ½.
 15 varia. R.S. variable. ——— 1823. — H. ½. Host. gram. 2. t. 90.
 16 valesiaca. Vallesian. Vallesia. ——— — H. ½.
 17 pannonica. R.S. Hungarian. Hungary. ——— — H. ½. Host. gram. 4. t. 62.
 18 xanthina. R.S. yellow. Switzerland. 1818. — H. ½. ——— 3. t. 19.
flavescens, Host. *non* Bellardi.
 19 flavescens. DC. yellowish. ——— — H. ½.
 20 duriuscula. E.B. hard. Britain. — H. ½. Eng. bot. 470.
 21 dumetorum. S.G.W. pubescent. ——— — H. ½.
 22 glabra. S.G.W. smooth. ——— 6. H. ½. Sinc. gr. wob. p. 180. ic.
 23 hordeiformis. S.G.W. Barley like. — H. ½. ——— p. 159. ic.
 24 canbrica. S.G.W. Welsh. Wales. — H. ½. ——— p. 157. ic.
 25 heterophylla. R.S. various-leaved. S. Europe. 1812. 6. 7. H. ½. Host. gram. 3. t. 18.
 26 rubra. E.B. red creeping. Britain. 7. H. ½. Eng. bot. 2056.
 27 vaginata. R.S. sheathed. Hungary. 1804. 6. 7. H. ½.

23	Kitaibeliana. R.S.	Kitaibel's.	Hungary.	1818.	6. 7.	H. 2.	
	<i>pubescens.</i> L.en. non Zea.						
29	laxa. R.S.	loose.	Switzerland.	1824.	—	H. 2.	Host. gram. 2. t. 80.
30	nutans. R.S.	nodding.	N. America.	1805.	—	H. 2.	
31	mexicana. R.S.	Mexican.	Mexico.	1816.	7. 9.	H. 2.	
32	rubens. R.S.	red.	S. Europe.	1776.	6. 7.	H. 2.	Flor. græc. t. 83.
	<i>Bromus rubens.</i> F.G.						
33	lævis. F.	smooth.	Russia.	1806.	7.	H. 2.	
34	grandiflora. Ph.	large-flowered.	N. America.	1812.	6. 7.	H. 2.	
MY	GALURUS. L.en.	MOUSETAIL-GRASS.	Triandria Digynia.	L.en.			
1	bromoides. L.en.	barren.	Britain.	6.	H. 2.	Eng. bot. 1411.
2	caudatus. L.en.	wall.	England.	—	H. 2.	— 1412.
	<i>Festuca Myurus.</i> E.B.						
3	alopecuroides. L.en.	Fox-tail.	Barbary.	1799.	6. 8.	H. 2.	Desf. atl. 1. t. 25.
4	uniglumis. L.en.	single-husked.	England.	—	H. 2.	Eng. bot. 1430.
5	delicatulus. L.en.	delicate.	Spain.	1817.	7. 8.	H. 2.	
6	geniculatus. L.en.	jointed.	S. Europe.	1793.	6. 7.	H. 2.	
	<i>Bromus geniculatus.</i> R.S. <i>Festuca stipoides.</i> R.S.						
BRACHYPODIUM.	R.S.	BRACHYPODIUM.	Triandria Digynia.	R.S.			
1	pinnatus. R.S.	spiked heath.	Britain.	6. 8.	H. 2.	Eng. bot. 730.
	<i>Bromus pinnatus.</i> E.B. <i>Triticum pinnatum.</i> DC. <i>Festuca pinnata.</i> E.F.						
2	rupestre. R.S.	rock.	S. Europe.	1816.	—	H. 2.	Host. gram. 4. t. 17.
3	strigosum. R.S.	strigose.	Tauria.	1824.	—	H. 2.	
4	caespitosum. R.S.	tufted.	S. Europe.	—	—	H. 2.	Host. gram. 4. t. 18.
5	ramosum. R.S.	branched.	—	—	—	H. 2.	Desf. atl. 1. t. 24. f. 1.
6	phœnicoides. R.S.	pointed-leaved.	S. France.	1824.	—	H. 2.	
7	obtusifolium. R.S.	blunt-leaved.	Spain.	1818.	—	H. 2.	
8	Tenorianum. R.S.	Tenore's.	Naples.	1824.	—	H. 2.	
9	longifolium. R.S.	long-leaved.	Barbary.	1818.	—	H. 2.	
10	sylvaticum. R.S.	wood.	Britain.	—	H. 2.	Eng. bot. 729.
	<i>Bromus sylvaticus.</i> E.B. <i>Triticum sylvaticum.</i> DC. <i>Festuca sylvatica.</i> E.F.						
11	distachyum. R.S.	two-spiked.	S. Europe.	1772.	—	H. 2.	Host. gram. 1. t. 20.
12	asperum. R.S.	stiff-leaved.	Spain.	1818.	—	H. 2.	
13	Halleri. R.S.	Haller's.	S. Europe.	—	—	H. 2.	Vivian. fr. fl. it. t. 26. f. 1.
14	tenuicolum. R.S.	slender-stem'd.	—	—	—	H. 2.	— t. 23. f. 2.
15	tenuiflorum. R.S.	slender-fl'd.	—	—	—	H. 2.	Host. gram. 2. t. 26.
16	Nardus. L.en.	slender.	—	—	—	H. 2.	
	<i>tenellum.</i> R.S. <i>Triticum Nardus.</i> DC.						
17	liolaceum. R.S.	spiked sea.	Britain.	6. 7.	H. 2.	Eng. bot. 221.
	<i>Triticum liolaceum.</i> E.B.						
18	biunciale. R.S.	small.	S. Europe.	1818.	6. 8.	H. 2.	Viv. fl. it. fr. t. 24.
19	unilaterale. R.S.	one-sided.	—	—	—	H. 2.	Bocc. mus. t. 57. f. 2.
TRICHÆTA.	R.S.	TRICHÆTA.	Triandria Digynia.	R.S.			
	<i>ovata.</i> R.S.	oval-spiked.	Spain.	1824.	6. 8.	H. 2.	Cavan. ic. 6. t. 591. f. 2.
	<i>Bromus ovatus.</i> Cav. <i>Trisetum ovatum.</i> P.S.						
BROMUS.	R.S.	BROME-GRASS.	Triandria Digynia.	R.S.			
1	secalinus. R.S.	smooth Rye.	England.	6. 8.	H. 2.	Eng. bot. 1171.
2	elongatus. R.S.	elongated.	Switzerland.	1823.	—	H. 2.	
3	commutatus. R.S.	downy Rye.	Britain.	—	H. 2.	Host. gram. 1. t. 11.
4	velutinus. R.S.	hairy-headed.	—	—	H. 2.	Eng. bot. 1884.
	<i>multiflorus.</i> E.B.						
5	mollis. R.S.	soft.	—	5. 7.	H. 2.	Eng. bot. 1078.
6	confertus. R.S.	close-spiked.	Iberia.	1825.	—	H. 2.	
7	racemosus. R.S.	smooth.	England.	6. 8.	H. 2.	Eng. bot. 1079.
8	erectus. E.B.	upright.	—	—	H. 2.	— 471.
9	Biebersteinii. R.S.	Bieberstein's.	Caucasus.	1825.	—	H. 2.	
10	australis. B.P.	southern.	N. S. W.	1823.	—	H. 2.	
11	lanceolatus. R.S.	spear-leaved.	Canaries.	1798.	—	H. 2.	Buxb. cent. ap. t. 19.
12	lanuginosus. R.S.	woolly.	S. Europe.	1824.	—	H. 2.	
13	variegatus. R.S.	variegated.	Caucasus.	—	—	H. 2.	
14	squarrosus. R.S.	corn.	England.	—	H. 2.	Eng. bot. 1885.
15	vestitus. R.S.	clothed.	C. B. S.	1816.	—	G. 2.	
16	wolgensis. R.S.	Volga.	Caucasus.	—	—	H. 2.	Jacq. ecl. gr. t. 15.
17	laxus. R.S.	loose.	—	—	H. 2.	
18	alopecuroides. R.S.	Fox-tail.	S. Europe.	1799.	—	H. 2.	Desf. atl. 1. t. 25.
	<i>contortus.</i> Desf.						
19	purgans. R.S.	purgings.	Canada.	1793.	—	H. 2.	
20	pubescens. R.S.	pubescent.	N. America.	1816.	—	H. 2.	
21	asper. E.B.	hairy wood.	England.	—	H. 2.	Eng. bot. 1172.

22	pendulinus. R.S.	pendulous.	Spain.	1823.	6. 8.	H.⊙.	
23	glaucus. R.S.	glaucous.	Pyrenees.	—	—	H.⊙.	Lap. fl. pyren. t. 53. bis.
24	altissimus. R.S.	tallest.	N. America.	1812.	—	H.⊙.	
25	giganteus. R.S.	gigantic.	Britain.	7. 8.	H.⊙.	Eng. bot. 1820.
	β triflorus.	three-flowered.	—	—	H.⊙.	— 1918.
	<i>Festuca triflora.</i> E.B.						
26	longiflorus. R.S.	long-flowered.	1818.	—	H.⊙.	
27	ciliatus. R.S.	ciliated.	N. America.	1802.	6. 8.	H.⊙.	
28	arvensis. R.S.	field.	Britain.	7.	H.⊙.	Eng. bot. 1984.
29	sterilis. R.S.	barren.	—	6. 7.	H.⊙.	— 1030.
30	tectorum. R.S.	nodding.	Europe.	1776.	6. 8.	H.⊙.	Flor. græc. t. 82.
31	matritensis. R.S.	wall.	Britain.	6.	H.⊙.	Eng. bot. 1006.
	<i>diandrus.</i> E.B.						
32	ligusticus. R.S.	contracted.	Italy.	1824.	6. 8.	H.⊙.	Barrel. ic. 76. n. 2.
33	rigidus. R.S.	rigid.	S. France.	1822.	6. 8.	H.⊙.	Host. gram. 1. t. 18.
34	pilosus. R.S.	hairy wall.	S. Europe.	—	—	H.⊙.	
35	jubatus. R.S.	loose paniced.	Italy.	1824.	—	H.⊙.	
36	maximus. R.S.	great.	Morocco.	1804.	—	H.⊙.	Desf. atl. 1. t. 26.
37	scoparius. R.S.	broom.	S. Europe.	1824.	—	H.⊙.	Cavan. ic. 1. t. 45. f. 2.
38	humilis. R.S.	low.	Spain.	—	—	H.⊙.	— ic. 6. t. 589. f. 2.
39	stenophyllus. L.en.	narrow-leaved.	—	—	H.⊙.	
40	scaberimus. R.S.	roughest.	Italy.	—	—	H.⊙.	
ROSTRARIA. Tr.			ROSTRARIA. Triandria Digynia.				
	pubescens. Tr.	pubescent.	1824.	6. 8.	H.⊙.	
	<i>Bromus dactyloides.</i>	Roth. <i>Dactylis pungens.</i>	Horn.				
PHRAGMITES. Tr.			REED. Triandria Digynia. R.S.				
	communis. Tr.	common.	Britain.	7. 8.	H.w.⊙.	Eng. bot. 401.
	<i>Arundo phragmites.</i> E.B.						
ARUNDO. S.S.			REED-GRASS. Triandria Digynia. S.S.				
1	Donax. s.s.	manured.	S. Europe.	1648.	7. 8.	H.⊙.	Host. gram. 4. t. 38.
	β versicolor.	striped.	—	—	H.⊙.	Moris. s. 8. t. 8. f. 9.
2	tenax. s.s.	tough.	—	1823.	—	H.⊙.	Cyrl. neap. f. 2. t. 12.
3	festucacea. W.en.	Fescue-like.	Germany.	—	—	H.w.⊙.	
PSAMMA. R.S.			SEA MATWEED. Triandria Trigynia. R.S.				
	arenaria. R.S.	common.	Britain.	6. 7.	H.⊙.	Eng. bot. 520.
	<i>Arundo arenaria.</i> E.B.						
ARUNDINARIA. R.S.			CANE-BRAKE. Triandria Monogynia. S.S.				
1	glaucescens. R.S.	glaucous.	E. Indies.	1818.	S.⊙.	
	<i>Ludolfia glaucescens.</i> W.						
2	macrosperma. R.S.	long-seeded.	N. America.	1809.	7.	H.⊙.	
	<i>Miegia macrosperma.</i>	P.S. <i>Ludolfia macrosperma.</i> W.					
OLYRA. W.			OLYRA. Monœcia Triandria. L.				
	paniculata. w.	broad-leaved.	W. Indies.	1783.	7.	S.⊙.	Sloan. jam. 1. t. 64. f. 2.
ZEA. W.			INDIAN CORN. Monœcia Triandria. L.				
	Mays. w.	common.	America.	1562.	6. 7.	H.⊙.	Lam. ill. t. 749.
COIX. W.			JOB'S-TEARS. Monœcia Triandria. L.				
1	Lachryma. s.s.	common.	E. Indies.	1596.	6. 7.	S.⊙.	Botan. magaz. 2479.
2	agrestis. s.s.	round-fruited.	—	1812.	—	S.⊙.	Rumph. amb. 6. t. 9. f. 1.
3	exaltata. s.s.	tall.	China.	1816.	—	S.⊙.	Jacq. ic. gram.
4	arundinacea. s.s.	reed-like.	Mexico.	1824.	—	S.⊙.	
5	Kœnigii. s.s.	Kœnig's.	E. Indies.	1818.	—	S.⊙.	
BAMBUA. W.			BAMBOO-CANE. Hexandria Monogynia. W.				
1	arundinacea. w.	common.	India.	1730.	S.⊙.	Roxb. corom. 1. t. 79.
2	verticillata. w.	whorl-flowered.	—	1802.	S.⊙.	— 1. t. 80.
MELOCANNA. Tr.			MELOCANNA. Hexandria Monogynia. S.S.				
	bambusoides. Tr.	berry bearing.	E. Indies.	1818.	S.⊙.	
	<i>Bambusa baccifera.</i> Roxb.						
PHARUS. W.			PHARUS. Monœcia Hexandria. W.				
	latifolius. w.	broad-leaved.	Jamaica.	1793.	7. 8.	S.⊙.	Brown. jam. t. 38. f. 3.
EHRHARTA. W.			EHRHARTA. Hexandria Monogynia. S.S.				
1	panicea. w.	Panic-grass.	C. B. S.	1790.	5. 7.	G.⊙.	Sm. ined. 1. t. 9.
2	melicoides. s.s.	Melica-like.	—	1816.	—	G.⊙.	
MICROLÆNA. B.P.			MICROLÆNA. Tetrandria Digynia. B.P.				
	stipoides. B.P.	Stipa-like.	N. S. W.	1822.	7. 8.	F.⊙.	Lab. n. hol. 1. t. 118.
	<i>Ehrharta stipoides.</i> Lab.						
POTAMOPHILA. B.P.			POTAMOPHILA. Polygamia Monœcia. B.P.				
	parviflora. B.P.	small-flowered.	N. S. W.	1820.	6. 7.	F.w.⊙.	
ORYZA. W.			RICE. Hexandria Digynia. L.				
	sativa. w.	common.	Ethiopia.	1596.	7.	S.w.⊙.	

ZIZANIA. W.	CANADA RICE. Monœcia Hexandria. W.	
1 aquatica. H.K.	water. N.America. 1790. 7. 9. H.w. ȳ. Linn. trans. 7. t. 13.	
2 miliacea. M.	Millet-like. Carolina. 1816. — H.w. ȳ.	
3 fluitans. M.	floating. N.America. 1824. 7. 8. H.w. ȳ.	
PARIANA. W.	PARIANA. Monœcia Polyandria. W.	
campestris. w.	Cayenne. Cayenne. 1803. S. ȳ. Aubl. guj. 2. t. 337.	

** SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CXCVI.

CHARACEÆ. *Kth. synopsis. v. 1. p. 102.*

CHARA. L.	CHARA. Monœcia Monandria. W.	
1 vulgaris. E.B.	common. Britain. 7. 8. H.w. ⊙. Eng. bot. 336.	
2 gracilis. E.B.	slender. England. — H.w. ⊙. ——— 2140.	
3 hispida. E.B.	prickly. Britain. 6. 9. H.w. ⊙. ——— 463.	
4 tomentosa. W.	tomentose. 6. 7. H.w. ⊙. Moris. s. 15. t. 4. f. 9.	
5 flexilis. E.B.	smooth. England. 7. 8. H.w. ⊙. Eng. bot. 1070.	
6 translucens. E.B.	great transparent. — H.w. ⊙. ——— 1855.	
7 nidifica. E.B.	proliferous. ——— — H.w. ⊙. ——— 1703.	

ORDO CXCVII.

EQUISETACEÆ. *DC. fl. fr. ed. 3. v. 2. p. 580.*

EQUISETUM. W.	HORSE-TAIL. Cryptogamia Gonopterides. W.	
1 arvense. w.	corn. Britain. 3. 4. H. ȳ. Eng. bot. 2020.	
2 fluviatile. w.	great water. ——— 4. 5. H. ȳ. ——— 2022.	
3 umbrosum. w.en.	shade. Germany. 1818. — H. ȳ.	
4 sylvaticum. w.	wood. Britain. — H. ȳ. Eng. bot. 1874.	
5 limosum. w.	smooth naked. ——— 6. 7. H. ȳ. ——— 929.	
6 palustre. w.	marsh. ——— — H. ȳ. ——— 2021.	
7 pratense. w.	meadow. Germany. 1820. — H. ȳ.	
8 scirpoides. w.	American. N.America. 1812. — H. ȳ.	
9 hyemale. w.	Shave grass. Britain. 7. 8. H. ȳ. Eng. bot. 915.	
10 variegatum. w.	variegated. Scotland. 6. 7. H. ȳ. ——— 1987.	
11 filiforme.	thready. N.America. 1800. 7. 8. H. ȳ.	

ORDO CXCVIII.

MARSILEACEÆ. *Brown prodr. p. 166.*

PILULARIA. W.	PILLWORT. Cryptogamia Hydropterides. W.	
globulifera. w.	Pepper-grass. Britain. 6. 9. H.w. ȳ. Eng. bot. 521.	
ISOETES. W.	QUILLWORT. Cryptogamia Hydropterides. W.	
lacustris. w.	marsh. Britain. . . . 5. 10 H.w. ȳ. Eng. bot. 1084.	

SALVINIA. W.	SALVINIA.	Cryptogamia Hydropterides. W.	
natans. w.	floating.	Europe. 1818.	5. 8. H.w. 2. Schkuhr filic. t. 173.
MARSILEA. W.	MARSILEA.	Cryptogamia Hydropterides. W.	
quadrifolia. w.	four-leaved.	S. Europe. 1829.	6. 8. H.w. 2. J.mem.ac.sci.par.1740

ORDO CXCIX.

LYCOPODIACEÆ. *Kth. synopsis. 1. p. 95.*

LYCOPODIUM. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.	
1 carolinianum. w.	Carolina.	Carolina. 1812.	7. 8. H. 2. Dill. musc. t. 62. f.5.
2 clavatum. w.	common.	Britain.	— H. 2. Eng. bot. 224.
3 complanatum. w.	Arbor Vitæ-ld.	N.America. 1770.	— H. 2. Flor. dan. 78.
4 alpinum. w.	Savin-leaved.	Britain.	8. H. 2. Eng. bot. 234.
5 dendroideum. w.	fan.	N.America. 1770.	7. H. 2. Hook. ex. flor. 7.
6 annotinum. w.	interrupted.	Britain.	6. 8. H. 2. Eng. bot. 1727.
7 inundatum. w.	marsh.	— H.w. 2. ——— 239.
8 alopecnroides. w.	Fox-tail.	N.America. 1816.	— H. 2. Schkuhr filic. t. 160.
9 Selaginoides. w.	prickly.	Britain.	8. H. 2. Eng. bot. 1148.
10 ornithopodioides. w.	Bird's-claw. 1812.	6. 8. H. 2. Dill. musc. t. 66. f.1.B.
11 helveticum. w.	Swiss.	Switzerland. 1779.	— H. 2. ——— t. 64. f. 2.
12 rupestre. w.	rock.	N.America. 1818.	— H. 2. ——— t. 63. f. 11.
13 denticulatum. w.	toothed.	Switzerland. 1779.	7. H. 2. ——— t. 66. f.1.A.
14 depressum. w.	depressed.	C. B. S. 1816.	7. 8. G. 2.
15 Selago. w.	Fir.	Britain.	6. 8. H. 2. Eng. bot. 233.
16 apodum. w.	distichous.	N.America. 1815.	7. H. 2. Dill. musc. t. 64. f.3.
17 lucidulum. w.	glossy. 1822.	— H. 2. Schkuhr filic. t. 159.
18 densum. B.P.	dense.	N. S. W. ———	7. 8. G. 2. Lab.nov.hol.2.t.251.f.1
PSILOTUM. B.P.	PSILOTUM.	Cryptogamia Stachyopterides. W.	
triquetrum. B.P.	triangular.	N. S. W. 1793.	7. 8. G. 2. Schkuhr fil. t. 165. b.
<i>Lycopodium nudum. L. Bernhardia dichotoma. w.</i>			

ORDO CC.

FILICES. *Juss. gen. 14.*

SUBORDO I. OPHIOGLOSSÆ. Brown prodr. p. 163.

OPHIOGLOSSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.	
1 vulgatum. E.B.	common.	Britain.	5. 6. H. 2. Eng. bot. 108.
2 lusitanicum. w.	Portugal.	Portugal.	— H. 2.
3 gramineum. w.	grass-like.	N.Holland. 1822.	— G. 2. Willd.s.erf.1802.t.1.f.1
4 costatum. B.P.	ribbed.	N. S. W. ———	— G. 2.
5 reticulatum. w.	netted.	W. Indies. 1793.	— S. 2. Plum. fil. t. 164.
6 petiolatum. w.	petiolate. 1822.	1. 3. S. 2. Hook. ex. flor. 56.
BOTRYCHIUM. W.	MOONWORT.	Cryptogamia Stachyopterides. W.	
1 Lunaria. w.	common.	Britain.	5. 6. H. 2. Eng. bot. 318.
<i>Osmunda lunaria. E.B.</i>			
2 fumarioides. w.	Fumitory-ld.	Carolina. 1806.	7. 8. H. 2. Schkuhr fil. t. 157.
3 dissectum. w.	cut-leaved.	N.America. ———	7. H. 2. ——— t. 158.
4 virginicum. w.	Virginian. 1790.	8. H. 2. ——— t. 156.
5 australe. B.P.	southern.	N. S. W. 1823.	7. 8. H. 2.
6 gracile. Ph.	slender.	N.America. 1824.	— H. 2.

SUBORDO II. *OSMUNDACEÆ*. Brown prodr. p. 161.

LYGODIUM. B.P.	SNAKE'S-TONGUE. Cryptogamia Schismatopterides. W.		
1 polymorphum. K.S.	variable.	S. America. 1816. 5. 9.	S. 2. 1. Cav. ic. 6. t. 595. f. 1.
	<i>venustum</i> . Spr. <i>Ugena polymorpha</i> . Cav.		<i>Hydroglossum hirsutum</i> . w.
2 scandens. Sw.	climbing.	E. Indies. 1793. 5. 9.	S. 2. 1. Lodd. bot. cab. 742.
3 circinatum. Sw.	rounded.	W. Indies. 1818. —	S. 2. 1.
4 palmatum. Sw.	palmate.	N. America. 1823. —	S. 2. 1. Schkuhr filic. t. 140.
	<i>Hydroglossum palmatum</i> . w.		
ANEMIA. W.	ANEMIA. Cryptogamia Schismatopterides. W.		
1 hirsuta. w.	hairy.	W. Indies. 1794.	S. 2. Plum. fil. t. 162.
2 adiantifolia. w.	Maiden-hair-ld.	1793. 8. 9.	S. 2. t. 158.
3 lanceolata. w.	spear-leaved.	1820. —	S. 2.
OSMUNDA. W.	OSMUNDA. Cryptogamia Schismatopterides. W.		
1 cinnamomea. w.	woolly.	N. America. 1772. 6.	H. 2. Schkuhr fil. t. 146.
2 regalis. w.	flowering fern.	Britain.	7. 8. H. 2. Eng. bot. 209.
3 Claytoniana. w.	Clayton's.	N. America. 1772. 8.	H. 2.
4 interrupta. w.	interrupted.	1811.	6. 7. H. 2. Schkuhr fil. t. 144.
5 spectabilis. w.	showy.	1811. 7.	H. 2. Pluk. alm. t. 184. f. 4.
6 humilis. w.	dwarf.	1823. 6. 8.	H. 2. Hook. ex. flor. 28.
TODEA. W.	TODEA. Cryptogamia Schismatopterides. W.		
africana. w.	African.	C. B. S. 1805. 5. 8.	G. 2. Schkuhr fil. t. 147.
	<i>Osmunda barbata</i> . B.P.		
SCHIZÆA. W.	SCHIZÆA. Cryptogamia Schismatopterides. W.		
1 penicillata. w.	pencilled.	S. America. 1816. 6. 7.	S. 2.
2 rupestris. B.P.	rock.	N. S. W. 1822. —	G. 2.
3 bifida. B.P.	bifid.	—	G. 2. Willd. mem. farr. t. 3. f. 2

SUBORDO III. *GLEICHENEÆ*. Brown prodr. p. 160.

GLEICHENIA. B.P.	GLEICHENIA. Cryptogamia Poropterides. W.		
1 pubescens. K.S.	pubescent.	Vera Cruz. 1822. 6. 8.	S. 2.
	<i>Mertensia pubescens</i> . w.		
2 spelunca. B.P.	various-leaved.	N. S. W. —	G. 2.
3 microphylla. B.P.	small-leaved.	—	1825. — G. 2.
4 flabellata. B.P.	fan-leaved.	—	1823. — G. 2.
MARATTIA. W.	MARATTIA. Cryptogamia Poropterides. W.		
alata. w.	winged.	Jamaica. 1793. 5. 8.	S. 2. Sm. ic. ined. t. 46.

SUBORDO IV. *POLYPODIACEÆ*. Brown prodr. p. 145.

ACROSTICHUM. W.	ACROSTICHUM. Cryptogamia Filices. L.		
1 simplex. w.	simple.	Jamaica. 1793.	S. 2. Lodd. bot. cab. 709.
2 lingua. w.	tongue-leaved.	China. 1817. 5. 7.	G. 2. Thunb. fl. jap. t. 33.
3 crinitum. w.	hairy.	W. Indies. 1793. —	S. 2. Plum. fil. t. 125.
4 alcornce. B.P.	Elk's-horn.	N. S. W. 1808. 8. 10.	G. 2. Botan. regist. 262-3.
5 Stenaria. Beau.	Stag's-horn.	Guinea. 1822. 5. 8.	S. 2. Beau. fl. d'ow. v. 1. pl. 2.
6 appendiculatum. H.	appendaged.	W. Indies. 1824. 6. 8.	S. 2. Hook. ex. flor. 108.
7 sorbifolium. w.	Sorbus-leaved.	—	1793. — S. 2. Plum. fil. t. 117.
8 velleum. w.	woolly.	Madeira. 1778. 8. 9.	G. 2. Desf. atl. 2. t. 256.
9 calomelanus. w.	mealy.	W. Indies. 1790. 7. 8.	S. 2. Willd. h. ber. t. 41.
10 anreum. w.	golden.	America. 1820. —	G. 2. Schkuhr fil. t. 1.
NOTHOLÆNA. B.P.	NOTHOLÆNA. Cryptogamia Filices.		
1 Marantæ. B.P.	Swiss.	Switzerland. 1824. 6. 8.	H. 2. Spreng. crypt. t. 2. f. 18.
	<i>Acrostichum Marantæ</i> . w.		
2 distans. B.P.	distant.	N. S. W. 1823. —	G. 2.
HEMIONITIS. W.	HEMIONITIS. Cryptogamia Filices. W.		
1 lanceolata. w.	spear-leaved.	W. Indies. 1793. 6. 8.	S. 2. Schkuhr fil. t. 6.
2 palmata. w.	palmated.	—	— S. 2. Hook. ex. flor. 33.
3 rufa. w.	rusty-haired.	Jamaica. —	S. 2. Schkuhr fil. t. 17. 21.
4 dealbata. w.	mealy.	S. America. 1818. —	S. 2. Willd. h. ber. 1. t. 40.

GYMNOGRAMMA.	GYMNOGRAMMA.	Cryptogamia Filices.		
peruvianum. Desv.	Peruvian.	Peru.	1822.	6. 8. G. 4.
MENISCIUM. W.	MENISCIUM.	Cryptogamia Filices. W.		
reticulatum. w.	netted.	Martinico.	1793.	6. 8. S. 4. Plum. fil. t. 110.
GRAMMITIS. Sw.	GRAMMITIS.	Cryptogamia Filices. W.		
1 serrulata. w.	saw-leaved.	W. Indies.	1823.	6. 8. S. 4. Hook. ex. flor. 78.
2 australis. B.P.	southern.	N. S. W.	1822.	— G. 4.
3 Ceterach. sw.	common.	Britain.	5. 10. H. 4. Lodd. bot. cab. 15.
	<i>Scolopendrium Ceterach.</i>	<i>E.B. 1244. Ceterach officinarum. w.</i>		
POLYPODIUM. W.	POLYPODY.	Cryptogamia Filices. L.		
1 serpens. w.	trailing.	W. Indies.	1822.	3. 8. S. 4. Plum. fil. 105. t. 121.
2 angustifolium. w.	narrow-leaved.	S. America.	—	— S. 4.
3 lanceolatum. w.	spear-leaved.	—	1824.	— S. 4. Plum. fil. t. 137.
4 rupestre. B.P.	woolly-leaved.	N. S. W.	—	— G. 4.
5 confluens. B.P.	confluent.	—	1822.	— G. 4.
6 attenuatum. B.P.	attenuated.	—	1823.	— G. 4.
7 lineare. w.	linear-leaved.	Japan.	1822.	— G. 4. Thunb. ic. jap. t. 18.
8 piloselloides. w.	Mouse-ear.	W. Indies.	1793.	— S. 4. Plum. fil. t. 118.
9 lycopodioides. w.	Club-moss.	—	—	— S. 4. Schkuhr fil. t. 8. c. p.
10 phyllitidis. w.	Hart's-tongue.	—	—	— S. 4. Plum. fil. 114. t. 130.
11 crassifolium. w.	thick-leaved.	—	1816.	— S. 4. ——— 107. t. 127.
12 repens. w.	creeping.	S. America.	—	— S. 4. ——— 115. t. 131.
13 Billardieri. B.P.	LaBillardiere's.	V. Diem. Isl.	1823.	— G. 4. Lab. nov. hol. 2. t. 240.
14 aureum. w.	golden.	W. Indies.	1742.	3. 5. S. 4. Plum. fil. 59. t. 76.
15 phymatodes. w.	warted.	—	1816.	— S. 4.
16 vulgare. E.B.	common.	Britain.	5. 10. H. 4. Eng. bot. 1149.
	<i>β cambricum.</i>	Wales.	— H. 4. Bot. fil. t. 2. f. 5. a.
17 virginianum. w.	Virginian.	N. America.	7. H. 4. Plum. fil. t. 77.
18 pectinatum. w.	comb-leaved.	W. Indies.	1793.	6. 9. S. 4. Lodd. bot. cab. 748.
19 Plumula. w.	feather.	S. America.	1822.	5. 8. S. 4.
20 tenuifolium. w.	slender-leaved.	—	—	— S. 4. Plum. fil. 66. t. 85.
21 asplenifolium. w.	Spleenwort-ld.	Martinico.	1790.	— S. 4. ——— 85. t. 102. f. A.
22 incanum. w.	hoary.	America.	1811.	7. H. 4. Schkuhr fil. t. 11. b.
23 trichomanoides. w.	Trichomanes like.	W. Indies.	1822.	5. 8. S. 4. ——— p. 11. t. 10.
24 juglandifolium. w.	Walnut-leav'd.	S. America.	—	— S. 4.
25 crenatum. w.	crenated.	—	1824. S. 4.
26 fraxinifolium. w.	Ash-leaved.	Caracas.	1822.	5. 8. S. 4.
27 tenellum. B.P.	slender.	N. S. W.	—	5. 7. G. 4.
28 pertusum. H.E.F.	bored.	China.	1817.	7. 10. G. 4. Hook. ex. flor. 162.
29 Phegopteris. E.B.	sun-fern.	Britain.	6. 7. H. 4. Eng. bot. 2224.
30 hexagonopterum. w.	triangular.	N. America.	1811.	— H. 4. Pluk. alm. t. 284. f. 2.
31 pruinatum. w.	white-leaved.	Jamaica.	1793.	5. 8. S. 4.
32 effusum. w.	spreading.	—	1769.	11. S. 4. Sloan. jam. 1. t. 57. f. 3.
33 Dryopteris. w.	tender-branch'd.	Britain.	6. 9. H. 4. Eng. bot. 616.
34 connectile. w.	connected.	N. America.	1812.	7. H. 4. Eng. bot. 1525.
35 calcareum. w.	rigid-branch'd.	Britain.	— H. 4.
WOODSIA. L.T.	WOODSIA.	Cryptogamia Filices. L.		
1 hyperborea. L.T.	hairy Alpine.	Scotland.	7. 9. H. 4. Eng. bot. 2023.
2 ilvensis. L.T.	rock.	N. America.	1812.	6. 7. H. 4. Schkuhr fil. t. 19.
PLEOPELTIS. K.S.	PLEOPELTIS.	Cryptogamia Filices.		
1 ensifolia. H.E.F.	sword-leaved.	S. America.	1823.	5. 6. S. 4. Hook. ex. flor. 62.
2 latifolia. L.C.	broad-leaved.	—	—	— S. 4.
3 nuda. D.P.	naked.	Nepaul.	—	— S. 4. Hook. ex. flor. 63.
ASPIDIUM. B.P.	SHIELD-FERN.	Cryptogamia Filices. W.		
1 trifoliatum. w.	three-leaved.	W. Indies.	1769.	4. 8. S. 4. Jacq. ic. 3. t. 638.
2 cicutarium. w.	Cicuta-leaved.	N. America.	1823.	— H. 4. Pluk. alm. t. 289. f. 4.
3 patens. w.	pubescent.	W. Indies.	1784.	7. 9. S. 4. Schkuhr fil. t. 334.
4 dentatum. w.	toothed.	Scotland.	7. H. 4. Eng. bot. 1588.
	<i>Cyathea dentata. E.B.</i>			
5 Halleri. w.	Haller's.	Switzerland.	1821.	4. 8. H. 4.
6 bulbiferum. w.	bulbiferous.	N. America.	1638.	7. 8. H. 4.
7 rhæticum. w.	stone.	Switzerland.	— H. 4.
8 axillare. w.	slenderMadeira.	Madeira.	1779.	6. 9. G. 4.
9 fragile. w.	brittle.	Britain.	6. 8. H. 4. Eng. bot. 1587.
10 regium. w.	lacinated.	—	6. H. 4. ——— 163.
	<i>Cyathea incisa. E.B.</i>			
11 ænulum. w.	dwarf.	Madeira.	1779. F. 4.
12 alpinum. w.	Alpine.	S. Europe.	1825.	6. 8. H. 4. Jacq. ic. 3. t. 642.
13 montanum. w.	mountain.	—	—	— H. 4.

14 irriguum, E.B.	brook.	Britain.	6.	H. 2.	Eng. bot. 2199.
15 atomarium, w.	small.	N.America.	1822.	6. 8.	H. 2.	
NEPHRODIUM, B.P. NEPHRODIUM. Cryptogamia Filices.						
1 Lonchitis, H.S.L.	rough Alpine.	Britain.	5. 8.	H. 2.	Eng. bot. 797.
<i>Aspidium Lonchitis</i> , E.B.						
2 auriculatum, H.S.L.	eared.	E. Indies.	1793.	7.	S. 2.	Burm. zeyl. t. 44. f. 2.
3 exaltatum, B.P.	lofty.	Jamaica.	—	5. 8.	S. 2.	Schkuhr fil. t. 32. b.
4 unitum, B.P.	smooth united.	E. Indies.	—	—	S. 2.	Burm. zeyl. t. 44. f. 1.
5 propinquum, B.P.	pubescent.	—	—	—	S. 2.	
6 molle, B.P.	soft.	N. S. W.	1822.	—	G. 2.	Jacq. ic. t. 640.
7 noveboracense, H.S.L.	river-side.	N.America.	1812.	7.	H. 2.	Schkuhr fil. t. 46.
8 pectinatum.	comb-like.	1823.	5. 8.	S. 2.	— t. 296.
<i>Aspidium trapezoides</i> , Schk.						
9 Oreopteris, H.S.L.	Heath.	Britain.	7.	H. 2.	Eng. bot. 1019.
10 Thelypteris, H.S.L.	Lady fern.	—	7. 8.	H. 2.	— 1018.
11 serra, w.	saw-like.	Jamaica.	1819.	—	S. 2.	
12 parasiticum, w.	parasitical.	E. Indies.	1824.	—	S. 2.	
13 cristatum, H.S.L.	crested heath.	Britain.	6. 7.	H. 2.	Eng. bot. 2125.
14 aculeatum, H.S.L.	common prickly.	—	6. 8.	H. 2.	— 1562.
15 marginale, H.S.L.	marginal-flg.	N.America.	1772.	6. 9.	H. 2.	Schkuhr fil. t. 45. b.
16 Filix-mas, H.S.L.	Male fern.	Britain.	6. 8.	H. 2.	Eng. bot. 1458.
<i>β Smithii</i> , Smith's. — — H. 2.						
<i>Aspidium cristatum</i> , E.B. 1949. non 2125.						
<i>γ erosum</i> , Ph. jagged. N.America. 1812. — H. 2. Schkuhr fil. t. 45.						
17 fragrans, Spr.	fragrant.	Europe.	—	H. 2.	
18 lobatum, H.S.L.	close-leaved.	England.	6. 9.	H. 2.	Eng. bot. 1563.
19 intermedium, w.	intermediate.	N.America.	1816.	—	H. 2.	
20 spinulosum, H.S.L.	crested prickly.	Britain.	6. 8.	H. 2.	Eng. bot. 1460.
21 dilatatum, H.S.L.	great crested.	—	—	H. 2.	— 1461.
22 rigidum, w.	rigid.	Germany.	1816.	—	H. 2.	
23 elongatum, H.S.L.	cut-leaved.	Madeira.	1779.	7. 8.	F. 2.	
24 villosum, H.S.L.	villous.	W. Indies.	1793.	7.	S. 2.	Schkuhr fil. t. 46. b.
25 decompositum, B.P.	decompound.	N. S. W.	1820.	6. 8.	F. 2.	
26 asplenoides, M.	Spleenwort-like.	N.America.	—	—	H. 2.	Schkuhr filic. t. 78.
ALLANTODIA, B.P. ALLANTODIA. Cryptogamia Filices.						
1 umbrosa, B.P.	Madeira.	Madeira.	1779.	6. 9.	F. 2.	Schkuhr fil. t. 61.
2 australis, B.P.	southern.	V. Diem. Isl.	1820.	—	F. 2.	
3 tenera, B.P.	membranaceous.	N. S. W.	—	—	F. 2.	
ASPLENIUM, B.P. SPLEENWORT. Cryptogamia Filices. L.						
1 fontanum, B.P.	smooth rock.	England.	6. 8.	H. 2.	Eng. bot. 2024.
<i>Aspidium fontanum</i> , E.B.						
2 Filix-femina, B.P.	female fern.	Britain.	6. 9.	H. 2.	Eng. bot. 1459.
3 Adiantum-nigrum, w.	black.	—	4. 10.	H. 2.	— 1950.
4 lanceolatum, E.B.	lanceolate.	England.	6. 10.	H. 2.	— 240.
5 zamiaefolium, B.C.	Zamia-leaved.	W. Indies.	1818.	—	S. 2.	Lodd. bot. cab. 854.
6 montanum, w.	mountain.	N.America.	1812.	7.	H. 2.	
7 ambiguum, w.	ambiguous.	Java.	1818.	6. 8.	S. 2.	
8 fragrans, w. —	fragrant.	Jamaica.	1793.	7.	S. 2.	
9 Ruta muraria, w.	Wall-ruc.	Britain.	6. 10.	H. 2.	Eng. bot. 150.
10 cicutarium, K.S.	Cicuta-like.	S. America.	1822.	—	S. 2.	Plum. fil. t. 48. a.
11 formosum, w.	handsome.	Santa Cruz.	—	—	S. 2.	
12 præmorsum, w.	snip-leaved.	Jamaica.	1793.	—	S. 2.	Pluk. alm. t. 73. f. 5.
13 striatum, w.	striated.	W. Indies.	—	6. 8.	S. 2.	Plum. fil. t. 18. 19.
14 thelypteroides, w.	Ladyfern-like.	N.America.	1823.	7.	H. 2.	Schkuhr fil. t. 76. b.
15 rhizophorum, w.	root-bearing.	Jamaica.	1793.	6. 8.	S. 2.	Sloan. j. 1. t. 29. 30. f. 1.
16 viride, w.	green.	Britain.	6. 9.	H. 2.	Eng. bot. 2257.
17 melanocaulon, w.	black-stalked.	N.America.	1812.	7.	H. 2.	
18 Trichomanes, w.	Maiden hair.	Britain.	..	5. 10.	H. 2.	Eng. bot. 576.
19 germanicum, w.	alternate-leav'd.	Scotland.	6. 10.	H. 2.	— 2258.
<i>alternifolium</i> , E.B. <i>Breynei</i> , Sw.						
20 ebeneum, w.	ivory striped.	N.America.	1779.	9.	H. 2.	Lodd. bot. cab. 5.
21 angustifolium, w.	narrow-leaved.	—	1812.	6. 7.	H. 2.	Schkuhr fil. t. 67. 69.
22 monanthemum, w.	one-flowered.	C. B. S.	1790.	7.	G. 2.	Sm. ined. t. 73.
23 marinum, w.	sea-side.	Britain.	6. 10.	H. 2.	Eng. bot. 392.
24 odontites, B.P.	long-leaved.	N. Holland.	1822.	—	G. 2.	Thunb. n.a.p. 9. t. E. f. 1.
25 dentex, w.	toothed.	C. B. S.	1790.	—	G. 2.	
26 laxum, B.P.	loose.	V. Diem. Isl.	1822.	6. 7.	F. 2.	Lab. n. holl. 2. t. 243.
27 difforme, B.P.	deformed.	N. S. W.	—	—	F. 2.	
28 falcatum, B.P.	sickle-leaved.	—	1825.	—	F. 2.	

29	attenuatum. B.P.	slender.	N. S. W.	1825.	6. 7.	F. 4.	
30	septentrionale. w.	forked.	Britain.	6. 10.	H. 2.	Eng. bot. 1017.
31	Hemionitis. L.	Mule's-fern.	Canaries.	1779.	6. 7.	G. 4.	Schkuhr fil. t. 66.
	<i>palmatum</i> . B.C. scs.						
32	flabellifolium. w.	fan-leaved.	N. S. W.	1825.	—	G. 4.	Hook. ex. flor. 208.
33	rhizophyllum. w.	rooting-leaved.	N. America.	1680.	—	H. 2.	
34	Nidus. B.P.	nest.	N. Holland.	1822.	—	F. 2.	
35	serratum. w.	saw-leaved.	W. Indies.	1793.	—	S. 2.	Schkuhr fil. t. 64.
SCOLEPENDRIUM . W. HART'S-TONGUE. Cryptogamia Filices. W.							
	officinarium. w.	common.	Britain.	7. 8.	H. 2.	Eng. bot. 1150.
	<i>β crispum</i> .	curled-leaved.	—	—	H. 2.	
	<i>γ undulatum</i> .	waved-leaved.	—	—	H. 2.	Pluk. phyt. 248. f. 1.
	<i>δ multifidum</i> .	clustered.	—	—	H. 2.	
	<i>ε ramosum</i> .	branching.	—	—	H. 2.	Pluk. phyt. 248. f. 2.
DOODIA . B.P. DOODIA. Cryptogamia Filices.							
1	aspera. B.P.	rough-stalked.	N. S. W.	1808.	3. 9.	G. 2.	Hook. ex. flor. 8.
2	caudata. B.P.	tailed.	—	1822.	—	G. 2.	— 25.
WOODWARDIA . W. WOODWARDIA. Cryptogamia Filices. W.							
1	onocleoides. w.	Onoclea-like.	N. America.	1812.	8.	H. 2.	Schkuhr fil. t. 111.
2	virginica. w.	Virginian.	—	1774.	8. 9.	H. 2.	Pluk. alm. t. 179. f. 2.
3	radicans. w.	rooting-leaved.	Madeira.	1779.	9.	G. 2.	Schkuhr fil. t. 112.
BLECHNUM . W. BLECHNUM. Cryptogamia Filices. W.							
1	cartilagineum. B.P.	cartilaginous.	N. S. W.	1822.	6. 8.	F. 2.	
2	borcaie. w.	northern.	Britain.	7.	H. 2.	Eng. bot. 1159.
3	australe. w.	Cape.	C. B. S.	1691.	3. 9.	G. 2.	Schkuhr fil. t. 110. b.
4	occidentale. w.	American.	S. America.	1777.	—	S. 2.	Jacq. ic. 3. t. 644.
5	laevigatum. B.P.	smooth.	N. S. W.	1820.	—	G. 2.	
6	glandulosum. L.en.	glandular.	Brazil.	1823.	—	S. 2.	
LOMARIA . W. LOMARIA. Cryptogamia Filices. W.							
1	nuda.	naked.	V. Diem. Isl.	1822.	4. 8.	F. 2.	Lab. n. hol. 2. t. 246.
	<i>Onoclea nuda</i> . Lab.	<i>Stegania nuda</i> . B.P.					
2	procera.	lofty.	N. Holland.	—	—	F. 2.	Lab. n. hol. 2. t. 247.
	<i>Blechnum procerum</i> . Lab.	<i>Stegania procera</i> . B.P.					
ONOCLEA . W. ONOCLEA. Cryptogamia Filices. L.							
1	sensibilis. w.	sensitive fern.	Virginia.	1799.	8.	H. 2.	Schkuhr fil. t. 102.
2	obtusilobata. Ph.	blunt-lobed.	N. America.	1812.	7.	H. 2.	— t. 103.
3	Struthiopteris. Sw.	Russian.	Europe.	1760.	7. 8.	H. 2.	— t. 105.
	<i>Struthiopteris germanica</i> . w.en.	<i>Osmunda Struthiopteris</i> . L.					
VITTARIA . W. VITTARIA. Cryptogamia Filices. W.							
	lineata. w.	linear-leaved.	America.	1793.	S. 2.	Schkuhr fil. t. 101. b.
DIPLAZIUM . W. DIPLAZIUM. Cryptogamia Filices. W.							
1	grandifolium. w.	large-leaved.	Jamaica.	1793.	S. 2.	
2	plantaginifolium. w.	Plantain-leav'd.	W. Indies.	1822.	S. 2.	
3	barbadense. w.	Barbadoes.	—	—	S. 2.	
4	esculentum. w.	-eatable.	Ceylon.	—	S. 2.	
PTERIS . W. BRAKE. Cryptogamia Filices. L.							
1	pedata. w.	pedate.	W. Indies.	1816.	5. 8.	S. 2.	Pet. fil. 176. t. 8. f. 12.
2	argentea. w.	silvery.	Siberia.	—	—	H. 2.	
3	longifolia. w.	long-leaved.	W. Indies.	1770.	7. 9.	S. 2.	Jacq. sch. 3. t. 339. 400.
4	grandifolia. w.	large-leaved.	—	1793.	S. 2.	Schkuhr fil. t. 89.
5	serrulata. w.	various-leaved.	India.	1770.	8. 9.	S. 2.	— t. 91.
6	cretica. w.	Cretan.	Candia.	1818.	5. 7.	G. 2.	
7	atropurpurea. w.	dark purple.	N. America.	1770.	8. 9.	H. 2.	Schkuhr fil. t. 101.
8	memoralis. w.en.	wood.	Africa.	1823.	5. 8.	S. 2.	
9	Plumieri. L.en.	Plumier's.	S. America.	1818.	—	S. 2.	
10	arguta. w.	sharp-notched.	Madeira.	1778.	8. 9.	F. 2.	Pluk. alm. t. 290. f. 2.
11	umbrosa. B.P.	shade.	N. S. W.	1823.	5. 8.	F. 2.	
12	vespertilionis. B.P.	Bat-winged.	—	—	—	F. 2.	Lab. nov. hol. 2. t. 245.
13	tremula. B.P.	trembling.	—	1822.	—	F. 2.	
14	esculenta. B.P.	esculent.	—	1815.	—	F. 2.	Lab. nov. hol. 2. t. 244.
15	gracilis. w.	slender.	Canada.	1823.	7.	H. 2.	
16	hastata. w.	hastate.	W. Indies.	—	5. 8.	S. 2.	
17	crispa. w.	curled.	Britain.	7. 8.	H. 2.	Eng. bot. 1160.
18	aculeata. w.	prickly-stem'd.	W. Indies.	1793.	S. 2.	Plum. fil. t. 5. et 11.
19	falcata. B.P.	falcate.	N. S. W.	1820.	5. 7.	F. 2.	
20	caudata. w.	American.	N. America.	1777.	9. 12.	H. 2.	Jacq. ic. 3. t. 645.
21	aquilina. E.B.	common.	Britain.	7. 8.	H. 2.	Eng. bot. 1679.
22	lanuginosa. w.	woolly.	Bourbon.	1818.	—	S. 2.	
23	podophylla. w.	pedated.	Jamaica.	1793.	6. 7.	S. 2.	Brown jam. 89. t. 1.

Systematic Names.	English Names.	Native Soll. Introduced.	Flowering.	Reference to Figures.
24 palmata. w.	palmated.	W. Indies. 1823.	6. 7. S. 2.	
25 sagittata. w.	arrow-leaved.	S. America. 1820.	— S. 2.	
26 cordata. w.	heart-leaved.	Mexico. 1825.	— G. 2.	
TÆNITIS. W.	TÆNITIS. Cryptogamia Filices. W.			
graminifolia. H.E.F.	grass-leaved.	Trinidad. 1820.	6. 8. S. 2.	Hook. ex. flor. 77.
ADIANTUM. W.	MAIDENHAIR. Cryptogamia Filices. L.			
1 reniforme. w.	kidney-leaved.	Madeira. 1699.	6. 9. G. 2.	Lodd. bot. cab. 841.
2 radiatum. w.	radiated.	W. Indies. 1776.	4. 8. S. 2.	Plum. fil. t. 100.
3 macrophyllum. w.	large-leaved.	Jamaica. 1793. S. 2.	Brown jam. t. 38. f. 1.
4 pedatum. w.	Canadian.	N. America. 1640.	8. 9. H. 2.	Schkuhr fil. t. 115.
5 hispidulum. B.P.	bristly.	N. Holland. 1822.	5. 8. G. 2.	
6 formosum. B.P.	handsome.	N. S. W. —	— G. 2.	
7 villosum. w.	hairy-stalked.	Jamaica. 1775.	6. 9. S. 2.	Schkuhr fil. t. 120.
8 pulverulentum. w.	dusty.	W. Indies. 1793. S. 2.	— — — — t. 119.
9 trapeziforme. w.	rhomb-leaved.	— — — — S. 2.	— — — — t. 122.
10 assimile. B.P.	likened.	N. S. W. 1823.	5. 8. G. 2.	Lab. n. hol. 2. t. 248. f. 2.
trigonum. Lab.				
11 Capillus-veneris. w.	true.	Britain.	5. 9. H. 2.	Eng. bot. 1564.
12 tenerum. w.	tender.	Jamaica. 1793.	7. S. 2.	Pluk. alm. t. 254. f. 1.
13 serrulatum. w.	saw-leaved.	— — — —	6. 8. S. 2.	Sloan. j. 17. t. 36. f. 2.
CHEILANTHES. W.	CHEILANTHES. Cryptogamia Filices. W.			
1 vestita. w.	clothed.	N. America. 1812.	7. H. 2.	Schkuhr fil. t. 124.
<i>Aspidium lanosum.</i> Sw.	<i>Woodsia vestita.</i> Spr.			
2 pteroides. w.	Pteris-like.	C. B. S. 1775.	7. 9. G. 2.	Hout. n. hist. t. 96. f. 3.
3 odora. w.	sweet-scented. 1824.	— S. 2.	
4 fragrans. w.	fragrant.	Madeira. 1778.	— G. 2.	Sw. syn. fil. t. 3. f. 6.
5 hirta. w.	hairy.	C. B. S. 1816.	5. 8. G. 2.	
6 ferruginea. L.en.	ferruginous. —	— S. 2.	
7 microphylla. w.	small-leaved.	W. Indies. 1822.	— S. 2.	
8 lentigera. w.	chaffy.	S. America. —	— S. 2.	
LONCHITIS. W.	LONCHITIS. Cryptogamia Filices. W.			
1 hirsuta. w.	hairy.	W. Indies. 1793. S. 2.	Schkuhr fil. t. 86.
LINDSÆA. B.P.	LINDSÆA. Cryptogamia Filices. W.			
1 linearis. B.P.	linear-leaved.	N. S. W. 1820.	4. 6. G. 2.	Sw. fil. 118. t. 3. f. 3.
2 microphylla. B.P.	small-leaved.	— — — —	— G. 2.	
DAVALLIA. W.	DAVALLIA. Cryptogamia Filices. W.			
1 pyxidata. B.P.	shining.	N. S. W. 1808.	4. 9. G. 2.	
2 canariensis. w.	Hare's-foot fern.	Canaries. 1699.	— G. 2.	Jacq. ic. 1. t. 200.
DICKSONIA. W.	DICKSONIA. Cryptogamia Filices. W.			
1 Culcita. w.	shining-leaved.	Madeira. 1779.	9. 10. G. 2.	
2 arborescens. w.	tree.	S. Helena. 1786.	6. 12. S. 2.	Jacq. ic. 201.
3 dissecta. w.	cut-leaved.	Jamaica. 1793.	9. 10. S. 2.	
4 pilosiuscula. w.	hairy.	N. America. 1811.	7. 9. H. 2.	Schkuhr fil. t. 131.
CYATHEA. B.P.	CYATHEA. Cryptogamia Filices. W.			
1 arborea. w.	tree.	W. Indies. 1793. S. 2.	Plum. fil. 1. t. 1. 2.
2 excelsa. Boj.	tall.	Mauritius. 1825. S. 2.	
ALSOPHILA. B.P.	ALSOPHILA. Cryptogamia Filices.			
australis. B.P.	southern.	N. S. W. 1820. G. 2.	
TRICHOMANES. W.	TRICHOMANES. Cryptogamia Filices. W.			
1 breisetum. H.K.	short-styled.	Britain.	5. 6. H. 2.	Eng. bot. 1417.
<i>Hymenophyllum alatum.</i> E.B.				
2 membranaceum. w.	membranaceous.	W. Indies. 1820.	5. 8. S. 2.	Hook. ex. flor. 76.
HYMENOPHYLLUM. FILMY-LEAF. Cryptogamia Filices. W.				
tunbridgense. w.	Tunbridge.	Britain.	5. 6. H. 2.	Eng. bot. 162.
POLYBOTRYA. K.S.	POLYBOTRYA. Cryptogamia Filices.			
vivipara. H.E.F.	viviparous.	W. Indies. 1823.	5. 8. S. 2.	Hook. ex. flor. 107.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. p. 1.

CLEMATIS. p. 1.	VIRGIN'S-BOWER.						
33 campaniflora. DC.	bell-flowered.	Portugal.	1822.	6. 8.	H. h. ~.	Lodd. bot. cab. 987.	
34 paniculata. DC.	panicled.	Japan.	1789.	—	G. h. ~.	Hout. pflanz. 7. f. 2.	
THALICTRUM. 2.	MEADOW-RUE.						
48 polygamum. s.s.	polygamous.	N. America.		5. 7.	H. 4.		
RANUNCULUS. 4.	CROWFOOT.						
62 cymbalariae. DC.	Cymbalaria-ld.	—	1823.	—	H. 4.	Amm. ruth. t. 13. f. 2.	
63 millefoliatus. DC.	many-leaved.	Greece.	1824.	4. 7.	H. 4.	Flor. græc. t. 521.	
64 tuberosus. DC.	tuberous-root'd.	Pyrenees.	—	—	H. 4.		
65 napellifolius. DC.	Napellus-ld.	Greece.	1825.	5. 7.	H. 4.		
66 dissectus. DC.	cut-leaved.	Siberia.	1823.	—	H. 4.		
67 plebeius. DC.	Plebeian.	N. S. W.	—	—	H. 4.		
68 hirtus. DC.	New Zealand.	N. Zealand.	—	—	H. 4.		
69 fascicularis. DC.	fascicled.	N. America.	—	4. 5.	H. 4.		
70 tuberculatus. DC.	tuberled.	—	5. 6.	H. 4.		
71 trilobus. DC.	three-lobed.	S. Europe.	1824.	—	H. 4.	Desf. atl. 1. t. 113.	
72 filiformis. M.	filiform.	N. America.	1816.	—	H. w. 4.		
TROLLIUS. 6.	GLOBE-FLOWER.						
6 patulus. DC.	spreading.	Greece.	5. 6.	H. 4.	Sm. ic. ined. 1. t. 37.	
<i>ranunculinus. Sm.</i>							
DELPHINIUM. 7.	LARKSPUR.						
1 virgatum. DC.	twiggy.	Syria.	1824.	6. 9.	H. 4.	Deless. ic. scl. 1. t. 55.	
2 albiflorum. DC.	white-flowered.	Armenia.	1823.	—	H. 4.	— 1. t. 58.	
3 spurium. F.	spurious.	Siberia.	1824.	—	H. 4.		
ACONITUM. 7.	MONKSHOOD.						
1 albidum. R.U.	whitish.	Europe.	1824.	6. 8.	H. 4.		
2 decorum. R.U.	neat.	—	—	—	H. 4.		
3 Kœhleri. R.U.	Koehler's.	—	1823.	—	H. 4.		
4 meloctonum. R.U.	Badger-bane.	—	—	—	H. 4.		
5 nasutum. F.	nosed.	Siberia.	—	—	H. 4.		
6 nemorosum. M.B.	wood.	Tauria.	—	—	H. 4.		
7 oligocarpum. R.U.	few-podded.	Europe.	—	—	H. 4.		
8 pubescens. R.U.	pubescent.	—	1824.	—	H. 4.		
9 recognitum. R.U.	recognised.	—	—	—	H. 4.		
10 Schleicheri. R.U.	Schleicher's.	Switzerland.	—	—	H. 4.		
11 versicolor. R.U.	various-color'd.	Europe.	—	H. 4.	Lodd. bot. cab. 794.	
12 zoocotonum. R.U.	Beast-banc.	—	1824.	—	H. 4.		

DILLENIIACEÆ. p. 10.

TETRACERA. p. 10.	TETRACERA.						
4 obovata. DC.	obovate-leaved.	Senegal.	1822.	S. h. ~.		
CURATELLA. 10.	CURATELLA.						
2 alata. v.	wing'd-petioled.	Guiana.	S. h. 2.	Venten. choix. t. 49.	
PLEURANDRA. 10.	PLEURANDRA.						
4 cneurum. DC.	blunt-leaved.	N. S. W.	1824.	5. 7.	G. h. 2.		
5 stricta. DC.	upright.	—	1822.	—	G. h. 2.		
6 calycina. DC.	linear-leaved.	—	—	—	G. h. 2.		
CANDOLLEA. DC.	CANDOLLEA.						
cuneiformis. DC.	wedge-leaved.	N. Holland.	1823.	5. 8.	G. h. 2.	Lab. n. holl. 2. t. 176.	
HIBBERTIA. 10.	HIBBERTIA.						
7 saligna. DC.	Willow-leaved.	N. S. W.	1824.	5. 8.	G. h. 2.		
COLBERTIA. 10.	COLBERTIA.						
2 scabrella. D.P.	rough.	Nepaul.	1826.	S. h. 2.		

WINTEREÆ. p. 11.

TASMANNIA. DC.	TASMANNIA.	Diœcia Polyandria.		
dipetala. DC.	two-petaled.	N. S. W.	1824.	5. 8. G. ½.

ANONACEÆ. p. 11.

ANONA. p. 11.	CUSTARD-APPLE.			
14 laurifolia. DC.	Laurel-leaved.	W. Indies.	1824. S. ½. Catesb. car. 2. t. 67.
15 amplexicaulis. DC.	stem-clasping.	Mauritius.	— S. ½.
UVARIA. 12.	UVARIA.			
5 velutina. DC.	velvetty.	E. Indies.	1825. S. ½.
6 lucida. Boj.	shining.	E. Africa.	— S. ½.

SARRACENIÆ. p. 14.

SARRACENIA. W.	SIDE-SADDLE-FLOWER.	Polyandria Monogynia. L.		
1 purpurea. w.	purple.	N. America.	1640.	6. 7. H. ¼. Botan. magaz. 849.
2 rubra. w.	red-flowered.	—	1786.	— H. ¼. Hook. ex. flor. 13.
	<i>psittacina. M?</i>			
3 variolaris. w.	hook-leaved.	—	1803.	— H. ¼. Botan. magaz. 1710.
	<i>adunca. Ex. bot. t. 53.</i>			
4 flava. w.	yellow.	—	1752.	— H. ¼. ———— 780.

PAPAVERACEÆ. p. 15.

PAPAVER. 15.	POPPY.			
19 horridum. DC.	prickly-stalked.	N. S. W.	1825.	6. 8. H. ⊙. Swt. br. fl. gar. 173.
MACLEAYA. Br.	MACLEAYA.	Polyandria Monogynia.		
cordata. Br.	heart-leaved.	China.	1795.	5. 8. H. ¼. Botar. magaz. 1905.
<i>Bocconia cordata. p. 16.</i>				

FUMARIACEÆ. p. 16.

DICLYTRA. 16.	DICLYTRA.			
7 tenuifolia. DC.	slender-leaved.	Kantschatka.	1824.	5. 7. H. ¼.
CORYDALIS. 17.	CORYDALIS.			
19 stricta. DC.	upright.	Siberia.	1825.	5. 7. H. ¼.
20 sibirica. DC.	Siberian.	—	—	H. ¼. Amm. ruth. t. 20.
21 acaulis. DC.	stalkless.	Hungary.	—	7. 9. H. ⊙. Jacq. ic. 3. t. 554.
FUMARIA. 17.	FUMITORY.			
8 micrantha. Lag.	small-blossom'd. Spain.		1824.	5. 7. H. ⊙.

CRUCIFERÆ. p. 17.

MATHIOLA. 17.	STOCK.			
15 torulosa. DC.	twisted-podded.	C. B. S.	1816.	5. 8. G. ½.
16 tatarica. DC.	Tartarian.	Tartary.	1826.	— H. ¼. Pall. it. 1. app. t. O.
17 coronopifolia. DC.	Buckshorn-ld.	S. Europe.	1825.	— H. ¼. Flor. græc. t. 637.
BARBAREA. p. 19.	WINTER CRESS.			
5 taurica. DC.	Taurian.	Tauria.	1825.	7. 9. H. ¼.
ARABIS. 19.	WALL-CRESS.			
34 mollis. DC.	soft.	Caucasus.	1825.	5. 7. H. ♂.
35 curtisiliqua. DC.	short-podded.	Scania.	—	— H. ♂.
36 præcox. DC.	early.	Hungary.	1822.	4. 6. H. ¼.
37 ambigua. DC.	ambiguous.	Siberia.	1824.	5. 7. H. ¼.
38 cebennensis. DC.	pale violet.	S. France.	—	— H. ♂.
39 lasioloba. DC.	woolly podded.	Mexico.	—	— H. ♂.
CARDAMINE. 19.	LADY'S-SMOCK.			
18 rhomboidea. DC.	rhomboid.	N. America.	1825.	5. 7. H. w. ¼.
19 granulosa. DC.	granular.	Italy.	1824.	— H. ¼.
20 uliginosa. DC.	marsh.	Caucasus.	—	— H. w. ¼.
21 prorepens. DC.	creeping.	Siberia.	1825.	— H. w. ¼.
22 pensylvanica. DC.	Pensylvanian.	N. America.	1823.	— H. ¼.
23 umbrosa. DC.	shade.	Europe.	—	6. 8. H. ⊙.

21 glauca. DC.	glaucous.	Italy.	1824.	5. 7.	H. 2.	
DENTARIA. 20.	TOOTH-WORT.					
10 trifolia. DC.	three-leaved.	Hungary.	1824.	5. 6.	H. 2.	W. et K. hung. 2. t. 139.
11 tenuifolia. DC.	slender-leaved.	Siberia.	1825.	—	H. 2.	Gmel. sib. 3. n. 41. t. 65.
FIBIGIA. Med.	FIBIGIA.	Tetradynamia Siliculosa.				
1 suffruticosa.	suffruticose.	Persia.	1820.	4. 5.	G. 2.	Vent. cels. t. 19.
	<i>Farsetia suffruticosa</i> , p. 20.					
2 lunarioides.	oriental.	Grecee.	1731.	6. 7.	H. 2.	Tourn. ic. ed. ger. 1. t. 30
3 clypeata. Med.	buckler podded.	S. Europe.	1596.	—	H. 3.	Swt. br. fl. gar. ic.
	<i>Farsetia clypeata</i> , p. 20.					
KONIGA. Br.	KONIGA.	Tetradynamia Siliculosa.				
maritima. Br.	sweet.	England.	5. 10.	H. 2.	Eng. bot. 1729.
	<i>Alyssum maritimum</i> , p. 21.					
VESICARIA. 20.	VESICARIA.					
5 Ludoviciana. DC.	Missouri.	Missouri.	1825.	5. 6.	H. 2.	
ADYSETON. Scop.	ADYSETON.	Tetradynamia Siliculosa.				
1 saxatile.	rock.	Russia.	1710.	4. 5.	H. 2.	Botan. magaz. 159.
	<i>Alyssum saxatile</i> , p. 21.	<i>Aurinia saxatilis</i> , Desv.				
2 gemonense.	canescent.	Germany.	—	—	H. 2.	Jacq. ic. 3. t. 503.
3 orientale.	oriental.	Crete.	—	H. 2.	Flor. græc. t. 625.
4 spathulatum.	spathulate.	Siberia.	1821.	4. 6.	H. 2.	Deles. ic. sel. 2. t. 37.
	<i>Alyssum spathulatum</i> , p. 21.					
5 argenteum.	silvery.	Switzerland.	—	5. 6.	H. 2.	All. ped. t. 54. f. 3.
6 Bertolonii.	Bertoloni's.	Italy.	1825.	—	H. 2.	
7 murale.	wall.	Europe.	1801.	6. 8.	H. 2.	W. et K. hung. 1. t. 6.
8 obtusifolium.	blunt-leaved.	Siberia.	1812.	—	H. 2.	Deles. ic. sel. 2. t. 38.
9 serpyllifolium.	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. 2.	
10 tortuosum.	twisted.	Hungary.	1804.	6. 7.	H. 2.	W. et K. hung. 1. t. 91.
11 vernale.	vernal.	1823.	4. 5.	H. 2.	Schrank. h. mon. t. 96.
12 alpestre.	Italian.	Italy.	1777.	6. 10.	H. 2.	Flor. græc. t. 624.
13 montanum. sc.	mountain.	Germany.	1713.	5. 8.	H. 2.	Botan. magaz. 419.
14 cuneifolium.	wedge-leaved.	Naples.	1825.	—	H. 2.	
15 diffusum.	spreading.	—	—	—	H. 2.	
16 Wulfenianum.	Wulfen's.	Carinthia.	1821.	—	H. 2.	
	<i>Alyssum Wulfenianum</i> , p. 21.					
ANODONTEA. DC.	ANODONTEA.	Tetradynamia Siliculosa.				
1 edentula.	toothless.	Hungary.	1821.	5. 6.	H. 3.	W. et K. hung. 1. t. 92.
	<i>Alyssum edentulum</i> , p. 21.					
2 rupestris.	silvery rock.	Italy.	1824.	—	H. 2.	Ten. fl. nap. t. 60.
3 halimifolia.	Halimus-leav'd.	—	—	—	H. 2.	All. ped. t. 54. f. 1.
	<i>Alyssum halimifolium</i> , p. 21.					
4 spinosum.	thorny.	S. Europe.	1683.	6. 8.	F. 2.	Barrel. ic. t. 808.
5 macrocarpum.	large-podded.	—	1825.	—	F. 2.	
	<i>Alyssum macrocarpum</i> , DC.					
DRABA. 21.	WHITLOW-GRASS.					
21 bruniaefolia. DC.	Brunia-leaved.	Caucasus.	1825.	6.	H. 2.	
22 pilosa. DC.	pilose.	Siberia.	—	5. 6.	H. 2.	
23 glacialis. DC.	starry-haired.	—	—	—	H. 2.	
24 repens. DC.	creeping.	Caucasus.	1823.	—	H. 2.	
25 Gmelini. DC.	Gmelin's.	Siberia.	—	—	H. 2.	
26 muricella. DC.	tufted.	N. Europe.	1825.	—	H. 2.	Wahl. fl. lapp. t. 11. f. 2.
27 nivalis. DC.	snowy.	—	1824.	—	H. 2.	Flor. dan. t. 142.
28 lapponica. DC.	Lapland.	—	—	—	H. 2.	Wahl. fl. lap. t. 11. f. 5.
29 daurica. DC.	Daurian.	Dauria.	—	—	H. 3.	
30 aurea. DC.	golden.	Greenland.	—	—	H. 3.	Flor. dan. t. 1460.
31 lutea. DC.	yellow.	Caucasus.	1825.	5. 8.	H. 2.	Desf. ann. mus. 11. t. 38.
KERNERA. Br.	KERNERA.	Tetradynamia Siliculosa.				
1 saxatilis.	rock.	Europe.	1775.	6. 7.	H. 2.	Jacq. aust. 2. t. 128.
	<i>myagroides</i> , Med.	<i>Cochlearia saxatilis</i> , p. 22.				
	<i>β incisa</i> .	<i>cut-leaved</i> .	—	—	H. 2.	Moris. ox. 2. s. 3. t. 17.
2 auriculata.	eared.	Pyrenees.	1824.	5. 6.	H. 2.	Berg. phyt. 3. p. 140. ic.
	<i>Cochlearia auriculata</i> , p. 22.					
COCHLEARIA. p. 22.	SCURVY-GRASS.					
12 fenestrata. DC.	fenestrate.	N. Europe.	1820.	4. 5.	H. 2.	
13 acaulis. DC.	stalkless.	Portugal.	1823.	3. 4.	H. 2.	Jacq. ecl. t. 132.
	<i>pusilla</i> , Jacq.					
CAPSELLA. 22.	SHEPHERD'S-PURSE.					
2 procumbens. Br.	procumbent.	Europe.	1823.	3. 5.	H. 2.	Hill. veg. syst. t. 42. f. 1.
	<i>Hutchinsia procumbens</i> , p. 22.	<i>Lepidium procumbens</i> , L.				

IBERIS. 22.	CANDY-TUFT.					
19 contracta. DC.	contracted.	Spain.	1824.	4. 6.	H. \bar{h} .	
HESPERIS. 24.	ROCKET.					
10 heterophylla. DC.	various-leaved.	Naples.	1825.	5. 6.	H. \bar{h} .	
11 elata. DC.	tall.	—	5. 8.	H. \bar{h} .	
12 grandiflora. B.M.	large-flowered.	1818.	—	H. \bar{h} ?	
SISYMBRIUM. 24.	SISYMBRIUM.					
31 Tillieri. w.	Tillier's.	Switzerland.	1824.	6. 8.	H. \odot .	
32 rigidum. DC.	rigid.	Tauria.	—	—	H. \odot .	Pall.it.3.ap.t.Mm.f.1.
ERYSIMUM. 25.	ERYSIMUM.					
22 gracile. DC.	slender.	Caucasus.	1824.	6. 8.	H. δ .	
23 asperum. DC.	rough.	N.America.	—	—	H. δ .	
24 Redowskii. DC.	Redowski's.	Siberia.	1825.	—	H. δ .	
25 pumilum. DC.	dwarf.	Switzerland.	1824.	—	H. δ .	
26 patulum. DC.	spreading.	—	—	H. δ .	
STANLEYA. DC.	STANLEYA.	Tetradymia	Siliquosa.			
pinnatifida. DC.	pinnatifid.	Missouri.	1812.	5. 6.	H. \bar{h} .	
<i>Cleome pinnata.</i> Ph.						
LEPIDIUM. p. 26.	PEPPERWORT.					
26 vesicarium. DC.	bladdered.	Levant.	4. 8.	H. \odot .	Hill.veg.sys.11.t.41.f.3
SINAPIS. 28.	MUSTARD.					
24 geniculata. DC.	jointed.	Barbary.	1824.	7. 9.	H. \odot .	
25 cernua. DC.	drooping.	China.	—	—	H. \odot .	
26 hastata. DC.	hastate-leaved.	N.Holland.	—	—	H. \odot .	
27 ramosa. H.B.	branching.	E. Indies.	1823.	—	H. \odot .	

CAPPARIDÆ. p. 31.

GYNANDROPSIS. 31.	GYNANDROPSIS.					
5 Candelabrum.	Chandelier.	1824.	6. 8.	H. \odot .	Botan. magaz. 2656.
<i>Cleome Candelabrum.</i> B.M.						
CLEOME. 32.	CLEOME.					
rosea. DC.	rose-coloured.	Brazil.	1825.	5. 8.	S. \odot .	Botan. regist. 960.
CRATÆVA. 32.	CRATÆVA.					
3 Roxburghii. Br.	Roxburgh's.	E. Indies.	1822.	S. \bar{h} .	
<i>Capparis trifoliata.</i> H.B.						
RITCHIEA. Br.	RITCHIEA.	Dodecandria	Monogynia.			
fragrans.	fragrant.	Sierra Leon.	1795.	6. 7.	S. \bar{h} .	Botan. mag. 596.
<i>Cratæva fragrans.</i> p. 32.						
CAPPARIS. 33.	CAPER-TREE.					
23 verrucosa. DC.	warted.	S. America.	1823.	S. \bar{h} .	Jacq. amer. t. 29.
MORISONIA. DC.	MORISONIA.	Monadelphia	Polyandria. L.			
americana. DC.	American.	Caribees.	1824.	S. \bar{h} .	Jacq. amer. t. 97.

RESEDACEÆ. p. 33. misplaced at p. 150.

RESEDA. 150.	RESEDA.				
23 chinensis. s.s.	Chinese.	China.	1824.	6. 8.	H. δ .

DATISCEÆ. *Brown in app. to Denham and Clap. trav.*

DATISCA. L.	DATISCA.	Diœcia	Dodecandria. L.			
1 cannabina. L.	Hemp-like.	Candia.	1640.	7. 9.	H. \bar{h} .	Schkuhr hand. 3. t. 336.
2 hirta. w.	hairy.	Pensylvania.	1826.	9. 10.	H. \bar{h} .	

CISTINEÆ. p. 34.

CISTUS. p. 34.	ROCK-ROSE.					
29 canescens. s.c.	canescent.	S. Europe.	6. 8.	H. \bar{h} .	Swt. cist. t. 45.
30 obtusifolius. s.c.	blunt-leaved.	Crete.	1822.	6. 8.	H. \bar{h} .	— t. 42.
31 platysepalus. s.c.	broad-sepaled.	—	H. \bar{h} .	— t. 47.
32 psilosepalus. s.c.	smooth-sepaled.	S. Europe.	1822.	—	H. \bar{h} .	— t. 33.
HELIANTHEMUM. 34.	SUN-ROSE.					
84 involucreatum. DC.	short pedicled.	S. Europe.	1826.	6. 8.	F. \bar{h} .	
85 candidum. s.c.	white-leaved.	Spain.	1822.	—	F. \bar{h} .	Swt. cist. t. 25.
86 brasiliense. DC.	Brazilian.	Brazil.	1823.	—	F. \bar{h} .	— t. 43.
87 polygalæfolium. s.c.	Milkwort-ld.	—	—	F. \bar{h} .	— t. 11.

88 lignosum. s.c.	woody-stem'd.	S. Europe.	1810.	—	F. h.	Swt. cist. t. 46.
89 obovatum. DC.	obovate.	Spain.	1826.	—	F. h.	
90 rotundifolium. DC.	round-leaved.	—	—	—	F. h.	Cavan. ic. 2. t. 142.
91 crassifolium. DC.	thick-leaved.	—	—	—	F. h.	
92 nudicaule. DC.	naked-stalked.	—	—	—	F. h.	
93 lineare. D.C.	linear-leaved.	S. Europe.	1824.	—	F. h.	Cavan. ic. 3. t. 216.
94 virgatum. DC.	slender.	Barbary.	—	—	F. h.	
95 variegatum. s.G.	variegated.	—	—	H. h.	Swt. cist. t. 38.
96 eriosepalon. s.G.	woolly-calyc'd.	S. Europe.	—	H. h.	— ic.
HUDSONIA. 36.	HUDSONIA.					
1 ericoides. p. 36.	Heath-leaved.	N. America.	1805.	5. 7.	H. h.	Swt. cist. 36.
2 tomentosa. N.	tomentose.	—	1826.	H. h.	

VIOLARIEÆ. p. 36.

NOISETTIA. p. 36.	NOISETTIA.					
2 pyrifolia. Mart.	Pear-leaved.	Brazil.	1822.	S. h.	Mart. n. pl. bras. ic.
VIOLA. 36.	VIOLET.					
61 cæspitosa. D.P.	tufted.	Nepaul.	1825.	7. 10.	H. 4.	
<i>Patrinii</i> γ <i>napaulensis</i> . DC.	<i>primulæfolia</i> . Buch. non L.	—	—	—	—	
62 palmaris. D.P.	long-petioled.	—	—	—	H. 4.	
63 pygmaea. DC.	pigny.	Peru.	1822.	7. 11.	H. 4.	
64 collina. R.S.	hill.	Volhynia.	1824.	6. 8.	H. 4.	
65 campestris. R.S.	field.	Tauria.	—	—	H. 4.	
66 sylvestris. R.S.	wood.	Hungary.	—	—	H. 4.	
67 neglectum. R.S.	neglected.	—	—	—	H. 4.	
68 Hornemanniana. R.S.	Horneman's.	1822.	—	H. 4.	
69 chrysantha. Schr.	golden-flow'r'd.	1823.	—	H. 4.	
70 hastata. M.	hastate.	N. America.	—	—	H. 4.	
ERPETON. B.F.G.	SPURLESS VIOLET. Pentandria Monogynia.					
reniforme. B.F.G.	kidney-leaved.	N. S. W.	1823.	5. 9.	H. 4.	Swt. br. fl. gar. 170.
CERANTHERA. DC.	CERANTHERA. Pentandria Monogynia.					
dentata. DC.	tooth-leaved.	Sierra Leone.	1822.	S. h.	Beau. fl. ow. 11. t. 65.

POLYGALÆ. p. 38.

POLYGALA. p. 38.	MILKWORT.					
36 attenuata. B.C.	taper-pointed.	C. B. S.	1823.	5. 12.	G. h.	Lodd. bot. cab. 1000.
COMESPERMA. DC.	COMESPERMA. Monadelphia Octandria.					
1 ericina. DC.	Heath-like.	N. S. W.	1822.	5. 8.	G. h.	
2 cordifolia. F.T.	heart-leaved.	—	—	—	G. h.	

TREMANDREÆ. p. 39.

TETRATHECA. p. 39.	TETRATHECA.					
5 rubioides. F.T.	Rubia-like.	N. S. W.	1823.	6. 8.	G. h.	

MALVACEÆ. p. 48.

HIBISCUS. 50.	HIBISCUS.					
71 spiralis. DC.	spiral.	Mexico.	1826.	G. h.	Cavan. ic. 2. t. 162.
72 racemosus. B.R.	racemed.	Nepaul.	1824.	8. 2.	G. h.	Botan. regist. 917.
NUTTALLIA. B.A.	NUTTALLIA. Monadelphia Polyandria.					
1 digitata. B.A.	digitate-leaved.	N. America.	1824.	7. 10.	H. 4.	Swt. br. fl. gar. 129.
2 pedata. B.A.	pedate-leaved.	—	—	—	H. 4.	Hook. ex. flor. 172.

CAMELLIÆ. p. 61.

CAMELLIA. p. 61.	CAMELLIA.					
japonica. 61.	common.	China.	1739.	12. 5.	G. h.	
ββ <i>Chandleri</i> . c.C.	<i>striped Waratah</i> . Seedling.	—	1822.	—	G. h.	Chandl. camel. t. 1. 2.
<i>versicolor</i> . p. 62.	—	—	—	—	—	
γγ <i>Rossii</i> .	<i>Ross's</i> .	—	—	—	G. h.	
δδ <i>Aitoni</i> . c.C.	<i>large single red</i> .	—	—	—	G. h.	Chandl. camel. t. 3.
εε <i>althæifolia</i> . c.C.	<i>Hollyhock-fl'd</i> .	—	—	—	G. h.	— t. 4.
ζζ <i>corallina</i> . c.C.	<i>coral-flowered</i> .	—	—	—	G. h.	— t. 5.
ηη <i>insignis</i> . c.C.	<i>splendid</i> .	—	—	—	G. h.	— t. 6.
θθ <i>florida</i> . c.C.	<i>cluster-flowered</i> .	—	—	—	G. h.	— t. 7.
υ <i>anemoneflora alba</i> .	<i>white Anemone-fl'd</i> .	—	—	—	G. h.	— t. 8.
7 euryoides. B.R.	small-flowered.	—	1824.	—	G. h.	Botan. regist. 983.

AURANTIACEÆ. p. 62.

GLYCOSMIS. DC.	GLYCOSMIS.				
3 citrifolia. H.T.	Citron-leaved.	China.	1820.	2. 6. G. h.	Botan. magaz. 2416.
<i>Limonia citrifolia</i> . DC.	<i>parviflora</i> . B.M.				

HYPERICINEÆ. p. 63.

HARONGA. DC.	HARONGA.	Polyadelphia Dodecandria.			
<i>madagascariensis</i> . DC.	Madagascar.	Madagascar.	1824.	S. h.
<i>Arongana paniculata</i> . P.S.					
HYPERICUM. p. 63.	ST. JOHN'S-WORT.				
68 virgatum. DC.	twiggy.	N. America.	1823.	6. 8.	S. 2.
69 empetrifolium. DC.	Crowberry-ld.	S. Europe.	—	H. h.
70 cochinchinense. DC.	Cochin China.	Cochin China.	1822.	—	G. h.

Wats. dend. brit. 141.

GUTTIFERÆ. p. 65.

XANTHOCHYMUS. 65.	XANTHOCHYMUS.				
4 luteus. L.C.	yellow.	E. Indies.	1823.	S. h.
5 macrophyllus. L.C.	large-leaved.	—	—	—	S. h.
6 purpureus. L.C.	purple.	—	—	S. h.

VOCHISIÆ. *Martius*.

VOCHISIA. J.	VOCHISIA.	Monandria Monogynia.	W.		
<i>excelsa</i> . Lam.	tall.	Guiana.	1822.	S. h.
<i>Cucullaria excelsa</i> . w.					Aub. gui. 1. t. 6.

HIPPOCRATEACEÆ. p. 66.

TRIGONIA. DC.	TRIGONIA.	Monadelphia Pent-Decandria.			
1 villosa. DC.	villous.	Cayenne.	1820.	S. h.
2 mollis. DC.	soft-leaved.	Brazil.	1823.	S. h.

Aub. gui. 1. t. 149.

MALPIGHIACEÆ. p. 67.

MALPIGHIA. 67.	MALPIGHIA.				
11 dubia. DC.	doubtful.	Jamaica.	1824.	S. h.

Cav. dis. 8. t. 242.

ACERINEÆ. p. 68.

ACER. 68.	MAPLE.				
1 neapolitanum. T.N.	Neapolitan.	Naples.	1826.	H. h.

Ten. at. ac. nea. 1819. ic.

MELIACEÆ. p. 71.

AITONIA. W.	AITONIA.	Monadelphia Octandria.	W.		
<i>capensis</i> . w.	Cape.	C. B. S.	1774.	5. 9.	G. h.
CARAPA. 72.	CARAPA.				
3 guianensis. DC.	Guiana.	Guiana.	1820.	S. h.

Botan. magaz. 173.

Aub. gui. t. 387.

GERANIACEÆ. p. 73.

HOAREA. p. 75.	HOAREA.				
67 congesta. s.G.	crowded-fl'd.	C. B. S.	1820.	5. 10.	G. 2.
68 orobifolia. s.G.	Orobus-leaved.	Hybrid.	1823.	—	G. 2.
69 retusa. s.G.	notched petal'd.	—	1824.	—	G. 2.
70 coluteæfolia. s.G.	Bladder Senna-ld.	—	1823.	—	G. 2.
DIMACRIA. p. 76.	DIMACRIA.				
29 rumicifolia. s.G.	Dock-leaved.	C. B. S.	1825.	5. 8.	G. 2.
PELARGONIUM. 77.	STORK'S-BILL.				
403 pedunculatum. s.G.	long-peduncul'd.	Hybrid.	1823.	7. 10.	G. 2.

Swt. ger. t. 302.

— t. 304.

— t. 307.

— t. 311.

Swt. ger. t. 318.

Swt. ger. ic. ined.

404	Francisii. s.g.	Mr. Francis's.	_____	1824.	5. 10.	G. h.	Swt. ger. ic. ined.
405	basilicum. s.g.	princely.	_____	_____	_____	G. h.	_____ ic. ined.
406	flaccidum. s.g.	flaccid-petal'd.	_____	_____	_____	G. h.	_____ ic. ined.
407	cartilagineum. s.g.	horny-toothed.	_____	_____	_____	G. h.	_____ ic. ined.
408	suffusum. s.g.	mixed-colour'd.	_____	_____	_____	G. h.	_____ ic. ined.
409	chelidoniifolium. s.g.	Chelidonium-ld.	_____	_____	_____	G. h.	_____ ic. ined.
410	argutum. s.g.	sharp-toothed.	_____	_____	_____	G. h.	_____ ic. ined.
411	ramigerum. s.g.	branching-vein'd.	_____	_____	_____	G. h.	_____ ic. ined.
412	Goweri. s.g.	Mr. Levison Gower's.	_____	1825.	_____	G. h.	t. 333.
413	cuneiflorum. s.g.	wedge-petaled.	_____	_____	_____	G. h.	t. 330.
414	chenopodiifolium. s.g.	Goose-foot-ld.	_____	_____	_____	G. h.	t. 328.
415	congestum. s.g.	close-headed.	_____	_____	_____	G. h.	t. 325.
416	magnistipulatum. s.g.	large-stipuled.	_____	_____	_____	G. h.	t. 313.
417	dilatatum. s.g.	dilated-leaved.	Hybrid.	1824.	5. 10.	G. h.	t. 314.
418	verecundum. s.g.	blushing.	_____	_____	_____	G. h.	t. 316.
419	Foljambeæ. s.g.	Mrs. Foljambe's.	_____	_____	_____	G. h.	t. 312.
420	salebrosum. s.g.	rugged-leaved.	_____	_____	_____	G. h.	t. 309.
421	incarnatum. s.g.	pale flesh-col'd.	_____	_____	_____	G. h.	t. 308.
422	conclausum. s.g.	shut-petal'd.	_____	1823.	_____	G. h.	t. 305.
423	insignitum. s.g.	marked-flow'rd.	_____	_____	_____	G. h.	t. 300.
424	biflorum. s.g.	two-flowered.	_____	1822.	_____	G. h.	t. 287.
425	Humei. s.g.	Sir A. Hume's.	_____	1824.	_____	G. h.	t. 324.
426	quadriflorum. s.g.	four-flowered.	_____	_____	_____	G. h.	t. 321.
427	bryoniæfolium. s.g.	Bryony-leaved.	_____	_____	_____	G. h.	t. 320.
428	latifolium. s.g.	broad-leaved.	_____	_____	_____	G. h.	t. 335.
429	platanifolium. s.g.	Plane-leaved.	_____	_____	_____	G. h.	t. 326.
430	purum. s.g.	pure-flowered.	_____	_____	_____	G. h.	t. 334.
431	recurvifolium. s.g.	recurve-leaved.	_____	_____	_____	G. h.	ic. ined.
432	veniferum. s.g.	veined-petaled.	_____	_____	_____	G. h.	t. 322.
433	foliosum. s.g.	many-leaved.	_____	_____	_____	G. h.	ic. ined.
434	tanacetifolium. s.g.	Tansy-leaved.	_____	_____	_____	G. h.	t. 336.
435	sphærocephalon. s.g.	round-headed.	_____	_____	_____	G. h.	t. 317.
436	Spinii. Col.	Spin's.	_____	_____	G. h.	Colla. h. rip. t. 7.
	<i>dianthiflorum.</i> p. 82. n. 323.						
CICONIUM. p. 84.	CICONIUM.						
24 fulgens. s.g.	Basilisk.	Hybrid.	1823.	5. 10.	G. h.	Swt. ger. ic. ined.	

ZYGOPHYLLÆ. p. 87.

LARREA. DC.	LARREA. Decandria Monogynia.						
nitida. DC.	glossy-leaved. S. America.	1823.	S. h.		Cavan. ic. 6. t. 559.	
PORLIERA. DC.	PORLIERA. Octandria Monogynia.						
hygrometrica. DC.	pinnate-leaved. Peru.	1820.	S. h.		R. et. P. prod. t. 9.	

RUTACEÆ. p. 88.

PHEBALIUM. 89.	PHEBALIUM.						
2 elatum. F.T.	tall.	N. S. W.	1823.	4. 8.	G. h.		
3 aureum. F.T.	golden.	_____	_____	_____	G. h.		
4 lachnoides. F.T.	Lachnæa-like.	_____	_____	_____	G. h.		
5 linearis. ψ.	linear-leaved.	N. Holland.	1825.	G. h.		
6 salicifolium. ψ.	Willow-leaved.	_____	_____	G. h.		
ERIOSTEMON. 89.	ERIOSTEMON.						
3 cuspidatum. F.T.	sharp-pointed.	N. S. W.	1823.	4. 8.	G. h.		
4 linearifolium. DC.	linear-leaved.	_____	_____	_____	G. h.		
5 lanceolatum. DC.	spear-leaved.	_____	_____	_____	G. h.		
6 squameum. DC.	scaly.	N. Holland.	1822.	_____	G. h.	Gært. fruct. 3. t. 210.	
7 obovale. F.T.	oboval-leaved.	_____	1823.	_____	G. h.	Labill. n. hol. 1. t. 141.	
8 ericifolium. ψ.	Heath-leaved.	_____	1825.	_____	G. h.		
BORONIA. 89.	BORONIA.						
6 alata. DC.	winged-leaved.	N. Holland.	1825.	G. h.		
7 anemonæfolia. F.T.	Anemone-ld.	N. S. W.	1824.	G. h.		
8 denticulata. DC.	tooth-leaved.	N. Holland.	1823.	5. 8.	G. h.	Botan. regist. 1000.	
9 paradoxa. DC.	paradoxical.	_____	1825.	G. h.		
ZIERIA. 90.	ZIERIA.						
7 obcordata. F.T.	obcordate.	N. S. W.	1824.	G. h.		
8 revoluta. F.T.	revolute.	_____	_____	3. 5.	G. h.		

OCHNACEÆ. p. 91.

WALKERA. DC. serrata. DC.	WALKERA. saw-leaved.	E. Indies.	1824.	S. h.	Rheed. mal. 5. t. 46.
------------------------------	-------------------------	------------	-------	------	-------	-----------------------

RHAMNEACEÆ. p. 91.

HOVENIA. 91. 2 inæqualis. DC. <i>pubescens</i> . p. 91. <i>dulcis</i> . D.P. et F.I. <i>nec aliorum</i> .	HOVENIA. Nepaul.	Nepaul.	1823.	G. h.	
GOUANIA. p. 92. 4 integrifolia. DC. 5 Retinaria. DC. 6 leptostachya. DC. <i>tiliaefolia</i> . Roxb. <i>non Lam</i> .	GOUANIA. entire-leaved. oval-leaved. slender-spiked. Mauritius. E. Indies.	1824. — 1810. 4. 6.	S. h. ~ S. h. ~ S. h. ~	Gært. fruct. 2. t. 120. f. 4. Roxb. corom. 1. t. 98.
CRYPTANDRA. 92. 4 obovata. DC. 5 spinescens. DC.	CRYPTANDRA. obovate-leaved. spiny.	N. S. W.	1824.	5. 7.	G. h. G. h.	
COLLETIA. 92. 3 spinosa. DC.	COLLETIA. spiny.	S. America.	1823.	G. h.	
POMADERRIS. 92. 6 intermedia. DC. 7 discolor. DC. <i>Ceanothus discolor</i> . p. 93.	POMADERRIS. intermediate. two-coloured.	N. S. W. N. Holland.	1818. 1803.	4. 6. 4. 5.	G. h. G. h.	Venten. malm. t. 58.
8 phyllræoides. DC. 9 ledifolia. F.T. 10 aspera. DC.	Phillyrea-ld. Ledum-leaved. rough.	— N. S. W. —	— 1824. 1818.	— — —	G. h. G. h. G. h.	
ZIZYPHUS. 93. 14 sinensis. DC.	ZIZYPHUS. China.	China.	1818.	5. 6.	H. h.	
BERCHEMIA. DC. 1 volubilis. DC. <i>Oenoptia volubilis</i> . p. 94. <i>Zizyphus volubilis</i> . w. <i>Rhamnus volubilis</i> . L. 2 ? lineata. DC. <i>Zizyphus lineatus</i> . w. <i>Oenoptia lineata</i> . p. 94.	BERCHEMIA. twining. lined.	Carolina. China.	1714. 1804.	6. 7.	H. h. ~ G. h.	Jacq. ic. 2. t. 336. Osb. it. 19. t. 7.
DARWINIA. L.T. 1 fascicularis. L.T. 2 taxifolia. F.T.	DARWINIA. close-leaved. yew-leaved.	Decandria Monogynia. N. S. W.	1820. 1824.	5. 7.	G. h. G. h.	Linn. trans. 11. t. 22.

CELASTRINEÆ. DC. *prodr.* 2. p. 2.

Tribus I. STAPHYLEACEÆ. DC. l. c.

STAPHYLEA. DC. 3 Bumalda. DC. <i>Bumalda trifolia</i> . p. 96.	BLADDER-NUT. p. 95. Japan.	Japan.	1804.	6. 9.	G. h.	
TURPINIA. DC. pomifera. DC. <i>Dalrymplea pomifera</i> . Roxb.	TURPINIA. Apple bearing.	Pentandria Monogynia. E. Indies.	1823.	S. h.	Roxb. corom. 3. t. 279.

Tribus II. EUONYMEÆ. DC.

EUONYMUS. 95. 14 chinensis. DC.	SPINDLE-TREE. Chinese.	China.	1822.	5. 6.	H. h.	
CELASTRUS. p. 93. 19 oleoides. DC. 20 pterocarpus. DC. 21 ilicinus. DC. 22 flexuosus. DC.	STAFF-TREE. Olive-leaved. wing-capsuled. Ilex-like. flexuose.	C. B. S. — — —	1816.	5. 8.	G. h. G. h. G. h. G. h.	Burm. afr. t. 97. f. 1.
PLECTRONIA. p. 94. ventosa. p. 94. <i>Celastrus ? Plectronia</i> . DC.	PLECTRONIA. corymbed.	C. B. S.	1816.	G. h.	Burm. prod. afr. t. 94.
MAYTENUS. DC. 1 octogonus. DC. 2 verticillatus. DC.	MAYTENUS. angular-leaved. whorled.	Pentandria Monogynia. Peru.	1786. 1823.	10. 11.	G. h. G. h.	Flor. peruv. 3. t. 229. f. B
ELÆODENDRON. 95. 4 xylocarpum. DC. <i>Cassine xylocarpa</i> . p. 95. 5 ? croceum. DC. <i>Ilex crocea</i> . w.	OLIVE-WOOD. leathery-leav'd. Holly-leaved.	St. Thomas. C. B. S.	1816. 1794. 5. 6.	S. h. G. h.	Vent. choix. t. 23.

PTELIDIUM, DC.	PTELIDIUM.	Pentandria Monogynia.		
ovatum, DC.	oval-leaved.	Madagascar.	1825. S. h.
CASSINE, 95.	CASSINE.			
7 oppositifolia, DC.	opposite-leav'd.	5. 8. S. h.
HARTOGIA, DC.	HARTOGIA.	Pentandria Monogynia.	L.	
capensis, DC.	Cape.	C. B. S.	1816. G. h.
CURTISIA, DC.	CURTISIA.	Tetrandria Monogynia.		Thumb.n.gen.5.p.55.ic.
faginea, DC.	Hassagay-tree.	C. B. S.	1775. G. h.
MYGINDA, 94.	MYGINDA.	misplaced in Rhamneaceæ.		Burm. afr. 235. t. 82.
4 myrtifolia, DC.	Myrtle-leaved.	N. America.	1818.	5. 8. H. h.
<i>Ilex Myrsinites</i> , Ph.				
ILEX, 94.	HOLLY.	misplaced in Rhamneaceæ.		
19 canariensis, DC.	Canary.	Canaries.	1818.	5. 6. F. h.
PRINOS, 94.	WINTER-BERRY.	misplaced in Rhamneaceæ.		
9 deciduus, DC.	deciduous-ld.	N. America.	1760.	6. 7. H. h.
<i>Ilex prinoides</i> , p. 94.				Wats. dend. brit. 115.
NEMOPANTHES, DC.	NEMOPANTHES.	Pentandria Tetragynia.		
canadensis, DC.	Canadian.	N. America.	1812.	6. 7. H. h.
<i>Ilex canadensis</i> , M. t. 49.				DC. pl. rar. h. gen. t. 3.

SAMYDEÆ. p. 96.

CASEARIA, 96.	CASEARIA.			
8 ramiflora, DC.	branch-flg.	Guiana.	1824. S. h.
9 nitida, DC.	shining.	S. America.	— S. h.
				Aub. gui. 1. t. 127.
				Act. helv. 8. p. 58. ic.

HOMALINEÆ. p. 132.

ASTRANTHUS, 335.	ASTRANTHUS.	misplaced p. 335.		
cochinchinensis, DC.	Chinese.	China.	1821.	6. 7. S. h.
! ARISTOTELIA, DC.	ARISTOTELIA.	Dodecandria Monogynia.	L.	Botan. magaz. 2659.
Maqui, DC.	shining-leaved.	Chili.	1773.	4. 5. H. h.
				Wats. dend. brit. t. 44.

CHAILLETIACEÆ. DC. prodr. v. 2. p. 57.

CHAILLETIA, DC.	CHAILLETIA.	Pentandria Di-Trigynia.		
toxicaria, G.D.	poisonous.	Sierra Leone.	1822. S. h.

CASSUVIÆ. p. 98.

PICRAMNIA, DC.	PICRAMNIA.	Diœcia Pentandria.	L.	
1 Antidesma, DC.	Ash-leaved.	Jamaica.	1793. S. h.
2 pentandra, DC.	pentandrous.	W. Indies.	1822. S. h.
RHUS, 97.	SUMACH.			
60 acuminata, DC.	pointed-leaved.	Nepal.	1823. G. h.
61 Cavanillesii, DC.	Cavanille's.	Mexico.	7. 8. G. h.
62 Burmanni, DC.	Burman's.	C. B. S.	1697.	— G. h.
<i>lucidum, a. H.K.</i>				
<i>lucida, DC.</i>	shining-leaved.	—	—	— G. h.
				Comm. hort. 1. t. 93.

AMYRIDEÆ. p. 98.

DUVAUA, DC.	DUVAUA.	Monœcia Octandria.		
dependens, DC.	dependent.	Chili.	1790.	6. 7. H. h.
<i>Amyris polygama</i> , p. 98.	<i>Schinus dependens</i> , H.K.			
SCHINUS, 98.	SCHINUS.			
4 terebinthifolius, DC.	Terebinthus-ld.	Brazil.	1822. S. h.

CONNARACEÆ. p. 99.

OMPHALOBIMUM, DC.	OMPHALOBIMUM.	Monadelphia Decandria.		
1 indicum, DC.	Indian.	E. Indies.	S. h.
2 africanum, DC.	African.	Sierra Leone.	1822. S. h.
<i>Connarus africanus</i> , p. 99.				
				Gært. fruct. 1. t. 46.
				Cav. diss. 7. t. 221.

TEREBINTHACEÆ. p. 99.

BRUCEA. 100.	BRUCEA.				
4 gracilis. DC.	slender.	E. Indies.	S. h.

LEGUMINOSÆ. DC. prodr. v. 2. p. 93

Subordo. I. PAPILIONACEÆ.—Tribus I. SOPHOREÆ. DC.

MYROSPERMUM. DC.	MYROSPERMUM.	Decandria Monogynia.			
toluiferum. DC.	Balsam of Tolu.	S. America.	S. h. Woodv. m. bot. 3. t. 193.
SOPHORA. p. 106.	SOPHORA.				
9 glauca. DC.	glaucous.	E. Indies.	1818.	S. h.
10 secundiflora. DC.	side-flowering.	New Spain.	—	S. h. Cavan. ic. 5. t. 401.
11 littoralis. DC.	sea-side.	Brazil.	1824.	S. h.
VIRGILIA. 107.	VIRGILIA.				
intrusa. DC.	yellow-flow'r'd.	C. B. S.	1790.	5. 8.	G. h. Botan. magaz. 2617.
<i>Sophora sylvatica.</i> p. 107.					
MACROTROPIS. DC.	MACROTROPIS.	Decandria Monogynia.			
fœtida. DC.	strong-scented.	China.	1822.	4. 5.	F. h.
<i>Anagyris chinensis.</i> p. 106.					
THERMOPSIS. 107.	THERMOPSIS.				
corgonensis. DC.	Alpine.	Altay.	1824.	6. 7.	H. 2. Pall. astr. t. 90. f. 1.
<i>Sophora alpina.</i> Pal.	<i>Podalyria alpina.</i>	W.en.			
CYCLOPIA. 107.	CYCLOPIA.				
galioides. DC.	Galium-leaved.	C. B. S.	1818.	7. 8.	G. h. Pluk. alm. t. 413. f. 4.
<i>elata.</i> p. 107.					
CHORIZEMA. 108.	CHORIZEMA.				
4 Henchmanni. B.R.	Mr. Henchman's.	N. Holland.	1825.	5. 9.	G. h. Botan. regist. 986.
PODOLOBIUM. 108.	PODOLOBIUM.				
staurophyllum. DC.	spiny-leaved.	N. S. W.	1821.	3. 5.	G. h. Botan. regist. 959.
<i>spinosum.</i> p. 108.					
OXYLOBIUM. 107.	OXYLOBIUM.				
5 spinosum. DC.	spine-leaved.	N. S. W.	1823.	5. 8.	G. h.
6 obtusifolium. ψ.	blunt whorl'd.	N. Holland.	1825.	2. 5.	G. h.
7 Pultenæ. DC.	wood.	N. S. W.	1823.	4. 6.	G. h.
CALLISTACHYS. 107.	CALLISTACHYS.				
3 linariifolia. ψ.	Linaria-leaved.	N. Holland.	1825.	G. h.
GOMPHOLOBIUM. 109.	GOMPHOLOBIUM.				
10 barbigerum. DC.	bearded-fl'd.	N. S. W.	1824.	5. 8.	G. h.
11 virgatum. DC.	twiggy.	—	—	—	G. h.
12 tenellum. ψ.	slender sharp-l'd.	N. Holland.	1825.	G. h.
13 reticulatum. ψ.	netted-leaved.	—	—	G. h.
14 pedunculare. DC.	peduncled.	N. S. W.	1822.	5. 7.	G. h.
BURTONIA. 108.	BURTONIA.				
2 minor. DC.	hairy-stalked.	N. S. W.	1812.	3. 8.	G. h.
<i>Gompholobium minus.</i> p. 109.					
JACKSONIA. p. 108.	JACKSONIA.				
3 furcellata. DC.	forked.	N. Holland.	1822.	4. 6.	G. h. Bonpl. nav. t. 11.
4 reticulata. DC.	netted-leaved.	N. S. W.	—	4. 8.	G. h.
<i>Daviesia reticulata.</i> p. 108.					
AOTUS. 108.	AOTUS.				
2 virgata. DC.	slender.	N. S. W.	1820.	4. 8.	G. h.
DILLWYNIA. 108.	DILLWYNIA.				
7 acicularis. DC.	needle-leaved.	N. S. W.	1822.	5. 7.	G. h.
8 pungens. ψ.	pungent.	N. Holland.	1825.	G. h.
9 rudis. DC.	villous-branch'd.	N. S. W.	1812.	5. 7.	G. h.
10 tenuifolia. DC.	slender-leaved.	—	—	—	G. h.
11 phyllifolia. F.T.	Phylla-leaved.	N. S. W.	1824.	5. 8.	G. h.
12 sericea. F.T.	silky.	—	—	—	G. h.
PULTENÆA. 107.	PULTENÆA.				
20 canescens. F.T.	white-leaved.	N. Holland.	1825.	5. 7.	G. h.
21 echinula. DC.	harsh-leaved.	N. S. W.	1823.	—	G. h.
22 aristata. DC.	awned-calyx'd.	—	—	—	G. h.
23 microphylla. DC.	small-leaved.	—	—	—	G. h.
24 enchila. DC.	wedge-leaved.	—	—	—	G. h.
25 villifera. DC.	wool-bearing.	—	—	—	G. h.

26 hypolampra. DC.	whorl-branch'd.	N. S. W.	1822.	5. 7.	G. ½.
27 thymifolia. DC.	Thyme-leaved.	————	————	————	G. ½.
28 plumosa. DC.	feathered.	————	————	————	G. ½.
29 parviflora. DC.	small-flowered.	————	1824.	————	G. ½.
30 racemulosa. DC.	racemed.	————	1821.	————	G. ½.
31 polifolia. F.T.	Poley-leaved.	————	1824.	5. 8.	G. ½.
32 argentea. F.T.	silvery.	————	————	————	G. ½.
33 procumbens. F.T.	procumbent.	————	————	————	G. ½.
34 aspera. DC.	rough.	————	————	————	G. ½.
35 comosa. DC.	tufted.	————	————	————	G. ½.
36 squarrosa. DC.	squarrose.	————	————	————	G. ½.
37 phyllicoides. DC.	Phyllica-like.	————	1823.	————	G. ½.
DAVIESIA. 108.	DAVIESIA.				
10 squarrosa. DC.	squarrose.	N. S. W.	1822.	5. 7.	G. ½.
MIRBELIA. 108.	MIRBELIA.				
3 speciosa. DC.	handsome.	N. S. W.	1824.	5. 8.	G. ½.
4 pungens. ½.	pungent.	N. Holland.	————	————	G. ½.

To this TRIBE belongs *Edwardsia*, *Ormosia*, *Anagyris*, *Baptisia*, *Podalyria*, *Brachysema*, *Viminaria*, *Sphaerolobium*, *Eutaxia*, *Sclerothamnus*, *Gastrolobium*, and *Euchilus*.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.

HOVEA. p. 115.	HOVEA.				
7 chorizemæfolia. DC.	Holly-leaved.	N. Holland.	1824.	5. 7.	G. ½.
<i>ilicifolia</i> . p. 111.					
8 rosmarinifolia. F.T.	Rosemary-ld.	N. S. W.	————	————	G. ½.
PLATYLOBIUM. 110.	FLAT-PEA.				
4 ovatum. DC.	oval-leaved.	N. S. W.	1820.	5. 7.	G. ½.
BOSSIAEA. 110.	BOSSIAEA.				
8 ensata. DC.	sword-stem'd.	N. Holland.	1822.	5. 7.	G. ½.
9 foliosa. F.T.	leafy.	N. S. W.	1823.	————	G. ½.
10 buxifolia. F.T.	Box-leaved.	————	————	————	G. ½.
11 rotundifolia. DC.	round-leaved.	————	1822.	————	G. ½.
12 rhombifolia. DC.	rhomb-leaved.	————	————	————	G. ½.
13 lenticularis. DC.	orbicular-leaved.	————	————	————	G. ½.
VASCOA. DC.	VASCOA. Monadelphia Decandria.				
1 amplexicaulis. DC.	stem-clasping.	C. B. S.	1816.	6. 7.	G. ½.
<i>Rafnia amplexicaulis</i> . p. 111.					Seb. thes. 1. t. 24. f. 5.
2 perfoliata. DC.	perfoliate.	————	1812.	7. 8.	G. ½.
<i>Borbonia perfoliata</i> , p. 109. <i>Crotalaria amplexicaulis</i> . Lam.					
PRIESTLEYA. DC.	PRIESTLEYA. Diadelphia Decandria.				
1 myrtifolia. DC.	Myrtle-leaved.	C. B. S.	1825.	G. ½.
<i>Liparia myrtifolia</i> . p. 110.					
2 hirsuta. DC.	shaggy-stem'd.	————	1792.	12. 4.	G. ½.
3 lævigata. DC.	polished.	————	1799.	7. 8.	G. ½.
<i>Borbonia lævigata</i> . p. 109.					Botan. regist. 8. Lodd. bot. cab. 247.
4 capitata. DC.	headed.	————	1812.	————	G. ½.
5 graminifolia. DC.	narrow-leaved.	————	1800.	6. 7.	G. ½.
6 teres. DC.	smooth-stalked.	————	1816.	————	G. ½.
7 ericæfolia. DC.	Heath-leaved.	————	1812.	7. 8.	G. ½.
<i>Borbonia ericifolia</i> . p. 109.					
8 sericea. DC.	silky-leaved.	————	1794.	6. 7.	G. ½.
9 elliptica. DC.	elliptic-leaved.	————	1816.	————	G. ½.
10 villosa. DC.	villos-leaved.	————	1774.	————	G. ½.
11 vestita. DC.	concave-leaved.	————	1800.	5. 6.	G. ½.
<i>Liparia vestita</i> . B.M. <i>Liparia villosa</i> . A.R. 382. <i>nec aliorum</i> .					DC. leg. mem. 6. t. 3. Seb. thes. 1. t. 24. f. 1. Botan. magaz. 2223.
12 tomentosa. DC.	downy.	————	1812.	7. 8.	G. ½.
13 umbellifera. DC.	umbel-flow'r'd.	————	1825.	6. 7.	G. ½.
CROTALARIA. 110.	CROTALARIA.				
55 platycarpa. DC.	flat-podded.	N. America.	1824.	7. 9.	H. ⊙.
56 benghalensis. DC.	Bengal.	E. Indies.	————	————	S. ⊙.
57 novæ hollandiæ. DC.	New Holland.	N. S. W.	1820.	————	S. ½.
58 paulina. DC.	St. Paul.	Brazil.	————	————	S. ½.
59 pellita. DC.	villos-podded.	Jamaica.	1822.	————	S. ½.
60 calycina. DC.	hispid-calyx'd.	E. Indies.	1818.	————	S. ⊙.
61 Roxburghiana. DC.	Roxburgh's.	————	1823.	————	S. ½.
<i>arborescens</i> . DC.	spreading.	C. B. S.	1774.	6. 10.	G. ½.
<i>incanescens</i> . p. 111. <i>capensis</i> . Jacq.					Jacq. vind. 3. t. 64.

62	<i>cytisoides</i> . DC.	Cytisus-like.	E. Indies.	1823.	S. ♀.	
63	<i>purpurascens</i> . DC.	purplish.	Mauritius.	—	8. 10.	S. ⊙.	
64	<i>microphylla</i> . DC.	small-leaved.	Arabia.	—	—	H. ⊙.	
65	<i>villosa</i> . DC.	villous.	C. B. S.	—	5. 8.	G. ♀.	
66	<i>fruticosa</i> . DC.	shrubby.	Jamaica.	...	—	S. ♀.	
67	<i>angulata</i> . DC.	angular.	Campeachy.	8. 10.	S. ⊙.	
HYPOCALYPTUS. DC. HYPOCALYPTUS. Monadelphia Decandria.							
	<i>obcordatus</i> . DC.	obcordate-ld.	C. B. S.	1790.	4. 6.	G. ♀.	
	<i>Crotalaria cordifolia</i> .	p. 111.					
VIBORGIA. DC. VIBORGIA. Monadelphia Decandria.							
1	<i>obcordata</i> . DC.	many-flowered.	C. B. S.	1812.	7. 9.	G. ♀.	Lodd. bot. cab. 509.
	<i>Crotalaria floribunda</i> .	B.C. <i>Anthyllis cuneata</i> . Hort.					
2	<i>sericea</i> . DC.	silky.	—	1780.	—	G. ♀.	
	<i>Wiborgia sericea</i> .	p. 110.					
ADENOCARPUS. 112. ADENOCARPUS.							
	<i>parvifolius</i> . DC.	small-leaved.	France.	7. 8.	H. ♀.	
	<i>parviflorus</i> .	p. 112. <i>errata</i> .					
5	<i>intermedius</i> . DC.	intermediate.	S. Europe.	—	H. ♀.	Clus. hist. 1. p. 94. f. 1.
6	<i>telonensis</i> . DC.	loose-flowered.	—	—	H. ♀.	Duh. ar. ed. n. 5. t. 47. f. 2.
7	<i>frankenoides</i> . DC.	clammy.	Canaries.	1815.	—	G. ♀.	
	<i>Genista viscosa</i> .	p. 112. <i>Adenocarpus anagyris</i> . s.s.					
CYTISUS. 112. CYTISUS.							
	<i>calycinus</i> . DC.	dwarf.	Caucasus.	1816.	6. 8.	H. ♀.	Lodd. bot. cab. 673.
	<i>nanus</i> .	p. 112.					
25	<i>grandiflorus</i> . DC.	great-flowered.	Portugal.	—	—	H. ♀.	
26	<i>orientalis</i> . DC.	oriental.	Levant.	—	G. ♀.	
27	<i>glomeratus</i> . Boj.	Zanzibar.	Zanzibar.	1825.	8. 10.	S. ♀.	
ONONIS. 113. REST-HARROW.							
40	<i>emarginata</i> . Boj.	emarginate.	Mauritius.	1824.	S. ♀.	
41	<i>longifolia</i> . DC.	long-leaved.	Canaries.	1816.	5. 6.	G. ♀.	
42	<i>geminiflora</i> . DC.	twin-flowered.	Spain.	1825.	8. 10.	H. ⊙.	
MEDICAGO. 117. MEDICK.							
56	<i>applanata</i> . DC.	obovate-leav'd.	1824.	7. 9.	H. ⊙.	
57	<i>ægagrophila</i> . DC.	goats.	—	—	H. ⊙.	
TRIGONELLA. 117. FENUGREEK.							
23	<i>cœrulea</i> . DC.	blue.	Germany.	1562.	8. 9.	H. ⊙.	Botan. magaz. 2283.
	<i>Trifolium cœruleum</i> .	B.M. <i>Melilotus cœrulea</i> . p. 115.					
24	<i>uncinata</i> . DC.	hooked.	Siberia.	1823.	6. 9.	H. ⊙.	
	<i>Melilotus hamosa</i> .	p. 115.					
25	<i>prostrata</i> . DC.	prostrate.	S. Europe.	1824.	—	H. ⊙.	J. Bauh. his. 2. p. 365. f. 2
	<i>Fischeriana</i> . DC.	Fischer's.	Tiflin.	1818.	—	H. ⊙.	
	<i>flexuosa</i> .	M.B. <i>non Poir</i> .					
26	<i>ornithorynchos</i> . DC.	rostrate-pod'd.	Russia.	1825.	6. 9.	H. ⊙.	
27	<i>ornithopodioides</i> . DC.	Bird's-foot.	Britain.	—	H. ⊙.	Eng. bot. 1070.
	<i>Melilotus ornithopodioides</i> .	p. 115. <i>Trifolium ornithopodioides</i> . E.B.					
POCOCKIA. DC. POCOCKIA. Diadelphia Decandria.							
	<i>cretica</i> . DC.	Cretan.	Candia.	1713.	6. 9.	H. ⊙.	Moris. s. 2. t. 14. f. 3.
	<i>Melilotus cretica</i> .	p. 115. <i>Trifolium creticum</i> . L.					
MELILOTUS. 115. MELILOT.							
	<i>leucantha</i> . DC.	white-flowered.	Europe.	6. 9.	H. ♂.	Stur. deut. 1. fas. 15. f. K.
	<i>vulgaris</i> .	p. 115. n. 13.					
18	<i>melanosperma</i> . DC.	black-seeded.	Tauria.	1825.	—	H. ♂.	
19	<i>palustris</i> . DC.	marsh.	Hungary.	1821.	6. 8.	H. ♂.	W. et K. hung. 3. t. 266.
20	<i>segetalis</i> . DC.	hedge.	Portugal.	—	—	H. ⊙.	
21	<i>gracilis</i> . DC.	slender.	France.	—	—	H. ⊙.	
22	<i>snaveolens</i> . DC.	sweet-scented.	Dahuria.	1826.	H. ♀.	
23	<i>arvensis</i> . DC.	corn-field.	Germany.	1822.	6. 9.	H. ⊙.	
DORYCNIMUM. 118. DORYCNIMUM.							
	<i>suffruticosum</i> . DC.	suffruticose.	S. Europe.	1640.	7. 9.	F. ♀.	Lob. ic. 2. p. 51. f. 1. 2.
	<i>monspeiense</i> .	p. 118.					
4	<i>rectum</i> . DC.	upright.	—	—	6. 8.	H. ♀.	Barrel. ic. t. 544.
	<i>Lotus rectus</i> .	p. 118.					
5	<i>hirsutum</i> . DC.	hairy.	—	1683.	—	H. ♀.	Botan. magaz. 336.
6	<i>sericeum</i> .	silky.	—	1820.	—	H. ♀.	
	<i>Lotus sericeus</i> .	p. 118.					
7	<i>parviflorum</i> . DC.	small-flowered.	—	1824.	7. 8.	H. ⊙.	Desf. atl. 2. t. 211.
	<i>Lotus parviflorus</i> .	p. 118.					
LOTUS. 118. BIRD'S-FOOT TREFOIL.							
30	<i>sessilifolius</i> . DC.	sessile-leaved.	Canaries.	1816.	6. 9.	G. ♀.	

31	atropurpureus. DC.	dark-purple.	1823.	6. 9.	G. ♀.	
32	Candolleanus.	De Candolle's.	N. S. W.	1812.	—	G. ♀.	
	<i>australis</i> β <i>angustifoliola</i> . DC.						
33	obovatus. V.	glaucous obovate.	—	—	—	G. ♀.	
PSORALEA. 114.							
	sericea. DC.	flat-headed.	C. B. S.	1815.	1. 12.	G. ♀.	Botan. regist. 223.
	pubescens. B.R.	pubescent.	Lima.	1823.	7. 9.	G. ♂.	————— 968.
INDIGOFERA. 124.							
	juncea. DC.	INDIGO.					
	<i>filifolia</i> . p. 124.	<i>Lebeckia contaminata</i> .	C. B. S.	7. 10.	G. ♀.	Botan. regist. 104.
		B.R. <i>Lebeckia nuda</i> .				B.M. 2214.	
42	angulata. B.R.	angular-stalk'd.	N. S. W.	1824.	4. 8.	G. ♀.	Botan. regist. 991.
43	cylindrica.	cylindrical.	C. B. S.	1822.	—	G. ♀.	
44	macrostachya. DC.	long-spiked.	China.	—	—	G. ♀.	Venten. malm. t. 44.
45	divaricata. DC.	spreading.	1824.	—	G. ♀.	Jacq. schoenb. t. 365.
46	polyphylla. DC.	many-leaved.	Nepaul.	1825.	—	G. ♀.	
47	alopeuroides. DC.	Fox-tail.	C. B. S.	—	—	G. ♀.	
48	digitata. DC.	finger-leaved.	1820.	—	G. ♀.	
CLITORIA. 120.							
	11 lascivia. Boj.	CLITORIA.					
		Madagascar.	Madagascar.	1826.	S. ♀.	
VILMORINIA. DC.							
	multiflora. DC.	VILMORINIA.	Diadelphia	Decandria.			
	<i>Clitoria multiflora</i> . p. 120.	many-flowered.	W. Indies.	1823.	7. 8.	S. ♀.	
PUERARIA. DC.							
	tuberosa. DC.	tuberosus.	E. Indies.	1806.	S. ♀.	
	<i>Hedysarum tuberosum</i> . p. 130.						
DUMASIA. DC.							
	1 villosa. DC.	villous.	Nepaul.	1824.	8. 12.	G. ♀.	DC. leg. mem. 6. t. 44.
	2 pubescens. DC.	pubescent.	—	—	G. ♀.	Botan. regist. 962.
GLYCINE. DC.							
	minima. DC.	small.	N. S. W.	1812.	4. 10.	G. ♀.	
CHÆTOCALYX. DC.							
	vincentina. DC.	CHÆTOCALYX.	Diadelphia	Decandria.			
	<i>Glycine vincentina</i> . p. 121.	St. Vincent.	St. Vincent's.	1823.	6. 8.	S. ♀.	Botan. regist. 799.
DALEA. 114.							
	13 sericea. DC.	DALEA.					
	14 tuberculata. DC.	tubercled.	Mexico.	1825.	G. ♀.	Kth. mim. t. 48.
	15 reclinata. DC.	reclining.	1824.	5. 8.	G. ♀.	
	16 Thouini. DC.	Thouin's.	—	—	H. ☉.	Schrauk. h. mon. t. 9.
TEPHROSIA. 124.							
	16 suberosa. DC.	TEPHROSIA.					
	<i>Robinia suberosa</i> . p. 126.	cork-barked.	E. Indies.	1818.	S. ♀.	
	17 fruticosa. DC.	frutescent.	1820.	S. ♀.	
	<i>Robinia fruticosa</i> . p. 126.						
	18 candida. DC.	white-leaved.	1810.	S. ♀.	
	<i>Robinia candida</i> . p. 126.						
	19 capensis. DC.	Cape.	C. B. S.	1823.	5. 9.	G. ♀.	Jacq. ic. t. 574.
	20 hypargyrea. DC.	various-leaved.	E. Indies.	—	6. 9.	S. ♀.	
	<i>Galega heterophylla</i> . p. 124.						
	21 caribæa. DC.	Caribbean.	W. Indies.	1786.	6. 7.	S. ♀.	Jacq. amer. t. 125.
	<i>Galega? caribæa</i> . p. 124.						
NISSOLIA. 132.							
	4 racemosa. DC.	racemed.	W. Indies.	6. 8.	S. ♀.	
	5 robiniaefolia. DC.	Robinia-leav'd.	1824.	S. ♀.	
	6 microptera. DC.	small-winged.	—	6. 8.	S. ♀.	
LONCHOCARPUS. DC.							
	1 domingensis. DC.	LONCHOCARPUS.	Diadelphia	Decandria.			
	<i>Dalbergia domingensis</i> . p. 131.	Domingo.	St. Domingo.	1759.	S. ♀.	
	2 violaceus. DC.	violet.	W. Indies.	—	S. ♀.	Jacq. amer. t. 177. f. 49.
	3 sericeus. DC.	silky.	1823.	S. ♀.	
	4 pyxidarius. DC.	Cuba.	Cuba.	1822.	S. ♀.	
	5 latifolius. DC.	broad-leaved.	S. America.	1814.	S. ♀.	
	<i>Amerimum latifolium</i> . p. 131.						
	6? pubescens. DC.	pubescent.	Caracas.	1820.	S. ♀.	
	7 roseus. DC.	rose-coloured.	S. America.	S. ♀.	
	8 sepium. DC.	hedge.	W. Indies.	1820.	S. ♀.	Jacq. amer. t. 129. f. 101.
	<i>Robinia sepium</i> . p. 126.						
SESBANIA. 128.							
	10 affinis. DC.	SESBANIA.					
	11 macrocarpa. DC.	likened.	E. Indies.	1822.	5. 8.	S. ♂.	
		long-podded.	Louisiana.	—	7. 10.	H. ☉.	

- 12 gracilis. DC. slender. 1824. 7. 10. S. ⊙.
- AGATI. DC. AGATI. Diadelphia Decandria.
- 1 grandiflora. DC. great-flowered. E. Indies. 1768. 7. 8. S. ♀. Rheed. mal. 1. t. 61.
Sesbania grandiflora. p. 128. *Æschynomene grandiflora*. L.
- 2 coccinea. DC. red-flowered. ——— 1824. . . . S. ♀. Rumph. amb. 1. t. 77.
- GLOTTIDIUM. DC. GLOTTIDIUM. Diadelphia Decandria.
- floridanum. DC. flat-podded. Carolina. 1822. 7. 8. G. ⊙. Jacq. ic. 1. t. 148.
Sesbania platycarpa. p. 129. *Robinia vesicaria*. Jacq.
- DAUBENTONIA. DC. DAUBENTONIA. Diadelphia Decandria.
- punica. DC. red-flowered. Mexico. 1824. . . . S. ♀. Cavan. ic. 4. t. 316.
- PISCIDIA. 122. PISCIDIA.
- 2 carthagenensis. DC. villous-leaved. W. Indies. S. ♀. Plum. ed. Bur. t. 133. f. 2
- HALIMODENDRON. DC. SALT-TREE. Diadelphia Decandria.
- argenteum. DC. silver-leaved. Siberia. 1779. 5. 6. H. ♀. Botan. magaz. 1016.
Robinia Halodendron. B.M. *Caragana Halodendron*. p. 125.
- COLUTEA. 124. BLADDER-SENNA.
- halepica. DC. Pocock's. Levant. 1752. 5. 10. H. ♀. Schmidt arb. t. 129.
Pocockii. p. 124. *Istria*. Mill. ic. t. 100.
- 5 nepalensis. B.M. Nepaul. Nepaul. 1822. 8. 9. H. ♀. Botan. magaz. 2622.
- LESSERTIA. 124. LESSERTIA.
- 7 falciformis. DC. falcate-podded. C. B. S. 1825. 5. 7. G. ♂.
- SUTHERLANDIA. 124. SUTHERLANDIA.
- 2 microphylla. DC. small-leaved. C. B. S. 1816. 6. 9. G. ♀.
- To this Tribe also belongs *Goodia*, *Scottia*, *Templetonia*, *Rafnia*, *Borbonia*, *Achyronia*, *Liparia*, *Hullia*, *Loddigesia*, *Lebeckia*, *Sarcophyllum*, *Aspalathus*, *Ulex*, *Spartium*, *Genista*, *Calycotome*, *Anthyllis*, *Hymenocarpus*, *Trifolium*, *Lupinaster*, *Tetragonolobus*, *Petalostemum*, *Glycyrrhiza*, *Gaiega*, *Amorpha*, *Mallera*, *Robinia*, *Calophaca*, *Swainsona*, *Phaca*, *Astragalus*, *Oxytropis*, and *Biserrula*.

Tribus III. HEDYSARÆ. DC. prodr. 2. p. 307.

- CORONILLA. 128. CORONILLA.
- 13 pentaphylla. DC. five-leaved. Algiers. . . . 5. 10. G. ♀. Mill. ic. t. 289. f. 2?
- 14 montana. DC. mountain. Europe. 1816. 6. 9. H. ♀. Botan. magaz. 907.
coronata. B.M. non L.
- ASTROLOBIUM. DC. ASTROLOBIUM.
- 1 ebracteatum. DC. round-podded. Portugal. . . . 5. 6. H. ⊙. Dalech. his. 1. p. 487. f. 1.
Ornithopus ebracteatus. p. 128.
- 2 durum. DC. perennial. Spain. 1805. 6. 7. H. ♀. Cavan. ic. 1. t. 41.
- 3 repandum. DC. repand. Barbary. 1805. — H. ⊙. Lam. ill. t. 631. f. 4.
- 4 scorpioides. DC. Purslane-ld. S. Europe. 1596. — H. ⊙. Cavan. ic. 1. t. 37.
Ornithopus scorpioides. p. 128.
- HIPPOCREPIS. 128. HORSESHOE-VETCH.
- 7 glauca. DC. glaucous. Naples. 1825. 5. 8. H. ♀. Ten. fl. neap. 2. t. 69.
- 8 monocarpa. DC. one-podded. Caucasus. — 6. 8. H. ⊙.
- PICTETIA. DC. PICTETIA. Diadelphia Decandria.
- 1 aristata. DC. awned. St. Domingo. 1820. . . . S. ♀. Jacq. schæn. 2. t. 237.
Æschynomene aristata. p. 129.
- ORMOCARPUM. DC. ORMOCARPUM. Diadelphia Decandria.
- sennoides. DC. Senna-like. E. Indies. 1818. 6. 7. S. ♀.
Hedysarum sennoides. p. 131.
- ZORNIA. 129. ZORNIA. Monadelphia Decandria.
- 3 angustifolia. DC. narrow-leaved. E. Indies. 1733. 7. 8. S. ⊙. Rheed. mal. 9. t. 82.
diphylla. p. 129.
- 4 reticulata. DC. netted-bracted. W. Indies. . . . — S. ⊙.
- 5 dytiocarpa. DC. netted-podded. N. S. W. 1824. — H. ⊙.
- ADESMIA. DC. ADESMIA. Decandria Monogynia.
- 1 muricata. DC. prickly-podded. Patagonia. 1793. 6. 7. H. ♀. Jacq. ic. 3. t. 568.
Hedysarum muricatum. p. 131.
- 2 papposa. DC. feathery-pod^d. Chili. 1823. — H. ♀.
- ÆSCHYNOMENE. 129. ÆSCHYNOMENE.
- 7 patula. DC. spreading. Mauritius. 1826. . . . S. ♂. ?
- 8 pendula. B. J. pendulous. Madagascar. 1825. . . . S. ♂. ?
- 9 subviscosa. DC. clammy. E. Indies. 1820. 9. 10. S. ⊙.
- SMITHIA. 128. SMITHIA.
- 3 conferta. DC. close-flowered. N. Holland. 1820. 7. 9. S. ♂.
- LOUREA. DC. LOUREA. Diadelphia Decandria.
- 1 Vespertilionis. DC. bat-winged. Cochinchina. 1780. 7. 8. S. ♂. Jacq. ic. 3. t. 566.
Hedysarum Vespertilionis. p. 130.

URARIA. DC.		URARIA. Diadelphia Decandria.				
1	<i>picta</i> . DC.	painted-leaved.	Guinea.	1788.	6. 8.	S. ♀. Jacq. ic. 3. t. 567.*
	<i>Hedysarum pictum</i> . p. 130.					
2	<i>crinita</i> . DC.	crook-podded.	E. Indies.	1780.	7. 9.	S. ♀. Burm. ind. t. 56.
	<i>Hedysarum crinitum</i> . p. 131.					
3	<i>lagocephala</i> . DC.	hairy.	Brazil.	1823.	—	S. ♀.
4	<i>Lagopus</i> . DC.	Hare's-foot.	Nepaul.	—	S. ♀.
* DESMIDIUM. DC.		DESMIDIUM. Diadelphia Decandria.				
1	<i>dubium</i> . B.R.	doubtful.	Nepaul.	1823.	7. 8.	S. ♀. Botan. regist. 967.
2	<i>umbellatum</i> . DC.	umbel-flower'd.	E. Indies.	1801.	6. 7.	S. ♀. Jacq. schœnb. 3. t. 297.
	<i>Hedysarum umbellatum</i> . p. 130.					
3	<i>triquetrum</i> . DC.	triangular.	—	1802.	7. 8.	S. ♂. Burm. ind. t. 52. f. 2.
4	<i>pseudotriquetrum</i> . DC.	triquetrous.	Nepaul.	1818.	—	S. ♂.
5	<i>alatum</i> . DC.	winged-stalked.	E. Indies.	1809.	S. ♀.
6	<i>gyrans</i> . DC.	moving-plant.	—	1775.	7. 9.	S. ♂. Jacq. ic. 3. t. 565.
7	<i>gyroides</i> . DC.	gyrans-like.	—	1818.	—	S. ♀.
8	<i>gangeticum</i> . DC.	oval-leaved.	—	1762.	—	S. ⊙. Burm. zeyl. t. 49.
9	<i>maculatum</i> . DC.	spotted.	—	1732.	6. 8.	S. ⊙. Dill. elt. t. 141. f. 168.
10	<i>sagittatum</i> . DC.	arrow-leaved.	—	1807.	S. ♀.
11	<i>angustifolium</i> . DC.	narrow-leaved.	Mexico.	1825.	S. ♀.
12	<i>latifolium</i> . DC.	broad-leaved.	E. Indies.	1809.	7. 8.	S. ♀. Botan. regist. t. 356.
13	<i>lasiocarpum</i> . DC.	woolly-podded.	Guinea.	1822.	7. 9.	S. ♀. Beau. fl. ow. 1. t. 18.
14	<i>canadense</i> . DC.	Canadian.	N. America.	1640.	—	H. ♀. Corn. canad. t. 45.
15	<i>canescens</i> . DC.	canescent.	—	1733.	—	H. ♀.
16	<i>marylandicum</i> . DC.	Maryland.	—	1725.	7. 10.	H. ♀. Dill. elt. t. 144. f. 171.
17	<i>obtusum</i> . DC.	obtuse.	—	1805.	7. 8.	H. ♀.
18	<i>ciliare</i> . DC.	fringed.	—	1823.	—	H. ♀.
19	<i>viridiflorum</i> . DC.	green-flowered.	—	1787.	7. 9.	H. ♀. Pluk. alm. t. 308. f. 5.
20	<i>bracteosum</i> . DC.	bracted.	—	1806.	7. 8.	H. ♀.
21	<i>glabellum</i> . DC.	smooth.	—	1824.	7. 9.	H. ♀.
22	<i>paniculatum</i> . DC.	panicked.	—	1781.	7. 8.	H. ♀. Pluk. alm. t. 432. f. 6.
23	<i>nudiflorum</i> . DC.	naked-flower'd.	—	1823.	—	H. ♀.
24	<i>acuminatum</i> . DC.	glutinous.	—	1805.	—	H. ♀.
	<i>Hedysarum glutinosum</i> . p. 130.					
25	<i>uncinatum</i> . DC.	uncinate.	Caracas.	1823.	6. 7.	S. ♀. Jacq. schœn. 3. t. 208.
26	<i>incanum</i> . DC.	hoary.	W. Indies.	1820.	7. 8.	S. ♀. Plum. ic. 149. f. 1.
27	<i>supinum</i> . DC.	trailing.	Jamaica.	—	—	S. ♀. Sloan. jam. 1. t. 118. f. 2.
28	<i>tortuosum</i> . DC.	twisted-podd'd.	—	1781.	—	S. ♀. ——— 1. t. 116. f. 2.
29	<i>ascendens</i> . DC.	ascending.	—	1820.	7. 9.	S. ♀.
30	<i>mexicanum</i> .	Mexican.	Mexico.	—	11. 5.	S. ♀. Botan. regist. 815.
	<i>Hedysarum mexicanum</i> . p. 130. <i>adscendens</i> . var. <i>cœruleum</i> . B.R.					
31	<i>trigonum</i> . DC.	three-sided.	Jamaica.	1733.	7. 9.	S. ♀.
32	<i>spirale</i> . DC.	spiral.	—	—	S. ♀. ✓
33	<i>Aparines</i> . DC.	hairy-stalked.	Mexico.	1820.	—	S. ♀.
34	<i>asperum</i> . DC.	barsh.	—	6. 8.	S. ♀.
35	<i>cæspitosum</i> . DC.	tufted.	Mauritius.	—	S. ♀.
36	<i>mauritanium</i> . DC.	creeping-root'd.	—	1822.	7. 9.	S. ♀.
37	<i>diversifolium</i> . DC.	different-leav'd.	Madagascar.	1820.	S. ♀.
38	<i>spectabile</i> .	showy.	Zanzibar.	1825.	S. ♀.
	<i>Hedysarum spectabile</i> . Boj.					
39	<i>triflorum</i> . DC.	three-flowered.	India.	1796.	6. 7.	S. ♀. Burm. ind. t. 54. f. 2.
40	<i>heterophyllum</i> . DC.	various-leaved.	Ceylon.	1820.	—	S. ♀. Burm. zeyl. t. 54. f. 1.
41	<i>parvifolium</i> . DC.	slender.	Nepaul.	1823.	7. 9.	S. ♀.
	<i>tenellum</i> . D.P. non Kth.					
42	<i>Scalpe</i> . DC.	repand.	Bourbon.	—	7. 8.	S. ♀.
	<i>Hedysarum repandum</i> . p. 130. non DC.					
43	<i>Roxburghii</i> .	Roxburgh's.	E. Indies.	1825.	S. ♀.
	<i>diffusum</i> . DC. p. 335. non p. 336.					
44	<i>floribundum</i> . D.P.	abundant-flg.	Nepaul.	1823.	7. 9.	S. ♀.
45	<i>retusum</i> . D.P.	retuse-leaved.	—	—	—	S. ♀.
46	<i>concinnum</i> . DC.	neat.	—	—	—	S. ♀.
47	<i>capitatum</i> . DC.	headed.	Ceylon.	7.	S. ♀. Burm. ind. t. 54. f. 1.
48	<i>tomentosum</i> . DC.	woolly.	China.	1782.	6. 7.	G. ♀.
49	<i>malacophyllum</i> . DC.	soft hairy-ld.	Manilla.	1824.	S. ♀.
50	<i>grandifolium</i> . DC.	large-leaved.	E. Indies.	—	S. ♀.
51	<i>serotinum</i> . DC.	late-flowering.	—	1806.	7. 9.	S. ♀.

* The species of this genus are referred to *Hedysarum*, p. 130 and 131.

DICERMA. DC.	DICERMA.	Diadelphia Decandria.					
1 pulchellum. DC.	neat.	E. Indies.	1799.	7. 8.	S. ♀.	Burm. zeyl. t. 52.	
<i>Zornia pulchella</i> . p. 129.	<i>Hedysarum pulchellum</i> . w.						
2 barticulatum. DC.	jointed.		1808.	S. ♀.	----- t. 50. f. 2.	
	<i>Hedysarum barticulatum</i> . p. 130.						
HEDYSARUM. DC.	HEDYSARUM.						
1 lasiocarpum. DC.	woolly-podded.	Siberia.	1824.	6. 8.	H. ♀.		
2 ibericum. DC.		Iberian.	-----	-----	H. ♀.		
3 cretaceum. DC.	slender-spiked.	Volga.	1818.	-----	H. ♀.		
4 consanguineum. DC.	kindred.	Siberia.	-----	-----	H. ♀.		
5 caucasicum. DC.	Caucasean.	Caucasus.	1824.	-----	H. ♀.		
ONOBRYCHIS. 131.	SAINTFOIN.						
14 procumbens. DC.	procumbent.	Iberia.	1823.	7. 9.	H. ♀.		
15 radiata. DC.	rayed.	Caucasus.	-----	-----	H. ♀.		
ELEIOTIS. DC.	ELEIOTIS.						
sororia. DC.	sister.	E. Indies.	1820.	S. ♀.	Desv. j. bot. 3. t. 6. f. 31.	
	<i>Hedysarum sororium</i> . p. 130.						
LESPEDEZA. 129.	LESPEDEZA.						
12 eriocarpa. DC.	woolly-podded.	Nepaul.	1812.	7. 9.	G. ♀.		
13 villosa. DC.	villous.	N. America.	-----	-----	H. ♀.		
EBENUS. DC.	EBENUS.	Monadelphia Decandria.					
1 cretica. DC.	Cretan.	Crete.	1737.	6. 7.	F. ♀.	Botan. magaz. 1092.	
	<i>Anthyllis cretica</i> . p. 114.						
2 pinnata. DC.	wing-leaved.	Barbary.	1786.	7. 8.	G. ♂.	Desf. act. par. 1. t. 3.	
	<i>Anthyllis sericca</i> . p. 114.						
ALHAGI. DC.	ALHAGI.	Diadelphia Decandria.					
1 maurorum. DC.	Levant.	Levant.	1714.	7. 8.	G. ♀.	Tourn. cor. 54. t. 489.	
	<i>Mamma hebraica</i> . p. 131.	<i>Hedysarum Alhagi</i> . w.					
2 camelorum. DC.	Caspian.	Caucasus.	1824.	-----	H. ♀.		
ALYSICARPUS. DC.	ALYSICARPUS.	Diadelphia Decandria.					
1 bupleurifolius. DC.	Bupleurum-ld.	India.	1793.	7. 8.	S. ♂.	Botan. magaz. 1722.	
	<i>Hedysarum bupleurifolium</i> . p. 129.						
2 vaginalis. DC.	sheathed.	E. Indies.	1790.	-----	S. ⊙.	Burm. zeyl. t. 49. f. 1.	
3 nummularifolius.	moneywort-ld.	-----	1777.	7. 9.	S. ⊙.	Pet. gaz. t. 26. f. 4.	
	<i>Hedysarum nummularifolium</i> . p. 129.						
4 monilifer. DC.	neck-lace.	-----	1824.	-----	S. ♀.	Burm. ind. t. 52. f. 3.	
5 styracifolius. DC.	Storax-leaved.	-----	1796.	-----	S. ♀.		

To this Tribe also belongs *Scorpiurus*, *Stylosanthes*, *Securigera*, and *Flemingia*.

Tribus IV. VICIEÆ. DC. prodr. 2. p. 353.

ERVUM. 128.	TARE.						
10 Ervilia. DC.	official.	S. Europe.	1596.	6. 8.	H. ⊙.	Blackw. t. 208. f. 3.	
	<i>Vicia Ervilia</i> . p. 127.						
11 monanthos. DC.	single-flower'd.	-----	1790.	7. 8.	H. ⊙.	Sturm. fl. germ. 1. f. 32.	
LATHYRUS. 126.	LATHYRUS.						
37 intermedius. DC.	intermediate.	N. Europe.	1818.	7. 9.	H. ♀.	Mull. fl. dan. t. 785.	
38 longepedunculatus.	long-peduncul'd.	1824.	-----	H. ⊙.		
39 hirtus. DC.	hairy.	-----	-----	H. ⊙.		
OROBUS. 126.	BITTER VETCH.						
22 formosus. DC.	handsome.	Caucasus.	1824.	4. 6.	H. ♀.	Linn. trans. 11. t. 36.	
23 sessilifolius. DC.	sessile-leaved.	Greece.	-----	5. 7.	H. ♀.		
24 multiflorus. DC.	many-flowered.	Italy.	-----	-----	H. ♀.		
25 vicioides. DC.	Vicia-like.	Carniola.	1818.	6. 8.	H. ♀.	W. et K. hung. 3. t. 242.	
	<i>Vicia oroboides</i> . p. 127.						
26 anrantius. DC.	orange-color'd.	Iberia.	1824.	-----	H. ♀.		
27 erectus. DC.	upright.	1820.	-----	H. ♀.		

To this Tribe also belongs *Cicer*, *Faba*, *Vicia*, and *Pisum*.

Tribus V. PHASEOLEÆ. DC. prodr. 2. p. 381.

SWEETIA. DC.	SWEETIA.	Diadelphia Decandria.					
1 longifolia. DC.	long-leaved.	S. America.	1824.	6. 7.	S. ♀. ~.	Jacq. ic. 3. t. 572.	
	<i>Philrosia longifolia</i> . p. 124.	<i>Gulega longifolia</i> . Jacq.					
2 filiformis. DC.	slender.	Mexico.	1826.	S. ♀. ~.	----- 3. t. 573.	
ROTHIA. DC.	ROTHIA.						
trifoliata. DC.	trifoliolate.	S. America.	1820.	6. 8.	S. ⊙.		
	<i>Glycine humifusa</i> . p. 121.						

KENNEDIA. 121.	KENNEDIA.				
7? heterophylla. ψ .	various-leaved.	N. Holland.	1826.	G. $\frac{1}{2}$ \curvearrowright .
8? inophylla. ψ .	few-leaved.	—————	1825.	S. $\frac{1}{2}$ \curvearrowright .
9? dilatata. ψ .	dilated-leaved.	—————	—————	S. $\frac{1}{2}$ \curvearrowright .
RHYNCHOSIA. DC.	RHYNCHOSIA.	Diadelphia	Decandria.		
1 reniformis. DC.	kidney-leaved.	Carolina.	1806.	7. 8.	F. $\frac{1}{2}$.
<i>Glycine reniformis.</i> p. 121.					
2 difformis. DC.	downy climbing.	N. America.	1732.	6. 9.	H. $\frac{1}{2}$ \curvearrowright . Dill. elt. t. 26. f. 29.
<i>Glycine tomentosa.</i> p. 121.					
3 erecta. DC.	upright.	—————	—	H. $\frac{1}{2}$.
4 caribæa. DC.	trailing.	W. Indies.	1742.	9. 10.	S. $\frac{1}{2}$ \curvearrowright . Jacq. ic. 1. t. 146.
5 phaseoloides. DC.	Abrus-seeded.	—————	1820.	6. 7.	S. $\frac{1}{2}$ \curvearrowright . Botan. magaz. 2284.
6 precatorea. DC.	Abrus-like.	S. America.	—————	—	S. $\frac{1}{2}$ \curvearrowright .
7 reticulata. DC.	netted.	Jamaica.	1779.	7. 9.	S. $\frac{1}{2}$ \curvearrowright .
8 rhombifolia. DC.	rhomb-leaved.	E. Indies.	1815.	5. 8.	S. $\frac{1}{2}$ \curvearrowright .
9 viscida. DC.	viscous.	—————	1823.	6. 7.	S. $\frac{1}{2}$ \curvearrowright .
10 angustifolia. DC.	narrow-leaved.	C. B. S.	1795.	6. 8.	G. $\frac{1}{2}$ \curvearrowright . Jacq. schœn. 2. t. 231.
<i>Glycine angustifolia.</i> p. 121.					
11 suaveolens. DC.	sweet-scented.	E. Indies.	1816.	7. 9.	S. $\frac{1}{2}$.
FAGELIA. DC.	FAGELIA.	Diadelphia	Decandria.		
bituminosa. DC.	clammy.	C. B. S.	1774.	4. 9.	G. $\frac{1}{2}$ \curvearrowright . Botan. regist. 261.
<i>Glycine bituminosa.</i> p. 121.					
PHASEOLUS. 119.	KIDNEY-BEAN.				
34 macrostachyus. DC.	large-spiked.	N. America.	1824.	7. 9.	H. $\frac{1}{2}$ \curvearrowright .
35 compressus. DC.	flat-seeded.	6. 9.	H. \odot \curvearrowright . Savi mem. 3. t. 10. f. 20.
36 oblongus. DC.	oblong-seeded.	—	H. \odot \curvearrowright . ———— 3. t. 10. f. 14.
37 saponaceus. DC.	spotted white-seeded.	—	H. \odot \curvearrowright . ———— 3. t. 10. f. 15.
38 tumidus. DC.	thick-seeded.	—	H. \odot \curvearrowright . ———— 3. t. 10. f. 16.
39 hæmatocarpus. DC.	red-spotted.	—	H. \odot \curvearrowright . ———— 3. t. 10. f. 17.
40 sphaericus. DC.	round-seeded.	—	H. \odot \curvearrowright . ———— 3. t. 10. f. 18.
41 gonospermus. DC.	angular-seeded.	—	H. \odot \curvearrowright . ———— 3. t. 10. f. 19.
42 densus. DC.	narrow-podded.	Brazil.	1823.	—	H. \odot \curvearrowright . Schr. h. monac. 1. t. 89.
43 Xuaresii. DC.	pointed-leaved.	—	—	H. \odot \curvearrowright .
44 microspermus. DC.	small-seeded.	Cuba.	S. \odot \curvearrowright .
45 chrysanthos. DC.	yellow-flow'r'd.	—	S. \odot \curvearrowright .
46 violaceus. DC.	violet-flowered.	Africa?	—	H. \odot .
47 scaber. DC.	rough-podded.	—	H. \odot . Moris. ox. s. 2. t. 5. f. 8.
SOJA. DC.	SOY.	Diadelphia	Decandria.		
hispida. DC.	hispid.	E. Indies.	1790.	7. 8.	S. \odot . Jacq. ic. 1. t. 145.
<i>Dolichos Soja.</i> p. 119.					
DOLICHOS. 119.	DOLICHOS.				
39 Jacquini. DC.	Jacquin's.	W. Indies.	1822.	7. 9.	S. $\frac{1}{2}$ \curvearrowright .
40 melanophthalmus. DC.	black-circled.	—	—	H. \odot \curvearrowright .
VIGNA. DC.	VIGNA.				
glabra. DC.	yellow.	America.	1805.	7. 8.	H. \odot \curvearrowright . Jacq. vind. 1. t. 90.
<i>Dolichos luteolus.</i> p. 119.					
LABLAB. DC.	LABLAB.	Diadelphia	Decandria.		
1 vulgaris. DC.	common.	Egypt.	1694.	6. 7.	S. \odot \curvearrowright . Botan. magaz. 896.
<i>Dolichos Lablab.</i> p. 119.					
2 purpureus.	purple.	E. Indies.	1790.	5. 10.	S. $\frac{1}{2}$ \curvearrowright . Exot. bot. 2. t. 74.
<i>Dolichos purpureus.</i> B.R. 830.					
3 benghalensis.	Bengal.	Bengal.	1820.	7. 8.	S. $\frac{1}{2}$ \curvearrowright . Jacq. vind. 2. t. 124.
<i>vulgaris</i> γ <i>abtiflorus.</i> DC. <i>Dolichos benghalensis.</i> p. 119.					
4 nankinicus. DC.	Chinese.	China.	1821.	—	H. \odot \curvearrowright . Savi. dis. 1821. f. 8. d. g.
5 leucocarpus. DC.	white-podded.	E. Indies.	—	—	S. \odot \curvearrowright . ———— f. 9. a. d.
6 cultratus. DC.	sharp-edged.	Japan.	1818.	6. 7.	H. \odot \curvearrowright . Banks ic. k. t. 25.
<i>Dolichos cultratus.</i> p. 119.					
7 microcarpus. DC.	small-podded.	E. Indies.	1824.	—	S. \odot \curvearrowright . Rumph. am. 5. t. 141. f. 1.
8 perennans. DC.	perennial.	China.	1823.	7. 8.	G. $\frac{1}{2}$ \curvearrowright . ———— 5. t. 137.
PACHYRHIZUS. DC.	PACHYRHIZUS.	Diadelphia	Decandria.		
angulatus. DC.	angular-leaved.	E. Indies.	1781.	7.	S. $\frac{1}{2}$ \curvearrowright . Rumph. amb. 5. t. 132.
<i>Dolichos bulbosus.</i> p. 119.					
PSOPHOCARPUS. DC.	PSOPHOCARPUS.	Diadelphia	Decandria.		
tetragonolobus. DC.	square-podded.	E. Indies.	1816.	9. 11.	S. \odot . Rumph. amb. 5. t. 133.
<i>Dolichos tetragonolobus.</i> p. 119.					
CANAVALIA. DC.	CANAVALIA.	Monadelphia	Decandria.		
1 obtusifolia. DC.	blunt-leaved.	E. Indies.	1818.	7. 8.	S. $\frac{1}{2}$ \curvearrowright . Rheed. mal. 8. t. 43.
<i>Dolichos rotundifolius.</i> p. 119.					
β <i>emarginatus.</i> DC. <i>emarginate.</i>		—————	—	—	S. $\frac{1}{2}$ \curvearrowright . Jacq. schœn. 2. t. 221.

2	gladiata, dc.	sabre-podded.	E. Indies.	1801.	6. 7.	S. $\frac{1}{2}$.	Jacq. ic. 3. t. 560.
	<i>Dolichos gladiata</i> , p. 119.	<i>Malocchia gladiata</i> , Savl.					
3	ensiformis, dc.	cimeter-podded.	————	1778.	7. 8.	S. \odot .	Jacq. ic. 3. t. 559.
4	roseus, dc.	rose-coloured.	Jamaica.	1812.	—	S. \odot .	
	<i>Dolichos roseus</i> , p. 119.						
MUCUNA, DC.		Cowitch.	Diadelphia Decandria.				
1	urens, dc.	broad-podded.	W. Indies.	1691.	6. 7.	S. $\frac{1}{2}$.	Plum. amer. t. 107.
	<i>Stizolobium urens</i> , p. 119.	<i>Dolichos urens</i> , Jacq. amer. t. 182. f. 84.					
2	altissima, dc.	tall.	Martinico.	1779.	S. $\frac{1}{2}$.	Jacq. amer. t. 182. f. 85.
3	pruriens, dc.	common.	India.	1680.	S. $\frac{1}{2}$.	Rheed. mal. 8. t. 85.
	<i>Stizolobium pruriens</i> , p. 119.	<i>Carpogon pruriens</i> , H. B.					
4	gigantea, dc.	gigantic.	E. Indies.	1815.	7. 9.	S. $\frac{1}{2}$.	Rheed. mal. 8. t. 36.
5	mitis, dc.	oblique-leaved.	Peru.	1823.	S. $\frac{1}{2}$.	
6	monosperma, dc.	single-seeded.	E. Indies.	1818.	7. 9.	S. $\frac{1}{2}$.	
	<i>Carpogon monospermum</i> , p. 119.						
7	atropurpurea, dc.	dark-purple.	————	1820.	—	S. $\frac{1}{2}$.	
8	nivea, dc.	white.	————	—	—	S. \odot .	
9	imbricata, dc.	imbricated.	————	1815.	—	S. $\frac{1}{2}$.	
10	anguinea.	snake-like.	————	1822.	S. $\frac{1}{2}$.	
	<i>Carpogon anguineum</i> , p. 119.						
11	bracteata, dc.	bracted.	————	—	S. $\frac{1}{2}$.	
12	capitata.	capitate.	————	—	7. 9.	S. \odot .	
	<i>Carpogon capitatum</i> , p. 119.						
ERYTHRINA, 120.		CORAL-TREE.					
26	enneandria, dc.	nine anther'd.	S. $\frac{1}{2}$.	
27	macrophylla, dc.	large-leaved.	1816.	S. $\frac{1}{2}$.	
28	umbrosa, dc.	deltoid-leaved.	Caracas.	1824.	S. $\frac{1}{2}$.	
RUDOLPHIA, DC.		RUDOLPHIA.	Diadelphia Decandria.				
	dubia, dc.	doubtful.	Havannah.	1815.	S. $\frac{1}{2}$.	H. et B. n. gen. 6. t. 591.
	<i>Glycine sagittata</i> , p. 121.						

To this Tribe also belongs *Abrus*, *Teramnus*, *Amphicarpea*, *Wisteria*, *Apios*, *Cajanus*, *Lupinus*, *Cylista*, and *Butea*.

Tribus VI. DALBERGIEÆ. DC. prodr. 2. p. 415.

DREPANOCARPUS, DC.	DREPANOCARPUS.	Monadelphia Decandria.					
	lunatus, dc.	crescent-podded.	S. America.	1792.	S. $\frac{1}{2}$.	Plum. ed. Bur. t. 201. f. 2.
	<i>Pterocarpus lunatus</i> , p. 132.						
BRYA, DC.		BRYA.	Monadelphia Decandria.				
	Ebenus, dc.	Jamaica Ebony.	W. Indies.	1713.	7. 8.	S. $\frac{1}{2}$.	Brown. jam. t. 31. f. 2.
	To this Tribe belongs <i>Pongamia</i> , <i>Dalbergia</i> , <i>Pterocarpus</i> , <i>Amerinum</i> , and <i>Ecastaphyllum</i> .						
PHYLLOLOBIUM, 131.	PHYLLOLOBIUM.						
	2 zanzibarense, Boj.	Zanzibar.	Zanzibar.	1825.	S. $\frac{1}{2}$.	

SUBORDO II.—Tribus VII. SWARTZIEÆ. DC. prodr. 2. p. 422.

SWARTZIA, DC.		SWARTZIA.	Monadelphia Dec-Dodecandria.				
	1 grandiflora, dc.	great-flower'd.	Trinidad.	1822.	S. $\frac{1}{2}$.	Vahl. ecl. pl. am. 1. t. 9.
	2 pinnata, dc.	wing-leaved.	————	1820.	S. $\frac{1}{2}$.	Corr. an. mus. 9. t. 24. f. 2.
BAPHIA, DC.		BAPHIA.	Decandria Monogynia.				
	nitida, dc.	glossy.	Sierra Leone.	5. 9.	S. $\frac{1}{2}$.	Lodd. bot. cab. 367.

SUBORDO III.—Tribus VIII. MIMOSEÆ. DC. prodr. 2. p. 424.

ENTADA, p. 100.		ENTADA.					
	1 Gigalobium, dc.	American.	W. Indies.	1780.	S. $\frac{1}{2}$.	
	2 Pursætha, dc.	Indian.	E. Indies.	—	S. $\frac{1}{2}$.	Rheed. mal. 8. t. 32-34.
	<i>Parrana</i> , p. 100.	<i>Acacia scandens</i> , w.					
	3 monostachya, dc.	single-spiked.	————	—	S. $\frac{1}{2}$.	Rheed. mal. 9. t. 77.
	<i>Rheedi</i> , p. 100.	<i>Mimosa Entada</i> , w.					
	4 polystachya, dc.	many-spiked.	W. Indies.	1816.	4. 9.	S. $\frac{1}{2}$.	Jacq. amer. t. 183. f. 93.
	<i>Mimosa polystachya</i> , p. 100.						
GAGNEBINA, DC.		GAGNEBINA.	Decandria Monogynia.				
	1 tamariscina, dc.	Tamarisk-like.	Mauritius.	1824.	S. $\frac{1}{2}$.	DC. leg. me. 12. t. 64. f. 13
	<i>Acacia tamariscina</i> , p. 102.						
	2 axillaris, dc.	axillary-spiked.	————	—	S. $\frac{1}{2}$.	DC. leg. me. 12. t. 64. f. A
ERYTHROPHLEUM, Br.		RED WATER-TREE.	Decandria Monogynia.				
	leonensc, G. D.	Sierra Leone.	Sierra Leone.	1822.	S. $\frac{1}{2}$.	

PARKIA. Br.	PARKIA. Monadelphia Decandria.					
africana. Br.	African.	Africa.	1822.	S. h.	Beau. fl. d. ow. 2. t. 90.
<i>Inga biglobosa</i> . p. 101.						
INGA. 101.	INGA.					
21 pulcherrima. Cerv.	handsome.	Mexico.	1822.	S. h.	
22 setifera. DC.	setiferous.	Guiana.	1824.	S. h.	
23 Fenillei. DC.	Feuillee's.	Peru.	—	S. h.	Feuil. obs. 3. t. 19.
24 splendens. DC.	splendid.	Brazil.	1825.	S. h.	
25 emarginata. DC.	emarginate.	Mexico.	—	S. h.	Kth. mim. t. 17.
26 xylocarpa. DC.	woody-podded.	E. Indies.	1822.	S. h.	Roxb. corom. 1. t. 100.
<i>Acacia xylocarpa</i> . p. 102.						
DARLINGTONIA. DC.	DARLINGTONIA.	Pentandria Monogynia.				
1 brachyloba. DC.	Illinois.	N. America.	1803.	9. 10.	H. 2.	DC. leg. mem. 12. t. 66.
2 glandulosa. DC.	glandulous.	—	1806.	—	F. h.	Vent. choix. t. 27.
<i>Acacia glandulosa</i> . p. 102.						
DESMANTHUS. 100.	DESMANTHUS.					
10 callistachys. DC.	pretty-spiked.	1820.	7. 10.	S. h.	
PROSOPIS. 101.	PROSOPIS.					
4 juliflora. DC.	long-flowered.	Jamaica.	1793.	5. 6.	S. h.	
<i>Acacia juliflora</i> . p. 103.						
LAGONYCHIUM. DC.	LAGONYCHIUM.	Decandria Monogynia.				
Stephianiann. DC.	Stephan's.	Caucasus.	1825.	H. h.	Breyn. cent. 1. t. 56. f. 4.
ACACIA. 101.	ACACIA.	Polygamia Monœcia.				
140 dolabriformis. DC.	hatchet-leaved.	N. Holland.	1818.	4. 6.	G. h.	
141 hastulata. DC.	hastulate.	—	1824.	—	G. h.	
142 nervosa. DC.	nervose.	—	—	—	G. h.	
143 paradoxa. DC.	wave-leaved.	—	1818.	3. 6.	G. h.	Botan. regist. t. 843.
<i>undulata</i> . p. 102.						
144 Brownei. DC.	Brown's.	N. S. W.	1796.	—	G. h.	
<i>acicularis</i> . H. K. pugioniformis. p. 101.	non W. A.					
145 echinula. DC.	pungent.	—	1824.	—	G. h.	
146 pugioniformis. DC.	needle-leaved.	—	1803.	—	G. h.	Wendl. ac. t. 9.
147 emarginata. DC.	emarginate.	N. Holland.	1816.	—	G. h.	
148 leprosa. DC.	leprous.	N. S. W.	1824.	—	G. h.	
149 multinervia. DC.	many-nerved.	N. Holland.	—	—	G. h.	
150 eglandulosa. DC.	glandless.	—	—	—	G. h.	
151 coriacea. DC.	leathery.	—	—	—	G. h.	
152 anceps. DC.	flat-edged.	—	—	—	G. h.	
153 elongata. DC.	elongated.	—	—	—	G. h.	
154 trinervia. DC.	three-nerved.	N. S. W.	1823.	4. 6.	G. h.	
155 quadrilateralis. DC.	four-sided.	N. Holland.	1822.	—	I. h.	
156 asparagoides. F. T.	Asparagus-like.	N. S. W.	1824.	—	G. h.	
157 buxifolia. F. T.	Box-leaved.	—	—	—	G. h.	
158 rubida. F. T.	reddish.	—	—	—	G. h.	
159 verniciflua. F. T.	varnished.	—	—	—	G. h.	
160 falciformis. DC.	sickle-shaped.	—	—	—	G. h.	
161 penninervis. DC.	wing-nerved.	—	—	—	G. h.	
162 amœna. DC.	handsome.	—	—	—	G. h.	Wendl. ac. t. 4.
163 pyrifolia. DC.	Pear-leaved.	—	—	—	G. h.	
164 binervata. DC.	two-nerved.	—	—	—	G. h.	
165 bivenosa. DC.	two-veined.	—	—	—	G. h.	
166 obtusata. DC.	blunt-leaved.	—	—	—	G. h.	
167 subulata. DC.	awl-leaved.	—	—	—	G. h.	
168 oxycedrus. DC.	Oxycedrus-ld.	—	—	—	G. h.	
169 homomalla. DC.	pubescent-ld.	—	—	—	G. h.	
170 intertexta. DC.	netted.	—	—	—	G. h.	
171 cinerascens. DC.	greyish.	—	—	—	G. h.	
172 lanigera. F. T.	wool-bearing.	—	—	—	G. h.	
173 Cyclopis. ψ.	Cyclopia-like.	N. Holland.	—	—	G. h.	
174 impressa. ψ.	impressed.	—	—	—	G. h.	
175 mucronulata. ψ.	sharp-pointed.	—	—	—	G. h.	
176 oleifolia. ψ.	Olive-leaved.	—	—	—	G. h.	
177 pendula. ψ.	pendulous.	—	—	—	G. h.	
178 rigens. ψ.	stiff.	—	—	—	G. h.	
179 thegonocarpa. ψ.	angular-podded.	—	—	—	G. h.	
180 dillwyniæfolia. ψ.	Dillwynia-ld.	—	—	—	G. h.	

181 cordifolia. ↓.	heart-leaved.	N. Holland.	1824.	4. 6.	G. h.
182 hispidissima. DC.	hispid.	_____	_____	_____	G. h.
183 angulata. DC.	angular.	_____	_____	_____	G. h.

To this Tribe belongs *Mimosa*, *Schrankia*, and *Adenanthera*.

SUBORDO IV. CÆSALPINÆ. Trib. IX. GEOFFRÆ. DC. prodr. 2. p. 473.

ANDIRA. DC.	ANDIRA.	Diadelphia	Decandria.		
1 racemosa. DC.	racemed.	Brazil.	1824.	S. h. Aub. gui. sup. t. 373.
2 inermis. DC.	hastard cabbage-tree.	Jamaica.	1778.	S. h. Phil. trans. 1777. t. 10.
	<i>Geoffroya inermis</i> .				p. 132.
GEOFFROYA. DC.	GEOFFROYA.				
spinosa. DC.	spiny.	S. America.	1823.	S. h. Jacq. amer. t. 180. f. 62.
BROWNEA. 106.	BROWNEA.				
2 Rosa. DC.	handsome.	S. America.	1816.	S. h. Berg. act. ang. t. 8. 9.

To this Tribe belongs *Arachis* and *Dipterix*.

Tribus X. CASSIÆ. DC. prodr. 2. p. 478.

MORINGA. DC.	HORSE-RADISH-TREE.				
pterygosperma. DC.	wing-seeded.	E. Indies.	1759.	S. h. Rheed. mal. 6. t. 11.
	<i>Hyperanthera Moringa</i> .				p. 105.
COULTERIA. DC.	COULTERIA.	Decandria	Monogynia.		
tinctoria. DC.	dyer's.	Peru.	1818.	S. h. H. et B. n. gen. t. 569.
	<i>Cæsalpina Tura</i> .				p. 105.
HARDWICKIA. DC.	HARDWICKIA.	Oct-Decandria	Monogynia.		
binata. DC.	two-leaved.	E. Indies.	1824.	S. h.
JONESIA. DC.	JONESIA.	Heptandria	Monogynia.		
Asoca. DC.	winged-leaved.	E. Indies.	1796.	S. h. Rheed. mal. 5. t. 59.
	<i>pinnata</i> . w. <i>Saraca indica</i> .				L.
TAMARINDUS. 104.	TAMARIND.				
2 occidentalis. DC.	West Indian.	W. Indies.	6. 7.	S. h. Jacq. amer. t. 10.
CASSIA. 104.	CASSIA.				
71 aversiflora. B.M.	contrary-fl'd.	Brazil.	1823.	1. 12.	S. h. Botan. magaz. 2638.
72 australis. B.M.	New Holland.	N. S. W.	1820.	5. 12.	S. h. 2676.
73 pulchella. Boj.	pretty.	Zanzibar.	1825.	7. 9.	S. h.
SCHOTIA. 104.	SCHOTIA.				
4 alata. DC.	winged.	C. B. S.	1816.	6. 7.	I. h.
5? latifolia. DC.	broad-leaved.	_____	_____	4. 6.	I. h. Hook. ex. flor. t. 159.
	<i>Omphalobium Schotia</i> .				p. 104.
PARIVOA. DC.	PARIVOA.	Diadelphia	Decandria.		
grandiflora. DC.	large-flower'd.	Cayenne.	1816.	S. h. Aub. gui. 2. t. 303.
	<i>Dimorpha grandiflora</i> .				L.T. 9. t. 20.
OUTEA. DC.	OUTEA.	Tri-Tetrandria	Monogynia.		
bijuga. DC.	two-paired.	E. Indies.	1823.	S. h. Linn. trans. 12. t. 17.
	<i>Macrolobium bijugum</i> .				p. 106.
VOUAPA. DC.	VOUAPA.	Triandria	Monogynia.		
bifolia. DC.	two-leaved.	Guiana.	1823.	S. h. Aub. gui. 1. t. 7.
CODARIUM. DC.	CODARIUM.	Diandria	Monogynia.		
1 acutifolium. DC.	acute-leaved.	Guinea.	1800.	S. h. Rœm. arch 1. t. 6.
	<i>nitidum</i> . Vahl. <i>Diatium guineense</i> .				w.
2 obtusifolium. DC.	blunt-leaved.	_____	_____	S. h.

To this Tribe belongs *Gleditschia*, *Gymnocladus*, *Guilandina*, *Cæsalpina*, *Poinciana*, *Hoffmanseggia*, *Hematoxylon*, *Parkinsonia*, *Cadia*, *Ceratonia*, *Cathartocarpus*, *Copaifera*, *Cynometra*, *Hymenaea*, *Bauhinia*, and *Cercis*.

Tribus XI. DETARIÆ. DC. prodr. 2. p. 521.

DETARIUM. DC.	DETARIUM.	Decandria	Monogynia.		
senegalense. DC.	Senegal.	Senegal.	1822.	S. h.

Omitted at p. 476.

GENISTA. p. 111.	GENISTA.				
athensis. DC.	three-seeded.	M. Ætna.	1821.	7. 8.	H. h. Botan. magaz. 2674.
	<i>Spartium cœtense</i> .				B.M.

CHRYSOBALANÆ. p. 133.

GRANGERIA. DC.	GRANGERIA.	Dodecandria Monogynia.			
borbonica. DC.	Bourbon.	Bourbon.	1826. S. h.	Lam. ill. t. 427.
HIRTELLA. 133.	HIRTELLA.				
1 triandra. DC.	triandrous.	W. Indies. S. h.	Jacq. amer. 8. t. 8.
americana. Jacq.					
2 racemosa. DC.	racemed.	—————	1782. S. h.	Aub. gui. 1. t. 98.
americana. Aub.					

AMYGDALINEÆ. p. 133.

PRUNUS. 133.	PLUM.				
8 candicans. DC.	white-leaved.	1818.	4. 5. H. h.	
9 Cocomilia. DC.	twin-flowered.	Italy.	1826. H. h.	
10 pubescens. DC.	pubescent.	1819.	4. 5. H. h.	
CERASUS. DC.	CHERRY.	Icosandria Monogynia.			
1 Juliana. DC.	July-fruited.	4. 5. H. h.	Duha. ed. no. 5. t. 15. f. A.
2 Caproniana. DC.	common.	— H. h.	Eng. bot. 706.
Prunus Cerasus. p. 134.					

To this genus also belongs *Prunus Chicasa, hyemalis, depressa, Susquehannæ, pumila, pygmæa, persicifolia, nigra, pensylvanica, borealis, duracina, macrophylla, avium, semperflorens, pendula, chamæcerasus, fruticosa, Mahaleb, paniculata, japonica, Lavrocerasus, caroliniana, lusitanica, occidentalis, sphærocarpa, serotina, virginiana, rubra*, and *Padus*. p. 133 and 134.

POMACEÆ. p. 134.

MESPILUS. 134.	MESPILUS.	<i>Mespilus et Cratægus</i> .	DC.		
38 mexicana. DC.	Mexican.	Mexico.	1824. G. h.	
39 prunifolia. DC.	Plum-leaved.	N. America.	1812.	5. 6. H. h.	
40 ovalifolia. DC.	oval-leaved.	—————	— H. h.	
41 Poirétiana. DC.	Poiret's.	— H. h.	
42 florentina. DC.	Florentine.	Italy.	1824. H. h.	
43 orientalis. DC.	oriental.	Levant.	—	5. 6. H. h.	
44 heterophylla. DC.	various-leaved.	N. America.	1818.	— H. h.	
COTONEASTER. 135.	COTONEASTER.				
tomentosa. DC.	Quince-leaved.	Europe.	1759.	4. 5. H. h.	
tomentosa. L.T. et	<i>Mespilus eriocarpa</i> .	DC.			
ARONIA. 135.	ARONIA.				
floribunda.	many-flower'd.	5. H. h.	Botan. regist. 1006.
<i>Pyrus floribunda</i> .	B. R.				
PYRUS. 135.	PEAR, APPLE, &c.				
34 amygdaliformis. DC.	Almond-like.	France.	1820.	5. 6. H. h.	
35 lanuginosa. DC.	woolly-leaved.	Hungary.	—	— H. h.	
spuria. DC.	spurious.	Hybrid.	— H. h.	Mæench. weis. t. 6.
hybrida. p. 136.					

ROSACEÆ. p. 136.

DRYAS. 145.	DRYAS.				
2 integrifolia. DC.	entire-leaved.	Greenland.	1824.	4. 8. H. h.	Hook. ex. flor. 220.

ONAGRARIÆ. p. 151.

FUCHSIA. 153.	FUCHSIA.				
virgata.	Colvill's.	Mexico.	1825.	5. 8. F. h.	
VISNEA. W.	VISNEA.	Dodecandria Trigynia.	W.		
Mocanera. w.	Canary.	Canaries.	1815.	8. 12. G. h.	

COMBRETACEÆ. p. 153.

COMBRETUM. 153.	COMBRETUM.				
8 elegans. K.S.	elegant.	S. America.	1823. S. h.	Aub. gui. 1. t. 137.
<i>laxum</i> . Aub. nec <i>aliorum</i> .					
9 farinosum. K.S.	mealy-leaved.	Mexico.	— S. h.	
TERMINALIA. 153.	TERMINALIA.				
14 Fatræa. Boj.	Madagascar.	Madagascar.	1826. S. h.	
<i>madagascarensis</i> . s.s.	<i>Mirobolanus Fatræa</i> .	Poir.			

LOASEÆ. p. 154.

BLUMENBACHIA. BLUMENBACHIA. Polyandria Monogynia.
 insignis. B.F.G. elegant. Chili. 1826. 7. 10. H. ☉. Swt. br. fl. gar. 171.

PHILADELPHEÆ. D. Don.

To this order belongs *Philadelphus*. p. 155.

MYRTACEÆ. p. 155.

LEPTOSPERMUM. 155. LEPTOSPERMUM.
 23 thymifolium. F.T. Thyme-leaved. N. S. W. 1823. G. h.
 24 multicaule. F.T. many-branch'd. ———— ———— G. h.
 CALLISTEMON. 155. CALLISTEMON.
 9 microphyllum. ♀. small-leaved. N. Holland. 1825. G. h.
 10 formosum. ♀. handsome. ———— ———— G. h.
 MELALEUCA. 155. MELALEUCA.
 31 tenuifolia. ♀. slender-leaved. N. Holland. 1825. G. h.
 TRISTANIA. 156. TRISTANIA.
 6 persicæfolia. F.T. Peach-leaved. N. S. W. 1824. G. h.
 BILLOTIA. Colla. BILLOTIA. Polyadelphia Polyandria.
 acerosa. colla. needle-leaved. N. Holland. 1820. 6. 9. G. h. Coll. hort. rip. t. 23.
 CALOTHAMNUS. 156. CALOTHAMNUS.
 clavatus. ♀. club-leaved. N. Holland. 1825. G. h.
 BÆCKEA. 156. BÆCKEA.
 6 gracilis. F.T. slender. N. S. W. 1824. G. h.
 7 ramosissima. F.T. branching. ———— ———— G. h.
 METROSIDEROS. 156. METROSIDEROS.
 7 aspera. ♀. rough. N. Holland. 1824. G. h.
 8 capitata. L.T. headed. N. S. W. ———— G. h.
 EUDESMIA. Br. EUDESMIA. Polyadelphia Polyandria. S.S.
 tetragona. Br. four-sided. N. Holland. 1824. G. h.
 CALYTRIX. 157. CALYTRIX.
 3 ericoides. F.T. Heath-like. N. S. W. 1823. G. h.
 LECYTHIS. 158. LECYTHIS.
 3 grandiflora. s.s. large-flowered. W. Indies. 1822. S. h. Aub. gui. 2. t. 283.
 4 amara. s.s. bitter. Guiana. ———— S. h. ———— 2. t. 286.
 5 Idatimon. s.s. glandular-peduncled. ———— S. h. ———— 2. t. 289.
 6 parviflora. s.s. small-flowered. ———— S. h.
 7 minor. s.s. smaller. S. America. 1823. S. h.

MYRTACEIS AFFINE.

CAREYA. R.C. CAREYA. Monadelphia Polyandria.
 1 spherica. H.B. spherical. E. Indies. 1823. S. h.
 2 arborea. H.B. tree. ———— ———— S. h. Roxb. corom. ic.
 3 herbacea. H.B. herbaceous. ———— 1808. 7. 8. S. ♀. ———— 3. t. 217.

MELASTOMACEÆ. p. 159.

MELASTOMA. 159. MELASTOMA.
 11 villosa. B.M. villous. 1820. 5. 8. S. h. Botan. magaz. 2630.

CUCURBITACEÆ. p. 161.

FEUILLEA. B.M. FEUILLEA. Diœcia Pentandria.
 pedata. B.M. pedate-leaved. E. Africa. 1825. 6. 8. S. ♀. Botan. magaz. 2681.

FICOIDEÆ. p. 162.

MESEMBRYANTHEMUM. FIG-MARYGOLD.
 292 albinotum. H.P. keeled, white-dotted. C. B. S. 1823. 9. G. ♀.
 293 albipunctum. H.P. small-keeled. ———— ———— ———— G. ♀.

294 ermininum. H.P.	Ermine-chop.	C. B. S.	1823.	5.	G. 4.
295 agninum. H.P.	lamb's-chop.	————	1824.	—	G. 4.
296 inconspicuam. H.P.	small-fl'd. rigid.	————	1822.	6. 10.	G. 4.
297 luteum. H.P.	upright yellow.	————	—	—	G. 4.
298 luteolum. H.P.	small yellow.	————	—	—	G. 4.
299 clandestinum. H.P.	minute-flg.	————	—	5. 8.	G. 4.
300 lepidum. H.P.	pretty white.	————	—	8.	G. 4.
301 subcompressum. H.P.	slender upright.	————	1825.	6.	G. 4.
β minus. H.P.	smaller.	————	—	—	G. 4.

ARALIACEÆ. p. 193.

CUSSONIA. 193.	CUSSONIA.	C. B. S.	1816.	G. 4.	Col. h. rip. t. 26.
triptera. Col.	tripterous.	————	—	—	—	—

LOPHIREÆ. G. Don. next to Rhizophoreæ.

LOPHIRA. S.S.	SCRUBBY OAK.	Icosandria Monogynia. S.S.
alata. s.s.	winged.	Sierra Leone. 1822. S. 4.

RUBIACEÆ. p. 196.

GARDENIA. 197.	GARDENIA.	strong-spined.	1816.	5. 8.	S. 4.	Botan. regist. 975.
propinqua. B.R.	AZIMA. Tetrandria Monogynia.	four-spined. E. Indies.	1758.	7.	S. 4.	L'Herit. st. nov. 1. t. 1.
AZIMA. Lam.	Monetia barlerioides. W.	————	—	—	—	—
tetracantha. P.S.	CEPHÆLIS.	large-bracted. Guiana.	1824.	S. 4.	Aub. gui. 1. t. 64.
Monetia barlerioides. W.	Carapichea gujanensis. Aub.	————	—	—	—	—
CEPHÆLIS. 200.	Tapogonca violacea. Aub.	violet-bracted. ————	—	—	S. 4.
4 involocrata. s.s.	PÆDERIA.	tongue. Madagascar. 1823.	S. 4.	—	—
Carapichea gujanensis. Aub.	————	————	—	—	—	—
5 violacea. s.s.	————	————	—	—	—	—
Tapogonca violacea. Aub.	————	————	—	—	—	—
PÆDERIA. 200.	————	————	—	—	—	—
Lingun. Boj.	————	————	—	—	—	—

COMPOSITEÆ. p. 206.

COREOPSIS. 237.	COREOPSIS.	large-flowered. N. America.	1826.	8. 9.	H. 4.	Swt. br. fl. gar. 175.
grandiflora. B.F.G.	HELIOPSIS.	smooth. Mexico.	1825.	8. 9.	H. 4.	—
HELIOPSIS. 235.	roughish. N. America.	1714.	7. 10.	H. 4.	—	L'Herit. stirp. t. 45.
2 lævis.	Bupththalmum helianthoides. L.	rough-leaved. ————	—	H. 4.	—
3 helianthoides.	————	————	—	—	—	—
Bupththalmum helianthoides. L.	VERBESINA.	triple-ld. Trinidad.	1822.	9. 11.	S. 4.	Coll. hort. rip. t. 31.
4 scabra. s.s.	TAGETES.	glanduliferous. Mexico.	1826.	10. 11.	G. ⊙.	—
VERBESINA. 235.	CHRYSANthemUM.	Chinese. China.	1824.	10. 12.	H. 4.	—
13 atriplicifolia. Col.	sinense. p. 245.	tasselled yellow. ————	—	—	H. 4.	—
TAGETES. 233.	ζζ chrysocomum.	yellow Waratah. ————	—	—	H. 4.	—
10 glandulifera. Schr.	ηη Waratah.	golden Lotus. ————	—	—	H. 4.	—
CHRYSANthemUM. 245.	θθ Sabini.	double indian yellow. ————	—	—	H. 4.	—
sinense. p. 245.	ιι Parkii.	Park's small yellow. ————	—	—	H. 4.	—
ζζ chrysocomum.	λλ pallens.	semidouble quill'd pale orange. ————	—	—	H. 4.	—
ηη Waratah.	μμ stamineum.	pale buff. ————	—	—	H. 4.	—
θθ Sabini.	νν mutabile.	changeable pale buff. ————	—	—	H. 4.	—
ιι Parkii.	ξξ bicolor.	two-coloured incurv'd. ————	—	—	H. 4.	—
κκ chryseides.	οο versicolor.	two-colour'd red. ————	—	—	H. 4.	—
λλ Parkii.	ππ stellatum.	starry purple. ————	—	—	H. 4.	—
μμ chryseides.	ρρ ornatum.	tasselled lilac. ————	—	—	H. 4.	—
νν mutabile.	σσ fulvescens.	brown purple. ————	—	—	H. 4.	—
ξξ bicolor.	ττ rubicundum.	early blush. ————	—	—	H. 4.	—
οο versicolor.	υυ blandum.	blush. ————	—	—	H. 4.	—
ππ stellatum.	φφ leucanthum.	double indian white. ————	—	—	H. 4.	—
ρρ ornatum.	————	————	—	—	—	—
σσ fulvescens.	————	————	—	—	—	—
ττ rubicundum.	————	————	—	—	—	—
υυ blandum.	————	————	—	—	—	—
φφ leucanthum.	————	————	—	—	—	—

GOODENOVIEÆ. p. 248.

GOODENIA. 248.	GOODENIA.	slender.	N. Holland. 1824.	5. 8. G. ½.	Lodd. bot. cab. 1032.
<i>gracilis</i> . B.C.	DAMPIERA.	oval-leaved.	N. S. W.	1823.	5. 9. G. ½.
DAMPIERA. 249.					
2 <i>ovalifolia</i> . B.P.					

GESNEREÆ. p. 252.

SINNINGIA. B.R.	SINNINGIA.	Didynamia Angiospermia.			
<i>Helleri</i> . B.R.	Heller's.	Brazil.	1824.	6. 8. S. ½.	Botan. regist. 997.
GLOXINIA. 252.	GLOXINIA.	hairy.	Brazil.	1825.	5. 8. S. ¼.
3 <i>hirsuta</i> . B.R.					Botan. regist. 1004.

EPACRIDEÆ. p. 266.

Sect. I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. 266.	DRACOPHYLLUM.				
2 <i>secundum</i> . B.P.	long-reflex-ld.	N. S. W.	1824.	G. ½.
3 <i>longifolium</i> .	long-leaved.	—	—	G. ½.
PONCELETIA. B.P.	PONCELETIA.	Pentandria Monogynia.	S.S.		
<i>sprengelioides</i> . B.P.	Sprengelia-like.	N. S. W.	1826.	G. ½.
COSMELIA. B.P.	COSMELIA.	Pentandria Monogynia.			
<i>rubra</i> . B.P.	red-flowered.	N. Holland.	1826.	G. ½.
LYSINEMA. 266.	LYSINEMA.	five-petaled.	N. Holland.	1826.
3 <i>pentapetalum</i> . B.P.					G. ½.
EPACRIS. 266.	EPACRIS.				
9 <i>mucronulata</i> . B.P.	pointed.	V. Diem. Isl.	1824.	G. ½.
10 <i>ruscifolia</i> . B.P.	Ruscus-leaved.	—	—	G. ½.
11 <i>heteronema</i> . B.P.	hairy-branch'd.	—	—	G. ½.
12 <i>sparsa</i> . B.P.	scattered.	N. S. W.	1825.	G. ½.
13 <i>onosmæflora</i> . F.T.	Onosma-fl'd.	—	1823.	5. 8.	G. ½.
14 <i>apiculata</i> . F.T.	pointed.	—	—	G. ½.

Labil. n. holl. 1. t. 56.

Sect. II. STYPHELIÆ.

ACROTTRICHE. B.P.	ACROTTRICHE.	Pentandria Monogynia..			
1 <i>cordata</i> . B.P.	heart-leaved.	N. Holland.	1825.	G. ½.
2 <i>divaricata</i> . B.P.	divaricate.	N. S. W.	1822.	...	G. ½.
MONOTOCA. 267.	MONOTOCA.				
3 <i>albans</i> . B.P.	white-leaved.	N. S. W.	1823.	G. ½.
4 <i>scoparia</i> . B.P.	Broom.	—	—	G. ½.
LEUCOPOGON. 267.	LEUCOPOGON.				
1 <i>appressus</i> . B.P.	pressed-leaved.	N. S. W.	1824.	G. ½.
2 <i>setiger</i> . B.P.	bristle-pointed.	—	—	G. ½.
3 <i>striatus</i> . B.P.	striated.	N. Holland.	—	G. ½.
4 <i>collinus</i> . B.P.	hill.	V. Diem. Isl.	1822.	5. 6.	G. ½.
5 <i>ericoides</i> . B.P.	heath-leaved.	N. Holland.	1815.	4. 7.	G. ½.
LISSANTHE. 267.	LISSANTHE.				
3 <i>sapida</i> . B.P.	recurved-racemed.	N. S. W.	1823.	G. ½.
4 <i>ciliata</i> . B.P.	fringed.	V. Diem. Isl.	—	G. ½.
CYATHODES. 267.	CYATHODES.				
2 <i>oxycedrus</i> . B.P.	linear-leaved.	V. Diem. Isl.	1822.	5. 8.	G. ½.
MELICHRUS. B.P.	MELICHRUS.	Pentandria Monogynia.			
1 <i>medius</i> . F.T.	middle.	N. S. W.	1823.	5. 8.	G. ½.
2 <i>rotatus</i> . B.P.	rotate-flow'r'd.	—	1822.	—	G. ½.
ASTROLOMA. 267.	ASTROLOMA.				
2 <i>denticulatum</i> . B.P.	tooth-leaved.	N. Holland.	1825.	G. ½.
STYPHELIA. 267.	STYPHELIA.				
6 <i>læta</i> . B.P.	fruitful.	N. S. W.	1822.	G. ½.
7 <i>adscendens</i> . B.P.	ascending.	V. Diem. Isl.	—	G. ½.

Labil. n. hol. 1. t. 63.

Cavan. ic. 4. t. 347. f. 1.

Labil. n. hol. 1. t. 69.

Cavan. ic. 4. t. 349. f. 1.

PENÆACEÆ.

PENÆA. R.S.	PENÆA.	Tetrandria Monogynia.	R.S.		
1 <i>myrtoides</i> . w.	Myrtle-likc.	C. B. S.	1816.	5. 7.	G. ½.

2 fruticulosa. w.	blunt-leaved.	C. B. S.	1822.	5. 7.	G. h.	
3 mucronata. R.S.	sharp-pointed.	_____	1787.	—	G. h.	Venten. malm. t. 87.
4 squamosa. R.S.	scaly.	_____	—	—	G. h.	Botan. regist. 106.
5 Sarcocolla. R.S.	rhomb-leaved.	_____	1816.	—	G. h.	Pluk.mant.t.446.f.6.
6 marginata. R.S.	thick-edged.	_____	—	—	G. h.	

OLEINÆ. p. 270.

OLEA. 271.	OLIVE & PHILLYREA.					
21 robusta.	large Phillyrea.	E. Indies.	1818.	S. h.	
	<i>Phillyrea robusta.</i>	F.I.				

APOCINÆ. p. 273.

PLUMERIA. 275.	PLUMERIA.					
20 Cowani. D.D.	Cowan's.	Mexico.	1824.	5. 8.	S. h.	
CRYPTOLEPIS. Br.	CRYPTOLEPIS.	Pentandria Monogynia.				
elegant. L.C.	elegant.	E. Indies.	1823.	S. h.~.	

ASCLEPIADEÆ. p. 276.

OXYPETALUM. Br.	OXYPETALUM.	Pentandria Digynia.				
appendiculatum. Mar.	appendaged.	Brazil.	1824.	S. h.~.	Mart. n. pl. bras. t. 30.

GENTIANÆ. p. 280.

VOHIRIA. R.S.	VOHIRIA.	Pentandria Monogynia. R.S.				
1 rosea. R.S.	rose-colour'd.	Guiana.	1822.	6. 8.	S. 2.	Aub. gui. 1. t. 83. f. 1.
MITRASACME. 282.	MITRASACME.	Tetrandria Digynia.				
3 serpyllifolia. B.P.	creeping.	N. S. W.	1826.	G. 2.	

SESAMEÆ. p. 285.

MARTYNIA. 285.	MARTYNIA.					
4 lutea. B.R.	yellow.	S. America.	1824.	7. 9.	H. ⊙.	Botan. regist. 934.

CONVOLVULACEÆ. p. 286.

IPOMŒA. 287.	IPOMŒA.					
pudibunda.	blush-flowered.	W. Indies.	1825.	7. 10.	S. ⊙.	Botan. regist. 999.
CALYSTEGIA. B.P.	CALYSTEGIA.	p. 287.				
9 marginata. B.P.	marginated.	N. S. W.	1824.	7. 8.	H. 2.	

SOLANÆ. p. 295.

DATURA. 297.	THORN-APPLE.					
11 guayaquilensis. K.S.	Guayaquil.	S. America.	8. 10.	H. ⊙.	
SOLANDRA. 302.	SOLANDRA.					
oppositifolia.	opposite-leav'd.	W. Indies.	1824.	S. h.	
? CODON. W.	CODON.	Decandria Monogynia. W.				
Royeni. w.	prickly.	C. B. S.	1801.	9.	G. ♂.	Andr. reposit. 325.

SCROPHULARINÆ. p. 302.

RHINANTHUS. 307.	YELLOW-RATTLE.					
3 major. E.F.	larger.	England.	6. 8.	H. 2.	
VERONICA. 308.	SPEEDWELL.					
101 falcata. Mart.	falcate-leaved.	1820.	6. 7.	H. 2.	
102 melancholica. Df.	melancholy.	—	—	H. 2.	
103 Stephaniana. R.S.	Stephan's.	Persia.	1821.	—	H. 2.	
104 præalta. R.S.	lofty.	1817.	—	H. 2.	
105 grandis. F.	large white.	Siberia.	1826.	—	H. 2.	
106 confusa. R.S.	confused.	1819.	—	H. 2.	
107 corymbosa. R.S.	corymbose.	1817.	—	H. 2.	
108 incarnata. G.D.	flesh-coloured.	—	H. 2.	

109	carnea. Ræu.	pale red.	—	H. 2.
110	leucantha. P.	white-flowered.	Siberia.	1824.	—	H. 2.
111	Wormskioldii. R.S.	Wormskiold's.	Greenland.	1819.	—	H. 2.
112	cretica. R.S.	Cretan.	Crete.	—	5. 6.	H. 2.
113	microphylla. W.K.	small-leaved.	Hungary.	1824.	4. 5.	H. 2.
114	caroliniana. Poir.	Carolina.	Carolina.	1821.	6. 7.	H. 2.
115	tenuifolia. Stev.	fine-leaved.	Iberia.	1821.	6.	H. 2.
116	Tournefortii. Vil.	Tournefort's.	France.	—	5. 6.	H. 2.
117	pilosa. W.	pilose.	Bohemia.	1819.	—	H. 2.
118	acutiflora. Lap.	acute-flowered.	France.	1821.	—	H. 2.
119	petræa. Stev.	Caucasian rock	Caucasus.	—	—	H. 2.
120	lamiifolia. Hayn.	Lamium-leav'd.	1825.	—	H. 2.
121	maxima. Stev.	large.	Caucasus.	1824.	—	H. 2.
122	pinnatifida. W.	pinnatifid.	1817.	—	H. 2.
123	amœna. Stev.	fine blue.	Iberia.	1824.	4. 5.	H. 2.
124	biloba. Vahl.	two-lobed.	—	1819.	—	H. 2.

Buxb. cent. 1. t. 36.

LABIATÆ. p. 310.

PROSTANTHERA. 315.	PROSTANTHERA.					
5 incisa. B.P.	cut-leaved.	N. S. W.	1825.	G. 2.	

VERBENACEÆ. p. 322.

PETRÆA. p. 323.	PETRÆA.					
3 erecta. L.C.	upright.	S. America.	1824.	S. 2.	

AMARANTHACEÆ. p. 335.

OPLOTHECA. N.	OPLOTHECA.	Pentandria Monogynia.	B.M.			
1 floridana. N.	Florida.	Arkansa.	1823.	8. 10.	H. 2.	Botan. magaz. 2603.
2 interrupta. N.	trailing.	W. Indies.	1733.	7. 10.	S. 2.	Jacq. ic. 1. t. 51.
	<i>Gomphrena interrupta.</i>					p. 337.

PROTEACEÆ. p. 345.

PETROPHILA. 346.	PETROPHILA.					
4 teretifolia. B.P.	round-leaved.	N. Holland.	1821.	G. 2.	
5 filifolia. B.P.	thread-leaved.	—	—	G. 2.	
6 acicularis. B.P.	needle-leaved.	—	—	G. 2.	
7 pedunculata. B.P.	peduncled.	—	—	G. 2.	
ISOPOGON. 346.	ISOPOGON.					
8 propinquus. Ψ .	related.	N. Holland.	1824.	G. 2.	
9 polycephalus. B.P.	many-headed.	—	—	G. 2.	
10 axillaris. B.P.	axillary.	—	—	G. 2.	
ADENANTHOS. B.P.	ADENANTHOS.	Tetrandria Monogynia.				
1 obovata. B.P.	obovate-leaved.	N. Holland.	1824.	G. 2.	Labil. n. hol. 1. t. 37.
2 cuneata. B.P.	wedge-leaved.	—	—	G. 2.	— 1. t. 36.
3 sericea. B.P.	silky-leaved.	—	—	G. 2.	— 1. t. 38.
CONOSPERMUM. B.P.	CONOSPERMUM.	p. 348.				
4 taxifolium. B.P.	Yew-leaved.	N. Holland.	1823.	G. 2.	
PERSOONIA. 348.	PERSOONIA.					
10 chamæpitys. F.T.	ground pine.	N. S. W.	1824.	G. 2.	
11 scabra. B.P.	rough.	N. Holland.	—	G. 2.	
12 nutans. B.P.	nodding-fl'd.	N. S. W.	—	G. 2.	
13 pruinosa. Ψ .	frosted.	N. Holland.	—	G. 2.	
GREVILLEA. 348.	GREVILLEA.					
22 Flindersii. Ψ .	Flinders's.	N. Holland.	1823.	S. 2.	
23 podocarpifolia.	Podocarpus-ld.	—	—	S. 2.	
24 concinna. B.P.	pretty.	—	1824.	S. 2.	
25 montana. B.P.	mountain.	N. S. W.	—	G. 2.	
26 Baueri. B.P.	Bauer's.	—	—	G. 2.	
27 pubescens. H.E.F.	pubescent.	—	1822.	4. 8.	G. 2.	Hook. ex. flor. 216.
HAKEA. 349.	HAKEA.					
30 flexilis. B.T.	bending.	N. Holland.	1824.	G. 2.	

31 subulata. ψ .	awl-leaved.	N.Holland.	1824.	G. h .
32 petrophiloides. ψ .	Petrophila-like.	————	1825.	G. h .
33 echinata. ψ .	bristly-podded.	————	—	G. h .
34 angustifolia. ψ .	narrow-leaved.	————	1824.	G. h .
35 repanda. ψ .	repand.	————	—	G. h .
36 cucullata. ψ .	hollow-leaved.	————	—	G. h .
LOMATIA. 349.	LOMATIA.				
5 ilicifolia. B.P.	Holly-leaved.	N. Holland.	1821.	G. h .
AGASTACHYS. B.P.	AGASTACHYS.				
odorata. B.P.	sweet-scented.	V. Diem. Isl.	—	G. h .

THYMELEÆ. p. 350.

PIMELEA. 351.	PIMELEA.				
10 filamentosa. L.T.	filamentose.	N. Holland.	1826.	G. h .
11 incana. B.P.	hoary.	V. Diem. Isl.	—	4. 8.	G. h .
? TROPHIS. W.	RAMOON-TREE.	Diœcia Tetrandria.	W.		
1 americana. w.	American.	W. Indies.	1789.	4. 5.	S. h .
2 aspera. w.	rough-leaved.	E. Indies.	1802.	S. h .

EUPHORBIACEÆ. p. 355.

SARCOCOCCA. B.R.	SARCOCOCCA.	Monœcia Tetrandria.			
coriacea.	leathery.	Nepaul.	1820.	4. 6.	G. h .
pruniformis. B.R.	<i>Pachysandra coriacea.</i>	H.E.F.	148.		
ACIDOTON. W.	ACIDOTON.	Monœcia Polyandria.	W.		
urens. w.	stinging.	Jamaica.	1793.	.	S. h .
HYÆNANCHE. H.K.	HYÆNA-POISON.	Diœcia Dodecandria.			
globosa. H.K.	Cape.	C. B. S.	1783.	4. 9.	G. h .
<i>Toxicodendron capense.</i> w.					Lamb. cinch. 52. t. 10.
EUCLEA. W.	EUCLEA.	Diœcia Dodecandria.	W.		
1 racemosa. w.	round-leaved.	C. B. S.	1722.	11.12.	G. h .
2 undulata. w.	wave-leaved.	————	1794.	G. h .
GELONIUM. W.	GELONIUM.	Diœcia Icosandria.	W.		
bifarium. w.	oval-leaved.	E. Indies.	1793.	6. 8.	S. h .
ROTTLERA. W.	ROTTLERA.	Diœcia Icosandria.	W.		
tinctoria. w.	dyer's.	E. Indies.	1810.	S. h .
TREWIA. W.	TREWIA.	Diœcia Polyandria.	W.		
nudiflora. w.	naked-flower'd.	E. Indies.	1796.	S. h .

URTICEÆ. p. 361.

BROSIMUM. W.	BREAD-NUT.	Polygamia Diœcia.	W.		
1 Alicastrum. w.	Jamaica.	Jamaica.	1776.	S. h .
2 spurium. w.	Milkwood.	————	1789.	S. h .

CONIFERÆ. p. 371.

SALISBURIA. L.T.	SALISBURIA.	<i>Misplaced at p. 370.</i>			
adiantifolia. L.T.	maiden-hair'd.	Japan.	1754.	4. 5.	H. h .

Subordo IV. EMPETREÆ. Nuttall.

CERATIOLA. M.	CERATIOLA.	Monœcia Diandria.	N.		
ericoides. M.	Heath-like.	N.America.	1820.	H. h .
EMPETRUM. W.	EMPETRUM.	Diœcia Triandria.	L.		
1 album. w.	white-berried.	Portugal.	1774.	4. 6.	G. h .
2 nigrum. w.	black-berried.	Britain.	...	4. 5.	H. h .

PANDANEÆ. p. 377.

PANDANUS. 377.	PANDANUS.				
sessilis. Boj.	sessile.	Pembu.	1825.	S. h .

ORCHIDÆ.

BLETIA. 385.	BLETIA.				
guineensis. G.D.	Guinea.	Guinea.	1822.	S. 2.
ONCIDIUM. 386.	ONCIDIUM.				
pubes. B.R.	pubescent.	Brazil.	1824.	3. 4.	S. 2.
EULOPHIA. 388.	EULOPHIA.				
streptopetala. B.R.	twisted-petal'd.	S. America.	1822.	12. 6.	S. 2.
					Botan. regist. 1007.
					Botan. regist. 1002.

MELANTHACEÆ. p. 428.

PELIOSANTHES. A.R.	PELIOSANTHES.	Hexandria Monogynia.			
1 humilis. A.R.	small.	E. Indies.	1809.	5. 6.	S. 2.
2 Teta. A.R.	large.	—————	1807.	4.	S. 2.
					Botan. magaz. 1532.
					————— 1302.

JUNCEÆ.

XEROTES.	XEROTES.				
echinata. ψ.	bristly.	N. Holland.	1824.	G. 2.

GRAMINEÆ. p. 439.

POA. p. 452.	MEADOW-GRASS.				
mucronata. Beauv.	mucronated.	Africa.	1822.	7. 9.	S. 2.
					Beauv. fl. ow. pl. 4.

Omitted in their proper places.

STACKHOUSEÆ. Brown.

STACKHOUSIA. S.S.	STACKHOUSIA.	Pentandria Trigynia.			
linariifolia. F.T.	Linaria-leaved.	N. S. W.	1823.	G. 2.

BREXIA. p. 65.	BREXIA.	Pentandria Monogynia. S.S.			
1 spinosa. B.R.	spiny.	Madagascar.	1815.	7. 8.	S. 2.
2 madagascariensis.	Madagascar.	—————	—————	—————	S. 2.
<i>Venana madagascariensis.</i> Lam.					Botan. regist. 872.
3 chrysophylla.	golden-leaved.	—————	1820.	S. 2.
					————— 730.

LAUROPHYLLUS. W.	LAUROPHYLLUS.	Polygamia Diœcia. W.			
capensis. w.	Cape.	C. B. S.	1801.	G. 2.

SCHÆFFERIA. 472.	SCHÆFFERIA.	Diœcia Tetrandria. W.			
completa. w.	white-flowered.	W. Indies.	1793.	S. 2.
					Lam. ill. t. 809.

PORANTHERA. p. 89.	PORANTHERA.	Pentandria Trigynia.			
ericifolia. L.T.	Heath-leaved.	N. S. W.	1825.	5. 8.	G. 2.
					Linn. trans. 10. t. 22. f. 2.

RULINGIA. 55.	RULINGIA.				
4 corylifolia. ψ.	Nut-leaved.	N. Holland.	1824.	G. 2.

GERANIUM. 73.	CRANE'S-BILL.				
51 Lambertii. s.g.	Mr. Lambert's.	Nepaul.	1825.	8. 10.	H. 2.
					Swt. ger. 4. t. 338.

MIRBELIA. p. 475.	MIRBELIA.				
5 Baxteri. ψ.	Baxter's.	N. Holland.	1826.	G. 2.

SCHELHAMMERA. 428.	SCHELHAMMERA.				
multiflora. B.P.	many-flowered.	N. Holland.	1824.	7. 8.	H. b.

INDEX GENERUM to PART II.

Page.	Page.	Page.	Page.
ABIETINÆ 372	Aitonía 476	<i>Anchusa</i> 292, 293, 294	Argania 269
Abildgaardia ... 438	Ajax 407	Andersonia 266	Argyrea 289
Abronia 335	Ajúga 315	Andira 484	Aristea 395
Acacia 483	Ajúga 316	Andrachne 360	Aristida 444
Acacia 482, 483	Albúca 417	<i>Androcera</i> 301	Aristolochia ... 353
Acalypha 358	Aldea 295	Androcymbium .. 428	Aristolochia ... 353
ACANTHACEÆ 326	Aletris 409	Andromeda 254	Aristotelia 473
Acanthus 326	<i>Aletris</i> 409	<i>Andromeda</i> 254	Aronia 485
Acer 470	Aleurites 359	Andropogon 446	AROIDEÆ .. 377
Aceras 382	<i>Aleurites</i> 359	<i>Andropogon</i> 446, 447	Arrhenatherum 447
Acerates 279	Alhagi 480	Androsace 330	Artemisia 242
Achillea 244	Alisma 375	<i>Androsace</i> 330	Arthropodium .. 417
Achillea 241, 242	<i>Alisma</i> 375	Aneilema 430	Artocarpus 362
Achimenes 303	ALISMACEÆ .. 375	Anemia 460	Arum 379
Achnodonton .. 441	Allamanda ... 274	Angelonia 306	Arum 379
Achras 269	Allantodia ... 462	Angræcum 388	Arundinaria ... 457
Achyranthes ... 337	Allionia 335	Anguillaria 428	Arundo 457
<i>Achyranthes</i> 336, 337	<i>Allionia</i> 334	Anouloa 386	<i>Arundo</i> 442, 445, 451,
Acianthus 384	Allium 421	Anigosanthos... 400	453, 457
Acidoton 491	Alnus 368	Anisanthus 396	ASARINÆ .. 353
Acinos 315	<i>Alnus</i> 368	Anisodus 298	Asarum 353
Acnida 340	Aloe 410	Anisomeles 316	ASCLEPIADEÆ 276
Aconitum 465	<i>Aloe</i> 411, 412, 413, 423	Anisopetalum .. 386	Asclepias 279
Acorus 378	Alonsoa 306	Anodonteá 467	<i>Asclepias</i> .. 279, 280
Acrocomia 432	Alopecurus ... 441	Anomatheca ... 396	Asparagus 423
Acrostichum ... 460	Aloysia 324	Anona 466	Aspergum 292
<i>Acrostichum</i> ... 460	Alpinia 390	Anredera 338	ASPHODELEÆ 416
Acrotiche 488	<i>Alpinia</i> 390	ANTHEMIDEÆ 241	Asphodelus 416
Actinocarpus ... 375	Alsophila 464	Anthemis 243	<i>Asphodelus</i> ... 416
<i>Actinochloa</i> ... 455	Alstonia 275	<i>Anthemis</i> 243, 244, 245	Aspidistra 378
Adelia 361	Alstrœmeria ... 408	Anthephora ... 448	Aspidium 461
Adelia 361	Alternanthera .. 337	Anthericum 416	<i>Aspidium</i> .. 462, 464
Adenanthos 490	Alysicarpus ... 480	<i>Anthericum</i> 416, 417, 418	Asplenium 462
Adenocarpus ... 476	<i>Alyssum</i> 467	Anthistiria 447	<i>Asprella</i> 451
Adenophora 249	Alyxia 273	Anthocercis ... 295	Astephanus 280
Adesmia 478	AMARANTHACEÆ .. 335	Antholyza 396	Asterolinon ... 331
Adiantum 464 335	<i>Antholyza</i> 396, 397, 398	Astranthus 473
Adyseton 467	Amaranthus .. 335	Anthoxanthum .. 440	Astrocaryum ... 432
Ægilops 450	AMARYLLIDEÆ .. 401	Antidesma 361	Astrolobium ... 478
Ægiphila 322 401	ANTIDESMEÆ 361	Astroloma .. 267, 448
Ægopogon 444	Amaryllis 402	Antirrhinum ... 303	Athanasia 241
Æranthes 388	<i>Amaryllis</i> 401, 403, 404,	<i>Antirrhinum</i> 303, 304	Atheropogon ... 447
Ærantes 368	405, 406, 422	Aotus 474	<i>Atheropogon</i> ... 455
<i>Ærantes</i> 368	Amasonia 324	Aphelandra ... 327	Atraphaxis 342
Ærna 337	Ambrosinia ... 379	Aphyllanthes .. 422	Atriplex 339
Æschynomene .. 478	AMENTACEÆ 365	Apicra 413	Atropa 298
<i>Æschynomene</i> ... 478	Amerimnum 477	Aplada 446	<i>Atropa</i> 298
Æthiëlema 327	Amethystea ... 310	APOCINEÆ .. 273	Attalea 433
Afzelia 307	<i>Ammocharis</i> ... 404	Apocynum 276	Aulax 345
Agapanthus 409	Ammyrsine 266	<i>Apocynum</i> 280	Aurinia 467
<i>Agapanthus</i> 421	Amomum 390	Aponogeton ... 376	Avena 452
Agastachys 491	<i>Amomum</i> 390	Arabis 466	<i>Avena</i> 443, 451, 452
<i>Agathis</i> 372	Amphilophium .. 284	Araucaria 372	Avicennia 326
Agati 478	Amphipogon ... 442	Arbutus 253	Axonopus 449
Agave 424	Amsonia 275	<i>Arbutus</i> 253	Axyris 340
Agave 424	Anabasis 338	Arctostaphylos .. 253	Axyris 340
Agrostis 443	Anacyclus 243	Ardisia 268	Azalca 264
<i>Agrostis</i> 442, 443, 445	Anagallis 331	Arduina 273	<i>Azalca</i> 266
Agyneja 460	Anantherix ... 280	Areca 432	Azima 487
Aira 445	Anarrhinum ... 303	Arethusa 385	Babiana 396
<i>Aira</i> 445, 451	Anatherum 447	<i>Arethusa</i> 384	Bactris 433
Airopsis 445	Anchusa 292	Aretea 330	Bæckia 486

INDEX GENERUM.

Page.	Page.	Page.	Page.
<i>Bæobotrys</i> 268	Borya 361	<i>Calligonum</i> 344	<i>Celastrus</i> 472
<i>Ballota</i> 321	Bosea 340	<i>Callisia</i> 430	<i>Celosia</i> 336
<i>Bullota</i> 321	Bossiaea 475	<i>Callistachys</i> 474	<i>Celosia</i> 336
<i>Balsamita</i> 241	Botryceras 349	<i>Callistemon</i> 486	<i>Celsia</i> 296
<i>Bambusa</i> 457	Botrychium 459	<i>Callitriche</i> 376	<i>Celsia</i> 306
<i>Bambusa</i> 457	<i>Bouteloua</i> 455	<i>Calluna</i> 255	<i>Celtis</i> 364
<i>Banksia</i> 349	Bowiea 411	<i>Calochilus</i> 383	<i>Celtis</i> 364
<i>Raphia</i> 482	Brabejum 348	<i>Calopogon</i> 385	<i>Cenchrus</i> 440
<i>Barbarea</i> 466	Brachypodium 456	<i>Calostemma</i> 406	<i>Cenchrus</i> 440, 444, 452
<i>Barleria</i> 326	<i>Brachypodium</i> 455	<i>Calothamnus</i> 486	<i>Cenia</i> 243
<i>Bartholina</i> 382	<i>Brachystelma</i> 278	<i>Calotropis</i> 280	<i>Centothecca</i> 452
<i>Bartsia</i> 306	Bradleja 360	<i>Calynenia</i> 334	<i>Centrospernum</i> 246
<i>Bartsia</i> 307	Brassavola 387	<i>Calypso</i> 385	<i>Centunculus</i> 331
<i>Basella</i> 338	Brassia 386	<i>Calystegia</i> 287, 489	<i>Cephalis</i> 487
<i>Basella</i> 338	Brexia 492	<i>Calytrix</i> 486	<i>Cephalophora</i> 241
<i>Bassia</i> 269	Briedelia 360	<i>Camaridium</i> 387	<i>Ceranthera</i> 469
<i>Batschia</i> 291	Briza 454	<i>Camellia</i> 469	<i>Cerasus</i> 485
<i>Beaumontia</i> 275	Brodiaea 410	<i>Cameraria</i> 275	<i>Ceratiola</i> 491
<i>Beckmannia</i> 449	Bromelia 424	<i>Cameraria</i> 274, 275	<i>Ceratocarpus</i> 340
<i>Befaria</i> 266	BROMELIACEÆ 424	<i>Campanula</i> 249	<i>Ceratoclocha</i> 454
<i>Begonia</i> 341	Bromus 456	<i>Campanula</i> 249, 251, 331	<i>Ceratophyllum</i> 376
BEGONIACEÆ 341	<i>Bromus</i> 456, 457	CAMPANULACEÆ 249	<i>Ceratosperrnum</i> 340
<i>Bejaria</i> 266	Brosimum 491	<i>Camphorosma</i> 340	<i>Cerbera</i> 274
<i>Belamcanda</i> 395	Brossæa 254	<i>Canarina</i> 249	<i>Cerbera</i> 274
<i>Belis</i> 373	<i>Broteria</i> 320	<i>Canavalia</i> 481	<i>Ceresia</i> 441
<i>Bellevalia</i> 419	Broughtonia 387	<i>Candollea</i> 465	<i>Cerinthe</i> 291
<i>Bellinia</i> 298	Broussonetia 363	<i>Canna</i> 391	<i>Ceropegia</i> 278
<i>Berchemia</i> 472	<i>Broussonetia</i> 362	<i>Cannabis</i> 364	<i>Cestrum</i> 301
<i>Bernhardia</i> 459	Browallia 306	CANNÆÆ 391	<i>Ceterach</i> 461
<i>Besleria</i> 252	Brownea 484	<i>Cantua</i> 286	<i>Chaetaria</i> 444
<i>Beta</i> 340	Brucea 474	<i>Capparis</i> 468	<i>Chaetocalyx</i> 477
<i>Betonica</i> 321	Brugmansia 297	<i>Capparis</i> 468	<i>Chaetopora</i> 437
<i>Betula</i> 368	Brunfelsia 302	<i>Capraria</i> 302	<i>Chaeturus</i> 442
BETULINÆ 368	Brunnicliia 341	<i>Capraria</i> 302	<i>Chailletia</i> 473
<i>Beurrieria</i> 294	Brunsvigia 404	<i>Capsella</i> 467	CHAILLETIACEÆ 473
<i>Bignonia</i> 283	Brya 482	<i>Capsicum</i> 298	<i>Chamædorea</i> 431
<i>Bignonia</i> 273, 283, 284	Buchnera 306	<i>Caragana</i> 478	<i>Chamæledon</i> 266
BIGNONIACEÆ 283	<i>Buchnera</i> 306	<i>Caralluma</i> 278	<i>Chamælium</i> 429
<i>Billotia</i> 486	Buddlea 302	<i>Carapa</i> 470	<i>Chamærops</i> 431
<i>Blæria</i> 255	Bulbine 416	<i>Carapichea</i> 487	<i>Chamærops</i> 431
<i>Blæria</i> 255	Bulbocodium 428	<i>Cardamine</i> 466	<i>Chamissoa</i> 336
<i>Blandfordia</i> 409	Bumelia 269	<i>Carex</i> 435	<i>Chamissoa</i> 336
<i>Blandfordia</i> 263	<i>Buonapartea</i> 424	<i>Carex</i> 437, 439	<i>Chara</i> 458
<i>Blechnum</i> 463	<i>Buphane</i> 404	<i>Careya</i> 486	CHARACEÆ 458
<i>Blechnum</i> 463	Burchardia 428	<i>Cargillia</i> 270	<i>Cheilanthes</i> 464
<i>Blechnum</i> 327	Burnmannia 434	<i>Carissa</i> 273	<i>Chelone</i> 305
<i>Blepharis</i> 326	Burtonia 474	<i>Carissa</i> 273	<i>Chenolea</i> 338
<i>Bletia</i> 385, 492	BUTOMEÆ 375	<i>Carludovica</i> 378	CHENOPODEÆ 338
<i>Blitum</i> 340	Butomus 375	<i>Carpinus</i> 368	<i>Chenopodium</i> 338
<i>Blumenbachia</i> 486	Buxus 358	<i>Carpogon</i> 482	<i>Chenopodium</i> 336, 338, 340
<i>Bobartia</i> 395	Bystropogon 318	<i>Cartonema</i> 430	<i>Chilochloa</i> 441
<i>Bocconia</i> 466	CÆSALPINÆÆ 484	<i>Caruncularia</i> 278	<i>Chilloglottis</i> 384
<i>Bœhmeria</i> 363	Cæsia 417	<i>Caryota</i> 432	<i>Chilopsis</i> 283
<i>Boerhaavia</i> 335	Caladium 379	<i>Cascaria</i> 473	<i>Chimaphila</i> 263
<i>Boerhaavia</i> 335	Caladenia 384	<i>Cassia</i> 481	<i>Chionanthus</i> 271
<i>Boldoa</i> 335	Calamagrostis 442	CASSIÆÆ 484	<i>Chironia</i> 282
<i>Bonapartea</i> 425	Calamintha 314	<i>Cassine</i> 473	<i>Chloanthus</i> 406
<i>Bonatea</i> 382	Calamus 432	<i>Cassytha</i> 344	<i>Chloanthus</i> 323
<i>Bonnaya</i> 308	Calanthe 388	<i>Castanea</i> 370	<i>Chlora</i> 281
<i>Bonplandia</i> 286	Calathea 392	<i>Castilleja</i> 307	<i>Chloraster</i> 408
<i>Bontia</i> 326	Calceolaria 307	<i>Castilleja</i> 307	<i>Chloris</i> 447
BORAGINÆÆ 290	Caldasia 286	<i>Catalpa</i> 283	<i>Chlorophytum</i> 417
<i>Borago</i> 294	<i>Calcana</i> 335	<i>Catsetum</i> 386	<i>Chondrosium</i> 455
<i>Borago</i> 294	Caleya 385	<i>Cattleya</i> 387	<i>Chorizenia</i> 474
<i>Borassus</i> 433	Calla 378	<i>Cattleya</i> 387	<i>Chrysanthemum</i> 245,
<i>Borbonia</i> 475	<i>Calla</i> 378	<i>Cæropia</i> 364	487
<i>Borkhausenia</i> 303	<i>Callicarpa</i> 323		
<i>Boronia</i> 471			

INDEX GENERUM.

	Page.		Page.		Page.
<i>Chrysanthemum</i> 245, 246		<i>Cordia</i>	294	CYCADEÆ ..	374
<i>Chrysiphila</i>	406	<i>Cordia</i>	295	<i>Cycas</i>	374
<i>Chrysophyllum</i> ..	269	<i>Cordyline</i>	424	<i>Cyclamen</i>	329
<i>Chrysopogon</i> ..	446	<i>Coreopsis</i>	487	<i>Cyclanthus</i>	378
<i>Chrysurus</i>	417	<i>Coris</i>	331	<i>Cyclopia</i>	474
<i>Cicca</i>	358	<i>Corispermum</i> ..	340	<i>Cymbaria</i>	303
<i>Cicendia</i>	282	<i>Cornucopiæ</i> ..	440	<i>Cymbidium</i>	386
<i>Ciconium</i>	471	<i>Cornntia</i>	323	<i>Cymbidium</i> 385, 386,	
<i>Cinna</i>	443	<i>Cornutia</i>	323	387, 388
<i>Cinna</i>	443	COROLLIFLORÆ,		<i>Cymbopogon</i> ..	446
<i>Cinnamomum</i> ..	344	267	<i>Cymburus</i>	324
<i>Cipura</i>	394	<i>Coronilla</i>	478	<i>Cynanchum</i> ..	280
<i>Cirr hæa</i>	386	<i>Cortusa</i>	329	<i>Cynanchum</i> 279, 280	
<i>Cistus</i>	468	<i>Corybas</i>	385	<i>Cynodon</i>	444
<i>Citharexylum</i> ..	323	<i>Corycarpus</i> ..	455	<i>Cynoglossum</i> ..	291
<i>Cladanthus</i>	244	<i>Corycinm</i>	383	<i>Cynoglossum</i> 293, 294	
<i>Cladium</i>	437	<i>Corydalis</i>	466	<i>Cynosurus</i> ..	451
<i>Cladostachys</i> ..	336	<i>Corylus</i>	368	<i>Cynosurus</i> ..	446, 447
<i>Clematis</i>	465	<i>Corynephorus</i> ..	445	<i>Cypella</i>	394
<i>Cleome</i>	468	<i>Corypha</i>	431	CYPERACEÆ 435	
<i>Cleonia</i>	314	<i>Corypha</i>	431	<i>Cyperus</i>	438
<i>Clerodendrum</i> ..	322	<i>Corysanthes</i> ..	385	<i>Cyphia</i>	248
<i>Clethra</i>	254	<i>Cosmelia</i>	488	<i>Cypridium</i>	388
<i>Cliftonia</i>	254	<i>Costus</i>	390	<i>Cyrilla</i>	254
<i>Clinopodium</i> ..	315	<i>Cotoneaster</i> ..	485	<i>Cyrilla</i>	303
<i>Clitoria</i>	477	<i>Cotula</i>	243	<i>Cyrtanthus</i> ..	406
<i>Clitoria</i>	477	<i>Cotula</i>	243	<i>Cyrtanthus</i> ..	406
<i>Cluytia</i>	360	<i>Coulteria</i>	484	<i>Cyrtopodium</i> ..	386
<i>Cobæa</i>	284	<i>Craniolaria</i> ..	285	<i>Cyrtostylis</i> ..	384
COBÆACEÆ 284		<i>Cratæva</i>	468	CYTINEÆ ..	381
<i>Cochlearia</i>	467	<i>Cratæva</i>	468	<i>Cytisus</i>	476
<i>Cocos</i>	432	<i>Crepidaria</i> ..	355	<i>Czaackia</i>	416
<i>Codarium</i>	484	<i>Crescentia</i> ..	302	<i>Dacrydium</i>	372
<i>Codon</i>	489	<i>Crescentia</i>	302	<i>Dactylanthus</i> ..	356
<i>Cœlogyne</i>	386	<i>Cressa</i>	290	<i>Dactylis</i>	454
<i>Coix</i>	457	<i>Crinum</i>	404	<i>Dactylis</i> ..	440, 457
<i>Colbertia</i>	465	<i>Crinum</i>	406	<i>Dactyloctenium</i> ..	454
<i>Colchicium</i>	428	<i>Crocus</i>	399	<i>Dæmia</i>	280
<i>Coleanthus</i>	441	<i>Crossandra</i> ..	327	<i>Dais</i>	351
<i>Colebrookia</i> ..	324	<i>Crotalaria</i> ..	475, 474, 474	DALBERGIEÆ 482	
<i>Colletia</i>	472	<i>Crotalaria</i> 475, 474, 476		<i>Dalbergia</i>	477
<i>Collinsonia</i> ..	312	<i>Croton</i>	359	<i>Dalea</i>	477
<i>Colobachne</i>	444	CRUCIFERÆ 466		<i>Dalechampia</i> ..	358
<i>Colpodium</i>	443	<i>Crypsis</i>	444	<i>Damasonium</i> ..	374
<i>Columnnea</i>	303	<i>Cryptandra</i> ..	472	<i>Damasonium</i> ..	375
<i>Colutea</i>	478	<i>Cryptarrhena</i> ..	388	<i>Dammara</i>	372
<i>Comandra</i>	352	<i>Cryptocarya</i> ..	344	<i>Dampiera</i> ..	249, 488
<i>Combretum</i>	485	CRYPTOGAMEÆ		<i>Danthonia</i>	451
<i>Comesperma</i>	469	458	<i>Danthonia</i>	451
<i>Commelina</i>	430	<i>Cryptolepis</i> ..	489	<i>Daphne</i>	350
<i>Commelina</i>	430	<i>Cryptostegia</i> ..	276	<i>Darlingtonia</i> ..	483
COMMELINEÆ 430		<i>Cryptostylis</i> ..	384	<i>Darwinia</i>	472
<i>Comptonia</i>	370	<i>Cunila</i>	310	<i>Datisca</i>	468
<i>Conanthera</i>	423	<i>Cunila</i>	310	DATISCEÆ ..	468
<i>Conchium</i>	349	CUPRESSINÆ 372		<i>Datura</i>	297, 489
CONIFERÆ ..	371	<i>Cupressus</i> ..	372	<i>Datura</i>	297
<i>Conarus</i>	473	<i>Cupressus</i> ..	372	<i>Daubentonia</i> ..	478
<i>Conospermum</i> 348, 490		CUPULIFERÆ ..	369	<i>Davallia</i>	464
<i>Conostylis</i>	400	<i>Curatella</i> ..	469	<i>Daviesia</i>	475
<i>Conostylis</i>	400	<i>Curculigo</i>	401	<i>Daviesia</i>	474
<i>Convallaria</i>	415	<i>Curcuma</i>	389	<i>Deeringia</i>	336
<i>Convallaria</i>	415	<i>Curtisia</i>	473	<i>Delphinium</i> ..	465
CONVOLVULA-		<i>Cuscuta</i>	290	<i>Dendrobium</i> ..	387
CEÆ	286	<i>Cussonia</i>	487	<i>Dendrobium</i> ..	387
<i>Convolvulus</i> ..	286	<i>Cyanella</i>	423	<i>Dentaria</i>	467
<i>Convolvulus</i> 287, 289		<i>Cyanotis</i>	430	<i>Deschampsia</i> ..	445
<i>Corallorrhiza</i> ..	385	<i>Cyathæa</i>	464	<i>Desmanthus</i> ..	483
<i>Corbularia</i>	407	<i>Cyathodes</i> ..	267, 488	<i>Desmodium</i> ..	337
				<i>Desmodium</i> ..	336
				<i>Desmodium</i> ..	478
				<i>Desmoncus</i>	433
				DETARIEÆ ..	484
				<i>Detarium</i>	484
				<i>Dialium</i>	484
				<i>Dianella</i>	423
				<i>Diapensia</i>	263
				<i>Diarrhæna</i>	455
				<i>Diascia</i>	306
				<i>Diasia</i>	399
				<i>Dialista</i>	347
				<i>Dicerma</i>	480
				<i>Dichondra</i>	290
				<i>Dichorisandra</i> ..	430
				<i>Dicksonia</i>	464
				<i>Dicliptera</i>	328
				<i>Dilcitra</i>	466
				<i>Digitalis</i>	305
				<i>Digitalia</i>	444
				<i>Digitalia</i> ..	444, 445
				<i>Digraphis</i>	445
				<i>Dilatris</i>	400
				<i>Dilatris</i>	400
				DILLENACEÆ , 465	
				<i>Dillwynia</i>	474
				<i>Dimacria</i>	470
				<i>Dimorpha</i>	484
				<i>Dineba</i>	446
				<i>Dinetus</i>	289
				<i>Dioscorea</i>	413
				DIOSCOREÆ 413	
				<i>Diospyros</i>	270
				<i>Diotis</i>	340
				<i>Diplachne</i>	455
				<i>Diplazium</i>	463
				<i>Diplolepis</i>	280
				<i>Diplophyllum</i> ..	310
				<i>Dipodium</i>	387
				<i>Direa</i>	350
				<i>Disa</i>	383
				<i>Disandra</i>	306
				<i>Dischidia</i>	279
				<i>Disperis</i>	383
				<i>Disporum</i>	428
				<i>Dissolena</i>	274
				<i>Diurus</i>	384
				<i>Dodartia</i>	303
				<i>Dodecatheon</i> ..	329
				<i>Dolichos</i>	481
				<i>Dolichos</i> ..	481, 482
				<i>Dombeya</i> ..	285, 372
				<i>Doodia</i>	463
				<i>Doryanthes</i>	409
				<i>Dorycnium</i>	476
				<i>Dorstenia</i>	364
				<i>Draba</i>	467
				<i>Dracæna</i>	424
				<i>Dracæna</i>	423, 433
				<i>Dracocephalum</i> ..	314
				<i>Dracontium</i>	378
				<i>Dracontium</i> ..	378
				<i>Dracophyllum</i> 266, 488	
				<i>Drepanocarpus</i> ..	482
				<i>Drimia</i>	420
				<i>Dryandra</i>	350
				<i>Dryas</i>	485
				<i>Dulichium</i>	437

INDEX GENERUM.

	Page		Page.		Page.
Dumasia	477	Eriochilus	384	Fritillaria	426
Duranta	324	Eriogonum	343	Fuchsia	485
Duvallia	276	Eriophorum	439	Fuirena	439
Duvaua	473	<i>Eriophorum</i>	439	Fumaria	466
EBENACEÆ	276	Eriospemum	421	Funkia	409
Ebenus	480	Eriostemon	421	Furcraea	424
Eccremocarpos ..	284	<i>Eriostemon</i>	320	Fusanus	352
Echinaria	451	<i>Erodendrum</i>	346	Gagea	418
Echinochloa ..	448	Erpetion	469	Gagnebina	482
Echinopogon ..	445	Ervum	480	Galanthus	408
Echinospemum ..	293	Erysimum	468	<i>Galarhæus</i>	357
Echites	275	Erythraea	281	Galax	263
<i>Echites</i>	275	Erythrina	482	Galaxia	396
Echium	291	Erythronium	427	<i>Galaxia</i>	396
Ehretia	294	Erythrophleum	482	Galega	477
Ehrharta	457	<i>Esula</i>	357	Galenia	340
<i>Ehrharta</i>	457	Ethulia	241	Galeobdolon	319
ELÆAGNEÆ	353	Euchroma	307	Galeopsis	319
Elæagnus	353	Euclea	491	<i>Ganymedes</i>	407
Elæodendron ..	472	Eucomis	420	Gardenia	487
<i>Elæodendron</i> ..	269	Eucrosia	406	Gasteria	411
Elais	432	Endesmia	486	Gastronema	406
Elate	432	Enlophia	388, 492	Gastridium	441
Elegia	435	EUONYMEÆ	472	Gaudinia	452
Eleiotis	480	Euonymus	472	Geissorhiza	399
Eleocharis	438	<i>Euosma</i>	282	Gelonium	491
Elettaria	390	Euphorbia	355	Gelsemium	273
Eleusine	454	<i>Euphorbia</i>	355	Genista	484
Ellisia	295	EUPHORBIACEÆ ..	355	<i>Genista</i>	476
Elsholtzia	318	<i>Euphorbia</i>	306	Gentiana	280
Elymus	450	Eurycles	406	<i>Gentiana</i>	282
Elyna	439	<i>Eurypernum</i>	346	GENTIANEÆ	280
Elytraria	327	Euonymus	447	Geodorum	385
Embelia	268	Eustachys	280	GEOFFREÆ	484
Emblica	360	Eustegia	282	Geoffroya	484
<i>Embothrium</i> ..	349	Eustoma	282	<i>Geoffroya</i>	484
<i>Embryopteris</i> ..	270	Eustrephus	423	Geonoma	432
<i>Emericia</i>	275	Euterpe	432	Geranium	492
Emex	343	Euthales	243	Gerardia	307
Empetrum	491	Evolvulus	289	<i>Gerardia</i>	307
Enkianthus	254	Exacum	282	GESNEREÆ	252
Enodium	446	<i>Exacum</i>	282	Gesneria	252
Entada	482	Excæcaria	361	Gethyllis	408
EPACRIDEÆ	266	Exocarpos	352	Gethyra	390
Epacris ...	266, 488	Fagelia	481	Ghlinia	324
<i>Epacris</i>	266	Fagus	370	Gilia	286
<i>Epaltes</i>	241	Falkia	290	Gilliesia	434
Ephedra	371	Farsetia	467	<i>Gingko</i>	370
Epidendrum	387	Ferraria	396	Gisekia	337
<i>Epidendrum</i> ..	386, 387,	<i>Ferraria</i>	396	Gladiolus	397
.....	388	<i>Ferreola</i>	270	<i>Gladiolus</i>	396, 397, 398,
Epigæa	264	Festuca	455	399
Epipactis	384	<i>Festuca</i>	454, 455, 456,	Glaux	331
<i>Epipactis</i>	384	457	Glechoma	319
EQUISETACEÆ ..	458	Feuillæa	486	GLEICHENEÆ	460
Equisetum	453	Fibigia	467	Glivenia	460
Eragrostis	453	Ficus	361	Globba	389
Eranthemum	328	Fieldia	284	<i>Globba</i>	389
<i>Eranthemum</i> ..	326	FILICES	459	Globularia	331
Eremurus	416	Fimbristylis	438	GLOBULARIÆ	331
Eria	387	FLUGELLIAE	434	Gloriosa	427
Erianthus	446	FLUVIALES	376	Glossodia	355
Erica	255	Fontanesia	271	Glossula	383
<i>Erica</i> ...	255, 263	Forskohleä	364	Glottidium	478
ERICEÆ	253	Fothergilla	371	Gloxinia	252, 488
Erinus	306	Fraseria	281	Glyceria	453
Eriocaulon	435	Fraxinus	270	Glycine	476
Eriocephalus	243	<i>Fraxinus</i>	271	<i>Glycine</i>	481, 482
				Glycosmis	470
				Gmelina	323
				Gnetum	364
				Gnidia	351
				Gomezia	385
				Gomeza	386
				Gomphocarpus ..	280
				<i>Gomphocarpus</i> ..	279
				Gompholobium ..	474
				Gomphrena	337
				<i>Gomphrena</i>	337
				Gomutus	483
				Gongora	387
				Gonolobus	279
				Goodenia	248, 488
				<i>Goodenia</i> ..	248, 249
				GOODENOVIÆ ..	248
				Goodyera	388
				<i>Goodyera</i>	388
				Gouania	472
				Græmia	241
				GRAMINEÆ	439
				Grammitis	472
				Grangea	243
				Grangeria	485
				Gratiola	308
				<i>Gratiola</i>	308
				Grevillea ..	348, 490
				Griffinia	404
				Gualtheria	253
				<i>Gualtheria</i>	253
				Gunnera	364
				Guzmannia	425
				Gymnadenia	382
				Gymnema	279
				Gymnogramma ..	461
				Gymnostachys ..	378
				<i>Gymnostyles</i> ..	243
				Gynandropis ..	468
				Gyrocarpus	345
				Gyromia	415
				Gyrotheca	400
				Habenaria	382
				Habranthus	402
				Hæmadictyon ..	275
				Hæmanthus	404
				<i>Hæmanthus</i>	404
				HÆMODOURACEÆ,	400
				400
				Hæmodorum	400
				Hakea	349, 490
				Halesia	268
				Halimodendron ..	478
				Halleria	303
				HAMAMELIDEÆ,	371
				371
				Hamamelis	371
				Hamiltonia	352
				Hardwickia	484
				Haronga	476
				<i>Harrachia</i>	527
				Hartogia	473
				<i>Hustingia</i>	323
				Haworthia	411
				Hebenstreitia ..	325
				Hedeoma	310

INDEX. GENERUM.

Page.		Page.		Page.	
<p>Hedychium 390 HEDYSAREÆ 478 Hedysarum 480 <i>Hedysarum</i> 477, 478, 479, 480 <i>Heleochloa</i> 444 Helianthemum .. 468 Heliconia 392 Heliopsis 487 Heliotropium .. 290 <i>Heliotropium</i> 290, 294 <i>Helleborine</i> 382 Hellenia 390 Helonias 429 <i>Helonias</i> 429 HEMEROCAL- LIDÆÆ 409 Hemerocallis 409 <i>Hemerocallis</i> 416 Hemidesmus 276 Hemimeris 310 <i>Hemimeris</i> 306 Hemionitis 460 Heritiera 400 Herninium 382 <i>Hermione</i> 408 Hernandia 345 Herpestis 305 Hesperantha 399 Hesperis 468 <i>Heteranthemis</i> .. 246 Heteranthera 429 <i>Heteranthera</i> 429 Heteropogon 446 Hirtella 398 Hibbertia 465 Hibiscus 469 Hierochloa 445 <i>Hippeastrum</i> .. 403 Hippia 243 <i>Hippia</i> 243 Hippion 282 Hippocrepis 478 Hippomane 359 Hippophae 353 <i>Hippophae</i> 353 HIPPURIDÆÆ 376 Hippuris 376 Hirtella 485 Hoarea 470 Hoitzia 286 Holcus 447 <i>Holcus</i> 447 Holmskioldia .. 323 Homeria 395 <i>Hopea</i> 267 Hordeum 444 Horminum 314 <i>Hornemannia</i> 306 Hosta 323 Hottonia 331 Houstonia 282 Houttynia 378 Hovea 475 Hovenia 472 Hoya 278 Hudsonia 469 Huernia 278</p>	<p>Humulus 364 Hura 360 Hyacinthus 410 <i>Hyacinthus</i> 418, 419, 420, 421 Hyænanche 491 HYDROCHARI- DEÆÆ 374 Hydrocharis 374 Hydrochloa 453 <i>Hydroglossum</i> ... 460 Hydrolea 286 HYDROLEACEÆÆ, 286 HYDROPHYLLÆÆ 295 Hydrophyllum .. 295 <i>Hydrophyllum</i> .. 295 Hydrophila 326 <i>Hymenocallis</i> ... 406 Hymenophyllum 464 <i>Hymenophyllum</i> 464 Hyoseyamus 297 <i>Hyoseyamus</i> 297 Hyperanthera .. 484 Hypericum 470 Hyphæna 432 Hypocalyptus .. 476 Hypoestes 328 Hypolæna 435 Hypopithys 263 HYPOXIDÆÆ 401 Hypoxis 401 Hyptis 320 Hyssopus 318 <i>Hyssopus</i> 320 <i>Iantha</i> 388 Iberis 468 Ichnocarpus 275 Ilex 473 <i>Ilex</i> 473 <i>Illecebrum</i> .. 336, 337 Imbricaria 269 Imperata 446 <i>Incarvillea</i> .. 283, 284 Indigofera 477 Inga 483 <i>Inga</i> 483 Inocarpus 269 Ionopsis 358 Ipomœa .. 287, 459 <i>Ipomœa</i> 289 <i>Ipomopsis</i> 286 Iresine 337 IRIDÆÆ 393 Iris 393 <i>Iris</i> 394, 395 Isachne 449 Isanthus 317 Ischæmum 447 Ismene 407 Isochilus 387 Isætes 458 Isoplepis 438 Isopogon 346, 490 Isotoma 248 Itea 266 <i>Itea</i> 254</p>	<p><i>Ixia</i> 398 <i>Ixia</i> 395 to 399 Jacaranda 284 <i>Jacaranda</i> 283 Jacksonia 474 Jacquinia 268 Janipha 359 Jasione 251 JASMINEÆÆ .. 272 Jasminum 272 Jatropha 359 <i>Jatropha</i> 359 Jonesia 484 JUNCAGINEÆÆ, 375 JUNCEÆÆ 433 Juncus 434 <i>Juncus</i> 434 Juniperus 372 Justicia 327 <i>Justicia</i> 326, 327, 328 Kæmpferia 389 Kalmia 264 Kennedia 481 Kerneria 467 Kirganelia 360 Knappia 443 Kobresia 437 Kochia 338 <i>Kochia</i> .. 338, 339 Kœleria 451 Kœnigia 344 Koniga 467 Kyllinga 439 LABIATÆÆ 310 Lablab 481 Lachenalia 419 <i>Lachenalia</i> 419, 420, 421 <i>Lachnanthes</i> ... 400 Lachnæa 351 Lagetta 350 Lagonychium ... 483 Lagurus 445 <i>Lamarckia</i> 447 Lambertia 349 Lamium 319 Lanaria 400 Lancisia 243 Lantana 324 Lapeyronsia ... 396 <i>Lapeyronsia</i> ... 396 Lappago 444 Larrea 471 Latania 431 Lathræa 328 Lathyrus 480 LAURINÆÆ .. 344 Lanrophyllum .. 492 Lanrus 344 <i>Laurus</i> 344 Lavandula 316 Laxmannia 422 <i>Lebeckia</i> 477 Lechenaultia .. 248 Lecythis 486 Ledum 266 <i>Ledum</i> 266 Lœrsia 441 Leimanthium .. 429</p>	<p><i>Leiophyllum</i> ... 266 Lemna 376 LENTIBULARIÆÆ, 329 Leonotis 322 Leonurus 321 Lepchinia 315 Lepidagathis ... 327 Lepidium 468 Lepidosperma .. 437 Lepidandra 308 Leptanthus 429 Leptocarpus 435 Leptochloa 454 Leptomeria 352 Leptospermum .. 486 Lepturnus 447 Lepyrodia 435 Lessertia 478 Lestibudesia ... 336 <i>Lettsomia</i> 289 Leucacendron .. 345 <i>Leucacendron</i> .. 347 Leucas 321 Leucogramme ... 408 Leucopogon 267, 488 Leucospermum .. 347 Licuala 432 Lidbeckia 243 <i>Lidbeckia</i> 243 Lightfootia ... 240 Ligustrum 272 Lilium 427 <i>Lilium</i> 427 Limnæta 440 Linnocharis ... 375 Limodorum 385, 388 Limosella 306 Linaria 303 Lindernia 306 <i>Lindernia</i> 306 Lindsæa 464 Linociera 271 <i>Liparia</i> 475 Liparis 384 Lippia 325 <i>Lippia</i> 325 Liquidambar ... 370 Lisianthus 282 Lissanthe .. 267, 488 Lissochilus ... 386 Listera 384 Lithospermum .. 290 <i>Lithospermum</i> ... 291 Littæa 424 Littorella 334 Livistona 431 Lobelia 246 <i>Lobelia</i> 248 LOBELIACEÆÆ 246 Logania 282 Loiseleuria ... 266 Lolium 450 <i>Lomandra</i> 433 Lomaria 463 Lomatia 491 <i>Lomatophyllum</i> .. 423 Lonchitis 464</p>		

INDEX GENERUM.

	Page.		Page.		Page.
Lonchocarpus	477	Matricaria	244	Moluccella	322
Lophiola	400	Mattia	293	Monachne	449
Lophira	487	Maurandia	303	Monarda	310
LOPHIREÆ	487	Mauritia	432	Monerma	448
LOTEÆ	475	Maxillaria	387	<i>Monerma</i>	448
Lotus	476	Maximiliana	432	MONOCHLAMY-	
<i>Lotus</i>	476	Maytenus	472	DEÆ	332
Lourea	478	Mazus	306	MONOCOTYLE-	
Loureira	361	<i>Medeola</i>	423	DONEÆ	374
Lubinia	331	<i>Medeola</i>	415	Monopsis	248
Lucuma	269	Medicago	476	Monotoca	267, 488
<i>Ludolfia</i>	457	<i>Medusea</i>	356	Monotropa	264
<i>Ludovia</i>	378	Megaclinium	386	<i>Monotropa</i>	263
Lumnitzera	313	Megastachya	454	MONOTROPEÆ	263
Luzula	434	Melaleuca	486	Moræa	391
Luzuriaga	423	Melampyrum	307	<i>Moræa</i>	393, 394, 395, 396
Lycium	301	MELANTHACEÆ		Moringa	484
Lycopersicum	299	Melanthium	428	Morisonia	468
Lycopodium	459	<i>Melanthium</i>	428, 429	Morus	363
<i>Lycopodium</i>	459	Melasphearala	399	<i>Morus</i>	362
Lycopsis	292	Melastoma	486	<i>Mozinna</i>	361
<i>Lycopsis</i>	292, 293	Melica	445	Mucuna	482
Lycopus	310	Melichrus	488	Muhlenbergia	444
<i>Lycoris</i>	403	Melinis	444	Murrucaia	355
LYCOPODIACEÆ		Melilotus	476	Musa	392
	459	<i>Melilotus</i>	476	MUSACEÆ	392
Lygeum	440	Melissa	313	Muscari	419
Lygodium	460	<i>Melissa</i>	315	Mygalurus	456
Lyonia	254	Melittis	315	Myginda	473
Lyonsia	276	Melocanna	457	Mylocaryum	254
Lyperanthus	385	Melodinus	276	MYOPORINEÆ	325
Lysimachia	331	Melenscium	461	Myoporum	325
Lysinema	266, 488	Mentha	318	Myosotis	293
Maba	270	Menyanthes	282	<i>Myosotis</i>	290, 292, 293
Macleaya	466	<i>Menyanthes</i>	282	Myrica	370
Maclura	362	Menziesia	263	MYRICEÆ	370
Macradenia	386	Mercenialis	335	Myristica	345
<i>Macrobium</i>	484	Mertensia	364	MYRISTICÆÆ	345
Macrotropis	474	<i>Mertensia</i>	460	Myrospermum	474
Mæsa	263	Mesembryanthemum	456	Myrsine	268
<i>Mairania</i>	253		456	<i>Myrsine</i>	268
Malaxis	385	Mespilus	485	MYRSINEÆ	268
<i>Malaxis</i>	384	Messerschmidia	294	Myrsiphyllum	423
Malpighia	470	<i>Messerschmidia</i>	294	Najas	376
Mandragora	298	<i>Methonica</i>	427	Nana	286
<i>Manglilla</i>	269	Metrosideros	486	Narcissus	407
Manicaria	433	Michauxia	249	<i>Narcissus</i>	407
Manisurus	448	<i>Microcale</i>	282	Nardus	439
<i>Manna</i>	480	Microchloa	444	<i>Nardus</i>	448
Mantisia	389	Microlæna	457	Narthecium	434
Manulea	306	Microloma	280	Nemesia	303
Maranta	392	Microstylis	385	Nemopanthus	473
<i>Maranta</i>	392	Microtea	338	Nemophila	295
Marattia	460	Microtis	384	Neottia	383
Marica	394	<i>Miegia</i>	457	<i>Neottia</i>	383
<i>Marica</i>	395	Milium	442	Nepenthes	381
Mariscus	439	<i>Milium</i>	442, 449	Nepeta	319
<i>Mariscus</i>	437	Millingtonia	283	<i>Nepeta</i>	314
Marrubium	321	Mimetes	347	Nephrodium	462
Marsdenia	279	MIMOSEÆ	482	Nerine	403
Marsilea	459	Mimulus	306	Nerium	274
MARSILEACEÆ		Mimusoops	269	<i>Nerium</i>	274
	458	Mirabilis	335	Nicandra	298
Martynia	285, 489	Mirbelia	475, 492	Nicotiana	297
<i>Martynia</i>	285	<i>Mirobolanus</i>	485	Nipa	433
Massonia	420	Mitrasacme	282, 489	Nissolia	477
<i>Massonia</i>	418	Moedeca	355	Nivenia	348
Mathiola	466			Noisetia	469
				Nolana	298
				Nolina	429
				Nonea	292
				Notolæa	271
				Notolæna	460
				Notylia	386
				Nuttallia	469
				NYCTAGINEÆ	334
				Nyctanthes	272
				Nycterisition	269
				Nyctarium	301
				Nyssa	352
				Obesia	278
				Ochrosia	274
				Ochromeria	386
				Ocymum	313
				<i>Ocymum</i>	313
				Oenocarpus	432
				Olea	271, 489
				OLEINÆ	270
				Olyra	457
				Omphalea	359
				Omphalobium	473
				Omphalodes	293
				Oncidium	386, 492
				Onobrychis	480
				Onoclea	463
				<i>Onoclea</i>	463
				Ononis	476
				Onosma	291
				Onosmodium	211
				OPHIQGLOSSEÆ,	
					459
				Ophioglossum	459
				Ophiopogon	415
				Ophioxylon	273
				<i>Ophioxylon</i>	274
				Ophrys	382
				<i>Ophrys</i>	382, 383, 384
				<i>Ophyostachys</i>	429
				Oplismenus	448
				Opltheca	490
				Orbea	276
				ORCHIDEÆ	381
				Orchis	381
				<i>Orchis</i>	381
				Origanum	317
				Ormocarpum	478
				Ornithidium	387
				Ornithocephalus	286
				Ornithogalum	417
				<i>Ornithogalum</i>	418
				Ornithoglossum	428
				Ornus	271
				Orbanche	328
				OROBANCHEÆ,	
					449
				Orobus	480
				ORONTIACEÆ	377
				Orontium	378
				<i>Orontium</i>	378
				Orthoceras	384
				Orthopogon	448
				Oryza	457
				<i>Oryzopsis</i>	439
				Osmunda	460
				<i>Osmunda</i>	459, 460, 463

INDEX. GENERUM.

Page.	Page.	Page.	Page.
OSMUNDACEÆ 160	<i>Persea</i> 344	<i>Plectranthus</i> ... 313	<i>Prismatocarpus</i> ... 251
<i>Ostrya</i> 368	<i>Persea</i> 344	<i>Plectranthus</i> ... 317	<i>Priva</i> 324
OSYRIDEÆ .. 352	<i>Persoonia</i> .. 348, 490	<i>Plectronia</i> 472	<i>Priva</i> 324
<i>Osyris</i> 352	<i>Petiveria</i> 338	<i>Pleca</i> 433	<i>Proiphys</i> 406
<i>Otanthus</i> 241	<i>Petraea</i> .. 323, 490	<i>Pleopeltis</i> 461	<i>Prosopis</i> 483
<i>Outea</i> 484	<i>Petrophila</i> .. 346, 490	<i>Pleurandra</i> 465	<i>Prostanthera</i> 315, 490
<i>Oviada</i> 322, 396	<i>Petunia</i> 297	<i>Pleurothallis</i> ... 386	<i>Protea</i> 346
<i>Oxybaphus</i> 334	<i>Phacelia</i> 295	<i>Pleurothallis</i> ... 386	<i>Protea</i> 345, 346, 347, 348
<i>Oxycoccus</i> 253	<i>Phalangium</i> ... 416	<i>Plukenetia</i> ... 358	PROTEACEÆ 345
<i>Oxyptalum</i> 489	<i>Phalaris</i> 445	PLUMBAGINEÆ ,	<i>Prunella</i> 313
<i>Oxyria</i> 342	<i>Phalaris</i> 441, 445 332	<i>Prunus</i> 485
<i>Oxystelma</i> 280	<i>Pharus</i> 457	<i>Plumbago</i> 333	<i>Psamma</i> 457
<i>Pachidendron</i> .. 410	<i>Phaseolus</i> 481	<i>Plumeria</i> .. 275, 489	<i>Psilotum</i> 459
<i>Pachyrrhizus</i> ... 481	<i>Phayloopsis</i> ... 327	<i>Poa</i> .. 452, 491	<i>Psliturus</i> 418
<i>Pachysandra</i> ... 358	<i>Phebalium</i> 471	<i>Poa</i> .. 451, 453	<i>Psophocarpus</i> .. 481
<i>Paderia</i> 487	PHILADELPHÆÆ ,	<i>Pocockia</i> 476	<i>Psoralea</i> 477
<i>Pæderota</i> 308	<i>Phyllaea</i> 486	<i>Podalyria</i> 474	<i>Ptelidium</i> 473
PALMÆ 431	<i>Phillyrea</i> .. 272, 492	<i>Podanthes</i> 278	<i>Pteris</i> 463
<i>Pancratium</i> 406	<i>Philoxerus</i> ... 337	<i>Podocarpus</i> ... 371	<i>Pterostylis</i> ... 385
<i>Pancratium</i> 406, 407	<i>Philydrium</i> ... 434	<i>Podolobium</i> ... 474	<i>Pterygodium</i> ... 385
PANDANEÆ .. 377	<i>Phleum</i> 441	<i>Podopterus</i> 343	<i>Pucraria</i> 477
<i>Pandanus</i> .. 377, 491	<i>Phleum</i> 441	<i>Podostigma</i> ... 280	<i>Pulmonaria</i> ... 291
<i>Panicum</i> 448	<i>Phlomis</i> 321	<i>Pogonia</i> 354	<i>Pulmonaria</i> ... 291
<i>Panicum</i> 440	<i>Phlomis</i> 322	<i>Pogonia</i> 325	<i>Pultenæa</i> 474
<i>Papaver</i> 466	<i>Phlox</i> 285	<i>Pogostemon</i> ... 318	<i>Pupalia</i> 337
PAPILIONACEÆ ,	<i>Phœnix</i> 431	POLEMONIACEÆ ,	<i>Puschkinia</i> ... 417
..... 474	<i>Pholidota</i> 388 285	<i>Pycnanthemum</i> .. 317
<i>Pappophorum</i> ... 451	<i>Pholiurus</i> 448	<i>Polemonium</i> ... 285	<i>Pycnostachys</i> .. 322
<i>Papyrus</i> 439	<i>Phormium</i> 424	<i>Polianthes</i> ... 409	<i>Pyrethrum</i> 246
<i>Pardanthus</i> 395	<i>Phragmites</i> ... 457	<i>Pollinia</i> 446	<i>Pyrola</i> 263
<i>Pariana</i> 458	<i>Phryma</i> 314	<i>Polybotrya</i> ... 464	<i>Pyrola</i> 263
<i>Parietaria</i> ... 364	<i>Phrynium</i> ... 391	<i>Polycnemum</i> ... 340	<i>Pyrolularia</i> 352
<i>Paris</i> 415	<i>Phycella</i> 404	<i>Polygala</i> 469	<i>Pyrus</i> 485
<i>Parivoa</i> 484	<i>Phyllanthus</i> ... 360	<i>Polygonatum</i> ... 415	<i>Pyxidantha</i> ... 263
<i>Parkia</i> 483	<i>Phyllanthus</i> ... 360	POLYGONEÆ 341	<i>Quetta</i> 407
<i>Parsonsia</i> ... 275	<i>Phyllobium</i> ... 482	<i>Polygonum</i> ... 341	<i>Quercus</i> 369
<i>Paspalum</i> 441	<i>Phylloma</i> 423	<i>Polygonum</i> .. 338, 342	<i>Rafnia</i> 475
<i>Paspalum</i> 441	<i>Phylogyne</i> .. 407, 408	POLYPODIACEÆ	<i>Rajania</i> 413
<i>Passerina</i> ... 351	<i>Physisalis</i> ... 298 460	<i>Ramonda</i> ... 296
<i>Passerina</i> ... 351	<i>Phytalephas</i> ... 377	<i>Polypodium</i> .. 461	RANUNCULACEÆ
<i>Passiflora</i> ... 354	<i>Phytenma</i> ... 251	<i>Polygogon</i> 441 465
<i>Passiflora</i> ... 355	<i>Phytolacca</i> ... 337	<i>Polygogon</i> 444	<i>Ranunculus</i> ... 465
PASSIFLOREÆ 354	PHYTOLACEÆ , 337	<i>Polystachya</i> .. 387	<i>Rauwolfia</i> 273
<i>Patagonula</i> ... 295	<i>Piaranthus</i> ... 278	<i>Pomaderris</i> ... 472	<i>Rauwolfia</i> 273
<i>Paterosnia</i> ... 295	<i>Picotia</i> 293	<i>Ponceletia</i> ... 488	<i>Ravenalia</i> ... 392
<i>Pectinaria</i> ... 276	<i>Picramnia</i> ... 473	PONTEDEREÆ 429	<i>Renealmia</i> 395
PEDALINÆ .. 284	<i>Pictetia</i> 478	<i>Pontederia</i> ... 429	<i>Renealmia</i> 390
<i>Pedalium</i> ... 284	<i>Pilea</i> 364	<i>Pontlieuea</i> .. 383	<i>Reseda</i> 468
<i>Pedicularis</i> ... 307	<i>Pilularia</i> 458	<i>Populus</i> 367	RESEDACEÆ 468
<i>Pedilanthus</i> ... 355	<i>Pimelea</i> .. 351, 491	<i>Porana</i> 289	RESTIACEÆ .. 435
<i>Pelargonium</i> ... 470	<i>Pinguicula</i> ... 329	<i>Porana</i> .. 289	<i>Restio</i> 435
<i>Pelexia</i> 383	<i>Pinus</i> 373	<i>Poranthera</i> .. 491	<i>Retzia</i> 286
<i>Peliosanthes</i> ... 491	<i>Pinus</i> ... 372, 373	<i>Porlieria</i> ... 471	<i>Rhabdochloa</i> ... 454
<i>Penæa</i> 488	<i>Piper</i> 380	<i>Potamogeton</i> ... 376	<i>Rhagodia</i> 340
PENÆACEÆ ... 488	<i>Piper</i> ... 380, 381	<i>Potamophila</i> ... 457	<i>Rhamnus</i> 364
<i>Penicillaria</i> ... 440	PIPERACEÆ .. 380	<i>Pothos</i> 377	<i>Rhapis</i> 431
<i>Pennisetum</i> ... 440	<i>Piptatherum</i> ... 442	<i>Pothos</i> 378	<i>Rhemm</i> 343
<i>Pennisetum</i> ... 440	<i>Piscidia</i> 478	<i>Pourretia</i> ... 425	<i>Rhinanthus</i> ... 307
<i>Penstemon</i> ... 305	<i>Pisonia</i> 335	<i>Prasium</i> 314	<i>Rhipidodendron</i> 411
<i>Pentzia</i> 241	<i>Pitcairnia</i> ... 425	<i>Prasophyllum</i> ... 383	<i>Rhododendron</i> 264
<i>Peperomia</i> ... 380	<i>Planera</i> 364	<i>Prema</i> 323	<i>Rhodora</i> .. 264
<i>Pergularia</i> ... 279	PLANTAGINEÆ ,	<i>Prescotia</i> ... 384	RHODORACEÆ , 264
<i>Pergularia</i> ... 275 333	<i>Prestonia</i> ... 275	<i>Rhopala</i> 349
<i>Periballia</i> ... 445	<i>Plantago</i> 333	<i>Priestleya</i> ... 474	<i>Rhus</i> 473
<i>Perilla</i> 318	PLATANEÆ ... 370	<i>Primula</i> 329	<i>Rhynchosia</i> ... 481
<i>Periploca</i> ... 276	<i>Platanthera</i> ... 382	<i>Primula</i> 330	<i>Rhynchospora</i> ... 437
<i>Periploca</i> .. 276, 280	<i>Platanus</i> 370	PRIMULACEÆ	<i>Richardia</i> ... 378
<i>Perotis</i> 441	<i>Platylobium</i> ... 474	<i>Prinos</i> 473	<i>Ricinus</i> 359

INDEX GENERUM.

Page.	Page.	Page.	Page.
Rindera 293	Scheuchzeria .. 375	Soldanella 329	Swertia 281
Ripidium 446	Schinus 473	Soliva 243	Swertia 282
Ripogonum 414	Shisanthes 407	Sophora 474	Syagrus 432
Ritcheia 468	Schismus 445	Sophora 474	Symphytum 291
Rivina 338	Shizaea 460	SOPHOREÆ .. 474	Symplocza 255
Robinia 477, 478	Shizanthus 308	Sorghum 447	Symplocarpus .. 378
Rochelia 293	Schmidtia 441	Sorocephalus .. 348	SYMPLOCINÆÆ
Rodriguezia 385	Schœnus 437	Sowerbæa 422 267
Roella 251	Schenus .. 437, 438	Sparaxis 398	Symplocos 267
Roella 250	Schollera .. 253, 429	Sparaxis 398	Synnotia 398
Rohdea 378	Schotia 484	Sparganium 377	Syntherisma 444
Roscoea 389	Schwenckia 308	Spartina 440	Syringa 272
Rosmarinus 310	Scilla 418	Spatalla 348	Tabernæmontana 274
Rostraria 457	Scilla 416, 419	Spathodea 284	Tacca 379
Rothia 480	Scirpus 438	Sphaerospora .. 398	TACCACEÆ .. 379
Rottboellia 447	Scirpus 438	Spielmannia ... 324	Tacsonia 355
Rottboellia 447	SCITAMINÆÆ 369	Spigelia 282	Tænites 464
Royena 270	Scleria 437	Spinacia 340	Tagetes 487
Rudolphia 482	Sclerochloa 453	Sporobolus 443	Taliera 431
Ruellia 326	Scleroxyllum ... 269	Stachys 320	Tamarindus 484
Ruellia 327	Scolopendrium .. 463	Stachytarpheta .. 324	Tamonea 324
Rulingia 492	Scolopendrium .. 461	STACKHOUSEÆ	TAMEÆ 414
Rumex 342	Scoparia 302 492	Tamus 414
Rumex 342, 343	Scopolia 297	Stackhousia 492	Tamus 413
Ruppia 376	Serophularia ... 304	Stanleya 468	Tanacetum 241
Ruscus 415	SCROPHULARI-	Stapelia 277	Tanacetum 241
Russelia 303	NÆ 302	Stapelia 276, 277, 278	Tanacium 302
Sabal 431	Scutellaria 315	Staphylea 472	Tarconanthus .. 241
Sabbatia 481	Seaforthia 433	STAPHYLEACEÆ	Tasmania 466
Saccharum 446	Sebæa 282 472	Taxanthea 332
Saccharum 446	Secale 449	Statice 332	TAXINÆÆ 371
Sagittaria 375	Secale 449, 450	Statice 332, 333	Taxodium 372
Sagus 432	Secamone 276	Stegania 463	Taxus 371
SALICEÆ 365	Securinea 361	Stelis 385	Taxus 371
Salicornia 340	Selago 325	Stellera 351	Tecoma 284
Salisburya .. 370, 491	Serapias 382	Stemodia 303	Tectona 324
Salix 365	Serapias 384	Stenantha 267	Teedia 303
Salvia 378	Serruria 347	Stenocarpus ... 349	Telopea 349
Salpianthus 335	Sersalsia 269	Stenochilus ... 326	Tephrosia 477
Salsola 338	SESAMEÆ 285	Stenomesson ... 406	Terminalia 485
Salsola .. 338, 339	Sesamum 285	Sternbergia ... 401	Testudinaria ... 413
Salvia 310	Sesbania 477	Stilago 361	Tetracera 465
Salvinia 459	Sesbania 478	Stillingia 360	Tetranthera ... 344
Samara 268	Sesleria 451	Stipa 442	Tetrapogon 449
Samolus 331	Sesleria 451	Stizolobium 483	Tetratheca 469
Sansevieria 409	Setaria 440	Stratiotes 374	Teucrium 316
SANTALACEÆ, 352	Seymeria 307	Strelitzia 392	Thalia 391
Santalum 352	Shepherdia 353	Streptium 324	Thalictrum 465
Santolina 241	Sibthorpia 306	Streptopus 415	Thamnochortus 435
Santolina 241	Sideritis 317	Strophanthus ... 274	Thelygonum 367
Sapium 359	Sideroxyylon ... 269	Strumaria 404	Thelymitra 384
SAPOTEÆ 269	Sideroxyylon 268, 269	Struthiola 351	Thenardia 275
Saracha 298	Sinapis 468	Struthiopteris ... 463	Theophrasta ... 273
Sarcanthus 388	Sinningia 488	Strychnos 273	Thermopsis ... 474
Sarcochilus 387	Siphonanthus ... 322	Stylandra 280	Thesium 352
Sarcococca 491	Siphonia 359	STYLIDEÆ..... 248	Thesium 352
Sarcococca 279	Sisymbrium 468	Stylidium 248	Thrinax 432
Sarcostemma 280	Sisyrrinchium ... 395	Stypandra 417	Thuja 372
Sarracenia 466	Smeathmannia .. 355	Styphelia .. 267, 488	Thunbergia ... 326
SARRACENIÆ 466	SMILACEÆ .. 414	Styphelia 267	Thymbra 315
Satureja 317	Smilacina 415	STYPHELIÆ 267	THYMELÆÆ .. 350
Satyrinum 383	Smilax 414	STYRACINÆÆ 267	Thymus 314
Satyrinum .. 382, 383	Smithia 478	Styrax 267	Thymus 314, 315
Saururus 380	Soja 481	Suardia 444	Thysanotus 423
Scævola 248	Solandra 302, 489	Sutherlandia ... 478	Tiaridium 290
Schæfferia 492	SOLANEÆ 295	Swartzia 482	Tigridia 396
Schelhammera 428, 492	Solanum 299	SWARTZIEÆ.. 482	Tigridia 394
Schenodorus 455	Solanum 299, 301	Sweetia 480	Tillandsia 425

INDEX GENERUM.

Page.		Page.		Page.		Page.	
<i>Tithymalus</i>	356	<i>Tripinnaria</i>	302	<i>Vanda</i>	388	<i>Watsonia</i>	397
<i>Tittmannia</i>	306	<i>Triplaris</i>	343	<i>Vanda</i>	388	<i>Westringia</i>	316
<i>Todea</i>	460	<i>Tripsacum</i>	448	<i>Vandellia</i>	306	<i>Whitleya</i>	298
<i>Tofieldia</i>	428	<i>Tripsacum</i>	448	<i>Vanilla</i>	388	<i>Willdenovia</i>	435
<i>Torenia</i>	306	<i>Tristania</i>	486	<i>Varronia</i>	295	<i>Willughbeia</i>	276
<i>Tortula</i>	324	<i>Tristegis</i>	444	<i>Vascoa</i>	475	<i>Windsoria</i>	451
<i>Tournefortia</i>	294	<i>Triticum</i>	449	<i>Velleia</i>	248	<i>WINTERÆ</i>	466
<i>Tournefortia</i> 290, 294		<i>Triticum</i> 449, 450, 456		<i>Veltheimia</i>	409	<i>Witheringia</i>	301
<i>Tourretia</i>	285	<i>Tritoma</i>	409	<i>Ventenatia</i>	248	<i>Witsenia</i>	395
<i>Trachelium</i>	251	<i>Tritonia</i>	398	<i>Veratrum</i>	429	<i>Woodsia</i>	461
<i>Trachynotia</i>	440	<i>Trizeuxis</i>	386	<i>Verbascum</i>	296	<i>Woodsia</i>	464
<i>Tradescantia</i> ..	430	<i>Trochocarpa</i>	267	<i>Verbascum</i>	296	<i>Woodwardia</i> ..	463
<i>Tradescantia</i>	430	<i>Trollius</i>	465	<i>Verbena</i>	325	<i>Wrightia</i>	274
<i>Tragia</i>	361	<i>Tromotriche</i>	277	<i>Verbena</i>	324	<i>Wulfenia</i>	308
<i>Tragopyrum</i>	342	<i>Trophis</i>	491	VERBENACEÆ	322	<i>Wurmbea</i>	428
<i>Tragus</i>	444	<i>Tulbagia</i>	409	<i>Verbesina</i>	487	<i>Xanthochymus</i> ..	470
<i>Treisia</i>	356	<i>Tulipa</i>	426	<i>Veronica</i> 308, 489		<i>Xanthorrhœa</i>	424
<i>Trevirania</i>	303	TULIPACEÆ ..	426	<i>Veronica</i> ... 308, 310		<i>Xerophyllum</i>	429
<i>Trewia</i>	491	<i>Tupistra</i>	378	<i>Vesicaria</i>	467	<i>Xerotes</i> 433, 492	
<i>Tribrachia</i>	386	<i>Turpinia</i>	472	<i>Vestia</i>	297	<i>Xiphidium</i>	400
<i>Trichæta</i>	456	<i>Tylophora</i>	278	<i>Viborgia</i>	476	<i>Xylobium</i>	387
<i>Trichochloa</i>	443	<i>Typha</i>	377	<i>Vicia</i>	480	<i>Xylomelum</i>	349
<i>Trichodesma</i>	294	TYPHINÆ	377	<i>Vicusseuxia</i>	394	<i>Xylophylla</i>	360
<i>Trichodium</i>	442	<i>Ugena</i>	460	<i>Vigna</i>	481	<i>Xyris</i>	435
<i>Tricholæna</i>	446	<i>Ulmus</i>	364	<i>Villarsia</i>	282	<i>Xysmalobium</i>	280
<i>Trichomanes</i>	464	<i>Ulmus</i>	364	<i>Vilmorinia</i>	477	<i>Yucca</i>	426
<i>Trichonema</i>	399	<i>Uniola</i>	454	<i>Vinca</i>	274	<i>Zamia</i>	374
<i>Trichophorum</i> ..	439	<i>Urania</i>	392	<i>Viola</i>	469	<i>Zannichellia</i>	376
<i>Trichorhiza</i>	388	<i>Uvaria</i>	479	<i>Visnea</i>	485	<i>Zapania</i>	324
<i>Trichostemma</i> ..	314	<i>Uropetalum</i>	419	<i>Vitex</i>	323	<i>Zea</i>	457
<i>Trichostemma</i> ..	317	<i>Urtica</i>	363	<i>Vitex</i>	323	<i>Zephyranthes</i> ..	481-401-
<i>Tricoryne</i>	417	<i>Urtica</i>	363	<i>Vittaria</i>	463	<i>Zieria</i>	471
<i>Tridens</i>	451	URTICEÆ	361	<i>Vochisia</i>	470	<i>Zietenia</i>	320
<i>Tridentea</i>	277	<i>Utricularia</i>	329	VOCHISIÆ	470	<i>Zigadenus</i>	429
<i>Trientalis</i>	331	<i>Uvaria</i>	466	<i>Vohiria</i>	489	<i>Zingiber</i>	389
<i>Trifolium</i>	476	<i>Uvularia</i>	428	<i>Volkameria</i>	322	<i>Zizania</i>	458
<i>Triglochin</i>	375	<i>Uvularia</i> ..	415, 428	<i>Volkameria</i>	322	<i>Ziziphora</i>	310
<i>Trigonella</i>	476	VACCINIEÆ ..	252	<i>Vouapa</i>	484	<i>Zizyphus</i>	472
<i>Trigonia</i>	470	<i>Vaccinium</i>	252	<i>Wachendorfia</i> ..	400	<i>Zizyphus</i>	364
<i>Trillium</i>	415	<i>Vaccinium</i>	253	<i>Wahlenbergia</i> ..	249	<i>Zornia</i>	478
<i>Trimezia</i>	394	<i>Vallisneria</i>	275	<i>Walkera</i>	472	<i>Zornia</i>	480
<i>Triodia</i>	451	<i>Vallesia</i>	273	<i>Wallichia</i>	432	<i>Zostera</i>	380
<i>Triodia</i>	451	<i>Vallisneria</i>	374	<i>Wallrothia</i>	323	<i>Zoysia</i>	441
<i>Tripfiora</i>	384	<i>Vallota</i>	406	<i>Wangenheimia</i> ..	446	<i>Zuccagnia</i>	419

ENGLISH INDEX to PART II.

	Page.		Page.		Page.
ABELE-TREE ..	367	Bird's-head	386	Chili Pine	372
Adam's-needle ..	426	Bird's-nest	384	Chives	421
Adder's-tongue ..	459	Bird's-tongue	428	Cinnamon	344
African Almond ..	348	Birthwort	353	Clary	312
African fleabane ..	241	Bitter Vetch	480	Clearing-nut	273
African Lily	409	Black Bryony	414	Club-moss	459
Air-plant	388	Black Saltwort	331	Club-Rush	438
Alder	368	Bladder-nut	472	Cock's-omb	336
Alligator-pear ..	344	Bladder-Senna ..	478	Cocoa-nut-tree ..	432
All-seed	339	Blea-berry	252	Cogwood-tree ..	344
Amaranth	335	Blood-flower	404	Colic-root	409
Amboyna-pitch-tree ..	372	Bog-rush	437	Comfrey	291
American Cowslip ..	329	Bonace-bark	351	Contrajerva-root ..	364
Arbor-vitæ	372	Box-thorn	301	Coral-tree	482
Archangel	319	Box-tree	358	Cork-tree	369
Arrow-grass	375	Brake	463	Cornflag	397
Arrow-head	375	Brazil-Pine	372	Cornish moneywort,	306
Arrow-root	392	Bread-fruit	362	306
Asarabacca	353	Bread-nut	491	Costmary	241
Ash-tree	270	Brome-grass	456	Cotton-grass	439
Aspen	367	Brook-weed	331	Couch-grass	449
Asphodel	416	Broom-rape	328	Cowberry	253
Anricula	330	Buckbean	282	Cowitch	482
Badger-bane	465	Buckwheat	342	Cowrie-tree	372
Balm	313	Buckwheat-tree ..	254	Cowslip	329
Balsam-herb	327	Bugle	315	Cow-wheat	307
Balsam of Tolu ..	474	Bugloss	292	Cranberry	253
Bamboo-cane	457	Bulbous Iris	394	Crane's-bill	492
Banana-tree	392	Bur-reed	377	Crow-foot	465
Banyan-tree	362	Butcher's-broom ..	415	Custard-Apple ..	466
Barbadoes Lily ..	403	Butterwort	329	Cypress	372
Barley	444	Cabbage-tree	432	Darnel	450
Basil	313	Calabash-tree ..	302	Date-Palm	431
Bastard Balm ..	315	Calamint	314	Date-Plum	270
Bastard Cabbage-tree ..	484	Calathian Violet ..	281	Day-Lily	409
Bastard Mangeneel ..	275	Calf's-snout	303	Deadly-nightshade ..	298
Bastard Orpine ..	360	Camphire-tree	344	Dead-nettle	319
Bastard Pimpernell ..	331	Canada-Rice	459	Dittany of Crete ..	317
Bastard Vervain ..	324	Canary-grass	445	Dock	342
Bay-tree	344	Candleberry-Myrtle ..	370	Dodder	290
Bear-berry	253	Candy-tuft	468	Dog's-bane	276
Bear-bind	287	Cane-brake	457	Dog's-cabbage ..	364
Bear's-breech ..	326	Canterbury-bells ..	250	Dog's-tail-grass ..	440
Bear's-ear Saucicle ..	329	Caper-spurge	357	Dog's-tooth Violet ..	427
Beast-bane	465	Caper-tree	468	Dragon	378, 379
Beech	370	Cardamon	300	Dragon's-head ..	314
Bee Ophrys	382	Cardinal-flower ..	247	Dragon-tree	424
Beet	340	Carrion-flower ..	277	Duck-weed	376
Belladonna Lily ..	402	Cascarilla	359	Dumb-cane	379
Benjamin-tree ..	344	Cassava	359	Egg-plant	300
Bent-grass	443	Castor-oil-plant ..	359	Elastic-gum-tree ..	359
Bergamot	318	Catalpa-tree	283	Elephant's-foot ..	413
Bermudas Cedar ..	372	Catmint	319	Elm-tree	364
Betony	321	Cat's-tail	377	English Mercury ..	338
Bilberry	252	Cat's-tail-grass ..	441	Evening-flower ..	399
Bindweed	286	Cat-Thyme	316	Eye-bright	306
Birch	368	Cedar of Goa	372	Fan-Palm	431
Bird's-eye	330	Cedar of Lebanon ..	373	Feather-grass ..	442
Bird's-foot Trefoil ..	476	Chamomile	243	Felwort	281
		Chastemite	243	Fenugreek	476
		Chastemite	243	Fescue-grass	455
		Chestnut	370		
				Feverfew	246
				Fiddle-wood	323
				Fig Marygold ..	486
				Fig-tree	361
				Fir-tree	304
				Filbert	368
				Filmy-leaf	464
				Fir-tree	373
				Flat-pea	475
				Flax-Lily	424
				Flower de luce ..	393
				Flowering Ash ..	271
				Flowering Rush ..	375
				Fly Ophrys	382
				Foxglove	305
				Foxtail-grass	441
				Friar's-cowl	379
				Fringe-tree	271
				Fritillary	426
				Frog-bit	374
				Fumitory	466
				Fustick-wood ..	362
				Garden Balsam ..	328
				Garland-flower ..	390
				Garlic	421
				Germander 309, ..	316
				German Madwort ..	292
				Gentian	280
				Ginger	389
				Glasswort	340
				Globe Amaranth ..	337
				Globe-flower	465
				Goatweed	302
				Golden-rod-tree ..	340
				Goose-corn	434
				Goose-foot	338
				Grains of Paradise ..	390
				Grape Hyacinth ..	419
				Green-man	382
				Green Valcrian ..	285
				Gronwell	290
				Ground Ivy	319
				Ground-Pine ..	316
				Guinea-grass ..	448
				Gum-tree	424
				Hair-grass	445
				Hard-grass 447, ..	450
				Harebell's	418
				Hare's-foot-fern ..	464
				Hare's-tail-grass ..	445
				Hart's-tongue ..	403
				Hassagay-tree ..	473
				Heath	255
				Hedge-hyssop ..	308
				Hedge-nettle	320
				Hemp	364
				Hemp-nettle	319
				Henbane	297
				Henbit	319
				Herbarota	244
				Herb-Paris	416
				Hogweed	335

ENGLISH INDEX.

	Page.		Page.		Page.
Holly	473	Malabar-nut	328	Oxeye Daisy	245
Honeywort	291	Male-fern ..	462, 463	Oxlip	330
Hooded Milfoil ..	329	Mamsee	269	Painted cup ...	307
Hop	364	Manchneel-tree	359	Palma Christi ..	359
Hop-Hornbeam ..	368	Mandrake	298	Panic-grass	448
Horehound	321	Mangle wurzel	340	Paper Mulberry	362
Hornbeam	368	Mango-ginger ..	389	Paper-Rush ...	439
Horn of plenty ..	440	Manicot	432	Passion-flower ..	354
Hornwort	376	Maple	470	Patience	343
Horse-radish-tree	484	Mare's-tail	376	Pear	485
Horse-shoe-Vetch	478	Marjoram	317	Pellitory	364
Horsetail	459	Marvel of Peru	335	Pellitory of Spain	243
Horsetail-tree ...	371	Mat-grass	439	Pennyroyal	319
Hound's-tongue ..	294	Meadow-grass, 452,	492	Pepper	380
Hyacinth	419	Meadow-Rue ...	465	Perriwinkle	274
Hyæna-poison ..	491	Meadow-Saffron	428	Persicaria	341
Hyssop	318	Medick	476	Phillyrea ..	272, 489
Indian corn	457	Medusa's-head ..	356	Physic-nut	359
Indian Cucumber	415	Melic-grass	445	Pillwort	458
Indian Millet ...	447	Melilot	476	Pimpernell	331
Indian Shot	391	Mercury	355	Pine Apple	424
Indigo	477	Mexican Lily ...	402	Pine-tree	373
Ipecacuanha-spurge,	357	Mezerion	350	Pipewort	435
Irish Heath	263	Milfoil	244	Pitcher-plant ..	381
Iron-wood	269	Milk-tree	274	Plane-tree	370
Ironwort	317	Milkwood	491	Plantain	333
Jaca-tree	362	Milkwort	469	Plantain-tree ..	393
Jack in a box ...	345	Millet-grass ...	442	Plum	485
Jacobea Lily	403	Mint	318	Poet's Cassia ...	352
Jamaica Ebony ..	482	Molucca-balm ..	322	Poison-nut	273
Jasmine	272	Moneywort	331	Polyanthus	330
Jerusalem Sage ..	321	Monkey-flower ..	306	Polypody	461
Job's-tears	457	Monk's Basil ..	313	Pond-weed	376
Juniper	372	Monkshood	465	Poplar	367
Kidney-bean	481	Moonwort	459	Poppy	466
Knot-grass	342	Motherwort	321	Potatoe	299
Lace-bark	350	Monstail-grass ..	456	Potatoe Onion ..	421
Ladies'-slipper ..	358	Mudwort	306	Primrose	329
Ladies'-traces ...	383	Mugwort	212	Prince's-feather	336
Lady-fern	462	Mulberry	362	Privet	272
Lady's-smock	466	Mullein	296	Quaking-grass ..	454
Lamp-wick	321	Naseberry-tree ..	269	Quillwort	458
Larkspur	465	Nepaul Butter-tree	269	Ramoon-tree ...	491
Lavender	316	Nettle	363	Rampion	249
Lavender cotton ..	241	Nettle-tree	364	Red Cedar	372
Leadwort	333	New Zealand Spruce	372	Redtop-grass ...	451
Leatherwood ..	350	Norfolk Island Pine	372	Redwater-tree ..	482
Leek	421	Nutmeg	345	Reed	457
Lilac	272	Nut-tree	368	Reed-grass	457
Lily	427	Oak	369	Rhubarb	343
Lily Pink	422	Oat-grass	452	Rice	457
Lion's-ear	322	Oil-nut	352	Rocamboles ...	421
Lizard's-tail	380	Oily-grain	285	Rocket	468
Loose-strife	331	Oily-Palm	432	Rock-rose	468
Lousewort	307	Oleander	274	Rope-grass	435
Love-Apple	299	Oleaster	353	Rosemary	311
Love-grass	454	Olive	271, 489	Rush	434
Love lies bleeding	336	Olive-wood	472	Rush-nut	438
Lungwort	291	One-berry	416	Rye	449
Lychnidea	285	Onion	421	Rye-grass	450
Lyme-grass	450	Opera-girls	389	Sage	311
Macaw-tree	432	Orache	339	Sago-Palm	432
Maidenhair	464	Osage Apple ...	362	Saintfoin	480
Maidenhair-tree	370,	Otaheite Chestnut	269	Salep	379
.....	491	Otaheite Myrtle	361	Salt-tree	478
Malabar Nightshade,	338	Oxeye	244	Saltwort	338
.....	338			Sandal-wood ...	352
				Sandbox-tree ..	360
				Sapota	269
				Sassafras-tree ..	344
				Savanna-flower ..	275
				Savory	317
				Savoy Spiderwort	416
				Scammony	256
				Scorpion-grass ..	293
				Screw-pine	377
				Scrubby Oak	457
				Scunkweed	378
				Scurvy-grass ...	467
				Sea Buckthorn ..	353
				Sea Lavender ...	332
				Sea Matweed 380,	457
				Sea-side Grape ..	341
				Sea-side Laurel ..	360
				Sedge	435
				Self-heal	313
				Serpent-wood ...	273
				Shallot	421
				Shave-grass	458
				Sheep's Scabious	251
				Shepherd's-club	296
				Shepherd's-purse	467
				Shield-fern	461
				Shoreweed	334
				Side-saddle-flower	466
				Silver-tree	345
				Skull-cap	318
				Slipper-spurge ..	355
				Slipper-wort ...	307
				Snakeroot	353
				Snake's-beard ...	415
				Snake's-tongue ..	460
				Snake-wood	364
				Snap-dragon ..	303
				Sneezewort	244
				Snowdrop	408
				Snowdrop-tree ..	268
				Snowflake	408
				Solomon's-seal ..	415
				Sorrel	343
				Sorrel-tree	254
				Southernwood ...	242
				Spanish Elm	295
				Spanish nut	394
				Sparrow-wort ...	351
				Speedwell ..	308, 459
				Spider Ophrys ...	382
				Spiderwort	430
				Spinage	340
				Spindle-tree ...	472
				Spring-grass ...	440
				Spurge	352
				Spurge Laurel ...	351
				Spurless Violet...	469
				Squill	418
				Staff-tree	472
				Star-Apple	269
				Star of Bethlehem	417
				Star of the earth	334
				St. Bruno's Lily	416
				Stinking Horehound	321
				Stock	466
				Storax	267
				Strawberry-blite	340

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Strawberry-tree	253	Throat-wort	251	Virginian Hemp	340	Whortle-berry	252
Sugar-cane	446	Tiger-flower	396	Virginian Silk-tree	276	Wild Basil	315
Sumach	473	Tile-root	399	Virgin's-bower	465	Wild Bugloss	292
Summer Cypress	338	Toad-flax	303	Wall-ress	466	Wild Rosemary	254
Sun Rose	468	Tobacco	297	Wall-rue	462	Willow	365
Swallow-wort	279	Tomato	299	Waratah	349	Winter-berry	473
Sweet-Bay	344	Tongue Aloe	411	Water Horehound	310	Winter-cherry	298,299
Sweet-flag	378	Toothwort	328, 467	Water-leaf	295	Winter-ress	466
Sweet-grass	453	True-love	416	Water-pepper	342	Winter-green	263, 331
Sweet gum-tree	371	Trumpet-flower	283	Water-Plantain	375	Winter-green-grass	442
Sweet Maudlin	244	Tulip	426	Water-soldier	375	Witch-hazel	371
Sweet Potatoe	288	Tupelo	352	Water Starwort	376	Wooden-pear	349
Tacamahac	367	Turmeric	389	Water-Violet	331	Woodrush	434
Tallow-tree	360	Turnsole	290	Water-weed	376	Woolhead	243
Tamarind	484	Tway-blade	384	Wax Dammar	371	Wormwood	242
Tansy	241	Umbrella-wort	334	Wax-tree	272	Yam	413
Tare	480	Venus'-looking-glass,	251	Welsh Onion	421	Yellow Bird's-nest	263
Tarragon	242	251	Wheat	449	Yellow-rattle	307, 489
Teak-wood	324	Venus' Navelwort	293	White Cedar	372	Yellow-wort	281
Thorn-Apple	297, 489	Vervain	325	White Hellebore	429	Yew-tree	371
Thrift	332	Viper's Bugloss	291	Whitlow-grass	467	Zedoary	389

Abb. ins. The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.

Act. Stock. Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.

All. auct. Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.

All. m. taur. Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.

All. ped. Car. Allionii Flora Pedemontana.

Alp. Ægypt. Alpinus (Prosper.) De Plantis Ægypti liber. 1 voi. 4to.

Alp. ex. Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.

Amn. ruth. Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.

And. bot. rep. Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.

And. geran. Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.

Amoen. ac. Caroli Linnæi Amoenitates academicæ. 8vo.

And. heath. Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.

Ann. bot. Annals of Botany, by C. Konig and J. Sims. 1805. 8vo.

Ann. mus. Annales du Muséum d' Histoire naturelle, par les Professcurs de cet établissement. 1802. seq. 4to.

Ap. to B. Field's trav. Appendix to Baron Field's Travels. 4to.

Ard. mem. Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.

Ard. sag. pad. Arduino (Pietro.) Saggi di Padova.

Ard. spec. Arduino (Pietro.) Animadversionum botanicarum Specimen. 4to. Patavii. 1759.

Asso. arrag. De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.

Aub. Thou. obs. Aubert Du Petit Thouars Plantes des îles de l'Afrique australe. 4to. 1804.

Aub. gni. Histoire des plantes de la Guiane Francoise, par M. Fusée Aublet. 1775. 4to.

Balb. act. taur. { Miscellanea Botanica. 4to.
Balb. misc. taur. { ex Actis Academiæ Taurinensis exserta. 1804.

Balb. h. taur. Horti Academici Taurinensis

stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.

Banks. ic. Kæmp. Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.

Banks. rel. Hous. Reliquia Honstonnianæ. 4to. 1781.

Barr. ic. { Plantæ per Galliam, Hispaniam,
Barr. rar. { et Italiâ, observatæ, Iconibus
æneis exhibitæ a Jac. Barreliero. 1714. fol.

Bartr. it. { Bartram (William.) Travels
Bartr. trav. { through North and South Carolina, Georgia, Florida. 8vo. Philadelphia. 1791.

Bauer. n. hol. Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.

Bauh. hist. Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.

Bauh. prodr. Caspar Bauhini Προδρομος Theatri Botanici. Basileæ. 1671. 4to.

Beau. fl. ov. Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.

Bell. act. taur. Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.

Berg. act. holm. Bergins (Pehr. Jonas.) Kongl Vetenskaps Academiens Handlingar. 8vo. 1739.

Berg. cap. Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.

Berg. phyt. Bergeter Phytomatotechnie universelle. fol.

Berr. in. As. res. Berry in Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.

Besl. cyst. Besler (Basilius.) Hortus Eystetensis. fol. 1612.

Big. med. bot. Bigelow (Jac.) American Medical Botany. 4to. 1817.

Bir. Bern. st. rar. Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.

Bir. cent. pl. Bivona Bernardi (Antonin.) Singularum Plantarum Centuria prima. 8vo. 1806.

Blackw. Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.

Boc. Mus. Boccone (Paolo.) Museo di Pianta rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.

Boc. sic. rar. Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galiiæ et Italiæ. 4to. 1674.

Boer. lugd. Herm. Boerhaave Index alter Plantarum quæ in horto Academiæ Lugduno Batavae aluntur. 4to. 1720.

Boiss. fl. eur. De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.

BOOKS QUOTED.

- Bolt. fl.* Bolton (James.) Filices Britannæ. 4to. 1785.
- Bondp. mon.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.
- Bondp. nar.* Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.
- Bory. it.* { Bory de St. Vincent (J. B. M.)
A Voyage en Espagne a travers les royaumes de Galice, Leon, etc. 8vo.
- Bory. voy.* {
- Bot. mag.* Curtis's Botanical Magazine, continued by James Sims and J. Bellenden Ker. 8vo.
- Bot. reg.* Edwards (Sydenham.) The Botanical Register. descr. by Bellenden Ker. 8vo. 1815. et seq.
- Bot. rep.* Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.
- Bradl. Suc.* Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) Salzburgerische flora. 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.
- Breyn. ic.* Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.
- Brot. phyt.* Brotero (Felix Avellar.) Phytographia Lusitaniæ selector. fol. 1801.
- Brown. gen. rem.* Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.
- Br. Jam.* { Browne (Patrick.) The Civil
and Natural History of Jamaica. fol. 1756.
- Brouen. Jam.* {
- Bruces. tr.* Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) Collection des fleurs qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.
- Bull. herb.* Bulliard. Herbarium de la France. fol. 1780.
- Burm. afr.* { Burmann (Johannes.) Rariorum
Africanarum Plantarum. 4to.
- Burm. dec.* { 1738.
- Burm. Ind.* Nic. Laur. Burmanni Flora Indica. 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriæ quinque. 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.
- Cates. car.* Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) Monadelphia classis Dissertationes decem. 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.
- Chois. p. hyp.* { Cholsy (J. D.) Prodrromus d'
une monographie de la famille des Hypericinees. 4to.
- Chois. m. h.* { 1821.
- Clus. hist.* Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.
- Col. cephr.* Columna (Fabius.) Minus cognitarum stirpium Eceplirasis. 4to. 1616.
- Col. phyt.* Columna (Fabius.) Phytobasanos. 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.
- Comm. petrop.* Commelyn (Casp.) Commentarii Academiæ Scientiarum imperialis Petropolitane. 4to. 1728.
- Comm. prael.* Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.
- Comm. rar.* Commelyn (Casp.) Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.
- Cook. et.* Cook (J.) Voyages, 2 vols. 4to. 1777.
- Corn. can.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.
- Crantz. Aust.* Crantz (Henr. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.
- Curt. lond.* Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.
- Cyril. ic. fasc.* { Cyrilli (Dom.) Plantarum rariorum regni Neapolitani
- Cyr. neap.* { fasciculus. 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.
- Dard. trait. ren.* D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus.) Annales du Museum d'histoire naturelle. 4to. 1802.
- DC. astr.* De Candolle (Augustin Pyramus.) Astralogia. 4to. et fol. 1802.
- DC. h. mons.* De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspelienis addito observationum circa species novas aut non satis cognitæ fasciculo. 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus.) Icones plantarum Gallie rariorum. 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) Memoires sur la famille des Legumineuses. 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus.) Memoires du Museum d'histoire naturelle. 4to. 1815.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.

BOOKS QUOTED.

- Delil. agyp.* } Delile (Alire Rafeneau.) Mémoires botaniques extraits de la Description de l'Égypte. fol. 1813.
Del. fl. æg. }
- De la Roch. dis.* De La Roche (Daniel.) Specimens botanicum inauguralis sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectæ plantarum in system, univers. descriptarum. 4to. 1820.
- Descrip. de Egyp.* Description de l'Égypte on Recueil des observations et des recherches faites pendant l'expédition de l'armée Française. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Louiche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et. H.* Dreyes et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Mémoires pour servir à l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historia pemptades. fol. 1583.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianæes. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonacæes. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papilionæe rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1616.
- Feuil. obs.* } Feuillée (Louis.) Journal des observations Physiques, Mathématiques et Botaniques faites dans l'Amérique meridionale. 4to. 1814.
Feuil. per. }
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.
- Fl. lap.* Linnaeus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.
- Flor. græ.* Flora Græca J. E. Smith. fol. 1552.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornucopiæ. fol. 1784.
- Forslc. egyp.* } Forskaol (Petrus.) Flora Æ-Forsk. dis. } gyptiaco arabica. 4to. 1775.
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Fourcroy (Ant. Franc.) La Médecine éclairée par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiae. 4to. 1805.
- Gaert. fr.* } Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.
Gaert. sem. }
- Garid. aix* } Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.
Garid. prov. }
- Gerard. gal.* } Gerard (John.) Flora Gallo-Ger. prov. } provincialis. 8vo. 1761.
- Ger. emac.* Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.
- Gmel. fl. bad.* Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) Flora Montpellieraca. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) Illustrationes botanicæ. fol. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) Plantæ alpinae Carniolicæ. 4to. 1782.
- Hall. all.* Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.
- Hall. helc.* } Haller (Albert.) Historia Stirpium indigenarum Helvetiæ. fol. 1768.
Hall. hist. }
- Hayn. term. bot.* Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.
- H. et. B. n. gen.* Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.
- H. et B. pl. acq.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantæ equinoxiales. fol. 1808.
- Herbert. append.* Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.

BOOKS QUOTED.

- Herm. parad.* Hermann (Paulus.) Paradisi Batavi prodromus. 12mo. 1689.
- Hills. veg. syst.* Hill (John.) Outlines of a system of vegetable generation. 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) Programmata Hortus Goettingensis. fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) Phytographische Blätter. 8vo.
- Hoffm. salic.* Hoffmann (Georg. Franz.) Historia salicem iconibus illustrato. fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) Plantarum umbelliferarum genera. 8vo. 1816.
- Hoff. ct. Lk. fl. lus.* Hoffmannsegg et Link.
- Hoff. f. port.* } Flore portugaise. fol. 1806
- Hook. ex. flor.* Hooker (W. J.) Exotic flora. 8vo.
- Hop. in. sturm. fl. fas.* Hoppe in Sturm Deutschland flora. 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) Icones Plantarum sponte nascentium in regniis Daniæ et Norvegiæ, etc. fol. 1761.
- Hort. Kew.* Aiton (William.) Hortus Kewensis, editio prima. 8vo. 1789.
- Hort. trans.* Transactions of the Horticultural Society of London. 4to.
- Host. gram.* Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.
- Icon. Kämpf.* { Kämpfer (Engelbert.) Icones selectæ plantarum. fol. 1791.
- Kämpf. Icon.* }
- Icon. Hort. Kew.* Delicæ of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.
- Isn. act. par.* Isnard. Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.
- Jacq. amer.* Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.
- Jacq. am. pict.* Jacquin (N. J.) Stirpium Americanarum Historia.
- Jacq. anst.* Von Jacquin (Nicol. Jos.) Floræ Austriacæ Icones. fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.
- Jacq. f. cel.* Von Jacquin (Jos. Franc.) Eclogæ Botanica. fol. 1811.
- Jacq. frag.* Von Jacquin (Nicol. Jos.) Fragmenta Botanica. fol. 1809.
- Jacq. h. vind.* Von Jacquin (Nicol. Jos.) Hortus Botanicus vindobonensis. fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) Icones Plantarum rariorum. fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) Observationes botanicæ. fol. 1764.
- Jacq. or.* Von Jacquin (Nicol. Jos.) Oxalis monographia iconibus illustrata. 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) Plantarum rariorum horti cesari Schœnbrunnensis. fol. 1797.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) Stapeliæ cultæ. fol. 1806.
- J. mem. ac. sci. par.* Jussien, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.
- Journ. sc.* Ker (J. B.) Journal of Science and the Arts. 8vo.
- Jung. ic. rar.* Junglans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.
- Juss. an.* Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.
- Kämp. am.* Kämpfer (Engelbert.) Amœnitates exoticæ. 4to. 1712.
- Kalm. it.* Kalm (Pehr.) Resatil norra America. 8vo. 1753.
- Ker's review.* Ker's (J. B.) Review of the Genera Amaryllis, Crinum, and Pan-cratiun, in the Journal of Science and the Arts. 8vo.
- Ker's strelitz.* Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.
- Knight's prot.* Knight (Joseph.) Horticultural Essays on the natural order of Proteæ. 4to. 1809.
- Knorr. del.* Knorr (Georg. Wolfgang.) Delicia naturæ selectæ oder auserlesene. fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) The-saurus rei herbariæ hortensisque universalis. fol. 1770.
- Kon. an. bot.* Annals of Botany, by C. Koning and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
- Krock. siles.* Krocker (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.
- Kth. mim.* Kunth (Car. Sig.) Mimoses et autres plantes legumineuses du nouveau continent. fol. 1819.
- Lab. nov. hol.* Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.
- Lab. ic. pl. Syr.* { Labillardiere (Jac. Jul.)
- Labil. Syr.* } Icones plantarum Syriæ rariorum. 4to. 1791.
- Lab. voy.* Labillardiere (Jac. Jul.) Relation du Voyage a la recherche de La Peyrouse. 4to. 1798.
- Lamb. cinch.* Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.
- Lamb. pin.* Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.
- Lam. ill.* Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.
- Lap. pyr. ic. ined.* Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrenées. fol. 1795.
- Laroch. eryng.* De La Roche (Francois.) Eryngium nec non generis novi alepidæe historia. fol. 1808.
- Leers. fl. herb.* Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.
- Lchm. nicot.* Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.

BOOKS QUOTED.

- L. Herit. ger.* L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.
- L. Her. sert. ang.* L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.
- L. Her. stirp.* L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.
- Lind. gal.* Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.
- Lindl. coll.* Lindley (John.) Collectanea Botanica. fol.
- Lind. digit.* Lindley (John.) Digitalium Monographia. fol.
- Lindl. ros.* Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.
- Lin. amæn. ac.* Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.
- Lin. fl. lap.* Linnæus (Carolus.) Flora Lapponica. 1 vol. 8vo. 1737.
- Linn. hort. clif.* Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.
- Lin. f. dec.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.
- Linn. fil. fasc.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.
- Linn. sup.* Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.
- Linn. trans.* Transactions of the Linnean Society of London. vol. 1. to 14. 4to.
- Link et Ot. h. ber.* Link et Otto. Hortus Berolinensis. fol.
- Lobel. adr.* De Lobel sen Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.
- Lob. ic.* Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.
- Lodd. bot. cab.* Botanical Cabinet, by Messrs. Loddiges'. 4to.
- Loef. it. rar.* { Loefling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.
- Loef. hisp.* {
- Loes. prus.* Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.
- Loisel. gal.* Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.
- Magn. b. mons.* Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.
- Mareg. bras.* Maregravius (Georg.) Historia rerum naturalium Brasiliæ. 1 vol. fol. 1648.
- Mart. cent.* { Martyn (John.) Historia Plantarum rariorum centuriæ 1 dec.
- Mart. dec.* { cas 1-5. fol. 1728.
- Mart. fl. rust.* Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.
- Mart. n. pl. bras.* Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, per Brasiliam ann. 1817-1820. 4to.
- Mass. Stap.* Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.
- Math. com.* Mathioli (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.
- Meerb. ic.* Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.
- Mentz. pug.* Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.
- Merian. surin.* Merian (Maria Sibylla.) De metamorphosis insectorum Surinamensium. 1 vol. fol. 1726.
- Mich. amer.* Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.
- Mich. arb.* Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.
- Mich. querc.* Michaux (André) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.
- Mich. gen.* Micheli (Petr. Auto.) Nova Plantarum genera. 1 vol. fol. 1729.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
- J. Mill. ic.* Seven coloured Plates of Plants, by John Miller.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
- Miss Laur. ros.* { A Collection of Roses from Nature, by Miss Lawrence (now Mrs. Keurse). 90 plates.
- M. L. R.* {
- Moret. fl. vident.* Moretti (Gius.) Notizia supra diverse piante da agguingersi alla flora Vicentina. 4to. 1813.
- Moris. hist.* { Morison (Robert J.) Plantarum historia universalis Oxonien-
- Moris. s.* { sis. 2 vol. fol. 1680.
- Moris. v.* {
- Moris. umb.* Morison (Robert.) Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.
- Munt. phyt. cur.* Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.
- Murr. com.* { Murray (Joh. Andr.) Commentarii Societatis regię Scientiarum Gœttingensis. 4to.
- Mar. c. got.* {
- Nectoux roy.* Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de scûé. fol. 1808.
- N. et Mart. ac. b.* Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. ber.* Nees von Esembeck (G. G.) Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.
- Niss. act. par.* Nissolle in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nov. act. pet.* Nova Acta Academiæ Scientiarum Imperialis Petropolitanae.
- Nov. com. pet.* Novi Commentarii Academiæ Scientiarum Imperialis Petropolitanae.
- Oed. fl. dan.* Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.
- Ort. dec.* De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.

BOOKS QUOTED.

- Osb. it.* Osbeck (Pehr.) Dagbock æf'er en ostendyck resa. 1 vol. 8vo.
- Palisot d'owar.* { Palisot de Beauvols. Flore
Pal. fl. d'ow. { des royaumes d'Oware et
de Benin. fol. 1805 et seq.
- Pall. act. pet.* Pallas (Peter Simon.) In Acta Academiæ scientiarum imperialis Petropolitanae. 4to.
- Pall. it. ed. germ.* Pallas (P.S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.
- Pall. it. ed. gal.* Voyages dans l'Empire Russe. 8 vol. 8vo.
- Pall. ross.* Pallas (P.S.) Flora Rossica. fol. 2 vol. 1784, 1788.
- Par. lond.* { Salisbury (Rich. Anth.) Para-
Sal. par. lond. { disus Londinensis. 2 vol. 4to.
- Park. par.* Parkinson (John.) Paradisi in sole paradisi terrestri, or a garden of flowers. 1 vol. fol. 1629.
- Park. theat.* Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.
- Patters. iter.* A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.* { Petiver (James.) Herbarii
Pet. h. brit. { Britannici Catalogus. fol.
- Pet. gaz.* Petiver (James.) Gazophylacium naturæ et artis. fol. 1702, 1704.
- Pio viol.* Pio (Joh. Bapt.) De Violâ specimen. 4to. 1813.
- Pis. bras.* Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1645.
- Piso. lib.* Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.
- Plenck. ic.* Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.
- Pl. rar. hung.* { Waldstein (Franc.) et Kitai-
W. et K. hung. { bel (Panl.) Descriptiones et
Icones plantarum rariorum
Hungariæ. 3 vol. fol.
- Pluk. alm.* Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.
- Pluk. an.* Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.
- Pluk. mant.* Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.
- Pluk. phyt.* Plukenett (L.) Phytographia sive Stirpium illustrorum, etc. 4 vol. 4to. 1691.
- Plum. amer.* Plumier (Charles.) Description des plantes de l'Amerique. 1 vol. fol. 1693 et 1713.
- Plum. ed. B.* { Plantæ Americanæ à C. Plumier detectæ et à J. Burmanno editæ. 5 fasc. fol. 1755
Pl. ed. Burm. {
- Plum. fil.* Plumier (C.) Traité des fongères de l'Amerique. 1 vol. fol. 1705.
- Plum. gen.* Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.
- Plum. ic.* Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantas quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.
- Pollich Palat.* Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.
- Poit. et T. fl.* Poiteau et Turpin. Flore Parisicume. 6 livr. fol. 1808.
- Pursh amer.* Flora Americæ Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.* Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.
- Raii syn.* { Ray (Joh.) Synopsis Stirpium Bri-
Ray. syn. { tannicarum. 1 vol. 8vo.
- Rauw. it.* Rauwolf (Leonh.) Etlicher Schoner Auslandsischer Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contractur.
- Red. lil.* { Redoute (P.J.) Les Liliacées.
Redoute lil. { 8 vol. fol. 1802—1816.
- Redout. ros.* Redoute (P.J.) Les Roses. 4to. et fol. 1817, et seq.
- Reliq. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Joes. Banks asservatis. 4to. 1781.
- Renealm. spec.* Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.* Retzius (And. Joh.) Observationes Botanicae. 6 fasc. fol. 1774—1791.
- Rheed. mal.* { Van Rheed (Henricus.) Hor-
Rhe. hort. mal. { tus Indicus Malabaricus. 12
vol. fol.
- Riv. monop.* Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.
- Riv. tetr.* Rivinus (A.Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.
- Riv. pent.* Rivinus (A.Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.
- Rob. ic.* Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Rœm. arch.* Rœmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.
- Rœm. script.* Rœmer (J. J.) Scriptoræ de Plantis Hispanicis, Lusitanicis, et Brasiliensibus. 1 vol. 8vo. 1796.
- Rosc. scitam.* Roscoe's Figures of the order of Scitamineæ. fol.
- Roth. abh.* Roth (Alb. Willh.) Botanische abhandlungen und beobachtungen. 4to. 1787.
- Rottb. gram.* { Descriptiones et Icones
Rottb. desc. rar. { Plantarum rariorum, etc.
1 vol. fol. 1773.
- Roxb. corom.* Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.
- Rudg. gui.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.
- Ruiz et P. prod.* Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodromus. fol.
- Rumph. amb.* Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750—1755.
- Russ. alep.* Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.* { Sabbati (Liberatus.) Hortus
Sabb. h. rom. { Romanus. fol. vol. 3. 8vo.
1772, 1774, 1805.
- Sal. stirp. rar.* Salisbury (R.A.) Icones stirpium rariorum. 1 fasc. fol. 1791.

San. viag. Santi (Georg.) *Viaggi al mont Ami-
ata*. 1 vol. 8vo. 1795. II. 1798. III. 1806.
Savi fl. pis. Savi (Gaetano.) *Flora Pisana*. 2
vol. 8vo. 1798.
Scheuch. gram. Scheuchzer (Johan.) *Agrostog-
raphia, sive Graminum, Juncorum, Cy-
perorum, iisque affinium historia*.
Scheuch. it. Scheuchzer (Joh. Jac.) *Itinera
Alpina*. 4to. ed. I. 1702—1708. Ed. 2 ;
1 vol. 4to. 1723.
Schk. caric. Schkuhr (Christ.) *Histoire des
Carex ou Laiches*. 1 vol. 8vo. 1802.
Schkuhr filic. Schkuhr (Christ.) *Abbildungen der
Farrnkräuter*. 4to.
Schk. hand. Schkuhr (C.) *Botanisches hand-
buch*. 3 vol. 8vo.
Schm. arb. { Schmidt (Franz.) *Öesterreichs
Schmid. arb.* { allegemeine Baumzucht 2
Band. fol. 1792—1794.
Schm. ic. Schmiedel (Cas. Christ.) *Icones
Plantarum*. 1 vol. fol. 1762.
Schousb. maroc. Schoushoe (P.K.A.) *Iagtta-
gelder over voextriget i Marocco*. 1 vol.
4to. 1800.
Schrad. d. hal. Schrader (Henr. Adolph.) *De
Halophytis Pallasii*. 4to. 1810.
Schrad. gen. nov. Schrader (H.A.) *Nova Plan-
tarum genera*. 1 fasc. fol. 1797.
Shrad. germ. Schrader (H.A.) *Flora Germa-
nica*. 8vo. 1806.
Schr. s. han. Schrader (H.A.) *Sertum Hanno-
veranum*. 4 fasc. fol. 1795, 1796.
Schrad. verb. Schrader (H.A.) *Monographia
generis verbasci*. 4to. 1813.
Schrad. ver. Schrader (H.A.) *Commentatis
de Veronicis spicatis*. 8vo. 1803.
Schrank h. mon. { Schrank (Fr. von Paula.)
Schrank pl. rar. { *Plantæ rariores horti Mo-
nacensis*. 1817, 1818, 1819.
Schreb. a. ups. Von Schreber (Joh. Christ.
Dan.) *Acta litteraria et scientiarum Up-
saliæ aut ab academia Upsaliensi publi-
cata*. 2 vol. 1720, 1816.
Sch. gram. Schreber (J.C.D.) *Beschreibung
der Græser*. fol. 1769—1779.
Scop. carn. Scopoli (Joh. Ant.) *Flora Carni-
olica*. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
Scop. del. { Scopoli (J.A.) *Deliciae floræ Insu-
Scop. ins.* { bricæ. 3 vol. fol. 1786, 1788.
Seb. mus. { Seba (Alb.) *Locupletissimi Rerum
Seb. thes.* { naturalium Thesauri Descrip-
tio. 4 vol. fol. 1734—1765.
Second. d. chen. De Secondat (M.) *Mémoires
sur l'Histoire naturelle du Chénc*. 1785.
fol.
Segu. ver. Seguier (Joh. Franc.) *Plantæ Ve-
ronenses*. 3 vol. 8vo. 1745.
Ser. m. helv. Seringe (N.C.) *Musée Helvétic-
que d'histoire naturelle*. 4to. 1818, 1820.
Shaw afric. { Shaw (Thomas.) *Travels in
Shaw barb.* { Barbary and the Levant.
1 vol. fol. 1738.—Supple-
ment. 1746.
Sinc. gr. wob. Sinclair (George.) *Hortus gra-
mineus Woburnensis*. 1 vol. 8vo. 1825.
{ Sloane (Hans.) *A Voyage to the
Islands Madeira, Barbadoes,
Slo. hist.* { Nieves, St. Christopher's, and
Sloan. j. { Jamaica; with the Natural
History of the last of those
Islands. 2 vol. fol. 1707.

Sm. exot. bot. Smith (J. Edward.) *Exotic
Botany*. 8vo. 1804—1808.
Sm. ic. ined. Smith (J. E.) *Plantarum Icones
hactenus ineditæ*. fasc. 1-3. 1789, 1791. fol.
Smith ic. pict. Smith (J. E.) *Icones pictæ
Plantarum rariorum*. 3 fasc. fol. 1790—
1793.
Sm. nov. hol. Smith (J. E.) *A specimen of
the Botany of New Holland*. 1 vol. 4to.
1793.
Smith spic. Smith (J. E.) *Spicilegium Bota-
nicum*. 2 fasc. fol. 1791, 1792.
Smith. tracts. Smith (J. E.) *Tracts relating
to Natural History*. 1 vol. 8vo. 1798.
Sole's mints. Sole (William.) *Menthæ Britan-
nicæ; being a new botanical arrange-
ment of all the British Mints hitherto
discovered*. 1 vol. fol. 1798.
Sommer. it. Sonnerat (P.) *Voyage aux Indes
orientales et à la Chine*. 2 vol. 4to.
Sommer. n. guin. Voyage à la nouvelle Guinée.
1 vol. 4to. 1776.
Sparm. a. st. Sparrman (Andr.) *Kongl. Vet-
enskapsAcademiens Handlingar*. Stock-
holm. 1739. seq. 8vo.
Spr. anl. Sprengel (Kurt.) *Anleitung zur
Kenntniss der Gewächse*. 2 theil. 8vo.
1817, 1818.
Spreng. crypt. Sprengel (K.) *Introduction to
the study of Cryptogamous Plants, trans-
lated from the German*. 8vo. 1813.
Spr. fl. hall. Sprengel (K.) *Floræ halensis
Tentamen novum*. 1 vol. 8vo. 1806.
Spreng. umb. Sprengel (K.) *Species umbelli-
ferarum minus cognitarum illustratæ*.
1 vol. 4to. 1813.
Sternb. saxif. Sternberg (Graf. Casp.) *Revisio
Saxifragarum Iconibus illustrata*. 1 vol.
fol. 1810.
Stær. lib. de. stram. Sterck (Ant.) *Libellus
de Stramonio, Hyosciamo. Aconito*. 8vo.
1763.
Sturm. deut. Sturm (Jacob.) *Deutschland
flora*. 4to.
Swartz ic. Swartz (Olof.) *Icones Plantarum
Indiæ occidentalis*. 1 fasc. fol. 1794.
Swart. obs. Swartz (O.) *Observationes bo-
tanicæ*. 1 vol. 8vo. 1791.
Sw. syn. fil. Swartz (O.) *Synopsis filicum
earum genera et species compl.* 1 vol.
8vo. 1806.
Swt. br. fl. gar. Sweet (Robert.) *The British
Flower Garden, published in monthly
numbers, containing full and accurate
coloured figures and descriptions, with
the best mode of cultivation, of the most
choice and curious plants, that may be
cultivated in the open air of Great
Britain*. 2 vol. royal 8vo.
Swt. cist. Sweet (R.) *Cistineæ. The natural
Order of Cistus, or Rock-Rose, to be
completed in one volume, a number pub-
lished every alternate month, each num-
ber containing 4 beautifully coloured
figures of this interesting tribe of plants.
No. 1. to 9. to be continued, royal. 8vo.*
Sweet ger. Sweet (R.) *Geraniaceæ, or the
natural order of Geraniums, published
in monthly parts, with accurate coloured
figures and descriptions of the different
kinds, & their mode of culture*. royal 8vo.

BOOKS QUOTED.

- Swert. flor.* Swertius (Eman.) Florilegium tractans de variis floribus. 1 vol. fol. 1612.
- Tab. ic.* Tabernæmontanus (Jac. Theod.) *Eicones Plantarum cur N. Bassæo.* 4to. 1590.
- Tabern.kraut.* Tabernæmontanus (Jac. Theod.) *Kräuterbuch.* fol. 1588.
- Tenor. fl. nap.* Tenore (Michel.) *Flora Neapolitana.* fol. 1811.
- Thunb. crls.* Thunberg (Car. Petr.) *de Erica.* 4to.
- Thunb. ir.* Thunberg (Car. Petr.) *Dissertatis de Iris.* 4to. 1782.
- Thunb. jap.* Thunberg (Car. Petr.) *Flora Japonica.* 8vo. 1784.
- Thunb. voy.* Thunberg (Car. Petr.) *Voyage au Japon, etc.* 8vo. 1796.
- Till. pis.* Tilli (Mich. Ang.) *Catalogus horti Pisani.* fol. 1723.
- Tourn. voy.* Pitton De Tournefort (Joseph.) *Relation d'un voyage du Levant.* 4to. 1717.
- Trat. arch.* Trattinick (Leop.) *Archiv der Gewächskunde.* 4to. 1811.
- Trattin. fl. aust.* Trattinick (Leop.) *Flora Austriaca sicca.* fol. 1792.
- Tratt. tab.* Trattinick (Leop.) *Observationes botanicæ Tabularium rei herbariæ illustratæ.* 4to. 1811.
- Tratt. thes. bot.* Trattinick (Leop.) *Thesaurus Botanicus.* fol. 1819.
- Trew. delph.* Treviranus (Lud. Christ.) *De Delphinio et Aquilegia observationes.* 4to. 1817.
- Trew. chret.* Trew (Christ. Jac.) *Plantæ selectæ ab Ehret pictæ.* fol. 1750.
- Trew. pl. rar.* Trew (Christ. Jac.) *Plantæ rarioræ,* ed. J. C. Keller. fol. 1763.
- Triumpf. obs.* Triumphetti (Joh. Bapt.) *Observationes de ortu et vegetatione Plantarum.* 4to. 1635.
- Ust. N. ann.* Usteri (Paul.) *Neue annalen der Botanik.* 8vo. 1794.
- Vahl. ecl.* Vahl (Martinus.) *Eclogæ Americænæ.* fol. 1796.
- Vahl. ic. rar.* Vahl (Martinus.) *Icônes Plantarum in eclogis descriptarum.* fol. 1798.
- Vahl. symb.* Vahl (Martinus.) *Symbolæ botanicæ.* fol. 1790.
- Vail par.* Vaillant (Sebastien.) *Botanicon Parisiense.* fol. 1727.
- Vent. cels.* Ventenat (Etienne Pierre.) *Description des plantes nouvelles ou peu connues du jardin de J. M. Cels.* fol. 1800.
- Vent. choix.* Ventenat (Etienne Pierre.) *Choix des plantes.* fol. 1803.
- Vent. malm.* Ventenat (Etienne Pierre.) *Jardin de la Malmaison.* fol. 1803.
- Vill. c. stras.* Villars (D.) *Catalogue methodique du jardin de Strasbourg.* 8vo. 1807.
- Vill. dauph.* } Villars (D.) *Histoire des Plantes*
Vill. delph. } du Dauphine. 8vo. 1786.
- Vir. frag.* } Viviani (Dom.) *Floræ Italicæ*
Vivian. fr. fl. it. } *lucæ fragmenta.* 4to. 1808.
- Volck. norib.* Volkamer (Jo. Georg.) *Flora Noribergensis.* 4to. 1700.
- Wahl. helv.* Wahlenberg (Georg.) *De vegetatione et clymate Helvetiæ septentrionalis specimen.* 8vo. 1813.
- Wahl. lap.* Wahlenberg (Georg.) *Flora Lapponica.* 8vo. 1812.
- Wal. as. res.* Wallich *Asiatic Researches or Transactions of the Society instituted in Bengal.* 4to. 1788.
- Walth. hort.* Walther (Aug. Frid.) *Designatio plantarum horti ejus.* 8vo. 1735.
- Wang. amer.* Von Wangenheim (Fried. Ad. Jul.) *Anpflanzung North Amerikanischer Holzarten.*
- Wats. dend. brit.* Watson (W.) *Dendrologia Britannica.* 2 vol. 8vo.
- Weig. obs.* Weigel (Christ. Ehret.) *Observationes Botanicæ.* 4to. 1772.
- Weimn. phyt.* Weinmann (Joh. Guil.) *Phytanthoza Iconographica.* fol. 1817.
- Wend. ac.* Wendeland (H. Lud.) *Commentatis de Acaciis aphyllis.* 4to. 1820.
- Wendl. col.* Wendeland (H. Lud.) *Collectio Plantarum tum exoticarum quam indigenarum.* 4to. 1805.
- Wendl. er.* Wendland (Joh. Christ.) *Ericarum Icones et descriptiones.* 4to. 1798.
- Wend. h. herr.* Wendland (Joh. Christ.) *Hortus Herrenhusanus.* fol. 1798.
- Wend. s. han.* Wendland (J.C.) *Sertum Hannoveranum.* 4 fasc. fol.
- Willd. arb.* Willdenow (Car. Lud.) *Berlinische Baumzucht.* 8vo. 1797.
- W. ber. mag.* Willdenow (Car. Lud.) *Berlinischer magazin oder gesammlete schriften, etc.* 4to. 1765.
- Willd. hort. ber.* Willdenow (Car. Lud.) *Hortus Berolinensis.* fol. 1806.
- Woodv. med. bot.* Woodville (William.) *Medical Botany.* 3 vol. 4to. 1790.
- Zanon. hist.* Zanoni (Jacobus.) *Rariorum stirpium historia.* Ed. C. Monti. 1 vol. fol. 1742.
- Zorn. ic.* Zorn (Joh.) *Icônes Plantarum medicinalium.* 8vo. 1779.



SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00619 1860