

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# INDEX VOLUME I.

## A

|  | Page. |  | Page.   |
|--|-------|--|---------|
| A list of the Coccidae of Porto Rico.<br>(Paper)-----                      | 1-16  | <i>Aphedinus diaspidis</i> -----                                       | 11      |
| Abnormalities of cane-----   | 234   | <i>Apium graveolens</i> . Diseases of-----                             | 98      |
| <i>Aclerda tokionis</i> -----  | 8     | <i>Apogonia destructor</i> , injurious to sug-<br>ar cane in Java----- | 50      |
| <i>Acrostagmus albus</i> -----   | 101   | <i>Arachis hypogea</i> . Diseases of-----                              | 108     |
| <i>Adoretæ</i> —   |       | <i>Arcyria</i> —   |         |
| <i>compressus</i> —  |       | <i>cinerea</i> -----   | 211     |
| host of <i>Prosema siberita</i> in Java-----                               | 59    | <i>denudata</i> -----  | 211     |
| injuring cane in Java-----   | 50    | <i>Arrhenophagus chionaspidis</i> -----                                | 2       |
| spp., destructive in Hawaii, Jap-<br>an, and East Africa-----              | 50    | <i>Arthrinium saccharicola</i> -----                                   | 223     |
| <i>Albugo ipomeae-panduranae</i> -----                                     | 111   | <i>Arthrobotrys superba</i> -----                                      | 222     |
| <i>Allium cepa</i> . Diseases of-----                                      | 107   | Asilid fly—  |         |
| <i>Allorhina mutabilis</i> , damaging fruit<br>in irrigated Southwest----- | 50    | See <i>Promachus</i> .   |         |
| <i>Ameiva exul</i> , lizard, probably preda-<br>cious on white-grubs-----  | 53    | Asparagus—   |         |
| <i>Andropogon bicornis</i> -----   | 187   | See <i>Asparagus officinalis</i> .                                     |         |
| Ani—   |       | <i>Asparagus officinalis</i> . Diseases of--                           | 94      |
| See <i>Crotophaga ani</i> .  |       | <i>Aspergillus</i> —   |         |
| <i>Anisoplia austriaca</i> —   |       | <i>flavus</i> -----  | 222     |
| damaging crops in Russia-----  | 50    | <i>niger</i> -----   | 222     |
| host of <i>Microphthalma disjuncta</i> -----                               | 59    | <i>Aspidiotiphagus citrinus</i> -----                                  | 1, 2, 9 |
| <i>Anolis</i> spp.   |       | <i>Aspidiotus</i> —  |         |
| lizards, possibly predacious on<br>may-beetles-----                        | 53    | <i>cyanophylli</i> -----   | 11      |
| <i>Anomala</i> spp.  |       | <i>destructor</i> -----  | 1, 11   |
| destructive in Hawaii, Japan, and<br>East Africa-----                      | 50    | <i>destructor</i> , parasite of-----                                   | 11      |
| Ant, tending mealy-bug-----  | 5     | <i>ficus</i> -----   | 12      |
| Ant, tending scale-----  | 5     | <i>forlesi</i> -----   | 11      |
| Anthracnose of bean.   |       | <i>lataniae</i> -----  | 12      |
| See <i>Colletotrichum lindemuthia-</i><br><i>num</i> .                     |       | <i>sacchari</i> -----  | 1, 12   |
| Anthracnose of cucumber-----   | 102   | <i>Asterolecanium</i> —  |         |
| Anthracnose of eggplant-----   | 103   | <i>aureum</i> -----  | 4       |
| Anthracnose of pepper-----   | 109   | <i>bambusae</i> -----  | 4       |
| Anthracnose of tomato-----   | 114   | <i>lanceolatum</i> -----   | 4       |
|  |       | <i>pustulans</i> -----   | 4       |
|  |       | <i>Asterostroma</i> —  |         |
|  |       | <i>albido-carneum</i> -----  | 215     |
|  |       | <i>cervicolor</i> -----  | 215     |
|  |       | <i>Aulacaspia pentagona</i> -----                                      | 9       |

## B

|                                       |          |   |       |
|---------------------------------------|----------|---|-------|
| <i>Bacillus solanacearum</i> -----    | 105, 115 |   |       |
| Bacterial disease—                    |          | Beet—   |       |
| See <i>Micrococcus nigrofaciens</i> . |          | See <i>Beta vulgaris</i> .  |       |
| <i>Bacterium campestris</i> -----     | 115      | <i>Beta vulgaris</i> . Diseases of-----   | 98    |
| <i>Bacterium phaseoli</i> -----       | 98       | <i>Biomymia lacnosternae</i> , Tachinid para-<br>site of Phyllophaga in the<br>United States----- | 59    |
| Bare-legged owl—                      |          | Birds that prey upon white-grubs<br>and may-beetles-----  | 53-54 |
| See <i>Gymnasio nudipes nudipes</i> . |          | Blackbird, Porto Rican—   |       |
| <i>Basisporum gallarum</i> -----      | 224      | See <i>Holoquiscalus brachypterus</i> .   |       |
| Bean—                                 |          |   |       |
| See <i>Phaseolus</i> spp.             |          |   |       |

**B**

|   | Page. |
|---|-------|
| Black-spot—<br>See <i>Phoma destructiva</i> .       |       |
| Blight of beans—<br>See <i>Bacterium phaseoli</i> . |       |
| Blossom end rot of                                  |       |
| tomato-----   | 113   |
| watermelon-----                                     | 116   |
| Bombyliid fly—<br>See <i>Sparnopolius fulvus</i> .  |       |
| <i>Botrytis sp</i> -----                            | 227   |

|  | Page. |
|--|-------|
| <i>Botrytis tenella</i> , fungus disease of<br>Melolontha in Europe----- | 60    |
| <i>Brassica</i> —  |       |
| <i>campestris</i> . Diseases of-----                                     | 115   |
| <i>oleracea</i> . Diseases of-----                                       | 98    |
| <i>Rapa</i> . Diseases of-----   | 115   |
| spp. Diseases of-----  | 107   |
| Brown leaf spot—<br>See <i>Cercospora longipes</i> .                     |       |

**C**

|   |          |
|---|----------|
| Cabbage—<br>See <i>Brassica oleracea</i> .                                      |          |
| <i>Cajanus indicus</i> . Diseases of-----                                       | 105      |
| <i>Campomeris</i> —<br><i>dorsata</i> —   |          |
| apparent hyperparasitization of-----  | 55       |
| occurrence in Porto Rico-----   | 55       |
| parasite of <i>Ligyris</i> in Porto<br>Rico-----                                | 56       |
| parasite of <i>Ligyris tumulosus</i><br>in Barbados-----                        | 86       |
| possible parasite of <i>Phyllophaga</i><br><i>vandinei</i> -----                | 86       |
| <i>pyrura</i> —   |          |
| in Mona Island and Santo Do-<br>mingo-----                                      | 56       |
| occurrence in Porto Rico-----   | 55       |
| <i>trifasciata</i> —  |          |
| occurrence of, in Porto Rico--  | 55       |
| <i>Capnodium sp</i> -----   | 227      |
| <i>Capsicum annuum</i> . Diseases of-----                                       | 108      |
| <i>Carica papaya</i> , host plant of <i>Colleto-<br/>trichum falcatum</i> ----- | 193      |
| Cassava—<br>See <i>Manihot utilissima</i> .                                     |          |
| Cecidomyiid, in colonies of mealy-<br>bug-----                                  | 6        |
| Celery—<br>See <i>Apium graveolens</i> .  |          |
| <i>Cephalosporium lecanii</i> -----   | 5, 7, 8  |
| <i>Cercospora</i> —   |          |
| <i>beticola</i> -----   | 98       |
| <i>Bloxami</i> -----  | 107, 115 |
| <i>Cajani</i> -----   | 105      |
| <i>canescens</i> -----  | 97       |
| <i>capsici</i> -----  | 100      |
| <i>citullina</i> -----  | 116      |
| <i>cruenta</i> -----  | 97, 101  |
| <i> cucurbitae</i> -----  | 106      |
| <i>henningsii</i> -----   | 99       |
| <i>hibisci</i> -----  | 107      |
| <i>lactucae</i> -----   | 105      |
| <i>longipes</i> -----   | 204      |
| <i>personata</i> -----  | 108      |
| <i>sp</i> -----   | 99       |
| <i>rignae</i> -----   | 100      |
| <i>Cercosporium (?) beticolum</i> -----   | 98       |

|  |          |
|--|----------|
| <i>Ceroplastes</i> —   |          |
| <i>ceriferus</i> -----   | 6        |
| <i>cirripediformis</i> -----   | 6        |
| <i>floridensis</i> -----   | 6        |
| <i>Chaetococcus bambusae</i> -----   | 6        |
| Chayote—<br>See <i>Sechium edule</i> .                                       |          |
| <i>Chionaspis citri</i> , parasite of-----                                   | 9        |
| <i>Cladosporium</i> —  |          |
| <i>fulvum</i> -----  | 112      |
| <i>herbarum</i> -----  | 224      |
| <i>Chlorosis</i> —   |          |
| of muskmelon-----  | 106      |
| of sugarcane-----  | 228      |
| <i>Chromocrea gelatinosa</i> -----   | 212      |
| <i>Chromocreopsis striispora</i> -----                                       | 213      |
| <i>Chrysomphalus</i> —   |          |
| <i>aonidium</i> -----  | 2, 12    |
| <i>aurantii</i> -----  | 13       |
| <i>biformis</i> -----  | 13       |
| <i>dictyospermi</i> -----  | 13       |
| <i>ficus</i> -----   | 12       |
| <i>personatus</i> -----  | 13       |
| <i>Citrullus vulgaris</i> . Diseases of-----                                 | 116      |
| <i>Cladosporium herbarum</i> -----   | 109      |
| Coccidae of Porto Rico, list of (pa-<br>per)-----                            | 1-16     |
| <i>Coccidoxenus portoricensis</i> -----                                      | 1, 2     |
| <i>Coccinae</i> -----  | 6        |
| <i>Coccus</i> —  |          |
| <i>hesperidum</i> -----  | 7        |
| <i>maniferae</i> -----   | 7        |
| <i>Cocyzus minor nesiotae</i> , bird enemy<br>of white grubs in Porto Rico-- | 54       |
| Cockchafer—<br>See <i>Melolontha melolontha</i> .                            |          |
| <i>Coleosporium ipomoeae</i> -----   | 112      |
| <i>Colletotrichum</i> —  |          |
| <i>A</i> -----   | 206      |
| <i>B</i> -----   | 207      |
| <i>C</i> -----   | 207      |
| <i>Colletotrichum</i> —  |          |
| <i>falcatum</i> -----  | 190      |
| description-----   | 191      |
| in Porto Rico-----   | 192      |
| occurrence-----  | 191      |
| <i>lugenarium</i> -----  | 102, 106 |

## C

|   | Page. |
|---|-------|
| <i>Colletotrichum</i> —continued.   |       |
| <i>lindemuthianum</i> .....   | 24-96 |
| <i>nigrum</i> .....   | 109   |
| <i>phovoides</i> .....  | 114   |
| <i>Colocasia</i> sp. Diseases of .....  | 116   |
| <i>Conchaspinae</i> .....   | 4     |
| <i>Conchaspis angraei</i> .....   | 4     |
| <i>Coniothyrium melasporum</i> Syn.   |       |
| <i>Melanconium sacchari</i> .....   | 23    |
| <i>Corioliopsis accidentalis</i> .....  | 217   |
| Corn—   |       |
| See <i>Zea mays</i>   |       |
| <i>Corticium</i> sp. ....   | 227   |
| <i>Corythaica monacha</i> —   |       |
| control .....   | 173   |
| description of stages .....   | 171   |
| distribution .....  | 170   |
| food plants .....   | 170   |
| injury caused by .....  | 170   |
| life history .....  | 170   |
| natural enemies .....   | 173   |
| Cotton, R. T. (Paper), Life History of <i>Haltica jamaicensis</i> ..                          | 173   |
| Cotton, R. T. (Paper), Scale feeding Habits of of P. R. Millipede .....                       | 175   |
| Cotton, R. T. (Paper), The Egg-plant Lace-Bug in Porto Rico .....                             | 170   |
| Cowgill, H. B. (Paper), A Method of Identification and Description of Sugar-cane Varieties .. | 119   |
| Cow-pea—  |       |
| See <i>Vigna unguiculata</i> .  |       |

|   | Page.   |
|---|---------|
| <i>Creterium aureum</i> .....   | 211     |
| <i>leucocephalum</i> .....  | 211     |
| <i>Crepitodus</i> sp. ....  | 227     |
| <i>Crotophaga ani</i> , possible bird enemy of white-grubs in Porto Rico .. | 54      |
| <i>Crown rot</i> .....  | 97      |
| <i>Crytomeigenia</i> —  |         |
| <i>aurifacies</i> —   |         |
| attempt to introduce, into Guá-nica district .....                          | 87      |
| control of white-grubs by .....   | 56-57   |
| parasite of adult of <i>Phyllophaga randinei</i> .....                      | 86-87   |
| parasitizing <i>Phyllophaga portoricensis</i> .....                         | 151     |
| possible manner of oviposition of .....                                     | 82      |
| <i>theutis</i> , parasite of <i>Phyllophaga</i> in United States .....      | 59      |
| Cuckoo, mangrove—   |         |
| See <i>Coccyzus minor vesiotes</i> .  |         |
| Cucubano—   |         |
| See <i>Pyrophorus luminosus</i> .   |         |
| Cucumber—   |         |
| See <i>Cucumis sativus</i> .  |         |
| <i>Cucumis</i> —  |         |
| <i>melo</i> .....   | 106     |
| <i>sativus</i> , Diseases of .....  | 101     |
| <i>Cucurbita moschata</i> . Diseases of ..                                  | 111     |
| <i>Cyathus Poeppigii</i> .....  | 219     |
| <i>Cyclonada sanguinea</i> , predaceous on <i>Corythaica monacha</i> .....  | 173     |
| <i>Cytospora sacchari</i> —   |         |
| Associated with rind disease ..   | 31, 196 |

## D

|  |          |
|--|----------|
| <i>Dactylopiinae</i> .....   | 4        |
| <i>Dactylopius citri</i> .....                                       | 5        |
| <i>sacchari</i> .....  | 5        |
| Damping off .....  | 115      |
| <i>Darlua Melaspora</i> Syn.   |          |
| <i>Melanconium sacchari</i> .....                                    | 22, 24   |
| <i>Dasyscypha</i> sp. ....   | 227      |
| Dexiidae, attacking <i>Phyllophaga</i> larvae in United States ..... | 59       |
| <i>Diaspinae</i> .....   | 9        |
| <i>Diapsis</i> —   |          |
| <i>calyptroides</i> var. <i>opuntiae</i> .....                       | 9        |
| <i>echinocacti</i> .....   | 9        |
| <i>Diatraea saccharalis</i>  |          |
| Relation to top-rot .....  | 198      |
| <i>Dictydium cancellatum</i> .....                                   | 211      |
| <i>Diplodia</i> —  |          |
| <i>cacaicola</i> —   |          |
| Associated with rind disease ..                                      | 31, 220  |
| sp. ....   | 104, 116 |
| Diptera—   |          |
| See <i>Dexiidae</i> ; <i>Sarcophagidae</i> ; <i>Tachinidae</i> .     |          |

|  |        |
|--|--------|
| Dipterous parasite, probable, of <i>Campsomeris dorsata</i> .....    | 55     |
| Diseases of—   |        |
| sugar-cane cuttings .....  | 208    |
| sugar-cane leaves .....  | 199    |
| sugar-cane stalks .....  | 190    |
| vegetable and garden crops (paper) .....                             | 93-117 |
| Downy mildew of beans .....  | 96     |
| Downy mildew of cucumbers .....                                      | 101    |
| Drouth, causing injury to cane ..                                    | 234    |
| <i>Dynastini</i> —   |        |
| mentioned as injuring cane ..  | 47     |
| See <i>Ligyris</i> ; <i>Dyscinetus</i> .                             |        |
| <i>Dyscinetus</i> —  |        |
| <i>bidentatus</i> —  |        |
| enemy of cane in British Guiana .....                                | 51     |
| host of <i>Tiphia parallela</i> in Demerara .....                    | 58     |
| sp., possible host of <i>Campsomeris dorsata</i> in Porto Rico ..... | 56     |

## E

|  | Page. |
|--|-------|
| Eggplant—                                      |       |
| affected by lace-bug-----                      | 170   |
| lace-bug in Porto Rico (paper)--               | 170   |
| See <i>Solanum melongena</i> .                 |       |
| El Mal-----                                    | 116   |
| Elateridae—                                    |       |
| See <i>Monocrepidius</i> ; <i>Pyrophorus</i> . |       |
| Elis—  |       |
| 5-cinta—                                       |       |
| cocoon sent to Hawaii from                     |       |
| United States-----                             | 58    |
| parasite of <i>Phyllophaga</i> in the          |       |
| United States-----                             | 58    |
| <i>sexincta</i> —                              |       |
| occurrence in Porto Rico-----                  | 55    |
| on Mona Island-----                            | 56    |
| <i>xanthonotus</i> —                           |       |
| occurrence in Porto Rico-----                  | 58    |
| possible parasite of <i>Phyllophaga</i>        |       |
| <i>portoricensis</i> -----                     | 151   |
| spp., possible parasites of <i>Phyllophaga</i> |       |
| larvae in Porto Rico--                         | 56    |
| <i>Empusa fresnii</i> -----                    | 5     |

|   | Page.        |
|---|--------------|
| <i>Entomophthora anisopliae</i> —             |              |
| See <i>Metarrhizium</i> .                     |              |
| <i>Eriochloa sulglabra</i> , host plant----   | 213          |
| <i>Erysiphe</i> —                             |              |
| <i>polygoni</i> -----                         | 97, 101, 107 |
| <i>Fstheria tibialis</i> —                    |              |
| See <i>Ptilodexia</i> .                       |              |
| <i>Eurotium argentinum</i> -----              | 212          |
| <i>Eutrixia exilis</i> , Tachinid parasite of |              |
| <i>Phyllophaga</i> in the United              |              |
| States-----                                   | 59           |
| <i>Eutrixoides jonesii</i> —                  |              |
| control of white-grubs by-----                | 56-57        |
| occurrence of, in Porto Rico----              | 55           |
| parasite of adult of <i>Phyllophaga</i>       |              |
| <i>vandinei</i> -----                         | 86-87        |
| probable parasite of <i>Phyllophaga</i>       |              |
| <i>vandinei</i> -----                         | 87           |
| confinement of, to humid sections             |              |
| of Island-----                                | 56-57        |
| Eye-Spot of the Leaf—                         |              |
| See <i>Helminthosporium sacchari</i> .        |              |

## F

|   |     |
|---|-----|
| Flea-beetle.                                |     |
| Floods, causing injury to cane----          | 233 |
| <i>Florida caerulea caerulescens</i> , bird |     |
| enemy in Porto Rico-----                    | 54  |
| <i>Fuligo</i> —                             |     |
| <i>ovata</i> . Syn.                         |     |
| <i>Fuligo septica</i> -----                 | 211 |
| <i>septica</i> -----                        | 211 |
| Fungi—                                      |     |
| and diseases of sugar cane in               |     |
| Porto Rico (paper)-----                     | 177 |

|   |                        |
|---|------------------------|
| Fungi—continued.  |                        |
| attacking <i>Lepidosaphes beckii</i> ----                   | 14                     |
| beneficial in scale control-----                            | 1                      |
| Fungus—   |                        |
| attacking scale-----  | 7, 8                   |
| Green Muscardine—   |                        |
| See <i>Metarrhizium anisopliae</i> .                        |                        |
| on mealy-bug-----   | 5                      |
| See <i>Botrytis</i> ; <i>Isaria</i> ; <i>Metarrhizium</i> . |                        |
| <i>Fusarium sp.</i> -----                                   | 97, 105, 109, 113, 227 |

## G

|  |        |
|--|--------|
| <i>Galleruca</i> —                         |        |
| <i>bassiae</i> -----                       | 173    |
| <i>jamaicensis</i> -----                   | 173    |
| <i>plebeja</i> -----                       | 173    |
| Gandul—                                    |        |
| See <i>Cajanus indicus</i> .               |        |
| Garza azul—                                |        |
| See <i>Florida caerulea caerulescens</i> . |        |
| <i>Gibberella pulicaris</i> -----          | 213    |
| <i>Gloeosporium</i> —                      |        |
| <i>manihot</i> -----                       | 99     |
| <i>melongenae</i> -----                    | 103    |
| <i>piperatum</i> -----                     | 109    |
| <i>sp.</i> -----                           | 116    |
| <i>Gnomonia iliau</i> . Association with   |        |
| rind disease-----                          | 31, 42 |

|   |     |
|---|-----|
| Granular leaf-sheath fungus—                        |     |
| See <i>Odontia saccharicola</i> .                   |     |
| <i>Graphium sacchari</i> -----                      | 226 |
| <i>Graptodera tarsata</i> -----                     | 173 |
| Gray leaf-spot—                                     |     |
| See <i>Isariopsis griseola</i> .                    |     |
| <i>Guepinia palmiceps</i> -----                     | 215 |
| <i>spathulata</i> -----                             | 215 |
| Gumming disease-----                                | 182 |
| <i>Gymnasio nudipes nudipes</i> , bird en-          |     |
| emy of white-grubs in Porto                         |     |
| Rico-----   | 54  |
| <i>Gynerium sagittatum</i> , host of <i>Monilia</i> |     |
| <i>sitophila</i> -----                              | 222 |

## H

|  | Page.             |
|--|-------------------|
| <i>Haltica jamaicensis</i> —                                 |                   |
| distribution-----  | 173               |
| food plants-----   | 173               |
| life history-----  | 173               |
| immature stages-----   | 174               |
| Hedgehog, European, attempt to introduce into Porto Rico---- | 53                |
| <i>Helminthosporium sacchari</i> -----                       | 202               |
| <i>Hemichionaspis aspidistrae</i> -----                      | 10                |
| <i>Hemichionaspis minor</i> -----                            | 8, 10, 11         |
| Heron, little blue—  |                   |
| See <i>Florida caerulea caerulescens</i> .                   |                   |
| <i>Heterodera</i> —  |                   |
| <i>radicicola</i> -----                                      | 98, 104, 110, 114 |

|   | Page. |
|---|-------|
| <i>Heterodera</i> —continued.   |       |
| Attackink sugar cane-----   | 190   |
| <i>Hibiscus</i> —   |       |
| <i>esculentus</i> -----   | 107   |
| <i>sabdariffa</i> -----   | 111   |
| <i>Himantia stellifera</i> -----  | 187   |
| <i>Holoquiscalus brachypterus</i> , black-bird, enemy of white-grubs----- | 54    |
| <i>Holotrichia helleri</i> , injurious to sugar cane in Java-----         | 50    |
| <i>Horniaetella sacchari</i> -----  | 224   |
| <i>Howardi biclaris</i> -----   | 9     |
| <i>Hydnum sacchari</i> -----  | 216   |
| <i>Hypocrea rufa</i> -----  | 213   |

## I

|   |     |
|---|-----|
| <i>Icerya montserratensis</i> -----           | 3   |
| <i>Ichneumonidae</i> —                        |     |
| See <i>Ophion bifoveolatum</i> .              |     |
| <i>Inglisia vitrea</i> -----                  | 7   |
| Injuries to cane due to natural agencies----- | 233 |
| <i>Ipomoea batatas</i> . Diseases of-----     | 111 |

|                                      |    |
|--------------------------------------|----|
| <i>Isaria</i> —                      |    |
| <i>densa</i> —                       |    |
| See <i>Botrytis tenella</i> .        |    |
| <i>destructor</i> —                  |    |
| See <i>Metarrhizium anisopliae</i> . |    |
| <i>Isariopsis griseola</i> -----     | 97 |
| <i>Ischnaspis longirostris</i> ----- | 14 |

## J

|   |       |
|---|-------|
| Johnston, John R. (paper), History and Cause of the Rind Disease-----       | 17-45 |
| Johnston, John R. (paper), Sugar-cane fungi and diseases of Porto Rico----- | 177   |

|   |      |
|---|------|
| Jones, T. H. (paper), A List of the Coccidae of Porto Rico----- | 1-16 |
| Juda bird—  |      |
| See <i>Crotophaga ani</i> .                                     |      |

## K

|                                 |   |
|---------------------------------|---|
| <i>Karschomyia coccii</i> ----- | 6 |
|---------------------------------|---|

## L

|  |     |
|--|-----|
| Lace-bug, affecting eggplant-----                      | 170 |
| <i>Lachnea cubensis</i> -----                          | 215 |
| <i>Lachnosterna</i> —                                  |     |
| See <i>Phyllophaga</i> .                               |     |
| <i>Lactuca sativa</i> . Diseases of-----               | 105 |
| <i>Lagenaria leucantha</i> -----                       | 103 |
| <i>Lasiodiplodia theobromae</i> -----                  | 221 |
| <i>Lasiosphaeria sp</i> -----                          | 227 |
| Leaf Mold—   |     |
| See <i>Cladosporium fulvum</i> .                       |     |
| Leaf spots of beans-----                               | 97  |
| <i>Lecanium</i> —                                      |     |
| <i>hemisphaericum</i> -----                            | 7   |
| <i>nigrum</i> -----                                    | 8   |
| var. <i>depressum</i> -----                            | 8   |
| <i>Lentinus crinitus</i> -----                         | 218 |
| <i>Lepidiotia</i> —                                    |     |
| <i>albohirta</i> , injurious to cane in Australia----- | 50  |
| <i>stigma</i> , injurious to cane in Java-----         | 50  |

|  |              |
|--|--------------|
| <i>Lepidosaphes</i> —  |              |
| <i>beckii</i> -----  | 1, 2, 13, 14 |
| preyed upon by millipedes-----                                   | 175          |
| <i>lasianthi</i> -----   | 14           |
| <i>Leptosphaeria sacchari</i> -----                              | 203          |
| Lettuce—   |              |
| See <i>Lactuca sativa</i> .                                      |              |
| <i>Leucaspis indica</i> -----                                    | 11           |
| <i>Leucopholis vorida</i> , injurious to sugar cane in Java----- | 50           |
| Life History of <i>Haltica jamaicensis</i> -----                 | 173          |
| Lightning injury-----  | 233          |
| <i>Ligyris</i> —   |              |
| <i>ebenus</i> , injurious in British Guiana-----                 | 51           |
| <i>rugiceps</i> , pest of cane in Louisiana-----                 | 50           |
| <i>tumulosus</i> —   |              |
| host of <i>Campsomeris dorsata</i> in Porto Rico-----            | 56           |

L

|  | Page. |
|--|-------|
| <i>Ligyris</i> —continued.             |       |
| <i>tumulosus</i> —continued.           |       |
| parasitized by <i>Campsomeris dor-</i> |       |
| <i>sata</i> in Barbados.....           | 86    |
| Little blue heron—                     |       |
| See <i>Florida caerulea caerulea</i> . |       |
| Lizards—                               |       |
| as destroyers of white-grubs in        |       |
| Porto Rico.....                        | 53    |
| See <i>Ameiva exul</i>                 |       |

|   | Page. |
|---|-------|
| Lizards—continued.                        |       |
| See <i>Anolis spp.</i>                    |       |
| <i>Lophodermium sp.</i> .....             | 227   |
| <i>Lycogala epidendrum</i> .....          | 212   |
| <i>Lycoperdon</i> —                       |       |
| <i>album</i> .....                        | 219   |
| <i>pusillum</i> .....                     | 219   |
| <i>pyriforme</i> .....                    | 219   |
| <i>Lycopersicum esculentum</i> . Diseases |       |
| of.....                                   | 112   |

M

|  |       |
|--|-------|
| <i>Macrosporium sp.</i> .....                      | 109   |
| Mangrove cuckoo—                                   |       |
| See <i>Coccyzus minor nesiotis</i> .               |       |
| <i>Manihot utilisima</i> . Diseases of..._         | 99    |
| <i>Marasmius</i> —                                 |       |
| <i>borinquensis</i> .....                          | 218   |
| <i>hiorami</i> .....                               | 218   |
| <i>sacchari</i> —                                  |       |
| description.....                                   | 186   |
| host plants.....                                   | 185   |
| injury.....  | 184   |
| loss.....  | 184   |
| occurrence in other countries..                    | 185   |
| <i>sp.</i> .....                                   | 227   |
| <i>synodicus</i> .....                             | 218   |
| Marimbo—   |       |
| See <i>Lagenaria leucantha</i> .                   |       |
| <i>Marsonia sp.</i> .....                          | 227   |
| May-beetles—                                       |       |
| See Melolonthids.                                  |       |
| Mealy-bug.....                                     | 5, 6  |
| <i>Megalonectria pseudotrichia</i> .....           | 105   |
| <i>Megaprosopis michiganensis</i> —                |       |
| See <i>Michophthalma disjuncta</i> .               |       |
| <i>Megilla innotata</i> , predaceous on <i>Co-</i> |       |
| <i>rythaica monacha</i> .....                      | 173   |
| <i>Melanconium sacchari</i> —                      |       |
| allied fungi.....                                  | 42    |
| associated fungi.....                              | 30-32 |
| bibliography.....                                  | 43-45 |
| cause of the rind disease.....                     | 37-39 |
| description.....                                   | 195   |
| external appearance.....                           | 18    |
| geographical distribution.....                     | 32-35 |
| history and identify of the                        |       |
| rind fungus.....                                   | 21-26 |
| investigations in Cuba.....                        | 21    |
| investigations in Porto Rico.....                  | 18    |
| investigations in Santo Do-                        |       |
| mingo.....   | 20    |
| investigations in the United                       |       |
| States.....  | 21    |
| life history of the fungus.....                    | 26-30 |
| loss due to the rind fungus.....                   | 40    |
| natural infection of stalk, leaves,                |       |
| and cuttings.....                                  | 39-40 |
| occurrence.....                                    | 194   |

|  |         |
|--|---------|
| <i>Melanconium sacchari</i> —continued.  |         |
| parasitism of the fungus.....            | 35-37   |
| summary.....                             | 42      |
| treatment of the disease.....            | 40      |
| <i>Merulius byssoideus</i> .....         | 217     |
| Associated with rind disease..           | 31, 42  |
| <i>Meliola</i> —                         |         |
| <i>clavulata</i> .....                   | 112     |
| <i>Ipomocae</i> .....                    | 112     |
| <i>Melolontha</i> —                      |         |
| <i>melolontha</i> —                      |         |
| damage to crops in Europe by_            | 50      |
| larvae controlled by <i>Botrytis</i>     |         |
| <i>tenella</i> .....                     | 60      |
| length of life-cycle of, in Eu-          |         |
| rope.....                                | 52      |
| <i>Melolonthids</i> —                    |         |
| characters in the genitalia of..._       | 66-68   |
| introduction of parasites of into        |         |
| Porto Rico.....                          | 57-58   |
| key to Porto Rican.....                  | 63      |
| life-cycles of species attacking         |         |
| sugar cane.....                          | 68, 141 |
| North American parasites of..._          | 58-59   |
| species of Porto Rican.....              | 65-68   |
| Tachinid parasites of Porto              |         |
| Rico.....                                | 56-57   |
| <i>Melolonthini</i> —                    |         |
| See Melolonthids.                        |         |
| <i>Merulius byssoideus</i> .....         | 217     |
| <i>Metarrhizium anisopliae</i> —         |         |
| attack on white-grubs in conjunc-        |         |
| tion with <i>bacterium</i> .....         | 141     |
| behavior on May-beetle grubs in          |         |
| Porto Rico.....                          | 141     |
| infection of <i>P. guanicana</i> by..._  | 159     |
| infection of <i>P. portoricensis</i> by_ | 152     |
| infection of <i>P. vandinei</i> by..._   | 141     |
| infection of <i>Phyllophaga citri</i>    |         |
| by.....                                  | 162     |
| infection of <i>Phytalus insularis</i>   |         |
| by.....                                  | 167     |
| infecting <i>Phyllophaga vandinei</i> _  | 141     |
| introduction of, into Porto Rico         |         |
| from Hawaii.....                         | 60      |
| liberations of spores in Porto           |         |
| Rico.....                                | 60      |

M

|   | Page. |   | Page. |
|---|-------|---|-------|
| Method of identification and description of sugar-cane varieties and its application to types grown in Porto Rico. (Paper)----- | 119   | <i>Monocrepidius</i> sp.—                           |       |
| Mice, as enemies of white-grubs in Porto Rico-----  | 53    | attacking eggs of <i>Phyllophaga vandinei</i> ----- | 87    |
| <i>Micrococcus nigrofaciens</i> —   |       | larvae feeding on May-beetle eggs-----              | 87    |
| artificial control of white-grubs by-----   | 143   | <i>Monophletinae</i> -----                          | 3     |
| infection of grubs of <i>Phyllophaga vandinei</i> by-----   | 143   | <i>Mosambique</i> —                                 |       |
| mortality of grubs by, rate of-----   | 143   | See <i>Holoquistalus brachypterus</i> .             |       |
| <i>Microphthalma</i> —  |       | Mottling—   |       |
| <i>disjuncta</i> —  |       | causes-----   | 231   |
| parasitizing May-beetles in United States-----  | 59    | comparison with other cane diseases-----            | 231   |
| reference to, as parasite of <i>Anisoplia</i> in Russia-----  | 59    | control-----  | 232   |
| <i>puinosa</i> , parasite of <i>Phyllophaga</i> in United States-----   | 59    | losses-----   | 229   |
| Millipede feeding, on <i>Lepidosaphes béckii</i> -----  | 175   | name of the disease-----                            | 229   |
| Mites—  |       | symptoms-----                                       | 229   |
| See <i>Tyroglyphus</i> sp.  |       | varieties attacked-----                             | 231   |
| <i>Machlosma lacutosa</i> , Dexitid fly parasite of white-grubs in northern Mexico-----   | 59    | Mucaro—   |       |
| <i>Monilia sitophila</i> -----  | 222   | See <i>Gymnasio nudipes nudipes</i> .               |       |
|   |       | Muscardine Fungus, Green—                           |       |
|   |       | See <i>Metarrhizium anisopliae</i> .                |       |
|   |       | Musk-melon—   |       |
|   |       | See <i>Cucumis melo</i> .                           |       |
|   |       | Mustard—  |       |
|   |       | See <i>Brassica</i> .                               |       |
|   |       | <i>Myriangium duriaei</i> -----                     | 14    |
|   |       | <i>Myrmelachista ambigua ramulorum</i> -----        | 5     |
|   |       | <i>Myrothecium verrucaria</i> -----                 | 226   |
|   |       | <i>Mytilaspis citricola</i> -----                   | 14    |

N

|                                |     |  |     |
|--------------------------------|-----|--|-----|
| <i>Nectria</i> —               |     | Nematodes—continued.                                 |     |
| <i>flavociliata</i> -----      | 213 | destroying eggs of <i>Phyllophaga vandinei</i> ----- | 87  |
| <i>laurentiana</i> -----       | 213 | parasitic on millipedes-----                         | 176 |
| sp.-----                       | 104 | <i>Nemoraea masuria</i> —                            |     |
| Nematodes—                     |     | See <i>Eutirxa exile</i> .                           |     |
| attacking May-beetle eggs----- | 55  |  |     |

O

|                                  |     |   |    |
|----------------------------------|-----|---|----|
| <i>Odontia</i> —                 |     | <i>Ophion bifoveolatum</i> , parasite of <i>Phyllophaga</i> in United States----- | 58 |
| <i>sacchari</i> -----            | 188 | Ortalid fly—  |    |
| <i>saccharicola</i> -----        | 216 | See <i>Pyrgota</i> .  |    |
| sp.-----                         | 227 | <i>Ortheziinae</i> -----  | 3  |
| Okra—                            |     | <i>Orthzia insignis</i> -----   | 3  |
| See <i>Hibiscus esculentus</i> . |     | Owl, bare-legged—   |    |
| Onion—                           |     | See <i>Gymnasio nudipes nudipes</i> .   |    |
| See <i>Allium cepa</i>           |     |   |    |

P

|   |     |   |     |
|---|-----|---|-----|
| Pájaro bobo—                                |     | <i>Pelecinus polyturator</i> , parasite of <i>Phyllophaga</i> in U. S.----- | 58  |
| See <i>Coccyzus minor nesiotus</i> .        |     | <i>Peniophora cinerea</i> -----   | 216 |
| <i>Panicum barbinode</i> , host plant.----- | 213 | <i>flavido-alba</i> -----   | 216 |
| Pea—  |     | sp.-----  | 227 |
| See <i>Pisum sativum</i> .                  |     | Pepper—   |     |
| Peanut—                                     |     | See <i>Capsicum annum</i> .   |     |
| See <i>Arachis hypogea</i> .                |     |   |     |

|   | Page  |
|---|-------|
| <i>Periconia</i> —  |       |
| <i>sacchari</i> -----   | 225   |
| <i>sp.</i> -----  | 116   |
| <i>Peronospora</i> —  |       |
| <i>parasitica</i> -----   | 98    |
| <i>Schleideniana</i> -----  | 107   |
| <i>Pestalozzia guelpina</i> -----   | 109   |
| <i>Phaseolus spp.</i> Diseases of-----                                      | 94    |
| <i>Phenacoccus</i> —  |       |
| <i>gossypii</i> -----   | 4     |
| <i>helianthi</i> var. <i>gossypii</i> -----                                 | 4     |
| <i>Phoma destructiva</i> -----  | 115   |
| <i>Phomopsis vexans</i> -----   | 103   |
| <i>Phyllachora graminis</i> -----   | 100   |
| <i>Phyllophaga</i> —  |       |
| <i>arcuata</i> , host of <i>Sarcophaga helicis</i><br>in United States----- | 59    |
| <i>citri</i> —  |       |
| attack of, by <i>Metarrhizium</i> fun-<br>gus-----                          | 162   |
| characters distinguishing adult<br>of-----                                  | 160   |
| concerning size of-----   | 70    |
| distribution and habitat of-----  | 160   |
| food plants of-----   | 162   |
| genital characters of-----  | 67-68 |
| habits of adults of-----  | 162   |
| insect parasites of-----  | 162   |
| larval stage of-----  | 161   |
| life-cycle of in Porto Rico-----  | 161   |
| life-history and habits of-----   | 161   |
| measurements of grubs of-----   | 162   |
| possible host of <i>Elis xantho-</i><br><i>notus</i> -----                  | 161   |
| seasonal occurrence of-----   | 160   |
| summary of life-cycle of-----   | 168   |
| <i>crenulata</i> , host of <i>Biomysia</i> in Uni-<br>ted States-----       | 59    |
| <i>fraterna</i> , life-cycle of, in the Uni-<br>ted States-----             | 52    |
| <i>fusca</i> , mention of life-cycle of, in<br>United States-----           | 52    |
| <i>guanicana</i> —  |       |
| abundance of, compared to <i>P.</i><br><i>vandinei</i> -----                | 152   |
| adult of, description of-----   | 154   |
| adults of, feeding habits of-----   | 157   |
| copulation and oviposition of-----  | 158   |
| distribution of-----  | 153   |
| egg stage of-----   | 155   |
| first mention of, as <i>Lachnos-</i><br><i>terna "media"</i> -----          | 152   |
| flight and attraction to light of-----                                      | 157   |
| genital characters of-----  | 67-68 |
| indigenous to Porto Rico-----   | 65    |
| insect and fungus enemies of-----   | 159   |
| larval stage of-----  | 155   |
| life-history of-----  | 154   |
| pre-emergence of adult of-----  | 157   |
| pupal stage of-----   | 157   |

|  | Page. |
|--|-------|
| <i>Phyllophaga</i> —continued.   |       |
| <i>guanicana</i> —continued.   |       |
| seasonal activity of-----  | 153   |
| table giving characters of-----  | 68    |
| <i>portoricensis</i> —   |       |
| adult of, description of-----  | 146   |
| copulation and oviposition of-----   | 151   |
| distribution and abundance of-----   | 145   |
| egg stage of-----  | 147   |
| first mention of, as <i>Lachnos-</i><br><i>terna "grande"</i> ( northern<br>form)----- | 145   |
| flight and attraction to light of-----   | 150   |
| food plants of-----  | 149   |
| fungus infection of-----   | 152   |
| genital characters of-----   | 65-63 |
| indigenous to Porto Rico-----  | 65    |
| insect parasites of-----   | 151   |
| larval stage of-----   | 147   |
| life-history of-----   | 146   |
| pre-emergence of adult of-----   | 149   |
| pupal stage of-----  | 149   |
| relation of, to <i>P. vandinei</i> -----   | 78    |
| table giving characters of-----  | 68    |
| <i>tristis</i> , life-cycle of, in the United<br>States-----                           | 52    |
| <i>vandinei</i> —  |       |
| abundance of, compared to <i>P.</i><br><i>guanicana</i> -----                          | 152   |
| adult of, description of-----  | 69-70 |
| adults of, issuing and emerg-<br>ence of-----  | 77-78 |
| attraction of, to light-----   | 80-81 |
| bacterial disease, infection by-----   | 143   |
| copulation of-----   | 81-82 |
| cost of control of, to sugar cen-<br>trals-----  | 69    |
| distribution of-----   | 78    |
| egg laying of, table showing<br>rate of-----   | 83-84 |
| egg stage of-----  | 72    |
| feeding habits of adults of-----   | 78-79 |
| first mention of, as <i>Lachnos-</i><br><i>terna "grande"</i> -----                    | 141   |
| flight of adults of-----   | 80    |
| genital characters of-----   | 65-68 |
| indigenous to Porto Rico-----  | 65    |
| insect parasites of-----   | 86-88 |
| of growth of-----  | 75-76 |
| larval stage of-----   | 72-76 |
| life-history of-----   | 70-78 |
| <i>Metarrhizium</i> fungus, infection<br>of—by-----                                    | 141   |
| oviposition by females of-----   | 82-86 |
| pre-pupal stage of-----  | 76    |
| pupal stage of-----  | 76-77 |
| seasonal abundance of-----   | 70    |
| <i>Phyllosticta</i> —  |       |
| <i>batatas</i> -----   | 111   |
| <i>citrullina</i> -----  | 106   |

P

|  | Page. |
|--|-------|
| <i>Phyllosticta</i> —continued.                                      |       |
| <i>colocasicola</i> .....  | 116   |
| <i>cucurbitacearum</i> .....   | 102   |
| <i>hortorum</i> .....  | 103   |
| <i>sacchari</i> .....  | 220   |
| <i>sechii</i> .....  | 99    |
| <i>Physalospora tucamensis</i> .....                                 | 214   |
| <i>Physarum</i> —  |       |
| <i>cinereum</i> .....  | 212   |
| <i>compressum</i> .....  | 212   |
| <i>nodulosom</i> .....   | 212   |
| <i>Phytalus</i> —  |       |
| <i>insularis</i> —   |       |
| appearance of adult of .....   | 164   |
| copulation and oviposition of .....                                  | 167   |
| distribution and habits of .....                                     | 163   |
| egg stage of .....   | 165   |
| first mention of, as <i>Lachnos-</i><br><i>terna</i> "pequeña" ..... | 163   |
| flight and attraction to light<br>of .....                           | 166   |
| insect and fungus enemies of .....                                   | 167   |
| larval stage of .....  | 165   |
| life-cycle of .....  | 164   |
| measurements of early stages<br>of .....                             | 165   |
| pupal stage and pre-emergence<br>of .....                            | 165   |
| regarding life-cycle of .....  | 62-63 |
| seasonal distribution of .....                                       | 163   |
| summary of life-cycle of .....                                       | 169   |
| <i>smithi</i> —  |       |
| host of <i>Campsomeris dorsata</i> .....                             | 86    |
| injury from, in Barbados and<br>Mauritius .....                      | 50-51 |
| parasitized by <i>Tiphia parallela</i> .....                         | 58    |
| work on the life-history of, in<br>Mauritius .....                   | 52    |
| <i>spp.</i> —  |       |
| genital characters of .....  | 68    |
| reported from the West Indies .....                                  | 51    |
| tarsal characters of .....   | 66    |
| <i>Phytophthora</i> —  |       |
| <i>infestans</i> .....   | 115   |
| <i>phaseoli</i> .....  | 96    |
| Pine-apple disease—  |       |
| See <i>Thielaviopsis paradoxa</i> .                                  |       |
| <i>Pinaspis buxi</i> .....   | 11    |
| <i>Pisum sativum</i> . Diseases of .....                             | 107   |
| <i>Plasmodiophora brassicae</i> .....                                | 98    |
| <i>Polysesmus sp.</i> .....  | 227   |
| <i>Polyporus occidentalis</i> .....                                  | 217   |

|  | Page.    |
|--|----------|
| <i>Polystictus</i> —   |          |
| <i>sanguineus</i> .....  | 217      |
| <i>sinuosus</i> .....  | 217      |
| Potato—  |          |
| See <i>Solanum tuberosum</i> .   |          |
| Powdery mildew of beans—   |          |
| See <i>Erysiphe polygoni</i> .   |          |
| <i>Promachus</i> —   |          |
| <i>vertebratus</i> , predaceous enemy of<br><i>Phyllophaga</i> in United<br>States ..... | 58       |
| <i>fitchii</i> , predaceous enemy of May-<br>beetle in eastern United<br>States .....    | 58       |
| Prototrypoid wasp—   |          |
| See <i>Pelecinus polyturator</i> .   |          |
| <i>Prosenia</i> —  |          |
| <i>lacertosa</i> —   |          |
| See <i>Mochlosoma</i> .  |          |
| <i>siberita</i> , mentioned as parasite of<br>Adoretas in Java .....                     | 59       |
| <i>Pseudoonidia tesserata</i> .....  | 12       |
| <i>Pseudischnaspis bowreyi</i> .....   | 13       |
| <i>Pseudococcus</i> —  |          |
| <i>calceolariae</i> .....  | 4, 5     |
| <i>citri</i> .....   | 5        |
| <i>nipae</i> .....   | 5        |
| <i>sacchari</i> .....  | 5, 6     |
| <i>Pseudomonas campestris</i> .....  | 93       |
| <i>Pseudoparlatoria ostreata</i> .....   | 73       |
| <i>Pseudoperonospora cubensis</i> .....  | 101, 106 |
| <i>Ptilodexia tibialis</i> , Dexiid parasite of<br>Phyllophaga in Texas .....            | 59       |
| <i>Pulvinaria psidii</i> .....   | 6        |
| <i>Pycnoperus sanguineus</i> .....   | 217      |
| <i>Pyrgota</i> —   |          |
| <i>undata</i> , Ortalid parasite of Phyl-<br>lophaga in the United States .....          | 59       |
| <i>valida</i> , also parasitizing Phyllop-<br>haga in United States .....                | 59       |
| <i>Pyrophorus</i> —  |          |
| <i>luminosus</i> —   |          |
| confinement of, to humid sec-<br>tions of Island .....                                   | 56-57    |
| larvae of, destroying <i>Phyllo-</i><br><i>phaga</i> grubs .....                         | 56       |
| occurrence of, in Porto Rico .....   | 55       |
| predaceous on <i>Phyllophaga van-</i><br><i>dinei</i> grubs .....                        | 86       |
| predatory enemy of <i>Phyllophaga</i><br><i>portoricensis</i> .....                      |          |
| <i>sp.</i> , predaceous on white-grub in<br>Texas .....                                  | 59       |

R

|  |    |
|--|----|
| Rats, as enemies of white-grubs in<br>Porto Rico ..... | 53 |
| Red rot—   |    |
| See <i>Colletotrichum falcatum</i> .                   |    |

|                                  |  |
|----------------------------------|--|
| Red rot of the leaf-sheath—      |  |
| See <i>Sclerotium Rolfsii</i> .  |  |
| Red spot of the leaf-sheath—     |  |
| See <i>Cercospora vaginiae</i> . |  |

R

|  | Page. |
|--|-------|
| Red stripe of the leaf-----  | 205   |
| <i>Rhinocricus arboreus</i> .                                      |       |
| Description of-----  | 175   |
| distribution-----  | 175   |
| feeding habits-----  | 175   |
| parasitized by nematodes-----                                      | 176   |
| Rind disease—  |       |
| See <i>Melanconium sacchari</i> .                                  |       |
| Rind disease, History and cause of<br>(paper)-----                 | 17-45 |
| Ring spot of the leaf—   |       |
| See <i>Leptosphaeria sacchari</i> .                                |       |
| Root disease—  |       |
| See <i>Marasmius sacchari</i> , <i>Himantia<br/>  stellifera</i> . |       |

|                                    | Page. |
|------------------------------------|-------|
| Root-knot—                         |       |
| See <i>Heterodera radicolica</i> . |       |
| Root rot of beans-----             | 98    |
| Roselle—                           |       |
| See <i>Hibiscus sabdarifa</i> .    |       |
| Rosellinia—                        |       |
| <i>paraguayensis</i> -----         | 214   |
| <i>pulveracea</i> -----            | 214   |
| Rust of—                           |       |
| beans-----                         | 98    |
| cassava-----                       | 99    |
| corn-----                          | 100   |
| peanut-----                        | 108   |

S

|  |               |
|--|---------------|
| <i>Sabal causiarum</i> , host of <i>Monilia<br/>  sitophila</i> -----                      | 222           |
| <i>Saccharum officinarum</i> —   |               |
| control of diseases of-----  | 236           |
| fungi and diseases of-----   | 177           |
| melonothids-----   | 47, 141       |
| parts of the plant-----  | 119           |
| rind disease-----  | 21, 194       |
| varieties-----   | 119           |
| <i>Saissetia</i> —   |               |
| <i>hemisphaerica</i> -----   | 1, 7          |
| <i>nigra</i> -----   | 8, 11         |
| <i>oleac</i> -----   | 8             |
| Santo Domingo, cane fungi of-----  | 235           |
| <i>Sarcophaga helicis</i> , fly reared from<br><i>Phyllophaga</i> in United<br>States----- | 59            |
| <i>Sarcophagidae</i> —   |               |
| See <i>Sarcophaga helicis</i> .  |               |
| Scale feeding habits of a Porto Ri-  |               |
| Scale insects—   |               |
| can millipede (paper)-----   | 175           |
| parasite of-----   | 1, 2, 11      |
| of Porto Rico-----   | 1-16          |
| Scale parasite of-----   | 8, 9          |
| <i>Scarabaeidae</i> —  |               |
| See White-grubs.   |               |
| <i>Schizophyllum commune</i> -----   | 218           |
| <i>Sclerotium</i> —  |               |
| <i>Rolfzii</i> -----   | 103, 109, 201 |
| <i>sp.</i> -----   | 227           |
| <i>Scotia atrata</i> , parasite of white-grubs<br>in Porto Rico-----                       | 55            |
| Scoliid wasps—   |               |
| list of species indigenous to<br>Porto Rico-----   | 55            |
| parasites of <i>Phyllophaga</i> in the<br>United States-----                               | 58            |
| See <i>Campsomeris</i> ; <i>Tiphia</i> ; <i>Elis</i> .                                     |               |
| <i>Scytinotus distantifolius</i> -----   | 219           |
| <i>Sechium edule</i> . Diseases of-----  | 99            |
| <i>Selanospidus articulatus</i> -----  | 12            |

|   |            |
|---|------------|
| <i>Septonema sacchari</i> -----   | 225        |
| <i>Septoria lycopersici</i> -----   | 113        |
| <i>Sereh</i> -----  | 182, 232   |
| <i>Serica assamensis</i> , attacking sugar-<br>cane in India-----   | 59         |
| Sesame—   |            |
| See <i>Sesamum orientale</i> .  |            |
| <i>Sesamum orientale</i> . Disease of-----  | 111        |
| <i>Siguana</i> —  |            |
| See <i>Ameiva exul</i> .  |            |
| Skunks, control of white-grubs by,<br>in United States-----   | 53         |
| Smut—   |            |
| See <i>Ustilago zaeae</i> .   |            |
| Smyth, Eugene G. (Paper.) The<br>White-Grubs Injuring Sugar<br>Cane in Porto Rico. I. Life-<br>Cycles of the May-Beetles or<br>Melonothids----- | 47-92, 141 |
| <i>Solanum</i> —  |            |
| <i>melongena</i> -----  | 102, 170   |
| <i>tuberosum</i> -----  | 110        |
| <i>Sparnopolius fulvus</i> , parasite of<br><i>Phyllophaga</i> in United<br>States-----   | 58         |
| <i>Spegazzinia ornata</i> -----   | 226        |
| <i>Sphaerella sacchari</i> -----  | 214        |
| <i>Sphaerobolus stellatus</i> -----   | 219        |
| <i>Sphaerostilbe coccophila</i> -----   | 14         |
| Splits (tomatoes)-----  | 115        |
| Squash—   |            |
| See <i>Cucurbita moschata</i> -----   |            |
| Staphylinid—  |            |
| attacking eggs of <i>Phyllophaga<br/>  vandinei</i> -----   | 87-88      |
| larvae feeding on May-beetle<br>eggs-----   | 87         |
| Star scale-----   | 6          |
| Stellate-crystal fungus—  |            |
| See <i>Himantia stellifera</i> -----  |            |
| <i>Stemonitis</i> —   |            |
| <i>fusca</i> -----  | 212        |

## S

|   | Page.  |
|---|--------|
| <i>Stemonitis</i> —continued.   |        |
| <i>splendens</i> .....  | 212    |
| Stevenson, John A. (Paper.) Diseases of vegetable and garden crops .....      | 93-117 |
| Stevenson, John A. (Paper.) Sugar-cane fungi and diseases of Porto Rico ..... | 177    |

|                                    | Page. |
|------------------------------------|-------|
| <i>Stilbum</i> sp. ....            | 227   |
| <i>Strumella sacchari</i> . Syn.   |       |
| <i>Melanconium sacchari</i> .....  | 21    |
| Sugar cane—                        |       |
| See <i>Saccharum officinarum</i> . |       |
| Sweet Potato—                      |       |
| See <i>Ipomoea batatas</i> .       |       |

## T

|   |       |
|---|-------|
| Tachinidae—   |       |
| attacking May-beetles in Porto Rico .....                 | 55    |
| attacking May-beetles in United States .....              | 59    |
| attempt to introduce, into Guánica district .....         | 87    |
| parasitic on <i>Phyllophaga vandinei</i> .....            | 86-87 |
| possible manner of oviposition of .....                   | 82    |
| <i>Tapesia</i> sp. ....                                   | 227   |
| Terms used in describing cane varieties .....             | 121   |
| <i>Tetracoccosporis sacchari</i> .....                    | 225   |
| <i>Tetraploa aristata</i> .....                           | 225   |
| <i>Thielaviopsis</i> —                                    |       |
| <i>ethacetica</i> —                                       |       |
| See <i>T. paradoxa</i> .                                  |       |
| <i>paradoxa</i> —   |       |
| associated with rind disease ..                           | 30    |
| description .....   | 208   |
| occurrence in other countries ..                          | 209   |
| <i>Tiphia</i> —   |       |
| <i>femorata</i> , parasite of white-grubs in Europe ..... | 58    |

|   |        |
|---|--------|
| <i>Tiphia</i> —continued.   |        |
| <i>inornata</i> , parasite of <i>Phyllophaga</i> in United States ..... | 58     |
| spp., introduction into Porto Rico from the States .....                | 57-58  |
| Tomato—   |        |
| See <i>Lycopersicum esculentum</i> .                                    |        |
| Top-rot of sugar cane .....   | 198    |
| <i>Trametes nicosae</i> .....   | 218    |
| <i>Tremelloendron simplex</i> .....                                     | 216    |
| <i>Trichoderma lignorum</i> .....                                       | 223    |
| <i>Trichosphaeria sacchari</i> . Syn.                                   |        |
| <i>Melanconium sacchari</i> .....                                       | 23, 25 |
| <i>Trogia</i> sp. ....  | 227    |
| <i>Trullula sacchari</i> . Syn.   |        |
| <i>Melanconium sacchari</i> .....                                       | 25     |
| <i>Tubercularia saccharicola</i> .....                                  | 226    |
| Turnip—   |        |
| See <i>Brassica campestris</i> .  |        |
| <i>Tyroglyphus</i> sp. (?) —  |        |
| attacking all stages of May-beetles .....                               | 55     |
| predacious on eggs of <i>Phyllophaga vandinei</i> .....                 | 87     |

## U

|                                |     |
|--------------------------------|-----|
| <i>Uredo pallida</i> .....     | 100 |
| <i>Urocystis cepulae</i> ..... | 107 |
| <i>Uromyces</i> —              |     |
| <i>appendiculatus</i> .....    | 98  |
| <i>arachidis</i> .....         | 108 |

|                             |     |
|-----------------------------|-----|
| <i>Uromyces</i> —continued. |     |
| <i>Dolicholi</i> .....      | 105 |
| <i>janiphae</i> .....       | 99  |
| <i>Ustilago zaeae</i> ..... | 100 |

## V

|  |     |
|--|-----|
| <i>Valsa</i> sp. ....  | 227 |
| <i>Valsaria subtropica</i> .....   | 214 |
| Varieties of sugar-cane. Method of identification and description of (paper) ..... | 119 |
| B-109 .....  | 126 |
| B-208 .....  | 127 |
| B-347 .....  | 125 |
| B-376 .....  | 132 |
| B-1753 .....   | 130 |
| B-1809 .....   | 129 |

|                                    |     |
|------------------------------------|-----|
| Varieties of sugar-cane—continued. |     |
| B-3390 .....                       | 134 |
| B-3405 .....                       | 135 |
| B-3412 .....                       | 126 |
| B-3747 .....                       | 133 |
| B-3750 .....                       | 134 |
| B-3859 .....                       | 129 |
| B-4596 .....                       | 131 |
| B-6292 .....                       | 130 |
| B-6450 .....                       | 127 |
| B-7169 .....                       | 135 |

V

|                                    | Page. |
|------------------------------------|-------|
| Varieties of sugar-cane—continued. |       |
| B-7245-----                        | 128   |
| Cavengerie-----                    | 124   |
| Crystallina-----                   | 124*  |
| D-109-----                         | 137   |
| D-117-----                         | 136   |
| D-625-----                         | 137   |
| Otaheite-----                      | 122   |
| Rayada-----                        | 123   |
| Seeley Seedling-----               | 132   |

|  | Page. |
|--|-------|
| Varieties of sugar-cane—continued.       |       |
| Yellow Caledonia-----                    | 125   |
| <i>Vernicularia graminicola</i> -----    | 220   |
| <i>Verticilladium graminicolum</i> ----- | 226   |
| <i>Vigna unguiculata</i> . Diseases of-- | 100   |
| <i>Vinsonia stellifera</i> -----         | 6     |
| <i>Viriana</i> sp.—                      |       |
| See <i>Biomyia lachnosternae</i> .       |       |
| <i>Volutina</i> sp.-----                 | 227   |

W

|  |            |
|--|------------|
| Wasp parasite of White-grubs---  | 55         |
| See <i>Campsomeris</i> ; <i>Elis</i> ; <i>Tiphia</i> .   |            |
| Watermelon—  |            |
| See <i>Citrullus vulgaris</i> .  |            |
| White-Grub—  |            |
| citrus, the-----   | 159        |
| common, the-----   | 145        |
| south coast, the-----  | 152        |
| White-Grubs Injuring Sugar Cane<br>in Porto Rico. I. Life-Cy-<br>cles of the May-Beetles or<br>Melolonthids (paper)--- | 47-92, 141 |
| White-grubs—   |            |
| animal and bird enemies of in<br>Porto Rico-----   | 53-54      |
| control problem in Porto Rico--  | 47-49      |
| efficiency of parasites of in Porto<br>Rico-----   | 56         |
| injurious in other regions-----  | 49-51      |
| insect enemies of in Porto Rico--  | 54-56      |
| introduction of fungus enemies of,<br>into Porto Rico-----   | 60         |
| introduction of parasites of, into<br>Porto Rico-----  | 57-58      |

|   |       |
|---|-------|
| White-grubs—continued.                                  |       |
| life-cycles of-----                                     | 52-53 |
| life-history work on, done else-<br>where-----          | 51-52 |
| list of local parasites of-----                         | 57    |
| methods of rearing-----                                 | 60-65 |
| oviposition, and handling of eggs,<br>of adults of----- | 63-64 |
| parasites of, indigenous-----                           | 54-56 |
| pupation and emergence of adults<br>of-----             | 64-65 |
| Tachinid fly parasite control of,<br>in Porto Rico----- | 56-57 |
| White rust of sweet potato-----                         | 111   |
| Wilt—   |       |
| of eggplant-----  | 103   |
| of tomatoes-----  | 115   |
| Wind, causing injury to cane-----                       | 233   |
| Wireworms—  |       |
| See <i>Monocrepidius</i> sp.                            |       |
| <i>Pyrophorus luminosus</i> .                           |       |
| Withertip.  |       |
| See <i>Gloeosporium manihot</i>                         |       |

X

|  |     |
|--|-----|
| <i>Xanthosoma</i> sp. Diseases of----- | 116 |
|--|-----|

|                                |     |
|--------------------------------|-----|
| <i>Xylaria apiculata</i> ----- | 215 |
|--------------------------------|-----|

Y

|                          |  |
|--------------------------|--|
| Yautia—                  |  |
| See <i>Colocasia</i> sp. |  |

|                    |     |
|--------------------|-----|
| Yellow stripe----- | 228 |
|--------------------|-----|

Z

|   |     |
|---|-----|
| <i>Zea Mays</i> -----   | 100 |
| <i>Zelus longipes</i> predaceous on <i>Cory-<br/>thaica monacha</i> ----- | 173 |

|  |     |
|--|-----|
| <i>Zelus rubidus</i> predacious on <i>Cory-<br/>thaica monacha</i> ----- | 173 |
|--|-----|