

## United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE  
SERVICE AND REGULATORY ANNOUNCEMENTS

## LIST OF INTERCEPTED PLANT PESTS, 1935

(List of Pests Recorded During the Period July 1, 1934, to June 30, 1935, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory)

## INTRODUCTION

This is the forty-first paper of a series issued under various names at more or less irregular intervals listing intercepted plant pests. The present list covers the twenty-second year of the period since the lists were started and includes intercepted plant pests for which determinations were received and indexed during the period specified. The sources from which the data were derived and the manner of preparation are discussed in previous lists.

Most of the insect determinations were made by specialists of the Bureau and many of the plant-disease and host determinations by specialists of the Bureau of Plant Industry. The States of California and Florida and the Territory of Hawaii maintain their own staffs of specialists and make many of their own determinations. Frequently the intercepted material is in a stage that is not determinable or is too badly damaged or is inadequate for determination. Many times the only organisms recognized are innocuous. Such interceptions, numbering some thousands, are omitted from the list.

As pointed out in previous lists of interceptions, statement as to the origin of fruits and vegetables carried as ships' stores, as well as of plants used for decorative purposes and of plant material carried by passengers, cannot always be verified, but every effort is made to give the origin of such plants and plant products as accurately as possible.

## FRUIT FLIES

The following fruit flies were intercepted: Celery fly (*Acidia heraclei*) in celery from Italy;<sup>1</sup> West Indian fruit fly (*Anastrepha acidusa*) in mango from Puerto Rico; Mexican fruit fly (*A. ludens*) in grapefruit, mango, orange, and sour orange from Mexico; *A. obliqua* (adult) with banana debris from Panama; dark fruit fly (*A. serpentina*) in mamey and sapote from Mexico; Central American fruit fly (*A. striata*) in guava and in a bag with figs, guavas, peaches, and sweet limes from Mexico; *Anastrepha* sp. in orange and pumpkin from Brazil, mango from Cuba, Dominica, and Haiti, sapote from Guatemala, mango and star-apple from Honduras, guava and mango from Jamaica, avocado. *Crataegus mexicana*, grapefruit, guava, mamey, mango, orange, pear, and sapote from Mexico, in mango and (adults) with bananas and banana debris from Panama, in cherimoya, guava, mango, star-apple, and (pupae) in packing with mangoes from Puerto Rico, and in grapefruit, mango, and orange from Trinidad; melon fly (*Bactrocera cucurbitae*) in tomato from Hawaii; Mediterranean fruit fly (*Ceratitis capitata*) in tangerine from Algeria, apple, guava, loquat, orange, sorbe, and tangerine from the Azores, orange from Brazil, tangerine from France, apple, pricklypear, and quince from Greece, avocado, coffee, longan, mango, and star-apple from Hawaii, apple, grape, orange, peach, pear, persimmon, pricklypear, quince, tangerine, and (pupa and puparia) in a box of dried figs and nuts from Italy, grapefruit, orange, and (puparia) on packing around grapefruit from Palestine, apple, loquat, orange, quince, and *Sorbus* sp. from Portugal, apricot, grape, lemon, orange, and peach from Spain, and (adult) with sugarcane from Trinidad; olive fruit fly (*Dacus oleae*) in olives from Greece and Italy; apple maggot (*Rhagoletis pomonella*) in *Crataegus mexicana* from Mexico; *R. suavis* in black walnut from Mexico; *Rhagoletis* sp. in cherry from Bermuda, cherry and sour

<sup>1</sup> For details of interceptions mentioned in the text see lists under the countries named.

cherry from Italy, apple, *Crataegus mexicana*, *Crataegus* sp., and black walnut from Mexico, and sour cherry from Yugoslavia; *Tephritis* sp. (adult) with Paraguayan tea from Argentina; papaya fruit fly (*Toxotrypana curvicauda*) in papaya from the Bahamas, Canal Zone, and Panama; *Trypanea* sp. (adults) with *Inula* sp. from Germany; and a trypetid in *Lonicera nitida* (seed and pulp) from Bulgaria, pepper from Italy, pear, plum, and poinsettia (seed) from Mexico, (pupae) in *Adansonia* sp. (seed) from the Union of South Africa, (pupa) with *Amygdalus* sp., (pupa) in *Juniperus foetidissima*, (pupa) with *Lonicera* sp., and (pupae and adult) with *Rosa* sp. from the Union of Soviet Socialist Republics, and (pupae) with *Lycoseris* sp. from Venezuela.

### MISCELLANEOUS INSECTS

The potato weevil (*Epicaerus cognatus*) was intercepted in potatoes (*Solanum tuberosum*) from Mexico. An orchid from the Philippines was infested with *Tadius erirhinoides* (Curculionidae). *Capitophorus formosanus* (aphid) arrived with chrysanthemum from Japan. The Asiatic rice borer (*Chilo simplex*) was found in rice straw packing from China, Spain, and Syria, *Miscanthus japonica* and rice straw from Japan, and wheat straw from France. A kumquat leaf from Japan was infested with the citrus leaf miner (*Phyllocnistis citrella*). Apricot scions from Tripoli were infested with *Lepidosaphes halli* (Coccidae). The durra stem borer (*Sesamia cretica*) was taken in broomcorn from Italy. *Acrolepia assectella* (Plutellidae) was intercepted in leaves of leeks from Belgium, Denmark, France, Italy, and Netherlands, mint from Belgium, and onion from Germany.

The pink bollworm (*Pectinophora gossypiella*) was intercepted in cottonseed and cotton samples from Brazil, cottonseed, cotton bolls, and cottonseed on cottonseed-cake bags from China, cottonseed, cotton waste used as packing, and cottonseed on bagging from Egypt, unginning seed cotton from Greece, cottonseed, seed cotton, cotton boll, and cotton used as packing from Mexico, cottonseed from the Netherlands, cottonseed and (pupa) with cotton fiber from Puerto Rico, and (larvae and pupa) with herbarium specimens of cotton from the West Indies. The citrus blackfly (*Aleurocanthus woglumi*) was taken on leaves of grapefruit and orange from the Bahamas, lime from Cuba, and orange from Jamaica. *Laspeyresia splendana* (Olethreutidae) arrived with chestnuts from France, Germany, Italy, Japan, Portugal, Spain, and Switzerland. Mahogany logs from the Philippines and wooden packing cases from India and the Philippines were infested with *Heterobostrychus aequalis* (Bostrichidae). *Phyllotreta cruciferae* (Chrysomelidae) was intercepted in cabbage from England and leek from France. The yam weevil (*Palaeopus costicollis*) was taken in yams from Jamaica and Nigeria. *Apion carduorum* (Curculionidae) infested globe artichoke from France. *Bruchophagus gibbus* (Eurytomidae) arrived with alfalfa from China and Manchuria, *Medicago falcata* from Rumania, alfalfa and clover from Turkey, and alfalfa, *Lotus* sp., *Medicago falcata*, and *Trigonella* sp. from the Union of Soviet Socialist Republics.

*Collabismodes cubae* (Curculionidae) arrived in pepper from Cuba. *Platyedra viella* (Gelechiidae) was intercepted in seed of *Athaea nudiflora* from the Union of Soviet Socialist Republics. Witloof or chicory from Belgium was infested with *Agromyza pinguis* (Agromyzidae). *Baris laticollis* was intercepted in turnip from France. *Gryllus assimilis argentinus* (Gryllidae) arrived with grapes and melon from Argentina. The bean pod borer (*Maruca testulalis*) arrived in lima beans from Cuba and string beans from Hawaii, Mexico, and Puerto Rico. Licorice seed pods from Greece were infested with *Bruchidius halodendri* (Bruchidae). *Hylesinus fraxini* (Scolytidae) arrived in ash used for crating from England. *Conotrachelus aguacatae* was intercepted in avocado from Mexico. *Euspermophagus gossypii* (Bruchidae) arrived with morning-glory (*Ipomoea albi-venia*) seed from Mozambique.

A nest containing immature larvae of the brown-tail moth (*Nygmia phaeorhoa*) was intercepted on a pear tree from Italy. *Taeniothrips ericae* (thrips) arrived on heather from England, Germany, Great Britain, Ireland, and Scotland. *Scolytus multistriatus* and *S. scolytus* (Scolytidae) infested elm logs from France. *Chlorophorus annularis* (Cerambycidae) was taken in bamboo poles from Japan. *Nysius huttoni* (Lygaeidae) was intercepted on apples from New Zealand. Cipollini from Morocco were infested with *Exosoma lusitanica* (Chrysomelidae). The coffee berry borer (*Stephanoderes hampei*) was intercepted in coffee from Tanganyika and Uganda. The tomato pinworm (*Gnorimoschema lycopersicella*) was taken in tomatoes from Cuba, Hawaii, and Mexico. *Psylliodes chrysocephala* (Chrysomelidae) was intercepted in turnips from Algeria, Argentina, England, and France, radishes from Denmark and Italy, and carrot from Italy.

## MISCELLANEOUS PLANT DISEASES

An unusual number of pathogens new to our interception files were added during the year, several undescribed species were intercepted, other organisms were found on material from additional countries, and interceptions of important diseases such as citrus canker continued. For convenience some of the more important and interesting interceptions are briefly noted in alphabetical groups, fungi and bacteria determined to species in the first group, nemas in the second group, and new or apparently new species of fungi and nemas in a third group.

*Arthrobotrys superba* on *Ficus* sp. from Barbados; *Ascochyta heterophragmia* on *Camellia japonica* from France; *Bacterium citri* on *Citrus* spp. from China, India, and Japan; *Bacterium pisi* on peas from Mexico; *Botrytis allii* on onions from Japan; *Ceratostomella (Graphium) ulmi* on elm logs from France; *Cercospora destructiva* on *Euonymus japonica variegata* from Japan; *C. handelii* on azalea from Belgium; *C. neriella* on oleander from Bermuda; *C. odontoglossi* on *Odontoglossum* sp. from England; *Cerotelium desmium* on cotton leaf from Martinique; *Colletotrichum omnivorum* on aspidistra from Germany; *C. peregrinum* on *Fatsia japonica* from Japan; *C. truncatum* on lima beans from Cuba; *Dematium pullulans* on plum from Chile; *Diplodinia salicis* on willow from Union of Soviet Socialist Republics; *Discosia artocreas* on peony from Japan; *Discella carbonacea* on pussy willow from Germany; *Elsinoe phaseoli* on lima beans from Cuba and Puerto Rico; *Gloeosporium catechu* on betel palm from the Philippines; *G. elasticae* on *Ficus religiosa* from Mexico; *G. pelargonii* on geranium from Puerto Rico; *G. piperatum* on peppers from Java; *G. polymorphum* on dracaena from Japan; *G. rhododendri* on rhododendron from England; *Glomerella cincta* on orchid from Jamaica or Colombia; *Godronia cassandrae* on lingon berries from Newfoundland; *Helminthosporium allii* on garlic from Chile, France, Italy, and Mexico; *H. oryzae* on rice from the Orient; *H. ravenelii* on smut grass from Mexico; *H. sativum* on wheat straw packing from England and Japan; *Leptosphaeria circinans* on *Medicago* sp. from Turkey; *L. heterospora* on iris from Germany, France, Netherlands, and Turkey; *Leptothyrium macrothecium* on peony from Japan; *Microdiplodia wisteriae* on wisteria from Japan; *Monochaetia paeoniae* on peony from Japan; *Mycosphaerella brassicicola* on cauliflower from Belgium, England, France, and Germany, on broccoli from Brazil, and on cabbage from England; *M. moutan* on peony from China and Japan; *M. musae* on banana leaf from Puerto Rico; *Nigrospora oryzae* on rice from French Morocco; *Ophiobolus graminis* on wheat from France; *Papulospora parasitica* on tulip bulbs from Netherlands; *Phoenicostroma chamaedoreae* on palm leaves from Mexico; *Phoma camelliae* on camellias from Japan; *P. rostrupii* on carrot from England and France; *Phyllosticta betae* on chard from Italy; *P. cynarae* on globe artichokes from France; *P. divergens* on *Albizzia* seed pod from British West Indies; *P. globuli* on eucalyptus from Australia; *P. rabiei* on *Cicer* from Union of Soviet Socialist Republics; *Polythrincium trifolii* on clover from Turkey; *Puccinia allii* on garlic from Brazil and Egypt and on leek from France; *Pyrenophora ciliolata* on primrose from England; *Ramularia destructiva* on sweet gale from Scotland; *Scirrhia bambusae* on bamboo from Italy; *Sclerotium oryzae* in rice straw from Spain; *Septoria azaleae* on azaleas from Belgium; *S. castaneae* on chestnut from Italy; *S. citri* on lemons from Egypt, India, Italy, and Spain; *S. insularis* on ivy from England; *S. nigerrima* on pear from Italy; *Sporonema camelliae* on camellia from France; *Termitaria* n. sp. on *Reticulitermes speratus* Kolbe on an unidentified plant from Japan; *Thecopsora padi* on spruce from Norway; *Urocystis colchici* on colchicums from Netherlands; *U. tritici* on seed wheat from Australia; *Uromyces glycyrrhizae* on licorice from Greece; *Ustilaginoidea virens* on rice from the Philippines; *Vermicularia cacti* on cactus from Puerto Rico; and *V. capsici* on pepper from Java.

Interceptions of nematodes included *Acrobeles glaphyrus* on tuberose from Mexico (not a plant parasite and hence not included in the list); *Anguillulina agrostis* on *Festuca* sp. from Union of Soviet Socialist Republics; *A. dipsaci* on various hosts from Belgium, England, Finland, France, Germany, Ireland, Italy, Netherlands, Poland, Union of Soviet Socialist Republics, and Wales; *A. pratensis* from Argentina and Germany; *A. gallica* in elm from France; *Anguillulina* sp. on potato from Cuba; *Aphelenchoides fragariae* on strawberry from France; *A. parietinus* from Argentina, Australia, Bermuda, China, Denmark, England, Germany, Greece, Ireland, Japan, Netherlands, Sweden, and Union of South Africa; *A. huntii* in tiger lily from Japan and *Physalis* from Mexico; *A. solani* in potato from Cuba; *Aphelenchus avenae* from Australia, Bermuda, England, Germany, Italy, Japan, Mexico, Netherlands, and Peru; *Cephalobus cubaensis* in potato from Cuba; *Cephalobus* sp. (apparently new) in burdock from Japan;

*Heterodera schachtii* on beets from Mexico; *Hexameris* (?) n. sp. (this genus parasitizes insects) in *Eugenia* sp. seed from the Canal Zone; *Hoplolaimus* n. sp. in yam from Nigeria; *Neotylenchus abulbosus* in *Tritonia* from Netherlands.

A number of organisms determined to genus only at the time of interception were of special interest because they were new species or belonged to genera not known to occur on their hosts or were unlike the species reported as occurring on the host or related plants. Among these were *Acrobeles glaphyrus* (n. sp.) on tuberoses from Mexico (not a plant parasite and hence not included in the list); *Anquillulina gallica* (n. sp.) in elm from France; *Aphelenchoides huntii* (n. sp.) in tiger lily from Japan and *Physalis* from Mexico; *A. solani* (n. sp.) in potato from Cuba; *Apiospora* sp. on lemon grass from Jamaica; *Ascochyta* sp. on rhododendron from England; *Brachysporium* sp. on melons from Argentina; *Cephalobus cubaensis* (n. sp.) in potato from Cuba; *Cephalobus* sp. (apparently new) in burdock from Japan; *Gloeosporium* spp. on *Agapetes* from England, on *Aglaonema* from China, on areca nuts from the Philippines, on camellia and on *Daphne* from Japan; *Helminthosporium* sp. on tomatoes from Mexico; *Hendersonia* n. sp. on cactus from Mexico; *Hexameris* (?) n. sp., insect host unknown, in *Eugenia* seed from the Canal Zone; *Leptosphaeria* sp. on wisteria from Japan; *Mycosphaerella* sp. (apparently new) on cactus from Mexico; *Pestalozzia* sp. on wisteria from Japan; *Phoma* sp. on lemon cutting from Italy; *Phomopsis* sp. on *Coclogyne* from Jamaica; *Phomopsis* sp. (probably new) on star-apple from Puerto Rico; *Phyllosticta* sp. on camellia from Japan; *Phymatotrichum* sp. on cabbage from Spain; *Physalospora* sp. on *Aglaonema* from China; *Septoria* sp. on *Acanthus* from the Dominican Republic; *Septoria* sp. on primrose from England; *Sphaeronema* spp. on carrot from England, on onion from Spain, and on narcissus from England and Netherlands; *Termitaria* n. sp. on termite from Japan; *Vermicularia* sp. on *Ophiopogon* from Turkey.

The interceptions of root-knot nematode (*Heterodera marioni*) are not shown in the main list but included the following new hosts: From Dominica, *Hedychium coronarium*; East Africa, *Stapelia* sp.; England, *Aconitum napellus roseus*, *Anemone hepatica*, *A. magellanica*, and *Thymus azoricus*; France, *Genista* sp., *Syringa sweginzowii*, and *Viburnum fragrans*; Germany, *Echinocactus lennini*; Japan, *Camellia japonica*; Netherlands, *Pyrethrum* sp.; Union of South Africa, *Euphorbia punctata*, *Haworthia blackbeardii* (?), and *Kalanchoe* sp.

### AIRCRAFT INTERCEPTIONS

Two hundred and thirty-seven interceptions of insects were made. Among these were the following: Citrus blackfly (*Aleurocanthus woglumi*) on orange leaves from the Bahamas; *Anastrepha* sp. (Trypetidae) in sapote seed from Guatemala; *Bephrata cubensis* (Eurytomidae) in *Spondias dulcis* seed from Cuba; coffee leaf miner (*Leucoptera coffeella*) in coffee leaves from Puerto Rico; red-banded thrips (*Selenothrips rubrocinctus*) on guava fruit from Cuba; and *Vinsonia stellifera* on orchid from Panama.

Seven plant disease interceptions were made: *Cephaleuros virescens* (alga) on Cape-jasmine from Cuba (2) and on orchid from Costa Rica; *Colletotrichum gloeosporioides* on tree seed from Haiti; *Penicillium digitatum* on orange and *P. italicum* on lime from Jamaica; and *Pestalozzia* sp. on star-apple from Cuba.

### CORRECTION

Following is the correct spelling of *Epilachna borealis discincta* (Coccinellidae), appearing on pages 2 and 57 of the List of Intercepted Plant Pests, 1934. On pages 1 and 54 of the list for 1934 the host for the Mexican fruit fly (*Anastrepha ludens*) should be sweet lime (*Citrus limetta*) instead of lime (*Citrus aurantifolia*).

### COMMON PESTS INTERCEPTED

In addition to the pests named in the itemized list which makes up the body of this report, there were numerous interceptions of cosmopolitan pests that are more or less prevalent in this country. While it is true that many of these interceptions may represent forms or strains not yet introduced and potentially dangerous, it is not believed essential to the purposes of this list to include the details of their interception. They are, however, included in brief form in this preliminary text. Following each pest name are two figures in parentheses and separated by a dash, the first indicating the number of countries from which the pest was intercepted and the second the total number of interceptions.

## INSECTS

*Ahasverus advena* (31-130), *Aspidiotus camelliae* (8-11), *A. cyanophylli* (15-44), *A. hederæ* (41-542), *A. lataniae* (23-99), *A. perniciosus* (5-16), *Aulacaspis pentagona* (11-41), *A. rosae* (2-4), *Carpocapsa pomonella* (18-72), *Carpophilus* sp. (33-111), *Cerataphis lataniae* (14-22), *Ceroplastes floridensis* (2-18), *Chionaspis citri* (15-59), *C. euonymi* (3-12), *Chrysomphalus aonidium* (44-819), *C. aurantii* (45-580), *C. dictyospermi* (36-442), *Coccus elongatus* (2-38), *C. hesperidum* (20-76), *Diaspis boisduvalii* (22-78), *D. bromeliae* (8-220), *D. echinocacti* (4-15), *D. echinocacti opuntiae* (4-8) *Ephestia* sp. (45-237), *Etiella zinckenella* (5-35), *Gnorimoschema operculella* (26-143), *Heliothis obsoleta* (6-1,822), *H. virescens* (4-158), *Heliothrips hemorrhoidalis* (3-3), *Hemichionaspis aspidistrae* (19-91), *H. minor* (16-143), *Howardia biclavata* (8-80), *Ischnaspis longirostris* (16-57), *Lepidosaphes beckii* (72-3,350), *L. gloverii* (23-375), *L. ulmi* (15-37), *Oryzaephilus surinamensis* (34-103), *Parlatoria pergandii* (49-752), *P. proteus* (7-24), *Plodia interpunctella* (27-170), *Pseudococcus adonidum* (9-54), *P. brevipes* (22-512), *P. citri* (23-53), *P. maritimus* (8-13), *P. nipae* (7-9), *Rhizoglyphus hyacinthi* (20-99), *Saissetia hemisphaerica* (20-49), *S. nigra* (7-56), *S. oleae* (15-36), *Sitophilus oryzae* (36-253), *Tribolium confusum* (10-19), *T. ferrugineum* (28-99): Total of these insects interceptions, 12,287.

## DISEASES

*Actinomyces scabies* (45-1,019), *Alternaria* sp. (38-260), *Aspergillus niger* (55-318), *Aspergillus* sp. (41-216), *Bacillus carotovorus* (28-100), *Bacteriaceae* (56-1,088), *Bacterium tumefaciens* (14-117), *Botrytis* sp. 30-239, *Cephalothecium roseum* (23-64), *Cladosporium herbarum* (4-7), *Cladosporium* sp. (45-485), *Colletotrichum gloeosporioides* (31-410), *C. lindemuthianum* (10-30), *Coniothyrium fuckelii* (4-9), *Diaporthe phaseolorum* (2-29), *Fusarium* sp. (87-2,040), *Heterodera marioni* (20-66), *Macrosporium* sp. (33-409), oil burning (7-9), oleocellosis (17-36), *Oospora pustulans* (11-41), *Penicillium digitatum* (29-138), *P. expansum* (20-50), *P. italicum* (23-69), *Penicillium* sp. (84-1,695), petrification (5-48), *Phomopsis citri* (39-258), *Phytophthora infestans* (16-156), *Rhizoctonia solani* (64-712), *Rhizopus nigricans* (41-209), *Rhizopus* sp. (8-117), *Spondylocladium atroviens* (43-615), *Spongospora subterranea* (11-30), *Venturia inaequalis* (29-234), *Verticillium cinnabarina* (24-111): Total of these disease interceptions, 11,434.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host <sup>1</sup>	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>AFRICA</b>							
Insects:							
<i>Apion</i> sp. (Curculionidae).....	<i>Crotalaria</i> sp.....		1				D. C.
Bruchid.....	<i>Indigofera</i> sp. (indigo).....	1					Do.
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Acacia</i> sp.....		1				Do.
Do.....	<i>Indigofera</i> sp. (indigo).....	1					Do.
Do.....	Legume seed.....	1	1				Do.
<i>Caryedon</i> sp. (Bruchidae).....	<i>Cassia</i> sp.....		1				Do.
<i>Coryca cephalonica</i> (Pyrallidae).....	<i>Theobroma cacao</i> (cacao).....	3					Calif.*
<i>Iridomyrmex</i> sp. (ant).....	<i>Amygdalus persica nectarina</i> (lectarine),.....					1	N. Y.
<i>Pheidole</i> sp. (ant).....	<i>Zea mays</i> (corn).....	1					Tex.
<i>Targionia hartii</i> (Coccidae).....	<i>Zingiber officinale</i> (ginger).....					1	Pa.
<b>ALGERIA</b>							
Insects:							
Anthomyiid.....	<i>Brassica rapa</i> (turnip).....					1	N. Y.
<i>Baris laticollis</i> (Curculionidae).....	do.....					1	Do.
Do.....	do.....					1	Pa.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Citrus nobilis deliciosa</i> (tangerine).....					1	N. Y.

<sup>1</sup> The common names for the following have been omitted: *Ananas sativus* (pineapple), *Brassica oleracea capitata* (cabbage), *Capsicum annuum* (pepper), *Lycopersicon esculentum* (tomato), *Saccharum officinarum* (sugarcane), and *Solanum tuberosum* (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ALGERIA—Continued							
Insects—Continued.							
<i>Ilyemyia</i> sp. (Anthomyiidae).....	<i>Brassica rapa</i> (turnip).....					1	N. Y.
<i>Parlatoria oleae</i> (Coccidae).....	<i>Prunus domestica</i> (plum).....					1	Pa.
<i>Psila</i> sp. (Psilidae).....	<i>Daucus carota</i> (carrot).....					1	La.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip).....					1	N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....					1	Pa.
Diseases:							
<i>Alternaria solani</i> .....	<i>Lycopersicum esculentum</i> .....					1	N. Y.
<i>Capnodium citri</i> .....	<i>Citrus limonia</i> (lemon).....					1	Ga.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot).....					1	N. Y.
AMERICAN SAMOA							
Insects:							
<i>Diocalandra taitensis</i> (Tahitian coconut weevil).....	<i>Cocos nucifera</i> (coconut).....			1			Hawaii.*
Noctuid.....	<i>Colocasia esculenta</i> (taro).....			1			Do.*
AMERICAN VIRGIN ISLANDS							
Insects:							
<i>Bucculatrix</i> sp. (Lyonetiidae).....	<i>Codiaeum</i> sp. (croton).....			1			N. Y.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i> .....					1	Va.
<i>Diatraea</i> sp. (Pyralidae).....	do.....					1	Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime).....					1	N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....			1		1	Do.
Diseases:							
<i>Capnodium</i> sp.....	<i>Saccharum officinarum</i> .....					3	Va.
<i>Phyllosticta</i> sp.....	<i>Codiaeum</i> sp. (croton).....			1			N. Y.
<i>Thielaviopsis paradoxa</i> .....	<i>Saccharum officinarum</i> .....			1		1	Do.
Do.....	do.....					3	Va.
ANTIGUA							
Insects:							
<i>Aspidiotus subsimilis</i> (Coccidae).....	<i>Annona squamosa</i> (sweetsop).....			1			Mass.
<i>Hemichionaspis minor strachani</i> (Coccidae).	do.....			1			Do.
<i>Prolabia arachidis</i> (earwig).....	<i>Amaryllis</i> sp.....		1				Do.
<i>Psalis</i> sp. (earwig).....	Herb.....		1				N. Y.
Tineid.....	<i>Dioscorea</i> sp. (yam).....			2			Mass.
Diseases: <i>Phoma destructiva</i> .....							
	<i>Capsicum annuum</i> .....			1			Do.
ARGENTINA							
Insects:							
<i>Acroleucus maurus</i> (Lygaeidae).....	<i>Vitis</i> sp. (grape).....	1					N. Y.
<i>Aeolus</i> sp. (Elatерidae).....	In soil around roots of fern.....					1	Pa.
<i>Alyphophagus</i> sp. (Tenebrionidae).....	<i>Vitis</i> sp. (grape).....	1					N. Y.
<i>Anthomyiid</i> .....	<i>Solanum tuberosum</i> .....					1	Ala.
<i>Anthrenus</i> sp. (Dermestidae).....	<i>Holcus sorghum</i> var. (broom-corn).	1					N. Y.
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Prunus</i> sp. (cherry).....			1			Do.
<i>Blapstinus</i> sp. (Tenebrionidae).....	<i>Vitis</i> sp. (grape).....	7					Do.
<i>Bryobia</i> sp. (mite).....	<i>Malus sylvestris</i> (apple).....					1	Pa.
Do.....	<i>Pyrus communis</i> (pear).....	2					N. Y.
<i>Camponatus</i> sp. (ant).....	<i>Vitis</i> sp. (grape).....	1					Do.
<i>Chaetopsis</i> sp. (Ortaliidae).....	<i>Brassica rapa</i> (turnip).....					1	Do.
<i>Desmometopa</i> sp. (Agromyzidae).....	<i>Solanum tuberosum</i> .....					1	Mass.
<i>Diaphania</i> sp. (Pyralidae).....	<i>Cucumis sativus</i> (cucumber).....					1	La.
<i>Diatraea</i> sp. (Pyralidae).....	<i>Holcus sorghum</i> var. (broom-corn).		1				D. C.
Do.....	do.....	10					N. Y.
Do.....	<i>Zea mays</i> (corn).....	1					Do.
<i>Dichelops furcatus</i> (Pentatomidae).....	In bag of Sudan grass seed.....	1					Do.
<i>Edessa affinis</i> (Pentatomidae).....	In box of grapes.....	1					Do.
<i>Epitragus</i> sp. (Tenebrionidae).....	<i>Vitis</i> sp. (grape).....	1					Do.
<i>Eritarbes</i> sp. (Cosmopterygidae).....	do.....	1					Do.
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Cucumis melo</i> (melon).....					1	Do.
Do.....	<i>Solanum tuberosum</i> .....	1				1	La.
Do.....	do.....					2	Wash.
Do.....	<i>Zea mays</i> (corn).....	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued.							
Insects—Continued.							
<i>Forcipomyia</i> sp. (Chironomidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
<i>Gargaphia torresi</i> (Tingitidae)	On box of grapes	1					Do.
<i>Glyphonys</i> sp. (Elateridae)	In packing material for grapes	1					Do.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Vitis</i> sp. (grape)	1					Do.
<i>Gryllus assimilis argentinus</i> (Gryllidae)	<i>Cucumis melo</i> (melon)	1					Do.
Do.	<i>Vitis</i> sp. (grape)	3					Do.
<i>Heteroderes laurenti</i> (Elateridae)	do.	1					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					1	Tex.
Do.	<i>Solanum tuberosum</i>					1	Mass.
<i>Istroderes</i> sp. (Curculionidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Marmara</i> sp. (Gracilariidae)	<i>Citrus grandis</i> (grapefruit)					1	Pa.
<i>Naupactus xanthographus</i> (Curculionidae)	<i>Vitis</i> sp. (grape)	2					N. Y.
<i>Naupactus</i> sp. (Curculionidae)	In packing material for grapes	1					Do.
Nitidulid	<i>Zea mays</i> (corn)	1					Ala.
<i>Nysius simulans</i> (Lygaeidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Oecophorid	do.	1					Do.
<i>Oiketicus</i> sp. (Psychidae)	<i>Holcus sorghum</i> var. (broom-corn)	1					Do.
Ortolid	<i>Apium graveolens</i> (celery)					1	Pa.
Ostomid	<i>Solanum tuberosum</i>					1	Do.
<i>Paraneura</i> sp. (Tineidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Pentatomid	do.	1					Do.
<i>Pheidole</i> sp. (ant)	<i>Cucumis melo</i> (melon)	1					Do.
Do.	In case of grapes	1					Do.
<i>Psalis americana</i> (earwig)	<i>Solanum tuberosum</i>					1	La.
Psychid	<i>Prunus</i> sp. (cherry)			1			N. Y.
Do.	<i>Vitis</i> sp. (grape)	1					Do.
<i>Psyllodes chrysocephala</i> (Chrysomelidae)	<i>Brassica rapa</i> (turnip)					1	Tex.
Pyralinae (Pyralidae)	<i>Holcus sorghum</i> var. (broom-corn)	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)						Mass.
Do.	do.					1	Pa.
Do.	<i>Solanum tuberosum</i>					2	Do.
Do.	<i>Zea mays</i> (corn)	1					Wash.
<i>Salix lacordairei</i> (Tenebrionidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Sciara fenestralis</i> (Mycetophilidae)	<i>Solanum tuberosum</i>					1	Miss.
<i>Sciara</i> sp. (Mycetophilidae)	do.					1	La.
Do.	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Solanum tuberosum</i>					1	Pa.
<i>Solenopsis</i> sp. (ant)	<i>Vitis</i> sp. (grape)	3					N. Y.
Tenebrionid	do.	1					Do.
Do.	<i>Zea mays</i> (corn)	1					La.
<i>Tephritis</i> sp. (Trypetidae)	<i>Ilex paraguayensis</i> (Paraguay tea)		1				D. C.
<i>Trogoderma</i> sp. (Dermestidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Diseases:							
<i>Acrostalagmus cinnabarinus</i>	do.	1					Do.
<i>Anguillulina pratensis</i>	<i>Solanum tuberosum</i>					1	Ala.
Do.	do.					2	La.
Do.	do.					2	N. Y.
Do.	do.					1	Tex.
<i>Aphelenchoides parietinus</i>	<i>Beta vulgaris</i> (beet)					1	La.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Do.
<i>Botrytis cinerea</i>	<i>Pyrus communis</i> (pear)	1					N. Y.
Do.	<i>Vitis</i> sp. (grape)	2					Do.
<i>Brachysporium</i> sp.	<i>Cucumis melo</i> (melon)	1					Do.
<i>Cladosporium carpophilum</i>	<i>Amygdalus persica</i> (peach)	2					Do.
<i>Cladosporium fulvum</i>	<i>Lycopersicon esculentum</i>					1	Ala.
<i>Claticeps purpurea</i>	<i>Festuca ovina</i> (sheep fescue)	1					D. C.
<i>Colletotrichum atramentarium</i>	<i>Solanum melongena</i> (eggplant)					1	La.
<i>Colletotrichum lagenarium</i>	<i>Citrullus vulgaris</i> (watermelon)					1	N. Y.
Do.	<i>Cucumis melo</i> (melon)	3					Do.
Do.	<i>Cucurbita maxima</i> (squash)					1	La.
Do.	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
<i>Diplodia natalensis</i>	<i>Quebrachia lorentzii</i> (quebracho)	1					N. Y.
<i>Diplodia</i> sp.	<i>Prunus domestica</i> (plum)	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued.							
Diseases—Continued.							
<i>Eurotium</i> sp.-----	<i>Holcus sorghum</i> var. (broom-corn).		3				N. Y.
Do-----	<i>Zea mays</i> (corn)-----	1					Pa.
Do-----	do-----	1					Wash.
<i>Fusarium moniliforme</i> -----	do-----	2					Pa.
Do-----	do-----	1					Wash.
<i>Gloeosporium</i> sp.-----	<i>Lycopersicum esculentum</i> -----	1					N. Y.
Do-----	Orchid-----			1			Do.
<i>Leptothyrium pomi</i> -----	<i>Malus sylvestris</i> (apple)-----					1	Do.
<i>Macrosporium tomato</i> -----	<i>Capsicum annuum</i> -----					1	Pa.
<i>Monilia</i> sp.-----	<i>Amygdalus persica</i> (peach)-----	1					N. Y.
<i>Oospora lactis parasitica</i> -----	<i>Lycopersicum esculentum</i> -----					1	Ala.
<i>Oospora</i> sp.-----	<i>Cucurbita pepo</i> (squash)-----					1	Do.
Do-----	<i>Daucus carota</i> (carrot)-----					1	Do.
<i>Phomopsis vezans</i> -----	<i>Solanum melongena</i> (eggplant)-----					1	La.
<i>Phyllosticta</i> sp.-----	<i>Amygdalus persica</i> -----	1					N. Y.
<i>Plasmodium viticola</i> -----	<i>Vitis</i> sp. (grape)-----	4					Do.
<i>Pseudoopeziza medicaginis</i> -----	<i>Medicago sativa</i> (alfalfa)-----	1					Do.
<i>Puccinia porri</i> -----	<i>Allium sativum</i> (garlic)-----					1	Do.
<i>Rhizoctonia</i> sp.-----	<i>Eryngium</i> sp. (eryngo)-----				1		Pa.
<i>Sclerotinia sclerotiorum</i> -----	<i>Brassica rapa</i> (turnip)-----					1	Do.
Do-----	<i>Daucus carota</i> (carrot)-----					1	Ala.
<i>Sclerotinia</i> sp.-----	<i>Allium cepa</i> (onion)-----					1	Do.
Do-----	<i>Daucus carota</i> (carrot)-----					2	Pa.
Do-----	<i>Solanum melongena</i> (eggplant)-----					1	La.
Do-----	<i>Brassica oleracea capitata</i> -----					1	Pa.
Do-----	<i>Daucus carota</i> (carrot)-----					1	La.
<i>Septoria apii</i> -----	<i>Apium graveolens</i> (celery)-----					1	Pa.
<i>Sphaceloma fauvelletii</i> -----	<i>Citrus sinensis</i> (orange)-----					1	Mass.
Do-----	do-----					1	Pa.
<i>Sphaceloma</i> sp.-----	do-----					1	N. Y.
<i>Sphacelotheca sorghi</i> -----	<i>Holcus sorghum</i> var. (broom-corn).	1	2				Do.
<i>Stysanus</i> sp.-----	<i>Solanum tuberosum</i> -----					1	La.
<i>Thielaviopsis</i> sp.-----	<i>Prunus domestica</i> (plum)-----	1					N. Y.
<i>Venturia pyrina</i> -----	<i>Pyrus communis</i> (pear)-----	1					Do.
<i>Verticillium</i> sp.-----	<i>Zea mays</i> (corn)-----	1					Do.
ARUBA							
Insects:							
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)-----					1	Ala.
Diseases:							
<i>Diplodia tubericola</i> -----	do-----					1	Do.
<i>Sclerotinia sclerotiorum</i> -----	<i>Daucus carota</i> (carrot)-----					1	Do.
AUSTRALIA							
Insects:							
<i>Anisolabis</i> sp. (earwig)-----	<i>Bowenia serrulata</i> -----	1					Calif.*
Blastobasid-----	<i>Macadamia</i> sp.-----		1				Do.*
<i>Brachypepus</i> sp. (Nitidulidae)-----	<i>Juglans</i> sp. (walnut)-----	1					Md.
Do-----	do-----	1					Va.
Cecidomyiid-----	<i>Howea</i> sp.-----	1					N. Y.
Cerambycid-----	<i>Macrozamia</i> sp.-----	1					Calif.*
Chloropid-----	<i>Solanum tuberosum</i> -----					1	Mass.
Cucujid-----	<i>Bowenia serrulata</i> -----	1					Calif.*
<i>Desmometopa</i> sp. (Agromyzidae)-----	<i>Solanum tuberosum</i> -----					1	Mass.
<i>Diopus pusillimus</i> (Platygodidae)-----	<i>Acer</i> sp. (maple)-----	1					Md.
<i>Iridomyrmex</i> sp. (ant)-----	<i>Cymbidium albucaeflorum</i> (orchid)-----		1				Calif.*
Do-----	<i>Cymbidium</i> sp. (orchid)-----			1			Do.*
Do-----	<i>Phajus orandifolius</i> (orchid)-----			1			Do.*
<i>Lepidosaphes</i> sp. (Coccidae)-----	<i>Cymbidium albucaeflorum</i> (orchid)-----			1			Do.*
Mirid-----	<i>Dendrobium superbiens</i> (orchid)-----	1					Hawaii.*
<i>Monomorium</i> sp. (ant)-----	<i>Bowenia serrulata</i> -----	1					Calif.*
Do-----	<i>Dendrobium phalaenopsis schroederiae</i> (orchid)-----			1			Hawaii.*
Do-----	<i>Phalaenopsis</i> sp. (orchid)-----				1		Calif.*
Nitidulid-----	<i>Juglans</i> sp. (walnut)-----	1					Va.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AUSTRALIA—Continued							
Insects—Continued.							
Noctuid.....	<i>Bowenia serrulata</i> .....	1					Calif.*
Ortalid.....	<i>Solanum tuberosum</i> .....					1	Mass.
<i>Pheidole</i> sp. (ant).....	<i>Alicornium</i> sp.....			1			Calif.*
Do.....	<i>Dendrobium falcrostrum</i> (orchid).....		1				Hawaii.*
Do.....	<i>Juglans</i> sp. (walnut).....	1					N. Y.
<i>Platypus australis</i> (Platygodidae).....	<i>Acer</i> sp. (maple).....	1					Md.
Do.....	<i>Juglans</i> sp. (walnut).....	1					Va.
<i>Prenolepis</i> sp. (ant).....	<i>Cymbidium</i> sp. (orchid).....		1				Calif.*
Do.....	<i>Macrozamia</i> sp.....	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Bowenia serrulata</i> .....	1					Do.*
Do.....	<i>Macrozamia</i> sp.....	1					Do.*
Do.....	Palm.....				2		Do.*
Pyrophorinae (Elateridae).....	<i>Macrozamia</i> sp.....	1					Do.*
<i>Rhizoglyphus</i> sp. (mite).....	<i>Howea forsteriana</i> (palm).....	2					N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	Do.
<i>Rhytidoponera</i> sp. (ant).....	<i>Juglans</i> sp. (walnut).....	1					La.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Cycas media</i> .....	1					D. C.
Do.....	<i>Howea forsteriana</i> (palm).....	1					N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	Do.
<i>Stigmaeodes</i> sp. (mite).....	<i>Dendrobium bigibbum</i> (orchid).....		1				Hawaii.*
<i>Tenebroides</i> sp. (Ostomidae).....	<i>Holcus sorghum sudanensis</i> (Sudan grass).....	1					Calif.*
Tineid.....	<i>Alicornium</i> sp.....			1			Do.*
Do.....	<i>Cymbidium albucaeflorum</i> (orchid).....		1				Do.*
Do.....	<i>Cymbidium</i> sp. (orchid).....		1				Do.*
<i>Uleiota australis</i> (Cucujidae).....	<i>Juglans</i> sp. (walnut).....	2					Va.
<i>Urophorus humeralis</i> (Nitidulidae).....	<i>Howea</i> sp.....	1					Calif.*
<i>Xylosandrus</i> sp. (Scolytidae).....	<i>Dendrobium phalaenopsis schroederiae</i> (orchid).....		1				Hawaii.*
Diseases:							
<i>Aphelenchoides parietinus</i> .....	<i>Allium cepa</i> (onion).....					1	Pa.
<i>Aphelenchus avenae</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....		1				D. C.
<i>Bacterium marginatum</i> .....	<i>Gladiolus</i> sp.....		1				Do.
Bitter pit.....	<i>Malus sylvestris</i> (apple).....					2	Pa.
<i>Colletotrichum</i> sp.....	<i>Macrozamia migneti</i> .....	1					Calif.*
<i>Epicoccum</i> sp.....	<i>Oryza sativa</i> (rice).....		1				Pa.
<i>Fusarium oxysporum</i> .....	<i>Gladiolus</i> sp.....	1					Calif.*
<i>Macrophoma</i> sp.....	<i>Macrozamia spiralis</i> .....	1					D. C.
<i>Pestalozzia</i> sp.....	<i>Macrozamia miqueli</i> .....	1					Do.
Do.....	<i>Macrozamia spiralis</i> .....	1					Do.
<i>Phoma citricarpa</i> .....	<i>Citrus limonia</i> (lemon).....					1	Calif.*
<i>Phomopsis</i> sp.....	<i>Macrozamia miqueli</i> .....	1					D. C.
<i>Phyllosticta globuli</i> .....	<i>Eucalyptus</i> sp.....		1				Wash.
<i>Phylospora malorum</i> .....	<i>Malus sylvestris</i> (apple).....					1	Mass.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....		1				D. C.
<i>Sclerotinia gladioli</i> .....	<i>Gladiolus</i> sp.....		1				Do.
<i>Tilletia laevis</i> .....	<i>Triticum aestivum</i> .....		1				Do.
<i>Urocystis tritici</i> .....	do.....		1				Do.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....					1	Calif.*
AUSTRIA							
Insects:							
<i>Anthonomus rectirostris</i> (Curculionidae).....	<i>Prunus avium sylvestris</i> .....		1				D. C.
<i>Bruchidius villosus</i> (Bruchidae).....	<i>Laburnum vulgare</i> (golden-chain).....			2			Do.
<i>Diaspis carueli</i> (Coccidae).....	<i>Juniperus sabina</i> (savin).....		1				Do.
Do.....	<i>Juniperus</i> sp. (juniper).....		1				Calif.*
Geometrid.....	<i>Prunus</i> sp.....			1			N. Y.
<i>Petrora</i> sp. (Olethreutidae).....	<i>Pinus</i> sp. (pine).....		1				Do.
<i>Ponera</i> sp. (ant).....	In soil around roots of plants.....		1				Pa.
Diseases:							
<i>Ascochyta</i> sp.....	<i>Fraxinus americana</i> (white ash).....		1				D. C.
<i>Helminthosporium</i> sp.....	<i>Dahlia</i> sp.....		1				Do.
<i>Oidium</i> sp.....	<i>Chrysanthemum</i> sp.....			1			N. Y.
<i>Phoma</i> sp.....	<i>Fraxinus americana</i> .....		1				D. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>AZORES</b>							
<b>Insects:</b>							
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Citrus nobilis deliciosa</i> (tangerine).....	-----	-----	1	-----	-----	N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....	-----	-----	1	-----	-----	Do.
Do.....	<i>Eriobotrya japonica</i> (loquat).....	-----	2	-----	-----	-----	Mass.
Do.....	<i>Malus sylvestris</i> (apple).....	-----	-----	1	-----	-----	R. I.
Do.....	<i>Psidium guajava</i> (guava).....	-----	-----	1	-----	-----	Mass.
Do.....	<i>Sorbus</i> sp. (sorbe).....	-----	-----	1	-----	-----	N. Y.
<i>Curculio</i> sp. (Curculionidae).....	<i>Quercus</i> sp. (acorn).....	-----	1	-----	-----	-----	Calif.*
<i>Florinia florinae</i> (Coccidae).....	<i>Ligustrum</i> sp. (privet).....	-----	-----	1	-----	-----	Mass.
Mycetophilid.....	do.....	-----	-----	1	-----	-----	Do.
Noctuid.....	In basket of pumpkins and sorbe apples.	-----	-----	-----	1	-----	N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Colocasia esculenta</i> (dasheen).....	1	-----	-----	-----	-----	Do.
<i>Sciara</i> sp. (Mycetophilidae).....	do.....	1	-----	-----	-----	-----	R. I.
<i>Targionia bromeliae</i> (Coccidae).....	<i>Ananas sativus</i> .....	-----	-----	1	-----	-----	Mass.
Do.....	do.....	-----	-----	-----	-----	1	N. Y.
Tineid.....	<i>Saccharum officinarum</i> .....	-----	-----	-----	1	-----	Do.
<b>Diseases:</b>							
<i>Eurotium</i> sp.....	<i>Eriobotrya japonica</i> (loquat).....	-----	1	-----	-----	-----	Mass.
<i>Sclerotium cepivorum</i> .....	<i>Allium sativum</i> (garlic).....	-----	1	-----	-----	-----	Do.
<i>Thielaviopsis paradoxa</i> .....	<i>Ananas sativus</i> .....	-----	-----	1	-----	-----	R. I.
Do.....	<i>Saccharum officinarum</i> .....	-----	-----	1	-----	-----	N. Y.
<b>BAHAMAS</b>							
<b>Insects:</b>							
<i>Aleurocanthus woglumi</i> (citrus blackfly).....	<i>Citrus grandis</i> (grapefruit).....	-----	-----	-----	-----	1	Fla.*
Do.....	<i>Citrus sinensis</i> (orange).....	-----	-----	1	1	-----	Do.*
<i>Aphis</i> sp. (aphid).....	<i>Bougainvillea</i> sp.....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Rosa</i> sp.....	-----	-----	-----	2	-----	Do.*
<i>Aspidiotus cocotiphagus</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....	-----	1	4	2	-----	Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	-----	1	-----	Do.*
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Cocos nucifera</i> .....	-----	-----	2	-----	-----	Do.*
<i>Aspidiotus herculeanus</i> (Coccidae).....	<i>Poinciana regia</i> (royal poinciana).....	-----	-----	4	-----	-----	Do.*
<i>Aspidiotus spinosus</i> (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	-----	1	-----	Do.*
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Rosa</i> sp.....	-----	-----	-----	2	-----	Do.*
<i>Asterolecanium pustulans</i> (Coccidae).....	<i>Achras sapota</i> (sapodilla).....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Mammea americana</i> (mamee).....	-----	-----	2	-----	-----	Do.*
<i>Coccus acuminatus</i> (Coccidae).....	<i>Jasminum</i> sp.....	-----	-----	-----	1	-----	Do.*
<i>Coccus viridis</i> (Coccidae).....	<i>Achras sapota</i> .....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Stenolobium stans</i> (yellow elder).....	-----	-----	-----	2	-----	Do.*
<i>Comstockiella sabalis</i> (Coccidae).....	Palm.....	-----	-----	-----	1	-----	Do.*
<i>Frankliniella cephalica melanomata</i> (thrips).....	<i>Antirrhinum majus</i> (snapdragon).....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Delphinium</i> sp.....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Gladiolus</i> sp.....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Rosa</i> sp.....	-----	-----	-----	1	-----	Do.*
<i>Frankliniella cubensis</i> (thrips).....	do.....	-----	-----	-----	1	-----	Do.*
<i>Frankliniella insularis</i> (thrips).....	<i>Hibiscus</i> sp.....	-----	-----	-----	1	-----	Do.*
Do.....	<i>Rosa</i> sp.....	-----	-----	-----	2	-----	Do.*
<i>Frankliniella</i> sp. (thrips).....	<i>Citrus sinensis</i> (orange).....	-----	-----	1	-----	-----	Do.*
Geometrid.....	<i>Rosa</i> sp.....	-----	-----	-----	1	-----	Do.*
<i>Haplothrips gowdeyi</i> (thrips).....	<i>Citrus sinensis</i> .....	-----	-----	-----	1	-----	Do.*
<i>Icerya purchasi</i> (cottony-cushion scale).....	<i>Chrysophyllum cainito</i> (star-apple).....	-----	-----	1	-----	-----	Do.*
Do.....	<i>Rosa</i> sp.....	-----	-----	-----	1	-----	Do.*
<i>Laspeyresia</i> sp. (Olethreutidae).....	<i>Platanus occidentalis</i> (button-wood).....	-----	1	-----	-----	-----	D. C.
<i>Lecanium</i> sp. (Coccidae).....	<i>Antigonon leptopus</i> (rosa-de-montana).....	-----	-----	-----	-----	1	Fla.*
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Codiaeum</i> sp. (croton).....	-----	-----	1	-----	-----	Do.*
Olethreutid.....	<i>Sphaeralcea abutiloides</i> .....	-----	1	-----	-----	-----	D. C.
Otiorthynchinae (Curculionidae).....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	-----	-----	1	Fla.*



List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					3	N. Y.
Do	do					1	Pa.
Do	<i>Mentha</i> sp. (mint)					1	N. Y.
<i>Agromyza pinguis</i> (Agromyzidae)	<i>Cichorium intybus</i> (witloof)	25					Do.
<i>Agromyza</i> sp. (Agromyzidae)	<i>Allium porrum</i> (leek)					1	Pa.
Do	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	<i>Cichorium intybus</i>	1					Do.
Agromyzid	do	2					Do.
Anthomyiid	<i>Brassica oleracea capitata</i>					1	Pa.
Do	<i>Radicula armoracia</i> (horseradish).					1	N. Y.
<i>Aspidiotus britannicus</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)				1		Do.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Billbergia</i> sp.	1					D. C.
Do	<i>Nidularium scheremetiewii</i>	1					Do.
Do	<i>Tillandsia lubbersii</i>	1					Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Solanum tuberosum</i>					1	Ala.
<i>Autographa</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Chloropid	<i>Allium porrum</i> (leek)					1	Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Eupteryx aurata</i> (Cicadellidae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Gracilaria azaleella</i> (azalea leaf miner).	<i>Azalea indica</i>	1					D. C.
Gracilariid	do	1					Do.
<i>Gymnaspis aechmeae</i> (Coccidae)	<i>Billbergia zebrina</i>	1					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica oleracea capitata</i>					1	Ala.
Do	do					4	N. Y.
Do	do					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					4	Ala.
Do	do					1	La.
Do	do					13	N. Y.
Do	do					1	Tex.
<i>Macrosiphum kaltenbachii</i> (aphis)	<i>Allium porrum</i> (leek)					1	N. Y.
Mycetophilid	<i>Daucus carota</i> (carrot)					1	Do.
Noctuid	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.
Do	<i>Salix</i> sp. (willow)				1		Pa.
<i>Parlatoria oleae</i> (Coccidae)	<i>Prunus domestica</i> (plum)					1	N. Y.
<i>Phytomyza atricornis</i> (Agromyzidae)	<i>Cichorium intybus</i> (witloof)	51					Do.
<i>Phytomyza</i> sp. (Agromyzidae)	do	2					Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	do					2	Pa.
Do	<i>Brassica oleracea capitata</i>					1	Ala.
Do	do					1	N. Y.
<i>Pionea forficatis</i> (Pyralidae)	do					1	Do.
<i>Plusia</i> sp. (Noctuidae)	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)					1	Do.
Pyralid	<i>Brassica oleracea capitata</i>					1	Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Ala.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Apium graveolens</i> (celery)					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	<i>Brassica rapa</i> (turnip)					1	La.
Do	do					3	N. Y.
Do	<i>Cichorium intybus</i> (witloof)					1	Do.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					1	Tex.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
Tortricid	<i>Azalea indica</i>	1					D. C.
<i>Trichocera</i> sp. (Tipulidae)	<i>Brassica campestris</i> (rutabaga)					1	N. Y.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea capitata</i>					1	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	do					1	Pa.
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>					1	Do.
<i>Bacillus</i> sp.	<i>Cichorium intybus</i> (witloof)	3					N. Y.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i>					1	Do.
<i>Cercospora handelii</i>	<i>Azalea</i> sp.	1					D. C.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM—Continued							
Diseases—Continued.							
<i>Cytospora</i> sp. ....	<i>Salix</i> sp. (willow) .....	1					N. Y.
<i>Erobasidium vaccinii</i> .....	<i>Azalea</i> sp. ....	1					D. C.
<i>Erobasidium</i> sp. ....	do .....	1					Do.
<i>Mycosphaerella brassicicola</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower) .....					1	N. Y.
<i>Phomopsis</i> sp. ....	<i>Cichorium intybus</i> (witloof) .....	1					Do.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat) .....				1		Ill.
<i>Ramularia</i> sp. ....	<i>Begonia</i> sp. ....			1			N. Y.
<i>Rhizoctonia</i> sp. ....	<i>Brassica rapa</i> (turnip) .....				1		S. C.
<i>Sclerotinia fructigena</i> .....	<i>Malus sylvestris</i> (apple) .....			1			N. Y.
Do .....	<i>Pyrus communis</i> (pear) .....			1			Do.
<i>Sclerotinia sclerotiorum</i> .....	<i>Brassica rapa</i> (turnip) .....					1	Ala.
Do .....	<i>Daucus carota</i> (carrot) .....					1	Do.
Do .....	do .....					2	N. Y.
Do .....	do .....					1	Pa.
Do .....	do .....					1	Tex.
<i>Sclerotinia</i> sp. ....	<i>Allium cepa</i> (onion) .....					1	Ala.
Do .....	<i>Cichorium intybus</i> (witloof) .....	1					N. Y.
<i>Sclerotium</i> sp. ....	<i>Phaseolus</i> sp. (string bean) .....					1	Mass.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery) .....					5	N. Y.
Do .....	do .....					1	Pa.
<i>Septoria azaleae</i> .....	<i>Azalea indica</i> .....	1					D. C.
<i>Septoria petroselini</i> .....	<i>Petroselinum hortense</i> (parsley) .....					1	N. Y.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear) .....			2		2	Do.
BERMUDA							
Insects:							
<i>Agromyza</i> sp. (Agromyzidae) .....	<i>Brassica oleracea acephala</i> (kale) .....	1					N. Y.
Agromyzid .....	do .....	11					Do.
Do .....	<i>Radicula nasturtium-aquaticum</i> (watercress) .....					1	Mass.
Cecidomyiid .....	<i>Lilium longiflorum harrisii</i> .....	1					N. Y.
Do .....	<i>Lilium</i> sp. ....	1					Do.
Chloropid .....	<i>Lilium longiflorum harrisii</i> .....	2					Do.
<i>Comstockiella sabalis</i> (Coccidae) .....	Herbarium specimen .....		1				D. C.
<i>Empoasca</i> sp. (Cicadellidae) .....	<i>Bougainvillea</i> sp. ....			1			N. Y.
Do .....	<i>Tagetes</i> sp. (marigold) .....			1			Do.
<i>Epirhynchus</i> sp. (ant) .....	<i>Lilium longiflorum harrisii</i> .....	1					Do.
<i>Eucalymnatus tessellatus</i> (Coccidae) .....	<i>Roystonea regia</i> (royal palm) .....				1		Do.
<i>Frankliniella insularis</i> (thrips) .....	<i>Hibiscus</i> sp. ....			1			Do.
<i>Holcocera</i> sp. (Blastobasidae) .....	<i>Phoenix dactylifera</i> (date) .....			2			Do.
<i>Homoeosoma</i> sp. (Pyrilidae) .....	<i>Chrysanthemum</i> sp. ....			1			Do.
<i>Hoplothrips</i> sp. (thrips) .....	<i>Lonicera</i> sp. (honeysuckle) .....			1			Do.
<i>Hylemyia</i> sp. (Anthomyiidae) .....	<i>Lilium</i> sp. ....	1					Do.
<i>Lasioderma</i> sp. (Anobiidae) .....	<i>Carica papaya</i> (papaya) .....			1			Do.
<i>Morganella longispina</i> (Coccidae) .....	<i>Nerium oleander</i> (oleander) .....			1			Do.
Noctuid .....	<i>Brassica oleracea acephala</i> (kale) .....	1					Do.
Do .....	<i>Gossypium</i> sp. (cotton) (boll) .....			1			Do.
<i>Phenacoccus gossypii</i> (Coccidae) .....	<i>Coleus</i> sp. ....			1			Do.
Phycitinae (Pyrilidae) .....	<i>Chrysanthemum</i> sp. ....			1			Do.
Do .....	<i>Nerium oleander</i> (oleander) .....			1			Do.
Do .....	<i>Phoenix dactylifera</i> (date) .....			1			Do.
Do .....	<i>Tagetes</i> sp. (marigold) .....			1			Do.
<i>Phytomyza</i> sp. (Agromyzidae) .....	<i>Brassica oleracea acephala</i> (kale) .....	1					Do.
<i>Pieris</i> sp. (Pieridae) .....	do .....	5					Do.
<i>Plusia</i> sp. (Noctuidae) .....	do .....	11					Do.
<i>Plutella maculipennis</i> (diamond-back moth) .....	do .....	5					Do.
Do .....	<i>Matthiola</i> sp. ....			1			Do.
<i>Pseudanidia articulatus</i> (rufous scale) .....	<i>Crescentia cujete</i> (calabash) .....			1			Do.
<i>Pseudococcus</i> sp. (Coccidae) .....	<i>Codiaeum</i> sp. (croton) .....				1		Do.
Do .....	<i>Hibiscus</i> sp. ....			1			Do.
Do .....	<i>Lilium</i> sp. ....	1					Do.
<i>Rhagoletis</i> sp. (Trypetidae) .....	<i>Prunus</i> sp. (cherry) .....			1			Do.
<i>Rhizoglyphus</i> sp. (mite) .....	<i>Lilium longiflorum harrisii</i> .....	1					Do.
Do .....	<i>Lilium</i> sp. ....	5					Do.
<i>Sitona</i> sp. (Curculionidae) .....	In sand packing around bulbs .....	1					Do.
Do .....	<i>Musa</i> sp. ....			1			Mass.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>BERMUDA—Continued</b>							
<b>Insects—Continued.</b>							
<i>Tapinoma</i> sp. (ant).....	<i>Hibiscus</i> sp.....			1			N. Y.
<i>Tinea</i> sp. (Tineidae).....	<i>Chrysanthemum</i> sp.....			1			Do.
Do.....	<i>Phoenix dactylifera</i> (date).....			1			Do.
Do.....	<i>Poinciana regia</i> (royal poinciana).....			1			Do.
Tineid.....	<i>Musa</i> sp. (banana).....			1			Mass.
<i>Trichothrips</i> sp. (thrips).....	<i>Nerium oleander</i> (oleander).....			1			N. Y.
<b>Diseases:</b>							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea acephala</i> (kale).....	1					Do.
<i>Aphelenchoides parietinus</i> .....	<i>Hyacinthus</i> sp.....	1					Do.
<i>Aphelenchus avenae</i> .....	<i>Solanum tuberosum</i> .....	1					Do.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea acephala</i> (kale).....	2					Do.
<i>Cercospora neriella</i> .....	<i>Nerium oleander</i> (oleander).....			3			Do.
<i>Colletotrichum</i> sp.....	<i>Codiaeum</i> sp. (croton).....			1			Do.
<i>Diplodia cacaoicola</i> .....	<i>Mangifera indica</i> (mango).....			1			Do.
<i>Gloeosporium</i> sp.....	<i>Agave americana</i> (century-plant).....			1			Do.
Do.....	<i>Izora</i> sp.....			1			Do.
<i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i> .....			1			Do.
<i>Oidium</i> sp.....	<i>Euonymus</i> sp.....			1			Do.
Do.....	<i>Tagetes</i> sp. (marigold).....			1			Do.
<i>Phyllosticta phaseolina</i> .....	<i>Phaseolus</i> sp. (string bean).....			1			Do.
<i>Phyllosticta</i> sp.....	<i>Codiaeum</i> sp. (croton).....			1			Do.
Do.....	<i>Nerium oleander</i> (oleander).....			2			Do.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					1	Do.
<i>Septoria oleandrina</i> .....	<i>Nerium oleander</i> .....		1				Pa.
<i>Verticillium</i> sp.....	<i>Hyacinthus</i> sp.....	1					N. Y.
<b>BOLIVIA</b>							
<b>Insects:</b>							
<i>Macrosiphum luteum</i> (aphid).....	Orchid.....	1					D. C.
Tortricid.....	Tree seed.....		1				Calif.*
<b>Diseases:</b>							
<i>Colletotrichum</i> sp.....	Orchid.....	1					D. C.
<i>Fusarium moniliforme</i> (?).....	<i>Zea mays</i> (corn).....		1				N. Y.
<b>BORNEO</b>							
<b>Insects:</b>							
<i>Acythopus orchivora</i> (Curculionidae).....	<i>Dendrobium spectabile</i> (orchid).....	1					Calif.*
<i>Acythopus</i> sp. (Curculionidae).....	In packing around orchids.....	1					Do.*
<i>Araecerus fasciculatus</i> (coffee-bean weevil).....	<i>Dendrobium macrophyllum</i> (orchid).....	1					Do.*
Buprestid.....	In packing around orchids.....	1					Do.*
Curculionid.....	<i>Cypripedium lowii giganteum</i> (orchid).....	1					Do.*
Elaterid.....	In packing around orchids.....	1					Do.*
<i>Nasutitermes</i> sp. (termite).....	<i>Cypripedium lowii giganteum</i> (orchid).....	1					Do.*
<i>Tetramorium</i> sp. (ant).....	do.....		1				D. C.
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Eria floribunda</i> (orchid).....	1					Calif.*
<i>Xylosandrus monigerus</i> (Scolytidae).....	<i>Dendrobium phalaenopsis</i> (orchid).....	1					Do.*
<b>Diseases:</b>							
<i>Pestalozzia</i> sp.....	<i>Cypripedium lowii giganteum</i> (orchid).....		1				D. C.
<b>BRAZIL</b>							
<b>Insects:</b>							
<i>Acrolophus</i> sp. (Acrolophidae).....	In orchid root.....				1		La.
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Citrus sinensis</i> (orange).....				1		Do.
Do.....	<i>Cucurbita pepo</i> (pumpkin).....				1		Md.
Anthomyiid.....	<i>Allium cepa</i> (onion).....				1		Pa.
Do.....	<i>Ananas sativus</i> .....				1		Do.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).....	<i>Enterolobium timbouwa</i> (timbo).....	1					N. Y.
Do.....	<i>Theobroma cacao</i> (cacao).....	1					Calif.*
<i>Asterolecanium bambusae</i> (Coccidae).....	Bamboo.....					1	La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Insects—Continued.							
<i>Brachymyrmex</i> sp. (ant).....	<i>Achras sapota</i> (sapodilla).....	---	---	1	---	---	N. Y.
<i>Bruchus</i> sp. (Bruchidae).....	<i>Acacia</i> sp.....	---	---	2	---	---	Fla.*
Calendrinae (Curculionidae).....	Orchid.....	---	---	1	---	---	N. Y.
Calendrinae (Curculionidae).....	<i>Scirpus</i> sp. (bulrush).....	1	---	---	---	---	La.
<i>Castnia</i> sp. (Castniidae).....	<i>Oncidium varicosum</i> (orchid).....	1	---	---	---	---	D. C.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Citrus sinensis</i> (orange).....	---	---	---	2	---	N. Y.
<i>Chrysomphalus personatus</i> (Coccidae).....	<i>Areca catechu</i> (betel palm).....	1	---	---	---	---	Pa.
Do.....	<i>Citrus sinensis</i> .....	---	---	---	1	---	La.
Do.....	do.....	---	---	---	---	2	N. Y.
<i>Coccotypes</i> sp. (Scolytidae).....	Palm seed.....	---	1	---	---	---	D. C.
<i>Coccus</i> sp. (Coccidae).....	<i>Lilium longiflorum</i> (Easter lily).....	---	---	1	---	---	Fla.*
Curculionid.....	<i>Achras sapota</i> (sapodilla).....	---	---	1	---	---	N. Y.
Do.....	<i>Araucaria imbricata</i> (monkey-puzzle).....	---	---	1	---	---	Do.
Do.....	<i>Couepia grandiflora</i> .....	1	---	---	---	---	Pa.
Do.....	<i>Enterolobium timbouva</i> (timbo).....	1	---	---	---	---	N. Y.
<i>Cylas formicarius</i> (sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....	---	---	---	---	2	Md.
Do.....	do.....	---	---	---	---	1	N. Y.
<i>Cyllene cayennensis</i> (Cerambycidae).....	<i>Serjania mexicana</i> (barbasco).....	1	---	---	---	---	Do.
<i>Diaspis echinocacti cacti</i> (Coccidae).....	Cactus.....	---	---	1	---	---	La.
<i>Dinoderus minutus</i> (Bostrichidae).....	<i>Serjania mexicana</i> .....	2	---	---	---	---	N. Y.
Do.....	<i>Typha</i> sp. (cattail).....	1	---	---	---	---	Do.
Elaterinae (Elateridae).....	<i>Lilium</i> sp.....	---	---	1	---	---	La.
<i>Euseceps batatae</i> (West Indian sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....	---	---	---	---	5	Do.
Do.....	do.....	---	---	---	---	2	N. Y.
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	2	Do.
Do.....	<i>Coffea</i> sp.....	---	---	1	---	---	La.
Do.....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Do.
Galeriinae (Pyralidae).....	<i>Licania rigida</i> (oiticia).....	1	---	---	---	---	N. Y.
<i>Gymnandrosoma</i> sp. (Olethreutidae).....	<i>Citrus sinensis</i> .....	---	---	---	---	1	La.
Do.....	do.....	---	---	---	---	1	N. Y.
<i>Hemichionaspis</i> sp. (Coccidae).....	<i>Citrus limonia</i> (lemon).....	---	---	---	---	1	Do.
Do.....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Do.
<i>Hippopsis</i> sp. (Cerambycidae).....	<i>Melaleuca</i> sp. (tea weed).....	---	---	---	1	---	La.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Ala.
<i>Ibidion</i> sp. (Cerambycidae).....	On wrapper around barbasco canes.....	1	---	---	---	---	N. Y.
<i>Lasioderma</i> sp. (Anobiidae).....	<i>Allium sativum</i> (garlic).....	---	---	---	---	1	La.
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Cucumis melo</i> (melon).....	---	---	---	---	1	N. Y.
Lyonetid.....	<i>Areca catechu</i> (betel palm).....	1	---	---	---	---	Pa.
<i>Monochamus</i> sp. (Cerambycidae).....	<i>Pinus</i> sp. (pine).....	---	---	1	---	---	N. Y.
<i>Monomorium</i> sp. (ant).....	<i>Saccharum officinarum</i> .....	---	---	1	---	---	La.
<i>Mordellistena</i> sp. (Mordellidae).....	Orchid.....	---	---	1	---	---	N. Y.
Olethreutid.....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Do.
Ortaliid.....	do.....	---	---	---	---	1	La.
<i>Parlatoria</i> sp. (Coccidae).....	<i>Citrus limonia</i> (lemon).....	---	---	---	---	1	N. Y.
Do.....	<i>Citrus sinensis</i> .....	---	---	---	---	2	Fla.*
Do.....	do.....	---	---	---	---	1	La.
Do.....	do.....	---	---	---	---	3	N. Y.
<i>Pectinophora gossypiella</i> (pink bollworm).....	<i>Gossypium</i> sp. (cotton) (sample).....	---	1	---	---	---	La.
Do.....	<i>Gossypium</i> sp. (cottonseed).....	---	---	2	---	---	Do.
<i>Pheidole</i> sp. (ant).....	Orchid.....	---	---	1	---	---	N. Y.
Phycitinae (Pyralidae).....	<i>Couepia grandiflora</i> .....	1	---	---	---	---	Pa.
Do.....	<i>Theobroma cacao</i> (cacao).....	1	---	---	---	---	N. Y.
<i>Pinnaspis buzi</i> (Coccidae).....	Palm.....	---	---	---	1	---	La.
<i>Platypus rugulosus</i> (Platypodidae).....	<i>Serjania mexicana</i> (barbasco).....	1	---	---	---	---	N. Y.
<i>Prolabia arachidis</i> (earwig).....	<i>Allium cepa</i> (onion).....	---	---	---	---	1	Pa.
Do.....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Tex.
<i>Pseudanidia articulatus</i> (rufous scale).....	do.....	---	---	---	---	2	N. Y.
<i>Pseudanidia trilobitiformis</i> (Coccidae).....	<i>Citrus limonia</i> (lemon).....	---	---	---	---	1	Fla.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Citrus sinensis</i> .....	---	---	---	---	1	Calif.*

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935 inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Insects—Continued.							
Pyrilid.....	<i>Scirpus</i> sp. (bulrush)	1					La.
<i>Pyralis</i> sp. (Pyrilidae).....	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
<i>Pyroderes</i> sp. (Cosmopterygidae).....	<i>Gossypium</i> sp. (cottonseed)			1			Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Enterolobium timbouwa</i> (timbo)	1					N. Y.
Do.....	Palm seed	1					Do.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Ananas sativus</i>					1	Pa.
<i>Synsina floridulus</i> (Miridae).....	Orchid				1		La.
<i>Tentherodes bicolor</i> (Miridae).....	<i>Cattleya schilleriana</i> (orchid)	1					Hawaii.*
<i>Tetraleuridis</i> sp. (whitefly)	<i>Citrus sinensis</i>					1	La.
<i>Tinea</i> sp. (Tineidae).....	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
Do.....	<i>Swietenia</i> sp. (mahogany)	1					Do.
Tortricid.....	Orchid				1		Do.
<i>Urophorus humeralis</i> (Nitidulidae).....	<i>Solanum tuberosum</i>					1	Calif.*
<i>Wasmannia auropunctata</i> (ant).....	Orchid			1			La.
<i>Xyleborus affinis</i> (Scolytidae).....	<i>Enterolobium timbouwa</i> (timbo)	1					N. Y.
<i>Xyleborus confusus</i> (Scolytidae).....	Reed bags containing coffee	1					Wash.
<i>Xyleborus</i> sp. (Scolytidae).....	<i>Enterolobium timbouwa</i> (timbo)	1					N. Y.
<i>Zabrotes subfasciatus</i> (Bruchidae).....	Bean					3	La.
Diseases:							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Ascochyta</i> sp.....	Cactus			1			Pa.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea capitata</i>					1	Do.
<i>Botrytis cinerea</i> .....	<i>Cucumis melo</i> (melon)					1	N. Y.
<i>Capnodium citri</i> .....	<i>Citrus sinensis</i>					1	Do.
<i>Cephaluros virescens</i> .....	<i>Citrus sinensis</i> (orange)					1	La.
<i>Colletotrichum</i> sp.....	<i>Cattleya labiata</i> (orchid)			1			N. Y.
Do.....	Orchid				2		La.
<i>Diplodia cacaocicola</i> .....	<i>Borassus flabellifer</i>		1				D. C.
<i>Diplodia natalensis</i> .....	<i>Cattleya labiata</i> (orchid)			1			N. Y.
Do.....	<i>Citrus limonia</i> (lemon)					1	Pa.
<i>Diplodia tubericola</i> .....	<i>Dioscorea</i> sp. (yam)					1	La.
Do.....	<i>Ipomoea batatas</i> (sweetpotato)					2	Do.
Do.....	do					1	Miss.
<i>Diplodia</i> sp.....	<i>Cattleya labiata</i> (orchid)				1		La.
Do.....	Unidentified root	1					N. Y.
<i>Epicoccum</i> sp.....	<i>Cattleya labiata</i>				1		La.
<i>Eurotium</i> sp.....	<i>Bertholletia nobilis</i> (Brazil nut)	1					N. Y.
Do.....	Unidentified seed	1					Do.
<i>Gloeosporium</i> sp.....	<i>Borassus flabellifer</i>		1				D. C.
Do.....	<i>Carica papaya</i> (papaya)					1	N. Y.
Do.....	<i>Cattleya labiata</i> (orchid)			1			Do.
Do.....	Orchid	1					D. C.
Do.....	do				3		La.
<i>Leprosia</i> (?).....	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Mycosphaerella brassicicola</i> .....	<i>Brassica oleracea botrytis</i> (broccoli)					1	N. Y.
<i>Mycosphaerella pinodes</i> .....	<i>Pisum sativum</i> (pea)					1	Do.
<i>Pestalozzia</i> sp.....	<i>Achras sapota</i> (sapodilla)			1			Do.
Do.....	<i>Licania rigida</i> (oiticea)	1					Do.
<i>Phoma destructiva</i> .....	<i>Lycopersicum esculentum</i>					1	La.
Do.....	do					1	N. Y.
<i>Phoma</i> sp.....	<i>Carica papaya</i> (papaya)					1	Do.
<i>Puccinia allii</i> .....	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Puccinia porri</i> .....	do					1	N. Y.
Do.....	do					1	Pa.
<i>Puccinia</i> sp.....	do					3	Md.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot)					1	Ala.
Do.....	do					1	N. Y.
<i>Sclerotinia</i> sp.....	<i>Ipomoea batatas</i> (sweetpotato)					1	Miss.
Do.....	<i>Daucus carota</i>					1	La.
<i>Sclerotium</i> sp.....	<i>Citrus</i> sp.					1	N. Y.
<i>Scolecocnectria</i> sp.....	do					1	Do.
<i>Septobasidium</i> sp.....	<i>Citrus aurantifolia</i> (lime)					2	Pa.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus limonia</i> (lemon)					2	Fla.*
Do.....	do					2	La.
Do.....	do					2	Md.
Do.....	do					1	N. Y.
Do.....	<i>Citrus sinensis</i> (orange)				1		La.
Do.....	do				1		Md.
Do.....	do				3		N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>BRAZIL—Continued</b>							
Diseases—Continued.							
<i>Sphaceloma</i> sp. ....	<i>Citrus limonia</i> (lemon) .....					1	N. Y.
Do .....	do .....					1	Pa.
Do .....	<i>Citrus sinensis</i> .....				2	1	La.
Do .....	do .....					2	N. Y.
<i>Stilbum</i> sp. ....	Palm .....				1		Pa.
<i>Tetractum</i> sp. ....	<i>Citrus</i> sp. ....					1	N. Y.
<b>BRITISH COLUMBIA</b>							
Insects:							
<i>Agromyza</i> sp. (Agromyzidae) .....	<i>Ilex aquifolium</i> (English holly) .....		1				Calif.*
<i>Coccus</i> sp. (Coccidae) .....	<i>Ilex</i> sp. (holly) .....		1				Do.*
Curculionid .....	<i>Salix discolor</i> (pussy willow) .....		1				Do.*
<i>Merodon</i> sp. (Syrphidae) .....	<i>Narcissus</i> sp. ....	1					Wash.
<i>Myzus</i> sp. (aphid) .....	<i>Onosma</i> sp. ....	1					Do.
Sciarid .....	In soil around Scotch broom .....			1			Do.
<i>Tipula</i> sp. (Tipulidae) .....	<i>Erigeron</i> sp. ....		1				Calif.*
<b>BRITISH GUIANA</b>							
Insects:							
Aegeriid .....	<i>Gustavia</i> sp. ....		1				D. C.
<i>Amblycerus</i> sp. (Bruchidae) .....	<i>Combretum</i> sp. ....		1				Do.
<i>Aracercus fasciculatus</i> (coffee-bean weevil) .....	<i>Ipomoea batatas</i> (sweetpotato) .....		1				Do.
Blastobasid .....	<i>Hippomane mancinella</i> .....		1				Do.
<i>Coccotrypes</i> sp. (Scolytidae) .....	<i>Dolichos</i> sp. ....		1				Do.
<i>Euseceps batatae</i> (West Indian sweetpotato weevil) .....	<i>Ipomoea batatas</i> (sweetpotato) .....		1				Do.
<i>Hemichionaspis minor strachani</i> (Coccidae) .....	<i>Obignya speciosa</i> .....		1				Do.
<i>Lophocateres pusillus</i> (Siamese grain beetle) .....	Dry plant specimen .....	1					Do.
<i>Monopis</i> sp. (Tineidae) .....	do .....	1					Do.
<i>Protopulvinaria pyriformis</i> (Coccidae) .....	<i>Furcraea tuberosa</i> .....		1				Do.
<i>Pseudoanidia articulatus</i> (rufous scale) .....	<i>Citrus sinensis</i> (orange) .....				1		Tex.
<i>Rhizoglyphus</i> sp. (mite) .....	<i>Allium sativum</i> (garlic) .....	1					N. Y.
<i>Tinea</i> sp. (Tineidae) .....	Dry plant specimen .....	1					D. C.
Diseases:							
<i>Diplodia cacaoicola</i> .....	<i>Banisteriopsis</i> sp. ....		1				Do.
<i>Macrophoma</i> sp. ....	<i>Securidaca</i> sp. ....		1				Do.
<b>BRITISH HONDURAS</b>							
Insects:							
Blastobasid .....	<i>Annona muricata</i> (soursop) .....		1				La.
Do .....	<i>Persea americana</i> (avocado) .....		1				Do.
<i>Camponotus</i> sp. (ant) .....	Banana debris .....	6					S. C.
Do .....	<i>Musa</i> sp. (banana) .....	8					Do.
<i>Chrysomphalus personatus</i> (Coccidae) .....	Leaf .....		1				La.
<i>Coccotrypes</i> sp. (Scolytidae) .....	<i>Persea americana</i> .....		1				Do.
<i>Crematogaster</i> sp. (ant) .....	<i>Musa</i> sp. (banana) .....	1					S. C.
<i>Cycloptilum contectum</i> (Gryllidae) .....	Banana debris .....	1					Pa.
<i>Cycloptilum</i> sp. (Gryllidae) .....	do .....	1					S. C.
<i>Dolichoderus</i> sp. (ant) .....	do .....	1					La.
Do .....	<i>Musa</i> sp. (banana) .....	1					S. C.
<i>Galgupha punctifer</i> (Cynidae) .....	Banana debris .....	1					Do.
<i>Lepidosaphes carinata</i> (Coccidae) .....	Leaf .....		1				La.
<i>Loxelus trapeziderus</i> (Tenebrionidae) .....	<i>Musa</i> sp. (banana) .....	1					S. C.
Lyonetiid .....	Banana debris .....	1					Pa.
<i>Prenolepis</i> sp. (ant) .....	<i>Musa</i> sp. (banana) .....	2					S. C.
<i>Pseudoanidia articulatus</i> (rufous scale) .....	<i>Citrus grandis</i> (grapefruit) .....			1			N. Y.
Sciarid .....	Packing around palm seed .....		1				Calif.*
<i>Telephanus setulosus</i> (Cucujidae) .....	Banana debris .....	1					S. C.
Do .....	<i>Musa</i> sp. (banana) .....	2					Do.
<i>Tinea</i> sp. (Tineidae) .....	do .....	1					La.
Tingitid .....	do .....	1					S. C.
<i>Tipula</i> sp. (Tipulidae) .....	Banana debris .....	1					La.
Zygopinae (Curculionidae) .....	Unidentified nut .....		1				Do.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>BRITISH HONDURAS—Continued</b>							
Diseases:							
<i>Acremonia</i> sp. ....	<i>Holcus sorghum</i> var. (broom-corn).....		1				Calif.*
<i>Diplodia natalensis</i> .....	<i>Citrus grandis</i> (grapefruit).....			1			N. Y.
<i>Meliola</i> sp. ....	Rutaceae.....		1				La.
<b>BRITISH WEST INDIES</b>							
Insects:							
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	1					N. Y.
<i>Coccotrypes thrinacis</i> (Scolytidae).....	<i>Sabal glaucescens</i> (palm).....		1				D. C.
<i>Coccus viridis</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	1					N. Y.
Do.....	<i>Citrus</i> sp.....				1		Do.
Galleriinae (Pyrilidae).....	<i>Cassia fistula</i> (golden-shower).....			1			Do.
<i>Parlatoria</i> sp. (Coccidae).....	<i>Citrus limonia</i> (lemon).....				1		Do.
Do.....	<i>Citrus</i> sp.....				1		Do.
<i>Prenelepis</i> sp. (ant).....	<i>Izora coccinea</i> .....			1			Do.
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> .....	9					Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....				1		Ala.
Do.....	<i>Coffea</i> sp.....				1		N. Y.
Do.....	<i>Theobroma cacao</i> (cacao).....				1		Do.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Oncidium sprucei</i> (orchid).....		1				Hawaii.*
<i>Targionia hartii</i> (Coccidae).....	<i>Dioscorea</i> sp. (yam).....			1	1		N. Y.
Diseases:							
<i>Diplodia cacaoicola</i> .....	<i>Achras sapota</i> (sapodilla).....				1		Do.
Do.....	<i>Saccharum officinarum</i> .....			1			Do.
<i>Diplodia tubericola</i> .....	<i>Dioscorea</i> sp. (yam).....			1			Do.
<i>Gloeosporium</i> sp.....	Cactus.....			1			Do.
<i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i> .....			3			Do.
<i>Oospora citri aurantii</i> .....	<i>Citrus aurantifolia</i> .....				1		Ala.
<i>Phoma</i> sp.....	<i>Daucus carota</i> (carrot).....				1		N. Y.
<i>Phyllosticta divergens</i> .....	<i>Albizia lebbek</i> (lebbek).....				1		Do.
<i>Phyllosticta</i> sp.....	<i>Annona</i> sp.....				1		Do.
<i>Thielaviopsis paradoxa</i> .....	<i>Saccharum officinarum</i> .....			2			Do.
<b>BULGARIA</b>							
Insects: Trypetid.....							
<i>Lonicera nitida</i> .....	<i>Lonicera nitida</i> .....		1				D. C.
Diseases: <i>Coniothyrium</i> sp.....							
<i>Cornus mas</i> (cornelian cherry).....	<i>Cornus mas</i> (cornelian cherry).....		1				Wash.
<b>BURMA</b>							
Diseases: <i>Eurotium</i> sp.....							
<i>Crinum</i> sp.....	<i>Crinum</i> sp.....	1					D. C.
<b>CANADA</b>							
Insects:							
<i>Brachyrhinus ovatus</i> (Curculionidae).....	In packing around <i>Arnica</i> sp.....		1				Do.
<i>Brachyrhinus sulcatus</i> (black vine weevil).....	<i>Picea</i> sp. (spruce).....			1			Mass.
Cecidomyiid.....	<i>Tamarix</i> sp. (estwater).....	1					Hawaii.*
Cercopid.....	<i>Fragaria</i> sp. (strawberry).....	2					Calif.*
<i>Chionaspis pinifoliae</i> (pine needle scale).....	<i>Pinus strobus</i> (white pine).....		1				Mich.
<i>Crophius</i> sp. (Lygaeidae).....	<i>Aster</i> sp.....		1				Calif.*
<i>Dialeurodes chittendeni</i> (rhododendron whitefly).....	<i>Rhododendron</i> sp.....		1				Wash.
<i>Gelechia</i> sp. (Gelechiidae).....	<i>Salix discolor</i> (pussy willow).....		1				Calif.*
Geometrid.....	In soil around roots of ever-green tree.....			1			Mass.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Brassica rapa</i> (turnip).....				2		La.
Do.....	do.....				1		Pa.
<i>Merodon</i> sp. (Syrphidae).....	<i>Narcissus</i> sp.....			1			Wash.
Noctuid.....	<i>Aster</i> sp.....		1				Calif.*
Do.....	In soil around roots of ever-green tree.....			1			Mass.
<i>Phytomyza</i> sp. (Agromyzidae).....	<i>Ilex</i> sp. (holly).....		1				Calif.*
Rhynchitini (Curculionidae).....	<i>Rosa</i> sp.....		1				D. C.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Aconitum fischeri wilsoni</i> .....	1					Hawaii.*
Do.....	<i>Gypsophila</i> sp. (Bristol fairy).....	1					Do.*
Do.....	<i>Tritonia</i> sp.....	1					Do.*
Scolytid.....	<i>Picea</i> sp. (spruce).....			1			Mass.
Tetranychid.....	<i>Salix</i> sp.....		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarrels	Stores	
CANADA—Continued							
Insects—Continued.							
<i>Tipula</i> sp. (Tipulidae).....	In packing around roots of ginseng and golden seal.		1				D. C.
Do.....	Moss packing	1					Mich.
Tipulid.....	<i>Hypericum</i> sp. (St. Johnswort)	1					Hawaii.*
Diseases:							
<i>Chrysomya piperiana</i> .....	<i>Rhododendron</i> sp.	1					Wash.
<i>Oospora</i> sp.....	<i>Daucus carota</i> (carrot)				1		Ala.
<i>Puccinia graminis</i> .....	<i>Berberis</i> sp. (barberry)		1				Ill.
<i>Sclerotinia gladioli</i> .....	<i>Gladiolus</i> sp.		1				D. C.
<i>Sclerotinia sclerotiorum</i> .....	<i>Beta vulgaris</i> (beet)				1		Pa.
Do.....	<i>Daucus carota</i>				1		La.
<i>Verticillium albo-atrum</i> .....	<i>Dahlia</i> sp.		46			1	D. C.
CANAL ZONE							
Insects:							
<i>Adetus</i> sp. (Euglenidae).....	Banana debris	1					N. Y.
<i>Araceus fasciculatus</i> (coffee-bean weevil).....	<i>Zingiber officinale</i> (ginger)		2				Do.
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Chaetospermum glutinosum</i>		1				D. C.
<i>Aulacaspis major</i> (Coccidae).....	<i>Dracontometum sinense</i>		1				Do.
<i>Brachymyrmex</i> sp. (ant).....	Banana debris	1					N. Y.
<i>Camponotus</i> sp. (ant).....	do	2					Do.
Do.....	<i>Musa</i> sp. (banana)	8					Calif.*
Do.....	do	2					N. Y.
Chloropid.....	do	1					Do.
<i>Chrysomphalus perseae</i> (Coccidae).....	do	1					Calif.*
Cicadellid.....	do	1					N. Y.
<i>Crematogaster</i> sp. (ant).....	Banana debris	1					Do.
Do.....	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Cyphomyrmex rimosus minutus</i> (ant).....	<i>Anthurium holtonianum</i>	1					Hawaii.*
<i>Discocephala humilis</i> (Pentatomidae).....	<i>Musa</i> sp. (banana)	3					Calif.*
<i>Dolichoderus debilis</i> (ant).....	Banana debris	1					N. Y.
<i>Doliema</i> sp. (Tenebrionidae).....	<i>Guaiacum officinale</i> (lignum vitae).	1					Do.
Elaterid.....	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Carica papaya</i> (papaya)				1		Pa.
<i>Furcaspis biformis</i> (Coccidae).....	<i>Oncidium panamense</i> (orchid)	1					Hawaii.*
Gelechiid.....	<i>Stanhopea bucephalus</i> (orchid)	1					Do.*
<i>Lobiopa</i> sp. (Nitidulidae).....	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Metamasius sericeus</i> (silky cane weevil).....	Banana debris	1					N. Y.
Do.....	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Monomorium carbonarium</i> var. (ant).....	Banana debris	1					N. Y.
Noctuid.....	Fern			1			Do.
<i>Paralloeiplosis cattleyae</i> (cattleya midge).....	<i>Cattleya deckeri</i> (orchid)		2				Hawaii.*
<i>Paratenetus</i> sp. (Tenebrionidae).....	<i>Musa</i> sp. (banana)	1					N. Y.
Pentatomid.....	<i>Gongora maculata</i> (orchid)	1					Hawaii.*
Phycitinae (Pyralidae).....	<i>Carum carvi</i> (caraway)		1				D. C.
<i>Prenolepis</i> sp. (ant).....	<i>Peristeria elata</i> (Holy-ghost-flower).		1				Hawaii.*
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus grandis</i> (grapefruit)					2	N. Y.
Do.....	<i>Citrus limonia</i> (lemon)				1		Calif.*
Do.....	do					1	Fla.*
<i>Pseudischnaspis bowreyi</i> (Coccidae).....	<i>Oncidium ampliatum</i> (orchid)	1					Hawaii.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Carica papaya</i> (papaya)				1		Calif.*
Do.....	<i>Musa</i> sp. (banana)	1					Do.*
<i>Pseudomyrma gracilis</i> var. (ant).....	<i>Oncidium ampliatum majus</i> (orchid).	1					Hawaii.*
<i>Soronia</i> sp. (Nitidulidae).....	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Senispa</i> sp. (Chrysomelidae).....	do	1					Do.*
<i>Stephanoderes guatemalensis</i> (Scolytidae).....	do	1					La.
<i>Stephanoderes</i> sp. (Scolytidae).....	<i>Tectona grandis</i> (teak)		1				Hawaii.*
<i>Sternochetus mangiferae</i> (mango weevil).....	<i>Mangifera indica</i> (mango)					1	La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CANAL ZONE—Continued							
Insects—Continued.							
<i>Telephanus</i> sp. (Cucujidae).....	Banana debris.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					La.
<i>Toxotrypana curvicauda</i> (papaya fruit fly).....	<i>Carica papaya</i> (papaya).....					1	N. Y.
<i>Triglyphothrix</i> sp. (ant).....	<i>Epidendrum atropurpureum</i> (orchid).....	1					Hawaii.*
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Cinnamomum zeylanicum</i> (cinnamon).....		1				N. Y.
Do.....	<i>Epidendrum stamfordianum</i> (orchid).....	1					Hawaii.*
<i>Wasmannia auropunctata</i> (ant).....	<i>Anthurium holtonianum</i> .....	1					Do.*
Do.....	Orchid (several genera).....	5					Do.*
<i>Xestocoris collinus</i> (Lygaeidae).....	<i>Stanhopea bucephalus</i> (orchid).....	1					Do.*
<i>Xyleborus</i> sp. (Scolytidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
Diseases:							
<i>Capnodium citri</i> .....	<i>Citrus limonia</i> (lemon).....					1	Pa.
<i>Diplocarpon rosae</i> .....	<i>Rosa</i> sp.....			1			N. Y.
<i>Diplodia cacaoicola</i> .....	<i>Citrus sinensis</i> (orange).....				1		Pa.
<i>Gloeosporium limeticolum</i> .....	<i>Citrus aurantifolia</i> (lime).....					1	Fla.*
<i>Hexameris</i> (?) sp.....	Unknown insect in <i>Eugenia</i> seed.....		1				D. C.
<i>Pythium</i> sp.....	<i>Daucus carota</i> (carrot).....					1	Ala.
<i>Sclerotinia sclerotiorum</i> .....	do.....					1	Do.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus sinensis</i> (orange).....		1				N. Y.
<i>Sphaceloma</i> sp.....	<i>Citrus grandis</i> (grapefruit).....					1	Do.
<i>Thielaviopsis paradoxa</i> .....	<i>Ananas sativus</i> .....					1	Pa.
CANARY ISLANDS							
Insects:							
Anthomyiid.....	<i>Brassica rapa</i> (turnip).....					1	Do.
Chloropid.....	do.....					1	Do.
<i>Gnorimoschema</i> sp. (Gelechiidae).....	<i>Lycopersicum esculentum</i> .....	1					N. Y.
<i>Targionia bromeliae</i> (Coccidae).....	<i>Ananas sativus</i> .....					2	Do.
Diseases:							
<i>Bacterium vesicatorium</i> .....	<i>Lycopersicum esculentum</i> .....					1	Do.
<i>Cladosporium fulvum</i> .....	do.....					1	Do.
<i>Oospora lactis parasitica</i> .....	do.....					1	Do.
<i>Phoma</i> sp.....	do.....	1					Do.
<i>Sclerotinia</i> sp.....	<i>Phaseolus</i> sp. (string bean).....					1	Do.
CENTRAL AMERICA							
Insects:							
<i>Aeolus pulchellus</i> (Elateridae).....	Banana debris.....	1					N. Y.
<i>Camponotus angulatus</i> (ant).....	do.....	2					Do.
<i>Camponotus</i> sp. (ant).....	do.....	6					Do.
<i>Crematogaster</i> sp. (ant).....	do.....	1					Do.
<i>Metamasius sericeus</i> (silkly cane weevil).....	do.....	1					Do.
<i>Paratenetus</i> sp. (Tenebrionidae).....	do.....	6					Do.
<i>Platynota</i> sp. (Tortricidae).....	do.....	1					Do.
Psychid.....	do.....	2					Do.
<i>Telephanus setulosus</i> (Cucujidae).....	do.....	3					Do.
Tineid.....	do.....	1					Do.
<i>Urophorus humeralis</i> (Nitidulidae).....	<i>Capparis</i> sp.....	1					Hawaii.*
Diseases: <i>Gloeosporium</i> sp.....							
	Orchid.....	1		1			N. Y.
CHILE							
Insects:							
<i>Blapstinus</i> sp. (Tenebrionidae).....	<i>Cucumis melo</i> (melon).....	2					Do.
<i>Cathartus</i> sp. (Cucujidae).....	<i>Allium sativum</i> (garlic).....	1					Do.
<i>Chaetopsis</i> sp. (Ortaliidae).....	do.....	1					Do.
Curculionid.....	<i>Juania australis</i> .....		1				D. C.
<i>Grapholitha</i> sp. (Olethreutidae).....	<i>Amygdalus persica nectarina</i> (nectarine).....	1					N. Y.
<i>Leptoglossus chilensis</i> (Coreidae).....	<i>Vitis</i> sp. (grape).....	1					Do.
<i>Leucopis</i> sp. (Agromyzidae).....	<i>Amygdalus persica</i> (peach).....			1			Do.
<i>Listrodres</i> sp. (Curculionidae).....	<i>Cucumis melo</i> (melon).....	2					Do.
<i>Megalometis chiliensis</i> (Curculionidae).....	<i>Amygdalus persica nectarina</i> (nectarine).....	1					Do.
<i>Microgryllus pallipes</i> (Gryllidae).....	<i>Cucumis melo</i> .....	1					Do.
<i>Myzus</i> sp. (aphid).....	<i>Mentha</i> sp. (mint).....					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHILE—Continued							
Insects—Continued.							
Noctuid.....	<i>Asparagus</i> sp.....	1	.....	.....	.....	.....	N. Y.
Do.....	<i>Mentha</i> sp. (mint).....	.....	.....	.....	.....	1	Do.
Olethreutid.....	<i>Amygdalus persica nectarina</i> .....	2	.....	.....	.....	.....	Do.
Do.....	<i>Prunus domestica</i> (plum).....	1	.....	.....	.....	.....	Do.
Do.....	<i>Vitis</i> sp. (grape).....	1	.....	.....	.....	.....	Do.
Pentatomid.....	<i>Amygdalus persica</i> (peach).....	1	.....	.....	.....	.....	Do.
<i>Prenolepis</i> sp. (ant).....	do.....	1	.....	.....	.....	.....	Do.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Amygdalus persica nectarina</i> .....	1	.....	.....	.....	.....	Do.
Do.....	<i>Mentha</i> sp. (mint).....	.....	.....	.....	.....	1	Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....	2	.....	.....	.....	.....	Do.
Do.....	<i>Allium sativum</i> (garlic).....	2	.....	.....	.....	.....	Do.
Tenebrionid.....	<i>Cucumis melo</i> (melon).....	1	.....	.....	.....	.....	Do.
Tetranychid.....	<i>Amygdalus persica nectarina</i> (nectarine).....	1	.....	.....	.....	.....	Do.
<i>Tinea</i> sp. (Tineidae).....	<i>Allium sativum</i> (garlic).....	1	.....	.....	.....	.....	Do.
Tetrichid.....	<i>Amygdalus persica nectarina</i> .....	2	.....	.....	.....	.....	Do.
<i>Tycthius</i> sp. (Curculionidae).....	<i>Amygdalus persica</i> (peach).....	1	.....	.....	.....	.....	Do.
Do.....	<i>Amygdalus persica nectarina</i> .....	2	.....	.....	.....	.....	Do.
Diseases:							
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower).....	.....	.....	.....	.....	1	Do.
<i>Botrytis cinerea</i> .....	<i>Amygdalus persica</i> (peach).....	1	.....	.....	.....	.....	Do.
<i>Cladosporium aphidis</i> .....	Scale on nectarine.....	1	.....	.....	.....	.....	Do.
<i>Cladosporium carpophilum</i> .....	<i>Amygdalus persica</i> .....	1	.....	1	.....	.....	Do.
Do.....	<i>Prunus armeniaca</i> (apricot).....	4	.....	.....	.....	.....	Do.
<i>Dematium pullulans</i> .....	<i>Prunus communis</i> (plum).....	1	.....	.....	.....	.....	Do.
Erinose.....	<i>Amygdalus persica nectarina</i> (nectarine).....	4	.....	.....	.....	.....	Do.
<i>Heterosporium allii</i> .....	<i>Allium cepa</i> (onion).....	1	.....	.....	.....	.....	Do.
Do.....	<i>Allium sativum</i> (garlic).....	2	.....	.....	.....	.....	Do.
<i>Heterosporium</i> sp.....	<i>Allium cepa</i> (onion).....	.....	.....	.....	.....	1	Do.
Do.....	<i>Allium sativum</i> (garlic).....	1	.....	.....	.....	.....	Do.
<i>Macrosporium cucumerinum</i> .....	<i>Cucumis melo</i> (melon).....	4	.....	.....	.....	.....	Do.
<i>Mycosphaerella pinodes</i> .....	<i>Pisum sativum</i> (pea).....	1	.....	.....	.....	.....	Do.
<i>Oidium</i> sp.....	<i>Rosa</i> sp.....	.....	.....	1	.....	.....	Do.
<i>Penicillium glaucum</i> .....	<i>Amygdalus persica nectarina</i> (nectarine).....	1	.....	.....	.....	.....	Do.
<i>Phoma</i> sp.....	<i>Prunus armeniaca</i> (apricot).....	1	.....	.....	.....	.....	Do.
<i>Phragmidium</i> sp.....	<i>Rosa</i> sp.....	.....	.....	1	.....	.....	Do.
<i>Puccinia paragmitis</i> .....	<i>Phragmites communis</i> (reed-grass).....	1	.....	.....	.....	.....	Do.
<i>Puccinia</i> sp.....	<i>Triticum aestivum</i> (wheat).....	1	.....	.....	.....	.....	Do.
<i>Sclerotium bataticola</i> .....	<i>Cucumis melo</i> (melon).....	3	.....	.....	.....	.....	Do.
Do.....	<i>Cucumis melo</i> var. (honeydew melon).....	1	.....	.....	.....	.....	Do.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....	.....	.....	.....	.....	1	Do.
<i>Thielavia</i> sp.....	<i>Allium sativum</i> (garlic).....	1	.....	.....	.....	.....	Do.
CHINA							
Insects:							
<i>Alphitobius</i> sp. (Tenebrionidae).....	<i>Pueraria thunbergiana</i> (kudzu).....	1	.....	.....	.....	.....	Mass.
Anthomyiid.....	<i>Eleocharis tuberosa</i> (waternut).....	1	.....	.....	.....	.....	N. Y.
<i>Anthrenus</i> sp. (Dermestidae).....	<i>Raphanus sativus</i> (radish).....	.....	1	.....	.....	.....	Hawaii.*
<i>Aphomia gularis</i> (Pyralidae).....	On bag of sesame seed.....	1	.....	.....	.....	.....	N. Y.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).....	<i>Citrus sinensis</i> (orange).....	1	.....	.....	.....	.....	Do.
Do.....	<i>Solanum tuberosum</i> .....	.....	.....	1	.....	.....	Calif.*
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Albizia julibrissin</i> (silk tree).....	.....	1	.....	.....	.....	D. C.
<i>Bruchophagus gibbus</i> (Eurytomidae).....	<i>Medicago sativa</i> (alfalfa).....	1	.....	.....	.....	.....	Do.
<i>Chilo simplex</i> (Asiatic rice borer).....	Rice straw used as packing.....	1	.....	.....	.....	.....	Do.
Do.....	do.....	1	.....	.....	.....	.....	Md.
Do.....	do.....	3	.....	.....	.....	.....	N. Y.
Do.....	do.....	.....	1	.....	.....	.....	Pa.
Chloropid.....	<i>Lilium</i> sp.....	1	.....	.....	.....	.....	Mass.
Do.....	<i>Pueraria thunbergiana</i> (kudzu).....	1	.....	.....	.....	.....	Do.
Chrysauszinae (Pyralidae).....	<i>Ilex</i> sp.....	.....	1	.....	.....	.....	Calif.*
<i>Coleophora</i> sp. (Coleophoridae).....	<i>Boehmeria nivea</i> (Chinese silk plant).....	.....	1	.....	.....	.....	Do.*
Do.....	<i>Castanea mollissima</i> (chestnut).....	1	.....	.....	.....	.....	D. C.
<i>Coptotermes</i> sp. (termite).....	Bamboo.....	1	.....	.....	.....	.....	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued.							
Insects—Continued.							
<i>Curculio</i> sp. (Curculionidae).....	<i>Castanea henryi</i> (pearl chestnut).	1					D. C.
Do.....	<i>Castanea mollissima</i> (hairy chestnut).	1					Do.
Do.....	<i>Castanea seguinii</i> (wild chestnut).	1					Do.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato).			1			Wash.
<i>Desmometopa</i> sp. (Agromyzidae)....	<i>Colocasia esculenta</i> (taro).....	1					Mass.
Do.....	<i>Eleocharis tuberosa</i> (waternut).....	1					Do.
Do.....	do.....	1					N. Y.
Do.....	<i>Lilium</i> sp.....	1					Do.
Do.....	<i>Zingiber officinale</i> (ginger).....	1					Do.
<i>Eriococcus kaki</i> (Coccidae).....	<i>Diospyros kaki</i> (kaki persimmon).	2					D. C.
<i>Fiorinia florinae</i> (Coccidae).....	Palm.....				1		Calif.*
<i>Gryllus</i> sp. (Gryllidae).....	In case with <i>Aglaonema canes</i> .....	1					D. C.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Eleocharis tuberosa</i> .....	1					N. Y.
<i>Laemophloeus</i> sp. (Cucujidae).....	<i>Collococcus</i> sp.....		1				Calif.*
<i>Lophoctrus pusillus</i> (Siamese grain beetle).	<i>Oryza sativa</i> (paddy rice).....	1					Pa.
<i>Monarthrum</i> sp. (Scolytidae).....	<i>Collinococcus</i> sp.....		1				Calif.*
<i>Morganella maskelli</i> (Coccidae).....	<i>Citrus grandis</i> (pomelo).....			1			Do.*
<i>Myrmecophila quadrispina</i> (Gryllidae).	In soil around plants.....			1			Wash.
Noctuid.....	<i>Aglaonema</i> sp.....	1					Calif.*
Do.....	<i>Colocasia esculenta</i> (taro).....	1					Do.*
Olethreutid.....	<i>Sapindus</i> sp.....		1				D. C.
Ortalid.....	<i>Eleocharis tuberosa</i> (waternut).....	1					Mass.
<i>Paratenodera sinensis</i> (Chinese mantis).	<i>Euonymus</i> sp.....				1		Calif.*
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus grandis</i> (pomelo).....		1	3		45	Do.*
Do.....	do.....					1	La.
Do.....	do.....					1	N. Y.
Do.....	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					1	Calif.*
Do.....	<i>Citrus sinensis</i> (orange).....			2			Do.*
Do.....	do.....			1			Wash.
<i>Parlatoria</i> sp. (Coccidae).....	<i>Coelogyne flaccida</i> (orchid).....			1			Hawaii.*
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (cottonseed).....		1	1			D. C.
Do.....	do.....	1					Md.
Do.....	<i>Gossypium</i> sp. (cotton) (boll).....	1					N. Y.
Do.....	<i>Aglaonema</i> sp.....		1	1			Pa.
<i>Phaulothrips</i> sp. (thrips).....	<i>Eleocharis tuberosa</i> (waternut).....	1					Wash.
<i>Pheidole</i> sp. (ant).....	Palm.....				1		Mass.
<i>Phenacaspis</i> sp. (Coccidae).....	<i>Litchi chinensis</i> (lychee).....	1					Calif.*
Phycitinae (Pyralidae).....	<i>Eleocharis tuberosa</i> .....	2					Hawaii.*
<i>Prolabia arachidis</i> (earwig).....	<i>Citrus grandis</i> (pomelo).....					1	N. Y.
<i>Pseudonidia duplex</i> (camphor scale).	<i>Citrus sinensis</i> (orange).....					1	Calif.*
Do.....	<i>Aglaonema</i> sp.....	6					Do.*
<i>Pseudococcus comstocki</i> (Coccidae).....	<i>Aglaonema costatum</i> .....	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Allium cepa</i> (onion).....	1	1				D. C.
Pyraustinae (Pyralidae).....	<i>Castanea mollissima</i> (hairy chestnut).	1					Do.
Do.....	<i>Castanea</i> sp. (chestnut).....	2					Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Colocasia esculenta</i> (taro).....	1					Mass.
Do.....	do.....	2					N. Y.
Do.....	<i>Eleocharis tuberosa</i> (waternut).....	1					Calif.*
Do.....	do.....	5					Mass.
Do.....	do.....	12					N. Y.
Do.....	<i>Lilium</i> sp.....	1					Mass.
Do.....	do.....	1					N. Y.
Do.....	<i>Pueraria thunbergiana</i> (kudzu).....	1					Mass.
Do.....	do.....	1					N. Y.
Do.....	<i>Sagittaria sagittifolia</i> (old-world arrowhead).	1					Do.
Do.....	<i>Zingiber officinale</i> (ginger).....	1					Do.
<i>Rhynchites</i> sp. (Curculionidae).....	<i>Sorbus</i> sp.....		1				D. C.
<i>Schoenobius bipunctifer</i> (Pyralidae).....	<i>Oryza sativa</i> (rice).....	1					Md.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued.							
Insects—Continued.							
<i>Sciara</i> sp. (Mycetophilidae) .....	<i>Castanea</i> sp. (chestnut) .....	1					D. C.
Do .....	<i>Colocasia esculenta</i> (taro) .....	1					N. Y.
Do .....	do .....	1					Wash.
Do .....	<i>Dendrobium</i> sp. (orchid) .....			1			Hawaii.*
Do .....	<i>Eleocharis tuberosa</i> (waternut) .....	1					N. Y.
Do .....	<i>Lilium</i> sp. ....	2					Mass.
Do .....	do .....	3					N. Y.
Do .....	<i>Nymphaea</i> sp. (waterlily) .....	1					Oreg.
Do .....	<i>Trapa bicornis</i> (water caltrop) .....	1					Mass.
Do .....	<i>Zingiber officinale</i> (ginger) .....	2					N. Y.
<i>Stephanoderes</i> sp. (Scolytidae) .....	Medicinal herb .....			1			Hawaii.*
Tetranychid .....	<i>Eleocharis tuberosa</i> (waternut) .....	1					N. Y.
Do .....	<i>Saccharum officinarum</i> .....			1			Wash.
<i>Tinea</i> sp. (Tineidae) .....	<i>Allium sativum</i> (garlic) .....					1	Do.
<i>Tythothimus rufotestaceus</i> (Curculionidae) .....	<i>Eleocharis tuberosa</i> (waternut) .....	1					N. Y.
Diseases:							
<i>Acrospira mirabilis</i> .....	<i>Castanea mollissima</i> (hairy chestnut) .....	1					D. C.
Do .....	<i>Castanea</i> sp. (chestnut) .....	1					Do.
<i>Alternaria citri</i> .....	<i>Citrus grandis</i> (pomelo) .....					1	Calif.*
<i>Aphelenchoides parietinus</i> .....	<i>Aglaonema</i> sp. ....	1					D. C.
Do .....	<i>Castanea henryi</i> .....	1					Do.
Do .....	<i>Castanea mollissima</i> (hairy chestnut) .....	1					Do.
Do .....	<i>Colocasia esculenta</i> (taro) .....	1					Mass.
Do .....	<i>Eleocharis tuberosa</i> (waternut) .....	1					N. Y.
Do .....	<i>Zingiber officinale</i> (ginger) .....	1					Mass.
Do .....	do .....	3					N. Y.
Do .....	do .....	1					Pa.
<i>Bacterium citri</i> .....	<i>Citrus grandis</i> (pomelo) .....					7	Calif.*
Do .....	<i>Citrus sinensis</i> (orange) .....			1		1	Do.*
<i>Bacterium maculicolum</i> (?) .....	<i>Brassica pekinensis</i> (Chinese cabbage) .....					1	Wash.
<i>Ceratostomella adiposum</i> .....	<i>Eleocharis tuberosa</i> .....	10					Mass.
Do .....	do .....	3					Mich.
Do .....	do .....	32					N. Y.
Do .....	do .....	1					Pa.
Do .....	do .....	1					Wash.
Do .....	<i>Pueraria thunbergiana</i> (kudzu) .....	2					N. Y.
<i>Coniothyrium</i> sp. ....	<i>Castanea mollissima</i> (hairy chestnut) .....	1					D. C.
<i>Cryptostictis</i> sp. ....	<i>Paeonia moutan</i> (peony) .....		1				Wash.
<i>Diplodia cacaoicola</i> .....	<i>Castanea henryi</i> .....	1					D. C.
Do .....	<i>Castanea mollissima</i> (hairy chestnut) .....	1					Do.
Do .....	<i>Castanea</i> sp. (chestnut) .....	1					Do.
<i>Diplodia tubericola</i> .....	<i>Colocasia esculenta</i> (taro) .....	1					Mich.
<i>Epicoccum</i> sp. ....	<i>Eleocharis tuberosa</i> (waternut) .....	1					N. Y.
<i>Eurcium</i> sp. ....	<i>Pueraria thunbergiana</i> (kudzu) .....	1					Mass.
<i>Gloeosporium</i> sp. ....	<i>Aglaonema</i> sp. ....			1			Wash.
<i>Helminthosporium</i> sp. ....	<i>Oryza sativa</i> (paddy rice) .....	1					Pa.
<i>Leptothyrium pomi</i> .....	<i>Citrus grandis</i> (pomelo) .....					1	Md.
<i>Meliola</i> sp. ....	do .....					1	Do.
<i>Mycosphaerella moutan</i> .....	<i>Paeonia moutan</i> (peony) .....		4				Wash.
<i>Phoma citricarpa</i> .....	<i>Citrus grandis</i> (pomelo) .....					1	Calif.*
Do .....	<i>Citrus nobilis</i> .....			2			Wash.
Do .....	<i>Citrus sinensis</i> (orange) .....			1			Do.
<i>Phyllosticta</i> sp. ....	<i>Aspidistra</i> sp. ....				1		Do.
Do .....	<i>Lilium</i> sp. ....	1					Do.
<i>Physalospora</i> sp. ....	<i>Aglaonema</i> sp. ....			1			Do.
<i>Polyporaceae</i> .....	<i>Colocasia esculenta</i> (taro) .....	1					N. Y.
Do .....	<i>Eleocharis tuberosa</i> (waternut) .....	1					Mass.
<i>Pythium</i> sp. ....	do .....	1					Mich.
Do .....	<i>Elettaria cardamomum</i> (cardamom) .....		1				Wash.
<i>Phytophthora colocasiae</i> .....	<i>Colocasia esculenta</i> (taro) .....	1					N. Y.
<i>Sclerotinia</i> sp. ....	<i>Eleocharis tuberosa</i> (waternut) .....	1					Mich.
<i>Sclerotium rolfsii</i> .....	<i>Colocasia esculenta</i> .....	2					Do.
Do .....	do .....	5					N. Y.
<i>Sclerotium</i> sp. ....	<i>Sagittaria sagittifolia</i> (old-world arrowhead) .....	3					Do.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases—Continued.							
<i>Sphaecloma faucentii</i> .....	<i>Citrus aurantifolia</i> (lime).....					1	Calif.*
<i>Thielavia</i> sp.....	<i>Pueraria thunbergiana</i> (kudzu).....	2					N. Y.
<i>Thielaviopsis paradoxa</i> .....	<i>Colocasia esculenta</i> .....	1					Do.
Do.....	<i>Cyperus</i> sp. (sedge).....	1					Do.
Do.....	<i>Eleocharis tuberosa</i> .....	3					Mass.
Do.....	do.....	2					Mich.
Do.....	<i>Eleocharis tuberosa</i> (waternut).....	29					N. Y.
Do.....	do.....	1					Wash.
Do.....	<i>Pueraria thunbergiana</i> (kudzu).....	1					N. Y.
<i>Verticillium</i> sp.....	<i>Eleocharis tuberosa</i> .....	1					Do.
Do.....	<i>Zingiber officinale</i> (ginger).....	1					Mass.
CHOSEN							
Diseases: <i>Phoma betae</i> .....	<i>Beta vulgaris</i> (beet).....					1	Pa.
COLOMBIA							
Insects:							
<i>Acrolophus</i> sp. (Acidophidae).....	Banana debris.....	1					N. Y.
<i>Adetus</i> sp. (Eucelenidae).....	do.....	1					Pa.
<i>Alphitobius</i> sp. (Tenebrionidae).....	<i>Elacis melanococca</i> .....			1			N. Y.
<i>Anchastomorphus suturalis</i> (Elateridae).....	Banana debris.....	1					Md.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).....	do.....	2					N. Y.
Do.....	<i>Dipteryx odorata</i> .....		1				D. C.
<i>Aspidiotus destructor</i> (Coccidae).....	Banana debris.....	3					N. Y.
<i>Aspidiotus diffinis</i> (Coccidae).....	<i>Cattleya gigas sanderiana</i> (orchid).....	1					D. C.
Do.....	Orchid.....	1					Do.
<i>Asterolecanium aureum</i> (Coccidae).....	<i>Cattleya</i> sp. (orchid).....	1					Do.
<i>Blastobasis</i> sp. (Blastobasidae).....	Banana debris.....	1					N. Y.
<i>Camponotus biguttata</i> (ant).....	do.....						Do.
Do.....	<i>Musa</i> sp. (banana).....	2					S. C.
<i>Camponotus serguttatus</i> (ant).....	Banana debris.....	1					N. Y.
<i>Camponotus</i> sp. (ant).....	do.....	1					S. C.
Do.....	do.....	24					N. Y.
Do.....	do.....	3					Pa.
Do.....	<i>Musa</i> sp. (banana).....	2					S. C.
Do.....	do.....	11					N. Y.
Do.....	do.....	1					Pa.
<i>Ceramidia</i> sp. (Syntomidae).....	Banana debris.....	3					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Chrysomphalus</i> sp. (Coccidae).....	do.....	1					Do.
<i>Colaspis</i> sp. (Chrysomelidae).....	Banana debris.....	1					Do.
<i>Conchaspis angraei</i> (Coccidae).....	<i>Oncidium ampliatum</i> (orchid).....	1					D. C.
<i>Conotelus</i> sp. (Nitidulidae).....	Banana debris.....	1					N. Y.
<i>Crematogaster brevispinosa</i> (ant).....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Crematogaster brevispinosa</i> var. (ant).....	Banana debris.....	2					Do.
<i>Crematogaster victima</i> (ant).....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Crematogaster</i> sp. (ant).....	Banana debris.....	19					Do.
Do.....	do.....	4					Pa.
Do.....	<i>Musa</i> sp. (banana).....	15					N. Y.
Do.....	do.....	2					Pa.
Do.....	do.....	4					S. C.
Do.....	<i>Zygopetalum</i> sp. (orchid).....	1					D. C.
<i>Dermestes peruvianus</i> (Dermestidae).....	<i>Theobroma cacao</i> (cacao).....	1					Calif.*
<i>Dolichoderus</i> sp. (ant).....	Banana debris.....	3					N. Y.
<i>Ephesioides</i> sp. (Pyralidae).....	do.....	1					Do.
<i>Euresta</i> sp. (Ortaliidae).....	do.....	1					Do.
<i>Furcaspis biformis</i> (Coccidae).....	<i>Epidendrum</i> sp. (orchid).....	1					D. C.
Do.....	Orchid.....		1				Do.
<i>Goniadera</i> sp. (Tenebrionidae).....	do.....	1					Do.
<i>Ilopothrips</i> sp. (thrips).....	Banana debris.....	1					Pa.
<i>Lophocateres</i> sp. (Ostomidae).....	Orchid.....	1					D. C.
<i>Metamasius sericeus</i> (silky cane weevil).....	Banana debris.....	3					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Metamasius sericeus hemipterus</i> (Curculionidae).....	Banana debris.....	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
COLOMBIA—Continued							
Insects—Continued.							
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Md.
Do	do	4					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	do	1					Pa.
<i>Neoponera</i> sp. (ant)	Banana debris	1					N. Y.
Noctuid	<i>Musa</i> sp. (banana)	1					Do.
<i>Paratenetus</i> sp. (Tenebrionidae)	Banana debris	3					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Pheidole</i> sp. (ant)	do	3					Do.
<i>Phlugis</i> sp. (Tettigoniidae)	Banana debris	1					Do.
<i>Photinus</i> sp. (Lampyridae)	do	1					Do.
Phycitinae (Pyralidae)	do	1					Do.
Do	Cactus				1		Pa.
<i>Pileocera</i> sp. (Pyralidae)	Banana debris	1					N. Y.
<i>Platypus regularis</i> (Platypodidae)	do	1					Do.
<i>Plutella maculipennis</i> (diamond-back moth)	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Do.
<i>Ponera</i> sp. (ant)	Banana debris	1					Do.
<i>Psalis</i> sp. (earwig)	<i>Cocos nucifera</i> (coconut)	1					Do.
<i>Pseudonidia articulatus</i> (rufous scale)	<i>Citrus sinensis</i> (orange)				1		Fla.*
Do	do				1		Tex.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Cattleya gigas sanderiana</i> (orchid)	1					D. C.
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
Psychid	Banana debris	1					Md.
<i>Pterocalla quadrata</i> (Ortaliidae)	do	1					N. Y.
Pyraustinae (Pyralidae)	<i>Beta vulgaris</i> (beet)				1		Do.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Do.
<i>Silvanus vulgaris</i> (Cucujidae)	do	1					Do.
<i>Solenopsis</i> sp. (ant)	do	1					Do.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	do	5					Do.
<i>Stephanoderes</i> sp. (Scolytidae)	do	3					Do.
Do	<i>Ceratonia siliqua</i> (algaroba)	1					Do.
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Tineid	Banana debris	1					N. Y.
Do	<i>Cattleya</i> sp. (orchid)	1					D. C.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Epidendrum atropurpureum</i> (orchid)	1					Do.
<i>Xanthacrona bipustulata</i> (Ortaliidae)	Banana debris	1					N. Y.
Diseases:							
<i>Capnodium</i> sp	<i>Saccharum officinarum</i>				1		Pa.
<i>Diplodia cacacicola</i>	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Gloeosporium musarum</i>	do	1					Do.
<i>Gloeosporium</i> sp	<i>Cattleya</i> sp. (orchid)	1					D. C.
Do	Unidentified leaf				1		Md.
<i>Pestalozzia guepini</i>	<i>Chrysohyllum cainito</i> (star-apple)					1	N. Y.
<i>Phyllachya</i> sp	<i>Bauhinia cumanensis</i>		1				La.
<i>Puccinia graminis</i>	<i>Secale cereale</i> (rye)			1			N. Y.
<i>Rhizoctonia</i> sp	<i>Brassica rapa</i> (turnip)					1	Tex.
Do	Root	1					N. Y.
COSTA RICA							
Insects:							
<i>Aphodius</i> sp. (Scarabaeidae)	Banana debris	1					Do.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Asterolecanium aureum</i> (Coccidae)	Orchid		1				D. C.
<i>Azylophitus</i> sp. (Euglenidae)	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Camponotus</i> sp. (ant)	Banana debris	57					Do.
Do	<i>Epidendrum</i> sp. (orchid)		1				D. C.
Do	<i>Musa</i> sp. (banana)	17					Calif.*
Do	do	8					N. Y.
Do	Orchid	1					Fla.*
<i>Capanus odiosus</i> (Coreidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Cephaloteia</i> sp. (Chrysomelidae)	Banana debris	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
COSTA RICA—Continued							
Insects—Continued.							
<i>Ceramidia musicola</i> (Syntomidae).....	Banana debris.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Ceramidia scintillocollaris</i> (Syntomidae).....	do.....	2					Calif.*
<i>Ceramidia</i> sp. (Syntomidae).....	Banana debris.....	2					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	2					La.
Do.....	do.....	1					N. Y.
<i>Cicadella</i> sp. (Cicadellidae).....	do.....	1					Calif.*
<i>Colaspis</i> sp. (Chrysomelidae).....	Banana debris.....	1					N. Y.
<i>Colopterus</i> sp. (Nitidulidae).....	do.....	1					Do.
<i>Conoderus</i> sp. (Elateridae).....	do.....	1					Do.
<i>Copiphora rhinoceros</i> (Tettigoniidae).....	do.....	1					Do.
<i>Crematogaster victima</i> (ant).....	do.....	1					Do.
<i>Crematogaster</i> sp. (ant).....	do.....	6					Do.
Do.....	<i>Cattleya dowiana</i> (orchid).....		1				D. C.
Do.....	<i>Cattleya</i> sp. (orchid).....		1				Do.
Do.....	<i>Musa</i> sp. (banana).....	1	1				Calif.*
Do.....	do.....	3					N. Y.
<i>Cycloptilum</i> sp. (Gryllidae).....	Banana debris.....	2					Do.
<i>Delphacodes</i> sp. (Delphacidae).....	do.....	1					Do.
<i>Diabrotica</i> sp. (Chrysomelidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Dinocoristripteris</i> (Pentatomidae).....	do.....	3					Do.*
<i>Discocephala humilis</i> (Pentatomidae).....	do.....	2					Do.*
<i>Dolichoderus bispinosus</i> (ant).....	do.....	4					N. Y.
<i>Dolichoderus</i> sp. (ant).....	Banana debris.....	1					Do.
<i>Edessa</i> sp. (Pentatomidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Fulvius anthocorides</i> (Miridae).....	Banana debris.....	1					N. Y.
<i>Ganaspis</i> sp. (Cynipidae).....	do.....	1					Do.
Geometrid.....	Orchid.....			1			Do.
Graclarid.....	do.....		1				D. C.
<i>Homalodisca atra</i> (Cicadellidae).....	<i>Musa</i> sp. (banana).....	1					La.
Hypeninae (Noctuidae).....	Banana debris.....	1					N. Y.
<i>Lema</i> sp. (Chrysomelidae).....	do.....	1					Do.
Limacodid.....	<i>Musa</i> sp. (banana).....	1					La.
<i>Lyctus caribeanus</i> (Lyctidae).....	Banana debris.....	1					N. Y.
<i>Malacosoma eucasticum</i> (Chrysomelidae).....	do.....	1					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Metamasius sericeus</i> (silky cane weevil).....	Banana debris.....	2					La.
Do.....	do.....	15					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	3					Calif.*
Do.....	do.....	1					La.
Do.....	do.....	2					N. Y.
<i>Metamasius</i> sp. (Curculionidae).....	Banana debris.....	1					Do.
<i>Metriona propinqua</i> (Chrysomelidae).....	do.....	1					Do.
<i>Monanus concinnulus</i> (Cucujidae).....	do.....	1					Do.
<i>Monocrepidius</i> sp. (Elateridae).....	do.....	1					Do.
<i>Monomorium carbonarium</i> var. (ant).....	<i>Oncidium phymatochilum</i> (orchid).....		1				D. C.
<i>Neoponera</i> sp. (ant).....	Banana debris.....	7					N. Y.
Noctuid.....	do.....	1					Do.
<i>Odontomachus hastatus</i> (ant).....	do.....	2					Do.
<i>Pachycondyla</i> sp. (ant).....	do.....	2					Do.
<i>Parlatoria crotonis</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....			1			La.
<i>Pheidole</i> sp. (ant).....	Banana debris.....	4					N. Y.
Do.....	<i>Cattleya</i> sp. (orchid).....	1	1				D. C.
<i>Ponera</i> sp. (ant).....	Banana debris.....	1					N. Y.
<i>Prenolepis</i> sp. (ant).....	do.....	2					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Priapismus maculatus</i> (Pentatomidae).....	Banana debris.....	1					La.
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus sinensis</i> (orange).....					1	N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Annona reticulata</i> (custard-apple).....			1			La.
Psychid.....	Banana debris.....	1					Do.
Do.....	do.....	5					N. Y.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>COSTA RICA—Continued</b>							
<b>Insects—Continued.</b>							
Pyralid.....	Cactus.....		1				Calif.*
Do.....	Musa sp. (banana).....	1					Do.*
Pyraustinae (Pyralidae).....	Banana debris.....	1					N. Y.
Pyrophorinae (Elateridae).....	Musa sp. (banana).....	1					Calif.*
<i>Sarcinatrix anomala</i> (earwig).....	Banana debris.....	2					N. Y.
<i>Sciara</i> sp. (Mycetophilidae).....	do.....	2					Do.
<i>Sitranus vulgaris</i> (Cucujidae).....	do.....	1					Do.
<i>Soleonopsis</i> sp. (ant).....	do.....	1					Do.
<i>Telephanus costaricensis</i> (Cucujidae).....	do.....	1					Do.
<i>Telephanus dromioides</i> (Cucujidae).....	do.....	1					Do.
<i>Telephanus setulosus</i> (Cucujidae).....	do.....	2					Do.
<i>Telephanus</i> sp. (Cucujidae).....	do.....	1					Do.
Tineid.....	do.....	3					Do.
Do.....	Orchid.....		1				D. C.
<i>Tythomimus rufotestaceus</i> (Curculionidae).....	Banana debris.....	7					N. Y.
<i>Urophorus humeralis</i> (Nitidulidae).....	do.....	1					Do.
<i>Wasmannia auropunctata</i> (ant).....	do.....	1					Do.
Do.....	<i>Cattleya</i> sp. (orchid).....		1				D. C.
<i>Zonarius jansoni</i> (Erotyliidae).....	Banana debris.....	1					N. Y.
<b>Diseases:</b>							
<i>Aschersonia cubensis</i> .....	Coccid on orchid.....	1					Fla.*
<i>Cephaluros virescens</i> .....	Orchid.....	1					Do.*
<i>Gloeosporium</i> sp.....	Orchid (several genera).....	1	2				D. C.
<i>Pestalozzia</i> sp.....	<i>Chrysophyllum cainito</i> (star-apple).....					1	N. Y.
<i>Physarum</i> sp.....	Musa sp. (banana).....	1					Do.
<i>Septobasidium</i> sp.....	<i>Citrus sinensis</i> (orange).....					1	Md.
<i>Septoria thelymitrae</i> (?).....	<i>Oncidium kramerianum</i> (orchid).....		1				D. C.
<b>CUBA</b>							
<b>Insects:</b>							
<i>Adraneothrips</i> sp. (thrips).....	Banana debris.....	2					Pa.
<i>Aeolothrips</i> sp. (thrips).....	<i>Brassica</i> sp. (mustard).....	2					N. Y.
Agromyzid.....	<i>Brassica oleracea botrytis</i> (broccoli).....	1					Do.
Do.....	<i>Brassica</i> sp. (mustard).....	6					Do.
<i>Aleurocanthus woglumi</i> (citrus blackfly).....	<i>Citrus aurantifolia</i> (lime).....			1			Fla.*
<i>Aleurothrixus howardi</i> (woolly whitefly).....	<i>Citrus</i> sp.....			1			Do.*
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Mangifera indica</i> (mango).....					2	La.
Do.....	do.....			1		1	Md.
Do.....	do.....			1		1	N. Y.
<i>Anisolabis stali</i> (earwig).....	<i>Lycopersicum esculentum</i> .....	1					La.
Anthomyid.....	<i>Raphanus sativus</i> (radish).....					1	N. Y.
<i>Anthonomus grandis</i> (boll weevil).....	<i>Gossypium</i> sp. (cottonseed).....				1		Pa.
<i>Anthonomus varipes</i> (Curculionidae).....	<i>Solanum melongena</i> (eggplant).....	1					La.
<i>Anthonomus</i> sp. (Curculionidae).....	do.....	1					Do.
<i>Aphis</i> sp. (aphid).....	<i>Heliotropium</i> sp. (heliotrope).....			1			Fla.*
<i>Araacerus fasciculatus</i> (coffee-bean weevil).....	Banana debris.....	1					Md.
Do.....	<i>Gossypium</i> sp. (cotton).....			1			Fla.*
<i>Aspidiotus cocotiphagus</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....			1			Calif.*
Do.....	do.....			4			Fla.*
Do.....	<i>Ficus indica</i> .....				1		N. Y.
Do.....	Musa sp. (banana).....				1		Do.
Do.....	Palm.....		1				D. C.
Do.....	do.....			1			N. Y.
Do.....	<i>Poinciana regia</i> (royal poinciana).....			1			Fla.*
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....			1	1		Do.*
Do.....	do.....				1		Pa.
Do.....	<i>Dictyosperma album aureum</i> .....		1				D. C.
Do.....	<i>Heterospatha elata</i> .....		1				Do.
Do.....	Musa paradisiaca (plantain).....	1					N. Y.
Do.....	Musa sp. (banana).....	7		1	1		Fla.*
Do.....	do.....	7					Md.
Do.....	<i>Persea americana</i> (avocado).....	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Mammea americana</i> (mamey)			1			Fla.*
<i>Aspidiotus palinae</i> (Coccidae)	Banana debris	1					Md.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Mammea americana</i>	1		3	1		Fla.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Ficus indica</i>				1		N. Y.
<i>Asterolecanium miltaris</i> (Coccidae)	Bamboo		1				D. C.
<i>Asterolecanium pustulans</i> (Coccidae)	<i>Nerium oleander</i> (oleander)			1			Fla.*
<i>Asterolecanium</i> sp. (Coccidae)	<i>Mangifera indica</i> (mango)	1					D. C.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Capsicum annuum</i> (pepper)	1					N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Persea americana</i> (avocado)	1					La.
Do	<i>Solanum melongena</i> (eggplant)	1					N. Y.
<i>Atta insularis</i> (ant)	<i>Ananas sativus</i>	3					Do.
<i>Bephrata cubensis</i> (Eurytomidae)	<i>Annona cherimola</i> (Jamaica apple)			1			Fla.*
<i>Blapstinus punctatus</i> (Tenebrionidae)	<i>Ananas sativus</i>	1					La.
<i>Brontes</i> sp. (Cucujidae)	Banana debris	1					Pa.
Buprestid	<i>Adansonia digitata</i> (baobab)				1		Fla.*
<i>Camponotus angulatus</i> (ant)	Banana debris	1					Pa.
<i>Camponotus</i> sp. (ant)	<i>Ananas sativus</i>	2					La.
Do	Banana debris	1					Pa.
Do	<i>Saccharum officinarum</i>			1			N. Y.
<i>Caryobruchus</i> sp. (Bruchidae)	<i>Copernicia rigida</i>		1				D. C.
Do	<i>Copernicia</i> sp.		1				Do.
Cecidomyiid	<i>Ananas sativus</i>	7					La.
Do	do	3					N. Y.
Do	<i>Ibiscus esculentus</i> (okra)	1					La.
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
<i>Centrinaspis picumnus</i> (Curculionidae)	<i>Musa</i> sp. (banana)	1					Md.
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	1					La.
<i>Cerotoma ruficornis</i> (Chrysomelidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	2					N. Y.
Chloropid	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Chrysobothris</i> sp. (Buprestidae)	<i>Chloroxylon swietenia</i> (satinwood)	1					Do.
<i>Chrysomphatus personatus</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)					1	Do.
<i>Chrysomphatus</i> sp. (Coccidae)	do					1	Do.
Do	<i>Psidium guajava</i> (guava)			1			Fla.*
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Adansonia digitata</i> (baobab)			6			Do.*
<i>Coccus acuminatus</i> (Coccidae)	<i>Chalcas exotica</i> (orange-jasmine)			1			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine)			5	1		Do.*
<i>Coccus viridis</i> (Coccidae)	<i>Citrus</i> sp.			1			Do.*
Do	<i>Gardenia florida</i>			7	4		Do.*
Do	do			1			La.
<i>Coccus</i> sp. (Coccidae)	<i>Carcia papaya</i> (papaya)	2					Fla.*
Do	<i>Ficus</i> sp.	1					Do.*
Do	<i>Lilium</i> sp.	1					Do.*
<i>Collabismodes cubae</i> (Curculionidae)	<i>Capsicum annuum</i> (pepper)	1					La.
<i>Conotelus</i> sp. (Nitidulidae)	<i>Ananas sativus</i>	1					Do.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Coreid	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Do.
<i>Crematogaster</i> sp. (ant)	<i>Ananas sativus</i>	1					La.
Do	do	2					N. Y.
Do	Banana debris	2					Pa.
Do	<i>Ibiscus esculentus</i> (okra)	1					N. Y.
<i>Crociosema plebeiana</i> (Olethreutidae)	do	1					Do.
<i>Cryptotermes brevis</i> (termite)	<i>Ananas sativus</i>	3					La.
<i>Cryptotermes</i> sp. (termite)	do	2					Do.
Curculionid	<i>Erythroxylon coca</i> (cocaine-tree)		1				D. C.
Do	<i>Musa</i> sp. (banana)	* 1					La.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Cyclocephala cubana</i> (Scarabaeidae)	<i>Ananas sativus</i>	1					La.
<i>Cylas formicarius</i> (Sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Fla.*
Do.	do.					2	La.
Do.	do.					3	N. Y.
Do.	do.				3		Pa.
Do.	do.					1	Tex.
<i>Dialeurodes citrifolii</i> (cloudy-winged whitefly).	<i>Citrus sinensis</i> (orange)			1			Fla.*
Do.	<i>Citrus</i> sp.			1			Do.*
<i>Diaphania</i> sp. (Pyralidae)	<i>Chayota edulis</i> (chayote)	1					La.
Do.	<i>Cucumis sativus</i> (cucumber)	4				1	Do.
Do.	do.	10					N. Y.
Do.	<i>Cucurbita maxima</i> (squash)	7					Do.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i>			1			Calif.*
<i>Diatraea</i> sp. (Pyralidae)	<i>Ananas sativus</i>	1					La.
Do.	<i>Saccharum officinarum</i>			2			Fla.*
Do.	do.				1		La.
Do.	do.			2			N. Y.
Do.	<i>Zea mays</i> (corn)		1				D. C.
<i>Dolichoderus</i> sp. (ant).	Banana debris				1		Md.
<i>Doliema</i> sp. (Tenebrionidae)	<i>Chloroxylon swietenia</i> (satinwood).	1					N. Y.
<i>Epilachna</i> sp. (Coccinellidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	3					Do.
<i>Epipaschiae</i> (Pyralidae)	<i>Ananas sativus</i>	1					La.
<i>Epuraea</i> sp. (Nitidulidae)	do.	1					Do.
<i>Ereunetis minuscula</i> (Tineidae)	do.	1					Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Tex.
<i>Euzestis</i> sp. (Ortalidae)	<i>Gardenia florida</i> (Cape-jasmine).				1		N. Y.
Do.	<i>Lycopersicum esculentum</i>	2					Do.
Do.	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Frankliniella cubensis</i> (thrips)	<i>Rosa</i> sp.			2			Fla.*
<i>Frankliniella insularis</i> (thrips)	<i>Dahlia</i> sp.			1			Do.*
Do.	<i>Dianthus</i> sp. (carnation)			1			Do.*
Do.	<i>Gardenia florida</i> (Cape-jasmine).				1		Do.*
Do.	<i>Rosa</i> sp.			1			Do.*
Fulcorid.	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Galleriinae (Pyralidae)	<i>Ananas sativus</i>					1	Do.
Gelechiid	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	4					Do.
Geometrid.	<i>Capsicum annuum</i> (pepper)	1					Do.
<i>Gnomimoschema lycopersicella</i> (tomato pinworm).	<i>Lycopersicum esculentum</i>	1					La.
Do.	do.	4					N. Y.
<i>Gnomimoschema</i> sp. (Gelechiidae)	do.	4					La.
Do.	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Gynaikothrips uzeli</i> (thrips)	<i>Ficus indica</i>				24		N. Y.
<i>Haplorthrips gowdeyi</i> (thrips)	<i>Dianthus</i> sp. (carnation)			1			Fla.*
<i>Haplorthrips</i> sp. (thrips)	<i>Ananas sativus</i>	1					N. Y.
<i>Heliothrips</i> sp. (thrips)	<i>Nicotiana tabacum</i> (tobacco)			1			Fla.*
<i>Hellula</i> sp. (Pyralidae)	<i>Brassica</i> sp. (mustard)	2					N. Y.
<i>Holocerca</i> sp. (Blastobasidae)	Banana debris	1					La.
Do.	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Do.	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Hypothenemus</i> sp. (Scolytidae)	Banana debris	1					Pa.
Do.	<i>Quisqualis indica</i> (Rangoon-creeper).			1			D. C.
<i>Kaloterms schwarzi</i> (termite)	<i>Lycopersicum esculentum</i>	1					La.
<i>Kaloterms</i> sp. (termite)	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
<i>Lachnopus</i> sp. (Curculionidae)	<i>Ananas sativus</i>	1					La.
<i>Laphygma frugiperda</i> (fall armyworm).	<i>Capsicum annuum</i>	3					Do.
Do.	do.	3					N. Y.
Do.	<i>Solanum melongena</i> (eggplant)	1					Do.
Do.	<i>Zea mays</i> (corn)					1	Do.
<i>Laphygma</i> sp. (Noctuidae)	<i>Capsicum annuum</i>	3					La.
Do.	do.	4					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Agave</i> sp.				1		Calif.*
<i>Leucaspis indica</i> (Coccidae)	<i>Mangifera indica</i> (mango)	1					D. C.
<i>Lineodes</i> sp. (Pyralidae)	<i>Lycopersicum esculentum</i>	1					La.
Do	do	3					N. Y.
<i>Lorelus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Lycaenid</i>	<i>Lycopersicum esculentum</i>	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Do.
<i>Maruca testulalis</i> (bean pod borer)	do	144					Do.
<i>Metamasius sericeus</i> (silky cane weevil)	<i>Ananas sativus</i>	1					La.
Do	do	1					N. Y.
Do	Banana debris	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
Mirid	<i>Ananas sativus</i>	1					La.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Fla.*
Do	<i>Nicotiana tobacum</i> (tobacco)			1			Do.*
<i>Monanthia monotropidia</i> (Tingitidae)	<i>Musa</i> sp. (banana)	1					Md.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	7					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
<i>Monanus</i> sp. (Cucujidae)	Banana debris	1					Do.
<i>Monocrepidius</i> sp. (Elateridae)	<i>Solanum melongena</i> (eggplant)	1					N. Y.
<i>Myelois</i> sp. (Pyralidae)	<i>Tamarindus indica</i> (tamarind)	1					Do.
<i>Myzus</i> sp. (aphid)	<i>Rosa</i> sp.			1			Fla.*
<i>Neoconocephalus triops fuscostriatus</i> (Tettigoniidae)	<i>Solanum melongena</i>	1					La.
Noctuid	<i>Ananas sativus</i>	3					Do.
Do	<i>Capiscum annuum</i>	2					Do.
Do	do	3					N. Y.
Do	<i>Gossypium</i> sp. (cotton)			1			Fla.*
Do	<i>Lycopersicum esculentum</i>	1					La.
Do	<i>Rosa</i> sp.			1			Fla.*
Do	do			1			La.
Do	<i>Solanum melongena</i> (eggplant)	1					N. Y.
Olethreutid	<i>Aster</i> sp.			1			La.
Do	<i>Hibiscus esculentus</i> (okra)	1					Do.
Do	do	3					N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	8					Do.
Do	<i>Rosa</i> sp.			1			La.
<i>Opogona</i> sp. (Tineidae)	Banana debris	1					Pa.
Ortalid	<i>Mangifera indica</i> (mango)			1			Fla.*
<i>Oscinella</i> sp. (Chloropidae)	Banana debris	1					Pa.
<i>Pachnaeus</i> sp. (Curculionidae)	<i>Ananas sativus</i>	1					La.
<i>Pachyzancla perusalis</i> (Pyralidae)	<i>Solanum melongena</i> (eggplant)	1					N. Y.
<i>Pachyzancla</i> sp. (Pyralidae)	do	3					Do.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)			1			Fla.*
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus nobilis</i> (King orange)			1			Do.*
Pentatomid	<i>Phaseolus lunatus macrocarpus</i>	1					N. Y.
<i>Pheidole</i> sp. (ant)	<i>Ananas sativus</i>	2					La.
Do	do	4					N. Y.
Do	<i>Ficus indica</i>				1		Pa.
Do	<i>Hibiscus esculentus</i> (okra)	4					N. Y.
<i>Phenacoccus</i> sp. (Coccidae)	<i>Capiscum annuum</i>	2					Do.
<i>Phyltaenia rubigalis</i> (Pyralidae)	<i>Carica papaya</i> (papaya)				1		Do.
Phycitinae (Pyralidae)	do				1		La.
Do	do	1					N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Do.
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Ananas sativus</i>	1					La.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Brassica</i> sp. (mustard)	2					N. Y.
<i>Pieris</i> sp. (Pieridae)	do	1					Do.
<i>Platynota</i> sp. (Tortricidae)	<i>Ananas sativus</i>	5					La.
Do	<i>Capiscum annuum</i>	1					Do.
Do	<i>Citrus grandis</i> (grapefruit)	1					Do.
Do	<i>Dahlia</i> sp.			1			Do.
Do	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
Do	<i>Lycopersicum esculentum</i>	3					La.

## List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica</i> sp. (mustard)	4					N. Y.
Do	<i>Gaultheria procumbens</i> (wintergreen).	1					Do.
<i>Prenolepis</i> sp. (ant)	<i>Agave</i> sp.				1		Calif.*
Do	<i>Ananas sativus</i>	1					Fla.*
Do	do	2					La.
Do	do	6					N. Y.
Do	Banana debris	1					Do.
Do	<i>Hibiscus esculentus</i> (okra)	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					N. Y.
<i>Prodenia ornithogalli</i> (yellow-striped armyworm).	<i>Capsicum annuum</i>	1					La.
<i>Prodenia</i> sp. (Noctuidae)	<i>Lycopersicum esculentum</i>	5					N. Y.
<i>Prolabia arachidis</i> (earwig)	<i>Ananas sativus</i>	1					La.
<i>Psalis americana</i> (earwig)	<i>Lycopersicum esculentum</i>	1					N. Y.
<i>Pseudonidia articulatus</i> (rufous scale).	<i>Chalcas ezotica</i> (orange-jasmine).			1			Fla.*
Do	<i>Citrus aurantifolia</i> (lime)	3			1	1	N. Y.
Do	<i>Citrus grandis</i> (grapefruit)			1		1	Fla.*
Do	do	12		1		15	N. Y.
Do	<i>Citrus limetta</i> (sweet lime)					1	Fla.*
Do	<i>Citrus nobilis deliciosa</i> (tangerine).			1			Calif.*
Do	<i>Citrus sinensis</i> (orange)			1			Fla.*
Do	do					7	N. Y.
Do	<i>Ficus indica</i>				6		Do.
Do	<i>Phoenix canariensis</i> (palm)			1			Do.
<i>Pseudischnaspis alienus</i> (Coccidae)	<i>Annona cherimola</i> (Jamaica apple).			1			Fla.*
<i>Pseudischnaspis bowreyi</i> (Coccidae)	<i>Agave fourcroydes</i> (henequen)	2					N. Y.
Do	<i>Agave</i> sp.	1					Pa.
Do	<i>Psidium guajava</i> (guava)	1		1			N. Y.
<i>Pseudischnaspis</i> sp. (Coccidae)	<i>Agave</i> sp.				1		Pa.
<i>Pseudococcus comstocki</i> (Coccidae)	<i>Musa paradisica</i> (plantain)	1					N. Y.
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Ananas sativus</i>	5					La.
Do	do	1					N. Y.
Do	<i>Hibiscus esculentus</i> (okra)	1					La.
Do	<i>Mangifera indica</i> (mango)	1					Do.
Do	<i>Phaseolus lunatus macarocarpus</i> (lima bean).	1					N. Y.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Agave</i> sp. (agave)				1		Pa.
Do	<i>Ananas sativus</i>					1	Mass.
Do	<i>Capsicum annuum</i>	1					La.
Do	<i>Citrus grandis</i> (grapefruit)	1					Do.
Do	<i>Hibiscus esculentus</i> (okra)	1					Do.
Do	<i>Lycopersicum esculentum</i>	2					N. Y.
Do	<i>Musa paradisica</i> (plantain)	5					Do.
Do	<i>Musa</i> sp. (banana)	1					Fla.*
Do	do	3					Md.
Do	<i>Solanum melongena</i> (eggplant)	1					Fla.*
Do	do					1	Miss.
Do	do	3					N. Y.
<i>Pseudomyrma elongata cubaensis</i>	<i>Ananas sativus</i>	1					La.
Psychid	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Va.
Pterophorid	<i>Ananas sativus</i>	1					La.
Pyraustinae (Pyrilidae)	<i>Capsicum annuum</i>	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Ananas sativus</i>	34					La.
Do	do	3				1	N. Y.
Do	<i>Chayota edulis</i> (chayote)	1					La.
<i>Rhopalosiphum</i> sp. (aphid)	<i>Lilium</i> sp.				1		Fla.*
<i>Saperda</i> sp. (Cerambycidae)	<i>Chloroxylon swietenia</i> (satinwood).	1					N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Pa.
Do	<i>Cocos nucifera</i> (coconut)				1		La.
Do	<i>Musa paradisica</i> (plantain)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,  
inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued							
Scolytid.....	<i>Gossypium</i> sp. (cotton)			1			Fla.*
Do.....	<i>Nicotiana tabacum</i> (tobacco)			1			Do.*
<i>Selenothrips rubrocinctus</i> (red-banded thrips)	<i>Psidium guajava</i> (guava)			1			Do.*
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Solanum melongena</i> (eggplant)	1					La.
<i>Sitophilus linearis</i> (tamarind pod borer)	<i>Tamarindus indica</i> (tamarind)	1					Do.
<i>Solenopsis</i> sp. (ant)	<i>Ananas sativus</i>	4					Fla.*
Do.....	do.....	1					La.
Steatoderini (Elateridae)	<i>Capsicum annuum</i>	1					Do.
<i>Stelidota</i> sp. (Nitidulidae)	<i>Ananas sativus</i>	1					N. Y.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	Banana debris	1					Pa.
Do.....	<i>Musa</i> sp. (banana)	1					La.
<i>Stephanoderes minutus</i> (Scolytidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	2					N. Y.
Do.....	Banana debris	1					Pa.
<i>Stephanoderes</i> sp. (Scolytidae)	do.....	1					Do.
Do.....	<i>Musa</i> sp. (banana)	1					La.
<i>Systema basalis</i> (Chrysomelidae)	<i>Brassica</i> sp. (mustard)	1					N. Y.
<i>Tapinoma</i> sp. (ant)	<i>Ananas sativus</i>	1					La.
<i>Targionia bromeliae</i> (Coccidae)	do.....	8				1	N. Y.
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)				1		Pa.
<i>Targionia sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>			1		1	Fla.*
Do.....	do.....				1		Md.
<i>Tarsonemus</i> sp. (mite)	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					N. Y.
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	1					Pa.
<i>Telephanus</i> sp. (Cucujidae)	do.....	4					Do.
<i>Tenuipalpus</i> sp. (mite)	<i>Ananas sativus</i>					2	Do.
<i>Tetramorium</i> sp.	do.....	1					N. Y.
<i>Tinea</i> sp. (Tineidae)	do.....	1					Do.
Do.....	Banana debris	3					La.
Do.....	do.....	2					Pa.
Do.....	<i>Carica papaya</i> (papaya)					1	N. Y.
Do.....	<i>Cocos nucifera</i> (coconut)			1			La.
Do.....	<i>Musa</i> sp. (banana)	6					Do.
Do.....	do.....	1					Pa.
Tineid.....	<i>Ananas sativus</i>	1					La.
Do.....	Banana debris	1					Do.
Do.....	do.....	1					Pa.
Do.....	<i>Musa paradisiaca</i> (plantain)				1		La.
Do.....	<i>Musa</i> sp. (banana)	1					Do.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					N. Y.
Tortricid.....	<i>Ananas sativus</i>	3					La.
Do.....	<i>Capsicum annuum</i>	1					N. Y.
Do.....	<i>Cassia viminea</i>		1				D. C.
Do.....	<i>Phaseolus lunatus macrocarpus</i>	1					N. Y.
Do.....	<i>Solanum melongena</i> (eggplant)	1					La.
Do.....	do.....	1					N. Y.
<i>Trogoderma</i> sp. (Dermestidae)	<i>Ananas sativus</i>	1					La.
<i>Urophorus humeralis</i> (Nitidulidae)	do.....	1					Do.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Fla.*
Do.....	<i>Musa</i> sp. (banana)					1	N. Y.
<i>Wasmannia auro-punctata</i> (ant)	<i>Ananas sativus</i>	2					La.
Do.....	Banana debris	1					N. Y.
Do.....	do.....	4					Pa.
Do.....	<i>Musa</i> sp. (banana)	1					Do.
<i>Xyleborus affinis</i> (Scolytidae)	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Xyleborus confusus</i> (Scolytidae)	<i>Mangifera indica</i> (mango)				1		N. Y.
<i>Zophobas morio</i> (Tenebrionidae)	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica pekinensis</i> (Chinese cabbage)	3					Do.
Do.....	<i>Brassica</i> sp. (mustard)	15				1	Do.
Do.....	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (broccoli)	1					Do.
Do.....	<i>Brassica</i> sp. mustard)	7					Do.
<i>Alternaria herculea</i>	do.....	3					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Anguillulina</i> sp.....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	La.
<i>Aphelenchoides solani</i> .....	do.....	---	---	---	---	1	Do.
<i>Aplanobacter michiganense</i> .....	<i>Lycopersicum esculentum</i> .....	2	---	---	---	---	N. Y.
<i>Aschersonia aleyrodis</i> .....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	2	Do.
<i>Bacillus</i> sp.....	<i>Cucumis sativus</i> (cucumber).....	2	---	---	---	---	Do.
Do.....	<i>Nelumbium</i> sp. (lotus).....	1	---	---	---	---	Do.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea alba</i> (white mustard).....	1	---	---	---	---	Do.
<i>Bacterium phaseoli</i> .....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	10	---	---	---	---	Do.
<i>Bacterium vesicatorium</i> .....	<i>Capsicum annuum</i> .....	1	---	---	---	---	La.
Do.....	do.....	29	---	---	---	---	N. Y.
Do.....	<i>Lycopersicum esculentum</i> .....	7	---	---	---	---	La.
Do.....	do.....	130	---	---	---	3	N. Y.
<i>Capnodium citri</i> .....	<i>Citrus grandis</i> (grapefruit).....	---	---	---	---	1	La.
Do.....	do.....	1	---	---	---	---	N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Pa.
<i>Capnodium</i> sp.....	<i>Musa</i> sp. (banana).....	---	---	---	---	1	N. Y.
Do.....	<i>Saccharum officinarum</i> .....	---	---	---	---	2	Md.
Do.....	do.....	---	---	---	---	1	La.
Do.....	do.....	---	---	1	---	---	N. Y.
Do.....	do.....	---	---	---	---	3	Pa.
<i>Cephaluros virescens</i> .....	<i>Codiaeum</i> sp. (croton).....	---	---	---	---	1	La.
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....	---	---	2	---	1	Fla.*
<i>Cephalobus cubaensis</i> .....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	La.
<i>Cephalosporium lecanii</i> .....	<i>Coccus viridis</i> on Cape-jasmine.....	---	---	2	---	---	Fla.*
<i>Cercospora apii</i> .....	<i>Apium graveolens</i> (celery).....	1	---	---	---	---	N. Y.
<i>Cercospora capsici</i> .....	<i>Capsicum annuum</i> .....	4	---	---	---	---	La.
Do.....	do.....	70	---	---	---	---	N. Y.
<i>Cercospora vaginiae</i> .....	<i>Saccharum officinarum</i> .....	---	---	1	---	---	Do.
<i>Cercospora</i> sp.....	<i>Hibiscus esculentus</i> (okra).....	1	---	---	---	---	Fla.*
Do.....	<i>Persea americana</i> (avocado).....	2	---	---	---	---	N. Y.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	3	---	---	---	---	Do.
Do.....	<i>Radicula nasturtium-aquaticum</i> (watercress).....	---	---	---	---	2	Do.
Do.....	<i>Saccharum officinarum</i> .....	---	---	1	---	---	Do.
<i>Cladosporium cucumerinum</i> .....	<i>Cucumis sativus</i> (cucumber).....	6	---	---	---	---	Do.
<i>Cladosporium fulvum</i> .....	<i>Capsicum annuum</i> .....	1	---	---	---	---	La.
Do.....	<i>Lycopersicum esculentum</i> .....	1	---	---	---	---	Do.
Do.....	do.....	---	---	---	---	1	Miss.
Do.....	do.....	4	---	---	---	---	N. Y.
Do.....	do.....	---	---	---	---	1	Pa.
<i>Colletotrichum falcatum</i> .....	<i>Saccharum officinarum</i> .....	---	---	1	---	---	Fla.*
Do.....	do.....	---	---	1	---	---	N. Y.
<i>Colletotrichum lagenarium</i> .....	<i>Benincasa hispida</i> (sanka gourd).....	1	---	---	---	---	Do.
Do.....	<i>Citrullus vulgaris</i> (watermelon).....	2	---	---	---	---	Do.
Do.....	<i>Citrullus</i> sp. (melon).....	---	---	---	---	1	Do.
Do.....	<i>Cucumis sativus</i> (cucumber).....	---	---	---	---	1	La.
Do.....	do.....	2	---	---	---	---	N. Y.
Do.....	<i>Cucurbita maxima</i> (hairy squash).....	2	---	---	---	---	Do.
<i>Colletotrichum limeticolum</i> .....	<i>Citrus aurantifolia</i> (lime).....	1	---	---	---	---	Fla.*
<i>Colletotrichum nigrum</i> .....	<i>Capsicum annuum</i> .....	1	---	---	---	---	La.
Do.....	do.....	1	---	---	---	1	N. Y.
<i>Colletotrichum phomoides</i> .....	<i>Lycopersicum esculentum</i> .....	1	---	---	---	---	La.
<i>Colletotrichum truncatum</i> .....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	21	---	---	---	2	N. Y.
<i>Colletotrichum</i> sp.....	<i>Citrus aurantifolia</i> (lime).....	1	---	---	---	---	Do.
Do.....	<i>Ficus carica</i> (fig).....	---	---	1	---	---	Fla.*
Do.....	<i>Mentha</i> sp. (mint).....	1	---	---	---	---	N. Y.
Do.....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	Do.
Do.....	<i>Saccharum officinarum</i> .....	---	---	1	---	---	Do.
<i>Cylindrosporium</i> sp.....	Grass.....	1	---	---	---	---	Pa.
Do.....	<i>Persea americana</i> (avocado).....	1	---	---	---	---	N. Y.
<i>Diaporthe phaseolorum</i> .....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Diplocarpon rosae</i> .....	<i>Rosa</i> sp.....	---	---	1	---	---	La.
Do.....	do.....	---	---	1	---	---	N. Y.
<i>Diplodia cacacicola</i> .....	<i>Citrus aurantifolia</i> (lime).....	1	---	---	---	---	Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....	---	---	1	---	---	Md.
Do.....	<i>Manihot esculenta</i> (cassava).....	1	---	---	---	---	N. Y.
Do.....	<i>Persea americana</i> (avocado).....	1	---	---	---	---	Do.
Do.....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	Do.
<i>Diplodia natalensis</i> .....	do.....	5	---	---	---	---	Do.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....	---	---	---	---	1	S. C.
<i>Diplodia</i> sp.....	<i>Euphorbia canariensis</i> .....	---	---	1	---	---	Md.
Do.....	Palm.....	---	1	---	---	---	Fla.*
Dothidiaceae.....	Mixed grass.....	1	---	---	---	---	Pa.
<i>Elsinoe phaseoli</i> .....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	448	---	---	---	3	N. Y.
<i>Epicoccum</i> sp.....	<i>Chayota edulis</i> (chayote).....	1	---	---	---	---	La.
Do.....	<i>Persea americana</i> (avocado).....	1	---	---	---	---	Do.
Do.....	<i>Phaseolus</i> sp. (string bean).....	2	---	---	---	---	N. Y.
<i>Erysiphe polygoni</i> .....	do.....	1	---	---	---	---	Do.
<i>Fusarium vasinfectum</i> .....	<i>Hibiscus esculentus</i> (okra).....	1	---	---	---	---	Do.
<i>Gloeosporium limeticolum</i> .....	<i>Citrus aurantifolia</i> (lime).....	2	---	3	---	1	Fla.*
<i>Gloeosporium musarum</i> .....	<i>Musa</i> sp. (banana).....	---	---	1	---	---	N. Y.
<i>Gloeosporium</i> sp.....	<i>Adonidia merrillii</i> .....	---	1	---	---	---	D. C.
Do.....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	N. Y.
<i>Glomerella cingulata</i> .....	<i>Capsicum annuum</i> .....	2	---	---	---	---	Do.
Do.....	<i>Chayota edulis</i> (chayote).....	1	---	---	---	1	La.
Do.....	<i>Persea americana</i> (avocado).....	1	---	---	---	1	N. Y.
<i>Glomerella piperata</i> .....	<i>Capsicum annuum</i> .....	12	---	---	---	1	Do.
<i>Helminthosporium</i> sp.....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	Do.
<i>Leptosphaeria pomi</i> .....	<i>Malus sylvestris</i> (apple).....	1	---	1	---	---	Fla.*
<i>Leptosphaeria sacchari</i> .....	<i>Saccharum officinarum</i> .....	---	---	1	---	---	N. Y.
<i>Leptothyrium pomi</i> (?).....	<i>Mangifera indica</i> (mango).....	---	---	1	---	---	Do.
<i>Leptothyrium</i> sp.....	do.....	---	1	---	---	---	Fla.*
<i>Macrophoma</i> sp.....	<i>Adonidia merrillii</i> .....	---	1	---	---	---	D. C.
<i>Macrosporium solani</i> .....	<i>Capsicum annuum</i> .....	1	---	---	---	---	N. Y.
<i>Macrosporium tomatum</i> .....	<i>Lycopersicum esculentum</i> .....	4	---	---	---	---	Do.
<i>Melaconium sacchari</i> .....	<i>Saccharum officinarum</i> .....	---	---	3	---	---	Do.
Do.....	do.....	1	---	---	1	---	Pa.
<i>Microcera</i> sp.....	<i>Citrus grandis</i> (grapefruit).....	---	---	---	---	1	N. Y.
Mosaic.....	<i>Capsicum annuum</i> .....	1	---	---	---	---	Do.
Do.....	<i>Phaseolus lunatus macrocarpus</i> .....	8	---	---	---	---	Do.
<i>Myriangium duriaei</i> .....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Do.
Oedema.....	<i>Brassica rapa</i> (turnip).....	---	---	---	---	1	Miss.
<i>Oidium</i> sp.....	<i>Daucus carota</i> (carrot).....	---	---	---	---	1	N. Y.
Do.....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	Do.
<i>Oospora lactis parasitica</i> .....	<i>Lycopersicum esculentum</i> .....	3	---	---	---	2	Do.
<i>Oospora</i> sp.....	<i>Musa paradisiaca</i> (plantain).....	---	---	---	---	1	Va.
<i>Pestalozzia guepini</i> .....	<i>Persea americana</i> (avocado).....	1	---	---	---	---	N. Y.
<i>Pestalozzia</i> sp.....	<i>Adonidia merrillii</i> .....	---	1	---	---	---	D. C.
Do.....	<i>Chrysothylum cainito</i> (star-apple).....	---	---	1	---	---	Fla.*
Do.....	<i>Citrus aurantifolia</i> (lime).....	1	---	---	---	---	N. Y.
Do.....	<i>Mangifera indica</i> (mango).....	---	---	1	---	---	Do.
Do.....	<i>Mentha</i> sp. (mint).....	1	---	---	---	---	Do.
Do.....	<i>Persea americana</i> (avocado).....	1	---	---	---	---	Do.
Do.....	<i>Solanum melongena</i> (eggplant).....	1	---	---	---	---	Do.
<i>Phoma destructiva</i> .....	<i>Capsicum annuum</i> .....	1	---	---	---	---	La.
Do.....	do.....	4	---	---	---	---	N. Y.
Do.....	<i>Lycopersicum esculentum</i> .....	1	---	---	---	---	Calif.*
Do.....	do.....	1	---	---	---	---	Fla.*
Do.....	do.....	139	---	---	---	3	N. Y.
Do.....	do.....	---	---	---	---	2	Pa.
Do.....	do.....	---	---	---	---	1	Tex.
<i>Phoma</i> sp.....	<i>Carica papaya</i> (papaya).....	1	---	---	---	1	N. Y.
Do.....	<i>Hibiscus esculentus</i> (okra).....	1	---	---	---	---	La.
Do.....	<i>Lycopersicum esculentum</i> .....	1	---	---	---	---	N. Y.
<i>Phomopsis vexans</i> .....	<i>Capsicum annuum</i> .....	1	---	---	---	---	Do.
Do.....	<i>Solanum melongena</i> (eggplant).....	---	---	---	---	1	La.
Do.....	do.....	19	---	---	---	---	N. Y.
<i>Phyllosticta phaseolina</i> .....	<i>Phaseolus lunatus macrocarpus</i> .....	1	---	---	---	---	Do.
<i>Phyllosticta</i> sp.....	<i>Cucumis sativus</i> (cucumber).....	1	---	---	---	---	Do.
Do.....	<i>Hibiscus esculentus</i> .....	1	---	---	---	---	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Phytophthora</i> sp. ....	<i>Cucumis sativus</i> .....	1					N. Y.
Do .....	<i>Raphanus sativus</i> (radish) .....					1	Do.
<i>Saccharomyces</i> sp. ....	<i>Lycopersicum esculentum</i> .....	1					Do.
<i>Sclerotinia sclerotiorum</i> .....	<i>Cucumis sativus</i> .....	1					Fla.*
Do .....	<i>Hibiscus esculentus</i> .....	2					Do.*
<i>Sclerotinia</i> sp. ....	do .....	1					Do.*
Do .....	<i>Nymphaea</i> sp. (waterlily) .....	1					N. Y.
<i>Septobasidium</i> sp. ....	<i>Citrus sinensis</i> (orange) .....	2				1	La.
Do .....	do .....					1	N. Y.
Do .....	<i>Lepidosaphes beckii</i> on orange .....					1	Fla.*
<i>Sphaceloma fawcettii</i> .....	<i>Citrus aurantifolia</i> (lime) .....					1	Mass.
Do .....	do .....					1	N. Y.
Do .....	<i>Citrus aurantium</i> (sour orange) .....			1			Fla.*
Do .....	<i>Citrus grandis</i> (grapefruit) .....				1		Pa.
Do .....	<i>Citrus limonia</i> (lemon) .....		1				Fla.*
Do .....	<i>Citrus sinensis</i> .....					2	N. Y.
<i>Sphaerostilbe aurantiicola</i> .....	do .....	1					Do.
<i>Sphaerotheca pannosa</i> .....	<i>Rosa</i> sp. ....			2			Fla.*
<i>Stilbum</i> sp. ....	Unidentified cutting .....			1			La.
<i>Thielariopsis paradoxa</i> .....	<i>Manihot esculenta</i> (cassava) .....	1					N. Y.
Do .....	<i>Saccharum officinarum</i> .....			3			Do.
Do .....	do .....					1	Pa.
<i>Uromyces appendiculatus</i> .....	<i>Phaseolus lunatus macrocarpus</i> .....	4					N. Y.
Do .....	<i>Phaseolus</i> sp. (string bean) .....	3					Do.
CURACAO							
Insects:							
<i>Diaspis echinocacti cacti</i> (Coccidae) .....	Cactus .....			1			Do.
<i>Stiphilus linearis</i> (tamarind pod borer) .....	<i>Tamarindus indica</i> (tamarind) .....				1		Do.
CYPRUS							
Insects: <i>Myelois</i> sp. (Pyralidae) .....							
	<i>Cerantonia siliqua</i> (St. Johnsbread) .....	6					Do.
CZECHOSLOVAKIA							
Diseases:							
<i>Dasyscypha</i> sp. ....	Wood .....		1				D. C.
<i>Rhizoctonia</i> sp. ....	<i>Begonia</i> sp. ....		1				Pa.
<i>Verticillium albo-atrum</i> .....	<i>Dahlia</i> sp. ....		1				D. C.
DANZIG							
Insects:							
<i>Eriophyes</i> sp. (mite) .....	<i>Betula</i> sp. (birch) .....	1					N. Y.
<i>Trichocera</i> sp. (Tipulidae) .....	<i>Beta vulgaris</i> (beet) .....					1	La.
Diseases:							
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot) .....					1	Pa.
<i>Sclerotinia</i> sp. ....	<i>Beta vulgaris</i> (beet) .....					1	La.
<i>Sclerotium</i> sp. ....	<i>Brassica oleracea capitata</i> .....					1	Do.
DENMARK							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae) .....	<i>Allium porrum</i> (leek) .....					1	N. Y.
<i>Ceutorhynchus</i> sp. (Curculionidae) .....	<i>Brassica rapa</i> (turnip) .....					1	Do.
Do .....	do .....					1	Pa.
<i>Histiostoma</i> sp. (mite) .....	<i>Apium graveolens</i> (celery) .....					1	La.
<i>Hylemyia</i> sp. (Anthomyiidae) .....	<i>Allium porrum</i> (leek) .....	1					N. Y.
Do .....	<i>Brassica campestris</i> (rutabaga) .....					2	La.
Do .....	<i>Brassica rapa</i> .....					4	N. Y.
Do .....	do .....					4	Pa.
<i>Liothrips</i> sp. (thrips) .....	<i>Allium porrum</i> (leek) .....		1				Do.
Noctuid .....	<i>Lactuca sativa</i> (lettuce) .....					1	Do.
<i>Pieris</i> sp. (Pieridae) .....	<i>Brassica oleracea capitata</i> .....					1	Ala.
Do .....	do .....					1	La.
<i>Psylliodes chrysocephala</i> (Chrysomellidae) .....	<i>Raphanus sativus</i> (radish) .....					1	N. Y.
Diseases:							
<i>Aphelenchoides parietinus</i> .....	<i>Daucus carota</i> (carrot) .....					3	Pa.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
<i>Chaetomium</i> sp. ....	<i>Scirpus</i> sp. ....		1				Ill.
<i>Epicoccum</i> sp. ....	<i>Daucus carota</i> .....					1	Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
DENMARK—Continued							
Diseases—Continued.							
<i>Leptosphaeria</i> sp.....	<i>Ulmus campestris</i> (English elm)		1				Wash.
<i>Oospora</i> sp.....	<i>Allium cepa</i> (onion)					1	La.
Do.....	<i>Cucumis sativus</i> (cucumber)					1	Ala.
Do.....	<i>Daucus carota</i>					1	La.
<i>Rhizoctonia</i> sp.....	<i>Beta vulgaris</i> (beet)					1	Pa.
<i>Sclerotinia sclerotium</i> .....	<i>Daucus carota</i>					1	Ala.
Do.....	do					2	Pa.
Do.....	do					4	Tex.
<i>Sclerotinia</i> sp.....	<i>Beta vulgaris</i>					1	La.
Do.....	do					1	N. Y.
Do.....	do					1	Pa.
<i>Spondylocidium</i> sp.....	<i>Allium porrum</i> (leek)					1	Do.
<i>Stysanus</i> sp.....	<i>Rosa</i> sp.....		1				D. C.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear)			1			N. Y.
DOMINICA							
Insects:							
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Mangifera indica</i> (mango)			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Chrysomphalus</i> sp. (Coccidae).....	do		1				Do.
<i>Coccus vi idis</i> (Coccidae).....	do		2				Mass.
Do.....	do		1				N. Y.
<i>Eucalyptatus tessellatus</i> (Coccidae).....	<i>Cinnamomum zeylanicum</i> (cinnamon)			1			Do.
<i>Parlataria ziziphus</i> (Coccidae).....	<i>Citrus aurantifolia</i>	3					Do.
<i>Parlataria</i> sp. (Coccidae).....	do	2					Do.
<i>Pseudonidia articulatus</i> (rufous scale).....	do	1					Mass.
Do.....	do		54				N. Y.
Do.....	<i>Citrus sinensis</i> (orange)					1	Mass.
<i>Pseudonidia trilobitiformis</i> (Coccidae).....	<i>Citrus aurantifolia</i>	1					N. Y.
Diseases:							
<i>Asterinella</i> sp. (?).....	<i>Spondias cytherea</i> (golden apple)			1			Do.
<i>Capnodium citri</i> .....	<i>Citrus aurantifolia</i>					2	Mass.
Do.....	do	1					N. Y.
<i>Capnodium</i> sp.....	<i>Cinnamomum zeylanicum</i> (cinnamon)			1			Do.
<i>Diplodia cacaoicola</i> .....	<i>Citrus aurantifolia</i> (lime)	1					Mass.
<i>Sphaeloma faucessii</i> .....	do					1	Do.
Do.....	do	1					N. Y.
DOMINICAN REPUBLIC							
Insects:							
<i>Aspidiotus herculeanus</i> (Coccidae).....	<i>Poinciana regia</i> (royal poinciana)			1			Do.
* <i>Atherigona</i> sp. (Anthomyiidae).....	<i>Xanthosoma</i> sp. (malanga)	1					Do.
Bostrichid.....	<i>Bulnesia arborea</i> (vera wood)	1					Do.
<i>Catonia</i> sp. (Fulgoroidea).....	<i>Guaiacum officinale</i> (lignumvitae)	1					Do.
Cerambycid.....	<i>Bulnesia arborea</i>	2					Do.
<i>Ceroplastes</i> sp. (Coccidae).....	<i>Epidendrum</i> sp. (orchid)		1				D. C.
<i>Chaetopsis</i> sp. (Ortaliidae).....	<i>Zea mays</i> (corn)			2			N. Y.
Chloropid.....	<i>Xanthosoma</i> sp. (malanga)	1					Do.
<i>Creinatogaster</i> sp. (ant).....	<i>Ananas sativus</i>	1					Do.
<i>Doliema</i> sp. (Tenebrionidae).....	<i>Bulnesia arborea</i>	1					Do.
Do.....	<i>Guaiacum officinale</i> (lignumvitae)	1					Do.
<i>Echinopsalis</i> sp. (earwig).....	<i>Musa</i> sp. (banana)	1					Do.
<i>Elaphidion nanum</i> (Cerambycidae).....	Fence post	1					P. R.
<i>Elaphidion</i> sp. (Cerambycidae).....	<i>Guaiacum officinale</i> (lignumvitae)	1					N. Y.
<i>Fundella</i> sp. (Pyralidae).....	<i>Cajanus indicus</i> (gandule)			1			Do.
<i>Hemichionaspis minor strachani</i> (Coccidae).....	<i>Cucurbita pepo</i> (pumpkin)	1					Do.
<i>Hypothenus</i> sp. (Scolytidae).....	<i>Poinciana regia</i> (royal poinciana)			1			Do.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>DOMINICAN REPUBLIC—Continued</b>							
<b>Insects—Continued.</b>							
<i>Laemophloeus</i> sp. (Cucujidae).....	<i>Bulnesia arborea</i> (vera wood).....	1					N. Y.
<i>Lorelus</i> sp. (Tenebrionidae).....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Prenolepis</i> sp. (ant).....	Orchid.....	1					D. C.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime).....	4				2	N. Y.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Brassia caudata</i> (orchid).....	1					D. C.
Do.....	<i>Musa paradisiaca</i> (plantain).....	1					N. Y.
<i>Tinea</i> sp. (Tineidae).....	<i>Poinciana regia</i> (royal poinciana).			1			Do.
Tipulid.....	<i>Calathea allouia</i> .....		1				Do.
<i>Wasmannia auropunctata</i> (ant).....	<i>Ananas sativus</i> .....	2					Do.
<b>Diseases:</b>							
<i>Capnodium citri</i> .....	<i>Citrus aurantifolia</i> (lime).....					1	Do.
<i>Ceratostomella fimbriata</i> .....	<i>Xanthosoma sagittifolium</i> (yautia).	1					Do.
<i>Ceratostomella</i> sp.....	<i>Xanthosoma</i> sp. (malanga).....	1					Do.
<i>Colletotrichum cajani</i> .....	<i>Cajanus indicus</i> (gandule).....				1		Do.
<i>Colletotrichum orchidearum</i> .....	<i>Bletia</i> sp. (orchid).....		1				D. C.
Do.....	<i>Pleurothallis gelida</i> (orchid).....		1				Do.
<i>Diplodia cacaicola</i> .....	<i>Artocarpus incisa</i> (breadfruit).....		1				N. Y.
Do.....	<i>Citrus aurantifolia</i> (lime).....	1					Do.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....					1	Va.
Do.....	<i>Xanthosoma sagittifolium</i> (yautia).	1					N. Y.
<i>Gloeosporium</i> sp.....	<i>Epidendrum</i> sp. (orchid).....	1					D. C.
Do.....	Orchid.....		1				Do.
<i>Septoria</i> sp.....	<i>Acanthus</i> sp.....		1				Md.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus limonia</i> (lemon).....					1	N. Y.
<b>DUTCH EAST INDIES</b>							
<b>Insects:</b>							
<i>Aracterus fasciculatus</i> (coffee-bean weevil).	<i>Areca catechu</i> (betel palm).....	2					Do.
<i>Chelisoches morio</i> (earwig).....	Orchid.....		1				Calif.*
<i>Dinoderus minutus</i> (Bostrichidae).....	Bamboo used as dunnage.....	1					N. Y.
<i>Paralecanium</i> sp. (Coccidae).....	Orchid.....		1				Calif.*
<i>Sinoxylon conigerum</i> (Bostrichidae).	<i>Derris</i> sp. (tuba).....	1					N. Y.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind).....				1		Do.
<i>Xylotrechus phidias</i> (Cerambycidae).	Leguminosae.....	1					Do.
<b>Diseases:</b>							
<i>Cercospora</i> sp.....	Unidentified leaf.....					1	Pa.
<i>Phoma</i> sp.....	<i>Calamus rotang</i> (rattan).....		1				N. Y.
<b>DUTCH GUIANA</b>							
<b>Insects:</b>							
Aegeriid.....	<i>Pentaclethra filamentosa</i> .....	1					D. C.
<i>Amblycerus</i> sp. (Bruchidae).....	<i>Cassia</i> sp.....	1					Do.
<i>Bruchus</i> sp. (Bruchidae).....	do.....	1					Do.
<i>Caryedon fuscus</i> (Bruchidae).....	do.....	1					Do.
<i>Creumatogaster</i> sp. (ant).....	<i>Cucumis sativus</i> (cucumber).....					1	N. Y.
Cureulionid.....	<i>Copaifera</i> sp.....	1					D. C.
<i>Furcaspis biformis</i> (Coccidae).....	Orchid.....	1					Do.
<i>Lasioderma</i> sp. (Anobiidae).....	<i>Clitadium</i> sp.....		1				Do.
Oecophorid.....	<i>Byrsonima</i> sp.....	1					Do.
<i>Parlatoria</i> sp. (Coccidae).....	<i>Citrus sinensis</i> (orange).....			1			Ala.
<i>Pseudaonidia articulatus</i> (rufous scale).	do.....			1			Do.
Pyraustinae (Pyralidae).....	<i>Cucumis sativus</i> .....					1	N. Y.
<i>Solenopsis</i> sp. (ant).....	Orchid.....		1				D. C.
<i>Stephanoderes</i> sp. (Scolytidae).....	<i>Centrosema</i> sp. (butterfly-pea).....	1					Do.
<b>Diseases:</b>							
<i>Diplodia cacaicola</i> .....	<i>Euphorbia</i> sp.....	1					Do.
<i>Gloeosporium</i> sp.....	Orchid.....	1					Do.
<i>Isaria</i> sp.....	<i>Citrus sinensis</i> .....					1	N. Y.
<i>Sclerotinia</i> sp.....	<i>Phaseolus</i> sp. (string bean).....					1	Do.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus sinensis</i> .....					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>DUTCH WEST INDIES</b>							
Insects: <i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Tamarindus indica</i> (tamarind).				1		N. Y.
Diseases: <i>Microcera</i> sp.	<i>Citrus sinensis</i> (orange).				1		Md.
<b>EAST AFRICA</b>							
Insects: <i>Myelois</i> sp. (Pyralidae).	<i>Kigelia</i> sp.		1				D. C.
Diseases: <i>Sclerotinia sclerotiorum</i> .	<i>Daucus carota</i> (carrot).					1	Tex.
<b>ECUADOR</b>							
Insects:							
<i>Aeolus</i> sp. (Elateridae).	Banana debris.	1					N. Y.
<i>Camponotus</i> sp. (ant).	do.	9					Do.
Do.	<i>Musa</i> sp. (banana).	3					Calif.*
<i>Caryoborus chiriquensis</i> (Bruchidae).	<i>Phytelephas macrocarpa</i> (ivory nut).	1					N. Y.
<i>Ceramidia</i> sp. (Syntomidae).	Banana debris.	2					Do.
<i>Chaetopsis</i> sp. (Ortaliidae).	<i>Zea mays</i> (corn).					1	Wash.
<i>Colastus</i> sp. (Nitidulidae).	<i>Musa</i> sp. (banana).	1					Calif.*
<i>Crematogaster</i> sp. (ant).	Banana debris.	1					N. Y.
Curculionid.	<i>Ceiba pentandra</i> (kapox).		1				D. C.
<i>Dermestes</i> sp. (Dermestidae).	<i>Ochroma lagopus</i> (balsa).	1					N. Y.
<i>Dysdercus peruvianus</i> (Pyrrhocoridae).	<i>Gossypium</i> sp. (cotton).	1					Do.
<i>Eciton</i> sp. (ant).	<i>Gossypium</i> sp. (seed cotton).	1					Do.
<i>Euzesta</i> sp. (Ortaliidae).	<i>Serjania mexicana</i> (barbasco).	1					Do.
<i>Foreipomyia</i> sp. (Chironomidae).	<i>Ochroma lagopus</i> (balsa).	1					Do.
Gelechiid.	<i>Serjania mexicana</i> .		1				D. C.
<i>Holocera</i> sp. (Blastobasidae).	<i>Gossypium</i> sp. (seed cotton).	1					N. Y.
<i>Homophoeta</i> sp. (Chrysomelidae).	Banana debris.	1					Ala.
<i>Hypothenemus</i> sp. (Scolytidae).	do.	1					Do.
<i>Lasioderma</i> sp. (Anobiidae).	<i>Gossypium</i> sp. (cotton).	1					N. Y.
<i>Macropygium reticulare</i> (Pentatomidae).	Banana debris.	1					Do.
<i>Metamasius hemipterus</i> (West Indian cane weevil).	<i>Musa</i> sp. (banana).	1					Wash.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris.	5					N. Y.
Do.	<i>Musa</i> sp. (banana).	2					Calif.*
Do.	do.	1					N. Y.
<i>Monanus concinnulus</i> (Cucujidae).	Banana debris.	1					Do.
<i>Mycetaea</i> sp. (Mycetaeidae).	<i>Musa</i> sp. (banana).	1					Do.
<i>Nemobius</i> sp. (Gryllidae).	do.	1					Calif.*
<i>Neocattarus vegetus</i> (Lygaeidae).	Banana debris.	1					N. Y.
<i>Neoponera</i> sp. (ant).	<i>Musa</i> sp. (banana).	1					Do.
Noctuid.	Banana debris.	1					Do.
Do.	<i>Ochroma lagopus</i> (balsa).	1					Do.
<i>Oecanthus</i> sp. (Gryllidae).	<i>Musa</i> sp. (banana).	1					Calif.*
<i>Pheidole</i> sp. (ant).	Banana debris.	1					N. Y.
<i>Platypus dimidiatus</i> (Platypodidae).	<i>Ochroma lagopus</i> .	1					Do.
<i>Ponera</i> sp. (ant).	Banana debris.	1					Do.
<i>Pseudonidia articulatus</i> (rufous scale).	<i>Citrus limonia</i> (lemon).				1		Do.
Do.	<i>Citrus sinensis</i> (orange).					1	Calif.*
Do.	do.					5	N. Y.
Pyralid.	<i>Theobroma cacao</i> (cacao).	1					Calif.*
<i>Pyroderes</i> sp. (Cosmopterygidae).	<i>Gossypium</i> sp. (seed cotton).	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite).	<i>Allium cepa</i> (onion).		1				Do.
<i>Silvanus vulgaris</i> (Cucujidae).	<i>Ochroma lagopus</i> (balsa).	1					Do.
<i>Stenoma</i> sp. (Stenomidae).	<i>Gossypium</i> sp. (seed cotton).	1					Do.
Do.	<i>Persea americana</i> (avocado).		1				Do.
Stenomid.	<i>Gossypium</i> sp. (seed cotton).	2					Do.
Do.	<i>Persea americana</i> .					1	Do.
<i>Stephanoderes guatemalensis</i> (Scolytidae).	Banana debris.	2					Do.
<i>Stephanoderes</i> sp. (Scolytidae).	<i>Gossypium</i> sp. (seed cotton).	1					Do.
<i>Telephanus brontoides</i> (Cucujidae).	Banana debris.	1					Do.
<i>Telephanus setulosus</i> (Cucujidae).	do.	1					Do.
<i>Telephanus</i> sp. (Cucujidae).	do.	3					Do.
Do.	<i>Musa</i> sp. (banana).	1					Wash.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ECUADOR—Continued							
Insects—Continued.							
<i>Tinea</i> sp. (Tineidae).....	Banana debris.....	1	---	---	---	---	N. Y.
Tineid.....	do.....	5	---	---	---	---	Do.
Do.....	<i>Musa</i> sp. (banana).....	2	---	---	---	---	Do.
<i>Tyroglyphus</i> sp. (mite).....	<i>Allium sativum</i> (garlic).....	---	1	---	---	---	Do.
<i>Wasmannia auropunctata</i> (ant).....	Banana debris.....	2	---	---	---	---	Do.
<i>Wasmannia</i> sp. (ant).....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	Do.
<i>Xyleborus affinus</i> (Scolytidae).....	<i>Ochroma lagopus</i> (balsa).....	1	---	---	---	---	Do.
Diseases:							
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea capitata</i> .....	---	---	---	---	1	Pa.
<i>Capnodium citri</i> .....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Md.
<i>Diplodia</i> sp.....	<i>Persea americana</i> (avocado).....	---	---	---	---	1	Calif.*
<i>Gloeosporium</i> sp.....	<i>Odontoglossum</i> sp. (orchid).....	---	1	---	---	---	D. C.
Do.....	<i>Oncidium</i> sp. (orchid).....	---	1	---	---	---	Do.
<i>Pestalozzia</i> sp.....	<i>Odontoglossum</i> sp. (orchid).....	---	1	---	---	---	Do.
Do.....	<i>Oncidium</i> sp. (orchid).....	---	1	---	---	---	Do.
<i>Sphaeceloma faucettii</i> .....	<i>Citrus aurantifolia</i> (lime).....	1	---	---	---	---	Calif.*
<i>Tranzschelia pruni-spinosae</i> .....	<i>Amygdalus persica</i> (peach).....	---	---	---	---	1	Md.
<i>Verticillium</i> sp.....	<i>Carica papaya</i> (papaya).....	---	---	---	---	1	N. Y.
EGYPT							
Insects:							
<i>Anisolabis</i> sp. (earwig).....	<i>Beta vulgaris</i> (beet).....	---	---	---	---	1	Pa.
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Allium cepa</i> (onion).....	---	---	---	---	1	N. Y.
Chloropid.....	<i>Brassica oleracea capitata</i> .....	---	---	---	---	1	Do.
<i>Desmometopa</i> sp. (Agromyzidae).....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	La.
<i>Eumerus tuberculatus</i> (lesser bulb fly).....	<i>Allium cepa</i> .....	---	---	---	---	1	Pa.
Do.....	do.....	---	---	---	---	1	N. Y.
<i>Fulvius ozycaenoides</i> (Miridae).....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Do.
<i>Histiostoma</i> sp. (mite).....	<i>Allium cepa</i> .....	---	---	---	---	1	Pa.
<i>Lasioderma</i> sp. (Anobiidae).....	<i>Gossypium</i> sp. (cotton).....	1	---	---	---	---	N. Y.
<i>Lirius</i> sp. (Curculionidae).....	<i>Beta vulgaris</i> (beet).....	---	---	---	---	1	Pa.
Melasiid.....	<i>Apium graveolens</i> (celery).....	---	---	---	---	1	N. Y.
Noctuid.....	<i>Brassica oleracea capitata</i> .....	---	---	---	---	1	Do.
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus grandis</i> (pomelo).....	---	---	---	---	1	Do.
<i>Pectinophora gossypiella</i> (pink boll-worm).....	<i>Gossypium</i> sp. (cottonseed).....	10	---	---	---	---	Do.
Do.....	do.....	---	---	---	---	---	Do.
Do.....	<i>Gossypium</i> sp. (cotton) (waste).....	---	4	---	---	---	D. C.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea capitata</i> .....	---	1	---	---	---	Pa.
<i>Plutella maculipennis</i> (diamond-back moth).....	do.....	---	---	---	---	1	N. Y.
Do.....	do.....	---	---	---	---	3	Do.
<i>Pyralis</i> sp. (Pyralidae).....	<i>Capsicum annuum</i> .....	---	---	---	---	1	Tex.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....	---	---	---	---	1	N. Y.
Do.....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	La.
<i>Thamnurgus</i> sp. (Scolytidae).....	<i>Gossypium</i> sp. (cottonseed).....	1	---	---	---	---	N. Y.
<i>Urophorus humeralis</i> (Nitidulidae).....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Mass.
Diseases:							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea capitata</i> .....	---	---	---	---	1	Do.
<i>Alternaria solani</i> .....	<i>Lycopersicum esculentum</i> .....	---	---	---	---	1	Do.
Do.....	do.....	---	---	---	---	1	N. Y.
<i>Capnodium citri</i> .....	<i>Citrus limonia</i> (lemon).....	---	---	---	---	1	Pa.
Do.....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	La.
<i>Cladosporium fulvum</i> .....	<i>Lycopersicum esculentum</i> .....	---	---	---	---	1	N. Y.
<i>Erotium</i> sp.....	<i>Oryza sativa</i> (rice).....	---	---	1	---	---	Do.
Do.....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	La.
<i>Macrosporium tomato</i> .....	<i>Lycopersicum esculentum</i> .....	---	---	---	---	2	N. Y.
<i>Meliola</i> sp.....	<i>Citrus aurantifolia</i> .....	---	---	---	---	1	Pa.
<i>Penicillium glaucum</i> .....	<i>Phoenix dactylifera</i> (date).....	---	---	---	---	1	Tex.
<i>Puccinia allii</i> .....	<i>Allium sativum</i> (garlic).....	---	---	---	---	1	Pa.
<i>Puccinia</i> sp.....	do.....	---	---	---	---	1	N. Y.
<i>Rhizoctonia</i> sp.....	<i>Daucus carota</i> (carrot).....	---	---	---	---	1	S. C.
<i>Sclerotinia sclerotiorum</i> .....	do.....	---	---	---	---	1	Md.
<i>Sclerotinia</i> sp.....	<i>Lycopersicum esculentum</i> .....	---	---	---	---	1	N. Y.
Do.....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Pa.
<i>Septoria citri</i> .....	<i>Citrus limonia</i> (lemon).....	---	---	---	---	1	N. Y.
<i>Sphaeceloma faucettii</i> .....	<i>Citrus aurantifolia</i> (lime).....	---	---	---	---	1	Pa.
<i>Sysanus</i> sp.....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Mass.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
ENGLAND							
Insects:							
<i>Acalypta musci</i> (Tingitidae).....	<i>Chrysanthemum</i> sp.....		1			D. C.	
<i>Agriotes</i> sp. (Elateridae).....	In soil around aster plant.....		1			Do.	
<i>Agromyza</i> sp. (Agromyzidae).....	<i>Brassica oleracea botrytis</i> (cauliflower).				1	N. Y.	
Do.....	<i>Brassica oleracea capitata</i> .....				1	Do.	
Do.....	do.....				2	Pa.	
Do.....	<i>Brassica rapa</i> (turnip).....				1	Mass.	
Do.....	do.....				1	Miss.	
Do.....	<i>Raphanus sativus</i> (radish).....				1	Do.	
Agromyzid.....	<i>Brassica oleracea capitata</i> .....				1	Mass.	
Do.....	<i>Lactuca sativa</i> (lettuce).....				1	N. Y.	
Do.....	<i>Pastinaca sativa</i> (parsnip).....				1	Mass.	
Do.....	<i>Viola</i> sp.....		1			Do.	
Anthomyiid.....	<i>Brassica oleracea capitata</i> .....				1	N. Y.	
Do.....	do.....				1	Pa.	
Do.....	<i>Lactuca sativa</i> (lettuce).....				1	Mass.	
Do.....	<i>Solanum tuberosum</i> .....				2	La.	
Do.....	In soil around horseradish.....				1	Mass.	
<i>Aphis</i> sp. (aphid).....	<i>Azorella pedunculata</i> .....	1				Calif.*	
<i>Argyresthia</i> sp. (Yponomeutidae).....	<i>Malus sylvestris</i> (apple).....			1		N. Y.	
<i>Aspidiotus britannicus</i> (Coccidae).....	<i>Laurus nobilis</i> (Grecian laurel).....				2	Mass.	
Do.....	do.....				4	N. Y.	
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Amygdalus persica</i> (peach).....	1				D. C.	
Do.....	<i>Camellia</i> sp.....	1				Do.	
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Brassica oleracea gemmifera</i> (brussels sprouts).				1	Pa.	
Do.....	<i>Brassica rapa</i> (turnip).....				1	La.	
<i>Athous subfuscus</i> (Elateridae).....	<i>Brassica oleracea capitata</i> .....				1	N. Y.	
<i>Brachyrhinus</i> sp. (Curculionidae).....	<i>Aethionema</i> sp.....	1				Calif.*	
Do.....	<i>Helianthemum alpestre</i> (alpine sunrose).....	1				Do.*	
<i>Bruchidius villosus</i> (Bruchidae).....	<i>Cytisus scoparius</i> (Scotch broom).....		1			D. C.	
Cecidomyiid.....	<i>Amygdalus persica</i> (peach).....	1				Do.	
Do.....	<i>Amygdalus persica nectarina</i> (nectarine).....	1				Do.	
Do.....	<i>Fagus sylvatica</i> (European beech).....	1				N. Y.	
Do.....	<i>Hemerocallis</i> sp.....		1			D. C.	
Do.....	<i>Flydrangea</i> sp.....				1	Mass.	
Do.....	In soil around horseradish.....				1	Do.	
Do.....	<i>Salix</i> sp. (willow).....	1				N. Y.	
Cercopid.....	<i>Buddleia globosa</i> .....		1			D. C.	
<i>Ceutorhynchus ericae</i> (Curculionidae).....	<i>Calluna vulgaris</i> (heather).....		1			Pa.	
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica campestris</i> (rutabaga).....				1	Ala.	
Do.....	do.....				1	N. Y.	
Do.....	<i>Brassica oleracea botrytis</i> (cauliflower).....				1	Do.	
Do.....	do.....				1	Pa.	
Do.....	<i>Brassica oleracea capitata</i> .....				1	Do.	
Do.....	<i>Brassica rapa</i> (turnip).....				2	Ala.	
Do.....	do.....				2	Md.	
Do.....	do.....				2	Mass.	
Do.....	do.....				7	La.	
Do.....	do.....				13	N. Y.	
Do.....	do.....				14	Pa.	
Do.....	do.....				6	Tex.	
Do.....	do.....				1	Va.	
Do.....	In galls on rutabaga roots.....				1	Pa.	
Do.....	In soil around horseradish.....				1	Mass.	
Do.....	<i>Raphanus sativus</i> (radish).....				1	Miss.	
<i>Chionaspis salicis</i> (Coccidae).....	<i>Fraxinus excelsior</i> (European ash).....	1				N. Y.	
<i>Coleophora</i> sp. (Coleophoridae).....	<i>Malus sylvestris</i> (apple).....		2			D. C.	
Do.....	<i>Prunus domestica</i> (plum).....		1			Do.	
Curculionid.....	<i>Solanum tuberosum</i> .....				1	La.	
<i>Denticollis linearis</i> (Elateridae).....	<i>Dianthus</i> sp.....	1				D. C.	
<i>Desmometopa</i> sp. (Agromyzidae).....	<i>Solanum tuberosum</i> .....				1	La.	
<i>Dialeurodes chittendeni</i> (rhododendron whitefly).....	<i>Rhododendron</i> sp.....	3				D. C.	
Do.....	do.....	3				Wash.	

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
<i>Dicyphus stachydis</i> (Miridae).....	<i>Primula</i> sp. (primrose).....			1			N. Y.
<i>Drymus brunneus</i> (Lygaeidae).....	<i>Chrysanthemum</i> sp.....		1				D. C.
<i>Dryocetes villosus</i> (Scolytidae).....	<i>Quercus</i> sp. (oak).....	1					Va.
<i>Eriophyes</i> sp. (mite).....	<i>Morus</i> sp. (mulberry).....					1	N. Y.
<i>Eucalymnatus tessellatus</i> (Coccidae).	<i>Camellia japonica</i> (camellia).....		1				Calif.*
<i>Eumerus tuberculatus</i> (lesser bulb fly).	<i>Narcissus</i> sp.....		1				Do.*
<i>Emerus</i> sp. (Syrphidae).....	<i>Iris chamaeiris</i> .....		1				D. C.
<i>Eurytoma</i> sp. (Eurytomidae).....	<i>Fagus sylvatica</i> (European beech).	1					N. Y.
Do.....	<i>Frazinus excelsior</i> (European ash).	6					Do.
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Iris chamaeiris</i> .....		1				D. C.
Do.....	In soil around horseradish.....					1	Mass.
Do.....	<i>Solanum tuberosum</i> .....					1	Calif.*
<i>Forficula auricularia</i> (European earwig).	<i>Corylus avellana</i> (filbert).....			1			N. Y.
Do.....	<i>Taxus</i> sp. (yew).....	1					Do.
Gelechiid.....	<i>Calluna vulgaris</i> (heather).....		1				Pa.
<i>Gracilaria azaleella</i> (azalea leaf miner).	<i>Azalea</i> sp.....	1					D. C.
<i>Helophorus</i> sp. (Hydrophilidae).....	<i>Brassica rapa</i> (turnip).....					1	La.
Do.....	do.....					1	Tex.
<i>Histiostoma</i> sp. (mite).....	<i>Allium cepa</i> (onion).....					1	N. Y.
Do.....	<i>Pastinaca sativa</i> (parsnip).....					1	Wash.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Brassica campestris</i> (rutabaga).....					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					4	Ala.
Do.....	do.....					1	La.
Do.....	do.....					2	Md.
Do.....	do.....					1	Miss.
Do.....	do.....					9	N. Y.
Do.....	do.....					10	Pa.
Do.....	do.....					3	Tex.
Do.....	<i>Daucus carota</i> (carrot).....					1	N. Y.
Do.....	<i>Dianthus</i> sp. (carnation).....		1				D. C.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Miss.
Do.....	do.....					1	N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
<i>Hylesinus frazini</i> (Scolytidae).....	<i>Frazinus excelsior</i> (European ash).	3					N. Y.
Do.....	<i>Frazinus</i> sp. (ash).....	1					Pa.
<i>Lepidosaphes tuberculata</i> (Coccidae).	<i>Cymbidium</i> sp. (orchid).....	1					D. C.
<i>Leucopis</i> sp. (Agromyzidae).....	<i>Rosa</i> sp.....		1				Do.
<i>Limnophila</i> sp. (Tipulidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
<i>Macrosiphum gei</i> (aphid).....	<i>Lactuca sativa</i> (lettuce).....					1	Fla.*
<i>Macrosiphum</i> sp. (aphid).....	<i>Primula acaulis sulphurea</i> .....	1					Calif.*
Do.....	<i>Primula</i> sp. (primrose).....		1				Pa.
<i>Melanotus rufipes</i> (Elateridae).....	In packing around <i>Helleborus</i> plant.		1				D. C.
<i>Melanotus</i> sp. Elateridae).....	<i>Quercus</i> sp. (oak).....	1					Va.
<i>Merodon</i> sp. (Syrphidae).....	<i>Narcissus</i> sp.....		2				D. C.
Do.....	do.....		1				Ill.
Mirid.....	<i>Primula</i> sp. (primrose).....			1			N. Y.
<i>Myrmica laevinodis</i> (ant).....	In packing around plants.....		1				D. C.
<i>Myzus veronicae</i> (aphid).....	<i>Bellis perennis</i> (English daisy).....		1				Pa.
Do.....	<i>Chrysanthemum</i> sp.....				1		N. Y.
Do.....	<i>Primula</i> sp. (primrose).....		1				Pa.
Do.....	<i>Valeriana supina</i> .....	1					Wash.
<i>Myzus</i> sp. (aphid).....	<i>Loiseleuria procumbens</i> (Alpine-azalea).		1				D. C.
Noctuid.....	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					2	Do.
Olethreutid.....	<i>Amygdalus persica nectarina</i> (nectarine).	1					D. C.
Do.....	<i>Malus sylvestris</i> (apple).....		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
Ortalid.....	<i>Delphinium</i> sp.....	1					D. C.
Do.....	<i>Erigeron</i> sp.....	1					Do.
Do.....	<i>Solanum tuberosum</i> .....					1	Fla.*
Do.....	do.....					1	Tex.
Do.....	<i>Spartina townsendi</i> .....	1					Hawaii.*
<i>Orthotylus ericetorum</i> (Miridae).....	<i>Calluna vulgaris</i> (heather).....		1				Pa.
<i>Parthenothrips dracaenae</i> (thrips).....	<i>Ricinus communis</i> (castor-bean).....				1		N. Y.
<i>Phyllocoptes</i> sp. (mite).....	<i>Malus sylvestris</i> (apple).....		1				D. C.
<i>Phyllotreta cruciferae</i> (Chrysomelidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
<i>Phytomyza atricornis</i> (Agromyzidae).....	<i>Chrysanthemum</i> sp.....				3		Do.
<i>Phytomyza</i> sp. (Agromyzidae).....	<i>Ilex aquifolium</i> .....	1					D. C.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					2	Do.
Do.....	do.....					2	Pa.
<i>Pinnaspis buzi</i> (Coccidae).....	<i>Acanthophoenix rubra</i> .....			1			N. Y.
<i>Plusia ni</i> (Noctuidae).....	<i>Brassica oleracea capitata</i> .....					1	La.
<i>Plutella maculipennis</i> (diamond-back moth).....	<i>Brassica campestris</i> (rutabaga).....					1	Pa.
Do.....	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Pa.
<i>Ponera coarctata</i> (ant).....	In soil around plants.....			1			N. Y.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Laelicattleya</i> sp. (orchid).....	1					D. C.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).....	<i>Cypripedium</i> sp. (orchid).....	1					Do.
<i>Psila rosae</i> (carrot rust fly).....	<i>Daucus carota</i> (carrot).....					3	N. Y.
Do.....	do.....					3	Pa.
Do.....	do.....					1	Va.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).....	<i>Brassica rapa</i> (turnip).....					1	N. Y.
Do.....	do.....					1	Pa.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Lilium</i> sp.....	1					N. Y.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Chrysanthemum</i> sp.....				1		Mass.
Do.....	In soil around horseradish.....					1	Do.
Do.....	<i>Pastinaca sativa</i> (parsnip).....					1	N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
Do.....	do.....					1	N. Y.
Do.....	<i>Taxus</i> sp. (yew).....	1					Do.
Scolytid.....	<i>Frazerinus excelsior</i> (European ash).....	1					Do.
<i>Taeniothrips ericae</i> (thrips).....	<i>Calluna vulgaris</i> (heather).....		3				Pa.
Tetranychid.....	<i>Acer pseudoplatanus</i> (sycamore maple).....					1	N. Y.
<i>Tetranychus</i> sp. (mite).....	<i>Amygdalus persica</i> (peach).....	1					D. C.
Do.....	<i>Amygdalus persica nectarina</i> (nectarine).....	1					Do.
Do.....	<i>Azalea</i> sp.....			1			N. Y.
Do.....	<i>Hydrangea</i> sp.....				1		Mass.
<i>Thrips angusticeps</i> (thrips).....	<i>Lactuca sativa</i> (lettuce).....					1	Fla.*
<i>Thrips tabaci pullus</i> (thrips).....	<i>Allium porrum</i> (leek).....					1	N. Y.
Tingitid.....	<i>Ilex</i> sp. (holly).....		1				Do.
Tipulid.....	In soil around <i>Asperula suberosa</i> .....	1					Calif.*
Tortricid.....	<i>Asarum europaeum</i> .....		1				D. C.
Do.....	<i>Laurus nobilis</i> (Grecian laurel).....				1		N. Y.
Do.....	<i>Rhododendron</i> sp.....	1					Wash.
<i>Trichocera</i> sp. (Tipulidae).....	<i>Brassica rapa</i> (turnip).....					1	Md.
Do.....	<i>Daucus carota</i> (carrot).....					1	Pa.
Do.....	<i>Quercus</i> sp. (English oak).....	1					Va.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Miss.
Diseases:							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower).....					2	N. Y.
Do.....	do.....					2	Pa.
Do.....	<i>Brassica oleracea capitata</i> .....					2	N. Y.
Do.....	do.....					6	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
<i>Alternaria dianthi</i> .....	<i>Dianthus</i> sp.....		2				D. C.
<i>Alternaria fasciculata</i> .....	<i>Lycopersicum esculentum</i> .....					1	Fla.*
<i>Alternaria herculea</i> .....	<i>Brassica oleracea capitata</i> .....					1	Mass.
<i>Anguillulina dipsaci</i> .....	<i>Brassica rapa</i> (turnip).....					1	Pa.
Do.....	<i>Daucus carota</i> (carrot).....					1	La.
Do.....	<i>Iris</i> sp.....		1				D. C.
Do.....	<i>Narcissus</i> sp.....		1				Do.
Do.....	<i>Solanum tuberosum</i> .....					1	N. Y.
Do.....	do.....					2	Pa.
Do.....	do.....					1	Tex.
<i>Aphelenchoides parietinus</i> .....	<i>Beta vulgaris</i> (beet).....					1	N. Y.
Do.....	<i>Daucus carota</i> (carrot).....					1	Fla.*
<i>Aphelenchus avenae</i> .....	<i>Narcissus cyclamineus</i> .....		1				D. C.
<i>Ascochyta</i> sp.....	<i>Rhododendron dichroanthum</i> .....	1					Wash.
<i>Bacillus</i> sp.....	<i>Daucus carota</i> (carrot).....					1	N. Y.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea botrytis</i> (cauli flower).....					7	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	do.....					2	Pa.
<i>Botrytis cinerea</i> .....	<i>Rosa</i> sp.....			1			N. Y.
<i>Botrytis tulipae</i> .....	<i>Tulipa</i> sp.....		1				Pa.
<i>Cercospora odontoglossi</i> .....	<i>Odontoglossum</i> sp. (orchid).....	2					D. C.
<i>Cercospora</i> sp.....	<i>Brassica oleracea botrytis</i> .....					1	N. Y.
<i>Colletotrichum lagenarium</i> .....	<i>Cucumis sativus</i> (cucumber).....					1	Pa.
<i>Coniothyrium hellebori</i> .....	<i>Helleborus niger</i> (Christmas rose).....			1			N. Y.
<i>Coryneum</i> sp.....	<i>Rhododendron</i> sp.....	1					Wash.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....		1				D. C.
<i>Erysiphe cichoracearum</i> .....	<i>Chrysanthemum</i> sp.....				1		Mass.
<i>Eurotium</i> sp.....	<i>Paonia</i> sp. (peony).....			1			N. Y.
<i>Etosporium</i> sp.....	<i>Palm</i> .....				1		Do.
<i>Fusarium oxysporum</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....		1				D. C.
<i>Gibberella saubinetii</i> .....	<i>Triticum aestivum</i> (wheat).....			1			Ala.
<i>Gloeosporium rhododendri</i> .....	<i>Rhododendron nobleanum tenustum</i> .....	1					Wash.
<i>Gloeosporium</i> sp.....	<i>Agapetes seligera</i> .....		1				D. C.
Do.....	<i>Agapetes speciosa</i> .....		1				Do.
Do.....	Orchid (several genera).....	4	2				Do.
Do.....	<i>Palm</i> .....				1		N. Y.
<i>Glomerella cingulata</i> .....	<i>Malus sylvestris</i> (apple).....					1	La.
<i>Helminthosporium sativum</i> .....	<i>Triticum aestivum</i> (wheat).....	2					Pa.
<i>Helminthosporium</i> sp.....	do.....	2					N. Y.
Do.....	do.....	1					Pa.
<i>Heterosporium</i> sp.....	<i>Allium porrum</i> (leek).....					1	Md.
Do.....	<i>Schizostylis</i> sp.....	1					Wash.
<i>Monilia</i> sp.....	<i>Prunus</i> sp. (cherry).....					1	Mass.
Do.....	<i>Prunus domestica</i> (plum).....					1	Do.
Do.....	<i>Quercus</i> sp. (oak).....	1					Va.
<i>Mycosphaerella brassicicola</i> .....	<i>Brassica oleracea botrytis</i> .....					4	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					2	Do.
Do.....	do.....					1	Pa.
<i>Mycosphaerella schoenoprasii</i> .....	<i>Allium porrum</i> (leek).....					2	Md.
<i>Oospora</i> sp.....	<i>Daucus carota</i> (carrot).....					1	Tex.
Do.....	<i>Lycopersicum esculentum</i> .....					1	Ala.
<i>Pestalozzia guepini</i> .....	<i>Camellia</i> sp.....	1					D. C.
<i>Phoma lingam</i> .....	<i>Brassica oleracea botrytis</i> .....					1	Md.
Do.....	do.....					5	N. Y.
<i>Phoma rostrupii</i> .....	<i>Daucus carota</i> (carrot).....					1	Pa.
<i>Phyllosticta saccardoi</i> .....	<i>Rhododendron</i> sp.....	1					Wash.
<i>Physoctenium malorum</i> .....	<i>Malus sylvestris</i> (apple).....					1	Fla.*
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	2					N. Y.
Do.....	do.....	1					Pa.
<i>Puccinia iridis</i> .....	<i>Iris rubro-marginata</i> .....		1				D. C.
<i>Puccinia menthae</i> .....	<i>Mentha</i> sp. (mint).....					2	N. Y.
<i>Puccinia</i> sp.....	<i>Allium porrum</i> (leek).....					2	Do.
Do.....	do.....					2	Pa.
Do.....	<i>Triticum aestivum</i> (wheat).....	1					Tex.
<i>Pyrenophora ciliolata</i> .....	<i>Primula facchinii</i> .....	1					Wash.
<i>Rhizoctonia</i> sp.....	<i>Brassica rapa</i> (turnip).....					1	Pa.
<i>Rhizoma acerinum</i> .....	<i>Acer</i> sp. (maple).....					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ENGLAND—Continued</b>							
<b>Diseases—Continued.</b>							
<i>Sclerotinia sclerotiorum</i> .....	<i>Brassica rapa</i> (turnip).....					1	Ala.
Do.....	<i>Daucus carota</i> (carrot).....					7	Do.
Do.....	do.....					2	La.
Do.....	do.....					4	Miss.
Do.....	do.....					6	Pa.
Do.....	do.....					1	Tex.
Do.....	<i>Pastinaca sativa</i> (parsnip).....					2	Pa.
<i>Sclerotinia</i> sp.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					2	Do.
Do.....	<i>Lycopersicum esculentum</i> .....					1	Ala.
Do.....	<i>Solanum tuberosum</i> .....					1	Pa.
<i>Sclerotium</i> sp.....	<i>Brassica campestris</i> (rutabaga).....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					1	Do.
Do.....	<i>Daucus carota</i> (carrot).....					1	Tex.
Do.....	<i>Iris</i> sp.....		1				D. C.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					1	N. Y.
Do.....	do.....					2	Pa.
<i>Septoria drummondii</i> .....	<i>Phlox</i> sp.....	1					D. C.
<i>Septoria insularis</i> .....	<i>Hedera</i> sp.....		1				Do.
<i>Septoria</i> sp.....	<i>Primula facknii</i> .....	1					Wash.
Do.....	<i>Primula floerkeana</i> .....	1					Do.
<i>Sphaeronema</i> sp.....	<i>Daucus carota</i> (carrot).....					1	Pa.
Do.....	<i>Narcissus</i> sp.....			2			D. C.
<i>Uredo</i> sp.....	<i>Allium porrum</i> (leek).....					1	Md.
<i>Uromyces caryophyllinus</i> .....	<i>Dianthus</i> sp.....	1	3				D. C.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....					3	N. Y.
<i>Vermicularia trichella</i> .....	<i>Hedera</i> sp. (ivy).....		1				Pa.
<i>Verticillium</i> sp.....	<i>Brassica rapa</i> (turnip).....					1	S. C.
Do.....	<i>Tropaeolum speciosum</i> (vermillion nasturtium).....		1				Pa.
<i>Volutella</i> sp.....	<i>Delphinium</i> sp.....	1					D. C.
<b>ESTONIA</b>							
Insects: <i>Sciara fenestralis</i> (Mycetophilidae).....	<i>Solanum tuberosum</i> .....					1	Md.
<b>FANNING ISLAND</b>							
Insects: Tineid.....	<i>Cocos nucifera</i> (coconut).....			1			Hawaii.*
<b>FJI ISLANDS</b>							
Insects:							
Curculionid.....	<i>Artocarpus incisa</i> (breadfruit).....			2			Hawaii.*
<i>Euwallacea</i> sp. (Scolytidae).....	do.....			1			Do.*
<i>Meracantha</i> sp. (Tenebrionidae).....	<i>Dendrobium</i> sp. (orchid).....	1					Do.*
<b>FINLAND</b>							
Insects:							
Cecidomyiid.....	Lichen.....	1					N. Y.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Brassica rapa</i> (turnip).....			1			Do.
Diseases:							
<i>Anguillulina dipsaci</i> .....	<i>Solanum tuberosum</i> .....					1	Pa.
<i>Diplodia</i> sp.....	<i>Pastinaca sativa</i> (parsnip).....					1	N. Y.
<i>Lophodermium</i> sp.....	<i>Pinus</i> sp. (pine).....	1					Do.
<i>Sclerotinia</i> sp.....	<i>Brassica rapa</i> (turnip).....					1	La.
<b>FRANCE</b>							
Insects:							
<i>Acalypta parvula</i> (Tingitidae).....	Rose cuttings and sphagnum moss.....		1				D. C.
<i>Acrolepia assectella</i> (Plutellidae).....	<i>Allium porrum</i> (leek).....					1	N. Y.
Do.....	do.....					1	Pa.
Aegeriid.....	<i>Ulmus</i> sp. (elm).....	1					Va.
<i>Agomyza</i> sp. (Agromyzidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
Do.....	do.....					1	Pa.
Agromyzid.....	do.....					2	Do.
<i>Anisolabis moesta</i> (earwig).....	<i>Lilium</i> sp.....	2					N. Y.
Anthomyiid.....	<i>Brassica oleracea capitata</i> .....					1	Pa.
Do.....	<i>Ficus carica</i> (fig.).....			1			N. Y.
<i>Anuraphis</i> sp. (aphid).....	<i>Tragopogon porrifolius</i> (salsify).....					1	Do.
<i>Aphis</i> sp. (aphid).....	<i>Allium porrum</i> (leek).....					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Insects—Continued.							
<i>Apion carduorum</i> (Curculionidae)	<i>Cynara scolymus</i> (globe artichoke).					1	N. Y.
<i>Aspidiotus ostreaeformis</i> (Coccidae)	<i>Syringa</i> sp.	1					D. C.
<i>Aspidiotus pyri</i> (Coccidae)	<i>Malus</i> sp.		1				Do.
<i>Athous villosus</i> (Elateridae)	<i>Ulmus</i> sp. (elm)	1					N. Y.
<i>Baris laticollis</i> (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Bruchidius lividimanus</i> (Bruchidae)	<i>Cytisus proliferus albus</i>		1				D. C.
<i>Bruchidius villosus</i> (Bruchidae)	<i>Laburnum vulgare</i>		1				Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Cytisus</i> sp.		1				Do.
Do	<i>Trifolium alexandrinum</i> (Egyptian clover).		1				Do.
<i>Bruchus viciae</i> (Bruchidae)	<i>Lathyrus articulatus</i>		1				Do.
Cecidomyiid	<i>Hyacinthus</i> sp.	1					N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly)	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.
<i>Ceroplastes</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange).			1			Do.
Do	<i>Citrus</i> sp.			1			Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Apium graveolens</i> (celery)					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					4	N. Y.
Do	do					2	Pa.
Do	do					2	Tex.
Do	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Triticum aestivum</i> (wheat)	1					Do.
Choropid	<i>Juglans</i> sp. (walnut)	1					Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	<i>Citrus sinensis</i> (orange)			1			Do.
Do	<i>Citrus</i> sp.			2			Do.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus sinensis</i>			1			Do.
<i>Contarinia torquens</i> (Cecidomyiidae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Corymbites cinctus</i> (Elateridae)	<i>Pyrus communis</i> (pear)	1					Do.
Curculionid	<i>Allium porrum</i> (leek)					1	Do.
<i>Cynips gallae-tinctoriae</i> (Cynipidae)	Gall		1				D. C.
<i>Dasynura affinis</i> (Cecidomyiidae)	<i>Viola</i> sp.				1		Va.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Brassica oleracea capitata</i>					1	Pa.
Do	<i>Solanum tuberosum</i>					2	La.
<i>Dryops auriculatus</i> (Dryopidae)	<i>Ulmus</i> sp. (elm)	1					N. Y.
<i>Etiella zinckenella</i> (lima bean pod borer)	<i>Spartium junceum</i> (weavers-broom).		1				D. C.
<i>Eumerus</i> sp. (Syrphidae)	<i>Lilium</i> sp.	4					Do.
<i>Euzoa</i> sp. (Noctuidae)	<i>Lactuca sativa</i>					1	Do.
<i>Forficula auricularia</i> (European earwig)	<i>Lilium</i> sp.	1					Do.
<i>Forficula auricularia forcipata</i> (earwig).	do	1					Do.
<i>Frankliniella tenuicornis</i> (thrips)	<i>Allium porrum</i> (leek)					1	Do.
<i>Hylemya</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					10	Do.
Do	do					4	Pa.
Do	do					3	Tex.
Do	<i>Raphanus sativus</i> (radish)					4	N. Y.
<i>Hypera postica</i> (alfalfa weevil)	Rose scions and sphagnum moss.	1					D. C.
<i>Lasius umbrata</i> (ant)	<i>Fragaria</i> sp. (strawberry)		1				N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Castanea</i> sp. (chestnut)			1			Do.
<i>Lilioceris lili</i> (Chrysomelidae)	<i>Lilium</i> sp.	1					Do.
Lonchopterid	<i>Apium graveolens</i> (celery)					1	Do.
<i>Macrosiphum</i> sp. (aphid)	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Megaselia</i> sp. (Phoridae)	<i>Brassica oleracea capitata</i>					2	Pa.
<i>Monanus concinnulus</i> (Cucujidae)	<i>Lilium</i> sp.	1					N. Y.
<i>Monarthropalpus buzi</i> (boxwood leaf miner)	Boxwood		1				Pa.
<i>Myzus primulae</i> (aphid)	<i>Primula</i> sp. (primrose)				1		N. Y.
<i>Neosciera</i> sp. (Mycetophilidae)	<i>Cynara scolymus</i> (artichoke)					1	Pa.
Noctuid	<i>Brassica oleracea botrytis</i> (cauliflower).					3	N. Y.
Do	<i>Cynara scolymus</i> (globe artichoke).					1	Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Insects—Continued.							
Ortalid.....	<i>Lilium</i> sp.....	1					N. Y.
<i>Parlatoria oleae</i> (Coccidae).....	<i>Prunus domestica</i> ... (plum)					1	Do.
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus sinensis</i> (orange)					1	Calif.*
<i>Phelomerus germainsi</i> (Bruchidae).....	<i>Parkinsonia aculeata</i> (Jerusalem-thorn)		1				D. C.
Phycitinae (Pyralidae).....	<i>Citrus sinensis</i> .....			1			N. Y.
<i>Phyllotreta atra</i> (Chrysomelidae).....	do.....			1			Do.
<i>Phyllotreta cruciferae</i> (Chrysomelidae).....	<i>Allium porrum</i> (leek)					1	Pa.
<i>Phyllotreta vittata sinuata</i> (Chrysomelidae).....	<i>Brassica oleracea botrytis</i> .....					1	N. Y.
<i>Phyllotreta vittula</i> (Chrysomelidae).....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	<i>Brassica oleracea botrytis</i> .....					1	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Mass.
<i>Plutella maculipennis</i> (diamond-back moth).....	do.....					1	Tex.
<i>Pnyxia scabiei</i> (potato scab gnat).....	<i>Lilium</i> sp.....	1					N. Y.
<i>Pseudococcus gahani</i> (citrophilus mealybug).....	<i>Gunnera manicata</i> .....	1					D. C.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Citrus nobilis deliciosa</i> (tangerine).....			1			N. Y.
Do.....	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Psila rosae</i> (carrot rust fly).....	<i>Daucus carota</i> (carrot).....	1					Do.
<i>Psyllia buxi</i> (boxwood psyllid).....	<i>Buzus</i> sp.....		1				Pa.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).....	<i>Brassica rapa</i> (turnip).....					6	N. Y.
Pterophorid.....	<i>Lactuca sativa</i> (lettuce).....					1	Do.
<i>Pyralis</i> sp. (Pyralidae).....	<i>Lilium</i> sp.....	1					Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....					1	La.
Do.....	do.....					2	N. Y.
Do.....	<i>Lilium candidum</i> (Madonna lily).....	1					Do.
Do.....	<i>Lilium</i> sp.....	5					Do.
<i>Rhyncolus lignarius</i> (Curculionidae).....	<i>Ulmus</i> sp. (elm).....	1					Do.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Allium cepa</i> (onion).....	1				1	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Tex.
Do.....	<i>Brassica rapa</i> (turnip).....					1	N. Y.
Do.....	<i>Cichorium intybus</i> (witloof).....					1	Do.
Do.....	<i>Lilium</i> sp.....	1					Do.
Do.....	<i>Paeonia</i> sp. (peony).....	1					Calif.*
Do.....	<i>Solanum tuberosum</i> .....					2	Pa.
Do.....	<i>Ulmus</i> sp. (elm).....	1					N. Y.
<i>Scolytus multistriatus</i> (Scolytidae).....	do.....	2					Md.
<i>Scolytus scolytus</i> (Scolytidae).....	do.....	2					Do.
Do.....	do.....	1					N. Y.
Do.....	do.....	5					Va.
<i>Thrips</i> sp. (thrips).....	<i>Brassica rapa</i> (turnip).....					1	N. Y.
Tingitid.....	Rose cutting and sphagnum moss.....		1				D. C.
Tortricid.....	<i>Citrus sinensis</i> (orange)			1			N. Y.
Do.....	<i>Cynara scolymus</i> (globe artichoke).....					2	Do.
<i>Tribolium</i> sp. (Tenebrionidae).....	<i>Spiraea</i> sp.....		1				D. C.
<i>Trichocera</i> sp. (Tipulidae).....	<i>Lactuca sativa</i> (lettuce).....					2	N. Y.
Do.....	<i>Tragopogon porrifolius</i> (salsify)					1	Do.
<i>Tritogenaphis</i> sp. (aphid).....	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Zabrotes subfasciatus</i> (Bruchidae).....	Bean.....					1	La.
Diseases:							
<i>Albugo candida</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	N. Y.
<i>Albugo tragopogonis</i> .....	<i>Tragopogon porrifolius</i> (salsify).....					2	Do.
<i>Anguillulina dipsaci</i> .....	<i>Hyacinthus</i> sp.....	1					Do.
Do.....	<i>Solanum tuberosum</i> .....					1	Ala.
<i>Anguillulina gallica</i> .....	<i>Ulmus</i> sp. (elm).....	1					Md.
<i>Aphelenchoides fragariae</i> .....	<i>Fragaria</i> sp.....		1				D. C.
<i>Ascochyta heterophragmia</i> .....	<i>Camellia japonica</i> (camellia).....	1					Do.
<i>Ascochyta pisi</i> .....	<i>Pisum sativum</i> (pea).....					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Diseases—Continued.							
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).					1	N. Y.
<i>Bacterium marginatum</i> .....	<i>Gladiolus</i> sp.....		1				D. C.
<i>Botrytis cinerea</i> .....	<i>Cynara scolymus</i> (globe artichoke).					1	N. Y.
<i>Bremia lactucae</i> .....	<i>Lactuca sativa</i> (lettuce).					2	Do.
Do.....	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Do.
<i>Capnodium citri</i> .....	<i>Citrus limonia</i> (lemon).....					1	S. C.
<i>Ceratostomella ulmi</i> .....	<i>Ulmus</i> sp. (elm).....	1					Md.
<i>Cladosporium fulvum</i> .....	<i>Lycopersicon esculentum</i> .....					1	N. Y.
<i>Colletotrichum circinans</i> .....	<i>Allium ascalonicum</i> (shallot).....		1				Do.
<i>Colletotrichum graminicolum</i> .....	<i>Triticum aestivum</i> (wheat).....	1					Do.
<i>Colletotrichum nigrum</i> .....	<i>Capsicum annuum</i> .....					1	Do.
<i>Cumminsella sanguinea</i> .....	<i>Berberis</i> sp.....				1		Va.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....				1		Ala.
<i>Eurotium</i> sp.....	<i>Lilium</i> sp.....	1					N. Y.
<i>Helminthosporium allii</i> .....	<i>Allium sativum</i> (garlic).....					1	Ala.
<i>Leptosphaeria heterospora</i> .....	<i>Iris</i> sp.....		1				D. C.
Mosaic.....	<i>Euonymus</i> sp.....				1		Wash.
<i>Mycosphaerella brassicicola</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower).					16	N. Y.
<i>Oidium</i> sp.....	<i>Rosa</i> sp.....			1			Do.
<i>Ophiobolus graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	1					Do.
<i>Pestalozzia guepini</i> .....	<i>Camellia gordonii</i> .....	1					D. C.
<i>Pestalozzia</i> sp.....	<i>Paenonia</i> sp. (peony).....	1	1				Do.
<i>Phoma lingam</i> .....	<i>Brassica oleracea botrytis</i> .....					1	Pa.
<i>Phoma rostrupii</i> .....	<i>Daucus carota</i> (carrot).....					1	Tex.
<i>Phyllosticta cynarae</i> .....	<i>Cynara scolymus</i> (globe artichoke).					2	N. Y.
<i>Phyllosticta pisi</i> .....	<i>Pisum sativum</i> (pea).....					1	Do.
<i>Phyllosticta</i> sp.....	<i>Viscum alba</i> (European mistletoe).		1				D. C.
<i>Puccinia allii</i> .....	<i>Allium porrum</i> (leek).....					1	N. Y.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	6					Do.
<i>Puccinia hieracii</i> .....	<i>Cichorium intybus</i> (witloof).....					5	Do.
<i>Puccinia</i> sp.....	<i>Allium porrum</i> (leek).....					1	Do.
Do.....	<i>Cichorium intybus</i> (witloof).....					1	Do.
<i>Pythium</i> sp.....	<i>Allium sativum</i> (garlic).....					1	Do.
<i>Rhizoctonia</i> sp.....	<i>Solanum tuberosum</i> .....					1	Calif.*
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot).....					3	Ala.
Do.....	do.....					2	Tex.
<i>Sclerotinia</i> sp.....	<i>Solanum tuberosum</i> .....					1	Ga.
Do.....	do.....					1	Tex.
<i>Sclerotium</i> sp.....	<i>Tigridia conchiflora</i> .....		1				D. C.
Do.....	<i>Trogopogon porrifolius</i> (salsify).....					1	La.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					2	N. Y.
Do.....	do.....					2	Pa.
<i>Sporonema camelliae</i> .....	<i>Camellia</i> sp.....	1					D. C.
<i>Tranzschelia pruni-spinosae</i> .....	<i>Prunus</i> sp.....					1	N. Y.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....				1		La.
Do.....	do.....			2		2	N. Y.
<i>Verticillium albo-atrum</i> .....	<i>Solanum tuberosum</i> .....					1	La.
GALAPAGOS ISLANDS							
Insects: <i>Pseudococcus galapagoensis</i> (Coccidae).....	<i>Cereus thoursii</i> (cactus).....	1					Calif.*
GERMANY							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae).....	<i>Allium cepa</i> (onion).....					1	Md.
<i>Agromyza</i> sp. (Agromyzidae).....	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do.....	<i>Lactuca sativa</i> (lettuce).....					1	Do.
Do.....	Soil around roots of leek.....					1	Do

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
Agromyzid.....	<i>Brassica oleracea botrytis</i> .....					3	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	<i>Brassica oleracea caulorapa</i> (kohlrabi).....					1	Do.
Do.....	<i>Chrysanthemum</i> sp.....				1		Do.
Anthomyiid.....	<i>Populus</i> sp.....			1			Do.
<i>Anthonomus rectirostris</i> (Curculionidae).....	<i>Prunus</i> sp. (cherry).....		1				D. C.
<i>Anthrenus</i> sp. (Dermestidae).....	<i>Sophora japonica</i> (Chinese scholar tree).....		1				Do.
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Malus sylvestris</i> (apple).....		1				Fla.*
Do.....	do.....		2				N. Y.
<i>Asterolecanium variolosum</i> (Coccidae).....	<i>Quercus argentata</i> .....	1					D. C.
<i>Asterolecanium</i> sp. (Coccidae).....	<i>Quercus</i> sp. (oak).....		1				Fla.*
<i>Blatodacta</i> sp. (Cosmopterygidae).....	<i>Malus sylvestris</i> .....			1			N. Y.
<i>Bruchidius villosus</i> (Bruchidae).....	<i>Spartium junceum</i> (weavers-broom).....		1				D. C.
Cecidomyiid.....	<i>Radicula armoracia</i> (horseradish).....					1	Mass.
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica oleracea capitata</i> .....					1	Pa.
Do.....	<i>Brassica rapa</i> (turnip).....					5	N. Y.
Do.....	<i>Daucus carota</i> (carrot).....					1	Tex.
<i>Chaetocnema concinna</i> (Chrysomelidae).....	<i>Petunia</i> sp.....				1		N. Y.
Chloropid.....	<i>Solanum tuberosum</i> .....					1	Tex.
<i>Coleophora</i> sp. (Haplloptiliidae).....	<i>Salix</i> sp. (willow).....		1				N. Y.
<i>Crematogaster</i> sp. (ant).....	<i>Brassica oleracea botrytis</i> .....					1	Do.
<i>Curculio</i> sp. (Curculionidae).....	<i>Quercus</i> sp. (acorn).....		2				Pa.
<i>Desmometopa</i> sp. (Agromyzidae).....	<i>Allium cepa</i> (onion).....					1	Ala.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
<i>Diaspis carueli</i> (Coccidae).....	<i>Juniperus pseudosabina</i> (juniper).....		1				D. C.
<i>Ernobius abietis</i> (Anobiidae).....	<i>Pinus</i> sp. (pine).....			2			N. Y.
Geometrid.....	<i>Salix</i> sp. (willow).....		1				Do.
<i>Hylemyia brassicae</i> (cabbage maggot).....	<i>Brassica caulorapa</i> (kohlrabi).....					1	Fla.*
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.*
Do.....	<i>Raphanus sativus</i> (radish).....					1	N. Y.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Allium porrum</i> (leek).....					1	Do.
Do.....	<i>Brassica campestris</i> (rutabaga).....					1	Pa.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Mass.
Do.....	do.....					1	N. Y.
Do.....	<i>Brassica rapa</i> (turnip).....	1				4	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Raphanus sativus</i> (radish).....					7	N. Y.
<i>Illinoia</i> sp. (aphid).....	<i>Allium porrum</i> (leek).....					1	Do.
<i>Johannsenomyia polita</i> (Ceratopogonidae).....	<i>Inula</i> sp.....	1					Pa.
Lamiinae (Cerambycidae).....	<i>Populus</i> sp.....			1			N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae).....	<i>Castanea</i> sp. (chestnut).....		1				Do.
<i>Laspeyresia strobilella</i> (Olethreutidae).....	<i>Picea</i> sp. (spruce).....		1				Do.
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Abies</i> sp. (fir).....		1				Fla.*
<i>Leucaspis</i> sp. (Coccidae).....	<i>Pinus</i> sp. (pine).....		1				N. Y.
<i>Macrosiphum kaltenbachii</i> (aphid).....	<i>Lactuca saliva longifolia</i> (romaine lettuce).....					1	Do.
<i>Macrosiphum</i> sp. (aphid).....	<i>Chrysanthemum</i> sp.....			1			Do.
Do.....	<i>Rosa</i> sp.....				1		Do.
<i>Napomyza chrysanthemi</i> (chrysanthemum leaf miner).....	<i>Chrysanthemum</i> sp.....				1		Do.
<i>Neosciara</i> sp. (Mycetophilidae).....	In soil around chrysanthemum roots.....			1			Md.
Noctuid.....	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Md.
Do.....	do.....					1	N. Y.
Do.....	<i>Salix</i> sp. (willow).....		1				Do.
Olethreutid.....	<i>Fragaria</i> sp. (ash).....		1				Do.
Do.....	<i>Prunus</i> sp. (cherry).....	1					D. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
Phycitinae (Pyralidae).....	<i>Fagus</i> sp. (beech).....		1				Calif.*
<i>Phyllotreta undulata</i> (Chrysomeli- dae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
<i>Phyllotreta</i> sp. (Chrysomelidae)....	<i>Brassica oleracea botrytis</i> (cauli- flower).....					1	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.
<i>Phytomyza</i> sp. (Agromyzidae).....	<i>Chrysanthemum</i> sp.....				2		Do.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea botrytis</i> .....					3	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					2	Do.
<i>Plutella maculipennis</i> (diamond- back moth).....	<i>Brassica oleracea botrytis</i> .....					3	Do.
<i>Pseudococcus</i> sp. (Coccidae).....	Cactus.....		1				D. C.
Do.....	do.....					1	N. Y.
Do.....	<i>Zygocactus</i> spp.....		1				D. C.
<i>Psila rosae</i> (carrot rust fly).....	<i>Petroselinum hortense</i> (parsley).....					1	Pa.
<i>Pyraustinae</i> (Pyralidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....					1	Tex.
Do.....	<i>Iris</i> sp.....		1				Mass.
Do.....	<i>Paeonia</i> sp. (peony).....			1			N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
Do.....	do.....					3	N. Y.
Do.....	do.....					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Allium cepa</i> (onion).....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					1	La.
Do.....	do.....					1	N. Y.
Do.....	<i>Chrysanthemum</i> sp.....				1		Do.
Do.....	Orchid.....	1					Do.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Do.
Do.....	<i>Solanum tuberosum</i> .....			1			Do.
Do.....	<i>Calluna vulgaris</i> (heather).....		2				Pa.
<i>Taeniothrips ericae</i> (thrips).....	<i>Abies</i> sp. (fir).....		1				Fla.*
<i>Tetranychus</i> sp. (mite).....	<i>Opuntia microdasys albida</i> (cac- tus).....		1				D. C.
<i>Thrips tabaci atricornis</i> (thrips).....	<i>Allium porrum</i> (leek).....					1	N. Y.
<i>Thrips tabaci pullus</i> (thrips).....	do.....					1	Do.
<i>Tinea cloacella</i> (Tineidae).....	<i>Pyrus communis</i> (pear).....		1				Do.
Tipulid.....	In soil around chrysanthemum.....			1			Md.
Do.....	<i>Radicula armoracia</i> (horserad- ish).....	1					N. Y.
<i>Trichocera</i> sp. (Tipulidae).....	<i>Cichorium intybus</i> (witloof).....					1	Do.
Do.....	<i>Petroselinum hortense</i> (parsley).....					1	Pa.
Do.....	<i>Radicula armoracia</i> (horserad- ish).....	1					N. Y.
<i>Trypanea</i> sp. (Trypetidae).....	<i>Inula</i> sp.....		1				Pa.
Diseases;							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea botrytis</i> (cauli- flower).....					1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Pa.
Do.....	<i>Brassica rapa</i> (turnip).....					1	S. C.
<i>Alternaria herculea</i> .....	<i>Brassica oleracea capitata</i> .....					1	Pa.
<i>Anguillulina dipsaci</i> .....	<i>Allium cepa</i> .....					1	Tex.
Do.....	<i>Begonia</i> sp.....		1				Pa.
Do.....	<i>Convallaria majalis</i> (lily-of-the- valley).....	12					N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	Ala.
Do.....	do.....					1	N. Y.
Do.....	do.....					3	Pa.
Do.....	do.....					4	Tex.
<i>Anguillulina pratensis</i> .....	<i>Convallaria majalis</i> (lily-of-the- valley).....	9					N. Y.
<i>Aphelenchoides parietinus</i> .....	do.....		8				Do.
Do.....	<i>Daucus carota</i> (carrot).....					1	Tex.
Do.....	<i>Solanum tuberosum</i> .....					1	Pa.
<i>Aphelenchus avenae</i> .....	<i>Convallaria majalis</i> .....	2					N. Y.
<i>Ascochyta</i> sp.....	<i>Mahonia</i> sp.....			1			Do.
<i>Bacillus</i> sp.....	<i>Phaseolus</i> sp. (string bean).....					1	Do.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea botrytis</i> .....					1	Do.
Do.....	<i>Brassica oleracea caulorapa</i> (kohlrabi).....					1	Do.
Do.....	<i>Brassica oleracea gemmifera</i> (brussels sprouts).....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
<i>Bacterium marginatum</i> .....	<i>Gladiolus</i> sp.....			1			N. Y.
<i>Botrytis cinerea</i> .....	<i>Phaseolus</i> sp. (string bean).....					1	Fla.*
Do.....	do.....					1	N. Y.
Do.....	<i>Rosa</i> sp.....		1				Mich.
<i>Bremia lactucae</i> .....	<i>Lactuca sativa</i> (lettuce).....					1	N. Y.
<i>Capnodium</i> sp.....	<i>Sorbus</i> sp.....		1				Pa.
<i>Colletotrichum omnivorum</i> .....	<i>Aspidistra</i> sp.....				1		N. Y.
<i>Colletotrichum</i> sp.....	<i>Piper</i> sp.....				1		Do.
<i>Cumminsia sanguinea</i> .....	<i>Berberis</i> sp. (barberry).....			1			Wash.
Do.....	<i>Mahonia</i> sp.....			2			N. Y.
<i>Cytospora</i> sp.....	<i>Salix</i> sp. (willow).....	1					Do.
<i>Discella carbonacea</i> .....	<i>Salix discolor</i> (pussy willow).....		1				Pa.
<i>Discosia artocreas</i> .....	<i>Rosa</i> sp.....		1				D. C.
<i>Erysiphe graminis</i> .....	<i>Triticum aestivum</i> (wheat).....		1				Do.
<i>Eurotium</i> sp.....	<i>Mahonia</i> sp.....		1				N. Y.
<i>Gloeodes pomigena</i> .....	<i>Malus sylvestris</i> (apple).....			1			Do.
<i>Herpotricha</i> sp.....	<i>Abies</i> sp.....		1				Fla.*
<i>Leptosphaeria heterospora</i> .....	<i>Iris</i> sp.....		1				D. C.
<i>Leptothyrium pomi</i> .....	<i>Malus sylvestris</i> .....			2		1	N. Y.
<i>Mycosphaerella brassicicola</i> .....	<i>Brassica oleracea botrytis</i> (cauliflower).....					6	Do.
<i>Oidium</i> sp.....	<i>Chrysanthemum</i> sp.....				1		Do.
<i>Oospora</i> sp.....	<i>Daucus carota</i> (carrot).....					1	Tex.
<i>Penicillium gladioli</i> .....	<i>Gladiolus</i> sp.....		1				Md.
Do.....	do.....		1				Mich.
<i>Phoma destructiva</i> .....	<i>Capsicum annuum</i> .....		1				N. Y.
<i>Phoma lingam</i> .....	<i>Brassica oleracea botrytis</i> .....					1	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					1	La.
<i>Phoma</i> sp.....	<i>Diervilla</i> sp.....	1					D. C.
Do.....	<i>Fraginus ornus</i> .....		1				Do.
Do.....	<i>Lonicera</i> sp.....	1					Do.
Do.....	<i>Rosa</i> sp.....		1				Do.
Do.....	<i>Salvia officinalis</i> (sage).....					1	N. Y.
<i>Puccinia chrysanthemi</i> .....	<i>Chrysanthemum</i> sp.....				1		Do.
<i>Puccinia graminis</i> .....	<i>Secale cereale</i> (rye).....		1				Do.
Do.....	do.....					1	Wash.
Do.....	<i>Triticum aestivum</i> (wheat).....	1					Ill.
Do.....	do.....	1					La.
Do.....	do.....	1					N. Y.
Do.....	do.....	1					Pa.
<i>Puccinia menthae</i> .....	<i>Mentha</i> sp. (mint).....					1	N. Y.
<i>Puccinia porri</i> .....	<i>Allium sativum</i> (garlic).....		1				D. C.
<i>Puccinia</i> sp.....	<i>Secale cereale</i> (rye).....					1	Wash.
<i>Pythium hydnosporum</i> .....	<i>Dianthus</i> sp.....			1			N. Y.
<i>Pythium</i> sp.....	<i>Brassica oleracea capitata</i> .....					1	Pa.
<i>Ramularia</i> sp.....	<i>Begonia</i> sp.....		1				Do.
<i>Rhizoctonia</i> sp.....	<i>Brassica rapa</i> (turnip).....					1	La.
Do.....	<i>Daucus carota</i> (carrot).....					1	Pa.
Do.....	<i>Solanum tuberosum</i> .....					1	Calif.*
<i>Sclerotinia fructigena</i> .....	<i>Prunus domestica</i> (plum).....			1			N. Y.
<i>Sclerotinia sclerotiorum</i> .....	<i>Apium graveolens rapaceum</i> (celeriac).....					1	Pa.
Do.....	<i>Daucus carota</i> (carrot).....					2	La.
Do.....	do.....					1	Ga.
Do.....	do.....					2	La.
Do.....	do.....					1	Md.
Do.....	do.....					2	N. Y.
Do.....	do.....					3	Pa.
Do.....	do.....					1	S. C.
Do.....	<i>Petroselinum hortense</i> (parsley).....					1	Ala.
<i>Sclerotinia</i> sp.....	<i>Beta vulgaris</i> (beet).....					1	Pa.
Do.....	<i>Petroselinum hortense</i> .....					1	Ala.
Do.....	do.....					1	Pa.
Do.....	<i>Solanum tuberosum</i> .....					1	Ala.
<i>Sclerotium</i> sp.....	<i>Brassica rapa</i> (turnip).....					1	N. Y.
Do.....	<i>Phaseolus</i> sp. (string bean).....					1	Do.
<i>Septoria chrysanthemella</i> .....	<i>Chrysanthemum</i> sp.....			1			Do.
<i>Septoria gladioli</i> .....	<i>Gladiolus</i> sp.....		1				Pa.
Do.....	do.....		1				Wash.
<i>Septoria petroselini</i> .....	<i>Apium graveolens</i> (celery).....					1	N. Y.
<i>Septoria</i> sp.....	<i>Dianthus</i> sp. (carnation).....			1			Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>GERMANY—Continued</b>							
Diseases—Continued.							
<i>Sphaeropsis matorum</i> .....	<i>Rosa</i> sp.....	---	1	---	---	---	Pa.
<i>Uromyces appendiculatus</i> .....	<i>Phaseolus</i> sp. (string bean).....	---	---	---	---	1	N. Y.
<i>Uromyces caryophyllinus</i> .....	<i>Dianthus</i> sp. (carnation).....	---	1	---	---	---	Pa.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....	---	1	---	---	---	Mich.
Do.....	do.....	---	---	12	---	7	N. Y.
<i>Vermicularia varians</i> .....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	La.
<i>Verticillium albo-atrum</i> .....	<i>Dahlia</i> sp.....	2	2	---	---	---	D. C.
<b>GOLD COAST</b>							
Insects: <i>Corcyra cephalonica</i> (Pyralidae).....	<i>Theobroma cacao</i> (cacao).....	1	---	---	---	---	Calif.*
<b>GRAND CAYMAN</b>							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	Fla.*
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Codiaeum</i> sp. (croton).....	---	---	---	---	1	Do.*
<b>GREAT BRITAIN</b>							
Insects:							
<i>Ceutorhynchus ericae</i> (Curculionidae).....	<i>Calluna vulgaris</i> (heather).....	---	1	---	---	---	Pa.
Chloropid.....	do.....	---	1	---	---	---	Do.
<i>Coleophora</i> sp. (Haploptilidae).....	do.....	---	1	---	---	---	Do.
Noctuid.....	do.....	---	2	---	---	---	Do.
<i>Taeniothrips ericae</i> (thrips).....	do.....	---	8	---	---	---	Do.
<i>Thrips flavus</i> (thrips).....	do.....	---	1	---	---	---	Do.
<i>Ulopa reticulata</i> (Cicadellidae).....	do.....	---	1	---	---	---	Do.
<b>GREECE</b>							
Insects:							
<i>Araecerus fasciculatus</i> (coffee-bean weevil).....	<i>Ceratonia siliqua</i> (St. Johns-bread).....	1	---	---	---	---	N. Y.
<i>Bruchidius halodendri</i> (Bruchidae).....	<i>Glycyrrhiza glabra</i> (licorice).....	1	---	---	---	---	Pa.
<i>Camponotus</i> sp. (ant).....	<i>Cactus</i> .....	---	---	1	---	---	N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Cydonia oblonga</i> (quince).....	---	---	1	---	---	Do.
Do.....	<i>Malus sylvestris</i> (apple).....	---	---	---	---	1	Do.
Do.....	<i>Opuntia compressa</i> (prickly-pear).....	---	---	1	---	---	Do.
<i>Crematogaster</i> sp. (ant).....	<i>Cydonia oblonga</i> (quince).....	---	---	1	---	---	Do.
<i>Curculio</i> sp. (Curculionidae).....	<i>Castanea</i> sp. (chestnut).....	---	---	1	---	---	Do.
Do.....	<i>Quercus</i> sp.....	---	1	---	---	---	D. C.
<i>Dacus oleae</i> (olive fruit fly).....	<i>Olea europaea</i> (olive).....	---	---	---	---	1	Md.
<i>Myelois</i> sp. (Pyralidae).....	<i>Cydonia oblonga</i> (quince).....	---	---	1	---	---	N. Y.
Do.....	<i>Malus sylvestris</i> (apple).....	---	---	---	---	1	Do.
Do.....	<i>Punica granatum</i> (pomegranate).....	---	---	1	---	---	Do.
Olethreutid.....	<i>Citrus grandis</i> (grapefruit).....	---	1	---	---	---	Do.
<i>Orycaenus hyalinipennis</i> (Lygaeidae).....	<i>Gossypium</i> sp. (cottonseed).....	---	1	---	---	---	D. C.
<i>Parlatoria oleae</i> (Coccidae).....	<i>Malus sylvestris</i> .....	---	---	1	---	---	N. Y.
Do.....	<i>Pyrus communis</i> (pear).....	---	---	1	---	---	Do.
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus sinensis</i> (orange).....	---	---	---	---	1	Do.
<i>Pectinophora gossypiella</i> (pink bollworm).....	<i>Gossypium</i> sp. (seed cotton).....	---	1	---	---	---	D. C.
Phycitinae (Pyralidae).....	<i>Punica granatum</i> (pomegranate).....	---	---	1	---	---	N. Y.
Do.....	<i>Vitis</i> sp. (grape).....	1	---	---	---	---	Calif.*
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Dianthus</i> sp. (carnation).....	---	---	1	---	---	N. Y.
Diseases:							
<i>Aphelenchoides parietinus</i> .....	<i>Solanum tuberosum</i> .....	---	---	---	---	1	Mass.
<i>Bacterium savastanoi</i> .....	<i>Olea europaea</i> (olive).....	---	---	---	1	---	Pa.
<i>Colletotrichum circinans</i> .....	<i>Allium cepa</i> (onion).....	7	---	---	---	1	N. Y.
<i>Eurotium</i> sp.....	do.....	1	---	---	---	---	Do.
Do.....	<i>Pistacia lentiscus</i> (lentisk).....	1	---	1	---	---	Do.
Do.....	<i>Punica granatum</i> (pomegranate).....	---	---	1	---	---	Do.
<i>Gloeodes pomigena</i> .....	<i>Malus sylvestris</i> (apple).....	---	---	---	---	1	Mass.
<i>Phoma</i> sp.....	<i>Vitis</i> sp. (grape).....	---	---	1	---	---	N. Y.
<i>Puccinia</i> sp.....	<i>Allium sativum</i> (garlic).....	---	---	---	---	1	Pa.
<i>Sclerotium cepivorum</i> .....	<i>Allium cepa</i> (onion).....	1	---	---	---	---	N. Y.
<i>Sclerotium</i> sp.....	do.....	1	---	---	---	---	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
GREECE—Continued							
Diseases—Continued.							
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					1	N. Y.
<i>Uromyces glycyrrhizae</i> .....	<i>Glycyrrhiza glabra</i> (licorice).....	1					Pa.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....			1			N. Y.
GRENADA							
Insects:							
<i>Callosobruchus phaseoli</i> (Bruchi- dae).....	<i>Dolichos lablab</i> (hyacinth- bean).....		1				N. Y.
<i>Hemichionaspis minor strachani</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	1					Do.
Do.....	Palm.....				1		Pa.
<i>Pseudognathia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> .....	3					N. Y.
Scolytid.....	<i>Sabal glaucescens</i> .....		1				D. C.
Diseases: <i>Diplodia cacaoicola</i> .....	<i>Citrus aurantifolia</i> .....	1					N. Y.
GUATEMALA							
Insects:							
<i>Acanthocerus</i> sp. (Scarabaeidae).....	Banana debris.....	1					S. C.
<i>Adraneothrips</i> sp. (thrips).....	do.....	1					Pa.
<i>Aeolus pulchellus</i> (Elateridae).....	do.....	1					Ala.
<i>Alphitobius</i> sp. (Tenebrionidae).....	<i>Zea mays</i> (corn).....		1				La.
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Lucuma</i> sp. (sapote).....	1					Calif.*
Do.....	Sapote.....			1			La.
<i>Anaxipha pulicaria vittata</i> (Gryl- lidae).....	Banana debris.....	1					Tex.
<i>Anaxipha</i> sp. (Gryllidae).....	do.....	1					Pa.
<i>Anochetus emarginatus</i> var. (ant).....	<i>Musa</i> sp. (banana).....	1					S. C.
<i>Anochetus</i> sp. (ant).....	Banana debris.....	1					Tex.
Arctiid.....	do.....	1					La.
Do.....	do.....	1					Tex.
<i>Aspidiotus palmae</i> (Coccidae).....	<i>Musa</i> sp. (banana).....	3					Md.
Do.....	do.....	1					S. C.
<i>Asterolecanium pustulans</i> (Cocci- dae).....	<i>Rhipsalis</i> sp.....			1			Calif.*
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Musa</i> sp. (banana).....	1					Pa.
Buprestid.....	<i>Guaiacum officinale</i> (lignum- vitae).....	1					Calif.*
<i>Calendra</i> sp. (Curculionidae).....	Banana debris.....	1					S. C.
<i>Camponotus angulatus</i> (ant).....	do.....	1					Md.
Do.....	do.....	2					Pa.
Do.....	do.....	1					S. C.
Do.....	<i>Musa</i> sp. (banana).....	5					Do.
<i>Camponotus sericeiventris rex</i> (ant).....	Banana debris.....	1					N. Y.
<i>Camponotus</i> sp. (ant).....	do.....	1					Ala.
Do.....	do.....	12					Md.
Do.....	do.....	13					N. Y.
Do.....	do.....	15					Pa.
Do.....	do.....	14					S. C.
Do.....	do.....	10					Tex.
Do.....	<i>Musa</i> sp. (banana).....	2					Md.
Do.....	do.....	3					N. Y.
Do.....	do.....	2					Pa.
Do.....	do.....	2					S. C.
Do.....	do.....	14					Tex.
Do.....	do.....	1					D. C.
<i>Capaneus odiosus</i> (Coreidae).....	Banana debris.....	1					Ala.
Do.....	do.....	1					Md.
Do.....	do.....	1					S. C.
<i>Capaneus vates</i> (Coreidae).....	do.....	1					Pa.
<i>Cenchræa</i> sp. (Fulgoridae).....	do.....	1					Md.
<i>Cephaloleia puncticollis</i> (Chryso- melidae).....	do.....	1					Ala.
Do.....	do.....	1					La.
<i>Ceramidia musicola</i> (Syntomidae).....	do.....	1					Tex.
Do.....	<i>Musa</i> sp. (banana).....	2					Ala.
Do.....	do.....	1					Tex.
<i>Ceramidia viridis</i> (Syntomidae).....	Banana debris.....	1					Pa.
Do.....	<i>Musa</i> sp. (banana).....	1					Ala.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	5					Ala.
Do	do	4					La.
Do	do	1					N. Y.
Do	do	2					Pa.
Do	do	2					S. C.
Do	do	15					Tex.
Do	<i>Musa</i> sp. (banana)	6					Ala.
Do	do	2					Pa.
Do	do	1					S. C.
Do	do	1					Tex.
<i>Chaetopsis</i> sp. (Ortalidae)	Banana debris	1					Md.
Chloropid	do	1					Do.
Do	do	1					N. Y.
Do	do	1					Pa.
Chrysauginae (Pyrilidae)	do	1					Do.
<i>Chrysomphalus alienus</i> (Coccidae)	Orchid			2			Calif.*
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Philodendron</i> sp.		1				Hawaii.*
<i>Cocconotus</i> sp. (Tettigoniidae)	Banana debris	1					Tex.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Persea americana</i> (avocado)	1					S. C.
<i>Crematogaster brevispinosa</i> var.	Banana debris				1		Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Crematogaster</i> sp. (ant)	Banana debris	1					Md.
Do	do	2					N. Y.
Do	do	1					Tex.
Do	<i>Guaiacum officinale</i> (lignum-vitae).	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	do	7					S. C.
<i>Cryptarcha</i> sp. (Nitidulidae)	Banana debris	1					Ala.
<i>Ctenochira infantula</i> (Chrysomelidae)	do	1					Md.
Cucujid	<i>Guaiacum officinale</i> (lignum-vitae).	1					Calif.*
<i>Diabrotica tibialis</i> (Chrysomelidae)	Banana debris	1					Md.
<i>Dinez americana</i> (earwig)	do	1					S. C.
<i>Disonycha dorsata</i> (Chrysomelidae)	do	1					Tex.
<i>Dolichoderus bispinosus</i> (ant)	do	1					N. Y.
Do	do	1					S. C.
<i>Dolichoderus debilis</i> (ant)	do	1					Pa.
Do	do	1					Tex.
<i>Dolichoderus</i> sp. (ant)	do	1					Tex.
Do	do	1					Md.
Do	do	1					N. Y.
<i>Doliema plana</i> (Tenebrionidae)	<i>Guaiacum officinale</i> (lignum-vitae).	1					Calif.*
<i>Epilachna borealis discincta</i> (Coccinellidae)	Banana debris	1					Tex.
Do	do						
<i>Epipaschiinae</i> (Pyrilidae)	do	1					La.
<i>Erana dispar</i> (Cerambycidae)	do	1					Ala.
<i>Euzesta</i> sp. (Ortalidae)	<i>Cucurbita pepo</i> var. (tropical cucurbit).			1			Calif.*
<i>Faula pilatei</i> (Scarabaeidae)	Banana debris	1					Ala.
<i>Galgupha punctifer</i> (Cydniidae)	do	3					Do.
Do	do	1					Md.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Genuchinus</i> sp. (Scarabaeidae)	Banana debris	1					Md.
Geometrid	do	1					N. Y.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Physalis</i> sp. (ground-cherry)		1				La.
<i>Hapithus</i> sp. (Gryllidae)	Banana debris	1					Ala.
<i>Homophoeta</i> sp. (Chrysomelidae)	do	1					Pa.
<i>Hydnocera</i> sp. (Cleridae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Hypothenemus</i> sp. (Scolytidae)	do	1					Do.
<i>Idiocerus</i> sp. (Cicadellidae)	Banana debris	1					Tex.
<i>Iridomyrmex</i> sp. (ant)	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Labia arcuata</i> (earwig)	Banana debris	1					Tex.
<i>Labia curvicauda</i> (earwig)	do	1					Do.
<i>Lapethus sharpi</i> (Murmiidae)	<i>Tabebuia donnell-smithii</i> (primavera).	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Lema</i> sp. (Chrysomelidae)	Banana debris	1					Ala.
<i>Lobiopa</i> sp. (Nitidulidae)	do	1					Tex.
<i>Loxelus trapeziderus</i> (Tenebrionidae)	do	1					Ala.
Do	do	1					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					Md.
Do	do	3					S. C.
<i>Loxelus</i> sp. (Tenebrionidae)	Banana debris	1					La.
Do	do	1					Pa.
Lygaeid	do	1					N. Y.
<i>Madarellus</i> sp. (Curculionidae)	do	1					Ala.
<i>Malacosoma encausicum</i> (Chrysomelidae)	do	1					Do.
<i>Mecistorhinus melanoleucus</i> (Pentatomidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Mecistorhinus tripterus</i> (Pentatomidae)	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Metamasius sericeus</i> (silky cane weevil)	Banana debris	9					Do.
Do	do	2					La.
Do	do	4					Md.
Do	do	1					N. Y.
Do	do	2					Pa.
Do	do	2					S. C.
Do	do	3					Tex.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					Md.
Do	do	3					Pa.
<i>Metamasius sericeus carbonarius</i> (Curculionidae)	do	1					Do.
Do	do	1					S. C.
Do	do	1					Tex.
<i>Monanthia monotropidia</i> (Tingitidae)	Banana debris	1					Md.
Do	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	4					Do.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Md.
Do	do	1					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					Pa.
<i>Monomorium carbonarium</i> var. (ant)	do	1					S. C.
<i>Monomorium</i> sp. (ant)	In packing around orchids			1			Calif.*
Do	<i>Lycaste gigantea</i> (orchid)			1			Do.*
Do	<i>Cattleya skinneri</i> (orchid)			1			Do.*
<i>Mordellistena</i> sp. (Mordellidae)	Banana debris	1					Pa.
<i>Myochrous</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Neoconocephalus</i> sp. (Tettigoniidae)	Banana debris	1					Md.
<i>Neoponera</i> sp. (ant)	do	1					N. Y.
Do	do	1					Pa.
Do	do	4					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
Do	do	5					S. C.
<i>Neosciara coprophila</i> (Mycetophilidae)	Banana debris	1					Pa.
Noctuid	do	2					Md.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Nymphalid	Banana debris	1					Pa.
<i>Ogdocoستا</i> sp. (Chrysomelidae)	do	2					S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Pachycondyla</i> sp. (ant)	do	1					Do.
<i>Pangaeus rufifrons</i> (Cydnidae)	Banana debris	1					Tex.
<i>Parallelodiplosis cattleyae</i> (cattleya midge)	Orchid		1				D. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Paratenetus</i> sp. (Tenebrionidae) . . .	Banana debris . . . . .	6	—	—	—	—	Ala.
Do . . . . .	do . . . . .	1	—	—	—	—	Md.
Do . . . . .	do . . . . .	3	—	—	—	—	N. Y.
Do . . . . .	do . . . . .	1	—	—	—	—	Pa.
Do . . . . .	do . . . . .	4	—	—	—	—	Tex.
Do . . . . .	<i>Musa</i> sp. (banana) . . . . .	1	—	—	—	—	N. Y.
Do . . . . .	do . . . . .	7	—	—	—	—	Pa.
Do . . . . .	do . . . . .	1	—	—	—	—	S. C.
<i>Parocanthus mexicanus</i> (Gryllidae) . . . . .	Banana debris . . . . .	1	—	—	—	—	Md.
<i>Pheidole anastassii</i> (ant) . . . . .	do . . . . .	1	—	—	—	—	N. Y.
Do . . . . .	do . . . . .	2	—	—	—	—	Pa.
Do . . . . .	<i>Musa</i> sp. (banana) . . . . .	1	—	—	—	—	Do.
Do . . . . .	do . . . . .	1	—	—	—	—	S. C.
<i>Pheidole</i> sp. (ant) . . . . .	Banana debris . . . . .	1	—	—	—	—	Ala.
Do . . . . .	do . . . . .	2	—	—	—	—	Md.
Do . . . . .	do . . . . .	4	—	—	—	—	N. Y.
Do . . . . .	do . . . . .	5	—	—	—	—	Pa.
Do . . . . .	do . . . . .	1	—	—	—	—	S. C.
Do . . . . .	Cactus . . . . .	—	—	1	—	—	Calif.*
Do . . . . .	<i>Musa</i> sp. (banana) . . . . .	2	—	—	—	—	S. C.
Do . . . . .	Orchid . . . . .	—	—	1	—	—	Calif.*
Do . . . . .	<i>Philodendron</i> sp. . . . .	—	1	—	—	—	Hawaii.*
<i>Phelypera distigma</i> (Curculionidae) . . . . .	Banana debris . . . . .	1	—	—	—	—	Ala.
Phycitinae (Pyralidae) . . . . .	<i>Musa</i> sp. (banana) . . . . .	1	—	—	—	—	Md.
<i>Physonota gigantea</i> (Chrysomellidae) . . . . .	do . . . . .	1	—	—	—	—	S. C.
<i>Platynota rostrana</i> (Tortricidae) . . . . .	Banana debris . . . . .	1	—	—	—	—	Md.
<i>Platynota</i> sp. (Tortricidae) . . . . .	do . . . . .	1	—	—	—	—	Ala.
Do . . . . .	<i>Musa</i> sp. (banana) . . . . .	1	—	—	—	—	Do.
Do . . . . .	do . . . . .	1	—	—	—	—	Pa.
<i>Platypus rugulosus</i> (Platypodidae) . . . . .	<i>Guaiacum officinale</i> (lignum-vitae) . . . . .	1	—	—	—	—	Calif.*
<i>Prenolepis</i> sp. (ant) . . . . .	Banana debris . . . . .	2	—	—	—	—	N. Y.
Do . . . . .	<i>Musa</i> sp. (banana) . . . . .	2	—	—	—	—	Pa.
Do . . . . .	do . . . . .	2	—	—	—	—	S. C.
<i>Prodenia ornithogalli</i> (yellow-striped armyworm) . . . . .	Banana debris . . . . .	1	—	—	—	—	Ala.
<i>Psalis americana</i> (earwig) . . . . .	<i>Citrus grandis</i> (grapefruit) . . . . .	1	—	—	—	—	La.
<i>Pseudoanidia articulatus</i> (rufous scale) . . . . .	<i>Citrus nobilis deliciosa</i> (tangerine) . . . . .	—	—	1	—	—	Calif.*
Do . . . . .	<i>Mangifera indica</i> (mango) . . . . .	—	—	—	1	—	Md.
<i>Pseudococcus virgatus</i> (Coccidae) . . . . .	Cactus . . . . .	—	—	1	—	—	Calif.*
<i>Pseudomyrma</i> sp. (ant) . . . . .	Banana debris . . . . .	1	—	—	—	—	Md.
Do . . . . .	do . . . . .	2	—	—	—	—	Tex.
Psychid . . . . .	do . . . . .	8	—	—	—	—	Ala.
Do . . . . .	do . . . . .	3	—	—	—	—	La.
Do . . . . .	do . . . . .	6	—	—	—	—	Md.
Do . . . . .	do . . . . .	3	—	—	—	—	N. Y.
Do . . . . .	do . . . . .	10	—	—	—	—	Pa.
Do . . . . .	do . . . . .	3	—	—	—	—	S. C.
Do . . . . .	do . . . . .	2	—	—	—	—	Tex.
Do . . . . .	<i>Musa</i> sp. (banana) . . . . .	13	—	—	—	—	Ala.
Do . . . . .	do . . . . .	2	—	—	—	—	Md.
Do . . . . .	do . . . . .	3	—	—	—	—	N. Y.
Do . . . . .	do . . . . .	9	—	—	—	—	Pa.
Do . . . . .	do . . . . .	2	—	—	—	—	S. C.
<i>Pulvinaria</i> sp. (Coccidae) . . . . .	<i>Cereus</i> sp. (cactus) . . . . .	—	—	1	—	—	Calif.*
Do . . . . .	<i>Rhipsalis</i> sp. . . . .	—	—	1	—	—	Do.*
Pyralid . . . . .	Banana debris . . . . .	1	—	—	—	—	Pa.
Do . . . . .	do . . . . .	1	—	—	—	—	Ala.
<i>Rhizoglyphus</i> sp. (mite) . . . . .	<i>Epidendrum radicans</i> (orchid) . . . . .	—	—	1	—	—	Hawaii.*
<i>Rhynchosciara</i> sp. (Mycetophilidae) . . . . .	Banana debris . . . . .	1	—	—	—	—	Md.
<i>Saissetia</i> sp. (Coccidae) . . . . .	Orchid . . . . .	—	—	1	—	—	Calif.*
<i>Sciara</i> sp. (Mycetophilidae) . . . . .	Banana debris . . . . .	1	—	—	—	—	Pa.
<i>Silvanus vulgaris</i> (Cucujidae) . . . . .	do . . . . .	1	—	—	—	—	Md.
<i>Sitophagus</i> sp. (Tenebrionidae) . . . . .	<i>Tabebuia donnell-smithii</i> (primavera) . . . . .	1	—	—	—	—	La.
<i>Sitophilus linearis</i> (tamarind pod borer) . . . . .	<i>Tamarindus indica</i> (tamarind) . . . . .	—	—	—	1	—	Md.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Solenopsis</i> sp. (ant).....	<i>Musa</i> sp. (banana)	2					S. C.
<i>Statira unidentata</i> (Lagriidae).....	Banana debris	1					Md.
<i>Statira</i> sp. (Lagriidae).....	do.	1					Do.
Do.....	<i>Musa</i> sp. (banana)	1					Pa.
Steatoderini (Elateridae).....	<i>Begonia</i> sp.		1				Hawaii.*
<i>Stelidota</i> sp. (Nitidulidae).....	<i>Cucurbita pepo</i> var. (tropical cucurbit).			1			Calif.*
Stenomid.....	Orchid	1					D. C.
<i>Stephanoderes braziliensis</i> (Scolytidae).....	Banana debris	1					Pa.
<i>Stephanoderes guatemalensis</i> (Scolytidae).....	do.	1					Do.
Do.....	<i>Musa</i> sp. (banana)	1					Ala.
Syntomid.....	Banana debris	1					Do.
Do.....	do.	1					Tex.
<i>Tapinoma</i> sp. (ant).....	do.	1					Md.
Do.....	<i>Musa</i> sp. (banana)	3					S. C.
<i>Telephanus brontoides</i> (Cucujidae).....	Banana debris	2					Ala.
Do.....	do.	2					Md.
Do.....	<i>Musa</i> sp. (banana)	1					Pa.
<i>Telephanus setulosus</i> (Cucujidae).....	Banana debris	4					Ala.
Do.....	do.	2					La.
Do.....	do.	10					Md.
Do.....	do.	4					N. Y.
Do.....	do.	11					Pa.
Do.....	do.	3					S. C.
Do.....	do.	11					Tex.
Do.....	<i>Musa</i> sp. (banana)	13					S. C.
Do.....	do.	4					Pa.
<i>Telephanus</i> sp. (Cucujidae).....	Banana debris	1					Do.
Do.....	do.	1					S. C.
Do.....	do.	4					Tex.
Do.....	<i>Musa</i> sp. (banana)	1					S. C.
<i>Tetramorium</i> sp. (ant).....	<i>Laelia rubescens</i> (orchid)		1				Hawaii.*
<i>Tettigidea chichimeca</i> (Tetrigidae).....	Banana debris	1					S. C.
<i>Tinea</i> sp. (Tineidae).....	do.	1					La.
Tineid.....	<i>Musa</i> sp. (banana)	1					S. C.
Tortricid.....	Banana debris	2					Pa.
<i>Tythomimus rufotestaceus</i> (Curculionidae).....	do.	1					N. Y.
Do.....	do.	1					S. C.
<i>Wasmannia auropunctata</i> (ant).....	do.	1					Pa.
Do.....	<i>Musa</i> sp. (banana)	1					S. C.
<i>Xyleborus affinus</i> (Scolytidae).....	Banana debris	1					Md.
<i>Xyleborus confusus</i> (Scolytidae).....	<i>Musa</i> sp. (banana)	1					Do.
Diseases:							
Dothideaceae.....	Miscellaneous leaves	1					Pa.
Erinose.....	do.	1					Md.
Do.....	do.	2					Pa.
<i>Gloeosporium</i> sp.....	do.	1					Md.
Do.....	Orchid	2	1				D. C.
<i>Oospora citri-aurantii</i> .....	<i>Citrus aurantifolia</i> (lime)					1	Pa.
<i>Phyllachora</i> sp.....	<i>Ficus</i> sp.	1					Md.
<i>Phyllosticta</i> sp.....	Unknown leaf	1					Pa.
<i>Septoria</i> sp.....	do.	1					Do.
<i>Stilbum</i> sp.....	<i>Musa</i> sp. (banana)	1					Md.
<i>Thielaviopsis paradoxa</i> .....	<i>Ananas sativus</i>			1			Pa.
HAITI							
Insects:							
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Mangifera indica</i> (mango)			6		3	N. Y.
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Musa</i> sp. (banana)	2					Do.
<i>Atherigona</i> sp. (Anthomyiidae).....	Plantain debris	1					Do.
<i>Bephrata cubensis</i> (Eurytomidae).....	<i>Annona muricata</i> (soursop)				1		Do.
Blastobasid.....	<i>Musa</i> sp. (banana)	1					Do.
<i>Camponotus</i> sp. (ant).....	Banana debris	1					Do.
Cecidomyiid.....	<i>Annona muricata</i>			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Mangifera indica</i> (mango)				1		Do.
<i>Chrysomphalus</i> sp. (Coccidae).....	<i>Citrus grandis</i> (grapefruit)	1					Do.
Do.....	<i>Rosa</i> sp.			1			Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAITI—Continued							
Insects—Continued.							
Curculionid.....	<i>Dioscorea</i> sp. (yam).....				1		N. Y.
<i>Eumecesomyia nubila</i> (Otitidae).....	Banana debris.....	1					Do.
<i>Labia curvicauda</i> (earwig).....	do.....	1					Do.
<i>Metriona propinqua</i> (Chrysomelidae).	<i>Musa</i> sp. (banana).....	1					Do.
<i>Microcentrum</i> sp. (Tettigoniidae).	Orchid.....				1		Pa.
<i>Polyancistrus serrulatus</i> (Tettigoniidae).	<i>Musa</i> sp. (banana).....	1					N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime).....	2		1	1	3	Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....					9	Do.
Do.....	<i>Citrus sinensis</i> (orange).....			1	1		Fla.*
Do.....	do.....			4	1	9	N. Y.
Do.....	Palm.....			1			Do.
<i>Psyllia</i> sp. (Chermidae).....	Banana debris.....	1					Do.
<i>Pulvinaria</i> sp. (Coccidae).....	<i>Mammea americana</i> (mamey).....			1			Fla.*
Pyralid.....	<i>Musa</i> sp. (banana).....	1					N. Y.
Pyralinae (Pyralidae).....	Banana debris.....	1					Do.
<i>Targionia bromeliae</i> (Coccidae).....	<i>Ananas sativus</i> .....	1					Do.
<i>Telephanus setulosus</i> (Cucujidae).....	<i>Citrus aurantifolia</i> (lime).....	1					Do.
Do.....	Banana debris.....	1					Do.
<i>Telephanus</i> sp. (Cucujidae).....	do.....	1					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Tinea</i> sp. (Tineidae).....	Banana debris.....	2					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Wasmannia auropunctata</i> (ant).....	Banana debris.....	1					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Xyleborus</i> sp. (Scolytidae).....	<i>Mangifera indica</i> (mango).....					1	Do.
Diseases:							
<i>Capnodium citri</i> .....	<i>Citrus sinensis</i> (orange).....					1	Md.
<i>Colletotrichum</i> sp.....	<i>Epidendrum</i> sp. (orchid).....					1	Pa.
<i>Diplocarpon rosae</i> .....	<i>Rosa</i> sp.....		1				N. Y.
<i>Diplodia cacaocicola</i> .....	<i>Persea americana</i> (avocado).....			1			Do.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....				1		Do.
<i>Gloeosporium musarum</i> .....	<i>Musa</i> sp. (banana).....					1	Do.
Hemisphaeriaceae.....	Unidentified leaf.....	1					Do.
<i>Sclerotinia</i> sp.....	<i>Annona muricata</i> (soursop).....			1			Do.
<i>Thielariopsis paradoxa</i> .....	<i>Saccharum officinarum</i> .....			4			Do.
HAWAII							
Insects:							
<i>Amorbia emigratella</i> (Tortricidae).....	<i>Rosa</i> sp.....			1			Calif.*
<i>Antsolabis</i> sp. (earwig).....	<i>Ananas sativus</i> .....	1					Do.*
<i>Aracerus fasciculatus</i> (coffee-bean weevil).	Palm.....			1			Do.*
Do.....	<i>Piper betle</i> (betel pepper).....		1				Do.*
<i>Asterolecanium pustulans</i> (Coccidae).	<i>Hibiscus</i> sp.....		4	3			Do.*
<i>Bactrocera cucurbitae</i> (melon fly).....	<i>Lycopersicum esculentum</i> .....					2	Do.*
Bostrichid.....	<i>Carica papaya</i> (papaya).....			1			Do.*
<i>Caryedon fuscus</i> (Bruchidae).....	<i>Cascara</i> sp.....			2			Do.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Chrysophyllum cainito</i> (star-apple).				1		Do.*
Do.....	<i>Coffea</i> sp.....			1			Do.*
Do.....	<i>Mangifera indica</i> (mango).....				1		Do.*
Do.....	<i>Nephelium longana</i> (longan).....				1		Do.*
Do.....	<i>Persea americana</i> (avocado).....			2		1	Do.*
<i>Chelisoches morio</i> (earwig).....	<i>Ananas sativus</i> .....	2		1			Do.*
Do.....	<i>Antigonon leptopus</i> (rosa-demonstana).			1			Do.*
Do.....	<i>Musa</i> sp. (banana).....	1					Do.*
Cicadellid.....	Flower lei.....			1			Do.*
<i>Coccus acuminatus</i> (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....		1	6			Do.*
Do.....	Leaf lei.....			1			Do.*
Do.....	<i>Zantedeschia</i> sp. (calla).....			1			Do.*
<i>Coccus viridis</i> (Coccidae).....	<i>Coffea</i> sp.....			1			Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....		10	3			Do.*
Do.....	Leaf lei.....			1			Do.*
Do.....	<i>Zingiber officinale</i> (ginger).....			1			Do.*
<i>Conocephalus saltator</i> (Tettigoniidae).	<i>Ananas sativus</i> .....	1					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
<i>Coptotermes formosanus</i> (termite).....	Flower lei.....			1			Calif.*
Crambinae (Pyrilidae).....	do.....			1			Do.*
Curculionid.....	<i>Antigonon leptopus</i> (rosa-demon- tana).....			1			Do.*
Do.....	<i>Cocos nucifera</i> (coconut).....			1			Do.*
<i>Diocalandra taitensis</i> (Tahitian coconut weevil).....	<i>Cocos nucifera</i> (coconut).....			1			Do.*
<i>Ereunetis flavistriata</i> (sugarcane bud worm).....	<i>Ananas sativus</i> .....	5		3			Do.*
Do.....	<i>Cocos nucifera</i> (coconut).....	6		23	8		Do.*
Do.....	<i>Musa</i> sp. (banana).....	2					Do.*
<i>Ereunetis minuscula</i> (Tineidae).....	<i>Ananas sativus</i> .....	10		2	1		Do.*
<i>Ereunetis</i> sp. (Tineidae).....	<i>Musa</i> sp. (banana).....	1					Do.*
Do.....	<i>Pandanus</i> sp. (screwpine).....			1	1		Do.*
<i>Eucalymnatus tessellatus</i> (Coccidae).....	<i>Anthurium andraeanum</i> .....	1					Do.*
Do.....	<i>Archontophoenix cunninghami</i> .....	1					Do.*
Do.....	<i>Brassica</i> sp.....			1			Do.*
Do.....	Palm.....				1		Do.*
Do.....	<i>Zingiber officinale</i> (ginger).....			1			Do.*
<i>Fiorinia florinae</i> (Coccidae).....	<i>Archontophoenix cunninghami</i> .....	1					Do.*
Gelechiid.....	<i>Dianthus</i> sp. (carnation).....			1			Do.*
<i>Gnorimoschema lycopersicella</i> (to- mato pinworm).....	<i>Lycopersicum esculentum</i> .....					1	Do.*
<i>Haplothrips gowdeyi</i> (thrips).....	Flower lei.....			5			Do.*
<i>Kaloterms piceatus</i> (termite).....	<i>Piper madagascariense</i> .....			1			Do.*
<i>Lepidosaphes auriculata</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....		2	4	13		Do.*
<i>Lepidosaphes</i> sp. (Coccidae).....	Leaf lei.....			1			Do.*
Lycaenid.....	Flower lei.....			5			Do.*
Lygaeid.....	<i>Ananas sativus</i> .....	1					Do.*
<i>Macrosiphum</i> sp. (aphid).....	<i>Gladiolus</i> sp.....		1				Do.*
<i>Maruca testulalis</i> (bean pod borer).....	<i>Phaseolus</i> sp. (string bean).....					1	Do.*
<i>Monomorium</i> sp. (ant).....	<i>Ananas sativus</i> .....			1			Do.*
Do.....	<i>Cocos nucifera</i> (coconut).....			1			Do.*
Do.....	<i>Gladiolus</i> sp.....			1			Do.*
Noctuid.....	<i>Ananas sativus</i> .....	1					Do.*
Do.....	<i>Dianthus</i> sp. (carnation).....			1			Do.*
Do.....	Flower lei.....			2			Do.*
Do.....	<i>Zingiber officinale</i> (ginger).....	1					Do.*
<i>Opogona omoscopa</i> (Tineidae).....	<i>Ananas sativus</i> .....	1					Do.*
Ortalid.....	<i>Allium cepa</i> (onion).....					1	Do.*
<i>Parlatoria crotonis</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....			1			Wash.
<i>Parlatoria mytilaspiformis</i> (Cocci- dae).....	do.....		1	3	2		Calif.*
Do.....	<i>Hibiscus</i> sp.....		1				Do.*
<i>Phenacaspis</i> sp. (Coccidae).....	<i>Archontophoenix cunninghami</i> .....	1					Do.*
Do.....	<i>Cocos nucifera</i> (coconut).....	2		17	3		Do.*
Do.....	<i>Musa</i> sp. (banana).....	2					Do.*
Do.....	Palm.....			2			Do.*
<i>Phlyctaenia</i> sp. (Pyrilidae).....	Flower lei.....			1			Do.*
Phycitinae (Pyrilidae).....	<i>Saccharum officinarum</i> .....				1		Do.*
<i>Pinaspis buxi</i> (Coccidae).....	Palm.....		1				Do.*
Do.....	<i>Smilax</i> sp. (greenbrier).....			2			Do.*
<i>Plagiotelepis mactavishi</i> (ant).....	<i>Cocos nucifera</i> (coconut).....			1			Do.*
Do.....	<i>Hibiscus</i> sp.....			1			Do.*
<i>Protospulvinaria pyriformis</i> (Cocci- dae).....	<i>Gardenia florida</i> (Cape-jasmine).....			1			Do.*
<i>Psammoecus insularis</i> (Cucujidae).....	<i>Musa</i> sp. (banana).....	1					Do.*
<i>Pseudoanidia clavigera</i> (Coccidae).....	<i>Acalypha wilkesiana</i> .....			1			Do.*
Do.....	<i>Eranthemum atropurpureum</i> .....			1			Do.*
Do.....	<i>Hibiscus</i> sp.....		5	5			Do.*
<i>Pseudoanidia tesserrata</i> (Coccidae).....	do.....	1	2				Do.*
<i>Pseudococcus kraunhae</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....					9	Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....			3			Do.*
Do.....	<i>Rosa</i> sp.....			1			Do.*
<i>Pseudococcus virgatus</i> (Coccidae).....	<i>Areca catechu</i> (betel palm).....	1		1			Do.*
Do.....	<i>Piper betle</i> (betel pepper).....	2					Do.*
<i>Pulvinaria psidii</i> (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....				1		Do.*
<i>Rhyncolus longulus</i> (Curculionidae).....	<i>Cordyline terminalis</i> (dracena).....		1				Do.*
<i>Ripertzia palmarum</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....	10	1	33	10		Do.*
Do.....	do.....				1		La.
Do.....	Palm.....		1	2			Calif.*

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>HAWAII—Continued</b>							
<b>Insects—Continued.</b>							
<i>Sitophilus rugicollis</i> (Curculionidae)	<i>Cocos nucifera</i> (coconut)			1			Calif.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Rosa woodsii</i> (Woods rose)			1			Do.*
<i>Sternochetus mangiferae</i> (mango weevil)	<i>Mangifera indica</i> (mango)			3	4		Do.*
<i>Taeniothrips gladioli</i> (gladiolus thrips)	<i>Gladiolus</i> sp.			3			Do.*
<i>Taeniothrips hawaiiensis</i> (thrips)	<i>Dianthus</i> sp. (carnation)			2			Do.*
Do	<i>Ficus carica</i> (fig)			1			Do.*
Do	Flower lei			6	1		Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine)			3			Do.*
Do	<i>Gladiolus</i> sp.			1			Do.*
Tineid	<i>Bryophyllum</i> sp.			1			Do.*
Do	<i>Piper betle</i> (betel pepper)		1				Do.*
Do	<i>Saccharum officinarum</i>				1		Pa.
Tortricid	<i>Gladiolus</i> sp.			1			Calif.*
Do	<i>Zingiber officinale</i> (ginger)			1			Do.*
<i>Tribolium</i> sp. (Tenebrionidae)	<i>Piper betle</i> (betel pepper)	1					Do.*
<i>Tylococcus giffardi</i> (Coccidae)	<i>Pandanus</i> sp.			1			Do.*
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Alcicornium</i> sp. (staghorn fern)			1			Do.*
Do	<i>Ananas sativus</i>	3					Do.*
Do	<i>Lilium</i> sp.	1					Do.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
Do	<i>Zea mays</i> (corn)		1				Do.*
<b>Diseases:</b>							
<i>Metaconium sacchari</i>	<i>Saccharum officinarum</i>				1		Pa.
<i>Uromyces alyziae</i>	<i>Alyzia</i> sp.			3			Calif.*
<i>Uromyces</i> sp.	Leaf lei			1			Do.*
<b>HONDURAS</b>							
<b>Insects:</b>							
<i>Acalles</i> sp. (Curculionidae)	Banana debris	1					La.
<i>Adetus</i> sp. (Euglenidae)	do	1					Do.
<i>Adranethrips</i> sp. (thrips)	do	1			1		Pa.
<i>Aeolothrips</i> sp. (thrips)	<i>Gardenia florida</i> (Cape-jasmine)			1			Do.
<i>Aeolus facetus</i> (Elateridae)	Banana debris	1					Ala.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Aeolus facetus</i> var. (Elateridae)	Banana debris	1					La.
<i>Aeolus pulchellus</i> (Elateridae)	do	1					Ala.
<i>Alaus</i> sp. (Elateridae)	<i>Swietenia</i> sp. (mahogany)	1					La.
<i>Alphitobius</i> sp. (Tenebrionidae)	Banana debris	1					Tex.
Do	<i>Musa paradisiaca</i> (plantain)	1					La.
<i>Anasa costalis</i> (Coreidae)	Banana debris	1					N. Y.
<i>Anastrepha</i> sp. (Trypetidae)	<i>Chrysomphyllum cainito</i> (star-apple)			1			La.
Do	<i>Mangifera indica</i> (mango)			3	1		Do.
<i>Anaxipha</i> sp. (Gryllidae)	Banana debris	1					Pa.
<i>Anochetus</i> sp. (ant)	do	1					Do.
<i>Anomala attenuata</i> (Scarabaeidae)	do	1					Ala.
Anthomyiid	do	1					Tex.
<i>Aracecerus fasciculatus</i> (coffee-bean weevil)	do	1					Pa.
Aretiid	do	1					La.
<i>Aspidiotus cocotiphagus</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Md.
Do	do	1					N. Y.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Amygdalus communis</i> (almond)			1			La.
Do	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					Md.
<i>Baris</i> sp. (Curculionidae)	Herbarium specimen			1			La.
<i>Blapstinus</i> sp. (Tenebrionidae)	Banana debris	1					Do.
Do	do	1					S. C.
<i>Bothriocera</i> sp. (Fulgoridae)	do	1					Ala.
<i>Brachyepelus</i> sp. (Nitidulidae)	do	1					Pa.
<i>Cacoscelis quinqueleata</i> (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Camponotus angulatus</i> (ant)	Banana debris			1			N. Y.
Do	do	4					Pa.
Do	do	2					S. C.
Do	<i>Musa</i> sp. (banana)	2					Md.
Do	do	2					N. Y.
Do	do	2					S. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
<i>Camponotus</i> sp. (ant)	Banana debris	1					Ala.
Do	do	1					La.
Do	do	1					Md.
Do	do	2					Mass.
Do	do	39					N. Y.
Do	do	33					Pa.
Do	do	3					S. C.
Do	do	9					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	2					Md.
Do	do	7					N. Y.
Do	do	1					Pa.
Do	do	10					S. C.
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					La.
<i>Capaneus vates</i> (Coreidae)	Banana debris	1					Do.
Do	do	1					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Ceramidia musicola</i> (Syntomidae)	Banana debris	2					La.
Do	do	1					Pa.
Do	do	3					Tex.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	1					Ala.
Do	do	7					La.
Do	do	2					N. Y.
Do	do	1					Pa.
Do	do	4					Tex.
Do	<i>Musa</i> sp. (banana)	3					Ala.
Do	do	3					N. Y.
<i>Ceratopus</i> sp. (Curculionidae)	do	1					Ala.
<i>Ceroplastes</i> sp. (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).			1			Pa.
<i>Chaetopsis fulvifrons</i> (Ortaliidae)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Chaetopsis</i> sp. (Ortaliidae)	<i>Citrus sinensis</i> (orange)					1	Pa.
Do	<i>Musa</i> sp. (banana)				1		La.
Do	do	1					Pa.
<i>Chatcolepidius</i> sp. (Elateridae)	do	1					Tex.
Chloropid	<i>Musa paradisiaca</i> (plantain)	3					La.
Do	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do				1		La.
Do	do	1					S. C.
<i>Chrysomela depressa</i> (Chrysomelidae)	Banana debris	1					N. Y.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					Md.
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).			2			Pa.
<i>Colaspis lebei</i> (Chrysomelidae)	Banana debris	1					Do.
<i>Colaspis</i> sp. (Chrysomelidae)	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Colopterus</i> sp. (Nitidulidae)	Banana debris	1					Do.
<i>Conocephalus</i> sp. (Tettigoniidae)	do	1					Do.
<i>Conotelus</i> sp. (Nitidulidae)	<i>Citrus sinensis</i> (orange)					1	La.
<i>Cornops longipenne</i> (Acrididae)	Banana debris	1					Tex.
<i>Crematogaster brevispinosa</i> (ant)	do	1					Pa.
<i>Crematogaster brevispinosa</i> var. (ant)	<i>Musa</i> sp.	2					N. Y.
Do	<i>Musa</i> sp.	1					S. C.
Do	Banana debris	1					Tex.
<i>Crematogaster</i> sp. (ant)	do	5					N. Y.
Do	do	3					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Md.
Do	do	4					N. Y.
Do	do	4					S. C.
Curculionid	Banana debris	1					La.
Do	do	2					N. Y.
Do	do	1					S. C.
Do	<i>Musa paradisiaca</i> (plantain)	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>HONDURAS—Continued</b>							
<b>Insects—Continued.</b>							
<i>Cycloptilum contactum</i> (Gryllidae)	Banana debris	1					N. Y.
<i>Cycloptilum</i> sp. (Gryllidae)	do	1					Do.
Do	do	1					Pa.
Do	do	1					Tex.
<i>Dactylosternum subdepressum</i> (Hydrophilidae)	do	1					La.
<i>Dialeurodes citri</i> (citrus whitefly)	<i>Gardenia florida</i> (Cape-jasmine)				1		Do.
<i>Diaspis</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Ala.
<i>Diatraea</i> sp. (Pyralidae)	<i>Saccharum officinarum</i> (sugarcane)				1		N. Y.
<i>Dictyophara</i> sp. (Fulgoridae)	Banana debris	1					Ala.
<i>Diedrocephala sanguinolenta</i> (Cicadellidae)	do	1					La.
<i>Diostostemma albipenne</i> (Cicadellidae)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Dotichoderus</i> sp. (ant)	Banana debris	1					N. Y.
Do	do	2					Pa.
Do	Orchid			1			La.
<i>Doliema</i> sp. (Tenebrionidae)	<i>Bulnesia arborea</i> (vera wood)	2					N. Y.
<i>Doryphora princeps magnifica</i> (Chrysomelidae)	Banana debris	1					S. C.
<i>Draeculacephala lenticula</i> (Cicadellidae)	do	1					Ala.
<i>Drycothaea sallei</i> (Cerambycidae)	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Dysdercus mimulus</i> (Pyrrhocoridae)	Banana debris	1					La.
Do	do	1					N. Y.
<i>Dysdercus obscuratus</i> (Pyrrhocoridae)	do	1					Tex.
<i>Edessa cornuta</i> (Pentatomidae)	do	1					La.
<i>Elaphidion</i> sp. (Cerambycidae)	<i>Bulnesia arborea</i> (vera wood)	1					N. Y.
<i>Epiptera</i> sp. (Fulgoridae)	<i>Musa</i> sp. (banana)	1					La.
<i>Eपुरaea</i> sp. (Nitidulidae)	<i>Citrus sinensis</i> (orange)				1		Pa.
Do	<i>Hibiscus</i> sp.				1		La.
<i>Estola</i> sp. (Cerambycidae)	Banana debris	1					Do.
<i>Euschistus</i> sp. (Pentatomidae)	do	1					N. Y.
<i>Euzesta</i> sp. (Ortalidae)	do	1					Do.
Do	<i>Tabebuia donnell-smithii</i> (primavera)	1					La.
<i>Frankliniella insularis</i> (thrips)	<i>Gardenia florida</i> (Cape-jasmine)			1			Pa.
<i>Frankliniella</i> sp. (thrips)	Banana debris				1		Do.
Do	do	1					La.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Galgupha punctifer</i> (Cydnidae)	Banana debris	3					La.
Do	do	1					Mass.
Do	do	5					N. Y.
Do	do	1					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	1					S. C.
<i>Glaphyria badierana</i> (Pyralidae)	Banana debris	1					Ala.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Glaphyria</i> sp. (Pyralidae)	Banana debris	1					Tex.
<i>Gonatus divergens</i> (Lygaeidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Hapithus</i> sp. (Gryllidae)	Banana debris	1					Ala.
<i>Hemichionaspis minor strachani</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)	2					N. Y.
Hesperiid	Banana debris	1					Do.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Holcocera</i> sp. (Blastobasidae)	do	1					N. Y.
<i>Hypothenus</i> sp. (Scolytidae)	Banana debris	1					Do.
Do	do	2					Pa.
<i>Inusia chipmani</i> (Acrididae)	do	1					Ala.
<i>Ischiodontus tuspanus</i> (Elateridae)	do	1					Pa.
<i>Ischnodemus sallei</i> (Lygaeidae)	do	1					Tex.
Lamiinae (Cerambycidae)	<i>Tabebuia donnell-smithii</i> (primavera)	1					La.
<i>Liparoceltis nigripispis</i> (Tettigoniidae)	Banana debris	1					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
<i>Lobiopa</i> sp. (Nitidulidae)	do	1					Tex.
<i>Loxotropa</i> sp. (Nitidulidae)	do	3					La.
Do	do	1					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	3				1	La.
Do	do	1					S. C.
<i>Loxotropa</i> sp. (Nitidulidae)	Banana debris	1					La.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Macrodactylus suavis</i> (Scarabaeidae)	Banana debris	1					Mass.
<i>Madarus distigma</i> (Curculionidae)	do	1					Ala.
<i>Mecistorhinus tripterus</i> (Pentatomidae)	do	1					S. C.
<i>Metamasius sericeus</i> (silky cane weevil)	do	10					Ala.
Do	do	21					La.
Do	do	3					Mass.
Do	do	9					N. Y.
Do	do	2					Pa.
Do	do	2					S. C.
Do	do	12					Tex.
Do	<i>Musa</i> sp. (banana)	3					Ala.
Do	do	3					La.
Do	do	1					N. Y.
Do	do	1					Ala.
<i>Metrioma propinqua</i> (Chrysomelidae)	do	1					Ala.
<i>Metrioma</i> sp. (Chrysomelidae)	Banana debris	1					Do.
<i>Microhyus</i> sp. (Curculionidae)	do	1					Pa.
<i>Monanus concinnulus</i> (Cucujidae)	do	1					N. Y.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Monochamus</i> sp. (Cerambycidae)	Banana debris	1					Pa.
<i>Monomorium carbonarium</i> var. (ant)	do	4					N. Y.
Do	do	1					Tex.
<i>Monomorium minutum minima</i> (ant)	do	1					Pa.
<i>Monomorium</i> sp. (ant)	do	1					N. Y.
<i>Mormidea pictipes</i> (Pentatomidae)	do	1					Ala.
<i>Myochrous</i> sp. (Chrysomelidae)	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Mystrops</i> sp. (Nitidulidae)	<i>Kalmia latifolia</i> (mountain-laurel)	1		1			Do.
<i>Nasutitermes cornigera</i> (termite)	Banana debris	1					Do.
Do	do	2					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	5					N. Y.
<i>Nasutitermes</i> sp. (termite)	Banana debris	3					Ala.
Do	do	1					Md.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					La.
<i>Neocattarus vegetus</i> (Lygaeidae)	Banana debris	1					Pa.
<i>Neofurius</i> sp. (Miridae)	do	1					N. Y.
<i>Neoponera</i> sp. (ant)	do	1					Mass.
Do	do	1					N. Y.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					S. C.
Noctuid	Banana debris	1					Pa.
Do	<i>Cedrus</i> sp. (cedar)	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					La.
Do	do	1					N. Y.
Nymphalid	Banana debris	1					Tex.
Do	<i>Musc</i> sp. (banana)	1					Do.
<i>Nysius ementitus</i> (Lygaeidae)	do	1					La.
<i>Odontomachus haematodes</i> var. (ant)	<i>Cocos nucifera</i> (coconut)	1			1		Ala.
<i>Ogdoecosta biannularis</i> (Chrysomelidae)	Banana debris	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>HONDURAS—Continued</b>							
<b>Insects—Continued.</b>							
<i>Ogdoecosta</i> sp. (Chrysomelidae).....	<i>Musa</i> sp. (banana).....	2	-----	-----	-----	-----	Ala.
<i>Oncometopia</i> sp. (Cicadellidae).....	Banana debris.....	1	-----	-----	-----	-----	Pa.
<i>Ormenis</i> sp. (Fulgoridae).....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	N. Y.
Ortalid.....	<i>Cucurbita pepo</i> (calabash).....	-----	-----	1	-----	-----	La.
Do.....	<i>Heliconia</i> sp. (wild plantain).....	-----	-----	-----	1	-----	Do.
Do.....	<i>Musa</i> sp. (banana).....	-----	-----	-----	2	-----	Do.
<i>Orthezia insignis</i> (greenhouse orthezia).	<i>Begonia</i> sp.....	-----	-----	1	-----	-----	Do.
<i>Ozophora pallescens</i> (Lygaeidae).....	Banana debris.....	1	-----	-----	-----	-----	Ala.
<i>Pcratenetus</i> sp. (Tenebrionidae).....	do.....	3	-----	-----	-----	-----	La.
Do.....	do.....	1	-----	-----	-----	-----	Md.
Do.....	do.....	9	-----	-----	-----	-----	N. Y.
Do.....	do.....	3	-----	-----	-----	-----	Pa.
Do.....	do.....	8	-----	-----	-----	-----	Tex.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Md.
Do.....	do.....	4	-----	-----	-----	-----	Pa.
<i>Parmenonta valida</i> (Cerambycidae).....	Banana debris.....	1	-----	-----	-----	-----	Ala.
Do.....	do.....	1	-----	-----	-----	-----	La.
Do.....	do.....	2	-----	-----	-----	-----	N. Y.
<i>Paroecanthus olmecus</i> (Gryllidae).....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Ala.
Pentatomid.....	Banana debris.....	1	-----	-----	-----	-----	Pa.
<i>Phatnana annulipes</i> (Tingitidae).....	<i>Artocarpus incisa</i> (breadfruit).....	-----	-----	1	-----	-----	La.
Do.....	Banana debris.....	1	-----	-----	-----	-----	Pa.
<i>Pheidole anastasi</i> (ant).....	do.....	2	-----	-----	-----	-----	N. Y.
Do.....	do.....	3	-----	-----	-----	-----	Pa.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Md.
<i>Pheidole</i> sp. (ant).....	Banana debris.....	1	-----	-----	-----	-----	La.
Do.....	do.....	2	-----	-----	-----	-----	Mass.
Do.....	do.....	4	-----	-----	-----	-----	N. Y.
Do.....	do.....	4	-----	-----	-----	-----	Pa.
Do.....	do.....	1	-----	-----	-----	-----	Tex.
Do.....	<i>Musa</i> sp. (banana).....	2	-----	-----	-----	-----	S. C.
<i>Phlugis</i> sp. (Tetragoniidae).....	Banana debris.....	1	-----	-----	-----	-----	Pa.
<i>Physorhynchus frontalis</i> (Elateridae).....	do.....	4	-----	-----	-----	-----	La.
Do.....	do.....	1	-----	-----	-----	-----	Md.
Do.....	do.....	1	-----	-----	-----	-----	N. Y.
Do.....	do.....	1	-----	-----	-----	-----	Pa.
Do.....	do.....	1	-----	-----	-----	-----	S. C.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Ala.
<i>Platynota rostrana</i> (Tortricidae).....	Banana debris.....	1	-----	-----	-----	-----	N. Y.
<i>Platynota</i> sp. (Tortricidae).....	do.....	1	-----	-----	-----	-----	S. C.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Do.
Plusiinae (Noctuidae).....	do.....	1	-----	-----	-----	-----	Md.
<i>Prenolepis</i> sp. (ant).....	Banana debris.....	2	-----	-----	-----	-----	N. Y.
Do.....	do.....	2	-----	-----	-----	-----	Pa.
Do.....	do.....	1	-----	-----	-----	-----	Tex.
Do.....	<i>Musa</i> sp. (banana).....	2	-----	-----	-----	-----	N. Y.
<i>Pseudonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime).....	3	-----	1	-----	-----	Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....	60	-----	-----	-----	18	Do.
Do.....	<i>Citrus medica</i> (citron).....	-----	-----	-----	-----	1	Fla.*
Do.....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	-----	7	N. Y.
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	1	-----	-----	Pa.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Ala.
<i>Pseudococcus virgatus</i> (Coccidae).....	Banana debris.....	1	-----	-----	-----	-----	N. Y.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	La.
Do.....	do.....	2	-----	-----	-----	-----	N. Y.
<i>Pseudomesomphalia punicea</i> (Chrysomelidae).....	Banana debris.....	1	-----	-----	-----	-----	Tex.
<i>Pseudomyrma</i> sp. (ant).....	do.....	1	-----	-----	-----	-----	Do.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).....	<i>Musa</i> sp. (banana).....	2	-----	-----	-----	-----	N. Y.
Psychid.....	Banana debris.....	14	-----	-----	-----	-----	Ala.
Do.....	do.....	46	-----	-----	-----	-----	La.
Do.....	do.....	22	-----	-----	-----	-----	N. Y.
Do.....	do.....	4	-----	-----	-----	-----	Md.
Do.....	do.....	1	-----	-----	-----	-----	Mass.
Do.....	do.....	18	-----	-----	-----	1	Pa.
Do.....	do.....	9	-----	-----	-----	-----	S. C.
Do.....	do.....	11	-----	-----	-----	-----	Tex.
Do.....	<i>Musa paradisiaca</i> (plantain).....	1	-----	-----	-----	-----	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
Psychid.....	<i>Musa</i> sp. (banana)	14					Ala.
Do.....	do	10					La.
Do.....	do	2					Md.
Do.....	do	5					N. Y.
Do.....	do	2					Pa.
Do.....	do	4					S. C.
Do.....	do	3					Tex.
Pyralinae (Pyralidae)	do	1					S. C.
Pyraustinae (Pyralidae)	do	1					Ala.
<i>Pyroderces</i> sp. (Cosmopterygidae)	Banana debris	2					N. Y.
Do.....	<i>Musa</i> sp. (banana)	1					Md.
<i>Rhizoglyphus</i> sp. (mite)	<i>Carica papaya</i> (papaya)			1			La.
Do.....	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Rhynchosciara</i> sp. (Mycetophilidae)	Banana debris	1					La.
<i>Schizoptera</i> sp. (Schizopteridae)	do	1					Pa.
<i>Sciara psychina</i> (Mycetophilidae)	do	1					La.
Do.....	<i>Musa</i> sp. (banana)	1					Ala.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Do.
Do.....	do	1					Mass.
Do.....	do	1					N. Y.
Do.....	<i>Cocos nucifera</i> (coconut)				1		Ala.
Do.....	<i>Musa</i> sp. (banana)	2					Do.
<i>Silvanus vulgaris</i> (Cucujidae)	Banana debris	1					Mass.
Do.....	do	1					Pa.
<i>Solenopsis</i> sp. (ant)	do	1					Mass.
Do.....	<i>Cocos nucifera</i> (coconut)				1		Ala.
Do.....	<i>Musa</i> sp. (banana)	1					La.
Do.....	do	1					S. C.
<i>Stelidota</i> sp. (Nitidulidae)	Banana debris	1					Tex.
<i>Stenomoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)			1			La.
<i>Stephanoderes ferrugineus</i> (Scolytidae)	Banana debris	1					N. Y.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	do	1					Do.
Do.....	do	3					Pa.
Do.....	<i>Musa</i> sp. (banana)	1					La.
<i>Stephanoderes</i> sp. (Scolytidae)	Banana debris	1					N. Y.
Do.....	do	1					Pa.
Do.....	<i>Poinciana regia</i> (flamboyant)			1			La.
<i>Stilodes neptis</i> (Chrysomelidae)	Banana debris	1					Pa.
<i>Tapinoma</i> sp. (ant)	do	1					Do.
<i>Telephanus agilis</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					Md.
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	2					La.
Do.....	do	1					Mass.
Do.....	do	1					N. Y.
<i>Telephanus setulosus</i> (Cucujidae)	do	12					Ala.
Do.....	do	16					La.
Do.....	do	3					Md.
Do.....	do	4					Mass.
Do.....	do	15					N. Y.
Do.....	do	5					Pa.
Do.....	do	2					S. C.
Do.....	do	13					Tex.
Do.....	<i>Musa</i> sp. (banana)	6					La.
Do.....	do	1					Md.
Do.....	do	2					N. Y.
Do.....	do	1					Pa.
Do.....	do	6					S. C.
Do.....	<i>Sweetenia</i> sp. (mahogany)	1					N. Y.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	1					Ala.
Do.....	do	2					Mass.
Do.....	do	4					N. Y.
Do.....	do	2					Pa.
Do.....	do	1					S. C.
Do.....	do	1					Tex.
<i>Tigra</i> sp. (Tineidae)	do	1					S. C.
<i>Tinea</i> sp. (Tineidae)	<i>Heliconia</i> sp. (wild plantain)				1		La.
Do.....	<i>Musa paradisiaca</i> (plantain)	2			1		Do.
Do.....	<i>Musa</i> sp. (banana)	1					Ala.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
Tineid.....	<i>Musa paradisiaca</i> (plantain)...	2					La.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
Tortricid.....	Banana debris.....	1					Ala.
Do.....	do.....	1					La.
Do.....	<i>Musa</i> sp. (banana).....	1					N. Y.
Do.....	do.....	1					La.
Do.....	do.....	1					N. Y.
<i>Tridactylus minutus</i> (Gryllidae).....	do.....	1					Ala.
<i>Urophorus humeralis</i> (Nitidulidae).....	Banana debris.....	2					N. Y.
Do.....	do.....	1					Tex.
Do.....	<i>Musa</i> sp. (banana).....	1					N. Y.
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....	1		1			Pa.
<i>Wasmannia auropunctata</i> (ant).....	Banana debris.....	1					Mass.
<i>Xyleborus affinus</i> (Scolytidae).....	do.....	2					Pa.
Do.....	<i>Swietenia</i> sp. (mahogany).....	1					La.
<i>Xyleborus confusus</i> (Scolytidae).....	Banana debris.....	1					Do.
Do.....	do.....	2					Pa.
Do.....	<i>Swietenia</i> sp. (mahogany).....	1					N. Y.
Diseases:							
<i>Aschersonia</i> sp.....	<i>Parlatoria pergandii</i> on orange.....					1	Do.
Capnodiceae.....	<i>Citrus sinensis</i> (orange).....					1	Do.
<i>Capnodium citri</i> .....	do.....					1	La.
Do.....	do.....					1	N. Y.
<i>Cercospora</i> sp.....	Banana debris.....	1					Pa.
<i>Diplodia cacaotcola</i> .....	<i>Cocos nucifera</i> (coconut).....	1					N. Y.
<i>Diplodia natalensis</i> .....	<i>Citrus grandis</i> (grapefruit).....	18				3	Do.
Do.....	<i>Citrus sinensis</i> (orange).....	41				7	Do.
Do.....	<i>Persea americana</i> (avocado).....			1			La.
<i>Diplodia tuberculata</i> .....	<i>Ipomoea</i> sp.....			1			Do.
Dothidiaceae.....	Unknown leaf.....	1					Pa.
Do.....	<i>Musa</i> sp. (banana).....	1					Md.
<i>Gloeosporium limeticolum</i> .....	<i>Citrus aurantifolia</i> (lime).....					1	Fla.*
<i>Gloeosporium</i> sp.....	<i>Oncidium splendidum</i> (orchid).....		1				D. C.
Do.....	<i>Sterculia</i> sp.....			1			N. Y.
<i>Microcera coccophila</i> .....	<i>Citrus sinensis</i> (orange).....					1	Do.
<i>Microcera</i> sp.....	do.....					1	Do.
Do.....	On scale on grapefruit.....					1	Do.
Do.....	On scale on lime.....					1	La.
<i>Myriangum</i> sp.....	<i>Citrus sinensis</i> (orange).....					1	Pa.
<i>Phoma</i> sp.....	<i>Cocos nucifera</i> (coconut).....			1			N. Y.
<i>Phoma</i> (?) sp.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Phyllosticta</i> sp.....	<i>Citrus grandis</i> (grapefruit).....				1		Tex.
Do.....	<i>Citrus</i> sp.....					1	Pa.
<i>Septoria</i> sp.....	Banana debris.....	1					Do.
Do.....	<i>Citrus</i> sp.....					1	Do.
Do.....	Unknown leaf.....	1					Do.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus grandis</i> (grapefruit).....					1	N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....				1		Pa.
<i>Thielaviopsis paradoza</i> .....	<i>Cocos nucifera</i> (coconut).....	1					N. Y.
<i>Verticillium</i> sp.....	<i>Musa</i> sp. (banana).....	1					Pa.
HUNGARY							
Insects:							
<i>Byrrhus</i> sp. (Byrrhidae).....	In packing around <i>Populus</i> sp. cutting.....		1				D. C.
Noctuid.....	<i>Holcus sorghum</i> var. (broom-corn).....	2					N. Y.
<i>Pyrausta nubilalis</i> (European corn borer).....	do.....	54	2				Do.
Diseases:							
<i>Capnodium</i> sp.....	do.....	1					Do.
<i>Epicoccum</i> sp.....	do.....	2					Do.
<i>Eurotium</i> sp.....	do.....	1					Do.
<i>Gonatobotrys flava</i> .....	<i>Isaria</i> sp. in broomcorn.....	1					Do.
<i>Leptothyrium pomi</i> .....	<i>Malus sylvestris</i> (apple).....	1		1			Do.
<i>Pleospora</i> sp.....	<i>Oryza sativa</i> (rice).....	1					Do.
<i>Verticillium</i> sp.....	<i>Holcus sorghum</i> var. (broom-corn).....	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
INDIA							
Insects:							
<i>Araceus fasciculatus</i> (coffee-bean weevil).....	<i>Tamarindus indica</i> (tamarind).....					1	N. Y.
Bostrichid.....	In case of wood.....	1					Do.
Do.....	do.....	2					Pa.
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Albizia gamblei</i> .....		1				D. C.
<i>Bruchus emarginatus</i> (Bruchidae).....	Seed.....	3					N. Y.
<i>Bruchus</i> sp. (Bruchidae).....	<i>Cyamopsis psoraloides</i> .....	1					Calif.*
<i>Callosobruchus analis</i> (Bruchidae).....	<i>Cicer arietinum</i> (chickpea).....	1					N. Y.
<i>Callosobruchus maculatus</i> (Bruchidae).....	Unknown seed.....	1					Do.
<i>Callosobruchus</i> sp. (Bruchidae).....	<i>Cicer arietinum</i> .....	1					Do.
<i>Caryedon fuscus</i> (Bruchidae).....	<i>Tamarindus indica</i> (tamarind).....					1	Do.
<i>Cnemeplatia</i> sp. (Tenebrionidae).....	<i>Anacardium occidentale</i> (cashew).....	1					Do.
<i>Coccotrypes dactyliperda</i> (Scolytidae).....	<i>Phoenix dactylifera</i> (date).....			1			D. C.
<i>Coccotrypes</i> sp. (Scolytidae).....	<i>Curcuma longa</i> (turmeric).....					1	N. Y.
<i>Coccus</i> sp. (Coccidae).....	<i>Cypripedium hirsutissimum</i> (orchid).....		1				Calif.*
<i>Corcyra cephalonica</i> (Pyrilidae).....	<i>Oryza sativa</i> (rice).....	1					N. Y.
Cucujid.....	In case of wood.....	1					Pa.
Do.....	Wooden crate.....	1					Calif.*
<i>Dinoderus bifoveolatus</i> (Bostrichidae).....	do.....	1					Do.*
<i>Dinoderus minutus</i> (Bostrichidae).....	Bamboo.....	1			1		N. Y.
Do.....	In case of wood.....	1					Do.
<i>Dinoderus</i> sp. (Bostrichidae).....	do.....	1					Pa.
Galleriinae (Pyrilidae).....	<i>Cassia fistula</i> (golden-shower).....		1				N. Y.
Do.....	<i>Cassia</i> sp.....	1					Do.
<i>Gonocephalum adpressum</i> (Tenebrionidae).....	In packing around palm seed.....		1				D. C.
<i>Heterobostrychus aequalis</i> (Bostrichidae).....	In case of wood.....	2					Calif.*
Do.....	do.....	3					N. Y.
<i>Kytorhinus</i> sp. (Bruchidae).....	<i>Piptanthus nepalensis</i> .....		1				Calif.*
<i>Laemotmetus rhizophagoides</i> (Cucujidae).....	Wooden crate.....	1					Do.*
<i>Lophocateres pusillus</i> (Siamese grain beetle).....	<i>Gossypium</i> sp. (cottonseed).....	1					Do.*
Do.....	<i>Gossypium</i> sp. (cotton).....	1					Ga.
Do.....	Wooden crate.....	1					Calif.*
Lycetid.....	do.....	1					Pa.
<i>Lycetoxylon japonum</i> (Lycetidae).....	In case of wood.....	3					Do.
<i>Megapenthes</i> sp. (Elateridae).....	Moss packing around orchids.....		1				D. C.
<i>Minthea rugicollis</i> (Lycetidae).....	In case of wood.....	2					Calif.*
Do.....	do.....	1					N. Y.
Do.....	do.....	2					Pa.
<i>Parlatoria oleae</i> (Coccidae).....	<i>Amygdalus persica</i> (peach).....	2					D. C.
Phycitinae (Pyrilidae).....	<i>Anacardium occidentale</i> (cashew).....	1					N. Y.
Do.....	<i>Tamarindus indica</i> (tamarind).....					1	Do.
Pyrilid.....	<i>Juniperus</i> sp. (juniper).....		1				Calif.*
<i>Rhizoglyphus</i> sp. (mite).....	<i>Lilium</i> sp.....	1					N. Y.
<i>Saissetia</i> sp. (Coccidae).....	<i>Cypripedium venustum</i> (orchid).....		1				D. C.
<i>Sinozylon conigerum</i> (Bostrichidae).....	In case of wood.....	1					Calif.*
Do.....	do.....	2					N. Y.
<i>Sinozylon</i> sp. (Bostrichidae).....	do.....	1					Pa.
Steatoderini (Elateridae).....	<i>Dendrobium fimbriatum</i> (orchid).....		1				Hawaii.*
Tenebrionid.....	<i>Amygdalus persica</i> (peach).....		1				D. C.
<i>Tenebroides</i> sp. (Ostomidae).....	In case of wood.....	1					Pa.
Tineid.....	<i>Amygdalus persica</i> (peach).....		1				D. C.
<i>Trogoderma</i> sp. (Dermestidae).....	<i>Cicer arietinum</i> (chickpea).....	2				1	N. Y.
Diseases:							
<i>Bacillus phytophthorus</i> .....	<i>Solanum tuberosum</i> .....					1	Do.
<i>Bacterium citri</i> .....	<i>Citrus aurantifolia</i> (lime).....					2	Pa.
<i>Colletotrichum</i> sp.....	<i>Cymbidium</i> sp. (orchid).....		1				D. C.
<i>Erysiphe graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	1					N. Y.
<i>Eurotium</i> sp.....	<i>Allium sativum</i> (garlic).....					1	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Lilium</i> sp.....	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>INDIA—Continued</b>							
<b>Diseases—Continued.</b>							
<i>Gloeosporium</i> sp. ....	Orchid.....		1				D. C.
Do.....	<i>Vanda coerulea</i> (orchid).....		1				Do.
<i>Helminthosporium</i> sp. ....	<i>Oryza sativa</i> (paddy rice).....					1	Mass.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	1					N. Y.
<i>Puccinia rubigo-vera</i> .....	do.....	1					Do.
<i>Septoria citri</i> .....	<i>Citrus limonia</i> .....					1	Oreg.
<i>Sclerotium rolfsii</i> .....	<i>Lilium</i> sp.....	1					N. Y.
<b>IRAQ</b>							
Insects: Phycitinae (Pyralidae).....	<i>Phoenix dactylifera</i> (date).....					1	Do.
<b>IRELAND</b>							
<b>Insects:</b>							
Anthomyiid.....	In soil around shamrock.....		1				Do.
<i>Argyresthia</i> sp. (Yponomeutidae).....	<i>Malus sylvestris</i> (apple).....			1			Do.
<i>Byrrhus</i> sp. (Byrrhidae).....	In soil around shamrock.....		1				Do.
Cecidomyiid.....	<i>Trifolium repens</i> var. (shamrock).....		1				Do.
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica rapa</i> (turnip).....					1	Do.
<i>Chionaspis salicis</i> (Coccidae).....	<i>Salix phylicifolia</i> (tealeaf willow).....	1					D. C.
<i>Coleophora</i> sp. (Coleophoridae).....	In soil around shamrock.....		1				N. Y.
<i>Crambus</i> sp. (Pyralidae).....	do.....		2				Do.
<i>Hypera</i> sp. (Curculionidae).....	<i>Trifolium repens</i> var. (shamrock).....		1				Do.
<i>Liosoma deflexum</i> (Curculionidae).....	In soil around fern.....			1			Do.
<i>Megophthalmus</i> sp. (Cicadellidae).....	<i>Trifolium repens</i> var. (shamrock).....		1				Md.
Do.....	do.....		1				N. Y.
<i>Myzus veronicae</i> (aphid).....	<i>Primula</i> sp. (primrose).....		1				D. C.
Do.....	<i>Trifolium repens</i> var. (shamrock).....		1				N. Y.
<i>Myzus</i> sp. (aphid).....	<i>Clematis florida</i> .....		1				D. C.
Do.....	<i>Trifolium repens</i> var. (shamrock).....		1				N. Y.
<i>Platynus quadripunctatus</i> (Carabidae).....	<i>Rosa</i> sp.....	1					D. C.
<i>Psila rosae</i> (carrot rust fly).....	<i>Daucus carota</i> (carrot).....					1	Pa.
<i>Pyraustinae</i> (Pyralidae).....	<i>Rosa</i> sp.....		1				D. C.
<i>Sitona</i> sp. (Curculionidae).....	In soil around shamrock.....		2				N. Y.
Do.....	<i>Trifolium repens</i> var. (shamrock).....		1				Do.
<i>Taeniothrips ericae</i> (thrips).....	<i>Calluna vulgaris</i> (heather).....		1				Pa.
<b>Diseases:</b>							
<i>Anguillulina dipsaci</i> .....	<i>Iris</i> sp.....		1				D. C.
<i>Aphelenchoides parietinus</i> .....	<i>Narcissus</i> sp.....		1				Do.
<i>Bacterium marginatum</i> .....	<i>Gladiolus</i> sp.....		1				Do.
<i>Eurotium</i> sp.....	<i>Crataegus</i> sp. (hawthorn).....			1			N. Y.
<i>Leptothyrium pomi</i> .....	<i>Malus sylvestris</i> (apple).....			1			Do.
<i>Leptothyrium</i> sp.....	<i>Rosa</i> sp.....		1				D. C.
<i>Pezizella lythri</i> .....	do.....		1				Do.
<i>Phyllosticta</i> sp.....	<i>Trifolium repens</i> var. (shamrock).....		1				Pa.
<i>Pleurocicta</i> sp.....	<i>Crataegus oxyacantha</i> (English hawthorn).....			1			N. Y.
<i>Pseudopeziza medicaginis</i> .....	<i>Trifolium repens</i> var. (shamrock).....		2				Do.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	1					Do.
<i>Septoria</i> sp.....	<i>Cydonia oblonga</i> (quince).....			1			Do.
<b>ITALIAN SOMALILAND</b>							
Insects: <i>Callosobruchus</i> sp. (Bruchidae).....	Bean.....		1				D. C.
<b>ITALY</b>							
<b>Insects:</b>							
<i>Acidia heraclei</i> (celery fly).....	<i>Apium graveolens</i> (celery).....					1	Pa.
<i>Acrotopia assectella</i> (Plutellidae).....	<i>Allium porrum</i> (leek).....					3	N. Y.
Aegeriid.....	<i>Malus sylvestris</i> (apple).....	1					D. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Agromyzid.....	<i>Allium porrum</i> (leek).....					2	N. Y.
Do.....	<i>Brassica oleracea acephala</i> (kale).....					1	Do.
Do.....	<i>Lactuca sativa longifolia</i> (romaine lettuce).....					1	Do.
Do.....	<i>Opuntia compressa</i> (prickly-pear).....			1			Do.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Do.
<i>Anarsia lineatella</i> (peach twig borer).....	<i>Amygdalus communis</i> (almond).....			1	1		Do.
Do.....	<i>Amygdalus persica nectarina</i> (nectarine).....			1			Do.
Do.....	<i>Prunus armeniaca</i> (apricot).....			1			Do.
<i>Anarsia</i> sp. (Gelechiidae).....	<i>Amygdalus persica</i> (peach).....					1	Mass.
<i>Anisolabis</i> sp. (earwig).....	<i>Punica granatum</i> (pomegranate).....			1			N. Y.
Anthomyiid.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	In soil around <i>Passiflora</i> sp.....		1				Pa.
<i>Aonidia lauri</i> (Coccidae).....	<i>Laurus nobilis</i> (Grecian laurel).....	1		4			N. Y.
Do.....	<i>Laurus</i> sp.....					1	Fla.*
<i>Aphis</i> sp. (aphid).....	<i>Salvia officinalis</i> (sage).....		1				Pa.
<i>Apion malvae</i> (Curculionidae).....	Dry flower.....		1				Do.
<i>Argyresthia</i> sp. (Yponomeutidae).....	<i>Malus sylvestris</i> (apple).....		1	1			N. Y.
<i>Aspidiotus britannicus</i> (Coccidae).....	<i>Laurus nobilis</i> (Grecian laurel).....					1	Do.
<i>Aspidiotus spinosus</i> (Coccidae).....	<i>Diospyros</i> sp. (persimmon).....			1			Do.
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Ilex</i> sp. (holly).....	1					Pa.
Do.....	<i>Malus sylvestris</i> (apple).....					1	Do.
<i>Brachycerus albidentatus</i> (Curculionidae).....	<i>Allium sativum</i> (garlic).....	1					N. Y.
Do.....	<i>Scilla</i> sp. (squill).....	1					Do.
<i>Brachyrhinus</i> sp. (Curculionidae).....	<i>Castanea</i> sp. (chestnut).....	1					Do.
<i>Bucculatrix</i> sp. (Lyonetiidae).....	do.....	1					Pa.
<i>Callipterus</i> sp. (aphid).....	<i>Corylus avellana</i> (filbert).....			1			N. Y.
<i>Cameraria</i> sp. (Gracilariidae).....	<i>Castanea</i> sp. (chestnut).....	1					Pa.
Cecidomyiid.....	<i>Capparis spinosa</i> (caper-bush).....		1				Do.
Do.....	In soil around grape and fig cuttings.....		1				Do.
Do.....	In soil around grass sod.....			1			N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Amygdalus persica</i> (peach).....			2			Do.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).....		1				Ill.
Do.....	do.....		1	5			N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....			4			Do.
Do.....	<i>Cydonia oblonga</i> (quince).....			1			Do.
Do.....	<i>Diospyros</i> sp. (persimmon).....			1			Do.
Do.....	<i>Malus sylvestris</i> (apple).....			2			Do.
Do.....	<i>Opuntia compressa</i> (prickly-pear).....			5			Do.
Do.....	<i>Pyrus communis</i> (pear).....			1			Do.
Do.....	<i>Vitis</i> sp. (grape).....			1			Do.
Do.....	In box of dry figs and nuts.....		1				Md.
<i>Ceroplastes ruscii</i> (Coccidae).....	<i>Ficus carica</i> (fig).....		1				Calif.*
Do.....	do.....			1			N. Y.
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					3	Do.
Do.....	<i>Daucus carota</i> (carrot).....					1	Do.
<i>Chionaspis</i> sp. (Coccidae).....	<i>Citrus limonia</i> (lemon).....					1	Mass.
<i>Chirothrips similis</i> (thrips).....	<i>Brachyopodium pinnatum</i> .....		1				D. C.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Citrus limetta</i> (sweet lime).....		1				Pa.
Do.....	<i>Citrus limonia</i> (lemon).....	3		1		11	N. Y.
Do.....	do.....					1	Tex.
Do.....	<i>Citrus medica</i> (citron).....			1			N. Y.
Do.....	<i>Laurus nobilis</i> (Grecian laurel).....		1				Do.
Do.....	<i>Citrus sinensis</i> (orange).....	1				2	Do.
Do.....	<i>Diospyros</i> sp. (persimmon).....			1			Do.
Do.....	<i>Nerium oleander</i> (oleander).....			2			Do.
Do.....	<i>Phoenix canariensis</i> (palm).....					1	Do.
Do.....	<i>Phoenix dactylifera</i> (date).....			1	1		Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Cicadellid	<i>Lactuca sativa</i> (lettuce)					1	Mass.
<i>Coccotrypes dactyliperda</i> (Scolytidae).	Palm seed		1				D. C.
Do	Tree seed		2				Fla.*
<i>Crematogaster</i> sp. (ant)	<i>Cydonia oblonga</i> (quince)			1			N. Y.
<i>Cryptoblabes</i> sp. (Pyralidae)	<i>Punica granatum</i> (pomegranate).			1			Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)		2				Calif.*
Do	do		1				Ill.
Do	do	5		7		1	N. Y.
Do	do		1				Pa.
Do	<i>Corylus avellana</i> (filbert)			1			N. Y.
Curculionid	<i>Lycopersicon esculentum</i>					1	Mass.
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)	2	1	13			N. Y.
<i>Diaspis carueli</i> (Coccidae)	<i>Juniperus</i> sp. (juniper)			1			Calif.*
Do	do			2			D. C.
Do	do	1					Pa.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Caladium</i> sp.				1		N. Y.
<i>Epicometis squalida</i> (Scarabaeidae)	In soil around fig tree			1			Do.
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Malus sylvestris</i> (apple)					1	Fla.*
Do	do	1		1		1	N. Y.
Do	<i>Prunus domestica</i> (plum)		1				Calif.*
Do	<i>Pyrus communis</i> (pear)	1					D. C.
<i>Eriococcus</i> sp. (Coccidae)	<i>Aucuba</i> sp.				1		Calif.*
<i>Eumerus</i> sp. (Syrphidae)	<i>Muscari comosum</i> (cipollino)	2					N. Y.
<i>Fiorinia</i> sp. (Coccidae)	<i>Camellia</i> sp.			1			Do.
<i>Frankliniella tenuicornis</i> (thrips)	<i>Allium porrum</i> (leek)					1	Do.
Gelechiid	<i>Beta cicla</i> (Swiss chard)					1	Do.
Do	<i>Castanea</i> sp. (chestnut)	1					Pa.
Geometrid	<i>Capsicum annuum</i>					1	N. Y.
<i>Grapholitha</i> sp. (Olethreutidae)	<i>Amygdalus persica nectarina</i> (nectarine).			1			Do.
Do	<i>Prunus armeniaca</i> (apricot)			1			Do.
Do	<i>Prunus domestica</i> (plum)	1				1	Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Helops</i> sp. (Tenebrionidae)	In packing around oleander plant.				1		Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					2	Do.
Do	do					1	Pa.
<i>Icerya purchasi</i> (cottony-cushion scale.)	<i>Citrus sinensis</i> (orange)			1		1	N. Y.
Do	do					1	Pa.
<i>Icerya</i> sp. (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)			1			N. Y.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Allium sativum</i> (garlic)					1	La.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea sativa</i> (chestnut)		1				D. C.
Do	<i>Castanea</i> sp. (chestnut)		1				Do.
Do	do	46		6		1	N. Y.
Do	do		2				Pa.
<i>Lepidosaphes conchiformis</i> (Coccidae).	<i>Ficus carica</i> (fig)				2		N. Y.
<i>Lepidosaphes ficus</i> (Coccidae)	do		2				Calif.*
Do	do		1				D. C.
Do	do	2		6			N. Y.
Do	<i>Ficus</i> sp.		1				D. C.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Diospyros</i> sp. (persimmon)			1			N. Y.
Do	<i>Juglans regia</i> (English walnut)			1			Do.
Lycænid	<i>Punica granatum</i> (pomegranate).			1			Do.
Lygæid	In packing around oleander			1			Do.
<i>Macrostiphum</i> sp. (aphid)	<i>Lactuca sativa</i> (lettuce)					1	Do.
Do	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Mass.
<i>Merodon equestris</i> (narcissus bulb fly).	<i>Muscari comosum</i> (cipollino)	1					N. Y.
<i>Merodon</i> sp. (Syrphidae)	do	1					Do.
<i>Monanthia echii</i> (Tingitidae)	<i>Eucalyptus</i> sp.			1			Do.
<i>Myelois</i> sp. (Pyralidae)	<i>Cerantonis siliqua</i> (St. Johnsbread).	2					Do.
Do	do	1					Va.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ITALY—Continued</b>							
<b>Insects—Continued.</b>							
<i>Myelois</i> sp. (Pyralidae).....	<i>Juglans regia</i> (English walnut).			1			N. Y.
Do.....	<i>Juglans</i> sp. (walnut).....			1			Do.
Do.....	<i>Pyrus communis</i> (pear).....			1			Do.
<i>Nepticula</i> sp. (Nepticulidae).....	<i>Castanea</i> sp. (chestnut).....	1		1			Pa.
Noctuid.....	Bean.....					1	La.
Do.....	<i>Cichorium intybus</i> (witloof).....					1	N. Y.
<i>Nygmia phaeorrhoea</i> (brown-tail moth).	<i>Pyrus communis</i> (pera).....	1					D. C.
<i>Ochetostethus nanus</i> (Cydnidae).....	In packing around oleander.....			1			N. Y.
Oecophorid.....	<i>Cynara scolymus</i> (globe artichoke).					1	Do.
Olethreutid.....	<i>Crataegus</i> sp. (thornapple).....			1			Do.
Do.....	<i>Diospyros</i> sp. (persimmon).....			1			Do.
Do.....	<i>Gentiana</i> sp. (gentian).....		1				Pa.
Do.....	<i>Lactuca sativa</i> (lettuce).....					1	N. Y.
Do.....	<i>Vitis</i> sp. (grape).....			1			Do.
Ortalid.....	<i>Juglans regia</i> (English walnut).....			1			Do.
Do.....	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Do.
Do.....	<i>Solanum tuberosum</i> .....					1	Tex.
<i>Pachytychius</i> sp. (Curculionidae).....	In moss packing around olive trees.			1			N. Y.
<i>Parlatoria oleae</i> (Coccidae).....	<i>Diospyros</i> sp. (persimmon).....			4			Do.
Do.....	<i>Eriobotrya japonica</i> (loquat).....		1				D. C.
Do.....	<i>Malus sylvestris</i> (apple).....	3		3			N. Y.
Do.....	<i>Mespilus germanica</i> (medlar).....			1			Do.
Do.....	<i>Olea europaea</i> (olive).....			1			Do.
Do.....	<i>Prunus armeniaca</i> (apricot).....			1			Do.
Do.....	<i>Prunus domestica</i> (plum).....			1			Do.
Do.....	<i>Prunus</i> sp. (prune).....		1				Calif.*
Do.....	<i>Pyrus communis</i> (pear).....	1	1	1			N. Y.
Do.....	<i>Sorbus</i> sp. (sorbe apple).....			1			Do.
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus limetta</i> (sweet lime).....	1		3			Do.
Do.....	<i>Citrus limonia</i> (lemon).....					7	Calif.*
Do.....	do.....					1	Fla.*
Do.....	do.....	19		7		38	N. Y.
Do.....	do.....				1		Pa.
Do.....	<i>Citrus medica</i> (citron).....			3			N. Y.
Do.....	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					1	Calif.*
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.*
Do.....	do.....	1		8		3	N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....					1	Md.
Do.....	do.....	1		7		1	N. Y.
Do.....	<i>Citrus</i> sp.....			1			Do.
<i>Pediculoides ventricosus</i> (mite).....	<i>Vicia faba</i> (broadbean).....	1					Calif.*
Pentatomid.....	<i>Castanea</i> sp. (chestnut).....	1					Pa.
Phycitinae (Pyralidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
Do.....	<i>Punica granatum</i> (pomegranate).	1		8			Do.
<i>Phytomyza</i> sp. (Agromyzidae).....	<i>Beta vulgaris cicla</i> (chard).....					1	Do.
Do.....	<i>Petroselinum hortense</i> (parsley).....					1	Do.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea capitata</i> .....					4	Do.
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Do.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Malus sylvestris</i> (apple).....			1			Do.
Do.....	<i>Pyrus communis</i> (pear).....			1			Do.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Daucus carota</i> (carrot).....					1	Do.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Do.
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Capsicum annuum</i> .....					1	Do.
Do.....	<i>Diospyros</i> sp. (persimmon).....			1			Do.
Do.....	<i>Holcus sorghum</i> var. (broom-corn).	4					Do.
Do.....	do.....		1				Pa.
Do.....	<i>Lycopersicon esculentum</i> .....					1	N. Y.
<i>Rhagoletis</i> sp. (Trypetidae).....	<i>Prunus cerasus</i> (sour cherry).....	1					Pa.
Do.....	<i>Prunus</i> sp. (cherry).....			2			N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Store	
ITALY—Continued							
Insects—Continued.							
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Mass.
Do	do	2				1	N. Y.
Do	do					1	Pa.
Do	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do	<i>Dahlia</i> sp.			1		1	Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Mass.
Do	<i>Solanum tuberosum</i>					2	N. Y.
<i>Sciara fenestralis</i> (Mycetophilidae)	do					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium porrum</i> (leek)					1	N. Y.
Do	<i>Allium sativum</i> (garlic)	1					Mass.
Do	<i>Apium graveolens</i> (celery)					1	N. Y.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)	1					Do.
Do	<i>Muscari comosum</i> (cipollino)	1					Do.
Do	<i>Pelargonium</i> sp. (geranium)			1			Do.
<i>Sesamia cretica</i> (durra stem borer)	<i>Holcus sorghum</i> var. (broom-corn)	3					Do.
<i>Taphropeltus contractus</i> (Lygaeidae)	In moss packing around olive tree.			1			Do.
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>			1			Do.
<i>Targionia</i> sp. (Coccidae)	<i>Ficus carica</i> (fig)			1			Do.
<i>Tetranychus</i> sp. (mite)	<i>Citrus limonia</i> (lemon)					1	Do.
Do	<i>Ficus carica</i> (fig)			1			Do.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					2	Do.
<i>Tipula</i> sp. (Tipulidae)	In moss packing around dahlia tubers.			1			Do.
Tortricid	<i>Ficus carica</i> (fig)			1			Do.
Do	<i>Malus sylvestris</i> (apple)	1					D. C.
Do	<i>Punica granatum</i> (pomegranate)		1	1			N. Y.
Trypetid	<i>Capsicum annuum</i>					1	Mass.
Yponomeutid	<i>Amygdalus persica</i> (peach)			1			N. Y.
<i>Zeuzera pyrina</i> (leopard moth)	<i>Pyrus communis</i> (pear)	1					D. C.
Diseases:							
<i>Acrostalagmus cinnabarinus</i>	<i>Solanum tuberosum</i>					1	N. Y.
<i>Albugo candida</i>	<i>Brassica rapa</i> (turnip)					3	Do.
Do	<i>Brassica</i> sp.					1	Do.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Ala.
Do	do					1	Mass.
Do	do					2	N. Y.
Do	do					1	Pa.
<i>Alternaria herculea</i>	<i>Brassica oleracea botrytis</i>					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Alternaria solani</i>	<i>Brassica oleracea botrytis</i>					1	N. Y.
<i>Anguillulina dipsaci</i>	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Aphelenchus avenae</i>	do					1	Do.
<i>Ascochyta pisi</i>	<i>Pisum sativum</i> (pea)					1	N. Y.
<i>Bacillus</i> sp.	<i>Citrus sinensis</i> (orange)			1			Do.
Do	<i>Cucurbita maxima</i> (squash)					1	Do.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea aephala</i> (kale)					1	Ala.
Do	<i>Brassica oleracea botrytis</i> (cauliflower)					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					4	Do.
<i>Bacterium savastanoi</i>	<i>Olea europaea</i> (olive)			1			Do.
<i>Bacterium syringae</i>	<i>Citrus limonia</i> (lemon)			1			Do.
Bitter pit	<i>Malus sylvestris</i> (apple)					1	Md.
Do	do			2			N. Y.
<i>Capnodium citri</i>	<i>Citrus limonia</i>					2	Pa.
Do	<i>Citrus sinensis</i> (orange)			1			N. Y.
<i>Capnodium</i> sp.	<i>Bambusa</i> sp.	1					Do.
Do	<i>Castanea</i> sp. (chestnut)			1			Do.
Do	<i>Laurus nobilis</i> (Grecian laurel)			1			Do.
Do	<i>Vitis</i> sp. (grape)			1			Do.
<i>Cercospora beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard)					4	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
<i>Cercospora</i> sp.....	<i>Prunus</i> sp. (cherry)		1				Pa.
<i>Cladosporium carpophilum</i> .....	<i>Amygdalus persica</i> (peach)					2	N. Y.
<i>Cladosporium fulvum</i> .....	<i>Lycopersicum esculentum</i>					1	Do.
<i>Colletotrichum atramentarium</i> .....	<i>Solanum tuberosum</i>					1	Miss.
<i>Colletotrichum circinans</i> .....	<i>Allium cepa</i> (onion)					2	Pa.
<i>Coryneum beijerinckii</i> .....	<i>Amygdalus persica</i>					1	N. Y.
<i>Diplodia natalensis</i> .....	<i>Citrus limonia</i> (lemon)	1					Do.
<i>Eurotium</i> sp.....	<i>Arachis hypogaea</i> (peanut)	1					Pa.
Do.....	<i>Castanea</i> sp. (chestnut)		1				N. Y.
Do.....	<i>Gentiana</i> sp. (gentian)		1				Pa.
Do.....	<i>Ilex</i> sp. (holly)	1					Do.
Do.....	<i>Malus sylvestris</i> (apple)			1			N. Y.
Do.....	<i>Sorbus</i> sp. (sorbe apple)			1			Do.
<i>Fusarium moniliforme</i> .....	<i>Zea mays</i> (corn)		1				Pa.
<i>Fusicladium eriobotryae</i> .....	<i>Eriobotrya japonica</i> (loquat)			1			N. Y.
<i>Gloeosporium</i> sp.....	<i>Pittosporum tobira</i>				1		Wash.
<i>Helminthosporium allii</i> .....	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Helminthosporium</i> sp.....	<i>Cyrtiola dactylon</i> (Bermuda grass)			1			N. Y.
Do.....	<i>Triticum aestivum</i> (wheat)	1					Pa.
<i>Hendersonia</i> sp.....	Bamboo		1				D. C.
<i>Heterosporium</i> sp.....	<i>Allium sativum</i> (garlic)					1	Ala.
Do.....	do.					1	Pa.
<i>Macrophoma</i> sp.....	<i>Aucuba japonica variegata</i>				2		Wash.
Do.....	<i>Juglans</i> sp. (walnut)		1				N. Y.
<i>Macrosporium carotae</i> .....	<i>Daucus carota</i> (carrot)					1	Do.
<i>Macrosporium tomato</i> .....	<i>Lycopersicum esculentum</i>					1	Mass.
Do.....	do.					1	N. Y.
<i>Mycosphaerella fragariae</i> .....	<i>Fragaria</i> sp. (strawberry)		1	1			Do.
<i>Oidium euonymi-japonici</i> .....	<i>Euonymus</i> sp.....				2		Do.
<i>Oidium</i> sp.....	<i>Vitis</i> sp. (grape)			1			Do.
<i>Oospora lactis parasitica</i> .....	<i>Capsicum annuum</i>					1	Do.
Do.....	<i>Lycopersicum esculentum</i>					1	Mass.
Do.....	do.					1	N. Y.
<i>Oospora</i> sp.....	<i>Opuntia compressa</i> (prickly-pear)			1			Do.
<i>Penicillium glaucum</i> .....	<i>Muscari comosum</i> (cipollino)	2					Do.
<i>Phoma</i> sp.....	<i>Citrus limonia</i> (lemon)	2		1			Do.
Do.....	<i>Citrus</i> sp.....					1	Do.
Do.....	<i>Ficus</i> sp. (fig)		1				Mass.
Do.....	<i>Laurus nobilis</i> (Grecian laurel)		1				Pa.
Do.....	<i>Vitis</i> sp. (grape)		1				N. Y.
<i>Phomopsis</i> sp.....	<i>Ficus carica</i> (fig)			1			Do.
<i>Phyllosticta betae</i> .....	<i>Beta vulgaris cicla</i> (Swiss chard)					1	Pa.
<i>Phyllosticta ruscicola</i> .....	<i>Ruscus</i> sp. (butchersbroom)	1					Do.
<i>Phyllosticta</i> sp.....	<i>Aucuba japonica</i> (Japanese aucuba)				1		Do.
Do.....	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do.....	<i>Citrus sinensis</i> (orange)			1			Do.
Do.....	<i>Smilax</i> sp.....				1		Do.
<i>Puccinia graminis</i> .....	<i>Hordeum vulgare</i> (barley)			1			Mass.
Do.....	<i>Triticum aestivum</i> (wheat)	1					Calif.*
Do.....	do.	1					Mich.
Do.....	do.	5	4				N. Y.
Do.....	do.	2	1				Pa.
<i>Puccinia hieracii</i> .....	<i>Cichorium intybus</i> (witloof)					1	N. Y.
<i>Puccinia malvacearum</i> .....	Malvaceae	1					Mich.
Do.....	<i>Malva</i> sp.....					1	N. Y.
<i>Puccinia porri</i> .....	<i>Allium sativum</i> (garlic)					1	Do.
Do.....	do.					2	Pa.
<i>Puccinia rubigo-vera tritici</i> .....	<i>Triticum aestivum</i>	1					Do.
<i>Puccinia</i> sp.....	<i>Allium sativum</i>	1				5	N. Y.
Do.....	do.					4	Pa.
<i>Ramularia</i> sp.....	<i>Cichorium intybus</i>					1	N. Y.
Do.....	<i>Ficus</i> sp.....	1					D. C.
<i>Scirrhia bambusae</i> .....	Bamboo		1				Do.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Sclerotinia</i> sp.....	<i>Allium cepa</i> (onion)					1	Ala.
Do.....	<i>Foeniculum vulgare</i> (fennel)					1	Pa.
Do.....	<i>Solanum tuberosum</i>					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ITALY—Continued</b>							
<b>Diseases—Continued.</b>							
<i>Sclerotium cepivorum</i> .....	<i>Allium cepa</i> (onion).....					1	La.
Do.....	do.....					1	N. Y.
<i>Sclerotium</i> sp.....	<i>Citrus limonia</i> (lemon).....					1	La.
Do.....	<i>Phaseolus</i> sp. (string bean).....					2	N. Y.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					6	Do.
<i>Septoria beticola</i> .....	<i>Beta vulgaris cicla</i> (Swiss chard).....					1	Do.
<i>Septoria castaneae</i> .....	<i>Castanea</i> sp. (chestnut).....	1					Pa.
<i>Septoria citri</i> .....	<i>Citrus limonia</i> .....					1	Md.
Do.....	do.....	1				3	N. Y.
Do.....	do.....					3	Pa.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).....		1				N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....			1			Do.
<i>Septoria endiviae</i> .....	<i>Cichorium intybus</i> (witloof).....					1	Do.
<i>Septoria nigerrima</i> .....	<i>Pyrus communis</i> (pear).....			2			Do.
<i>Septoria petroselinii</i> .....	<i>Petroselinum hortense</i> (parsley).....					2	Do.
<i>Septoria</i> sp.....	<i>Citrus sinensis</i> (orange).....			1			Do.
<i>Sphaeloma faucentii</i> .....	<i>Citrus limetta</i> (sweet lime).....			1			Do.
Do.....	<i>Citrus limonia</i> (lemon).....	1		3		5	Do.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).....	1					Do.
Do.....	<i>Citrus sinensis</i> (orange).....	4					Do.
<i>Sphaelotheca cruenta</i> .....	<i>Holcus sorghum</i> (sorghum).....		1				Pa.
<i>Sphaeronema</i> sp.....	<i>Ficus</i> sp.....	1					D. C.
<i>Stysanus stemonites</i> .....	<i>Solanum tuberosum</i> .....		1				Pa.
<i>Stysanus</i> sp.....	do.....					1	Do.
<i>Thielavia</i> sp.....	<i>Allium sativum</i> (garlic).....	3					N. Y.
<i>Urocystis occulta</i> .....	<i>Secale cereale</i> (rye).....	1					Pa.
<i>Uromyces caryophyllinus</i> .....	<i>Dianthus</i> sp. (carnation).....	1		1			N. Y.
<i>Ustilago avenae</i> .....	<i>Avena sativa</i> (wild oats).....		1				Pa.
<i>Ustilago tritici</i> .....	<i>Triticum aestivum</i> (wheat).....			1			N. Y.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....	6	1	15		6	Do.
Do.....	do.....					1	Wash.
<i>Vermicularia</i> sp.....	Undetermined.....	1					D. C.
<b>JAMAICA</b>							
<b>Insects:</b>							
<i>Aleurocanthus woglumi</i> (citrus blackfly).....	<i>Citrus sinensis</i> (orange).....					1	Pa.
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Mangifera indica</i> (mango).....			10	1	1	N. Y.
Do.....	<i>Psidium guajava</i> (guava).....			1			Do.
<i>Araceus fasciculatus</i> (coffee-bean weevil).....	<i>Chayota edulis</i> (chayote).....	1					Do.
<i>Aspidiotus herculeanus</i> (Coccidae).....	<i>Poinciana regia</i> (royal poinciana).....			1			Do.
Do.....	<i>Spondias dulcis</i> (golden apple).....			1			Do.
<i>Callosobruchus phaseoli</i> (Bruchidae).....	<i>Cicer arietinum</i> (chickpea).....		1				Do.
<i>Callosobruchus</i> sp. (Bruchidae).....	<i>Pisum sativum</i> (pea).....		1				Do.
<i>Camponotus</i> sp. (ant).....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Caryedon fuscus</i> (Bruchidae).....	<i>Tamarindus indica</i> (tamarind).....			1	1		Do.
Do.....	do.....		1				Pa.
<i>Catorama</i> sp. (Anobiidae).....	<i>Gossypium</i> sp. (cotton).....		1				N. Y.
<i>Cecidomyiid</i> .....	<i>Capsicum annuum</i> .....		1				Do.
Do.....	<i>Dioscorea</i> sp. (yam).....				1		Mass.
Do.....	<i>Oncidium luridum</i> (orchid).....		1				D. C.
Do.....	<i>Saccharum officinarum</i> .....			1			N. Y.
Do.....	<i>Zizyphus jujuba</i> (jujube).....			1			Do.
Chloropid.....	<i>Dioscorea</i> sp. (yam).....			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Mangifera indica</i> (mango).....			1			Do.
<i>Coccus mangiferae</i> (Coccidae).....	<i>Adenium obesum</i> .....	1					D. C.
<i>Coccus viridis</i> (Coccidae).....	<i>Coffea</i> sp. (coffee).....			2			N. Y.
<i>Crematogaster victima</i> (ant).....	<i>Ananas sativus</i> .....			1			Miss.
<i>Diaspis echinocacti cacti</i> (Coccidae).....	<i>Cactus</i> .....	1					N. Y.
<i>Diatraea</i> sp. (Pyralidae).....	<i>Saccharum officinarum</i> .....			1			Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....					1	Mass.
Do.....	do.....		1				N. Y.
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Capsicum annuum</i> .....					1	Do.
<i>Forcipomyia</i> sp. (Chironomidae).....	<i>Dioscorea</i> sp. (yam).....					1	Mass.
Galleriinae (Pyralidae).....	<i>Solanum</i> sp.....			1			Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAMAICA—Continued</b>							
<b>Insects—Continued.</b>							
<i>Helops</i> sp. (Tenebrionidae)	<i>Dioscorea</i> sp. (yam)			1			N. Y.
<i>Hemichtonaspis minor strachani</i> (Coccidae)	<i>Annona muricata</i> (soursop)			1			Do.
Do.	<i>Eugenia</i> sp.			1			Do.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Pa.
<i>Myelois decolor</i> (Pyralidae)	<i>Hymenaea courbaril</i> (algaroba)			2			N. Y.
<i>Myelois</i> sp. (Pyralidae)	<i>Tamarindus indica</i> (tamarind)				1		Do.
Nitidulid	<i>Dioscorea</i> sp. (yam)			1			Do.
Olethreutid	<i>Capsicum annuum</i>				1		Mass.
<i>Palaeopus costicollis</i> (Curculionidae)	<i>Dioscorea</i> sp. (yam)			1			Do.
Do.	do.			1			N. Y.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				3		Do.
<i>Parlatoria</i> sp. (Coccidae)	do.			1			Do.
Phycitinae (Pyralidae)	<i>Carica papaya</i> (papaya)					1	Do.
Do.	<i>Tamarindus indica</i> (tamarind)		1				Pa.
<i>Prolabia jamaicana</i> (earwig)	<i>Solanum</i> sp.			1			Mass.
<i>Pseudoanidia articulatus</i> (rufous scale)	<i>Annona reticulata</i> (custard-apple)			1			N. Y.
Do.	<i>Annona squamosa</i> (sugar-apple)			1			Fla.*
Do.	<i>Artocarpus incisa</i> (bread fruit)			1			N. Y.
Do.	<i>Chrysophyllum cainito</i> (star-apple)			1			Do.
Do.	<i>Citrus aurantifolia</i> (lime)			1		1	Fla.*
Do.	do.	11			1	7	N. Y.
Do.	<i>Citrus grandis</i> (grapefruit)					1	Calif.*
Do.	do.					1	Fla.*
Do.	do.					5	N. Y.
Do.	<i>Citrus limonia</i> (lemon)			2			Do.
Do.	<i>Citrus nobilis deliciosa</i> (tangerine)				1		Fla.*
Do.	do.					1	N. Y.
Do.	<i>Citrus sinensis</i> (orange)			17	18	1	Fla.*
Do.	do.					1	Mass.
Do.	do.					7	N. Y.
Do.	do.				1	1	Pa.
Do.	<i>Mangifera indica</i> (mango)			1			Mass.
Do.	do.			3			N. Y.
Do.	<i>Musa</i> sp. (banana)	1					Mich.
Do.	<i>Spondias dulcis</i> (golden apple)			1			N. Y.
Do.	<i>Zizyphus jujuba</i> (jujube)			1			Do.
Do.	Palm				1		Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Theobroma cacao</i> (cacao)			1			Fla.*
Do.	<i>Carica papaya</i> (papaya)					1	Do.*
<i>Psychid</i>	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Pyrophorus</i> sp. (Elateridae)	<i>Trichilia</i> sp. (bitterwood)	1					Ala.
Rhagionid	<i>Heliconia</i> sp.			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Dioscorea</i> sp. (yam)			1			Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Cycas revoluta</i> (sago cycas)			1			Do.
Scolytid	Banana debris	1					Do.
<i>Stiphilus linearis</i> (tamarind pod borer)	<i>Tamarindus indica</i> (tamarind)		1		1		Do.
<i>Stelidota</i> sp. (Nitidulidae)	<i>Xanthosoma</i> sp. (malanga)			1			Do.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Myristica fragrans</i> (nutmeg)		1				D. C.
<i>Targionia hartii</i> (Coccidae)	<i>Zingiber officinale</i> (ginger)			1			Pa.
<i>Targionia sachari</i> (Coccidae)	<i>Saccharum officinarum</i>					1	Fla.*
Do.	do.			1			N. Y.
<i>Telephanus</i> sp. (Cucujidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Tetranychus</i> sp. (mite)	<i>Hedera</i> sp. (ivy)				1		Do.
<i>Thrips</i> sp. (thrips)	<i>Allium cepa</i> (onion)		1				Do.
<i>Tinea</i> sp. (Tineidae)	<i>Dioscorea</i> sp. (yam)			1			Do.
Do.	<i>Gossypium</i> sp. (cotton)		1				Do.
Do.	<i>Musa</i> sp. (banana)	1					Do.
Tineid	do.	1					Do.
Tortricid	Banana debris	1					Pa.
<i>Wasmannia auropunctata</i> (ant)	do.	1					N. Y.
Do.	<i>Musa</i> sp. (banana)	1					Do.
<i>Xyleborus confusus</i> (Scolytidae)	<i>Dioscorea</i> sp. (yam)				1		Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Diseases:							
<i>Apiospora</i> sp.-----	<i>Andropogon citratus</i> (lemon grass).		1				N. Y.
<i>Capnodium citri</i> -----	<i>Citrus grandis</i> (grapefruit)				1		Tex.
Do-----	<i>Citrus sinensis</i> (orange)					1	Mass.
Do-----	do					1	Pa.
<i>Cercospora</i> sp.-----	<i>Waltheria</i> sp.		1				N. Y.
<i>Colletotrichum falcatum</i> -----	<i>Saccharum officinarum</i>					1	Fla.*
Do-----	do			1			N. Y.
<i>Colletotrichum nigrum</i> -----	<i>Capsicum annuum</i>		1				Do.
<i>Colletotrichum</i> sp.-----	<i>Broughtonia sanguinea</i>			1			Do.
Do-----	<i>Musa</i> sp. (banana)	1					Do.
Do-----	<i>Spondias dulcis</i> (golden apple)			1			Do.
<i>Diplodia cacaocicola</i> -----	<i>Annona</i> sp.				1		Mass.
Do-----	<i>Chayota edulis</i> (chayote)	1					N. Y.
Do-----	<i>Cocos nucifera</i> (coconut)			1			Do.
Do-----	<i>Musa</i> sp. (banana)					1	Do.
<i>Diplodia natalensis</i> -----	<i>Chrysophyllum cainito</i> (star-apple).					1	Mass.
Do-----	<i>Citrus aurantifolia</i> (lime)	3					N. Y.
<i>Diplodia tubericola</i> -----	<i>Dioscorea</i> sp. (yam)			3			Do.
Do-----	<i>Ipomoea batatas</i> (sweetpotato)		1				Do.
<i>Gloeosporium limeticolum</i> -----	<i>Citrus aurantifolia</i>					1	Fla.*
<i>Gloeosporium musarum</i> -----	<i>Musa</i> sp. (banana)	2					N. Y.
<i>Gloeosporium</i> sp.-----	Orchid (several genera)	1		5			Do.
Do-----	Orchid	1					D. C.
<i>Glomerella cincta</i> -----	do	1					Do.
<i>Heterosporium</i> sp.-----	Banana debris	1					N. Y.
<i>Melanconium sacchari</i> -----	<i>Saccharum officinarum</i>			3			Do.
<i>Microcera coccophila</i> -----	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Oospora</i> sp.-----	<i>Spondias mombin</i> (yellow mombin).			1			Do.
<i>Pestalozzia</i> sp.-----	<i>Chrysophyllum cainito</i> (star-apple).			2			Do.
Do-----	<i>Cinnamomum</i> sp. (cinnamon)		1				Do.
<i>Phoma</i> sp.-----	<i>Chayota edulis</i> (chayote)			1			Do.
<i>Phoma</i> (?) sp.-----	<i>Chrysophyllum cainito</i>				1		Mass.
<i>Phomopsis</i> sp.-----	<i>Coccolygne dayana</i> (necklace orchid).			1			N. Y.
<i>Phyllosticta</i> sp.-----	<i>Bradburya virginiana</i>		1				Do.
<i>Puccinia graminis</i> -----	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sclerotinia sclerotiorum</i> -----	<i>Daucus carota</i> (carrot)					1	Ala.
<i>Sclerotinia</i> sp.-----	<i>Solanum</i> sp.			1			N. Y.
<i>Sclerotium bataticola</i> -----	<i>Ipomoea batatas</i> (sweetpotato)					1	Fla.*
<i>Sclerotium rolfsii</i> -----	<i>Dioscorea</i> sp. (yam)			2			N. Y.
<i>Sclerotium</i> sp.-----	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Septoria</i> sp.-----	Unknown leaf		1				Do.
<i>Sphaceloma fawcettii</i> -----	<i>Citrus grandis</i> (grapefruit)					1	Do.
Do-----	<i>Citrus aurantifolia</i>		1				Do.
<i>Stagonospora</i> sp.-----	<i>Ocimum spachelatum</i> (orchid)	1					D. C.
Do-----	do	1					Do.
<i>Thielaviopsis paradoxa</i> -----	<i>Saccharum officinarum</i>			10	1		N. Y.
<i>Valsa</i> sp.-----	<i>Barringtonia spectabilis</i>		1				D. C.
Verrucariaceae-----	<i>Celastrus</i> sp. (bittersweet)	1					Wash.
<i>Verticillium</i> sp.-----	<i>Musa</i> sp. (banana)	1					N. Y.
JAPAN							
Insects:							
<i>Acrolepia</i> sp. (Plutellidae)-----	<i>Allium porrum</i> (leek)					1	Do.
Agromyzid-----	<i>Brassica pekinensis</i> (Chinese cabbage).					2	Do.
Do-----	do					1	Wash.
Do-----	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Amorbia emigratella</i> (Tortricidae)-----	<i>Rosa</i> sp.				1		Calif.*
<i>Anisolabis marginalis</i> (earwig)-----	<i>Lilium</i> sp.	1					Wash.
Do-----	<i>Lycoris squamigera</i>	1					Do.
Do-----	In soil around lily bulbs	1					Do.
<i>Anisolabis stoli</i> (earwig)-----	<i>Lilium</i> sp.	1					Do.
<i>Anomala</i> sp. (Scarabaeidae)-----	In soil.			1			Calif.*
Anomalini (Scarabaeidae)-----	In soil around chrysanthemum.			1			Do.*
<i>Anthrenus</i> sp. (Dermestidae)-----	<i>Oryza sativa</i> (rice)	1					La.
Do-----	do		1				Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Antonina cravi</i> (Coccidae).....	Bamboo.....				2		Calif.*
Do.....	do.....				1		Wash.
<i>Aphis</i> sp. (aphid).....	<i>Aralia cordata</i> (udo).....					1	Do.
Do.....	Wheat straw used as packing.....	1					Pa.
Aphodiinae (Scarabaeidae).....	In soil.....				1		Calif.*
<i>Araecerus fasciculatus</i> (coffee-bean weevil). Do..... Do.....	<i>Citrus nobilis deliciosa</i> (Mandarín orange). <i>Cucurbita pepo</i> (pumpkin) <i>Ipomoea batatas</i> (sweetpotato)			1			Wash.
<i>Aspidiotus degeneratus</i> (Coccidae).....	<i>Camellia japonica</i> (camellia).....	1					N. Y.
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Cycas revoluta</i> (sago cycas).....	1					Calif.*
<i>Aspidiotus transparentis</i> (Coccidae).....	<i>Areca catechu</i> (betel palm).....				1		Pa.
Do.....	<i>Aucuba</i> sp.....				2		Calif.*
<i>Aspidiotus tsugae</i> (Coccidae).....	<i>Tsuga</i> sp.....				1		Do.*
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Citrus sinensis</i> (orange).....			1			Do.*
Do.....	<i>Malus sylvestris</i> (apple).....					1	Wash.
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Colocasia esculenta</i> (taro).....					1	Md.
Blastobasid.....	<i>Wisteria praecox odorata alba</i> .....		1				La.
<i>Bruchidius dorsalis</i> (Bruchidae).....	<i>Gleditsia</i> sp. (honeylocust).....		1				Calif.*
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Albizzia</i> sp.....		1				D. C.
<i>Bruchus</i> sp. (Bruchidae).....	<i>Lathyrus grandiflorus</i> (sweet pea). <i>Prunus domestica</i> (plum).....		1				Calif.*
<i>Bucculatrix</i> sp. (Lyonetiidae).....	<i>Azalea</i> sp.....					1	Do.
<i>Cacoecia</i> sp. (Tortricidae).....	<i>Chrysanthemum</i> sp.....					1	Calif.*
Do.....	In soil around chrysanthemum.			1			Wash.
<i>Camponotus</i> sp. (ant).....	<i>Chrysanthemum</i> sp.....					1	Calif.*
<i>Capitophorus formosanus</i> (aphid).....	<i>Malus sylvestris</i> (apple).....					1	Wash.
<i>Carposina</i> sp. (Carposinidae).....	<i>Gleditsia</i> sp. (honeylocust).....			1			Pa.
<i>Caryoboruchus gleditsiae</i> (Bruchidae).....	<i>Allium cepa</i> (onion).....					1	D. C.
Cecidomyiid.....	<i>Aucuba japonica</i> (Japanese aucuba). <i>Osmanthus</i> sp.....					1	N. Y.
Do.....	<i>Aralia</i> sp.....		1				Wash.
<i>Ceroplastes ceriferus</i> (Coccidae).....	<i>Camellia japonica</i> (camellia).....					3	Calif.*
Do.....	<i>Euonymus</i> sp.....					6	Do.*
Do.....	<i>Aralia</i> sp.....					1	Do.*
<i>Ceroplastes rubens</i> (Coccidae).....	<i>Berberis</i> sp. (barberry).....					4	Do.*
Do.....	<i>Fatsia japonica</i> (fatsia).....					1	Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine). <i>Miscanthus japonica</i> (eulalia).....	1					La.
<i>Chilo simplex</i> (Asiatic rice borer).....	Rice matting.....					1	Calif.*
Do.....	Rice straw used as packing.....	1			2		La.
Do.....	do.....	2					N. Y.
Do.....	do.....	11			4	4	Pa.
Do.....	do.....	5					Tex.
Do.....	do.....			1	1		Wash.
Do.....	do.....			1			Oreg.
Do.....	Rice straw used as ties for chinaware. Rice straw used to cover bamboo poles. <i>Miscanthus japonica</i> (eulalia).....	1					Do.
<i>Chilo</i> sp. (Pyralidae).....	<i>Citrus sinensis</i> (orange).....	1					N. Y.
<i>Chionaspis yanonensis</i> (Coccidae).....	<i>Citrus nobilis unshiu</i> (Satsuma orange). <i>Citrus sinensis</i> (orange).....	1					Wash.
Do.....	do.....					4	Calif.*
Do.....	<i>Citrus</i> sp.....			1		1	Wash.
Do.....	Bamboo.....	1					Calif.*
<i>Chlorophorus annularis</i> (Cerambycidae). Chloropid.....	<i>Brassica pekinensis</i> (Chinese cabbage). <i>Oryza sativa</i> (rice).....						Fla.*
Do.....	<i>Buzus</i> sp. (box).....	1					N. Y.
<i>Chrysomphalus dictyospermi</i> var.....	<i>Arctium lappa</i> (gobo).....					1	Pa.
<i>Cleonus</i> sp. (Curculionidae).....	<i>Aralia</i> sp.....					2	Wash.
<i>Coccus pseudomagnoliarum</i> (Coccidae). Do..... Do.....	<i>Aucuba</i> sp..... <i>Citrus</i> sp.....					1	Do.
						1	Calif.*
						1	Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Coleophora</i> sp. (Coleophoridae).....	<i>Chrysanthemum</i> sp.....				1		Wash.
Crambinae (Pyralidae).....	<i>Miscanthus japonica</i> .....						N. Y.
Do.....	<i>Oryza sativa</i> (rice).....	1					Do.
<i>Cryphalus</i> sp. (Scolytidae).....	Pine dunnage.....	1					Wash.
<i>Curculio</i> sp. (Curculionidae).....	<i>Castanea</i> sp. (chestnut).....	18	2				Calif.*
Do.....	do.....		1	2			Hawaii.*
Do.....	<i>Quercus acuta</i> (Japanese evergreen oak).....		1			1	Pa.
Do.....	do.....		1				Calif.*
Do.....	<i>Quercus glandulifera</i> (blue Japanese oak).....		1				D. C.
Do.....	do.....		1				Do.
Do.....	do.....						Ill.
Do.....	<i>Quercus</i> sp. (acorn).....		1				Calif.*
Curculionid.....	In soil around chrysanthemum.....			1			Do.*
Do.....	<i>Oryza sativa</i> (rice).....			1			Wash.
<i>Cylas formicarius</i> (sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....					1	Pa.
<i>Desmometopa</i> sp. (Agromyzidae).....	<i>Arctium lappa</i> (gobo).....					1	Tex.
<i>Dilachnus cupressi</i> (aphid).....	<i>Cupressus</i> sp. (cypress).....				1		Wash.
<i>Dinoderus minutus</i> (Bostrichidae).....	Bamboo.....	2				1	Calif.*
Do.....	<i>Oryza sativa</i> (rice).....				1		La.
Elaterid.....	<i>Cycas revoluta</i> (sago cycas).....			1			Calif.*
<i>Eriococcus</i> sp. (Coccidae).....	Cactus.....			1			Hawaii.*
Do.....	Cactus (several genera).....			5			Calif.*
<i>Eucalymnatus tessellatus</i> (Coccidae).....	Palm.....				1		Do.*
<i>Euponera solitaria</i> (ant).....	In soil around lily bulb.....	1					Wash.
Do.....	<i>Pisum sativum</i> (pea).....					1	Do.
Eupteryginae (Cicadellidae).....	<i>Azalea</i> sp.....				1		Do.
Do.....	<i>Chrysanthemum</i> sp.....					1	Do.
<i>Fiorinia japonica</i> (Coccidae).....	<i>Pinus</i> sp. (pine).....				1		Pa.
<i>Fiorinia juniperi</i> (Coccidae).....	<i>Euonymus</i> sp.....				1		Calif.*
<i>Forficula auricularia</i> (European earwig).....	<i>Brassica oleracea capitata</i> .....					1	Md.
Fulgorid.....	<i>Citrus sinensis</i> (orange).....			1			Wash.
Galleriinae (Pyralidae).....	<i>Brassica rapa</i> (turnip).....			1			Hawaii.*
<i>Geisha distinctissima</i> (Fulgoridae).....	<i>Aralia</i> sp.....				1		Wash.
Do.....	<i>Euonymus</i> sp.....				1		Do.
Gelechiid.....	<i>Miscanthus japonica</i> (eulalia).....	1					N. Y.
Do.....	<i>Oryza sativa</i> (rice).....	1					Do.
Do.....	<i>Taraxacum officinale</i> (Japanese yew).....				1		La.
<i>Gracilaria azaleella</i> (azalea leaf miner).....	<i>Azalea</i> sp.....			1			Hawaii.*
<i>Heliothis</i> sp. (Noctuidae).....	do.....				1		Calif.*
<i>Hemichionaspis</i> sp. (Coccidae).....	Orchid.....				1		La.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Allium porrum</i> (leek).....					1	Md.
Do.....	In soil around evergreen.....				1		Pa.
Do.....	<i>Raphanus sativus</i> (radish).....					1	N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	Do.
<i>Hyponomeuta</i> sp. (Hyponomeutidae).....	<i>Camellia</i> sp.....				1		Calif.*
Do.....	<i>Euonymus</i> sp.....				1		Do.*
Do.....	do.....				1		Wash.
<i>Icerya purchasi</i> (cottony-cushion scale).....	<i>Citrus</i> sp.....					1	Calif.*
<i>Kuwanaia parvus</i> (Coccidae).....	<i>Prunus</i> sp. (cherry).....	1					Hawaii.*
Lasiocampid.....	<i>Cupressus</i> sp. (cypress).....				1		Wash.
Do.....	<i>Euonymus</i> sp.....				1		Do.
<i>Lasius</i> sp. (ant).....	<i>Camellia japonica</i> (camellia).....	1					Calif.*
Do.....	<i>Lilium longiflorum</i> (Easter lily).....	1					Wash.
<i>Laspeyresia splendana</i> (Olethreutidae).....	<i>Castanea</i> sp. (chestnut).....	2					Calif.*
<i>Laspeyresia</i> sp. (Olethreutidae).....	do.....		1	1			Hawaii.*
Do.....	do.....					1	Pa.
Do.....	<i>Quercus glandulifera</i> (blue Japanese oak).....		1				D. C.
Do.....	do.....		1				Ill.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Laspheyrestia</i> sp. (Olethreutidae).....	<i>Quercus phillyraeoides</i> .....		1				Ill.
Do.....	<i>Quercus</i> sp.....		1				Calif.*
<i>Lepidosaphes camelliae</i> (Coccidae).....	<i>Camellia japonica</i> (camellia).....			4			Do.*
<i>Lepidosaphes pallida</i> (Coccidae).....	<i>Thuja orientalis</i> (oriental arborvitae).			1			Wash.
<i>Liparis</i> sp. (Liparidae).....	<i>Thuja</i> sp.....				1		Calif.*
<i>Liphoplus</i> sp. (Gryllidae).....	<i>Pinus</i> sp. (pine).....			1			Oreg.
<i>Luperodes nigrobilineatus</i> (Chrysomelidae).	Rice straw matting.....	1					Pa.
Lyonetiid.....	Palm.....					1	N. Y.
<i>Monomorium</i> sp. (ant).....	<i>Lilium</i> sp. (lily).....	1					Calif.*
<i>Naranga diffusa</i> (Noctuidae).....	<i>Oryza sativa</i> (rice).....	1					N. Y.
<i>Neosciara</i> sp. (Mycetophilidae).....	<i>Primula</i> sp. (primrose).....			1			Oreg.
<i>Neothomasia</i> sp. (aphid).....	<i>Azalea</i> sp.....				1		Wash.
Nitidulid.....	In soil around plant.....				1		Calif.*
Noctuid.....	<i>Aucuba japonica</i> (Japanese aucuba).				1		N. Y.
Do.....	<i>Beta vulgaris cicla</i> (Swiss chard).					1	Md.
Do.....	<i>Miscanthus japonica</i> (eulalia).....	2					N. Y.
Olethreutid.....	<i>Citrus</i> sp.....				1		Calif.*
<i>Paratetranychus</i> sp. (mite).....	<i>Fortunella margarita</i> (kumquat).				1		Wash.
<i>Parlatoria pergandii camelliae</i> (Coccidae).....	<i>Camellia japonica</i> .....	2					Do.
<i>Parlatoria theae</i> (Coccidae).....	<i>Acer</i> sp.....		1				Calif.*
Do.....	do.....		1				Wash.
Do.....	<i>Camellia japonica</i> .....	1					Calif.*
Do.....	<i>Prunus</i> sp.....			1			Do.*
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus grandis</i> (grapefruit).....				1		Do.*
Do.....	do.....				1		Md.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).				1		Calif.*
Do.....	<i>Citrus sinensis</i> (orange).....				1		Do.*
<i>Phenacaspis aucubae</i> (Coccidae).....	<i>Aucuba japonica</i> (Japanese aucuba).				1		Do.*
Do.....	<i>Aucuba</i> sp.....				1		Do.*
<i>Phenacaspis kentiae</i> (Coccidae).....	Palm.....				1		Do.*
<i>Phenacaspis</i> sp. (Coccidae).....	<i>Howea</i> sp.....				2		Do.*
Do.....	Palm.....				11		Do.*
<i>Phenacoccus azaleae</i> (Coccidae).....	<i>Azalea</i> sp.....				1		Pa.
<i>Phenacoccus</i> sp. (Coccidae).....	<i>Pinus densiflora</i> .....			1			Calif.*
Phycitinae (Pyralidae).....	<i>Amygdalus</i> sp. (flowering peach).				2		Do.*
Do.....	<i>Azalea</i> sp.....		1				Do.*
<i>Phyllocnistis citrella</i> (citrus leaf miner).	<i>Fortunella japonica</i> (kumquat).....				1		Wash.
<i>Pinnaspis buzi</i> (Coccidae).....	Palm.....					1	N. Y.
Plutellid.....	<i>Dioscorea</i> sp. (yam).....					1	Pa.
<i>Pnyzia scabiei</i> (potato scab gnat).....	<i>Colocasia esculenta</i> (taro).....					1	S. C.
Do.....	<i>Lilium</i> sp.....	1					Wash.
<i>Pollaspis pini</i> (Coccidae).....	<i>Pinus</i> sp. (pine).....				1		Calif.*
Do.....	do.....		2				Hawaii.*
Do.....	do.....				1		Pa.
<i>Ponera</i> sp. (ant).....	<i>Lilium</i> sp.....	1					Wash.
<i>Prenolepis</i> sp. (ant).....	do.....	1					Do.
Do.....	Palm.....				1		Calif.*
Do.....	<i>Pinus</i> sp. (pine).....			1			Hawaii.*
<i>Protospulvinaria japonica</i> (Coccidae).....	<i>Fatsia japonica</i> (fatsia).....				1		La.
<i>Pseudoanidia duplex</i> (camphor scale).	<i>Aucuba</i> sp.....				1		Calif.*
Do.....	<i>Citrus aurantium</i> (sour orange).....					1	Wash.
Do.....	<i>Citrus grandis</i> (grapefruit).....					3	Calif.*
Do.....	do.....					1	Wash.
Do.....	<i>Citrus limonia</i> (lemon).....					1	Calif.*
Do.....	do.....					1	N. Y.
Do.....	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					2	Calif.*
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).					2	Do.*
Do.....	do.....					1	Md.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Pseudaonidia duplex</i> (camphor scale)	<i>Citrus sinensis</i> (orange)			1	5	25	Calif.*
Do	do	2		3		2	Wash.
Do	<i>Codiaeum</i> sp. (croton)				1		Tex.
Do	<i>Magnolia conspicua</i> (yulan)		1				Calif.*
Do	do		1				D. C.
Do	<i>Osmanthus</i> sp.				1		La.
<i>Pseudaonidia paeoniae</i> (Coccidae)	<i>Azalea</i> sp.					2	Calif.*
Do	<i>Camellia japonica</i> (camellia)	1	1		1		Do.*
<i>Pseudococcus azaleae</i> (Coccidae)	<i>Azalea</i> sp.		1				Do.*
<i>Pseudococcus comstocki</i> (Coccidae)	<i>Aralia</i> sp.				3		Do.*
Do	<i>Aucuba</i> sp.				1		Do.*
Do	<i>Howea</i> sp.				1		Do.*
<i>Pseudococcus kraunhiae</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)					1	Do.*
Do	<i>Citrus limonia</i> (lemon)					1	Do.*
Do	<i>Citrus sinensis</i> (orange)			1			Do.*
Do	<i>Codiaeum</i> sp. (croton)				1		Do.*
<i>Pseudococcus</i> sp. (Coccidae)	Palm					1	Do.*
Do	<i>Pinus densiflora</i> (Japanese red pine)	1					Hawaii.*
<i>Psycle</i> sp. (Psychidae)	<i>Euonymus</i> sp.				1		Calif.*
Psychid	Dwarfed evergreen				1		Pa.
Do	<i>Pinus</i> sp. (pine)				1		Calif.*
Do	<i>Tsuga</i> sp.				1		Do.*
Do	<i>Wisteria floribunda alba</i>		1				Do.*
<i>Pulvinaria</i> sp. (Coccidae)	<i>Aralia</i> sp.					4	Do.*
Do	<i>Daphne</i> sp.				1		Do.*
Pyralid	<i>Amygdalus</i> sp. (flowering peach)			1			Do.*
Do	Bamboo			1			Do.*
Do	<i>Pinus</i> sp. (pine)			1			Do.*
Do	do				1		Pa.
Pyralinae (Pyralidae)	<i>Hydrangea</i> sp.		1				Calif.*
<i>Pyrausta nubilalis</i> (European corn borer)	<i>Zea mays</i> (corn)					1	Wash.
Pyraustinae (Pyralidae)	<i>Buzus</i> sp. (box)				1		Do.
Do	<i>Oryza sativa</i> (rice)	1					N. Y.
Do	<i>Wisteria</i> sp.		1				Calif.*
<i>Reticulitermes speratus</i> (termite)	Undetermined plant		1				Do.*
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	N. Y.
Do	<i>Colocasia esculenta</i> (taro)					1	La.
Do	<i>Lilium</i> sp.	2					Wash.
Do	<i>Lycoris</i> sp.		2				Do.
Do	<i>Solanum tuberosum</i>					1	Pa.
<i>Scelodonta lewisi</i> (Chrysomelidae)	Unknown plant				1		Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
Do	<i>Colocasia esculenta</i> (dasheen)					1	Tex.
Do	<i>Colocasia esculenta</i> (taro)					2	La.
Do	do					2	Mass.
Do	<i>Dioscorea batatas</i> (cinnamon-vine)					1	La.
Do	<i>Iris</i> sp.		1				Wash.
Do	<i>Wisteria floribunda</i> (kyushaku)	1					Do.
Do	<i>Zingiber officinale</i> (ginger)					1	La.
<i>Sesamia</i> sp. (Noctuidae)	<i>Miscanthus japonica</i>	1					N. Y.
<i>Susumia exigua</i> (Pyralidae)	<i>Oryza sativa</i> (rice)	2					Pa.
<i>Tarsonemus</i> sp. (mite)	<i>Citrus nobilis deliciosa</i> (Mandarin orange)	1					Wash.
Do	<i>Citrus sinensis</i> (orange)					1	N. Y.
<i>Tenuipalpus</i> sp.	<i>Aucuba</i> sp.					1	Wash.
Do	<i>Fatsia japonica</i> (fatsia)					2	La.
<i>Tetramorium</i> sp. (ant)	<i>Lilium</i> sp.					1	Do.
<i>Tetranychus</i> sp. (mite)	<i>Codiaeum</i> sp. (croton)					1	Calif.*
Tortricid	<i>Camellia japonica</i> (camellia)					2	Do.*
Do	<i>Pinus</i> sp. (pine)					1	Do.*
Do	<i>Sciadopitys verticillata</i> (umbrella-pine)					1	Do.*
Do	<i>Wisteria</i> sp.		1				Do.*
<i>Yponomeuta</i> sp.	<i>Euonymus</i> sp.					2	Do.*
<i>Yponomeutid</i>	do					1	Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAPAN—Continued</b>							
<b>Diseases:</b>							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Pa.
Do	<i>Raphanus sativus</i> (radish)					1	La.
<i>Alternaria solani</i>	<i>Solanum tuberosum</i>					1	Calif.*
<i>Aphelenchoides huntii</i>	<i>Lilium tigrinum</i> (tiger lily)	1					Wash.
<i>Aphelenchoides parietinus</i>	<i>Colocasia esculenta</i> (taro)					1	Mass.
Do	do					1	N. Y.
Do	do					1	Pa.
Do	<i>Colocasia esculenta</i> (dasheen)					1	La.
Do	<i>Dioscorea</i> sp. (yam)					1	Pa.
Do	<i>Ipomoea batatas</i> (sweetpotato)					1	Wash.
Do	<i>Lilium</i> sp.	1					Pa.
<i>Aphelenchus avenae</i>	<i>Arctium lappa</i> (burdock)					1	La.
<i>Bacillus phytophthorus</i>	<i>Solanum tuberosum</i>					2	N. Y.
<i>Bacterium citri</i>	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange)					1	Do.*
Do	<i>Citrus sinensis</i> (orange)			1		9	Do.*
Do	do					2	Wash.
Do	<i>Citrus</i> sp.				1		Calif.*
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	La.
Do	do					1	Md.
Do	<i>Brassica pekinensis</i> (petsai cabbage)					1	Wash.
<i>Bacterium pisi</i>	<i>Phaseolus</i> sp. (string bean)					1	Pa.
Do	<i>Pisum sativum</i> (pea)					2	Calif.*
Do	do					1	Wash.
<i>Botrytis allii</i>	<i>Allium cepa</i> (onion)	1					Do.
<i>Botrytis cinerea</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	Pa.
<i>Capnodium citri</i>	<i>Citrus sinensis junos</i>					1	Md.
Do	<i>Citrus sinensis</i> (orange)			1			Calif.*
Do	do			1			Wash.
<i>Capnodium</i> sp.	<i>Codiaeum</i> sp. (croton)				1		La.
<i>Cephalobus</i> n. sp.	<i>Arctium lappa</i> (burdock)					1	Do.
<i>Colletotrichum peregrinum</i>	<i>Fatsia japonica</i> (fatsia)				1		Wash.
<i>Cercospora destructiva</i>	<i>Euonymus japonica variegata</i>				1		Do.
<i>Cercospora</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
Do	do					1	Pa.
<i>Colletotrichum</i> sp.	<i>Codiaeum</i> sp. (croton)				1		La.
<i>Coniothyrium</i> sp.	<i>Wisteria multijuga</i> (longcluster wisteria)	1					Wash.
Do	<i>Wisteria</i> sp.	1					Do.
<i>Corticium</i> sp.	Unidentified wood	1					N. Y.
<i>Cryptostictis</i> sp.	<i>Paeonia suffruticosa</i> (peony)	1					Wash.
Do	<i>Paeonia</i> sp.	1					Do.
<i>Diplodia tuberculata</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	Pa.
<i>Diplodia</i> sp.	<i>Wisteria</i> sp.				1		D. C.
<i>Discosia artoceas</i>	<i>Paeonia</i> sp. (peony)				1		Wash.
<i>Epicoccum</i> sp.	<i>Colocasia esculenta</i> (taro)					1	Pa.
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat)	2					N. Y.
Do	do	2					Pa.
<i>Eurotium</i> sp.	Bamboo	1					N. Y.
Do	<i>Oryza sativa</i> (rice)	1					Do.
Do	do		1				Pa.
<i>Fumago</i> sp.	do		1				Do.
<i>Fusicladium</i> sp.	<i>Diospyros</i> sp. (persimmon)					1	Calif.*
<i>Gloeosporium polymorphum</i>	<i>Dracaena</i> sp.					1	Pa.
<i>Gloeosporium</i> sp.	<i>Aspidistra</i> sp.					1	Do.
Do	do					1	Wash.
Do	<i>Aucuba japonica variegata</i>					1	Pa.
Do	<i>Camellia japonica</i>	2	1				Wash.
Do	<i>Codiaeum</i> sp. (croton)					1	Md.
Do	<i>Cymbidium</i> sp. (orchid)					1	Pa.
Do	<i>Daphne</i> sp. (?)	1					Wash.
Do	<i>Dracaena</i> sp.					1	Do.
Do	<i>Euonymus</i> sp.					1	Do.
<i>Glomerella cingulata</i>	<i>Codiaeum</i> sp. (croton)					1	La.
Do	<i>Malus sylvestris</i> (apple)					1	Wash.
Do	do					1	Tex.
<i>Helminthosporium oryzae</i>	<i>Oryza sativa</i> (paddy rice)	1					N. Y.
<i>Helminthosporium sativum</i>	<i>Triticum aestivum</i> (wheat)	3					Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Helminthosporium</i> sp.-----	<i>Echinochloa crusgalli edulis</i> (Japanese millet).	1					N. Y.
Do-----	<i>Echinochloa frumentaceum</i> (Japanese farm-yard millet).	1					Do.
Do-----	<i>Oryza sativa</i> (rice)-----					2	Md.
Do-----	do-----	1					N. Y.
Do-----	do-----		1				Wash.
Do-----	<i>Triticum aestivum</i> (wheat)-----	1					La.
Do-----	do-----	1					N. Y.
Do-----	do-----	5					Pa.
<i>Heterosporium</i> sp.-----	<i>Allium cepa</i> (onion)-----					1	N. Y.
Do-----	<i>Allium porrum</i> (leek)-----					1	Md.
Do-----	do-----					1	S. C.
Do-----	<i>Triticum aestivum</i> (wheat)-----	1					Pa.
<i>Hormodendrum</i> sp.-----	<i>Nandina domestica</i> (mandarin)-----		1				Calif.*
<i>Leptosphaeria</i> sp.-----	<i>Wisteria multijuga</i> -----	2					Wash.
<i>Leptothyrium macrothetium</i> -----	<i>Paeonia</i> sp. (peony)-----		1				D. C.
<i>Leptothyrium pomi</i> -----	<i>Malus sylvestris</i> (apple)-----					1	La.
<i>Lophodermium pinastri</i> -----	<i>Pinus</i> sp. (pine)-----		1				Wash.
<i>Lophodermium</i> sp.-----	do-----				1		Do.
<i>Marsonia potentillae fragariae</i> -----	<i>Fragaria</i> sp.-----		1				Do.
<i>Metasphaeria</i> sp.-----	<i>Paeonia</i> sp. (peony)-----		1				Do.
<i>Microdiplodia wistariae</i> -----	<i>Wisteria multijuga</i> -----	3	1				Do.
<i>Microsphaera euonymi</i> -----	<i>Euonymus</i> sp.-----					1	Calif.*
Do-----	do-----					1	Do.*
<i>Monochaetia paeoniae</i> -----	<i>Paeonia</i> sp. (peony)-----		1				Wash.
<i>Mycosphaerella moutan</i> -----	<i>Paeonia suffruticosa</i> var. (peony)-----	1					Do.
<i>Mycosphaerella pinodes</i> -----	<i>Pisum sativum</i> (pea)-----					1	Md.
<i>Mycosphaerella schoenoprasii</i> -----	<i>Allium cepa</i> (onion)-----					1	Do.
Do-----	<i>Allium fistulosum</i> (Welsh onion)-----					9	Pa.
Do-----	<i>Allium porrum</i> (leek)-----					21	Md.
Do-----	do-----					1	N. Y.
Do-----	do-----					13	Pa.
<i>Myzosporeum</i> sp.-----	<i>Paeonia suffruticosa</i> var. (peony)-----	1					Wash.
Do-----	<i>Paeonia</i> sp. (peony)-----	1					Do.
<i>Oidium euonymi-japonici</i> -----	<i>Euonymus</i> sp.-----					2	Do.
<i>Oospora</i> sp.-----	<i>Citrus sinensis</i> (orange)-----					1	Tex.
Do-----	<i>Daucus carota</i> (carrot)-----					1	N. Y.
<i>Peronospora schleideni</i> -----	<i>Allium porrum</i> (leek)-----					2	Md.
<i>Peronospora</i> sp.-----	<i>Brassica oleracea capitata</i> -----					1	N. Y.
<i>Pestalozzia guepini</i> -----	<i>Camellia japonica</i> (camellia)-----	1	3		1		Wash.
Do-----	<i>Camellia</i> sp.-----		1				D. C.
<i>Pestalozzia</i> sp.-----	<i>Codiaeum</i> sp. (croton)-----					1	La.
Do-----	<i>Paeonia suffruticosa</i> var. (peony)-----	4					Wash.
Do-----	<i>Paeonia</i> sp. (peony)-----	3	1				Do.
Do-----	<i>Wisteria multijuga praecox</i> -----	1					Do.
<i>Phoma camelliae</i> -----	<i>Camellia japonica</i> -----	1					Do.
<i>Phoma</i> sp.-----	do-----	1					Do.
Do-----	<i>Paeonia</i> sp. (peony)-----	1	1				Do.
<i>Phomatospora</i> sp.-----	<i>Euonymus</i> sp.-----					1	Do.
<i>Phyllachora</i> sp.-----	Bamboo-----					1	Md.
<i>Phyllosticta</i> sp.-----	<i>Acuba japonica variegata</i> -----					1	Wash.
Do-----	<i>Camellia japonica</i> -----	2					Do.
Do-----	<i>Camellia</i> sp.-----					1	Do.
Do-----	<i>Codiaeum</i> sp. (croton)-----					2	La.
Do-----	Unknown leaf-----		1				Wash.
Do-----	Unidentified plant-----					1	La.
<i>Pleospora</i> sp.-----	<i>Allium porrum</i> (leek)-----					1	Md.
<i>Polyporus radiatus</i> -----	<i>Prunus domestica</i> (plum)-----					1	Calif.*
<i>Polyporus</i> sp.-----	<i>Ilex</i> sp.-----					1	Md.
<i>Puccinia graminis</i> -----	<i>Hordeum vulgare</i> (barley)-----		1				Wash.
Do-----	<i>Triticum aestivum</i> (wheat)-----	5					N. Y.
Do-----	do-----	2					Pa.
<i>Puccinia rubigo-vera tritici</i> -----	do-----	3					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935 inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Puccinia</i> sp.	<i>Allium fistulosum</i> (Welsh onion).					2	Pa.
Do	<i>Allium porrum</i> (leek)					2	Md.
Do	do					1	Pa.
Do	<i>Triticum aestivum</i> (wheat)	1					La.
Do	do	5					Pa.
<i>Pythium</i> sp.	<i>Castanea japonica</i> (Japanese chestnut).	1					D. C.
Do	<i>Colocasia esculenta</i> (taro)					2	La.
Do	do					1	Mass.
Do	do					1	Pa.
Do	<i>Daucus carota</i> (carrot)					1	Do.
Do	<i>Nymphaea</i> sp.					1	Do.
Do	<i>Zingiber officinale</i> (ginger)					1	Do.
<i>Ramularia</i> sp.	<i>Lilium auratum</i> (goldband lily).	1					Calif.*
<i>Rhizoctonia</i> sp.	<i>Solanum tuberosum</i>					3	Do.*
<i>Rhizopus necans</i>	<i>Lilium auratum</i>	1					Do.*
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Mass.
Do	do					3	Pa.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)					1	Do.
Do	<i>Arctium lappa</i> (gobo)					1	Do.
Do	<i>Daucus carota</i> (carrot)					1	Ga.
Do	do					1	Pa.
Do	<i>Radicula armoracia</i> (horseradish).					1	La.
Do	<i>Raphanus sativus</i> (radish)					2	Do.
<i>Sclerotopsis testudinea</i>	<i>Paeonia</i> sp. (peony)		1				Calif.*
Do	do	1	4				Wash.
<i>Sclerotium rolfsii</i>	<i>Dioscorea</i> sp. (yam)					1	Tex.
<i>Sclerotium</i> sp.	<i>Allium porrum</i> (leek)					1	N. Y.
Do	do					1	Pa.
Do	<i>Arctium lappa</i> (burdock)					2	La.
Do	<i>Daucus carota</i> (carrot)					1	Mass.
Do	<i>Radicula armoracia</i> (horseradish).					1	La.
Do	<i>Rumex</i> sp.					1	Mass.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Wash.
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp.				1		Do.
<i>Septoria</i> sp.	Unknown leaf		1				Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
Do	<i>Citrus limonia</i> (lemon)					1	La.
Do	<i>Citrus nobilis</i> (king orange)			1		2	Wash.
Do	<i>Citrus sinensis</i> (orange)					2	Calif.*
Do	do					3	N. Y.
Do	do			1		2	Wash.
Do	<i>Citrus sinensis junos</i>					2	Md.
Do	do					1	Wash.
<i>Sphaerotheca mali</i>	<i>Malus sylvestris</i> (apple)				1		Do.
<i>Strigula</i> sp.	<i>Camellia japonica</i>	1					Do.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Pa.
<i>Stysanus</i> sp.	<i>Dioscorea batatas</i> (cinnamon-vine).					1	La.
Do	<i>Dioscorea</i> sp. (yam)					1	Pa.
Do	<i>Lilium</i> sp.	1					Wash.
<i>Termitaria n. sp.</i>	<i>Reticulitermes speratus</i> on unidentified plant.		1				Calif.*
<i>Thielaviopsis</i> sp.	<i>Zingiber officinale</i> (ginger)					1	S. C.
<i>Uredo</i> sp.	<i>Allium fistulosum</i> (Welsh onion).					2	Pa.
Do	<i>Allium porrum</i> (leek)					2	Do.
Do	<i>Echinochloa frumentaceum</i> (Japanese farm-yard millet).	1					N. Y.
<i>Ustilago tritici</i>	<i>Triticum aestivum</i> (wheat)	2					Do.
Do	do	1					Pa.
<i>Ustilago</i> sp.	<i>Hordeum vulgare</i> (barley)		1				Wash.
<i>Vermicularia</i> sp.	Grass-like plant		1				Do.
<i>Verticillium</i> sp.	<i>Allium cepa</i> (onion)					1	S. C.
Do	<i>Lilium</i> sp.	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAVA</b>							
Insects:							
<i>Acanthocinus</i> sp. (Cerambycidae)	Root	1					
<i>Aracercus fasciculatus</i> (coffee-bean weevil)	<i>Myristica fragrans</i> (nutmeg)					1	
<i>Fiorinia theae</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	
<i>Stigmaeodes</i> sp. (mite)	<i>Ananas</i> sp.		1				
<i>Tenebroides</i> sp. (Ostomidae)	<i>Oryza sativa</i> (paddy rice)					1	
Diseases:							
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>					1	
<i>Gloeosporium piperatum</i>	do					1	
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	
<i>Vermicularia capsici</i>	<i>Capsicum annuum</i>					1	
<b>KENYA</b>							
Diseases: <i>Gloeosporium</i> sp.	<i>Caralluma</i> sp.		1				
<b>LATVIA</b>							
Insects: <i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>					1	
<b>LIBERIA</b>							
Insects: <i>Pheidole flavens</i> var. (ant)	<i>Hevea brasiliensis</i> (Para rubber tree)	1					
<b>LITHUANIA</b>							
Insects:							
Anthomyiid	<i>Solanum</i> sp.		1				
<i>Curculio nucum</i> (Curculionidae)	<i>Corylus</i> sp. (hazelnut)		1				
<i>Tipula</i> sp. (Tipulidae)	In soil around plant			1			
Diseases:							
<i>Claviceps purpurea</i>	<i>Festuca</i> sp.		1				
<i>Puccinia graminis</i>	do		1				
Do	Grass		1				
<i>Septoria</i> sp.	<i>Menyanthes trifoliata</i>		1				
<b>MADAGASCAR</b>							
Insects: Silvanini (Cucujidae)	<i>Ravenala madagascariensis</i>		1				
<b>MADEIRA ISLANDS</b>							
Insects:							
<i>Aracercus fasciculatus</i> (coffee-bean weevil)	<i>Solanum tuberosum</i>					3	
<i>Urophorus humeralis</i> (Nitidulidae)	do					1	
Diseases: <i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			1			
<b>MALTA</b>							
Insects:							
Geometrid	<i>Olea europaea</i> (olive)		1				
Pyralinae (Pyralidae)	do		1				
<b>MANCHURIA</b>							
Insects:							
<i>Anthonomus</i> sp. (Curculionidae)	<i>Prunus</i> sp.		1				
<i>Apion</i> sp. (Curculionidae)	<i>Astragalus</i> sp. (milkvetch)	1					
Do	<i>Vicia amoena oblongifolia</i>	1					
Do	<i>Vicia amoena</i>	1					
<i>Bruchidius</i> sp. (Bruchidae)	<i>Sophora japonica</i> (Chinese scholar tree)		1				
<i>Bruchophagus gibbus</i> (Eurytomidae)	<i>Medicago sativa</i> (alfalfa)	1					
Cecidomyiid	<i>Astragalus adsurgens</i>	1					
Chloropid	<i>Iris ensata chinensis</i>	1					
<i>Coleophora</i> sp. (Coleophoridae)	<i>Astragalus adsurgens</i>	1					
Do	<i>Caragana microphylla</i> (little-leaf pea-shrub)	1					
<i>Curculio</i> sp. (Curculionidae)	<i>Castanopsis cuspidata</i> (Japanese chinquapin)		1				
Jassinae (Cicadellidae)	<i>Calamagrostis epigeios</i>	1					
<i>Meligethes</i> sp. (Nitidulidae)	do	1					
<i>Mononychus vittatus</i> (Curculionidae)	<i>Iris ensata chinensis</i>	1					

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MANCHURIA—Continued							
Insects—Continued.							
Noctuid.....	<i>Agrostis scabra</i> .....	1					D. C.
Do.....	<i>Elymus dahuricus</i> .....	1					Do.
Do.....	<i>Eragrostis major</i> .....	1					Do.
Olethreutid.....	<i>Medicago falcata</i> .....	1					Do.
Do.....	<i>Vicia amoena</i> .....	1					Do.
Do.....	<i>Vicia amoena oblongifolia</i> .....	1					Do.
Do.....	<i>Vicia pseudo-orobus</i> .....	1					Do.
Psylliinae (Chermidae).....	<i>Astragalus</i> sp.....	1					Do.
Diseases:							
<i>Claviceps purpurea</i> .....	<i>Agropyron pseudo-agropyron</i> .....		2				Do.
Do.....	<i>Calamagrostis epigeios</i> .....	1					Do.
MARSHALL ISLANDS							
Insects:							
Cecidomyiid.....	<i>Cocos nucifera</i> (coconut).....	1					Hawaii.*
<i>Furcaspis oceanica</i> (Coccidae).....	do.....		1				Do.*
MARTINIQUE							
Insects:							
<i>Pseudaonidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> (lime).....		1				Calif.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Coffea</i> sp.....			1			N. Y.
Diseases:							
<i>Capnodium citri</i> .....	<i>Citrus sinensis</i> (orange).....				1		Do.
<i>Capnodium</i> sp.....	<i>Saccharum officinarum</i> .....				1		La.
<i>Cerotelium desmum</i> .....	<i>Gossypium</i> sp. (cotton).....				1		Do.
MEXICO							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae).....	Bean.....			1			Calif.*
Do.....	<i>Cerantonia siliqua</i> (carob).....	1	1				Do.*
<i>Aeolus pulchellus</i> (Elateridae).....	<i>Ananas sativus</i> .....	1					Tex.
Do.....	Banana debris.....	1					La.
Do.....	do.....	1					Pa.
<i>Aeolus yucatanus</i> (Elateridae).....	do.....	1					Ariz.
<i>Aeolus</i> sp. (Elateridae).....	<i>Lycopersicum esculentum</i> .....	1					Do.
<i>Agalliopsis</i> sp. (Cicadellidae).....	<i>Solanum melongena</i> (eggplant).....	1					Do.
<i>Agromyza</i> sp. (Agromyzidae).....	<i>Lycopersicum esculentum</i> .....	4					Do.
Do.....	<i>Thamnosoma montana</i> .....	3		1			Do.
Agromyzid.....	<i>Capsicum annum</i> .....	3					Do.
Do.....	<i>Lycopersicum esculentum</i> .....	3					Do.
<i>Aleuroplatus</i> sp. (whitefly).....	<i>Musa</i> sp. (banana).....	1					La.
<i>Alobates gigas</i> (Tenebrionidae).....	Banana debris.....	1					Do.
<i>Alphitobius</i> sp. (Tenebrionidae).....	<i>Allium sativum</i> (garlic).....			1			Tex.
Do.....	<i>Tabeuta donnell-smithii</i> (primavera).....	1					N. Y.
<i>Altica scutellaris</i> (Chrysomelidae).....	<i>Capsicum annum</i> .....	1					Tex.
<i>Amplicerus</i> sp. (Bostriichidae).....	<i>Lycopersicum esculentum</i> .....	1					Calif.*
<i>Anaedus</i> sp. (Tenebrionidae).....	Banana debris.....	1					Pa.
<i>Anarsia lineatella</i> (peach twig borer).....	<i>Pyrus communis</i> (pear).....			1			Ariz.
<i>Anastrepha ludens</i> (Mexican fruit fly).....	<i>Citrus aurantium</i> (sour orange).....			1			Tex.
Do.....	<i>Citrus grandis</i> (grapefruit).....				1		La.
Do.....	do.....					1	Pa.
Do.....	<i>Citrus sinensis</i> (orange).....			1			La.
Do.....	do.....			19	1	2	Tex.
Do.....	<i>Mangifera indica</i> (mango).....			1			Ariz.
Do.....	do.....			11			Tex.
<i>Anastrepha serpentina</i> (Trypetidae).....	<i>Mammea americana</i> (mamey).....			1			Do.
Do.....	Sapote.....			2			Do.
<i>Anastrepha striata</i> (Trypetidae).....	<i>Psidium guajava</i> (guava).....				1		La.
Do.....	do.....			7	1		Tex.
Do.....	In bag containing figs, guavas, peaches, and sweet limes.....			1			Do.
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Citrus grandis</i> (grapefruit).....					1	Pa.
Do.....	<i>Citrus sinensis</i> (orange).....				1		La.
Do.....	do.....			1			N. Y.
Do.....	do.....			2			Tex.
Do.....	<i>Crataegus mexicana</i> .....			1			Do.
Do.....	<i>Mammea americana</i> (mamey).....			1			Do.
Do.....	<i>Mangifera indica</i> (mango).....			8			Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Persea americana</i> (avocado).....	-----	-----	1	-----	-----	Tex.
Do.....	<i>Psidium guajava</i> (guava).....	-----	-----	1	-----	-----	Do.
Do.....	<i>Pyrus communis</i> (pear).....	-----	-----	1	-----	-----	Do.
Do.....	Sapote.....	-----	-----	1	-----	-----	Do.
<i>Anisolabis</i> sp. (earwig).....	Banana debris.....	1	-----	-----	-----	-----	Ala.
Anthomyiid.....	<i>Brassica oleracea capitata</i> .....	-----	-----	-----	1	-----	La.
Do.....	<i>Citrus aurantifolia</i> (lime).....	1	-----	-----	-----	-----	Tex.
Do.....	<i>Physalis</i> sp. (husk tomato).....	-----	-----	1	-----	-----	Do.
<i>Anthonomus eugenii</i> (pepper weevil).....	<i>Capsicum annuum</i> .....	-----	-----	1	-----	-----	Calif.*
Do.....	do.....	-----	-----	-----	1	-----	La.
Do.....	do.....	18	-----	15	-----	-----	Tex.
<i>Anthonomus</i> sp. (Curculionidae).....	<i>Gossypium</i> sp. (cotton) (boll).....	-----	-----	2	-----	-----	Do.
<i>Anthrenus</i> sp. (Dermestidae).....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	1	-----	-----	N. Y.
<i>Anuraphis</i> sp. (aphid).....	Cactus.....	1	-----	-----	-----	-----	Ariz.
Do.....	do.....	1	-----	-----	-----	-----	Tex.
Do.....	<i>Coryphantha</i> sp. (cactus).....	1	-----	-----	-----	-----	Ariz.
Do.....	In soil around parsnip.....	-----	-----	1	-----	-----	Tex.
Do.....	<i>Thelocactus bicolor</i> (cactus).....	1	-----	-----	-----	-----	Ariz.
<i>Aphaenogaster</i> sp. (ant).....	<i>Dolichochele uberiformis</i> .....	-----	1	-----	-----	-----	Calif.*
<i>Aphis</i> sp. (aphid).....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	1	-----	-----	N. Y.
<i>Apion</i> sp. (Curculionidae).....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	2	-----	-----	-----	-----	Ariz.
Do.....	<i>Phaseolus</i> sp. (string bean).....	-----	-----	1	-----	-----	Do.
Do.....	do.....	-----	-----	-----	1	-----	La.
Do.....	do.....	1	-----	-----	-----	-----	Tex.
Aradid.....	Banana debris.....	1	-----	-----	-----	-----	Pa.
<i>Araceus fasciculatus</i> (coffee-bean weevil).....	<i>Parathesis serrulata</i> (jalapón).....	1	-----	-----	-----	-----	La.
Arctiid.....	Banana debris.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Capsicum annuum</i> .....	1	-----	-----	-----	-----	Ariz.
Do.....	<i>Chrysanthemum</i> sp.....	-----	-----	1	-----	-----	Do.
Do.....	Fern.....	-----	-----	1	-----	-----	Tex.
<i>Arthrocorynus dotatus</i> (Curculionidae).....	Unidentified hardwood.....	1	-----	-----	-----	-----	La.
<i>Aspidiotus howardi</i> (Coccidae).....	<i>Prunus domestica</i> (plum).....	-----	-----	1	-----	-----	Tex.
<i>Aspidiotus juglans-regiae</i> (Coccidae).....	<i>Pyrus communis</i> (pear).....	-----	-----	1	-----	-----	Calif.*
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....	-----	-----	1	-----	-----	Fla.*
Do.....	<i>Malus sylvestris</i> (apple).....	-----	-----	1	-----	-----	Ariz.
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	La.
<i>Atta insularis</i> (ant).....	<i>Capsicum annuum</i> .....	1	-----	-----	-----	-----	Calif.*
<i>Atta</i> sp. (ant).....	<i>Mammillaria sphaelata</i> .....	1	1	-----	-----	-----	Do.
<i>Attagenus</i> sp. (Dermestidae).....	<i>Lucuma mammosa</i> (sapote).....	-----	-----	-----	1	-----	Pa.
<i>Autographa</i> sp. (Noctuidae).....	<i>Brassica oleracea capitata</i> .....	-----	-----	1	-----	-----	Ariz.
Do.....	<i>Brassica</i> sp. (mustard).....	1	-----	-----	-----	-----	Calif.
Do.....	<i>Lactuca sativa</i> (lettuce).....	-----	-----	1	-----	-----	Tex.
<i>Automeris</i> sp. (Saturniidae).....	<i>Zea mays</i> (corn).....	1	-----	-----	-----	-----	Do.
<i>Azeca</i> sp. (ant).....	Banana debris.....	1	-----	-----	-----	-----	N. Y.
Barini (Curculionidae).....	<i>Zea mays</i> (corn).....	-----	-----	1	-----	-----	Ariz.
<i>Blapstinus</i> sp. (Tenebrionidae).....	Cactus.....	1	-----	-----	-----	-----	Calif.
Blastobasid.....	<i>Ananas sativus</i> .....	-----	-----	2	-----	-----	Ariz.
Do.....	do.....	3	-----	-----	-----	-----	Tex.
Do.....	Banana debris.....	1	-----	-----	-----	-----	La.
Do.....	<i>Capsicum annuum</i> .....	1	-----	-----	-----	-----	Ariz.
Do.....	In soil around cactus.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	La.
<i>Bradytrips hesperis</i> (thrips).....	Banana debris.....	1	-----	-----	-----	-----	Pa.
<i>Bruchus</i> sp. (Bruchidae).....	<i>Prosopis juliflora</i> .....	-----	1	-----	-----	-----	Calif.*
<i>Bucculatrix</i> sp. (Lyonetidae).....	<i>Phaseolus</i> sp. (string bean).....	1	-----	-----	-----	-----	Ariz.
<i>Calligrapha aeneopicta</i> (Chrysomelidae).....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	La.
<i>Camponotus angulatus</i> (ant).....	Banana debris.....	1	-----	-----	-----	-----	N. Y.
Do.....	do.....	3	-----	-----	-----	-----	Pa.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Tex.
<i>Camponotus</i> sp. (ant).....	Banana debris.....	2	-----	-----	-----	-----	La.
Do.....	do.....	6	-----	-----	-----	-----	N. Y.
Do.....	do.....	15	-----	-----	-----	-----	Pa.
Do.....	do.....	6	-----	-----	-----	-----	Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Camponotus</i> sp. (ant)	<i>Citrus sinensis</i> (orange)				1		Tex.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	10					La.
Do	do	1					Pa.
<i>Capaneus odiosus</i> (Coreiidae)	Banana debris	5					La.
Do	do	1					Tex.
<i>Capaneus tetricus</i> (Coreiidae)	do	1					La.
<i>Capaneus vates</i> (Coreiidae)	do	3					Do.
Do	do	2					Pa.
Do	do	1					Tex.
<i>Carpocapsa salitans</i> (Olethreutidae)	<i>Sebastiania pavoniana</i> (Mexican jumping bean)		1				Ariz.
<i>Catolethrus longulus</i> (Curculionidae)	Banana debris	4					La.
Do	<i>Musa</i> sp. (banana)	3					Do.
Cecidomyiid	<i>Capsicum annuum</i>	1					Tex.
Do	<i>Cydonia oblonga</i> (quince)			1			Do.
Do	<i>Koeberlinia spinosa</i> (Junco)			1			Do.
Do	<i>Lonicera</i> sp. (honeysuckle)			1			Ariz.
Do	<i>Lycopersicum esculentum</i>	5					Do.
Do	<i>Pinus</i> sp. (pine)			1			Tex.
Cerambycid	<i>Echinocactus ingens</i> (cactus)		1				Calif.*
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	6					La.
Do	<i>Musa</i> sp. (banana)	1					Do.
Cercopid	<i>Jasminum</i> sp.			1			Tex.
<i>Ceroputo</i> sp. (Coccidae)	<i>Opuntia invida</i> (cactus)	1					Calif.
<i>Chaetopsis</i> sp. (Ortaliidae)	<i>Saccharum officinarum</i>			1			Tex.
Do	<i>Zea mays</i> (corn)	2		4			Ariz.
Do	do			2			Tex.
<i>Chilo</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>			1			Ariz.
<i>Chirida</i> sp. (Chrysomelidae)	Banana debris	1					La.
Chloropid	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	<i>Persea americana</i> (avocado)			1			Ariz.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
Do	<i>Zea mays</i> (corn)			1			Do.
<i>Chrysobothris</i> sp. (Buprestidae)	<i>Tabebuia donnell-smithii</i> (primavera)	1					N. Y.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					Tex.
Do	<i>Citrus sinensis</i> (orange)					2	La.
<i>Chrysomphalus personatus</i> (Coccidae)	<i>Citrus aurantifolia</i>	1					Calif.*
<i>Chrysomphalus scutiformis</i> (Coccidae)	do	7				1	Do.*
<i>Chrysomphalus</i> sp. (Coccidae)	do	1					Tex.
Do	<i>Dasyliiron</i> sp. (sotol)	2					Do.
<i>Cocconotus</i> sp. (Tettiioniidae)	Banana debris	1					Do.
<i>Coccotrypes dactyliperda</i> (Scolytidae)	<i>Phoenix dactylifera</i> (date)			1			Do.
<i>Coccotrypes rollinae</i> (Scolytidae)	<i>Chamaedorea tepejilote</i>		1				D. C.
<i>Coccus mangiferae</i> (Coccidae)	<i>Mangifera</i> sp.	1					Do.
<i>Colopterus amputatus</i> (Nitidulidae)	<i>Ananas sativus</i>	1					La.
<i>Colopterus latus</i> (Nitidulidae)	Banana debris	1					N. Y.
<i>Colopterus</i> sp. (Nitidulidae)	<i>Annona cherimola</i> (cherimoya)	1					Tex.
Do	<i>Malus sylvestris</i> (apple)			1			Do.
<i>Conotelus mericanus</i> (fruit bud beetle)	<i>Allium sativum</i> (garlic)	1					La.
Do	<i>Gardenia florida</i> (Cape-jasmine)			1			Do.
Do	<i>Gladiolus</i> sp.	1					Tex.
Do	<i>Lycopersicum esculentum</i>	2					Ariz.
Do	<i>Zea mays</i> (corn)			1			Do.
<i>Conotelus</i> sp. (Nitidulidae)	<i>Allium sativum</i> (garlic)	1					La.
Do	Banana debris	1					Pa.
Do	<i>Zea mays</i> (corn)			1			Ariz.
Do	do			1			Tex.
<i>Conotrachelus aguacatae</i> (Curculionidae)	<i>Persea americana</i> (avocado)			1			Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Conotrachelus</i> sp. (Curculionidae).....	<i>Amygdalus persica</i> (peach).....	-----	-----	1	-----	-----	Tex.
Do.....	<i>Persea americana</i> (avocado).....	-----	-----	3	-----	-----	Do.
Do.....	<i>Psidium guajava</i> (guava).....	-----	-----	3	1	-----	Do.
Do.....	<i>Quercus</i> sp. (acorn).....	-----	-----	7	-----	-----	Ariz.
Do.....	do.....	-----	-----	13	-----	-----	Tex.
Crambinae (Pyralidae).....	<i>Saccharum officinarum</i> .....	-----	-----	1	-----	-----	Ariz.
<i>Crematogaster brevispinosus</i> var. (ant). Do.....	Banana debris..... <i>Tillandsia</i> sp.....	1 1	-----	-----	-----	-----	Pa. D. C.
<i>Crematogaster steinheli</i> (ant). Do.....	Banana debris..... <i>Musa</i> sp. (banana).....	1 1	-----	-----	-----	-----	Pa. La.
<i>Crematogaster victima</i> (ant). Do.....	Banana debris..... do.....	3 1	-----	-----	-----	-----	Pa. N. Y.
<i>Crematogaster</i> sp. (ant). Do.....	do..... Cactus.....	3 1	-----	-----	-----	-----	Pa. Calif.
Do.....	do.....	1	-----	-----	-----	-----	Tex.
Do.....	<i>Capsicum annuum</i> .....	-----	-----	1	-----	-----	Ariz.
Do.....	<i>Fragaria</i> sp. (strawberry).....	1	-----	-----	-----	-----	Tex.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	La.
<i>Crophius costatus</i> (Lygaeidae).....	<i>Mammillaria perbella</i> (cactus).....	1	-----	-----	-----	-----	Ariz.
<i>Cryptocerus</i> sp. (ant). Do.....	Banana debris..... do.....	1 4	-----	-----	-----	-----	Tex. La.
<i>Ctenochira</i> sp. (Chrysomelidae). Do.....	do..... do.....	1 1	-----	-----	-----	-----	Do. Pa.
Do.....	<i>Hippeastrum</i> sp.....	-----	-----	2	-----	-----	Calif.*
Do.....	<i>Holcus sorghum</i> (sorghum).....	-----	-----	1	-----	-----	Ariz.
Do.....	<i>Psidium guajava</i> (guava).....	-----	-----	2	-----	-----	Tex.
<i>Cylas formicarius</i> (sweetpotato weevil). Do.....	<i>Ipomoea batatas</i> (sweetpotato).....	-----	-----	51	-----	-----	Do.
<i>Diaphania</i> sp. (Pyralidae)..... Do.....	<i>Cucumis sativus</i> (cucumber)..... <i>Cucurbita maxima</i> (squash).....	2 -----	-----	-----	2	-----	Ariz. Do.
Do.....	do.....	6	-----	-----	-----	-----	Tex.
<i>Diaspis echinocacti cacti</i> (Coccidae). Do.....	Cactus..... do.....	-----	-----	1 1	-----	-----	Ariz. Tex.
Do.....	<i>Cereus</i> sp. (cactus).....	1	-----	-----	-----	-----	D. C.
<i>Diaspis toumeyei</i> (Coccidae)..... Do.....	Unknown leaf..... <i>Persea americana</i> (avocado).....	1 -----	-----	-----	-----	1	Ariz. Tex.
<i>Diaspis</i> sp. (Coccidae)..... Do.....	<i>Holcus sorghum</i> var. (broom-corn). do.....	2 -----	1	-----	-----	-----	Do.
<i>Diatraea saccharalis</i> (sugarcane borer). Do.....	<i>Holcus sorghum</i> (sorghum)..... <i>Saccharum officinarum</i> .....	2 -----	-----	-----	4 1	-----	Do. Do.
Do.....	do.....	-----	-----	-----	5	-----	Ariz.
Do.....	<i>Zea mays</i> (corn).....	-----	-----	-----	15	-----	Tex.
Do.....	do.....	-----	-----	-----	1	-----	Ariz.
<i>Disholcaspis</i> sp. (Cynipidae)..... Do.....	<i>Quercus</i> sp. (oak)..... Banana debris.....	----- 1	-----	-----	1	-----	Tex. Ariz.
<i>Disonycha dorsata</i> (Chrysomelidae). Do.....	do..... <i>Musa</i> sp. (banana).....	1 -----	-----	-----	-----	-----	La. Do.
<i>Disonycha mexicana</i> (Chrysomelidae). Do.....	do..... Banana debris.....	1 -----	-----	-----	-----	-----	Do. Pa.
<i>Dolichoderus</i> sp. (ant). Do.....	<i>Musa</i> sp. (banana)..... <i>Musa</i> sp. (banana).....	2 1	-----	-----	-----	-----	La. La.
<i>Drasterius cribratus</i> (Elateridae)..... Do.....	<i>Cydonia oblonga</i> (quince)..... Cactus.....	----- -----	-----	1	-----	-----	Tex. Calif.*
<i>Drymus</i> sp. (Lygaeidae)..... Do.....	Banana debris..... <i>Neomammillaria compressa</i> (cactus).....	1 -----	-----	-----	-----	-----	La. Ariz.
<i>Dysdercus mimulus</i> (Pyrrhocoridae). Do.....	Banana debris..... <i>Banana debris</i> .....	1 -----	-----	-----	-----	-----	La. Pa.
<i>Eccritotarsus perobscurus</i> (Miri-dae). Do.....	<i>Neomammillaria compressa</i> (cactus)..... Banana debris.....	1 -----	-----	-----	-----	-----	Ariz. La.
<i>Edessa cornuta</i> (Pentatomidae)..... Do.....	Banana debris..... <i>Lycopersicon esculentum</i> .....	2 -----	-----	-----	-----	-----	La. Ariz.
<i>Empoasca fabae</i> (Cicadellidae)..... Do.....	<i>Lycopersicon esculentum</i> ..... <i>Capsicum annuum</i> .....	1 -----	-----	-----	-----	-----	Do.
<i>Empoasca</i> sp. (Cicadellidae)..... Do.....	<i>Phaseolus</i> sp. (string bean)..... <i>Mangifera indica</i> (mango).....	1 -----	-----	-----	1	-----	Tex. Do.
<i>Endatus</i> sp. (Curculionidae)..... Do.....	<i>Mangifera indica</i> (mango)..... <i>Solanum tuberosum</i> .....	----- -----	-----	-----	41	1	Do. Do.
<i>Epicaterus cognatus</i> (Curculionidae). Do.....	do..... <i>Spinacia oleracea</i> (spinach).....	----- 1	-----	-----	-----	-----	Do. Do.
<i>Epicaerus</i> sp. (Curculionidae)..... Do.....	do..... <i>Ananas sativus</i> .....	----- 1	-----	-----	-----	1	Do. La.
<i>Epilachna corrupta</i> (Mexican bean beetle). Do.....	<i>Spinacia oleracea</i> (spinach)..... do.....	1 -----	-----	-----	-----	-----	Do. Tex.
Epipaschliinae (Pyralidae)..... Do.....	<i>Ananas sativus</i> ..... do.....	1 1	-----	-----	-----	-----	La. Tex.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Epuraea</i> sp. (Nitidulidae).....	<i>Gardenia florida</i> (Cape-jasmine).				1		D. C.
Do.....	<i>Musa</i> sp. (banana)	1					Do.
Do.....	<i>Pyrus communis</i> (pear)			1			Ariz.
Do.....	<i>Zea mays</i> (corn)			1			Do.
Do.....	do			1			Tex.
<i>Eremocoris</i> sp. (Lygaeidae)	<i>Coryphantha ottonis</i>	1					Calif.*
<i>Eriococcus</i> sp. (Coccidae)	Cactus (several genera)	8	27				Do.*
<i>Eriophyes</i> sp. (mite)	<i>Salix</i> sp. (willow)	1					Ariz.
<i>Ernoporidae jalappae</i> (Scolytidae)	<i>Parathesis serrulata</i> (jalapon)	3					La.
<i>Eucalymnatus tessellatus</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine).			2			Fla.*
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batata</i> (sweet potato)			2			Tex.
<i>Euzesta</i> sp. (Ortaliidae)	Banana debris	1					La.
Do.....	<i>Brassica oleracea capitata</i>					1	Do.
Do.....	<i>Capsicum annuum</i>	1					Ariz.
Do.....	do	1					Tex.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).			1			Do.
Do.....	<i>Citrus sinensis</i> (orange)			3			Do.
Do.....	<i>Gardenia florida</i> (Cape-jasmine)				1		N. Y.
Do.....	do	1					Tex.
Do.....	<i>Musa</i> sp. (banana)	1					Do.
Do.....	<i>Persea americana</i> (avocado)			1			Ariz.
Do.....	do			1			La.
Do.....	do			3			Tex.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	2					Ariz.
Do.....	<i>Physalis</i> sp. (husk tomato)			1			Tex.
Do.....	<i>Saccharum officinarum</i>			1			Do.
Do.....	<i>Zea mays</i> (corn)	1					La.
<i>Frankliniella ameliae</i> (thrips)	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Frankliniella insularis</i> (thrips)	<i>Rosa</i> sp.				1		La.
<i>Frankliniella moultoni</i> (thrips)	<i>Dianthus</i> sp. (carnation)			1			Tex.
Do.....	<i>Zantedeschia aethiopica</i> (calla lily)	1					Do.
<i>Frankliniella williamsi</i> (thrips)	<i>Holcus sorghum</i> var. (broom-corn).	1					Do.
Do.....	<i>Saccharum officinarum</i>			1			Do.
<i>Frankliniella</i> sp. (thrips)	<i>Chrysanthemum</i> sp.			1			Ariz.
Do.....	<i>Gardenia florida</i> (Cape-jasmine)				1		La.
Do.....	<i>Phaseolus</i> sp. (string bean)	1					Tex.
<i>Galgupha punctifer</i> (Cydnidae)	Banana debris	4					La.
Do.....	do	1					N. Y.
Do.....	<i>Musa</i> sp. (banana)	3					La.
Galleriinae (Pyrilidae)	<i>Ananas sativus</i>	1					Tex.
Do.....	<i>Musa</i> sp. (banana)	1					La.
Gelechiid	<i>Agave</i> sp.	1					Ariz.
Do.....	<i>Musa</i> sp. (banana)	3					La.
Geometrid	<i>Allium sativum</i> (garlic)	1					Ariz.
<i>Geraeus</i> sp. (Curculionidae)	<i>Zea mays</i> (corn)	1					La.
<i>Gerstaeckeria</i> sp. (Curculionidae)	<i>Echinofossulocactus</i> sp. (cactus)	1					Calif.*
Do.....	<i>Mammillaria glochidiata</i> (cactus).			1			Do.*
<i>Glyphonyx propinquus</i> (Elateridae).	Banana debris	1					Pa.
<i>Gnorimoschema gudmannella</i> (Gelechiidae).	<i>Capsicum annuum</i>	17					Ariz.
Do.....	<i>Lycopersicum esculentum</i>	2					Do.
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).	do	1849		11		1	Do.
Do.....	do	19					Calif.*
Do.....	do	18		8			Tex.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Capsicum annuum</i>	9					Ariz.
Do.....	<i>Lycopersicum esculentum</i>	6					Do.
Do.....	do	1					Calif.*
<i>Goniomyia</i> sp. (Tipulidae)	<i>Musa</i> sp. (banana)	1					Pa.
Gracilariid	<i>Capsicum annuum</i>	1					Ariz.
<i>Grapholitha</i> sp. (Olethreutidae)	<i>Amygdalus persica</i> (peach)			1			Tex.
Do.....	<i>Cydonia oblonga</i> (quince)			3			Do.
Do.....	<i>Pyrus communis</i> (pear)			1			Ariz.
Do.....	do			1			Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Gypona</i> sp. (Cicadellidae).....	<i>Jasminum</i> sp.....			1			Tex.
Do.....	<i>Lactuca sativa</i> (lettuce).....			1			Ariz.
<i>Heliothis</i> sp. (Noctuidae).....	Bean.....	1		1			Tex.
Do.....	<i>Capsicum annuum</i> .....	1					Ariz.
Do.....	<i>Lycopersicum esculentum</i> .....	1					Do.
Do.....	<i>Zea mays</i> (corn).....			1			Do.
<i>Hemichionaspis minor strachani</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	3					Tex.
<i>Hemichionaspis</i> sp. (Coccidae).....	do.....	2					Do.
<i>Hemileuca</i> sp. (Saturniidae).....	do.....	1					Calif.*
Hesperiid.....	<i>Musa</i> sp. (banana).....	1					Tex.
<i>Heterotermes</i> sp. (termite).....	<i>Saccharum officinarum</i> .....			1			Ariz.
<i>Hippelates</i> sp. (Oscinidae).....	<i>Ananas sativus</i> .....	1					La.
<i>Holococera</i> sp. (Blastobasidae).....	Banana debris.....	3					Do.
Do.....	<i>Capsicum annuum</i> .....	1					Ariz.
Do.....	<i>Malus sylvestris</i> (apple).....			1			Tex.
Do.....	<i>Musa</i> sp. (banana).....	4					La.
Do.....	<i>Psidium guajava</i> (guava).....			1			Ariz.
Do.....	<i>Zea mays</i> (corn).....	1					La.
Hypeninae (Noctuidae).....	<i>Lycopersicum esculentum</i> .....	1					Ariz.
<i>Hypothenemus</i> sp. (Scolytidae).....	Banana debris.....	2					Pa.
<i>Iridomyrmex</i> sp. (ant).....	do.....	2					Tex.
Do.....	<i>Cordia</i> sp. (anacahuite).....			1			Do.
<i>Isorhynchus undatus</i> (Curculionidae).....	Banana debris.....	2					La.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
Issinae (Fulgoridae).....	<i>Dudleya</i> sp.....	1					Calif.
<i>Lactica</i> sp. (Chrysomelidae).....	Banana debris.....	1					N. Y.
<i>Laemophloeus</i> sp. (Cucujidae).....	<i>Tabebuia donnell-smithii</i> (primavera).....	1					Do.
<i>Laphygma frugiperda</i> (fall army-worm).....	<i>Capsicum annuum</i> .....	3					Ariz.
Do.....	<i>Lycopersicum esculentum</i> .....	11					Do.
Do.....	<i>Pisum sativum</i> (pea).....	2					Do.
Do.....	<i>Zea mays</i> (corn).....	1		1			Calif.
<i>Laphygma</i> sp. (Noctuidae).....	<i>Beta vulgaris</i> (beet).....	1					Tex.
Do.....	<i>Capsicum annuum</i> .....	6					Ariz.
Do.....	<i>Dianthus</i> sp. (carnation).....	1					Tex.
Do.....	<i>Lycopersicum esculentum</i> .....	132					Ariz.
Do.....	<i>Phaseolus</i> sp. (string bean).....			1			Do.
Do.....	<i>Pisum sativum</i> (pea).....	2					Do.
Do.....	<i>Zea mays</i> (corn).....			2			Do.
Lasiocampid.....	<i>Echinocereus subinermis</i> (cactus).....	1					Do.
<i>Laspeyresia</i> sp. (Olethreutidae).....	<i>Hicoria pecan</i> (pecan).....			1			Tex.
<i>Lasioderma</i> sp. (Anobiidae).....	<i>Holcus sorghum</i> var. (broom-corn).....	1					Do.
<i>Lechriops psidii</i> (Curculionidae).....	<i>Psidium guajava</i> (guava).....			1			Do.
<i>Lepidosaphes philococcus</i> (Coccidae).....	<i>Agave</i> sp.....			1			Do.
Do.....	<i>Apocactus leptophis</i> (cactus).....		1				Calif.*
Do.....	<i>Cereus</i> sp. (cactus).....		2				Do.*
<i>Lepostylus</i> sp. (Cerambycidae).....	<i>Cattleya citrina</i> (tulip orchid).....		1				Do.*
<i>Lygrocoris aurivillianus</i> (Lygaeidae).....	<i>Capsicum annuum</i> .....	2					Ariz.
Do.....	<i>Lycopersicum esculentum</i> .....	2					Do.
Limacodid.....	<i>Hechtia</i> sp.....	1					Do.
Do.....	<i>Hicoria pecan</i> (pecan).....			1			Tex.
<i>Lineodes</i> sp. (Pyralidae).....	<i>Lycopersicum esculentum</i> .....	4					Ariz.
<i>Lioligus</i> sp. (Byrrhidae).....	<i>Capsicum annuum</i> .....	1					Calif.*
<i>Liothrips</i> sp. (thrips).....	<i>Echeveria</i> sp.....		1				Do.*
Do.....	<i>Ficus religiosa</i> (sacred bo tree).....			1			Do.*
<i>Liparoscelsis nigripispis</i> (Tettigoniidae).....	Banana debris.....	1					Pa.
<i>Lobiopa</i> sp. (Nitidulidae).....	<i>Musa</i> sp. (banana).....	1					La.
Do.....	<i>Opuntia compressa</i> (prickly-pear).....			1			Tex.
<i>Longitarsus</i> sp. (Chrysomelidae).....	<i>Lycopersicum esculentum</i> .....	5					Ariz.
Do.....	<i>Solanum melongena</i> (eggplant).....	1					Do.
<i>Lophocateres pusillus</i> (Siamese grain beetle).....	<i>Oryza sativa</i> (rice).....	1					D. C.
<i>Lorelus</i> sp. (Tenebrionidae).....	<i>Musa</i> sp. (banana).....	1					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Lycaenid.....	<i>Amygdalus persica</i> (peach).....	.....	.....	1	.....	.....	Tex.
Do.....	<i>Ananas sativus</i> .....	.....	.....	.....	.....	.....	Ariz.
Lygaeid.....	Cactus (several genera).....	2	1	.....	.....	.....	Calif.*
<i>Lygaeus pallidocinctus</i> (Lygaeidae).....	<i>Dianthus</i> sp. (carnation).....	1	.....	.....	.....	.....	Tex.
<i>Lygaeus teapensis</i> (Lygaeidae).....	Banana debris.....	1	.....	.....	.....	.....	La.
<i>Lygus</i> sp. (Miridae).....	<i>Mammillaria martiana</i> (cactus).....	.....	1	.....	.....	.....	Calif.*
<i>Macropygium parvum</i> (Pentatomidae).....	Banana debris.....	1	.....	.....	.....	.....	La.
<i>Macropygium reticulare</i> (Pentatomidae).....	do.....	1	.....	.....	.....	.....	Do.
<i>Malezonotus</i> sp. (Lygaeidae).....	<i>Mammillaria wildii</i> (cactus).....	.....	1	.....	.....	.....	Calif.*
<i>Marmara</i> sp. (Gracilariidae).....	<i>Capsicum annuum</i> .....	5	.....	.....	.....	.....	Calif.*
Do.....	<i>Citrullus vulgaris</i> (watermelon).....	4	.....	.....	.....	.....	Do.
Do.....	<i>Citrus aurantifolia</i> (lime).....	4	.....	.....	.....	.....	Tex.
Do.....	<i>Citrus sinensis</i> (orange).....	4	.....	1	.....	.....	Ariz.
Do.....	<i>Persea americana</i> (avocado).....	.....	.....	33	.....	.....	Tex.
<i>Maruca testulalis</i> (bean pod borer).....	<i>Phaseolus</i> sp. (string bean).....	1	.....	.....	.....	.....	Do.
<i>Mecistorhinus tripterus</i> (Pentatomidae).....	Banana debris.....	1	.....	.....	.....	.....	La.
<i>Megalopyge</i> sp. (Megalopygidae).....	<i>Morus</i> sp. (mulberry).....	.....	.....	1	.....	.....	Ariz.
<i>Melissopus latiferreanus</i> (Olethreutidae).....	<i>Quercus</i> sp. (oak).....	.....	.....	1	.....	.....	Do.
Do.....	do.....	.....	.....	2	.....	.....	Tex.
<i>Melitara</i> sp. (Pyralidae).....	Cactus (several genera).....	4	3	.....	.....	.....	Calif.*
Do.....	<i>Neomammillaria sheldonii</i> (cactus).....	1	.....	.....	.....	.....	Ariz.
<i>Messor</i> sp. (ant).....	<i>Mammillaria</i> sp. (cactus).....	.....	1	.....	.....	.....	Calif.*
<i>Metachroma</i> sp. (Chrysomelidae).....	Banana debris.....	1	.....	.....	.....	.....	La.
<i>Metamasius sericeus</i> (silky cane weevil).....	do.....	3	.....	.....	.....	.....	Do.
Do.....	<i>Musa</i> sp. (banana).....	1	.....	.....	.....	.....	Pa.
<i>Metamasius</i> sp. (Curculionidae).....	<i>Ananas sativus</i> .....	1	.....	.....	.....	.....	Tex.
<i>Metriona</i> sp. (Chrysomelidae).....	Banana debris.....	1	.....	.....	.....	.....	La.
Mirid.....	<i>Echeveria</i> sp.....	.....	1	.....	.....	.....	Calif.*
Do.....	<i>Echinocactus gracilis</i> (cactus).....	1	.....	.....	.....	.....	Calif.
Do.....	<i>Zea mays</i> (corn).....	.....	.....	1	.....	.....	Do.
<i>Monanus concinnulus</i> (Cucujidae).....	Banana debris.....	1	.....	.....	.....	.....	N. Y.
Do.....	do.....	3	.....	.....	.....	.....	Pa.
Do.....	<i>Musa</i> sp. (banana).....	1	.....	.....	.....	.....	La.
Do.....	do.....	2	.....	.....	.....	.....	Pa.
<i>Monilema</i> sp. (Cerambycidae).....	<i>Astrophytum ornatum</i> (cactus).....	1	.....	.....	.....	.....	Calif.*
<i>Monocrepidius</i> sp. (Elateridae).....	<i>Lycopersicum esculentum</i> .....	1	.....	.....	.....	.....	Ariz.
<i>Monomorium carbonarium</i> var. (ant).....	Banana debris.....	2	.....	.....	.....	.....	Pa.
Do.....	<i>Mammillaria haageana</i> (cactus).....	.....	1	.....	.....	.....	Calif.*
<i>Monomorium</i> sp. (ant).....	Cactus (several genera).....	.....	4	.....	.....	.....	Do.*
Mycetophilid.....	Bamboo.....	.....	.....	1	.....	.....	La.
<i>Myrmecocystus</i> sp. (ant).....	<i>Ananas sativus</i> .....	1	.....	.....	.....	.....	Tex.
Do.....	Cactus.....	1	.....	.....	.....	.....	Do.
<i>Myzus</i> sp. (aphid).....	<i>Sempervivum</i> sp.....	.....	1	.....	.....	.....	Calif.*
Do.....	<i>Verbena</i> sp.....	.....	.....	1	.....	.....	Ariz.
<i>Neoponera</i> sp. (ant).....	Banana debris.....	1	.....	.....	.....	.....	Pa.
Nitidulid.....	<i>Allium sativum</i> (garlic).....	1	.....	.....	.....	.....	La.
Do.....	<i>Musa</i> sp. (banana).....	1	.....	.....	.....	.....	Do.
Do.....	<i>Ananas sativus</i> .....	1	.....	.....	.....	.....	Do.
Noctuid.....	Banana debris.....	2	.....	.....	.....	.....	Do.
Do.....	<i>Capsicum annuum</i> .....	13	.....	.....	.....	.....	Ariz.
Do.....	do.....	2	.....	.....	.....	.....	Calif.*
Do.....	<i>Fragaria</i> sp. (strawberry).....	1	.....	.....	.....	.....	Tex.
Do.....	<i>Lathyrus odoratus</i> (sweet pea).....	.....	.....	1	.....	.....	Calif.
Do.....	<i>Lycopersicum esculentum</i> .....	70	.....	.....	.....	.....	Ariz.
Do.....	do.....	1	.....	.....	.....	.....	Calif.*
Do.....	do.....	1	.....	.....	.....	.....	Tex.
Do.....	<i>Mammillaria rhodantha</i> (cactus).....	1	.....	.....	.....	.....	Ariz.
Do.....	do.....	.....	1	.....	.....	.....	Calif.*
Do.....	<i>Musa</i> sp. (banana).....	2	.....	.....	.....	.....	La.
Do.....	<i>Opuntia cholla</i> .....	.....	.....	1	.....	.....	Ariz.
Do.....	<i>Pisum sativum</i> (pea).....	2	.....	.....	.....	.....	Do.
Do.....	<i>Solanum melongena</i> (eggplant).....	1	.....	.....	.....	.....	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
<b>Insects—Continued.</b>							
<i>Odonaspis</i> sp. (Coccidae).....	<i>Cotyledon coccinea</i> .....	---	1	---	---	---	Calif.*
<i>Ogdocosta catenulata</i> (Chrysomeli- dae).....	Banana debris.....	1	---	---	---	---	Ala.
Olethreutid.....	<i>Annona cherimola</i> (cherimoya).....	---	---	2	---	---	Tex.
Do.....	<i>Capsicum annuum</i> .....	12	---	---	---	---	Ariz.
Do.....	<i>Citrus sinensis</i> (orange).....	---	---	---	1	---	La.
Do.....	<i>Crataegus mexicana</i> .....	---	---	2	---	---	Tex.
Do.....	<i>Cydonia oblonga</i> (quince).....	---	---	1	---	---	Do.
Do.....	<i>Hibiscus esculentus</i> (okra).....	5	---	---	---	---	Do.
Do.....	<i>Holcus halepensis</i> (Johnson grass).....	---	---	1	---	---	Do.
Do.....	<i>Koeleria spinosa</i> (junco).....	---	---	1	---	---	Do.
Do.....	<i>Phaseolus</i> sp. (string bean).....	1	---	---	---	---	Ariz.
Do.....	do.....	16	---	2	---	---	Tex.
Do.....	<i>Prosopis</i> sp. (mesquite).....	---	---	1	---	---	Do.
Ortalid.....	<i>Capsicum annuum</i> .....	1	---	---	---	---	Ariz.
Do.....	<i>Musa</i> sp. (banana).....	---	---	1	---	---	Tex.
<i>Orthezia</i> sp. (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....	---	---	---	1	---	La.
Do.....	do.....	---	---	---	1	---	N. Y.
<i>Oscinis</i> sp. (Oscinidae).....	<i>Mammillaria</i> sp. (cactus).....	1	---	---	---	---	Calif.*
<i>Pachycondyla</i> sp. (ant).....	Banana debris.....	1	---	---	---	---	N. Y.
<i>Papilio</i> sp. (Papilionidae).....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	Tex.
<i>Paratenetus</i> sp. (Tenebrionidae).....	Banana debris.....	4	---	---	---	---	La.
Do.....	do.....	1	---	---	---	---	N. Y.
Do.....	do.....	2	---	---	---	---	Pa.
Do.....	<i>Musa</i> sp. (banana).....	2	---	---	---	---	La.
Do.....	do.....	1	---	---	---	---	Pa.
<i>Paratetranychus</i> sp. (mite).....	<i>Camellia japonica</i> (camellia).....	---	---	1	---	---	Tex.
<i>Parlatoria cinerea</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	8	---	---	---	---	Calif.*
Do.....	<i>Citrus sinensis</i> (orange).....	---	---	---	1	---	Do.*
<i>Parlatoria</i> sp. (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	2	---	---	---	---	Tex.
<i>Pectinophora gossypiella</i> (pink boll- worm).....	Cotton used as packing for rosary.....	---	1	---	---	---	Do.
Do.....	<i>Gossypium</i> sp. (cotton) (boll).....	1	---	---	---	---	Do.
Do.....	<i>Gossypium</i> sp. (cottonseed).....	19	---	2	---	---	Do.
Do.....	<i>Gossypium</i> sp. (seed cotton).....	13	---	2	---	---	Do.
Pentatomid.....	<i>Capsicum annuum</i> .....	1	---	---	---	---	Ariz.
Do.....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	La.
Do.....	do.....	1	---	---	---	---	N. Y.
Do.....	<i>Solanum melongena</i> (eggplant).....	3	---	---	---	---	Ariz.
Phalonid.....	<i>Capsicum annuum</i> .....	1	---	---	---	---	Do.
<i>Pheidole anastasi</i> (ant).....	Banana debris.....	1	---	---	---	---	Tex.
<i>Pheidole</i> sp. (ant).....	do.....	3	---	---	---	---	Pa.
Do.....	<i>Citrus aurantifolia</i> (lime).....	1	---	---	---	---	Calif.*
Do.....	<i>Laelia rubescens</i> (orchid).....	---	1	---	---	---	Hawaii.*
Do.....	Sapote.....	---	---	---	1	---	Ala.
<i>Phenacoccus gossypii</i> (Coccidae).....	<i>Pelargonium</i> sp. (geranium).....	---	---	3	---	---	Ariz.
Do.....	do.....	---	---	2	---	---	Tex.
<i>Phenacoccus</i> sp. (Coccidae).....	<i>Echeteria</i> sp.....	---	1	---	---	---	Calif.*
Do.....	<i>Mammillaria pentacantha</i> (cac- tus).....	1	---	---	---	---	Do.*
Do.....	<i>Mammillaria stella-aurata</i> (g- ldenstar cactus).....	1	---	---	---	---	Do.*
Do.....	<i>Pelargonium</i> sp. (geranium).....	---	---	1	---	---	Ariz.
Phycitinae (Pyralidae).....	<i>Allium sativum</i> (garlic).....	---	---	1	---	---	Tex.
Do.....	Cactus.....	---	1	---	---	---	Calif.*
Do.....	<i>Echinocactus gracilis</i> (cactus).....	1	---	---	---	---	Calif.
Do.....	<i>Echinocereus scopulorum</i> (cac- tus).....	1	---	---	---	---	Ariz.
Do.....	<i>Holcus sorghum</i> var. (broom- corn).....	---	---	1	---	---	Tex.
Do.....	<i>Ipomoea batatas</i> (sweetpotato).....	---	---	1	---	---	Do.
Do.....	<i>Neomammillaria johnstonii</i> (cac- tus).....	1	---	---	---	---	Ariz.
Do.....	<i>Neomammillaria mainae</i> (cac- tus).....	1	---	---	---	---	Do.
Do.....	<i>Neomammillaria standleyi</i> (cac- tus).....	2	---	---	---	---	Do.
Do.....	<i>Pachycereus pringlei</i> (cactus).....	1	---	---	---	---	Do.
Do.....	<i>Punica granatum</i> (pomegran- ate).....	---	---	2	---	---	Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
<b>Insects—Continued.</b>							
Phycitinae (Pyralidae).....	<i>Quercus</i> sp. (oak)			1			Ariz.
Do.....	<i>Zea mays</i> (corn)		1				Calif.*
Do.....	do			2			Tex.
<i>Phyllocnistis</i> sp. (Lyonetiidae).....	<i>Musa</i> sp. (banana)	1					Do.
<i>Phyrenus</i> sp. (Curculionidae).....	<i>Solanum melongena</i> (eggplant)	4					Ariz.
<i>Physonota</i> sp. (Chrysomelidae).....	Banana debris	1					La.
<i>Physorhinus frontalis</i> (Elaterridae).....	do	1					Do.
Do.....	<i>Musa</i> sp. (banana)	1					Do.
<i>Phytomyza</i> sp. (Agromyzidae).....	<i>Echeveria</i> sp.		1				Calif.*
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica</i> sp. (mustard)	1					Tex.
<i>Platynota stultana</i> (Tortricidae).....	<i>Capsicum annuum</i>	100		1			Ariz.
Do.....	do	9					Calif.*
Do.....	do	1					Tex.
Do.....	<i>Lycopersicum esculentum</i>	1					Calif.*
Do.....	<i>Punica granatum</i> (pomegranate)			1			Ariz.
<i>Platynota</i> sp. (Tortricidae).....	Banana debris	1					La.
Do.....	<i>Capsicum annuum</i>	104					Ariz.
Do.....	do			1			Tex.
Do.....	<i>Codiaeum</i> sp. (croton)				1		La.
Do.....	<i>Dianthus</i> sp. (carnation)	1					Tex.
Do.....	<i>Lycopersicum esculentum</i>	15					Ariz.
Do.....	<i>Musa</i> sp. (banana)	1					Ala.
Do.....	do	1					La.
Do.....	<i>Rosa</i> sp.		1				Pa.
<i>Plusia</i> sp. (Noctuidae).....	<i>Beta vulgaris cicla</i> (Swiss chard)			1			Calif.
Do.....	<i>Capsicum annuum</i>	1					Ariz.
<i>Plutella maculipennis</i> (diamond-back moth).....	<i>Brassica oleracea botrytis</i> (broccoli)			2			Tex.
Do.....	<i>Brassica oleracea capitata</i>					1	Ala.
Do.....	<i>Brassica</i> sp. (mustard)	1		1			Calif.
<i>Pogonomyrmez</i> sp. (ant)	<i>Mammillaria</i> sp. (cactus)	1					Calif.*
<i>Ponera</i> sp. (ant)	Banana debris	1					N. Y.
<i>Prenolepis</i> sp. (ant)	do	6					Pa.
Do.....	<i>Musa</i> sp. (banana)	2					La.
<i>Prodenia ornithogalli</i> (yellow-striped army worm).....	<i>Lycopersicum esculentum</i>	1					Tex.
<i>Prodenia</i> sp. (Noctuidae).....	<i>Capsicum annuum</i>	1					Ariz.
Do.....	<i>Lycopersicum esculentum</i>	5					Do.
<i>Prolabia</i> sp. (earwig).....	Banana debris	1					La.
<i>Psalis americana</i> (earwig).....	Orchid				1		Do.
<i>Psalis</i> sp. (earwig).....	<i>Punica granatum</i> (pomegranate)			1			Tex.
Do.....	<i>Saccharum officinarum</i>			1			Do.
Do.....	<i>Solanum tuberosum</i>			1			Do.
<i>Pseudoanidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> (lime)	4					Calif.*
Do.....	do	1					N. Y.
Do.....	<i>Citrus sinensis</i> (orange)					2	Do.
<i>Pseudococcus boninsis</i> (Coccidae).....	<i>Saccharum officinarum</i>			2			Tex.
<i>Pseudococcus virgatus</i> (Coccidae).....	<i>Ananas sativus</i>	1					Do.
Do.....	Cactus (several genera)	4	1				Calif.*
Do.....	<i>Pachyphytum comactum</i>	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Ananas sativus</i>	1		1			Tex.
Do.....	Cactus				1		La.
Do.....	<i>Machaerocereus gummosus</i> (cactus)	1					Ariz.
Do.....	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Pseudodiaspis yuccae</i> (Coccidae).....	<i>Pedilanthus macrocarpus</i>	1					Ariz.
<i>Pseudomesomphalia plagiata</i> (Chrysomelidae).....	Banana debris	1					La.
<i>Pseudomesomphalia punicea</i> (Chrysomelidae).....	do	1					Do.
Do.....	<i>Musa</i> sp. (banana)	1					Do.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).....	do	2					N. Y.
Psychid.....	<i>Ananas sativus</i>			1			Tex.
Do.....	Banana debris	11					La.
Do.....	do	1					Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Psychid.....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	Ala.
Do.....	do.....	12	---	---	---	---	La.
Do.....	do.....	1	---	---	---	---	N. Y.
Do.....	do.....	2	---	---	---	---	Pa.
Do.....	do.....	2	---	---	---	---	Tex.
<i>Pulvinaria</i> sp. (Coccidae).....	<i>Aporocactus conzaltii</i> (cactus).....	---	1	---	---	---	Calif.*
Do.....	<i>Cereus boeckmannii</i> (cactus).....	---	1	---	---	---	Do.*
<i>Puto yuccae</i> (Coccidae).....	Cactus (several genera).....	1	5	1	---	---	Do.*
Do.....	<i>Oncidium</i> sp. (orchid).....	1	1	---	---	---	Do.*
<i>Puto</i> sp. (Coccidae).....	<i>Mammillaria</i> sp. (cactus).....	---	1	---	---	---	Do.*
Pyralid.....	<i>Ananas sativus</i> .....	1	---	---	---	---	Tex.
Do.....	Cactus.....	---	---	1	---	---	Ariz.
Do.....	do.....	---	1	---	---	---	Calif.*
Do.....	<i>Echinocactus gracilis</i> (cactus).....	1	---	---	---	---	Calif.
Do.....	<i>Mammillaria</i> sp. (cactus).....	1	---	---	---	---	Calif.*
Do.....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	La.
Pyralinae (Pyralidae).....	<i>Agave americana</i> (maguey).....	1	---	---	---	---	Ariz.
Do.....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	La.
Pyraustinae (Pyralidae).....	<i>Capsicum annuum</i> .....	---	---	---	---	---	Ariz.
Do.....	<i>Lycopersicum esculentum</i> .....	1	---	---	---	---	Do.
<i>Pyroderces</i> sp. (Cosmopterygidae).....	<i>Ananas sativus</i> .....	1	---	---	---	---	Tex.
Do.....	Banana debris.....	1	---	---	---	---	Pa.
Do.....	<i>Holcus sorghum</i> var. (broom-corn).....	1	---	---	---	---	Tex.
Do.....	<i>Solanum melongena</i> (eggplant).....	1	---	---	---	---	Ariz.
Do.....	<i>Zea mays</i> (corn).....	1	---	---	---	---	La.
<i>Rhagoletis pomonella</i> (Trypetidae).....	<i>Crataegus mexicana</i> .....	---	1	---	---	---	Tex.
<i>Rhagoletis suavis</i> (Trypetidae).....	<i>Juglans nigra</i> (black walnut).....	---	1	---	---	---	Do.
<i>Rhagoletis</i> sp. (Trypetidae).....	<i>Crataegus mexicana</i> .....	---	11	---	---	---	Do.
Do.....	<i>Crataegus</i> sp. (red haw).....	---	1	---	---	---	Do.
Do.....	<i>Juglans nigra</i> (black walnut).....	---	1	---	---	---	Do.
Do.....	<i>Malus sylvestris</i> (apple).....	---	1	---	---	---	Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium sativum</i> (garlic).....	1	---	---	---	---	N. Y.
Do.....	<i>Solanum tuberosum</i> .....	1	2	---	---	---	Ariz.
Do.....	do.....	---	1	---	---	---	Tex.
Do.....	<i>Zephyranthes</i> sp. (zephyrily).....	1	---	---	---	---	Calif.*
<i>Stiassetia</i> sp. (Coccidae).....	<i>Mangifera</i> sp.....	1	---	---	---	---	D. C.
<i>Scaptolenus</i> sp. (Cebionidae).....	<i>Lactuca sativa</i> (lettuce).....	---	---	1	---	---	Tex.
<i>Schistoceros cornutus</i> (Bostrichidae).....	Wood used in a crate.....	1	---	---	---	---	Wash.
<i>Sciara</i> sp. (Mycetophilidae).....	Banana debris.....	1	---	---	---	---	La.
Do.....	<i>Capsicum annuum</i> .....	1	---	---	---	---	Ariz.
Do.....	<i>Lycopersicum esculentum</i> .....	5	---	---	---	---	Do.
Do.....	do.....	1	---	---	---	---	Calif.*
Do.....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	La.
Do.....	<i>Solanum melongena</i> (eggplant).....	1	---	---	---	---	Ariz.
<i>Scitocoris longifrons</i> (Pentatomidae).....	Orchid.....	1	---	---	---	---	D. C.
Scolytid.....	<i>Parathesis serrulata</i> (japalon).....	1	---	---	---	---	La.
<i>Sibanus vulgaris</i> (Cucujidae).....	Banana debris.....	1	---	---	---	---	N. Y.
<i>Solenopsis</i> sp. (ant).....	<i>Ananas sativus</i> .....	1	---	---	---	---	Tex.
Do.....	Banana debris.....	1	---	---	---	---	Pa.
Do.....	<i>Lycopersicum esculentum</i> .....	1	---	---	---	---	Ariz.
<i>Stenoma</i> sp. (Stenomidae).....	<i>Persea americana</i> (avocado).....	---	---	1	---	---	Tex.
Stenomid.....	do.....	---	---	1	---	---	La.
Do.....	do.....	---	---	---	1	---	Pa.
<i>Stephanoderes guatemalensis</i> (Scolytidae).....	Banana debris.....	2	---	---	---	---	La.
Do.....	do.....	2	---	---	---	---	N. Y.
Do.....	do.....	2	---	---	---	---	Pa.
Do.....	<i>Musa</i> sp. (banana).....	8	---	---	---	---	La.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	1	---	---	---	---	Ariz.
<i>Symphylus deplanatus</i> (Pentatomidae).....	Banana debris.....	1	---	---	---	---	La.
Syntomid.....	<i>Lycopersicum esculentum</i> .....	---	---	1	---	---	Tex.
<i>Systema</i> sp. (Chrysomelidae).....	<i>Fragaria</i> sp. (strawberry).....	1	---	---	---	---	Do.
Do.....	<i>Ipomoea batatas</i> (sweet potato).....	---	---	1	---	---	Ariz.
<i>Tapinoma</i> sp. (ant).....	Banana debris.....	2	---	---	---	---	Pa.
Do.....	do.....	1	---	---	---	---	Tex.
Do.....	<i>Musa</i> sp. (banana).....	1	---	---	---	---	La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	8					La.
Do	do	1					N. Y.
Do	do	6					Pa.
Do	<i>Musa</i> sp. (banana)	7					La.
Do	do	2					Pa.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	5					La.
Do	do	4					Pa.
Do	<i>Musa</i> sp. (banana)	9					La.
Do	do	1					N. Y.
Do	do	1					Pa.
Tenebrionid	Banana debris	1					Tex.
Do	<i>Capsicum annuum</i>	1					Calif.*
Do	<i>Persea americana</i> (avocado)			1			Tex.
<i>Tenebroides</i> sp. (Ostomidae)	<i>Mammillaria magnimamma</i> (cactus)	1					Calif.*
<i>Tenuipalpus</i> sp. (mite)	<i>Ananas sativus</i>				1		Pa.
Do	<i>Yucca</i> sp.			1			Ariz.
<i>Tetraleurodes mori arizonensis</i> (whitefly)	<i>Citrus sinensis</i> (orange)			1			Tex.
Do	<i>Citrus</i> sp.			1			Do.
<i>Tetramorium</i> sp. (ant)	Cactus	1					Do.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Thamnotettix</i> sp. (Cicadellidae)	<i>Capsicum annuum</i>	1					Ariz.
<i>Tinea</i> sp. (Tineidae)	Banana debris	9					La.
Do	<i>Gossypium</i> sp. (seed cotton)	1					Tex.
Do	<i>Musa</i> sp. (banana)	5					La.
Do	<i>Solanum tuberosum</i>			1			Tex.
Do	<i>Tabebuia donnell-smithii</i> (primavera)	1					N. Y.
Tineid	Banana debris	1					La.
Do	<i>Musa</i> sp. (banana)	4					Do.
Tortricid	Cactus		1				Calif.*
Do	<i>Camellia</i> sp.	1					Do.*
Do	<i>Capsicum annuum</i>	2		1			Ariz.
Do	do	1		1			Tex.
Do	<i>Crataegus mexicana</i>			1			Do.
Do	<i>Echinofossulocactus anfractuosus</i>	1					Calif.*
Do	<i>Gardenia florida</i> (Cape-jasmine)				1		La.
Do	<i>Malus sylvestris</i> (apple)			1			Tex.
Do	<i>Musa</i> sp. (banana)	2					La.
Do	<i>Rosa</i> sp.		1				Pa.
Do	<i>Solanum melongena</i> (eggplant)	1					Ariz.
<i>Trionymus</i> sp. (Coccidae)	Cactus (several genera)	4	19				Calif.*
Trypetid	<i>Poinsettia pulcherrima</i> (poinsettia)	4	1				D. C.
Do	<i>Prunus domestica</i> (plum)			1			Tex.
Do	<i>Prunus</i> sp. (wild plum)					1	Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Tythomimus rufostaceus</i> (Curculionidae)	Banana debris	1					La.
Do	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Urophorus humeralis</i> (Nitidulidae)	Banana debris	1					Ariz.
Do	<i>Zea mays</i> (corn)					1	La.
Do	do			2			Tex.
<i>Vilerna aeneo-oculata</i> (Acrididae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Wasmania auropunctata</i> (ant)	Banana debris	1					Pa.
<i>Xyleborus grenadensis</i> (Scolytidae)	<i>Zea mays</i> (corn)	1					Ariz.
<i>Xyleborus torquatus</i> (Scolytidae)	<i>Lycopersicon esculentum</i>	1					Do.
<i>Xyleborus</i> sp. (Scolytidae)	<i>Citrus aurantifolia</i> (lime)	1					Tex.
Xylophilid	Banana debris	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Xylophilus</i> sp. (Euglenidae)	<i>Lycopersicon esculentum</i>	1					Ariz.
<i>Zabrotes subfasciatus</i> (Bruchidae)	Bean			1			Calif.
Do	do			3			Tex.
Do	<i>Phaseolus vulgaris</i> (bayo bean)					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases:							
<i>Alternaria solani</i> .....	<i>Lycopersicum esculentum</i> .....					1	Ariz.
<i>Aphelenchoides huntii</i> .....	<i>Physalis ixocarpa</i> (tomatillo).....					1	Ala.
<i>Aphelenchus avenae</i> .....	<i>Solanum tuberosum</i> .....			1			Tex.
<i>Aplanobacter michiganense</i> .....	<i>Lycopersicum esculentum</i> .....			1			Do.
<i>Bacterium pisi</i> .....	<i>Pisum sativum</i> (pea).....			2			Do.
<i>Bacterium vesicatorium</i> .....	<i>Lycopersicum esculentum</i> .....	2		1			Do.
<i>Brachysporium</i> sp.....	<i>Phaseolus</i> sp. (string bean).....	1					Ariz.
<i>Capnodium citri</i> .....	<i>Citrus aurantifolia</i> (lime).....					1	Pa.
Do.....	do.....	1					Tex.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).....			1			Do.
<i>Capnodium</i> sp.....	<i>Dendrocalamus strictus</i> (bamboo).....	1					Do.
Do.....	<i>Phoenix dactylifera</i> (date).....			1			Ariz.
<i>Cephalosporium virescens</i> .....	<i>Citrus sinensis</i> (orange).....				1		La.
Do.....	<i>Musa</i> sp. (banana).....			1			Tex.
Do.....	Palm.....			1			Do.
<i>Cephalothecium</i> sp.....	<i>Lycopersicum esculentum</i> .....	1					Ariz.
Do.....	<i>Neomammillaria carnea</i> (cactus).....	1					Do.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....	1					Do.
<i>Cercospora</i> sp.....	Fabaceae.....	1					Pa.
Do.....	<i>Lycopersicum esculentum</i> .....			1			Ariz.
<i>Cladosporium cucumerinum</i> .....	<i>Cucumis melo</i> (cantaloupe).....	1					Tex.
<i>Cladosporium fici</i> .....	<i>Ficus religiosa</i> (sacred bo tree).....			1			Calif.*
<i>Cladosporium fulvum</i> .....	<i>Lycopersicum esculentum</i> .....	1				1	Tex.
<i>Colletotrichum nigrum</i> .....	<i>Capsicum annuum</i> .....				2		La.
<i>Colletotrichum pisi</i> .....	<i>Pisum sativum</i> (pea).....			1			Tex.
<i>Colletotrichum</i> sp.....	<i>Citrus aurantifolia</i> (lime).....			1			Ariz.
Do.....	<i>Citrus sinensis</i> (orange).....			1			Do.
Do.....	do.....			1			Tex.
Do.....	<i>Citrus</i> sp.....			2			Do.
Do.....	<i>Colchicum</i> spp.....	1					D. C.
Do.....	<i>Lycopersicum esculentum</i> .....	5					Ariz.
Do.....	<i>Mangifera indica</i> (mango).....			1			Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
Do.....	<i>Opuntia</i> sp.....	1					D. C.
Do.....	<i>Phaseolus</i> sp. (string bean).....			3			Ariz.
Do.....	<i>Psidium guajava</i> (guava).....			1			Tex.
Do.....	<i>Punica granatum</i> (pomegranate).....			1			Ariz.
<i>Corticium</i> sp.....	<i>Lycopersicum esculentum</i> .....	59					Do.
Do.....	<i>Phaseolus</i> sp. (string bean).....	5					Do.
Do.....	<i>Pisum sativum</i> (pea).....	3					Do.
Do.....	<i>Tabebuia donnell-smithii</i> (primavera).....	1					N. Y.
<i>Diplocarpon rosae</i> .....	<i>Rosa</i> sp.....			1			Tex.
<i>Diplodia cacaoicola</i> .....	<i>Annona squamosa</i> (sugar-apple).....				1		Ala.
Do.....	<i>Citrus aurantifolia</i> (lime).....				1		La.
Do.....	<i>Poinsettia pulcherrima</i> (poinsettia).....		1				D. C.
Do.....	<i>Lucuma</i> sp. (sapote).....			1			Tex.
<i>Diplodia natalensis</i> .....	<i>Citrus aurantifolia</i> .....				1		Pa.
Do.....	<i>Punica granatum</i> (pomegranate).....			1			Tex.
<i>Diplodia tuberculata</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....					1	Ala.
<i>Diplodiella</i> sp.....	<i>Capsicum annuum</i> .....	1					Ariz.
Dothidiaceae.....	Unknown leaf.....	1					Pa.
<i>Dothiorella</i> sp.....	<i>Psidium guajava</i> (guava).....			1			Tex.
<i>Endomyces</i> sp.....	<i>Prunus domestica</i> (plum).....			1			Ariz.
<i>Epicoccum</i> sp.....	<i>Capsicum annuum</i> .....	2					Do.
Do.....	<i>Lycopersicum esculentum</i> .....	1					Do.
Erinose.....	<i>Gardenia florida</i> (Cape-jasmine).....			1			La.
<i>Erysiphe polygoni</i> .....	<i>Pisum sativum</i> (pea).....			1			Tex.
<i>Erysiphe</i> sp.....	do.....	4		2			Ariz.
<i>Eurotium</i> sp.....	<i>Achras sapota</i> (sapodilla).....			1			Do.
Do.....	<i>Lucuma</i> sp. (sapote).....			1			Do.
<i>Fusarium moniliforme</i> .....	<i>Zea mays</i> (corn).....			1			Calif.
<i>Gibberella</i> sp.....	Wood.....	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Gloeosporium elasticae</i> .....	<i>Ficus religiosa</i> (sacred bo tree)			1			Calif.*
<i>Gloeosporium musarum</i> .....	<i>Musa</i> sp. (banana)	1					Ariz.
<i>Gloeosporium</i> sp.....	<i>Chamaedorea</i> sp.			1			Tex.
Do.....	<i>Mangifera indica</i> (mango)			2			Ariz.
Do.....	<i>Musa</i> sp. (banana)			3			Do.
Do.....	Orchid.....		3				D. C.
Do.....	<i>Polyanthes tuberosa</i> (tuberose)			1			Ariz.
<i>Glomerella cingulata</i> .....	<i>Mangifera indica</i> (mango)			1			Do.
Do.....	<i>Persea americana</i> (avocado)			1			Do.
Do.....	<i>Spondias</i> sp.....			1			Do.
<i>Glomerella</i> sp.....	<i>Lycopersicum esculentum</i>	3					Do.
Do.....	<i>Mangifera indica</i> (mango)			2			Do.
Do.....	<i>Musa</i> sp. (banana)			1			Do.
Do.....	<i>Persea americana</i> (avocado)			1			Do.
<i>Helminthosporium allii</i> .....	<i>Allium sativum</i> (garlic)	3					La.
Do.....	do.....	1					N. Y.
Do.....	do.....	2					Tex.
<i>Helminthosporium ravenelii</i> .....	<i>Sporobolus poiretii</i> (smut grass)	1					N. Y.
<i>Helminthosporium</i> sp.....	<i>Capsicum annuum</i>	1					Ariz.
Do.....	<i>Holcus halepensis</i> (Johnson grass)	1					Do.
Do.....	<i>Lycopersicum esculentum</i>	1					Do.
Do.....	<i>Oryza sativa</i> (paddy rice)	1					Do.
Do.....	<i>Zea mays</i> (corn)	1					N. Y.
<i>Hendersonia</i> n. sp.....	<i>Opuntia</i> sp. (?)	1					D. C.
<i>Heterodera schachtii</i> .....	<i>Beta vulgaris</i> (beet)			1			Ariz.
Do.....	do.....	1					Tex.
Leprosis.....	<i>Citrus sinensis</i> (orange)			6			Do.
<i>Macrophoma</i> sp.....	Orchid.....	1					D. C.
<i>Macrosporium tomato</i> .....	<i>Lycopersicum esculentum</i>			1			Ariz.
Do.....	do.....					1	N. Y.
<i>Monochaetia</i> sp.....	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Monilia</i> sp.....	do.....			1			Do.
<i>Mycosphaerella</i> sp.....	Cactus.....	1					D. C.
<i>Myriangium duriaei</i> .....	On scale on orange					1	Tex.
<i>Myriangium</i> sp.....	<i>Citrus limetta</i> (sweet lime)			1			Do.
<i>Oidium</i> sp.....	<i>Gardenia florida</i> (Cape-jasmine)			1			La.
Do.....	<i>Pisum sativum</i> (pea)	8		3			Ariz.
Do.....	<i>Rosa</i> sp.....			1			Tex.
Do.....	<i>Zea mays</i> (corn)	1					Ariz.
<i>Oospora citri aurantii</i> .....	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Oospora lactis parasitica</i> .....	<i>Physalis irocarpa</i> (tomatillo)					1	Ala.
<i>Oospora</i> sp.....	<i>Capsicum annuum</i>	1					Ariz.
Do.....	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do.....	<i>Lycopersicum esculentum</i>	8					Do.
<i>Penicillium gladioli</i> .....	<i>Gladiolus</i> sp.....			1			Do.
<i>Periconia</i> sp.....	<i>Capsicum annuum</i>	1					Do.
Do.....	<i>Phaseolus</i> sp. (string bean)	1					Do.
<i>Pestalozzia</i> n. sp.....	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Pestalozzia</i> sp.....	do.....			4			Do.
<i>Phoenicostroma chamaedoreae</i> .....	Palm.....	1					Do.
<i>Phoma destructiva</i> .....	<i>Capsicum annuum</i>					1	La.
Do.....	<i>Lycopersicum esculentum</i>					1	N. Y.
Do.....	do.....			1			Tex.
Do.....	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Phoma</i> sp.....	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do.....	<i>Echinocereus merkeri</i> (cactus)	1					Calif.*
Do.....	<i>Lycopersicum esculentum</i>	6					Ariz.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Do.
Do.....	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Phylospora malorum</i> .....	<i>Cydonia oblonga</i> (quince)			1			Ariz.
<i>Phyllosticta</i> sp.....	<i>Gardenia florida</i> (Cape-jasmine)					1	La.
Do.....	<i>Pandanus utilis</i> (screw pine)			1			N. Y.
<i>Physarum</i> sp.....	<i>Echinocactus teretispinus</i> (cactus)	1					Calif.
<i>Phytophthora phaseoli</i> .....	<i>Phaseolus</i> sp. (string bean)			1			Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Phytophthora</i> sp.	<i>Capsicum annuum</i>	2					Ariz.
Do	<i>Lycopersicum esculentum</i>	56					Do.
Do	<i>Physalis</i> sp. (husk tomato)			1			Tex.
<i>Puccinia coronata</i>	<i>Avena sativa</i> (oat)			1			Do.
<i>Puccinia</i> sp.	Unknown grass	1		1			Ariz.
Do	Unknown root			1			Calif.
<i>Rhizoctonia</i> sp.	<i>Lycopersicum esculentum</i>	3		1			Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
Do	<i>Pisum sativum</i> (pea)	1					Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
Do	<i>Solanum tuberosum</i>			1			Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					2	La.
Do	<i>Lycopersicum esculentum</i>					1	Ala.
<i>Sclerotinia</i> sp.	<i>Phaseolus</i> sp. (string bean)	1					Ariz.
<i>Septoria</i> sp.	<i>Oryza sativa</i> (paddy rice)	1					Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)			1			Do.
Do	do	1					Calif.*
Do	do				1		La.
Do	do			1			N. Y.
Do	do					1	Tex.
Do	do					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)	1					La.
Do	<i>Citrus</i> sp.				1		Ariz.
<i>Sporotrichum</i> sp.	<i>Citrus aurantifolia</i>			1			Do.
<i>Sterigmatocystis</i> sp.	<i>Phoenix dactylifera</i> (date)			1			Do.
Stilbaceae	<i>Lycopersicum esculentum</i>	1					Do.
<i>Stilbum flavidum</i>	<i>Gardenia florida</i> (Cape-jasmine).			1			Tex.
<i>Thielariopsis paradoxa</i>	<i>Musa</i> sp. (banana)			1			N. Y.
Do	<i>Saccharum officinarum</i>					1	La.
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)	4		1			Ariz.
Do	do	1		1			Calif.
Do	do			2			Tex.
<i>Uromyces</i> sp.	do	1					Ariz.
<i>Ustilago hordri</i>	<i>Hordeum vulgare</i> (barley)	2					Do.
<i>Ustilago zaeae</i>	<i>Zea mays</i> (corn)			1			Do.
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)	1					Tex.
MONTSERRAT							
Insects:							
<i>Partatoria</i> sp. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Pseudoaenidia articulatus</i> (rufous scale).	do	13					Do.
Diseases: <i>Diplodia cacaoicola</i>	do	2					Do.
MORAVIA							
Diseases: <i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.		1				D. C.
MOROCCO							
Insects:							
<i>Baris</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	do					1	Do.
<i>Crematogaster</i> sp. (ant)	<i>Muscari comosum</i> (cipollino)	1					N. Y.
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Serjania mexicana</i> (barbasco)	1					Do.
<i>Erosoma lusitanica</i> (Chrysomelidae)	<i>Muscari comosum</i>	59					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i>					1	Pa.
Do	<i>Muscari comosum</i>	1					N. Y.
<i>Merodon</i> sp. (Syrphidae)	do	32					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i>					1	Do.
Diseases:							
<i>Cercospora</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Nigrospora oryzae</i>	<i>Oryza sativa</i> (rice)	1					Do.
<i>Phyllosticta</i> sp.	<i>Sabal</i> sp. (palmetto)	1					Do.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	2					Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	Do.
MOZAMBIQUE							
Insects:							
<i>Euspermophagus gossypii</i> (Bruchidae).	<i>Ipomoea albivenia</i> (morning-glory).		1				D. C.
<i>Tinea</i> sp. (Tineidae)	<i>Agave sisalana</i> (sisal)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae).....	<i>Allium porrum</i> (leek).....					2	Pa.
<i>Acronycta</i> sp. (Noctuidae).....	<i>Rosa chinensis manetti</i> .....	1					Md.*
Do.....	do.....	2					Pa.*
<i>Agromyza</i> sp. (Agromyzidae).....	<i>Brassica rapa</i> (turnip).....					1	La.
Agromyzid.....	<i>Allium porrum</i> .....					1	Pa.
Do.....	<i>Brassica oleracea botrytis</i> (cauli-flower).....					1	N. Y.
<i>Alphitobius</i> sp. (Tenebrionidae).....	<i>Allium cepa</i> (onion).....					1	Do.
Anthomyiid.....	do.....					1	La.
Do.....	<i>Apium graveolens</i> (celery).....					1	Do.
<i>Anuraphis</i> sp. (aphid).....	<i>Papaver</i> sp. (poppy).....	1					D. C.
Areiid.....	In soil around <i>Monarda</i> sp.....	1					Do.
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Allium cepa</i> .....					1	La.
Do.....	do.....					1	N. Y.
Do.....	<i>Brassica rapa</i> .....					1	Ala.
Do.....	<i>Solanum tuberosum</i> .....					2	La.
<i>Brachyrhinus sulcatus</i> (black vine weevil).....	In soil around <i>Monarda</i> sp.....	1					D. C.
Cecidomyiid.....	<i>Galanthus</i> sp.....	1					Md.
Do.....	<i>Hyacinthus</i> sp.....	1					N. Y.
Do.....	<i>Laburnum vossii</i> .....		1				D. C.
Do.....	<i>Scilla sibirica</i> (Siberian squill).....	1					Pa.
Do.....	<i>Tulipa</i> sp.....	1					Tex.
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica campestris</i> (rutabaga).....					1	N. Y.
Curculionid.....	<i>Narcissus</i> sp.....	1					Va.
<i>Diaspis carueli</i> (Coccidae).....	<i>Chamaecyparis nootkatensis argenteovariegata</i> .....	1					D. C.
Do.....	<i>Juniperus</i> sp.....		1				Calif.*
Do.....	<i>Thuja occidentalis plicata pygmaea</i> .....	1					D. C.
<i>Emphytus cinctus</i> (sawfly).....	<i>Rosa chinensis manetti</i> .....	5					Conn.*
Do.....	do.....	8					Ill.*
Do.....	do.....	7					Pa.*
<i>Endrosia lacteella</i> (Oecophoridae).....	<i>Scilla</i> sp.....	1					N. Y.
<i>Eumerus strigatus</i> (Syrphidae).....	<i>Narcissus triandrus</i> .....	1					Wash.
Do.....	<i>Narcissus</i> sp.....	1					Do.
<i>Eumerus</i> sp. (Syrphidae).....	<i>Allium cepa</i> (onion).....	3				1	N. Y.
Do.....	<i>Hyacinthus</i> sp.....	2					Do.
Do.....	<i>Lilium</i> sp.....	7					Do.
Do.....	<i>Narcissus</i> sp.....	1					D. C.
Do.....	do.....	2					N. Y.
Do.....	do.....	1					Va.
<i>Euresta</i> sp. (Ortalidae).....	<i>Allium cepa</i> (onion).....					1	La.
Do.....	<i>Apium graveolens</i> (celery).....					1	N. Y.
<i>Forficula auricularia</i> (European earwig).....	<i>Crocus</i> sp.....	1					Do.
Do.....	<i>Eremurus</i> sp. (desertcandle).....	1					D. C.
Do.....	<i>Lilium</i> sp.....	1					Mich.
Do.....	<i>Tulipa</i> sp.....	2					N. Y.
Do.....	do.....	1					Tex.
<i>Forficula auricularia forcipata</i> (earwig).....	<i>Iris</i> sp.....	1					D. C.
Do.....	<i>Lilium</i> sp.....	1					N. Y.
<i>Frankliniella</i> sp. (thrips).....	<i>Allium porrum</i> (leek).....					1	Pa.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					1	Ala.
Do.....	do.....					2	La.
Do.....	do.....					2	Pa.
Do.....	<i>Lilium</i> sp.....	1					N. Y.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Md.
<i>Ischnodes</i> sp. (Elateridae).....	In soil around <i>Cimicifuga simplex</i> .....	1					D. C.
<i>Lecanium</i> sp. (Coccidae).....	<i>Thuja occidentalis</i> (American arborvitae).....	1					Do.
<i>Liosomaphis</i> sp. (aphid).....	<i>Tulipa</i> sp.....	3					N. Y.
Do.....	do.....	1					Pa.
Liparid.....	<i>Rosa chinensis manetti</i> .....	1					Pa.*
<i>Ludius</i> sp. (Elateridae).....	do.....	1					N. Y.
<i>Macrosiphum kaltbachii</i> (aphid).....	<i>Lactuca sativa</i> (lettuce).....					1	Do.
Do.....	do.....					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Insects—Continued.							
<i>Merodon</i> sp. (Syrphidae).....	<i>Galanthus</i> sp.....	1					N. Y.
Do.....	<i>Narcissus</i> sp.....	2	2				D. C.
Do.....	do.....	2					N. Y.
Do.....	do.....	8					Va.
Do.....	do.....	7					Wash.
Mycetophilid.....	<i>Lilium</i> sp.....	1					N. Y.
<i>Myzus veronicae</i> (aphid).....	<i>Helenium</i> sp.....		1				D. C.
<i>Neosciara</i> sp. (Mycetophilidae).....	<i>Hyacinthus</i> sp.....	1					Mich.
Do.....	<i>Tulipa</i> sp.....	1					N. Y.
Noctuid.....	<i>Astilbe</i> sp.....	1					D. C.
Do.....	<i>Brassica oleracea botrytis</i> (cauli-flower).					1	N. Y.
Do.....	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Notolophus antiqua</i> (European tus-sock moth).	<i>Rosa chinensis manetti</i>	1					Pa.
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (cottonseed)		1				D. C.
<i>Phyllotreta</i> sp. (Chrysomelidae)....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea botrytis</i> .....					1	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					1	Do.
Do.....	do.....					1	Pa.
<i>Pnyria scabiei</i> (potato scab gnat)....	<i>Lilium</i> sp.....	1					N. Y.
Do.....	<i>Delphinium</i> sp.....	1					D. C.
<i>Pyralis</i> sp. (Pyralidae).....	<i>Scilla</i> sp.....	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion)	1				1	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Chionodoza</i> sp.....	1					N. Y.
Do.....	<i>Crocus</i> sp.....	3					Do.
Do.....	<i>Fritillaria imperialis</i> (crown-imperial).	1					Pa.
Do.....	<i>Fritillaria</i> sp.....	1					Mass.
Do.....	do.....	1					N. Y.
Do.....	<i>Galanthus nivalis</i> (snowdrop)....	1					Do.
Do.....	do.....	2					Pa.
Do.....	<i>Hyacinthus</i> sp.....	1					N. Y.
Do.....	do.....	1					Pa.
Do.....	<i>Muscari botryoides</i> (grape-hya-cinth).	2					N. Y.
Do.....	<i>Scilla</i> sp.....	2					Do.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
Do.....	<i>Tulipa</i> sp.....	1					Mass.
Do.....	do.....	2					N. Y.
Do.....	do.....	2					Pa.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Allium cepa</i> (onion)	1					N. Y.
Do.....	do.....					1	Pa.
Do.....	do.....					1	Wash.
Do.....	<i>Apium graveolens</i> (celery)					1	N. Y.
Do.....	<i>Beta vulgaris</i> (beet)					1	Ala.
Do.....	<i>Fritillaria</i> sp.....	1					N. Y.
Do.....	<i>Hyacinthus</i> sp.....	2					Pa.
Do.....	<i>Lilium</i> sp.....	2					N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	Fla.*
Do.....	do.....					2	La.
<i>Serica</i> sp. (Scarabaeidae).....	In soil around <i>Monarda</i> sp.....	1					D. C.
<i>Tetranychus</i> sp. (mite).....	<i>Davidia</i> sp. (dovetree)	1					Do.
<i>Thrips tabaci pullus</i> (thrips).....	<i>Allium porrum</i> (leek)					1	Pa.
<i>Tinea</i> sp. (Tineidae).....	<i>Cichorium intybus</i> (witloof)	1					La.
Do.....	<i>Hyacinthus</i> sp.....	1					Md.
Tortricid.....	<i>Crocus</i> sp.....	1					N. Y.
Do.....	<i>Davidia</i> sp. (dovetree)	1					D. C.
<i>Trichocera</i> sp. (Tipulidae).....	<i>Apium graveolens</i> (celery)					2	N. Y.
Diseases:							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea botrytis</i> (cauli-flower).					1	Do.
Do.....	<i>Brassica oleracea capitata</i> .....					1	La.
Do.....	do.....	1					N. Y.
Do.....	do.....					3	Pa.
Do.....	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>NETHERLANDS—Continued</b>							
<b>Diseases—Continued.</b>							
<i>Alternaria solani</i> .....	<i>Lycopersicum esculentum</i> .....			N		1	N. Y.
<i>Anguillulina dipsaci</i> .....	<i>Chionodoxa</i> sp.....	3					Do.
Do.....	do.....	2					Pa.
Do.....	<i>Colchicum bornmuelleri</i> .....	1					D. C.
Do.....	<i>Colchicum speciosum album</i> .....	1					Do.
Do.....	<i>Colchicum speciosum</i> .....	1					Do.
Do.....	<i>Galanthus nivalis</i> (snowdrop).....	1					Pa.
Do.....	<i>Hyacinthus</i> sp.....	1					Mich.
Do.....	<i>Iris</i> sp. (bulbous).....	11					D. C.
Do.....	do.....	3					Wash.
Do.....	<i>Muscari botryoides</i> (grape-hyacinth).....	3					N. Y.
Do.....	<i>Scilla</i> sp.....	1					Do.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
Do.....	<i>Tigridia pavonia alba immaculata</i> .....		1				D. C.
Do.....	<i>Tigridia</i> sp.....		2				Do.
<i>Aphelenchoides parietinus</i> .....	<i>Daucus carota</i> (carrot).....					1	Pa.
Do.....	<i>Hyacinthus</i> sp.....	1					Md.
Do.....	<i>Iris</i> sp.....		1				D. C.
Do.....	<i>Narcissus</i> sp.....	1					Do.
Do.....	<i>Tritonia</i> sp.....	1					Do.
<i>Aphelenchus avenae</i> .....	<i>Chionodoxa</i> sp.....	1					Pa.
Do.....	<i>Galanthus nivalis</i> (snowdrop).....	1					N. Y.
Do.....	<i>Narcissus minimus</i> .....		1				D. C.
Do.....	<i>Tritonia</i> sp.....	1					Do.
<i>Bacterium campestre</i> .....	<i>Brassica oleracea capitata</i> .....					1	Pa.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea</i> .....					1	Do.
Do.....	<i>Brassica oleracea gemmifera</i> (brussels sprouts).....					1	N. Y.
Do.....	do.....					1	Pa.
<i>Bacterium marginatum</i> .....	<i>Crocus</i> sp.....	1					D. C.
Do.....	<i>Gladiolus</i> sp.....	1	3				Do.
Do.....	<i>Tritonia</i> sp.....	2					Do.
<i>Botrytis galanthina</i> .....	<i>Galanthus flora plena</i> .....	1					Pa.
Do.....	<i>Galanthus nivalis</i> (snowdrop).....	1					Mich.
Do.....	do.....	9					N. Y.
Do.....	do.....	2					Pa.
<i>Botrytis tulipae</i> .....	<i>Tulipa</i> sp.....	1					Mass.
Do.....	do.....	1					N. Y.
Do.....	do.....	4					Pa.
<i>Cercospora</i> sp.....	<i>Scilla sibirica</i> (Siberian squill).....	1					Do.
<i>Cladosporium</i> sp.....	<i>Phaseolus</i> sp. (string bean).....					1	Md.
<i>Colletotrichum lindemuthianum</i> .....	do.....					1	Mass.
Do.....	do.....					1	N. Y.
Do.....	do.....					1	Pa.
<i>Coniothyrium hellebori</i> .....	<i>Helleborus niger</i> (Christmas-rose).....	3					D. C.
<i>Eurotium</i> sp.....	<i>Rosa</i> sp.....			1			N. Y.
Do.....	<i>Solanum tuberosum</i> .....					1	La.
Do.....	do.....					1	N. Y.
Do.....	<i>Tulipa</i> sp.....	1					Pa.
<i>Gloeodes pomigena</i> .....	<i>Pyrus communis</i> (pear).....					1	N. Y.
<i>Gloeosporium palmarum</i> .....	<i>Kentia</i> sp.....				1		Wash.
<i>Leptosphaeria heterospora</i> .....	<i>Iris</i> sp.....	1					D. C.
<i>Monilia</i> sp.....	<i>Malus sylvestris</i> (apple).....					1	Pa.
<i>Neotylenchus abulbosus</i> .....	<i>Tritonia</i> sp.....	1					D. C.
<i>Oospora lactis parasitica</i> .....	<i>Lycopersicum esculentum</i> .....					1	Pa.
<i>Oospora</i> sp.....	<i>Daucus carota</i> (carrot).....					1	Ala.
<i>Papulospora parasitica</i> .....	<i>Tulipa</i> sp.....	1					N. Y.
<i>Penicillium gladioli</i> .....	<i>Gladiolus</i> sp.....		1				D. C.
Do.....	do.....			1			N. Y.
<i>Peronospora parasitica</i> .....	<i>Brassica oleracea</i> .....					1	Pa.
<i>Phoma lingam</i> .....	<i>Brassica oleracea capitata</i> .....					1	Md.
Do.....	do.....					1	Pa.
<i>Phoma oleracea</i> .....	do.....		1				N. Y.
<i>Phoma</i> sp.....	<i>Lycopersicum esculentum</i> .....					1	Do.
<i>Phyvarum</i> sp.....	<i>Brassica oleracea capitata</i> .....					1	Md.
<i>Phytophthora</i> sp.....	<i>Cichorium intybus</i> (witloof).....					1	Pa.



List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NEW ZEALAND—Continued							
Diseases:							
<i>Microsphaera</i> sp.	<i>Viburnum</i> sp.			1			Calif.*
<i>Vorticillium albo-atrum</i>	<i>Dahlia</i> sp.		1				D. C.
NICARAGUA							
Insects:							
<i>Aeolus pulchellus</i> (Elateridae)	<i>Musa</i> sp. (banana)	1					La.
<i>Aeolus vermiculatus</i> (Elateridae)	Banana debris	1					Do.
<i>Alphitobius</i> sp. (Tenebrionidae)	do	1					Do.
<i>Anisolabis</i> sp. (earwig)	do	1					Do.
Anthomyiid	<i>Musa</i> sp. (banana)	1					Ala.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Capsicum annuum</i>			1			La.
Blastobasid	<i>Musa</i> sp. (banana)	1					Do.
<i>Camponotus</i> sp. (ant)	Banana debris	2					Do.
Do	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
Do	<i>Musa</i> sp. (banana)	4					La.
<i>Capaneus tetricus</i> (Coreidae)	Banana debris	1					Do.
Cassidinae (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Catolothrus longulus</i> (Curculionidae)	Banana debris	4					Do.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	4					La.
<i>Ceramidia musicola</i> (Syntomidae)	do	1					Ala.
<i>Ceramidia</i> sp. (Syntomidae)	do	1					Do.
<i>Cheirisa distincta</i> (Chrysomelidae)	do	1					Do.
Chloropid	do	1					La.
<i>Chrysomela scripta</i> (Chrysomelidae)	Banana debris	2					Do.
<i>Cicadella pulchella</i> (Cicadellidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Colopoterus posticus</i> (Nitidulidae)	do	1					Ala.
<i>Crematogaster</i> sp. (ant)	Banana debris	1					La.
<i>Doliema plana</i> (Tenebrionidae)	<i>Guaiacum officinale</i> (lignum-vitae)	3					Calif.*
<i>Edessa cornula</i> (Pentatomidae)	Banana debris	1					La.
<i>Eristalis</i> sp. (Syrphidae)	<i>Heliconia</i> sp.			1			Do.
<i>Euzesta</i> sp. (Ortaliidae)	<i>Musa</i> sp. (banana)	1					Do.
Gelechiid	do	3					Do.
<i>Hyperodes</i> sp. (Curculionidae)	do	1					Do.
<i>Icerya</i> sp. (Coccidae)	do	1					Ala.
<i>Loretus trapeziderus</i> (Tenebrionidae)	do	1					La.
<i>Loretus</i> sp. (Tenebrionidae)	Banana debris	2					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Metamasius sericeus</i> (silky cane weevil)	Banana debris	1					Ala.
Do	do	3					La.
Do	<i>Musa</i> sp. (banana)	2					Ala.
<i>Monanus concinnulus</i> (Cucujidae)	do	1					La.
<i>Myochrous</i> sp. (Chrysomelidae)	do	1					Do.
<i>Nasutitermes cornigera</i> (termite)	Banana debris	1					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
Nitidulid	do	1					Do.
Noctuid	Banana debris	1					Ala.
Do	do	1					La.
Do	<i>Lilium</i> sp.			1			Do.
<i>Odontomachus haematodes</i> var. (ant)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Oncometopia</i> sp. (Cicadellidae)	do	1					Do.
Ortaliid	<i>Heliconia</i> sp.			1			La.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)	1					D. C.
<i>Paroecanthus annulatus</i> (Gryllidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Pheidole</i> sp. (ant)	do	1					Do.
Phycitinae (Pyralidae)	do	1					Ala.
<i>Physonota gigantea</i> (Chrysomelidae)	Log	1					Pa.
<i>Prenolepis</i> sp. (ant)	Banana debris	1					Ala.
<i>Pseudonidia articulatus</i> (rufous scale)	<i>Citrus sinensis</i> (orange)			1			Calif.*
Do	do				1		La.
Psychid	Banana debris	6					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
Do	do	2					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NICARAGUA—Continued							
Insects—Continued.							
<i>Pyrausta</i> sp. (Pyralidae).....	<i>Musa</i> sp. (banana).....	1					La.
<i>Rhabdopterus fulvipes</i> (Chrysomelidae).....	do.....	1					Ala.
<i>Rhinaninus</i> sp. (Curculionidae)....	Banana debris.....	1					La.
<i>Solenopsis</i> sp. (ant).....	<i>Musa</i> sp. (banana).....	1					Do.
Syntomid.....	Log.....	1					Pa.
<i>Tinea</i> sp. (Tineidae).....	Banana debris.....	1					La.
Tineid.....	<i>Musa</i> sp. (banana).....	1					Ala.
<i>Tythomimus rufotestaceus</i> (Curculionidae).....	Banana debris.....	1					La.
Do.....	<i>Musa</i> sp. (banana).....	3					Do.
<i>Urophorus humeralis</i> (Nitidulidae).....	Banana debris.....	1					Ala.
Do.....	do.....	1					La.
<i>Wasmannia auropunctata</i> (ant).....	<i>Ananas sativus</i> .....					1	Ala.
Diseases: <i>Aschersonia</i> sp.....	Unknown leaf.....	1					La.
NIGERIA							
Insects:							
<i>Aracecerus fasciculatus</i> (coffee-bean weevil).....	<i>Dioscorea</i> sp. (yam).....			1			Mass.
<i>Corcyra cephalonica</i> (Pyralidae)....	<i>Theobroma cacao</i> (cacao).....	1					Calif.*
<i>Palaeopus costicollis</i> (yam weevil)....	<i>Dioscorea</i> sp. (yam).....					1	Mass.
Diseases: <i>Hoplotaimus</i> n. sp.....	do.....					1	Do.
NORWAY							
Insects:							
<i>Argyresthia</i> sp. (Yponomeutidae)....	<i>Malus sylvestris</i> (apple).....			2			N. Y.
<i>Chionaspis salicis</i> (Coccidae).....	<i>Populus</i> sp. (poplar).....	1					Calif.*
<i>Gelechia</i> sp. (Gelechiidae).....	In box of onions.....					1	Tex.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Allium cepa</i> (onion).....			1			N. Y.
Do.....	<i>Brassica campestris</i> (rutabaga).....					1	Pa.
Do.....	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	Do.
Do.....	<i>Brassica rapa</i> (turnip).....					1	La.
<i>Ludius</i> sp. (Elateridae).....	In soil around primrose plant.....			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Solanum tuberosum</i> .....					1	Do.
Do.....	do.....					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Brassica rapa</i> .....					1	La.
Tipulid.....	do.....					1	Md.
Diseases:							
<i>Arthrobotrys superba</i> .....	<i>Solanum tuberosum</i> .....					1	Tex.
<i>Heterosporium echinulatum</i> .....	<i>Dianthus</i> sp. (carnation).....			1			N. Y.
<i>Oospora</i> sp.....	<i>Solanum tuberosum</i> .....					3	Mich.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....		1				Ill.
Do.....	do.....	1					N. Y.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot).....					1	La.
Do.....	do.....					1	N. Y.
Do.....	do.....					2	Pa.
Do.....	do.....					2	Tex.
Do.....	<i>Pastinaca sativa</i> (parsnip).....					1	N. Y.
<i>Sclerotinia</i> sp.....	<i>Allium cepa</i> (onion).....					1	Ala.
Do.....	<i>Brassica campestris</i> (rutabaga).....					1	Pa.
<i>Sclerotium</i> sp.....	<i>Allium cepa</i> .....					1	Tex.
Do.....	<i>Brassica oleracea capitata</i> .....	1					Pa.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					2	Do.
<i>Thecopsora padi</i> .....	<i>Picea excelsa</i> (Norway spruce).....				1		Do.
<i>Venturia pyrina</i> .....	<i>Pyrus communis</i> (pear).....		1				D. C.
NOVA SCOTIA							
Insects:							
<i>Corizus</i> sp. (Coreiidae).....	<i>Larix</i> sp. (larch).....			1			Mass.
<i>Plusia</i> sp. (Noctuidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
ONTARIO							
Diseases: <i>Bacterium marginatum</i> .....							
	<i>Gladiolus</i> sp.....	1					Vt.*
ORIENT							
Diseases: <i>Helminthosporium oryzae</i> .....							
	<i>Oryza sativa</i> (rice).....			1			Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
PALESTINE							
Insects:							
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus</i> sp.		1				Calif.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus grandis</i> (grapefruit).					1	N. Y.
Do.	<i>Citrus sinensis</i> (orange).					1	Do.
Do.	Packing and paper around grapefruit.					1	Do.
<i>Parlatoria ziziphus</i> (Coccidae).	<i>Citrus grandis</i> .					1	Do.
Do.	<i>Citrus sinensis</i> .					1	Pa.
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i> .					1	Mass.
Diseases:							
<i>Eurotium</i> sp.	<i>Citrus</i> sp.			1			N. Y.
<i>Oospora citri-aurantii</i> .	<i>Citrus sinensis</i> (orange).					2	Pa.
Do.	do.					1	N. Y.
PANAMA							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae)	<i>Cajanus indicus</i> (pigeon pea)		2				N. Y.
<i>Adetus mulicinus</i> (Euglenidae)	Banana debris.	1					Calif.*
Do.	<i>Musa</i> sp. (banana)	1					Do.*
<i>Anasa bellator</i> (Coreidae)	Banana debris.	1					La.
<i>Anasa</i> sp. (Coreidae)	do.	1					Calif.*
<i>Anastrepha obliqua</i> (Trypetidae)	do.	1					Do.*
<i>Anastrepha</i> sp. (Trypetidae)	do.	3					Do.*
Do.	<i>Mangifera indica</i> (mango)			1			La.
Do.	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Anthonomus</i> sp. (Curculionidae)	Banana debris.	2					Do.*
Do.	<i>Musa</i> sp. (banana)	3					Do.*
<i>Anthrenus</i> sp. (Dermestidae)	do.	1					Do.*
<i>Aphodius</i> sp. (Scarabaeidae)	Banana debris.	1					Do.*
Do.	<i>Musa</i> sp. (banana)	9					Do.*
<i>Apion</i> sp. (Curculionidae)	Banana debris.	4					Do.*
Do.	<i>Musa</i> sp. (banana)	8					Do.*
<i>Araceeris fasciculatus</i> (coffee-bean weevil).	do.	3					Do.*
Do.	Palm seed		1				Do.*
Do.	<i>Theobroma cacao</i> (cacao)	1					Do.*
<i>Aspidiotus cocotiphagus</i> (Coccidae).	<i>Cocos nucifera</i> (coconut)				1		Do.*
<i>Aspidiotus destructor</i> (Coccidae)	do.				1		Do.*
Do.	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Bentinckia nicobarica</i>		1				Calif.*
<i>Atta</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Calligrapha fulvipes</i> (Chrysomelidae).	do.	1					Do.*
<i>Calligrapha</i> sp. (Chrysomelidae)	do.	1					Do.*
<i>Camponotus biguttata</i> (ant)	Banana debris.	1					N. Y.
<i>Camponotus serguttata</i> var. (ant)	do.	1					Do.
<i>Camponotus</i> sp. (ant)	do.	1					Calif.*
Do.	do.	27					N. Y.
Do.	<i>Musa</i> sp. (banana)	75					Calif.*
Do.	do.	1					La.
Do.	do.	1					N. Y.
Do.	do.	1					Wash.
Do.	do.	1					Calif.*
<i>Cardiophorus</i> sp. (Elateridae)	do.	1					Do.*
<i>Catolehrus</i> sp. (Curculionidae)	Banana debris.	1					Do.*
<i>Caulophilus latinasus</i> (broad-nosed grain weevil).	do.	1					Do.*
<i>Cenchrus</i> sp. (Fulgoridae)	do.	1					N. Y.
<i>Cephaloteia pretiosa</i> (Chrysomelidae).	do.	1					Do.
Do.	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Cephaloteia puncticollis</i> (Chrysomelidae).	do.	4					Do.*
<i>Cephaloteia</i> sp. (Chrysomelidae)	Banana debris.	4					Do.*
Do.	<i>Musa</i> sp. (banana)	29					Do.*
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris.	1					Ala.
Do.	do.	1					La.
Do.	do.	7					N. Y.
Do.	<i>Musa</i> sp. (banana)	1					Mass.
<i>Chaetocnema</i> sp. (Chrysomelidae)	Banana debris.	1					Calif.*
<i>Chirida</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus sinensis</i> (orange)					1	Mass.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quartets	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Chrysomphalus perseae</i> (Coccidae)	<i>Musa</i> sp. (banana)	—	—	—	—	1	Calif.*
<i>Chrysomphalus</i> sp. (Coccidae)	do	1	—	—	—	—	N. Y.
<i>Cicadella pulchella</i> (Cicadellidae)	Banana debris	1	—	—	—	—	Calif.*
Do	<i>Musa</i> sp. (banana)	1	—	—	—	—	Do.*
<i>Cicadella rufoapicata</i> (Cicadellidae)	Banana debris	1	—	—	—	—	Do.*
<i>Cicadella</i> sp. (Cicadellidae)	<i>Musa</i> sp. (banana)	4	—	—	—	—	Do.*
Cicadellid	do	1	—	—	—	—	Do.*
<i>Clastoptera</i> sp. (Cercopidae)	Banana debris	5	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	11	—	—	—	—	Do.*
<i>Cleozona pulchra</i> (Cerambycidae)	<i>Guaiaicum officinale</i> (lignum-vitae)	1	—	—	—	—	N. Y.
<i>Cloetus</i> sp. (Scarabaeidae)	<i>Musa</i> sp. (banana)	1	—	—	—	—	Calif.*
<i>Cocconotus</i> sp. (Tettigoniidae)	Banana debris	1	—	—	—	—	N. Y.
Do	<i>Musa</i> sp. (banana)	4	—	—	—	—	Calif.*
<i>Coccotrypes</i> sp. (Scolytidae)	Banana debris	1	—	—	—	—	Do.*
Do	Palm seed	—	1	—	—	—	Do.*
<i>Colastus</i> sp. (Nitidulidae)	Banana debris	1	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	2	—	—	—	—	Do.*
<i>Conotelus</i> sp. (Nitidulidae)	Banana debris	2	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	8	—	—	—	—	Do.*
<i>Copicerus irroratus</i> (Fulgoridae)	Banana debris	1	—	—	—	—	Do.*
<i>Corizus</i> sp. (Coreidae)	<i>Musa</i> sp. (banana)	1	—	—	—	—	Do.*
<i>Cremastocheilus</i> sp. (Scarabaeidae)	do	1	—	—	—	—	Do.*
<i>Crematogaster brevispinosa</i> var. (ant.)	do	1	—	—	—	—	Do.*
<i>Crematogaster</i> sp. (ant.)	Banana debris	2	—	—	—	—	Calif.*
Do	do	6	—	—	—	—	N. Y.
Do	<i>Musa</i> sp. (banana)	37	—	—	—	—	Calif.*
Do	Orchid	—	—	1	—	—	N. Y.
<i>Cryptorhopalum septemsignatum</i> (Dermestidae)	<i>Musa</i> sp. (banana)	6	—	—	—	—	Calif.*
<i>Cryptorhopalum</i> sp. (Dermestidae)	Banana debris	2	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	6	—	—	—	—	Do.*
Cucujid	<i>Heliconia latispatha</i>	—	1	—	—	—	Do.*
<i>Cylindrocopturus</i> sp. (Curculionidae)	<i>Musa</i> sp. (banana)	1	—	—	—	—	Do.*
<i>Cyrtozipha</i> sp. (Gryllidae)	do	1	—	—	—	—	Do.*
<i>Derbe westwoodi</i> (Fulgoridae)	Banana debris	1	—	—	—	—	Do.*
<i>Dictyophara herbida</i> (Fulgoridae)	do	1	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	2	—	—	—	—	Do.*
<i>Diestostemma rugicollis</i> (Cicadellidae)	do	1	—	—	—	—	Do.*
<i>Dinocoris tripterus</i> (Pentatomidae)	do	1	—	—	—	—	Do.*
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Ochroma lagopus</i> (balsa)	—	—	1	—	—	La.
<i>Dinoderus</i> sp. (Bostrichidae)	<i>Musa</i> sp. (banana)	1	—	—	—	—	Calif.*
<i>Discocephala humilis</i> (Pentatomidae)	do	43	—	—	—	—	Do.*
<i>Disonycha</i> sp. (Chrysomelidae)	Banana debris	3	—	—	—	—	Calif.*
Do	<i>Musa</i> sp. (banana)	9	—	—	—	—	Do.*
<i>Dotichoderus debilis</i> (ant.)	Banana debris	1	—	—	—	—	N. Y.
<i>Draculacephala</i> sp. (Cicadellidae)	do	1	—	—	—	—	Calif.*
Do	<i>Musa</i> sp. (banana)	3	—	—	—	—	Do.*
<i>Dysdercus ruficollis</i> (Pyrrhocoridae)	do	1	—	—	—	—	Do.*
<i>Edessa arietina</i> (Pentatomidae)	do	1	—	—	—	—	Do.*
<i>Edessa heymonsi</i> (Pentatomidae)	Banana debris	2	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	1	—	—	—	—	Do.*
<i>Epuraea</i> sp. (Nitidulidae)	do	2	—	—	—	—	Do.*
<i>Eremocoris</i> sp. (Lygaeidae)	Banana debris	1	—	—	—	—	Do.*
<i>Eubulus</i> sp. (Curculionidae)	do	1	—	—	—	—	Do.*
<i>Euzesta thomae</i> (Ortaliidae)	do	1	—	—	—	—	Do.*
<i>Euzesta</i> sp. (Ortaliidae)	do	1	—	—	—	—	Do.*
Do	Hardwood log	1	—	—	—	—	Va.
Do	<i>Musa</i> sp. (banana)	1	—	—	—	—	Calif.*
<i>Ganaspis</i> sp. (Cynipidae)	Banana debris	1	—	—	—	—	N. Y.
Gelechiid	<i>Musa</i> sp. (banana)	1	—	—	—	—	La.
<i>Genuchinus</i> sp. (Scarabaeidae)	Banana debris	1	—	—	—	—	Calif.*
Do	<i>Musa</i> sp. (banana)	1	—	—	—	—	Do.*
<i>Geocoris</i> sp. (Lygaeidae)	do	1	—	—	—	—	Do.*
<i>Gypsona</i> sp. (Cicadellidae)	Banana debris	2	—	—	—	—	Do.*
Do	<i>Musa</i> sp. (banana)	4	—	—	—	—	Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Haltica</i> sp. (Chrysomelidae).....	Banana debris.....	1					Calif.*
Do.....	<i>Musa</i> sp. (banana).....	3					Do.*
<i>Helicoptera longiceps</i> (Fulgoridae).....	do.....	1					Do.*
<i>Ips</i> sp. (Scolytidae).....	do.....	1					Do.*
<i>Kolla</i> sp. (Cicadellidae).....	Banana debris.....	1					Do.*
Do.....	<i>Musa</i> sp. (banana).....	2					Do.*
<i>Lactica mexicana</i> (Chrysomelidae).....	do.....	2					Do.*
<i>Laemophloeus iteratus</i> (Cucujidae).....	do.....	4					Do.*
<i>Laemophloeus</i> sp. (Cucujidae).....	Banana debris.....	2					Do.*
Do.....	<i>Dimorphandra mora</i> (mora).....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	17					Calif.*
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Codiaeum</i> sp. (croton).....	1		1			N. Y.
<i>Lepyronia</i> sp. (Cercopidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Ligyrocoris</i> sp. (Pyrrhocoridae).....	do.....	8					Do.*
<i>Ligyrrus</i> sp. (Scarabaeidae).....	Banana debris.....	1					Do.*
<i>Lobiopa</i> sp. (Nitidulidae).....	<i>Musa</i> sp. (banana).....	1					Do.*
<i>Longitarsus</i> sp. (Chrysomelidae).....	Banana debris.....	1					Do.*
<i>Lyctus caribeanus</i> (Lyctidae).....	<i>Ochroma lagopus</i> (balsa).....			1			La.
<i>Lygaeus variegatus</i> (Lygaeidae).....	Banana debris.....	1					Calif.*
Do.....	<i>Musa</i> sp. (banana).....	1					Do.*
<i>Lygus</i> sp. (Miridae).....	Banana debris.....	2					Do.*
Do.....	<i>Musa</i> sp. (banana).....	5					Do.*
<i>Macropygium reticulare</i> (Pentatomidae).....	do.....	1					Do.*
Megalopygid.....	Banana debris.....	1					Ala.
<i>Metamasius sericeus</i> (silky cane weevil).....	do.....	1					Calif.*
Do.....	do.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	35					Calif.*
<i>Metazyoncha panamensis</i> (Chrysomelidae).....	do.....	1					Do.*
<i>Metriona trisignata</i> (Chrysomelidae).....	Banana debris.....	1					N. Y.
<i>Monomorium carbonarium</i> var. (ant).....	do.....	1					Do.
<i>Monomorium</i> sp. (ant).....	<i>Musa</i> sp. (banana).....	5					Calif.*
<i>Mordellistena</i> sp. (Mordellidae).....	do.....	3					Do.*
<i>Myelois</i> sp. (Pyralidae).....	<i>Tamarindus indica</i> (tamarind).....	1		1			La.
<i>Myodocha</i> sp. (Lygaeidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Nasutitermes</i> sp. (termite).....	Banana debris.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Neoponera crenata</i> (ant).....	do.....	1					Do.*
<i>Neoponera</i> sp. (ant).....	do.....	1					Do.*
<i>Nitidula</i> sp. (Nitidulidae).....	do.....	1					Do.*
Noctuid.....	Banana debris.....	2					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	3					Calif.*
<i>Ochlerus marginatus</i> (Pentatomidae).....	Banana debris.....	1					N. Y.
<i>Orthaea</i> sp. (Lygaeidae).....	<i>Musa</i> sp. (banana).....	3					Calif.*
<i>Orthezia</i> sp. (Coccidae).....	<i>Codiaeum</i> sp. (croton).....	1		1			N. Y.
<i>Pachybrachis</i> sp. (Chrysomelidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Pachylis hector</i> (Coreidae).....	do.....	1					Do.*
<i>Peltopsilopa schwarzi</i> (Ephydriidae).....	do.....	1					Do.*
<i>Parlatoria cinerea</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....					1	Do.*
<i>Pheidole</i> sp. (ant).....	Banana debris.....	2					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	2					Calif.*
Do.....	do.....	1					S. C.
<i>Phileurus</i> sp. (Scarabaeidae).....	do.....	2					Calif.*
<i>Phloeothrips</i> sp. (thrips).....	Banana debris.....	5					Do.*
Do.....	<i>Musa</i> sp. (banana).....	16					Do.*
<i>Phyllotreta</i> sp. (Chrysomelidae).....	Banana debris.....	2					Do.*
<i>Pityophthorus</i> sp. (Scolytidae).....	<i>Acacia melanoceras</i> .....			1			La.
<i>Platymetopus</i> sp. (Cicadellidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Platypus rugulosus</i> (Platypodidae).....	<i>Dimorphandra mora</i> (mora).....	1					N. Y.
Do.....	Zarote log.....	1					Do.
<i>Platypus</i> sp. (Platypodidae).....	Banana debris.....	8					Calif.*
Do.....	<i>Musa</i> sp. (banana).....	20					Do.*
<i>Platytyllus</i> sp. (Miridae).....	Banana debris.....	1					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Pleurophorus</i> sp. (Scarabaeidae)...	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Prenolepis</i> sp. (ant).....	Banana debris.....	1					Do.*
Do.....	do.....	2					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Psalis americana</i> (earwig).....	do.....	1					Do.*
Do.....	<i>Dimorphandra mora</i> (mora).....	1					N. Y.
<i>Psammocoecus insularis</i> (Cucujidae).....	<i>Musa</i> sp. (banana).....	2					Calif.*
<i>Pseudoanidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime).....					1	Do.*
Do.....	do.....					1	N. Y.
Do.....	<i>Citrus grandis</i> (grapefruit).....					2	Calif.*
Do.....	do.....					2	N. Y.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.
Do.....	<i>Citrus sinensis</i> (orange).....			1			Calif.*
Do.....	do.....					3	N. Y.
Do.....	<i>Cocos nucifera</i> (coconut).....				2		Calif.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Musa</i> sp. (banana).....	1					Ala.
Do.....	do.....	1					Calif.*
<i>Pseudomyrma flavidula</i> (ant).....	Zarote log.....	1					N. Y.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).	<i>Musa</i> sp. (banana).....	1					Do.
Psychid.....	Banana debris.....	1					La.
Do.....	do.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					La.
Pyralid.....	do.....	2					Calif.*
<i>Rivellia</i> sp. (Ortaliidae).....	Banana debris.....	1					Do.*
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Carica papaya</i> (papaya).....					1	Md.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Sinorhynon</i> sp. (Bostrichidae).....	do.....	1					Do.*
<i>Sitona</i> sp. (Curculionidae).....	do.....	1					Do.*
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind).....			1			Do.*
<i>Soronia</i> sp. (Nitidulidae).....	<i>Musa</i> sp. (banana).....	2					Do.
<i>Stenoma</i> sp. (Stenomidae).....	<i>Persea americana</i> (avocado).....					1	N. Y.
<i>Stephanoderes</i> sp. (Scolytidae).....	Banana debris.....	8					Calif.*
Do.....	<i>Musa</i> sp. (banana).....	16					Do.*
<i>Sticocephala</i> sp. (Membracidae).....	do.....	2					Do.*
<i>Teleonomia</i> sp. (Tingitidae).....	Banana debris.....	3					Do.*
Do.....	<i>Musa</i> sp. (banana).....	2					Do.*
<i>Telephanus brontooides</i> (Cucujidae).....	Banana debris.....	5					Do.*
Do.....	<i>Musa</i> sp. (banana).....	19					Do.*
<i>Telephanus setulosus</i> (Cucujidae).....	Banana debris.....	1					La.
<i>Telephanus</i> sp. (Cucujidae).....	do.....	7					Calif.*
Do.....	<i>Musa</i> sp. (banana).....	22					Do.*
<i>Temnochila</i> sp. (Ostomidae).....	do.....	1					Do.*
Tenebrionid.....	Banana debris.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Tenebroides</i> sp. (Ostomidae).....	Banana debris.....	1					Do.*
Do.....	<i>Musa</i> sp. (banana).....	1					Do.*
<i>Tetramorium</i> sp. (ant).....	do.....	1					Do.*
Tettigoniid.....	do.....	1					Do.*
<i>Tinea</i> sp. (Tineidae).....	do.....	1					N. Y.
Tineid.....	Banana debris.....	1					Ala.
Do.....	do.....	10					N. Y.
Do.....	<i>Desmoncus oxyacanthos</i> .....		1				Calif.*
Do.....	<i>Musa</i> sp. (banana).....	1					Mass.
<i>Tomaspis lepidior</i> (Cercopidae).....	Banana debris.....	2					Calif.*
Tortricid.....	<i>Musa</i> sp. (banana).....	1					Do.*
<i>Torotrypana curticauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya).....					1	La.
Do.....	do.....					1	N. Y.
<i>Trogoderma</i> sp. (Dermestidae).....	Banana debris.....	1					Calif.*
<i>Tytlhomimus</i> sp. (Curculionidae).....	do.....	3					Do.*
Do.....	<i>Musa</i> sp. (banana).....	14					Do.*
<i>Vinsonia stellifera</i> (Coccidae).....	Orchid.....	1					Fla.*
<i>Wasmannia auropunctata</i> (ant).....	Banana debris.....	8					N. Y.
<i>Xyleborus</i> sp. (Scolytidae).....	do.....	11					Calif.*
Do.....	<i>Musa</i> sp. (banana).....	18					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Diseases:							
<i>Aschersonia aleyrodis</i> .....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	-----	1	Mass.
<i>Cercospora</i> sp.....	<i>Bryophyllum pinnatum</i> .....	-----	-----	-----	1	-----	La.
<i>Diplodia natalensis</i> .....	<i>Citrus aurantifolia</i> (lime).....	-----	-----	-----	-----	1	Fla.*
Do.....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	-----	1	N. Y.
Dothidiaceae.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Mass.
<i>Gloeosporium musarum</i> .....	do.....	2	-----	-----	-----	-----	Wash.
<i>Glomerella cingulata</i> .....	<i>Carica papaya</i> (papaya).....	-----	-----	-----	-----	1	N. Y.
<i>Hypomyces</i> sp.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Do.
<i>Microcera</i> sp.....	<i>Citrus limonia</i> (lemon).....	-----	-----	-----	-----	1	Pa.
<i>Myriangium duriaei</i> .....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	-----	1	Mass.
Do.....	do.....	-----	-----	1	-----	-----	La.
<i>Myriangium</i> sp.....	<i>Citrus limonia</i> .....	-----	-----	-----	-----	1	Md.
<i>Phoma destructiva</i> .....	<i>Lycopersicum esculentum</i> .....	-----	-----	-----	-----	1	N. Y.
<i>Phyllosticta</i> sp.....	<i>Lotus</i> sp.....	-----	-----	-----	1	-----	Md.
<i>Rosellinia</i> sp.....	<i>Guaiacum officinale</i> (lignum-vitae).....	1	-----	-----	-----	-----	N. Y.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus grandis</i> (grapefruit).....	-----	-----	-----	-----	1	Do.
Do.....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	-----	2	Do.
<i>Sphaceloma</i> sp.....	<i>Citrus grandis</i> .....	-----	-----	-----	-----	1	Mass.
<i>Verticicladium</i> sp.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	N. Y.
PERU							
Insects:							
Curculionid.....	<i>Saccharum officinarum</i> .....	-----	-----	1	-----	-----	N. Y.
<i>Dinoderus minutus</i> (Bostrichidae).....	Bamboo.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Serjania mexicana</i> (barbasco).....	2	-----	-----	-----	-----	Do.
<i>Solenopsis</i> sp. (ant).....	<i>Vitis</i> sp. (grape).....	-----	-----	1	-----	-----	Do.
Diseases:							
<i>Aphelenchus avenae</i> .....	<i>Solanum tuberosum</i> .....	-----	-----	1	-----	-----	Do.
<i>Helminthosporium</i> sp.....	<i>Typha</i> sp. (cattail).....	1	-----	-----	-----	-----	Do.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....	1	-----	-----	-----	-----	Do.
PHILIPPINES							
Insects:							
<i>Acythopeus</i> sp. (Curculionidae).....	Orchid.....	1	-----	-----	-----	-----	D. C.
Do.....	Orchid (several genera).....	3	-----	-----	-----	-----	Calif.*
Do.....	do.....	2	-----	6	-----	-----	Hawaii.*
<i>Anisolabis</i> sp. (earwig).....	<i>Phalaenopsis schilleriana</i> (orchid).....	1	-----	-----	-----	-----	Calif.*
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....	-----	-----	-----	1	-----	Ga.
<i>Aspidiotus palmae</i> (Coccidae).....	Palm.....	-----	-----	-----	1	-----	La.
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Vanda caerulea</i> (orchid).....	1	-----	-----	-----	-----	Calif.*
<i>Asterolecanium pustulans</i> (Coccidae).....	<i>Mangifera indica</i> (mango).....	-----	-----	1	-----	-----	Do.*
<i>Ceroplastes rubens</i> (Coccidae).....	<i>Aglaonema</i> sp.....	-----	-----	-----	1	-----	La.
<i>Chelonarium</i> sp. (Chelonariidae).....	<i>Phalaenopsis</i> sp. (orchid).....	1	-----	-----	-----	-----	Calif.*
Chloropid.....	<i>Phalaenopsis amabilis</i> (orchid).....	1	1	-----	-----	-----	Hawaii.*
Do.....	<i>Vanda sanderiana</i> (orchid).....	1	-----	-----	-----	-----	Do.*
<i>Chrysomphalus rossi</i> (Coccidae).....	Orchid (several genera).....	5	2	-----	-----	-----	Calif.*
Do.....	<i>Renanthera storiei</i> (orchid).....	1	-----	-----	-----	-----	Hawaii.*
<i>Coccus viridis</i> (Coccidae).....	<i>Mangifera indica</i> (mango).....	-----	1	-----	-----	-----	Calif.*
<i>Diaspis</i> sp. (Coccidae).....	<i>Phalaenopsis sanderiana</i> (orchid).....	1	-----	-----	-----	-----	Do.*
<i>Dolichoderus bituberculatus</i> (ant).....	<i>Dendrobium crumenatum</i> (orchid).....	-----	-----	1	-----	-----	Hawaii.*
<i>Hemichionaspis townsendi</i> (Coccidae).....	Orchid (several genera).....	2	-----	1	-----	-----	Do.*
<i>Heterobostrychus aequalis</i> (Bostrichidae).....	<i>Swietenia mahogani</i> (mahogany).....	1	-----	-----	-----	-----	Calif.*
Do.....	Wooden crate.....	-----	1	-----	-----	-----	Do.*
<i>Icerya seychellarum</i> (Coccidae).....	<i>Arachnanthe</i> sp.....	-----	-----	1	-----	-----	Hawaii.*
<i>Laemophloeus</i> sp. (Cucujidae).....	<i>Phalaenopsis sanderiana</i> (orchid).....	1	-----	-----	-----	-----	Calif.*
<i>Lepidosaphes auriculata</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....	-----	1	-----	-----	-----	Do.*
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Aglaonema</i> sp.....	-----	-----	-----	1	-----	La.
Do.....	<i>Mangifera indica</i> (mango).....	-----	-----	1	-----	-----	Calif.*
<i>Liothrips</i> sp. (thrips).....	<i>Phalaenopsis mariae</i> (orchid).....	-----	-----	1	-----	-----	Hawaii.*
<i>Lophocateres pusillus</i> (Siamese grain beetle).....	<i>Oryza sativa</i> (rice).....	-----	1	-----	-----	-----	Pa.
<i>Lyphia</i> sp. (Tenebrionidae).....	<i>Swietenia mahogani</i> (mahogany).....	1	-----	-----	-----	-----	Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Insects—Continued.							
<i>Mertila malayensis</i> (Miridae).....	<i>Aerides lawrenciae</i> (orchid).....	-----	-----	1	-----	-----	Hawaii.*
Do.....	<i>Trichoglottis brachiata</i> .....	-----	-----	1	-----	-----	Do.*
Mirid.....	<i>Vanda</i> sp. (orchid).....	1	-----	-----	-----	-----	D. C.
Do.....	do.....	-----	-----	1	-----	-----	Hawaii.*
<i>Monomorium</i> sp. (ant).....	<i>Dendrobium taurinum</i> (orchid).....	-----	-----	1	-----	-----	Do.*
Mycetophilid.....	<i>Derris</i> sp.....	-----	1	-----	-----	-----	Do.*
<i>Neophysoopus</i> sp. (thrips).....	<i>Aerides lawrenciae</i> (orchid).....	-----	-----	1	-----	-----	Do.*
Nitidulid.....	<i>Swietenia</i> sp. (mahogany).....	1	-----	-----	-----	-----	Calif.*
<i>Parlatoria mytilaspiformis</i> (Coccidae).....	<i>Aerides</i> sp. (orchid).....	-----	-----	1	-----	-----	Do.*
<i>Parlatoria pseudaspidotus</i> (Coccidae).....	<i>Vanda teres</i> (orchid).....	1	-----	-----	-----	-----	Hawaii.*
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	-----	-----	-----	-----	1	Calif.*
<i>Phaenomerus</i> sp. (Curculionidae).....	<i>Swietenia mahogani</i> (mahogany).....	1	-----	-----	-----	-----	Do.*
<i>Phenacaspis inday</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....	1	-----	-----	-----	-----	Do.*
<i>Phenacaspis</i> sp. (Coccidae).....	<i>Chrysophyllum</i> sp.....	-----	-----	1	-----	-----	Do.*
<i>Phloeothrips</i> sp. (thrips).....	<i>Phalaenopsis sandariana</i> (orchid).....	1	-----	-----	-----	-----	Do.*
Do.....	<i>Phalaenopsis</i> sp. (orchid).....	1	-----	-----	-----	-----	Do.*
<i>Platypus lucasi</i> (Platypodidae).....	Log.....	1	-----	-----	-----	-----	Wash.
Do.....	<i>Swietenia</i> sp. (mahogany).....	1	-----	-----	-----	-----	Calif.*
<i>Ponera</i> sp. (ant).....	Orchid (several genera).....	1	-----	5	-----	-----	Hawaii.*
<i>Prays citri</i> (Philippine orange moth).....	<i>Citrus aurantifolia</i> (lime).....	1	-----	-----	-----	1	Calif.*
Do.....	<i>Citrus grandis</i> (grapefruit).....	-----	-----	-----	-----	1	Do.*
Do.....	<i>Citrus limetta</i> (sweet lime).....	-----	-----	-----	-----	2	Do.*
Do.....	<i>Citrus limonia</i> (lemon).....	-----	-----	-----	-----	2	Do.*
<i>Prenolepis</i> sp. (ant).....	<i>Arundina bambusaefolia</i> (orchid).....	1	-----	-----	-----	-----	Hawaii.*
Do.....	<i>Cymbidium finlaysonianum</i> (orchid).....	-----	-----	1	-----	-----	Do.*
Do.....	<i>Phalaenopsis sandariana</i> (orchid).....	1	-----	-----	-----	-----	Calif.*
<i>Proreus simulans</i> (earwig).....	<i>Ananas sativus</i> .....	-----	1	-----	-----	-----	Hawaii.*
<i>Pseudococcus lilacinus</i> (Coccidae).....	Orchid (several genera).....	2	2	-----	-----	-----	Calif.*
Do.....	<i>Vanda sandariana</i> (orchid).....	1	-----	-----	-----	-----	Hawaii.*
<i>Pseudococcus rirgatus</i> (Coccidae).....	<i>Dendrobium crumenatum</i> (orchid).....	-----	-----	1	-----	-----	Do.*
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Vanda luzonica</i> (orchid).....	1	-----	-----	-----	-----	Do.*
<i>Solenopsis geminata rufa</i> (ant).....	<i>Ananas sativus</i> .....	-----	1	-----	-----	-----	Do.*
<i>Stephanoderes</i> sp. (Scolytidae).....	<i>Swietenia</i> sp. (mahogany).....	1	-----	-----	-----	-----	Calif.*
<i>Stigmaeodes floridanus</i> (pineapple mite).....	<i>Ananas sativus</i> .....	1	-----	-----	-----	-----	Hawaii.*
<i>Tadius erirhinoides</i> (Curculionidae).....	<i>Dendrobium taurinum</i> (orchid).....	1	-----	-----	-----	-----	Do.*
<i>Technomyrmex albipes</i> (ant).....	do.....	-----	1	-----	-----	-----	Do.*
Do.....	<i>Mangifera indica</i> (mango).....	-----	-----	1	-----	-----	Calif.*
<i>Tenuipalpus</i> sp. (mite).....	<i>Dendrobium taurinum</i> .....	-----	-----	1	-----	-----	Hawaii.*
Do.....	<i>Saccolabium violaceum</i> (orchid).....	1	-----	-----	-----	-----	Do.*
<i>Tetramorium</i> sp. (ant).....	<i>Asplenium</i> sp.....	1	1	-----	-----	-----	Calif.*
Tetrigonid.....	<i>Phalaenopsis</i> sp. (orchid).....	-----	-----	-----	-----	-----	Do.*
<i>Trionymus sacchari</i> (Coccidae).....	<i>Saccharum officinarum</i> .....	-----	3	-----	-----	-----	D. C.
<i>Urophorus humeralis</i> (Nitidulidae).....	<i>Swietenia</i> sp. (mahogany).....	1	-----	-----	-----	-----	Calif.*
<i>Xyleborus</i> sp. (Scolytidae).....	Hardwood log.....	1	-----	-----	-----	-----	Wash.
Do.....	<i>Swietenia</i> sp. (mahogany).....	2	-----	-----	-----	-----	Calif.*
<i>Xylothrips flavipes</i> (Bostrichidae).....	Log.....	1	-----	-----	-----	-----	Wash.
Do.....	<i>Swietenia</i> sp. (mahogany).....	2	-----	-----	-----	-----	Calif.*
Diseases:							
<i>Diplodia cacaoicola</i> .....	<i>Chrysalidocarpus lutescens</i> .....	-----	-----	-----	1	-----	Pa.
Do.....	<i>Euphorbia</i> sp.....	-----	1	-----	-----	-----	D. C.
<i>Gloeosporium arecarum</i> .....	<i>Caladium</i> sp.....	-----	-----	-----	1	-----	Pa.
<i>Gloeosporium catechu</i> .....	<i>Areca catechu</i> (betel palm).....	-----	-----	3	-----	-----	Wash.
<i>Gloeosporium</i> sp.....	do.....	-----	-----	1	-----	-----	Do.
Do.....	<i>Chrysalidocarpus lutescens</i> .....	-----	-----	-----	1	-----	Pa.
Do.....	<i>Phalaenopsis grandiflora</i> (orchid).....	1	-----	-----	-----	-----	Calif.*
<i>Macrophomella</i> sp.....	<i>Areca catechu</i> .....	-----	-----	3	-----	-----	Wash.
<i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i> .....	-----	1	-----	-----	-----	N. Y.
<i>Sclerotium</i> sp.....	Orchid.....	1	-----	-----	-----	-----	D. C.
<i>Ustilaginoida virens</i> .....	<i>Oryza sativa</i> .....	-----	1	-----	-----	-----	Do.
Do.....	do.....	-----	1	-----	-----	-----	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
POLAND							
Insects:							
<i>Atricholaelaps glasgowi</i> (mite).....	<i>Secale cereale</i> .....	1					Pa.
<i>Blastodacna</i> sp. (Cosmopterygidae).....	<i>Malus sylvestris</i> (apple).....			1			N. Y.
<i>Coleophora</i> sp. (Coleophoridae).....	do.....		1				D. C.
<i>Forficula auricularia</i> (European earwig).....	do.....			1			N. Y.
<i>Glyciphagus</i> sp. (mite).....	<i>Secale cereale</i> .....	1					Pa.
Tineid.....	<i>Agaricus campestris</i> (mushroom).....	1					N. Y.
Diseases:							
<i>Anguillulina dipsaci</i> .....	<i>Solanum tuberosum</i> .....					1	Do.
<i>Claviceps purpurea</i> .....	<i>Secale cereale</i> (rye).....	1					Pa.
<i>Leptothyrium pomi</i> .....	<i>Malus sylvestris</i> (apple).....		1				N. Y.
<i>Phoma</i> sp.....	<i>Cydonia oblonga</i> (quince).....		1				Ill.
<i>Puccinia graminis</i> .....	<i>Secale cereale</i> .....		1				D. C.
<i>Ramularia</i> sp.....	<i>Malus</i> sp.....		1				Do.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot).....					1	Tex.
PORTUGAL							
Insects:							
<i>Aglossa</i> sp. (Pyralidae).....	Herb.....	1					N. Y.
<i>Agromyzid</i> .....	<i>Raphanus sativus</i> (radish).....					1	Pa.
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Cytisus patens</i> .....		1				D. C.
<i>Callidium</i> sp. (Cerambycidae).....	<i>Castanea sativa</i> (Spanish chestnut).....	1					N. Y.
Cerambycid.....	do.....	1					Do.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Citrus sinensis</i> (orange).....					2	Do.
Do.....	<i>Cydonia oblonga</i> (quince).....			1			R. I.
Do.....	<i>Eriobotrya japonica</i> (loquat).....			1			N. Y.
Do.....	<i>Malus sylvestris</i> (apple).....			1			Do.
Do.....	<i>Sorbus</i> sp.....			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Citrus sinensis</i> (orange).....					1	Do.
Do.....	do.....					1	Pa.
<i>Crematogaster</i> sp. (ant).....	<i>Quercus suber</i> (cork oak).....	1					N. Y.
Do.....	do.....	1					Pa.
<i>Crocidosema plebeiana</i> (Olethreutidae).....	<i>Zea mays</i> (corn).....	1		1			N. Y.
<i>Curculio</i> sp. (Curculionidae).....	<i>Castanea</i> sp. (chestnut).....	3					Do.
Do.....	<i>Quercus suber</i> (cork oak).....		1				D. C.
<i>Iridomyrmex</i> sp. (ant).....	<i>Eriobotrya japonica</i> (loquat).....			1			N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae).....	<i>Castanea</i> sp. (chestnut).....	24					Do.
<i>Liogryllus campestris</i> (Gryllidae).....	In cage.....				1		Ga.
Noctuid.....	<i>Castanea</i> sp. (chestnut).....			1			N. Y.
Do.....	<i>Cucurbita pepo</i> (pumpkin).....			1			Do.
Do.....	<i>Zea mays</i> (corn).....			1			Do.
<i>Parlatoria ziziphus</i> (Coccidae).....	<i>Citrus limonia</i> (lemon).....			1			Do.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).....					1	Do.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea capitata</i> .....					1	Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....					1	La.
<i>Xestobium</i> sp. (Anobiidae).....	<i>Pimpinella anisum</i> (anise).....		1				Calif.*
Diseases:							
<i>Capnodium citri</i> .....	<i>Citrus sinensis</i> (orange).....					2	N. Y.
<i>Ceratostomella fimbriata</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....			1			Do.
<i>Eurotium</i> sp.....	<i>Citrus</i> sp.....		1				Do.
<i>Puccinia graminis</i> .....	<i>Triticum aestivum</i> (wheat).....					1	Do.
<i>Puccinia rubigo-vera tritici</i> .....	do.....	1					Do.
<i>Puccinia sorghi</i> .....	<i>Zea mays</i> (corn).....			1			Do.
<i>Septoria</i> sp.....	<i>Triticum aestivum</i> .....	1					La.
<i>Sphaceloma fauvelii</i> .....	<i>Citrus limonia</i> (lemon).....	1		1			N. Y.
PRETORIA							
Insects: <i>Antliarhinus zamiae</i> (Curculionidae).....							
	<i>Encephalartos</i> sp.....		1				D. C.
PUERTO RICO							
Insects:							
<i>Adaina bipunctata</i> (Pterophoridae).....	<i>Musa</i> sp. (banana).....			1			N. Y.
<i>Adraneothrips</i> sp. (thrips).....	Banana debris.....					1	Pa.
<i>Agromyzid</i> .....	<i>Musa paradisiaca</i> (plantain).....				1		N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PUERTO RICO—Continued</b>							
<b>Insects—Continued.</b>							
<i>Aleurothrixus floccosus</i> (whitefly)	<i>Citrus</i> sp.	1					N. Y.
<i>Aleurothrixus howardii</i> (woolly whitefly)	<i>Citrus limonia</i> (lemon)				1		Do.
<i>Anastrepha acidusa</i> (Trypetidae)	<i>Mangifera indica</i> (mango)			1			Do.
<i>Anastrepha</i> sp. (Trypetidae)	<i>Annona cherimola</i> (cherimoya)			1			Do.
Do	<i>Chrysophyllum cainito</i> (star-apple)			1			Do.
Do	<i>Mangifera indica</i> (mango)				1		La.
Do	do			5			N. Y.
Do	<i>Psidium guajava</i> (guava)	1		5	1		Do.
Do	In packing around mangoes			1			Do.
Do	In container with mangoes			1			Do.
<i>Ancylostomia stercorea</i> (Pyralidae)	<i>Cajanus indicus</i> (pigeon pea)			1			Do.
<i>Aphis</i> sp. (aphid)	<i>Polytrias amaura</i> (grass)		1	1			D. C.
<i>Aspidiotus cocotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Fla.*
Do	do				1		N. Y.
Do	<i>Mangifera indica</i> (mango)			1			Do.
Do	Palm	1					Do.
Do	<i>Punica granatum</i> (pomegranate)			1			Do.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Musa</i> sp. (banana)					1	Do.
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Spondias cytherea</i> (golden apple)			1			Do.
Do	<i>Spondias mombin</i> (jobo)			1			Do.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Lippia citriodora</i> (lemon verbena)			1			Pa.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Capsicum annuum</i>	1					N. Y.
Do	<i>Dioscorea</i> sp. (yam)	1					Do.
Do	<i>Zea mays</i> (corn)					3	Do.
Do	<i>Zingiber officinale</i> (ginger)				1		Do.
<i>Atelabus sermaculatus</i> (Curculionidae)	<i>Psidium guajava</i> (guava)			1			Do.
<i>Bothriocera venosa</i> (Fulgoridae)	<i>Musa</i> sp. (banana)				1		Do.
Cecidomyiid	<i>Coriandrum sativum</i> (coriander)				1		Do.
Do	<i>Gardenia florida</i> (Cape-jasmine)				1		Do.
Do	<i>Guzmania</i> sp.					1	Do.
<i>Chaetopsis</i> sp. (Ortaliidae)	<i>Zea mays</i> (corn)					1	Ala.
Chloropid	<i>Musa</i> sp. (banana)				1		N. Y.
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i>			3			Do.
<i>Coccus viridis</i> (Coccidae)	<i>Achras sapota</i> (sapodilla)			1			Do.
Do	<i>Coffea</i> sp.				1		Fla.*
<i>Conotelus</i> sp. (Nitidulidae)	Banana debris					1	Pa.
Do	<i>Gardenia florida</i>				1		N. Y.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Ambrosia</i> sp. (ragweed)			1			Do.
<i>Diaphana</i> sp. (Pyralidae)	<i>Chayota edulis</i> (chayote)			1			Do.
<i>Diaspis echinocacti cacti</i> (Coccidae)	Cactus				1		Pa.
<i>Diatraea saccharalis</i> (sugarcane borer)	<i>Saccharum officinarum</i>					1	La.
Do	do					1	Pa.
<i>Diatraea</i> sp. (Pyralidae)	do			1			N. Y.
Do	do				2		Pa.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Psidium guajava</i> (guava)	1					N. Y.
<i>Eपुरaea</i> sp. (Nitidulidae)	<i>Zea mays</i> (corn)					1	Do.
<i>Etiella zinckenella</i> (lima bean pod borer)	<i>Cajanus indicus</i> (pigeon pea)	3		7			Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil)	<i>Ipomoea batatas</i> (sweetpotato)	1		2			Do.
Do	do					1	Pa.
<i>Euzesta</i> sp. (Ortaliidae)	<i>Citrus sinensis</i> (orange)			1			N. Y.
Do	<i>Musa paradisiaca</i> (plantain)					2	Tex.
Do	<i>Zea mays</i> (corn)					1	N. Y.
<i>Frankliniella cephalica</i> (thrips)	<i>Gardenia florida</i> (Cape-jasmine)			1			Do.
<i>Frankliniella insularis</i> (thrips)	On bouquet of roses, gardenias, tuberose, etc.				1		Pa.
Do	<i>Rosa</i> sp.				1		Do.
<i>Frankliniella</i> sp. (thrips)	On bouquet of roses, gardenias, tuberose, etc.				1		Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PUERTO RICO—Continued</b>							
<b>Insects—Continued.</b>							
Geometrid.....	<i>Psidium guajava</i> (guava).....	1					N. Y.
<i>Glauropsidia</i> sp. (Cynipidae).....	Banana debris.....					1	Pa.
<i>Haplothrips</i> sp. (thrips).....	On bouquet of roses, gardenias, tuberoses, etc.				1		Do.
<i>Haplothrips</i> sp. (thrips).....	<i>Gardenia florida</i> (Cape-jasmine).			1			N. Y.
<i>Hemichionaspis minor strachani</i> (Coccidae).....	<i>Annona muricata</i> (soursop).....			1			Do.
<i>Icerya</i> sp. (Coccidae).....	<i>Rosa</i> sp.....				1		Pa.
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Citrus</i> sp.....			1			N. Y.
Do.....	<i>Codiaeum</i> sp. (croton).....			1			Pa.
<i>Leucoptera coffeella</i> (coffee leaf miner).....	<i>Coffea</i> sp.....				1		Fla.*
<i>Maruca testulalis</i> (bean pod borer).....	<i>Phaseolus</i> sp. (string bean).....					1	N. Y.
<i>Metamasius</i> sp. (Curculionidae).....	<i>Saccharum officinarum</i> .....	1					Do.
<i>Mononus concinnulus</i> (Cucujidae).....	Banana debris.....					1	Pa.
<i>Morganella longispina</i> (Coccidae).....	<i>Citrus grandis</i> (grapefruit).....					1	N. Y.
Do.....	do.....					1	Pa.
<i>Myelois</i> sp. (Pyralidae).....	<i>Tamarindus indica</i> (tamarind).....	1		1			N. Y.
Noctuid.....	<i>Citrus medica</i> (citron).....	1					Do.
Do.....	<i>Psidium guajava</i> (guava).....	2					Do.
Olethreutid.....	do.....	2					Do.
<i>Pectinophora gossypiella</i> (pink bollworm).....	<i>Gossypium</i> sp. (cottonseed).....				1		Do.
Do.....	<i>Gossypium</i> sp. (cotton) (fiber).....				1		Do.
<i>Phenacaspis</i> sp. (Coccidae).....	<i>Hibiscus tiliaceus</i> (linden hibiscus).	1					Do.
<i>Platynota</i> sp. (Tortricidae).....	<i>Gardenia florida</i> (Cape-jasmine).					1	Do.
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> (lime).....			1	1	1	Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....					11	Calif.*
Do.....	do.....					1	La.
Do.....	do.....					1	Mass.
Do.....	do.....	4		6	1	22	N. Y.
Do.....	do.....					1	Oreg.
Do.....	do.....					2	Pa.
Do.....	<i>Citrus sinensis</i> (orange).....					1	Calif.*
Do.....	do.....					1	Fla.*
Do.....	do.....	1		4		16	N. Y.
Do.....	<i>Citrus</i> sp.....			7			Do.
Do.....	<i>Coffea</i> sp.....				1		Fla.*
Do.....	<i>Mangifera indica</i> (mango).....			1			N. Y.
Do.....	<i>Musa paradisiaca</i> (plantain).....			1			Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Musa paradisiaca</i> .....				1		Do.
<i>Pseudoparlatoria ostreata</i> (Coccidae).....	<i>Carica papaya</i> (papaya).....				2		Do.
Do.....	<i>Lippia citriodora</i> (lemon verbena).....				1		Pa.
Pterophorid.....	<i>Angelonia salicariaefolia</i> .....					1	Do.
<i>Pyrausta nubilalis</i> (European corn borer).....	<i>Zea mays</i> (corn).....					1	Calif.*
Pyraustinae (Pyralidae).....	<i>Sambucus</i> sp. (elder).....			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Dioscorea</i> sp. (yam).....			1			Do.
<i>Sciara</i> sp. (Mycetophilidae).....	Banana debris.....					2	Pa.
<i>Selenothrips rubrocinctus</i> (red-banded thrips).....	<i>Psidium guajava</i> (guava).....	1					N. Y.
<i>Sitophilus linearis</i> (tamarind pod borer).....	<i>Tamarindus indica</i> (tamarind).....					1	La.
Do.....	do.....	2					N. Y.
<i>Stenoma</i> sp. (Stenomidae).....	<i>Persea americana</i> (avocado).....				1		Do.
<i>Stephanoderes buscki</i> (Scolytidae).....	<i>Hymenaea courbaril</i> (courbaril).....				1		Pa.
<i>Stephanoderes minutus</i> (Scolytidae).....	<i>Poinciana regia</i> (royal poinciana).				1		N. Y.
<i>Tapinoma</i> sp. (ant).....	<i>Saccharum officinarum</i> .....					1	Pa.
<i>Targionia bromeliae</i> (Coccidae).....	<i>Ananas sativus</i> .....					1	N. Y.
<i>Telephanus pallidulus</i> (Cucujidae).....	<i>Musa</i> sp. (banana).....			1			Do.
<i>Tinea</i> sp. (Tineidae).....	<i>Carica papaya</i> (papaya).....	1					Do.
Do.....	<i>Saccharum officinarum</i> .....					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PUERTO RICO—Continued</b>							
<b>Insects—Continued.</b>							
Tineid.....	<i>Citrus grandis</i> (grapefruit)			1			N. Y.
Do.....	<i>Musa</i> sp. (banana)	1					N. Y.
Do.....	<i>Poinciana regia</i> (royal poinciana).				1		Do.
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Citrus grandis</i> (grapefruit)	1					Do.
<i>Wasmannia auropunctata</i> (ant).....	<i>Psidium guajava</i> (guava)	1					Do.
<b>Diseases:</b>							
<i>Capnodium citri</i> .....	<i>Citrus grandis</i> (grapefruit)					2	Do.
Do.....	do.....					1	Oreg.
Do.....	do.....					1	Pa.
Do.....	<i>Citrus sinensis</i> (orange)					2	Mass.
<i>Capnodium</i> sp.....	<i>Saccharum officinarum</i>				2		Pa.
<i>Cephaluros virescens</i> .....	<i>Citrus grandis</i>					1	Oreg.
Do.....	<i>Citrus sinensis</i> (orange)	1					N. Y.
Do.....	<i>Gardenia florida</i> (Cape-jasmine).			1			Do.
<i>Cercospora capsici</i> .....	<i>Capsicum annuum</i>	1					Do.
<i>Cercospora vaginiae</i> .....	<i>Saccharum officinarum</i>			1			Do.
<i>Cercospora</i> sp.....	Unknown leaf			2			Do.
<i>Diplocarpon rosae</i> .....	<i>Rosa</i> sp.....				2		Pa.
<i>Diplodia cacaoicola</i> .....	<i>Citrus grandis</i> (grapefruit)					1	Do.
Do.....	<i>Cocos nucifera</i> (coconut)					1	Do.
Do.....	<i>Musa</i> sp. (banana)					1	Do.
Do.....	Unknown branch	1					N. Y.
<i>Diplodia natalensis</i> .....	<i>Chrysophyllum cainito</i> (star-apple).			1			Do.
Do.....	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Diplodia</i> sp.....	do.....	1					Do.
<i>Elsinoe phaseoli</i> .....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
<i>Epicoctum</i> sp.....	Unknown leaf	1					Do.
<i>Eurotium</i> sp.....	<i>Mangifera indica</i> (mango)			1			Do.
<i>Gloeosporium pelargonii</i> .....	<i>Pelargonium</i> sp. (geranium)	1					Do.
<i>Gloeosporium sansevieriae</i> .....	<i>Sansevieria</i> sp.....				2		Do.
<i>Gloeosporium</i> sp.....	<i>Capsicum annuum</i>	1					Do.
<i>Glomerella cingulata</i> .....	do.....			1			Do.
<i>Helminthosporium</i> sp.....	<i>Valota insularis</i>	1					Do.
<i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i>	1			1		Do.
<i>Microcera</i> sp.....	<i>Citrus grandis</i> (grapefruit)					1	Mass.
Do.....	do.....					1	N. Y.
Do.....	<i>Citrus sinensis</i> (orange)					1	Pa.
Do.....	<i>Lepidosaphes beckii</i> on grapefruit.	1					N. Y.
<i>Mycosphaerella musae</i> .....	<i>Musa</i> sp. (banana)			1			Do.
<i>Myriangium duriaei</i> .....	<i>Citrus sinensis</i> (orange)					1	La.
Do.....	<i>Lepidosaphes beckii</i> on orange					1	Fla.*
Do.....	On scale on grapefruit.					1	Pa.
<i>Nectria</i> sp.....	<i>Citrus sinensis</i>					1	Va.
Perisporiaceae.....	<i>Inga</i> sp.....					1	Pa.
<i>Pestalozzia funerea</i> .....	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Pestalozzia quepini</i> .....	do.....	1					Do.
<i>Pestalozzia</i> sp.....	<i>Citrus aurantifolia</i> (lime)	1				1	Do.
<i>Phoma destructiva</i> .....	<i>Lycopersicum esculentum</i>	1					Do.
<i>Phomopsis</i> sp.....	<i>Chrysophyllum cainito</i> (star-apple).			1			Do.
<i>Phyllosticta</i> sp.....	<i>Dracaena</i> sp.....					1	Do.
<i>Puccinia urbaniana</i> .....	<i>Valerianodes</i> sp.....			1			Do.
<i>Sclerotinia</i> sp.....	<i>Mangifera indica</i> (mango)					1	Pa.
<i>Septobasidium spongia</i> .....	<i>Citrus grandis</i> (grapefruit)			1			N. Y.
Do.....	<i>Lepidosaphes beckii</i> on orange					1	Va.
<i>Septobasidium</i> sp.....	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Sphaeloma fawcettii</i> .....	<i>Citrus aurantifolia</i> (lime)					11	N. Y.
Do.....	<i>Citrus grandis</i>					1	Calif.*
Do.....	do.....	2				6	N. Y.
Do.....	do.....					1	Oreg.
Do.....	do.....					6	Pa.
Do.....	<i>Citrus limetta</i> (sweet lime)			1			N. Y.
Do.....	<i>Citrus limonia</i> (lemon)					1	Md.
Do.....	do.....			1		13	N. Y.
Do.....	<i>Citrus sinensis</i> (orange)			1	1	1	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Citrus</i> sp.....			1			N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Diseases—Continued.							
<i>Sphaerotheca panici-leucophaei</i> .....	<i>Valota insularis</i> .....	1					N. Y.
<i>Sphaeronegma</i> sp.....	<i>Colocasia esculenta</i> (dasheen)				1		Tex.
<i>Sphaerostilbe auranticola</i> .....	<i>Lepidosaphes beckii</i> on orange					1	Fla.*
<i>Stilbum</i> sp.....	<i>Psidium guajava</i> (guava)	1					N. Y.
<i>Thielaviopsis paradoxa</i> .....	<i>Saccharum officinarum</i> .....	4		6	1		Do.
<i>Vermicularia cacti</i> .....	<i>Opuntia</i> sp.....	1					Do.
<i>Verticillium</i> sp.....	<i>Musa</i> sp. (banana)					1	Pa.
RHODESIA							
Insects: <i>Aspilocoryphus fasciiventris</i> (Lygaeidae).	<i>Stapelia</i> sp.....		1				D. C.
Diseases: <i>Cerebella</i> sp.....	<i>Cynodon dactylon</i> .....		1				Do.
RUMANIA							
Insects:							
<i>Bruchophagus gibbus</i> (Eurytomidae)	<i>Medicago falcata</i> .....	1					Do.
Elaterid	<i>Solanum tuberosum</i> .....					1	Fla.*
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Pnyria scabiei</i> (potato scab gnat)	<i>Solanum tuberosum</i> .....					1	Fla.*
Tineid	<i>Agaricus campestris</i> (mushroom).	1					N. Y.
Diseases:							
<i>Claviceps microcephala</i> .....	<i>Briza media</i> .....		1				D. C.
<i>Claviceps purpurea</i> .....	<i>Bromus secalinus</i> .....		1				Do.
Do.....	<i>Bromus zenckeri</i> .....		1				Do.
Do.....	<i>Elymus sabulosus</i> .....		1				Do.
Do.....	<i>Festuca pallens</i> .....		1				Do.
Do.....	<i>Setaria argentea</i> .....		1				Do.
<i>Claviceps</i> sp.....	<i>Setaria italica</i> .....		1				Do.
<i>Gloeodes pomigena</i> .....	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Leptothyrium pomi</i> .....	do.....			1			Do.
<i>Puccinia graminis</i> .....	<i>Setaria argentea</i> .....		1				D. C.
<i>Puccinia</i> sp.....	<i>Aegilops cicornia</i> .....		1				Do.
ST. EUSTATIUS							
Insects: <i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)		1				N. Y.
ST. HELENA							
Insects: <i>Pseudonidia trilobitiformis</i> (Coccidae).	<i>Canna</i> sp.....			1			Do.
ST. KITTS							
Insects: <i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)		1				Mass.
ST. LUCIA							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus aurantifolia</i> .....	2					N. Y.
<i>Heliothis</i> sp. (Noctuidae)	<i>Rosa</i> sp.....				1		Do.
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> .....	4					Do.
<i>Hemichionaspis</i> sp. (Coccidae)	do.....	1					Do.
<i>Parlatoria ziziphus</i> (Coccidae)	do.....	1					Do.
<i>Parlatoria</i> sp. (Coccidae)	do.....	1					Do.
<i>Pseudonidia articulatus</i> (rufous scale).	do.....	1					Mass.
Do.....	do.....	69					N. Y.
Do.....	<i>Citrus sinensis</i> (orange)	1					Do.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind).	1					Do.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Citrus aurantifolia</i> (lime)	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ST. LUCIA—Continued							
Diseases:							
<i>Diplodia cacaicola</i> .....	do.....	2					N. Y.
<i>Diplodia natalensis</i> .....	do.....	3					Do.
<i>Diplodia</i> sp.....	do.....	1					Do.
<i>Phyllosticta</i> sp.....	<i>Citrus sinensis</i> (orange).....	1				1	Md.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus aurantifolia</i> .....					1	N. Y.
Do.....	<i>Citrus sinensis</i> .....					1	Tex.
ST. MARTIN							
Diseases: <i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i> .....			1			N. Y.
ST. VINCENT							
Insects:							
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....			1			Do.
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> (lime).....					1	Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....					1	Do.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine).....					1	Do.
Do.....	<i>Citrus sinensis</i> (orange).....					1	Do.
Diseases:							
<i>Capnodium citri</i> .....	<i>Citrus aurantifolia</i> .....					1	Mass.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....			1			N. Y.
<i>Thielaviopsis paradoxa</i> .....	<i>Saccharum officinarum</i> .....			1			Do.
SALVADOR							
Insects:							
<i>Chrysomphalus scutiformis</i> (Coccidae).....	<i>Citrus aurantifolia</i> .....					1	Calif.*
<i>Crematogaster</i> sp. (ant).....	<i>Swietenia</i> sp. (mahogany).....	1					N. Y.
<i>Dinoderus minutus</i> (Bostrichidae).....	Bamboo.....					1	Calif.*
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Swietenia</i> sp. (mahogany).....	1					N. Y.
<i>Platypus rugulosus</i> (Platypodidae).....	<i>Tabebuia donnell-smithii</i> (primavera).....	1					Do.
<i>Plocamus hispidulus</i> var. (Curculionidae).....	<i>Swietenia</i> sp. (mahogany).....	1					Do.
<i>Psalis americana</i> (earwig).....	do.....	1					Do.
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> (lime).....			1			Calif.*
Do.....	<i>Citrus sinensis</i> (orange).....					1	Do.*
<i>Pyrophorus</i> sp. (Elateridae).....	<i>Swietenia</i> sp. (mahogany).....	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite).....	do.....	1					Do.
<i>Solenopsis</i> sp. (ant).....	do.....	1					Do.
SAMOA							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....		2				Calif.*
Cucujid.....	do.....	1					Do.*
<i>Tetramorium</i> sp. (ant).....	do.....		1				Do.*
SCOTLAND							
Insects:							
<i>Argyresthia conjugella</i> (Yponomeutidae).....	<i>Sorbus</i> sp. (mountain-ash).....		5				Pa.
Cecidomyiid.....	<i>Calluna vulgaris</i> (heather).....		1				Do.
<i>Ceutorhynchus ericae</i> (Curculionidae).....	do.....		1				Md.
Do.....	do.....		3				Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica oleracea capitata</i> .....					1	N. Y.
Do.....	<i>Brassica rapa</i> (turnip).....					1	Ala.
Do.....	do.....					1	Md.
Gelechiid.....	<i>Calluna vulgaris</i> .....		1				Pa.
Geometrid.....	do.....		1				Md.
Do.....	do.....		3				Pa.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Brassica rapa</i> .....					1	Ala.
Do.....	do.....					1	Md.
Do.....	do.....					1	Mass.
Do.....	do.....					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SCOTLAND—Continued							
Insects—Continued.							
<i>Macrosiphum kaltenbachii</i> (aphid)	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Calluna vulgaris</i>		1				Pa.
<i>Lycophotia</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
Mirid	<i>Primula</i> sp. (primrose)			1			Do.
<i>Myzus veronicae</i> (aphid)	<i>Hedera</i> sp.			1			Do.
Do	<i>Primula</i> sp. (primrose)			1			Do.
Noctuid	<i>Calluna vulgaris</i> (heather)		1				Pa.
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Plutella maculipennis</i> (diamond-back moth).	do					1	Do.
<i>Scolopostethus decoratus</i> (Lygaeidae).	<i>Calluna vulgaris</i>		1				Md.
<i>Taeniothrips atratus</i> (thrips)	do		1				Do.
Do	do		1				Pa.
<i>Taeniothrips ericae</i> (thrips)	do		7				Md.
Do	do		24				Pa.
<i>Taeniothrips pictipes</i> (thrips)	do		1				Do.
<i>Thrips flavus</i> (thrips)	do		1				Do.
Tortricid	do		3				Do.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		2				D. C.
<i>Bacterium pruni</i>	<i>Sorbus aucuparia</i> (European mountain-ash).		1				Pa.
<i>Lophodermium pinastri</i>	<i>Pinus sylvestris</i> (Scotch pine)		1				Md.
<i>Phoma lingam</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	do					1	Pa.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				N. Y.
Do	do		1				Pa.
<i>Ramularia destructiva</i>	<i>Myrica gale</i> (sweetgale)		1				Md.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)					1	N. Y.
<i>Sclerotium</i> sp.	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	N. Y.
Do	do					1	Pa.
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)					1	N. Y.
<i>Verticillium</i> sp.	<i>Daucus carota</i>					1	Tex.
SIAM							
Insects:							
<i>Amblythrips</i> sp. (thrips)	<i>Aerides falcatum</i> (orchid)		1				Hawaii.*
Do	<i>Dendrobium dalhousieanum</i> (orchid).		1				Do.*
Do	<i>Dendrobium formosum giganteum</i> (orchid).		1				Do.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Vanda teres</i> (orchid).		1				Do.*
<i>Frankliniella</i> sp. (thrips)	<i>Aerides falcatum</i> (orchid).		1				Do.*
<i>Hemichionaspis townsendi</i> (Coccidae).	<i>Aerides odoratum</i> (orchid)		1				Do.*
<i>Hindsiana</i> sp. (thrips)	<i>Dendrobium findlayanum</i> (orchid).		1				Do.*
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Oryza sativa</i> (paddy rice)		1				Wash.
<i>Parlatoria pseudaspidotus</i> (Coccidae).	<i>Vanda teres</i> (orchid)		1				Hawaii.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Pa.
<i>Phenacaspis dendrobii</i> (Coccidae)	<i>Dendrobium draconis</i> (orchid)		1				Hawaii.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Afjeka</i> sp.			1			D. C.
<i>Tenuipalpus</i> sp. (mite)	<i>Dendrobium dalhousieanum</i> (orchid).		1				Hawaii.*
SIBERIA							
Insects:							
<i>Apion</i> sp. (Curculionidae)	<i>Vicia unijuga</i>		1				D. C.
<i>Bruchus atomarius</i> (Bruchidae)	Legume		1				Do.
Diseases:							
<i>Claviceps microcephala</i>	<i>Agrostis alba</i>		1				Do.
<i>Claviceps purpurea</i>	<i>Alopecurus pratensis</i> (meadow foxtail).		1				Do.
Do	<i>Alopecurus ventricosus</i>		1				Do.
Do	<i>Bromus inermis</i>		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>SIERRA LEONE</b>							
Diseases:							
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)				1	Pa.	
<b>SPAIN</b>							
Insects:							
Agromyzid	<i>Brassica oleracea capitata</i>					1 Pa.	
<i>Anarsia lineatella</i> (peach twig borer).	<i>Amygdalus persica</i> (peach)					2 N. Y.	
Do.	do.					1 Pa.	
Anthomyiid	<i>Allium sativum</i> (garlic)					1 Md.	
Do.	<i>Beta vulgaris cicla</i> (Swiss chard).					1 N. Y.	
<i>Aphaenogaster testaceopilosa</i> (ant)	<i>Quercus</i> sp.	1				Do.	
<i>Callidium</i> sp. (Cerambycidae)	<i>Castanea</i> sp. (chestnut)	2				Do.	
Cecidomyiid	<i>Cichorium intybus</i> (witloof)					1 Mass.	
Do.	<i>Cynara scolymus</i> (globe artichoke).					1 Do.	
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)					2 Do.	
Do.	do.					4 N. Y.	
Do.	<i>Citrus limonia</i> (lemon)					1 Do.	
Do.	<i>Citrus sinensis</i> (orange)					1 Mass.	
Do.	do.					2 N. Y.	
Do.	do.					1 Pa.	
Do.	<i>Prunus armeniaca</i> (apricot)					1 Mass.	
Do.	<i>Vitis</i> sp. (grape)		1			1 Md.	
Do.	do.					2 N. Y.	
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1 La.	
<i>Chilo simplex</i> (Asiatic rice borer)	Rice straw packing	3				1 N. Y.	
Chloropid	do.	1				Do.	
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)			1		1 Do.	
Do.	<i>Citrus sinensis</i> (orange)					2 Do.	
Do.	<i>Euonymus</i> sp.				1	Do.	
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Pisum sativum</i> (pea)					1 La.	
Crambinae (Pyralidae)	<i>Oryza sativa</i> (rice)	1				1 N. Y.	
<i>Crematogaster</i> sp. (ant)	<i>Punica granatum</i> (pomegranate).			1		Do.	
Do.	<i>Quercus suber</i> (cork oak)	1				Do.	
Do.	<i>Quercus</i> sp. (oak)	1				1 Md.	
<i>Cryptoblabes gnidiella</i> (Pyralidae)	<i>Punica granatum</i>				1	Pa.	
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)			3		1 N. Y.	
Do.	<i>Quercus suber</i> (cork oak)			1		1 Pa.	
<i>Diatraea</i> sp. (Pyralidae)	Rice straw packing	1				1 N. Y.	
<i>Dicyphus annulatus</i> (Miridae)	<i>Lactuca sativa</i> (lettuce)					1 Do.	
<i>Epidiaspis piriicola</i> (Italian pear scale).	<i>Pyrus communis</i> (pear)				1	Do.	
Gelechiid	<i>Eriobotrya japonica</i> (loquat)			1		Do.	
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica oleracea capitata</i>					1 Do.	
Do.	do.					1 Pa.	
Do.	<i>Brassica rapa</i> (turnip)					1 La.	
Do.	<i>Daucus carota</i> (carrot)					1 N. Y.	
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	36		1		Do.	
Liparid	<i>Quercus suber</i> (cork oak)	1				Do.	
<i>Myelois</i> sp. (Pyralidae)	<i>Citrus sinensis</i> (navel orange)					1 Do.	
Do.	<i>Malus sylvestris</i> (apple)					1 Pa.	
Noctuid	<i>Capsicum annuum</i>					1 Do.	
Do.	<i>Vitis</i> sp. (grape)					1 Do.	
Ortallid	<i>Solanum tuberosum</i>					1 Miss.	
<i>Parlatoria oleae</i> (Coccidae)	<i>Eriobotrya japonica</i> (loquat)			1		1 N. Y.	
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon)					1 Calif.*	
Do.	do.					2 N. Y.	
Do.	<i>Citrus nobilis deliciosa</i> (tangerine).			1		4 Do.	
Do.	<i>Citrus sinensis</i> (orange)					1 Calif.*	
Do.	do.			1		4 N. Y.	
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)					1 Do.	
Phycitinae (Pyralidae)	<i>Citrus sinensis</i>					1 Do.	
Do.	<i>Oryza sativa</i> (rice)			1		Do.	
Do.	<i>Punica granatum</i> (pomegranate).			1		Do.	
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					2 Do.	
Do.	do.					1 Pa.	

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Insects—Continued.							
<i>Plusia</i> sp. (Noctuidae)	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
<i>Pseudococcus boninsis</i> (Coccidae)	<i>Saccharum officinarum</i>	1					D. C.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Punica granatum</i> (pomegranate).			1			N. Y.
Psychid	<i>Quercus suber</i> (cork oak)	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	1				1	Do.
Do	<i>Solanum tuberosum</i>					1	Pa.
<i>Sciara fenestratis</i> (Mycetophilidae)	do					1	Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i>					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)					1	Pa.
Do	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Tenuipalpus</i> sp. (mite)	<i>Eriobotrya japonica</i> (loquat)			1			Do.
<i>Tetramorium</i> sp. (ant)	<i>Cynara scolymus</i> (globe artichoke).					1	Do.
<i>Tetranychus</i> sp. (mite)	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Tinea</i> sp. (Tineidae)	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Solanum tuberosum</i>					1	Tex.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea</i>					1	Pa.
Do	<i>Brassica oleracea capitata</i>					3	Do.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Bacterium syringae</i>	<i>Citrus limonia</i> (lemon)					2	La.
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>					1	N. Y.
<i>Capnodium citri</i>	<i>Citrus limonia</i>					3	Pa.
Do	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Cercospora apii</i>	<i>Petroselinum hortense</i> (parsley).					1	N. Y.
<i>Cercospora beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard).					1	Do.
<i>Colletotrichum circinans</i>	<i>Allium cepa</i> (onion)					1	Tex.
<i>Colletotrichum</i> sp.	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Epicoccum</i> sp.	<i>Castanea</i> sp. (chestnut)	1					N. Y.
<i>Eurotium</i> sp.	<i>Oryza sativa</i> (rice)	1					Do.
<i>Gloeodes pomigena</i>	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Helminthosporium</i> sp.	<i>Allium sativum</i> (garlic)					1	Ala.
Do	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)					1	Do.
Oedema	<i>Brassica oleracea capitata</i>					1	Do.
<i>Oidium euonymi-japonici</i>	<i>Euonymus</i> sp.				1		N. Y.
<i>Oospora citri aurantii</i>	<i>Citrus limonia</i> (lemon)					1	Calif.*
<i>Phoma</i> sp.	<i>Solanum tuberosum</i>					1	Pa.
<i>Phymatotrichum</i> sp.	<i>Brassica oleracea capitata</i>					1	Do.
<i>Phyalospora matorum</i>	<i>Malus sylvestris</i>					1	Do.
<i>Pleospora herbarum</i>	<i>Eriobotrya japonica</i> (loquat)					1	Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	4					N. Y.
<i>Puccinia rubigo-vera tritici</i>	do	1					Do.
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)					1	Pa.
<i>Pythium</i> sp.	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)					1	Pa.
Do	<i>Daucus carota</i> (carrot)					1	La.
<i>Sclerotinia</i> sp.	<i>Brassica rapa</i> (turnip)					1	Pa.
Do	<i>Vitis</i> sp. (grape)					1	Do.
<i>Sclerotium cepivorum</i>	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	10					N. Y.
<i>Sclerotium</i> sp.	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Pa.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					3	N. Y.
Do	do					2	Pa.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)					1	Wash.
<i>Sphaeloma faucettii</i>	<i>Citrus sinensis</i> (orange)					1	N. Y.
<i>Sphaeronema</i> sp.	<i>Allium cepa</i> (onion)					1	S. C.
<i>Tilletia laevis</i>	<i>Triticum aestivum</i> (wheat)		1				D. C.
<i>Uredo</i> sp.	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Uromyces betae</i>	<i>Beta vulgaris cicla</i> (Swiss chard).					1	N. Y.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)			1			Do.
<i>Verticillium</i> sp.	<i>Allium porrum</i> (leek)					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>STRAITS SETTLEMENTS</b>							
<b>Insects:</b>							
<i>Caryedon fuscus</i> (Bruchidae).....	In bag containing tamarinds.....	-----	-----	-----	-----	1	N. Y.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind).....	-----	-----	-----	-----	1	Do.
<b>Diseases:</b>							
<i>Capnodium citri</i> .....	<i>Citrus aurantifolia</i> (lime).....	-----	-----	-----	-----	2	Do.
<i>Stysanus stemonites</i> .....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	1	Mass.
<i>Stysanus</i> sp.....	do.....	-----	-----	-----	-----	1	Wash.
<b>SUMATRA</b>							
<b>Diseases:</b>							
<i>Diplodia</i> sp. (?).....	<i>Zea mays</i> (corn).....	1	-----	-----	-----	-----	Mich.
<i>Fumago</i> sp.....	Unidentified plant.....	1	-----	-----	-----	-----	Do.
<b>SWEDEN</b>							
<b>Insects:</b>							
Anthomyiid.....	<i>Apium graveolens rapaceum</i> (celeriac).....	-----	-----	-----	-----	1	Pa.
Do.....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	1	Do.
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Malus sylvestris</i> (apple).....	-----	1	-----	-----	-----	D. C.
Do.....	<i>Pyrus communis</i> (pear).....	-----	1	-----	-----	-----	Do.
<i>Blastodacna</i> sp. (Cosmopterygidae).	<i>Prunus</i> sp. (cherry).....	-----	1	-----	-----	-----	Do.
<i>Ceutorhynchus</i> sp. (Curculionidae).	<i>Brassica rapa</i> (turnip).....	-----	-----	-----	-----	1	Pa.
Chermid.....	<i>Apium graveolens</i> (celery).....	-----	-----	-----	-----	1	N. Y.
<i>Chionaspis salicis</i> (Coccidae).....	<i>Fragaria</i> sp. (ash).....	-----	-----	1	-----	-----	Do.
Do.....	<i>Salix</i> sp. (willow).....	-----	1	-----	-----	-----	D. C.
Do.....	<i>Vaccinium</i> sp.....	-----	-----	1	-----	-----	N. Y.
<i>Coleophora</i> sp. (Coleophoridae).....	<i>Malus sylvestris</i> (apple).....	-----	1	-----	-----	-----	D. C.
<i>Euzesta</i> sp. (Ortalidae).....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	1	La.
Gelechiid.....	<i>Alnus</i> sp. (alder).....	-----	-----	1	-----	-----	N. Y.
Geometrid.....	In soil around plants.....	-----	1	-----	-----	-----	Wash.
<i>Hylemyia</i> sp. (Anthomyiidae).....	<i>Allium cepa</i> (onion).....	-----	-----	-----	-----	1	Fla.*
Do.....	<i>Brassica rapa</i> (turnip).....	-----	-----	-----	-----	2	Pa.
<i>Hypera</i> sp. (Curculionidae).....	<i>Lonicera</i> sp. (honeysuckle).....	-----	-----	1	-----	-----	N. Y.
Otitid.....	<i>Passiflora suberosa</i> (cork passion flower).....	-----	1	-----	-----	-----	D. C.
<i>Phyllocoptes schlehtendali</i> (rusty leaf mite).....	<i>Malus sylvestris</i> (apple).....	-----	1	-----	-----	-----	Do.
<i>Pieris</i> sp. (Pieridae).....	<i>Brassica oleracea botrytis</i> (cauliflower).....	-----	-----	-----	-----	1	N. Y.
<i>Pityogenes chalcographus</i> (Scolytidae).....	<i>Abies</i> sp. (fir).....	-----	-----	-----	1	-----	Md.
<i>Plutella maculipennis</i> (diamond-back moth).....	<i>Brassica oleracea botrytis</i> (cauliflower).....	-----	-----	-----	-----	1	N. Y.
Do.....	<i>Brassica oleracea capitata</i> .....	-----	-----	-----	-----	1	Do.
<i>Psila rosae</i> (carrot rust fly).....	<i>Apium graveolens rapaceum</i> (celeriac).....	-----	-----	-----	-----	1	Pa.
Do.....	<i>Daucus carota</i> (carrot).....	-----	-----	-----	-----	1	Md.
<i>Psila</i> sp. (Psilidae).....	<i>Apium graveolens</i> (celery).....	-----	-----	-----	-----	1	Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Allium cepa</i> (onion).....	-----	-----	-----	-----	1	Fla.*
Do.....	do.....	-----	-----	-----	-----	1	Pa.
Do.....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	2	N. Y.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Allium cepa</i> .....	-----	-----	-----	-----	1	La.
Do.....	do.....	-----	-----	-----	-----	1	Mass.
Do.....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	1	La.
<i>Tetramorium reginodis</i> (ant).....	In soil around plant.....	-----	-----	1	-----	-----	N. Y.
<b>Diseases:</b>							
<i>Alternaria brassicae</i> .....	<i>Brassica oleracea capitata</i> .....	-----	-----	-----	-----	2	Pa.
<i>Aphelenchoides parietinus</i> .....	<i>Daucus carota</i> (carrot).....	-----	-----	-----	-----	1	Do.
Do.....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	1	Do.
<i>Bacterium maculicolum</i> .....	<i>Brassica oleracea capitata</i> .....	-----	-----	-----	-----	2	Do.
<i>Cytospora nivea</i> .....	<i>Populus tremula erecta</i> .....	-----	1	-----	-----	-----	D. C.
<i>Diplodia</i> sp.....	<i>Daucus carota</i> (carrot).....	-----	-----	-----	-----	1	Ga.
<i>Eurotium</i> sp.....	<i>Solanum tuberosum</i> .....	-----	-----	-----	-----	1	Mass.
Do.....	do.....	-----	-----	-----	-----	1	Tex.
<i>Erobasidium vaccinii</i> .....	<i>Azalea</i> sp.....	-----	-----	-----	-----	1	Pa.
<i>Helminthosporium</i> sp.....	<i>Allium porrum</i> (leek).....	-----	-----	-----	-----	1	Md.
<i>Monilia</i> sp.....	<i>Prunus</i> sp. (cherry).....	-----	-----	-----	-----	1	N. Y.
<i>Mycosphaerella schoenoprasii</i> .....	<i>Allium porrum</i> .....	-----	-----	-----	-----	1	Md.
Do.....	do.....	-----	-----	-----	-----	1	Pa.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SWEDEN—Continued							
Diseases—Continued.							
<i>Oospora</i> sp.-----	<i>Brassica rapa</i> (turnip)-----					1	Ala.
<i>Papulospora sepedenioides</i> -----	<i>Daucus carota</i> -----					1	Do.
<i>Phoma lingam</i> -----	<i>Brassica oleracea capitata</i> -----					1	La.
Do-----	do-----					1	Pa.
<i>Puccinia graminis</i> -----	<i>Secale cereale</i> (rye)-----	1					Wash.
<i>Rhizoctonia</i> sp.-----	<i>Brassica rapa</i> (turnip)-----					1	Ala.
<i>Sclerotinia sclerotiorum</i> -----	<i>Daucus carota</i> (carrot)-----					2	Do.
Do-----	do-----					1	La.
Do-----	do-----					1	Miss.
Do-----	do-----					2	Pa.
Do-----	do-----					2	Tex.
Do-----	<i>Pastinaca sativa</i> (parsnip)-----					1	Miss.
Do-----	do-----					1	N. Y.
Do-----	<i>Petroselinum hortense</i> (parsley)-----					1	Ala.
<i>Sclerotinia</i> sp.-----	<i>Allium cepa</i> (onion)-----					1	Pa.
Do-----	<i>Beta vulgaris</i> (beet)-----					1	Ala.
Do-----	do-----					1	Pa.
Do-----	<i>Daucus carota</i> -----					1	Do.
Do-----	<i>Pastinaca sativa</i> (parsnip)-----					1	La.
Do-----	<i>Solanum tuberosum</i> -----					1	Ala.
<i>Sclerotium</i> sp.-----	<i>Brassica rapa</i> -----					1	Miss.
<i>Venturia pyrina</i> -----	<i>Pyrus communis</i> (pear)-----			1			N. Y.
SWITZERLAND							
Insects:							
<i>Laspeyresia splendana</i> (Olethreutidae)-----	<i>Castanea</i> sp. (chestnut)-----		1				Pa.
Olethreutid-----	<i>Prunus</i> sp. (cherry)-----		1				D. C.
Diseases:							
<i>Leptothyrium pomi</i> -----	<i>Malus sylvestris</i> (apple)-----					1	Pa.
<i>Puccinia graminis</i> -----	<i>Triticum aestivum</i> (wheat)-----	1					N. Y.
SYRIA							
Insects:							
<i>Aspidiotus persearum</i> (Coccidae)-----	<i>Eriobotrya japonica</i> (loquat)-----		1				D. C.
<i>Chilo simplex</i> (Asiatic rice borer)-----	<i>Oryza sativa</i> (rice)-----			1			N. Y.
<i>Cryptoblabes</i> sp. (Pyrilidae)-----	<i>Punica granatum</i> (pomegranate)-----			1			Do.
<i>Diatraea</i> sp. (Pyrilidae)-----	<i>Saccharum officinarum</i> -----			1			Do.
Gometrid-----	<i>Citrus limonia</i> (lemon)-----					1	Do.
<i>Nicobium castaneum</i> (Anobiidae)-----	Wood case-----	1					Do.
<i>Parlatoria oleae</i> (Coccidae)-----	<i>Olea europaea</i> (olive)-----	1					D. C.
Do-----	do-----	1					Mass.
<i>Pollinia pollini</i> (Coccidae)-----	do-----	1					D. C.
Diseases:							
<i>Puccinia graminis</i> -----	<i>Triticum aestivum</i> (wheat)-----	1					N. Y.
<i>Venturia inaequalis</i> -----	<i>Malus sylvestris</i> (apple)-----			1			Do.
TAHITI							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)-----	<i>Cocos nucifera</i> (coconut)-----			2			Calif.*
<i>Ereumetis</i> sp. (Tineidae)-----	do-----					1	Do.*
Eupteryginae (Cicadellidae)-----	do-----	1					Do.*
<i>Euwallacea</i> sp. (Scolytidae)-----	<i>Mangifera indica</i> (mango)-----		1				Hawaii.*
<i>Lepidosaphes</i> sp. (Coccidae)-----	<i>Cocos nucifera</i> (coconut)-----	2		1			Calif.*
Noctuid-----	do-----	1					Do.*
Phycitinae (Pyrilidae)-----	do-----	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae)-----	do-----	1		2			Do.*
Do-----	<i>Durio zibethinus</i> -----			1			Do.*
Tineid-----	<i>Cocos nucifera</i> -----	1					Do.*
Do-----	<i>Colocasia</i> sp.-----		1				Hawaii.*
Do-----	<i>Cocos nucifera</i> -----			1			Do.*
Do-----	<i>Nephetium</i> sp.-----		1				Do.*
TAIWAN							
Diseases: <i>Sphaceloma fawcettii</i> -----							
	<i>Citrus sinensis</i> (orange)-----					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TANGANYIKA							
Insects:							
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.	1				N. Y.	
<i>Xyleborus coffeae</i> (Scolytidae)	do.	1				Do.	
TASMANIA							
Diseases: <i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple)					1 Ala.	
TRANSVAAL							
Insects							
<i>Gryllacris</i> sp. (Acrididae)	<i>Gossypium</i> sp. (cotton)		1			D. C.	
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Copaiifera mopane</i>		1			Do.	
TRINIDAD							
Insects:							
<i>Aleurotulus nephrolepidis</i> (white-fly).	Fern			1		D. C.	
<i>Anastrepha</i> sp. (Trypetidae)	<i>Citrus grandis</i> (grapefruit)				2	La.	
Do	<i>Citrus sinensis</i> (orange)			1		N. Y.	
Do	<i>Mangifera indica</i> (mango)			1		Do.	
<i>Aspidiotus destructor</i> (Coccidae)	<i>Pandanus</i> sp. (screwpine)			1		Do.	
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Cucumis sativus</i> (cucumber)				1	Do.	
<i>Catorama</i> sp. (Anobiidae)	<i>Theobroma cacao</i> (cacao)	1				Calif.*	
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Saccharum officinarum</i>			1		Mass.	
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Areca madagascariensis</i>		1			D. C.	
Do	<i>Hydriastele wendlandiana</i> (Wendland palm).		1			Do.	
<i>Crematogaster brevispinosa</i> var. (ant).	<i>Myristica fragrans</i> (nutmeg)			1		N. Y.	
<i>Cycloptilum antillarum</i> (Gryllidae)	<i>Dioscorea</i> sp. (yam)			1		Do.	
<i>Dinoderus minutus</i> (Bostrichidae)	Wooden basket				1	Do.	
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				1	Do.	
<i>Euzesta</i> sp. (Ortalidae)	<i>Persea americana</i> (avocado)				1	Pa.	
<i>Frankliniella ameliae</i> (thrips)	<i>Rosa</i> sp.			1		Fla.*	
<i>Frankliniella insularis</i> (thrips)	do.			1		Do.*	
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)	2		1		N. Y.	
<i>Hemichionaspis</i> sp. (Coccidae)	do.	1				Do.	
<i>Marmara</i> sp. (Gracilariidae)	<i>Citrus sinensis</i> (orange)				1	Calif.*	
Do	do.				1	N. Y.	
Do	do.				1	P. R.	
Olethreutid.	<i>Theobroma cacao</i> (cacao)			1		N. Y.	
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon)				1	Do.	
<i>Pheidole</i> sp. (ant)	<i>Oncidium papilio</i> (orchid)		1			D. C.	
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)	4			1	N. Y.	
Do	<i>Citrus grandis</i> (grapefruit)				2	Calif.*	
Do	do.				2	N. Y.	
Do	<i>Citrus nobilis deliciosa</i> (tangerine).				1	Do.	
Do	do.				1	Pa.	
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange).				1	Calif.*	
Do	<i>Citrus sinensis</i> (orange)			3	1	N. Y.	
Do	do.			1		Pa.	
Do	<i>Citrus</i> sp.				1	La.	
<i>Pseudococcus</i> sp. (Coccidae)	<i>Myristica fragrans</i> (nutmeg)		1			N. Y.	
Do	<i>Theobroma cacao</i> (cacao)		1			Do.	
<i>Stelidota</i> sp. (Nitidulidae)	do.		1			Do.	
<i>Stenomora</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)				1	Md.	
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)	1		2		N. Y.	
Diseases:							
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)				1	Pa.	
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>			1		Mass.	
<i>Cladosporium cucumerinum</i>	<i>Cucumis sativus</i> (cucumber)				1	N. Y.	
Do	do.				1	Pa.	
Do	<i>Cucurbita maxima</i> (squash)				1	N. Y.	
<i>Colletotrichum</i> sp.	<i>Catsetum tridentatum</i>		1			D. C.	
Do	<i>Pandanus</i> sp. (screwpine)			1		N. Y.	

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>TRINIDAD—Continued</b>							
Diseases—Continued.							
<i>Diplodia cacaoicola</i> .....	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
Do.....	<i>Persea americana</i> (avocado)				1		Pa.
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato)			1			N. Y.
<i>Isaria</i> sp.....	<i>Myristica fragrans</i> (nutmeg)			1			Do.
<i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i>			1	1		Do.
<i>Myriangium duriaei</i> .....	On scale on grapefruit	1					Do.
<i>Oospora citri-aurantii</i> .....	<i>Citrus limonia</i> (lemon)					1	Pa.
<i>Pestalozzia</i> sp.....	<i>Pandanus</i> sp. (screwpine)			1			N. Y.
<i>Phoma</i> sp.....	<i>Lactuca sativa</i> (lettuce)					1	Do.
Do.....	<i>Vangueria infausta</i>			1			Do.
<i>Septoria petroselini</i> .....	<i>Petroselinum hortense</i> (parsley)					1	Do.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus limonia</i> (lemon)					1	Do.
Do.....	<i>Citrus nobilis deliciosa</i> (tangerine)					1	Do.
<i>Thielaviopsis paradoxa</i> .....	<i>Saccharum officinarum</i>				1		Do.
<b>TRIPOLI</b>							
Insects:							
<i>Lepidosaphes halli</i> (Coccidae).....	<i>Prunus armeniaca</i> (apricot)		1				D. C.
<i>Pseudaonidia articulatus</i> (rufous scale).	do.....		1				Do.
<b>TUNIS</b>							
Insects:							
<i>Aspidiotus lenticularis</i> (Coccidae).....	<i>Olea europaea</i> (olive)		1				Do.
<i>Lepidosaphes conchiformis</i> (Coccidae).	do.....		1				Do.
<i>Phloeotribus scarabaeoides</i> (Scolytidae).	do.....		2				Do.
Diseases:							
<i>Phoma</i> sp.....	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Ramularia</i> sp.....	<i>Rosa</i> sp.....		1				D. C.
<i>Sclerotinia</i> sp.....	<i>Beta vulgaris</i> (beet)					1	Pa.
<b>TURKEY</b>							
Insects:							
<i>Acanthotepis</i> sp. (ant).....	<i>Melica</i> sp.....	1					D. C.
<i>Agromyza</i> sp. (Agromyzidae).....	<i>Iris reticulata</i>			1			Mass.
Do.....	<i>Iris</i> sp.....			1			Do.
<i>Aphaenogaster</i> sp. (ant).....	<i>Juglans</i> sp. (walnut)	1					Md.
<i>Apion</i> sp. (Curculionidae).....	<i>Althaea</i> sp.....	1					D. C.
Do.....	<i>Lathyrus</i> sp.....	1					Do.
Do.....	<i>Olea europaea</i> (olive)	1					Do.
Do.....	<i>Vicia</i> sp. (vetch)	1					Do.
<i>Balclutha</i> sp. (Cicadellidae).....	<i>Agrostis</i> sp.....	1					Do.
Do.....	<i>Melica</i> sp.....	2					Do.
<i>Blaps</i> sp. (Tenebrionidae).....	<i>Quercus</i> sp. (acorn)	1					N. Y.
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Onobrychis</i> sp.....	1					D. C.
<i>Bruchophagus gibbus</i> (Eurytomidae).	<i>Medicago sativa</i> (alfalfa)	2					Do.
Do.....	<i>Trifolium</i> sp. (clover)	1					Do.
<i>Callirhytis glandium</i> (Cynipidae).....	<i>Quercus</i> sp. (valonia)	32					N. Y.
Do.....	<i>Quercus</i> sp.....	2					Do.
Cecidomyiid.....	<i>Quercus</i> sp. (valonia)	1					Do.
<i>Chrysolimni</i> (Chrysomelidae).....	do.....	1					Do.
<i>Crematogaster</i> sp. (ant).....	<i>Valonia debris</i>	1					Do.
<i>Curculio</i> sp. (Curculionidae).....	<i>Quercus</i> sp. (valonia)	15					Do.
Curculionid.....	do.....					1	Do.
<i>Dorcus</i> sp. (Lucanidae).....	<i>Juglans</i> sp. (walnut)	1					Md.
Geometrid.....	<i>Iris reticulata</i>			1			Mass.
<i>Hemimene</i> sp. (Olethreutidae).....	On bag of valonia nuts	1					N. Y.
<i>Laspeyresia</i> sp. (Olethreutidae).....	<i>Quercus</i> sp. (valonia)	4					Do.
<i>Macroplox fasciatus</i> (Lygaeidae).....	<i>Cistus</i> sp.....		1				D. C.
<i>Messor</i> sp. (ant).....	<i>Medicago</i> sp.....	1					Do.
<i>Mycetobia</i> sp. (Rhyphidae).....	<i>Quercus</i> sp. (valonia)	1					N. Y.
Noctuid.....	<i>Agropyron</i> sp.....	1					D. C.
Do.....	<i>Eremurus</i> sp.....	1					Do.
Do.....	<i>Juglans</i> sp. (walnut)	1					Md.
Olethreutid.....	<i>Castanea</i> sp. (chestnut)	2					D. C.
Do.....	<i>Eremurus</i> sp.....	1					Do.
Do.....	<i>Quercus</i> sp. (valonia)	6					N. Y.
Do.....	<i>Quercus</i> sp.....	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>TURKEY—Continued</b>							
Insects—Continued.							
<i>Pectinophora</i> sp. (Gelechiidae)	<i>Althaea</i> sp.	1					D. C.
<i>Phenacoccus</i> sp. (Coccidae)	<i>Iris</i> sp.			1			Mass.
Phycitinae (Pyralidae)	<i>Pinus</i> sp. (pine)	1					D. C.
Do.	<i>Scabiosa</i> sp.	1					Do.
<i>Ptinus</i> sp. (Ptinidae)	<i>Daucus carota</i> (carrot)	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	1					Do.
Do.	<i>Eremurus</i> sp.	1					Do.
Tineid	<i>Juglans</i> sp. (walnut)	1					Md.
<i>Tritogenaphis</i> sp. (aphid)	<i>Festuca</i> sp. (fescue)	1					D. C.
Diseases:							
<i>Ascochyta pisi</i>	<i>Vicia</i> sp.	1					Do.
<i>Clariceps purpurea</i>	<i>Agropyron</i> sp.	1					Do.
Do.	<i>Bromus</i> sp.	1					Do.
<i>Eurotium</i> sp.	<i>Colchicum</i> sp.	1					Do.
Do.	Legume	1					Do.
Do.	<i>Pyrus</i> sp.	1					Do.
Do.	<i>Quercus</i> sp. (valonia)	5					N. Y.
Do.	<i>Quercus</i> sp.	1					D. C.
<i>Hemiteichia vesparium</i>	<i>Juglans</i> sp. (walnut)	1					Md.
<i>Leptosphaeria circinans</i>	<i>Medicago</i> sp. (medick)	1					D. C.
<i>Leptosphaeria heterospora</i>	<i>Iris</i> sp.		3				Do.
<i>Polythrincium trifolii</i>	<i>Trifolium agrarium</i> (clover)	1					Do.
<i>Puccinia graminis</i>	<i>Aegilops</i> sp.	4					Do.
<i>Schizophyllum commune</i>	<i>Juglans</i> sp. (walnut)	1					Md.
<i>Sclerotinia sclerotiorum</i>	<i>Raphanus sativus</i> (radish)	1					D. C.
<i>Vermicularia</i> sp.	<i>Iris</i> sp.		1				Do.
Do.	<i>Ophiopogon japonicus</i> (Japanese snakebread).		1				Do.
<b>UGANDA</b>							
Insects:							
<i>Stephanoderes hampei</i> (coffee bean borer).	<i>Coffea</i> sp.	3					N. Y.
<i>Xyleborus coffeae</i> (Scolytidae)	do.	1					Do.
<b>UNION OF SOUTH AFRICA</b>							
Insects:							
Aegeriid	<i>Cotyledon</i> sp.			1			N. Y.
Aphis sp. (aphid)	<i>Euphorbia punctata</i>			1			Do.
Aphodius sp. (Scarabaeidae)	In soil around canna plant				1		Pa.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Haworthia asperiuscula</i>		1				D. C.
Barini (Curculionidae)	<i>Gladiolus blandus</i>		1				Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Aloe</i> sp.		1				Do.
<i>Bruchophagus</i> sp. (Eurytomidae)	<i>Aloe</i> spp.		1	5			Do.
Cecidomyiid	<i>Ornithogalum</i> sp.			1			Pa.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)					1	Mass.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Crematogaster</i> sp. (ant)	<i>Aloe africana</i>		1				D. C.
Curculionid	<i>Gladiolus grandis</i>		1				Do.
Do.	<i>Stapelia</i> sp.		1				Do.
<i>Diaplochelus longipes</i> (Scarabaeidae).	<i>Gladiolus</i> sp.			1			N. Y.
Do.	<i>Protea</i> sp.			1			Do.
<i>Endrosis lacteella</i> (Oecophoridae)	<i>Cycas revoluta</i> (sago cycas)		1				Do.
<i>Eurytoma</i> sp. (Eurytomidae)	<i>Digitaria</i> sp.		1				D. C.
<i>Geocia</i> sp. (aphid)	<i>Aloe brevifolia</i>		1				Do.
Do.	<i>Aloe plicatilis</i>			1			N. Y.
<i>Mecidea proliza</i> (Pentatomidae)	<i>Hyparrhenia hirta</i>		1				D. C.
<i>Merodon</i> sp. (Syrphidae)	<i>Lachenalia unicolor</i>		1				Do.
Do.	<i>Lachenalia unifolia</i>		1				Do.
<i>Microsiphum</i> sp. (aphid)	<i>Lactuca sativa</i> (lettuce)					1	Mass.
<i>Mimaulus</i> sp. (Curculionidae)	<i>Digitaria</i> sp.		1				D. C.
<i>Neosciara</i> sp. (Mycetophilidae)	<i>Protea</i> sp.				1		N. Y.
Noctuid	<i>Ornithogalum thyrsoides</i> (chinkerchee).		1				Do.
Do.	<i>Ornithogalum</i> sp.			1			Do.
Olethreutid	<i>Citrus sinensis</i> (orange)					1	Pa.
Do.	<i>Protea</i> sp.				1		N. Y.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus sinensis</i>					1	Do.
Phycitinae (Pyralidae)	<i>Adansonia</i> sp.		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>UNION OF SOUTH AFRICA—Contd.</b>							
<b>Insects—Continued.</b>							
<i>Phyllotreta</i> sp. (Chrysomelidae).....	<i>Aloe ferox</i> .....		1				D. C.
<i>Prociphilus</i> sp. (aphid).....	<i>Hauorthia</i> sp.....		1				Do.
<i>Pseudaonidia articulatus</i> (rufous scale).....	<i>Citrus nobilis deliciosa</i> (tangerine).....				1		N. Y.
Do.....	<i>Citrus sinensis</i> .....					3	Do.
<i>Pseudaonidia trilobitiformis</i> (Coccidae).....	<i>Canna</i> sp.....			1			Pa.
Psychid.....	Orchid.....				1		Do.
Pyralid.....	<i>Conophytum wiggettae</i> .....			1			Hawaii.*
<i>Stephanoderes</i> sp. (Scolytidae).....	<i>Aloe africana</i> .....		1				D. C.
Tineid.....	<i>Solanum tuberosum</i> .....					1	Mass.
Trypetid.....	<i>Adansonia</i> sp.....		1				Calif.*
<b>Diseases:</b>							
<i>Aphelenchus parietinus</i> .....	<i>Buphane vulgaris</i> .....		1				D. C.
<i>Capnodium citri</i> .....	<i>Citrus sinensis</i> (orange).....					1	Md.
<i>Chaetomium</i> sp.....	<i>Digitaria</i> sp.....	2					D. C.
<i>Coniothyrium</i> sp.....	<i>Stapelia</i> sp.....		1				Do.
<i>Claviceps microcephala</i> .....	<i>Panicum ciliare</i> .....		1				Do.
<i>Colletotrichum</i> sp.....	<i>Digitaria</i> spp.....		1				Do.
<i>Diplodia cacaoicola</i> .....	<i>Persea americana</i> (avocado).....					1	N. Y.
<i>Diplodia natalensis</i> .....	<i>Citrus sinensis</i> .....					1	Md.
Do.....	do.....					1	N. Y.
<i>Diplodia</i> sp.....	<i>Euphorbia ferox</i> .....		1				D. C.
<i>Eurotium</i> sp.....	<i>Ornithogalum</i> sp.....		1				N. Y.
<i>Gloeosporium</i> sp.....	<i>Huernia</i> sp.....		1				D. C.
<i>Heterosporium ornithogali</i> .....	<i>Ornithogalum thyrsoides</i> (chinkerichee).....		1				Ill.
Do.....	do.....		1				N. Y.
Do.....	<i>Ornithogalum</i> sp.....		3				Do.
Do.....	do.....		4				Pa.
<i>Macrophoma</i> sp.....	<i>Phoenix reclinata</i> (Senegal date palm).....		1				D. C.
<i>Melanconium sacchari</i> .....	<i>Saccharum officinarum</i> .....			1			N. Y.
<i>Oospora</i> sp.....	<i>Solanum tuberosum</i> .....					1	Pa.
<i>Pragmopara</i> sp.....	<i>Cycas revoluta</i> (sago cycas).....	1					N. Y.
<i>Puccinia ornithogali-thyrsoides</i> .....	<i>Ornithogalum thyrsoides</i> (chinkerichee).....		1				Ill.
Do.....	do.....		3				N. Y.
Do.....	do.....		1		1		Pa.
Do.....	<i>Ornithogalum</i> sp.....		1				Mich.
Do.....	do.....		4				N. Y.
Do.....	do.....		5		1		Pa.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot).....					1	N. Y.
<i>Sclerotinia</i> sp.....	do.....					1	Mass.
<i>Septoria apii</i> .....	<i>Apium graveolens</i> (celery).....					1	Pa.
<i>Septoria oxypetali</i> (?).....	<i>Ceropegia cristata</i> .....		1				D. C.
<i>Sphaeloma fawcettii</i> .....	<i>Citrus limonia</i> (lemon).....					1	Md.
Do.....	<i>Citrus sinensis</i> (orange).....					1	N. Y.
<b>UNION OF SOVIET SOCIALIST REPUBLICS</b>							
<b>Insects:</b>							
<i>Acantholepis</i> sp. (ant).....	<i>Agropyron repens</i> .....	1					D. C.
Do.....	<i>Colutea</i> sp.....	1					Do.
<i>Aegialia</i> sp. (Scarabaeidae).....	<i>Aristida pennata minor</i> .....		1				Do.
<i>Aelia rostrata</i> (Pentatomidae).....	<i>Agropyron cristatum</i> .....	1					Do.
Agromyzid.....	<i>Anemone narcissiflora</i> .....						Do.
Do.....	<i>Datura stramonium</i> (jimson weed).....	1					N. Y.
Anthomyiid.....	<i>Stipa</i> sp. (feathergrass).....	2					D. C.
<i>Anthrenus</i> (Dermestidae).....	<i>Cucumis melo</i> (melon).....		1				Do.
Do.....	<i>Iris</i> sp.....		1				Do.
<i>Aphis</i> sp. (aphid).....	<i>Trifolium pratense</i> (red clover).....	1	1				Do.
<i>Apion cerdo</i> (Curculionidae).....	<i>Vicia</i> sp.....	1					Do.
<i>Apion</i> sp. (Curculionidae).....	<i>Aithaea nudiflora</i> .....	1					Do.
Do.....	<i>Ammodendron</i> sp.....		1				Do.
Do.....	<i>Astragalus</i> sp. (milkvetch).....	1					Do.
Do.....	<i>Calligonum pallasia</i> .....	1					Do.
Do.....	<i>Calligonum</i> sp.....	1					Do.
Do.....	<i>Lathyrus</i> sp.....	1					Do.
Do.....	<i>Trifolium repens</i> (white clover).....	1					Do.
Do.....	<i>Trollius somcheticus</i> .....	1					Do.
Do.....	<i>Vicia</i> sp.....	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOVIET SOCIALIST REPUBLICS—Continued							
Insects—Continued.							
<i>Atagenus</i> sp. (Dermestidae).....	<i>Ferula jaeschkeana</i>	1	-----	-----	-----	-----	D. C.
<i>Aylax minor</i> (Cynipidae).....	<i>Papaver pavoninum</i> (peacock poppy).	1	-----	-----	-----	-----	Do.
<i>Bruchidius gilvus</i> (Bruchidae).....	<i>Onobrychis</i> sp.....	2	-----	-----	-----	-----	Do.
<i>Bruchidius</i> sp. (Bruchidae).....	<i>Ammodendron</i> sp.....	-----	1	-----	-----	-----	Do.
Do.....	<i>Astragalus</i> spp.....	8	-----	-----	-----	-----	Do.
Do.....	<i>Colutea persica</i>	-----	1	-----	-----	-----	Do.
Do.....	<i>Glycyrrhiza glabra</i> (licorice).....	1	-----	-----	-----	-----	Do.
Do.....	<i>Onobrychis pulchella</i>	1	1	-----	-----	-----	Do.
<i>Bruchophagus gibbus</i> (Eurytomidae).....	<i>Lotus</i> sp.....	1	1	-----	-----	-----	Do.
Do.....	<i>Medicago falcata</i>	3	-----	-----	-----	-----	Do.
Do.....	<i>Medicago sativa</i> (alfalfa)	1	-----	-----	-----	-----	Do.
Do.....	<i>Trigonella</i> sp.....	1	-----	-----	-----	-----	Do.
<i>Bruchophagus</i> sp. (Eurytomidae).....	<i>Ammodendron</i> sp.....	-----	1	-----	-----	-----	Do.
Do.....	<i>Astragalus</i> spp.....	4	5	-----	-----	-----	Do.
Do.....	<i>Colutea</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Eremurus spectabilis</i>	1	-----	-----	-----	-----	Do.
Do.....	<i>Ferula</i> sp.....	2	-----	-----	-----	-----	Do.
Do.....	<i>Iris</i> sp.....	-----	1	-----	-----	-----	Do.
Do.....	<i>Onobrychis</i> sp.....	-----	1	-----	-----	-----	Do.
Do.....	<i>Prangos</i> sp.....	1	1	-----	-----	-----	Do.
Do.....	<i>Salvia sclarea</i> (clary)	1	1	-----	-----	-----	Do.
Do.....	<i>Smirnowia turkestanica</i>	-----	1	-----	-----	-----	Do.
Do.....	<i>Trifolium</i> spp.....	6	-----	-----	-----	-----	Do.
<i>Bruchus atomarius</i> (Bruchidae).....	<i>Orobus</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Vicia speium</i>	1	-----	-----	-----	-----	Do.
<i>Bruchus dentipes ochraceosignatus</i> (Bruchidae).....	<i>Vicia lutea</i>	1	-----	-----	-----	-----	Do.
<i>Bruchus loti</i>	<i>Lathyrus</i> sp. (pea)	2	-----	-----	-----	-----	Do.
<i>Bruchus rufipes</i> (Bruchidae).....	<i>Vicia</i> sp. (vetch)	1	-----	-----	-----	-----	Do.
<i>Bruchus</i> sp. (Bruchidae).....	<i>Cicer</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Prangos</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Vicia</i> sp.....	1	1	-----	-----	-----	Do.
<i>Carposina</i> sp. (Carposinidae).....	<i>Prunus spinosa</i> (blackthorn)	1	-----	-----	-----	-----	N. Y.
<i>Cataglyphis</i> sp. (ant)	<i>Agropyron cristatum</i>	1	-----	-----	-----	-----	D. C.
Do.....	<i>Astragalus</i> sp. (milkvetch)	-----	1	-----	-----	-----	Do.
Cecidomyiid	<i>Codonopsis ovata</i>	1	-----	-----	-----	-----	Do.
Chloropid	<i>Juglans regia</i> (English walnut)	1	1	-----	-----	-----	Do.
<i>Coleophora deauratella</i> (Coleophoridae).....	<i>Trifolium repens</i>	1	-----	-----	-----	-----	Do.
<i>Coleophora</i> sp. (Coleophoridae).....	<i>Trifolium pratense</i> (red clover)	1	-----	-----	-----	-----	Do.
<i>Curculio</i> sp. (Curculionidae).....	<i>Castanea</i> sp. (chestnut)	1	-----	-----	-----	-----	N. Y.
Curculionid	<i>Prunus armeniaca</i> (apricot)	1	1	-----	-----	-----	D. C.
<i>Etiella zinckenella</i> (lima bean pod borer).	<i>Ammodendron conollyi</i>	-----	1	-----	-----	-----	Do.
Do.....	<i>Astragalus</i> sp. (milkvetch)	1	-----	-----	-----	-----	Do.
Eurytomid	<i>Prangos uloptera</i>	-----	1	-----	-----	-----	Do.
<i>Formica</i> sp (ant)	<i>Astragalus</i> sp. (milkvetch)	2	-----	-----	-----	-----	Do.
Gelechiid	<i>Eremurus</i> sp.....	1	-----	-----	-----	-----	Do.
Geometrid	<i>Clematis</i> sp.....	1	-----	-----	-----	-----	Do.
<i>Lecanium</i> sp. (Coccidae).....	<i>Prunus armeniaca</i> (apricot)	-----	1	-----	-----	-----	Calif.*
<i>Menaccarus arenicola</i> (Pentatomidae).....	<i>Aristida pennata minor</i>	-----	1	-----	-----	-----	D. C.
<i>Miarus</i> sp. (Curculionidae).....	<i>Codonopsis ovata</i>	1	-----	-----	-----	-----	Do.
<i>Miris dolobratrus</i> (Miridae).....	<i>Festuca</i> sp.....	1	-----	-----	-----	-----	Do.
<i>Myzus</i> sp. (aphid)	<i>Primula</i> sp. (primrose)	-----	-----	1	-----	-----	N. Y.
Noctuid	<i>Agropyron cristatum</i>	1	-----	-----	-----	-----	D. C.
Do.....	<i>Agropyron</i> sp.....	2	-----	-----	-----	-----	Do.
Do.....	<i>Avena fatua</i>	1	-----	-----	-----	-----	Do.
Do.....	<i>Elymus angustus</i>	1	-----	-----	-----	-----	Do.
Do.....	<i>Elymus giganteus</i> (Siberian wild rye).	1	-----	-----	-----	-----	Do.
Do.....	<i>Festuca</i> sp.....	-----	1	-----	-----	-----	Do.
Olethreutid	<i>Berberis</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Lathyrus</i> sp. (pea)	3	-----	-----	-----	-----	Do.
Do.....	<i>Orobus</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Rosa</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Tulipa</i> sp.....	1	-----	-----	-----	-----	Do.
Do.....	<i>Vicia</i> sp.....	1	-----	-----	-----	-----	Do.
<i>Platyedra vilella</i> (Gelechiidae).....	<i>Althaea nudiflora</i>	1	-----	-----	-----	-----	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOVIET SOCIALIST REPUBLICS—Continued							
Insects—Continued.							
<i>Rhizoglyphus</i> sp. (mite).....	<i>Iris</i> sp.....	1					N. Y.
Do.....	<i>Malus sylvestris</i> (apple).....			1			Do.
Do.....	<i>Solanum tuberosum</i> .....					1	Mass.
<i>Sciara</i> sp. (Mycetophilidae).....	<i>Prunus armeniaca</i> (apricot).....		1				Calif.*
<i>Stephanopachys</i> sp. (Bostrichidae).....	<i>Pinus</i> sp. (pine).....	1					N. Y.
<i>Tarsonemus</i> sp. (mite).....	<i>Malus sylvestris</i> .....		1				D. C.
<i>Trogoderma</i> sp. (Dermestidae).....	<i>Aristida pennata minor</i> .....		1				Do.
Do.....	<i>Senecio subdentatus</i> (groundsel).....		1				Do.
Do.....	<i>Smirnowia turkestanus</i> .....		1				Do.
Trypetid.....	<i>Amygdalus</i> sp.....	1					Do.
Do.....	<i>Juniperus foetidissima</i> .....		1				Do.
Do.....	<i>Lonicera</i> sp.....	1					Do.
Do.....	<i>Rosa</i> sp.....	2					Do.
<i>Tychius</i> sp. (Curculionidae).....	<i>Medicago falcata</i> .....	1					Do.
Diseases:							
<i>Anguillulina agrostis</i> .....	<i>Festuca</i> sp.....	1					Do.
<i>Anguillulina dipsaci</i> .....	<i>Solanum tuberosum</i> .....					1	Md.
Do.....	do.....					1	Mass.
Do.....	do.....					1	Pa.
<i>Ascochyta pisi</i> .....	<i>Vicia tenuifolia</i> .....	1					D. C.
Do.....	<i>Vicia</i> sp.....	1					Do.
<i>Botrytis cinerea</i> .....	<i>Vitis</i> sp. (grape).....		1				Calif.*
<i>Claviceps microcephala</i> .....	<i>Agrostis alba</i> .....	2					D. C.
Do.....	<i>Agrostis avenoides</i> .....	1					Do.
Do.....	<i>Dactylis glomerata</i> (orchard grass).....		1				Do.
Do.....	<i>Festuca ovina</i> (sheep fescue).....	3					Do.
Do.....	<i>Glyceria placata</i> .....	1					Do.
Do.....	<i>Koeleria gracilis</i> .....	1					Do.
Do.....	<i>Phleum pratense</i> (timothy).....	1					Do.
Do.....	<i>Poa pratensis</i> .....	1					Do.
Do.....	<i>Poa tibetica</i> .....	1					Do.
Do.....	<i>Poa</i> sp.....	1					Do.
<i>Claviceps purpurea</i> .....	<i>Agropyron</i> spp.....	8					Do.
Do.....	<i>Alopecurus pratensis</i> (meadow foxtail).....	3					Do.
Do.....	<i>Alopecurus</i> sp.....		1				Do.
Do.....	<i>Avena flavescens</i> .....		1				Do.
Do.....	<i>Avena pubescens</i> .....	1					Do.
Do.....	<i>Avena</i> sp.....	1					Do.
Do.....	<i>Bromus erectus</i> .....	1					Do.
Do.....	<i>Dactylis glomerata</i> .....		4				Do.
Do.....	<i>Festuca ovina</i> (sheep fescue).....	2	1				Do.
Do.....	<i>Festuca rubra</i> (red fescue).....		1				Do.
Do.....	<i>Festuca</i> sp.....		1				Do.
Do.....	<i>Hordeum bulbosum</i> .....		2				Do.
Do.....	<i>Hordeum</i> sp.....	1					Do.
Do.....	<i>Koeleria</i> sp.....		1				Do.
Do.....	<i>Melica</i> sp.....		2				Do.
Do.....	<i>Phleum</i> sp.....		2				Do.
<i>Claviceps</i> sp.....	<i>Agropyron cristatum</i> .....	1					Do.
Do.....	<i>Agropyron trichophorum</i> .....	1					Do.
Do.....	<i>Bromus tectorum</i> .....		1				Do.
Do.....	<i>Bromus</i> sp.....	1					Do.
Do.....	<i>Festuca ovina</i> (sheep fescue).....	2					Do.
Do.....	<i>Festuca</i> sp.....	1					Do.
Do.....	<i>Phleum pratensis</i> (timothy).....	2					Do.
Do.....	<i>Phleum</i> sp.....	1					Do.
<i>Colletotrichum</i> sp.....	<i>Allium coeruleum</i> .....	1					Do.
<i>Didymosphaeria</i> sp.....	<i>Iris alberti</i> .....	1					Do.
<i>Diplodinia salicis</i> .....	<i>Salix</i> sp.....	1					Do.
<i>Erysiphe graminis</i> .....	<i>Poa bulbosa</i> .....	1	1				Do.
<i>Erysiphe</i> sp.....	<i>Astragalus marimoriczii</i> .....	1					Do.
<i>Eurotium</i> sp.....	Reed.....	2					N. Y.
Do.....	<i>Tulipa chrysantha</i> .....		1				D. C.
<i>Gloeodes pomigena</i> .....	<i>Malus sylvestris</i> .....					1	Pa.
<i>Leptothyrium pomi</i> .....	<i>Malus sylvestris</i> (apple).....					1	Do.
<i>Phyllosticta rabiei</i> .....	<i>Cicer</i> sp.....		1				D. C.
<i>Puccinia aristidae</i> .....	<i>Aristida pennata karelini</i> .....		1				Do.
Do.....	<i>Aristida pennata minor</i> .....		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOVIET SOCIALIST REUBLICS—Continued							
Diseases—Continued.							
<i>Puccinia aristidae</i> .....	<i>Aristida</i> sp.....		1				D. C.
<i>Puccinia graminis</i> .....	<i>Agropyron trichophorum</i> .....	2					Do.
Do.....	<i>Agropyron</i> sp.....	1					Do.
Do.....	<i>Bromus</i> spp.....	3	1				Do.
Do.....	<i>Festuca</i> sp.....	1					Do.
Do.....	Grass.....	2					Do.
Do.....	<i>Hordeum</i> sp.....	1					Do.
Do.....	<i>Iris</i> sp.....	1					Do.
<i>Puccinia iridis</i> .....	<i>Arundo donax</i> .....	1					N. Y.
<i>Puccinia phragmitis</i> .....	<i>Agropyron orientale</i> .....		1				D. C.
<i>Puccinia</i> sp.....	<i>Bromus</i> spp.....	3					Do.
Do.....	<i>Ferula assafoetida</i> .....	1					Do.
Do.....	<i>Poa</i> sp.....	1					Do.
<i>Sclerotinia sclerotiorum</i> .....	<i>Daucus carota</i> (carrot).....					1	N. Y.
URUGUAY							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Citrus limonia</i> (lemon).....	1					N. Y.
Diseases:							
<i>Monilia</i> sp.....	<i>Prunus domestica</i> (plum).....	1					Do.
<i>Sclerotinia fructigena</i> .....	do.....	1					Do.
VENEZUELA							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae).....	<i>Desmanthus</i> sp.....		2				D. C.
Do.....	<i>Indigofera</i> sp. (indigo).....	2					Do.
<i>Acrolophus</i> sp. (Acrolophidae).....	Orchid.....	1					Do.
Aegeriid.....	<i>Theobroma cacao</i> (cacao).....			1			N. Y.
<i>Apion</i> sp. (Curculionidae).....	<i>Ruprechtia</i> sp.....	1					D. C.
<i>Bruchophagus</i> sp. (Eurytomidae).....	<i>Cussia</i> sp.....		1				Do.
Do.....	<i>Codiaeum</i> sp. (croton).....		1				Do.
<i>Camponotus</i> sp. (ant).....	In soil around orchid.....			1			N. Y.
<i>Chalcodermus aeneus</i> (Curculionidae).....	Bean.....	1					D. C.
Chrysauginae (Pyralidae).....	<i>Bignonia</i> sp.....			1			N. Y.
Curculionid.....	<i>Indigofera</i> sp. (indigo).....	1					D. C.
Do.....	<i>Nicotiana tabacum</i> (tobacco).....		1				Do.
Do.....	Bean.....	1					Do.
<i>Cycloptilum</i> sp. (Gryllidae).....	Orchid.....	1					Do.
<i>Eurycyptia vestitus</i> (Miridae).....	do.....	1					Do.
<i>Euzesta</i> sp. (Ortaliidae).....	<i>Allium cepa</i> (onion).....					1	La.
<i>Furcaspis biformis</i> (Coccidae).....	<i>Cattleya</i> sp. (orchid).....	1					D. C.
Do.....	do.....			1			P. R.
Do.....	Orchid.....	1					D. C.
<i>Ischnodemus collaris</i> (Lygaeidae).....	<i>Solanum tuberosum</i> .....					1	La.
<i>Lophocateres pusillus</i> (Siamese grain beetle).....	<i>Arachis hypogaea</i> (peanut).....	1					D. C.
Olethreutid.....	<i>Melicocca bijuga</i> .....			1			N. Y.
<i>Pseudonidia articulatus</i> (rufous scale).....	<i>Citrus sinensis</i> (orange).....					1	Fla.*
Do.....	do.....					2	N. Y.
<i>Pseudoepitrix</i> sp. (Chrysomelidae).....	<i>Cleome</i> sp.....		1				D. C.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).....	<i>Cipura</i> sp.....			1			N. Y.
<i>Stephanoderes</i> sp. (Scolytidae).....	<i>Lycoseris</i> sp.....			1			Do.
<i>Taeniothrips</i> sp. (thrips).....	Orchid.....	1					D. C.
Trypetid.....	<i>Lycoseris</i> sp.....			1			N. Y.
<i>Vinsonia stellifera</i> (Coccidae).....	Orchid.....			1			D. C.
<i>Zabrotes subsociatus</i> (Bruchidae).....	<i>Phaseolus</i> sp. (bean).....	1					Do.
Diseases:							
<i>Cephaleros virescens</i> .....	Orchid.....		1				P. R.
<i>Colletotrichum orchidearum</i> .....	do.....	1					D. C.
<i>Diplodia cacaoicola</i> .....	<i>Jacquina</i> sp.....		1				Do.
Do.....	<i>Mammea americana</i> (mamey).....			1			N. Y.
Do.....	<i>Simaruba amara</i> .....	1					Do.
<i>Gloeosporium</i> sp.....	<i>Cattleya mossiae</i> (orchid).....	1					D. C.
Do.....	Orchid.....	2					Do.
<i>Leptothyrium</i> sp.....	<i>Hura crepitans</i> (sandroxtree).....		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
VIRGIN ISLANDS							
Insects:							
<i>Coccus viridis</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....					1	N. Y.
<i>Gnorimoschema</i> sp. (Gelechiidae).....	<i>Lycopersicum esculentum</i> .....	1					Do.
<i>Lepidosaphes</i> sp. (Coccidae).....	<i>Codiaeum</i> sp. (croton).....			2			Do.
Pentatomid.....	<i>Coffea</i> sp. (coffee).....				1		Do.
<i>Pseudanidia articulatus</i> (rufous scale).....	<i>Citrus grandis</i> (grapefruit).....					1	Do.
Do.....	<i>Citrus sinensis</i> (orange).....					1	Do.
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Laurus nobilis</i> (Grecian laurel).....		1				Calif.*
Diseases:							
<i>Bacterium vesicatorium</i> .....	<i>Lycopersicum esculentum</i> .....	2					N. Y.
<i>Diplodia cacaoicola</i> .....	<i>Musa</i> sp. (banana).....			1			Do.
<i>Phoma destructiva</i> .....	<i>Lycopersicum esculentum</i> .....	1					Do.
WALES							
Insects:							
<i>Ceutorhynchus</i> sp. (Curculionidae).....	<i>Brassica rapa</i> (turnip).....					1	Md.
<i>Merodon</i> sp. (Syrphidae).....	<i>Narcissus</i> sp.....		1				D. C.
Diseases:							
<i>Anguillulina dipsaci</i> .....	do.....		1				Do.
WEST AFRICA							
Insects:							
Phycitinae (Pyralidae).....	<i>Dioscorea</i> sp. (yam).....					1	Pa.
<i>Prenolepis</i> sp. (ant).....	do.....					1	Do.
<i>Targionia hartii</i> (Coccidae).....	do.....					2	Do.
<i>Tinea</i> sp. (Tineidae).....	do.....					2	Do.
Diseases: <i>Verticillium</i> sp.....	do.....					1	Do.
WESTERN SAMOA							
Insects:							
<i>Aphanocorynes humeralis</i> (Curculionidae).....	<i>Cocos nucifera</i> (coconut).....			1			Calif.*
<i>Pheidole</i> sp. (ant).....	do.....			1			Do.*
WEST INDIES							
Insects:							
Anthomyiid.....	<i>Heliconia</i> sp.....			3			N. Y.
<i>Arescus</i> sp. (Chrysomelidae).....	do.....			1			Do.
<i>Aspidiotus herculeanus</i> (Coccidae).....	<i>Poinciana regia</i> (royal poinciana).....			2			Do.
Cecidomyiid.....	<i>Saccharum officinarum</i> .....			1			Do.
<i>Diatraea</i> sp. (Pyralidae).....	do.....			1			Do.
<i>Hemichionaspis</i> sp. (Coccidae).....	<i>Poinciana regia</i> (royal poinciana).....			1			Do.
<i>Holcocera</i> sp. (Blastobasidae).....	<i>Gossypium</i> sp. (cotton).....	1					D. C.
<i>Pectinophora gossypiella</i> (pink bollworm).....	do.....	1					Do.
<i>Pseudanidia articulatus</i> (rufous scale).....	<i>Citrus aurantifolia</i> (lime).....					1	N. Y.
<i>Pseudococcus virgatus</i> (Coccidae).....	<i>Mammea americana</i> (mamey).....			1			Do.
<i>Pyroderces</i> sp. (Cosmopterygidae).....	<i>Gossypium</i> sp. (cotton).....	1					D. C.
<i>Sitophilus linearis</i> (tamarind pod borer).....	<i>Tamarindus indica</i> (tamarind).....			1			N. Y.
Diseases: <i>Colletotrichum</i> sp.....	<i>Poinciana regia</i> (royal poinciana).....			1			Do.
YOGOSLAVIA							
Insects:							
<i>Apion</i> sp. (Curculionidae).....	<i>Amygdalus persica</i> (peach).....		1				D. C.
<i>Aspidiotus pyri</i> (Coccidae).....	do.....		1				Do.
<i>Rhagoletis</i> sp. (Trypetidae).....	<i>Prunus cerasus</i> (sour cherry).....		7				N. Y.
Do.....	do.....		1				Pa.
<i>Telephanus</i> sp. (Cucujidae).....	do.....		1				Do.
Tineid.....	<i>Agaricus campestris</i> (mushroom).....		1				N. Y.
<i>Tipula</i> sp. (Tipulidae).....	In packing around nursery stock.....		1				D. C.

## List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (\*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNKNOWN ORIGIN							
Insects:							
<i>Anastrepha</i> sp. (Trypetidae).....	<i>Mangifera indica</i> (mango).....	-----	-----	-----	1	-----	N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus sinensis</i> (orange) (on dock).	-----	-----	-----	-----	-----	Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip).....	-----	-----	-----	-----	2	Pa.
<i>Myelois</i> sp. (Pyralidae).....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	1	-----	N. Y.
<i>Myzus veronicae</i> (aphid).....	<i>Chrysanthemum</i> sp.....	-----	-----	-----	1	-----	Do.
Psychid.....	Banana debris.....	4	-----	-----	-----	-----	La.
Do.....	<i>Musa</i> sp. (banana).....	1	-----	-----	-----	-----	Do.
<i>Tythomimus rufotestaceus</i> (Curculionidae).	Banana debris.....	1	-----	-----	-----	-----	Do.
Diseases:							
<i>Albugo candida</i> .....	<i>Brassica pekinensis</i> (Chinese cabbage).	-----	-----	-----	-----	1	N. Y.
<i>Gloeosporium</i> sp.....	<i>Cypripedium</i> sp. (orchid).....	-----	-----	1	-----	-----	Do.
Do.....	<i>Miltonia</i> sp. (orchid).....	-----	-----	1	-----	-----	Do.
Do.....	<i>Oncidium papilio</i> (butterfly orchid).	1	-----	-----	-----	-----	D. C.
<i>Glomerella cincta</i> .....	Orchid.....	1	-----	-----	-----	-----	Do.
<i>Helminthosporium</i> sp.....	Bamboo.....	-----	-----	-----	1	-----	N. Y.
<i>Monilia</i> sp.....	do.....	-----	-----	-----	1	-----	Do.
<i>Myriangium</i> sp.....	<i>Citrus sinensis</i> (orange).....	-----	-----	-----	1	-----	Do.
<i>Oidium</i> sp.....	<i>Euonymus</i> sp.....	-----	-----	-----	1	-----	Do.
<i>Oospora citri-aurantii</i> .....	<i>Citrus limonia</i> (lemon).....	-----	-----	-----	-----	1	Calif.*
<i>Pestalozzia</i> sp.....	<i>Sobralia</i> sp. (orchid).....	-----	-----	-----	1	-----	Pa.
Do.....	Unknown leaf.....	1	-----	-----	-----	-----	Pa.
<i>Phyllosticta</i> sp.....	<i>Aucuba japonica</i> (Japanese aucuba).	-----	-----	-----	1	-----	N. Y.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus limonia</i> .....	-----	-----	-----	1	-----	Do.
<i>Thielaviopsis paradora</i> .....	<i>Saccharum officinarum</i> .....	-----	-----	-----	1	-----	Do.
<i>Uromyces caryophyllinus</i> .....	<i>Dianthus</i> sp. (carnation).....	-----	-----	-----	1	-----	Do.


## Summary of interceptions by continents and subdivisions

Country	Insects		Country	Insects	
	Dis- eases			Dis- eases	
	Num- ber	Num- ber		Num- ber	Num- ber
<b>Africa:</b>			<b>Europe—Continued.</b>		
Africa.....	13	0	Hungary.....	59	8
Algeria.....	9	3	Ireland.....	24	13
Belgian Congo.....	13	0	Italy.....	472	223
Canary Islands.....	5	5	Latvia.....	1	0
East Africa.....	1	1	Lithuania.....	3	4
Egypt.....	37	21	Malta.....	2	0
Gold Coast.....	1	0	Moravia.....	0	1
Italian Somaliland.....	1	0	Netherlands.....	184	147
Kenya.....	0	1	Norway.....	13	22
Liberia.....	1	0	Poland.....	6	7
Madagascar.....	1	0	Portugal.....	54	9
Madeira Islands.....	4	1	Rumania.....	5	11
Morocco.....	99	6	Scotland.....	70	17
Mozambique.....	2	0	Spain.....	135	67
Nigeria.....	3	1	Sweden.....	35	40
Pretoria.....	1	0	Switzerland.....	2	2
Rhodesia.....	1	1	Union of Soviet Socialist Republics.....	132	98
St. Helena.....	1	0	Wales.....	2	1
Sierra Leone.....	0	1	Yugoslavia.....	13	0
Tanganyika.....	2	0	<b>North America:</b>		
Transvaal.....	2	0	Bermuda.....	79	24
Tripoli.....	2	0	Canada.....	26	52
Tunis.....	4	3	British Columbia.....	7	0
Uganda.....	4	0	Nova Scotia.....	2	0
Union of South Africa.....	49	49	Ontario.....	0	1
West Africa.....	6	1	Central America.....	25	1
<b>Asia:</b>			British Honduras.....	38	3
Burma.....	0	1	Canal Zone.....	71	10
China.....	173	154	Costa Rica.....	234	9
Chosen.....	0	1	Guatemala.....	571	14
Cyprus.....	6	0	Honduras.....	990	98
India.....	66	15	Nicaragua.....	100	1
Iraq.....	0	1	Panama.....	823	21
Japan.....	399	301	Salvador.....	12	0
Manchuria.....	12	3	Mexico.....	3,755	350
Orient.....	0	1	Newfoundland.....	15	4
Palestine.....	7	4	West Indies.....	15	1
Siam.....	13	0	American Virgin Islands.....	6	9
Siberia.....	2	4	Antigua.....	6	1
Straits Settlements.....	2	4	Aruba.....	1	2
Syria.....	9	2	Bahamas.....	75	11
Turkey.....	100	26	Barbados.....	22	4
<b>Australasia (including Pacific Islands):</b>			British West Indies.....	23	13
American Samoa.....	2	0	Cuba.....	797	1,145
Australia.....	49	10	Curacao.....	2	0
Borneo.....	10	1	Dominica.....	69	8
Dutch East Indies.....	8	2	Dominican Republic.....	34	14
Fanning Island.....	1	0	Dutch West Indies.....	1	1
Fiji Islands.....	4	0	Grand Cayman.....	2	0
Hawaii.....	350	5	Grenada.....	7	1
Java.....	5	4	Haiti.....	73	12
Marshall Islands.....	2	0	Jamaica.....	177	73
New Guinea.....	1	1	Martinique.....	2	3
New Zealand.....	16	2	Montserrat.....	14	2
Philippines.....	106	16	Puerto Rico.....	425	122
Samoa.....	4	0	St. Eustatius.....	1	0
Sumatra.....	0	2	St. Kitts.....	1	0
Tabiti.....	18	0	St. Lucia.....	83	9
Taiwan.....	0	1	St. Martin.....	0	1
Tasmania.....	0	1	St. Vincent.....	5	3
Western Samoa.....	2	0	Trinidad.....	54	22
<b>Europe:</b>			Virgin Islands.....	8	4
Austria.....	8	4	<b>South America:</b>		
Azores.....	16	4	Argentina.....	89	71
Belgium.....	158	40	Bolivia.....	2	2
Bulgaria.....	1	1	Brazil.....	103	72
Czechoslovakia.....	0	3	British Guiana.....	13	2
Danzig.....	2	3	Chile.....	35	36
Denmark.....	20	24	Colombia.....	184	10
England.....	264	164	Dutch Guiana.....	14	5
Estonia.....	1	0	Ecuador.....	89	10
Finland.....	2	4	Galapagos Islands.....	1	0
France.....	168	94	Peru.....	5	3
Germany.....	125	164	Uruguay.....	1	2
Great Britain.....	15	0	Venezuela.....	35	9
Greece.....	22	21			

*Summary of interceptions by continents and subdivisions—Continued*

Country	Insects	Dis- eases	Country	Insects	Dis- eases
	<i>Num- ber</i>	<i>Num- ber</i>		<i>Num- ber</i>	<i>Num- ber</i>
Total:			Total .....	12, 876	4, 139
Africa .....	262	94	Total (common pests, p. 5) ..	12, 287	11, 434
Asia .....	789	517	Total insects .....	25, 163	-----
Australasia .....	578	45	Total diseases .....	-----	15, 573
Europe .....	2, 014	1, 196	Grand total .....	-----	40, 736
North America .....	8, 651	2, 049			
South America .....	571	222			
Unknown origin .....	11	16			

UNIVERSITY OF FLORIDA



3 1262 09082 5026