

















SWEET'S HORTUS BRITANNICUS ;

OR,

A CATALOGUE OF PLANTS,

INDIGENOUS, OR CULTIVATED IN THE GARDENS

OF

GREAT BRITAIN ;

ARRANGED ACCORDING TO THEIR

NATURAL ORDERS,

WITH

REFERENCES TO THE LINNEAN CLASS AND ORDER TO WHICH EACH GENUS BELONGS ;

THE WHOLE BROUGHT UP TO THE PRESENT TIME,

AND CONTAINS

**Above 34.000 Plants ;**

By far the greatest Number ever before published in any Garden Catalogue of this or any other Country ; with their Generic and Specific Names, Habitats, when introduced to this Country, Times of Flowering, Colours of the Flowers, Accentuations ; and numerous other Arrangements, for the first Time introduced, with all the most useful Synonyms.

SECOND EDITION.

BY ROBERT SWEET, F.L.S.

*Author of Hortus Suburbanus Londinensis ; Botanical Cultivator ; Geraniaceæ ; Cistineæ ; British Flower Garden ; Flora Australasica ; Florist's Guide ; the British Warblers, &c.*

LONDON :

JAMES RIDGWAY, 169, PICCADILLY.

1830.

Faint, illegible text, possibly bleed-through from the reverse side of the page.

TILLING, PRINTER, GROSVENOR ROW, CHELSEA.

THE rapid sale of the last edition, at once shows the preference given to the superiority of the Natural Arrangement, over that of the Linnean, for a Garden Catalogue, as it brings together all the plants that are nearest related to each other, and which have a general similarity by which any person, who already has a tolerable knowledge of plants, may give a good guess at first sight to what family, or Order, any plant or specimen they possess may belong to, or is related; this gives a pleasing idea, that is not to be met with by the Linnean Botanist, as he only looks at the Stamens and Styles to see what Class and Order it belongs to, without ever thinking to what else it is allied; but we still consider the addition of the Linnean Classes and Orders, of great use, as they are so readily attained by the young Botanist, though he should always keep the natural arrangement in view.

The pains we have taken with the present edition may be readily supposed, by the length of time it has taken us to get through it; and had it not been for the kindness and liberality of A. B. Lambert, Esq. who always admitted us to his Library with pleasure, we should certainly not have been able to have made it so complete; he is also so kind as to give us information of any new plants or importations that he hears or knows of, for which we now return him our sincere thanks.

Mr. David Don, Librarian of the Linnean Society, we feel much obliged for his readiness in procuring us any books or specimens we wish to examine, and also inform us of any new publications that we may not have heard of.

The Linnean collection of specimens being now in the Linnean Society's collection, has enabled us to clear up many doubts and mistakes, by examining Linnaeus's original specimens, several of which we intend setting to rights by publishing figures of them in our British Flower Garden, many of the very common plants having been confused with others, or were considered in a doubtful state.

To Robert Barclay, Esq. of Bury Hill, we also feel greatly obliged for his kindness in sending us specimens of the numerous new plants that are continually flowering in his delightful garden, where rarities are without end; and we must not forget his gardener, Mr. D. Cameron, to whose merit may be attached the highly cultivated state of the plants, and to whom we are indebted for the names of many that have not yet flowered, and that we should not have otherwise known were in the country.

We have also to return our thanks to A. H. Haworth, Esq. for his liberality in presenting us with all his papers as soon as published, of the new and rare succulent plants and bulbs, published in Taylor's Philosophical Magazine.

To the Honourable and Reverend William Herbert we are indebted for the arrangement of the genus *Crinum*, and for the names of the hybrid species of *Amaryllideæ* raised by him, and those that he possesses, which have been raised in other collections, and the references by whom, or at what place they were raised, which is added in the column of Native, and the two parents from which they originated is given, where known: the whole of which are marked with W. H.; he has also been so kind as to furnish us with a list of many other new plants, that have flowered with him, and that had not before been known in our collections.

We also return our thanks to Mr. G. Charlwood, for his readiness in lending us any Botanical publications that we did not ourselves possess, his collection consisting of many rare and valuable botanical works.

To Mr. William Anderson, the worthy Curator of the Apothecaries' Company's Garden, at Chelsea, we are also much indebted, for his kindness in allowing us to copy his catalogues of newly introduced plants, and for his observations on their habit and culture; and to numerous other Gardeners and Nurserymen we return our best thanks, for their kindness and attention to forward our researches.

We flatter ourselves that our Subscribers will be well satisfied with the present edition, as it contains all the new arrangements and improvements up to the present time, that no other Catalogue, however new, can boast of; we have also been careful what we have inserted, not to put in thousands of plants that were never in the country, nor likely ever to be, a plan sometimes resorted to, to swell the size of the book, and to show a great number of names, but we believe there would be a difficulty to find the plants, should they be sought for. As for its being entirely free from errors, we will not assert, as we have no doubt but some may be found, but none, we believe, of much consequence. We now conclude, with our sincerest thanks to our numerous Subscribers, and hope we shall continue to merit their favour and approbation, as we shall always do our utmost endeavours to give them satisfaction.

*October, 1830.*

## REFERENCE TO THE BOOKS,

IN WHICH THE FIGURES REFERRED TO, ARE PUBLISHED.

- Abb. ins.* The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.
- Act. Stock.* Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.
- A.D.C.* Decandolle (Alphonso.) Monographie des Campanulees. Paris. 1830.
- All. auct.* Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.
- All. m. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- Alp. Egypt.* Alpinus (Prosper.) De Plantis Egypti liber. 1 vol. 4to.
- Alp. ex.* Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.
- Amm. ruth.* Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.
- Amoen. ac.* Caroli Linnæi Amoenitates academicae. 8vo.
- And.bot.rep.* Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.
- Ana. geran.* Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.
- And. heaths.* Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.
- Ann. bot.* Annals of Botany, by C. Konig and J. Sims. 1805. 8vo.
- Ann. mus.* Annales du Museum d'Histoire naturelle, par les Professeurs de cet etablissement. 1802. seq. 4to.
- Ap. to B. Field's trav.* Appendix to Baron Field's Travels. 4to.
- Ard. mem.* Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.
- Ard. sag. pad.* Arduino (Pietro.) Saggi di Padova. 4to.
- Ard. spec.* Arduino (Pietro.) Animadversio-nium botanicarum Specimen. 4to. Patavii. 1759.
- Asso. arrag.* De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.
- Aub. Thou. obs.* Aubert Du Petit Thouars Plantes des iles de l'Afrique australe. 4to. 1804.
- Aub. guî.* Histoire des plantes de la Guiane Françoise, par M. Fusée Aublet. 1775. 4to.
- Balb. act. taur.* } Miscellanea Botanica. 4to.  
*Balb. misc. taur.* } ex Actis Academiæ Tau-  
 rinensis exserta. 1804.
- Balb. h. taur.* Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.
- Banks ic. Kæmp.* Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.
- Banks. rel. Hous.* Reliquia Houstounianæ. 4to. 1781.
- Barr. ic.* } Plantæ per Galliam, Hispaniam,  
*Barr. rar.* } et Italiam, observatæ, Iconibus  
 æneis exhibitæ a Jac. Barreliero. 1714. fol.
- Bart. med. bot.* Barton (Benj. Smith.) Collec-tions for an essay towards a materia medica of the United States. 1 fasc. in 8vo. Philadelphia. 1798.
- Bartr. it.* } Bartram (William.) Travels  
*Bartr. trav.* } through North and South Ca-  
 rolina, Georgia, and Florida. 8vo. Philadelphia. 1791.
- Bauer. n. hol.* Bauer (Ferdinand.) Illu-strationes floræ novæ Hollandiæ. fol. 1813.
- Bauh. hist.* Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.
- Bauh. prodr.* Caspar Bauhini προδρομος Thea-tri Botanici. Basileæ. 1671. 4to.
- Beau. fl. ov.* Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.
- Bell. act. taur.* Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.
- Berg. act. holm.* Bergius (Pehr. Jonas.) Kongl Vetenskaps Academiens Handlingar. 8vo. 1739.
- Berg. cap.* Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.
- Berg. phyt.* Bergeret Phytonomatotechnie universelle. fol.
- Berr. in As. res.* Berry in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Besl. eyst.* Besler (Basilius.) Hortus Eystet-tensis. fol. 1612.
- Bieb. cent.* Bieberstein (Marshall von.) Cen-turiæ plantarum rariorum Rossiæ meri-dionalis. Charkoviæ.
- Big. med. bot.* Bigelow (Jac.) American Me-dical Botany. 4to. 1817.
- Biv. Bern. st. rar.* Bivona Bernardi. Stir-pium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.
- Biv. cent. pl.* Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.

- Blackw.* Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.
- Blum. fl. jav.* Blume (C. L.) Flora Java, &c. fol. 1829.
- Boc. Mus.* Boccone (Paolo.) Museo di Pianta rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.
- Boc. sic. rar.* Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Sicilia, Melitæ, Galia et Italia. 4to. 1674.
- Boer. lugd.* Herm. Boerhaave Index alter Plantarum quæ in horto Academia Lugduno Batavæ aluntur. 4to. 1720.
- Boiss. fl. eur.* De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.
- Bolt. fil.* Bolton (James.) Filices Britannia. 4to. 1785.
- Bonp. mon.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.
- Bonp. nav.* Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.
- Bory. it.* } Bory de St. Vincent (J. B. M.)  
*Bory. voy.* } A Voyage en Espagne a travers les royaumes de Galice, Leon, etc. 8vo.
- Bot. mag.* Curtis's Botanical Magazine, continued by J. Sims, J. Bellenden Ker, and W. J. Hooker. 8vo.
- Bot. reg.* Edwards (Sydenham.) The Botanical Register. descr. by J. Bellenden Ker. 8vo. 1815. continued by J. Lindley.
- Bot. rep.* Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.
- Braam ic. chin.* Braam's Icones Chinesis.
- Bradd. Suc.* Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) Salzburgerische flora. 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.
- Breyn. ic.* Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.
- Brong. rham.* Brongniart (Adolph.) Dissertation des Rhamnees. 4to. Paris.
- Brot. phyt.* Brotero (Felix Avellar.) Phytographia Lusitania selector. fol. 1801.
- Brown. gen. rem.* Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.
- Br. Jam.* } Browne (Patrick.) The Civil  
*Brown. Jam.* } and Natural History of Jamaica. fol. 1756.
- Bruces. tr.* Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) Collection des fleures qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.
- Bull. herb.* Bulliard. Herbar de la France. fol. 1780.
- Burm. afr.* } Burmann (Johannes.) Rariorum  
*Burm. dec.* } Africanarum Plantarum. 4to. 1738.
- Burm. Ind. Nic. Laur.* Burmanni Flora Indica. 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriæ quinque. 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.
- Cates. car.* Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) Monadelphia classis Dissertationes decem. 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.
- Chois. p. hyp.* } Choisy (J. D.) Prodrumus d'  
*Chois. m. h.* } une monographie de la famille des Hypericinees. 4to. 1821.
- Chois. selag.* Choisy (J. D.) Memoire sur la famille des Selaginees. 4to. Geneva. 1823.
- Clus. hist.* Clusius seu l'Elcuse (Charles de.) Rariorum Plantarum Historia. fol. 1601.
- Col. ecphr.* Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.
- Col. phyt.* Columna (Fabius.) Phytobasanos. 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.
- Comm. petrop.* Commelyn (Casp.) Commentarii Academia Scientiarum imperialis Petropolitanae. 4to. 1728.
- Comm. prael.* Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.
- Comm. rar.* Commelyn (Casp.) Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.
- Cook. et.* Cook (J.) Voyages, 2 vols. 4to. 1777.
- Corn. can.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.
- Crantz. Aust.* Crantz (Hen. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.
- Curt. lond.* Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.
- Cyrl. ic. fasc.* } Cyrilli (Dom.) Plantarum rariorum regni Neapolitani  
*Cyr. neap.* } fasciculus. 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.
- Dard. trait. ren.* D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus.) Annales du Museum d'histoire naturelle. 4to. 1802.

- DC. astr.* De Candolle (Augustin Pyramus.) Astragalogia. 4to. et fol. 1802.
- DC. dis. cact.* De Candolle (Aug. Pyr.) Revue de la famille des Cactees. 4to. Paris. 1829.
- DC. h. mons.* De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspelienensis addito observationum circa species novas aut non satis cognitatas fasciculo. 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus.) Icones plantarum Galliaë rariorum. 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) Memoires sur la famille des Legumineuses. 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus.) Memoires du Museum d'histoire naturelle. 4to. 1815.
- DC. mem. umb.* De Candolle (Aug. Pyr.) Memoire sur la famille des Ombelliferes. 4to. Paris. 1829.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.
- Delil. ægyp.* } Delile (Alire Rafeneau.) Memoires botaniques extraits  
*Del. fl. æg.* } de la Description de l'Égypte. fol. 1813.
- De la Roch. dis.* De La Roche (Daniel.) Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectæ plantarum in system. univers. descriptarum. 4to. 1820.
- Descrip. de Egypt.* Description de l'Égypt on Recueil des observations et des recherches faites pendant l'expédition de l'armée Française. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Louiche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et H.* Drevès et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Mémoires pour servir a l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historia pemptades. fol. 1583.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianeas. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traités des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonacees. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.
- Feuillee (Louis.)* Journal des observations Physiques, Mathématiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.
- Feuil. obs.* }  
*Feuil. per.* }
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniaë et Norvegiæ, etc. fol. 1761.
- Fl. lap.* Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.
- Flor. græ.* Flora Græca J. E. Smith. fol. 1552.
- Flor. mex. ic. ined.* Sesse et Mocinno. Flora Mexicana Icones ineditæ.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornuopiciæ. fol. 1784.
- Forsk. egyp.* } Forskaol (Petrus.) Flora Ægyptica  
*Forsk. dis.* } tiaco arabica. 4to. 1775.
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Foureroy (Ant. Franc.) La Médecine éclairée par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiæ. 4to. 1805.
- Gaert. fr.* } Gaertner (Josephus.) De fructibus et seminibus plantarum.  
*Gaert. sem.* } 4to. 1788.
- Garid. aix.* } Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.  
*Garid. prov.* }
- Gay dis. las.* Gay dissertatio Lasiopetalæ.
- Gerard. gal.* } Gerard (John.) Flora Gallo-Ger. prov. } provincialis. 8vo. 1761.
- Ger. emac.* Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Gilib. h. pl.* Gilibert (Joh. Em.) Histoire des plantes d'Europe, ou elemens de botanique pratique. 3 vol. in 8vo. Lyon. 1806.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

- Gmel. fl. bad.* Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) Flora Mons-peliaca. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) Illustrationes botanicæ. 4to. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) Plantæ alpinae Carniolicæ. 4to. 1782.
- Hall. all.* Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.
- Hall. helv.* } Haller (Albert.) Historia Stirpium indigenarum Helvetiæ. fol. 1768.
- Hall. hist.* }
- Hayn. term. bot.* Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.
- H. et B. n. gen.* Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.
- H. et B. pl. aeq.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantæ equinoxiales. fol. 1808.
- Herbert. append.* Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.
- Herm. parad.* Hermann (Paulus.) Paradisi Batavi prodromus. 12mo. 1689.
- Hills. veg. syst.* Hill (John.) Outlines of a system of vegetable generation. 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) Programmata Hortus Goettingensis. fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) Phytographische Blätter. 8vo.
- Hoffm. salic.* Hoffmann (Georg. Franz.) Historia salicum iconibus illustro. fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) Plantarum umbelliferarum genera. 8vo. 1816.
- Hoff. et Lk. fl. lus.* } Hoffmannsegg et Link.
- Hoff. f. port.* } Flore portugaise. fol. 1806.
- Hook. ex. flor.* Hooker (W. J.) Exotic flora. 8vo.
- H. et G. fl.* Hooker (W. J.) and Greville (W. K.) Icones Filicum. fol. London. 1827. et seq.
- Hop. in. sturm. fl. fas.* Hoppe in Sturm Deutschland flora. 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) Icones Plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.
- Hort. Kew.* Aiton (Willam.) Hortus Kewensis, editio prima. 8vo. 1789.
- Hort. trans.* Transactions of the Horticultural Society of London. 4to.
- Host. gram.* Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.
- Icon. Kæmpf.* } Kämpfer (Engelbert.) Icones selectæ plantarum. fol. 1791.
- Icon. Hort. Kew.* Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.
- Isn. act. par.* Isnard. Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.
- Jacq. amer.* Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.
- Jacq. am. pict.* Jacquin (N. J.) Stirpium Americanarum Historia.
- Jacq. aust.* Von Jacquin (Nicol. Jos.) Floræ Austriacæ Icones. fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.
- Jacq. f. ecl.* Von Jacquin (Jos. Franc.) Elogæ Botanica. fol. 1811.
- Jacq. frag.* Von Jacquin (Nicol. Jos.) Fragmenta Botanica. fol. 1809.
- Jacq. h. vind.* Von Jacquin (Nicol. Jos.) Hortus Botanicus vindobonensis. fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) Icones Plantarum rariorum. fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) Observationes botanicæ. fol. 1764.
- Jacq. ox.* Von Jacquin (Nicol. Jos.) Oxalis monographia iconibus illustrata. 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) Plantarum rariorum horti cæsari Schönbrunnensis. fol. 1797.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) Stapeliæ cultæ. fol. 1806.
- J. mem. ac. sci. par.* Jussieu, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.
- Journ. sc.* Ker (J. B.) Journal of Science and the Arts. 8vo.
- Jung. ic. rar.* Junghans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.
- Juss. an.* Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.
- Juss. rut.* Jussieu (Adrien.) Mémoires sur les Rutacées. Paris. 1825. 4to.
- Kæmp. am.* Kämpfer (Engelbert.) Amantitates exoticæ. 4to. 1712.
- Kalm. ii.* Kalm (Pehr.) Resatil norra America. 8vo. 1753.
- Ker's review.* Ker (J. B.) Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts. 8vo.
- Ker's strelitz.* Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.
- Knight's prot.* Knight (Joseph.) Horticultural Essays on the natural order of Proteæz. 4to. 1809.
- Knorr. del.* Knorr (Georg. Wolfgang.) Delicia naturæ selectæ oder auserlesene. fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) The-

- saurus rei herbariæ hortensisque universalis.* fol. 1770.
- Kon. an. bot.* Annals of Botany, by C. König and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
- Krock. siles.* Krocker (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.
- Kth. mim.* Kunth (Car. Sig.) Mimoses et autres plantes legumineuses du nouveau continent. fol. 1819.
- Lab. nov. hol.* Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.
- Lab. ic. pl. Syr.* } Labillardiere (Jac. Jul.) Icones plantarum Syriæ rariorum. 4to. 1791.
- Lab. voy.* Labillardiere (Jac. Jul.) Relation du Voyage a la recherche de La Peyrouse. 4to. 1798.
- Lamb. cinch.* Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.
- Lamb. pin.* Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.
- Lam. ill.* Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.
- Lap. pyr. ic. ined.* Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrenees. fol. 1795.
- Laroch. eryng.* De La Roche (Francois.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.
- Ledeb. fl. alt.* Ledebour. Flora Altaica. fol. 1829.
- Leers. fl. herb.* Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.
- Lehm. nicot.* Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.
- L. Herit. ger.* L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.
- L. Her. sert. ang.* L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.
- L. Her. stirp.* L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.
- Lind. als.* Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.
- Lind. coll.* Lindley (John.) Collectanea Botanica. fol.
- Lind. digit.* Lindley (John.) Digitalium Monographia. fol.
- Lind. ros.* Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.
- Lin. amæn. ac.* Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.
- Lin. fl. lap.* Linnæus (Carolus.) Flora Laponica. 1 vol. 8vo. 1737.
- Linn. hort. clif.* Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.
- Lin. f. dec.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.
- Linn. fl. fasc.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.
- Linn. sup.* Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.
- Linn. trans.* Transactions of the Linnean Society of London. vol. 1. to 16. 4to.
- Lk. et Ott. abb.* Link et Otto. Abbildungen und Beschreibungen seltener Pflanzen im Berl. Garten. Berlin. 1821 et seq.
- Lk. et Ott. dis. cac.* Link et Otto. Cacti et Echinocacti. icones.
- Link. et Ot. h. ber.* Link et Otto. Hortus Berlinensis. fol.
- Lobel. adv.* De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.
- Lob. ic.* Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.
- Lodd. bot. cab.* Botanical Cabinet, by Messrs. Loddiges'. 4to.
- Loef. it. rar.* } Loeffling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.
- Loef. hisp.* }
- Loes. prus.* Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.
- Loisel. gal.* Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.
- Magn. b. mons.* Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.
- Marg. bras.* Marcgravius (Georg.) Historia rerum naturalium Brasiliæ. 1 vol. fol. 1648.
- Mart. cent.* } Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.
- Mart. dec.* }
- Mart. fl. rust.* Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.
- Mart. n. pl. bras.* Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, par Brasiliam, ann. 1817-1820. 4to.
- Mass. stap.* Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.
- Math. com.* Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.
- Meerb. ic.* Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.
- Mentz. pug.* Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.
- Merian. surin.* Merian (Maria Sibylla.) De metamorphosis insectorum Surinamensium. 1 vol. fol. 1726.
- Mich. amer.* Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.
- Mich. arb.* Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.
- Mich. querc.* Michaux (André.) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.
- Mich. gen.* Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
- J. Mill. ic.* Seven coloured Plates of Plants, by John Miller.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
- Miss Laur. ros.* } A Collection of Roses from Nature, by Miss Lawrence (now Mrs. Kearsse). 90 plates.
- M. L. R.* }
- Moret. fl. vicent.* Moretti (Gius.) Notizia

- supra diverse piante da aggiungersi alla flora Vicentina. 4to. 1813.
- Moris. hist.* } Morison (Robert J.) Plantarum  
*Moris. s.* } historia universalis Oxoniensis.  
*Moris. ox.* } 2 vol. fol. 1680.
- Moris. umb.* Morison (Robert.) Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.
- Munt. phyt. cur.* Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.
- Murr. com.* } Murray (Joh. Andr.) Com-  
*Mur. c. got.* } mentarii Societatis regiae  
 Scientiarum Gœttingensis.  
 4to.
- Nectoux voy.* Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.
- N. et Mart. ac. b.* Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. ber.* Nees von Esembeck (G. G.) Horæ physicae Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.
- Niss. act. par.* Nissolle in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nois. jard. fr.* Noisette (Louis.) Le Jardin fruitier. 2 fasc. in 4to. Paris. 1813.
- Nov. act. pet.* Nova Acta Academiae Scientiarum Imperialis Petropolitanae.
- Nov. com. pet.* Novi Commentarii Academiae Scientiarum Imperialis Petropolitanae.
- Oed. fl. dan.* Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.
- Ort. dec.* De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.
- Osb. it.* Osbeck (Pehr.) Dagbock æf'er en ostendyck resa. 1 vol. 8vo.
- Palisot d'owar.* } Palisot de Beauvois. Flore  
*Pal. fl. d'ow.* } des royaumes d'Oware et  
 de Beuin. fol. 1805 et seq.
- Pall. act. pet.* Pallas (Peter Simon.) In Acta Academiae scientiarum imperialis Petropolitanae. 4to.
- Pall. it. ed. gal.* Voyage dans l'Empire Russe. 8 vol. 8vo.
- Pall. it. ed. germ.* Pallas (P. S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.
- Pall. ross.* Pallas (P. S.) Flora Rossica. fol. 2 vol. 1784, 1788.
- Par. lond.* } Salisbury (Rich. Anth.) Para-  
*Sal. par. lond.* } disus Londinensis. 2 vol. 4to.
- Park. par.* Parkinson (John.) Paradisi in sole paradisiu terrestris, or a garden of flowers. 1 vol. fol. 1629.
- Park. theat.* Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.
- Patters. iter.* A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.* } Petiver (James.) Herbarii  
*Pet. h. brit.* } Britannici Catalogus. fol.  
*Pet. gaz.* } Petiver (James.) Gazophylacium  
 naturæ et artis. fol. 1702, 1704.
- Pet. Th. veg. afr.* Aubert du Petit Thouars. Plantes des îles de l'Afrique australe. 3 fasc. in 4to. Paris. 1804—6.
- Pio viol.* Pio (Joh. Bapt.) De Violâ specimen. 4to. 1813.
- Pis. bras.* Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.
- Piso. lib.* Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.
- Plenck. ic.* Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.
- Pl. rar. hung.* } Waldstein (Franc.) et Kitai-  
*W. et K. hung.* } bel (Paul.) Descriptiones et  
 Icones plantarum rariorum  
 Hungariæ. 3 vol. fol.
- Pluk. alm.* Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.
- Pluk. am.* Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.
- Pluk. mant.* Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.
- Pluk. phyt.* Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.
- Plum. amer.* Plumier (Charles.) Description des Plantes de l'Amerique. 1 vol. fol. 1693 et 1713.
- Plum. ed. B.* } Plantæ Americanae à C. Plu-  
*Pl. ed. Burm.* } mier detectæ et à J. Bur-  
 manno editæ. 5 fasc. fol. 1755.
- Plum. fl.* Plumier (C.) Traité des fougères de l'Amerique. 1 vol. fol. 1705.
- Plum. gen.* Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.
- Plum. ic.* Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantas quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.
- Pohl. pl. bras.* Pohl Plantæ Brasiliæ. 4to. 1830.
- Pollich Palat.* Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.
- Poit. et T. fl.* Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.
- Pursh amer.* Flora Americae Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.* Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.
- Raii syn.* } Ray (Joh.) Synopsis Stirpium Bri-  
*Ray. syn.* } tannicarum. 1 vol. 8vo.
- Rauw. it.* Rauwolf (Leonh.) Etlicher Schoner Ausländischer Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.
- Red. lil.* } Redoute (P. J.) Les Liliacées.  
*Redoute lil.* } 8 vol. fol. 1802—1816.
- Redout. ros.* Redoute (P. J.) Les Roses. 4to. et fol. 1817 et seq.
- Reich. ac.* Reichenbach (Ludov.) Monographia generis Aconiti et Delphinii. Lipsiæ. 1820. fol.
- Reich. ic.* Reichenbach (Ludov.) Icones et descriptiones plantarum. 4to. Lipsiæ. 1822 et seq.
- Reliq. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

- Reuealm. spec.* Pauli Reuealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.* Retzius (And. Joh.) Observationes Botanicae. 6 fasc. fol. 1774—1791.
- Rheed. mal.* } Van Rheeде (Henricus.) Hortus Indicus Malabaricus. 12  
*Rhe.hort.mal.* } vol. fol.
- Rivin. monop.* Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.
- Riv. tetr.* Rivinius (A. Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.
- Riv. pent.* Rivinus (A. Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.
- Rob. ic.* Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Rod. Scub. cer.* Scubler (Gust.) Diss. sistens descriptiones cerealium cultorum. Tubing. 1818. 4to.
- Rœm. arch.* Rœmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.
- Rœm. script.* Rœmer (J. J.) Scriptores de Plantis Hispanicis, Lusitanicis, et Brasiliensis. 1 vol. 8vo. 1796.
- Rœm. et Ust. mag.* Rœmer (Joh. Jac.) et Usteri (Paul.) Magazin für die Botanik. 4to. 1789—1790, Zurich.
- Rosc. scitam.* Roscoe's Figures of the order of Scitamineæ. fol.
- Rosc. fl. ill. sea.* Roscoe (Mrs. M.) Floral Illustrations of the Seasons. Liverpool. Royal 4to. 1829 et seq.
- Roth. abh.* Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.
- Rottb. gram.* } Descriptiones et Icones  
*Rottb. desc. rar.* } Plantarum rariorum, etc.  
1 vol. fol. 1773.
- Roxb. corom.* Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.
- Rudg. gui.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.
- Ruiz. et P. prod.* Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodrum. fol.
- Rumph. amb.* Rumphius (Georg. Everlh.) Herbarium Amboinense. 6 vol. fol. 1750—1755.
- Russ. alep.* Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.* } Sabbati (Liberatus.) Hortus  
*Sabb. h. rom.* } Romanus. fol. vol. 3. 8vo.  
1772, 1774, 1805.
- Sal. stirp. rar.* Salisbury (R. A.) Icones stirpium rariorum. 1 fasc. fol. 1791.
- San. viag.* Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.
- Savi fl. pis.* Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.
- Scheuch. gram.* Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.
- Scheuch. it.* Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.
- Schk. caric.* Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.
- Schkuhr flic.* Schkuhr (Christ.) Abbildungen der Farnkräuter. 4to.
- Schk. hand.* Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.
- Schm. arb.* } Schmidt (Franz.) Oesterreichs  
*Schmid. arb.* } allegemeine Baumzucht 2  
Bänd. fol. 1792—1794.
- Schm. ic.* Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.
- Schousb. maroc.* Schousboe (P. K. A.) Jagttagelser over voextriget i Marocco. 1 vol. 4to. 1800.
- Schrad. d. hal.* Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.
- Schrad. gen. nov.* Schrader (H.A.) Nova Plantarum genera. 1 fasc. fol. 1797.
- Schrad. germ.* Schrader (H.A.) Flora Germanica. 8vo. 1806.
- Schr. s. han.* Schrader (H.A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.
- Schrad. verb.* Schrader (H.A.) Monographia generis verbasci. 4to. 1813.
- Schrad. ver.* Schrader (H.A.) Commentatis de Veronicis spicatis. 8vo. 1803.
- Schrank h. mon.* } Schrank (Fr. von Paula.)  
*Schrank pl. rar.* } Plantæ rariores horti Monacensis. 1817, 1818, 1819.
- Schreb. a. ups.* Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientiarum Upsalæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.
- Sch. gram.* Schreber (J. C. D.) Beschreibung der Groesser. fol. 1769—1779.
- Scop. carn.* Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
- Scop. del.* } Scopoli (J.A.) Deliciæ floræ Insulariæ.  
*Scop. ins.* } bricæ. 3 vol. fol. 1786, 1788.
- Seb. mus.* } Seba (Alb.) Locupletissimi Rerum  
*Seb. thes.* } naturalium Thesauri Descriptio.  
4 vol. fol. 1734—1765.
- Second. d. chen.* De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.
- Segu. ver.* Seguier (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.
- Ser. m. helv.* Seringe (N. C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.
- Shaw afric.* } Shaw (Thomas.) Travels in  
*Shaw barb.* } bary and the Levant. 1 vol.  
fol. 1738.—Supplement.  
1746.
- Sinc. gr. wob.* Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.
- Slo. hist.* } Sloane (Hans.) A Voyage to the  
*Sloan. j.* } Islands Madeira, Barbadoes,  
Nieves, St. Christopher's, and  
Jamaica; with the Natural  
History of the last of those Islands.  
2 vol. fol. 1707.
- Sm. exot. bot.* Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.
- Sm. ic. ined.* Smith (J. E.) Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.
- Smith ic. pict.* Smith (J. E.) Icones pictæ Plantarum rariorum. 3 fasc. fol. 1790—1793.
- Sm. nov. hol.* Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

- Smith spic.* Smith (J. E.) *Spicilegium Botanicum*. 2 fasc. fol. 1791, 1792.
- Smith. tracts.* Smith (J. E.) *Tracts relating to Natural History*. 1 vol. 8vo. 1798.
- Sole's mints.* Sole (William.) *Menthæ Britannicæ*; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.
- Sonner. it.* Sonnerat (P.) *Voyage aux Indes orientales et à la Chine*. 2 vol. 4to.
- Sonner. n. guin.* *Voyage à la nouvelle Guinée*. 1 vol. 4to. 1776.
- Sparm. a. st.* Sparrman (Andr.) *Kongl. Vetenskaps Academiens Handlingar*. Stockholm. 1739. seq. 8vo.
- Spr. anl.* Sprengel (Kurt.) *Anleitung zur Kentniss der Gewächse*. 2 theil. 8vo. 1817, 1818.
- Spreng. crypt.* Sprengel (K.) *Introduction to the study of Cryptogamous Plants*, translated from the German. 8vo. 1813.
- Spr. fl. hall.* Sprengel (K.) *Floræ halensis Tentamen novum*. 1 vol. 8vo. 1806.
- Spreng. umb.* Sprengel (K.) *Species umbelliferarum minüs cognitarum illustratæ*. 1 vol. 4to. 1818.
- Sternb. saxif.* Sternberg (Graf. Casp.) *Revisio Saxifragarum Iconibus illustrata*. 1 vol. fol. 1810.
- Stær. lib. de. stram.* Stærck (Ant.) *Libellus de Stramionio, Hyosciamo, Aconito*. 8vo. 1763.
- Sturm. deut.* Sturm (Jacob.) *Deutschland flora*. 4to.
- Swartz ic.* Swartz (Olof.) *Icones Plantarum Indiæ occidentalis*. 1 fasc. fol. 1794.
- Swart. obs.* Swartz (O.) *Observationes botanicæ*. 1 vol. 8vo. 1791.
- Sw. syn. fl.* Swartz (O.) *Synopsis filicum earum genera et species compl.* 1 vol. 8vo. 1806.
- Swt. br. fl. gar.* Sweet (Robert.) *The British Flower Garden*, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 3 vol. royal 8vo.
- Swt. br. fl. gar. s. 2.* Sweet (R.) *British Flower Garden*, series 2, number 1 to 17, et seq.
- Swt. cist.* Sweet (R.) *Cistineæ*. The natural Order of Cistus, or Rock-Rose, complete in one volume, containing 112 beautifully coloured figures of the different species and varieties of this handsome family of plants.
- Swt. flor. aust.* Sweet (R.) *Flora Australasica*, or a selection of the most beautiful and interesting plants, natives of New Holland, and the South Sea Islands, containing 56 beautifully coloured figures from the living plants. 1 vol. royal 8vo. London, 1827-1828.
- Swt. flor. guid.* Sweet (R.) *The Florist's Guide, or Cultivator's Directory*, containing elegantly coloured figures of the choicest flowers cultivated by Florists, including Tulips, Hyacinths, Ranunculus', Carnations, Pinks, Auriculas, Polyanthus's, Georgina's, and Roses. 1827 et seq. royal 8vo. London.
- Sweet ger.* Sweet (R.) *Geraniaceæ*, or the natural Order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, and their mode of culture. royal 8vo. Five volumes complete.
- Swert. flor.* Swertius (Eman.) *Florilegium tractans de variis floribus*. 1 vol. fol. 1612.
- Tab. ic.* *Tabernæmontanus* (Jac. Theod.) *Icones Plantarum cur N. Bassæo*. 4to. 1590.
- Tabern. kraut.* *Tabernæmontanus* (Jac. Theod.) *Kræuterbuch*. fol. 1588.
- Ten. flor. med.* Tenore (Michel.) *Saggio sulle qualità medicinali delle piante Napolitanæ*. 8vo. Napoli. 1808.
- Tenor. fl. nap.* Tenore (Michel.) *Flora Napolitana*. fol. 1811.
- Ten. mem. croc.* Tenore (M.) *Memoires sui Crochi*. Naples.
- Thunb. eric.* Thunberg (Car. Petr.) *de Erica*. 4to.
- Thunb. ir.* Thunberg (Car. Petr.) *Dissertatis de Iris*. 4to. 1782.
- Thunb. jap.* Thunberg (Car. Petr.) *Flora Japonica*. 8vo. 1784.
- Thunb. voy.* Thunberg (Car. Petr.) *Voyage au Japon, etc.* 8vo. 1796.
- Till. pis.* Tilli (Mich. Ang.) *Catalogus horti Pisani*. fol. 1723.
- Tourn. voy.* Pitton De Tournefort (Joseph.) *Relation d'un voyage du Levant*. 4to. 1717.
- Trat. arch.* Trattinick (Leop.) *Archiv der Gewächskunde*. 4to. 1811.
- Trattin. fl. aust.* Trattinick (Leop.) *Flora Austriaca sicca*. fol. 1792.
- Tratt. tab.* Trattinick (Leop.) *Observationes botanicæ Tabularium rei herbariæ illustrates*. 4to. 1811.
- Tratt. thes. bot.* Trattinick (Leop.) *Thesaurus Botanicus*. fol. 1819.
- Trev. delph.* Treviranus (Lud. Christ.) *De Delphinio et Aquilegia observationes*. 4to. 1817.
- Trew. ehret.* Trew (Christ. Jac.) *Plantæ selectæ ab Ehret pictæ*. fol. 1750.
- Trew. pl. rar.* Trew (Christ. Jac.) *Plantæ rariores*, ed. J. C. Keller. fol. 1763.
- Trin. ic. gram.* Trinius (Car. Bern.) *Icones Graminiæ*.
- Triumpf. obs.* Triumfetti (Joh. Bapt.) *Observationes de ortu et vegetatione Plantarum*. 4to. 1635.
- Ust. N. ann.* Usteri (Paul.) *Neue annalen der Botanik*. 8vo. 1794.
- Vahl. ecl.* Vahl (Martinus.) *Eclogæ Americane*. fol. 1796.
- Vahl. ic. rar.* Vahl (Martinus.) *Icones Plantarum in eclogis descriptarum*. fol. 1798.
- Vahl. symb.* Vahl (Martinus.) *Symbolæ botanicæ*. fol. 1790.
- Vail. par.* Vaillant (Sebastien.) *Botanicon Parisiense*. fol. 1727.

- Vent. cels.* Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.
- Vent. choix.* Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.
- Vent. malm.* Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.
- Vill. c. stras.* Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.
- Vill. dauph.* } Villars (D.) Histoire des Plantes  
*Vill. delph.* } du Dauphine. 8vo. 1786.
- Viv. frag.* } Viviani (Dom.) Floræ Italicæ fragmenta. 4to. 1808.
- Volck. norib.* Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.
- Wahl. helv.* Wahlenberg (Georg.) De vegetatione et climate Helvetiæ septentrionalis specimen. 8vo. 1813.
- Wahl. lap.* Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.
- Wal. as. res.* Wallich in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Wal. pl. as.* } Wallich (Nathanael.) Plantæ asiaticæ rariores, ou description et figures d'un choix de plantes inédites de l'Inde orientale. fol. 1829 et seq.
- *ind. pl.* }
- Walth. hort.* Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.
- Wang. amer.* Von Wangenheim (Fried Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.
- Wats. dend. brit.* Watson (W.) Dendrologia Britannica. 2 vol. 8vo.
- Weig. obs.* Weigel (Christ. Ehret.) Observationes Botaniciæ. 4to. 1772.
- Wei. et N. rub.* Weihe (Aug.) et Nees (C. G.) Rubi germanici.
- Weinm. phyt.* Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.
- Wend. ac.* Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.
- Wendl. col.* Wendland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.
- Wendl. er.* Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.
- Wend. h. herr.* Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.
- Wend. s. han.* Wendland. (J. C.) Sertum Hannoveranum. 4 fasc. fol.
- Willd. arb.* Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.
- W. ber. mag.* Willdenow (Car. Lud.) Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.
- Willd. hort. ber.* Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.
- Woodv. med. bot.* Woodville (William.) Medical Botany. 3 vol. 4to. 1790.
- Zanon. hist.* Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.
- Zorn. ic.* Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

## ABBREVIATIONS.

- A. B. Annals of Botany.  
A. DC. Alphonso De Candolle. Monographie des Campanulees.  
Afz. Afzelius, a Swedish Professor.  
A. G. Andrews's Geraniums.  
A. H. Andrews's Heaths.  
A. R. Andrews's Botanist's Repository.  
All. Allioni, an Italian Botanist.  
Aub. Aublet, a French Traveller in Guiana.  
B. Mr. Robert Brown, a celebrated English Botanist.  
B. A. Barton's Flora Boreali Americana. 2 vol. 4to.  
Bal. Balbis, a French Botanist.  
Bau. Baumgarten.  
B. C. Loddiges's Botanical Cabinet.  
B. D. Bartling. Diosmeæ descriptæ et illustratæ. 1824. 8vo.  
Be. Bertoloni, an Italian Botanist.  
Bes. Besser, a Russian Botanist.  
BF. Bancroft.  
B. F. G. Sweet's British Flower Garden.  
Bhi. Bernhardt, a German Botanist.  
B. M. Curtis's Botanical Magazine.  
B. O. Beauvois. Flora d'Oware et de Benin.  
Boj. Bojer, Professor of Botany in the Isle of France.  
B. P. Brown's Prodrômus Floræ novæ Hollandiæ.  
B. R. Botanical Register.  
Bro. Brogniart's Rhamneæ.  
B. T. Burchell's Travels in Africa.  
C. (Cav.) Cavanille's, a Spanish Botanist.  
C. C. Colvill's Catalogue.  
C. I. Cavanille's Icones.  
C. L. T. Colebrooke, in Linnean Transactions.  
C. S. Choisy. Memoire sur la Famille des Selaginees.  
Cyr. Cyrilli, an Italian Botanist.  
D. David Douglas, on the Plants of the West Coast of America.  
DC. Decandolle (Augustin Pyramus.)  
D. D. David Don, Librarian of the Linnean Society, Soho Square.  
Desf. Desfontaines, a French Botanist.  
Desv. (Dv.) Desvaux, a French Botanist.  
DF. Dufresne's Valerianees.  
D. L. (Lht.) David Lockhart, Botanical Gardener at Trinidad.  
Dod. Dodonaeus, a Dutch Botanist.  
D. P. David Don's Prodrômus Floræ Nepalensis.  
E. Ehrenberg, a Traveller in Egypt, &c.  
E. B. Smith's English Botany.  
E. C. Elliott's Flora of Carolina.  
E. F. Smith's English Flora.  
Ex. B. Smith's Exotic Botany.  
F. Fischer, Curator of the Botanic Garden at St. Petersburg.  
F. D. Flora Danica.  
F. E. Forskaol Flora Ægyptiaco-Arabica.  
F. G. Flora Græca.  
F. I. Flora Indica.  
G. Gærtner, a celebrated German Carpolo-gist.  
G. B. Gray's Flora Britannica.  
G. D. George Don, an English Botanist.  
Gm. Gmelin, a Russian Botanist.  
Gr. Graham, Regius Professor of Botany at Edinburgh.  
G. R. Georgi, Geographische, etc. Beschreibung des Russischen Reichs.  
H. Hornemann, a Danish Botanist.  
H. A. Hooker's Flora Boreali Americana.  
H. B. Hortus Bengalensis.  
H. E. Hortus Epsomensis.  
H. E. F. Hooker's Exotic Flora.  
H. F. Hooker and Greville's Ferns.  
H. G. Hoare's Geraniaceæ.  
H. K. Hortus Kewensis.  
H. M. Hooker's Miscellany.  
H. M. N. Haworth's Miscellanea Naturalia.  
H. P. Idem, in Taylor's Philosophical Magazine.  
H. R. Idem, Saxifrages and Revisions of Succulent Plants.  
H. S. Idem, Synopsis Plantarum Succulentarum.  
H. S. S. Idem, Supplementum Plantarum Succulentarum.  
H. S. L. Hortus Suburbanus Londinensis.  
H. T. Transactions of the Horticultural Society.  
H. U. Hoffman's Umbelliferæ.  
J. Jussieu.  
Jac. Jacquin.  
J. E. (J. F.) Jacquin (Filius) Eclogæ Botanice.  
J. I. Jacquin's Icones.  
J. S. Jacquin's Stapeliæ.  
K. F. Kaulfuss. Filices.  
K. S. Kunth's Synopsis Plantarum.  
L. Linnæus.  
L. A. Lehman's Asperifoliæ.  
L. A. Ledebour's Flora Altaica.  
Lam. Lamarck.  
L. C. Loddiges's Catalogue.  
L. col. Lindley's Collectanea Botanica.  
Led. Ledebour, a Russian Botanist.  
L. en. Link's Enumeratio Plantarum.  
LG. et Lag. Lagasca, a Spanish Botanist.  
L'H. L'Heritier.  
L. O. Link et Otto, Abbildungen et Beschreibungen seltener Pflanzen in Berlin Garten.  
L. P. Lehman's Potentillæ.  
L. R. Lindley, Rosarum Monographia.  
L. T. Transactions of the Linnean Society.  
M. Michaux. Flora Boreali Americana.  
M. B. Marschall de Bieberstein, Flora Taurico-Caucasica.  
M. C. Mackay's Catalogue.  
Med. Medicus, a German Botanist of the last Century.  
Mh. Mœnch, a German Botanist.

- Mil. Miller, an English Gardener and Botanist.
- M. N. Martius. Flora of Brazil.
- M. P. Martius. Genera et Species Palmarum.
- N. Nuttall's Genera of North American Plants.
- N. A. Nee's Asters.
- N. L. F. News of Literature and Fashion.
- N. P. Nestler's Potentillæ.
- Ot. Otto, Curator of the Botanic Garden at Berlin.
- P. B. Pohl's Flora Brasiliæ.
- Ph. Pursh. Flora Americana Septentrionalis.
- P. L. Salisbury in Paradisus Londinensis.
- Poir. Poiret, a French Botanist.
- Pr. Presl, a Bohemian Botanist.
- P. S. Person's Synopsis Plantarum.
- R. (Rox.) Roxburgh.
- R. A. Reichenbach. Monographie Generis Aconiti et Delphinii.
- Raf. Rafinesque Schmalz.
- R. B. Roth's neue Beiträge zur Botanik.
- R. C. Roxburgh's Plants of the Coast of Comorandel.
- R. O. Richard's Orchidæ.
- R. P. Ruiz et Pavon. Flora Peruviana.
- R. S. Rømer et Schultes Systema Vegetabilium.
- R. U. (Rch.) Reichenbach Übersicht der gattung Aconitum.
- S. Schultes's Systema Vegetabilium.
- S. C. Sweet's Cistineæ.
- Sch. (Schl.) Schleicher, a Swiss Collector.
- Sck. Schrank, a Bavarian Botanist.
- Scop. Scopoli, an Italian Botanist.
- Schr. Schrader, a German Botanist.
- Sct. Schott, a Traveller in Brazil.
- S. F. A. Sweet's Flora Australasia.
- S. F. G. Sweet's Florist's Guide.
- S. G. Sweet's Geraniaceæ.
- Sie. Sieber, a Botanical Collector.
- S. M. Sole's Mints.
- S. O. Seidl et Opiz.
- S. P. Salisbury's Prodomus.
- S. S. Sprengel's Systema Vegetabilium.
- S. T. Savi. Observationes in varias Trifoliorum Species.
- Sw. Swartz, a Swedish Botanist.
- T. C. Tenore. Catalogus Plantarum Horti Regii Neapolitani.
- T. N. Idem, Flora Neapolitana.
- T. P. Idem, Floræ Neapolitanæ Prodomi.
- T. S. Idem Synopsis Floræ Neapolitanæ.
- Th. Thunberg, a Swedish Botanical Traveller.
- Tv. Treviranus, a German Botanist.
- V. Ventenat, a French Botanist.
- V. M. Ventenat's Jardin de Malmaison.
- Viv. Viviani, an Italian Botanist.
- W. Willdenow. Species Plantarum.
- W. A. Idem, Historia Amaranthorum.
- W. en. Idem, Enumeratio Plantarum Horti Bot. Berolinensis.
- Wall. Wallich, Curator of the Botanic Garden at Calcutta.
- W. C. Wendland. Collectio Plantarum.
- W. D. Watson's Dendrologia Britannica.
- W. H. William Herbert. Observations on the Amaryllideæ, &c.
- W. K. Waldstein and Kitaibel. Descriptiones et icones plantarum rariorum Hungariæ.
1. 2. Flowering the first and second month of the year.
3. 6. Flowering from the third to the sixth month, and so on according to the different figures.
1. 12. Flowering all the year round, or at various seasons of the year, not having any settled period.
- Denotes the same as the line above it.
- ... Uncertain, or not properly known.
- H. 5. Hardy large tree.
- H. h. Hardy Shrub, or small tree.
- H. h̄. Hardy Evergreen Shrub.
- F. h. Frame Shrub, or requiring the protection of a Frame or Mats in severe frosty weather, but to be exposed when the weather is mild.
- G. h. Greenhouse Shrub, requiring the protection of a Greenhouse in Winter.
- S. h. Shrubs requiring to be kept in the Stove or Hothouse in Winter, but may be removed to the Greenhouse in Summer.
- D. S. h. Dry Stove Shrub, a plant requiring very little water.
- D. G. h. Dry Greenhouse Shrub, or a plant that requires but little water in Winter; many of which will succeed well in a good frame or pit, with the covering of a mat or two on the lights in severe frost, but to be continually exposed to the air in mild weather.
- h̄. Suffruticose, a dwarf Shrub, or a soft wooded Shrub.
- ∫. Herbaceous, perennial, dying down in Winter, and shooting up afresh the following Spring.
- h̄. Climbing Shrub, a Shrub that requires support, either with a trellis, stick, or line, or any other convenient support.
- ∫. Climbing, perennial, herbaceous plant, requiring the same sort of support as the last.
- w. h. Water Shrub, or one that prefers growing in water, or in moist situations.
- w. ∫. Perennial herbaceous plant, requiring to be grown in water, or in a moist situation.
- ♂. Biennial, seldom surviving more than two years.
- ⊙. Annual, requiring to be sown yearly.
- b. Bulbous-rooted.
- H. Hardy, surviving through the Winter without protection.
- F. Frame, not quite hardy, but requiring the protection of a frame or mats in severe weather.
- G. Greenhouse, requiring the protection of a Greenhouse in Winter, but to be well supplied with air in mild weather.
- I. Intermediate between Stove and Greenhouse.
- S. Stove, those require the protection of a Stove or Hothouse in Winter; the temperature should never be allowed to get below 60 degrees of Fahrenheit's Thermometer.
- C. B. S. Cape of Good Hope.
- N. S. W. New South Wales.
- N. Holl. New Holland.
- V. Diem. Isl. Van Diemen's Island.

THE BRITISH FLOWER GARDEN, & ORNAMENTAL SHRUBBERY.

*Series the Second.*

Publishing, in Monthly Numbers, at *Three Shillings* each; and each Number containing Four full and highly coloured Figures, with Dissections of the most essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants, or Flowering Shrubs, that may be cultivated in the open Borders, Shrubberies, or by the side of Walls, or Fences, in the Gardens of this Country; with a full account of the best and most successful mode of Management in Culture and Propagation; the Soils and Situations most suitable for them; the Protection necessary, if any be required in Winter; their Scientific and English Names, with full Descriptions; Natural and Linnæan Classes and Orders; Derivations of the Generic Names; and all other information that may be considered of importance to the Botanist, Cultivator, or Amateur; and the most beautiful and interesting subjects are chosen. Twenty-five Numbers form each Volume, and Three Volumes complete *e. h. Series*.

Sets of the First Series of SWEET'S BRITISH FLOWER GARDEN, complete, in Three Volumes, may still be obtained, each Volume containing One Hundred elegantly coloured Figures; with a Systematical, Alphabetical, and English Index to each, List of Books quoted, &c. Price *3l. 16s.* each. Single Numbers, at *3s.* each; any back Numbers may be obtained to complete Sets.

The First Series is published by W. SIMPKIN and R. MARSHALL, Stationers'-hall-court, Ludgate Street; and may be procured, by Order, from all Booksellers.

"The British Flower Garden ought to be in the hands of all Cultivators of Hardy Flowering Plants." *Loudon's Gardener's Magazine.*

"The Figures, drawn and coloured from living specimens, by E. D. Smith, under the Author's inspection, are correct portraits of the subjects intended, and the plates are full and well executed. At the bottom of the plates are given coloured dissections of the different parts of the flower, so that, by that means, the parts of fructification are well explained."—"We recommend the British Flower Garden to the Cultivators and admirers of hardy Flowering plants; and we have no doubt but they will feel themselves much interested by its perusal." *News of Literature and Fashion.*

SWEET'S GERANIACEÆ.

Now complete, in Five Volumes, each containing One Hundred beautifully coloured Figures of the choicest and most distinct Species and Hybrid Productions of this greatly admired Tribe. From this Work may be selected a collection of the sorts most suited to the taste of any Lady or Gentleman, who wishes to make a collection of this beautiful Family.

SWEET'S CISTINEÆ.

An Account of the Family of CISTUS, or ROCK-ROSE; illustrated with handsomely coloured Figures; now complete, in Twenty-eight Numbers, at *3s.* each; containing One Hundred and Twelve Figures and Descriptions of this handsome and generally admired Tribe of Plants, with Descriptions of the other Species that could not be obtained; with a full account of the best Method for their Cultivation and Propagation; or any thing else belonging to them, considered of importance.

THE FLORIST'S GUIDE; or CULTIVATOR'S DIRECTORY.

Publishing, in Monthly Numbers, at *3s.* each; and Two Volumes will complete the Work. Each Number contains Four highly finished coloured Figures, drawn from the living Plants of the Flowers most esteemed by Florists—as Tulips, Ranunculus, Auriculas, Hyacinths, Carnations, Pinks, Roses, &c.; with the most approved Methods of Cultivation, Directions for raising new Varieties from Seeds, &c.

FLORA AUSTRALASICA.

Published in one handsome Royal Octavo Volume; containing Fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, Natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants.) They are well adapted for a Greenhouse, or Conservatory; and many will survive the Winters, in the open ground, with a very little protection. Price *2l. 2s. 6d.* in Fourteen Numbers, Index, &c.; or single Numbers, at *3s.* each.

*In the Press, and soon will be published, a New Edition of*

SWEET'S HOTHOUSE AND GREENHOUSE MANUAL;  
Or BOTANICAL CULTIVATOR.

Containing numerous Genera not before enumerated in any former edition; with Directions for their Treatment in Cultivation and Propagation; Treatment of Plants in Rooms, and all those grown in the Hothouses, Greenhouses, Frames, or in the open Ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants.

SWEET'S BRITISH WARBLERS;

Or an Account of the Summer Birds of Passage belonging to the Family of Sylvia; illustrated with beautiful coloured Figures of the natural size, chiefly taken from living Birds in the Author's collection; with full Directions for their Treatment, as practised by the Author, showing how all the fine singing Birds belonging to this tribe, may be kept in confinement in as good health as any common birds whatever, and will continue in full song nearly all the year; with an account of the best Method of catching them, or rearing them from the nest; and numerous other observations concerning their migration, food, habit when wild, or any thing relating to their history, that may be considered of importance. Published in Three Parts, and containing Sixteen Figures. Part 1, containing Six Figures, *6s. 6d.*; Part 2, Five Figures, *5s.*; and Part 3, Five Figures, *5s.* The Figures are of the Nightingale, Blackcap, Larger and Lesser Whitethroats, Greater Pettychaps, or Garden Warbler; Willow and Wood Wrens; Dartford, Reed, and Sedge Warblers; Winchat, Stonechat, Wheatear, Redstart, &c.

# CLASSIS I.

## DICOTYLEDONEÆ seu EXOGENÆ.

### \* SUBCLASSIS I. THALAMIFLORÆ.

## ORDO I.

### RANUNCULACEÆ. DC. *syst. nat.* 127.

#### Tribus I. CLEMATIDÆ.

Syst. Name.	Color.	Eng. Name.	Native.	Introd.	Flower.	Habit.	Ref. to Figures.
<b>CLEMATIS. W.</b>		<b>VIRGIN'S BOWER.</b>	<b>Polyandria</b>	<b>Polygynia. L.</b>			
1 <i>erecta</i> . DC.	(wh.)	upright.	Austria.	1597.	6. 8. H.	♀.	Jacq. aust. 3. t. 291.
γ <i>hispanica</i> .	(wh.)	Spanish.					
2 <i>flammula</i> . DC.	(wh.)	sweet-scented.	S. Europe.	1596.	7. 10. H.	h. ∪.	Lob. ic. 627. f. 1.
α <i>rotundifolia</i> .	(wh.)	round-leaved.					Ten. fl. neap. v. 1. t. 48.
β <i>vulgaris</i> .	(wh.)	oblong-leaved.					
γ <i>maritima</i> .	(wh.)	narrow-leaved.					Zanic. ist. 69. t. 129.
3 <i>Massoniæna</i> . DC.	(wh.)	Masson's.	C. B. S.	....	....	G. h. ∪.	
4 <i>orientalis</i> . DC.	(ye.)	oriental.	Levant.	1731.	7. 10. H.	h. ∪.	Dill. elt. t. 119. f. 145.
5 <i>glauca</i> . W.	(ye.)	glaucous.	Siberia.	....	7. 8. H.	h. ∪.	Willd. arb. 65. t. 4. f. 1.
6 <i>paniculata</i> . DC.	(wh.)	panicked.	Japan.	1789.	6. 8. H.	h. ∪.	Houtt. pflanz. 7. f. 2.
7 <i>chinensis</i> . DC.	(wh.)	Chinese.	China.	1820.	....	H. h. ∪.	Retz. obs. 2. n. 53. t. 2.
8 <i>terniflora</i> . DC.	(wh.)	three-flowered.		1826.	....	H. h. ∪.	
9 <i>Vitálba</i> . DC.	(wh.)	Traveller's Joy.	England.	....	7. 9. H.	h. ∪.	Eng. bot. 612.
10 <i>virginiana</i> . DC.	(wh.)	Virginian.	N. America.	1767.	6. 8. H.	h. ∪.	Wats. dend. brit. t. 74.
11 <i>brasiliæna</i> . DC.	(wh.)	Brazilian.	Brazil.	1820.	....	S. h. ∪.	Deless. ic. sel. 1. t. 1.
12 <i>dioica</i> . DC.	(wh.)	Jamaica.	Jamaica.	1733.	5. 6. S.	h. ∪.	Slo. hist. 1. t. 128. f. 1.
13 <i>americæna</i> . DC.	(wh.)	West-Indian.	W. Indies.	....	....	S. h. ∪.	
14 <i>coriæca</i> . DC.	(wh.)	leathery-ld.	N. S. W.	1821.	....	G. h. ∪.	
15 <i>stenosépala</i> . DC.	(wh.)	narrow-sepaled.		1826.	5. 8. G.	h. ∪.	
16 <i>aristata</i> . DC.	(wh.)	awned-anther'd.		1812.	5. 8. G.	h. ∪.	Bot. reg. 238.
17 <i>hedysarifolia</i> . DC.	(wh.)	Hedysarum-ld.	Nepaul.	1819.	7. 2. G.	h. ∪.	Bot. reg. 599.
18 <i>bitermata</i> . DC.	(wh.)	bitermate.	Japan.	1825.	7. 9. H.	h. ∪.	
19 <i>tritermata</i> . DC.	(wh.)	tritermate-ld.	.....	1806.	....	H. h. ∪.	
20 <i>dominica</i> . DC.	(wh.)	St. Domingo.	St. Domingo.	....	....	S. h. ∪.	Jac. am.p.2.t.261.f.244.
21 <i>brachiata</i> . DC.	(wh.)	armed.	C. B. S.	1804.	10. 12. G.	h. ∪.	Bot. reg. 97.
22 <i>grandiflora</i> . DC.	(wh.)	great-flowered.	Sierra Leon.	1822.	....	S. h. ∪.	
23 <i>dahurica</i> . DC.	(pu.)	Dahurian.	Dahuria.	1822.	6. 8. H.	h. ∪.	
24 <i>zanzibârca</i> .	(wh.)	Zanzibar.	Africa.	1826.	....	S. h. ∪.	
25 <i>angustifolia</i> . DC.	(wh.)	narrow-leaved.	Siberia.	1787.	5. 9. H.	♀.	Jacq. ic. 1. t. 104.
26 <i>diversifolia</i> . DC.	(pu.)	various-leaved.	.....	....	9. 10. H.	h. ∪.	Deless. ic. sel. 1. t. 4.
27 <i>Viórna</i> . DC.	(pu.)	leathery-flow'd.	N. America.	1730.	6. 9. H.	h. ∪.	Jacq. ecl. 1. t. 32.
28 <i>cylindrica</i> . DC.	(bl.)	long-flowered.		1802.	7. 9. H.	h. ∪.	Bot. mag. 1160.
<i>Viórna</i> . A. R. 71.		<i>nec aliorum</i> .					
29 <i>Simsii</i> .	(pu.)	Sims's.		1812.	6. 9. H.	h. ∪.	Bot. mag. 1816.
<i>cordata</i> . B. M. <i>nec aliorum</i> .							
30 <i>reticulata</i> . DC.	(pu.)	netted.					
31 <i>japónica</i> . DC.	(pu.)	Japan.	Japan.	1826.	....	H. h. ∪.	Wats. dend. brit. t. 72.
32 <i>integrifolia</i> . DC.	(bl.)	entire-leaved.	Hungary.	1596.	6. 8. H.	♀.	Bot. mag. 65.
β ? <i>angustifolia</i> .	(bl.)	narrow entire-ld.	Siberia.	....		H. ♀.	
γ ? <i>elongata</i> . DC.	(bl.)	long-leaved.		1823.		H. ♀.	Tratt. tab. 4. t. 178.

33	ochroleuca. DC.	(st.) silky.	N. America.	1767.	6. 7.	H. 2.	Bot. mag. 1175.
34	gentianoïdes. DC.	(wh.) gentian-like.	V. Diem. Isl.	1825.	....	G. 2.	Deless. ic. sel. 1. t. 5.
35	florida. DC.	(wh.) large-flowered.	Japan.	1776.	4. 9.	H. 2.	Bot. mag. 834.
	<i>β flore pleno</i>	(wh.) double-flowered.	—	—	—	H. 2.	—
36	Viticella. DC.	(pu.) smooth-seeded.	Spain.	1569.	6. 9.	H. 2.	Bot. mag. 565.
	<i>α purpurea.</i>	(pu.) purple-flowered.	—	—	—	—	—
	<i>β cœrulea.</i>	(bl.) blue-flowered.	—	—	—	—	—
	<i>γ pulchella.</i> P. S.	(bl.) double-flowered.	—	—	—	H. 2.	Chabr. sci. p. 117. f. 5.
37	crispa. B. M.	(pu.) curled-flower'd.	N. America.	1726.	7. 9.	H. 2.	Bot. mag. 1892.
38	parviflora. DC.	(wh.) small-flowered.	.....	1822.	6. 8.	H. 2.	Dc. pl. rar. gen. t. 12.
	<i>campaniflora.</i> Lodd.	bot. cab. 987. non DC.	—	—	—	—	—
39	cirrhôsa. DC.	(pu.) tendriled.	S. Europe.	1596.	3. 4.	H. 2.	Flor. græc. t. 517.
40	pedicellata.	(st.) pedicled.	Majorca.	....	—	H. 2.	Bot. mag. 1070.
	<i>cirrhôsa.</i> B. M. nec aliorum.	<i>cirrhôsa β. pedicellata.</i> DC.	—	—	—	—	—
	<i>semitriloba.</i> DC.	(st.) three-lobed.	Spain.	....	9. 11.	H. 2.	—
42	calycina. H. K.	(st.) evergreen.	Minorca.	1783.	4. 6.	H. 2.	Bot. mag. 959.
	<i>baleàrica.</i> DC.	—	—	—	—	—	—
ATRAG'ENE. W.		ATRAG'ENE.	Polyandria	Polygynia.	L.		
1	austriaca. B. M.	(bl.) Austrian.	Austria.	1792.	5. 7.	H. 2.	Bot. rep. 180.
	<i>alpina.</i> s. s. <i>Clématis alpina.</i> DC.	—	—	—	—	—	—
2	sibírica. B. M.	(wh.) Siberian.	Siberia.	1753.	3. 5.	H. 2.	Bot. mag. 1951.
	<i>Clématis sibírica.</i> DC.	—	—	—	—	—	—
3	ochoténsis. s. s.	(wh.) linear-petaled.	—	1822.	—	H. 2.	—
	<i>Clématis ochoténsis.</i> DC.	—	—	—	—	—	—
4	americãna. B. M.	(pu.) American.	N. America.	1797.	5. 6.	H. 2.	Bot. mag. 887.
	<i>Clématis verticillaris.</i> DC.	—	—	—	—	—	—
5	occidentális. s. s.	shining-leaved.	.....	1824.	....	H. 2.	—
NARAVELIA. DC.		NARAVELIA.	Polyandria	Polygynia.	L.		
	<i>zeylánicã.</i> DC. ....	Ceylon.	Ceylon.	1796.	....	S. 2.	—
	<i>β Roxbúrgii.</i> DC. (ye.)	<i>Roxburg's.</i>	Coromandel.	—	....	S. 2.	Roxb cor. 2. t. 188.

## Tribus II. ANEMONEÆ.

THALICTRUM. DC.		MEADOW-RUE.	Polyandria	Polygynia.	L.		
1	contórtum. DC.	(wh.) crook-seeded.	Siberia.	1796.	6. 7.	H. 2.	—
2	aquilegífolium. DC.	.. Columbine-ld.	Europe.	1731.	5. 7.	H. 2.	—
	<i>α album.</i>	(wh.) white-stamened.	—	—	—	H. 2.	Jacq. aust. t. 318.
	<i>β atropurpureum.</i> (pu.)	purple.	—	—	—	H. 2.	Bot. mag. 1818.
	<i>γ formosum.</i> B. M. (pu.)	<i>Sabine's.</i>	—	—	—	H. 2.	Bot. mag. 2025.
3	clavatum. DC.	(wh.) club-stamened.	N. America.	1812.	6. 8.	H. 2.	—
4	mexicanum. DC.	(gr.) Mexican.	Mexico.	1826.	7. 9.	H. 2.	Hern. mex. 236. ic.
5	corynéllum. DC.	(wh.) purple-stemm'd.	N. America.	....	—	H. 2.	—
6	polygamum. s. s.	(ye.) polygamous.	—	....	5. 7.	H. 2.	—
7	revolutum. DC.	(ye.) revolute	—	1806.	6. 7.	H. 2.	—
	<i>pubescens.</i> Ph. non DC.	—	—	—	—	—	—
8	diocum. DC.	(ye.) diœcious.	—	1759.	—	H. 2.	Deles. ic. sel. 1. t. 8.
9	carolinianum. DC.	(ye.) Carolina.	—	....	—	H. 2.	—
10	purpurascens. DC.	(pu.) dwarf purple.	—	1699.	—	H. 2.	—
11	petaloideum. DC.	(wh.) Dahurian.	Dahuria.	1799.	—	H. 2.	Deles. ic. sel. 1. t. 9.
12	alpinum. DC.	(gr.) Alpine.	Britain.	....	5. 7.	H. 2.	Eng. bot. 262.
13	fœtidum. DC.	(wh.) fœtid.	Europe.	1640.	—	H. 2.	W. et K. hung. 2. t. 174.
14	pubescens. DC.	(ye.) pubescent.	—	—	—	H. 2.	—
15	acutilobum. DC.	(ye.) acute-lobed.	Siberia.	....	—	H. 2.	Deles. ic. sel. 1. t. 10.
16	divergens. s. s.	(gr.) divergent.	—	1820.	6. 7.	H. 2.	—
17	Schweiggeri. s. s.	(ye.) Schweigger's.	.....	1826.	—	H. 2.	—
18	calábriticum. s. s.	(ye.) Calabrian.	Sicily.	1802.	6. 8.	H. 2.	Moris. 1. s. 9. t. 20. f. 16.
19	squarrosum. DC.	(ye.) squarrose	Siberia.	1806.	—	H. 2.	—
20	sibiricum. DC.	(ye.) Siberian.	—	1775.	—	H. 2.	Gært. fruct. 1. t. 74.
21	minus. DC.	(ye.) lesser.	Britain.	....	6. 7.	H. 2.	Eng. bot. t. 11.
22	collinum. DC.	(ye.) hill.	Germany.	1823.	—	H. 2.	—
23	saxátile. DC.	(ye.) rock.	Europe.	....	5. 7.	H. 2.	—
24	ambiguum. s. s.	(ye.) ambiguous.	Switzerland.	1820.	—	H. 2.	—
25	elatum. DC.	(ye.) tall.	Hungary.	1794.	6. 8.	H. 2.	Jacq. vind. 3. t. 95.
26	majus. DC.	(ye.) greater.	England.	....	—	H. 2.	Eng. bot. 611.
27	nütans. DC.	(ye.) nodding.	Italy.	....	—	H. 2.	—
28	médium. DC.	(ye.) middle.	Hungary.	1789.	—	H. 2.	Jacq. vind. 3. t. 96.

29	concinnum. DC.	(wh.) neat.	.....	....	6.	H. 4.	
30	flexuosum. Jac.	(ye.) flexuose.	.....	....	6. 8.	H. 4.	
31	trig'num. DC.	(ye.) three-styled.	Dahuria.	1823.	—	H. 4.	
32	glaucescens. DC.	(pu.) loose-flowered.	Russia.	—	6.	H. 4.	
33	galioïdes. DC.	(ye.) Galium-leaved.	Europe.	1816.	5. 7.	H. 4.	Deles. ic. sel. 1. t. 11.
34	angustifolium. DC.	(ye.) narrow-leaved.	Germany.	1739.	6. 7.	H. 4.	Jacq. vind. 3. t. 43.
35	divaricatum. s.s.	(ye.) spreading.	.....	—	—	H. 4.	
36	cyaniifolium. F.	(ye.) Fool's-parsley'd	Siberia.	1821.	—	H. 4.	
37	oligospermum. F.	(ye.) few-seeded.	—	—	—	H. 4.	
38	diffusum. Sch.	(ye.) diffuse.	.....	—	—	H. 4.	
39	lucidum. DC.	(ye.) shining.	Spain.	1739.	5. 7.	H. 4.	Pluk. alm. t. 65. f. 5.
40	rosmarinifolium. s.s.	(ye.) Rosemary-1 <sup>d</sup>	Italy.	1826.	6. 7.	H. 4.	
41	nigricans. DC.	(ye.) black.	Austria.	1798.	5. 7.	H. 4.	Jacq. aust. 5. t. 421.
42	flavum. DC.	(ye.) common.	Britain.	....	—	H. 4.	Eng. bot. 367.
43	vaginatum. Desf.	(ye.) sheathed.	Europe.	....	—	H. 4.	
44	simplex. DC.	(ye.) simple-stalked.	Sweden.	1778.	5. 6.	H. 4.	Flor. dan. t. 244.
45	cinereum. DC.	(ye.) ash-coloured.	.....	....	—	H. 4.	
46	glaucum. DC.	(ye.) glaucous	S. Europe.	1798.	6. 7.	H. 4.	
47	rugosum. DC.	(ye.) rugged.	N. America.	1774.	7.	H. 4.	
48	ranunculinum. DC.	(ye.) Ranunculus-ld.	—	1806.	6. 7.	H. 4.	
49	tuberosum. DC.	(wh.) tuberous-rooted.	Spain.	1713.	6.	H. 4.	Mill. ic. t. 265. f. 2.
50	anemoneïdes. DC.	(wh.) Anemone-like.	N. America.	1768.	4. 5.	H. 4.	Bot. mag. 866.
	<i>Anemone thalictroides. w.</i>						
	<i>β flore pleno.</i>	<i>double-flowered.</i>	—	1822.	—	H. 4.	
<b>PULSATILLA. W.en. PASQUE-FLOWER. Polyandria Polygynia.</b>							
1	vernalis. s.s.	(pu.) spring.	N. Europe.	1752.	4.	H. 4.	Swt. br. fl. gar. 205.
2	Halleri. s.s.	(bl.) Haller's.	Switzerland.	1816.	4. 5.	H. 4.	All. ped. t. 80. f. 2.
3	cœrnea. s.s.	(bl.) drooping.	Japan.	1806.	4. 6.	H. 4.	
4	pätens. s.s.	(va.) spreading.	Siberia.	1752.	6. 7.	H. 4.	Breyn. ic. t. 61.
	<i>β ochroleuca.</i>	(st.) straw-coloured.	—	—	5. 7.	H. 4.	Bot. mag. 1994.
5	vulgäris. s.s.	(bl.) common.	England.	....	—	H. 4.	Eng. bot. 51.
	<i>β rubra. DC.</i>	(re.) red-flowered.	Europe.	....	—	H. 4.	Lob. ic. 282. f. 1.
6	intermedia.	(bl.) long-petal'd.	Switzerland.	1820.	—	H. 4.	
	<i>Anemone intermedia. Schult. longipétala. Schleich.</i>						
7	pratensis. s.s.	(pu.) meadow.	Germany.	1731.	5.	H. 4.	Flor. dan. t. 611.
8	obsoleta.	(bl.) pale-flowered.	—	—	—	H. 4.	Bot. mag. 1863.
9	albana. s.s.	(wh.) white-flowered.	Caucasus.	1827.	—	H. 4.	
10	dahurica. DC.	(fl.) Dahurian.	Dahuria.	1823.	....	H. 4.	
11	alpina. s.s.	(wh.) Alpine.	Europe.	1658.	7.	H. 4.	Bot. mag. 2007.
12	micrantha.	(wh.) small-flowered.	—	1827.	—	H. 4.	Jacq. aust. t. 85.
	<i>Anemone alpina. Jacq. alpina β micrantha. DC.</i>						
13	apiifolia.	(ye.) Parsley-leaved.	—	....	—	H. 4.	Jacq. misc. 2. t. 4.
	<i>Anemone alpina δ flavescens. DC.</i>						
14	sulphurea.	(st.) sulphur-coloured.	—	....	—	H. 4.	Cam. epit. 393. ic.
	<i>Anemone sulphurea. L. apiifolia. w.</i>						
<b>ANEMONE. W.en. ANEMONE. Polyandria Polygynia. L.</b>							
1	capensis. DC.	(pu.) Cape.	C. B. S.	1795.	3. 7.	G. 7.	Bot. mag. 716.
	<i>Atragene capensis. w.</i>						
2	coronaria. DC.	(va.) Poppy.	Levant.	1596.	1. 12.	H. 4.	Bot. mag. 841.
	<i>β flore-pleno.</i>	(va.) double flowered.	—	—	—	—	
3	pavonina. DC.	(re.) acute-petaled.	—	....	4. 5.	H. 4.	
	<i>a coccinea.</i>	(sc.) scarlet.	—	....	—	H. 4.	
	<i>β lilacina.</i>	(li.) lilac.	—	....	—	H. 4.	
	<i>γ flore-pleno.</i>	(sc.) double scarlet.	—	....	—	H. 4.	Clus. hist. 1. p. 261. ic.
4	stellata. DC.	(pu.) star.	Italy.	1597.	—	H. 4.	Chabr. sciagr. 461. f. 3.
	<i>hortensis. B.M. 123.</i>						
	<i>a versicolor.</i>	(v.) various-coloured.	—	—	—	H. 4.	Bot. mag. 123.
	<i>β purpurea.</i>	(pu.) purple.	—	—	—	H. 4.	Swt. br. fl. gar. 112.
5	palmata. DC.	(ye.) palmated.	Portugal.	1597.	5. 6.	H. 4.	Bot. reg. 200.
	<i>β flore-pleno.</i>	(ye.) double-flowered.	—	—	—	H. 4.	Chabr. sciagr. 461. f. 2.
6	parviflora. DC.	(wh.) small-flowered.	Labrador.	1823.	3. 5.	H. 4.	Juss. ann. mus. 3. t. 21. f. 1
	<i>cuneifolia. Ph.</i>						
7	caroliniana. DC.	(pu.) slender.	Carolina.	—	5.	H. 4.	
	<i>tenella. Ph.</i>						
8	apennina. DC.	(bl.) blue mountain.	England.	....	3. 4.	H. 4.	Eng. bot. 1062.
9	cœrulea. DC.	(bl.) blue.	Siberia.	1827.	—	H. 4.	Deless. ic. sel. 1. t. 14.
10	uralensis. DC.	(bl.) Uralian.	—	—	—	H. 4.	
11	baldensis. DC.	(wh.) Strawberry-like.	Switzerland.	1792.	5.	H. 4.	Jacq. ic. 1. t. 103.
	<i>fragifera. Jacq.</i>						

12	nemorosa. DC.	(wh.) wood.	Britain.	....	3. 5.	H. ♀.	Eng. bot. 355.
	<i>β flore-plena.</i>	(wh.) double-flowered.	—————	....	—	H. ♀.	Debry. fl. nov. t. 29 et 56.
	<i>γ quinquefolia.</i> DC.	(w.) five-leaved.	N. America.	1812.	—	H. ♀.	
13	Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1827.	4. 5.	H. ♀.	
14	lanceifolia. DC.	(wh.) lance-leaved.	N. America.	1823.	5. 7.	H. ♀.	
15	trifolia. DC.	(wh.) three-leaved.	France.	1597.	4. 5.	H. ♀.	Lab. ic. 281. f. 1.
16	ranunculoïdes. DC.	(ye.) yellow wood.	England.	....	3. 4.	H. ♀.	Eng. bot. 1484.
17	reflexa. DC.	(wh.) reflex-flowered.	Siberia.	1824.	4. 5.	H. ♀.	Deless. ic. sel. 1. t. 15.
18	sylvestris. DC.	(wh.) Snowdrop.	Europe.	1596.	4. 5.	H. ♀.	Bot. mag. 54.
19	alba. DC.	(wh.) five-sepaled.	Dahuria.	1818.	4. 5.	H. ♀.	————— 2167.
	<i>ochotensis.</i> F.						
20	virginiana. DC.	(wh.) Virginian.	N. America.	1722.	5. 6.	H. ♀.	Herm. par. t. 18.
21	pensylvanica. DC.	(wh.) Pennsylvanian.	—————	1766.	—	H. ♀.	
22	dichotoma. DC.	(wh.) forked.	—————	1768.	—	H. ♀.	Lin. f. dec. 29. t. 15.
23	narcissiflora. DC.	(wh.) Narcissus-fl'd.	Europe.	1773.	5.	H. ♀.	Bot. mag. 1120.
24	umbellata. DC.	(wh.) umbel flower'd.	Levant.	1824.	—	H. ♀.	Deless. ic. sel. 1. t. 18.
25	sibirica. DC.	(wh.) Siberian.	Siberia.	1804.	6.	H. ♀.	
HEPATICA. DC.		HEPATICA. Polyandria Polygynia. L.					
1	acutiloba. DC.	(bl.) acute-lobed.	N. America.	1826.	3. 4.	H. ♀.	
2	americana. DC.	(bl.) American.	—————	1819.	3. 4.	H. ♀.	Bot. reg 387.
3	triloba. DC.	(va.) three-lobed.	Europe.	1573.	2. 4.	H. ♀.	Eng. bot. t. 51.
	<i>a cœrulea.</i>	(bl.) blue.					
	<i>β cœruleo-plena.</i>	(bl.) double-blue.					
	<i>γ rubra.</i>	(re.) red.	—————	—	—	—	Bot. mag. 10.
	<i>δ rubro-plena.</i>	(re.) double-red.					
	<i>ε alba.</i>	(wh.) red-anthered white.					
	<i>ζ nivea.</i>	(wh.) snowy-white.					
HYDRASTIS. DC.		YELLOW-ROOT. Polyandria Polygynia. L.					
	canadensis. DC.	(wh.) Canadian.	Canada.	1759	5. 6.	H. ♀.	Pict. hort. par. 37. t. 17.
KNOWLTONIA. DC.		KNOWLTONIA. Polyandria Polygynia. L.					
1	rigida. DC.	(gr.) thick-leaved.	C. B. S.	1780.	3. 5.	G. ♀.	Vent. malm. p. 22. t. 22.
2	vesicatoria. DC.	(gr.) blistering.	—————	1691.	2. 4.	G. ♀.	Bot. mag. 775.
3	gracilis. DC.	(gr.) slender.	—————	1820.	—	G. ♀.	Deles. ic. sel. 1. t. 19.
4	hirsuta. DC.	(gr.) hairy-leaved.	—————	—	—	G. ♀.	Burm. afr. t. 51.
5	daucifolia. DC.	(gr.) Carrot-leaved.	—————	1822.	....	G. ♀.	
ADONIS. DC.		ADONIS. Polyandria Polygynia. L.					
1	autumnalis. DC.	(sc.) Pheasant's-eye.	Britain.	....	5. 10.	H. ⊙.	Eng. bot. 308.
	<i>vernalis.</i> DC.	(ye.) yellow.	France.	....	6. 7.	H. ⊙.	Tab. ic. 790. f. 1.
3	micrantha. DC.	(ye.) small-flowered.	S. France.	1826.	5. 6.	H. ⊙.	
4	citrina. DC.	(st.) Citron-colour'd.	—————	1822.	5. 6.	H. ⊙.	
5	flammea. DC.	(fl.) flame-coloured.	Austria.	1800.	6. 7.	H. ⊙.	Jac. aust. 4. t. 355.
6	æstivalis. DC.	(sc.) tall.	S. Europe.	1629.	—	H. ⊙.	Weinm. phyt. t. 27.
	<i>miniata.</i> Jac. aust. t. 354.						
7	vernalis. DC.	(ye.) vernal.	Europe.	1629.	3. 4.	H. ♀.	Bot. mag. 134.
8	apennina. w. en.	(ye.) Apennine.	—————	....	—	H. ♀.	Mentz. pug. t. 3. f. 1.
	<i>vernalis β Mentzelii.</i> DC.						
9	pyrenæica. DC.	(ye.) Pyrenean.	Pyrenees.	1820.	6. 7.	H. ♀.	Deless. ic. sel. 1. t. 21.
10	sibirica. s.s.	(ye.) Siberian.	Siberia.	1827.	4. 5.	H. ♀.	
11	davurica. s.s.	(ye.) Davurian.	—————	—	—	H. ♀.	Reich. ic. t. 321.
12	distorta. T.P.	(ye.) distorted.	Naples.	—	—	H. ♀.	Ten. fl. med. p. 448. t. 1.

## Tribus III. RANUNCULEÆ.

MYOSURUS. DC.		MOUSE-TAIL. Pentandria Polygynia. L.					
	minimus. DC.	(gr.) small.	Britain.	....	4. 5.	H. ⊙.	Eng. bot. 435.
CERATOCEPHALUS. DC.		CERATOCEPHALUS. Pentandria Polygynia.					
1	falcatus. DC.	(ye.) sickle-seeded.	S. Europe.	1739.	5.	H. ⊙.	Jac. aust. t. 48.
2	orthoceras. DC.	(ye.) straight-seeded.	Siberia.	1823.	—	H. ⊙.	Deles. ic. sel. 1. t. 23.
RANUNCULUS. DC.		CROW-FOOT. Polyandria Polygynia. L.					
1	hederaceus. DC.	(wh.) Ivy-leaved.	Britain.	....	5. 8.	H. w. ♀.	Eng. bot. 2003.
2	tripartitus. DC.	(wh.) three-parted.	—————	....	—	H. w. ♀.	DC. ic. g. rar. 1. t. 49.
	<i>β obtusiflorus.</i> DC.	(w.) blunt-flowered.	—————	....	—	H. w. ♀.	Pet. eng. herb. t. 39. f. 1.
3	aquatilis. DC.	(wh.) water.	—————	....	4. 8.	H. w. ♀.	Eng. bot. 101.
	<i>α heterophyllus.</i> DC.	(w.) various-leaved.	—————	....	—	H. w. ♀.	Tab. ic. 54. f. 2.
	<i>β peltatus.</i> DC.	(wh.) peltate-leaved.	—————	....	—	H. w. ♀.	Lab. ic. 2. p. 35. f. 2.

# RANUNCULACEÆ.

4	pantothrix. DC. (wh.)	divided-leaved.	Britain.	....	4. 8.	H.w. 7.	Lob. ic 791. f. 1.
	a capillaceus. DC. (wh.)	fine-leaved.	-----	....	-----	H.w. 7.	Pet. eng. herb. t. 39. f. 4.
	β caspidus. DC. (wh.)	tufted.	-----	....	-----	H.w. 7.	----- t. 39. f. 3.
	γ peucedanifolius. DC. (wh.)	Fennel-ld.	-----	....	-----	H.w. 7.	----- t. 39. f. 2.
	fluviatilis. w.						
5	rutæfolius. DC. (wh.)	Rue-leaved.	Austria.	1759.	5. 7.	H. 7.	Jac. coll. 1. t. 6 et 7.
	6	glaciâlis. DC. (wh.)	two-flowered.	Lapland.	1775.	6. 8.	H. 7.
	7	Seguieri. DC. (wh.)	Seguier's.	Switzerland.	1820.	-----	H. 7.
	8	alpestris. DC. (wh.)	Alpine.	Scotland.	....	-----	H. 7.
	9	arenatus. DC. (wh.)	crenate-leaved.	Hungary.	1822.	-----	H. 7.
	10	aconitifolius. DC. (wh.)	Aconite-leaved.	Europe.	1596.	5. 6.	H. 7.
	a humilis. DC. (wh.)	dwarf.	-----	....	-----	-----	H. 7.
	β crassicaulis. DC. (w.)	thick-stalked.	-----	....	-----	-----	H. 7.
	11	platanifolius. w. (wh.)	Plane-tree-ld.	Germany.	1769.	6. 7.	H. 7.
	β flore-pleno. (wh.)	double-flowered.	-----	-----	-----	-----	H. 7.
	aconitifolius. B.M. 204.						
12	lâcerus. DC. (wh.)	torn-leaved.	Piedmont.	....	-----	-----	H. 7.
	13	pâllidus. DC. (st.)	pale-yellow.	Hybrid.	....	-----	H. 7.
	14	pyrenæus. DC. (wh.)	Pyrenean.	Pyrenees.	....	4. 6.	H. 7.
	β bupleurifolius. DC. (w.)	one-flowered.	-----	....	-----	-----	H. 7.
	γ plantagineus. DC. (w.)	many-flowered.	-----	....	-----	-----	H. 7.
	15	angustifolius. DC. (wh.)	narrow-leaved.	-----	1822.	-----	H. 7.
	16	amplexicaulis. DC. (w.)	Plantain-leav'd.	-----	1633.	4. 5.	H. 7.
	17	parnassifolius. DC. (w.)	Parnassia-leav'd.	-----	1769.	6. 7.	H. 7.
	18	gramineus. DC. (ye.)	grass-leaved.	Wales.	....	4. 6.	H. 7.
	β flore-pleno. (ye.)	double-flowered.	-----	....	-----	-----	H. 7.
	19	bupleuroides. DC. (ye.)	Hare's-ear-ld.	Portugal.	1826.	-----	H. 7.
	20	Lingua. DC. (ye.)	great spear-wort.	Britain.	....	6. 8.	H.w. 7.
	21	Flammula. DC. (ye.)	less spear-wort.	-----	....	6. 9.	H.w. 7.
	β serrata. DC. (ye.)	saw-leaved.	-----	....	-----	-----	H.w. 7.
	γ ovata. DC. (ye.)	oval-leaved.	-----	....	-----	-----	H.w. 7.
	22	rêptans. DC. (ye.)	least spear-wort.	-----	....	-----	H.w. 7.
	23	filiformis. m. (ye.)	filiform.	N. America.	1816.	-----	H.w. 7.
	24	uliginosus. DC. (ye.)	marsh.	Teneriffe.	1826.	6. 7.	H.w. 7.
	25	bonariensis. DC. (ye.)	Buenos Ayres.	S. America.	1819.	-----	H.w. 7.
	26	polyphyllus. DC. (ye.)	many-leaved.	Hungary.	5. 6.	H.w. 7.	Deles. ic. sel. 1. t. 29.
	27	ophioglossifolius. DC. (ye.)	fistulous-stalk'd.	S. Europe.	1822.	6.	H.w. 7.
	28	nodiflorus. DC. (ye.)	knot-flowered.	France.	1714.	5. 7.	H.w. 7.
	β dentatus. DC. (ye.)	toothed.	Hungary.	-----	-----	-----	H.w. 7.
	29	salsuginosus. DC. (ye.)	Russian.	Russia.	1821.	-----	H. 7.
	ruthenicus. Jac. vind. 3. t. 31.						
	30	Cymbalaria. Ph. (ye.)	Ivy-like.	N. America.	1823.	-----	H.w. 7.
	31	bullatus. DC. (ye.)	blistered.	S. Europe.	1640.	5. 8.	H. 7.
	a parviflorus. DC. (ye.)	small-flowered.	-----	-----	-----	-----	H. 7.
	β grandiflorus. DC. (ye.)	large-flowered.	-----	-----	-----	-----	H. 7.
	γ flore-pleno. (ye.)	double-flowered.	-----	-----	-----	-----	H. 7.
	32	charophyllus. DC. (ye.)	Chervil-leaved.	-----	....	4. 6.	H. 7.
	a vulgaris. DC. (ye.)	common.	-----	....	-----	-----	H. 7.
	β gregarius. DC. (ye.)	villous.	-----	....	-----	-----	H. 7.
	33	adscendens. DC. (ye.)	ascending.	Portugal.	1826.	5. 6.	H. 7.
	34	millefoliatus. DC. (ye.)	numerous-ld.	Sicily.	1824.	4. 7.	H. 7.
	35	fumariæfolius. DC. (ye.)	Fumitory-leav'd.	-----	....	-----	H. 7.
	36	oxyspermus. DC. (ye.)	awned-seeded.	Tauria.	1822.	5. 6.	H. 7.
	37	pedatus. DC. (ye.)	pedate.	Hungary.	1806.	5. 6.	H. 7.
	38	illyricus. DC. (ye.)	Illyrian.	Europe.	1596.	-----	H. 7.
	39	monspeliacus. DC. (ye.)	Montpelier.	Montpelier.	1816.	-----	H. 7.
	a angustilobus. DC. (y.)	narrow-lobed.	-----	....	-----	-----	H. 7.
	β cuneatus. DC. (ye.)	wedge-lobed.	-----	....	-----	-----	H. 7.
	γ rotundifolius. DC. (y.)	round-leaved.	-----	....	-----	-----	H. 7.
	40	asiaticus. DC. (va.)	garden.	Levant.	1596.	-----	H. 7.
	A vulgaris. DC. (va.)	common.	-----	-----	-----	-----	H. 7.
	a pictus. s.F.G. (r.w.)	Quillafla.	-----	....	-----	-----	H. 7.
	β incomparabilis. (r.w.)	Rose incomparable	-----	....	-----	-----	H. 7.
	γ Victoriânus. (bh.)	Princess Alexandrina Victoria.	-----	....	-----	-----	H. 7.
	δ mixtus. (r.y.)	Melange des beautes	-----	....	-----	-----	H. 7.
	ε Juliusianus. (p.y.)	Julius.	-----	....	-----	-----	H. 7.
	ζ Galitzini. (p.y.)	Prince Galitzin.	-----	....	-----	-----	H. 7.
	η Douglâsii. (p.y.)	Gadwin Douglas	-----	....	-----	-----	H. 7.
	θ aureus. (ye.)	Berth.	-----	....	-----	-----	H. 7.
	ι Bârnii. (p.w.)	Burns the Poet.	-----	....	-----	-----	H. 7.

κ <i>äter.</i>	(d.p.)	<i>Veratre.</i>	.....	....	5. 6.	H. 2.	Swt. flor. guid. 43.
λ <i>hamánthus.</i>	(cr.)	<i>Xanthus.</i>	.....	....	—	H. 2.	78.
μ <i>Agrícóli.</i>	(s.p.)	<i>Agricola.</i>	.....	....	—	H. 2.	73.
ν <i>Clarenceanus.</i>	(s.p.)	<i>Duke of Clarence.</i>	.....	....	—	H. 2.	83.
ξ <i>Carlosiànus.</i>	(s.p.)	<i>Carlos.</i>	.....	....	—	H. 2.	90.
B <i>sanguineus.</i>	DC (va.)	<i>Turban.</i>	Levant.	1596.	—	H. 2.	Lob. ic. 672. f. 2.
C <i>tenuilòbus.</i>	DC (va.)	<i>slender-lobed.</i>	—	—	—	H. 2.	Debr. flor. nov. t. 31.
a <i>atèrrimus.</i>	(da.)	<i>Viola le vrai noir.</i>	.....	....	—	H. 2.	Swt. flor. guid. 60.
β <i>Nomiási.</i>	(pu.)	<i>Nomias.</i>	.....	....	—	H. 2.	24.
γ <i>variegátus.</i>	(w.r.)	<i>Oeillet parfait.</i>	.....	....	—	H. 2.	40.
δ <i>càrus.</i>	(w.r.)	<i>Cara.</i>	.....	....	—	H. 2.	86.
41 <i>crèticus.</i>	DC (ye.)	<i>Cretan.</i>	Candia.	1659.	4. 5.	H. 2.	Clus. hist. 1. p. 239. f. 1.
42 <i>cortusæfólius.</i>	DC (ye.)	<i>Cortusa-leaved.</i>	Canaries.	1826.	4. 6.	H. 2.	Deless. ic. sel. 1. t. 36.
43 <i>Thòra.</i>	DC (ye.)	<i>kidney-leaved.</i>	AlpsEurope.	1710.	5. 6.	H. 2.	Jacq. aust. 5. t. 442.
44 <i>scutàrus.</i>	DC (ye.)	<i>shield-leaved.</i>	Hungary.	1822.	4. 5.	H. 2.	Pl. rar. hung. 2. t. 187.
45 <i>brevifólius.</i>	DC (ye.)	<i>short-leaved.</i>	Naples.	1826.	—	H. 2.	—
46 <i>hýbridus.</i>	DC (ye.)	<i>hybrid.</i>	Austria.	1822.	6. 7.	H. 2.	Sturm. deutsch. fl. ic.
47 <i>auricomus.</i>	DC (ye.)	<i>Goldlocks.</i>	Britain.	....	3. 5.	H. 2.	Eng. bot. 624.
48 <i>cassibicus.</i>	DC (ye.)	<i>Cassubian.</i>	Siberia.	1794.	6. 7.	H. 2.	Bot. mag. 2627.
49 <i>abortivus.</i>	DC (ye.)	<i>three-flowered.</i>	N. America.	1713.	5. 8.	H. 2.	—
50 <i>scelerátus.</i>	DC (ye.)	<i>Celery-leaved.</i>	Britain.	....	—	H. w. ⊙.	Eng. bot. 681.
51 <i>lappónicus.</i>	DC (ye.)	<i>Lapland.</i>	Lapland.	1827.	4. 6.	H. 2.	Sm. fl. lapp. ed. 2. t. 3. f. 5.
52 <i>hyperbòreus.</i>	DC (ye.)	<i>northern.</i>	Siberia.	1822.	6. 8.	H. 2.	Flor. dan. t. 31.
53 <i>frigidus.</i>	DC (ye.)	<i>frigid.</i>	—	1826.	—	H. 2.	Lax. n. c. ac. pet. v. 18. t. 8.
54 <i>nivalis.</i>	DC (ye.)	<i>snowy.</i>	Lapland.	1775.	—	H. 2.	Fl. lap. ed. 1. t. 3. f. 2.
55 <i>Sabini.</i>	s.s. (ye.)	<i>Sabine's.</i>	N. America.	1827.	—	H. 2.	—
56 <i>àrcticus.</i>	s.s. (ye.)	<i>arctic.</i>	—	—	—	H. 2.	—
57 <i>Púrshii.</i>	s.s. (ye.)	<i>Pursh's.</i>	—	—	—	H. 2.	—
58 <i>affínis.</i>	s.s. (ye.)	<i>likened.</i>	—	—	—	H. 2.	—
59 <i>montànus.</i>	DC (ye.)	<i>mountain.</i>	Austria.	—	—	H. 2.	Jacq. aust. t. 325 et 6.
60 <i>Villàrsii.</i>	DC (ye.)	<i>Villars's.</i>	France.	....	5. 7.	H. 2.	Crantz. aust. 2. t. 4. f. 2?
61 <i>Gouàni.</i>	DC (ye.)	<i>Gouan's.</i>	Pyrenees.	1818.	—	H. 2.	Gouan ill. t. 17. f. 1. 2.
62 <i>àcris.</i>	DC (ye.)	<i>upright.</i>	Britain.	....	6. 7.	H. 2.	Eng. bot. 652.
β <i>flòre plèno.</i>	(ye.)	<i>double-flowered.</i>	—	—	—	H. 2.	Bot. mag. 215.
γ <i>syltáticus.</i>	DC (ye.)	<i>wood.</i>	—	—	—	H. 2.	—
δ <i>multifidus.</i>	DC (ye.)	<i>multifid.</i>	—	—	—	H. 2.	—
63 <i>Brútius.</i>	DC (ye.)	<i>Neapolitan.</i>	Naples.	1828.	—	H. 2.	Ten. fl. nap. 1. t. 50.
64 <i>Stevèni.</i>	DC (ye.)	<i>Steven's.</i>	Poland.	1825.	—	H. 2.	—
65 <i>caucàsicus.</i>	DC (ye.)	<i>Caucasian.</i>	Caucasus.	—	6. 8.	H. 2.	—
66 <i>rufulus.</i>	DC (ye.)	<i>rufous-haired.</i>	Portugal.	—	—	H. 2.	—
67 <i>polyánthemus.</i>	DC (ye.)	<i>many-flowered.</i>	N. Europe.	1596.	5. 6.	H. 2.	Cran. aus. 2. t. 4. f. 1. s.
68 <i>nemoròsus.</i>	DC (ye.)	<i>wood.</i>	Switzerland.	1818.	5. 7.	H. 2.	—
69 <i>Breyniànus.</i>	s.s. (ye.)	<i>Breynius's.</i>	—	—	—	H. 2.	—
<i>àureus.</i>	Schl. <i>villòsus.</i>	<i>St. Am. fl. ag. 227.</i>	bon. t. 5.	—	—	—	—
70 <i>lanuginòsus.</i>	DC (ye.)	<i>woolly-leaved.</i>	S. Europe.	1683.	6. 7.	H. 2.	Flor. dan. t. 397.
71 <i>obtusifólius.</i>	DC (ye.)	<i>blunt-leaved.</i>	Spain.	1825.	—	H. 2.	—
72 <i>tuberòsus.</i>	DC (ye.)	<i>tuberous.</i>	Pyrenees.	1824.	5. 7.	H. 2.	—
73 <i>napellifólius.</i>	DC (ye.)	<i>Napellus-leav'd.</i>	Greece.	1825.	—	H. 2.	—
74 <i>platyspèrmus.</i>	DC (ye.)	<i>flat-seeded.</i>	Siberia.	1827.	—	H. 2.	—
75 <i>disséctus.</i>	DC (ye.)	<i>cut-leaved.</i>	—	1823.	—	H. 2.	—
76 <i>repens.</i>	DC (ye.)	<i>creeping.</i>	Britain.	....	5. 9.	H. 2.	Eng. bot. 516.
β <i>flòre-plèno.</i>	(ye.)	<i>double-flowered.</i>	—	—	—	H. 2.	Tab. ic. 53. f. 1.
γ <i>glábratus.</i>	DC (ye.)	<i>shining-leaved.</i>	—	—	—	H. w. 2.	—
77 <i>lappàceus.</i>	DC (ye.)	<i>New Holland.</i>	N. S. W.	1822.	—	G. 2.	—
78 <i>plebeius.</i>	DC (ye.)	<i>plebeian.</i>	—	1823.	5. 7.	G. 2.	—
79 <i>hirtus.</i>	DC (ye.)	<i>hairy.</i>	N. Zealand.	—	—	H. 2.	—
80 <i>pensylvànicus.</i>	DC (ye.)	<i>Pensylvanian.</i>	N. America.	1765.	6. 7.	H. 2.	Jacq. ic. 1. t. 105.
<i>canadènsis.</i>	Jac.	—	—	—	—	—	—
81 <i>fasciculàris.</i>	DC (ye.)	<i>fascicled.</i>	—	1823.	4. 5.	H. 2.	—
82 <i>marylàndicus.</i>	DC (ye.)	<i>Maryland.</i>	—	1811.	5. 7.	H. 2.	—
83 <i>caroliniànus.</i>	DC (ye.)	<i>Carolina.</i>	—	1826.	5. 7.	H. 2.	—
84 <i>tomentòsus.</i>	DC (ye.)	<i>tomentose.</i>	—	1820.	—	H. 2.	—
85 <i>bulbòsus.</i>	DC (ye.)	<i>bulbous.</i>	Britain.	....	4. 6.	H. ⊙.	Eng. bot. 515.
β <i>flòre-plèno.</i>	(ye.)	<i>double-flowered.</i>	—	—	—	H. 2.	Lob. ic. 666. f. 2.
86 <i>bractèatus.</i>	Sch. (ye.)	<i>bracted.</i>	Switzerland.	1817.	—	H. 2.	—
87 <i>Philonòtis.</i>	DC (ye.)	<i>pale hairy.</i>	Britain.	....	6. 10.	H. ⊙.	Curt. lond. 2. t. 40.
a <i>hirsútus.</i>	E. B. (ye.)	<i>hairy upright.</i>	—	—	—	H. ⊙.	Eng. bot. t. 1504.
β <i>intermèdius.</i>	DC (ye.)	<i>intermediate.</i>	France.	....	—	H. ⊙.	—
γ <i>pàrvulus.</i>	DC (ye.)	<i>little upright.</i>	England.	....	—	H. ⊙.	Col. ecphir. t. 316.
88 <i>tuberculátus.</i>	DC (ye.)	<i>tubercled.</i>	.....	1821.	5. 6.	H. 2.	—

89	Hornemanni. DC. (ye.)	Hornemann's.	N. America.	1820.	5. 7.	H. 4.	
	<i>tuberösus.</i>	Horn. non.	Lapeyr.				
90	arvensis. DC. (ye.)	corn.	Britain.	....	—	H. 0.	Eng. bot. 135.
91	muricatus. DC. (ye.)	prickly seeded.	S. Europe.	1683.	7. 8.	H. 0.	Lam. ill. t. 498.
92	echinatus. v. (ye.)	American.	N. America.	....	6. 7.	H. 0.	Vent. cels. t. 73.
93	parviflorus. DC. (ye.)	small-flowered.	England.	....	5. 6.	H. 0.	Eng. bot. 120.
94	trilobus. DC. (ye.)	three-lobed.	S. Europe.	1824.	5. 7.	H. 0.	Desf. atl. 1. t. 113.
95	sessiliflorus. DC. (ye.)	sessile-flowered.	N. S. W.	1822.	—	H. 0.	
96	laciniatus. DC. (ye.)	jagged.	Transylvania.	1826.	6. 7.	H. 4.	
97	crassicaulis. H. (ye.)	thick-stemmed.	.....	—	—	H. 4.	
FICARIA. DC.		PILEWORT.	Polyandria	Polygynia.	L.		
	<i>ranunculoides.</i> DC. (ye.)	vernal.	Britain.	....	3. 5.	H. 4.	Eng. bot. 584.
	<i>vérna.</i> P. S. <i>Ranunculus</i>	<i>Ficaria.</i> w.					
	<i>β flore-pléno.</i> (ye.)	double-flowered.	—	....	—	H. 4.	

Tribus IV. HELLEBOREÆ.

CA'LTHA. DC.		MARSH-MARYGOLD.		Polyandria Polygynia L.			
1	palustris. DC. (ye.)	common.	Britain.	....	3. 5.	H. w. 4.	Eng. bot. 506.
	<i>β flore-pléno.</i> (ye.)	double-flowered.	—	....	—	H. w. 4.	Tab. ic. 751. f. 1.
2	minor. Mill. (ye.)	small.	—	....	—	H. w. 4.	— 750. f. 2.
3	radicans. DC. (ye.)	creeping.	Scotland.	....	—	H. w. 4.	Linn. trans. 8. t. 17.
4	integerrima. DC. (ye.)	entire-leaved.	N. America.	1827.	5. 7.	H. w. 4.	
5	parnassifolia. DC. (ye.)	Parnassia-leafd.	—	1825.	—	H. w. 4.	
	<i>ficarioides.</i> Ph.						
6	arctica. s. s. (ye.)	northern.	—	1827.	—	H. w. 4.	
7	flabellifolia. DC. (ye.)	fan-leaved.	.....	1818.	7. 8.	H. w. 4.	Pur. fl. am. sept. 2. t. 17.
8	nátans. DC. (wh.)	floating.	Siberia.	1823.	4. 5.	H. w. 4.	Gmel. sib. 4. t. 82.
TRO'LLIUS. DC.		GLOBE-FLOWER.		Polyandria Polygynia L.			
1	europæus. DC. (ye.)	European.	Britain.	....	5. 6.	H. 4.	Eng. bot. t. 28.
	<i>a altissimus.</i> DC. (ye.)	tall.	—	....	—	H. 4.	
	<i>β humilis.</i> DC. (ye.)	dwarf.	—	....	—	H. 4.	
2	napellifolius. DC. (ye.)	intermediate.	.....	....	—	H. 4.	
3	caucasicus. DC. (ye.)	Caucasian.	Caucasus.	....	—	H. 4.	
4	pátulus. DC. (ye.)	spreading.	Siberia.	....	5. 7.	H. 4.	Deless. ic. sel. 1. t. 44.
5	Ledebourii. s. s. (ye.)	Ledebour's.	—	1827.	—	H. 4.	Reich. ic. t. 272.
6	asiaticus. DC. (ye.)	Asiatic.	—	1759.	—	H. 4.	Bot. mag. 235.
7	americanus. DC. (ye.)	American.	N. America.	1805.	5. 7.	H. 4.	— 1988.
	<i>lárus.</i> Ph. <i>Gaissènia</i>	<i>vérna.</i> Raf.					
ERANTHIS. DC.		WINTER-ACONITE.		Polyandria Polygynia L.			
1	hyemalis. DC. (ye.)	common.	Europe.	1596.	1. 3.	H. 4.	Bot. mag. 3.
2	sibirica. DC. (ye.)	Siberian.	Siberia.	1824.	2. 4.	H. 4.	
HELLEBORUS. DC.		HELLEBORE.		Polyandria Polygynia L.			
1	niger. DC. (wh.)	Christmas-Rose.	Europe.	1596.	1. 3.	H. 4.	
	<i>a latifolius.</i> (wh.)	broad-leaved.	—	—	—	H. 4.	Bot. mag. 8.
	<i>β angustifolius.</i> (wh.)	narrow-leaved.	—	—	—	H. 4.	
2	purpurascens. (pu.)	purplish.	Hungary.	1817.	3. 4.	H. 4.	Pl. rar. hung. 2. t. 101.
3	Bocconi. T. P. (gr.)	Boccone's.	Sicily.	1826.	—	H. 4.	Bocc. mus. 2. t. 11. f. 2.
4	odorus. DC. (gr.)	sweet-scented.	Hungary.	—	—	H. 4.	
5	viridis. DC. (gr.)	green-flowered.	Britain.	....	4. 6.	H. 4.	Eng. bot. 200.
6	atrorubens. DC. (pu.)	dark-red.	Hungary.	1822.	1. 3.	H. 4.	Pl. rar. hung. 3. t. 271.
7	dumetorum. DC. (gr.)	bush.	—	1817.	3. 4.	H. 4.	Swt. br. fl. gar. 109.
8	foetidus. DC. (gr.)	Bear's-foot.	England.	....	2. 4.	H. 4.	Eng. bot. 613.
9	lividus. DC. (br.)	three-leaved.	Corsica.	1710.	1. 5.	H. 4.	Bot. mag. 72.
	<i>β integrilobus.</i> DC. (br.)	entire-lobed.	—	—	—	H. 4.	
CO'PTIS. DC.		CO'PTIS.		Polyandria Polygynia L.			
	trifolia. DC. (wh.)	three-leaved.	N. America.	1782.	6. 7.	H. 4.	Lodd. bot. cab. t. 173.
ISOPYRUM. DC.		ISOPYRUM.		Polyandria Polygynia L.			
1	thalictroides. DC. (wh.)	Meadow-Rue <sup>ld</sup> .	Italy.	1759.	3. 4.	H. 4.	Jac. aust. 2. t. 105.
2	fumaroides. DC. (wh.)	Fumitory-ld.	Siberia.	1741.	6. 7.	H. 0.	Schkuhr hand. 2. t. 153.
3	grandiflorum. F. (wh.)	large-flowered.	Altay.	1804.	—	H. 4.	

<b>GARIDELLA, DC.</b>	<b>GARIDELLA, Decandria Trigynia, L.</b>				
Nigellástrum, DC. (wh.)	Nigella-leaved, S. Europe.	1736.	6. 7.	H. ☉	Bot. mag. 1266.
<b>NIGELLA, DC.</b>	<b>FENNEL-FLOWER, Polyandria Pentagynia, L.</b>				
1 corniculáta, DC. (st.)	horned, .....	1822.	6. 9.	H. ☉	
2 orientális, DC. (ye.)	yellow, Syria.	1699.	—	H. ☉	Bot. mag. 1264.
3 hispánica, DC. (bl.)	Spanish, Spain.	1629.	—	H. ☉	— 1265.
4 arvénis, DC. (wh.)	field, Europe.	1683	—	H. ☉	Bull. herb. t. 126.
5 satíva, DC. (wh.)	small, Egypt.	1548.	—	H. ☉	Flor. græc. t. 511.
β crética, DC. (wh.)	Cretan, Crete.	—	—	H. ☉	Math. com. 581. f. 1v.
γ citrína, DC. (wh.)	yellow-seeded, .....	—	—	H. ☉	Lob. ic. 741. f. 1.
6 damascéna, DC. (wh.)	common, S. Europe.	1570.	—	H. ☉	Bot. mag. 22.
β flóre-pléno, (wh.)	double-flowered, .....	—	—	H. ☉	Clus. hist. 2. p. 208. f. 1.
7 coarctáta, DC. (wh.)	dwarf, .....	1793.	—	H. ☉	
<b>AQUILEGIA, DC.</b>	<b>COLUMBINE, Polyandria Pentagynia, L.</b>				
1 vulgáris, DC. (va.)	common, Britain.	....	5. 7.	H. ♀	Eng. bot. 297.
β corniculáta, DC. (va.)	downward-spur'd, .....	....	—	H. ♀	Barr. ic. 614. 615. 616. &c.
γ invérsa, DC. (va.)	upward-spurred, .....	....	—	H. ♀	— 613.
δ stelláta, DC. (va.)	starry, .....	....	—	H. ♀	— 619. 620. &c.
ε degéner, DC. (gr.)	green-flowered, .....	....	—	H. ♀	— 608.
2 viscosa, DC. (bl.)	clammy, S. Europe.	1752.	5. 6.	H. ♀	Gouan. ill. t. 19.
3 sibírica, DC. (bl.)	Siberian, Siberia.	....	—	H. ♀	Deles. ic. sel. 1. t. 47.
4 glandulosa, F. (bl.)	glandulous, Altay.	1818.	—	H. ♀	
a discolor, DC. (b.w.)	two-coloured, .....	—	—	H. ♀	
β cóncolor, DC. (bl.)	one-coloured, .....	—	—	H. ♀	
5 alpina, DC. (bl.)	Alpine, Switzerland.	1731.	—	H. ♀	Swt. br. fl. gar. 3. t. 218.
6 pyrenaica, DC. (bl.)	Pyrenean, Pyrenees.	1821.	—	H. ♀	Trev. delph. 23. t. 2.
7 canadensis, DC. (re.)	Canadian, N. America.	1640.	4. 5.	H. ♀	Bot. mag. 246.
8 formosa, F. (re.)	handsome, Kamtschatka.	1824.	—	H. ♀	
9 viridiflora, DC. (gr.)	green-flowered, Siberia.	1780.	5. 6.	H. ♀	Jac. ic. 1. t. 102.
10 dahurica, DC. (pu.)	Dahurian, Dahuria.	1821.	—	H. ♀	Deless. ic. sel. 1. t. 49.
11 Fischeriana, DC. (pu.)	Fischer's, .....	—	—	H. ♀	
12 atropurpurea, DC. (pu.)	dark-purple, Siberia.	....	5. 6.	H. ♀	Botan. regist. 922.
13 hybrida, DC. (p.y.)	hybrid, .....	....	—	H. ♀	Bot. mag. 1221.
<b>DELPHINIUM, DC.</b>	<b>LARKSPUR, Polyandria Trigynia, L.</b>				
1 Ajáciis, DC. (va.)	Rocket, Tauria.	1573.	6. 9.	H. ☉	Spreng. geh. 1. t. 24. f. 1. 5
β flóre-pléno, (va.)	double-flowered, .....	—	—	H. ☉	Clus. hist. 2. f. 2.
2 Consólida, DC. (va.)	field, England.	....	—	H. ☉	Eng. bot. 1839.
β flóre-pléno, (va.)	double-flowered, .....	....	—	H. ☉	Besl. eyst. 2. t. 14. f. 1.
3 pubéscens, DC. (bl.)	pubescent, S. France.	....	—	H. ☉	Flor. græc. t. 504.
4 Aconití, DC. (pu.)	Aconite-like, Levant.	1801.	—	H. ☉	Vahl symb. 1. 40. t. 13.
5 ambíguum, DC. (bl.)	doubtful, Barbary.	1759.	7. 9.	H. ☉	
6 júnceum, DC. (bl.)	Rush-like, Italy.	1629.	—	H. ☉	Flor. græc. t. 506.
peregrinum, Lin. non	Lam.	—	—	—	
7 grácile, DC. (re.)	slender, Spain.	1826.	—	H. ☉	
8 cardiopétalum, DC. (bl.)	heart-petaled, Pyrenees.	1822.	—	H. ☉	Math. com. 557. ic.
peregrinum, Lam. non	Lin.	—	—	—	
9 vírgatum, DC. (bl.)	twiggy, Syria.	1824.	6. 9.	H. ☉	Deless. ic. sel. 1. t. 55.
10 grandiflorum, DC. (bl.)	great-flowered, Síberia.	1741.	6. 9.	H. ♀	Bot. mag. 1686.
β chinéne, F. (bl.)	Chinese, China.	1816.	—	H. ♀	Bot. reg. 472.
γ álbum, (wh.)	white-flowered, .....	—	—	H. ♀	
δ flóre-pléno, (bl.)	double-flowered, .....	—	—	H. ♀	
11 cheilánthum, DC. (bl.)	hairy-leaved, Dahuria.	1818.	—	H. ♀	Bot. reg. 473.
12 viréscens, N. (wh.)	greenish, N. America.	1827.	—	H. ♀	
13 puníceum, DC. (pu.)	dark-purple, Tartary.	1785.	7. 9.	H. ♀	
14 albiflorum, DC. (wh.)	white-flowered, Armenia.	1823.	—	H. ♀	Deless. ic. sel. 1. t. 58.
15 ochroleucum, DC. (st.)	sulphur-colour'd, Iberia.	1817.	—	H. ♀	
16 híbridum, DC. (bl.)	hairy, Siberia.	1794.	6. 9.	H. ♀	
17 fissum, P. s. (bl.)	cloven, Hungary.	1816.	—	H. ♀	
18 velútinum, DC. (bl.)	velvetty, Italy.	1824.	—	H. ♀	Pl. rar. hung. 1. t. 81.
19 pentágynum, DC. (bl.)	five-styled, Portugal.	1820.	—	H. ♀	Pic. hort. par. t. 30.
20 Menziesii, DC. (bl.)	Menzies', N. America.	1826.	6. 8.	H. ♀	Bot. reg. 1192.
21 élegans, DC. (bl.)	elegant, .....	1741.	—	H. ♀	
β múltipléx, (bl.)	common-double, .....	—	—	H. ♀	
22 tricórne, DC. (bl.)	three-horned, .....	1806.	4. 6.	H. ♀	Lodd. bot. cab. 306.
23 amœnum, DC. (bl.)	pretty, Siberia.	....	—	H. ♀	Gmel. sib. 4. t. 77.
24 azúreum, DC. (bl.)	azure, Carolina.	1805	5. 7.	H. ♀	Deless. ic. sel. 1. t. 60.
25 exaltátum, DC. (bl.)	tall, N. America.	1758.	7. 8.	H. ♀	Mill. ic. t. 250. f. 2?
26 urceolátum, DC. (bl.)	hollow-leaved, .....	1806.	6. 7.	H. ♀	Jac. ic. 1. t. 101.

27	revolutum. DC.	(bl.)	revolute.	.....	....	7. 9.	H. 2.	
28	mesoleucum. DC.	(bl.)	white-lipped.	.....	1824.	—	H. 2.	Swt. br. fl. gar. ic.
29	palmatifidum. DC.	(bl.)	palmate.	Siberia.	....	6. 9.	H. 2.	
	<i>α hispidum.</i> DC.	(bl.)	<i>hispid.</i>	.....	....	—	H. 2.	Gmel. sib. 4. t. 79?
	<i>β glabellum.</i> DC.	(bl.)	<i>smooth.</i>	.....	....	—	H. 2.	— 4. t. 75?
30	intermedium. DC.	(bl.)	intermediate.	Europe.	1710	7. 8.	H. 2.	
	<i>α pilosissimum.</i> DC.	(bl.)	<i>villous.</i>	.....	....	—	H. 2.	Gmel. sib. 4. t. 80?
	<i>β alpinum.</i> DC.	(bl.)	<i>Alpine.</i>	.....	1819.	—	H. 2.	Pl. rar. hung. 3. t. 246.
	<i>γ leptostachyum.</i> DC.	(bl.)	<i>slender-spiked.</i>	.....	....	—	H. 2.	
	<i>δ ranunculifolium.</i> DC.		<i>Ranunculus-ls.</i>	.....	....	—	H. 2.	
	<i>ε laxum.</i> DC.	(bl.)	<i>loose-flowered.</i>	.....	....	—	H. 2.	Mill. ic. t. 119?
31	cuneatum. DC.	(bl.)	wedge-leaved.	Siberia.	1815.	—	H. 2.	Bot. reg. 327.
32	villösium. DC.	(bl.)	villous.	.....	1819.	—	H. 2.	
33	dyctiocarpum. DC.	(bl.)	netted-capsuled.	Siberia.	.....	—	H. 2.	
34	laxiflorum. DC.	(bl.)	loose-flowered.	.....	—	6. 8.	H. 2.	
35	montanum. DC.	(bl.)	mountain.	Pyrenees.	.....	—	H. 2.	
	<i>β bracteosum.</i> DC.	(bl.)	<i>large-bracted.</i>	Switzerland.	.....	—	H. 2.	
36	dasy carpum. DC.	(bl.)	thick-capsuled.	Caucasus.	1824.	—	H. 2.	
37	speciosum. DC.	(bl.)	large-flowered.	.....	1817.	8. 10.	H. 2.	Deless. ic. sel. 1. t. 62.
38	spürum. F.	(bl.)	spurious.	Siberia.	1817.	6. 9.	H. 2.	
39	ucranicum. Bes.	(bl.)	Ucranian.	.....	1818.	—	H. 2.	
40	pseudoperegrinum. F.	(bl.)	Fischer's.	.....	—	—	H. 2.	
41	crassicaule. Gm.	(bl.)	thick-stemmed.	.....	1822.	—	H. 2.	
42	pallidum. F.	(pa.)	pale-flowered.	Siberia.	1818.	—	H. 2.	
43	flexuosum. DC.	(bl.)	flexuose.	Caucasus.	1817.	7. 9.	H. 2.	Trev. delph. t. 1. et 2.
44	discolor. F.	(v.)	two-coloured.	Siberia.	1819.	6. 8.	H. 2.	
45	triste. DC.	(da.)	dark-flowered.	.....	1822.	—	H. 2.	
46	Requienii. DC.	(pa.)	Requien's.	S. Europe.	1819.	6. 7.	F. ♂.	Deles. ic. sel. 1 t 63.
47	pictum. DC.	(pa.)	painted.	.....	1816.	—	H. ♂.	Swt. br. fl. gar. 2. 123.
48	Stasphysägia. DC.	(bl.)	Stavesacre.	.....	1596.	5. 6.	F. ♂.	Flor. græc. t. 508.
ACONITUM. DC.				MONKSHOOD.	Polyandria	Trigynia.		
1	A'nthora. L.	(st.)	wholesome.	Pyrenees.	1596.	6. 8.	H. 2.	Rch. ac. p. 61. t. 1. f. A.
	<i>β grandiflorum.</i> R.U.	(st.)	<i>large-flower'd.</i>	.....	....	—	H. 2.	— p. 63. t. 1. f. B.
	<i>γ glabriflorum.</i> R.U.	(st.)	<i>smooth-flow'd.</i>	.....	....	—	H. 2.	
2	eulophum. R.U.	(st.)	eatable.	Switzerland.	1824.	—	H. 2.	Rch. ac. p. 69. t. 5.
	<i>anthoróideum.</i> DC.	non	R.U.	.....	....	—	H. 2.	
3	memorosum. R.U.	(ye.)	wood.	Caucasus.	1822.	—	H. 2.	— p. 71. t. 6.
4	Dec ndöllii. R.U.	(ye.)	Decandolle's.	Pyrenees.	.....	—	H. 2.	— p. 67. t. 3.
5	Jacquini. R.U.	(ye.)	Jacquin's.	Austria.	....	—	H. 2.	— p. 65. t. 2.
	<i>A'nthora.</i> Jacq.	aust.	t. 3s2.	.....	....	—	H. 2.	
6	Pallásii. R.U.	(st.)	Pallas's.	Siberia.	1824.	—	H. 2.	— p. 72. t. 6. f. A. B.
7	inclinatum. R.U.	(st.)	inclined.	.....	....	—	H. 2.	Ser. m. helv. 1. t. 15. f. 2.
	<i>anthoróideum.</i> Rch.	ac.	68. t. 4. non	DC.	.....	....	H. 2.	
8	Koelleänum. R.U.	(bl.)	Koelle's.	Germany.	....	5. 7.	H. 2.	Rch. ac. t. 11. f. 1.
9	tauricum. R.U.	(bl.)	Taurian.	Tauria.	1752.	6. 8.	H. 2.	— t. 12. f. 2—3.
10	fírmum. R.U.	(bl.)	fírm.	Germany.	1822.	—	H. 2.	— t. 14. f. 2.
11	acutum. R.U.	(bl.)	acute.	.....	....	—	H. 2.	— t. 14. f. 1.
12	lætum. R.U.	(bl.)	great-flowered.	Sweden.	1823.	—	H. 2.	— t. 13. f. 2.
13	Clüsii. R.U.	(bl.)	Clusius's.	Austria.	....	6. 7.	H. 2.	Mor. his. 3. s. 12. t. 3. f. 17.
14	amœnum. R.U.	(bl.)	delightful.	Sweden.	1824.	6. 8.	H. 2.	Rch. ac. 93. t. 14. f. 1.
15	Hóppii. R.U.	(bl.)	Hoppe's.	Carinthia.	.....	—	H. 2.	
16	oligocarpum. R.U.	(bl.)	two-podded.	Styria.	1823.	—	H. 2.	
17	calibôtrys. R.U.	(bl.)	long-spiked.	Moravia.	1824.	6. 7.	H. 2.	Rch. ac. 98. t. 16. f. 1.
18	tenuifolium. R.U.	(bl.)	slender-leaved.	Styria.	.....	—	H. 2.	
19	angustifolium. R.U.	(bl.)	narrow-leaved.	Siberia.	.....	—	H. 2.	Rch. ac. 95. t. 15. f. 2.
20	eustachyum. R.U.	(bl.)	loose-spiked.	M. Baldo.	.....	—	H. 2.	— t. 15. f. 3.
21	Napéllus. R.U.	(bl.)	common.	Europe.	....	5. 7.	H. 2.	Lob. ic. 679. f. 1.
22	compactum. R.U.	(bl.)	compact.	Switzerland.	1823.	—	H. 2.	
	<i>β rubellum.</i> R.U.	(re.)	<i>red-flowered.</i>	.....	....	—	H. 2.	
23	Halleri. R.U.	(bl.)	Haller's.	.....	1824.	6. 7.	H. 2.	Chabr. sci. p. 531. f. 2.
	<i>β humile.</i> R.U.	(bl.)	<i>dwarf.</i>	.....	....	—	H. 2.	
	<i>γ ramosum.</i> R.U.	(bl.)	<i>branching.</i>	.....	1822.	—	H. 2.	
	<i>δ bicolor.</i> R.U.	(w. b.)	<i>two-coloured.</i>	.....	....	—	H. 2.	
24	virgatum. R.U.	(bl.)	slender-branch'd.	.....	1824.	—	H. 2.	
25	venustum. R.U.	(bl.)	beautiful.	.....	1823.	6. 8.	H. 2.	
26	laxiflorum. R.U.	(bl.)	loose-flowered.	.....	1824.	—	H. 2.	
27	Fúnckii. R.U.	(bl.)	Funck's.	Germany	.....	—	H. 2.	
28	Braunii. R.U.	(bl.)	Braune's	.....	—	6. 7.	H. 2.	
29	trichocarpum. R.U.	(bl.)	three-podded.	.....	—	—	H. 2.	

30	pubescens. R.U.	(bl.) pubescent.	Switzerland.	....	5. 7.	H. 2.	
31	Mielichóferi. R.U.	(bl.) Mielichofer's.	Germany.	1823.	6. 8.	H. 2.	
32	plicatum. R.U.	(bl.) plaited.	Sweden.	1824.	—	H. 2.	
33	Köchleri. R.U.	(bl.) Kochler's	—	1823.	—	H. 2.	
34	elatum. R.U.	(bl.) tall.	Germany.	....	—	H. 2.	
35	albidum. R.U.	(wh.) whitish.	.....	1824.	—	H. 2.	
36	neuburgense. R.U.	(bl.) Styrian.	Styria.	....	—	H. 2.	Clus. hist. 2. p. 96. f. 1.
	<i>Napellus.</i> Jacq.	aust. 4. t. 381.					
37	Meyeri. R.U.	(bl.) Meyer's.	Germany.	1824.	—	H. 2.	
38	Bernhardianum. R.U.	(bl.) Bernhardi's.	.....	1823.	—	H. 2.	
39	strictum. R.U.	(bl.) straight.	Siberia.	....	—	H. 2.	Rch. ac. t. 17. f. 1.
	<i>spicatum.</i> Donn.	h. cant. ed. 10. p. 209.					
40	Sprengelii. R.U.	(bl.) Sprengel's.	.....	1823.	6. 8.	H. 2.	
41	Willdenowii. R.U.	(bl.) Willdenow's.	Carniola.	—	—	H. 2.	
42	éminens. R.U.	(bl.) eminent.	.....	1822.	—	H. 2.	
43	Schleichéri. R.U.	(bl.) Schleicher's.	Switzerland.	....	5. 6.	H. 2.	
	<i>β comosum.</i> R.U.	(bl.) tufted.	—	—	—	H. 2.	Mor. his. 3. s. 12. t. 3. f. 19.
44	microstachyum. R.U.	(b.) small-spiked.	Hungary.	1822.	6. 8.	H. 2.	
45	formosum. R.U.	(bl.) handsome.	Germany.	1824.	—	H. 2.	Rch. ac. t. 18. f. 2.
46	rigidum. R.U.	(bl.) rigid.	Sweden.	—	—	H. 2.	
47	commutatum. R.U.	(bl.) changed.	Switzerland.	—	—	H. 2.	Rch. ac. t. 18. f. 3.
48	laxum. R.A.	(bl.) loose.	Germany.	1823.	6. 8.	H. 2.	Rch. ac. 97. t. 15. f. 4.
49	autumnale. R.A.	(bl.) autumnal.	—	—	—	H. 2.	— t. 17. f. 2.
50	ampliflorum. R.U.	(bl.) large-flowered.	Austria.	1823.	—	H. 2.	
51	maximum. DC.	(bl.) large.	Kamtschatka.	—	7. 8.	H. 2.	Ser. mus. 1. t. 15. f. 31. 32.
52	biflorum. DC.	(va.) two-flowered.	Altay.	1826.	6. 8.	H. 2.	— 1. t. 15. f. 45. 46.
	<i>a lutéo-cæruleum</i> (y. b.)	blue and yellow.	—	—	—	H. 2.	
	<i>β cæruleum.</i> (bl.)	blue-flowered.	—	—	—	H. 2.	Rch. ac. 74. t. 7. f. 1. 2.
53	ferox. DC.	(pu.) poison-rooted.	Nepaul.	1820.	—	H. 2.	Ser. mus. 1. t. 15. f. 43. 44.
	<i>viridum.</i> D.P.						
54	productum. R.U.	(bl.) long-lipped.	Siberia.	1824.	7. 8.	H. 2.	Rch. ac. 75. t. 7. f. 3.
55	semigaleatum. R.U.	(bl.) half-helmeted.	Kamtschatka.	—	—	H. 2.	— 77. t. 8.
56	uncinatum. DC.	(pu.) American.	N. America.	1768.	—	H. 2.	Bot. mag. 1119.
	<i>β Michauxianum.</i> (pu.)	Michaux's	—	—	—	H. 2.	
57	villosum. R.U.	(bl.) villous.	Siberia.	1825.	—	H. 2.	
58	flaccidum. R.U.	(bl.) flaccid.	—	....	—	H. 2.	Deles. ic. sel. 1. t. 65.
	<i>ciliare β polytrichum.</i> DC.						
59	volubile. R.U.	(bl.) twining.	—	1799.	—	H. 2.	
60	tortuosum. DC.	(bl.) twisting.	.....	1812.	—	H. 2.	Ser. mus. 1. t. 15. f. 28. 29.
61	eristostemum. DC.	(bl.) woolly-stamen'd.	Siberia.	1824.	6. 8.	H. 2.	
62	recognitum. R.U.	(bl.) recognised.	.....	—	—	H. 2.	
63	ambiguum. R.U.	(bl.) ambiguous.	Siberia.	1826.	—	H. 2.	
64	toxicum. R.U.	(bl.) poisonous.	Germany.	—	—	H. 2.	
65	reflexum. R.U.	(bl.) reflexed.	Carniola.	1826.	6. 8.	H. 2.	
66	cernuum. R.U.	(bl.) drooping-flow'd.	Germany.	1824.	6. 7.	H. 2.	Chabr. sci. 531. f. 6.
67	acuminatum. R.U.	(bl.) acuminate.	M. Baldo.	1824.	—	H. 2.	
68	parviflorum. R.U.	(bl.) small-flowered.	Switzerland.	—	—	H. 2.	
69	hebegynum. DC.	(bl.) downy-podded.	—	—	—	H. 2.	
70	paniculatum. R.U.	(bl.) panicked.	—	....	5. 7.	H. 2.	Chabr. sci. 531. f. 3.
71	laciniösium. Sch.	(bl.) jagged.	—	1822.	—	H. 2.	
72	molle. R.U.	(bl.) soft.	—	1824.	—	H. 2.	Ser. m. 1. t. 15. f. 35. 36.
73	gibbosum. DC.	(bl.) gibbous.	Caucasus.	1823.	—	H. 2.	— 1. t. 15. f. 14. 15.
74	hamatum. R.U.	(bl.) hooked.	Sweden.	1804.	6. 8.	H. 2.	
75	palmatifidum. R.U.	(bl.) palmatifid.	M. Carpathian.	1819.	—	H. 2.	
76	pyramidale. R.U.	(bl.) pyramidal.	Bohemia.	1596.	—	H. 2.	
	<i>a densiflorum.</i> R.U.	(bl.) close-flowered.	—	—	—	H. 2.	
	<i>β elongatum.</i> R.U.	(bl.) elongated.	—	....	—	H. 2.	
	<i>γ bicolor.</i> R.U.	(w. b.) two-coloured.	—	....	—	H. 2.	
77	Stærkianum. R.U.	(bl.) Stærk's.	S. Europe.	1824.	—	H. 2.	Stor. lib. ac. 69. ic.
	<i>β laxiflorum.</i> R.U.	(bl.) loose-flowered.	.....	—	—	H. 2.	Blackw. ic. 561.
	<i>γ bicolor.</i> R.U.	(w. b.) variegated.	.....	—	—	H. 2.	
78	versicolor. R.U.	(va.) various-colored.	Switzerland.	....	—	H. 2.	
	<i>β bicolor.</i> R.U.	(w. b.) white and blue.	—	....	—	H. 2.	Lodd. bot. cab. 794.
79	decorum. R.U.	(bl.) neat.	Pyrenees.	1824.	—	H. 2.	
80	exaltatum. R.U.	(bl.) lofty.	.....	—	—	H. 2.	Ser. m. 1. t. 15. f. 37. 38.
81	macranthum. R.U.	(bl.) large-blossom'd.	Germany.	1826.	—	H. 2.	
82	Cámmarum. R.U.	(pu.) purple.	Europe.	1752.	—	H. 2.	Jacq. aust. 5. t. 424.
83	illinitum. R.U.	(bl.) besmeared.	Switzerland.	1822.	—	H. 2.	
84	Breiterianum. R.U.	(bl.) Breiter's.	.....	1821.	—	H. 2.	

85	Ottonianum. R.U. (bl.)	Otto's.	.....	1823.	6. 8.	H. 2.	
86	speciosum. R.U. (bl.)	specious.	.....	1804.	7. 8.	H. 2.	Ser. m. 1. t. 15. f. 26. 27.
87	bulbiferum. R.U. (bl.)	bulb-bearing.	.....	1824.	6. 8.	H. 2.	
88	leucanthum. R.U. (w.)	white-flowered.	.....	.....	.....	H. 2.	
89	lasiocarpum. R.U. (bl.)	woolly-podded.	Hungary.	1822.	—	H. 2.	
90	gracile. R.U. (bl.)	slender.	Germany.	1824.	6. 7.	H. 2.	
91	rhynchanthum. R.U.	beaked.	Hungary.	1804.	6. 8.	H. 2.	
	β bicolor. R.U. (w.b.)	two-coloured.	.....	.....	.....	H. 2.	
92	nasutum. R.U. (bl.)	large-nosed.	Caucasus.	1823.	.....	H. 2.	
93	rostratum. R.U. (pu.)	beaked.	Switzerland.	....	.....	H. 2.	Lodd. bot. cab. 203.
94	variegatum. DC. (p.u.)	variegated.	S. Europe.	1597.	.....	H. 2.	Clus. hist. 2. p. 98. f. 1.
95	mixtum. R.U. (p.u.)	mixed.	.....	.....	.....	H. 2.	Rivin. pentap. ic.
96	album. R.U. (wh.)	white.	Levant.	1752.	7. 8.	H. 2.	
97	japonicum. DC. (va.)	Japan.	Japan.	1790.	6. 9.	H. 2.	Ser. m. 1. t. 15. f. 22. 23.
	α carneum. (fl.)	flesh-coloured.	.....	.....	.....	H. 2.	
	β cæruleum. (bl.)	blue-flowered.	.....	.....	.....	H. 2.	
98	boreale. R.U. (st.)	Siberian.	Siberia.	....	6. 8.	H. 2.	
99	barbatum. DC. (st.)	bearded.	.....	1807.	.....	H. 2.	Swt. br. fl. gar. v. 2. 164.
100	hispidum. DC. (st.)	hispid.	.....	1826.	.....	H. 2.	Gmel. sib. 4. t. 81.
	Gmelini. R.U.		.....	.....	.....	H. 2.	
101	squarrosium. DC. (st.)	squarrose.	.....	1823.	.....	H. 2.	
102	pallidum. R.U. (st.)	pale-flowered.	.....	1823.	.....	H. 2.	
103	zoöctonum. R.U. (st.)	beast-bane.	Germany.	1824.	.....	H. 2.	
104	melöctonum. R.U. (st.)	Badger-bane.	Piedmont.	1823.	.....	H. 2.	Chabr. sci. p. 531. f. 1.
105	pyrenaicum. DC. (st.)	Pyrenean.	Pyrenees.	1739.	.....	H. 2.	Cam. epit. 831. ic.
106	galéctonum. R.U. (st.)	Weasel-bane.	Hungary.	1823.	.....	H. 2.	
107	moldavicum. R.U. (pu.)	Moldavian.	Bohemia.	.....	.....	H. 2.	
108	ochroleucum. R.U. (st.)	pale-white.	Caucasus.	1794.	.....	H. 2.	
109	ægöphonum. R.U. (st.)	Goat-poison.	.....	1822.	.....	H. 2.	
110	perniciosum. R.U. (st.)	pernicious.	France.	.....	.....	H. 2.	Bois. fl. eur. 2. t. 369.
111	myöctonum. R.U. (st.)	Mouse-bane.	Thuringia.	.....	.....	H. 2.	
112	strictissimum. R.U. (st.)	straight.	Baruth.	....	.....	H. 2.	
113	altissimum. R.U. (st.)	tallest.	Germany.	....	.....	H. 2.	Tabern. ic. 583. f. 1.
114	réctum. R.U. (st.)	upright.	Italy.	....	.....	H. 2.	Barrel. ic. 599.
115	vulpäria. R.U. (st.)	Fox-bane.	Germany.	1824.	.....	H. 2.	
	β latifolium. R.U. (st.)	broad-leaved.	Bavaria.	.....	.....	H. 2.	
116	tragöctonum. R.U. (st.)	Goat-bane.	Carinthia.	....	.....	H. 2.	
117	lupicida. R.U. (st.)	Wolf-bane.	Switzerland.	1824.	.....	H. 2.	
118	arctöphonum. R.U. (st.)	Bear-bane.	Styria.	1826.	.....	H. 2.	
119	lagöctonum. R.U. (st.)	Hare-bane.	Bavaria.	.....	.....	H. 2.	
120	Phthöra. R.U. (st.)	destructive.	Hungary.	.....	.....	H. 2.	
121	austräle. R.U. (pu.)	Carpathian.	M. Carpathian.	1815.	.....	H. 2.	Bot. mag. 2196.
	septentrionale β carpäthicum. B.M.		.....	.....	.....	H. 2.	
122	rubicundum. F. (pu.)	rubicund.	Russia.	1822.	.....	H. 2.	
123	cynöctonum. R.U. (st.)	Dog-bane.	Germany.	1824.	.....	H. 2.	Blackw. ic. 563.
124	thelyphonum. R.U. (st.)	Elwert's.	Switzerland.	.....	.....	H. 2.	
125	theriöphonum. R.U. (st.)	park-bane.	Italy.	....	6. 7.	H. 2.	Barrel. ic. 600.
126	lycöctonum. R.U. (st.)	great-yellow.	Germany.	1596.	7. 8.	H. 2.	Clus. hist. 5. p. 94. ic.
127	lupäria. R.U. (st.)	Wolf-wort.	.....	.....	.....	H. 2.	Trag. stirp. 247. ic.
128	septentrionale. R.U. (bl.)	northern.	N. Europe.	1800.	.....	H. 2.	Flor. dan. t. 123.

Tribus V. PÆONIACEÆ. DC. prodr. 1. 64.

CIMICIFUGA. L.		BUG-WORT. Polyandria Pentagynia. L.					
1	fœtida. w. (wh.)	stinking.	Siberia.	1777.	6. 7.	H. 2.	Linn. amœn. ac. 8. t. 4.
2	podocarpa. (wh.)	American.	Carolina.	1822.	8. 9.	H. 2.	
	americana. M. Actæa podocarpa. DC.		.....	.....	.....	H. 2.	
3	palmata. Ph. (wh.)	paluated.	.....	1812.	7. 8.	H. 2.	Bot. mag. 1630.
4	cordifolia. Ph. (wh.)	heart-leaved.	.....	.....	6. 7.	H. 2.	..... 2069.
MACROTYS. Raf.		SNAKEROOT. Polyandria Monogynia. L.					
	racemösa. (wh.)	black-rooted.	N. America.	1732.	6. 7.	H. 2.	Dill. elth. 79. t. 67. f. 78.
	Actæa racemösa. w.	Cimicifuga serpentaria. Ph.					
ACTÆA. Ph.		BANE-BERRIES. Polyandria Monogynia. L.					
1	spicata. DC. (wh.)	common.	Britain.	....	4 6.	H. 2.	Eng. bot. 918.
2	rübra. W.en. (wh.)	red-berried.	N. America.	....	.....	H. 2.	
	brachypetala. β rübra. DC.						

3 álba. Mill.	(wh.) white-berried.	N. America.	....	4. 6.	H. 2.	Corn. canad. t. 77.
<i>brachypétala</i> , a <i>álba</i> .	DC.					
ZANTHORHIZA. DC.	YELLOW-ROOT.	Pentandria	Polygynia. L.			
<i>apifólia</i> . DC.	(pu.) Parsley-leaved.	N. America.	1766.	2. 4.	H. 2.	Bot. mag. 1736.
PÆONIA. DC.	PÆONY.	Polyandria	Digynia. L.			
1 Moután. H.K.	.....	Chinese-tree.	China.	1789.	4. 6.	H. 2.
a <i>papaverácea</i> . L.T.	(w.) Poppy-flowered.	.....	.....	1806.	.....	H. 2.
β <i>Bánsii</i> . L.T.	(bl.) common.	.....	.....	1789.	.....	H. 2.
γ <i>rósea</i> . L.T.	(ro.) rose-coloured.	.....	.....	1794.	.....	H. 2.
2 <i>édulis</i> . P.L.	(va.) eatable-rooted.	.....	.....	.....	5. 6.	H. 2.
<i>albiflóra</i> . L.T.						
a <i>véstalis</i> . L.T.	(wh.) virgin.	Siberia.	1784.	.....	H. 2.	Andr. rep. 64.
β <i>cándida</i> . L.T.	(wh.) pale-flowered.	.....	.....	.....	H. 2.	
γ <i>tatárica</i> . L.T.	(bh.) Tartarian.	Tartary.	.....	.....	H. 2.	Bot. reg. 42.
δ <i>sibírica</i> . L.T.	(wh.) Siberian.	Siberia.	.....	.....	H. 2.	
ε <i>rubéscens</i> . L.T.	(bh.) pale-red.	.....	.....	.....	H. 2.	
ζ <i>uniflóra</i> . L.T.	(wh.) one-flowered.	.....	.....	.....	H. 2.	Bot. mag. 1756.
η <i>Whitléji</i> . L.T.	(wh.) double-white.	China.	1808.	6. 7.	H. 2.	Bot. reg. 630.
θ <i>Húmei</i> . L.T.	(re.) double-crimson.	.....	.....	1810.	.....	H. 2.
ι <i>frágrans</i> . L.T.	(re.) Rose-scented.	.....	.....	1805.	.....	H. 2.
3 <i>anómala</i> . L.T.	(re.) jagged-leaved.	Siberia.	1788.	5. 6.	H. 2.	Bot. mag. 1754.
<i>laciniata</i> . Pall. ross.	2. t. 85.					
4 <i>hybrida</i> . DC.	(re.) intermediate.	Caucasus.	1822.	.....	H. 2.	
5 <i>tenuifólia</i> . L.T.	(cr.) slender-leaved.	Siberia.	1765.	5. 6.	H. 2.	Bot. mag. 926.
6 <i>officinális</i> . L.T.	(va.) officinal.	Europe.	1548.	5. 6.	H. 2.	
a <i>Sabíni</i> . L.T.	(sc.) <i>Sabine's</i> .	.....	.....	.....	H. 2.	Bot. mag. 1784.
β <i>rósea</i> . L.T.	(ro.) rose-coloured.	.....	.....	.....	H. 2.	
γ <i>blánda</i> . L.T.	(bh.) blush-flowered.	.....	.....	.....	H. 2.	
δ <i>rubra</i> . L.T.	(cr.) double-red.	.....	.....	.....	H. 2.	Lob. ic. 684.
ε <i>carnéscens</i> . L.T.	(fl.) flesh-coloured.	.....	.....	.....	H. 2.	
ζ <i>álbicans</i> . L.T.	(bh.) double-blush.	.....	.....	.....	H. 2.	Park. par. f. 4.
7 <i>corállina</i> . L.T.	(cr.) English.	England.	.....	.....	H. 2.	Eng. bot. 1513.
8 <i>daúrica</i> . L.T.	(fl.) Daurian.	Dauria.	1790.	.....	H. 2.	Bot. mag. 1441.
<i>triternáta</i> . DC. prodr.						
9 <i>lobáta</i> . DC.	(sc.) lobed-leaved.	Portugal.	1821.	.....	H. 2.	Swt. br. fl. gar. 70.
10 <i>Rússi</i> . DC.	(cr.) crimson.	Sicily.	.....	.....	H. 2.	..... v. 2. t. 122.
11 <i>púbens</i> . B.M.	(re.) pubescent.	.....	.....	1821.	.....	H. 2.
12 <i>húmilis</i> . L.T.	(re.) dwarf.	Spain.	1633.	5.	H. 2.	Bot. mag. 2264.
13 <i>decóra</i> . L.T.	(re.) comely.	Turkey.	.....	.....	H. 2.	..... 1422.
a <i>Pallásii</i> . L.T.	(re.) <i>Pallas's</i> .	.....	.....	.....	H. 2.	
β <i>elátior</i> . L.T.	(re.) tall.	.....	.....	.....	H. 2.	
14 <i>arietina</i> . L.T.	(re.) rams-horned.	.....	.....	.....	H. 2.	
15 <i>crética</i> . B.R.	(bh.) Cretan.	Crete.	.....	.....	H. 2.	Bot. reg. 819.
16 <i>peregrina</i> . L.T.	(re.) Turkish.	Levant.	1588.	5. 6.	H. 2.	
a <i>byzantína</i> . L.T.	(re.) <i>Levant</i> .	.....	.....	.....	H. 2.	Bot. mag. 1050.
β <i>compácta</i> . L.T.	(re.) compact.	France?	.....	.....	H. 2.	
γ <i>Grevillii</i> . L.T.	(re.) <i>Greville's</i> .	.....	.....	.....	H. 2.	
17 <i>paradóxa</i> . L.T.	(re.) paradoxical.	Levant.	.....	.....	H. 2.	
a <i>simpliciflóra</i> .	(re.) single-flowered.	.....	.....	.....	H. 2.	
β <i>fimbriáta</i> . L.T.	(cr.) double-flowered.	.....	.....	.....	H. 2.	Swt. br. fl. gar. 19.
18 <i>mólis</i> . L.T.	(re.) soft-leaved.	Siberia?	.....	.....	H. 2.	Bot. reg. 474.
19 <i>villósa</i> . B.F.G.	(wh.) villous.	.....	1822.	.....	H. 2.	Swt. br. fl. gar. 113.
<i>sessiliflóra</i> . B.M. 2648.						

## ORDO II.

DILLENACEÆ. DC. *systema naturae*. 1. p. 395.

Tribus I. DELIMACEÆ. DC.

TETRA'CERA. DC.	TETRA'CERA.	Polygamia	Diocia.			
1 <i>volúbilis</i> . DC.	(ye.) climbing.	Barbadoes.	.....	.....	S. 2.	Pluk. alm. 48. t. 146. f. 1.
2 <i>jamaicénsis</i> . DC.	(ye.) Jamaica.	Jamaica.	1826.	.....	S. 2.	
3 <i>obovàta</i> . DC.	(ye.) obovate-leaved.	Senegal.	1822.	.....	S. 2.	
4 <i>alnifólia</i> . DC.	(ye.) Alder-leaved.	Sierra Leone.	.....	.....	S. 2.	
5 <i>potatòria</i> . Afz.	(ye.) water-bearing.	.....	.....	.....	S. 2.	
DOLOCA'RPUS. DC.	DOLOCA'RPUS.	Polyandria	Monogynia.			
1 <i>Calínea</i> . DC.	(wh.) climbing.	Guiana.	1822.	.....	S. 2.	Aub. Guian. 1. t. 221.
<i>Tétracera calínea</i> . w.	<i>Calínea scándens</i> .	Aub.				

DEL'IMA. DC.	DEL'IMA.	Polyandria Monogynia.			
sarmentosa. DC.	sarmentose.	Ceylon.	1822.	....	S. h. ∪. Lam. ill. t. 475.
<i>Tetracera sarmentosa</i> .	w.				
CURATE'LLA. DC.	CURATE'LLA.	Polyandria Digynia.			
1 americana. DC. (wh.)	American.	Guiana.	....	....	S. h. ∪. Aub. guian. 1. t. 232.
2? alata. v. ....	wing-petioled.	—	....	....	S. h. ∪. Venten. choix. t. 49.

Tribus II. *DILLENEÆ*. DC.

PLEURA'NDRA. DC.	PLEURA'NDRA.	Polyandria Monogynia.			
1 bracteata. DC	(ye.) elegant.	N. S. W.	1822.	4. 8.	G. h. Deles. ic. sel. 1. t. 78.
2 nitida. DC.	(ye.) shining.	—	—	—	G. h.
3 cneorum. DC.	(ye.) blunt-leaved.	—	1824.	5. 7.	G. h.
4 scabra. DC.	(ye.) rough-leaved.	—	—	—	G. h.
5 acicularis. DC.	(ye.) needle-leaved.	—	—	4. 7.	G. h. Labill. nov. holl. 2. t. 144.
6 stricta. DC.	(ye.) upright.	—	1822.	—	G. h.
7 calycina. DC.	(ye.) linear-leaved.	—	—	—	G. h.
CANDO'LLA.	CANDO'LLA.	Polyadelphia Polyandria.			
cuneiformis. DC. (ye.)	wedge-leaved.	N. Holland.	1823.	5. 8.	G. h. Bot. mag. 2711.
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.			
1 grossulariæfolia. DC. (y.)	Gooseberry-ld.	N. Holland.	1803.	3. 8.	G. h. ∪. Bot. mag. 1218.
<i>crenata</i> . A. R. t. 472.					
2 volubilis. DC.	(ye.) twining.	N. S. W.	1796.	5. 10.	G. h. ∪. Andr. rep. t. 126.
3 dentata. DC.	(ye.) tooth-leaved.	N. Holland.	1814.	1. 8.	G. h. ∪. Bot. reg. 282.
4 saligna DC.	(ye.) Willow-leaved.	N. S. W.	1824.	5. 8.	G. h.
5 virgata DC.	(ye.) twiggy.	—	1822.	....	G. h.
6 fasciculata. DC.	(ye.) bushy.	—	1826.	5. 8.	G. h.
7 linearis. DC.	(ye.) linear-leaved.	—	—	....	G. h.
8 monogyna. DC.	(ye.) one-styled.	—	—	5. 8.	G. h.
9 pedunculata. DC. (ye.)	long-pedicled.	—	—	4. 9.	G. h. Bot. reg. 1001.
<i>corifolia</i> . Bot. mag. 2672.					
WO'RMIA. DC.	WO'RMIA.	Polyandria Pentagynia.			
dentata. DC. (ye.)	tooth-leaved.	Ceylon.	1821.	....	S. h. Thunb. linn. tr. 1. t. 20.
<i>Dillenia dentata</i> . w.					
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.			
1 coromandeliana. DC. (y.)	Coromandel.	E. Indies.	1803.	....	S. h. Roxb. cor. 1. t. 20.
<i>Dillenia pentagynia</i> . Roxb.					
2 scabrèlla. D. P. ....	rough.	Nepaul.	1826.	....	S. h.
DILLE'NIA. DC.	DILLE'NIA.	Polyandria Monogynia. L.			
1 speciosa. DC. (wh.)	large-flowered.	E. Indies.	1800.	....	S. h. Exot. bot. t. 2. 3.
2 integræ. DC. ....	entire-leaved.	Ceylon.	1826.	....	S. h. Thunb. linn. tr. 1. t. 18.

## ORDO III.

WINTEREÆ. *Brown in DC. syst. 1. add. p. 548.*

ILLICIIUM. DC.	ANISEED-TREE.	Polyandria Polygynia. L.			
1 floridanum. DC. (cr.)	red-flowered.	Florida.	1766.	4. 6.	F. h. Bot. mag. 439.
2 anisatum. DC. (ye.)	Chinese.	China.	....	—	F. h. Lam. ill. t. 493. f. 2.
3 parviflorum. DC. (ye.)	small-flowered.	Florida.	1790.	—	F. h. Vent. cels. t. 22.
DR'IMYS. DC.	DR'IMYS.	Polyandria Tetra-Octogynia.			
Wintèri. DC. ....	Winter-bark.	Magellan.	1825.	....	G. h. Forst. gen. p. 84. t. 42.
<i>Wintèra aromatica</i> . w.	<i>Winterana aromatica</i> .	Sol. med. obs. 5. p. 46. t. 1.			
TASMA'NNIA. DC.	TASMA'NNIA.	Dicecia Polyandria.			
dipétala. B. ....	two-petaled.	N. Holland.	1824.	5. 8.	G. h.

## ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v. 1. p. 439.*

MICH'ELIA. DC.	MICH'ELIA.	Polyandria Polygynia. L.			
Champaca. DC. (ye.)	sweet-scented.	E. Indies.	1779.	....	S. h. Lam. ill. t. 493.

MAGN'OLIA. DC.		MAGN'OLIA. Polyandria Polygynia. L.					
1	grandiflora. DC. (wh.)	Laurel-leaved.	Carolina.	1734.	6. 10.	H. ½.	Mill. ic. v. 2. t. 172.
	<i>a rotundifolia.</i> (wh.)	round-leaved.	—————	....	—	H. ½.	Tr. Eh. p. 8. t. 33-35.
	$\beta$ obovata. H.K. (wh.)	obovate-leaved.	—————	....	—	H. ½.	Bot. mag. 1952.
	$\gamma$ elliptica. H.K. (wh.)	elliptic-leaved.	—————	....	—	H. ½.	Mich. arb. t. 2.
	$\delta$ ferruginea. B.M. (w.)	ferruginous.	—————	....	—	H. ½.	
	$\epsilon$ lanceolata. H.K. (wh.)	Exmouth.	—————	....	—	H. ½.	
2	glauca. DC. (wh.)	glaucous-leaved.	N. America.	1688.	6. 9.	H. ½.	
3	longifolia. (wh.)	narrow-leaved.	—————	....	—	H. ½.	
	<i>glauca</i> $\beta$ longifolia. Ph.						
4	Thompsoniana. (wh.)	hybrid.	Hybrid.	1818.	—	H. ½.	
5	umbrella. DC. (wh.)	Umbrella.	N. America.	1752.	5. 6.	H. ½.	Mich. arb. t. 5.
	<i>tripetala.</i> w.						
6	acuminata. DC. (pa.)	bluish-flowered.	—————	1736.	5. 7.	H. ½.	Bot. mag. 2427.
	$\beta$ Candollii. (st.)	De Candolle's.	—————	....	—	H. ½.	Sav. bi. ital. 1819. n. 47. ic.
7	auriculata. DC. (wh.)	ear-leaved.	—————	1786.	4. 5.	H. ½.	Bot. mag. 1206.
8	pyramidata. DC. (wh.)	small ear-leav <sup>d</sup> .	—————	1811.	—	H. ½.	Bot. reg. 407.
9	macrophylla. DC. (wh.)	large-leaved.	—————	1800.	6. 7.	H. ½.	Bot. mag. 2189.
10	cordata. DC. (st.)	heart-leaved.	—————	1801.	—	H. ½.	Bot. reg. 325.
11	conspicua. P.L. (wh.)	Youlan.	China.	1789.	2. 5.	H. ½.	Bot. mag. 1621.
	<i>Yulan.</i> DC. Bonpl. nav. t. 20.						
12	Soulangiana. (p.w.)	Soulangé's.	Hybrid.	1826.	—	H. ½.	Swt. br. fl. gar. 260.
13	Kobus. DC. (p.w.)	slender.	China.	1804.	3. 4.	H. ½.	Par. lond. 87.
	<i>tomentosa.</i> w. <i>gracilis.</i> P.L.						
14	obovata. DC. (p.w.)	obovate-leaved.	—————	1790.	4. 6.	H. ½.	Bot. mag. 390.
	<i>purpurea.</i> B.M. <i>discolor.</i> V.						
15	fuscata. DC. (br.)	brown-stalked.	—————	1789.	—	G. ½.	————— 1008.
16	annonæfolia. P.L. (br.)	small-flowered.	—————	1804.	—	G. ½.	Par. lond. 5.
17	pumila. DC. (wh.)	dwarf.	—————	1786.	1. 12.	G. ½.	Bot. mag. 977.
LIRIODE'NDRON. W.		TULIP-TREE. Polyandria Polygynia. L.					
	lutifera. w. (ye.)	common.	N. America.	1663.	6. 7.	H. 5.	Bot. mag. 275.
	$\alpha$ acutiloba. M. (ye.)	acute-lobed.	—————	....	—	H. 5.	
	$\beta$ obtusiloba. M. (ye.)	blunt-lobed.	—————	....	—	H. 5.	

## ORDO V.

## ANONACEÆ. DC. syst. nat. 1. p. 463.

ANONA. DC.		CUSTARD-APPLE. Polyandria Polygynia. L.					
1	muricata. DC. (st.)	Soursop.	W. Indies.	1656.	6. 8.	S. ½.	Jacq. obs. 1. t. 5.
2	purpurea. DC. (pu.)	purple.	Mexico.	1826.	....	S. ½.	Dunal. mon. p. 64. t. 2.
3	Humboldtii. DC. (ye.)	Humboldt's.	Cumana.	—	....	S. ½.	— p. 64. t. 3.
4	laurifolia. DC. (wh.)	laurel-leaved.	W. Indies.	1824.	6. 8.	S. ½.	Catesb. car. 2. t. 67.
5	palustris. DC. (ye.)	shining-leaved.	—————	1731.	—	S. ½.	Sloan. hist. 2. t. 228. f. 1.
6	longifolia. DC. (pu.)	long-leaved.	Guiana.	1820.	—	S. ½.	Aub. gui. 1. t. 248.
7	punctata. DC. (st.)	spotted-fruited.	Cayenne.	1822.	—	S. ½.	— 1. t. 247.
8	paludosa. DC. (gr.)	marsh.	Guiana.	1803.	6. 8.	S. ½.	— 1. t. 246.
9	squamosa. DC. (st.)	Sweetsop.	S. America.	1731.	—	S. ½.	Jacq. obs. 1. t. 6. f. 1.
10	cinerea. DC. (st.)	cinereous.	St. Thomas.	1823.	....	S. ½.	
11	Cherimolia. DC. (wh.)	Cherimolli.	S. America.	1739.	7. 8.	S. ½.	Bot. mag. 2011.
	<i>tripetala.</i> w. B.M.						
12	reticulata. DC. (st.)	netted.	—————	1690.	5. 7.	S. ½.	Catesb. car. 2. t. 86.
13	mucosa. DC. (st.)	narrow-leaved.	Guiana.	....	....	S. ½.	Rumph. amb. 1. t. 45.
14	glabra. DC. (st.)	smooth-fruited.	Carolina.	1774.	7. 8.	S. ½.	Catesb. car. 2. t. 64.
15	grandiflora. DC. (wh.)	great-flowered.	Mauritius.	1825.	....	S. ½.	Dunal. mon. p. 75. t. 6.
16	amplexicaulis. DC. (pu.)	stem-clasping.	—————	1824.	....	S. ½.	— p. 76. t. 7.
17	asiatica. DC. ....	Ceylon.	Ceylon.	....	....	S. ½.	
18	senegalensis. DC. (st.)	Senegal.	Senegal.	1822.	....	S. ½.	Deles. ic. sel. 1. t. 86.
MONOD'ORA. DC.		MONOD'ORA. Polyandria Monogynia.					
	myristica. DC. (wh.)	Nutmeg.	Jamaica.	....	....	S. ½.	Gært. fr. 2. t. 125. f. 1.
ASIMINA. DC.		ASIMINA. Polyandria Polygynia.					
1	parviflora. DC. (pu.)	small-flowered.	N. America.	1806.	4. 5.	H. ½.	Dun. mon. t. 9.
2	triloba. DC. (pu.)	trifid-fruited.	—————	1736.	—	H. ½.	Duh. arb. ed. 2. v. 2. t. 25.
	<i>Annona triloba.</i> w.	<i>Porcellia triloba.</i> Ph.					
3	pygmæa. DC. (wh.)	dwarf.	—————	1812.	—	H. ½.	Dun. mon. t. 10.
	<i>Orchidocarpum pygmaum.</i> M.						
4	grandiflora. DC. (wh.)	large-flowered.	Florida.	1820.	—	H. ½.	Dun. mon. t. 11.
	<i>Porcellia grandiflora.</i> P.S.						

UV'ARIA. DC.		UV'ARIA. Polyandria Polygynia. L.				
1	zeylànica. DC. (pu.)	Ceylon.	E. Indies.	1794.	....	S. h. Lam. ill. t. 495. f. 2.
2	Gærtneri. DC. ....	Gærtner's.	_____	....	....	S. h. _____ t. 495. f. 3.
3	lùtea. DC. (st.)	yellow-fruited.	_____	1822.	....	S. h. Roxb. cor. 1. t. 36.
4	tomentosa. DC. (br.)	woolly.	_____	_____	....	S. h. _____ 1. t. 35.
5	velutina. DC. (br.)	velvetty.	E. Indies.	1825.	....	S. h.
6	lucida. Boj. ....	shining.	E. Africa.	_____	....	S. h.
UN'ONA. DC.		UN'ONA. Polyandria Polygynia. L.				
1	Nàrum. DC. (re.)	Rheede's.	E. Indies.	....	....	S. h. Rheed. mal. 2. t. 9.
2	fuscàta. DC. (br.)	brown-flower'd.	Guiana.	1820.	....	S. h.
3	acuminàta. DC. (br.)	taper-pointed.	_____	_____	....	S. h.
4	odoràta. DC. (st.)	sweet-scented.	Java.	1804.	5. 7.	S. h. Lam. ill. t. 495. f. 1.
5	longifòlia. DC. (st.)	long-leaved.	E. Indies.	1820.	....	S. h. Sonn. voy. 4. t. 131.
6	aromàtica. DC. (pu.)	aromatic.	Guiana.	_____	....	S. h. Aub. gui. 2. t. 243.
7	æthiòpica. DC. (wh.)	Ethiopian.	Sierra Leone.	1822.	....	S. h. Math. com. 1. p. 434. ic.
8	oxypétala. DC. (br.)	sharp-petaled.	_____	_____	....	S. h.
ARTAB'OTRYS. Br.		ARTAB'OTRYS. Polyandria Polygynia. L.				
	odoratissimus. B.R. (b.)	sweet-scented.	China.	1758.	6. 7.	S. h. Bot. reg. 423.
	Anòna hexapétala. w.	Uvária odoratissima. H.B.	_____	_____	_____	_____
XY'LOPIA. DC.		BITTER-WOOD. Polyandria Polygynia. L.				
1	muricàta. DC. (br.)	rough-fruited.	W. Indies.	1793.	....	S. h. Brown. jam. 250. t. 5. f. 2.
2	frutèscens. DC. (br.)	shrubby.	Guiana.	1823.	....	S. h. Aub. gui. 1. t. 292.
3	glàbra. DC. (br.)	smooth-fruited.	W. Indies.	....	....	S. h. Dun. mon. t. 19.
GUATTERIA. DC.		GUATTERIA. Polyandria Polygynia. L.				
1	cerasòides. DC. (br.)	Cherry-fruited.	E. Indies.	1820.	....	S. h. Roxb. cor. 1. t. 33.
2	suberosa. DC. (wh.)	cork-barked.	_____	_____	....	S. h. _____ 1. t. 34.
3	rùfa. DC. (br.)	rafous.	India.	_____	4. 8.	S. h. Bot. reg. 836.
4	virgàta. DC. (wh.)	Lance-wood.	Jamaica.	1793.	_____	S. h. Dun. mon. t. 31.
	Uvária lanceolàta. w.	_____	_____	_____	_____	_____
5	laurifòlia. DC. (wh.)	Laurel-leaved.	_____	1820.	....	S. h. _____ t. 32.
	Uvária laurifòlia. Sw.	_____	_____	_____	_____	_____

ORDO VI.

MENISPERMACEÆ. DC. prodr. 1. p. 95.

Tribus II. MENISPERMEÆ. DC.

CO'CCULUS. DC.		CO'CCULUS. Diœcia Hexandria.				
1	rotundifòlius. DC. (gr.)	round-leaved.	_____	1820.	....	S. h. Rheed. mal. 7. t. 21.
2	cordifòlius. DC. (gr.)	heart-leaved.	E. Indies.	1822.	....	S. h. Gært. fr. 1. t. 70. f. 7.
3	suberosus. DC. (gr.)	cork-barked.	_____	1790.	....	S. h. Pluk. man. 52. t. 345. f. 2.
4	Plukenetii. DC. (gr.)	Plukenet's.	_____	_____	....	S. h.
5	incanus. L.T. (gr.)	hoary.	_____	1820.	....	S. h.
6	tomentosus. L.T. (gr.)	woolly-leaved.	_____	_____	....	S. h.
7	crispus. L.T. (gr.)	curled.	_____	1822.	....	S. h. Rumph. amb. 5. t. 44. f. 1.
8	palmatus. DC. (gr.)	palmated.	_____	....	....	S. h. Berr. in As. res. 10. t. 5.
9	orbiculatus. DC. (gr.)	orbicular-leaved.	_____	1790.	....	S. h. Rheed. mal. 11. t. 62.
10	laurifòlius. DC. (gr.)	Laurel-leaved.	_____	1820.	....	S. h.
COSCI'NIUM. C.L.T.		COSCI'NIUM. Diœcia Hexandria.				
	fenestratum. L.T. (gr.)	knotted.	Ceylon.	1820.	....	S. h. Gært. fr. 1. t. 46. f. 5.
TILIAC'ORA. C.L.T.		TILIAC'ORA. Diœcia Hexandria.				
	racemosa. L.T. (gr.)	racemed.	E. Indies.	....	....	S. h.
WENDLA'NDIA. W.		WENDLA'NDIA. Heptandria Polygynia. W.				
	populifòlia. w. (wh.)	Poplar-leaved.	Carolina.	1759.	6. 7.	H. h. Wend. h. herr. 3. t. 16.
	Menispermum Carolinum. L.	Cocculus Carolinus. DC.	_____	_____	_____	_____
CISSA'MPELOS. DC.		CISSA'MPELOS. Diœcia Monadelphia. L.				
1	Paréira. DC. (gr.)	velvet-leaf.	S. America.	1733.	7. 8.	S. h. Lam. ill. t. 830.
2	microcárpa. DC. (gr.)	small-fruited.	W. Indies.	1823.	....	S. h.
3	hirsùta. DC. (gr.)	hairy.	Nepaul.	1820.	....	G. h.
4	Mauritiàna. DC. (gr.)	hispid-branch'd.	Mauritius.	_____	....	S. h.
5	Caapèba. DC. (gr.)	nerved-leaved.	S. America.	1733.	7. 8.	S. h. Plum. ic. 67. f. 2.
6?	capènsis. DC. (gr.)	Cape.	C. B. S.	1775.	....	G. h.
MENISPER'MUM. DC.		MOON-SEED. Diœcia Dodecandria. L.				
1	canadènsis. DC. (st.)	Canadian.	N. America.	1691.	6. 7.	H. h. Bot. mag. 1910.

2	dauricum. DC.	(st.) Daurian.	Dahuria.	1823.	....	H. ½. ∪.	Deles. ic. sel. 1. t. 100.
3	smilacinum. DC.	(st.) Smilax-leaved.	Carolina.	1776.	....	G. ½. ∪.	Jacq. ic. 3. t. 629.
		<i>Cissampelos smilacina</i> . w.					
4	Lyöni. Ph.	(st.) Lyon's.	N. America.	1812.	6. 7.	H. ½. ∪.	
	AB'UTA. DC.	(st.) AB'UTA.	<i>Menisperm</i> sp. w.				
	rufescens. DC.	(pu.) brown-leaved.	Guiana.	1822.	....	S. ½. ∪.	Aub. gui. 1. t. 250.

Tribus III. *SCHIZANDREÆ*. DC. *prodr.* 1. p. 104.

SCHIZA'NDRA. DC.	SCHIZA'NDRA.	Moncecia Pentandria.					
coccinea. DC.	(sc.) scarlet-flower'd.	Carolina.	1806.	6. 7.	G. ½. ∪.		Bot. mag. 1413.

ORDO VII.

BERBERIDEÆ. DC. *sys. nat. v. 2. p. 1.*

BERBERIS. W.	BARBERRY.	Hexandria Monogynia.	L.				
1 vulgaris. DC.	(ye.) common.	England.	....	4. 5.	H. ½.		Eng. bot. 49.
α rubra.	(ye.) red-fruited.	.....	....	.....	H. ½.		
β lutea. DC.	(ye.) yellow-fruited.	.....	....	.....	H. ½.		
γ violacea. DC.	(ye.) violet-fruited.	.....	....	.....	H. ½.		
δ purpurea. DC.	(ye.) purple-fruited.	.....	....	.....	H. ½.		
ε nigra. DC.	(ye.) black-fruited.	Levant.	....	.....	H. ½.		
ζ alba. DC.	(ye.) white-fruited.	.....	....	.....	H. ½.		
ξ asperma. DC.	(ye.) stoneless.	.....	....	.....	H. ½.		
2 ibérica.	(ye.) Iberian.	Iberia.	1790.	.....	H. ½.		
	<i>vulgaris β ibérica</i> . DC.						
3 emarginata. DC.	(ye.) emarginate.	Siberia.	1820.	.....	H. ½.		
4 canadensis. DC.	(ye.) Canadian.	Canada.	1759.	4. 6.	H. ½.		
5 sinensis. DC.	(ye.) China.	China.	1800.	.....	H. ½.		Wats. dend. brit. t. 25.
6 aristata. DC.	(ye.) awned.	Nepaul.	1820.	6. 8.	H. ½.		Bot. mag. 2549.
	<i>Chitria</i> . Bot. reg. 729.						
7 crética. DC.	(ye.) Cretan.	Crete.	1759.	5. 6.	H. ½.		Flor. græc. t. 342.
8 ilicifolia. DC.	(ye.) Holly-leaved.	Terra del Fuego.	1791.	7. 8.	H. ½.		
9 asiatica. DC.	(ye.) Asiatic.	Nepaul.	1820.	6. 8.	H. ½.		Deles. ic. sel. 2. t. 1.
10 Wallichiana. DC.	(ye.) Wallich's.	.....	.....	6. 7.	H. ½.		
11 buxifolia. DC.	(ye.) Box-leaved.	Magellan.	1827.	....	G. ½.		Lam. ill. t. 253. f. 3.
12 empetrifolia. DC.	(ye.) Empetrum-ld.	.....	.....	....	G. ½.		
13 heterophylla. DC.	(ye.) various-leaved.	.....	....	5. 6.	H. ½.		Hook. exot. fl. t. 14.
14 sibirica. DC.	(ye.) Siberian.	Siberia.	1790.	6. 7.	H. ½.		Bot. reg. 487.
15 inermis. DC.	(ye.) spineless.	Magellan.	1827.	....	G. ½.		
16 pinnata. B.R.	(ye.) pinnate-leaved.	America.	1820.	3. 5.	G. ½.		Bot. reg. 702.
	<i>Mahonia fascicularis</i> . DC.						
17 repens. B.R.	(ye.) creeping-rooted.	N. America.	1822.	4. 6.	H. ½.		Bot. reg. 1176.
18 nervosa. P.	(ye.) nerved-leaved.	.....	1826.	....	H. ½.		Pursh. fl. am. sept. 1. t. 5.
NAND'INA. DC.	NAND'INA.	Hexandria Monogynia.					
doméstica. DC.	(wh.) garden.	China.	1804.	6. 7.	G. ½.		Bot. mag. 1109.
LEO'NTICE. DC.	LEO'NTICE.	Hexandria Monogynia.	L.				
1 Chrysogonum. DC.	(ye.) Oak-leaved.	Levant.	1740.	3. 6.	H. ½.		Barrel. ic. 1113.
2 Leontopetalum. DC.	(y.) Lion's-leaf.	.....	1597.	4. 5.	H. ½.		Lam. ill. t. 254. f. 1.
3 vesicaria. DC.	(ye.) bladder-capsul'd.	Siberia.	1822.	.....	H. ½.		Pal. a. p. 1779. 2. t. 9. f. 4.
4 altaica. DC.	(ye.) Altay.	.....	.....	.....	H. ½.		— p. 257. t. 8. f. 1. 2. 3.
5 thalictroides. DC.	(ye.) Columbine-ld.	N. America.	1755.	5.	H. ½.		Mich. amer. 1. t. 21.
	<i>Caulophyllum thalictroides</i> . M.						
EPIM'EDIUM. DC.	BARRENWORT.	Tetrandria Monogynia.	L.				
alpinum. DC.	(pu.) Alpine.	England.	....	4. 5.	H. ½.		Eng. bot. 438.
DIPHYLL'EIA. DC.	DIPHYLL'EIA.	Hexandria Monogynia.	L.				
cymosa. DC.	(wh.) blue-berried.	N. America.	1812.	5. 6.	H. ½.		Bot. mag. 1666.

ORDO VIII.

PODOPHYLLÆ. DC. *systema naturae*. 2. p. 31.

Tribus I. *PODOPHYLLÆ.*

- PODOPHYLLUM.** DC. DUCK'S-FOOT. Polyandria Monogynia. L.  
*peltatum.* DC. (*wh.*) May-apple. N. America. 1664. 5. H. 2. Bot. mag. 1819.  
**JEFFERS'ONIA.** DC. JEFFERS'ONIA. Octandria Monogynia.  
*diphylla.* DC. (*wh.*) two-leaved. N. America. 1792. 5. H. 2. Bot. mag. 1513.  
*Podophyllum diphyllum.* w.

Tribus II. *HYDROPELTIDÆ.*

- CABOMBA.** DC. CABOMBA. Hexandria Digynia. W.  
*aquatica.* DC. (*ye.*) water. Carolina. 1823. .... S.w. 2. Aufl. gui. 1. t. 124.  
*Nectris peltata.* Ph.  
**HYDROPELTIS.** DC. HYDROPELTIS. Polyandria Polygynia.  
*purpurea.* DC. (*pu.*) purple. N. America. 1798. 7. 8. F.w. 2. Bot. mag. 1147.  
*Brasenia peltata.* Ph.

ORDO IX.

NYPHÆACEÆ. DC. *systema naturae*. 2. p. 34.

Tribus I. *NELUMBONÆ.*

- NELUMBIUM.** DC. SACRED-BEAN. Polyandria Polygynia. L.  
 1 *speciosum.* DC. (*bh.*) Indian. India. 1787. 6. 8. S.w. 2. Bot. mag. 903.  
*Cyamus Nelumbo.* Sm. Exot. bot. 1. t. 31. 32.  
 2 *Tamara.* (*ro.*) Rheede's. .... S.w. 2. Rheed. mal. XI. t. 30.  
 3 *caspicum.* F. (*ro.*) Fischer's. Volga. 1821. .... S.w. 2.  
 4 *luteum.* DC. (*ye.*) yellow. N. America. 1810. .... F.w. 2. Poit. a. m. 13. t. 29. f. 42.  
 5 *jamaicense.* DC. .... Jamaica. W. Indies. 1823. .... S.w. 2.

Tribus II. *NYPHÆÆÆ.*

- EURYALE.** DC. EURYALE. Polyandria Monogynia. L.  
*ferox.* DC. (*re.*) prickly. India. 1809. 7. 9. S.w. 2. Bot. mag. 1447.  
*Annelisa spinosa.* And. bot. rep. 618.  
**NYPHÆA.** DC. WATER-LILY. Polyandria Monogynia. L.  
 1 *scutifolia.* DC. (*bl.*) Cape blue. C. B. S. 1792. 6. 9. S.w. 2. Bot. mag. 552.  
*cœrulea.* Bot. rep. 197.  
 2 *cœrulea.* DC. (*bl.*) Egyptian blue. Egypt. 1812. — S.w. 2. Vent. malm. t. 6.  
*stellata.* var. Bot. mag. 2058.  
 3 *cyanea.* H. B. (*bl.*) Indian-blue. E. Indies. 1809. — S.w. 2.  
*Cahlara.* Donn. cant. ed. 7.  
 4 *stellata.* DC. (*bl.*) star-flowered. — 1803. — S.w. 2. Andr. rep. 330.  
 5 *edulis.* DC. (*wh.*) eatable. — .... — S.w. 2.  
*esculenta.* H. B.  
 6 *rubra.* DC. (*re.*) red-flowered. — 1803. 7. 8. S.w. 2. Bot. mag. 1280.  
 7 *rosea.* (*ro.*) rose-coloured. — — S.w. 2. — 1364.  
*rubra.* β *rosea.* DC.  
 8 *pubescens.* DC. (*wh.*) Indian Lotus. — 5. 8. S.w. 2. Rheed. h. mal. XI. t. 26.  
 9 *Lotus.* DC. (*wh.*) Egyptian. Egypt. 1802. 6. 9. S.w. 2. Del. fl. egypt. ill. t. 60. f. 1.  
 10 *thermalis.* DC. (*wh.*) Hungarian. Hungary. — — S.w. 2. Bot. mag. 797.  
*Lotus.* And. bot. rep. 391.

11	ámpla. DC.	(wh.) West-Indian.	W. Indies.	....	6. 9.	S.w. 7.	Plum. mss. 123. t. 4.
12	versicolor. DC.	(bh.) changeable	E. Indies.	1807.	—	S.w. 7.	Bot. mag. 1189.
13	renifórmis. DC.	(wh.) kidney-leaved.	Carolina.	1823.	7.	G.w. 7.	Deles. ic. sel. 2. t. 5.
14	álba. DC.	(wh.) white.	Britain.	....	6. 7.	H.w. 7.	Eng. bot. 160.
15	odoràta. DC.	(wh.) sweet-scented.	N. America.	1786.	7.	H.w. 7.	Bot. mag. 819.
16	minor. DC.	(wh.) smaller	—	1812.	—	H.w. 7.	— 1652.
	<i>odoràta</i> . $\beta$ <i>minor</i> . B.M.						
17	nítida. DC.	(wh.) cup-flowered.	Siberia.	1809.	7. 8.	H.w. 7.	Bot. mag. 1359.
18	pygmæa. DC.	(wh.) pigmy.	China.	1805	5. 9.	H.w. 7.	— 1525.
	<i>Castalia pygmæa</i> a. Sal. par. lond. 68.						
19	blánda. DC.	(wh.) handsome.	W. Indies.	1827.	....	S.w. 7.	
N'UPHAR. DC.			N'UPHAR. Polyandria Monogynia. L.				
1	lútea. DC.	(ye.) common.	Britain.	....	6. 7.	H.w. 7.	Eng. bot. 159.
	<i>Nymphæa lútea</i> . w.						
2	púmila. DC.	(ye.) small-yellow.	Scotland	....	—	H.w. 7.	— 2292.
	<i>minima</i> . E.B.						
3	Kalmiána. DC.	(ye.) Canadian.	N. America.	1807.	7. 8.	H.w. 7.	Bot. mag. 1243.
4	ádvena. DC.	(ye.) stripe-flowered.	—	1772.	—	H.w. 7.	Bot. mag. 684.
	<i>Nymphæa ádvena</i> . w.						

## ORDO X.

## SARRACENIÆ.

SARRACENIA. W. SIDE-SADDLE-FLOWER. Polyandria Monogynia. L.							
1	purpúrea. w.	(pu.) purple.	N. America.	1640.	6. 7.	H. 7.	Bot. mag. 849.
2	rúbra. w.	(re.) red-flowered.	—	1786.	—	H. 7.	Hook. ex. flor. 13.
	<i>psittáquina</i> . M?						
3	variolaris. w.	(st.) hook-leaved.	—	1803.	—	H. 7.	Bot. mag. 1710.
	<i>adunca</i> . Ex. bot. t. 53. <i>minor</i> w.						
4	fláva. w.	(ye.) yellow.	—	1752.	—	H. 7.	— 780.

## ORDO XI.

PAPAVERACEÆ. DC. *sys. nat.* 2. p. 67.

PAPAVER. DC. POPPY. Polyandria Monogynia.							
1	nudicáule. DC.	(ye.) naked-stalked.	Siberia.	1730.	6. 8.	H. 7.	Bot. mag. 1633.
	$\beta$ <i>glábratum</i> . DC.	(ye.) smooth-stalked.	—	....	—	H. 7.	
	$\gamma$ <i>radicátum</i> . DC.	(ye.) small hairy.	Norway.	....	—	H. 7.	
2	rúbro-aurantiáculum. F.	red orange.	Dahuria.	1822.	—	H. 7.	Bot. mag. t. 2344.
3	microcárpum. DC.	(br.) small-capsuled.	Kamtschatka.	—	—	H. 7.	
4	pyrenáicum DC.	(ye.) Pyrenean.	Pyrenees.	....	—	H. 7.	Seg. ver. 1. t. 4. f. 4.
	<i>aurantiáculum</i> . Lois.						
	$\alpha$ <i>lúteum</i> . DC.	(ye.) yellow-flowered.	—	....	—	H. 7.	Barr. ic. t. 764.
	$\beta$ <i>punicéum</i> . DC.	(re.) red-flowered.	—	....	—	H. 7.	
5	alpinum. DC.	(wh.) Alpine.	Austria.	1759.	—	H. 7.	Swt. br. fl. gar. 217.
6	hy'bridum. DC.	(re.) mongrel.	England.	....	6. 7.	H. 7.	Eng. bot. 43.
7	Árgemóne. DC.	(re.) rough.	Britain.	....	—	H. 7.	— 643.
	$\beta$ <i>marítimum</i> . With.	one-flowered.	—	....	—	H. 7.	
8	dúbium. DC.	(re.) smooth.	—	....	—	H. 7.	Eng. bot. 644.
9	Rh'eas. DC.	(re.) common-corn.	—	....	—	H. 7.	— 645.
	$\alpha$ <i>maculátum</i> .	(re.) spot-petaled.	—	....	—	H. 7.	Curt. lond. t. 32.
	$\beta$ <i>cocécineum</i> .	(sc.) scarlet-flowered.	—	....	—	H. 7.	Tab. ic. f. 1.
	$\gamma$ <i>cárneum</i> .	(fl.) flesh-coloured.	—	....	—	H. 7.	Barr. obs. ic. t. 763.
	$\delta$ <i>álbum</i> .	(wh.) white-flowered.	—	....	—	H. 7.	Wein. phyt. t. 788. f. d.
	$\varepsilon$ <i>álbo-marginátum</i> .	white-edged.	—	....	—	H. 7.	— t. 790. f. e.
	$\zeta$ <i>cocécineo-marginátum</i> .	scarlet-edged.	—	....	—	H. 7.	— t. 790. f. b.

10 lævigatum. DC.	(re.) slender.	Caucasus.	1823.	6. 7.	H. ☉.	
11 arenarium. DC.	(re.) sand.	Siberia.	1825.	6. 8.	H. ☉.	
12 Roubi'æi. DC.	(re.) Roubieu's.	Montpelier.	1823.	—	H. ☉.	Fig. diss. 39. n. 4. t. 1. f. 1.
13 floribundum. DC.	(re.) many-flowered.	Levant.	1815.	6. 7.	H. ♂.	Bot. reg. 134.
14 hórridum. DC.	(co.) prickly-stalk'd.	N. S. W.	1825.	6. 8.	H. ☉.	Swt. br. fl. gar. 173.
15 orientale. DC.	(re.) oriental.	—	1714.	5. 6.	H. ♀.	Bot. mag. 57.
16 bracteatum. DC.	(re.) bracted.	Caucasus.	1821.	5. 8.	H. ♀.	Lind. coll. t. 23.
17 setigerum. DC.	(wh.) bristle-pointed.	Italy.	1824.	—	H. ☉.	Swt. br. fl. gar. 172.
18 somniferum. DC.	(va.) garden.	England.	....	7. 8.	H. ☉.	Lam. ill. t. 451.
* nigrum. DC.	(va.) black-seeded.	.....	.....	—	H. ☉.	Lob. ic. t. 274. f. 1.
β flore-pleno.	(re.) double-red.	.....	.....	—	H. ☉.	Swert. flor. 2. t. 22. f. 1.
γ fimbriatum.	(va.) fringed-flowered.	.....	.....	—	H. ☉.	Wein. phyt. t. 795. f. c.
** album. DC.	(wh.) white-seeded.	England.	....	—	H. ☉.	Eng. bot. 2145.
β flore-pleno.	(wh.) double-white.	—	....	—	H. ☉.	Swert. flor. 2. t. 22. f. 2.
γ variegatum.	(v.) variegated.	—	....	—	H. ☉.	
19 caucasicum. DC.	(re.) Caucasian.	Caucasus.	1813.	6. 7.	H. ☉.	Bot. mag. 1675.
20 armeniacum. DC.	(re.) Armenian.	Armenia.	1815.	—	H. ☉.	
<i>Argemone armeniaca.</i> w.						
ARGEMONE. DC.	ARGEMONE.	Polyandria Monogynia.				
1 mexicana. DC.	(ye.) Mexican.	Mexico.	1592.	7. 8.	H. ☉.	Bot. mag. 243.
2 ochroleuca. B.F.G.(st.)	straw-coloured.	—	1827.	7. 10.	H. ☉.	Swt. br. fl. gar. 242.
3 albiflora. B.M.	(wh.) white-flowered.	Louisiana.	1820.	—	H. ♀.	Bot. mag. 2342.
4 grandiflora. B.F.G.(w.)	large-flowered.	Mexico.	1827.	7. 10.	H. ♀.	Swt. br. fl. gar. 226.
MECONO'PSIS. DC.	MECONO'PSIS.	Polyandria Monogynia.				
1 cambrica. DC.	(st.) Welsh.	Wales.	....	5. 8.	H. ♀.	Eng. bot. 66.
<i>Papaver cambricum.</i> w.						
SANGUINARIA. DC.	PUCCOON.	Polyandria Monogynia.				
1 canadensis. DC.	(wh.) Bloodwort.	N. America.	1680.	3. 4.	H. ♀.	Bot. mag. 162.
MACLEA'YA. B.	MACLEA'YA.	Polyandria Monogynia.				
1 cordata. B.	(bh.) heart-leaved.	China.	1795.	5. 8.	H. ♀.	Bot. mag. 1905.
<i>Bocconia cordata.</i> DC.						
BOCCONIA. DC.	BOCCONIA.	Dodecandria Monogynia.				
1 frutescens. DC.	(gr.) Tree Celandine.	W. Indies.	1739.	1. 4.	S. ♀.	Lodd. bot. cab. t. 83.
2 integrifolia. DC.	(gr.) entire-leaved.	Peru.	1822.	....	S. ♀.	H. et B. nov. pl. 1. t. 35.
ESCHSCHO'LTZIA. D.	ESCHSCHO'LTZIA.	Polyandria Monogynia.				
1 californica. DC.	(ye.) Menzies'. California.	1826.	7. 10.	H. ♀.		Swt. br. fl. gar. 265.
HUNNEMA'NNIA. B.F.G.	HUNNEMA'NNIA.	Polyandria Monogynia.				
1 fumarifolia. B.F.G.(y.)	Fumitory-leav'd Mexico.	1827.	7. 10.	H. ♀?		Swt. br. fl. gar. 276.
RÆMERIA. DC.	RÆMERIA.	Polyandria Monogynia.				
1 hy'brida. DC.	(re.) violet-flowered.	England.	....	5. 7.	H. ☉.	Eug. bot. 201.
<i>Gláucium violaceum.</i> H.K.						
2 refracta. DC.	(re.) pendulous-fruit.	Tauria.	1823.	—	H. ☉.	Deles. ic. sel. 2. t. 8.
GLA'UCIUM. DC.	HORN-POPPY.	Polyandria Monogynia.				
1 flavum. DC.	(ye.) yellow.	Britain.	....	6. 10.	H. ♂.	Eng. bot. t. 8.
<i>luteum.</i> H.K. <i>Chelidonium gláucium.</i> L.						
2 fulvum. DC.	(or.) orange.	S. Europe.	1802.	8. 9.	H. ♀.	Swt. br. fl. gar. 35.
3 tricolor. s.s.	(v.) three-coloured.	Poland.	1828.	6. 9.	H. ☉.	
4 corniculatum. DC.	(re.) various-colour'd	Europe.	....	6. 7.	H. ☉.	
a phæniceum. DC.	(re.) red-flowered.	England.	....	—	H. ☉.	Eng. bot. 1433.
β flaviflorum. DC.	(ye.) yellow-flowered.	Tauria.	1823.	—	H. ☉.	
CHELIDONIUM. DC.	CELANDINE.	Polyandria Monogynia. L.				
1 majus. DC.	(ye.) common.	Britain.	....	4. 10.	H. ♀.	Eng. bot. 1581.
2 grandiflorum. DC.	(ye.) large-flowered.	Dahuria.	1823.	—	H. ♀.	
3 laciniatum. DC.	(ye.) jagged.	S. Europe.	....	—	H. ♀.	Mill. ic. 1. t. 92. f. 2.
HYPE'COUM. DC.	HYPE'COUM.	Tetrandria Digynia. L.				
1 procumbens. DC.	(ye.) procumbent.	S. Europe.	1596.	6. 7.	H. ☉.	Swt. br. fl. gar. 3. t. 217.
2 pendulum. DC.	(ye.) pendulous.	S. France.	1640.	—	H. ☉.	Mill. ic. t. 250. f. 1.
3 erectum. DC.	(ye.) erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. ruth. 58. t. 9.

## ORDO XII.

FUMARIACEÆ. DC. *sys. nat.* 2. p. 105.

- DICLYTRA. DC.** **DICLYTRA.** Diadelphia Hexandria. L.
- 1 cucullària. DC. (*wh.*) naked stalked. N. America. 1731. 6. 7. H. ♀. Bot. mag. 1127.  
*Fumària cucullària.* B.M.  
β *divaricatà.* DC. (*wh.*) spreading-spur'd. N. America. ———— H. ♀.
- 2 bracteòsa. DC. (*wh.*) leafy-bracted. ———— 1823. ———— H. ♀.
- 3 formòsa. DC. (*re.*) bluish. ———— 1796. ———— H. ♀. Bot. mag. 1335.
- 4 exímia. DC. (*re.*) choice. ———— 1812. ———— H. ♀. Bot. reg. 51.  
*Fumària exímia.* B.R.
- 5 tenuifòlia. DC. (*bh.*) slender-leav'd. Kamtschatka. 1824. 5. 7. H. ♀. Deles. ic. sel. 2. t. 9. f. B.
- 6 canadénsis. DC. (*pu.*) Canadian. Canada. 1823. ———— H. ♀.
- 7 lachenaliæfòra. DC. (*p.*) Lachenalia-fl'd. Siberia. 1824. .... H. ♀. Rudol. m. sc. pet. 1. t. 19.
- ADLUMIA. DC.** **ADLUMIA.** Diadelphia Hexandria. L.
- cirr hòsa. DC. (*bh.*) tendrilled. N. America. 1778. 6. 9. H. ♂. Vent. choix. t. 19.  
*Fumària fungòsa.* w.
- CYSTICA'PNOS. DC.** **CYSTICA'PNOS.** Diadelphia Hexandria. L.
- africàna. DC. (*bh.*) African. C. B. S. 1696. 6. 8. H. ☉. Wein. phyt. t. 521. f. c.  
*Fumària vesicària.* w.
- CORYDALIS. DC.** **CORYDALIS.** Diadelphia Hexandria. L.
- 1 paucifòra. DC. (*pu.*) few-flowered. Siberia. 1823. ... H. ♀.
- 2 Marschalliana. DC. (*st.*) Marshall's. Tauria. ———— 4. 5. H. ♀.
- 3 tuberòsa. DC. (*pu.*) hollow-rooted. Europe. 1596. 2. 4. H. ♀. Bot. mag. 232.  
β *albiflòra.* (*wh.*) white-flowered. ———— ———— H. ♀. ———— 2340.  
*Fumària càva. albiflòra.* B.M.
- 4 fabiàca. DC. (*pu.*) Bean-leaved. Germany. 1815. ———— H. ♀. Horn. fl. dan. t. 1394.
- 5 caucásica. DC. (*pu.*) Caucasian. Caucasus. 1823. ———— H. ♀.
- 6 bulbòsa. DC. (*pu.*) solid-rooted. Britain. .... ———— H. ♀. Eng. bot. 1471.  
*Fumària sólida.* E. B. *Cory'dalis Halleri.* W. en.
- 7 angustifòlia. DC. (*pu.*) narrow-leaved. Iberia. 1823. ———— H. ♀.
- 8 bracteàta. DC. (*st.*) large-bracted. Siberia. 1822. ———— H. ♀.
- 9 nobilis. DC. (*st.*) great-flowered. ———— 1783. 5. H. ♀. Bot. reg. 395.
- 10 Gèlèri. F. (*bh.*) Altay. Altay. 1827. 5. 6. H. ♀?
- 11 pæoniæfòlia. DC. (*pu.*) Pæony-leaved. Siberia. 1823. ———— H. ♀. Gmel. sib. 4. t. 34.
- 12 glàuca. DC. (*bh.*) glaucous. N. America. 1683. 7. 8. H. ☉. Bot. mag. 179.  
*Fumària sempervivens.* w.
- 13 strìcta. DC. (*pu.*) upright. Siberia. 1825. 5. 7. H. ♀.
- 14 sibírica. DC. (*ye.*) Siberian. ———— ———— H. ♀. Amm. rutil. n. 173. t. 20.
- 15 impàtiens. DC. (*ye.*) impatient. Dahuria. 1823. ———— H. ☉.
- 16 àurea. DC. (*ye.*) golden. N. America. 1812. 5. 7. H. ♂. Bot. reg. 66.  
*Fumària àurea.* B.R.
- 17 lùtea. P.S. (*ye.*) yellow. England. .... 4. 10. H. ♀. Eng. bot. 588.
- 18 capnoídes. P.S. (*wh.*) white-flowered. S. Europe. 1596. 5. 10. H. ♂. Pluk. alm. t. 90. f. 2.
- 19 acáulis. DC. (*st.*) stalkless. Germany. 1825. 7. 9. H. ☉. Jacq. ic. 3. t. 554.
- 20 uralénsis. DC. (*ye.*) Fischer's. Siberia. 1823. .... H. ♀.
- 21 breviflòra. DC. (*st.*) short-flowered. Kamtschatka. ———— 5. 10. H. ☉.
- 22 claviculàta. DC. (*wh.*) climbing. Britain. .... ———— H. ☉. Eng. bot. 103.
- SARCOCA'PNOS. DC.** **SARCOCA'PNOS.** Diadelphia Hexandria. L.
- enneaphýlla. DC. (*bh.*) nine-leaved. Spain. 1714. 5. 7. H. ♀. Barr. ic. t. 42.  
*Fumària enneaphýlla.* w.
- FUMARIA. DC.** **FUMITORY.** Diadelphia Hexandria. L.
- 1 spicàta. DC. (*re.*) narrow-leaved. S. Europe. 1714. 4. 6. H. ☉. Lob. ic. t. 757. f. 2.
- 2 capreolàta. DC. (*wh.*) climbing. Europe. .... 5. 9. H. ☉. DC. ic. rar. 1. t. 34.  
β *Burchèllii.* DC. (*wh.*) *Burchell's.* C. B. S. 1812. ———— H. ☉.
- 3 mèdia. DC. (*pu.*) intermediate. Britain. .... ———— H. ☉. Eng. bot. 943.  
*capreolàta.* E.B.
- 4 prèhensibilis. K. (*pu.*) short-leaved. Hungary. 1821. 6. 9. H. ☉.
- 5 alexandrìna. E. .... Egyptian. Egypt. 1826. ———— H. ☉.
- 6 officinàlis. DC. (*re.*) common. ———— ———— H. ☉. Eng. bot. 5:9.
- β *grandiflòra.* DC. (*re.*) large-flowered. C. B. S. 1818. ———— H. ☉.
- 7 micrantha. DC. (*wh.*) small-blossom'd. Spain. 1824. 4. 8. H. ☉.
- 8 parviflòra. DC. (*wh.*) small-flowered. England. .... 8. 9. H. ☉.
- 9 Vaillantii. DC. (*pu.*) Vaillant's. France. .... 5. 6. H. ☉. Eng. bot. 590.
- 10 densiflòra. DC. (*pu.*) close-flowered. Montpellier. 1823. ———— H. ☉. Vail. bot. par. t. 10. f. 6.  
β *albida.* DC. (*wh.*) white-flowered. ———— ———— H. ☉.

ORDO XIII.

CRUCIFERÆ. DC. *syst. nat.* 2. p. 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. *ARABIDEÆ* seu Pleurorrhizæ Siliquosæ. DC.

MATHIOLA. DC.		STOCK. <i>Tetradynamia Siliquosa. L.</i>					
1	<i>simplicicaulis.</i>	(sc.)	Brompton.	.....	....	5. 8.	H. ♂.
	<i>α coccinea.</i>	(sc.)	scarlet.	.....	....	—	H. ♂.
	<i>β álba.</i>	(wh.)	white.	.....	....	—	H. ♂.
2	<i>incána. DC.</i>	(va.)	queen.	England.	....	5. 11.	H. ♀.
	<i>α coccinea.</i>	(sc.)	scarlet.	.....	....	—	H. ♀.
	<i>β purpúrea.</i>	(pu.)	purple.	.....	....	—	H. ♀.
	<i>γ álba.</i>	(wh.)	white.	.....	....	—	H. ♀.
	<i>δ multipléx.</i>	(va.)	double-flowered.	.....	....	—	H. ♀.
3	<i>ánna. DC.</i>	(va)	ten-week.	S. Europe.	1731.	5. 11.	H. ⊙.
	<i>α coccinea.</i>	(sc.)	scarlet.	.....	....	—	H. ⊙.
	<i>β purpúrea.</i>	(pu.)	purple.	.....	....	—	H. ⊙.
	<i>δ rùbra.</i>	(re.)	red.	.....	....	—	H. ⊙.
	<i>ε rùsea.</i>	(ro.)	rose-coloured.	.....	....	—	H. ⊙.
	<i>ζ cárnea.</i>	(fl.)	flesh-coloured.	.....	....	—	H. ⊙.
	<i>η fuscàta.</i>	(br.)	brown.	.....	....	—	H. ⊙.
	<i>θ fúlva.</i>	(br.)	tawny.	.....	....	—	H. ⊙.
	<i>ι lilacina.</i>	(li.)	lilac.	.....	....	—	H. ⊙.
	<i>κ álba.</i>	(wh.)	white.	.....	....	—	H. ⊙.
	<i>λ variegàta.</i>	(v.)	variegated.	.....	....	—	H. ⊙.
	<i>μ flóre pléno.</i>	(va.)	double-flowered.	.....	....	—	H. ⊙.
4	<i>glábra. DC.</i>	(va.)	Wall-flower-ld.	.....	....	—	H. ♀.
	<i>α álba.</i>	(wh.)	white-flowered.	.....	....	—	H. ♀.
	<i>β purpúrea.</i>	(pu.)	purple.	.....	....	—	H. ♀.
	<i>γ coccinea.</i>	(sc.)	scarlet.	.....	....	—	H. ♀.
	<i>δ flóre pléno.</i>	(va.)	double-flowered.	.....	....	—	H. ♀.
5	<i>græca. DC.</i>	(wh.)	smooth-leaved.	Greece.	.....	—	H. ⊙.
6	<i>fenestrális. DC.</i>	(re.)	window.	Crete.	1759.	7. 8	F. ♀.
7	<i>sinuàta. DC.</i>	(pu.)	great sea.	England.	....	5. 8.	H. ♂.
8	<i>acàulis. DC.</i>	(pu.)	stalkless.	Egypt.	1823.	—	H. ⊙.
9	<i>torulòsa. DC.</i>	(pu.)	twisted-podded.	C. B. S.	1816.	—	G. ♀.
10	<i>taráfica. DC.</i>	(br.)	Tartarian.	Tartary.	1826.	—	H. ♀.
11	<i>odoratíssima. DC.</i>	(br.)	sweet-scented.	Tauria.	1797.	6. 7.	G. ♀.
	<i>β tanaicénsis. DC.</i>	(br.)	fragrant.	Tanaim.	1822.	—	G. ♀.
12	<i>vària. DC.</i>	(br.)	entire-leaved.	Greece.	....	5. 7.	G. ♀.
13	<i>trístis. DC.</i>	(br.)	various-leaved.	S. Europe.	1768.	—	G. ♀.
14	<i>coronopifòlia. DC.</i>	(pu.)	Buckhorn-ld.	.....	1825.	—	H. ♀.
15	<i>lívda. DC.</i>	(br.)	livid.	Egypt.	1828.	—	H. ⊙.
16	<i>longipétala. DC.</i>	(br.)	long-petaled.	Bagdad.	1819.	—	H. ⊙.
17	<i>tricuspidàta. DC.</i>	(pu.)	three-forked.	Barbary.	1739.	7. 10.	H. ⊙.
18	<i>parvisfóra. DC.</i>	(pu.)	small-flowered.	Morocco.	1799.	—	H. ⊙.
CHEIRANTHUS. DC.		WALL-FLOWER. <i>Tetradynamia Siliquosa. L.</i>					
1	<i>Chéiri. DC.</i>	(ye.)	garden.	S. Europe.	1573.	4. 7.	H. ♀.
	<i>α vulgàris.</i>	(ye.)	common.	.....	....	—	H. ♀.
	<i>β flóre pléno.</i>	(ye.)	double-yellow.	.....	....	—	H. ♀.
	<i>γ grandiflòrus.</i>	(ye.)	large-flowered.	.....	....	—	H. ♀.
	<i>δ máximus.</i>	(ye.)	largest.	.....	....	—	H. ♀.
	<i>ε serrátus.</i>	(ye.)	saw-leaved.	.....	....	—	H. ♀.
	<i>ζ pátulus.</i>	(ye.)	double-spreading.	.....	....	—	H. ♀.
	<i>ι ferrugíneus.</i>	(p.y.)	rusty-flowered.	.....	....	—	H. ♀.
	<i>κ váríus.</i>	(p.y.)	various-coloured.	.....	....	—	H. ♀.
	<i>λ sanguíneus.</i>	(p.y.)	bloody.	.....	....	—	H. ♀.
	<i>μ hæmántus.</i>	(p.y.)	double-bloody.	.....	....	—	H. ♀.
	<i>ν flavéscens.</i>	(ye.)	pale-yellow.	.....	....	—	H. ♀.
	<i>ξ thyrsoídeus.</i>	(ye.)	bunch-flowered.	.....	....	—	H. ♀.

Besl. eyst. 2. t. 3. f. 3.  
 2. t. 3. f. 2.  
 Eng. bot. 1935.  
 Wein. phyt. t. 642. f. 9.  
 Besl. eyst. 2. t. 3. f. 2.  
 2. t. 3. f. 1.  
 J. Bauh. hist. 2. f. 1.  
 Dalech. lug. 802. f. 1.  
 Wein. phyt. t. 642. f. 2.  
 Moris, ox. s. 3. t. 8. f. 2.  
 Jacq. vind. 2. t. 179.  
 Eng. bot. 462.  
 Pall. it. 1. app. 117. t. O.  
 Bot. mag. 1711.  
 Fl. græc. t. 636.  
 Barr. ic. t. 503.  
 Flor. græc. t. 637.  
 Deles. ic. sel. 2. t. 12.  
 Vent. cels. t. 93.  
 Swt. br. fl. gar. 46.  
 Schkuhr hand. 2. t. 184.  
 Besl. eyst. 2. t. 5. f. 3.  
 2. t. 4. f. 2. 3.  
 2. t. 5. f. 2.  
 2. t. 5. f. 1.

- 2 fruticulōsus. E.B. (*ye.*) common. England. .... 4. 7. H. ♀. Eng. bot. 1934.  
 3 alpinus. DC. (*ye.*) Alpine. Norway. 1823. — H. ♀. Wahl. fl. lap. t. 12. f. 1.  
 4 ochroleūcus. DC. (*st.*) pale yellow. Switzerland. 1820. 6. 8. H. ♀.  
*decumbens*. W. en.  
 5 tenuifolius. DC. (*ye.*) fine-leaved. Madeira. 1777. 5. 6. F. ♀.  
 6 mutabilis. DC. (*li.*) changeable. ———— 3. 5. F. ♀. Bot. mag. 195.  
 7 longifolius. v. (*li.*) long-leaved. ———— 1815. 9. 12. F. ♀. Vent. malm. t. 83.  
 8 scoparius. DC. (*va.*) rock. Teneriffe. ———— 3. 8. F. ♀.  
*α purpurāscens*. DC. (*p.*) purplish. ———— ———— F. ♀.  
*β æruginōsus*. DC. (*br.*) rusty. ———— ———— F. ♀.  
*γ chamæleo*. DC. (*p.y.*) Chameleon. ———— ———— F. ♀. Bot. reg. 219.  
*Cheiri*, var. *Chamæleon*. B.R.  
 9 semperflōrens. DC. (*w.*) ever-blowing. Barbary. ———— 1. 12. F. ♀.  
 10 frutēscens. P.S. (*wh.*) frutescent. ———— 3. 7. F. ♀.  
 11 linifolius. DC. (*pu.*) flax-leaved. Spain. ———— 3. 8. F. ♀.  
 12 arborēscens. Sie. (*pu.*) arborescent. Levant. 1827. 4. 8. G. h.  
**NASTURTIUM**. DC. **NASTURTIUM**. *Tetradynamia Siliquosa*. L.  
*officināle*. DC. (*wh.*) Water Cress. Britain. .... 5. 7. H.w. ♀. Eng. bot. 855.  
*Sisymbrium Nasturtium*. w.  
*β præcocius*. DC. (*wh.*) early. ———— ———— H.w. ♀. Pet. h. brit. t. 47. f. 3.  
 2 sylvestre. DC. (*ye.*) creeping. ———— .... 6. 9. H.w. ♀. Eng. bot. 2324.  
 3 ancēps. DC. (*ye.*) flat-edged. N. Europe. 1826. ———— H.w. ♀. Flor. dan. t. 984.  
 4 palūstre. DC. (*ye.*) marsh. Britain. .... ———— H.w. ○. Eng. bot. 1747.  
*Sisymbrium terrestre*. E.B.  
 5 sagittatum. DC. (*ye.*) arrow-leaved. Siberia. 1780. 5. 6. H. ♀. Jacq. ic. 1. t. 122.  
 6 lippizēns. DC. (*ye.*) Carinthian. Carinthia. 1823. ———— H. ♀. ———— 3. t. 505.  
 7 pyrenæicum. DC. (*ye.*) Pyrenean. Pyrenees. 1775. ———— H. ♀. All. fl. ped. t. 18. f. 1.  
 8 amphibia. DC. (*ye.*) amphibious. Britain. .... 6. 8. H.w. ♀. Eng. bot. 1840.  
*α indivisum*. DC. (*ye.*) brd. wat.-radish. ———— .... ———— H.w. ♀. Pet. h. brit. t. 49. f. 8.  
*β variifolium*. DC. (*ye.*) jag. wat.-radish. ———— .... ———— H.w. ♀. ———— t. 49. f. 10.  
 9 benghalēnsē. DC. (*wh.*) Bengal. Bengal. .... 6. 10. H. ○.  
 10 clandestinum. DC. (*wh.*) small-flowered. Brazil. 1821. ———— H. ○.  
 11 indicum. DC. (*gr.*) Indian. E. Indies. ———— H. ○.  
 12 atrovirens. H. (*ye.*) dark green. China. 1826. ———— H. ○.  
**LEPTOCA RPÆA**. DC. **LEPTOCA RPÆA**. *Tetradynamia Siliquosa*. L.  
*Loesélii*. DC. (*ye.*) Loeselius's. Germany. 1683. 5. 8. H. ○. Jacq. aust. t. 324.  
*Sisymbrium Loesélii*. w. *Turritis Loesélii*. H. K.  
**NOTOCERAS**. DC. **NOTOCERAS**. *Tetradynamia Siliquosa*. L.  
 1 canariēnsē. DC. (*ye.*) Canary. Canaries. 1779. 8. 9. H. ○. Jacq. fil. eclog. t. 111.  
*Erysimum bicorne*. w.  
 2 hispānicum. DC. (*ye.*) Spanish. Spain. 1822. 3. 10. H. ○. Deles. ic. sel. 2. t. 17.  
 3 quadricornē. DC. (*ye.*) four-horned. Siberia. 1824. 5. 10. H. ○. ———— 2. t. 16.  
**BARBAREA**. DC. **WINTER-CRESS**. *Tetradynamia Siliquosa*. L.  
 1 vulgāris. DC. (*ye.*) common. Britain. .... 5. 8. H. ♀. Eng. bot. 443.  
*Erysimum Barbarea*. w.  
 2 præcox. DC. (*ye.*) early. England. .... 4. 10. H. ♀. ———— 1129.  
 3 taurica. DC. (*ye.*) Taurian. Tauria. 1825. 7. 9. H. ♀.  
 4 ibérica. DC. (*ye.*) Iberian. Iberia. 1816. 5. 8. H. ♀.  
*Cheiranthus ibericus*. W. en.  
 5 plantaginēa. DC. *Plaintain-leav'd*. Levant. 1823. ———— H. ♀. Deles. ic. sel. 2. t. 19.  
**STEVENIA**. DC. **STEVENIA**. *Tetradynamia Siliquosa*. L.  
 1 alyssoidēs. DC. (*wh.*) Alyssum-like. Siberia.. 1823. 6. 8. H. ○. Deles. ic. sel. 2. t. 20.  
 2 cheiranthoidēs. DC. (*pu.*) Wall-flow.-like. ———— ———— H. ♀. ———— 2. t. 21.  
**BRAÏA**. DC. **BRAÏA**. *Tetradynamia Siliquosa*. DC.  
 1 alpina. DC. (*pu.*) Alpine. Carinthia. 1821. 4. 5. H. ♀. Deles. ic. sel. 2. t. 22.  
 2 glabella. DC. (*pu.*) smooth. Arctic R. 1827. ———— H. ♀.  
**TURRITIS**. DC. **POWER-MUSTARD**. *Tetradynamia Siliquosa*. L.  
 1 glabra. DC. (*wh.*) long-podded. England. .... 5. 6. H. ○. Eng. bot. 777.  
*β ramōsa*. DC. (*wh.*) branching. .... ———— H. ○. Clus. hist. 2. p. 126. f. 2.  
 2 salsuginōsa. DC. (*wh.*) shorter-podded. Siberia. 1822. ———— H. ○. Pal. it. 2. app. n. 114. t. V.  
**ARABIS**. DC. **WALL-CRESS**. *Tetradynamia Siliquosa*. L.  
 1 verna. DC. (*pu.*) vernal. S. Europe. 1710. 4. 5. H. ○. Flor. græc. t. 641.  
*Hesperis verna*. w.  
 2 rosca. DC. (*ro.*) rose-coloured. Calabria. 1827. ———— H. ♂. Deles. ic. sel. 2. t. 23.  
 3 alpina. DC. (*wh.*) Alpine. Pyrenees. 1596. 3. 5. H. ♀. Bot. mag. 226.  
*β Clusiana*. DC. (*wh.*) Clusius's. ———— ———— H. ♀. Clus. hist. 2. p. 125. f. 2.  
*γ nana*. DC. (*wh.*) dwarf. Hungary. .... ———— H. ♀.  
 4 albida. DC. (*wh.*) early-flowered. Tauria. 1798. 1. 5. H. ♀. Jacq. f. ecl. 1. t. 71.  
*caucāsica*. B.M. 2046.

5 undulâta. L. en.	(wh.) wave-leaved.	S. Europe.	1823.	5. 8.	H. ☉.	
6 thyrsoïdea. DC.	(wh.) bunch-flowered.	Levant.	1826.	—	H. ♀.	Flor. græc. t. 642.
7 longifolia. DC.	(wh.) long-leaved.	Persia.	1820.	—	H. ♀.	Deles. ic. sel. 2. t. 25.
8 mollis. DC.	(wh.) soft.	Caucasus.	1825.	5. 7.	H. ♂.	
9 toxophylla. DC.	(wh.) bow-leaved.	Volga.	1828.	—	H. ♂.	
10 auriculata. DC.	(wh.) ear-leaved.	S. Europe.	1805.	5. 6.	H. ☉.	
<i>âspera.</i> All. ped. t. 2. f. 2.						
11 saxatilis. DC.	(wh.) rock.	—	—	—	H. ♂.	Vill. dauph. 3. t. 37.
12 crispata. DC.	(wh.) curled-leaved.	Carniola.	1816.	3. 4.	H. ♀.	
13 sagittata. DC.	(wh.) arrow-leaved.	Europe.	....	5. 7.	H. ♂.	
14 hirsuta. DC.	(wh.) hairy.	Britain.	....	—	H. ♂.	Eng. bot. 587.
15 stenopetala. W. en.	(w.) narrow-petal'd.	.....	1822.	6. 8.	H. ☉.	
16 curtisiliqua. DC.	(wh.) short-podded.	Scania.	1825.	5. 7.	H. ♂.	
17 Allionii. DC.	(wh.) Allioni's.	Italy.	....	5. 7.	H. ♀.	
18 muralis. DC.	(wh.) dwarf.	Switzerland.	1824.	5. 6.	H. ♀.	
19 stricta. DC.	(wh.) Bristol.	England.	....	—	H. ♀.	Eng. bot. 614.
20 ciliata. DC.	(wh.) ciliated.	Ireland.	....	6. 7.	H. ♂.	— 1746.
<i>Turrîtis alpina.</i> E.B.						
21 incana. DC.	(wh.) hoary.	Switzerland.	1816.	5. 6.	H. ♂.	
22 Thaliâna. DC.	(wh.) common.	Britain.	....	4. 6.	H. ☉.	Eng. bot. 901.
23 serpyllifolia. DC.	(wh.) Thyme-leaved.	Pyrenees.	1824.	6. 7.	H. ♂.	
24 procurrens. DC.	(wh.) procurrent.	Hungary.	—	5. 6.	H. ♀.	W. et. Kit. hun. 2.t.141.
25 præcox. DC.	(wh.) early-flowering.	—	1822.	4. 6.	H. ♀.	
26 Schivereckiâna. DC.	(w.) Schivereck's.	Austria.	1827.	—	H. ♀.	
27 petræa. DC.	(wh.) short-podded.	Europe.	....	5. 7.	H. ♀.	
<i>a Crantziana.</i> DC.(w.) Crantz's.						
<i>β hispidâ.</i> DC. (wh.) hispid.						
<i>γ hastulata.</i> DC. (wh.) hastulate.						
28 ambigua. DC.	(wh.) ambiguous.	Siberia.	1824.	5. 7.	H. ♀.	Crantz. aust. t. 3. f. 2.
29 lyrata. DC.	(wh.) lyre-leaved.	N. America.	1823.	5. 6.	H. ♀.	Flor. dan. t. 386.
30 arenosa. DC.	(ro.) purple.	Europe.	1798.	6. 7.	H. ♀.	Eng. bot. 409.
31 Halleri. DC.	(wh.) Haller's.	—	1820.	5. 7.	H. ♂.	Schranck. m. 3. t. 256.
32 stolonifera. DC.	(wh.) stoloniferous.	Carniola.	1824.	—	H. ♀.	W. et Kit. hun. 2. t. 120.
33 ovirënsis. DC.	(ro.) reddish.	Carinthia.	—	5. 6.	H. ♀.	Scop. carn. ed. 2. t. 39.
34 cebennënsis. DC.	(ro.) pale-violet.	S. France.	1824.	5. 7.	H. ♂.	Jacq. ic. 1. t. 125.
35 lasioloba. DC.	(wh.) woolly-podded.	Mexico.	—	—	H. ♂.	Deles. ic. sel. 2. t. 26.
36 Turrita. DC.	(wh.) tower.	England.	....	4. 5.	H. ♂.	Eng. bot. 178.
37 pendula. DC.	(wh.) pendulous.	Siberia.	1752.	5. 6.	H. ☉.	Jacq. vind. 3. t. 34.
38 Patriniana. DC.	(wh.) Patrin's.	—	1826.	—	H. ♂.	Deles. ic. sel. 2. t. 27.
39 oxyota. DC.	(wh.) sharp-eared.	—	—	—	H. ♂.	
40 lûcida. DC.	(wh.) shining-leaved.	Hungary.	1790.	6. 7.	H. ♀.	
41 canadënsis. DC.	(wh.) sickle-podded.	N. America.	1768.	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 28.
42 pumila. DC.	(wh.) nodding.	Switzerland.	1658.	4. 7.	H. ♀.	Jacq. fl. aust. t. 281.
<i>nütans.</i> B.M. 2219. <i>ciliaris.</i> W. en.						
43 bellidifolia. DC.	(wh.) Daisy-leaved.	Pyrenees.	1773.	5. 6.	H. ♀.	— 3. t. 280.
44 cœrulea. DC.	(bl.) blue.	—	1793.	6. 7.	H. ♀.	Sturm. deut. fl. ic.
45 collina. DC.	(wh.) hill.	Naples.	1823.	—	H. ♀.	
46 dasycarpa. DC.	(wh.) thick-podded.	Poland.	1826.	5. 7.	H. ♀.	
<b>MACROP'ODIUM.</b> DC. <b>MACROP'ODIUM.</b> Tetradynamia Siliquosa. L.						
nivâle. DC.	(wh.) Siberian.	Siberia.	1796.	6. 9.	H. ♀.	Pall. it. 2. ap.n. 113.t.1.v.
<i>Cardamine nivâlis.</i> Pall.						
<b>CARDAMINE.</b> DC. <b>LADY'S SMOCK.</b> Tetradynamia Siliquosa. L.						
1 rhomboïdea. DC.	(wh.) rhomboid.	N. America.	1825.	5. 7.	H.w. ♀.	Pluk. amal. t. 435. f. 6.
2 rotundifolia. DC.	(wh.) round-leaved.	—	1823.	5. 6.	H.w. ♀.	
3 asarifolia. DC.	(wh.) kidney-leaved.	Italy.	1710.	6. 7.	H.w. ♀.	Bot. mag. 1735.
4 bellidifolia. DC.	(wh.) Daisy-leaved.	Scotland.	....	4. 6.	H. ♀.	
<i>a petiolâris.</i> DC. (wh.) long-petioled.						
<i>β alpina.</i> DC. (wh.) Alpine.						
5 resedifolia. DC.	(wh.) Rocket-leaved.	Germany.	1658.	7.	H. ☉.	Æd. fl. Dan. t. 20.
6 microphylla. DC.	(wh.) small-leaved.	Siberia.	1828.	5. 7.	H. ♀.	Eng. bot. 2355.
7 africâna. DC.	(wh.) African.	C. B. S.	1691.	5. 6.	G. ♀.	Sturm. fl. germ. ic.
8 trifolia. DC.	(wh.) three-leaved.	Europe.	1629.	3. 6.	H.w. ♀.	Pluk. alm. t. 101. f. 5.
9 amara. DC.	(wh.) bitter.	Britain.	....	4. 5.	H.w. ♀.	Bot. mag. 452.
10 prorëpens. DC.	(wh.) creeping.	Siberia.	1825.	4. 6.	H.w. ♀.	Eng. bot. 1000.
<i>li.</i> Cuckoo-flower. Britain. .... — H.w. ♀.						
<i>β flore pleno.</i> (li.) double-flowered. .... — H.w. ♀.						
12 dentata. DC.	(wh.) toothed.	Poland.	1823.	—	H.w. ♀.	
13 hirsuta. DC.	(wh.) hairy.	Britain.	....	1. 12.	H. ☉.	Eng. bot. 492.
14 sylvatica. DC.	(wh.) wood.	Europe.	....	5. 6.	H. ☉.	Flor. dan. t. 735.

15	umbrōsa. DC.	(wh.) smooth.	Europe.	....	4. 6.	H. ☉.	
16	parviflōra. DC.	(wh.) small-flowered.	—	1822.	4. 5.	H. ☉.	Gmel. fl. sib. 3. t. 64.
17	impatiens. DC.	(wh.) impatient.	Britain.	....	4. 6.	H. ☉.	Eng. bot. 80.
18	latiflōra. DC.	(pu.) broad-leaved.	Spain.	1710.	6. 8.	H. w. ♀.	Herm. par. p. 203. t. 69.
19	macrophylla. DC.	(li.) large-leaved.	Siberia.	1824.	—	H. ♀.	
20	chelidōnia. DC.	(pu.) Celandine-l <sup>d</sup> .	Italy.	1739.	3. 5.	H. ♀.	W. et Kit. hung. 2. t. 140.
21	thalictroides. DC.	(wh.) Thalictrum-l <sup>d</sup> .	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
22	glauca. DC.	(wh.) glaucous.	Calabria.	1824.	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 31.
23	occultā. DC.	(gr.) hidden-flower'd.	China.	—	5. 9.	H. ☉.	
PTERONE'URUM. DC. PTERONE'URUM. Tetradynamia Siliquosa. L.							
1	carnōsum. DC.	(wh.) fleshy.	Dalmatia.	1824.	6. 8.	H. ♀.	W. et Kit. hung. 2. t. 129.
2	græcum. DC.	(wh.) Grecian.	S. Europe.	1710.	—	H. ☉.	Flor. græc. t. 631.
<i>Cardamine græca. w.</i>							
DENTARIA. DC. TOOTH-WORT. Tetradynamia Siliquosa. L.							
1	polyphylla. DC.	(st.) many-leaved.	Hungary.	1817.	5. 6.	H. ♀.	W. et Kit. hung. 2. t. 160.
2	enneaphylla. DC.	(wh.) nine-leaved.	Austria.	1656.	—	H. ♀.	Jacq. fl. aust. t. 316.
3	glandulōsa. DC.	(pu.) glandular.	Hungary.	1815.	—	H. ♀.	W. et Kit. hung. 3. t. 272.
4	laciniatā. DC.	(wh.) laciniate.	N. America.	1823.	4. 6.	H. ♀.	
5	diphylla. DC.	(wh.) two-leaved.	—	1810.	5. 6.	H. ♀.	Bot. mag. 1465.
6	triflōra. DC.	(wh.) three-leaved.	Hungary.	1824.	—	H. ♀.	W. et K. hung. 2. t. 139.
7	digitata. DC.	(w.p.) fingered.	Switzerland.	1656.	—	H. ♀.	Bot. mag. 2202.
<i>pentaphylla. B.M. Cardamine pentaphylla. H. K. ed. 2.</i>							
8	pinnata. DC.	(wh.) seven-leaved.	—	1683.	—	H. ♀.	Boiss. fl. eur. t. 449.
9	quinquefolia. DC.	(wh.) five-leaved.	Caucasus.	1823.	4. 5.	H. ♀.	Deles. ic. sel. 2. t. 33.
10	bulbifera. DC.	(bh.) bulbiferous.	England.	....	—	H. ♀.	Eng. bot. 309.
<i>Cardamine bulbifera. H. K. ed. 2.</i>							
11	tenuiflōra. DC.	(pu.) slender-leaved.	Siberia.	1825.	5. 6.	H. ♀.	Gmel. sib. 3. n. 41. t. 65.
<i>trifida. Lam. ill. t. 562. f. 2.</i>							
PA'RRYA. B. PA'RRYA. Tetradynamia Siliquosa.							
1	arctica. B.	(pu.) arctic.	Melvill Isl.	1827.	5. 6.	H. ♀.	
2	arabidiflōra.	(pu.) Arabis-flower'd.	Siberia.	1798.	—	H. ♀.	Linn. am. ac. 2. t. L.f. 20.
<i>Arabis grandiflōra. L. Neuroloma arabidiflorum. DC.</i>							
PLATYPETALUM. B. PLATYPETALUM. Tetradynamia Siliquosa.							
	purpurascens. B.	(pu.) purplish.	Melvill Isl.	1827.	5. 6.	H. ♀.	

## Tribus II. ALYSSINEÆ seu Pleurorhizæ Latiseptæ. DC.

LUNARIA. DC. HONESTY. Tetradynamia Siliculosa. L.							
1	rediviva. DC.	(li.) perennial.	Germany.	1596.	4. 6.	H. ♀.	Hill veg. syst. t. 38. f. 1.
2	biennis. DC.	(w.p.) biennial.	—	1570.	—	H. ♂.	— t. 38. f. 2.
<i>annua. w.</i>							
	<i>a violacea.</i>	(pu.) violet-flowered.	—	—	—	H. ♂.	
	<i>β albiflōra.</i>	(wh.) white-flowered.	—	—	—	H. ♂.	
RIC'OTIA. DC. RIC'OTIA. Tetradynamia Siliculosa. L.							
	Lunaria. DC.	Syrian.	Syria.	1757.	6. 7.	H. ☉.	Lam. ill. t. 561.
<i>ægyptiaca. Bot. Reg. 49.</i>							
FARS'ETIA. DC. FARS'ETIA. Tetradynamia Siliculosa. L.							
1	ægyptiaca. DC.	(br.) Stock-like.	Levant.	1785.	6. 7.	G. ♀.	Desf. atl. 2. t. 160.
<i>cheiranthoides. H. K. Cheiranthus Farsætia. L.</i>							
FIB'IGIA. Med. FIB'IGIA. Tetradynamia Siliculosa.							
1	suffruticōsa. DC.	(pu.) suffruticose.	Persia.	1820.	4. 5.	G. ♀.	Vent. cels. t. 19.
<i>Lunaria suffruticosa. Vent. Farsætia suffruticosa. DC.</i>							
2	lunarioides. DC.	(ye.) oriental.	Greece.	1731.	6. 7.	H. ♀.	Tourn. ic. ed. ger. 1. t. 30.
3	clypeata. DC.	(ye.) buckler-podded.	S. Europe.	1596.	—	H. ♂.	Schkuhr. han. 2. t. 181.
<i>Alyssum clypeatum. L. Farsætia clypeata. DC.</i>							
BERTER'OA. DC. BERTER'OA. Tetradynamia Siliculosa. L.							
1	incana. DC.	(wh.) hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.
<i>Alyssum incanum. w.</i>							
2	mutabilis. DC.	(bh.) changeable.	Levant.	1802.	7. 8.	H. ♀.	Vent. cels. t. 85.
3	obliqua. DC.	(wh.) oblique-podded.	Naples.	1824.	—	H. ♀.	Flor. græc. t. 623.
AUBRI'ETIA. DC. AUBRI'ETIA. Tetradynamia Siliculosa. L.							
1	deltoidea. DC.	(pu.) spreading.	Levant.	1710.	3. 5.	H. ♀.	Bot. mag. 126.
<i>Farsætia deltoidea. H. K. Alyssum deltoideum. L.</i>							
2	purpurea. DC.	(pu.) tufted.	—	1821.	—	H. ♀.	Swt. br. fl. gar. 207.
VESIC'ARIA. DC. VESIC'ARIA. Tetradynamia Siliculosa. L.							
1	utriculatā. DC.	(ye.) smooth.	Levant.	1739.	4. 6.	H. ♀.	Bot. mag. 130.
<i>Alyssum utriculatam. B.M.</i>							
2	reticulatā. DC.	(ye.) veined-podded.	—	....	6.	H. ♀.	Tour. voy 2. p. 252. ic.

3	Ludoviciana. DC. (ye.)	Missouri.	Missouri.	1825.	5. 6.	H. 2.	
4	sinuata. DC.	sinuate-leaved.	Spain.	1596.	4. 6.	H. 3.	Schkuhr. han. 2. t. 181.
5	crética. DC.	Cretan.	Crete.	1739.	5. 8.	H. 2.	Alp. ex. p. 117 et 118. ic.
	<i>Aly'ssum créticum.</i> w.						
6	arctica. DC. (ye.)	arctic.	Greenland.	1826.	5. 6.	H. 2.	Horn. fl. dan. t. 1520.
7	arenosa. DC. (ye.)	sand.	Arctic Reg.	—	6. 8.	H. 2.	
<b>SCHIVERE'CKIA. DC. SCHIVERE'CKIA.</b> Tetradynamia Siliculosa. L.							
	podolica. DC. (wh.)	canescent.	Podolia.	1821.	5. 7.	H. 2.	Swt. br. fl. gar. t. 77.
<b>KO'NIGA. B. KO'NIGA.</b> Tetradynamia Siliculosa.							
1	maritima. DC. (wh.)	sweet-scented.	S. Europe.	....	5. 10.	H. 2.	Eng. bot. 1729.
	<i>Aly'ssum maritimum.</i> E. B. <i>halimifolium.</i> B. M. 101.						
2	canariensis. (wh.)	Canary.	Canaries.	1812.	—	G. 2.	
	<i>Aly'ssum maritimum.</i> $\beta$ <i>canariense.</i> DC.						
	$\beta$ <i>variegata.</i> (wh.) <i>striped-leaved.</i> ———— . . . . ———— G. 2.						
<b>ADYS'ETON. Scop. ADYS'ETON.</b> Tetradynamia Siliculosa.							
1	saxatile. (ye.)	rock.	Russia.	1710.	4. 5.	H. 2.	Bot. mag. 159.
	<i>Aly'ssum saxatile.</i> D. <i>Aurinia saxatilis.</i> Dv.						
2	gemonense. (ye.)	canescent.	Germany.	—	—	H. 2.	Jacq. ic. 3. t. 503.
3	orientale. (ye.)	oriental.	Crete.	....	—	H. 2.	Flor. græc. t. 625.
4	spathulatum. (ye.)	spathulate.	Siberia.	1821.	4. 6.	H. 2.	Deles. ic. sel. 2. t. 37.
5	argenteum. (ye.)	silvery.	Switzerland.	—	5. 6.	H. 2.	All. ped. t. 54. f. 3.
6	Bertoloni. (ye.)	Bertoloni's.	Italy.	1825.	—	H. 2.	
7	murale. (ye.)	wall.	Europe.	1801.	6. 8.	H. 2.	W. et Kit. hung. I. t. 6.
8	obtusifolium. (ye.)	blunt-leaved.	Siberia.	1812.	—	H. 2.	Deles. ic. sel. 2. t. 38.
9	serpyllifolium. (ye.)	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. 2.	
10	repens. (ye.)	creeping.	Transylvania.	1827.	—	H. 2.	
11	vernale. (ye.)	vernal.	.....	1823.	4. 5.	H. 2.	Schrank hort. mon. t. 96.
12	tortuosum. (ye.)	twisted.	Hungary.	1804.	6. 7.	H. 2.	W. et Kit. hung. I. t. 91.
13	alpêtre. (ye.)	Italian.	Italy.	1777.	6. 10.	H. 2.	Flor. græc. t. 624.
14	nebrodense. (ye.)	Sicilian.	Sicily.	1827.	5. 6.	H. 2.	
15	Marschallianum. (ye.)	Marschall's.	Caucasus.	—	—	H. 2.	
16	montanum. sc. (ye.)	mountain.	Germany.	1713.	5. 8.	H. 2.	Bot. mag. 419.
	<i>Aly'ssum montanum.</i> B. M.						
17	cuneifolium. (ye.)	wedge-leaved.	Naples.	1825.	5. 8.	H. 2.	
18	diffusum. (ye.)	spreading.	—	—	—	H. 2.	
19	Wulfenianum. (ye.)	Wulfen's.	Carinthia.	1821.	—	H. 2.	
20	Fischerianum. (ye.)	Fischer's.	Siberia.	1828.	—	H. 2.	
	<i>Aly'ssum Fischerianum.</i> DC.						
<b>ALY'SSUM. B. MADWORT.</b> Tetradynamia Siliculosa. L.							
1	umbellatum. DC. (ye.)	umbelled.	Tauria.	1828.	5. 8.	H. 2.	
2	rostratum. DC. (ye.)	beaked.	—	1824.	6. 9.	H. 2.	Stev. m. ac. P. 3. t. 15. f. 1.
3	micropetalum. DC. (ye.)	small-petaled.	Iberia.	—	5. 8.	H. 2.	Deles. ic. sel. 2. t. 39.
4	hirsutum. DC. (ye.)	hairy.	—	—	—	H. 2.	— 2. t. 40.
5	campêtre. DC. (ye.)	field.	Europe.	1768.	6. 8.	H. 2.	Flor. græc. t. 626.
6	calycinum. DC. (ye.)	persistent-cal'd.	—	1740.	—	H. 2.	Jacq. aust. t. 338.
7	minimum. DC. (ye.)	small.	—	1791.	—	H. 2.	Tratt. thes. bot. t. 35.
<b>ANODO'NTEA. DC. ANODO'NTEA.</b> Tetradynamia Siliculosa.							
1	edéntula. (ye.)	toothless.	Hungary.	1821.	5. 6.	H. 3.	W. et K. hung. I. t. 92.
	<i>Aly'ssum edéntulum.</i> DC. <i>Adysëton edéntulum.</i> L. enum.						
2	dasycarpa. (ye.)	thick-podded.	Siberia.	1827.	6. 10.	H. 2.	Trev. ber. mag. 1816. t. 2.
3	rupëstris. (wh.)	silvery rock.	Italy.	1824.	5. 10.	H. 2.	Tenor. fl. nap. t. 60.
4	halimifolia. (wh.)	Halimus-leaved.	—	—	—	H. 2.	All. ped. n. 900. t. 54. f. 1.
	<i>Aly'ssum halimifolium.</i> DC.						
5	spinosa. (wh.)	thorny.	S. Europe.	1683.	6. 8.	H. 2.	Barrel. ic. t. 808.
6	macrocarpa. (wh.)	large-podded.	—	1825.	—	H. 2.	Deles. ic. sel. 2. t. 41.
7	canescens. (wh.)	hoary.	Siberia.	1828.	4. 9.	H. 2.	
<b>MENTOCUS. DC. MENTOCUS.</b> Tetradynamia Siliculosa. L.							
	linifolius. DC. (ye.)	Flax-leaved.	Levant.	1822.	5. 6.	H. 2.	Deles. ic. sel. 2. t. 42.
	<i>Aly'ssum linifolium.</i> w.						
<b>CLYPE'OLA. DC. TREACLE-MUSTARD.</b> Tetradynamia Siliculosa. L.							
1	Jonthlâspi. DC. (ye.)	common.	S. Europe.	1710.	5. 7.	H. 2.	Desv. j. bot. 3. t. 25. f. 7.
2	eriphora. DC. (wh.)	woolly-podded.	Spain.	1820.	—	H. 2.	— 3. t. 25. f. 10.
<b>PELT'ARIA. DC. PELT'ARIA.</b> Tetradynamia Siliculosa. L.							
	alliacea. DC. (wh.)	garlic-scented.	Austria.	1601.	5. 7.	H. 2.	Jacq. aust. 2. t. 123.
<b>PETROCA'LLIS. DC. PETROCA'LLIS.</b> Tetradynamia Siliculosa. L.							
	pyrenæica. DC. (ro.)	Pyrenean.	Pyrenees.	1759.	5. 6.	H. 2.	Lodd. bot. cab. 635.
	<i>Draba pyrenæica.</i> B. M. 713.						
<b>DR'ABA. DC. WHITLOW-GRASS.</b> Tetradynamia Siliculosa. L.							
1	aizoides. DC. (ye.)	sen-green.	Wales.	....	2. 4.	H. 2.	Eng. bot. 1271.

2	brachystemon. DC. (ye.) short-stamened.	1731.	2. 4.	H. ♀.	Bot. mag. 170.
	<i>aizōides</i> . B.M. <i>ciliāris</i> . H.K.				
3	aizōon. DC. (ye.) hairy-podded.	Hungary.	1821.	—	H. ♀.
4	cuspidata. DC. (ye.) sharp-pointed.	Tauria.	—	4. 5.	H. ♀.
5	bryoides. DC. (ye.) Bryum-like.	Caucasus.	—	3. 4.	H. ♀.
6	bruniæfolia. DC. (ye.) Brunia-leaved.	—	1826.	5. 6.	H. ♀.
7	ericæfolia. DC. (ye.) Heath-leaved.	—	1823.	—	H. ♀.
8	pilosa. DC. (ye.) pilose.	Siberia.	1825.	—	H. ♀.
9	alpina. DC. (ye.) Alpine.	Norway.	1823.	4. 5.	H. ♀.
10	glaciālis. DC. (ye.) starry-haired.	Siberia.	1825.	5. 6.	H. ♀.
11	repens. DC. (ye.) creeping.	Caucasus.	1823.	—	H. ♀.
12	Gmelini. DC. (ye.) Gmelin's.	Siberia.	—	—	H. ♀.
13	tridentata. DC. (ye.) three-toothed.	Caucasus.	1828.	—	H. ♀.
14	muricella. DC. (wh.) tufted.	Norway.	—	—	H. ♀.
15	incōmpta. DC. (ye.) straggling.	Caucasus.	—	6.	H. ♀.
16	oblongata. DC. (wh.) oblong-leaved.	Baffin's-bay.	1820.	5. 6.	H. ♀.
17	corymbosa. DC. (wh.) corymbose.	—	—	—	H. ♀.
18	hirta. DC. (wh.) hairy.	Lapland.	....	5. 7.	H. ♀.
19	rupēstris. DC. (wh.) rock.	Scotland.	....	—	H. ♀.
	<i>hirta</i> . E.B. non Linn.				
20	nivālis. DC. (wh.) snowy.	Norway.	1824.	5. 6.	H. ♀.
	<i>stellata</i> . F.D. nec aliorum.				
21	lappōnica. DC. (wh.) Lapland.	Lapland.	—	—	H. ♀.
22	helveticā. DC. (wh.) Swiss.	Switzerland.	1824.	—	H. ♀.
23	fladnizēnsis. DC. (wh.) fringe-leaved.	—	—	6. 8.	H. ♀.
24	tomentosa. DC. (wh.) woolly-leaved.	—	—	5. 7.	H. ♀.
25	stellata. DC. (wh.) starry.	—	1820.	—	H. ♀.
	<i>hirta</i> . Jacq. aust. t. 432.				
26	contorta. DC. (wh.) twisted-podded.	Britain.	....	5. 6.	H. ♂.
	<i>incana</i> . E.B.				
27	confusa. DC. (wh.) confused.	N. Europe.	....	—	H. ♂.
	<i>incana</i> . F.D.				
28	arabisans. DC. (wh.) Arabis-like.	N. America.	1827.	—	H. ♂.
29	daurica. DC. (wh.) Daurian.	Dahuria.	1824.	—	H. ♂.
30	aura. DC. (ye.) golden.	Greenland.	—	—	H. ♂.
31	lutea. DC. (ye.) yellow.	Caucasus.	1825.	5. 8.	H. ♂.
32	gracilis. GR. (ye.) slender.	N. America.	1827.	—	H. ♂.
33	nemorālis. DC. (ye.) wood.	Europe, &c.	1759.	—	H. ♂.
34	murālis. DC. (wh.) wall.	England.	....	4. 5.	H. ♂.
	<b>EROPHILA.</b> <i>Tetradynamia Siliculosa</i> . L.				
1	americāna. DC. (wh.) American.	N. America.	1823.	3. 4.	H. ♂.
2	vulgāris. DC. (wh.) common.	Britain.	....	—	H. ♂.
	<i>Draba verna</i> . Eng. bot. 586.				
3	præcox. DC. (wh.) round-podded.	Caucasus.	1824.	2. 4.	H. ♂.
	<b>KE'RNERA.</b> Med. <i>KE'RNERA.</i> <i>Tetradynamia Siliculosa</i> .				
1	saxatilis. (wh.) rock.	Europe.	1775.	5. 7.	H. ♀.
	<i>myagroides</i> . Med. <i>Cochleāria saxatilis</i> . DC. <i>Myāgrum saxatile</i> . L.				
	<i>β incisa</i> . (wh.) cut-leaved.	—	—	—	H. ♀.
2	auriculata. (wh.) eared.	Pyrenees.	1824.	—	H. ♀.
	<i>Cochleāria auriculata</i> . DC.				
	<b>ARMORACIA.</b> Plin. <i>HORSE-RADISH.</i> <i>Tetradynamia Siliculosa</i> .				
1	rusticāna. Bau. (wh.) common.	England.	....	5. 6.	H. ♀.
	<i>Cochleāria Armoracia</i> . E.B.				
2	macrocarpa. Bau. (wh.) large-fruited.	Hungary.	1806.	6. 8.	H. ♀.
	<b>COCHLEARIA.</b> DC. <i>SCURVY-GRASS.</i> <i>Tetradynamia Siliculosa</i> . L.				
1	glastifolia. DC. (wh.) Wood-leaved.	S. Europe.	1648.	5. 7.	H. ♂.
2	anglica. DC. (wh.) English.	England.	....	5.	H. ♂.
3	officinalis. DC. (wh.) common.	Britain.	....	4. 5.	H. ♂.
	<i>β minor</i> . DC. <i>lesser</i> .	—	—	—	H. ♂.
	<i>γ rotundifolia</i> . DC. <i>round-leaved</i> .	—	—	—	H. ♂.
	<i>grœnlāndica</i> . With. brit. 573. non. Lin.				
4	pyrenæica. DC. (wh.) Pyrenean.	Pyrenees.	....	6. 8.	H. ♂.
5	grœnlāndica. DC. (wh.) Greenland.	Scotland.	....	5. 6.	H. ♀.
6	dānica. DC. (wh.) Danish.	Britain.	....	—	H. ♂.
7	alpina. (wh.) Alpine.	Ireland.	....	5. 6.	H. ♀.
8	fenestrata. DC. (wh.) fenestrate.	Baffin's Bay.	1820.	4. 5.	H. ♀.
9	grandiflora. DC. (wh.) large-flowered.	Siberia.	1826.	5. 6.	H. ♀.
10	integrifolia. DC. (wh.) entire-leaved.	Altay.	1827.	—	H. ♀.
11	acūlis. DC. (li.) stalkless.	Portugal.	1823.	3. 4.	H. ♀.

Tribus III. *THLASPIDEÆ* seu Pleurorrhizeæ Angustiseptæ. DC.

<b>THLASPI. DC.</b>		<b>BASTARD-CRESS. Tetradynamia Siliculosa. L.</b>		
1	latifolium. DC. (wh.)	broad-leaved.	Caucasus.	1828. 4. 5. H. ♀. Deles. ic. sel. 2. t. 51.
2	ceratocarpon. DC. (wh.)	horn-podded.	Siberia.	1779. 7. H. ♂. Scop. insub. 1. t. 4.
3	arvense. DC. (wh.)	Penny-cress.	Britain.	.... 6. 7. H. ♂. Eng. bot. 1659.
4	collinum. DC. (wh.)	hill.	Iberia.	1824. 4. 9. H. ♂.
5	alliaceum. DC. (wh.)	Garlic-scented.	S. Europe.	1714. 5. 7. H. ♂. Jacq. ic. 1. t. 121.
6	strictum. (wh.)	upright.	Persia.	1827. 4. 9. H. ♂.
7	perfoliatum. DC. (wh.)	perfoliate.	England.	.... 4. 7. H. ♂. Eng. bot. 2354.
8	montanum. DC. (wh.)	mountain.	Europe.	.... 5. 6. H. ♀. Jacq. aust. 3. t. 237.
9	alpêtre. DC. (wh.)	Alpine.	England.	.... 5. 7. H. ♀. Eng. bot. t. 81.
10	cochleariforme. DC. (w.)	Scurvy-grass.	Dahuria.	1827. 6. 7. H. ♀.
<b>CA'PSELLA. DC.</b>		<b>SHEPHERD'S-PURSE. Tetradynamia Siliculosa. L.</b>		
1	Bürsa-pastöris. DC. (w.)	common.	Britain.	.... 1. 12. H. ♂. Eng. bot. 1485.
	<i>Thlaspi Bürsa-pastöris. L.</i>			
	β minor. DC. (wh.)	small.	.....	H. ♂. Tabern. ic. 199.
	γ integrifolia. DC. (w.)	entire-leaved.	.....	H. ♂. Moris. ox. 2. t. 20. f. 1.
	δ coronopifolia. DC. (w.)	Buck's-horn-ld.	.....	H. ♂.
2	procumbens. B. (wh.)	procumbent.	Europe.	1823. 3. 5. H. ♂. Hill. veg. sys. 11. t. 42. f. 1.
	<i>Lepidium procumbens. L. Hutchinsia procumbens. DC.</i>			
<b>HUTCHINSIA. DC.</b>		<b>HUTCHINSIA. Tetradynamia Siliculosa. L.</b>		
1	rotundifolia. DC. (bh.)	round-leaved.	Switzerland.	1759. 5. 7. H. ♀. Scop. carn. n. 805. t. 37.
	<i>Iberis rotundifolia. L.</i>			
2	cepeæfolia. DC. (pu.)	toothed-leaved.	Carinthia.	1824. 4. 5. H. ♀. Jacq. misc. 2. p. 28. t. 1.
3	stylosa. DC. (ro.)	long-styled.	Naples.	1826. 3. 5. H. ♀. Bot. mag. 2772.
4	hastulata. DC. (bh.)	halbert-leaved.	Siberia.	1827. .... H. ♀. Gmel. sib. 3. t. 5.
5	calycina. DC. (wh.)	persistent-cal'd.	.....	4. 5. H. ♀.
6	alpina. DC. (wh.)	Alpine.	Pyrenees.	1775. 4. 6. H. ♀. Jacq. aust. 2. t. 137.
	<i>Lepidium alpinum. L.</i>			
7	petræa. DC. (wh.)	rock.	England.	.... 3. 5. H. ♂. Eng. bot. 111.
	<i>Lepidium petræum. L.</i>			
<b>TEESD'ALIA. DC.</b>		<b>TEESD'ALIA. Tetradynamia Siliculosa. L.</b>		
1	Iberis. DC.	Shepherd's-cress.	England.	.... 5. 7. H. ♂. Eng. bot. 327
	<i>nudicaulis. H. K. Iberis nudicaulis. L. Guepinia Iberis. DC.</i>			
2	Lepidium. DC. (wh.)	equal-petal'd.	S. Europe.	.... 5. 8. H. ♂. Magn. ic. n. car. 247.
	<i>Lepidium nudicaule. L. Teesdalia regularis. L. T. Guepinia Lepidium. Dv.</i>			
<b>IBERIS. DC.</b>		<b>CANDY-TUFT. Tetradynamia Siliculosa. L.</b>		
1	semperflorens. DC. (w.)	broad-leaved.	Sicily.	1679. 1. 12. G. ♀. Moris. ox. 2. t. 25. f. 5.
2	gibraltárica. DC. (bh.)	Gibraltar.	Gibraltar.	1732. 5. 6. G. ♀. Bot. mag. 124.
3	saxatilis. DC. (wh.)	rock.	S. Europe.	1739. 4. 6. H. ♀. Gou. fl. mons. 177. t. 1.
4	corifolia. (wh.)	Coris-leaved.	.....	H. ♀. Clus. hist. 2. p. 132. ic.
	<i>saxatilis β corifolia. Bot. mag. 1642.</i>			
5	pubescens. DC. (wh.)	pubescent.	.....	1821. .... H. ♀.
6	subvelutina. DC. (wh.)	velvetty.	Spain.	1824. .... H. ♀.
7	sempervirens. DC. (wh.)	evergreen.	Crete.	1731. .... H. ♀. Flor. græc. t. 620.
8	Garrexiána. DC. (wh.)	Allioni's.	Pyrenees.	.... 6. 8. H. ♀. All. ped. n. 920. t. 40. f. 3.
9	conférta. DC. (wh.)	crowded-leaved.	Spain.	1824. .... H. ♀.
10	amára. DC. (wh.)	bitter.	England.	.... H. ♂. Eng. bot. 52.
11	pinnáta. DC. (wh.)	wing-leaved.	S. Europe.	1596. .... H. ♂. Lob. ic. t. 217. f. 2.
12	odoráta. DC. (wh.)	sweet-scented.	Crete.	1806. .... H. ♂. Swt. br. fl. gar. 50.
13	Lagascána. DC. (wh.)	Lagasca's.	Spain.	1824. .... H. ♂.
14	umbelláta. DC. (pu.)	purple.	S. Europe.	1596. .... H. ♂. Bot. mag. 106.
15	linifolia. DC. (pu.)	Flax-leaved.	.....	1759. .... H. ♂. Garid. aix. t. 105.
16	ciliáta. DC. (wh.)	fringed.	.....	6. 7. H. ♂.
17	táurica. DC. (wh.)	Taurian.	Tauria.	1802. 5. 7. H. ♂.
18	violácea. DC. (pu.)	blunt-leaved.	.....	1782. 6. 7. H. ♂.
19	nána. DC. (pu.)	dwarf.	S. Europe.	1822. 5. 7. H. ♂. All. auct. p. 15. t. 2. f. 1.
20	spathuláta. DC. (pu.)	spathulate.	Pyrenees.	1826. 6. 8. H. ♂. Berg. phyt. ic.
21	Tenoreána. DC. (wh.)	Tenore's.	Naples.	.... 5. 7. H. ♀. Swt. br. fl. gar. 88.
22	Pruiti. DC. (wh.)	Sicilian.	Sicily.	1828. .... H. ♀.
23	contrácta. DC. (wh.)	contracted.	Spain.	1824. 4. 6. H. ♀.
<b>BISCUPELLA. DC.</b>		<b>BUCKLER-MUSTARD. Tetradynamia Siliculosa. L.</b>		
1	auriculáta. DC. (ye.)	ear-podded.	S. Europe.	1683. 6. 7. H. ♂. DC. diss. n. 1. t. 1. f. 2.
2	erigerifolia. DC. (ye.)	Erigeron-leav'd.	Spain.	1824. .... H. ♂. Deles. ic. sel. 2. t. 55.
3	hispidá. DC. (ye.)	hispid.	S. France.	1822. .... H. ♂. Bot. mag. 2444.
4	cichoriiifolia. DC. (ye.)	Succory-leaved.	Pyrenees.	..... H. ♀. DC. diss. n. 4. t. 2.

5	lyràta. DC.	(ye.) lyre-leaved.	Spain.	1799.	6. 7.	H. ⊙.	Bocc. sic. 45. t. 23.
6	raphanifolia. DC.	(ye.) Radish-leaved.	Sicily.	1824.	—	H. ⊙.	
7	marítima. DC.	(ye.) sea.	Naples.	—	—	H. ⊙.	Tenor. fl. nap. t. 61.
8	ciliàta. DC.	(ye.) fringe-podded.	Italy.	1790.	—	H. ⊙.	DC. ic. gal. rar. 1. t. 39.
	<i>coronopifolia.</i> w. non.	Lin.					
9	depréssa. DC.	(ye.) dwarf.	Egypt.	1823.	—	H. ⊙.	
10	microcárpa. DC.	(ye.) small-podded.	Gibraltar.	—	5. 6.	H. ⊙.	
11	eriocárpa. DC.	(ye.) woolly-podded.	Spain.	1826.	5. 7.	H. ⊙.	DC. diss. n. 12. t. 9. f. 2.
12	Colúmnæ. DC.	(ye.) Columna's.	Apulia.	1824.	6. 7.	H. ⊙.	Col. cephr. 1. t. 284. f. 1.
13	ápula. DC.	(ye.) spear-leaved.	Italy.	1710.	—	H. ⊙.	Fl. græc. t. 629.
14	leiocárpa. DC.	(ye.) smooth-capsul'd.	Levant.	1824.	—	H. ⊙.	Gært. fruct. 2. t. 141.
15	obovàta. DC.	(ye.) obovate-leaved.	.....	....	—	H. ⊙.	
16	montàna. DC.	(ye.) mountain.	Spain.	1824.	3. 4.	H. ⊙.	Cavan. ic. 2. t. 177.
17	lævigàta. DC.	(ye.) smooth-podded.	Europe.	1777.	—	H. ♀.	DC. ic. rar. 11. t. 38.
	<i>β alpéstris.</i> W.en.	(ye.) Hungarian.	Hungary.	1816.	—	H. ♀.	W. et Kit. hung. 3. t. 228.
18	lúcida. DC.	(ye.) glossy.	Italy.	1827.	4. 6.	H. ♀.	DC. diss. n. 20. t. 7.
19	coronopifolia. DC.	(ye.) Buck's-horn'd.	S. Europe.	1790.	—	H. ♀.	DC. diss. n. 22. t. 18.
20	ambígua. DC.	(ye.) ambiguous.	—	....	—	H. ♀.	— n. 23. t. 11. f. 1.
21	saxátilis. DC.	(ye.) rock.	—	1824.	—	H. ♀.	— n. 24. t. 10.
22	sempervirens. DC.	(ye.) downy-leaved.	Spain.	1784.	—	F. ♀.	Barr. ic. t. 841.
	MEGACA'RPÆA. DC.	MEGACA'RPÆA.	Tetradynamia Siliculosa.	L.			
	laciniàta. DC.	(ye.) jagged-leaved.	Volga.	1821.	6. 7.	H. ♀.	DC. diss. bisc. n. 5. t. 3.
	<i>Biscutella megalocárpa.</i> F.						

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizæ Nucamentacæ. DC.

	EUCLIDIUM. DC.	EUCLIDIUM.	Tetradynamia Siliculosa.	L.			
1	syriacum. DC.	(wh.) Syrian.	Levant.	1778.	7. 8.	H. ⊙.	Jacq. aust. 1. t. 6.
	<i>Bünias syriaca.</i> w.	<i>Anastática syriaca.</i>	Jacq.				
2	tatàricum. DC.	(wh.) Tartarian.	Tartary.	1823.	4. 5.	H. ⊙.	Pall. it. 3. ap. t. v. f. 2.
	<i>Bünias tatàrica.</i> w.						
	OCHTH'ODIUM. DC.	OCHTH'ODIUM.	Tetradynamia Siliculosa.	L.			
	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1787.	8.	H. ⊙.	Jacq. vind. t. 145.
	<i>Rapistrum ægyptiacum.</i> H.K.	<i>Bünias ægyptiaca.</i>	L.				

Tribus V. *ANASTATICEÆ* seu Pleurorhizæ Septulatæ. DC.

	ANASTATICA. DC.	ROSE OF JERICHO.	Tetradynamia Siliculosa.	L.			
	<i>Hierochúntina.</i> DC. (w.)	common.	Levant.	1597.	5. 8.	H. ⊙.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorhizæ Lomentacæ. DC.

	CAKILE. DC.	CAKILE.	Tetradynamia Siliculosa.	L.			
1	marítima. DC.	(pu.) Sea Rocket.	Britain.	....	6. 9.	H. ⊙.	Eng. bot. 231.
	<i>β sinuatifolia.</i> DC. (p.)	<i>sinuate-leaved.</i>	—	....	—	H. ⊙.	Horn. fl. dan. t. 1583.
2	americàna. DC.	(li.) American.	America.	....	—	H. ⊙.	Tussac fl. ant. 1. f. 17.
	CHORIS'PORA. DC.	CHORIS'PORA.	Tetradynamia Siliquosa.	L.			
1	tenélla. DC.	(pu.) purple.	Tauria.	1780.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. L. f. 3.
2	strícta. DC.	(pu.) upright.	Siberia.	1825.	5. 7.	H. ⊙.	
3	sibírica. DC.	(ye.) Siberian.	Siberia.	1822.	—	H. ⊙.	Murr. com. goett. t. 11.
4	ibérica. DC.	(ye.) strong-scented.	Iberia.	—	—	H. ⊙.	Deles. ic. sel. 2. t. 582.

## Subordo II. NOTORHIZEÆ. DC. syst. 2. p. 438.

Tribus VII. *SISYMBREÆ* seu Notorhizæ Siliquosæ. DC.

	MALC'OMIA. DC.	MALC'OMIA.	Tetradynamia Siliquosa.	L.			
1	africàna. DC.	(pu.) African.	Africa.	1747.	6. 7.	H. ⊙.	Buxh. cent. 4. t. 44.
2	taraxacifolia. DC.	(pu.) Dandelion'd.	.....	1795.	—	H. ⊙.	
3	láxa. DC.	(pu.) loose-branched.	Siberia.	1822.	—	H. ⊙.	

4	Chia. DC.	( <i>pu.</i> )	dwf.-branching.	Chio.	1732.	5. 6.	H. ⊙.	Swt. br. fl. gar. 40.
5	maritima. DC.	( <i>p.u.</i> )	dwarf annual.	S. Europe.	1713.	—	H. ⊙.	Bot. mag. 166.
	<i>Cheiranthus maritimus</i> . B.M.							
6	arenaria. DC.	( <i>pu.</i> )	sand.	Barbary.	1804.	—	H. ⊙.	Desf. fl. atl. 2. t. 162.
	<i>Hesperis arenaria</i> . Desf.							
7	parviflora. DC.	( <i>pu.</i> )	small-flowered.	S. Europe.	1822.	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 35.
8	lyrata. DC.	( <i>pu.</i> )	rigid.	Levant.	1824.	5. 8.	H. ⊙.	Flor. græc. t. 635.
9	littorea. DC.	( <i>li.</i> )	sea.	S. Europe.	1683.	6. 11.	H. ♂.	Swt. br. fl. gar. 54.
0	pátula. DC.	( <i>pu.</i> )	spreading.	Spain.	1825.	5. 7.	H. ♀.	
1	lápera. DC.	( <i>pu.</i> )	cut-leaved.	S. Europe.	—	—	H. ⊙.	Desf. ann. mus. 11. t. 34.
	<i>Hesperis pinnatifida</i> . Desf.							
HESPERIS. DC. ROCKET. Tetradynamia Siliquosa. L.								
1	tristis. DC.	( <i>br.</i> )	night-smelling.	Europe.	1622.	4. 6.	H. ♂.	Bot. mag. 730.
	β major.	( <i>st.</i> )	larger.	—	1827.	4. 7.	H. ♂.	
2	frágrans. F.	( <i>pu.</i> )	evening-scentd.	Siberia?	1821.	—	H. ♂.	Swt. br. fl. gar. 61.
3	laciniata. DC.	( <i>pu.</i> )	lacinated.	Italy.	1820.	5. 6.	H. ♂.	All. ped. n. 985. t. 82. f. 1.
4	villósa. DC.	( <i>pu.</i> )	villous.	Italy.	1827.	—	H. ♂.	
5	grandiflora. B.M.	( <i>pu.</i> )	large-flowered.	.....	1818.	5. 8.	H. ♂.	Bot. mag. 2683.
6	elata. H.	( <i>pu.</i> )	tall.	.....	1825.	—	H. ♂.	
7	runcinata. DC.	( <i>bh.</i> )	runcinate.	Hungary.	1804.	5. 7.	H. ♂.	W. et Kit. hung. 2. t. 200.
8	bituminosa. W. en.	( <i>bh.</i> )	clammy.	.....	1816.	—	H. ♂.	
9	matronális. L.	( <i>va.</i> )	common.	Europe.	1597.	5. 8.	H. ♀.	Lob. ic. t. 323. f. 2.
	α albiflora. DC.	( <i>wh.</i> )	single-white.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 1.
	β álbo-pléna.	( <i>wh.</i> )	double-white.	—	—	—	H. ♀.	
	γ purpúrea. DC.	( <i>pu.</i> )	single-purple.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 2.
	δ purpúreo-pléna.	( <i>pu.</i> )	double-purple.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. c.
	ε variegata. DC.	( <i>v.</i> )	double-variegated.	—	—	—	H. ♀.	Munt. phyt. cur. t. 186.
	ζ foliiflora. DC.	( <i>gr.</i> )	green-flowered.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. a.
10	inodora. L.	( <i>pu.</i> )	scentless.	Britain.	....	—	H. ♀.	Eng. bot. 731.
11	sibirica. L.	( <i>pu.</i> )	Siberian.	Siberia.	....	—	H. ♀.	
12	heterophylla. DC.	( <i>pu.</i> )	various-leaved.	Naples.	1825.	5. 7.	H. ♀.	
13	ápica. DC.	( <i>pu.</i> )	sun.	Siberia.	1823.	5. 6.	H. ♀.	Deles. ic. sel. 2. t. 62.
14	ramosíssima. DC.	( <i>pu.</i> )	branched.	Barbary.	1827.	—	H. ⊙.	Desf. atl. 2. t. 161.
ANDREO'SKIA. DC. ANDREO'SKIA. Tetradynamia Siliquosa. L.								
1	integrifolia. DC.	( <i>wh.</i> )	entire-leaved.	Siberia.	1824.	6. 7.	H. ⊙.	
	<i>Sisymbrium integrifolium</i> . w. <i>Hesperis glandulosa</i> . P.S.							
2	pectinata. DC.	( <i>wh.</i> )	pectinated.	Dahuria.	1827.	5. 6.	H. ♂.	
SISYMBRIUM. DC. SISYMBRIUM. Tetradynamia Siliquosa. L.								
1	officinále. DC.	( <i>ye.</i> )	Hedge-mustard.	Britain.	....	5. 7.	H. ⊙.	Eng. bot. 725.
	<i>Erysimum officinale</i> . E.B.							
2	strictíssimum. DC.	( <i>ye.</i> )	spear-leaved.	Europe.	1658.	6. 8.	H. ♀.	Jacq. aust. 2. t. 194.
	<i>Cheirinia strictissima</i> . L. en.							
3	júnceum. DC.	( <i>ye.</i> )	rushy.	Hungary.	1804.	7.	H. ♀.	W. et Kit. hung. 3. t. 234.
	<i>Erysimum júnceum</i> . w. <i>Cheirinia júncea</i> . L. en.							
4	hispanicum. DC.	( <i>ye.</i> )	Spanish.	Spain.	1820.	5. 6.	H. ♂.	Jacq. ic. rar. 1. t. 124.
5	púmilm. DC.	( <i>ye.</i> )	dwarf.	Caucasus.	—	4. 5.	H. ⊙.	
6	obtusángulum. DC.	( <i>ye.</i> )	blunt-angled.	Switzerland.	....	5. 8.	H. ⊙.	Moris. ox. 2. s. 3. t. 5. f. 10.
7	acutángulum. DC.	( <i>ye.</i> )	acute-angled.	Pyrenees.	1791.	6. 7.	H. ♂.	Jacq. vind. 3. t. 97.
	<i>sinapoides</i> . H.K. <i>Sinapis pyrenæica</i> . Jacq.							
8	taraxacifolium. DC.	( <i>y.</i> )	Dandelion-ld.	France.	1823.	5. 6.	H. ♂.	DC. ic. rar. p. 11. t. 37.
9	contórtum. W. en.	( <i>ye.</i> )	twisted.	Spain.	1824.	—	H. ♂.	
10	affine. W. en.	( <i>ye.</i> )	related.	.....	1823.	5. 8.	H. ♂.	
11	austriacum. DC.	( <i>ye.</i> )	Austrian.	Austria.	1799.	6. 8.	H. ⊙.	Jacq. aust. 3. t. 262.
12	eckartbergense. w.	( <i>y.</i> )	bending-pod'd.	—	—	—	H. ♂.	
13	Tillieri. w.	( <i>ye.</i> )	Tillier's.	Switzerland.	1824.	6. 8.	H. ⊙.	
14	I'rio. DC.	( <i>ye.</i> )	London Rocket.	England.	....	5. 8.	H. ⊙.	Eng. bot. 1631.
15	glábrum. W. en.	( <i>ye.</i> )	smooth.	.....	1823.	—	H. ⊙.	
16	gallicum. W. en.	( <i>ye.</i> )	French.	France.	—	—	H. ⊙.	
17	nítidum. DC.	( <i>ye.</i> )	glossy.	.....	....	6. 8.	H. ⊙.	
18	subhástatum. DC.	( <i>ye.</i> )	halfbert-leaved.	Archipelago.	1822.	4. 5.	H. ⊙.	
19	Columnæ. w.	( <i>ye.</i> )	Columna's.	Italy.	1796.	6. 7.	H. ⊙.	Jacq. aust. t. 323.
20	altíssimum. L.	( <i>ye.</i> )	tall.	Siberia.	1759.	8.	H. ⊙.	Walth. hort. t. 122.
21	orientále. L.	( <i>ye.</i> )	oriental.	Levant.	1739.	7. 8.	H. ⊙.	
22	pannónicum. DC.	( <i>st.</i> )	Hungarian.	Hungary.	1787.	—	H. ⊙.	Jacq. ic. rar. 1. t. 123.
23	lyrátum. DC.	( <i>ye.</i> )	lyrate.	C. B. S.	....	5. 8.	G. ♀.	Deles. ic. sel. 2. t. 64.
24	ásperum. DC.	( <i>ye.</i> )	rough-podded.	S. Europe.	1778.	5. 6.	H. ⊙.	J. Baulh. hist. 2. f. 3.
25	fugáx. DC.	( <i>ye.</i> )	fugacious.	Spain.	1820.	7. 8.	H. ♀.	
26	Sophia. DC.	( <i>ye.</i> )	Flix-weed.	Britain.	....	7. 8.	H. ⊙.	Eng. bot. 963.

- 27 pérsicum. DC. (ye.) Persian. Persia. 1820. 7. 8. H. ⊙.
- 28 Richardsonsii. (ye.) Richardson's. N. America. 1828. 6. 7. H. ⊙.
- canescens*. Richardson. non Nutt.
- 29 brachycarpum. DC. short-podded. ———— H. ⊙.
- 30 tripinnátum. DC. (ye.) tripinnate. C. B. S. 1817. ———— H. ⊙.
- 31 millefólium. DC. (ye.) Milfoil-leaved. Canaries. 1779. 5. 9. G. ☿.
- 32 tanacetifólium. DC. (ye.) Tansy-leaved. Italy. 1731. 6. 7. H. ♀.
- 33 supinum. DC. (wh.) trailing. S. Europe. 1778. ———— H. ⊙.
- Erysimum supinum*. L. en.
- 34 hirsútum. DC. (ye.) hairy-podded. ———— 1822. ———— H. ⊙.
- Erysimum hirsútum*. L. en.
- 35 polycerátium. DC. (ye.) sinuate-leaved. ———— 1633. 6. 8. H. ⊙.
- Erysimum polycerátium*. L. en.
- 36 rigidum. DC. (wh.) rigid. Tauria. 1824. 6. 8. H. ⊙.
- 37 bursifólium. DC. (wh.) various-leaved. ———— 1732. ———— H. ⊙.
- 38 pinnatifidum. DC. (wh.) pinnatifid. ———— 1822. 5. 8. H. ♀.
- 39 erysimóides. DC. (wh.) Erysimum-like. Spain. 1827. 10. 12. H. ♀.
- 40 contortuplicátum. (bh.) twisted-podded. Cumana. ———— 6. 8. H. ⊙.
- Hesperis contortuplicátus*. Bieb. *Cheiránthus contortuplicátus*. w.
- ALLIÁRIA. DC. ALLIÁRIA. Tetradynamia Siliquosa. L.
- 1 officinális. DC. (wh.) garlic-scented. Britain. .... 5. 6. H. ♀.
- Erysimum Alliária*. E. B. *Hesperis Alliária*. Lam. Eng. bot. 796.
- 2 brachycárpa. DC. (wh.) short-podded. Iberia. 1827. 5. 7. H. ♀.
- ERY'SIMUM. DC. ERY'SIMUM. Tetradynamia Siliquosa. L.
- 1 siliculósum. DC. (ye.) siliculose. Tauria. 1824. 5. 6. H. ♂.
- 2 sciculum. DC. (ye.) Sicilian. Sicily. 1824. 6. 7. H. ♂.
- 3 sessiliflórum. DC. (ye.) sessile-flower'd. Siberia. 1794. ———— H. ♀.
- Cheiránthus quadrángulus*. w. *Cheirínia sessiliflóra*. L. en. *Syrènia Lamárckii*. Andr. L. Her. strirp. 1. t. 44.
- 4 angustifólium. DC. narrow-leaved. Hungary. 1800. 7. 8. H. ♂.
- Cheirínia angustifolia*. L. en. *Syrènia Ehrárti*. Andr. W. et Kit. hung. 1. t. 98.
- 5 cuspidátum. DC. (ye.) sharp-pointed. Caucasus. 1800. 5. 6. H. ♂.
- Syrènia Biebersteini*. Andr. *Cheiránthus cuspidátus*. w.
- 6 leptostylum. DC. (ye.) slender-styled. Caucasus. 1825. ———— H. ♂.
- 7 exaltátum. DC. (ye.) tall. Poland. ———— H. ♂.
- 8 suffruticósum. DC. (st.) suffruticose. .... 1822. 4. 5. H. ☿.
- 9 stríctum. DC. (ye.) upright. Austria. 1795. 6. 8. H. ♂.
- odorátum*. w. *hieracifólium*. Jacq. *Cheirínia strícta*. L. en. Jacq. aust. 1. t. 73.
- 10 virgátum. DC. (ye.) twiggy. Portugal. 1807. 6. 7. H. ♂.
- 11 longisiliquósum. DC. (y.) long-podded. Switzerland. 1823. ———— H. ♂.
- 12 hieracifólium. DC. (ye.) Hawkweed-l'd. Europe. ———— 5. 6. H. ♂.
- 13 Marschalliánum. (ye.) Marschall's. Poland. 1827. ———— H. ♂.
- 14 pátulum. H. (ye.) spreading. .... 1824. ———— H. ♂.
- 15 pùmilum. H. (ye.) dwarf. Switzerland. ———— H. ♂.
- 16 áureum. DC. (ye.) golden. Caucasus. 1824. ———— H. ♂.
- 17 ibéricum. DC. (ye.) Iberian. Iberia. 1803. 5. 8. H. ♂.
- Cheiránthus armeniácus*. B. M. *Cheiránthus ibéricus*. Bieb. Deles. ic. sel. 2. t. 66.
- 18 cheiranthóides. DC. (y.) treacle. Britain. .... 6. 8. H. ⊙.
- 19 repándum. DC. (ye.) small-flowered. S. Europe. 1772. 5. 6. H. ⊙.
- 20 helvéticum. DC. (ye.) Swiss. Switzerland. 1793. ———— H. ♂.
- Cheiránthus helvéticus*. Jacq. *Cheirínia helvética*. L. en. Jacq. vind. t. 9.
- 21 canescens. DC. (ye.) canescent. S. Europe. 1731. 5. 7. H. ♂.
- diffusum*. w. *Cheiránthus alpinus*. Jacq. aust. 1. t. 75. Barr. ic. t. 884.
- 22 Andrzejowskiánum. (y.) Andrzejowski's. Tauria. 1828. ———— H. ♂.
- 23 collinum. DC. (ye.) hill. Caucasus. ———— H. ♂.
- 24 leptophýllum. DC. (ye.) slender-leaved. Iberia. 1827. ———— H. ♂.
- 25 versicolor. DC. (va.) various-color'd. Persia. 1823. 5. 7. H. ♂.
- Cheiránthus versicolor*. M. B.
- 26 lanceolátum. DC. (ye.) spear-leaved. ———— 1597. ———— H. ♂.
- Cheiránthus erysimóides*. Jacq. Jacq. aust. t. 74.
- 27 firmum. (ye.) hoary-podded. Switzerland. 1824. ———— H. ♂.
- Cheirínia firma*. L. en. *Cheiránthus firmus*. W. en.
- 28 rhæticum. DC. (ye.) Rhætian. Rhætia. ———— H. ♂.
- 29 dubium. DC. (ye.) doubtful. .... ———— H. ♂.
- 30 longifólium. DC. (ye.) long-leaved. Algiers. 1822. ———— H. ♀.
- 31 grácile. DC. (ye.) slender. Caucasus. 1824. 6. 8. H. ♂.
- 32 ásperum. DC. (ye.) rough. Missouri. ———— H. ♂.
- 33 strigósum. DC. (ye.) strigose. Siberia. 1828. ———— H. ♂.
- 34 Redówski. DC. (ye.) Redowski's. ———— 1825. ———— H. ♂.

35	altissimum. DC. ( <i>ye.</i> ) tallest.	Limbourg.	1822.	6. 7	H. ♂.	
	<i>Cheirinia altissima</i> . L. en.					
36	sabulosum. F. ( <i>ye.</i> ) gravel.	Siberia.	1823.	—	H. ♂.	
37	bicolor. DC. ( <i>v.</i> ) two-coloured.	Switzerland.	1827.	—	H. ♂.	
CONRINGIA. L. en. CONRINGIA.		Tetradynamia	Siliquosa. L.			
1	alpina. L. en. ( <i>wh.</i> ) Alpine.	Europe.	1793.	5. 6.	H. ♀.	Vill. dauph. 3. t. 36.
	<i>Brassica alpina</i> . L. <i>Ery'simum alpinum</i> . DC.					
2	perfoliata. L. en. ( <i>wh.</i> ) perfoliate.	England.	....	—	H. ⊙.	Eng. bot. 1804.
	<i>Brassica orientalis</i> . E. B. <i>Ery'simum perfoliatum</i> . DC.					
3	austriaca. ( <i>st.</i> ) Austrian.	Austria.	....	—	H. ⊙.	Jacq. aust. t. 283.
	<i>Brassica austriaca</i> . Jacq. <i>Ery'simum austriacum</i> . DC.					
STANLEYA. DC. STANLEYA.		Tetradynamia	Siliquosa.			
	pinnatifida. DC. pinnatifid.	Missouri.	1812.	5. 6.	H. ♀.	
	<i>Cleome pinnata</i> . Ph.					

Tribus VIII. *CAMELINEÆ* seu Notorhizæ Latiseptæ. DC.

CAMELINA. DC. CAMELINA.		Tetradynamia	Siliculosa. L.			
1	sativa. DC. ( <i>ye.</i> ) Gold of pleasure.	Britain.	....	5. 7.	H. ⊙.	Eng. bot. 1254.
	<i>Aly'ssum sativum</i> . E. B. <i>Myàgrum sativum</i> . L.					
	<i>a pilosa</i> . DC. ( <i>ye.</i> ) hairy.	—	....	—	H. ⊙.	Moris.ox.2.s.3.t.21.f.2.
	<i>β glabrata</i> . DC. ( <i>ye.</i> ) smooth.	.....	....	—	H. ⊙.	Lind. als. 94. t. 1.
2	dentata. DC. ( <i>ye.</i> ) tooth-leaved.	Europe.	1806.	6. 7.	H. ⊙.	J. Bauh.hist.2.p.893.ic.
3	pinnatifida. H. ( <i>ye.</i> ) pinnatifid.	Spain.	—	—	H. ⊙.	
4	microcarpa. DC. ( <i>ye.</i> ) small-podded.	Poland.	1827.	—	H. ⊙.	Deles. ic. sel. 2. t. 69.
5	barbareaefolia. DC. ( <i>ye.</i> ) Barbarea-ld.	Siberia.	1824.	5. 7.	H. ♀.	— 2. t. 70.
6	austriaca. DC. ( <i>ye.</i> ) Austrian.	Austria.	1795.	6. 7.	H. ⊙.	Jacq. aust. 2. t. 111.
NE'SLIA. DC. NE'SLIA.		Tetradynamia	Siliculosa.			
	paniculata. DC. ( <i>ye.</i> ) panicked.	Europe.	1683.	6. 8.	H. ⊙.	Flor. dan. t. 204.
	<i>Rapistrum paniculatum</i> . Gært. <i>Myàgrum paniculatum</i> . L.					

Tribus IX. *LEPIDINEÆ* seu Notorhizæ Angustiseptæ. DC.

SENEBIE'RA. DC. SENEBIE'RA.		Tetradynamia	Siliculosa. L.			
1	pinnatifida. DC. ( <i>wh.</i> ) pinnatifid.	England.	....	7. 8.	H. ⊙.	Eng. bot. 248.
	<i>Coronopus didyma</i> . E. B. <i>Lepidium didymum</i> . L.					
	<i>β incisà</i> . W. en. ( <i>wh.</i> ) cut-leaved.	America.	1817.	—	H. ⊙.	
2	Coronopus. DC. ( <i>wh.</i> ) common.	Britain.	....	6. 10.	H. ⊙.	Eng. bot. 1660.
	<i>Coronopus Ruëllii</i> . E. B. <i>Cochleària Coronopus</i> . L.					
LEPIDIUM. DC. PEPPERWORT.		Tetradynamia	Siliculosa. L.			
1	Dràba DC. ( <i>wh.</i> ) Whitlow-grass.	Europe.	1596.	5. 6.	H. ♀.	Jacq. fl. aust. 4. t. 315.
	<i>Cochleària Dràba</i> . Jacq.					
2	chalepense. DC. ( <i>wh.</i> ) Aleppo.	Aleppo.	1798.	5. 7.	H. ⊙.	Moris. ox. 2. s. 3. t. 25.
3	coronopifolium. DC. ( <i>w.</i> ) Buckshorn-ld.	Volga.	1823.	—	H. ♀.	
4	sativum. DC. ( <i>wh.</i> ) common Cress.	Persia.	1548.	5. 10.	H. ⊙.	Fl. græc. t. 616.
	<i>γ crispum</i> . DC. ( <i>wh.</i> ) curled Cress.	—	....	—	H. ⊙.	Chabr. sci. 289. f. 2.
	<i>β latifolium</i> . DC. ( <i>wh.</i> ) broad-leaved.	—	....	—	H. ⊙.	Moris.ox.2.s.3.t.19.f.2.
5	campèstre. DC. ( <i>wh.</i> ) hoary field.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. 1385.
	<i>Thlâspi campèstre</i> . E. B.					
6	hirtum. DC. ( <i>wh.</i> ) hairy.	—	....	—	H. ♂.	— 1803.
	<i>Thlâspi hirtum</i> . E. B.					
7	spinösom. DC. ( <i>wh.</i> ) prickly.	Levant.	1787.	4. 9.	H. ⊙.	Ard. spec. 2. t. 16.
8	virginicum. DC. ( <i>wh.</i> ) Virginian.	America.	1713.	6. 7.	H. ⊙.	Schkuhr. hand. 2. t. 180.
9	subulatum. DC. ( <i>wh.</i> ) awl-leaved.	Spain.	1739.	7. 8.	F. ♀.	Asso syn. arr. t. 6. f. 3.
10	ruderale. DC. ( <i>wh.</i> ) narrow-leaved.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. 1595.
11	incisum. DC. ( <i>wh.</i> ) cut-leaved.	Tauria.	1824.	5. 6.	H. ⊙.	
12	vesicarium. DC. ( <i>wh.</i> ) bladdered.	Iberia.	1821.	4. 8.	H. ⊙.	Hil. veg. syst. 11. t. 41. f. 3.
13	angulosum. DC. ( <i>wh.</i> ) angular-stalk'd.	Hungary.	1825.	—	H. ⊙.	
14	perfoliatum. DC. ( <i>wh.</i> ) various-leaved.	Austria.	1640.	4. 6.	H. ⊙.	Jacq. aust. 4. t. 346.
15	Cardamines. DC. ( <i>wh.</i> ) Spanish Cress.	Spain.	1789.	6. 7.	F. ♂.	Ard. spec. 1. t. 19.
16	divaricatum. DC. ( <i>wh.</i> ) close-spiked.	C. B. S.	1774.	5. 8.	G. ♀.	
17	bonariense. DC. ( <i>wh.</i> ) Buenos Ayres.	S. America.	1732.	5. 6.	H. ⊙.	Dill. elt. t. 286. f. 370.
18	pubescens. DC. ( <i>wh.</i> ) pubescent.	Para.	1820.	5. 8.	H. ⊙.	
19	cuneifolium. DC. ( <i>wh.</i> ) wedge-leaved.	N. S. W.	1820.	6. 8.	H. ⊙.	

20	<i>piscidium</i> . DC. ( <i>wh.</i> )	South Sea.	Society Isles.	1779.	9.	H. ⊙.	Mont. n. a. n. c. 6. t. 5. a.
21	<i>desertòrum</i> . Led. ( <i>wh.</i> )	desert.	Siberia.	1827.	—	H. ⊙.	
22	<i>decumbens</i> . DC. ( <i>wh.</i> )	decumbent.	.....	1820.	5. 8.	H. ⊙.	
23	<i>oleràceum</i> . DC. ( <i>wh.</i> )	eatable.	New Zealand.	.....	—	H. ⊙.	
24	<i>lyràtum</i> . DC. ( <i>wh.</i> )	lyre-leaved.	Levant.	1759.	6. 7.	H. ⊙.	Tourn. it. 2. t. 389.
25	<i>latifòlium</i> . DC. ( <i>wh.</i> )	broad-leaved.	Britain.	....	—	H. ⊙.	Eng. bot. 182.
26	<i>affine</i> . DC. ( <i>wh.</i> )	saw-leaved.	Siberia.	1823.	7. 8.	H. ⊙.	
27	<i>crassifòlium</i> . DC. ( <i>wh.</i> )	thick-leaved.	Hungary.	—	5. 6.	H. ⊙.	W. et Kit. hung. 1. t. 4.
28	<i>suffruticòsum</i> . DC. ( <i>wh.</i> )	shrubby.	Spain.	1790.	7. 8.	F. ♀.	Cav. ic. 2. t. 161. f. 2.
	<i>graminifòlium</i> . Cav.						
29	<i>lineàre</i> . DC. ( <i>wh.</i> )	linear-leaved.	Spain.	....	—	F. ♀.	
30	<i>Ibèris</i> . DC. ( <i>wh.</i> )	grass-leaved.	S. Europe.	1683.	6. 9.	H. ⊙.	Moris. his. 2. s. 3. t. 21. f. 1.
	<i>graminifòlia</i> . H. K.						
31	<i>capense</i> . DC. ( <i>wh.</i> )	Cape.	C. B. S.	1818.	6. 7.	G. ♀.	
BIVON'ÆA	DC. BIVON'ÆA.	Tetradynamia Siliculosa.	L.				
	<i>lutea</i> . DC. ( <i>ye.</i> )	yellow.	Sicily.	1823.	4. 5.	H. ⊙.	Cup. pan. sic. 2. t. 256.
	<i>Thlaspi luteum</i> . Biv.						
ÆTHION'EMA	DC. ÆTHION'EMA.	Tetradynamia Siliculosa.	L.				
1	<i>saxatìle</i> . DC. ( <i>w.p.</i> )	rock.	S. Europe.	1759.	6. 7.	H. ⊙.	Jacq. aust 3. t. 236.
2	<i>gracìle</i> . DC. ( <i>wh.</i> )	slender.	Carniola.	1822.	—	H. ♀.	Boc. mus. p. 79. t. 70.
3	<i>Buxbáumii</i> . DC. ( <i>pu.</i> )	Buxbaum's.	Iberia.	1820.	—	H. ⊙.	Buxb. cent. 1. t. 5. f. 1.
4	<i>monospèrmum</i> DC. ( <i>p.</i> )	one-seeded.	Spain.	1778.	7. 8.	H. ♂.	

Tribus X. *ISATIDEÆ* seu Notorhizæ Nucamentacæ. DC.

TAUSCH'ERIA	DC. TAUSCH'ERIA.	Tetradynamia Siliculosa.	L.				
1	<i>lasiocàrpa</i> . DC. ( <i>wh.</i> )	villous-podded.	Siberia.	1824.	6. 7.	H. ⊙.	
2	<i>gymnocàrpa</i> . DC. ( <i>wh.</i> )	smooth-podded.	—	—	5. 6.	H. ⊙.	
ISÁTIS	DC. WOAD.	Tetradynamia Siliculosa.	L.				
1	<i>armèna</i> . DC. ( <i>ye.</i> )	Armenian.	Armenia.	1824.	6. 7.	H. ⊙.	Desv. j. 3. t. 25. f. 6.
2	<i>latisilìqua</i> . DC. ( <i>ye.</i> )	broad-podded.	Iberia.	1827.	5. 7.	H. ♂.	
3	<i>lusitànica</i> . DC. ( <i>ye.</i> )	Portugal.	Portugal.	1739.	—	H. ⊙.	
4	<i>alpina</i> . DC. ( <i>ye.</i> )	Alpine.	Italy.	1800.	—	H. ♀.	All. ped. t. 86. f. 2.
5	<i>pr'æcox</i> . DC. ( <i>ye.</i> )	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
6	<i>littoralìs</i> . DC. ( <i>ye.</i> )	sea-side.	Tauria.	—	6. 7.	H. ⊙.	Deles. ic. sel. 2. t. 78.
7	<i>hebecàrpa</i> . DC. ( <i>ye.</i> )	pubescent-pod <sup>d</sup> .	Tauria.	1827.	—	H. ⊙.	— 2. t. 79.
8	<i>dasycàrpa</i> . Led. ( <i>ye.</i> )	thick-podded.	Siberia.	—	5. 7.	H. ♂.	
9	<i>tinctòria</i> . DC. ( <i>ye.</i> )	common.	England.	....	5. 7.	H. ♂.	Eng. bot. 97.
	<i>β satìva</i> . DC. ( <i>ye.</i> )	smooth-leaved.	.....	....	—	H. ♂.	Blackw. herb. t. 246.
	<i>γ hirsùta</i> . DC. ( <i>ye.</i> )	hairy-leaved.	.....	....	—	H. ♂.	
	<i>δ microcàrpa</i> . DC. ( <i>ye.</i> )	small-podded.	.....	....	—	H. ♂.	
10	<i>campèstris</i> . DC. ( <i>ye.</i> )	field.	Podolia.	1823.	—	H. ⊙.	
11	<i>bannàtica</i> . DC. ( <i>ye.</i> )	Bannatic.	Hungary.	—	—	H. ⊙.	
12	<i>táurica</i> . DC. ( <i>ye.</i> )	Taurian.	Tauria.	1827.	—	H. ♂.	
13	<i>oblongàta</i> . DC. ( <i>ye.</i> )	oblong-podded.	Siberia.	—	—	H. ♂.	
14	<i>orientàlis</i> . DC. ( <i>ye.</i> )	oriental.	Levant.	....	—	H. ⊙.	
15	<i>canèscens</i> . DC. ( <i>ye.</i> )	canescent.	S. Europe.	1825.	—	H. ♂.	Buxb. cent. 1. p. 4. t. 5.
16	<i>alèppica</i> . DC. ( <i>ye.</i> )	Aleppo.	Levant.	1739.	6. 7.	H. ⊙.	Scop. d. ins. 2. t. 16.
17	<i>variegàta</i> . Led. ( <i>ye.</i> )	variegated.	Siberia.	1827.	—	H. ♂.	
MYAGRUM	DC. MYAGRUM.	Tetradynamia Siliculosa.	L.				
	<i>perfoliàtum</i> . DC. ( <i>ye.</i> )	perfoliate.	Europe.	1648.	6. 7.	H. ⊙.	Schkuhr. han. 2. t. 178.
SOBOLE'WSKIA	DC. SOBOLE'WSKIA.	Tetradynamia Siliculosa.	L.				
	<i>lithòphila</i> . DC. ( <i>wh.</i> )	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 80.

Tribus XI. *ANCHONIEÆ* seu Notorhizæ Lomentacæ. DC.

GOLDBA'CHIA	DC. GOLDBA'CHIA.	Tetradynamia Siliquosa.					
1	<i>lævigàta</i> . DC. ( <i>li.</i> )	smooth.	Astracan.	1823.	5. 6.	H. ⊙.	Deles. ic. sel. 2. t. 81.
2	<i>torulòsa</i> . DC. ( <i>li.</i> )	twisted-podded	Levant.	....	—	H. ⊙.	
3	<i>tetragòna</i> . Led. ( <i>li.</i> )	four-sided.	—	1825.	—	H. ⊙.	
STERIG'MA	DC. STERIG'MA.	Tetradynamia Siliquosa.					
1	<i>tomentòsum</i> . DC. ( <i>ye.</i> )	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
	<i>Cheiranthus tomentòsus</i> . w.						
2	<i>torulòsum</i> . DC. ( <i>ye.</i> )	twisted-podded.	Iberia.	—	—	H. ♂.	Buxb. cent. 5. t. 52. f. 2.

Subordo III. ORTHOPLOCEÆ. DC. syst. 2. p. 581.

Tribus XII. BRASSICÆ seu Orthoploceæ Siliquosæ. DC.

BRASSICA. DC.		CABBAGE. Tetradymania Siliquosa. L.				
1	oleræca. DC.	(va.) common.	England.	....	4. 6.	H. ♂
	A. SYLVESTRIS. DC. (st.) WILD.		.....	.....		H. ♂
	B. ACEPHALA. DC. (st.) CAVALIER.		.....	.....		H. ♂
a	ramosa. DC.	(st.) thousand-headed.	.....	.....		H. ♂
β	vulgâris. DC.	(st.) upright.	.....	.....		H. ♂
	* viridis. DC.	(st.) green.	.....	.....		H. ♂
	** purpurâscens. DC. (st.) purple.		.....	.....		H. ♂
γ	quercifolia. DC. (st.) oak-leaved.		.....	.....		H. ♂
δ	sabêllica. DC. (st.) BORECOLE.		.....	.....		H. ♂
	* pinnata. DC. (st.) winged-leaved.		.....	.....		H. ♂
	** purpurâscens. DC. (st.) purple.		.....	.....		H. ♂
	*** versicolor. DC. (st.) variegated.		.....	.....		H. ♂
ε	palmifolia. DC. (st.) palm-leaved.		.....	.....		H. ♂
ζ	costata. DC. (wh.) thick-ribbed.		.....	.....		H. ♂
	* nepenthiformis. DC. (wh.) tubular-lt.		.....	.....		H. ♂
C.	BULLATA. DC. (st.) SAVOY.		.....	.....		H. ♂
a	vulgâris. DC. (st.) common.		.....	.....		H. ♂
	* præcox. DC. (st.) early.		.....	.....		H. ♂
	** humilis. DC. (st.) dwarf.		.....	.....		H. ♂
	*** turionensis. DC. (st.) Tourraine.		.....	.....		H. ♂
	**** aurata. DC. (st.) yellow.		.....	.....		H. ♂
β	oblônga. DC. (st.) winter.		.....	.....		H. ♂
γ	mâjor. DC. (st.) large.		.....	.....		H. ♂
δ	gemmifera. DC. (st.) Brussel's-sprouts.		.....	.....		H. ♂
D.	CAPITATA. DC. (st.) HEADED.		.....	.....		H. ♂
a	deprêssa. DC. (st.) drum-head.		.....	.....		H. ♂
β	sphærica. DC. (st.) common.		.....	.....		H. ♂
	* âlba. DC. (st.) white.		.....	.....		H. ♂
	** rûbra. DC. (st.) red.		.....	.....		H. ♂
γ	obovata. DC. (st.) Sugarloaf.		.....	.....		H. ♂
δ	elliptica. DC. (st.) early york.		.....	.....		H. ♂
ε	subacûta. (st.) Battersea.		.....	.....		H. ♂
ζ	cónica. DC. (st.) heart.		.....	.....		H. ♂
E.	CA'ULO-R'APA. DC. TURNEP-CABBAGE.		.....	.....		H. ♂
a	commûnis. DC. (st.) flat-leaved.		.....	.....	4. 6.	H. ♂
	* âlba. DC. (st.) white-stemmed.		.....	.....		H. ♂
	** purpurâscens. DC. (st.) violet-stem <sup>d</sup> .		.....	.....		H. ♂
β?	crispa. DC. (st.) curl-leaved.		.....	.....		H. ♂
F.	BOTRYTIS. DC. (st.) BROCCOLI.		.....	.....		H. ♂
a	cauliflôra. DC. (st.) Cauliflower.		.....	.....		H. ♂
β	asparagoides. DC. (st.) Broccoli.		.....	.....		H. ♂
	* commûnis. DC. (st.) white.		.....	.....		H. ♂
	** violâcea. DC. (w.s.) violet.		.....	.....		H. ♂
	*** viridis. (w.s.) green.		.....	.....		H. ♂
	**** ramosa. (w.s.) branching.		.....	.....		H. ♂
	***** autumnâlis. (st.) Cape.		.....	.....		H. ♂
2	campêstris. DC. (ye.) field.		England.	....	6.	H. ♂
	A. OLEIFERA. DC. (ye.) COLE-SEED.		.....	.....		H. ♂
	* autumnâlis. DC. (ye.) autumnal.		.....	.....		H. ♂
	** præcox. DC. (ye.) early.		.....	.....		H. ♂
	B. PA'BULARIA. DC. (ye.) SHEEP'S.		.....	.....		H. ♂
	C. NA'PO-BRA'SSICA. NAVEW.		.....	.....		H. ♂
a	commûnis. DC. (ye.) common.		.....	.....		H. ♂
	* âlba. DC. (ye.) white-rooted.		.....	.....		H. ♂
	** purpurâscens. DC. (ye.) purple-rooted.		.....	.....		H. ♂
β	Rutabâga. DC. (st.) Swedish Turnep.		.....	.....		H. ♂
3	Râpa. DC. (ye.) Turnep.		Britain.	....	4. 6.	H. ♂
	A. DEPRE'SSA. DC. FLAT-ROOTED.		.....	.....		H. ♂
	* âlba. DC. (ye.) white-round.		.....	.....		H. ♂
	** flavescens. DC. (ye.) yellow-round.		.....	.....		H. ♂
	*** nigricans. DC. (ye.) dark-round.		.....	.....		H. ♂
	**** punicea. DC. (ye.) red-round.		.....	.....		H. ♂
	***** viridis. DC. (ye.) green-round.		.....	.....		H. ♂
	***** præcox. (ye.) early Dutch.		.....	.....		H. ♂

Eng. bot. t. 637.

Moris. ox. s. 3. t. 1. f. 6.  
Lob. ic. 243. f. 1.  
Chabr. sciagr. 270. f. 6.

270. f. 1.  
271. f. 1.  
Lob. ic. 246. f. 2.

Hort. trans. 5. p. 13. t. 1.  
Weim. phyt. t. 261.  
Lob. ic. t. 244. f. 1.

Lob. ic. t. 244. f. 2.

Lob. ic. 243. f. 2.

Dod. pempt. 621. f. 2.

Dalech. lugd. 522. f. 3.  
Lob. ic. 246. f. 1.

Weim. phyt. t. 264.

Lob. ic. 245. f. 1.  
Weim. phyt. t. 256.  
Dalech. lugd. 522. f. 1.  
Chabr. sciagr. 269. f. 3.

Eng. bot. 2224.  
Dod. pempt. 623. f. 1.

Eng. bot. 2176.  
Mart. fl. rust. t. 49. 50.

B. OBLO'NGA. DC. (ye.)	OBLONG-ROOTED.	Britain.	....	4. 6.	H. ♂	Lib. ic. t. 197. f. 2.
C. OLEÍFERA. DC. (y.)	OIL-BEARING.	Dauphiny.	....	—	H. ♂	— t. 298. f. 1.
4 Nâpus. DC. (ye.)	Rape.	Britain.	....	5.	H. ♂	Eng. bot. 2146.
A. OLEÍFERA. DC. (ye.)	wild.	—	....	—	H. ♂	Lib. ic. t. 200. f. 2.
B. ESCULE'NTA. DC. (ye.)	esculent.	—	....	—	H. ♂	— 200. f. 1.
α álba. DC. (ye.)	white-rooted.	—	....	—	H. ♂	Blackw. herb. t. 410.
β flâva. DC. (ye.)	yellow-rooted.	—	....	—	H. ♂	
γ nígricans. DC. (ye.)	black-rooted.	—	....	—	H. ♂	
5 præcox. DC. (st.)	early.	S. Europe.	....	5. 6.	H. ♂	
6 chinénsis. DC. (ye.)	Chinese.	China.	1770.	7.	H. ♂	
7 violâcea. DC. (li.)	violet-flowered.	—	....	—	H. ♂	
8 incâna. DC. (st.)	hoary.	Naples.	1824.	4. 5.	H. ♀	Cup. panph. 1. t. 132.
9 baleárica. DC. (st.)	oak-leaved.	Minorca.	—	5. 7.	H. ♀	Deles. ic. sel. 2. t. 86.
10 híbrida. T. C. (st.)	hybrid.	Naples.	—	—	H. ♂	
11 Gravinâ. DC. (st.)	pubescent.	Aprutia.	—	5. 6.	H. ♀	Ten. fl. nap. t. 62.
12 pinnatifida. DC. (st.)	pinnatifid.	Spain.	—	9. 10.	H. ♀	Desf. fl. atl. 2. t. 165.
13 hâmillis. DC. (ye.)	dwarf.	S. France.	—	4. 5.	H. ♀	
14 repânda. DC. (ye.)	wayf.	S. Europe.	1818.	6. 8.	H. ♀	Vill. dauph. 3. t. 39.
15 Richérii. DC. (ye.)	alpine.	—	1825.	5. 8.	H. ♀	— 3. t. 36.
16 monénsis. DC. (st.)	Isle of Man.	Britain.	....	—	H. ♂	Eng. bot. 962.
17 Erucâstrum. DC. (ye.)	runcinate.	S. Europe.	1790.	—	H. ♂	Bull. herb. t. 331.
18 cheiránthos. DC. (ye.)	Stock-like.	—	....	—	H. ♀	Vill. dauph. 3. t. 36.
19 cheiranthiflôra. DC. (y.)	Wall-flowered.	—	1820.	—	H. ♂	Willd. hort. ber. t. 19.
20 Tournefortii. DC. (st.)	Tournefort's.	Spain.	—	6. 7.	H. ♂	Gou. ill. p. 44. t. 20. f. A.
21 lævigâta. DC. (wh.)	smooth.	—	1825.	—	H. ♂	
22 valentina. DC. (wh.)	Spanish.	—	—	4. 5.	H. ♂	Barr. ic. t. 195. f. 1.
23 fruticulôsa. DC. (st.)	frutescent.	S. Europe.	1820.	2. 4.	H. ♀	Cyr. pl. rar. 2. t. 1.
24 elongâta. DC. (ye.)	stalk-leaved.	Hungary.	1801.	5. 10.	H. ♂	W. et K. hung. 1. t. 28.
25 sabulâria. DC. (ye.)	gravel.	Portugal.	1818.	—	H. ♂	Brot. phyt. p. 97. t. 43.
26 odorâta. Sck. (ye.)	sweet-scented.	.....	1826.	—	H. ♂	
SIN'APIS. DC.	MUSTARD.	Tetradynamia Siliquosa.	L.			
1 nigra. DC. (ye.)	common.	Britain.	....	4. 8.	H. ♂	Eng. bot. 969.
β torulôsa. DC. (ye.)	twisted-podded.	—	....	—	H. ♂	
γ túrgida. DC. (ye.)	turgid-podded.	—	....	—	H. ♂	
δ villosa. DC. (ye.)	villous-podded.	—	....	—	H. ♂	
2 geniculâta. DC. (ye.)	jointed.	Barbary.	1824.	—	H. ♂	
3 lævigâta. DC. (ye.)	smooth.	Spain.	1769.	6. 7.	H. ♂	
4 auriculâta. DC. (ye.)	eared.	.....	....	—	H. ♂	
5 integrifolia. DC. (ye.)	entire-leaved.	E. Indies.	1804.	7. 8.	H. ♂	W. hort. ber. t. 14.
6 júncea. DC. (ye.)	fine-leaved.	China.	1710.	6. 7.	H. ♂	Jacq. h. vind. t. 171.
7 chinénsis. DC. (ye.)	Chinese.	—	1782.	—	H. ♂	Ard. spec. 1. t. 10.
8 brassicâta. DC. (ye.)	Cabbage-leav'd.	—	1801.	—	H. ♂	
9 cernua. DC. (wh.)	drooping.	China.	1824.	7. 9.	H. ♂	
10 pubéscens. DC. (ye.)	downy.	Sicily.	1789.	—	H. ♀	Ard. spec. 1. t. 9.
11 arcénsis. DC. (ye.)	Charlock.	Britain.	....	4. 8.	H. ♂	Eng. bot. 1748.
β incisa. (ye.)	cut-leaved.	Europe.	....	—	H. ♂	Lib. ic. 198. f. 2.
12 orientâlis. DC. (ye.)	oriental.	Levant.	1778.	6. 7.	H. ♂	Schk. hand. 1. t. 186.
13 táurica. DC. (ye.)	Taurian.	Tauria.	1823.	4. 8.	H. ♂	
14 subbipinnatifida. DC. (ye.)	subbipinnatifid.	Spain.	—	6. 7.	H. ♂	
15 Kâber. DC. (ye.)	Persian.	Persia.	—	—	H. ♂	
16 Allioni. DC. (ye.)	Allioni's.	Egypt.	1789.	—	H. ♂	Jacq. h. vind. 2. t. 168.
17 túrgida. DC. (ye.)	turgid-podded.	—	....	—	H. ♂	
18 incana. DC. (ye.)	hoary-jointed.	S. Europe.	1771.	7.	H. ♂	Jacq. h. vind. 2. t. 169.
19 heterophylla. DC. (ye.)	various-leaved.	Spain.	1820.	5. 6.	H. ♂	
20 álba. DC. (ye.)	white-seeded.	Britain.	....	4. 10.	H. ♂	Eng. bot. 1677.
21 hispida. DC. (ye.)	hispid.	Spain.	1804.	6. 7.	H. ♂	
22 dissécta. DC. (ye.)	cut-leaved.	—	—	4. 6.	H. ♂	
23 hastâta. DC. (ye.)	hastate-leaved.	N. Holland.	1824.	7. 9.	H. ♂	
24 foliôsa. DC. (ye.)	leafy.	Levant.	1804.	5. 6.	H. ♂	
25 âpula. DC. (ye.)	Apulian.	Italy.	1824.	6. 8.	H. ♂	
26 ramôsa. H. B. (ye.)	branching.	E. Indies.	1804.	7. 9.	H. ♂	
27 virgâta. H. (ye.)	twiggy.	.....	1827.	6. 8.	H. ♂	
28 subulâria. (ye.)	awl-shaped.	.....	—	—	H. ♂	
29 frutéscens. DC. (st.)	frutescent.	Madeira.	1777.	12. 6.	G. ♀	
MORICA'NDIA. DC.	MORICA'NDIA.	Tetradynamia Siliquosa.	L.			
arvénsis. DC. (pu.)	field.	S. Europe.	1739.	6.	H. ♀	Swt. br. fl. gar. 278.
Brússica arcénsis. L.	Túrritis arcénsis.	H. K.				
DIPLOTA'XIS. DC.	DIPLOTA'XIS.	Tetradynamia Siliquosa.	L.			
1 crassifolia. DC. (ye.)	thick-leaved.	Sicily.	1824.	5. 8.	H. ♀	

2 erucoides. DC. (ye.) dwarf.	S. Europe.	1736.	6. 7.	H. ⊙.	Jacq. vind. 2. t. 170.
<i>Sinapis erucoides</i> . L.					
3 virgata. DC. (ye.) slender.	Spain.	1820.	—	H. ⊙.	
4 catholica. DC. (ye.) Spanish.	—	—	4. 5.	H. ⊙.	
<i>Sisymbrium catholicum</i> . L.					
5 tenuifolia. DC. (ye.) Wall rocket.	England.	....	7. 10.	H. ⊙.	Eng. bot. 525.
<i>Sisymbrium tenuifolium</i> . E.B. <i>Sinapis tenuifolia</i> . H.K.	England.	....	7. 9.	H. ⊙.	Eng. bot. 1090.
6 muralis. DC. (ye.) sand.	England.	....	7. 9.	H. ⊙.	
<i>Sisymbrium murale</i> . L. <i>Sinapis muralis</i> . H.K.					
7 viminea. DC. (ye.) twiggy.	S. Europe.	....	5. 6.	H. ⊙.	Mor. his. ox. 2. t. 5. f. 8.
8 saxatilis. DC. (ye.) rock.	—	—	—	H. ♀.	
9 ramosissima. DC. (ye.) branching.	.....	1822.	—	H. ♀.	
ERUCA. DC.	ERUCA. Tetradymania Siliculosa. L.				
1 sativa. DC. (wh.) stripe-flowered.	S. Europe.	1573.	7.	H. ⊙.	Fl. græc. t. 646. et 647.
<i>Brassica Eruca</i> . L. <i>Euzodium sativum</i> . L. en.					
2 hispida. DC. (wh.) hispid.	Naples.	1824.	—	H. ⊙.	
3 vesicaria. DC. (wh.) bladdered.	Spain.	1820.	—	H. ⊙.	Asso. syn. arrag. 88. t. 4.
β flaviflora. DC. (ye.) yellow.	—	—	—	H. ⊙.	

Tribus XIII. VELLEÆ seu Orthoploceæ Latiseptæ. DC.

VELLA. DC.	CRESS-ROCKET. Tetradymania Siliculosa. L.				
pseudocytisus. DC. (y.) shrubby.	Spain.	1759.	4. 5.	H. ♀.	Bot. reg. 293.
CARRICHTERA. DC.	CARRICHTERA. Tetradymania Siliculosa. L.				
Vellæ. DC. (st.) annual.	England.	....	6. 7.	H. ⊙.	Eng. bot. 1441.
<i>Vella annua</i> . E.B.					
SUCCOWIA. DC.	SUCCOWIA. Tetradymania Siliculosa. L.				
balearica. DC. (ye.) Minorca.	Minorca.	1781.	6. 7.	H. ⊙.	Jacq. vind. 2. t. 144.
<i>Bunias balearica</i> . L.					

Tribus XIV. PSYCHINEÆ seu Orthoploceæ Angustiseptæ. DC.

PSYCHINE. DC.	PSYCHINE. Tetradymania Siliculosa. L.				
stylösa. DC. (wh.) striped-flower'd. Barbary.	1822.	4. 5.	H. ⊙.		Desf. fl. atl. 2. t. 148.

Tribus XV. ZILLEÆ seu Orthoploceæ Nucamentaceæ. DC.

ZILLA. DC.	ZILLA. Tetradymania Siliculosa. L.				
myagroïdes. DC. (li.) spiny.	Egypt.	....	4. 5.	H. ♀.	Vent. malm. t. 16.
<i>Bunias spinösa</i> . Vent.					
CALEPINA. DC.	CALEPINA. Tetradymania Siliculosa. L.				
Corvini. DC. (wh.) annual.	S. Europe.	1820.	4. 6.	H. ⊙.	W. et Kit. hung. 2. t. 107.
<i>Bunias cochlearioides</i> . w.					

Tribus XVI. RAPHANEÆ seu Orthoploceæ Lomentaceæ. DC.

CRAMBE. DC.	COLEWORT. Tetradymania Siliculosa. L.				
1 maritima. DC. (wh.) Sea Kale.	Britain.	....	5. 6.	H. ♀.	Eng. bot. 924.
2 pinnatifida. DC. (wh.) smooth-winged.	Siberia.	1759.	6. 7.	H. ♀.	Jacq. ic. 1. t. 128.
3 orientalis. DC. (wh.) oriental.	Levant.	1752.	6. 7.	H. ♀.	
4 tatârca. DC. (wh.) Tartarian.	Hungary.	1789.	—	H. ♀.	Jacq. ic. 1. t. 129.
5 áspera. DC. (wh.) rough.	Tauria.	1823.	5. 6.	H. ♀.	Deles. ic. sel. 2. t. 91.
6 júncea. DC. (wh.) rushy.	Iberia.	1828.	—	H. ♀.	
7 cordifolia. DC. (wh.) heart-leaved.	Caucasus.	—	6. 7.	H. ♀.	
8 hispánica. DC. (wh.) Spanish.	Spain.	1683.	—	H. ⊙.	Jacq. obs. 2. t. 41.
9 filiformis. DC. (wh.) Patagonian.	Patagonia.	1796.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 504.
10 fruticösa. DC. (wh.) Madeira.	Madeira.	1777.	5. 11.	G. ♀.	
11 strigösa. DC. (wh.) strigose shrubb.	Canaries.	1779.	5. 6.	G. ♀.	L'. her. stirp. 1. t. 72.

RAPHANISTRUM. DC.		RAPHANISTRUM.	Tetradynamia	Siliculosa.	L.			
1	perénne. DC.	( <i>ye.</i> ) perennial.	Europe.	1789.	7.	H. ♀.	Jacq. aust. 5. t. 414.	
	<i>Myágrum perénne.</i> L.	<i>Cakile perénnis.</i> H.K.	—	—	—	—	—	
2	rugòsum. DC.	( <i>ye.</i> ) wrinkled.	—	1739.	6. 7.	H. ⊙.	All. ped. 1. t. 78.	
	<i>Myágrum rugòsum.</i> L.	<i>Cakile rugosa.</i> H.K.	—	—	—	—	—	
3	orientàle. DC.	( <i>ye.</i> ) oriental.	Levant.	1795.	—	H. ⊙.	Flor. græc. t. 612.	
ENARTHROCARPUS		ENARTHROCARPUS.	Tetradynamia	Siliquosa.				
1	lyrátus. DC.	( <i>ye.</i> ) yellow-strip'd.	Egypt.	1826.	6. 8.	H. ⊙.	Delil. fl. æg. 105. t. 36. f. 1.	
2	ptero cárpus. DC.	.... wing-podded.	—	1828.	....	H. ⊙.	Deles. ic. sel. 2. t. 93.	
RAPHANUS. DC.		RADISH.	Tetradynamia	Siliquosa.	L.			
1	sátivus. Mil.	( <i>li.</i> ) common.	China.	1548.	5. 6.	H. ⊙.	Fuchs. hist. 659. ic.	
	<i>α pr'æcor.</i>	( <i>li.</i> ) early Salmon.	—	—	—	H. ⊙.	—	
	<i>β macrorrhizus.</i>	( <i>li.</i> ) long Salmon.	—	—	—	H. ⊙.	—	
	<i>γ purpúreus.</i>	( <i>li.</i> ) purple-rooted.	—	—	—	H. ⊙.	—	
2	rotúndus. Mil.	( <i>li.</i> ) Turnep-rooted.	—	—	—	H. ⊙.	Lob. ic. t. 201. f. 1.	
3	chinénsis. Mil.	( <i>li.</i> ) oil-seeded.	—	—	—	H. ⊙.	—	
4	niger. DC.	( <i>li.</i> ) black Spanish.	—	—	—	H. ⊙.	Lob. ic. 202. f. 1.	
	<i>α vulgáris.</i> DC.	( <i>li.</i> ) long-rooted.	—	—	—	H. ⊙.	Wein. phyt. t. 860. f. c.	
	<i>β rotúndus.</i> DC.	( <i>li.</i> ) round-rooted.	—	—	—	H. ⊙.	— t. 860. f. b.	
	<i>γ griseus.</i> DC.	( <i>li.</i> ) grey.	—	—	—	H. ⊙.	—	
5	orbiculáris. Mil.	( <i>li.</i> ) white Spanish.	—	—	—	H. ⊙.	—	
6	caudátus. DC.	( <i>pu.</i> ) long-podded.	Java.	1815.	5. 8.	H. ⊙.	Lin. f. dec. 1. t. 10.	
7	Raphanistrum. DC.	( <i>va.</i> ) wild.	Britain.	....	4. 8.	H. ⊙.	Eng. bot. 856.	
	<i>α álbum.</i>	( <i>wh.</i> ) white-flowered.	—	....	—	H. ⊙.	Wein. phyt. t. 862. f. a.	
	<i>β purpuráscens.</i> ( <i>pu.</i> )	purple-flowered.	—	....	—	H. ⊙.	— t. 862. f. b.	
	<i>ζ flavum.</i>	( <i>ye.</i> ) yellow-flowered.	—	....	—	H. ⊙.	J. Bauh. h. 2. p. 844. ic.	
8	Landra. DC.	( <i>ye.</i> ) Italian.	Italy.	1827.	4. 6.	H. ♂.	Deles. ic. sel. 2. t. 94.	
9	marítimus. DC.	( <i>ye.</i> ) sea-side.	Britain.	....	5. 7.	H. ♂.	Eng. bot. 1643.	

Subordo IV. SPIROLOBEÆ. DC. *systema*. 2. p. 670.

## Tribus XVII. BUNIADEÆ seu Spirolobæ Nucamentaceæ. DC.

BUNIAS. DC.		BUNIAS.	Tetradynamia	Siliculosa.	L.			
1	Erucágo. DC.	( <i>ye.</i> ) prickly-podded.	S. Europe.	1640.	6. 7.	H. ⊙.	Jacq. aust. 4. t. 340.	
2	áspera. DC.	( <i>ye.</i> ) rough.	Portugal.	1823.	6. 7.	H. ⊙.	—	
3	orientális. DC.	( <i>ye.</i> ) oriental.	Levant.	1795.	5. 7.	H. ♀.	Schk. han. 2. t. 189.	

## Tribus XVIII. ERUCARIEÆ seu Spirolobæ Lomentaceæ. DC.

ERUCARIA. DC.		ERUCARIA.	Tetradynamia	Siliquosa.	L.			
1	aléppica. DC.	( <i>pu.</i> ) Aleppo.	Levant.	1680.	7. 8.	H. ⊙.	Vent. h. cels. t. 64.	
	<i>Cordylócarpus lævigátus.</i> w.	—	—	—	—	—	—	
2	crassifólia. DC.	( <i>pu.</i> ) thick-leaved.	Egypt.	1828.	7. 9.	H. ⊙.	Delil. pl. bot. t. 34. f. 1.	

Subordo V. DIPLECOLOBEÆ. DC. *systema*. 2. p. 676.

## Tribus XIX. HELIOPHILEÆ seu Diplecobæ Siliquosæ. L.

HELIOPHILA. DC.		HELIOPHILA.	Tetradynamia	Siliquosa.	L.			
1	filifórmis. DC.	( <i>pu.</i> ) awl-podded.	C. B. S.	1786.	7. 9.	H. ⊙.	Lam. ill. t. 563. f. 3. ?.	
2	dissécta. DC.	( <i>bl.</i> ) cut-leaved.	—	1822.	6. 8.	H. ⊙.	—	
3	tenuisliqua. DC.	( <i>bh.</i> ) slender-podded.	—	—	—	H. ⊙.	Deles. ic. sel. 2. t. 96.	
4	amplexicaulis. DC.	( <i>bh.</i> ) stem-clasping.	—	1774.	6. 9.	H. ⊙.	Jacq. frag. t. 64. f. 2.	
5	rivális. DC.	( <i>wh.</i> ) rivulet.	—	1819.	—	H. ⊙.	—	
6	péndula. DC.	( <i>wh.</i> ) pendulous	—	1792.	—	H. ⊙.	Lam. ill. t. 562. f. 2.	
	<i>pinnàta.</i> Vent. malm. t. 113. non. L.	—	—	—	—	—	—	

7	<i>trifida</i> . DC.	( <i>pu.</i> )	trifid-leaved.	C. B. S.	1819.	6. 9.	H. ☉.	
	<i>pinnata</i> . L.	non.	Vent.					
8	<i>pusilla</i> . DC.	( <i>wh.</i> )	small.	————	1824.	—	H. ☉.	Pluk. mant. t. 432. f. 2.
9	<i>lepidioides</i> . L.	( <i>wh.</i> )	Cress-like.	————	—	—	H. ☉.	
10	<i>diffusa</i> . DC.	( <i>wh.</i> )	spreading.	————	1820.	—	H. ☉.	
11	<i>Peltaria</i> . DC.	( <i>wh.</i> )	small-white.	————	—	—	H. ☉.	
12	<i>pilosa</i> . DC.	( <i>bl.</i> )	hairy.	————	1768.	—	H. ☉.	
	<i>α integrifolia</i> . DC.	( <i>bl.</i> )	entire-leaved.	————	—	—	H. ☉.	Jacq. ic. 3. t. 506.
	<i>β incisa</i> . DC.	( <i>bl.</i> )	cut-leaved.	————	—	—	H. ☉.	Bot. mag. 496.
	<i>arabioides</i> . B.M.							
13	<i>stricta</i> . B.M.	( <i>bl.</i> )	upright.	————	1824.	—	H. ☉.	Bot. mag. 2526.
14	<i>digitata</i> . DC.	( <i>bl.</i> )	fingered.	————	1819.	—	H. ☉.	Bot. reg. 838.
15	<i>coronopifolia</i> . DC.	( <i>bl.</i> )	Buck's-horn-ld.	————	1778.	6. 7.	H. ☉.	Herm. lugd. t. 367.
16	<i>pectinata</i> . DC.	( <i>wh.</i> )	pectinated.	————	1819.	—	H. ☉.	
17	<i>fœniculacea</i> . DC.	( <i>pu.</i> )	Fennel-leaved.	————	1774.	6. 9.	H. ☉.	
18	<i>crithmifolia</i> . DC.	( <i>bh.</i> )	Samphire-ld.	————	1816.	—	H. ☉.	Deles. ic. sel. 2. t. 97.
19	<i>platysliqua</i> . DC.	( <i>bh.</i> )	flat-podded.	————	1774.	7. 8.	G. ☽.	
20	<i>linearifolia</i> . DC.	( <i>bl.</i> )	linear-leaved.	————	1819.	—	G. ☽.	
21	<i>scoparia</i> . DC.	( <i>bh.</i> )	Broom-like.	————	1802.	—	G. ☽.	Deles. ic. sel. 2. t. 98.
22	<i>incana</i> . DC.	( <i>pu.</i> )	hoary.	————	1774.	5. 8.	G. ☽.	
23	<i>Cleomoides</i> . DC.	( <i>wh.</i> )	Cleome-like.	————	1802.	1. 12.	G. ☽.	Deles. ic. sel. 2. t. 99.
	<i>Cheiranthus strictus</i> . W.							

Tribus XX. *SUBULARIÆ* seu *Diplocolobæ* *Latisepæ*. DC.

SUBULARIA. DC.	AWLWORT.	Tetradynamia	Siliculosa. L.					
aquatica. DC.	( <i>wh.</i> )	water.	Britain.	....	7.	H.w.☉.		Eng. bot. 732.

Subordo VI. *SCHIZOPETALEÆ*.

SCHIZOPETALUM. B.M.	SCHIZOPETALUM.	Tetradynamia	Siliquosa. L.					
Walkeri. B.M.	( <i>wh.</i> )	Walker's.	Chili.	1822.	7. 9.	H.☉.		Brown bot. reg. 752.

ORDO XIV.

CAPPARIDEÆ. DC. *prodr.* 1. p. 237.

Tribus I. *CLEOMEÆ*. DC.

PERITOMA. DC.	PERITOMA.	Monadelphia	Hexandria.					
serrulatum. DC.	( <i>pu.</i> )	saw-leaved.	Missouri.	1823.	6. 8.	H. ☉.		
		<i>Cleome serrulata</i> . Ph.						
GYNANDROPSIS. DC.	GYNANDROPSIS.	Monadelphia	Hexandria.					
1 sessilifolia. DC.	( <i>wh.</i> )	sessile-leaved.	W. Indies.	1820.	6. 8.	H. ☉.		
		<i>Cleome triphylla</i> . L.?		—	—	H. ☉.		Herm. lugd. 565. ic
3 pentaphylla. DC.	( <i>wh.</i> )	five-leaved.	India.	1640.	—	H. ☉.		Jacq. vind. 1. t. 21.
		<i>Cleome pentaphylla</i> . B.M. 1681.						
4 candelabrum. DC.	( <i>wh.</i> )	chandelier.	W. Indies.	1824.	7. 9.	H. ☉.		Bot. mag. 2656.
		<i>Cleome candelabrum</i> . B.M.						
5 maricata. Scr.	( <i>wh.</i> )	bristly.	.....	1828.	—	S. ☉.		
6 heterotricha. DC.	( <i>wh.</i> )	various-haired.	C. B. S.	1822.	—	H. ☉.		
CLEOME. DC.	CLEOME.	Tetradynamia	Siliquosa. L.					
1 gigantea. DC.	( <i>gr.</i> )	gigantic.	S. America.	1774.	6. 8.	S. ☽.		Jacq. obs. 4. t. 76.
2 heptaphylla. DC.	( <i>wh.</i> )	seven-leaved.	W. Indies.	1820.	—	H. ☉.		
3 spinosa. DC.	( <i>wh.</i> )	white-flowered.	—	1731.	5. 10.	S. ☽.		Marc. bras. t. 34.
4 pungens. DC.	( <i>bh.</i> )	pink-flowered.	S. America.	1812.	7. 8.	S. ☉.		W. hort. ber. 1. t. 18.
		<i>spinosa</i> . B.M. 1640. nec aliorum.						
5 pubescens. B.M.	( <i>wh.</i> )	pubescent.	.....	1815.	7. 8.	H. ☉.		Bot. mag. 1857.

## CAPPARIDÆ.

6	rõsea. DC.	(ro.)	rose-coloured.	Brazil.	1825.	5. 8.	S. ☉.	Bot. reg. 960.
7	monophylla. DC.	(ye.)	simple-leaved.	E. Indies.	1759.	—	H. ☉.	Rheed. mal. 9. t. 34.
	<i>β zeylànica.</i> DC.	(ye.)	Ceylon.	—	—	—	H. ☉.	Burm. zeyl. t. 100. f. 2.
8	procumbens. DC.	(wh.)	procumbent.	W. Indies.	1798.	—	S. ♀.	Jacq. amer. t. 120.
9	violànea. DC.	(vi.)	violet-coloured.	Portugal.	1776.	6. 7.	H. ☉.	Schk. han. 2. t. 189. f. 1.
10	Dilleniàna. DC.	(ye.)	Dillenius's.	Levant.	1732.	—	H. ☉.	Dill. elt. t. 266. f. 345.
	<i>ornithopodioides.</i> W.							
11	ibérica. DC.	(ye.)	Iberian.	Iberia.	1820.	—	H. ☉.	
12	virgàta. DC.	(ye.)	twiggy.	Persia.	....	—	H. ☉.	Buxb. cent. 1. t. 9. f. 2.
13	arábica. DC.	(ye.)	Arabian.	Arabia.	1794.	—	H. ☉.	Lin. f. dec. t. 8.
14	flàva. DC.	(ye.)	yellow.	N. Holland.	1825.	7. 10.	H. ☉.	
15	polygàma. DC.	(wh.)	polygamous.	W. Indies.	1822.	6. 7.	H. ☉.	Slo. jam. t. 124. f. 1.
16	aculeata. DC.	(wh.)	prickly.	S. America.	—	—	H. ☉.	
17	Houstòni. DC.	(fl.)	Houstoum's.	W. Indies.	1730.	—	S. ☉.	Mart. dec. t. 45.
18	diffùsa. DC.	(wh.)	spreading.	Brazil.	1823.	—	H. ☉.	
19	micrántha. DC.	(wh.)	small-flowered.	.....	1824.	6. 10.	S. ♀.	
POLANI'SIA. DC.				POLANI'SIA.		Dodecandria Monogynia. L.		
1	Chelidòni. DC.	(ro.)	Celandine-fl'd.	E. Indies.	1790.	7. 10.	S. ☉.	
	<i>Clèdme Chelidòni.</i> L.							
2	gravèolens. DC.	(pu.)	strong-scented.	N. America.	....	—	H. ☉.	Corn. can. 131. ic.
3	viscòsa. DC.	(ye.)	viscid.	Ceylon.	1730.	—	S. ☉.	Rheed. mal. 9. t. 23.
4	dodecàndra. DC.	(pu.)	three-leaved.	—	1795.	—	S. ☉.	Burm. zeyl. t. 100. f. 1.
	<i>Clèdme dodecàndra.</i> L.							
5	unigliandulòsa. DC.	(w.)	one-glanded.	S. America.	1823.	—	H. ☉.	Cav. ic. 4. t. 306.

## Tribus II. CAPPARÆ. DC.

CRATÆVA. DC.		CRATÆVA.		Dodecandria Monogynia. L.				
1	gynàndra. DC.	(wh.)	thin-leaved.	Jamaica.	1789.	....	S. ♀.	Pluk. alm. t. 147. f. 6.
2	Tàpia. DC.	(wh.)	Garlick Pear.	S. America.	1752.	....	S. ♀.	Plum. gen. t. 21.
3	Roxbùrghii. B.	(wh.)	Roxburgh's.	E. Indies.	1822.	....	S. ♀.	
	<i>Cápparis trifoliàta.</i> H.B.							
RITCHIÆA. B.		RITCHIÆA.		Dodecandria Monogynia.				
	fràgrans. DC.	(wh.)	fragrant.	Sierra Leon.	1795.	6. 7.	S. ♀. ~.	Bot. mag. 596.
	<i>Cratæva fragrans.</i> B.M.		<i>capparoides.</i> A.R.					t. 176.
NIEB'UHRIA. DC.		NIEB'UHRIA.		Polyandria Monogynia. L.				
1	càfra. DC.	(wh.)	Caffrarian.	C. B. S.	1820.	....	G. ♀.	
2	madagascariénsis. DC.	(w.)	Madagascar.	Madagascar.	1822.	....	S. ♀.	
3	oblongifòlia. DC.	(wh.)	oblong-leaved.	E. Indies.	1823.	....	S. ♀. ~.	
	<i>Cápparis heterochlita.</i> H.B.							
BO'SCIA. DC.		BO'SCIA.		Dodecandria Monogynia. L.				
	senegalénsis. DC.	(wh.)	Senegal.	Senegal.	1822.	....	S. ♀.	Lam. ill. t. 395. f. 2.
CAPPARIS. DC.		CAPER-TREE.		Polyandria Monogynia. L.				
1	mariàna. DC.	(wh.)	heart-leaved.	Timor.	1822.	....	S. ♀.	Jacq. Schœnb. t. 109.
2	rupèstris. DC.	(wh.)	rock.	Crete.	....	7. 10.	F. ♀. ~.	Flor. græc. t. 487.
	<i>spinòsa.</i> B.M. 291.		nec aliorum.					
3	spinòsa. DC.	(wh.)	common.	S. Europe.	1596.	5. 8.	G. ♀. ~.	Flor. græc. t. 486.
4	ovàta. W.	(wh.)	oval-leaved.	Mauritania.	....	—	G. ♀. ~.	Boc. sic. t. 42. f. 3.
	<i>Fontànèsii.</i> DC.							
5	herbàcea. DC.	(wh.)	herbaceous.	Tauria.	1819.	—	H. ♀.	
6	ægýptia. DC.	(wh.)	Egyptian.	Egypt.	1822.	....	G. ♀.	Delil. fl. eg. t. 31. f. 3.
7	aphylla. DC.	(wh.)	leafless.	E. Indies.	—	....	S. ♀.	
8	zeylànica. DC.	(wh.)	Ceylon.	Ceylon.	—	....	S. ♀. ~.	
9	acuminàta. DC.	(wh.)	acuminate.	E. Indies.	1821.	....	S. ♀. ~.	Braam ic. chin. t. 29. ?
10	frondòsa. DC.	(g.p.)	large-leaved.	Carthagera.	1800.	....	S. ♀.	Jacq. amer. t. 104.
11	triflòra. DC.	(wh.)	three-flowered.	S. America.	....	....	S. ♀.	
12	cynophallòphora. DC.	(wh.)	Bay-leaved.	W. Indies.	1752.	....	S. ♀.	Jacq. amer. t. 98.
13	eustachiàna. DC.	(pu.)	purple-flower'd.	—	1822.	....	S. ♀.	— ed. pict. t. 146.
14	saligna. DC.	.....	Willow-leaved.	S. Cruz.	1807.	....	S. ♀.	
15	lineàris. DC.	(wh.)	linear-leaved.	W. Indies.	1793.	....	S. ♀.	Jacq. amer. t. 102.
16	verrucòsa. DC.	(wh.)	wart-podded.	Carthagera.	1823.	....	S. ♀.	— t. 99.
17	pulchèrrima. DC.	(st.)	handsome.	—	....	....	S. ♀.	Jacq. amer. t. 106.
	<i>arborèscens.</i> Mil.							
18	amygdalina. DC.	(wh.)	Almond-leaved.	S. America.	1819.	....	G. ♀.	Plum. gen. 40. t. 16.

19	odoratissima. DC. (pu.)	sweet-scented.	Caracas.	1814.	....	S. h̄.	Jacq. schœn. t. 110.
20	tenuisfliqua. DC. (wh.)	slender-podded.	Carthagena.	1822.	....	S. h̄.	Jacq. amer. t. 105.
21	ferruginea. DC. (wh.)	ferruginous.	Jamaica.	....	....	S. h̄.	_____ t. 100.
	<i>octândra.</i> Jacq.						
22	Bréynia. DC. (wh.)	Oleaster-leav'd.	W. Indies.	1752.	....	G. h̄. ✓.	Jacq. amer. t. 103.?
23	jamaicensis. DC. (wh.)	Jamaica.	_____	1793.	....	S. h̄. ✓.	_____ t. 101.
24	torulosa. DC. (wh.)	twisting.	_____	1819.	....	S. h̄. ✓.	
STEPHANIA. DC.		STEPHANIA.	Hexandria Monogynia.				
	cleomoides. DC. (o.y.)	Cleome-like.	Caracas.	1823.	....	S. h̄.	Jacq. schœn. t. 111.
	<i>Capparis paradôxa.</i> Jacq.	<i>Steriphoma cleomoides.</i> s.s.					
MORISONIA. DC.		MORISONIA.	Monadelphia Polyandria. L.				
	americana. DC. (wh.)	American.	Caribees.	1824.	....	S. h̄.	Jacq. amer. t. 97.

ORDO XV.

RESEDACEÆ. DC. *theor. ed. 1. p. 214.*

RE'SEDA. W.	RE'SEDA.	Dodecandria Trigynia. L.					
1	Lutœola. w. (st.)	Dyers weed.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. 320.
2	crispata. L. en. (st.)	curled-leaved.	S. Europe.	1820.	—	H. ⊙.	
3	virescens. s.s. (st.)	greenish.	Spain.	—	—	H. ⊙.	
4	canescens. s.s. (wh.)	hoary.	Egypt.	1597.	5. 7.	H. ♀.	Clus. hist. 1. t. 295.
5	glauca. s.s. (wh.)	glaucous.	S. Europe.	1700.	—	F. ♀.	Pluk. alm. t. 107. f. 2.
6	scoparia. s.s. (wh.)	Broom-like.	Teneriffe.	1815.	8. 9.	G. h̄.	
7	dipetala. s.s. (wh.)	two-petaled.	C. B. S.	1774.	8.	G. ♂.	
8	linifolia. s.s. (wh.)	flax-leaved.	S. Europe.	1820.	7. 8.	F. ♂.	
9	subulata. Del. (wh.)	awl-leaved.	Egypt.	1827.	6. 8.	H. ♂.	
10	chinensis. s.s. (wh.)	Chinese.	China.	1824.	—	H. ♂.	
11	sesamoides. s.s. (wh.)	spear-leaved.	France.	1787.	—	H. ⊙.	All. ped. 2. t. 88. f. 3.
12	mediterranea. s.s. (w.)	Mediterranean.	Palestine.	1791.	6. 9.	H. ⊙.	Jacq. ic. 3. t. 475.
13	odorata. s.s. (st.)	Mignonette.	Egypt.	1752.	6. 10.	H. ⊙.	Bot. mag. 29.
	<i>β frutescens.</i> B.R. (st.)	<i>tree mignonette.</i>	.....	—	—	G. h̄.	Bot. reg. 227.
14	Phyteuma. s.s. (wh.)	trifid.	S. Europe.	—	6. 9.	H. ⊙.	Jacq. aust. 2. t. 132.
15	incisa. T.C. (wh.)	cut-leaved.	Italy.	1825.	—	H. ⊙.	
16	ramosissima. s.s. (wh.)	branching.	Spain.	1816.	—	H. ♀.	
17	saxatilis. s.s. (wh.)	rock.	_____	—	—	H. ♀.	
	<i>stricta.</i> P.S.						
18	pruinosa. s.s. (wh.)	papillose-l'd.	Egypt.	1823.	—	H. ♀.	
19	lutea. s.s. (st.)	Base-rocket.	Britain.	....	7. 8.	H. ♂.	Eng. bot. 321.
20	undata. s.s. (wh.)	wave-leaved.	Spain.	1739.	6. 8.	H. ♀.	Barrel. rar. t. 587.
21	alba. s.s. (wh.)	upright-white.	S. Europe.	1596.	5. 10.	H. ♂.	Lobel. ic. 222.
22	fruticulosa. s.s. (wh.)	frutescent.	Spain.	1794.	9.	G. h̄.	Jacq. ic. 3. t. 474.
23	bipinnata. s.s. (wh.)	bipinnate.	_____	1816.	6. 8.	G. h̄.	
24	myriophylla. T.C. (st.)	numerous-l'd.	Italy.	1825.	—	H. ♀.	

ORDO XVI.

DATISCEÆ. *Brown in app. to Denham and Clap. trav. p. 25.*

DATISCA. L.	DATISCA.	Diœcia Dodecandria. L.					
1	cannabinâ. L. (ye.)	Hemp-like.	Levant.	1640.	7. 9.	H. ♀.	Schkuhr han. 3. t. 336.
2	hirta. w. (ye.)	hairy.	Pensylvania.	1826.	9. 10.	H. ♀.	

## ORDO XVII.

FLACOURTIANÆ. *DC. prodr.* 1. p. 255.Tribus I. *PATRISEÆ. DC.*

RYANÆA. DC.	RYANÆA. Polyandria Monogynia.				
speciosa. DC.	( <i>re.</i> ) beautiful.	Trinidad.	1822.	.... S. h.	Vahl. ecl. 1. p. 51. t. 9.
<i>Patrisia pyrifera.</i>	P.S.				

Tribus II. *FLACOURTIEÆ. DC.*

FLACOURTIA. DC.	FLACOURTIA. Diœcia Polyandria. L.				
1 Ramóntchi. DC.	( <i>wh.</i> ) shining-leaved.	Madagascar.	1775.	6. 7. S. h.	L. Her. strip. 59. t. 30.
2 sápidá. DC.	( <i>wh.</i> ) esculent.	E. Indies.	1800.	.... S. h.	Roxb. cor. 1. t. 69.
3 inermis. DC.	( <i>wh.</i> ) unarmed.	Moluccas.	1814.	10. 2. S. h.	Bot. reg. ined.
4 sepiária. DC.	( <i>wh.</i> ) obovate-leaved.	Coromandel.	1820.	.... S. h.	Roxb. cor. 1. t. 68.
5 cataphrácía. DC.	( <i>wh.</i> ) many-spined.	E. Indies.	1804.	.... S. h.	
6 rotundifólia. H.B.	( <i>wh.</i> ) round-leaved.	—	1823.	.... S. h.	
7 flavescens. DC.	( <i>st.</i> ) yellow-flower'd.	Guinea.	1780.	.... S. h.	
8 rhamnóides. DC.	( <i>wh.</i> ) Rhamnus like.	C. B. S.	1819.	.... G. h.	

Tribus III. *KIGGELARIEÆ. DC.*

KIGGELARIA. DC.	KIGGELARIA. Diœcia Decandria. L.				
1 africána. DC.	( <i>wh.</i> ) African.	C. B. S.	1683.	5. 6. G. h.	Lam. ill. t. 821.
2 integrifólia. DC.	( <i>wh.</i> ) entire-leaved.	—	1819.	— G. h.	Jacq. ic. rar. t. 628.
MELICYTUS. DC.	MELICYTUS. Diœcia Pentandria.				
ramiflorus. DC.	.... branch-flow'rd.	N. Zealand.	1822.	.... G. h.	Lam. ill. t. 812. f. 1.

## ORDO XVIII.

BIXINEÆ. *DC. prodr.* 1. p. 259.

BIXA. DC.	ANOTTA. Polyandria Monogynia. L.				
1 purpúrea. ( <i>pu.</i> )	purple.	E. Indies.	1820.	.... S. h.	
2 Orellána. DC.	( <i>ro.</i> ) heart-leaved.	S. America.	1690.	5. 8. S. h.	Bot. mag. 1456.
3 Urcurána. w.	( <i>ro.</i> ) white-leaved.	Brazil.	1823.	.... S. h.	
LÆTIA. DC.	LÆTIA. Polyandria Monogynia. L.				
Thámnia. DC.	.... shining-leaved.	Jamaica	....	.... S. h.	Browne jam. t. 25. f. 2.
PROCKIA. DC.	PROCKIA. Polyandria Monogynia. L.				
1 Crúcis. DC.	( <i>gr.</i> ) oval-leaved.	Santa Cruz.	....	.... S. h.	Vahl symb. 3. t. 64.
2 serráta. DC.	( <i>gr.</i> ) saw-leaved.	Montserrat.	1822.	.... S. h.	
3 theæfórmis. DC.	( <i>gr.</i> ) Tea-leaved.	Bourbon.	—	.... S. h.	Bory voy. 2. t. 24.
<i>Lúdia heterophýlla.</i>	Bory. non. Lam.				
L'UDIA. DC.	L'UDIA. Polyandria Monogynia. L.				
1 heterophýlla. DC.	( <i>gr.</i> ) various-leaved.	Mauritius.	1822.	.... S. h.	Lam. ill. t. 466. f. 1. 2.
2 sessiliflora. DC.	( <i>bl.</i> ) sessile-flower'd.	—	—	.... S. h.	Jacq. schœnb. 1. t. 112.
<i>tuberculáta.</i>	Jacq.				

## ORDO XIX.

CISTINEÆ. *DC. prodr.* 1. p. 263.

CISTUS. DC.	ROCK-ROSE. Polyandria Monogynia. L.				
1 candidissimus. DC.	( <i>ro.</i> ) Canary Island.	Canaries.	1817.	6. 9. F. h.	Swt. Cist. t. 3.
2 vaginátus. DC.	( <i>ro.</i> ) oblong-leaved.	Teneriffe.	1779.	4. 8. F. h.	— t. 9.

3	álbidus. DC.	(ro.)	white-leaved.	S. Europe.	1640.	5. 9.	H. ♀.	Swt. cist. t. 31.
4	incānus. DC.	(li.)	hoary-leaved.	————	1596.	5. 8.	F. ♀.	———— t. 44.
5	canéscens. s.c.	(pu.)	narrow hoary.	————	....	—	F. ♀.	———— t. 45.
6	villōsus. DC.	(pu.)	villous.	————	1640.	—	F. ♀.	———— t. 35.
7	rotundifolius. s.c.	(pu.)	round-leaved.	————	....	—	F. ♀.	———— t. 75.
8	undulātus. DC.	(pu.)	wave-leaved.	————	....	—	H. ♀.	———— t. 63.
9	heterophyllus. DC.	(p.)	various-leaved.	Algiers.	....	—	F. ♀.	———— t. 6.
10	crispus. DC.	(pu.)	curled-leaved.	S. Europe.	1656.	—	F. ♀.	———— t. 22.
11	créticus. DC.	(pu.)	Cretan.	Levant.	1731.	—	F. ♀.	Flor. græc. t. 495.
12	purpureus. DC.	(pu.)	purple.	————	....	6. 8.	F. ♀.	Swt. cist. t. 17.
13	cymōsus. DC.	(li.)	cyme-flowered.	————	....	—	F. ♀.	———— t. 90.
	incānus. Flor. græc. t.	494.	nec aliorum.	————	—	—	—	—
14	parviflorus. DC.	(li.)	small-flowered.	————	1821.	—	F. ♀.	Swt. cist. t. 14.
15	Cupaniānus. s.s.	(wh.)	heart-leaved.	Sicily.	....	6. 10.	H. ♀.	———— t. 70.
16	asperifolius. s.c.	(wh.)	rough-leaved.	.....	....	—	H. ♀.	———— t. 87.
17	acutifolius. s.c.	(wh.)	acute-leaved.	S. Europe.	....	5. 8.	H. ♀.	———— t. 78.
18	salvifolius. DC.	(wh.)	Sage leaved.	Europe.	1548.	5. 9.	H. ♀.	———— t. 54.
19	obtusifolius. s.c.	(wh.)	blunt-leaved.	Levant.	....	—	F. ♀.	———— t. 42.
20	oblongifolius. s.c.	(wh.)	oblong-leaved.	.....	....	6. 10.	H. ♀.	———— t. 67.
21	corbariēnsis. DC.	(wh.)	mountain.	S. France.	....	5. 6.	H. ♀.	———— t. 8.
22	platysépalus. s.c.	(wh.)	broad-sepaled.	Levant.	....	6. 8.	F. ♀.	———— t. 47.
23	florentinus. DC.	(wh.)	Florentine.	Italy.	....	6. 7.	H. ♀.	———— t. 59.
24	monspeñsiēnsis. DC.	(w.)	Montpelier.	S. Europe.	1656.	—	F. ♀.	———— t. 27.
25	Lédon. DC.	(wh.)	many-fl'd. gum.	S. France.	1730.	6. 8.	H. ♀.	Duham. arb. 1. t. 66.
26	hirsūtus. DC.	(wh.)	hairy.	Spain.	1656.	—	H. ♀.	Swt. cist. t. 19.
27	psilosépalus. s.c.	(wh.)	smooth-calyc'd.	.....	....	—	H. ♀.	———— t. 33.
28	lāxus. DC.	(wh.)	waved-leaved.	Spain.	1656.	—	H. ♀.	———— t. 12.
29	populifolius. s.c.	(wh.)	Poplar-leaved.	————	....	5. 6.	H. ♀.	———— t. 23.
30	latifolius. s.c.	(wh.)	broad-leaved.	Barbary.	....	—	F. ♀.	———— t. 15.
31	laurifolius. DC.	(wh.)	Laurel-leaved.	S. Europe.	1731.	6. 8.	H. ♀.	———— t. 52.
32	cyprius. DC.	(wh.)	common-gum.	Cyprus.	....	—	H. ♀.	———— t. 39.
	ladaniferus. Bot. mag.	112.	nec. aliorum.	C. undulatus. L. en?	—	—	—	—
33	ladaniferus. DC.	(wh.)	flat-leaved gum.	Spain.	1629.	—	F. ♀.	—
	α albiflorus. DC.	(wh.)	white-flowered.	————	—	—	F. ♀.	Swt. cist. t. 84.
	β maculātus. DC.	(w.p.)	spot-flowered.	————	—	—	F. ♀.	———— t. 1.
34	Clusii. DC.	(wh.)	Clusius's.	Spain.	....	—	H. ♀.	———— t. 32.
<b>HELIA NTHEMUM. DC. SUN-ROSE. Polyandria Monogynia. L.</b>								
1	Libanōtis. DC.	(wh.)	Rosemary-like.	Spain.	1752.	6.	F. ♀.	Barr. ic. 294.
2	umbellātum. DC.	(wh.)	umbel-flowered.	S. Europe.	1731.	6. 8.	F. ♀.	Swt. cist. t. 5.
3	ocymoides. DC.	(ye.)	Basil-like.	————	....	—	F. ♀.	———— t. 13.
	Cistus sampsucifolius.	Cav. ic. 1. t. 96.	————	————	—	—	—	—
4	alyssoïdes. DC.	(ye.)	Alyssum-like.	————	....	—	F. ♀.	Vent. choix. t. 20.
5	rugōsum. DC.	(ye.)	rugose.	Portugal.	....	—	F. ♀.	Swt. cist. t. 65.
6	scabrōsum. DC.	(ye.)	rough.	Italy.	1775.	—	F. ♀.	———— t. 81.
7	algarvénsis. DC.	(ye.)	Algarvian.	Portugal.	1800.	7. 8.	F. ♀.	———— t. 40.
	Cistus algarvénsis.	B.M. 627.	————	————	—	—	—	—
8	formōsum. DC.	(ye.)	beautiful.	————	1780.	5. 7.	F. ♀.	Swt. cist. t. 50.
	Cistus formōsus.	B.M. 264.	————	————	—	—	—	—
9	atriplicifolium. DC.	(y.)	Orach-leaved.	Spain.	1656.	6. 7.	F. ♀.	Barr. ic. t. 292.
10	microphyllum. s.c.	(y.)	small-leaved.	S. Europe.	....	6. 10.	F. ♀.	Swt. cist. t. 96.
11	lasiānthemum. DC.	(ye.)	downy.	Portugal.	1822.	7. 9.	F. ♀.	—
12	involverātum. DC.	(ye.)	short-pedicled.	S. Europe.	1826.	6. 8.	F. ♀.	—
13	cāndidum. s.c.	(ye.)	white-leaved.	Spain.	1822.	—	F. ♀.	Swt. cist. t. 25.
14	chêranthoïdes. DC.	(y.)	Stock-like.	————	1800.	7. 8.	F. ♀.	———— t. 107.
15	halimifolium. s.c.	(ye.)	Sea-Purslane-ld	————	1656.	—	F. ♀.	———— t. 4.
16	rosmarinifolium. DC.	(y.)	Rosemary-ld.	N. America.	1823.	—	H. ♀.	—
17	glomerātum. DC.	(ye.)	cluster-flower'd.	New Spain.	—	6. 9.	F. ♀.	Swt. cist. t.
18	ramuliflorum. DC.	(ye.)	branch-flower'd.	Carolina.	1823.	—	H. ♀.	—
19	canadēnsis. DC.	(ye.)	Canadian.	Canada.	1799.	—	H. ♀.	Swt. cist. t. 21.
20	carolinianum. DC.	(ye.)	Carolina.	Carolina.	1823.	—	F. ♀.	———— t. 99.
21	brasiliēnsis. DC.	(st.)	Brazilian.	Brazil.	—	6. 8.	F. ♀.	———— t. 43.
22	polygalæfolium. s.c.	(ye.)	Milkwort-leav'd.	————	—	—	F. ♀.	———— t. 11.
23	lignōsum. s.c.	(ye.)	woody-stemm'd.	S. Europe.	1810.	—	F. ♀.	———— t. 46.
24	Tuberāria. DC.	(ye.)	Plantain-leav'd.	————	1752.	—	F. ♀.	———— t. 18.
25	plantagineum. DC.	(ye.)	Plantain like.	————	1823.	—	H. ♂.	—
26	guttātum. DC.	(ye.)	spotted-flower'd.	England.	....	6. 8.	H. ♂.	Eng. bot. 544.
27	eriocaulon. DC.	(ye.)	wooly-stalked.	Spain.	1823.	—	H. ♂.	Swt. cist. t. 30.
28	punctātum. DC.	(ye.)	punctated.	France.	1816.	—	H. ♂.	———— t. 61.
29	lunulātum. DC.	(ye.)	lunulate-mark'd.	Piedmont.	....	—	H. ♀.	All. auct. p. 30. t. 2. f. 3.

30 villôsum. DC.	(st.) villous.	Spain.	1823.	—	H. ⊙.	
31 nilôticum. DC.	(st.) Nile.	Egypt.	....	—	H. ⊙.	
32 ledifôlium. DC.	(st.) Ledum-leaved.	England.	....	—	H. ⊙.	Swt. cist. t. 41.
33 intermêdium. DC.	(ye.) intermediate.	Spain.	1759.	—	H. ⊙.	Cav. ic. t. 144.
<i>salicifôlium</i> . Cav.						
34 denticulâtum. DC.	(ye.) tooth-leaved.	S. France.	1828.	—	H. ⊙.	
35 salicifôlium. DC.	(ye.) Willow-leaved.	—	—	—	H. ⊙.	Swt. cist. t. 71.
36 sanguineum. DC.	(ye.) bloody-stalked.	—	1823.	—	H. ⊙.	
<i>retrofractum</i> . P.S.						
37 ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1764.	—	H. ⊙.	Jacq. obs. 3. t. 68.
38 Lippii. DC.	(ye.) small-petaled.	—	1820.	—	F. h.	
39 ellipticum. DC.	(st.) elliptic-leaved.	Levant.	1827.	—	F. h.	Swt. cist. t. 108.
40 confertum. DC.	(ye.) close-flowered.	Teneriffe.	....	6. 7.	F. h.	
41 canariense. DC.	(ye.) Canary.	Canaries.	1790.	—	F. h.	Jacq. ic. 1. t. 97.
42 ericoides. DC.	(ye.) Heath-leaved.	S. Europe.	....	6. 8.	F. h.	Cav. ic. 2. t. 172.
43 Fumana. DC.	(ye.) Heath-like.	—	1752.	—	F. h.	Swt. cist. t. 16.
44 procumbens. DC.	(ye.) procumbent.	—	....	—	F. h.	— t. 68.
45 arabicum. DC.	(sc.) Arabian.	Levant.	1826.	—	F. h.	— t. 97.
46 lævipes. DC.	(ye.) cluster-leaved.	—	1690.	—	G. h.	— t. 24.
47 viride. DC.	(ye.) green-leaved.	Sicily.	1828.	—	F. h.	
48 juniperinum. DC.	(ye.) Juniper-leaved.	—	....	—	G. h.	Barr. ic. t. 443.
49 Barrelieri. DC.	(ye.) Barrelier's.	Italy.	1822.	—	F. h.	— t. 416.
50 thymifôlium. DC.	(ye.) Thyme-leaved.	Spain.	1658.	—	F. h.	Swt. cist. t. 102.
51 glutinosum. DC.	(ye.) clammy.	—	1790.	—	F. h.	— t. 83.
52 môle. DC.	(ye.) soft.	—	....	—	F. h.	Cav. ic. 3. t. 262. f. 2.
53 organifôlium. DC.	(ye.) Marjoram-ld.	—	1795.	—	F. h.	— 3. t. 262. f. 1.
54 dichotomum. DC.	(ye.) forked.	—	....	—	F. h.	— 3. t. 263. f. 1.
55 celandicum. DC.	(ye.) smooth-leaved.	Europe.	1816.	—	H. h.	Swt. cist. t. 85.
56 alpêtre. DC.	(ye.) alpine.	—	....	—	H. h.	— t. 2.
57 penicillatum. DC.	(ye.) pencilled.	S. Europe.	....	—	H. h.	
58 obovatum. DC.	(ye.) obovate-leaved.	Spain.	1826.	—	F. h.	
59 italicum. DC.	(ye.) Italian.	Italy.	1779.	7. 9.	H. h.	Barr. rar. t. 366.
60 vineale. DC.	(ye.) slender-trailing.	Europe.	1823.	—	H. h.	Swt. cist. t. 77.
61 canum. DC.	(ye.) hoary.	—	1772.	6. 7.	F. h.	— t. 56.
62 marifôlium. DC.	(ye.) Marum-leaved	—	....	—	F. h.	Barr. rar. t. 441.
63 pulchellum. S.C.	(ye.) neat.	S. Europe.	....	—	H. h.	Swt. cist. t. 71.
64 rotundifôlium. DC.	(ye.) round-leaved.	Spain.	1826.	—	F. h.	Cav. ic. 2. t. 142.
<i>Cistus nummularius</i> . Cav. non L.						
65 crassifôlium. DC.	(ye.) thick-leaved.	—	....	—	F. h.	
66 cinereum. DC.	(ye.) gray.	Spain.	....	—	F. h.	Cav. ic. 2. t. 141.
67 squammatum. DC.	(ye.) scaly.	—	1815.	—	F. h.	— 2. t. 139.
68 lavandulæfôlium. DC.	(ye.) Lavender-ld.	Levant.	1739.	—	F. h.	Barr. ic. t. 288.
β syriacum. DC.	(ye.) Syrian.	Syria.	—	—	F. h.	Jacq. ic. 1. t. 96.
69 stœchadifôlium. DC.	(y.) woolly-leaved.	Portugal.	1819.	—	F. h.	
70 croceum. DC.	(ye.) Saffron-colour.	Spain.	....	—	F. h.	Swt. cist. t. 53.
71 nudicaule. DC.	(ye.) naked-stalked.	—	1826.	—	F. h.	
72 glaucum. DC.	(ye.) glaucous-leaved.	—	1815.	6. 8.	F. h.	Cav. ic. 3. t. 261.
73 leptophyllum. DC.	(ye.) narrow-leaved.	—	....	7. 8.	F. h.	Swt. cist. t. 20.
74 serpyllifôlium. DC.	(ye.) Serpyllum-ld.	England.	....	5. 9.	H. h.	— t. 60.
75 vulgare. DC.	(ye.) common.	Britain.	....	—	H. h.	— t. 34.
β flore pleno.	(ye.) double-flowered.	—	....	—	H. h.	— t. 64.
76 surrejanum. DC.	(ye.) dotted-leaved.	England.	....	7. 10.	H. h.	— t. 28.
β tomentosum.	(ye.) woolly-leaved.	—	....	—	H. h.	— t. 34. f. 3.
77 ovatum. DC.	(ye.) ovate-leaved.	Geneva.	....	6. 8.	H. h.	Viv. frag. 1. t. 8. f. 2.
78 lucidum. H.	(ye.) glossy-leaved.	.....	1827.	—	H. h.	
79 tauricum. S.C.	(p.y.) Taurian.	Tauria.	1824.	—	H. h.	Swt. cist. t. 105.
80 Andersoni. S.C.	(ye.) Anderson's.	Hybrid.	1827.	5. 10.	H. h.	— t. 89.
81 grandiflorum. DC.	(ye.) large-flowered.	Pyrenees.	1800.	—	H. h.	— t. 69.
82 sampsucifôlium. (p.y.)	rough dwarf.	Montpelier.	....	—	H. h.	Bot. mag. 1803.
<i>Cistus sampsucifolius</i> . B.M. non Cav.						
83 nummularium. DC.	(ye.) Money-wort.	—	1752.	—	H. h.	Swt. cist. t. 80.
84 angustifôlium. DC.	(ye.) distinct-petaled.	.....	1800.	—	H. h.	Jacq. vind. 3. t. 53.
85 hirtum. DC.	(ye.) bristly-calyxed.	Spain.	1759.	—	F. h.	Swt. cist. t. 109.
86 barbatum. P.S.	(ye.) bearded.	S. Europe.	1820.	—	H. h.	— t. 73.
87 eriosépalon. S.C.	(p.y.) woolly-sepaled.	—	....	—	H. h.	— t. 76.
88 rotatum. ....	rotate.	.....	1828.	....	F. h.	
89 racemosum. DC.	(wh.) long-racemed.	S. Europe.	....	—	F. h.	Swt. cist. t. 82.
90 pilosum. DC.	(wh.) hairy.	—	1731.	—	F. h.	— t. 49.
91 lineare. DC.	(wh.) linear-leaved.	—	1824.	6. 8.	F. h.	— t. 48.

92	virgatum. DC. ( <i>p.r.</i> ) slender.	Barbary.	—	—	F. $\frac{1}{2}$ .	Swt. cist. t. 79.
93	apenninum. DC. ( <i>wh.</i> ) Apennine.	Europe.	—	—	H. $\frac{1}{2}$ .	— t. 62.
94	hispidum. DC. ( <i>wh.</i> ) hispid.	S. France.	—	—	H. $\frac{1}{2}$ .	—
95	pulverulentum. DC. ( <i>w.</i> ) powdered.	—	....	—	H. $\frac{1}{2}$ .	Swt. cist. t. 29.
96	canescens. S.C. ( <i>cr.</i> ) canescent.	—	....	—	H. $\frac{1}{2}$ .	— t. 51.
97	rhodanthum. DC. ( <i>ro.</i> ) rose-flowered.	Spain.	....	—	H. $\frac{1}{2}$ .	— t. 7.
98	diversifolium. S.C. ( <i>re.</i> ) various-leaved.	—	....	—	5. 9. F. $\frac{1}{2}$ .	— t. 95.
	<i><math>\beta</math> multipléx. S.C. (<i>re.</i>) full-flowered.</i>	—	....	—	F. $\frac{1}{2}$ .	— t. 98.
99	cupreum. S.C. ( <i>co.</i> ) copper-colour'd.	Hybrid.	....	—	F. $\frac{1}{2}$ .	— t. 66.
100	versicolor. S.C. ( <i>p.r.</i> ) various-colour'd.	—	....	—	H. $\frac{1}{2}$ .	— t. 26.
101	venustum. S.C. ( <i>sc.</i> ) charming.	—	....	—	H. $\frac{1}{2}$ .	— t. 10.
	<i><math>\beta</math> flore pleno. (sc.) double-flowered.</i>	—	....	—	H. $\frac{1}{2}$ .	—
102	variegatum. S.C. ( <i>r.w.</i> ) striped-flower'd.	Hybrid.	....	—	F. $\frac{1}{2}$ .	Swt. cist. t. 38.
103	lanceolatum. S.C. ( <i>w.</i> ) spear-leaved.	—	....	—	H. $\frac{1}{2}$ .	— t. 100.
104	polifolium. DC. ( <i>wh.</i> ) white-mountain.	England.	....	—	5. 7. H. $\frac{1}{2}$ .	— t. 88.
105	confusum. S.C. ( <i>wh.</i> ) confused.	Europe.	....	—	H. $\frac{1}{2}$ .	— t. 91.
106	macranthum. S.C. ( <i>w.</i> ) great-flowered.	—	....	—	H. $\frac{1}{2}$ .	— t. 103.
	<i><math>\beta</math> multipléx. S.C. (<i>wh.</i>) full-flowered.</i>	—	....	—	H. $\frac{1}{2}$ .	— t. 104.
107	mutabile. DC. ( <i>p.r.</i> ) changeable.	Spain.	1795.	6. 7.	H. $\frac{1}{2}$ .	— t. 106.
108	roseum. DC. ( <i>ro.</i> ) rosy.	S. Europe.	....	—	H. $\frac{1}{2}$ .	— t. 55.
	<i><math>\beta</math> multipléx. DC. (<i>ro.</i>) double-rose.</i>	—	....	—	H. $\frac{1}{2}$ .	— t. 86.
109	Milléri. S.C. ( <i>sa.</i> ) Miller's.	—	....	—	H. $\frac{1}{2}$ .	— t. 101.
110	hyssopifolium. DC. ( <i>v.</i> ) Hyssop-leaved.	Italy.	....	—	F. $\frac{1}{2}$ .	—
	<i>a crocatum. S.C. (<i>sa.</i>) saffron-colour'd.</i>	—	....	—	F. $\frac{1}{2}$ .	Swt. cist. t. 92.
	<i><math>\beta</math> cupreum. S.C. (<i>co.</i>) copper-coloured.</i>	—	....	—	F. $\frac{1}{2}$ .	— t. 58.
	<i><math>\gamma</math> multipléx. S.C. (<i>co.</i>) full-flowered.</i>	—	....	—	F. $\frac{1}{2}$ .	— t. 72.
111	foetidum. DC. ( <i>wh.</i> ) Bryony-scented.	—	....	—	H. $\frac{1}{2}$ .	Jacq. ic. 1. t. 98.
112	sulphureum. DC. ( <i>st.</i> ) sulphur-colour'd.	Spain.	1815.	—	H. $\frac{1}{2}$ .	Swt. cist. t. 37.
113	stramineum. S.C. ( <i>st.</i> ) straw-coloured.	—	....	—	H. $\frac{1}{2}$ .	— t. 93.
	<i><math>\beta</math> multipléx. S.C. (<i>st.</i>) full-flowered.</i>	—	....	—	H. $\frac{1}{2}$ .	— t. 94.
HUDSONIA. DC.		HUDSONIA.	Dodecandria	Monogynia.	L.	
1	ericoides. DC. ( <i>ye.</i> ) Heath-like.	N. America.	1805.	5. 7.	F. $\frac{1}{2}$ .	Swt. cist. t. 36.
2	tomentosa. N. ( <i>ye.</i> ) tomentose.	—	1826.	6. 8.	F. $\frac{1}{2}$ .	— t. 57.
LECH'EA. DC.		LECH'EA.	Tri-Dodecandria	Trigynia.		
1	villosa. DC. ( <i>ye.</i> ) villous.	Canada.	1780.	7. 8.	H. $\frac{1}{4}$ .	Lam. ill. t. 52. f. 2.
	<i>majör. Ph. non</i>	Lin. <i>minor</i>	L. <i>non</i>	Ph.		
2	minor. DC. ( <i>ye.</i> ) lesser.	—	1802.	—	H. $\frac{1}{4}$ .	Lam. ill. t. 52. f. 1.
3	thymifolia. DC. ( <i>ye.</i> ) Thyme-leaved.	N. America.	1823.	—	H. $\frac{1}{4}$ .	—

ORDO XX.

VIOLARIEÆ. DC. *prodr.* 1. p. 287.

Tribus I. VIOLEÆ. DC.

CALYPTRION. DC.		CALYPTRION.	Pentandria	Monogynia.		
Aublétii. DC. ( <i>wh.</i> ) Aublet's.	—	S. America.	1820.	....	S. $\frac{1}{2}$ .	Aub. gui. 2. t. 319.
<i>Viola Hybanthus. Aub. Jonidium Aubléti. R. s.</i>						
NOISE'TTIA. DC.		NOISE'TTIA.	Pentandria	Monogynia.		
1	longifolia. DC. ( <i>wh.</i> ) long-leaved.	Cayenne.	1822.	....	S. $\frac{1}{2}$ .	Nov. g. am. t. 409. b. f. 2.
	<i>Jonidium longifolium. R. s.</i>					
2	pyrifolia. Mart. ( <i>wh.</i> ) Pear-leaved.	Brazil.	1822.	....	S. $\frac{1}{2}$ .	Mart. n. pl. bras. ic.
VIOLA. DC.		VIOLET.	Pentandria	Monogynia.		
1	pedata. DC. ( <i>bl.</i> ) cut-leaved.	N. America.	1759.	5. 8.	H. $\frac{1}{4}$ .	Swt. br. fl. gar. t. 69.
2	flabellifolia. B.C. ( <i>b.p.</i> ) fan-leaved.	—	1822.	—	H. $\frac{1}{4}$ .	Lod. bot. cab. 777.
	<i>pedata <math>\beta</math> atropurpurea. DC. pedata var. bicolor. Ph.</i>					
3	digitata. Ph. ( <i>bl.</i> ) finger-leaved.	Virginia.	1824.	—	H. $\frac{1}{4}$ .	—
4	palmata. DC. ( <i>bl.</i> ) palmated.	—	1752.	5. 6.	H. $\frac{1}{4}$ .	Bot. mag. 535.
5	asarifolia. DC. ( <i>bl.</i> ) Asarum-leaved.	—	1823.	—	H. $\frac{1}{4}$ .	—
6	papilionacea. DC. ( <i>bl.</i> ) variegated.	—	1800.	—	H. $\frac{1}{4}$ .	—
7	obliqua. Ph. ( <i>bl.</i> ) oblique-flower'd.	—	1762.	—	H. $\frac{1}{4}$ .	—
8	cucullata. Ph. ( <i>bl.</i> ) hollow-leaved.	—	1772.	5. 7.	H. $\frac{1}{4}$ .	Bot. mag. 1795.
9	pinnata. R. s. ( <i>pu.</i> ) winged-leaved.	Europe.	1752.	5. 6.	H. $\frac{1}{4}$ .	All. m. taur. 3. t. 5. f. 2.
10	multifida. R. s. ( <i>pu.</i> ) multifid.	Siberia.	—	—	H. $\frac{1}{4}$ .	Gmel. sib. 4. t. 48. f. 4.

11	variegâta. DC.	( <i>pu.</i> ) variegated-ld.	Dahuria.	1818.	5. 6.	H. 2.	
12	primulæfôlia. DC.	( <i>bl.</i> ) Primrose-ld.	N. America.	1783.	4. 6.	H. 2.	
13	lanceolâta. DC.	( <i>wh.</i> ) spear-leaved.	—	1759.	6. 7.	F. 2.	Swt. br. fl. gar. 2. t. 174.
14	Patrîniî. DC.	( <i>bl.</i> ) Siberian.	Siberia.	—	—	H. 2.	
15	cæspitôsa. D.P.	( <i>pu.</i> ) tufted.	Nepaul.	1825.	5. 8.	F. 2.	
	<i>Patrîniî</i> $\gamma$ <i>napaulensis</i> . DC.	<i>primulæfôlia</i> .	Buch. non L.	—	—	—	
16	palmarîs. D.P.	( <i>ye.</i> ) long-petioled.	—	—	—	F. 2.	
17	ovâta. DC.	( <i>bl.</i> ) oval-leaved.	N. America.	1822.	—	H. 2.	
18	sagittâta. DC.	( <i>b.w.</i> ) arrow-leaved.	—	1775.	—	H. 2.	
19	dentâta. Ph.	( <i>bl.</i> ) large-toothed.	Pensylvania.	1828.	—	H. 2.	
20	betonicæfôlia. DC.	( <i>pu.</i> ) Betony-leaved.	N. S. W.	1823.	—	F. 2.	
21	Fischëri.	( <i>pu.</i> ) Fischer's.	Siberia.	1823.	5. 7.	H. 2.	
	<i>suâvis</i> . F. non. M.B.	—	—	—	—	—	
22	palûstris. DC.	( <i>pa.</i> ) marsh.	Britain.	....	5. 6.	H. 2.	Eng. bot. 444.
23	blânda. DC.	( <i>wh.</i> ) white-flowered.	N. America.	1802.	5. 7.	H. 2.	W. hort. ber. 1. t. 24.
24	rotundifôlia. DC.	( <i>ye.</i> ) round-leaved.	—	1800.	—	H. 2.	
25	sordîa. W.	( <i>pu.</i> ) white-rooted.	—	1802.	4. 6.	H. 2.	W. hort. ber. 1. t. 72.
26	âspera. DC.	( <i>wh.</i> ) rough.	Nepaul.	1825.	5. 8.	F. 2.	
27	hîrta. E.B.	( <i>bl.</i> ) hairy.	England.	....	—	H. 2.	Eng. bot. 894.
28	ambîgua. R.S.	( <i>pu.</i> ) ambiguous.	Danube.	1822.	—	H. 2.	W. et K. hung. t. 190.
29	campëstris. M.B.	( <i>pu.</i> ) field.	Tauria.	1824.	—	H. 2.	
30	hîrsûta. R.S.	( <i>bl.</i> ) hairy-stalked.	Russia.	1824.	1. 12.	H. 2.	
31	collîna. R.S.	( <i>li.</i> ) hill.	Volhynia.	—	5. 8.	H. 2.	
32	cordâta. S.S.	( <i>bl.</i> ) heart-leaved.	N. America.	—	5. 7.	H. 2.	
33	suâvis. M.B.	( <i>p.b.</i> ) fragrant.	Siberia.	1823.	3. 5.	H. 2.	
34	odorâta. DC.	( <i>vi.</i> ) sweet-scented.	Britain.	....	3. 10.	H. 2.	Eng. bot. t. 619.
	<i>a violacea.</i>	( <i>vi.</i> ) violet-coloured.	—	....	—	H. 2.	
	$\beta$ <i>rosea.</i>	( <i>ro.</i> ) rose-coloured.	—	....	—	H. 2.	
	$\gamma$ <i>alba.</i>	( <i>wh.</i> ) white-flowered.	—	....	—	H. 2.	
	$\delta$ <i>cærûlea.</i>	( <i>bl.</i> ) blue-flowered.	—	....	—	H. 2.	
	$\epsilon$ <i>purpûreo-plêna.</i>	( <i>pu.</i> ) double-purple.	—	....	—	H. 2.	
	$\zeta$ <i>âlbo-plêna.</i>	( <i>wh.</i> ) double-white.	—	....	—	H. 2.	
	$\theta$ <i>cærûleo-plêna.</i>	( <i>bl.</i> ) double-blue.	—	....	—	H. 2.	
	$\eta$ <i>pâllido-plêna.</i>	( <i>p.b.</i> ) Neapolitan.	Naples.	—	—	H. 2.	
35	uliginôsa. DC.	( <i>pu.</i> ) fen.	Carniola.	1822.	4. 5.	H. 2.	
36	mirâbilis. DC.	( <i>w.l.</i> ) broad-leaved.	Europe.	1732	6. 8.	H. 2.	Jacq. fl. aust. t. 19.
37	striâta. DC.	( <i>st.</i> ) streaked.	N. America.	1772.	—	H. 2.	
38	ochroleûca. DC.	( <i>st.</i> ) sulphur-color'd.	—	....	—	H. 2.	
39	canîna. DC.	( <i>bl.</i> ) dog's.	Britain.	....	4. 6.	H. 2.	Eng. bot. 620.
40	sylvëstris. R.S.	( <i>p.b.</i> ) wood.	Hungary.	1823.	—	H. 2.	
41	Rîvinianâ. S.S.	( <i>bl.</i> ) Rivini's.	Europe.	....	4. 6.	H. 2.	
42	ericetôrûm. L.en.	( <i>bl.</i> ) heath.	Germany.	1826.	—	H. 2.	
43	neglêcta. R.S.	( <i>p.b.</i> ) neglected.	Bohemia.	1824.	—	H. 2.	
44	dêbilis. DC.	( <i>p.b.</i> ) weak.	N. America.	1820.	—	H. 2.	
45	arenâria. DC.	( <i>bl.</i> ) sand.	Europe.	—	—	H. 2.	Pio viol. p. 20. t. 1. f. 2.
	<i>Alliônî.</i> R.S. <i>nummularifôlia</i> . Schl.	—	—	—	—	—	
46	glâuca. M.B.	( <i>pu.</i> ) glaucous.	Russia.	1820.	—	H. 2.	
47	pûmila. DC.	( <i>p.b.</i> ) small.	Europe.	—	—	H. 2.	Vill. c. stras. t. 5.
48	flavicôrnîs. E.F.	( <i>bl.</i> ) yellow-spurred.	Britain.	....	5. 7.	H. 2.	Raii synops. t. 24. f. 1.
49	montâna. S.S.	( <i>bl.</i> ) mountain.	Europe.	1683.	5. 6.	H. 2.	Bot. mag. 1595.
50	stricta. H.	( <i>p.b.</i> ) upright.	—	1822.	—	H. 2.	
	<i>Hornemannianâ.</i> R.S.	—	—	—	—	—	
51	persicifôlia. S.S.	( <i>bl.</i> ) Peach-leaved.	S. Europe.	1818.	—	H. 2.	Schkuhr hand. 3. t. 269.
52	lâctea. R.S.	( <i>pa.</i> ) cream-coloured.	England.	....	—	H. 2.	Eng. bot. 445.
53	Rûppîi. S.S.	( <i>pa.</i> ) Piedmont.	Piedmont.	1820.	—	H. 2.	Lodd. bot. cab. 686.
54	Broussonetiânâ. R.S.	Broussonet's.	Teneriffe.	1825.	—	G. 2.	
55	arborëscens. DC.	( <i>pa.</i> ) shrubby.	S. Europe.	1779.	4. 5.	G. 2.	Barr. ic. 568.
56	epîpsîla. S.S.	( <i>p.b.</i> ) creeping.	Siberia.	1821.	4. 6.	H. 2.	
57	fennîca. F.	( <i>bl.</i> ) Siberian.	—	1827.	—	H. 2.	
58	Selkirkîi. DC.	..... Selkirk's.	Montreal.	1823.	—	H. 2.	
59	pygmæa. DC.	( <i>p.b.</i> ) pigmy.	Andes.	1822.	7. 11.	H. 2.	
60	biflôra. DC.	( <i>ye.</i> ) two-flowered.	Europe.	1752.	—	H. 2.	Flor. dan. 46.
61	Nuttâlliî. DC.	( <i>ye.</i> ) Nuttal's.	N. America.	1812.	5. 6.	H. 2.	
62	hastâta. DC.	( <i>ye.</i> ) hastate.	—	1823.	5. 7.	H. 2.	
63	albiflôra. L. en.	( <i>wh.</i> ) white-flowered.	—	....	—	H. 2.	
64	canadënsis. DC.	( <i>w.r.</i> ) Canadian.	—	1783.	—	H. 2.	
65	pubëscens. DC.	( <i>ye.</i> ) downy.	—	1772.	6. 7.	H. 2.	Swt. br. fl. gar. 223.
66	ericôarpa. DC.	( <i>ye.</i> ) woolly-capsul'd.	—	1820.	—	H. 2.	102.
67	uniflôra. DC.	( <i>ye.</i> ) Siberian.	Siberia.	1774.	—	H. 2.	Gmel. sib. 4. t. 48. f. 5.

68	chrysántha. Scr. (ye.)	golden-flowered.	.....	1823.	5. 8.	H. ♀.	
69	nummularifólia. DC. (b.)	money-wort.	Piedmont.	—	—	H. ♀.	All. ped. n. 1640. t. 9. f. 4.
70	alpína. DC. (pu.)	alpine.	Austria.	1826.	—	H. ♀.	Jacq. obs. 1. t. 11.
71	cornúta. DC. (bl.)	horned.	Pyrenees.	1776.	5. 6.	H. ♀.	Bot. mag. 791.
72	cenísia. DC. (bl.)	Mount-Cenis.	Switzerland.	1759.	6. 7.	H. ♀.	All. ped. 2. t. 22. f. 6.
73	valdéria. R.S. (pu.)	fringed-leaved.	—	1805.	5. 6.	H. ♀.	— 2. t. 24. f. 3.
74	calcaràta. R.S. (bl.)	spurred.	Europe.	1752.	3. 6.	H. ♀.	
75	Villarsiana. R.S. (bl.)	Villars's.	S. France.	....	—	H. ♀.	Vill. cat. arg. t. 5.
76	Zóysii. R.S. (ye.)	crenated.	Europe.	....	7. 9.	H. ♀.	Jacq. coll. 4. t. 11. f. 1.
77	amœna. DC. (pu.)	purple.	Scotland.	....	5. 8.	H. ♀.	
78	altáica. DC. (ye.)	Tartarian.	Altay.	1805.	3. 6.	H. ♀.	Bot. reg. 54.
	<i>grandiflora</i> . L. non DC.						
	β purpúrea. DC. (pu.)	purple-flowered.	Altay.	....	3. 6.	H. ♀.	Swt. br. fl. gar. ic.
79	prostràta. R.S. (st.)	prostrate.	Teneriffe.	1824.	—	H. ⊙.	
80	sudética. W.en. (ye.)	large-flowered.	Europe.	....	5. 8.	H. ♀.	
	<i>grandiflora</i> . DC. fl. fr. 5. p. 620.						
81	lútea. E.B. (ye.)	large yellow.	Britain.	....	5. 8.	H. ♀.	Eng. bot. 721.
82	saxáttilis. R.S. (st.)	rock.	Bohemia.	1824.	—	H. ♀.	Swt. br. fl. gar. t.
83	rothomagénsis. DC. (b.)	Rouen.	France.	1783.	—	H. ♀.	Bot. mag. 1498.
84	tricolor. R.S. (b.y.)	Heart's-ease.	Britain.	....	4. 11.	H. ♂.	Ced. fl. dan. t. 623.
85	hannática. R.S. (st.)	intermediate.	Hungary.	....	5. 8.	H. ⊙.	
86	arvensis. R.S. (st.)	corn.	Britain.	....	—	H. ⊙.	
87	declinata. R.S. (st.)	declined.	Hungary.	1820.	—	H. ♂.	W. et K. hung. 3. t. 223.
88	Kitabeliana. R.S. (bl.)	Kitabel's.	Switzerland.	1824.	4. 6.	H. ⊙.	
	ERPETION B.F.G.	SPURLESS VIOLET.	Pentandria Monogynia.				
1	hederaceum. (b.w.)	Ivy-leaved.	V. Diem. Isl.	1825.	5. 9.	F. ♀.	Lab. nov. holl. 1. t. 91.
	<i>Viola hederacea</i> . Lab.						
2	renifórme. E.F.G. (b.w.)	kidney-leaved.	N. S. W.	1823.	—	F. ♀.	Swt. br. fl. gar. 170.
	<i>Viola reniformis</i> . B.						
	S'OLEA. DC.	S'OLEA.	Pentandria Monogynia.				
	cóncolor. DC. (gr.)	green-flowered.	N. America.	1788.	6. 7.	H. ♀.	Linn. trans. 6. t. 28.
	POMB'ALIA. DC.	POMB'ALIA.	Pentandria Monogynia.				
	'Itubu. DC. (wh.)	white Ipecacuanha.	Brazil.	1822.	7. 8.	S. ♀.	H. et. B. 5. t. 496. f. 2.
	β calceolaria. (wh.)	willow-stemmed.	—	—	—	S. ♀.	Bot. mag. 2453
	<i>Jonidium Ipecacuanha</i> . β. B.M. 2453.						
	JONIDIUM. DC.	JONIDIUM.	Pentandria Monogynia.				
1	strictum. DC. (wh.)	upright.	St. Domingo.	1820.	....	S. ♀.	
2	polygalafólium. DC. (st.)	Milkwort-ld.	S. America.	1797.	4. 8.	G. ♀.	Vent. malm. 27.
3	verbenaceum. DC. (p.b.)	Vervain-like.	—	1822.	6. 8.	H. ⊙.	H. et B. V. 379. t. 497.

Tribus II. ALSODINEÆ. DC.

	ALSODE'IA. DC.	ALSODE'IA.	Pentandria Monogynia.				
1	arborea. DC. (wh.)	tree.	Madagascar.	1823.	....	S. ♀.	
2	latifolia. DC. (wh.)	broad-leaved.	—	—	....	S. ♀.	Pet. Th. veg. af. t. 18. f. 2.
	CERA'NTHERA. DC.	CERA'NTHERA.	Pentandria Monogynia.				
	dentata. DC. (wh.)	toothed.	Sierra Leone.	1822.	....	S. ♀.	Beauv. fl. d'ow. 2. t. 65.

Tribus III. SAUVAGEÆ. DC.

	SAUVAG'ESIA. DC.	SAUVAG'ESIA.	Pentandria Monogynia.				
1	erecta. DC. (wh.)	upright.	S. America.	1823.	7. 9.	S. ⊙.	Jacq. am. pict. t. 77.
2	nütans. DC. (wh.)	nodding.	Madagascar.	—	—	S. ⊙.	

ORDO XXI.

DROSERACEÆ. DC. prodr. 1. p. 317.

	DR'OSERA. DC.	SUNDEW.	Pentandria Pentagynia.	L.			
1	acaulis. DC. (wh.)	stalkless.	C. B. S.	1821.	7. 8.	G.w. ♀.	
2	pauciflora. DC. (wh.)	few-flowered.	—	—	—	G.w. ♀.	

3	<i>cuneifolia</i> . DC.	( <i>w.r.</i> ) wedge-leaved.	C. B. S.	1824.	6. 8.	G.w. 2.	
	<i>a alba</i> .	( <i>wh.</i> ) white-flowered.	—————	—————	—————	G.w. 2.	
	<i>β rubra</i> .	( <i>re.</i> ) red-flowered.	—————	—————	—————	G.w. 2.	
4	<i>rotundifolia</i> . DC.	( <i>wh.</i> ) round-leaved.	Britain.	....	7. 8.	H.w. 2.	Eng. bot. 867.
5	<i>longifolia</i> . L.	( <i>wh.</i> ) intermediate.	England.	....	—————	H.w. 2.	————— 868.
	<i>intermedia</i> . DC.						
6	<i>americana</i> . W.en.	( <i>wh.</i> ) American.	N. America.	1824.	—————	H.w. 2.	
7	<i>anglica</i> . DC.	( <i>wh.</i> ) great.	—————	....	—————	H.w. 2.	Eng. bot. 869.
	<i>longifolia</i> . D. et H.	3. t. 75. A.					
8	<i>linearis</i> . DC.	( <i>wh.</i> ) linear-leaved.	N. America.	1822.	5. 6.	H.w. 2.	
9	<i>filiformis</i> . Ph.	( <i>pu.</i> ) thready-leaved.	—————	1811.	—————	H.w. 2.	
ALDROVA'NDA. DC.	ALDROVA'NDA.	Pentandria	Pentagynia.	L.			
	<i>vesiculosa</i> . DC.	( <i>wh.</i> ) whorl-leaved.	S. Europe.	1826.	6. 8.	H.w. 2.	Lam. ill. t. 220.
BYBLIS. DC.	BYBLIS.	Pentandria	Monogynia.	L.			
	<i>liniflora</i> . DC.	( <i>bl.</i> ) blue-flowered.	N. S. W.	1803.	5. 6.	G.w. 2.?	Salisb. par. 95.
DION'ÆA. DC.	DION'ÆA.	Decandria	Monogynia.	L.			
	<i>Muscipula</i> . DC.	( <i>wh.</i> ) Venus Flytrap.	Carolina.	1768.	7. 8.	G. 2.	Bot. mag. 785.
PARNA'SSIA. DC.	PARNA'SSIA.	Pentandria	Tetragynia.	L.			
1	<i>palustris</i> . DC.	( <i>wh.</i> ) marsh.	Britain.	....	7. 8.	H.w. 2.	Eng. bot. 82.
2	<i>parviflora</i> . DC.	( <i>wh.</i> ) small-flowered.	N. America.	....	5. 6.	H.w. 2.	
3	<i>caroliniana</i> . DC.	( <i>wh.</i> ) Carolina.	Carolina.	1802.	5. 8.	H.w. 2.	Bot. mag. 1459.
4	<i>asarifolia</i> . DC.	( <i>wh.</i> ) Asarum-leaved.	N. America.	1812.	7. 8.	H.w. 2.	Vent. malm. t. 39.

## ORDO XXII.

POLYGALÆÆ. DC. *prodr.* 1. p. 231.

POLYGALA. DC.	MILKWORT.	Diadelphia	Octandria.	L.			
1	<i>oppositifolia</i> . DC.	( <i>pu.</i> ) opposite-leav'd.	C. B. S.	1790.	1. 12.	G. 2.	Bot. reg. 636.
2	<i>cordifolia</i> . DC.	( <i>pu.</i> ) heart-leaved.	—————	1791.	—————	G. 2.	
3	<i>tetragona</i> . DC.	( <i>pu.</i> ) square-stalked.	—————	1820.	—————	G. 2.	
	<i>attenuata</i> . Lod. bot. cab.	1000. <i>oppositifolia β major</i> .	B.R.	1146.			
4	<i>nummularia</i> . DC.	( <i>pu.</i> ) Moneywort-ld.	C. B. S.	1812.	—————	G. 2.	
5	<i>latifolia</i> . B.R.	( <i>pu.</i> ) broad-leaved.	—————	1820.	—————	G. 2.	Bot. reg. 645.
	<i>cordifolia</i> . B.M. non DC.						
6	<i>borboniæfolia</i> . DC.	( <i>p.</i> ) Borbonia-leav'd.	—————	1790.	—————	G. 2.	
	<i>oppositifolia</i> . B.M. non DC.						
7	<i>grandiflora</i> . B.C.	( <i>pu.</i> ) large-flowered.	—————	1825.	4. 9.	G. 2.	Lodd. bot. cab. 1227.
8	<i>myrtifolia</i> . DC.	( <i>pu.</i> ) Myrtle-leaved.	—————	1707.	5. 8.	G. 2.	Bot. reg. 669.
9	<i>ligularis</i> . DC.	( <i>pu.</i> ) ligulate-leaved.	—————	1820.	—————	G. 2.	————— 637.
10	<i>intermedia</i> . DC.	( <i>pu.</i> ) intermediate.	—————	....	5. 10.	G. 2.	
11	<i>bracteolata</i> . DC.	( <i>pu.</i> ) spear-leaved.	—————	1713.	—————	G. 2.	Bot. mag. 345.
12	<i>linkiana</i> .	( <i>pa.</i> ) slender-leaved.	—————	1820.	—————	G. 2.	
	<i>tenuifolia</i> . L. en. non w.						
13	<i>umbellata</i> .	( <i>pu.</i> ) hispid-stalked.	—————	—————	—————	G. 2.	Burm. afr. t. 73. f. 5.
14	<i>Burmanni</i> . DC.	( <i>pu.</i> ) Burman's.	—————	....	—————	G. 2.	————— t. 73. f. 4.
15	<i>simplèx</i> . DC.	( <i>pu.</i> ) simple-stalked.	—————	1820.	—————	G. 2.	
16	<i>affinis</i> . DC.	( <i>pu.</i> ) blunt-leaved.	—————	1825.	6. 9.	G. 2.	
17	<i>speciosa</i> . DC.	( <i>pu.</i> ) showy.	—————	1814.	—————	G. 2.	Bot. reg. 150.
18	<i>teretifolia</i> . DC.	( <i>pu.</i> ) columnar-ld.	—————	1791.	5. 8.	G. 2.	Andr. rep. 370.
19	<i>Garcini</i> . DC.	( <i>pu.</i> ) slender-branch'd	—————	....	5. 10.	G. 2.	Burm. afr. t. 73. f. 3.
20	<i>majior</i> . DC.	( <i>pu.</i> ) large Austrian.	Austria.	1739.	7. 8.	H. 2.	Jacq. aust. 5. t. 413.
21	<i>vulgaris</i> . DC.	( <i>va.</i> ) common.	Britain.	....	5. 7.	H. 2.	Eng. bot. 76.
	<i>a vera</i> . DC.	( <i>r.b.</i> ) true.	—————	....	—————	H. 2.	Flor. dan. t. 516.
	<i>β pubescens</i> . DC.	( <i>r.b.</i> ) pubescent.	—————	....	—————	H. 2.	
	<i>γ elata</i> . DC.	( <i>r.b.</i> ) tall.	—————	....	—————	H. 2.	Schk. handb. t. 194.
	<i>δ Verviàna</i> . DC.	( <i>wh.</i> ) white-flowered.	—————	....	—————	H. 2.	
	<i>ε acutifolia</i> . DC.	( <i>bl.</i> ) blue-flowered.	—————	....	—————	H. 2.	
	<i>ζ angustifolia</i> . DC.	( <i>ro.</i> ) rose-coloured.	—————	....	—————	H. 2.	
	<i>η grandiflora</i> . DC.	( <i>re.</i> ) red-flowered.	—————	....	—————	H. 2.	
22	<i>amara</i> . DC.	( <i>bl.</i> ) bitter.	Europe.	1775.	—————	H. 2.	Bot. mag. 2437.
23	<i>monspeiaca</i> . DC.	( <i>fl.</i> ) Montpellier.	Montpelier.	1823.	6. 9.	H. 2.	DC. ic. rar. 1. t. 9.
24	<i>incarnata</i> . DC.	( <i>fl.</i> ) flesh-coloured.	N. America.	1812.	6. 7.	H. 2.	
25	<i>cruciata</i> . DC.	( <i>ro.</i> ) four-leaved.	—————	1739.	—————	H. 2.	
26	<i>brevifolia</i> . DC.	( <i>re.</i> ) short-leaved.	—————	1824.	—————	H. 2.	
27	<i>fastigiata</i> . DC.	( <i>re.</i> ) close-branched.	—————	—————	—————	H. 2.	

28 lutea. DC.	(ye.) golden.	N. America.	1739.	6. 7.	H. ☉.	Pluk. am. t. 438. f. 6.
29 nana. DC.	(gr.) dwarf.	—————	1815.	7. 8.	H. ☉.	
30 purpurea. DC.	(ro.) purple.	—————	1739.	7. 9.	H. ☉.	
<i>sanguinea</i> . Mich.						
31 sanguinea. DC.	(cr.) bloody.	—————	—————	—————	H. ☉.	
32 ambigua. DC.	(pu.) ambiguous.	—————	1824.	6. 7.	H. ☉.	
33 verticillata. DC.	(wr.) whorl-leaved.	—————	1739.	—————	H. ☉.	Pluk. am. t. 438. f. 4.
34 paniculata. DC.	(pu.) panicled.	S. America.	1822.	7. 10.	S. ☉.	Bot. reg. 761.
35 graminifolia. DC.	(st.) grass-leaved.	N. America.	—————	6. 7.	F. ♀.	
36 alba. N.	(wh.) white-flowered.	Louisiana.	1827.	6. 7.	H. ♀.	
37 rubella. DC.	(re.) reddish.	N. America.	1828.	—————	H. ♀.	
38 Senege. DC.	(bh.) Rattlesnake-rt.	—————	1739.	—————	H. ♀.	Bot. mag. 1051.
39 paucifolia. DC.	(pu.) naked-stalked.	—————	1791.	5. 6.	H. ♀.	————— 2852.
40 commutata. DC.	(pu.) frutescent.	—————	—————	—————	H. ♀.	
<i>purpurea</i> . H.K. nec aliorum.						
41 Chamæbuxus. DC.	(w.) Box-leaved.	Europe.	1658.	—————	H. ♀.	Bot. mag. 316.
SALOMONIA. DC. SALOMONIA. Monadelphia Tetrandria.						
cantonensis. DC. (wh.) Canton. China. 1824. 6. 8. H. ☉.						
COMESPERMA. DC. COMESPERMA. Monadelphia Octandria.						
1 ericina. DC.	(pu.) Heath-like.	N. S. W.	1822.	5. 8.	G. ♀.	
2 virgata. DC.	(pu.) twiggly.	—————	1826.	—————	G. ♀.	Lab. nov. holl. 2. t. 159.
3 coridifolia. F.T.	(pu.) Coris-leaved.	—————	1822.	—————	G. ♀.	
MURALTIA. DC. MURALTIA. Diadelphia Octandria. L.						
1 Heisteria. DC.	(pu.) Furze-leaved.	C. B. S.	1787.	1. 12.	G. ♀.	Bot. mag. 340.
<i>Polygala Heisteria</i> . B.M.						
2 alopecuroides. DC.	(p.) Fox-tail.	—————	1800.	5. 8.	G. ♀.	Bot. mag. 1006.
<i>Polygala alopecuroides</i> . B.M.						
3 squarrosa. DC.	(li.) squarrose.	—————	1821.	—————	G. ♀.	
4 stipulacea. DC.	(pu.) stipuled.	—————	1801.	4. 9.	G. ♀.	Bot. mag. 1715.
5 juniperifolia. DC.	(re.) Juniper-leaved.	—————	....	—————	G. ♀.	
6 diffusa. DC.	(li.) diffuse.	—————	1800.	1. 12.	G. ♀.	
7 virgata. DC.	(pu.) twiggly.	—————	—————	—————	G. ♀.	
8 linophylla. DC.	(pu.) Flax leaved.	—————	1812.	5. 8.	G. ♀.	
9 macroceras. DC.	(pu.) long-horned.	—————	—————	—————	G. ♀.	
10 mixta. DC.	(li.) Heath-leaved.	—————	1791.	1. 12.	G. ♀.	Bot. mag. 1714.
<i>Polygala mixta</i> . B.M.						
<i>α rubra</i> . (li.) pale red. ———— ———— G. ♀.						
<i>β alba</i> . (wh.) white-flowered. ———— ———— G. ♀.						
11 ciliaris. DC.	(li.) ciliated.	—————	1822.	5. 7.	G. ♀.	
12 humilis. DC.	(pu.) humble.	—————	1817.	5. 8.	G. ♀.	Lodd. bot. cab. 420.
<i>Polygala humilis</i> . B.C.						
13 pubescens. DC.	(li.) pubescent.	—————	1823.	—————	G. ♀.	
MUNDIA. DC. MUNDA. Diadelphia Octandria. L.						
spinosa. DC. (li.) spiny. C. B. S. 1780. 1. 5. G. ♀.						
<i>α latifolia</i> . DC. (li.) broad-leaved. ———— ———— G. ♀.						
<i>β angustifolia</i> . DC. (li.) narrow-leaved. ———— ———— G. ♀.						
SECURIDACA. DC. SECURIDACA. Diadelphia Octandria. L.						
1 virgata. DC.	(v.) slender.	Jamaica.	1822.	....	S. ♀.	Plum. ed. Bur. t. 248. f. 1
2 volubilis. DC.	(re.) climbing.	W. Indies.	1739.	....	S. ♀.	Jacq. amer. t. 183. f. 38.
3 erecta. DC.	(pu.) upright.	—————	1824.	....	S. ♀.	————— t. 183. f. 39.
4 paniculata. DC.	(st.) panicled.	Cayenne.	1820.	....	S. ♀.	Lam. ill. t. 599. f. 2.

## ORDO XXIII.

## TREMANDREÆ. DC. prodr. 1. p. 343.

TETRATHECA. DC. TETRATHECA. Octandria Monogynia.						
1 juncea. DC.	(w.p.) rushy.	N. S. W.	1803.	7. 8.	G. ♀.	Sm. nov. hol. 1. t. 2.
2 glandulosa. DC.	(re.) glandular.	V. Diemen.	1822.	—————	G. ♀.	Lab. nov. hol. 1. t. 123.
3 pilosa. DC.	(re.) hairy.	—————	—————	—————	G. ♀.	————— 1. t. 122.
<i>glandulosa</i> . Ex. bot. 21.						
4 ericifolia. DC.	(r.w.) Heath-leaved.	N. S. W.	—————	—————	G. ♀.	Sm. exot. bot. t. 20.
5 rubiæoides. F.T.	(ro.) Rubia-like.	—————	1823.	6. 8.	G. ♀.	

## ORDO XXIV.

PITTOSPORÆ. DC. *prodr.* 1. p. 345.

BILLARDIÆRA. DC. APPLE-BERRY. Pentandria Monogynia. L.					
1	scândens. DC. (st.) downy-fruited. N. S. W.	1790.	6. 8.	G. h. √.	Swt. fl. aust. t. 54.
2	mutâbilis. DC. (p.s.) changeable. ————	1795.	5. 9.	G. h. √.	Bot. mag. 1313.
3	longiflora. DC. (st.) blue-fruited. V. Diemen.	1810.	—	G. h. √.	1507.
4	fusifôrmis. DC. (bl.) long-fruited. ————	1822.	—	G. h. √.	Lab. nov. holl. t. 90.
5	angustifolia. DC. (st.) narrow-leaved. N. S. W.	—	—	G. h. √.	—
PITTO'SPORUM. DC. PITTO'SPORUM. Pentandria Monogynia. L.					
1	coriâceum. DC. (wh.) thick-leaved. Madeira.	1787.	5. 6.	G. h. √.	Andr. rep. 151.
2	viridiflorum. DC. (gr.) green-flowered. C. B. S.	1806.	—	G. h. √.	Bot. mag. 1684.
3	Tobira. DC. (wh.) glossy-leaved. China.	1804.	3. 8.	G. h. √.	—
4	undulatum. DC. (wh.) wave-leaved. N. S. W.	1789.	2. 6.	G. h. √.	Bot. reg. 16.
5	revolutum. DC. (st.) revolute-leaved. ————	1795.	6. 7.	G. h. √.	— 186.
6	tomentosum. DC. (st.) woolly-leaved. N. Holland.	1825.	6. 7.	G. h. √.	Swt. fl. aust. t. 33.
7	fûlrum. DC. (wh.) tawny. N. S. W.	1824.	1. 5.	G. h. √.	— t. 25.
8	tenuifolium. G. (st.) Willow-leaved. ————	1818.	—	G. h. √.	Gært. fr. 1. t. 59.
9	ferrugineum. DC. (st.) rusty-leaved. Guinea.	1787.	2. 5.	S. h. √.	Bot. mag. 2075.
BURS'ARIA. DC. BURS'ARIA. Pentandria Monogynia. L.					
	spinosa. DC. (wh.) thorny. N. S. W.	1793.	8. 12.	G. h. √.	Bot. mag. 1767.
	<i>Itea spinosa</i> . And. rep. t. 314.				
SEN'ACIA. DC. SEN'ACIA. Pentandria Monogynia. L.					
1	undulata. DC. (wh.) wave-leaved. Mauritius.	1785.	....	S. h. √.	—
2	nepalensis. DC. (wh.) flat-leaved. Nepaul.	1826.	....	G. h. √.	—

## ORDO XXV.

FRANKENIACÆ. DC. *prodr.* 1. p. 349.

FRANKENIA. DC. SEA HEATH. Hexandria Monogynia. L.					
1	pulverulenta. DC. (re.) powdery. England.	....	7.	H. √.	Eng. bot. 2222.
2	nodiflora. DC. (re.) knotted-flow'r'd. C. B. S.	1818.	6. 8.	G. √.	Lam. ill. t. 262. f. 4.
3	Nôthria. DC. (re.) Cape. ————	1816.	—	G. √.	Berg. cap. 171. t. 1. f. 2.
	<i>Nôthria repens</i> . Berg.				
4	lævis. DC. (re.) smooth. England.	....	7. 8.	H. √.	Eng. bot. 205.
5	intermedia. DC. (re.) sea-side. S. Europe.	1820.	6. 8.	H. √.	Mich. gen. t. 22. f. 2.
	<i>hirsuta</i> . var. <i>calábrica</i> . L.				
6	hispida. DC. (re.) hairy. Siberia.	1789.	—	H. √.	Flor. græc. t. 313.
	<i>hirsuta</i> . var. <i>crética</i> . L.				
7	ericifolia. DC. (re.) Heath-leaved. Canaries.	1815.	—	G. h. √.	—
8	pauciflora. DC. (ro.) few-flowered. N. Holland.	1825.	8. 10.	G. h. √.	—

## ORDO XXVI.

CARYOPHYLLÆ. DC. *prodr.* 1. p. 351.

Tribus I. SILENÆ. DC.

GYPSO'PHILA. DC. GYPSO'PHILA. Decandria Digynia. L.					
1	Struthium. DC. (wh.) fleshy-leaved. Spain.	1729.	7. 8.	H. √.	Barr. ic. 64. t. 119.
2	fastigiata. DC. (wh.) angular-leaved. Europe.	1759.	6. 7.	H. √.	Gmel. sib. 4. t. 61. f. 1.
3	dichotoma. DC. (wh.) forked. Galicia.	1826.	6. 8.	H. √.	—
4	arenaria. DC. (wh.) sand. Hungary.	1801.	7. 8.	H. √.	W. et. K. hung. t. 41.
5	viscosa. DC. (bh.) clammy. Levant.	1773.	6. 8.	H. √.	Mur. c. got. 1783. t. 3.
6	altissima. DC. (wh.) upright. Siberia.	1759.	7. 8.	H. √.	Gmel. sib. 4. t. 60.
7	latifolia. F. (wh.) broad-leaved. ————	1824.	6. 9.	H. √.	—

8	perfoliata. DC. (wh.)	perfoliate.	Spain.	1732.	6. 9.	H. ♀.	Dill. elt. t. 276.
	β tomentosa. DC. (wh.)	woolly.	Tauria.	—	—	H. ♀.	Barr. ic. t. 1002.
9	scorzonerifolia. DC. (w.)	Scorzonera-lf.	—	1823.	—	H. ♀.	—
10	acutifolia. DC. (wh.)	sharp-leaved.	Caucasus.	1821.	—	H. ♀.	—
11	paniculata. DC. (wh.)	panicled.	Siberia.	1759.	6. 7.	H. ♀.	Jacq. aust. 5. t. app. 1
12	ascendens. DC. (wh.)	ascending.	Levant.	1819.	—	H. ♀.	Jacq. h. vind. 2. t. 138.
13	elegans. DC. (bh.)	elegant.	Tauria.	1820.	6. 8.	H. ♂.	Swt. br. fl. gar.
14	Stevèni. DC. (wh.)	Steven's.	Iberia.	1817.	—	H. ♀.	—
15	tenuifolia. DC. (ro.)	slender-leaved.	Caucasus.	1824.	—	H. ♀.	—
16	repens. DC. (wh.)	creeping.	Pyrenees.	1774.	7. 9.	H. ♀.	Bot. mag. 1448.
17	dubia. DC. (wh.)	doubtful.	.....	1815.	5. 9.	H. ♀.	—
18	prostrata. DC. (bh.)	trailing.	Siberia.	1759.	7. 9.	H. ♀.	Bot. mag. 1281.
19	murâlis. DC. (li.)	wall.	Europe.	1739.	6. 10.	H. ♂.	Flor. græc. t. 331.
20	serotina. W. en. (wh.)	late-flowering.	Magdeburg.	1816.	—	H. ♂.	—
21	glomerata. DC. (wh.)	round-headed.	Tauria.	1804.	6. 7.	H. ♀.	—
22	saxifraga. DC. (bh.)	small.	Germany.	1774.	7. 8.	H. ♀.	Exot. bot. 2. t. 90.
23	rigida. L. (li.)	rigid.	France.	1769.	6. 8.	H. ♀.	Flor. græc. t. 332.
DIA'NTHUS. DC.		PINK. Decandria Digynia.	L.	—	—	—	—
1	prolifer. DC. (ro.)	proliferous.	England.	....	7. 8.	H. ♂.	Eng. bot. 956.
2	diminutus. w. (ro.)	small-flowered.	S. Europe.	1771.	—	H. ♂.	—
3	Armèria. DC. (re.)	Deptford.	England.	....	7. 9.	H. ♂.	Eng. bot. 317.
4	pseudo-armèria. (re.)	canescent.	Tauria.	1820.	—	H. ♀.	Bot. mag. 2288.
5	armerioides. DC. (re.)	Thrift-like.	New Jersey.	—	—	H. ♂.	—
6	barbatus. DC. (va.)	Sweet-William.	Germany.	1573.	6. 7.	H. ♀.	Bot. mag. 207. 205
	β flore pleno. (va.)	double.	—	—	—	H. ♀.	—
7	latifolia. DC. (cr.)	broad-leaved.	.....	....	5. 11.	H. ♀.	Swt. br. fl. gar. t. 2.
8	aggregatus. DC. (re.)	clustered.	.....	1820.	6. 8.	H. ♀.	—
9	japonicus. DC. (re.)	Japanese.	China.	1804.	6. 10.	F. ♀.	Thunb. jap. t. 23.
10	cephalotes. DC. (re.)	close-headed.	.....	....	6. 9.	H. ♀.	—
11	capitatus. DC. (re.)	headed.	Tauria.	1794.	6. 7.	H. ♀.	—
12	polymorphus. DC. (re.)	variable.	—	1820.	6. 8.	H. ♀.	—
13	diutinus. L. en. (re.)	pedicled.	Hungary.	—	—	H. ♀.	Swt. br. fl. gar.
14	Balbisii. DC. (re.)	Balbis's.	Genoa.	1827.	7. 10.	H. ♀.	Swt. br. fl. gar.
glaucophyllus. H.		—	—	—	—	—	—
15	giganteus. DC. (re.)	gigantic.	Bulgaria.	—	6. 10.	H. ♀.	Swt. br. fl. gar. 288.
16	ferrugineus. DC. (st.)	rusty.	Pyrenees.	1756.	7. 9.	H. ♀.	Barr. ic. t. 497.
17	Carthusianorum. DC. (re.)	Carthusian.	Europe.	1573.	—	H. ♀.	Flor. græc. t. 392.
18	atrorubens. All. (re.)	dark-red.	Ita'y.	1802.	—	H. ♀.	Jacq. ic. 3. t. 467.
19	nânus. (cr.)	dwarf.	Switzerland.	1820.	—	H. ♀.	—
Carthusianorum γ nanus. DC.		—	—	—	—	—	—
20	arborescens. DC. (re.)	arborescent.	Crete.	—	—	F. ♀.	Flor. græc. t. 406.
21	juniperinus. DC. (re.)	Juniper-leaved.	Greece.	1825.	—	F. ♀.	—
22	fruticosus. DC. (re.)	frutescent.	Crete.	1815.	6. 9.	F. ♀.	Flor. græc. t. 407.
23	suffruticosus. DC. (re.)	shrubby.	.....	1804.	6. 7.	F. ♀.	—
24	rupicola. DC. (ro.)	Sicilian.	Sicily.	1825.	6. 8.	H. ♀.	Ten. fl. napol. t. 39.
Bisigniani. T.		—	—	—	—	—	—
25	carolinianus. DC. (re.)	Carolina.	N. America.	1811.	6. 9.	F. ♀.	—
26	caryophylloides. DC. (re.)	Clove-like.	.....	1827.	—	H. ♀.	—
27	âsper. W. en. (re.)	rough-stalked.	Switzerland.	1802.	7. 8.	H. ♀.	—
28	collinus. W. en. (re.)	hill.	Hungary.	1800.	7. 9.	H. ♀.	Parad. lond. 62.
29	umbellatus. DC. (re.)	umbelled.	.....	1825.	—	H. ♀.	—
30	campèstris. DC. (re.)	field.	Tauria.	1815.	7. 8.	H. ♀.	Bot. mag. 1876.
31	alpèstris. DC. (re.)	pasture.	—	1820.	—	H. ♀.	Balb. act. taur. 7. t. 1.
32	nidus. DC. (re.)	glossy.	Hungary.	1821.	6. 8.	H. ♀.	W. et K. hung. 2. t. 191.
33	hirtus. DC. (re.)	hairy.	Dauphny.	—	—	H. ♀.	Vill. delph. 3. t. 46.
34	guttatus. DC. (pu.)	spotted.	Caucasus.	1816.	7. 9.	H. ♀.	—
35	versicolor. DC. (s.r.)	various-colour'd	Russia.	1821.	—	H. ♀.	—
36	pratensis. DC. (st.)	meadow.	Tauria.	—	6. 8.	H. ♀.	—
ochroleucus. L. en. non P. s. tataricus. F.		—	—	—	—	—	—
37	chinensis. DC. (va.)	China.	China.	1713.	7. 9.	H. ♂.	Bot. mag. 28.
	β flore-pleno. (va.)	double-flowered.	—	....	—	H. ♂.	—
38	montanus. DC. (pu.)	mountain.	Caucasus.	1803.	6. 9.	H. ♀.	Bot. mag. t. 1162.
discolor. B.M.		—	—	—	—	—	—
39	ochroleucus. DC. (st.)	straw-coloured.	Levant.	1821.	—	H. ♀.	—
40	Caryophyllus. DC. (va.)	Clove.	England.	....	6. 8.	H. ♀.	Eng. bot. 214.
	β multiplèx. (cr.)	double Clove.	.....	....	—	H. ♀.	—
	γ rubro-cinctus. (wh.)	Hogg's Beauty of Middlesex	Picotee.	—	—	H. ♀.	Swt. flor. guid. 70.
	δ inimitabilis. (w.c.)	Hird's Inimitable	Picotee.	....	—	H. ♀.	— t. 80.
	ε striatulus. (y.r.)	Rosalie de Rohan	Picotee.	....	—	H. ♀.	— t. 23.

ζ	purpureo-cinctus.	(y.p.)	Erasmus Picotee.	....	6. 8.	H. 4.	Swt. nor. guid. 59.
η	Clintônia.	(r.w.)	Hufton's Dutchess of Newcastle Carnation.	....	....	H. 4.	— t. 14.
θ	triumphans.	(p.w.)	Pardoe's Ace of Trumps Carnation.	....	....	H. 4.	— t. 36.
ι	caruleo-purpureus.	(p.w.)	Cordon Bleu Carnation.	....	....	H. 4.	— t. 64.
κ	Franklini.	(r.p.w.)	Franklin's Queen of Hearts Carnation.	....	....	H. 4.	— t. 20.
λ	puëllulus.	(c.r.w.)	Pucelle de Gand Carnation.	....	....	H. 4.	— t. 67.
μ	Leopoldi.	(c.p.w.)	Ives's Prince Leopold Carnation.	....	....	H. 4.	— t. 31.
ν	iricolor.	(c.p.w.)	Cartwright's Rainbow Carnation.	....	....	H. 4.	— t. 9.
ξ	Bacchus.	(s.p.w.)	Davey's Bacchus Carnation.	....	....	H. 4.	— t. 44.
ο	Tarrara.	(s.p.w.)	Hall's Tarrara Carnation.	....	....	H. 4.	— t. 21.
π	pulchella.	(s.p.w.)	Franklin's Tartar Carnation.	....	....	H. 4.	Bot. mag. 39.
ρ	fruticōsus.	(va.)	tree-Carnation.	.....	....	H. 4.	—
σ	imbricatus.	(d.r.)	Wheat-ear.	.....	....	H. 4.	Bot. mag. 1622.
41	sylvēstris.	(re.)	short-scaled. Jurassa.	....	6. 7.	H. 4.	Jacq. ic. rar. t. 82.
	virgineus.	B.M. 1740.	non l.	....	....	....	....
42	longicāulis.	DC. (re.)	long-stalked. Naples.	1824.	....	H. 4.	....
43	monadēlphus.	DC. (wh.)	procumbent. Levant.	....	....	H. 4.	Vent. h. cels. t. 39.
	procūbens.	P.S.	....	....	....	....	....
44	suavēolens.	DC. (sp.)	sweet-scented.	.....	1823.	H. 4.	....
45	Poiretīanus.	DC. (pu.)	Poiret's.	.....	....	H. 4.	....
	β flore-plēno.	(pu.)	double-flowering.	.....	....	H. 4.	....
46	Liboschitzīanus.	DC.	Armenian. Armenia.	.....	1823.	6. 8.	H. 4.
	petr'aus.	M.B. non DC.	....	....	....	....	....
47	sylvaticus.	DC. (cr.)	wood. Ratisbon.	1815.	....	H. 4.	....
48	arbūscula.	B.R. (re.)	China tree. China.	1824.	7. 10.	H. 4.	Bot. reg. 1086.
49	pomeridiānus.	DC. (st.)	afternoon. Palestine.	1804.	....	H. 4.	Parad. lond. 57.
50	leptopetalus.	DC. (wh.)	narrow-petaled. Caucasus.	1814.	....	H. 4.	Bot. mag. 1739.
51	pūngens.	DC. (wh.)	pungent. Spain.	1781.	8. 10.	H. 4.	....
52	bicolor.	DC. (w.p.)	two-coloured. Tauria.	1818.	6. 8.	H. 4.	....
53	furcatus.	DC. (fl.)	forked. Piedmont.	1820.	....	H. 4.	Balb. act taur. 7. f. 2.
54	virginus.	DC. (re.)	virgin. Montpelier.	1732.	....	H. 4.	Dill. elt. 401. t. 385?
55	deltoides.	DC. (re.)	maiden. Britain.	....	6. 10	H. 4.	Eng. bot. 61.
56	glāucus.	L. (wh.)	glaucous.	....	....	H. 4.	....
57	crenatus.	B.R. (wh.)	long-cupped. C. B. S.	1817.	8.	G. 4.	Bot. reg. 256.
58	rigidus.	DC. (pa.)	rigid. Tauria.	1802.	6. 10.	H. 4.	....
59	clavatus.	DC. (fl.)	clubbed.	.....	1824.	6. 8.	H. 4.
60	suavis.	DC. (fl.)	sweet.	.....	1820.	6. 7.	H. 4.
61	repens.	DC. (re.)	climbing. Siberia.	1825.	....	H. 4.	....
62	cæsius.	DC. (fl.)	tufted. Britain.	....	....	H. 4.	Eng. bot. 62.
63	alpinus.	DC. (re.)	Alpine. Austria.	1759.	....	H. 4.	Bot. mag. 1205.
64	glaciālis.	DC. (re.)	acute-leaved. France.	1820.	....	H. 4.	....
65	ēlegans.	DC. (re.)	elegant. Levant.	1825.	....	F. 4.	....
66	multipunctatus.	DC. (sp.)	spotted.	....	6. 9.	F. 4.	....
67	Hornemānni.	DC. (fl.)	Horneman's. Italy.	1822.	6. 7.	H. 4.	....
68	Sternbergii.	DC. (re.)	Sternberg's.	.....	1825.	....	F. 4.
69	petr'aus.	DC. (wh.)	rock. Hungary.	1804.	7. 8.	H. 4.	W. et. K. hung. 3. t. 222.
	β Simsii.	(wh.)	Sims's.	....	....	H. 4.	Bot. mag. 1204.
70	ibericus.	DC. (pu.)	Iberian. Iberia.	1820.	6. 8.	H. 4.	....
	Willdenōwii.	L. en.	....	....	....	....	....
71	ruthenicus.	DC. (re.)	Russian. Russia.	....	....	H. 4.	....
72	dentosus.	F. (re.)	toothed. Siberia.	1826.	....	H. 4.	....
73	Buchtormēnsis.	F. (re.)	Buchtormian. Russia.	....	....	H. 4.	....
74	gālicus.	DC. (wh.)	French. France.	....	....	H. 4.	DC. ic. gall. rar. t. 41.
75	ābens.	DC. (wh.)	white Cape. C. B. S.	1787.	8.	G. 4.	....
76	serrulatus.	DC. (ro.)	serrulate. Tunis.	1826.	....	H. 4.	....
77	pulchēllus.	P.S. (re.)	pretty.	.....	....	H. 4.	....
78	dūbius.	H. (w.p.)	doubtful.	.....	5. 6.	H. 4.	....
	præcox.	W. en.	....	....	....	....	....
79	plumarius.	DC. (wh.)	common. Europe.	1629.	6. 8.	H. 4.	....
	β herōicus.	(w.p.)	Styles's Hero Pink.	.....	....	H. 4.	Swt. flor. guid. 17.
	γ Cheeseanus.	(w.p.)	Cheese's Miss Cheese.	.....	....	H. 4.	— t. 13.
	δ Houseanus.	(w.p.)	House's Woodland Beauty.	....	....	H. 4.	— t. 47.
	ε Uxbridgeanus.	(w.r.)	Dry's Earl of Uxbridge.	....	....	H. 4.	— t. 55.
	ζ Aclandæ.	(w.p.)	Knight's Lady Acland.	....	....	H. 4.	— t. 40.
	η incl'ytus.	(w.p.)	Smith's Champion.	....	....	H. 4.	— t. 27.
	θ Barratti.	(w.p.)	Barratt's Conqueror.	....	....	H. 4.	— t. 32.
	ι regālis.	(w.p.)	Davey's Roi de pourpre.	....	....	H. 4.	— t. 33.
80	adulterinus.	(f.p.)	hybrid. Hybrid.	....	....	H. 4.	....
	β Juliēti.	(f.p.)	Davey's Juliet.	.....	....	H. 4.	Swt. flor. guid. 8.

81	Penry'næ.	( <i>pu.</i> )	Lady Penryn's.	Hybrid.	....	6. 8.	H. ♀.	
	<i>β purpureus.</i>	( <i>pu.</i> )	<i>Davey's Lady Penryn.</i>	—	....	—	H. ♀.	Swt. flor. guid. 41.
82	horténsius. W.en.	( <i>wh.</i> )	garden.	Europe.	1805.	6. 8.	H. ♀.	
83	caucæus. DC.	( <i>wh.</i> )	Caucasian.	Caucasus.	1803.	6. 9.	H. ♀.	Bot. mag. 795.
84	saxátillis. DC.	( <i>wh.</i> )	rock.	France.	....	—	H. ♀.	
85	squarrósus. DC.	( <i>wh.</i> )	squarrose.	Tauria.	1823.	6. 8.	H. ♀.	Bieb. cent. 1. t. 33.
86	Mussini. DC.	( <i>wh.</i> )	Mussin's.	Caucasus.	1825.	—	H. ♀.	
87	frágrans. B.M.	( <i>wh.</i> )	fragrant.	—	1804.	6. 7.	H. ♀.	Bot. mag. 2067.
88	punctátus. DC.	( <i>sp.</i> )	spot-flowered.	.....	1825.	—	H. ♀.	Lodd. bot. cab. 896.
89	serotínus. DC.	( <i>wh.</i> )	late-flowering.	Hungary.	1804.	7. 8.	H. ♀.	W. et K. hung. 2. t. 172.
90	arenárius. DC.	( <i>wh.</i> )	sand.	N. Europe.	....	8.	H. ♀.	Bot. mag. 2038.
91	prostrátus. DC.	( <i>re.</i> )	prostrate.	C. B. S.	....	8. 9.	G. ♀.	Jacq. schoenb. 3. t. 271.
92	fimbriátus. DC.	( <i>re.</i> )	fringed.	Iberia.	1802.	6. 8.	H. ♀.	Bot. mag. 1069.
93	monspessulánus. DC.	( <i>re.</i> )	Montpelier.	Pyrenees.	1764.	7. 8.	H. ♀.	
94	erubescens. Tr.	( <i>bh.</i> )	blush-flowered.	.....	1825.	—	H. ♀.	
95	superbus. DC.	( <i>re.</i> )	superb.	Europe.	1596.	7. 9.	H. ♀.	Bot. mag. 297.
96	Fischéri. DC.	( <i>re.</i> )	Fischer's.	Russia.	1826.	6. 8.	H. ♀.	Swt. br. fl. gar. 245.
VACCARIA. Dod.		VACCARIA.		Decandria Digynia.				
1	sessilifólia.	( <i>re.</i> )	sessile-leaved.	Europe.	1596.	7. 8.	H. ⊙.	Flor. græc. t. 380.
	<i>Saponária Vaccária.</i>	B.M. 2290.	<i>Gypsóphila Vaccária.</i>	F.G.				
2	perfoliáta.	( <i>re.</i> )	perfoliate.	E. Indies.	1820.	—	H. ⊙.	
	<i>Saponária perfoliáta.</i>	DC.						
SAPONARIA. DC.		SOAPWORT.		Decandria Digynia.	L.			
1	officinális. DC.	( <i>bh.</i> )	common.	England.	....	7. 10.	H. ♀.	Eng. bot. t. 1060.
	<i>β flore pléno.</i>	( <i>bh.</i> )	double-flowered.	.....	....	—	H. ♀.	
2	ocymóides. DC.	( <i>ro.</i> )	Basil-leaved.	Europe.	1768.	5. 7.	H. ♀.	Bot. mag. 154.
3	glutinósa. DC.	( <i>re.</i> )	small-flowered.	Tauria.	1823.	—	H. ♂.	— 2855.
4	pórrigens. DC.	( <i>bh.</i> )	hairy.	Levant.	1680.	7. 8.	H. ⊙.	Jacq. vind. 2. t. 109.
5	orientális. DC.	( <i>re.</i> )	small annual.	—	1732.	6. 8.	H. ⊙.	Dill. elt. t. 167. f. 204.
6	depréssa. DC.	( <i>ro.</i> )	depressed.	Sicily.	1828.	—	H. ♀.	Biv. Bon. t. 163. f. 1.
7	cæspitósa. DC.	( <i>ro.</i> )	tufted.	Pyrenees.	1827.	—	H. ♀.	
8	Smithii. DC.	( <i>re.</i> )	Smith's.	Levant.	1828.	—	F. ♀.	Flor. græc. t. 389.
	<i>cæspitósa.</i>	F.G. non DC.						
9	lútea. DC.	( <i>ye.</i> )	yellow.	Switzerland.	1804.	—	H. ♀.	All. ped. t. 23. f. 1.
10	bellidifólia. DC.	( <i>ye.</i> )	Daisy-leaved.	Italy.	....	—	H. ♀.	Smith spic. t. 5.
CUCUBALUS. DC.		CAMPION.		Decandria Trigynia.	L.			
	baccíferus. DC.	( <i>gr.</i> )	berry-bearing.	England.	....	6. 7.	H. ♀.	Eng. bot. 1577.
SILÈNE. DC.		CATCHFLY.		Decandria Trigynia.	L.			
1	acáulis. DC.	( <i>re.</i> )	stemless.	Britain.	....	6. 8.	H. ♀.	Eng. bot. 1081.
	<i>β álba.</i>	DC.	white-flowered.	—	....	—	H. ♀.	
2	pumfílio. DC.	( <i>pu.</i> )	dense.	Germany.	1823.	—	H. ♀.	Stur. deut. 1. fas. 22. t. 11.
3	fimbriáta. DC.	( <i>wh.</i> )	fringe-flower'd.	Crete.	1803.	5. 8.	H. ♀.	Bot. mag. 908.
4	lácea. DC.	( <i>wh.</i> )	jagged-flower'd.	Caucasus.	1818.	—	H. ♀.	— 2255.
5	stelláta. DC.	( <i>wh.</i> )	four-leaved.	N. America.	1696.	6. 8.	H. ♀.	— 1107.
6	infláta. DC.	( <i>wh.</i> )	bladder.	Britain.	....	5. 9.	H. ♀.	Eng. bot. 164.
	<i>Cucubalus Bèhen.</i>	E.B.						
7	linearis.	( <i>wh.</i> )	linear-leaved.	Naples.	1820.	—	H. ♀.	Ten. flor. nap. t. 37.
	<i>Cucubalus angustifólius.</i>	T.N.						
8	Willdenówii.	( <i>wh.</i> )	Willdenow's.	S. Europe.	—	—	H. ♀.	
	<i>Cucubalus gláucus.</i>	W. en. supp.						
9	marítima. E.B.	( <i>wh.</i> )	sea.	Britain.	....	8. 9.	H. ♀.	Eng. bot. 957.
10	fabária. H.K.	( <i>wh.</i> )	thick-leaved.	Sicily.	1731.	6. 8.	F. ♀.	Flor. græc. t. 415.
11	Bèhen. DC.	( <i>bh.</i> )	Cretan.	Crete.	1713.	6. 7.	H. ⊙.	— t. 416.
12	índica. DC.	( <i>pu.</i> )	Indian.	Nepaul.	1824.	—	F. ♀.	
13	viscaginóides. DC.	( <i>w.</i> )	Viscago-like.	Dahuria.	1826.	—	H. ♀.	
14	procumbens. DC.	( <i>wh.</i> )	procumbent.	Siberia.	1820.	—	H. ♀.	Murr. c. gæt. p. 83. t. 2.
15	rubélla. DC.	( <i>re.</i> )	small red.	Portugal.	1732.	5. 6.	H. ⊙.	Flor. græc. t. 426.
16	apétala. DC.	( <i>gr.</i> )	petalless.	Spain.	1801.	6. 7.	H. ⊙.	
17	spergulifólia. DC.	( <i>wh.</i> )	Spurry-like.	Armenia.	1824.	—	F. ♀.	Desf. cor. Tourn. t. 55.
18	Gypsóphila. DC.	( <i>wh.</i> )	Gypsophila-like.	.....	....	—	H. ♀.	
19	angustifólia. DC.	( <i>wh.</i> )	narrow-leaved.	Caucasus.	1824.	—	H. ♀.	
20	Otites. DC.	( <i>st.</i> )	Spanish.	England.	....	7. 8.	H. ♀.	Eng. bot. 85.
	<i>Cucubalus Ofites.</i>	E.B.						
21	wolgénsis. DC.	( <i>wh.</i> )	Wolga.	Wolga.	1821.	6. 8.	H. ♀.	
22	parviflora. DC.	( <i>st.</i> )	small-flowered.	Hungary.	1796.	—	H. ♀.	
23	effúsa. DC.	( <i>st.</i> )	spreading.	Wolga.	1821.	—	H. ♀.	
24	sibírica. DC.	( <i>wh.</i> )	Siberian.	Siberia.	1773.	—	H. ♀.	Hall. g. 1. p. 150. ic.
25	multiflora. DC.	( <i>wh.</i> )	many-flowered.	Hungary.	1794.	—	H. ♂.	W. et K. hung. 1. t. 56.
26	ruthénica. DC.	( <i>wh.</i> )	Russian.	Russia.	1827.	—	H. ♀.	

27	staticifolia. DC.	(wh.) Statice-leaved.	Levant.	1828.	6. 8.	H. ♀.	Flor. græc. t. 434.
28	tatarica. DC.	(wh.) Tartarian.	Tartary.	1769.	—	H. ♀.	
29	gigantea. DC.	(wh.) gigantic.	Africa.	1738.	—	G. ♀.	Flor. græc. t. 432.
30	viscosa. DC.	(wh.) clammy.	Levant.	1739.	7.	H. ♂.	Tourn. it. 2. p. 361. ic.
31	conica. DC.	(fl.) corn	England.	....	6. 7.	H. ○.	Eng. bot. 922.
32	conoides. DC.	(pu.) conoid.	S. Europe.	1683.	—	H. ○.	Clus. his. 1. p. 288. f. 2.
33	undulata. DC.	(re.) wave-leaved.	C. B. S.	1775.	8.	G. ♂.	
34	anglica. DC.	(wh.) English.	England.	....	6. 7.	H. ○.	Eng. bot. 1178.
35	lusitânica. DC.	(fl.) Portugal.	Portugal.	1732.	—	H. ○.	Dill. elt. t. 311. f. 401.
36	tridentata. DC.	(ro.) three-toothed.	Spain.	1824.	—	H. ○.	
37	gallica. DC.	(fl.) French.	France.	1683.	5. 6.	H. ○.	Vail. par. t. 16. f. 12.
38	ocymoides. DC.	(pu.) Basil-like.	.....	1819.	6. 7.	H. ○.	
39	distic <sup>a</sup> . DC.	(ro.) two-ranked.	.....	1817.	—	H. ○.	Schrank, pl. rar. t. 39.
40	cerastoides. DC.	(re.) Cerastium-like.	S. Europe.	1732.	7. 8.	H. ○.	Flor. græc. t. 412.
41	quinquevulnera. DC.	(p.w.) variegated.	England.	....	6. 8.	H. ○.	Eng. bot. 86.
42	nocturna. DC.	(w.re.) spiked.	S. Europe.	1683.	—	H. ○.	Flor. græc. t. 408.
43	reflexa. H.K.	(wh.) reflexed.	.....	1726.	—	H. ○.	Magn. h. mons. 171. ic.
44	mutabilis. H.K.	(bh.) changeable.	.....	1688.	—	H. ○.	
45	micropétala. DC.	(re.) small-petaled.	Chili.	1822.	6. 7.	H. ○.	
46	micrantha. DC.	(re.) small-blossomed.	Portugal.	1825.	—	H. ○.	
47	hirsuta. Lag.	(re.) hairy.	.....	1824.	—	H. ○.	
	<i>sabuletorum</i> . Lk.	<i>hirsutissimum</i> . DC.					
48	canescens. DC.	(re.) canescent.	Naples.	1823.	6. 8.	H. ♀.	Ten. fl. nap. 1. t. 39.
49	decumbens. DC.	(wh.) decumbent.	S. Europe.	1828.	—	H. ○.	
50	diffusa. DC.	(fl.) diffuse.	Italy.	1825.	—	H. ♀.	
51	divaricata. F.G.	(wh.) divaricate.	Levant.	1827.	—	H. ♂.	Flor. græc. t. 414.
	<i>racemosa</i> . DC.						
52	dichotoma. DC.	(wh.) dichotomous.	Hungary.	1791.	—	H. ○.	Flor. græc. t. 413.
53	nyctantha. DC.	(st.) varicous-leaved.	.....	1815.	6. 8.	H. ○.	
54	trinervia. DC.	(re.) three-nerved.	Rome.	1821.	—	H. ○.	
55	bellidifolia. DC.	(re.) Daisy-leaved.	.....	1794.	—	H. ○.	Jacq. vind. 3. t. 81.
56	vespertina. DC.	(re.) evening.	Barbary.	1796.	7. 8.	H. ○.	Swt. br. fl. gar. 58.
	<i>bipartita</i> . Desf.	atl. 1. t. 100.					
57	obtusifolia. DC.	(re.) blunt-leaved.	.....	1823.	6. 8.	H. ○.	
58	colorata. DC.	(fl.) coloured.	.....	1804.	—	H. ○.	
59	crassifolia. DC.	(br.) thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
60	gracilis. DC.	(wh.) slender.	.....	1823.	6. 8.	H. ○.	
61	jeniseensis. DC.	(st.) two-coloured.	Siberia.	1817.	6. 7.	H. ♀.	
62	ciliata. DC.	(pu.) ciliated.	Crete.	1804.	—	H. ○.	
63	pendula. DC.	(re.) pendulous.	Sicily.	1731.	5. 7.	H. ○.	Bot. mag. 114.
64	longicaulis. DC.	(wh.) long-stalked.	Spain.	1818.	6. 7.	H. ○.	
65	secundiflora. DC.	(wh.) side-flowered.	.....	—	—	H. ○.	
66	viscosissima. DC.	(wh.) viscous.	Naples.	1822.	—	H. ○.	
67	quadridentata. DC.	(w.) four-toothed.	Italy.	1783.	5. 6.	H. ○.	Jacq. aust. 2. t. 120.
	<i>Lychnis quadridentata</i> . W.						
68	pusilla. W.en.	(wh.) dwarf.	Hungary.	1804.	6. 7.	H. ♀.	W. et K. hung. 3. t. 212.
69	alpéstris. DC.	(wh.) Austrian.	Austria.	1774.	5. 7.	H. ♀.	Jacq. aust. 1. t. 96.
70	rupéstris. DC.	(re.) rock.	Switzerland.	—	—	H. ♀.	Flor. dan. 4.
71	glaucifolia. DC.	(bh.) glaucous-leav'd.	Spain.	1823.	—	H. ♀.	
72	inaperta. DC.	(st.) unopen-flow'r'd.	S. Europe.	1732.	6. 7.	H. ♀.	Flor. græc. t. 420.
73	clandestina. DC.	(w.p.) hidden-flower'd.	C. B. S.	1801.	—	H. ○.	Jacq. col. sup. t. 3. f. 3.
74	portensis. W.	(pu.) Oporto.	Portugal.	1759.	7. 8.	H. ○.	
75	antirrhina. DC.	(wh.) Snap-dragon.	Virginia.	1732.	6. 7.	H. ○.	Dill. elt. t. 313. f. 403.
76	geminiflora. DC.	(pu.) twin-flowered.	.....	1816.	....	H. ○.	
77	flavescens. DC.	(st.) yellowish.	Hungary.	1804.	—	H. ♀.	W. et K. hung. 2. t. 175.
78	linoides.	(st.) Flax-like.	.....	1817.	7. 8.	H. ○.	
	<i>linifolia</i> . DC.	non Flor. græc.					
79	linifolia. F.G.	(fl.) Flax-leaved.	Levant.	1828.	6. 8.	H. ♀.	Flor. græc. t. 433.
80	cretica. DC.	(re.) Candian.	Candia.	1732.	5. 8.	H. ○.	— t. 422.
81	sedoides. DC.	(re.) Sedum-like.	Crete.	1804.	6. 8.	H. ○.	— t. 425.
82	sicula. Cyr.	(ro.) Sicilian.	S. Europe.	1825.	—	H. ○.	
	<i>divaricata</i> . DC.	non Flor. græc.					
83	Saxifraga. DC.	(w.br.) Saxifrage.	S. Europe.	1640.	—	H. ♀.	Lodd. bot. cab. 454.
84	petraea. DC.	(wh.) fine-toothed.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 2. t. 164.
85	campánula. DC.	(wh.) bell-flowered.	Piedmont.	1822.	—	H. ♀.	All. auct. p. 28. t. 1. f. 3.
86	longipétala. DC.	(g.st.) long-petaled.	Aleppo.	—	—	H. ○.	Flor. græc. t. 419.
87	nütans. E.B.	(wh.) Nottingham.	England.	....	6. 7.	H. ♀.	Eng. bot. 465.
88	infracta. W.K.	(wh.) smooth.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 3. t. 213.
89	latifolia. H.	(wh.) broad-leaved.	Europe.	1825.	—	H. ♀.	

90 saxatilis. B.M.	(st.)	stone.	Siberia.	1800.	6. 7.	H. ♀.	Bot. mag. 689.
91 livida. W. en.	(w.br.)	livid.	Carniola.	1816.	—	H. ♀.	
92 ténuis. DC.	(wh.)	slender.	Siberia.	—	—	H. ♀.	
93 quadrifida. DC.	(wh.)	four-cleft.	Italy.	1820.	—	H. ♀.	
94 viridiflora. DC.	(gr.)	green-flowered.	Portugal.	1739.	—	H. ♂.	Herm. parad. t. 199.
95 chlorántha. DC.	(st.)	pale-flowered.	Germany.	1732.	6. 8.	H. ♀.	Dill. elt. t. 316. f. 408.
96 psammitis. DC.	(st.)	sulphur-colour'd.	.....	1820.	—	H. ♀.	
97 nicaénsis. DC.	(w.p.)	villos-clammy.	S. Europe.	—	—	H. ⊙.	All. ped. t. 44. f. 2.
98 cathólica. DC.	(wh.)	paniced.	Italy.	1711.	7. 9.	H. ♀.	Jacq. vind. 1. t. 59.
99 Mussini. H.	(wh.)	Mussin's.	Russia.	1824.	—	H. ♀.	
100 diversifolia. DC.	(wh.)	various-leaved.	.....	1820.	—	H. ⊙.	
101 répens. DC.	(wh.)	creeping.	Siberia.	1806.	7. 8.	H. ♀.	
102 glauca. DC.	(pu.)	glaucous-leav'd.	.....	1824.	—	H. ⊙.	
103 tenuifolia. DC.	(pu.)	slender-leaved.	Dahuria.	1820.	—	H. ⊙.	
104 virginica. DC.	(re.)	Virginian.	Virginia.	1783.	5. 8.	H. ♀.	Pluk. alm. t. 203. f. 1.
105 Catesbæi. DC.	(cr.)	Catesby's.	Carolina.	....	—	H. ♀.	Catesb. car. 54. ic.
106 stricta. DC.	(re.)	upright.	Spain.	1802.	6. 7.	H. ⊙.	
107 Muscipula. DC.	(re.)	Spanish.	.....	1596.	7. 8.	H. ⊙.	Clus. hist. 1. p. 289. f. 1.
108 noctiflora. DC.	(fl.)	night-flowering.	England.	....	7.	H. ⊙.	Eng. bot. 291.
109 ornata. DC.	(cr.)	dark-coloured.	C. B. S.	1775.	5. 9.	G. ♂.	Bot. mag. 382.
110 córsica. DC.	(st.)	Corsican.	Corsica.	1825.	6. 8.	H. ♀.	Bocc. mus. t. 54.
111 ægyptiaca. DC.	(fl.)	Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
112 sericea. DC.	(fl.)	silky.	Corsica.	1801.	6. 8.	H. ⊙.	All. ped. t. 79. f. 3.
113 picta. DC.	(w.p.)	painted.	Mt. Carmel.	1818.	7. 9.	H. ⊙.	Swt. br. fl. gar. 92.
114 bicolor. DC.	(w.p.)	two-coloured.	France.	—	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 42.
115 lævigata. F.G.	(re.)	smooth.	Greece.	1828.	7. 9.	H. ⊙.	Flor. græc. t. 418.
116 reticulata. DC.	(re.)	netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ⊙.	Desf. atl. 1. t. 99.
117 pensylvànica. DC.	(re.)	Pensylvanian.	N. America.	1806.	6. 9.	H. ♀.	Bot. reg. 247.
<i>incarnata.</i> Bot. cab. 41.							
118 vallésia. DC.	(pu.)	hard-rooted.	Switzerland.	1765.	6. 8.	H. ♀.	All. ped. t. 23. f. 2.
119 fruticosa. DC.	(fl.)	shrubby.	Sicily.	1629.	6. 7.	F. ♀.	Flor. græc. t. 428.
120 cásptica. DC.	(st.)	Caspian.	Caucasus.	1823.	—	H. ♀.	
121 am'œna. DC.	(wh.)	Tartarian.	Tartary.	1779.	7.	H. ♀.	
122 supina. DC.	(wh.)	trailing.	Caucasus.	1804.	6. 8.	H. ♀.	Bot. mag. 1997.
123 depréssa. DC.	(wh.)	depressed.	Iberia.	1823.	—	H. ♀.	
124 paradoxa. DC.	(wh.)	Dover.	England.	....	7.	H. ♀.	Jacq. vind. 3. t. 84.
125 chloræfolia. DC.	(wh.)	Armenian.	Armenia.	1796.	8. 9.	H. ♀.	Bot. mag. 807.
126 ítálica. DC.	(wh.)	Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79. 97
<i>Cucubalus italicus.</i> L.							
127 polyphylla. DC.	(w.p.)	many-leaved.	Austria.	....	6. 7.	H. ♀.	Clus. hist. 1. t. 290.
128 nemoralis. DC.	(wh.)	wood.	Hungary.	1823.	—	H. ♀.	W. et K. hung. 3. t. 249.
129 longiflora. DC.	(wh.)	long-flowered.	.....	1793.	7. 9.	H. ♀.	— 1. p. 7. t. 8.
130 hupleuroides. DC.	(fl.)	spear-leaved.	Persia.	1801.	6. 7.	H. ♀.	Tourn. it. t. 154.
131 pilosa. s.s.	(wh.)	pilose.	Hungary.	1825.	6. 9.	H. ♀.	W. et K. hung. 3. t. 248.
<i>mollissima.</i> W.K.							
132 mollissima. s.s.	(wh.)	velvet.	Italy.	1739.	7. 9.	H. ♀.	
<i>Cucubalus mollissimus.</i> L.							
133 inclûsa. H.	(wh.)	included.	.....	1828.	6. 9.	H. ⊙.	
134 pinguis. H.	(wh.)	fleshy-leaved.	C. Sparte.	1825.	—	H. ⊙.	
135 táurica. F.	(wh.)	Taurian.	Tauria.	1828.	—	H. ♀.	
136 dahûrica. F.	(wh.)	Dahurian.	Dahuria.	1827.	—	H. ♀.	
137 scàbra. F.	(wh.)	rough.	Siberia.	—	—	H. ♀.	
138 marginata. Sct.	(wh.)	margin'd.	.....	1825.	—	H. ♀.	
139 stenopetala. Led.	(re.)	narrow-petaled.	Siberia.	1827.	—	H. ⊙.	
140 saponariæfolia. Sct.	(re.)	Soapwort-ld.	.....	1822.	—	H. ⊙.	
141 Persoonii. Sct.	(wh.)	Persoon's.	Europe.	—	—	H. ♀.	
142 vesicària. (pu.)	(pu.)	bladdered.	Siberia.	1822.	6. 9.	H. ⊙.	
143 règia. DC.	(cr.)	splendid.	N. America.	1811.	5. 8.	G. ♂.	Bot. mag. 1724.
144 Atocion. DC.	(pu.)	Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ⊙.	Jacq. vind. 3. t. 32.
<i>orchidea.</i> H.K. Flor. græc. t. 427.							
145 pseudo-Atocion. DC.	(pu.)	Atlantic.	Atlantic.	1818.	—	H. ⊙.	
146 Arméria. DC.	(re.)	Lobel's.	England.	....	7. 9.	H. ⊙.	Eng. bot. 1398.
<i>a rubra.</i>	(re.)	red-flowered.	.....	....	—	H. ⊙.	
<i>β álba.</i>	(wh.)	white-flowered.	.....	....	—	H. ⊙.	
147 congésta. DC.	(re.)	close-flowered.	Greece.	1816.	—	H. ⊙.	
148 compàcta. DC.	(re.)	compact.	Russia.	1816.	—	H. ♂.	
VISCARIA. Rehl. VISCARIA. Decandria Pentagynia. L.							
1 vulgaris. Rehl.	(re.)	common.	Britain.	....	5. 7.	H. ♀.	Eng. bot. 788.
<i>Lychnis viscaria.</i> L.							
<i>β flore-pleno.</i>	(re.)	double-red.	.....	....	—	H. ♀.	

2	albiflora.	(wh.) white-flowered.	.....	....	5. 7.	H. ♀.	
LY'CHNIS. DC.		LY'CHNIS. Decandria	Pentagynia.	L.			
1	chalcedonica. DC.	(sc.) scarlet.	Japan.	1596.	6. 7.	H. ♀.	Bot. mag. 257.
	β albiflora.	(wh.) white-flowered.	————	....	—	H. ♀.	
	γ flore pleno.	(sc.) double-flowered.	————	....	—	H. ♀.	
2	Flós-jövis. DC.	(re.) umbelled.	Piedmont.	1726.	7.	H. ♀.	Bot. mag. 398.
Agrostemma Flós-jövis. B.M.							
3	coronata. W.	(sc.) Chinese.	China.	1774.	6. 9.	H. ♀.	Bot. mag. 223.
	grandiflora. Jacq. ic. rar. t. 84.						
4	fulgens. DC.	(sc.) brilliant.	Siberia.	1819.	7. 9.	H. ♀.	Bot. mag. 2104.
5	Cœ-li-rösa. DC.	(fl.) smooth-leaved.	Levant.	1713.	7. 8.	H. ⊙.	Bot. mag. 295.
Agrostemma Cœ-li-rösa. L.							
AGROSTEMMA.		AGROSTEMMA.	Decandria	Pentagynia.	L.		
1	apétala. DC.	(wh.) petalless.	Lapland.	1819.	6. 8.	H. ♀.	Lin. fl. lap. t. 12. f. 1
Lychnis apétala. L.							
2	brachypétala. L. en.	(wh.) short-petal'd.	.....	—	—	H. ♀.	
3	sylvestris. DC.	(re.) red-flowered.	Britain.	....	6. 9.	H. ♀.	Eng. bot. 1579.
	Lychnis dióica rubra. E. B.						
	β flore-pleno.	double-flowered.	.....	....	—	H. ♀.	
4	dióica. DC.	(wh.) white-flowered.	Britain.	....	—	H. ♀.	Eng. bot. 1580.
	Lychnis dióica álba. E. B. vespertina.		Sibthorp.				
	β flore-pleno.	(wh.) double-white.	.....	....	—	H. ♀.	
	γ viridiflora.	(gr.) double-green.	.....	....	—	H. ♀.	
5	dielinis. DC.	(ro.) long-pedicled.	Spain.	1824.	—	H. ♀.	
6	læta. DC.	(re.) small.	Portugal.	1778.	7.	H. ⊙.	
7	córsica. DC.	(re.) Corsican.	Corsica.	1824.	6. 8.	H. ⊙.	
8	pyrenæica. DC.	(re.) Pyrenean.	Pyrenees.	1820.	4. 6.	H. ♀.	
9	suécica. L. C.	(re.) Swedish.	Sweden.	....	6. 9.	H. ♀.	Lodd. bot. cab. 881.
10	alpina. DC.	(re.) Alpine.	Scotland.	....	4. 5.	H. ♀.	Eng. bot. 2254.
Lychnis alpina. E. B.							
11	Flóscùculi. DC.	(re.) Ragged Robin.	Britain.	....	6. 9.	H. ♀.	Eng. bot. 573.
Lychnis Flóscùculi. L.							
	β flore-pleno.	(re.) double.	.....	....	—	H. ♀.	
12	coronaria. DC.	(ro.) Rose Champion.	Italy.	1596.	—	H. ♀.	
	a rubra.	(ro.) red-flowered.	————	—	—	H. ♀.	Bot. mag. 24.
	β álba.	(wh.) white-flowered.	.....	—	—	H. ♀.	
	γ plena.	(ro.) double-flowered.	.....	....	—	H. ♀.	
GITHAGO. Desf.		CORN-CKLE.	Decandria	Pentagynia.	L.		
1	segetum. Desf.	(re.) common.	Britain.	....	6. 8.	H. ⊙.	Eng. bot. 741.
Agrostemma Githago. L.							
	nicaensis.	(wh.) long-calyxed.	Italy.	1794.	—	H. ⊙.	
VEL'EZIA. DC.		VEL'EZIA. Pentandria	Digynia.	L.			
1	rigida. DC.	(re.) rigid.	Spain.	1683.	7.	H. ⊙.	Flor. græc. t. 390.
2	quadridentata. F. G. (r.)	four-toothed.	Levant.	1826.	—	F. ♀.	— t. 391.
DR'YPIIS. DC.		DR'YPIIS. Pentandria	Trigynia.	L.			
	spinosa. DC.	(bh.) prickly.	Italy.	1775.	6. 7.	H. ♀.	Bot. mag. 2216.

## Tribus II. ALSINEÆ. DC.

ORTEGIA. DC.		ORTEGIA. Triandria	Monogynia.	L.			
1	hispanica. DC.	(gr.) Spanish.	Spain.	1768.	6. 7.	H. ♀.	
2	dichótoma. DC.	(gr.) forked.	Italy.	1781.	8. 9.	H. ♀.	All ped. t. 4. f. 1.
	hispanica. Cav. ic. 1. t. 47.						
BUFFONIA. DC.		BUFFONIA. Tetrandria	Digynia.	L.			
1	ánnuua. DC.	(wh.) annual.	England.	....	6.	H. ⊙.	Eng. bot. 1313.
tenuifolia. E. B.							
2	perennis. DC.	(wh.) perennial.	France.	1820.	6. 7.	H. ♀.	Lam. ill. t. 87. f. 2.
SAG'INA. DC.		PEARL-WORT.	Tetrandria	Tetragynia.	L.		
1	procumbens. DC.	(gr.) procumbent.	Britain.	....	5. 9.	H. ⊙.	Eng. bot. 880.
	β multipléx.	(wh.) double-flowered.	————	....	—	H. ♀.	
2	cerastoides DC.	(wh.) Cerastium like.	————	....	6. 7.	H. ⊙.	Eng. bot. 166.
Cerastium tetrandrum H. K.							
3	filifórmis. DC.	(wh.) filiform.	Pyrenees.	1824.	—	H. ⊙.	
4	marítima. E. B.	(wh.) sea-side.	Ireland.	....	5. 8.	H. ⊙.	Eng. bot. 2195.
5	strícta. DC.	(wh.) straight.	N. Europe.	1828.	—	H. ⊙.	
6	apétala. DC.	(wh.) small-flowered.	Britain.	....	5. 6.	H. ⊙.	Eng. bot. 881.

MÆNCHIA. P.S.	MÆNCHIA.	Tetrandria Tetragynia.	L.						
gláuca. P.S.	(wh.) glaucous.	Britain.	.....	4. 5.	H. ⊙.			Eng. bot. 609.	
quaternélla. L. en. Sagina erecta. E.B.									
MÆHRINGIA. DC.	MÆHRINGIA.	Octandria Digynia.	L.						
1 muscosa. DC.	(wh.) mossy.	S. Europe.	1775.	6. 7.	H. ♀.			Lam. ill. t. 314.	
2 sedifolia. DC.	(wh.) Stonecrop-ld.	—————	1823.	—————	H. ♀.			W.ber.m.1818.t.3.f.23.	
ELATINE. DC.	WATERWORT.	Octandria Tetragynia.	L.						
1 Hydropiper. DC.	(wh.) small.	Britain.	.....	7. 8.	H. ♀.			Eng. bot. 955.	
2 hexandra. DC.	(wh.) hexandrous.	France.	.....	—————	H. ♀.			DC. ic. rar. 1. t. 43. f. 1.	
BERGIA. DC.	BERGIA.	Decandria Pentagynia.	L.						
verticillata. DC.	(wh.) whorl-leaved.	E. Indies.	1826.	7. 10.	H. ⊙.			Delil. fl. æg. t. 26. f. 1.	
MOLLUGO. W.	MOLLUGO.	Triandria Trigynia.	L.						
1 verticillata. DC.	(wh.) whorled.	Virginia.	1748.	6. 8.	H. ⊙.			Ehret pict. t. 6.	
2 Schrankii. DC.	(wh.) Schrank's.	Brazil.	1821.	7. 9.	H. ⊙.			Schrank pl. rar. 64. ic.	
dichótoma. Schk.									
3 Linkii. DC.	(wh.) Link's.	—————	—————	—————	H. ⊙.				
triphylla. L. en. non Lour.									
PHARNACEUM. W.	PHARNACEUM.	Pentandria Trigynia.	L.						
1 Mollugo. R.S.	(wh.) LadiesBedstraw.	E. Indies.	1752.	7. 8.	S. ⊙.			Burm. ind. t. 5. f. 4.	
Mollugo Spérgula. DC.									
2 cordifolium. R.S.	(wh.) heart-leaved.	C. B. S.	1820.	—————	H. ⊙.			Jacq. h. schoen. t. 349.	
3 dichotomum. R.S.	(wh.) forked.	—————	1783.	—————	H. ⊙.				
4 Cerviána. R.S.	(wh.) umbelled.	Russia.	1771.	6. 7.	H. ⊙.			Lam. ill. t. 214. f. 1.	
5 bellidifolium. R.S.	(wh.) Daisy-leaved.	W. Indies.	1826.	—————	H. ⊙.			Plum. amer. t. 21. f. 1.	
HOLOSTEUM. DC.	HOLOSTEUM.	Triandria Trigynia.	L.						
1 umbellatum. DC.	(wh.) umbelled.	England.	.....	7. 8.	H. ⊙.			Flor. dan. t. 1204.	
β roseum.	(ro.) rose-coloured.	—————	.....	—————	H. ⊙.			Eng. bot. 27.	
2 diandrum. DC.	(wh.) diandrous.	Jamaica.	1822.	6. 8.	S. ⊙.			Swartz ic. t. 7.	
SPERGULA. DC.	SPURREY.	Decandria Pentagynia.	L.						
1 arvensis. DC.	(wh.) rough-seeded.	Britain.	.....	7. 8.	H. ⊙.			Eng. bot. 1535.	
2 pentandra. DC.	(wh.) smooth-seeded.	England.	.....	6. 7.	H. ⊙.			————— 1536.	
3 pallida. DC.	(pa.) pale.	C. B. S.	.....	7. 9.	G. ♀.				
4 nodosa. DC.	(wh.) knotted.	Britain.	.....	7. 8.	H. ♀.			Eng. bot. 694	
5 larinina. DC.	(wh.) Larch-leaved.	Siberia.	1823.	6. 8.	H. ♀.			Sm. ic. ined. 1. t. 18.	
6 saginoides. DC.	(wh.) Sagina like	Scotland.	.....	—————	H. ♀.			Eng. bot. 2105.	
7 subulata. DC.	(wh.) awl-leaved.	Britain.	.....	6. 7.	H. ♀.			————— 1082.	
8 glabra. DC.	(wh.) smooth.	Europe.	1824.	—————	H. ♀.			All. ped. t. 64. f. 1.	
LA RBREA. DC.	LA RBREA.	Decandria Trigynia.	L.						
aquática. DC.	(wh.) water.	Britain.	.....	7. 8.	H.w. ♀.			Eng. bot. t. 1074.	
Stellaria aquática. Poll.	pal. n. 422. uliginosa. E.B. alsine Hoff.	germ. 1. t. 5.							
DRYMARIA. DC.	DRYMARIA.	Pentandria Trigynia.	L.						
1 cordata. DC.	(wh.) heart-leaved.	W. Indies.	1814.	7. 9.	H. ⊙.			Lam. ill. t. 51. f. 2.	
Holosteum cordatum. L.									
2 divaricata. DC.	(wh.) divaricate.	Lima.	1823.	—————	H. ⊙.				
STELLARIA. DC.	STICHWORT.	Decandria Trigynia.	L.						
1 némorum. DC.	(wh.) wood.	Britain.	.....	4. 6.	H. ♀.			Eng. bot. 92.	
2 latifolia. DC.	(wh.) broad-leaved.	Germany.	1816.	6. 8.	H. ⊙.				
3 média. DC.	(wh.) Chickweed.	Britain.	.....	1. 12.	H. ⊙.			Eng. bot. 537.	
Alsine média. L.									
4 dichótoma. DC.	(wh.) forked.	Siberia.	1774.	6. 8.	H. ♀.			Smith ic. ined. 1. t. 14.	
5 bulbosa. DC.	(wh.) bulbiferous.	Carinthia.	1820.	—————	H. ♀.			Jacq. ic. rar. 3. t. 468.	
6 viscida. DC.	(wh.) viscous.	Tauria.	1804.	—————	H. ⊙.			W. et K. hung. 1. t. 22.	
Cerástium anómalum. w.									
7 sabulosa. DC.	(wh.) gravel.	Persia.	1828.	—————	H. ⊙.				
8 Holóstea. DC.	(wh.) greater.	Britain.	.....	4. 6.	H. ♀.			Eng. bot. 511.	
9 Laxmanni. DC.	(wh.) Laxmann's.	Siberia.	1827.	—————	H. ♀.				
10 velutina. DC.	(wh.) velvety.	Siberia.	1824.	6. 8.	H. ♀.				
11 graminea. DC.	(wh.) grass-leaved.	Britain.	.....	5. 8.	H. ♀.			Eng. bot. 803.	
12 gláuca. DC.	(wh.) glaucous marsh.	—————	.....	—————	H. ♀.			————— 825.	
13 cerastoides. DC.	(wh.) Alpine.	Scotland.	.....	—————	H. ♀.			Eng. bot. 911.	
14 multicáulis. w.	(wh.) many-stalked.	Carinthia.	1815.	6. 8.	H. ♀.			Jacq. coll. 1. t. 19.	
cerastoides. Jacq. coll.									
15 arenaria. DC.	(wh.) sand.	Spain.	1799.	6. 8.	H. ⊙.				
16 scapigera. DC.	(wh.) naked-stalked.	Scotland.	.....	6. 7.	H. ♀.			Eng. bot. 1269.	
17 Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1825.	—————	H. ♀.				
18 Edwardsii. B.	(wh.) Edwards's.	N. America.	1827.	—————	H. ♀.				
nitida. Hook.									
19 humifusa. DC.	(wh.) trailing.	N. Europe.	1825.	—————	H. ⊙.			Flor. dan. t. 978.	
20 læta. s.s.	(wh.) short-petaled.	N. America.	1827.	—————	H. ⊙.				

21	grácilis. s.s.	(wh.) slender.	N. America.	1827.	6. 7.	H. ⊙.	
22	murális. DC.	(wh.) wall.	Crete.	1821.	—	H. ⊙.	
23	elegans. DC.	(wh.) elegant.	Siberia.	1823.	—	H. ♀.	
24	lóngipes. DC.	(wh.) long pedicled.	N. America.	1821.	—	H. ♀.	
25	molluginea.	(wh.) Mollugo-like.	New Spain.	1825.	7. 9.	H. ⊙.	
<i>Alsine molluginea.</i> Lag. <i>Arenària? molluginea.</i> DC.							
AREN'ARIA. DC.		SANDWORT.	Decandria Trigynia. L.				
1	segetális. DC.	(wh.) hedge.	France.	1805.	6. 10.	H. ⊙.	Vail. par. t. 3. f. 3.
<i>Alsine segetális.</i> L.							
2	rùbra. DC.	(re.) purple.	Britain.	....	6. 8.	H. ⊙.	Eng. bot. 852.
3	marina. L.	(re.) sea-side.	—	....	—	H. ♀.	
4	salina. DC.	(re.) salt marsh.	Bohemia.	1820.	—	H. ⊙.	
5	rubélla. F.L.	(re.) red-flowered.	England.	....	—	H. ⊙.	Flor. lond. t.
6	glutinòsa. DC.	(pu.) glutinous.	Astracan.	1828.	—	H. ⊙.	
7	mèdia. DC.	(re.) marine.	Britain.	....	—	H. ♀.	Eng. bot. 958.
<i>marina.</i> E.B. non L.							
8	glandulòsa. Jac.	(wh.) glandular.	Europe.	1820.	6. 7.	H. ⊙.	Jacq. Schœnb. 3. t. 355.
9	canadènsis. DC.	(re.) Canadian.	N. America.	1812.	—	H. ⊙.	
10	graminifolia. DC.	(wh.) grass-leaved.	Caucasus.	1815.	—	H. ♀.	Schrad. h. goett. t. 5.
		<i>β glabèrrima.</i> DC. (w.) smooth.	—	—	—	H. ♀.	
11	longifolia. DC.	(wh.) long-leaved.	Volga.	1820.	—	H. ♀.	Gmel. sib. 4. t. 63. f. 2.
12	dahùrica. DC.	(wh.) Dahurian.	Dahuria.	1824.	—	H. ♀.	
13	nardifolia. F.	(wh.) Nardus-leaved.	Siberia.	1827.	—	H. ♀.	
14	otitoides. DC.	(wh.) dense-flowered.	—	—	—	H. ♀.	
15	rigida. DC.	(wh.) rigid.	—	—	—	H. ♀.	
16	formòsa. DC.	(wh.) handsome.	Dahuria.	—	—	H. ♀.	
17	Gmelini. DC.	(wh.) Gmelin's.	—	1827.	—	H. ♀.	Gmel. sib. 4. t. 61. f. 1.
18	cephalòtes. DC.	(wh.) close-headed.	Tauria.	1820.	—	H. ♀.	
19	imbricàta. DC.	(wh.) imbricate.	Caucasus.	1821.	—	H. ♀.	
20	juniperina. DC.	(wh.) Juniper-leaved.	Armenia.	1800.	—	H. ♀.	Sm. ic. ined. t. 35.
21	stricta. DC.	(wh.) upright.	N. America.	1812.	5. 6.	H. ♀.	
22	procera. DC.	(wh.) tall.	.....	1827.	—	H. ♀.	
23	laricifolia. L.	(wh.) Larch-leaved.	Switzerland.	....	8.	H. ♀.	Jacq. aust. 3. t. 272.
24	rostràta. W. en.	(wh.) beaked.	Hungary.	1816.	6. 7.	H. ♀.	
25	striàta. w.	(wh.) striated.	Switzerland.	1683.	—	H. ♀.	Vill. dauph. 4. t. 47. f. 6.
26	àrctica. DC.	(wh.) small.	Siberia.	1807.	—	H. ♀.	
27	austriaca. DC.	(wh.) Austrian.	Austria.	1793.	6. 9.	H. ♀.	Jacq. aust. 3. t. 270.
28	Villarsii. P.S.	(wh.) Villars's.	Dauphiny.	1826.	—	H. ♀.	Vill. de ph. 3. t. 47.
29	grandiflora. DC.	(wh.) great-flowered.	Switzerland.	1783.	—	H. ♀.	All ped. n. 1711. t. 10. f. 1.
30	triflora. L.	(wh.) three-flowered.	—	1816.	—	H. ♀.	Cav. ic. 3. t. 249. f. 2.
31	Hèlmi. DC.	(wh.) long-peduncled.	Siberia.	1824.	—	H. ♀.	
32	macrocarpa. DC.	(wh.) large-capsuled.	N. America.	1828.	—	H. ♀.	
33	hírta. DC.	(re.) hairy.	Greenland.	1827.	—	H. ♀.	Flor. dan. t. 1646.
34	vérna. DC.	(wh.) vernal.	Britain.	....	5. 8.	H. ♀.	Eng. bot. 512.
35	cæspitòsa. DC.	(wh.) tufted.	S. Europe.	1824.	—	H. ♀.	
36	ramosíssima. DC.	(wh.) branching.	Hungary.	1820.	—	H. ♀.	
37	saxátilis. DC.	(wh.) rock.	Germany.	1732.	7. 8.	H. ♀.	Barr. ic. t. 580.
38	péndula. DC.	(wh.) pendulous.	Hungary.	1816.	6. 7.	H. ♀.	W. et K. hung. 1. t. 87.
39	tenuifolia. DC.	(wh.) fine-leaved.	England.	....	—	H. ⊙.	Eng. bot. 219.
40	villòsa. DC.	(wh.) villous.	Siberia.	1828.	—	H. ♀.	
41	calycina. DC.	(wh.) large-calyxed.	Barbary.	1824.	—	H. ⊙.	
42	triàndra. DC.	(wh.) triandrous.	.....	—	—	H. ⊙.	Schrank. h. mon. t. 30.
43	mediterrànea. DC.	(w.) Mediterranean.	S. Europe.	1821.	—	H. ⊙.	
44	recurva. DC.	(wh.) recurved-leav'd.	—	—	—	H. ♀.	Jacq. coll. 2. t. 16. f. 1.
45	hirsùta. DC.	(wh.) hairy.	Tauria.	1824.	—	H. ♀.	
46	setàcea. DC.	(wh.) bristly.	France.	1820.	—	H. ♀.	
47	fasciculàta. DC.	(wh.) dense-flowered.	S. Europe.	1815.	—	H. ⊙.	Flor. græc. t. 442.
48	fastigiàta. E.B.	(wh.) fastigiate.	Scotland.	....	6. 7.	H. ⊙.	Eng. bot. 1744.
49	filifolia. DC.	(wh.) thread-leaved.	Arabia.	....	—	H. ♀.	Vahl. symb. 1. t. 12.
50	mucronàta. DC.	(wh.) mucronate.	—	1777.	—	H. ⊙.	
51	uliginòsa. DC.	(wh.) marsh.	Switzerland.	1824.	—	H. ♀.	DC. ic. gall. t. 46.
52	polygonoides. DC.	(wh.) procumbent.	—	—	—	H. ♀.	Jacq. coll. 1. t. 15.
53	marginàta. DC.	(wh.) margined.	Siberia.	1824.	—	H. ♀.	
54	canescens. DC.	(wh.) caescent.	.....	1828.	—	H. ♀.	
<i>macrocarpa.</i> H. non Ph.							
55	tetraquètra. DC.	(wh.) square-stalked.	S. France.	1731.	8.	H. ♀.	All. ped. 2 t. 89. f. 1.
56	Giesekii. DC.	(wh.) Gieseke's.	Greenland.	1827.	—	H. ♀.	Horn. fl. dan. t. 1518.
57	lanceolàta. DC.	(wh.) lanceolate.	Piedmont.	1820.	—	H. ♀.	All. fl. ped. t. 26. f. 5.
58	cherlerioides. P.S.	(wh.) cherleria-leav'd.	S. France.	....	7. 8.	H. ♀.	Vill. delph. 4. t. 47. f. 1.

59	montana. DC.	(wh.) mountain.	Spain.	1800.	4. 7.	H. ♀.	Bot. mag. 1118.
60	serpyllifolia. DC.	(wh.) Thyme-leaved.	Britain.	....	6. 7.	H. ♂.	Eng. bot. 923.
61	ciliata. DC.	(wh.) fringed.	Ireland.	....	3. 8.	H. ♀.	— 1745.
62	multicaulis. W.	(wh.) many-stalked.	Europe.	1794.	7. 8.	H. ♀.	Jacq. coll. 1. t. 17. f. 1.
63	trinervia. DC.	(wh.) three-nerved.	Britain.	....	5. 7.	H. ♂.	Eng. bot. 1483.
64	norvegica. DC.	(wh.) Norway.	Norway.	1828.	6. 7.	H. ♀.	Flor. dan. t. 1269.
65	baleàrica. DC.	(wh.) Majorca.	Majorca.	1787.	3. 8.	H. ♀.	L. Her. stirp. 1. t. 15.
66	biflora. DC.	(wh.) two-flowered.	S. Europe.	1823.	—	H. ♀.	All. ped. t. 64. f. 3.
67	procumbens. DC.	(re.) procumbent.	Egypt.	1801.	6. 8.	F. ♀.	Vahl. symb. 1. t. 33.
ADENARIUM. DC.			SEA CHICKWEED.	Decandria	Tri-Pentagynia.		
	peploides. DC.	(wh.) common.	Britain.	....	6. 7.	H. ♀.	Eng. bot. 189.
Arenaria peploides. E. B.							
CERASTIUM. DC.			MOUSE-EAR CHICKWEED.	Decandria	Pentagynia.	L.	
1	memorale. DC.	(wh.) wood.	Caucasus.	1823.	5. 6.	H. ♂.	
2	perfoliatum. DC.	(wh.) perfoliate.	Greece.	1725.	6. 7.	H. ♂.	Dill. elt. t. 217. f. 284.
3	caucasicum. DC.	(wh.) Caucasian.	Caucasus.	1825.	—	H. ♂.	
4	dahuricum. DC.	(wh.) glaucous.	Dahuria.	1815.	5. 9.	H. ♀.	Schrank. h. mon. t. 75.
amplexicaule. B. M. 1789.							
5	maximum. DC.	(wh.) greatest.	Siberia.	1792.	6. 7.	H. ♂.	Gmel. sib. 4. t. 62. f. 2.
6	dichotomum. DC.	(wh.) forked.	Spain.	1725.	—	H. ♂.	
7	ruderale. DC.	(wh.) pendulous-fruit.	Caucasus.	1824.	—	H. ♂.	
8	tauricum. DC.	(wh.) Taurian.	Tauria.	—	—	H. ♂.	
9	vulgatum. DC.	(wh.) common.	Britain.	....	4. 6.	H. ♂.	Eng. bot. 789.
10	viscosum. DC.	(wh.) clammy.	—	....	4. 9.	H. ♀.	— 790.
11	barbulatum. L. en.	(wh.) bearded.	S. Europe.	1821.	—	H. ♂.	
12	holosteoides. DC.	(wh.) Ho'osteum like.	Sweden.	—	—	H. ♀.	
13	pentandrum. DC.	(wh.) five-stamened.	Spain.	1820.	—	H. ♂.	
14	semidecandrum. DC.	(wh.) least.	Britain.	....	3. 4.	H. ♂.	Eng. bot. 1630.
15	brachypetalum. DC.	(wh.) small-flowered.	France.	1816.	4. 5.	H. ♀.	DC. ic. gall. t. 44.
16	diffusum. DC.	(wh.) spreading.	.....	....	4. 9.	H. ♀.	
17	serpyllifolium. W. en.	(wh.) Thyme-ld.	S. Europe.	1824.	5. 6.	H. ♀.	
18	manticum. DC.	(wh.) long peduncul'd.	Hungary.	1801.	6. 7.	H. ♂.	W. et K. hung. 1. t. 96.
19	campanulatum. DC.	(wh.) early-flow'd.	Italy.	1826.	4. 6.	H. ♂.	Viv. ann. bot. 1. p. 2. t. 1.
præcox. T. N.							
20	grandiflorum. DC.	(wh.) large-flowered.	—	1820.	6. 7.	H. ♀.	W. et K. hung. 2. t. 168.
21	argenteum. M. B.	(wh.) silvery-leaved.	Iberia.	1821.	—	H. ♀.	
22	tomentosum. DC.	(wh.) white-leaved.	S. Europe.	1648.	—	H. ♀.	Col. phyt. ed. 1744. t. 31.
23	Biebersteinii. DC.	(wh.) Bieberstein's.	Tauria.	1820.	—	H. ♀.	DC. pl. rar. gen. t. 11.
24	lanatum. DC.	(wh.) woolly.	Pyrenees.	—	—	H. ♀.	
25	alpinum. DC.	(wh.) Alpine.	Britain.	....	—	H. ♀.	Eng. bot. 472.
26	ovatum. DC.	(wh.) oval-leaved.	Carinthia.	1816.	—	H. ♀.	
27	latifolium. DC.	(wh.) broad-leaved.	Britain.	....	—	H. ♀.	Eng. bot. 473.
28	aquaticum. E. B.	(wh.) water.	—	....	—	H. w. ♀.	— 538.
29	sylvaticum. DC.	(wh.) wood.	Hungary.	1826.	—	H. ♀.	W. et K. hung. 1. t. 97.
30	arvense. DC.	(wh.) field.	—	....	5. 8.	H. ♀.	Eng. bot. 93.
31	repens. W.	(wh.) creeping.	S. Europe.	1759.	5. 7.	H. ♀.	Lam. ill. t. 392. f. 2.
32	strictum. W.	(wh.) upright.	Austria.	1793.	—	H. ♀.	Scop. carn. t. 19. f. 1.
33	suffruticosum. W.	(wh.) suffruticose.	S. Europe.	1796.	—	H. ♀.	
34	pensylvanicum. DC.	(wh.) Pennsylvanian.	N. America.	1823.	—	H. ♀.	
35	pubescens. DC.	(wh.) pubescent.	—	1822.	—	H. ♀.	
36	matrense. L. en.	(wh.) Matram.	Hungary.	1823.	—	H. ♀.	
37	dioticum. H. K.	(wh.) Spanish.	Spain.	1766.	6. 7.	H. ♀.	
38	pilosum. L. en.	(wh.) hairy-leaved.	.....	1823.	—	H. ♀.	
39	Sprengelii. DC.	(wh.) Sprengel's.	.....	—	—	H. ♂.	
40	Tenoreanum. DC.	(wh.) Tenore's.	Italy.	1825.	—	H. ♂.	
41	Sannianum. DC.	(wh.) Samnian.	—	—	—	H. ♀.	
42	hirsutum. DC.	(wh.) hairy.	—	—	—	H. ♀.	
43	glandulosum. Lk.	(wh.) glandular.	.....	1827.	—	H. ♀.	
44	inflatum. Lk.	(wh.) inflated.	.....	—	—	H. ♂.	
CHERLERIA. DC.			CHERLERIA.	Decandria	Trigynia.	L.	
	sedoides. DC.	(wh.) dwarf.	Scotland.	....	7. 8.	H. ♀.	Eng. bot. 1212.

## ORDO XXVII.

LINEÆ. DC. *prodr.* 1. p. 423.

LINUM. DC.		FLAX. Pentandria Pentagynia. L.						
1	gállicum. DC.	( <i>ye.</i> )	annual yellow.	France.	1777.	7. 8.	H. ☉.	Flor. græc. t. 303.
2	áureum. DC.	( <i>ye.</i> )	golden.	Hungary.	1823.	—	H. ☉.	W. et K. hung. 2. t. 177.
3	ténue. DC.	( <i>ye.</i> )	slender.	Barbary.	1826.	—	H. ☉.	
4	lutèolum. DC.	( <i>ye.</i> )	yellowish.	Tauria.	—	—	H. ☉.	Buxb. cent. 5. t. 59.
5	nodifòrum. DC.	( <i>ye.</i> )	knotted.	Italy.	1759.	—	H. ♀.	Flor. græc. t. 307.
6	strictum. DC.	( <i>ye.</i> )	upright.	S. Europe.	—	5. 7.	H. ♂.	— t. 304.
7	rigidum. DC.	( <i>st.</i> )	stiff-leaved.	Missouri.	1807.	7.	H. ☉.	
8	virginiànum. DC.	( <i>ye.</i> )	Virginian.	N. America.	—	—	H. ♂.	
9	mexicànum. DC.	( <i>ye.</i> )	Mexican.	Mexico.	1827.	8. 11.	F. ♀.	
10	dahùricum. DC.	( <i>ye.</i> )	Dahurian.	Dahuria.	1822.	6. 8.	H. ♀.	
11	marítimum. DC.	( <i>ye.</i> )	sea.	S. Europe.	1596.	7. 8.	H. ♀.	Jacq. vind. 2. t. 154.
12	arbòrum. R.S.	( <i>ye.</i> )	shrubby.	Candia.	1788.	5. 8.	G. ♀.	Flor. græc. t. 305.
13	campanulàtum. R.S.	( <i>y.</i> )	glaucous-leav'd.	S. Europe.	1795.	—	H. ♀.	Lob. ic. 414.
14	capitatum. R.S.	( <i>ye.</i> )	headed.	Hungary.	1826.	6. 10.	H. ♀.	
15	flàvum. W.	( <i>ye.</i> )	yellow.	S. Europe.	1793.	—	H. ♀.	Bot. mag. 312.
16	trig'ynum. DC.	( <i>ye.</i> )	three-styled.	E. Indies.	1799.	10. 3.	G. ♀.	— 1100.
17	africanum. DC.	( <i>ye.</i> )	African.	C. B. S.	1771.	6. 7.	G. ♀.	— 403.
18	quadrifolium. DC.	( <i>ye.</i> )	four-leaved.	—	1787.	5. 6.	G. ♀.	— 431.
19	viscòsum. DC.	( <i>pi.</i> )	viscous.	S. Europe.	1821.	6. 8.	H. ♀.	Scop. carn. n. 383. t. 11.
20	hypericifolium. P.L.	( <i>pi.</i> )	Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. ♀.	Bot. mag. 1048.
	<i>venustum. A.R. 477.</i>							
21	hirsutum. W.	( <i>bl.</i> )	hairy.	Austria.	1759.	7. 8.	H. ♀.	Jacq. aust. 1. t. 31.
22	ascyrifolium. B.M.	( <i>w. d.</i> )	blue and white.	Portugal.	1800.	—	H. ♀.	Bot. mag. 1087.
23	nervosum. DC.	( <i>bl.</i> )	nervose.	Hungary.	1820.	—	H. ♀.	W. et K. hung. 2. t. 105.
24	narbonense. DC.	( <i>bl.</i> )	Narbonne.	S. France.	1759.	5. 7.	F. ♀.	Barr. ic. t. 1007.
25	usitatissimum. DC.	( <i>bl.</i> )	common.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 1357.
26	marginatum. DC.	( <i>bl.</i> )	white-margin'd.	.....	1823.	—	H. ♀.	
	<i>angustifolium. W. en. non E.B.</i>							
27	reflexum. DC.	( <i>bl.</i> )	reflexed-leav'd.	S. Europe.	1777.	7.	H. ♀.	
28	squamulosum. DC.	( <i>bl.</i> )	scaly.	Tauria.	1821.	6. 8.	H. ♀.	
29	diffusum. DC.	( <i>bl.</i> )	spreading.	.....	1823.	—	H. ♀.	
30	angustifolium. DC.	( <i>bl.</i> )	narrow-leaved.	England.	....	7.	H. ♀.	Eng. bot. 381.
31	sibiricum. DC.	( <i>bl.</i> )	Siberian.	Siberia.	1775.	6. 7.	H. ♀.	Mill. ic. t. 166. f. 2.
	<i>austriacum. B.M. 1086.</i>							
32	Lewisii. Ph.	( <i>bl.</i> )	Lewis's.	N. America.	1824.	—	H. ♀.	Bot. reg. 1163.
33	anglicum. DC.	( <i>bl.</i> )	English.	England.	....	6. 8.	H. ♀.	Eng. bot. 40.
	<i>perenne. E.B.</i>							
	<i>β procumbens. DC. (bl.) procumbent.</i>			—	....	—	H. ♀.	
34	austriacum. DC.	( <i>bl.</i> )	Austrian.	Austria.	1775.	6. 7.	H. ♀.	Jacq. aust. t. 418.
35	montanum. DC.	( <i>bl.</i> )	mountain.	Switzerland.	....	7. 8.	H. ♀.	Scop. carn. ed. 2. t. 11.
36	alpinum. DC.	( <i>bl.</i> )	Alpine.	Austria.	1739.	—	H. ♀.	Swt. br. fl. gar. t. 17.
37	tenuifolium. DC.	( <i>li.</i> )	slender-leaved.	Europe.	1759.	6. 7.	H. ♀.	Jacq. aust. 3. t. 215.
38	salsoloïdes. DC.	( <i>fl.</i> )	Salt-wort-like.	S. France.	1823.	7. 8.	H. ♀.	
39	suffruticosum. DC.	( <i>fl.</i> )	Spanish.	Spain.	1759.	8.	F. ♀.	Cav. ic. 2. t. 108.
40	catharticum. DC.	( <i>wh.</i> )	purging.	Britain.	....	6. 8.	H. ☉.	Eng. bot. 382.
RAD'IOIA. DC.		RAD'IOIA. Tetrandria Tetragynia.						
	linoides. DC.	( <i>wh.</i> )	All-seed.	Britain.	....	7. 8.	H. ☉.	Eng. bot. 893.
	<i>millegrana. E.B. Linum Radiola. L.</i>							

## ORDO XXVIII.

MALVACEÆ. DC. *prodr.* 1. p. 429.

MA'LOPE. DC.		MA'LOPE. Monadelphia Polyandria. L.						
1	malacoides. DC.	( <i>pu.</i> )	Barbary.	Barbary.	1710.	6. 7.	G. ♂.	Cav. diss. 2. t. 27. f. 1.
2	trífida. DC.	( <i>pu.</i> )	trifid.	—	1808.	7. 8.	H. ☉.	Swt. br. fl. gar. t. 153.

MALVA. DC.		MALLOW. Monadelphia Polyandria. L.					
1	<i>tricuspidata</i> . DC. (ye.)	Jamaica.	W. Indies.	1726.	7. 8.	S. ♂	Cav. diss. 2. t. 22. f. 2.
	<i>coromandeliana</i> . W. americana. Cav.						
2	<i>americana</i> . DC. (ye.)	American.	—————	1756.	6. 7.	H. ⊙	
3	<i>scabra</i> . DC. (ye.)	rough-stemmed.	Peru.	1798.	—	G. h.	Cav. diss. 5. t. 138. f. 1.
	<i>scoparia</i> . Jacq. ic. 139.						
4	<i>scoparia</i> . DC. (ye.)	Birch-leaved.	—————	1782.	8. 9.	G. h.	L. her. stirp. t. 27.
5	<i>borbonica</i> . DC. (ye.)	Bourbon.	Mauritius.	1816.	7. 8.	S. h.	
6	<i>polystachya</i> . DC. (ye.)	many-spiked.	Peru.	1798.	—	G. h.	Cav. dis. 5. t. 138. f. 3.
7	<i>spicata</i> . DC. (ye.)	simple-spiked.	Jamaica.	1726.	9. 10.	S. h.	— 2. t. 20. f. 4.
8	<i>ovata</i> . L. en. (ye.)	oval-leaved.	Brazil.	....	—	S. h.	— 2. t. 20. f. 2.
9	<i>subhastata</i> . DC. (ye.)	subhastate.	S. America.	1821.	7. 10.	S. h.	— 2. t. 21. f. 3.
10	<i>tomentosa</i> . DC. (ye.)	tomentose.	India.	1820.	—	S. h.	Pluk. alm. t. 356. f. 1. ?
11	<i>waltherifolia</i> . DC. (ye.)	Waltheria-ld.	Java.	1824.	....	S. ♀	
12	<i>trachelifolia</i> . DC. (ye.)	Trachelium-ld.	.....	—	7. 8.	H. ⊙	
13	<i>gangética</i> . DC. (ye.)	Indian.	E. Indies.	—	—	H. ⊙	Pluk. t. 74. f. 6.
14	<i>leprosa</i> . DC. (wh.)	leprous.	Cuba.	1815.	5. 7.	S. ♀	
15	<i>Sherardiana</i> . DC. (re.)	Sherard's.	Bithynia.	....	—	S. ♀	Cav. dis. 2. t. 26. f. 4.
16	<i>crética</i> . DC. (fl.)	Cretan.	Crete.	1828.	—	H. ⊙	— 5. t. 138. f. 2.
17	<i>hispanica</i> . DC. (ro.)	Spanish.	Spain.	1710.	7.	H. ⊙	Desf. atl. 2. t. 170.
18	<i>stipulacea</i> . DC. (pu.)	long-stipuled.	—————	1815.	6. 8.	H. ⊙	Cav. dis. 2. t. 15. f. 2.
19	<i>egyptia</i> . DC. (bh.)	Egyptian.	Egypt.	1739.	6. 7.	H. ⊙	— 2. t. 17. f. 1.
20	<i>trifida</i> . DC. (bl.)	large-flowered.	Spain.	1815.	—	H. ⊙	— 5. t. 137. f. 2.
21	<i>Tournefortiana</i> . DC. (r.)	Tournefort's.	—————	1759.	7. 8.	H. ⊙	— 2. t. 17. f. 3.
22	<i>Alcea</i> . DC. (pi.)	Vervain.	Europe.	1597.	7. 10.	H. ♀	Bot. mag. 2297.
23	<i>Morenii</i> . s.s. (pi.)	Moreni's.	Italy.	1824.	—	H. ♀	— 2793.
	<i>alceoides</i> . Ten. fl. nap. t. 64.						
24	<i>moschata</i> . DC. (pi.)	musk.	Britain.	....	7. 8.	H. ♀	Eng. bot. 754.
	<i>β laciniata</i> . DC. (wh.)	white-flowered.	.....	....	—	H. ♀	Bot. mag. 2298.
25	<i>hirsuta</i> . T. (pi.)	hairy.	Sicily.	1825.	—	H. ⊙	
26	<i>fastigiata</i> . DC. (re.)	fastigiate.	Spain.	1828.	6. 8.	H. ♂	Cav. dis. 2. t. 23. f. 2.
27	<i>mauritanica</i> . DC. (pu.)	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. ⊙	Swt. br. fl. gar. 81.
28	<i>excelsa</i> . Pr. (pu.)	tall.	Sicily.	1828.	—	H. ♀	
29	<i>sylvestris</i> . DC. (pu.)	common.	Britain.	....	5. 10.	H. ♀	Eng. bot. 671.
30	<i>vulgaris</i> . T. (pu.)	prostrate.	Italy.	1827.	—	H. ♂	
31	<i>Henningsii</i> . DC. (pu.)	Henning's.	Moscow.	1823.	6. 8.	H. ♀	
32	<i>rotundifolia</i> . DC. (wh.)	round-leaved.	Britain.	....	6. 9.	H. ⊙	Eng. bot. 1092.
	<i>β pusilla</i> . E. B. (wh.)	dwarf.	—————	....	—	H. ⊙	— 241.
33	<i>brasilensis</i> . DC. ....	Brazilian.	Brazil.	1820.	—	S. ♀	
34	<i>nicænsis</i> . DC. (w.p.)	Italian.	Italy.	1823.	—	H. ⊙	Cav. dis. 2. t. 25. f. 1.
35	<i>microcarpa</i> . DC. (fl.)	small-fruited.	Egypt.	—	—	H. ♀	
36	<i>parviflora</i> . DC. (ro.)	small-flowered.	Barbary.	1779.	6. 7.	H. ♀	Cav. dis. 2. t. 26. f. 1.
37	<i>verticillata</i> . DC. (w.p.)	whorl-flowered.	China.	1683.	—	H. ⊙	Jacq. vind. 1. t. 40.
38	<i>mareótica</i> . DC. (fl.)	headed.	Egypt.	1828.	6. 10.	H. ⊙	
39	<i>crispa</i> . DC. (bh.)	curled.	Syria.	1573.	6. 8.	H. ⊙	Cav. dis. 2. t. 23. f. 1.
40	<i>flexuosa</i> . DC. (re.)	flexuose.	.....	1823.	—	H. ⊙	
41	<i>amœna</i> . DC. (pi.)	lobe-leaved.	C. B. S.	1796.	4. 8.	G. h.	Bot. mag. 1998.
	<i>calycina</i> . B. R. 297.						
42	<i>calycina</i> . DC. (pi.)	large-calyxed.	—————	1812.	—	G. h.	Cav. dis. 2. t. 23. f. 4.
43	<i>virgata</i> . DC. (fl.)	twiggy.	—————	1727.	5. 7.	G. h.	— 2. t. 18. f. 2.
44	<i>capensis</i> . DC. (w.r.)	Cape.	—————	1713.	1. 12.	G. h.	Bot. reg. 295.
45	<i>balsamica</i> . DC. (re.)	balsamic.	—————	1800.	5. 9.	G. h.	Jacq. ic. 1. t. 140.
46	<i>oxyacanthoides</i> . DC. (w.r.)	Hawthorn-ld.	—————	1825.	—	G. h.	
47	<i>tridactylites</i> . DC. (wh.)	reflex-flowered.	—————	1791.	6. 8.	G. h.	Cav. dis. 2. t. 21. f. 2.
	<i>reflexa</i> . A. R. t. 135.						
48	<i>divaricata</i> . DC. (wh.)	straddling.	—————	1792.	6. 9.	G. h.	And. bot. rep. 182.
49	<i>retusa</i> . DC. (y.bh.)	blunt-leaved.	—————	1803.	3. 5.	G. h.	Cav. dis. 2. t. 21. f. 1.
50	<i>fragrans</i> . DC. (pu.)	fragrant.	—————	1759.	5. 7.	G. h.	Bot. reg. 296.
51	<i>stricta</i> . DC. (w.r.)	upright.	—————	1805.	5. 8.	G. h.	Jacq. schenb. 3. t. 294.
52	<i>bryonifolia</i> . DC. (re.)	Bryony-leaved.	—————	1731.	7. 8.	G. h.	Wend. h. her. 1. t. 4.
53	<i>grossulariæfolia</i> . DC. (r.)	Gooseberry-ld.	—————	1732.	5. 9.	G. h.	Bot. reg. 561.
54	<i>asperima</i> . DC. (wh.)	roughest.	—————	1796.	—	G. h.	Jacq. schenb. 2. t. 139.
55	<i>lactea</i> . DC. (wh.)	panicled white.	Mexico.	1780.	1. 2.	G. h.	Cav. ic. 1. t. 30.
	<i>vitifolia</i> . Cav.						
56	<i>capitata</i> . DC. (pu.)	various-leaved.	Peru.	1798.	11. 12.	G. h.	Cav. dis. 5. t. 137. f. 1.
57	<i>miniata</i> . DC. (re.)	painted.	S. America.	—	4. 5.	G. h.	Cav. ic. 3. t. 278.
58	<i>operculata</i> . DC. (pu.)	lid capsuled.	Peru.	1795.	7. 8.	G. h.	Cav. dis. 2. t. 35. f. 1.
59	<i>peruviana</i> . DC. (pu.)	Peruvian.	—————	1759.	6. 8.	H. ⊙	Jacq. vind. 2. t. 156.
60	<i>limensis</i> . DC. (bl.)	blue-flowered.	—————	1768.	—	H. ⊙	— 2. t. 140.

- 61 itálica. DC. (re.) Italian. Italy. 1826. 6. 8. H. ♀.
- 62 anómala. L. en. (re.) anomalous. C. B. S. — G. ♀. Pl. sel. hort. ber. t. 22.
- 63 umbelláta. DC. (cr.) umbelled. S. America. 1814. 1. 3. G. ♀. Lod. Bot. cab. 222.
- 64 rósea. DC. (ro.) rose-coloured. Mexico. 1828. — F. ♀. Flor. mex. ic. ined.
- 65 abutilóides. DC. (pu.) Bahama. Bahama Isl. 1725. 6. 9. G. ♀. Jacq. schœnb. 3. t. 293.
- 66 obtusilóba. B.M. (pu.) blunt-lobed. Chili. 1824. 7. 8. F. ♀. Bot. mag. 2787.
- 67 élegans. DC. (y.re.) elegant. C. B. S. 1791. 5. 8. G. ♀. Cav. dis. 2. t. 16. f. 1.
- 68 angustifólia. DC. (li.) narrow-leaved. Mexico. 1780. 8. G. ♀. Bot. mag. 2839.
- 69 caroliníana. DC. (re.) Carolina. Carolina. 1723. 6. 7. H. ⊙. Cav. dis. 2. t. 15. f. 1.
- 70 prostráta. DC. (sc.) trailing. Brazil. 1806. 5. 7. G. ♀. Bot. mag. 2515.
- 71 decumbens. DC. (re.) decumbent. S. America. 1815. 6. 8. G. ♀.
- KITAIB'ELIA. DC. KITAIB'ELIA. Monadelphia Polyandria. L.**
- vitifólia. DC. (wh.) Vine-leaved. Hungary. 1801. 7. 9. H. ♀. Bot. mag. 821.
- ALTH'ÆA. DC. ALTH'ÆA. Monadelphia Polyandria. L.**
- 1 officinális. DC. (fl.) Marsh-Mallow. Britain. . . . . 7. 9. H. ♀. Eng. bot. 147.
- 2 taurinénsis. DC. (pu.) intermediate. S. Europe. 1823. — H. ♀.
- 3 carbonénsis. DC. (pu.) Narbonne. — 1780. 8. 9. H. ♀. Jacq. ic. 1. t. 138.
- 4 cannabína. DC. (re.) Hemp-leaved. — 1597. 6. 7. H. ♀. Jacq. aust. 2. t. 101.
- 5 hirsúta. DC. (bh.) hairy. England. 1683. — H. ⊙. — 2. t. 170.
- 6 Ludwígii. DC. (wh.) Ludwig's. Sicily. 1791. — H. ⊙. Cav. ic. 5. t. 423.
- 7 leucántha. OT. (wh.) white-flowered. Mt. Sinai. 1826. 6. 8. H. ♀.
- 8 nudiflóra. F. (ro.) naked-flowered. Altay. 1824. 6. 10. H. ♂.
- 9 Froloviána. F. (pu.) Siberian. Siberia. 1826. 6. 8. H. ♂.
- 10 glabrifólia. Led. (pu.) smooth-leaved. — 1827. — H. ♂.
- 11 acúlis. DC. (p.ye.) stemless. Aleppo. 1680. — H. ⊙. Cav. dis. 2. t. 27. f. 3.
- 12 carib'æa. DC. (ro.) West Indian. W. Indies. 1816. 3. 4. S. ♂. Bot. mag. 1916.
- 13 striáta. DC. (li.) streaked. . . . . 1820. 6. 8. H. ♂.
- 14 pállida. DC. (li.) pale-flowered. Hungary. 1805. — H. ♂.
- 15 rósea. DC. (va.) Hollyhock. China. 1573. 7. 9. H. ♂. Cav. dis. 2. t. 28. f. 1.
- β bíloba. DC. (va.) two-lobed. . . . . — H. ♂.
- 16 sínénsis. DC. (v.) China. — — H. ⊙. Cav. dis. 2. t. 29. f. 3.
- 17 flexuósa. DC. (pu.) flexuose. E. Indies. 1803. 6. 8. S. ♀. Bot. mag. 892.
- 18 ficifólia. DC. (ye.) Fig leaved. Levant. 1597. 6. 9. H. ♂. Cav. dis. 2. t. 28. f. 2.
- LAVAT'ERA. DC. LAVAT'ERA. Monadelphia Polyandria. L.**
- 1 triméstris. DC. (li.w.) common annual. S. Europe. 1633. 7. 9. H. ⊙. Bot. mag. 109.
- 2 phœnícea. DC. (cr.) scarlet. Madeira. 1823. 6. 9. G. ♀. Vent. malm. t. 120.
- 3 acerifólia. DC. (li.) Maple-leaved. Teneriffe. — G. ♀. Lois. h. amat. t. 322.
- 4 hispída. DC. (ro.) hispid. Algiers. 1804. 6. 7. G. ♀. Desf. atl. 2. t. 171.
- 5 O'bia. DC. (pu.) downy-leaved. France. 1570. 6. 10. G. ♀. Cav. dis. 2. t. 32. f. 2.
- 6 unguiculáta. DC. (pu.) clawed. Greece. 1807. 7. 9. G. ♀.
- 7 micans. DC. (pu.) glittering. Spain. 1796. 6. 7. G. ♀. Moris. ox. t. 17. f. 9.
- 8 lusitánica. DC. (pu.) Portugal. Portugal. 1731. 8. 9. G. ♀.
- 9 fláva. DC. (ye.) yellow. Sicily. 1823. 6. 8. H. ♀. Desf. atl. 2. t. 172.
- 10 plebéia. B.M. (li.) vulgar. N. S. W. 1820. — G. ♀. Bot. mag. 2269.
- Weinmanniána. Bes.
- 11 thuringiaca. DC. (pu.) large-flowered. Germany. 1731. 7. 9. H. ♀. Bot. mag. 517.
- 12 biénnis. DC. (pu.) biennial. Caucasus. 1823. 5. 8. H. ♂.
- 13 punctáta. DC. (bh.) spotted-stalked. Italy. 1800. 7. 9. H. ⊙.
- 14 marítima. DC. (wh.) sea side. S. Europe. 1597. 4. 6. G. ♀. Cav. dis. 2. t. 32. f. 3.
- 15 trilóba. DC. (li.) three lobed. Spain. 1759. 6. 7. G. ♀. Bot. mag. 2226.
- 16 arbórea. DC. (li.) Tree Mallow. Britain. . . . . 7. 10. H. ♂. Eng. bot. 1841.
- 17 neapolítana. DC. (pu.) Neapolitan. Naples. 1823. — H. ♀.
- 18 crética. DC. (pu.) Cretan. Crete. 1723. 7. 9. H. ⊙. Cav. dis. 2. t. 32. f. 1.
- 19 lanceoláta. W.en. (pu.) spear-leaved. . . . . 1823. — H. ⊙.
- 20 sylvéstris. DC. (pu.) wood. Portugal. — H. ⊙.
- 21 ambígua. DC. (pu.) ambiguous. Naples. 1824. — H. ⊙.
- 22 móllis. Ehr. (pu.) soft. Egypt. 1825. 7. 10. H. ⊙.
- MALA'CHRA. DC. MALA'CHRA. Monadelphia Polyandria. L.**
- 1 rotundifólia. DC. (ro.) round-leaved. Brazil. 1823. 6. 9. S. ⊙. Schrank. h. mon. t. 56.
- 2 capitáta. DC. (ye.) headed. W. Indies. 1759. 8. 9. S. ⊙. Cav. dis. 2. t. 33. f. 1. 2.
- 3 fasciáta. DC. (ro.) fasciate. Caracas. 1820. — S. ⊙. Jacq. ic. 3. t. 548.
- 4 trilóba. DC. (wh.) three-lobed. . . . . — S. ⊙.
- 5 radiáta. DC. (pu.) rayed. St. Domingo. 1794. 7. 9. S. ♂. Cav. dis. 2. t. 33. f. 3.
- 6 alceaefólia. DC. (ye.) Hollyhock-ld. Caracas. 1805. 8. 9. S. ⊙. Jacq. ic. 3. t. 549.
- 7 heptaphylla. DC. (pu.) many-flower'd. Brazil. 1820. 6. 10. S. ♀.
- fasciáta. B. reg. 467. non DC.
- 8 palmáta. DC. (ye.) palmate. . . . . 1825. — S. ⊙.
- UR'ENA. DC. UR'ENA. Monadelphia Polyandria. L.**
- 1 lobáta. DC. (ro.) angular-leav'd. China. 1731. 6. 7. S. ♀. Dill. elt. t. 319. f. 412.

- 2 scabriuscula. DC. (ro.) roughish. India. 1820. 6. 7. S. h. Cav. dis. 6. t. 185. f. 1.  
 3 repanda. DC. (ro.) netted-leaved. ———— S. h.  
 4 multífida. DC. (ye.) multifid. Mauritius. 1817. 10. 1. S. h. Cav. dis. 6. t. 184. f. 2.  
 5 tricúspis. DC. (ye.) three-pointed. ———— 1820. 6. 9. S. h. ———— 6. t. 183. f. 1.  
 6 reticuláta. DC. (ye.) netted. St. Domingo. 1816. ———— S. h. ———— 6. t. 183. f. 2.  
*americána. L. non Sm.*  
 7 subtriloba. DC. (re.) various-leaved. Brazil. 1823. ———— S. ⊙. Schrank. h. mon. t. 79.  
 8 Swártzii. DC. (re.) Swartz's. Surinam. .... ———— S. h.  
*sinuáta. Sw. americána. Sm.*  
 9 sinuáta. DC. (re.) cut-leaved. E. Indies. 1759. 7. 8. S. h. Cav. dis. 6. t. 185. f. 2.  
 10 muricáta. DC. (re.) muricate-fruit'd ———— 1823. ———— S. h.  
**PAVONIA. DC.** *PAVONIA. Monadelphia Polyandria. L.*  
 1 spinifex. DC. (ye.) prickly-seeded. W. Indies. 1778. 7. 8. S. h. Bot. reg. 339.  
 2 Typhalea. DC. (wh.) globular-headed. ———— 1823. ———— S. h. Cav. dis. 2. t. 197.  
 3 úrens. DC. (ro.) stinging. Mauritius. 1801. ———— S. h. Jacq. ic. 3. t. 522.  
 4 coccinea. DC. (sc.) scarlet. St. Domingo. 1816. ———— S. h. Cav. dis. 3. t. 47. f. 1.  
 5 Columélla. DC. (pu.) angular-leaved. Bourbon. 1807. ———— S. h. ———— 3. t. 48. f. 3.  
 6 parviflora. DC. (st.) small-flowered. .... 1820. ———— S. h.  
 7 racemósa. DC. (st.) naked-racemed. Jamaica. ———— S. h. Cav. dis. 3. t. 46. f. 1.  
*spicáta. Cav.*  
 8 præmórsa. DC. (ye.) bitten-leaved. C. B. S. 1774. 6. 8. G. h. Bot. mag. 436.  
 9 paniculáta. DC. (ye.) panicked. Caracas. 1823. ———— S. h. Cav. dis. 3. t. 46. f. 2.  
 10 odoráta. DC. (re.) fragrant. E. Indies. 1807. ———— S. h.  
 11 sidoides. DC. (re.) Sida like. ———— 1820. ———— S. f.  
 12 zeylánica. DC. (bh.) Ceylon. ———— 1790. 7. 9. S. ⊙. Burm. ind. t. 48. f. 2.  
 13 caucelláta. DC. (re.) arrow-leaved. Surinam. 1823. ———— S. ⊙. Lin. sup. t. 311.  
**MALVAVISCUS. DC. ACHANIA. Monadelphia Polyandria. L.**  
 1 arbóreus. DC. (sc.) smooth-leaved. Jamaica. 1714. 1. 12. S. h. Cav. dis. 3. t. 48. f. 1.  
*Achánia malvaviscus. w.*  
 2 móllis. DC. (sc.) soft-leaved. Mexico. 1780. ———— S. h. Bot. reg. 11.  
*Achánia móllis. B.R.*  
 3 pilósa. DC. (sc.) hairy. Jamaica. 1780. 10. 11. S. h. Lodd. bot. cab. 829.  
**LEBRETONIA. DC. LEBRETONIA. Monadelphia Polyandria. L.**  
 coccinea. DC. (sc.) scarlet. Brazil. 1823. 6. 8. S. h. Schrank. h. mon. t. 90.  
**HIBISCUS. DC. HIBISCUS. Monadelphia Polyandria. L.**  
 1 lílifflórus. DC. (va.) Lily-flowered. Bourbon. 1822. 8. 12. S. h. Cav. dis. 3. t. 57. f. 1.  
 2 Boryanus. DC. (wh.) Bory St. Vincent's. ———— 1826. 6. 10. S. h.  
 3 pedunculáta. DC. (st.) long-peduncled. C. B. S. 1812. 5. 12. S. h. Bot. reg. 231.  
 4 Lámpas. DC. (st.) three-pointed. E. Indies. 1806. 10. 2. S. h. Cav. dis. 3. t. 56. f. 2.  
 5 membranaceus. DC. (y.) leafy-calyxed. .... 1816. .... S. h. ———— 3. t. 57. f. 2.  
 6 spirális. DC. (y.fl.) spiral. Mexico. 1826. 6. 9. G. h. Cavan. ic. 2. t. 162.  
 7 tubulósus. DC. (y.p.) tubular. E. Indies. 1796. 7. 10. S. f. Cav. dis. 3. t. 68. f. 2.  
 8 pentacárpos. DC. (bh.) angular-fruited. Venice. 1752. ———— G. f. Jacq. ic. 1. t. 143.  
 9 virgínicus. DC. (ro.) Virginian. Virginia. 1798. ———— H. f. ———— 1. t. 142.  
 10 pentaspermus. DC. (ye.) five-seeded. Jamaica. 1825. ———— S. h.  
 11 Mánihot. DC. (y.p.) palmated. E. Indies. 1712. 7. 9. S. h. Bot. mag. 1702.  
 12 palmátus. C. (ye.p.) palmate-leav'd. S. America. .... S. h. Cav. dis. 3. t. 63. f. 1.  
 13 ficúlneus. DC. (wh.) Fig-leaved. Ceylon. 1732. 6. 7. S. h. ———— 3. t. 52. f. 2.  
*sinuátus. c.*  
 14 ficulneoides. B.R. (st.) Fig-like. S. America. 1824. 6. 8. S. h. Bot. reg. 938.  
 15 tetraphyllus. DC. (ye.) four-leaved. E. Indies. 1807. 7. 10. S. ⊙.  
 16 platanifólius. (ye.) Plane-leaved. W. Indies. 1820. ———— S. h. Pl. sel. h. ber. t. 1.  
*acerifólius. DC. non P.L. Pavonia platanifolia. L. en.*  
 17 Rósa-sinénsis. DC. (sc.) China Rose. E. Indies. 1731. 1. 12. S. h. Bot. mag. 158.  
   β rubro-plenus. (sc.) double-red. ———— S. h. Lod. bot. cab. 995.  
   γ cárneo-plenus. (sa.) double-salmon. ———— S. h.  
   δ variegátus. (sc.w.) double-striped. ———— S. h. Lod. bot. cab. 963.  
   ε flávo-plenus. (co.) double-buff. ———— S. h. ———— 513.  
   ζ lúteo-plenus. (ye.) double-yellow. ———— 1822. ———— S. h. ———— 932.  
 18 acerifólius. P.L. (va.) Maple-leaved. China. 1798. 3. 6. G. h. Sal. par. lond. 22.  
 19 syriacus. DC. (va.) Althæa frutex. Syria. 1596. 8. 9. H. h. Bot. mag. 83.  
   α purpúreus. (pu.) purple-flowered. ———— H. h.  
   β ruber. (re.) red-flowered. ———— H. h.  
   γ álbus. (wh.) white-flowered. ———— H. h.  
   δ variegátus. (w.p.) striped-flowered. ———— H. h.  
   ε marginátus. (pu.) variegated. ———— H. h.  
   ζ álbo-plenus. (wh.) double-white. ———— H. h.  
   η purpúreo-plenus. (p.) double-purple. ———— H. h.  
 20 pruriens. DC. (y.pu.) stinging. E. Indies. 1804. 7. 9. S. f. Andr. reposit. 498.

21	surattënsis. DC.	(y.p.) prickly-stalk'd.	E. Indies.	1731.	7. 9.	S. ⊙.	Bot. mag. 1356.
22	radiatus. DC.	(st.p.) rayed.	—————	1790.	6. 8.	S. ⊙.	————— 1911.
23	furcatus. DC.	(ye.p.) forked.	—————	1816.	7. 9.	S. ⊙.	
24	unidëns. B.R.	(y.p.) one-toothed.	Brazil.	1824.	11. 4.	S. h.	Bot. reg. 878.
25	scaber. DC.	(st.) scabrous.	Carolina.	1810.	7. 9.	G.w. 2.	
26	strigösus. B.R.	(ro.) strigose.	S. America.	1822.	1. 12.	S. h.	Bot. reg. 860.
27	bifurcatus. DC.	(pu.) two-forked.	Brazil.	1826.	—	S. h.	Cav. dis. 3. t. 51. f. 1.
28	trilöbus. DC.	(co.) three-lobed.	W. Indies.	1824.	—	S. h.	————— 3. t. 53. f. 2.
29	diversifölius. DC.	(y.p.) different-leav'd.	E. Indies.	1798.	6. 7.	S. h.	Jacq. ic. 3. t. 551.
30	heterophyllus. DC.	(w.p.) various-leav'd.	N. S. W.	1808.	8. 9.	G. h.	Bot. reg. 29.
31	cannabinus. DC.	(y.p.) Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.
32	vitifölius. DC.	(y.p.) Vine-leaved.	—————	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.
33	obtusifölius. DC.	(y.p.) blunt-leaved.	—————	1820.	—	S. ♂.	
34	Bámnia. L.en.	(y.p.) Egyptian.	Egypt.	.....	6. 7.	S. ⊙.	Tozz. mus. d. fir. 2. t. 7.
35	esculentus. L.en.	(y.p.) eatable.	India.	1692.	—	S. ⊙.	
36	longifölius. DC.	(ye.) long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.	
37	moscheutos. DC.	(w.p.) swamp.	N. America.	.....	8. 10.	H.w. 2.	Swt. br. fl. gar. 286.
38	palustris. DC.	(pu.) marsh.	—————	1759.	7. 9.	H.w. 2.	Cav. dis. 3. t. 65. f. 2.
39	rosëus. DC.	(ro.) rose-colour'd.	S. Europe.	1824.	8. 10.	H.w. 2.	Swt. br. fl. gar. 277.
40	aquaticus. DC.	(wh.) water.	Etruria.	1820.	7. 9.	H.w. 2.	
41	incanus. DC.	(st.) hoary.	Carolina.	1806.	9.	G.w. 2.	Wend. h. her. 4. t. 24.
42	militaris. DC.	(pu.) smooth.	Louisiana.	1804.	8. 9.	G.w. 2.	Bot. mag. 2385.
43	speciosus. DC.	(cr.) superb.	Carolina.	1778.	6. 9.	G.w. 2.	————— 360.
44	grandiflorus. DC.	(fl.) great-flower'd.	Georgia.	1823.	—	G.w. 2.	
45	ferrugineus. DC.	(re.) rusty.	Madagascar.	1820.	—	S. h.	Cav. dis. 3. t. 60. f. 1.
46	lunarifölius. DC.	(st.p.) Lunaria-leav'd.	E. Indies.	.....	—	S. h.	
47	æthiopicus. DC.	(ye.) dwf. wedge'd.	C. B. S.	1774.	8.	G. 2.	Cav. dis. 3. t. 61. f. 1.
48	mutabilis. DC.	(va.) changeable.	E. Indies.	1690.	10. 12.	S. h.	Bot. reg. 589.
		(va.) double-flowered.	—————	.....	—	S. h.	
49	clypeatus. DC.	(r.y.) shield-capsuled.	Jamaica.	1759.	7. 8.	S. h.	Cav. dis. 3. t. 58. f. 1.
50	Abelmoschus. DC.	(ye.) Musk Okro.	India.	1640.	7. 9.	S. h.	————— 3. t. 62. f. 2.
51	eriocarpus. DC.	(ye.) woolly-capsul'd.	E. Indies.	1820.	—	S. h.	
52	pheniceus. B.R.	(cr.) crimson-flow'd.	S. America.	1796.	—	S. h.	Bot. reg. 230.
53	hirtus. L.	(sc.) hairy.	E. Indies.	.....	2. 10.	S. h.	Cav. dis. 3. t. 67. f. 3.
54	Rösa malabarica. (sc.)	Malabar Rose.	—————	1818.	8. 10.	S. h.	Bot. reg. 337.
55	rhombifölius. DC.	(wh.) rhomb-leaved.	—————	1823.	—	S. h.	Cav. dis. 3. t. 69. f. 3.
56	gossypinus. DC.	(re.) cottony.	C. B. S.	1818.	—	G. h.	
57	micranthus. DC.	(ye.) small-flowered.	E. Indies.	1794.	—	S. h.	Cav. dis. 3. t. 66. f. 1.
58	Trionum. DC.	(st.p.) bladder-Ketmia.	Italy.	1596.	6. 9.	H. ⊙.	Bot. mag. 209.
59	hispidus. B.R.	(y.p.) hispid.	C. B. S.	.....	—	G. h.	Bot. reg. 806.
60	africanus. R.B.	(st.p.) African.	Africa.	1826.	6. 10.	H. ⊙.	
61	Richardsonii. (st.)	Richardson's.	N. S. W.	1822.	—	G. h.	Bot. reg. 875.
62	vesicarius. DC.	(st.p.) African.	Africa.	1713.	7. 8.	H. ⊙.	Cav. dis. 3. t. 62. f. 2.
63	Sabdariffa. DC.	(y.ro.) Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.
64	digitatus. DC.	(y.r.) fingered.	Brazil.	1818.	—	S. ⊙.	Cav. dis. 3. t. 70. f. 2.
		(y.r.) Ker's.	Rio Janeiro.	—	—	S. ⊙.	Bot. reg. 608.
65	tricuspis. DC.	(ye.) sharp-pointed.	Society Isl.	1820.	—	S. h.	Cav. dis. 3. t. 55. f. 2.
66	racemosus. B.R.	(y.p.) racemed.	Nepaul.	1824.	8. 2.	G. h.	Bot. reg. 917.
67	tiliaceus. DC.	(ye.p.) Lime-tree-ld.	E. Indies.	1739.	7. 8.	S. h.	————— 232.
68	elatus. DC.	(y.p.) tall.	Jamaica.	1790.	—	S. h.	
69	abutiloides. DC.	(y.p.) smooth-leaved.	S. America.	1820.	....	S. h.	Sloan. jam. 1. t. 234. f. 4.
70	flavescens. (ye.)	flavescent.	Brazil.	1822.	6. 9.	S. h.	Cav. dis. 3. t. 70. f. 3.
71	borbonicus. DC.	(ye.) Bourbon.	I. Bourbon.	1826.	—	S. h.	
72	Macleanus. B.F.	(ye.) Macleay's.	W. Indies.	1827.	8. 9.	S. h.	
73	macrophyllus. DC.	(ye.) large-leaved.	E. Indies.	1820.	....	S. h.	
74	collinus. H.B.	(ye.) hill.	—————	1822.	....	S. h.	
75	cancellatus. H.B.	(ye.) netted.	Nepaul.	1823.	10. 2.	S. ♂.	
76	truncatus. H.B.	(ye.) truncate.	E. Indies.	—	8. 10.	S. ⊙.	
77	scandens. H.B.	(ye.) climbing.	—————	1822.	....	S. h.	
78	strictus. H.B.	(ye.) upright.	—————	1809.	8. 10.	S. ⊙.	
79	gangeticus. L.en.	(ye.) dwarf.	—————	1804.	5. 10.	S. h.	
80	setosus. H.B.	(ye.) bristly.	—————	1820.	....	S. h.	
81	tortuosus. H.B.	(ye.) twisted.	—————	1808.	6. 9.	S. h.	
82	pentaphyllus. H.B.	(y.) five-leaved.	China.	1825.	7. 9.	S. ♂.	
83	pungens. H.B.	(ye.) pungent.	Nepaul.	—	....	G. 2.	
84	fragrans. H.B.	(ye.) fragrant.	E. Indies.	1826.	....	S. h.	
85	Pateronii. DC.	(fl.) Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. h.	Andr. rep. 286.

*Lagunæa Pateronia*. Bot. mag. 769. *squamea*. Vent. malm. t. 42.

<b>THESPIESIA. DC.</b>		<b>THESPIESIA. Monadelphia Polyandria. L.</b>			
populnea. DC. ( <i>y.p.</i> )	Poplar-leaved.	E. Indies.	1770. ....	S. h.	Cav. dis. 3. t. 56. f. 1.
<i>Hibiscus populnea</i> . W.					
<b>GOSSYPIMUM. DC.</b>		<b>COTTON-TREE. Monadelphia Polyandria. L.</b>			
1 herbaceum. DC. ( <i>y.p.</i> )	common.	E. Indies.	1594. 7.	S. ♂.	Roxb. corom. t. 269.
2 indicum. DC. ( <i>y.p.</i> )	Indian.	_____	....	S. ♂.	Cav. dis. 6. t. 169.
3 arboreum. DC. ( <i>y.p.</i> )	tree.	_____	1694. 7. 8.	S. h.	_____ 6. t. 195.
4 vitifolium. DC. ( <i>y.p.</i> )	Vine-leaved.	_____	1805.	S. h.	_____ 6. t. 166.
5 hirsutum. DC. ( <i>ye.</i> )	hairy.	S. America.	1731.	S. ♂.	_____ 6. t. 167.
6 glandulosum. DC. ( <i>ye.</i> )	glandless.	_____	....	S. ♂.	
7 religiosum. DC. ( <i>bh.</i> )	spotted-bark'd.	E. Indies.	1777.	S. h.	Cav. dis. 6. t. 164. f. 1.
8 latifolium. DC. ( <i>ye.p.</i> )	broad-leaved.	_____	....	S. h.	Murr. c. gæt. p. 32. t. 1.
9 barbadense. DC. ( <i>y.p.</i> )	Barbadoes.	Barbadoes.	1759. 8. 10.	S. ♂.	Bot. reg. 84.
10 obtusifolium. H.B. ( <i>y.p.</i> )	blunt-leaved.	E. Indies.	1822. 7. 8.	S. h.	
<b>REDO'UTEA. DC.</b>		<b>REDO'UTEA. Monadelphia Polyandria. L.</b>			
heterophylla. DC. ( <i>st.p.</i> )	various-leaved.	St. Thomas.	1824. 7. 9.	S. ○.	Vent. cels. t. 11.
<b>LOPI'MIA. DC.</b>		<b>LOPI'MIA. Monadelphia Polyandria. L.</b>			
malacophylla. DC. ( <i>sc.</i> )	Mallow-leaved.	Brazil.	1824. ....	S. h.	Pl. sel. h. ber. t. 30.
<i>Sida malacophylla</i> . L.		en.			
<b>PALAVIA. DC.</b>		<b>PALAVIA. Monadelphia Polyandria. L.</b>			
1 malvæfolia. DC. ( <i>pu.</i> )	halberd-leav'd.	Lima.	1794. 6. 8.	H. ○.	Cav. dis. 1. t. 11. f. 4.
2 moschata. DC. ( <i>pu.</i> )	musk-scented.	_____	1822.	H. ○.	_____ 1. t. 11. f. 5.
<b>CRISTARIA. Ph.</b>		<b>CRISTARIA. Monadelphia Polyandria. L.</b>			
?cocinea. Ph. ( <i>sc.</i> )	scarlet.	Missouri.	1811. 7. 9.	H. ♀.	Bot. mag. 1673.
<i>Málva cocinea</i> . Nut. <i>Sida? cocinea</i> . DC.					
<b>AN'ODA. DC.</b>		<b>AN'ODA. Monadelphia Polyandria. L.</b>			
1 hastata. DC. ( <i>bl.wh.</i> )	halberd-leav'd.	Mexico.	1799. 6. 7.	S. ○.	Bot. rep. 588.
2 triloba. DC. ( <i>pu.</i> )	three-lobed.	_____	1720. 7. 9.	G. ○.	Cav. dis. 1. t. 10. f. 3.
<i>Sida cristata</i> . W. non B.M.					
3 Dilleniàna. DC. ( <i>ro.</i> )	Dillenius's.	_____	1725. 6. 11.	G. ○.	Cav. dis. 1. t. 11. f. 1.
<i>Sida cristata</i> . B.M. 330. non W.					
4 triangularis. DC. ( <i>pu.</i> )	triangular-ld.	_____	1824. 7. 9.	G. ○.	
5 incarnata. DC. ( <i>f.</i> )	flesh-color'd.	_____	1825.	G. ♂.	
6 acerifolia. DC. ( <i>bl.</i> )	Maple-leaved.	_____	1809. 1. 12.	S. ♂.	Bot. mag. 1541.
<i>Sida hastata</i> . B.M. non W. <i>centrota</i> . s.s.					
7 parviflora. DC. ( <i>st.</i> )	small-flowered.	New Spain.	1823. 6. 10.	G. ○.	Cav. ic. 5. t. 431.
<b>PERI'PTERA. DC.</b>		<b>PERI'PTERA. Monadelphia Polyandria. L.</b>			
punicea. DC. ( <i>cr.</i> )	crimson.	New Spain.	1813. 6. 9.	S. h.	Bot. mag. 1644.
<i>Sida periptera</i> . B.M. <i>Anoda punicea</i> . Lag.					
<b>NUTTA'LLIA. B.A.</b>		<b>NUTTA'LLIA. Monadelphia Polyandria.</b>			
1 digitata. B.A. ( <i>d.p.</i> )	digitate-leaved.	N. America.	1824. 7. 10.	H. ♀.	Swt. br. fl. gar. 129.
2 pedata. B.A. ( <i>d.pu.</i> )	pedate-leaved.	_____	_____	H. ♀.	Hook. ex. flor. 172.
<b>S'IDA. Kth.</b>		<b>S'IDA. Monadelphia Polyandria. L.</b>			
1 linifolia. DC. ( <i>wh.</i> )	Flax-leaved.	S. America.	1822. 6. 9.	S. h.	Cav. dis. 1. t. 2. f. 1.
2 angustifolia. DC. ( <i>ye.</i> )	narrow-leaved.	Bourbon.	1726. 7. 9.	S. h.	_____ 1. t. 2. f. 2.
3 linearis. DC. ( <i>ye.</i> )	linear-leaved.	New Spain.	1820. 6. 10.	G. h.	Cav. ic. 4. t. 312. f. 1.
4 viminea. L. en. ( <i>ye.</i> )	slender.	Brazil.	1823.	S. h.	
5 spinosa. DC. ( <i>ye.</i> )	prickly.	E. Indies.	1680.	S. ♂.	Cav. dis. 1. t. 1. f. 9.
6 acuta. DC. ( <i>ye.</i> )	acute-leaved.	_____	1827.	S. h.	_____ 1. t. 2. f. 3.
7 álba. DC. ( <i>wh.</i> )	white-flowered.	_____	1732. 6. 7.	S. ○.	Dill. elt. 2. t. 171. f. 210.
8 stipulata. DC. ( <i>ye.</i> )	large-stipuled.	Mauritius.	1820. ....	S. h.	Cav. dis. 1. t. 3. f. 10.
9 jamaicensis. DC. ( <i>ye.</i> )	Jamaica.	Jamaica.	1818. 6. 9.	S. h.	_____ 1. t. 2. f. 5.
10 bracteolata. DC. ( <i>ye.</i> )	bracteolate.	S. America.	_____	S. h.	
11 carpinifolia. DC. ( <i>ye.</i> )	Hornbeam-ld.	Canaries.	1774. 7. 9.	G. h.	Cav. dis. 5. t. 134. f. 1.
12 carpinoides. DC. ( <i>ye.</i> )	Hornbeam-like.	_____	....	S. h.	
13 semicrenata. L. en. ( <i>y.</i> )	semicrenate.	Manila.	1826.	S. ♀.	
14 acrantha. L. en. ( <i>ye.</i> )	close-flower'd.	Brazil.	_____	S. h.	
15 spiræifolia. L. en. ( <i>ye.</i> )	Spiræa-leaved.	_____	....	S. h.	
16 Schränkii. DC. ( <i>ye.</i> )	Schrank's.	Brazil.	1824.	S. ♀.	
<i>brasila</i> . L. en.					
17 betulina. H. ( <i>ye.</i> )	Birch-leaved.	S. America.	1823.	S. h.	
18 erosa. DC. ( <i>ye.</i> )	jagged.	Brazil.	_____	S. ♀.	
19 ciliaris. DC. ( <i>cr.</i> )	ciliated.	St. Domingo.	1798.	S. h.	Cav. dis. 1. t. 3. f. 9.
20 alnifolia. DC. ( <i>ye.</i> )	Alder-leaved.	E. Indies.	1732.	S. ♂.	Dill. elt. t. 172. f. 211.
21 sessiliflora. B.M. ( <i>ye.</i> )	sessile-flower'd.	S. America.	1826. 11. 2.	S. h.	Bot. mag. 2857.
22 frutescens. DC. ( <i>ye.</i> )	frutescent.	Mauritius.	1824. 6. 9.	S. h.	Cav. dis. 1. t. 10. f. 1.
23 bicolor. DC. ( <i>r.y.</i> )	two-colour'd.	New Spain.	1826.	S. h.	Cav. ic. 4. t. 311.
24 canariensis. DC. ( <i>wh.</i> )	Canary Tea.	Canaries.	....	S. h.	Cav. dis. 1. t. 3. f. 8.
<i>álba</i> . Cav. non L.					

- 25 rhombifolia. DC. (*ye.*) rhomboid-ld. Brazil. 1732. 6. 8. S. ♀. Cav. dis. 1. t. 3. f. 12.
- 26 rhomboidæa. DC. (*ye.*) rhomboid. E. Indies. 1818. — S. ♀.
- 27 retusa. DC. (*ye.*) retuse-leaved. — — S. ♀. Cav. dis. 1. t. 3. f. 4.
- 28 recisa. DC. (*ye.*) notched. Brazil. 1823. — S. ♀.
- 29 calyxhymenia. DC. (*st.*) New Holland. N. Holland. 1820. — G. ♀.
- 30 globiflora. B.M. (*st.*) globe-flowered. Mauritius. 1825. 10. 12. S. ♀. Bot. mag. 2821.
- 31 maculata. DC. (*ye.r.*) corky. St. Domingo. 1798. .... S. ♀. Cav. dis. 1. t. 3. f. 7.
- suberosa*. L. her. stirp. t. 54.
- 32 acuminata. DC. (*ye.*) acuminate. St. Domingo. 1805. 7. 9. S. ♀.
- 33 pilosa. DC. (*ye.*) pilose. W. Indies. 1793. — S. ♂. Cav. dis. 1. p. 9. t. 8.
- 34 humilis. DC. (*ye.*) dwarf. E. Indies. 1800. 7. 8. S. ♂. Cav. dis. 5. t. 134. f. 2.
- unilocularis*. L'Herit. stirp. 1. t. 53. bis.
- 35 rotundifolia. DC. (*pu.*) round-leaved. Bourbon. 1826. — S. ⊙. Cav. dis. 1. t. 3. f. 6.
- 36 cordifolia. DC. (*ye.*) heart-leaved. E. Indies. 1732. 6. 9. S. ⊙. — 1. t. 3. f. 2.
- 37 multiflora. DC. (*ye.*) many-flowered. Brazil. 1825. — S. ♀. — 1. t. 3. f. 3.
- 38 arguta. DC. (*ye.*) sharp-leaved. W. Indies. 1732. 7. 8. S. ♀.
- 39 althæifolia. DC. (*co.*) Althæa-leaved. — 1818. — S. ♀. Sloan. his. 1. t. 136. f. 2.
- 40 Ærens. DC. — 1781. — S. ♀. Cav. dis. 1. t. 2. f. 7.
- 41 verticillata. DC. (*ye.*) whorl-flowered. Brazil. 1823. — S. ♀. — 1. t. 1. f. 12.
- 42 paniculata. DC. (*d.pu.*) dark purple. S. America. 1795. 7. 9. S. ♀. — 1. t. 12. f. 5.
- atrosanguinea*. Jacq. ic. 1. t. 136.
- 43 fruticosa. DC. (*wh.*) shrubby. Jamaica. .... 6. 10. S. ♀.
- 44 villosa. DC. (*ye.*) villous. S. America. .... S. ♀.
- 45 verruculata. DC. (*ye.*) wart-stem'd. Brazil. 1827. 5. 9. S. ♀.
- arguta*. F. in L. en. non Swartz.
- 46 graveolens. DC. (*ye.*) strong-scented. E. Indies. 1820. 6. 9. S. ♀.
- 47 purpurascens. DC. (*pu.*) purplish. Brazil. — 7. 9. S. ♀.
- 48 patens. DC. (*pu.*) spreading. Abyssinia. 1806. — S. ♂. Andr. rep. 571.
- 49 conferta. DC. (*st.*) close-flowered. Brazil. 1826. — S. ♀.
- 50 hirsuta. DC. (*wh.*) hairy. .... S. ♀.
- 51 lasiostega. DC. (*ye.*) woolly. Brazil. 1823. — S. ♀.
- 52 pentacarpus. DC. (*ye.*) five-capsuled. E. Indies. 1823. 8. 10. S. ⊙.
- 53 triloba. DC. (*wh.*) three-lobed. C. B. S. 1794. — G. ♂. Jacq. schoen. 2. t. 142.
- 54 ricinoides. DC. (*bh.*) Ricinus-like. Peru. 1826. 7. 10. H. ⊙. L'Her. stirp. 1. t. 56.
- palmata*. Cav. dis. 1. t. 3. f. 3.
- 55 jatrophoides. DC. (*vi.*) Jatropha-like. Peru. 1787. 8. S. ♂. L. Her. stirp. 1. t. 56.
- palmata*. Jacq. ic. rar. 3. t. 547.
- 56 malvæflora. B.R. (*bh.*) Mallow-flow'd. Columbia. 1826. 9. 11. H. ♀. Bot. reg. 1036.
- 57 Nap'æa. DC. (*wh.*) smooth. Virginia. 1748. 8. 9. H. ♀. Bot. mag. 2193.
- Nap'æa lævis*. L.
- 58 dioica. DC. (*wh.*) rough. Virginia. 1759. 8. 9. H. ♀. Cav. dis. 5. t. 132. f. 2.
- BASTARDIA. Kth. BASTARDIA. Monadelphia Polyandria. L.
- 1 viscosa. K.S. (*ye.*) viscous. S. America. 1822. 7. 8. S. ♀. Sloan. his. 1. t. 139. f. 4.
- Sida viscosa*. DC.
- 2 foetida. (*ye.*) stinking. Peru. 1795. 7. 8. S. ⊙. L. Her. stirp. 1. t. 53.
- Sida foetida*. DC. *Sida viscosa*. L.H.
- GA'YA. Kth. GA'YA. Monadelphia Polyandria. L.
- 1 occidentalis. H.S. (*vi.*) downy. America. 1732. 7. 8. S. ⊙. Cav. dis. 1. t. 4. f. 3.
- Sida occidentalis*. DC.
- 2 hermannoïdes. K.S. (*y.*) Hermannia-like. Mexico. 1826. 4. 9. G. ♀. H. et B. n.gen. 5. t. 475.
- 3 disticha. (*ye.*) two-ranked. New Spain. 1820. 6. 9. G. ♀. Cav. ic. 5. t. 432.
- Sida disticha*. Cav.
- 4 nutans. (*ye.*) nodding. Peru. 1825. — G. ♀. L. Her. stirp. 1. t. 57.
- Sida nutans*. DC. *calypttrata*. Cav.
- ABUTILON. Kth. ABUTILON. Monadelphia Polyandria. L.
- 1 periplocifolium. (*st.*) Periploca-ld. India. 1691. 7. 8. S. ♂. Cav. dis. 1. t. 5. f. 2.
- Sida periplocifolia*. DC.
- 2 ferrugineum. K.S. (*ye.*) ferruginous. Peru. 1822. 7. 8. S. ♀.
- 3 hernandioides. (*ye.*) Hernandia-ld. Hispaniola. 1798. ... S. ♀. L. Her. stirp. 1. t. 58.
- 4 lucianum. (*wh.*) St. Lucian. St. Lucia. 1822. .... S. ♀.
- Sida luciana*. DC.
- 5 Lechenaultianum. (*ye.*) Lechenault's. E. Indies. 1820. .... S. ♀.
- Sida Lechenaultiana*. DC.
- 6 nudiflorum. (*ye.*) naked-flower'd. Peru. 1731. 5. 6. S. ♀. L. Her. stirp. 1. t. 59.
- 7 polyanthum. (*ye.*) many-flowered. .... 1822. — S. ♀.
- Sida polyantha*. DC.
- 8 contractum. (*ye.*) contracted. Madagascar. 1826. 5. 7. S. ♀.
- Sida contracta*. L. en.
- 9 auritum. (*co.*) eared-stipuled. Java. 1820. 12. 3. S. ♀. Bot.
- Sida aurita*. B.M.

10	triquètrum.	(ye.) triangular.	W. Indies.	1775.	7. 8.	S. $\frac{1}{2}$ .	Jacq. vind. 2. t. 118.
11	incanum.	(ye.) hoary.	Sandwich Isl.	1821.	—	S. $\frac{1}{2}$ .	
	<i>Sida incana</i> . L. en.						
12	pulchellum.	(wh.) neat.	N. Holland.	—	—	S. $\frac{1}{2}$ .	Bonpl. nav. t. 2.
13	umbellatum.	(ye.) umbelled.	Jamaica.	1788.	7. 9.	S. $\frac{1}{2}$ .	Jacq. vind. t. 56.
14	giganteum.	(ye.) gigantic.	Caracas.	1823.	...	S. $\frac{1}{2}$ .	Jacq. schoenh. 2. t. 141.
15	reflexum.	(re.) reflex-flowered.	Peru.	1799.	7. 8.	S. $\frac{1}{2}$ .	Cav. dis. 1. t. 7.
16	crispum.	(wh.) curled.	America.	1726.	—	H. $\odot$ .	----- 1. t. 7. f. 1.
17	virgatum.	(ye.) twiggy.	Peru.	1820.	—	S. $\frac{1}{2}$ .	Cav. ic. 1. t. 73.
18	arboreum.	(pu.) great-flowered.	—	1772.	—	S. $\frac{1}{2}$ .	L. her. stirp. 1. t. 63.
19	Mauritianum.	(ye.) hairy-capsuled.	Mauritius.	1789.	7. 9.	S. $\frac{1}{2}$ .	Jacq. ic. 1. t. 137.
	<i>Sida planiflora</i> . Cav. dis. 1. t. 7. f. 4.						
20	tiliæfolium.	(ye.) Lime-tree-ld.	China.	1820.	—	S. $\odot$ .	Jacq. f. ecl. 1. t. 35.
21	muticum.	awnless.	Egypt.	1825.	8. 10.	H. $\odot$ .	
	<i>Sida mutica</i> . DC.						
22	Avicennæ. g.	(ye.) broad-leaved.	S. France.	1596.	6. 8.	H. $\odot$ .	Houtt. syst. 8. t. 61.
	<i>Sida Abutilon</i> . DC.						
23	americanum.	(ye.) American.	Jamaica.	1730.	6. 8.	S. $\odot$ .	
	<i>Sida americana</i> . DC.						
24	asiaticum.	(ye.) small-flowered.	E. Indies.	1768.	7. 8.	S. $\odot$ .	Cav. dis. 1. t. 7. f. 2.
25	populifolium.	(ye.) Poplar-leaved.	—	1796.	—	S. $\odot$ .	----- 1. t. 7. f. 9.
26	hirtum.	(ye.) hairy.	—	1820.	—	S. $\odot$ .	Rumph. amb. 4. t. 10?
	<i>Sida hirta</i> . DC.						
27	molle.	(ye.) large-leaved.	Peru.	1817.	10. 12.	S. $\frac{1}{2}$ .	Bot. mag. 2759.
	<i>Sida mollis</i> . DC. <i>grandifolia</i> . Bot. reg. 360.						
28	mollissimum.	(st.) soft-leaved.	Peru.	1789.	6. 7.	S. $\frac{1}{2}$ .	Cav. dis. 2. t. 14. f. 1.
29	permolle.	(ye.) woolly-leaved.	—	1818.	—	S. $\frac{1}{2}$ .	
	<i>Sida permollis</i> . DC.						
30	cornutum.	(ye.) horned.	S. America.	1827.	—	S. $\frac{1}{2}$ .	
	<i>Sida cornuta</i> . W. enum.						
31	indicum.	(ye.) Indian.	E. Indies.	1731.	7. 8.	S. $\odot$ .	Cav. dis. 1. t. 7. f. 10.
32	vesicarium.	(st.) bladdered.	Mexico.	1796.	—	S. $\frac{1}{2}$ .	----- 2. t. 14. f. 3.
33	glaucum.	(ye.) glaucous.	Senegal.	1822.	—	S. $\frac{1}{2}$ .	Cav. ic. 1. t. 11.
34	albidum.	(ye.) white-leaved.	Canaries.	—	—	G. $\frac{1}{2}$ .	
	<i>Sida albida</i> . DC.						
35	mollicomum.	(ye.) soft.	.....	1804.	7. 9.	S. $\frac{1}{2}$ .	
	<i>Sida sericea</i> . Cav? <i>Sida mollicoma</i> . DC.						
36	Sonneratianum.	(ye.) Sonnerat's.	C. B. S.	1806.	6. 7.	G. $\frac{1}{2}$ .	Cav. dis. 1. t. 6. f. 4.
LAGUN'EA. DC. LAGUN'EA. Monadelphia Polyandria. L.							
1	lobata. DC.	(wh.) Maple-leaved.	Bourbon.	1787.	7. 8.	S. $\odot$ .	Cav. dis. 5. t. 136. f. 1.
2	sinuata. DC.	(wh.) sinuate.	.....	....	—	S. $\odot$ .	

## ORDO XXIX.

## BOMBACEÆ. DC. prodr. 1. p. 475.

HELICTERES. DC. SCREW-TREE. Monadelphia Dodecandria. L.							
1	Isora. DC.	(re.) great-fruited.	E. Indies.	1733.	6. 7.	S. $\frac{1}{2}$ .	Bot. mag. 2061.
2	baruensis. DC.	(wh.) small-fruited.	W. Indies.	1739.	9. 10.	S. $\frac{1}{2}$ .	Jacq. amer. t. 149.
3	jamaicensis. DC.	(wh.) broad-leaved.	—	—	6. 7.	S. $\frac{1}{2}$ .	Jacq. vind. 2. t. 143.
4	guazumæfolia. DC.	(pu.) Guazuma-ld.	S. America.	1820.	6. 8.	S. $\frac{1}{2}$ .	
5	verbascifolia. DC.	(re.) Verbascum-ld.	Brazil.	—	—	S. $\frac{1}{2}$ .	Lodd. bot. cab. 504.
6	ferruginata. DC.	(ye.) yellow-flow'r'd.	—	—	—	S. $\frac{1}{2}$ .	
7	lanceolata. DC.	(pu.) spear-leaved.	E. Indies.	1823.	....	S. $\frac{1}{2}$ .	
8	spicata. H.B.	(pu.) spike-flowered.	—	—	....	S. $\frac{1}{2}$ .	
MYR'ODIA. DC. MYR'ODIA. Monadelphia Dodecandria. L.							
	turbinata. DC.	(wh.) short-flowered.	W. Indies.	1793.	....	S. $\frac{1}{2}$ .	Fl. mex. ic. ined.
PLAGIA'NTHUS. DC. PLAGIA'NTHUS. Monadelphia Dodecandria.							
	divaricatus. DC.	.... small-leaved.	NewZealand.	1821.	....	G. $\frac{1}{2}$ .	Forst. gen. t. 43.
ADANS'ONIA. DC. SOUR-GOURD. Monadelphia Polyandria. L.							
	dissecta. DC.	(wh.) palmate.	Senegal.	1724.	....	S. $\frac{1}{2}$ .	Bot. mag. 2791-2792.

CAROLINEA. DC.		CAROLINEA. Monadelphia Polyandria. L.			
1	princeps. DC. (re.) digitated.	W Indies.	1787. ....	S. h.	Aub. gui. 2. t. 291-2.
	<i>Pachira aquatica</i> . A.				
2	insignis. DC. (sc.) great-flowered.	—————	1796. ....	S. h.	Lodd. bot. cab. 1004.
3	robusta. L.C. (re.) robust.	S. America.	1825. ....	S. h.	
4	fastuosa. DC. (cr.) crimson.	New Spain.	—————	S. h.	Hern. mex. 68. ic.
5	minor. DC. (re.) lesser.	Guiana.	1798. 7. 8.	S. h.	Bot. mag. 1412.
6	alba. B.C. (wh.) white-flowered.	Brazil.	.....	S. h.	Lod. bot. cab. 752.
BOMBAX. DC.		SILK-COTTON-TREE. Monadelphia Polyandria.			
1	Céiba. DC. (ro.) five-leaved.	S. America.	1692. ....	S. h.	Jacq. am. t. 176. f. 1.
	<i>quinatum</i> . Jacq.				
2	septenatum. DC. .... seven-leaved.	—————	1699. ....	S. h.	
	<i>heptaphyllum</i> . L. non Cav.				
3	malabarium. DC. (sc.) Malabar.	E. Indies.	.....	S. h.	Roxb. cor. 3. t. 247.
	<i>heptaphyllum</i> . Roxb. non L.				
4	globosum. DC. (pa.) globe-fruited.	Guiana.	1824. ....	S. h.	Aubl. guian. 2. t. 281.
5	buonopozense. DC. (cr.) African.	Africa.	1822. ....	S. h.	Beauv. fl. ow. 2. t. 83.
ERIODE'NDRON. DC. ERIODE'NDRON. Monadelphia Dodecandria.					
1	leiantherum. DC. (wh.) Brazilian.	Brazil.	1822. ....	S. h.	Cav. dis. 5. t. 152. f. 1.
	<i>Bombax eriandros</i> . Cav.				
2	anfractuosum. DC. (st.) twisted-anther'd .....		1739. ....	S. h.	Cav. dis. 5. t. 151.
	<i>Bombax pentandrum</i> . L.				
	<i>a indicum</i> . DC. (ye.) East Indian.	E. Indies.	—————	S. h.	Rheed. mal. 3. t. 49. 51.
	<i>β caribæum</i> . DC. (ro.) West Indian.	W. Indies.	—————	S. h.	Jacq. am. t. 176. f. 70.
	<i>γ africanum</i> . DC. (cr.) African.	Africa.	1823. ....	S. h.	
OCHR'OMA. DC. OCHR'OMA. Monadelphia Pentandria. L.					
1	Lagopus. DC. (wh.) downy-leaved.	Jamaica.	1802. ....	S. h.	Sw. fl. 2. t. 23.
2	tomentosa. DC. (wh.) woolly-leaved.	S. America.	1816. ....	S. h.	
CHEIROSTEMON. DC. CHEIROSTEMON. Monadelphia Decandria.					
	platanoides. DC. (wh.) plane-leaved.	New Spain.	1820. 11. 1.	S. h.	H. et B. pl. æq. 1. t. 24.
	<i>Chiranthodendron</i> . Larr. dis. ic.				

## ORDO XXX.

BUTTNERIACEÆ. *Kunth Synops. 3. p. 266.*Tribus I. STERCULIÆ. DC. *prodr. 1. p. 481.*

STERCULIA. DC.		STERCULIA. Monœcia Monadelphia. L.			
1	Balángas. DC. (st.) many-seeded.	E. Indies.	1787. 6. 9.	S. h.	Rheed. mal. 1. t. 49.
2	nobilis. DC. (st.) few-seeded.	China.	—————	S. h.	Bot. reg. 185.
	<i>Balángas</i> . B.R. <i>Southerellia nobilis</i> . Par. Lond. 69.				
3	acuminata. DC. (ye.) taper-pointed.	Africa.	1822. ....	S. h.	Beau. fl. ow. 1. t. 24.
4	grandiflora. DC. (ye.) large-flowered.	E. Indies.	1820. ....	S. h.	
5	coccinea. DC. (re.) scarlet-fruited.	—————	—————	S. h.	
6	angustifolia. DC. (ye.) narrow-leaved.	Nepaul.	1823. ....	S. h.	
7	guttata. DC. (fl.) spotted.	E. Indies.	1819. ....	S. h.	Rheed. mal. 4. t. 61.
8	heterophylla. DC. (ye.) various-leaved.	Africa.	1824. ....	S. h.	Beauv. fl. ow. 1. t. 40.
9	Ivira. DC. (fl.) hairy capsuled.	W. Indies.	1723. ....	S. h.	Aub. gui. 2. t. 279.
	<i>crinita</i> . Cav. dis. 5. t. 162.				
10	macrophylla. DC. (ye.) large-leaved.	E. Indies.	1822. ....	S. h.	
11	platanifolia. DC. (gr.) Plane-leaved.	China.	1757. 7.	G. h.	Cav. dis. 5. t. 145.
12	colorata. DC. (re.) scarlet.	E. Indies.	1818. ....	S. h.	Roxb. cor. 1. t. 25.
13	urens. DC. (gr.) stinging.	—————	1793. 6. 9.	S. h.	————— 1. t. 24.
14	villosa. DC. .... vilous-leaved.	—————	1818. ....	S. h.	
15	foetida. DC. (fl.) fetid.	—————	1690. ....	S. h.	Cav. dis. 5. t. 145.
HERITIERA. DC.		LOOKING-GLASS PLANT. Diœcia Monadelphia.			
1	littoralis. DC. (re.) large-leaved.	E. Indies.	1780. ....	S. h.	Rheed. mal. 6. t. 21.
2	minor. DC. .... small-leaved.	—————	1816. ....	S. h.	Gart. fr. 2. t. 98. f. 2.

Tribus II. *BUTTNERIÆ.*

<b>THEOBR'OMA. DC.</b>		<b>CHOCOLATE-NUT. Polyadelphia Decandria. L.</b>		
1	Cacão. DC. (ye.)	smooth-leaved. S. America.	1739. 6. 9.	S. h. Lodd. bot. cab. 545.
2	guianénsis. DC. (ye.)	woolly-leaved. Guiana.	1803. ....	S. h. Aub. gui. 2. t. 275.
3	carib'æa. (ye.)	Caribbean. W. Indies.	1821. ....	S. h.
4	bicolor. DC. (re.)	two-coloured. S. America.	1820. ....	S. h. H. et B. pl. eq. 1. t. 30.
<b>ABR'OMA. DC.</b>		<b>ABR'OMA. Polyadelphia Dodecandria. L.</b>		
1	augústa. DC. (d.pu.)	smooth-stalked. E. Indies.	1770. 6. 9.	S. h. Bot. reg. 518.
2	fastuosa. DC. (d.pu.)	rough-stalked. N. Holland.	1800. ———	S. h. Sal. par. lond. 102.
3	móllis. DC. (d.pu.)	soft. Moluccas.	.....	S. h.
<b>GUAZ'UMA. DC.</b>		<b>BASTARD CEDAR. Polyadelphia Dodecandria. L.</b>		
1	ulmifolia. DC. (ye.)	Elm-leaved. W. Indies.	1739. 8. 9.	S. h. Trew ehret. t. 76.
	<i>Bubròma Guazùma. w.</i>			
2	tomentosa. DC. (ye.)	tomentose. S. America.	.....	— S. h.
3	polybòtrya. DC. (ye.)	velvety. W. Indies.	.....	— S. h. Cav. ic. 3. t. 299.
<b>COMMERS'ONIA. DC.</b>		<b>COMMERS'ONIA. Pentandria Pentagynia. L.</b>		
1	echinàtia. DC. (wh.)	oval-leaved. Moluccas.	1806. 6. 7.	S. h. Rumph. amb. 3. t. 119.
2	platyph'ylla. DC. (wh.)	broad-leaved. ———	———	S. h. And. bot. rep. 519.
<b>RULÍNGIA. Br.</b>		<b>RULÍNGIA. Pentandria Pentagynia. L.</b>		
1	dasyphy'lla. (wh.)	hairy-leaved. N. Holland.	1808. 4. 7.	G. h. Bot. rep. 603.
	<i>Commersónia dasyphy'lla. A.R. Byttneria dasyphy'lla. DC.</i>			
2	pannosa. B.M. (wh.)	cloth-leaved. N. Holland.	1819. 4. 7.	G. h. Bot. mag. 2191.
3	hermanniæfolia. DC. (w.)	Hermannia-ld. ———	———	G. h.
<b>BUTN'ERIA. L.</b>		<b>BUTN'ERIA. Pentandria Monogynia. L.</b>		
1	herbæcea. DC. (wh.)	herbaceous. E. Indies.	1820. 4. 7.	S. 2. Roxb. cor. 1. t. 29.
2	grandifolia. DC. (wh.)	large-leaved. ———	———	S. h.
3	catalpæfolia. DC. (wh.)	Catalpa-leav'd. Caracas.	1823. ....	S. h. Jacq. schœnb. 1. t. 46.
4	cordata. DC. (wh.)	heart-leaved. Peru.	.....	S. h. Cav. dis. 5. t. 150.
5	microphylla. DC. (va.)	small-leaved. S. America.	1816. ....	S. h. ——— 5. t. 148. f. 2.
6	scabra. DC. (wh.)	rough. ———	1793. 7. 8.	S. h. ——— 5. t. 148. f. 1.
<b>AYENIA. DC.</b>		<b>AYENIA. Pentandria Monogynia.</b>		
1	pusilla. DC. (pu.)	small. Jamaica.	1756. 7. 9.	S. 3. Mill. ic. t. 118.
2	lævigata. DC. (cr.)	smooth. ———	.....	S. h.
<b>KLEINH'OVIA. DC.</b>		<b>KLEINH'OVIA. Monadelphia Dodecandria.</b>		
	Hóspita. DC. (pu.)	purple-flower'd. Moluccas.	1800. 7. 9.	S. h. Cav. dis. 5. t. 146.

Tribus III. *LASIOPEALEÆ. DC.*

<b>SERINGIA. DC.</b>		<b>SERINGIA. Pentandria Monogynia.</b>		
	platyphy'lla. DC. (wh.)	broad-leaved. N. Holland.	1802. 4. 7.	G. h. Gay dis. p. 13. t. 1. 2.
	<i>Lasiopetalum arborescens. H.K.</i>			
<b>LASIOPE'TALUM. DC.</b>		<b>LASIOPE'TALUM. Pentandria Monogynia.</b>		
1	ferrugineum. DC. (wh.)	rusty. N. Holland.	1791. 4. 7.	G. h. Bot. mag. 1766.
2	parviflorum. DC. (wh.)	small-flowered. ———	1810. ———	G. h. Linn. trans. 10. t. 19. f. 2.
<b>THOMASIA. DC.</b>		<b>THOMASIA. Pentandria Monogynia.</b>		
1	purpurea. DC. (pu.)	purple. N. Holland.	1803. 4. 7.	G. h. Bot. mag. 1755.
	<i>Lasiopetalum purpureum. H.K. coccineum. Donn. cant.</i>			
2	foliosa. DC. (wh.)	leafy. N. Holland.	1822. ———	G. h. Gay dis. p. 24. t. 7.
3	solanæcea. DC. (wh.)	Solanum-like. ———	1803. ———	G. h. ——— p. 26. t. 6.
	<i>Lasiopetalum solanæceum. B.M. 1486.</i>			
4	quercifolia. DC. (pu.)	Oak-leaved. ———	———	G. h. Bot. mag. 1485.

Tribus IV. *HERMANNIÆ. DC.*

<b>MEL'OCHIA. DC.</b>		<b>MEL'OCHIA. Monadelphia Pentandria. DC.</b>		
1	pyramidata. DC. (vi.)	pyramidal. Brazil.	1768. 7. 8.	S. h. Jacq. vind. 1. t. 30.
2	tomentosa. DC. (vi.)	downy. W. Indies.	——— 5. 6.	S. h. Cav. dis. 6. t. 172. f. 2
3	parvifolia. DC. (wh.)	small-leaved. Caracas.	1823. ....	S. h.

<b>RIEDLE'IA. DC.</b>		<b>RIEDLE'IA. Monadelphia Pentandria. L.</b>				
1	velutina. DC. . . . .	soft-leaved.	E. Indies.	1820.	6. 8.	S. ♀.
		(st.) depressed.	Havannah.	—	—	S. ♀.
3	supina. DC. . . . .	procumbent.	E. Indies.	1823.	—	S. ♂.
4	corchorifolia. DC. (bh.)	Corchorus-ld.	—	1732.	7. 8.	S. ⊙.
	<i>Melochia corchorifolia.</i> L.					
5	nodiflora. DC. (wh.)	knotted flowered.	S. America.	1823.	—	S. ♀.
	<i>Mougeotia nodiflora.</i> Kth. <i>Melochia nodiflora.</i> Sw.					Sloan. his. t. 135. f. 2.
6	caracasana. DC. (wh.)	Caracas.	Caracas.	1823.	—	S. ♀.
	<i>Mougeotia caracasana.</i> Kth. <i>Melochia caracasana.</i> Jacq.					Jacq. ic. 3. t. 507.
7	serrata. DC. (pu.)	saw-leaved.	St. Domingo.	1827.	6. 8.	S. ♀.
<b>WALTH'ERIA. DC.</b>		<b>WALTH'ERIA. Monadelphia Pentandria. L.</b>				
1	americana. DC. (ye.)	American.	S. America.	1691.	5. 10.	S. ♀.
2	glabra. DC. (ye.)	smooth.	W. Indies.	1823.	—	S. ♀.
	<i>lavis.</i> L. en.					Schrank. h. mon. t. 55.
3	indica. DC. (ye.)	Indian.	E. Indies.	1759.	6. 8.	S. ♀.
		(ye.) woolly-leaved.	—	1812.	—	S. ♀.
4	elliptica. DC. (ye.)	small-leaved.	—	1823.	—	S. ♀.
5	morpho'lla. DC. (ye.)	bladder-calyx'd.	—	—	—	—
<b>HERMA'NNIA. DC.</b>		<b>HERMA'NNIA. Monadelphia Pentandria. L.</b>				
1	multifida. DC. (ye.)	multifid-leaved.	C. B. S.	1825.	5. 8.	G. ♀.
2	halicacaba. DC. (ye.)	bladder-calyx'd.	—	1820.	—	G. ♀.
3	comosa. DC. (ye.)	tufted.	—	—	1. 12.	G. ♀.
4	althæifolia. DC. (ye.)	Althæa-leaved.	—	1728.	3. 7.	G. ♀.
5	althæoides. L. en. (ye.)	Althæa-like	—	—	—	G. ♀.
6	placata. DC. (ye.)	plaited-leaved.	—	1774.	11. 12.	G. ♀.
7	candicans. DC. (ye.)	white-leaved.	—	—	4. 6.	G. ♀.
8	mollis. DC. (ye.)	soft-leaved.	—	1818.	—	G. ♀.
9	decumbens. DC. (ye.)	decumbent.	—	—	—	G. ♀.
10	hyssopifolia. DC. (ye.)	Hyssop-leaved.	—	1725.	—	G. ♀.
11	trifoliata. DC. (ye.)	three-leaved.	—	1752.	5. 8.	G. ♀.
12	triphyl'a. DC. (st.)	three-parted.	—	1820.	—	G. ♀.
13	glandulosa. DC. (ye.)	glandular.	—	—	—	G. ♀.
14	fragrans. DC. (ye.)	fragrant.	—	—	—	G. ♀.
15	disermaefolia. DC. (ye.)	simple-flow'r'd.	—	1795.	3. 4.	G. ♀.
16	disticha. DC. (ye.)	round-leaved.	—	1789.	5. 8.	G. ♀.
	<i>rotundifolia.</i> Jacq. schœn 3. t. 121.					
17	melochioides. DC. (ye.)	Melochia-like.	—	1818.	—	G. ♀.
18	bryonifolia. DC. (ye.)	Bryony-leaved.	—	—	—	G. ♀.
19	salvifolia. DC. (ye.)	Sage-leaved.	—	1795.	4. 6.	G. ♀.
20	micans. DC. (y.or.)	glittering.	—	1790.	5. 8.	G. ♀.
	<i>latifolia.</i> Jacq. schœn. 3. t. 119.					
21	involuta. DC. (st.)	involved.	—	1794.	5. 6.	G. ♀.
22	scordifolia. DC. (or.y.)	Germander-ld.	—	—	4. 11.	G. ♀.
23	denudata. DC. (ye.)	smooth.	—	1774.	5. 7.	G. ♀.
24	alnifolia. DC. (ye.)	Alder-leaved.	—	1728.	2. 5.	G. ♀.
25	cuneifolia. DC. (ye.)	wedge-leaved.	—	1791.	8. 9.	G. ♀.
26	holosericea. DC. (ye.)	velvet-leaved.	—	1792.	5. 6.	G. ♀.
27	hirsuta. DC. (ye.)	hairy-branch'd.	—	1790.	—	G. ♀.
28	scabra. DC. (ye.)	rough-leaved.	—	1789.	3. 4.	G. ♀.
29	multiflora. DC. (ye.)	many-flowered.	—	1791.	3. 5.	G. ♀.
30	flammea. DC. (re.)	flame-flowered.	—	1794.	1. 12.	G. ♀.
31	angularis. DC. (or.)	angular-calyx'd.	—	1791.	4. 5.	G. ♀.
32	trifurcata. DC. (re.)	three-forked.	—	1789.	4. 7.	G. ♀.
33	odorata. DC. (re.)	sweet-scented.	—	1780.	2. 10.	G. ♀.
34	lavandulæfolia. DC. (y.)	Lavender-ld.	—	1732.	5. 9.	G. ♀.
35	velutina. DC. (ye.)	mucronate.	—	1818.	—	G. ♀.
36	filifolia. DC. (or.)	thread-leaved.	—	1816.	5. 8.	G. ♀.
37	procumbens. DC. (st.)	procumbent.	—	1792.	5. 6.	G. ♀.
38	tenuifolia. DC. (ye.)	slender-leaved.	—	—	6. 7.	G. ♀.
39	incisa. DC. (ye.)	cut-leaved.	—	1806.	—	G. ♀.
40	pulverata. DC. (or.)	powdered.	—	1800.	5. 8.	G. ♀.
41	argentea. DC. (or.)	silvery-leaved.	—	1818.	—	G. ♀.
42	coronopifolia. DC. (ye.)	Buckshorn-ld.	—	—	6. 8.	G. ♀.
43	hispidula. s.s. (ye.)	bristly.	—	1823.	3. 8.	G. ♀.
<b>MAHE'RNA. DC.</b>		<b>MAHE'RNA. Monadelphia Pentandria.</b>				
1	verticillata. DC. (ye.)	whorl-leaved.	C. B. S.	1820.	6. 8.	G. ♀.
2	resedæfolia. DC. (re.)	Reseda-leaved.	—	1818.	—	G. ♀.
3	bipinnata. DC. (re.)	winged-leaved.	—	1752.	—	G. ♀.
	<i>pinnata.</i> B.M.					

Pluk. alm. t. 232. f. 4.  
Dill. elt. t. 176. f. 217

Sloan. his. t. 135. f. 2.

Jacq. ic. 3. t. 507.

Vent. choix. t. 37.

Jacq. ic. 1. t. 130.

Schrank. h. mon. t. 55.

Burm. zeyl. t. 68.

Cav. dis. 6. t. 171. f. 2.

— 6. t. 170. f. 2.

Bot. mag. 307.

Jacq. schœnb. 2. t. 213.

— 1. t. 117.

Cav. dis. 6. t. 181. f. 3.

— 6. t. 182. f. 2.

— 6. t. 178. f. 3.

Jacq. schœnb. 1. t. 121

S. et Wend. sert. h. t. 10.

Cav. dis. 6. t. 180. f. 2.

S. et Wend. s. han. t. 5.

Cav. dis. 6. t. 177. f. 1.

Jacq. schœn. 1. t. 120.

— 1. t. 122.

Bot. mag. 299.

Jacq. schœn. 1. t. 124.

— 3. t. 292.

S. et Wend. s. h. I. t. 4.

Jacq. schœn. 1. t. 127.

— 1. t. 128.

Bot. mag. 1349.

Jacq. schœn. 1. t. 126.

— 1. t. 125.

Bot. mag. 304.

Jacq. schœn. 1. t. 123

Cav. dis. 6. t. 177. f. 2.

Bot. mag. 1348.

And. bot. rep. 164.

Cav. dis. 6. t. 176. f. 1.

Bot. mag. 277.

4	<i>incisa</i> . DC.	( <i>st.</i> )	cut-leaved.	C. B. S.	1792.	7. 9.	G. $\bar{h}$ .	Bot. mag. 353.
5	<i>diffusa</i> . DC.	( <i>ye.</i> )	diffuse.	————	1774.	6. 8.	G. $\bar{h}$ .	Lodd. bot. cab. 187.
6	<i>heterophylla</i> . DC.	( <i>ye.</i> )	various-leaved.	————	1731.	4. 5.	G. $\bar{h}$ .	Cav. dis. 6. t. 178. f. 1.
	<i>Hermánnia grossulariæfólia</i> . L.							
7	<i>seselifolia</i> . DC.	( <i>ye.</i> )	Seseli-leaved.	————	1818.	6. 8.	G. $\bar{h}$ .	
8	<i>pulchella</i> . DC.	( <i>re.</i> )	neat.	————	1792.	7. 9.	G. $\bar{h}$ .	Cav. dis. 6. t. 177. f. 3.
9	<i>glabrata</i> . DC.	( <i>ye.</i> )	sweet-scented.	————	1789.	4. 5.	G. $\bar{h}$ .	Jacq. schœnb. 1. t. 53.
	<i>odorata</i> . A. R. 85.							
10	<i>vesicaria</i> . DC.	( <i>ye.</i> )	inflated.	————	1818.	—	G. $\bar{h}$ .	Cav. dis. 6. t. 181. f. 2.
11	<i>grandiflora</i> .	( <i>sc.</i> )	great-flowered.	————	1791.	5. 8.	G. $\bar{h}$ .	
	<i>Hermánnia grandiflora</i> . H. K.							
12	<i>Burchellii</i> .	( <i>sc.</i> )	Burchell's.	————	1818.	—	G. $\bar{h}$ .	Bot. reg. 224.
	<i>grandiflora</i> . B. R. non H. K.							
13	<i>biserrata</i> . DC.	( <i>ye.</i> )	double-tooth'd.	————	1825.	—	G. $\bar{h}$ .	Cav. dis. 6. t. 200. f. 2.

Tribus V. *DOMBEYACEÆ*. DC.

	<b>RUI'ZIA. DC.</b>		<b>RUI'ZIA. Monadelphia Polyandria. L.</b>					
1	<i>lobata</i> . DC.	( <i>ye.</i> )	lobed-leaved.	Bourbon.	1820.	....	S. $\bar{h}$ .	Cav. dis. 3. t. 36. f. 1.
2	<i>variabilis</i> . DC.	( <i>wh.</i> )	various-leaved.	————	1792.	5.	S. $\bar{h}$ .	Jacq. schœn. 3. t. 295.
	<b>PENTAP'ETES. DC.</b>		<b>PENTAP'ETES. Monadelphia Dodecandria. L.</b>					
1	<i>phœnicea</i> . DC.	( <i>cr.</i> )	scarlet-flower'd.	India.	1690.	7. 8.	S. $\bar{g}$ .	Bot. reg. 575.
2	<i>ovata</i> . DC.	( <i>sn.</i> )	oval-leaved.	New Spain.	1805.	6. 9.	S. $\bar{g}$ .	Cav. ic. 5. t. 433.
	<i>Brotèra ovata</i> . Cav.							
	<b>ASS'ONIA. DC.</b>		<b>ASS'ONIA. Monadelphia Dodecandria.</b>					
1	<i>populnea</i> . DC.	( <i>wh.</i> )	Poplar-leaved.	Bourbon.	1822.	....	S. $\bar{h}$ .	Cav. dis. 3. t. 42. f. 3.
2	<i>viburnoides</i> . DC.	( <i>wh.</i> )	Viburnum-ld.	————	—	....	S. $\bar{h}$ .	
	<b>DOMBEYA. DC.</b>		<b>DOMBEYA. Monadelphia Dodecandria.</b>					
1	<i>cordifolia</i> . DC.	( <i>wh.</i> )	heart-leaved.	E. Indies.	1820.	....	S. $\bar{h}$ .	
2	<i>ferruginea</i> . DC.	( <i>wh.</i> )	rusty.	Mauritius.	1815.	....	S. $\bar{h}$ .	Cav. dis. 3. t. 42. f. 2.
3	<i>ovata</i> . DC.	( <i>wh.</i> )	oval-leaved.	Bourbon.	1822.	....	S. $\bar{h}$ .	———— 3. t. 41. f. 2.
	<b>MELHANIA. DC.</b>		<b>MELHANIA. Monadelphia Pentandria.</b>					
1	<i>Erythroxylon</i> . DC.	( <i>wh.</i> )	red-wood.	St. Helena.	1722.	5. 8.	S. $\bar{h}$ .	Bot. mag. 1000.
2	<i>Melanoxylon</i> . DC.	( <i>wh.</i> )	black-wood.	————	1800.	7. 8.	S. $\bar{h}$ .	Pluk. mant. 6. t. 333. f. 5.
3	<i>Burchellii</i> . DC.	( <i>wh.</i> )	Burchell's.	C. B. S.	1818.	—	S. $\bar{h}$ .	
	<b>PTEROSP'ERMUM. DC.</b>		<b>PTEROSP'ERMUM. Monadelphia Dodecandria.</b>					
1	<i>acerifolium</i> . DC.	( <i>wh.</i> )	Maple-leaved.	E. Indies.	1790.	7. 9.	S. $\bar{h}$ .	Bot. mag. 620.
2	<i>suberifolium</i> . DC.	( <i>wh.</i> )	various-leaved.	————	1783.	9. 10.	S. $\bar{h}$ .	———— 1526.
3	<i>lanceafolium</i> . DC.	( <i>w.</i> )	lance-leaved.	————	1818.	—	S. $\bar{h}$ .	
4	<i>canescens</i> . H. B.	( <i>wh.</i> )	canescent.	Ceylon.	—	—	S. $\bar{h}$ .	
5	<i>semisagittatum</i> . DC.	( <i>w.</i> )	fringe-bracted.	E. Indies.	—	—	S. $\bar{h}$ .	
	<b>ASTRAP'ÆA. DC.</b>		<b>ASTRAP'ÆA. Monadelphia Dodecandria.</b>					
1	<i>Wallichii</i> . DC.	( <i>sc.</i> )	Wallich's.	Mauritius.	1820.	12. 1.	S. $\bar{h}$ .	Bot. reg. 691.
2	<i>viscosa</i> . . . . .		viscous.	Madagascar.	1823.	....	S. $\bar{h}$ .	
3	<i>tiliæfolia</i> .	( <i>wh.</i> )	Lime-leaved.	Bourbon.	1824.	....	S. $\bar{h}$ .	
	<b>KY'DIA. DC.</b>		<b>KY'DIA. Monadelphia Dodecandria.</b>					
1	<i>calycina</i> . DC.	( <i>wh.</i> )	calycine.	E. Indies.	1818.	....	S. $\bar{h}$ .	Roxb. cor. 3. t. 215.
2	<i>fraterna</i> . DC.	( <i>wh.</i> )	long-stamen'd.	————	1823.	....	S. $\bar{h}$ .	———— 3. t. 216.

Tribus VI. *WALLICHIEÆ*. DC.

	<b>ERIOLE'NA. DC.</b>		<b>ERIOLE'NA. Monadelphia Polyandria.</b>					
	<i>Wallichii</i> . DC.		Wallich's.	E. Indies.	1823.	....	S. $\bar{h}$ .	DC. m. mus. 10. p. 102. ic.

## ORDO XXXI.

TILIACEÆ. DC. *prodr.* 1. p. 503.

- ENTELEA. B.M. CORK-TREE. Polyandria Monogynia.  
 arborëscens. B.M. (*wh.*) New Zealand. N. Zealand. 1821. 5. 6. G. h. Bot. mag. 2480.
- SPARRMANNIA. DC. SPARRMANNIA. Polyandria Monogynia. L.  
 1 africâna. DC. (*wh.*) African. C. B. S. 1790. 3. 7. G. h. Bot. mag. 516.  
 2 rugosa. Bhi. (*wh.*) rugged-leaved. ——— 1825. 3. 6. G. h.
- HELIOPARPUS. DC. HELIOPARPUS. Dodecandria Monogynia.  
 americana. DC. (*wh.*) American. Vera Cruz. 1733. .... S. h. Trew ehret. t. 45.
- CORCHORUS. DC. CORCHORUS. Polyandria Monogynia. L.  
 1 siliquosus. DC. (*ye.*) Germander-ld. S. America. 1732. 6. 8. S. y. Jacq. vind. 3. t. 59.  
 2 foliosus. S.S. (*ye.*) leafy. Cuba. 1827. ——— S. y.  
 3 hirtus. DC. (*ye.*) hairy. S. America. 1820. ——— S. y. Plum. ed. B. t. 103. f. 2.  
 4 pilobus. DC. (*ye.*) hairy-podded. ——— ——— S. y.  
 5 americanus. Sck. (*ye.*) American. S. America. 1825. ——— S. y.  
 6 trilobularis. DC. (*ye.*) three-celled. Arabia. 1790. 7. 8. S. o. Jacq. vind. 2. t. 173.  
 7 olitorius. DC. (*ye.*) bristly-leaved. India. 1640. 6. 8. S. o. Bot. mag. 2810.  
 8 æstivans. DC. (*ye.*) Hornbeam-ld. S. America. 1731. 6. 7. S. o. Jacq. vind. 1. t. 85.  
 9 acutangulus. DC. (*ye.*) acute-angled. India. 1816. ——— S. h. Pluk. phyt. t. 44. f. 1.  
 10 capsularis. DC. (*ye.*) heart-leaved. E. Indies. 1725. ——— S. o. Jacq. f. eclog. 2. t. 120.  
 11 hirsutus. DC. (*ye.*) woolly-capsul'd. S. America. 1752. ——— S. h. Jacq. vind. 3. t. 59.
- TRIUMFETTA. DC. TRIUMFETTA. Dodecandria Monogynia. L.  
 1 Láppula. DC. (*ye.*) prickly-seeded. W. Indies. 1739. 7. 8. S. h. Plum. ic. t. 255.  
 2 heterophylla. DC. (*ye.*) various-leaved. ——— 1823. ——— S. h. Pluk. t. 425. f. 3.  
 3 rubricaulis. DC. (*ye.*) red-stem'd. Caracas. 1826. ——— S. h.  
 4 suborbiculata. DC. (*ye.*) subrotund. E. Indies. .... S. h.  
 5 glandulosa. DC. (*ye.*) gland-toothed. Mauritius. .... S. h. Lam. ill. t. 400. f. 1.  
 6 trichoclada. DC. (*ye.*) oval-leaved. Nepal. 1823. ——— S. f.  
 7 oblongata. DC. (*ye.*) oblong-leaved. ——— ——— S. f.  
 8 ánnua. DC. (*ye.*) annual. Java. 1760. 8. 9. S. o. Bot. mag. 2296.  
 9 angulata. DC. (*ye.*) angular-leaved. E. Indies. 1739. 6. 7. S. h. Lam. ill. t. 400. f. 2.  
 10 semitribloba. DC. (*ye.*) Mallow-leaved. W. Indies. 1773. ——— S. h. Jacq. vind. 3. t. 76.  
 11 havanensis. DC. (*ye.*) Havannah. Cuba. 1825. ——— S. h.  
 12 micropetala. B.R. (*ye.*) small-petal'd. E. Indies. ——— 4. 8. S. h. Bot. reg. 1058.  
 13 petiolaris. B.R. (*ye.*) petiolate. Peru. 1819. 5. 6. S. h. Lindl. collect. t. 20.  
*rhomboidea*. L. col. non Jacq.
- 14 rhomboidea. DC. (*ye.*) rhomboid. S. America. 1819. 5. 6. S. h. Jacq. amer. t. 90.  
 15 althaeoides. DC. (*ye.*) Althæa-leaved. Cayenne. ——— ——— S. h.  
*macrophylla*. Vahl. ecl. 2. p. 34.
- 16 grandiflora. DC. (*ye.*) large-flowered. W. Indies. 1810. ——— S. h.  
 17 trilobularis. DC. (*ye.*) three-celled. E. Indies. 1817. 10. 4. S. h.
- GREWIA. DC. GREWIA. Polyandria Monogynia. L.  
 1 tomentosa. DC. .... tomentose. Java. 1818. .... S. h. Juss. an. 2. t. 49. f. 1.  
 2 hirsuta. DC. .... hairy. ——— 1816. 7. 9. S. h.  
 3 bracteata. DC. (*gr.*) bracted. E. Indies. 1818. ——— S. h.  
 4 Malloccoca. DC. .... rough-fruited. Tongatabu. 1792. 8. 9. S. h. Forst. gen. t. 39.  
*Malloccoca crenata*. Forst.
- 5 oppositifolia. DC. .... sharp-leaved. Nepal. 1818. .... S. h.  
 6 umbellata. DC. .... umbel-flowered. E. Indies. .... S. h.  
 7 bicolor. DC. .... two-coloured. Senegal. 1822. .... S. h. Juss. ann. t. 50. f. 2.  
 8 Róthii. DC. .... Roth's. E. Indies. 1819. .... S. h.  
 9 salvifolia. DC. (*ye.*) Sage-leaved. ——— .... S. h.  
 10 flava. DC. (*ye.*) yellow. C. B. S. 1818. ——— G. h.  
 11 ovalifolia. DC. .... oval-leaved. E. Indies. .... S. h.  
 12 Microcos. DC. (*st.*) paniced. ——— 1779. ——— S. h. Rheed. mal. 1. t. 56.  
*Microcos paniculata*. L.
- 13 paniculata. DC. .... villous-leaved. ——— 1820. .... S. h.  
 14 orientalis. DC. (*wh.*) oriental. ——— 1767. 7. 8. S. h. Rheed mal. 5. t. 46.  
 15 pilosa. DC. (*wh.*) pilose. ——— 1804. ——— S. h.  
 16 glandulosa. DC. .... glandular. Mauritius. 1827. .... S. h. Juss. an. 2. t. 48. f. 1.  
 17 serrulata. DC. .... serrulate. E. Indies. 1818. .... S. h.  
 18 occidentalis. DC. (*pu.*) Elm-leaved. C. B. S. 1690. 7. 9. G. h. Bot. mag. 422.  
 19 asiatica. (*li.*) Asiatic. E. Indies. 1792. 7. 8. S. h. Sonn. voy. 2. t. 138.

20	subin'æqualis. DC.	oblique-leaved.	E. Indies.	1816.	....	S. h.	
21	villifera. ....	wool-bearing.	————	1826.	....	S. h.	
	<i>villôsa. Roth. nec aliorum.</i>						
22	áspera. DC.	rough-leaved.	————	1818.	....	S. h.	
23	tiliæfôlia. DC.	Lime-leaved.	————	1812.	....	S. h.	
24	villôsa. DC.	villous.	————	1816.	....	S. h.	
25	therebinthinâcea. DC.	strong-scented.	.....	————	....	S. h.	
26	obtusifôlia. DC.	blunt-leaved.	C. B. S.	1818.	....	G. h.	
27	ulmifôlia. H.B.	Chinese.	China.	————	....	G. h.	
28	carpinifôlia. DC. (pu.)	Hornbeam-ld.	Africa.	1822.	....	S. h.	Beauv. fl. ow. 2. t.
29	megalocárpa. B.O. (re)	black-fruited.	————	————	....	S. h.	2. t. 102.
<b>BROWNLO'WIA. R. BROWNLO'WIA. Polyandria Monogynia.</b>							
	elâta. R.	(ye.) tall.	E. Indies.	1812.	....	S. h.	Roxb. cor. 3. t. 265.
<b>TILIA. DC. LIME-TREE. Polyandria Monogynia. L.</b>							
1	microphy'lla. DC. (wh.)	small-leaved.	Britain.	....	8. 9.	H. 5.	Eng. bot. 1705.
	<i>parvifôlia. E.B.</i>						
2	intermèdia. DC. (wh.)	intermediate.	————	....	—	H. 5.	Hayn. et Sv. bot. t. 40.
	<i>europ'æa. Eng. bot. 610.</i>						
	β laciniâta. (wh.)	jagged-leaved.	————	....	6. 8.	H. 5.	
3	corallina. E.F. (wh.)	coral-twigg'd.	Britain.	....	7.	H. 5.	
4	rùbra. DC. (wh.)	red-twigged.	Europe.	....	6. 8.	H. 5.	
5	platyphy'lla. DC. (wh.)	broad-leav'd.	Britain.	....	—	H. 5.	Vent. dis. p. 6. t. 1. f. 2.
	<i>grandifôlia. E.F.</i>						
6	glâbra. DC. (wh.)	broad-leaved.	N. America.	1752.	6. 7.	H. 5.	Vent. dis. p. 9. t. 2.
	<i>americâna. L.</i>						
7	laxiflôra. DC. (wh.)	loose-flowered.	————	1820.	—	H. 5.	
8	pubescens. DC. (wh.)	pubescent.	————	1726.	7. 8.	H. 5.	Vent. dis. p. 10. t. 3.
	β leptophy'lla. DC. (w.)	narrow-leaved.	————	—	—	H. 5.	
9	heterophy'lla. DC. (wh.)	white-leaved.	————	....	6. 8.	H. 5.	Vent. dis. p. 16. t. 5.
	<i>âlba. Mich. arb. 3. t. 2.</i>						
10	argénteâ. DC. (wh.)	silver-leaved.	Hungary.	1767.	—	H. 5.	Vent. dis. p. 13. t. 4.
	<i>âlba. W. et K. hung. 1. t. 3. rotundifôlia. Vent.</i>						
11	petiolâris. DC. (wh.)	long-petioled.	.....	1824.	....	H. 5.	
<b>MUNTINGIA. DC. MUNTINGIA. Polyandria Monogynia. L.</b>							
	Calabûra. DC. (wh.)	Jamaica.	Jamaica.	1690.	6. 7.	S. h.	Jacq. amer. t. 107.
<b>APE'IBA. DC. APE'IBA. Polyandria Monogynia. L.</b>							
1	Tibôurbou. DC. (ye.)	hairy.	S. America.	1756.	....	S. h.	Aub. gui. 1. t. 213.
	<i>Aublétia Tibôurbou. w.</i>						
2	Petôumo. DC. (ye.)	hoary.	————	1817.	....	S. h.	Aub. gui. 1. t. 215.
3	áspera. DC. (ye.)	prickly-capsul'd.	Cayenne.	1792.	....	S. h.	— 1. t. 216.
	<i>Aublétia áspera. w.</i>						
4	glâbra. DC. (gr.)	smooth.	————	1817.	....	S. h.	Aub. gui. 1. t. 214.
	<i>Aublétia l'ævis. w.</i>						
<b>SLO'ANEâ. DC. SLO'ANEâ. Polyandria Monogynia. L.</b>							
1	dentâta. DC. (ye.)	Chestnut-leav'd.	S. America.	1752.	....	S. h.	Plum. ic. 244.
2	sinemariénsis. DC. (ye.)	round-leaved.	W. Indies.	1820.	....	S. h.	Aub. gui. 1. t. 212.
<b>GYROSTEMON. DC. GYROSTEMON. Diccia Polyandria.</b>							
	ramulôsum. DC.	branching.	N. Holland.	1820.	....	G. h.	Desf. m. mus. 6. t. 6.
<b>BERRYâ. R.C. BE'RYA. Polyandria Monogynia.</b>							
	ammonilla. R.C. (st.)	Ceylon.	Ceylon.	1818.	....	S. h.	Roxb. corom. 3. t. 264.

ORDO XXXII.

ELÆOCARPEÆ. DC. *prodr.* 1. p. 519.

<b>ELÆOCARPUS. DC. ELÆOCARPUS. Dodecandria Monogynia.</b>							
1	serrâtus. DC. (pu.)	saw-leaved.	E. Indies.	1774.	....	S. h.	Burm. zeyl. t. 40.
2	cyâneus. DC. (wh.)	blue-fruited.	N. Holland.	1803.	6. 8.	G. h.	Bot. mag. 1737.
	<i>reticulâtus. B.R. 657.</i>						
<b>ACERATIUM. DC. ACERATIUM. Dodecandria Monogynia.</b>							
	oppositifôlium. DC.	opposite-leaved.	Amboyna.	1818.	....	S. h.	

- DIC'ERA. DC. DIC'ERA. Dodecandria Monogynia.  
dentata. DC. (wh.) tooth-leaved. N. Zealand. 1820. 6. 8. G. h. Forst. gen. t. 40.  
FRIE'SIA. DC. FRIE'SIA. Dodecandria Monogynia.  
pedunculâris. DC. (wh.) peduncled. Van Diem. 1818. .... G. h. Lab. n. holl. 2. t. 155.  
*Elæocarpus pedunculâris*. Lab.

---

## ORDO XXXIII.

CHLENACEÆ. DC. *prodr.* 1. p. 521.

† *Genus Chlenaceis affine.*

- HUG'ONIA. DC. HUG'ONIA. Monadelphia Decandria.  
1 My'stax. DC. (ye.) entire-leaved. E. Indies. 1818. 6. 9. S. h. Rheed. mal. 2. t. 29.  
2 serrâta. DC. (ye.) saw-leaved. Mauritius. 1820. — S. h. Cav. dis. 3. t. 73. f. 1.

---

## ORDO XXXIV.

TERNSTRÆMIACEÆ. DC. *prodr.* 1. p. 523.

Tribus I. *TERNSTRÆMIEÆ*. DC.

- TERNSTR'EMIA. DC. TERNSTR'EMIA. Polyandria Monogynia.  
1 pedunculâris. DC. (w.) long-peduncled. W. Indies. 1818. 6. 8. S. h.  
2 punctâta. DC. (wh.) spotted-leaved. Guiana. 1824. .... S. h. Aubl. gui. 1. t. 228.  
3 dentâta. DC. (ye.) toothed. — 1826. .... S. h. — 1. t. 227.  
4 venôsa. DC. (wh.) veined-leaved. Brazil. 1820. 6. 8. S. h.  
5 serrâta. H. B. (wh.) saw-leaved. Silhet. — .... S. h.

Tribus II. *FREZIEREÆ*. DC.

- CL'EYERA. DC. CL'EYERA. Polyandria Monogynia.  
japônica. DC. (wh.) Japan. Japan. 1822. .... S. h. Kæmp. am. 5. p. 774. ic.  
FREZIE'RA. DC. FREZIE'RA. Polyandria Monogynia.  
thæoides. DC. (wh.) Tea-like. Jamaica. 1818. .... S. h.  
E'URYA. DC. E'URYA. Polygamia Monœcia.  
1 chinênsis. DC. (wh.) China. China. 1818. 1. 3. G. h. Lodd. bot. cab. 1213.  
2 multiflôra. DC. (wh.) many-flowered. Nepaul. 1823. .... S. h.  
LETT'S'OMIA. DC. LETT'S'OMIA. Polyandria Monogynia.  
tomentôsa. DC. .... tomentose. Peru. 1823. .... S. h. Ruiz et P. prod. t. 14.

Tribus III. *SAURAUJEE*. DC.

- SAURA'UJA. DC. SAURA'UJA. Polyandria Pentagynia.  
1 excelsa. DC. (wh.) tall. Caracas. 1824. .... S. h. Willd. n. act. ber. 3. t. 4.  
2 napaulênsis. DC. (wh.) Nepaul. Nepaul. — .... S. h.

Tribus IV. *LAPLACEÆ*. DC.

- WITTELSBA'CHIA. M.N. WITTELSBA'CHIA. Polyandria Monogynia.  
 1 *Gossypium*. M.N. (*ye*.) large-flowered. E. Indies. 1822. .... S.  $\frac{1}{2}$ . Sonn. voy. 2. t. 133.  
*Cochlospermum Gossypium*. DC. *Bombax Gossypium*. Cav. dis. 5. t. 157.  
 2 *vitifolia*. M.N. (*ye*.) Vine-leaved S. America. 1820. .... S.  $\frac{1}{2}$ . Fl. mex. ic. ined.  
*Cochlospermum serratifolium*. DC. *hibiscoides*. K.S. *Bombax vitifolium*. W.en.  
 3 *insignis*. M.N. (*ye*.) spot-flowered. Brazil. 1821. .... S.  $\frac{1}{2}$ . Mart. nov. gen. 1. t. 55.

Tribus V? *GORDONIEÆ*. DC.

- MALACHODE'NDRON. DC. MALACHODE'NDRON. Monadelphia Polyandria. L.  
 ovatum. DC. (*wh*.) oval-leaved. N. America. 1785. 8. 9. H.  $\frac{1}{2}$ . Bot. reg. 1104.  
*Stuartia pentagynia*. Ex. bot. t. 101.  
 STUA'RTIA. W. STUA'RTIA. Monadelphia Polyandria. L.  
 virginica. DC. (*wh*.) Virginian. N. America. 1742. 5. 8. H.  $\frac{1}{2}$ . Cav. dis. 5. t. 159. f. 2.  
*Malachodendron*. L. *marylandica*. A.R. t. 73.  
 GORD'ONIA. DC. GORD'ONIA. Monadelphia Polyandria. L.  
 1 *Lasiánthus*. DC. (*wh*.) smooth. N. America. 1739. 8. 11. F.  $\frac{1}{2}$ . Bot. mag. 668.  
 2 *hæmatóxyton*. DC. (*w*.) red-wooded. Jamaica. 1820. .... S.  $\frac{1}{2}$ .  
 3 *pubescens*. DC. (*wh*.) pubescent. N. America. 1774. 8. 11. F.  $\frac{1}{2}$ . Vent. malm. t. 1.  
 4 *Franklini*. L'Her. (*w*.) Franklin's. F.  $\frac{1}{2}$ .  
 POLYSP'ORA. N.L.F. POLYSP'ORA. Monadelphia Polyandria.  
 axillaris. N.L.F. (*wh*.) axillary-flow'r'd E. Indies. 1816. 11. 3. S.  $\frac{1}{2}$ . Bot. reg. 349.  
*Camellia axillaris*. B.R. et B.M. 2047.

## ORDO XXXV.

CAMELLIEÆ. DC. *prodr.* 1. p. 529.

- CAMELLIA. Ker. CAMELLIA. Monadelphia Polyandria. L.  
 1 *Thæa*. L. en. (*wh*.) Bohea Tea. China. 1768. 11. 2. G.  $\frac{1}{2}$ . Lob. bot. cab. 226.  
 2 *viridis*. L. en. (*wh*.) green Tea. ———— 10. 12. G.  $\frac{1}{2}$ . ———— 227.  
*Thæa chinensis*. B.M. 998.  
 3 *euryoides*. B.R. (*wh*.) small-flower'd. ———— 1824. 1. 5. G.  $\frac{1}{2}$ . Bot. reg. 983.  
 4 *oleifera*. B.R. (*wh*.) oleiferous. ———— 1819. 1. 3. G.  $\frac{1}{2}$ . ———— 942.  
 5 *Sesánqua*. DC. (*wh*.) Lady Banks's. ———— 1811. 11. 1. G.  $\frac{1}{2}$ . Thunb. fl. jap. t. 30.  
*β semiduplex*. (*wh*.) *semidouble*. ———— G.  $\frac{1}{2}$ . Bot. reg. 12.  
*γ flore-plèna*. (*wh*.) *double-flowered*. ———— 1823. ———— G.  $\frac{1}{2}$ . ———— 1091.  
 6 *maliflora*. B.R. (*ro*.) pink-flowered. ———— 1819. 1. 4. G.  $\frac{1}{2}$ . ———— 547.  
*Sesánqua β rosea*. Bot. reg. 547.  
 7 *Kissi*. DC. (*wh*.) Nepaul. Nepal. 1823. .... G.  $\frac{1}{2}$ .  
 8 *reticulata*. B.R. (*sc*.) Captain Rawes'. China. 1822. 2. 4. G.  $\frac{1}{2}$ . Bot. reg. 1078.  
 9 *japónica*. DC. (*va*.) common. ———— 1739. 12. 5. G.  $\frac{1}{2}$ . Cav. dis. 6. t. 160.  
 1 *rùbra*. (*sc*.) *single-red*. ———— G.  $\frac{1}{2}$ . Bot. mag. 42.  
 2 *álba*. (*wh*.) *single-white*. .... G.  $\frac{1}{2}$ . Bot. reg. 353.  
 3 *semiduplex*. (*re*.) *semidouble red*. .... G.  $\frac{1}{2}$ . Andr. rep. 559.  
 4 *rùbro-plèna*. (*re*.) *double red*. .... G.  $\frac{1}{2}$ . ———— 199.  
 5 *cárnea*. (*pi*.) *Middlemist's*. .... G.  $\frac{1}{2}$ . Lod. bot. cab. 455.  
 6 *myrtifolia*. (*pi*.) *Myrtle-leaved*. .... G.  $\frac{1}{2}$ . Bot. mag. 1670.  
*involuta*. Bot. reg. 633.  
 7 *hexangulàris*. (*re*.) *six sided*. .... G.  $\frac{1}{2}$ .  
 8 *atrorùbens*. (*sc*.) *Loddiges' red*. .... G.  $\frac{1}{2}$ . Bot. bot. cab. 170.  
 9 *anemoniflora*. (*cr*.) *red Waratah*. .... G.  $\frac{1}{2}$ . Bot. mag. 1654.  
 10 *dianthiflora*. (*v*.) *Carnation War. Knights*. .... G.  $\frac{1}{2}$ . ———— 2577.  
 11 *blànda*. (*bh*.) *blush Waratah*. China. .... G.  $\frac{1}{2}$ .  
 12 *pompònia*. (*bh*.) *Kew-blush*. .... G.  $\frac{1}{2}$ . Bot. reg. 22.

13	<i>pæoniiflora.</i>	(pi.)	<i>Pæony-flowered.</i>	China.	....	12. 5.	G. h.	Lod. bot. cab. 238.
14	<i>Welbankii.</i>	(wh.)	<i>Welbank's.</i>	_____	....	_____	G. h.	_____ 1198.
15	<i>luteo-álba.</i>	(st.)	<i>pale yellow.</i>	_____	....	_____	G. h.	Bot. reg. 708.
16	<i>flavescens.</i>	(st.)	<i>buff.</i>	_____	....	_____	G. h.	_____ 112.
17	<i>álbo-plèna.</i>	(wh.)	<i>double white.</i>	_____	....	_____	G. h.	Andr. rep. 25.
18	<i>fimbriàta.</i>	(wh.)	<i>fringed white.</i>	_____	....	1. 4.	G. h.	_____
19	<i>imbricàta.</i>	(re.)	<i>imbricate-petal'd.</i>	_____	....	_____	G. h.	_____
20	<i>variegàta.</i>	(v.)	<i>double striped.</i>	_____	....	_____	G. h.	Andr. rep. 91.
21	<i>crassinèrvis.</i>	(re.)	<i>thick nerved.</i>	_____	....	_____	G. h.	_____
22	<i>expànsa.</i>	(re.)	<i>expanded.</i>	_____	....	_____	G. h.	_____
23	<i>conchiflora.</i>	(re.)	<i>shell-flowered.</i>	_____	....	_____	G. h.	_____
24	<i>rubricàulis.</i>	(sc.)	<i>Lady Ad'l. Campbell's</i>	_____	....	_____	G. h.	_____
25	<i>longifolia.</i>	(re.)	<i>long-leaved.</i>	Malcolm's.	....	_____	G. h.	_____
26	<i>Chandlèri.</i>	(v.)	<i>striped Waratah.</i>	Chandler's.	1822.	12. 5.	G. h.	Chandl. camel. t. 1. 2.
	<i>versicolor.</i>							Bot. reg. 887.
27	<i>Aitòni.</i>	(sc.)	<i>large single-red.</i>	_____	_____	_____	G. h.	Chandl. camel. t. 3.
28	<i>althæiflora.</i>	(re.)	<i>Hollyhock-fl'd.</i>	_____	_____	_____	G. h.	_____ t. 4.
29	<i>corallina.</i>	(re.)	<i>coral-flowered.</i>	_____	_____	_____	G. h.	_____ t. 5.
30	<i>insignis.</i>	(re.)	<i>splendid.</i>	_____	_____	_____	G. h.	_____ t. 6.
31	<i>flòrida.</i>	(re.)	<i>cluster-flowered.</i>	_____	_____	_____	G. h.	_____ t. 7.
32	<i>anemonæflora. álba.</i>	(w.)	<i>white Anemone-fl'd.</i>	_____	_____	_____	G. h.	_____ t. 8.
33	<i>Róssii.</i>	(re.)	<i>Ross's.</i>	Ross's.	_____	_____	G. h.	_____
34	<i>Wiltòniæ.</i>	(va.)	<i>Mrs. Wilton's.</i>	Knigh't's.	_____	_____	G. h.	_____
35	<i>Elphinstoniàna.</i>	(re.)	<i>Miss Elphinstone's.</i>	_____	_____	_____	G. h.	_____
36	<i>rosæflora.</i>	(re.)	<i>Rose-flowered.</i>	_____	_____	_____	G. h.	_____
37	<i>Cliveàna.</i>	(re.)	<i>Lady H. Clive's.</i>	_____	_____	_____	G. h.	_____
38	<i>heterophylla.</i>	(re.)	<i>various-leaved.</i>	_____	_____	_____	G. h.	_____
39	<i>Egertoniæ.</i>	(re.)	<i>Mrs. Egerton's.</i>	_____	_____	_____	G. h.	_____
40	<i>Goussoniæ.</i>	(ro.)	<i>Mrs. Goussone's.</i>	_____	_____	_____	G. h.	_____
41	<i>Barnabiæ.</i>	(pi.)	<i>Mrs. Barnaby's.</i>	_____	_____	_____	G. h.	_____
42	<i>radiàta.</i>	(re.)	<i>rayed single.</i>	_____	_____	_____	G. h.	_____
43	<i>supina.</i>	(re.)	<i>supine.</i>	_____	_____	_____	G. h.	_____
44	<i>Hibbertii.</i>	(re.)	<i>Mr. Hibbert's.</i>	_____	_____	_____	G. h.	_____
45	<i>Perc'yæ.</i>	(re.)	<i>D's. of Northumberland's</i>	_____	_____	_____	G. h.	_____
46	<i>Woodsi.</i>	(ro.)	<i>Mr. Woods's.</i>	Chandler's.	_____	_____	G. h.	_____
47	<i>argentea.</i>	(re.v.)	<i>silvery-cup'd.</i>	_____	_____	_____	G. h.	_____
48	<i>basilica.</i>	(re.)	<i>princely.</i>	_____	_____	_____	G. h.	_____
49	<i>princeps.</i>	(sc.)	<i>double-carmine.</i>	_____	_____	_____	G. h.	_____
50	<i>sanguinea.</i>	(cr.)	<i>single-crimson.</i>	_____	_____	_____	G. h.	_____
51	<i>sericea.</i>	(ro.)	<i>double-silky.</i>	_____	_____	_____	G. h.	_____
52	<i>Byronii.</i>	(ro.)	<i>Lord Byron's.</i>	_____	_____	_____	G. h.	_____
53	<i>carnescens.</i>	(fl.)	<i>single pale-red.</i>	_____	_____	_____	G. h.	_____
54	<i>eximia.</i>	(re.)	<i>fine double-red.</i>	_____	_____	_____	G. h.	_____
55	<i>bicolor.</i>	(ro.v.)	<i>single rosy &amp; white.</i>	_____	_____	_____	G. h.	_____
56	<i>pupurascens.</i>	(re.)	<i>single dark-red.</i>	_____	_____	_____	G. h.	_____
57	<i>gigantea.</i>	(ro.)	<i>large double.</i>	_____	_____	_____	G. h.	_____
58	<i>lucida.</i>	(re.)	<i>double bright-red.</i>	_____	_____	_____	G. h.	_____
59	<i>ornata.</i>	(pi.)	<i>pink Waratah.</i>	_____	_____	_____	G. h.	_____
60	<i>papaveræca.</i>	(re.)	<i>Poppy-flower'd.</i>	Loddiges.	_____	_____	G. h.	_____
61	<i>rotundifolia.</i>	(re.)	<i>round-leaved.</i>	_____	_____	_____	G. h.	_____
62	<i>Spofforthiàna.</i>	(wh.)	<i>red-lined white.</i>	Spofforth.	_____	_____	G. h.	_____
63	<i>Herbèrti.</i>	(ro.)	<i>Mr. Herbert's.</i>	_____	_____	_____	G. h.	_____
	<i>Spofforthiàna. rosea.</i>		<i>Herbert Mss.</i>	_____	_____	_____	G. h.	_____
64	<i>Haylòckii.</i>	(wh.)	<i>Haylock's.</i>	_____	_____	_____	G. h.	_____
65	<i>reflexa.</i>	(cr.)	<i>single reflex-petaled.</i>	_____	_____	_____	G. h.	_____

## ORDO XXXVI.

OLACINÆ. DC. *prodr.* 1. p. 531.

OLA'X. DC.

OLA'X. Triandria Monogynia. L.

1 scândens. DC. (wh.) climbing. E. Indies. 1820. 1. 12. S. h. ∪. Roxb. cor. 2. t. 102.

2 imbricàta. DC. (wh.) imbricate. \_\_\_\_\_ . . . . S. h. ∪.

SPERMAXYRUM. DC.	SPERMAXYRUM.	Triandria Monogynia.			
strictum. DC.	(wh.) upright.	N. S. W.	1820.	....	G. h.
XIMENIA. DC.	XIMENIA.	Octandria Monogynia.	L.		
1 americana. DC.	(wh.) spring.	W. Indies.	1759.	6. 9.	S. h.
2 inermis. DC.	(wh.) unarmed.	—————	1820.	....	S. h.

Jacq. am. pict. t. 107.

ORDO XXXVII.

AURANTIACEÆ. DC. prodr. 1. p. 535.

ATALANTIA. DC.	ATALANTIA.	Monadelphia Octandria.			
monophylla. DC.	(wh.) simple-leaved.	E. Indies.	1777.	6. 8.	S. h.
	<i>Limònia monophylla.</i> R.				Roxb. cor. 2. t. 83.
TRIPHASIA. DC.	TRIPHASIA.	Hexandria Monogynia.			
trifoliata. DC.	(wh.) three-leaved.	China.	1787.	7. 8.	S. h.
	<i>Limònia trifoliata.</i> And. rep. 143.				Jacq. ic. rar. t. 463.
LIMONIA. DC.	LIMONIA.	Decandria Monogynia.	L.		
1 acidissima. DC.	(wh.) sour-fruited.	E. Indies.	1824.	4. 8.	S. h.
2 crenulata. DC.	(wh.) crenulate.	—————	1808.	5. 7.	S. h.
3 ambigua. DC.	(wh.) ambiguous.	.....	....	....	S. h.
4 scândens. H.B.	(wh.) climbing.	E. Indies.	1820.	....	S. h. ~.
COOKIA. DC.	COOKIA.	Decandria Monogynia.	L.		
punctata. DC.	(wh.) Wampee tree.	China.	1795.	5. 7.	S. h.
					Jacq. schœnb. 1. t. 101.
MURRAYA. DC.	MURRAYA.	Decandria Monogynia.	L.		
1 exotica. DC.	(wh.) Ash-leaved.	E. Indies.	1771.	8. 9.	S. h.
2 paniculata. DC.	(wh.) paniced.	—————	1821.	4. 5.	S. h.
AGLAIATA. DC.	AGLAIATA.	Pentandria Monogynia.			
odorata. DC.	(st.) sweet-scented.	China.	1810.	2. 5.	S. h.
					Rumph. amb. 5. t. 18.
BERGERA. DC.	BERGERA.	Decandria Monogynia.	L.		
1 Kœnigii. DC.	(gr.) Kœnig's.	E. Indies.	1818.	3. 6.	S. h.
2 integerrima. DC.	(gr.) entire-leaved.	—————	1820.	....	S. h.
CLAUSENIA. DC.	CLAUSENIA.	Octandria Monogynia.			
pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1823.	....	S. h.
GLYCOSMIS. DC.	GLYCOSMIS.	Decandria Monogynia.			
1 arborea. DC.	(wh.) tree.	E. Indies.	1796.	5. 8.	S. h.
	<i>Limònia arborea.</i> R.C.				Roxb. cor. 1. t. 85.
2 citrifolia. H.T.	(wh.) Citron-leaved.	China.	1820.	2. 6.	G. h.
	<i>Limònia citrifolia.</i> DC. <i>parviflora.</i> B.M.				Bot. mag. 2416.
3 pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1790.	6. 7.	S. h.
	<i>Limònia pentaphylla.</i> R.C.				Roxb. cor. 1. t. 84.
FERONIA. DC.	ELEPHANT APPLE.	Decandria Monogynia.			
elephantum. DC.	(bh.) Indian.	E. Indies.	1804.	....	S. h.
					Roxb. cor. 2. t. 141.
ÆGLE. DC.	BENGAL QUINCE.	Polyandria Monogynia.			
1 Marmelos. DC.	(wh.) thorny.	E. Indies.	1759.	....	S. h.
					Roxb. cor. 2. t. 143.
CITRUS. DC.	ORANGE-TREE.	Polyadelphia Polyandria.	L.		
1 Médica. DC.	(wh.) Lemon-tree.	Asia.	1648.	5. 7.	G. h.
2 Limétta. DC.	(wh.) Bergamotte.	—————	....	....	G. h.
3 Limònum. DC.	(wh.) Citron.	—————	....	....	G. h.
4 ácida. H.B.	(wh.) Lime.	—————	....	....	G. h.
5 Aurántium. DC.	(wh.) common.	—————	1595.	....	G. h.
6 vulgaris. DC.	(wh.) Myrtle-leaved.	—————	....	....	G. h.
7 decumana. DC.	(wh.) Shaddock.	India.	1724.	....	G. h.
8 hy'strix. DC.	(wh.) very spiny.	—————	....	....	G. h.
9 japónica. DC.	(wh.) small-fruited.	Japan.	1815.	....	G. h.
10 nobilis. DC.	(wh.) Mandarin.	China.	1805.	....	G. h.
	<i>β minor.</i>	—————	....	....	G. h.
11 Margarita. DC.	(wh.) sweet Lemon.	—————	1820.	....	G. h.
12 madurênsis. DC.	(wh.) spineless.	China.	1816.	....	G. h.
13 angulata. DC.	(wh.) angular-fruited.	E. Indies.	....	....	G. h.
14 buxifolia. DC.	(wh.) retuse-leaved.	China.	....	....	G. h.

Ris. an. mus. 20. t. 2. f. 2.

Bot. reg. t. 346.

Ferr. hesp. t. 247. &c.

Ris. an. mus. 20. t. 1. f. 1. 2.

Rumph. am. 2. t. 24. f. 2.

Th. ic. jap. t. 15.

Andr. rep. 608.

Bot. reg. 211.

Rumph. amb. 2. t. 31.

2. t. 32.

## ORDO XXXVIII.

HYPERICINEÆ. DC. *prodr.* 1. p. 541.

## Subordo I. HYPERICINEÆ VERÆ. DC.

## Tribus I. VISMIEÆ. DC.

HARO'NGA. DC.		HARO'NGA. Polyadelphia Dodecandria.				
1	madagascariensis. DC. ( <i>ye.</i> )	Madagascar.	Madagascar.	1824.	....	S. h̄. Lam. ill. t. 645.
	<i>Arungana paniculata.</i>	P.S.				
VISMIA. DC.		VISMIA. Polyadelphia Polyandria.				
1	sessilifolia. DC. ( <i>ye.</i> )	sessile-leaved.	Guiana.	1826.	....	S. h̄. Aubl. guian. 2. t. 312. f. 2.
2	guianensis. DC. ( <i>ye.</i> )	Guiana.	—	1828.	....	S. h̄. — 2. t. 311.
3	brasilienis. DC. ( <i>ye.</i> )	Brasilian.	Brazil.	1822.	5. 6.	S. h̄. Chois. p. hyp. 35. t. 2.
4	guineensis. DC. ( <i>ye.</i> )	African.	Sierra Leon.	1823.	—	S. h̄. Lin. amœn. 8. t. 8. f. 1.

## Tribus II. HYPERICEÆ. DC.

ANDROS'ÆMUM. DC.		TUTSAN. Monadelphia Polyandria.				
	officinale. DC. ( <i>ye.</i> )	common.	Britain.	....	7. 9.	H. h̄. Eng. bot. 1225.
HYPERICUM. DC.		ST. JOHN'S WORT. Polyadelphia Polyandria. L.				
1	elatum. DC. ( <i>ye.</i> )	tall.	N. America.	1762.	7. 8.	H. h̄. Wats. dend. brit. t. 85.
2	frondosum. DC. ( <i>ye.</i> )	green.	—	1806.	—	H. h̄.
3	amœnum. DC. ( <i>ye.</i> )	pretty.	Carolina.	1812.	—	H. h̄.
4	grandifolium. DC. ( <i>ye.</i> )	great-leaved.	Teneriffe.	1818.	—	G. h̄. Chois. pr. hyp. t. 3.
5	hircinum. DC. ( <i>ye.</i> )	stinking.	S. Europe.	1640.	7. 9.	H. h̄. Wats. dend. brit. t. 86.
	<i>β minus.</i> W.D. ( <i>ye.</i> )	smaller.	—	—	—	H. h̄. — t. 87.
6	foliosum. DC. ( <i>ye.</i> )	shining.	Azores.	1778.	8.	G. h̄.
7	floribundum. DC. ( <i>ye.</i> )	many-flowered.	Madeira.	1779.	—	G. h̄. Com. hort. 2. t. 68.
8	olympicum. DC. ( <i>ye.</i> )	Olympic.	Levant.	1706.	7. 9.	H. h̄. Exot. bot. 2. t. 96.
9	canariense. DC. ( <i>ye.</i> )	Canary.	Canaries.	1699.	—	G. h̄.
10	chinense. DC. ( <i>ye.</i> )	Chinese.	China.	1753.	3. 9.	G. h̄. Bot. mag. 334.
	<i>monogynum.</i> B.M.					
11	cordifolium. DC. ( <i>ye.</i> )	heart-leaved.	Nepaul.	1822.	6. 9.	G. h̄.
12	pyramidatum. DC. ( <i>ye.</i> )	pyramidal.	Canada.	1759.	7. 8.	H. h̄. Vent. malm. t. 118.
13	Ascyron. DC. ( <i>ye.</i> )	Siberian.	Siberia.	1774.	6. 9.	H. h̄. Gmel. sib. 4. t. 69.
14	ascyroides. DC. ( <i>ye.</i> )	large-capsuled.	N. America.	1812.	6. 7.	H. h̄.
15	pátulum. DC. ( <i>ye.</i> )	spreading.	Japan.	1820.	7. 9.	G. h̄. Thunb. jap. ic. 17.
16	Uràlum. D.P. ( <i>ye.</i> )	Nepaul.	Nepaul.	—	—	F. h̄. Bot. mag. 2375.
17	Kalmianum. DC. ( <i>ye.</i> )	Kalmia-leaved.	Virginia.	1759.	6. 7.	H. h̄.
18	calycinum. DC. ( <i>ye.</i> )	large-flowered.	Ireland.	....	6. 9.	H. h̄. Eng. bot. 2017.
19	baleàricum. DC. ( <i>ye.</i> )	warted.	Majorca.	1714.	3. 9.	G. h̄. Bot. mag. 137.
20	virginicum. DC. ( <i>re.</i> )	Virginian.	N. America.	1800.	7. 9.	H. h̄. Andr. rep. 552.
	<i>Elodea campanulata.</i> Ph.					
21	angulosum. DC. ( <i>ye.</i> )	tooth'd-flow'r'd.	N. America.	1812.	6. 7.	H. h̄.
22	punctatum. DC. ( <i>ye.</i> )	spotted.	—	1789.	7. 9.	F. h̄.
	<i>carymbosum, w. maculatum.</i> Walt.					
23	dolabriforme. DC. ( <i>ye.</i> )	hatchet-like.	—	1818.	—	H. h̄.
24	densiflorum. DC. ( <i>ye.</i> )	dense-flowered.	Virginia.	1812.	6. 8.	F. h̄.
25	rosmarinifolium. DC. ( <i>y.</i> )	Rosemary-ld.	Carolina.	—	—	F. h̄.
26	virgatum. DC. ( <i>ye.</i> )	twiggy.	N. America.	1823.	6. 8.	H. h̄.
27	prolificum. DC. ( <i>ye.</i> )	prolific.	—	1758.	—	H. h̄. Wats. dend. brit. t. 88.
	<i>Kalmianum.</i> Maund. bot. gard. 194. t. 49. <i>nec aliorum. foliosum.</i> Jacq. schœnb. 3. t. 299. <i>non</i> Ait.					
28	glaucum. DC. ( <i>ye.</i> )	glaucous.	N. America.	1812.	7. 8.	H. h̄.
29	lævigatum. H.K. ( <i>ye.</i> )	smooth.	—	1772.	—	H. h̄.
30	nudiflorum. DC. ( <i>ye.</i> )	naked-panicled.	—	1811.	8. 10.	H. h̄.
31	sphærocárron. DC. ( <i>y.</i> )	round-capsuled.	—	1827.	6. 8.	H. h̄.

32	quadrángulum. w. (ye.) square-stalked.	Britain.	....	7. 8.	H. 2.	Eng. bot. 370.
33	dùbium. E.B. (ye.) imperforate.	—	....	—	H. 2.	— 296.
34	maculátum. All. (ye.) spot-flowered.	Europe.	....	—	H. 2.	All. ped. t. 83. f. 1.
35	undulátum. W.en. (y.) wave-leaved.	Barbary.	1802.	—	F. 2.	—
36	attenuátum. DC. (ye.) attenuated.	Dahuria.	1828.	—	H. 2.	Chois. pr. hyp. p. 47. t. 6.
37	rèpens. DC. (ye.) creeping.	S. Europe.	1827.	—	H. 2.	—
38	japónicum. DC. (ye.) Japan.	Japan.	1820.	—	G. 2.	Thunb. jap. t. 31.
39	crispum. DC. (ye.) curl-leaved.	Greece.	1688.	—	F. 2.	Bocc. mus. 2. t. 12.
40	pilòsum. DC. (ye.) pilose.	N. America.	1818.	—	H. 2.	Pluk. alm. t. 245. f. 6.
	<i>setòsum.</i> H.K.	—	—	—	—	—
41	símplex. DC. (ye.) simple-stalked.	—	—	—	H. 2.	Pluk. alm. t. 421. f. 3.
42	heterophýllum. DC. (y.) various-leaved.	Persia.	1812.	—	G. 2.	Vent. cels. t. 68.
43	ægyptiacum. DC. (ye.) Egyptian.	Egypt.	1787.	6. 7.	G. 2.	Bot. reg. 196.
44	humifusum. DC. (ye.) trailing.	Britain.	....	7. 8.	H. 2.	Eng. bot. 1226.
45	pusillum. DC. (ye.) small.	N. S. W.	1818.	—	G. 2.	Lab. nov. holl. 2. t. 175.
46	involutum. DC. (ye.) involute-fl'd.	—	1822.	—	G. 2.	— 2. t. 174.
47	perforátum. DC. (ye.) perforate.	Britain.	....	—	H. 2.	Eng. bot. 295.
48	veronénse. Sck. (ye.) Verona.	Italy.	1820.	—	H. 2.	—
49	quinquenerviùm. DC. (ye.) small-fl'd.	N. America.	1759.	6. 9.	F. 2.	—
	<i>mùtilum.</i> w.	—	—	—	—	—
50	canadénse. DC. (wh.) Canadian.	Canada.	1770.	7. 9.	H. 2.	—
51	perfoliátum. w. (wh.) perfoliate.	Italy.	1785.	5. 6.	F. 2.	—
52	axillàre. DC. (ye.) clustered.	N. America.	1806.	7.	F. 2.	—
	<i>fasciculátum.</i> w.	—	—	—	—	—
53	Elòdes. DC. (ye.) marsh.	Britain.	....	7. 8.	H. 2.	Eng. bot. 109.
54	tomentòsum. DC. (ye.) woolly.	S. Europe.	1648.	7. 9.	F. 2.	Moris. his. 2. s. 5. t. 6. n. 5.
55	lanuginòsum. DC. (ye.) downy.	Levant.	1822.	—	F. 2.	—
56	hirsútum. DC. (ye.) hairy.	Britain.	....	6. 7.	H. 2.	Eng. bot. 1156.
57	nummulàrium. DC. (ye.) Money-wort.	S. Europe.	1818.	—	H. 2.	Lam. ill. t. 643.
58	élegans. DC. (ye.) elegant.	Siberia.	—	7. 9.	H. 2.	Spr. fl. hal. n. 864. t. 9.
	<i>Kohliànnum.</i> Spr.	—	—	—	—	—
59	glandulòsum. DC. (ye.) glandular.	Madeira.	1777.	5. 8.	G. 2.	—
60	reflexum. DC. (ye.) reflex-leaved.	Teneriffe.	1778.	6. 9.	G. 2.	—
61	pùlchrum. DC. (ye.) small upright.	Britain.	....	7. 8.	H. 2.	Eng. bot. 1227.
62	elodeoídes. DC. (ye.) close paniced.	Nepaul.	1823.	....	G. 2.	—
	<i>nervòsum.</i> D.P.	—	—	—	—	—
63	barbátum. DC. (ye.) bearded.	Scotland.	....	6. 10.	H. 2.	Eng. bot. 1985.
64	montànum. DC. (ye.) mountain.	Britain.	....	7. 8.	H. 2.	— 371.
65	fimbriátum. DC. (ye.) fimbriate.	Pyrenees.	1818.	—	H. 2.	Vill. delph. 3. t. 44.
	<i>Richèri.</i> Vill.	—	—	—	—	—
66	æthiopicum. DC. (ye.) Ethiopian.	C. B. S.	1817.	—	G. 2.	—
67	ciliátum. DC. (ye.) fringed.	S. Europe.	1739.	7.	F. 2.	Boc. mus. 2. t. 127.
68	serpyllifolium. DC. (ye.) Thyme-leaved.	Levant.	1688.	7. 8.	F. 2.	Mor. his. 2 s. 5. t. 6. f. 2.
69	triplicèrve. DC. (ye.) triply-nerved.	N. America.	1823.	7. 9.	H. 2.	Vent. cels. t. 58.
70	empetrifolium. DC. (y.) Crowberry-fl'd.	S. Europe.	....	6. 8.	H. 2.	Wats. dend. brit. 141.
71	Còris. DC. (ye.) Coris-leaved.	Levant.	1640.	5. 9.	G. 2.	Bot. mag. 178.
72	ericoides. DC. (ye.) Heath-leaved.	S. Europe.	1818.	—	G. 2.	Cav. ic. 2. t. 122.
73	mexicànum. DC. (ye.) Mexican.	Mexico.	1826.	....	G. 2.	Linn. amœn. 8. t. 8. f. 2.
74	fasciculátum. DC. (ye.) Aspalathus-like.	N. America.	1811.	6. 8.	F. 2.	—
	<i>aspalathoides.</i> w.	—	—	—	—	—
75	verticillátum. DC. (ye.) whorl-leaved.	C. B. S.	1784.	—	G. 2.	—
76	cochinchinénse. DC. (sc.) Cochinchina.	Cochinchina.	1822.	6. 8.	G. 2.	—
	<i>A'SCYRUM.</i> DC.	<i>A'SCYRUM.</i> Monadelphia Polyandria.	—	—	—	—
1	pùmulum. DC. (ye.) dwarf.	Georgia.	1806.	6. 8.	G. 2.	—
2	Crux A'ndrea. DC. (y.) St. Andrew's-cr.	N. America.	1759.	7.	G. 2.	Burm. am. 146. t. 152.
3	hypericoídes. DC. (ye.) Hypericum-like.	—	—	7. 9.	G. 2.	— t. 152. f. 1.
4	stans. DC. (ye.) large-flowered.	—	1806.	—	G. 2.	—
5	amplexicàule. DC. (ye.) stem-clasping.	—	—	—	G. 2.	—
	<i>SAR'OTHTRA.</i> W.	<i>SAR'OTHTRA.</i> Pentandria Trigynia.	—	—	—	—
	gentianoides. w. (ye.) Gentian-like.	N. America.	1768.	6. 10.	H. 2.	Pluk. mant. t. 342. f. 2.
	<i>hypericoídes.</i> n. <i>Hypericum Sarothra.</i> M.	—	—	—	—	—

Subordo II. *HYPERICINEÆ ANOMALÆ.* DC.

CARPODONTOS. DC. CARPODONTOS. Polyandria Pentagynia.  
 lucida. DC. (wh.) shining. V. Diem. Is. 1820. .... G. 2. Lab. voy. 2. t. 18.

## ORDO XXXIX.

GUTTIFERÆ. DC. *prodr.* 1. p. 557.Tribus I. *CLUSIÆ*. DC.

MAH'UREA. DC.	MAH'UREA. Polyandria Monogynia.				
palústris. DC. ( <i>pu.</i> )	marsh. Trinidad.	1820.	....	S. h.	Aubl. guian. 1. t. 222.
M'ARILA. DC.	M'ARILA. Monadelphia Polyandria.				
racemósa. DC. ....	clustered. W. Indies.	1827.	....	S. h.	
GODO'YA. DC.	GODO'YA. Polyandria Monogynia.				
gemmaflóra. M.N. ( <i>ye.</i> )	gem-flowered. Brazil.	1824.	....	S. h.	Mart. nov. gen. 3. t. 74.
CLUSIA. DC.	BALSAM-TREE. Polygamia Monœcia. L.				
1 rôsea. DC. ( <i>ro.</i> )	Rose-coloured. America.	1692.	7. 8.	S. h.	Cates. car. 2. t. 99.
2 álba. DC. ( <i>wh.</i> )	white-flowered. S. America.	1752.	—	S. h.	Jacq. amer. t. 166.
3 fláva. ( <i>ye.</i> )	yellow-flowered. Jamaica.	1759.	9.	S. h.	Bot. rep. 223.
4 venósa. DC. ( <i>wh.</i> )	veiny-leaved. S. America.	1733.	....	S. h.	Plum. ic. 87. f. 2.
5 nemorósa. DC. ( <i>w.pu.</i> )	wood. W. Indies.	1826.	....	S. h.	
HAV'ETIA. Kth.	HAV'ETIA. Diœcia Tetrandria.				
laurifólia. Kth. ( <i>wh.</i> )	Laurel-leaved. S. America.	1820.	....	S. h.	H. et B. n. g. am. 5. t. 462.
<i>Clusia tetrandra</i> , w.					

Tribus II. *GARCINIEÆ*. DC.

MARIA'IVA. DC.	MARIA'IVA. Monadelphia Polyandria.				
guianénsis. DC. ( <i>gr.</i> )	Guiana. Guiana.	1827.	....	S. h.	Aubl. guian. 2. t. 364.
MICRA'NTHERA. DC.	MICRA'NTHERA. Diœcia Polyandria.				
clusiaefólia. DC. ....	Clusia-leaved. Cayenne.	1823.	....	S. h.	Chois. m. h. P. 1. t. 11. 12.
GARCIN'IA. DC.	GARCIN'IA. Polyandria Monogynia.				
1 Mangostana. DC. ( <i>ro.</i> )	Mangosteen. Java.	1789.	....	S. h.	Lod. bot. cab. 845.
2 cornea. DC. ( <i>ye.</i> )	nodding-flow'd. E. Indies.	1817.	....	S. h.	Rumph. amb. 3. t. 30.
3 Cambogia. DC. ( <i>ye.</i> )	yellow-flower'd. ————	1822.	....	S. h.	Rheed. mal. 1. t. 24.
4 Cowa. DC. ( <i>ye.</i> )	polygamous. ————	—	....	S. h.	

Tribus III. *CALOPHYLLÆ*. DC.

MAMM'EA. DC.	MAMMEE-TREE. Polyandria Monogynia. L.				
1 americána. DC. ( <i>wh.</i> )	America. S. America.	1737.	....	S. h.	Jacq. amer. t. 182. f. 32.
2 africána. G.D. ( <i>wh.</i> )	African. Sierra Leon.	1820.	....	S. h.	
XANTHOCH'YMUS. DC.	XANTHOCH'YMUS. Polyadelphia Polyandria.				
1 pictórius. H.B. ( <i>wh.</i> )	painters. E. Indies.	1796.	....	S. h.	Roxb. cor. 2. t. 196.
2 dúlcis. H.B. ( <i>st.</i> )	sweet. ————	1820.	....	S. h.	— 3. t. 270.
3 ovalifólius. H.B. ....	oval-leaved. ————	—	....	S. h.	
4 lúteus. L.C. ( <i>ye.</i> )	yellow. E. Indies.	1823.	....	S. h.	
5 macrophy'llus. L.C. ..	large leaved. ————	—	....	S. h.	
6 purpúreus. L.C. ( <i>pu.</i> )	purple. ————	—	....	S. h.	
CALOPHY'LLUM. DC.	CALOPHY'LLUM. Polyandria Monogynia. L.				
1 Inophy'llum. DC. ( <i>wh.</i> )	sweet-scented. E. Indies.	1793.	....	S. h.	Rheed. mal. 4. t. 38.
2 Tacamaháca. DC. ( <i>wh.</i> )	acute-leaved. Bourbon.	1822.	....	S. h.	Pluk. alm. t. 147. f. 3.
3 Cálaba. DC. ( <i>wh.</i> )	Calaba-tree. W. Indies.	1780.	....	S. h.	Jacq. amer. t. 165.
4 spúrium. DC. ( <i>wh.</i> )	spurious. E. Indies.	—	....	S. h.	Rheed. mal. 4. t. 39.
<i>Cálaba</i> , L.					
PENTADE'SMA. H.T.	BUTTER-TREE. Polyandria Monogynia.				
butyrácea. H.T. ( <i>ye.</i> )	African. Sierra Leon.	1821.	....	S. h.	

Tribus IV. *SYMPHONIEÆ*. DC.

CANELLA. DC.	CANELLA. Dodecandria Monogynia.				
1 álba. dc. (pu.)	broad-leaved. W. Indies.	1735. ....	S. h.	Linn. trans. 1. t. 8.	
2 laurifolia. L.C. (pu.)	narrow-leaved. _____	....	S. h.		
MORONOB'EA. DC.	MORONOB'EA. Monadelphia Pentandria.				
coccinea. DC. (sc.)	scarlet. Guiana.	1825. ....	S. h.	Aubl. guian. 2. t. 313.	
	<i>Symphonia globulifera</i> . L.				
SING'ANA. DC.	SING'ANA. Polyandria Monogynia.				
guianensis. DC. (wh.)	Guiana. Guiana.	1827. ....	S. h. ∪	Aubl. guian. sup. 2. t. 230.	
	<i>Sternbéckia lateriflora</i> . w.				

## ORDO XL.

MARCGRAVIACEÆ. DC. *prodr.* 1. p. 565.Subordo I. *MARCRAVIEÆ*. DC.

ANTHOL'OMA. DC.	ANTHOL'OMA. Polyandria Monogynia.				
montana. DC. (ye.)	mountain. N. Caledonia.	1820. ....	S. h.	Labill. voy. t. 41.	
MARCGR'AVIA. DC.	MARCGR'AVIA. Polyandria Monogynia. L.				
1 umbellata. dc. (gr.)	umbelled. W. Indies.	1792. 6. 8.	S. h.	Hook. exot. flor. 160.	
2 coriacea. DC. (gr.)	leathery-leav'd. Guiana.	1820. _____	S. h.		
3 picta. DC. (gr.)	painted-leav'd. ....	1827. ....	S. h.		

Subordo II. *NORANTEÆ*. DC.

NORANTEA. DC.	NORANTEA. Polyandria Monogynia. L.				
1 guianensis. DC. (pu.)	Guiana. Guiana.	1827. ....	S. h.	Aubl. guian. 1. t. 220.	
2 brasiliensis. DC. ....	Brasilian. Brazil.	1820. ....	S. h.		
3 indica. ....	Indian. Mauritius.	1822. ....	S. h.		
RUY'SCHIA. DC.	RUY'SCHIA. Pentandria Monogynia.				
1 Souroubèa. DC. (st.)	Guiana. Guiana.	1826. ....	S. h.	Aubl. guian. 1. t. 97.	
2 clusiæfolia. DC. (pu.)	Clusia-leaved. W. Indies.	1823. ....	S. h.	Jacq. amer. t. 51. f. 2.	

## ORDO XLI.

HIPPOCRATEACEÆ. DC. *prodr.* 1. p. 567.

HIPPOCRATEA. DC.	HIPPOCRATEA. Triandria Monogynia. L.				
1 obcordata. DC. (st.)	obcordate. W. Indies.	1819. ....	S. h. ∪	Lam. ill. 1. t. 28. f. 1.	
	<i>scandens</i> . Jacq. amer. t. 9.				
2 ovata. DC. (ye.)	oval-leaved. S. America.	1739. ....	S. h. ∪	Lam. ill. 1. t. 28. f. 2.	
	<i>volubilis</i> . L.				
3 indica. DC. (ye.)	Indian. E. Indies.	1818. ....	S. h. ∪	Roxb. cor. 2. t. 130.	
4 obtusifolia. DC. (st.)	blunt-leaved. _____	1820. ....	S. h. ∪		
5 arborea. DC. (st.)	tree. _____	1822. ....	S. h. ∪	Roxb. cor. 3. t. 205.	
ANTHODON. DC.	ANTHODON. Triandria Monogynia.				
1 paniculatum. DC. ....	panicled. Rio Janeiro.	1818. ....	S. h. ∪		
2 ellipticum. DC. ....	elliptic-leaved. _____	....	S. h. ∪		
TONSE'LLA. DC.	TONSE'LLA. Triandria Monogynia.				
1 pyriformis. H.T. (gr.)	pear-fruited. Sierra Leon.	1822. ....	S. h.		
2 scabra. R.S. (gr.)	rough. Trinidad.	1824. ....	S. h. ∪	Aubl. guian. 1. t. 10.	
	<i>Tontilea scandens</i> . Aub.				

JO'HNIA. F.I.	JO'HNIA. Triandria Monogynia. F. I.					
1 salacioides. F.I. (or.)	entire-leaved. E. Indies.	1822.	....	S. h.	✓	
2 coromandeliana. F.I.	saw-leaved.	—	....	S. h.	✓	
TRIG'ONIA. DC.	TRIG'ONIA. Monadelphia Pent-Decandria.					
1 villôsa. DC. (y.re.)	villous. Cayenne.	1820.	....	S. h.		Aub. gui. 1. t. 149.
2 m'ollis. DC. ....	soft-leaved. Brazil.	1823.	....	S. h.		
3 lævis. DC. (wh.)	smooth. Guiana.	1826.	....	S. h.		Aub. gui. 1. t. 150.

## ORDO XLII.

ERYTHROXYLEÆ. DC. *prodr.* 1. p. 573.

ERYTHROXYLUM. DC.	ERYTHROXYLUM. Decandria Trigynia. L.					
1 hypericifolium. DC. (w.)	Hypericum-ld. Mauritius.	1818.	....	S. h.		Cav. dis. 8. t. 230.
2 havanense. DC. (wh.)	Havannah. W. Indies.	1822.	....	S. h.		Jacq. amer. t. 87. f. 2.
3 laurifolium. DC. (wh.)	Laurel-leaved. Mauritius.	—	....	S. h.		Cav. dis. 8. t. 226.
4 areolatum. DC. (wh.)	Carthagea. Carthagea.	1826.	....	S. h.		Jacq. amer. t. 187. f. 1.
	<i>carthagenense.</i> Jacq.					
S'ETHIA. Kth.	S'ETHIA. Decandria Monogynia.					
indica. DC. (ye.)	Indian. E. Indies.	1823.	....	S. h.		Roxb. cor. 1. t. 88.
	<i>Erythroxyton monogynum.</i> R.C.					

## ORDO XLIII.

MALPIGHIACEÆ. DC. *prodr.* 1. p. 577.

## Tribus I. MALPIGHIEÆ. DC.

MALPIGHIA. DC.	MALPIGHIA. Decandria Trigynia. L.					
1 fucata. DC. (li.)	painted. W. Indies.	1814.	1. 12.	S. h.		Bot. reg. 189.
	<i>macrophylla.</i> Colla hort. ripul. t. 11. non Juss.					
2 urens. DC. (li.)	stinging. S. America.	1737.	7. 10.	S. h.		Bot. reg. 96.
3 angustifolia. DC. (li.)	narrow-leaved. W. Indies.	—	7. 8.	S. h.		Lod. bot. cab. 321.
4 aquifolia. DC. (li.)	Holly-leaved. S. America.	1759.	8. 9.	S. h.		— 1079.
5 coccifera. DC. (li.)	kermes-oak-ld. —	1733.	—	S. h.		Bot. reg. 568.
6 glabra. DC. (pu.)	smooth-leaved. —	1757.	3. 7.	S. h.		Bot. mag. 813.
7 biflora. DC. (ye.)	two-flowered. —	....	—	S. h.		Cav. dis. 8. t. 234. f. 2.
	<i>punicifolia.</i> Cav.					
8 punicifolia. DC. (pu.)	Punica-leaved. —	1690.	—	S. h.		Plum. ic. t. 166. f. 2.
9 nitida. DC. (pu.)	glossy-leaved. S. America.	1733.	3. 8.	S. h.		
10 incana. DC. (ro.)	hoary. Campeachy.	—	—	S. h.		
11? faginea. DC. (ye.)	Beech-leaved. S. America.	1822.	....	S. h.		
12? dubia. DC. (ye.)	doubtful. W. Indies.	1824.	....	S. h.		Cav. dis. 8. t. 242.
BYRSONIMA. DC.	BYRSONIMA. Decandria Trigynia. L.					
1 verbascifolia. DC. (ye.)	Mullein-leaved. Guiana.	1818.	3. 8.	S. h.		Aub. gui. 1. t. 184.
2 nervosa. DC. (ye.)	prominent-nd. Brazil.	—	—	S. h.		
3 altissima. DC. (wh.)	tall. Guiana.	1820.	....	S. h.		Aub. gui. 1. t. 181.
4 crassifolia. DC. (ye.)	thick-leaved. —	1793.	8.	S. h.		— 1. t. 182.
	<i>Malpighia crassifolia.</i> w.					
5 chrysophylla. DC. (ye.)	golden-leaved. S. America.	1822.	....	S. h.		
6 spicata. DC. (ye.)	spiked. Brazil.	1818.	5. 8.	S. h.		Cav. dis. 8. t. 237.
7 lucida. DC. (re.)	wedge-leaved. W. Indies.	1759.	—	S. h.		Bot. mag. 2462.
	<i>Malpighia lucida.</i> w.					
8 lævigata. DC. (st.)	smooth. Cayenne.	1826.	....	S. h.		
9 elegans. DC. (li.)	elegant. Guiana.	1827.	....	S. h.		
10 densa. DC. (re.)	dense-flower'd. —	1825.	....	S. h.		
11 coriacea. DC. (wh.)	leathery-leaved. Jamaica.	1814.	—	S. h.		Sloan. his. 2. t. 163. f. 1.

12	<i>pállida</i> . DC.	( <i>ye.</i> ) pale-leaved.	W. Indies.	1820.	5. 8.	S. h.	
13?	<i>volùbilis</i> . DC.	( <i>ye.</i> ) twining.	—	1793.	8. 9.	S. h. ∪.	Bot. mag. 809.
	<i>Malpighia volùbilis</i> . B.M.						
	<b>BUNCH'OSIA</b> . DC.	<b>BUNCH'OSIA</b> .	<b>Decandria Monogynia</b> .				
1	<i>glandulòsa</i> . DC.	( <i>ye.</i> ) 2-glanded.	Antilles.	1804.	3. 5.	S. h.	Cav. dis. 8. t. 239. f. 2.
	<i>Malpighia glandulòsa</i> . Cav.						
2	<i>glandulifera</i> . DC.	( <i>ye.</i> ) 4-glanded.	Caracas.	1806.	—	S. h.	Jacq. coll. 5. f. 3.
	<i>Malpighia glandulòsa</i> . Jacq. ic. 3. t. 469.						
3	<i>cornifolia</i> . DC.	( <i>wh.</i> ) Cornus-leaved.	S. America.	1824.	....	S. h.	
4	<i>polystachya</i> . DC.	( <i>ye.</i> ) many-spiked.	W. Indies.	1806.	3. 5.	S. h.	And. bot. rep. 604.
5	<i>mèdia</i> . DC.	( <i>ye.</i> ) intermediate.	—	1790.	—	S. h.	
	<i>Malpighia mèdia</i> . H.K.						
6	<i>tuberculàta</i> . DC.	( <i>ye.</i> ) tuberculate.	Caracas.	1823.	....	S. h.	Jacq. schœn. 1. t. 104.
7	<i>argèntea</i> . DC.	( <i>ye.</i> ) silvery.	—	1820.	....	S. h.	Jacq. frag. t. 83.
8	<i>nifida</i> . DC.	( <i>ye.</i> ) glossy-leaved.	W. Indies.	1733.	3. 8.	S. h.	Cav. dis. 8. t. 239. f. 1.
9	<i>canescens</i> . DC.	.... downy-leaved.	—	1742.	....	S. h.	
10?	<i>paniculàta</i> . DC.	( <i>pu.</i> ) panicled.	—	1733.	....	S. h.	
	<b>GALPH'IMIA</b> . DC.	<b>GALPH'IMIA</b> .	<b>Decandria Trigynia</b> .				
1	<i>hirsùta</i> . DC.	( <i>ye.</i> ) hairy.	Mexico.	1824.	3. 6.	S. h.	
2	<i>glàuca</i> . DC.	( <i>ye.</i> ) glaucous-leav'd.	—	1826.	....	S. h.	Cav. ic. 5. t. 489.
3	<i>glandulosa</i> . DC.	( <i>ye.</i> ) glandular.	—	1824.	4. 6.	S. h.	— 6. t. 563.
	<b>THRYA'LLIS</b> . L.	<b>THRYA'LLIS</b> .	<b>Decandria Trigynia</b> .				
	? <i>brachystachys</i> . B.R.	( <i>y.</i> ) short-spiked.	Brazil.	1823.	9. 11.	S. h. ∪.	Bot. reg. 1162.

Tribus II. *HYPTAGEÆ*. DC.

	<b>HIPT'AGE</b> . DC.	<b>HIPT'AGE</b> .	<b>Decandria Monogynia</b> .				
1	<i>Madablòta</i> . DC.	( <i>wh.</i> ) clustered.	E. Indies.	1796.	3. 4.	S. h. ∪.	Roxb. cor. 1. t. 18.
	<i>Gærtnera racemòsa</i> . A.R. 600.						
2	<i>obtusifolia</i> . DC.	( <i>wh.</i> ) blunt-leaved.	China.	1822.	....	S. h. ∪.	
	<i>Gærtnera obtusifolia</i> . H.B.						
	<b>GAUDICHA'UDIA</b> . DC.	<b>GAUDICHA'UDIA</b> .	<b>Pentandria Monogynia</b> .				
	<i>cynanchoïdes</i> . DC.	( <i>ye.</i> ) Cynanchum-like.	Mexico.	1824.	....	S. h. ∪.	H.etB.n.g.am. 5. t. 445.

Tribus III. *BANISTERIEÆ*. DC.

	<b>HIR'EA</b> . DC.	<b>HIR'EA</b> .	<b>Decandria Trigynia</b> . L.				
1	<i>odoràta</i> . DC.	.... sweet-scented.	Guinea.	1822.	....	S. h. ∪.	
2	<i>glaucescens</i> . L.C.	.... glaucescent.	....	....	....	S. h. ∪.	
3	<i>nùtans</i> . DC.	.... nodding.	E. Indies.	1818.	5. 8.	S. h. ∪.	
4	<i>índica</i> . DC.	( <i>wh.</i> ) Indian.	—	—	—	S. h. ∪.	Roxb. cor. 2. t. 160.
	<b>TRIO'PTERIS</b> . DC.	<b>TRIO'PTERIS</b> .	<b>Decandria Trigynia</b> . L.				
1	<i>sericea</i> . L.C.	.... silky.	S. America.	1820.	....	S. h. ∪.	
2	<i>jamaicensis</i> . DC.	( <i>ye.</i> ) Jamaica.	Jamaica.	1818.	5. 9.	S. h. ∪.	
3	<i>lúcida</i> . K.S.	( <i>pi.</i> ) glossy.	Cuba.	1822.	....	S. h. ∪.	H.etB.n.g.am. 5. t. 451.
	<b>TETRA'PTERIS</b> . DC.	<b>TETRA'PTERIS</b> .	<b>Decandria Trigynia</b> . L.				
1	<i>buxifolia</i> . DC.	( <i>ye.</i> ) Box-leaved.	St. Domingo.	....	5. 8.	S. h. ∪.	Cav. dis. 9. t. 262. f. 1.
2	<i>acapulcènsis</i> . K.S.	( <i>ye.</i> ) Acapulco.	Mexico.	1824.	....	S. h. ∪.	
3	<i>acutifolia</i> . DC.	( <i>ye.</i> ) acute-leaved.	Cayenne.	1826.	....	S. h. ∪.	Cav. dis. 9. t. 261.
4	<i>citrifolia</i> . DC.	( <i>ye.</i> ) Citron-leaved.	Jamaica.	1819.	—	S. h.	— 9. t. 260.
5	<i>discolor</i> . DC.	( <i>ye.</i> ) two-coloured.	Guiana.	1827.	....	S. h. ∪.	
	<b>BANISTERIA</b> . DC.	<b>BANISTERIA</b> .	<b>Decandria Trigynia</b> . L.				
1	<i>auriculàta</i> . DC.	( <i>ye.</i> ) eared.	Brazil.	1818.	....	S. h. ∪.	Cav. dis. 9. t. 255.
2	<i>ciliàta</i> . DC.	( <i>or.</i> ) ciliated.	—	1796.	....	S. h. ∪.	— 9. t. 254.
3	<i>spléndens</i> . DC.	( <i>ye.</i> ) shining.	S. America.	1812.	....	S. h. ∪.	— 9. t. 253.
	<i>heterophylla</i> . w. <i>fùlgens</i> . Cav.						
4	<i>dichótoma</i> . DC.	( <i>ye.</i> ) forked.	S. America.	....	....	S. h. ∪.	Cav. dis. 9. t. 256.
5	<i>emarginàta</i> . DC.	( <i>ye.</i> ) emarginate.	W. Indies.	1826.	....	S. h. ∪.	— 9. t. 249.
6	<i>sericea</i> . DC.	( <i>ye.</i> ) silky.	Brazil.	1810.	....	S. h. ∪.	— 9. t. 258.
7	<i>tomentòsa</i> . DC.	( <i>ye.</i> ) woolly-leaved.	Antilles.	1818.	5. 8.	S. h. ∪.	
8	<i>tiliæfòlia</i> . DC.	( <i>pu.</i> ) Lime-leaved.	Java.	1820.	....	S. h. ∪.	Vent. choix, t. 50.

9	sinemariënsis. DC.	( <i>ye.</i> ) prickly-leaved.	Guiana.	1824.	....	S. $\frac{1}{2}$ .	—	Aubl. guian. 1. t. 185.
10	ferruginea. DC.	( <i>bh.</i> ) ferruginous.	Brazil.	1818.	....	S. $\frac{1}{2}$ .	—	Cav. dis. 9. t. 248.
11	periplocæfölia. DC.	( <i>ye.</i> ) Periploca-l'd.	Porto Rico.	—	....	S. $\frac{1}{2}$ .	—	—
12	laurifölia. DC.	( <i>ye.</i> ) Laurel-leaved.	Jamaica.	1733.	7. 8.	S. $\frac{1}{2}$ .	—	Bot. reg. 937.
13	fölgens. DC.	( <i>ye.</i> ) fulgent.	W. Indies.	1759.	....	S. $\frac{1}{2}$ .	—	—
14	oväta. DC.	( <i>bh.</i> ) oval-leaved.	St. Domingo.	1819.	7. 8.	S. $\frac{1}{2}$ .	—	Vent. choix. t. 51. A.
<b>HETERO'PTERIS. DC. HETERO'PTERIS. Decandria Trigynia. L.</b>								
1	purpürea. DC.	( <i>pu.</i> ) purple.	W. Indies.	1759.	....	S. $\frac{1}{2}$ .	—	Cav. dis. 9. t. 246. f. 1.
2	parvifölia. DC.	( <i>ye.</i> ) small-leaved.	St. Thomas.	1822.	....	S. $\frac{1}{2}$ .	—	Vent. choix. t. 51.
3	brachiäta. DC.	.... cross-branched.	S. America.	1759.	....	S. $\frac{1}{2}$ .	—	—
4	chrysophylla. DC.	( <i>or.</i> ) Star-apple-l'd.	Brazil.	1793.	....	S. $\frac{1}{2}$ .	—	Jacq. schœn. 1. t. 105.
5	cærulea. DC.	( <i>bl.</i> ) blue-flowered.	W. Indies.	1822.	....	S. $\frac{1}{2}$ .	—	Cav. dis. 9. t. 243.
6	floribünda. DC.	( <i>bl.</i> ) many-flowered.	Mexico.	1826.	....	S. $\frac{1}{2}$ .	—	—
7	nítida. DC.	.... glossy.	Brazil.	1809.	....	S. $\frac{1}{2}$ .	—	Cav. dis. 9. t. 244.
8	appendiculäta. DC.	.. long-pointed.	W. Indies.	1823.	....	S. $\frac{1}{2}$ .	—	—

## ORDO XLIV.

ACERINEÆ. DC. *prodr.* 1. p. 593.

ACER. DC.		MAPLE. Polygamia Monœcia. L.							
1	oblöngum.	( <i>gr.</i> ) oblong-leaved.	Nepaul.	1820.	....	H. 5.	—	—	—
2	tatáricum. DC.	( <i>gr.</i> ) Tartarian.	Tartary.	1759.	5. 6.	H. 5.	—	Pall. fl. ros. t. 3.	—
3	striätum. DC.	( <i>st.</i> ) striped-barked.	N. America.	1755.	—	H. 5.	—	Mich. f. arb. 2. t. 17.	—
<i>pensylvanicum. L.</i>									
4	Pseïdo-Plátanus.	( <i>st.</i> ) Sycamore.	Britain.	....	4. 5.	H. 5.	—	Eng. bot. 303.	—
	$\beta$ variegätum.	( <i>st.</i> ) variegated.	—	....	—	H. 5.	—	Duham. arb. 1. t. 36.	—
	$\gamma$ subobtüsium. DC.	( <i>st.</i> ) blunt-leaved.	—	....	—	H. 5.	—	—	—
5	spicätum. DC.	( <i>st.</i> ) mountain.	N. America.	1750.	—	H. 5.	—	Schm. arb. 1. t. 11.	—
<i>montänum. H.K.</i>									
6	hy'bridum. DC.	( <i>gr.</i> ) hybrid.	Hybrid.	....	—	H. 5.	—	Lodd. bot. cab. 1221.	—
7	macrophyllum. DC.	( <i>st.</i> ) large-leaved.	Columbia.	1827.	....	H. 5.	—	—	—
8	campëstre. DC.	( <i>gr.</i> ) common.	Britain.	....	5. 6.	H. 5.	—	Eng. bot. 304.	—
9	austriacum. L. en.	( <i>gr.</i> ) Austrian.	Austria.	....	—	H. 5.	—	Tratt. arch. 1. n. 6. ic.	—
10	Opälus. w.	( <i>st.</i> ) Italian.	Italy.	1752.	—	H. 5.	—	—	—
11	opalifölium. L. en.	( <i>st.</i> ) Opalus-leaved.	S. Europe.	....	—	H. 5.	—	Tratt. arch. 1. n. 13. ic.	—
12	obtusätum. DC.	( <i>st.</i> ) Hungarian.	Hungary.	1818.	—	H. 5.	—	—	1. n. 14. ic.
13	neapolitänum. T. s.	( <i>st.</i> ) Neapolitan.	Naples.	1820.	5. 6.	H. 5.	—	Ten. at. ac. neap. 1819. ic.	—
14	créticum. DC.	( <i>gr.</i> ) Cretan.	Levant.	1752.	—	H. 5.	—	Tratt. arch. 1. n. 19. ic.	—
15	monspressulänum. DC.	( <i>gr.</i> ) Montpellier.	France.	1739.	5.	H. 5.	—	—	1. n. 20. ic.
16	ibëricum. DC.	( <i>gr.</i> ) Iberian.	Iberia.	1826.	....	H. 5.	—	—	—
17	heterophyllum. DC.	( <i>gr.</i> ) evergreen.	Levant.	1759.	5. 6.	H. 5.	—	Willd. arb. 10. t. 1. f. 1.	—
<i>sempervirens. L.</i>									
18	barbätum. DC.	( <i>gr.</i> ) bearded.	N. America.	1812.	4. 5.	H. 5.	—	—	—
19	Lobëlii. T. s.	( <i>st.</i> ) Lobel's.	Italy.	1826.	....	H. 5.	—	—	—
20	platanoides. DC.	( <i>st.</i> ) Norway.	Europe.	1683.	5. 7.	H. 5.	—	Schm. arb. 1. t. 3. 4.	—
	$\beta$ laciniätum.	( <i>st.</i> ) cut-leaved.	—	—	—	H. 5.	—	—	1. t. 5.
21	saccharinum. DC.	( <i>st.</i> ) Sugar.	N. America.	1735.	4. 5.	H. 5.	—	Mich. f. arb. 2. t. 15.	—
22	nigrum. DC.	( <i>st.</i> ) black-sugar.	—	1812.	—	H. 5.	—	—	2. t. 16.
23	circinnätum. DC.	.... round-leaved.	Columbia.	1827.	....	H. 5.	—	—	—
24	eriocärpum. DC.	( <i>st.</i> ) Sir C. Wager's.	N. America.	1725.	—	H. 5.	—	Mich. f. arb. 2. t. 13.	—
<i>dasykärpum. w.</i>									
25	rübrum. DC.	( <i>re.</i> ) red-flowered.	—	1656.	—	H. $\frac{1}{2}$ .	—	Mich. f. arb. 2. t. 14.	—
26	palmätum. DC.	( <i>st.</i> ) palmate.	China.	1820.	....	H. $\frac{1}{2}$ .	—	Tratt. arch. 1. n. 17. ic.	—
<b>NEGU'NDO. DC. NEGU'NDO. Diœcia Pentandria.</b>									
	fraxinifölium. DC.	( <i>st.</i> ) Ash-leaved.	N. America.	1688.	4.	H. 5.	—	Mich. f. arb. 2. t. 16.	—
<i>Acer Negundo. L.</i>									

## ORDO XLV.

HIPPOCASTANEÆ. *DC. prodr.* 1. p. 597.

<b>ÆSCULUS. DC.</b>		<b>HORSE-CHESTNUT.</b>		<b>Heptandria Monogynia. L.</b>		
1	Hippocástanum. DC. ( <i>wh.</i> )	common.	Asia.	1629.	4. 5.	H. 5. Schm. arb. 1. t. 38.
	<i>β</i>	<i>variegata.</i>	( <i>wh.</i> ) <i>striped-leaved.</i>	—	—	H. 5.
	<i>γ</i>	<i>flöre plëno.</i>	( <i>wh.</i> ) <i>double-flowered.</i>	—	—	H. 5.
2	rubicúnda. DC.	( <i>re.</i> )	red-flowered.	—	—	H. 5. Lod. bot. cab. 1242.
	<i>cárnea.</i>	W. D. 121	<i>non B. reg.</i>			
3	cárnea. B. R.	( <i>fl.</i> )	flesh-coloured.	—	—	H. 5. Bot. reg. 993.
4	glábra. DC.	( <i>st.</i> )	smooth-leaved.	N. America.	1812.	— H. 5.
5	ohioénsis. DC.	( <i>wh.</i> )	Ohio.	—	—	1818. — H. 5.
6	pállida. DC.	( <i>st.</i> )	pale-flowered.	—	—	1812. 6. H. 5.
<b>P'AVIA.</b>		<b>BUCK'S-EYE-TREE.</b>		<b>Heptandria Monogynia.</b>		
1	macrostácha. DC. ( <i>w.</i> )	long-spiked.	N. America.	1786.	7. 8.	H. $\frac{1}{2}$ . Jacq. ecl. 1. t. 9.
	<i>Æsculus parviflora.</i>	H. K.				
2	rùbra. DC.	( <i>re.</i> )	red-flowered.	N. America.	1711.	5. 6. H. 5. Duham. arb. 2. t. 19.
	<i>Æsculus Pavia.</i>	Lod. bot. cab. 1257.				
	<i>β</i>	<i>argùta.</i>	B. R. ( <i>fl.</i> )	sharp-toothed.	—	— H. 5. Bot. reg. 993.
	<i>γ</i>	<i>sublaciniata.</i>	W. D. ( <i>re.</i> )	deep-toothed.	—	— H. 5. Wats. dend. brit. 120.
3	hy'brida. DC.	( <i>fl.</i> )	variegated-fl <sup>d</sup> .	—	—	1812. — H. 5.
4	díscolor.	( <i>fl.</i> )	dwarf.	—	—	H. $\frac{1}{2}$ . Bot. reg. 310.
	<i>Æsculus díscolor.</i>	Ph. <i>non hy'brida.</i>	DC.			
5	húmilis. B. R.	( <i>re.</i> )	dwarf.	—	—	H. $\frac{1}{2}$ . Bot. reg. 1018.
6	neglécta. B. R.	( <i>st.</i> )	neglected.	—	—	H. 5. — 1009.
7	fláva. DC.	( <i>st.</i> )	yellow-flowered.	—	—	1764. — H. 5. Lod. bot. cab. 1280.

## ORDO XLVI.

RHIZOBOLEÆ. *DC. prodr.* 1. p. 599.

<b>CARYOCAR. DC.</b>		<b>BUTTER-NUT.</b>		<b>Polyandria Tetragynia.</b>		
1	nuciferum. DC.	( <i>re.</i> )	nut-bearing.	S. America.	1826.	.... S. $\frac{1}{2}$ . Bot. mag. 2728.
2	glábrum. DC.	....	smooth-leaved.	Guiana.	1820.	.... S. $\frac{1}{2}$ . Aub. gui. 2. t. 240.
3	tomentósum. DC. ( <i>wh.</i> )	woolly-leaved.	—	—	—	.... S. $\frac{1}{2}$ . — 1. t. 239.

## ORDO XLVII.

SAPINDACEÆ. *DC. prodr.* 1. p. 601.Tribus I. **PAULLINIEÆ. DC.**

<b>CARDIOSPERMUM. L.</b>		<b>HEART-SEED.</b>		<b>Octandria Trigynia. L.</b>		
1	Halicácabum. DC. ( <i>w.</i> )	smooth-leaved.	India.	1594.	6. 8.	S. ☉. Bot. mag. 1049.
2	grandiflòrum. DC. ( <i>wh.</i> )	large-flowered.	Jamaica.	1823.	....	S. $\frac{1}{2}$ .
3	coluteoídes. DC.	( <i>wh.</i> )	Colutea-like.	Caracas.	—	.... S. $\frac{1}{2}$ .
4	Coríndum. L.	( <i>wh.</i> )	Parsley-leaved.	Brazil.	1750.	7. 8. S. ☉.
5	pubéscens. DC.	( <i>wh.</i> )	pubescent.	N. Spain.	1820.	— S. $\frac{1}{2}$ .
<b>URVILLÆA. Kth.</b>		<b>URVILLÆA.</b>		<b>Octandria Monogynia.</b>		
	ulmácea. Kth.	( <i>wh.</i> )	Elm-leaved.	Caracas.	1823.	.... S. $\frac{1}{2}$ . H. et B. n. gen. 5. t. 440.
<b>SERIANA. Kth.</b>		<b>SERIANA.</b>		<b>Octandria Trigynia. L.</b>		
1	sinuáta. DC.	( <i>wh.</i> )	sinuate-leaved.	S. America.	....	7. 9. S. $\frac{1}{2}$ . Sch. ac. hafn. 3. t. 12. f. 1.

2	divaricatâ. DC. (wh.)	divaricate.	W. Indies.	1823.	....	S. h. ✓	Sch. ac. hafn. 3. t. 12. f. 2.
3	caracasana. DC. (wh.)	tooth-leaved.	Caracas.	1816.	7. 9.	S. h. ✓	Jacq. schœn. 1. t. 99.
4	mexicana. DC. (wh.)	Mexican.	Mexico.	1825.	....	S. h. ✓	Sch. ac. hafn. 3. t. 11. f. 3.
5	triternata. DC. (wh.)	Supple-Jack.	W. Indies.	1739.	....	S. h. ✓	Plum. ed. Burm. t. 112.
	<i>Paullinia polyphylla</i> . L.						
	PAULLINIA. DC.	PAULLINIA.	Octandria Trigynia.	L.			
1	pinnata. DC. (wh.)	winged-leaved.	S. America.	1752.	7. 9.	S. h. ✓	Jacq. obs. 3. t. 62. f. 12.
2	Vespertilio. DC. (wh.)	Bat-winged.	W. Indies.	1823.	—	S. h. ✓	Sch. act. hafn. 3. t. 11. f. 1.
3	meliaefolia. DC. (wh.)	Melia-leaved.	Brazil.	1818.	—	S. h. ✓	Hook. ex. flor. 110.
4	curassavica. DC. (wh.)	shining-leaved.	S. America.	1739.	6. 8.	S. h. ✓	Jacq. obs. 3. t. 61. f. 1.
5	barbadensis. DC. (wh.)	Barbadoes.	W. Indies.	1786.	....	S. h. ✓	— 3. t. 61. f. 9.
6	polyphylla. DC. (wh.)	many-leaved.	S. America.	1739.	6. 8.	S. h. ✓	Pluk. alm. t. 168. f. 5?
7	carthagenensis. DC. (wh.)	biterate.	Trinidad.	1821.	—	S. h. ✓	Jacq. obs. 3. t. 61. f. 6.
8	caribæa. DC. (wh.)	Caribbean.	Caribeas.	....	....	S. h. ✓	Jacq. obs. 3. t. 62. f. 7.
9	hispida. DC. (wh.)	hispid.	Caracas.	1823.	....	S. h. ✓	Jacq. schœn. 3. t. 268.
10	cauliflora. DC. (wh.)	stem-flowering.	—	1821.	6. 8.	S. h. ✓	Jacq. ic. rar. 3. t. 450.

## Tribus II. SAPINDEÆ. DC.

	SAPINDUS. DC.	SOAP BERRY.	Octandria Trigynia.	L.			
1	Saponaria. DC. (wh.)	common	W. Indies.	1697.	7. 9.	S. h.	Comm. hort. 1. t. 94.
2	marginatus. DC. (wh.)	margined.	Carolina.	....	—	G. h.	
3	rigidus. DC. (wh.)	Ash-leaved.	S. America.	1759.	—	S. h.	Pluk. alm. t. 217. f. 7.
4	senegalensis. DC. (wh.)	Senegal.	Senegal.	1823.	....	S. h.	
5	laurifolius. DC. (wh.)	Laurel-leaved.	E. Indies.	1818.	....	S. h.	Rheed mal. 4. t. 19.
6	longifolius. DC. (wh.)	long-leaved.	—	—	....	S. h.	
7	emarginatus. DC. (wh.)	emarginate.	—	1820.	....	S. h.	
8	rubiginosus. DC. (wh.)	rusty-leaved.	—	—	....	S. h.	Roxb. cor. 1. t. 62.
9?	indicus. DC. (wh.)	various-leaved.	—	—	....	S. h.	
	BLIGHIA. DC.	AKEE-TREE.	Octandria Monogynia.				
	sápida. DC. (wh.)	Ash-leaved.	Africa.	1723.	....	S. h.	Kon. an. bot. 2. t. 16. 17.
	MATA'YBA. DC.	MATA'YBA.	Octandria Monogynia.				
	guanensis. DC. (wh.)	Ash-leaved.	Guiana.	1803.	7. 9.	S. h.	Aub. gui. 1. t. 128.
	<i>Ephedlis fraxinea</i> . w.						
	SCHMIDELIA. DC.	SCHMIDELIA.	Octandria Monogynia.	L.			
1	serrata. DC. (wh.)	saw-leaved.	E. Indies.	1804.	6. 8.	S. h.	Roxb. cor. 1. t. 61.
	<i>Ornítrophe serrata</i> . w.						
2	racemosa. DC. (wh.)	clustered.	—	1818.	....	S. h.	Burm. ind. t. 32. f. 1.
3	Cominia. DC. (wh.)	yellow-berried.	Jamaica.	1759.	6. 9.	S. h.	Sloan. h. 2. t. 203 f. 1.
	<i>Ornítrophe Cominia</i> . w. <i>Rhus Cominia</i> . L.						
	EUPHORIA. DC.	EUPHORIA.	Octandria Monogynia.	L.			
1	Litchi. DC. (wh.)	Lee-Chee.	China.	1786.	5. 6.	S. h.	Lam. ill. t. 306.
	<i>Dimocarpus Litchi</i> . w. <i>Scytalia chinensis</i> . G. fr. t. 42. f. 3.						
2	Longana. DC. (wh.)	loose-paniced.	China.	—	—	S. h.	Buchoz. ic. col. t. 99.
3	verticillata. B.R. (wh.)	whorl-flowered.	Moluccas.	1822.	2. 3.	S. h.	Bot. reg. 1059.
4	Nephelium. DC. (wh.)	Rambootan.	E. Indies.	1809.	....	S. h.	Lam. ill. t. 764.
	<i>Nephelium lappaceum</i> . w. <i>Scytalia Rambootán</i> . H.B.						
	CUPANIA. DC.	CUPANIA.	Octandria Monogynia.				
1	tomentosa. DC. (wh.)	woolly-leaved.	W. Indies.	1818.	5. 7.	S. h.	
	<i>Trigónis tomentosa</i> . Jacq. am. 102.						
2	glabra. DC. (wh.)	smooth-leaved.	—	—	—	S. h.	
3	Saponaria. DC. (wh.)	Soap-wort <sup>ld</sup> .	—	1820.	....	S. h.	
	MOLINÆA. J.	MOLINÆA.	Octandria Monogynia.				
	canescens. H.B. (wh.)	canescent.	E. Indies.	1817.	5. 6.	S. h.	
	COSSIGNIA. DC.	COSSIGNIA.	Hexandria Monogynia.				
	borbónica. DC. (wh.)	golden-leaved.	Bourbon.	1811.	....	S. h.	Lam. ill. t. 256.
	<i>pinnata</i> . Lam. <i>Ruizia aurea</i> . Hort.						
	MELICOCCA. DC.	HONEY-BERRY.	Octandria Monogynia.	L.			
1	bijuga. DC. (wh.)	winged-leaved.	Jamaica.	1778.	....	S. h.	Jacq. amer. 103. t. 72.
2	olivæformis. DC. (wh.)	large-leaved.	S. America.	1818.	....	S. h.	

Tribus III. *DODONÆACEÆ*. DC.

KOELREUTERIA. DC.	KOELREUTERIA.	Octandria Monogynia. L.					
paniculata. DC.	( <i>ye.</i> ) panicked.	China.	1763.	7. 8.	H. h.	Bot. reg. 320.	
DODONÆA. DC.	DODONÆA.	Octandria Monogynia. L.					
1 viscosa. DC.	( <i>gr.</i> ) clammy.	S. America.	1690.	6. 7.	S. h.	Plum. ic. t. 247. f. 2.	
2 jamaicensis. DC.	( <i>gr.</i> ) Jamaica.	Jamaica.	—	—	S. h.	Cav. ic. t. 327.	
	<i>viscosa</i> . Cav. <i>angustifolia</i> . Sw.						
3 Burmanniana. DC.	( <i>gr.</i> ) Burman's.	E. Indies.	1758.	5. 8.	S. h.	Burm. zeyl. t. 23.	
	<i>angustifolia</i> . H.B.						
4 microcarpa. DC.	( <i>gr.</i> ) small-fruited.	Bourbon.	1818.	—	S. h.	Lam. ill. t. 304. f. 2.	
5 attenuata. F.T.	( <i>gr.</i> ) attenuated.	N. S. W.	1824.	2. 6.	G. h.	Bot. mag. 2860.	
6 salicifolia. DC.	( <i>gr.</i> ) Willow-leaved.	C. B. S.	1758.	—	G. h.		
	<i>angustifolia</i> . Lam.						
7 dioica. DC.	( <i>gr.</i> ) diœcious.	E. Indies.	....	—	S. h.		
8 triquetra. DC.	( <i>gr.</i> ) three-sided.	N. S. W.	1790.	6. 8.	G. h.	Andr. rep. 230.	
9 oblongifolia. L. en.	( <i>gr.</i> ) oblong-leaved.	—	1816.	—	G. h.	Bot. reg. 1051.	
10 cuneata. DC.	( <i>gr.</i> ) wedge-leaved.	—	—	—	G. h.	Linn. trans. 11. t. 19.	
11 asplenifolia. DC.	( <i>gr.</i> ) Asplenium-ld.	—	—	—	G. h.	— 11. t. 20.	
12 filiformis. DC.	( <i>gr.</i> ) slender-leaved.	—	1820.	—	G. h.		
13 angustissima. DC.	( <i>gr.</i> ) narrow-leaved.	—	—	—	G. h.		
14 elæagnoïdes. DC.	( <i>gr.</i> ) scaly leaved.	W. Indies.	1819.	....	S. h.		
15? pinnata. DC.	( <i>gr.</i> ) winged-leaved.	N. S. W.	1810.	....	G. h.		

## ORDO XLVIII.

MELIACEÆ. DC. *prodr.* 1. p. 619.Tribus I. *MELIÆÆ*. DC.

AITONIA. W.	AITONIA.	Monadelphia Octandria.					
capensis. W.	( <i>pi.</i> ) Cape.	C. B. S.	1774.	5. 9.	G. h.	Bot. mag. 173.	
TURRÆA. DC.	TURRÆA.	Decandria Monogynia. L.					
1 virens. DC.	( <i>ye.</i> ) green.	E. Indies.	1822.	....	S. h.	Sm. ic. ined. 1. t. 10.	
2 rigida. DC.	( <i>li.</i> ) rigid.	Mauritius.	1820.	....	S. h.	Vent. choix. t. 48.	
QUIVÍSIA. DC.	QUIVÍSIA.	Octandria Monogynia.					
heterophylla. DC.	( <i>hh.</i> ) various-leaved.	Mauritius.	1821.	....	S. h.	Cav. dis. 7. t. 213.	
SANDORICUM. DC.	SANDORICUM.	Decandria Monogynia.					
indicum. DC.	( <i>st.</i> ) Indian.	E. Indies.	1818.	....	S. h.	Roxb. corom. 3. t. 261.	
MELIA. DC.	BEAD-TREE.	Decandria Monogynia. L.					
1 Azedarách. DC.	( <i>li.</i> ) common.	Syria.	1656.	6. 8.	G. h.	Bot. mag. 1066.	
2 supérba. H.B.	( <i>li.</i> ) superb.	E. Indies.	1821.	1. 2.	S. h.		
3 robústa. H.B.	( <i>li.</i> ) robust.	—	—	....	S. h.		
4 sempervirens. DC.	( <i>li.</i> ) evergreen.	Jamaica.	1656.	6. 9.	S. h.	Bot. reg. 643.	
5 compósita. DC.	( <i>li.</i> ) compound-ld.	E. Indies.	1818.	1. 3.	S. h.		
6 Azadiráchta. DC.	( <i>li.</i> ) Ash-leaved.	—	1759.	6. 8.	S. h.	Cav. dis. 7. t. 208.	
7 australis.	( <i>li.</i> ) New Holland.	N. S. W.	1824.	....	G. h.		

Tribus II. *TRICHILIÆÆ*. DC.

TRICHÍLIA. DC.	TRICHÍLIA.	Decandria Monogynia. L.					
1 hírta. DC.	( <i>wh.</i> ) hairy.	Jamaica.	1820.	6. 7.	S. h.	Sloan. h. 2. t. 220. f. 1.	
2 spondioides. DC.	( <i>st.</i> ) Spondias-like.	—	—	—	S. h.	Jacq. schoen. 1. t. 102.	
3 havanénsis. DC.	( <i>st.</i> ) smooth.	W. Indies.	1794.	—	S. h.	Jacq. amer. t. 175. f. 38.	
	<i>glabra</i> . L.						
4 odorata. A.R.	( <i>gr.</i> ) sweet-scented.	—	1801.	—	S. h.	Andr. rep. 637.	
5 terminalis. DC.	( <i>wh.</i> ) terminal.	Jamaica.	1825.	....	S. h.		
6 glandulosa. DC.	( <i>gr.</i> ) glandular.	N. S. W.	1821.	....	G. h.		
7 trifoliata. DC.	( <i>wh.</i> ) three-leaved.	S. America.	1828.	....	S. h.	Jacq. amer. 129. t. 82.	

EKEBERGIA. DC.	EKEBERGIA.	Decandria Monogynia.			
1 capensis. DC.	(wh.) Cape.	C. B. S.	1789.	7. 8.	G. h. Lam. ill. t. 358.
2 indica. H.B.	(wh.) Indian.	E. Indies.	1826.	....	S. h.
GUA'REA. DC.	GUA'REA.	Octandria Monogynia. L.			
1 trichilioides. L.	(wh.) Ash-leaved.	S. America.	1752.	5. 6.	S. h. Jacq. am. t. 176. f. 37.
<i>grandifolia</i> . DC.	<i>Melia Guára</i> . Jacq.				
2 Swartzii.	(wh.) Swartz's.	W. Indies.	1822.	....	S. h. Sloan. h. 2. t. 170. f. 1.
<i>trichilioides</i> . Sw.					
3 ramiflora. DC.	(li.) branch-flow'r'd.	Porto Rico.	—	....	S. h. Vent. choix. t. 41.
HE'YNEA. DC.	HE'YNEA.	Decandria Monogynia.			
1 tríjuga. DC.	(wh.) Walnut-like.	Nepaul.	1812.	9. 10.	S. h. Bot. mag. 1738.
2 quinquejuga. H.B.	(w.) five-paired.	Moluccas.	1821.	....	S. h.
AMOO'RA. R.C.	AMOO'RA.	Hexandria Monogynia.			
cucullata. R.C.	(ye.) hooded.	E. Indies.	1824.	....	S. h. Roxb. corom. 3. t. 258.

## ORDO XLIX.

CEDRELEÆ. *Brown gen. rem. 64.*

CEDR'ELA. DC.	BASTARD CEDAR.	Pentandria Monogynia. L.			
1 odorata. DC.	(st.) fragrant.	W. Indies.	1739.	7. 9.	S. h. Lam. ill. t. 137.
2 Toóna. DC.	(st.) Nepaul.	Nepaul.	1821.	....	S. h. Roxb. cor. 3. t. 238.
3 velutina. DC.	..... velvety.	.....	.....	.....	S. h.
SWIETENIA. DC.	MAHOGANY-TREE.	Decandria Monogynia. L.			
1 Mahogoni. DC.	(wh.) common.	W. Indies.	1734.	....	S. h. Cav. dis. 7. t. 209.
2 febrifuga. DC.	(wh.) Febrifuge.	E. Indies.	1796.	....	S. h. Roxb. cor. 1. t. 17.
CHLOROXYLON. DC.	CHLOROXYLON.	Decandria Monogynia.			
Swietènia. DC.	(ye.) Satin-wood.	E. Indies.	1822.	....	S. h. Roxb. cor. 1. t. 64.
<i>Swietènia chloróxyton</i> . R.C.					
FLINDE'RSIA. DC.	FLINDE'RSIA.	Decandria Monogynia.			
austrális. DC.	(wh.) New Holland.	N. Holland.	1821.	....	G. h. Brown gen. rem. t. 1.
CARA'PA. DC.	CARA'PA.	Decandria Monogynia.			
1 prócera. DC.	(st.) tall.	W. Indies.	....	....	S. h.
2 guineensis.	(gr.) glossy-leaved.	Sierra Leon.	1793.	....	S. h.
<i>Afzèlia spléndens</i> . Hort.					
3 guianensis. DC.	(st.) Guiana.	Guiana.	1820.	....	S. h. Aubl. guian. 2. s. t. 387.

## ORDO L.

AMPELIDEÆ. *DC. prodr. 1. p. 627.*

## Tribus I. VINIFERÆ seu SARMENTACEÆ. DC.

CISSUS. DC.	CISSUS.	Tetrandria Monogynia. L.			
1 vitiginea. DC.	(re.) vine-leaved.	India.	1772.	7. 8.	S. h. Pluk. mant. t. 337. f. 4.
2 adnata. DC.	(gr.) pointed-leaved.	E. Indies.	1818.	—	S. h.
3 glauca. DC.	(gr.) glaucous.	—	—	—	S. h.
4 casia. DC.	(gr.) grey.	Guinea.	1822.	5. 6.	S. h.
5 repens. DC.	(pu.) creeping.	E. Indies.	1821.	—	S. h. Rheed. mal. 7. t. 48.
6 puncticulosa. DC.	(gr.) strumous.	Cayenne.	1818.	....	S. h.
7 uvifera. DC.	(gr.) berry-bearing.	Guinea.	1822.	5. 6.	S. h.
8 tiliacea. DC.	(gr.) Lime-leaved.	Mexico.	1825.	....	G. h.
9 quadrangularis. DC.	(r.) square-stalked.	E. Indies.	1790.	....	S. h. Rumph. amb. 5. t. 44. f. 2.
10 sicyoides. DC.	(gr.) naked-leaved.	Jamaica.	1768.	7. 8.	S. h. Jacq. amer. 22. t. 15.
11 smilacina. DC.	(gr.) Smilax-like.	S. America.	1826.	....	S. h.
12 ovata. DC.	(gr.) oval-leaved.	—	1822.	....	S. h. Brown. jam. t. 4. f. 1. 2.
13 antarctica. DC.	(gr.) Kanguru-Vine.	N. S. W.	1790.	6. 8.	G. h. Bot. mag. 2488.

14 glandulosa. DC.	(gr.) glandular.	Arabia.	1824.	6. 7.	G. 4. ✓.	
15 capensis. DC.	(gr.) Cape.	C. B. S.	1792.	—	G. h. ✓.	
16 acida. DC.	(gr.) acid.	Jamaica.	1692.	—	S. h. ✓.	Jacq. schœn. 1. t. 33.
17 carnosa. DC.	(wh.) flat-stemmed.	E. Indies.	1818.	...	S. h. ✓.	Rheed. mal. 7. t. 9.
18 trifoliata. DC.	(re.) three-leaved.	Jamaica.	1739.	6. 8.	S. h. ✓.	Sloan. jam. t. 142. f. 5. 6. ?
19 pauciflora. DC.	(gr.) few-flowered.	C. B. S.	1818.	5. 6.	G. h. ✓.	
20 alata. DC.	(re.) winged-stalked.	Jamaica.	—	—	S. h. ✓.	Sloan. jam. 1. t. 144.
21 angustifolia. DC.	(st.) narrow-leaved.	E. Indies.	1818.	...	S. h. ✓.	
22 cirrhosa. DC.	(gr.) tendrilled.	C. B. S.	1822.	5. 6.	G. h. ✓.	
23 quinata. DC.	(gr.) wedge-leaved.	—	1790.	7.	G. h. ✓.	
24 pentaphylla. DC.	(gr.) Japan.	Japan.	—	4. 9.	G. h. ✓.	
25 quinquefolia. B.M.	(gr.) five-leaved.	Brazil.	—	8. 9.	S. h. ✓.	Bot. mag. 2443.
26 diversifolia. DC.	(gr.) various-leaved.	.....	—	....	S. h. ✓.	
<i>heterophylla. L. en. non DC.</i>						
27 elongata. DC.	(gr.) long-branched.	E. Indies.	1818.	....	S. h. ✓.	
28 auriculata. DC.	(gr.) ear-stipuled.	—	—	....	S. h. ✓.	
29 orientalis. DC.	(gr.) oriental.	Levant.	—	6. 8.	G. h. ✓.	Lam. ill. t. 84. f. 2.
AMPELOPSIS. DC.	AMPELOPSIS.	Pentandria Monogynia. L.				
1 cordata. DC.	(gr.) heart-leaved.	N. America.	1803.	6. 8.	H. h. ✓.	
<i>Cissus Ampelopsis. P.S.</i>						
2 hederacea. DC.	(gr.) Virginian creeper.	—	1629.	—	H. h. ✓.	Corn. canad. t. 100.
<i>Hedera quinquefolia. L. Cissus hederacea. P.S.</i>						
3 hirsuta. DC.	(gr.) hairy.	—	1806.	—	H. h. ✓.	
4 bipinnata. DC.	(gr.) Pepper Vine.	—	1700.	7. 9.	H. h. ✓.	Pluk. mant. t. 412. f. 2.
<i>Vitis arborea. W. Cissus stans. P.S.</i>						
VITIS. DC.	VINE.	Pentandria Monogynia. L.				
1 vinifera. DC.	(gr.) common Grape.	Asia.	....	6. 7.	H. h. ✓.	Jacq. ic. 1. t. 50.
2 laciniosa. DC.	(gr.) Parsley-leaved.	.....	1648.	—	H. h. ✓.	Schm. ic. 34. t. 8.
3 dentata. DC.	(gr.) toothed.	.....	1818.	....	H. h. ✓.	
4 Wallichii. DC.	(gr.) Wallich's.	Nepaul.	—	....	H. h. ✓.	
5 indica. DC.	(g. pu.) Indian.	E. Indies.	1692.	....	S. h. ✓.	Rheed. mal. 7. t. 6.
6 lanata. F.I.	(gr.) woolly.	—	1824.	....	S. h. ✓.	
7 latifolia. F.I.	(br.) broad-leaved.	—	—	....	S. h. ✓.	Rheed. mal. 7. t. 7.
8 caribæa. DC.	(st.) West Indian.	W. Indies.	....	....	S. h. ✓.	Sloan. his. 2. t. 210. f. 4.
9 Labrusca. DC.	(gr.) downy-leaved.	N. America.	1656.	5. 6.	H. h. ✓.	Jacq. schœn. t. 426.
10 blanda. DC.	(gr.) white-berried.	—	—	—	H. h. ✓.	
11 æstivalis. DC.	(gr.) Fox Grape.	—	—	—	H. h. ✓.	Jacq. schœn. t. 425.
<i>vulpina. W.</i>						
12 cordifolia. DC.	(gr.) Winter Grape.	—	1806.	....	H. h. ✓.	
13 riparia. DC.	(gr.) sweet-scented.	—	—	5. 6.	H. h. ✓.	Bot. mag. 2429.
14 rotundifolia. DC.	(gr.) Bullet Grape.	—	—	—	H. h. ✓.	
15 palmata. DC.	(gr.) palmate-leaved.	—	1820.	—	H. h. ✓.	

Tribus II. LEEACEÆ. DC.

LEÆA. DC.	LEÆA.	Pentandria Monogynia. L.				
1 sambucina. DC.	(st.) Elder-leaved.	E. Indies.	1790.	....	S. h. ✓.	Cav. dis. 7. t. 218.
2 crispa. DC.	(wh.) fringe-stalked.	C. B. S.	1676.	8. 10.	S. 4. ✓.	Bot. rep. t. 355.
<i>pinnata. A.R.</i>						
3 æquata. DC.	(gr.) round-stalked.	E. Indies.	1777.	....	S. h. ✓.	
4 hirta. DC.	(gr.) hairy.	—	1816.	....	S. h. ✓.	
5 robusta. F.I.	(gr.) robust.	—	1820.	....	S. h. ✓.	
6 macrophylla. DC.	(wh.) large-leaved.	—	1806.	....	S. 4. ✓.	

## ORDO LI.

GERANIACEÆ. DC. *prodr.* 1. p. 637.

## Tribus I. GERANIEÆ. S.G. 1. p. VII.

SARCOCA'ULON. DC. SARCOCA'ULON. Monadelphia Dodecandria.					
1	L'Heritier. ( <i>ye.</i> ) L. Heritier's. C. B. S. 1790. 5. 6. G. ♀.	L. Herit. ger. t. 42.			
	<i>Monsonia L'Heritier.</i> DC. <i>Monsonia spinosa.</i> L. Her.				
2	Burmánni. DC. ( <i>ye.</i> ) Burman's. C. B. S. 1790. 7. G. ♀.	Burm. afr. t. 31.			
	<i>Geranium spinosum.</i> Cav. dis. 4. t. 75. f. 2.				
MONS'ONIA. S.G. MONS'ONIA. Monadelphia Dodecandria.					
1	ovâta. DC. ( <i>st.</i> ) oval-leaved. C. B. S. 1774. 8. G. ♂.	Cav. dis. 4. t. 113. f. 1.			
2	lobâta. DC. ( <i>st. bh.</i> ) broad-leaved. ———— 4. 5. G. ♀.	Sweet ger. 3. t. 273.			
3	pilôsa. W. en. ( <i>bh.</i> ) hairy. ———— 1778. 7. 8. G. ♀.	————— 2. t. 199.			
	<i>filia.</i> A. R. 276. <i>nec aliorum.</i>				
4	speciôsa. L. ( <i>va.</i> ) large-flowered. ———— 1774. 4. 5. G. ♀.				
	<i>a rubra.</i> ( <i>ro.</i> ) red-flowered. ———— 12. 2. G. ♀.	Bot. mag. 73.			
	<i>β pallida.</i> ( <i>st.</i> ) pale-flowered. ———— 4. 5. G. ♀.	Sweet ger. 1. t. 77.			
GERANIUM. DC. CRANES-BILL. Monadelphia Decandria.					
1	sibiricum. DC. ( <i>wh.</i> ) Siberian. Siberia. 1758. 6. 7. H. ♀.	Jacq. vind. 1. t. 19.			
2	sanguineum. DC. ( <i>cr.</i> ) bloody. Britain. .... 6. 9. H. ♀.	Eng. bot. 272.			
3	prostratum. L. en ( <i>std.</i> ) Lancashire. ———— .... ———— H. ♀.	Cav. dis. 4. t. 76. f. 3.			
4	multifidum. s.g. ( <i>li.</i> ) multifid. C. B. S. 1817. ———— G. ♀.	Sweet ger. 3. t. 245.			
5	incanum. DC. ( <i>li.</i> ) hoary. ———— 1701. 5. 7. G. ♀.	Cav. dis. 4. t. 82. f. 2.			
6	canescens. DC. ( <i>li.</i> ) silky-leaved. ———— 1787. ———— G. ♀.	L. Herit. ger. t. 38.			
7	argenteum. DC. ( <i>bh.</i> ) silvery-leaved. S. Europe. 1699. 6. 7. H. ♀.	Sweet ger. 1. t. 59.			
8	cinereum. DC. ( <i>vi.</i> ) grey. Pyrenees. .... 6. 8. H. ♀.	Cav. dis. 4. t. 89. f. 1.			
	<i>varium.</i> L'Her. ger. t. 37.				
9	anemonefolium. DC. ( <i>p.</i> ) Anemone-ld. Canaries. 1778. 5. 8. G. ♀.	Sweet ger. 3. t. 244.			
10	macrorrhizon. DC. ( <i>re.</i> ) long-rooted. Italy. 1576. 5. 6. H. ♀.	————— 3. t. 271.			
11	tuberosum. DC. ( <i>re.</i> ) tuberous-rooted. ———— 1596. 5. 8. H. ♀.	————— 2. t. 155.			
12	ibericum. DC. ( <i>bl.</i> ) Iberian. Iberia. 1802. 6. 9. H. ♀.	————— 1. t. 84.			
13	nodosum. DC. ( <i>std.</i> ) knotted. England. .... 5. 10. H. ♀.	Eng. bot. 1091.			
14	angulatum. DC. ( <i>std.</i> ) angular-stalk'd. .... 1789. 5. 6. H. ♀.	Bot. mag. 203.			
15	Lamberti. s.g. ( <i>li.</i> ) Mr. Lambert's. Nepal. 1825. 8. 10. H. ♀.	Sweet ger. 4. t. 338.			
16	Wallichianum. s.g. ( <i>p.</i> ) Wallich's. ———— 1820. 6. 10. H. ♀.	————— 1. t. 90.			
17	Vlassovianum. DC. ( <i>st.</i> ) Vlassof's. Siberia. ———— 5. 8. H. ♀.	————— 3. t. 228.			
18	striatum. DC. ( <i>std.</i> ) streaked. Italy. 1629. 5. 10. H. ♀.	Bot. mag. 55.			
19	reflexum. DC. ( <i>re.</i> ) reflex-flowered. ———— 1758. 5. 6. H. ♀.	Cav. dis. 4. t. 81. f. 1.			
20	phæum. DC. ( <i>br.</i> ) dusky. England. .... 4. 6. H. ♀.	Eng. bot. 322.			
21	fuscum. w. ( <i>da.</i> ) brown. S. Europe. 1759. 7. H. ♀.				
22	lividum. w. ( <i>li.</i> ) wrinkle-leaved. Switzerland. 1775. 6. 7. H. ♀.	Sweet ger. 3. t. 268.			
23	eriosemon. DC. ( <i>bl.</i> ) woolly-stamen'd Dahuria. 1822. 7. 9. H. ♀.	————— 2. t. 197.			
	<i>α cœruleum.</i> DC. ( <i>bl.</i> ) bright blue. ———— ———— H. ♀.	————— 2. t. 197. f. a.			
	<i>β pallidum.</i> s.g. ( <i>pa.</i> ) pale blue. Nepal. ———— ———— H. ♀.	————— 2. t. 197. f. b.			
24	sylvaticum. DC. ( <i>pu.</i> ) wood. Britain. .... 5. 6. H. ♀.	Eng. bot. 121.			
25	batrachioides. L. en. ( <i>b.</i> ) hairy. Europe. .... ———— H. ♀.	Cav. dis. 4. t. 85. f. 1.			
26	pratense. DC. ( <i>bl.</i> ) brofoot-leav'd Britain. .... 5. 7. H. ♀.	Eng. bot. 404.			
	<i>α cœruleum.</i> ( <i>bl.</i> ) blue-flowered. ———— .... ———— H. ♀.				
	<i>β variegatum.</i> ( <i>v.</i> ) variegated. ———— .... ———— H. ♀.				
	<i>γ album.</i> ( <i>wh.</i> ) white-flowered. ———— .... ———— H. ♀.				
	<i>δ flore pleno.</i> ( <i>bl.</i> ) double-blue. ———— .... ———— H. ♀.				
27	longipes. DC. ( <i>li.</i> ) long-peduncled. .... 1824. ———— H. ♀.				
	<i>Londesii.</i> L. en.				
28	maculatum. DC. ( <i>bh.</i> ) spotted. N. America. 1732. 5. 8. H. ♀.	Sweet ger. 4. t. 332.			
29	collinum. DC. ( <i>re.</i> ) hill. Tauria. 1815. ———— H. ♀.				
30	palustre. DC. ( <i>re.</i> ) marsh. Europe. 1732. ———— H. ♀.	Sweet ger. 1. t. 3.			
31	aconitifolium. DC. ( <i>wh.</i> ) Aconite-leaved. Switzerland. 1775. 5. 6. H. ♀.	L. Herit. ger. t. 40.			
32	pilosum. DC. ( <i>li.</i> ) pointed anth'r'd N. Zealand. 1821. 5. 8. F. ♀.	Sweet ger. 2. t. 119.			
33	parviflorum. DC. ( <i>li.</i> ) small-flowered. Van Diem. 1816. ———— G. ♀.				
34	nepalense. s.g. ( <i>li.</i> ) Nepal. Nepal. 1819. ———— H. ♀.	Sweet ger. 1. t. 12.			
35	cristatum. DC. ( <i>li.</i> ) crested. Iberia. 1823. ———— H. ♀.	Stev. m. mosc. 4. t. 5.			
	<i>albânum.</i> M. B.				

36	pyrenæicum. DC.	(li.)	mountain.	Britain.	....	5. 8.	H. ♀.	Eng. bot. 405.	
37	umbrosum. P.S.	(li.)	naked-stalked.	Hungary.	1804.	6. 9.	H. ♀.	W. et Kit. hung. 2. t. 124.	
38	mölle. DC.	(li.)	Dove's-foot.	Britain.	....	4. 8.	H. ♀.	Eng. bot. 778.	
39	pusillum. DC.	(li.)	small-flowered.	England.	....	6. 9.	H. ♂.	— 385.	
40	rotundifolium. DC.	(li.)	round-leaved.	—	....	6. 7.	H. ♂.	— 157.	
41	colubinum. DC.	(li.)	long-stalked.	Britain.	....	—	H. ♂.	— 259.	
42	dissectum. DC.	(li.)	jagged-leaved.	—	....	5. 7.	H. ♂.	— 753.	
43	carolinianum. DC.	(st.)	veined petaled.	N. America.	1725.	7. 8.	H. ♂.	Cav. dis. 4. t. 84. f. 1.	
44	lanuginosum. W. en. (p.)		woolly.	—	....	—	H. ♂.	Jacq. schœn. 2. t. 140.	
45	villosum. DC.	(li.)	willow.	Naples.	1824.	—	H. ♂.	—	
46	bohemicum. DC.	(bl.)	Bohemian.	Bohemia.	1683.	6. 8.	H. ♂.	Sweet ger. ser. 2. t.	
47	divaricatum. DC.	(li.)	straddling.	Hungary.	1799.	7. 8.	H. ♂.	W. et Kit. hung. 2. t. 123.	
48	lucidum. DC.	(li.)	shining.	Britain.	....	5. 8.	H. ♂.	Eng. bot. 75.	
49	Briceanum.	(wh.)	Miss Brice's.	Bristol.	....	4. 10.	H. ♂.	—	
50	Robertianum. DC.	(pu.)	Herb-Robert.	Britain.	....	—	H. ♂.	Eng. bot. 1486.	
51	purpureum. W.	(pu.)	purple.	—	....	—	H. ♂.	Vill. dauph. 3. t. 40.	
ER'ODIUM. DC.				HERON'S-BILL.	Monadelphia	Pentandria.			
1	petræum. DC.	(pu.)	rock.	S. Europe.	1640.	6. 7.	H. ♀.	Gouan. ill. t. 21. f. 1.	
2	glandulosum. DC.	(pu.)	glandulous.	Spain.	1798.	—	H. ♀.	Cav. dis. 5. t. 125. f. 2.	
3	Stephanianum. D.C.	(bl.)	multifid.	Dahuria.	1820.	—	H. ♀.	—	
4	alpinum. DC.	(bl.)	Alpine.	—	1814.	5. 8.	H. ♀.	L'Herit. ger. t. 3.	
5	crassifolium. DC.	(li.)	thick-leaved.	Cyprus.	1788.	3. 8.	G. ♀.	Sweet ger. 2. t. 111.	
6	laciniatum. DC.	(li.)	lacinated.	Crete.	1794.	5. 8.	G. ♀.	Cav. dis. 4. t. 113. f. 3.	
7	hirtum. DC.	(li.)	hairy.	Egypt.	1823.	—	G. ♀.	Jacq. f. ecl. 1. t. 58.	
8	Cicœnium. DC.	(li.)	long-beaked.	S. Europe.	1711.	6. 7.	H. ♂.	Jacq. vind. 1. t. 18.	
9	cicutarium. E.B.	(pi.)	Hemlock-leav'd	Britain.	....	4. 9.	H. ♂.	Eng. bot. 1768.	
10	pimpinellæfolium.	(pi.)	Pimpinella-ld.	Europe.	1823.	—	H. ♂.	Cav. dis. 4. t. 95. f. 2.	
11	bipinnatum. W.	(pi.)	Numidian.	Numidia.	1803.	5. 6.	H. ♂.	— 5. t. 126. f. 3.	
12	romænum. W.	(pi.)	Roman.	Rome.	1724.	—	H. ♀.	Bot. mag. 377.	
13	caucalisfolium. S.G.	(pi.)	Caucalis-leaved.	S. Europe.	1816.	6. 8.	H. ♀.	Sweet ger. t. 6.	
14	moschatum. DC.	(li.)	musky.	England.	....	5. 7.	H. ♂.	Eng. bot. 902.	
15	bòtrys. DC.	(bl.)	large-blue.	Italy.	1819.	—	H. ♂.	Cav. dis. 4. t. 90. f. 2.	
16	múrcicum. DC.	(bl.)	small-blue.	Murcia.	—	—	H. ♂.	— 5. t. 126. f. 1.	
17	gruenum. DC.	(bl.)	broad-leaved.	Crete.	1596.	6. 7.	H. ♂.	— 4. t. 88. f. 2.	
18	serotinum. DC.	(bl.)	late-flowering.	Tyre.	1816.	6. 9.	H. ♀.	Stev. mac. P. 3. t. 15. f. 2.	
<i>multicaule. S.G. t. 137.</i>									
19	chium. DC.	(bl.)	Levant.	Levant	1724.	6. 7.	H. ♂.	Cav. dis. 4. t. 92. f. 1.	
20	hymenodes. DC.	(li.)	three-leaved.	Barbary.	1789.	1. 12.	H. ♀.	Sweet ger. 1. t. 23.	
21	Gussónii. S.G.	(li.)	Gussone's.	Naples.	1822.	5. 8.	H. ♀.	— 2. t. 200.	
22	malachoides. DC.	(pu.)	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. ♂.	Cav. dis. 4. t. 91. f. 1.	
23	ribifolium. W.	(pu.)	Currant-leaved.	C. B. S.	....	6. 8.	H. ♂.	Jacq. ic. rar. 3. t. 509.	
24	incarnatum. DC.	(fl.)	flesh-coloured.	—	1787.	5. 7.	G. ♀.	Sweet ger. 1. t. 94.	
25	glaucophyllum. DC.	(li.)	glaucous-leav'd.	Egypt.	1732.	7. 8.	H. ♀.	— 3. t. 283.	
26	malopoides. DC.	(li.)	velvety-leaved.	Sicily.	1818.	5. 8.	H. ♀.	Cav. dis. 4. t. 90. f. 1.	
27	littoreum. DC.	(li.)	smooth.	Narbonne.	—	—	H. ♀.	—	
28	maritimum. DC.	(li.)	sea-side.	England.	....	5. 9.	H. ♀.	Eng. bot. 646.	
29	Reichardi. DC.	(wh.)	dwarf.	Minorca.	1783.	4. 9.	H. ♀.	Bot. mag. 18.	
<i>chamædryoides. W. Geranium Reichardi. B.M.</i>									

Tribus II. *GRIELEÆ*. S.G. p. VII.

GRIELUM. W.		GRI'ELUM. Decandria Pentagynia.						
1	tenuifolium. W.	(ye.)	large-flowered.	C. B. S.	1790.	4. 6.	G. ♀.	Sweet ger. 2. t. 171.
2	laciniatum. G.	(ye.)	jagged-leaved.	—	1825.	—	G. ♀.	— 4. t. 306.

Tribus III. *PELARGONIEÆ*. S.G. p. VIII.

PHYMATA'NTHUS. S.G. WART-FLOWER.		Monadelphia Pentandria.						
1	tricolor. S.G.	(w.pu.)	three-coloured.	C. B. S.	1791.	6. 10.	G. ♀.	Sweet ger. 1. t. 43.
<i>Pelargonium tricolor. B.M. 240.</i>								
2	elatus. S.G.	(w.pu.)	tall.	—	1795.	—	G. ♀.	Sweet ger. 1. t. 96.

3	villoſus.	(w.pu.)	villous.	Hybrid.	1823.	6. 10.	G. ½.	
4	grandiflorus.	(w.pu.)	large-flowered.	_____	_____	_____	G. ½.	
5	latifolius. c.c.	(w.pu.)	broad-leaved.	_____	_____	_____	G. ½.	
<b>CAMP'YLIA. S.G. CAMP'YLIA. Monadelphina Pentandria.</b>								
1	carinata. s.g.	(w.pu.)	keeled-stippled.	C. B. S.	1810.	4. 9.	G. ½.	Sweet ger. 1. t. 21.
2	variegata. s.g.	(da.)	variegated-fl'd.	Hybrid.	1823.	_____	G. ½.	_____ 3. t. 266.
3	holosericea. s.g.	(va.)	silky-leaved.	_____	1820.	_____	G. ½.	_____ 1. t. 75.
4	blattaria. s.g.	(li.)	downy-leaved.	C. B. S.	1790.	6. 9.	G. ½.	_____ 1. t. 88.
5	élegans. s.g.	(bh.)	elegant.	Hybrid.	1822.	_____	G. ½.	_____ 3. t. 222.
6	verbasciflora. s.g.	(li.)	Mullein-fl'd.	C. B. S.	1811.	_____	G. ½.	_____ 2. t. 157.
7	cana. s.g.	(li.)	hoary-leaved.	_____	1794.	7. 12.	G. ½.	_____ 2. t. 114.
8	eriostemon. s.g.	(wh.)	velvet-leaved.	_____	_____	3. 6.	G. ½.	Jacq. schœn. 2. t. 132.
<i>Pelargonium eriostemon.</i> Jacq.								
9	laciniata. s.g.	(d.re.)	jagged-leaved.	Hybrid.	1827.	4. 10.	G. ½.	Swt. ger. ser. 2. t. 1.
10	coronopifolia.	(li.)	Buck's-horn-ld.	C. B. S.	1791.	6. 10.	G. ½.	Jacq. ic. rar. 3. t. 526.
11?	œnothæra.	(li.)	œnothera-like.	_____	1812.	4. 8.	G. ¼.	_____ 3. t. 525.
<i>Pelargonium œnothæra.</i> Jacq.								
<b>OTYDIA. S.G. OTYDIA. Monadelphina Pentandria.</b>								
1	carnosa. s.g.	(wh.)	fleshy-stalked.	C. B. S.	1724.	6. 8.	G. ½.	Swt. ger. 1. t. 98.
2	ceratophylla. s.g.	(wh.)	horn-leaved.	Africa.	1786.	5. 7.	G. ½.	Bot. mag. 315.
<i>Pelargonium ceratophyllum.</i> B.M.								
3	dasycaulon. s.g.	(wh.)	thick-stemmed.	Africa.	1795.	7. 12.	G. ½.	Bot. mag. 2029.
4	laxa. s.g.	(wh.)	loose-paniced.	C. B. S.	1821.	6. 9.	G. ½.	Sweet ger. 2. t. 196.
5	crithmifolia. s.g.	(wh.)	Samphire-ld.	_____	1790.	4. 9.	G. ½.	_____ 4. t. 354.
6	alternans. s.g.	(wh.)	Parsley-leaved.	_____	1791.	5. 8.	G. ½.	_____ 3. t. 286.
<b>GRENVILLEA. S.G. GRENVILLEA. Monadelphina Tetrandia.</b>								
	conspicua. s.g.		conspicuous.	Africa.	1810.	7. 11.	G. ¼.	Sweet ger. 3. t. 262. f. 2.
<i>Geranium Grenvillæ.</i> A.G. c. ic.								
<b>H'OAREA. S.G. H'OAREA. Monadelphina Pentandria.</b>								
1	violæflora. s.g.	(wh.)	white violet-fl'd.	C. B. S.	1821.	5. 8.	G. ¼.	Sweet ger. 2. t. 123.
2	nivea. s.g.	(wh.)	snowy white.	_____	_____	_____	G. ¼.	_____ 2. t. 182.
3	bubonifolia. †	(wh.)	Bubon-leaved.	_____	1800.	3. 7.	G. ¼.	And. bot. rep. 328.
4	Leeana. s.g.	(wh.)	Mr. Lee's.	_____	1823.	6. 8.	G. ¼.	Sweet ger. 3. t. 323.
5	laciniata. †	(v.)	jag-leaved.	_____	1800.	5. 6.	G. ¼.	And bot. rep. 131.
6	penniformis. †	(ye.)	winged.	_____	_____	_____	G. ¼.	_____ 269.
7	purpurascens. †	(pu.)	purplish.	_____	_____	_____	G. ¼.	_____ 204.
8	incrassata. †	(std.)	fleshy-leaved.	_____	1801.	6. 7.	G. ¼.	Bot. mag. 761.
9	carinata. s.g.	(ye.)	boat-flowered.	_____	1812.	5. 8.	G. ¼.	Sweet ger. 2. t. 135.
10	corydaliflora. s.g.	(ye.)	Fumitory-fl'd.	_____	_____	_____	G. ¼.	_____ 1. t. 18.
11	rapæca.	(pi.)	Turnep-rooted.	_____	1788.	4. 6.	G. ¼.	And. rep. 239.
<i>Geranium Selinum.</i> A.R.								
12	setosa. s.g.	(bh.)	bristle-pointed.	_____	1818.	4. 8.	G. ¼.	Sweet ger. 1. t. 38.
13	pilosa.	(pu.)	hairy.	_____	1801.	5. 7.	G. ¼.	And. bot. rep. 259.
<i>Geranium pilosum.</i> var. 1. A.G. ic.								
14	bicolor.		two-coloured.	_____	_____	3. 8.	G. ¼.	Andr. geran. c. ic.
<i>Geranium pilosum.</i> var. 2. A.G. ic.								
15	blanda.	(bh.)	blush-flowered.	_____	_____	_____	G. ¼.	Andr. geran. c. ic.
<i>Geranium pilosum.</i> var. 3. A.G. ic.								
16	congesta. s.g.	(sp.)	crowded-fl'd.	_____	1820.	5. 10.	G. ¼.	Sweet ger. 3. t. 202.
17	retusa. s.g.	(da.)	notched-petal'd.	Hybrid.	1824.	_____	G. ¼.	_____ 4. t. 307.
18	selinifolia. s.g.	(d.pu.)	Milk-parsley-ld.	_____	1821.	3. 8.	G. ¼.	_____ 2. t. 159.
19	radicata. s.g.	(ye.)	fleshy-fringed-ld.	C. B. S.	1802.	5. 8.	G. ¼.	_____ 1. t. 174.
20	ciliata.	(wh.)	ciliated.	_____	1795.	4. 6.	G. ¼.	L'Herit. ger. t. 7.
21	ovalifolia. s.g.	(wh.)	oval-leaved.	_____	1820.	4. 8.	G. ¼.	Sweet ger. 2. t. 106.
22	reticulata. s.g.	(std.)	netted-petaled.	_____	_____	_____	G. ¼.	_____ 1. t. 91.
23	nervifolia.	(wh.)	nerved-leaved.	_____	_____	5. 8.	G. ¼.	Jacq. ic. rar. 3. t. 517.
24	triphylla.	(fl.cr.)	three-leaved.	_____	_____	_____	G. ¼.	_____ 3. t. 515.
25	lutea. †	(ye.)	small-yellow.	_____	1800.	_____	G. ¼.	And. bot. rep. t. 123.
26	nummularifolia.	(ye.)	money-wort-ld.	_____	1801.	_____	G. ¼.	Sal. par. lond. t. 23.
27	integrifolia. c.c.	(w.r.)	entire-leaved.	Hybrid.	1821.	4. 8.	G. ¼.	
28	fuscata. c.c.	(br.)	brown-flowered.	_____	_____	_____	G. ¼.	
29	nigricans. c.c.	(bl.)	blackish.	_____	1822.	_____	G. ¼.	
30	mágica. c.c.	(bl.)	dark-flowered.	_____	_____	_____	G. ¼.	
31	âtra. s.g.	(da.)	dark brown.	C. B. S.	1793.	_____	G. ¼.	Sweet ger. 1. t. 72.
32	dioica. c.c.	(bl.)	diœcious.	_____	1795.	6. 8.	G. ¼.	And. bot. rep. 209.
<i>Geranium melananthum.</i> A.R.								

33 undulæfðra. s.g. (da.)	waved-petaled.	C. B. S.	1821.	4. 8.	G. 2.	Sweet ger. 3. t. 263.
34 melanántha. s.g. (bl.)	black-flowered.	_____	1790.	_____	G. 2.	_____ 1. t. 73.
35 vária. s.g. (da.)	various-leaved.	Hybrid.	1821.	_____	G. 2.	_____ 2. t. 166.
36 Colvillii. s.g. (cr.)	Colvill's.	_____	1823.	_____	G. 2.	_____ 3. t. 260.
37 Jenkinsonsí. c.c. (sc.)	Jenkinson's.	_____	_____	_____	G. 2.	_____
38 dilùta (bh.)	diluted.	_____	1821.	_____	G. 2.	_____
39 replicàta. (re.)	replicate.	_____	_____	_____	G. 2.	_____
40 rubéscens. (re.)	reddish.	_____	_____	_____	G. 2.	_____
41 intermíxta. (re.)	intermixed.	_____	1822.	_____	G. 2.	_____
42 capitàta. (bh.)	headed.	_____	_____	_____	G. 2.	_____
43 supérba. (sc.)	superb.	_____	_____	_____	G. 2.	_____
44 villòsa. (sc.)	villous.	_____	1821.	_____	G. 2.	_____
45 unguiculàta. (re.)	clawed.	_____	_____	5. 8.	G. 2.	_____
46 tenuifolia. (bh.)	slender-leaved.	_____	_____	_____	G. 2.	_____
47 marginàta. (bh.)	margin'd.	_____	1823.	_____	G. 2.	_____
48 atosanguinea. s.g. (cr.)	dark-crimson.	_____	1822.	4. 8.	G. 2.	Sweet ger. 2. t. 151.
49 élegans. s.g. (cr.)	elegant.	_____	_____	_____	G. 2.	_____ 2. t. 132.
<i>Pelargonium Sweetianum</i> . DC.						
50 coluteæfolia. s.g. (cr.)	BladderSenna-ld.	_____	1823.	_____	G. 2.	Sweet ger. 4. t. 311.
51 orobifolia. s.g. (st. pu.)	Orobos-leav'd.	_____	_____	_____	G. 2.	_____ 4. t. 304.
52 coccinea. s.g. (sc.)	scarlet.	_____	_____	_____	G. 2.	_____ 4. t. 398.
53 recurviflora. (sc.)	recurv'd-petal'd.	_____	1821.	_____	G. 2.	_____
54 sanguinolenta. (cr.)	bloody-flower'd.	_____	1823.	_____	G. 2.	_____
55 pulchélla. (re.)	neat.	_____	_____	_____	G. 2.	_____
56 amœna. (re.)	delightful.	_____	_____	_____	G. 2.	_____
57 pápens. (re.)	spreading.	_____	1822.	_____	G. 2.	_____
58 lilacina. (li.)	Lilac-coloured.	_____	_____	_____	G. 2.	_____
59 venosa. s.g. (std.)	veined-petaled.	_____	1823.	_____	G. 2.	Sweet ger. 3. t. 209.
60 literàta. (std.)	lettered.	_____	_____	_____	G. 2.	_____
61 labyrinthica. s.g. (std.)	labyrinth-fld.	_____	_____	_____	G. 2.	Sweet ger. 3. t. 276.
62 rósea. s.g. (ro.)	rose-coloured.	C. B. S.	1792.	_____	G. 2.	_____ 3. t. 262. f. 1.
<i>Geranium róseum</i> . A. R. 173. <i>Pelargonium condensatum</i> . P. S.						
63 hedyсарifolia. s.g. (cr.)	Hedysarum-ld.	Hybrid.	1823.	_____	G. 2.	Sweet ger. 4. t. 355.
64 galegifolia. (cr.)	Galega-leaved.	_____	_____	_____	G. 2.	_____
65 sisymbriifolia. s.g. (cr.)	Water-rocket-ld.	_____	_____	_____	G. 2.	Sweet ger. 3. t. 292.
66 hirsùta. (bh.)	various-ld. hairy.	C. B. S.	1788.	3. 5.	G. 2.	Cav. dis. 4. t. 101. f. 2.
<b>DIMA'CRIA. S.G. DIMA'CRIA. Monadelphia Pentandria.</b>						
1 pinnàta. s.g. (bh.)	wing-leaved.	C. B. S.	1779.	4. 6.	G. 2.	Sweet ger. 1. t. 46.
<i>Pelargonium viciafolium</i> . DC.						
2 bipartita. s.g. (st.)	forked-leaved.	Hybrid.	1821.	4. 8.	G. 2.	Sweet ger. 2. t. 142.
3 foliolosa. s.g. (st.)	leafy.	C. B. S.	1800.	_____	G. 2.	And. bot. rep. 311.
<i>Geranium pinnatum</i> . A. R.						
4 astragalifolia. s.g. (st.)	Astragalus-ld.	_____	1788.	6. 8.	G. 2.	Sweet ger. 2. t. 103.
5 Smithiana. s.g. (re.)	Mr. E. D. Smith's.	Hybrid.	1823.	4. 8.	G. 2.	_____ 4. t. 358.
6 tenélla. † (bh.)	tender.	_____	1802.	_____	G. 2.	Andr. geran. c. ic.
<i>Geranium tenellum</i> . A. G.						
7 imbùta. (bh.)	stained-petaled.	Hybrid.	1822.	4. 8.	G. 2.	_____
8 fulgens. c.c. (cr.)	shining-scarlet.	_____	1821.	_____	G. 2.	_____
9 Andrewsii. † (bh. p.)	Andrews's.	C. B. S.	1802.	_____	G. 2.	Andr. geran. c. ic.
<i>Geranium heterophyllum</i> . A. G. non Jacq.						
10 elegans. s.g. (sc.)	elegant.	Hybrid.	1822.	_____	G. 2.	Sweet ger. 3. t. 202.
11 coronillæfolia. † (co.)	Coronilla-leav'd.	C. B. S.	1795.	6. 7.	G. 2.	And. bot. rep. 305.
12 apiifolia. † (bh.)	Parsley-leaved.	_____	1802.	4. 8.	G. 2.	Andr. geran. c. ic.
<i>Geranium apiifolium</i> . A. G. non Jacq.						
13 auriculata. s.g. (w. pu.)	eared-leaved.	C. B. S.	....	5. 8.	G. 2.	Sweet ger. 4. t. 395.
<i>Pelargonium ciliatum</i> . Jacq. ic. 3. t. 519.						
14 sulphurea. s.g. (st.)	sulphur-color'd.	Hybrid.	1821.	_____	G. 2.	Sweet ger. 2. t. 163.
15 carnea. (fl.)	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 2.	Jacq. ic. rar. 3. t. 512.
16 floribunda. † (v.)	many-flowered.	_____	1795.	3. 5.	G. 2.	And. bot. rep. 420.
17 fissifolia. † (bh.)	cloven-leaved.	_____	_____	4. 8.	G. 2.	_____ 378.
18 barbata. s.g. (fl.)	bearded.	_____	1790.	5. 8.	G. 2.	Sweet ger. 4. t. 391.
19 recurvata. s.g. (wh.)	recurved.	_____	_____	_____	G. 2.	And. rep. 323.
<i>Geranium barbatum</i> . v. minor. A. R.						
20 aristata. s.g. (wh.)	awned.	_____	_____	_____	G. 2.	Andr. rep. 366.
<i>Geranium barbatum</i> . v. undulatum. A. R.						
21 setigera. s.g. (wh.)	bristle-bearing.	_____	_____	_____	G. 2.	Andr. bot. rep. 303.
<i>Geranium barbatum</i> . A. R. nec aliorum.						
22 revoluta. † (pu.)	revolute.	_____	1800.	7. 8.	G. 2.	Andr. rep. 354.
23 oxalidifolia. † (st.)	Oxalis-leaved.	_____	1801.	5. 8.	G. 2.	_____ 300.

24	reflexa.†	(wh.) reflex-leaved.	C. B. S.	1800.	6. 7. G. ½.	Andr. rep. 224.
25	rumicifolia. s.g.	(ye.) Dock-leaved.	_____	1825.	5. 8. G. ½.	Sweet ger. 4. t. 318.
26	depressa. s.g.	(st.) depressed.	_____	1812.	_____ G. ½.	_____ 3. t. 290.
27	longiflora. s.g.	(st.) long-flowered.	_____	_____	_____ G. ½.	Jacq. ic. rar. 3. t. 521.
28	longifolia. s.g.	(ro.) long-leaved.	_____	_____	_____ G. ½.	_____ 3. t. 518.
29	lancoolata. s.g.	(bh.) spear-leaved.	_____	1826.	_____ G. ½.	Sweet ger. 4. t. 387.
30	undulata.†	(wh.) wave-flowered.	_____	1795.	5. 7. G. ½.	Andr. rep. 292.
31	spathulata.†	(wh.) spatula-leaved.	_____	_____	4. 6. G. ½.	_____ 152.
32	affinis.†	(wh.) fring'd-spat.-ld.	_____	_____	_____ G. ½.	_____ 282.
33	virginea.†	(wh.) virgin.	_____	_____	5. 7. G. ½.	_____ 317.
34	radiata.†	(ye.) ray-leaved.	_____	1801.	6. 8. G. ½.	_____ 222.
35	linearis.†	(st.) linear-petaled.	_____	1800.	_____ G. ½.	_____ 193.
36	punctata.†	(st.) dotted-flowered.	_____	1794.	4. 6. G. ½.	_____ 60.
SEYMO'URIA. S.G.		SEYMO'URIA.	Monadelphia	Pentandria.		
1	asariifolia. s.g.	(da.) Asarum-leaved.	C. B. S.	1821.	11. 2. G. ½.	Sweet ger. 3. t. 206.
2	L'Heritierii. s.g.	(pu.) L'Heritier's.	_____	1795.	4. 5. G. ½.	L'Herit. ger. t. 43.
<i>Pelargonium dipetalum.</i> L'Her.						
PELARG'ONIUM. S.G.		STORK'S-BILL.	Monadelphia	Heptandria.		
1	amœnum. s.g.	(sa.) delightful.	Hybrid.	1821.	4. 8. G. ½.	Sweet ger. 2. t. 121
2	dimacriaeflorum. s.g.	(sc.) Dimacria-fl'd.	_____	1822.	_____ G. ½.	_____ 3. t. 220.
3	mündulum. s.g.	(sc.) spruce.	_____	1823.	3. 10. G. ½.	_____ 3. t. 288.
4	ringens. s.g.	(sc.) ringent-flow'rd.	_____	_____	_____ G. ½.	_____ 3. t. 256.
5	concavum. s.g.	(re.) concave-petaled.	_____	_____	_____ G. ½.	_____ 3. t. 237.
6	conclausum. s.g.	(d.re.) shut-petaled.	_____	_____	4. 10. G. ½.	_____ 4. t. 305.
7	hoareæflorum. s.g.	(sa.) Hoarea-flow'r'd.	_____	1821.	_____ G. ½.	_____ 2. t. 133.
8	clausum. c.c.	(re.) closed petaled.	_____	1822.	_____ G. ½.	_____
9	pâens. s.g.	(sc.) spreading-fl'd.	_____	1820.	_____ G. ½.	Sweet ger. 2. t. 125.
10	cruentum. s.g.	(cr.) blood-red.	_____	1822.	_____ G. ½.	_____ 2. t. 170.
11	âulicum.	(cr.) courtly.	_____	1823.	5. 10. G. ½.	_____
12	Avronianum. s.g.	(sc.) Avron's.	_____	_____	_____ G. ½.	Sweet ger. 3. t. 394.
13	ligulatum. s.g.	(sc.) ligulate-petaled.	_____	1823.	4. 9. G. ½.	_____ 4. t. 301.
14	puniceum. c.c.	(cr.) puniceous.	_____	_____	_____ G. ½.	_____
15	pusillum. c.c.	(sc.) dwarf.	_____	_____	_____ G. ½.	_____
16	pygmæum. c.c.	(sc.) small.	_____	_____	5. 8. G. ½.	_____
17	venulosum.	(sc.) veined-petaled.	_____	1821.	_____ G. ½.	_____
18	intertextum. s.g.	(sc.) interwoven.	_____	1822.	4. 8. G. ½.	Sweet ger. 2. t. 185.
19	âcidum. s.g.	(cr.) sour-leaved.	_____	1823.	5. 9. G. ½.	_____ 3. t. 261.
20	pâllens. s.g.	(st.) cream coloured.	C. B. S.	1800.	_____ G. ½.	_____ 2. t. 148.
21	caryophyllæum.	(bh.) Clove-scented.	Hybrid.	1822.	_____ G. ½.	_____ 4. t. 347.
22	paradoxum.	(wh.) paradoxical.	_____	_____	_____ G. ½.	_____
23	multiradiatum. s.g.	(da.) many-rayed.	C. B. S.	1818.	6. 10. G. ½.	Sweet ger. 2. t. 145.
24	rutæcum. s.g.	(da.) Rue-like.	Hybrid.	1823.	5. 10. G. ½.	_____ 3. t. 279.
25	pedunculatum. s.g.	(da.) long-peduncled.	_____	_____	_____ G. ½.	_____ 4. t. 346.
26	œnanthifolium. s.g.	(d.cr.) Dropwort-ld.	_____	_____	6. 10. G. ½.	_____ ser. 2. t. 13.
27	sphondyliifolium.	(d.cr.) Sphondylium-ld.	Hybrid.	1822.	4. 8. G. ½.	_____ 3. t. 246.
28	chærophyllum. s.g.	(cr.) Cow-Parsley-ld.	_____	_____	_____ G. ½.	_____ 3. t. 257.
29	nitidum. s.g.	(sc.) glossy.	_____	_____	_____ G. ½.	_____ 3. t. 298.
30	sanguineum. s.g.	(cr.) crimson.	C. B. S?	1819.	_____ G. ½.	_____ 1. t. 76.
31	ârdens. s.g.	(sc.) glowing.	Hybrid.	1810.	3. 8. G. ½.	_____ 1. t. 45.
32	confertifolium.	(sc.) close-leaved.	_____	_____	_____ G. ½.	_____ 3. t. 297.
<i>Geranium ârdens minor.</i> A.G.						
33	pulchellum. B.M.	(v.) nonesuch.	C. B. S.	1795.	3. 5. G. ½.	Sweet ger. 1. t. 31.
34	jonquillinum. s.g.	(pi.) Jonquil-scent'd.	Hybrid.	1822.	5. 10. G. ½.	_____ 3. t. 241.
35	selectum. s.g.	(d.pu.) select.	_____	_____	_____ G. ½.	_____ 2. t. 190.
36	imbricatum. s.g.	(v.) imbricate-pet'd.	C. B. S?	1800.	5. 8. G. ½.	_____ 1. t. 65.
37	bicolor. s.g.	(da.) two-coloured.	_____	1778.	7. 8. G. ½.	_____ Bot. mag. 201.
	<i>a âtrum.</i> s.g.	(da.) dark-edged.	_____	_____	_____ G. ½.	Sweet ger. 1. t. 97. f. 1.
	<i>β pâllidum.</i> s.g.	(pu.) pale-edged.	_____	_____	_____ G. ½.	_____ 1. t. 97. f. 2.
38	quinquevulnerum.	(da.) dark-flower'd.	Hybrid.	1796.	5. 10. G. ½.	_____ 2. t. 161.
39	Blandfordianum.	(bh.) hoary-leaved.	_____	1812.	1. 12. G. ½.	_____ 2. t. 101.
40	millefoliatum. s.g.	(v.) Milfoil-leaved.	C. B. S.	1819.	6. 10. G. ½.	_____ 3. t. 230.
41	flâvum. DC.	(st.) pale yellow.	_____	1724.	7. 9. G. ½.	_____ 3. t. 254.
42	scâbridum. c.c.	(br.) rough-edged.	_____	1822	_____ G. ½.	_____
43	triste. DC.	(da.) night-smelling.	_____	1632.	5. 10. G. ½.	_____ Delaun. h. am. t. 27.
44	filipendulifolium.	(br.) Dropwort-ld.	_____	1812.	_____ G. ½.	Sweet ger. 1. t. 85.
45	pentastictum.	(bh.) five-marked.	Hybrid.	1824.	_____ G. ½.	_____ ser. 2. t. 25.
46	heracleifolium. s.g.	(br.) Heracleum-ld.	C. B. S.	1820.	_____ G. ½.	_____ 3. t. 211.
47	lobatum. DC.	(da.) Cow-parsnep-ld.	_____	1710.	_____ G. ½.	_____ 1. t. 51.
48	salebrosum. s.g.	(d.pu.) rugged-leaved.	Hybrid.	1824.	_____ G. ½.	_____ 4. t. 309.

49	Lawranceanum. s.g. (d.pu.) Mrs. Kears's.	1824.	5. 10.	G. 4.	Swt. ger. ser. 2. t. 23.
50	orbiculatum. (da.) orbicular-ld. Hybrid	1823.	—	G. 4.	—
51	pulverulentum. s.g. (sp.) powdered-ld C. B. S.	1822.	—	G. 4.	Sweet ger. 3. t. 218.
52	pedicellatum. s.g. (v.) long-pedicled.	—	—	G. 4.	— 3. t. 250.
53	luridum. s.g. (co.) lurid.	1811.	7. 12.	G. 4.	— 3. t. 281.
<i>Geranium luridum.</i> A.G. ic.					
54	rapæfolium. (da) Turnep-leaved. Hybrid.	1821.	5. 10.	G. 4.	—
55	glaucofolium. s.g. (da.) Glaucium-ld.	—	—	G. 4.	Sweet ger. 2. t. 179.
56	gibbosum. DC. (st.) knotted-stalk'd C. B. S.	1712.	—	G. 4.	— 1. t. 61.
57	mutabile. s.g. (bh.) changeable-cold Hybrid.	1822.	7. 10.	G. 4.	— 3. t. 213.
58	vespertinum. s.g. (pu.) evening-scent'd	—	8. 12.	G. 4.	— 3. t. 239.
59	sinapifolium. (pi.) Mustard-leav'd. Hybrid.	—	6. 10.	G. 4.	—
60	brassicatum. (st.) Cabbage-leav'd.	—	—	G. 4.	—
61	adscendens. (pa.) ascending.	—	—	G. 4.	—
62	circumflexum. (pa.) bending.	—	—	G. 4.	—
63	campylæfolium. s.g. (li.) Campylia-fl'd	1823.	—	G. 4.	Sweet ger. 3. t. 251.
64	reniforme. DC. (pu.) kidney-leaved. C. B. S.	1791.	1. 12.	G. 4.	— 1. t. 48.
65	flexuosum. s.g. (sc.) bent-stalked. Hybrid.	1821.	3. 10.	G. 4.	— 2. t. 180.
66	sæpeflorans. s.g. (pi.) frequent-flow'rg	1801.	—	G. 4.	— 1. t. 58.
67	comptum. s.g. (pi.) decked.	1821.	—	G. 4.	— 3. t. 255.
68	echinatum. DC. (wh.) prickly-stalked. C. B. S.	1789.	6. 10.	G. 4.	— 1. t. 54.
69	armatum. s.g. (d.pu.) long-spined.	—	3. 6.	G. 4.	— 3. t. 214.
70	intermedium. c.c. (li.) intermediate. Hybrid.	1821.	6. 10.	G. 4.	—
71	particeps. s.g. (li.) participant.	1806.	5. 10.	G. 4.	Sweet ger. 1. t. 49.
72	cortusæfolium. DC. (wh.) Cortusa-leav'd Africa.	1786.	6. 10.	G. 4.	— 1. t. 14.
73	erectum. s.g. (pu.) upright. Hybrid.	1822.	—	G. 4.	— 2. t. 187.
74	Stapletoni. s.g. (pu.) Miss Stapleton's.	—	—	G. 4.	— 2. t. 212.
75	crassicaule. s.g. (wh.) Cowslip-scent'd. Africa.	1786.	—	G. 4.	L'Herit. ger. t. 26.
	α album. s.g. (wh.) white-flowered.	—	—	G. 4.	Sweet ger. 2. t. 192. f.a.
	β maculatum. s.g. (sp.) spotted-flowered	—	—	G. 4.	— 2. t. 192. f.b.
76	Victoriæna. s.g. (sc.) Princess Victoria's. Hybrid.	1826.	—	G. 4.	— ser. 2. t. 7.
77	anomalum. s.g. (pi.) anomalous.	1822.	4. 8.	G. 4.	— 4. t. 315.
78	tenuifolium. DC. (pi.) slender-leaved. C. B. S.	1768.	5. 7.	G. 4.	L'Herit. ger. t. 12.
79	hirtum. DC. (pi.) hairy.	—	3. 9.	G. 4.	Sweet ger. 2. t. 113.
80	anthesisfolium. s.g. (sc.) Anthriscus-ld. Hybrid.	1823.	7. 9.	G. 4.	— 3. t. 233.
81	magnispulatum. (sc.) large-stipuled.	1825.	5. 10.	G. 4.	— 4. t. 313.
82	fulgidum. DC. (sc.) Celandine-ld. C. B. S.	1723.	3. 10.	G. 4.	— 1. t. 69.
83	aurantiacum. s.g. (or.) orange-colour'd. Hybrid.	1821.	4. 8.	G. 4.	— 2. t. 198.
	α undulatum. s.g. (or.) wave-leaved.	—	—	G. 4.	— 2. t. 198. f.a.
	β planifolium. s.g. (or.) flat-leaved.	—	—	G. 4.	— 2. t. 198. f.b.
84	ardescens. s.g. (cr.) burnished.	1822.	—	G. 4.	— 3. t. 231.
85	torrefactum. s.g. (da.) burnt-petaled.	—	—	G. 4.	— 3. t. 243.
86	Pottèri. s.g. (st.) Potter's.	—	6. 9.	G. 4.	— 2. t. 147.
87	luculentum. (sc.) bright-flowered.	—	—	G. 4.	—
88	dilectum. (sc.da.) chosen.	—	4. 9.	G. 4.	—
89	Loudoniænum. s.g. (d.sc.) Mr. Loudon's.	1827.	5. 9.	G. 4.	Sweet ger. ser. 2. t. 17.
90	eratinum. s.g. (sc.) lovely.	—	—	G. 4.	— ser. 2. t. 30.
91	nænum. s.g. (sc.) pigmy.	1820.	—	G. 4.	— 2. t. 102.
92	incurvum. s.g. (sc.) incurved-petal'd	1821.	—	G. 4.	— 3. t. 249.
93	ignescens. s.g. (sc.) fiery-flowered.	1812.	—	G. 4.	— 1. t. 2. & 55.
	α major. (sc.) large-flowered.	1818.	—	G. 4.	— 1. t. 2.
	β coccineum. (sc.) scarlet-flowered.	1822.	—	G. 4.	—
	γ splendens. (sc.) splendid.	—	—	G. 4.	—
	δ superbum. (sc.) superb.	—	—	G. 4.	—
	ε stérile. s.g. (sc.) barren-anthered.	1812.	—	G. 4.	Sweet ger. 1. t. 55.
94	laxiflorum. s.g. (sc.) spreading-umb'd.	1822.	—	G. 4.	— 3. t. 216.
95	concretum. s.g. (sc.) compounded.	1827.	4. 9.	G. 4.	— ser. 2. t. 24.
96	Leghkeckæ. s.g. (sc.) Mrs. Legh Keck's	1826.	—	G. 4.	— 4. t. 377.
97	Charlwoodii. s.g. (d.sc.) Charlwood's.	—	—	G. 4.	— 4. t. 380.
98	incomparabile. (d.sc.) incomparable.	1822.	—	G. 4.	—
99	ericaulon. s.g. (sc.) woolly-stalked.	1824.	—	G. 4.	Sweet ger. 4. t. 357.
100	quadriflorum. s.g. (or.) four-flowered.	—	—	G. 4.	— 4. t. 321.
101	chelidoniifolium. s.g. (or.) Chelidonium-ld	1825.	—	G. 4.	— 4. t. 341.
102	chenopodiifolium. s.g. (sc.) Goosefoot-ld	—	—	G. 4.	— 4. t. 328.
103	latidentatum. s.g. (sc.) broad-toothed.	1827.	—	G. 4.	— ser. 2. t. 28.
104	variifolium. s.g. (sc.) various-leaved.	1823.	—	G. 4.	— 3. t. 280.
105	diversilobum. s.g. (re.) various-lobed.	1825.	—	G. 4.	— 4. t. 361.
106	Southcoteanum. s.g. (sc.) Miss Southcote's	1826.	—	G. 4.	— 4. t. 348.
107	insignitum. s.g. (d.sc.) marked-flower'd.	1823.	—	G. 4.	— 3. t. 300.

108	plectophyllum. s. G. ( <i>d.sc.</i> )	plaited-leaved. Hybrid.	1826.	4. 9.	G. h.	Sweet ger. ser. 2. t. 41.
109	flocosum. s. G. ( <i>cr.</i> )	nappy.	1821.	—	G. h.	— 2. t. 129.
110	rubicundum. ( <i>re.</i> )	rubicund.	1822.	—	G. h.	—
111	hæmánton. ( <i>cr.</i> )	blood-coloured.	1823.	—	G. h.	—
112	multiflorum. ( <i>sc.</i> )	many-flowered.	—	—	G. h.	Sweet ger. 4. t. 396.
113	exile. ( <i>sc.</i> )	thin-branched.	1822.	—	G. h.	—
114	gracilèscens. ( <i>sc.</i> )	slender-stalked.	—	—	G. h.	—
115	spléndidum. ( <i>cr.</i> )	splendid.	—	—	G. h.	—
116	consimile. ( <i>sc.</i> )	likened.	1822.	—	G. h.	—
117	Broughtoniæ. s. G. ( <i>sc.</i> )	Lady Broughton's	—	—	G. h.	Sweet ger. 2. t. 181.
118	Bakerianum. s. G. ( <i>sc.</i> )	Mrs. Jenkinson's	—	—	G. h.	— 3. t. 240.
119	áltum. s. G. ( <i>re.</i> )	tall upright.	1827.	—	G. h.	— ser. 2. t. 26.
120	Debúrghæ. s. G. ( <i>sc.</i> )	Mrs. De Burgh's	—	—	G. h.	— ser. 2. t. 21.
121	Cummingiæ. s. G. ( <i>re.</i> )	Ly Gordon Cumming's	—	—	G. h.	— ser. 2. t. 35.
122	rubescens. s. G. ( <i>re.</i> )	Lady Liverpool's	1819.	—	G. h.	— 1. t. 30.
123	Boscaweniæ. C. C. ( <i>re.</i> )	Mrs. Boscawen's.	—	—	G. h.	—
124	pavoninum. s. G. ( <i>re.</i> )	peacock-spott'd	—	—	G. h.	Sweet ger. 1. t. 40.
125	carnescens. s. G. ( <i>sa.</i> )	pale red.	1822.	—	G. h.	— 4. t. 388.
126	ramigerum. s. G. ( <i>sc.</i> )	branching-veined	1826.	1. 12.	G. h.	— 4. t. 352.
127	flaccidum. s. G. ( <i>d.re.</i> )	flaccid-petal'd.	—	4. 9.	G. h.	— 4. t. 337.
128	Smithii. s. G. ( <i>re.</i> )	Smith's.	1819.	—	G. h.	— 2. t. 110.
129	spectabile. s. G. ( <i>sc.</i> )	showy.	1821.	—	G. h.	— 2. t. 136.
	<i>a maculatum. s. G. (sc.)</i>	spot-flowered.	—	—	G. h.	— 2. t. 136. f. 1.
	<i>β atrorubens. s. G. (d.re.)</i>	dark-red.	—	—	G. h.	—
	<i>γ striatum. s. G. (sc.)</i>	streak-flowered.	—	—	G. h.	Sweet ger. 2. t. 136. f. 2.
	<i>δ recurvum. s. G. (sc.)</i>	recurved-petaled.	—	—	G. h.	— 2. t. 136. f. 3.
	<i>ε purpurascens. (pu.)</i>	purplish.	—	—	G. h.	—
130	Tibbitsianum. s. G. ( <i>sc.</i> )	Mr. Tibbits's.	—	—	G. h.	Sweet ger. 2. t. 158.
131	flágrans. s. G. ( <i>sc.</i> )	burning.	1827.	—	G. h.	— ser. 2. t. 16.
132	malachræfolium. s. G. ( <i>re.</i> )	Malachra-ld.	—	—	G. h.	— ser. 2. t. 2.
133	magnifolium. s. G. ( <i>re.</i> )	very large-ld.	—	—	G. h.	— ser. 2. t. 10.
134	Laconiæ. s. G. ( <i>d.sc.</i> )	Lady Lacon's.	1826.	—	G. h.	— 4. t. 374.
135	Francisii. s. G. ( <i>re.</i> )	Mr. Francis's.	1824.	5. 10.	G. h.	— 4. t. 349.
136	cartilagineum. s. G. ( <i>re.</i> )	horny-toothed.	1824.	—	G. h.	— 4. t. 382.
137	dilutum. s. G. ( <i>re.</i> )	stained-petal'd.	1823.	5. 9.	G. h.	— 3. t. 293.
138	basilicum. s. G. ( <i>sc.</i> )	princely.	1824.	—	G. h.	— 4. t. 360.
139	Humei. ( <i>d.re.</i> )	Sir A. Hume's.	—	4. 10.	G. h.	— 4. t. 324.
140	erióphorum. ( <i>sc.</i> )	wool-bearing.	1823.	—	G. h.	—
141	irregulære. ( <i>sc.</i> )	irregular-ld.	—	—	G. h.	—
142	flámmeum. C. C. ( <i>sc.</i> )	flame-coloured.	1822.	—	G. h.	—
143	affine. s. G. ( <i>sc.</i> )	related.	—	—	G. h.	Sweet ger. 3. t. 277.
144	Colvilli. s. G. ( <i>sc.</i> )	Colvill's.	1820.	—	G. h.	— 1. t. 86.
145	Vallèti. C. C. ( <i>sc.</i> )	Vallet's.	1822.	—	G. h.	—
146	heteromállum. s. G. ( <i>re.</i> )	soft-leaved.	1823.	—	G. h.	Sweet ger. ser. 2. t. 32.
147	hibiscifolium. ( <i>re.</i> )	Hibiscus-ld.	—	—	G. h.	—
148	atrorubens. C. C. ( <i>re.</i> )	dark-red.	1822.	—	G. h.	—
149	Allèni. s. G. ( <i>d.re.</i> )	Allen's.	1823.	—	G. h.	Sweet ger. 3. t. 229.
150	melanchòlicum. ( <i>d.re.</i> )	melancholy.	1827.	—	G. h.	—
151	Daveyanum. s. G. ( <i>d.re.</i> )	Davey's.	1819.	—	G. h.	Sweet ger. 1. t. 32.
152	phœniceum. s. G. ( <i>d.re.</i> )	reddish purple.	1824.	4. 12.	G. h.	— 3. t. 207.
153	heterotrichum. s. G. ( <i>d.re.</i> )	various-haired.	1823.	4. 10	G. h.	— 4. t. 303.
154	Burnettianum. s. G. ( <i>d.re.</i> )	Miss Burnett's.	1826.	—	G. h.	— 4. t. 369.
155	imperiale. s. G. ( <i>d.re.</i> )	imperial.	—	—	G. h.	— 4. t. 365.
156	saturatum. s. G. ( <i>d.re.</i> )	saturated.	1827.	—	G. h.	— ser. 2. t. 37.
157	règium. s. G. ( <i>sc.</i> )	kingly.	1826.	—	G. h.	— 4. t. 368.
158	Hesilrigeæ. s. G. ( <i>pu.</i> )	Lady Hesilrige's.	1824.	—	G. h.	— 4. t. 319.
159	acetulosum. s. G. ( <i>sa.</i> )	saucer-leaved.	1827.	—	G. h.	— ser. 2. t. 44.
160	Knipeæ. s. G. ( <i>li.</i> )	Mrs. Knipe's	1826.	—	G. h.	— 4. t. 372.
161	calycinum. s. G. ( <i>li.</i> )	large-calyxed.	1815.	—	G. h.	— 1. t. 81.
	<i>a verum. s. G. (li.)</i>	true.	—	—	G. h.	— 1. t. 81. f. a.
	<i>β maculatum. s. G. (li.)</i>	large-spotted.	1820.	—	G. h.	— 1. t. 81. f. b.
	<i>γ angulatum. s. G. (li.)</i>	angular-leaved.	—	—	G. h.	— 1. t. 81. f. c.
162	planiflorum. C. C. ( <i>li.</i> )	flat-flowered.	—	—	G. h.	—
163	Dennisiànium. s. G. ( <i>pu.</i> )	Dennis's.	1819.	—	G. h.	Sweet ger. 1. t. 20.
164	Barringtonii. DC. ( <i>pu.</i> )	Barrington's	...	—	G. h.	—
165	elatum. C. C. ( <i>pu.</i> )	tall purple.	1812.	—	G. h.	—
166	Tormanni. L. en. ( <i>pu.</i> )	Torman's.	1821.	—	G. h.	—
167	Chandleri. C. C. ( <i>pu.</i> )	Chandler's.	1814.	—	G. h.	—
168	crenulatum. s. G. ( <i>pu.</i> )	crenulate-leav'd.	1821.	—	G. h.	Sweet ger. 2. t. 102.

169	<i>megalostictum</i> . s.g. ( <i>d. pu.</i> ) large-marked. Hybrid.	1824.	4. 10.	G. h.	Sweet ger. ser. 2. t. 8.
170	<i>poculifolium</i> . s.g. ( <i>pu.</i> ) cup-leaved. _____	1826.	_____	G. h.	_____ ser. 2. t. 31.
171	<i>Foljámbezæ</i> . s.g. ( <i>r. pu.</i> ) Mrs. Foljambe's _____	1825.	_____	G. h.	_____ 4. t. 312.
172	<i>Robinsoni</i> . s.g. ( <i>bh.</i> ) Robinson's. _____	1822.	_____	G. h.	_____ 2. t. 150.
173	<i>Mostynæ</i> . s.g. ( <i>pu.</i> ) Mrs. Mostyn's. _____	1816.	_____	G. h.	_____ 1. t. 10.
174	<i>cucullatum</i> . DC. ( <i>pu.</i> ) hooded-leaved. C. B. S.	1690.	_____	G. h.	Cav. dis. 4. t. 106. f. 1.
	β <i>striatiflorum</i> . ( <i>pu.</i> ) <i>Prince Regent</i> . _____	1810.	_____	G. h.	_____
	γ <i>majör</i> . c.c. ( <i>pu.</i> ) <i>Royal George</i> . _____	1812.	_____	G. h.	_____
	δ <i>grandiflorum</i> . c.c. ( <i>pu.</i> ) <i>great-flowered</i> . _____	1818.	_____	G. h.	_____
	ε <i>parvifolium</i> . c.c. ( <i>pu.</i> ) <i>smaller-leaved</i> . _____	_____	_____	G. h.	_____
175	<i>cochleatum</i> . W. en. ( <i>wh.</i> ) concave-ld. _____	....	_____	G. h.	Wendl. col. 2. t. 64.
	<i>concarifolium</i> . Wendl. _____	_____	_____	_____	_____
176	<i>rubens</i> . W. en. ( <i>re.</i> ) red-flowered. _____	....	_____	G. h.	Wendl. col. 2. t. 54.
177	<i>robustum</i> . c.c. ( <i>pu.</i> ) robust. Hybrid.	1821.	_____	G. h.	_____
178	<i>incarnatum</i> . s.g. ( <i>fl.</i> ) pale flesh-cold. _____	_____	_____	G. h.	Sweet ger. 4. t. 303.
179	<i>lasiocaulon</i> . s.g. ( <i>bh.</i> ) villous-stalked. _____	1826.	_____	G. h.	_____ 4. t. 364.
180	<i>veniferum</i> . s.g. ( <i>std.</i> ) veined-petal'd. _____	1825.	_____	G. h.	_____ 4. t. 322.
181	<i>foliosum</i> . s.g. ( <i>r. pu.</i> ) leafy. _____	1826.	_____	G. h.	_____ 4. t. 340.
182	<i>anisodonton</i> . s.g. ( <i>pu.</i> ) unequal-toothed. _____	1825.	_____	G. h.	_____ 4. t. 399.
183	<i>malacophyllum</i> . s.g. ( <i>pu.</i> ) soft-leaved. _____	_____	_____	G. h.	_____ 4. t. 397.
184	<i>angulosum</i> . DC. ( <i>pu.</i> ) Marshmallow-l. C. B. S.	1724.	7. 9.	G. h.	Cav. dis. 4. t. 112. f. 2.
185	<i>cardiifolium</i> . s.g. ( <i>pu.</i> ) Cockle-shell-ld. _____	1816.	4. 9.	G. h.	Sweet ger. 1. t. 15.
186	<i>fasciculatum</i> . c.c. ( <i>pu.</i> ) Banbury. Hybrid.	1803.	5. 10.	G. h.	Andr. geran. c. ic.
	<i>Geranium speciosum</i> var. <i>flore purpureo</i> . A. G.	_____	_____	_____	_____
187	<i>rugosum</i> . c.c. ( <i>fl.</i> ) wrinkled-leav'd. C. B. S.	....	_____	G. h.	Andr. geran. c. ic.
188	<i>speciosum</i> . DC. ( <i>wh.</i> ) specious. _____	1794.	_____	G. h.	_____
189	<i>formosum</i> . s.g. ( <i>li.</i> ) variegated-fl'd. Hybrid.	....	_____	G. h.	Sweet ger. 2. t. 120.
190	<i>solubile</i> . s.g. ( <i>pu.</i> ) dissolvable-col'd. _____	1818.	_____	G. h.	_____ 1. t. 24.
191	<i>multinerve</i> . s.g. ( <i>pu.</i> ) many-nerved. _____	_____	_____	G. h.	_____ 1. t. 17.
192	<i>tyrianthinum</i> . s.g. ( <i>pu.</i> ) royal purple. _____	1820.	_____	G. h.	_____ 2. t. 183.
193	<i>albinotatum</i> . s.g. ( <i>pu.</i> ) white-marked. _____	1824.	_____	G. h.	_____ 4. t. 359.
194	<i>æmulum</i> . s.g. ( <i>pu.</i> ) rival. _____	_____	_____	G. h.	_____ 2. t. 160.
195	<i>accedens</i> . c.c. ( <i>pu.</i> ) approached. _____	_____	_____	G. h.	_____
196	<i>villosum</i> . s.g. ( <i>pu.</i> ) villous. _____	_____	_____	G. h.	Sweet ger. 1. t. 160.
197	<i>floridum</i> . s.g. ( <i>li.</i> ) abundant-fl'd. _____	1816.	6. 10.	G. h.	_____ 1. t. 41.
198	<i>pulchrum</i> . s.g. ( <i>pu.</i> ) gay. _____	1820.	5. 10.	G. h.	_____ 2. t. 107.
199	<i>Watsoni</i> . s.g. ( <i>pu.</i> ) Watson's. _____	1812.	7. 11.	G. h.	_____ 2. t. 130.
200	<i>fusciflorum</i> . s.g. ( <i>pu.</i> ) brown-marked. _____	1822.	4. 10.	G. h.	_____ 3. t. 210.
	<i>fuscatum</i> . s.g. <i>errata</i> . _____	_____	_____	_____	_____
201	<i>coarctatum</i> . s.g. ( <i>pu.</i> ) close-leaved. _____	1814.	6. 10.	G. h.	_____ 1. t. 70.
202	<i>paucidentatum</i> . s.g. ( <i>pu.</i> ) distant-tooth'd. _____	1821.	5. 10.	G. h.	_____ 2. t. 186.
203	<i>nervosum</i> . s.g. ( <i>pu.</i> ) prominent-nerv'd. _____	1818.	_____	G. h.	_____ 1. t. 47.
204	<i>exornatum</i> . ( <i>pu.</i> ) adorned. _____	1823.	_____	G. h.	_____ 4. t. 381.
205	<i>Youngii</i> . s.g. ( <i>wh.</i> ) Young's. _____	1820.	_____	G. h.	_____ 2. t. 131.
206	<i>Jenkinsoni</i> . s.g. ( <i>d. bh.</i> ) Mr. Jenkinson's. _____	_____	_____	G. h.	_____ 2. t. 154.
207	<i>nubilum</i> . s.g. ( <i>d. bh.</i> ) clouded. _____	1827.	_____	G. h.	_____ ser. 2. t. 20.
208	<i>Brownii</i> . s.g. ( <i>d. bh.</i> ) Brown's. _____	_____	_____	G. h.	_____ 2. t. 146.
209	<i>difforme</i> . s.g. ( <i>bh.</i> ) various-leaved. _____	_____	_____	G. h.	_____ 2. t. 105.
210	<i>Obrienianum</i> . s.g. ( <i>bh.</i> ) Miss O'Brien's. _____	_____	_____	G. h.	_____ ser. 2. t. 11.
211	<i>melanostictum</i> . s.g. ( <i>li.</i> ) dark-spotted. _____	_____	_____	G. h.	_____ ser. 2. t. 6.
212	<i>vestiflum</i> . s.g. ( <i>wh.</i> ) clothed. _____	_____	_____	G. h.	_____ ser. 2. t. 27.
213	<i>purum</i> . s.g. ( <i>wh.</i> ) pure white. _____	1824.	_____	G. h.	_____ 4. t. 334.
214	<i>scitulum</i> . s.g. ( <i>wh.</i> ) neat white. _____	1826.	_____	G. h.	_____ 4. t. 390.
215	<i>involutum</i> . s.g. ( <i>va.</i> ) large-bracted. _____	....	_____	G. h.	_____
	α <i>maximum</i> . s.g. ( <i>w.</i> ) <i>largest-flowered</i> . _____	1818.	_____	G. h.	Sweet ger. 1. t. 33.
	β <i>album</i> . s.g. ( <i>wh.</i> ) <i>white-flowered</i> . _____	1817.	_____	G. h.	_____
	γ <i>incarnatum</i> . s.g. ( <i>fl.</i> ) <i>commander in chief</i> . _____	1815.	_____	G. h.	_____
	δ <i>intermedium</i> . s.g. ( <i>bh.</i> ) <i>high-admiral</i> . _____	1817.	_____	G. h.	_____
	ε <i>lilacinum</i> . s.g. ( <i>li.</i> ) <i>Lilac-coloured</i> . _____	_____	_____	G. h.	_____
	ζ <i>roseum</i> . s.g. ( <i>ro.</i> ) <i>rosy-coloured</i> . _____	_____	_____	G. h.	_____
	η <i>coriaceum</i> . c.c. ( <i>w.</i> ) <i>leathery</i> . _____	1820.	_____	G. h.	_____
	θ <i>maculatum</i> . c.c. ( <i>wh.</i> ) <i>coronation</i> . _____	_____	_____	G. h.	_____
216	<i>polytrichum</i> . s.g. ( <i>w.</i> ) many-haired. _____	1823.	_____	G. h.	Sweet ger. 3. t. 274.
217	<i>Baileyanum</i> . s.g. ( <i>w.</i> ) Bailey's. _____	1819.	_____	G. h.	_____ 1. t. 87.
218	<i>Josephinæ</i> . Lee. ( <i>wh.</i> ) Josephine's. _____	1822.	_____	G. h.	_____
219	<i>formosissimum</i> . s.g. ( <i>w.</i> ) superb-white. C. B. S.	1794.	_____	G. h.	Sweet ger. 3. t. 215.
	α <i>album</i> . s.g. ( <i>wh.</i> ) <i>white-flowered</i> . _____	_____	_____	G. h.	_____ 3. t. 215. f. a.
	β <i>lineatum</i> . s.g. ( <i>wh.</i> ) <i>lined-flowered</i> . _____	_____	_____	G. h.	_____ 3. t. 215. f. b.
220	<i>Boyleæ</i> . s.g. ( <i>wh.</i> ) Countess of Cork's. Hybrid.	1818.	_____	G. h.	_____ 1. t. 50.

221	pannifolium. s.g. (w.)	cloth-leaved.	Hybrid.	1818.	5. 10.	G. h.	Sweet ger. 1. t. 9.
222	biflorum. s.g. (wh.)	two-flowered.	—	1822.	—	G. h.	— 3. t. 287.
223	candidum. s.g. (wh.)	fair-flowered.	—	1818.	4. 9.	G. h.	— 2. t. 128.
224	blandum. s.g. (bh.)	blush-flowered.	—	1816.	—	G. h.	— 1. t. 4.
225	aceroides. s.g. (fl.)	Acer-leaved.	—	1822.	—	G. h.	— 3. t. 242.
226	Gardneriæ. c.c. (wh.)	Lady Gardner's.	—	1817.	—	G. h.	—
227	ramulosum. s.g. (d.w.)	small-branch'd.	—	1820.	—	G. h.	Sweet ger. 2. t. 177.
228	maculatum. (d.bh.)	spot-flowered.	C. B. S.	1805.	—	G. h.	Andr. ger. c. ic.
229	Hammersleia. s.g. (b.)	Mrs. Hammersley's.	Hybrid.	1822.	—	G. h.	Sweet ger. 3. t. 225.
230	pulcherrimum. s.g. (pu.)	beautiful.	—	1819.	5. 10.	G. h.	— 2. t. 134.
231	Rollisoni. s.g. (d.ro.)	Rollison's.	—	1826.	—	G. h.	— 4. t. 371.
232	eriosépalon. s.g. (bh.)	woolly-calyced.	—	—	—	G. h.	— 4. t. 375.
233	veniflorum. s.g. (std.)	veined-flowered.	—	1822.	—	G. h.	— 3. t. 258.
234	sidaefolium. W.en. (li.)	Sida-leaved.	—	....	4. 8.	G. h.	—
235	acerifolium. DC. (li.)	Maple-leaved.	C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
236	cuneatum. DC. (pu.)	wedge-leaved.	Hybrid.	....	5. 8.	G. h.	—
237	Balbisianum. DC. (pu.)	Balbis's.	—	....	—	G. h.	—
238	gloriosum. L.en. (pu.)	renowned.	—	....	—	G. h.	—
239	Beaufortianum. s.g. (li.)	Beaufort's.	C. B. S. ?	....	—	G. h.	Sweet ger. 2. t. 138.
240	principissa. s.g. (pu.)	P's. Charlotte's.	—	1810.	5. 10.	G. h.	— 2. t. 139.
241	purpureum. (pu.)	purple-flowered.	—	1800.	—	G. h.	Andr. geran. c. ic.
242	versicolor. s.g. (pu.)	various-colour'd	Hybrid.	1819.	—	G. h.	Sweet ger. 1. t. 78.
243	pectinifolium. s.g. (li.)	Scallop-shell'd.	—	1820.	—	G. h.	— 1. t. 66.
244	Thynnæ. s.g. (pu.)	Lady Bath's.	—	1815.	—	G. h.	— 1. t. 74.
245	obtusifolium. s.g. (li.)	blunt-leaved.	—	—	—	G. h.	— 1. t. 25.
246	Beadonia. s.g. (pu.)	Mrs. Beadon's.	—	—	—	G. h.	— 2. t. 191.
247	adulterinum. DC. (pu.)	hoary-trifid-l'd.	—	1785.	4. 6.	G. h.	— 1. t. 22.
248	dilatilobum. s.g. (bh.)	dilated-lobed.	—	1826.	—	G. h.	— 4. t. 378.
249	graphicum. s.g. (pu.)	written-petal'd.	—	—	—	G. h.	— ser. 2. t. 12.
250	obtusilobum. s.g. (pu.)	blunt-lobed.	—	1806.	5. 10.	G. h.	— 1. t. 8.
251	Comptoniæ. s.g. (li.)	Ly. Northampton's	—	1818.	—	G. h.	— 2. t. 122.
252	affluens. s.g. (li.)	numerous-fl'd.	—	1821.	—	G. h.	— 2. t. 194.
253	Saundersii. s.g. (pu.)	Saunders's.	—	—	—	G. h.	— 3. t. 205.
254	atropurpureum. s.g. (pu.)	dark purple.	—	1822.	—	G. h.	— 2. t. 152.
255	coruscans. s.g. (d.re.)	glittering.	—	1821.	—	G. h.	— 2. t. 173.
256	concinnum. s.g. (re.)	comely.	—	1819.	—	G. h.	— 2. t. 108.
257	Seymouriæ. s.g. (pu.)	Mrs. Seymour's.	—	—	—	G. h.	— 1. t. 37.
258	Lousadianum. s.g. (bh.)	Miss Lousada's.	—	—	—	G. h.	— 1. t. 44.
259	lépidum. s.g. (li.)	pretty.	—	1822.	—	G. h.	— 2. t. 156.
260	inscriptum. s.g. (std.)	scribbled.	—	—	—	G. h.	— 2. t. 193.
261	labyrinthicum. (std.)	labyrinth-mark'd.	—	—	—	G. h.	—
262	planifolium. s.g. (li.d.)	flat-leaved.	—	1823.	—	G. h.	Sweet ger. 3. t. 219.
263	incanescens. s.g. (pu.)	whitish-leaved.	—	—	6. 12.	G. h.	— 3. t. 203.
264	notatum. s.g. (pu.)	marked-petal'd.	—	1821.	5. 10.	G. h.	— 3. t. 208.
265	undulæflorum. s.g. (bh.)	waved-flower'd	—	1824.	—	G. h.	— 4. t. 329.
266	lineatum. s.g. (st.d.)	striped-flower'd.	—	1810.	—	G. h.	— 1. t. 16.
267	dumosum. s.g. (pu.)	bushy.	—	1816.	—	G. h.	— 1. t. 19.
268	Scarboroviæ. s.g. (d.li.)	L. Scarborough's	—	1817.	—	G. h.	— 2. t. 117.
269	pustulosum. s.g. (bh.)	blistered-leav'd.	—	1816.	5. 10.	G. h.	— 1. t. 11.
270	bellulum. s.g. (pu.)	neat.	—	—	—	G. h.	— 1. t. 60.
	<i>moschatum. A. G. c. ic.</i>						
271	Fairliæ. s.g. (ro.)	Mrs. Fairlie's.	—	1821.	—	G. h.	Sweet ger. 2. t. 178.
272	scintillans. s.g. (sa.)	sparkling.	—	1812.	—	G. h.	— 1. t. 28.
273	platypetalon. s.g. (w.)	broad-petaled.	—	—	—	G. h.	— 2. t. 116.
	<i>α rigidum. s.g. (wh.)</i>	<i>rigid.</i>	—	—	—	G. h.	— 2. t. 116. f. a.
	<i>β hirsutum. s.g. (w.)</i>	<i>hairy.</i>	—	—	—	G. h.	— 2. t. 116. f. b.
274	optabile. s.g. (wh.)	desirable.	—	—	—	G. h.	— 1. t. 62.
275	ornatum. s.g. (wh.)	ornate.	—	1817.	—	G. h.	— 1. t. 39.
276	modestum. s.g. (bh.)	modest.	—	1822.	—	G. h.	— 3. t. 204.
277	rhodolentum. s.g. (bh.)	rose-smelling.	—	1824.	—	G. h.	— 3. t. 291.
278	picturatum. s.g. (d.bh.)	pictured.	—	1827.	—	G. h.	— ser. 2. t. 34.
279	papyraceum. s.g. (w.)	paper-white.	—	—	—	G. h.	— ser. 2. t. 22.
280	Newshamianum. s.g. (bh.)	Miss Newsham's.	—	1821.	—	G. h.	— 2. t. 144.
281	Cosmianum. s.g. (w.)	perfumed.	—	—	—	G. h.	— 2. t. 189.
282	Brightianum. s.g. (w.)	Miss Bright's.	—	1823.	—	G. h.	— 3. t. 227.
283	dependens. s.g. (wh.)	pendent-petal'd.	—	—	—	G. h.	— 2. t. 195.
284	Mattocksianum. s.g. (wh.)	Mrs. Sweet's.	—	—	—	G. h.	— 3. t. 234.
285	venustum. s.g. (bh.)	comely-flower'd.	—	1822.	—	G. h.	— 2. t. 167.
286	tinctum. s.g. (w.pu.)	stained	—	1826.	—	G. h.	— ser. 2. t. 29.

287	obscurum. s.g. ( <i>wh. d.</i> )	darkened-pet'd.	_____	1818.	—	G. h.	Sweet ger. 1. t. 89.
288	atrofuscum. s.g. ( <i>d. pu.</i> )	dark-brown.	_____	_____	—	G. h.	_____ 1. t. 82.
289	acutifolium. s.g. ( <i>wh.</i> )	acute-lobed.	_____	1822.	—	G. h.	_____ 2. t. 184.
290	compár. c.c. ( <i>wh. p.</i> )	partner.	_____	1818.	—	G. h.	_____
291	Hoareanum. s.g. ( <i>bh. p.</i> )	fair Rosamond.	_____	_____	—	G. h.	Sweet ger. 1. t. 80.
292	Lamberti. s.g. ( <i>pu.</i> )	Lambert's.	_____	_____	—	G. h.	_____ 2. t. 104.
293	recurvatum. s.g. ( <i>li.</i> )	recurved-pet'd.	_____	_____	—	G. h.	_____ 3. t. 223.
294	divergens. s.g. ( <i>li.</i> )	spreading-petal'd	_____	1826.	—	G. h.	_____ ser. 2. t. 39.
295	penicillatum. W.en. ( <i>wh.</i> )	pencilled.	_____	1794.	—	G. h.	Willd. h. ber. 1. t. 37.
296	dentatum. A.G. ( <i>re.</i> )	toothed.	_____	....	—	G. h.	Andr. geran. c. ic.
297	florescens. H.G. ( <i>wh.</i> )	triangular-ld.	_____	1818.	—	G. h.	_____
298	Sabini. H.s. ( <i>pu.</i> )	Sabine's.	_____	1821.	—	G. h.	_____
299	betulinum. Dc. ( <i>pu.</i> )	Birch-leaved.	C. B. S.	1759.	—	G. h.	Bot. mag. 148.
300	alnifolium. W.en. ( <i>fl.</i> )	Alder-leaved.	Hybrid.	....	—	G. h.	_____
301	betulaefolium. Sch. ( <i>bh.</i> )	Birch-like.	_____	_____	—	G. h.	_____
302	Willdenowii. s. ( <i>bh.</i> )	Willdenow's.	_____	....	—	G. h.	_____
303	hermannifolium. Dc. ( <i>bh.</i> )	Hermannia-ld.	C. B. S.	....	4. 6.	G. h.	Jacq. ic. rar. 3. t. 545.
304	rigidum. Dc. ( <i>wh.</i> )	rigid.	_____	1790.	5. 8.	G. h.	_____
305	ribifolium. Dc. ( <i>wh.</i> )	Currant-leaved	_____	1798.	—	G. h.	Jacq. ic. rar. 3. t. 538.
306	odoriferum. ( <i>wh.</i> )	odoriferous.	_____	....	—	G. h.	Andr. geran. c. ic.
	<i>Geranium scabrum. A.G. nec aliorum.</i>						
307	jocundum. H.G. ( <i>li.</i> )	pleasant.	Hybrid.	1818.	—	G. h.	_____
308	Broadleieæ. c.c. ( <i>pu.</i> )	Mrs. Broadley's.	_____	_____	—	G. h.	Andr. geran. c. ic.
309	propinquum. c.c. ( <i>li.</i> )	neighbouring.	_____	1818.	—	G. h.	_____
310	decorum. s.g. ( <i>li.</i> )	neat-flowered.	_____	_____	—	G. h.	Sweet ger. ser. 2. t. 15.
311	delicatum. H.G. ( <i>li.</i> )	delicate.	_____	_____	—	G. h.	_____ 3. t. 267.
312	semiribolum. Dc. ( <i>fl.</i> )	three-lobed.	C. B. S.	1800.	4. 7.	G. h.	Jacq. schön. 2. t. 139.
313	Irbyanum. c.c. ( <i>ro.</i> )	Irby's.	Hybrid.	....	—	G. h.	Andr. geran. c. ic.
314	zingiberinum. s.g. ( <i>bh.</i> )	Ginger-scented.	_____	1826.	—	G. h.	Sweet ger. ser. 2. t. 42.
315	mixtum. s.g. ( <i>bh.</i> )	mixed.	_____	1819.	5. 8.	G. h.	_____ 1. t. 71.
316	myrtillum. H.s. ( <i>pu.</i> )	Myrtle-scented.	_____	1820.	—	G. h.	_____
317	rubidum. ( <i>pu.</i> )	red-purple.	C. B. S.	1805.	—	G. h.	Andr. geran. c. ic.
	<i>Geranium rubens. A.G. non Wendl.</i>						
318	spurium. W.en. ( <i>pu.</i> )	spurious.	Hybrid.	....	—	G. h.	_____
319	nothum. W. en. ( <i>pu.</i> )	mungrel.	_____	....	—	G. h.	_____
320	crispum. Dc. ( <i>li.</i> )	curl-leaved.	C. B. S.	1774.	6. 11.	G. h.	Sweet ger. 4. t. 383.
321	gratum. W. en. ( <i>bh.</i> )	grateful-scent'd.	Hybrid.	....	4. 8.	G. h.	_____
322	consanguineum. W. en. ( <i>pu.</i> )	kindred.	_____	....	—	G. h.	_____
323	pallidum. W.en. ( <i>pu.</i> )	pale-flowered.	_____	....	—	G. h.	_____
324	citriodorum. ( <i>wh.</i> )	Citron-scented.	C. B. S.	....	—	G. h.	Andr. geran. c. ic.
325	uniflorum. Dc. ( <i>fl.</i> )	one-flowered.	_____	....	—	G. h.	_____
326	limonium. s.g. ( <i>pu.</i> )	Lemon-scented.	Hybrid.	1823.	—	G. h.	Sweet ger. 3. t. 278.
327	notabile. H.G. ( <i>li.</i> )	Hoare's Harlequin.	_____	1822.	—	G. h.	_____
328	scabrum. Dc. ( <i>li.</i> )	rough wedge-ld.	C. B. S.	1775.	—	G. h.	L'Herit. ger. t. 31.
329	tricuspidatum. Dc. ( <i>wh.</i> )	three-point'd.	_____	1780.	—	G. h.	_____ t. 30.
330	Perryanum. c.c. ( <i>wh.</i> )	Perry's.	Hybrid.	1816.	—	G. h.	_____
331	glaucoides. w.c. ( <i>wh.</i> )	glaucum-like.	_____	_____	—	G. h.	Wendl. coll. ic.
332	glaucum. Dc. ( <i>wh.</i> )	glaucous-leaved.	C. B. S.	1775.	6. 8.	G. h.	Sweet ger. 1. t. 57.
333	lanceolatum. ( <i>wh.</i> )	lance-leaved.	_____	_____	—	G. h.	Andr. geran. c. ic.
334	diversifolium. w.c. ( <i>wh.</i> )	different-ld.	_____	1794.	—	G. h.	Wendl. coll. ic.
335	cuspidatum. Dc. ( <i>wh.</i> )	sharp-pointed.	_____	....	—	G. h.	_____
336	sororium. Dc. ( <i>wh.</i> )	sister.	Hybrid.	....	—	G. h.	_____
337	Tankervilleæ. H.G. ( <i>wh.</i> )	Lady Tankerville's	_____	....	—	G. h.	_____
338	acutifolium. ( <i>wh.</i> )	acute-leaved.	_____	1821.	—	G. h.	_____
339	trifurcatum. c.c. ( <i>wh.</i> )	three-forked.	_____	....	—	G. h.	_____
340	laevigatum. Dc. ( <i>wh.</i> )	glaucous trifid-ld.	C. B. S.	....	—	G. h.	Cav. dis. 4. t. 121. f. 1.
341	trifoliatum. s.g. ( <i>wh.</i> )	trifoliate-leaved.	_____	1799.	—	G. h.	Sweet ger. 3. t. 294.
	<i>oxyphyllum. Dc. Geranium trifoliatum. A.G. ic.</i>						
342	pátulum. Dc. ( <i>ro.</i> )	spreading.	_____	1812.	4. 7.	G. h.	_____
343	hepaticifolium. Dc. ( <i>li.</i> )	Hepatica-ld.	_____	1791.	5. 8.	G. h.	Jacq. ic. rar. 3. t. 541.
344	mitellaefolium. ( <i>wh.</i> )	Mitella-leaved.	_____	1791.	5. 10.	G. h.	Andr. geran. c. ic.
	<i>Geranium hepaticifolium. A.G. nec aliorum.</i>						
345	fuscatum. Dc. ( <i>ro.</i> )	dark-marked.	_____	1812.	—	G. h.	Jacq. ic. rar. 3. t. 540.
346	saniculaefolium. Dc. ( <i>pu.</i> )	Sanicle-leav'd	_____	1806.	6. 9.	G. h.	_____ 3. t. 539.
	<i>cortusafolium. Jacq. non L. Her.</i>						
347	crenaeflorum. c.c. ( <i>w.</i> )	notch'd-petaled.	Hybrid.	1817.	—	G. h.	_____
348	sceleratum. c.c. ( <i>wh.</i> )	Celery-leaved.	_____	1819.	—	G. h.	_____
349	viridifolium. s.g. ( <i>sa.</i> )	bright-green-ld.	_____	1825.	5. 9.	G. h.	Sweet ger. 4. t. 331.
350	expansum. ( <i>re.</i> )	expanded.	_____	1823.	5. 10.	G. h.	_____

351	multidentatum. (re.) many-toothed.	Hybrid.	1823.	5. 10.	G. h.	
352	grandidentatum. s.g. large-toothed.	_____	_____	_____	G. h.	Sweet ger. 3. t. 217.
353	Belladonna. s.g. (bh.) painted-lady.	_____	_____	_____	G. h.	_____ 3. t. 270.
354	triumphans. c.c. (bh.) triumphant.	_____	1818.	_____	G. h.	
355	serratifolium. s.g. (bh.) saw-leaved.	_____	1822.	_____	G. h.	Sweet ger. 3. t. 221.
356	variegatum. dc. (wh.) variegated-fl'd.	C. B. S.	1812.	_____	G. h.	Cav. dis. 4. t. 118. f. 3.
357	amplissimum. w.c. (wh.) stately.	Hybrid.	1796.	_____	G. h.	Wendl. coll. ic.
	<i>Geranium grandiflorum</i> . var. A.G. c. ic. <i>Formanni</i> .	Hort.				
358	grandiflorum. dc. (wh.) great-flower'd.	C. B. S.	1794.	_____	G. h.	Sweet ger. 1. t. 29.
359	Parmentieri. c.c. (wh.) Parmentier's.	Hybrid.	1822.	_____	G. h.	
360	delphinifolium. dc. (vi.) Larkspur-ld.	_____	....	_____	G. h.	
361	gossypifolium. (li.) Cotton-tree-ld.	_____	1805.	5. 10.	G. h.	Andr. ger. c. ic.
	<i>Geranium grandiflorum</i> . var. <i>carnea</i> .	A.G.				
362	electum. s.g. (wh.) elect.	Hybrid.	1804.	_____	G. h.	Sweet ger. 3. t. 238.
363	asperifolium. s.g. (re.) rough-leaved.	_____	1807.	_____	G. h.	_____ 2. t. 169.
364	Curtisianum. dc. (wh.) Curtis's.	_____	....	_____	G. h.	
365	nobile. dc. (li.) noble.	_____	1822.	_____	G. h.	
366	opulifolium. s.g. (sa.) Guelder-Rose-ld.	_____	1819.	_____	G. h.	Sweet ger. 1. t. 53.
367	malvaceum. (bh.) Mallow-like.	_____	....	_____	G. h.	
368	hamastictum. s.g. (bh.) blood-spotted.	_____	1827.	_____	G. h.	Sweet ger. ser. 2. t. 18.
369	psilophyllum. s.g. (re.) smooth-leaved.	_____	1825.	_____	G. h.	_____ 4. t. 356.
370	lucidum. s.g. (bh.) glossy-leaved.	_____	1826.	_____	G. h.	_____ 4. t. 373.
371	Princeanum. s.g. (wh.) Prince's.	_____	1827.	_____	G. h.	_____ 4. t. 386.
372	clarum. s.g. (wh.) clear white.	_____	1826.	_____	G. h.	_____ 4. t. 366.
373	recurvifolium. s.g. (wh.) recurve-leav'd.	_____	1825.	_____	G. h.	_____ 4. t. 343.
374	bryoniaefolium. s.g. (bh.) Bryony-leav'd.	_____	1824.	_____	G. h.	_____ 4. t. 320.
375	Richianum. s.g. (bh.) Miss Rich's.	_____	1826.	_____	G. h.	_____ 4. t. 370.
376	platanifolium. s.g. (li.) Plane-leaved.	_____	1824.	_____	G. h.	_____ 4. t. 326.
377	verecundum. s.g. (pi.) blushing.	_____	_____	_____	G. h.	_____ 4. t. 316.
378	macranthos. s.g. (wh.) large-flowered.	_____	1821.	_____	G. h.	Sweet ger. 1. t. 83.
379	Couttsiae. s.g. (sa.) Mrs. Coutts's.	_____	1822.	_____	G. h.	_____ 3. t. 269.
380	rutilum. c.c. (sa.) light red.	_____	1821.	_____	G. h.	
381	schizophyllum. s.g. (sa.) jagged.	_____	1822.	_____	G. h.	Sweet ger. 3. t. 289.
382	Barnardianum. s.g. (sa.) Mr. Barnard's.	_____	1820.	_____	G. h.	_____ 2. t. 127.
383	mucronatum. s.g. (d.re.) mucronate.	_____	1823.	_____	G. h.	_____ 3. t. 275.
384	Gurneyanum. s.g. (d.re.) Mr. Gurney's.	_____	1826.	_____	G. h.	_____ 4. t. 393.
385	argutum. s.g. (sc.) sharp-toothed.	_____	1824.	_____	G. h.	_____ 4. t. 344.
386	latifolium. s.g. (re.) broad-leaved.	_____	_____	_____	G. h.	_____ 4. t. 335.
387	megalanthum. s.g. (re.) grand-flowered.	_____	1826.	_____	G. h.	_____ ser. 2. t. 4.
388	megaleion. s.g. (sc.) magnificent.	_____	_____	_____	G. h.	_____ ser. 2. t. 5.
389	crataegifolium. s.g. (re.) Hawthorn-ld.	_____	1824.	_____	G. h.	_____ ser. 2. t. 19.
390	colophyllum. (re.) hollow-leaved.	_____	1827.	_____	G. h.	_____ ser. 2. t. 33.
391	Clintoniae. s.g. (re.) Ds. of Newcastle's.	_____	_____	_____	G. h.	_____ 4. t. 392.
392	campylosépalon. s.g. (pu.) reflex-calyxed.	_____	1826.	_____	G. h.	_____ 4. t. 379.
393	Nairnii. s.g. (d.re.) Nairn's.	_____	1825.	_____	G. h.	_____ 4. t. 376.
394	rhodanthum. s.g. (ro.) rose-colour'd.	_____	1824.	_____	G. h.	_____ 3. t. 282.
395	rhodopetalon. s.g. (ro.) rosy-petal'd.	_____	1826.	_____	G. h.	_____ ser. 2. t. 14.
396	acutidentatum. s.g. (sa.) acute-toothed.	_____	1827.	_____	G. h.	_____ ser. 2. t. 40.
397	Milleri. (re.) Mr. Miller's.	_____	1824.	_____	G. h.	
398	conchifolium. (li.) shell-leaved.	_____	1820.	_____	G. h.	
399	striatum. s.g. (bh.) streak-flowered.	_____	1818.	3. 8.	G. h.	Sweet ger. 1. t. 1.
400	rigescens. s.g. (li.) stiff-leaved.	_____	_____	4. 9.	G. h.	_____ 2. t. 112.
401	eriphyllum. s.g. (pu.) woolly round-ld.	_____	_____	5. 10.	G. h.	_____ 2. t. 141.
402	intermixtum. (li.) intermixed.	_____	_____	4. 8.	G. h.	
403	abutiloides. s.g. (pu.) Abutilon-like.	_____	1820.	4. 9.	G. h.	Sweet ger. ser. 2. t. 3.
404	cordatum. dc. (pu.) heart-leaved.	C. B. S.	1774.	3. 8.	G. h.	_____ 1. t. 67.
405	conduplicatum. dc. (pu.) curl'd-heart-ld.	Hybrid.	....	_____	G. h.	
406	rubro-cinctum. dc. (pu.) red-edged.	_____	....	_____	G. h.	
407	Góweri. s.g. (pi.) Mr. Levison Gower's.	_____	1825.	5. 8.	G. h.	Sweet ger. 4. t. 333.
408	papilionaceum. dc. (pu.) Butterfly.	C. B. S.	1724.	4. 7.	G. h.	_____ 1. t. 27.
409	tomentosum. dc. (wh.) Pennyroyal.	_____	1790.	_____	G. h.	_____ 2. t. 168.
410	vitifolium. dc. (li.) Vine-leaved.	_____	1724.	4. 8.	G. h.	Cav. dis. 4. t. 111. f. 2.
411	capitatum. dc. (li.) Rose-scented.	_____	1690.	_____	G. h.	_____ 4. t. 105. f. 1.
412	concolor. s.g. (re.) self-coloured.	Hybrid.	1820.	_____	G. h.	Sweet ger. 2. t. 140.
	$\beta$ major. s.g. (cr.) larger.	_____	_____	_____	G. h.	_____ 2. t. 140. f. b.
413	congéstum. s.g. (pu.) close-headed.	_____	1825.	_____	G. h.	_____ 4. t. 325.
414	calamistratum. s.g. (pu.) curled-lobed.	_____	1828.	_____	G. h.	_____ ser. 2. t. 36.
415	graveolens. dc. (li.) Odour of Rose.	C. B. S.	1774.	3. 7.	G. h.	L'Herit. ger. t. 17.
	$\beta$ variegatum. (li.) striped-leaved.	_____	....	_____	G. h.	Andr. geran. c. ic.
	<i>Geranium capitatum</i> . var. A.G.					

416	<i>ásperum</i> . DC.	( <i>fl.</i> ) rough multifid.	C. B. S.	1795.	5. 9.	G. h.	Roth. abh. p. 51. t. 10.
417	<i>Rádula</i> . DC.	( <i>li.</i> ) rasp-leaved.	————	1774.	3. 7.	G. h.	L'Herit. ger. t. 16.
418	<i>balsáneum</i> . DC.	( <i>fl.</i> ) balsamic.	————	1790.	5. 9.	G. h.	Jacq. ic. rar. 3. t. 53.
419	<i>Vandésia</i> . S.G.	( <i>bh.</i> ) Comtesse de Vandes' Hybrid.	1818.	————	————	G. h.	Sweet ger. 1. t. 7.
420	<i>hispídum</i> . DC.	( <i>wh.</i> ) hispid.	C. B. S.	1790.	————	G. h.	Cav. dis. 4. t. 110. f. 1.
421	<i>callístion</i> . S.G.	( <i>sa.</i> ) graceful.	————	1827.	————	G. h.	Sweet ger. ser. 2. t. 9.
422	<i>anthemifólium</i> . ( <i>re.</i> )	<i>Anthemis</i> -ld.	Hybrid.	1822.	————	G. h.	————
423	<i>pyrethriifólium</i> . S.G. ( <i>sc.</i> )	<i>Feverfew</i> -ld.	————	1821.	————	G. h.	Sweet ger. 2. t. 153.
424	<i>tanacetifólium</i> . S.G. ( <i>re.</i> )	<i>Tansy</i> -leaved.	————	1824.	————	G. h.	———— 4. t. 336.
425	<i>sphærocéphalon</i> . S.G. ( <i>sc.</i> )	round-headed.	————	————	————	G. h.	———— 4. t. 317.
426	<i>Moreánum</i> . S.G. ( <i>sc.</i> )	<i>More's</i> victory.	————	1823.	————	G. h.	———— 3. t. 285.
427	<i>obcordátum</i> . S.G. ( <i>sc.</i> )	obcordate-petal'd.	————	————	————	G. h.	———— 4. t. 310.
428	<i>cuneiflórum</i> . S.G. ( <i>sc.</i> )	wedge-petal'd.	————	1825.	————	G. h.	———— 4. t. 330.
429	<i>chrysanthemifólium</i> . ( <i>sc.</i> )	<i>Chrysanthum</i> -ld.	————	1821.	4. 10.	G. h.	———— 2. t. 124.
430	<i>Dobreeánum</i> . S.G. ( <i>sc.</i> )	<i>Mrs. Dobree's</i> .	————	1818.	————	G. h.	———— 3. t. 253.
431	<i>Bisshóppæ</i> . S.G. ( <i>sc.</i> )	<i>Mrs. Bisshopp's</i> .	————	1822.	————	G. h.	———— 3. t. 272.
432	<i>signátum</i> . S.G. ( <i>re.</i> )	marked-leaved.	————	————	————	G. h.	———— 3. t. 265.
433	<i>Spinii</i> . C.R.	( <i>bh.d.</i> ) <i>Spin's</i> .	————	....	————	G. h.	———— 4. t. 362.
434	<i>quercifólium</i> . DC. ( <i>bh.</i> )	Oak-leaved.	C. B. S.	1774.	3. 8.	G. h.	L'Herit. ger. t. 14.
	<i>bipinnatifídum</i> . ( <i>bh.</i> )	<i>bipinnatifid.</i>	————	————	————	G. h.	———— t. 15.
435	<i>tortuósum</i> . S.G.	( <i>li.</i> ) twisted-petal'd.	————	1826.	————	G. h.	Sweet ger. ser. 2. t. 43.
436	<i>exímium</i> . S.G. ( <i>pi.</i> )	select.	Hybrid.	1818.	4. 8.	G. h.	———— 1. t. 26.
437	<i>Esséxiæ</i> . C.C. ( <i>pi.</i> )	<i>Lady Essex's</i> .	————	————	————	G. h.	————
438	<i>oblátum</i> . S.G. ( <i>pi.</i> )	oblate-leaved.	————	————	————	G. h.	Sweet ger. 1. t. 35.
439	<i>Murryánium</i> . S.G. ( <i>bh.</i> )	<i>Ld. Jas. Murray's</i> .	————	————	————	G. h.	———— 2. t. 164.
440	<i>calocéphalon</i> . S.G. ( <i>bh.</i> )	pretty-headed.	————	1820.	————	G. h.	———— 3. t. 201.
441	<i>obovátum</i> . S.G. ( <i>li.</i> )	obovate-petal'd.	————	1825.	————	G. h.	———— 4. t. 367.
442	<i>dilatátum</i> . S.G. ( <i>li.</i> )	dilated-leaf'd.	————	1824.	————	G. h.	———— 4. t. 314.
443	<i>augústum</i> . DC. ( <i>bh.</i> )	august.	————	1809.	————	G. h.	Andr. geran. c. ic.
	<i>β Brucii</i> . C.C. ( <i>bh.</i> )	<i>Bruce's</i> .	————	....	————	G. h.	————
444	<i>Breesiánium</i> . S.G. ( <i>pi.</i> )	<i>Breese's</i> .	————	1818.	————	G. h.	Sweet ger. 1. t. 64.
445	<i>Husseyánium</i> . S.G. ( <i>pu.</i> )	<i>Lady Hussey's</i> .	————	————	————	G. h.	———— 1. t. 92.
446	<i>Wellsiánium</i> . S.G. ( <i>sc.</i> )	<i>Mr. Wells's</i> .	1822.	3. 8.	G. h.	————	———— 1. t. 175.
447	<i>Kingii</i> . S.G. ( <i>sc.</i> )	<i>Mr. King's</i> .	————	3. 12.	G. h.	————	———— 3. t. 248.
448	<i>Scóttii</i> . S.G. ( <i>sc.</i> )	<i>Sir. C. Scott's</i> .	————	3. 9.	G. h.	————	———— 3. t. 264.
449	<i>Páikii</i> . S.G. ( <i>cr.</i> )	<i>Mr. Palk's</i> .	————	1. 12.	G. h.	————	———— 3. t. 224.
450	<i>rotundilóbum</i> . S.G. ( <i>sc.</i> )	round-lobed.	1823.	3. 9.	G. h.	————	———— 3. t. 252.
451	<i>latilóbum</i> . S.G. ( <i>sc.</i> )	broad-lobed.	————	————	————	G. h.	———— 3. t. 236.
452	<i>Russelliánium</i> . S.G. ( <i>sc.</i> )	<i>Russell's</i> .	1826.	4. 9.	G. h.	————	———— 4. t. 385.
453	<i>translúcens</i> . S.G. ( <i>sc.</i> )	transparent.	1824.	————	————	G. h.	———— 4. t. 400.
454	<i>Barclayánium</i> . S.G. ( <i>sc.</i> )	<i>Mr. Barclay's</i> .	————	————	————	G. h.	———— 4. t. 384.
455	<i>Harewoodiæ</i> . S.G. ( <i>d.re.</i> )	<i>Lady Harewood's</i> .	1826.	————	————	G. h.	———— 4. t. 389.
456	<i>Stewartii</i> . S.G. ( <i>da.sc.</i> )	<i>Mr. Stewart's</i> .	1825.	————	————	G. h.	———— 4. t. 353.
457	<i>leciophyllum</i> . S.G. ( <i>sa.</i> )	woolly-divided-ld.	————	————	————	G. h.	———— 3. t. 296.
458	<i>Lechiánium</i> . DC. ( <i>bh.</i> )	acute-notched.	1820.	————	————	G. h.	————
459	<i>jatrophæfólium</i> . DC. ( <i>fl.</i> )	<i>Jatropha</i> -ld.	————	————	————	G. h.	————
460	<i>denticulátum</i> . DC. ( <i>li.</i> )	tooth-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 109.
461	<i>viscosissimum</i> . S.G. ( <i>bh.</i> )	viscidous.	————	1820.	3. 8.	G. h.	———— 2. t. 118.
	<i>α álbum</i> . ( <i>wh.</i> )	white-flowered.	————	————	————	G. h.	————
	<i>β cárneum</i> . ( <i>fl.</i> )	flesh-coloured.	————	————	————	G. h.	————
462	<i>carbasinum</i> . S.G. ( <i>sa.</i> )	linen-flower'd.	Hybrid.	1827.	————	G. h.	Sweet ger. ser. 2. t. 38.
463	<i>glutinósum</i> . DC. ( <i>fl.</i> )	clammy.	C. B. S.	1777.	5. 6.	G. h.	L'Herit. ger. t. 20.
	<i>β nigréscens</i> . ( <i>fl.</i> )	black-marked.	————	————	————	G. h.	Bot. mag. 143.
464	<i>cynosatifólium</i> . DC. ( <i>li.</i> )	<i>Cynosbati</i> -ld.	Hybrid.	....	4. 8.	G. h.	Sweet ger. 3. t. 259.
	<i>Geranium oxoniense</i> . A.G. ic.	————	————	————	————	————	————
465	<i>verbenæfólium</i> . S.G. ( <i>li.</i> )	<i>Vervain</i> -ld.	Hybrid.	1818.	————	G. h.	Sweet ger. 2. t. 149.
	<i>piperátum</i> . DC? ————	————	————	————	————	————	————
466	<i>melíssinum</i> . S.G. ( <i>da.</i> )	Balm-scented.	Hybrid.	————	————	G. h.	Sweet ger. 1. t. 5.
467	<i>volatífórum</i> . S.G. ( <i>sc.</i> )	flying-flower'd.	————	1823.	————	G. h.	———— 3. t. 284.
468	<i>brevípes</i> . ( <i>sc.</i> )	short-peduncled.	————	1824.	————	G. h.	————
469	<i>ternátum</i> . DC. ( <i>li.</i> )	ternate-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 165.
470	<i>patentíssimum</i> . W.C. ( <i>li.</i> )	most-spreading.	————	1822.	————	G. h.	Wendl. coll. ic.
471	<i>spinósum</i> . DC. ( <i>st.</i> )	thorny.	————	1795.	5. 6.	G. h.	Paters. it. t. ad. p. 67.
472	<i>tripartítum</i> . S.G. ( <i>st.</i> )	brittle-stalked.	————	1789.	5. 8.	G. h.	Sweet ger. 2. t. 115.
	<i>Geranium fragile</i> . A.R. 37.	————	————	————	————	————	————
473	<i>incisum</i> . DC. ( <i>st.</i> )	cut-leaved.	————	1791.	————	G. h.	Sweet ger. 1. t. 93.
474	<i>canéscens</i> . S.G. ( <i>bh.</i> )	canescent.	————	....	————	G. h.	————
475	<i>abrotanifólium</i> . DC. ( <i>bh.</i> )	<i>Southernwood</i> -ld.	————	1791.	————	G. h.	Jacq. schœn. 2. t. 136.
476	<i>artemisiæfólium</i> . DC.	<i>Wormwood</i> -ld.	————	1817.	————	G. h.	————

477 frâgrans. DC. (wh.) Nutmeg-scent'd. Hybrid.	....	5. 10.	G. ♀.	Sweet ger. 2. t. 172.	
478 odoratissimum. DC. (wh.) sweet-scent'd. C. B. S.	1724.	—	G. ♀.	3. t. 299.	
479 exstipulatum. DC. (bh.) soft trifid-ld.	1779.	—	G. ♀.	L'Herit. ger. t. 35.	
<i>Geranium suaveolens</i> . A. G. ic.					
480 dissectum. S. G. (wh.) dissected-ld.	Hybrid.	1822.	5. 11.	G. ♀.	Sweet ger. 3. t. 247.
481 glomeratum. DC. (w.) close-headed.	N. S. W.	1792.	5. 8.	G. ♀.	Jacq. fl. ecl. 1. t. 98.
<i>australe</i> . S. G. 68. non DC.					
482 australe. DC. (wh.) New Holland.	—	—	—	G. ♀.	Jacq. fl. ecl. 1. t. 100.
483 inodorum. DC. (w. pu.) scentless.	—	1796.	3. 8.	G. ♀.	Sweet ger. 1. t. 56.
484 columbinum. DC. (pu.) Doves-foot.	C. B. S.	1795.	6. 10.	G. ♀.	Jacq. schœn. 2. t. 133.
485 procumbens. DC. (bh.) procumbent.	—	1801.	4. 5.	G. ♀.	Andr. bot. rep. 234.
486 humifusum. DC. (bh.) trailing.	Canaries.	—	4. 10.	H. ☉.	Sweet ger. 1. t. 42.
487 chamædryfolium. DC. (wh.) Chamædrys-ld.	C. B. S.	1812.	5. 6.	G. ♀.	Jacq. ic. rar. 3. t. 523.
488 althæoides. DC. (wh.) Althæa-leaved.	—	1724.	4. 6.	G. ♂.	L'Herit. ger. t. 10.
489 grossularioides. DC. (fl.) Gooseberry-ld.	—	1731.	4. 8.	G. ♀.	Cav. dis. 4. t. 119. f. 2.
490 anceps. DC. (pu.) flat-stalked.	—	1788.	5. 7.	G. ♀.	Jacq. col. 4. t. 22. f. 3.
491 parvisiflorum. A. G. (pu.) small-flowered.	—	1800.	—	G. ♀.	Andr. geran. c. ic.
492 acunaticum. L. T. (re.) Tristan d'Acuna.	T. d'Acuna.	1818.	—	G. ♀.	—
493 senecioides. DC. (wh.) Groundsel-ld.	C. B. S.	1775.	6. 7.	G. ☉.	Sweet ger. 4. t. 327.
494 alchimilloides. DC. (wh.) mantle-leaved.	—	1693.	5. 10.	G. ♀.	Cav. dis. 4. t. 98. f. 1.
495 Heritièri. Jacq. (wh.) L'Heritier's.	—	1820.	—	G. ♀.	—
496 tabulære. DC. (wh.) rough-stalked.	—	1775.	5. 8.	G. ♀.	L'Herit. ger. t. 9.
497 ovale. DC. (ro.) oval-leaved.	—	1774.	—	G. ♀.	Sweet ger. 3. t. 235.
498 élégans. DC. (wh. pu.) elegant.	—	1795.	—	G. ♀.	And. repos. 98.
<i>a major</i> . S. G. (wh.) smaller-flowered.					
<i>β minor</i> . S. G. (v.) larger-flowered.					
499 schizopetalum. S. G. (y. br.) divided-petal'd.	—	1821.	6. 10.	G. ♀.	—
500 pinguifolium. S. G. (bh.) greasy leaved.	Hybrid?	....	5. 10.	G. ♀.	—
501 latèripes. DC. (va.) Ivy-leaved.	C. B. S.	1787.	—	G. ♀.	L'Herit. ger. t. 24.
<i>a viridifolium</i> . (li.) green-leaved.					
<i>β zonatum</i> . (li.) Horseshoe-mark'd.					
<i>γ roseum</i> . (ro.) rose-coloured.					
<i>δ albomarginatum</i> . DC. white-margined.					
502 peltatum. DC. (li.) peltate-leaved.	—	1701.	—	G. ♀.	Andr. geran. c. ic.
<i>β variegatum</i> . A. G. (li.) variegated-ld.					
503 scutatum. S. G. (wh.) shield-leaved.	—	1819.	—	G. ♀.	Bot. mag. 20.
JENKINS'ONIA. S. G. JENKINS'ONIA. Monadelphia Heptandria.					
1 tetragona. S. G. (li.) square-stalked.	C. B. S.	1774.	5. 8.	G. ♀.	Sweet ger. 1. t. 99.
<i>β variegata</i> . (li.) variegated.					
2 quinata. S. G. (st.) quinate-leaved.	—	1793.	—	G. ♀.	—
<i>Pelargonium quinatum</i> . B. M. 547. <i>Geranium præmorsum</i> . A. R. 150.					
3 pendula. S. G. (pu.) pendulous-branch'd.	—	....	5. 8.	G. ♀.	Sweet ger. 2. t. 188.
4 longicaulis. S. G. (bh.) long-stalked.	—	....	—	G. ♀.	Jacq. ic. rar. 3. t. 533.
<i>Pelargonium longicaule</i> . Jacq.					
5 anemonefolia. S. G. (re.) Anemone-ld.	—	....	—	G. ♀.	Jacq. ic. rar. 3. t. 535.
6 caucalifolia. S. G. (bh.) Caulus-leav'd.	—	1812.	3. 9.	G. ♀.	—
7 multicaulis. S. G. (vi.) many-stalked.	—	1802.	6. 8.	G. ♀.	3. t. 529.
8 lacera. S. G. (bh.) torn-leaved.	—	1731.	—	G. ♀.	3. t. 534.
9 Synnoti. S. G. (pu.) Synnot's.	—	1825.	—	G. ♀.	3. t. 532.
10 coriandrifolia. S. G. (bh.) Coriander-l'.	—	1724.	3. 9.	G. ♀.	Sweet ger. 4. t. 342.
<i>Pelargonium coriandrifolium</i> . S. G.					
11 myrrhifolia. S. G. (li.) Myrrh-leaved.	—	1696.	5. 8.	G. ♀.	—
<i>Pelargonium betonicum</i> . Jacq.					
12 bullata. S. G. (wh.) blistered.	—	....	—	G. ♀.	Jacq. ic. rar. 3. t. 530.
13 canariensis. (wh.) Canary.	Canaries.	1802.	5. 9.	G. ♂.	Willd. hort. ber. t. 17.
<i>Pelargonium canariense</i> . W.					
CICONIUM. S. G. CICONIUM. Monadelphia Heptandria.					
1 acetosum. S. G. (sa.) Sorrel-leaved.	C. B. S.	1710.	5. 9.	G. ♀.	Andr. geran. c. ic.
2 scandens. S. G. (ro.) climbing.	—	1800.	—	G. ♀.	—
3 stenopetalum. S. G. (sc.) narrow-petal'd.	—	—	—	G. ♀.	—
4 leptopetalum. (sc.) slender-petal'd.	—	—	—	G. ♀.	Andr. geran. c. ic.
<i>Geranium stenopetalum</i> . A. G. nec aliorum.					
5 pumilum. S. G. (sc.) dwarf.	C. B. S.	—	—	G. ♀.	Andr. geran. c. ic.
<i>Geranium zonale minima</i> . A. G.					
6 lateritium. S. G. (sc.) brick-coloured.	—	—	—	G. ♀.	Jacq. ecl. 1. t. 97. f. ult.
7 malvæfolium. (li.) Mallow-leaved.	—	1812.	—	G. ♀.	—
<i>Pelargonium malvæfolium</i> . Jacq.					
8 heterogamum. S. G. (li.) six-stamened.	Hybrid.	1786.	—	G. ♀.	L'Herit. geran. t. 18.
9 albidum. C. C. (wh.) white-flowered.	C. B. S.	....	—	G. ♀.	—

10 zonæ. s.g.	(va.) horse-shoe.	C. B. S.	1710.	4. 12.	G. h.	Cav. dis. 4. t. 98. f. 2.
<i>α lilacinum.</i>	(li.) lilac-coloured.	————	————	————	G. h.	
<i>β coccineum.</i>	(sc.) scarlet.	————	————	————	G. h.	
<i>γ crystallinum.</i>	(sc.) coral-stalked.	————	————	————	G. h.	
<i>δ marginatum.</i>	(sc.) white-edged.	————	————	————	G. h.	
11 reticulatum. s.g.	(sc.) netted-veined.	Hybrid.	1810.	5. 10.	G. h.	Sweet ger. 2. t. 143.
12 Fothergillii. s.g.	(sc.) Fothergill's.	C. B. S.	....	....	G. h.	———— 3. t. 226.
<i>α coccineum.</i>	(sc.) scarlet.	————	————	————	G. h.	———— 3. t. 226. a.
<i>β purpureum.</i>	(pu.) purple.	————	————	————	G. h.	———— 3. t. 226. b.
13 monstrum. s.g.	(pu.) cluster-leaved.	Hybrid.	1784.	7. 8.	G. h.	———— 1. t. 13.
14 æqualiflorum. c.c.	(sc.) victory.	————	1819.	5. 10.	G. h.	
15 hybridum. s.g.	(sc.) hybrid.	C. B. S.	1732.	....	G. h.	Sweet ger. 1. t. 63.
16 oxyphyllum. c.c.	(wh.) sour-leaved.	Hybrid.	....	....	G. h.	Andr. geran. c. ic.
<i>Geranium miniatum. v. album. A.G.</i>						
17 humile.	(sc.) low-spreading.	C. B. S.	....	....	G. h.	
18 crenatum. s.g.	(sc.) scalloped-ld.	————	....	....	G. h.	Sweet ger. 4. t. 345.
19 bracteosum.	(sc.) large-bracted.	Hybrid.	....	....	G. h.	
<i>Pelargonium bracteosum. DC.</i>						
20 Bentinckianum.	(sc.) Bentinck's.	C. B. S.	....	....	G. h.	Sweet ger. 4. t. 350.
<i>Pelargonium Bentinckianum. DC. Geranium crenatum; var. mollifoliata. A.G. c. ic.</i>						
21 fulgens. s.g.	(sc.) Basilisk.	Hybrid.	1823.	....	G. h.	Sweet ger. 4. t. 339.
22 glabrifolium. s.g.	(sc.) smooth-leaved.	————	1825.	....	G. h.	———— 4. t. 363.
23 cerinum. s.g.	(pi.) wax-flowered.	Hybrid?	....	....	G. h.	———— 2. t. 176.
24 inquinans. s.g.	(sc.) staining-gland'd.	C. B. S.	1714.	5. 9.	G. h.	Andr. Geran. c. ic.
25 micranthum. s.g.	(sc.) small-flowered.	————	....	....	G. h.	Sweet ger. 3. t. 295.
ISOPE TALUM. S.G. ISOPE TALUM. Monadelphia Pentandria.						
1 Cotyledonis. s.g.	(wh.) Hollyhock-ld.	St. Helena.	1765.	5. 8.	G. h.	Sweet ger. 2. t. 126.
<i>Pelargonium Cotyledonis. w.</i>						
2? discipes. c.c.	..... central-stalked.	————	1808.	....	G. h.	

## ORDO LII.

## TROPÆOLEÆ. DC. prodr. 1. p. 683.

## TROPÆOLUM. DC. INDIAN-CRESS. Octandria Monogynia. L.

1 minus. DC.	(ye.) small.	Peru.	1596.	6. 10.	H. ⊙.	Bot. mag. 98.
<i>β flore pleno.</i>	(ye.) double-flowered.	————	————	————	G. ♀.	
2 majus. DC.	(ye.) great.	————	1686.	....	H. ⊙.	Bot. mag. 23.
<i>β flore pleno.</i>	(ye.) double-flowered.	————	————	————	G. ♀.	
3 hybridum. DC.	(ye.) hybrid.	Hybrid.	....	....	G. ♀.	Berg. act. holm. 32. t. 1.
4 aduncum. DC.	(ye.) fringe-flower'd.	Peru.	1775.	....	G. ⊙.	Bot. reg. t. 718.
<i>peregrinum. B.R. non L.</i>						
5 pinnatum. DC.	(ye.) pinnate-flower'd.	————	....	....	G. ♀.	Andr. reposit. t. 535.
6 tricolorum. B.F.G.	(or.) three-coloured.	Chile.	1828.	....	H. ♀.	Sweet br. fl. gar. 3. t. 270.

## ORDO LIII.

## BALSAMINEÆ. DC. prodr. 1. p. 685.

## BALSAMINA. DC. BALSAM. Pentandria Pentagynia.

1 hortensis. DC.	(v.) garden.	E. Indies.	1596.	7. 10.	S. ⊙.	Blackw. t. 583.
<i>Impatiens Balsamina. L.</i>						
2 coccinea. DC.	(sc.) glandular-ld.	————	1808.	6. 9.	S. ⊙.	Bot. mag. 1256.
3 mysorensis. DC.	(re.) Mysore.	————	1823.	....	S. ⊙.	
4 bifida. DC.	(re.) bifid-spurred.	C. B. S.	1818.	7. 10.	H. ⊙.	
5 capensis. DC.	(re.) Cape.	————	————	————	H. ⊙.	

6 cochleata. DC.	(sc.) shell-spurred.	China.	1826.	—	H. ☉.	
7 chinensis. DC.	(pu.) Chinese.	China.	1823.	—	H. ☉.	
IMPATIENS. DC.	TOUCH ME NOT.	Pentandria Monogynia.	L.			
1 natans. DC.	(ye.) floating.	E. Indies.	1823.	6. 10.	S. w. ☉.	
2 biflora. W.	(or.) two-flowered.	N. America.	....	—	H. ☉.	Sweet br. fl. gar. t. 43.
	<i>fulva</i> . DC.					
3 pallida. DC.	(ye.) pale-flowered.	—	1812.	—	H. ☉.	
4 Nöli-tângere. DC.	(ye.) common.	England.	....	—	H. ☉.	Eng. bot. 937.
5 parviflora. DC.	(ye.) small-flowered.	Russia.	1828.	—	H. ☉.	
6 tripétala. DC.	(ye.) three-petaled.	E. Indies.	1823.	—	S. ☉.	

## ORDO LIV.

OXALIDEÆ. DC. *prodr.* 1. p. 689.

AVERRHOA. DC.	AVERRHOA.	Pent-Decandria	Pentagynia.	L.		
1 Carambola. DC.	(st.) Carambola-tree.	E. Indies.	1793.	....	S. ½.	Rumph. amb. 1. t. 35.
2 Bilimbi. DC.	(st.) Bilimbi-tree.	—	1791.	5. 7.	S. ½.	— 1. t. 36.
BIOPHYTUM. DC.	BIOPHYTUM.	Decandria	Pentagynia.			
sensitivum. DC.	(ye.) sensitive.	E. Indies.	1824.	5. 7.	S. ¼.	Jacq. ox. n. 21. t. 78. f. 4.
	<i>Oxalis sensitiva</i> . L.					
O'XALIS. DC.	WOOD-SORREL.	Decandria	Pentagynia.	L.		
1 Plumieri. DC.	(ye.) Plumier's.	S. America.	1822.	4. 6.	S. ½.	Bot. reg. 810.
2 Barrelieri. DC.	(bh.) Barrelier's.	—	—	—	S. ½.	Jacq. ox. n. 4. t. 3.
3 fruticosa. DC.	(ye.) frutescent.	Rio Janeiro.	—	—	S. ½.	
4 perennans. DC.	(br. y.) perennial.	N. S. W.	....	5. 9.	G. ¼.	
5 Dilleni. DC.	(ye.) Dillenius's.	America.	1798.	—	H. ☉.	Dill. elth. 2. t. 221.
6 florida. S.P.	(ye.) prostrate.	—	....	—	H. ☉.	
7 stricta. DC.	(ye.) upright.	N. America.	1658.	6. 10.	H. ¼.	Jacq. ox. n. 9. t. 4.
8 corniculata. DC.	(ye.) procumbent.	Britain.	....	5. 10.	H. ¼.	Eng. bot. 1726.
9 Lyoni. DC.	(ye.) Lyons'.	N. America.	1812.	—	H. ¼.	
10 microphylla. DC.	(ye.) small-leaved.	N. Holland.	....	—	H. ☉.	
	<i>rubens</i> . H.M.					
11 repens. DC.	(ye.) creeping-stalk'd.	C. B. S.	1793.	3. 4.	G. ¼.	Jacq. ox. n. 11. t. 78. f. 1.
12 rosea. DC.	(ro.) rose-coloured.	Chile.	1826.	3. 6.	G. ¼.	Bot. mag. 2830.
	<i>floribunda</i> . B.R. 1123.					
13 Simsii.	(cr.) Sims's.	—	1822.	4. 6.	G. ¼.	Bot. mag. 2415.
	<i>rosea</i> . Sims Bot. mag. <i>nec aliorum</i> .					
14 lateriflora. DC.	(pu.) side-flowering.	C. B. S.	1826.	3. 6.	G. ¼.	Jacq. Schœnb. 2. t. 204.
15 macrostylis. DC.	(pu.) long-styled.	—	1793.	10. 11.	G. b.	Jacq. ox. n. 22. t. 9.
16 tubiflora. DC.	(vi.) tube-flowered.	—	1790.	—	G. b.	— n. 23. t. 10.
17 canescens. DC.	(li.) canescent.	—	1822.	—	G. b.	— n. 24. t. 11.
18 secunda. DC.	(li.) secund.	—	1790.	—	G. b.	— n. 68. t. 12.
19 hirta. DC.	(vi.) hairy-stalked.	—	1787.	1. 3.	G. b.	— n. 26. t. 13.
20 hirtella. DC.	(li.) tooth-stamen'd.	—	1820.	—	G. b.	— n. 27. t. 14.
21 multiflora. DC.	(vi.) many-flowered.	—	1789.	2. 3.	G. b.	— n. 28. t. 15.
22 fulgida. B.R.	(cr.) crimson.	—	....	—	G. b.	Bot. reg. 1073.
23 rubella. DC.	(vi.) branching red.	—	1791.	9. 11.	G. b.	Bot. mag. 1031.
24 rosacea. DC.	(vi.) rose-coloured.	—	1793.	10. 2.	G. b.	— 1698.
25 virginea. DC.	(wh.) virgin.	—	1822.	11. 12.	G. b.	Jacq. schœnb. 3. t. 275.
26 reptatrix. DC.	(li.) creeping-rooted.	—	1795.	—	G. ¼.	Jacq. ox. n. 33. t. 20.
27 incarnata. DC.	(bh.) flesh-coloured.	—	1739.	4. 6.	G. b.	Jacq. vind. t. 71.
28 disticha. DC.	(ye.) distichous.	—	1821.	—	G. b.	Jacq. ox. n. 31. t. 18.
29 venosa. DC.	(vi.) veined-flower'd.	—	1821.	—	G. b.	
30 cuprea. B.C.	(co.) copper-colour'd.	—	1822.	—	G. b.	Lodd. bot. cab. 824.
31 tetraphylla. DC.	(pu.) four-leaved.	Mexico.	—	—	H. b.	— t. 790.
32 sericea. DC.	(ye.) silky-leaved.	C. B. S.	1794.	—	G. b.	Jacq. ox. n. 13. t. 77. f. 1.
33 carnosa. B.R.	(ye.) fleshy.	Chile.	1825.	4. 9.	H. ¼.	Bot. reg. 1063.
34 bipunctata. Gr.	(li.) two-spotted.	Brazil.	—	4. 6.	G. ¼.	Bot. mag. 2781.
35 violacea. DC.	(vi.) violet-coloured.	N. America.	1772.	5. 6.	H. b.	Jacq. vind. t. 180.
36 Déppii.	(li.) Depp's.	Mexico.	1827.	6. 8.	G. b.	
37 Martiana. Zuc.	(li.) Martius's.	Brazil.	1828.	5. 9.	S. ¼.	
38 palustris. S.S.	(li.) marsh.	—	—	5. 12.	S. ¼.	
	<i>papilionacea</i> . Zuc.					

39	caprina DC.	(vi.)	goats-foot.	C. B. S.	1757.	3. 6.	G. b.	Jacq. ox. t. 76. f. 1.
40	cérnua DC.	(ye.)	drooping-yellow.	_____	_____	2. 5.	G. b.	_____ n. 16. t. 6.
	caprina. B.M. 237.	_____	_____	_____	_____	_____	_____	_____
	<i>β flore pleno.</i>	(ye.)	double-flowered.	_____	_____	_____	G. b.	_____
41	comprésa DC.	(ye.)	compressed.	_____	1794.	12. 1.	G. b.	Jacq. ox. n. 19. t. 78. f. 3.
42	dentata DC.	(li.)	toothed.	_____	1793.	11. 12.	G. b.	_____ n. 17. t. 7.
43	lívida DC.	(fl.)	livid.	_____	_____	10. 11.	G. b.	_____ n. 18. t. 8.
44	purpurata DC.	(bh.)	purplish-leav'd.	_____	1820.	_____	G. b.	Jacq. schœnb. t. 356.
45	macrophylla DC.	(vi.)	large-leaved.	_____	_____	_____	G. b.	_____
46	lobata DC.	(ye.)	lobed.	Chile.	1821.	4. 6.	H. b.	Bot. mag. 2386.
47	ténera B.R.	(li.)	tender.	Brazil.	1826.	5. 6.	S. 2.	Bot. reg. 1046.
48	monophylla DC.	(bh.)	simple-leaved.	C. B. S.	1774.	10. 11.	G. b.	Jacq. ox. n. 35. t. 79. f. 3.
49	lépida DC.	(wh.)	pretty.	_____	1822.	10. 2.	G. b.	_____ n. 34. t. 21.
50	rostrata DC.	(bh.)	beaked.	_____	1795.	_____	G. b.	_____ n. 36. t. 22.
51	críspa DC.	(wh.)	curled.	_____	1793.	_____	G. b.	_____ n. 37. t. 23.
52	leporina DC.	(std.)	Hare's-eared.	_____	1795.	10. 11.	G. b.	_____ n. 30. t. 25.
53	asinina DC.	(ye.)	asses-eared.	_____	1792.	11. 12.	G. b.	_____ n. 38. t. 24.
54	laceafolia DC.	(ye.)	spear-leaved.	_____	1795.	10. 11.	G. b.	_____ n. 40. t. 26.
55	fabæfolia DC.	(ye.)	Bean-leaved.	_____	1794.	_____	G. b.	_____ n. 41. t. 27.
56	laburnifolia DC.	(ye.)	Laburnum. 1 <sup>d</sup> .	_____	1793.	9. 10.	G. b.	_____ n. 42. t. 28.
57	sanguinea DC.	(ye.)	bloody-leaved.	_____	1795.	10. 12.	G. b.	_____ n. 43. t. 29.
58	tricolor DC.	(std.)	three-coloured.	_____	1794.	_____	G. b.	_____ n. 63. t. 47.
59	ciliaris DC.	(pu.)	ciliated.	_____	1793.	_____	G. b.	_____ n. 45. t. 30.
60	arcuata DC.	(vi.)	gland-covered.	_____	1795.	_____	G. b.	_____ n. 46. t. 31.
61	flaccida DC.	(re.wh.)	flaccid.	_____	1812.	_____	G. b.	_____ n. 66. t. 51.
62	ferruginata DC.	(wh.)	rust-spotted.	_____	1822.	_____	G. b.	Jacq. schœnb. 3. t. 274.
63	ambigua DC.	(v.)	ambiguous.	_____	1790.	9. 12.	G. b.	Jacq. ox. n. 59. t. 43.
64	undulata DC.	(wh.)	wave-leaved.	_____	1795.	10. 11.	G. b.	_____ n. 60. t. 44.
65	glandulosa DC.	(wh.)	glandulous.	_____	1822.	_____	G. b.	_____ n. 62. t. 46.
66	fuscata DC.	(wh.)	brown-spotted.	_____	1795.	5. 6.	G. b.	_____ n. 61. t. 45.
67	sulphurea DC.	(st.)	sulphur-colour'd.	_____	_____	10. 11.	G. b.	_____ n. 77. t. 63.
68	breviscapa DC.	(wh.)	short-stalked.	_____	1823.	9. 2.	G. b.	_____ n. 72. t. 58.
69	speciosa DC.	(pu.)	specious.	_____	1690.	9. 11.	G. b.	_____ n. 74. t. 60.
70	rigida Jac.	(wh.)	rigid.	_____	1822.	_____	G. b.	_____ n. 73. t. 59.
71	variabilis DC.	(v)	variable.	_____	1795.	10. 12.	G. b.	_____ n. 67.
	<i>α longiscapa DC.</i>	(wh.)	white-flowered.	_____	_____	_____	G. b.	_____ t. 52.
	<i>β rubra DC.</i>	(re.)	red-flowered.	_____	_____	_____	G. b.	_____ t. 53.
72	grandiflora W.	(wh.)	great-flowered.	_____	1810.	_____	G. b.	_____ n. 68. t. 54.
	<i>β Simsii DC.</i>	(wh.)	Sims's.	_____	_____	_____	G. b.	Bot. mag. 1683.
73	laxula Jac.	(wh.)	loose.	_____	1820.	_____	G. b.	Jacq. ox. n. 71. t. 57.
74	purpurea DC.	(pu.)	purple.	_____	1812.	_____	G. b.	_____ n. 70. t. 56.
75	convexula DC.	(or.)	convex-leaved.	_____	1789.	11. 1.	G. b.	_____ n. 69. t. 55.
76	lævigata DC.	(pu.)	smooth.	_____	1818.	6. 8.	H. ☉.	_____
77	punctata DC.	(bh.)	spot-leaved.	C. B. S.	1823.	10. 2.	G. b.	Jacq. ox. n. 82. t. 66.
78	strumosa DC.	(wh.)	swollen-styled.	_____	1821.	_____	G. b.	_____ n. 79. t. 64.
79	marginata DC.	(wh.)	green-margin'd.	_____	1812.	9. 12.	G. b.	_____ n. 85. t. 68.
80	pulchella DC.	(bh.)	beautiful.	_____	1795.	10. 11.	G. b.	_____ n. 86. t. 69.
81	obtusa DC.	(re.)	blunt-leaved.	_____	1812.	_____	G. b.	_____ n. 83. t. 79. f. 1.
82	lanata DC.	(wh.)	woolly-leaved.	_____	1791.	_____	G. b.	_____ n. 81. t. 77. f. 2.
83	lutæola DC.	(ye.)	yellowish.	_____	1822.	_____	G. b.	_____ n. 80. t. 65.
84	fallax DC.	(ye.)	related.	_____	1825.	_____	G. b.	_____ n. 84. t. 67.
85	Acetosella DC.	(wh.)	common.	Britain.	....	4. 6.	H. 2.	Eng. bot. 762.
86	americana DC.	(wh.)	American.	N. America.	....	_____	H. 2.	_____
87	tenella DC.	(vi.)	slender.	C. B. S.	1793.	_____	G. b.	Jacq. ox. n. 32. t. 19.
88	nåtans DC.	(wh.)	floating.	_____	1795.	9. 12.	G. w. b.	_____ n. 78. t. 79. f. 2.
89	cruentata DC.	(pu.)	bloody.	_____	1826.	_____	G. b.	Jacq. f. ecl. 1. t. 45.
90	filiculis DC.	(vi.)	bilobed-leaved.	_____	1815.	9. 10.	G. b.	Jacq. schœnb. 2. t. 205.
91	bífida DC.	(vi.)	cloven-leaved.	_____	1791.	_____	G. b.	Jacq. ox. n. 89. t. 79. f. 4.
92	bifurca B.C.	(re.)	forked-leaved.	_____	1825.	6. 9.	G. b.	Lodd. bot. cab. 1056.
93	cuneata DC.	(wh.)	wedge-leaved.	_____	1818.	_____	G. b.	Jacq. ox. n. 55. t. 40.
94	cuneifolia DC.	(wh.)	wedge-shaped.	_____	1793.	4. 5.	G. b.	_____ n. 56. t. 41.
95	pusilla DC.	(bh.)	small.	_____	1826.	_____	G. b.	_____ n. 57. t. 42.
96	linearis DC.	(vi.)	linear-leaved.	_____	1795.	9. 11.	G. b.	_____ n. 47. t. 32.
97	reclinata DC.	(sc.)	reclining.	_____	_____	_____	G. b.	_____ n. 49. t. 34.
98	gracilis DC.	(re.)	slender-stalked.	_____	....	_____	G. b.	_____ n. 48. t. 33.
99	miniata DC.	(re.)	miniated.	_____	1818.	_____	G. b.	_____ n. 50. t. 35.
100	glabra DC.	(pu.)	smooth.	_____	1795.	5. 6.	G. b.	_____ n. 58. t. 76. f. 3.
101	versicolor DC.	(std.)	striped-flower'd.	_____	1774.	1. 3.	G. b.	Bot. mag. 155.
102	elongata DC.	(std.)	elongated.	_____	1791.	9. 10.	G. b.	Jacq. ox. n. 52. t. 37.

103	amœna. L. en. (ro.)	handsome.	C. B. S.	1791.	9. 10.	G. b.	Jacq. schoenb. t. 206.
104	tenuifolia. DC. (std.)	fine-leaved.	————	1790.	10. 11.	G. b.	Lodd. bot. cab. t. 712.
105	polyphylla. DC. (ro.)	many-leaved.	————	1791.	9. 1.	G. b.	Jacq. ox. n. 59. t. 39.
106	filifolia. DC. (ro.)	slender-leaved.	————	1818.	—	G. b.	Jacq. schoen. 3. t. 273.
107	pentaphylla. DC. (li.)	five-leaved.	————	1800.	11. 2.	G. b.	Bot. mag. 1549.
108	lupinifolia. DC. (ye.)	Lupine-leaved.	————	1791.	10. 11.	G. b.	Jacq. ox. n. 92. t. 72.
109	flava. DC. (ye.)	narrow-leaved.	————	1775.	3. 4.	G. b.	Bot. reg. 117.
110	pectinata. DC. (ye.)	pectinated.	————	1790.	9. 11.	G. b.	Jacq. ox. n. 95. t. 75.
111	flabellifolia. DC. (ye.)	fan-leaved.	————	1789.	—	G. b.	———— n. 94. t. 74.
112	tomentosa. DC. (wh.)	downy-leaved.	————	1791.	4. 5.	G. b.	———— n. 96. t. 81.

## ORDO LV.

## ZYGOPHYLLÆ. DC. prodr. 1. p. 703.

TRIBULUS. DC.		CALTROPS. Decandria Monogynia. L.					
1	cistoides. DC. (ye.)	Cistus-like.	S. America.	1752.	7.	S. ♀.	Bot. reg. 791.
2	terrestris. DC. (ye.)	small.	S. Europe.	1596.	6. 7.	H. ⊙.	Lam. ill. t. 346. f. 1.
3	subinermis. F. (ye.)	hairy.	Thibet.	1824.	6. 9.	H. ⊙.	
4	maximus. DC. (st.)	great.	Jamaica.	1728.	6. 7.	S. ⊙.	Jacq. ic. rar. t. 462.
5	trijugatus. DC. (ye.)	Nuttall's.	America.	1823.	—	H. ⊙.	
FAG'ONIA. DC.		FAG'ONIA. Decandria Monogynia. L.					
1	crética. DC. (pu.)	Cretan.	Candia.	1739.	6. 8.	H. ⊙.	Bot. mag. 241.
2	arabica. DC. (pu.)	Arabian.	Arabia.	1759.	—	G. ♀.	
LA'RREA. DC.		LA'RREA. Decandria Monogynia.					
	nítida. DC. (ye.)	glossy-leaved.	BuenosAyres.	1823.	6. 8.	G. ♀.	Cav. ic. 6. t. 559.
ROEP'ERIA. J.R.		ROEP'ERIA. Decandria Monogynia.					
	fabagifolia. J.R. (ye.)	Fabago-leaved.	N. Holland.	1822.	6. 8.	G. ♀.	Juss. Rut. t. 2. f. 3.
ZYGOPHYLLUM. DC.		BEAN-CAPER. Decandria Monogynia. L.					
1	cordifolium. DC. (ye.)	heart-leaved.	C. B. S.	1774.	10.	G. ♀.	
2	macropterum. Led. (ye.)	large-winged.	Siberia.	1827.	7. 9.	H. ♀.	
3	Fabago. DC. (st.)	common.	Syria.	1596.	—	H. ♀.	Lam. ill. t. 345. f. 1.
4	fœtidum. DC. (ye.)	fœtid.	C. B. S.	1790.	6. 8.	G. ♀.	Schr. s. han. p. 17. t. 9.
	β insuáve. B.M. (ye.)	unpleasant.	————	—	—	G. ♀.	Bot. mag. 372.
5	maculatum. DC. (ye.)	spotted.	C. B. S.	1782.	10. 11.	G. ♀.	
6	microphyllum. DC. (ye.)	small-leaved.	————	1820.	—	G. ♀.	
7	Morgsána. DC. (ye.)	four-leaved.	————	1732.	5. 9.	G. ♀.	Dill. elth. t. 116. f. 141.
8	sessilifolium. DC. (ye.)	sessile-leaved.	————	1713.	7. 8.	G. ♀.	———— t. 116. f. 142.
9	spinosum. DC. (ye.)	spiny.	————	1818.	—	G. ♀.	
10	coccineum. DC. (sc.)	scarlet.	Egypt.	—	—	G. ♀.	Forsk. des. 87. ic. t. 11.
11	álbum. DC. (wh.)	white.	————	1770.	10. 11.	G. ♀.	DC. pl. gras. t. 154.
12	prostratum. DC. (ye.)	hairy-jointed.	C. B. S.	1818.	—	G. ♀.	
13	tridentatum. DC. (ye.)	three-toothed.	Mexico.	1827.	9. 11.	G. ♀.	Flor. mex. ic. ined.
GUA'IACUM. DC.		LIGNUM VITÆ. Decandria Monogynia. L.					
1	officinale. DC. (bl.)	common.	W. Indies.	1694.	7. 9.	S. ♀.	Lam. ill. t. 342.
2	verticale. DC. (bl.)	vertical-petal'd.	New Spain.	1823.	....	S. ♀.	
3	arboreum. DC. (bl.)	tree.	S. America.	—	....	S. ♀.	Jacq. amer. 130. t. 83.
	<i>Zygophyllum arboreum. Jac.</i>						
PORLIE'RA. DC.		PORLIE'RA. Octandria Monogynia.					
	hygrométrica. DC. (st.)	pinnate-leaved.	Peru.	1820.	....	S. ♀.	Fl. per. v. 4. ined. t. 343.

## § 2. ZYGOPHYLLÆ SPURIE ALTERNIFOLIÆ. DC.

MELIANTHUS. DC.		HONEY-FLOWER. Didynamia Angiospermia. L.					
1	máior. DC. (br.)	great.	C. B. S.	1688.	5. 7.	G. ♀.	Bot. reg. 45.
2	minor. DC. (br.)	small.	————	1696.	8.	G. ♀.	Bot. mag. 301.
3	comosus. DC. (br.)	tufted.	————	1818.	—	G. ♀.	Comm. rar. t. 4.
BALANITES. DC.		BALANITES. Decandria Monogynia.					
	ægyptiaca. DC. (wh.)	Egyptian.	Africa.	1822.	....	S. ♀.	Del. fl. eg. t. 28. f. 1.
	<i>Ximènia ægyptiaca. L.</i>						

## ORDO LVI.

RUTACEÆ. DC. *prodr.* 1. p. 709.

## Tribus I. DIOSMEÆ. DC.

RUTA. DC.		RUE. Decandria Monogynia. L.					
1	pinnata. DC.	(ye.)	winged-leaved.	Canaries.	1780.	3. 8. G. h.	Bot. reg. 307.
2	montana. DC.	(ye.)	mountain.	S. Europe.	1596.	8. 9. H. 4.	Jacq. ic. rar. 1. t. 76.
3	graveolens. DC.	(ye.)	common.	_____	1562.	6. 9. H. h.	Dulam. arb. 2. t. 61.
4	bracteosa. DC.	(ye.)	large-bracted.	Sicily.	1823.	_____ H. h.	
5	divaricata. DC.	(ye.)	spreading.	Italy.	_____	H. h.	Ten. fl. nap. 1. t. 36.
6	angustifolia. DC.	(ye.)	narrow-leaved.	S. France.	1722.	_____ G. h.	Bot. mag. 2311.
7	macrophylla. DC.	(ye.)	long-leaved.	Africa.	_____	G. h.	2018.
8	albiflora. D.P.	(wh.)	white-flowered.	Nepaul.	1820.	9. 10. G. h.	Hook. ex. fl. t. 79.
APLOPHYLLUM. J.R.		APLOPHYLLUM. Decandria Monogynia.					
1	patavina. J.R.	(ye.)	Italian.	Italy.	1820.	6. 9. H. 4.	Mich. gen. t. 19.
2	pubescens. J.R.	(ye.)	pubescent.	Spain.	1816.	5. 8. H. 4.	
3	tuberculata. J.R.	(ye.)	tubercled.	Egypt.	1824.	6. 8. H. 4.	
4	villosa. J.R.	(ye.)	villous.	Caucasus.	1828.	.... H. 4.	Buxb. cent. 2. t. 28. f. 2.
5	linifolia. J.R.	(ye.)	Flax leaved.	Spain.	1752.	6. 9. H. h.	Andr. rep. 565.
6	suaveolens. J.R.	(ye.)	Primrose-scent <sup>d</sup> .	Tauria.	....	H. h.	Bot. mag. 2254.
7	theioides. F.	(ye.)	Thesium-like.	Caspia.	1828.	.... H. 4.	
8	dahurica. J.R.	(st.)	Milk-wort <sup>ld</sup> .	Dahuria.	1816.	7. 8. H. 4.	Gmel. sib. 4. t. 68. f. 2.
Péganum dauricum. β. L.		Ruta dahurica. DC.					
PEGANUM. DC.		SYRIAN-RUE. Dodecandria Monogynia. L.					
	Hármala. DC.	(wh.)	common.	Levant.	1570.	7. 8. H. 4.	Lam. ill. t. 401.
DICTAMNUS. DC.		FRAXINÉLLA. Decandria Monogynia. L.					
1	Fraxinélla. L.en.	(re.)	red-flowered.	S Europe.	1596.	5. 7. H. 4.	
2	álbus. L.en.	(wh.)	white-flowered.	_____	_____	H. 4.	Jacq. aust. 5. t. 428.
CALODENDRON. DC.		CALODENDRON. Pentandria Monogynia.					
	capense. DC.	(bh.)	Cape.	C. B. S.	1789.	.... G. h.	Lam. j. h. nat. 56. t. 3.
ADENANDRA. W.en.		ADENANDRA. Pentandria Monogynia. L.					
1	uniflora. W.en.	(wh.)	one-flowered.	C. B. S.	1775.	4. 7. G. h.	Bot. mag. 273.
2	acuminata. W.en.	(wh.)	acute-leaved.	_____	1812.	_____ G. h.	Lodd. bot. cab. 493.
	Diosma acuminata. B.C.	non DC.					
3	amœna. B.C.	(bh.)	charming.	_____	1798.	_____ G. h.	Bot. reg. 553.
	Diosma amœna. B.C.	161.					
4	speciosa. B.C.	(wh.)	umbel-flower'd.	_____	1790.	_____ G. h.	Bot. mag. 1271.
	umbellata. W.en.	Diosma speciosa. B.M.					
5	fragrans. R.S.	(re.)	red-flowered.	_____	1812.	5. 7. G. h.	Bot. mag. 1519.
6	villosa. R.S.	(bh.)	villous.	_____	_____	G. h.	
	Diosma villosa. DC.	non Hort. tomentosa. Hort.					
7	marginata. R.S.	(bh.)	marginate.	_____	1806.	4. 6. G. h.	
8	linearis. B.D.	(wh.)	linear-leaved.	_____	1800.	3. 7. G. h.	
BARO'SMA. W.en.		BARO'SMA. Pentandria Monogynia. L.					
1	serratifolia. W.en.	(wh.)	saw-leaved.	C. B. S.	1789.	3. 6. G. h.	Bot. mag. 456.
2	odorata. R.S.	(wh.)	odoriferous.	_____	1790.	3. 5. G. h.	Wend. coll. 1. t. 15.
	Diosma latifolia. B.C.	290.					
3	latifolia. R.S.	(wh.)	broad-leaved.	_____	_____	G. h.	Andr. rep. t. 33?
4	crenata. B.D.	(wh.)	crenated.	_____	1774.	1. 5. G. h.	Lodd. bot. cab. t. 404.
5	betulina. B.D.	(wh.)	wedge-leaved.	_____	1790.	5. 7. G. h.	
	orbicularis. Hort.	Diosma betulina. DC.					
6	ovata. B.D.	(wh.)	oval-leaved.	_____	_____	2. 9. G. h.	Bot. mag. 1616.
	Diosma ovata. B.M.						
7	pulchella. B.D.	(pu.)	blunt-leaved.	_____	1787.	2. 9. G. h.	Bot. mag. 1357.
	Diosma pulchella. B.M.	Búcco pulchella. R.S.					
8	oblónga. B.D.	(wh.)	oblong-leaved.	_____	1821.	4. 8. G. h.	
9	dioica. B.D.	(pi.)	dioecious.	_____	1816.	_____ G. h.	Bot. reg. 502.
	Diosma dioica. B.R.	linifolia. B.C. 400.					
10	angustifolia. B.D.	(bh.)	narrow-leaved.	_____	1820.	_____ G. h.	
11	foetidissima. B.D.	(bh.)	strong-scented.	_____	1818.	_____ G. h.	

MACRO'STYLIS. B.D. MACRO'STYLIS. Pentandria Monogynia.						
1 lanceolata. B.D.	(li.) spear-leaved.	C. B. S.	1824.	4. 6.	G. h.	
<i>Diósma barbata. s.s.</i>						
2 barbigerá. B.D.	(li.) beard-bearing.	—————	1826.	—	G. h.	
3 obtusa. B.D.	(li.) blunt-leaved.	—————	1824.	—	G. h.	
4 squarrosa. B.D.	(li.) squarrose.	—————	1821.	—	G. h.	
EUCHÆTIS. B.D. EUCHÆTIS. Pentandria Monogynia.						
glomerata. B.D.	(wh.) close-flowered.	C. B. S.	1821.	4. 6.	G. h.	B. et Wend. dios. t. A. f. 1.
ACMAD'ENIA. B.D. ACMAD'ENIA. Pentandria Monogynia.						
1 juniperina. B.D.	(wh.) Juniper-leaved.	C. B. S.	1818.	4. 6.	G. h.	
2 obtusata. B.D.	(re.) blunt-leaved.	—————	—	—	G. h.	
<i>Diósma obtusata. r.s.</i>						
3 lævigata. B.D.	(wh.) smooth.	—————	....	—	G. h.	Thunb. voy. 4. t. 5.
<i>Diósma tetragona. Th. non L.</i>						
4 pungens. B.D.	(wh.) pungent.	—————	1823.	—	G. h.	
5 tetragona. B.D.	(bh.) four-sided.	—————	1720.	6. 8.	G. h.	
COLEON'EMA. B.D. COLEON'EMA. Pentandria Monogynia.						
álba. B.D.	(wh.) white-flowered.	C. B. S.	1800.	3. 6.	G. h.	
<i>Diósma álba. dc. Adenandra álba. r.s.</i>						
DIO'SMA. W. en. DIO'SMA. Pentandria Monogynia. L.						
1 oppositifolia. dc.	(wh.) opposite-leav'd.	C. B. S.	1752.	3. 7.	G. h.	
2 succulenta. dc.	(wh.) succulent-ld.	—————	....	4. 6.	G. h.	Wendl. coll. 1. t. 1.
3 cupressina. dc.	(wh.) Cypress-like.	—————	1790.	6. 7.	G. h.	Lodd. bot. cab. t. 303.
4 ramosissima. B.D.	(wh.) branching.	—————	....	4. 8.	G. h.	
<i>cupressina. Lam.</i>						
5 Meyeriana. s.s.	(wh.) Meyer's.	—————	1826.	—	G. h.	
6 teretifolia. L. en.	(wh.) round-leaved.	—————	1818.	—	G. h.	
7 pectinata. dc.	(wh.) pectinated.	—————	1812.	4. 6.	G. h.	
8 subulata. dc.	(wh.) awl-leaved.	—————	—	3. 6.	G. h.	Wendl. coll. 1. t. 8.
9 rubra. dc.	(bh.) Heath-leaved.	—————	1752.	2. 5.	G. h.	Bot. reg. 563.
<i>ericifolia. Andr. rep. t. 451.</i>						
10 hirsuta. dc.	(wh.) hairy-leaved.	—————	1731.	—	G. h.	Wendl. coll. 1. t. 27.
11 ambigua. B. D.	(wh.) ambiguous.	—————	1824.	—	G. h.	
12 ericoides. dc.	(wh.) Heath-like.	—————	1756.	3. 7.	G. h.	Mill. ic. t. 124. f. 2.
13 longifolia. dc.	(wh.) long-leaved.	—————	....	—	G. h.	Wendl. coll. 1. t. 19.
AGATHO'SMA. W. en. AGATHO'SMA. Pentandria Monogynia.						
1 hispida. s.s.	(wh.) rough-leaved.	C. B. S.	1786.	6. 8.	G. h.	
2 patula. s.s.	(li.) spreading.	—————	1821.	—	G. h.	
3 brevifolia. s.s.	(li.) short-leaved.	—————	1816.	—	G. h.	
4 tenuissima. s.s.	(li.) slender-leaved.	—————	....	2. 5.	G. h.	
5 virgata. s.s.	(wh.) twiggy.	—————	1816.	4. 6.	G. h.	
6 erecta. B.D.	(wh.) upright.	—————	—	—	G. h.	Wendl. coll. p. 17. t. 13.
7 bruniaides. s.s.	(li.) Brunia-like.	—————	—	6. 8.	G. h.	
8 Thunbergiana. s.s.	(li.) Thunberg's.	—————	....	4. 6.	G. h.	
<i>Diósma ciliata. Th. non L.</i>						
9 linifolia. s.s.	(li.) Flax-leaved.	—————	1821.	—	G. h.	
10 prolifera. s.s.	(wh.) proliferous.	—————	....	4. 8.	G. h.	Wendl. coll. 3. t. 77.
11 ciliata. s.s.	(bh.) ciliated.	—————	1774.	—	G. h.	Bot. reg. 366.
12 Cerefolium. s.s.	(wh.) Chervil-scented.	—————	1790.	—	G. h.	Vent. malm. t. 93.
13 reflexa. L. en.	(li.) reflexed.	—————	1816.	6. 8.	G. h.	
14 hirta. B.R.	(pu.) hairy.	—————	1794.	5. 7.	G. h.	Bot. reg. 369.
<i>Diósma Ventenatiana. s.s. Búcco Ventenatiana. r.s.</i>						
15 laxa. s.s.	(li.) loose-branched.	—————	1816.	—	G. h.	
16 villosa. W. en.	(li.) villous.	—————	1786.	6. 8.	G. h.	Wendl. coll. 1. t. 2.
<i>Búcco villosa. r.s. Diósma Wendlandiana. dc.</i>						
17 glabrata. B.D.	(li.) smooth.	—————	1821.	—	G. h.	
18 hybrida. s.s.	(li.) hybrid.	—————	—	—	G. h.	
19 rugosa. L. en.	(wh.) rugged-leaved.	—————	1790.	4. 8.	G. h.	
20 mollis. B.D.	(wh.) soft.	—————	1824.	—	G. h.	
21 obtusa. dc.	(li.) blunt-leaved.	—————	1774.	—	G. h.	Lodd. bot. cab. 210.
<i>Diósma ciliata. B.C. non L.</i>						
a ovata.	(li.) oval-leaved.	—————	—	—	G. h.	Wendl. coll. 1. t. 13.
β oblonga.	(li.) oblong-leaved.	—————	—	—	G. h.	— 1. t. 14.
22 lanceolata.	(li.) lance-leaved.	—————	—	—	G. h.	Bot. reg. 366.
23 orbicularis. s.s.	(wh.) round-leaved.	—————	1790.	—	G. h.	
24 ambigua. dc.	(wh.) doubtful.	—————	....	—	G. h.	Lodd. bot. cab. 461.
25 imbricata. W. en.	(li.) imbricated.	—————	1774.	—	G. h.	Wendl. coll. 1. t. 9.
26 acuminata. W. en.	(pa.) taper-pointed.	—————	1812.	—	G. h.	— 1. t. 28.
<i>Diósma cordata. Hort.</i>						
27 obtusata.	(li.) obtuse-leaved.	—————	1816.	—	G. h.	Wendl. coll. 3. p. 7. t. 76.

EMPLEURUM. DC.	EMPLEURUM.	Monœcia Tetrandria.				
serrulatum. DC. (st.)	saw-leaved.	C. B. S.	1774.	6. 7.	G. h̄.	Sm. exot. bot. 2. t. 63.
CORREA. DC.	CORREA.	Octandria Monogynia.				
1 álba. DC. (wh.)	white.	N. S. W.	1793.	4. 7.	G. h̄.	Andr. bot. rep. 18.
2 rufa. DC. (wh.)	rusty-leaved.	_____	1819.	_____	G. h̄.	Labill. voy. 2. t. 17.
3 pulchella. S.F.A. (pi.)	pretty.	N. Holland.	1824.	11. 5.	G. h̄.	Sweet fl. aust. t. 1.
4 speciosa. DC. (re.)	red-flowered.	N. S. W.	1806.	_____	G. h̄.	Bot. reg. 26.
5 virens. DC. (gr.)	green-flowered.	_____	1800.	_____	G. h̄.	Sm. exot. bot. 2. t. 72.
PHEBALIUM. DC.	PHEBALIUM.	Decandria Monogynia.				
1 squamulosum. DC. (wh.)	scaly.	N. S. W.	1820.	4. 6.	G. h̄.	Vent. malm. t. 102.
2 elatum. F.T. (wh.)	tall.	_____	1823.	4. 8.	G. h̄.	
3 aureum. F.T. (ye.)	golden.	_____	_____	_____	G. h̄.	
4 lachnoides. F.T. (wh.)	Lachnœa-like.	_____	_____	_____	G. h̄.	
5 lineare. $\psi$ . (wh.)	linear-leaved.	N. Holland.	1825.	....	G. h̄.	
6 salicifolium. $\psi$ . (wh.)	Willow-leaved.	_____	_____	_____	G. h̄.	
CROWEA. DC.	CROWEA.	Decandria Monogynia.				
saligna. DC. (pi.)	Willow-leaved.	N. S. W.	1790.	7. 12.	G. h̄.	Bot. mag. 989.
ERIOSTEMON. DC.	ERIOSTEMON.	Decandria Monogynia.				
1 buxifolium. DC. (li.)	Box-leaved.	N. S. W.	1822.	4. 6.	G. h̄.	
2 salicifolium. DC. (re.)	Willow-leaved.	_____	_____	_____	G. h̄.	Bot. mag. 2854.
3 cuspidatum. F.T. (wh.)	sharp-pointed.	_____	1823.	4. 8.	G. h̄.	Lodd. bot. cab. 1247.
4 obovale. F.T. (li.)	oboval-leaved.	_____	_____	_____	G. h̄.	
5 lanceolatum. DC. (li.)	spear-leaved.	_____	_____	_____	G. h̄.	
6 linearifolium. DC. (wh.)	linear-leaved.	_____	_____	_____	G. h̄.	
7 squammeum. DC. (wh.)	scaly.	N. Holland.	1822.	_____	G. h̄.	Lab. nov. hol. 1. t. 141.
8 ericæfolium. M.C. (li.)	Heath-leaved.	_____	1825.	_____	G. h̄.	
PHILOTHECA. L.T.	PHILOTHECA.	Monadelphia Decandria.				
australis. L.T. (bh.)	Salsola-leaved.	N. S. W.	1822.	_____	G. h̄.	Linn. trans. 11. t. 21.
BORONIA. DC.	BORONIA.	Octandria Monogynia.				
1 pinnata. DC. (re.)	Hawthorn-scent'd.	N. S. W.	1794.	2. 5.	G. h̄.	Bot. mag. 1763.
2 tetrandra. DC. (re.)	tetrandrous.	N. Holland.	1824.	....	G. h̄.	Lab. nov. hol. 1. t. 125.
3 anemonæfolia. F.T. (re.)	Anemone-leav'd.	N. S. W.	_____	5. 8.	G. h̄.	
4 alata. DC. (re.)	winged-leaved.	N. Holland.	_____	4. 8.	G. h̄.	Sweet fl. aust. t. 48.
5 serrulata. DC. (re.)	rose-scented.	N. S. W.	1816.	2. 5.	G. h̄.	Bot. reg. 842.
6 denticulata. DC. (re.)	tooth-leaved.	N. Holland.	1823.	4. 8.	G. h̄.	_____1000.
7 parviflora. DC. (re.)	small-flowered.	N. S. W.	1826.	_____	G. h̄.	Smith's tracts. t. 6.
8 polygalæfolia. DC. (re.)	Polygala-ld.	_____	1824.	....	G. h̄.	_____ t. 7.
9 ledifolia. DC. (re.)	Ledum-leaved.	_____	_____	....	G. h̄.	
CYMINOSMA. DC.	CYMINOSMA.	Octandria Monogynia.				
1 pedunculata. DC. (wh.)	peduncled.	E. Indies.	1800.	....	G. h̄.	Vahl. symb. 3. t. 61.
Jambolifera pedunculata. w.						
2 odorata. DC. (wh.)	sweet-scented.	China.	1818.	....	G. h̄.	
ZIERIA. DC.	ZIERIA.	Tetrandria Monogynia.				
1 lanceolata. DC. (wh.)	spear-leaved.	N. S. W.	1808.	4. 7.	G. h̄.	Bot. mag. 1395.
Smithii. Bot. rep. 606.						
2 macrophylla. DC. (wh.)	large-leaved.	_____	1820.	_____	G. h̄.	
3 lævigata. DC. (wh.)	smooth-leaved.	_____	1822.	_____	G. h̄.	
4 octandra. (gr.)	octandrous.	_____	1825.	4. 6.	G. h̄.	
5 obcordata. F.T. (wh.)	obcordate.	_____	1824.	_____	G. h̄.	
6 revoluta. F.T. (wh.)	revolute.	_____	_____	3. 5.	G. h̄.	
7 microphylla. DC. (wh.)	small-leaved.	_____	_____	_____	G. h̄.	
8 pilosa. DC. (wh.)	hairy.	_____	_____	_____	G. h̄.	Linn. trans. 10. t. 17. f. 2.
9 hirsuta. DC. (wh.)	hirsute.	_____	_____	_____	G. h̄.	
MELICCOPE. DC.	MELICCOPE.	Octandria Monogynia.				
ternata. DC. ....	ternate-leaved.	N. Zealand.	1822.	....	G. h̄.	Lam. ill. t. 294.
EVODIA. DC.	EVODIA.	Tetrandria Monogynia.				
triphyllo. DC. (wh.)	three-leaved.	Pulo Penang.	1820.	....	S. h̄.	Rumph. amb. 2. t. 62.
Fagàra triphyllo. F.I.						
ZANTHOXYLUM. DC.	ZANTHOXYLUM.	Tetrandria Monogynia et Dicœcia Pentandria.				
1 tragodes. DC. (wh.)	prickly-leaved.	St. Domingo.	1759.	8. 9.	S. h̄.	Jacq. amer. 21. t. 14.
Fagàra tragodes. w.						
2 affine. K.S. (wh.)	related.	Mexico.	1826.	....	G. h̄.	
3 Pterota. DC. (wh.)	Lentiscus-ld.	W. Indies.	1768.	_____	S. h̄.	Br. jam. 146. t. 5. f. 1.
Fagàra lentiscifolia. W. en.						
4 piperitum. DC. (wh.)	Ash-leaved.	Japan.	1773.	9.	G. h̄.	Kæmpf. am. t. 893.
5 Avicennæ. DC. (wh.)	short-panicled.	China.	1823.	....	G. h̄.	Lob. ic. 2. t. 133. f. 2.
6 heterophyllum. DC. (wh.)	various-leav'd.	Bourbon.	_____	....	S. h̄.	
7 emarginatum. DC. (wh.)	notch-leaved.	Jamaica.	1739.	....	S. h̄.	Sloan. j. 2. t. 168. f. 4.
8 acuminatum. DC. (wh.)	taper-pointed.	_____	1818.	....	S. h̄.	

9 spinòsum. DC.	(wh.) spiny.	Jamaica.	1824.	....	S. h.	
10 tricárpum. DC.	(gr.) Ash-leaved.	N. America.	1806.	....	H. h.	Cat. car. 1. t. 26.
11 fraxíneum. DC.	(gr.) common.	————	1759.	3. 4.	H. h.	Duham. arb. 1. t. 97.
12 míte. DC.	(gr.) soft-leaved.	————	1812.	—	H. h.	
13 hermaphrodítum. DC.	(wh.) hermaphrodite.	Guiana.	1823.	....	S. h.	Aubl. gui. 1. t. 30.
14 juglandifólium. DC.	(wh.) Walnut-leaved.	W. Indies.	1822.	....	S. h.	Pluk. t. 239. f. 6.
15 ClávaHérculis. L.	(wh.) clubbed.	————	1739.	4. 5.	S. h.	— t. 239. f. 4.
16 aromáticum. DC.	(wh.) aromatic.	St. Domingo.	1823.	....	S. h.	Jacq. f. ecl. 1. t. 70.
17 armátum. DC.	(wh.) armed.	E. Indies.	1816.	....	S. h.	
18 nítidum. DC.	(wh.) shining-leaved.	China.	1822.	2. 3.	G. h.	Bot. mag. 2558.
19 sapindoídes. DC.	(wh.) Licca-tree.	Jamaica.	....	....	G. h.	Br. jam. 207. t. 20. f. 2.
<i>Sapíndus spinòsus. L.</i>						
SPIRANTH'ERA. DC.	SPIRANTH'ERA. Pentandria Monogynia.					
odoratíssima. DC.	(bh.) Jasmine-scent'd.	Brazil.	1823.	....	S. h.	N.etMart.ac.b.xi.t.31.
<i>Terpnánthus jasmíniodòrus. Nees.</i>						

## Tribus II. CUSPARIEÆ. DC.

MONNIE'RA. DC.	MONNIE'RA. Monadelphia Diandria.					
trifólia. DC.	(wh.) three-leaved.	Guiana.	1792.	7. 8.	S. ⊙.	Aubl. gui. 2. t. 293.
TICO'REA. DC.	TICO'REA. Pentandria Monogynia.					
1 fe'tida. DC.	(wh.) strong-scented.	Guiana.	1825.	....	S. h.	Aubl. gui. 2. t. 277.
2 jasmíniflòra. DC.	(wh.) Jasmine-fl'd.	Brazil.	1827.	....	S. h.	N.etMa.n.ac.b.11.t.18.
GALIP'EA. DC.	GALIP'EA. Diandria Monogynia.					
trifoliáta. DC.	(gr.) three-leaved.	Guiana.	1803.	....	S. h.	Aubl. gui. 2. t. 269.

## ORDO LVII.

## SIMARUBEÆ. DC. prodr. 1. p. 733.

QUA'SSIA. DC.	QUA'SSIA. Decandria Monogynia.		L.			
amára. DC.	(re.) bitter.	Guiana.	1790.	6. 7.	S. h.	Bot. mag. 497.
SIMAR'UBA. DC.	SIMAR'UBA. Monœcia Decandria.					
1 officinális. DC.	(wh.) officinal.	Guiana.	1787.	....	S. h.	Aub. gui. 2. t. 331-2.
<i>Quássia Simarùba. L. Simarùba amára. Aub.</i>						
2 gláuca. DC.	(wh.) glaucous-leav'd.	Cuba.	1824.	....	S. h.	
3 excélsa. DC.	(wh.) tall.	Jamaica.	1822.	....	S. h.	Sw.act.holm.1788.t.8.
<i>Quássia excélsa. Sw.</i>						
SIM'ABA. DC.	SIM'ABA. Decandria Monogynia.					
guyanénsis. DC.	(wh.) Guiana.	Guiana.	1822.	....	S. h.	Aub. gui. 1. t. 153.
<i>Zwíngera amára. W.</i>						

## ORDO LVIII.

## OCHNACEÆ. DC. prodr. 1. p. 735.

O'CHNA. DC.	O'CHNA. Polyandria Monogynia.		L.			
1 squarròsa. R.C.	(ye.) blunt-leaved.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 89.
2 lúcida. DC.	(pu.) acute-leaved.	————	1818.	—	S. h.	Lam. ill. t. 472. f. 1.
3 nítida. DC.	(wh.) shining.	C. B. S.	1816.	....	S. h.	DC.ann.m.17.n.3.t.2.
4 multiflòra. DC.	(ye.) many-flowered.	SierraLeon.	1822.	....	S. h.	— n. 4. t. 3.
5 mauritiána. DC.	(ye.) Mauritius.	Mauritius.	—	....	S. h.	— n. 8. t. 5.
6 atropurpùrea. DC.	(ye.) purple-calyxed.	C. B. S.	1816.	....	S. h.	Pluk. alm. t. 263. f. 1. 2.

GO'MPHIA. DC.		Go'MPHIA. Decandria Monogynia. W.				
1 obtusifolia. DC.	( <i>ye.</i> ) blunt-leaved.	Madagascar.	1803.	....	S. h.	DC. ann. mus. n. 4. t. 8.
	<i>Ochna laevigata</i> . Vahl.					
2 guianensis. DC.	( <i>ye.</i> ) Guiana.	Guiana.	1825.	....	S. h.	DC. ann. mus. n. 7. t. 9.
3 Jabotápita. DC.	( <i>ye.</i> ) spear-leaved.	W. Indies.	1818.	....	S. h.	Lam. ill. 472. f. 2.
4 nitida. DC.	( <i>ye.</i> ) glossy-leaved.	—————	1803.	....	S. h.	DC. an. mus. n. 13. t. 13.
5 laurifolia. DC.	( <i>ye.</i> ) laurel-leaved.	—————	1822.	...	S. h.	————— n. 15. t. 15.
6 mexicana. DC.	( <i>ye.</i> ) Mexican.	Mexico.	1825.	....	G. h.	H. et B. pl. æq. 2. t. 74.
WALK'ERA. DC.		WALK'ERA. Pentandria Monogynia.				
serrata. DC.	( <i>ye.</i> ) saw-leaved.	E. Indies.	1824.	....	S. h.	Rheed. mal. 5. t. 48.

## ORDO LIX.

CORIARIEÆ. DC. *prodr.* 1. p. 739.

CORIARIA. DC.		CORIARIA. Mono-Diœcia Decandria.				
1 myrtifolia. DC.	( <i>gr.</i> ) Myrtle-leaved.	S. Europe.	1629.	5. 8.	H. h.	Dubam. arb. 1. t. 73.
2 sarmentosa. DC.	( <i>gr.</i> ) sarmentose.	N. Zealand.	1820.	7. 9.	G. 4.	Bot. mag. 2470.

## \*\* SUBCLASSIS II. CALYCIFLORÆ.

## ORDO LX.

CELASTRINEÆ. *Brown gen. rem.* p. 22.Tribus I. STAPHYLEACEÆ. DC. *prodr.* 2. p. 2.

STAPHYLEA. DC.		BLADDER-NUT. Pentandria Trigynia. L.				
1 trifolia. DC.	( <i>wh.</i> ) three-leaved.	N. America.	1640.	5. 6.	H. h.	Schmidt. arb. t. 80.
2 Bumálda. DC.	( <i>wh.</i> ) Japan.	Japan.	1804.	6. 9.	G. h.	
	<i>Bumálda trifolia</i> . Th.					
3 pinnata. DC.	( <i>wh.</i> ) five-leaved.	England.	....	4. 6.	H. h.	Eng. bot. 1560.
TURPINIA. DC.		TURPINIA. Polygamia Diœcia. DC.				
paniculata. DC.	( <i>wh.</i> ) paniced.	W. Indies.	1826.	....	S. h.	Vent. choix. t. 31.
	<i>Dalrymplea domingensis</i> . s. s.					
DALRYMPLEA. R.C.		DALRYMPLEA. Pentandria Monogynia. F.I.				
pomifera. R.C.	( <i>wh.</i> ) Apple-bearing.	E. Indies.	1823.	....	S. h.	Roxb. corom. 3. t. 279.
	<i>Turpinia pomifera</i> . DC.					

## Tribus II. EUONYMEÆ. DC.

EUONYMUS. DC.		SPINDLE-TREE. Pentandria Monogynia. L.				
1 japonicus. DC.	( <i>wh.</i> ) Japan.	Japan.	1804.	6. 8.	G. h.	Kæmpf. ic. t. 8.
2 europæus. DC.	( <i>wh.</i> ) common.	Britain.	....	5. 7.	H. h.	Eng. bot. 362.
3 verrucosus. DC.	( <i>pu.</i> ) warted.	Austria.	1763.	5. 6.	H. h.	Schmidt arb. t. 72.
4 latifolius. DC.	( <i>gr.</i> ) broad-leaved.	S. Europe.	1730.	5. 7.	H. h.	————— t. 74.
5 atropurpureus. DC.	( <i>d. pu.</i> ) dark-purple.	N. America.	1756.	—	H. h.	Jacq. vind. 2. t. 120.
6 americanus. DC.	( <i>st.</i> ) evergreen.	—————	1683.	6. 7.	H. h.	Schmidt arb. t. 75.
7 sarmentosus. N.	( <i>st.</i> ) sarmentose.	—————	1823.	—	H. h.	
8 obovatus. N.	( <i>gr.</i> ) obovate-leaved.	—————	—————	—	H. h.	

9	angustifolius, DC. (st.)	narrow-leaved.	Georgia.	1806.	—	H. 𐄂.	
10	lucidus, D.P. (wh.)	shining-leaved.	Nepaul.	1820.	6. 7.	H. 𐄂.	
11	micranthus, D.P. (wh.)	small-flowered.	—	—	—	.... H. 𐄂.	
12	chinensis, DC. (wh.)	Chinese.	China.	1822.	5. 6.	H. 𐄂. 𐄂.	
13	lacerus, D.P. (wh.)	torn.	Nepaul.	1820.	6. 7.	H. 𐄂.	
14	grandiflorus, F.I. (wh.)	large-flowered.	—	1823.	—	H. 𐄂.	
15	echinatus, F.I. (st.)	spinous-fruited.	—	—	4. 5.	H. 𐄂. 𐄂.	Bot. mag. 2767.
CELASTRUS, DC.		STAFF-TREE.	Pentandria Monogynia.	L.			
1	oleoides, DC. (wh.)	Olive-leaved.	C. B. S.	1823.	5. 6.	G. 𐄂.	
2	ptercarpus, DC. (wh.)	wing-capsuled.	—	1816.	5. 8.	G. 𐄂.	Burm. afr. t. 97. f. 1.
3	rostratus, DC. (wh.)	beaked.	—	1821.	—	G. 𐄂.	
4	tricuspidatus, DC. (wh.)	three-pointed.	—	1816.	5. 6.	G. 𐄂.	Buchoz. dec. 6. t. 3.
	<i>Cassine laevigata</i> , Lam.	<i>Olea capensis</i> .	Buchoz.				
5	lucidus, DC. (wh.)	shining.	C. B. S.	1722.	4. 9.	G. 𐄂.	L'Her. stirp. 1. t. 25.
6	macrocarpus, DC. (wh.)	large-capsuled.	Peru.	1826.	....	G. 𐄂.	Flor. per. 3. t. 230. f. 16.
7	bullatus, DC. (wh.)	scarlet-fruited.	Virginia.	1759.	7.	H. 𐄂. 𐄂.	Pluk. alm. t. 28. f. 5.
8	scandens, DC. (wh.)	climbing.	N. America.	1736.	5. 6.	H. 𐄂. 𐄂.	Duham. arb. 1. t. 95.
9	punctatus, DC. (wh.)	spotted-stalked.	Japan.	1816.	....	G. 𐄂. 𐄂.	
10	nütans, F.I. (wh.)	drooping-fld.	E. Indies.	1824.	....	S. 𐄂. 𐄂.	
11	cassinoides, DC. (wh.)	crenated.	Canaries.	1779.	8. 9.	G. 𐄂.	L'Her. sert. ang. t. 10.
12	lycioides, DC. (wh.)	Box-thorn-like.	—	1821.	—	G. 𐄂.	
13	cérnuus, DC. (wh.)	drooping.	C. B. S.	1815.	5. 6.	G. 𐄂.	
14	myrtifolius, DC. (wh.)	Myrtle-leaved.	Jamaica.	....	6. 8.	S. 𐄂.	Sloan. jam. 2. t. 193. f. 1.
15	tetragonus, DC. (wh.)	four-sided.	—	1816.	—	G. 𐄂.	
16	ilicifolius, DC. (wh.)	Holly-leaved.	Brazil.	1824.	....	S. 𐄂.	
17	ilicinus, DC. (wh.)	Ilex-like.	C. B. S.	1816.	5. 8.	G. 𐄂.	
18	retusus, DC. (wh.)	notched.	Peru.	1823.	—	G. 𐄂.	Flor. per. 3. t. 229. f. a.
	<i>emarginatus</i> , F.P. non w.						
19	linearis, DC. (wh.)	linear-leaved.	C. B. S.	1823.	5. 8.	G. 𐄂.	
20	emarginatus, DC. (st.)	emarginate.	E. Indies.	1820.	....	S. 𐄂.	
21	buxifolius, DC. (wh.)	Box-leaved.	C. B. S.	1752.	5. 8.	G. 𐄂.	Bot. mag. 2114.
22	cymosus, B.M. (wh.)	cyme-flowered.	—	1815.	6. 8.	G. 𐄂.	— t. 2070.
23	multiflorus, DC. (wh.)	many-flowered.	—	1816.	5. 8.	G. 𐄂.	
24	pyracanthus, DC. (wh.)	red-fruited.	—	1752.	—	G. 𐄂.	Bot. mag. 1167.
25	flexuosus, DC. (wh.)	flexuose.	—	1816.	—	G. 𐄂.	
26	montanus, DC. (wh.)	mountain.	E. Indies.	1824.	....	S. 𐄂.	
PLECTRONIA, W.		PLECTRONIA.	Pentandria Monogynia.				
	ventosa, w. (wh.)	corymbed.	C. B. S.	1816.	....	G. 𐄂.	Burm. afr. t. 94?
	<i>corymbosa</i> , P.S. <i>Celastrus?</i> <i>Plectronia</i> , DC.						
MAYTENUS, DC.		MAYTENUS.	Pentandria Monogynia.				
1	octogonus, DC. (gr.)	angular-leaved.	Peru.	1786.	10. 11.	G. 𐄂.	
	<i>Celastrus octogonus</i> , w. <i>Senecia octogona</i> , Lam.						
2	chilensis, DC. (re.)	Chile.	Chile.	1824.	....	G. 𐄂.	Feuill. obs. 3. t. 27.
3	verticillatus, DC. (gr.)	whorled.	Peru.	1823.	9. 11.	G. 𐄂.	Flor. per. 3. t. 229. B.
ELEODENDRON, DC.		OLIVE-WOOD.	Pentandria Monogynia.				
1	orientale, DC. (wh.)	taper-leaved.	Madagascar.	1771.	....	S. 𐄂.	Jacq. ic. 1. t. 48.
	<i>indicum</i> , Gaert. fruct. 1. t. 57. <i>Rubertia olivina</i> , J.						
2	glaucum, DC. (st.)	glaucous.	Ceylon.	1823.	....	S. 𐄂.	Rottb. n. a. hav. 2. t. 4. f. 1.
3	xylocarpum, DC. (wh.)	leathery-leaved.	Antilles.	1816.	7. 8.	S. 𐄂.	Vent. choix. t. 23.
	<i>Cassine xylocarpa</i> , Vent.						
4	australe, DC. (wh.)	thick-leaved.	N. S. W.	1796.	6. 8.	G. 𐄂.	Vent. malm. t. 117.
	<i>Portenschlágia australis</i> , Tratt. arch. t. 250. <i>Lamarcia dentata</i> , Hort.						
5	integrifolium, (wh.)	entire-leaved.	N. S. W.	—	—	G. 𐄂.	Tratt. arch. t. 284.
	<i>Portenschlágia integrifolia</i> , Tratt.						
6?	croceum, DC. (wh.)	Cape Holly.	C. B. S.	1794.	5. 6.	G. 𐄂.	
	<i>Ilex crocea</i> , w.						
PTELDIDIUM, DC.		PTELDIDIUM.	Tetrandria Monogynia.				
	ovatum, DC. (gr.)	oval-leaved.	Madagascar.	1825.	....	S. 𐄂.	Pet. Th. veg. afr. 1. t. 2.

## Tribus III. AQUIFOLIACEÆ. DC. prod. 2. p. 11.

CASSINE, DC.		CASSINE.	Pentandria Trigynia.	L.			
1	Maurocènia, DC. (wh.)	Hottentot-cherry.	C. B. S.	1690.	7. 8.	G. 𐄂.	Dill. elt. t. 121. f. 147.
2	capensis, DC. (wh.)	Cape Phillyrea.	—	1629.	—	G. 𐄂.	— t. 236. f. 305.
3	Colpoón, w. (wh.)	Colpoon-tree.	—	1791.	—	G. 𐄂.	Burm. afr. t. 86.

4	bárbara. R.S.	(wh.)	quadrangular.	C. B. S.	1816.	—	G. h.	
5	æthiópica. R.S.	(wh.)	Æthiopian.	—	—	—	G. h.	
6	oppositifolia. DC.	(wh.)	opposite-leaved.	—	—	—	S. h.	
7	excélsa. F.I.	(wh.)	tall.	Nepaul.	1823.	—	G. h.	
<b>HARTOGIA. DC.</b>			<b>HARTOGIA. Tetrandria Monogynia.</b>					
	capénsis. DC.	(wh.)	Cape.	C. B. S.	1816.	—	G. h.	Thunb. n. gen. 5. p. 55. ic.
	<i>Schrœbera schinoides.</i> Th. prodr. t. 2. <i>Elæodéndron schinoides.</i> s.s.							
<b>CURTISIA. DC.</b>			<b>CURTISIA. Tetrandria Monogynia.</b>					
	fagínea. DC.	(wh.)	Hassagay-tree.	C. B. S.	1775.	—	G. h.	Burm. afr. 235. t. 82.
<b>MYGINDA. DC.</b>			<b>MYGINDA. Tetrandria Tetragynia.</b>					
1	Uragôna. DC.	(pu.)	saw-leaved.	S. America.	1790.	8. 9.	S. h.	Jacq. amer. 24. t. 16.
2	myrtifolia. DC.	(wh.)	Myrtle-leaved.	N. America.	1818.	5. 8.	H. h.	
	<i>Ilex myrsinites.</i> Ph.							
3	Rhácoma. DC.	(re.)	blunt-leaved.	Jamaica.	1798.	—	S. h.	Jacq. ic. 2. t. 311.
4	latifolia. DC.	(wh.)	broad-leaved.	W. Indies.	1795.	4. 5.	S. h.	
<b>ILEX. DC.</b>			<b>HOLLY. Tetrandria Tetragynia. L.</b>					
1	Aquifolium. DC.	(wh.)	common.	Britain.	—	4. 6.	H. h.	Eng. bot. 496.
	$\beta$ heterophylla.	(wh.)	various-leaved.	—	—	—	H. h.	
	$\gamma$ crassifolia.	(wh.)	thick-leaved.	—	—	—	H. h.	
	$\delta$ ferôx.	(wh.)	hedgchog.	—	—	—	H. h.	
	$\epsilon$ echinata.	(wh.)	striped hedgchog.	—	—	—	H. h.	
	$\zeta$ flavâ.	(wh.)	yellow-berried.	—	—	—	H. h.	
	$\eta$ senescens.	(wh.)	spineless.	—	—	—	H. h.	
	$\theta$ albo-marginata.	(w.)	white-edged.	—	—	—	H. h.	
	$\iota$ aureo-marginata.	(w.)	gold-edged.	—	—	—	H. h.	
	$\kappa$ picta.	(wh.)	painted.	—	—	—	H. h.	
2	recurva. L.en.	(wh.)	recurved-spined.	—	—	—	H. h.	
3	baleàrica. DC.	(wh.)	Minorca.	Minorca.	1815.	5. 6.	H. h.	
4	Perádo. DC.	(bh.)	thick-leaved.	Madeira.	1760.	4. 5.	F. h.	Lodd. bot. cab. 549.
	$\beta$ obtusa. DC.	(bh.)	blunt-leaved.	—	—	—	F. h.	Duham. ed. nov. 1. t. 2.
5	canariénsis. DC.	(wh.)	Canary.	Canaries.	1818.	5. 6.	F. h.	
6	opâca. DC.	(wh.)	Carolina.	Carolina.	1744.	—	F. h.	Wats. dend. brit. t. 3.
7	laxiflôra. DC.	(wh.)	loose-flowered.	—	—	—	F. h.	
8	chinénsis. DC.	(wh.)	Chinese.	China.	1810.	4. 5.	F. h.	Bot. mag. 2043.
9	Dahoôn. DC.	(wh.)	Dahoon.	Carolina.	1726.	5. 6.	F. h.	Willd. hort. ber. 1. t. 31.
	$\beta$ laurifolia. DC.	(wh.)	large-leaved.	—	—	—	F. h.	Wats. dend. brit. t. 114.
10	Cassine. DC.	(wh.)	Cassine-like.	—	—	—	F. h.	Catesb. car. 1. t. 31.
11	angustifolia. DC.	(wh.)	narrow-leaved.	N. America.	1806.	5. 6.	F. h.	Wats. dend. brit. t. 4.
12	vomitôria. DC.	(wh.)	South-sea Tea.	Florida.	1700.	6. 7.	F. h.	Jacq. ic. 2. t. 310.
13	latifolia. DC.	(wh.)	broad-leaved.	Japan.	1824.	—	F. h.	
14	serrâta. DC.	(wh.)	saw-leaved.	—	—	—	F. h.	
15	myrtifolia. DC.	(wh.)	Myrtle-leaved.	W. Indies.	1806.	7. 8.	S. h.	
16	salicifolia. DC.	(wh.)	Willow-leaved.	Mauritius.	1818.	4. 5.	S. h.	Jacq. col. 5. t. 2. f. 2.
	<i>Burglaria lucida.</i> Wendl.							
17	Macouécua. DC.	(wh.)	acuminate.	Trinidad.	1826.	—	S. h.	Aubl. gui. 1. t. 34.
18	paraguariénsis. DC.	(w.)	Paraguay Tea.	Brazil.	1823.	—	S. h.	Lamb. pin. ic.
<b>PRINOS. DC.</b>			<b>WINTER BERRY. Hexandria Monogynia. L.</b>					
1	decíduus. DC.	(wh.)	deciduous.	N. America.	1760.	6. 7.	H. h.	Wats. dend. brit. 115.
	<i>Ilex prinoides.</i> R.S.							
2	ambíguus. DC.	(wh.)	Carolina.	—	1812.	7. 8.	H. h.	Wats. dend. t. 29.
3	verticillâtus. DC.	(wh.)	whorled.	—	1736.	—	H. h.	— t. 30.
	<i>padifolius.</i> W. en.							
4	lævigâtus. DC.	(wh.)	smooth.	—	1812.	—	H. h.	Wats. dend. t. 28.
5	lanceolâtus. DC.	(wh.)	scarlet berried.	—	1811.	6. 7.	H. h.	
6	prunifolius. DF.	(wh.)	Plum-leaved.	—	1820.	—	H. h.	
7	glâber. DC.	(wh.)	ever-green.	—	1759.	7. 8.	H. h.	Wats. dend. brit. t. 27.
8	atomârius. DC.	(wh.)	atomiferous.	Georgia.	1820.	6. 7.	H. h.	
9	coriâceus. DC.	(wh.)	leathery-leaved.	—	—	—	H. h.	
10	lúcídus. DC.	(wh.)	shining-leaved.	—	1778.	—	F. h.	
<b>NEMOPANTHES. DC.</b>			<b>NEMOPANTHES. Polygamia Diœcia.</b>					
	canadénsis. DC.	(wh.)	Canadian.	N. America.	1812.	6. 7.	H. h.	DC. pl. rar. gen. t. 3.
	<i>Ilex canadensis.</i> Mich. fl. amer. 2. t. 49.							

## ORDO LXI.

RHAMNEÆ. DC. *prodr.* 2. p. 19.

ZIZYPHUS. R.S.	ZIZYPHUS.	Pentandria	Monogynia.	R.S.			
1 Lôtus. R.S.	(st.) Barbary.	Africa.	1731.	....	G. h.	Desf. act. ac. 1788. t. 21.	
2 mucronâta. W.en.(st.)	mucronate.	C. B. S.	1820.	....	G. h.		
<i>bubalina</i> . R.S.							
3 sinénsis. R.S.	(wh.) Chinese.	China.	1818.	5. 6.	H. h.		
4 Oenóplia. R.S.	(st.) oblique-leaved.	Ceylon.	....	....	S. h.	Burm. zeyl. 131. t. 61.	
5 Jujûba. R.S.	(st.) blunt-leaved.	E. Indies.	1759.	4. 5.	S. h.	Rheed. mal. 4. t. 41.	
6 sorôria. R.S.	(ye.) sister.	—	1823.	....	S. h.		
7 âlbens. F.I.	(wh.) white-fruited.	China.	1822.	....	G. h.		
8 Spina Christi. R.S.(st.)	Christ's-thorn.	Egypt.	....	4. 5.	G. h.	Pluk. alm. t. 197. f. 3.	
9 Napêca. R.S.	(wh.) spotted-fruited.	Ceylon.	1816.	....	S. h.	— t. 216. f. 6.	
10 vulgâris. R.S.	(ye.) common.	S. Europe.	1640.	8. 9.	H. h.	Pall. ross. 2. t. 59.	
11 nítida. F.I.	(ye.) shining.	China.	1822.	....	G. h.		
12 Xylop'yrus. R.S.	(ye.) cork-barked.	E. Indies.	—	....	S. h.		
13 Caracútta. F.I.	(ye.) villous-branch'd.	—	1820.	....	S. h.		
14 microphy'lla. F.I.	(ye.) small-leaved.	—	1824.	....	S. h.	Pluk. alm. t. 197. f. 2.	
15 incúrva. F.I.	(gr.) incurved.	Nepaul.	1820.	5. 6.	F. h.		
16 flexuôsa. F.I.	(ye.) flexuose.	—	—	....	F. h.		
PALFURUS. DC.	CHRIST'S-THORN.	Pentandria	Trigynia.				
1 aculeâtus. DC.	(ye.) common.	S. Europe.	1596.	6. 7.	H. h.	Bot. mag. 1893.	
<i>austrâlis</i> . R.S. <i>vulgâris</i> . D.P.	<i>Zizyphus Paliurus</i> . B.M.						
2 virgâtus. DC.	(ye.) twiggy.	Nepaul.	1819.	8. 9.	H. h.	Bot. mag. t. 2535.	
COND'ALIA.	COND'ALIA.	Pentandria	Monogynia.				
microphy'lla. DC.	(gr.) small-leaved.	Chili.	1824.	....	G. h.	Cav. ic. 6. t. 525.	
BERCH'EMIA. DC.	BERCH'EMIA.	Pentandria	Monogynia.				
1 volûbilis. DC.	(gr.) climbing.	Carolina.	1714.	6. 7.	H. h.	Jacq. ic. 2. t. 336.	
<i>Rhâmnus volûbilis</i> . L.	<i>Zizyphus volûbilis</i> . w. <i>Oenophia volûbilis</i> . R.S.						
2 lineâta. DC.	(wh.) lined.	China.	1804.	....	G. h.	Osborne. it. 219. t. 7.	
3 floribûnda. Bro.	(wh.) many-flowered.	Nepaul.	1827.	....	G. h.	Brong. m. ram. pl. 2. f. 1.	
SAGER'ETIA. Bro.	SAGER'ETIA.	Pentandria	Monogynia.				
1 theêzans. Bro.	(gr.) Tea-like.	China.	....	9. 12.	G. h.		
<i>Rhâmnus theêzans</i> . L.							
2 hamôsa. Bro.	(gr.) hook-thorned.	Nepaul.	1826.	....	G. h.		
<i>Zizyphus hamôsa</i> . F.I.							
RHAMNUS. DC.	BUCKTHORN.	Pentandria	Monogynia. L.				
1 Alaternus. DC.	(ye.) Alaternus.	S. Europe.	1629.	4. 6.	H. h.	Duham. ed. nov. 3. t. 14.	
<i>â latifolius</i> .	(ye.) broad-leaved.	—	....	—	H. h.		
<i>β baleâricus</i> . DC.	(ye.) round-leaved.	—	....	—	H. h.		
<i>γ hispânicus</i> . DC.	(ye.) Spanish.	—	....	—	H. h.		
<i>δ vulgâris</i> . DC.	(ye.) oval saw-leaved.	—	....	—	H. h.		
<i>ε glâber</i> .	(ye.) smooth-leaved.	—	....	—	H. h.		
<i>ζ integrifolius</i> .	(ye.) entire-leaved.	—	....	—	H. h.		
<i>η maculâtus</i> .	(ye.) spot-leaved.	—	....	—	H. h.		
<i>θ âureus</i> .	(ye.) gold-striped.	—	....	—	H. h.		
<i>ι argenteus</i> .	(ye.) silver-striped.	—	....	—	H. h.		
2 Clûsi. W.en.	(gr.) narrow-leaved.	—	1629.	—	H. h.	Clus. hist. 1. p. 50.	
3 hy'bridus. DC.	(gr.) hybrid.	Hybrid.	....	5. 6.	H. h.	L'Her. sert. t. 5.	
4 glandulôsa. DC.	(gr.) Madeira.	Canaries.	1785.	6. 7.	G. h.	Vent. malm. t. 34.	
5 integrifolius. DC.	(gr.) Teneriffe.	—	1820.	—	G. h.	Nees hor. phys. t. 22.	
<i>coriâceus</i> . Nees.							
6 longifolius. DC.	(gr.) long-leaved.	N. America?	1822.	5. 6.	H. h.		
7 prinoides. DC.	(gr.) Prinos-leaved.	C. B. S.	1778.	8. 9.	G. h.	L'Her. sert. ang. t. 9.	
8 celtifolius. DC.	(gr.) Celtis-leaved.	—	....	—	G. h.	Burm. afr. 242. t. 88.	
9 cathârticus. DC.	(gr.) purging.	England.	....	5. 6.	H. h.	Eng. bot. 1629.	
10 virgâtus. DC.	(ye.) slender.	Nepaul.	1819.	4. 5.	H. h.		
11 tinctôrius. DC.	(st.) dying.	Hungary.	1823.	5. 6.	H. h.	Pl. rar. hung. 3. t. 255.	
12 infectôrius. DC.	(gr.) yellow-berried.	S. Europe.	1683.	6. 7.	H. h.	Clus. hist. 1. p. 111. ic.	
13 saxâtilis. DC.	(gr.) rock.	—	1752.	5. 6.	H. h.	Jacq. aust. 1. t. 53.	
14 oleoides. DC.	(gr.) Olive-leaved.	Spain.	—	6. 7.	H. h.		
15 buxifolius. DC.	(gr.) Box-leaved.	S. Europe.	1820.	—	H. h.		
16 pubescens. DC.	(gr.) pubescent.	S. France.	1820.	6. 7.	H. h.		
17 crenulâtus. DC.	(gr.) crenulate.	Teneriffe.	1778.	3. 4.	G. h.		

18	lycioides. DC. (gr.)	Box-thorn-like.	Spain.	1752.	9. 12.	H. h.	Cavan. ic. 2. t. 182.
	<i>β latifolius.</i> (gr.)	broader-leaved.	_____	_____	_____	H. h.	
19	erythroxyton. DC. (ye.)	red-wooded.	Siberia.	1822.	4. 5.	H. h.	Pall. ross. 2. t. 62.
20	microphyllus. DC. (ye.)	small-leaved.	Mexico.	_____	_____	G. h.	H. et B. n. gen. a. 7. t. 616.
21	pumilus. L. (bh.)	dwarf.	Europe.	1752.	7.	H. h.	Scop. carn. ed. 2. t. 5.
	<i>β rupéstris.</i> Vill. (bh.)	small.	Dauphiny.	_____	_____	H. h.	
22	pusillus. T. P. (gr.)	little.	Naples.	1825.	_____	H. h.	
23	valentinus. w. (ye.)	Spanish.	Spain.	_____	6. 7.	H. h.	Cavan. ic. 2. t. 181.
	<i>pumilus. c. non w.</i>						
24	Wulfenii. s. s. (ye.)	Wulfen's.	Tergestum.	_____	_____	H. h.	Jacq. coll. 2. t. 11.
	<i>pumilus. Wulf. non L.</i>						
25	dahuricus. DC. (gr.)	Dahurian.	Dahuria.	1826.	....	H. h.	Pall. ross. 2. t. 61.
26	alnifolius. DC. (gr.)	Alder-leaved.	N. America.	1778.	5. 6.	H. h.	
27	franguloides. R. S. (gr.)	Frangula-like.	_____	_____	_____	H. h.	
28	Purshianus. DC. (gr.)	Pursh's.	_____	1826.	_____	H. h.	
	<i>alnifolius. Ph. nec aliorum.</i>						
29	alpinus. DC. (ye. pu.)	Alpine.	Switzerland.	1752.	_____	H. h.	Lodd. bot. cab. 1077.
30	carolinianus. DC. (gr.)	Carolina.	N. America.	1824.	5. 7.	H. h.	
31	Frangula. DC. (gr.)	berry-bearing	Alder. Britain.	....	4. 5.	H. h.	Eng. bot. 250.
32	latifolius. DC. (ye.)	broad-leaved.	Azores.	1778.	6. 7.	H. h.	Wats. dend. brit. t. 11.
33	lanceolatatus. Ph. (gr.)	spear-leaved.	N. America.	1812.	4. 5.	H. h.	
34	mystacinus. R. S. (gr.)	wire.	Abyssinia.	1775.	11.	S. h.	
35?	tragonus. DC. (gr.)	square-branch'd.	C. B. S.	1816.	6. 8.	G. h.	Th. act. gor. 1812. c. ic.
SC'UTIA. Bro.		SC'UTIA.	Pentandria Monogynia.				
1	indica. Bro. (wh.)	Indian.	E. Indies.	1824.	....	S. h.	Gart. fruct. 2. t. 106.
	<i>Rhamnus circumscissus. L. Ceanothus circumscissus. DC.</i>						
RETANILLA. Bro.		RETANILLA.	Pentandria Monogynia.				
	<i>obcordata. Bro. (ye.)</i>	obcordate-l'd.	Peru.	1822.	5. 7.	G. h.	Vent. hort. cels. t. 92.
	<i>Collétia obcordata. v.</i>						
COLLE'TIA. Bro.		COLLE'TIA.	Pentandria Monogynia.				
1	spinosa. DC. (ye.)	spiny.	Peru.	1823.	....	G. h.	Lam. ill. 2. t. 129.
2	serratifolia. DC. (ye.)	saw-leaved.	_____	_____	5. 8.	G. h.	Vent. choix. t. 15.
3	pubescens. Bro. (ye.)	pubescent.	N. Holland.	1824.	....	G. h.	
HOVENIA. DC.		HOVENIA.	Pentandria Monogynia.				
1	dulcis. DC. (gr.)	smooth-leaved.	China.	1812.	4. 6.	G. h.	Lam. ill. t. 131.
	<i>acérba. Bot. reg. 501.</i>						
2	inæqualis. DC. (gr.)	pubescent-l'd.	Nepaul.	1823.	....	G. h.	
	<i>dulcis. D. P. et F. I. nec aliòrum.</i>						
COLUBRINA. Bro.		COLUBRINA.	Pentandria Monogynia.				
1	ferruginosa. Bro. (st.)	Bahama red-wood.	Bahama.	1726.	6.	S. h.	Jacq. vind. 3. t. 50.
	<i>Rhamnus colubrinus. L. Ceanothus colubrinus. DC.</i>						
2	reclinata. Bro. (wh.)	oval-leaved.	Jamaica.	1758.	8.	S. h.	Brown jam. t. 20. f. 2.
	<i>Ceanothus reclinatus. DC. Rhamnus ellipticus. H. K.</i>						
3	triflora. Bro. (st.)	three-flowered.	Mexico.	1826.	....	G. h.	
4	cubensis. Bro. (st.)	Cuba.	Cuba.	1824.	....	S. h.	Jacq. vind. 3. t. 49.
5	asiatica. Bro. (st.)	Asiatic.	Asia.	1691.	7. 8.	S. h.	Cavan. ic. 5. t. 440. f. 1.
	<i>Ceanothus asiaticus. DC.</i>						
CEAN'OTHUS. Bro.		CEAN'OTHUS.	Pentandria Monogynia. L.				
1	azureus. DC. (bl.)	blue.	New Spain.	1818.	4. 5.	G. h.	Bot. reg. 291.
	<i>cavaleus. Lod. bot. cab. 110. bicolor. R. S.</i>						
2	tardiflorus. DC. (wh.)	late-flowering.	N. America.	1812.	9. 10.	H. h.	
3	americanus. DC. (wh.)	New Jersey Tea.	_____	1713.	7. 8.	H. h.	Bot. mag. 1479.
4	ovatus. DC. (wh.)	smooth-leaved.	_____	....	_____	H. h.	
5	perennis. DC. (wh.)	perennial.	_____	1822.	6. 7.	H. h.	
6	intermedius. DC. (wh.)	intermediate.	_____	1812.	_____	H. h.	
7	collinus. D. (wh.)	hill.	_____	1827.	_____	H. h.	
8	sanguineus. DC. (wh.)	bloody twigged.	_____	1812.	5. 7.	H. h.	
9	microphyllus. DC. (wh.)	small-leaved.	_____	1806.	6. 7.	H. h.	
10	buxifolius. DC. (wh.)	Box-leaved.	Mexico.	1824.	4. 6.	G. h.	H. et B. n. gen. a. 7. t. 615.
11	macrocarpus. DC. (st.)	large-fruited.	New Spain.	1823.	6. 7.	G. h.	Cavan. ic. 3. t. 276.
12	nepalensis. F. I. (st.)	Nepaul.	Nepaul.	_____	_____	H. h.	
WILLEM'ETIA. Bro.		WILLEM'ETIA.	Pentandria Monogynia.				
	<i>africana. Bro. (st.)</i>	African.	C. B. S.	1712.	3. 4.	G. h.	Pluk. phyt. 126. f. 1.
	<i>Ceanothus africanus. DC.</i>						
POMADE'RRIS. DC.		POMADE'RRIS.	Pentandria Monogynia.				
1	globulosa. Bro. (st.)	round-headed.	N. Holland.	1803.	4. 5.	G. h.	Lab. nov. hol. 1. t. 85.
	<i>Ceanothus globulosus. Lab.</i>						
2	spathulata. Bro. (st.)	spathulate-leav'd.	_____	1821.	_____	G. h.	Lab. nov. 1. t. 84.
3	discolor. DC. (ye.)	two-coloured.	_____	1803.	_____	G. h.	Swt. fl. aust. t. 41.
	<i>Ceanothus discolor. Vent. malm. t. 58.</i>						

- 4 intermedia. DC. (st.) intermediate. N. S. W. 1818. 4. 6. G. h.  
 5 acuminata. L. en. (wh.) loose-flowered. N. Holland. 1816. 4. 7. G. h.  
 6 elliptica. DC. (ye.) elliptic-leaved. ——— 1805. ——— G. h. Lab. nov. holl. 1. t. 86.  
 7 lanigera. (ye.) ferruginous. ——— 1806. ——— G. h. Andr. rep. 569.  
*Ceanothus laniger*. A. R.  
 8 Simsii. (st.) Sims's. N. S. W. 1821. ——— G. h. Bot. mag. 1823.  
*lanigera*. Sims bot. mag. non Andr.  
 9 viridifolia. Sieb. (st.) brown green. N. S. W. ——— ——— G. h.  
 10 ledifolia. F. T. (ye.) Ledum-leaved. ——— 1824. ——— G. h.  
 11 andromedæfolia. F. T. (ye.) Andromeda-ld. ——— ——— G. h.  
 12 phylliræoides. DC. (ye.) Phillyrea-leaved. ——— 1803. ——— G. h.  
 13 apétala. DC. (br.) petalless. N. Holland. ——— 5. 6. G. h. Lab. nov. holl. 1. t. 87.  
 14 áspera. DC. (br.) rough. N. S. W. 1818. 6. 7. G. h.  
 15 ligustrina. DC. (wh.) Privet-like. ——— 1826. ——— G. h.  
 16 phlycticfolia. DC. (wh.) Phlyca-leaved. N. Holland. 1810. 3. 5. G. h. Lodd. bot. cab. 120.  
**CRYPTA'NDRA. DC. CRYPTA'NDRA. Pentandria Monogynia. R. S.**  
 1 ericifolia. DC. (pa.) Heath-leaved. N. S. W. 1823. 5. 7. G. h. Linn. trans. 10 t. 18. f. 1.  
 2 amara. DC. (pa.) bitter. ——— 4. 6. G. h. ——— 10. t. 18. f. 2.  
 3 spinescens. DC. (pa.) spiny. ——— 1824. ——— G. h.  
**VENTILAGO. DC. VENTILAGO. Pentandria Monogynia. R. S.**  
*maderapatana*. DC. (gr.) Madras. E. Indies. 1822. .... S. h. Roxb. corom. 1. t. 76.  
**GOUA'NIA. DC. GOUA'NIA. Polygamia Monœcia. L.**  
 1 integrifolia. DC. .... entire-leaved. S. America? 1824. .... S. h.  
 2 domingensis. DC. (gr.) Chaw-stick. W. Indies. 1739. .... S. h. Jacq. amer. t. 179. f. 40.  
 3 cordifolia. DC. (ye.) heart-leaved. Brazil. 1822. .... S. h.  
 4 tomentosa. DC. (ye.) woolly-leaved. W. Indies. 1823. .... S. h. Gært. f. carp. 3. t. 183. f. 1  
 5 mauritiãna. DC. (br.) rusty. Mauritius. ——— .... S. h.  
 6 tiliaefolia. DC. (gr.) Lime-leaved. Bourbon. 1810. 4. 6. S. h.  
 7 leptostachya. DC. (gr.) slender-spiked. E. Indies. ——— S. h. Roxb. corom. 1. t. 98.  
*tiliaefolia*. R. C. non Lam.  
 8 Retinãria. DC. (gr.) oval-leaved. Mauritius. 1824. .... S. h. Gært. fruct. 2. t. 120. f. 4.  
**TRICHOCEPHALUS. Bro. TRICHOCEPHALUS. Pentandria Monogynia.**  
 1 stipularis. Bro. (wh.) stipuled. C. B. S. 1786. 5. 9. G. h. Wendl. coll. t. 32.  
*Phyllica stipularis*. DC.  
 2 spicata. Bro. (wh.) spiked. ——— 1774. 11. 12. G. h. Lam. ill. t. 127. f. 3.  
*Phyllica spicata*. L. non B. M.  
**PHY'LICA. Bro. PHY'LICA. Pentandria Monogynia. L.**  
 1 parviflora. R. S. (wh.) small-flower'd. C. B. S. 1790. 4. 7. G. h.  
 2 ericoides. R. S. (wh.) Heath-leaved. ——— 9. 4. G. h. Bot. mag. 224.  
 3 glabrata. R. S. (wh.) smooth-leaved. ——— 1820. 3. 5. G. h.  
 4 acerosa. R. S. (wh.) needle-leaved. ——— 1819. 4. 7. G. h. Spr. ber. mag. 8. t. 8 f. 2.  
 5 lanceolata. R. S. (wh.) spear-leaved. ——— 1790. 4. 5. G. h.  
 6 eriophora. R. S. (wh.) pale-flowered. ——— 1774. 11. 3. G. h.  
 7 callosa. R. S. (wh.) callous-leaved. ——— 3. 4. G. h.  
 8 imberbis. R. S. (wh.) beardless. ——— 1823. 5. 9. G. h. Breyn. cent. 18. t. 7.  
 9 secunda. R. S. (wh.) secund. ——— 1812. ——— G. h.  
 10? australis. L. en. (wh.) southern. ——— 3. 5. G. h.  
 11 pumila. DC. (wh.) dwarf. ——— 1820. 4. 6. G. h.  
 12 bicolor. R. S. (wh.) two-coloured. ——— 1823. 4. 5. G. h.  
 13 spicata. B. M. (wh.) close-spiked. ——— 8. 12. G. h. Bot. mag. 2704.  
 14 hirsuta. R. S. (wh.) hairy. ——— 1820. 5. 9. G. h.  
 15 pinea. R. S. (wh.) Pine-like. ——— 1824. ——— G. h.  
 16 villosa. R. S. (wh.) villous. ——— 1790. ——— G. h.  
 17 papillosa. R. S. (wh.) papillose. ——— 1820. 3. 5. G. h.  
 18 rosmarinifolia. R. S. (w.) Rosemary-ld. ——— 1815. 5. 8. G. h. Lodd. bot. cab. 849.  
 19 cylindrica. R. S. (wh.) cylindrical. .... 4. 8. G. h. Wendl. coll. 1. t. 7.  
 20 excelsa. R. S. (wh.) tall. 1820. 3. 5. G. h. ——— 3. t. 4.  
 21 horizontalis. DC. (wh.) spreading. ——— 1800. 6. 8. G. h. Spr. ber. mag. 8. f. 7.  
*plumosa*. Spr. non L.  
 22 squarrosa. DC. (wh.) squarrose. ——— 1820. 3. 5. G. h. Lodd. bot. cab. 36.  
 23 Commelini. R. S. (wh.) Commelin's. ——— 1800. 5. 8. G. h. Comm. præl. 63. t. 13.  
 24 plumosa. R. S. (wh.) feathered. ——— 1752. 3. 5. G. h. Lam. ill. t. 127. f. 4.  
 25 capitata. R. S. (wh.) headed. ——— 1774. ——— G. h. Bot. reg. 711.  
 26 reclinata. R. S. (wh.) reclined. ——— 1820. ——— G. h. Wendl. coll. 2. t. 56.  
 27 pedicellata. DC. (wh.) pedicled. ——— ——— G. h.  
 28 atrata. R. S. (wh.) dark-haired. ——— 3. 5. G. h.  
**SOULA'NGIA. Bro. SOULA'NGIA. Pentandria Monogynia.**  
 1 axillaris. Bro. (wh.) axillary-flower'd. C. B. S. 1812. 5. 6. G. h. Spr. ber. mag. 8. t. 8. f. 4.  
 2 thymifolia. Bro. (wh.) Thyme-leaved. Antarctic. 1824. ——— S. h. Vent. malm. t. 57.

3	oleafolia. Bro. (wh.) Olive-leaved.	C. B. S.	....	1. 4.	G. h.	Lodd. bot. cab. t. 323.
	<i>Phyllica spicata</i> . Lod. bot. cab. <i>nec aliorum</i> .	-----				
4	paniculata. Bro. (wh.) panicled.	-----	1812.	4. 6.	G. h.	
	<i>Phyllica paniculata</i> . DC. <i>myrtifolia</i> . Poir.	-----				
5	buxifolia. Bro. (wh.) Box-leaved.	-----	1759.	5. 9.	G. h.	Lodd. bot. cab. 848.
	<i>Phyllica buxifolia</i> . Wend. coll. 1. t. 26.	-----				
6	cordata. Bro. (wh.) heart-leaved.	-----	1789.	5. 6.	G. h.	Comm. præl. 62. t. 12.
7	orientalis. (wh.) oriental.	-----	1820.	---	G. h.	Herb. amat. t. 283.
	<i>Phyllica orientalis</i> . Herb. amat. t. 283.	-----				

† Genera ad Rhamneas accedentia.

SCHÆFFERIA. DC.	SCHÆFFERIA. Dicoecia Tetrandria.					
frutescens. DC. (wh.) white-flowered.	W. Indies.	1793.	....	S. h.		Swartz. fl. ind. 1. t. 7. f. A.
β buxifolia. DC. (wh.) Box-leaved.	-----	-----	....	S. h.		Sloan. hist. 2. t. 209. f. 1.
OLINIA. DC.	OLINIA. Pentandria Monogynia.					
cymosa. DC. (wh.) sweet-scented.	C. B. S.	1812.	4. 6.	G. h.		
<i>Sideroxylum cymosum</i> . L.	-----	-----				

ORDO LXII.

BRUNIACEÆ. DC. prodr. 2. p. 43.

BERZ'ELIA. Bro.	BERZ'ELIA. Pentandria Monogynia.					
1 abrotanoïdes. Bro. (w.) Southernwood-like.	C. B. S.	1787.	5. 7.	G. h.		Wendl. coll. t. 45.
<i>Brunia abrotanoïdes</i> . Lodd. bot. cab. 355.	-----	-----				
2 lanuginosa. Bro. (wh.) woolly.	-----	1774.	6. 8.	G. h.		Wendl. coll. 1. t. 11.
<i>Brunia lanuginosa</i> . DC.	-----	-----				
BRUNIA. R.S.	BRUNIA. Pentandria Monogynia. L.					
1 lævis. R.S. (wh.) smooth.	C. B. S.	1823.	5. 7.	G. h.		
2 nodiflora. R.S. (wh.) imbricated.	-----	1786.	7. 8.	G. h.		Breyn. cent. 22. t. 10.
3 delista. R.S. (wh.) black-tipped.	-----	1804.	6. 8.	G. h.		
4 comosa. R.S. (wh.) tufted.	-----	1823.	---	G. h.		
5 verticillata. R.S. (wh.) whorled.	-----	1794.	---	G. h.		
6 virgata. Bro. (wh.) twiggy.	-----	....	---	G. h.		
7 squarrosa. R.S. (wh.) squarrose.	-----	1818.	---	G. h.		
8 alopecuroïdes. R.S. (w.) Fox-tail.	-----	1816.	5. 7.	G. h.		
9 laxa. R.S. (wh.) loose-branched.	-----	---	---	G. h.		
10 plumosa. R.S. (wh.) feathered.	-----	1822.	---	G. h.		
11 superba. R.S. (wh.) superb.	-----	1791.	---	G. h.		
12 fragarioides. R.S. (wh.) Strawberry-like.	-----	1794.	5. 7.	G. h.		
13 ciliata. R.S. (wh.) fringed.	-----	1812.	---	G. h.		
14 ericoides. R.S. (wh.) Heath-leaved.	-----	---	---	G. h.		Wendl. coll. II. t. 57.
15 arachnoïdea. R.S. (wh.) cobweb.	-----	1810.	---	G. h.		t. 62.
16 formosa. R.S. (wh.) handsome.	-----	1812.	---	G. h.		
17 macrocephala. S.S. (w.) large-headed.	-----	---	---	G. h.		
18 racemosa. Bro. (wh.) clustered.	-----	1790.	5. 9.	G. h.		
<i>Phyllica racemosa</i> . L.	-----	-----				
19 pinifolia. Bro. (wh.) Pine-leaved.	-----	1789.	5. 6.	G. h.		Brong. brun. t. 1. f. 2.
<i>Phyllica pinifolia</i> . L.	-----	-----				
20 imbricata. (wh.) imbricated.	-----	1801.	8. 11.	G. h.		
<i>Phyllica imbricata</i> . Th.	-----	-----				
RASP'ALIA. Bro.	RASP'ALIA. Pentandria Digynia.					
microphylla. Bro. (w.) small-leaved.	C. B. S.	1804.	6. 8.	G. h.		Brong. brun. t. 3. f. 1.
<i>Brunia microphylla</i> . Th.	-----	-----				
STA'AVIA. DC.	STA'AVIA. Pentandria Monogynia.					
1 radiata. DC. (wh.) rayed.	C. B. S.	1787.	5. 6.	G. h.		Brong. brun. t. 2. f. 2.
2 glutinosa. DC. (wh.) clammy.	-----	1793.	4. 5.	G. h.		Lodd. bot. cab. 852.

3	nûda. Bro.	(wh.) naked.	C. B. S.	1821.	4. 5.	G. h.	
4	ciliâta. Bro.	(wh.) fringed.	—————	1812.	5. 7.	G. h.	
NEBELIA. Neck. NEBELIA. Pentandria Digynia.							
1	paleacea. (wh.) chaffy.	C. B. S.	1791.	6. 8.	G. h.		Wendl. coll. t. 21.
Berardia. Bro. non p.s. Brûnia paleacea. R.S.							
2	affinis. (wh.) related.	C. B. S.	1816.	—	G. h.		
Berardia affinis. Bro.							
3	phylicoides. (wh.) Phyllica-leaved.	—————	1822.	—	G. h.		
Berardia phyllicoides. Bro. Brûnia phyllicoides. Th.							
LINC'ONIA. L. LINC'ONIA. Pentandria Digynia.							
- 1	alopeuroidea. L. (wh.) Fox-tail.	C. B. S.	1824.	6. 8.	G. h.		Swa.in. ber.m.1810.t.4.
2	thymifolia. DC. (wh.) Thyme-leaved.	—————	1825.	—	G. h.		————— p. 86. t. 4.
3	cuspidata. DC. (wh.) cuspidate.	—————	—————	—	G. h.		————— 1811.p.284.t.7.f.1.
AUDOUINIA. Bro. AUDOUINIA. Pentandria Monogynia.							
	capitata. Bro. (wh.) headed.	C. B. S.	1790.	4. 6.	G. h.		
Didsma capitata. DC.							
TITTMANNIA. Bro. TITTMANNIA. Pentandria Monogynia.							
	lateriflora. Bro. (wh.) side-flowering.	C. B. S.	1812.	4. 6.	G. h.		Brong. brun. t. 4. f. 2.
THAMNEA. Bro. THAMNEA. Pentandria Monogynia.							
	uniflora. Bro. (wh.) one-flowered.	C. B. S.	1810.	4. 6.	G. h.		Brong. brun. t. 4. f. 3.

## ORDO LXIII.

## SAMYDEÆ. DC. prodr. 2. p. 47.

SAMYDA. DC. SAM'YDA. Decandria Monogynia. S.S.							
1	glabrata. DC. (wh.) smooth.	Jamaica.	1818.	5. 8.	S. h.		
2	villosa. DC. (wh.) villous.	—————	—————	—	S. h.		
3	decurrens. s.s. (wh.) decurrent.	Brazil.	1822.	—	S. h.		
4	pubescens. s.s. (wh.) pubescent.	W. Indies.	1793.	—	S. h.		
5	serrulata. DC. (wh.) saw-leaved.	—————	1723.	7. 8.	S. h.		Jacq. col. 2. t. 17. f. 1.
6	spinulosa. DC. (wh.) spiny.	St. Thomas.	1826.	....	S. h.		Vent. choix. t. 43.
7	macrocarpa. DC. (wh.) large-fruited.	Mexico.	—————	....	S. h.		
8	rosea. B.M. (ro.) rose-coloured.	W. Indies.	1793.	6. 7.	S. h.		Bot. mag. 550.
serrulata. A.R. 202. nec aliorum.							
9	nitida. DC. (wh.) glossy-leaved.	Jamaica.	—————	—	S. h.		Br. jam. 217. t. 23. f. 3.
10	macrophylla. DC. (gr.) large-leaved.	E. Indies.	1823.	....	S. h.		
CASEARIA. DC. CASEARIA. Decandria Monogynia. S.S.							
1	glomerata. DC. (wh.) cluster-flower'd.	E. Indies.	1824.	5. 7.	S. h.		
2	ovata. DC. (gr.) oval-leaved.	—————	—————	—	S. h.		Rehed. mal. 4. t. 49.
3	ramiflora. DC. (wh.) branch-flower'd.	Guiana.	—————	—	S. h.		Aubl. guian. 1. t. 127.
4	nitida. DC. (wh.) shining.	Carthagera.	—————	—	S. h.		Act. helv. 8. p. 58. ic.
5	sylvestris. DC. (wh.) wood.	Jamaica.	1823.	....	S. h.		
6	parviflora. DC. (wh.) small-flowered	W. Indies.	1818.	5. 7.	S. h.		Sloan. hist. 2. t. 211. f. 2.
7	serrulata. DC. (wh.) serrulate.	—————	—————	—	S. h.		
8	glabra. H.B. (wh.) smooth.	E. Indies.	1820.	—	S. h.		
9	hirsuta. DC. (wh.) hairy.	W. Indies.	—————	....	S. h.		
10	zizyphoides. K.S. (wh.) Zizyphus-like.	Caracas.	1824.	....	S. h.		
11	arguta. K.S. .... sharp-toothed.	Mexico.	—————	....	S. h.		

## ORDO LXIV.

## HOMALINEÆ. DC. prodr. 2. p. 53.

HOMALIMUM. DC. HOMALIMUM. Polyadelphia Polyandria.							
	racemosum. DC. (wh.) racemed.	W. Indies.	1818.	5. 7.	S. h.		Bot. reg. 519.
BLACKWELLIA. DC. BLACKWELLIA. Dodecandria Pentagynia.							
1	paniculata. DC. (wh.) panicled.	Bourbon.	1818.	5. 7.	S. h.		

2 glauca. DC.	(wh.) glaucous.	Mauritius.	1823.	....	S. h.	Vent. choix. t. 55.
3 nepalensis. DC.	(wh.) Nepaul.	Nepaul.	1824.	....	S. h.	
4 axillaris. DC.	(wh.) axillary-flower'd.	Madagascar.	1823.	....	S. h.	Lam. ill. t. 412. f. 1.
5 spiralis. DC.	(wh.) spiral.	Pegu.	1820.	....	S. h.	
6 fagifolia.	(wh.) Beech-leaved.	China.	1824.	5.	G. h.	
ASTRANTHUS. DC.	STAR-FLOWER.	Heptandria Tetragynia.				
	cochinchinensis. (wh.)	Chinese.	China.	1821.	6. 7.	S. h. Bot. mag. 2659.
ARISTOTELIA. DC.	ARISTOTE'LIA.	Dodecandria Monogynia. L.				
Miqui. DC.	(wh.) shining-leaved.	Chile.	1773.	4. 5.	H. h.	Wats. dend. brit. t. 44.

ORDO LXV.

CHAILLETIACEÆ. DC. prodr. 2. p. 57.

CHAILLETIA. DC.	CHAILLETIA.	Pentandria Di-Trigynia.				
1 toxicaria. D.D.	(wh.) poisonous.	Sierra Leone.	1822.	....	S. h.	
2 erecta. D.D.	(wh.) upright.	_____	_____	....	S. h.	

ORDO LXVI.

AQUILARINEÆ. DC. prodr. 2: p. 59.

AQUILARIA. DC.	AQUILARIA.	Decandria Monogynia.				
Agallôcha. H.B.	....	Aloe-wood.	E. Indies.	1824.	....	S. h.

ORDO LXVII.

CASSUVIÆ. R. Brown cong. p. 12.

ANACARDIUM. DC.	CASHEW-NUT.	Enneandria Monogynia. L.				
1 occidentale. DC. (y.gr.)	common.	India.	1599.	....	S. h.	Catesb. car. 3. t. 9.
	<i>Cassivium pomiferum.</i>	Lam. ill. 3. t. 322.				
2 dubium. H.B.	(gr.) doubtful.	E. Indies.	1824.	....	S. h.	
SEMECARPUS. DC.	SEMECARPUS.	Pentandria Trigynia. L.				
Anacardium. DC. (y.gr.)	common.	E. Indies.	1820.	....	S. h.	
α angustifolium. DC. (y.gr.)	long-leaved.	_____	_____	....	S. h.	Rumph. amb. 1. t. 70.
β cuneifolium. DC. (y.gr.)	wedge-leaved.	_____	_____	....	S. h.	
γ obtusiusculum. DC. (y.gr.)	broad-leaved.	_____	_____	....	S. h.	Roxb. corom. 1. t. 12.
MANGIFERA. DC.	MANGO-TREE.	Pentandria Monogynia.				
1 indica. DC.	(ye.) common.	E. Indies.	1690.	6. 9.	S. h.	Andr. rep. 425.
2 oppositifolia. F.I.	(ye.) opposite-leaved.	_____	1823.	....	S. h.	
BUCHANANIA. R.C.	BUCHANANIA.	Decandria Monogynia.				
1 latifolia. DC.	(wh.) broad-leaved.	E. Indies.	1820.	....	S. h.	
2 angustifolia. DC.	(wh.) narrow-leaved.	_____	_____	....	S. h.	Roxb. corom. 3. t. 262.
	<i>Mangifera axillaris.</i>	Lam. Cambessèdea. k.s.				
RHUS. R.S.	SUMA'CH.	Pentandria Trigynia. L.				
1 Coriaria. R.S.	(gr.) Elm-leaved.	S. Europe.	1596.	7.	H. h.	Flor. græc. t. 290.
2 typhina. R.S.	(pu.) Virginian.	N. America.	1629.	7. 8.	H. h.	Wats. dend. t. 17. mas.
	α arborescens. R.S. (pu.)	arborescent.	_____	_____	H. h.	_____ t. 18. fem.
	β frutescens. R.S. (pu.)	frutescent.	_____	_____	H. h.	

3	<i>javánica</i> . R.S.	(wh.) Java.	Java.	1799.	7. 9.	S. h.	
4	<i>semialàta</i> . R.S.	(wh.) Service-leaved.	Macao.	1780.	—	G. h.	Murr. com. got. vi. t. 3.
5	<i>viridiflora</i> . R.S.	(gr.) green-flowered.	N. America.	....	7.	H. h.	
6	<i>glàbra</i> . R.S.	(gr.) smooth.	—	1726.	7. 9.	H. h.	Wats. dend. t. 15.
	<i>a hermaphrodita</i> . DC.	(gr.) hermaphrodite.	—	—	—	H. h.	Dill. elt. t. 243.
	<i>β dioica</i> . DC.	(gr.) dioecious.	—	—	—	H. h.	Lam. ill. t. 207. f. 1.
7	<i>élegans</i> . R.S.	(sc.) scarlet-flowered.	—	—	—	H. h.	Wats. dend. t. 16.
8	<i>Vérnix</i> . R.S.	(gr.) varnish.	—	1713.	—	H. h.	— t. 19.
9	<i>vernícifera</i> . DC.	(gr.) Chinese varnish.	China.	....	—	G. h.	Kæmp. amœn. t. 792.
	<i>Rhus Vernix</i> . Th.	non Ph.	—	—	—	—	—
10	<i>A'mela</i> . D.P.	(gr.) large-leaved.	Nepaul.	1823.	....	G. h.	
11	<i>Wallichii</i> .	(gr.) Wallich's.	—	—	....	G. h.	
	<i>juglandifolia</i> . D.P.	non Kth.	—	—	—	—	
12	<i>fraxinifolia</i> . D.P.	(gr.) Ash-leaved.	—	—	—	G. h.	
13	<i>acuminàta</i> . DC.	(gr.) pointed-leaved.	—	—	....	G. h.	
14	<i>succedànea</i> . R.S.	(gr.) red Lac.	China.	1768.	6.	G. h.	Kæmp. amœn. t. 795.
15	<i>juglandifolia</i> . K.S.	(gr.) Walnut-leaved.	S. America.	1826.	....	G. h.	H. et B. n. ge. a. 7. t. 603-4.
16	<i>copallina</i> . R.S.	(gr.) Lentiscus-lea'd.	N. America.	1688.	8. 9.	H. h.	Jacq. schœn. 3. t. 341.
17	<i>alàta</i> . R.S.	(gr.) winged-leaved.	C. B. S.	1818.	....	G. h.	
18	<i>pauciflora</i> . R.S.	(gr.) few-flowered.	—	—	....	G. h.	
19	<i>pùmila</i> . R.S.	(gr.) dwarf poisonous.	N. America.	1806.	7.	H. h.	
20	<i>digitàta</i> . R.S.	(gr.) fingered.	C. B. S.	1818.	....	G. h.	
21	<i>obliqua</i> . R.S.	(gr.) oblique-leaved.	—	—	....	G. h.	
22	<i>schinoides</i> . R.S.	(gr.) Schinus-like.	Brazil.	1825.	....	S. h.	
23	<i>pentaphylla</i> . R.S.	(ye.) various-leaved.	Barbary.	1816.	....	G. h.	Desf. atl. 1. t. 77.
24	<i>chinensis</i> . Mill.	(gr.) Chinese.	China.	1740.	....	G. h.	
25	<i>ràdicans</i> . DC.	(wh.) rooting poison-oak.	N. America.	1724.	6. 7.	H. h.	Bot. mag. 1806.
26	<i>Toxicodendron</i> . DC.	(w.) poison-oak.	—	1640.	—	H. h.	Schkuhr. hand. 1. t. 82.
27	<i>cirrhiflora</i> . R.S.	(gr.) tendril-flower'd.	C. B. S.	1825.	....	G. h.	
28	<i>Thunbergiana</i> . R.S.	(gr.) Thunberg's.	—	1697.	7. 8.	G. h.	
29	<i>glàuca</i> . R.S.	(gr.) glaucous.	—	1818.	—	G. h.	
30	<i>tridentàta</i> . R.S.	(gr.) three-toothed.	—	—	....	G. h.	
31	<i>crenàta</i> . R.S.	(gr.) crenated.	—	....	6. 7.	G. h.	
32	<i>dentàta</i> . R.S.	(gr.) rough-stalked.	—	1798.	—	G. h.	
33	<i>sinuàta</i> . R.S.	(gr.) sinuated.	—	1818.	—	G. h.	
34	<i>cuneifolia</i> . R.S.	(gr.) wedge-leaved.	—	1816.	—	G. h.	
35	<i>dimidiàta</i> . R.S.	(gr.) variable-leaved.	—	—	—	G. h.	
36	<i>dissècta</i> . R.S.	(gr.) dissected-leaved.	—	—	—	G. h.	
37	<i>incisa</i> . R.S.	(gr.) cut-leaved.	—	1789.	—	G. h.	
38	<i>tomentosa</i> . R.S.	(gr.) woolly-leaved.	—	1691.	—	G. h.	Comm. hort. ams. 1. t. 92.
39	<i>àlbida</i> . R.S.	(gr.) white-barked.	Barbary.	1824.	....	F. h.	
40	<i>villosa</i> . R.S.	(gr.) villous-leaved.	C. B. S.	1714.	7.	G. h.	Pluk. alm. t. 219. f. 8.
41	<i>spicàta</i> . R.S.	(gr.) spiked.	—	1816.	—	G. h.	
42	<i>pubescens</i> . R.S.	(gr.) pubescent.	—	—	—	G. h.	
43	<i>atomària</i> . DC.	(gr.) velvety.	—	1820.	6. 8.	G. h.	Jacq. schœnb. 3. t. 343.
44	<i>parviflora</i> . DC.	(gr.) small-flowered.	Nepaul.	1824.	....	G. h.	
45	<i>mucronàta</i> . R.S.	(gr.) mucronate.	C. B. S.	1825.	....	G. h.	
46	<i>viminàlis</i> . R.S.	(gr.) Willow-leaved.	—	1774.	6. 7.	G. h.	Jacq. schœn. 3. t. 344.
47	<i>erosa</i> . R.S.	(gr.) erose-leaved.	—	1816.	—	G. h.	
48	<i>làncea</i> . R.S.	(gr.) lance-leaved.	—	—	—	G. h.	
49	<i>angustifolia</i> . R.S.	(wh.) narrow-leaved.	—	1714.	—	G. h.	Pluk. alm. t. 219. f. 6.
50	<i>rosmarinifolia</i> . R.S.	(gr.) Rosemary-leaved.	—	1800.	—	G. h.	Burm. afr. t. 91. f. 1.
51	<i>undulàta</i> . R.S.	(gr.) wave-leaved.	—	1818.	—	G. h.	Jacq. schœn. 3. t. 346.
52	<i>lævigàta</i> . R.S.	(gr.) polished-leaved.	—	1758.	—	G. h.	— 3. t. 345.
	<i>elongàta</i> . Jacq.	—	—	—	—	—	
53	<i>ellíptica</i> . R.S.	(gr.) elliptic-leaved.	—	1816.	—	G. h.	
54	<i>pendulina</i> . R.S.	(gr.) pendulous.	—	—	—	G. h.	
55	<i>lúcida</i> . DC.	(gr.) shining-leaved.	—	1697.	7. 8.	G. h.	Comm. hort. 1. t. 93.
56	<i>Cavanillèsii</i> . DC.	(wh.) Cavanilles',	Mexico.	....	—	G. h.	Cavan. ic. 2. t. 132.
	<i>lucidum</i> . C. I. non DC.	—	—	—	—	—	
57	<i>Burmánni</i> . DC.	(gr.) Burman's.	C. B. S.	1697.	7. 8.	G. h.	Burm. afr. t. 91. f. 2.
	<i>lucidum</i> . a. H. K.	—	—	—	—	—	
58	<i>concinna</i> . B.T.	(gr.) pretty.	—	1816.	—	G. h.	
59	<i>nervosa</i> . R.S.	(gr.) nerved-leaved.	—	....	—	G. h.	
60	<i>pyróides</i> . B.T.	(gr.) Pyrus-like.	—	1816.	—	G. h.	
61	<i>rigida</i> . DC.	(gr.) rigid.	—	....	—	G. h.	
62	<i>tridáctylis</i> . B.T.	(gr.) three-fingered.	—	1816.	....	G. h.	
63	<i>serræfolia</i> . B.T.	(gr.) saw-leaved	—	—	—	G. h.	
64	<i>dióica</i> . DC.	(ye.) dioecious.	Mogador	1823.	—	F. h.	
	<i>oxyacanthoides</i> . P.S.	—	—	—	—	—	

65 oxyacantha. DC.	( <i>ye.</i> ) Hawthorn-like.	Magador.	1823.	....	F. h.	
66 lobata. DC.	( <i>gr.</i> ) lobed-leaved.	Teneriffe.	1824.	....	F. h.	
67 heterophylla. DC.	( <i>gr.</i> ) various-leaved.	.....	1816.	6. 8.	F. h.	
68 zizyphina. R.S.	( <i>gr.</i> ) Zizyphus-like.	Sicily.	—	....	G. h.	
69 Cotinus. R.S.	( <i>gr.</i> ) Venice.	S. Europe.	1656.	6. 7.	H. h.	Jacq. aust. 3. t. 210.
LOB'ADIUM. Raf.	LOB'ADIUM.	Pentandria Trigynia.				
1 aromaticum.	( <i>gr.</i> ) aromatic.	N. America.	1772.	5.	H. h.	Turp. ann. mus. 5. t. 30.
	<i>Rhús aromática.</i> R.S. <i>Schmáltzia aromática.</i> Desv.					
2 suavèolens.	( <i>gr.</i> ) sweet.	N. America.	1759.	—	H. h.	
	<i>Schmáltzia suavèolens.</i> Desv. <i>Rhús suavèolens.</i> R.S.					

ORDO LXVIII.

TEREBINTHACEÆ. *Brown.*

PISTACIA. DC.	PIST'ACHIA-TREE.	Dicæcia Pentandria. L.				
1 vera. DC.	( <i>st.</i> ) true.	Levant.	1570.	4. 5	H. h.	Duham. ed. nov. 4. t. 17.
	Mas. P. trifolia. w. ( <i>st.</i> ) male-flowered.	—	—	—	H. h.	Bocc. mus. t. 93.
	Fem. P. vera. w. ( <i>gr.</i> ) female.	—	—	—	H. h.	Rauw. jt. 72. t. 9.
2 reticulata. w.	( <i>st.</i> ) netted-leaved.	—	1752.	—	H. h.	
3 Terebinthus. DC.	( <i>st.</i> ) turpentine-tree.	S. Europe.	1656.	6. 7.	H. h.	Duham. arb. v. 2. t. 87.
	<i>β sphærocârpa.</i> DC. ( <i>st.</i> ) round-fruited.	Levant.	—	—	H. h.	J. Bauh. hist. 1. p. 278. ic.
4 atlântica. DC.	( <i>st.</i> ) Atlantic.	Barbary.	1790.	....	G. h.	
5 mexicana. DC.	( <i>st.</i> ) Mexican.	Mexico.	1825.	....	G. h.	H. et B. n. gen. am. 7. t. 608.
6 fagaroides. DC.	( <i>st.</i> ) Fagara-like.	.....	—	....	G. h.	
7 Lentiscus. DC.	( <i>st.</i> ) Mastick-tree.	S. Europe.	1664.	5. 6.	H. h.	Bot. mag. 1967.
	<i>β massiliensis.</i> Mill. ( <i>st.</i> ) narrow-leaved.	—	—	—	H. h.	
ASTR'ONIUM. DC.	ASTR'ONIUM.	Dicæcia Pentandria.				
	gravæolens. DC. ( <i>re.</i> ) strong-scented.	S. America.	1826.	....	S. h.	Jacq. amer. t. 181. f. 96.
COMOCLA'DIA. DC.	MAIDEN-PLUM.	Triandria Monogynia. L.				
1 ilicifolia. DC.	( <i>pu.</i> ) Holly-leaved.	Caribeas.	1789.	7. 9.	S. h.	Lam. ill. t. 27. f. 2.
2 dentata. DC.	( <i>pu.</i> ) tooth-leaved.	W. Indies.	1790.	—	S. h.	Jacq. amer. t. 173. f. 4.
3 propinqua. DC.	( <i>pu.</i> ) related.	Cuba.	1826.	—	S. h.	
4 integrifolia. DC.	( <i>pu.</i> ) entire-leaved.	Jamaica.	1778.	—	S. h.	Sloan. his. 2. t. 222. f. 1.
PICRAMNIA. DC.	PICRAMNIA.	Dicæcia Pentandria. L.				
1 Antidésma. DC.	( <i>st.</i> ) Mastick-tree.	Jamaica.	1793.	6. 8.	S. h.	Sloan. his. 2. t. 208. f. 2.
2 pentândra. DC.	( <i>st.</i> ) pentandrous.	W. Indies.	1822.	—	S. h.	
SCH'INUS. DC.	SCH'INUS.	Dicæcia Decandria. L.				
1 Mólle. DC.	( <i>wh.</i> ) Mastick-tree.	Peru.	1597.	7. 8.	G. h.	Mill. ic. 2. t. 246.
2 terebinthifolius. DC. ( <i>w.</i> )	Terebinthus-ld.	Brazil.	1822.	....	S. h.	
DUVA'UA. DC.	DUVA'UA.	Monæcia Octandria.				
1 dépendens. DC. ( <i>wh.</i> )	simple-leaved.	Chile.	1790.	6. 7.	H. h.	Cavan. ic. 3. t. 239.
	<i>Am'yris polygama.</i> s.s. <i>Schinus dépendens.</i> H.K.					
2? dentata. DC. ( <i>wh.</i> )	tooth-leaved.	Owhyhee.	1795.	5. 7.	G. h.	Andr. rep. 620.
	<i>Schinus dentata.</i> A.R.					
MA'URIA. K.S.	MA'URIA.	Octo-Decandria Monogynia.				
1 simplicifolia. K.S. ( <i>bh.</i> )	simple-leaved.	Peru.	1822.	....	G. h.	H. et B. n. gen. a. 7. t. 605.
2 heterophylla. K.S. ( <i>bh.</i> )	various-leaved.	—	—	....	G. h.	— 7. t. 606.

ORDO LXIX.

AMYRIDEÆ. *Kth. gen. tereb. p. 21.*

AMYRIS. W.	AMYRIS.	Octandria Monogynia. L.				
1 n. ritima. DC. ( <i>wh.</i> )	sea-side.	Jamaica.	1824.	6. 7.	S. h.	
2 florida. DC. ( <i>wh.</i> )	Florida.	Florida.	1826.	—	G. h.	
3 brasiliensis. s.s. ( <i>wh.</i> )	Brazilian.	Brazil.	1822.	—	S. h.	

4 sylvatica. DC.	(wh.) wood.	Carthagera. 1793.	6. 7.	S. h.	Jacq. amer. pict. t. 188.
5 Plumieri. DC.	(wh.) Plumier's.	Antilles. ....	—	S. h.	Plum. ed. Burm. t. 100.
6 toxifera. DC.	(wh.) poisonous.	W. Indies. 1800.	—	S. h.	Catesb. car. 1. t. 40.
<i>balsamifera. L.</i>					
7 pinnata. DC.	(wh.) pinnate.	S. America. 1824.	—	S. h.	H. et B. n.gen. 7. t. 610.
8 Agallocha. H. B.	(wh.) hill.	E. Indies. 1820.	....	S. h.	
9 acuminata. H. B.	(wh.) acuminate.	—	1822.	....	S. h.
10 heptaphylla. H. B.	(wh.) seven-leaved.	—	—	....	S. h.
11 nana. H. B.	(wh.) dwarf.	—	1824.	....	S. h.
12 punctata. H. B.	(wh.) dotted.	—	1818.	....	S. h.

## ORDO LXX.

SPONDIACEÆ. *Kth. gen. tereb. p. 30.*

SPONDIAS. DC.		HOG-PLUM. Decandria Pentagynia. L.			
1 Mombin. L.	(re.) purple-fruited.	W. Indies. 1817.	6. 8.	S. h.	Jacq. amer. t. 88.
<i>purpurea. DC. Myrobalanus. Jacq. non L.</i>					
2 Myrobalanus. L.	(wh.) yellow-fruited.	W. Indies. 1739.	—	S. h.	Sloan. hist. t. 219. f. 1. 2.
<i>lutea. DC. Mombin. Jacq. non L.</i>					
3 mangifera. DC. ....	Mango-bearing.	E. Indies. 1818.	....	S. h.	
<i>Mangifera pinnata. L.</i>					
4 dulcis. DC. ....	Otaheite-apple.	Society Isles. 1793.	6. 8.	S. h.	Sonn. it. 2. t. 123.
5 axillaris. H. B. ....	axillary.	Nepaul. 1824.	....	S. h.	
6 acuminata. H. B. ....	taper-pointed.	Malabar. —	....	S. h.	
POUPARTIA. DC.		POUPARTIA. Decandria Pentagynia.			
borbonica. DC. (pu.)	Bourbon.	Bourbon. 1824.	....	S. h.	

## ORDO LXXI.

BURSERACEÆ. *Kth. gen. tereb. p. 14.*

BOSWELLIA. DC.		BOSWELLIA. Decandria Monogynia.			
1 glabra. DC.	(wh.) smooth.	Coromandel. 1824.	....	S. h.	Roxb. corom. 3. t. 207.
2 hirsuta. DC.	(wh.) hairy.	Amboyna. —	....	S. h.	Rumph. amb. 2. t. 51.
3 serrata. DC.	(wh.) Olibanum-tree.	E. Indies. 1816.	....	S. h.	Asiat. res. 9. p. 377. ic.
ELAPHRIUM. K.S.		ELAPHRIUM. Octandria Monogynia.			
1 glabrum. (st.)	smooth.	Carthagera. 1818.	....	S. h.	Jacq. amer. t. 71. f. 4.
<i>Fagara Elaphrium. w.</i>					
2 copalliferum. DC. (st.)	pubescent.	Mexico. 1824.	....	S. h.	Hern. mex. 45. f. 1.
BALSAMODENDRON. DC.		BALSAM-TREE. Octandria Monogynia.			
gileadense. DC. (gr.)	blunt-leaved.	Arabia. 1827.	....	S. h.	Vahl. symb. 1. t. 11.
BURSERA. DC.		BURSERA. Polygamia Dioecia. L.			
1 gummifera. DC. (wh.)	Jamaica Birch.	W. Indies. 1690.	....	S. h.	Jacq. amer. t. 65.
2 serrata. Rox.	(wh.) saw-leaved.	E. Indies. 1818.	....	S. h.	
3 simplicifolia. DC. (wh.)	simple-leaved.	Jamaica. 1824.	....	S. h.	
COLOPHONIA. DC.		COLOPHONIA. Hexandria Monogynia.			
mauritiana. DC. (pu.)	panicled.	Mauritius. 1826.	....	S. h.	
CANARIUM. DC.		CANARIUM. Dioecia Hexandria.			
1 commune. DC. (wh.)	common.	Moluccas. 1821.	....	S. h.	Rumph. amb. 2. t. 17.
2 microcarpum. DC. (w.)	small-fruited.	—	1826.	....	— 2. t. 51.
3 Pimela. DC. (wh.)	Chinese.	China. 1823.	....	S. h.	Ann. bot. 1. t. 7. f. 2.
GARUGA. DC.		GARUGA. Decandria Monogynia.			
1 pinnata. DC. (ye.)	winged-leaved.	E. Indies. 1808.	....	S. h.	Roxb. cor. 3. t. 208.
2 madagascariensis. DC. (ye.)	Madagascar.	Madagascar. 1824.	....	S. h.	

## ORDO LXXII.

PTELEACEÆ. *Kth. gen. tereb. p. 22.*

PTELEA, DC.	SHRUBBY TREFOIL. Tetrandria Monogynia. L.		
trifoliata, DC. (wh.)	three-leaved. N. America. 1704.	6. 7. H. h.	Schmidt arb. 2. t. 76.
TODD'ALIA, DC.	TODD'ALIA. Pentandria Monogynia. L.		
1 aculeata, DC. (wh.)	prickly. E. Indies. 1790.	6. 8. S. h.	Rheed. mal. 5. t. 41.
asiatica, R.S. Scopdia aculeata, W.			
2 paniculata, DC. (wh.)	panicled. Mauritius. 1824.	.... S. h.	Lam. ill. t. 139. f. 2.
inermis, P.S. Scopdia paniculata, S.S.			
CNE'ORUM, DC.	WIDOW-WAIL. Triandria Monogynia. L.		
1 tricoccum, DC. (ye.)	smooth. S. Europe. 1793.	4. 9. F. h.	Lam. ill. t. 27.
2 pulverulentum, DC. (y.)	powdered. Teneriffe. 1820.	— F. h.	Vent. cels. t. 77.
SPATH'ELIA, DC.	SPATH'ELIA. Pentandria Trigynia. L.		
simplex, DC. (re.)	Sumach-leaved. Jamaica. 1778.	4. 6. S. h.	Bot. reg. 670.

## ORDO LXXIII.

CONNARACEÆ. *R. Brown cong. p. 12.*

CONNARUS, L.	CONNARUS. Monadelphia Decandria.		
1 paniculatus, H.B. (wh.)	panicled. Chittagong. 1824.	.... S. h.	
2 nitidus, H.B. (wh.)	glossy. Silhet. —	.... S. h.	
ROU'REA, Aub.	ROU'REA. Monadelphia Decandria.		
frutescens, Aub. (wh.)	pubescent. Guiana. 1820.	.... S. h.	Aub. gui. 1. t. 187.
OMPHAL'OBIVM, DC.	OMPHAL'OBIVM. Monadelphia Decandria.		
1 indicum, DC. (wh.)	Indian. E. Indies. ....	.... S. h.	Gært. fruct. 1. t. 46.
2 africanum, DC. (wh.)	African. Sierra Leon. 1822.	.... S. h.	Cav. dis. 7. t. 221.
EURYC'OMA, DC.	EURYC'OMA. Pentandria Monogynia.		
longifolia, DC. (pu.)	long-leaved. E. Indies. 1826.	.... S. h.	
CNE'STIS, DC.	CNE'STIS. Decandria Monogynia.		
1 glabra, DC. (pu.)	smooth. Mauritius. 1824.	.... S. h.	Lam. ill. t. 387. f. 1.
2 polyphylla, DC. (pu.)	many-leaved. Madagascar. —	.... S. h.	— t. 387. f. 2.
3 monadelphia, DC. ....	monadelphous. E. Indies. 1826.	.... S. h.	
BRUN'ELLIA, DC.	BRUN'ELLIA. Dodecandria Monogynia.		
inermis, DC. ....	various-leaved. Peru. 1823.	.... S. h.	
BRUCEA, DC.	BRUCEA. Diœcia Tetrandria.		
1 ferruginea, w. (st.)	ferruginous. Abyssinia. 1775.	4. 5. S. h.	Bruce's tr. 5. p. 69. ic.
antidysenterica, DC.			
2 gracilis, DC. (st.)	slender. E. Indies. ....	.... S. h.	
3 sumatrana, DC. (pu.)	Sumatra. Sumatra. 1822.	4. 6. S. h.	
TETRA'DIVM, DC.	TETRA'DIVM. Tetrandria Monogynia.		
trichotomum, DC. ....	trichotomous. China. 1822.	.... S. h.	
Brœca trichotoma, S.S.			
AILA'NTHUS, DC.	AILA'NTHUS. Polygamia Monœcia.		
1 glandulosa, DC. (st.)	Chinese. China. 1751.	8. H. 5.	Wats. dend. brit. t. 104.
2 excelsa, DC. (st.)	Indian. E. Indies. 1800.	.... S. 5.	Roxb. corom. 1. t. 23.

## ORDO LXXIV.

LEGUMINOSÆ. DC. *prodr.* 2. p. 93.

## Subordo I. PAPILIONACEÆ. DC. l. c. p. 94.

## Tribus I. SOPHOREÆ. DC. l. c. p. 94.

- MYROSPERMUM. K.S. BALSAM-SEED. Decandria Monogynia.  
*frutescens*. K.S. (*bh.*) shrubby. Caracas. 1824. .... S.  $\frac{1}{2}$ . H. et B. n. g. 6. t. 570-71.
- MYROXYLUM. K.S. BALSAM-WOOD. Decandria Monogynia.  
 1 *pubescens*. K.S. (*wh.*) pubescent. Carthagenæ. 1820. .... S.  $\frac{1}{2}$ . Lamb. cinch. 92. t. 1.  
 2 *peruiferum*. K.S. (*wh.*) Balsam of Peru. Peru. 1824. .... S.  $\frac{1}{2}$ . Lam. ill. t. 341. f. 1.  
 3 *toluiferum*. K.S. (*wh.*) Balsam of Tolu. S. America. .... S.  $\frac{1}{2}$ . Woodv. m. bot. 3. t. 193.
- SOPHORA. DC. SOPHORA. Decandria Monogynia. L.  
 1 *japonica*. DC. (*wh.*) Japanese. Japan. 1753. 8. 9. H. 5. Andr. reposit. 585.  
   *pendula*. L.C. (*wh.*) *pendulous*. .... H. 5.  
   *variegata*. L.C. (*wh.*) *striped-leaved*. .... H. 5.  
 2 *chinensis*. L.C. (*wh.*) Chinese. China. .... H. 5.  
 3 *glauca*. DC. (*pu.*) glaucous. E. Indies. 1818. .... S.  $\frac{1}{2}$ .  
 4 *tomentosa*. DC. (*ye.*) downy. 1690. .... S.  $\frac{1}{2}$ . Lam. ill. t. 325. f. 2.  
 5 *occidentalis*. W. (*ye.*) West Indian. W. Indies. .... S.  $\frac{1}{2}$ . Trew. ehr. t. 59.  
 6 *crassifolia*. DC. (*ye.*) thick-leaved. Senegal. 1824. .... S.  $\frac{1}{2}$ .  
 7 *secundiflora*. DC. (*bl.*) side-flowering. New Spain. 1818. .... G.  $\frac{1}{2}$ . Cavan. ic. 5. t. 401.  
   *Virgilia secundiflora*. C.I. *Broussonetia secundiflora*. Ort. dec. 5. t. 7.  
 8 *macrocarpa*. DC. (*ye.*) large-podded. Chile. 1822. 4. 5. F.  $\frac{1}{2}$ . Lodd. bot. cab. 1125.  
 9 *littoralis*. DC. (*ye.*) sea-side. Brazil. 1824. .... S.  $\frac{1}{2}$ . Pluk. alm. t. 104. f. 3.  
 10 *robusta*. H.B. .... robust. Silhet. 1820. .... S.  $\frac{1}{2}$ .  
 11 *velutina*. B.R. .... velvety. Nepaul. 1824. 6. 7. G.  $\frac{1}{2}$ . Bot. reg. 1185.  
 12 *flavescens*. DC. (*ye.*) pale-yellow. Siberia. 1785. 5. 7. H.  $\frac{1}{2}$ .
- PSEUDOSOPHORA. PSEUDOSOPHORA. Diadelphia Decandria.  
 1 *alopocuroides*. DC. (*wh.*) Fox-tail. Levant. 1731. 7. 8. H.  $\frac{1}{2}$ . Dill. elth. f. 136.  
 2 *sericea*. N. (*wh.*) silky. Missouri. 1811. 6. 7. H.  $\frac{1}{2}$ .  
   *Astragalus carndus*. Ph.
- EDWARDSIA. DC. EDWARDSIA. Decandria Monogynia.  
 1 *grandiflora*. DC. (*ye.*) large-flowered. N. Zealand. 1772. 3. 6. F.  $\frac{1}{2}$ . Bot. mag. 167.  
   *Sophora tetraptera*. B.M.  
 2 *chrysophylla*. DC. (*ye.*) golden-leaved. .... F.  $\frac{1}{2}$ . Bot. reg. 738.  
 3 *microphylla*. DC. (*ye.*) small-leaved. 1772. .... F.  $\frac{1}{2}$ . Bot. mag. 1442.  
 4 *minima*. L.C. (*ye.*) smallest. 1816. .... F.  $\frac{1}{2}$ .
- ORMOSIA. DC. ORMOSIA. Decandria Monogynia.  
 1 *dasycarpa*. DC. (*pu.*) smooth-leaved. W. Indies. 1793. 6. 7. S.  $\frac{1}{2}$ . Linn. trans. 10. t. 26.  
   *Sophora monosperma*. Swartz.  
 2 *coccinea*. DC. (*pu.*) scarlet-seeded. Guiana. 1826. .... S.  $\frac{1}{2}$ . Linn. trans. 10. t. 25.
- VIRGILIA. DC. VIRGILIA. Decandria Monogynia.  
 1 *capensis*. DC. (*bh.*) Cape. C. B. S. 1767. 7. 8. G.  $\frac{1}{2}$ . Bot. mag. 1590.  
 2 *intrusa*. H.K. (*ye.*) small-flowered. 1790. 5. 8. G.  $\frac{1}{2}$ . t. 2617.  
   *Sophora sylvatica*. Burchell.  
 3 *aura*. DC. (*ye.*) golden. Abyssinia. 1777. 7. G.  $\frac{1}{2}$ . L'Herit. st. nov. 1. t. 75.  
 4 *lutea*. DC. (*ye.*) American. N. America. 1812. 6. 7. G.  $\frac{1}{2}$ . Mich. fil. arb. 3. t. 3.
- MACROTR'OPIS. DC. MACROTR'OPIS. Decandria Monogynia.  
 1 *fœtida*. DC. (*wh.*) strong-scented. China. 1822. 4. 5. F.  $\frac{1}{2}$ .  
 2 *inodora*. DC. (*wh.*) scentless. 1824. .... F.  $\frac{1}{2}$ .
- ANAGYRIS. DC. BEAN TREFOIL. Decandria Monogynia. L.  
 1 *fœtida*. DC. (*ye.*) strong-scented. Spain. 1570. 4. 5. F.  $\frac{1}{2}$ . Lodd. bot. cab. t. 740  
   *glauca*. DC. (*ye.*) *glaucous-leaved*. S. Europe. 1824. .... F.  $\frac{1}{2}$ .  
 2 *latifolia*. DC. (*ye.*) broad-leaved. Teneriffe. 1815. .... F.  $\frac{1}{2}$ .
- PIPTA'NTHUS. B.F.G. PIPTA'NTHUS. Decandria Monogynia.  
*nepalensis*. B.F.G. (*ye.*) Laburnum ld. Nepaul. 1819. 5. 6. H.  $\frac{1}{2}$ . Swt. br. fl. gar. 264.  
   *Thermopsis napaulensis*. DC. *laburnifolia*. D.P. *Baptisia nepalensis*. Hook. ex. flor. 131.

- THERMO'PSIS. DC. THERMO'PSIS. Decandria Monogynia.**  
 1 rhombifolia. DC. (ye.) rhomb-leaved. Louisiana. 1811. 6. 7. H. 4.  
*Cyrtisus rhombifolius*. Ph.  
 2 fabacea. DC. (ye.) Bean-leaved. Kamtschatka. 1824. — H. 4. Pall. astr. t. 90. f. 2.  
 3 lanceolata. DC. (ye.) spear-leaved. Siberia. 1776. — H. 4. Bot. mag. 1389.  
*Sophora lupinoides*. Pall. astr. t. 89. *Podalyria lupinoides*. B.M.  
 4 coregonensis. DC. (ye.) alpine. Altay. 1824. — H. 4. Pall. astr. t. 90. f. 1.  
*Sophora alpina*. Pall. *Podalyria alpina*. W. enum.
- BAPTISIA. DC. BAPTISIA. Decandria Monogynia.**  
 1 perfoliata. DC. (ye.) perfoliate. Carolina. 1732. 8. F. 4. Lodd. bot. cab. 1104.  
*Crotalaria perfoliata*. L. *Rafnia perfoliata*. w.  
 2 exaltata. B.F.G. (bl.) tall upright. N. America. 1812. 6. 7. H. 4. Swt. br. fl. gar. 97.  
 3 auriculata. (bl.) eared. ———— H. 4.  
 4 australis. DC. (bl.) common. ———— 1758. — H. 4. Bot. mag. 509.  
*Sophora australis*. B.M. *Podalyria australis*. Vent. cels. t. 56.  
 5 confusa. (bl.) persistent-bract'd. N. America. 1812. — H. 4.  
 6 villosa. DC. (st.) villous. ———— 1811. — H. 4.  
 7 versicolor. B.C. (va.) various-colour'd. ———— 1824. 6. 8. H. 4. Lodd. bot. cab. 1144.  
 8 alba. DC. (wh.) white-flowered. ———— 1724. 6. 7. H. 4. Bot. mag. 1177.  
 9 tinctoria. DC. (ye.) dyer's. ———— 1759. 7. 8. H. 4. ———— t. 1099.  
*Sophora tinctoria*. L. *Podalyria tinctoria*. B.M.
- CYCLOPIA. DC. CYCLOPIA. Decandria Monogynia.**  
 1 genistoides. DC. (ye.) Genista like. C. B. S. 1787. 7. 8. G. 4. Bot. mag. 1259.  
*Ibbetsonia genistoides*. B.M. *Gompholobium maculatum*. A.R. 427.  
 2 galioides. DC. (ye.) Galium-like. C. B. S. 1818. 7. 8. G. 4. Pluk. alm. t. 413. f. 4.  
 3 latifolia. DC. (ye.) broad-leaved. ———— G. 4.  
 4 oleifolia. P.L. (pu.) Olive-leaved. ———— G. 4.  
 5 sericea. DC. (pu.) silky. ———— 1778. 10. 1. G. 4. Bot. mag. 1923.  
 6 myrtillifolia. DC. (pu.) Myrtle-leaved. ———— 1795. 4. 7. G. 4.  
 7 buxifolia. DC. (pu.) Box-leaved. ———— 1790. 5. 10. G. 4. Bot. reg. 869.  
 8 styracifolia. DC. (pu.) Storax-leaved. ———— 1792. 5. 7. G. 4. Bot. mag. 1580.  
 9 calyptrata. w. (pu.) one-flowered. ———— 4. 5. G. 4.  
 10 coruscans. Rch. (pu.) glittering. ———— 1822. — G. 4.  
 11 glauca. DC. (pu.) glaucous-leaved. ———— G. 4. Lam. ill. t. 327. f. 4.  
 12 argentea. DC. (li.) silvery-leaved. ———— 1780. 2. 6. G. 4. Sal. par. lond. t. 7.  
*biflora*. Bot. mag. t. 753.
- 13 liparioides. DC. (li.) Liparia-like. ———— 1824. 4. 6. G. 4.  
 14 subbiflora. DC. (pu.) netted-leaved. ———— G. 4.  
 15 cordata. DC. (pu.) heart-leaved. ———— 1794. 5. 7. G. 4.
- CHORIZ'EMA. DC. CHORIZ'EMA. Decandria Monogynia.**  
 1 ilicifolia. DC. (sc.) Holly-leaved. N. Holland. 1803. 3. 10. G. 4. Labill. voy. 1. t. 21.  
 2 nana. DC. (sc.) dwarf prickly. ———— G. 4. Bot. mag. 1032.  
 3 rhombea. DC. (sc.) various-leaved. ———— 4. 6. G. 4. Swt. flor. aust. t. 40.  
 4 Henchmanni. B.R. (sc.) Henchmann's. ———— 1825. 5. 9. G. 4. Bot. reg. 986.  
 5 platylobioides. DC. (ye.) Platylobium-like. ———— G. 4.
- PODOL'OBIIUM. DC. PODOL'OBIIUM. Decandria Monogynia.**  
 1 trilobatum. DC. (ye.) three-lobed. N. S. W. 1791. 4. 7. G. 4. Bot. mag. 1477.  
*Chorozema trilobatum*. L.T. *Pulten'ea ilicifolia*. A.R. 320.  
 2 staurophyllum. DC. (y.) spiny-leaved. N. S. W. 1821. 3. 5. G. 4. Bot. reg. 959.  
 3 scandens. DC. (ye.) climbing. ———— 1825. 4. 6. G. 4. ✓.
- Chorozema scandens*. L.T.
- OXYL'OBIIUM. DC. OXYL'OBIIUM. Decandria Monogynia.**  
 1 obtusifolium. S.F.A. (sc.) blunt-leaved. N. Holland. 1825. 4. 6. G. 4. Swt. flor. aust. t. 5.  
 2 arborescens. DC. (ye.) arborescent. V. Diem. Isl. 1805. 5. 9. G. 4. Bot. reg. 392.  
 3 retusum. B.R. (or.) refuse-leaved. N. Holland. 1822. 4. 6. G. 4. ———— t. 913.  
 4 ellipticum. DC. (ye.) elliptic-leaved. V. Diem. Isl. 1805. 5. 9. G. 4. Lab. nov. hol. 1. t. 135.  
 5 cordifolium. DC. (sc.) heart-leaved. N. S. W. 1807. 4. 9. G. 4. Andr. rep. 492.  
 6 spinosum. DC. (ye.) spiny. N. Holland. 1823. 5. 8. G. 4.  
 7 Pulten'æ. DC. (ye.) wood. N. S. W. ———— 4. 6. G. 4.
- CALLIST'ACHYS. DC. CALLIST'ACHYS. Decandria Monogynia.**  
 1 lanceolata. DC. (ye.) spear-leaved. N. Holland. 1815. 5. 8. G. 4. Bot. reg. 216.  
 2 ovata. DC. (ye.) oval-leaved. ———— G. 4. Bot. mag. 1925.
- BRACHYS'EMA. DC. BRACHYS'EMA. Decandria Monogynia.**  
 1 latifolium. DC. (sc.) broad-leaved. N. Holland. 1803. 4. 7. G. 4. ✓. Bot. reg. 118.  
 2 undulatum. DC. (ye.) wave-leaved. ———— 1820. 2. 7. G. 4. ✓. ———— t. 642.

## GOMPHOL'OBIIUM. DC. GOMPHOL'OBIIUM. Decandria Monogynia.

1	barbigerum. DC. (ye.)	bearded-flow'd.	N. S. W.	1824.	5. 8.	G. ♀.	
2	grandiflorum. DC. (ye.)	large-flowered.	————	1803.	3. 9.	G. ♀.	Bot. reg. 484.
3	virgatum. DC. (ye.)	twiggy.	————	1824.	5. 8.	G. ♀.	
4	latifolium. DC. (ye.)	broad-leaved.	————	1803.	3. 9.	G. ♀.	Labill. nov. hol. t. 133.
	<i>fimbriatum</i> . Sm. ex. bot. t. 58.	<i>psoraleafolium</i> .	Sal. par. lond.	t. 6.			
5	glaucescens. F.T. (ye.)	glaucous.	N. S. W.	1821.	4. 6.	G. ♀.	
6	marginatum. DC. (ye.)	small-flower'd.	N. Holland.	1803.	3. 9.	G. ♀.	
7	pedunculare. DC. (ye.)	long-stalk'd.	N. S. W.	1825.	4. 7.	G. ♀.	
8	tetratechoides. DC. (ye.)	Tetratecha-like.	————	————	————	G. ♀.	
9	polymorphum. DC. (sc.)	variable.	N. Holland.	1803.	3. 8.	G. ♀.	Bot. mag. 1533.
10	tomentosum. DC. (ye.)	tomentose.	————	————	4. 7.	G. ♀.	Labill. nov. hol. 1. t. 134.
11	glabratum. DC. (ye.)	smooth.	————	1824.	————	G. ♀.	
12	venustum. DC. (pu.)	purple-flowered.	————	1803.	————	G. ♀.	
13	pinnaum. DC. (ye.)	wing-leaved.	N. S. W.	1822.	5. 6.	G. ♂.	

## BURTONIA. DC. BURTONIA. Decandria Monogynia.

1	scabra. DC. (pu.)	rough-leaved.	N. Holland.	1803.	5. 7.	G. ♀.	
2	minor. DC. (ye.)	hairy-stalked.	N. S. W.	1812.	3. 8.	G. ♀.	
3	sessilifolia. DC. (ye.)	sessile-leaved.	————	1825.	————	G. ♀.	

## JACKSONIA. DC. JACKSONIA. Decandria Monogynia.

1	scoparia. DC. (ye.)	Broom-like.	N. S. W.	1803.	6. 8.	G. ♀.	Lodd. bot. cab. 427.
2	spinosa. DC. (ye.)	spiny.	N. Holland.	————	4. 9.	G. ♀.	Labill. nov. hol. 1. t. 136.
3	horrida. DC. (ye.)	horrid.	————	1825.	————	G. ♀.	
4	furcellata. DC. (ye.)	forked.	N. S. W.	1822.	4. 6.	G. ♀.	Bonpl. nav. t. 11.
5	reticulata. DC. (ye.)	netted.	————	————	————	G. ♀.	

## VIMINARIA. DC. VIMINARIA. Decandria Monogynia.

	denudata. DC. (ye.)	half-naked.	N. S. W.	1789.	6. 9.	G. ♀.	Bot. mag. 1190.
--	---------------------	-------------	----------	-------	-------	-------	-----------------

## SPHÆROLOBIIUM. DC. SPHÆROLOBIIUM. Decandria Monogynia.

1	vimineum. DC. (ye.)	yellow-flower'd.	N. S. W.	1802.	5. 8.	G. ♀.	Bot. mag. 969.
2	medium. DC. (re.)	red-flowered.	N. Holland.	1803.	6. 8.	G. ♀.	

## AOTUS. DC. AOTUS. Decandria Monogynia.

1	villoso. DC. (ye.)	villous.	V. Diem. Isl.	1790.	4. 6.	G. ♀.	Bot. mag. 949.
2	virgata. DC. (ye.)	slender.	N. Holland.	1820.	4. 8.	G. ♀.	

## DILLWYNIA. DC. DILLWYNIA. Decandria Monogynia.

1	floribunda. DC. (ye.)	close-flowered.	N. S. W.	1794.	4. 7.	G. ♀.	Sm. exot. bot. t. 26.
	<i>ericifolia</i> . Bot. mag. 1545.	<i>nec aliorum</i> .	————	————	————	————	———— t. 25.

2	ericifolia. DC. (ye.)	Heath-leaved.	————	————	3. 7.	G. ♀.	———— t. 25.
3	juniperina. B.C. (ye.)	Juniper-leaved.	————	1818.	6. 7.	G. ♀.	Lodd. bot. cab. 401.
4	glaberrima. DC. (ye.)	smooth.	————	1800.	3. 7.	G. ♀.	Bot. mag. 944.
5	parvifolia. DC. (ye.)	small-leaved.	————	————	————	G. ♀.	———— t. 1527.

6	acicularis. DC. (ye.)	needle-leaved.	————	1822.	5. 7.	G. ♀.	
7	rudis. DC. (ye.)	villous-branched.	————	1812.	————	G. ♀.	
8	teretifolia. Sie. (ye.)	round-leaved.	————	1825.	————	G. ♀.	
9	hispidula. Sie. (ye.)	hispid.	————	————	————	G. ♀.	

10	tenuifolia. DC. (ye.)	slender-leaved.	————	1820.	————	G. ♀.	
11	phylicoides. F.T. (ye.)	Phylica-leaved.	————	1824.	5. 8.	G. ♀.	
12	sericea. F.T. (ye.)	silky.	————	————	————	G. ♀.	

13	cinerascens. DC. (ye.)	ash-coloured.	V. Diem. Isl.	1818.	6. 7.	G. ♀.	Bot. mag. 2247.
----	------------------------	---------------	---------------	-------	-------	-------	-----------------

## EUTAXIA. DC. EUTAXIA. Decandria Monogynia.

1	myrtifolia. DC. (ye.)	Myrtle-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Bot. mag. 1274.
	<i>Dillwynia obovata</i> . B.M.	————	————	————	————	————	————

2	pungens. S.F.A. (ye.)	pungent-leaved.	————	1825.	6. 8.	G. ♀.	Swt. flor. aust. t. 28.
---	-----------------------	-----------------	------	-------	-------	-------	-------------------------

## SCLEROTHAMNUS. DC. SCLEROTHAMNUS. Decandria Monogynia.

	microphyllus. DC. (ye.)	small-leaved.	N. Holland.	1803.	5. 6.	G. ♀.	
--	-------------------------	---------------	-------------	-------	-------	-------	--

## GASTROLOBIIUM. DC. GASTROLOBIIUM. Decandria Monogynia.

	bilobum. DC. (ye.)	two-lobed.	N. Holland.	1803.	3. 5.	G. ♀.	Bot. reg. 411.
--	--------------------	------------	-------------	-------	-------	-------	----------------

## EUCHILUS. DC. EUCHILUS. Decandria Monogynia.

	obcordatus. DC. (ye.)	heart-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Bot. reg. 403.
--	-----------------------	---------------	-------------	-------	-------	-------	----------------

## PULTENÆA. DC. PULTENÆA. Decandria Monogynia.

1	daphnoides. DC. (ye.)	Daphne-leaved.	N. S. W.	1792.	6. 7.	G. ♀.	Bot. mag. 1394.
2	obcordata. DC. (ye.)	heart-leaved.	V. Diem. Isl.	1808.	5. 7.	G. ♀.	Andr. rep. t. 574.
3	biloba. DC. (ye.)	two-lobed.	N. Holland.	1818.	————	G. ♀.	Bot. mag. t. 2091.

4	scabra. H.K. (y.pu.)	rough-leaved.	N. S. W.	1803.	————	G. ♀.	
5	incurvata. F.T. (ye.)	incurved-ld.	————	1825.	————	G. ♀.	
6	canescens. F.T. (ye.)	canescent	————	1824.	4. 7.	G. ♀.	
7	polifolia. F.T. (ye.)	Poley-leaved.	————	————	————	G. ♀.	
8	argentea. F.T. (ye.)	silvery.	————	1826.	————	G. ♀.	
9	ferruginea. DC. (ye.)	ferruginous.	————	1818.	————	G. ♀.	Linn. trans. 11. t. 23.

10	racemulosa. DC.	(ye.)	racemed.	N. S. W.	1821.	4. 7.	G. h̄.	
11	parviflora. DC.	(ye.)	small-flowered.	—	1824.	5. 7.	G. h̄.	
12	procumbens. F.T.	(ye.)	procumbent.	—	—	—	G. h̄.	
13	stricta. DC.	(ye.)	upright.	—	1803.	4. 6.	G. h̄.	Bot. mag. 1588.
14	elliptica. DC.	(ye.)	elliptic-leaved.	—	1818.	4. 7.	G. h̄.	Linn. trans. 11. t. 24.
15	plumosa. DC.	(ye.)	feathered.	—	1822.	5. 7.	G. h̄.	
16	thymifolia. DC.	(ye.)	Thyme-leaved.	—	—	—	G. h̄.	
17	hypolampra. DC.	(ye.)	whorl-branched.	—	—	—	G. h̄.	
18	villifera. DC.	(ye.)	wool-bearing.	—	1824.	—	G. h̄.	
19	polygalifolia. DC.	(ye.)	Milkwort-ld.	—	1818.	4. 7.	G. h̄.	Swt. flor. aust. t. 37.
20	flexilis. DC.	(ye.)	fragrant.	—	1801.	4. 6.	G. h̄.	— t. 35.
21	euchila. DC.	(ye.)	wedge-leaved.	—	1824.	5. 7.	G. h̄.	
22	retusa. DC.	(ye.)	blunt	—	1789.	4. 5.	G. h̄.	Bot. reg. 378.
23	capitellata. DC.	(ye.)	small-headed.	—	1825.	—	G. h̄.	
24	linophylla. DC.	(ye.)	Flax-leaved.	—	1789.	5. 7.	G. h̄.	Schrad. s. han. 3. t. 18.
25	microphylla. DC.	(ye.)	small-leaved.	—	1823.	—	G. h̄.	
26	stipularis. DC.	(ye.)	scaly.	—	1792.	4. 6.	G. h̄.	Bot. mag. 475.
27	paleacea. DC.	(ye.)	chaſſy.	—	1789.	5. 7.	G. h̄.	Lodd. bot. cab. t. 291.
28	aristata. DC.	(ye.)	awned-calyxed.	—	1823.	—	G. h̄.	
29	echinula. DC.	(ye.)	harsh-leaved.	—	—	—	G. h̄.	
30	vestita. DC.	(ye.)	awned.	N. Holland.	1803.	4. 7.	G. h̄.	
31	candida. B.C.	(ye.)	white-leaved.	—	1824.	—	G. h̄.	Lod. bot. cab. 1236.
32	tenuifolia. DC.	(ye.)	slender-leaved.	—	1813.	—	G. h̄.	Bot. mag. 2086.
33	villosa. DC.	(ye.)	villous.	N. S. W.	1790.	4. 5.	G. h̄.	— t. 967.
34	pedunculata. B.M.	(ye.)	pedunculated.	—	1824.	5. 6.	G. h̄.	Bot. mag. 2859.
35	eriophora. L.C.	(ye.)	wool-bearing.	—	1794.	4. 7.	G. h̄.	
36	incarnata. M.C.	(fl.)	flesh-coloured.	N. Holland.	1824.	—	G. h̄.	
37	rosmariniifolia. ψ.	(ye.)	Rosemary-leav'd.	—	—	—	G. h̄.	
38	aspera. DC.	(ye.)	rough.	N. S. W.	—	5. 8.	G. h̄.	
39	comosa. DC.	(ye.)	tufted.	—	—	—	G. h̄.	
40	squarrosa. DC.	(ye.)	squarrose.	—	—	—	G. h̄.	
41	phylicoides. DC.	(ye.)	Phylica-like.	—	—	—	G. h̄.	
DAVIESIA. DC.				DAVIESIA. Decandria Monogynia.				
1	latifolia. DC.	(ye.)	broad-leaved.	N. S. W.	1803.	5. 8.	G. h̄.	Bot. mag. 1757.
2	corymbosa. DC.	(ye.)	corymb-flower'd.	—	1804.	—	G. h̄.	
3	mimosoides. H.K.	(ye.)	green-leaved.	—	1800.	—	G. h̄.	Andr. reposit. 526.
corymbosa. A.R. non Smith.								
4	glauca. B.C.	(ye.)	glaucous-leaved.	—	1812.	—	G. h̄.	Lodd bot. cab. 43.
mimosoides. Bot. mag. 1957. non H.K.								
5	umbellulata. DC.	(ye.)	small-umbelled.	—	1822.	4. 8.	G. h̄.	
6	incrassata. DC.	(ye.)	thick-leaved.	—	1820.	5. 8.	G. h̄.	
7	acicularis. DC.	(ye.)	needle-leaved.	—	1804.	6. 7.	G. h̄.	
8	ulicina. DC.	(ye.)	Furze-like.	N. S. W.	1792.	4. 8.	G. h̄.	Andr. reposit. 304.
9	pungens. M.C.	(ye.)	pungent.	N. Holland.	1825.	—	G. h̄.	
10	squarrosa. DC.	(ye.)	squarrose.	N. S. W.	1822.	5. 7.	G. h̄.	
11	cordata. DC.	(ye.)	heart-leaved.	N. Holland.	1824.	—	G. h̄.	Bot. reg. 1005.
12	alata. DC.	(ye.)	winged.	—	1820.	4. 6.	G. h̄.	— t. 728.
MIRBELIA. DC.				MIRBELIA. Decandria Monogynia.				
1	reticulata. DC.	(pu.)	netted-leaved.	N. S. W.	1792.	5. 8.	G. h̄.	Bot. mag. 1211.
2	pungens. M.C.	(pu.)	pungent-leav'd.	N. Holland.	1824.	—	G. h̄.	
3	speciosa. DC.	(pu.)	beautiful.	N. S. W.	—	—	G. h̄.	Swt. flor. aust. t. 34.
4	grandiflora. B.M.	(y.re.)	large-flowered.	—	1823.	—	G. h̄.	Bot. mag. 2771.
5	Baxteri. M.C.	....	Baxter's.	N. Holland.	1824.	....	G. h̄.	
6	dilatata. DC.	(pu.)	lobed-leaved.	—	1803.	5. 8.	G. h̄.	Bot. reg. 1041.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.

*Subtribus* I. *GENISTEÆ*. DC. l. c. 115.

HOVEA. DC.		HOVEA. Monadelphia Decandria.						
1	rosmariniifolia. F.T.	(bl.)	Rosemary-ld.	N. S. W.	1824.	3. 6.	G. h̄.	
2	longifolia. DC.	(bl.)	long-leaved.	—	1805.	3. 7.	G. h̄.	Bot. reg. 614.
3	linearis. DC.	(bl.)	linear-leaved.	—	1796.	—	G. h̄.	— t. 463.
4	lanceolata. DC.	(bl.)	spear-leaved.	—	1805.	—	G. h̄.	Bot. mag. 1624.

- 5 elliptica. DC. (*bl.*) elliptic-leaved. N. S. W. 1817. 3. 7. G. h. *Poirétiu elliptica*. L.T.
- 6 purpûrea. S.F.A. (*pu.*) purple-flowered. ——— 1824. 2. 5. G. h. Swt. flor. aust. t. 13.
- 7 latifolia. DC. (*bl.*) broad-leaved. ——— 1817. 3. 6. G. h. Lodd. bot. cab. 30.
- 8 Celsi. DC. (*bl.*) Cels's. N. Holland. 1818. 3. 7. G. h. Bot. reg. 280.
- PLAGIOLOBIUM.** S.F.A. **PLAGIOLOBIUM.** Diadelphia Decandria.
- 1 chorizemæfolium. S.F.A. (*bl.*) Chorzizema-l'd. N. Holland. 1824. 2. 5. G. h. Swt. flor. aust. t. 2.
- 2 ilicifolium. S.F.A. (*bl.*) Holly-leaved. ——— 1827. ——— G. h. ——— t. 2. f. 10-11.
- PLATYLOBIUM.** DC. **FLAT-PEA.** Monadelphia Decandria.
- 1 formosum. DC. (*ye.*) large-flowered. N. S. W. 1790. 6. 8. G. h. Bot. mag. 469.
- 2 parviflorum. DC. (*ye.*) smaller-flower'd. ——— 1792. 5. 9. G. h. ——— t. 1520.
- 3 ovatum. DC. (*ye.*) oval-leaved. ——— 1820. 5. 7. G. h.
- 4 triangulare. DC. (*ye.*) triangular-l'd. V. Diem. Isl. 1805. 5. 9. G. h. Bot. mag. 1508.
- BOSSIÆA.** DC. **BOSSIÆA.** Monadelphia Decandria.
- 1 scolopendria. DC. (*ye.*) Plank-plant. N. S. W. 1792. 5. 7. G. h. Vent. malm. 55.
- Platylöbium Scolopendrium.* Andr. rep. 191.
- 2 ensata. DC. (*ye.*) sword-stemmed. N. S. W. 1822. ——— G. h. Swt. flor. aust. t. 51.
- rûfa.* Lod. bot. cab. 1119. non dc.
- 3 rûfa. DC. (*re.*) red-flowered. N. Holland. 1803. 6. 9. G. h.
- 4 linophylla. DC. (*ye.*) narrow-leaved. ——— 7. 9. G. h. Bot. mag. 2491.
- 5 heterophylla. DC. (*ye.*) various-leaved. N. S. W. 1792. 4. 12. G. h. Vent. cels. t. 7.
- lanceolata.* B.M. 1144. *Platylöbium lanceolatum et ovatum.* A.R. 205 et 276.
- 6 rotundifolia. DC. (*ye.*) round-leaved. N. S. W. 1822. 5. 7. G. h.
- 7 rhombifolia. DC. (*ye.*) rhomb-leaved. ——— 4. 6. G. h. Swt. flor. aust. t. 9.
- lenticularis.* Lod. bot. cab. 1238. non dc.
- 8 microphylla. DC. (*ye.*) small-leaved. ——— 1803. 5. 7. G. h. Lodd. bot. cab. t. 656.
- 9 lenticularis. DC. (*ye.*) orbicular-leaved. ——— 1822. ——— G. h.
- 10 foliosa. F.T. (*ye.*) leafy. ——— 1823. 4. 7. G. h.
- 11 buxifolia. F.T. (*ye.*) Box-leaved. ——— G. h.
- 12 prostrata. DC. (*ye.*) prostrate. ——— 1803. ——— G. h. Bot. mag. 1493.
- 13 cordifolia. S.F.A. (*y.pu.*) heart-leaved. N. Holland. 1824. ——— G. h. Swt. flor. aust. t. 20.
- 14 cinerea. DC. (*y.pu.*) sharp-leaved. V. Diem. Isl. 1803. 5. 7. G. h. Bot. reg. 306.
- GO'ODIA.** DC. **GO'ODIA.** Monadelphia Decandria.
- 1 lotifolia. DC. (*ye.*) Lotus-leaved. V. Diem. Isl. 1793. 4. 7. G. h. Sal. par. lond. 41.
- 2 subpubescens. (*ye.*) hairy-leaved. ——— 1812. ——— G. h.
- 3 pubescens. DC. (*y.pu.*) downy. ——— 1805. ——— G. h. Bot. mag. 1310.
- 4 retusa. M.C. (*ye.*) retuse-leaved. N. Holland. 1824. ——— G. h.
- TEPHROTHA'MNUS.** **TEPHROTHA'MNUS.** Monadelphia Decandria.
- tomentosus. (*ye.*) woolly. C. B. S. 1798. 7. 8. G. h. And. rep. 237.
- Cytisus tomentosus.* A.R. *Goodia? polysperma.* DC.
- SCOTTIA.** H.K. **SCOTTIA.** Monadelphia Decandria.
- 1 dentata. DC. (*sc.*) broad-leaved. N. Holland. 1803. 1. 6. G. h.
- 2 trapeziformis. M.C. . . trapeziform. ——— 1825. . . . G. h.
- 3 angustifolia. M.C. (*br.*) narrow-leaved. ——— 1. 6. G. h.
- TEMPLETONIA.** DC. **TEMPLETONIA.** Monadelphia Decandria.
- 1 retusa. DC. (*sc.*) green-leaved. N. Holland. 1803. 3. 7. G. h. Bot. reg. 383.
- 2 glauca. DC. (*sc.*) glaucous-leaved. ——— G. h. Bot. mag. 2088.
- RAF'NIA.** DC. **RAF'NIA.** Monadelphia Decandria.
- 1 cordata. DC. (*ye.*) heart-leaved. C. B. S. 1821. 5. 7. G. h.
- 2 elliptica. DC. (*ye.*) elliptic-leaved. ——— 1816. ——— G. h.
- 3 cuneifolia. DC. (*y.pu.*) wedge-leaved. ——— 1820. ——— G. h.
- 4 triflora. DC. (*ye.*) three-flowered. ——— 1786. ——— G. h. Bot. mag. 482.
- Crotalaria triflora.* L. *Borbônia cordata.* And. rep. t. 31. nec aliorum.
- 5 lancea. DC. (*ye.*) lance-leaved. C. B. S. 1816. 5. 7. G. h. Th. ac. holm. 1800. t. 4.
- Edmännia lancea.* Th.
- 6 opposita. DC. (*ye.*) opposite-leaved. ——— 1825. ——— G. h.
- 7 angulata. DC. (*ye.*) angular-stalked. ——— 1816. ——— G. h.
- 8 filifolia. DC. (*ye.*) narrow-leaved. ——— ——— G. h.
- VASC'OA.** DC. **VASC'OA.** Monadelphia Decandria.
- 1 amplexicaulis. DC. (*ye.*) stem-clasping. C. B. S. 1812. 6. 7. G. h.
- Crotalaria amplexicaulis.* L. *Ráfnia amplexicaulis.* Th.
- 2 perfoliata. DC. (*ye.*) perfoliate. C. B. S. 1812. 7. 8. G. h. Seba. thes. 1. t. 24. f. 5.
- Borbônia perfoliata.* Th. *Crotalaria amplexicaulis.* Lam.
- BORB'ONIA.** DC. **BORB'ONIA.** Monadelphia Decandria.
- 1 barbata. DC. (*ye.*) bearded. C. B. S. 1816. 6. 8. G. h. Lam. ill. t. 610. f. 2.
- 2 trinervia. DC. (*ye.*) three-nerved. ——— 1759. ——— G. h. Pluk. alm. t. 297. f. 4.
- 3 lanceolata. DC. (*ye.*) many-nerved. ——— 1752. ——— G. h. Jacq. schœnb. 2. t. 217.
- 4 cordata. DC. (*ye.*) heart-leaved. ——— 1759. ——— G. h. ——— 2. t. 218.
- 5 ruscifolia. DC. (*ye.*) Ruscus-leaved. ——— 1816. ——— G. h. Bot. mag. 2128.

6	parviflora. DC.	(ye.)	small-flowered.	C. B. S.	1821.	6. 8.	G. h.	
7	crenata. DC.	(ye.)	notch-leaved.	————	1774.	————	G. h.	Bot. mag. 274.
8	ciliata. DC.	(ye.)	fringed.	————	1816.	————	G. h.	Houtt. syst. 8. t. 62 f.2.
ACHYR'ONIA. DC.		ACHYR'ONIA.		Diadelphia	Decandria.			
	villosa. DC.	(ye.)	villous.	N. Holland.	1810.	5. 8.	G. h.	Wendl. hort. her. 1. t. 12.
LIP'ARIA. DC.		LIP'ARIA.		Diadelphia	Decandria.			
	sphærica. DC.	(ye.)	globe-headed.	C. B. S.	1794.	7. 8.	G. h.	Bot. mag. 1241.
PRIESTLE'YA. DC.		PRIESTLE'YA.		Diadelphia	Decandria.			
1	myrtifolia. DC.	(ye.)	Myrtle-leaved.	C. B. S.	1825.	4. 7.	G. h.	DC. Leg. mem. t. 29.
2	hirsuta. DC.	(ye.)	shaggy-stemmed.	————	1792.	12. 4.	G. h.	Bot. reg. 8.
Lipària hirsuta. B.R.								
3	lævigata. DC.	(ye.)	polished:	————	1799.	7. 8.	G. h.	DC. Leg. mem. t. 30.
	Borbônia lævigata. Lod.	bot. cab. 247.						
4	capitata. DC.	(ye.)	headed.	————	1812.	3. 6.	G. h.	
5	graminifolia. DC.	(ye.)	narrow-leaved.	————	1800.	4. 7.	G. h.	
6	tères. DC.	(ye.)	smooth-stalked.	————	1816.	————	G. h.	
7	ericæfolia. DC.	(w. pu.)	Heath-leaved.	————	1812.	4. 8.	G. h.	DC. Leg. mem. t. 31.
8	sericea. DC.	(ye.)	silky-leaved.	————	1794.	————	G. h.	Pluk. t. 388. f. 3.
9	axillaris. DC.	(ye.)	axillary-flower'd.	————	1824.	————	G. h.	DC. Leg. mem. t. 32.
10	elliptica. DC.	(ye.)	elliptic-leaved.	————	1816.	————	G. h.	———— t. 33.
11	villosa. DC.	(ye.)	villous-leaved.	————	1774.	————	G. h.	Seb. thes. 1. t. 24. f. 2.
12	vestita. DC.	(ye.)	concaave-leaved.	————	1800.	5. 6.	G. h.	Bot. mag. 2223.
Lipària vestita. B.M.		Lipària villosa. A.R. 382. nec aliorum.						
13	tomentosa. DC.	(ye.)	downy.	C. B. S.	1812.	5. 8.	G. h.	
14	umbellifera. DC.	(ye.)	umbel-flowered.	————	1825.	6. 7.	G. h.	
HA'LLIA. DC.		HA'LLIA.		Monadelphia	Decandria.			
1	alata. DC.	(pu.)	wing-stalked.	C. B. S.	1818.	6. 8.	G. h.	
2	flaccida. DC.	(pu.)	long-leaved.	————	1789.	6. 9.	G. h.	
3	angustifolia. DC.	(pu.)	narrow-leaved.	————	1816.	————	G. h.	
4	cordata. DC.	(pu.)	heart-leaved.	————	1787.	————	G. h.	Jacq. schœnb. 3. t. 296.
	Glycine monophylla. Jacq.	Hedy'sarum cordatum. Th. n. ac. ups. 6. t. 1.						
5	Asarina. DC.	(pu.)	Asarum-like.	C. B. S.	1816.	6. 9.	G. h.	
6	imbricata. DC.	(pu.)	imbricated.	————	1812.	————	G. h.	Bot. mag. 1850. et 2596.
HEYLA'NDIA. DC.		HEYLA'NDIA.		Monadelphia	Decandria.			
	hebecarpa. DC.	(ye.)	hairy-podded.	Ceylon.	1820.	6. 8.	S. h.	DC. Leg. mem. t. 34.
CROTAL'ARIA. DC.		CROTAL'ARIA.		Monadelphia	Decandria.			
1	alata. DC.	(st.)	winged-stalked.	Nepaul.	1818.	4. 8.	S. h.	
2	platycarpa. DC.	(ye.)	flat-podded.	N. America.	1824.	7. 9.	H. ⊙	
3	Purshii. DC.	(ye.)	Pursh's.	————	1827.	————	H. ⊙	Pluk. alm. t. 277. f. 2.
lævigata. Ph. non Lam.								
4	parviflora. DC.	(ye.)	small-flowered.	————	1823.	6. 9.	H. ⊙	Pluk. alm. t. 169. f. 6 ?
5	sagittalis. DC.	(ye.)	Virginian.	————	1731.	————	H. ⊙	Herm. lugd. p. 203. ic.
6	ovalis. DC.	(ye.)	oval-leaved.	————	1827.	————	H. ⊙	
7	rubiginosa. DC.	(ye.)	rusty.	E. Indies.	1807.	————	S. ⊙	
8	verrucosa. DC.	(bl.)	blue-flowered.	————	1731.	————	S. ⊙	Andr. reposit. 308.
	carulea. Jacq. ic. t. 144.	angulosa. Cav. ic. 4. t. 321.						
9	sempreflorens. DC.	(ye.)	ever-blowing.	E. Indies.	1816.	3. 9.	S. h.	Vent. hort. cels. t. 17.
10	retusa. DC.	(ye.)	wedge-leaved.	————	1731.	5. 9.	S. ⊙	Bot. reg. 253.
11	Lechenaultii. DC.	(ye.)	Lechenault's.	————	1826.	————	S. ⊙	
12	spectabilis. DC.	(pu.)	showy.	————	1824.	————	S. ⊙	
13	pulcherrima. DC.	(ye.)	Mysore.	————	1814.	————	S. ⊙	Bot. mag. 2027.
14	bengalensis. DC.	(ye.)	Bengal.	————	1806.	————	S. ⊙	Pluk. alm. t. 169. f. 5.
15	junceæ. DC.	(ye.)	rush-stalked.	————	1700.	6. 9.	S. ⊙	Bot. mag. 490.
16	tenuifolia. DC.	(ye.)	slender-leaved.	————	1818.	————	S. ⊙	
17	fenestrata. DC.	(ye.)	window-calyxed.	————	1816.	————	S. ⊙	Bot. mag. 1933.
18	sericea. DC.	(ye.)	silky.	————	1807.	————	S. ⊙	
19	tecta. DC.	(ye.)	striped-flower'd.	————	1824.	6. 10.	S. ⊙	
20	Burmanni. DC.	(ye.)	Burmans's.	————	————	————	S. ⊙	Burm. ind. t. 48. f. 1.
21	hirsuta. DC.	(ye.)	hairy-podded.	————	1823.	————	S. ⊙	
22	mysorensis. DC.	(ye.)	Mysore.	————	1826.	————	S. ⊙	
23	montana. DC.	(ye.)	mountain.	————	1816.	————	S. ⊙	
24	albida. DC.	(wh.)	white-flowered.	————	1824.	————	S. ⊙	
25	paniculata. DC.	(ye.)	panicked.	————	1807.	6. 8.	S. h.	
26	púchra. DC.	(ye.)	short-podded.	————	1800.	3. 5.	S. h.	Andr. reposit. t. 601.
27	Növæ-Hollandiæ. DC.	(pu.)	NewHolland.	N. Holland.	1820.	6. 8.	S. h.	Schr. pl. rar. h. mon. t. 88.
28	paulina. DC.	(ye.)	St. Paul.	Brazil.	————	7. 9.	S. h.	
29	breviflora. DC.	(ye.)	short-flowered.	————	1824.	————	S. h.	
30	bifaria. DC.	(ye.)	two-ranked.	E. Indies.	————	————	S. h.	
31	dichótoma. DC.	(ye.)	forked.	————	————	————	S. h.	

32	<i>diffusa</i> . DC.	( <i>ye</i> ) diffuse.	.....	1818.	6. 8.	S. ♀.	
33	<i>biflora</i> . DC.	( <i>ye</i> ) two-flowered.	E. Indies.	1790.	—	S. ♂.	Petiv. gaz. t. 30. f. 10.
34	<i>nana</i> . DC.	( <i>ye</i> ) dwarf.	—	—	—	S. ♂.	Burm. ind. t. 48. f. 2.
35	<i>bialata</i> . DC.	( <i>ye</i> ) two-winged.	—	1818.	—	S. ♂.	
36	<i>tetragona</i> . DC.	( <i>ye</i> ) square-stalked.	Nepaul.	1806.	8. 9.	S. ♂.	Andr. rep. t. 593.
37	<i>linifolia</i> . DC.	( <i>ye</i> ) Flax-leaved.	E. Indies.	1823.	6. 7.	S. ♂.	
38	<i>pellita</i> . DC.	( <i>ye</i> ) villous-podded.	Jamaica.	1822.	7. 9.	S. ♀.	
39	<i>virgultalis</i> .	( <i>ye</i> ) twiggy.	C. B. S.	1816.	—	G. ♀.	
40	<i>acuminata</i> . DC.	( <i>ye</i> ) taper-pointed.	—	—	—	G. ♀.	
41	<i>spartioides</i> . DC.	( <i>ye</i> ) Broom-like.	—	—	—	G. ♀.	
42	<i>thebaica</i> . DC.	( <i>ye</i> ) stripe-flowered.	Egypt.	1828.	7. 8.	G. ♀.	Delil. fl. eg. t. 37. f. 1.
43	<i>nummularia</i> . DC.	( <i>ye</i> ) money-wort-ld.	E. Indies.	—	—	S. ♀.	
44	<i>tuberosa</i> . DC.	( <i>pu</i> ) tuberous-rooted.	Nepaul.	1816.	6. 7.	S. ♀.	
45	<i>anthylloides</i> . DC.	( <i>ye</i> ) large-calyxed.	Java.	1789.	8. 9.	S. ♀.	
46	<i>calycina</i> . DC.	( <i>st</i> ) hispid-calyxed.	E. Indies.	1818.	7. 9.	S. ♀.	Schr. pl. rar. mon. t. 12.
47	<i>nepalensis</i> . L.en.	( <i>bl</i> ) Nepaul.	Nepaul.	1821.	6. 8.	S. ♂.	
48	<i>Roxburghiana</i> . DC.	( <i>ye</i> ) Roxburgh's.	E. Indies.	1823.	7. 9.	S. ♀.	
49	<i>chinensis</i> . DC.	( <i>ye</i> ) Chinese.	China.	1820.	6. 7.	S. ♀.	
50	<i>hirta</i> . DC.	( <i>ye</i> ) hairy.	E. Indies.	1816.	6. 8.	S. ♂.	Mart. acad. mun. 6. t. F.
51	<i>prostrata</i> . DC.	( <i>wh</i> ) prostrate.	—	1804.	—	S. ♀.	— t. E.
52	<i>stipulacea</i> . H.B.	( <i>ye</i> ) large-stipuled.	—	1823.	—	S. ♀.	
53	<i>arborescens</i> . DC.	( <i>ye</i> ) spreading.	C. B. S.	1774.	6. 10.	G. ♀.	Jacq. vind. 3. t. 64.
	<i>incanescens</i> . W. <i>capensis</i> . Th.						
54	<i>turgida</i> . DC.	( <i>ye</i> ) turgid-podded.	.....	1820.	—	G. ♀.	Herb. amat. t. 238.
55	<i>laburnifolia</i> . DC.	( <i>ye</i> ) Laburnum-ld.	E. Indies.	1739.	7. 9.	S. ♂.	Rheed. mal. 9. t. 27.
56	<i>pendula</i> . DC.	( <i>ye</i> ) pendulous-pod <sup>d</sup> .	W. Indies.	1820.	—	S. ♀.	
57	<i>Brownei</i> . DC.	( <i>ye</i> ) Browne's.	Jamaica.	—	—	S. ♀.	
58	<i>bracteata</i> . DC.	( <i>ye</i> ) large-bracted.	E. Indies.	1818.	5. 9.	S. ♀.	
59	<i>cytisoides</i> . DC.	( <i>ye</i> ) Cytisus-like.	Nepaul.	1823.	6. 8.	S. ♀.	
60	<i>foliosa</i> . DC.	( <i>ye</i> ) leafy.	E. Indies.	1826.	—	S. ♀.	
61	<i>orixensis</i> . DC.	( <i>ye</i> ) minute-flower'd.	—	1816.	7. 8.	S. ♂.	Mart. acad. mun. 6. t. H.
62	<i>virgata</i> . DC.	( <i>ye</i> ) slender.	—	1824.	—	S. ♂.	— 6. t. G.
63	<i>purpurascens</i> . DC.	( <i>pu</i> ) purplish.	Mauritius.	1823.	8. 10.	S. ♂.	
64	<i>incana</i> . DC.	( <i>ye</i> ) hoary.	W. Indies.	1714.	6. 7.	S. ♂.	Bot. reg. 377.
65	<i>micans</i> . DC.	( <i>ye</i> ) glittering.	E. Indies.	1823.	—	S. ♀.	
66	<i>curtata</i> . DC.	( <i>ye</i> ) short-keeled.	.....	1820.	—	S. ♂.	
67	<i>vitellina</i> . DC.	( <i>ye</i> ) yellow-twigg'd.	Brazil.	1819.	5. 7.	S. ♀.	Bot. reg. 447.
68	<i>medicaginea</i> . DC.	( <i>ye</i> ) Trefoil-leaved.	E. Indies.	1818.	6. 7.	S. ♀.	Rott. n. act. nat. c. 4. t. 5.
69	<i>Grahami</i> .	( <i>ye</i> ) Graham's.	Mexico.	1824.	9. 12.	S. ♀.	Bot. mag. 2714.
	<i>dichotoma</i> B.M. non DC						
70	<i>Bojèri</i> .	( <i>ye</i> ) Bojer's.	Madagascar.	1828.	....	S. ♀.	
	<i>dichotoma</i> . Bojer. <i>nec aliorum</i> .						
71	<i>trichotoma</i> . Boj.	( <i>ye</i> ) three-forked	—	—	....	S. ♀.	
72	<i>stricta</i> . DC.	( <i>ye</i> ) upright.	E. Indies.	1826.	8. 10.	S. ♂.	
73	<i>purpurea</i> . DC.	( <i>pu</i> ) purple-flowered.	C. B. S.	1790.	3. 5.	G. ♀.	Bot. reg. 128.
74	<i>microphylla</i> . DC.	( <i>ye</i> ) small-leaved.	Arabia.	1823.	8. 10.	H. ♂.	
75	<i>micrantha</i> . DC.	( <i>ye</i> ) small-blossom'd.	Ceylon.	1820.	6. 7.	S. ♂.	
76	<i>pallida</i> . DC.	( <i>st</i> ) pale-flowered.	Africa.	1775.	—	S. ♂.	
77	<i>argentea</i> . DC.	( <i>ye</i> ) silvery-leaved.	C. B. S.	1823.	—	G. ♀.	Jacq. schœnb. 2. t. 220.
78	<i>pulchella</i> . DC.	( <i>ye</i> ) large-flowered.	—	1800.	—	G. ♀.	Bot. mag. 1699.
79	<i>Saltiana</i> . A.R.	( <i>ye</i> ) Salt's.	Abyssinia.	1810.	6. 7.	S. ♀.	Andr. reposit. 648.
80	<i>angustifolia</i> . DC.	( <i>st</i> ) narrow-leaved.	C. B. S.	1815.	5. 9.	G. ♀.	Jacq. schœnb. 2. t. 219.
81	<i>villosa</i> . DC.	( <i>ye</i> ) villous.	—	1823.	—	G. ♀.	
82	<i>latifolia</i> .	( <i>ye</i> ) broad-leaved.	E. Indies.	1825.	—	S. ♀.	
83	<i>elliptica</i> . H.B.	( <i>ye</i> ) elliptic-leaved.	China.	1823.	7. 9.	G. ♀.	
84	<i>lancoelata</i> . H.B.	( <i>ye</i> ) spear-leaved.	W. Indies.	1806.	—	S. ♀.	
85	<i>lotifolia</i> . DC.	( <i>ye</i> ) Lotus-leaved.	—	1732.	6. 7.	S. ♀.	Dill. elth. t. 102. f. 131.
86	<i>axillaris</i> . DC.	( <i>ye</i> ) axillary-fl'd.	Guinea.	1781.	7. 8.	S. ♂.	
87	<i>quinquefolia</i> . DC.	( <i>ye</i> ) five-leaved.	E. Indies.	1792.	6. 7.	S. ♂.	Rheed. mal. 9. t. 28.
	<b>HYPOCALYPTUS</b> . DC. <b>HYPOCALYPTUS</b> . Monadelphia Decandria.						
	<i>obcordatus</i> . DC. ( <i>pu</i> ) obcordate-leav'd.	C. B. S.	1790.	4. 6.	G. ♀.	Lodd. bot. cab. 1158.	
	<i>Crotalaria cordifolia</i> . B.C.						
	<b>VIBORGINA</b> . DC. <b>VIBORGINA</b> . Monadelphia Decandria.						
	1 <i>obcordata</i> . DC. ( <i>ye</i> ) many-flower'd.	C. B. S.	1812.	7. 9.	G. ♀.	Lodd. bot. cab. 509.	
	<i>Crotalaria floribunda</i> . B.C. <i>Anthyllis cuneata</i> . Hort.						
	2 <i>sericea</i> . DC. ( <i>ye</i> ) silky.	C. B. S.	1780.	—	G. ♀.		
	<b>LODDIGESIA</b> . DC. <b>LODDIGESIA</b> . Monadelphia Decandria.						
	<i>oxalidifolia</i> . DC. ( <i>ro</i> ) Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. ♀.	Bot. mag. 965.	
	<b>DICHILUS</b> . DC. <b>DICHILUS</b> . Monadelphia Decandria.						
	<i>lebeckoides</i> . DC. ( <i>st</i> ) Lebeckia-like.	C. B. S.	1816.	6. 8.	G. ♀.	DC. leg. mem. 6. t. 35.	

<b>LEBE'CKIA. DC.</b>		<b>LEBE'CKIA.</b>	<b>Monadelphia Decandria.</b>				
1	subnuda. DC.	(ye.) few-leaved.	C. B. S.	1823.	4. 6.	G. h.	
2	contaminata. DC.	(ye.) narrow-leaved.	————	1787.	————	G. h.	
3	sepiaria. DC.	(ye.) filiform-leaved.	————	1816.	————	G. h.	Pluk. alm. t. 424. f. 1.
4	subternata. DC.	(ye.) various-leaved.	————	————	————	G. h.	
5	sericea. DC.	(ye.) silky-leaved.	————	1774.	————	G. h.	
6	cytisoides. DC.	(ye.) Cytisus-like.	————	————	————	G. h.	Com hort. amst. 2. t. 107.
<b>SARCOPHYLLUM. DC.</b>		<b>SARCOPHYLLUM.</b>	<b>Monadelphia Decandria.</b>				
	carinosum. DC.	(ye.) fleshy-leaved.	C. B. S.	1812.	5. 8.	G. h.	Bot. mag. 2502.
<b>ASPALATHUS. DC.</b>		<b>ASPALATHUS.</b>	<b>Monadelphia Decandria.</b>				
1	spinosa. DC.	(ye.) spiny.	C. B. S.	1823.	5. 8.	G. h.	Breyn. cent. t. 26.
2	aculeata. DC.	(ye.) yellow-spined.	————	————	————	G. h.	
3	acuminata. DC.	(ye.) taper-pointed.	————	1816.	————	G. h.	Lam. ill. t. 620. f. 4.
4	laricifolia. DC.	(ye.) Larch-leaved.	————	1825.	————	G. h.	
5	capitata. DC.	(ye.) headed.	————	1823.	6. 7.	G. h.	Lam. ill. t. 620. f. 2.
6	astroites. DC.	(ye.) spiny-bracted.	————	1825.	5. 8.	G. h.	Seba. thes. t. 24. f. 6.
7	chenopoda. DC.	(or.) cluster-leaved.	————	1759.	7. 8.	G. h.	Bot. mag. 2225.
8	albens. DC.	(wh.) white-leaved.	————	1774.	————	G. h.	
9	argyrea. DC.	(wh.) silvery.	————	1818.	————	G. h.	
10	hystrix. DC.	(wh.) silky-spined.	————	1824.	————	G. h.	Lam. ill. t. 620. f. 1.
11	thymifolia. DC.	(ye.) Thyme-leaved.	————	1825.	5. 8.	G. h.	Pluk. alm. t. 413. f. 1.
12	ericifolia. DC.	(ye.) Heath-leaved.	————	1780.	7. 8.	G. h.	———— t. 413. f. 6.
13	hispidia. DC.	(ye.) hispid.	————	1823.	————	G. h.	
14	asparagoides. DC.	(ye.) Asparagus-like.	————	1812.	————	G. h.	
15	multiflora. DC.	(ye.) many-flowered.	————	1818.	————	G. h.	
16	uniflora. DC.	(ye.) one-flowered.	————	1812.	————	G. h.	Pluk. mant. t. 414. f. 7.
17	carnea. DC.	(ye.) fleshy-leaved.	————	1795.	5. 8.	G. h.	Bot. mag. 1289.
18	pinguis. DC.	(ye.) succulent-leaved.	————	1818.	7. 8.	G. h.	
19	crassifolia. DC.	(ye.) thick-leaved.	————	1800.	————	G. h.	Andr. reposit. t. 351.
20	affinis. DC.	(ye.) likened.	————	1816.	————	G. h.	
21	genistoides. DC.	(ye.) Genista-like.	————	1825.	6. 8.	G. h.	
22	squarrosa. DC.	(ye.) squarrose.	————	————	————	G. h.	
23	galioides. DC.	(ye.) Galium-like.	————	1816.	7. 8.	G. h.	
24	pinsea. DC.	(ye.) Pine-leaved.	————	————	————	G. h.	
25	abietina. DC.	(ye.) Fir-leaved.	————	1826.	————	G. h.	
26	araneosa. DC.	(pa.) cobweb.	————	1795.	6. 7.	G. h.	Bot. mag. 829.
27	globosa. A. R.	(ye.) globe-headed.	————	1802.	————	G. h.	Andr. reposit. 302.
28	ciliaris. DC.	(ye.) ciliated.	————	1790.	7. 8.	G. h.	Bot. mag. 2233.
29	quinquefolia. DC.	(br.) five-leaved.	————	1816.	————	G. h.	
30	candicans. DC.	(ye.) white.	————	1774.	————	G. h.	
31	heterophylla. DC.	(ye.) various-leaved.	————	1828.	————	G. h.	
32	argentea. DC.	(ye.) silvery-leaved.	————	1759.	————	G. h.	
33	subulata. DC.	(ye.) awl-leaved.	————	1789.	————	G. h.	
34	sericea. DC.	(ye.) silky.	————	1816.	————	G. h.	
35	callosa. DC.	(ye.) oval-spiked.	————	1812.	————	G. h.	Bot. mag. 2329.
36	fusca. DC.	(ye.) brown.	————	1816.	————	G. h.	
37	mucronata. DC.	(ye.) thorny-branch'd.	————	1796.	6. 7.	G. h.	
38	pedunculata. DC.	(ye.) small-leaved.	————	1775.	7. 8.	G. h.	Bot. mag. 344.
39	bracteata. DC.	(ye.) bracteate.	————	1816.	————	G. h.	
<b>ULEX. DC.</b>		<b>FURZE.</b>	<b>Monadelphia Decandria.</b>				
1	europæus. DC.	(ye.) common.	Britain.	....	3. 7.	H. h.	Eng. bot. 742.
2	nanus. DC.	(ye.) dwarf.	————	....	1. 12.	H. h.	———— t. 743.
3	provincialis. DC.	(ye.) Provence.	S. Europe.	1815.	6. 8.	H. h.	Loisel. not. 105. t. 6. f. 2.
<b>STAUROCANTHUS. DC.</b>		<b>STAUROCANTHUS.</b>	<b>Monadelphia Decandria.</b>				
	aphyllus. DC.	(ye.) leafless.	Portugal.	1815.	6. 8.	H. h.	
<b>SPARTIUM. DC.</b>		<b>SPANISH BROOM.</b>	<b>Monadelphia Decandria.</b>				
	juncum. DC.	(ye.) common.	S. Europe.	1548.	7. 9.	H. h.	Bot. mag. 85.
	<i>Spartianthus juncus.</i> L. en.						
	β flore pleno.	(ye.) double-flowered.	————	....	————	H. h.	
<b>GENISTA. DC.</b>		<b>GENISTA.</b>	<b>Monadelphia Decandria.</b>				
1	parviflora. DC.	(ye.) small-flowered.	Levant.	1739.	5. 7.	H. h.	Venten. cels. t. 87.
	<i>Spartium parviflorum.</i> Vent.						
2	clavata. DC.	(ye.) clavate.	Barbary.	1812.	5. 8.	F. h.	Venten. hort. cels. t. 17.
	<i>Spartium sericeum.</i> Vent. non Ait.						
3	canariensis. DC.	(ye.) Canary.	Canaries.	1656.	5. 9.	F. h.	Bot. reg. t. 217.
4	candicans. DC.	(ye.) hoary.	Spain.	1735.	4. 7.	H. h.	Wats. dend. brit. t. 80.
5	patens. DC.	(ye.) spreading.	————	1825.	5. 7.	H. h.	Cavan. ic. 2. t. 176.
6	linifolia. DC.	(ye.) Flax-leaved.	————	1739.	1. 6.	F. h.	Bot. mag. 442.
	<i>Spartium linifolium.</i> Desf. atl. 2, t. 181.						

7	triquètra. DC.	(ye.) triangular.	Corsica.	1770.	5. 6.	H. h.	Wats. dend. brit. t. 79.
8	bracteolàta. DC.	(ye.) bracteolate.	.....	1826.	—	H. h.	
9	microphy'lla. DC.	(ye.) small-leaved.	Canaries.	1824.	—	F. h.	
10	umbellàta. DC.	(ye.) umbelled.	Barbary.	1799.	4. 6.	F. h.	Desf. atl. 2. t. 180.
	<i>Spártium umbellatum.</i>	Desf.					
11	radiàta. DC.	(ye.) rayed.	Italy.	1758.	5. 7.	H. h.	Bot. mag. 2260.
	<i>Spártium radiatum.</i>	B.M. Mill. ic. t. 249. f. 1.					
12	hórrida. DC.	(ye.) large-spined.	Pyrenees.	1826.	5. 7.	H. h.	Gilib. b. prat. 2. p. 239. ic.
13	lusitànica. DC.	(ye.) Portugal.	Portugal.	1771.	3. 5.	H. h.	Andr. reposit. t. 419.
14	Lobèlii. DC.	(ye.) Lobel's.	S. Europe.	1826.	4. 6.	H. h.	Lob. adv. p. 409. icon.
15	fèrox. DC.	(ye.) sharp-spined.	Barbary.	1800.	6. 7.	F. h.	Desf. atl. 2. t. 182.
16	Cupàni. DC.	(ye.) Cupani's.	Naples.	1826.	—	H. h.	Cup pan.ed. 1. v. 2. t. 233.
17	triacánthos. DC.	(ye.) three-spined.	Portugal.	1821.	5. 6.	H. h.	Brot. phyt. 130. t. 54.
18	cuspidòsa. DC.	(ye.) sharp-pointed.	C. B. S.	1816.	—	G. h.	
19	tricuspidàta. DC.	(ye.) three-pointed.	Algiers.	1826.	—	F. h.	Desf. atl. 2. t. 183.
20	gibraltàrica. DC.	(ye.) Gibraltar.	Gibraltar.	—	—	F. h.	
21	sylvèstris. DC.	(ye.) wood.	Hungary.	1824.	6. 8.	H. h.	Jacq. ic. rar. t. 557.
	<i>hispànica.</i>	Jacq. non L.					
22	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1828.	—	H. h.	
23	falcàta. DC.	(ye.) falcate-podded.	Portugal.	1821.	5. 7.	H. h.	Brot. phyt. 133. t. 55.
24	córcica. DC.	(ye.) Corsican.	Corsica.	1826.	—	H. h.	
25	Scórpis. DC.	(ye.) Scorpion.	S. Europe.	1570.	3. 4.	H. h.	Wats. dend. brit. t. 78.
26	hispànica. DC.	(ye.) dwarf prickly.	Spain.	1759.	6. 8.	H. h.	Cavan. ic. 3. t. 211.
27	ànglica. DC.	(ye.) petty whin.	Britain.	....	5. 8.	H. h.	Eng. bot. 132.
28	germànica. DC.	(ye.) German.	Germany.	1773.	6. 8.	H. h.	Fuchs. hist. 220. ic.
29	pürgans. DC.	(ye.) purging.	S. France.	1768.	6. 7.	H. h.	Bull. herb. t. 115.
30	cinèrea. DC.	(ye.) ash-coloured.	—	1818.	5. 7.	H. h.	Wats. dend. brit. t. 76.
31	virgàta. DC.	(ye.) long-twigged.	Madeira.	1777.	3. 6.	F. h.	Bot. mag. 2265.
32	congèsta. DC.	(ye.) close-branched.	Teneriffe.	....	4. 7.	F. h.	
33	sericea. DC.	(ye.) silky-leaved.	Austria.	1812.	5. 6.	H. h.	Jacq. ic. rar. 3. t. 556.
34	aphy'lla. DC.	(vi.) violet-coloured.	Volga.	1818.	6. 7.	H. h.	Pall. it. 3. app. t. 5. f. 2.
	<i>Spártium aphy'llum.</i>	L. en.					
35	monospérma. DC.	(wh.) single-seeded.	S. Europe.	1690.	—	F. h.	Bot. mag. 683.
	<i>Spártium monospermum.</i>	B.M.					
36	sphærocárpa. DC.	(ye.) round-podded.	—	1731.	—	F. h.	Renealm. spec. t. 33.
37	ætínénsis. DC.	(ye.) three-seeded.	Mt. Ætna.	1822.	6. 8.	F. h.	Bot. mag. 2674.
	<i>Spartium ætnense.</i>	B.M.					
38	tetragòna. DC.	(ye.) four-sided.	Poland.	1826.	—	H. h.	
39	depréssa. DC.	(ye.) depressed.	Tauria.	1828.	....	H. h.	
40	scariòsa. DC.	(ye.) scariose.	Italy.	1820.	6. 8.	H. h.	Viv. frag. ital. 1. t. 8.
41	anxántica. DC.	(ye.) smooth.	—	—	—	H. h.	
42	tinctória. DC.	(ye.) Dyer's green-weed.	Britain.	....	—	H. h.	Eng. bot. 44.
	<i>β latifolia.</i>	(ye.) broad-leaved.	Switzerland.	1824.	—	H. h.	
	<i>γ hirsuta.</i>	(ye.) villous.	—	....	—	H. h.	
	<i>δ praténsis.</i>	(ye.) meadow.	Italy.	....	—	H. h.	
43	sibírica. DC.	(ye.) Siberian.	Siberia.	1785.	6. 8.	H. h.	Jacq. vind. 2. t. 190.
44	polygalæfòlia. DC.	(ye.) Milkwort-leav'd.	Portugal.	1826.	—	H. h.	
45	flòrida. DC.	(ye.) Spanish.	Spain.	1752.	—	H. h.	
46	mántica. DC.	(ye.) prostrate.	Italy.	1824.	—	H. h.	Poll. fl. veron. 2. t. 4. f. 7.
47	ovàta. DC.	(ye.) oval-leaved.	Hungary.	1816.	—	H. h.	Wats. dend. brit. t. 77.
48	pátula. DC.	(ye.) spreading.	Siberia.	1828.	....	H. h.	
49	triangulàris. DC.	(ye.) three-sided.	Hungary.	1815.	5. 6.	H. h.	W. et K. hung. 3. t. 153.
50	sagittàlis. DC.	(ye.) jointed.	Germany.	1570.	—	H. h.	Jacq. aug. 3. t. 209.
51	diffusa. DC.	(ye.) diffuse.	Italy.	1816.	—	H. h.	Jacq. ic. rar. 3. t. 555.
	<i>Spártium decumbens.</i>	Jacq. non Ait.					
52	prostràta. DC.	(ye.) trailing.	Italy.	1826.	—	H. h.	Reyn. mem. 1. p. 211. ic.
53	procumbens. DC.	(ye.) procumbent.	Hungary.	1816.	6. 8.	H. h.	Bot. reg. 1150.
54	pilòsa. DC.	(ye.) hairy green-weed.	England.	....	5. 6.	H. h.	Eng. bot. 44.
55	micrantha. DC.	(ye.) small-blossom'd.	Spain.	1824.	—	H. h.	Orteg. dec. 6. t. 10. f. 1.
56	pilocárpa. DC.	(ye.) hairy-podded.	.....	1820.	5. 7.	H. h.	
	CYTISUS. DC.	CYTISUS. Monadelphia	Decandria.				
1	nubigènus. DC.	(wh.) cluster-flower'd.	Teneriffe.	1779.	5. 8.	H. h.	
2	álbus. DC.	(wh.) white-flowered.	Portugal.	1752.	6. 7.	H. h.	Duham. arb. t. 23.
	<i>Spártium multiflorum.</i>	w.					
	<i>β incarnàtus.</i>	B.C. flesh-coloured.	—	1823.	—	H. h.	Lodd. bot. cab. 1052.
3	Labúrnum. DC.	(ye.) Laburnum.	Europe.	1596.	5. 6.	H. h.	Bot. mag. 176.
4	alpinus. DC.	(ye.) Scotch Laburnum.	Hungary.	....	6. 7.	H. h.	W. et K. hung. 3. t. 260.
5	nigricans. DC.	(ye.) black-rooted.	Austria.	1730.	—	H. h.	Bot. reg. 802.
6	sessilifolius. DC.	(ye.) common.	Italy.	1629.	5. 6.	H. h.	Bot. mag. 255.

7 triflorus. DC.	(ye.) three-flowered.	Spain.	1640.	6. 7.	H. h.	Clus. hist. 1. p. 94. f. 3.
8 mollis. DC.	(ye.) soft-leaved.	.....	1820.	—	H. h.	
9 patens. DC.	(ye.) woolly-podded.	Portugal.	1752.	—	H. h.	
10 grandiflorus. DC.	(ye.) great-flowered.	—	1816.	—	H. h.	
11 scoparius. DC.	(ye.) common Broom.	Britain.	....	4. 6.	H. h.	Eng. bot. 1330.
<i>Scpartium scoparium.</i> E.B.						
12 spinosus. DC.	(ye.) prickly.	S. Europe.	1596.	6. 7.	F. h.	Lobel. ic. 2. t. 95.
13 lanigerus. DC.	(ye.) villous.	—	1822.	—	F. h.	
<i>Spartium lanigerum.</i> Df. <i>Calycotome villosa.</i> L.en.						
14 proliferus. DC.	(wh.) silky.	Canaries.	1779.	4. 5.	G. h.	Bot. reg. 121.
15 leucanthus. DC.	(wh.) cream-colour'd.	Hungary.	1806.	6. 7.	H. h.	Bot. mag. 1438.
16 albidus. DC.	(wh.) whitish.	S. Europe.	1824.	—	F. h.	
17 purpureus. DC.	(pu.) purple-flower'd.	Austria.	1792.	5. 8.	H. h.	Bot. mag. 1176.
<i>β albus.</i> DC.	(wh.) white-flowered.	—	—	—	H. h.	
18 biflorus. DC.	(ye.) two-flowered.	Hungary.	1760.	5. 7.	H. h.	Bot. reg. 305.
19 elongatus. DC.	(ye.) long-branched.	—	1804.	—	H. h.	Wats. dend. brit. 82.
20 multiflorus. B.R.	(ye.) many-flowered.	—	1824.	—	H. h.	Bot. reg. 1191.
21 falcatus. DC.	(ye.) sickle-shaped.	—	1816.	6. 8.	H. h.	W. et K. hung. 3. t. 238.
22 austriacus. DC.	(ye.) Austrian.	Austria.	1741.	6. 9.	H. h.	Jacq. aust. 1. t. 21.
23 supinus. DC.	(ye.) trailing.	S. Europe.	1755.	5. 8.	H. h.	— 1. t. 20.
24 hirsutus. DC.	(ye.) hairy.	—	1739.	6. 8.	H. h.	Jacq. obs. 4. t. 96.
25 serotinus. DC.	(ye.) late-flowering.	Hungary.	1826.	—	H. h.	
26 capitatus. DC.	(ye.) cluster-flower'd.	Austria.	1774.	6. 7.	H. h.	Jacq. aust. t. 33.
27 ciliatus. DC.	(ye.) fringed.	Mt. Carpathian.	1824.	—	H. h.	
28 polytrichus. DC.	(ye.) many-haired.	Tauria.	1822.	—	H. h.	
29 argenteus. DC.	(ye.) silver-leaved.	France.	1739.	7. 9.	H. h.	Lobel. ic. 2. p. 41. f. 2.
30 calycinus. DC.	(ye.) dwarf.	Levant.	1816.	6. 8.	H. h.	Lodd. bot. cab. t. 673.
<i>nanus.</i> Wats. dend. brit. t. 81.						
31 orientalis. DC.	(ye.) oriental.	—	....	5. 7.	G. h.	
32 canescens. DC.	(ye.) hoary.	.....	1826.	—	H. h.	
33 procerus. DC.	(ye.) tall.	Portugal.	1816.	6. 7.	H. h.	
<b>ADENOCA'RPIUS. DC. ADENOCA'RPIUS. Monadelphia Decandria.</b>						
1 hispanicus. DC.	(ye.) Spanish.	Spain.	1824.	5. 7.	F. h.	
2 intermedius. DC.	(ye.) intermediate.	S. Europe.	....	7. 8.	H. h.	Clus. hist. 1. p. 94. f. 1.
3 parvifolius. DC.	(ye.) small-leaved.	France.	....	4. 7.	H. h.	
4 telonensis. DC.	(ye.) loose-flowered.	S. Europe.	1824.	5. 7.	H. h.	Du. arb. ed. n. 5. t. 47. f. 2.
<i>Cytisus divaricatus.</i> β. Bot. mag. 1387?						
5 frankenioides. DC.	(ye.) Frankenia-like.	Teneriffe.	1815.	—	G. h.	
<i>Genista viscosa.</i> w. <i>Adenocarpus anagyris.</i> s.s.						
6 foliolosus. DC.	(ye.) leafy.	Canaries.	1770.	7. 8.	F. h.	Bot. mag. 426.
<b>ONONIS. DC. REST-HARROW. Monadelphia Decandria.</b>						
1 crispa. DC.	(ye.) curl-leaved.	Spain.	1739.	6. 8.	F. h.	Rœm. arch. 1. p. 3. t. 1.
2 hispanica. DC.	(ye.) Spanish.	—	1799.	5. 9.	F. h.	Bot. mag. 2450.
3 vaginalls. DC.	(ye.) sheathed.	Egypt.	1815.	6. 8.	F. h.	Vent. cels. t. 32.
4 Natrix. DC.	(ye.) yellow-shrubby.	S. Europe.	1683.	5. 9.	F. h.	Bot. mag. 329.
5 picta. DC.	(std.) painted-flower'd.	Barbary.	1825.	6. 8.	H. h.	Desf. atl. 2. t. 137.
6 pinguis. w.	(ye.) greasy.	—	1739.	7. 8.	F. h.	
7 longifolia. DC.	(ye.) long-leaved.	Canaries.	1816.	5. 6.	F. h.	
8 ramosissima. DC.	(ye.) branching.	Barbary.	1825.	7. 8.	H. h.	Desf. atl. 2. t. 186.
9 arenaria. DC.	(ye.) sand.	S. France.	—	—	H. h.	
10 biflora. DC.	(ye.) two-flowered.	Barbary.	1824.	—	H. o.	
11 viscosa. DC.	(ye.) clammy.	S. France.	1750.	—	H. o.	Barrel. ic. t. 1239.
12 brachycarpa. DC.	(ye.) short-podded.	Spain.	1824.	—	H. o.	
13 brevifolia. DC.	(ye.) short-leaved.	S. Europe.	....	—	H. o.	
14 scula. DC.	(ye.) Sicilian.	Sicily.	1822.	6. 8.	H. o.	
15 pubescens. DC.	(ye.) downy.	S. Europe.	1680.	—	H. o.	Brot. phyt. 140. t. 58.
<i>arthropodia.</i> Brot.						
16 ornithopodioides. DC.	(ye.) Bird's-foot.	Sicily.	1713.	—	H. o.	Cavan. ic. 2. t. 192.
17 rotundifolia. DC.	(re.) round-leaved.	Switzerland.	1570.	5. 7.	H. h.	Bot. mag. 335.
18 fruticosa. DC.	(re.) shrubby.	S. Europe.	1680.	5. 7.	H. h.	— t. 317.
19 tridentata. DC.	(re.) three-toothed.	Spain.	1752.	6. 8.	F. h.	Cavan. ic. 2. t. 152.
20 angustissima. DC.	(re.) narrow-leaved.	—	1826.	—	F. h.	
21 cenisia. DC.	(re.) crested.	Italy.	1759.	—	H. h.	Barrel. ic. t. 1104.
22 fetida. DC.	(re.) strong-scented.	Barbary.	1804.	7. 10.	H. o.	
23 geminiflora. DC.	(re.) twin-flowered.	Spain.	1825.	8. 10.	H. o.	
24 Schouwii. DC.	(re.) Schouw's.	Italy.	1828.	7. 10.	H. o.	
25 reclinata. DC.	(re.) reclined.	S. Europe.	1800.	6. 8.	H. o.	Barrel. ic. t. 761.
26 mollis. DC.	(re.) soft.	Spain.	1824.	—	H. o.	
27 Cherleri. DC.	(re.) dwarf.	S. Europe.	1771.	6. 7.	H. o.	Bauh. hist. 2. p. 394. f. 2

28	péndula. DC.	(re.) pendulous.	Barbary.	1826.	7. 9.	H. ☉.	Desf. atl. 2. t. 191.
29	Sieberi. DC.	(re.) Sieber's.	Crete.	—	—	H. ☉.	
30	arboréscens. DC.	(re.) tree.	Barbary.	1825.	6. 8.	F. ♀.	Desf. atl. 2. t. 193.
31	altíssima. DC.	(re.) stinking.	Italy.	1596.	5. 8.	H. ♀.	All. ped. t. 41. f. 1.
	<i>hircina.</i> Jacq. vind. t. 93.						
32	procurrens. DC.	(re.) rooting-branch'd.	Europe.	....	6. 8.	H. ♀.	Fuchs. hist. 60. ic.
33	répens. w.	(re.) creeping.	Britain.	....	—	H. ♀.	Dill. elth. t. 25. f. 28.
34	spinosa. DC.	(re.) Cammock.	—	....	—	H. ♀.	Eng. bot. 682.
	<i>arvensis.</i> E.B.						
35	antiquorum. w.	(re.) tall.	S. Europe.	1790.	—	H. ♀.	
36	mitíssima. DC.	(re.) cluster-flower'd.	Portugal.	1732.	6. 7.	H. ☉.	Dill. elth. t. 24. f. 27.
37	diffusa. DC.	(re.) diffuse.	Italy.	1824.	7. 8.	H. ☉.	
38	serrata. DC.	(pu.wh.) serrate.	Egypt.	1828.	6. 10.	H. ☉.	
39	hirta. DC.	(bl.) hairy.	Levant.	—	—	H. ♀.	
40	alopeuroides. DC.	(re.) Fox-tail.	Portugal.	1696.	7. 8.	H. ☉.	Schkuhr. handb. t. 194.
41	álba. DC.	(wh.) white-flowered.	Naples.	1826.	—	H. ☉.	
42	oligophylla. DC.	(re.w.) few-leaved.	—	1824.	—	H. ☉.	Ten. fl. nap. 2. t. 67.
43	capitata. DC.	(ye.) capitate.	Spain.	1818.	6. 7.	H. ♀.	Cavan. ic. 2. t. 159. f. 2.
44	striata. DC.	(ye.) striated.	S. France.	1814.	—	H. ♀.	
45	Columnæ. DC.	(ye.) small-flowered.	Europe.	1732.	—	H. ♀.	All. p. l. n. 1166. t. 20. f. 3.
	<i>minutissima.</i> Jacq. aust. t. 240. <i>parviflora.</i> P.S.						
46	minutissima. DC.	(ye.) pointed-calyx'd.	S. Europe.	1818.	6. 8.	H. ☉.	Cavan. ic. 2. t. 153.
	<i>barbata.</i> Cav. <i>saxatilis.</i> Lam.						
47	variegata. DC.	(ye.) variegated.	—	1784.	7. 8.	H. ☉.	Desf. atl. 2. t. 185.
48	pállida. DC.	(pa.) pale.	.....	1824.	—	H. ☉.	
49	emarginata. Boj.	.... emarginate.	Mauritius.	—	....	S. ♀.	
50	villosa. DC.	(ye.) villous.	C. B. S.	1825.	7. 9.	G. ♀.	
51	decumbens. DC.	(ye.) decumbent.	—	1822.	—	G. ♀.	
52	geminata. DC.	(ye.) twin-podded.	—	1787.	—	G. ♀.	
53	umbellata. DC.	(ye.) umbel-flowered.	—	1818.	—	G. ♀.	
54	glábra. DC.	(ye.) smooth-leaved.	—	1816.	—	G. ♀.	
55	capensis. DC.	(pu.) Cape annual.	—	1823.	—	H. ☉.	
56	cérnua. DC.	(ye.) hanging-podded.	—	1774.	—	G. ♀.	
REQUIËNIA. DC.			REQUIËNIA. Monadelphia Decandria.				
1	obcordata. DC.	(ye.) obcordate.	Senegal.	1824.	6. 8.	S. ♀.	DC. leg. mem. t. 37.
2	sphærospérma. DC.	(ye.) round-seeded.	C. B. S.	1816.	4. 7.	G. ♀.	— t. 38.
ANTHYLLIS. DC.			KIDNEY VETCH. Monadelphia Decandria.				
1	Gerardi. DC.	(ro.) Gerard's.	S. Europe.	1806.	6. 8.	H. ♀.	Ger. gallopr. t. 18.
2	onobrychioides. DC.	(y.) Saintfoin-like.	Spain.	1818.	—	H. ♀.	Cavan. ic. 2. t. 150.
3	cytisoides. DC.	(ye.) downy-leaved.	—	1731.	4. 6.	F. ♀.	Barrel. ic. 1182.
4	genístæ. DC.	(ye.) Genista-like.	—	1824.	—	F. ♀.	
5	Hermánniæ. DC.	(ye.) Lavender-lv.	Levant.	1739.	4. 7.	F. ♀.	Bot. mag. 2576.
6	aspálathi. DC.	(ye.) spiny.	—	—	—	F. ♀.	
7	erinæca. DC.	(bl.) prickly.	Spain.	1759.	4. 6.	H. ♀.	Bot. mag. 676.
8	hýstrix.	(wh.) porcupine.	S. Europe.	....	—	H. ♀.	
9	Bárba-Jövis.	(st.) Jupiter's-beard.	—	1640.	3. 5.	G. ♀.	Bot. mag. 1927.
10	herbaphylla. DC.	(v.) various-leaved.	—	1768.	6. 7.	G. ♀.	
11	seríceæ. DC.	(ye.) silky.	Spain.	1786.	—	F. ♀.	
12	montána. DC.	(ro.) mountain.	Europe.	1759.	—	H. ♀.	Swt. br. fl. gar. 1. t. 79.
13	Vulnerária. DC.	(ye.) common.	Britain.	....	5. 8.	H. ♀.	Eng. bot. 104.
14	rústica. Mil.	(wh.) white-flower'd.	.....	....	—	H. ♀.	
15	Dillénii. Sct.	(sc.) red-flowered.	S. Europe.	....	—	H. ♀.	Dill. elth. t. 320. f. 413.
16	polyphylla. Kit.	(ye.) many-leaved.	Hungary.	1827.	—	H. ♀.	
17	tetraphylla. DC.	(st.) four-leaved.	S. Europe.	1640.	7. 8.	H. ☉.	Bot. mag. 108.
18	cornícina. DC.	(st.) horned.	Spain.	1759.	—	H. ☉.	Cavan. ic. 1. t. 39. f. 2.
19	hamosa. DC.	(st.) hooked.	Barbary.	1820.	—	H. ☉.	
20	lotoides. DC.	(st.) Lotus-like.	Spain.	1739.	6. 7.	H. ☉.	Cavan. ic. 1. t. 40.
21	chilénsis. DC.	(st.) Chile.	Chile.	1824.	—	G. ♀.	
	<i>Lötus subpinnatus.</i> Lag.						

## Subtribus II. TRIFOLIÆ. DC. prodr. 2. p. 171.

## MEDICAGO. DC. MEDICK. Diadelphia Decandria.

1	circinnata. DC.	(ye.) kidney-podded.	Italy.	1640.	7. 8.	H. ☉.	
	<i>Hymenocarpus circinnatus.</i> L. en.						

2	nummulària. DC. (ye.)	money-wort.	S. Europe.	....	—	H. ⊙.	Gært. sem. 2. t.155.f.7.
	<i>circinnàta.</i> G. <i>Hymenocàrpos nummulàrius.</i> L. en.						
3	radiàta. DC. (ye.)	ray-podded.	Tauria.	1629.	6. 7.	H. ⊙.	Moris. his. s. 2. t.15. f. 3.
4	rupéstris. DC. (ye.)	rock.	Tauria.	1827.	6. 8.	H. ♀.	
5	brachycàrpa. DC. (ye.)	short-podded.	Tiflin.	1818.	7. 8.	H. ⊙.	
6	lupulina. DC. (ye.)	nonesuch.	Britain.	....	5. 8.	H. ♂.	Eng. bot. 971.
7	cretàcea. DC. (ye.)	suffrutescent.	Tauria.	1805.	7. 8.	H. ♀.	
8	falcàta. DC. (ye.)	sickle-podded.	Britain.	....	—	H. ♀.	Eng. bot. 1016.
9	procumbens. DC. (ye.)	procumbent.	Poland.	1827.	—	H. ♀.	
10	cancellàta. DC. (ye.)	netted-podded.	Caucasus.	1828.	—	H. ♀.	
11	suffruticòsa. DC. (vi. ye.)	frutescent.	Pyrenees.	1818.	6. 8.	H. ♀.	
12	arborea. DC. (ye.)	moon trefoil.	Italy.	1596.	5. 11.	H. ♀.	Flor græc. 767.
13	sibírica. DC. (ye.)	Siberian.	Siberia.	1824.	6. 9.	H. ⊙.	
14	mèdia. DC. (bl. ye.)	pale-flowered.	Europe.	....	6. 7.	H. ♀.	
15	sativa. DC. (bl.)	Lucerne.	Britain.	....	—	H. ♀.	Eng. bot. 1749.
	<i>β versicolor.</i> DC. (bl. y.)	<i>various-colour'd.</i>	—	....	—	H. ♀.	
16	mexicàna. (bl.)	Mexican.	Mexico.	1824.	5. 8.	F. ♀.	
17	prostràta. DC. (ye.)	prostrate.	Hungary.	1793.	7. 8.	H. ♀.	Jacq. vind. 1. t. 89.
18	glomeràta. DC. (ye.)	clustered.	Italy.	1818.	—	H. ♀.	
19	glutinosa. DC. (vi.)	glutinous.	Caucasus.	—	—	H. ♀.	
20	obscura. DC. (ye.)	doubtful.	S. France.	1734.	—	H. ⊙.	Retz. obs. fasc. 1. t. 1.
21	lævis. DC. (ye.)	smooth.	Tunis.	1816.	6. 8.	H. ⊙.	
	<i>Hèlic. w.</i>						
22	orbiculàris. DC. (ye.)	flat-podded.	S. Europe.	1688.	7. 8.	H. ⊙.	Gært. sem. 2. t. 155.
23	marginàta. DC. (ye.)	marginated.	—	1816.	—	H. ⊙.	Moris. his. s. 2. t.15. f. 2.
24	applanàta. DC. (ye.)	obovate-leaved.	.....	1824.	7. 9.	H. ⊙.	
25	scutellàta. DC. (ye.)	snail-podded.	S. Europe.	1562.	6. 8.	H. ⊙.	Gært. sem. 2. t.155. f. 7.
26	rugosa. DC. (ye.)	elegant.	—	1680.	7. 8.	H. ⊙.	Moris. his. s. 2. t.15. f. 4.
	<i>èlegans. w.</i>						
27	saxatilis. DC. (ye.)	stone.	Tauria.	1828.	6. 8.	H. ♀.	
28	tornàta. DC. (ye.)	smooth-podded.	S. Europe.	1658.	—	H. ⊙.	
29	turbinàta. DC. (ye.)	Turban.	—	1680.	—	H. ⊙.	Moris. his. s. 2. t.15. f. 5.
30	tuberculàta. DC. (ye.)	wart-podded.	—	1658.	—	H. ⊙.	Bauh. hist. 2. f. 1.
31	striàta. DC. (std.)	stripe-podded.	—	1828.	—	H. ⊙.	
32	apiculàta. DC. (ye.)	tufted.	Italy.	1800.	—	H. ⊙.	
33	coronàta. DC. (ye.)	crowned.	S. Europe.	1660.	—	H. ⊙.	Moris. his. s. 2. t.15. f. 16.
34	catalònica. DC. (ye.)	Catalonian.	Catalonia.	1816.	—	H. ⊙.	Schrank. h. mon. t. 28.
35	denticulàta. DC. (ye.)	toothed.	S. France.	1800.	—	H. ⊙.	
36	flexuosa. DC. (ye.)	flexuose.	Naples.	1824.	—	H. ⊙.	
37	spinulosa. DC. (ye.)	prickly-podded.	S. Europe.	1820.	—	H. ⊙.	
38	pubescens. DC. (ye.)	pubescent.	Montpelier.	1823.	—	H. ⊙.	
39	terebèllum. DC. (ye.)	short-spined.	S. Europe.	1798.	—	H. ⊙.	
40	marina. DC. (ye.)	sea-side.	—	1596.	—	H. ⊙.	Cavan. ic. 2. t. 130.
41	tentaculàta. DC. (ye.)	distichous-spin'd.	—	1824.	—	H. ⊙.	Gært. sem. 2. t. 155. f. 7?
42	Hornemanniana. DC. (ye.)	Hornemann's.	Morocco.	1823.	—	H. ⊙.	
43	littoralis. DC. (ye.)	shore.	S. Europe.	1827.	—	H. ♀.	J. Bauh. his. 2. p. 385. ic.
44	lappacea. DC. (ye.)	bur-podded.	—	—	—	H. ⊙.	
45	pentacycla. DC. (ye.)	five-whorled.	—	....	—	H. ⊙.	
46	hístrix. DC. (ye.)	porcupine.	Naples.	1824.	—	H. ⊙.	
47	discifórmis. DC. (ye.)	hook-spined.	Montpelier.	1826.	—	H. ⊙.	
48	carstiënsis. DC. (ye.)	creeping-rooted.	Carinthia.	1789.	6. 9.	H. ♀.	Bot. mag. 909.
49	nigra. DC. (ye.)	black.	France.	—	6. 8.	H. ⊙.	Moris. his. s. 2. t.15. f. 19.
50	tribuloides. DC. (ye.)	Caltraps-like.	S. Europe.	1739.	—	H. ⊙.	
51	cylindràcea. DC. (ye.)	cylinder-podded.	.....	1824.	—	H. ⊙.	
52	græca. DC. (ye.)	Grecian.	Greece.	1804.	—	H. ⊙.	
53	mínima. DC. (ye.)	least.	England.	....	—	H. ⊙.	Flor. dan. t. 211.
54	arenària. DC. (ye.)	sand.	Italy.	1824.	—	H. ⊙.	
55	muricoléptis. DC. (ye.)	arch-spined.	Sicily.	—	—	H. ⊙.	
56	uncinàta. DC. (ye.)	hooked.	S. Europe.	1820.	—	H. ⊙.	
57	dístans. DC. (ye.)	distant.	—	—	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 21.
58	aculeàta. DC. (ye.)	prickly.	.....	1802.	—	H. ⊙.	
59	maculàta. DC. (ye.)	heart.	England.	....	5. 6.	H. ⊙.	Eng. bot. 1616.
	<i>polymórpha. E. B.</i>						
60	Gerárdi. DC. (ye.)	Gerard's.	Hungary.	1816.	6. 8.	H. ⊙.	Moris. his. s. 2. t.15. f. 18.
	<i>villòsa. DC. fl. fr. 4. p. 545.</i>						
61	agrèstis. DC. (ye.)	field.	Italy.	1824.	—	H. ⊙.	
62	rigidula. DC. (ye.)	thorny-podded.	S. Europe.	1730.	—	H. ⊙.	
63	muricàta. DC. (ye.)	prickly.	England.	....	5. 8.	H. ⊙.	Vaill. par. t. 33. f. 7.
64	sphærocàrpos. DC. (ye.)	round-podded.	Italy.	1826.	6. 8.	H. ⊙.	Sebast. pl. rom. p. 15. t. 3.

65	mùrex. DC.	(ye.) Burdock-podded.	.....	1802.	6. 8.	H. ⊙.	
66	laciniàta. DC.	(ye.) cut-leaved.	S. Europe.	1683.	—	H. ⊙.	Breyn. cent. 81. t. 34.
67	Tenoreàna. DC.	(ye.) Tenore's.	Naples.	1827.	—	H. ⊙.	
68	granaténsis. DC.	(ye.) Spanish.	Spain.	1816.	—	H. ⊙.	Jacq. coll. sup. t. 15. f. 2.
69	intertèxta. DC.	(ye.) hedgehog.	S. Europe.	1629.	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 8.
70	ciliàris. DC.	(ye.) fringed.	France.	1686.	7. 8.	H. ⊙.	— s. 2. t. 15. f. 7.
71	èchinus. DC.	(ye.) Sea-egg.	S. Europe.	1820.	6. 8.	H. ⊙.	— s. 2. t. 15. f. 9.
72	ægagróphila. DC.	(ye.) goats.	.....	1824.	7. 9.	H. ⊙.	
73	cáspica. L. en.	(ye.) Caspian.	Caucasus.	1820.	6. 8.	H. ⊙.	
74	ovàta. H. E.	(ye.) oval-leaved.	S. Europe.	1818.	—	H. ⊙.	
75	strumària. H. E.	(ye.) strumous.	—	—	—	H. ⊙.	
76	mícrodon. E.	(ye.) small-toothed.	Egypt.	1826.	—	H. ⊙.	
77	pedunculàta. E.	(ye.) peduncled.	—	—	—	H. ⊙.	
<b>TRIGONELLA. DC. FENUGREEK. Diadelphia Decandria.</b>							
1	cærùlea. DC.	(bl.) blue.	Switzerland.	1562.	7. 9.	H. ⊙.	Bot. mag. 2283.
<i>Trifolium cærùleum.</i> B. M. <i>Melilotus cærùlea.</i> Lam.							
2	Besseriàna. DC.	(bl.) Besser's.	Poland.	....	—	H. ⊙.	
3	marítima. DC.	(ye.) sea-side.	Egypt.	1827.	—	H. ⊙.	
4	uncinàta. DC.	(st.) hooked.	Iberia.	1823.	6. 9.	H. ⊙.	
<i>Melilotus hamòsum.</i> M. B. <i>uncinàta.</i> Bess.							
5	littoràlis. DC.	(ye.) shore.	Sicily.	1826.	—	H. ⊙.	
6	callicèras. DC.	(ye.) rostrate.	Iberia.	1821.	—	H. ⊙.	DC. hort. gen. 2. ic.
<i>oxyrhynchus.</i> F.							
7	prostràta. DC.	(ye.) prostrate.	S. France.	....	—	H. ⊙.	J. Bauh. his. 2. p. 365. f. 2.
8	gladiàta. DC.	(wh.) sword-podded.	Tauria.	1829.	—	H. ⊙.	
9	Fœnum-græcum. DC.	(st.) common.	S. France.	1597.	—	H. ⊙.	Schk. s. han. 2. t. 211.
10	spinòsa. DC.	(ye.) thorny.	Candia.	1710.	7. 9.	H. ⊙.	Breyn. cent. 79. t. 33. f. 1.
11	striàta. DC.	(ye.) streaked.	Abyssinia?	1824.	6. 9.	H. ⊙.	
12	hamòsa. DC.	(ye.) hook-podded.	Egypt.	1640.	7. 8.	H. ⊙.	Alp. ægypt. t. 124.
13	flexuòsa. DC.	(st.) flexuose.	—	1818.	6. 8.	H. ⊙.	
14	Fischeriàna. DC.	(ye.) Fischer's.	Tifin.	—	—	H. ⊙.	
<i>flexuòsa.</i> M. B. non Delil.							
15	anguina. DC.	(ye.) snake-podded.	Egypt.	1828.	—	H. ⊙.	Delil. fl. ægypt. t. 110. f. 2.
16	ténuis. DC.	(ye.) slender.	Tifin.	1818.	—	H. ⊙.	
17	elongàta. W. en.	(ye.) elongated.	.....	1823.	—	H. ⊙.	
18	cancellàta. DC.	(ye.) netted-podded.	.....	1818.	—	H. ⊙.	
19	monspeliaca. DC.	(ye.) Montpellier.	Montpellier.	1710.	—	H. ⊙.	W. et K. hung. 2. t. 142.
20	parvilòra. DC.	(ye.) small-flowered.	Switzerland.	1824.	—	H. ⊙.	
21	pinnatifida. DC.	(ye.) pinnatifid.	Spain.	1801.	—	H. ⊙.	Cavan. ic. 1. t. 38.
<i>mèdia.</i> Delil.							
22	polycèrata. DC.	(ye.) broad-leaved.	S. Europe.	1640.	7. 9.	H. ⊙.	
23	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1823.	6. 8.	H. ⊙.	
24	ornithorynchos. DC.	(ye.) beak-podded.	Russia.	1825.	6. 9.	H. ⊙.	
25	crassifolia. DC.	(ye.) thick-leaved.	Egypt.	1828.	6. 8.	H. ⊙.	
26	ruthénica. DC.	(ye.) small.	Siberia.	1741.	5. 7.	H. ♀.	Lodd. bot. cab. 1391.
27	laciniàta. DC.	(ye.) lacinate.	Egypt.	1823.	7. 9.	H. ⊙.	
28	platycàrpos. DC.	(ye.) round-leaved.	Siberia.	1741.	6. 9.	H. ♀.	Gmel. sib. 4. t. 9.
29	hybrida. DC.	(ye.) hybrid.	France.	1806.	—	H. ♀.	DC. ic. rar. 1. t. 29.
30	ornithopodioides. DC.	(re.) Bird's-foot.	Britain.	....	—	H. ⊙.	Eng. bot. t. 1047.
<i>Trifolium ornithopodioides.</i> E. B. <i>Melilotus ornithopodioides.</i> P. S.							
31	corniculàta. DC.	(ye.) horse-shoe.	S. Europe.	1597.	6. 7.	H. ⊙.	Moris. his. s. 2. t. 16. f. 11.
32	esculènta. DC.	(ye.) esculent.	E. Indies.	1815.	6. 9.	S. ⊙.	
<b>POCŒCKIA. DC. POCO CKIA. Diadelphia Decandria.</b>							
	crética. DC.	(ye.) Cretan.	Candia.	1713.	6. 9.	H. ⊙.	Moris. his. s. 2. t. 14. f. 3.
<i>Trifolium créticum.</i> L. <i>Melilotus crética.</i> P. S.							
<b>MELILOTUS. DC. MELILOT. Diadelphia Decandria.</b>							
1	Kochiana. DC.	(ye.) Koch's.	Germany.	1816.	6. 9.	H. ♂.	
2	dentàta. DC.	(ye.) toothed.	Hungary.	1802.	6. 8.	H. ♀.	W. et K. hung. 1. t. 42.
3	lineàris. DC.	(ye.) linear-leaved.	Spain.	1816.	—	H. ⊙.	
4	ruthénica. DC.	(wh.) Russian.	Sarepta.	1828.	—	H. ⊙.	
5	melanospërma. DC.	(ye.) black-seeded.	Tauria.	1825.	—	H. ♂.	
6	officinàlis. DC.	(ye.) common.	Britain.	....	6. 9.	H. ⊙.	Eng. bot. 1340.
7	palústris. DC.	(ye.) marsh.	Hungary.	1824.	—	H. ♂.	W. et K. hung. 3. t. 266.
8	altíssima. DC.	(wh.) tallest.	S. Europe.	1818.	—	H. ⊙.	
9	leucántha. DC.	(wh.) white-flowered.	Europe.	....	—	H. ♂.	Sturm. deuts. 1. f. K.
<i>vulgàris.</i> W. en.							
10	macrorrhiza. DC.	(ye.) long-rooted.	Hungary.	1801.	7. 9.	H. ♀.	W. et K. hung. 1. t. 26.
11	parvilòra. DC.	(ye.) small-flowered.	S. Europe.	1810.	6. 8.	H. ⊙.	
12	rugulòsa. W. en.	(wh.) rugged-podded.	E. Indies.	—	—	H. ⊙.	

13	<i>indica</i> . W. en.	( <i>ye</i> .) Indian.	E. Indies.	1680.	6. 8.	H. ⊙.	Pluk. alm. t. 45. f. 4.
14	<i>Báumeti</i> . H.	( <i>ye</i> .) one-seeded.	.....	1818.	—	H. ⊙.	
15	<i>miniáa</i> . DC.	( <i>wh</i> .) small-flowered.	E. Indies.	1810.	8. 10.	H. ⊙.	
16	<i>segetális</i> . DC.	( <i>ye</i> .) hedge.	Spain.	1824.	6. 8.	H. ⊙.	
17	<i>polónica</i> . DC.	( <i>ye</i> .) Polish.	Poland.	1778.	—	H. ⊙.	
18	<i>táurica</i> . DC.	( <i>wh</i> .) Taurian.	Tauria.	1823.	6. 9.	H. ⊙.	
19	<i>itálica</i> . DC.	( <i>ye</i> .) Italian.	Italy.	1596.	—	H. ⊙.	Camer. hort. t. 29.
20	<i>rotundifólia</i> . T.N.	( <i>ye</i> .) round-leaved.	—	1824.	—	H. ⊙.	
21	<i>grácilis</i> . DC.	( <i>ye</i> .) slender.	France.	—	6. 8.	H. ⊙.	
22	<i>neapolitána</i> . T.P.	( <i>ye</i> .) Neapolitan.	Naples.	1827.	—	H. ⊙.	
23	<i>pállida</i> . DC.	( <i>ye</i> .) pale-podded.	Poland.	1828.	—	H. ♂.	
24	<i>suavéolens</i> . DC.	( <i>ye</i> .) sweet-scented.	Dahuria.	1826.	—	H. ♀.	
25	<i>hirsúta</i> . Bal.	( <i>ye</i> .) hairy.	.....	—	—	H. ⊙.	
26	<i>procúbens</i> . H.Pr.	( <i>ye</i> .) procumbent.	.....	1829.	—	H. ⊙.	
27	<i>arvénis</i> . DC.	( <i>ye</i> .) corn-field.	Germany.	1822.	6. 9.	H. ⊙.	
28	<i>petitpierríana</i> . W.	( <i>wh</i> .) rough-podded.	—	1816.	—	H. ♂.	
29	<i>Besseríana</i> . DC.	( <i>ye</i> .) Besser's.	Tauria.	1826.	6. 8.	H. ♂.	
	<i>imbricáta</i> . Bes.						
30	<i>plicáta</i> . F.	( <i>ye</i> .) plaited.	—	1823.	—	H. ⊙.	
31	<i>messanénsis</i> . DC.	( <i>ye</i> .) Sicilian.	Sicily.	1680.	—	H. ⊙.	
32	<i>sulcáta</i> . DC.	( <i>ye</i> .) furrowed.	Barbary.	1798.	—	H. ⊙.	
	<i>maurítánica</i> . W. enum.						
<b>TRIFOLIUM. DC. TREFOIL. Diadelphia Decandria. L.</b>							
1	<i>angustifólium</i> . DC. ( <i>ro</i> .)	narrow-leaved.	S. Europe.	1640.	6. 8.	H. ⊙.	Barrel. ic. t. 698.
2	<i>intermédium</i> . DC. ( <i>wh</i> .)	intermediate.	Italy.	1829.	—	H. ⊙.	
3	<i>purpúream</i> . DC. ( <i>pu</i> .)	purple.	Montpelier.	1826.	—	H. ⊙.	Loisel. fl. gall. t. 14.
4	<i>rúbens</i> . DC.	( <i>re</i> .) long-spiked.	S. Europe.	1633.	6. 9.	H. ♀.	Jacq. aust. 4. t. 385.
5	<i>cœruléscens</i> . DC. ( <i>pu</i> .)	bluish.	Tauria.	1827.	—	H. ⊙.	
6	<i>incarnátum</i> . DC. ( <i>sc</i> .)	scarlet.	Italy.	1596.	7. 9.	H. ⊙.	Bot. mag. 328.
7	<i>Molineri</i> . W.	( <i>bh</i> .) bluish-flowered.	—	1823.	—	H. ⊙.	
8	<i>arvénse</i> . DC.	( <i>wh</i> .) Hare's-foot.	Britain.	....	7. 8.	H. ⊙.	Engl. bot. v. 14. t. 944.
9	<i>gráçile</i> . P.S.	( <i>re</i> .) slender.	France.	1818.	—	H. ⊙.	Barrel. ic. 901.
10	<i>ligústicum</i> . DC. ( <i>re</i> .)	awned.	Portugal.	1820.	6. 8.	H. ⊙.	Balb. act. ac. it. 1. f. 2.
	<i>arrectisétum</i> . Brot. phyt. t. 63. f. 1.	<i>aristátum</i> . H.					
11	<i>divaricátum</i> . DC. ( <i>wh</i> .)	spreading.	.....	1827.	—	H. ⊙.	
12	<i>geméllum</i> . DC. ( <i>wh</i> .)	double-headed.	Spain.	1825.	—	H. ⊙.	
13	<i>phleóides</i> . DC. ( <i>re</i> .)	Phleum-spiked.	—	—	—	H. ⊙.	
14	<i>lappáceum</i> . DC. ( <i>st</i> .)	burr-spiked.	S. Europe.	1787.	—	H. ⊙.	Barrel. ic. 871.
15	<i>echinátum</i> . DC. ( <i>wh</i> .)	bristly.	Caucasus.	1823.	—	H. ⊙.	
16	<i>erináceum</i> . DC. ( <i>wh</i> .)	villous-leaved.	Iberia.	1827.	—	H. ⊙.	
17	<i>malacánthum</i> . DC. ( <i>wh</i> .)	soft-headed.	.....	1824.	—	H. ⊙.	
18	<i>sylváticum</i> . DC. ( <i>pu</i> .)	wood.	S. France.	1826.	—	H. ♀.	
19	<i>Bocconi</i> . DC. ( <i>re</i> .)	Boccone's.	S. Europe.	1825.	7. 8.	H. ⊙.	Brot. phyt. t. 63. f. 2.
	<i>semiglábрум</i> . Brot. collinum. Poir.						
20	<i>striátum</i> . DC. ( <i>pu</i> .)	soft-knotted.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. v. 26. t. 1843.
21	<i>tenuiflórum</i> . DC. ( <i>pa</i> .)	slender-flower'd.	Naples.	1824.	6. 8.	H. ⊙.	
22	<i>scábrum</i> . DC. ( <i>wh</i> .)	rough.	Britain.	....	5. 7.	H. ⊙.	Eng. bot. v. 13. t. 903.
23	<i>marítimum</i> . DC. ( <i>li</i> .)	sea-shore.	—	....	6. 8.	H. ⊙.	v. 4. t. 220.
	<i>rigidum</i> . Savi. fl. pis. 2. p. 159. t. 1. f. 1.						
24	<i>supinum</i> . DC. ( <i>bh</i> .)	spreading-branch'd.	S. Europe.	1827.	—	H. ⊙.	Savi. obs. trif. p. 46. f. 2.
25	<i>constantinopolítanum</i> . DC. ( <i>ye</i> .)	Turkish.	Constantinople.	—	—	H. ⊙.	
26	<i>cinctum</i> . DC. ( <i>st</i> .)	girded.	Montpelier.	1820.	—	H. ⊙.	
27	<i>alexandrinum</i> . DC. ( <i>st</i> .)	Egyptian.	Egypt.	1798.	—	H. ⊙.	
28	<i>ochroleúrum</i> . DC. ( <i>st</i> .)	sulphur-color'd.	Britain.	....	—	H. ♀.	Eng. bot. v. 17. t. 1224.
29	<i>tricocephalum</i> . DC. ( <i>st</i> .)	hairy-headed.	Caucasus.	1829.	—	H. ♀.	
30	<i>canéscens</i> . DC. ( <i>wh</i> .)	gray.	—	1803.	5. 7.	H. ♀.	Bot. mag. 1168.
31	<i>pannónicum</i> . DC. ( <i>wh</i> .)	Hungarian.	Hungary.	1752.	6. 8.	H. ♀.	Jacq. obs. 2. t. 42.
32	<i>barbátum</i> . DC. ( <i>ye</i> .)	bearded.	Montpelier.	1827.	—	H. ♀.	
33	<i>olympicum</i> . B.M. ( <i>st</i> .)	long-flowered.	Levant.	1810.	—	H. ♀.	Bot. mag. 2790.
34	<i>arménium</i> . DC. ( <i>st</i> .)	Armenian.	Armenia.	1816.	5. 7.	H. ♀.	
35	<i>squarrosum</i> . DC. ( <i>wh</i> .)	various-leaved.	Spain.	1640.	7. 8.	H. ⊙.	Moris. his. s. 2. t. 13. f. 1.
	<i>β flavicans</i> . DC. ( <i>st</i> .)	yellowish.	—	....	—	H. ⊙.	Savi. obs. tri. p. 65. t. 3.
36	<i>albidum</i> . DC. ( <i>st</i> .)	whitish.	.....	1796.	—	H. ⊙.	
37	<i>cónicum</i> . DC. ( <i>st</i> .)	conical.	.....	1823.	6. 8.	H. ⊙.	
38	<i>Kitabeliánum</i> . DC. ( <i>st</i> .)	Kitabel's.	Hungary.	1828.	—	H. ⊙.	
39	<i>elongátum</i> . DC. ( <i>re</i> .)	long-flowered.	Galatia.	1810.	—	H. ♀.	
40	<i>alpéstre</i> . DC. ( <i>pu</i> .)	oval-spiked.	Europe.	1789.	—	H. ♀.	Bot. mag. 2779.
41	<i>medium</i> . DC. ( <i>pu</i> .)	Cow-grass.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 3. t. 190.
42	<i>bracteátum</i> . DC. ( <i>pu</i> .)	large-bracted.	Morocco.	1804.	6. 8.	H. ♂.	

43	expansum. DC. (pu.)	expanded.	.....	1804.	6. 7.	H. ♀.	
44	pratense. DC. (pu.)	common clover.	Britain.	....	5. 9.	H. ♀.	Eng. bot. v. 25. t. 1770.
	a perenne. (pu.)	perennial.	.....	....	—	H. ♀.	Sincl. gr. wob. 221.
	β sativum. (pu.)	cultivated.	.....	....	—	H. ♂.	
45	vaginatum. Schl. (ye.)	sheathed.	Switzerland.	1824.	—	H. ♀.	
	pratense β flavicans. Ser. in DC. prodr. 2. p. 195.	ochroleucum. γ. DC.	.....	....	—	—	
46	microphyllum. DC. (p.)	small-leaved.	France.	1824.	5. 9.	H. ♀.	
47	noricum. DC. (st.)	shaggy.	Carinthia.	1823.	6. 7.	H. ♀.	Sturm deuts. 1. fas. 16.
48	pensylvanicum. DC. (p.)	Buffalo-clover.	N. America.	1811.	6. 9.	H. ♀.	
49	pallidum. DC. (wh.)	pale.	Hungary.	1803.	6. 8.	H. ♂.	W. et K. hung. 1. t. 36.
50	diffusum. DC. (pu.)	diffuse.	.....	1801.	—	H. ♂.	1. t. 50.
51	hirtum. DC. (pu.)	hairy.	S. Europe.	1806.	—	H. ♂.	Desf. atl. 2. t. 209. f. 1.
	hispidum. Desf. (pu.)	painted-leaved.	.....	—	—	H. ♂.	
52	pauciflorum. DC. (pu.)	few-flowered.	Archipelago.	1828.	—	H. ♂.	
54	Cherleri. DC. (st.)	hispid-headed.	S. Europe.	1750.	5. 7.	H. ♂.	Barrel. ic. 859.
55	globosum. DC. (wh.)	globular-headed.	Levant.	1713.	6. 8.	H. ♂.	
56	clypeatum. DC. (wh.)	oriental.	.....	1711.	—	H. ♂.	Alpin. exot. t. 306.
57	stellatum. DC. (ro.)	star-headed.	England.	....	7. 8.	H. ♂.	Eng. bot. v. 22. t. 1545.
58	leucanthum. DC. (wh.)	white-flowered.	Tauria.	1823.	6. 8.	H. ♂.	
59	Waldsteinianum. (pu.)	Waldstein's.	Hungary.	1826.	—	H. ♂.	W. et K. hung. 3. t. 269.
	reflexum. W. K. non L.	.....	.....	....	....	....	
60	saxatile. DC. (wh.)	rock.	Switzerland.	1816.	6. 8.	H. ♂.	All ped. t. 59. f. 3.
61	suffocatum. DC. (wh.)	suffocated.	England.	....	—	H. ♂.	Eng. bot. v. 15. t. 1049.
62	glomeratum. DC. (ro.)	round-headed.	.....	....	6. 7.	H. ♂.	v. 15. t. 1063.
63	parviflorum. DC. (li.)	small-flowered.	Hungary.	1805.	7. 8.	H. ♂.	Sturm deuts. 1. fasc. 15.
	strictum. Sturm.	.....	.....	....	....	....	
64	strictum. DC. (bh.)	upright.	S. Europe.	—	—	H. ♂.	W. et K. hung. 1. t. 37.
65	repens. DC. (wh.)	white clover.	Britain.	....	5. 9.	H. ♀.	Eng. bot. v. 25. t. 1769.
	β pentaphyllum. P. S. (w.)	purple 5-leaved.	.....	....	....	H. ♀.	
66	anomalum. DC. (wh.)	anomalous.	.....	1827.	—	H. ♀.	Schrank pl. rar. t. 47.
67	pallescens. DC. (st.)	pale.	Hungary.	1804.	6. 8.	H. ♀.	Sturm. deuts. fl. 1. fas. 15.
68	caespitosum. DC. (wh.)	turfy.	Switzerland.	1815.	—	H. ♀.	Vill. delph. 3. t. 41.
69	angulatum. DC. (bh.)	angular.	Hungary.	1803.	—	H. ♂.	W. et K. hung. 1. t. 27.
70	suaveolens. DC. (pu.)	sweet-scented.	S. Europe.	1818.	—	H. ♂.	W. hort. berol. t. 108.
71	hybridum. DC. (wh.)	hybrid.	.....	1805.	—	H. ♂.	Sturm deuts. fl. 1. fas. 15.
72	Michelianum. DC. (st.)	Michel's.	Italy.	1815.	—	H. ♂.	Mich. n. gen. t. 25. f. 25.
73	elegans. DC. (li.)	elegant.	S. Europe.	1818.	—	H. ♀.	Savi. fl. pi. 2. t. 1. f. 2.
	formosum. Savi. Vail. par. t. 22. f. 1.	.....	.....	....	....	....	
74	reflexum. DC. (pu.)	reflexed.	Virginia.	1794.	—	H. ♀.	
75	montanum. DC. (wh.)	mountain.	Europe.	1786.	7. 8.	H. ♀.	Flor. dan. t. 1172.
76	rupestre. DC. (wh.)	flat-headed.	Italy.	1824.	—	H. ♀.	
77	Prutetianum. DC. (re.)	soft hairy.	.....	1828.	—	H. ♀.	
78	subterraneum. DC. (w.)	subterraneous.	England.	....	5. 6.	H. ♂.	Eng. bot. v. 15. t. 1048.
79	vesiculosum. DC. (re.)	recurved.	Hungary.	1805.	6. 8.	H. ♂.	W. et K. hung. 2. t. 165.
	recurvum. W. K.	.....	.....	....	....	....	
80	spumosum. DC. (pu.)	bladdered.	France.	1771.	—	H. ♂.	Cupan. panp. t. 69. f. 1.
81	resupinatum. DC. (pu.)	resupinate.	Germany.	1713.	—	H. ♂.	Sturm deuts. fl. 1. fas. 16.
82	fragiferum. DC. (li.)	Strawberry.	England.	....	7. 8.	H. ♀.	Eng. bot. v. 15. t. 1050.
83	tomentosum. DC. (ye.)	woolly.	S. Europe.	1640.	6. 8.	H. ♂.	Barrel. ic. 864.
84	physodes. DC. (li.)	swollen-calyx'd.	Iberia.	1829.	—	H. ♀.	
85	alatum. DC. (li.)	netted-calyx'd.	Sicily.	1820.	7. 8.	H. ♂.	Cupan. panp. t. 97. f. 1 ?
	Cupani. Tineo.	.....	.....	....	....	....	
86	uniflorum. DC. (re.)	one-flowered.	S. Europe.	1822.	6. 8.	H. ♀.	Buxb. cent. 3. t. 31. f. 1.
	β Sternbergianum. DC. (wh.)	Sternberg's.	.....	—	—	H. ♀.	3. p. 18. t. 31. f. 2.
87	eximium. DC. (pu.)	choice.	Dahuria.	1828.	—	H. ♀.	
	β albiflorum. DC. (wh.)	white-flowered.	Altay.	.....	....	H. ♀.	
88	alpinum. DC. (re. wh.)	alpine.	Italy.	1775.	—	H. ♀.	Sturm deut. fl. 1. fasc. 15.
89	involutcratum. DC. (re.)	involved.	Mexico.	1825.	—	H. ♂.	Kth. pl. legum. t. 53.
90	Gussoni. DC. (pu.)	Gussone's.	Sicily.	1822.	—	H. ♀.	Bonan. sic. t. 245.
91	fimbriatum. B. R. (re.)	fringed.	N. America.	1826.	9. 10.	H. ♀.	Bot. reg. 1070.
92	tridentatum. B. R. (re.)	three-toothed.	.....	—	8. 10.	H. ♀.	
93	cyathiferum. B. R. (re.)	cup-like.	.....	—	—	H. ♀.	
94	badium. DC. (br.)	villous-stalked.	Pyrenees.	....	6. 8.	H. ♀.	Sturm deuts. fl. 1. fas. 16.
95	agrarium. DC. (ye.)	golden.	Europe.	1815.	—	H. ♂.	fl. 1. fas. 16.
96	spadiceum. DC. (ye.)	bay-coloured.	.....	1778.	—	H. ♀.	Bot. mag. 557.
97	decipiens. DC. (ye.)	decipient.	.....	1827.	6. 8.	H. ♂.	
98	speciosum. DC. (br.)	large-flowered.	Candia.	1752.	—	H. ♂.	Labill. dec. 5. t. 10.
	comosum. Labil.	.....	.....	....	....	....	

99	procumbens. DC. (st.)	Hop.	Britain.	....	6. 7.	H. ⊙	Eng. bot. v. 14. t. 945.
100	parisiense. DC. <i>pâtens.</i> Sturm.	Paris.	France.	....	—	H. ⊙	Sturm deus. 1. fas. 16.
101	Sebastiani. DC. (ye.)	Sebastian's.	Italy.	1823.	—	H. ⊙	Sebas. pl. rom. fas. 2. t. 4.
102	flavescens. DC. (ye.)	yellowish.	Sicily.	1828.	6. 8.	H. ⊙	
103	minus. E. B. (ye.)	lesser yellow.	Britain.	....	—	H. ⊙	Eng. bot. v. 18. t. 1256.
104	filiförme. E. B. (ye.)	slender yellow.	—	....	—	H. ⊙	— v. 18. t. 1257.
105	comosum. W. (wh.)	tufted.	N. America.	1798.	—	H. ♀	
106	tenuifolium. DC. (wh.)	slender-leaved.	Naples.	1824.	—	H. ⊙	
107	capense. DC. (st.)	Cape.	C. B. S.	1825.	—	G. ♀	
108	congestum. DC. (wh.)	close-headed.	Sicily.	1829.	—	H. ⊙	
109	formosum. DC. (pi.)	handsome.	Isl. Melo.	1828.	—	H. ♂	
110	lasiocéphalum. DC. (w.)	woolly-headed.	C. B. S.	1825.	—	H. ⊙	
111	villosum. Pr. (wh.)	villous.	Sicily.	1818.	5. 7.	H. ⊙	
112	plicatum. Pr. (br.)	plaited.	—	1824.	6. 8.	H. ⊙	
113	Ehrenbergii. H. ber. (w.)	Ehrenberg's.	Egypt.	1826.	—	H. ⊙	
114	libanaticum. E. (wh.)	Lebanon.	Mt. Lebanon.	1827.	—	H. ⊙	
115	albiceps. E. (wh.)	white-headed.	Egypt.	1829.	—	H. ⊙	
<b>LUPINASTER. Mh. LUPINASTER. Diadelphia Decandria.</b>							
1	pentaphyllum. Mh. (re.)	five-leaved.	Siberia.	1741.	7. 8.	H. ♀	Bot. mag. 879.
<i>Trifolium Lupinaster.</i> B. M. <i>Pentaphyllum Lupinaster.</i> P. S.							
2	albens. F. (wh.)	white-flowered.	Volga.	1827.	—	H. ♀	
3	purpurascens. F. (pu.)	purple.	—	1821.	6. 8.	H. ♀	
4	cœrulescens. F. (pu.)	blue purple.	—	1826.	—	H. ♀	
<b>DORYCNIUM. DC. DORYCNIUM. Diadelphia Decandria.</b>							
1	rectum. DC. (ro.)	upright.	S. Europe.	1640.	6. 8.	H. ♀	Barrel. ic. t. 544.
<i>Lötus rectus.</i> W.							
2	latifolium. DC. (wh.)	broad-leaved.	Iberia.	1818.	6. 9.	H. ♀	
3	hirsutum. DC. (ro.)	hairy.	S. Europe.	1683.	—	H. ♀	Bot. mag. 336.
<i>Lötus hirsutus.</i> B. M.							
4	sericeum. (bh.)	silky.	—	1820.	—	H. ♀	
<i>Lötus sericeus.</i> DC. cat. h. monsp. p. 122.							
5	argenteum. DC. (ye.)	silvery.	Egypt.	1825.	—	H. ♀	Delil. fl. æg. 113. t. 40.
6	parviflorum. DC. (ye.)	small-flowered.	S. Europe.	1824.	7. 8.	H. ⊙	Desf. atl. 2. t. 211.
7	subbiflorum. DC. (ye.)	two-flowered.	Spain.	1820.	6. 8.	H. ⊙	
8	herbaceum. DC. (wh.)	herbaceous.	S. Europe.	1802.	6. 9.	H. ♀	Vill. dauph. 3. t. 41.
9	suffruticosum. DC. (wh.)	suffrutescent.	—	1640.	7. 9.	F. ♀	Lobel. ic. 2. p. 51. f. 1. 2.
10	microphyllum. (ro.)	small-leaved.	C. B. S.	1826.	—	G. ♀	Bot. mag. 2808.
<i>Lötus microphyllum.</i> B. M. 2808.							
<b>LOTUS. DC. BIRD'S-FOOT TREFOIL. Diadelphia Decandria.</b>							
1	edulis. DC. (ye.)	esculent.	S. Europe.	1710.	7. 8.	H. ⊙	Cavan. ic. 2. t. 157.
2	ornithopodioides. (ye.)	claw-podded.	—	1683.	6. 8.	H. ⊙	— 2. t. 163.
3	peregrinus. DC. (ye.)	flat-podded.	—	1713.	7. 8.	H. ⊙	
4	indicus. DC. (ye.)	Indian.	E. Indies.	....	—	H. ⊙	Pluk. phyt. t. 200. f. 7.
5	tetraphyllum. DC. (ye.)	four-leaved.	Archipelago.	1828.	—	H. ⊙	Viv. fl. lib. t. 17. f. 13.
6	flexuosus. DC. (ye.)	flexuose.	.....	1820.	6. 8.	H. ⊙	
7	glaucus. DC. (ye.)	glaucous.	Madeira.	1777.	—	G. ♀	
8	sessilifolius. DC. (ye.)	sessile leaved.	Canaries.	1816.	6. 9.	G. ♂	
9	anthylloides. DC. (ye.)	Anthyllis-like.	C. B. S.	1812.	—	G. ♀	Venten. malm. t. 92.
10	atropurpureus. DC. (da.)	dark-purple.	Cap. Verd Isl.	1823.	3. 9.	G. ♀	
11	jacobæus. DC. (da.)	dark-flowered.	—	1714.	1. 12.	G. ♀	Bot. mag. 79.
12	arenarius. DC. (ye.)	sand.	Portugal.	1824.	6. 8.	H. ⊙	
13	creticus. DC. (ye.)	silver-leaved.	Levant.	1680.	6. 9.	G. ♀	Cavan. ic. 2. t. 156.
<i>β varians.</i> DC. (ye.) <i>variable.</i>							
14	cytisoides. DC. (ye.)	downy.	S. Europe.	1752.	7. 8.	H. ♀	Barrel. ic. t. 1031.
15	Dioscoridis. DC. (ye.)	Dioscorides's.	Crete.	1658.	6. 8.	H. ⊙	All. ped. 1. t. 59. f. 1.
16	Gebèlia. DC. (ro.)	Aleppo.	Aleppo.	1823.	5. 9.	F. ♀	Vent. h. cels. t. 57.
17	arabicus. DC. (re.)	red-flowered.	Arabia.	1773.	7. 9.	F. ♀	Jacq. vind. t. 155.
18	australis. DC. (re.)	New Holland.	N. S. W.	1803.	5. 9.	G. ♀	Bot. mag. 1365.
19	Candolleanus. ed. 1. (re.)	De Candolle's.	—	1812.	6. 9.	G. ♀	
<i>australis β angustifoliola.</i> DC.							
20	albidus. B. C. (wh.)	white-flowered.	—	1823.	—	G. ♀	Lodd. bot. cab. 1063
21	obovatus. ed. 1. (ye.)	glaucous obovate.	—	1803.	4. 9.	G. ♀	
22	decumbens. DC. (ye.)	decumbent.	France.	1820.	5. 7.	H. ♀	
23	Forsteri. (ye.)	Forster's.	Britain.	....	—	H. ♀	
<i>decumbens.</i> E. F. non DC.							
24	pilosissimus. DC. (ye.)	hairy.	S. France.	1826.	6. 8.	H. ⊙	
25	hispidus. DC. (ye.)	hispid.	S. Europe.	1820.	—	H. ⊙	Loisel. fl. gal. t. 16.
26	suavolens. DC. (ye.)	fragrant.	—	1804.	—	H. ♀	

27	<i>angustissimus</i> , DC. ( <i>ye</i> .)	narrow-podded.	S. Europe.	....	5. 7.	H. ♂.	Bauh. hist. 2. p. 356. f. 2.
28	<i>diffusus</i> , DC. ( <i>ye</i> .)	slender-podded.	England.	....	—	H. ⊙.	Eng. bot. v. 13. t. 925.
29	<i>ciliatus</i> , DC. ( <i>ye</i> .)	ciliated.	Italy.	1820.	6. 8.	H. ⊙.	
30	<i>gracilis</i> , DC. ( <i>ye</i> .)	slender.	Hungary.	1818.	5. 7.	H. ⊙.	W. et K. hung. 3. t. 229.
31	<i>lanuginosus</i> , DC. ( <i>ro</i> .)	drooping-fl <sup>d</sup> .	Levant.	1818.	7. 8.	G. ♀.	
32	<i>conimbricænsis</i> , DC. ( <i>bh</i> .)	Portuguese.	Portugal.	1800.	6. 8.	H. ⊙.	Brot. phyt. t. 53.
33	<i>glaberrimus</i> , DC. ( <i>bh</i> .)	smooth.	.....	1820.	—	H. ⊙.	
34	<i>odoratus</i> , DC. ( <i>ye</i> .)	sweet-scented.	Barbary.	1804.	—	H. ♀.	Bot. mag. 1233.
35	<i>corniculatus</i> , E.B. ( <i>ye</i> .)	common.	Britain.	....	—	H. ♀.	Eng. bot. v. 30. t. 2090.
36	<i>majior</i> , E.B. ( <i>ye</i> .)	large hairy.	—	....	—	H. ♀.	— v. 30. t. 2091.
37	<i>tenuis</i> , W.K. ( <i>ye</i> .)	slender.	Hungary.	1816.	—	H. ♀.	
<i>depressus</i> , W. enum. <i>humifusus</i> , W. en. <i>ex</i> . Link enum.							
38	<i>pedunculatus</i> , DC. ( <i>ye</i> .)	long-peduncled.	Spain.	1814.	—	H. ♀.	Cavan. ic. 2. t. 164.
39	<i>palustris</i> , DC. ( <i>ye</i> .)	marsh.	Levant.	1824.	—	H. ♀.	
TETRAGONOLOBUS, DC. WINGED PEA. Diadelphia Decandria.							
1	<i>purpureus</i> , DC. ( <i>pu</i> .)	purple-flower'd.	S. Europe.	1596.	6. 8.	H. ⊙.	Bot. mag. 151.
<i>Lobus tetragonolobus</i> , B.M.							
2	<i>biflorus</i> , DC. ( <i>ye</i> .)	two-flowered.	Sicily.	1754.	—	H. ⊙.	Desf. atl. t. 210.
3	<i>conjugatus</i> , DC. ( <i>pu</i> .)	twin-podded.	Montpelier.	1759.	—	H. ⊙.	
4	<i>siliquosus</i> , L.en. ( <i>ye</i> .)	square-podded.	S. Europe.	1683.	7. 8.	H. ♀.	Jacq. aust. 4. t. 361.
5	<i>maritimus</i> , L. en. ( <i>ye</i> .)	sea-side.	—	—	—	H. ♀.	Flor. dan. 800.

## Subtribus III. CLITORIÆ. DC. prodr. p. 216.

PSORALEA, DC. PSORALEA. Diadelphia Decandria, L.							
1	<i>odoratissima</i> , DC. ( <i>bl</i> .)	sweet-scented.	C. B. S.	1795.	5. 10.	G. ♀.	Jacq. schœnb. 2. t. 229.
<i>pinnata</i> , Andr. rep. 474. <i>nec aliorum</i> .							
2	<i>arborea</i> , B.M. ( <i>bl</i> .)	tree.	—	1814.	—	G. ♀.	Bot. mag. 2090.
3	<i>pinnata</i> , DC. ( <i>bl</i> .)	winged-leaved.	—	1690.	5. 7.	G. ♀.	Herm. lugd. 273. ic.
9	<i>laevigata</i> , DC. ( <i>pu</i> .)	smooth.	—	1824.	—	G. ♀.	
5	<i>verrucosa</i> , DC. ( <i>bl</i> .)	warted.	—	1774.	5. 8.	G. ♀.	Jacq. schœnb. 2. t. 226.
<i>angustifolia</i> , Jacq.							
6	<i>filiformis</i> , DC. ( <i>bl</i> .)	slender.	—	1821.	—	G. ♀.	
7	<i>axillaris</i> , DC. ( <i>bl</i> .)	axillary-flower'd.	—	1816.	6. 7.	G. ♀.	
8	<i>tenuifolia</i> , DC. ( <i>bl</i> .)	slender-leaved.	—	1793.	—	G. ♀.	Jacq. schœnb. 2. t. 225.
9	<i>fascicularis</i> , DC. ( <i>bl</i> .)	fascicle-flowered.	—	1816.	—	G. ♀.	
10	<i>multicaulis</i> , DC. ( <i>v</i> .)	many-stalked.	—	1793.	8. 10.	G. ♀.	Jacq. schœnb. 2. t. 230.
11	<i>aphylla</i> , DC. ( <i>bl</i> .)	leafless.	—	1790.	6. 8.	G. ♀.	Bot. mag. 1727.
12	<i>lathyrifolia</i> , DC. ( <i>bl</i> .)	Lathyrus-leaved.	—	1823.	—	G. ♀.	Balb. h. taur. p. 25. ic.
13	<i>decumbens</i> , DC. ( <i>bl</i> .)	decumbent.	—	1774.	4. 6.	G. ♀.	Lodd. bot. cab. 3. t. 282.
14	<i>repens</i> , DC. ( <i>bl</i> .)	creeping	—	—	7. 8.	G. ♀.	
15	<i>hirta</i> , DC. ( <i>bl</i> .)	hairy.	—	1713.	5. 9.	G. ♀.	
16	<i>Jacquiniæna</i> , ( <i>bl</i> .)	Jacquin's.	—	—	—	G. ♀.	Jacq. schœnb. 2. t. 228.
<i>hirta</i> , Jacq. <i>nec aliorum</i> .							
17	<i>aculeata</i> , DC. ( <i>bl</i> .)	prickle-leaved.	—	1774.	—	G. ♀.	Andr. reposit. 146.
18	<i>bracteata</i> , DC. ( <i>bl</i> .)	oval-spiked.	—	1731.	6. 8.	G. ♀.	Bot. mag. 446.
19	<i>involutæta</i> , DC. ( <i>bl</i> .)	large-bracted.	—	1824.	7. 8.	G. ♀.	
20	<i>spicata</i> , DC. ( <i>bl. vch</i> .)	long-spiked.	—	1774.	—	G. ♀.	Andr. reposit. 411.
21	<i>Stachydis</i> , DC. ( <i>bl</i> .)	Stachy's-like.	—	1793.	4. 6.	G. ♀.	
22	<i>striata</i> , DC. ( <i>bl</i> .)	streaked.	—	1816.	6. 8.	G. ♀.	
23	<i>argentea</i> , DC. ( <i>bl</i> .)	silvery.	—	—	—	G. ♀.	
24	<i>tomentosa</i> , DC. ( <i>bl</i> .)	woolly.	—	1825.	—	G. ♀.	
25	<i>capitata</i> , DC. ( <i>bl</i> .)	headed.	—	1793.	—	G. ♀.	
26	<i>corylifolia</i> , DC. ( <i>vi</i> .)	Hazel-leaved.	Arabia.	1739.	6. 7.	S. ♂.	Bot. mag. 665.
27	<i>virgata</i> , DC. ( <i>bl</i> .)	twiggy.	Florida.	1826.	6. 8.	H. ♀.	
28	<i>arenaria</i> , DC. ( <i>bl</i> .)	sand.	Missouri.	1823.	—	H. ♀.	
<i>lancoolata et elliptica</i> , Ph. <i>ex</i> Nutt.							
29	<i>palestina</i> , DC. ( <i>bl</i> .)	Palestine.	Levant.	1771.	4. 9.	F. ♀.	Jacq. vind. 2. t. 184.
30	<i>bituminosa</i> , DC. ( <i>pu</i> .)	bituminous.	Italy.	1570.	—	F. ♀.	Schkuhr hand. 2. t. 210.
31	<i>sericea</i> , DC. ( <i>pu</i> .)	long-peduncled.	C. B. S.	1815.	1. 12.	G. ♀.	Bot. reg. 223.
<i>pedunculata</i> , B.R.							
32	<i>Mutisii</i> , DC. ( <i>pu</i> .)	Mutis's.	Mexico.	1828.	6. 8.	G. ♀.	Kth. pl. legum. t. 54.
33	<i>esculenta</i> , DC. ( <i>bl</i> .)	Bread-root.	Missouri.	1811.	—	H. ♀.	Pursh. amer. 2. t. 22.

34	<i>cuspidata</i> . DC. ( <i>bl.</i> ) large-rooted. <i>Louisiana</i> 1811. 6. 8. H. 4. <i>macrorhiza</i> . Fraser.		
35	<i>incana</i> . DC. ( <i>bl.</i> ) silky. <i>Missouri</i> . 1813. — H. 4. <i>argophylla</i> . Ph.		
36	<i>lupinella</i> . DC. ( <i>pu.</i> ) narrow-leaved. <i>Carolina</i> . 1812. — H. 4.		
37	<i>tenuiflora</i> . DC. ( <i>pu.</i> ) slender-flowered. <i>Missouri</i> . 1826. — H. 4.		
38	<i>longifolia</i> . DC. ( <i>wh.</i> ) long-leaved. <i>Louisiana</i> . 1811. — H. 4.		
39	<i>melilotoides</i> . DC. ( <i>bl.</i> ) Melilot-like. <i>Carolina</i> . 1814. — F. 4. Bot. reg. 454.		
40	<i>Onobrychis</i> . DC. ( <i>pu.</i> ) rough-podded. <i>Louisiana</i> . 1812. — H. 4. — t. 453.		
41	<i>glandulosa</i> . DC. ( <i>v.</i> ) glandular. <i>Peru</i> . 1770. 5. 9. H. 4. Swt. br. fl. gar. 3. t. 296.		
42	<i>pubescens</i> . DC. ( <i>bl.</i> ) pubescent. <i>Lima</i> . 1823. — G. 3. Bot. reg. 968.		
43	<i>canescens</i> . DC. ( <i>bl.</i> ) canescent. <i>Carolina</i> . — 6. 8. F. 4.		
44	<i>divaricata</i> . DC. ( <i>bl.</i> ) divaricate. <i>Peru</i> . 1820. 5. 9. G. 4.		
45	<i>dentata</i> . DC. ( <i>wh. pu.</i> ) tooth-leaved. <i>Madeira</i> . 1816. — F. 4. Lobel. ic. 2. t. 31. f. 1. <i>americana</i> . Jacq. schœnb. t. 227.		
<b>CARMICHÆLIA. B.R. CARMICHÆLIA. Diadelphia Decandria.</b>			
	<i>australis</i> . B.R. ( <i>li.</i> ) New Zealand. <i>New Zealand</i> . 1822. 3. 5. G. 4. Bot. reg. 912.		
	<i>Lötus arboreus</i> . Forster.		
<b>INDIGO'FERA. DC. INDIGO. Diadelphia Decandria. L.</b>			
1	<i>linifolia</i> . DC. ( <i>wh.</i> ) Flax-leaved. <i>E. Indies</i> . 1792. 7. 8. S. ①. Roxb. cor. 2. t. 194.		
2	<i>paniculata</i> . DC. ( <i>re.</i> ) panicled. <i>Sierra Leon</i> . 1824. — S. 4.		
3	<i>filifolia</i> . DC. ( <i>re.</i> ) filiform-leaved. <i>C. B. S.</i> 1812. 7. 10. G. 4.		
4	<i>echinata</i> . DC. ( <i>re.</i> ) prickly-podded. <i>E. Indies</i> . 1824. 6. 9. S. 4.		
5	<i>cordifolia</i> . DC. ( <i>pu.</i> ) heart-leaved. — 1826. — S. 4.		
6	<i>monophylla</i> . DC. ( <i>pu.</i> ) simple-leaved. <i>N. S. W.</i> — — G. 4.		
7	<i>diphylla</i> . DC. ( <i>ro.</i> ) two-leaved. <i>Africa</i> . 1824. 7. 10. S. ①.		
8	<i>subulata</i> . DC. ( <i>li.</i> ) awl-stipuled. <i>W. Indies</i> . — — S. ①.		
9	<i>Lechenaultii</i> . DC. ( <i>pu.</i> ) Lechenault's. <i>Bengal</i> . 1826. 7. 10. S. ①.		
10	<i>trifoliata</i> . DC. ( <i>re.</i> ) trifoliolate. <i>E. Indies</i> . 1818. 7. 8. S. ①.		
11	<i>multicaulis</i> . DC. ( <i>re.</i> ) many-stalked. <i>Nepaul</i> . 1824. 7. 10. S. ②.		
12	<i>glandulosa</i> . DC. ( <i>re.</i> ) glandular. <i>E. Indies</i> . 1818. 5. 7. S. 4.		
13	<i>biflora</i> . DC. ( <i>pu.</i> ) two-flowered. — 1826. — S. 4.		
14	<i>denudata</i> . DC. ( <i>pu.</i> ) smooth-leaved. <i>C. B. S.</i> 1790. — G. 4. Jacq. schœnb. 2. t. 233.		
15	<i>amœna</i> . DC. ( <i>sc.</i> ) scarlet-flowered. — 1774. 3. 5. G. 4. Bot. reg. 300.		
16	<i>rigida</i> . DC. ( <i>re.</i> ) rigid. <i>E. Indies</i> . 1820. 5. 8. S. 4.		
17	<i>virgata</i> . DC. ( <i>re.</i> ) twiggy. <i>Nepaul</i> . 1823. 7. 8. S. 4.		
18	<i>argentea</i> . DC. ( <i>re.</i> ) silvery. <i>Egypt</i> . 1776. — S. 4. L'Herit. strip. t. 79.		
19	<i>tinctoria</i> . DC. ( <i>re.</i> ) East Indian. <i>E. Indies</i> . 1731. — S. 4. Rheed. mal. 1. t. 54.		
20	<i>brachycarpa</i> . DC. ( <i>re.</i> ) short-podded. <i>W. Indies</i> . . . . — S. 4.		
21	<i>A'nil</i> . DC. ( <i>re.</i> ) West Indian. — 1731. — S. 4. Lam. ill. t. 626. f. 2.		
22	<i>cœrulea</i> . H.B. ( <i>pu.</i> ) blue-flowered. <i>E. Indies</i> . 1820. 6. 7. S. 4.		
23	<i>leptostachya</i> . DC. ( <i>pu.</i> ) slender-spiked. — 1827. 6. 8. S. 4.		
24	<i>atropurpurea</i> . DC. ( <i>pu.</i> ) dark-purple. <i>Nepaul</i> . 1820. 7. 8. S. 4.		
25	<i>cylindrica</i> . DC. ( <i>ro.</i> ) cylindric-podd'd. <i>C. B. S.</i> 1822. 6. 8. G. 4.		
26	<i>juncœa</i> . DC. ( <i>ro.</i> ) rushy. — . . . 7. 10. G. 4. Herb. amat. t. 227. <i>aphylla</i> . L. enum. <i>Lebeckia contaminata</i> . B.R. 104. <i>nuda</i> . B.M. 2214.		
27	<i>australis</i> . DC. ( <i>li.</i> ) round-stem'd. <i>N. S. W.</i> 1790. 3. 6. G. 4. Bot. reg. 386.		
28	<i>angulata</i> . B.R. ( <i>li.</i> ) angular-stalked. — 1824. — G. 4. — t. 991.		
29	<i>macrostachya</i> . DC. ( <i>ro.</i> ) long-spiked. <i>China</i> . 1822. 4. 6. G. 4. Vent. malm. t. 44.		
30	<i>frutescens</i> . DC. ( <i>ro.</i> ) frutescent. <i>C. B. S.</i> 1823. 7. 9. G. 4.		
31	<i>divaricata</i> . DC. ( <i>ru.</i> ) spreading. . . . . 1824. — G. 4. Jacq. schœnb. t. 365.		
32	<i>mucronata</i> . DC. ( <i>re.</i> ) mucronate. <i>Jamaica</i> . — — S. 4.		
33	<i>elliptica</i> . H.B. ( <i>re.</i> ) elliptic-leaved. <i>Bengal</i> . 1820. 7. 8. S. 4.		
34	<i>pulchella</i> . H.B. ( <i>re.</i> ) pretty. <i>E. Indies</i> . 1823. — S. 4.		
35	<i>arborea</i> . H.B. ( <i>re.</i> ) tree. — . . . S. 4.		
36	<i>purpurascens</i> . H.B. ( <i>p.</i> ) purplish. — 1827. 7. 8. S. 4.		
37	<i>violœa</i> . H.B. ( <i>vi.</i> ) violet-coloured. — 1825. — S. 4.		
38	<i>uncinata</i> . H.B. ( <i>re.</i> ) hooked. — — S. 4.		
39	<i>circinnata</i> . Rox. ( <i>re.</i> ) rounded. — 1822. — S. 4.		
40	<i>lateritia</i> . DC. ( <i>re.</i> ) brick-coloured. <i>Guinea</i> . — — S. ①. Jacq. ic. t. 359. <i>hirsuta</i> . Jacq. non Linn.		
41	<i>viscosa</i> . DC. ( <i>re.</i> ) clammy. <i>E. Indies</i> . 1806. 6. 8. S. ①. Wend. sert. han. 2. t. 12.		
42	<i>dendroides</i> . DC. ( <i>ro.</i> ) tree-like. <i>Guinea</i> . 1822. — S. ①. Jacq. ic. 3. t. 571.		
43	<i>polyphylla</i> . DC. ( <i>re.</i> ) many-flowered. <i>Nepaul</i> . 1825. 4. 8. G. 4.		
44	<i>heterotricha</i> . DC. ( <i>ro.</i> ) various-haired. <i>C. B. S.</i> 1816. — G. 4.		
45	<i>hirsuta</i> . DC. ( <i>pu.</i> ) hairy-leaved. <i>E. Indies</i> . 1739. 7. 9. S. 4. Burm. zeyl. 37. t. 14.		
46	<i>endecaphylla</i> . DC. ( <i>re.</i> ) eleven-leaved. <i>Guinea</i> . 1822. — S. ①. Bot. reg. 789.		
47	<i>alternans</i> . DC. ( <i>re.</i> ) alternate-leav'd. <i>C. B. S.</i> 1816. — G. 4.		
48	<i>fragrans</i> . DC. ( <i>re.</i> ) fragrant. <i>E. Indies</i> . 1822. — S. 4.		

49	<i>pusilla</i> . DC.	( <i>re.</i> ) small.	Madagascar.	1822.	7. 9.	S. $\frac{1}{2}$ .	
50	<i>glabra</i> . DC.	( <i>re.</i> ) smooth.	E. Indies.	1824.	—	S. $\odot$ .	Pluk. alm. t. 166. f. 1.
51	<i>enneaphylla</i> . DC.	( <i>pu.</i> ) trailing.	—	1776.	—	S. $\odot$ .	— t. 166. f. 2.
52	<i>cytoides</i> . DC.	( <i>ro.</i> ) angular-stem'd.	C. B. S.	1774.	—	G. $\frac{1}{2}$ .	Bot. mag. 742.
53	<i>lotoides</i> . DC.	( <i>ro.</i> ) Lotus-like.	—	1816.	—	G. $\frac{1}{2}$ .	Comm. hort. 2. t. 84?
54	<i>angustifolia</i> . DC.	( <i>pu.</i> ) narrow-leaved.	—	1774.	6. 10.	G. $\frac{1}{2}$ .	Bot. mag. 465.
55	<i>aspalathoides</i> . DC.	( <i>re.</i> ) Aspalathus-like.	Ceylon.	1823.	4. 6.	S. $\frac{1}{2}$ .	
56	<i>filiformis</i> . DC.	( <i>ro.</i> ) filiform.	C. B. S.	1816.	—	G. $\frac{1}{2}$ .	
57	<i>alopeuroides</i> . DC.	( <i>ro.</i> ) Fox-tail.	—	1825.	—	G. $\frac{1}{2}$ .	
58	<i>coriacea</i> . DC.	( <i>ro.</i> ) leathery-leaved.	—	1774.	7. 8.	G. $\frac{1}{2}$ .	
59	<i>sarmentosa</i> . DC.	( <i>ro.</i> ) dwarf.	—	1786.	6. 8.	G. $\frac{1}{2}$ .	
60	<i>microphylla</i> . P. S.	( <i>ro.</i> ) small-leaved.	—	1812.	1. 12.	G. $\frac{1}{2}$ .	
61	<i>digitata</i> . DC.	( <i>ro.</i> ) finger-leaved.	—	1820.	4. 8.	G. $\frac{1}{2}$ .	
62	<i>sessilifolia</i> . DC.	( <i>ro.</i> ) sessile-leaved.	—	1816.	—	G. $\frac{1}{2}$ .	
63	<i>spinosa</i> . DC.	( <i>re.</i> ) spiny.	Arabia.	1822.	—	S. $\frac{1}{2}$ .	
64	<i>candicans</i> . DC.	( <i>ro.</i> ) white-leaved.	C. B. S.	1774.	5. 9.	G. $\frac{1}{2}$ .	Bot. mag. 198.
65	<i>psoraloides</i> . DC.	( <i>ro.</i> ) Psoralea-like.	—	1758.	7. 8.	G. $\frac{1}{2}$ .	— t. 476.
66	<i>stipularis</i> . DC.	( <i>ro.</i> ) stipuled.	—	1816.	6. 7.	G. $\frac{1}{2}$ .	
67	<i>incana</i> . DC.	( <i>ro.</i> ) hoary.	—	1812.	5. 7.	G. $\frac{1}{2}$ .	Bot. reg. 957.
68	<i>trita</i> . DC.	( <i>re.</i> ) oval-leaved.	E. Indies.	1802.	6. 8.	S. $\frac{1}{2}$ .	
69	<i>procumbens</i> . DC.	( <i>re.</i> ) procumbent.	C. B. S.	1816.	5. 7.	G. $\frac{1}{2}$ .	
70	<i>prostrata</i> . DC.	( <i>re.</i> ) prostrate.	E. Indies.	1828.	8. 10.	S. $\odot$ .	
<b>CLIT'ORIA</b> . DC. CLIT'ORIA. Diadelphia Decandria. L.							
1	<i>lascivia</i> . Boj.	....	Madagascar.	1826.	....	S. $\frac{1}{2}$ .	
2	<i>heterophylla</i> . DC.	( <i>bl.</i> ) various-leaved.	E. Indies.	1812.	7. 8.	S. $\odot$ .	Bot. mag. 2111.
3	<i>Ternatea</i> . DC.	( <i>bl.wh.</i> ) wing-leaved.	—	1739.	5. 9.	S. $\frac{1}{2}$ .	Rheed. mal. 8. t. 38.
	<i>a cerulea</i> .	( <i>bl.</i> ) blue-flowered.	—	—	—	S. $\frac{1}{2}$ .	Bot. mag. 1542.
	<i><math>\beta</math> alba</i> .	( <i>wh.</i> ) white-flowered.	—	....	....	S. $\frac{1}{2}$ .	
4	<i>mariana</i> . DC.	( <i>bl.</i> ) Maryland.	N. America.	1759.	8. 9.	H. $\frac{1}{2}$ .	
5	<i>mexicana</i> . DC.	( <i>pu.</i> ) Mexican.	Mexico.	1823.	6. 8.	G. $\frac{1}{2}$ .	
6	<i>virginiana</i> . DC.	( <i>pu.</i> ) Virginian.	America.	1732.	7. 8.	G. $\frac{1}{2}$ .	Dill. elt. t. 76.
	<i>calcarigera</i> . Sal. par. lond. t. 51.						
7	<i>occidentalis</i> .	( <i>pu.</i> ) West Indian.	Trinidad.	1824.	6. 8.	S. $\frac{1}{2}$ .	Bot. reg. 1047.
	<i>virginiana</i> . B. R. 1047.	<i>non</i> Linn.					
8	<i>brasiliانا</i> . DC.	( <i>bl.</i> ) Brazilian.	Brazil.	1759.	—	S. $\frac{1}{2}$ .	Breyn. cent. t. 32.
9	<i>Plumieri</i> . DC.	( <i>pu.</i> ) Plumier's.	W. Indies.	1815.	8. 11.	S. $\frac{1}{2}$ .	Bot. reg. 268.
10	<i>erecta</i> . H. B.	.... erect.	S. America.	1822.	....	S. $\frac{1}{2}$ .	
11	<i>Berberiana</i> . DC.	( <i>ye.</i> ) Bertero's.	St. Domingo.	1824.	6. 8.	S. $\frac{1}{2}$ .	
12	<i>arborescens</i> . DC.	.... tree.	Trinidad.	1804.	....	S. $\frac{1}{2}$ .	
<b>NEUROCARPUM</b> . DC. NEUROCARPUM. Diadelphia Decandria.							
1	<i>guianense</i> . DC.	( <i>pu.</i> ) Guiana.	Guiana.	1826.	6. 8.	S. $\frac{1}{2}$ .	Aubl. guian. 2. t. 305.
2	<i>falcatum</i> . DC.	( <i>pu.</i> ) sickle-podded.	St. Domingo.	—	—	S. $\frac{1}{2}$ .	Plum. spec. 8. t. 85.
<b>COLOG'ANIA</b> . DC. COLOG'ANIA. Diadelphia Decandria.							
1	<i>intermedia</i> . DC.	( <i>f.</i> ) intermediate.	Mexico.	1824.	6. 8.	G. $\frac{1}{2}$ .	
2	<i>angustifolia</i> . DC.	( <i>vi.</i> ) narrow-leaved.	—	—	—	G. $\frac{1}{2}$ .	Kth. mim. 209. t. 58.
3	<i>Broussonnetii</i> . DC.	( <i>vi.</i> ) Broussonnet's.	.....	1820.	—	S. $\frac{1}{2}$ .	
<b>GALACTIA</b> . DC. GALACTIA. Diadelphia Decandria.							
1	<i>pendula</i> . DC.	( <i>ro.</i> ) pendulous.	Jamaica.	1794.	7. 8.	S. $\frac{1}{2}$ .	Bot. reg. 269.
2	<i>sericea</i> . DC.	( <i>pu.</i> ) silky.	Isl. Bourbon.	1824.	—	S. $\frac{1}{2}$ .	
3	<i>cubensis</i> . DC.	( <i>ro.</i> ) Cuba.	Cuba.	1826.	—	S. $\frac{1}{2}$ .	
4	<i>mollis</i> . DC.	( <i>pu.</i> ) soft.	Carolina.	....	—	G. $\frac{1}{2}$ .	Dill. eth. 1. f. 170.
5	<i>glabella</i> . DC.	( <i>re.</i> ) smooth.	—	1826.	6. 8.	G. $\frac{1}{2}$ .	
<b>VILMORINIA</b> . DC. VILMORINIA. Diadelphia Decandria.							
	<i>multiflora</i> . DC.	( <i>pu.</i> ) many-flowered.	W. Indies.	1823.	7. 8.	S. $\frac{1}{2}$ .	
	<i>Clitoria multiflora</i> .	Swartz.					
<b>COLL'EA</b> . DC. COLL'EA. Monadelphia Pent-Decandria.							
1	<i>speciosa</i> . DC.	( <i>pu.</i> ) pentandrous.	Peru.	1824.	6. 8.	G. $\frac{1}{2}$ .	DC. leg. me. p. 245. t. 40.
2	<i>trinervia</i> . DC.	( <i>pu.</i> ) decandrous.	E. Indies.	1826.	—	S. $\frac{1}{2}$ .	— p. 247. t. 41.
<b>OTO'PTERA</b> . DC. OTO'PTERA. Monadelphia Decandria.							
	<i>Burchellii</i> . DC.	( <i>pu.</i> ) Burchell's.	C. B. S.	1816.	5. 7.	G. $\frac{1}{2}$ .	DC. leg. mem. 250. t. 42.
<b>PUER'ARIA</b> . DC. PUER'ARIA. Monadelphia Decandria.							
1	<i>tuberosa</i> . DC.	( <i>ye.</i> ) tuberous-root'd.	E. Indies.	1806.	6. 8.	S. $\frac{1}{2}$ .	
	<i>He dysarum tuberosum</i> .	w.					
2	<i>Wallichii</i> . DC.	( <i>ye.</i> ) Wallich's.	Nepaul.	1826.	4. 6.	G. $\frac{1}{2}$ .	DC. leg. mem. 254. t. 43.
<b>DUMASIA</b> . DC. DUMASIA. Diadelphia Decandria.							
1	<i>villosa</i> . DC.	( <i>ye.</i> ) villous.	Nepaul.	1824.	8. 12.	G. $\frac{1}{2}$ .	DC. leg. mem. 257. t. 44.
2	<i>pubescens</i> . DC.	( <i>ye.</i> ) pubescent.	—	—	—	G. $\frac{1}{2}$ .	Bot. reg. 962.
<b>GLYCINE</b> . DC. GLYCINE. Diadelphia Decandria. L.							
1	<i>clandestina</i> . DC.	( <i>bl.</i> ) hidden-flower'd.	N. S. W.	1810.	4. 8.	G. $\frac{1}{2}$ .	

2	dèbilis. DC.	(ye.) hairy.	E. Indies.	1778.	6. 7.	S. 4. ∪.	
3	minima. DC.	(bl.) small.	N. S. W.	1812.	4. 10.	G. 4. ∪.	
4	striata. DC.	(li.) streaked.	S. America.	1823.	7. 9.	S. 7. ∪.	Jacq. vind. 1. t. 76.
5	parviflora. DC.	(re.) small-flowered.	E. Indies.	1812.	7. 8.	S. 8. ∪.	
6	senegalensis. DC.	(ye.) Senegal.	Senegal.	1822.	—	S. 4. ∪.	
7	heterophylla. DC.	(ye.) various-leaved.	C. B. S.	1816.	6. 8.	G. 4. ∪.	
8	argentea. DC.	(ye.) silvery-leaved.	—	—	—	G. 4. ∪.	
9	secunda. DC.	(ye.) side-flowering.	—	1825.	6. 9.	G. 4. ∪.	
<b>CHÆTOCALYX. DC. CHÆTOCALYX. Diadelphia Decandria.</b>							
	vincentina. DC.	(ye.) St. Vincent.	W. Indies.	1823.	6. 8.	S. 7. ∪.	Bot. reg. 799.
<i>Glycine vincentina</i> . B.R. 799.							

Subtribus IV. *GALEGEÆ*. DC. prodr. 2. p. 243.

<b>PETALOSTEMUM. DC. PETALOSTEMUM. Monadelphia Pentandria.</b>							
1	cándidum. DC.	(wh.) white.	N. America.	1811.	7. 8.	H. 4.	Mich. amer. 2. t. 37. f. 1.
2	carneum. DC.	(li.) flesh-coloured.	Florida.	—	—	H. 4.	
3	violaceum. DC.	(pu.) purple-flower'd.	Missouri.	—	7. 9.	H. 4.	Bot. mag. 1707.
4	villòsum. DC.	(ro.) villous.	—	1826.	—	H. 4.	
5	corymbòsum. DC.	(wh.) corymbose.	Carolina.	1806.	—	H. 4.	
<i>Dalea Kuhnistèra</i> . w. <i>Kuhnistèra carolinènsis</i> . Lam. <i>Cytipogon virgatum</i> . Rafin.							
<b>D'ALEA. DC. D'ALEA. Monadelphia Decandria.</b>							
1	laxiflora. DC.	(wh.) loose-flowered.	Louisiana.	1811.	7. 8.	H. 4.	
2	áurea. DC.	(ye.) golden.	—	—	—	H. 4.	
3	alopecuróides. DC.	(w.) Fox-tail.	—	1812.	—	H. ∘.	Mich. amer. 2. t. 38.
<i>Dalea Linn'æi</i> . Mich.							
4	Cliffortiána. w.	(bl.) Vera Cruz.	Vera Cruz.	1737.	7. 8.	H. ∘.	Linn. h. cliff. t. 22.
5	Lagòpus. DC.	(vi.) downy-spiked.	Mexico.	1780.	10. 11.	G. ∘.	Cavan. ic. 1. t. 86.
6	sericea. DC.	(d.vi.) silky.	—	1825.	9. 11.	G. 4.	Kth. mim. 166. t. 48.
<i>gracilis</i> . Kth.							
7	tuberculáta. DC.	(pu.) tubercled.	—	—	—	G. 7.	
8	clitrodora. DC.	(v.) leafy.	New Spain.	1780.	10. 11.	G. ∘.	Cavan. ic. 3. t. 271.
<i>Psoralea citriodora</i> . Cav. <i>foliolosa</i> . H.K.							
9	lutea. DC.	(ye.) yellow.	Mexico.	1823.	7. 9.	G. 4.	Cavan. ic. 4. t. 325.
10	mutábilis. DC.	(v.) changeable.	—	1821.	9. 10.	G. 7.	Bot. mag. 2486.
<i>bicolor</i> . Hook. ex. flor. 43.							
11	nútans. DC.	(vi.) nodding.	—	1824.	7. 9.	G. 4.	Cavan. ic. 3. t. 201.
12	reclináta. DC.	(vi.) reclining.	—	—	5. 8.	G. 4.	
13	tomentosa. DC.	(vi.) woolly.	—	1823.	7. 9.	G. 4.	Cavan. ic. 3. t. 240.
14	prostráta. DC.	(ye.) prostrate.	—	1826.	—	G. 4.	
15	mucronáta. DC.	(wh.) mucronate.	—	—	—	G. 4.	
16	Thouini. DC.	(vi.) Thouin's.	—	1824.	6. 9.	H. ∘.	Schrank hort. mon. t. 9.
17	phymatódes. DC.	(vi.) obovate-leaved.	Caracas.	—	7. 9.	G. 7.	Jacq. ic. 3. t. 563.
18	enneaphylla. DC.	(re.) nine-leaved.	W. Indies.	1772.	—	S. 7.	
<b>GLYCYRRHIZA. DC. LIQUORICE. Diadelphia Decandria. L.</b>							
1	glábra. DC.	(pu.) common.	S. Europe.	1562.	7. 9.	H. 4.	Lam. ill. t. 625. f. 2.
2	glandulifera. DC.	(pu.) glandular.	Hungary.	1805.	6. 8.	H. 4.	W. et K. hung. 1. t. 21.
3	lepidota. DC.	(wh.) scaly.	Missouri.	1811.	7. 8.	H. 4.	Bot. mag. 2150.
4	foétida. DC.	(ye.) strong-scented.	Barbary.	1823.	6. 9.	H. 4.	Desf. atl. 2. t. 199.
5	echináta. DC.	(pu.) prickly-headed.	Italy.	1596.	—	H. 4.	Bot. mag. 2154.
6	aspérrima. DC.	(li.) rough.	Siberia.	1795.	7. 8.	H. 4.	Pall. it. app. t. M. f. 3.
7	uralénsis. DC.	(li.) Siberian.	—	1826.	—	H. 4.	
8	hirsúta. DC.	(li.) hairy.	Levant.	1739.	—	H. 4.	
<b>GALÉGA. DC. GOAT'S-RUE. Monadelphia Decandria.</b>							
1	officinális. DC.	(pu.) officinal.	Spain.	1568.	6. 9.	H. 4.	Schk. hand. 2. t. 208.
	<i>a purpúrea.</i>	(pu.) purple-flowered.	—	—	—	H. 4.	
	<i>β álba.</i>	(wh.) white-flowered.	—	—	—	H. 4.	
2	pérsica. DC.	(wh.) Persian.	Persia.	1816.	—	H. 4.	Swt. br. fl. gar. 3. t. 244.
3	bilóba. B.F.G.	(pu.) two-lobed.	.....	1823.	—	H. 4.	2. t. 159.
4	orientális. DC.	(bl.) oriental.	Levant.	1801.	—	H. 4.	Bot. reg. 326.
<b>TEPHROSIA. DC. TEPHROSIA. Mono-Diadelphia Decandria.</b>							
1	suberòsa. DC.	(ro.) cork-barked.	E. Indies.	1818.	5. 8.	S. 7.	
<i>Robinia suberòsa</i> . H.B							
2	fruticòsa. DC.	(ro.) frutescent.	—	1820.	....	S. 7. ∪.	

3	sophoroides. DC. (wh.)	Sophora-like.	Nepaul.	1826.	....	G. h̄.	
4	brachystachya. DC. (ro.)	short-spiked.	—	—	....	G. h̄.	
5	cándida. DC. (ro.)	white-leaved.	E. Indies.	1810.	5. 8.	S. h̄.	
	<i>Robinia cándida.</i> H.B.						
6	toxicária. DC. (bh.)	Fish poison.	S. America.	1791.	—	S. h̄.	Plum. ic. t. 135.
7	virginiana. DC. (re.)	Virginian.	Virginia.	1765.	6. 8.	H. 2.	Pluk. alm. t. 23. f. 2.
8	hispidula. DC. (li.)	bristle-podded.	—	1826.	—	H. 2.	
9	ochroleuca. DC. (st.)	straw-colour'd.	W. Indies.	1799.	—	S. h̄.	Jacq. ic. t. 150.
10	carib'ea. DC. (re.wh.)	various-colour'd.	Caribees.	1786.	—	S. h̄.	Jacq. amer. t. 125.
11	grandiflora. DC. (re.)	large-flowered.	C. B. S.	1774.	6. 9.	I. h̄.	Bot. reg. 769.
	<i>Galèga grandiflora.</i> B. R. <i>Galèga ròsea.</i> Lam.						
12	villòsa. DC. (pu.)	villous.	E. Indies.	1779.	6. 8.	S. 2.	Burm. zeyl. t. 33.
13	purpùrea. DC. (pu.)	purple.	—	1768.	7. 8.	S. 2.	— t. 32.
	<i>Galèga purpùrea.</i> L.						
14	lanceafolia. DC. (st.)	lance-leaved.	—	1824.	—	S. h̄.	
15	argentea. DC. (pu.)	silvery.	—	1826.	....	S. 2.	Pluk. alm. t. 52. f. 1.
16	piscatoriá. DC. (pu.)	woolly.	—	1778.	6. 8.	S. h̄.	
17	leucántha. DC. (wh.)	white-flowered.	Mexico.	1826.	6. 10.	G. h̄.	H. et B. n. gen. a. 6. t. 577.
18	coronillæfolia. DC. (st.)	Coronilla-leav'd.	Bourbon.	—	....	S. h̄.	
19	capénsis. DC. (re.)	Cape.	C. B. S.	1823.	5. 9.	G. h̄.	Jacq. ic. t. 574.
20	cinèrea. DC. (vi.)	cinereous.	W. Indies.	1824.	6. 9.	S. ☉.	— t. 575.
21	hypargy'rea. DC. (pu.)	various-leaved.	E. Indies.	1825.	—	S. h̄.	
	<i>heterophy'lla.</i> F.						
22	stricta. DC. (pu.)	straight-podded.	C. B. S.	1774.	5. 6.	I. h̄.	Jacq. schoenb. t. 236.
23	lineàris. DC. (pu.)	linear-leaved.	Guinea.	1822.	....	S. h̄.	
24	pállens. DC. (li.)	pale-flowered.	C. B. S.	1787.	6. 8.	I. h̄.	
25	apollínea. DC. (bl.)	Egyptian.	Egypt.	1822.	6. 7.	F. 2.	Delil. fl. eg. t. 53. f. 5.
26	tricolor. (bl.)	three-coloured.	N. Holland.	1824.	7. 9.	G. 2.	Hook. ex. flor. t. 185.
	<i>Galèga tricolor.</i> H. E. F.						
27	Barclayana. (pu.)	Mr. Barclay's.	Madagascar.	1823.	5. 10.	S. h̄. ✓.	Hook. ex. flor. t. 188.
	<i>Dalbèrgia Barcláyii.</i> H. E. F.						
28	Telfáirii. (pu.)	Mr. Telfair's.	—	—	—	S. h̄. ✓.	
29	Colonía. L. T. (pu.)	Colonil.	E. Indies.	1818.	6. 8.	S. h̄.	
30	racemòsa. (pu.)	racemed.	—	1822.	—	S. h̄. ✓.	
	<i>Robinia racemòsa.</i> H. B.						
31	pentaphy'lla. (pu.)	five-leaved.	—	1824.	—	S. h̄.	
	<i>Galèga pentaphy'lla.</i> H. B.						
32	biflòra. DC. (pu.)	two-flowered.	.....	1826.	6. 9.	G. h̄.	
33	capitulàta. DC. (pu.)	headed.	Owyhee.	—	—	S. 2.	
34	incàna. (pu.)	hoary.	E. Indies.	1820.	—	S. h̄.	
	<i>Galèga incàna.</i> H. B.						
35	Heyniàna. (bl.)	Heyne's.	—	1807.	7. 9.	S. h̄.	
	<i>Galèga Heyniàna.</i> H. B.						
36	sericea. DC. (pu.)	silky.	C. B. S.	1824.	—	I. h̄.	
37	filifolia. DC. (re.)	filiform-leaved.	—	—	—	I. h̄.	
AMORPHA. DC.			BASTARD INDIGO. Monadelphia Decandria.				
1	fruticòsa. DC. (bl.)	shrubby.	Carolina.	1724.	6. 8.	H. h̄.	Bot. reg. 427.
2	croceolanàta. W. D. (pu.)	yellow-haired.	—	1812.	—	H. h̄.	Wats. dend. brit. t. 139.
3	fràgrans. B. F. G. (pu.)	fragrant.	—	—	—	H. h̄.	Swt. br. fl. gar. t. 241.
	<i>nàna.</i> Bot. mag. t. 2112. <i>nee aliorum.</i>						
4	emarginàta. L. C. (bl.)	emarginate.	—	—	—	H. h̄.	
	<i>fruticòsa β emarginàta.</i> Ph.						
5	Lewisii. L. C. (bl.)	Lewis's.	—	—	—	H. h̄.	
	<i>fruticòsa γ angustifolia.</i> Ph.						
6	glàbra. DC. (pu.)	smooth.	—	—	—	H. h̄.	
7	nàna. DC. (pu.)	dwarf.	Missouri.	1811.	7. 8.	H. h̄.	
	<i>microphy'lla.</i> Ph.						
8	herbàcea. DC. (pu.)	pubescent.	Carolina.	1803.	6. 8.	H. h̄.	Lodd. bot. cab. 689
	<i>pubescens.</i> Ph.						
9	canescens. DC. (bl.)	canescent.	Missouri.	1812.	7. 8.	H. h̄.	
NISS'OLIA. DC.			NISS'OLIA. Mono-Diadelpchia Decandria.				
1	fruticòsa. DC. (st.)	shrubby.	S. America.	1766.	7. 11.	S. h̄. ✓.	Jacq. vind. t. 167.
2	racemòsa. DC. (st.)	racemed.	W. Indies.	....	6. 8.	S. h̄. ✓.	
3	glàbrata. DC. (wh.)	smooth-leaved.	S. America.	1818.	7. 11.	S. h̄.	
4	robiniaefolia. DC. ....	Robinia-leaved.	St. Vincent.	1824.	....	S. h̄.	
5	micróptera. DC. (ye.)	small-winged.	.....	—	5. 8.	S. h̄.	
6	retùsa. DC. (ye.)	retuse-leaved.	S. America.	1823.	....	S. h̄. ✓.	
MULLERA. DC.			MULLERA. Monadelphia Octo-Decandria.				
	moniliformis. DC. ....	bracelet.	Guiana.	1792.	....	S. h̄.	Aubl. guian. 4. t. 356.

LONCHOCARPUS, DC. LONCHOCARPUS. Mono-Diadelphia Decandria.									
1	domingensis. DC.	(re.) oval-leaved.	St. Domingo.	1759.	....	S. ♀.			
2	violaceus. DC.	(vi.) violet.	W. Indies.	—	5. 8.	S. ♀.	Jacq. amer. t. 177. f. 49.		
	<i>Robinia violacea.</i> Jacq.								
3	formosianus. DC.	(vi.) Formosa.	Africa.	1822.	....	S. ♀.	Beauv. fl. owar. 2 t. 76.		
4	sericeus. DC.	(pu.) silky.	W. Indies.	1823.	....	S. ♀.			
5	pyxidarius. DC.	(pu.) Cuba.	Cuba.	1822.	....	S. ♀.			
6	latifolius. DC.	(pu.) broad-leaved.	S. America.	1814.	....	S. ♀.			
	<i>Amerimum latifolium.</i> w.								
7	pubescens. DC.	(pu.) pubescent.	Caracas.	1820.	....	S. ♀.			
8	roseus. DC.	(ro.) rose-coloured.	S. America.	....	....	S. ♀.			
9	sèpium. DC.	(ro.) hedge.	W. Indies.	1820.	....	S. ♀.	Jacq. amer. t. 129. f. 101.		
10	Swartzii. DC.	(ro.) Swartz's.	—	—	....	S. ♀.			
	<i>Robinia sèpium.</i> Sw.								
11	Nicôu. DC.	(pu.) climbing.	Guiana.	1826.	....	S. ♀.	Aubl. guian. 2. t. 308.		
	<i>Robinia Nicôu.</i> Aubl. <i>scandens.</i> w.								
ROBINIA, DC. ROBINIA. Diadelphia Decandria. L.									
1	Pseudacacia. DC.	(wh.) com. or Locust Tree.	N. Amer.	1640.	5. 6.	H. 5.	Schmidt arb. 1. t. 32.		
2	inermis. DC.	(wh.) spineless.	.....	....	—	H. 5.			
	<i>spectabilis.</i> L. C.								
3	macrophylla. L. C.	(ro.) long-leaved.	Siberia.	1797.	6. 7.	H. 5.			
4	sophoræfolia. L. C.	(wh.) Sophora-leaved.	Hybrid.	1811.	—	H. 5.			
5	amorphæfolia. L. en.	(w.) Amorpho-leaf'd.	—	1820.	—	H. 5.			
6	umbraculifera. DC.	(w.) Parasol.	—	1811.	....	H. 5.			
	<i>Robinia inermis.</i> Dum. Cours. non DC.								
7	dùbia. DC.	(bh.) doubtful.	—	—	....	H. 5.			
8	stricta. L. C.	(wh.) upright.	—	....	....	H. 5.			
9	tortuosa. DC.	(wh.) twisting.	—	....	6. 7.	H. 5.			
10	monstrôsa. L. C.	(wh.) monstrous.	—	....	—	H. 5.			
11	péndula. L. en.	(wh.) pendulous.	—	....	—	H. 5.			
12	viscosa. DC.	(bh.) clammy.	N. America.	1797.	6. 8.	H. 5.	Venten. cels. t. 4.		
	<i>glutinosa.</i> Bot. mag. 580.								
13	hispida. DC.	(ro.) Rose Acacia.	Carolina.	1743.	5. 9.	H. ♀.	Bot. mag. 311.		
14	rosea. Ell.	(ro.) smooth-branch'd.	—	1812.	—	H. ♀.			
15?	guineensis. W. en.	(ro.) Guinea.	Guinea.	1821.	....	S. ♀.			
	<i>Cytisus hispidus.</i> w.								
16?	purpurea. L. en.	(pu.) purple.	.....	1816.	4. 6.	S. ♀.			
POITÆA, DC. POITÆA. Diadelphia Decandria.									
	galegoides. DC.	(ro.) Galega-like.	St. Domingo.	1826.	....	S. ♀.	Venten. choix. t. 36.		
COURS'ETIA, DC. COUR'S'ETIA. Diadelphia Decandria.									
1	tomentosa. DC.	(ye.) woolly.	Peru.	1824.	6. 8.	G. ♀.	Cavan. ic. t. 84.		
	<i>Lathyrus fruticosus.</i> Cav. <i>O'robos tomentosus.</i> Df. <i>Vicia fruticosa.</i> w.								
2	virgata. DC.	(ye.) slender.	Trinidad.	1820.	—	S. ♀.	Cavan. ic. t. 293.		
	<i>Æschynomene virgata.</i> Cav.								
SESBA'NIA, DC. SESBA'NIA. Diadelphia Decandria.									
1	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1680.	7. 8.	S. ♂.	Alp. ægypt. 81. t. 82.		
2	occidentalis. DC.	(ye.) West Indian.	W. Indies.	1823.	6. 8.	S. ♀.	Plum. ed Bur. t. 125. f. 1.		
3	aculeata. DC.	(ye.) prickly.	E. Indies.	1690.	7. 10.	S. ♂.	Jacq. ic. t. 564.		
4	cannabina. DC.	(ye.) Hemp-like.	—	1800.	—	S. ♂.			
5	affinis. DC.	(ye.) likened.	—	1822.	5. 8.	S. ♂.			
6	picta. DC.	(std.) painted.	W. Indies.	—	4. 9.	S. ♀.	Bot. reg. 873.		
7	macrocarpa. DC.	(st.) long-podded.	Louisiana.	—	7. 10.	H. ♂.	Bart. fl. amer. 1. t. 28.		
8	paludosa. DC.	(ye.) marsh.	E. Indies.	1810.	—	S. ♂.			
9	gracilis. DC.	(ye.) slender.	.....	1824.	—	S. ♂.			
10	sericea. DC.	(ye.) silky.	E. Indies.	1818.	—	S. ♂.			
11	procumbens. H. B.	(ye.) procumbent.	—	—	—	S. ♂.			
12	uliginosa.	(ye.) swamp.	—	—	—	S. ♂.			
	<i>Æschynomene uliginosa.</i> H. B.								
AGA'TI, DC. AGA'TI. Diadelphia Decandria.									
1	grandiflora. DC.	(bh.) great-flowered.	E. Indies.	1768.	7. 8.	S. ♀.	Rheed. mal. 1. t. 51.		
	<i>Sesbania grandiflora.</i> P. S. <i>Æschynomene grandiflora.</i> L. <i>Coronilla grandiflora.</i> w.								
2	coccinea. DC.	(sc.) red-flowered.	E. Indies.	1824.	7. 8.	S. ♀.	Rumph. amb. 1. t. 77.		
GLOTTIDIUM, DC. GLOTTIDIUM. Diadelphia Decandria.									
	floridanum. DC.	(ye.) flat-podded.	Florida.	1822.	7. 8.	S. ♂.	Jacq. ic. 1. t. 148.		
	<i>Sesbania platycarpa.</i> P. S. <i>Robinia vesicaria.</i> Jacq. <i>Phaca floridana.</i> w.								
PISCY'DIA, DC. JAMAICA DOGWOOD. Monadelphia Decandria.									
1	Erythrina. DC.	(v.) oval-leaved.	W. Indies.	1690.	....	S. ♀.	Sloan. jam. 2. t. 176. f. 4-5.		
2	carthagenensis. DC.	(v.) obovate-leaved.	—	....	....	S. ♀.	Plum. ed Bur. t. 133. f. 2.		

- DAUBENTONIA, DC. DAUBENTONIA, Diadelphia Decandria.**  
 1 *punicea*, DC. (*pu.*) red-flowered. Mexico. 1824. .... S.  $\frac{1}{2}$ . Cavan. ic. 4. t. 316.  
 2 *longifolia*, DC. (*ye.*) long-leaved. New Spain. 1828. .... S.  $\frac{1}{2}$ . ——— 4. t. 315.
- CORYNE'LLA, DC. CORYNE'LLA, Diadelphia Decandria.**  
*polyantha*, DC. (*pu.*) many-flowered. W. Indies 1824. .... S.  $\frac{1}{2}$ .  
*Robinia polyantha*, Swartz.
- CARAG'ANA, DC. CARAG'ANA, Diadelphia Decandria.**  
 1 *Altagana*, DC. (*ye.*) flat-podded. Dahuria. 1789. 4. 6. H.  $\frac{1}{2}$ . L'Herit. stirp. t. 76.  
 2 *microphylla*, DC. (*ye.*) small-leaved. Siberia. 1816. ——— H.  $\frac{1}{2}$ . Pall. ross. t. 42. f. 1-2.  
 3 *arenaria*, L.C. (*ye.*) sand. ——— 1802. 6. 7. H.  $\frac{1}{2}$ . Bot. mag. 1836.  
*Robinia Caragana*,  $\beta$ . *arenaria*, B.M.  
 4 *arborescens*, DC. (*ye.*) common. ——— 1752. 4. 6. H.  $\frac{1}{2}$ . Schmidt arb. 1. t. 33.  
*Robinia Caragana*, L.  
 5 *Chamlagu*, DC. (*ye.*) shining. China. 1773. 5. 6. H.  $\frac{1}{2}$ . L'Herit. stirp. t. 77.  
 6 *frutescens*, DC. (*ye.*) shrubby. Siberia. 1752. 4. 6. H.  $\frac{1}{2}$ . Swt. br. fl. gar. 3. t. 227.  
 7 *mollis*, M.B. (*ye.*) soft-leaved. Tauria. 1822. ——— H.  $\frac{1}{2}$ .  
 8 *grandiflora*, DC. (*ye.*) large-flowered. Iberia. ——— ——— H.  $\frac{1}{2}$ .  
 9 *pygmæa*, DC. (*ye.*) pigmy. Siberia. 1751. ——— H.  $\frac{1}{2}$ . Bot. reg. 1021.  
 10 *mongolica* F. (*ye.*) Mongolian. Tartary. 1826. ——— H.  $\frac{1}{2}$ .  
 11 *Redówskii*, F. (*ye.*) Redowski's. Siberia. 1822. ——— H.  $\frac{1}{2}$ . DC. leg. mem. t. 11. f. 45.  
 12 *spinosa*, DC. (*ye.*) thorny. ——— 1775. ——— H.  $\frac{1}{2}$ . Pall. ross. 1. t. 44.  
 13 *tracanthoides*, DC. (*ye.*) Goat's-thorn-like. ——— 1816. ——— H.  $\frac{1}{2}$ . Pall. astr. t. 86.  
 14 *jubata*, DC. (*bh.*) bearded. ——— 1796. ——— H.  $\frac{1}{2}$ . ——— p. 113. t. 85.
- HALMODE'NDRON, DC. SALT-TREE, Diadelphia Decandria.**  
 1 *argenteum*, DC. (*pu.*) silvery-leaved. Iberia. 1779. 5. 6. H.  $\frac{1}{2}$ . Bot. mag. 1016.  
 2 *triflorum*, DC. (*pu.*) smooth-leaved. ——— .... ——— H.  $\frac{1}{2}$ . L'Herit. stirp. n. 162.  
*Robinia triflora*, L'Herit.
- CALOPHA'CA, DC. CALOPHA'CA, Diadelphia Decandria.**  
*wolgara*, DC. (*ye.*) wing-leaved. Siberia. 1786. 5. 6. H.  $\frac{1}{2}$ . Wats. dend. brit. 83.  
*Cytisus wolgarius*, L. *pinnatus*, Pall. ross. 1. t. 47.
- COLUTEA, DC. BLADDER SENNA, Diadelphia Decandria.**  
 1 *arborescens*, DC. (*ye.*) common. S. Europe. 1568. 6. 8. H.  $\frac{1}{2}$ . Bot. mag. 81.  
 2 *cruenta*, DC. (*re.*) red-flowered. Levant. 1710. ——— H.  $\frac{1}{2}$ . Schmidt arb. t. 119.  
 3 *Haléppica*, DC. (*ye.*) Poccock's. ——— 1752. 5. 10. H.  $\frac{1}{2}$ . ——— t. 120.  
*Pocóckii*, H.K. *Istria*, Mill. ic. t. 100.  
 4 *media*, DC. (*ye.*) smaller. .... 6. 8. H.  $\frac{1}{2}$ . Wats. dend. brit. t. 140.  
 5 *nepalensis*, DC. (*ye.*) Nepal. Nepal. 1822. 8. 9. H.  $\frac{1}{2}$ . Bot. mag. 2622.
- SPHÆROPH'YSA, DC. SPHÆROPH'YSA, Diadelphia Decandria.**  
 1 *Salsula*, DC. (*re.*) salt-field. Dahuria. 1829. .... H.  $\frac{1}{2}$ . Pall. itin. 4. t. 9. f. 1.  
 2 *cáspica*, DC. (*pu.*) Caspian. Caucasus. ——— .... H.  $\frac{1}{2}$ .  
*Colutea cáspica*, M.B. *Phaca Salsula*, Bieb. cesp. 210.
- SWAINS'ONA, DC. SWAINS'ONA, Diadelphia Decandria.**  
 1 *galeifolia*, DC. (*sc.*) red-flowered. N. S. W. 1800. 7. 8. G.  $\frac{1}{2}$ . Bot. mag. 792.  
 2 *coronillaefolia*, DC. (*pu.*) purple-flowered. ——— 1802. ——— G.  $\frac{1}{2}$ . ——— t. 1725.  
 3 *lessertiaefolia*, DC. (*pu.*) small-flowered. N. Holland. 1822. ——— G.  $\frac{1}{2}$ .  
 4 *astragalifolia*, C.C. (*wh.*) white-flowered. N. S. W. 1802. ——— G.  $\frac{1}{2}$ . Bot. reg. 994.  
*galeifolia*, var. *albiflora*, B.R.
- LESSE'RTIA, DC. LESSE'RTIA, Diadelphia Decandria.**  
 1 *annua*, DC. (*pu.*) annual. C. B. S. 1731. 6. 7. G.  $\odot$ . Hook. exot. flor. t. 84.  
 2 *diffusa*, DC. (*pu.*) procumbent. ——— 1792. 7. 8. G.  $\odot$ . Jacq. ic. 3. t. 576.  
*Galéga dúbia*, Jacq.  
 3 *fruticosa*, B.R. (*pu.*) frutescent. ——— 1826. ——— G.  $\odot$ . Bot. reg. 970.  
 4 *perénnans*, DC. (*ro.*) perennial. ——— 1753. ——— G.  $\frac{1}{2}$ . Jacq. vind. 3. t. 3.  
*Colutea perénnans*, Jacq. *fistulosa*, Hort. ——— 1817. 5. 8. G.  $\odot$ . Bot. mag. 2064.  
 5 *púlcra*, DC. (*ro.*) pretty. ——— 1825. ——— G.  $\frac{1}{2}$ . DC. leg. mem. t. 46.  
 6 *falciformis*, DC. (*pu.*) sickle-podded. ——— 1816. ——— G.  $\odot$ .  
 7 *annuláris*, DC. (*pu.*) ring-podded. ——— ——— G.  $\frac{1}{2}$ .  
 8 *brachystachya*, DC. (*pu.*) short-spiked. ——— ——— G.  $\odot$ .  
 9 *prostrata*, DC. (*pu.*) prostrate. ——— 1820. ——— G.  $\odot$ .  
 10 *virgata*, L.O. (*pu.*) slender. ——— 1828. 6. 8. G.  $\odot$ .  
 11 *vesicária*, DC. (*pu.*) bladder-podded. ——— 1825. ——— G.  $\frac{1}{2}$ .  
 12 *tomentosa*, DC. (*pu.*) woolly. ——— 1822. ——— G.  $\frac{1}{2}$ .  
 13 *procumbens*, DC. (*pu.*) procumbent. ——— .... ——— G.  $\frac{1}{2}$ .
- SUTHERLA'NDIA, DC. SUTHERLA'NDIA, Diadelphia Decandria.**  
 1 *frutescens*, DC. (*sc.*) frutescent. C. B. S. 1683. 6. 9. F.  $\frac{1}{2}$ . Bot. mag. 181.  
*Colutea frutescens*, B.M.  
 $\beta$  *canescens*, (*sc.*) hoary-*l'd*, dwarf. ——— 1816. ——— F.  $\frac{1}{2}$ .  
 2 *microphylla*, DC. (*sc.*) small-leaved. ——— ——— F.  $\frac{1}{2}$ .

Subtribus V. *ASTRAGALEÆ*. DC. prodr. 2. p. 273.

<b>PHA'CA. DC.</b>		<b>BASTARD VETCH. Diadelphia Decandria.</b>					
1	b'ætica. DC.	(wh.) hairy.	Spain.	1640.	7. 8.	H. ♀.	Moris. his. s. 2. t. 8. f. 1.
2	frígida. DC.	(st.) small.	Austria.	1795.	—	H. ♀.	Jacq. aust. t. 166.
3	alpina. DC.	(st.) Alpine.	—	1759.	—	H. ♀.	Jacq. ic. 1. t. 151.
4	membranæa. F.	(st.) membranous.	Dahuria.	1823.	—	H. ♀.	
5	lútea. Led.	(ye.) yellow.	Siberia.	1827.	—	H. ♀.	
6	cæspitôsa. DC.	(st.) tufted.	Missouri.	1826.	—	H. ♀.	
<i>Astrágalus triphyllus</i> . Ph.							
7	densifolia. DC.	(re.) dense-leaved.	California.	1822.	—	H. ♀.	
8	glábra. DC.	(v.) smooth.	S. Europe.	—	—	H. ♀.	
9	austrális. DC.	(pa.) trailing.	—	1779.	5. 6.	H. ♀.	Lodd. bot. cab. 490.
10	astragalina. DC.	(v.) procumbent.	Europe.	1771.	6. 7.	H. ♀.	— t. 429.
11	lappónica. DC.	(v.) Lapland.	Lapland.	1824.	7. 8.	H. ♀.	Flor. dan. t. 51.
12	oroibóides. DC.	(bl.) Orobus-like.	N. Europe.	1826.	—	H. ♀.	— 8. t. 1396.
13	trianguláris. F.	(bl.) triangular.	Siberia.	1824.	—	H. ♀.	
14	exaltáta. F.	... tall.	Altay.	1828.	... .	H. ♀.	
15	arenária. DC.	(pu.) sand.	Siberia.	1796.	7. 8.	H. ♀.	Pall. it. 4. t. 19. f. 3-4.
<b>OXYTROPIS. DC.</b>		<b>OXYTROPIS. Diadelphia Decandria.</b>					
1	montána. DC.	(bl.) mountain.	Europe.	1531.	7. 8.	H. ♀.	Bot. mag. 843.
<i>Astrágalus montánus</i> . B.M.							
2	cyána. DC.	(bl.) bright blue.	Iberia.	1826.	—	H. ♀.	
3	sórdida. DC.	(pa.) sordid.	N. Europe.	... .	5. 8.	H. ♀.	Flor. dan. t. 1041.
4	argyræa. DC.	(pu.) silvery.	Altay.	1828.	—	H. ♀.	
5	uralénsis. DC.	(pu.) villous.	Siberia.	1800.	6. 8.	H. ♀.	Pall. ast. t. 42. f. A.
6	sericea. DC.	(pu.) hairy mountain.	Scotland.	... .	5. 8.	H. ♀.	Eng. bot. t. 466.
7	cœrúlea. DC.	(bl.) blue-flowered.	Siberia.	1827.	6. 8.	H. ♀.	Pall. ast. t. 52.
8	ártica. DC.	(pu.) northern.	Melvoll. Isl.	—	—	H. ♀.	
9	argentáta. DC.	(pa.) silver-leaved.	Siberia.	—	—	H. ♀.	Pall. ast. t. 48.
10	ambigua. DC.	(pu.) ambiguous.	—	1824.	5. 8.	H. ♀.	— t. 43.
11	setôsa. DC.	(pu.) pointed-calyxed.	—	1828.	6. 8.	H. ♀.	— t. 44.
12	Lambérti. DC.	(pu.) Mr. Lambert's.	Missouri.	1811.	8. 9.	H. ♀.	Bot. mag. 2147.
13	grandiflora. DC.	(ro.) large-flowered.	Siberia.	1824.	5. 8.	H. ♀.	Pall. astr. t. 46.
14	cándicans. DC.	(pa.) hoary.	—	1827.	6. 8.	H. ♀.	— t. 49.
15	songárica. DC.	(vi.) spear-podded.	—	1824.	5. 8.	H. ♀.	— t. 51.
16	sylvática. DC.	(pu.) wood.	—	1820.	—	H. ♀.	— t. 78.
17	longiróstra. DC.	(pu.) long-beaked.	—	1824.	6. 8.	H. ♀.	DC. astr. n. 17. t. 5.
<i>Gmelini</i> . F.							
18	breviróstra. DC.	(pu.) short-beaked.	Altay.	1802.	7. 9.	H. ♀.	DC. astr. n. 19. t. 6.
<i>Astrágalus altáicus</i> . Pall. astr. t. 45.							
19	filifórmis. DC.	(bl.) filiform.	Dahuria.	1824.	7. 8.	H. ♀.	DC. astr. n. 16. t. 4.
20	nigréscens. DC.	(bl.) black-haired.	Siberia.	1828.	—	H. ♀.	Pall. astr. t. 53.
21	campéstris. DC.	(st.) field.	Scotland.	... .	—	H. ♀.	Eng. bot. v. 36. t. 2522.
<i>Astrágalus campéstris</i> . E.B.							
22	sulphúrea. F.	(st.) sulphur-color'd.	Siberia.	1827.	7. 8.	H. ♀.	
23	microphylla. DC.	(pu.) small-leaved.	—	1823.	—	H. ♀.	Pall. ast. t. 76.
24	pùmila. DC.	(bl.) small.	—	1828.	—	H. ♀.	
25	verticilláris. DC.	(pu.) whorl-leaved.	—	1824.	—	H. ♀.	Amm. ruth. t. 19. f. 1.
26	myriophylla. DC.	(va.) many-leaved.	—	—	—	H. ♀.	Pall. astr. t. 71.
27	oxyphylla. DC.	(pu.) sharp-leaved.	—	1823.	7. 9.	H. ♀.	— t. 74.
28	prostráta. DC.	(pu.) prostrate.	—	1820.	6. 9.	H. ♀.	— t. 72.
<i>Astrágalus dahúricus</i> . Pall. ast. <i>Phæca prostráta</i> . L.							
29	pilôsa. DC.	(st.) hairy.	Siberia.	1732.	6. 8.	H. ♀.	Bot. mag. 2483.
30	floribúnda. DC.	(pu.) many-flowered.	—	1827.	5. 8.	H. ♂.	Pall. astr. t. 37.
31	glábra. DC.	(vi.) smooth.	Dahuria.	—	—	H. ♀.	DC. astr. n. 31. t. 8.
32	defléxa. DC.	(vi.) small-flowered.	Siberia.	1800.	6. 8.	H. ♀.	L'Herit. stirp. t. 80.
<i>Astrágalus retrofléxus</i> . Pall. astr. t. 27. <i>hians</i> . Jacq. ic. t. 252. <i>parviflorus</i> . Lam.							
33	Fischeri. DC.	(bl.) Fischer's.	Siberia.	1828.	—	H. ♀.	
34	vagináta. DC.	(bl.) sheathed.	—	—	—	H. ♀.	
35	tenélla. DC.	(bl.) slender.	—	—	—	H. ♀.	
36	dichóptera. DC.	(bl.) pubescent.	—	1815.	—	H. ♀.	
37	longicúspis. Led.	(pu.) long-pointed.	—	1827.	—	H. ♀.	
<b>ASTRÁGALUS. DC.</b>		<b>MILK-VETCH. Diadelphia Decandria. L.</b>					
1	hypoglóttis. DC.	(pu.) purple mountain.	Britain.	... .	6. 7.	H. ♀.	Eng. bot. v. 4. t. 274.
2	dasyglóttis. DC.	(pu.) creeping-root'd.	Siberia.	1828.	—	H. ♀.	

3	purpureus. DC.	(pu.) purple.	S. France.	1824.	6. 7.	H. ♀.	DC. astr. n. 17. t. 12.
4	sinicus. L.	(ro.) Chinese annual.	China.	1763.	7. 9.	H. ♂.	Bot. mag. 1350.
	<i>lotoides</i> . DC.						
5	onobrychioides. DC.	(pu.) Saintfoin-like.	Persia.	1828.	—	H. ♀.	DC. astr. n. 39. t. 16.
	<i>canescens</i> . DC.	ast. <i>cephalotes</i> .	Pall. astr. t. 24.				
6	leontinus. DC.	(pu.) Lion's-tail.	Austria.	1816.	5. 7.	H. ♀.	Lodd. bot. cab. 432.
7	Donianus. DC.	(pu.) Mr. D. Don's.	Nepaul.	1821.	8. 9.	H. ♀.	
	<i>macrorhizus</i> . D.P.	non Cav.					
8	arenarius. DC.	(bl.) sand.	N. Europe.	1798.	6. 7.	H. ♀.	Retz. obs. 3. t. 3.
9	bayonensis. DC.	(pu.) woolly-podded.	S. France.	1828.	—	H. ♀.	
10	macropterus. DC.	(pu.) large-winged.	Siberia.	1827.	—	H. ♀.	
11	tauricus. DC.	(pu.) Taurian.	Tauria.	1824.	7. 8.	H. ♀.	Pall. astr. t. 38.
12	austriacus. DC.	(pu.) Austrian.	Austria.	1640.	6. 7.	H. ♀.	Jaqu. aust. 2. t. 195.
13	olopterus. DC.	(pa.) long-racemed.	Altay.	1827.	—	H. ♀.	
14	melilotoides. DC.	(pu.) Melilot-like.	Siberia.	1785.	—	H. ♀.	Pall. astr. t. 41.
15	sulcatus. DC.	(pu.) furrowed.	—	—	7. 8.	H. ♀.	Jaqu. vind. 3. t. 40.
16	gracilis. DC.	(li.) slender.	Missouri.	1812.	6. 7.	H. ♀.	
17	subulatus. DC.	(pu.) awl-podded.	Tauria.	1806.	5. 8.	H. ♀.	Pall. astr. t. 20.
18	ceratoides. DC.	(pu.) triangular-pod'd.	Altay.	1827.	—	H. ♀.	— t. 20. A.
19	virgatus. DC.	(pu.) twigggy.	Siberia.	1806.	—	H. ♀.	— t. 18.
	<i>varius</i> . Gmel. itin.	2. t. 17.					
20	brachylobus. DC.	(pu.) short-podded.	—	1827.	—	H. ♀.	
21	dahuricus. DC.	(pu.) Dahurian.	Dahuria.	1824.	—	H. ♀.	Pall. it. 3. ap. t. w. f. 1.
22	Stevenianus. DC.	(pu.) Steven's.	Iberia.	1829.	....	H. ♀.	
23	tenuifolius. W.	(pu.) fine-leaved.	Siberia.	1780.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 73.
	<i>linearifolius</i> . DC.						
24	Onobrychis. DC.	(pu.) purple-spiked.	Europe.	1640.	6. 8.	H. ♀.	Jaqu. aust. 1. t. 38.
25	flaccidus. DC.	(wh.) flaccid.	Iberia.	1826.	—	H. ♀.	
26	vimineus. DC.	(pu.) twigggy.	Siberia.	1824.	7. 8.	H. ♀.	Pall. astr. t. 21.
27	fruticosus. DC.	(pu.) woody.	—	1804.	6. 8.	H. ♀.	— t. 19.
28	adsurgens. DC.	(bl.) assurgent.	—	1824.	—	H. ♀.	— t. 31.
29	Laxmanni. DC.	(pa.) Laxmann's.	—	1804.	—	H. ♀.	Jaqu. vind. 3. t. 37.
30	Missouriensis. DC.	(pu.) Missouri.	Missouri.	1826.	6. 8.	H. ♀.	
31	caryocarpus. DC.	(vi.) swelled-podded.	Louisiana.	1811.	—	H. ♀.	Bot. reg. 176.
32	pentaglottis. DC.	(pu.) rough Spanish.	Spain.	1739.	6. 7.	H. ♂.	Cavan. ic. 2. t. 188.
	Gläux. DC.	(pu.) small Spanish.	—	1596.	—	H. ♂.	Clus. hist. 2. p. 242. ic.
34	oxyglottis. DC.	(pu.) sharp-podded.	Tauria.	1824.	6. 9.	H. ♂.	
35	psiloglottis. DC.	(pu.) smooth-podded.	Astracan.	1829.	—	H. ♂.	
36	cruciatus. DC.	(pu.) oblong-leaved.	Iberia.	1823.	—	H. ♂.	
37	Stella. DC.	(pu.) star-podded.	S. Europe.	1658.	—	H. ♂.	Lobel. ic. 2. t. 83.
38	tribuloides. DC.	(pu.) Caltrop-like.	Egypt.	1828.	—	H. ♂.	
39	sesameus. DC.	(pu.) Sesama.	S. Europe.	1616.	—	H. ♂.	Garid. prov. t. 12.
40	vesicarius. DC.	(pa.) white Italian.	Europe.	1737.	7. 8.	H. ♀.	Vill. dauph. t. 42. f. 1.
	<i>albidus</i> . W. et K. hung.	1. t. 40. <i>dealbatus</i> .	Pall. astr. t. 23. f. 1.				
41	albicaulis. DC.	(wh.) white-stalked.	Caucasus.	1803.	7. 8.	H. ♀.	DC. astr. n. 59. t. 21.
	<i>dealbatus</i> Pall. ast. t. 23. f. 2 et 3.	<i>Oxytropis dealbata</i> . p. s.					
42	Nuttallianus. DC.	(bl.) Nuttall's.	N. America.	1826.	6. 8.	H. ♀.	
	<i>micranthus</i> . N. non Desv.						
43	cymbæcarpos. DC.	(pa.) boat-podded.	Portugal.	1800.	—	H. ♂.	Brot. phyt. t. 59.
44	striatellus. DC.	(bl.) striated.	Tauria.	1829.	—	H. ♂.	Bieb. cent. 1. t. 20.
45	annularis. DC.	(ro.) ring-podded.	Egypt.	1800.	—	H. ♂.	DC. astr. app. n. 6. t. 7.
46	hispidulus. DC.	(pa.) rough-podded.	—	1828.	—	H. ♂.	
47	scorpioides. DC.	(bl.) blue-flowered.	Spain.	1816.	6. 9.	H. ♂.	
	<i>canaliculatus</i> . W. enum. ex Link enum. 2. p. 254.						
48	mareoticus. DC.	(li.) Alexandrian.	Egypt.	1828.	—	H. ♂.	Delil. fl. eg. t. 39. f. 3.
49	corrugatus. DC.	(pu.) rugged-podded.	—	—	—	H. ♂.	
50	reticulatus. DC.	(pa.) netted.	Volga.	—	—	H. ♂.	
51	contortuplicatus. DC.	(st.) wave-pod'd.	Siberia.	1764.	7. 8.	H. ♂.	Pall. astr. t. 79.
52	trimestris. DC.	(st.) Egyptian.	Egypt.	1739.	—	H. ♂.	Jaqu. vind. 2. t. 174.
53	ægiceras. DC.	(st.) Goat's-horn.	.....	1816.	6. 8.	H. ♂.	
54	brachyceras. DC.	(st.) short-podded.	Persia.	1828.	—	H. ♂.	
55	hamosus. DC.	(st.) hook-podded.	Spain.	1633.	—	H. ♂.	Moris. ox. s. 2. t. 9. f. 10.
	<i>buceras</i> . W. enum. ex Link enum.						
56	epiglottis. DC.	(st.) heart-podded.	S. Europe.	1737.	—	H. ♂.	Herm. lugd. t. 77.
57	triangularis. DC.	(st.) triangular.	.....	1828.	—	H. ♂.	
58	bæticus. DC.	(st.) slender-podded.	S. Europe.	1759.	—	H. ♂.	Munt. phyt. t. 110.
59	capitatus. W.	(st.) headed.	Levant.	—	7. 8.	H. ♀.	
60	microphyllus. DC.	(st.) small-leaved.	Siberia.	1773.	6. 7.	H. ♀.	
61	semibilocularis. DC.	(st.) semibilocular.	—	1804.	6. 8.	H. ♀.	DC. astr. n. 64. t. 23.

62 réptans. DC.	(wh.)	creeping.	Mexico.	1829.	6. 8.	F. 4.	Willd. hort. ber. 2. t. 88.
63 odorátus. DC.	(st.)	sweet-scented.	Levant.	1816.	—	H. 4.	DC. astr. n. 67. t. 24.
64 stípulátus. DC.	(st.)	large-stipuled.	Nepaul.	1821.	8. 9.	H. 4.	Bot. mag. 2380.
65 glycyphýllos. DC.	(st.)	sweet-leaved.	Britain.	....	6. 7.	H. 4.	Eng. bot. 3. t. 203.
66 depréssus. DC.	(st.)	depressed.	Europe.	1772.	5. 6.	H. 4.	Lodd. bot. cab. 680.
67 leucopháeus. DC.	(wh.)	dwarf-white.	.....	1776.	5. 8.	H. 4.	— t. 111.
68 Cicor. DC.	(st.)	bladder-podd'd.	Europe.	1570.	6. 7.	H. 4.	Jacq. aust. t. 251.
69 uliginòsus. DC.	(st.)	marsh.	Siberia.	1752.	6. 8.	H. 4.	Pall. astr. t. 26.
70 micránthus. DC.	(st.)	small-blossom'd.	.....	1824.	—	H. 4.	—
71 canadénsis. DC.	(st.)	woolly.	N. America.	1732.	6. 7.	H. 4.	Lodd. bot. cab. 372.
72 carolinianus. DC.	(st.)	Carolina.	—	—	—	H. 4.	Dill. eth. t. 39. f. 45.
73 falcátus. DC.	(st.)	sickle-podded.	Siberia.	1737.	—	H. 4.	DC. astr. n. 70. t. 26.
<i>viréscens. H.K.</i>							
74 falcifórmis. DC.	(st.)	sickle-like.	Barbary.	....	—	H. 4.	Desf. atl. 2. t. 207.
75 asper. DC.	(st.)	rough	Astracan. Siberia.	1796.	7. 8.	H. 4.	Jacq. ic. 1. t. 33.
<i>chloránthus. Pall. astr. t. 25.</i>							
76 chinénsis. DC.	(st.)	upright.	Chinese.	1795.	6. 8.	H. 4.	Linn. f. decad. 1. t. 3.
77 galegíformis. DC.	(st.)	Goat's-rue-like.	Siberia.	1729.	—	H. 4.	Pall. astr. t. 29.
78 racemòsus. DC.	(wh.)	racemed.	Louisiana.	1827.	6. 8.	H. 4.	—
<i>galegoídes. N.</i>							
79 alopecías. DC.	(ye)	axillary-headed.	Siberia.	1823.	—	H. 4.	Pall. astr. p. 12. t. 9.
80 alopecuroídes. DC.	(ye)	Foxtail-like.	—	1737.	—	H. 4.	— t. 8.
81 narbonénsis. DC.	(ye)	French.	S. Europe.	1780.	—	H. 4.	— t. 10.
82 pónticus. DC.	(ye)	villous-calyxed.	Tauria.	1824.	—	H. 4.	— t. 11.
83 vulpinus. DC.	(ye)	Fox-tail.	Siberia.	1815.	—	H. 4.	— t. 7.
<i>alopecuroídes. Pall. astr. t. 7.</i>							
84 macrocéphalus. DC.	(ye)	large-headed.	Persia.	1829.	—	H. 4.	—
85 cristiánus. DC.	(st.)	great-yellow.	Armenia.	1737.	7. 8.	H. 4.	Tourn. it. 2. t. 254.
86 tomentòsus. DC.	(st.)	downy-leaved.	Egypt.	1800.	—	H. 4.	DC. astr. n. 80. t. 29.
87 Siebèri. DC.	(st.)	Sieber's.	—	1828.	—	H. 4.	—
88 Bárba-Jòvis. DC.	(pu.)	silvery-leaved.	Armenia.	....	—	H. 4.	—
<i>Tragacántha argénteá. Mill.</i>							
89 caucásicus. DC.	(wh.)	Caucasean.	Caucasus.	1822.	—	H. 4.	Pall. astr. p. 2. t. 2.
90 breviflórus. DC.	(pu.)	short-flowered.	Armenia.	1826.	6. 8.	H. 4.	Lodd. bot. cab. 1388.
91 arnacántha. DC.	(li.)	prickly-leaved.	Tauria.	1640.	—	H. 4.	Pall. astr. p. 1. t. 1.
<i>Potèrium. Pall. ast. nec aliorum.</i>							
92 scíulus. DC.	(bh.)	Sicilian.	Sicily.	1827.	—	H. 4.	—
93 Potèrium. DC.	(wh.)	small goat's-thorn.	S. Europe.	1640.	—	H. 4.	Morris. ox. s. 2. t. 13. f. 2.
94 massiliénsis. DC.	(wh.)	sea-side.	—	1827.	—	H. 4.	Duham. arb. 2. t. 100.
<i>Tragacántha. Pall. astr. t. 4. f. 1. 2.</i>							
95 aristátus. DC.	(wh.)	awned.	Pyrenees.	1791.	5. 7.	H. 4.	Garid. aix. t. 104.
96 lagúrus. DC.	(ye)	hare's-tail'd.	Armenia.	1829.	—	H. 4.	DC. astr. n. 104. t. 36.
97 armátus. w.	(ye)	armed.	Barbary.	....	6. 7.	H. 4.	Desf. atl. 2. t. 194.
<i>Anthýllis tragacanthoídes. Desf.</i>							
98 haliécabus. DC.	(ye)	bladdered.	Armenia.	1806.	—	H. 4.	Schreb. dec. p. 5. t. 3.
<i>Phàca vesicària. Schreb.</i>							
99 laguroídes. DC.	(pu.)	Hare's-tail-like.	Siberia.	1829.	....	H. 4.	Pall. astr. t. 16.
100 ammodýtes. DC.	(wh.)	silky-leaved.	—	1823.	6. 7.	H. 4.	— p. 7. t. 5.
101 dasyánthus. DC.	(ye.)	woolly-headed.	—	1828.	—	H. 4.	— p. 79. t. 65.
<i>ericiéphalus. W. et K. hung. 1. t. 46.</i>							
102 caprinus. DC.	(ye)	scented.	Barbary.	1683.	—	H. 4.	Moris. ox. s. 2. t. 24. f. 3.
103 longiflórus. DC.	(ye)	long-flowered.	Tartary.	—	—	H. 4.	Pall. astr. t. 60.
104 utrígér. DC.	(ye)	turgid-podded.	—	1825.	—	H. 4.	— t. 61.
105 excápus. DC.	(ye)	hairy-podded.	Hungary.	1787.	5. 7.	H. 4.	Jacq. ic. 3. t. 561.
106 diffúsus. DC.	(st.)	diffuse.	Tauria.	1824.	6. 7.	H. 4.	Pall. astr. t. 68.
107 buchtoménsis. DC.	(y.)	pointed-podd'd.	Siberia.	1826.	—	H. 4.	— t. 62. f. A.
108 monspessulanus. DC.	(pu.)	Montpelier.	S. Europe.	1710.	7. 8.	H. 4.	Bot. mag. 375.
109 incánus. DC.	(pu.)	hoary.	—	1759.	6. 7.	H. 4.	Magn. monsp. p. 32. ic.
110 macrorhizus. DC.	(pu.)	long-rooted.	Spain.	1821.	6. 8.	H. 4.	Cavan. ic. 2. t. 133.
111 brachycárus. DC.	(pu.)	short-podded.	Siberia.	1820.	—	H. 4.	Bot. mag. 2335.
112 physòdes. DC.	(pu.)	inflated	—	1759.	—	H. 4.	DC. astr. n. 127. t. 48.
113 Pallási. DC.	(pu.)	Pallas's.	Caucasus.	1828.	—	H. 4.	Pall. astr. t. 59.
114 testiculátus. DC.	(bh.)	woolly-podded.	—	1824.	—	H. 4.	— t. 67.
115 rupifrágus. DC.	(pu.)	dry rock.	Tauria.	1828.	—	H. 4.	— t. 70.
116 redúncus. DC.	(pu.)	crook-podded.	Volga.	—	—	H. 4.	— p. 109. t. 82.
117 chlorostáchys. H.C.	(st.)	straw-colour'd.	N. America.	1826.	9. 10.	H. 4.	—
118 uncátus. DC.	(wh.)	hooked.	Aleppo.	1768.	7. 8.	H. 4.	—
119 rádicans. DC.	(pu.)	roofing-branch'd.	.....	1828.	—	H. 4.	—

BISE'RRULA. DC. HATCHET-VETCH. Diadelphia Decandria. L.  
 Pelecinus. DC. (bl.) common. S. Europe. 1640. 7. 9. H. ⊙. Tourn. inst. 417. t. 234.

Tribus III. HEDYSAREÆ. DC. prodr. 2. p. 307.

Subtribus I. CORONILLEÆ. DC. loc. cit. p. 308.

- SCORPIURUS. DC. CATERPILLAR. Diadelphia Decandria. L.
- 1 lævigata. DC. (ye.) smooth. Levant. 1820. 6. 8. H. ⊙. Flor. græc. t. 718.  
 2 muricata. DC. (ye.) two-flowered. S. Europe. 1640. — H. ⊙. Moris. ox. s. 2. t. 11. f. 4.  
 3 sulcata. DC. (ye.) three-flowered. — 1596. — H. ⊙. Desf. atl. 2. f. 4.  
 4 acutifolia. DC. (ye.) acute-leaved. Corsica. 1828. — H. ⊙. Viv. fl. lyb. t. 19. f. 4.  
 5 vermiculata. DC. (ye.) common. S. Europe. 1621. — H. ⊙. Moris. ox. s. 2. t. 11. f. 3.
- CORONILLA. DC. CORONILLA. Diadelphia Decandria. L.
- 1 E'meras. DC. (ye.) Scorpion Senna. France. 1596. 4. 6. H. ♀. Bot. mag. 445.  
 2 júncea. DC. (ye.) rush-like. — 1656. 6. 8. F. ♀. Bot. reg. 820.  
 3 valentina. L. (ye.) nine-leaved. S. Europe. 1596. 2. 6. F. ♀. Bot. mag. 185.  
*stipularis*. Lam.
- 4 pentaphylla. DC. (ye.) five-leaved. Algiers. .... 3. 6. F. ♀. Mill. ic. t. 289. f. 2?  
 5 argentea. DC. (ye.) silvery-leaved. Crete. 1664. 5. 6. F. ♀. — 2. t. 289. f. 3.  
 6 glauca. DC. (ye.) seven-leaved. France. 1722. 9. 5. F. ♀. Bot. mag. t. 13.  
 7 viminàlis. DC. (bh.) slender. Mogador. 1798. 5. 11. G. ♀. Sal. par. lond. t. 13.  
 8 mínima. DC. (ye.) least. S. Europe. 1658. 7. 8. H. ♀. Bot. mag. 2179.  
 9 coronata. DC. (ye.) large-headed. — 1776. 6. 8. H. ♀. Clus. hist. 1. p. 98. f. 2.  
 10 montana. DC. (ye.) mountain. Europe. 1816. 6. 9. H. ♀. Scop. carn. ed. 2. t. 44.  
*coronata*. B.M. 907. non L.
- 11 ibérica. DC. (ye.) Iberian. Iberia. 1818. 7. 10. H. ♀. Swt. br. fl. gar. t. 25.  
 12 puriflora. DC. (ye.) small-flowered. Crete. 1828. — F. ♀. —  
 13 crética. DC. (v.) Cretan. — 1731. 6. 8. H. ⊙. Jacq. vind. 1. t. 25.  
 14 varia. DC. (pu.) purple. Europe. 1597. 6. 11. H. ♀. Bot. mag. 258.
- ASTROL'OBIMUM. DC. ASTROL'OBIMUM. Diadelphia Decandria. L.
- 1 ebracteatum. DC. (ye.) round-podded. Portugal. .... 5. 6. H. ⊙. Dalech. his. 1. 487. f. 1.  
*Ornithopus lævigatus*. Sm. *nudiflorus*. Lag. *ebracteatus*. Brot.
- 2 durum. DC. (ye.) perennial. S. Europe. 1805. 6. 7. H. ♀. Cavan. ic. 1. t. 41.  
 3 repandum. DC. (ye.) repand. Barbary. — — H. ⊙. Lam. ill. t. 631. f. 4.  
 4 scorpioides. DC. (ye.) Purslane-leav'd. S. Europe. 1596. — H. ⊙. Cavan. ic. 1. t. 37.  
*Ornithopus scorpioides*. L. *trifoliatus*. Lam.
- ORNITHOPUS. DC. BIRD'S-FOOT. Diadelphia Decandria. L.
- 1 compressus. DC. (ye.) hairy. S. Europe. 1730. 6. 7. H. ⊙. Berg. phyt. t. 191.  
 2 intermedius. RO. (ro.) intermediate. Portugal. 1816. — H. ⊙.  
*sativus*. Brot. fl. lus. 2. p. 160.
- 3 perpusillus. DC. (v.) common. Britain. .... 5. 6. H. ⊙. Eng. bot. v. 6. t. 369.
- HIPPOCR'EPIS. DC. HORSESHOE-VETCH. Diadelphia Decandria. L.
- 1 baleàrica. DC. (ye.) shrubby. Minorca. 1776. 5. 6. F. ♀. Bot. mag. 427.  
 2 helvética. (ye.) Swiss. Switzerland. 1822. 5. 8. H. ♀.  
 3 comosa. DC. (ye.) tufted. England. .... 4. 8. H. ♀. Eng. bot. 1. t. 31.  
 4 glauca. DC. (ye.) glaucous. Naples. 1825. 5. 8. H. ♀. Ten. fl. neap. 2. t. 69.  
 5 syriaca. E. (ye.) Syrian. Syria. 1826. 6. 8. H. ⊙.  
 6 scabra. DC. (ye.) rough. Spain. — — H. ⊙.  
 7 multisiliquosa. DC. (ye.) many-podded. S. Europe. 1683. — H. ⊙. Schkuhr hand. 2. t. 206.  
 8 monocarpa. DC. (ye.) one-podded. Caucasus. 1825. — H. ⊙.  
 9 unisiliquosa. DC. (ye.) single-podded. Italy. 1570. 6. 7. H. ⊙. Lam. ill. t. 630. f. 3.  
 10 ciliata. DC. (ye.) ciliated. Spain. 1823. 6. 8. H. ⊙.  
 11 biflora. DC. (ye.) two-flowered. .... 1824. — H. ⊙.
- SECURIGERA. DC. HATCHET-VETCH. Diadelphia Decandria. L.
- Coronilla. DC. (ye.) common. S. Europe. 1562. 7. 8. ⊙. Lam. ill. t. 629.

Subtribus II. EUHEDISAREÆ. DC. prodr. 2. p. 313.

- PICTETIA. DC. PICTETIA. Diadelphia Decandria.
- aristata. DC. (ye.) awned. St. Domingo, 1820. 4. 6. S. ♀. DC. leg. mem. t. 47. f. 5.  
*Æschynomene aristata*. Jacq. schœnb. 2. t. 237.

- ORMOCA'RPUM. DC. ORMOCA'RPUM. Diadelphia Decandria.**  
*sennoides. DC. (ye.)* Senna-like. E. Indies. 1818. 6.7. S. ♀.  
*Hedy'sarum sennoides. w.*
- POIR'ETIA. DC. POIR'ETIA. Monadelphia Decandria.**  
*scândens. DC. (ye.)* climbing. St. Domingo. 1826. .... S. ♀. Venten. choix. t. 42.  
*Turpinia punctata. P.S. Glycine punctata. Lam. ill. t. 609.*
- TETRA'NEMA. DC. TETRA'NEMA. Monadelphia Decandria.**  
*nütans. (li.)* drooping-fl'd. E. Indies. 1823. 5.8. S. ♀. Bot. mag. 2867.  
*Hedy'sarum nütans. Gr. Desmodium nütans. B.M.*
- ZO'RNIA. DC. ZO'RNIA. Monadelphia Decandria.**  
 1 *angustifolia. DC. (ye.)* narrow-leaved. E. Indies. 1733. 7.8. S. ⊙. Rheed. mal. 9. t. 82.  
*diphy'lla. P.S. Hedy'sarum diphy'llum. L.*  
 2 *reticulata. DC. (ye.)* netted-bracted. W. Indies. .... — S. ⊙.  
 3 *thymifolia. DC. (ye.)* Thyme-leaved. Mexico. 1826. — G. ♀.  
 4 *zeylonensis. DC. (ye.)* Ceylon. Ceylon. 1733. — S. ⊙. Burm. zeyl. t. 50. f. 1.  
*conjugata. Sm. Hedy'sarum conjugatum. w.*  
 5 *dyctiocarpa. DC. (ye.)* netted-podded. N. Holland. 1824. — H. ⊙.  
 6 *tetraphylla. DC. (ye.)* four-leaved. Carolina. 1823. — H. ♀. Mich. amer. 2. t. 41.  
 7 *capensis. DC. (ye.)* Cape. C. B. S. 1824. 5.6. G. ♀. Thunb. n. ac. ups. 6. t. 3.
- STYLOSA'NTHES. DC. STYLOSA'NTHES. Monadelphia Decandria.**  
 1 *procumbens. DC. (ye.)* procumbent. Jamaica. 1820. 6.8. S. ♀. Swar. ac. h. 1789. t. 11. f. 1.  
 2 *viscosa. DC. (ye.)* viscous. — — — S. ♀. — t. 9. f. 2.  
 3 *mucronata. DC. (ye.)* mucronate. E. Indies. 1818. — S. ♀. Burm. zeyl. t. 106. f. 2.  
*Hedy'sarum hamatum. Burm. A'rachis fruticosa. Retz.*  
 4 *elatiör. DC. (ye.)* tall. Carolina. 1823. 7.8. H. ♀. Pluk. alm. t. 447. f. 7.  
 5 *guianensis. DC. (ye.)* Guiana. Guiana. 1826. — S. ⊙. Aubl. guian. 2. t. 309.
- ADE'SMIA. DC. ADE'SMIA. Decandria Monogynia.**  
 1 *muricata. DC. (ye.)* prickly-podded. Patagonia. 1793. 6.7. G. ♀. Jacq. ic. 3. t. 563.  
*Hedy'sarum muricatum. Jacq. Patagonium Hedysaroides. Schk.*  
 2 *hispidula. DC. (ye.)* hispid. Peru. 1826. 6.8. G. ♀. DC. leg. mem. t. 48.  
 3 *papposa. DC. (ye.)* feathery-podd'd. Chili. 1823. — G. ♀.
- ÆSCHYNO'MENE. DC. ÆSCHYNO'MENE. Diadelphia Decandria. L.**  
 1 *áspera. DC. (ye.)* rough-stemm'd. E. Indies. 1759. 6.7. S. ⊙. Breyn. cent. 51. t. 52.  
 2 *sensitiva. DC. (wh.)* sensitive. W. Indies. 1733. 5.8. S. ♀. Plum. ic. t. 139.  
 3 *indica. DC. (ye.)* Indian. E. Indies. 1799. 6.7. S. ⊙. Rheed. mal. 9. t. 18.  
 4 *americana. DC. (ye.)* hairy. Jamaica. 1732. 7.8. S. ⊙. Sloan. jam. 1. t. 118. f. 3.  
 5 *pátula. DC. (ye.)* spreading. Mauritius. 1826. 6.8. S. ♀.  
 6 *subviscosa. DC. (v.)* glandular. E. Indies. 1820. 9.10. S. ⊙.  
 7 *hispida. DC. (ye.)* hispid. N. America. 1803. 8.9. H. ⊙. Bart. fl. amer. t. 29.  
 8 *micrantha. DC. (ye.)* small-flowered. Madagascar. 1826. 6.8. S. ♀.  
 9 *viscidula. DC. (ye.)* viscous. N. America. 1818. 7.8. H. ⊙.  
 10 *falcata. DC. (ye.)* sickle-podded. Brazil. 1825. — S. ⊙.  
 11 *péndula. Boj. (ye.)* pendulous. Madagascar. — S. ⊙.
- SMI'THIA. DC. SMI'THIA. Diadelphia Decandria.**  
 1 *sensitiva. DC. (ye.)* sensitive. E. Indies. 1785. 7.10. S. ⊙. Sal. par. lond. t. 92.  
 2 *conférta. DC. (ye.)* close-flowered. N. Holland. 1825. — S. ⊙.  
 3 *áspera. H.B. (ye.)* rough. E. Indies. 1812. — S. ⊙.
- LO'UREA. DC. LO'UREA. Diadelphia Decandria.**  
 1 *Vespertiliönis. DC. (w.)* bat-winged. Cochinchina. 1780. 7.8. S. ♂. Jacq. ic. 3. t. 566.  
*Hedy'sarum Vespertiliönis. Jacq. Christia lunata. Moench.*  
 2 *renifórmis. DC. (pu.)* kidney-leaved. China. 1826. — S. ♂.
- UR'ARIA. DC. UR'ARIA. Diadelphia Decandria.**  
 1 *pícta. DC. (pu.)* painted-leaved. Guinea. 1788. 6.8. S. ♂. Jacq. ic. 3. t. 567.  
*Hedy'sarum pictum. Jacq.*  
 2 *crinta. DC. (br.)* crook-podded. E. Indies. 1780. 7.9. S. ♀. Burm. ind. t. 56.  
 3 *lagopóides. DC. (wh.)* Harefoot-like. — 1790. — S. ♀. — t. 53. f. 2.  
*Hedy'sarum lagopodioides. L. Lespedeza lagopodioides. P. s.*  
 4 *Lágopus. DC. (pu.)* Hare's-foot. Nepaul. 1823. 6.8. S. ♀.  
 5 *hamósa. DC. (wh.)* hooked. E. Indies. — 6.7. S. ♀.  
*Doódia hamósa et Hedy'sarum hamósum. H.B.*  
 6 *alopeuroídes. DC. (wh.)* Fox-tail. E. Indies. — S. ♀.  
*Doódia alopeuroídes et Hedy'sarum alopeuroídes. H.B.*  
 7 *lagocéphala. DC. (ye.)* hairy. Brazil. — 7.9. S. ♀.
- NICOLS'ONIA. DC. NICOLS'ONIA. Diadelphia Decandria.**  
*barbata. DC. (pu.)* bearded. W. Indies. 1826. 6.8. S. ♀.
- DESMODIUM. DC. DESMODIUM. Diadelphia Decandria.**  
 1 *dübium. B.R.* doubtful. Nepaul. 1823. 7.8. S. ♀. Bot. reg. 967.  
 2 *umbellátum. DC. (wh.)* umbel-flower'd. E. Indies. 1801. 6.7. S. ♀. Jacq. schoenb. 3, t. 297.  
 3 *auriculátum. DC. (pu.)* eared. Timor. 1825. — S. ♀.

4	triquètrum. DC. (pu.) triangular.	E. Indies.	1802.	7. 8.	S. ♂.	Burm. ind. t. 52. f. 2.
5	pseudotriquetrum. DC. (pu.) three-sided.	Nepaul.	1818.	—	S. ♂.	
6	alatum. DC. (pu.) winged-stalked.	E. Indies.	1809.	—	S. ♀.	
7	gyrans. DC. (re.) moving plant.	—	1775.	7. 9.	S. ♂.	Jacq. ic. t. 565.
8	gyroïdes. DC. (li.) gyrans-like.	—	1818.	—	S. ♀.	
9	gangéticum. DC. (li.) oval-leaved.	—	1762.	—	S. ♀.	Burm. zeyl. t. 49.
10	maculatum. DC. (li.) spotted.	—	1732.	6. 8.	S. ⊙.	Dill. elth. 1. t. 141. f. 168.
<i>Hedy'sarum maculatum</i> . L. <i>Æschynomene maculata</i> . Poir.						
11	sagittatum. DC. (re.) arrow-leaved.	—	1807.	—	S. ♀.	
12	angustifolium. DC. (pu.) narrow-leaved.	Mexico.	1825.	—	S. ♀.	
13	latifolium. DC. (bl.) broad-leaved.	E. Indies.	1800.	7. 8.	S. ♀.	Bot. reg. t. 356.
<i>Hedy'sarum latifolium</i> . B.R.						
14	velutinum. DC. (vi.) velvety.	Trinidad.	1820.	—	S. ♀.	
15	lasiocarpum. DC. (ro.) woolly-podded.	Guinea.	1822.	7. 9.	S. ♀.	Beauv. fl. ow. 1. t. 18.
16	canadense. DC. (pu.) Canadian.	N. America.	1640.	—	H. ♀.	Corn. canad. t. 45.
17	canescens. DC. (pu.) canescent.	—	1733.	—	H. ♀.	
18	maryládicum. DC. (p.) Maryland.	—	1725.	7. 10.	H. ♀.	Dill. elth. t. 144. f. 171.
19	obtusum. DC. (vi.) obtuse.	—	1805.	7. 8.	H. ♀.	
20	ciliare. DC. (vi.) fringed.	—	1823.	—	H. ♀.	
21	viridiflorum. DC. (pu.) green-flower'd.	—	1787.	7. 9.	H. ♀.	Pluk. alm. t. 308. f. 5.
22	lævigatum. DC. (pu.) smooth-stalk'd.	—	1826.	—	H. ♀.	
23	bracteosum. DC. (pu.) bracted.	—	1806.	7. 8.	H. ♀.	
24	cuspidatum. DC. (pu.) sharp-pointed.	—	—	—	H. ♀.	
25	glábellum. DC. (pu.) smooth.	—	1824.	7. 9.	H. ♀.	
26	paniculatum. DC. (pu.) panicked.	—	1781.	7. 8.	H. ♀.	Pluk. alm. t. 432. f. 6.
27	acuminatum. DC. (pu.) glutinous.	—	1805.	—	H. ♀.	
<i>Hedy'sarum glutinosum</i> . W. <i>acuminatum</i> . Ph.						
28	nudiflorum. DC. (pu.) naked-flowered.	—	1823.	—	H. ♀.	
29	pauciflorum. DC. (wh.) small-flowered.	—	1828.	—	H. ♀.	
30	rotundifolium. DC. (pu.) round-leaved.	—	1733.	—	H. ♀.	
31	Apurines. DC. (li.) hairy-stalked.	Mexico.	1820.	7. 9.	S. ♀.	
32	cinereum. DC. (pu.) white-branched.	—	1826.	—	S. ♀.	H. et B.n.pl.am.6.t.599.
33	uncinatum. DC. (vi.) uncinata.	Caracas.	1823.	6. 7.	S. ♀.	Jacq. schœnb. 3. t. 208.
34	incanum. DC. (pu.) hoary.	W. Indies.	1820.	7. 8.	S. ♀.	Plum.ed.Bur.t.149.f.1.
35	erythrinaefolium. DC. (wh.) Erythrina-ld.	Trinidad.	—	—	S. ♀.	
36	supinum. DC. (pu.) trailing.	Jamaica.	—	—	S. ♀.	Sloan. jam. 1. t. 118. f. 2.
37	tortuosum. DC. (pu.) twisted-podded.	—	1781.	—	S. ♀.	— 1. t. 116. f. 2.
38	ascendens. DC. (pu.) ascending.	—	1820.	7. 9.	S. ♀.	H. et B.n.pl.am.6.t.597.
39	mexicanum. (bl.) Mexican.	Mexico.	1820.	11. 5.	S. ♀.	Bot. reg. 815.
<i>Hedy'sarum ascendens</i> β? <i>cæruleum</i> . DC.						
40	trigōnum. DC. (li.) trigonal.	Jamaica.	1733.	7. 9.	S. ♀.	
41	spirale. DC. (wh.) spiral-podded.	—	....	—	S. ♀.	
42	asperum. DC. (pa.) harsh.	.....	1820.	6. 8.	S. ♀.	
43	cæspitosum. DC. (bh.) tufted.	Mauritius.	—	—	S. ♀.	
44	mauritianum. DC. (wh.) creeping-rooted.	—	1822.	7. 9.	S. ♀.	
45	Scalpe. DC. (pu.) repand-leaved.	Madagascar.	1823.	7. 8.	S. ♀.	
<i>Hedy'sarum repandum</i> . Poir. non Vahl.						
46	diversifolium. DC. (li.) different-leav'd.	—	1820.	—	S. ♀.	
47	spectabile. (pu.) showy.	Zanzibar.	1825.	....	S. ♀.	
<i>Hedy'sarum spectabile</i> . Boj.						
48	triflorum. DC. (pu.) three-flowered.	India.	1796.	6. 7.	S. ♀.	Burm. ind. t. 54. f. 2.
49	heterophyllum. DC. (pu.) various-leav'd.	Ceylon.	1820.	—	S. ♀.	Burm. zeyl. t. 54. f. 1.
50	parvifolium. DC. (pu.) slender.	Nepaul.	1823.	7. 9.	S. ♀.	
<i>Hedy'sarum tenellum</i> . D.P. non Kth.						
51	Roxbúrgii. (pu.) Roxburgh's.	E. Indies.	1825.	—	S. ♀.	
<i>diffusum</i> . DC. p. 335. non p. 336.						
52	floribundum. D.P. (pu.) abundant-fl'd.	Nepaul.	1823.	—	S. ♀.	
53	retusum. D.P. (pu.) retuse-leaved.	—	—	—	S. ♀.	
54	confertum. DC. (li.) close-flowered.	—	1826.	—	S. ♀.	
55	sambuense. D.P. (li.) villous-leaved.	—	—	—	S. ♀.	
56	concinnum. DC. (li.) neat.	—	1823.	—	S. ♀.	
57	trichocaulum. DC. (vi.) hairy-stalked.	—	1827.	—	S. ♀.	
58	Leschenaultii. DC. (li.) Leschenault's.	E. Indies.	—	—	S. ♀.	
59	capitatum. DC. (pu.) headed.	Ceylon.	....	7. 8.	S. ♀.	Burm. ind. t. 54. f. 1.
<i>Hedy'sarum conicum</i> . Poir.						
60	laxum. DC. (li.) loose.	Nepaul.	1828.	—	S. ♀.	
61	tomentosum. DC. (wh.) woolly.	China.	1782.	6. 7.	G. ♀.	
62	repens. DC. (pu.) creeping.	W. Indies.	1820.	—	S. ♀.	
63	malacophyllum. DC. (li.) soft-leaved.	Manila.	1822.	—	S. ♀.	

64	<i>grandifolium</i> , DC. ( <i>li.</i> )	large-leaved.	E. Indies.	1822.	6. 7.	S. ½.	
65	<i>serotinum</i> , DC. ( <i>pu.</i> )	late-flowering.	N. America.	1806.	8. 10.	H. ¼.	
66	<i>cephalotes</i> , H.B. ( <i>li.</i> )	close-headed.	E. Indies.	1825.	6. 8.	S. ½.	
67	<i>altissimum</i> , ( <i>pa.</i> )	tallest.	_____	_____	_____	S. ½.	
68	<i>heptaphyllum</i> , ( <i>li.</i> )	seven-leaved.	_____	1820.	6. 8.	S. ½.	
69	<i>abyssinicum</i> , DC. ( <i>li.</i> )	Abyssinian.	Abyssinia.	1802.	7.	S. ½.	
70	<i>bracteatum</i> , H.B. ( <i>li.</i> )	bracted.	E. Indies.	1820.	7. 8.	S. ½.	
71	<i>rhomboidium</i> , ( <i>pa.</i> )	rhomboid.	_____	_____	7. 9.	S. ½.	
	<i>Hedy'sarum rhombifolium</i> , H.B. non Elliot.						
72	<i>orbiculatum</i> , H.B. ( <i>li.</i> )	round-leaved.	_____	1818.	_____	S. ½.	
73	<i>recurvatum</i> , H.B. ( <i>li.</i> )	recurved.	_____	1824.	_____	S. ½.	
74	<i>divergens</i> , H.B. ( <i>pa.</i> )	divergent.	_____	_____	_____	S. ½.	
75	<i>purpureum</i> , H.B. ( <i>pu.</i> )	purple-flowered.	_____	1818.	6. 8.	S. ¼.	
76	<i>pátens</i> , H.B. ( <i>li.</i> )	spreading	_____	1824.	_____	S. ¼.	
77	<i>arboreum</i> , ....	tree.	_____	1818.	....	S. ½.	
	<i>Hedy'sarum arboreum</i> , H.B.						
78	<i>lácteam</i> , Boj. ( <i>st.</i> )	milk-coloured.	Zanzibar.	1825.	10. 11.	S. ½.	
79	<i>Helsinbergii</i> , Boj. ....	Helsinberg's.	Madagascar.	_____	....	S. ½.	
	DICE'RMA, DC. DICE'RMA, Diadelphia Decandria.						
1	<i>pulchellum</i> , DC. ( <i>ye.</i> )	neat.	E. Indies.	1799.	7. 8.	S. ½.	Burm. zeyl. t. 52.
	<i>Hedy'sarum pulchellum</i> , w. <i>Zornia pulchella</i> , P.S. <i>Phyllodium pulchellum</i> , Desv.						
2	<i>élegans</i> , DC. ( <i>ye.</i> )	elegant.	China.	1826.	7. 8.	G. ½.	
3	<i>biarticulatum</i> , DC. ( <i>ye.</i> )	two-jointed.	E. Indies.	1808.	_____	S. ½.	Burm. zeyl. t. 50. f. 2.
	<i>Hedy'sarum biarticulatum</i> , L.						
	HEDY'SARUM, DC. HEDY'SARUM, Diadelphia Decandria, L.						
1	<i>grandiflorum</i> , DC. ( <i>st.</i> )	large-flowered.	Iberia.	1820.	6. 8.	H. ¼.	Pall. itin. 2. p. 743. t. Y.
	<i>sericeum</i> , M.B. <i>Astragalus grandiflorus</i> , L.						
2	<i>argenteum</i> , DC. ( <i>pu.</i> )	silvery.	Siberia.	1827.	_____	H. ¼.	Gmel. sib. 4. t. 13.
3	<i>cándidum</i> , DC. ( <i>pu.</i> )	silver-leaved.	_____	1796.	7. 8.	H. ¼.	
4	<i>spléndens</i> , DC. ( <i>pa.</i> )	glossy-leaved.	_____	1828.	_____	H. ¼.	
5	<i>pállidum</i> , DC. ( <i>pa.</i> )	pale-flowered.	Barbary.	1811.	_____	H. ¼.	
6	<i>coronarium</i> , DC. ( <i>sc.</i> )	F. Honeysuckle.	Italy.	1596.	6. 8.	H. ½.	Gart. fruct. 2. t. 155.
	<i>a coccineum</i> , ( <i>sc.</i> )	scarlet-flowered.	_____	_____	_____	H. ½.	
	<i>β álbum</i> , ( <i>wh.</i> )	white-flowered.	_____	_____	_____	H. ½.	
7	<i>húmile</i> , DC. ( <i>pu.</i> )	dwarf.	Spain.	1640.	7. 8.	H. ¼.	J. Bauh. his. 2. p. 336. f. 1.
8	<i>spinossissimum</i> , DC. ( <i>pu.</i> )	thorny.	_____	1731.	_____	H. ½.	Pluk. alm. t. 50. f. 2.
9	<i>capitatum</i> , DC. ( <i>ro.</i> )	headed.	Barbary.	....	_____	H. ¼.	Bot. mag. 1251.
10	<i>flexuosum</i> , DC. ( <i>pu.</i> )	wave-podded.	Asia.	1680.	_____	H. ½.	Schk. hand. 2. t. 207.
11	<i>carneum</i> , DC. ( <i>fl.</i> )	flesh-coloured.	Siberia.	1818.	_____	H. ¼.	Lodd. bot. cab. 312.
12	<i>elongatum</i> , F. ( <i>pu.</i> )	long-stalked.	Russia.	1823.	6. 8.	H. ¼.	_____ t. 1401.
13	<i>lasiocarpum</i> , DC. ( <i>pu.</i> )	woolly-podded.	Altay.	1824.	_____	H. ¼.	
14	<i>tauricum</i> , DC. ( <i>ro.</i> )	Taurian.	Tauria.	1804.	7. 8.	H. ¼.	Bieb. cent. 2. t. 85.
	<i>roseum</i> , Bot. mag. t. 996. non DC.						
15	<i>roseum</i> , DC. ( <i>ro.</i> )	rose-coloured.	Siberia.	1803.	_____	H. ¼.	
16	<i>altaicum</i> , DC. ( <i>pu.</i> )	Altay.	_____	1828.	_____	H. ¼.	
17	<i>venustum</i> , DC. ( <i>pu.</i> )	handsome.	Altay.	_____	_____	H. ¼.	
18	<i>fruticosum</i> , DC. ( <i>li.</i> )	shrubby.	Siberia.	1782.	6. 7.	H. ½.	Pall. it. 3. . 5. f. 1.
19	<i>ibericum</i> , DC. ( <i>li.</i> )	Iberian.	Iberia.	1824.	6. 8.	H. ¼.	
20	<i>Razoumowiánium</i> , DC. ( <i>li.</i> )	net-podded.	Scythia.	1828.	_____	H. ¼.	
21	<i>cretaceum</i> , DC. ( <i>pu.</i> )	slender-spiked.	Volga.	1818.	_____	H. ¼.	
22	<i>consanguineum</i> , DC. ( <i>pu.</i> )	related.	Altay.	_____	_____	H. ¼.	
23	<i>obscurum</i> , DC. ( <i>pu.</i> )	creeping-rooted.	Europe.	1640.	7. 8.	H. ¼.	Bot. mag. 282.
24	<i>brachisema</i> , DC. ( <i>pu.</i> )	short-lipped.	Altay.	1820.	_____	H. ¼.	Gmel. sib. 4. t. 10.
25	<i>sibiricum</i> , DC. ( <i>pu.</i> )	Siberian.	Siberia.	1798.	6. 7.	H. ¼.	Lam. ill. t. 628. f. 3.
26	<i>alpinum</i> , w. ( <i>pu.</i> )	Alpine.	_____	_____	_____	H. ¼.	Bot. mag. 2213.
27	<i>caucasicum</i> , DC. ( <i>pu.</i> )	Caucasian.	Caucasus.	1824.	6. 8.	H. ¼.	
28	<i>argyrophyllum</i> , F. ( <i>pu.</i> )	silvery-leaved.	Altay.	1827.	_____	H. ¼.	
	ONOBRY'CHIS, DC. SAINT'FOIN, Diadelphia Decandria.						
1	<i>saiva</i> , DC. ( <i>ro.</i> )	common.	Britain.	....	6. 7.	H. ¼.	Eng. bot. v. 2. t. 96.
	<i>Hedy'sarum Onobry'chis</i> , Jacq. aust. t. 352.						
2	<i>tanaitica</i> , F. ( <i>ro.</i> )	spreading.	Siberia.	1823.	_____	H. ¼.	
3	<i>carpathica</i> , DC. ( <i>ro.</i> )	Carpathian.	Carp. Mount.	1818.	_____	H. ¼.	
4	<i>incurvata</i> , DC. ( <i>ro.</i> )	incurved.	.....	1826.	_____	H. ¼.	
5	<i>montana</i> , DC. ( <i>pu.</i> )	mountain.	Pyrenees.	1816.	_____	H. ¼.	
6	<i>conferta</i> , DC. ( <i>pu.</i> )	close-flowered.	Caucasus.	1827.	6. 8.	H. ¼.	
7	<i>procumbens</i> , DC. ( <i>ro.</i> )	procumbent.	Iberia.	1823.	_____	H. ¼.	
8	<i>supina</i> , DC. ( <i>ro.</i> )	trailing.	S. Europe.	1816.	_____	H. ¼.	
9	<i>glabra</i> , DC. ( <i>ro.</i> )	smooth.	Tauria.	1829.	_____	H. ¼.	
10	<i>areuaria</i> , DC. ( <i>ro.</i> )	sand.	Hungary.	1818.	_____	H. ¼.	

- 11 mareótica. DC. (ro.) villous-calyxed. Siberia. 1829. 6. 8. H. ♀.
- 12 álba. DC. (wh.) white-flowered. Hungary. 1804. 7. 8. H. ♀. W. et K. hung. 2. t. 111.
- 13 petræa. DC. (wh.) stone. Caucasus. 1818. 6. 8. H. ♀.
- 14 grácilis. DC. (li.) slender. Poland. 1828. — H. ♀.
- 15 saxátilis. DC. (wh.) rock. S. France. 1790. — H. ♀. All. ped. 1191. t. 19. f. 1.
- 16 Cáput-gállí. DC. (vi.) Cock's-head. S. Europe. 1731. 7. 8. H. ♀. Lobel. ic. 2. p. 81. f. 1.
- 17 Crísta-gállí. DC. (vi.) Cock's-comb. — 1710. 6. 8. H. ♂. Gärt. fruct. 2. t. 148.
- 18 foveoláta. DC. (vi.) Sicilian. Sicily. 1828. — H. ♂.
- 19 æquidentáta. DC. (re.) equal-toothed. Levant. 1823. — H. ♂. Desv. j. bot. 1. t. 23.
- 20 Pallásii. DC. (st.) Pallas's. Tauria. — — H. ♀. Bieb. pl. ros. 1. t. 35.
- Buxbaumiana*, s.s. *Hedy'sarum Pallásii*. w. Buxb. cent. 2. t. 42.
- 21 radiáta. DC. (st.) rayed. Caucasus. 1823. 7. 9. H. ♀. Desf. an. mus. 12. t. 13.
- Hedy'sarum Buxbaumii*. M.B.
- 22 ptolemaica. DC. (ye.) striped-flower'd. Egypt. 1829. — H. ♀. Delil. fl. eg. t. 39. f. 1.
- ELEFOTIS. DC. ELEFOTIS. Diadelphia Decandria.
- 1 monophylla. DC. (li.) simple-leaved. E. Indies. 1820. 4. 8. S. ♀. Burm. ind. t. 50. f. 2.
- 2 sorória. DC. (bh.) ternate-leaved. — — S. ♀. Desv. j. bot. 3. t. 6. f. 31.
- Hedy'sarum sororium*. L.
- LESPÉDEZA. DC. LESPÉDEZA. Diadelphia Decandria.
- 1 júncea. DC. (wh.) slender-branch'd. Siberia. 1776. 7. 8. G. ♀. Linn. f. dec. 1. t. 4.
- Hedy'sarum júnceum*. L. *Anthyllis cuneata*. Dum. Cours.
- 2 reticuláta. DC. (pu.) netted. N. America. 1823. — H. ♀.
- 3 sessiliflora. DC. (pu.) sessile-flowered. — — — H. ♀.
- 4 eriocárpa. DC. (vi.) woolly-podded. Nepaul. 1812. 7. 9. G. ♀.
- 5 frutésceus. DC. (pu.) frutescent. Carolina. 1739. — G. ♀. Jacq. vind. 3. t. 89.
- 6 capitáta. DC. (li.) headed. N. America. 1789. 6. 8. H. ♀.
- 7 angustifolia. DC. (li.) narrow-leaved. Carolina. 1827. — H. ♀.
- 8 Stúvei. DC. (pu.) Stuve's. New Jersey. 1823. 7. 9. H. ♂.
- 9 polystácha. DC. (wh.) hairy. N. America. 1789. 6. 8. H. ♀. Mich. amer. 2. t. 40.
- Hedy'sarum hírtum*. w.
- 10 villósa. DC. (wh.) villous. — — 1812. — H. ♀.
- 11 violácea. DC. (vi.) violet-colour'd. — — 1789. 7. 8. H. ♀.
- 12 divérgens. DC. (vi.) divergent. — — 1827. — H. ♀.
- 13 procúbens. DC. (pu.) procumbent. — — 1812. — H. ♀. Mich. amer. 2. t. 39.
- 14 prostráta. DC. (pu.) prostrate. — — 1818. — H. ♀.
- E'BENUS. DC. E'BENUS. Monadelphia Decandria.
- 1 crética. DC. (bh.) Cretan. Crete. 1737. 6. 7. F. ♀. Bot. mag. 1092.
- Anthyllis crética*. Lam.
- 2 pinnáta. DC. (pi.) wing-leaved. Barbary. 1786. 7. 8. G. ♂. Desf. ac. par. 1. t. 3.
- Anthyllis sericea*. w.
- 3 Sibthórpíi. DC. (pi.) Sibthorp's. Greece. 1826. — G. ♂. DC. leg. mem. t. 53.
- FLEMI'NGIA. DC. FLEMI'NGIA. Diadelphia Decandria.
- 1 strícta. DC. (re.) straight. E. Indies. 1798. 7. 9. S. ♀. Roxb. corom. 3. t. 248.
- 2 semialáta. DC. (ro.) winged. Nepaul. 1805. 7. 8. S. ♀. — 3. t. 249.
- 3 congésta. DC. (re.) crowded spiked. E. Indies. 1802. 7. 9. S. ♀.
- 4 nána. DC. (re.) dwarf. — — 1804. 8. 9. S. ♀.
- 5 lineáta. DC. (re.) branch-spiked. — — 1793. 7. 8. S. ♀. Burm. ind. t. 53. f. 1.
- 6 angustifolia. DC. (re.) narrow-leaved. — — 1812. 7. 9. S. ♀.
- 7 procúbens. DC. (re.) procumbent. — — 1816. 8. S. ♀.
- 8 prostráta. DC. (re.) prostrate. China. 1820. 7. 9. S. ♀.
- 9 strobilífera. DC. (wh.) Beech-leaved. E. Indies. 1787. — S. ♀. Bot. reg. 617.
- Hedy'sarum strobiliferum*. L. *Zórnia strobilifera*. P.S.

Subtribus III. ALHAGEÆ. DC. *prodr.* 2. p. 352.

- ALHAGI. DC. ALHAGI. Diadelphia Decandria.
- 1 mauròrum. DC. (re.) Levant. Levant. 1714. 7. 8. G. ♀. Tourn. cor. 54. t. 489.
- Hedy'sarum Alhàgi*. L. *mannífera*. Dv. *Mánna hebraica*. D.D.
- 2 camelòrum. DC. (re.) Caspian. Caucasus. 1824. — H. ♀.
- ALSICAR'PUS. DC. ALSICAR'PUS. Diadelphia Decandria.
- 1 bupleurifolius. DC. (li.) Bupleurum-ld. E. Indies. 1793. 7. 8. S. ♂. Bot. mag. 1722.
- Hedy'sarum bupleurifolium*. Roxb. corom. 2. t. 194.

2	vaginàlis. DC. (pu.)	sheathed.	E. Indies.	1790.	7. 8.	S. ☉.	Burm. zeyl. t. 49. f. 1.
3	nummularifolius. DC. (pu.)	moneywort.	————	1777.	7. 9.	S. ☉.	Petiv. gaz. t. 26 f. 1.
4	monilifer. DC. (pu.)	neck-lace.	————	1824.	————	S. ♀.	Burm. ind. t. 52. f. 3.
5	glumàceus. DC. (vi.)	rugged-podded.	Arabia.	————	————	G. ♀.	
6	styracifolius. DC. (pu.)	Storax-leaved.	E. Indies.	1796.	————	S. ♀.	

*Hedy'sarum styracifolium. L.*

Tribus IV. VICIÆ. DC. prodr. 2. p. 353.

CICER. DC.		CHICK-PEA. Diadelphia Decandria. L.					
1	arietinum. DC.	common.	S. Europe.	1548.	7. 8.	H. ☉.	Bot. mag. 2274.
2	songàricum. DC.	large-flowered.	Persia.	1828.	————	H. ☉.	DC. leg. mem. t. 54.
FABA. DC.		BEAN. Diadelphia Decandria.					
	vulgàris. DC. (wh. bk.)	common.	Egypt.	....	5. 8.	H. ☉.	Tourn. inst. t. 222.
	<i>a equina.</i> (wh. bk.)	<i>Horse.</i>	————	....	————	H. ☉.	
	$\beta$ <i>pr'æcox.</i> (wh. bk.)	<i>Mazagon.</i>	————	....	————	H. ☉.	
	$\gamma$ <i>ensifòrmis.</i> (wh. bk.)	<i>long-pod.</i>	————	....	————	H. ☉.	
	$\delta$ <i>albiflòra.</i> (wh.)	<i>white-blossomed.</i>	————	....	————	H. ☉.	
	$\epsilon$ <i>purpùrea.</i> (pu.)	<i>purple-flowered.</i>	————	....	————	H. ☉.	
	$\zeta$ <i>macrospërma.</i> (wh. bk.)	<i>broad Windsor.</i>	————	....	————	H. ☉.	
	$\eta$ <i>chlorospërma.</i> (wh. bk.)	<i>green Windsor.</i>	————	....	————	H. ☉.	
VICIA. DC.		VETCH. Diadelphia Decandria.					
1	pisifòrmis. DC. (st.)	Pea-shaped.	S. Europe.	1739.	7. 8.	H. ♀.	Jacq. aust. 4. t. 364.
2	am'ena. DC. (pu.)	beautiful.	Siberia.	1829.	————	H. ♀.	Gmel. sib. 4. n. 11. t. 3?
3	caroliniana. DC. (wh.)	Carolina.	Carolina.	————	————	H. ♀.	
4	dumetòrum. DC. (vi.)	great wood.	France.	1752.	5. 7.	H. ♀.	Sturm deuts. 1. fas. 31.
5	dentàta. F. (vi.)	toothed.	Russia.	1818.	6. 7.	H. ♀.	
6	sylvatica. DC. (wh. vi.)	wood.	Britain.	....	7. 8.	H. ♀.	Eng. bot. 2. t. 79.
7	americàna. DC. (vi.)	American.	N. America.	1818.	————	H. ♀.	
8	variegàta. DC. (v.)	variegated.	Caucasus.	1829.	————	H. ♀.	Desf. cor. p. 86. t. 66.
9	purpùrea. DC. (pu.)	purple.	Tauria.	1827.	————	H. ♀.	
10	alpèstris. DC. (pu.)	alpine.	————	1828.	————	H. ♀.	
11	casubica. DC. (vi.)	Cassubian.	Germany.	1711.	6. 7.	H. ♀.	Sturm deuts. 1. fas. 31.
12	abbreviàta. DC. (vi.)	abbreviated.	Caucasus.	1818.	————	H. ♀.	
13	cinèrea. DC. (pa. bl.)	ash-coloured.	Tauria.	1829.	————	H. ♀.	
14	Cràca. DC. (vi.)	tufted.	Britain.	....	7. 9.	H. ♀.	Eng. bot. 17. t. 1168.
15	Bivònea. DC. (ro.)	Bivoni's.	Sicily.	1828.	————	H. ♀.	
16	Geràrdi. DC. (vi.)	Gerard's.	S. Europe.	1711.	6. 7.	H. ♀.	Jacq. aust. t. 229.
17	pseudocràca. DC. (vi.)	slender-leaved.	Italy.	1824.	7. 9.	H. ☉.	
	<i>tenuifolia.</i> Tenore. non	Roth.					
18	microphylla. DC. (li)	small-leaved.	Archipelago.	1828.	6. 8.	H. ♀.	
19	polyphylla. DC. (li.)	many-leaved.	Algiers.	1823.	————	H. ♀.	
20	tenuifolia. DC. (vi.)	slender-leaved.	Germany.	1799.	6. 7.	H. ♀.	Sturm deuts. 1. fas. 31.
21	consentina. DC. (st.)	straw-coloured.	Naples.	1824.	————	H. ♀.	
22	capénsis. DC. (pu.)	Cape.	C. B. S.	1802.	6. 8.	G. ♀.	
23	canéscens. DC. (bl.)	hoary.	Libanus.	1800.	————	H. ☉.	Labil. dec. syr. 1. t. 7.
24	ochroleuca. DC. (st.)	sulphur-color'd.	Italy.	1824.	————	H. ♀.	
25	punctàta. DC. (pu.)	spot-leaved.	Switzerland.	1826.	————	H. ☉.	
26	onobrychioides. DC. (pu.)	Saintfoin-like.	Europe.	1789.	————	H. ☉.	Sturm deuts. 1. fas. 31.
27	atropurpùrea. DC. (d. pu.)	dark-purple.	Algiers.	1815.	————	H. ☉.	Bot. reg. t. 871.
28	benghalénsis. DC. (sc.)	Bengal.	E. Indies.	1792.	7. 9.	H. ☉.	Herm. lugd. t. 625.
29	perénnis. DC. (pu.)	perennial.	S. Europe.	1820.	6. 8.	H. ♀.	
30	longifolia. DC. (st.)	long-leaved.	Syria.	1824.	————	H. ♀.	
31	argèntea. DC. (ro.)	silvery.	Pyrenees.	1829.	————	H. ♀.	
32	villosa. DC. (pu.)	villos.	Germany.	1815.	————	H. ☉.	Sturm deuts. 1. fas. 31.
33	dispërma. DC. (li.)	two-seeded.	S. France.	1826.	————	H. ☉.	
34	biennis. DC. (vi.)	biennial.	Siberia.	1753.	7. 9.	H. ♂.	Gmel. sib. 4. t. 2.
35	Nissoliàna. DC. (re.)	red-flowered.	Levant.	1773.	6. 7.	H. ☉.	
36	pellùcida. DC. (pu.)	pellucid.	C. B. S.	1812.	6. 8.	G. ♀.	Jacq. schœnb. 2. t. 222.
37	biflòra. DC. (bl.)	two-flower'd.	Algiers.	1801.	————	H. ☉.	Desf. atl. 2. t. 197.
38	calcaràta. DC. (pu.)	spurred.	————	1790.	7. 9.	H. ☉.	
	<i>monántha.</i> w.						
39	syriaca. DC. (vi.)	Syrian.	Syria.	1822.	————	H. ☉.	
40	pimpinelloides. DC. (pu.)	Pimpinella-like.	Rome.	————	6. 9.	H. ☉.	

41	<i>sativa</i> . DC.	( <i>pu.</i> ) common.	Britain.	....	5. 7.	H. ☉	Eng. bot. 5. t. 334.
	<i>a nemoralis</i> . P.S.	( <i>pu.</i> ) wood.	—————	....	—	H. ☉	Sturm deuts. 1. fas. 31.
	<i>β segetalis</i> . DC.	( <i>pu.</i> ) hedge.	—————	....	—	H. ☉	Eng. bot. 5. t. 334.
42	<i>leucospërma</i> . L.en.	( <i>wh.</i> ) white-seeded.	.....	....	—	H. ☉	
43	<i>angustifolia</i> . W.en.	( <i>pu.</i> ) narrow-leaved.	Europe.	....	—	H. ☉	Sturm deuts. 1. fas. 31.
44	<i>meгалospërma</i> . W.en.	( <i>pu.</i> ) large-seeded.	Tauria.	1798.	6. 8.	H. ☉	
45	<i>incisa</i> . DC.	( <i>pu.</i> ) cut-leaved.	—————	1829.	—	H. ☉	
46	<i>repens</i> . DC.	( <i>pu.</i> ) creeping.	Archipelago.	1828.	—	H. ♀	
47	<i>canadensis</i> . DC.	( <i>li.</i> ) Canadian.	Canada.	—	—	H. ☉	
48	<i>globosa</i> . DC.	( <i>bl.</i> ) globular.	.....	1804.	—	H. ☉	
49	<i>cordata</i> . DC.	( <i>pu.</i> ) heart-leaved.	Germany.	1828.	—	H. ☉	Sturm deuts. 1. fas. 32.
50	<i>pilosa</i> . DC.	( <i>pu.</i> ) pilose.	Tauria.	1820.	—	H. ☉	
51	<i>peregina</i> . DC.	( <i>pu.</i> ) broad-podded.	S. Europe.	1779.	7. 8.	H. ☉	Sturm deuts. 1. fas. 32.
52	<i>Michauxii</i> . DC.	( <i>wh.</i> ) Michaux's.	.....	1803.	—	H. ☉	
53	<i>amphicarpa</i> . DC.	( <i>pu.</i> ) subterraneous.	S. France.	1815.	—	H. ☉	Ger. m. an. 6. v. 3. p. 344.
54	<i>lathyroides</i> . DC.	( <i>pu.</i> ) spring.	Britain.	....	4. 6.	H. ☉	Eng. bot. 1. t. 30.
55	<i>lavigata</i> . DC.	( <i>br.</i> ) smooth-podded.	England.	....	7. 9.	H. ♀	————— 7. t. 483.
56	<i>dubia</i> . DC.	( <i>pu.</i> ) doubtful.	.....	1827.	—	H. ♀	
57	<i>lutea</i> . DC.	( <i>ye.</i> ) yellow-flowered.	Britain.	....	6. 8.	H. ♀	Eng. bot. 7. t. 481.
58	<i>hirta</i> . P.S.	( <i>wh.</i> ) hairy.	France.	1820.	—	H. ♀	
59	<i>hybrida</i> . DC.	( <i>st.</i> ) hairy-flower'd.	England.	....	—	H. ♀	Eng. bot. 7. t. 482.
60	<i>spuria</i> . DC.	( <i>st.</i> ) spurious.	Sicily.	1826.	—	H. ♀	
61	<i>grandiflora</i> . DC.	( <i>ye.</i> ) large-flowered.	Switzerland.	1823.	—	H. ♂	Scop. fl. carn. 2. t. 42.
62	<i>sordida</i> . DC.	( <i>ye.</i> ) large-yellow.	Hungary.	1802.	—	H. ☉	W. et K. hung. 2. t. 134.
63	<i>Biebersteinii</i> . DC.	( <i>ye.</i> ) Bieberstein's.	Poland.	1823.	—	H. ♀	
64	<i>tricolor</i> . DC.	( <i>ye. pu.</i> ) three-coloured.	Naples.	1827.	—	H. ☉	Seb. et Maur. pr. rom. t. 4.
65	<i>sepium</i> . DC.	( <i>pu.</i> ) bush.	Britain.	....	5. 6.	H. ♀	Eng. bot. 22. t. 1515.
66	<i>pannonica</i> . DC.	( <i>wh.</i> ) Hungarian.	Hungary.	1658.	6. 7.	H. ☉	Jacq. aust. 1. t. 34.
67	<i>pyrenaica</i> . DC.	( <i>pu.</i> ) Pyrenean.	Pyrenees.	1828.	—	H. ☉	DC. ic. rar. 1. t. 33.
68	<i>striata</i> . M.B.	( <i>std.</i> ) striped.	Tauria.	1824.	—	H. ☉	
69	<i>truncatula</i> . DC.	( <i>st.</i> ) truncate-leav'd.	Caucasus.	1828.	6. 8.	H. ☉	
70	<i>narbonensis</i> . DC.	( <i>d. pu.</i> ) broad-leaved.	France.	1596.	—	H. ☉	Roth. abhand. 10. t. 2.
71	<i>serratifolia</i> . W.	( <i>pu.</i> ) saw-leaved.	Hungary.	1723.	—	H. ☉	Sturm fl. germ. 1. fas. 32.
72	<i>platycarpus</i> . DC.	( <i>pu.</i> ) flat-podded.	Germany.	—	—	H. ☉	Roth. abhand. 10. t. 1.
73	<i>bicolor</i> . DC.	( <i>v.</i> ) two-coloured.	.....	1818.	—	H. ♀	
ERVUM. DC.			TARE. Diadelphia Decandria. L.				
1	<i>Léns</i> . DC.	( <i>pa.</i> ) Lentil.	France.	1548.	5. 7.	H. ☉	Sturm fl. germ. 1. fas. 32.
<i>Cicer Léns</i> . w. <i>Léns esculenta</i> . Moench.							
2	<i>nigricans</i> . DC.	( <i>pa.</i> ) dark-seeded.	Tauria.	1823.	6. 7.	H. ☉	
<i>lentoides</i> . T.P.							
3	<i>lenticula</i> . DC.	( <i>bl.</i> ) one-flowered.	Carinthia.	1824.	6. 8.	H. ☉	Sturm fl. germ. 1. fas. 32.
<i>solanense</i> . Schrank pl. rar. t. 48. <i>uniflorum</i> . Seb. rom. pl. fas. 2. t. 4.							
4	<i>hirsutum</i> . DC.	( <i>pu. wh.</i> ) hairy.	Britain.	....	6. 7.	H. ☉	Eng. bot. 14. t. 970.
5	<i>dispërum</i> . s.s.	( <i>li.</i> ) two-seeded.	E. Indies.	1824.	6. 8.	H. ☉	
6	<i>camelorum</i> . s.s.	( <i>li.</i> ) broad-podded.	.....	—	—	H. ☉	
7	<i>pendulum</i> . s.s.	( <i>li.</i> ) pendulous-podd'd.	E. Indies.	1828.	—	H. ☉	
8	<i>Ervilia</i> . DC.	( <i>pu.</i> ) officinal.	S. Europe.	1596.	6. 8.	H. ☉	Sturm fl. germ. 1. fas. 32.
<i>Ervilia sativa</i> . L. en. <i>Vicia Ervilia</i> . w.							
9	<i>monanthos</i> . DC.	( <i>li.</i> ) single-flowered.	—————	1790.	7. 8.	H. ☉	Sturm fl. ge. 1. fas. 32. ic.
<i>Vicia articulata</i> . w. <i>Lathyrus monanthos</i> . W. en.							
10	<i>agrigeninum</i> . DC.	( <i>li.</i> ) Sicilian.	Sicily.	1827.	—	H. ☉	
11	<i>tetraspërum</i> . DC.	( <i>li.</i> ) four-seeded.	Britain.	....	6. 8.	H. ☉	Eng. bot. 17. t. 1223.
12	<i>gracile</i> . DC.	( <i>li.</i> ) slender.	S. Europe.	1823.	—	H. ☉	Lois. fl. gal. t. 12.
<i>tenuissimum</i> . P.S. <i>longifolium</i> T.N. <i>Vicia laxiflora</i> . Brot. phyt. t. 54.							
13	<i>pubescens</i> . DC.	( <i>li.</i> ) pubescent.	S. Europe.	1828.	6. 8.	H. ☉	
14	<i>Loiseleurii</i> . DC.	( <i>li.</i> ) Loiseleur's.	Tauria.	—	—	H. ☉	
15	<i>diphyllum</i> . DC.	( <i>li.</i> ) two-leaved.	.....	—	—	H. ☉	
PI'SUM. DC.			PEA. Diadelphia Decandria. L.				
1	<i>sativum</i> . DC.	( <i>wh.</i> ) cultivated.	S. Europe.	....	5. 10.	H. ☉	Lam. ill. t. 633.
<i>a saccharatum</i> . DC. ( <i>wh.</i> ) sugar.							Tourn. inst. t. 215.
<i>β macrocarpon</i> . DC. ( <i>wh.</i> ) marrowfat.							
<i>γ viride</i> . ( <i>wh.</i> ) green marrowfat.							
<i>δ rugosum</i> . ( <i>wh.</i> ) Knight's marrowfat.							
<i>ε chlorospërum</i> . ( <i>wh.</i> ) green rouncival.							
<i>ζ cœrulëscens</i> . ( <i>wh.</i> ) blue Prussian.							
<i>η prolifcum</i> . ( <i>wh.</i> ) prolific.							
<i>θ præcox</i> . ( <i>wh.</i> ) early Charlton.							
<i>ι unijlorum</i> . ( <i>wh.</i> ) early frame.							

κ <i>hùmile</i> . (wh.) dwarf.	S. Europe.	....	—	H. ⊙.	
λ <i>umbellatum</i> . DC. (pi.) rose or crown.	—	....	—	H. ⊙.	Tabern. icon. t. 495.
μ <i>quadratum</i> . DC. (pu.) grey or swine's.	—	....	—	H. ⊙.	
2 <i>elatum</i> . DC. (pa. pu.) upright.	Iberia.	1827.	6. 10.	H. ⊙.	
3 <i>arvense</i> . DC. (pu.) field.	Europe.	....	6. 9.	H. ⊙.	Moris. his. 2. s. 2 t. 1. f. 1.
4 <i>maritimum</i> . DC. (pu.) sea.	England.	....	7. 8.	H. ⊙.	Eng. bot. 15. t. 1046.
5 <i>americanum</i> . DC. (pu.) American.	America.	....	—	H. ⊙.	
6 <i>Jomárdi</i> . DC. (wh.) angular-stalk'd.	Egypt.	1818.	6. 9.	H. ⊙.	
7 <i>thebæicum</i> . DC. (wh.) short-peduncled.	—	—	—	H. ⊙.	
LA'THYRUS. DC.	LA'THYRUS. Diadelphia Decandria.			L.	
1 <i>sylvêstris</i> . DC. (pu.) wood.	Britain.	....	7. 8.	H. ⊙.	Eng. bot. v. 12. t. 805.
2 <i>intermedius</i> . DC. (ro.) intermediate.	N. Europe.	1818.	7. 8.	H. ⊙.	Flor. dan. t. 785.
3 <i>magellanicus</i> . DC. (pu.) Lord Anson's Pea.	Cape Horn.	1744.	—	H. ⊙.	
4 <i>latifolius</i> . DC. (ro.) everlasting Pea.	England.	....	7. 9.	H. ⊙.	Eng. bot. v. 16. t. 1108.
β <i>albiflorus</i> . (wh.) white-flowered.	—	—	—	H. ⊙.	
5 <i>rotundifolius</i> . DC. (ro.) round-leaved.	Tauria.	1822.	—	H. ⊙.	Bieb. cent. 1. t. 22.
6 <i>pratensis</i> . DC. (ye.) meadow.	Britain.	....	6. 8.	H. ⊙.	Eng. bot. v. 10. t. 670.
7 <i>tuberosus</i> . DC. (ro.) tuberous-rooted.	Europe.	1596.	7. 8.	H. ⊙.	Bot. mag. 111.
8 <i>roseus</i> . DC. (ro.) rose-coloured.	Iberia.	1828.	—	H. ⊙.	
9 <i>pisifórmis</i> . DC. (std.) Siberian.	Siberia.	1759.	6. 8.	H. ⊙.	Linn. fil. dec. t. 20.
10 <i>mutâbilis</i> . B.F.G. (std.) changeable.	—	1825.	—	H. ⊙.	Swt. br. fl. gar. t. 194.
11 <i>venosus</i> . DC. (pu.) veined.	N. America.	1823.	7. 8.	H. ⊙.	
12 <i>californicus</i> . B.R. (pu.) Californian.	California.	1827.	6. 10.	H. ⊙.	Bot. reg. 1144.
13 <i>palustris</i> . DC. (pu.) marsh.	Britain.	....	7. 8.	H. ⊙.	Eng. bot. v. 3. t. 169.
14 <i>myrtifolius</i> . DC. (pu.) Myrtle-leaved.	N. America.	1823.	—	H. ⊙.	
15 <i>polymórfus</i> . DC. (pu.) variable.	Missouri.	—	—	H. ⊙.	
16 <i>heterophyllus</i> . DC. (li.) various-leaved.	Europe.	1731.	7. 9.	H. ⊙.	J. Bauh. his. 2. p. 304. f. 1.
17 <i>stipulæceus</i> . DC. (pu.) large-stipuled.	N. America.	1827.	—	H. ⊙.	
18 <i>Aphala</i> . DC. (st.) yellow vetchling.	England.	....	6. 7.	H. ⊙.	Eng. bot. v. 17. t. 1167.
19 <i>Nissolia</i> . DC. (cr.) crimson.	—	....	5. 6.	H. ⊙.	v. 2. t. 112.
20 <i>inconspicuus</i> . DC. (pa.) small-flowered.	Levant.	1739.	7. 8.	H. ⊙.	
21 <i>sphaericus</i> . DC. (sc.) scarlet.	S. Europe.	1800.	6. 7.	H. ⊙.	DC. ic. rar. 1. t. 32.
<i>coccineus</i> . P.S. <i>axillaris</i> . Lam. <i>inconspicuus</i> . Jacq. vind. t. 86.	<i>Orobis coccineus</i> . Lodd. b. cab. t. 883.	....	6. 7.	H. ⊙.	
22 <i>micanthus</i> . DC. (pu.) small-blossom'd.	S. France.	....	—	H. ⊙.	
23 <i>angulatus</i> . DC. (pu.) angular-seeded.	S. Europe.	1683.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.
24 <i>longepedunculatus</i> . DC. (pu.) long-stalked.	—	1824.	6. 9.	H. ⊙.	
25 <i>leptophyllus</i> . DC. (pu.) slender-leaved.	Caucasus.	1828.	—	H. ⊙.	
26 <i>setifolius</i> . DC. (ro.) bristle-leaved.	S. Europe.	1739.	6. 7.	H. ⊙.	J. Bauh. 2. p. 308. ic.
27 <i>amphicarpus</i> . DC. (li.) Earth Pea.	Levant.	1680.	6. 9.	H. ⊙.	Swt. br. fl. gar. 3. t. 236.
28 <i>sativus</i> . DC. (bl. wh.) chickling vetch.	S. Europe.	1640.	6. 8.	H. ⊙.	Jacq. f. eclog. t. 116.
α <i>caeruleus</i> . (bl.) blue-flowered.	—	—	—	H. ⊙.	Bot. mag. 115.
β <i>âbus</i> . (wh.) white-flowered.	—	—	—	H. ⊙.	
29 <i>Cicera</i> . DC. (pu.) flat-podded.	—	1633.	—	H. ⊙.	Jacq. f. eclog. t. 115.
30 <i>annuus</i> . DC. (ye.) yellow annual.	—	1621.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 1.
31 <i>hirsutus</i> . DC. (pu.) rough-podded.	England.	....	7. 8.	H. ⊙.	Eng. bot. v. 18. t. 1255.
32 <i>hirtus</i> . DC. (pu.) hairy.	—	1824.	7. 9.	H. ⊙.	
33 <i>odoratus</i> . DC. (va.) Sweet Pea.	Sicily.	1700.	6. 9.	H. ⊙.	Bot. mag. t. 60.
α <i>purpureus</i> . DC. (pu.) dark-purple.	—	—	—	H. ⊙.	t. 60.
β <i>ruber</i> . (re.) red-flowered.	—	—	—	H. ⊙.	
γ <i>roseus</i> . DC. (ro.) painted lady.	Ceylon.	—	—	H. ⊙.	
δ <i>âbus</i> . (wh.) white-flowered.	—	—	—	H. ⊙.	
34 <i>grandiflorus</i> . DC. (pu.) large-flowered.	Italy.	1814.	—	H. ⊙.	Bot. mag. t. 1938.
35 <i>tingitanus</i> . DC. (pu.) Tangier Pea.	Barbary.	1680.	—	H. ⊙.	— t. 100.
36 <i>bithynicus</i> . DC. (vi.) tumid-podded.	S. Europe.	1816.	6. 8.	H. ⊙.	All. ped. 1. t. 26. f. 2.
<i>tumidus</i> . W. <i>turgidus</i> . Lam. <i>Vicia bithynica</i> . L.	—	—	—	—	
37 <i>incurvus</i> . DC. (pu.) curve-podded.	Siberia.	1802.	7. 8.	H. ⊙.	Roth abh. 13. t. 4.
38 <i>alatus</i> . DC. (pu.) wing-stalked.	Italy.	1829.	—	H. ⊙.	
39 <i>Clymenum</i> . DC. (re. bl.) various-flower'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.
40 <i>articulatus</i> . DC. (ro. wh.) joint-podded.	S. Europe.	1640.	7. 9.	H. ⊙.	Bot. mag. 258.
41 <i>auriculatus</i> . Bert. (pu.) eared.	Italy.	1820.	6. 8.	H. ⊙.	
42 <i>spurius</i> . DC. (pu.) bastard.	—	1815.	—	H. ⊙.	
43 <i>tenuifolius</i> . DC. (bl.) slender-leaved.	Algiers.	1824.	6. 7.	H. ⊙.	
44 <i>Ochrus</i> . DC. (ye.) pale-yellow.	S. Europe.	1633.	—	H. ⊙.	Schk. hand. 2. t. 280.
<i>Ochrus pallida</i> . P.S. <i>Pisum Ochrus</i> . L.	—	—	—	—	
45 <i>purpureus</i> . DC. (pu.) purple-flower'd.	Levant.	1826.	6. 8.	H. ⊙.	Desf. cor. p. 81. t. 61.
46 <i>cornutus</i> . DC. (pu.) horned.	—	1824.	—	H. ⊙.	
47 <i>aphyllus</i> . (pu.) leafless.	Smyrna.	1828.	7. 8.	H. ⊙.	
PLATYSTYLIS. B.F.G. PLATYSTYLIS. Diadelphia Decandria.	—	—	—	—	
1 <i>cyanea</i> . B.F.G. (bl.) blue-flowered.	Iberia.	1826.	7. 8.	H. ⊙.	Swt. br. fl. gar. 3. t. 239.

2	sessilifolius. B. F. G. (pu.)	sessile-leaved.	Levant.	1824.	6. 8.	H. ♀.	Buxb. cent. 2. t. 38.
	<i>Orobos sessilifolius.</i>	Bot. Mag. 2796.	<i>digitatus.</i> M. B.				
O'ROBUS. DC.		BITTER VETCH. Diadelphia		Decandria.		L.	
1	hirsutus. DC.	(li.)	hairy.	Levant.	1818.	5. 6.	H. ♀.
2	formosus. DC.	(pu.)	handsome.	Caucasus.	1824.	—	H. ♀.
3	lathyroides. DC.	(bl.)	upright.	Siberia.	1758.	6. 7.	H. ♀.
4	vérnus. DC.	(pu.)	spring.	Europe.	1629.	3. 4.	H. ♀.
5	venosus. DC.	(bl.)	veined.	Siberia.	1818.	5. 6.	H. ♀.
6	alpéstris. DC.	(pu.)	alpine.	Hungary.	1818.	—	H. ♀.
7	multiflorus. DC.	(li.)	many-flowered.	Italy.	1824.	5. 7.	H. ♀.
8	variegatus. DC.	(pu.)	variegated.	Naples.	1818.	5. 6.	H. ♀.
9	vicioides. DC.	(pu.)	Vetch-like.	Hungary.	—	6. 8.	H. ♀.
	<i>Vicia oroboides.</i>	W. K.					
10	luteus. DC.	(ye.)	yellow.	Siberia.	1759.	6. 7.	H. ♀.
11	lavigatus. DC.	(ye.)	smooth.	Hungary.	1818.	—	H. ♀.
12	aurantius. DC.	(ye.)	orange-color'd.	Iberia.	1824.	6. 8.	H. ♀.
13	sylvaticus. DC.	(std.)	wood.	Britain.	....	6. 7.	H. ♀.
14	ochroleucus. DC.	(st.)	straw-colour'd.	Hungary.	1816.	—	H. ♀.
15	niger. DC.	(pu.)	black-rooted.	Europe.	1596.	5. 7.	H. ♀.
16	erectus. DC.	(pu.)	upright.	.....	1820.	6. 7.	H. ♀.
17	tuberosus. DC.	(pu.)	tuberous-rooted.	Britain.	....	5. 6.	H. ♀.
18	pyrenæus. L.	(pu.)	Pyrenean.	Pyrenees.	1699.	—	H. ♀.
19	tenuifolius. Roth.	(pu.)	slender-leaved.	Germany.	1818.	5. 6.	H. ♀.
20	varius. DC.	(v.)	parti-coloured.	Italy.	1759.	—	H. ♀.
21	angustifolius. DC.	(v.)	narrow-leaved.	Siberia.	1766.	—	H. ♀.
22	canescens. DC.	(bl.wh.)	caescent.	S. Europe.	1823.	—	H. ♀.
23	pallescens. M. B.	(wh.)	pale-flowered.	Tauria.	1824.	—	H. ♀.
24	albus. DC.	(wh.)	white-flowered.	Austria.	1794.	—	H. ♀.
	<i>pannonicus.</i>	Jacq. aust. 1. t. 39.					
25	atropurpureus. DC.	(d.pu.)	dark-purple.	Algiers.	1826.	6. 7.	H. ♀.
26	Fischéri. B. F. G. (d.pu.)	Fischer's.	Siberia?		1827.	—	H. ♀.
27	saxatilis. DC.	(pu.)	rock.	S. France.	1823.	6. 8.	H. ♂.
28	longifolius. N.	(li.)	long-leaved.	Missouri.	1827.	—	H. ♀.

## Tribus V. PHASEOLEÆ. DC. prodr. 2. p. 381.

'ABRUS. DC.		WILD LIQUORICE. Monadelphia		Enneandria.			
	precatòrius. DC.	(ro.)	common.	India.	1680.	3. 5.	S. ♀. ✓.
	<i>a erythrosperma.</i>	(ro.)	red-seeded.	—	—	—	S. ♀. ✓.
	<i>β melanosperma.</i>	(ro.)	black-seeded.	—	—	—	S. ♀. ✓.
SWEETIA. DC.		SWE'ETIA. Diadelphia		Decandria.			
1	longifolia. DC.	(pu.)	long-leaved.	S. America.	1824.	6. 7.	S. ♀. ✓.
	<i>Gálega longifolia.</i>	Jacq. Tephrosia	<i>longifolia.</i>	P. S.			
2	filiformis. DC.	(pu.)	slender.	—	1826.	—	S. ♀. ✓.
3	lignosa. DC.	(pu.)	woody.	Trinidad.	1820.	....	S. ♀. ✓.
	<i>Glycine lignosa.</i>	P. S.					
MACRA'NTHUS. DC.		MACRA'NTHUS. Diadelphia		Decandria.			
	cochinchinensis. DC.	(wh.)	eatable-podd'd.	Cochinchina.	1826.	6. 9.	H. ♂. ✓.
WESTONIA. S. S.		WEST'ONIA. Monadelphia		Decandria.			
	trifoliata. S. S.	(st.re.)	trifoliolate.	.....	1820.	6. 8.	S. ♂.
	<i>Róthia trifoliata.</i>	DC. Glycine	<i>humifusa.</i>	W. en.			
TERA'MNUS. DC.		TERA'MNUS. Monadelphia		Pentandria.			
1	volubilis. DC.	(re.)	twining.	Jamaica.	1822.	7. 8.	S. ♀. ✓.
2	uncinatus. DC.	(re.)	hooked.	—	—	—	S. ♀. ✓.
AMPHICARP'EA. DC.		AMPHICARP'EA. Diadelphia		Decandria.			
1	monoica. DC.	(pa.)	pale-flowered.	N. America.	1781.	8. 10.	H. ♂. ✓.
2	comosa.	(bl.)	tufted.	—	1812.	7. 9.	H. ♀. ✓.
	<i>Glycine comosa.</i>	Ph.					
3	sarmentosa. DC.	(pa.)	sarmentose.	—	1805.	—	H. ♂. ✓.
	<i>Glycine sarmentosa.</i>	Ph. monoica.	Schkuhr.				
KENN'EDYA. DC.		KENN'EDYA. Diadelphia		Decandria.			
1	rubicunda. DC.	(cr.)	dingy-flowered.	N. S. W.	1788.	3. 8.	G. ♀. ✓.
2	prostrata. DC.	(sc.)	scarlet one-fl'd.	—	1790.	—	G. ♀. ✓.
	<i>Glycine coccinea.</i>	B. M.					
3	coccinea. DC.	(sc.)	many-flowered.	N. Holland.	1803.	5. 8.	G. ♀. ✓.
4	Comptoniana. DC.	(pu.)	Comptonian.	—	—	3. 6.	G. ♀. ✓.
	<i>Glycine Comptoniana.</i>	B. R.					

5	heterophylla. $\psi$ .	(pu.) various-leaved.	H. Holland.	1826.	....	G. $\frac{1}{2}$ $\smile$ .	
6	inophylla. $\psi$ .	(pu.) few-leaved.	————	1825.	....	G. $\frac{1}{2}$ $\smile$ .	
7	dilatata. $\psi$ .	(pu.) dilated-leaved.	————	————	.....	G. $\frac{1}{2}$ $\smile$ .	
8	monophylla. (pu.) simple-leaved.	N. S. W.	1790.	3. 8.	G. $\frac{1}{2}$ $\smile$ .	Vent. malm. t. 106.	
	<i>Glycine bimaculata</i> . Bot. mag. t. 263.						
9	ovata. DC.	(pu.) oval-leaved.	————	1820.	—	G. $\frac{1}{2}$ $\smile$ . Bot. mag. 2169.	
	<i>cordata</i> . Bot. reg. 944.						
<b>RHYNCH'OSIA. DC. RHYNCH'OSIA. Diadelphia Decandria.</b>							
1	reniformis. DC.	(ye.) kidney-leaved.	Carolina.	1806.	7. 8.	F. $\frac{1}{2}$ .	
2	difformis. DC.	(ye.) downy climbing.	————	1732.	6. 9.	F. $\frac{1}{2}$ $\smile$ . Dill. elth. t. 26. f. 29.	
	<i>Glycine tomentosa</i> $\beta$ <i>volubilis</i> . M.						
3	erecta. DC.	(br.) upright.	————	....	—	F. $\frac{1}{2}$ .	
4	caribæa. DC.	(ye.) trailing.	W. Indies.	1742.	9. 10.	S. $\frac{1}{2}$ $\smile$ . Bot. reg. t. 275.	
	<i>Glycine caribæa</i> . B.R.						
5	mollis. DC.	(ye.) soft-leaved.	Guinea.	1823.	6. 7.	S. $\frac{1}{2}$ $\smile$ . Hook. ex. flor. 201.	
	<i>Glycine mollis</i> . H.E.F.						
6	minima. DC.	(ye.) slender-stalked.	W. Indies.	—	—	S. $\frac{1}{2}$ $\smile$ . Jacq. obs. 1. t. 22.	
7	volubilis. DC.	(ye.) black-podded.	China.	1826.	—	S. $\frac{1}{2}$ $\smile$ .	
8	phaseoloides. DC.	(ye.) Abrus-seeded.	W. Indies.	1820.	—	S. $\frac{1}{2}$ $\smile$ . Bot. mag. t. 2284.	
9	precatória. DC.	(ye.) Abrus-like.	S. America.	—	—	S. $\frac{1}{2}$ $\smile$ .	
10	macrophylla. DC.	(ye.) large-leaved.	Cuba.	1826.	—	S. $\frac{1}{2}$ $\smile$ .	
11	reticulata. DC.	(ye.) netted.	Jamaica.	1779.	7. 9.	S. $\frac{1}{2}$ $\smile$ .	
12	rhombifolia. DC.	(ye.) rhomb-leaved.	E. Indies.	1815.	5. 8.	S. $\frac{1}{2}$ $\smile$ .	
13	medicaginea. DC.	(ye.) Medick-like.	Ceylon.	1826.	—	S. $\frac{1}{2}$ $\smile$ . Burm. zeyl. 188. t. 88.	
14	suavolens. DC.	(ye.) sweet-scented.	E. Indies.	1816.	—	S. $\frac{1}{2}$ .	
15	viscida. DC.	(ye.) viscous.	————	1823.	6. 7.	S. $\frac{1}{2}$ $\smile$ .	
16	viscosa. DC.	(ye.) clammy.	————	1824.	—	S. $\frac{1}{2}$ $\smile$ .	
17	Fridericiána. DC.	(ye.) blunt-leaved.	Manilla.	1826.	—	S. $\frac{1}{2}$ $\smile$ .	
18	scarabœoides. DC.	(ye.) rough-stemmed.	E. Indies.	—	—	S. $\odot$ $\smile$ . Pluk. alm. t. 52. f. 3.	
19	biflora. DC.	(ye.) two-flowered.	E. Indies.	1827.	6. 8.	S. $\odot$ $\smile$ .	
20	angustifolia. DC.	(ye.) narrow-leaved.	C. B. S.	1795.	—	G. $\frac{1}{2}$ $\smile$ . Jacq. schœn. 2. t. 231.	
21	Totta. DC.	(ye.) smooth-stemm'd.	————	1819.	—	G. $\frac{1}{2}$ $\smile$ .	
<b>FAG'ELIA. DC. FAG'ELIA. Diadelphia Decandria.</b>							
	bituminosa. DC.	(ye.) clammy.	C. B. S.	1774.	4. 9.	G. $\frac{1}{2}$ $\smile$ . Bot. reg. t. 261.	
	<i>Glycine bituminosa</i> . B.R.						
<b>WIST'ERIA. DC. WIST'ERIA. Diadelphia Decandria.</b>							
1	frutescens. DC.	(bl.) handsome.	N. America.	1724.	6. 9.	H. $\frac{1}{2}$ $\smile$ . Bot. mag. t. 2103.	
	<i>speciosa</i> . N. <i>Glycine frutescens</i> . B.M. <i>Apios frutescens</i> . Ph.						
2	chinensis. DC.	(p.bl.) Chinese.	China.	1818.	5. 7.	H. $\frac{1}{2}$ $\smile$ . Swt. br. fl. gar. 3. t. 211.	
	<i>Glycine chinensis</i> . Bot. mag. 2083. <i>sinensis</i> . Bot. reg. 650.						
<b>'APIOS. DC. 'APIOS. Diadelphia Decandria.</b>							
	tuberosa. DC.	(ro.) tuberous-rooted.	N. America.	1640.	8. 9.	H. $\frac{1}{2}$ $\smile$ . Bot. mag. t. 1198.	
	<i>Glycine 'Apios</i> . B.M.						
<b>AMPH'ODUS. B.R. AMPH'ODUS. Diadelphia Decandria.</b>							
	ovatus. B.R.	(pu.) oval-leaved.	Trinidad.	1824.	4. 6.	S. $\frac{1}{2}$ $\smile$ . Bot. reg. t. 1101.	
<b>PHAS'EOLUS. DC. KIDNEY BEAN. Diadelphia Decandria. L.</b>							
1	Caracalla. DC.	(pu.) Snail-flower.	E. Indies.	1690.	8. 9.	S. $\frac{1}{2}$ $\smile$ . Bot. reg. t. 341.	
2	tuberosus. DC.	(ye.) tuberous-rooted.	China.	1825.	—	S. $\frac{1}{2}$ $\smile$ .	
3	perennis. DC.	(pu.) perennial.	Carolina.	1823.	7. 9.	F. $\frac{1}{2}$ $\smile$ .	
4	macrostachyus. DC.	(pu.) long-spiked.	N. America.	1824.	—	H. $\frac{1}{2}$ $\smile$ .	
5	alatus. DC.	(pu.) winged.	Carolina.	1732.	7. 8.	H. $\odot$ . Dill. elth. t. 235. f. 303.	
6	multiflorus. DC.	(sc.) scarlet-runner.	S. America.	1633.	6. 10.	H. $\frac{1}{2}$ $\smile$ . Schk. hand. 2. t. 199. a.	
	<i>a coccineus</i> . DC.	(sc.) scarlet-flowered.	————	—	—	H. $\frac{1}{2}$ $\smile$ . Moris. his. 52. t. 5. f. 4.	
	$\beta$ <i>albiflorus</i> . DC.	(wh.) white-flowered.	————	....	—	H. $\frac{1}{2}$ $\smile$ .	
7	vulgâris. DC.	(wh.li.) common.	E. Indies.	1597.	5. 9.	H. $\odot$ $\smile$ . Lobel. ic. 2. p. 59. ic.	
8	compressus. DC.	(wh.) white-runner.	.....	....	6. 9.	H. $\odot$ $\smile$ . Savi. mem. 3. t. 10. f. 20.	
9	oblongus. DC.	(li.) oblong-seeded.	.....	....	—	H. $\odot$ $\smile$ . — 3. p. 17. t. 10. f. 14.	
10	saponaceus. DC.	(wh.) spotted-white.	.....	....	—	H. $\odot$ $\smile$ . — 3. p. 19. t. 10. f. 15.	
11	tumidus. DC.	(wh.) thick-seeded.	.....	....	—	H. $\odot$ $\smile$ . — 3. p. 19. t. 10. f. 16.	
12	hæmatocarpus. DC.	(li.) red-podded.	.....	....	—	H. $\odot$ $\smile$ . — 3. p. 20. t. 10. f. 17.	
13	sphæricus. DC.	(li.) roundish-seeded.	.....	....	—	H. $\odot$ $\smile$ . — 3. p. 20. t. 10. f. 18.	
14	gonospermus. DC.	(wh.) angular-seeded.	.....	....	—	H. $\odot$ $\smile$ . — 3. p. 21. t. 10. f. 19.	
15	derâsus. DC.	(gr.wh.) narrow-podded.	Brazil.	1823.	—	H. $\odot$ $\smile$ . Schk. h. mon. 1. t. 89.	
16	lunatus. DC.	(gr.) cimeter-podded.	E. Indies.	1779.	—	S. $\odot$ $\smile$ . Hout. syst. 8. t. 63. f. 1.	
17	inamœnus. DC.	(gr.wh.) various-colour'd.	Africa.	1794.	7. 8.	H. $\odot$ $\smile$ . Jacq. vind. t. 66.	
18	Xuaresii. DC.	(gr.wh.) pointed-leaved.	.....	....	1823.	6. 9.	H. $\odot$ $\smile$ .
19	adenanthus. DC.	(wh.bl.) painted-flower'd.	Guiana.	1821.	—	S. $\odot$ $\smile$ .	
20	macrocarpus. DC.	(wh.) long-podded.	.....	....	—	H. $\odot$ $\smile$ .	
21	calcaratus. H. B.	(li.) spurred.	E. Indies.	1820.	7. 8.	S. $\frac{1}{2}$ $\smile$ .	

22	dolichoïdes. H.B. ( <i>pu.</i> )	Dolichos-like.	E. Indies.	1820.	7. 8.	S. 4. ◡.	
23	mínimus. H.B. ( <i>li.</i> )	small.	China.	1823.	—	H. ◡. ◡.	
24	angustifólius. H.B. ( <i>li.</i> )	narrow-leaved.	—	1818.	6. 8.	H. ◡. ◡.	
25	microspérmus. DC. ( <i>pu.</i> )	small-seeded.	Cuba.	1821.	6. 9.	S. ◡.	
26	heterophyllus. DC. ( <i>re.</i> )	different-leaved.	Mexico.	1818.	7. 8.	H. ◡. ◡.	
27	aconitifólius. DC. ( <i>ye.</i> )	Aconite-leaved.	E. Indies.	1731.	6. 8.	S. ◡. ◡.	Jacq. obs. 3. t. 52.
28	sublobátus. H.B. ( <i>li.</i> )	lobed-leaved.	—	1820.	—	S. ◡. ◡.	
29	subtrilóbus. L.en. ( <i>wh.</i> )	acute-lobed.	Brazil.	1818.	—	S. ◡. ◡.	
30	diversifólius. DC. ( <i>pu.</i> )	various-leaved.	N. America.	1806.	6. 8.	H. ◡.	
31	trilóbus. DC. ( <i>pu.</i> )	three-lobed.	E. Indies.	1777.	7. 8.	S. ◡.	Burm. ind. t. 50. f. 1.
32	angulósus. DC. ( <i>bh.</i> )	angular-stalked.	S. America.	1818.	7. 8.	S. ◡. ◡.	
33	famínosus. DC. ( <i>re.</i> )	mealy.	E. Indies.	1759.	—	S. 4. ◡.	Niss. act. par. 1730. t. 42.
34	stipuláris. DC. ( <i>ye.</i> )	large-stipuled.	Peru.	1805.	—	H. ◡.	
35	mesoleucus. L.en. ( <i>wh.</i> )	Brazilian.	Brazil.	1818.	—	H. ◡. ◡.	
36	hélvolus. DC. ( <i>ro.</i> )	pale red.	Carolina.	1732.	—	H. ◡. ◡.	Dill. elth. t. 233. f. 300.
37	vexillátus. DC. ( <i>bh.</i> )	sweet-scented.	—	—	—	H. ◡. ◡.	Jacq. vind. 2. t. 102.
38	Múngo. DC. ( <i>ye.</i> )	small-fruited.	E. Indies.	1790.	6. 7.	H. ◡.	
39	hírtus. w. ( <i>ye.</i> )	hairy.	C. B. S.	1818.	7. 8.	H. ◡. ◡.	
40	Hernandésii. DC. ( <i>ye.</i> )	Hernandez.	Mexico.	1824.	—	H. ◡.	Hern. mex. 887. ic.
41	chrysánthos. DC. ( <i>ye.</i> )	golden-flowered.	.....	....	—	H. ◡.	
42	radiátus. DC. ( <i>bh.</i> )	rayed.	China.	1732.	6. 7.	H. ◡.	Dill. elth. t. 235. f. 305.
43	scáber. DC. ( <i>st.</i> )	rough-podded.	.....	....	6. 9.	H. ◡.	Moris. ox. s. 2. t. 5. f. 8.
44	lathyroïdes. DC. ( <i>re.</i> )	Lathyrus-like.	Jamaica.	1786.	7. 8.	S. ◡.	Sloan. hist. 1. t. 116. f. 1.
45	semieréctus. DC. ( <i>re.</i> )	dark-red.	S. America.	1732.	—	S. ◡. ◡.	Bot. reg. t. 743.
46	violáceus. DC. ( <i>vi. wh.</i> )	violet-flowered.	Africa?	....	6. 9.	H. ◡.	
47	Máx. DC. ( <i>re.</i> )	hairy-podded.	E. Indies.	1758.	6. 7.	S. ◡.	Rumph. amb. 5. t. 140.
48	gláber. H.B. ( <i>li.</i> )	smooth.	Mauritius.	1823.	7. 8.	S. ◡.	
49	torósus. H.B. ( <i>li.</i> )	twisted-podded.	Nepaul.	—	—	H. ◡.	
S'OJA. DC.		Soy. Diadelphia Decandria.					
	hispida. DC. ( <i>vi.</i> )	hispid.	E. Indies.	1790.	7. 8.	S. ◡.	Jacq. ic. 1. t. 145.
	Dólchos Soja. Jacq.	Soja japonica. Savi.					
	β pallida. DC. ( <i>ye.</i> )	pale-flowered.	—	....	—	S. ◡.	
DOLICHOS. DC.		Do'lichos. Diadelphia Decandria.	L.				
1	lignósus. DC. ( <i>ro.</i> )	woody.	E. Indies.	1776.	7. 8.	S. 7. ◡.	Smith spicil. t. 21.
	β? falcifórmis.	falcate-podded.	C. B. S.	—	—	G. 7. ◡.	Bot. mag. t. 382.
2	Jacquini. DC. ( <i>wh.</i> )	Jacquin's.	W. Indies.	1822.	7. 9.	S. 7. ◡.	
3	spúrius. DC. ( <i>pu.</i> )	spurious.	Guiana.	1826.	—	S. 7. ◡.	
4	tuberósus. DC. ( <i>li.</i> )	tuberous-rooted.	Martinica.	—	—	S. 7. ◡.	Plum. ed. Burm. t. 220.
5	articulátus. DC. ( <i>pu.</i> )	jointed.	St. Domingo.	1828.	—	S. 7. ◡.	
6	hirsútus. DC. ( <i>pu.</i> )	hirsute.	China.	1802.	6. 7.	G. 7. ◡.	Kämpf. ic. t. 41.
7	pubéscens. DC. ( <i>st.</i> )	pubescent.	S. America.	1826.	7. 9.	G. ◡. ◡.	
8	pilósus. DC. ( <i>li.</i> )	hairy-podded.	E. Indies.	1790.	7. 8.	S. ◡. ◡.	
9	tetraspérmus. DC. ( <i>li.</i> )	four-seeded.	—	1816.	5. 8.	S. 3. ◡.	
10	capénsis. DC. ( <i>ye.</i> )	Cape.	C. B. S.	1818.	—	G. 4. ◡.	
11	falcátus. DC. ( <i>li.</i> )	falcate-podded.	E. Indies.	1820.	7. 8.	S. 4. ◡.	
12	heterophyllus. DC. ( <i>pu.</i> )	various-leaved.	Canaries.	1827.	6. 9.	H. ◡. ◡.	
13	lutéus. DC. ( <i>ye.</i> )	yellow-flowered.	Jamaica.	1812.	7. 8.	S. 4. ◡.	
14	biflórus. DC. ( <i>li.</i> )	two-flowered.	E. Indies.	1776.	—	S. ◡.	Pluk. alm. t. 213. f. 4.
15	Catiáng. DC. ( <i>pu.</i> )	small-podded.	—	1793.	—	S. ◡.	
16	monáchalis. DC. ( <i>pu.</i> )	hybrid.	Portugal.	1826.	—	H. ◡.	
17	sinénsis. DC. ( <i>fl.</i> )	Chinese.	China.	1776.	—	H. ◡. ◡.	Rumph. amb. 5. t. 134.
18	nilóticus. DC. ( <i>st.</i> )	Egyptian.	Egypt.	1828.	—	H. ◡. ◡.	Delil. fl. eg. t. 38. f. 1.
19	Lúbia. DC. ( <i>bl. wh.</i> )	cultivated.	—	—	—	H. ◡.	
20	vexillátus. DC. ( <i>st.</i> )	hispid.	S. America.	....	—	H. ◡. ◡.	Dill. elt. 2. f. 302.
21	lobátus. DC. ( <i>li.</i> )	lobe-leaved.	C. B. S.	1818.	6. 7.	G. 4. ◡.	Hout. syst. 8. t. 64. f. 1.
22	vírosus. H.B. ( <i>li.</i> )	viriose.	E. Indies.	—	5. 8.	S. 3. ◡.	Rheed. mal. 8. t. 45.
23	gangéticus. H.B. ( <i>pu.</i> )	Ganges.	Bengal.	1824.	6. 7.	S. 4. ◡.	
24	glutinósus. H.B. ( <i>pu.</i> )	glutinous.	E. Indies.	1820.	—	S. 4. ◡.	
25	unguiculátus. DC. ( <i>li.</i> )	Bird's-foot.	W. Indies.	1780.	—	S. ◡. ◡.	Jacq. vind. 1. t. 23.
26	tranquebáricus. DC. ( <i>vi.</i> )	Tranquebar.	E. Indies.	1801.	6. 7.	S. ◡. ◡.	Jacq. vind. 3. t. 70.
27	melanophthálmus. DC. ( <i>vi.</i> )	black-circled.	.....	1822.	7. 9.	H. ◡.	
28	sesquipedális. DC. ( <i>wh.</i> )	long-podded.	W. Indies.	1781.	8. 9.	S. ◡. ◡.	Jacq. vind. 1. t. 67.
29	Brunélii. DC. ( <i>wh.</i> )	branching.	.....	1826.	6. 9.	S. ◡.	
30	sphaerospérmus. DC. ( <i>st.</i> )	round-seeded.	S. America.	1823.	7. 8.	S. ◡.	Sloan. jam. 1. t. 117.
31	reticulátus. DC. ( <i>li.</i> )	netted-leaved.	N. S. W.	1781.	6. 7.	G. 7. ◡.	
32	phaseolóides. H.B. ( <i>li.</i> )	Kidney-Bean-like.	China.	1823.	7. 8.	G. 4. ◡.	
33	frutéscent. D.P. ( <i>pu.</i> )	frutescent.	Nepaul.	1824.	—	G. 7. ◡.	
34	incánus. Wal. ( <i>pu.</i> )	hoary.	E. Indies.	1825.	—	S. ◡.	

VIGNA. DC.		VIGNA. Diadelphia Decandria.					
1	glabra. DC. (ye.)	smooth.	America.	1805.	7. 8.	H. ⊙. ∪.	Jacq. vind. 1. t. 90.
	<i>Dólíchos tutéolus.</i> Jacq.						
2	villósa. DC. (ye.)	villous.	Chile.	1826.	—	H. ⊙. ∪.	
LABLAB. DC.		LABLAB. Diadelphia Decandria.					
1	vulgáris. DC. (pu.)	common.	Egypt.	1694.	6. 7.	S. ⊙.	Bot. mag. t. 896.
	<i>Dólíchos Láblab.</i> B.M.						
2	purpúreus. (pu.)	purple.	E. Indies.	1790.	5. 10.	S. ¼. ∪.	Exot. bot. 2. t. 74.
	<i>Dólíchos purpúreus.</i> Bot. reg. t. 830.						
3	benghalénsis. (wh.)	Bengal.	Bengal.	1820.	7. 8.	S. ¼. ∪.	Jacq. vind. 2. t. 124.
4	nankínicus. DC. (wh.)	Chinese.	China.	1821.	—	H. ⊙. ∪.	Savi. dis. 1821. f. 8. d-g.
5	leucocárpus. DC. (wh.)	white-podded.	E. Indies.	—	—	S. ⊙. ∪.	f. 9. a-d.
6	cultrátus. DC. (wh.)	sharp-edged.	Japan.	1818.	6. 7.	H. ⊙. ∪.	Banks ic. kæmpf. t. 25.
7	microcárpus. DC. (pu.)	short-podded.	E. Indies.	1824.	—	S. ⊙. ∪.	Rumph. am. 5. t. 141. f. 1.
8	perénnans. DC. (wh.)	perennial.	China.	1823.	7. 8.	H. ⊙. ∪.	— 5. t. 137.
	<i>Dólíchos álbus.</i> W.						
PACHYRHIZUS. DC.		PACHYRHIZUS. Diadelphia Decandria.					
1	angulátus. DC. (vi.)	angular-leaved.	E. Indies.	1781.	7. 8.	S. ½. ∪.	Rumph. amb. 5. t. 132.
	<i>Dólíchos bulbósus.</i> L.						
2	trilóbus. DC. (pu.)	three-lobed.	China.	1825.	6. 8.	S. ½. ∪.	
PAROCHÆTUS. D.P.		PAROCHÆTUS. Diadelphia Decandria.					
1	commúnis. D.P. (li.)	common.	Nepaul.	1827.	6. 8.	G. ¼.	
2	máior. D.P. (li.)	larger.	—	—	—	G. ¼.	
DIOCLÆA. DC.		DIOCLÆA. Diadelphia Decandria.					
	Jacquiniána. DC. (re.)	Jacquin's.	Martinica.	1826.	6. 9.	S. ½. ∪.	Jacq. amer. t. 123.
	<i>Dólíchos rúber.</i> Jacq.						
PSOPHOCARPUS. DC.		PSOPHOCARPUS. Diadelphia Decandria.					
	tetragonólobus. DC. (bl.)	square-podded.	Mauritius.	1816.	9. 11.	S. ⊙.	Rumph. amb. 5. t. 133.
	<i>Dólíchos tetragonólobus.</i> L.						
CANAV'ALIA. DC.		CANAV'ALIA. Monadelphia Decandria.					
1	obtusifólia. DC. (pu.)	blunt-leaved.	E. Indies.	1818.	7. 8.	S. ½. ∪.	Rheed. mal. 8. t. 43.
	<i>Dólíchos rotundifólius.</i> Vahl.						
	β emargináta. DC. (pu.)	emarginate.	—	—	—	S. ½. ∪.	Jacq. schœn. 2. t. 221.
2	gladiáta. DC. (bh.)	sabre-podded.	—	1801.	6. 7.	S. ½. ∪.	Jacq. ic. 3. t. 560.
	<i>Dólíchos gladiátus.</i> W. <i>Malóchia gladiáta.</i> Savi.						
3	ensifórmis. DC. (pu.)	cimeter-podded.	E. Indies.	1778.	7. 8.	S. ⊙.	Jacq. ic. 3. t. 559.
4	rosea. DC. (ro.)	rose-colour'd.	Jamaica.	1812.	—	S. ½.	
5	bonariénsis. B.R. (pu.)	Buenos Ayres.	Buenos Ayres.	1826.	6. 10.	G. ½. ∪.	Bot. reg. t. 1199.
MUCUNA. DC.		COW-ITCH. Diadelphia Decandria.					
1	úrens. DC. (st.)	broad-podded.	W. Indies.	1691.	6. 7.	S. ½. ∪.	Jacq. amer. t. 182. f. 84.
	<i>Dólíchos úrens.</i> L. <i>Stizolóbium úrens.</i> P.S.						
2	altíssima. DC. (li.)	tallest.	Martinica.	1779.	6. 8.	S. ½. ∪.	Jacq. amer. t. 182. f. 85.
3	prúriens. DC. (vi.)	common.	India.	1680.	—	S. ½. ∪.	Rheed. mal. 8. t. 85.
	<i>Dólíchos prúriens.</i> L. <i>Stizolóbium prúriens.</i> P.S. <i>Carpopógon prúriens.</i> H.B.						
4	gigánteá. DC. (pa.)	gigantic.	E. Indies.	1815.	7. 9.	S. ½. ∪.	Rheed. mal. 8. t. 36.
5	ellipticá. DC. (li.)	elliptic-leaved.	Peru.	1828.	—	G. ½. ∪.	
6	mítis. DC. (li.)	oblique-leaved.	—	1823.	7. 9.	G. ½. ∪.	
	<i>Negrétia mítis.</i> R.P.						
7	comósa. DC. (wh.)	tufted.	Guiana.	1827.	—	S. ½. ∪.	
8	monospérma. DC. (li.)	one-seeded.	E. Indies.	1818.	—	S. ½. ∪.	
	<i>Carpopógon monospérmum.</i> H.B.						
9	atropurpúrea. DC. (d. pu.)	dark-purple.	—	1820.	—	S. ½. ∪.	
10	angúinea. (pu.)	snake-like.	—	1822.	—	S. ½. ∪.	
	<i>Carpopógon angúineum.</i> Roxb.						
11	nívea. DC. (wh.)	snowy-white.	—	1820.	7. 9.	S. ⊙. ∪.	
12	imbricáta. DC. (pu.)	imbricated.	—	1815.	—	S. ½. ∪.	
13	bracteáta. DC. (pu.)	bracteate.	—	1822.	—	S. ½. ∪.	
14	capitáta. (pu.)	headed.	—	—	8. 11.	S. ⊙. ∪.	
	<i>Carpopógon capitátum.</i> H.B.						
PHYLLOLOBIUM. DC.		PHYLLOLOBIUM. Diadelphia Decandria. S.S.					
1	chinéense. DC. (wh.)	Chinese.	China.	1818.	6. 8.	G. ¼.	
2	zanzibaréense. Boj. ..	Zanzibar.	Zanzibar.	1825.	—	S. ½.	
CAJANUS. DC.		PIGEON PEA. Diadelphia Decandria.					
1	bícolor. DC. (ye. pu.)	two-coloured.	E. Indies.	1687.	7. 8.	S. ½.	Jacq. vind. 2. t. 119.
	<i>Cy'tisus pseudo-cajan.</i> Jacq.						
2	flávus. DC. (ye.)	yellow-flowered.	—	—	—	S. ½.	Jacq. obs. 1. t. 1.
	<i>Cy'tisus Cajan.</i> L.						
LUPINUS. DC.		LUPINE. Monadelphia Decandria.					
1	álbus. DC. (wh.)	white.	Levant.	1596.	7. 8.	H. ⊙.	Blackw. herb. t. 282.

2	Térmis. DC.	(wh.bl.)	Egyptian.	Egypt.	1802.	6. 7.	H. ☉	
3	várius. DC.	(bl.)	variable.	S. Europe.	1596.	7. 9.	H. ☉	
4	hirsútus. DC.	(bl.)	blue-flowered.	_____	1629.	_____	H. ☉	J. Bauh. his. 2. p. 289. ic.
5	bracteoláris. DC.	(bl.)	bracteolate.	Monte Video.	1828.	_____	H. ☉	
6	pílösus. DC.	(ro.)	rose.	S. Europe.	1710.	_____	H. ☉	
7	angustifólius. DC.	(bl.)	narrow-leaved.	_____	1686.	_____	H. ☉	Knor. del. 2. t. L. 7.
8	linifólius. DC.	(bl.)	Flax-leaved.	.....	1790.	_____	H. ☉	Roth. abhand. 14. t. 5.
9	lúteus. DC.	(ye.)	yellow.	S. Europe.	1596.	_____	H. ☉	Bot. mag. t. 140.
	<i>β sulpháreus.</i>	(st.)	straw-coloured.	_____	_____	_____	H. ☉	
10	microcárpus. DC.	(bl.)	small-podded.	Chile.	1822.	4. 6.	H. ☉	Bot. mag. t. 2413.
11	micránthus. B.R.	(pu.)	small-flowered.	Columbia.	1827.	5. 7.	H. ☉	Bot. reg. t. 1251.
12	áridus. B.R.	(bl.pu.)	arid.	_____	_____	6. 9.	H. ♂	_____ t. 1242.
13	bicolor. B.R.	(bl.wh.)	two-coloured.	_____	_____	5. 10.	H. ♀	_____ t. 1109.
14	lépidus. B.R.	(bl.li.)	lively.	_____	_____	7. 10.	H. ♀	_____ t. 1149.
15	laxiflórus. B.R.	(bl.pi.)	lax-flowered.	_____	_____	8. 10.	H. ♀	_____ t. 1140.
16	littoralis. B.R.	(pu.bl.)	shore.	_____	_____	6. 10.	H. ♀	_____ t. 1198.
17	ornátus. B.R.	(bl.)	adorned.	_____	_____	5. 11.	H. ♀	_____ t. 1216.
18	plumósus. B.R.	(bl.)	feathered.	_____	_____	_____	H. ♀	_____ t. 1217.
19	Sabini. D.	(bl.)	Sabine's.	_____	_____	6. 10.	H. ♀	
20	mexicanus. DC.	(bl.)	Mexican.	Mexico.	1819.	7. 9.	F. ♀	Bot. reg. t. 457.
21	perénnis. DC.	(bl.)	smooth perenial.	N. America.	1658.	5. 8.	F. ♀	Bot. mag. t. 202.
	<i>β albiflórus.</i>	(wh.)	white-flowered.	_____	1817.	_____	F. ♀	
22	polyphýllus. B.R.	(bl.)	many-leaved.	Columbia.	1827.	_____	H. ♀	Bot. reg. t. 1096.
23	leucophýllus. B.R.	(pu.)	white-leaved.	_____	_____	6. 8.	H. ♀	_____ t. 1124.
24	nootkaténsis. DC.	(bl.)	hairy perennial.	Nootka sound.	1794.	_____	H. ♀	_____ t. 1311.
	<i>β variábilis.</i>	(ca.)	variable coloured.	_____	_____	_____	H. ♀	_____ t. 2136.
25	variegátus. F.	(v.)	variegated.	Silka.	1828.	_____	H. ♀	
26	argyræus. DC.	(bl.)	silvery-leaved.	.....	_____	_____	F. ♀	
27	arbústus. B.R.	(pu.)	half-shrubby.	California.	1827.	6. 9.	F. ♀	Bot. reg. 1230.
28	canaliculátus. B.F.G.	(bl.)	channel'd.	Buenos Ayres.	1828.	6. 9.	H. ♀	Swt. br. fl. gar. t. 283.
29	versicólor. B.F.G.	(v.)	various-colour'd.	Mexico.	1828.	_____	H. ♀	_____ ser. 2. t. 12.
30	tomentósus. DC.	(ca.)	woolly.	Peru.	1826.	6. 10.	H. ♀	Swt. br. fl. gar. t. 261.
31	arbóreus. DC.	(ye.)	tree.	S. America.	1793.	7. 9.	H. ♀	Bot. mag. t. 682.
32	mutábilis. B.F.G.	(wh.y.)	changeable.	Begota.	1825.	_____	F. ♀	Swt. br. fl. gar. t. 130.
33	villósus. DC.	(pu.)	simple-leaved.	Carolina.	1787.	_____	F. ♀	Pursh. fl. amer. 2. t. 21.
CYLI'STA. DC.				CYLI'STA. Diadelphia Decandria.				
1	scariósa. DC.	(bh.)	rough.	E. Indies.	1806.	4. 6.	S. ♀	Roxb. corom. 1. t. 92.
2	tomentósa. DC.	(ye.)	tomentose.	_____	1818.	_____	S. ♀	_____ t. 221.
3	albiflóra. DC.	(wh.)	white-flowered.	Mauritius.	....	4. 5.	S. ♀	Bot. mag. t. 1859.
4	villósa. DC.	(wh.)	hairy.	C. B. S.	1776.	4. 6.	G. ♀	Andr. rep. t. 446.
<i>Dólíchos hírtus. A.R.</i>								
ERYTHR'INA. DC.				CORAL-TREE. Diadelphia Decandria. L.				
1	herbácea. DC.	(sc.)	herbaceous.	Carolina.	1724.	6. 9.	G. ♀	Bot. mag. t. 877.
2	carnea. DC.	(fl.)	flesh-coloured.	Vera Cruz.	1733.	5. 6.	G. ♀	Trew. ehr. 2. t. 8.
	<i>β pubéscens.</i>	(fl.)	pubescent-leaved.	_____	_____	_____	G. ♀	Bot. reg. t. 389.
3	Corallodéndron. DC.	(sc.)	common.	W. Indies.	1690.	_____	S. ♀	Comm. h. ams. 1. t. 108.
4	enneánda. DC.	(sc.)	nine-anthered.	.....	....	_____	S. ♀	Jacq. schœn. 4. t. 466.
<i>velútina. Jacq. non w.</i>								
5	macrophýlla. DC.	(sc.)	large-leaved.	.....	1816.	_____	S. ♀	
6	mitis. DC.	(sc.)	smooth-stem'd.	Caracas.	1818.	6. 8.	S. ♀	Jacq. schœn. 2. t. 216.
7	poíanthes. DC.	(sc.)	crowded-flower'd.	.....	1826.	4. 6.	S. ♀	Bot. reg. t. 1246.
8	secundiflóra. DC.	(sc.)	side-flowering.	Brazil.	1818.	_____	S. ♀	Linn. trans. 14. t. 12.
9	speciόsa. DC.	(sc.)	large-flowered.	W. Indies.	1805.	5. 10.	S. ♀	Andr. rep. t. 443.
10	umbrόsa. DC.	(sc.)	deltoid-leaved.	Caracas.	1824.	....	S. ♀	
11	Humeána. s.s.	(sc.)	Sir A. Hume's.	C. B. S.	1818.	5. 6.	S. ♀	Bot. mag. t. 2431.
<i>cáffra. Bot. reg. t. 736. non Thunb.</i>								
12	cáffra. Th.	(pu.)	Cape-tree.	_____	1816.	....	S. 5.	
13	fúlgens. DC.	(sc.)	fulgent.	E. Indies.	1801.	5. 10.	S. ♀	
14	arboréscens. DC.	(cr.)	arborescent.	Nepaul.	1818.	....	S. ♀	Roxb. corom. 3. t. 219.
15	índica. DC.	(sc.)	Indian.	E. Indies.	1814.	5. 6.	S. ♀	Rheed. mal. 6. t. 7.
16	pícta. DC.	(cr.)	prickly-leaved.	_____	1696.	5. 10.	S. ♀	Rumph. amb. 2. t. 77.
17	aculeatíssima. Df.	(sc.)	very prickly.	.....	1816.	_____	S. ♀	
18	velútina. DC.	(sc.)	velvety.	Caracas.	1824.	....	S. ♀	
19	fúscá. DC.	(br.re.)	red-brown.	China.	1800.	....	S. ♀	Rumph. amb. 2. t. 78.
20	laurifólia. Jacq.	(sc.)	Laurel-leaved.	Brazil.	....	5. 10.	H. ♀	Swt. br. fl. gar. t. 142.
21	crista-gállí. DC.	(sc.)	Cockscomb.	_____	1771.	6. 10.	H. ♀	_____ t. 1214.
22	nervόsa. DC.	(sc.)	nerved-leaved.	_____	1824.	_____	S. ♀	
23	gláuca. DC.	(sn.)	glaucous.	Caracas.	_____	....	S. ♀	
24	pscidióides. DC.	(sc.)	Piscidia-leaved.	E. Indies.	1800.	....	S. ♀	

25 incana. W.	(sc.) hoary.	.....	1820.	6. 8.	S. h.	
26 lithosperma. W.H.	.... stony-seeded.	N. Holland.	1824.	....	S. h.	
27 arborea. D.L.	.... tree.	Trinidad.	1822.	....	S. h.	
28 stricta. H.B.	(sc.) upright.	E. Indies.	1816.	4. 6.	S. h.	
29 ovalifolia. H.B.	.... oval-leaved.	_____	_____	....	S. h.	
30 suberosa. H.B.	.... cork-barked.	_____	1818.	....	S. h.	
31 resupinata. H.B.	.... resupinate.	_____	1822.	....	S. h.	
32 abyssinica. DC.	.... Abyssinian.	Africa.	1820.	....	S. h.	
<b>RUDOLPHIA. DC.</b>	<b>RUDOLPHIA.</b>	<b>Diadelphia</b>	<b>Decandria.</b>			
1 volubilis. DC.	(sc.) twining.	Portorico.	1820.	....	S. h.	Vahl ecl. 3. t. 30.
2 portoricensis. (sc.)	Portorico.	_____	1820.	....	S. h.	
	<i>Erythrina portoricensis.</i> Df.					
3 dubia. DC.	(sc.) doubtful.	S. America.	1815.	....	S. h.	H. et B. n. gen. 6. t. 591.
<b>BUTEA. DC.</b>	<b>BUTEA.</b>	<b>Diadelphia</b>	<b>Decandria.</b>			
1 frondosa. DC.	(sc.) downy-branch'd.	E. Indies.	1796.	....	S. h.	Roxb. corom. 1. t. 21.
2 superba. DC.	(sc.) smooth-branch'd.	_____	1798.	....	S. h.	_____ v. 1. t. 22.
3 parviflora. DC.	(sc.) small-flowered.	Coromandel.	1820.	....	S. h.	

Tribus VI. *DALBERGIEÆ.* DC. prod. 2. p. 415.

<b>DE'RRIS. DC.</b>	<b>DE'RRIS.</b>	<b>Monadelphia</b>	<b>Decandria.</b>			
	trifoliata. DC.	(wh.) three-leaved.	China.	1826.	4. 6.	G. h.
<b>PONG'AMIA. DC.</b>	<b>PONG'AMIA.</b>	<b>Monadelphia</b>	<b>Decandria.</b>			
1 glabra. DC.	(wh.) smooth-leaved.	E. Indies.	1699.	6. 8.	S. h.	Vent. malm. t. 28.
2 elliptica.	(wh.) elliptic-leaved.	_____	1820.	_____	S. h.	
	<i>Galedupa elliptica.</i> H.B.					
3 chinensis. DC.	(ye.) Chinese.	China.	1827.	_____	S. h.	
4 uliginosa. DC.	.... marsh.	E. Indies.	_____	....	S. h.	
5 piscidia.	.... Piscidia-leaved.	_____	1816.	....	S. h.	
	<i>Galedupa piscidia.</i> H.B.					
6 marginata. H.B.	.... margined.	_____	1824.	....	S. h.	
<b>DALBERGIA. DC.</b>	<b>DALBERGIA.</b>	<b>Mono-Diadelphia</b>	<b>Decandria.</b>			
1 ougeinensis. DC.	(wh.) Hindoo.	E. Indies.	1828.	....	S. h.	
2 latifolia. DC.	(wh.) broad-leaved.	_____	1811.	....	S. h.	Roxb. corom. 2. t. 113.
3 Sissoo. DC.	(wh.) large.	_____	1823.	....	S. h.	
4 rubiginosa. DC.	(wh.) rusty.	_____	1811.	6. 8.	S. h.	Roxb. corom. 2. t. 115.
5 robusta. DC.	(wh.) robust.	_____	_____	....	S. h.	
6 scandens. DC.	(ro.) scandent.	_____	_____	5. 7.	S. h.	Roxb. corom. 2. t. 192.
7 volubilis. DC.	(wh.) twining.	_____	1820.	_____	S. h.	_____ v. 2. t. 191.
8 frondosa. DC.	(wh.) frondose.	_____	1818.	....	S. h.	
9 paniculata. DC.	(wh.) panicled.	_____	1811.	....	S. h.	Roxb. corom. 2. t. 114.
10 emarginata. H.B.	(wh.) emarginate.	_____	1823.	....	S. h.	
11 zeylanica. H.B.	(wh.) Ceylon.	Ceylon.	1816.	....	S. h.	
12 marginata. H.B.	(wh.) margined.	E. Indies.	1820.	5. 7.	S. h.	
13 tamarindifolia. H.B.	(wh.) Tamarind-leav'd.	_____	_____	....	S. h.	
14 stipulacea. H.B.	(wh.) stipuled.	_____	_____	6. 8.	S. h.	
15 rimosa. H.B.	(wh.) rimose.	_____	1824.	....	S. h.	
16 alata. H.B.	(wh.) winged.	_____	1823.	....	S. h.	
17 Crovei. DC.	(wh.) Silhet.	_____	_____	....	S. h.	
<b>PTEROCA'RPUS. DC.</b>	<b>PTEROCA'RPUS.</b>	<b>Mono-Diadelphia</b>	<b>Decandria.</b>			
1 Draco. DC.	(ye.) officinal.	S. America.	1818.	....	S. h.	Jacq. amer. t. 183. f. 92.
	<i>offinãlis.</i> Jacq. <i>hemiptera.</i> Gært.					
2 suberosus. DC.	(ye.) corky.	Guiana.	1826.	....	S. h.	Aubl. guian. 2. t. 299.
3 Marsipium. DC.	(st.) leathery-leaved.	E. Indies.	1811.	....	S. h.	Roxb. corom. 2. t. 116.
4 dalbergioides. DC.	(ye.) Andaman red-wood.	_____	1820.	....	S. h.	
5 indicus. DC.	(ye.) Indian.	_____	1818.	....	S. h.	
6 santalinus. DC.	(ye.) red sandal wood.	_____	1800.	....	S. h.	
7 santalinoïdes. DC.	(ye.) African.	Sierra Leon.	1826.	....	S. h.	
8 flavus. DC.	(ye.) yellow-barked.	China.	_____	....	S. h.	Rumph. amb. 3. t. 117.
9 scandens. DC.	(vi.) climbing.	Caracas.	1822.	6. 8.	S. h.	
	<i>Amerimnum scandens.</i> W.					
<b>DREPANOCA'RPUS.</b>	<b>DREPANOCA'RPUS.</b>	<b>Monadelphia</b>	<b>Decandria.</b>			
lunatus. DC.	(wh.) crescent-podded.	S. America.	1792.	....	S. h.	Plu. ed. Burm. t. 201. f. 2.
	<i>Pterocarpus lunatus.</i> L. <i>Pterocarpus apterus.</i> Gært. fruct. t. 156.					

- ECASTAPHYLLUM. DC. ECASTAPHYLLUM. Diadelphia Octo-Decandria.  
 Brównei. DC. (wh.) Browne's. W. Indies. 1733. 6. 8. S.  $\frac{1}{2}$ . Brown. jam. t. 32. f. 1.  
*Pterocarpus Ecastaphyllum*. L.  
 AMERIMNUM. DC. AMERIMNUM. Monadelphia Decandria.  
 Brównei. DC. (wh.) Browne's. W. Indies. 1793. 6. 8. S.  $\frac{1}{2}$ . Brown. jam. 288. t. 32. f. 3  
 BRYA. DC. BR'YA. Monadelphia Decandria.  
 E'benus. DC. (ye.) Jamaica Ebony. W. Indies. 1713. 7. 8. S.  $\frac{1}{2}$ . Brown. jam. t. 31. f. 2.

Subordo II.—*Tribus VII.* SWARTZIEÆ. DC. prodr. 2. p. 422.

- SWA'RTZIA. DC. SWA'RTZIA Monadelphia Dec-Polyandria.  
 1 simplicifolia. DC. (ye.) simple-leaved. W. Indies. 1822. .... S.  $\frac{1}{2}$ .  
*Rittera simplex*. Vahl. *Pössira simplex*. Swartz.  
 2 grandiflora. DC. (ye.) great-flowered. Trinidad. 1822. .... S.  $\frac{1}{2}$ . Vahl. pl. am. dec. 1. t. 9.  
 3 pinnata. DC. (ye.) wing-leaved. ———— 1820. .... S.  $\frac{1}{2}$ . Corr. an. mus. 9. t. 24. f. 2.  
 4 tomentosa. DC. (ye.) woolly. Cayenne. 1826. .... S.  $\frac{1}{2}$ . Aubl. guian. 2. t. 307.  
 BA'PHIA. DC. BA'PHIA. Decandria Monogynia.  
 nitida. DC. (wh.) glossy. Sierra Leone. .... 5. 9. S.  $\frac{1}{2}$ . Lodd. bot. cab. t. 367.

Subordo III.—*Tribus VIII.* MIMOSEÆ. DC. prodr. 2. p. 424.

- ENT'ADA. DC. ENT'ADA. Polygamia Monœcia.  
 1 Gigalobium. DC. (wh.) West Indian. W. Indies. 1780. 4. 6. S.  $\frac{1}{2}$ .  
 2 Purs'ætha. DC. (wh.) East Indian. E. Indies. ———— S.  $\frac{1}{2}$ . Rumph. amb. 5. t. 4.  
*Parrâna*. s.s. *Acacia scândens*. W. *Mimosa scândens*. L. ———— S.  $\frac{1}{2}$ . Rheed. mal. 9. t. 77.  
 3 monostachya. DC. (wh.) single-spiked. ———— S.  $\frac{1}{2}$ .  
*Rheëdii*. s.s. *Mimosa Entâda*. W. ————  
 4 polystachya. DC. (wh.) many-spiked. W. Indies. 1816. 4. 9. S.  $\frac{1}{2}$ . DC. leg. mem. t. 61—62.  
 MIM'OSA. DC. SENSITIVE-PLANT. Polygamia Monœcia. L.  
 1 sensitiva. DC. (ro.) true. Brazil. 1648. 4. 9. S.  $\frac{1}{2}$ . Botan. regist. t. 25.  
 2 obtusifolia. DC. (ro.) blunt-leaved. ———— 1816. ———— S.  $\frac{1}{2}$ .  
 3 strigosa. DC. (ro.) strigose. S. America. 1822. ———— S.  $\frac{1}{2}$ .  
 4 floribunda. DC. (ro.) many-flowered. Cumana. 1824. 6. 7. S.  $\frac{1}{2}$ .  
 5 viva. DC. (ro.) lively. Jamaica. 1739. 7. 9. S.  $\frac{1}{2}$ . Sloan. his. 2. t. 182. f. 7.  
 6 polycarpa. DC. (ro.) many-podded. Peru. 1816. ———— S.  $\frac{1}{2}$ . Kth. mim. p. 8. t. 3.  
 7 pudica. DC. (ro.) humble-plant. Brazil. 1638. 4. 9. S.  $\frac{1}{2}$ . Bot. reg. v. 11. t. 941.  
 8 pudibunda. DC. (ro.) fringe-stipuled. ———— 1822. ———— S.  $\frac{1}{2}$ .  
 9 polydactyla. DC. (ro.) many-fingered. Demerara. 1824. ———— S.  $\frac{1}{2}$ . Kth. mim. p. 14. t. 5.  
 10 hamata. DC. (ro.) hooked. E. Indies. 1820. 4. 9. S.  $\frac{1}{2}$ .  
 11 intermedia. DC. (ro.) intermediate. Caracas. 1825. ———— S.  $\frac{1}{2}$ . Kth. mim. p. 16. t. 6.  
 12 viscida. DC. (ro.) viscid. Brazil. ———— S.  $\frac{1}{2}$ .  
 13 canescens. DC. (wh.) canescent. Guinea. 1826. ———— S.  $\frac{1}{2}$ .  
 14 hispida. DC. (wh.) hispid. Caracas. 1824. 6. 9. S.  $\frac{1}{2}$ .  
 15 ciliata. DC. (wh.) ciliated. Brazil. ———— S.  $\frac{1}{2}$ .  
 16 polyacantha. DC. (wh.) many-spined. Africa. 1828. ———— S.  $\frac{1}{2}$ . Bruce itin. 5. t. 7.  
 17 asperata. DC. (wh.) various spined. W. Indies. 1822. 6. 7. S.  $\frac{1}{2}$ . DC. leg. mem. t. 63.  
 18 pigra. L. (wh.) straight-spined. Vera Cruz. 1733. ———— S.  $\frac{1}{2}$ . Mill. ic. 2. t. 182. f. 3.  
 19 Sicaria. DC. (wh.) subulate-spined. Brazil. 1828. ———— S.  $\frac{1}{2}$ .  
 20 rubicaulis. DC. (st.) Bramble-stalk'd. E. Indies. 1799. 6. 7. S.  $\frac{1}{2}$ . Roxb. corom. 2. t. 200.  
*octândra*. R.C. *spinositiqua*. Rottler. *Rottleri*. S.S.  
 21 Ceratonia. DC. (wh.) round-leaved. St. Domingo. 1800. .... S.  $\frac{1}{2}$ . Plum. ed. Burm. 17. t. 8.  
*Acacia Ceratonia*. W.  
 22 casta. DC. (wh.) chaste. E. Indies. 1741. 6. 8. S.  $\frac{1}{2}$ . Comm. hort. 1. t. 28.  
 23 angulata. s.s. (wh.) angular-stalked. Brazil. 1826. ———— S.  $\frac{1}{2}$ .  
 24 latispinosa. s.s. (ye.) broad-spined. Madagascar. 1822. ———— S.  $\frac{1}{2}$ .  
 25 Barclayana. .... Mr. Barclay's. ———— .... S.  $\frac{1}{2}$ .  
 26 brasiliensis. s.s. (wh.) Brazilian. Brazil. 1824. 6. 8. S.  $\frac{1}{2}$ .  
 27 abstergens. s.s. (ro.) spotted-stalked. E. Indies. 1818. ———— S.  $\frac{1}{2}$ .  
 28 ferruginea. s.s. (ro.) ferruginous. ———— ———— S.  $\frac{1}{2}$ .

<b>GAGNEB'INA. DC.</b>		<b>GAGNEB'INA. Decandria Monogynia.</b>	
1	tamariscina. DC. (st.)	Tamarisk-like. Mauritius. 1824. ....	S. h. DC. leg. mem. t. 64. f. B.
	<i>Acacia tamariscina</i> . w. <i>Mimosa tamariscina</i> . Lam. Pluk. t. 329. f. 3.		
2	axillaris. DC. (st.)	axillary-spiked. Mauritius. 1822. ....	S. h. DC. leg. mem. t. 64. f. A.
<b>ERYTHROPHLEUM. B. RED-WATER-TREE. Decandria Monogynia.</b>			
	leonense. g. d. ....	Sierra Leone. Sierra Leone. 1822. ....	S. h.
<b>PARKIA. B. PARKIA. Monadelphia Decandria.</b>			
	aficana. B. (cr.)	African. Africa. 1822. 6. 8.	S. h. Beauv. fl. ow. 2. t. 90.
	<i>Inga biglobosa</i> . DC. <i>Mimosa biglobosa</i> . Jacq. amer. t. 179. f. 87.		
<b>INGA. DC. INGA. Polygamia Monœcia.</b>			
1	quassiaefolia. DC. (wh.)	Quassia-leaved. Brazil. 1820. ....	S. h.
2	pilosiuscula. DC. (wh.)	glossy-leaved. Cayenne. 1827. ....	S. h. Vahl. ecl. 3. t. 24.
	<i>Mimosa lucida</i> . Vahl.		
3	setifera. DC. (wh.)	setiferous. Guiana. 1824. ....	S. h.
4	alba. DC. (wh.)	white. Cayenne. 1804. 7. 8.	S. h.
5	Feuillei. DC. (wh.)	Feuillee's. Peru. 1824. ———	S. h. Feuil. obs. 3. p. 2. t. 19.
6	fastuosa. DC. (re.)	villous-flower'd. Caracas. 1820. ....	S. h. Jacq. fragm. t. 10.
	<i>Mimosa fastuosa</i> . Jacq.		
7	sapindoides. DC. (wh.)	Soap-berry-like. ——— 1826. ....	S. h.
8	spuria. DC. (wh.)	spurious. Cumana. 1823. 7. 8.	S. h. Kth. mim. 39. t. 12.
9	vera. DC. (wh.)	sweet-fruited. S. America. 1739. ———	S. h. Sloan. his. t. 183. f. 1.
	<i>Mimosa Inga</i> . L.		
10	rhoifolia. DC. (wh.)	Rhus-leaved. Brazil. 1815. ———	S. h.
11	Bourgoni. DC. (st.)	Beech-leaved. W. Indies. 1752. ———	S. h. Aubl. guian. 2. t. 358.
	<i>marginata</i> . w. <i>Mimosa fagifolia</i> . L. non Jacq.		
12	marginata. DC. ....	margined. Caracas. ———	S. h.
13	laurina. DC. (wh.)	Laurel-leaved. ——— 1768. 3. 5.	S. h.
14	punctata. DC. (wh.)	white-spotted. ——— 1818. ———	S. h. Jacq. amer. t. 164.
	<i>Mimosa fagifolia</i> . Jacq. non L.		
15	splendens. DC. (wh.)	shining-leaved. ——— 1825. ....	S. h.
16	nodosa. DC. (wh.)	knobbed. Ceylon. 1690. 4. 6.	S. h. Pluk. alm. t. 211. f. 5.
17	microphylla. DC. (wh.)	small-leaved. Cumana. 1815. ....	S. h.
18	dulcis. DC. (wh.)	Sappan fruit. E. Indies. 1800. 5. 7.	S. h. Roxb. corom. 1. t. 99.
19	Unguis-cati. DC. (wh.)	four-leaved. W. Indies. 1690. 4. 6.	S. h. Jacq. schoen. 2. t. 34.
20	mellifera. DC. (wh.)	honey-bearing. Arabia. 1826. ....	S. h.
21	ligustrina. DC. (wh.)	Privet-leaved. Caracas. ———	S. h. Jacq. frag. t. 32. f. 5.
22	fœtida. DC. (wh.)	strong-smelling. W. Indies. 1818. ....	S. h. Jacq. schen. 3. t. 390.
23	tergëmina. DC. (pu.)	trifoliolate. Martinica. ——— 4. 6.	S. h. Jacq. amer. t. 177. f. 81.
24	emarginata. DC. (ro.)	emarginate. Mexico. 1825. ....	S. h. Kth. mim. 54. t. 17.
25	latifolia. DC. (ro.)	broad-leaved. ——— 1768. 3. 5.	S. h. Plum. ed. Burm. t. 9.
26	circinâlis. DC. (sc.)	spiral-podded. W. Indies. 1726. 4. 6.	S. h. Catesb. car. 2. t. 97.
27	purpurea. DC. (pu.)	Soldier-wood. ——— 1733. 3. 5.	S. h. Bot. reg. t. 129.
	<i>Mimosa purpurea</i> . Andr. reposit. t. 372.		
28	xylocarpa. DC. (wh.)	woody-podded. E. Indies. 1822. 4. 7.	S. h. Roxb. corom. 1. t. 100.
29	bigëmina. DC. (wh.)	two-paired. ——— 1823. ———	S. h. Rheed mal. 6. t. 12.
30	Jirînga. DC. (wh.)	twisted-podded. ——— 1828. ....	S. h.
31	comosa. DC. (wh.)	tufted. Jamaica. 1820. 4. 6.	S. h.
32	cyclocarpa. DC. (wh.)	shell-podded. Caracas. 1826. ....	S. h. Jacq. fragm. t. 34. f. 1.
33	Samân. DC. ....	linear-podded. Jamaica. ———	S. h. ——— t. 9.
34	corcondiâna. DC. (wh.)	Coromandel. E. Indies. 1818. ....	S. h.
35	pulchërrima. Cerv. (pu.)	handsome. Mexico. 1822. ....	S. h.
<b>ANNESLE'IA. P. L. ANNESLE'IA. Monadelphia Polyandria.</b>			
1	grandiflora. (cr.)	large-flowered. Mexico. 1769. 6. 9.	S. h. Andr. reposit. t. 592.
	<i>Mimosa grandiflora</i> . A. R. <i>Acacia grandiflora</i> . w. <i>Inga anomala</i> . Kth. mim. t. 22.		
2	Houstoni. (cr.)	Houstoun's. Vera Cruz. 1729. 9. 11.	S. h. Bot. reg. t. 98.
	<i>falcifolia</i> . Sal. par. lond. 64. <i>Acacia Houstoni</i> . w. <i>Inga? Houstoni</i> . DC.		
<b>SCHRA'NKIA. DC. SCHRA'NKIA. Polygamia Monœcia.</b>			
1	aculeata. DC. (ro.)	prickly. Vera Cruz. 1733. 7. 8.	S. h. Mill. ic. 1. t. 182. f. 1.
2	leptocarpa. DC. (ro.)	slender-podd'd. St. Domingo. 1827. ———	S. h.
3	uncinata. DC. (ro.)	hooked. N. America. 1789. ———	H. h. Vent. choix. t. 28.
<b>DARLINGTONIA. DC. DARLINGTONIA. Pentandria Monogynia.</b>			
1	brachylôba. DC. (wh.)	short-podded. N. America. 1803. 9. 10.	H. h. DC. leg. mem. t. 66.
2	glandulosa. DC. (wh.)	glandular. ——— 1806. ———	F. h. Vent. choix. t. 27.
	<i>Mimosa glandulosa</i> . M.		
<b>DESMA'NTHUS. DC. DESMA'NTHUS. Polygamia Monœcia.</b>			
1	lacustris. DC. (st.)	marsh. S. America. 1823. 6. 8.	S. w. H. et B. pl. æq. 1. t. 16.
2	nâtans. DC. (ye.)	floating. China. 1800. 7. 9.	S. w. Andr. reposit. t. 629.
3	polyphyllus. DC. (wh.)	many-leaved. .... 1826. ———	S. w.
4	triquëtrus. DC. (wh.)	triquetrous. E. Indies. 1823. ———	S. w.

5 plenus. DC.	( <i>ye.</i> ) double-yellow.	Vera Cruz.	1733.	7. 9.	S. w. ☉.	Mill. ic. t. 182. f. 2.
6 depréssus. DC.	( <i>wh.</i> ) depressed.	W. Indies.	1828.	....	S. $\frac{1}{2}$ .	Kth. mim. p. 115. t. 35.
7 diffusus. DC.	( <i>wh.</i> ) prostrate.	—————	1731.	7. 9.	S. $\frac{1}{2}$ .	Pluk. alm. t. 307. f. 3.
8 virgatus. DC.	( <i>wh.</i> ) twiggy.	E. Indies.	1774.	—	S. $\frac{1}{2}$ .	Jacq. vind. 1. t. 80.
9 strictus. DC.	( <i>wh.</i> ) upright.	Caribees.	1827.	—	S. $\frac{1}{2}$ .	—
10 punctatus. DC.	( <i>wh.</i> ) spotted-stalked.	Jamaica.	1636.	—	S. $\frac{1}{2}$ .	Comm. hort. 1. t. 31.
11 divérgens. DC.	( <i>ye.</i> ) prickly.	Abyssinia.	1816.	6. 7.	S. $\frac{1}{2}$ .	Bruce itin. 5. t. 6.
12 callistáchys. DC. ( <i>ro. ye.</i> )	pretty-spiked.	.....	1820.	—	S. $\frac{1}{2}$ .	—
13 cinereus. DC. ( <i>ro. ye.</i> )	ash-coloured.	E. Indies.	1739.	—	S. $\frac{1}{2}$ .	Roxb. corom. 2. t. 174.
<i>Mimosa cinerea</i> . R.C.						
14 nútans. DC. ( <i>ro. ye.</i> )	nodding.	Senegal.	1826.	—	S. $\frac{1}{2}$ .	—
ADENANTHERA. DC. BASTARD FLOWER-FENCE. Decandria Monogynia.						
1 pavonia. DC.	( <i>st.</i> ) pale-pellow.	E. Indies.	1759.	5. 8.	S. $\frac{1}{2}$ .	Rumph. amb. 3. t. 109.
2 falcata. DC.	( <i>ye.</i> ) woolly-leaved.	—————	1812.	—	S. $\frac{1}{2}$ .	————— 3. t. 111.
PROSOPIS. DC. PROSOPIS. Polygamia Monœcia.						
1 spicifera. DC.	( <i>ye.</i> ) eatable-podded.	E. Indies.	1812.	6. 7.	S. $\frac{1}{2}$ .	Roxb. corom. 1. t. 63.
2 Adenanthèra. DC. ( <i>ye.</i> )	prickly.	Coromandel.	1821.	....	S. $\frac{1}{2}$ .	—
<i>Adenanthèra aculeata</i> . H.B.						
3 hórrida. DC.	( <i>wh.</i> ) long-spined.	S. America.	1826.	....	S. $\frac{1}{2}$ .	Kth. mim. p. 106. t. 33.
4 dúlcis. DC.	( <i>wh.</i> ) sweet-podded.	New Spain.	1824.	....	S. $\frac{1}{2}$ .	————— p. 110. t. 34.
5 siliquástrum. DC. ( <i>wh.</i> )	falcate-podded.	Chile.	1827.	....	S. $\frac{1}{2}$ .	—
6 cumanénsis. DC. ( <i>wh.</i> )	Cumana.	Cumana.	1824.	....	S. $\frac{1}{2}$ .	—
7 domingénsis. DC. ( <i>wh.</i> )	St. Domingo.	St. Domingo.	1826.	....	S. $\frac{1}{2}$ .	—
8 juliflora. DC. ( <i>ye.</i> )	long-spiked.	Jamaica.	1793.	5. 6.	S. $\frac{1}{2}$ .	—
<i>Acacia juliflora</i> . w. <i>Mimosa juliflora</i> . Swartz.						
LAGONYCHIUM. DC. LAGONYCHIUM. Decandria Monogynia.						
Stephaniànium. DC.	Stephan's.	Levant.	1821.	....	H. $\frac{1}{2}$ .	Breyn. cent. 1. t. 56. f. 4.
ACACIA. DC. ACACIA. Polygamia Monœcia.						
1 alata. DC.	( <i>ye.</i> ) wing-stalked.	N. Holland.	1803.	4. 7.	G. $\frac{1}{2}$ .	Bot. reg. 396.
2 dolabrifórmis. DC. ( <i>ye.</i> )	hatchet-leaved.	—————	1818.	4. 6.	G. $\frac{1}{2}$ .	—
3 decipiens. DC.	( <i>ye.</i> ) paradoxical.	—————	1803.	3. 6.	G. $\frac{1}{2}$ .	Bot. mag. t. 1745.
4 biflora. DC.	( <i>ye.</i> ) two-flowered.	—————	—	—	G. $\frac{1}{2}$ .	Wendl. dis. n. 3. t. 2.
5 hastulata. DC.	( <i>ye.</i> ) hastulate.	—————	1824.	4. 6.	G. $\frac{1}{2}$ .	—
6 nervosa. DC.	( <i>ye.</i> ) nerveose.	—————	—	—	G. $\frac{1}{2}$ .	—
7 paradóxa. DC. ( <i>ye.</i> )	wave-leaved.	—————	1818.	3. 6.	G. $\frac{1}{2}$ .	Wendl. dis. n. 4. t. 3.
<i>undulata</i> . Bot. reg. t. 843.						
8 ornithóphora. S.F.A. ( <i>ye.</i> )	Bird-leaved.	—————	1825.	4. 6.	G. $\frac{1}{2}$ .	Swt. fl. aust. t. 24.
9 armata. DC.	( <i>ye.</i> ) armed.	—————	1803.	—	G. $\frac{1}{2}$ .	Bot. mag. t. 1653.
10 hybrida.	( <i>ye.</i> ) Whitley's mule. Hybrid.	—————	1822.	3. 6.	G. $\frac{1}{2}$ .	Lodd. bot. cab. 1342.
11 genistifolia. DC.	( <i>st.</i> ) Genista-leaved.	N. Holland.	1820.	—	G. $\frac{1}{2}$ .	—
12 juniperina. DC. ( <i>st.</i> )	Juniper-leaved.	N. S. W.	1790.	—	G. $\frac{1}{2}$ .	Vent. malm. t. 64.
<i>ulicifolia</i> . Wendl. coll. 2. t. 6. <i>Mimosa ulicina</i> . Sal. prodr.						
13 Brównii. DC. ( <i>st.</i> )	Brown's.	N. S. W.	1796.	—	G. $\frac{1}{2}$ .	—
<i>acicularis</i> . H.K. non w.						
14 echínula. DC. ( <i>st.</i> )	pungent.	—————	1824.	—	G. $\frac{1}{2}$ .	—
15 pugionifórmis. DC. ( <i>st.</i> )	needle-leaved.	—————	1803.	—	G. $\frac{1}{2}$ .	Wendl. dis. 26. t. 9.
16 asparagóides. F.T. ( <i>st.</i> )	Asparagus-like.	—————	1824.	—	G. $\frac{1}{2}$ .	—
17 Cunníngamáii. ( <i>ye.</i> )	Cunningham's.	—————	1825.	—	G. $\frac{1}{2}$ .	—
<i>taxifolia</i> . F.T. non w.						
18 diffusa. DC. ( <i>ye.</i> )	spreading.	—————	1822.	3. 6.	G. $\frac{1}{2}$ .	Bot. reg. t. 634.
<i>prostrata</i> . Lodd. bot. cab. 631.						
19 sulcata. DC. ( <i>ye.</i> )	furrowed-leaved.	N. Holland.	1803.	4. 8.	G. $\frac{1}{2}$ .	Bot. reg. v. 11. t. 928.
20 caliculata. ( <i>ye.</i> )	glaucous-furrow'd.	—————	1823.	5. 8.	I. $\frac{1}{2}$ .	—
21 saligna. DC. ( <i>ye.</i> )	Willow-leaved.	—————	1820.	3. 6.	G. $\frac{1}{2}$ .	Labil. n. hol. 2. t. 235.
22 emarginata. DC. ( <i>st.</i> )	emarginate.	—————	1816.	—	G. $\frac{1}{2}$ .	—
23 stricta. DC. ( <i>ye.</i> )	upright.	N. S. W.	1790.	2. 5.	G. $\frac{1}{2}$ .	Bot. mag. t. 1121.
24 leprósa. DC. ( <i>ye.</i> )	leprous.	—————	1824.	3. 6.	G. $\frac{1}{2}$ .	—
25 dodonæfolia. DC. ( <i>ye.</i> )	clammy.	—————	1818.	4. 6.	G. $\frac{1}{2}$ .	Wendl. dis. n. 19. t. 7.
<i>viscosa</i> . Wendl.						
26 verniciflua. F.T. ( <i>ye.</i> )	varnished.	—————	1819.	3. 6.	G. $\frac{1}{2}$ .	—
27 lanigera. F.T. ( <i>ye.</i> )	woolly-stem'd.	—————	1824.	—	G. $\frac{1}{2}$ .	Bot. mag. t. 2922.
<i>virgata</i> . Lodd. bot. cab. 1246.						
28 multinervia. DC. ( <i>ye.</i> )	many-nerved.	N. Holland.	—	—	G. $\frac{1}{2}$ .	—
29 eglándulosa. DC. ( <i>ye.</i> )	glandless.	—————	—	—	G. $\frac{1}{2}$ .	—
30 hispídula. DC. ( <i>ye.</i> )	little harsh.	N. S. W.	1794.	4. 5.	G. $\frac{1}{2}$ .	Sm. nov. holl. t. 16.
31 cochleáris. DC. ( <i>ye.</i> )	spoon-leaved.	N. Holland.	1820.	3. 6.	G. $\frac{1}{2}$ .	Labil. n. holl. 2. t. 234.
32 coriácea. DC. ( <i>ye.</i> )	leathery.	—————	1824.	—	G. $\frac{1}{2}$ .	—
33 ancéps. DC. ( <i>ye.</i> )	flat-edged.	—————	—	—	G. $\frac{1}{2}$ .	—
34 laurifolia. DC. ( <i>ye.</i> )	Laurel-leaved.	S. Sea Isl.	1775.	—	S. $\frac{1}{2}$ .	—

35	elongata. DC.	(ye.) elongated.	N. S. W.	1824.	3. 6.	G. h.	
36	trinervata. DC.	(ye.) three-nerved.	————	1823.	4. 6.	G. h.	
37	calamifolia. DC.	(ye.) quill-leaved.	————	1822.	1. 12.	G. h.	Bot. reg. t. 839.
38	quadrilateralis. DC.	(ye.) tetragonal-leav'd	————	————	4. 6.	G. h.	
39	falcata. DC.	(st.) sickle-leaved.	————	1790.	5. 6.	G. h.	Lodd. bot. cab. 1115.
40	falciformis. DC.	(st.) sickle-shaped.	————	1824.	4. 6.	G. h.	
41	penninervis. DC.	(wh.) feather-nerved.	————	1822.	————	G. h.	Bot. mag. t. 2754.
	<i>impressa.</i> Bot. reg. v. 13. t. 1115! Lodd. bot. cab. 1319.						
42	platyphyllo.	(st.) broad-leaved.	N. Holland.	————	————	I. h.	
43	melanoxylon. DC.	(wh.) black-wooded.	V. Diem. Isl.	1808.	————	G. h.	Bot. mag. t. 1659.
44	heterophylla. DC.	(ye.) various-leaved.	Bourbon.	1820.	...	S. h.	
45	amœna. DC.	(st.) handsome.	N. S. W.	1824.	4. 6.	G. h.	Wendl. dis. 16. t. 4.
46	myrtifolia. DC.	(st.) Myrtle-leaved.	————	1789.	2. 5.	G. h.	Swt. flor. aust. t. 49.
47	vestita. DC.	(ye.) clothed.	N. Holland.	1820.	3. 6.	G. h.	Bot. reg. t. 698.
48	marginata. DC.	(ye.) thick margined.	N. S. W.	1803.	4. 6.	G. h.	Wendl. dis. 19. t. 5. A.
49	pyrifolia. DC.	(ye.) Pear-leaved.	————	1824.	————	G. h.	
50	binervata. DC.	(ye.) two-nerved.	————	————	————	G. h.	
51	bivenosa. DC.	(ye.) two-veined.	————	————	————	G. h.	
52	buxifolia. F.T.	(ye.) Box-leaved.	————	————	3. 5.	G. h.	
53	lunata. DC.	(ye.) lunate-leaved.	V. Diem. Isl.	1816.	3. 6.	G. h.	Swt. flor. aust. t. 42.
	<i>β brevifolia.</i> B.C.	(ye.) short-leaved.	————	————	————	G. h.	Lodd. bot. cab. t. 1235.
54	obtusata. DC.	(st.) obtuse.	N. S. W.	1824.	4. 6.	G. h.	
55	crassiuscula. DC.	(st.) thick-leaved.	————	1803.	2. 6.	G. h.	Wendl. dis. 20. t. 8.
56	suaveolens. DC.	(st.) sweet-scented.	————	1790.	————	G. h.	Lodd. bot. cab. t. 730.
	<i>β platycarpa.</i> DC.	(st.) flat-podded.	————	————	————	G. h.	
57	angustifolia. DC.	(st.) narrow-leaved.	————	————	————	G. h.	Lodd. bot. cab. t. 768.
	<i>Mimosa angustifolia.</i> Jacq. schœnb. 3. t. 391.						
58	linifolia. DC.	(wh.) Flax-leaved	————	————	————	G. h.	Bot. mag. t. 2168.
59	abietina. DC.	(wh.) Fir-leaved.	————	————	3. 6.	G. h.	
60	subulata. DC.	(ye.) awl-leaved.	N. Holland.	1824.	4. 6.	G. h.	Bonpl. nav. t. 45.
61	spinulosa.	(ye.) small-spined.	————	1822.	3. 6.	I. h.	
62	cordifolia. ψ.	(ye.) heart-leaved.	————	1824.	4. 6.	I. h.	
63	dillwyniæfolia. ψ.	(st.) Dillwynia-leaved.	————	————	————	G. h.	
64	thegonocarpa. ψ.	(ye.) angular-podded.	————	————	————	G. h.	
65	rigens. ψ.	(ye.) stiff.	————	————	————	G. h.	
66	Cyclopis. ψ.	(ye.) Cyclopia-like.	————	————	————	G. h.	
67	muconulata. ψ.	(ye.) sharp-pointed.	————	————	————	G. h.	
68	oleifolia. ψ.	(ye.) Olive-leaved.	————	————	————	G. h.	
69	pendula. ψ.	(wh.) pendulous.	————	————	————	G. h.	
70	leucophylla. c.c.	(ye.) white-leaved.	————	1820.	3. 6.	I. h.	
71	taxifolia. DC.	(ye.) Yew-leaved.	China.	————	————	G. h.	
72	Oxycedrus. DC.	(ye.) sharp-leaved.	N. S. W.	1824.	4. 6.	G. h.	Swt. flor. aust. t. 6.
	<i>taxifolia.</i> Lodd. bot. cab. t. 1225. non w.						
73	verticillata. DC.	(ye.) whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. h.	Bot. mag. t. 110.
	<i>α glabra.</i> DC.	(ye.) smooth-leaved.	————	————	————	G. h.	
	<i>β angusta.</i> DC.	(ye.) narrow-leaved.	————	————	————	G. h.	Vent. malm. t. 63.
	<i>γ latifolia.</i> DC.	(ye.) broad-leaved.	————	————	————	G. h.	Wendl. coll. 1. t. 30.
74	linearis. B.M.	(wh.) linear-leaved.	N. S. W.	1812.	8. 12.	G. h.	Bot. mag. t. 2156.
75	longissima. W.A.	(ye.) long-linear-ld.	————	————	————	G. h.	Wendl. dis. 31. t. 11.
76	uncinata. c.c.	(ye.) hooked-leaved.	N. Holland.	1823.	9. 1.	G. h.	
77	mucronata. DC.	(wh.) mucronate.	N. S. W.	1812.	————	G. h.	Bot. mag. t. 2747.
78	floribunda. DC.	(wh.) many-flowered.	————	1796.	5. 6.	G. h.	Vent. choix. t. 13.
79	doratoxylon. F.T.	(ye.) spear-wood.	————	1824.	3. 6.	G. h.	
80	obtusifolia. F.T.	(ye.) blunt-leaved.	————	————	4. 6.	G. h.	
81	homomalla. DC.	(ye.) downy-leaved.	————	————	————	G. h.	Wendl. dis. 34. t. 13.
82	longifolia. DC.	(ye.) long-leaved.	————	1792.	3. 6.	G. h.	Bot. mag. t. 1827.
	<i>β latifolia.</i>	(ye.) broader-leaved.	————	————	————	G. h.	———— t. 2166.
83	intertexta. DC.	(ye.) netted-veined.	————	1824.	4. 6.	G. h.	
84	glaucescens. DC.	(ye.) glaucescent.	————	1790.	2. 6.	G. h.	Willd. hort. ber. t. 101.
85	leucolobia.	(ye.) white-podded.	————	1824.	3. 6.	G. h.	
	<i>dealbata.</i> F.T. non Link.						
86	cinerascens. DC.	(ye.) greyish.	————	————	————	G. h.	
87	subcœrulea. B.R.	(ye.) bluish-leaved.	N. Holland.	————	4. 6.	I. h.	Bot. reg. t. 1075.
88	rubida. F.T.	(st.) red-margined.	N. S. W.	1824.	————	G. h.	
89	Sophora. DC.	(ye.) Sophora-podd'd.	V. Diem. Isl.	1805.	————	G. h.	Labil. n. holl. 2. t. 237.
90	heteromalla. c.c.	(ye.) broad woolly-ld.	N. Holland.	1822.	————	I. h.	
91	coronillafolia. DC.	(ye.) Coronilla-leaved.	Mogador.	1826.	4. 5.	G. h.	
92	strumbulifera. DC.	(ye.) twisted-podded.	Peru.	1823.	4. 7.	G. h.	
93	reticulata. DC.	(ye.) netted.	C. B. S.	1816.	4. 6.	G. h.	Pluk. alm. t. 123. f. 2.

94 pulchella. DC. (ye.) zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. t. 212.
95 hispidissima. DC. (ye.) hispid.	_____	1824.	4. 6.	G. h.	
96 detinens. DC. (ye.) detaining.	C. B. S.	1816.	6. 10.	I. h.	
97 viridiramis. DC. (ye.) green-branched.	_____	_____	4. 6.	I. h.	
98 cassioides. DC. (ye.) Cassia-like.	S. America.	1822.	_____	S. h.	
99 diptera. DC. (ye.) two-winged.	_____	_____	....	S. h.	
100 lophanthoides. DC. (st.) crested.	Jamaica.	1826.	5. 6.	S. h.	
101 lophantha. DC. (st.) two-spiked.	N. Holland.	1803.	11. 4.	G. h.	Bot. reg. t. 361.
<i>Mimosa elegans</i> . Andr. reposit. 563.					
102 guianensis. DC. (wh.) Guiana.	Guiana.	1803.	....	S. h.	Aubl. guian. 2. t. 357.
103 elephantina. B.T. (ye.) Elephant.	C. B. S.	1816.	....	I. h.	
104 pulcherrima. DC. (re.) beautiful.	Brazil.	1826.	....	S. h.	
105 aspidioides. DC. (wh.) Aspidium-leav'd.	Guiana.	1827.	....	S. h.	
106 dealbata. DC. (ye.) white-leaved.	V. Diem. Isl.	1818.	3. 6.	G. h.	Bot. reg. t. 371.
<i>decurrens</i> $\beta$ <i>mollis</i> . B.R.					
107 Wallichiana. DC. (ye.) Wallich's.	E. Indies.	1827.	....	S. h.	
108 adenanthera. H.B. . . . perennial.	_____	1825.	....	S. h.	
109 ferruginea. DC. (wh.) ferruginous.	_____	_____	....	S. h.	
110 Sûndra. DC. (ye.) hook-spined.	_____	1789.	5. 6.	S. h.	Roxb. corom. 3. t. 225.
111 Sûma. H.B. (ye.) Shumee-tree.	_____	1822.	_____	S. h.	
112 Catêchu. DC. (ye.) medicinal.	_____	1790.	_____	S. h.	Roxb. corom. 2. t. 175.
113 fasciculata. DC. (wh.) fascicled.	Mexico.	1828.	....	S. h.	Kth. mim. 75. t. 23.
114 caffra. DC. (ye.) Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
115 Senegal. DC. (wh.) Senegal.	Africa.	1823.	....	S. h.	
116 cornigera. DC. (ye.) Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	
<i>a americana</i> . DC. (ye.) brown-spined.					
$\beta$ <i>indica</i> . DC. (ye.) yellow-spined.					
117 latronum. DC. (wh.) white-spined.	E. Indies.	_____	_____	S. h.	
118 Séyal. DC. (ye.) Egyptian.	Egypt.	1828.	....	G. h.	Delil. fl. eg. t. 52. f. 2.
119 hîrîda. DC. (ye.) common-cape.	C. B. S.	1823.	3. 5.	I. h.	Pluk. t. 121. f. 4.
<i>Mimosa leucacantha</i> . Jacq. <i>capensis</i> . B.T.					
120 eburnea. DC. (ye.) ivory-thorned.	E. Indies.	1792.	4. 6.	S. h.	Roxb. corom. 2. t. 199.
121 tortuosa. DC. (st.) twisted.	Jamaica.	1822.	....	S. h.	
122 Burmanniana. DC. (st.) Burmann's.	E. Indies.	1824.	....	S. h.	
123 vera. DC. (ye.) Egyptian-thorn.	Egypt.	1596.	7. 8.	I. h.	Vest egypt. t. 8.
<i>Mimosa nilotica</i> . L.					
124 arabica. DC. (ye.) Gum Arabic.	Arabia.	....	6. 8.	S. h.	Roxb. corom. 2. t. 149.
125 hebeclada. DC. (ye.) stoloniferous.	C. B. S.	1816.	4. 6.	I. h.	
<i>stolonifera</i> . B.T.					
126 maurocæna. DC. (wh.) Marocca.	Marocca.	....	_____	G. h.	
127 farnesiàna. DC. (ye.) Sponge-tree.	St. Domingo.	1656.	6. 8.	I. h.	Duham. ar. ed. n. 2. t. 28.
128 álba. DC. (wh.) white.	E. Indies.	1828.	....	S. h.	
129 álbicans. DC. (wh.) whitish.	Mexico.	1827.	....	S. h.	Kth. mim. 87. t. 27.
130 leucophlæa. DC. (st.) panicked.	E. Indies.	1812.	4. 6.	S. h.	Roxb. corom. 2. t. 150.
131 hæmatóxydon. DC. (ye.) hoary.	C. B. S.	1816.	....	S. h.	
<i>atomiphylla</i> . B.T.					
132 tomentosa. DC. (st.) tomentose.	E. Indies.	_____	5. 7.	S. h.	
133 índica. DC. (ye.) Indian.	_____	1824.	....	S. h.	
134 flexuosa. DC. (ye.) flexuose.	Cumana.	1822.	....	S. h.	
135 peruviana. DC. (ye.) Peruvian.	Peru.	_____	....	S. h.	
136 brachyacantha. DC. . . short-spined.	S. America.	1816.	....	S. h.	
137 ciliata. DC. . . . fringed.	_____	1823.	....	S. h.	
138 aciculâris. DC. . . . needle-spined.	_____	_____	....	S. h.	
139 Giráffæ. DC. (ye.) Camelopard's.	C. B. S.	1816.	....	I. h.	
140 rhodacantha. DC. (ye.) red-spined.	_____	_____	....	S. h.	
141 heteracantha. DC. (ye.) various-spined.	C. B. S.	_____	....	I. h.	
142 Bancroftiana. DC. (st.) Bancroft's.	Jamaica.	1826.	....	S. h.	
143 polycéphala. DC. (wh.) many-headed.	Mauritius.	_____	....	S. h.	
144 subinermis. DC. (ye.) scarcely spiny.	Jamaica.	_____	....	S. h.	
145 edulis. W. en. . . . eatable.	S. America.	1822.	....	S. h.	
146 acanthocarpa. DC. (bh.) prickly-podd'd.	New Spain.	1818.	4. 7.	F. h.	
<i>Mimosa aculeaticarpa</i> . P.S.					
147 acantholoba. DC. (st.) prickly-fruited.	S. America.	1822.	....	S. h.	
148 conefina. DC. (bh.) neat.	E. Indies.	1794.	6. 8.	S. h.	
149 tamarindifolia. DC. (wh.) Tamarind-ld.	W. Indies.	1774.	....	S. h.	Jacq. schœnb. 3. t. 396.
150 Íntsia. DC. (st.) angular-stalked.	E. Indies.	1773.	6. 8.	S. h.	Rheed. mal. 6. t. 4.
151 pennata. DC. (ye.) fine-leaved.	_____	1773.	_____	S. h.	Burm. zeyl. 2. t. 1.
152 cæsia. DC. (wh.) gray.	_____	_____	_____	S. h.	Pluk. mant. 1. t. 330. f. 3.
153 centrophylla. DC. (wh.) prickly-leaved.	Jamaica.	1826.	_____	S. h.	

154	Courantiàna, DC.	(wh.) Courant's.	.....	1824.	6. 8.	S. h.	
155	arróphula, DC.	(wh.) Nepaul.	Nepaul.	1823.	....	G. h.	
156	scándens, DC.	.... climbing.	Brazil.	1826.	....	S. h.	✓
157	sarmentósa, DC.	.... trailing.	.....	.....	....	S. h.	
158	trichòdes, DC.	(wh.) warted-stalked.	Caracas.	1824.	6. 8.	S. h.	Jacq. schœnb. 3. t. 394.
159	formósa, DC.	(wh.) handsome.	Mexico.	1826.	....	S. h.	Kth. mim. t. 32.
160	nigricans, DC.	(st.) unequal-winged.	N. Holland.	1803.	5. 7.	G. h.	Bot. mag. t. 2188.
161	strigósa, DC.	(ye.) ciliate-winged.	.....	.....	3. 6.	G. h.	
	<i>ciliata</i> , H.K. nec aliorum.						
162	vàga, DC.	(st.) Brazilian.	Brazil.	1823.	....	S. h.	Mareg. bras. p. 111. f. 1.
163	Lébbeck, DC.	(pa.) Egyptian.	Egypt.	....	4. 6.	G. h.	Pluk. mant. 2. t. 331. f. 1.
164	prócera, DC.	(pa.) lofty.	Coromandel.	1824.	....	S. h.	Roxb. corom. 2. t. 121.
165	odoratíssima, DC.	(pa.) fragrant.	.....	1790.	4. 6.	S. h.	..... 2. t. 120.
166	speciòsa, DC.	(wh.) splendid.	E. Indies.	1742.	8. 9.	S. h.	Jacq. ic. 1. t. 198.
167	glàuca, DC.	(wh.) glaucous.	S. America.	1690.	6. 9.	S. h.	Trew ehret. t. 46.
168	leucocéphala, DC.	(wh.) white-headed.	.....	1818.	4. 6.	S. h.	
169	latisiliqua, DC.	(wh.) broad-podded.	W. Indies.	1777.	3. 6.	S. h.	Plum. ed. Burm. t. 6.
170	portoricénsis, DC.	(wh.) Porto Rico.	Porto Rico.	1820.	....	S. h.	Jacq. ic. 3. t. 633.
171	caracasàna, DC.	(pu.) Caracas.	Caracas.	1823.	....	S. h.	..... 3. t. 632.
172	Lambertiàna, DC.	(pu.) Mr. Lambert's.	Mexico.	1820.	7. 9.	G. h.	Bot. reg. t. 721.
173	tetragòna, DC.	(wh.) square-stalked.	Caracas.	1822.	....	S. h.	
174	quadrangulàris, DC.	(wh.) quadrangular.	.....	1816.	5. 7.	S. h.	Bot. mag. t. 2651.
175	discolor, DC.	(ye.) two-coloured.	N. S. W.	1788.	3. 6.	G. h.	..... t. 1750.
	<i>Mimosa discolor</i> , Andr. reposit. t. 235. <i>Mimosa botrycéphala</i> , Vent. cels. t. 1.						
176	angulàta, DC.	(ye.) angular.	N. Holland.	1824.	4. 6.	G. h.	
177	pubéscens, DC.	(ye.) hairy-stemmed.	N. S. W.	1790.	3. 6.	G. h.	Bot. mag. t. 1263.
178	filicina, DC.	(wh.) fern-leaved.	Mexico.	1825.	4. 6.	G. h.	Cavan. ic. 1. t. 78.
179	villósa, DC.	(wh.) vilous.	Jamaica.	1826.	.....	S. h.	
180	frondósa, DC.	(wh.) frondose.	E. Indies.	1816.	....	S. h.	
181	venústa, W. en.	(wh.) charming.	S. America.	.....	....	S. h.	
182	stipulàta, DC.	(ye.) stipuled.	Bengal.	1820.	5. 6.	S. h.	
183	divaricàta, DC.	(wh.) straddling.	E. Indies.	.....	.....	S. h.	Jacq. schœnb. t. 395.
184	umbellulífera, DC.	(wh.) small-umbell'd.	Mexico.	1825.	.....	G. h.	Kth. mim. t. 31.
185	arbórea, DC.	(bh.) tree.	Jamaica.	1768.	.....	S. h.	Sloan. his. 2. t. 182. f. 1. 2.
186	amàra, DC.	(wh.) bitter.	Coromandel.	1823.	4. 6.	S. h.	Roxb. corom. 2. t. 122.
187	Nemù, DC.	(bh.) Japan tree.	Japan.	.....	....	G. h.	Banks ic. Kæmpf. t. 19.
188	Julibrissin, DC.	(bh.) smooth tree.	Levant.	1745.	8. 9.	H. h.	Scop. insub. 1. t. 8.
189	polyphylla, DC.	(wh.) many-leaved.	St. Martha.	1826.	6. 9.	S. h.	
190	decúrrens, DC.	(ye.) decurrent.	N. S. W.	1790.	5. 7.	G. h.	Vent. malm. t. 61.
191	mollíssima, DC.	(ye.) soft-leaved.	.....	1818.	4. 6.	G. h.	Swt. flor. aust. t. 12.
192	esculéna, DC.	(wh.) eatable.	New Spain.	1829.	....	S. h.	Flor. mexic. ic. ined.
193	peregrina, DC.	(wh.) white-flowered.	S. America.	1780.	7. 8.	S. h.	Kth. mim. t. 30.
194	gràta, DC.	(wh.) grateful.	Brazil.	1828.	....	S. h.	
195	microphylla, DC.	(wh.) small-leaved.	Caracas.	1826.	....	S. h.	
196	chrysostáchys, (ye.)	golden-spiked.	Mauritius.	1823.	....	S. h.	
197	lúcida, H. B.	.... glossy.	E. Indies.	1816.	....	S. h.	
198	Sirissa, H. B.	(wh.) Shireesh.	.....	.....	....	S. h.	
199	elàta, H. B.	(wh.) tall.	.....	1820.	....	S. h.	
200	Kalkòra, H. B.	(wh.) large.	.....	.....	....	S. h.	
201	Smithiàna, H. B.	.... Smith's.	Silhet.	1823.	....	S. h.	
202	semicordàta, H. B.	(wh.) semicordate.	E. Indies.	.....	....	S. h.	
203	fruticòsa, H. B.	(wh.) frutescent.	China.	1820.	5. 6.	G. h.	
204	pedunculàta, H. B.	(wh.) peduncled.	E. Indies.	1822.	....	S. h.	
205	triquètra, H. B.	(wh.) triquetrous.	Coromandel.	1824.	....	S. h.	
206	robústa, B. T.	(ye.) robust.	C. B. S.	1816.	....	I. h.	
207	litakunénsis, B. T.	(ye.) Litakun.	.....	.....	....	I. h.	
208	guilandinæfólia, (gr.)	Guilandina-ld.	N. Holland.	1818.	7. 9.	I. h.	

Subordo IV. CÆSALPINEÆ.

Tribus V. GEOFFREÆ. DC. prodr. 2. p. 473.

ARACHIS, DC.	EARTH-NUT.	Diadelphia Decandria, L				
1 hypog'æa, DC.	(ye.) American.	S. America.	1712.	5. 6.	H. ⊙.	Trew ehret. t. 3. f. 3.
2 africàna, w.	(ye.) African.	Africa.	1824.	.....	H. ⊙.	

- VOANDZE'IA. DC. VOANDZE'IA. Diadelphia Decandria.  
subterranea. DC. (*ye.*) subterraneous. Madagascar. 1820. 6. 8. S. ☉. DC. leg. me. t. 20. f. 106.  
*Glycine subterranea*. Linn. dec. 37. t. 17.
- PERALTEA. DC. PERALTEA. Diadelphia Decandria.  
lupinoides. DC. (*pu.*) Lupine-like. New Spain. 1827. 9. 11. F. ♀. H. et B. n. gen. 6. t. 589.
- BRONGNIA'RTIA. DC. BRONGNIA'RTIA. Diadelphia Decandria.  
podalyrioides. DC. (*fl.*) Podalyria-like. New Spain. 1827. 9. 11. F. ♀. H. et B. n. gen. 6. t. 588.
- AND'IRA. DC. AND'IRA. Diadelphia Decandria.  
1 racemosa. DC. (*pu.*) racemed. Brazil. 1824. .... S. ♀. Aubl. gui. sup. t. 373.  
2 inermis. DC. (*pu.*) bastard cabbage-tree. Jamaica. 1778. .... S. ♀. Phil. trans. 1777. t. 10.
- GEOFFRO'YA. DC. GEOFFRO'YA. Diadelphia Decandria.  
1 spinosa. DC. (*st.*) spiny. S. America. 1823. .... S. ♀. Jacq. amer. t. 180. f. 62.  
2 Bredemeyeri. DC. (*ye.*) striated. Caracas. 1824. .... S. ♀.
- Robinia striata*. w.
- 3 violacea. DC. (*vi.*) violet. Guiana. 1827. .... S. ♀. Aubl. guian. t. 301.
- BRO'WNEA. DC. BRO'WNEA. Monadelphia Dec-Dodecandria.  
1 Rosa. DC. (*ro.*) mountain Rose. Trinidad. 1816. .... S. ♀. Ber. act. ang. 1771. t. 8-9.  
*speciosa*. Sieber.
- 2 coccinea. DC. (*sc.*) scarlet-flower'd. W. Indies. 1793. 7. 9. S. ♀. Jacq. amer. t. 121.  
3 latifolia. DC. (*ro.*) broad-leaved. Caracas. 1826. .... S. ♀. Jacq. fragm. t. 17.  
4 racemosa. DC. (*ro.*) racemed. \_\_\_\_\_ t. 18-19.  
5 grandiceps. DC. (*ro.*) rose-headed. \_\_\_\_\_ 1828. .... S. ♀. \_\_\_\_\_ t. 22-23.
- DIP'TERIX. DC. TONQUIN BEAN. Monadelphia Octo-Decandria.  
odorata. DC. (*pu.*) sweet-scented. Guiana. 1793. .... S. ♀. Aubl. guian. 3. t. 296.  
*Coumarouna odorata*. Aubl. *Baryosma Tonga*. Gært. fruct. 2. t. 93.

## Tribus X. CASSIÆ. DC. prodr. 2. p. 478.

- MORINGA. DC. HORSE-RADISH-TREE. Decandria Monogynia.  
1 pterigospërma. DC. (*st.*) wing-seeded. E. Indies. 1759. .... S. ♀. Jacq. ic. 3. t. 461.  
*oleifera*. Lam. *Zeylanica*. P. s. *Hyperanthera Moringa*. Vahl. *Guilandina Moringa*. L.
- 2 polygona. DC. (*st.*) many-sided. \_\_\_\_\_ 1822. .... S. ♀.
- GLEDI'TSCHIA. DC. GLEDI'TSCHIA. Polygamia Diœcia. L.  
1 triacanthos. DC. (*gr.*) three-thorned. N. America. 1700. 6. 8. H. 5. Wats. dend. brit. 2. t. 138.  
*β inermis*. DC. (*gr.*) spineless. \_\_\_\_\_ H. 5. DC. leg. mem. t. 22. f. 109
- 2 brachycarpa. DC. (*gr.*) curved-spined. \_\_\_\_\_ H. 5. Mich. f. arb. 3. t. 10.  
3 monospërma. DC. (*gr.*) single-seeded. \_\_\_\_\_ 1723. \_\_\_\_\_ H. 5. DC. leg. mem. 1. t. 1.  
4 sinensis. DC. (*gr.*) Chinese. China. 1774. \_\_\_\_\_ H. 5.  
*horrída*. w.
- 5 macracantha. DC. (*gr.*) large-spined. \_\_\_\_\_ H. 5.  
6 ferox. DC. (*gr.*) flat-spined. \_\_\_\_\_ H. 5.  
*orientalis*. Bosc.
- 7 cáspica. DC. (*gr.*) Caspian. Caucasus. 1822. \_\_\_\_\_ H. 5.  
8 micracantha. L. C. (*gr.*) small-spined. \_\_\_\_\_ 1824. \_\_\_\_\_ H. 5.  
9 indica. DC. (*gr.*) Indian. E. Indies. 1812. .... S. ♀.  
10 l'avis. L. C. (*gr.*) smooth. \_\_\_\_\_ 1824. .... H. 5.  
11 latisiliqua. L. C. (*gr.*) broad-podded. \_\_\_\_\_ H. 5.
- GYMNOCLA'DUS. DC. KENTUCKY COFFEE-TREE. Diœcia Decandria.  
canadensis. DC. (*wh.*) Canadian. N. America. 1748. 5. 6. H. 5. Mich. amer. 2. t. 51.  
*Guilandina dioica*. L.
- GUILAND'INA. DC. NICKER-TREE. Decandria Monogynia. L.  
1 Bõnduc. L. T. (*ye.*) Sumatra. Sumatra. 1640. .... S. ♀. Rumph. amb. 5. t. 48.  
2 Bonducella. L. T. (*ye.*) common. E. Indies. \_\_\_\_\_ S. ♀. Schrank. h. mon. t. 68.  
3 microphylla. DC. .... small-leaved. \_\_\_\_\_ S. ♀. Rumph. amb. 5. t. 49. f. 2?
- COULT'ERIA. DC. COULT'ERIA. Decandria Monogynia.  
1 tinctõria. DC. (*ye.*) dyer's. Peru. 1818. .... S. ♀. H. et B. n. ge. am. 6. t. 569.  
*Poinciana Tára*. R. P. *Casalpinea pectinata*. Cavan.
- 2 mexicana. DC. (*ye.*) Mexican. New Spain. 1826. .... S. ♀. Flor. mexic. ic. ined.
- C'ESALPINIA. DC. BRASILE'TTO. Decandria Monogynia. L.  
1 Nûga. DC. (*ye.*) acute-leaved. Amboyna. 1801. 4. 6. S. ♀. Rumph. amb. 5. t. 50.  
2 paniculata. DC. (*ye.*) panicked. E. Indies. 1812. .... S. ♀. Rheed. mal. 6. t. 19.  
3 brasiliensis. DC. (*ye.*) Brazilian. Brazil. 1818. 4. 6. S. ♀.  
4 Sappán. DC. (*ye.*) narrow-leaved. E. Indies. 1773. \_\_\_\_\_ S. ♀. Roxb. corom. 1. t. 16.

5	dig'yna. DC.	(ye.) digynous.	E. Indies.	1828.	....	S. h.	Will.n.ac.1803.v.4.t.3.
6	mimosoides. DC.	(ye.) Mimosa-leaved.	_____	1806.	5. 7.	S. h.	Rheed. mal. 6. t. 8.
7	bijûga. DC.	(ye.) broad-leaved.	Jamaica.	1770.	6. 9.	S. h.	Sloan. j. 2. t. 181. f. 2. 3.
8	bahamensis. DC.	(wh.) emarginate.	Bahama.	1823.	....	S. h.	Catesb. car. 2. t. 51.
9	Crista. DC.	(ye.) oval-leaved.	Jamaica.	....	4. 6.	S. h.	Plum. gen. 28. t. 9.
10	glandulosa. DC.	(ye.) glandular.	St. Domingo.	1828.	....	S. h.	
11	Cacalaco. DC.	(ye.) round-leaved.	Mexico.	1826.	....	S. h.	H. et B. pl. æq. 2. t. 137.
12	coriaria. DC.	(ye.) leathery.	W. Indies.	_____	....	S. h.	Kth. mim. t. 45.
13	lebbekkoïdes. DC.	(ye.) Lebbek-podd'd.	China.	1812.	....	S. h.	
14	punctata. DC.	(ye.) dotted-leaved.	Brazil.	1818.	....	S. h.	
15	procera. s.s.	(ye.) tall.	Cuba.	1822.	....	S. h.	
16	cassioïdes. DC.	(ye.) Cassia-like.	S. America.	1823.	....	S. h.	
17	mucronata. DC.	(ye.) mucronate.	Brazil.	_____	....	S. h.	
18	olæospërma. H.B.	(ye.) oil-seeded.	E. Indies.	1800.	5. 6.	S. h. (✓)	
19	cucullata. H.B.	(ye.) hooded.	_____	1822.	....	S. h. (✓)	
20	sepiaria. H.B.	(ye.) Mysore-thorn.	_____	1806.	6. 9.	S. h. (✓)	
21	resupinata. H.B.	(ye.) resupinate.	_____	1828.	....	S. h. (✓)	
22	enneaphylla. H.B.	(ye.) nine-leaved.	_____	1812.	....	S. h. (✓)	
23	chinensis. H.B.	(ye.) Chinese.	China.	_____	....	S. h. (✓)	
24	tortuosa. H.B.	(ye.) twisting.	E. Indies.	1822.	....	S. h. (✓)	
25	sumatrana. H.B.	(ye.) Sumatra.	_____	_____	....	S. h. (✓)	
<b>POINCIANA. DC. FLOWER FENCE. Decandria Monogynia. L.</b>							
1	règia. B.M.	(sc.) superb.	Madagascar.	1827.	....	S. h.	Bot. mag. t. 2884.
2	pulcherrima. DC.	(or.) Barbadoes.	E. Indies.	1691.	6. 9.	S. h.	_____ t. 995.
3	elata. DC.	(ye.) fringe-petal'd.	_____	1778.	_____	S. h.	
<i>Casalpinia elata. s.s.</i>							
<b>HOFFMANSEGGIA. DC. HOFFMANSEGGIA. Decandria Monogynia.</b>							
1	falcaria. DC.	(ye.) sickle-podded.	Chile.	1806.	7. 8.	F. 2.	Cavan. ic. t. 392.
2	prostrata. DC.	(ye.) prostrate.	Lima.	1824.	_____	F. 2.	
<b>MELANOSTICTA. DC. MELANOSTICTA. Decandria Monogynia.</b>							
	Burchellii. DC.	(ye.) Burchell's.	C. B. S.	1816.	....	G. h.	DC. leg. mem. t. 69.
<b>POMARIA. DC. POMARIA. Decandria Monogynia.</b>							
	glandulosa. DC.	(ye.) glandular.	New Spain.	1826.	5. 6.	G. h.	Cavan. ic. 5. t. 402.
<b>HÆMATOXYLON. D. LOGWOOD. Decandria Monogynia. L.</b>							
	campechianum. DC.	(ye.) common.	S. America.	1724.	....	S. h.	Catesb. car. 2. t. 66.
<b>PARKINSONIA. DC. PARKINSONIA. Decandria Monogynia. L.</b>							
	aculeata. DC.	(ye.) prickly.	W. Indies.	1739.	6. 9.	S. h.	Jacq. amer. t. 80.
<b>CA'DIA. DC. CA'DIA. Decandria Monogynia.</b>							
	varia. DC.	(bh.) various-colour'd.	Arabia.	1755.	7. 10.	S. h.	Picc. hort. pan. 9. ic.
<i>purpurea. w. Spandoncea tamarindifolia. Desf.</i>							
<b>CERATONIA. DC. CAROB-TREE. Polygamia Diœcia.</b>							
	Siliqua. DC.	(gr.) St. John's bread.	Levant.	1570.	9. 10.	G. h.	Andr. reposit. 567.
<b>HARDWICKIA. DC. HARDWICKIA. Oct-Decandria Monogynia.</b>							
1	binata. DC.	(ye.) binate-leaved.	E. Indies.	1824.	....	S. h.	Roxb. corom. t. 209.
2	pinnata. DC.	(ye.) pinnate-leaved.	_____	1826.	....	S. h.	
<b>JONÆSIA. DC. JONÆSIA. Octandria Monogynia.</b>							
	Asoca. DC.	(or.) winged-leaved.	E. Indies.	1796.	4. 6.	S. h.	Rheed. mal. 5. t. 59.
<i>pinnata. w. Saraca indica. L.</i>							
<b>TACHIGALIA. DC. TACHIGALIA. Decandria Monogynia.</b>							
	paniculata. DC.	(ye.) panicked.	Guiana.	1827.	....	S. h.	Aubl. guian. 1. t. 143. f. 1.
<b>MOLDENHAWERA. DC. MOLDENHAWERA. Decandria Monogynia.</b>							
	floribunda. DC.	(ye.) many-flowered.	Brazil.	1828.	....	S. h.	Neuw. reis. v. 2. ic.
<b>TAMARINDUS. DC. TAMARIND-TREE. Monadelphia Triandria.</b>							
1	indica. DC.	(ye.) East Indian.	E. Indies.	1633.	6. 7.	S. h.	Rheed. mal. 1. t. 23.
2	occidentalis. DC.	(ye.) West Indian.	W. Indies.	_____	_____	S. h.	Jacq. amer. t. 10.
<b>CA'SSIA. DC. CA'SSIA. Decandria Monogynia. L.</b>							
1	brasiliãna. DC.	(ye.) large.	Brazil.	1822.	....	S. h.	Breyn. cent. t. 21.
<i>grãndis. L. mollis. Vahl. Cathartocarpus grandis. P.s.</i>							
2	ferruginea. DC.	(ye.) ferruginous.	Brazil.	1828.	....	S. h.	
3	Roxburghii. DC.	(ye.) Roxburgh's.	Coromandel.	1823.	6. 7.	S. h.	
<i>marginatus. H.B. non w.</i>							
4	trinitatis. DC.	(ye.) Trinidad.	Trinidad.	1824.	....	S. h.	
5	javanica. DC.	(fl.) Java.	Java.	1779.	6. 7.	S. h.	Rumph. amb. 2. t. 22.
6	Fistula. DC.	(ye.) purging.	E. Indies.	1731.	_____	S. h.	Woodv. med. bot. t. 163.
7	rhombifolia. H.B.	(ye.) rhomb-leaved.	_____	1820.	_____	S. h.	
8	nodosa. H.B.	(ye.) knotted.	_____	1824.	_____	S. h.	
9	conspicua. G.D.	(ye.) drumstick-tree.	Sierra Leon.	1822.	....	S. h.	
10	bacillaris. DC.	(ye.) smooth.	Surinam.	1818.	_____	S. h.	Houst. rel. t. 17.
<i>Cathartocarpus Bacillus. Bot. Reg. t. 881.</i>							

11	speciōsa. DC.	(ye.) handsome.	Brazil.	1828.	6. 8.	S. h.	
12	melanocárpa. DC.	(ye.) black-podded.	Jamaica.	1825.	—	S. h.	
13	corymbōsa. DC.	(ye.) corymbose.	Buenos Ayres.	1796.	7. 8.	S. h.	Bot. mag. t. 633.
14	floribúnda. DC.	(ye.) many-flowered.	New Spain.	1822.	5. 8.	S. h.	
15	lævigáta. DC.	(ye.) smooth.	—	1811.	—	S. h.	
16	péndula. DC.	(ye.) pendulous.	S. America.	1820.	...	S. h.	
17	torōsa. DC.	(ye.) twisted.	China.	1807.	5. 7.	G. h.	Jacq. ic. 1. t. 73.
	<i>chinénsis.</i> Jacq.	non Lam.	—	—	—	—	
18	chinénsis. DC.	(ye.) Chinese.	—	—	—	G. h.	
19	gigántea. DC.	(ye.) gigantic.	Jamaica.	1825.	...	S. h.	
20	coromandeliana. DC.	(or.) Coromandel.	Coromandel.	1822.	5. 7.	S. h.	Jacq. fragm. t. 100.
21	Sòphera. DC.	(ye.) round-podded.	E. Indies.	1653.	7. 9.	S. h.	Burm. zeyl. t. 98.
22	aláta. DC.	(ye.) winged-podded.	S. America.	1731.	...	S. h.	Jacq. obs. 2. t. 45. f. 2.
23	Rumphiana. DC.	(ye.) Rumphius's.	E. Indies.	1822.	...	S. h.	Rumph. amb. 7. t. 18.
24	bracteáta. DC.	(ye.) bracteate.	Surinam.	—	...	S. h.	
25	obováta. DC.	(ye.) obovate-leaved.	Egypt.	1640.	7. 9.	G. ⊙	Jacq. f. ecl. 1. t. 87.
	<i>Sénna.</i> Lam. ill. t. 332. f. 2.						
26	lanceoláta. DC.	(ye.) spear-leaved.	—	1759.	6. 8.	G. ⊙	Tabern. ic. 507.
	<i>orientális.</i> P. s. <i>acutifolia.</i> Delil. ill. eg. 75. t. 27. f. 1.						
27	ligustrinoides. DC.	(ye.) Privet-like.	Arabia.	1829.	—	G. h.	
28	Browniana. DC.	(ye.) Brown's.	Mexico.	1828.	...	S. h.	Kth. mim. t. 41.
29	cuspidáta. W. en.	(ye.) sharp-pointed.	S. America.	1820.	5. 7.	S. h.	
30	sericea. DC.	(ye.) silky-leaved.	—	1731.	5. 8.	S. ⊙	Jacq. ic. 3. t. 459.
	<i>sensitiva.</i> Jacq.						
31	obtusifolia. DC.	(ye.) blunt-leaved.	Jamaica.	1732.	7. 8.	S. ⊙	Dill. elth. t. 62. f. 72.
32	húmilis. DC.	(ye.) dwarf.	S. America.	...	—	S. ⊙	Plum. ed. Burm. t. 76. f. 2.
33	Tōra. DC.	(st.) oval-leaved.	E. Indies.	1693.	—	S. ⊙	Dill. elth. t. 63. f. 73.
34	toroídes. H. B.	(st.) Mysore.	—	1812.	—	S. ⊙	
35	ciliáris. DC.	(ye.) fringe-stipuled.	—	—	—	S. ♂	
36	Tágera. DC.	(ye.) long-podded.	—	1803.	—	S. ♂	Rheed. mal. 2. t. 53.
37	venústula. DC.	(ye.) pretty.	Cumana.	1825.	—	S. h.	
38	aversiflōra. B. M.	(ye.) contrary-flow'd.	Brazil.	1823.	4. 12.	S. h.	Bot. mag. t. 2638.
39	vimínea. DC.	(ye.) twiggy.	W. Indies.	1786.	6. 7.	S. h.	Sloan. jam. 2. t. 180. f. 67.
40	chrysoétricha. DC.	(ye.) golden-podded.	Guiana.	1828.	—	S. h.	Coll. mon. p. 99. t. 13.
41	Apoucouita. DC.	(ye.) acuminate.	—	1823.	—	S. h.	Aubl. gui. 1. t. 146.
	<i>acumináta.</i> w. non Moench.						
42	sennoídes. DC.	(ye.) Senna-leaved.	E. Indies.	1808.	7. 8.	S. h.	Jacq. ic. 1. t. 70.
43	bicapsuláris. DC.	(ye.) six-leaved.	W. Indies.	1730.	5. 6.	S. h.	Bot. mag. t. 633.
44	mollíssima. DC.	(ye.) soft-leaved.	S. America.	1816.	7. 8.	S. h.	
45	artemisioides. DC.	(ye.) Wormwood-like.	N. S. W.	1823.	4. 7.	G. h.	
46	glutinōsa. DC.	(ye.) glutinous.	N. Holland.	—	—	G. h.	
47	oxyadēna. DC.	(ye.) acute-glanded.	Jamaica.	1820.	—	S. h.	
48	díspar. DC.	(ye.) various-leaved.	S. America.	1822.	5. 8.	S. h.	
49	acapulcēnsis. DC.	(ye.) Acapulco.	Mexico.	1824.	—	S. h.	
50	sulfúrea. DC.	(st.) straw-coloured.	E. Indies.	1800.	—	S. h.	Rheed. mal. 6. t. 9-10.
	<i>arborescens.</i> Vahl. non Miller.						
51	coluteoides. DC.	(ye.) Colutea-like.	.....	....	—	S. h.	Coll. mon. 102. t. 12.
52	Barclayana. S. F. A.	(ye.) Mr. Barclay's.	N. Holland.	1824.	6. 10.	G. h.	Swt. flor. aust. t. 32.
53	biflōra. DC.	(ye.) two-flowered.	W. Indies.	1766.	12. 4.	S. h.	Bot. mag. t. 810.
54	tomentōsa. DC.	(st.) tomentose.	S. America.	1822.	6. 8.	S. h.	Jacq. ic. 1. t. 72.
	<i>multiglandulōsa.</i> Jacq.						
55	mexicana. DC.	(ye.) Mexican.	Mexico.	1824.	—	S. h.	Jacq. schœnb. t. 203.
56	stipulácea. DC.	(ye.) large-stipuled.	Chile.	1786.	—	S. h.	Feuill. per. 3. t. 42.
57	auriculáta. DC.	(ye.) eared.	E. Indies.	1777.	7. 9.	S. h.	Pluk. alm. t. 314. f. 4.
58	frondōsa. DC.	(ye.) smooth shrubby.	W. Indies.	1769.	3. 4.	S. h.	Jacq. ic. 1. t. 74.
59	austrális. B. M.	(ye.) New Holland.	N. Holland.	1820.	5. 12.	I. h.	Bot. mag. t. 2670.
60	polyphylla. DC.	(ye.) many-leaved.	Portorico.	1828.	6. 9.	S. h.	Jacq. ic. t. 460.
61	margináta. DC.	(ye.) white-edged.	Surinam.	1822.	—	S. h.	
62	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1823.	7. 9.	G. ⊙	
63	esculēta. H. B.	(ye.) esculent.	E. Indies.	—	—	S. ⊙	
64	occidentális. DC.	(ye.) occidental.	W. Indies.	1759.	3. 8.	S. h.	Bot. reg. t. 83.
65	purpúrea. DC.	(ye.) purple-stalked.	E. Indies.	1823.	6. 11.	S. h.	— t. 856.
66	hirsúta. DC.	(ye.) hairy.	S. America.	1778.	7. 9.	S. h.	Jacq. schœnb. t. 270.
	<i>caracasana.</i> Jacq.						
67	lineáris. DC.	(ye.) linear-podded.	Carolina.	1828.	5. 7.	F. ♀	
68	pátula. DC.	(ye.) shining.	W. Indies.	1778.	8. 9.	S. h.	
69	pubescens. DC.	(ye.) pubescent.	.....	1818.	5. 8.	S. h.	Jacq. fragm. t. 57.
70	sulcáta. DC.	(ye.) furrowed.	S. America.	1826.	6. 8.	S. h.	Coll. mon. p. 110. t. 6.
71	ruscifolia. DC.	(ye.) Ruscus-leaved.	Caracas.	1816.	5. 7.	G. h.	Jacq. ic. 1. t. 71.

72	ligustrina. DC.	(ye.) Privet-leaved.	America.	1726.	6. 8.	S. h.	Bot. reg. t. 109.
73	robinioïdes. DC.	(ye.) Robinia-like.	S. America.	1820.	—	S. h.	
74	marylándica. DC.	(ye.) Maryland.	N. America.	1723.	8. 10.	H. ½.	Schkuhr hand. 1. t. 113.
75	latifolia. DC.	(ye.) broad-leaved.	Trinidad.	1826.	6. 8.	S. h.	
76	arborescens. DC.	(ye.) arborescent.	New Spain.	....	—	S. h.	
77	opaca. Gr.	(or.) dull-leaved.	S. America.	1825.	8. 12.	S. h.	
78	pulchélla. Boj.	(ye.) pretty.	Zanzibar.	1825.	7. 9.	S. h.	
79	Milléri. DC.	(ye.) Miller's.	Jamaica.	....	6. 8.	S. h.	
80	Houstoniána. DC.	(ye.) Houston's.	—	....	7. 10.	S. ⊙.	
81	Plumiéri. DC.	(ye.) Plumier's.	Guadaloupe.	1822.	—	S. h.	Plum. ed. Burm. t. 77.
	<i>planisiliqua</i> . Lam. non Linn.						
82	hirta. DC.	(ye.) hairy-branched.	S. America.	1822.	6. 9.	S. h.	
83	sumatrána. DC.	(ye.) Sumatra.	Sumatra.	1823.	—	S. h.	
84	formosa.	(ye.) beautiful.	E. Indies.	—	—	S. h.	
	<i>speciosa</i> . H. B. non Schrader.						
85	emarginata. DC.	(ye.) notch-leaved.	Jamaica.	1759.	5. 6.	S. h.	Sloan. his. 2. t. 180. f. 1-4.
86	atomaria. DC.	(ye.) woolly-leaved.	S. America.	1822.	3. 8.	S. h.	
87	reticulata. DC.	(ye.) netted-leaved.	Brazil.	—	4. 6.	S. h.	
88	spectabilis. DC.	(ye.) showy.	Caracas.	1823.	5. 7.	S. h.	Coll. mon. p. 115. t. 7.
89	setigera. DC.	(ye.) seta-bearing.	E. Indies.	1826.	—	S. h.	
90	montana. DC.	(ye.) mountain.	—	1822.	—	S. h.	
91	A'busus. DC.	(sn.) four-leaved.	Ceylon.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
92	hispida. DC.	(ye.) hispid.	Cayenne.	1826.	—	S. ⊙.	
93	diphylla. DC.	(ye.) two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cavan. ic. 5. t. 600. f. 1.
94	bifoliolata. DC.	(ye.) two-leafleted.	Brazil.	1825.	—	S. h.	Coll. mon. 120. t. 9. f. B.
95	exigua. H. B.	(ye.) dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
96	gracilis. DC.	(ye.) slender.	S. America.	1816.	6. 8.	S. h.	Kth. mim. t. 36.
97	uniflora. DC.	(re.) one-flowered.	Brazil.	1824.	—	S. h.	
98	lineata. DC.	(ye.) lined.	Jamaica.	1820.	5. 7.	S. h.	
99	prostrata. DC.	(ye.) prostrate.	S. America.	1823.	7. 9.	S. h.	
100	triflora. DC.	(ye.) three-flowered.	.....	1825.	—	S. ⊙.	Jacq. schœnb. t. 480.
101	Burmánni. DC.	(ye.) Burmann's.	C. B. S.	1816.	—	G. h.	
102	virgata. DC.	(ye.) slender-twigg'd.	Jamaica.	1820.	5. 8.	S. h.	
103	nictitans. DC.	(ye.) Virginian.	N. America.	1800.	7.	G. ♂.	Linn. hort. cliff. t. 36.
104	chamæcrista. DC.	(ye.) dwarf.	America.	1699.	6. 9.	G. ♂.	Bot. mag. t. 157.
105	chamæcristoides. DC.	(ye.) large-flow'd.	Vera Cruz.	....	—	S. h.	
106	stricta. Sck.	(ye.) straight.	Jamaica.	....	—	S. ♂.	Schk. hort. mon. t. 34.
107	glandulosa. DC.	(ye.) glandular.	W. Indies.	1822.	—	S. ♂.	
108	mimosoides. DC.	(ye.) Mimosa-leaved.	E. Indies.	1806.	—	S. ⊙.	
109	capensis. DC.	(ye.) Cape.	C. B. S.	1816.	4. 6.	G. h.	Coll. mon. 124. t. 19.
110	pumila. DC.	(ye.) small.	E. Indies.	1820.	7. 10.	S. ⊙.	Pluk. alm. t. 120. f. 1.
111	procumbens. DC.	(ye.) procumbent.	N. America.	1806.	6. 9.	H. ⊙.	Comm. petrop. t. 11.
112	Wallichiana. DC.	(ye.) fine-leaved.	Nepaul.	1812.	—	S. ⊙.	
	<i>dimidiata</i> . D. P.						
113	ténera.	(ye.) small-branched.	E. Indies.	1818.	—	S. ♂.	
	<i>tenella</i> . H. B. non Kth.						
114	microphylla. DC.	(ye.) small-leaved.	W. Indies.	1822.	—	S. ⊙.	
115	Hornemánni. DC.	(ye.) Hornemann's.	.....	1827.	—	S. ⊙.	
	<i>venosa</i> . Horn. non Zucc.						
AFZ'ELIA. DC.	AFZ'ELIA. Octandria Monogynia.						
africana. DC.	(cr.) African.	Sierra Leone.	1821.	....	S. h.		
SCHO'TIA. DC.	SCHO'TIA. Decandria Monogynia.						
1	speciosa. DC.	(cr.) superb.	C. B. S.	1759.	7. 12.	I. h.	Andr. reposit. t. 348.
2	tamarindifolia. DC.	(cr.) Tamarind-leaf'd.	—	1795.	5. 9.	I. h.	Bot. mag. t. 1153.
3	stipulata. DC.	(cr.) falcate-stipuled.	—	1794.	—	I. h.	
4	alata. DC.	(re.) winged.	—	1816.	6. 7.	I. h.	
5	uplicifolia. DC.	(re.) simple-leaved.	—	—	—	I. h.	
6	latifolia. DC.	(re.) broad-leaved.	—	—	5. 8.	I. h.	Hook. ex. flor. t. 159.
	<i>Omphalobium Schötia</i> . s. s. Jacq. ecl. ic.						
COPAIF'ERA. DC.	BALSAM OF CAPEVI. Decandria Monogynia. L.						
1	officinális. DC.	(st.) officinal.	S. America.	1774.	....	S. h.	H. et B. n. gen. 7. t. 659.
2	guianénsis. DC.	(st.) Guiana.	Guiana.	1826.	....	S. h.	
3	coriácea. DC.	(st.) leathery-leaved.	Brazil.	1824.	....	S. h.	
CYNOMETRA. DC.	CYNOMETRA. Decandria Monogynia. L.						
1	cauliflora. DC.	(re.) stem-flowered.	E. Indies.	1804.	....	S. h.	Rumph. amb. 1. t. 62.
2	ramiflora. DC.	(re.) branch-flowered.	—	1826.	....	S. h.	— 1. t. 63.
3	polyandra. DC.	(re.) many stamen'd.	—	1822.	....	S. h.	Roxb. corom. t. 286.
PARIV'OA. DC.	PARIV'OA. Diadelphia Decandria.						
grandiflora. DC.	(pu.) large-flowered.	Cayenne.	1816.	....	S. h.	Aubl. guian. 2. t. 303	
	<i>Dimorpha grandiflora</i> . Linn. trans. 9. t. 20.						

- O'UTEA. DC. O'UTEA. Tri-Tetrandria Monogynia.  
 1 guianénsis. DC. (*wh.*) Guiana. Guiana. 1827. .... S. ♀. Aubl. guian. 1. t. 9.  
 2 bijuga. DC. (*wh.*) two-paired. E. Indies. 1823. .... S. ♀. Linn. trans. 12. t. 17.  
*Macrolobium bijugum*. Linn. trans.
- VOU'APA. DC. VOU'APA. Triandria Monogynia.  
 bifolia. DC. .... two-leaved. Guiana. 1823. .... S. ♀. Aubl. guian. 1. t. 7.
- HYMEN'ÆA. DC. LOCUST-TREE. Decandria Monogynia.  
 1 Coūrbaril. DC. (*wh.*) leathery-leaved. S. America. 1688. 6. 8. S. ♀. Lam. ill. t. 330. f. 1.  
 2 Candolleana. DC. (*wh.*) Decandolle's. Mexico. 1825. .... S. ♀. H. et B. n. gen. 6. t. 566.  
 3 verrucosa. DC. (*wh.*) wart-podded. Madagascar. 1808. 6. 7. S. ♀. Lam. ill. t. 330. f. 2.
- BAUHI'NIA. DC. BAUHI'NIA. Monadelphia v. Decandria Monogynia.  
 1 divaricata. DC. (*wh.*) dwarf. W. Indies. 1742. 6. 9. S. ♀. Linn. hort. cliff. t. 15.  
 2 Lamarckiana. DC. (*wh.*) Lamarck's. S. America. .... S. ♀.  
 3 spathacea. DC. (*wh.*) spathaceous. New Spain. 1825. .... S. ♀.  
 4 subrotundifolia. DC. (*wh.*) round-leaved. S. America. 1816. 4. 6. S. ♀. Cavan. ic. 5. t. 406.  
 5 aurita. DC. (*wh.*) long-eared. Jamaica. 1756. 9. 10. S. ♀. Miller ic. t. 61.  
 6 porrecta. DC. (*wh.*) smooth-leaved. W. Indies. 1737. 7. 8. S. ♀. Bot. mag. t. 1708.  
 7 latifolia. DC. (*wh.*) broad-leaved. New Spain. 1825. .... S. ♀. Cavan. ic. t. 405.  
 8 candida. DC. (*wh.*) white-flowered. E. Indies. 1777. 5. 6. S. ♀.  
 9 acuminata. DC. (*wh.*) acute-leaved. .... 1808. 7. 8. S. ♀. Rheed. mal. 1. t. 34.  
 10 grandiflora. DC. (*wh.*) large-flowered. Peru. 1824. .... S. ♀.  
 11 aculeata. DC. (*wh.*) prickly-stalked. W. Indies. 1737. 6. 8. S. ♀. Plum. ed. Bur. t. 44. f. 1.  
 12 forficata. DC. (*wh.*) forked. Brazil. 1824. .... S. ♀.  
 13 emarginata. DC. (*wh.*) emarginate. Carthagenæ. .... S. ♀.  
 14 rufescens. DC. .... rufous. Africa. 1816. .... S. ♀.  
 15 parviflora. DC. (*wh.*) small-flowered. E. Indies. 1808. .... S. ♀.  
 16 Ungula. DC. (*wh.*) villous-leaved. Caracas. 1827. .... S. ♀. Jacq. fragm. t. 15. f. 1.  
*aculeata*. Jacq. amer. t. 177. f. 2.  
 17 variegata. DC. (*v.*) variegated-fl'd. E. Indies. 1690. 6. 7. S. ♀. Rheed. mal. 1. t. 32.  
 18 tomentosa. DC. (*st.*) tomentose. .... 1808. .... S. ♀. Burm. zeyl. t. 18.  
 19 pubescens. DC. (*wh.*) pubescent. W. Indies. 1824. .... S. ♀.  
 20 multinervia. DC. (*wh.*) many-nerved. Caracas. 1825. .... S. ♀.  
 21 racemosa. DC. .... large-leaved. E. Indies. 1790. .... S. ♀. Vahl. symb. 3. t. 62.  
 22 purpurea. DC. (*pu.*) purple. .... 1778. .... S. ♀. Rheed. mal. 1. t. 33.  
 23 retusa. DC. (*wh.*) retuse-leaved. .... 1822. .... S. ♀.  
 24 corymbosa. DC. (*wh.*) corymbose. China. 1816. .... S. ♀. DC. leg. mem. t. 70.  
 25 anguina. DC. (*wh.*) snake. E. Indies. 1818. .... S. ♀. Roxb. corom. 3. t. 285.  
*scandens*. L. *excl. synonym. Rumph.* Rheed. mal. 8. t. 30-31.
- 26 Lingua. DC. (*st.*) tongue-leaved. E. Indies. 1799. .... S. ♀. Rumph. amb. 5. t. 1.  
*scandens*. L. *excl. syn. Rheed.*
- 27 coccinea. DC. (*sc.*) scarlet-flowered. China. 1826. .... S. ♀.  
 28 guianénsis. DC. (*wh.*) Guiana. Guiana. 1824. .... S. ♀. Aubl. guian. 1. t. 145.  
 29 heterophylla. DC. (*wh.*) various-leaved. Caracas. 1824. .... S. ♀. Kth. mim. t. 46.  
 30 cumanénsis. DC. (*wh.*) Cumana. Cumana. .... 7. 8. S. ♀. Bot. reg. t. 1133.  
 31 anatómica. L. en. .... jagged-leaved. S. America. 1816. .... S. ♀.  
 32 triandra. H.B. (*wh.*) triandrous. E. Indies. 1823. .... S. ♀.  
 33 semibifida. H.B. (*wh.*) half-cleft. .... 1818. .... S. ♀.  
 34 malabárica. H.B. .... Malabar. Malabar. 1823. .... S. ♀.  
 35 ferruginea. H.B. .... ferruginous. E. Indies. 1822. .... S. ♀.  
 36 cordifolia. H.B. .... heart-leaved. .... 1828. .... S. ♀.  
 37 spicata. .... spiked. .... 1820. .... S. ♀.  
 38 speciosa. L.C. .... handsome. .... S. ♀.  
 39 microphylla. L.C. .... small-leaved. .... S. ♀.  
 40 esculenta. B.T. (*wh.*) eatable-rooted. C. B. S. 1816. .... I. ♀.
- CERCIS. DC. JUDAS-TREE. Decandria Monogynia. L.  
 1 Siliquastrum. DC. (*ro.*) European. S. Europe. 1596. 5. 6. H. ♀. Bot. mag. t. 1158.  
 2 canadénsis. DC. (*ro.*) American. N. America. 1730. .... H. ♀. Miller ic. t. 2.
- CR'UDYA. DC. CR'UDYA. Octo-Decandria Monogynia.  
 1 spicata. DC. (*wh.*) spiked. Guiana. 1825. .... S. ♀. Aubl. guian. 1. t. 147.  
*Apalatoa spicata*. Aubl.  
 2 aromática. DC. (*gr.*) aromatic. .... 1828. .... S. ♀. Aubl. guian. 1. t. 148.  
*Touchiroa aromática*. Aubl.
- COD'ARIUM. DC. VELVET TAMARIND. Diandria Monogynia.  
 1 acutifolium. DC. (*re.*) acute-leaved. Sierra Leone. 1800. .... S. ♀. Rœm. arch. 1. t. 6.  
*nitidum*. Vahl. *Dialium guineense*. v.  
 2 obtusifolium. DC. (*re.*) blunt-leaved. .... S. ♀.

Tribus X. *DETARIEÆ*. DC. prodr. 2. p. 521.

DETARIUM. DC. DETARIUM. Decandria Monogynia.  
senegalensis. DC. (*gr.*) Senegal. Senegal. 1822. .... S. h.

ORDO LXXV.

CHRYSOBALANÆÆ. *Brown cong. p. 14.*

CHRYSOBALANUS. DC. COCOA PLUM. Icosandria Monogynia. L.  
1 Icáco. DC. (*wh.*) West Indian. W. Indies. 1752. 4. 6. S. h. Jacq. amer. t. 94.  
2 ellipticus. DC. (*wh.*) Pigeon plum. Sierra Leone. 1822. .... S. h.  
3 oblongifolius. DC. (*wh.*) American. Georgia. 1812. 4. 5. G. h.  
PARINARIUM. DC. PARINARIUM. Dodecandria Monogynia.  
1 excelsum. G.D. (*wh.*) rough plum. Sierra Leone. 1822. .... S. h. Loud. encycl. pl. f. 5072.  
2 macrophyllum. G.D. (*w.*) gingerbread plum. ———— . .... S. h.  
GRANG'ERIA. DC. GRANG'ERIA. Dodecandria Monogynia.  
borbónica. DC. (*wh.*) Bourbon. Bourbon. 1822. .... S. h. Lam. ill. t. 427.  
HIRTELLA. DC. HIRTELLA. Tri-Dodecandria Monogynia.  
1 triándra. DC. (*wh.*) triandrous. W. Indies. 1782. .... S. h. Jacq. amer. t. 8.  
*americana*. Jacq. *non* Aubl. *paniculata*. R.S.  
2 glandulosa. DC. (*wh.*) glandular. Brazil. 1827. .... S. h. Spreng. anl. t. 7. f. 1-4.  
3 racemosa. DC. (*bl.*) racemed. Guiana. 1782. .... S. h. Aubl. guian. 1. t. 98.  
*americana*. Aubl. *non* Jacq.  
4 oblongifolia. DC. (*ro.*) oblong-leaved. New Spain. 1826. .... S. h.  
5 nemorosa. DC. (*ye.*) wood. Brazil. 1825. .... S. h.

ORDO LXXVI.

AMYGDALINÆÆ. *D. Don prodr. flor. nepal. p. 239.*

AMYGDALUS. K.S. ALMOND. Icosandria Monogynia. L.  
1 nana. w. (*pi.*) common dwarf. Russia. 1683. 3. 4. H. h. Bot. mag. t. 161.  
2 geórgica. Df. (*pi.*) Georgian. Georgia. 1820. ———— H. h.  
3 campéstris. Bes. (*pi.*) Besser's. Poland. 1829. ———— H. h.  
*Besseriána*. Schott.  
4 orientális. w. (*ro.*) silvery-leaved. Levant. 1756. ———— F. h.  
*argentea*. Lam.  
5 incána. w. (*ro.*) woolly. Caucasus. .... ———— H. h. Pall. ross. 1. t. 7.  
6 prostráta. K.S. (*pi.*) prostrate. Crete. 1802. 5. H. h. Bot. reg. t. 136.  
*Prúnus prostráta*. B.R.  
7 pùmila. w. (*pi.*) double dwarf. Africa. 1683. 5. 6. H. h. Bot. mag. t. 2176.  
*Prúnus sinénsis*. P.S. *Prúnus japónica*, B.R. is a very different plant, and a true *Cerasus*.  
8 sibírica. L.C. (*pi.*) Siberian. Siberia. 1820. 3. 4. H. h.  
9 commúnis. DC. (*pi.*) common. Barbary. 1548. ———— H. h.  
*a amara*. DC. (*pi.*) bitter. ———— ———— H. h.  
*β dulcis*. DC. (*bh.*) sweet. ———— ———— H. h. Lam. ill. t. 430. f. 2.  
*γ frágilis*. DC. (*bh.*) tender. ———— .... H. h. Nois. jard. fr. t. 3. f. 2.  
*δ macrocarpa*. DC. (*pi.*) large-fruited. .... ———— H. h. Bot. reg. t. 1160.  
*ε persicoides*. DC. (*pi.*) Almond Peach. Hybrid. .... ———— H. h. Nois. jard. fr. t. 3. f. 1.  
10 cochinchinénsis. DC. (*pi.*) Chinese. Cochinchina. 1825. .... H. h.  
11 Pérsica. w. (*pi.*) common Peach. Persia. 1562. 4. 5. H. h. Nois. j. fr. 1-16. 22-35. ic.  
*β flore pléno*. (*pi.*) double-blossomed. .... ———— H. h.  
*δ nana*. (*pi.*) dwarf. China. 1826. ———— H. h.  
*ε nectarína*. (*pi.*) Nectarine. Persia. 1562. ———— H. h. Nois. jard. fr. t. 20-21.

ARMENIACA. DC.		APRICOT. Icosandria Monogynia.					
1	vulgâris. DC.	(wh.) common.	Levant.	1548.	2. 4.	H. 5.	Lam. ill. t. 431.
	<i>a ovalifolia</i> . DC.	(wh.) oval-leaved.	—————	—————	—————	H. 5.	Nois. jar. fr. t. 1-2. f. 1-2.
	<i>β cordifolia</i> . DC.	(wh.) heart-leaved.	—————	—————	—————	H. 5.	————— t. 1. f. 3. t. 2. f. 3.
2	dasycarpa. DC.	(wh.) black-fruited.	.....	....	3. 4.	H. 5.	Bot. reg. t. 1243.
	<i>Prunus dasycarpa</i> . B. R.						
	<i>β persicifolia</i> . DC.	(wh.) Peach-leaved.	.....	....	—————	H. ½.	Du. ar. ed. no. 5. t. 52. f. 1.
3	sibirica. DC.	(pi.) Siberian.	Siberia.	1788.	4.	H. ½.	Pall. ross. 1. t. 8.
4	brigitanica. DC.	(wh.) spiny.	S. Europe.	.....	.....	H. ½.	Duh. arb. ed. n. 5. t. 59.
PRUNUS. DC.		PLUM-TREE. Icosandria Monogynia. L.					
1	spinosa. DC.	(wh.) Sloe-tree.	Britain.	....	3. 4.	H. ½.	Eng. bot. v. 12. t. 842.
	<i>a vulgâris</i> . DC.	(wh.) common.	—————	....	....	H. ½.	Duham. ed. n. 5. t. 54. f. 1.
	<i>β microcarpa</i> . DC.	(wh.) small-fruited.	—————	....	....	H. ½.	
	<i>γ macrocarpa</i> . DC.	(wh.) large-fruited.	—————	....	....	H. ½.	
	<i>δ ovata</i> . DC.	(wh.) oval-leaved.	—————	....	....	H. ½.	Blackw. herb. t. 494.
2	insititia. DC.	(wh.) Bullace-tree.	Britain.	....	4.	H. ½.	Eng. bot. v. 12. t. 841.
3	cândicans. DC.	(wh.) snowy.	.....	1818.	4. 5.	H. ½.	Bot. reg. t. 1135.
4	Cocomilia. DC.	(wh.) twin-flowered.	Calabria.	1826.	.....	H. ½.	
5	maritima. DC.	(wh.) sea-side.	N. America.	1800.	.....	H. ½.	
6	pubescens. DC.	(wh.) pubescent.	.....	1819.	.....	H. ½.	
7	divaricata. DC.	(wh.) spreading.	Caucasus.	1828.	....	H. ½.	
8	cerasifera. s. s.	(wh.) Myrobalan.	N. America.	1629.	4. 5.	H. 5.	Duham. arb. 2. t. 2. f. 15.
9	pyramidalis. DC.	(wh.) pyramidal.	Europe.	....	4.	H. 5.	————— 2. t. 15—20.
10	domestica. DC.	(wh.) common.	England.	....	.....	H. 5.	Eng. bot. v. 25. t. 1783.
	<i>a armenioides</i> . DC.	(wh.) Apricot-like.	.....	.....	.....	H. 5.	Duham. arb. 2. t. 13—14.
	<i>β Claudia</i> . DC.	(wh.) Reine Claude.	.....	.....	.....	H. 5.	————— 2. t. 11—12.
	<i>γ damascena</i> . DC.	(wh.) Damson.	.....	.....	.....	H. 5.	————— 2. n. 13. t. 5.
	<i>δ turonensis</i> . DC.	(wh.) Monsieur hatif, &c.	.....	.....	.....	H. 5.	————— 2. n. 16. t. 20. f. 1.
	<i>e Juliâna</i> . DC.	(wh.) Saint Julien.	.....	.....	.....	H. 5.	Duh. ed. nov. 5. t. 54. f. 2.
	<i>ζ Catharina</i> . DC.	(wh.) Saint Catherine.	.....	.....	.....	H. 5.	Duham. arb. 2. f. 1.
	<i>η Aubertiâna</i> . DC.	(wh.) Imperatrice.	.....	.....	.....	H. 5.	Nois. jar. fr. t. 57-58. f. 4.
CERASUS. DC.		CHERRY TREE. Icosandria Monogynia.					
1	âvium. DC.	(wh.) small-fruited.	Britain.	....	4. 5.	H. 5.	Blackw. t. 425.
	<i>a sylvestris</i> .	(wh.) wood.	—————	....	....	H. 5.	
	<i>β macrocarpa</i> . DC.	(wh.) large-fruited.	.....	.....	.....	H. 5.	Du. ed. no. 1. n. 2. t. 4. f. D.
	<i>γ pallida</i> . DC.	(wh.) pale-fruited.	.....	.....	.....	H. 5.	————— 5. n. 3. t. 4. f. B. C.
	<i>δ multipléx</i> . DC.	(wh.) double-blossomed.	.....	.....	.....	H. 5.	
2	duracina. DC.	(wh.) hard-fruited.	Europe.	....	.....	H. 5.	
	<i>a cordigera</i> . DC.	(wh.) Bigarreaux.	.....	.....	.....	H. 5.	Nois. jard. fr. t. 6. f. 1.
	<i>β obtusata</i> . DC.	(wh.) blunt-fruited.	.....	.....	.....	H. 5.	Duh. ed. no. 5. t. 18. f. B.
	<i>γ mamillaris</i> . DC.	(wh.) large-leaved.	.....	.....	.....	H. 5.	————— 5. n. 12. t. 16. f. A.
3	juliâna. DC.	(wh.) early.	S. Europe.	....	.....	H. 5.	————— 5. n. 5. t. 15. f. A.
	<i>β Heaumiana</i> . DC.	(wh.) long-leaved.	.....	.....	.....	H. 5.	————— n. 29. t. 19.
	<i>γ péndula</i> . DC.	(wh.) pendulous-branch'd.	.....	.....	.....	H. 5.	
4	Caproniana. DC.	(wh.) common.	.....	.....	.....	H. 5.	
	<i>a Montmorencyana</i> . DC.	(wh.) May Duke, &c.	.....	.....	.....	H. 5.	Duh. ed. no. 5. n. 14. t. 7.
	<i>β pallescens</i> . DC.	(wh.) pale-fruited.	.....	.....	.....	H. 5.	————— n. 18. t. 11.
	<i>γ gobétta</i> . DC.	(wh.) Kentish.	.....	.....	.....	H. 5.	————— t. 12. f. A.
	<i>δ polygyna</i> . DC.	(wh.) polygynous.	.....	.....	.....	H. 5.	Duham. arb. 4. t. 3.
	<i>e multipléx</i> . DC.	(wh.) semi-double.	.....	.....	.....	H. 5.	————— p. 173. t. 5.
	<i>z persiciflora</i> . DC.	(wh.) double-flowered.	.....	.....	.....	H. 5.	
	<i>κ variegata</i> . DC.	(wh.) striped-leaved.	.....	.....	.....	H. 5.	
	<i>θ griotta</i> . DC.	(wh.) globular-fruited.	.....	.....	.....	H. 5.	Duh. ed. nov. n. 21. t. 14.
	<i>ι cordigera</i> . DC.	(wh.) red-heart.	.....	.....	.....	H. 5.	Duham. arb. 4. t. 16. f. 1.
5	semperflorens. DC.	(wh.) late-fruited.	N. America.	....	5. 6.	H. ½.	Wats. detent. brit. 131.
6	chamæcerasus. DC.	(wh.) bastard.	Germany.	1597.	5.	H. ½.	Jacq. ic. 1. t. 90.
7	persicifolia. DC.	(wh.) Peach-leaved.	N. America.	1818.	4. 5.	H. ½.	
8	pùmila. DC.	(wh.) dwarf.	—————	1756.	5.	H. ½.	Mill. ic. t. 89. f. 2.
9	pygm'æa. DC.	(wh.) small.	—————	1818.	5.	H. ½.	
10	nigra. DC.	(wh.) black-fruited.	Canada.	1773.	5. 6.	H. ½.	Bot. mag. t. 1117.
11	borealis. DC.	(wh.) northern.	N. America.	1818.	.....	H. ½.	
12	depressa. DC.	(wh.) depressed.	—————	1805.	5.	H. ½.	
13	Susquehannæ. W. en.	(wh.) glaucous-l'd.	N. America.	1800.	.....	H. ½.	
14	hyemalis. DC.	(wh.) mountain.	—————	1805.	.....	H. ½.	
15	Chicasa. DC.	(wh.) Chicasaw.	—————	1806.	4. 5.	H. ½.	
16	pubescens. DC.	(wh.) pubescent.	—————	1822.	5.	H. ½.	
17	japónica. DC.	(pi.) Japan.	Japan.	1810.	3. 5.	H. ½.	Bot. reg. t. 27.
18	serullata. H. C.	(bh.) saw-leaved.	China.	1822.	4. 5.	H. ½.	
19	salicina. H. C.	(bh.) Willow-like.	—————	—————	—————	H. ½.	

20	pseùdo-cérusus. HC. (wh.) Chinese.	China.	1820.	4. 5.	F. ½.	Bot. reg. t. 800.
	<i>paniculàta</i> . B.R. non Thunb.					
21	pensylvànica. DC. (wh.) Pensylvanian.	N. America.	1773.	5.	H. ½.	Willd. arb. t. 3. f. 3.
22	Maháleb. DC. (wh.) perfumed.	S. Europe.	1714.	4. 5.	H. ½.	Jacq. aust. 3. t. 227.
23	Párus. DC. (wh.) Bird.	Britain.	....	—	H. ½.	Eng. bot. v. 20. t. 1383.
24	rùbra. W. (wh.) red-fruited.	England.	....	—	H. ½.	Willd. arb. t. 4. f. 2.
25	virginiana. DC. (wh.) Virginian.	N. America.	1724.	5. 6.	H. ½.	— t. 5. f. 1.
26	serotina. DC. (wh.) American Bird.	—	1629.	—	H. ½.	Wats. dend. brit. 48.
27	occidentális. DC. (wh.) West Indian.	Jamaica.	1784.	12. 1.	S. ½.	Catesb. car. 2. t. 94?
28	lusitànica. DC. (wh.) Portugal Laurel.	Portugal.	1648.	6.	H. ¾.	Mill. ic. t. 196. f. 1.
29	Híxa. W. en. (wh.) Teneriffe.	Teneriffe.	1824.	—	F. ¾.	
30	Laurocérusus. DC. (wh.) Laurel.	Levant.	1629.	4. 5.	H. ¾.	Blackw. herb. t. 512.
31	caroliniana. DC. (wh.) evergreen.	Carolina.	1759.	5.	H. ¾.	

ORDO LXXVII.

POMACEÆ. *D. Don prodr. flor. nepal. p. 236.*

ME'SPILUS. K.S.		ME'SPILUS. Icosandria Di-Pentagynia.				
1	germànica. DC. (wh.) Medlar.	England.	....	5. 7.	H. 5.	Eng. bot. v. 22. t. 1523.
	<i>a sylvéstris</i> . DC. (wh.) wild.	—	....	—	H. 5.	
	<i>β stricta</i> . DC. (wh.) upright.	.....	....	—	H. 5.	
	<i>γ diffusa</i> . DC. (wh.) Dutch.	.....	....	—	H. 5.	Duham. arb. fr. 1. t. 3.
2	grandiflora. s.s. (wh.) large-flow red.	S. Europe.	1800.	5. 6.	H. 5.	Exot. bot. 1. t. 18.
	<i>Smithii</i> . DC.					
3	Pyracántha. s.s. (wh.) evergreen thorn.	—	1629.	5.	H. ¾.	Schmidt arb. t. 90.
4	crenulàta. D.P. (wh.) crenulate.	Nepaul.	1818.	6. 7.	H. ¾.	
5	mexicana. DC. (wh.) Mexican.	Mexico.	1824.	5. 6.	F. ¾.	
6	Crús-gállis. L. (wh.) Cockspur-thorn.	N. America.	1691.	5. 6.	H. 5.	Wats. dend. brit. t. 56.
7	pyracanthifolia. (wh.) Pyracantha-leaved.	—	—	—	H. 5.	
	<i>lúcida</i> . Dum-Cours. bot. cult. ed. 2. v. 5. p. 448. non Miller.					
8	salicifolia. L.C. (wh.) Willow-leaved.	—	—	—	H. 5.	
9	lineàris. DF. (wh.) linear-leaved.	—	—	—	H. 5.	
10	nàna. Dum-C. (wh.) dwarf.	—	1826.	—	H. ½.	
11	spinossissima. L.C. (wh.) long-spined.	S. Europe.	....	—	H. ½.	Lodd. bot. cab. 1100.
12	punctàta. W. en. (wh.) spotted-fruited.	N. America.	1746.	—	H. 5.	Wats. dend. brit. t. 57.
	<i>a rùbra</i> . Ph. (wh.) red-fruited.	—	—	—	H. ½.	
	<i>β àurea</i> . Ph. (wh.) yellow-fruited.	—	—	—	H. ½.	
13	ellíptica. W. en. (wh.) oval-leaved.	—	1765.	5.	H. 5.	
14	prunifolia. s.s. (wh.) Plum-leaved.	—	1812.	5. 6.	H. 5.	
15	prunellifolia. DC. (wh.) Sloe-leaved.	—	1824.	—	H. ½.	
16	latifolia. Poir. (wh.) broad-leaved.	N. America.	....	—	H. 5.	
17	parvifolia. W. en. (wh.) Gooseberry-leaf'd.	—	1704.	—	H. ½.	Wats. dend. brit. 65.
	<i>xanthocárpos</i> . s.s. <i>Cratægus parvifolia</i> . DC. <i>tomentosa</i> . L. Trew.					chr. t. 17.
18	ovalifolia. DC. (wh.) oval-leaved.	—	....	—	H. ½.	
19	viridis. DC. (wh.) smooth green.	—	....	—	H. ½.	
20	pauciflora. Poir. (wh.) few-flowered.	Switzerland.	1818.	—	H. ½.	
21	lúcida. DC. (wh.) glossy-leaved.	—	....	—	H. ½.	
22	apifolia. s.s. (wh.) Parsley-leaved.	—	1812.	—	H. ½.	
23	pyrifolia. s.s. (wh.) Pear-leaved.	—	1765.	6.	H. 5.	Wats. dend. brit. t. 61.
24	glandulosa. s.s. (wh.) hollow-leaved.	N. America.	1750.	5. 6.	H. 5.	— brit. t. 58.
	<i>Cratægus sanguinea</i> . Pall. ross. 1. t. 11.					
25	spatulàta. s.s. (wh.) spatula-leaved.	—	1806.	—	H. 5.	Lodd. bot. cab. t. 1261.
26	coccinea. s.s. (wh.) scarlet-fruited.	—	1683.	4. 5.	H. 5.	Wats. dend. brit. t. 62.
27	purpurea. W.D. (wh.) purple-branch'd.	—	....	—	H. 5.	— t. 60.
28	cordàta. s.s. (wh.) Maple-leaved.	—	1738.	5. 6.	H. 5.	— t. 63.
	<i>Cratægus cordàta</i> . Bot. reg. t. 1151.					
29	lobàta. Poir. (wh.) lobed-leaved.	—	1818.	—	H. 5.	
30	florentina. Be. (wh.) Florentine.	Florence.	1824.	—	H. 5.	
31	nigra. s.s. (wh.) black-fruited.	Hungary.	1818.	—	H. 5.	Lodd. bot. cab. t. 1021.

- 32 pentágyna. s.s. (*wh.*) five-styled. Hungary. 1818. 5. 6. H. 5.
- 33 fláva. W. en. (*wh.*) yellow-berried. N. America. 1724. — H. 5. Wats. dend. brit. t. 59.
- 34 fissa. Poir. (*wh.*) cloven-leaved. — 1818. — H. 5.
- 35 Oliveriána. DC. (*wh.*) Oliver's. Levant. — H. 5.
- 36 Poiretiána. DC. (*wh.*) Poiret's. N. America. .... H. 5.
- lineáris.* Poir. non P.S.
- 37 dissécta. Dum. (*wh.*) cut-leaved. Persia. 1828. .... H. 5.
- 38 Oxyacántha. s.s. (*wh.*) Hawthorn. Britain. .... 5. 6. H. 5. Eng. bot. v. 35. t. 2504.
- Cratægus Oxyacántha.* DC.
- β major.* (*wh.*) great-fruited. — .... — H. 5.
- γ áurea.* (*wh.*) yellow-berried. — .... — H. 5.
- 39 præcox. (*wh.*) Glastonbury. .... 3. 5. H. 5.
- 40 oxyacanthóides. B.R. Hawthorn-like. S. Europe. .... 5. 6. H. 5. Bot. reg. t. 1128.
- β multipléx.* (*wh.*) double-flowered. — .... — H. 5.
- 41 élegans. Poir. (*ro.*) rose-coloured. — .... — H. 5. Blackw. herb. t. 149.
- β rubérrima.* (*re.*) dark-red. — 1827. — H. 5.
- 42 eriocárpa. Lind. (*wh.*) woolly-fruited. Britain. .... — H. 5.
- 43 monógyna. Pal. (*wh.*) one-styled. Siberia. .... — H. 5. Pall. ross. 1. t. 12.
- 44 heterophýlla. DC. (*wh.*) various-leaved. Levant? 1818. — H. 5. Bot. reg. t. 1161.
- 45 Azarólus. s.s. (*wh.*) Azarole. S. Europe. 1640. — H. 5. Andr. reposit. t. 579.
- 46 Arónia. W. en. (*wh.*) Aronian. Levant. .... — H. 5. Pocock tr. t. 85.
- 47 orientális. Poir. (*wh.*) oriental. — 1824. — H. 5.
- 48 tanacetifólia. A.R. (*wh.*) Tansy-leaved. — 1799. — H. ½. Andr. reposit. t. 591.
- 49 odoratíssima. A.R. (*wh.*) sweet-scented. Crimea. .... — H. ½. ————— t. 590.
- 50 Celsiána. W. en. (*wh.*) Cels's. Levant. 1822. — H. ½.
- 51 laciniáta. DC. (*wh.*) jagged. Sicily. — H. ½.
- 52 melanocárpa. s.s. (*wh.*) black-berried. Tauria. 1818. — H. ½.
- 53 pectináta. L. en. (*wh.*) pectinated. Persia. 1824. — H. ½.
- 54 flabelláta. L.C. (*wh.*) fan-leaved. .... 1823. — H. ½.
- 55 pruinósa. Lk. (*wh.*) frosted. .... 1826. — H. ½.
- 56 succulénta. Scr. (*wh.*) succulent. .... — H. ½.
- 57 subvillósa. Scr. (*wh.*) villous. .... 1827. — H. ½.
- 58 puníceá. F. .... crimson. Dahuria. .... H. ½.
- RAPHIOLEPIS. DC. RAPHIOL'EPIS. Icosandria Digynia.**
- 1 índica. DC. (*wh.*) Indian. China. 1806. 5. 8. G. ½. Bot. mag. t. 1726.
- Cratægus índica.* B.M.
- 2 phæostémon. DC. (*wh.*) red-stamen'd. — 1818. — G. ½. Bot. reg. t. 463.
- índica.* Bot. reg. non Bot. mag.
- 3 rúbra. DC. (*wh.*) red-stemmed. — 1806. — G. ½. Lindl. coll. t. 3.
- 4 salicifólia. DC. (*wh.*) Willow-leaved. — 1820. — G. ½. Bot. reg. t. 652.
- PHOTYNIA. DC. PHOT'NIA. Icosandria Digynia.**
- 1 serruláta. DC. (*wh.*) smooth-leaved. China. 1804. 4. 7. H. ½. Bot. mag. t. 2105.
- Cratægus glábra.* B.M.
- 2 arbutifólia. DC. (*wh.*) Arbutus-leaved. California. 1796. 6. 8. H. ½. Bot. reg. t. 491.
- 3 integrifólia. DC. (*wh.*) entire-leaved. Nepaul. 1820. 5. 6. H. ½.
- Pyrus integrérrima.* D.P.
- 4 dúbia. DC. (*wh.*) doubtful. — 1822. — H. ½. Linn. trans. 13. t. 10.
- Méspilus tinctória.* D.P. *Méspilus bengalénsis.* Roxb.
- ERIOBOTRYA. DC. LOQUAT. Icosandria Pentagynia.**
- 1 japónica. DC. (*wh.*) Japan. Japan. 1787. 9. 10. H. ½. Bot. reg. t. 365.
- Méspilus japónica.* Vent. malm. t. 19.
- 2 elliptica. DC. (*wh.*) elliptic-leaved. Nepaul. 1822. .... H. ½.
- Méspilus Cúila.* D.P.
- COTONEASTER. DC. COTONEA'STER. Icosandria Di-Pentagynia.**
- 1 vulgáris. DC. (*wh.*) common. Europe. 1656. 4. 5. H. ½. Flor. dan. t. 112.
- Méspilus Cotoneáster.* L.
- 2 affínis. DC. (*bh.*) likened. Nepaul. 1820. 6. 7. H. ½.
- 3 tomentósa. DC. (*wh.*) Quince-leaved. Europe. 1759. 4. 5. H. ½. Wats. dend. brit. t. 55.
- Méspilus eriocárpa.* W.D.
- 4 denticuláta. K.S. (*wh.*) tooth-leaved. Mexico. 1826. .... F. ½. H. et B. n. ge. am. 6. t. 556.
- 5 laxiflóra. J.F. (*wh.*) loose-flowered. Nepaul. 1820. 5. 7. H. ½.
- 6 frígida. B.R. (*wh.*) mountain. — 1823. 4. 5. H. ½. Bot. reg. t. 1229.
- 7 acumináta. DC. (*bh.*) pointed-leaved. — 1820. 4. 6. H. ½. Linn. trans. v. 13. t. 9.
- Méspilus acumináta.* Lodd. bot. cab. t. 919.
- 8 rotundifólia. B.R. (*wh.*) round-leaved. — — — H. ½. Bot. reg. t. 1187.
- microphýlla β 'Uva úrsi.* B.R.
- 9 microphýlla. B.R. (*wh.*) small-leaved. — — — H. ½. Bot. reg. t. 1114.
- 10 buxifólia. B.R. (*wh.*) Box-leaved. — 1824. — H. ½.

AMELA'NCHIER. DC. AMELA'NCHIER. Icosandria Pentagynia.									
1	vulgàris. DC.	(wh.)	common.	S. Europe.	1596.	4. 5.	H. h.	Schmidt. arb. t. 85.	
<i>Mésphilus Amelánchier</i> . Jacq. aust. t. 300. <i>Pyrus Amelánchier</i> . W.									
2	Botryàpium. DC.	(wh.)	snowy.	N. America.	1746.	—	H. h.	Schmidt. arb. t. 84.	
<i>Mésphilus canadénsis</i> . L. <i>Pyrus Botryàpium</i> . w. <i>Arónia Botryàpium</i> . P.S.									
3	ovális. DC.	(wh.)	oval-leaved.	—	1800.	—	H. h.		
4	sanguinea. DC.	(wh.)	red-branched.	—	1812.	—	H. h.	Bot. reg. t. 1171.	
AR'ONIA. P.S. AR'ONIA. Icosandria. Di-Pentagynia.									
1	arbutifolia. N.	(wh.)	red-berried.	N. America.	1700.	5. 6.	H. h.	Mill. ic. t. 109.	
<i>pyrifolia</i> . P.S. <i>Pyrus arbutifolia</i> . Ph.									
2	grandifolia. (wh.)	(wh.)	large-leaved.	—	—	—	H. h.	Bot. reg. t. 1154.	
<i>Pyrus grandifolia</i> . B.R.									
3	floribunda. (wh.)	(wh.)	many-flowered.	—	—	—	H. h.	Bot. reg. t. 1006.	
4	xanthocarpa. L.C.	(wh.)	yellow-fruited.	—	1820.	—	H. h.		
5	melanocarpa. N.	(wh.)	black-fruited.	—	1700.	—	H. h.	Schmidt. arb. t. 86.	
6	chamamésphilus. P.S.	(wh.)	Bastard Quince.	Pyrenees.	1683.	—	H. h.	— t. 87.	
<i>Mésphilus chamamésphilus</i> . L. <i>Cratægus chamamésphilus</i> . Jacq. aust. t. 231.									
PYRUS. DC. PEAR & APPLE. Icosandria Di-Pentagynia.									
1	communis. DC.	(wh.)	common Pear.	England.	—	4.	H. 5.	Eng. bot. v. 25. t. 1784.	
	a' Achras. DC.	(wh.)	pointed-leaved.	—	—	—	H. 5.		
	β pyrâster. DC.	(wh.)	round-leaved.	—	—	—	H. 5.	Gært. fr. t. 87. f. 2.	
	γ sativa. DC.	(wh.)	cultivated.	—	—	—	H. 5.		
2	Bollwylleriána. DC.	(wh.)	woolly-leaved.	Germany.	1786.	4. 5.	H. 5.	Lodd. bot. cab. t. 1009.	
3	salvifolia. DC.	(wh.)	Sage-leaved.	France.	1824.	—	H. 5.		
4	amygdalifórmis. DC.	(wh.)	Almond-like.	—	1820.	—	H. 5.		
5	elæagnifolia. DC.	(wh.)	Oleaster-leaved.	Tauria.	1818.	—	H. 5.		
6	salicifolia. DC.	(wh.)	Willow-leaved.	Siberia.	1780.	5. 6.	H. 5.	Bot. reg. t. 514.	
7	crenâta. D.P.	(wh.)	crenated.	Nepaul.	1820.	—	H. 5.		
8	sinâica. DC.	(wh.)	Mount Sinai.	Levant.	—	5.	H. 5.	Wats. dend. brit. t. 49.	
<i>pérsica</i> . P.S.									
9	nivâlis. DC.	(wh.)	white-leaved.	Austria.	—	—	H. 5.	Jacq. aust. 2. t. 107.	
10	Pâshia. D.P.	(wh.)	rough-fruited.	Nepaul.	1825.	5. 6.	H. 5.		
11	Nússia. D.P.	(wh.)	small-fruited.	—	1823.	—	H. 5.		
12	sinénsis. B.R.	(wh.)	Chinese.	China.	—	—	H. 5.	Bot. reg. t. 1248.	
13	acérba. DC.	(bh.)	sour.	Europe.	—	4. 5.	H. 5.	Flor. dan. t. 1101.	
14	Mâlus. DC.	(bh.)	common Apple.	Britain.	—	—	H. 5.	Eng. bot. v. 3. t. 179.	
15	pr'æcox.	(bh.)	Paradise.	Russia.	1784.	4.	H. 5.		
16	dióica. DC.	(st.)	linear petal'd.	—	—	4. 5.	H. 5.		
17	astracânica. DC.	(bh.)	Astracan.	Astracan.	1824.	—	H. 5.		
18	spectâbilis. DC.	(pi.)	Chinese Apple.	China.	1780.	5.	H. 5.	Bot. mag. t. 267.	
19	prunifolia. DC.	(bh.)	Siberian Crab.	Siberia.	1758.	4. 5.	H. 5.	Mill. ic. 2. t. 269.	
20	tomentosa. DC.	(bh.)	woolly.	—	1824.	—	H. 5.		
21	rubicúnda. DC.	(bh.)	red-fruited.	—	1820.	—	H. 5.		
22	baccâta. DC.	(bh.)	small Crab.	Siberia.	1784.	—	H. 5.	Pall. fl. ross. t. 10.	
23	coronâria. DC.	(pi.)	sweet-scented.	Virginia.	1724.	5.	H. 5.	Bot. reg. t. 651.	
24	angustifolia. DC.	(bh.)	narrow-leaved.	N. America.	1750.	—	H. h.	Wats. dend. brit. 132.	
25	pùmila. Mil.	(bh.)	dwarf evergreen.	—	—	4. 5.	H. h.		
26	Ária. DC.	(wh.)	white-beam.	Britain.	—	5. 6.	H. 5.	Eng. bot. v. 26. t. 1858.	
27	alpina. W. en.	(wh.)	Alpine.	Europe.	1820.	—	H. 5.	Duham. ed. nov. 4. t. 34.	
<i>longifolia</i> . Duham.									
28	intermedia. DC.	(wh.)	Swedish.	Sweden.	1789.	4. 5.	H. 5.	Flor. dan. 301.	
29	latifolia. P.S.	(wh.)	broad-leaved.	France.	—	5. 6.	H. 5.	Duham. arb. 1. t. 80.	
30	édulis. W. en.	(wh.)	eatable-fruited.	Europe.	1816.	—	H. 5.	Wats. dend. brit. t. 52.	
31	lanâta. D.P.	(wh.)	woolly.	Nepaul.	1820.	—	H. 5.		
32	torminâlis. DC.	(wh.)	Wild Service.	England.	—	4. 5.	H. 5.	Eng. bot. v. 5. t. 298.	
33	auriculâta. DC.	(wh.)	eared-leaved.	Egypt.	1828.	—	H. 5.		
34	pinnatifida. DC.	(wh.)	pinnatifid.	England.	—	5. 6.	H. 5.	Eng. bot. v. 33. t. 23-31.	
35	arbúscula. Poir.	(wh.)	little tree.	Germany.	—	—	H. 5.		
36	microcarpa. DC.	(wh.)	small-berried.	N. America.	—	—	H. 5.		
37	acupâria. DC.	(wh.)	Mountain Ash.	Britain.	—	—	H. 5.	Eng. bot. v. 5. t. 337.	
38	americâna. DC.	(wh.)	purple-berried.	Canada.	1782.	—	H. 5.	Wats. dend. brit. t. 54.	
39	sorbifolia. W.D.	(wh.)	Service-leaved.	—	—	5.	H. 5.	— t. 53	
40	Sórbus. DC.	(wh.)	Service-tree.	England.	—	5. 6.	H. 5.	Eng. bot. v. 5. t. 350.	
<i>doméstica</i> . E.B. <i>Sórbus doméstica</i> . L.									
41	lanuginosa. DC.	(wh.)	woolly-leaved.	Hungary.	1820.	—	H. 5.		
42	spûria. DC.	(bh.)	spurious.	Hybrid.	—	—	H. 5.	Bot. reg. t. 1196.	
<i>hybrida</i> . Mœnch. Weis. t. 6. <i>Sórbus spuria</i> . P.S.									

CYDONIA. DC.		QUINCE. Icosandria Pentagynia.						
1	vulgâris. DC.	(wh.)	common.	S. Europe.	1573.	5. 6.	H. 5.	Jacq. aust. 4. t. 342.
	<i>a malifôrmis</i> . DC.	(wh.)	Apple-fruited.	—————	—————	—————	H. 5.	
	<i>β lusitânica</i> . DC.	(wh.)	large-fruited.	—————	—————	—————	H. 5.	Duha. arb. fr. 1. p. 195. ic.
	<i>γ oblonga</i> . DC.	(wh.)	oblong-fruited.	—————	—————	—————	H. 5.	Blackw. herb. t. 137.
2	sinénsis. DC.	(wh.)	Chinese.	China.	1815.	4. 5.	H. 5.	Bot. reg. t. 905.
3	japónica. DC.	(sc.)	Japan.	Japan.	1796.	1. 12.	H. 7.	Bot. mag. t. 692.
	<i>a rûbra</i> .	(sc.)	red-flowered.	—————	—————	—————	H. 7.	
	<i>Pyrus japónica</i> .	B.M.	<i>Malus japónica</i> .	A.R. 462.	—————	—————	—————	
	<i>β álba</i> .	(wh.)	white-flowered.	—————	1812.	—————	H. 7.	Lodd. bot. cab. t. 541.

## ORDO LXXVIII.

ROSACEÆ. *D. Don prodr. fl. nepal. p. 229.*

Tribus I. ROSEÆ. DC. prodr. 2. p. 596.

R'OSA. DC.		ROSE. Icosandria Polygynia. L.						
1	berberifolia. W.	(ye.)	Berberry-ld.	Persia.	1790.	6. 8.	H. 7.	Redout. ros. 1. 27. t. 2.
	<i>simplicifolia</i> . P.L. 101.		<i>Lo'uea berberifolia</i> .	Bot. reg.	1261.	—————	—————	
2	férox. L.R.	(pu.)	hedgehog.	Caucasus.	1796.	6. 8.	H. 7.	Bot. reg. t. 420.
3	kanchática. L.R.	(pu.)	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. 7.	————— t. 419.
	<i>β nitens</i> . B.R.	(pu.)	glossy.	—————	1820.	—————	H. 7.	————— t. 824.
4	involucrâta. L.R.	(wh.)	floral-leaved.	China.	1814.	5. 10.	H. 7.	————— t. 739.
5	clinophylla. R.R.	(wh.)	naked-flowered.	—————	1820.	—————	H. 7.	Redout. ros. 1. t. 10.
6	bracteata. L.R.	(wh.)	Macartney.	—————	1795.	6. 10.	H. 7.	————— 1. t. 6.
	<i>β scabriuscula</i> . L.R.	(w.)	rough Macartney.	—————	—————	—————	H. 7.	Bot. mag. 1377.
7	nítida. W.en.	(ro.)	dwarf Labrador.	N. America.	1773.	7. 8.	H. 7.	Lindl. ros. t. 2.
8	râpa. R.R.	(ro.)	double Burnet.	—————	1726.	—————	H. 7.	Redout. ros. 1. 7. t. 2.
9	lúcida. W.	(re.)	single Burnet.	—————	1773.	—————	H. 7.	Miss Lawr. ros. t. 24.
10	Lindleyi. S.S.	(ro.)	spreading.	—————	1726.	—————	H. 7.	Lindl. ros. t. 3.
	<i>láxa</i> . L.R.	non Retz.	—————	—————	—————	—————	—————	
11	parviflora. W.	(bh.)	small-flowered.	—————	1724.	—————	H. 7.	—————
	<i>a Single Pennsylvanian</i> (bh.)	.....	—————	—————	—————	—————	H. 7.	Miss Lawr. ros. t. 68.
	<i>β Double Pennsylvanian</i> (bh.)	.....	—————	—————	—————	—————	H. 7.	————— t. 66.
12	Woodsii. L.R.	(pi.)	Woods's.	—————	1815.	6. 7.	H. 7.	—————
13	gemella. S.S.	(re.)	twin-flowering.	—————	1800.	7. 8.	H. 7.	—————
14	Lyonii. S.S.	(ro.)	Lyon's.	Tennessee.	1812.	—————	H. 7.	—————
15	florida. L.C.	(re.)	flowering.	N. America.	—————	6. 7.	H. 7.	—————
16	carolina. L.R.	(re.)	Carolina.	—————	1726.	—————	H. 7.	Lindl. ros. t. 4.
17	pensylvânica. L.en.	(re.)	Pennsylvanian.	—————	—————	—————	H. 7.	—————
18	blânda. L.R.	(re.)	Hudson's Bay.	—————	1773.	5. 8.	H. 7.	Miss Lawr. ros. t. 27.
19	fraxinifolia. L.R.	(re.)	Ash-leaved.	Newfoundland.	—————	4. 6.	H. 7.	Bot. reg. 458.
	<i>β Red Alpine Rose</i> . (re.)	.....	—————	—————	—————	—————	H. 7.	Miss Lawr. ros. t. 75.
20	cinnamômea. E.B.	(ro.)	Single Cinnamon.	England.	....	5.	H. 7.	Eng. bot. v. 34. t. 2388.
	<i>β flore sempiterno</i> . (ro.)	semidouble.	—————	—————	....	—————	H. 7.	—————
	<i>γ facundissima</i> . (ro.)	double Cinnamon.	Europe.	....	4. 5.	H. 7.	H. 7.	Lindl. ros. t. 5.
21	majalis. L.R.	(ro.)	dwarf Cinnamon.	S. Europe.	....	—————	H. 7.	Flor. dan. t. 688.
22	frutetorum. S.S.	(bh.)	short peduncul'd.	Volhynia.	1820.	5. 6.	H. 7.	—————
23	ambigua. S.S.	(bh.)	ambiguous.	.....	—————	—————	H. 7.	—————
24	macrophylla. L.R.	(ro.)	long-leaved.	Nepaul.	1822.	....	H. 7.	Lindl. ros. t. 6.
25	americana. L.en.	(ro.)	American.	America.	—————	....	H. 7.	—————
26	alpina. L.R.	(re.)	Alpine.	Europe.	1683.	6. 7.	H. 7.	Bot. reg. 424.
	<i>a Alpine Rose</i> . (re.)	common.	—————	—————	—————	—————	H. 7.	Miss Lawr. ros. t. 30.
	<i>β pyrenæica</i> . L.R.	(re.)	Pyrenean.	—————	—————	—————	H. 7.	Jacq. schœnb. 4. t. 416.
	<i>γ pendulina</i> . L.R.	(re.)	pendulous.	—————	1726.	—————	H. 7.	Miss Lawr. ros. t. 9.
27	pygmæa. S.S.	(ro.)	pigmy.	Tauria.	....	—————	H. 7.	—————
28	rubella. E.B.	(re.)	long-fruited.	England.	....	7.	H. 7.	Eng. bot. v. 36. t. 2521.
	<i>β melanocarpa</i> . L.R.	(re.)	black-fruited.	—————	....	—————	H. 7.	—————

29	muricata. L.en.	(ro.)	muricate.	.....	1823.	6. 7.	H. h.	
30	balsámica. S.S.	(ro.)	balsamic.	.....	—	—	H. h.	
31	stricta. L.R.	(ro.)	upright.	N. America.	1726.	—	H. h.	Lindl. ros. t. 7.
	<i>Upright Carolina.</i>	(ro.)		—	—	—	H. h.	Miss Lawr. ros. t. 36.
32	suavis. S.S.	(ro.)	sweet.	.....	1817.	—	H. h.	
33	aciculáris. L.R.	(ro.)	grey Siberian.	Siberia.	....	3. 4.	H. h.	Lindl. ros. t. 8.
34	pauciflora. Ly.	(ro.)	few-flowered.	—	....	—	H. h.	
35	sulphúrea. W.	(st.)	double yellow.	Levant.	1629.	7.	H. h.	Bot. reg. 46.
36	lutescens. Ph.	(st.)	yellowish.	Siberia.	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	<i>hispida.</i>		Bot. mag. t. 1570.					
37	viminea. L.R.	(ro.)	twiggy.	Russia.	1826.	5. 6.	H. h.	
38	spinossíssima. E.B.	(wh.)	Scotch.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 3. t. 187.
	<i>β reversa.</i>	L.R.	(wh.)	reversed prickle.	....	—	H. h.	Bot. reg. 431.
	<i>γ striped-flowered</i>	Scotch.	(std.)	—	....	—	H. h.	Miss Lawr. ros. t. 15.
	<i>δ Red</i>	Scotch.	(re.)	—	....	—	H. h.	— t. 62.
	<i>ε Double</i>	Scotch.	(wh.)	—	....	—	H. h.	— t. 63.
	<i>ζ Tall</i>	Scotch.	(wh.)	—	....	—	H. h.	— t. 19.
	<i>η Marbled</i>	Scotch.	(pu.)	(wh.)	....	—	H. h.	— t. 78.
	<i>θ sanguisorbifolia.</i>	L.R.	(wh.)	<i>Sanguisorba-ld.</i>	....	—	H. h.	
39	altaica. W.en.	(wh.)	Pallas's.	Siberia.	....	—	H. h.	Pall. ros. 2. t. 75.
40	ochroleuca. L.en.	(st.)	sulphur-color'd.	—	1814.	—	H. h.	
41	melanocarpa. S.S.	(wh.)	small black fruited.	S. Europe.	1823.	—	H. h.	
42	grandiflora. L.R.	(wh.)	large flowered.	Siberia.	....	5. 6.	H. h.	Bot. reg. 888.
43	myriacantha. DC.	(wh.)	numerous-spin'd.	S. France.	1820.	—	H. h.	Lindl. ros. t. 10.
44	involuta. E.B.	(bh.)	Dr. Walker's.	Hebriides.	....	6. 7.	H. h.	Eng. bot. v. 29. t. 2068.
45	reversa. L.R.	(bh.)	reversed.	Hungary.	1817.	—	H. h.	W. et K. hung. 3. t. 264.
46	Biebersteinii. Ly.	(ro.)	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
47	Doniana. L.T.	(wh.)	Mr. Don's.	Britain.	....	6. 7.	H. h.	
48	gracilis. L.T.	(ro.)	slender.	—	....	7. 8.	H. h.	Eng. bot. v. 9. t. 583.
	<i>villosa.</i>	E.B.	non L.					
49	Sabini. L.T.	(ro.)	Mr. Sabine's.	—	....	—	H. h.	
50	marginata. L.R.	(ro.)	margin'd.	Germany.	1823.	—	H. h.	
51	coruscans. L.en.	(ro.)	glittering.	.....	—	—	H. h.	
52	damascena. L.R.	(re.)	red damask.	Syria ?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
53	centifolia. L.R.	(ro.)	Provins.	Caucasus.	1596.	—	H. h.	— t. 8.
	<i>β muscosa.</i>	L.R.	(ro.)	single moss.	.....	1724.	H. h.	Bot. reg. 53.
	<i>γ multipléac.</i>	(ro.)	double moss.	.....	—	—	H. h.	Bot. mag. t. 69.
	<i>δ albiflora.</i>	(wh.)	white moss.	.....	—	—	H. h.	Bot. reg. t. 102.
	<i>ε pomponia.</i>	L.R.	(pi.)	Pomponie.	.....	—	H. h.	Redout. ros. 1. 65. t. 21.
	<i>ζ bipinnata.</i>	L.R.	(pi.)	bipinnate.	Caucasus.	....	H. h.	— 2. 11. t. 4.
54	gallica. L.R.	(re.)	official.	Europe.	1596.	—	H. h.	Bot. reg. 448.
	<i>β pumila.</i>	L.R.	(re.)	dwarf.	Austria.	1773.	H. h.	Jacq. aust 2. t. 198.
55	pulchella. S.S.	(re.)	neat.	France.	....	—	H. h.	
56	parvifolia. L.R.	(pu.)	Burgundy.	Europe.	....	—	H. h.	Bot. reg. t. 452.
57	turbinata. L.R.	(ro.)	Frankfort.	—	1629.	—	H. h.	Miss Lawr. ros. t. 69.
58	villosa. L.T.	(bh.)	villous.	Britain.	....	6.	H. h.	Eng. bot. v. 35. t. 2459.
	<i>mollis.</i>	E.B.						
	<i>α single apple bearing.</i>	(bh.)	—	—	....	—	H. h.	Miss Lawr. ros. t. 33.
	<i>β cœrulea.</i>	L.T.	(bh.)	blue-stalked.	....	—	H. h.	
	<i>γ concavifolia.</i>	L.T.	(bh.)	concave-leaved.	Scotland.	....	H. h.	
	<i>δ suberecta.</i>	L.T.	(bh.)	suberect.	Yorkshire.	....	H. h.	
	<i>ε double apple bearing.</i>	(pi.)	—	—	....	—	H. h.	Miss Lawr. ros. t. 29.
59	scabriuscula. L.T.	(bh.)	roughish.	Britain.	....	—	H. h.	Eng. bot. t. 1896.
60	heterophylla. L.T.	(bh.)	various-leaved.	Scotland.	....	—	H. h.	
61	tomentosa. L.T.	(bh.)	downy-ld. dog.	Britain.	....	—	H. h.	Eng. bot. v. 14. t. 990.
	<i>β sylvestris.</i>	L.T.	(bh.)	wood.	....	—	H. h.	
	<i>γ canescens.</i>	L.T.	(bh.)	canescent.	....	—	H. h.	
	<i>δ incana.</i>	L.T.	(bh.)	hoary.	....	—	H. h.	
	<i>ε resinosa.</i>	L.R.	(re.)	resinous.	Ireland.	....	H. h.	
62	nuda. L.T.	(bh.)	naked.	Westmoreland.	..	—	H. h.	
63	alba. L.R.	(wh.)	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
64	montana. S.S.	(bh.)	mountain.	Tauria.	1820.	—	H. h.	
65	hibérnica. L.T.	(pi.)	Irish.	Ireland.	....	6. 11.	H. h.	Eng. bot. v. 31. t. 2196.
66	lutea. L.R.	(ye.)	yellow.	Germany.	1596.	6.	H. h.	Bot. mag. 363.
67	punica. Mil.	(re. ye.)	red and yellow.	Persia.	—	—	H. h.	— t. 1077.
68	Sherardi. Sm.	(bh.)	Sherard's.	Britain.	....	6. 7.	H. h.	
69	Dicksoniana. L.B.	(bh.)	Dickson's.	Ireland.	....	—	H. h.	
70	rubiginosa. E.B.	(ro.)	sweet briar.	Britain.	....	—	H. h.	Eng. bot. v. 14. t. 991.
71	micrantha. L.T.	(ro.)	small.	England.	....	—	H. h.	— v. 35. t. 2490.

72	sèpium. DC.	(bh.) hedge.	France.	....	—	H. h.	
73	Borrèri. L.T.	(bh.) Borrer's.	Britain.	....	—	H. h.	Eng. bot. v. 36. t. 2579.
	<i>dumetòrum</i> . E.B.	<i>nec aliorum</i> .					
74	umbellàta. DC.	(ro.) umbel-flowered.	—	....	—	H. h.	
75	adenophylla. s.s.	(bh.) glandulous.	.....	1816.	—	H. h.	
76	pruinosa. L.C.	(ro.) frosted.	.....	1817.	5. 6.	H. h.	
	<i>pulverulenta</i> . L.R.	<i>non M.B.</i>					
77	glutinosa. L.R.	(bh.) glutinous.	Levant.	1821.	6. 7.	H. h.	Cupan. panp. ed. 1. t. 61.
	<i>rubiginosa crética</i> . Red.	ros. 125. t. 47.					
78	Montezùmæ. k.s.	(ro.) Mexican.	Mexico.	1823.	....	H. h.	Redout. ros. 1. t. 16.
79	rèpens. Scop.	(bh.) creeping.	.....	1825.	6. 7.	H. h.	
80	uncinàta. Bes.	(bh.) hooked.	Poland.	1826.	—	H. h.	
81	Boreykiàna. Bes.	(bh.) Boreyki's.	.....	1827.	—	H. h.	
82	Fischeriàna. Bes.	(bh.) Fischer's.	Russia.	1825.	—	H. h.	
83	gorenkènsis. Bes.	(bh.) Gorenki.	—	—	—	H. h.	
84	gutensteiniènsis. Bes.	(bh.) Gутtenstein.	Poland.	1822.	—	H. h.	
85	Kosinskiàna. Bes.	(bh.) Koscinski.	Europe.	1825.	—	H. h.	
86	polyphylla. Bes.	(bh.) many-leaved.	.....	1827.	—	H. h.	
87	terebinthinæa. Bes.	(bh.) Turpentine.	Germany.	1825.	—	H. h.	
88	Redowskiàna. Bes.	(bh.) Redowski's.	.....	1828.	—	H. h.	
89	uncinàta. Bes.	(bh.) small-hooked.	Europe.	1825.	—	H. h.	
90	dimórpha. Bes.	(bh.) variable.	Volhynia.	1821.	—	H. h.	
91	caryophyllæa. Bes.	(bh.) Clove-scent'd.	Poland.	1825.	—	H. h.	
92	glauca. Bes.	(bh.) glaucous.	—	—	—	H. h.	
93	nitidula. Bes.	(bh.) glossy.	Europe.	—	—	H. h.	
94	floribúnda. Bes.	(bh.) abundant-fl'd.	—	1828.	—	H. h.	
95	solstitialis. Bes.	(bh.) summer.	Poland.	1821.	—	H. h.	
96	acúta. F.	(bh.) acute-leaved.	Caucasus.	—	—	H. h.	
97	purpurascens. F.	(pu.) purplish.	Tanaim.	—	—	H. h.	
98	rupíncola. F.	(bh.) rocky.	Altay.	—	—	H. h.	
99	saxátilis. M.B.	(bh.) rock.	Tauria.	1825.	—	H. h.	
100	caucásica. M.E.	(bh.) Caucasian.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
101	cæsia. L.T.	(bh.) grey-leaved.	Scotland.	....	7.	H. h.	Eng. bot. v. 33. t. 2367.
102	sarmentæa. L.T.	(ro.) sarmentose.	Britain.	....	6. 7.	H. h.	
	<i>β nitens</i> . L.T.	(ro.) glossy-leaved.	—	....	—	H. h.	
103	bractescens. L.T.	(bh.) long-bracted.	Lancashire.	....	—	H. h.	
104	dumetòrum. L.T.	(bh.) bushy.	England.	....	6.	H. h.	
105	Forstèri. Sm.	(bh.) Forster's.	—	....	—	H. h.	
106	collina. L.T.	(bh.) hill.	—	....	—	H. h.	Jacq. aust. 2. t. 197.
107	canina. L.T.	(bh.) dog or hep.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 14. t. 992.
	<i>β cera</i> . L.T.	(bh.) waxy.	—	....	—	H. h.	
	<i>γ glandulifera</i> . L.T.	(bh.) glandular.	—	....	—	H. h.	
	<i>δ simpliciuscula</i> . L.T.	(bh.) simple-calyxed.	—	....	—	H. h.	
108	surculosa. L.T.	(bh.) surculose.	—	....	—	H. h.	
109	leucántha. L.en.	(wh.) white-flowered.	Siberia.	1824.	....	H. h.	
110	rubrifolia. L.R.	(re.) reddish-leaved.	S. Europe.	....	5. 6.	H. h.	Bot. reg. t. 430.
111	sericea. L.R.	(bh.) silky-leaved.	Nepaul.	1823.	....	H. h.	Lindl. ros. t. 12.
112	microphylla. L.R.	(re.) small-leaved.	China.	1822.	6. 8.	H. h.	Bot. reg. t. 919.
113	longifolia. w.	(bh.) Willow-leaved.	—	....	2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
114	indica. w.	(ro.) common China.	—	1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	<i>β centifolia</i> .	(ro.) large-double.	—	....	—	H. h.	
	<i>γ purpurea</i> .	(pu.) purple China.	—	....	—	H. h.	
	<i>δ subálba</i> .	(bh.) whitish China.	—	....	—	H. h.	
	<i>ε mèdia</i> .	(ro.) middle China.	—	....	—	H. h.	
	<i>ζ minor</i> .	(ro.) small China.	—	....	—	H. h.	Andr. ros. ic.
	<i>η fràgrans</i> .	(pu.) animating.	—	....	—	H. h.	
115	odoràta.	(pa.) sweet-scented.	—	1810.	2. 12.	H. h.	Bot. reg. 804.
	<i>indica odoràta</i> . A.R.	<i>indica fràgrans</i> . R.R. 1. 115. t. 42.					
	<i>β flascens</i> .	(st.) yellow China.	China.	1823.	—	H. h.	
116	sempèrflorens. L.R.	(cr.) red China.	—	1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	<i>α diversifolia</i> . v.	(re.) single.	—	....	—	F. h.	Vent. cels. t. 35.
	<i>β atrorùbens</i> .	(cr.) double red.	—	1789.	....	F. h.	Bot. mag. 284.
	<i>γ respléndens</i> .	(cr.) resplendent.	—	....	—	F. h.	
	<i>δ fràgrans</i> .	(re.) fragrant.	—	1820.	—	F. h.	
	<i>ε Terneàuxi</i> .	(re.) Terneaux's.	—	—	—	F. h.	
	<i>ζ Bichónii</i> .	(re.) Bichon's.	—	—	—	F. h.	
117	Lawranceana. L.R.	(bh.) Miss Lawrance's.	—	1810.	—	F. h.	Bot. reg. t. 538.
	<i>β flore plèno</i> .	(bh.) double-flowered.	—	1824.	—	F. h.	

118	syst'yla. L.T.	(bh.) clustered dog.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 27. t. 1895.
	β lanceolata. L.R.	(bh.) spear-leaved.	Ireland.	....	—	H. h.	
	γ Monsonia. L.R.	(bh.) Lady Monson's.	England.	....	—	H. h.	
119	arvensis. L.T.	(wh.) field.	Britain.	....	—	H. h.	Eng. bot. v. 3. t. 188.
	β scandens.	(wh.) Ayrshire.	—	....	—	H. h.	Bot. mag. 2054.
120	geminata. Rau.	(bh.) Swiss.	Switzerland.	....	—	H. h.	
121	sempervirens. W.	(wh.) evergreen.	S. Europe.	1629.	6. 8.	H. h.	Bot. reg. t. 465.
122	Boursoulti.	(ro.) Boursoult's.	Hybrid.	1821.	4. 7.	H. h.	
123	hyacinthina.	(ro.) Hyacinth-scented.	—	—	—	H. h.	
124	Grevillii.	(ro. bh.) Greville's.	China.	....	—	H. h.	
125	Roxbúrgii.	(ro.) Roxburgh's.	—	....	—	H. h.	
126	multiflora. W.	(va.) many-flowered.	—	1804.	6. 8.	H. h.	Bot. reg. 425.
	a rosea.	(ro.) common.	—	—	—	H. h.	Bot. mag. t. 1059.
	β albiflora.	(wh.) white-flowered.	—	1825.	—	H. h.	
127	Brunonii. L.R.	(wh.) Mr. Brown's.	Nepaul.	1820.	—	H. h.	Lindl. ros. t. 14.
128	moschata. L.R.	(wh.) musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	β flore pleno.	(wh.) double musk.	—	—	—	H. h.	t. 53.
129	nivea. Dup.	(wh.) snow white.	Hybrid.	1823.	—	H. h.	Bot. reg. 861.
130	Noisettiana. R.R.	(bh.) Noisette's.	—	1816.	5. 11.	H. h.	
	β grandiflora.	(bh.) large-flowered.	—	1827.	—	H. h.	
	γ Fraseri.	(bh.) Fraser's.	—	1815.	—	H. h.	
	δ purpurea.	(pu.) purple.	—	1823.	—	H. h.	
131	rubifolia. L.R.	(re.) bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	
	β fenestralis. L.R.	(re.) thin-leaved.	—	—	—	H. h.	Lindl. ros. t. 15.
132	laevigata. L.R.	(wh.) smooth.	Georgia.	1826.	—	H. h.	Bot. mag. t. 2847.
133	sinica. L.R.	(wh.) shining-leaved.	China.	1759.	6. 8.	F. h.	Lindl. ros. t. 16.
134	Banksia. L.R.	(wh.) Lady Banks's.	—	1807.	—	H. h.	Bot. reg. t. 397.
	a albiflora.	(wh.) white-flowered.	—	—	—	H. h.	Bot. mag. t. 1954.
	β lutea.	(ye.) yellow-flowered.	—	1823.	—	H. h.	v. 13. t. 1105.

GARDEN VARIETIES.

I. spinosissima.

- 1 Aberdeen.
- 2 Aberfoil.
- 3 alba.
- 4 Alloa.
- 5 Ancram.
- 6 Anderson's double lady's  
[blush.
- 7 Arbroath.
- 8 Argyll.
- 9 Arrochar.
- 10 Aurora borealis.
- 11 Balloch.
- 12 Banff.
- 13 Bannochburn.
- 14 Borisdale.
- 15 Bass.
- 16 Bengloe.
- 17 Ben Lomond.
- 18 Ben More.
- 19 Berwick.
- 20 bicolor.
- 21 Biggar.
- 22 Birnam.
- 23 Blair Athol.
- 24 Boharm.
- 25 Borthwick.
- 26 Buchan.
- 27 Bute.
- 28 Caithness.
- 29 Calder.
- 30 Callender.
- 31 Campsie.
- 32 carnescens.
- 33 Carron.
- 34 Cheviot.
- 35 ciphieri.

GARDEN VARIETIES.

- 36 Clydesdale.
- 37 Cromarty.
- 38 Dalkeith.
- 39 Dalrymple.
- 40 Dornock.
- 41 double blush Princess.
- 42 double blush Provins.
- 43 double crimson.
- 44 double crimson mottled.
- 45 double dark marbled.
- 46 double dark red.
- 47 double lady's blush.
- 48 double light marbled.
- 49 double light purple.
- 50 double pink.
- 51 double purple.
- 52 double rose blush.
- 53 Douglas.
- 54 Dumbarton.
- 55 Dumblane.
- 56 Dumfermline.
- 57 Dumfries.
- 58 Dunbar.
- 59 Duncrief.
- 60 Dundee.
- 61 Dunglass.
- 62 Dunkeld.
- 63 Dunlop.
- 64 Dunmore.
- 65 Dutch double blush.
- 66 dwarf bicolor.
- 67 Dysart.
- 68 Eden.
- 69 Elgin.
- 70 Etterick.
- 71 Fairy.
- 72 Falkirk.

GARDEN VARIETIES.

- 73 Falkland.
- 74 Falla.
- 75 Fife.
- 76 flavescens.
- 77 Forfar.
- 78 Forth.
- 79 Fort William.
- 80 fulgens.
- 81 Furness.
- 82 Galloway.
- 83 Glasgow.
- 84 Glenco.
- 85 Glenfallachi.
- 86 Glengarry.
- 87 Gourrock.
- 88 Grahamston.
- 89 Grampian.
- 90 Greenock.
- 91 Haddington.
- 92 Halkirk.
- 93 Hamilton.
- 94 Hawik.
- 95 Hawthorndean.
- 96 Hector.
- 97 humilis.
- 98 Huntly.
- 99 incarnata.
- 100 Inverary.
- 101 Inverness.
- 102 Invermay.
- 103 Janus.
- 104 Jedburgh.
- 105 Jura.
- 106 Keith.
- 107 Kelso.
- 108 Kilmarnock.
- 109 Kincardine.

## GARDEN VARIETIES.

110 Kinnaird.  
 111 Kinross.  
 112 Kircaldy.  
 113 Kirkwall.  
 114 Lanark.  
 115 Laxford.  
 116 Leith.  
 117 Leslie.  
 118 Lismore.  
 119 Lochaber.  
 120 Lochaird.  
 121 Loch fine.  
 122 Lochleven.  
 123 Lochlomond.  
 124 Lothian.  
 125 Maidenkirk.  
 126 Melrose.  
 127 Moncrieff.  
 128 Monteith.  
 129 Montgomery.  
 130 Montrose.  
 131 Mount Stuart.  
 132 Mull.  
 133 Moray.  
 134 mutabilis.  
 135 Nevis.  
 136 Northumberland.  
 137 Paisley.  
 138 penicillata.  
 139 Pentland.  
 140 perpetual.  
 141 picta. L.B.C. 687.  
 142 Proteus.  
 143 red, double light.  
 144 Robertson.  
 145 Rosslyn.  
 146 Rothsay.  
 147 rubicunda.  
 148 Selkirk.  
 149 Shetland.  
 150 Sky.  
 151 small double light purple.  
 152 small double white.  
 153 small double yellow.  
 154 Staffa.  
 155 Stirling.  
 156 Strathmore.  
 157 striata.  
 158 Stronsa.  
 159 Sutherland.  
 160 Tiviotdale.  
 161 Tarbet.  
 162 Thornhill.  
 163 Thurso.  
 164 Tranent.  
 165 true double red.  
 166 two-coloured large double.  
 167 two-coloured small double.  
 168 variegata.  
 169 venulosa glabra.  
 170 venulosa hispida.  
 171 white, large double.  
 172 white, large semidouble.  
 173 white, small double.  
 174 Whitley's double white.  
 175 yellow, globe double.  
 176 yellow, large double.  
 177 yellow, pale double.

## GARDEN VARIETIES.

II. *gallica*.

178 admirable.  
 179 aigle noir.  
 180 aimable beauty.  
 181 albanian.  
 182 Amaranth.  
 183 Antwerp.  
 184 atlas.  
 185 beauty rouge.  
 186 beauty supreme.  
 187 belle aurore.  
 188 belle cramoisie.  
 189 belle herminie.  
 190 belle pourpre.  
 191 belle violette.  
 192 Bijou.  
 193 Bishop. M.L.R. 20.  
 194 black frizzled.  
 195 blue.  
 196 blue and purple.  
 197 blush hundred-leaved.  
 198 bouquet rouge royale.  
 199 bright purple.  
 200 brunette.  
 201 Brussels.  
 202 Buonaparte.  
 203 burning coal.  
 204 cardinal M.L.R. 59.  
 205 carmine.  
 206 carmine, brillante.  
 207 carmine, proliferous.  
 208 carnation.  
 209 Catalonian.  
 210 champion.  
 211 chancellor.  
 212 changeable.  
 213 cherry.  
 214 Clementine.  
 215 coquette.  
 216 couleur de feu.  
 217 cramoisie, grand.  
 218 crown.  
 219 Cupid.  
 220 damask black.  
 221 dark marbled.  
 222 dark violet.  
 223 delicious.  
 224 dingy.  
 225 double velvet.  
 226 double marbled. M.L.R. 57.  
 227 Duc de Guiche.  
 228 Duchess d'Orleans.  
 229 dutch crimson.  
 230 dutch tree.  
 231 dutch 100 leaved.  
 232 early Ranunculus.  
 233 enchanter.  
 234 enfant de France.  
 235 Eucharis.  
 236 Fanny Bias.  
 237 favourite purple.  
 238 fiery.  
 239 Flanders.  
 240 Flemish.  
 241 formidable.  
 242 fringed. M.L.R. 82.  
 243 garnet.  
 244 gay.

## GARDEN VARIETIES.

245 giant. M.L.R. 49.  
 246 gloria mundi.  
 247 gloria mundi flore pallido.  
 248 gloria mundi pourpre.  
 249 granaat appel.  
 250 grand monarque.  
 251 grand purple.  
 252 grand Sultan.  
 253 Henry IV.  
 254 Hervy.  
 255 imperatrice.  
 256 incomparable.  
 257 infernal.  
 258 invincible.  
 259 Italian.  
 260 Josephine.  
 261 Junon.  
 262 king.  
 263 La Dauphine.  
 264 la grand belle pourpre.  
 265 Leyden.  
 266 light purple.  
 267 Lisbon. M.L.R. 67.  
 268 lively.  
 269 L'ombre agreable.  
 270 L'ombre superbe.  
 271 lurid.  
 272 maiden.  
 273 Majorca.  
 274 Malabar.  
 275 Malta.  
 276 manteau royal.  
 277 marbled.  
 278 marbled, grand.  
 279 Margaret.  
 280 matchless.  
 281 Mauve.  
 282 mignonne.  
 283 mignonne, blush.  
 284 mignonne, dark.  
 285 mignonne, favorite.  
 286 mignonne, incised.  
 287 mignonne, red.  
 288 mignonne, semidouble.  
 289 mignonne, striped.  
 290 mirabelle.  
 291 Mogul.  
 292 Montaubon.  
 293 Morocco.  
 294 mottled, black.  
 295 mundi. M.L.R. 13.  
 296 natalie.  
 297 negrette.  
 298 negro.  
 299 ninon de l'Enclos.  
 300 nonpareil.  
 301 nonsuch.  
 302 noir de Hollande.  
 303 Normandy.  
 304 officinal.  
 305 officinal blush.  
 306 officinal carmine.  
 307 Orleans.  
 308 ornement de parade.  
 309 Pæstana.  
 310 paradise.  
 311 paragon.  
 312 pavot.

GARDEN VARIETIES.

- 313 perruque.
- 314 petite 100 leav'd. M.L.R. 55.
- 315 petite panachée.
- 316 phœnix.
- 317 plicate. M.L.R. t. 87.
- 318 Pluto. M.L.R. 32.
- 319 Pomona.
- 320 pompadour.
- 321 pompone bizarre.
- 322 Poniatowsky.
- 323 poppy.
- 324 porcelaine.
- 325 Portland.
- 326 pourpre bouquet.
- 327 pourpre charmante.
- 328 pourpre de Tyr.
- 329 pourprée, grand belle.
- 330 pourprée, point.
- 331 pourpre velours.
- 332 prince.
- 333 princess.
- 334 prince William V.
- 335 prolific.
- 336 Pronville.
- 337 Proserpine.
- 338 Provins pulmonaire.
- 339 purple blue.
- 340 purple crimson.
- 341 pyramidal.
- 342 queen.
- 343 Ranunculus.
- 344 red and violet.
- 345 Roi de France.
- 346 Roi de pourpres.
- 347 royal crimson.
- 348 royal red.
- 349 royal purple.
- 350 royal virgin. M.L.R. 7.
- 351 sable.
- 352 Saint John's.
- 353 Sanspareil.
- 354 sceptre.
- 355 semidouble velvet.
- 356 shell. M.L.R. 89.
- 357 single velvet.—51.
- 358 Singleton's 100 leaved.—85.
- 359 Spanish.
- 360 stadtholder.
- 361 Stepney. M.L.R. 46.
- 362 striped nosegay.
- 363 striped velvet.
- 364 superb red.
- 365 Sultan. M.L.R. 35.
- 366 Trafalgar.
- 367 triumphant.
- 368 Tuscany. B.R. v. 6. t. 448.
- 369 two-colored.
- 370 Venetian.
- 371 victory.
- 372 violette and rouge.

III. *centifolia*.

- 373 aurora.
- 374 Belle d'Aunay.
- 375 Blandford. M.L.R. 21.
- 376 black mottled.
- 377 blush royal. M.L.R. 47.

GARDEN VARIETIES.

- 378 blush cabbage.
- 379 Bourbon.
- 380 bright crumpled.
- 381 carmiue.
- 382 Centfeuilles Anemone.
- 383 Centfeuilles de Bruxelles.
- 384 Centfeuilles de Hesse.
- 385 Centfeuilles gauffrée.
- 386 chamois.
- 387 cluster.
- 388 Constance.
- 389 Cumberland.
- 390 dragon.
- 391 Duchesse d'Angoulême.
- 392 Duchesse de Berri.
- 393 early 100 leaved.
- 394 Elysian.
- 395 emperor.
- 396 grand chamois.
- 397 grand marbled.
- 398 grand Provins.
- 399 Louis XVIII.
- 400 Malta.
- 401 mère gryone.
- 402 mignonne, scarlet.
- 403 mignonne, crimson.
- 404 mignonne, purple.
- 405 mottled purple.
- 406 Neapolitan.
- 407 one-sided.
- 408 Œillet.
- 409 pencilled.
- 410 petite Hollande.
- 411 Persian.
- 412 pompone, gros.
- 413 pourprée aimable.
- 414 pourprée favorite.
- 415 pourprée violette.
- 416 Provins, single. R.R. 1. t. 1.
- 417 Provins, common. M.L.R. 8.
- 418 Provins, cabbage.
- 419 Provins, blush cabbage.
- 420 Provins, scarlet. M.L.R. 22.
- 421 Provins, Childings.—43.
- 422 Provins, blush.—1.
- 423 Provins, white.—4.
- 424 Provins, Shailer's.—76.
- 425 Provins, Colvill's.
- 426 Provins, damask.
- 427 Provins, dwarf.
- 428 Provins, invincible.
- 429 Provins, Dutch.
- 430 Provins, imperial.
- 431 Provins, royal.
- 432 Provins, early.
- 433 Provins, semidouble.
- 434 red Belgic.
- 435 rouge superbe.
- 436 sans petales.
- 437 souchet.
- 438 Spong's.
- 439 superb carmine.
- 440 surpassante.
- 441 Syren.
- 442 Trianon, Belle de
- 443 Versailles.
- 444 Vilmorin.

GARDEN VARIETIES.

- \* *centifolia* muscosa.
- 445 single moss.
- 446 common moss.
- 447 blush moss.
- 448 dark moss.
- 449 mottled moss.
- 450 prolific moss.
- 451 royal moss.
- 452 scarlet moss.
- 453 semidouble moss.
- 454 striped moss.
- 455 Shailer's white moss.
- 456 Bristol white moss.
- † *centifolia* pomponia.
- 457 de Meax. M.L.R. 31.
- 458 de Rheims.—71.
- 459 dwarf Bagshot.
- 460 mignonne charmante.
- 461 mossy de Meaux.
- 462 mossy Pompone.
- 463 Pompone. M.L.R. 50.
- 464 proliforous Pompone.
- 465 St. Francis. M.L.R. 88.
- 466 small provins.
- IV. *damascena*.
- 467 argentea.
- 468 Aurora.
- 469 bifera carnea.
- 470 bifera de Naples.
- 471 bifera grandiflora.
- 472 Belgique carnée.
- 473 Belgique violette.
- 474 belle couronnee.
- 475 blush Belgic. M.L.R. 70.
- 476 blush monthly.—18.
- 477 blush damask.—52.
- 478 Brunswick.
- 479 couronnée petite.
- 480 damas argente.
- 481 damas pourpre.
- 482 early blush.
- 483 Egyptian.
- 484 Emperor.
- 485 favorite mignonne.
- 486 felicitè.
- 487 Goliath. M.L.R. t. 80.
- 488 gracieuse.
- 489 grande monarque.
- 490 great royal. M.L.R. 58.
- 491 imperial blush. M.L.R. 90.
- 492 incomparable.
- 493 lesser Belgic.
- 494 pale cluster.
- 495 paragon.
- 496 Parnassus.
- 497 Pæstana.
- 498 petite 100-leaved.
- 499 perpetual.
- 500 prolific.
- 501 quatre saisons.
- 502 quatre saisons blanche.
- 503 quatre saisons, flesh-colored.
- 504 quatre saisons Francois.
- 505 quatre saisons panaché.
- 506 quatre saisons pompone.
- 507 quatre saisons sans épines.
- 508 quatre saisons, semidouble.

## GARDEN VARIETIES.

- 509 red damask. M.L.R. 38.  
 510 red monthly. M.L.R. 5.  
 511 red Belgic.—83.  
 512 rouge agathe.  
 513 Swiss.  
 514 valiant.  
 515 Watson's blush.  
 516 white damask.  
 517 white monthly. M.L.R. 17.  
 518 York and Lancaster.—10.  
 519 Zealand.

V. *alba*.

- 520 agate.  
 521 agate magnifique.  
 522 agate Marie Louise.  
 523 agate nouvelle.  
 524 agate prolifère.  
 525 agate royale.  
 526 agate superb.  
 527 agate thalie.  
 528 belle aurore.  
 529 belle Henriette.  
 530 blanche à cœur vert.  
 531 blanche de Belgique.  
 532 bouquet blanc.  
 533 celestial.  
 534 cluster maiden's blush.  
 [M.L.R. 23].  
 535 double white blush.  
 536 Duc d'York.  
 537 Eliza.  
 538 feuille fermée.  
 539 full double white. M.L.R. 25.  
 540 grand cuisse de nymphe.  
 541 great maiden's blush.  
 [M.L.R. 230].  
 542 Joanne d'Arc.  
 543 Moraga la favourite.  
 544 muscat rouge.  
 545 nova cœlestis.  
 546 nova plena.  
 547 petite cuisse de nymphe.  
 548 rosea.  
 549 semidouble white.  
 550 Simonville.  
 551 small maiden's blush.  
 552 spineless virgin.  
 553 thornless virgin.  
 554 triangularis.

VI. *rubiginosa*.

- 555 Clementine sweet briar.  
 556 cluster blush sweet briar.  
 557 double mossy sweet briar.  
 [M.L.R. 72].  
 558 double red sweet briar.—61.  
 559 double rosy sweet briar.  
 560 double tree sweet briar.  
 561 eglantine sweet briar.  
 562 eglanteria alba.  
 563 evergreen sweet briar.  
 564 large blush sweet briar.  
 565 maiden sweet briar.  
 566 Manning's sweet briar.  
 [M.L.R. 41].  
 567 monstrous sweet briar.

## GARDEN VARIETIES.

- 568 petite hessoise.  
 569 royal sweet briar.  
 [M.L.R. 74].  
 570 scarlet sweet briar.  
 571 semidouble dwarf.  
 572 semidouble whitesweet briar.  
 [M.L.R. 65].  
 573 Zabeth.

VII. *indica et semperflorens*.

- 574 atronigra.  
 575 Bengale a bouquet.  
 576 Bengale à flore panaché.  
 577 Bengale blanche.  
 578 carnescens.  
 579 Chiffonée.  
 580 Cérise éclatante.  
 581 cucullata.  
 582 elegant.  
 583 flòrida.  
 584 gigánteá.  
 585 lie de vin.  
 586 lúcida.  
 587 mājor.  
 588 monstròsa.  
 589 moonshine.  
 590 nigra.  
 591 sanguínea.  
 592 sans épines.  
 593 Thisbe.  
 594 Veloutée.

VIII. *various garden Roses*.

- 595 abundant.  
 596 abyla.  
 597 Achaia.  
 598 Achilles.  
 599 Adolina.  
 600 admirable.  
 601 Adonis.  
 602 African black.  
 603 agate japonaise.  
 604 aglace noir.  
 605 aimable violette.  
 606 Ajax.  
 607 aland.  
 608 alba feuille fermée.  
 609 alba bifera.  
 610 Albanian.  
 611 alba nova pleno.  
 612 alba nova cœlestis.  
 613 albo-rosea.  
 614 alba triangularis.  
 615 aline.  
 616 Amazon.  
 617 amour constant.  
 618 Andalusian.  
 619 anemoneflora.  
 620 Arcadian.  
 621 arcaro.  
 622 archbishop.  
 623 ardoise.  
 624 Armenian.  
 625 armida.  
 626 Assyrian.  
 627 Athenian.  
 628 augusta.

## GARDEN VARIETIES.

- 629 aurelia.  
 630 Baden.  
 631 Balbec.  
 632 beauté frappante.  
 633 beauté insurmontable.  
 634 beauté panache.  
 635 beauté renommée.  
 636 beauté sanspareille.  
 637 beauté tendre.  
 638 belladonna.  
 639 belle actrise.  
 640 belle aimable.  
 641 belle aurore descemet.  
 642 belle brune.  
 643 belle cataline.  
 644 belle cerisie.  
 645 belle d'aunay.  
 646 belle du jour.  
 647 belle flamande.  
 648 belle forme.  
 649 belle galathee.  
 650 belle hative.  
 651 belle incarnate.  
 652 belle inconnue.  
 653 belle matilde.  
 654 belle mahæca.  
 655 belle parade.  
 656 belle Tigridia.  
 657 belle zulme.  
 658 belle rouge.  
 659 belle sans flatterie.  
 660 belle sanspareille.  
 661 belle therese.  
 662 belle vue.  
 663 bellona.  
 664 Berkshire.  
 665 bizard royal.  
 666 black purple.  
 667 blanche superbe.  
 668 blondine.  
 669 blush Italian.  
 670 blush velvet.  
 671 bold.  
 672 Bonifacius.  
 673 bouquet blanc.  
 674 bouquet panache.  
 675 bouquet parfait.  
 676 bouquet superb.  
 677 Bourbon.  
 678 Brabant.  
 679 bracelet d'amour.  
 680 brigitte.  
 681 brilliant.  
 682 brune brillante.  
 683 brunette aimable.  
 684 brunette superbe.  
 685 bucephalus.  
 686 bullata.  
 687 cabinet.  
 688 Calypso.  
 689 camellote.  
 690 cannabina.  
 691 canopus.  
 692 Carthaginian.  
 693 Castile.  
 694 Cecropia.  
 695 Ceres.

GARDEN VARIETIES.

696 cervalis.  
 697 chance.  
 698 charmante pourpre.  
 699 chausse.  
 700 chiron.  
 701 cicris pale rose.  
 702 Cleopatra.  
 703 comtesse de Genlis.  
 704 cornelian.  
 705 cossack.  
 706 couleur a la mode.  
 707 couleur de cendre.  
 708 couleur de cerise.  
 709 couleur excellent.  
 710 coupee.  
 711 couronne.  
 712 couronne des roses.  
 713 couronne imperiale.  
 714 cramoisie eblouissant.  
 715 cramoisie elegant.  
 716 cramoisie fonce.  
 717 cramoisie imperial.  
 718 cramoisie incomparable.  
 719 cramoisie minor.  
 720 cramoisie nouveau.  
 721 cramoisie panache.  
 722 cramoisie sanspareil.  
 723 cramoisie triomphant.  
 724 crimson.  
 725 crimson perpetual.  
 726 crown imperial.  
 727 crown purple.  
 728 cybele.  
 729 danæ.  
 730 Danish.  
 731 dark mignonne.  
 732 dark mottled.  
 733 dark shell.  
 734 darling.  
 735 de bengal gros violet  
 736 Dejanira.  
 737 delicate.  
 738 Derby.  
 739 descemets.  
 740 diadem.  
 741 dianthiflora.  
 742 Dickson's duchess.  
 743 Dido.  
 744 don des dames.  
 745 Dione.  
 746 discolor.  
 747 Dorothee.  
 748 double apple bearing.  
 [M.L.R. 29.  
 749 double dog.—60.  
 750 double mimms.  
 751 double Pæony.  
 752 double purple.  
 753 double red thornless.  
 754 double white thornless.  
 755 duc de Brabant.  
 756 Duchess.  
 757 duchess d'Oldenburgh.  
 758 duke of Clarence.  
 759 Durham.  
 760 Dutch Cinnamon.  
 761 Dutch velvet.

GARDEN VARIETIES.

762 dwarf burnet-leaved.  
 763 dwarf Chester.  
 764 dwarf prolific.  
 765 early red.  
 766 erato.  
 767 Etna.  
 768 euphrosyne.  
 769 evratina.  
 770 ex alba rosea.  
 771 fair maid.  
 772 favonius.  
 773 favorite.  
 774 favorite des dames.  
 775 fausse unique.  
 776 felicie.  
 777 felicite.  
 778 Felix.  
 779 feu amoureux.  
 780 feuille chiffonnee.  
 781 feuille crenulee.  
 782 feuille de chene.  
 783 feuille de frene.  
 784 few-spined.  
 785 fine panachee.  
 786 fine crimson.  
 787 fine purple.  
 688 flavia pourpre.  
 789 flesh-coloured.  
 790 flesh-coloured four seasons.  
 791 fleur de parade.  
 792 fleur de pomme.  
 793 fleur et feuille marbree.  
 794 fleur panachee.  
 795 flora.  
 796 flore nigricante.  
 797 florentine.  
 798 flore rubra.  
 799 floribunda.  
 800 florio.  
 801 flos puniceus.  
 802 folie de corse.  
 803 four seasons semidouble.  
 804 franconian.  
 805 Frankfort.  
 806 Frankfort agate.  
 807 freckled.  
 808 frilled.  
 809 frizzled.  
 810 gallica foliacea.  
 811 garnett.  
 812 Gascony.  
 813 Genoese.  
 814 Genoese velvet.  
 815 gienvieve.  
 816 globe.  
 817 gloomy.  
 818 gloria rubrorum.  
 819 gloriosa.  
 820 glowing.  
 821 grand Alexandre.  
 822 grande Angloise.  
 823 grand Cæsar.  
 824 grand centifolia.  
 825 grande chausse.  
 826 grand cramoisi.  
 827 grande foncee.  
 828 grand Mogul.

GARDEN VARIETIES.

829 grand pivoine.  
 830 grande pompadour.  
 831 grand pyramidal.  
 832 grand rouge.  
 833 grand triumphant.  
 834 grandesse royale.  
 835 grandeur royal.  
 836 great Mogul.  
 837 grey.  
 838 grideline.  
 839 grideline sans epines.  
 840 Hainault.  
 841 Haarlem.  
 842 harpagus.  
 843 Helena.  
 844 Hebe.  
 845 hero.  
 846 Hertford.  
 847 Hildesheim.  
 848 Hollandia magniflora.  
 849 hortulanus.  
 850 hundred leaved mignonne.  
 851 hyacinth.  
 852 hybrida perfecta.  
 853 hybride nouvelle.  
 854 iconium.  
 855 idumea.  
 856 illustrious.  
 857 imperatrice.  
 858 imperatrice de France.  
 859 Indian queen.  
 860 inermis.  
 861 iris noir.  
 862 Isabelle.  
 863 Isis.  
 864 jaqueline.  
 865 jeanne d'arc.  
 866 Jersey.  
 867 jessica.  
 868 jolie.  
 869 Julian.  
 870 king Agrippa.  
 871 king of Mexico.  
 872 la belle elise.  
 873 la belle rosine.  
 874 l'abondance.  
 875 la constance.  
 876 la coquette.  
 877 la Diane.  
 878 l'admirable.  
 879 la fidele.  
 880 la gracieuse.  
 881 la grandesse.  
 882 l'aimable de Stors.  
 883 lake.  
 884 la maculee.  
 885 la magnifique.  
 886 la majesteuse.  
 887 la mignarde.  
 888 l'amitie.  
 889 la moderne.  
 890 Lancaster.  
 891 lanckman.  
 892 la negresse.  
 893 la parfaite.  
 894 la Parisienne.  
 895 la petite lisette.

## GARDEN VARIETIES.

896 la plus belle.  
 897 la plus rouge.  
 898 la pomme grenade.  
 899 la precieuse pourpre.  
 900 la reine.  
 901 la reine des roses.  
 902 large platter.  
 903 large perfect.  
 904 la rose de Medicis.  
 905 la rose d'Ispahan.  
 906 la royale.  
 907 la superbe.  
 908 la superbe en brun.  
 909 la tendresse.  
 910 la victorieuse.  
 911 la virginité.  
 912 leafy.  
 913 Leander.  
 914 le dauphin.  
 915 Lee's perpetual.  
 916 le grandeur.  
 917 le grand lowendaël.  
 918 le grand suwarrow.  
 919 le grand visir.  
 920 Leipsick.  
 921 les alliées.  
 922 le violet triomphant.  
 923 light 100 leaved.  
 924 l'impayable.  
 925 l'importante.  
 926 l'obscurité.  
 927 Lodona.  
 928 Lodoiska.  
 929 l'ombre panaché.  
 930 l'ombre sanspareille.  
 931 London pride.  
 932 Louis 18th.  
 933 Lubeck.  
 934 Ludolph.  
 935 Ludovicus.  
 936 Luxemburg.  
 937 Lyonnoise.  
 938 lystra.  
 939 madder.  
 940 magdalen.  
 941 maiden blush.  
 942 mantle.  
 943 marble apple bearing.  
 944 Margaretta.  
 945 Marie anne.  
 946 marquis de la Romana.  
 947 Marseilles.  
 948 maxima.  
 949 mere gigon.  
 950 merveilleuse.  
 951 Mexican.  
 952 Milanese.  
 953 Minerva.  
 954 miroir des dames.  
 955 mon bijou.  
 956 monstrosa.  
 957 monstrous cluster.  
 958 monstrous 100 ld. M.L.R. 73.  
 959 Montpellier.  
 960 morin.  
 961 morning star.  
 962 mottled.

## GARDEN VARIETIES.

963 mourning.  
 964 multiplex.  
 965 Napoleon.  
 966 Napoli di romana.  
 967 Narbonne.  
 968 Nassau.  
 969 negre panaché.  
 970 Neptune.  
 971 new mottled.  
 972 new Provins.  
 973 nigritienne.  
 974 Niobe.  
 975 noblesse.  
 976 noir foncé.  
 977 non plus ultra.  
 978 nouvelle favorite.  
 979 nouvelle de Provins.  
 980 nouvelle pivoine.  
 981 Oldenburg.  
 982 Oliver.  
 983 Olympic.  
 984 omphale.  
 985 orient.  
 986 orion.  
 987 ornement de park.  
 988 ornement de violet.  
 989 oublie des François.  
 990 painted.  
 991 painted Belgic.  
 992 Palestine.  
 993 panachée admirable.  
 994 panachée nouvelle.  
 995 panachée sanspareille.  
 996 panachée superbe.  
 997 Pannonian.  
 998 paradise.  
 999 Paris 100-leaved.  
 1000 Parnassus.  
 1001 parson.  
 1002 party coloured.  
 1003 Patmos.  
 1004 Palmyra.  
 1005 Paulina.  
 1006 Pearson's gigantic.  
 1007 Pegasus.  
 1008 pencilled mignonne.  
 1009 pencilled Provins.  
 1010 Penelope.  
 1011 perfecta.  
 1012 perle de l'orient.  
 1013 perpetuelle rouge.  
 1014 Peruvian.  
 1015 petit Cæsar.  
 1016 petit cramoisi.  
 1017 petit favorite.  
 1018 petit mignon.  
 1019 pierian.  
 1020 pilgrim.  
 1021 pink velvet.  
 1022 plicata purpurea.  
 1023 Pomeranian.  
 1024 pomegranate.  
 1025 pomona.  
 1026 pompone.  
 2027 pompone blanc.  
 1028 pompone bifera.  
 1029 pompone quatre saisons.

## GARDEN VARIETIES.

1030 pompone varin.  
 1031 Pope's cluster.  
 1032 portlandica grandiflora.  
 1033 portlandica perpetua.  
 1034 Portobella.  
 1035 Portugal.  
 1036 pourpre agreable.  
 1037 pourpre de Paris.  
 1038 pourpre sans epines.  
 1039 pourpre de Vienne.  
 1040 pourpre imperial.  
 1041 pourpre incomparable.  
 1042 pourpre obscur.  
 1043 pourpre sans defaut.  
 1044 pourpre sanspareil.  
 1045 pourpre superb.  
 1046 predominant.  
 1047 Presburg.  
 1048 prince.  
 1049 prince d'Aremberg.  
 1050 princely.  
 1051 prince regent.  
 1052 princess Charlotte.  
 1053 princesse noble.  
 1054 professor.  
 1055 purple crown.  
 1056 purple imperial.  
 1057 purple velvet.  
 1058 pyramide pourpre.  
 1059 quatre saisons blanche.  
 1060 quatre saisons François.  
 1061 quatre saisons panaché.  
 1062 quatre saisons sans epines.  
 1063 queen's Provins.  
 1064 ragged robin.  
 1065 Raphael.  
 1066 Ratisbon.  
 1067 ravenna.  
 1068 red cluster.  
 1069 red crown.  
 1070 red Provins.  
 1071 red velvet.  
 1072 refulgent.  
 1073 regina florum.  
 1074 reine Caroline.  
 1075 reine d'Hongrie.  
 1076 renoncule nouvelle.  
 1077 rex rubrorum.  
 1078 riche en fleurs.  
 1079 roi des negres.  
 1080 roi de Rome.  
 1081 roi de Maroc.  
 1082 roi des pays bas.  
 1083 Roman.  
 1084 Rosabel.  
 1085 Rosanna.  
 1086 rose agreable.  
 1087 rose bouquet.  
 1088 rose de Ceres.  
 1089 rose des dames.  
 1090 rose du roi.  
 1091 rose d'Orleans.  
 1092 rose du prince.  
 1093 rose la mode.  
 1094 rose lee.  
 1095 rose pivoine.  
 1096 rose prolifere.

GARDEN VARIETIES.

GARDEN VARIETIES.

GARDEN VARIETIES.

- 1097 rouge agreable.
- 1098 rouge bien vif.
- 1099 rouge eclatant.
- 1100 rouge formidable.
- 1101 rouge frappant.
- 1102 rouge luisant.
- 1103 rouge panaché.
- 1104 rouge sans epines.
- 1105 rouge semidouble.
- 1106 rouge vegetable.
- 1107 royal bouquet.
- 1108 royal carmine.
- 1109 royal gabina.
- 1110 royal mantle.
- 1111 royal viscoux.
- 1112 rubripina.
- 1113 rubiginosa umbellata.
- 1114 ruby.
- 1115 sable.
- 1116 St. Antoine.
- 1117 St. Catharine.
- 1118 St. George.
- 1119 St. Germain.
- 1120 St. Gothard.
- 1121 St. Jago.
- 1122 St. Mark.
- 1123 St. Patrick.
- 1124 sans défaut.
- 1125 sans petales.
- 1126 Sarmatian.
- 1127 scarlet Brabant.
- 1128 sceptre.
- 1129 scone purple.
- 1130 semidouble hep.
- 1131 semidouble mignonne.
- 1132 semidouble monthly.
- 1133 semidouble new.
- 1134 seigneur d'Ertzelaar.
- 1135 septum cerise.
- 1136 Seville.
- 1137 Sheffield.
- 1138 Shylock.
- 1139 Silenus.
- 1140 Silesian.
- 1141 shining semidouble.
- 1142 simplicité.
- 1143 singuliere agate.

- 1144 Sirius.
- 1145 soliditas.
- 1146 Southampton.
- 1147 Spartan.
- 1148 spineless red.
- 1149 spiral.
- 1150 stabon.
- 1151 standard.
- 1152 state.
- 1153 Stephanus.
- 1154 striped monthly.
- 1155 striped Provins.
- 1156 sugar loaf.
- 1157 sulphurea.
- 1158 sulphurea minor.
- 1159 superb.
- 1160 superb amaranth.
- 1161 superbe brune.
- 1162 superbe pyramide.
- 1163 surpasse Singleton.
- 1164 surpasse tout.
- 1165 Swiss.
- 1166 Syrian.
- 1167 Tangiers.
- 1168 ten-leaved.
- 1169 temple d'Apollon.
- 1170 tête de mort.
- 1171 Theseus.
- 1172 Tigris.
- 1173 tricolor.
- 1174 tomentosa alba.
- 1175 toujours.
- 1176 tous les mois gris.
- 1177 transparent.
- 1178 transparent nouvelle.
- 1179 Trebonius.
- 1180 tree burnet-leav'd.
- 1181 tree pæony.
- 1182 tresorier.
- 1183 triomphe.
- 1184 triomphe des dames.
- 1185 triomphe royale.
- 1186 Triton.
- 1187 turban.
- 1188 two-coloured 100-leaved.
- 1189 two-coloured mignonne.
- 1190 vacuna.

- 1191 vagrant.
- 1192 velours cramoisie.
- 1193 veloute.
- 1194 venerable.
- 1195 venetatus.
- 1196 ventome noir.
- 1197 Venus.
- 1198 venusta.
- 1199 veritas.
- 1200 vermillion.
- 1201 vesta.
- 1202 Vesuvius.
- 1203 Victoria.
- 1204 Vidua.
- 1205 villosa nouvelle.
- 1206 Vilmorin.
- 1207 violette.
- 1208 violette agreable.
- 1209 violette aimable.
- 1210 violette brillante.
- 1211 violette curieuse.
- 1212 violette foncée.
- 1213 violette maculée.
- 1214 violette nouvelle.
- 1215 violette sanspareille.
- 1216 violette superbe.
- 1217 violette superieure.
- 1218 virgin's.
- 1219 virginale.
- 1220 virbilia.
- 1221 virgo cramoisie.
- 1222 ulterio.
- 1223 ultramarine.
- 1224 umbrella.
- 1225 unique rouge.
- 1226 Waterloo.
- 1227 Watson's blush.
- 1228 Watson's white.
- 1229 Wellington.
- 1230 woolly-leaved.
- 1231 white damask.
- 1232 white Pompone.
- 1233 York.
- 1234 Yorkshire blush.
- 1235 Yorkshire Provins.
- 1236 zatre.
- 1237 Zenobia.

Subordo II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS. L.		BRAMBLE. Icosandria Polygynia. L.	
1	<i>rosæfolius</i> . DC. (wh.) Rose-leaved.	Mauritius.	1811. 10. 4. G. h <sub>2</sub> . Smith ic. 3. t. 60.
2	<i>eglantaria</i> . DC. (wh.) Eglantine.	N. Holland.	1824. 5. 6. G. h <sub>2</sub> .
3	<i>coronarius</i> . (wh.) double-flowered.	China.	1811. 10. 4. H. h <sub>2</sub> . Bot. mag. t. 1783.
<i>rosæfolius</i> β <i>coronarius</i> . B.M.			
4	<i>pinnatus</i> . DC. (wh.) pinnate.	St. Helena.	1789. 6. 7. G. h <sub>2</sub> .
5	<i>gracilis</i> . DC. (wh.) slender.	E. Indies.	1826. — S. h <sub>2</sub> .
6	<i>micranthus</i> . D.P. (re.) small-flowered.	Nepaul.	1818. 6. 8. H. h <sub>2</sub> . Bot. reg. t. 854.
<i>pauciflorus</i> . B.R.			
7	<i>distans</i> . D.P. (re.) distant-leaved.	—	— H. h <sub>2</sub> .
8	<i>apetalus</i> . DC. (gr.) petalless.	Mauritius.	1823. — S. h <sub>2</sub> .
9	<i>macropodus</i> . DC. (wh.) large-footed.	N. Holland.	1822. — G. h <sub>2</sub> .
10	<i>strigosus</i> . DC. (wh.) strigose.	N. America	.... 6. 7. H. h <sub>2</sub> .

11 pedunculòsus. D.P.	(wh.) long-peduncled.	Nepaul.	1820.	7. 8. H. h.	
12 occidentális. DC.	(wh.) American raspberry.	N. Amer.	1696.	5. 6. H. h.	Dill. elth. t. 247. f. 319.
13 ásker. DC.	(wh.) rough.	Nepaul.	1822.	6. 8. H. h.	
14 Idæus. DC.	(wh.) Raspberry.	Britain.	....	5. 6. H. h.	Eng. bot. v. 34. t. 2442.
15 laciniátus. DC.	(bh.) jagged-leaved.	.....	....	6. 9. H. h.	Willd. hort. ber. t. 82.
16 cæsius. DC.	(wh.) Dewberry.	Britain.	....	6. 8. H. h.	Eng. bot. v. 12. t. 826.
17 foliolòsus. D.P.	(li.) leafy.	Nepaul.	1823.	7. 8. H. h.	
18 flagellàris. DC.	(wh.) shining-leaved.	N. America.	1789.	6. 7. H. h.	
19 inermis. W. en.	(wh.) smooth.	.....	1805.	— H. h.	
20 corylifòlius. E.B.	(wh.) Hazel-leaved.	Britain.	....	7. H. h.	Eng. bot. v. 12. t. 827.
21 agréstis. DC.	(wh.) field.	Hungary.	1818.	7. 8. H. h.	W. et K. hung. 3. t. 268.
22 spectábilis. DC.	(pu.) showy.	Columbia.	1827.	6. 8. H. h.	Ph. fl. amer. 1. t. 16.
23 plicátus. W.N.	(wh.) plaited-leaved.	Britain.	....	7. 8. H. h.	Wei. et N. rub. germ. t. 1.
24 affinis. W.N.	(wh.) related.	.....	....	6. 9. H. h.	— p. 22. t. 3 et 36.
25 ulmifòlius. DC.	(ro.) Elm-leaved.	Gibraltar.	1824.	7. 8. H. h.	
26 Linkiànus. DC.	(wh.) double-flowered.	.....	....	6. 9. H. h.	
27 álbianus. DC.	(wh.) white-leaved.	Hungary.	1818.	— H. h.	
28 fruticosòsus. DC.	(fl.) Blackberry.	Britain.	.....	— H. h.	Eng. bot. v. 10. t. 715.
β pomponius. DC.	(bh.) semidouble.	.....	....	— H. h.	
γ leucocarpus. DC.	(bh.) white-berried.	.....	....	— H. h.	
δ inermis. DC.	(bh.) smooth-stemm'd.	.....	....	— H. h.	
29 tomentòsus. W.N.	(wh.) woolly-leaved.	Germany.	1816.	6. 8. H. h.	Wei. et N. rub. germ. t. 8.
30 sánctus. DC.	(pk.) holy.	Levant.	1823.	— H. h.	Schreb. dec. t. 8.
31 canescens. DC.	(bh.) canescent.	Piedmont.	1826.	— H. h.	
32 collinus. DC.	(bh.) hill.	Montpelier.	1820.	7. 8. H. h.	Noc. et Balb. fl. tic. t. 9.
33 fastigiátus. W.N.	(wh.) close-flowered.	Britain.	....	— H. h.	Wei. et N. rub. germ. t. 2.
34 suberctus. E.B.	(wh.) upright.	.....	....	6. 9. H. h.	Eng. bot. v. 36. t. 2572.
35 cordifòlius. W.N.	(wh.) heart-leaved.	.....	....	7. 8. H. h.	Wei. et N. rub. germ. t. 5.
36 Ménkii. s.s.	(wh.) velvety.	Germany.	1816.	— H. h.	
37 Schlechtendálii. s.s.	(wh.) Schlechtendale's.	.....	....	— H. h.	
38 tilliæfòlius. s.s.	(wh.) Lime-tree-ld.	.....	....	— H. h.	
39 Schleichèri. s.s.	(wh.) Schleicher's.	.....	1824.	— H. h.	
40 hórridus. s.s.	(wh.) very prickly.	.....	....	— H. h.	
41 leucostàchys. s.s.	(wh.) white-spiked.	Britain.	....	— H. h.	
42 rhamnifòlius. W.N.	(wh.) Rhamnus-leaved.	.....	....	— H. h.	Wei. et N. rub. germ. t. 6.
43 abruptus. L.B.	(wh.) abrupt.	.....	....	— H. h.	
44 nitidus. W.N.	(bh.) glossy-leaved.	Britain.	....	7. 8. H. h.	Wei. et N. rub. germ. t. 4.
45 argútus. DC.	(wh.) sharp-toothed.	N. America.	1824.	6. 7. H. h.	
46 cuneifòlius. DC.	(wh.) wedge-leaved.	.....	1811.	6. 8. H. h.	
47 sanguinoléntus. DC.	(w.) red-wooded.	Mauritius.	1823.	— S. h.	
48 villosus. DC.	(wh.) shaggy.	N. America.	1777.	7. 8. H. h.	
49 hírtus. W.K.	(wh.) hairy.	Britain.	....	— H. h.	W. et K. hung. 2. t. 141.
50 vulpinus. Df.	(re.) fox-tail.	Germany.	1816.	— H. h.	Flor. dan. t. 1165.
<i>Sprengèlii. W.N.</i>					
51 jamaicénsis. DC.	(wh.) Jamaica.	Jamaica.	1820.	— S. h.	Sloan. jam. 2. t. 213. f. 1.
52 hispídus. DC.	(wh.) bristly.	Canada.	1768.	— H. h.	
53 triviális. Ph.	(bh.) American dewberry.	N. Amer.	1789.	6. 7. H. h.	
54 macrophýllus. W.N.	(w.) large-leaved.	Wales.	....	7. 8. H. h.	
55 vulgàris. W.N.	(bh.) common.	Britain.	....	— H. h.	
56 diversifòlius. L.B.	(bh.) different-leaved.	.....	....	— H. h.	
57 discolor. W.N.	(bh.) two-coloured.	.....	....	— H. h.	
58 fusco-ater. W.N.	(bh.) dark-brown.	.....	....	— H. h.	
59 pállidus. W.N.	(bh.) pale-leaved.	.....	....	— H. h.	
60 Kœhleri. W.N.	(bh.) Kœhler's.	.....	....	— H. h.	
61 rúdis. W.N.	(bh.) way-side.	.....	....	— H. h.	
62 rubricaulis. W.N.	(bh.) red-stalked.	Germany.	1816.	— H. h.	
63 echinátus. L.B.	(bh.) hedgehog.	Britain.	....	— H. h.	
64 dumetòrum. W.N.	(wh.) bushy.	.....	....	— H. h.	
65 tetraphýllus. W. en.	(w.) four-leaved.	N. America.	1812.	6. 7. H. h.	
66 parvifòlius. DC.	(pu.) small-leaved.	China.	1818.	6. 8. H. h.	Bot. reg. t. 496.
67 canádénsis. DC.	(wh.) purple-stalked.	N. America.	1811.	6. 7. H. h.	
68 saxátilis. DC.	(wh.) stone.	Britain.	....	— H. h.	Eng. bot. v. 32. t. 2233.
69 triflórus. Rich.	(wh.) three-flowered.	N. America.	....	— H. h.	
70 árticus. DC.	(cr.) dwarf crimson.	Scotland.	....	5. 8. H. h.	Eng. bot. v. 23. t. 1585.
71 pistillátus. Ph.	(ro.) close-styled.	Labrador.	1802.	6. 7. H. h.	Sm. exot. bot. 2. t. 86.
<i>caulis. DC.</i>					
72 obovális. DC.	(wh.) oboval-leaved.	N. America.	1823.	5. 7. H. h.	
73 parviflorus. DC.	(wh.) Vine-leaved.	.....	1824.	— H. h.	
74 stellátus. DC.	(ro.) star-flowered.	.....	1823.	6. 7. H. h.	Sm. ic. fasc. 3. t. 64.

75	Chamæmorus. DC. (wh.)	Cloud-berry.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 10. t. 716.
76	floridus. DC. (wh.)	large-flowered.	N. America.	1827.	6. 8.	H. 2.	
77	odoratus. DC. (re.)	flowering raspberry.	—	1700.	6. 9.	H. 2.	Bot. mag. t. 323.
78	reflexus. DC. (wh.)	reflexed.	China.	1818.	6. 7.	G. 2.	Bot. reg. t. 461.
79	Hamiltonianus. DC. (wh.)	Hamilton's.	Nepaul.	—	—	H. 2.	
	rugosus. D.P. non Smith.						
80	moluccanus. DC. (wh.)	Moluccas.	Amboyna.	1810.	—	S. 2.	Rumph. amb. 5. t. 47. f. 2.
81	rugosus. DC. (wh.)	rugose.	S. America.	1824.	—	S. 2.	
82	tiliaceus. DC. (wh.)	Lime-tree-ld.	Nepaul.	—	—	H. 2.	
83	paniculatus. DC. (wh.)	panicled.	—	1826.	7. 9.	H. 2.	
84	betulinus. DC. (wh.)	Birch-leaved.	—	1825.	—	H. 2.	
	DALIBA'RDA. DC.	DALIBA'RDA.	Icosandria	Pent-Decagynia.			
1	repens. DC. (wh.)	Violet-leaved.	N. America.	1768.	5. 6.	H. 2.	Mich. amer. 1. t. 27.
	violæoides. M.						
	FRAGARIA. DC.	STRAWBERRY.	Icosandria	Polygynia.			
1	monophylla. s.s.	simple-leaved.	.....	1773.	5. 6.	H. 2.	Bot. mag. t. 63.
2	vesca. DC. (wh.)	wood.	Britain.	....	4. 6.	H. 2.	Eng. bot. v. 22. t. 1524.
	a sylvestris. DC. (wh.)	wild.	—	....	—	H. 2.	
	β semperflorens. DC. (wh.)	ever-bearing.	.....	....	4. 12.	H. 2.	Nois. jard. fr. t. 11. f. 2.
	γ alba. (wh.)	white-fruited.	.....	....	—	H. 2.	
	δ minor. DC. (wh.)	small English.	Britain.	....	—	H. 2.	
	ε hortensis. DC. (wh.)	garden.	.....	....	—	H. 2.	
	ζ efflagellis. DC. (wh.)	short-shooted.	.....	....	—	H. 2.	
	η multiplæx. DC. (wh.)	double-blossomed.	.....	....	4. 6.	H. 2.	Blackw. herb. t. 77. f. 3.
	θ botryiformis. DC. (wh.)	crown-flowered.	.....	....	—	H. 2.	
	i muricata. DC. (gr.)	monstrous.	.....	....	—	H. 2.	
3	calycina. DC. (wh.)	large-calyxed.	Britain.	....	—	H. 2.	
4	collina. DC. (wh.)	Alpine.	Germany.	1768.	4. 11.	H. 2.	
	a rubra. (wh.)	red Alpine.	—	—	—	H. 2.	
	β alba. (wh.)	white Alpine.	—	—	—	H. 2.	
5	platanoides. DC. (wh.)	Plane-leaved.	N. America.	....	4. 6.	H. 2.	
6	Majaufea. DC. (wh.)	plaited-leaved.	France.	....	—	H. 2.	
	a bifera. DC. (wh.)	double-bearing.	—	—	—	H. 2.	
	β dubia. DC. (wh.)	flat-fruited.	—	—	—	H. 2.	
7	Breslingea. DC. (wh.)	leathery-leaved.	—	—	—	H. 2.	
	a abortiva. DC. (wh.)	sterile.	—	—	—	H. 2.	
	β nigra. DC. (wh.)	black-fruited.	.....	....	—	H. 2.	
	γ pendula. DC. (wh.)	pear-fruited.	.....	....	—	H. 2.	
	δ hispida. DC. (wh.)	Longchamp.	France.	....	—	H. 2.	
	ε viridis. DC. (wh.)	green-fruited.	.....	....	—	H. 2.	Nois. jard. fr. t. 13. f. 2.
	ζ pratensis. DC. (wh.)	field.	France.	....	—	H. 2.	
8	elatior. DC. (wh.)	tall.	Europe.	....	—	H. 2.	
9	moschata. Ehr. (wh.)	Hautboy.	England.	....	5. 6.	H. 2.	Eng. bot. v. 31. t. 2197.
	elatior. E.B.						
	β dioica. DC. (wh.)	diacious.	—	....	—	H. 2.	
10	virginiana. DC. (wh.)	scarlet.	N. America.	1629.	4. 6.	H. 2.	Nois. jard. fr. t. 12. f. 2.
	β hybrida. DC. (wh.)	Keen's seedling.	Hybrid.	....	—	H. 2.	
11	chilensis. DC. (wh.)	Chile.	S. America.	1727.	5. 6.	H. 2.	Dill. elth. t. 20. f. 140.
12	grandiflora. DC. (wh.)	Pine.	Surinam.	1759.	—	H. 2.	Mill. ic. t. 288.
	β ananassa. DC. (wh.)	Pine apple.	.....	....	—	H. 2.	Nois. jard. fr. t. 14. f. 2.
	γ calyculata. DC. (wh.)	Bath scarlet	.....	....	—	H. 2.	— t. 11. f. 1. t. 14. f. 1.
	δ tincta. DC. (wh.)	red-fleshed.	.....	....	—	H. 2.	
13	canadensis. DC. (wh.)	Canadian.	Canada.	....	—	H. 2.	
14	indica. DC. (ye.)	yellow-flower'd.	Nepaul.	1805.	5. 10.	H. 2.	Bot. reg. t. 61.
	Duchesnea fragarioides. Smith	Linn. trans. 10. p. 373.					
	COMAROPSIS. DC.	COMAROPSIS.	Icosandria	Pent-Octagynia.			
1	fragarioides. DC. (ye.)	strawberry-like.	N. America.	1803.	5. 6.	H. 2.	Mich. amer. 1. t. 28.
	Dalibarda fragarioides. M.						
2	Doniana. DC. (ye.)	Don's.	—	—	—	H. 2.	Bot. mag. t. 1567.
	Dalibarda fragarioides. B.M. non Mich.	Waldsteinia Doniana.	Tratt.				
3	pedata. DC. (wh.)	pedate.	—	1827.	—	H. 2.	Smith. ic. ined. t. 63.
	Rubus pedatus. Sm.	Dalibarda pedata. s.s.					
	HORKELIA. B.M.	HORKELIA.	Decandria	Polygynia.			
	congesta. B.M. (wh.)	tufted-flowered.	N. America.	1827.	7. 9.	H. 2.	Bot. mag. t. 2880.
	WALDSTEINIA. DC.	WALDSTEINIA.	Icosandria	Digynia.			
	geoides. DC. (ye.)	Avens-leaved.	Hungary.	1804.	6. 7.	H. 2.	Lodd. bot. cab. 402.
	COLURIA. B.	COLURIA.	Icosandria	Polygynia.			
	potentilloides. B. (or.)	Siberian.	Siberia.	1780.	6. 7.	H. 2.	Jacq. vind. 3. t. 68.
	Geum potentilloides. w.	Dr'yas geoides. Pall. Sieversia geoides. s.s.					

<b>SIEVE'RSIA. B.</b>		<b>SIEVE'RSIA. Icosandria Polygynia.</b>					
1	Péckii. B.M. (ye.)	Peck's.	N. America.	1827.	6. 7.	H. 2.	Bot. mag. t. 2863.
2	radiata. (ye.)	radiate.	—	1822.	—	H. 2.	
<i>Geum radiatum</i> . Ph.							
3	triflora. B.M. (ye.bh.)	three-flowered.	—	1827.	—	H. 2.	Bot. mag. t. 2858.
4	montana. s.s. (ye.)	mountain.	Austria.	1597.	5. 9.	H. 2.	Jacq. aust. 4. t. 373.
	<i>β minor</i> . (ye.)	smaller mountain.	Alps.	—	—	H. 2.	Barrel. rar. t. 399.
5	glacialis. s.s. (ye.)	arctic.	Siberia.	1827.	—	H. 2.	
6	Rössii. B. (ye.)	Ross's.	Melville Isl.	—	—	H. 2.	Brown ch.mel.p.18.t.C.
7	anemonoides. s.s.(wh.)	Anemone-like.	Kamtschatka.	1824.	—	H. 2.	
8	réptans. s.s. (ye.)	creeping.	Switzerland.	1775.	6. 8.	H. 2.	Jacq. aust. 5. ap. t. 22.
<b>GEUM. B.</b>		<b>AVENS. Icosandria Polygynia. L.</b>					
1	agrimonoides. Ph.(wh.)	Agrimony-leaved.	N. America.	1811.	6. 7.	H. 2.	Murr. com. gœt. 5. t. 2?
2	hispidum. s.s. (wh.)	hispid.	Sweden.	1828.	—	H. 2.	Reich. ic. cent. t. 3.
3	strictum. w. (ye.)	upright.	N. America.	1778.	5. 7.	H. 2.	Jacq. ic. 1. t. 93.
<i>aléppicum</i> . Jacq.							
4	intermedium. w. (ye.)	intermediate.	Europe.	1794.	5. 8.	H. 2.	W. hort. ber. 1. t. 69.
5	hybridum. Jacq. (ye.)	hybrid.	—	....	—	H. 2.	Jacq. ic. 1. t. 94.
6	rivale. w. (ye.bh.)	water.	Britain.	....	5. 9.	H. 2.	Eng. bot. 2. t. 106.
7	pyrenæicum. DC. (ye.)	Pyrenean.	Pyrenees.	1804.	6. 7.	H. 2.	Lam. ill. t. 44.
8	brachypetalum. DC.(ye.bh.)	short-petal'd.	.....	1826.	5. 8.	H. 2.	
9	sylvaticum. DC. (ye.)	wood.	S. Europe.	1820.	6. 7.	H. 2.	
<i>altaticum</i> . Desf. atl. 1. p. 401. <i>biflorum</i> . Brot.							
10	Thomasiænum. DC.(ye.)	Thomas's.	Pyrenees.	1828.	—	H. 2.	
11	Quéllyon. B.F.G. (sc.)	scarlet Chile.	Chile.	1826.	5. 10.	H. 2.	Swt. br. fl. gar. t. 292.
<i>coccineum</i> . Bot. reg. t. 1088. <i>non Flor. græc.</i>							
	<i>β grandiflorum</i> . (sc.)	large-flowered.	—	1829.	—	H. 2.	
12	macrophyllum. DC.(ye.)	large-leaved.	Kamtschatka.	1804.	6. 7.	H. 2.	
13	canadense. DC. (ye.)	Canadian.	Canada.	1778.	5. 8.	H. 2.	Murr. com gœt. 5. t. 4.
14	heterophyllum. DC.(wh.)	various-leaved.	.....	....	—	H. 2.	
15	Besserianum. (ye.)	Besser's.	Vollhynia.	1828.	—	H. 2.	
<i>intermedium</i> . Besser non Willd.							
16	hirsutum. L.en. (st.)	hairy.	N. America.	1818.	5. 7.	H. 2.	
17	virginianum. DC. (wh.)	Virginian.	—	....	7. 8.	H. 2.	Herm. parad. t. 111.
18	album. DC. (wh.)	white-flowered.	—	1730.	—	H. 2.	Jacq. vind. 2. t. 175.
<i>canadense</i> . Jacq. non Murr.							
19	urbanum. DC. (ye.)	common.	Britain.	....	5. 8.	H. 2.	Eng. bot. v. 20. t. 1400.
20	ranunculoides. DC.(ye.)	Ranunculus-like.	.....	1827.	—	H. 2.	
<b>DRYAS. DC.</b>		<b>DRYAS. Icosandria Polygynia. L.</b>					
1	octopétala. DC. (wh.)	mountain.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 7. t. 451.
2	integrifolia. DC. (wh.)	entire-leaved.	Greenland.	1824.	4. 8.	H. 2.	Hook. ex. flor. t. 220.
<b>POTENTILLA. DC.</b>		<b>CINQUEFOIL. Icosandria Polygynia. L.</b>					
1	nivea. DC. (ye.)	snowy-leaved.	N. Europe.	1816.	6. 8.	H. 2.	Lodd. bot. cab. 460.
2	angustifolia. DC. (ye.)	narrow-leaved.	Siberia.	1826.	—	H. 2.	Lehm. pot. t. 19.
3	macrantha. DC. (ye.)	great-flowered.	—	1829.	5. 8.	H. 2.	
4	uniflora. DC. (ye.)	single-flowered.	Daburia.	1827.	—	H. 2.	Lehm. pot. t. 18.
5	minima. DC. (ye.)	small.	Switzerland.	1816.	4. 6.	H. 2.	Lodd. bot. cab. 480.
6	Brauneana. N.P. (ye.)	Braune's.	—	—	—	H. 2.	Nestl. pot. t. 10. f. 4.
7	glacialis. DC. (ye.)	very hairy.	—	—	5. 7.	H. 2.	Ser. mus. helv. 1. t. 7.
8	frigida. DC. (ye.)	frigid.	Dauphiny.	—	—	H. 2.	Nestl. pot. t. 10. f. 3.
9	grandiflora. DC. (ye.)	large-flowered.	Siberia.	1640.	6. 7.	H. 2.	Bot. mag. t. 75.
10	villosa. DC. (ye.)	villous.	N. America.	1827.	—	H. 2.	Lehm. pot. t. 16.
11	norvegica. DC. (ye.)	Norwegian.	N. Europe.	1764.	6. 8.	H. 2.	Flor. dan. t. 171.
12	Morisoni. DC. (wh.)	Morison's.	N. America.	1680.	7. 8.	H. 2.	Nestl. pot. t. 9. f. 1.
<i>monspeiënsis</i> . L. Moris. his. s. 2. t. 20. f. 2. <i>hirsuta</i> . M.							
13	hirsuta. DC. (ye.)	hairy-leaved.	Greenland.	1820.	6. 8.	H. 2.	Flor. dan. t. 1390.
14	subcaulis. DC. (ye.)	short-stalked.	S. France.	—	5. 7.	H. 2.	Scop. carn. 1. t. 22.
<i>velutina</i> . L.P.							
15	Tormentilla DC. (ye.)	Septfoil.	Britain.	....	5. 10.	H. 2.	Eng. bot. v. 12. t. 863.
<i>Tormentilla officinalis</i> . E.B. <i>erecta</i> . w.							
16	nemorialis. N.P. (ye.)	creeping-wood.	—	....	6. 8.	H. 2.	Eng. bot. v. 12. t. 864.
<i>Tormentilla réptans</i> . E.B.							
17	umbròsa. DC. (go.)	shaded.	Tauria.	1821.	—	H. 2.	
18	réptans. DC. (ye.)	common.	Britain.	....	—	H. 2.	Eng. bot. v. 12. t. 862.
19	bithynica. DC. (ye.)	Bithynian.	Bithynia.	1822.	—	H. 2.	
20	símplex. DC. (ye.)	sarmentose.	N. America.	1804.	5. 8.	H. 2.	
<i>sarmentosa</i> . W.en. <i>caroliniana</i> . Poirét.							
21	canadensis. DC. (ye.)	Canadian.	Canada.	1818.	—	H. 2.	Nestl. pot. t. 10. f. 1.
22	vérna. E.B. (ye.)	spring.	Britain.	....	3. 5.	H. 2.	Eng. bot. v. 1. t. 37.

23	<i>cinèrea</i> . DC. (ye.) ash-coloured.	S. Europe.	1820.	4. 6.	H. 2.	Jacq. ic. 3. t. 491.
	<i>subacaulis</i> . Jacq. non. l.					
24	<i>pátula</i> . DC. (ye.) spreading.	Hungary.	1806.	6. 8.	H. 2.	W. et K. hung. 2. t. 199.
25	<i>opàca</i> . DC. (ye.) opaque-leaved.	Scotland.	....	—	H. 2.	Ser. mus. helv. 1. t. 4. f. 1.
26	<i>alpéstris</i> . E. F. (ye.) alpine.	—	....	—	H. 2.	— v. 8. t. 561.
	<i>aùrea</i> . E. B. nec <i>aliorum</i> .					
27	<i>aùrea</i> . DC. (go.) golden.	Alps Europe.	....	—	H. 2.	Ser. mus. helv. t. 8. f. a. b.
28	<i>salisburgénsis</i> . Jac. (ye.) broad-lobed.	Switzerland.	1825.	—	H. 2.	Jacq. ic. 3. t. 490.
29	<i>Hallèri</i> . DC. (ye.) Haller's.	—	....	—	H. 2.	Hall. hist. t. 21. f. 4.
30	<i>Thomási</i> . DC. (ye.) silky-haired.	Italy.	1825.	—	H. 2.	Ten. fl. nap. 1. t. 44.
31	<i>calàbra</i> . T. N. (ye.) Calabrian.	—	....	—	H. 2.	— 1. p. 287. t. 45.
32	<i>impólita</i> . Wah. (ye.) unpolished.	Carpathian.	1818.	—	H. 2.	—
33	<i>Gunthèri</i> . L. P. (ye.) Gunther's.	Bohemia.	1823.	—	H. 2.	Lehm. pot. 97. t. 10.
34	<i>argétea</i> . E. B. (ye.) silvery-leaved.	Britain.	....	—	H. 2.	Eng. bot. v. 2. t. 89.
35	<i>collina</i> . DC. (ye.) hill.	Germany.	1823.	—	H. 2.	—
36	<i>intermèdia</i> . DC. (ye.) intermediate.	Scotland.	....	—	H. 2.	Eng. bot. v. 35. t. 2449.
	<i>opàca</i> . E. B. non L.					
37	<i>clongàta</i> . Bes. (ye.) long-stalked.	Russia.	1827.	—	H. 2.	—
38	<i>incisa</i> . DC. (ye.) jagged-leaved.	.....	1818.	5. 8.	H. 2.	—
39	<i>canéscens</i> . DC. (ye.) canescent.	S. Europe.	1822.	6. 8.	H. 2.	Tausch. h. can. 1. t. 10.
40	<i>thuringiaca</i> . DC. (ye.) decumbent.	Germany.	—	—	H. 2.	—
41	<i>stipulàris</i> . DC. (ye.) large-stipuled.	Siberia.	1807.	—	H. 2.	Gmel. fl. bad. 3. n. 38. f. 2.
42	<i>hírta</i> . DC. (ye.) hairy.	S. Europe.	1725.	5. 9.	H. 2.	Lehm. pot. t. 8.
43	<i>pedàta</i> . N. P. (ye.) pedate-leaved.	Italy.	1818.	—	H. 2.	Nestl. pot. 44. t. 7.
44	<i>astracànica</i> . s. s. (ye.) Astracan.	Levant.	1787.	6. 8.	H. 2.	Jacq. ic. 1. t. 92.
45	<i>taùrica</i> . s. s. (ye.) Taurian.	Tauria.	1824.	—	H. 2.	Lehm. pot. 90. t. 9.
46	<i>récta</i> . s. s. (ye.) upright.	S. Europe.	1648.	—	H. 2.	Nestl. pot. 42. t. 6.
47	<i>obscura</i> . s. s. (ye.) obscure.	Siberia.	1816.	6. 7.	H. 2.	Noc. et Balb. fl. tic. t. 10.
48	<i>laciniòsa</i> . s. s. (ye.) jagged.	Hungary.	1818.	—	H. 2.	Lehm. pot. 86. t. 9.
49	<i>atrosanguínea</i> . DC. (cr.) dark crimson.	Nepaul.	1820.	6. 9.	H. 2.	Swt. br. fl. gar. t. 124.
50	<i>Russelliàna</i> . B. F. G. (sc.) Russell's.	Hybrid.	1827.	—	H. 2.	— v. 3. t. 279.
51	<i>formòsa</i> . D. P. (ro.) handsome.	Nepaul.	1820.	5. 9.	H. 2.	— v. 2. t. 136.
	<i>nepalénsis</i> . Hook. ex. flor. t. 88.					
52	<i>ruthènica</i> . DC. (ye.) Russian.	Siberia.	1799.	5. 7.	H. 2.	Moris. his. s. 2. t. 20. f. 2.
53	<i>diffùsa</i> . DC. (ye.) diffuse.	—	1825.	—	H. 2.	—
54	<i>chrysántha</i> . L. en. (go.) golden-flowered.	.....	1821.	—	H. 2.	—
55	<i>declinàta</i> . H. H. (ye.) declining.	.....	1827.	6. 8.	H. 2.	—
56	<i>pùmila</i> . s. s. (ye.) dwarf.	N. America.	1818.	5. 6.	H. 2.	—
57	<i>Weinmännii</i> . L. C. (ye.) Weinmann's.	Thuringia.	1822.	6. 8.	H. 2.	Lodd. bot. cab. t. 706.
58	<i>ornithopodioides</i> . (ye.) Bird's-foot.	.....	1827.	—	H. 2.	—
59	<i>lanuginòsa</i> . F. (ye.) woolly.	Caucasus.	1821.	—	H. 2.	—
60	<i>Sieversiana</i> . Ot. (ye.) Sievers's.	.....	1829.	—	H. 2.	—
61	<i>normàlis</i> . F. (ye.) normal.	Siberia.	1827.	—	H. 2.	—
62	<i>divaricàta</i> . s. s. (ye.) divaricate.	Corsica.	1824.	—	H. 2.	—
63	<i>fruticòsa</i> . DC. (ye.) shrubby.	England.	....	6. 8.	H. 2.	Eng. bot. 2. t. 88.
64	<i>dahùrica</i> . N. P. (ye.) Dahurian.	Dahuria.	1824.	—	H. 2.	Nestl. pot. 31. t. 1.
65	<i>floribúnda</i> . Ph. (ye.) cluster-flower'd.	N. America.	1811.	5. 9.	H. 2.	Wats. dend. brit. t. 70.
66	<i>bifúrca</i> . DC. (ye.) bifid-leaved.	Siberia.	1773.	6. 7.	H. 2.	Gmel. it. 1. t. 37. f. 1.
67	<i>supina</i> . DC. (ye.) trailing.	Europe.	1696.	7. 8.	H. 2.	Jacq. aust. 5. t. 406.
68	<i>pimpinelloides</i> . DC. (ye.) Burnet-leaved.	Levant.	1758.	6. 8.	H. 2.	Buxb. cent. 1. t. 48.
69	<i>geoides</i> . DC. (ye.) Avens-like.	Tauria.	1820.	—	H. 2.	—
70	<i>Sprengeliàna</i> . DC. (ye.) Sprengel's.	Siberia.	1824.	—	H. 2.	Lehm. pot. 49. t. 3.
71	<i>viscòsa</i> . DC. (ye.) clammy.	—	1797.	7. 8.	H. 2.	Nestl. pot. t. 36.
	<i>hispida</i> . N. P. non w.					
72	<i>pensylvànica</i> . DC. (ye.) Pennsylvanian.	N. America.	1725.	6. 8.	H. 2.	Jacq. viud. 2. t. 189.
73	<i>pectinàta</i> . F. (ye.) pectinated.	Siberia.	1824.	—	H. 2.	—
74	<i>argùta</i> . Ph. (ye.) sharp-toothed.	N. America.	1818.	5. 7.	H. 2.	—
75	<i>multífida</i> . DC. (ye.) cut-leaved.	Siberia.	1759.	—	H. 2.	Ser. mus. helv. 1. t. 8.
76	<i>agrimonioides</i> . s. s. (ye.) Agrimony-ld.	Caucasus.	1823.	6. 8.	H. 2.	—
77	<i>verticillàris</i> . DC. (ye.) whorled.	Dahuria.	—	—	H. 2.	—
78	<i>seríceà</i> . DC. (ye.) silky.	Siberia.	1780.	5. 6.	H. 2.	Lehm. pot. 66. t. 6.
79	<i>pulchèlla</i> . DC. (ye.) neat.	Melville Isl.	1827.	5. 7.	H. 2.	—
80	<i>Egèdii</i> . DC. (ye.) smooth-leaved.	Greenland.	—	—	H. 2.	Flor. dan. t. 1578.
81	<i>anserina</i> . DC. (ye.) wild Tansey.	Britain.	....	5. 9.	H. 2.	Eng. bot. 12. t. 861.
	<i>β geminiflora</i> . DC. (ye.) twin-flowered.	—	....	—	H. 2.	Moris. his. s. 2. t. 20. f. 4.
	<i>γ cóncolor</i> . DC. (ye.) silky-leaved.	—	....	—	H. 2.	—
82	<i>cándicans</i> . DC. (ye.) hoary-leaved.	America.	1826.	—	H. 2.	Nestl. pot. 34. t. 3. f. 2.
83	<i>spléndens</i> . DC. (ye.) glossy-leaved.	Nepaul.	1818.	7. 9.	H. 2.	Swt. br. fl. gar. 2. t. 150.
	<i>striàta</i> . s. s.					

84	<i>Còmarum</i> , DC. ( <i>pu.</i> ) marsh.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 3. t. 172.
	<i>Còmarum palustre</i> , E.B.				
85	<i>Salesòvii</i> , DC. ( <i>ye.</i> ) white shrubby.	Siberia.	1823.	— H. ♂.	Lehm. pot. 35. t. 1.
86	<i>glàbra</i> , DC. ( <i>wh.</i> ) smooth white.	—	1818.	6. 10. H. ♀.	Lodd. bot. cab. t. 914.
87	<i>rupèstris</i> , DC. ( <i>wh.</i> ) rock.	England.	....	6. 8. H. ♀.	Eng. bot. v. 29. t. 2058.
88	<i>fragarioides</i> , DC. ( <i>wh.</i> ) Strawberry-like.	Siberia.	1773.	5. 7. H. ♀.	Lehm. pot. 50. t. 4.
89	<i>álba</i> , DC. ( <i>wh.</i> ) white-flowered.	Wales.	....	6. 9. H. ♀.	Eng. bot. v. 20. t. 1384.
90	<i>caulescens</i> , DC. ( <i>wh.</i> ) caulescent.	Austria.	1759.	5. 7. H. ♀.	Jacq. aust. t. 220.
91	<i>Clusiàna</i> , s.s. ( <i>wh.</i> ) Clusius's.	S. Europe.	1806.	7. 8. H. ♀.	Bot. mag. t. 1327.
92	<i>lupinoides</i> , s.s. ( <i>wh.</i> ) close-flowered.	Pyrenees.	1739.	6. 7. H. ♀.	Lodd. bot. cab. t. 6.
93	<i>valdèria</i> , DC. ( <i>st.</i> ) crowded-flower'd.	S. Europe.	1818.	6. 8. H. ♀.	All. fl. ped. t. 24. f. . .
94	<i>nítida</i> , DC. ( <i>bh.</i> ) glossy.	—	1798.	— H. ♀.	Jacq. aust. ap. t. 25.
95	<i>apennìna</i> , DC. ( <i>wh.</i> ) Apennine.	Italy.	1825.	— H. ♀.	Ten. fl. nap. 1. t. 46.
96	<i>tridentàta</i> , DC. ( <i>wh.</i> ) trifid-leaved.	Scotland.	....	5. 7. H. ♀.	Eng. bot. v. 34. t. 2389.
97	<i>micrànthà</i> , DC. ( <i>wh.</i> ) small-blossom'd.	S. Europe.	1816.	6. 8. H. ♀.	Ser. mus. helv. 1. t. 5.
98	<i>Fragària</i> , DC. ( <i>wh.</i> ) sterile strawberry.	Britain.	....	3. 6. H. ♀.	Eng. bot. v. 25. t. 1785.
	<i>Fragària stérilis</i> , E.B. <i>Còmarum fragarioides</i> , W. enum.				
99	<i>emarginàta</i> , Ph. ( <i>wh.</i> ) emarginate.	Labrador.	1828.	— H. ♀.	
100	<i>Jamesoniàna</i> , DC. ( <i>ye.</i> ) Jameson's.	Greenland.	1822.	6. 7. H. ♀.	
<b>SIBBA'LDIA</b> , DC. <b>SIBBA'LDIA</b> , Pentandria Pentagynia.					
1	<i>procumbens</i> , DC. ( <i>ye.</i> ) procumbent.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 13. t. 897.
2	<i>parviflòra</i> , DC. ( <i>ye.</i> ) small-flowered.	Levant.	....	— H. ♀.	
3	<i>erècta</i> , DC. ( <i>ye.</i> ) upright.	Siberia.	1806.	— H. ♀.	Amm. ruth. 112. t. 15.
4	<i>grandiflòra</i> , DC. ( <i>ye.</i> ) large-flowered.	Dahuria.	1828.	— H. ♀.	
5	<i>polygyna</i> , DC. ( <i>ye.</i> ) many-styled.	Siberia.	1824.	— H. ♀.	
<b>AGRIMONIA</b> , DC. <b>AGRIMONY</b> , Dodecandria Digynia, L.					
1	<i>Eupatorià</i> , DC. ( <i>ye.</i> ) common.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 19. t. 1335.
2	<i>nepalénsis</i> , DC. ( <i>ye.</i> ) Nepaul.	Nepaul.	1820.	— H. ♀.	
3	<i>odoràta</i> , DC. ( <i>ye.</i> ) sweet-scented.	Italy.	1640.	7. 8. H. ♀.	
4	<i>dahùrica</i> , DC. ( <i>ye.</i> ) Dahurian.	Dahuria.	1824.	6. 8. H. ♀.	
5	<i>pilòsa</i> , DC. ( <i>ye.</i> ) hairy.	Siberia.	1820.	— H. ♀.	
6	<i>parviflòra</i> , DC. ( <i>ye.</i> ) small-flowered.	N. America.	1766.	6. 7. H. ♀.	
7	<i>suavèolens</i> , DC. ( <i>st.</i> ) fragrant.	—	1820.	— H. ♀.	
8	<i>striàta</i> , DC. ( <i>wh.</i> ) striped-flowered.	—	1812.	6. 8. H. ♀.	
9	<i>repèns</i> , DC. ( <i>ye.</i> ) creeping-rooted.	Levant.	1737.	7. 9. H. ♀.	
<b>AREMONIA</b> , DC. <b>AREMONIA</b> , Pent-Decandria Digynia.					
	<i>agrimonoides</i> , DC. ( <i>ye.</i> ) Agrimony-like.	Italy.	1739.	6. 8. H. ♀.	Col. ecphr. 1. t. 144.
	<i>Spallanzània agrimonoides</i> , s.s. <i>Agrimònia agrimonoides</i> , L.				

Subordo III. *SANGUISORBEÆ*. DC. prodr. v. 2. p. 588.

<b>ALCHIMILLA</b> , DC. <b>LADIES MANTLE</b> , Di-Tetrandria Monogynia, L.					
1	<i>capénsis</i> , DC. ( <i>gr.</i> ) Cape.	C. B. S.	1818.	4. 6. G. ♀.	Lam. ill. t. 86. f. 2.
2	<i>vulgàris</i> , DC. ( <i>gr.</i> ) common.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 9. t. 597.
	<i>β variegàta</i> , ( <i>gr.</i> ) <i>variegated-leaf'd.</i>	—	....	— H. ♀.	
	<i>γ glàbra</i> , DC. ( <i>gr.</i> ) <i>smooth.</i>	Pyrenees.	....	— H. ♀.	
3	<i>hybrida</i> , DC. ( <i>gr.</i> ) mountain.	Saxony.	....	— H. ♀.	Pluk. t. 240. f. 2.
	<i>montàna</i> , W. en.				
4	<i>pubescens</i> , DC. ( <i>gr.</i> ) pubescent.	Caucasus.	1813.	— H. ♀.	Willd. hort. ber. 2. t. 79.
5	<i>alpina</i> , DC. ( <i>gr.</i> ) silvery.	Britain.	....	7. H. ♀.	Eng. bot. v. 4. t. 214.
6	<i>sericea</i> , DC. ( <i>gr.</i> ) silky.	Caucasus.	1813.	6. 8. H. ♀.	
7	<i>pentaphylla</i> , DC. ( <i>gr.</i> ) five-leaved.	Switzerland.	1784.	7. H. ♀.	Bocc. mus. p. 18. t. 1.
8	<i>sibbaldiaefolia</i> , DC. ( <i>gr.</i> ) Sibbaldia-ld.	Mexico.	1823.	— F. ♀.	H. et B. n. g. am. 6. t. 561.
9	<i>arvènsis</i> , DC. ( <i>gr.</i> ) Parsley piert.	Britain.	....	4. 6. H. ♂.	Eng. bot. v. 15. t. 1011.
	<i>Aphànes</i> , w. <i>Aphànes arvènsis</i> , L.				
10	<i>cornucopioides</i> , DC. ( <i>gr.</i> ) Spanish.	Spain.	1825.	4. 7. H. ♂.	
<b>CEPHAL'OTUS</b> , DC. <b>CEPHAL'OTUS</b> , Dodecandria Hexagynia.					
	<i>follicularis</i> , DC. ( <i>wh.</i> ) pitcher-plant.	N. Holland.	1822.	4. 6. G. w. ♀.	Lab. nov. holl. 2. t. 145.
<b>MARGYRICA'RPUS</b> , DC. <b>MARGYRICA'RPUS</b> , Diandria Monogynia.					
	<i>setòsus</i> , DC. ( <i>gr.</i> ) bristle-pointed.	S. America.	1829.	.... F. ♂.	Flor. peruv. 1. t. 8. f. d.
<b>AC'ENA</b> , Kth. <b>AC'ENA</b> , Tri-Pentandria Monogynia.					
1	<i>elongàta</i> , DC. ( <i>gr.</i> ) long-spiked.	Mexico.	1827.	4. 8. F. ♂.	
2	<i>latebròsa</i> , DC. ( <i>gr.</i> ) hairy.	C. B. S.	1774.	4. 6. G. ♀.	Gært. fruct. 1. t. 32.

3	<i>pinnatifida</i> . DC. ( <i>gr.</i> ) pinnatifid.	Chili.	1823.	4. 6.	G. 2.	Fl. per. 1. t. 104. f. 1. b.
4	<i>sericea</i> . DC. ( <i>gr.</i> ) silky.	Port Desire.	....	—	G. 2.	Jacq. f. ecl. 1. t. 55.
<b>ANCISTRUM</b> . Kth. <b>ANCISTRUM</b> . Di-Pentandria Monogynia.						
1	<i>sanguisorbæ</i> . L. ( <i>gr.</i> ) Burnet-leaved.	N. Zealand.	1796.	6.	F. 2.	Gært. fruct. t. 32.
2	<i>ovalifolium</i> . DC. ( <i>gr.</i> ) oval-leaved.	Peru.	1802.	5. 6.	F. 2.	Vent. h. cels. t. 5.
<i>rèpens</i> . Vent.						
3	<i>argenteum</i> . K.S. ( <i>gr.</i> ) silvery-leaved.	S. America.	1823.	—	F. 2.	Fl. per. 1. t. 103. f. b.
4	<i>ascendens</i> . DC. ( <i>gr.</i> ) ascending.	Magellan.	—	—	H. 2.	
5	<i>lævigatum</i> . DC. ( <i>gr.</i> ) smooth	—	1790.	6. 8.	H. 2.	
6	<i>magellanicum</i> . DC. ( <i>gr.</i> ) Magellan.	—	....	—	H. 2.	Lam. ill. t. 22. f. 2.
7	<i>lucidum</i> . Lam. ( <i>gr.</i> ) shining.	Falkland Isl.	1777.	5. 6.	H. 2.	— t. 22. f. 3.
<b>SANGUISORBA</b> . DC. <b>GREAT-BURNET</b> . Tetrandria Monogynia. L.						
1	<i>officinâlis</i> . DC. ( <i>pu.</i> ) officinal.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 19. t. 1312.
	<i>β auriculata</i> . DC. ( <i>pu.</i> ) eared.	Italy.	....	—	H. 2.	Bocc. mus. 19. t. 9.
	<i>carnea</i> . DC. ( <i>pi.</i> ) flesh-coloured.	.....	1818.	—	H. 2.	
3	<i>rûbra</i> . Sck. ( <i>re.</i> ) red-spiked.	Dahuria.	1824.	—	H. 2.	Schrank, h. mon. t. 69.
4	<i>præcox</i> . Bes. ( <i>pi.</i> ) early-flowered.	Siberia.	1827.	5. 7.	H. 2.	
5	<i>angustifolia</i> . F. ( <i>pi.</i> ) narrow-leaved.	—	1820.	6. 8.	H. 2.	
6	<i>tenuifolia</i> . DC. ( <i>re.</i> ) slender-leaved.	Dahuria.	—	—	H. 2.	
7	<i>ingrica</i> . ( <i>wh.</i> ) glossy-leaved.	.....	1829.	—	H. 2.	
3	<i>mauritànica</i> . DC. ( <i>gr.</i> ) Barbary.	Algiers.	....	—	H. 2.	Moris. ox. s. 8. t. 18. f. 4.
9	<i>mèdia</i> . DC. ( <i>wh.</i> ) short-spiked.	Canada.	1785.	—	H. 2.	— s. 8. t. 18. f. 8.
10	<i>canadensis</i> . DC. ( <i>wh.</i> ) Canadian.	—	1633.	—	H. 2.	— s. 8. t. 18. f. 12.
<b>POTERIUM</b> . DC. <b>BURNET</b> . Monœcia Polyandria. L.						
1	<i>spinosum</i> . DC. ( <i>wh.</i> ) prickly shrubby.	Levant.	1595.	4. 8.	G. 2.	Moris. ox. s. 8. t. 18. f. 5.
	<i>γ crispum</i> . DC. ( <i>wh.</i> ) curled-leaved.	—	....	—	G. 2.	
	<i>γ inërme</i> . DC. ( <i>wh.</i> ) spineless.	—	....	—	G. 2.	
2	<i>caudatum</i> . DC. ( <i>wh.</i> ) shrubby.	Canaries.	1779.	1. 4.	G. 2.	Bot. mag. 2341.
3	<i>Sanguisorba</i> . DC. ( <i>pu.</i> ) common.	England.	....	7.	H. 2.	Eng. bot. v. 12. t. 860.
4	<i>agrimoniifolium</i> . DC. ( <i>pu.</i> ) Agrimony-ld.	Spain.	1818.	6. 7.	H. 2.	
5	<i>hy'bridum</i> . W. ( <i>pu.</i> ) sweet.	France.	1683.	—	H. 2.	Barrel. ic. t. 632.
6	<i>polygamum</i> . DC. ( <i>pu.</i> ) Hungarian.	Hungary.	1803.	7. 8.	H. 2.	W. et K. hung. 2. t. 198.
7	<i>villosum</i> . DC. ( <i>pu.</i> ) villous.	Levant.	1829.	—	H. 2.	Flor. græc. t. 942.
8	<i>verrucosum</i> . E. ( <i>pu.</i> ) warted.	Egypt.	1827.	—	H. 2.	
<b>CERCOCA'RPUS</b> . DC. <b>CERCOCA'RPUS</b> . Icosandria Monogynia.						
	<i>fothergilloides</i> . DC. ( <i>pu.</i> ) Fothergilla-like.	Mexico.	1828.	....	G. 2.	H. et B. n. gen. 6. t. 559.
<b>CLIFFORTIA</b> . DC. <b>CLIFFORTIA</b> . Diœcia Polyandria. L.						
1	<i>ilicifolia</i> . DC. ( <i>st.</i> ) Holly-leaved.	C. B. S.	1714.	5. 9.	G. 2.	Linn. hort. cliff. t. 30.
2	<i>cordifolia</i> . DC. ( <i>st.</i> ) heart-leaved.	—	1816.	—	G. 2.	
3	<i>tridentata</i> . DC. ( <i>st.</i> ) three-toothed.	—	1752.	6. 7.	G. 2.	
4	<i>ruscifolia</i> . DC. ( <i>st.</i> ) Ruscus-leaved.	—	—	—	G. 2.	Linn. hort. cliff. t. 31.
<i>arachnoidea</i> . B.C. 260.						
5	<i>graminea</i> . DC. ( <i>st.</i> ) grass-leaved.	—	1825.	—	G. 2.	
6	<i>ferruginea</i> . DC. ( <i>st.</i> ) ferruginous.	—	1823.	—	G. 2.	
7	<i>cuneata</i> . DC. ( <i>st.</i> ) wedge-leaved.	—	1787.	4.	G. 2.	
8	<i>strobilifera</i> . DC. ( <i>st.</i> ) cone-bearing.	—	1816.	5. 7.	G. 2.	Pluk. alm. t. 275. f. 2.
9	<i>ericæfolia</i> . DC. ( <i>st.</i> ) heath-leaved.	—	1799.	7. 9.	G. 2.	
10	<i>sarmentosa</i> . DC. ( <i>st.</i> ) twiggy.	—	1795.	6. 8.	G. 2.	
11	<i>falcata</i> . DC. ( <i>st.</i> ) falcate-leaved.	—	1816.	—	G. 2.	
12	<i>ternata</i> . DC. ( <i>st.</i> ) ternate-leaved.	—	—	—	G. 2.	Linn. hort. cliff. t. 32.
13	<i>trifoliata</i> . DC. ( <i>st.</i> ) three-leaved.	—	1752.	4. 7.	G. 2.	Pluk. alm. t. 319. f. 4.
14	<i>obcordata</i> . DC. ( <i>st.</i> ) obcordate.	—	1790.	6. 8.	G. 2.	
15	<i>oblîqua</i> . DC. ( <i>st.</i> ) oblique-leaved.	—	1816.	—	G. 2.	
16	<i>dentata</i> . DC. ( <i>st.</i> ) toothed.	—	—	—	G. 2.	
17	<i>crenata</i> . DC. ( <i>st.</i> ) notched-leaved.	—	1791.	7. 8.	G. 2.	
18	<i>pulchella</i> . DC. ( <i>st.</i> ) beautiful.	—	1795.	4. 5.	G. 2.	
19	<i>cinerea</i> . DC. ( <i>st.</i> ) cinereous.	—	1800.	6. 7.	G. 2.	

ORDO LXXIX.

SPIRÆACEÆ. *D. Don prodr. flor. nepal. p. 227.*

<b>PURSHIA</b> . DC. <b>PURSHIA</b> . Icosandria Monogynia.						
	<i>tridentata</i> . DC. ( <i>ye.</i> ) three-toothed.	Columbia.	1827.	....	H. 2.	Pursh. fl. amer. 1. t. 15.
	<i>Tigarea tridentata</i> . Ph.					

KERRIA. DC.		KE'RRIA. Icosandria Pent-Octagynia.					
1	japånica. DC.	(ye.) Japanese.	Japan.	1804.	4. 9.	H. h.	
	<i>β flore plèno.</i>	(ye.) double-flowered.	—	—	—	H. h.	Andr. repos. t. 587.
	<i>Córchorus japónicus.</i> Bot. mag. t. 1296.						
SPIRÆA. DC.		SPIRÆA. Icosandria Pentagynia. L.					
1	opulifolia. DC.	(wh.) Guelder-rose-ld.	N. America.	1690.	6. 7.	H. h.	Schmidt arb. 1. t. 52.
2	capitata. DC.	(wh.) headed.	Columbia.	1827.	—	H. h.	
3	ulmifolia. DC.	(wh.) Elm-leaved.	Siberia.	1790.	—	H. h.	Jacq. vind. 2. t. 140.
4	flexuosa. DC.	(wh.) flexuose.	—	1820.	—	H. h.	Camb. mon. spir. t. 26.
5	bélla. DC.	(ro.) red-flowered.	Nepaul.	1818.	6. 9.	H. h.	Bot. mag. t. 2426.
6	chamædrifolia. DC.	(wh.) Germander-ld.	Siberia.	1780.	6. 7.	H. h.	Bot. reg. t. 1222.
7	mèdia. Ph.	(wh.) middle.	Canada.	1827.	—	H. h.	
8	oblongifolia. W.K.	(wh.) oblong-leaved.	Hungary.	1815.	5. 7.	H. h.	W. et K. hung. 3. t. 235.
9	cána. DC.	(wh.) hoary-leaved.	—	1824.	6. 7.	H. h.	— 3. t. 227.
10	trilobata. DC.	(wh.) three-lobed.	Siberia.	1801.	5. 6.	H. h.	Pall. ross. 1. t. 17.
11	alpina. DC.	(wh.) Alpine.	—	1806.	6. 7.	H. h.	— 1. t. 20.
12	thalictroides. DC.	(wh.) meadow-rue-ld.	—	1790.	5. 6.	H. h.	— 1. t. 18.
13	pikowiénsis. DC.	(wh.) Pikow.	Poland.	1824.	—	H. h.	
14	hypericifolia. W.	(wh.) Hypericum-ld.	N. America.	1640.	4. 5.	H. h.	Schmidt arb. 1. t. 26.
15	uralénsis.	(wh.) Fischer's.	Siberia.	1822.	—	H. h.	
	<i>crenata.</i> F. non W. <i>hypericifolia β uralénsis.</i> DC.						
16	acutifolia. W.en.	(wh.) acute-leaved.	Siberia.	—	—	H. h.	
17	crenata. L.	(wh.) crenated.	—	1739.	—	H. h.	
18	cratægifolia. L.en.	(wh.) Hawthorn-leav'd.	.....	1824.	5. 6.	H. h.	
19	obovata. W.K.	(wh.) obovate leaved.	Hungary.	1816.	—	H. h.	
20	savrànica. Bes.	(wh.) small-flowered.	Poland.	1826.	—	H. h.	
21	Besseriána.	(wh.) Besser's.	—	—	—	H. h.	
	<i>crenata.</i> Bes. non L.						
22	canéscens. DC.	(wh.) canescent.	Nepaul.	1825.	6. 8.	H. h.	
23	ceanothifolia. DC.	(wh.) Ceanothus-ld.	.....	1820.	5. 6.	H. h.	
24	corymbosa. DC.	(wh.) corymbose.	Virginia.	1812.	—	H. h.	Lodd. bot. cab. t. 671.
25	vacciniifolia. D.P.	(wh.) Vaccinium-ld.	Nepaul.	1824.	6. 8.	H. h.	— t. 1403.
26	betulæfolia. DC.	(wh.) Birch-leaved.	Siberia.	1812.	6. 7.	H. h.	Pall. ross. 1. t. 16.
27	lævigata. DC.	(wh.) smooth-leaved.	—	1774.	4. 6.	H. h.	Schmidt arb. 1. t. 49.
28	salicifolia. DC.	(ro.) Willow-leaved.	Britain.	....	6. 8.	H. h.	Eng. bot. v. 21. t. 1468.
29	álba. W.D.	(wh.) white-flowered.	.....	....	—	H. h.	Wats. dend. brit. t. 133.
30	carpinifolia. W.en.	(bh.) broad-leaved.	N. America.	....	7. 8.	H. h.	— t. 66.
31	tomentosa. DC.	(ro.) tomentose.	—	1736.	7. 9.	H. h.	Schmidt arb. 1. t. 51.
32	ariafolia. DC.	(ro.) Aria-leaved	—	1827.	6. 8.	H. h.	
33	discolor. DC.	(wh.) two-coloured.	—	—	—	H. h.	
34	sorbifolia. DC.	(wh.) Service-leaved.	Siberia.	1759.	7. 9.	H. h.	Schmidt arb. 1. t. 58.
35	grandiflora.	(wh.) large-flowered.	Kamtschatka.	1817.	7. 8.	H. h.	Pall. ros. 1. t. 25.
	<i>sorbifolia β alpina.</i> DC.						
36	Arúncus. DC.	(wh.) Goat's-beard.	Siberia.	1633.	6. 7.	H. h.	Pall. ros. 1. t. 26.
37	americána.	(wh.) glossy-leaved.	N. America.	1825.	—	H. h.	
38	Ulmària. DC.	(wh.) Meadow-sweet.	Britain.	....	6. 10.	H. h.	Eng. bot. v. 14. t. 960.
	<i>a tomentosa.</i> DC.	(wh.) tomentose.	—	....	—	H. h.	
	<i>β multiplex.</i> DC.	(wh.) double-flowered.	—	....	—	H. h.	
	<i>γ variegata.</i> DC.	(wh.) variegated-leav'd.	—	....	—	H. h.	
39	lobata. DC.	(ro.) lobed-leaved.	N. America.	1765.	7. 8.	H. h.	Jacq. vind. 1. t. 88.
40	palmata. DC.	(wh.) palmated.	China.	1823.	—	H. h.	
41	digitata. DC.	(ro.) digitate.	Siberia.	—	—	H. h.	Pall. ros. 1. t. 27.
42	Filipéndula. DC.	(wh.) Dropwort.	Britain.	....	6. 10.	H. h.	Eng. bot. v. 4. t. 284.
	<i>β multiplex.</i> DC.	(wh.) double-flower'd.	—	....	—	H. h.	
GILL'ENIA. DC.		GILL'ENIA. Dodecandria Pentagynia.					
1	trifoliata. DC.	(bh.) three-leaved.	N. America.	1713.	6. 7.	H. h.	Bot. mag. t. 489.
	<i>Spiræa trifoliata.</i> B.M.						
2	stipulæca. DC.	(bh.) large-stipuled.	—	1805.	—	H. h.	Bart. med. bot. t. 6.

## ORDO LXXX.

## CALYCANTHÆ. DC. prodr. 3. p. 1.

CALYCA'NTHUS. DC.		ALLSPICE-TREE. Icosandria Polygynia. L.					
1	floridus. DC.	(d. pu.) Carolina.	Carolina.	1726.	5. 8.	H. h.	Bot. mag. t. 503.

2	prunifolius.	( <i>d.pu.</i> ) Plum-leaved.	Carolina.	1822.	5. 8.	H. h.	
3	glaucaus. DC.	( <i>d.pu.</i> ) glaucous-leaved.	————	1806.	—	H. h.	Guimp. ab. holz. t. 5.
	<i>fertilis.</i>						Bot. reg. t. 404.
4	oblongifolius. N. ( <i>d.pu.</i> )	oblong-leaved.	————	1812.	—	H. h.	
5	laevigatus. DC. ( <i>d.pu.</i> )	smooth-leaved.	————	1806.	—	H. h.	Bot. reg. t. 481.
<b>CHIMONANTHUS. DC. JAPAN ALLSPICE. Icosandria Polygynia.</b>							
	fragrans. DC.	( <i>ye.</i> ) fragrant.	Japan.	1766.	12. 3.	H. h.	Bot. mag. t. 466.
	<i>Calycanthus pr'æcox.</i>						B.M.
	<i>α verus.</i>	( <i>ye.pu.</i> ) common.	————	—	—	H. h.	Hort. Kew. v. 2. t. 10.
	<i>β luteus.</i>	( <i>ye.</i> ) yellow-flowered.	————	1814.	—	H. h.	
	<i>γ grandiflorus.</i>	( <i>ye.</i> ) large-flowered.	————	1812.	—	H. h.	Bot. reg. t. 451.

ORDO LXXXI.

GRANATEÆ. *D. Don in Jameson Edinb. phil. journ. jul. 1826. p. 134.*

<b>PUNICA. DC.</b>		<b>POMEGRANATE. Icosandria Monogynia. L.</b>					
1	Granatum. DC.	( <i>or.</i> ) common.	S. Europe.	1548.	6. 9.	H. h.	Bot. mag. t. 1832.
	<i>α rubrum.</i>	( <i>or.</i> ) red-flowered.	————	—	—	H. h.	Schkuhr handb. t. 131.
	<i>β flore pleno.</i>	( <i>or.</i> ) double red.	————	....	6. 8.	H. h.	Trew ehret. t. 71. f. 2.
	<i>γ flavescens.</i>	( <i>ye.</i> ) yellow-flowered.	China.	1810.	—	F. h.	
	<i>δ albescens.</i>	( <i>wh.</i> ) white-flowered.	————	—	—	F. h.	Andr. reposit. t. 96.
	<i>ε multiplex.</i>	( <i>wh.</i> ) double white.	————	....	—	F. h.	
2	nana. DC.	( <i>or.</i> ) dwarf.	S. America.	1723.	7. 9.	F. h.	Bot. mag. t. 634.

ORDO LXXXII.

MEMECYLEÆ. *DC. prodr. 3. p. 5.*

<b>MEMECYLON. DC. MEM'ECYLON. Octandria Monogynia. L.</b>							
1	angulatum. DC.	( <i>pu.</i> ) square-stalked.	Mauritius.	1826.	5. 7.	S. h.	
2	capitellatum. DC.	( <i>pu.</i> ) headed.	Ceylon.	1796.	7. 8.	S. h.	Burm. zeyl. t. 30.
3	edule. DC.	( <i>pu.</i> ) eatable-fruited.	E. Indies.	1823.	—	S. h.	Roxb. corom. 1. t. 82.
4	grande. DC.	( <i>bl.</i> ) tree.	————	1824.	....	S. h.	Rheed. mal. 2. t. 14.
<b>MOURIRIA. DC. MOURIRIA. Decandria Monogynia.</b>							
1	myrtilloides. DC.	( <i>wh.</i> ) sessile-leaved.	Jamaica.	1818.	6. 8.	S. h.	Sloan. his. 2. t. 87. f. 3.
	<i>Petaloma myrtilloides.</i>		Swartz fl. ind. occ. 2. p. 833. t. 14.				
2	guianensis. DC.	( <i>ye.</i> ) Guiana.	Guiana.	1825.	—	S. h.	Aubl. guian. 1. t. 180.
3	grandiflora. DC.	( <i>wh.</i> ) great flowered.	Brazil.	1822.	....	S. h.	
4	alternifolia. H.B.	.... alternate-leav'd.	E. Indies.	1823.	....	S. h.	

ORDO LXXXIII.

COMBRETACEÆ. *DC. prodr. 3. p. 9.*

Tribus I. **TERMINALIEÆ. DC. prodr. 3. p. 9.**

<b>BUCIDA. DC.</b>		<b>OLIVE-BARK-TREE. Decandria Monogynia. L.</b>					
1	Buceras. DC.	( <i>wh.</i> ) Jamaica.	Jamaica.	1793.	7. 10.	S. h.	Bot. reg. t. 907.
2	capitata. DC.	( <i>wh.</i> ) Jamaica.	W. Indies.	1826.	....	S. h.	Vahl. ecl. 1. t. 8.
<b>TERMINALIA. DC. TERMIN'ALIA. Polygamia Monœcia. L.</b>							
1	Tanibouca. DC.	( <i>wh.</i> ) Guiana.	Guiana.	1826.	....	S. h.	Aubl. guian. 1. t. 178.
2	angustifolia. DC.	( <i>wh.</i> ) narrow-leaved.	E. Indies.	1692.	5. 7.	S. h.	Jacq. vind. 3. t. 100.
	<i>Catappa Benzoin.</i>		Gært. fruct. 2. p. 206. t. 127.				

3 mauritiãna. DC.	(wh.) Mauritius.	Mauritius.	1822.	.... S. h.	Lam. ill. t. 848. f. 2.
4 Catappa. DC.	(wh.) large-leaved.	E. Indies.	1778.	5. 7. S. h.	Jacq. ic. 1. t. 197.
5 subcordãta. K.S.	(wh.) heart-leaved.	W. Indies.	1816.	.... S. h.	
6 moluccãna. DC.	(wh.) smooth-leaved.	Moluccas.	—	.... S. h.	Rumph. amb. 1. t. 68.
7 glãbrata. DC.	(wh.) smooth-leaved.	Society Isles.	1822.	.... S. h.	Spreng. antiq. bot. t. 2.
8 latifolia. DC.	(wh.) broad-leaved.	W. Indies.	1778.	6. 8. S. h.	
9 bengalensis. DC.	(wh.) Bengal.	E. Indies.	1826.	.... S. h.	
10 Bellerica. DC.	(wh.) fetid-flowered.	—	1818.	.... S. h.	Roxb. corom. 2. t. 198.
11 Chẽbula. DC.	(wh.) oval-leaved.	—	1796.	6. 8. S. h.	— 2. t. 197.
12 citrina. DC.	(st.) Citron-leaved.	—	1823.	.... S. h.	Gært. fruct. 2. t. 97.
13 prõcera. DC.	(wh.) lofty.	—	1816.	.... S. h.	Roxb. corom. 3. t. 224.
14 gangẽtica. H.B.	(wh.) Ganges.	—	1823.	.... S. h.	
15 biticãria. H.B.	(wh.) Silhet.	—	1824.	.... S. h.	
16 arbũscola. DC.	(wh.) small tree.	Jamaica.	1822.	.... S. h.	
17 sericea. DC.	(wh.) silky-leaved.	C. B. S.	1816.	.... I. h.	
18 Fatriãa. DC.	(wh.) Madagascar.	Madagascar.	1826.	.... S. h.	
<b>PENTA'PTERA. DC.</b>	<b>PENTA'PTERA.</b>	<b>Polygamia Monœcia.</b>			
1 tomentõsa. DC.	(wh.) woolly.	E. Indies.	1824.	.... S. h.	DC. diss. t. 1.
2 paniculãta. DC.	(wh.) panicked.	—	1826.	.... S. h.	
3 Arjũna. DC.	(wh.) glaucous-leaved.	—	1825.	.... S. h.	DC. diss. t. 2.
4 bialãta. H.B.	(wh.) two-winged.	—	—	.... S. h.	
<b>GETONIA. DC.</b>	<b>GETONIA.</b>	<b>Decandria Monogynia.</b>			
1 floribũnda. DC.	(wh.) many-flowered.	E. Indies.	1815.	5. 7. S. h.	Roxb. corom. 1. t. 87.
2 nũtans. DC.	(wh.) nodding.	—	1823.	— S. h.	
<b>CONOCARPUS. DC.</b>	<b>BUTTON-TREE.</b>	<b>Pent-Decandria Monogynia.</b>			
1 erẽcta. w.	(wh.) upright.	Jamaica.	1752.	6. 8. S. h.	Jacq. amer. t. 52. f. 1.
2 procũbens. w.	(wh.) procumbent.	Cuba.	1730.	— S. h.	— t. 52. f. 2.
3 acuminãta. DC.	(wh.) pointed-leaved.	E. Indies.	1822.	.... S. h.	
4 latifolia. DC.	(wh.) broad-leaved.	—	1816.	.... S. h.	
<b>LAGUNCULARIA. DC.</b>	<b>LAGUNCULARIA.</b>	<b>Decandria Monogynia.</b>			
racemõsa. DC.	(gr.) racemed.	W. Indies.	1825.	.... S. h.	Jacq. amer. t. 53.
<b>POIVREA. DC.</b>	<b>POIVREA.</b>	<b>Decandria Monogynia.</b>			
1 comõsa.	(cr.) tufted.	Sierra Leone.	1821.	5. 8. S. h.	Bot. reg. t. 1165.
	<i>Combrẽtum comõsum.</i>	Bot. reg.			
2 intermẽdia. G.D.	(cr.) intermediate.	—	—	.... S. h.	
3 alternifolia. DC.	(wh.) alternate-leav'd.	S. America.	1826.	.... S. h.	Jacq. am. pic. t. 260. f. 27.
	<i>Combrẽtum decãndrum.</i>	Jacq.			
4 coccinea. DC.	(sc.) scarlet-flower'd.	Madagascar.	1818.	3. 10. S. h.	Lam. ill. t. 282. f. 2.
	<i>Combrẽtum purpũreum.</i>	Bot. reg. 429.			<i>Cristãtia coccinea.</i> Sonn. itin. 2. t. 140. non Pursh.
5 Roxbũrghii. DC.	(wh.) Roxburgh's.	E. Indies.	1822.	.... S. h.	Roxb. corom. 1. t. 59.
	<i>Combrẽtum decãndrum.</i>	Roxb. non Jacq.			

Tribus II. **COMBRETEÆ.** DC. prodr. 3. p. 18.

<b>COMBR'ETUM. DC.</b>	<b>COMBR'ETUM.</b>	<b>Octandria Monogynia. L.</b>			
1 secũdum. G.D.	(ye.sc.) side-flowering.	W. Indies.	1822.	.... S. h.	Jacq. am. pic. t. 260. f. 26.
2 elegans. DC.	(re.) elegant.	S. America.	1823.	.... S. h.	Aubl. gui. 1. t. 137.
3 formõsum. G.D.	(ye.re.) beautiful.	Brazil.	1824.	.... S. h.	
4 grandiflorum. G.D.	(sc.) large-flowered.	Sierra Leone.	1821.	.... S. h.	
5 fariõsum. G.D.	(or.) mealy-leaved.	Mexico.	1823.	.... G. h.	
6 lãxum. G.D.	(wh.) loose-racemed.	S. America.	1822.	.... S. h.	Lam. ill. t. 282. f. 1.
7 pulchẽllum. G.D.	(sc.) pretty.	Brazil.	1823.	.... S. h.	
8 nanum. G.D.	(wh.) dwarf.	Nepaul.	1826.	.... G. h.	
9 micrãnthum. G.D.	(sc.) small-flowered.	Sierra Leone.	1828.	.... S. h.	
	<i>parviflorum.</i>	Reichenb. hort. bot. t. 62.			
<b>CACOUCIA. DC.</b>	<b>CACOUCIA.</b>	<b>Dodecandria Monogynia.</b>			
coccinea. DC.	(sc.) scarlet.	Guiana.	1815.	.... S. h.	Aubl. guian. 1. t. 179.
	<i>Schousb'œa coccinea.</i>	w.			
<b>QUISQUALIS. DC.</b>	<b>QUISQUALIS.</b>	<b>Decandria Monogynia. L.</b>			
1 indica. DC.	(cr.) Indian.	China.	1815.	5. 8. S. h.	Bot. reg. t. 492.
2 glãbra. DC.	(cr.) smooth.	E. Indies.	1825.	— S. h.	Burm. ind. t. 28. f. 2.
3 pubescens. s.s.	.... pubescent.	China.	1815.	.... S. h.	
4 villõsa. s.s.	.... villous.	Pegu.	1818.	.... S. h.	

## ORDO LXXXIV.

VOCHYSIÆ. DC. *prodr.* 3. p. 25.

VOCHYSIA. DC.	VOCHYSIA. Monandria Monogynia.				
1 guianensis. DC. (ye.)	Guiana.	Guiana.	1822.	.... S. h.	Aubl. guian. 1. t. 6.
<i>Cucularia excelsa.</i> W.					
2 tomentosa. DC. (ye.)	woolly.	————	1825.	.... S. h.	

## ORDO LXXXV.

RHIZOPHOREÆ. DC. *prodr.* 3. p. 31.

OLISBEA. DC.	OLISBEA. Decandria Monogynia.				
rhizophoraefolia. DC. . .	Rhizophora-ld. W. Indies.	1825.	.... S. h.		
RHIZOPHORA. DC.	RHIZOPHORA. Octandria Monogynia.				
Mángle. DC. (ye.)	common.	India.	1818.	.... S. h.	Jacq. amer. t. 89.
CARA'LLIA. DC.	CARA'LLIA. Dodecandria Monogynia.				
lúcida. DC. (ye.)	glossy.	E. Indies.	1826.	.... S. h.	Roxb. corom. 3. t. 211.

## ORDO LXXXVI.

ONAGRARIEÆ. DC. *prodr.* v. 3. p. 35.Tribus I. MONTINIEÆ. DC. *prodr.* loc. cit.

MONTINIA. DC.	MONTINIA. Diœcia Tetrandria. L.				
ácsis. DC. (wh.)	Sea purslane-ld. C. B. S.	1774.	7. 8. G. h.		Smith spicil. t. 15.
<i>caryophyllœa.</i> Thunb.					

Tribus II. FUCHSIEÆ. DC. *prod.* v. 3. p. 36.

FUCHSIA. DC.	FUCHSIA. Octandria Monogynia. L.				
1 microphylla. DC. (re.)	small-leaved.	Mexico.	1827.	6. 9. F. h.	Swt. br. fl. gar. s. 2. t. 16.
2 lycioides. DC. (re.)	Box-thorn-ld.	Chile.	1796.	4. 10. G. h.	Bot. mag. t. 1024.
3 parviflora. DC. (re.)	small-flowered.	Mexico.	1824.	6. 9. F. h.	Bot. reg. t. 1048.
4 arborescens. DC. (ro.)	arborescent.	————	1823.	6. 10. G. h.	———— t. 943.
5 gracilis. DC. (sc.)	slender.	————	1822.	5. 10. F. h.	———— t. 847.
$\beta$ multiflora. DC. (sc.)	many-flowered.	————	1824.	— F. h.	———— t. 1052.
6 macrostemma. DC. (sc.)	large-crowned.	Chile.	1823.	— G. h.	Flor. per. 3. t. 324. f. b.
<i>tenella.</i> DC. (sc.)	weak.	————	1822.	— G. h.	
7 conica. B.R. (sc.)	conical-tubed.	————	1824.	— F. h.	Bot. reg. t. 1062.
8 virgata. (sc.)	Colvill's.	Mexico.	1825.	— F. h.	
9 coccinea. DC. (sc.)	scarlet.	Chile.	1788.	— F. h.	Bot. mag. t. 97.
10 excorticata. DC. (gr. re.)	changeable.	N. Zealand.	1821.	— G. h.	Bot. reg. t. 857.

Tribus III. ONAGREÆ. DC. *prodr.* v. 3. p. 40.

CHAMÆNERION. Tourn.	CHAMÆNERION. Octandria Monogynia.				
1 spicatum. G.B. (re.)	spiked.	England.	....	7. 8. H. 4.	Eng. bot. v. 28. t. 1947.
<i>Epilobium angustifolium.</i> E.B.					
$\beta$ albiflorum. (wh.)	white-flowered.	————	....	— H. 4.	

- 2 speciosum. L.C. (re.) handsome. Europe. .... 7. 8. H. ♀.  
*Epilobium angustifolium* β *latum*. DC. *latifolium*. Schmidt.
- 3 americanum. (re.) American. N. America. 1825. — H. ♀.  
 4 rosmarinifolium. DC. (re.) Rosemary-ld. Europe. 1775. 6. 8. H. ♀. Reich. ic. 4. t. 341.  
*Epilobium angustissimum*. Bot. mag. t. 76.
- 5 Halleri. Retz. (re.) Haller's. Switzerland. 1798. — H. ♀. ——— 4. t. 342.  
*Epilobium Dodoni* æi. Allioni. *rosmarinifolium* β *alpinum*. DC.
- 6 latifolium. (li.) broad-leaved. Europe. 1779. 7. 8. H. ♀. Sal. par. lond. t. 58.  
*halimifolium*. P.L.
- EPILOBIUM. DC. WILLOW-HERB. Octandria Monogynia. L.**
- 1 alpinum. DC. (ro.) alpine. Britain. .... 6. 7. H. ♀. Eng. bot. v. 28. t. 2001.  
 2 organifolium. DC. (ro.) Marjoram-leav'd. ——— .... 7. 8. H. ♀. ——— v. 28. t. 2000.  
*alsinifolium*. E.B.
- 3 roseum. E.B. (ro.) rose-coloured. ——— .... — H. ♀. ——— v. 10. t. 693.  
 4 alpestre. s.s. (ro.) simple-stalked. Switzerland. .... — H. ♀.  
 5 montanum. DC. (li.) mountain. Britain. .... — H. ♀. Eng. bot. v. 17. t. 1177.  
 6 nutans. DC. (bh.) nodding. Bohemia. 1827. — H. ♀. Reich. ic. 2. t. 197.  
 7 Hornemanni. DC. (li.) Hornemann's. Finland. ——— — H. ♀. ——— p. 73. t. 180.  
*nutans*. Horn. *nec aliorum*.
- 8 coloratum. DC. (ro.) pink-flowered. N. America. 1805. — H. ♀.  
 9 dahuricum. DC. (wh.) Dahurian. Dahuria. 1816. — H. ♂.
- 10 hirsutum. DC. (pu.) Codlins & cream. Britain. .... — H. ♀. Eng. bot. v. 12. t. 838.  
 11 tomentosum. DC. (pu.) woolly. Levant. 1821. — H. ♀. Vent. hort. cels. t. 90.  
 12 villosum. DC. (pu.) villous. C. B. S. 1799. — G. ♀.  
 13 cylindricum. DC. (ro.) round-stemmed. Nepal. 1827. — H. ♀.  
 14 palustre. DC. (ro.) round-stalked. Britain. .... — H. ♀. Eng. bot. v. 5. t. 346.  
 15 rivulare. DC. (ro.) rivulet. N. Europe. 1828. — H. ♀. Reich. ic. 2. t. 170.  
 16 parviflorum. DC. (pu.) small-flowered. Britain. .... — H. ♀. Eng. bot. v. 12. t. 795.  
 17 tetragonum. DC. (pu.) square-stemmed. ——— .... — H. ♀. ——— v. 28. t. 1948.  
 18 obscurum. P.S. (pu.) obscure. Europe. 1820. — H. ♀. Reich. ic. 2. t. 199.  
 19 canescens. H.H. (ro.) canescent. .... 1826. — H. ♀.
- GA'URA. DC. GA'URA. Octandria Monogynia. L.**
- 1 biennis. DC. (bh.) biennial. N. America. 1762. 8. 10. H. ♂. Bot. mag. t. 389.  
 2 angustifolia. DC. (fl.) narrow-leaved. Carolina. 1816. 7. 9. F. ♂. Jacq. ic. 3. t. 457.  
*fruticosa*. Jacq. ex DC. prodr.
- 3 sinuata. DC. (fl.) sinuate-leaved. Arkanza. 1826. — H. ♂.  
 4 tripétala. DC. (bh.) three-petaled. Mexico. 1804. 8. 10. H. ♂. Cavan. ic. 4. t. 396. f. 1.  
 5 linifolia. DC. (wh.) Flax-leaved. Arkanza. 1826. 7. 9. H. ♂.  
 6 coccinea. DC. (ro.) pale-scarlet. Louisiana. 1811. 8. 10. H. ♀.  
 7 mutabilis. DC. (ye.) changeable-col'd. N. Spain. 1795. 7. 9. F. ♂. Bot. mag. t. 388.  
 8 cænothiflora. DC. (ye.) canescent. .... 1816. — F. ♂.
- GENOTHERA. DC. EVENING PRIMROSE. Octandria Monogynia. L.**
- 1 dentata. DC. (ye.) toothed. Chile. 1818. 6. 9. H. ♂. Lindl. coll. t. 10.  
 2 micrantha. s.s. (ye.) small-blossom'd. California. 1820. — H. ♂.
- hirta*. L. enum.
- 3 cheiranthifolia. DC. (ye.) Wallflower-ld. Chile. ——— — F. ♀. Bot. reg. t. 1040.  
 4 biennis. DC. (ye.) common. N. America. 1629. — H. ♂. Eng. bot. v. 22. t. 1534.  
 5 elata. DC. (ye.) tall upright. Mexico. 1827. 7. 10. F. ♂.  
 6 grandiflora. DC. (ye.) large-flowered. N. America. 1778. 6. 8. H. ♂. Bot. mag. t. 2068.  
 7 suaveolens. DC. (ye.) fragrant. ——— .... — H. ♂.  
 8 Simsiána. DC. (ye.) Sims's. Mexico. 1816. 7. 10. F. ♂. Bot. mag. t. 1974.  
*corymbosa*. B.M. non Lamarck.
- 9 macrocarpa. DC. (ye.) broad-leaved. N. America. 1811. 6. 8. H. ♀. Swt. br. fl. gar. t. 5.  
 10 missouriensis. B.M. (ye.) narrow-leaved. ——— ——— — H. ♀. Bot. mag. t. 1592.  
*alata*. N. non Rafin.
- 11 salicifolia. DC. (ye.) Willow-leaved. .... 1818. 6. 9. H. ♂.  
 12 parviflora. DC. (ye.) small-flowered. N. America. 1757. 6. 8. H. ♂. Meerb. ic. 1. t. 34.  
 13 cruciata. N. (st.) cross-petaled. ——— 1821. 6. 10. H. ♂.  
 14 muricata. DC. (ye.) prickly-stalked. N. America. 1789. 7. 9. H. ♂. Murr. com. goet. 6. t. 1.  
 15 nocturna. DC. (ye.) night-smelling. C. B. S. 1790. 4. 8. G. ♂. Jacq. ic. 3. t. 455.  
 16 longiflora. DC. (ye.) long-flowered. BuenosAyres. 1776. 7. 9. H. ♂. Bot. mag. t. 365.  
 17 villosa. DC. (ye.) villous. C. B. S. 1791. — G. ♂.  
 18 mollissima. DC. (ye.) soft wave-ld. BuenosAyres. 1732. 6. 10. H. ♂. Schkuhr hand. 1. t. 105.  
 19 odorata. DC. (ye.) sweet-scented. Patagonia. 1790. 4. 8. H. ♀. Bot. mag. t. 2403.  
*a glaucescens*. DC. (ye.) glaucescent. ——— — H. ♀. Jacq. ic. 3. t. 456.  
*β virescens*. DC. (ye.) purple-stalked. ——— — H. ♀. Bot. reg. t. 147.
- 20 striata. DC. (ye.) striped-seeded. .... 1816. 6. 9. H. ♂.  
 21 sinuata. DC. (ye.) scollop-leaved. N. America. 1770. 7. 8. H. ♂. Murr. com. goet. 5. t. 9.  
 22 tenella. DC. (pu.) slender. Chile. 1822. 6. 9. H. ♂. Swt. br. fl. gar. t. 167.

23	tenuifolia. DC.	(pu.) slender-leaved.	Chile.	1829.	6. 9.	H. ☉.	Cavan. ic. 4. t. 397.
24	viminea. B.M.	(pu.) twiggy.	N. America.	1827.	—	H. ☉.	Bot. reg. t. 1220.
25	decumbens. D.	(pu.) decumbent.	—	—	—	H. ☉.	— t. 1221.
26	quadrivulnera. D.	(pu.) four-spotted.	—	—	—	H. ☉.	— t. 1119.
27	Lindleyana. D.	(pu.) Lindley's.	—	—	—	H. ☉.	Swt. br. fl. gar. s. 2. t. 19.
28	roseo-alba. DC. (wh. ro.)	rosy and white.	America.	1826.	—	H. ☉.	— t. 268.
29	purpurea. DC.	(pu.) purple-flower'd.	N. America.	1794.	5. 9.	H. ☉.	Bot. mag. t. 352.
30	Romanzovia. DC.	(pu.) Romanzoff's.	—	1819.	—	H. ☉.	Bot. reg. t. 662.
31	corymbosa. DC.	(ye.) corymbose.	—	1826.	6. 9.	H. ♂.	562
32	spectabilis. H.H.	(ye.) showy.	Mexico.	1822.	—	F. ♂.	
33	gauroides. DC.	(ye.) Gaura-like.	Baltimore.	1816.	7. 9.	H. ♂.	
34	media. DC.	(ye.) intermediate.	N. America.	1821.	6. 9.	H. ♀.	
35	serrulata. DC.	(ye.) saw-leaved.	—	—	6. 10.	H. ♀.	Swt. br. fl. gar. t. 133.
36	stricta. Led.	(ye.) straight.	—	1822.	—	H. ☉.	
37	amœna. Leh.	(ye.) delicate.	—	1826.	—	H. ☉.	
38	nervosa. H.H.	(ye.) nerved-leaved.	—	—	—	H. ♂.	
39	cæspitosa. DC.	(wh.) tufted.	N. America.	1811.	6. 9.	H. ♀.	Bot. mag. t. 1593.
40	acaulis. DC.	(wh.) short-stalked.	Chile.	1822.	—	H. ♀.	Bot. reg. t. 763.
41	taraxacifolia. B.F.G. (w.)	Dandelion-ld.	—	1823.	—	H. ♀.	Swt. br. fl. gar. t. 294.
	grandiflora. Flor. peruv.	3. t. 318. f. 6. nec aliorum.					
42	triloba. DC. (st.)	root-flowering.	N. America.	1821.	6. 10.	H. ☉.	Bot. mag. t. 2566.
	rhizocarpa. s. s.						
43	virgata. DC.	(pu.) slender-twigg'd.	Peru.	1823.	6. 9.	H. ☉.	Flor. per. 29. t. 315.
44	pinnatifida. DC.	(ye.) pinnatifid.	Mexico.	1825.	—	F. ♀.	
45	tetraptera. DC.	(wh.) four-winged.	—	1796.	—	H. ☉.	Bot. mag. t. 468.
46	latiflora. DC.	(wh.) broad-flowered.	—	1826.	—	H. ♀.	Flor. mex. ined. t. 376.
47	glauca. DC.	(ye.) glaucous-leav'd.	N. America.	1812.	5. 10.	H. ♀.	Bot. mag. t. 1606.
48	fruticosa. DC.	(ye.) frutescent.	—	1737.	6. 8.	H. ♀.	— t. 332.
49	ambigua. DC.	(ye.) ambiguous.	—	—	—	H. ♀.	
50	serotina. B.F.G.	(ye.) late-flowered.	—	1820.	7. 10.	H. ♀.	Swt. br. fl. gar. t. 184.
51	tetragona. DC.	(ye.) blunt-leaved.	—	—	6. 8.	H. ♀.	
52	Fraseri. DC.	(ye.) Fraser's.	—	1811.	5. 10.	H. ♀.	Bot. mag. t. 1674.
53	pumila. DC.	(ye.) dwarf.	—	1757.	5. 9.	H. ♀.	— t. 355.
54	rosea. DC.	(ro.) rose-coloured.	Peru.	1783.	—	F. ♀.	— t. 347.
55	linearis. DC.	(ye.) linear-leaved.	N. America.	—	6. 8.	H. ♀.	
56	speciosa. DC.	(wh.) handsome.	Louisiana.	1821.	—	H. ♀.	Swt. br. fl. gar. t. 253.
57	pallida. B.R.	(bh.) pale.	N. America.	1827.	—	H. ♀.	Bot. reg. t. 1142.
58	albicaulis. DC.	(wh.) white-stalked.	—	1811.	5. 9.	H. ☉.	
	pinnatifida. N. non Kth.						
59	Nuttallii. (wh.)	Nuttall's.	N. America.	—	5. 8.	H. ♀.	
	albicaulis. N. non Pursh.						
60	canadensis. DC.	(ye.) Canadian.	Canada.	1825.	6. 9.	H. ☉.	
CLA'RKIA. Ph.		CLA'RKIA. Octandria Monogynia.					
	pulchella. Ph.	(ro.) beautiful.	N. America.	1827.	5. 10.	H. ☉.	Bot. reg. t. 1100.
	β albiflora.	(wh.) white-flowered.	—	—	—	H. ☉.	
	γ integriloba.	(ro.) entire-lobed.	—	—	—	H. ☉.	

Tribus IV. JUSSIEÆ. DC. prodr. v. 3. p. 52.

JUSSIEÆ. DC.	JUSSIEÆ. Octo-Dec-Dodecandria Monogynia.						
1	variabilis. DC.	(ye.) variable.	Guiana.	1820.	7. 9.	S.w. ♀.	
2	leptocarpa. DC.	(ye.) narrow-podded.	Mississippi.	1824.	—	H. ☉.	
3	pilosa. DC.	(ye.) hairy.	Caracas.	1829.	—	S.w. ♀.	H. et B. n. gen. 6. t. 532.
4	grandiflora. DC.	(ye.) great-flowered.	Carolina.	1812.	7. 10.	G.w. ♀.	Bot. mag. t. 2122.
5	repens. DC.	(ye.) creeping.	E. Indies.	1816.	—	S.w. ♀.	Rheed. mal. 2. t. 51.
6	Swartziana. DC.	(ye.) Swartz's.	W. Indies.	1826.	—	S.w. ♀.	
7	inclinata. DC.	(ye.) inclined.	Surinam.	1820.	—	S.w. ☉.	
8	acuminata. DC.	(ye.) acuminate.	Jamaica.	—	—	S. ☉.	
9	linifolia. DC.	(ye.) Flax-leaved.	W. Indies.	—	—	S. ☉.	
10	erecta. DC.	(ye.) upright.	S. America.	1739.	—	S.w. ♂.	Gært. fruct. t. 31.
11	frutescens. DC.	(ye.) frutescent.	—	1829.	4. 6.	S.w. ♀.	
12	longifolia. DC.	(ye.) long-leaved.	Brazil.	1828.	6. 9.	S.w. ♀.	DC. pl. rar. gen. 1. t. 4.
13	decurrens. DC.	(ye.) decurrent.	N. America.	—	—	H.w. ♀.	Abb. ins. t. 40.
14	ovalifolia. DC.	(ye.) oval-leaved.	Madagascar.	1823.	7. 9.	S.w. ♀.	Bot. mag. t. 2530.
15	Burmanni. DC.	(ye.) Burmann's.	E. Indies.	1808.	8. 9.	S.w. ♀.	Andr. reposit. 621.
	suffruticosa. A.R.						

16 villosa. DC.	(ye.) villous.	E. Indies.	1826.	8. 9.	S.w. $\frac{1}{2}$ .	Rheed. mal. 2. t. 50.
17 octonervia. DC.	(ye.) eight-nerved.	S. America.	....	7. 9.	S.w. $\frac{1}{2}$ .	Lam. ill. t. 280. f. 1.
<i>Enothëra octovalvis</i> . Jacq. amer. t. 70.						
18 octoflora. DC.	(ye.) eight-veined.	Caribees.	....	—	S.w. $\frac{1}{2}$ .	Plum.edBur.t.175.f.1.
19 scabra. DC.	(ye.) rough.	Brazil.	1816.	—	S.w. $\frac{1}{2}$ .	
20 hirta. DC.	(ye.) hairy.	S. America.	1823.	—	S.w. $\frac{1}{2}$ .	Plum.edBur.t.174.f.2.
LUDWIGIA. DC.	LUDWIGIA.	Tetrandria Monogynia.	L.			
1 jussiaeoides. DC.	(ye.) Jussiaea-like.	Mauritius.	1826.	7. 9.	S.w. $\frac{1}{2}$ .	
2 parviflora. DC.	(ye.) small-flowered.	E. Indies.	1812.	—	S. $\odot$ .	
ISNARDIA. DC.	ISNARDIA.	Tetrandria Monogynia.	L.			
1 alternifolia. DC.	(ye.) alternate-leav'd.	N. America.	1752.	6. 7.	H.w. $\frac{1}{2}$ .	Lam. ill. t. 77.
<i>Ludwigia alternifolia</i> . L. <i>macrocarpa</i> . M.						
2 hirsuta. DC.	(ye.) hairy.	—	1812.	6. 8.	H.w. $\frac{1}{2}$ .	
3 palustris. DC.	(gr.) marsh.	Europe.	1776.	7. 8.	H.w. $\frac{1}{2}$ .	Schk. handb. 1. t. 25.
4 nitida.	(gr.) American.	America.	....	—	H.w. $\frac{1}{2}$ .	
<i>Ludwigia nitida</i> . M. <i>apétala</i> . Walter. <i>palustris</i> . Torrey.						

Tribus V. *CIRCÆEÆ*. DC. prodr. v. 3. p. 61.

LOPEZIA. DC.	LOPEZIA.	Monandria Monogynia.				
1 racemosa. DC.	(pu.) smooth.	Mexico.	1792.	8. 10.	G. $\frac{1}{2}$ .	Bot. mag. t. 254.
2 cordata. DC.	(pu.) heart-leaved.	—	1826.	7. 10.	H. $\odot$ .	
3 coronata. DC.	(pu.) coronet-flower'd.	—	1805.	—	H. $\odot$ .	Swt. br. fl. gar. t. 108.
4 oppositifolia. DC.	(pu.) opposite-leaved.	—	1825.	—	H. $\odot$ .	
5 integrifolia. DC.	(pu.) entire-leaved.	—	—	—	H. $\odot$ .	
6 miniata. DC.	(pu.) frutescent.	—	1824.	9. 11.	G. $\frac{1}{2}$ .	Jacq. f. ecl. t. 109.
7 hirsuta. DC.	(pu.) hairy.	—	1796.	—	G. $\frac{1}{2}$ .	Jacq. coll. 5. t. 15. f. 4.
8 pumila. DC.	(pu.) dwarf.	—	1825.	7. 9.	H. $\odot$ .	
CIRCÆA. DC.	ENCHANTER'S NIGHTSHADE.	Diandria Monogynia.				
1 lutetiãna. DC.	(wh.) common.	Britain.	....	6. 8.	H. $\frac{1}{2}$ .	Eng. bot. v. 15. t. 1056.
2 canadensis. L.	(wh.) smooth-stalked.	N. America.	....	—	H. $\frac{1}{2}$ .	
3 alpina. DC.	(wh.) mountain.	Britain.	....	6. 9.	H. $\frac{1}{2}$ .	Eng. bot. v. 15. t. 1057.

Tribus VI. *HYDROCARYEÆ*. DC. prodr. v. 3. p. 63.

TRAPA. DC.	WATER-CALTROPS.	Tetrandria Monogynia.	L.			
1 natans. DC.	(wh.) floating.	S. Europe.	1781.	6. 8.	H.w. $\odot$ .	Bot. reg. t. 259.
2 quadrispinosa. DC.	(wh.) four-spined.	E. Indies.	1823.	—	S.w. $\odot$ .	
3 bispinosa. DC.	(wh.) two-spined.	—	1822.	6. 9.	S.w. $\odot$ .	Roxb. corom. t. 234.
4 bicornis. DC.	(wh.) two-horned.	China.	1790.	—	G.w. $\frac{1}{2}$ .	Braam ic. chin. t. 22.

## ORDO LXXXVII.

## HALORAGEÆ. DC. prodr. v. 3. p. 65.

Tribus I. *CERCODIANÆ*. DC. prodr. y. 3. p. 65.

SERPICULA. DC.	SERPICULA.	Monœcia Tetrandria.	L.			
repens. DC.	(gr.) creeping.	C. B. S.	1789.	7. 8.	G. $\frac{1}{2}$ .	Berg. cap. t. 5. f. 10.
GONIOCARPUS. DC.	GONIOCARPUS.	Octandria Tetragynia.				
1 micranthus. DC.	(wh.) small-flowered.	Japan.	1805.	6. 9.	H. $\odot$ .	Thunb. fl. jap. t. 15.
2 scaber. DC.	(wh.) rough-leaved.	China.	1820.	—	H. $\odot$ .	Ann. bot. 1. t. 12. f. 6.
3 teucroides. DC.	(wh.) Teucrium-like.	N. S. W.	1826.	—	H. $\odot$ .	
HALORAGIS. DC.	HALORAGIS.	Octandria Di-Tetragynia.				
1 prostrata. DC.	(gr.) prostrate.	N. S. W.	1818.	4. 9.	G. $\frac{1}{2}$ .	
2 digyna. DC.	(gr.) two-styled.	N. Holland.	1826.	—	G. $\frac{1}{2}$ .	Labil. n. holl. 1. t. 129.

<b>CERC'ODIA. DC.</b>		<b>CERC'ODIA. Octandria Tetragynia.</b>			
1	<i>erecta. DC.</i>	( <i>gr.</i> ) upright.	N. Zealand. 1772.	4. 9. G. $\frac{1}{2}$ .	Jacq. ic. 1. t. 69.
	<i>Halorâgis alata. Jacq. Cercodia. H.K. Tetragonia ivafolia. L.</i>				
<b>PROSERPIN'ACA. DC.</b>		<b>PROSERPIN'ACA. Triandria Trigynia.</b>			
1	<i>palustris. DC.</i>	( <i>wh.</i> ) marsh.	N. America. 1822.	7. 8. H.w. $\odot$ .	Jus. an. mus. 3. t. 30. f. 1.
2	<i>pectinata. DC.</i>	( <i>wh.</i> ) pectinated.	—————	—————	H.w. $\odot$ . Lam. ill. 1. t. 50. f. 1.
<b>MYRIOPHYLLUM.</b>		<b>WATER MILFOIL. Monœcia Tetr-Octandria.</b>			
1	<i>spicatum. DC.</i>	( <i>ro.</i> ) spiked.	Britain. ....	7. 8. H.w. $\mathcal{U}$ .	Eng. bot. v. 2. t. 83.
2	<i>pectinatum. DC.</i>	( <i>ro.</i> ) pectinated.	Europe. 1828.	—————	H.w. $\mathcal{U}$ . Flor. dan. t. 1046.
	<i>verticillatum. F.D.</i>				
3	<i>verticillatum. DC.</i>	( <i>ro.</i> ) verticillate.	England. ....	—————	H.w. $\mathcal{U}$ . Eng. bot. v. 4. t. 218.

Tribus II. **CALLITRICHINEÆ. DC. prodr. v. 3. p. 70.**

<b>CALLITRICHE. DC.</b>		<b>WATER STARWORT. Monandria Digynia. L.</b>			
1	<i>véna. DC.</i>	( <i>wh.</i> ) vernal.	Britain. ....	4. 10. H.w. $\odot$ .	Eng. bot. v. 11. t. 722.
2	<i>autumnâlis. DC.</i>	( <i>wh.</i> ) autumnal.	—————	.... 6. 10. H.w. $\odot$ .	Gmel. sib. 3. t. 1.

Tribus III. **HIPPURIDEEÆ. DC. prodr. v. 3. p. 71.**

<b>HIPPURIS. DC.</b>		<b>MARE'S-TAIL. Monandria Monogynia. L.</b>			
	<i>vulgâris. DC.</i>	( <i>gr.</i> ) common.	Britain. ....	5. H.w. $\mathcal{U}$ .	Eng. bot. v. 11. t. 763.

**ORDO LXXXVIII.**

**CERATOPHYLLEÆ. Gray brit. pl. arr. 2. p. 554.**

<b>CERATOPHYLLUM. DC.</b>		<b>HORNWORT. Monœcia Polyandria. L.</b>			
1	<i>demersum. DC.</i>	( <i>gr.</i> ) spiny-fruited.	Britain. ....	7. 9. H.w. $\mathcal{U}$ .	Eng. bot. v. 14. t. 947.
2	<i>submersum. DC.</i>	( <i>gr.</i> ) naked-fruited.	—————	.... 9. H.w. $\mathcal{U}$ .	————— v. 10. t. 679.

**ORDO LXXXIX.**

**LYTHRARIEÆ. DC. prodr. v. 3. p. 75.**

Tribus I. **SALICARIEÆ. DC. prodr. v. 3. p. 75.**

<b>PE'PLIS. DC.</b>		<b>WATER PURSLANE. Hexandria Monogynia. L.</b>				
	<i>Pörtula. DC.</i>	( <i>re.</i> ) common.	Britain. ....	7. 9. H. $\odot$ .	Eng. bot. v. 17. t. 121f.	
<b>AMMA'NNIA. DC.</b>		<b>AMMA'NNIA. Tetr-Heptandria Monogynia.</b>				
1	<i>ægyptiaca. DC.</i>	( <i>gr.</i> ) Egyptian.	Egypt. 1818.	7. 8. H.w. $\odot$ .	Willd. hort. ber. t. 6.	
2	<i>vesicatôria. DC.</i>	( <i>ye.</i> ) bladdered.	E. Indies. 1825.	—————	S.w. $\odot$ . Pluk. alm. t. 136. f. 22.	
3	<i>occidentâlis. DC.</i>	( <i>gr.</i> ) occidental.	Portorico. 1829.	—————	S.w. $\odot$ .	
4	<i>câspica. DC.</i>	( <i>gr.</i> ) Caspian.	Astracan. 1818.	—————	H.w. $\odot$ .	
5	<i>ramôsior. DC.</i>	( <i>pu.</i> ) branching.	Virginia. 1759.	—————	H.w. $\odot$ . Bocc. mus. t. 104.	
6	<i>latifolia. DC.</i>	( <i>wh.</i> ) broad-leaved.	W. Indies. 1733.	—————	S.w. $\odot$ . Sloan. his. 1. t. 7. f. 4.	
7	<i>hùmilis. DC.</i>	( <i>ro.</i> ) small.	N. America. 1823.	—————	H.w. $\odot$ .	
8	<i>baccifera. R.S.</i>	( <i>ye.</i> ) berry-bearing.	China. 1820.	—————	H.w. $\odot$ . Burm. ind. t. 15. f. 3.	
9	<i>verticillata. DC.</i>	( <i>pu.</i> ) whorled.	—————	—————	H.w. $\odot$ . Lam. ill. t. 77. f. 3.	
10	<i>multiflora. DC.</i>	( <i>re.</i> ) many-flowered.	E. Indies. 1818.	—————	S.w. $\odot$ .	
11	<i>dëbilis. DC.</i>	( <i>li.</i> ) cluster-flower'd.	—————	1778.	—————	S.w. $\odot$ .
12	<i>diffusa. DC.</i>	( <i>wh.</i> ) spreading.	—————	1818.	—————	S.w. $\odot$ .
13	<i>rotundifolia. DC.</i>	( <i>fl.</i> ) round-leaved.	Nepaul. ———	—————	H.w. $\odot$ .	
14	<i>pentândra. DC.</i>	( <i>wh.</i> ) pentandrous.	E. Indies. 1823.	—————	S.w. $\odot$ .	

- 15 sanguinolénta. DC. (cr.) bloody. Jamaica. 1803. 7. 8. S.w. ⊙.
- 16 octándra. DC. (cr.) octandrous. E. Indies. 1818. — S.w. ⊙. Roxb. corom. 2. t. 133.
- 17 auriculáta. DC. (pu.) eared. Egypt. 1820. — H.w. ⊙. Willd. h. ber. 1. t. 7.
- 18 rúbra. DC. (re.) red-flowered. Nepal. 1822. — H.w. ⊙.
- 19 pállida. DC. (pa.) pale-flowered. . . . . 1828. — H.w. ⊙.
- 20 víridis. DC. (gr.) green. . . . . 1818. — H.w. ⊙.
- 21 Wormskiöldii. F. . . . Wormskiöld's. Siberia. 1828. . . . H.w. ⊙.
- L'YTHRUM. DC. L'YTHRUM. Di-Dodecandria Monogynia.
- 1 thymifólium. DC. (li.) Thyme-leaved. S. Europe. 1820. 7. 9. H. ⊙. Barrel. ic. 773. f. 2.
- 2 thesióides. DC. (li.) Thesium-like. Caucasus. 1828. — H. ⊙.
- 3 lineáre. DC. (wh.) linear-leaved. N. America. 1812. 7. 8. H. ♀.
- 4 alátum. DC. (pu.) winged-stalked. — 1812. 5. 11. F. ♀. Bot. mag. t. 1812.
- 5 hyssopifólium. DC. (li.) Hyssop-leaved. England. . . . 8. 9. H. ⊙. Eng. bot. v. 5. t. 292.
- 6 lanceolátum. DC. (pu.) spear-leaved. Carolina. 1822. 7. 9. H. ♀.
- 7 álbum. DC. (wh.) white-flowered. Mexico. 1827. — H. ♀.
- 8 Græfferi. DC. (pu.) Græffer's. S. Europe. 1825. — H. ⊙.
- 9 Salicária. DC. (pu.) common. Britain. . . . 7. 9. H.w. ♀. Eng. bot. v. 15. t. 1061.
- 10 pubéscens. (pu.) pubescent. N. America. . . . 7. 8. H. ♀.
- Salicária β pubéscens.* Ph.
- 11 diffúsum. B.F.G. (pu.) spreading. — 1822. 7. 9. H. ♀. Swt. br. fl. gar. t. 149.
- 12 virgátum. DC. (ro.) slender-branch'd. Europe. 1776. 6. 9. H. ♀. Bot. mag. t. 1003.
- C'UPHEA. DC. C'UPHEA. Dodecandria Monogynia.
- 1 circæoides. DC. (vi.) Circæa-like. S. America. 1819. 8. 10. H. ⊙. Bot. mag. t. 2201.
- 2 spicáta. DC. (ro.) spiked. Peru. — H. ⊙. Cavan. icon. 4. t. 381.
- 3 Melvilla. DC. (sc.gr.) scarlet & green. Guiana. 1822. 6. 10. S. ♀. Bot. reg. t. 852.
- 4 viscosíssima. DC. (li.) clammy. America. 1776. 7. 10. H. ⊙. Swt. br. fl. gar. t. 60.
- 5 procumbens. DC. (li.) procumbent. Mexico. 1816. 6. 9. H. ⊙. Bot. reg. t. 182.
- 6 lanceoláta. DC. (li.) spear-leaved. — 1796. 5. 8. G. ♂.
- 7 æquipétala. DC. (vi.) equal-flowered. — 1828. 6. 9. H. ⊙. Cavan. ic. 4. t. 382. f. 2.
- 8 virgáta. DC. (vi.) twiggy. — H. ⊙. — t. 382. f. 1.
- 9 decádra. DC. (pu.) ten-stamened. Jamaica. 1789. 6. 10. S. h.
- 10 parviflóra. DC. (ro.) small-flowered. Demerara. 1824. 10. 12. S. ♀. Hook. ex. flor. t. 161.
- 11 Simsii. ed. 1. (li.) Sims's. Trinidad. 1823. 8. 10. S. ♀. Bot. mag. t. 2580.
- serpyllifólia.* E.M. non Kth. *Trinitatis.* DC.
- 12 multiflóra. DC. (vi.) many-flowered. — 1822. — S. ♀. Lodd. bot. cab. t. 808.
- ACISANTH'ERA. DC. ACISANTH'ERA. Decandria Monogynia.
- quadráta. DC. (pi.) four-sided. Jamaica. 1804. . . . S. ♀. Brown. jam. t. 22. f. 1.
- HE'MIA. DC. HE'MIA. Dodecandria Monogynia.
- 1 salicifólia. DC. (ye.) Willow-leaved. Mexico. 1821. 6. 9. F. h.
- 2 myrtifólia. Ot. (ye.) Myrtle-leaved. — 1827. — F. h.
- DEC'ODON. DC. DEC'ODON. Decandria Monogynia.
- verticillátum. DC. (pu.) whorl-flowered. N. America. 1759. 7. 9. H.w. ♀.
- Lythrum verticillátum.* L. *Nes'æa verticilláta.* Kth.
- NES'ÆA. DC. NES'ÆA. Oct-Dodecandria Monogynia.
- triflóra. DC. (bl.) three-flowered. Mauritius. 1802. 8. 9. S.w. ♀.
- Lythrum triflórum.* L.
- LAW'SONIA. DC. LAW'SONIA. Octandria Monogynia. L.
- 1 spinósa. w. (wh.) prickly. E. Indies. 1759. 6. 9. S. h.
- 2 inérmis. w. (wh.) smooth. Egypt. — G. h.
- Rheed. mal. 1. t. 40. Rauw. ic. 60. t. 7.
- GIN'ORIA. DC. GIN'ORIA. Dodecandria Monogynia.
- americána. DC. (bl.) American. Cuba. 1827. . . . S. h.
- Jacq. amer. t. 91.
- GRIS'LEA. DC. GRIS'LEA. Oct-Dodecandria Monogynia.
- 1 secúnda. DC. (re.) secund. Caracas. 1824. 6. 8. S. h.
- 2 tomentósa. DC. (sc.) downy. E. Indies. 1804. 5. 12. S. h.
- Bot. reg. t. 30.
- Woodfordia floribúnda.* Sal. par. lond. t. 42. *Lythrum fruticósum.* L.

## Tribus II. LAGERSTRÆMIÆ. DC. prodr. v. 3. p. 92.

- L'AGERSTR'ÆMIA. DC. L'AGERSTR'ÆMIA. Icosandria Monogynia.
- 1 índica. DC. (re.) Indian. China. 1759. 8. 10. F. h.
- Bot. mag. t. 405.
- β carnea.* (fl.) *flesh-coloured.* — 1816. — F. h.
- γ álba.* (wh.) *white-flowered.* — — F. h.
- 2 parviflóra. DC. (wh.) small-flowered. E. Indies. — S. h.
- Roxb. corom. 1. t. 66.
- 3 speciósa. DC. (ro.) beautiful. China. 1826. . . . S. h.
- Munch. haus. 5. t. 356.
- 4 grandiflóra. DC. (ro.) large-flowered. E. Indies. 1809. . . . S. h.
- 5 reginæ. DC. (ro.) oblong-leaved. — 1792. . . . S. h.
- Roxb. corom. 1. t. 651.

## ORDO XC.

TAMARISCINEÆ. *DC. prodr. v. 3. p. 95.*

TAMARIX. DC.	TAMARISK. Tetr-Pentandria Trigynia.				
1 gállica. DC.	(fl.) red-wooded.	England.	....	7. 8. H. h.	Eng. bot. v. 19. t. 1318.
2 Pallásii. DC.	(fl.) Pallas's.	Caucasus.	1827.	— H. h.	Pall. fl. ross. t. 77.
	<i>pentándra</i> . Pall. <i>gállica</i> . M.B. <i>nec aliorum</i> .				
3 índica. DC.	(bh.) Indian.	E. Indies.	.....	6. 8. S. h.	
4 dioíca. DC.	(bh.) diœcious.	—	1812.	— S. h.	
5 articuláta. DC.	(pi.) jointed.	—	1816.	.... S. h.	Vahl. symb. 2. t. 32.
6 tetrándra. DC.	(wh.) tetrandrous.	Tauria.	1821.	7. 8. H. h.	
MYRIC'ARIA. DC.	MYRIC'ARIA. Monadelphia Decandria.				
1 germánica. DC.	(pi.) green-wooded.	Germany.	1582.	6. 9. H. h.	Flor. dan. t. 234.
	<i>Támarix germánica</i> . L.				
2 dahúrica. DC.	(pi.) Dahurian.	Dahuria.	1827.	.... H. h.	

## ORDO XCI.

MELASTOMACEÆ. *DC. prodr. v. 3. p. 99.*Subordo I. MELASTOMEÆ.—Tribus I. LAVOISIEREÆ. *DC. loc. cit. 100.*

MER'ANIA. DC.	MER'ANIA. Decandria Monogynia.				
1 leucántha. DC.	(wh.) white-flowered.	Jamaica.	1825.	6. 8. S. h.	
2 ròsea. DC.	(ro.) mountain rose.	—	—	— S. h.	Tussac fl. ant. t. 6.
3 purpúrea. DC.	(pu.) purple.	—	—	— S. h.	Swart. fl. ind. oc. 2. t. 15.

Tribus II. RHEXIEÆ. *DC. prodr. 3. p. 114.*

SPENN'ERA. DC.	SPENN'ERA. Octo-Decandria Monogynia.				
1 paludósa. DC.	(ro.) marsh.	Brazil.	1825.	6. 8. S. h.	
2 frágilis. DC.	(wh.) brittle.	Trinidad.	1822.	— S. h.	
3 aquática. DC.	(ro.) marsh.	S. America.	1793.	3. 9. S. h.	Aubl. guian. 1. t. 169.
	<i>Rhèxia aquática</i> . Bonpl. rhex. t. 40. <i>Melástoma aquática</i> . Aubl.				
4 pendulifóia. DC.	(ro.) hanging-leaved.	Guiana.	1826.	— S. h.	Bonpl. nav. t. 26.
5 glandulósa. DC.	(wh.) glandulous.	—	1824.	— S. h.	— 70. t. 27.
MICROLI'CIA. DC.	MICROLI'CIA. Decandria Monogynia.				
1 brevifólia. DC.	(pu.) short-leaved.	Guiana.	1823.	7. 10. S. ⊙.	Aubl. guian. 1. t. 155. f. b.
	<i>Melástoma triválvis</i> . Aubl. <i>Rhèxia triválvis</i> . Vahl.				
2 biválvis. DC.	(pu.) two-valved.	Trinidad.	1822.	6. 8. S. ⊙.	Aubl. guian. 1. t. 155. f. a.
3 recúrva. DC.	(pu.) recurved-leaved.	—	1820.	— S. h.	
RHE'XIA. DC.	RHE'XIA. Octandria Monogynia. L.				
1 mariána. DC.	(li.) Maryland.	N. America.	1759.	7. 9. H. h.	Pluk. mant. t. 428. f. 1.
a purpúrea. DC.	(li.) purplish.	—	—	— H. h.	
β rubélla. DC.	(re.) reddish.	—	—	— H. h.	Swt. br. fl. gar. t. 41.
2 virgínicá. DC.	(pu.) Virginian.	—	—	6. 8. H. h.	Bot. mag. t. 968.
3 ciliósa. DC.	(pu.) ciliated.	—	1812.	8. 10. H. h.	Swt. br. fl. gar. t. 298.
4 angustifólia. DC.	(wh.) narrow-leaved.	—	—	7. 9. H. h.	
OXYSP'ORA. DC.	OXYSP'ORA. Octandria Monogynia.				
paniculáta. DC.	(wh.) panicked.	Nepaul.	1826.	6. 8. S. h.	
	<i>Arthrostémma paniculátum</i> . D.P.				

Tribus III. OSBECKIÆ. DC. *prodr.* 3. p. 127.

- LASIA'NDRA. DC. LASIA'NDRA. Decandria Monogynia.  
 1 Fontanesiàna. DC. (*pu.*) rough-leaved. Brazil. 1818. 4. 8. S. ♀. Bonpl. rhex. t. 36.  
*Melástoma granulosa*. B. reg. 671. *Rhèxia Fontanesii*. Bonpl.  
 2 Langsdorfiàna. DC. (*pu.*) Langsdorf's. Brazil. 1821. — S. ♀. Bonpl. rhex. t. 51.  
 3 argentea. DC. (*bl.*) silvery-leaved. — 1816. — S. ♀. — t. 12.  
*Rhèxia holosericea*. Bot. reg. t. 323. *Pleròma holosericeum*. Don.
- CHÆTOGA'STRA. DC. CHÆTOGA'STRA. Decandria Monogynia.  
 1 lanceolata. DC. (*wh.*) spear-leaved. Trinidad. 1827. 1. 5. S. ♀. Bot. mag. t. 2836.  
 2 hypericoides. DC. (*wh.*) Hypericum-like. — 1820. 8. 12. S. ♂. Aubl. guian. 1. t. 168.  
*Rhèxia villosissima*. Bonpl. rhex. t. 31. *Melástoma villosa*. Aubl.  
 3 ciliàris. DC. (*pu.*) fringed. S. America. 1822. 4. 7. S. ♀. Vent. choix. t. 34.  
*Meriània ciliàris*. Vent.  
 4 grácilis. DC. (*ro.*) slender. Brazil. 1824. — S. ♀. Bonpl. rhex. t. 52.
- ARTHROSTEMMA. DC. ARTHROSTEMMA. Octandria Monogynia.  
 1 ladanoïdes. DC. (*li.*) bristly-stalked. Trinidad. 1820. 6. 9. S. ♂. Bonpl. rhex. t. 27.  
*Rhèxia ladanoïdes*. Bonpl. *Melástoma trichótoma*. W.  
 2 villosum. DC. (*vi.*) villous. Trinidad. — — S. ♀. Aubl. guian. 1. t. 129. f. 1.  
 3 versicolor. DC. (*bh.*) changeable-col'd. Brazil. 1825. 5. 9. S. ♀. Bot. reg. t. 1066.  
*Rhèxia versicolor*. B.R.
- OSBECKIA. DC. OSBECKIA. Octo-Decandria Monogynia.  
 1 urceolàris. DC. (*pu.*) urceolate. Brazil. 1825. 4. 9. S. ♀.  
 2 Simsii. DC. (*pu.*) Sims's. Mauritius. 1820. — S. ♀. Bot. mag. t. 2235.  
*Melástoma osbeckioides*. B.M.  
 3 glomerata. DC. (*ro.*) cluster-flower'd. S. America. 1821. 12. 4. S. ♀. Bot. mag. t. 2838.  
 β albiflora. DC. (*wh.*) white-flowered. Brazil. — — S. ♀. Lodd. bot. cab. t. 334.  
*Rhèxia glomerata*. B.C.  
 4 chinénsis. DC. (*ro.*) Chinese. China. 1816. 3. 10. S. ♀. Bot. reg. t. 542.  
 5 zeylánicá. DC. (*wh.*) Ceylon. Ceylon. 1749. 5. 9. S. ♀. — t. 565.  
 6 angustifolia. DC. (*ro.*) narrow-leaved. Nepaul. 1826. — S. ♀.  
 7 nepalénsis. H.E.F. (*ro.*) handsome. — 1820. — S. ♀. Hook. ex. flor. t. 31.  
*speciosa*. D.P.  
 8 stellata. DC. (*li.*) starry-haired. — 1818. — S. ♀. Bot. reg. t. 674.  
 9 ternifolia. DC. (*li.*) whorl-leaved. — 1825. — S. ♀.  
 10 octándra. DC. (*ro.*) octandrous. Ceylon. 1815. 4. 8. S. ♀.  
*Melástoma octándra*. L.  
 11 decumbens. DC. (*ro.*) decumbent. Africa. 1821. — S. ♀. Beauv. fl. ow. t. 41.  
*Melástoma decumbens*. Beauv.
- TIBOUCH'INA. DC. TIBOUCH'INA. Decandria Monogynia.  
 áspera. DC. (*pu.*) rough. Guiana. 1820. 4. 6. S. ♀. Aubl. guian. 1. t. 177.
- MELASTOMA. DC. MELASTOMA. Decandria Monogynia. L.  
 1 affine. DC. (*ro.*) scaly-stalked. E. Indies. 1816. 1. 8. S. ♀.  
 2 malabáthricum. DC. (*ro.*) Malabar. — 1793. — S. ♀. Bot. reg. t. 672.  
 3 ásperum. DC. (*ro.*) rough. — 1815. 8. 11. S. ♀. Rheed. mal. 4. t. 43.  
 4 macrocárpum. DC. (*ro.*) large-fruited. — 1793. 1. 8. S. ♀. Bot. mag. t. 529.  
*malabáthrica*. B.M. *nec aliorum*.  
 5 sanguíneum. DC. (*li.*) red-veined. Sunda. St. 1818. 4. 12. S. ♀. Bot. mag. t. 2241.  
 6 rubrolimbátum. DC. (*wh.*) red-limbed. E. Indies. 1823. — S. ♀.  
 7 cándidum. DC. (*li.*) white-leaved. China. 1820. 4. 8. S. ♀.  
 8 normále. DC. (*li.*) Nepaul. Nepaul. 1819. 2. 6. S. ♀. Lodd. bot. cab. t. 707.  
*nepalénsis*. B.C.  
 9 Wallichii. DC. (*li.*) Wallich's. — 1824. — S. ♀.  
 10 decémfidum. DC. (*pu.*) ten-cleft. E. Indies. 1826. 1. 8. S. ♀.  
 11 cymòsum. DC. (*li.*) cymose. Sierra Leone. 1792. 4. 8. S. ♀. Vent. h. malm. t. 14.  
*corymbòsum*. Bot. mag. t. 984.  
 12 elongátum. DC. (*li.*) tuberous-rooted. — 1822. .... S. ♀.  
 13 pulveruléntum. DC. (*re.*) powdered. Sumatra. — .... S. ♀.
- PLER'OMA. DC. PLER'OMA. Decandria Monogynia.  
 1 vimíneum. DC. (*vi.*) slender. Brazil. 1820. 4. 8. S. ♀. Bot. reg. t. 664.  
*Rhèxia vimínea*. B.R.  
 2 heteromállum. DC. (*bl.*) woolly-leaved. — — S. ♀. Bot. reg. t. 644.  
*Melástoma heteromálla*.
- DIPLOST'EGIUM. DC. DIPLOST'EGIUM. Decandria Monogynia.  
 canéscens. DC. (*ro.*) hoary-stemm'd. Brazil. 1820. 4. 8. S. ♀.
- ACI'OTIS. DC. ACI'OTIS. Octandria Monogynia.  
 díscolor. DC. (*bh.*) two-coloured. W. Indies. 1793. 3. 9. S. ♀.

## Tribus IV. MICONIÆ. DC. prodr. v. 3. p. 152.

- CLID'EMIA. DC. CLID'EMIA. Decandria Monogynia.
- 1 aggregata. DC. (wh.) clustered. Peru. 1820. 7. 10. S.  $\frac{1}{2}$ .
- 2 hirta. DC. (wh.) hairy. Jamaica. 1740. 3. 6. S.  $\frac{1}{2}$ . Bot. mag. t. 1971.
- Melastoma hirta*. B.M.
- 3 crenata. DC. (wh.) crenated. W. Indies. 1820. — S.  $\frac{1}{2}$ . Vahl. ic. pl.am. 2. t. 22.
- 4 elegans. DC. (wh.) elegant. Trinidad. 1822. — S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 167.
- 5 biserrata. DC. (pu.) doubly serrate. Brazil. 1825. — S.  $\frac{1}{2}$ .
- 6 spicata. DC. (wh.) spiked. Trinidad. 1820. — S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 165.
- 7 strigillosa. DC. (wh.) strigose. Jamaica. 1825. — S.  $\frac{1}{2}$ .
- 8 agræstis. DC. (wh.) field. Cayenne. 1822. 4. 8. S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 166.
- 9 lanata. DC. (wh.) sweet-scented. Trinidad. — S.  $\frac{1}{2}$ .
- TOC'OCA. DC. TOC'OCA. Decandria Monogynia.
- guianensis. DC. (ro.) Guiana. Guiana. 1822. 4. 7. S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 174.
- Melastoma physiphora*. Vahl.
- MAI'ETA. DC. MAI'ETA. Decandria Monogynia.
- guianensis. DC. (ro.) Guiana. Guiana. 1824. ... S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 176.
- OSS'EA. DC. OSS'EA. Octandria Monogynia.
- purpurascens. DC. (pu.) purplish. Jamaica. 1822. 3. 6. S.  $\frac{1}{2}$ .
- Melastoma purpurascens*. Swartz.
- SAGR'EA. DC. SAGR'EA. Octandria Monogynia.
- 1 sessiliflora. DC. (re.) sessile-flowered. Guiana. 1793. 4. 8. S.  $\frac{1}{2}$ . Vahl. ic. am. t. 19.
- Melastoma rubra*. Bonpl. mel. t. 39.
- 2 hirtella. DC. (wh.) hispid-fruited. Jamaica. 1824. — S.  $\frac{1}{2}$ .
- 3 umbrosa. DC. (wh.) shaded. W. Indies. — 3. 7. S.  $\frac{1}{2}$ .
- 4 pilosa. DC. (wh.) pilose. Jamaica. 1828. — S.  $\frac{1}{2}$ .
- 5 microphylla. DC. (wh.) small-leaved. — 1820. 5. 6. S.  $\frac{1}{2}$ .
- 6 hirsuta. DC. (wh.) purple-haired. — 1823. — S.  $\frac{1}{2}$ .
- TETRAZY'GIA. DC. TETRAZY'GIA. Tetr-Octandria Monogynia.
- 1 tetrandra. DC. (wh.) tetrandrous. Jamaica. 1815. 3. 6. S.  $\frac{1}{2}$ .
- Melastoma tetrandra*. Swartz.
- 2 discolor. DC. (wh.) two-coloured. W. Indies. 1793. 5. 7. S.  $\frac{1}{2}$ . Bonpl. mel. t. 34.
- Melastoma discolor*. Jacq. amer. t. 84.
- 3 angustifolia. DC. (wh.) narrow-leaved. — 1823. — S.  $\frac{1}{2}$ . Bonpl. mel. t. 10.
- HETEROTRICHUM. DC. HETEROTRICHUM. Decandria Monogynia.
- 1 niveum. DC. (bh.) snowy-white. St. Domingo. 1820. 5. 10. S.  $\frac{1}{2}$ .
- Melastoma nivea*. Lam.
- 2 patens. DC. (bh.) spreading. — 1825. 4. 8. S.  $\frac{1}{2}$ .
- CONOSTEGIA. DC. CONOSTEGIA. Dec-Dodecandria Monogynia.
- 1 procera. DC. (wh.) tall. Jamaica. 1822. ... S.  $\frac{1}{2}$ . Bonpl. mel. t. 51.
- 2 Balbisiæna. DC. (wh.) Balbis's. — 1825. ... S.  $\frac{1}{2}$ .
- 3 semicrenata. DC. (wh.) semicrenate. W. Indies. 1823. 4. 6. S.  $\frac{1}{2}$ . Bonpl. mel. t. 41.
- DIPLOCH'ITA. DC. DIPLOCH'ITA. Octo-Decandria Monogynia.
- 1 Fothergilla. DC. (wh.) Fothergill's. Trinidad. 1815. ... S.  $\frac{1}{2}$ . Bonpl. mel. t. 32.
- Melastoma Fothergilla*. s.s. *Fothergilla mirabilis*. Aubl. gui. 1. t. 175.
- 2 Swartziana. DC. (ro.) Swartz's. Jamaica. 1815. 4. 6. S.  $\frac{1}{2}$ . Bonpl. mel. t. 33.
- Melastoma Tamonea*. Swartz.
- 3 macrophylla. DC. ... large-leaved. Mexico. 1820. ... S.  $\frac{1}{2}$ .
- L'OREYA. DC. L'OREYA. Decandria Monogynia.
- arborescens. DC. (wh.) arborescent. Guiana. 1822. ... S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 163.
- Melastoma arborescens*. Aubl.
- MIC'ONIA. DC. MIC'ONIA. Decandria Monogynia.
- 1 racemosa. DC. (ro.) racemed. Trinidad. 1822. 4. 8. S.  $\frac{1}{2}$ . Bonpl. mel. t. 27.
- Melastoma racemosa*. Aubl. guian. t. 156.
- 2 purpurascens. DC. (wh.) purple-berried. Guiana. 1804. 3. 6. S.  $\frac{1}{2}$ . Aubl. guian. t. 154.
- Melastoma purpurea*. W.
- 3 ciliata. DC. (wh.) fringed. — 1824. 4. 7. S.  $\frac{1}{2}$ . Bonpl. mel. t. 26.
- 4 holosericea. DC. (wh.) velvety. W. Indies. 1816. — S.  $\frac{1}{2}$ . — t. 23-24.
- 5 argentea. DC. (wh.) silvery-leaved. — 1827. — S.  $\frac{1}{2}$ . Sloan. jam. t. 196. f. 1.
- 6 impetiolaris. DC. (wh.) great-leaved. — 1822. — S.  $\frac{1}{2}$ . Bonpl. mel. t. 29.
- Melastoma macrophylla*. Lam.
- 7 Lambertiana. DC. (wh.) Mr. Lambert's. — 1824. — S.  $\frac{1}{2}$ .
- 8 caudata. DC. (ro.) tailed-leaved. S. America. 1822. 5. 8. S.  $\frac{1}{2}$ . Bonpl. mel. t. 7.
- 9 pyramidalis. DC. (wh.) pyramidal. Trinidad. — — S.  $\frac{1}{2}$ . Pluk. alm. t. 159. f. 1.
- Melastoma pyramidalis*. Lam.

10	Acinodéndron. ( <i>wh.</i> ) oval-leaved.	Jamaica.	1804.	5. 8.	S. h̄.	Plum. ic. 142. f. 2.
	<i>Melástoma Acinodéndron. L.</i>					
11	lævigàta. DC. ( <i>wh.</i> ) smooth.	Caribees.	1815.	4. 8.	S. h̄.	Bot. reg. t. 363.
12	prasina. DC. ( <i>wh.</i> ) green.	Jamaica.	1824.	—	S. h̄.	
13?	ecostàta. ( <i>pu.</i> ) ribless.	—	1793.	5. 6.	S. h̄.	
	<i>Melástoma ecostata. H.K.</i>					
BL'AKEA. DC.		BL'AKEA. Dodecandria Monogynia. L.				
1	trinèrvia. DC. ( <i>ro.</i> ) three-ribbed.	Jamaica.	1789.	6. 7.	S. h̄.	Bot. mag. t. 451.
2	quinquenèrvis. DC. ( <i>fl.</i> ) five-nerved.	Guiana.	1820.	—	S. h̄.	Aubl. guian. 1. t. 210.
	<i>triplinèrvia. L.</i>					

## ORDO XCII.

ALANGIEÆ. DC. *prodr.* 3. p. 203.

AL'ANGIUM. DC.		AL'ANGIUM. Icosandria Monogynia.				
1	decapétalum. DC. ( <i>wh.</i> ) Sage-leaved.	E. Indies.	1779.	5. 8.	S. h̄.	Rheed. mal. 4. t. 17.
	<i>Grèwia salvifolia. L.</i>					
2	hexapétalum. DC. ( <i>wh.</i> ) six-petaled.	—	1822.	—	S. h̄.	Rheed. mal. 4. t. 26.

## ORDO XCIII.

PHILADELPHEÆ. DC. *prodr.* v. 3. p. 205.

PHILADELPHUS. DC.		SYRINGA. Icosandria Monogynia. L.				
1	coronàrius. DC. ( <i>wh.</i> ) common.	S. Europe.	1596.	5. 6.	H. h̄.	Bot. mag. t. 391.
	$\beta$ variegàtus. ( <i>wh.</i> ) striped-leaved.	—	....	—	H. h̄.	
	$\gamma$ multipléz. ( <i>wh.</i> ) double-flowered.	—	....	—	H. h̄.	
2	nànus. Mil. ( <i>wh.</i> ) dwarf.	.....	....	6. 7.	H. h̄.	
3	Zeyhèri. DC. ( <i>wh.</i> ) Zeyher's.	N. America.	1812.	—	H. h̄.	Schrad. diss. c. ic.
4	floribàndus. DC. ( <i>wh.</i> ) many-flowered.	—	1816.	—	H. h̄.	— c. ic.
5	verrucòsus. DC. ( <i>wh.</i> ) warted.	—	1812.	—	H. h̄.	— c. ic.
	<i>grandiflorus. Bot. reg. t. 570. non w.</i>					
6	latifòlus. DC. ( <i>wh.</i> ) broad-leaved.	—	1820.	—	H. h̄.	Lois. herb. amat. t. 208.
7	grandiflorus. DC. ( <i>wh.</i> ) large-flowered.	—	1816.	—	H. h̄.	Swt. br. fl. gar. s. 2. t. 8.
8	speciòsus. DC. ( <i>wh.</i> ) beautiful.	—	1820.	—	H. h̄.	Schrad. diss. c. ic.
9	lâxus. DC. ( <i>wh.</i> ) loose-branched.	—	1816.	—	H. h̄.	— c. ic.
10	hirsùtus. DC. ( <i>wh.</i> ) slender hairy.	—	—	—	H. h̄.	Wats. dend. brit. t. 47.
11	inodòrus. DC. ( <i>wh.</i> ) entire-leaved.	Carolina.	1738.	—	H. h̄.	Bot. mag. t. 1478.
DECUMARIA. DC.		DECUMARIA. Dodecandria Monogynia. L.				
1	bàrbara. Ph. ( <i>wh.</i> ) smaller.	Carolina.	1785.	7. 8.	H. h̄. ∪.	
2	sarmentòsa. Ph. ( <i>wh.</i> ) larger.	—	1758.	—	H. h̄. ∪.	Bosc. act. par. 1. t. 13.

## ORDO XCIV.

MYRTACEÆ. DC. *prodr.* v. 3. p. 207.Tribus I. CHAMÆLAUCIEÆ. DC. *prodr.* 3. p. 208.

CA'LYTHRIX. DC.		CA'LYTHRIX. Icosandria Monogynia.				
1	glàbra. DC. ( <i>wh.</i> ) smooth.	N. S. W.	1818.	4. 6.	G. h̄.	Bot. reg. t. 409.
2	ericoides. F.T. ( <i>wh.</i> ) Heath-like.	—	1823.	—	G. h̄.	
3	scàbra. DC. ( <i>wh.</i> ) rough-leaved.	—	1824.	—	G. h̄.	

DARWINIA. L.T.	DARWINIA.	Decandria Monogynia.					
1 fascicularis. L.T. (wh.)	fasciated.	N. S. W.	1826.	4. 6.	G. h.	Linn. trans. v. 11. t. 22.	
2 taxifolia. F.T. (wh.)	Yew-leaved.	—————	1827.	—————	G. h.		
VERTICORDIA. DC.	VERTICORDIA.	Decandria Monogynia.					
1 Fontanesii. dc. (wh.)	Desfontaines'.	N. Holland.	1826.	4. 6.	G. h.	Desf. mem. mus. 5. t. 4.	
	<i>Chamelædium plumosum</i> . Df.	—————	—————	—————	—————		
2 Brownii. dc. (wh.)	Brown's.	—————	—————	—————	G. h.	Desf. mem. mus. 5. t. 19.	
CHAMÆLACIUM. DC.	CHAMÆLACIUM.	Decandria Monogynia.					
	<i>ciliatum</i> . dc. (wh.)	fringed.	N. Holland.	1825.	4. 6.	G. h.	Df. mem. mus. 5. t. 3. f. B.
GENETYLLIS. DC.	GENETYLLIS.	Icosandria Monogynia.					
	<i>diosmoides</i> . dc. (wh.)	Diosma-like.	N. Holland.	1827.	4. 6.	G. h.	DC. dict. cl. v. 11. c. ic.
PILEANTHUS. DC.	PILEANTHUS.	Icosandria Monogynia.					
	<i>Limæis</i> . dc. (wh.)	clubbed-leaved.	N. Holland.	1824.	4. 7.	G. h.	Lab. n. holl. 2. t. 149.

## Tribus II. LEPTOSPERMEÆ. DC. prodr. 3. p. 209.

## Subtribus I. MELALEUCEÆ. Stamina polyadelpa. DC. loc. cit. p. 210.

ASTARTEA. DC.	ASTARTEA.	Polyadelpia Icosandria.					
	<i>fascicularis</i> . dc. (wh.)	fasciated.	V. Diem. Isl.	1824.	4. 6.	G. h.	Lab. n. holl. 2. t. 170.
		<i>Melaleuca fascicularis</i> . Labill.	—————	—————	—————	—————	
TRISTANIA. DC.	TRISTANIA.	Polyadelpia Icosandria.					
1 nerifolia. dc. (ye.)	Oleander-leav'd.	N. S. W.	1804.	7. 9.	G. h.	Bot. mag. t. 1058.	
	<i>Melaleuca nerifolia</i> . B.M.	<i>salicifolia</i> . Andr.	reposit. t. 485.	—————	—————	—————	
2 persicæfolia. F.T. (ye.)	Peach-leaved.	N. S. W.	1824.	—————	G. h.		
3 laurina. dc. (ye.)	Laurel-leaved.	—————	1798.	—————	G. h.		
4 depressa. dc. (ye.)	depressed.	—————	1820.	—————	G. h.		
5 albens. dc. (ye.)	white-leaved.	—————	1822.	—————	G. h.		
6 conferta. dc. (ye.)	Pittosporum-ld.	—————	1805.	—————	G. h.		
7 suaveolens. dc. (ye.)	sweet-scented.	N. Holland.	1826.	....	G. h.	Gært. fruct. 1. t. 35.	
BEAUFOURIA. DC.	BEAUFOURIA.	Polyadelpia Icosandria.					
1 decussata. dc. (sc.)	splendid.	N. Holland.	1803.	3. 8.	G. h.	Bot. reg. t. 18.	
2 sparsa. dc. (sc.)	alternate-leav'd.	—————	—————	—————	G. h.		
CALOTHAMNUS. DC.	CALOTHAMNUS.	Polyadelpia Icosandria.					
1 quadrifida. dc. (sc.)	four-cleft.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1506.	
2 clavata. m.c. (sc.)	club-leaved.	—————	1826.	—————	G. h.	Lodd. bot. cab. t. 1447.	
3 villosa. dc. (sc.)	hairy 5-cleft.	—————	1803.	—————	G. h.	Bot. reg. t. 1099.	
4 gracilis. dc. (sc.)	long-leaved.	—————	—————	—————	G. h.		
MELALEUCA. DC.	MELALEUCA.	Polyadelpia Icosandria.					
1 Leucadendron. dc. (wh.)	aromatic.	E. Indies.	1796.	....	S. h.	Rumph. amb. 2. t. 16.	
2 minor. dc. (wh.)	Cajuputi-tree.	—————	1816.	....	S. h.	Rumph. amb. 2. t. 17. f. 1.	
3 viridiflora. dc. (gr.)	green-flowered.	N. S. W.	1798.	4. 6.	G. h.	Cavan. ic. t. 333.	
	<i>Metrosideros quinqueria</i> . Cavan.	—————	—————	—————	—————		
4 paludosa. dc. (re.)	long-leaved red.	N. Holland.	1803.	7. 9.	G. h.		
5 globifera. dc. (wh.)	globe-fruited.	—————	—————	—————	G. h.		
6 diosmifolia. dc. (gr.)	Diosma-leaved.	—————	1794.	6. 7.	G. h.	Andr. reposit. t. 476.	
7 styphelioides. dc. (wh.)	Styphelia-leav'd.	N. S. W.	1793.	4. 6.	G. h.		
8 genistifolia. dc. (wh.)	Genista-leaved.	—————	—————	—————	G. h.	Sm. exot. bot. 1. t. 55.	
9 lanceolata. dc. (st.)	spear-leaved.	N. Holland.	1812.	5. 6.	G. h.	Otto hort. ber. 36.	
10 striata. dc. (wh.)	rigid-leaved.	—————	1803.	—————	G. h.	Lab. n. holl. 2. t. 165.	
11 thymoides. dc. (ye.)	yellow-spear leav'd.	—————	—————	—————	G. h.	————— 2. t. 167.	
12 squamea. dc. (pu.)	scaly-branched.	V. Diem. Isl.	1805.	6. 8.	G. h.	Bot. reg. t. 477.	
13 nodosa. dc. (wh.)	Whin-leaved.	N. S. W.	1790.	—————	G. h.	Sm. exot. bot. 1. t. 35.	
14 tenuifolia. dc. (wh.)	slender-leaved.	—————	1824.	—————	G. h.		
15 ericifolia. dc. (wh.)	Heath-leaved.	—————	1788.	7. 9.	G. h.	Sm. exot. bot. 1. t. 34.	
16 erubescens. dc. (li.)	Lilac-coloured.	—————	1820.	—————	G. h.	Otto hort. ber. 37.	
17 armillaris. dc. (wh.)	pale-flowered.	—————	1788.	6. 8.	G. h.	Vent. malm. t. 76.	
	<i>ericifolia</i> . Andr. rep. t. 175. non Sm.	<i>Metrosideros armillaris</i> . G.	—————	—————	—————	Cav. ic. t. 335.	
18 uncinata. dc. (re.)	hook-leaved.	N. Holland.	1803.	—————	G. h.		
19 scabra. dc. (pu.)	rough-leaved.	—————	—————	—————	G. h.	Swt. flor. aust. t. 10.	
20 juniperoides. dc. (st.)	Juniper-like.	N. S. W.	1826.	—————	G. h.		
21 pulchella. dc. (li.)	pendulous.	N. Holland.	1803.	6. 9.	G. h.	Lodd. bot. cab. t. 200.	
22 thymifolia. dc. (pu.)	Thyme-leaved.	N. S. W.	1792.	—————	G. h.	Sm. exot. bot. 1. t. 36.	
	<i>coronata</i> . Andr. rep. t. 278. <i>gnidifolia</i> . Vent.	malm. t. 7.	—————	—————	—————		
23 decussata. dc. (li.)	cross-leaved.	N. Holland.	1803.	6. 9.	G. h.	Bot. mag. t. 2268.	
24 tetragona. dc. (li.)	four-sided.	—————	1824.	—————	G. h.		

25	cuticulâris. DC.	( <i>pu.</i> ) solitary-flower'd.	N. Holland.	1824.	6. 9.	G. h.	Lab. n. holl. 2. t. 171.
26	fûlgens. DC.	( <i>sc.</i> ) splendid.	—	1803.	6. 8.	G. h.	Bot. reg. t. 103.
27	linariifolia. DC.	( <i>wh.</i> ) Toad-flax-leav'd.	N. S. W.	1793.	5. 7.	G. h.	Sm. exot. bot. 1. t. 56.
28	abietina. DC.	( <i>wh.</i> ) Fir-leaved.	N. Holland.	1824.	—	G. h.	—
29	hypericifolia. DC.	( <i>sc.</i> ) Hypericum-ld.	N. S. W.	1792.	7. 9.	G. h.	Andr. reposit. t. 200.
30	elliptica. DC.	( <i>cr.</i> ) elliptic-leaved.	N. Holland.	1824.	—	G. h.	Lab. n. holl. 2. t. 173.
31	squarrôsa. DC.	( <i>wh.</i> ) Myrtle-leaved.	N. S. W.	1792.	—	G. h.	Bot. mag. t. 1935.
	<i>myrtifolia.</i>	Vent. malm. t. 47.	—	—	—	—	—
32	gibbosa. DC.	( <i>li.</i> ) gibbous.	V. Diem. Isl.	1822.	6. 8.	G. h.	Lab. n. holl. 2. t. 172.
33	imbricatâ. L.en.	( <i>wh.</i> ) imbricated.	N. Holland.	1803.	5. 6.	G. h.	—
34	sprengeioides. DC.	( <i>wh.</i> ) Sprengelia-like.	N. S. W.	1824.	—	G. h.	—
35	calycina. DC.	( <i>wh.</i> ) permanent-cup'd.	N. Holland.	1803.	6. 8.	G. h.	—
36	densa. DC.	( <i>pu.</i> ) dense-leaved.	—	—	—	G. h.	—
37	incana. DC.	( <i>st.</i> ) hoary.	N. S. W.	1812.	—	G. h.	Bot. reg. t. 410.
	<i>canescens.</i>	Otto hort. ber. p. 87. Abbild. t. 81.	—	—	—	—	—
	EUDES'MIA. DC.	EUDES'MIA. Polyadelphia Icosandria.	—	—	—	—	—
	tetragona. DC.	( <i>wh.</i> ) square-stemm'd.	N. Holland.	1824.	6. 8.	G. h.	Swt. flor. aust. t. 21.

*Subtribus II. EULEPTOSPERMEÆ. Stamina libera. DC. prodr. 3. p. 216.*

EUCALY'PTUS. DC.	EUCALY'PTUS.	Icosandria Monogynia.	—	—	—	—	—
1	cornuta. DC.	( <i>wh.</i> ) horned.	N. Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
2	tereticornis. DC.	( <i>wh.</i> ) long-horned.	N. S. W.	1804.	4. 7.	G. h.	—
3	resinifera. DC.	( <i>wh.</i> ) red gum-tree.	—	1788.	—	G. h.	Andr. reposit. t. 400.
4	longifolia. DC.	( <i>wh.</i> ) long-leaved.	—	1818.	—	G. h.	Link et Ot. abb. t. 45.
5	robusta. DC.	( <i>wh.</i> ) brown gum-tree.	—	1794.	8. 9.	G. h.	Smith nov. holl. t. 13.
6	rostrata. Cav.	( <i>wh.</i> ) beaked.	—	1804.	—	G. h.	Cavan. ic. 4. t. 342.
7	marginata. DC.	( <i>wh.</i> ) thick-edged.	—	1794.	4. 7.	G. h.	—
8	incrassata. DC.	( <i>wh.</i> ) thick-leaved.	N. Holland.	1820.	—	G. h.	Lab. nov. holl. 2. t. 150.
9	persicifolia. DC.	( <i>wh.</i> ) Peach-leaved.	N. S. W.	1812.	—	G. h.	Lodd. bot. cab. t. 501.
10	punctata. DC.	( <i>wh.</i> ) black-dotted.	—	1810.	—	G. h.	—
11	acervula. DC.	( <i>wh.</i> ) flat-peduncled.	—	1818.	—	G. h.	—
12	virgata. DC.	( <i>wh.</i> ) slender-twigged.	—	1820.	5. 8.	G. h.	—
13	micrantha. DC.	( <i>wh.</i> ) small-flowered.	—	1824.	—	G. h.	—
14	stellulata. DC.	( <i>wh.</i> ) starry.	—	1816.	—	G. h.	—
15	oblonga. DC.	( <i>wh.</i> ) oblong-leaved.	—	1819.	6. 8.	G. h.	—
16	viminalis. DC.	( <i>wh.</i> ) slender.	N. Holland.	1816.	—	G. h.	Lab. nov. holl. 2. t. 151.
17	capitellata. DC.	( <i>wh.</i> ) small-headed.	N. S. W.	1804.	4. 7.	G. h.	White's voy. 226. ic.
18	triantha. L.en.	( <i>wh.</i> ) three-flowered.	—	1820.	4. 6.	G. h.	—
19	saligna. DC.	( <i>wh.</i> ) Willow-like.	—	1804.	4. 7.	G. h.	—
20	angustifolia. L.en.	( <i>wh.</i> ) narrow-leaved.	—	1816.	—	G. h.	—
21	microphylla. DC.	( <i>wh.</i> ) small-leaved.	—	—	—	G. h.	—
22	stenophylla. DC.	( <i>wh.</i> ) slender-leaved.	—	—	—	G. h.	—
23	myrtifolia. DC.	( <i>wh.</i> ) Myrtle-leaved.	—	1812.	4. 6.	G. h.	—
24	elongata. DC.	( <i>wh.</i> ) taper-pointed.	—	1820.	—	G. h.	—
25	media. DC.	( <i>wh.</i> ) acuminate.	—	—	—	G. h.	—
26	reticulata. DC.	( <i>wh.</i> ) netted-leaved.	—	1816.	....	G. h.	—
27	umbellata. DC.	( <i>wh.</i> ) umbel-flowered.	—	1820.	5. 8.	G. h.	—
28	ovata. DC.	( <i>wh.</i> ) oval-leaved.	N. Holland.	—	—	G. h.	Lab. nov. holl. 2. t. 153.
	<i>mucronata.</i>	L. enum.	—	—	—	—	—
29	scabra. DC.	( <i>wh.</i> ) rough-leaved.	N. S. W.	1803.	—	G. h.	—
30	pilularis. DC.	( <i>wh.</i> ) small-fruited.	—	1804.	2. 5.	G. h.	—
31	radiata. DC.	( <i>wh.</i> ) rayed.	—	1824.	3. 6.	G. h.	—
32	stricta. DC.	( <i>wh.</i> ) straight.	—	—	....	G. h.	—
33	hæmastomma. DC.	( <i>wh.</i> ) red-mouthed.	—	1803.	4. 7.	G. h.	White's voy. 226. c. ic.
	<i>racemosa.</i>	Cavan. ic. 4. n. 377.	—	—	—	—	—
34	ligustrina. DC.	( <i>wh.</i> ) Privet-like.	N. S. W.	1824.	....	G. h.	—
35	amygdalina. DC.	( <i>wh.</i> ) Almond-leaved.	N. Holland.	1822.	....	G. h.	Lab. nov. holl. 2. t. 154.
36	ambigua. DC.	( <i>wh.</i> ) ambiguous.	—	1824.	....	G. h.	—
37	Lindleyana. DC.	( <i>wh.</i> ) Lindley's.	N. S. W.	1816.	4. 6.	G. h.	Bot. reg. t. 947.
	<i>longifolia.</i>	B.R. non Link.	—	—	—	—	—
38	botryoides. DC.	( <i>wh.</i> ) clustered.	—	1803.	4. 7.	G. h.	Cavan. ic. 4. t. 341.
	<i>platypodos.</i>	Cavan.	—	—	—	—	—
39	piperita. DC.	( <i>wh.</i> ) Peppermint-tree.	—	1788.	—	G. h.	Reich. gart. mag. t. 42.
40	pallens. DC.	( <i>wh.</i> ) white-leaved.	—	1822.	—	G. h.	—
41	obliqua. DC.	( <i>wh.</i> ) oblique-leaved.	V. Diem. Isl.	1774.	4. 8.	G. h.	Sal. par. lond. t. 15.

- 42 corymbösa. DC. (wh.) corymbose-fl'd. N. S. W. 1788. 4. 8. G. h. Cavan. ic. 4. t. 340.
- 43 paniculata. DC. (wh.) panicled. ———— 1801. 6. 8. G. h.
- 44 cneorifolia. DC. (wh.) Willow-wail-ld. ———— 1824. ———— G. h.
- 45 obtusifolia. DC. (wh.) blunt-leaved. ———— .... G. h.
- 46 Cunninghãmi. (wh.) Cunningham's. ———— 1825. .... G. h.  
*microphylla*. F.T. non Link.
- 47 gomphocéphala. DC. (w.) persistent-headed. ———— 1824. .... G. h.
- 48 Glöbulus. DC. (wh.) large tree. V. Diem. Isl. 1804. 5. 6. G. h. Lab. voy. 1. t. 13.  
*pulverulenta*. L. enum. non B.M. *glauca*. DC.
- 49 diversifolia. DC. (wh.) various-leaved. N. S. W. 1810. 5. 8. G. h. Bonpl. nav. 1. t. 13.
- 50 perfoliata. C.C. (wh.) perfoliate glaucous. N. Holland. 1803. 4. 6. G. h.
- 51 cordata. DC. (wh.) heart-leaved. V. Diem. Isl. 1816. 11. 3. G. h. Lab. nov. holl. 2. t. 152.
- 52 pulverulenta. DC. (wh.) powdered. N. S. W. ———— G. h. Bot. mag. t. 2087.
- 53 purpurascens. DC. (wh.) purple-branch'd. ———— 1804. .... G. h.
- 54 tuberculata. DC. (wh.) warted-branch'd. ———— 1816. .... G. h.
- 55 rigida. DC. (wh.) rigid-leaved. ———— .... G. h.
- 56 hypericifolia. (wh.) Hypericum-leaved. ———— 1804. .... G. h.
- ANGÓPHORA. DC. ANGÓPHORA. Icosandria Monogynia.
- 1 cordifolia. DC. (wh.) hispid. N. S. W. 1789. 5. 8. G. h. Bot. mag. t. 1960.  
*Metrosidëros hispida*. Sm. exot. bot. 1. t. 42. *hirsuta*. Andr. rep. t. 281. *anomala*. Vent. malm. t. 2.
- 2 floribunda. (wh.) many-flowered. N. S. W. 1788. ———— G. h.  
*Metrosidëros floribunda*. L.T. non Vent.
- 3 intermedia. DC. (wh.) intermediate. ———— 1820. ———— G. h.
- 4 lanceolata. DC. (wh.) ribbed. ———— 1816. ———— G. h. Cavan. ic. 4. t. 337.  
*Metrosidëros costata*. Gært. fruct. 1. t. 34. f. 2.
- CALLISTEMON. DC. CALLISTEMON. Icosandria Monogynia.
- 1 pinifolium. DC. (gr.) Pine-tree-leav'd. N. S. W. 1806. 6. 8. G. h. Wendl. coll. 1. t. 16.
- 2 viridiflorum. DC. (gr.) green-flowered. ———— 1820. ———— G. h. Bot. mag. t. 2602.  
*ruscifolium*. C.C. *Metrosidëros viridiflora*. B.M.
- 3 lophanthum. S.F.A. (st.) crested. ———— 1816. ———— G. h. Swt. flor. aust. t. 29.
- 4 leptostachyum. S.F.A. (st.) slender-spik'd. ———— ———— G. h.
- 5 salignum. DC. (st.) Willow-leaved. ———— 1788. 5. 7. G. h. Bonpl. nav. t. 4.  
*Metrosidëros saligna*. Vent. cels. t. 70. non Bot. mag.
- 6 pallidum. DC. (st.) pale-leaved. N. S. W. 1816. ———— G. h. Bonpl. nav. p. 101. t. 41.
- 7 Sieberi. DC. (st.) Sieber's. ———— 1820. ———— G. h.
- 8 rigidum. DC. (sc.) rigid-leaved. ———— 1800. 3. 8. G. h. Bot. reg. t. 393.
- 9 lineare. DC. (sc.) linear. ———— 1788. 6. 7. G. h. Sert. hann. t. 11.
- 10 rugulosum. DC. (sc.) tubercle-leaved. ———— 1820. ———— G. h.
- 11 scabrum. B.C. (sc.) rough-leaved. N. Holland. 1824. ———— G. h. Lodd. bot. cab. t. 1288.
- 12 linearifolium. DC. (sc.) linear-leaved. ———— 1820. ———— G. h.
- 13 microphyllum. M.C. (sc.) small-leaved. ———— 1825. ———— G. h.
- 14 formosum. M.C. (sc.) handsome. ———— ———— G. h.
- 15 lanceolatum. DC. (sc.) spear-leaved. N. S. W. 1788. 11. 6. G. h. Bot. mag. t. 260.  
*Metrosidëros citrina*. B.M. *lanceolata*. L.T.  
*β semperflorens*. B.C. (sc.) ever-blowing. ———— ———— G. h. Lodd. bot. cab. t. 523.
- 16 marginatum. DC. (sc.) thick-margined. ———— 1816. 6. 8. G. h. Cavan. ic. 4. t. 332.
- 17 glaucum. (sc.) splendid. N. Holland. 1803. 3. 6. G. h. Bonpl. nav. t. 34.  
*Metrosidëros glauca*. Bomp. *speciosa*. Bot. mag. t. 1761.
- 18 hybridum. DC. (sc.) hybrid. N. S. W. 1824. 4. 6. G. h.
- METROSID'EROS. DC. METROSID'EROS. Icosandria Monogynia.
- 1 vera. DC. (gr.) Ironwood. E. Indies. 1815. 5. 8. S. h. Lindl. coll. t. 18.
- 2 florida. DC. (st.) many-flowered. N. Zealand. 1820. ———— G. h.
- 3 glomulifera. DC. (st.) cluster-flower'd. N. S. W. 1805. ———— G. h.
- 4 umbellata. DC. (re.) umbel-flowered. ———— 1822. ———— G. h. Cavan. ic. 4. t. 337.
- 5 angustifolia. DC. (wh.) narrow-leaved. C. B. S. 1787. ———— G. h. Hout. pfl. sys. 3. t. 25. f. 2.
- STENOSPERMUM. STENOSPERMUM. Icosandria Monogynia.
- 1 capitatum. (li.) headed. N. S. W. 1824. 4. 6. G. h. Reich. hort. bot. 1. t. 84.  
*Metrosidëros capitata*. DC.
- 2 corifolium. (wh.) Coris-leaved. ———— 1791. 6. 7. G. h. Vent. malm. t. 46.  
*Leptospermum ambiguum*. Sm. exot. bot. t. 59. *Metrosidëros corifolia*. Vent.
- AG'ONIS. DC. AG'ONIS. Icosandria Monogynia.
- 1 marginata. DC. (wh.) white margined. N. Holland. 1816. 6. 7. G. h. Lab. nov. holl. 2. t. 148.  
*Leptospermum marginatum*. Labill.
- 2 flexuosa. DC. (wh.) flexuose. ———— 1812. ———— G. h. Colla h. rip. ap. 1. t. 2.  
*Leptospermum flexuosum*. L. enum. *Metrosidëros flexuosa*. W. enum.
- 3 saligna. (wh.) Willow-like. N. S. W. 1812. 6. 7. G. h.
- 4 ovalifolia. (wh.) oval-leaved. N. Holland. ———— ———— G. h.
- Fabricia myrtifolia*. Hort. nec aliorum.
- 5 linearifolia. DC. linear-leaved. ———— 1824. .... G. h.

6 elliptica.	(wh.) elliptic-leaved.	N. Holland.	1824.	....	G. h.	
<i>Billottia elliptica</i> , M.C.						
LEPTOSPERMUM. DC.	SOUTH SEA	MYRTLE.	Icosandria	Monogynia.		
1 emarginatum. DC.	(wh.) emarginate.	N. S. W.	1816.	6. 7.	G. h.	
2 sericeum. DC.	(wh.) silky-leaved.	V. Diem. Isl.	1820.	—	G. h.	Lab. nov. holl. 2. t. 147.
3 tuberculatum. DC.	(wh.) tuberculate.	N. S. W.	1816.	—	G. h.	Cavan. ic. 4. t. 330.
<i>stellatum</i> , Cavan.						
4 grandifolium. DC.	(wh.) large-leaved.	—	1803.	—	G. h.	Bot. mag. t. 1810.
5 lanigerum. DC.	(wh.) woolly-leaved.	—	1774.	—	G. h.	Lodd. bot. cab. t. 1192.
6 pubescens. W.	(wh.) hoary-leaved.	—	—	—	G. h.	
7 trinerve. DC.	(wh.) three-nerved.	—	1812.	—	G. h.	White itin. 229. c. ic.
8 grandiflorum. B.C.	(wh.) large-flowered.	—	1816.	—	G. h.	Lodd. bot. cab. t. 514.
9 scoparium. DC.	(wh.) N. Zealand Tea.	N. Zealand.	1772.	—	G. h.	Andr. rep. t. 622.
10 squarrosum. G.	(wh.) squarrose.	N. S. W.	—	—	G. h.	Forst. itin. 1. t. 22.
11 floribundum.	(wh.) many-flowered.	—	—	—	G. h.	Rœm. et Ust. mag. 7. t. 2.
12 rubricaulis. L. en.	(wh.) red-stemmed.	—	1812.	—	G. h.	
13 flavescens. DC.	(wh.) yellowish.	—	1787.	5. 7.	G. h.	Bot. mag. t. 2695.
<i>Melaleuca Thœa</i> , Wendl. sert. han. 1. t. 14.						
14 gnidiæfolium. DC.	(wh.) Gnidia-leaved.	—	1824.	—	G. h.	
15 thymifolium. F.T.	(wh.) Thyme-leaved.	—	1823.	—	G. h.	
16 multicaule. F.T.	(wh.) many-branched.	—	—	—	G. h.	
17 porophyllum. DC.	(wh.) dotted-leaved.	—	—	—	G. h.	Cav. ic. 4. t. 330. f. 2.
18 parvifolium. DC.	(wh.) small-leaved.	—	1795.	—	G. h.	
19 myrtifolium. DC.	(wh.) Myrtle-leaved.	—	1824.	6. 8.	G. h.	
20 obovatum. S.F.A.	(wh.) obovate-leaved.	—	1823.	—	G. h.	Swt. flor. aust. t. 36.
21 attenuatum. DC.	(wh.) fine-branched.	—	1795.	—	G. h.	
22 multiflorum. DC.	(wh.) abundant-flower'd.	—	1820.	—	G. h.	Cav. ic. 4. t. 331. f. 1
23 juniperinum. DC.	(wh.) Juniper-leaved.	—	1790.	—	G. h.	Vent. malm. 89.
24 baccatum. DC.	(wh.) berry-fruited.	—	1790.	6. 7.	G. h.	Cavan. ic. 4. t. 331. f. 2.
25 arachnoideum. DC.	(w.) cobweb.	—	1795.	5. 7.	G. h.	Gært. fruct. 1. t. 35. f. 3.
26 triloculare. DC.	(wh.) trilocular.	—	1816.	—	G. h.	Vent. malm. t. 84.
27 dubium. DC.	(wh.) doubtful.	—	1824.	6. 7.	G. h.	
28 pendulum. DC.	(wh.) pendulous.	—	—	—	G. h.	
FABRICIA. DC.	FABRICIA.	Icosandria	Monogynia.			
1 myrtifolia. DC.	(wh.) Myrtle-leaved.	N. S. W.	1803.	5. 6.	G. h.	Gært. fruct. 1. t. 35. f. 4.
2 levigata. DC.	(wh.) smooth-leaved.	—	1788.	—	G. h.	Bot. mag. t. 1304.
3 sericea.	(wh.) silky-leaved.	N. Holland.	1803.	....	G. h.	
4 stricta. B.C.	(wh.) upright.	N. S. W.	1822.	5. 7.	G. h.	Lodd. bot. cab. t. 1219.
BÆCKEA. DC.	BÆCKEA.	Pent-Dodecandria	Monogynia.			
1 frutescens. DC.	(wh.) Chinese.	China.	1806.	9. 1.	G. h.	Bot. mag. t. 2802.
2 gracilis. F.T.	(wh.) slender-branch'd.	N. S. W.	1824.	6. 9.	G. h.	
3 virgata. DC.	(wh.) slender-twiggy.	—	1806.	8. 10.	G. h.	Bot. mag. t. 2127.
4 linifolia. DC.	(wh.) Flax-leaved.	—	1820.	6. 8.	G. h.	Linn. trans. 8. t. 12.
5 diffusa. DC.	(wh.) spreading.	—	1824.	—	G. h.	
6 densifolia. DC.	(wh.) close-leaved.	—	1812.	—	G. h.	
7 pulchella. DC.	(wh.) neat.	—	1825.	—	G. h.	
8 diosmifolia. DC.	(wh.) Diosma-leaved.	—	1823.	—	G. h.	
9 camphorata. DC.	(wh.) Camphor-scented.	—	1803.	8. 10.	G. h.	Bot. mag. t. 2694.
10 microphylla. DC.	(wh.) small-leaved.	—	1812.	—	G. h.	
11 brevifolia. DC.	(wh.) short-leaved.	—	1824.	—	G. h.	
12 ramosissima. DC.	(wh.) branching.	—	1825.	7. 9.	G. h.	
13 crenulata. DC.	(wh.) notch leaved.	—	1822.	—	G. h.	
14 diosmoides. DC.	(wh.) Diosma-like.	—	1825.	—	G. h.	

## Tribus III. MYRTEÆ. DC. prodr. v. 3. p. 230.

SONNER'ATIA. DC.	SONNER'ATIA.	Icosandria	Monogynia.	L.		
1 acida. DC.	(re.) acid-fruited.	E. Indies.	1822.	....	S. h.	Rheed. mal. 3. t. 40.
2 alba. DC.	(wh.) white-flowered.	—	1824.	....	S. h.	Rumph. amb. 3. t. 73.
3 apétala. DC.	(gr.) petalless.	—	1826.	....	S. h.	Sym. emb. to Ava. 3. t. 25.
NEL'YTRIS. DC.	NEL'YTRIS.	Icosandria	Monogynia.			
paniculata. DC.	(wh.) panicled.	Moluccas.	1820.	....	S. h.	
CAMPOMAN'ESIA. DC.	CAMPOMAN'ESIA.	Icosandria	Monogynia.			
lineatifolia. DC.	(wh.) yellow-fruited.	Peru.	1824.	4. 6.	G. h.	Flor. per. prod. t. 13.
PSIDIUM. DC.	GUAVA.	Icosandria	Monogynia.	L.		
1 pumilum. DC.	(wh.) dwarf.	E. Indies.	1824.	—	S. h.	Rumph. amb. 1. t. 49.
2 aromaticum. DC.	(wh.) aromatic.	W. Indies.	1779.	6. 8.	S. h.	Aubl. guian. 1. t. 191.

3	montanum. DC.	(wh.) mountain.	W. Indies.	1779.	5. 7.	S. h.	
4	pyrifera. DC.	(wh.) Pear-fruited.	—	1656.	6. 8.	S. h.	Trew. eur. t. 43.
5	pomiferum. DC.	(wh.) Apple-fruited.	—	1692.	—	S. h.	Rumph. amb. 1. t. 48.
6	sapidissimum. S.S.	(wh.) pleasant.	.....	1823.	—	S. h.	Jacq. schœnb. 3. t. 366.
7	guineense. DC.	(wh.) Guinea.	Guinea.	—	—	S. h.	
8	polycarpon. DC.	(wh.) many-fruited.	Trinidad.	1809.	4. 8.	S. h.	Linn. trans. 11. t. 17.
9	Araca. DC.	(wh.) egg-fruited.	Brazil.	1820.	5. 7.	S. h.	Raddi mem. 1821. t. 1.
10	fluviatile. DC.	(wh.) Guiana.	Guiana.	1823.	—	S. h.	
	guianense. P.S.						
11	oligospermum. DC.	(wh.) few-seeded.	Brazil.	—	—	S. h.	
12	Cattleianum. DC.	(wh.) Mr. Cattle's.	—	1816.	1. 12.	S. h.	Lindl. coll. t. 16.
13	cordatum. DC.	(wh.) spice.	W. Indies.	1811.	5. 7.	S. h.	Bot. mag. t. 1779.
14	nigrum. DC.	(wh.) black-fruited.	China.	....	—	S. h.	
15	rubrum. DC.	(wh.) red-fruited.	—	1820.	—	S. h.	
16	chinense. L.C.	(wh.) yellow Chinese.	—	1818.	—	S. h.	
17	fragrans. L.C.	(wh.) fragrant.	.....	....	4. 8.	S. h.	
18	myrtifolia. L.C.	(wh.) Myrtle-leaved.	.....	....	—	S. h.	
19	latifolium. DC.	(wh.) broad-leaved.	.....	1820.	6. 8.	S. h.	
20	indicum. DC.	(wh.) Indian.	E. Indies.	1824.	—	S. h.	
	JOSSINIA. DC.	JOSSINIA. Icosandria Monogynia.					
1	mespiloides. DC.	(wh.) Mespilus-like.	Isl. Bourbon.	1826.	....	S. h.	
2	elliptica. DC.	(wh.) elliptic-leaved.	Mauritius.	1824.	....	S. h.	
	<i>Eugenia elliptica.</i> Lam. non Smith.						
3	buxifolia. DC.	(wh.) Box-leaved.	Isl. Bourbon.	1822.	....	S. h.	
	MYRTUS. DC.	MYRTLE. Icosandria Monogynia. L.					
1	communis. DC.	(wh.) common.	S. Europe.	1597.	7. 8.	F. h.	Lam. ill. t. 410.
	<i>A. melanocarpa.</i> DC. (w.) black-berried.		—	—	—	F. h.	
	<i>a romana.</i> DC. (wh.) broad-leaved.		—	—	—	F. h.	Mill. ic. t. 184. f. 1.
	<i>β multiplax.</i> (wh.) double-blossomed.		....	....	—	F. h.	
	<i>B. leucocarpa.</i> DC. (wh.) white-fruited.	Levant.	....	....	—	F. h.	
2	tarentina. (wh.)	Box-leaved.	S. Europe.	1597.	—	F. h.	
3	italica. (wh.)	upright Italian.	—	—	—	F. h.	
	<i>β variegata.</i> (wh.) striped-leaved.		....	....	—	F. h.	
	<i>γ maculata.</i> (wh.) blotch-leaved.		....	....	—	F. h.	
4	bœtica. (wh.)	Orange-leaved.	—	1597.	—	F. h.	Blackw. t. 114.
5	lusitânica. (wh.)	Portugal.	Portugal.	—	—	F. h.	Clus. hist. 1. p. 66. f. 1.
6	bélgica. (wh.)	sharp-leaved.	S. Europe.	—	—	F. h.	
7	mucronata. (wh.)	small-leaved.	—	—	—	F. h.	
8	tomentosa. DC.	(ro.) woolly-leaved.	China.	1776.	5. 9.	S. h.	Bot. mag. t. 250.
9	tenuifolia. DC.	(wh.) slender-leaved.	N. S. W.	1824.	—	G. h.	
10	lucida. DC.	(wh.) shining.	Surinam.	1793.	4. 8.	S. h.	
	MYRCIA. DC.	MYRCIA. Icosandria Monogynia.					
1	punctata. DC.	(wh.) punctated.	Santa Cruz.	1825.	....	S. h.	
2	coriacea. DC.	(wh.) Sumach-leaved.	Hispaniola.	1759.	5. 7.	S. h.	Plum. ic. t. 208. f. 2.
3	acris. DC.	(wh.) broad-ld. Allspice.	W. Indies.	—	—	S. h.	Pluk. alm. t. 155. f. 3.
4	pimentoides. DC.	(wh.) Allspice-like.	—	—	—	S. h.	Lodd. bot. cab. t. 178.
	<i>Myrtus Pimenta.</i> <i>β latifolia.</i> Lodd. bot. cab. t. 178.						
5	divaricata. DC.	(wh.) spreading-flow'd.	W. Indies.	1820.	—	S. h.	Plum. ic. t. 208. f. 1.
6	sororia. DC.	(wh.) sister.	Trinidad.	1822.	—	S. h.	
7	splendens. DC.	(wh.) glossy-leaved.	Hispaniola.	—	—	S. h.	Jacq. coll. 2. t. 4.
	<i>Eugenia periplocafolia.</i> Jacq.						
8	Mini. (wh.)	small-fruited.	Guiana.	1803.	—	S. h.	Aubl. guian. 1. t. 197.
	<i>Eugenia Mini.</i> Aubl.						
9	crassinervia. DC.	(wh.) thick-nerved.	—	1780.	—	S. h.	
10	bracteata. DC.	(wh.) leafy-bracted.	Brazil.	1824.	—	S. h.	
11	pseudo-Mini. DC.	(wh.) Brazilian.	—	1822.	—	S. h.	
	CALYPTRA'NTHES. DC.	CALYPTRA'NTHES. Icosandria Monogynia.					
1	rigida. DC.	(wh.) rigid-leaved.	Jamaica.	1822.	....	S. h.	
2	Chytraculia. DC.	(wh.) forked-panicled.	—	1778.	3. 5.	S. h.	Brown. jam. t. 37. f. 2.
3	Zuzygium. DC.	(wh.) oval-leaved.	—	—	5. 7.	S. h.	— 240. t. 7. f. 2.
	SYZYGIUM. DC.	SYZYGIUM. Icosandria Monogynia.					
1	obovatum. DC.	(wh.) obovate-leaved.	Mauritius.	1822.	....	S. h.	
2	paniculatum. DC.	(wh.) panicled.	—	1821.	4. 6.	S. h.	
	<i>Eugenia paniculata.</i> Lam.						
3	glomeratum. DC.	(wh.) cluster-flowered.	—	1824.	....	S. h.	
4	Jambolana. DC.	(wh.) Jambolana-tree.	E. Indies.	1796.	5. 7.	S. h.	Rumph. amb. 1. t. 42.
	<i>Calyptranthes Jambolana.</i> w. <i>Eugenia Jambolana.</i> Lam.						
5	inophyllum. DC.	(wh.) equal-leaved.	E. Indies.	1826.	....	S. h.	

- 6 caryophyllifolium. DC. (*wh.*) Clove-leav'd. E. Indies. 1822. 5. 7. S.  $\frac{1}{2}$ . Rumph. amb. 1. t. 41.  
*Eugenia caryophyllifolia*, Lam. *Calyptérantes caryophyllifolia*. w.
- 7 venosum. DC. (*wh.*) veined-leaved. Nepal. 1824. .... S.  $\frac{1}{2}$ .
- 8 fruticosum. DC. (*wh.*) shrubby. E. Indies. .... S.  $\frac{1}{2}$ .
- 9 zeylánicum. DC. (*wh.*) Ceylon. ———— 1798. 6. 7. S.  $\frac{1}{2}$ . Herm. zeyl. 435. ic.
- CARYOPHYLLUS**. DC. CLOVE-TREE. Icosandria Monogynia. L.
- aromaticus. DC. (*wh.*) aromatic. Moluccas. 1797. .... S.  $\frac{1}{2}$ . Bot. mag. t. 2749-2750.
- ACMENA**. DC. ACM'EMA. Icosandria Monogynia.
- elliptica. DC. (*wh.*) elliptic-leaved. N. S. W. 1790. 5. 9. G.  $\frac{1}{2}$ . Bot. mag. t. 1872.  
*Eugenia elliptica*. B.M. *Myrtus Smithii*. s.s. *Metrosidèros floribunda*. Vent. malm. t. 75.
- EUGENIA**. DC. EUG'ENIA. Icosandria Monogynia.
- 1 Michèlii. DC. (*wh.*) one-flowered. Brazil. 1759. 1. 3. S.  $\frac{1}{2}$ . Bot. mag. t. 473.  
*uniflora*. w. *Plinia pedunculata*. B.M.
- 2 ligustrina. DC. (*wh.*) Privet-leaved. Caribees. 1798. 8. 9. S.  $\frac{1}{2}$ .
- 3 balsàmica. DC. (*wh.*) balsamic. W. Indies. 1816. 6. 7. S.  $\frac{1}{2}$ . Jacq. frag. t. 45. f. 2.
- 4 angustifolia. DC. (*wh.*) narrow-leaved. St. Domingo. 1825. .... S.  $\frac{1}{2}$ . Plum. ed Bur. t. 207. f. 2.
- 5 obscura. DC. (*wh.*) obscure. Brazil. 1824. 10. 11. S.  $\frac{1}{2}$ . Bot. reg. t. 1044.  
*Myrtus obscura*. B.R.
- 6 alpina. DC. (*wh.*) alpine. Jamaica. 1827. 6. 8. S.  $\frac{1}{2}$ .
- 7 latifolia. DC. (*wh.*) broad-leaved. Guiana. 1793. ——— S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 199.
- 8 Lambertiana. DC. (*wh.*) Mr. Lambert's. W. Indies. 1794. .... S.  $\frac{1}{2}$ .
- 9 Parkeriana. DC. (*wh.*) Parker's. Trinidad. ——— .... S.  $\frac{1}{2}$ .
- 10 Roxbúrgii. DC. (*wh.*) Roxburgh's. E. Indies. 1798. 6. 7. S.  $\frac{1}{2}$ . Andr. reposit. t. 619?  
*zeylanica*. Roxb. non w.
- 11 disticha. DC. (*wh.*) globe-berried. Jamaica. 1793. 4. 7. S.  $\frac{1}{2}$ . Lindl. coll. t. 19.  
*Myrtus disticha*. L. coll.
- 12 glabrata. DC. (*wh.*) smooth. W. Indies. 1825. ——— S.  $\frac{1}{2}$ .
- 13 axillaris. DC. (*wh.*) axillary. Jamaica. 1793. 9. 10. S.  $\frac{1}{2}$ .
- 14 floribunda. DC. (*wh.*) many-flowered. Santa Cruz. 1822. 4. 6. S.  $\frac{1}{2}$ .
- 15 buxifolia. DC. (*wh.*) Box-leaved. W. Indies. ——— S.  $\frac{1}{2}$ .
- 16 barucensis. DC. (*wh.*) many-flowered. ———— .... S.  $\frac{1}{2}$ . Jacq. ic. 3. t. 486.
- 17 dumosa. DC. (*wh.*) bushy. ———— 1793. 6. 7. S.  $\frac{1}{2}$ .
- 18 biflora. DC. (*wh.*) two-flowered. Jamaica. 1759. 4. 5. S.  $\frac{1}{2}$ . Brown jam. t. 25. f. 3.  
*Myrtus biflora*. w.
- 19 Sieberiana. DC. (*wh.*) Sieber's. Trinidad. 1824. ——— S.  $\frac{1}{2}$ .
- 20 trinervia. DC. (*wh.*) three-nerved. N. S. W. 1823. .... G.  $\frac{1}{2}$ .
- Myrtus trinervia*. L.T.
- 21 trinitatis. DC. (*wh.*) Trinidad. Trinidad. ——— .... S.  $\frac{1}{2}$ .
- 22 Grégii. DC. (*wh.*) Greg's. Dominica. 1776. 6. 7. S.  $\frac{1}{2}$ . Gært. fruct. 1. t. 33.  
*Gréggia aromática*. G. *Myrtus Grégii*. w.
- 23 fragrans. DC. (*wh.*) sweet-scented. Jamaica. 1790. 4. 5. S.  $\frac{1}{2}$ . Bot. mag. t. 1242.
- 24 virgultosa. DC. (*wh.*) twiggy. W. Indies. 1787. 7. 8. S.  $\frac{1}{2}$ .  
*Myrtus virgultosa*. w.
- 25 corymbosa. DC. (*wh.*) corymbose. E. Indies. 1824. .... S.  $\frac{1}{2}$ . Rheed. mal. 5. t. 27.
- 26 pulchella. H.B. (*wh.*) pretty. ———— 1822. .... S.  $\frac{1}{2}$ .
- 27 glandulifera. H.B. (*wh.*) glandular. ———— 1823. .... S.  $\frac{1}{2}$ .
- 28 obtusifolia. H.B. (*wh.*) blunt-leaved. ———— .... S.  $\frac{1}{2}$ .
- 29 cerasoides. H.B. (*wh.*) Cherry-fruited. ———— .... S.  $\frac{1}{2}$ .
- 30 Piménta. DC. (*wh.*) Allspice. W. Indies. 1723. 5. 7. S.  $\frac{1}{2}$ . Bot. mag. t. 1236.  
*Myrtus Piménta*. w.
- JAMB'OSA**. DC. JAMB'OSA. Icosandria Monogynia.
- 1 vulgaris. DC. (*st.*) narrow-leaved. E. Indies. 1768. 2. 7. S.  $\frac{1}{2}$ . Bot. mag. t. 1696.  
*Eugenia Jambos*. B.M.
- 2 venosa. DC. (*wh.*) veined-leaved. Madagascar. 1824. .... S.  $\frac{1}{2}$ .
- 3 macrophylla. DC. (*wh.*) large-leaved. E. Indies. 1822. .... S.  $\frac{1}{2}$ .
- 4 macrocarpa. DC. (*wh.*) large-fruited. ———— .... S.  $\frac{1}{2}$ .  
*Eugenia macrocarpa*. H.B.
- 5 purpurascens. DC. (*pu.*) purple-flower'd. W. Indies. 1768. 5. 8. S.  $\frac{1}{2}$ . Andr. reposit. t. 458.  
*Eugenia malaccensis*. Smith exot. bot. t. 61.
- 6 malaccensis. DC. (*wh.*) Malay Apple. E. Indies. ———— S.  $\frac{1}{2}$ . Rheed. mal. 1. t. 18.
- 7 amplexicaulis. DC. (*gr.*) stem-clasping. Sumatra. 1820. 3. 6. S.  $\frac{1}{2}$ . Bot. reg. t. 1033.
- 8 aquea. DC. (*ro.*) watery. Moluccas. 1819. ——— S.  $\frac{1}{2}$ . Rumph. amb. 1. t. 38. f. 2.  
*Eugenia aquea*. H.B.
- 9 acuminata. DC. (*gr.*) taper-pointed. Amboyna. 1816. 5. 6. S.  $\frac{1}{2}$ .  
*Eugenia acuminata*. H.B.
- 10 laurifolia. DC. (*wh.*) Laurel-leaved. E. Indies. 1824. .... S.  $\frac{1}{2}$ .
- 11 ternifolia. DC. (*wh.*) three-leaved. ———— 1822. ——— S.  $\frac{1}{2}$ .  
*Eugenia ternifolia*. H.B.

12 austrâlis. DC. (*wh.*) Myrtle-leaved. N. Holland. 1812. 5. 9. G. h. Bot. mag. t. 2230.  
*Eugènia austrâlis*. Colla hort. rip. app. t. 8. *Eugènia myrtifolia*. Bot. reg. t. 627.

Tribus IV. *BARRINGTONIÆ*. DC. prodr. v. 3. p. 283.

**BARRINGTONIA**. DC. **BARRINGTONIA**. Monadelphia Polyandria. L.  
 1 speciosa. DC. (*pu.wh.*) beautiful. E. Indies. 1786. .... S. h. Rumph. amb. 3. t. 114.  
 2 racemosa. DC. (*wh.*) racemed. Malabar. 1822. .... S. h. Rheed. mal. 4. t. 6.  
*Eugènia racemosa*. L.  
**STRAVADIUM**. DC. **STRAVADIUM**. Monadelphia Polyandria.  
 1 album. DC. (*wh.*) white-flowered. Moluccas. 1822. .... S. h. Rumph. amb. 3. t. 116.  
 2 rubrum. DC. (*re.*) red-flowered. ———— . .... S. h. ———— 3. t. 115.  
*Barringtonia acutangula*. G. *Eugènia acutangula*. L.  
**GUSTAVIA**. DC. **GUSTAVIA**. Monadelphia Polyandria. L.  
 1 augusta. DC. (*wh.*) large-flowered. Guiana. 1794. .... S. h. Aubl. guian. 1. t. 192.  
 2 fastuosa. DC. (*wh.*) six-petaled. ———— 1824. .... S. h. ———— 1. t. 193.

Tribus V. *LECYTHIDÆ*. DC. prodr. v. 3. p. 290.

**LEC'YTHIS**. DC. **LEC'YTHIS**. Monadelphia Polyandria.  
 1 Ollaria. DC. (*wh.*) sessile-leaved. Brazil. 1820. .... S. h.  
 2 minor. DC. (*wh.*) smaller. Carthage. 1823. .... S. h. Jacq. amer. t. 109.  
 3 grandiflora. DC. (*ro.*) large-flowered. Cayenne. 1822. .... S. h. Au. gu. 2. t. 283. 284. 285.  
 4 Idatimon. DC. (*fl.*) flesh-coloured. Guiana. ———— . .... S. h. ———— 2. t. 289.  
 5 amara. DC. (*ye.*) bitter-seeded. ———— . .... S. h. ———— 2. t. 286. t. 285. f. 1.  
 6 parviflora. DC. (*st.*) small-flowered. ———— . .... S. h. ———— 2. t. 287.  
**BERTHOLLETIA**. DC. **BERTHOLLETIA**. Monadelphia Polyandria.  
 excelsa. DC. (*st.*) lofty. Brazil. 1824. .... S. h. H. et B. pl. equ. 1. t. 36.  
**COUROUPITA**. DC. **COUROUPITA**. Monadelphia Polyandria.  
 guianensis. DC. (*bh.*) Guiana. Guiana. 1820. .... S. h. Aubl. guian. 2. t. 282.  
*Lec'ythis bracteata*. W. *Pèkea Couroupita*. Juss.

*MYRTACEÆ DUBIÆ*. DC. prodr. v. 3. p. 394.

**CAREYA**. R.C. **CAREYA**. Monadelphia Polyandria.  
 1 sphærica. H.B. (*wh.*) sphærical. E. Indies. 1823. .... S. h.  
 2 arborea. R.C. (*gr.bh.*) tree. ———— . .... S. h. Roxb. corom. 3. t. 218.  
 3 herbacea. R.C. (*re.*) herbaceous. ———— 1808. 7. 8. S. 4. ———— 3. t. 217.  
**GR'IAS**. DC. **ANCHOVY PEAR**. Polyandria Monogynia.  
 cauliflora. DC. (*wh.*) stem-flowering. Jamaica. .... S. h. Sloan. his. 2. t. 217. f. 1. 2.  
**MARLEA**. R.C. **MARLEA**. Icosandria Monogynia.  
 begoniifolia. R.C. (*wh.*) Begonia-leaved. E. Indies. 1824. .... S. h. Roxb. corom. 3. t. 283.

ORDO XCV.

*CUCURBITACEÆ*. DC. prodr. v. 3. p. 297.

Tribus II. *CUCURBITÆ*. DC. prod. 3. p. 299.

**LAGENARIA**. DC. **GOURD**. Monocelia Monadelphia.  
 1 vulgaris. DC. (*wh.*) bottle. India. 1597. 7. 9. H. ⊙. √.  
 a Gourda. DC. (*wh.*) common. ———— . ———— H. ⊙. √. Moris. his. s. 1. t. 5. f. 1.  
 β Cougourda. DC. (*wh.*) Cow-gourd. China. ———— . ———— H. ⊙. √. Rumph. amb. 5. t. 144.  
 γ depressa. DC. (*wh.*) flat-fruited. India. ———— . ———— H. ⊙. √.  
 δ turbinata. DC. (*wh.*) top-fruited. ———— . ———— H. ⊙. √. Moris. his. s. 1. t. 5. f. 2.  
 ε clavata. DC. (*wh.*) club-fruited. ———— . ———— H. ⊙. √. ———— sect. 1. t. 5. f. 3.

2 vittata. DC.	(wh.) ribbon.	E. Indies.	....	7. 9.	H. ⊙. ↘.	
3 idolátrica. DC.	(wh.) Pear-fruited.	_____	....	_____	H. ⊙. ↘.	
CUCUMIS. DC.		CUCUMBER.	Monœcia Monadelphia.	L.		
1 Mèlo. DC.	(st.) Melon.	Tartary.	1570.	5. 9.	F. ⊙.	Blackw. herb. t. 329.
2 deliciosus. DC.	(st.) delicious.	E. Indies.	1818.	_____	F. ⊙.	
3 sativus. DC.	(ye.) common.	_____	1573.	7. 9.	H. ⊙.	Blackw. herb. t. 4.
a viridis. DC.	(ye.) green-fruited.	_____	_____	_____	H. ⊙.	
β flavus. DC.	(ye.) pale-fruited.	_____	_____	_____	H. ⊙.	
γ álbis. DC.	(ye.) white Turkey.	_____	_____	_____	H. ⊙.	
δ variegátus. DC.	(ye.) striped-fruited.	_____	_____	_____	H. ⊙.	
ε fastigiátus. DC.	(ye.) clustered.	_____	_____	_____	H. ⊙.	
4 flexuosus. DC.	(ye.) flexuous snake.	_____	1597.	5. 9.	F. ⊙.	Lob. stirp. p. 363. f. 2.
β reflexus. DC.	(ye.) angular-leaved.	_____	....	_____	F. ⊙.	
5 anguinus. w.	(ye.) snake-fruited.	_____	1820.	7. 9.	F. ⊙.	
6 jamaicensis. DC.	(ye.) round-fruited.	Jamaica.	1818.	_____	F. ⊙.	
7 Châte. DC.	(ye.) hairy.	Levant.	1759.	6. 7.	H. ⊙.	Alp. ægypt. t. 117.
8 Dudaim. DC.	(ye.) Apple-fruited.	_____	1705.	7. 8.	H. ⊙.	Andr. reposit. t. 548.
9 prophetarum. DC.	(ye.) globe-fruited.	_____	1777.	6. 9.	F. ⊙.	Jacq. vind. 1. t. 9.
10 africanus. DC.	(ye.) African.	C. B. S.	1816.	_____	G. 4. ↘.	Herm. parad. t. 134.
11 Angüria. DC.	(ye.) round prickly.	Jamaica.	1692.	7. 9.	H. ⊙.	Mill. ic. 1. t. 33.
12 Citrullus. DC.	(ye.) Water Melon.	Africa.	1597.	5. 9.	F. ⊙.	Rumph. amb. 5. t. 146.
a Pásteca. DC.	(ye.) firm-fruited.	_____	_____	_____	F. ⊙.	
β Jáce. DC.	(ye.) juicy-fruited.	_____	_____	_____	F. ⊙.	
13 pubescens. DC.	(ye.) pubescent.	.....	1815.	6. 9.	F. ⊙.	
14 maculátus. DC.	(ye.) spotted-fruited.	.....	....	_____	F. ⊙.	Ser. dis. t. 3.
15 Colocy'ntis. DC.	(ye.) bitter.	Japan.	1551.	5. 8.	F. ⊙.	Blackw. herb. t. 441.
16 perennis. DC.	(ye.) perennial.	N. America.	1824.	6. 8.	F. ⊙.	
17 coronarius.	(ye.) crowned.	.....	1827.	_____	F. ⊙.	
18 Momórdica. H. B.	(ye.) Momordica-like.	E. Indies.	1812.	7. 9.	F. ⊙.	
19 utilitissimus. H. B.	(ye.) useful.	_____	1820.	_____	F. ⊙.	
20 turbinátus. H. B.	(ye.) top-shaped.	_____	_____	_____	F. ⊙.	
21 maderaspatanus. w.	(ye.) Madras.	_____	1805.	7. 8.	F. ⊙.	Pluk. alm. t. 170. f. 2.
Bryonia maderaspatana. DC.		_____	_____	_____	F. ⊙. ↘.	
22 integrifolius. H. B.	(ye.) entire-leaved.	_____	1825.	_____	F. ⊙. ↘.	
LUFFA. DC.		LUFFA. Pentandria Monogynia.				
1 foetida. DC.	(ye.) strong-scented.	E. Indies.	1812.	6. 10.	F. ⊙. ↘.	Bot. mag. t. 1633.
2 acutangula. DC.	(ye.) acute-angled.	_____	1692.	6. 9.	F. ⊙. ↘.	Jacq. vind. 3. t. 73-74.
Cucumis acutangulus. Jacq.		_____	_____	_____		
3 Plukenetiana. DC.	(ye.) Plukenet's.	_____	....	_____	F. ⊙. ↘.	Pluk. alm. t. 172. f. 1.
4 clavata. H. B.	(ye.) erect.	_____	1820.	6. 10.	F. ⊙.	
5 amara. H. B.	(ye.) bitter.	_____	_____	_____	F. ⊙. ↘.	
6 graveolens. H. B.	(ye.) strong-smelling.	_____	1823.	_____	F. ⊙. ↘.	
7 racemosa. H. B.	(ye.) racemed.	_____	_____	_____	F. ⊙. ↘.	
8 ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1739.	7. 8.	F. ⊙.	Alp. ægypt. t. 58.
Momordica Luffa. L.		_____	_____	_____		
BENINC'ASA. DC.		BENINC'ASA. Polygamia Monœcia.				
cerifera. DC.	(ye.) musky.	E. Indies.	....	7. 9.	F. ⊙.	Savi. mem. c. 1818. p. 6.
BRYONIA. DC.		BRYONY. Monœcia Monadelphia. W.				
1 rostrata. DC.	(st.) rostrate.	E. Indies.	1825.	7. 9.	S. ⊙. ↘.	
2 scabra. DC.	(st.) globe-fruited.	C. B. S.	1774.	9. 10.	G. 4. ↘.	
3 verrucosa. DC.	(st.) warted.	Canaries.	1779.	6. 10.	G. 4. ↘.	
4 scabrata. DC.	(st.) roughish.	E. Indies.	1826.	_____	S. 4. ↘.	
5 punctata. DC.	(st.) dotted.	C. B. S.	1816.	_____	G. 4. ↘.	
6 cordata. DC.	(st.) cordate.	_____	_____	_____	G. 4. ↘.	
7 grandis. DC.	(ye.) great-flowered.	E. Indies.	1783.	5. 8.	S. 4. ↘.	Rump. amb. 5. t. 166. f. 1.
8 umbellata. DC.	(st.) umbel-flowered.	_____	1825.	_____	S. 4. ↘.	Rheed. mal. 8. t. 26?
9 hederæfolia. DC.	(st.) Ivy-leaved.	Teneriffe.	_____	_____	G. 4. ↘.	Jacq. fragm. 73. t. 113.
10 epigæa. DC.	(st.) leathery-leaved.	E. Indies.	1815.	_____	G. 4. ↘.	
11 scabrèlla. DC.	(st.) rough-seeded.	_____	1781.	6. 8.	S. ⊙. ↘.	
12 latebrösa. DC.	(st.) hairy.	Canaries.	1779.	_____	G. 4. ↘.	
13 trilobata. DC.	(st.) three-lobed.	C. B. S.	1816.	_____	G. ⊙. ↘.	
14 álba. DC.	(wh.) black-fruited.	Europe.	1807.	_____	H. 4. ↘.	Lam. ill. t. 796.
15 dioica. DC.	(st.) red-fruited.	Britain.	....	5. 9.	H. 4. ↘.	Eng. bot. v. 7. t. 439.
16 nitida. DC.	(st.) glossy.	.....	1824.	_____	S. 4. ↘.	
17 crética. DC.	(st.) Cretan.	Candia.	1759.	7. 9.	G. 4. ↘.	Desf. an. mus. 12. t. 17.
18 quinqueloba. DC.	(st.) five-lobed.	C. B. S.	....	6. 10.	G. 4. ↘.	Bot. reg. t. 82.
19 ficifolia. DC.	(st.) Fig-leaved.	Buenos Ayres.	1726.	_____	G. 4. ↘.	Dill. elth. t. 50. f. 58.
20 variegata. DC.	(st.) variegated.	America.	....	_____	S. 4. ↘.	
21 racemosa. DC.	(st.) racemed.	Trinidad.	1820.	_____	S. 4. ↘.	Plum. amer. 83. t. 97.

22	pinnatifida. DC.	(st.) pinnatifid.	C. B. S.	1816.	7. 8.	G. 4. ∞.	
23	divisa. W. en.	(st.) divided-leaved.	.....	1818.	6. 10.	G. 4. ∞.	
24	palmata. DC.	(st.) palmated.	Ceylon.	1778.	7. 8.	S. 4. ∞.	
25	Garcini. DC.	(st.) round-lobed.	.....	1818.	—	S. 4. ∞.	Burm. ind. t. 57. f. 3.
26	laciniosa. DC.	(st.) laciniated.	E. Indies.	1710.	—	S. 4. ∞.	Herm. lugd. 95. t. 97.
27	africana. DC.	(st.) African.	C. B. S.	1759.	7. 8.	G. 4. ∞.	Herm. parad. t. 708.
28	disssecta. DC.	(st.) smooth-leaved.	.....	1710.	—	G. 4. ∞.	
29	tenella. H.B.	(st.) slender.	E. Indies.	1820.	—	S. 4. ∞.	
30	Wallichiana. DC.	(st.) filiform.	Nepaul.	—	—	S. 4. ∞.	
	<i>filiformis.</i> H.B.						
<b>SICYOS. DC. SINGLE-SEEDED CUCUMBER. Monœcia Monadelphia. W.</b>							
1	angulatus. DC.	(ye.) angular-leaved.	N. America.	1710.	7. 9.	H. ⊙. ∞.	Dill. elth. t. 51. f. 59.
2	parviflorus. DC.	(ye.) small-flowered.	Quito.	1823.	—	H. ⊙. ∞.	
3	microphyllus. DC.	(ye.) small-leaved.	Mexico.	—	—	H. ⊙. ∞.	
4	vitifolius. DC.	(ye.) Vine-leaved.	.....	—	—	H. ⊙. ∞.	
5	laciniatus. DC.	(ye.) jagged-leaved.	S. America.	1827.	—	F. ⊙. ∞.	Plum. ed Burm. t. 243.
<b>ELATERIUM. DC. ELATERIUM. Monœcia Monadelphia.</b>							
1	gemellum. DC.	(wh.) twin-tendrilled.	Mexico.	1826.	6. 9.	H. ⊙. ∞.	
2	carthaginense. DC.	(wh.) Carthaginian.	Caracas.	1824.	—	F. ⊙. ∞.	Jacq. am. pict. t. 232.
3	tamnoïdes. DC.	(st.) Tamus-like.	Mexico.	1818.	—	H. ⊙. ∞.	
<b>MOMORDICA. DC. MOMORDICA. Monœcia Monadelphia. W.</b>							
1	balsamina. DC.	(ye.) Balsam Apple.	E. Indies.	1568.	6. 7.	F. ⊙. ∞.	Blackw. herb. 6. t. 539.
2	muricata. DC.	(ye.) tuberclcd.	.....	....	....	F. ⊙. ∞.	Rheed. mal. 8. t. 10.
3	Charántia. DC.	(ye.) hairy.	.....	1710.	—	F. ⊙. ∞.	Bot. mag. t. 2455.
	<i>β abbreviata.</i> DC.	(ye.) short-fruited.	.....	—	—	F. ⊙. ∞.	
4	cylindrica. DC.	(ye.) cylindrical.	China.	1816.	—	F. ⊙. ∞.	
5	operculata. DC.	(ye.) rough-fruited.	W. Indies.	1731.	6. 9.	F. ⊙. ∞.	Comm. rar. t. 22.
6	Elaterium. DC.	(st.) squirting cucumber.	S. Europe.	1548.	—	H. 4. ∞.	Bot. mag. t. 1914.
7	dioica. DC.	(ye.) diœcious.	E. Indies.	1820.	7. 8.	S. 4. ∞.	Rheed. mal. 8. t. 18.
8	monadelphia. H.B.	(ye.) monadelphous.	.....	1812.	—	S. 4. ∞.	
9	mixta. H.B.	(ye.) mixed.	.....	1820.	—	S. 4. ∞.	
10	umbellata. H.B.	(ye.) umbel-flowered.	.....	1818.	—	S. 4. ∞.	
11	tubiflora. H.B.	(ye.) tube-flowered.	.....	1824.	7. 10.	F. ⊙. ∞.	
<b>S'ECHIUM. DC. CHOCHO. Monœcia Monadelphia.</b>							
1	édule. DC.	(ye.) eatable.	W. Indies.	1823.	7. 9.	F. ⊙. ∞.	Jacq. amer. t. 163.
2	americanum. DC.	(ye.) American.	Jamaica.	1825.	—	F. ⊙. ∞.	
3	palmatum. DC.	(st.) palmated.	Mexico.	1827.	9. 11.	F. ⊙. ∞.	Moc. et Ses. fl. mex. ic.
<b>MELOTHRIA. DC. MELOTHRIA. Monœcia Triandria.</b>							
1	péndula. DC.	(ye.) pendulous.	America.	1752.	6. 7.	H. ⊙. ∞.	Plum. ic. t. 66. f. 2.
2	foëtida. DC.	(ye.) strong-scented.	Guinea.	1825.	—	S. 4. ∞.	Jacq. ic. 3. t. 624.
	<i>Trichosánthes fatidissima.</i> Jacq.						
<b>TRICHOSANTHES. DC. SNAKE-GOURD. Monœcia Monadelphia. W.</b>							
1	anguina. DC.	(wh.) common.	China.	1755.	5. 8.	F. ⊙. ∞.	Bot. mag. t. 722.
2	colubrina. DC.	(wh.) panicked.	.....	1820.	—	F. ⊙. ∞.	Jacq. f. eclog. t. 128.
3	dioica. H.B.	(wh.) diœcious.	E. Indies.	—	5. 6.	S. 4. ∞.	
4	cucumerina. DC.	(wh.) Cucumber-like.	.....	1804.	6. 8.	F. ⊙. ∞.	Rheed. mal. 8. t. 15.
5	lobata. H.B.	(wh.) lobed-leaved.	.....	1812.	—	F. ⊙. ∞.	
6	cordata. H.B.	(wh.) heart-leaved.	.....	1823.	—	S. 4. ∞.	
7	palmata. H.B.	(wh.) palmated.	.....	1825.	—	S. 4. ∞.	
8	corniculata. DC.	(wh.) horn-gourd.	W. Indies.	1810.	6. 7.	S. 4. ∞.	Bot. mag. t. 2703.
	<i>tuberosa.</i> B.M. <i>Ceratosánthes tuberosa.</i> s.s.						
<b>JOLIFFIA. DC. JOLIFFIA. Diœcia Monadelphia.</b>							
	africana. DC.	(pu.) African.	Zanzibar.	1825.	6. 8.	S. 4. ∞.	Bot. mag. t. 2681.
	♀ <i>fe'mina.</i>	(pu.) female.	.....	—	—	S. 4. ∞.	t. 2681.
	<i>Feuilla pedata.</i> B.M.						
	♂ <i>máscula.</i>	(pu.) male.	.....	1827.	—	S. 4. ∞.	Bot. mag. t. 2751 et 2752.
	<i>Telfairia pedata.</i> Hook. bot. mag. t. 2751.						
<b>CUCURBITA. DC. PUMPKIN. Monœcia Monadelphia. W.</b>							
1	máxima. DC.	(ye.) Elephant.	.....	....	7. 10.	H. ⊙. ∞.	Tourn. inst. n. 2. t. 34.
	<i>a Potiro.</i> DC.	(ye.) yellow-fruited.	.....	....	....	H. ⊙. ∞.	
	<i>β viridis.</i> DC.	(ye.) green-fruited.	.....	....	....	H. ⊙. ∞.	
	<i>γ Cou'gero.</i> DC.	(ye.) small-fruited.	.....	....	....	H. ⊙. ∞.	
2	Melopépo. DC.	(ye.) Squash.	.....	1597.	5. 9.	H. ⊙. ∞.	Moris. hist. 1. s. 1. t. 8.
3	moschata. DC.	(ye.) musk Melon.	W. Indies.	—	6. 9.	F. ⊙. ∞.	Dalech. hist. 616. f. 3.
4	villósa. DC.	(ye.) woolly-fruited.	E. Indies.	1818.	—	F. ⊙. ∞.	
5	Pépo. DC.	(ye.) common.	Levant.	1570.	—	H. ⊙. ∞.	
	<i>a subrotúnda.</i> DC.	(ye.) round-fruited.	.....	—	—	H. ⊙. ∞.	
	<i>β oblonga.</i> DC.	(ye.) oblong-fruited.	.....	—	—	H. ⊙. ∞.	
6	farinosa. DC.	(ye.) mealy-fruited.	E. Indies.	1822.	—	F. ⊙. ∞.	

7 verrucōsa. DC.	(ye.)	warted.	.....	1658.	6. 9.	H. (○) (✓).	Bauh. hist. 2. p. 222. ic.
8 subverrucōsa. DC.	(ye.)	oblong-fruited.	.....	.....	.....	H. (○) (✓).	
9 aurántia. DC.	(ye.)	orange-gourd.	.....	.....	.....	H. (○) (✓).	
a orangina. DC.	(ye.)	true orange.	.....	.....	.....	H. (○) (✓).	
β colocynthoides. DC.	(ye.)	variegated-fruit'd.	.....	.....	.....	H. (○) (✓).	
10 ovifera. DC.	(ye.)	egg-shaped.	Astracan.	.....	.....	H. (○) (✓).	Dod. pempt. 670. f. 1.
a pyriformis. DC.	(ye.)	pear-fruited.	.....	.....	.....	H. (○) (✓).	Ser. diss. t. 1.
β subglobōsa. DC.	(ye.)	white-striped.	.....	.....	.....	H. (○) (✓).	
γ grisea. DC.	(ye.)	white-spotted.	.....	.....	.....	H. (○) (✓).	
11 fœtidíssima. DC.	(ye.)	strong-scented.	Mexico.	1825.	.....	H. (○) (✓).	
12 marsupialis. Jacq.	(ye.)	bag-bearing.	.....	1821.	.....	H. (○) (✓).	
13 dipsæca. E.	(ye.)	Teasel-like.	Egypt.	1827.	.....	H. (○) (✓).	
ANG'URIA. DC.		ANG'URIA.	Monœcia Diandria. W.				
1 trilobata. DC.	(re.)	three-lobed.	Martinico.	1793.	6. 7.	S. 2 (✓).	Jacq. am. pict. t. 234.
2 pedatisecta. DC.	(re.)	cut-leaved.	Peru.	1827.	7. 10.	H. (○) (✓).	Feuil per. 1. t. 41.
3 pedata. DC.	(re.)	pedate-leaved.	St. Domingo.	.....	6. 8.	S. 2 (✓).	Jacq. am. pict. t. 155.

### GENERA CUCURBITACEIS AFFINIA.

GRONOVIA. DC.	GRONOVIA.	Pentandria Monogynia. L.					
scândens. DC.	(st.)	climbing.	Jamaica.	1731.	6. 7.	S. 2 (✓).	Jacq. ic. 2. t. 338.
CARICA. S.S.		PAPAW-TREE.	Diœcia Decandria. L.				
1 Papaya. s.s.	(st.)	common.	India.	1690.	7. 8.	S. 2.	Bot. reg. t. 459.
2 pyriformis. s.s.	(ro.)	Pear-fruited.	Peru.	1825.	.....	S. 2.	Feuil. journ. 3. t. 39.
3 citriformis. s.s.	(st.)	Citron-fruited.	Guinea.	.....	.....	S. 2.	
4 cauliflora. s.s.	(st.)	stem-flowering.	Caracas.	1806.	6. 8.	S. 2.	Jacq. schoenb. 3. t. 311.
5 microcarpa. s.s.	(st.)	small-fruited.	.....	.....	.....	S. 2.	..... 3. t. 309. 310.
6 monoica. Df.	(st.)	monœcious.	.....	1816.	.....	S. 2.	
7 digitata. s.s.	(st.)	spiny.	Guiana.	1822.	.....	S. 2.	Aubl. guian. 2. t. 246.
		spinosa. W.					

## ORDO XCVI.

### PASSIFLOREÆ. DC. prodr. v. 3. p. 321.

#### Tribus I. PAROPSIÆ. DC. prodr. v. 3. p. 322.

SMEATHMA'NNIA. L.T.	SMEATHMA'NNIA.	Polyandria Pentagynia.					
lævigata. L.T.	(wh.)	smooth.	Sierra Leone.	1822.	.....	S. 2.	

#### Tribus II. PASSIFLOREÆ VERÆ. DC. prodr. v. 3. p. 322.

PASSIFLORA. DC.	PASSION-FLOWER.	Monadelphia Pentandria.					
1 holosericea. DC.	(st.)	silky-leaved.	Vera Cruz.	1733.	5. 8.	S. 2 (✓).	Bot. reg. t. 59.
2 pallida. DC.	(gr.)	pale-flowered.	W. Indies.	1820.	5. 10.	S. 2 (✓).	..... t. 660.
3 cuprea. DC.	(co.)	copper-colour'd.	Bahama Isl.	1724.	7. 8.	S. 2 (✓).	Jacq. ic. 3. t. 606.
4 multiflora. DC.	(wh.)	many-flowered.	Vera Cruz.	1731.	6. 9.	S. 2 (✓).	Cavan. diss. 10. t. 272.
5 pubescens. DC.	(wh.)	pubescent.	Caracas.	1825.	.....	S. 2 (✓).	
6 mexicana. DC.	(wh.)	Mexican.	Mexico.	1812.	.....	S. 2 (✓).	Jus. an. mus. 6. t. 38. f. 2.
7 normalis. DC.	(cr.)	linear-lobed.	Jamaica.	1771.	5. 7.	S. 2 (✓).	
8 angustifolia. DC.	(gr.)	narrow-leaved.	W. Indies.	1773.	6. 9.	S. 2 (✓).	Bot. reg. t. 188.
		heterophylla. Jacq.	schoen. 2. t. 181.				
9 maculata. DC.	(wh.)	painted-leaved.	N. America.	1812.	.....	G. 2 (✓).	Pluk. t. 210. f. 3.
10 gracilis. DC.	(wh.)	slender.	.....	1823.	6. 10.	S. 2 (✓).	Bot. reg. t. 870.
11 lutea. DC.	(st.)	pale yellow.	.....	1714.	5. 8.	F. 2 (✓).	..... t. 79.
12 minima. DC.	(gr.)	small.	S. America.	1690.	7. 9.	S. 2 (✓).	..... t. 144.
13 hirsuta. DC.	(wh.)	hairy-stalked.	W. Indies.	1778.	8. 10.	S. 2 (✓).	Plum. amer. t. 88.
14 suberosa. DC.	(wh.)	cork-barked.	.....	1759.	6. 9.	S. 2 (✓).	Sm. exot. bot. 1. t. 28.

- 15 peltata. DC. (st.) peltate. W. Indies. 1778. 8. 10. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 507.
- 16 hederacea. DC. (wh.) Ivy-leaved. Antilles. .... 6. 7. S.  $\frac{1}{2}$   $\curvearrowright$ . Plum. amer. t. 84.
- 17 pannosa. DC. (fl.) cloth-leaved. W. Indies. 1824. 6. 9. S.  $\frac{1}{2}$   $\curvearrowright$ .
- 18 cucueta. W.en. (wh.) wedge-leaved. S. America. 1820. 6. 10. S.  $\frac{1}{2}$   $\curvearrowright$ .
- 19 multiformis. DC. (wh.) multiform. Caracas. 1825. — S.  $\frac{1}{2}$   $\curvearrowright$ . Jacq. frag. t. 67. f. 1.  
*caracasana*. W. en.
- 20 heterophylla. DC. (wh.) various-leaved. St. Domingo. 1817. — S.  $\frac{1}{2}$   $\curvearrowright$ . Plum. ed. Bur. t. 139. f. 1.
- 21 rubricaulis. Jac. (re.) red-stalked. S. America. 1821. 6. 8. S.  $\frac{1}{2}$   $\curvearrowright$ .
- 22 perfoliata. DC. (pu.) perfoliate. W. Indies. 1806. 7. 9. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 78.
- 23 rubra. DC. (fl.) red-fruited. ———— 1731. 4. 9. S.  $\frac{1}{2}$   $\curvearrowright$ . ———— t. 95.
- 24 capsularis. DC. (wh.) angular-fruited. ———— 1826. — S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 2868?
- 25 biflora. DC. (wh.) crescent-leaved. ———— 1733. — S.  $\frac{1}{2}$   $\curvearrowright$ . Sm. ic. pict. 1. t. 1.  
*lunata*. Sm. non Juss. *Vespertilio*. Miss Lawr. pass. t. 8. *nec aliorum*.
- $\beta$ ? *acutiloba*. (wh.) acute-lobed. W. Indies. ———— S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 577.
- 26 *Vespertilio*. DC. (wh.) bat-winged. ———— 1732. 5. 6. S.  $\frac{1}{2}$   $\curvearrowright$ . Dill. elth. t. 137. f. 164.
- 27 Maximiliana. DC. (wh.) two-coloured. Brazil. 1820. 6. 10. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 597.  
*Vespertilio*. B.R. *nec aliorum*. *discolor*. Lodd. bot. cab. t. 565.
- 28 oblongata. DC. (wh.) oblong-leaved. Jamaica. 1822. — S.  $\frac{1}{2}$   $\curvearrowright$ .
- 29 tuberosa. DC. (pa.) tuberous-root'd. S. America. 1784. — S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 432.  
*punctata*. Lodd. bot. cab. t. 101.
- 30 rotundifolia. DC. (wh.) round-leaved. W. Indies. 1779. 5. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Cavan. dis. t. 290.
- 31 punctata. DC. (st.) dotted-leaved. Peru. 1784. 5. 6. S.  $\frac{1}{2}$   $\curvearrowright$ . ———— 6. t. 269.
- 32 serratifolia. DC. (pu.) notch-leaved. W. Indies. 1731. 5. 10. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 651.
- 33 coccinea. DC. (sc.) scarlet-flower'd. Guiana. 1823. ... S.  $\frac{1}{2}$   $\curvearrowright$ . Anbl. guian. 3. t. 324.
- 34 mucronata. DC. (v.) mucronate. Brazil. 1822. ... S.  $\frac{1}{2}$   $\curvearrowright$ . Cavan. diss. t. 282.
- 35 maliformis. DC. (v.) Apple-fruited. W. Indies. 1731. 7. 11. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 94.
- 36 tiliaefolia. DC. (wh.) Lime-tree-ld. Peru. 1822. ... S.  $\frac{1}{2}$   $\curvearrowright$ . Feuille. obs. 2. t. 12.
- 37 ligularis. DC. (v.) taper-pointed. ———— 4. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Juss. an. mus. 6. t. 40.
- 38 quadrangularis. DC. (v.) square-stalked. Jamaica. 1768. 8. 10. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 14.
- 39 alata. DC. (v.) wing-stalked. W. Indies. 1772. 4. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 66.
- 40 albida. DC. (wh.) white-flowered. Brazil. 1816. 7. 11. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 677.
- 41 angulata. Cerv. (wh.) angular-stalked. Mexico. 1823. — G.  $\frac{1}{2}$   $\curvearrowright$ .
- 42 laurifolia. DC. (v.) Laurel-leaved. W. Indies. 1690. 6. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 13.
- 43 tinifolia. DC. (v.) Tinus-leaved. ———— 1822. — S.  $\frac{1}{2}$   $\curvearrowright$ . Juss. an. mus. 6. t. 41. f. 2.
- 44 racemosa. DC. (sc.) racemed. Brazil. 1816. 1. 12. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 285.
- 45 sanguinea. DC. (cr.) crimson. Hybrid. 1820. — G.  $\frac{1}{2}$   $\curvearrowright$ .
- 46 cœruleo-racemosa. (pu.) Whitley's mule. ———— G.  $\frac{1}{2}$   $\curvearrowright$ . Lodd. bot. cab. t. 573.  
*a* *quinquelobata*. H.T. (pu.) five-lobed. ———— G.  $\frac{1}{2}$   $\curvearrowright$ . Hort. trans. 4. t. 9.  
 $\beta$  *trilobata*. H.T. (pu.) three-lobed. ———— G.  $\frac{1}{2}$   $\curvearrowright$ .  
 $\gamma$  *racemifera*. (pu.) raceme-bearing. ———— G.  $\frac{1}{2}$   $\curvearrowright$ .
- 47 alato-cœrulea. DC. (ro.) Masters's mule. Hybrid. 1823. 4. 8. G.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 848.
- 48 stipulata. DC. (wh.) glaucous-leaved. Cayenne. 1779. 8. 9. S.  $\frac{1}{2}$   $\curvearrowright$ . Anbl. guian. 2. t. 325.  
*glauca*. Bot. reg. t. 88. non Humb.
- 49 incarnata. DC. (bh.) flesh-coloured. N. America. 1629. 7. 9. H.  $\frac{1}{2}$   $\curvearrowright$ . Miss Lawr. pass. ic.  
 $\beta$ ? *integriloba*. DC. (bh.) entire-lobed. ———— 1812. — H.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 332.
- 50 œdulis. DC. (bh.) eatable-fruited. Brazil. 1816. 6. 10. G.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 1989.  
*incarnata*.  $\beta$ . Bot. reg. t. 152.
- 51 vitifolia. DC. (wh.) Vine-leaved. S. America. 1824. .... S.  $\frac{1}{2}$   $\curvearrowright$ .
- 52 filamentosa. DC. (v.) filamentose. ———— 1819. 7. 10. G.  $\frac{1}{2}$   $\curvearrowright$ . Cavan. diss. 10. t. 294.
- 53 palmata. DC. (v.) palmate-leaved. Brazil. ———— F.  $\frac{1}{2}$   $\curvearrowright$ . Lodd. bot. cab. t. 97.
- 54 Colvillii. DC. (v.) Colvill's mule. Hybrid. 1823. — H.  $\frac{1}{2}$   $\curvearrowright$ . Swt. br. fl. gar. t. 126.
- 55 cœrulea. DC. (wh. bl.) common. Brazil. 1699. — H.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 488.  
 $\beta$  *glaucophylla*. (wh. bl.) glaucous-leaved. ———— .... H.  $\frac{1}{2}$   $\curvearrowright$ .  
 $\gamma$  *angustifolia*. (wh. bl.) narrow long-ld. ———— .... H.  $\frac{1}{2}$   $\curvearrowright$ .
- 56 chinensis. (wh. bl.) Chinese. China. 1819. 6. 10. G.  $\frac{1}{2}$   $\curvearrowright$ .  
*cœrulea* Lour. *nec aliorum*.
- 57 serrata. DC. (pa.) saw-leaved. Martinica. 1800. .... S.  $\frac{1}{2}$   $\curvearrowright$ . Cavan. diss. 10. t. 296.
- 58 digitata. R.P. (pa.) digitate. Peru. 1824. .... S.  $\frac{1}{2}$   $\curvearrowright$ .
- 59 pedata. DC. (pa.) curl-flowered. W. Indies. 1781. .... S.  $\frac{1}{2}$   $\curvearrowright$ . Plum. am. t. 81.
- 60 picturata. DC. (v.) pictured. Brazil. 1823. 6. 9. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 673.
- 61 hibiscifolia. (wh. bl.) Hibiscus-leav'd. Caribees. 1825. — S.  $\frac{1}{2}$   $\curvearrowright$ . Plum. am. t. 86.
- 62 foetida. (wh. bl.) stinking. W. Indies. 1731. 7. 9. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 2619.
- 63 hircina. ed. 1. (wh. bl.) strong-scented. Brazil. .... 5. 10. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 321.  
*foetida*. Bot. reg. *nec aliorum*. *hirsuta*. Bot. cab. 138. *nec aliorum*.
- 64 ciliata. DC. (wh. ro.) ciliated. Jamaica. 1783. 7. 9. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 288.
- DISEMMA. DC. DISEMMA. Monadelphia Pentandria.
- 1 Herbertaina. DC. (st.) L'd. Caernarvon's. N. Holland. 1822. 6. 10. G.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 737.  
*Passiflora Herbertaina*. B.R.
- 2 adianthifolia. DC. (or.) Adiantum-ld. Norfolk Isl. 1792. — G.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 233.  
*Passiflora aurantia*. Andr. reposit. t. 295. *Passiflora glabra*. Wendl. coll. 1. t. 17.

- MURUC'UIA. DC.** **MURUC'UIA.** Monadelphia Pentandria.  
 ocellata. DC. (*cr.*) ocellated. W. Indies. 1739. 7. 8. S.  $\frac{1}{2}$ . Bot. reg. t. 574.  
*Passiflora Murucuja*. B.R. Lin. am. 1. t. 10. f. 10.
- TACS'ONIA. DC.** **TACS'ONIA.** Monadelphia Pentandria.  
 1 pinnatifidula. DC. (*ro.*) feather-stipuled. Chile. 1826. .... S.  $\frac{1}{2}$ . Cavan. ic. 5. t. 428.  
 2 peduncularis. DC. (*gr.*) long-peduncled. Peru. 1815. .... S.  $\frac{1}{2}$ . ——— 5. t. 426.  
*Passiflora peduncularis*. Cav.
- MODE'CCA. DC.** **MODE'CCA.** Diœcia Monadelphia.  
 1 lobata. DC. (*gr.*) three-leaved. Sierra Leone. 1816. 6. 9. S.  $\frac{1}{2}$ . Bot. reg. t. 433.  
 2 trilobata. H.B. (*gr.*) lobed. E. Indies. 1823. — S.  $\frac{1}{2}$ . Roxb. corom. 3. ic.  
 3 tuberosa. H.B. (*gr.*) tuberous-rooted. ——— 1822. — S.  $\frac{1}{2}$ . Rumph. amb. 8. t. 20.

---

## ORDO XCVII.

### LOASEÆ. DC. *prodr. v. 3. p. 339.*

- BARTONIA. DC.** **BART'ONIA.** Polyandria Monogynia.  
 1 ornata. DC. (*wh.*) naked-seeded. Missouri. 1811. 7. 9. F. ♂. Bot. mag. t. 1487.  
*decapétala*. B.M.
- 2 nuda. DC. (*wh.*) winged-seeded. ——— ——— F. ♀.
- BLUMENBA'CHIA. DC.** **BLUMENBA'CHIA.** Polyandria Monogynia.  
 insignis. DC. (*wh.*) elegant. Chile. 1826. 7. 10. H. ⊙. Swt. br. fl. gar. t. 171.  
*Loasa palmata*. Treviranus. *pátula*. Gr.
- SCYPHA'NTHUS. B.F.G.** **CUP-FLOWER.** Polyandria Monogynia.  
 elegans. B.F.G. (*ye.*) elegant. Chile. 1824. 5. 9. F.  $\frac{1}{2}$ . Swt. br. fl. gar. t. 238.
- LO'ASA. DC.** **LO'ASA.** Polyandria Monogynia.  
 1 bryoniaefolia. DC. (*ye.*) Bryony-leaved. Chile. 1828. 6. 9. H. ⊙. Schrad. pl. rar. get. ic.  
 2 tricolor. DC. (*ye.*) three-coloured. ——— 1822. 8. 10. H. ⊙. Bot. reg. t. 667.  
 3 nitida. DC. (*ye.*) glossy-leaved. Peru. ——— 7. 10. H. ⊙. Hook. exot. bot. t. 83.  
 4 Placeti. H.T. (*ye.*) Place's. Chile. ——— ——— H. ⊙. Bot. reg. t. 785.  
*acanthifolia*. B.R. *non* Lamarck.
- 5 grandiflora. DC. (*ye.*) large-flowered. Peru. 1825. — H. ⊙. Juss. an. mus. 5. t. 4. f. 2.
- MENTZ'ELIA. DC.** **MENTZ'ELIA.** Polyandria Monogynia.  
 1 áspera. DC. (*or.*) rough. W. Indies. 1773. 7. 9. S. ⊙. Plum. ed. Bur. t. 174. f. 1.  
 2 oligosperma. DC. (*or.*) few-seeded. Louisiana. 1812. 5. 7. F. ♀. Bot. mag. t. 1760.  
 3 hispida. DC. (*or.*) hispid. Mexico. 1824. 6. 9. F. ♀. Cavan. ic. 1. t. 70.

---

## ORDO XCVIII.

### TURNERACEÆ. DC. *prodr. v. 3. p. 345.*

- TURN'ERA. DC.** **TURN'ERA.** Pentandria Trigynia. L.  
 1 ulmifolia. DC. (*ye.*) Elm-leaved. Jamaica. 1733. 6. 9. S.  $\frac{1}{2}$ . Linn. h. cliff. t. 10.  
 2 angustifolia. B.M. (*ye.*) narrow-leaved. ——— ——— 4. 9. S.  $\frac{1}{2}$ . Bot. mag. t. 281.  
 3 cuneiformis. DC. (*ye.*) wedge-leaved. Brazil. 1821. — S.  $\frac{1}{2}$ .  
 4 trioniflora. DC. (*ye.*) Ketmia-flow'd. Trinidad. 1812. — S.  $\frac{1}{2}$ . Bot. mag. t. 2106.  
*élegans*. R.S.
- 5 acuta. DC. (*ye.*) acute-leaved. Jamaica. 1826. — S.  $\frac{1}{2}$ .  
 6 Pumilea. DC. (*ye.*) nettle-leaved. ——— 1796. 8. 9. S. ⊙. Sloan. hist. t. 127. f. 6.  
 7 rupéstris. DC. (*ye.*) rock. Guiana. 1826. 6. 9. S.  $\frac{1}{2}$ . Aubl. guian. 1. t. 113. f. 1.  
 8 guianénsis. DC. (*ye.*) Guiana. ——— ——— S. ⊙. ——— 1. t. 114.  
 9 cistoides. DC. (*ye.*) Cistus-like. America. 1774. 6. 10. H. ⊙. Plum. ic. t. 150. f. 1.  
 10 racemosa. DC. (*ye.*) raceme-flower'd. St. Domingo. 1789. 7. 10. S. ⊙. Jacq. vind. 3. t. 94.
- PIRIQU'ETA. DC.** **PIRIQU'ETA.** Pentandria Trigynia.  
 villosa. DC. (*ye.*) villous. Guiana. 1826. 7. 10. S. ⊙. Aubl. guian. 1. t. 117.

ORDO XCIX.

PORTULACEÆ. DC. prodr. v. 3. p. 351.

<b>TRIA'NTHEMA. DC. TRIA'NTHEMA. Pent-Decandria Mono-Trigynia.</b>					
1	dicândra. DC. (gr.) trailing.	E. Indies.	1762.	7. 8.	S. ♂.
2	triqûetra. DC. (gr.) triquetrous.	_____	1826.	_____	S. ♂.
3	obcordâta. H.B. (gr.) obcordate.	_____	1820.	_____	S. ♂.
4	monôgyna. DC. (gr.) Purslane-leav'd. Jamaica.	_____	1716.	_____	S. ♂.
<b>PORTULACA. DC. PURSLANE. Oct-Dodecandria Monogynia.</b>					
1	olerâcea. H.S. (ye.) small.	Europe.	1562.	6. 8.	H. ♂.
2	satîva. H.S. (ye.) garden.	America.	1652.	6. 9.	H. ♂.
	<i>β aurea.</i> H.S. (ye.) golden.	_____	_____	_____	H. ♂.
3	parvifôlia. H.S. (ye.) small-leaved.	Jamaica.	1799.	8. 10.	H. ♂.
4	foliôsa. DC. (ye.) leafy.	Guinea.	1822.	6. 8.	S. ♀.
5	involucrâta. H.R. (ye.) leafy-flowered.	.....	1819.	8. 9.	S. ♀.
6	marginâta. DC. (ye.) red-margined.	Caracas.	1822.	6. 10.	H. ♂.
7	halimoiêdes. DC. (ye.) Halimus-leaved.	Jamaica.	1823.	8. 9.	S. ♂.
8	macronâta. DC. (ye.) mucronate.	.....	1827.	6. 9.	S. ♂.
9	quadrifida. DC. (ye.) quadrifid.	Asia.	1773.	8. 9.	S. ♂.
10	meridiâna. H.S. (ye.) noon-day.	E. Indies.	1791.	5. 6.	S. ♀.
11	grandiflôra. B.M. (va.) large-flowered.	Chile.	1828.	6. 8.	F. ♀.
	<i>a purpurea.</i> (pu.) purple-flowered.	_____	_____	_____	F. ♀.
	<i>β aurantiaca.</i> (or.) orange-coloured.	_____	_____	_____	F. ♀.
12	pilôsa. DC. (pu.) hairy.	W. Indies.	1690.	_____	S. ♀.
13	setâcea. H.S. (pu.) bristly.	_____	_____	_____	S. ♂.
<b>ANACA'MPSEROS. DC. ANACA'MPSEROS. Dodecandria Monogynia.</b>					
1	telephiâstrum. DC. (re.) round-leaved.	C. B. S.	1732.	7. 9.	D.I. ♀.
	<i>Portulaca Anacampseros. L. Talinum Anacampseros. w. Rulingia Anacampseros.</i> H.S.				
2	arachnoiêdes. DC. (bh.) cobweb.	C. B. S.	1790.	7. 9.	D.I. ♀.
3	vârians. (re.) various-leaved.	_____	1812.	_____	D.I. ♀.
	<i>Rulingia vârians.</i> H.S.S.				
4	rûbens. DC. (re.) red-leaved.	_____	1796.	_____	D.I. ♀.
5	filamentôsa. DC. (ro.) thready.	_____	1795.	_____	D.I. ♀.
6	lanceolâta. DC. (ro.) spear-leaved.	_____	1796.	_____	D.I. ♀.
7	angustifôlia. DC. (ro.) narrow-leaved.	_____	1819.	_____	D.I. ♀.
8	rufescens. DC. (bh.) rufescent.	_____	1818.	_____	D.I. ♀.
9	triângona. DC. (bh.) trigonal-leaved.	_____	_____	_____	D.I. ♀.
10	lanigera. DC. (ro.) woolly.	_____	_____	_____	D.I. ♀.
11	intermediâ. H.P. (ro.) intermediate.	_____	1823.	_____	D.I. ♀.
12	polyphy'lla. DC. (ro.) many-leaved.	_____	_____	_____	D.I. ♀.
	<i>Rulingia polyphy'lla.</i> H.S.S.				
<b>TALINUM. DC. TALINUM. Dodecandria Monogynia.</b>					
1	teretifôlium. DC. (ro.) round-leaved.	N. America.	1820.	7. 8.	H. ♀.
2	crassifôlium. DC. (ro.) thick-leaved.	Caribees.	1800.	8. 9.	S. ♀.
3	fruticôsium. w. (wh.) white-flowered.	S. America.	....	_____	S. ♀.
4	triangulâre. DC. (ye.) triangular.	W. Indies.	1739.	_____	S. ♀.
5	pâtens. DC. (re.) spreading-fl'd.	S. America.	1776.	8. 10.	S. ♂.
	<i>paniculatûm.</i> Gært. fruct. 2. t. 128. <i>Portulaca paniculata.</i> Jacq. amer. non R.P.				
6	reflexûm. DC. (ye.) reflex-flowered.	S. America.	1800.	8. 10.	S. ♂.
7	cuneifôlium. DC. (re.) wedge-leaved.	Arabia.	1823.	_____	S. ♀.
8	lineâre. K.S. (ye.) linear-leaved.	Mexico.	1827.	_____	H. ♂.
9	purpureum. F. (pu.) purple.	.....	_____	_____	H. ♂.
<b>CALANDRI'NIA. DC. CALANDRI'NIA. Dodecandria Monogynia.</b>					
1	paniculâta. DC. (ro.) panicked.	S. America.	1812.	8. 10.	H. ♂.
2	pilosîscula. DC. (ro.) ciliated.	Chile.	1823.	_____	H. ♂.
	<i>Talinum ciliatum.</i> Hooker non R.P. ex DC.				
3	Phacospérma. DC. (ro.) Peruvian.	Peru.	1827.	_____	G. ♂.
4	caulescens. DC. (ro.) caulescent.	Mexico.	_____	_____	H. ♂.
5	comprésa. DC. (ro.) compressed.	Chile.	1826.	_____	H. ♂.
	<i>β adscéndens.</i> Otto. (ro.) ascending	_____	_____	_____	H. ♂.
6	glâuca. DC. (ro.) glaucous-leaved.	_____	1827.	_____	D.G. ♀.
7	grandiflôra. B.R. (ro.) large-flowered.	_____	1826.	6. 10.	D.G. ♀.
8	Andréwsii. (ro.) Andrews's.	W. Indies.	1812.	8. 10.	D.G. ♀.
	<i>Talinum pâtens.</i> A.R. nec aliorum.				
9	Lockhárti. (ro.) Lockhart's.	Trinidad.	1825.	6. 9.	D.G. ♀.
	<i>Talinum grandiflorum.</i> Lockhart.				

Burm. ind. t. 31. f. 3.

DC. plant. gras. t. 109.

DC. plant. gras. t. 123.

Bot. reg. t. 793.

Sloan. hist. 1. t. 129. f. 3.

Jacq. coll. 2. t. 17. f. 4.

Rheed. mal. 10. t. 31.

Bot. mag. t. 2885.

\_\_\_\_\_ t. 2885. f. 2.

\_\_\_\_\_ t. 2885. f. 1.

Bot. reg. t. 792.

Pluk. phyt. t. 246. f. 6.

DC. plant. gras. t. 3.

Bot. mag. t. 1368.

Bot. mag. t. 1367.

Burm. afr. t. 30. f. 2.

Lodd. bot. cab. t. 819.

Jacq. vind. 3. t. 52.

Comm. hort. 1. t. 4.

Jacq. obs. 1. t. 23.

Jacq. vind. 2. t. 151.

Bot. mag. t. 1543.

Hook. ex. flor. 1. t. 82.

H. et B. n. ge. am. 6. t. 526.

Bot. reg. t. 1194.

Andr. rep. t. 253.

- PORTULAC'ARIA. DC. PURSLANE-TREE. Pentandria Trigynia.  
 A'fra. DC. (ro.) African. Africa. 1732. 6. 9. D.G. h. DC. plant. gras. t. 132.
- CLAYTONIA. DC. CLAYTONIA. Pentandria Monogynia. L.  
 1 perfoliata. DC. (wh.) small-flowered. N. America. 1794. 5. 8. H. ☉. Bot. mag. t. 1336.  
*cubensis* of Bonp.an.mus.7.t.6. is a very different species, according to G. Don, who saw it growing wild.  
 2 alsinoides. DC. (wh.) chickweed-like. Nootka-sound. 1794. 3. 6. H. ☉. Bot. mag. t. 1309.  
 3 lanceolata. DC. (wh.) spear-leaved. N. America. 1812. 3. 5. H. ♀. Pursh. fl. amer. 1. t. 3.  
 4 sibirica. DC. (ro.) Siberian. Siberia. 1768. 5. 8. H. ☉. Swt. br. fl. gar. t. 16.  
 5 acutifolia. DC. (wh.) acute-leaved. ——— 1827. .... H. ♀.  
 6 Vestiana. F. (ro.) Vest's. Altay. ——— .... H. ♀.  
 7 unalashkensis. R s.(wh.) Unalashka. Unalashka. 1824. 3. 6. H. ☉.  
 8 virginiana. L. (wh.) notch-petal'd. N. America. 1748. 3. 8. H. ♀. Pluk. alm. t. 102. f. 3.  
 9 acutiflora. (wh.) acute-petal'd. ——— .... H. ♀. Bot. mag. t. 941.  
*virginica*. B.M. non L. *virginiana a. acutiflora*. DC.  
 10 grandiflora. B.F.G.(pi.) large-flowered. N. America. .... H. ♀. Swt. br. fl. gar. t. 216.  
 11 caroliniana. M. (pi.) spatula-leaved. ——— 1789. .... H. ♀. ——— v. 3, t. 208.
- MON'TIA. DC. WATER CHICKWEED. Triandria Trigynia. L.  
 fontana. DC. (wh.) common. Britain. .... 4. 6. H. ☉. Eng. bot. v. 17. t. 1206.
- GINGIN'SIA. DC. GINGIN'SIA. Pentandria Trigynia.  
 1 brevicollis. DC. (pi.) short-stalked. C. B. S. 1816. 5. 6. G. ♀. DC. m.s.his.n.pa.v.4.ic.  
 2 elongata. DC. (pi.) long-peduncled. ——— 1795. ——— G. ♀. Andr. rep. t. 329?  
*Pharnæcum incanum*. L. *lineare*. Andr. non alior.  
 3 aurantia. DC. (or.) orange-flowered. C. B. S. ——— G. ♀. Andr. rep. t. 326.  
 4 albens. DC. (wh.) white-flowered. ——— G. ♀. ——— t. 329?  
 5 conferta. DC. (wh.) close-leaved. ——— 1782. 5. 10. G. ♀. Bot. mag. t. 1883.  
*Pharnæcum incanum*. B.M. non L.
- L'IMEUM. W. L'IMEUM. Heptandria Digynia. L.  
 africænum. w. (wh.) African. C. B. S. 1774. 6. 7. G. ♀.

## ORDO C.

## PARONYCHIEÆ. DC. prodr. v. 3. p. 365.

## Tribus I. TELEPHIEÆ. DC. prodr. v. 3. p. 366.

- TELEPHIUM. DC. ORPINE. Pentandria Trigynia. L.  
 Imperati. DC. (wh.) true. S. Europe. 1658. 6. 8. H. ♀. Schkuhr. handb.1.t.85.
- CORRIGIOLA. DC. STRAPWORT. Pentandria Trigynia. L.  
 1 telephifolia. DC. (wh.) Orpine-leaved. Spain. 1822. 6. 8. H. ♀.  
 2 littoralis. DC. (wh.) sand. England. .... 7. 8. H. ♀. Eng. bot. v. 10. t. 668.

## Tribus II. ILLECEBREÆ. DC. prodr. v. 3. p. 367.

- HERNTARIA. DC. RUPTURE-WORT. Pentandria Digynia. L.  
 1 cinerea. DC. (gr.) cinereous. Montpelier. 1816. 7. 8. H. ☉.  
 2 glabra. DC. (gr.) smooth. England. .... H. ♀. Eng. bot. v. 3. t. 206.  
 3 hirsuta. DC. (gr.) hairy. ——— .... H. ♀. ——— v. 20. t. 1379.  
 4 incana. DC. (gr.wh.) hoary. S. Europe. 1816. 5. 8. H. ♀. Pluk. alm. t. 53. f. 3.  
 5 Besseri. DC. (gr.) Besser's. Tauria. 1824. ——— H. ♀.  
 6 alpina. DC. (gr.) alpine. S. Europe. 1816. 7. 8. H. ♀.  
 7 fruticosa. DC. (gr.) frutescent. Spain. 1814. 5. 8. H. ♀.  
 8 polygonoides. DC.(gr.) Knot-grass-like. S. Europe. 1752. ——— F. ♀. Cavan. ic. 2. t. 137.
- ANY'CHIA. DC. ANY'CHIA. Pentandria Monogynia.  
 1 dichotoma. DC. (gr.) forked. N. America. 1806. 5. 8. H. ♂. Ort. dec. t. 15. f. 2.  
*Queria canadensis*. L.  
 2 capillacea. DC. smooth-stalked. ——— 1824. ——— H. ♂.
- ILLE'CEBRUM. DC. KNOT-GRASS. Pentandria Monogynia. L.  
 verticillatum. DC.(wh.) whorled. England. .... 7. 8. H. ♀. Eng. bot. v. 13. t. 895.
- CHÆTONY'CHIA. DC. CHÆTONY'CHIA. Pentandria Monogynia.  
 cymosa. DC. (wh.) cymose. S. Europe. 1817. 6. 7. H. ♀. Flor. Græc. t. 245.  
*Illecëbrum cymosum*. L.
- PARONY'CHIA. DC. PARONY'CHIA. Pentandria Monogynia.  
 1 echinata. DC. (wh.) bristly. S. Europe. 1817. 6. 7. H. ♀. Schrad. journ.1801.t.4.

2	bonariënsis. DC. (wh.)	Buenos Ayres.	Buenos Ayres.	1826.	8. 10.	H. ⊙.	
	<i>brasiliæna</i> . Lam. dict.	5. p. 23.					
3	arábica. DC. (wh.)	Arabian.	Arabia.	1828.	7. 10.	H. ⊙.	Descr. de l'Egyp. t. 18.
4	polygonifolia. DC. (wh.)	Polygonum-ld.	Dauphiny.	1816.	5. 8.	H. ♀.	Vill. delph. 2. t. 16.
5	argéntea. DC. (wh.)	silvery.	S. Europe.	1640.	—	H. ♀.	Flor. græc. t. 246.
	<i>hispánica</i> . s.s. <i>Illécebrum Paronychia</i> .	L.					
6	itálica. R.S. (wh.)	Italian.	Italy.	1816.	—	H. ♀.	Vill. delph. 2. p. 410. ic.
7	capitata. DC. (wh.)	capitate.	Spain.	1683.	6. 8.	H. ♀.	Flor. græc. t. 247.
8	serpyllifolia. DC. (wh.)	Thyme-leaved.	S. Europe.	1820.	—	H. ♀.	Schrad. Journ. 1801. t. 4.
9	nivea. DC. (wh.)	villous-leaved.	—	1812.	—	H. ♀.	Barrel. ic. t. 687.
10	tenuifolia. L. en. (wh.)	slender-leaved.	.....	1822.	—	H. ⊙.	
11	alsinefolia. R.S. (wh.)	Chickweed-leav'd.	Spain.	....	—	H. ⊙.	Scop. del. ins. t. 13.
14	pubescens. R.S. (wh.)	pubescent.	S. France.	1818.	—	H. ♀.	Schra. jour. 1801. p. 412.

Tribus III. *POLYCARPÆÆ*. DC. prodr. v. 3. p. 373.

POLYCARP'ÆA. DC. POLYCARP'ÆA. Pentandria Monogynia.							
1	gnaphalodes. DC. (wh.)	woolly-leaved.	Canaries.	1818.	6. 8.	F. ♀.	
	<i>Hagea gnaphalodes</i> . R.S.	<i>Mollia gnaphalodes</i> . s.s.	<i>Lahaya gnaphalodes</i> . R.S.				
2	latifolia. DC. (wh.)	broad-leaved.	Teneriffe.	1816.	7. 8.	F. ♀.	Schrank pl. rar. t. 29.
3	Teneriffæ. DC. (wh.)	forked.	—	1779.	—	H. ⊙.	W. hort. ber. 1. t. 11.
	<i>Mollia diffusa</i> . W.	<i>Lahaya diffusa</i> . Schult. syst.					
4	aristata. DC. (wh.)	bearded.	Canaries.	1780.	6. 7.	F. ♀.	
5	memphitica. DC. (wh.)	Egyptian.	Egypt.	1828.	7. 9.	H. ⊙.	Delil. fl. æg. t. 24. f. 2.
6	carinosa. DC. (wh.)	fleshy-leaved.	Canaries.	1816.	6. 8.	F. ♀.	
7	Smithii. DC. (wh.)	Smith's.	—	—	—	F. ♀.	
ORTEGIA. DC. ORTEGIA. Triandria Monogynia. L.							
1	hispanica. DC. (gr.)	Spanish.	Spain.	1768.	6. 7.	H. ♀.	Cavan. ic. 1. t. 47.
2	dichotoma. DC. (gr.)	forked.	Italy.	1781.	8. 9.	H. ♀.	All. ac. taur. 3. t. 4. f. 1.
POLYCARPON. DC. ALL-SEED. Tri-Pentandria Trigynia.							
1	tetraphyllum. DC. (wh.)	four-leaved.	England	....	5. 8.	H. ⊙.	Eng. bot. v. 15. t. 1031.
2	alsinefolium. DC. (wh.)	Chickweed-ld.	S. Europe.	....	—	H. ⊙.	Bocc. sic. p. 71. t. 38.
	<i>Lahaya alsinefolia</i> . S.						
3	peplodes. DC. (wh.)	Peplis-like.	Sicily.	1818.	6. 8.	H. ♀.	
	<i>Lahaya polycarpoides</i> . S.	<i>Mollia polycarpon</i> . S.S.					

Tribus IV. *POLLICHIEÆ*. DC. prodr. v. 3. p. 377.

POLL'CHIA. DC. POLL'CHIA. Monandria Monogynia.							
	campëstris. DC. (wh.)	whorl-leaved.	C. B. S.	1780.	8. 10.	G. ♂.	Smith spicil. 1. t. 1.

Tribus V. *SCLERANTHEÆ*. DC. prodr. v. 3. p. 377.

MNIARUM. DC. MNIARUM. Monandria Digynia.							
1	biflorum. DC. (gr.)	two-flowered.	N. Holland.	1818.	5. 7.	G. ♀.	Forst. gen. 1. t. 1.
SCLERANTHUS. DC. KNAWEI. Decandria Digynia. L.							
1	annuus. DC. (gr.)	annual.	Britain.	....	7. 8.	H. ⊙.	Eng. bot. v. 5. t. 351.
2	perennis. DC. (gr.)	perennial.	—	....	8. 9.	H. ♀.	— v. 5. t. 352.

Tribus VI. *QUERIACEÆ*. DC. prodr. v. 3. p. 379.

QUERIA. DC. QUERIA. Triandria Trigynia. L.							
	hispanica. DC. (gr.)	Spanish.	Spain.	1800.	5. 9.	H. ⊙.	Quer. fl. esp. 6. t. 15. f. 2.

Tribus VII. *MINUARTIEÆ*. DC. prodr. v. 3. p. 379.

MINUARTIA. DC. MINUARTIA. Tri-Decandria Trigynia.							
1	dichotoma. DC. (wh.)	forked.	Spain.	1771.	6. 7.	H. ⊙.	Læfl. it. p. 121. t. 1. f. 3.

2 montana. DC.	(wh.) mountain.	Spain.	1806.	6. 7. H. ☉	Lœfl. it. p. 122. t. 1. f. 4.
3 campêstris. DC.	(wh.) field.	Spain.	—	— H. ☉	Act. stock. 1758. t. 1. f. 3.
LÆFLINGIA. DC.	LÆFLINGIA.	Triandria Monogynia.	L.		
hispanica. DC.	(wh.) Spanish.	Spain.	1770.	6. 7. H. ☉	Cavan. ic. 1. t. 94.

## ORDO CI.

## CRASSULACEÆ. DC. prodr. v. 3. p. 381.

## Tribus I. CRASSULEÆ. DC. prodr. v. 3. p. 381.

TILLÆA. DC.	TILLÆA. Tetrandria Tetragynia.	L.			
1 muscosa. DC.	(wh.) mossy.	England.	....	5. 7. H. ☉	Eng. bot. v. 2. t. 116.
2 moschata. DC.	(wh.) musk-scented.	Magellan.	1794.	5. 11. H. ☉	
	<i>Crassula moschata.</i>	Forster.			
3 verticillaris. DC.	(wh.) whorled.	N. S. W.	1823.	6. 9. H. ☉	
BULLIARDA. DC.	BULLIARDA. Tetrandria Tetragynia.				
1 Vaillantii. DC.	(wh.) Vaillant's.	France.	1825.	6. 8. H.w. ☉	DC. plant. gras. t. 74.
2 aquatica. DC.	(wh.) water.	N. Europe.	1816.	— H.w. ☉	
DASYSTEMON. DC.	DASYSTEMON. Pentandria Pentagynia.				
calycinum. DC.	(wh.) leafy-calyxed.	N. Holland.	1823.	6. 9. H. ☉	
SEPTAS. DC.	SEPTAS. Heptandria Heptagynia.	L.			
1 capensis. DC.	(wh.) Cape.	C. B. S.	1774.	8. 9. D.G. ♀	Andr. rep. t. 98.
2 globifera. B.M.	(wh.) globe-flowering.	—	1809.	3. 5. D.G. ♀	Bot. mag. t. 1472.
3 Umbella. DC.	(wh.) skreen.	—	1800.	7. 8. D.G. ♀	Jacq. ic. t. 352.
	<i>Crassula Umbella.</i>	Jacq.			
CRASSULA. H.R.	CRASSULA. Pentandria Pentagynia.	L.			
1 arborescens. DC.	(pi.) arborescent.	C. B. S.	1730.	5. 6. D.G. ♀	Bot. mag. t. 384.
	<i>Cotyledon. B.M.</i>				
2 portulaca. DC.	(ro.) oblique-leaved.	—	1759.	4. 5. D.G. ♀	DC. plant. gras. t. 79.
	<i>obliqua. H.S.</i>				
3 lactea. H.S.	(wh.) milk white.	—	1774.	9. 2. D.G. ♀	Bot. mag. t. 1771.
4 telephoides. H.R.	(ro.) Orpine-like.	—	1820.	7. 8. D.G. ♀	
5 ramosa. H.S.	(ro.) branching.	—	1774.	— D.G. ♀	
6 revolvens. H.P.	(wh.) recurved-leaved.	—	1820.	8. 10. D.G. ♀	
7 tetragona. H.S.	(wh.) square-leaved.	—	1711.	— D.G. ♀	DC. plant. gras. t. 19.
8 biplanata. H.P.	(wh.) flat-leaved.	—	1820.	— D.G. ♀	
9 acutifolia. H.S.	(wh.) acute-leaved.	—	1795.	9. 11. D.G. ♀	DC. plant. gras. t. 2.
10 bibracteata. H.P.	(wh.) double-bracted.	—	1820.	8. 10. D.G. ♀	
	<i>α minor. H.P.</i>	(wh.) smaller.	—	— D.G. ♀	
	<i>β major. H.P.</i>	(wh.) larger.	—	— D.G. ♀	
11 filicaulis. H.P.	(wh.) thready-stem'd.	—	—	— D.G. ♀	
12 scabra. H.R.	(wh.) rough-leaved.	—	1730.	6. 7. D.G. ♀	Dill. elth. t. 99. f. 117.
13 scabrèlla. H.R.	(wh.) patent-leaved.	—	1820.	6. 9. D.G. ♀	
14 squamulosa. H.R.	(wh.) small-scaly.	—	1817.	— D.G. ♀	
15 bullulata. H.S.	(ye.) rough yellow.	—	1800.	6. 7. D.G. ♀	Mart. cent. t. 24.
16 pruinosa. DC.	(wh.) frosted.	—	1821.	— D.G. ♀	
17 columnaris. H.S.	(wh.) columnar.	—	1789.	7. 10. D.G. ♀	Burm. afr. t. 9. f. 2.
18 lycopodioides. DC.	(wh. pu.) whip-cord.	—	1760.	6. 7. D.G. ♀	
	<i>imbricata. H.K.</i>				
19 ericoides. H.P.	(wh.) large whip-cord.	—	1820.	9. 10. D.G. ♀	
20 vestita. DC.	(ye.) powdered-leaf'd.	—	....	6. 10. D.G. ♀	
21 argentea. H.S.	(wh.) silvery-leaved.	—	1820.	7. 9. D.G. ♀	
22 perfossa. DC.	(wh.) threaded.	—	1785.	8. 9. D.G. ♀	DC. plant. gras. t. 25.
	<i>perflata. H.S.</i>	Scop. del. ins. 3. t. 6. c.			
23 perforata. DC.	(wh.) perfoliate.	—	—	— D.G. ♀	
24 marginalis. DC.	(wh.) red-margined.	—	1774.	7. 8. D.G. ♀	Jacq. schœnb. 4. t. 471.
25 pellucida. H.S.	(bh.) pellucid.	—	1732.	6. 9. D.G. ♀	Dill. elth. t. 100. f. 119.
26 centauroides. DC.	(ro.) Centaury-flow'd.	—	1774.	5. 7. D.G. ♀	Bot. mag. t. 1765.
27 cordata. DC.	(ro.) heart-leaved.	—	—	5. 8. D.G. ♀	DC. plant. gras. 2. t. 121.
28 spathulata. DC.	(ro.) notch-leaved.	—	—	7. 9. D.G. ♀	— 1. t. 49.
29 orbicularis. H.S.	(bh.) starry.	—	1731.	— D.G. ♀	— 1. t. 43.
30 rosularis. H.R.	(wh.) great starry.	—	1819.	— D.G. ♀	
31 glomerata. H.S.	(wh.) rough clustered.	—	1774.	8. 10. H. ☉	DC. plant. gras. 1. t. 57.

32	glåbra. H.R.	(wh.) smooth-cluster'd.	C. B. S.	1774.	6. 10.	H. ☉.	
33	expåsa. H.S.	(wh.) awl-leaved.	—	—	6. 8.	H. ☉.	
34	diffåsa. H.S.	(wh.) diffuse.	—	—	—	H. ☉.	
35	subulåta. H.S.	(wh.) awl-leaved.	—	—	—	H. ☉.	Petiv. gaz. t. 89. f. 8.
36	lineolåta. H.S.	(wh.) channelled.	—	1774.	—	D.G. ♀.	
37	biconvexå. H.S.	(wh.) doubly convex.	—	1800.	8. 9.	D.G. ♀.	
38	pulchella. H.R.	(ye.) pretty.	—	1778.	7. 8.	H. ☉.	
39	spårsa. H.S.	(st.) alternate-leaved.	—	1774.	6. 9.	H. ☉.	
<b>PURGOSEA. H.P. PURGOSEA. Pentandria Pentagynia.</b>							
1	linguafolia. H.R.	(wh.) tongue-leaved.	C. B. S.	1803.	8. 9.	D.G. ♀.	
2	ciliåta. DC.	(st.) ciliated.	—	1732.	7. 8.	D.G. ♀.	DC. plant. gras. t. 7.
3	concinna. (wh.) small neat.	—	—	1820.	—	D.G. ♀.	
<i>Crassula concinna. H.R.</i>							
4	ligulifolia. (wh.) latchet-leaved.	—	—	—	—	D.G. ♀.	
<i>Crassula ligulifolia. H.R.</i>							
5	concinella. DC.	elegant.	—	—	—	D.G. ♀.	
6	tomentosa. H.R.	(wh.) tomentose.	—	1822.	—	D.G. ♀.	
7	cotyledonis. DC.	(wh.) Cotyledon-like.	—	1790.	4. 5.	D.G. ♀.	
8	conspicua. (wh.) conspicuous.	—	—	1800.	7. 9.	D.G. ♀.	
<i>Crassula conspicua. H.R.</i>							
9	corymbulosa. DC.	(wh.) impress-dotted.	—	1820.	—	D.G. ♀.	
<i>pertusa. H.R. Crassula corymbulosa. L.en.</i>							
10	pertusa. H.P.	(wh.) small impress-dot'd.	—	1818.	9. 11.	D.G. ♀.	Ot. et Lk. abb. t. 16.
11	capitellata. H.R.	(wh.) square-spiked.	—	1822.	—	D.G. ♀.	
12	thyrsiflora. H.R.	(wh.) thyrses-flowered.	—	1774.	7. 8.	D.G. ♀.	
13	obovata. H.R.	(wh.) obovate-leaved.	—	1824.	—	D.G. ♀.	
14	aloides. H.R.	(bh.) Aloe-like.	—	1818.	—	D.G. ♀.	
15	punctata. DC.	(wh.) dotted.	—	1774.	6. 8.	D.G. ♀.	
16	ramuliflora. DC.	(wh.) branch-flowered.	—	1759.	4. 8.	D.G. ♀.	
17	turrita. H.R.	(bh.) tower-like.	—	1821.	6. 7.	D.G. ♀.	Ot. et Lk. abb. t. 17.
<i>a alba. (wh.) white-flowered.</i>							
<i>β rosea. H.S.S. rose-coloured.</i>							
<b>GLOBULEA. DC. GLOBULEA. Pentandria Pentagynia.</b>							
1	cultrata. DC.	(wh.) sharp-leaved.	C. B. S.	1732.	7. 8.	D.G. ♀.	Bot. mag. t. 1940.
2	radicans. DC.	(wh.) rooting-branch'd.	—	1823.	12. 3.	D.G. ♀.	
3	atropurpurea. DC.	(wh.) purple-leaved.	—	1823.	7. 8.	D.G. ♀.	
4	lingua. DC.	(wh.) tongue-leaved.	—	—	5. 6.	D.G. ♀.	
5	lingula. DC.	(wh.) lesser-tongue.	—	—	—	D.G. ♀.	
6	capitata. DC.	(wh.) large grey-leav'd.	—	1819.	7. 8.	D.G. ♀.	
7	obvallata. DC.	(wh.) Houseleek-leav'd.	—	1795.	—	D.G. ♀.	DC. plant. gras. t. 61.
<i>Crassula obvallata. L. Trew. pl. rar. 1. t. 11.</i>							
8	canescens. DC.	(wh.) canescent.	—	1800.	—	D.G. ♀.	
9	nudicaulis. DC.	(wh.) naked-stalked.	—	1732.	5. 9.	D.G. ♀.	DC. plant. gras. t. 133.
10	sulcata. DC.	(wh.) sulcate.	—	1820.	—	D.G. ♀.	
11	impressa. DC.	(wh.) impressed.	—	1822.	7. 8.	D.G. ♀.	Comm. præl. t. 29.
<i>β minor. H.P. (wh.) lesser.</i>							
12	paniculata. DC.	(wh.) panicked.	—	1823.	—	D.G. ♀.	
13	hispida. DC.	(wh.) hispid.	—	—	10. 11.	D.G. ♀.	
14	mesembryanthoides. DC.	(wh.) hedgehog.	—	1822.	7. 9.	D.G. ♀.	
<i>β altior. (wh.) taller.</i>							
15	mollis. DC.	(wh.) soft.	—	1774.	—	D.G. ♀.	
16	subincana. DC.	(wh.) hoary frutescent.	—	1822.	—	D.G. ♀.	
<i>a decumbens. H.P. (wh.) decumbent.</i>							
<i>β erecta. H.P. (wh.) erect.</i>							
<b>CURTOGYNE. H.R. CURTOGYNE. Pentandria Pentagynia.</b>							
1	dejecta. DC.	(wh.) twisted-branch'd.	C. B. S.	1821.	6. 7.	D.G. ♀.	Jacq. schœnb. t. 423.
<i>Crassula dejecta. Jacq.</i>							
2	undulata. H.R.	(wh.) lesser-waved.	—	1797.	8. 11.	D.G. ♀.	Lodd. bot. cab. t. 584.
3	undata. H.R.	(wh.) greater-waved.	—	1818.	—	D.G. ♀.	
<b>GRAMMANTHES. DC. GRAMMANTHES. Pentandria Pentagynia.</b>							
1	chloræflora. DC.	(ye.) Chloræ-flower'd.	C. B. S.	1774.	6. 8.	H. ☉.	Herm. lugd. t. 553.
<i>Crassula dichotoma. L. Vauánthes chloræflora. H.R.</i>							
2	retroflæxa. (or.) orange-flower'd.	—	—	1788.	—	H. ☉.	
<i>Crassula retroflæxa. H.S.</i>							
3	gentianoides. DC.	(ye.) Gentian-flower'd.	—	1816.	—	H. ☉.	Pluk. mant. t. 415. f. 6.
<b>R'OCHEA. DC. R'OCHEA. Pentandria Pentagynia.</b>							
1	falcata. DC.	(or.) falcated.	C. B. S.	1785.	6. 9.	D.G. ♀.	DC. plant. gras. t. 103.
<i>Crassula falcata. Bot. mag. t. 2035. obliqua. Andr. reposit. t. 414.</i>							
<i>β minor. H.P. (sc.) smaller. C. B. S. 1821. 6. 9. D.G. ♀.</i>							

- 2 perfoliata. DC. (va.) great perfoliate. C. B. S. 1725. 7. 8. D.G.  $\frac{1}{2}$ . Mill. ic. t. 108.  
*a coccinea*. DC. (sc.) scarlet. ———— ———— ———— D.G.  $\frac{1}{2}$ .  
 3 alba. DC. (wh.) white-flowered. ———— ———— ———— D.G.  $\frac{1}{2}$ . DC. plant. gras. t. 15.  
 $\beta$  albiflora. DC. (wh.) white-flowered. ———— 1820. 7. 9. D.G.  $\frac{1}{2}$ . Bot. mag. t. 2391.  
*Crassula albiflora*. B.M.
- KALOSANTHES. H.R. KALOSANTHES. Pentandria Pentagynia.**
- 1 coccinea. H.R. (sc.) scarlet. C. B. S. 1710. 6. 8. D.G.  $\frac{1}{2}$ . Bot. mag. t. 495.  
*Crassula coccinea*. B.M. *Röchea coccinea*. DC. plant. gras. t. 1.  
 $\beta$  alba. H.R. (wh.) white-flowered. C. B. S. 1710. 6. 8. D.G.  $\frac{1}{2}$ . Bradl. succ. t. 50.  
 2 media. H.R. (std.) great changeable. ———— 1820. ———— D.G.  $\frac{1}{2}$ .  
 3 versicolor. H.R. (std.) various-coloured. ———— 1816. ———— D.G.  $\frac{1}{2}$ . Bot. reg. t. 320.  
*Crassula versicolor*. B.R.
- 4 bicolor. H.R. (ye.sc.) two-coloured. ———— 1820. ———— D.G.  $\frac{1}{2}$ .  
 5 capitata. (wh.) headed. ———— 1822. ———— D.G.  $\frac{1}{2}$ . Lodd. bot. cab. t. 1029.  
*Crassula capitata*. L.C. *nec aliorum*.
- 6 odoratissima. H.R. (st.) sweet-scented. ———— 1793. 6. 7. D.G.  $\frac{1}{2}$ . Andr. rep. t. 26.  
*Crassula odoratissima*. Jacq. schenb. t. 434. *Dietrichia odoratissima*. Tratt.
- 7 flava. H.S. (ye.) yellow-flower'd. C. B. S. 1802. 6. 9. D.G.  $\frac{1}{2}$ . Burm. afr. t. 23. f. 3.  
 8 cymosa. H.R. (wh.) cymose. ———— 1800. ———— D.G.  $\frac{1}{2}$ .  
 9 biconvexa. H.P. (wh.) convex-leaved. ———— 1822. ———— D.G.  $\frac{1}{2}$ .  
 10 jasminea. H.R. (wh.) Jasmine-flower'd. ———— 1812. 6. 8. D.G.  $\frac{1}{2}$ . Bot. mag. t. 2178.  
*Crassula jasminea*. B.M. *Röchea jasminea*. DC.
- KALANCHOE. DC. KALANCHOE. Octandria Tetragynia.**
- 1 spatulata. DC. (ye.) spatulate. China. 1820. 7. 9. D.G.  $\frac{1}{2}$ . DC. plant. gras. t. 65.  
 2 aegyptiaca. DC. (or.) Egyptian. Egypt. 1820. 7. 9. D.G.  $\frac{1}{2}$ . DC. plant. gras. t. 64.  
 3 rotundifolia. H.P. (ye.) round-leaved. C. B. S. ———— ———— D.G.  $\frac{1}{2}$ .  
 4 acutiflora. H.P. (wh.) white-flowered. E. Indies. 1806. ———— D.S.  $\frac{1}{2}$ . Andr. reposit. t. 560.  
*Vèria acutiflora*. A.R.
- 5 crenata. DC. (ye.) great notched. Sierra Leone. 1793. ———— D.S.  $\frac{1}{2}$ . Andr. reposit. t. 21.  
*Cotyledon crenatum*. Bot. mag. t. 1436. *Vèria crenata*. A.R.
- 6 laciniata. DC. (ye.) cut-leaved. E. Indies. 1731. ———— D.S.  $\frac{1}{2}$ . DC. plant. gras. t. 100.  
 7 ceratophylla. DC. (st.) buck's-horn-l'd. China. 1820. 9. 1. D.G.  $\frac{1}{2}$ .
- BRYOPHYLLUM. DC. BRYOPHYLLUM. Octandria Tetragynia.**
- calycinum. DC. (br.) large-cupped. Mauritius. 1800. 4. 7. D.G.  $\frac{1}{2}$ . Bot. mag. t. 1409.
- COTYLEDON. DC. NAVELWORT. Decandria Pentagynia. L.**
- 1 undulata. H.S.S. (ye.) wave-leaved. C. B. S. 1818. 7. 8. D.G.  $\frac{1}{2}$ .  
 2 orbiculata. H.S. (ye.bh.) round-leaved. ———— 1789. ———— D.G.  $\frac{1}{2}$ .  
 3 ovata. H.S. (ye.bh.) ovate-leaved. ———— ———— D.G.  $\frac{1}{2}$ . Bot. mag. t. 321.  
*orbiculata*. B.M. *orbiculata*  $\beta$  *obovata*. DC. pl. gras. t. 76.  
 4 oblonga. H.S. (ye.bh.) oblong-leaved. C. B. S. 1690. 7. 10. D.G.  $\frac{1}{2}$ .  
 5 elata. H.S.S. (ye.bl.) tall powdered. ———— 1816. 6. 8. D.G.  $\frac{1}{2}$ .  
 6 crassifolia. H.P. .... thick-leaved. ———— 1823. .... D.G.  $\frac{1}{2}$ .  
 7 viridis. H.P. .... green-leaved. ———— .... D.G.  $\frac{1}{2}$ .  
 8 ramosa. H.S.S. (ye.bh.) branching. ———— 1768. 7. 10. D.G.  $\frac{1}{2}$ . Moris. his. s. 12. t. 7. f. 39.  
 9 ramosissima. H.S.S. (ye.) cluster-branch'd. ———— 1816. ———— D.G.  $\frac{1}{2}$ .  
 10 coruscans. H.S.S. (or.) sparkling. ———— 1818. 3. 5. D.G.  $\frac{1}{2}$ . Bot. mag. t. 2601.  
*canalifolia*. H.P.
- 11 unguata. DC. (pu.) unguate. ———— 1822. 5. 8. D.G.  $\frac{1}{2}$ . Bur. afr. dec. 3. t. 22. f. 1.  
 12 papillaris. DC. (or.) cross-leaved. ———— 1813. ———— D.G.  $\frac{1}{2}$ . Bot. reg. t. 915.  
*decussata*. Bot. mag. t. 2518.
- 13 tricuspidata. H.P. (or.) trident-leaved. ———— 1820. ———— D.G.  $\frac{1}{2}$ .  
 14 purpurea. DC. (pu.) purple. ———— 1813. 7. 8. D.G.  $\frac{1}{2}$ . Burm. afr. t. 20. f. 1.  
 15 rotundifolia. H.P. (ye.bh.) round-leav'd. ———— 1826. ———— D.G.  $\frac{1}{2}$ .  
 16 cristata. H.P. (pu.) Coxcomb-leaved. ———— 1825. 8. 10. D.G.  $\frac{1}{2}$ .  
 17 clavifolia. H.P. (pu.) club-leaved. ———— ———— D.G.  $\frac{1}{2}$ .  
 18 curviflora. DC. (ye.bh.) curve-flower'd. ———— ———— D.G.  $\frac{1}{2}$ . Bot. mag. t. 2044.  
 19 tuberculosa. DC. (or.) tubercled. ———— 1822. ———— D.G.  $\frac{1}{2}$ . DC. plant. gras. 1. t. 86.  
 20 cacalioides. DC. (ye.) Calalia-like. ———— 1820. 5. 6. D.G.  $\frac{1}{2}$ .  
 21 ventricosa. DC. (gr.) bellied-tubed. ———— 1825. 6. 8. D.G.  $\frac{1}{2}$ . Burm. afr. d. 3. t. 21. f. 1.  
 22 spuria. DC. (ye.) narrow-leaved. ———— 1731. 7. 8. D.G.  $\frac{1}{2}$ . ———— t. 19. f. 1.  
 23 fascicularis. DC. (gr.re.) clustered. ———— 1759. 7. 9. D.G.  $\frac{1}{2}$ . ———— t. 18.  
*tardiflorum*. Bonpl. nav. t. 37.
- 24 triflora. DC. (wh.pu.) three-flowered. ———— 1821. 7. 19. D.G.  $\frac{1}{2}$ .  
 25 maculata. DC. (v.) spotted-leaved. ———— 1818. 5. 7. D.G.  $\frac{1}{2}$ .  
 26 rhombifolia. H.P. (ye.) rhomb-leaved. ———— 1823. ———— D.G.  $\frac{1}{2}$ .  
 27 jasmiflora. DC. (v.) Jasmine-flower'd. ———— 1818. 6. 8. D.G.  $\frac{1}{2}$ .  
 28 hemisphaerica. DC. (v.) thick-leaved. ———— 1731. ———— D.G.  $\frac{1}{2}$ . DC. plant. gras. 1. t. 87.  
 29 mamillaris. DC. (v.) mamillary. ———— 1818. 5. 7. D.G.  $\frac{1}{2}$ .  
 30 cuneata. DC. (ye.) large pubescent. ———— 1813. 6. 8. D.G.  $\frac{1}{2}$ .

31	caryophyllæca, DC. (re.)	Clove-flowered.	C. B. S.	1826.	6. 8.	D.G. ♀.	Burm. dec. 2. t. 17.
32	mucronata, DC. (ye.)	mucronate.	————	1818.	—	D.G. ♀.	Burm. afr. t. 19. f. 2.
33	canaliculata, H.S.S. (v.)	channel-leav'd.	————	1817.	—	D.G. ♀.	————
34	gracilis, H.S.S. (ye.)	slender.	————	1800.	5. 8.	D.G. ♀.	————
35	dichotoma, H.R. (gr.)	fork-spined.	————	1818.	—	D.G. ♀.	————
36	cuneiformis, H.P. ..	wedge-leaved.	C. B. S.	1823.	....	D.G. ♀.	————
37	interjecta, H.P. ....	fleshy-stemmed.	————	————	....	D.G. ♀.	————
<b>PISTORI'NA, DC. PISTORI'NA, Decandria Pentagynia.</b>							
	hispanica, DC. (re.)	Spanish.	Spain.	1796.	6. 7.	H. ♂.	DC. plant. grass. t. 122.
	<i>Cotyledon hispanica</i> , Læfl. it. p. 77. t. 1.						
<b>UMBILICUS, DC. PENNYWORT, Decandria Pentagynia.</b>							
1	pendulinus, DC. (gr.)	drooping-flower'd.	Britain.	....	6. 9.	H. ♀.	Eng. bot. v. 5. t. 325.
	<i>Cotyledon Umbilicus</i> , E.B.						
2	erectus, DC. (ye.)	upright-flower'd.	England.	....	—	H. ♀.	Eng. bot. v. 22. t. 1522.
	<i>Cotyledon luteum</i> , E.B.						
3	horizontalis, DC. (st.)	horizontal.	Sicily.	1828.	—	H. ♀.	————
<b>OROST'ACHYS, F. OROST'ACHYS, Decandria Pentagynia.</b>							
1	serrata, DC. (pu.)	notch-leaved.	Crete.	1732.	6. 7.	F. ♀.	Dill. elth. t. 95. f. 112.
	<i>Cotyledon serrata</i> , H.S.						
2	spinosa, DC. (ye.)	spiny.	Siberia.	....	—	F. ♀.	Murr. com. goet. 7. t. 5.
	<i>chlorantha</i> , F. <i>Cotyledon spinosum</i> , L. Gmel. sib. 4. t. 67. f. 2.						
3	malachophylla, F. (wh.)	soft-leaved.	Dahuria.	1815.	—	H. ☉.	Pall. it. 3. ap. t. G. f. 1.
4	thyrsiflora, F. (bh.)	thyrese-flowered.	————	1820.	—	H. ☉.	————
<b>ECHVEVERIA, DC. ECHVEVERIA, Decandria Pentagynia.</b>							
1	coccinea, DC. (sc.)	scarlet.	Mexico.	1816.	8. 10.	D.G. ♀.	Bot. mag. t. 2572.
	<i>Cotyledon coccinea</i> , B.M.						
2	grandifolia, H.P. (or.)	large-leaved.	————	1826.	—	D.G. ♀.	Swt. br. fl. gar. t. 275.
3	gibbiflora, DC. (or.)	gibbous-flower'd.	————	—	—	D.G. ♀.	Bot. reg. t. 1247.
4	cæspitosa, DC. (ye.)	tongue-leaved.	California.	1796.	6. 8.	D.F. ♀.	Jacq. f. ecl. 1. t. 17.
	<i>Cotyledon linguiformis</i> , H.K. <i>Sedum Cotyledon</i> , Jacq.						
<b>RHODIOLA, L. ROSE-ROOT, Diœcia Octandria, L.</b>							
1	rœsea, L. (ye.)	common.	Britain.	....	5. 7.	H. ♀.	Eng. bot. v. 8. t. 508.
	<i>Sedum Rhodiola</i> , DC. plant. gras. t. 143.						
2	sibirica, F. (ye.)	Siberian.	Siberia.	1826.	—	H. ♀.	————
<b>SEDUM, DC. STONECROP, Decandria Pentagynia.</b>							
1	Aizoon, DC. (ye.)	yellow Orpine.	Siberia.	1757.	7. 9.	H. ♀.	DC. plant. gras. t. 101.
2	hybridum, DC. (st.)	Germander-leaved.	————	1766.	5. 7.	H. ♀.	Murr. com. goet. 6. t. 5.
3	involutum, DC. (wh.)	involucred.	Caucasus.	1822.	—	H. ♀.	————
4	verticillatum, DC. (pu.)	whorl-leaved.	Kamtschatka.	....	7. 9.	H. ♀.	Linn. amœn. 2. t. 4. f. 14.
5	latifolium, DC. (st.)	broad-leaved.	Europe.	1794.	—	H. ♀.	Clus. hist. 2. p. 66. f. 1.
6	maximum, H.S. (pu.)	great purple.	Spain.	—	—	H. ♀.	————
7	albicans, H.S. (wh.)	great white.	Europe.	—	—	H. ♀.	————
8	argutum, H.R. (pu.)	lance-toothed.	M. Carpathian.	1820.	—	H. ♀.	————
9	paucidens, H.R. (wh.)	few-toothed.	Europe.	—	—	H. ♀.	————
10	Telephium, E.B. (pu.)	common Orpine.	Britain.	....	—	H. ♀.	Eng. bot. v. 19. t. 1319.
11	triphyllum, DC. (pu.)	three-leaved.	Portugal.	1794.	—	H. ♀.	————
	<i>Anacampseros triphylla</i> , H.S.						
12	purpureum, H.S. (pu.)	purple-stalked.	————	—	—	H. ♀.	DC. plant. gras. t. 92.
13	telephioides, DC. (pu.)	Rhodiola-like.	N. America.	1810.	7. 8.	H. ♀.	————
14	spurium, DC. (pu.)	greater-fringed.	Caucasus.	—	7. 9.	H. ♀.	Bot. mag. t. 2370.
15	rœseum, DC. (ro.)	rose-coloured.	————	1827.	—	H. ♀.	————
16	dentatum, DC. (li.)	large-toothed.	.....	1810.	—	H. ♀.	————
17	pectinatum, DC. (wh.)	pectinated.	.....	1819.	—	H. ♀.	————
18	lividum, DC. (wh.)	livid-leaved.	.....	1820.	—	H. ♀.	————
19	cruciatum, DC. (wh.)	cross leaved.	S. Europe.	1816.	6. 7.	H. ♀.	Lodd. bot. cab. t. 464.
	<i>monregalense</i> , Balb. misc. p. 23. t. 6.						
20	ciliare, H.S. (wh.)	fringed.	Caucasus.	1810.	7. 9.	H. ♀.	Bot. mag. t. 1807.
	<i>oppositifolium</i> , B.M. <i>Anacampseros ciliaris</i> , H.S.						
21	ternatum, DC. (bh.)	dwarf 3-leaved.	N. America.	1789.	7. 8.	H. ♀.	Bot. reg. t. 142.
22	pulchrum, DC. (pu.)	pretty.	————	1824.	—	H. ♀.	————
23	populifolium, DC. (wh.)	Poplar-leaved.	Siberia.	1780.	—	H. ♀.	Bot. mag. t. 211.
24	Notarianni, DC. (wh.)	few-flowered.	Naples.	1824.	—	H. ♀.	Ten. flor. nap. 1. t. 40.
25	Anacampseros, DC. (pu.)	evergreen.	France.	1596.	7. 8.	H. ♀.	Bot. mag. t. 118.
	<i>Anacampseros sempervirens</i> , H.S.						
26	divaricatum, w. (li.)	spreading.	Madeira.	1777.	6. 7.	G. ♀.	————
27	Sempervivum, DC. (re.)	houseleek-leav'd.	Iberia.	1823.	6. 8.	H. ♀.	Bot. mag. t. 2474.
28	deltoidem, DC. (pu.)	deltoid-leaved.	Naples.	1826.	—	H. ☉.	————
29	stellatum, DC. (bh.)	starry.	S; Europe.	1640.	6. 7.	H. ☉.	Camer. hort. 7. t. 2.
30	Cep'æa, DC. (wh.)	panicled.	France.	—	7. 8.	H. ♂.	Clus. hist. 2. p. 68. ic.
31	spatulatum, w. k. (wh.)	spatulate.	Hungary.	1820.	—	H. ♂.	W. et K. hung. 2. t. 104.

- 32 tetraphyllum. F.G. (*wh.*) four-leaved. Levant. .... 7. 8. H. ♂.
- 33 cœruleum. DC. (*pu.*) blue pubescent. Tunis. 1821. 7. 9. H. ♀. Bot. reg. t. 520.
- 34 ænglicum. DC. (*wh.re.*) English. England. .... 7. 8. H. ♀. Eng. bot. v. 3. t. 171.  
*β microphyllum.* H.R. (*wh.*) small-leaved. .... H. ♀.
- 35 oblongum. H.R. (*wh.*) oblong-leaved. .... H. ♀.
- 36 atratum. DC. (*wh.*) dark annual. Italy. 1795. 7. 9. H. ⊙. DC. plant. gras. t. 120.
- 37 glaucum. DC. (*wh.*) glaucous. Hungary. 1816. .... H. ♂. W. et K. hung. 2. t. 181.
- 38 sexfidum. DC. (*wh.*) six-cleft. Caucasus. 1818. .... H. ⊙.
- 39 pallens. H.R. (*wh.*) annual glaucous. .... 7. 9. H. ⊙.
- 40 villösium. DC. (*ro.*) hairy. Britain. .... 6. 7. H. ♀. Eng. bot. v. 6. t. 394.
- 41 pälldum. M.B. (*ro.*) pale red. Tauria. 1820. 7. 9. H. ⊙.
- 42 rubens. DC. (*re.*) annual red. S. Europe. 1759. 5. 8. H. ⊙. DC. plant. gras. t. 55.  
*Crassula rubens.* DC.
- 43 cæspitösium. DC. (*re.*) tufted. .... 1788. 7. 8. H. ⊙. Cavan. ic. t. 69. f. 2.  
*Crassula cæspitösa.* Cav. *Crassula Magnölii.* DC. *verticillaris.* L?
- 44 dasyphyllum. DC. (*wh.*) thick-leaved. England. .... 6. 7. H. ♀. Eng. bot. v. 10. t. 656.
- 45 hispanicum. DC. (*wh.*) Spanish. Spain. 1732. .... H. ♀. Jacq. aust. 5. ap. t. 47.
- 46 album. DC. (*wh.*) white. England. .... 6. 8. H. ♀. Eng. bot. v. 22. t. 1578.
- 47 altaicum. F. .... Altay. Altay. 1827. .... H. ♀.
- 48 quinquefidum. H.R. (*gr.wh.*) five-cleft. .... 6. 8. H. ♀.
- 49 hexapetalum. H.R. (*ye.*) six-petal'd. .... H. ♀.
- 50 quadrifidum. DC. (*ye.*) four-cleft. Dahuria. 1800. 7. 8. H. ♀. Pall. it. 3. a. t. P. f. 1.
- 51 nüdum. DC. (*ye.*) naked-branch'd. Madeira. 1777. .... G. ♀.
- 52 ochroleucum. H.P. (*st.*) tall sharp-cup'd. Greece. .... F. ♀.
- 53 altissimum. DC. (*st.*) tall blunt-cup'd. Italy. 1769. .... H. ♀. DC. plant. gras. t. 116.  
*Jacquini.* H.P. *Sempervivum sediförme.* Jacq. vind. 1. t. 81.
- 54 cærulescens. H.P. (*st.*) great-straw-color'd. .... H. ♀.
- 55 reflexum. H.P. (*ye.*) reflex-leaved. Britain. .... 6. 7. H. ♀. Eng. bot. v. 10. t. 695.
- 56 septangulare. H.P. (*ye.*) seven-angled. Europe. .... 7. 8. H. ♀.
- 57 albescens. H.R. (*ye.*) white-leaved. England. .... 6. 7. H. ♀. Eng. bot. v. 35. t. 2477.  
*glaucum.* E.B. non W.K.
- 58 minus. H.P. (*ye.*) lesser short-leaved. .... H. ♀. DC. plant. gras. t. 116.  
*reflexum.* DC.
- 59 spirale. H.P. (*ye.*) spiral-leaved. Europe. .... H. ♀.
- 60 sexangulare. DC. (*ye.*) inspid. England. .... H. ♀. Eng. bot. v. 28. t. 1946.
- 61 acre. DC. (*ye.*) biting. Britain. .... H. ♀. — v. 12. t. 839.
- 62 recurvatum. H.P. (*ye.*) slender recurv'd. .... 1820. .... H. ♀.
- 63 anopetalum. DC. (*st.*) broader-leaved. S. France. 1815. .... H. ♀. Bauh. icon. 3. 428.  
*β aurantiacum.* H.P. (*or.*) orange-colour'd. .... H. ♀.
- 64 virens. H.P. (*ye.*) deep green. Portugal. 1774. .... H. ♀.
- 65 viridulum. H.P. (*ye.*) small-green. .... 1826. 6. 8. H. ♀.
- 66 rupestre. H.P. (*ye.*) expanding glaucous. England. .... H. ♀. Eng. bot. v. 3. t. 170.
- 67 Forsterianum. H.P. (*ye.*) Forster's. Wales. .... 7. 8. H. ♀. — v. 26. t. 1802.
- 68 saxatile. DC. (*ye.*) rock. S. Europe. 1739. 7. 9. H. ⊙. DC. plant. gras. t. 119.
- 69 repens. DC. (*ye.*) creeping. Pyrenees. 1829. .... H. ⊙. Vill. dauph. 3. t. 45.  
*Guettardi.* Villars.
- 70 magellense. DC. (*ye.*) Neapolitan. Naples. 1826. .... H. ⊙.
- MONANTHES. H.R. MONANTHES. Dodecandria Heptagynia.  
*polyphylla.* H.R. (*pu.*) many-leaved. Canaries. 1777. 7. 9. D.G. ♀. Bot. mag. t. 93.  
*Sempervivum monanthes.* B.M.
- SEMPERVIVUM. DC. HOUSELEEK. Dodecandria Dodecagynia. L.
- 1 tortuosum. DC. (*ye.*) twisted. Canaries. 1779. 7. 8. D.G. ♀. Bot. mag. t. 296.
- 2 villösium. DC. (*ye.*) small villous. Madeira. 1777. 6. 7. D.G. ♀.
- 3 ciliatum. DC. (*wh.*) ciliated. Teneriffe. 1815. .... D.G. ♀.
- 4 glandulosum. DC. (*ye.*) gland-edged. Madeira. 1777. 3. 5. D.G. ♀.
- 5 glutinosum. DC. (*ye.*) glutinous. .... 7. 8. D.G. ♀. Bot. reg. t. 278.
- 6 urbicum. DC. (*ye.*) wedge-leaved. Canaries. 1824. .... D.G. ♀.
- 7 retösium. H.P. (*ye.*) retuse-leaved. Teneriffe. .... D.G. ♀.
- 8 arboreum. DC. (*ye.*) tree. Levant. 1640. 12. 3. D.G. ♀. Bot. reg. t. 99.  
*β variegatum.* H.R. (*ye.*) variegated. .... D.G. ♀.  
*γ atropurpureum.* H.R. (*ye.*) dark purple-leav'd. .... D.G. ♀.
- 9 frutescens. H.P. (*ye.*) frutescent. Teneriffe. 1824. 3. 5. D.G. ♀.
- 10 tabulæforme. DC. (*ye.*) table-shaped. Madeira. 1815. 7. 9. D.G. ♀. Lodd. bot. cab. t. 1328.
- 11 canariense. DC. (*wh.*) Canary Island. Canaries. 1699. 6. 7. D.G. ♀. DC. plant. gras. t. 141.
- 12 Smithii. DC. (*ye.*) Smidt's. .... 1815. 8. 10. D.G. ♀. Bot. mag. t. 1980.
- 13 barbätium. DC. (*ye.*) bearded. Madeira. .... 6. 7. D.G. ♀.  
*lineolare.* H.S.S. *spatulatum.* Horn.
- 14 hybridum. H.R. (*ye.*) hybrid. Hybrid. .... D.G. ♀.
- 15 cæspitösium. DC. (*ye.*) latchet-leaved. Canaries. 1815. 9. 4. D.G. ♀. Bot. mag. t. 1978.  
*ciliatum.* B.M. non W. *barbätium.* H.R. non Smith. *ciliare.* H.S.S.

16	<i>laxum</i> . H.R.	( <i>ye.</i> ) loose-flowered.	Canaries.	1820.	7. 10.	D.G. ♂.	
17	<i>dodrantale</i> . DC.	( <i>st.</i> ) smooth-leaved.	—————	1815.	7. 8.	D.G. ♂.	
18	<i>aureum</i> . DC.	( <i>ye.</i> ) chalice-form.	Teneriffe.	—	6. 7.	D.G. ♀.	Bot. reg. t. 892.
	<i>calyciforme</i> . B.R.		Lodd. bot. cab. 1368.				
19	<i>punctatum</i> . DC.	( <i>ye.</i> ) dotted-leaved.	Canaries.	1824.	7. 9.	D.G. ♂.	
20	<i>stellatum</i> . DC.	( <i>ye.</i> ) annual villous.	Madeira.	1790.	7. 10.	H. ☉.	Bot. mag. t. 1809.
	<i>villosum</i> . B.M. non H.S.						
21	<i>dichotomum</i> . DC.	( <i>ye.</i> ) forked.	Canaries.	1824.	6. 8.	D.G. ♂.	DC. jard. gen. t. 21.
22	<i>africanum</i> . DC.	( <i>ye.</i> ) African.	C. B. S.	1768.	....	D.G. ♀.	
23	<i>hirtum</i> . DC.	( <i>st.</i> ) hairy.	Italy.	....	6. 7.	H. ♀.	DC. plant. gras. t. 107.
	<i>soboliferum</i> . B.M. t. 1457 ex DC.		<i>globiferum</i> . H.R. non DC.				
24	<i>globiferum</i> . DC.	( <i>ye.</i> ) great-flowered.	Germany.	1731.	—	H. ♀.	Bot. mag. t. 507 et 2115.
25	<i>tectorum</i> . DC.	( <i>pu.</i> ) common.	Britain.	....	6. 9.	H. ♀.	Eng. bot. v. 19. t. 1320.
26	<i>flagelliforme</i> . DC.	( <i>re.</i> ) whip-lash.	Siberia.	1818.	6. 8.	H. ♀.	
27	<i>montanum</i> . DC.	( <i>re.</i> ) mountain.	Switzerland.	1752.	—	H. ♀.	DC. plant. gras. t. 105.
28	<i>arachnoideum</i> . DC.	( <i>pu.</i> ) Cobweb.	Italy.	1699.	—	F. ♀.	Bot. mag. t. 68.

Tribus II. *PENTHOREÆ*.

PENTHORUM. DC.	PENTHORUM. Decandria Pentagynia. L.						
sedoides. DC.	( <i>st.</i> ) American.	Virginia.	1768.	7. 8.	H. ♀.		Act. ups. 1744. t. 2.
LEWISIA. Ph.	LEWISIA. Dodecandria Trigynia.						
rediviva. Ph.	( <i>wh.</i> ) white-flowered.	N. America.	1827.	7. 8.	H. ♀.		

ORDO CII.

FICOIDEÆ. *DC. prodr. v. 3. p. 415.*

Tribus I. *MESEMBRYANTHEMEÆ*.

MESEMBRYANTHEMUM. FIG-MARYGOLD. Icosandria Pentagynia. L.							
1	<i>minutum</i> . H.R.	( <i>re.</i> ) small-white.	C. B. S.	1795.	9. 11.	D.I. ♀.	Bot. mag. t. 1376.
2	<i>minimum</i> . H.R.	( <i>st.</i> ) small chequer'd.	—————	1766.	9. 12.	D.I. ♀.	Pet. gaz. t. 39. f. 3.
3	<i>perpusillum</i> . H.R.	( <i>st.</i> ) small exserted.	—————	1819.	—	D.I. ♀.	
4	<i>obcordellum</i> . H.R.	( <i>wh.</i> ) glaucous chequer'd.	—————	1776.	10. 2.	D.I. ♀.	Bot. mag. t. 1647.
5	<i>obcordellum</i> . H.R.	( <i>wh.</i> ) green chequer'd.	—————	1794.	—	D.I. ♀.	
6	<i>ficiforme</i> . H.R.	.... fig-shaped.	—————	1819.	....	D.I. ♀.	
7	<i>truncatellum</i> . H.R.	( <i>st.</i> ) large dotted.	—————	1795.	10. 2.	D.I. ♀.	
8	<i>fibuliforme</i> . H.R.	.... cloth button.	—————	—	11.	D.I. ♀.	
9	<i>uvæforme</i> . H.R.	.... Grape-like.	—————	1820.	....	D.I. ♀.	Burm. dec. t. 10. f. 2?
10	<i>nuciforme</i> . H.R.	.... nut-shaped.	—————	1790.	....	D.I. ♀.	
11	<i>testiculare</i> . H.R.	( <i>wh.</i> ) broad short white.	—————	1774.	11.	D.I. ♀.	
12	<i>octophyllum</i> . H.R.	( <i>ye.</i> ) narrow short white.	—————	—	—	D.I. ♀.	Bot. mag. t. 1573.
	<i>testiculare</i> . B.M.						
	<i>β longiusculum</i> . ( <i>ye.</i> ) longer-leaved.	—————	—————	—	—	D.I. ♀.	
13	<i>testiculatum</i> . DC.	( <i>ro.</i> ) rosy.	—————	—	—	D.I. ♀.	Jacq. frag. 73. t. 12. f. 2.
14	<i>obtusum</i> . H.R.	( <i>re.</i> ) obtuse cloven.	—————	1792.	3. 4.	D.I. ♀.	
15	<i>fissum</i> . H.R.	.... cloven white.	—————	1776.	....	D.I. ♀.	
16	<i>digitiforme</i> . H.R.	( <i>wh.</i> ) finger-formed.	—————	1775.	4. 6.	D.I. ♀.	
	<i>digitatum</i> . H.K.?						
17	<i>magnipunctum</i> . H.R.	( <i>ye.</i> ) great dotted club.	—————	1816.	9. 11.	D.I. ♀.	
	<i>α sesquiancialæ</i> . H.R.	( <i>ye.</i> ) thickest-leaved.	—————	—	—	D.I. ♀.	
	<i>β uncialæ</i> . H.R.	( <i>ye.</i> ) thinner-leaved.	—————	—	—	D.I. ♀.	
18	<i>nobile</i> . H.P.	( <i>ye.</i> ) noble.	—————	—	11.	D.I. ♀.	
19	<i>cænum</i> . H.R.	( <i>ye.</i> ) hoary club-leav'd.	—————	1795.	....	D.I. ♀.	
20	<i>aloïdes</i> . H.R.	( <i>ye.</i> ) Aloe-like.	—————	1816.	9. 11.	D.I. ♀.	
21	<i>caninum</i> . H.R.	( <i>ye.</i> ) dog-chop.	—————	1717.	8. 10.	D.G. ♀.	DC. plant. gras. t. 95.
22	<i>vulpinum</i> . H.R.	( <i>ye.</i> ) fox-chop.	—————	1795.	—	D.G. ♀.	
23	<i>hybridum</i> . H.R.	( <i>ye.</i> ) hybrid.	Hybrid.	....	—	D.G. ♀.	
24	<i>albidum</i> . H.R.	( <i>ye.</i> ) white.	C. B. S.	1714.	7. 8.	D.G. ♀.	Bot. mag. t. 1824.

25	albinòtum. H.P.	(ye.) keeled white dott'd.	C.B.S.	1824.	7. 9.	D.G. ½.	
26	alpipunctum. H.P.	(ye.) white-spotted.	_____	_____	8. 9.	D.G. ½.	
27	tigrinum. H.P.	(ye.) tiger-chop.	_____	1790.	9. 11.	D.G. ½.	Bot. reg. t. 260.
28	felinum. H.P.	(ye.) cat-chop.	_____	1730.	8. 11.	D.G. ½.	DC. plant. gras. t. 152.
29	lupinum. H.P.	(ye.) wolf's chop.	_____	1822.	6. 8.	D.G. ½.	
30	agninum. H.P.	(ye.) lamb's chop.	_____	_____	5. 6.	D.G. ½.	
31	mustelinum. H.P.	(ye.) weasel-chop.	_____	1818.	8. 11.	D.G. ½.	
32	musculinum. H.P.	(ye.) small trailing.	_____	_____	6. 8.	D.G. ½.	
33	ermininum. H.P.	(ye.) Ermine-chop.	_____	1823.	5. 6.	D.G. ½.	
	β mijus. H.P.	(ye.) red-tipped.	_____	_____	_____	D.G. ½.	
34	murinum. H.P.	(ye.) mouse-chop.	_____	1790.	9.	D.G. ½.	
35	dolabriforme. H.R.	(ye.) hatchet-leaved.	_____	1705.	5. 11.	D.G. ½.	Bot. mag. t. 32.
36	carinans. H.R.	(ye.) scymetar-leav'd.	_____	1820.	....	D.G. ½.	
37	scapiger. H.P.	(ye.) great-scaped.	_____	1822.	8. 9.	D.G. ½.	
38	denticulatum. H.R.	(st.) toothed-beak'd.	_____	1793.	4.	D.G. ½.	
	α canum. H.R.	(st.) white-leaved.	_____	_____	_____	D.G. ½.	
	β glaucum. H.R.	(st.) glaucous-leaved.	_____	_____	_____	D.G. ½.	
	γ candidissimum. H.R.	(st.) whitest.	_____	_____	_____	D.G. ½.	
39	robustum. H.R.	(ye.) robust-beaked.	_____	1795.	....	D.G. ½.	
40	compactum. H.R.	(ye.) compact.	_____	1780.	11.	D.G. ½.	
41	quadrifidum. H.R.	(ye.) quadrifid.	_____	1795.	_____	D.G. ½.	
42	bifidum. H.R.	(ye.) bifid beaked.	_____	_____	_____	D.G. ½.	
43	bibracteatum. H.R.	(ye.) double-bracted.	_____	1803.	4. 11.	D.G. ½.	
44	purpurascens. DC.	(ye.) purple-bracted.	_____	1826.	_____	D.G. ½.	
45	rostratum. H.R.	(ye.) heron-beaked.	_____	1732.	4. 5.	D.G. ½.	Dill. elth. f. 229.
	tuberculatum. H.R.	(ye.) tuberculate.	_____	....	_____	D.G. ½.	
46	ramulosum. H.R.	(ye.) small-beaked.	_____	1803.	3. 11.	D.G. ½.	
47	pisiforme. H.R.	.... pea-shaped.	_____	1796.	....	D.I. ½.	
48	moniliforme. H.R.	(wh.) necklace.	_____	1791.	3. 4.	D.I. ½.	
49	scalpratum. H.R.	(ye.) great tongue.	_____	1714.	8. 10.	D.G. ½.	Dill. elth. t. 183. f. 224.
50	fragrans. H.R.	(ye.) sweet-scented.	_____	1820.	_____	D.G. ½.	Ott. et Lk. abb. t. 43.
51	grandiflorum. H.P.	(ye.) great-blistered.	_____	1824.	_____	D.G. ½.	
52	præpingue. H.R.	(ye.) soft-tongue.	_____	1792.	_____	D.G. ½.	
53	mèdium. H.R.	(ye.) large-tongue.	_____	1816.	_____	D.G. ½.	
54	cultratum. H.R.	(ye.) long cultrated.	_____	1820.	_____	D.G. ½.	
55	lucidum. H.R.	(ye.) high-polished.	_____	1768.	_____	D.G. ½.	Dill. elth. f. 227.
56	adscèndens. H.R.	(ye.) long-peduncled.	_____	1805.	8. 11.	D.G. ½.	
57	pustulatum. H.R.	(ye.) blistered tongue.	_____	1816.	_____	D.G. ½.	
58	longum. H.R.	(ye.) long-thin-leaved.	_____	1725.	8. 10.	D.G. ½.	
	α flaccidum. H.R.	(ye.) long-flaccid.	_____	_____	_____	D.G. ½.	Bot. mag. t. 1866.
	depressum. B.M.	nec aliorum.	_____	_____	_____	_____	
	β declivè. H.R.	(ye.) lesser erect-edged.	_____	_____	_____	D.G. ½.	
	γ angustius. H.R.	(ye.) narrow-leaved.	_____	_____	_____	D.G. ½.	
	δ purpurascens. H.R.	(ye.) purple green.	_____	_____	_____	D.G. ½.	
	ε uncatum. H.R.	(ye.) leaden green.	_____	1819.	_____	D.G. ½.	
	ζ attollens. H.R.	(ye.) narrow dark.	_____	_____	_____	D.G. ½.	
59	linguæforme. H.R.	(ye.) common tongue.	_____	1732.	11. 3.	D.G. ½.	Dill. elth. f. 226.
	β rufescens. H.R.	(ye.) reddish green.	_____	1804.	....	D.G. ½.	
	γ subcruciatum. H.R.	(ye.) subcruciate.	_____	1820.	8. 11.	D.G. ½.	
	δ prostratum. H.R.	(ye.) prostrate.	_____	_____	_____	D.G. ½.	
	ε assurgens. H.R.	(ye.) assurgent.	_____	1819.	_____	D.G. ½.	
60	latum. H.R.	(ye.) broad tongue.	_____	1732.	_____	D.G. ½.	Dill. elth. f. 225.
	β brevè. H.R.	(ye.) short flat.	_____	1802.	_____	D.G. ½.	
61	depressum. H.R.	(ye.) small recurring-ld.	_____	1795.	9. 11.	D.G. ½.	Dill. elth. f. 226?
	α pallens. H.R.	(ye.) light green.	_____	_____	_____	D.G. ½.	
	β lividum. H.R.	(ye.) rufous green.	_____	1819.	_____	D.G. ½.	
62	cruciatum. H.R.	(ye.) soft cruciate.	_____	1792.	5. 11.	D.G. ½.	
63	taurinum. H.R.	(ye.) Bull's-horn.	_____	1795.	9. 11.	D.G. ½.	
64	Salmii. H.R.	(ye.) Prince de Salm's.	_____	1818.	_____	D.G. ½.	
	α decussatum. H.R.	(ye.) decussate.	_____	_____	_____	D.G. ½.	
	β semicruciatum. H.R.	(ye.) semicruciate.	_____	1820.	_____	D.G. ½.	
	γ angustifolium. H.R.	(ye.) narrow-leaved.	_____	_____	_____	D.G. ½.	
65	surrectum. H.R.	(ye.) thick acute tongue.	_____	1819.	_____	D.G. ½.	
66	heterophyllum. H.R.	(ye.) various-leaved.	_____	1795.	_____	D.G. ½.	
67	angustum. H.R.	(ye.) narrow tongue.	_____	1790.	3. 10.	D.G. ½.	
	β pallidum. H.R.	(ye.) paler-leaved.	_____	1819.	....	D.G. ½.	
	γ heterophyllum. H.K.	(ye.) semicylindric-ld.	_____	....	8. 10.	D.G. ½.	Andr. reposit. 540.
68	difforme. H.R.	(ye.) difformed.	_____	1732.	_____	D.G. ½.	Dill. elth. f. 242.
	β brevicaulè. H.R.	(ye.) short-stalked.	_____	_____	_____	D.G. ½.	

69	bidentatum. H.R. (ye.) double-toothed.	C. B. S.	1816.	8. 10.	D.G. ½.	
	<i>a minus.</i> H.R. (ye.) smaller.	_____	_____	_____	D.G. ½.	
	<i>β majus.</i> H.R. (ye.) larger.	_____	_____	_____	D.G. ½.	
70	bigibberatum. H.P. (ye.) lesser difformed.	_____	1824.	_____	D.G. ½.	
71	semicylindricum. H.R. (ye.) small difformed.	_____	1732.	3. 11.	D.G. ½.	Dill. elth. t. 194. f. 241.
72	gibbosum. H.R. (re.) great pale gibbous.	_____	1780.	1. 4.	D.G. ½.	
73	luteo-viride. H.R. (re.) long pale gibbous.	_____	1795.	_____	D.G. ½.	
74	perviride. H.R. (re.) dark green gibbous.	_____	1792.	1. 5.	D.G. ½.	
75	pubescens. H.R. (re.) hoary gibbous.	_____	_____	_____	D.G. ½.	
76	calamiforme. H.R. (wh.) white fld. quill.	_____	1717.	7. 9.	D.G. ½.	DC. plant. gras. t. 5.
77	obsulatum. H.R. ... reversed quill.	_____	1796.	....	D.G. ½.	
78	cylicum. H.R. (re.) cylindric quill.	_____	1792.	9. 2.	D.G. ½.	
79	teretifolium. H.R. (re.) round quill.	_____	1794.	_____	D.G. ½.	
80	teretiúsculum. H.R. (re.) roundish quill.	_____	_____	_____	D.G. ½.	
81	bellidiflorum. H.R. (re.) daisy-flowered.	_____	1717.	6. 8.	D.G. ½.	Dill. elth. t. 224. f. 233.
	<i>a glaucescens.</i> H.R. (re.) small glaucous.	_____	_____	_____	D.G. ½.	
	<i>β viride.</i> H.R. (ro.) pea green.	_____	1822.	_____	D.G. ½.	
82	subulatum. DC. (std.) great green.	_____	1768.	6. 8.	D.G. ½.	DC. plant. gras. t. 41.
83	acutum. H.R. (pu.) great awl-leaved.	_____	1793.	11. 4.	D.G. ½.	
84	punctatum. H.R. (pu.) middle-spotted.	_____	....	....	D.G. ½.	
85	diminutum. H.R. (pu.) small awl-leaved.	_____	1789.	4.	D.G. ½.	
	<i>β cauliculatum.</i> H.R. (pu.) stalked.	_____	1817.	_____	D.G. ½.	
86	lòreum. H.R. (st.) leathery-stalk'd.	_____	1732.	9.	D.G. ½.	Dill. elth. t. 200. f. 255.
	<i>β congestum.</i> H.R. (st.) crowded-leaved.	_____	1805.	....	D.G. ½.	
87	diversifolium. H.R. (st.) short horn-leav'd.	_____	1726.	3. 10.	D.G. ½.	Dill. elth. t. 198. f. 252.
	<i>a majus.</i> H.R. (std.) larger.	_____	1819.	_____	D.G. ½.	
	<i>β glaucius.</i> H.R. (st.) glaucescent.	_____	1726.	_____	D.G. ½.	
	<i>γ brevifolium.</i> H.R. (st.) short-leaved.	_____	1819.	8.	D.G. ½.	
	<i>δ late-virens.</i> H.R. (st.) pale green.	_____	_____	_____	D.G. ½.	
	<i>ε atro-virens.</i> H.R. (st.) dark green.	_____	_____	8. 9.	D.G. ½.	
88	decipiens. H.R. (st.) middle horn-ld.	_____	1820.	....	D.G. ½.	
89	dubium. H.R. (st. or.) round stalked.	_____	1800.	11. 5.	D.G. ½.	Bradl. succ. d. 4. t. 40.
90	corniculatum. H.R. (std.) long-horn-leav'd.	_____	1732.	3. 5.	D.G. ½.	DC. plant. gras. t. 108.
91	purpureo-álbium. H.P. (std.) purple & white.	_____	1824.	7. 10.	D.G. ½.	
92	procumbens. H.R. (v.) purple-jointed.	_____	1820.	....	D.G. ½.	
93	tricolorum. H.R. (st. re.) three-coloured.	_____	1794.	10.	D.G. ½.	
94	pugioniforme. H.R. (ye.) great dagger-ld.	_____	1714.	7. 9.	D.G. ½.	DC. plant. gras. t. 82.
	<i>β carneum.</i> H.R. (ye.) flesh-coloured.	_____	....	....	D.G. ½.	
	<i>γ purpureum.</i> H.R. (pu.) purple.	_____	....	....	D.G. ½.	
	<i>δ biénne.</i> H.R. (ye.) biennial.	_____	....	....	D.G. ½.	
95	capitatum. H.R. (ye.) lesser dagger-ld.	_____	1717.	7. 9.	D.G. ½.	Bot. reg. t. 494.
	<i>β ramigerum.</i> H.R. (ye.) branching.	_____	1816.	_____	D.G. ½.	
96	brevicaule. H.R. (ye.) dwarf dagger-ld.	_____	_____	_____	D.G. ½.	
97	coruscans. H.R. (ye.) glittering dagger.	_____	1813.	_____	D.G. ½.	
98	elongatum. H.R. (ye.) tuberous long-ld.	_____	1793.	5.	D.G. ½.	DC. plant. gras. t. 72.
	<i>a grandiflorum.</i> (ye.) large-flowered.	_____	_____	_____	D.G. ½.	
	<i>β minus.</i> H.R. (ye.) lesser.	_____	_____	_____	D.G. ½.	Bot. reg. t. 493.
	<i>γ fusiforme.</i> H.R. (ye.) fusiform.	_____	_____	_____	D.G. ½.	Breyn. cent. t. 80.
99	validum. H.P. (ro.) robust light green.	_____	1823.	_____	D.G. ½.	
100	geminiflorum. H.R. (ro.) small pale.	_____	1819.	_____	D.G. ½.	
101	simile. H.R. (ro.) short-jointed.	_____	_____	5. 7.	D.G. ½.	
102	laxum. H.R. (ro.) long-jointed.	_____	_____	_____	D.G. ½.	
103	sarmentosum. H.R. (ro.) sarmentose.	_____	1805.	4. 5.	D.G. ½.	
104	rigidicaule. H.R. (ro.) stiff-stemmed.	_____	1819.	_____	D.G. ½.	
105	Schöllii. H.R. (ro.) Scholl's.	_____	1818.	_____	D.G. ½.	Jacq. frag. t. 51. f. 2.
	<i>aduncum.</i> Jacq. non H. recúrsum. H.S.S.	_____	_____	_____	D.G. ½.	
106	filamentosum. H.R. (ro.) thready.	_____	1732.	3. 4.	D.G. ½.	Dill. elth. t. 212. f. 273.
107	serrulatum. H.R. (ro.) rosy-stalked.	_____	1795.	11. 12.	D.G. ½.	
	<i>a glaucum.</i> H.R. (ro.) glaucous.	_____	_____	_____	D.G. ½.	
	<i>β viridius.</i> H.R. (ro.) greenish.	_____	_____	_____	D.G. ½.	
108	rubricaule. H.R. (ro.) deep red-stalk'd.	_____	1802.	12. 2.	D.G. ½.	
	<i>a gracilius.</i> H.R. (ro.) slenderest.	_____	_____	_____	D.G. ½.	
	<i>β densius.</i> H.R. (ro.) crowded.	_____	....	....	D.G. ½.	
	<i>γ subvirens.</i> H.R. (ro.) tall-green.	_____	....	....	D.G. ½.	
109	acinaciforme. H.R. (ro.) great scymetar-ld.	_____	1714.	8. 9.	D.G. ½.	Dill. elth. f. 270. 271.
	<i>a breve.</i> H.R. (ro.) short-branched.	_____	_____	_____	D.G. ½.	Anthr. reposit. 508.
	<i>β longum.</i> H.R. (ro.) longer-branched.	_____	_____	_____	D.G. ½.	
110	laevigatum. H.R. (ro.) smooth scymetar.	_____	1802.	_____	D.G. ½.	

111	rûbro-cinctum. H.R. (ro.) red-edged.	C. B. S.	1811.	8. 9.	D.G. ½.	
	<i>a crâssum.</i> H.R. (ro.) thick-leaved.	—	—	....	D.G. ½.	
	<i>β compressum.</i> H.R. (ro.) compressed.	—	—	....	D.G. ½.	
	<i>γ ténèrum.</i> H.R. (ro.) tender.	—	—	....	D.I. ½.	
112	subalâtum. H.R. (ro.) wing-stalked.	—	1802.	....	D.G. ½.	
113	édule. H.R. (ye.) Hottentot's-fig.	—	1690.	7. 8.	D.G. ½.	Dill. elth. t. 212. f. 272.
114	dimidiâtum. H.R. (ro.) lesser eatable.	—	1811.	—	D.G. ½.	DC. plant. gras. t. 89.
115	glauçescens. H.R. (ro.) glaucescent.	N. Holland.	1804.	7.	D.G. ½.	
116	abbreviâtum. H.P. .... short-jointed.	N. S. W.	1825.	....	D.G. ½.	
117	Róssi. H.R. (ro.) Ross's.	V. Diem. Isl.	1821.	....	D.G. ½.	
118	virêscens. H.R. (ro.) virescent.	N. Holland.	1804.	6. 8.	D.G. ½.	
119	æquilatérale. H.R. (ro.) equal angled.	—	1791.	—	D.G. ½.	
	<i>β decag' ynum.</i> DC. (ro.) ten-styled.	—	—	—	D.G. ½.	
120	virens. H.R. (ro.) smooth-edged green.	C. B. S.	1821.	7. 8.	D.G. ½.	
121	réptans. H.R. (ro.) creeping.	—	1774.	6. 8.	D.G. ½.	
122	débile. H.P. (ro.) smooth weak.	—	1821.	—	D.G. ½.	
123	austrâle. H.R. (bh.) New Zealand.	N. Zealand.	1773.	—	D.G. ½.	
124	crassifôlium. H.R. (ro.) thick-leaved.	C. B. S.	1727.	5. 8.	D.G. ½.	Dill. elth. t. 208. f. 257.
125	clavellâtum. H.R. (re.) club-l'd. creeping.	N. Holland.	1803.	6. 7.	D.G. ½.	
	<i>β aggregâtum.</i> H.R. (re.) cluster branched.	—	—	—	D.G. ½.	
	<i>γ minus.</i> H.R. (re.) shorter-branched.	—	—	—	D.G. ½.	
126	forcicatûm. H.R. (re.) scissors-leaved.	C. B. S.	1758.	9. 10.	D.G. ½.	Jacq. vind. 1. t. 26.
127	geminâtum. H.R. (re.) white twin-shoot'd.	—	1792.	....	D.G. ½.	
128	marginâtum. H.R. (re.) white-edged.	—	1793.	....	D.G. ½.	
129	rostellûm. H.R. (wh. re.) little prostrate beak.	—	1820.	8. 10.	D.G. ½.	
130	perfoliâtum. H.R. (ro.) great-hooked.	—	1714.	6. 8.	D.G. ½.	Dill. elth. t. 192. f. 240.
	<i>a tricânthum.</i> H.R. (ro.) three-thorned.	—	—	—	D.G. ½.	Bradd. suc. 5. t. 46.
	<i>β monacânthum.</i> H.R. (ro.) one-thorned.	—	—	—	D.G. ½.	Bradd. suc. dec. 3. f. 26.
131	uncinellûm. H.R. (li.) small-hooked.	—	1819.	—	D.G. ½.	Dill. elth. f. 239.
132	uncinatûm. H.R. (ro.) greenish-hooked.	—	1725.	8.	D.G. ½.	DC. plant. gras. t. 54.
133	semidentâtum. H.R. (ro.) slender-hooked.	—	1818.	6. 8.	D.G. ½.	
134	ûnidens. H.P. (li.) dwarf uncinata.	—	1824.	—	D.G. ½.	
135	viride. H.R. (li.) deep green.	—	1792.	7.	D.G. ½.	
136	acutângulum. H.P. (wh.) sharp-angled.	—	1820.	6. 8.	D.G. ½.	
137	cûrtum. H.R. (wh.) short-sheathed.	—	1811.	—	D.G. ½.	
	<i>β majus.</i> H.R. (wh.) larger.	—	—	—	D.G. ½.	
138	hamâtum. W. (wh.) hook'd sheathing.	—	—	—	D.G. ½.	
139	vaginâtum. H.R. (wh.) rough sheathing.	—	1802.	7. 8.	D.G. ½.	
	<i>β parviflôrum.</i> H.R. (wh.) smaller-flowered.	—	—	—	D.G. ½.	
140	parviflôrum. H.R. (wh.) small-flowered.	—	1800.	8.	D.G. ½.	
141	rigidum. H.R. (wh.) rigid.	—	1793.	—	D.G. ½.	
142	tenellûm. H.R. (wh.) least perfoliate.	—	1792.	—	D.G. ½.	
143	imbricatûm. H.R. (wh.) imbricated.	—	—	7.	D.G. ½.	
	<i>a minus.</i> H.R. (wh.) smallest.	—	—	—	D.G. ½.	
	<i>β majus.</i> H.R. (wh.) blunt crowded.	—	—	—	D.G. ½.	
	<i>γ viride.</i> H.R. (wh.) dull green.	—	—	—	D.G. ½.	
144	multiflôrum. H.R. (wh.) many-flowered.	—	—	7. 9.	D.G. ½.	Pluk. phyt. t. 117. f. 1.
	<i>a majus.</i> H.R. (wh.) larger white.	—	—	—	D.G. ½.	
	<i>β minus.</i> H.R. (wh.) lesser white.	—	—	—	D.G. ½.	
	<i>γ rubrum.</i> H.R. (re.) red-flowered.	—	1816.	—	D.G. ½.	
	<i>δ patens.</i> H.R. (wh.) single flowered.	—	—	—	D.G. ½.	
	<i>ε nitens.</i> H.R. (wh.) bright-green.	—	....	—	D.G. ½.	
145	umbellâtum. H.R. (wh.) umbel-flowered.	—	1727.	6. 9.	D.G. ½.	Dill. elth. t. 208. f. 266.
	<i>β apétalum.</i> H.R. (wh.) petalless.	—	—	—	D.G. ½.	
146	tumidulum. H.R. (re.) tumid.	—	1802.	3.	D.G. ½.	
	<i>β minus.</i> H.R. (re.) lesser.	—	—	—	D.G. ½.	
147	foliosum. H.R. (re.) many-leaved.	—	—	9.	D.G. ½.	
148	lineolâtum. H.R. (re.) tumid sheathed.	—	1819.	6. 8.	D.G. ½.	
	<i>β minus.</i> H.R. (re.) lesser.	—	—	—	D.G. ½.	
	<i>γ nitens.</i> H.R. (re.) glittering.	—	—	—	D.G. ½.	
149	serrâtum. H.R. (ye.) saw-keeled.	—	1707.	6. 7.	D.G. ½.	Dill. elth. t. 192. f. 238.
150	lâcerum. H.R. (re.) ragged-keeled.	—	1792.	6.	D.G. ½.	
151	heteropétalum. H.R. (ye.) various-petal'd.	—	1794.	5. 8.	D.G. ½.	
	<i>a albiflôrum.</i> (wh.) white-flowered.	—	—	—	D.G. ½.	
	<i>β roseum.</i> (ro.) rose-coloured.	—	—	—	D.G. ½.	
152	glaucinum. H.R. (li.) glaucine.	—	1818.	—	D.G. ½.	
	<i>a angústum.</i> H.R. (li.) slenderest-leaved.	—	—	—	D.G. ½.	
	<i>β crâssum.</i> H.R. (li.) thicker-leaved.	—	—	—	D.G. ½.	

153	mutabile. H.R. ( <i>wh.ro.</i> ) changeable. <i>filamentosum</i> . DC.	C. B. S.	1792.	7. 9.	D.G. ½.	DC. plant. gras. t. 60.
154	inclaudens. H.R. ( <i>pu.</i> ) open-flowered. ———		1805.	6. 9.	D.G. ½.	Andr. reposit. 388.
155	caulescens. H.R. ( <i>li.</i> ) smooth delta-ld. ———		1731.	5. 7.	D.G. ½.	Dill. elth. f. 243-4.
156	deltoïdes. H.R. ( <i>li.</i> ) great delta-leaved. ———			5.	D.G. ½.	DC. plant. gras. 53.
157	muricatum. H.R. ( <i>li.</i> ) small delta-leaved. ———				D.G. ½.	Dill. elth. t. 195. f. 27.
	β minus. H.R. ( <i>li.</i> ) smaller-leaved. ———		....		D.G. ½.	
158	microphyllum. H.R. ( <i>ro.</i> ) small-green-leav'd. ———		1795.		D.G. ½.	
159	mucronatum. H.R. ( <i>ro.</i> ) bristle-pointed. ———		1794.	6. 7.	D.G. ½.	
160	pygmæum. H.R. ( <i>ro.</i> ) pigmy connate. ———		1820.		D.G. ½.	
161	pulchellum. DC. ( <i>ro.</i> ) small grey-leaved. ———		1793.	4.	D.G. ½.	
	<i>canescens</i> . H.R.					
	β revolutum. H.R. ( <i>ro.</i> ) revolving-branched. ———		1819.		D.G. ½.	
162	maximum. H.R. ( <i>ro.</i> ) great crescent-ld. ———		1787.	3. 8.	D.G. ½.	
163	lunatum. H.R. ( <i>ro.</i> ) small crescent-ld. ———		....	4. 6.	D.G. ½.	
164	falcatum. H.R. ( <i>ro.</i> ) small sickle-leav'd. ———		1727.	6. 8.	D.G. ½.	Dill. elth. f. 275-6.
165	decumbens. H.R. ( <i>li.</i> ) dwarf decumbent. ———		1759.	5. 10.	D.G. ½.	
166	incurvum. H.R. ( <i>li.</i> ) incurved. ———		1802.	6.	D.G. ½.	
	β dilatans. H.R. ( <i>li.</i> ) dilated. ———		1805.	9. 10.	D.G. ½.	
	γ pallidius. H.R. ( <i>li.</i> ) pale flowering. ———				D.G. ½.	
	δ densifolium. H.R. ( <i>li.</i> ) dense lesser-leav'd. ———		1819.		D.G. ½.	
	ε roseum. H.R. ( <i>ro.</i> ) rosy. ———				D.G. ½.	
167	confertum. H.R. ( <i>li.</i> ) crowded-leaved. ———		1805.		D.G. ½.	
168	falciforme. H.R. ( <i>li.</i> ) sickle-shaped. ———			7. 8.	D.G. ½.	
169	glomeratum. H.R. ( <i>re.</i> ) clustered. ———		1732.	6. 8.	D.G. ½.	Dill. elth. t. 213. f. 274.
170	inflexum. H.R. ( <i>re.</i> ) inflex-leaved. ———		1818.		D.G. ½.	
171	scabrum. H.R. ( <i>re.</i> ) rough. ———		1731.	7.	D.G. ½.	Dill. elth. t. 197. f. 251.
	α pallidum. H.R. ( <i>li.</i> ) pale-bloomed. ———				D.G. ½.	
	β purpureum. H.R. ( <i>pu.</i> ) purple. ———				D.G. ½.	
172	versicolor. H.R. ( <i>wh.re.</i> ) changeable rough. ———		1795.	5. 8.	D.G. ½.	
173	retroflexum. H.R. ( <i>re.</i> ) reflex-flowered. ———		1794.	5. 10.	D.G. ½.	
174	imbricans. H.R. ( <i>re.</i> ) imbricate-leaved. ———		1818.		D.G. ½.	
175	deflexum. H.R. ( <i>re.</i> ) smooth deflexed. ———		1774.	7. 10.	D.G. ½.	
176	polyanthon. H.R. ( <i>pu.</i> ) copious-flowered. ———		1803.	8.	D.G. ½.	
177	polyphyllum. H.R. ( <i>re.</i> ) crowded-leaved. ———		1819.	6. 10.	D.G. ½.	
178	violaceum. H.R. ( <i>vi.</i> ) deep violaceous. ———		1820.	10.	D.G. ½.	DC. plant. gras. t. 84.
179	emarginatum. H.R. ( <i>vi.</i> ) notch-petaled. ———		1732.	6. 8.	D.G. ½.	Dill. elth. t. 197. f. 250.
180	dilatatum. H.R. ( <i>wh.</i> ) gibbous-keeled. ———		1795.	7.	D.G. ½.	
181	virgatum. H.R. ( <i>li.</i> ) slender-twigged. ———		1793.	2. 4.	D.G. ½.	
182	bracteatum. H.R. ( <i>re.</i> ) double-bracted. ———		1774.	7. 10.	D.G. ½.	
183	anceps. H.R. ( <i>li.</i> ) broad-bracted. ———		1811.	9. 10.	D.G. ½.	
	β pallidum. H.R. ( <i>li.</i> ) paler-flowered. ———				D.G. ½.	
184	gracile. H.R. ( <i>li.</i> ) slender bracteate. ———		1794.	8. 11.	D.G. ½.	
	<i>stellatum</i> . H.S. non DC.					
	β gracilius. H.R. ( <i>li.</i> ) pale flat-bracted. ———		....		D.G. ½.	
185	radiatum. H.R. ( <i>re.</i> ) radiate. ———		1732.		D.G. ½.	Dill. elth. t. 197. f. 249.
186	compressum. H.R. ( <i>re.</i> ) rough compressed. ———		1792.	7. 9.	D.G. ½.	
187	pátulum. H.R. ( <i>li.</i> ) paler-flowered. ———		1811.	10. 11.	D.G. ½.	
188	ásperum. H.R. ( <i>ro.</i> ) large rough-leav'd. ———		1818.	7. 9.	D.G. ½.	
	α majus. H.R. ( <i>ro.</i> ) broader-leaved. ———				D.G. ½.	
	β cærulescens. H.R. ( <i>ro.</i> ) bluish-leaved. ———		1820.		D.G. ½.	
189	formosum. H.R. ( <i>re.</i> ) white-eyed red. ———			8. 9.	D.G. ½.	
190	amœna. DC. ( <i>re.</i> ) beautiful. ———		1825.		D.G. ½.	
191	spectabile. H.R. ( <i>pu.</i> ) glaucous showy. ———		1787.	5. 8.	D.G. ½.	Bot. mag. t. 396.
192	conspicuum. H.R. ( <i>re.</i> ) dark-red showy. ———		1806.	9. 10.	D.G. ½.	
193	turbinatum. DC. ( <i>re.</i> ) top-shaped. ———		1826.		D.G. ½.	Jacq. vind. t. 476.
194	blándum. H.R. ( <i>bh.</i> ) fair-flowered. ———		1816.	6. 12.	D.G. ½.	Bot. reg. t. 582.
195	curviflorum. H.R. ( <i>bh.</i> ) incurving white. ———		1818.		D.G. ½.	
196	àureum. H.R. ( <i>or.</i> ) great orange. ———		1750.	3. 10.	D.G. ½.	Bot. mag. t. 262.
197	aurántium. H.R. ( <i>or.</i> ) glaucous orange. ———		1793.	6. 8.	D.G. ½.	
198	glaucum. H.R. ( <i>ye.</i> ) great gold-flower'd. ———		1696.	6. 7.	D.G. ½.	DC. plant. gras. t. 146.
199	cymbifolium. H.P. ( <i>ye.</i> ) greater boat-ld. ———		1823.	....	D.G. ½.	
200	strictum. H.R. ( <i>ye.</i> ) upright boat-ld. ———		1795.	....	D.G. ½.	
201	mucroniferum. H.P. ( <i>ye.</i> ) mucronate boat-ld. ———		1823.	....	D.G. ½.	
202	cymbiforme. H.R. ( <i>re.</i> ) small boat-leav'd. ———		1793.	....	D.G. ½.	
203	graniforme. H.R. ( <i>ye.</i> ) grain-leaved. ———		1727.	9. 10.	D.G. ½.	Bradl. succ. 2. t. 20.
204	mólle. H.R. ( <i>re.</i> ) soft. ———		1774.	10.	D.G. ½.	

205	<i>coccineum</i> . H.R. ( <i>sc.</i> ) scarlet-flower'd.	C. B. S.	1696.	5. 9.	D.G. ♀.	Bot. mag. t. 59.
	<i>a obtusum</i> . H.R. ( <i>sc.</i> ) blunt-calyxed.	————	————	————	D.G. ♀.	DC. plant. grass. t. 83.
	<i>β acutius</i> . H.R. ( <i>sc. pu.</i> ) acute-calyxed.	————	....	————	D.G. ♀.	
	<i>γ minus</i> . H.R. ( <i>sc.</i> ) lesser.	————	....	————	D.G. ♀.	
206	<i>bicolorum</i> . H.R. ( <i>sc. ye.</i> ) two-coloured.	————	1732.	————	D.G. ♀.	
	<i>a erectum</i> . H.R. ( <i>sc. ye.</i> ) tall upright.	————	————	————	D.G. ♀.	Dill. elth. t. 202. f. 258.
	<i>β patulum</i> . H.R. ( <i>sc. ye.</i> ) spreading.	————	....	————	D.G. ♀.	
	<i>γ minus</i> . H.R. ( <i>sc. ye.</i> ) dwarf spreading.	————	....	————	D.G. ♀.	
207	<i>inaequale</i> . H.R. ( <i>ye.</i> ) unequal-cupped.	————	1716.	————	D.G. ♀.	Bradl. succ. 1. t. 7.
208	<i>tenaefolium</i> . H.R. ( <i>sc.</i> ) slender-leaved.	————	1700.	6. 9.	D.G. ♀.	Dill. elth. t. 201. f. 256.
	<i>β erectum</i> . H.R. ( <i>sc.</i> ) upright slender-ld.	————	....	————	D.G. ♀.	DC. plant. grass. t. 82.
209	<i>variabile</i> . H.R. ( <i>ye.</i> ) changeable-ld.	————	1796.	6. 8.	D.G. ♀.	
	<i>a densius</i> . H.R. ( <i>ye.</i> ) rough close-leaved.	————	————	————	D.G. ♀.	
	<i>β lævius</i> . H.R. ( <i>ye.</i> ) smoother distant-ld.	————	————	————	D.G. ♀.	
210	<i>spinifforme</i> . H.R. ( <i>li.</i> ) thorn-shaped.	————	1793.	9. 10.	D.G. ♀.	
	<i>β subaduncum</i> . H.R. ( <i>li.</i> ) greater hook-ld.	————	1810.	10. 11.	D.G. ♀.	
211	<i>curvifolium</i> . H.R. ( <i>li.</i> ) great curve-ld.	————	1799.	10.	D.G. ♀.	
212	<i>flexifolium</i> . H.R. ( <i>li.</i> ) lesser curve-ld.	————	1818.	————	D.G. ♀.	
	<i>a perviride</i> . H.R. ( <i>li.</i> ) dark-green.	————	————	————	D.G. ♀.	
	<i>β late virens</i> . H.R. ( <i>li.</i> ) apple-green.	————	————	————	D.G. ♀.	
213	<i>inconspicuum</i> . H.P. ( <i>li.</i> ) inconspicuous.	————	1824.	6. 9.	D.G. ♀.	
214	<i>aduncum</i> . H.R. ( <i>li.</i> ) small curve-leav'd.	————	1795.	2. 3.	D.G. ♀.	
215	<i>filiçaulè</i> . H.R. ( <i>li.</i> ) thready-stemmed.	————	1800.	9.	D.G. ♀.	
216	<i>spinosum</i> . H.R. ( <i>pu.</i> ) thorny.	————	1714.	6. 9.	D.G. ♀.	Dill. elth. t. 208. f. 265.
217	<i>productum</i> . H.P. ( <i>ro.</i> ) great-cupped.	————	1820.	6. 8.	D.G. ♀.	
218	<i>lepídum</i> . H.P. ( <i>wh.</i> ) pretty.	————	1824.	7. 9.	D.G. ♀.	
219	<i>stipulaceum</i> . H.R. ( <i>re.</i> ) tall, stipuled.	————	1723.	5. 8.	D.G. ♀.	Dill. elth. f. 267 & 268.
220	<i>corallinum</i> . H.R. ( <i>ro.</i> ) coral-stemmed.	————	1819.	————	D.G. ♀.	
221	<i>Hawórtii</i> . H.R. ( <i>ro.</i> ) Haworth's.	————	1793.	6. 1.	D.G. ♀.	
222	<i>l'ave</i> . H.R. ( <i>pu.</i> ) blunt white-leav'd.	————	1774.	7. 9.	D.G. ♀.	
223	<i>veruculatum</i> . H.R. ( <i>ye.</i> ) long spit-leaved.	————	1731.	5. 6.	D.G. ♀.	
	<i>a Dilleni</i> . H.R. ( <i>ye.</i> ) Dillenius's.	————	————	————	D.G. ♀.	Dill. elth. f. 259.
	<i>β Candollii</i> . H.R. ( <i>ye.</i> ) cluster spit-leaved.	————	————	————	D.G. ♀.	DC. plant. gras. t. 36.
224	<i>purpuro-crœcum</i> . H.R. purple saffron-ld.	————	1780.	8. 10.	D.G. ♀.	
225	<i>flavo-crœcum</i> . H.P. yellow and saffron.	————	1816.	5. 9.	D.G. ♀.	
226	<i>luteum</i> . H.P. ( <i>ye.</i> ) upright yellow.	————	1822.	6. 8.	D.G. ♀.	
227	<i>luteolum</i> . H.P. ( <i>ye.</i> ) small yellow.	————	————	————	D.G. ♀.	
228	<i>crœcum</i> . H.R. ( <i>sn.</i> ) saffron-flowered.	————	1816.	10. 11.	D.G. ♀.	Jacq. frag. p. 17. t. 11. f. 2.
229	<i>crystallinum</i> . H.R. ( <i>wh.</i> ) diamond.	————	1727.	5. 8.	D.G. ♂.	DC. plant. gras. 128.
230	<i>glaciàle</i> . H.R. ( <i>wh.</i> ) Ice-plant.	Greece.	1787.	————	G. ⊙	
231	<i>pinnatifidum</i> . H.R. ( <i>ye.</i> ) jagged-leaved.	C. B. S.	1774.	5. 10.	G. ⊙	Bot. mag. t. 67.
232	<i>sessiliflorum</i> . H.R. ( <i>ye.</i> ) small ice-plant.	————	————	7. 8.	G. ⊙	
	<i>a luteum</i> . H.R. ( <i>ye.</i> ) yellow-flowered.	————	————	————	G. ⊙	
	<i>β album</i> . H.R. ( <i>wh.</i> ) white-flowered.	————	1816.	————	G. ⊙	
233	<i>humifusum</i> . H.R. ( <i>wh.</i> ) narrow-ld. ice-plant.	————	1774.	————	D.G. ♀.	
234	<i>clandestinum</i> . H.P. ( <i>wh.</i> ) minute-flower'd.	————	1823.	5. 8.	D.G. ♀.	
235	<i>Aitoni</i> . H.R. ( <i>ro.</i> ) Aiton's.	————	————	6. 10.	D.G. ♂.	Jacq. vind. 3. t. 7.
236	<i>lanceolatum</i> . H.R. ( <i>wh.</i> ) spear-leaved.	————	1795.	5. 8.	G. ⊙	
	<i>a album</i> . H.R. ( <i>wh.</i> ) white-flowered.	————	————	————	G. ⊙	
	<i>β roseum</i> . H.R. ( <i>ro.</i> ) rosy.	————	1812.	————	G. ⊙	
237	<i>cordifolium</i> . H.R. ( <i>re.</i> ) heart-leaved.	————	1774.	5. 9.	D.G. ♀.	DC. plant. gras. t. 102.
238	<i>pomeridianum</i> . H.R. ( <i>ye.</i> ) great yellow.	————	————	7. 9.	G. ⊙	Bot. mag. t. 540.
	<i>β Andre'wsii</i> . H.R. ( <i>ye.</i> ) Andrews's.	————	....	————	G. ⊙	Andr. reposit. t. 57.
239	<i>Candollii</i> . H.R. ( <i>ye.</i> ) Decandolle's.	————	....	————	G. ⊙	DC. plant. gras. t. 135.
	<i>helianthoides</i> . DC. <i>nec aliorum</i> .	————	————	————	————	
240	<i>pilosum</i> . H.R. ( <i>ye.</i> ) hairy-yellow.	————	1800.	6. 8.	G. ⊙	Breyn. cent. t. 79.
241	<i>calendulaceum</i> . H.R. ( <i>y.</i> ) hispid narrow-cup'd.	————	1819.	8.	G. ⊙	
242	<i>flaccidum</i> . DC. ( <i>ye.</i> ) flaccid.	————	1826.	————	D.G. ♂.	
243	<i>helianthoides</i> . H.R. ( <i>ye.</i> ) spatula-leaved.	————	1774.	8. 10.	G. ⊙	
244	<i>cuneifolium</i> . DC. ( <i>pu.</i> ) transparent.	————	————	7.	G. ⊙	Jacq. ic. 3. t. 288.
	<i>limpidum</i> . H.R.	————	————	————	————	
245	<i>pyropæum</i> . H. s. s. ( <i>v.</i> ) annual 3-colour'd.	————	1820.	4. 7.	G. ⊙	
	<i>a rubidum</i> . ( <i>pu.</i> ) the ruby.	————	————	————	G. ⊙	Bot. mag. t. 2144.
	<i>tricolor</i> . W. hort. ber. t. 22.	————	————	————	————	
	<i>β roseum</i> . H.R. ( <i>ro.</i> ) the rosy.	————	————	————	G. ⊙	
	<i>γ album</i> . H.R. ( <i>bh.</i> ) bluish white.	————	1819.	————	G. ⊙	
246	<i>villosum</i> . H.R. ( <i>bh.</i> ) villous.	————	1759.	7.	D.G. ♀.	

247	caducum. H.R. (wh.)	deciduous.	C. B. S.	1774.	7. 8.	G. ⊙.	
248	apétalum. H.R. (wh.)	dwarf spreading.	_____	_____	_____	G. ⊙.	Jacq. vind. 3. t. 6.
249	nodiflorum. H.R. (wh.)	knot-flowered.	_____	1739.	8. 10.	G. ⊙.	DC. plant. gras. t. 88.
250	ciliatum. H.R. (wh.)	ciliated.	C. B. S.	1774.	....	D.G. ♀.	
251	geniculiflorum. H.R. (ye.)	joint-flower'd.	Egypt.	1727.	7. 9.	D.G. ♀.	DC. plant. gras. t. 17.
252	Tripòlium. H.R. (wh.)	Aster-leaved.	C. B. S.	1700.	6. 10.	D.G. ♀.	Dill. elth. t. 179. f. 220.
253	expansum. H.R. (st.)	houseleek-leav'd.	_____	1705.	7. 8.	D.G. ♀.	_____ f. 223.
	tortuosum. DC.	plant. gras. t. 94.	non L.				
254	vàrians. H.R. (wh.st.)	varying.	_____	1706.	7. 10.	D.G. ♀.	Pet. gaz. t. 78. f. 10.
255	tortuosum. H.R. (st.)	twisting-leaved.	_____	1705.	6. 10.	D.G. ♀.	Dill. elth. t. 181. f. 222.
256	pállens. H.R. (wh.)	pale-flowered.	_____	1774.	7. 8.	D.G. ♀.	DC. plant. gras. t. 47.
	expansum. DC.	non L.					
257	crassicaule. H.P. (ye.)	thick-stalked.	_____	1822.	5.	D.G. ♀.	
258	loratum. H.R. (wh.)	glaucous strap-ld.	_____	1819.	_____	D.G. ♀.	
259	relaxatum. H.R. (re.)	livid strap-leav'd.	_____	....	_____	D.G. ♀.	
260	anatòmicum. H.R. (wh.)	skeleton-leav'd.	_____	1803.	7. 8.	D.G. ♀.	
	β frágile. H.R. (wh.)	brittle.	_____	_____	_____	D.G. ♀.	
261	rectum. H.R. (wh.)	ugright egg-leav'd.	_____	1819.	_____	D.G. ♀.	
262	crassuloïdes. H.R. (bh.)	Crassula-like.	_____	_____	7. 8.	D.G. ♀.	
263	incòmptum. H.R. (wh.)	persistent cup'd.	_____	1816.	_____	D.G. ♀.	
264	spléndens. H.R. (wh.)	shining white fld.	_____	1716.	6. 8.	D.G. ♀.	DC. plant. gras t. 35.
265	flexuosum. H.R. (bh.)	flexuose-leaved.	_____	1795.	7. 8.	D.G. ♀.	
266	acuminatum. H.P. (wh.)	long-cupped.	_____	1820.	8. 9.	D.G. ♀.	
267	albicaule. H.P. (wh.)	white-twigged.	_____	1823.	8. 10.	D.G. ♀.	
268	sulcatum. H.R. (wh.)	acute-cupped.	_____	1819.	_____	D.G. ♀.	
269	fastigiatum. H.R. (bi.)	level-topped.	_____	1794.	7. 9.	D.G. ♀.	
	β refléxum. H.R. (br.)	reflex-leaved.	_____	1792.	8. 9.	D.G. ♀.	
270	umbelliflorum. H.R. . . .	umbel-flowered.	_____	1825.	_____	D.G. ♀.	
271	longistylum. DC. (bh.)	long-styled.	_____	1822.	_____	D.G. ♀.	
	pállens. Jacq. schenb. 3. t. 279.	non Ait. palléscens. H.R.	_____	_____	_____	D.G. ♀.	
	β purpuráscens. DC. (pu.)	purplish.	C. B. S.	_____	_____	D.G. ♀.	
272	micránthon. H.R. (wh.)	small-blossom'd.	_____	1804.	_____	D.G. ♀.	Jacq. schenb. 3. t. 278.
	parviflorum. Jacq.	non H.R.					
273	júnceum. H.R. (ro.)	rushy.	_____	1800.	8. 10.	D.G. ♀.	
274	granulicaule. H.P. (ro.)	shagreen-stem'd.	_____	1821.	6. 8.	D.G. ♀.	
275	ténue. H.R. (wh.)	slender rushy.	_____	1819.	_____	D.G. ♀.	
276	spinuliferum. H.R. (st.)	spinulescent.	_____	1794.	6. 10.	D.G. ♀.	
277	gróssum. H.R. (bh.)	gouty.	_____	1774.	8. 10.	D.G. ♀.	
278	salmóneum. H.R. (ro.)	salmon-colour'd.	_____	1819.	_____	D.G. ♀.	
279	canaliculatum. H.R. (ye.)	channel-leav'd.	_____	1794.	7. 10.	D.G. ♀.	
280	viridiflorum. H.R. (gr.)	green-flowered.	_____	1774.	7. 11.	D.G. ♀.	Bot. mag. t. 326.
281	tenuiflorum. H.R. (re.)	slender-flower'd.	_____	1824.	....	D.G. ♀.	Jacq. frag. 52. f. 3.
282	longispinulum. H.P. (st.)	rosy-cupp'd yellow.	_____	1821.	8. 11.	D.G. ♀.	
283	nítidum. H.R. (ye.)	shrubby crystalline.	_____	1790.	7. 10.	D.G. ♀.	DC. plant. gras. t. 129.
	brachiatum. DC. nec aliorum.						
284	subincanum. H.P. (wh.)	soft-leav'd white.	_____	1821.	8. 9.	D.G. ♀.	
285	brachiatum. H.R. (ye.)	three-forked.	_____	1774.	6. 8.	D.G. ♀.	
286	testaceum. H.R. (sn.)	tile-coloured.	_____	1816.	_____	D.G. ♀.	
287	macrorrhizum. H.P. (wh.)	large-rooted.	_____	1823.	6. 9.	D.G. ♀.	
288	tuberosum. H.R. (co.)	tuberous shrubby.	_____	1714.	6. 10.	D.G. ♀.	DC. plant. gras. t. 78.
	β minus. H.R. (bl.)	lesser-leaved.	_____	_____	_____	D.G. ♀.	
289	noctiflorum. H.R. (ro. wh.)	night-flowering.	_____	_____	6. 8.	D.G. ♀.	DC. plant. gras. t. 10.
	α phœniceum. H.R. (ro.)	deep rosy.	_____	_____	_____	D.G. ♀.	Dill. elth. f. 262.
	β stramineum. H.R. (st.)	straw-coloured.	_____	_____	_____	D.G. ♀.	_____ f. 263.
	γ elatum. H.R. (wh. ro.)	tall-rosy.	_____	1819.	_____	D.G. ♀.	
290	fúlvum. H.R. (br. wh.)	grey-barked.	_____	1732.	_____	D.G. ♀.	
291	clavatum. DC. (wh.)	clubbed.	_____	....	_____	D.G. ♀.	Jacq. schenb. t. 108.
	defoliatum. H.R.						
292	horizontale. H.R. (st.)	spreading-leav'd.	_____	1795.	_____	D.G. ♀.	
293	speciosum. H.R. (cr.)	glittering orange.	_____	1793.	5. 10.	D.G. ♀.	
294	micans. H.R. (sc.)	dark orange.	_____	1704.	5. 8.	D.G. ♀.	Bot. mag. t. 448.
295	maculatum. H.R. (sc.)	spotted-stalked.	_____	1792.	_____	D.G. ♀.	
296	flavum. H.R. (go.)	small-glittering.	_____	1820.	8.	D.G. ♀.	
297	oblíquum. H.R. (re.)	bright afternoon flz.	_____	1819.	_____	D.G. ♀.	
298	parvifolium. H.R. (pu.)	small triquetrous.	_____	_____	6. 10.	D.G. ♀.	
299	brevifolium. H.R. (re.)	short-leaved.	_____	1777.	_____	D.G. ♀.	Jacq. vind. t. 477.
	erigerifolium. Jacq.						
300	subglobosum. H.R. (re.)	globular.	_____	1795.	_____	D.G. ♀.	
301	pulverulentum. H.R. (re.)	powdered.	_____	1792.	5.	D.G. ♀.	

302	hispidum. H.R. (pu.)	hispid-stalked.	C. B. S.	1704.	5. 10.	D.G. ♀.	DC. plant. gras. t. 66.
	<i>a Dillenii.</i> H.R. (pu.)	the bushy.	_____	_____	_____	D.G. ♀.	Dill. elth. f. 278.
	<i>β platypetalum.</i> H.R.	tall.	_____	_____	_____	D.G. ♀.	
303	hirtellum. H.R. (re.)	dwarf bristly.	_____	1820.	_____	D.G. ♀.	
304	cándens. H.R. (wh.)	trailing hispid.	_____	1792.	5. 11.	D.G. ♀.	
305	subcompressum. H.P. (vi.)	upright twiggy.	_____	1820.	_____	D.G. ♀.	
	<i>β minus.</i> H.P. (vi.)	lesser.	_____	_____	_____	D.G. ♀.	
306	floribundum. H.R. (fl.)	crowded-flower'd.	_____	1824.	6. 8.	D.G. ♀.	
307	calycinum. H.R. (wh.)	hispid long-cup'd.	_____	1704.	5. 10.	D.G. ♀.	Dill. elth. t. 214. f. 280.
308	striatum. H.R. (std.)	striped bristly.	_____	1819.	_____	D.G. ♀.	
	<i>a rōseum.</i> H.R. (std.)	rosy.	_____	1727.	_____	D.G. ♀.	Dill. elth. t. 215. f. 281.
	<i>β pallens.</i> H.R. (std.)	pale-flowered.	_____	_____	_____	D.G. ♀.	_____ t. 215. f. 281.
309	attenuatum. H.R. (v.)	slender hispid.	_____	_____	_____	D.G. ♀.	DC. plant. gras. t. 132.
310	tuberculatum. DC. (v.)	hispid-leaved.	_____	1820.	_____	G. ♀.	
	<i>hispidifolium.</i> H.R.	_____	_____	1814.	_____	G. ♀.	
	<i>a fastigiatum.</i> H.R. (v.)	level-topped.	_____	_____	_____	G. ♀.	
	<i>β rōseum.</i> H.R. (ro.)	rosy-flowered.	_____	_____	_____	G. ♀.	
311	echinatum. H.R. (ye.)	hedge-hog.	_____	1774.	7. 10.	G. ♀.	DC. plant. gras. t. 24.
	<i>a luteum.</i> (ye.)	yellow.	_____	_____	_____	G. ♀.	
	<i>β album.</i> (wh.)	white-flowered.	_____	_____	_____	G. ♀.	
312	strumosum. H.R. (st.)	tuberous hedge-hog.	_____	_____	_____	G. ♀.	
313	barbatum. H.P. (pu.)	bearded bushy.	_____	1820.	_____	G. ♀.	
314	stelligerum. H.P. (pu.)	procumbent bearded.	_____	1793.	5. 10.	G. ♀.	Bot. mag. t. 70.
315	bulbosum. H.P. (re.)	bearded tuberous.	_____	1705.	6. 8.	G. ♀.	
316	intosum. H.P. (re.)	black bearded.	_____	1820.	_____	G. ♀.	
	<i>a rubicandum.</i> H.P. (re.)	red-flowered.	_____	_____	_____	G. ♀.	
	<i>β album.</i> H.P. (bh.)	white-flowered.	_____	_____	_____	G. ♀.	
317	stellatum. H.P. (pu.)	small-bearded.	_____	_____	_____	G. ♀.	DC. plant. gras. t. 29.
318	dénsum. H.P. (pu.)	dwarf-bearded.	_____	1716.	9. 10.	G. ♀.	Bot. mag. t. 1220.
HYMENO'GYNE. H.R. HYMENO'GYNE. Icosandria Dodecagynia.							
	glabra. H.R. (st.)	smooth.	C. B. S.	1787.	7. 8.	G. ♂.	
<i>Mesembryanthemum glabrum.</i> H.S. non A.R.							
TETRAG'ONIA. W. TETRAG'ONIA. Icosandria Pentagynia. L.							
1	expansa. H.S. (gr.)	horned.	N. Zealand.	1772.	8. 9.	H. ♂.	DC. plant. gras. t. 114.
2	crystallina. H.S. (gr.)	diamond.	Peru.	1788.	6. 12.	H. ♂.	_____ t. 34.
3	echinata. H.S. (gr.)	hedgehog.	C. B. S.	1774.	5. 8.	G. ♂.	_____ t. 113.
4	hirsuta. DC. (gr.)	hairy.	_____	1823.	_____	G. ♂.	
5	fruticosa. H.S. (gr.)	shrubby.	_____	1712.	7. 9.	G. ♀.	Mill. ic. 2. t. 263. f. 2.
6	linearis. H.R. (gr.)	linear-leaved.	_____	1819.	9.	G. ♀.	
7	obovata. H.R. (gr.)	obovate-leaved.	_____	_____	_____	G. ♀.	
8	decumbens. H.S. (gr.)	trailing.	_____	1758.	7. 9.	G. ♀.	DC. plant. gras. t. 23.
9	Tetrápteris. H.S. (gr.)	wing-seeded.	_____	1795.	_____	G. ♀.	
10	spicata. H.S. (gr.)	spiked.	_____	_____	_____	G. ♀.	
11	herbacea. H.S. (gr.)	tuberous-rooted.	_____	1752.	6. 7.	G. ♀.	Comm. hort. 2. t. 102.
12	purpurea. Ot. (pu.)	purple.	_____	1825.	_____	H. ♂.	
SES'UVIUM. DC. SES'UVIUM. Icosandria Tri-Pentagynia.							
1	pedunculatum. P.S. (pu.)	peduncled.	W. Indies.	1692.	6. 8.	D.S. ♀.	Pluk. phyt. t. 216. f. 1.
2	sessile. P.S. (pu.)	sessile-flowered.	_____	_____	_____	D.S. ♀.	DC. plant. gras. t. 9.
<i>Aizoön canariense.</i> Andr. rep. t. 201. nec aliorum.							
3	longifolium. DC. (pu.)	long-leaved.	S. America.	1816.	7. 8.	D.S. ♀.	
4	revolutifolium. DC. (pu.)	revolute-leaved.	Cuba.	_____	_____	D.S. ♀.	Bot. mag. t. 1701.
5	repens. DC. (pu.)	creeping.	E. Indies.	1816.	_____	S. ♂.	Rumph. amb. 5. t. 72. f. 1.
6	microphyllum. DC. (pu.)	small-leaved.	Havannah.	1823.	_____	D.S. ♀.	
AIZO'ON. DC. AIZO'ON. Icosandria Pentagynia. L.							
1	canariense. DC. (ye.)	Purslane-leav'd.	Canaries.	1731.	7. 8.	D.G. ♀.	DC. plant. gras. t. 136.
2	glinoides. DC. (ro.)	hairy.	C. B. S.	1774.	6. 8.	D.G. ♀.	
3	hispanicum. DC. (wh.)	Spanish.	Spain.	1728.	7. 8.	H. ♂.	DC. plant. gras. t. 30.
4	tomentosum. DC. (ye.)	wooly.	C. B. S.	1824.	_____	D.G. ♀.	
5	stellatum. DC. (ye.)	starry.	_____	_____	_____	D.G. ♀.	
6	perfoliatum. DC. (ye.)	perfoliate.	_____	1816.	6. 8.	D.G. ♀.	
7	sarmentosum. DC. (ye.)	trailing.	_____	_____	_____	D.G. ♀.	Burm. afr. t. 26. f. 2.
8	lanceolatum. W. (ye.)	spear-leaved.	_____	1752.	8.	D.G. ♂.	
GLINUS. DC. GLINUS. Dodecandria Pentagynia. L.							
	lotoides. DC. (ye.)	hairy.	S. Europe.	1788.	7. 8.	H. ♂.	Bocc. sic. 21. t. 11.

## Tribus II. REAUMURIEÆ.

REAUMURIA. DC. REAUMURIA. Icosandria Pentagynia.							
1	vermiculata. DC. (wh.)	white-flowered.	Persia.	1829.	....	G. ♀.	Lob. ic. t. 380.

- 2 hypericoides. DC. (pu.) purple-flowered. Syria. 1800. 7. 10. G. ½. Bot. mag. t. 2057.  
*limifolia*. Sal. par. lond. t. 18.
- NITR'ARIA. DC. NITR'ARIA. Dodecandria Trigynia.
- 1 Schobèri. L. (wh.) thick-leaved. Siberia. 1778. 5. 8. H. ½. Andr. rep. t. 529.  
 2 sibíríca. F. (wh.) Siberian. 1826. .... H. ½. Gmel. sib. 2. t. 98.  
 3 cáspica. W.en. (wh.) Caspian. Caspia. 1822. 5. 8. H. ½. Pall. ross. t. 50. f. B.  
 4 tridentáta. DC. (wh.) tridentate. Africa. ——— H. ½.

## ORDO CIII.

## CACTEÆ. DC. prodr. v. 3. p. 457.

## Tribus I. OPUNTIACEÆ. DC. prodr. v. 3. p. 458.

- MAMMILL'ARIA. H.S. MAMMILL'ARIA. Icosandria Monogynia.
- 1 magnimámma. DC. (re.) large-beaded. Mexico. 1823. 6. 8. D.S. ½.  
 2 coronária. DC. (sc.) the great. ——— 1820. ——— D.S. ½.  
 3 discolor. DC. (wh.re.) two-coloured. S. America. 1800. ——— D.S. ½. Orteg. dec. t. 16.  
*Cactus Spinii*. Colla. depréssus. DC. cat. h. monsp. p. 84. *pseudo-mammillaris*. Salm Dyck.  
 4 lanífera. DC. (re.) wool-bearing. Mexico. 1823. 6. 8. D.S. ½. DC. diss. t. 4.  
 5 flavéscens. DC. (re.) yellow-spined. S. America. 1811. ——— D.S. ½.  
 6 stramínea. H.S.S. (re.) straw-coloured. ——— ——— D.S. ½.  
 7 prolífera. DC. (wh.) white-spined. ——— 1688. 7. 8. D.S. ½.  
 8 símplex. DC. (wh.) small red-spin'd. W. Indies. ——— D.S. ½. DC. plant. gras. t. 3.  
*Cactus mammillaris*. L.
- 9 missouriénsis. L.C. (wh.) Missouri. Missouri. 1813. 6. 8. D.G. ½.  
*Cactus mammillaris*. Nuttall. *nec aliorum*.
- 10 vivípara. DC. (re.) viviparous. ——— ——— D.G. ½.  
 11 parvimámma. DC. .... small-beaded. S. America. 1817. .... D.S. ½.  
*Cactus microthèle*. S.S.
- 12 geminispina. DC. (re.) twin-spined. Mexico. 1823. 6. 8. D.S. ½. DC. diss. t. 3.  
 13 glomeráta. DC. (re.) tufted. St. Domingo. 1825. .... D.S. ½. Plum. ed Bur. t. 201. f. 1.  
 14 pusílla. DC. (bh.) hoary starry. S. America. 1816. 6. 9. D.S. ½. DC. diss. t. 2. f. 1.  
*Cactus stellátus*. Lodd. bot. cab. t. 79.
- 15 Helicteres. DC. (ro.) simple obovate. Mexico. 1827. ——— D.S. ½. DC. diss. t. 5.  
 16 cónica. H.S.S. .... cone-beaded. .... 1808. .... D.S. ½.  
 17 coccínea. Gil. (sc.) scarlet-flower'd. Chile. 1827. .... D.S. ½.  
 18 speciósa. Gil. (re.) handsome. ——— .... D.S. ½.  
 19 fuscáta. Ot. .... brown. S. America. ——— .... D.S. ½.  
 20 canéscens. Ot. .... canescent. ——— .... D.S. ½.  
 21 cæspitósa. Ot. .... tufted. ——— .... D.S. ½.  
 22 chrysantha. Ot. (ye.) yellow-flowered. ——— .... D.S. ½.
- MELOCA'CTUS. DC. MELON THISTLE. Icosandria Monogynia.
- 1 commúnis. DC. (re.) Turk's-cap. W. Indies. 1688. 7. 8. D.S. ½. DC. plant. gras. t. 112.  
 β *oblóngus*. DC. (re.) *oblong*. ——— ——— D.S. ½.  
 γ *macrocéphalus*. *large-beaded*. ——— ——— D.S. ½.
- 2 macracánthus. DC. (re.) large-spined. S. America. 1820. ——— D.S. ½. Lk. et Ot. dis. t. 12.  
 3 pyramidális. DC. .... pyramidal. Curassao. 1824. .... D.S. ½. ——— p. 10. t. 25.  
 4 placentifórmis. DC. (re.) black-spined. Brazil. ——— 7. 9. D.S. ½. Besl. h. eyst. 4. ord. f. 1.  
*Cactus Melocactus*. Besl. non L. *Melocactus Bestèri*. Lk. et Ot. dis. p. 11. t. 21.
- 5 Langsdorfii. DC. (ye.) Langsdorf's. Brazil. 1826. 7. 9. D.S. ½.  
 6 Sellowii. DC. .... Sellow's. Monte Video. ——— .... D.S. ½. Lk. et Ot. dis. t. 22.  
 7 polyacánthus. DC. .... many-spined. Brazil. ——— .... D.S. ½. ——— p. 13. t. 16. f. 1.
- ECHINOCA'CTUS. DC. ECHINOCA'CTUS. Icosandria Monogynia.
- 1 gibbósus. DC. (wh.) gibbous. Jamaica. 1808. 6. 8. D.S. ½. Bot. reg. t. 137.  
*Cactus gibbósus*. B.R.
- 2 latispinus. H.P. (pu.) flat-spined. Mexico. 1823. .... D.S. ½. Lk. et Ot. dis. t. 14.  
*cornigerus*. DC. dis. t. 7?
- 3 crispátus. DC. (pu.) curl-ribbed. ——— 1826. .... D.S. ½. DC. diss. t. 8.  
 4 obvallátus. DC. (pu.) guarded. ——— .... D.S. ½. ——— t. 9.  
 5 tenuispinus. DC. (ye.) slender-spined. Brazil. ——— 6. 8. D.S. ½. Lk. et Ot. dis. t. 19. f. 1.  
 6 melocactifórmis. DC. (bh.) Melocactus-like. Mexico. ——— .... D.S. ½. DC. diss. t. 10.  
 7 tephracánthus. DC. .... ashy-spined. Brazil. 1825. .... D.S. ½. Lk. et Ot. dis. t. 14. f. 2.  
 8 recurvus. DC. .... recurve-spined. Mexico. 1768. .... D.S. ½.  
*Cactus nobilis*. L.

9	intortus. DC.	.... twisted.	Antigua.	1768.	....	D.S. ½.	
10	Salmianus. DC.	.... Salm-Dyck's.	Curassao.	1824.	....	D.S. ½.	
11	tuberculatus. DC.	.... tubercled.	Mexico.	1826.	....	D.S. ½.	Lk. et Ot. dis. t. 26.
12	gladiatus. DC.	.... sword-spined.	—	—	....	D.S. ½.	— p. 17. t. 17.
13	subuliferus. DC.	.... awl-spined.	—	1824.	....	D.S. ½.	— p. 16. t. 27.
14	depressus. DC.	.... depressed.	S. America.	1780.	....	D.S. ½.	
15	orthacanthus. DC.	.... straight-spined.	Monte Video.	1828.	....	D.G. ½.	Lk. et Ot. dis. t. 18.
16	acutus. DC.	.... sharp-ribbed.	—	—	....	D.G. ½.	— p. 15. t. 23.
17	parvispinus. DC.	.... small-spined.	S. America.	1815.	....	D.S. ½.	
18	intricatus. DC.	.... intricate.	Monte Video.	1828.	....	D.S. ½.	Lk. et Ot. dis. t. 24.
19	meonacanthus. DC.	.... oblong.	Jamaica.	....	....	D.S. ½.	— p. 19. t. 15.
20	inflatus. Gil.	.... inflated.	Chile.	1828.	....	D.S. ½.	
21	erinaceus. DC.	.... Hedgehog.	.....	1818.	....	D.S. ½.	
<i>Cactus erinaceus. H.S.s.</i>							
C'EREUS. DC.				C'EREUS. Icosandria Monogynia.			
1	multangularis. DC.	.... many angled.	S. America.	1815.	....	D.S. ½.	
2	reductus. DC.	.... removed.	Mexico.	1796.	....	D.S. ½.	
<i>Cactus nobilis. H.S.</i>							
3	Scopa. DC.	.... setaceous.	Brazil.	1826.	....	D.S. ½.	
4	senilis. DC.	.... grey-headed.	Mexico.	1823.	....	D.S. ½.	
<i>Cactus senilis. H.P.</i>							
5	peruvianus. DC.	(re.wh.) great Peruvian.	Peru.	1728.	8. 10.	D.S. ½.	DC. plant. gras. t. 58.
6	monstruosus. DC.	(re.wh.) irregular.	S. America.	1816.	—	D.S. ½.	DC. diss. t. 11.
<i>Cactus abnormis. W.enum. sup. 31.</i>							
7	monoclonos. DC.	(ro.wh.) obcordate-petal'd.	Caribees.	....	6. 8.	D.S. ½.	Plum. ed. Burm. t. 191.
8	fimbriatus. DC.	(ro.) fringe-petal'd.	St. Domingo.	1826.	—	D.S. ½.	— t. 195. f. 1.
9	hexagonus. H.S.	(ro.wh.) great 6-angled.	Surinam.	1690.	7. 8.	D.S. ½.	Great t. 1.
10	heptagonus. H.S.	(wh.) great 7-angled.	W. Indies.	1728.	—	D.S. ½.	
11	Histrix. DC.	.... Porcupine.	.....	1818.	....	D.S. ½.	
12	eburneus. DC.	.... ivory-thorned.	Curassao.	....	....	D.S. ½.	Bradl. succ. t. 10.
<i>β monstruosus. DC. .... monstrous.</i>							
<i>Hybrid. .... D.S. ½.</i>							
13	griseus. H.S.	(wh.) grey-spined.	S. America.	1809.	9. 10.	D.S. ½.	
14	crenulatus. DC.	.... crenulate.	—	1822.	....	D.S. ½.	
15	albispinus. DC.	.... white-spined.	—	—	....	D.S. ½.	
16	regalis. DC.	.... the royal.	—	1816.	....	D.S. ½.	
17	strictus. DC.	.... straight.	—	1822.	....	D.S. ½.	
18	Haworthii. DC.	.... Haworth's.	Caribees.	1811.	....	D.S. ½.	
<i>Cactus Haworthii. s.s. Cereus nobilis. H.S.</i>							
19	aureus. DC.	.... gold-spined.	S. America.	1825.	....	D.S. ½.	
20	niger. DC.	(wh.) black.	—	1820.	....	D.S. ½.	
21	fulvispinosus. DC.	.... tawny-spined.	—	1795.	....	D.S. ½.	
22	flavispinus. DC.	.... yellow-spined.	—	1822.	....	D.S. ½.	
23	chiloensis. DC.	.... ten-angled.	Chile.	1825.	....	D.S. ½.	
24	euphorbioides. DC.	.... Euphorbia-like.	S. America.	1815.	....	D.S. ½.	
25	Royeni. DC.	(wh.) Royen's 9-angled.	W. Indies.	1728.	6. 9.	D.S. ½.	DC. plant. gras. t. 143.
26	lanuginosus. DC.	(wh.) woolly.	—	1690.	7. 8.	D.S. ½.	Herm. parad. t. 115.
27	repandus. DC.	(wh.) waved short-spin'd.	—	1728.	8. 10.	D.S. ½.	Bot. reg. t. 336.
28	subrepandus. DC.	(wh.) waved long-spin'd.	—	1817.	—	D.S. ½.	
29	polygonus. DC.	(wh.) many-sided.	St. Domingo.	1826.	....	D.S. ½.	Plum. ed. Burm. t. 196.
30	rosaceus. Ot.	(ro.) rosy.	.....	1826.	....	D.S. ½.	
31	Deppii. Ot.	.... Deppi's.	.....	—	....	D.S. ½.	
32	incrustatus. Ot.	.... incrusted.	.....	—	....	D.S. ½.	
33	grandis. DC.	.... straddling-spin'd.	.....	1816.	....	D.S. ½.	
34	tetragonus. DC.	(wh.) great 4-angled.	S. America.	1710.	7. 8.	D.S. ½.	
35	paniculatus. DC.	(wh.re.) paniced.	St. Domingo.	1827.	....	D.S. ½.	Plum. ed. Burm. t. 192.
36	obtusus. DC.	.... blunt 3-angled.	Brazil.	1819.	....	D.S. ½.	
37	serpentinus. DC.	(pu.wh.) white-spined.	S. America.	1817.	7. 8.	D.S. ½.	Lk. et Ott. abb. t. 91.
38	ambiguus. DC.	(pu.wh.) ambiguous.	.....	1827.	—	D.S. ½.	
39	flagelliformis. DC.	(ro.) creeping.	Peru.	1690.	3. 6.	D.G. ½.	Bot. mag. f. 17.
40	caudatus. Gil.	.... tailed.	Chile.	1828.	....	D.G. ½.	
41	horizontalis. Gil.	.... horizontal.	—	—	....	D.G. ½.	
42	grandiflorus. DC.	(ye.wh.) night-flowered.	Jamaica.	1700.	6. 8.	D.S. ½.	Andr. reposit. t. 508.
43	Colvillii.	.... Colvill's hybrid.	Hybrid.	1825.	....	D.S. ½.	
44	pentagonus. DC.	(wh.) five-angled.	S. America.	1769.	7. 8.	D.S. ½.	
45	reptans. H.S.s.	.... creeping.	—	1813.	....	D.S. ½.	
46	albisetosus. H.S.s.	.... white-spin'd trail.	St. Domingo	1816.	....	D.S. ½.	
47	radicans. DC.	.... rooting-branch'd.	S. America.	1827.	....	D.S. ½.	
48	humilis. DC.	.... slender dwarf.	.....	—	....	D.S. ½.	
49	quadrangularis. DC.	(wh.) quadrangular.	S. America.	1809.	7. 9.	D.S. ½.	Plum. ed. Bur. t. 199. f. 1.

50	trípteris, DC.	.... broad-lobed.	.....	1827.	....	D.S. h̄.	
51	bifróns, H.S.s	.... roofing 4-angular.	St. Domingo.	1818.	....	D.S. h̄.	
52	speciosissimus, DC. (sc. pu.)	beautiful.	Mexico.	1816.	6. 9.	D.G. h̄.	Bot. reg. t. 486.
	<i>Cactus speciosissimus</i> , B.R.	<i>speciosus</i> .	Colla hort. rip. t. 10.				
53	trianguláris, DC. (wh.)	great triangular.	W. Indies.	1690.	7. 8.	D.S. h̄.	Bot. mag. t. 1884.
54	trigónus, DC. (wh.)	small triangular.	_____	1809.	—	D.S. h̄.	Plum. ed. Bur. t. 200. f. 2.
55	triquéter, DC.	.... least triangular.	S. America.	1794.	....	D.S. h̄.	
56	cocctneus, DC. (sc.)	scarlet-flowered.	Brazil.	1828.	....	D.S. h̄.	
57	Smithiánus, (sc.)	Smith's hybrid.	Hybrid.	1824.	6. 9.	D.G. h̄.	
58	exténsus, DC.	.... extended.	.....	1826.	....	D.S. h̄.	
59	squamulósus, DC. (ye.)	scaly.	Brazil.	—	....	D.S. h̄.	
60	prismáticus, DC.	.... prismatic.	.....	—	....	D.S. h̄.	
61	setáceus, DC.	.... bristly.	Brazil.	1828.	....	D.S. h̄.	
62	myosurús, DC.	.... mouse-tail.	_____	—	....	D.S. h̄.	
63	ténuis, DC. (ro.)	slender-branched.	_____	1826.	....	D.S. h̄.	
64	tenuispínus, H.P.	.... slender-spined.	Mexico.	—	....	D.S. h̄.	
65	phyllanthóides, DC. (pi.)	rosy-flowered.	_____	1816.	5. 8.	D.G. h̄.	Bot. mag. t. 2092.
	<i>Cactus speciosus</i> , Bot. reg. t. 304.	<i>Epiphyllum phyllanthoides</i> , H.R.					
66	Jenkinsóni, (sc.)	Mr. Jenkinson's Hybrid.	1824.	6. 9.	D.G. h̄.		
67	Ackermánni, H.R. (sc.)	Ackermann's.	Mexico.	1824.	5. 7.	D.G. h̄.	
68	truncátus, DC. (cr.)	truncated.	Brazil.	1818.	7. 11.	D.S. h̄.	Bot. reg. t. 696.
	<i>Cactus truncatus</i> , Bot. mag. t. 2092.	<i>Epiphyllum truncatum</i> , H.P.					
69	alátus, DC. (gr. wh.)	wing-stemmed.	Jamaica.	1818.	8. 11.	D.S. h̄.	Bot. mag. t. 2820.
70	Hookèri, H.P. (wh.)	Hooker's.	S. America.	....	7. 8.	D.S. h̄.	— t. 2692.
	<i>Cactus Phyllanthus</i> , B.M. nec <i>aliorum</i> .	<i>Epiphyllum Hookeri</i> , H.P.					
71	Phyllánthus, DC. (wh.)	long-tubed.	S. America.	1710.	6. 7.	D.S. h̄.	DC. plant. gras. t. 145.
72	grácilis, DC.	.... slender.	_____	1826.	....	D.S. h̄.	
73	imbricátus, H.S.	.... imbricated.	_____	1820.	....	D.S. h̄.	
74	cylíndricus, H.S.	.... cylindrical.	Peru.	1799.	....	D.G. h̄.	
OPUNTIA, DC. INDIAN-FIG, Icosandria Monogynia.							
1	foliósá, DC. (ye.)	greater Pin-pillow.	S. America.	1805.	6. 7.	D.S. h̄.	
	<i>pusilla</i> , H.S. non DC.						
2	curassávicá, DC. (ye.)	Pin-pillow.	Curassao.	1690.	—	D.S. h̄.	Bradl. succ. t. 4.
	<i>a major</i> , H.S. (ye.)	<i>larger</i> .	_____	—	—	D.S. h̄.	
	<i>β média</i> , H.S. (ye.)	<i>middle</i> .	_____	—	—	D.S. h̄.	
	<i>γ minor</i> , H.S. (ye.)	<i>smaller</i> .	_____	—	—	D.S. h̄.	
	<i>δ longa</i> , H.R. (ye.)	<i>longer</i> .	Brazil.	1820.	—	D.S. h̄.	
3	frágilis, DC. (ye.)	brittle Pin-pillow.	Missouri.	1814.	....	D.F. h̄.	
4	pusilla, DC. (ye.)	small Pin-pillow.	S. America.	1826.	....	D.S. h̄.	
5	polyacántha, H.S.s. (st.)	many-spined.	Missouri.	1814.	7. 9.	D.F. h̄.	
	<i>missouriensis</i> , DC. <i>Cactus feróx</i> , N.						
6	média, H.S.s. (ye.)	lesser many-spined.	_____	—	—	D.F. h̄.	
7	feróx, DC. (ye.)	ferocious.	S. America.	1817.	....	D.S. h̄.	
8	spinosíssima, DC.	.... cluster-spined.	Jamaica.	1732.	7.	D.S. h̄.	
9	húmilis, H.S. (ye.)	humble.	W. Indies.	1795.	7. 8.	D.S. h̄.	
	<i>hórrida</i> , DC.						
10	Dillèni, DC. (ye.)	Dillenius's.	S. America.	1731.	9. 10.	D.S. h̄.	Bot. reg. t. 255.
	<i>Cactus Dillèni</i> , B.R.	Dill. elth. 2. t. 296. f. 382.					
11	Túna, DC. (ye.)	yellow-spined.	_____	—	—	D.S. h̄.	Dill. elth. t. 295. f. 380.
12	polyántha, DC. (ye.)	many-flowered.	_____	1811.	7. 9.	D.S. h̄.	Bot. mag. t. 2691.
13	monacántha, DC. (ye.)	one-spined.	_____	1816.	—	D.S. h̄.	DC. pla. gras. n. 137. t. 2.
14	elátiór, DC. (ye.)	great black-spin'd.	_____	1731.	7. 8.	D.S. h̄.	Dill. elth. t. 204. f. 379.
15	núgricans, DC. (ye.)	lesser black-spined.	_____	1795.	—	D.S. h̄.	Bot. mag. t. 1557.
	<i>Cactus Túna y nigricans</i> , B.M.						
16	máxima, DC. (ye.)	great oblong.	S. America.	1768.	7. 9.	D.S. h̄.	
17	triacántha, DC. (ye.)	three-spined.	_____	1796.	—	D.S. h̄.	
18	decumána, H.R.	.... great.	_____	1820.	....	D.S. h̄.	
19	elongáta, H.S.s.	.... various-spined.	_____	1816.	....	D.S. h̄.	
20	cochinillífera, DC. (re.)	Cochineal-fig.	_____	1688.	7. 9.	D.S. h̄.	Andr. rep. t. 523.
	<i>Cactus cochinillífer</i> , Bot. mag. t. 2741-2742.						
21	Ficus-Índicá, DC. (ye.)	Indian Fig.	_____	1731.	7. 8.	D.S. h̄.	
22	pseudó-Túna, DC. (ye.)	bastard.	_____	....	....	D.S. h̄.	
23	tomentósá, DC.	.... woolly-branch'd.	_____	1824.	....	D.S. h̄.	
24	seríceá, Gil.	.... silky.	Chile.	1827.	....	D.S. h̄.	
25	lanceoláta, DC. (ye.)	spear-shaped.	_____	1796.	7. 9.	D.S. h̄.	
26	tuberculáta, DC. (ye.)	tubercled.	_____	1818.	—	D.S. h̄.	
27	inérmis, DC. (ye.)	upright spineless.	_____	1796.	—	D.S. h̄.	DC. plant. gras. n. 138. ic.
	<i>stricta</i> , H.S.						
28	Amycl'ea, DC. (ye.)	Neapolitan.	Naples.	1825.	—	D.F. h̄.	

29	subinermis. L.en.	(ye.)	nearly smooth	S. America.	1824.	7. 9.	D.S. h̄.	
30	rubescens. DC.	...	red-stemmed.	Brazil.	1828.	...	D.S. h̄.	
31	crassa. DC.	(ye.)	thick-lobed.	Mexico.	1817.	6. 9.	D.G. h̄.	
32	longispina. Ot.	(ye.)	long-spined.	S. America.	1824.	...	D.S. h̄.	
33	leucantha. Ot.	(wh.)	white-flowered.	—————	—————	...	D.S. h̄.	
34	pulvinata. DC.	...	pulvinate.	Mexico.	1827.	...	D.S. h̄.	
35	Hernandésii. DC.	(re.)	Hernandez's.	—————	—————	...	D.G. h̄.	Hern. mex. 78. ic.
36	vulgaris. DC.	(ye.)	common.	America.	1596.	7. 9.	D.F. h̄.	Mill. dict. t. 191.
	<i>Cactus Opuntia.</i>	Bot. mag. t. 2393.						
	<i>β minor.</i>	(ye.)	lesser.	N. America.	1814.	—	D.F. h̄.	
	<i>Cactus Opuntia. N.</i>							
37	brasilienſis. DC.	(gr.)	round-stemm'd.	Brazil.	1817.	...	D.S. h̄.	Pis. bras. p. 100. f. 2.
	PERE'SKIA. DC.		PERE'SKIA. Icosandria Monogynia.					
1	aculeata. DC.	(wh.)	Barbadoes Gooseb'y.	W. Indies.	1696.	10. 11.	S. h̄.	Dill. elth. t. 227. f. 294.
	<i>Cactus Pereskia. L.</i>							
2	longispina. H. s. s.	(wh.)	long-spined.	S. America.	1808.	...	S. h̄.	
3	portulacæfolia. DC.	(pu.)	Purslane-leav'd.	W. Indies.	1820.	...	S. h̄.	Plum. ed Bur. t. 197. f. 1.
4	grandifolia. DC.	...	great-leaved.	Brazil.	1818.	...	S. h̄.	

## Tribus II. RHIPSALIDEÆ. DC. prodr. v. 3. p. 475.

## RHIPSALIS. DC. RHIPS'ALIS. Dodecandria Monogynia.

1	Cass'ytha. DC.	(wh.)	pendulous.	W. Indies.	1758.	7. 10.	S. h̄.	Gært. sem. 1. t. 28. f. 1.
2	Hookeriāna. DC.	(wh.)	four-petal'd.	—————	....	—	S. h̄.	Hook. ex. flor. t. 2.
3	fasciculata. DC.	(wh.)	cluster-branch'd.	S. America.	1800.	—	S. h̄.	
4	parasitica. DC.	(wh.)	parasitical.	W. Indies.	—	—	S. h̄.	Plum. ed Bur. t. 197. f. 2.
5	funalis. DC.	(wh.)	great-flowered.	S. America.	1816.	7. 8.	S. h̄.	Bot. mag. t. 2740.
	<i>grandiflorus. B.M.</i>		<i>Cactus funalis. s.s.</i>					
6	salicornioides. DC.	(ye.)	Glass-wort-like.	W. Indies.	1818.	5. 8.	D.S. h̄.	Bot. mag. t. 2461.
7	mesembryanthoides. DC.		Fig Marygold-like.	—————	—	—	D.S. h̄.	

## ORDO CIV.

## GROSSULARIÆ. DC. prodr. v. 3. p. 477.

## RIBES. DC. CURRANT. Pentandria Monogynia. L.

1	oxyacanthoides. DC.	(st.)	Hawthorn-leav'd.	N. America.	1705.	4. 5.	H. h̄.	Dill. elth. t. 139. f. 166.
2	ferox. DC.	(st.)	ferocious.	California.	1827.	—	H. h̄.	
3	lacustre. DC.	(br.)	swamp.	N. America.	1812.	—	H. h̄.	Lodd. bot. cab. t. 884.
4	Menziesii. DC.	(cr.)	Menzies'.	—————	1827.	—	H. h̄.	
5	speciosum. DC.	(pu.)	beautiful.	—————	—	—	H. h̄.	
6	uva-crispa. R. S.	(st.)	smooth Gooseberry.	England.	...	—	H. h̄.	Eng. bot. v. 29. t. 2057.
7	reclinatum. R. S.	(st.)	procumbent.	Germany.	1683.	—	H. h̄.	
8	Grossularia. R. S.	(st.)	rough Gooseberry.	England.	...	—	H. h̄.	Eng. bot. v. 12. t. 1292.
9	caucasicum. DC.	(st.)	Caucasian.	Caucasus.	1820.	—	H. h̄.	
10	setosum. B. R.	(st.)	bristly.	Missouri.	1827.	5.	H. h̄.	Bot. reg. t. 1237.
11	hirtellum. DC.	(st.)	hairy.	N. America.	1812.	4. 5.	H. h̄.	
12	gracile. DC.	(st.)	slender.	—————	—	—	H. h̄.	
13	Cynosbati. DC.	(gr.)	prickly-fruited.	Canada.	1759.	4.	H. h̄.	Schmidt arb. t. 98.
14	triflorum. DC.	(br.)	three-flowered.	N. America.	1812.	4. 5.	H. h̄.	Lodd. bot. cab. t. 1094.
15	Dikuscha. F.	(st.)	Fischer's.	Siberia.	1821.	—	H. h̄.	
16	Stakôri. F.	(st.)	Siberian.	—————	—	—	H. h̄.	
17	orientale. DC.	(st.)	oriental.	Syria.	1820.	—	H. h̄.	
18	saxatile. DC.	(br.)	rock.	Siberia.	1828.	—	H. h̄.	
19	diacantha. DC.	(st.)	two-spined.	—————	1781.	5. 6.	H. h̄.	Pall. ross. 2. t. 66.
20	alpinum. DC.	(st.)	Alpine.	Britain.	...	4. 5.	H. h̄.	Eng. bot. v. 10. t. 704.
	<i>α sterile. DC.</i>	(st.)	barren.	—————	....	—	H. h̄.	
	<i>β bacciferum. DC.</i>	(st.)	berry-bearing.	—————	....	—	H. h̄.	
21	resinosum. DC.	(st.)	clammy.	N. America.	1800.	—	H. h̄.	Bot. mag. t. 1583.
22	procumbens. DC.	(br.)	trailing.	Dahuria.	1804.	5. 6.	H. h̄.	Pall. ross. 2. t. 65.
23	multiflorum. DC.	(st.)	many-flowered.	Hungary.	1818.	5.	H. h̄.	Bot. mag. t. 2368.
24	spicatum. DC.	(br.)	acid.	England.	....	—	H. h̄.	Eng. bot. v. 18. t. 1290.

25	rùbrum. DC.	(st.) common red.	Britain.	....	4. 5.	H. h.	Eng. bot. v. 18. t. 1289.
	<i>a sylvéstre</i> . DC.	(st.) wild.	————	....	—	H. h.	
	$\beta$ horténse. DC.	(st.) cultivated.	.....	....	—	H. h.	
	$\gamma$ cárneum. DC.	(st.) pale-fruited.	.....	....	—	H. h.	
	$\delta$ variegàtum. DC.	(st.) stripe-fruited.	.....	....	—	H. h.	
	$\epsilon$ álbum. DC.	(st.) white-fruited.	.....	....	—	H. h.	Berl. mem. t. 2. f. 15.
26	petræum. DC.	(re.) rock.	England.	....	5. 6.	H. h.	Eng. bot. v. 10. t. 705.
27	cæreum. B.R.	(wh.) waxy.	Columbia.	1827.	4. 5.	H. h.	Bot. reg. t. 1263.
28	atropurpùreum. Led.	dark-purple.	Siberia.	—	....	H. h.	
29	carpáthicum. R.S.	(st.) Carpathian.	Carpathian.M.	1816.	4. 5.	H. h.	
30	tríste. DC.	(re.ye.) dark-coloured.	Siberia.	1818.	—	H. h.	
31	nigrum. DC.	(wh.) black-fruited.	Britain.	....	—	H. h.	Eng. bot. v. 18. t. 1291.
32	trífidum. DC.	(st.) trifid-calyxed.	N. America.	1828.	—	H. h.	
33	glandulòsum. DC.	(st.) glandular.	Chile.	1820.	5. 6.	H. h.	Flor. per. t. 232. f. b.
34	prostràtum. DC.	(pu.) prostrate.	N. America.	1777.	4. 5.	H. h.	L'Herit. stirp. 1. t. 2.
	<i>glandulòsum</i> . H.K.	non R.P.					
35	Biebersteini. DC.	(st.) Bieberstein's.	Caucasus.	1820.	—	H. h.	
	<i>caucásicum</i> . M.B.	nec aliorum.					
36	rigens. DC.	(st.) rigid.	N. America.	1812.	—	H. h.	
37	albinerviùm. DC.	(st.) white-nerved.	Canada.	1828.	—	H. h.	
38	laxiflòrum. DC.	(st.) loose-flowered.	N. America.	1812.	—	H. h.	
39	viscosissimum. DC.	(ye.) viscous.	————	1827.	—	H. h.	
40	sanguineum. DC.	(cr.) crimson.	————	1820.	5. 6.	H. h.	
41	flòridum. DC.	(st.) Pensylvanian.	————	1729.	4. 5.	H. h.	Dill. elth. t. 244. f. 315.
42	aùreum. DC.	(ye.) golden.	Missouri.	1812.	4. 6.	H. h.	Bot. reg. t. 125.
43	longiflòrum. L.C.	(ye.) long-flowered.	N. America.	1818.	—	H. h.	
44	tenuiflòrum. B.R.	(ye.) slender-flower'd.	————	1824.	—	H. h.	Bot. reg. t. 1274.
	<i>a melanocárpa</i> .	(ye.) black-fruited.	————	—	—	H. h.	
	$\beta$ chrysocárpa.	(ye.) yellow-fruited.	————	—	—	H. h.	

## ORDO CV.

ESCALLONEÆ. *Kth. synopsis. v. 3. p. 364.*

ESCALL'ONIA. L.	ESCALL'ONIA.	Pentandria Monogynia.	L.				
1	rùbra. R.S.	(re.) red-flowered.	Chile.	1826.	8. 10.	G. h.	Bot. mag. t. 2890.
	<i>Stereáxylon rùbrum</i> .		Flor. per. v. 3. t. 236.	f. b.			
2	glandulòsa. B.C.	(wh.) glandular.	Chile.	—	—	G. h.	Lodd. bot. cab. t. 1291.
3	floribànda. K.S.	(wh.) many-flowered.	New Granada.	1827.	....	G. h.	
4	caracasàna. K.S.	(wh.) Caracas.	Caracas.	—	—	S. h.	
ANO'PTERUS. B.P.	ANO'PTERUS.	Hexandria Monogynia.					
	glandulòsa. B.P.	(wh.) glandular.	V. Diem. Isl.	1823.	....	G. h.	Lab. nov. holl. 1. t. 112.

## ORDO CVI.

SAXIFRAGEÆ. *Juss. gen. 308.*

SAXIFRAGA. L.	SAXIFRAGE.	Decandria Digynia.	L.				
1	crassifòlia. L.T.	(ro.) thick-leaved.	Siberia.	1765.	3. 5.	H. y.	Bot. mag. t. 126.
	<i>Bergènia crassifòlia</i> .		Mæn. <i>Megàsea crassifòlia</i> .	H.R.			
2	cordifòlia. L.T.	(ro.) heart-leaved.	————	1779.	—	H. y.	
3	mèdia.	(ro.) intermediate.	————	1819.	—	H. y.	
	<i>Megàsea mèdia</i> .		H.R.				
4	ligulàta. L.T.	(wh.) fringed-leaved.	Nepaul.	1818.	—	H. y.	Swt. br. fl. gar. 59.
	<i>Megàsea ciliàta</i> .		H.R.				
5	Gèum. L.T.	(sp.) kidney-leaved.	Ireland.	....	6. 7.	H. y.	Eng. bot. v. 22. t. 1561.
6	hirsùta. L.T.	(sp.) hirsute.	————	....	5. 6.	H. y.	— v. 33. t. 2322.
7	polita. L.en.	(sp.) polished.	————	....	—	H. y.	
	<i>Robertsònia polita</i> .		H.S.				

8	dentata. L.en. (sp.) toothed.	Ireland.	....	5. 6.	H. ♀.	
	<i>Robertsònia dentata</i> . H.s.					
9	crenata. (sp.) crenated.	.....	1790.	—	H. ♀.	
	<i>Robertsònia crenata</i> . H.s.					
10	sphæroidea. (sp.) sphæroid.	Pyrenees?	1800.	—	H. ♀.	
	<i>Robertsònia sphæroidea</i> . H.s.					
11	punctata. L. (sp.) dotted-flower'd.	Siberia.	1699.	—	H. ♀.	
12	serrata. L.en. (sp.) sawed-leaved.	Ireland.	....	—	H. ♀.	
	<i>Robertsònia serrata</i> . H.s.					
13	umbròsa. L.T. (sp.) London pride.	Britain.	....	4. 6.	H. ♀.	Eng. bot. v. 10. t. 633.
14	cuneifolia. L.T. (sp.) wedge-leaved.	Switzerland.	1768.	5. 6.	H. ♀.	W. et K. hung. 1. t. 44.
15	hybrida. L.en. (sp.) hybrid.	.....	1820.	—	H. ♀.	Sternb. sax. 17. t. 8. f.3.
16	stellaris. L.T. (wh.) starry.	Britain.	....	6. 7.	H. ♀.	Eng. bot. v. 3. t. 167.
	♂ <i>Schleichèri</i> . L.T. (wh.) <i>Schleicher's</i> .	Switzerland.	1819.	—	H. ♀.	
	<i>Spatulària stellaris</i> . γ <i>depilata</i> . H.R.					
17	leucanthemifolia. (wh.) Stock-leav'd.	N. America.	1812.	—	H. ♀.	Lap. pyr. sax. t. 25.
18	sarmentosa. L.T. (wh.) sarmentosa.	China.	1771.	—	F. ♀.	Bot. mag. t. 92.
	<i>Diptera sarmentosa</i> . Bork. <i>Ligulària sarmentosa</i> . H.R.					
19	cuscutaformis. B.C. (wh.) dodder-like.	China.	1815.	2. 7.	F. ♀.	Lodd. bot. cab. t. 186.
	<i>Ligulària minor</i> . H.R.					
20	erosa. L.T. (wh.) jagged-leaved.	N. America.	1812.	5. 6.	H. ♀.	
	<i>Aulàxis nuda</i> . H.R.					
	β <i>hirsuta</i> . L.T. (wh.) <i>hairy</i> .	—	—	—	H. ♀.	
	<i>Aulàxis micranthifolia</i> . H.R.					
21	rotundifolia. L.T. (wh.) round-leaved.	Austria.	1596.	—	H. ♀.	Bot. mag. t. 424.
	<i>Miscopétalum rotundifolium</i> . H.R.					
	β <i>repanda</i> . L.T. (wh.) <i>repand</i> .	—	....	—	H. ♀.	Sternb. saxif. t. 5.
22	granulata. L.T. (wh.) grain-rooted.	Britain.	....	5.	H. ♀.	Eng. bot. v. 7. t. 500.
	β <i>multiplèx</i> . (wh.) <i>double-flowered</i> .	—	....	—	H. ♀.	
23	bulbifera. L.T. (wh.) bulbiferous.	S. Europe.	....	6. 7.	H. ♀.	Sternb. sax. t. 12. f. 1.
24	cérnua. L.T. (wh.) drooping.	Scotland.	....	7.	H. ♀.	Eng. bot. v. 10. t. 66
	<i>Lobària cérnua</i> . H.R.					
25	sibírica. L.T. (wh.) Siberian.	Siberia.	1802.	5. 6.	H. ♀.	Sternb. sax. p. 23. t. 25.
26	rivulàris. L.T. (wh.) Alpine brook.	Scotland.	....	6. 7.	H. ○.	Eng. bot. v. 32. t. 2275.
	<i>Lobària rivulàris</i> . H.R.					
27	hederacea. L.T. (wh.) Ivy-leaved.	Levant.	1752.	7.	H. ○.	Flor. græc. t. 379.
28	Hirculus. L.T. (ye.) yellow marsh.	England.	....	8.	H. ♀.	Eng. bot. v. 15. t. 1009.
	<i>Hirculus ranunculoïdes</i> . H.R.					
29	flagellàris. L.T. (ye.) flagelliferous.	Baffin's Bay.	1820.	—	H. ♀.	Sternb. sax. p. 25. t. 6.
30	aizoides. L.T. (ye.) smaller mountain.	Britain.	....	7. 8.	H. ♀.	— t. 8. f. 1.
	β <i>autumnalis</i> . (ye.) <i>larger mountain</i> .	—	....	—	H. ♀.	Eng. bot. v. 1. t. 39.
	<i>Lèptæsa aizoides</i> . H.R.					
31	bronchiàlis. L.T. (st.) spiny-fringed.	Siberia.	1819.	—	H. ♀.	Gmel. sib. 4. t. 65. f. 2.
32	tenella. L.T. (wh.) slender.	Carinthia.	1824.	—	H. ♀.	Jacq. coll. 3. t. 17.
33	juniperina. L.T. (ye.) Juniper-like.	Caucasus.	1826.	—	H. ♀.	Sternb. sax. p. 31. t. 10.
34	áspera. L.T. (st.) rough.	Switzerland.	1752.	8.	H. ♀.	Jacq. aust. 5. t. 31.
	<i>Ciliària áspera</i> . H.R.					
35	bryoides. L.T. (st.) thread-moss like.	—	—	6. 7.	H. ♀.	Jacq. misc. 2. t. 5. f. 1.
36	hieracifolia. L.T. (br.) Hawkweed-ld.	Hungary.	1789.	5. 6.	H. ♀.	W. et K. hung. 1. t. 18.
37	pensylvànica. L.T. (gr.) Pennsylvania.	N. America.	1732.	—	H. ♀.	Dill. elt. t. 253. f. 328.
	β <i>glàbra</i> . (gr.) <i>smoother-leaved</i> .	—	—	—	H. ♀.	
38	semipubescens. L.T. (st.) semipubescent.	—	....	—	H. ♀.	
	<i>Micranthes semipubescens</i> . H.s.					
39	virginiénsis. L.T. (wh.) Virginian.	—	1790.	5. 7.	H. ♀.	Bot. mag. t. 1664.
	<i>Dermàsea pilòsa</i> . H.R.					
40	congستا. H.S.L. (wh.) close-headed.	—	1812.	—	H. ♀.	
	<i>nivàlis</i> . Ph. <i>nec aliorum</i> .					
41	nivàlis. L.T. (wh.) clustered Alpine.	Britain.	....	6. 7.	H. ♀.	Eng. bot. v. 7. t. 440.
	<i>Dermàsea nivàlis</i> . H.R.					
42	melaleuca. s.s. (wh.) Fischer's.	Siberia.	1826.	—	H. ♀.	
43	longiscàpa. L.T. (wh.) long-scaped.	—	1824.	5. 7.	H. ♀.	
44	davurica. L.T. (wh.) Davurian.	Davuria.	—	—	H. ♀.	
45	Cotyledon. L.T. (wh.) pyramidal.	Alps Europe.	1596.	5. 7.	H. ♀.	Flor. dan. t. 241.
	<i>Chondròsea pyramidalis</i> . H.R.					
46	intermèdia. (wh.) related.	.....	1808.	7.	H. ♀.	
	<i>Chondròsea intermèdia</i> . H.R.					
47	lingulata. L.T. (sp.) tongue-leaved.	Pyrenees.	....	5. 7.	H. ♀.	
	<i>longifolia</i> . s.s.					
	β <i>mèdia</i> . L.T. (sp.) <i>middle</i> .	—	....	—	H. ♀.	Sternb. sax. p. 1. t. 1. a.

48	crustata. L.en.	(sp.) crusted.	Pyrenees.	....	5. 7.	H. 2.	Sternb. sax. t. 1. b.
49	Aizoön. L.T.	(sp.) large margined.	_____	1731.	—	H. 2.	Jacq. aust. t. 438.
50	récta. P.S.	(sp.) straight-leaved.	Alps Europe.	....	—	H. 2.	Lap. pyr. sax. t. 15.
	intácta. L.T. W. hort. ber. 2. t. 75.	<i>Chondrøsea Aizoön.</i>	H.R.	_____	—	H. 2.	
	β minor. H.R.	(sp.) lesser.	Alps Europe.	....	—	H. 2.	
	γ parviflòs. H.R.	(sp.) smaller-flowered.	_____	....	—	H. 2.	
51	mutàta. L.T.	(ye.) saffron-colour'd.	Switzerland.	1779.	6. 7.	H. 2.	Bot. mag. t. 351.
52	aretioídes. L.T.	(ye.) Aretia-like.	_____	1825.	—	H. 2.	Lap. pyr. sax. t. 13.
53	Burseriàna. L.T.	(st.) Burser's.	Italy.	—	5. 6.	H. 2.	Jacq. misc. 1. t. 17. f. 3.
54	retùsa. L.T.	(ro.) purple-flower'd.	Pyrenees.	....	3. 4.	H. 2.	Lap. pyr. sax. t. 18.
55	oppositifòlia. L.T.	(re.) opposite-leaved.	Britain.	....	—	H. 2.	Eng. bot. v. 1. t. 9.
	<i>Antiphy'lla cærùlea.</i>	H.R.	_____	_____	—	H. 2.	
56	biflòra. L.T.	(re.) two-fl'd purple.	Switzerland.	1825.	—	H. 2.	Lap. pyr. sax. t. 17.
57	cæsia. L.T.	(st.) grey.	_____	1752.	5. 6.	H. 2.	Jacq. aust. 4. t. 374.
58	diapsensioídes. L.T.	(wh.) Diapsensia-like.	_____	1828.	—	H. 2.	Flor. ped. app. p. 21. t. 3.
59	compácta. s.s.	(wh.) compact.	_____	_____	—	H. 2.	
60	androsàcea. L.T.	(wh.) Androsace-leav'd.	_____	1792.	—	H. 2.	Jacq. aust. 4. t. 389.
61	sedioídes. L.T.	(st.) Stoncrop-like.	Europe.	1825.	—	H. 2.	Jacq. misc. 2. t. 21. f. 22.
62	ténera. L.T.	(st.) flat-leaved.	Switzerland.	—	5. 6.	H. 2.	Sternb. sax. t. 9. f. 4.
	<i>planifòlia.</i>	s.s.	_____	_____	—	H. 2.	
63	geranióides. L.S.	(wh.) cranesbill-leav'd.	Pyrenees.	1770.	4. 5.	H. 2.	Lap. pyr. sax. t. 43.
64	irrigua. L.T.	(wh.) crowfoot-leav'd.	Siberia.	1820.	—	H. 2.	M.B. cent. pl. rar. t. 73.
65	pedatifida. L.T.	(wh.) pedatifid.	Scotland.	....	5. 6.	H. 2.	Eng. bot. v. 32. t. 2278.
	β minor. H.R.	(wh.) smaller villous.	_____	....	—	H. 2.	
	γ ladanífera. L.T.	(wh.) ladaniferous.	Pyrenees.	....	—	H. 2.	Lap. sax. pyr. t. 42.
66	quinquéfida. H.R.	(wh.) quinquefid.	Scotland.	....	—	H. 2.	
67	ceratophy'lla. L.T.	(wh.) shaming-calyx'd.	Spain.	1804.	—	H. 2.	Bot. mag. t. 1651.
68	ajugifòlia. L.T.	(wh.) Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. 2.	Lap. pyr. sax. t. 31.
69	affínis. L.T.	(wh.) affined.	Ireland.	....	—	H. 2.	
70	pentadàctyla. L.T.	(wh.) five-fingered.	Pyrenees.	1815.	5. 6.	H. 2.	Lap. pyr. sax. t. 40.
71	latífida. L.T.	(wh.) broad-cleft.	Spain.	1826.	—	H. 2.	
72	decipiens. L.T.	(wh.) palmate.	Wales.	....	—	H. 2.	Sternb. sax. p. 55. t. 23.
	<i>palvàta.</i>	Eng. bot. v. 7. t. 455.	<i>cæspitòsa.</i>	Flor. dan. t. 71.	—	H. 2.	
73	hírta. L.T.	(wh.) hairy.	Ireland.	....	—	H. 2.	Eng. bot. v. 32. t. 2291.
74	platypétala. L.T.	(wh.) broad-petaled.	Scotland.	....	6.	H. 2.	— v. 32. t. 2276.
75	Schraderi. s.s.	(wh.) Schrader's.	Siberia.	1826.	—	H. 2.	
76	incurvífòlia. L.T.	(wh.) incurved-leav'd.	Ireland.	....	—	H. 2.	
77	denudàta. L.T.	(wh.) half-naked.	Scotland.	....	—	H. 2.	
78	Sternbérgii. L.T.	(wh.) Sternberg's.	Germany.	....	5. 6.	H. 2.	Sternb. sax. t. 24.
79	pulchélla. L.T.	(st.) pretty.	_____	1818.	—	H. 2.	
80	tridentàta. L.T.	(wh.) three-toothed.	.....	....	—	H. 2.	
81	cæspitòsa. L.T.	(st.) tufted.	Wales.	....	—	H. 2.	Eng. bot. v. 12. t. 794.
82	exaràta. L.T.	(wh.) furrowed.	Pyrenees.	1818.	—	H. 2.	Vill. delph. 4. t. 45.
	<i>nervòsa.</i>	Lap. pyr. sax. t. 39.	_____	_____	—	H. 2.	
83	pedemontàna. L.T.	(wh.) Piedmont.	Piedmont.	1824.	—	H. 2.	All. ped. t. 21. f. 6.
	<i>cymòsa.</i>	Pl. rar. hung. t. 88.	<i>heterophy'lla.</i>	Sternb. sax. t. 20. f. 1-2.	—	H. 2.	
84	moschàta. L.T.	(ye.) musky.	Piedmont.	....	5. 6.	H. 2.	Jacq. misc. 2. t. 21. f. 2.
85	muscoídes. L.T.	(st.) Moss-like.	England.	....	—	H. 2.	Lap. pyr. sax. t. 35.
	<i>Muscària muscoídes.</i>	H.R.	_____	_____	—	H. 2.	
86	pygm'æa. L.T.	(st.) pigmy.	Scotland.	....	—	H. 2.	Eng. bot. v. 33. t. 2214.
	<i>moschàta.</i>	E.B. non Jacq.	<i>Muscària cæspitòsa.</i>	H.R.	—	H. 2.	
87	tridactylites. E.B.	(bh.) Rue-leaved.	Britain.	....	3. 5.	H. 2.	Eng. bot. v. 7. t. 501.
	<i>Tridactylites ànnua.</i>	H.R.	_____	_____	—	H. 2.	
88	controvérsa. s.s.	(wh.) confused.	N. Europe.	....	—	H. 2.	Sternb. sax. t. 16.
89	petr'æa. L.T.	(wh.) rock.	Carinthia.	1752.	4. 5.	H. 2.	Jacq. ic. 1. t. 81.
90	adscéndens. L.T.	(wh.) ascending.	Pyrenees.	—	5. 6.	H. 2.	Sternb. sax. t. 19. f. 1. 2.
	<i>aquática.</i>	Lap. pyr. sax. t. 28.	_____	_____	—	H. 2.	
91	hypnoídes. L.T.	(wh.) mossy.	Britain.	....	4. 6.	H. 2.	Eng. bot. v. 7. t. 454.
	β viscòsa. L.T.	(wh.) viscous.	_____	....	—	H. 2.	
	γ angustifòlia. L.T.	(wh.) narrow-leaved.	_____	....	—	H. 2.	
	δ viscòsa. L.T.	(wh.) tufted.	_____	....	—	H. 2.	
	ε pulchélla. L.T.	(wh.) larger.	_____	....	—	H. 2.	
	ζ spatulàta. H.R.	(wh.) spatulate.	_____	....	—	H. 2.	
	η latífida. H.R.	(wh.) broad-cleft.	_____	....	—	H. 2.	
	θ rhodopétala. H.R.	(bh.) rosy-petaled.	_____	....	—	H. 2.	
	ι recúrcula. H.R.	(wh.) recurving-cup'd.	_____	....	—	H. 2.	
	κ aristàta. H.R.	(wh.) awned.	_____	....	—	H. 2.	
	λ septífida. H.R.	(wh.) seven-cleft.	_____	....	—	H. 2.	
92	condensàta. L.T.	(wh.) close.	Scotland.	....	—	H. 2.	Gmel. fl. bad. t. 3.

93	clongélla. L.T.	(wh.) long peduncled.	Scotland.	....	5. 6.	H. 2.	Eng. bot. v. 32. t. 2277.
94	leptophýlla. L.T.	(wh.) narrow-leaved.	Wales.	....	—	H. 2.	
	<i>β angustifida.</i> L.T.	(wh.) narrow-lobed.	—	....	—	H. 2.	
95	latevirens. L.T.	(wh.) light-green.	Scotland.	....	—	H. 2.	
96	lanceolàta. H.R.	(wh.) spear-leaved.	Europe.	1808.	—	H. 2.	
	<i>obtusa.</i> H.R.	(wh.) blunt-leaved.	—	1820.	—	H. 2.	
97	altífida. H.R.	(wh.) deep-cleft.	—	....	—	H. 2.	
98	viscòsa. H.R.	(wh.) viscous.	—	....	—	H. 2.	
99	quinquedèns. H.R.	(wh.) five-toothed.	—	....	—	H. 2.	
100	Hawóρθii. H.S.L.	(wh.) Haworth's.	—	....	—	H. 2.	
	<i>hirta.</i> H.R. non E.B.						
101	æstivàlis. F.	(wh.) summer.	Altay.	1821.	5. 7.	H. 2.	
HEUCH'ERA. L.	ALLUM-ROOT.		Pentandria Digynia.	L.			
1	americàna. L.	(gr.) viscid.	N. America.	1656.	5. 7.	H. 2.	Schkuhr hand. t. 58.
	<i>viscida.</i> Ph.						
2	pubescens. Ph.	(bh.) pubescent.	—	1812.	—	H. 2.	
3	hispida. Ph.	(gr.) hispid.	—	1820.	—	H. 2.	
4	villòsa. M.	(gr.) villous.	—	1812.	—	H. 2.	
5	caulescens. Ph.	(wh.) caulescent.	—	....	—	H. 2.	
6	glàbra. R.S.	(gr.) smooth.	Altay.	1827.	—	H. 2.	
TIARE'LLA. L.	TIARE'LLA.		Decandria Digynia.	L.			
1	cordifolia. Ph.	(wh.) heart-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. mag. t. 1589.
2	Menziesii. Ph.	(wh.) leafy-stemmed.	—	1812.	—	H. 2.	
3	trifoliàta. Ph.	(wh.) three-leaved.	N. America.	1826.	—	H. 2.	
4	polyphýlla. D.P.	(wh.) many-leaved.	Nepaul.	1818.	—	H. 2.	
ASTI'LBE. D.P.	ASTI'LBE.		Oct-Decandria Digynia.				
1	decàndra. D.P.	(st.) decandrous.	Carolina.	1812.	5. 6.	F. 2.	Vent. malm. t. 54.
	<i>Tiarélla biternàta.</i> v.						
2	rivulàris. D.P.	(st.) rivulet.	Nepaul.	1825.	—	H. 2.	
TELL'IMA. B.	TELL'IMA.		Decandria Digynia.				
	<i>grandiflora.</i> B.R. (st. re.)	large-flowered.	N. America.	1826.	4. 5.	H. 2.	Bot. reg. t. 1178.
	<i>Mitèlla grandiflora.</i> Ph.						
MITE'LLA. L.	MITE'LLA.		Decandria Digynia.	L.			
1	diphy'lla. w.	(wh.) two-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. reg. t. 166
2	cordifolia. w.	(wh.) heart-leaved.	—	1812.	—	H. 2.	Lam. ill. t. 373. f. 3.
3	renifórmis. Ph.	(wh.) kidney-leaved.	—	1758.	6. 8.	H. 2.	— t. 373. f. 2.
	<i>nuda.</i> w.						
4	prostràta. M.	(wh.) prostrate.	—	1812.	5. 6.	H. 2.	
5	pentàndra. B.M.	(wh.) pentandrous.	—	1827.	6. 7.	H. 2.	Bot. mag. t. 2933.
CHRYSOSP'LENIUM. L.	GOLDEN SAXIFRAGE.		Oct-Decandria Digynia.				
1	alternifolium. w.	(ye.) alternate-leav'd.	Britain.	....	4. 5.	H. 2.	Eng. bot. v. 1. t. 54.
2	oppositifolium. w.	(ye.) opposite-leaved.	—	....	—	H. 2.	— v. 7. t. 490.
3	nepalense. D.P.	(ye.) Nepal.	Nepaul.	1824.	—	H. 2.	
ADO'XA. L.	MOSCHAT'EL.		Oct-Decandria Tetragynia.				
	<i>Moschatèllina.</i> E.B. (st.)	tuberous.	Britain.	....	3. 5.	H. 2.	Eng. bot. v. 7. t. 453.
HYDRA'NGEA. L.	HYDRA'NGEA.		Decandria Digynia.	L.			
1	arborèscens. w.	(wh.) shrubby.	Virginia.	1736.	7. 8.	H. 2.	Bot. mag. t. 437.
	<i>vulgàris.</i> Ph.						
2	cordàta. Ph.	(wh.) heart-leaved.	Carolina.	1806.	—	H. 2.	Wats. dend. brit. t. 42.
3	radiàta. w.	(wh.) white-leaved.	—	1786.	—	H. 2.	Lam. ill. t. 370. f. 2.
	<i>nivea.</i> Wats. dend. brit. t. 43.						
4	heteromàlla. D.P.	(wh.) woolly-leaved.	Nepaul.	1823.	....	H. 2.	
5	quercifolia. w.	(wh.) Oak-leaved.	Florida.	1803.	6. 9.	H. 2.	Bot. mag. t. 975.
6	horténsis. w.	(pi.) changeable.	China.	1788.	4. 9.	H. 2.	— t. 438.
	<i>β cærùlea.</i>	(bl.) blue-flowered.	—	—	—	H. 2.	

## ORDO CVII.

CUNONIACEÆ. *Brown.*

WEINMA'NNIA. L.	WEINMA'NNIA.		Octandria Digynia.	L.			
1	glàbra. L.	(wh.) smooth.	W. Indjès.	1818.	5. 7.	S. 2.	Lam. ill. t. 313. f. 1.
2	hirta. w.	(wh.) hairy.	—	—	—	S. 2.	
3	ellíptica. K.S.	(wh.) elliptic-leaved.	Peru.	1823.	....	G. 2.	
4	ovàta. K.S.	(wh.) oval-leaved.	—	—	....	G. 2.	Cav. ic. 6. t. 566.

CUN'ONIA. L.	CUN'ONIA. Decandria Digynia. L.				
capensis. w.	(wh.) Cape.	C. B. S.	1816.	5. 7. G. ♀.	Bot. reg. t. 828.
CALLIC'OMA. A.R.	CALLIC'OMA. Dodecandria Digynia.				
serratifolia. A.R.	(st.) saw-leaved.	N. S. W.	1793.	5. 8. G. ♀.	Andr. reposit. t. 566.
CERATOP'ETALUM. Sm.	CERATOP'ETALUM. Decandria Monogynia.				
gummiferum. Sm.	(ye.) gum-bearing.	N. Holland.	1820.	.... G. ♀.	Sm. n. holl. 1. t. 3.
BAU'ERA. Sal.	BAU'ERA. Polyandria Digynia. H.K.				
1 rubifolia. Sal.	(re.) Madder-leaved.	N. S. W.	1793.	7. 12. G. ♀.	Sal. ann. bot. 1. t. 10.
rubrioides. A.R.	198. B.M.	715.			
2 humilis. L.en.	(re.) dwarf.	————	1804.	— G. ♀.	Lodd. bot. cab. t. 1197.

ORDO CVIII.

UMBELLIFERÆ. *Juss. gen.* 218.

Subordo I. *ORTHOSPERMEÆ. DC.*

*Tribus I. HYDROCOTYLINÆ.—Subtribus I. Hydrocotylæ. DC.*

HYDROCOTYLE. S.S.	MARSH-PENNYWORT. Pentandria Digynia. L.				
1 vulgaris. s.s.	(bh.) common.	Britain.	....	5. 6. H.w. ♀.	Eng. bot. v. 11. t. 751.
2 umbellata. s.s.	(wh.) umbelled.	N. America.	1795.	7. 8. H.w. ♀.	Spreng. umb. 1. t. 1.
3 bonariensis. s.s.	(ye.) Buenos Ayres.	Buenos Ayres.	1828.	— F.w. ♀.	Cavan. icon. 5. t. 488.
4 americana. s.s.	(gr.) American.	N. America.	1790.	5. 8. H.w. ♀.	Spreng. um. p. 3. t. 2. f. 3.
5 villosa. s.s.	(gr.) villous.	C. B. S.	1795.	8. G.w. ♀.	
6 nepalensis. H.E.F.	(gr.) Nepal.	Nepaul.	1818.	2. 6. G.w. ♀.	Hook. ex. flor. t. 30.
	<i>hispida. D.P.</i>				
7 nitidula. s.s.	(gr.) glossy.	Java.	1821.	— S.w. ♀.	Hook. ex. flor. t. 29.
8 canariensis.	(gr.) Canary.	Canaries.	1828.	4. 6. G.w. ♀.	
9 prolifera. Ot.	(gr.) proliferous.	Brazil.	1824.	— S.w. ♀.	
10 repanda. s.s.	(wh.) Pilewort-leav'd.	N. America.	1806.	6. 7. G.w. ♀.	Spreng. umb. t. 2. f. 4.
11 asiatica. s.s.	(wh.) thick-leaved.	Asia.	1690.	7. 8. G.w. ♀.	Rheed. mal. 10. t. 46.
12 sibthorpioides. s.s.	(wh.) Sibthorpia-like.	Mauritius.	1818.	— S.w. ♀.	
ERIG'ENIA. N.	ERIG'ENIA. Pentandria Digynia.				
bulbosa. N.	(wh.) bulbous.	N. America.	1825.	3. 5. H. ♀.	
DIDI'SCUS. DC.	DIDI'SCUS. Pentandria Digynia.				
1 incisus. DC.	(wh.) cut-leaved.	N. S. W.	1820.	6. 8. H. ☉.	Linn. trans. 10. t. 21. f. 2.
	<i>Trachymene incisus. L.T.</i>				
2 azureus. DC.	(bl.) blue-flowered.	————	1827.	7. 9. H. ☉.	Bot. mag. t. 2875.
	<i>cæruleus. B.M. Trachymene cærulea.</i>				Bot. reg. t. 1225.
TRACHYMENE. DC.	TRACHYMENE. Pentandria Digynia.				
1 compressa. s.s.	(st.) flat-stalked.	N. Holland.	1824.	5. 6. G. ♀.	Lab. n. holl. 1. t. 101.
2 linearis. s.s.	(ye.) linear-leaved.	N. S. W.	————	G. ♀.	Cavan. icon. 5. t. 485.
	<i>Azorélla linearifolia. Cav.</i>				
3 ovata. s.s.	(st.) oval-leaved.	————	1827.	— G. ♀.	Lab. n. holl. 1. t. 100.
	<i>Azorélla ovata. Labill.</i>				
ASTROT'RICHA. DC.	ASTROT'RICHA. Pentandria Digynia.				
floccosa. DC.	(wh.) woolly.	N. S. W.	1825.	5. 7. G. ♀.	
XANTH'OSIA. DC.	XANTH'OSIA. Pentandria Digynia.				
1 pilosa. L.T.	(wh.) hairy.	N. S. W.	1826.	— G. ♀.	Linn. trans. 10. t. 22. f. 1.
BOWLESIA. S.S.	BOWLESIA. Pentandria Digynia.				
ténera. s.s.	(wh.) slender.	MonteVideo.	1827.	6. 8. H. ☉.	

Subtribus II. *Mulinæ. DC.*

SPANANTHE. S.S.	SPANANTHE. Pentandria Digynia. S.S.				
paniculata. s.s.	(wh.) panicked.	Caracas.	1795.	7. 8. S. ♂.	Jacq. ic. 2. t. 350.
	<i>Hydrocotyle Spananthe. w.</i>				
POZ'OA.	POZ'OA. Pentandria Digynia.				
coriacea. s.s.	(wh.) leathery-leaved.	Peru.	1827.	7. 9. F. ♀.	

*Tribus II. SANICULEÆ. DC.*

ACTIN'OTUS. Lab.	ACTIN'OTUS. Pentandria Digynia.				
Helianthi. Lab.	(wh.) larger.	N. S. W.	1821.	6. 12. G. ♀.	Bot. reg. t. 654.
	<i>Eriocalia major. Ex. bot.</i>				t. 80.

<b>SANICULA. S.S.</b>		<b>SANICLE. Pentandria Digynia. L.</b>			
1	europæa. s.s. (wh.) wood.	Britain.	....	6. 7. H. ♀.	Eng. bot. v. 2. t. 98.
2	canadensis. s.s. (wh.) Canadian.	Canada.	1800.	— H. ♀.	—
3	marilandica. s.s. (wh.) Maryland.	N. America.	1765.	— H. ♀.	Jacq. ic. 2. t. 348.
<b>HACQU'ETIA. DC.</b>		<b>HACQU'ETIA. Pentandria Digynia.</b>			
	Epipactis. DC. (ye.) dwarf.	S. Europe.	1818.	5. 7. H. ♀.	Jacq. aust. 5. t. 11.
	<i>Astrantia Epipactis.</i> w. <i>Dondia Epipactis.</i> s.s.				
<b>ASTRANTIA. S.S.</b>		<b>ASTRANTIA. Pentandria Digynia. L.</b>			
1	majör. w. (bh.) great black.	Alps Europe.	1596.	5. 9. H. ♀.	Exot. bot. 2. t. 76.
2	carniolica. w. (bh.) Carniolian.	Carniola.	1812.	5. 6. H. ♀.	Jacq. aust. 5. app. t. 10.
3	caucàsica. R.S. (bh.) Caucasian.	Caucasus.	1824.	— H. ♀.	—
	<i>intermedia.</i> M.B.				
4	máxima. Pall. (bh.) Hellebore-leaf'd.	—	1804.	6. 7. H. ♀.	Bot. mag. t. 1553.
	<i>helleborifolia.</i> P.L. 60. <i>heterophylla.</i> M.B.				
5	minor. w. (wh.) small.	Switzerland.	1686.	5. 6. H. ♀.	Sm. exot. bot. 2. t. 77.
<b>ERYNGIUM. S.S.</b>		<b>ERYNGO. Pentandria Digynia. L.</b>			
1	aquaticum. s.s. (wh.) marsh.	N. America.	1699.	7. 9. H. ♀.	Bot. reg. t. 372.
2	longifolium. s.s. (wh.) long-leaved.	Mexico.	1812.	— F. ♀.	Cav. ic. 6. t. 555.
3	gramineum. s.s. (bl.) grass-leaved.	New Spain.	1825.	7. 10. F. ♀.	Laroch. eryng. t. 26.
4	bromelifolium. s.s. (st.) Bromelia-leaf'd.	—	1822.	— F. ♀.	— t. 28.
5	monocéphalum. s.s. (pu.) one-headed.	Mexico.	1824.	— F. ♀.	Cavan. icon. 6. t. 553.
6	ebracteatum. s.s. (wh.) bractless.	Monte Video.	1810.	7. 9. F. ♀.	Laroch. eryng. t. 32.
7	ternatum. s.s. (pu.) ternate-leaved.	Crete.	....	— F. ♀.	Moris. his. s. 7. t. 36. f. 24.
8	planum. s.s. (bl.) flat-leaved.	Europe.	1596.	— H. ♀.	Jacq. aust. 4. t. 391.
9	tricuspidatum. s.s. (pu.) trifid.	Spain.	1699.	9. H. ♂.	Laroch. eryng. t. 9.
10	asperifolium. s.s. (wh.) rough-leaved.	.....	1824.	6. 8. H. ♀.	— t. 11.
11	dichotomum. s.s. (bl.) forked.	S. Europe.	—	7. 9. H. ♀.	Desf. atl. 1. t. 55.
12	cœruleum. M.B. (bl.) blue.	Caucasus.	1816.	— H. ♀.	—
13	giganteum. s.s. (bl.) gigantic.	Armenia.	1823.	— H. ♀.	—
14	alpinum. s.s. (bl.) Alpine.	Switzerland.	1597.	— H. ♀.	Bot. mag. t. 922.
15	spina-álba. DC. (wh.) white-spined.	S. Europe.	1816.	— H. ♀.	Vill. delph. t. 17.
16	virgatum. s.s. (bl.) oval-leaved.	N. America.	1810.	6. 7. H. ♀.	Laroch. eryng. t. 20.
17	gracile. s.s. (ye.) slender.	New Spain.	1818.	7. 9. F. ♀.	— t. 24.
18	Baldwini. s.s. (bl.) small-headed.	Carolina.	1824.	— H. ♀.	—
19	aquifolium. s.s. (bl.) holly-leaved.	Spain.	1827.	— H. ♀.	Laroch. eryng. t. 10.
20	corniculatum. s.s. (bl.) horned.	Portugal.	1803.	6. 8. H. ♀.	Bot. mag. t. 1427.
21	ténue. s.s. (bl.) slender annual.	....	....	H. ☉.	Moris. sect. 7. t. 35. f. 15.
22	pusillum. s.s. (bl.) dwarf.	Spain.	1640.	— H. ♀.	Laroch. eryng. t. 16.
23	virginianum. s.s. (pa.) Virginian.	Virginia.	....	7. 9. H. ♀.	— t. 19.
24	serratum. s.s. (wh.) serrated.	New Spain.	1823.	8. 10. F. ♀.	Cav. ic. 6. t. 55.
25	Carlinae. s.s. (bl.) Carlina-like.	—	1827.	— F. ♀.	Laroch. eryng. t. 23.
26	fœtidum. s.s. (wh.) stinking.	W. Indies.	1714.	— S. ♂.	Sloan. jam. t. 156. f. 34.
27	maritimum. s.s. (bl.) sea Holly.	Britain.	....	7. 10. H. ♀.	Eng. bot. v. 10. t. 718.
28	triquetrum. s.s. (bl.) triquetrous.	Sicily.	1827.	— H. ♀.	Desf. atl. 1. t. 54.
29	campêtre. s.s. (wh.) field.	Britain.	....	7. 8. H. ♀.	Eng. bot. v. 1. t. 57.
30	Bourgati. s.s. (bl.) cut-leaved.	S. France.	1731.	6. 8. H. ♀.	Gouan. ill. 7. t. 3.
31	amethystinum. s.s. (bl.) amethystine.	Styria.	1648.	7. 8. H. ♀.	W. et K. hung. 3. t. 215.
32	dilatatum. s.s. (bl.) dilated.	Portugal.	....	— H. ♀.	Laroch. eryng. t. 4.
33	crinitum. s.s. (bl.) fringe-leaved.	Spain.	1826.	— H. ♀.	—
34	comosum. s.s. (pa.) tufted.	New Spain.	1818.	— F. ♀.	Laroch. eryng. t. 7.
35	azureum. R.S. (bl.) azure blue.	.....	—	— H. ♀.	—

## Tribus III. AMMINEÆ. DC.

<b>R'UMIA. H.U.</b>		<b>R'UMIA. Pentandria Digynia.</b>			
1	taurica. H.U. (wh.) Taurian.	Tauria.	1820.	7. 8. H. ♀.	Hoff. umb. p. 173. f. 17.
	<i>Cáchrys taurica.</i> s.s.				
2	sibirica. F. (wh.) Siberian.	Siberia.	1826.	— H. ♀.	—
3	microcarpa. H.U. (wh.) small-fruited.	Caucasus.	1827.	— H. ♀.	Moris. his. s. 9. t. 1. f. 3.
4	athamantoides. H.U. (wh.) Athamanta-like.	Siberia.	—	— H. ♀.	—
5	seseloides. H.U. (wh.) Seseli-like.	Tauria.	—	— H. ♀.	Hoff. umb. ed. 2. t. tit. f. 4.
<b>CICUTA. S.S.</b>		<b>COWBANE. Pentandria Digynia. L.</b>			
1	viròsa. s.s. (wh.) long-leaved.	Britain.	....	7. H. ♀.	Eng. bot. v. 7. t. 479.
2	davurica. s.s. (wh.) Daurian.	Siberia.	1824.	— H. ♀.	Gmel. sib. 1. t. 47.
3	maculata. s.s. (wh.) spotted.	N. America.	1759.	7. 8. H. ♀.	Pluk. alm. t. 76. f. 1.
4	bulbifera. s.s. (wh.) bulb-bearing.	—	1823.	— H. ♀.	—
5	sinensis. R.S. (wh.) Chinese.	China.	1826.	— H. ♀.	—

- ZIZIA. DC. ZIZIA. Pentandria Digynia.  
 aërea. DC. (ye.) golden. N. America. 1699. 5. 6. H. ♀.  
*Smyrniolum aëreum*. w. *Tháspium aëreum*. n. *Sison aëreus*. s.s.
- 'APIUM. DC. CELERY. Pentandria Digynia. L.  
 1 graveolens. s.s. (wh.) common. Britain. .... 6. 8. H. ♂. Eng. bot. v. 17. t. 1210.  
*a fistulosum*. (wh.) hollow-stalked. .... H. ♂.  
*β solidum*. (wh.) solid-stalked. .... H. ♂.  
*γ rubrum*. (wh.) red-stalked. .... H. ♂.  
*δ napæceum*. Mill. (wh.) Turnep-rooted. .... H. ♂.
- PETROSELINUM. DC. PARSLEY. Pentandria Digynia. L.  
 1 sativum. K.U. (gr.) common. Sardinia. 1548. 6. 7. H. ♂. Moris. sect. 9. t. 8. f. 2.  
*β crispum*. (gr.) curled-leaved. .... H. ♂. ——— 9. t. 8. f. 3.  
 2 romànum. Zuc. (gr.) large. Greece. .... H. ♂.  
 3 fractophyllum. Lag. (st.) broken-leaved. .... 1825. ——— H. ♂.  
 4 prostratum. s.s. (gr.) prostrate. V. Diem. Isl. 1818. ——— G. ♂. Vent. malm. t. 81.  
 5 peregrinum. K.U. (wh.) Lovage-like. Portugal. 1633. 6. 7. H. ♂. Jacq. vind. 3. t. 18.  
*Ligústicum peregrinum*. Jacq. *Sison peregrinum*. R.S.  
 6 ségetum. K.U. (bh.) corn. England. .... 8. H. ⊙. Eng. bot. v. 4. t. 228.  
*Sison ségetum*. E.B.
- TR'INIA. H.U. TR'INIA. Pentandria Digynia. L.en.  
 1 Hoffmánni. M.B. (wh.) Hoffman's. England. .... 5. 6. H. ♀. Eng. bot. v. 17. t. 1209.  
*Pimpinélla dioica*. E.B.  
 2 Henningii. M.B. (wh.) Henning's. Hungary. 1803. 6. 8. H. ♀.  
*Pimpinélla glauca*. w.  
 3 Kitaibéli. M.B. (wh.) Kitaibel's. ——— 1827. ——— H. ♀. W. et K. hung. 1. t. 72.  
 4 ramosíssima. F. (wh.) branching. Siberia. ——— H. ♀.
- HELOSC'IDIUM. K.U. HELOSC'IDIUM. Pentandria Digynia.  
 1 lateriflorum. K.U. (wh.) narrow-leaved. S. Europe. 1824. 7. 8. H. ⊙. Jacq. vind. t. 200.  
*Sison Ammi*. Jacq. *Pimpinélla lateriflora*. L. enum.  
 2 inundatum. K.U. (wh.) inundated. Britain. .... 5. 6. H.w. ⊙. Eng. bot. v. 4. t. 227.  
*Sison inundatum*. E.B. *Sium inundatum*. E.F. *Mëum inundatum*. s.s.  
 3 nodiflorum. K.U. (wh.) procumbent. Britain. .... 7. 8. H.w. ♀. Eng. bot. v. 9. t. 639.  
*Sium nodiflorum*. E.B.  
 4 rèpens. K.U. (wh.) creeping. .... 6. H.w. ♀. Eng. bot. v. 20. t. 1431.  
 5 bulbosum. K.U. (wh.) bulb-bearing. Switzerland. 1826. 6. 8. H.w. ♀. Thor. jo. bot. 1. t. 7. f. 1-2.
- DISCOPL'URA. DC. DISCOPL'URA. Pentandria Digynia.  
 Nuttállii. DC. (wh.) slender-leaved. N. America. 1812. 7. 8. H. ⊙.  
*A'mmi capillaceum*. M. *Sison capillaceus*. s.s.
- LEPTOCA'ULIS. DC. LEPTOCA'ULIS. Pentandria Digynia.  
 divaricatus. DC. (ro. wh.) spreading. N. America. 1812. 6. 8. H. ⊙.  
*Ethùsa divaricata*. N. *A'mmi divaricatum*. P.S.
- PTYCH'OTIS. K.U. PTYCH'OTIS. Pentandria Digynia.  
 1 heterophylla. K.U. (wh.) Coriander-leav'd. Pyrenees. 1778. 7. 8. H. ♂. Jacq. vind. 2. t. 198.  
*Mëum heterophyllum*. s.s. *Ethùsa Bùnius*. w.  
 2 ammodes. K.U. (wh.) Milfoil-leaved. S. Europe. 1759. 6. 7. H. ⊙. Jacq. vind. 1. t. 52.  
*Séseli ammodes*. s.s.  
 3 verticillata. DC. (wh.) whorled. ——— 1825. ——— H. ⊙.  
 4 cóptica. DC. (wh.) Egyptian. Egypt. 1773. ——— H. ⊙. Jacq. vind. 2. t. 196.  
*Trachyspérnum cópticum*. L. enum. *A'mmi cópticum*. L. *Bùnium cópticum*. R.S.
- FALC'ARIA. DC. FALC'ARIA. Pentandria Digynia.  
 agréstis. (wh.) decurrent. Europe. 1726. 7. 8. H. ♀. Jacq. aust. 3. t. 257.  
*Sium Falcària*. R.S. *Drepanophyllum agréste*. K.U.
- S'ISON. S.S. S'ISON. Pentandria Pentagynia. L.  
 1 Amòlum. E.B. (wh.) hedge. Britain. .... 7. 8. H. ⊙. Eng. bot. v. 14. t. 954.
- SCHU'LTZIA. S.S. SCHU'LTZIA. Pentandria Digynia.  
 crimita. s.s. (wh.) slender-leaved. Altay. 1828. 6. 7. H. ♂. Pall. act. pet. 1779. 2. t. 7.  
 A'MMI. S.S. BISHOP'S WEED. Pentandria Digynia. L.  
 1 majus. s.s. (wh.) great. S. Europe. 1551. 6. 7. H. ⊙. Flor. græc. t. 273.  
 2 Bøberi. L.en. (wh.) Bøber's. Crete. 1818. 7. 8. H. ♀.  
*cicutafòlium*. R.S.  
 3 Visnàga. s.s. (wh.) Toothpick. S. Europe. 1596. 6. 8. H. ⊙. Gært. fr. 1. t. 107.  
*Visnàga daucoïdes*. G.  
 4 glaucifolium. s.s. (wh.) glaucous-leav'd. France. 1816. ——— H. ♂. Lapeyr. pyr. t. 75.
- EGOP'IDIUM. L. GOUT-WEED. Pentandria Digynia. L.  
 Podagrària. E.B. (wh.) common. Britain. .... 5. 7. H. ♀. Eng. bot. v. 14. t. 940.  
*Sison Podagrària*. s.s.
- C'ARUM. K.U. CARAWAY. Pentandria Digynia. L.  
 1 Cárvi. s.s. (wh.) common. Britain. .... 6. H. ♂. Eng. bot. v. 21. t. 1503.  
*Feniculum Cárvi*. L.en.

- 2 Bulbocástanum. K. U. (*wh.*) Earth-nut. Europe. 1797. 6. 7. H. ♀. Flor. dan. t. 220.  
*Bünium Bulbocástanum*, w. *Myrrhis Bünium*. R. S.
- 3 flexuòsum. (*wh.*) common. Britain. .... 5. 6. H. ♀. Eng. bot. v. 14. t. 988.  
*Bünium flexuòsum*. E. B.
- 4 verticillátum. K. U. (*wh.*) whorl-leaved. ———— .... 7. 8. H. ♀. Eng. bot. v. 6. t. 395.  
*Sium verticillátum*. E. B.
- B'UNIUM. DC.** B'UNIUM. Pentandria Digynia. L.
- 1 peucedanóides. M. B. (*st.*) Sulphur-wort. Caucasus. 1823. 7. 8. H. ♀.  
 2 lúteum. M. B. (*ye.*) yellow. Volga. 1827. ——— H. ♀.  
 3 viréscens. DC. (*gr.*) greenish-flower'd. Europe. 1826. ——— H. ♀.  
*Sium viréscens*. R. S.
- 4 acáule. M. B. (*ye.*) stalkless. Caucasus. 1821. 6. 8. H. ♂.  
*A'mni acáule*. s. s.
- CRYPTOTÆNIA. DC. CRYPTOTÆNIA.** Pentandria Digynia.
- 1 canadéne. DC. (*wh.*) Canadian. N. America. 1699. 7. 8. H. ♀. Moris. his. s. 9. t. 11.  
*Sison canadéne*. w. *Myrrhis canadénsis*. s. s.
- 2 Thomási. DC. (*wh.*) Thomas's. Italy. 1827. ——— H. ♀.
- PIMPINELLA. K. U. BURNET SAXIFRAGE.** Pentandria Digynia. L.
- 1 mágna. s. s. (*wh.*) great. England. .... 6. 8. H. ♀. Eng. bot. v. 6. t. 408.  
 2 média. P. S. (*wh.*) middle. Germany. .... ——— H. ♀. Hoff. deut. fl. t. 397.  
*orientális*. Jacq. aust. t. 397.
- 3 dissecta. w. (*wh.*) cut-leaved. France. .... ——— H. ♀. Retz. obs. 3. t. 2.  
 4 rotundifólia. M. B. (*wh.*) round-leaved. Caucasus. 1816. ——— H. ♂. Spr. Anl. ed. 2. t. 4. f. 1. 4.  
*Sison rotundifólius*. s. s.
- 5 Saxifraga. w. (*wh.*) common. Britain. .... ——— H. ♀. Eng. bot. v. 6. t. 407.  
 6 Trágium. DC. (*wh.*) Columnna's. S. Europe. 1824. 6. 8. H. ♀. Column. phyt. t. 17.  
*Trágium Colúmnæ*. s. s.
- 7 peregrina. w. (*wh.*) nodding. Italy. 1640. ——— H. ♀. Jacq. vind. 2. t. 131.  
 8 aromática. M. B. (*wh.*) aromatic. Caucasus. 1824. ——— H. ♂.  
 9 bubonóides. P. S. (*wh.*) Bubon-like. Portugal. 1814. 6. 8. H. ♀.
- Trágium Brotéri*. R. S.
- 10 villósa. Scho. (*wh.*) villous. Barbary. 1824. ——— H. ♀.  
*Trágium Schousb'wi*. R. S.
- 11 táurica. DC. (*wh.*) Taurian. Tauria. 1824. 6. 8. H. ♀.  
*Ledebúria táurica*. L. en. *Trágium táuricum*. s. s.
- 12 nígra. W. en. (*wh.*) black-rooted. Germany. 1683. ——— H. ♀. Moris. sect. 9. t. 5.  
 13 lateriflóra. L. en. (*wh.*) side-flowering. Hungary. 1816. ——— H. ♀.  
 14 dichótoma. w. (*wh.*) dichotomous. Spain. 1798. ——— H. ♀.  
 15 A'nisum. L. (*wh.*) Anise. Egypt. 1551. 6. 8. H. ☉. Moris. his. s. 9. t. 9.  
*Sison A'nisum*. R. S. *A'nisum vulgáre*. Gaert.
- S'IUM. K. U.** WATER-PARSNEP. Pentandria Digynia. L.
- 1 latifólium. s. s. (*wh.*) broad-leaved. Britain. .... 7. 8. H. w. ♀. Eng. bot. v. 3. t. 204.  
 2 lancifólium. s. s. (*wh.*) spear-leaved. Siberia. 1823. ——— H. w. ♀. Gmel. sib. 1. t. 47.  
 3 angustifólium. s. s. (*wh.*) narrow-leaved. Britain. .... ——— H. w. ♀. Eng. bot. v. 2. t. 139.  
 4 Sisarum. s. s. (*wh.*) Skirret. China. 1548. ——— H. ♀. Schkuhr. hand. 1. t. 69.
- BUPLEURUM. S. S.** HARE'S-EAR. Pentandria Digynia. L.
- 1 coriáceum. s. s. (*st.*) thick-leaved. Gibraltar. 1784. 7. 8. G. ♀. L'Herit. st. nov. t. 67.  
 2 fruticòsum. s. s. (*st.*) shrubby. S. Europe. 1596. ——— H. ♀. Flor. græc. t. 263.  
 3 fruticéscens. s. s. (*st.*) frutescent. Spain. 1752. 8. 9. H. ♀. Cav. ic. 2. t. 106.  
 4 plantagíneum. s. s. (*st.*) plantain-leaved. Barbary. 1809. ——— G. ♀. Desf. atl. 1. t. 57.  
*β canéscens*. P. S. (*st.*) hoary. ——— G. ♀.  
 5 spinòsum. s. s. (*st.*) thorny. Spain. 1752. ——— F. ♀. Gouan. ill. 8. t. 2. f. 3.  
 6 diffórme. s. s. (*st.*) various-leaved. C. B. S. ——— G. ♀. Burm. afr. t. 71. f. 1.  
 7 rotundifólium. s. s. (*ye.*) round-leaved. England. .... 6. 7. H. ☉. Eng. bot. v. 2. t. 99.  
 8 protractum. s. s. (*st.*) protracted. Portugal. 1824. ——— H. ☉.  
 9 heterophýllum. s. s. (*st.*) various-leaved. Egypt. ——— H. ☉.  
 10 àureum. s. s. (*ye.*) golden. Siberia. ——— H. ♀.  
 11 longifólium. s. s. (*st.*) long-leaved. Switzerland. 1713. 5. 7. H. ♀. Moris. sect. 9. t. 11.  
 12 pyrenáicum. s. s. (*st.*) Pyrenean. Pyrenees. 1814. ——— H. ♀. Gouan. ill. t. 4.  
 13 angulòsum. w. (*st.*) angular-leaved. Switzerland. 1759. ——— H. ♀. Moris. sect. 9. t. 12.  
 14 ranunculóides. w. (*st.*) Crowfoot-like. Pyrenees. 1790. 7. 8. H. ♀. Park. theatr. f. 7.  
 15 caricifólium. w. (*st.*) Carex-leaved. S. France. 1824. ——— H. ♀.  
 16 Burseriànum. W. en. (*st.*) Burser's. ——— 1820. ——— H. ♀.  
 17 petr'æum. s. s. (*st.*) alpine. S. Europe. 1823. ——— H. ♀. Rich. de Bellev. t. 206.  
 18 sibíricum. M. B. (*st.*) Siberian. Siberia. 1826. ——— H. ♀.  
 19 graminifólium. s. s. (*st.*) Grass-leaved. Switzerland. 1768. 5. 7. H. ♀. Jacq. ic. 1. t. 56.  
 20 stellátum. s. s. (*st.*) starry. ——— 1775. ——— H. ♀. Hall. helv. t. 18.  
 21 falcátum. s. s. (*st.*) twisted-stalk'd. Germany. 1739. 5. 9. H. ♀. Jacq. aust. 2. t. 158.

22	scorzoneræfölium.	W.en.	(st.)	Scorzonera-ld.	Germany.	1818.	6. 8. H. ½.	
23	rigidum. R.S.	(st.)	rigid.	S. France.	1739.	5. 9. H. ½.	Moris. sect. 9. t. 12.	
24	nudum. S.S.	(st.)	naked-stalked.	C. B. S.	1778.	10. G. ½.		
25	gibraltáricum.	Lag.	(st.)	Gibraltar.	Gibraltar.	1825.	— G. ½.	
26	gláucum. DC.	(ye.)	glaucous.	S. France.	1828.	— H. ○.		
27	Odontites. S.S.	(bh.)	narrow-leaved.	England.	....	— H. ○.	Eng. bot. v. 35. t. 2468.	
	<i>Odontites luteola.</i>	R.S.						
28	júnceum. S.S.	(ye.)	linear-leaved.	S. Europe.	1722.	7. 8. H. ○.	Moris. sect. 9. t. 12.	
29	Gerárdi. R.S.	(ye.)	Gerard's.	—	1804.	— H. ○.	Jacq. aust. t. 256.	
30	baldéuse. R.S.	(ye.)	channel-leav'd.	M. Baldo.	1818.	— H. ○.	W. et K. hung. 3. t. 257.	
	<i>exaltátum.</i>	P.S.						
31	lancifölium. H.H.	(ye.)	lance-leaved.	.....	1824.	6. 9. H. ○.		
32	semicompösitum. S.S.	(ye.)	dwarf.	Spain.	1778.	— H. ○.	Flor. græc. t. 261.	
	<i>Odontites semicompösa.</i>	R.S.						
33	gráçile. M.B.	(ye.)	slender-twigged.	Tauria.	1827	— H. ○.		
34	tenuissimum. S.S.	(ye.)	slender.	England.	....	7. 8. H. ○.	Eng. bot. v. 7. t. 478.	
35	trifidum. S.S.	(ye.)	trifid-umbel'd.	Italy.	1824.	5. 9. H. ½.		
<b>HETEROMORPHA. DC. HETEROMORPHA. Pentandria Dignia.</b>								
	<i>arboréscens.</i>	DC.	(st.)	arborescent.	C. B. S.	1816.	7. 8. G. ½.	
	<i>Bupleürum arboréscens.</i>	S.S.	<i>Tendria arboréscens.</i>	R.S.				

*Tribus IV. SESELINÆ. DC.*

<b>LICHTENSTEINIA. DC. LICHTENSTEINIA. Pentandria Dignia.</b>								
	<i>inèbrians.</i>	DC.	(wh.)	various-leaved.	C. B. S.	1816.	8. 9. G. ½.	
	<i>Cenánthe inèbrians.</i>	S.S.						
<b>CENANTHE. S.S. WATER-DROPW. Pentandria Dignia. L.</b>								
1	fistulösa. S.S.	(bh.)	common.	Britain.	....	6. 8. H. ½.	Eng. bot. v. 6. t. 363.	
2	tenuifölia. S.S.	(wh.)	slender-leaved.	C. B. S.	1816.	6. 8. G. ½.		
3	peucedanifölia. S.S.	(wh.)	round-rooted.	S. Europe.	....	— H.w. ½.	Pollich. palat. t. 3.	
4	silafölia. S.S.	(wh.)	oblong-rooted.	England.	....	— H.w. ½.	Eng. bot. v. 5. t. 348.	
	<i>peucedanifölia.</i>	E.B. non. S.S.						
5	gymnorhiza. S.S.	(wh.)	naked rooted.	N. Europe.	1824.	— H.w. ½.		
6	pimpinelloides. S.S.	(bh.)	BurnetSaxifrage.	England.	....	— H.w. ½.	Eng. bot. v. 5. t. 347.	
7	prolifera. S.S.	(wh.)	proliferous.	S. Europe.	1739.	— H.w. ½.	Jacq. vind. 3. t. 62.	
8	globulösa. S.S.	(wh.)	globe-headed.	Portugal.	1710.	— H. ♂.	Gouan. ill. 18. t. 9.	
9	crocáta. S.S.	(wh.)	poisonous.	Britain.	....	— H.w. ½.	Eng. bot. v. 33. t. 2313.	
10	Phellándrium. S.S.	(wh.)	water Hemlock.	—	....	6. 7. H.w. ♂.	— v. 10. t. 684.	
	<i>Phellándrium aquáticum.</i>	E.B.						
11	apiifölia. S.S.	(wh.)	Parsley-leaved.	Portugal.	1806.	6. 8. H. ½.		
12	austrális. R.S.	(wh.)	southern.	S. Europe.	1824.	— H. ½.		
13	involveráta. Cav.	(wh.)	involucered.	Spain.	1820.	— H. ½.		
14	am'ena. Leh.	(wh.)	handsome.	.....	1827.	— H. ½.		
<b>ANESORHIZA. DC. ANESORHIZA. Pentandria Dignia.</b>								
	<i>interrüpta.</i>	(wh.)	interrupted.	C. B. S.	1816.	6. 8. G. ½.		
	<i>Cenánthe interrüpta.</i>	S.S.						
<b>SCLEROSCIADIUM. DC. SCLEROSCIADIUM. Pentandria Dignia.</b>								
	<i>rigens.</i>	DC.	(wh.)	rigid-stalked.	C. B. S.	1787.	6. 8. G. ½.	
	<i>Cönium rigens.</i>	w. Bänium rigens.	S.S.					
<b>ÆTHUSA. R.S. FOOLS-PARSLEY. Pentandria Dignia. L.</b>								
1	Cynápium. w.	(wh.)	common.	Britain.	....	7. 9. H. ○.	Eng. bot. v. 17. t. 1192.	
2	cynapioides. M.B.	(wh.)	Caucasean.	Caucasus.	1820.	— H. ½.	Hoff. umb. ed. 2. t. tit. f. 9.	
3	eláta. L.en.	(wh.)	tall.	Siberia.	—	— H. ○.		
4	fátua. R.S.	(wh.)	fine-leaved.	.....	1781.	— H. ½.		
<b>FCNICULUM. G. FENNEL. Pentandria Dignia.</b>								
1	vulgäre. G.	(ye.)	common.	Britain.	....	7. 8. H. ½.	Eng. bot. v. 17. t. 1208.	
	<i>Anèthum Feniculum.</i>	E.B. Mèum Feniculum.	S.S.					
2	dúlce. DC.	(ye.)	sweet.	S. Europe.	1824.	— H. ○.	DC. hort. m. ined. t. 96.	
3	piperitum.	(ye.)	peppery.	Italy.	—	— H. ♂.		
	<i>Mèum piperitum.</i>	R.S. Anèthum piperitum.	Bert.					
4	lâteum. F.	(ye.)	yellow.	Persia.	1829.	— H. ♂.		
<b>KUNDMA'NNIA. DC. KUNDMA'NNIA. Pentandria Dignia.</b>								
	<i>pastinacæfölia.</i>	(ye.)	Parsnep-leaved.	Sicily.	1686.	7. 8. H. ½.	Jacq. vind. 2. t. 133.	
	<i>Brignölia pastinacæfölia.</i>	K.U. Siùm siculum.	R.S.					
<b>DEVERRA. DC. DEVERRA. Pentandria Dignia.</b>								
1	tortüosa. DC.	(wh.)	twisting.	Levant.	1828.	.... G. ½.	Desf. atl. 1. t. 73.	
	<i>Bübon tortüosum.</i>	Df.						

- 2 *aphylla*. DC. (*wh.*) leafless. C. B. S. 1816. .... G. ♀.  
*Bubon aphyllus*. Schlecht.
- SE'SELLI. S.S. MEADOW SAXIFRAGE. Pentandria Digynia. S.S.
- 1 *elatum*. s.s. (*wh.*) tall. Austria. 1710. 7. 8. H. ♀. Gouan. ill. 16. t. 8.
- 2 *varium*. s.s. (*wh.*) variable. .... 1818. — H. ♀.
- 3 *glaucum*. s.s. (*pu.wh.*) glaucous. France. 1759. — H. ♀. Jacq. aust. 2. t. 144.
- 4 *tauricum*. s.s. (*wh.*) Taurian. Tauria. 1818. 6. 8. H. ♀.
- 5 *montanum*. s.s. (*wh.*) mountain. Italy. 1658. 6. 7. H. ♀. Jacq. vind. 2. t. 129.
- 6 *annuum*. s.s. (*bh.*) annual. Europe. 1816. 7. 8. H. ♂. Jacq. aust. t. 55.
- Càrum simplex*. w.
- 7 *campêtre*. s.s. (*wh.*) field. Poland. 1827. — H. ♀.
- 8 *pimpinelloïdes*. s.s. (*wh.*) nodding-flower'd. S. Europe. 1796. — H. ♀.
- 9 *Hippomàrathrum*. s.s. (*bh.*) various-leav'd. Austria. 1656. — H. ♀. Jacq. aust. 2. t. 143.
- 10 *tortuosum*. s.s. (*wh.*) crooked. S. Europe. 1597. 10. H. ♀. Moris. sect. 9. t. 6.
- 11 *leucospérmum*. s.s. (*wh.*) white-seeded. Hungary. 1805. 7. H. ♀. W. et K. hung. t. 89.
- 12 *proliferum*. s.s. (*wh.*) prolific. .... 1823. 5. 8. H. ♀.
- 13 *chærophyllôides*. s.s. (*wh.*) Chervil-like. C. B. S. 1816. — G. ♀.
- 14 *Bocconi*. s.s. (*wh.*) Boccone's. Sicily. 1826. — H. ♀. Bocc. sic. s. 27. 28.
- 15 *divaricatum*. s.s. (*ye.*) shining-leaved. N. America. 1812. 6. 7. H. ♀. Bot. mag. t. 1742.
- 16 *striatum*. s.s. (*wh.*) striped-stalked. C. B. S. 1816. 7. 8. G. ♀.
- 17 *gracile*. s.s. (*ye.*) slender. Hungary. 1805. 6. 7. H. ♀. W. et K. hung. 2. t. 117.
- 18 *peucedanifolium*. K. U. (*wh.*) smooth-stalk'd. Hungary. 1826. 7. 9. H. ♀. ————— t. 146.
- 19 *petraeum*. K. U. (*wh.*) glaucous. Tauria. 1824. 7. 8. H. ♀.
- Bubon glaucus*. s.s.
- 20 *cuneifolium*. M. B. (*wh.*) wedge-leaved. Sicily. 1823. 7. 9. H. ♀. Moris. his. s. 9. t. 7.
- 21 *gummiferum*. K. U. (*bh.*) gum-bearing. Crimea. 1710. — H. ♂. Sm. exot. bot. t. 20.
- 22 *dichotomum*. M. B. (*wh.*) forked. Tauria. 1816. — H. ♂. Bot. mag. t. 2073.
- 23 *ericiophalum*. (*wh.*) woolly-headed. Siberia. 1827. — H. ♂.
- 24 *corsicum*. L. en. (*wh.*) dwarf annual. Corsica. 1825. — H. ♂.
- 25 *Pallasii*. Bess. (*wh.*) Pallas's. Siberia. 1823. — H. ♀.
- 26 *Lobeliànum*. Bess. (*wh.*) Lobel's. .... — H. ♀.
- LIBAN'OTIS. DC. LIBAN'OTIS. Pentandria Digynia.
- 1 *buchtorménsis*. DC. (*wh.*) Siberian. Siberia. 1822. 7. 8. H. ♀.
- Bubon buchtorménsis*. R. S. *Athamànta rígida*. Horn.
- 2 *vulgáris*. DC. (*wh.*) mountain. England. .... — H. ♀. Eng. bot. v. 2. t. 138.
- Athamánta Libanotis*. E. B.
- CENOLOPHIUM. DC. CENOLOPHIUM. Pentandria Digynia.
- Fischèri*. DC. (*wh.*) Fischer's. Siberia. 1820. 6. 8. H. ♀.
- Cnidium Fischèri*. s.s. *Angélica Fischèri*. R. S. *Ligústicum Fischèri*. L. enum.
- CNI'DIUM. S.S. CNI'DIUM. Pentandria Digynia. S.S.
- 1 *Monniéri*. s.s. (*wh.*) annual. S. Europe. 1771. 7. 8. H. ♂. Jacq. vind. 1. t. 62.
- Selinum Monniéri*. Jacq.
- 2 *apioides*. H. U. (*wh.*) Parsley-leaved. Europe. 1791. 6. 7. H. ♀. Jacq. aust. 5. ap. t. 44.
- Ligústicum apioides*. R. S. *silafolium*. Jacq.
- 3 *venosum*. DC. (*wh.*) veined. Europe. 1818. 7. 8. H. ♀.
- Séseli dàbium*. R. S.
- THA'SPIUM. N. THA'SPIUM. Pentandria Digynia.
- 1 *actæifolium*. N. (*ye.*) Actæa-leaved. N. America. 1824. 7. 8. H. ♀.
- Ligústicum actæifolium*. M.
- 2 *barbinode*. N. (*ye.*) bearded-jointed. — 1759. 6. 7. H. ♀.
- Thápsia trifoliata*. R. S.
- TROCHISCA'NTHES. K. U. TROCHISCA'NTHES. Pentandria Digynia.
- nodiflorus*. K. U. (*bh.*) knot-flowered. Apennines. 1818. 6. 7. H. ♀. All. ped. t. 72.
- Ligústicum nodiflorum*. s.s. *verticillatum*. W. et K. hung. 2. t. 171.
- ATHAMANTA. S.S. SPIGNELL. Pentandria Digynia. L.
- 1 *macedonica*. s.s. (*wh.*) Macedonian. Greece. 1596. 6. 8. G. ♂. Lobel. hist. 406. ic. 708.
- Bubon macedonicum*. L.
- 2 *condensata*. w. (*wh.*) close-headed. Siberia. 1773. 7. 9. H. ♀. Gmel. sib. 1. t. 44.
- 3 *sibirica*. w. (*st.*) Siberian. — 1771. 7. 8. H. ♀. Lam. ill. t. 194. f. 1.
- 4 *scula*. s.s. (*wh.*) Flixweed-leav'd. Sicily. 1686. 6. 7. H. ♀. Ten. fl. nap. 1. t. 25.
- 5 *Matthioli*. s.s. (*wh.*) fine-leaved. Carniola. 1802. — H. ♀. Jacq. ic. rar. 1. t. 57.
- 6 *stricta*. Led. (*wh.*) upright. Siberia. 1827. — H. ♀.
- 7 *creténsis*. s.s. (*wh.*) candy-carrot. Austria. 1596. — H. ♀. Jacq. aust. 1. t. 62.
- 8 *incana*. s.s. (*wh.*) hoary. Siberia. 1802. 7. 8. H. ♀.
- 9 *annua*. w. (*wh.*) annual. Candia. 1731. 6. 7. H. ♂.
- LIGUSTICUM. S.S. LIGUSTICUM. Pentandria Digynia. L.
- 1 *scoticum*. s.s. (*bh.*) Scotch. Britain. .... — H. ♀. Eng. bot. v. 17. t. 1207.
- 2 *obtusifolium*. s.s. (*wh.*) blunt-leaved. Tangiers. 1824. 7. 8. H. ♀.
- 3 *athamantoides*. s.s. (*st.*) Carrot-leaved. Pyrenees. 1734. — H. ♀. Scop. carn. t. 10.
- A'mmi daucifolium*. w. *Athamánta pyrenáica*. Jacq. vind. 2. t. 197.

4	alatum. s.s. (ro.wh.) winged-stalked. Caucasus. 1823.	7. 8. H. ♀.	
5	simplex. s.s. (wh.pu.) shining. Switzerland. 1775.	7. H. ♂.	Jacq. misc. 2. t. 2.
	<i>Laserpitium simplex</i> . Jacq. <i>lucidum</i> . H.K.		
6	ferulaceum. s.s. (wh.) Fennel-leaved. Levant. 1752.	6. H. ♀.	Allion. ped. t. 60.
	<i>Laserpitium dauricum</i> . Jacq. vind. 3. t. 38.		
7	candicans. s.s. (wh.) pale. .... 1780.	7. 8. H. ♀.	
8	pyrenaicum. K.U. (wh.) Pyrenean. Pyrenees. 1739.	6. 7. H. ♀.	Gouan. ill. t. 7. f. 2.
	<i>Cnidium pyrenæum</i> . s.s. <i>Séseli aristatum</i> . H.K.		
9	Seguierii. K.U. (wh.) Fennel-leaved. Italy. 1774.	7. 8. H. ♀.	Jacq. vind. 1. t. 61.
	<i>Selinum Seguierii</i> . Jacq. <i>Imperatoria Seguierii</i> . s.s.		
10	Fontanèsii. s.s. (wh.) fine-leaved. Algiers. ....	6. 7. H. ♀.	Desf. atl. 1. t. 71.
	<i>Laserpitium peucedanoides</i> . Desf.		
11	cuneifolium. Led. (wh.) wedge-leaved. Siberia. 1827.	— H. ♀.	
	SIL'AUS. K.U. SIL'AUS. Pentandria Digynia.		
1	pratensis. K.U. (st.) meadow. England. ....	6. 8. H. ♀.	Eng. bot. v. 30. t. 2142.
	<i>Peucedanum Silaus</i> . E.B. <i>Cnidium Silaus</i> . s.s.		
2	Matthioli. K.U. (ye.) late-flowering. Italy. 1824.	7. 8. H. ♀.	
	<i>Peucedanum Matthioli</i> . s.s.		
3	alpéstris. K.U. (st.) Alpine. France. 1739.	6. 7. H. ♀.	
	WALLRO'THIA. DC. WALLRO'THIA. Pentandria Digynia.		
1	alpina. DC. (wh.) alpine. Hungary. 1827.	6. 8. H. ♀.	W. et K. hung. 2. t. 182.
	<i>tuberosa</i> . R.S. <i>Bunium alpinum</i> . W.K.		
2	tenuifolia. DC. (wh.) slender-leaved. Pyrenees. 1826.	— H. ♀.	DC. mem. umb. t. 1. f. A.
	MEUM. S.S. BAWD-MONEY. Pentandria Digynia. S.S.		
1	athamanticum. s.s. (wh.) common. Britain. ....	4. 6. H. ♀.	Eng. bot. v. 32. t. 2249.
2	Mutellina. s.s. (re.) Alpine. Austria. 1774.	7. 8. H. ♀.	Jacq. aust. t. 56.
	<i>Phellandrium Mutellina</i> . L.		
3	sibiricum. s.s. (ye.) Siberian. Siberia. 1820.	— H. ♀.	
	CONIOSELINUM. H.U. CONIOSELINUM. Pentandria Digynia.		
1	ingricum. F. (wh.) Ingrian. Russia. 1827.	7. 8. H. ♀.	
2	tataricum. F. (wh.) Tartarian. Tartary. 1825.	— H. ♀.	
	<i>Angelica Fischéri</i> . R.S.		
	CRITHMUM. L. en. SAMPHIRE. Pentandria Digynia. L.		
1	Libanòtis. L. en. (ye.) smooth-seeded. Sicily. 1570.	7. 8. H. ♀.	Schk. handb. 1. t. 65.
	<i>Cáchrys Libanòtis</i> . s.s.		
2	maritimum. W. (st.) sea-side. Britain. ....	7. 9. H. ♀.	Eng. bot. v. 12. t. 819.

*Tribus V. ANGELICEÆ. DC.*

	LEVI'STICUM. K.U. LOVAGE. Pentandria Digynia.		
	officinale. K.U. (ye.) common. Italy. 1596.	6. 7. H. ♀.	Schk. handb. t. 68.
	<i>Ligusticum Levisticum</i> . s.s.		
	SELINUM. L. MILK-PARSLEY. Pentandria Digynia. L.		
1	Carvifolium. W. (bh.) Caraway-leav'd. Austria. 1774.	7. 8. H. ♀.	Jacq. aust. 1. t. 16.
	OSTERICUM. H.U. OSTERICUM. Pentandria Digynia.		
	pratense. H.U. (wh.) field. Galicia. 1824.	7. 8. H. ♀.	
	<i>Angelica pratensis</i> . M.B.		
	ANGÉLICA. K.U. ANGÉLICA. Pentandria Digynia. L.		
1	syvéstris. s.s. (wh.) wild. Britain. ....	6. 8. H. ♀.	Eng. bot. v. 16. t. 1128.
2	Razoùlii. s.s. (bh.) decurrent-ld. Pyrenees. 1816.	— H. ♀.	Gouan. ill. 13. t. 6.
3	montana. K.U. (wh.) mountain. Switzerland. —	H. ♀.	
4	flavescens. Bess. (st.) yellowish. Pyrenees. —	H. ♀.	
5	pyrenæa. s.s. (wh.) Pyrenean. — 1818.	H. ♀.	Gouan. ill. p. 11. t. 5.
6	lúcida. s.s. (br.) shining. Canada. 1640.	— H. ♂.	Jacq. vind. 3. t. 24.
7	charophyllæa. s.s. (wh.) Chervil-leaved. Livonia. 1827.	— H. ♀.	
8	Wormskiöldii. F. (wh.) Wormskiöld's. Kamtschatka. —	H. ♀.	
9	lancifolia. s.s. (wh.) lance-leaved. .... 1818.	— H. ♀.	
	<i>Selinum angelicástrum</i> . L. enum.		
	ARCHANGÉLICA. H.U. ARCHANGÉLICA. Pentandria Digynia.		
1	officinális. H.U. (wh.) garden. England. ....	6. 8. H. ♂.	Eng. bot. v. 36. t. 2561.
	<i>Angelica Archangélica</i> . E.B.		
2	atropurpurea. H.U. (pu.) dark purple. Canada. 1759.	7. 8. H. ♀.	Cornut. canad. t. 199.

*Tribus VI. PEUCEDANEÆ. DC.*

	OP'OPANAX. K.U. OP'OPANAX. Pentandria Digynia.		
	Chirònim. K.U. rough. S. Europe. 1640.	6. 7. H. ♀.	W. et K. hung. 3. t. 211.
	<i>Pastinaca Opòpanax</i> . W. <i>Ferula Opòpanax</i> . s.s.		

- FERULA. S.S. GIANT-FENNEL. Pentandria Digynia. L.
- 1 lævigata. s.s. (ye.) smooth. C. B. S. 1774. 12. 3. G. 7. 2.
- Bubon lævigatum*. w.
- 2 nudicaulis. s.s. (ye.) naked-stalked. Sicily. 1825. — H. 2.
- 3 A'sa fœtida. s.s. (st.) Asa fœtida. Persia. 1818. 7. 8. H. 2.
- 4 communis. s.s. (ye.) common. S. Europe. 1597. 6. 7. H. 2. Moris. s. 9. t. 15 f. 3.
- 5 glauca. s.s. (ye.) glaucous. Italy. 1596. — H. 2.
- 6 sylvatica. s.s. (ye.) wood. Poland. 1827. — H. 2.
- 7 campestris. s.s. (ye.) field. Tauria. — H. 2.
- 8 nodiflora. s.s. (ye.) knot-flowered. S. Europe. 1596. — H. 2. Desf. atl. 1. t. 67.
- sulcata*. Desf.
- 9 Ferulago. s.s. (ye.) Fennel-leaved. — — — H. 2. Jacq. aust. 5. ap. t. 5.
- nodiflora*. Jacq. non s.s.
- 10 thyrsiflora. s.s. (st.) thyse-flower'd. Crete. 1823. — F. 2. Flor. græc. t. 280.
- 11 tingitana. s.s. (ye.) Tangier. Barbary. 1680. — H. 3. Herm. parad. t. 165.
- 12 stricta. s.s. (ye.) upright. C. B. S. 1816. — G. 3.
- 13 nuda. s.s. (ye.) naked. Siberia. 1827. — H. 2.
- 14 caspica. s.s. (ye.) Caspian. Caspia. 1824. — H. 2. Spreng. umb. t. 7. f. 14.
- 15 orientalis. s.s. (ye.) eastern. Levant. 1759. 7. 8. H. 2. Tourn. it. 3. t. 239.
- 16 persica. s.s. (ye.) stinking. Persia. 1782. — H. 2. Andr. rep. t. 558.
- 17 tatarica. F. (ye.) Tartarian. Tartary. 1828. — H. 2.
- 18 capillaris. s.s. (ye.) capillary. Portugal. — H. 2.
- 19 desertorum. Led. (ye.) desert. Siberia. 1827. — H. 2.
- 20 songarica. R.S. (ye.) Songarian. — — — H. 2.
- ERIOSYNAPHE. DC. ERIOSYNAPHE. Pentandria Digynia.
- longifolia*. DC. (ye.) long-leaved. Wolga. 1823. 7. 8. H. 2. DC. mem. umb. pl. 1. f. E.
- Ferula longifolia*. F.
- PÆLIMBIA. DC. PÆLIMBIA. Pentandria Digynia.
- Chabræi*. DC. (bh.) fine-leaved. Europe. 1791. 7. 8. H. 2. Jacq. aust. 1. t. 72.
- Selinum Chabræi*. Jacq. *Oreoselinum Chabræi*. M.B. *Imperatodia Chabræi*. R.S.
- PEUCEDANUM. S.S. SULPHURWORT. Pentandria Digynia. L.
- 1 officinale. s.s. (ye.) official. England. . . . 5. 7. H. 2. Eng. bot. v. 25. t. 1767.
- 2 paniculatum. R.S. (ye.) paniced. Corsica. 1827. — H. 2.
- 3 alsaticum. w. (wh.) small-headed. Austria. 1774. 6. 8. H. 2. Jacq. aust. 1. t. 70.
- 4 gallicum. s.s. (wh.) French. France. 1816. — H. 2. Gmel. sib. 1. t. 41.
- 5 italicum. P.S. (ye.) yellow-flower'd. Italy. . . . 5. 7. H. 2.
- 6 ruthenicum. R.S. (ye.) Russian. Russia. 1824. 6. 8. H. 2.
- 7 tauricum. R.S. (ye.) Taurian. Tauria. 1828. — H. 2.
- 8 longifolium. R.S. (ye.) long-leaved. Hungary. 1826. — H. 2. W. et K. hung. t. 251.
- 9 arenarium. s.s. (ye.) sand. — 1816. 6. 7. H. 2. — 1. t. 20.
- 10 Morisoni. R.S. (ye.) Morison's. — — — H. 2. Moris. his. 3. s. 9. t. 15. f. 1.
- 11 nodosum. s.s. (wh.) knotted-stalked. Crete. . . . — H. 2. Moris. his. s. 9. t. 17.
- 12 aureum. s.s. (ye.) golden. Canaries. 1779. 6. G. 3. Bot. reg. t. 559.
- 13 tenuifolium. s.s. (ye.) slender-leaved. C. B. S. 1816. 6. 8. G. 3.
- 14 isetense. s.s. (st.) straw-coloured. Siberia. 1828. — H. 3. Gmel. sib. 1. t. 42-43.
- 15 sibiricum. w. (ye.) Siberian. — 1804. 6. 7. H. 2. W. et K. hung. 1. t. 20.
- 16 palustre. K.U. (wh.) marsh. Britain. . . . 7. 8. H. 2. Eng. bot. v. 4. t. 229.
- Selinum palustre*. E.B. *Thysselinum palustre*. H.U.
- 17 baicalense. K.U. (wh.) Baical. Siberia. 1824. — H. 2.
- 18 Cervaria. K.U. (wh. pu.) large-leaved. Europe. 1597. — H. 2. Jacq. aust. 1. t. 69.
- Athamanta Cervaria*. Jacq. *Ligusticum Cervaria*. s.s.
- 19 Oreoselinum. K.U. (re. wh.) bending. Europe. 1780. 7. 9. H. 2. Jacq. aust. 1. t. 68.
- Athamanta Oreoselinum*. Jacq. *Oreoselinum legitimum*. M.B.
- 20 montanum. K.U. (wh.) mountain. Switzerland. 1816. 7. 8. H. 2.
- 21 involucreatum. K.U. (wh.) involucred. S. France. 1824. — H. 2.
- Selinum peucedanoïdes*. R.S. *Oreoselinum peucedanoïdes*. H.U.
- 22 austriacum. K.U. (wh.) Austrian. Austria. 1804. — H. 2. Jacq. aust. 1. t. 71.
- Selinum austriacum*. Jacq. *Oreoselinum austriacum*. H.U.
- 23 rabense. K.U. (wh.) linear-leaved. N. Europe. 1816. 7. 8. H. 2. Flor. dan. t. 1330.
- 24 latifolium. (wh.) broad-leaved. Caucasus. — — H. 2.
- Oreoselinum latifolium*. M.B.
- 25 polymorphum. Lag. (wh.) variable. Russia. 1824. — H. 2.
- 26 Bellardi. Lag. (wh.) Bellardi's. N. Europe. — — H. 2.
- 27 elegans. (wh.) elegant. — — — H. 2.
- Oreoselinum elegans*. H.U.
- 28 podolicum. H.U. (wh.) Polish. Poland. 1819. — H. 2.
- 29 nigricans. H.U. (wh.) black-rooted. Switzerland. 1823. — H. 2.
- 30 caucasicum. (st.) Caucasian. Caucasus. 1824. — H. 2.
- 31 Ostruthium. K.U. (wh.) Masterwort. Scotland. . . . 5. 7. H. 2. Eng. bot. v. 20. t. 1380.
- Imperatodia Ostruthium*. Eng. bot.

32	imperatorioïdes. K. U. (wh.) narrow-leav'd. Alps, Europe. 1818.	—	H. 2.	Moris. his. s. 9. t. 4.
	<i>Imperatoria angustifolia</i> . s. s. <i>Selinum imperatorioides</i> . L. en.			
<b>IMPERATORIA. DC. MASTERWORT. Pentandria Digynia. L.</b>				
	verticillaris. s. s. (wh.) whorl-flowered. Italy. 1683.	7.	H. 2.	Jacq. vind. 2. t. 130.
	<i>Angélica verticillaris</i> . w.			
<b>CALLISACE. F. CALLISACE. Pentandria Digynia.</b>				
	davurica. F. (wh.) Daurian. 1820.	7. 8.	H. 2.	
	<i>Thysselinum davuricum</i> . s. s.			
<b>B'UBON. K. U. B'UBON. Pentandria Digynia.</b>				
	Galbanum. K. U. (ye.) Lovage-leaved. C. B. S. 1696.	6. 8.	G. 2.	Jacq. vind. 3. t. 36.
	<i>Selinum Galbanum</i> . r. s.			
<b>ANETHUM. L. en. DILL. Pentandria Digynia. L.</b>				
	1 graveolens. w. (ye.) common. Spain. 1570.	6. 7.	H. 2.	Hoff. umb. gen. t. 1. f. 13.
	<i>Pastinaca Anethum</i> . s. s.			
	2 segetum. L. en. (ye.) Portugal. Portugal. 1796.	—	H. 2.	Jacq. vind. t. 132.
	3 Sôwa. H. B. (st.) Indian. E. Indies. 1810.	—	H. 2.	
<b>CAPNOPHYLLUM. S. S. CAPNOPHYLLUM. Pentandria Digynia. S. S.</b>				
	africanum. s. s. (wh.) Rue-leaved. C. B. S. 1759.	6. 9.	H. 2.	Jacq. vind. t. 194.
	<i>Cinium africanum</i> . w. <i>Ramia capensis</i> . L. en.			
<b>ARCHEMORA. DC. ARCHEMORA. Pentandria Digynia.</b>				
	rigida. DC. (wh.) rigid. Virginia. 1774.	7. 8.	H. 2.	Moris. dis. s. 9. t. 7. f. 1.
	<i>Siam rigidius</i> . w. <i>Enanthe rigida</i> . n. <i>Pastinaca rigida</i> . s. s.			
<b>PASTINACA. S. S. PARSNEP. Pentandria Digynia. L.</b>				
	1 lucida. s. s. (ye.) shining-leaved. S. Europe. 1771.	6. 7.	H. 2.	Jacq. vind. 2. t. 199.
	2 sativa. W. en. (ye.) cultivated. ....	7.	H. 2.	Flor. dan. t. 1206.
	3 opaca. W. en. (ye.) wild. Britain. ....	—	H. 2.	Eng. bot. v. 8. t. 556.
	<i>sativa</i> $\beta$ <i>arvensis</i> . p. s.			
	4 taraxaciïlia. F. (ye.) Dandelion-ld. Russia. 1822.	—	H. 2.	
	5 graveolens. s. s. (ye.) strong-scented. Tauria. 1819.	7. 8.	H. 2.	Hoff. umb. t. 1. B. f. 6. c.
	<i>Malabaila graveolens</i> . H. U.			
	6 panacifolia. F. (ye.) Panax-leaved. Tauria. 1826.	7. 8.	H. 2.	
	7 pimpinellifolia. s. s. (ye.) Burnet Saxifrage. Caucasus. 1824.	—	H. 2.	— p. 209. t. 1. B. f. 6. a. b.
	8 umbrôsa. F. (ye.) shady. ———— 1821.	—	H. 2.	
	9 dissécta. s. s. (ye.) cut-leaved. Levant. 1816.	6. 7.	H. 2.	Venten. cels. t. 78.
	10 nudicaulis. s. s. (ye.) naked-stalked. N. America. 1816.	—	H. 2.	
	<i>Smyrniun nudicaule</i> . Ph.			
	11 divaricata. Desf. (ye.) spreading. ....	1824.	—	H. 2.
<b>ASTYD'AMIA. DC. ASTYD'AMIA. Pentandria Digynia.</b>				
	canariensis. DC. (ye.) cut-leaved. Canaries. 1780.	7.	G. 2.	DC. dis. umb. t. 1. f. D.
	<i>Bupleurum canariense</i> . s. s. <i>Crithmum latifolium</i> . L. <i>Tendria canariensis</i> . R. S.			
<b>HERA'CLEUM. S. S. COW-PARSNEP. Pentandria Digynia. L.</b>				
	1 Sphondylium. w. (wh.) common. Britain. ....	5. 6.	H. 2.	Eng. bot. v. 14. t. 939.
	2 flavescens. w. (wh.) yellowish. Austria. 1789.	6. 7.	H. 2.	Jacq. aust. 2. t. 173.
	3 élegans. w. (wh.) rough-leaved. ———— 1800.	5. 6.	H. 2.	— 2. t. 175.
	4 angustifolium. w. (wh.) narrow-leaved. ———— ....	—	H. 2.	— 2. t. 174.
	5 longifolium. Jacq. (wh.) long-leaved. ———— ....	—	H. 2.	— 2. t. 374.
	6 sibiricum. s. s. (st.) Siberian. Siberia. 1768.	—	H. 2.	Gmel. sib. 1. t. 50.
	7 Panâces. s. s. (wh.) Fig-leaved. ———— 1596.	7. 8.	H. 2.	Lobel. ic. 701.
	8 pyrenâicum. w. (wh.) Pyrenean. Pyrenees. 1804.	—	H. 2.	
	9 amplifolium. Lap. (wh.) large-leaved. ————	—	H. 2.	Lap. fl. pyr. t. 79.
	10 gummiferum. w. (wh.) gum-bearing. ———— 1816.	—	H. 2.	Wild. hort. ber. t. 53. 54.
	11 speciosum. H. U. (wh.) handsome. ————	—	H. 2.	
	12 âsperum. M. B. (wh.) rough. Caucasus. ————	—	H. 2.	
	13 cordatum. Pr. (wh.) heart-leaved. Sicily. 1825.	—	H. 2.	
	14 villosum. s. s. (wh.) villous. Siberia. 1816.	—	H. 2.	
	15 grandiflorum. Stev. (w.) large-flowered. Caucasus. 1818.	—	H. 2.	
	16 decipiens. H. U. (wh.) deceiving. ————	—	H. 2.	
	17 marginatum. F. (wh.) margined. Siberia. 1816.	—	H. 2.	
	18 pubescens. M. B. (wh.) pubescent. Caucasus. 1824.	—	H. 2.	
	19 caucasicum. R. S. (wh.) Caucasian. ————	—	H. 2.	
	20 alpinum. s. s. (wh.) Alpine. Switzerland. 1739.	6. 7.	H. 2.	Barrel. ic. 55.
	21 austriacum. s. s. (wh.) Austrian. Austria. 1816.	—	H. 2.	Jacq. aust. t. 61.
	<i>Tordylium sifolium</i> . w.			
	22 ligusticifolium. s. s. (wh.) Lovage-leaved. Tauria. 1824.	—	H. 2.	
	23 subvillosum. F. (wh.) subvillous. Siberia. 1820.	—	H. 2.	
	24 giganteum. F. (wh.) gigantic. ————	—	H. 2.	
	25 basicum. F. (wh.) stately. ————	—	H. 2.	
	26 laciniatum. F. (wh.) jagged. ———— 1824.	—	H. 2.	
	27 tauricum. F. (wh.) Taurian. Tauria. 1823.	—	H. 2.	

28 cáspicum. F.	(wh.) Caspian.	Caucasus.	1828.	6. 7.	H. 2.	
29 lanátum. M.	(wh.) woolly.	N. America.	—	—	H. 2.	
30 pùmulum. DC.	(wh.) dwarf.	Dauphiny.	1800.	5. 7.	H. 2.	Vill. delph. 2. t. 14.
<i>Peucedànum Vocontiorum.</i> s.s.						
ZOSÍ'MIA. H.U.	ZOSÍ'MIA.	Pentandria Dìgynia.				
orientális. H.U.	(ye.) Wormwood-l'd.	Persia.	1816.	7. 8.	H. 2.	Vent. choix. t. 22.
<i>Herácleum absinthifolium.</i> s.s. <i>Tordyl'ium absinthifolium.</i> P.S.						

---

*Tribus VII. TORDYLINÆ. DC.*

HASSELQUISTIA. S.S.	HASSELQUISTIA.	Pentandria Dìgynia.	L.			
1 ægyptiaca. s.s.	(wh.) Egyptian.	Egypt.	1768.	7.	H. 2.	Jacq. vind. 1. t. 37.
2 cordáta. s.s.	(wh.) heart-leaved.	.....	1787.	—	H. 2.	— 2. t. 193.
TORDYLIUM. K.U.	HARTWORT.	Pentandria Dìgynia.	L.			
1 syriacum. s.s.	(wh.) Syrian.	Syria.	1597.	7.	H. 2.	Jacq. vind. 1. t. 54.
2 cordátum. E.	(wh.) heart-leaved.	—	1826.	—	H. 2.	—
3 máximum. s.s.	(wh.) great.	England.	....	6. 7.	H. 2.	Eng. bot. v. 17. t. 1173.
4 lusitánicum. W.en.	(wh.) Portugal.	Portugal.	1820.	—	H. 2.	—
CONDYLOCARPUS. K.U.	CONDYLOCARPUS.	Pentandria Monogynia.				
1 officínalis. K.U.	(bh.) officinal.	England.	....	7.	H. 2.	Eng. bot. v. 34. t. 2440.
<i>Tordyl'ium officínale.</i> s.s.						
2 ápulus. K.U.	(wh.) small.	Italy.	1739.	—	H. 2.	Jacq. vind. 1. t. 53.

---

*Tribus VIII. SILERINÆ. DC.*

KRUB'ERA. H.U.	KRUB'ERA.	Pentandria Dìgynia.				
leptophylla. K.U.	slender-leaved.	Barbary.	1800.	6. 7.	H. 2.	Desf. atl. 1. t. 66.
<i>Cónium dichótomum.</i> Df. <i>Cáchrys dichótoma.</i> R.S. <i>Tordyl'ium peregrínium.</i> L.						
AGASYLLIS. S.U.	AGASYLLIS.	Pentandria Dìgynia.				
1 caucásica. s.u.	(wh.) Caucasian.	Caucasus.	1823.	5. 7.	H. 2.	
<i>Silér caucásicum.</i> s.s. <i>Cáchrys latifolia.</i> M.B.						
2 sálsa. s.u.	(st.) fine-leaved.	Siberia.	1804.	7. 8.	H. 2.	Pall. act. pet. 1779. t. 8.
<i>Silér sálsium.</i> R.S. <i>Sison sálsium.</i> L.						
SILÉR. K.U.	SILÉR.	Pentandria Dìgynia.				
trilóbum. K.U.	(wh.) Columbine-leav'd.	Austria.	1796.	5. 7.	H. 2.	Jacq. aust. 2. t. 147.
<i>aquilegífolium.</i> R.S. <i>Laserpitium aquilegífolium.</i> W.						

---

*Tribus IX. CUMINÆ. DC.*

CUMINUM. S.S.	CUMIN.	Pentandria Dìgynia.	L.			
Cýminum. s.s.	(wh.) officinal.	Egypt.	1594.	6. 7.	H. 2.	Cav. ic. 4. t. 360.

---

*Tribus X. THAPSINÆ. DC.*

THAPSIA. S.S.	DEADLY CARROT.	Pentandria Dìgynia.	L.			
1 villósa. s.s.	(ye.) villous.	S. Europe.	1710.	6. 7.	H. 2.	Moris. s. 9. t. 18. f. 3.
2 f'œtida. s.s.	(ye.) stinking.	Spain.	1596.	7. 8.	H. 2.	— t. 18. f. 7.
3 gummífera. s.s.	(wh.) gum-bearing.	S. Europe.	1824.	—	H. 2.	Desf. atl. 1. t. 72.
<i>Laserpitium gummíferum.</i> Desf.						
4 Asclèpium. s.s.	(ye.) oriental.	Levant.	....	—	H. 2.	Flor. græc. t. 286.
5 gargánica. s.s.	(ye.) Garganian.	Barbary.	1683.	—	H. 2.	Gouan. ill. 18. t. 10.
6 altíssima. R.S.	(ye.) tall.	.....	....	—	H. 2.	—
CYMOPTERUS. DC.	CYMOPTERUS.	Pentandria Dìgynia.				
glomeráta. (wh.)	clustered.	N. America.	1824.	5. 6.	H. 2.	
<i>Selinum acacile.</i> Ph.						
LASERPITIUM. DC.	LASERWORT.	Pentandria Dìgynia.	L.			
1 latifolium. s.s.	(wh.) broad-leaved.	Europe.	1640.	6. 7.	H. 2.	Jacq. aust. t. 146.
2 Libanótis. s.s.	(pu.) pubescent.	S. Europe.	1824.	—	H. 2.	Lob. ic. 705.
3 marginátum. s.s.	(st.) purple-margin'd.	Hungary.	1818.	—	H. 2.	W. et K. hung. 2. t. 192.
4 Silér. s.s.	(wh.) mountain.	—	1640.	—	H. 2.	— 2. t. 145.

5	alpinum. K.U. (wh.) alpine.	S. Europe.	1640.	5. 7.	H. ♀.	W. et K. hung. 3. t. 253.
	<i>trilobum</i> . s.s.					
6	angustifolium. w. (wh.) narrow-leaved.	S. Europe.	1738.	6. 7.	H. ♀.	Moris. s. 9. t. 19. f. 9.
7	peucedanoides. w. (wh.) fine-leaved.	Italy.	....	—	H. ♀.	Jacq. ic. 2. t. 350.
8	resinosum. s.s. (ye.) resinous.	Sicily.	1825.	—	H. ♀.	
9	hirsutum. s.s. (wh.) hairy.	Switzerland.	1759.	—	H. ♀.	Hall. stirp. t. 19.
10	Archangélica. s.s. (wh.) spotted-stalked.	Hungary.	1818.	—	H. ♀.	Jacq. ic. 1. t. 58.
11	pilosum. s.s. (st.) sulphur-color'd.	Caucasus.	1759.	—	H. ♀.	
12	pruthenicum. s.s. (wh.) Prussian.	Germany.	—	7. 8.	H. ♀.	Jacq. aust. 2. t. 153.
13	hispidum. M.B. (bh.) hispid.	Caucasus.	1818.	—	H. ♀.	
14	Athamántæ. s.s. (wh.) branching.	Siberia.	—	—	H. ♂.	
15	gállicum. s.s. (wh.) French.	S. Europe.	1683.	6. 7.	H. ♀.	Pluk. phyt. t. 198. f. 6.
16	feruláceum. w. (wh.) Fennel-leaved.	Levant.	1752.	—	H. ♀.	Tourn. it. 2. t. 121.
17	pratense. Led. (wh.) field.	Siberia.	1827.	—	H. ♀.	
18	laxiflorum. F. (wh.) loose-flowered.	—	1828.	—	H. ♀.	
<b>LOPHOSCIADIUM. DC. LOPHOSCIADIUM. Pentandria Dignyia.</b>						
	milfofolium. dc. (ye.) milfoil-leaved.	Levant.	1823.	7. 8.	H. ♀.	DC. mem. umb. t. 2. f. P.
	<i>Ferula meoides</i> . s.s.					
<b>MELANOSELINUM. H.U. BLACK-PARSLEY. Pentandria Dignyia.</b>						
	decipiens. H.U. (wh.) shrubby.	Madeira.	1785.	6. 7.	G. ♀.	Wend. s. han. 3. t. 13.

*Tribus XI. DAUCINEÆ. DC.*

<b>ARTEDIA. S.S. ART'EDIA. Pentandria Dignyia. L.</b>						
	squamata. s.s. (wh.) Fennel-leaved.	Levant.	1740.	7.	H. ☉.	Lam. ill. t. 193.
<b>ORLA'YA. H.U. ORLA'YA. Pentandria Dignyia.</b>						
1	grandiflora. H.U. (wh.) great-flowered.	S. Europe.	1648.	7. 8.	H. ☉.	Jacq. aust. 1. t. 54.
	<i>Caucalis grandiflora</i> . s.s.					
2	maritima. K.U. (bh.) sea-side.	—	1825.	—	H. ☉.	Cavan. icon. 2. t. 101.
	<i>Caucalis maritimus</i> . s.s.					
3	platycarpus. K.U. (wh.) broad-seeded.	—	1800.	—	H. ☉.	Jacq. vind. 3. t. 10.
<b>DAUCUS. S.S. CARROT. Pentandria Dignyia. L.</b>						
1	Carota. w. (wh.) wild.	Britain.	....	6. 7.	H. ♂.	Eng. bot. v. 17. t. 1174.
	β lutea. (wh.) yellow-rooted, garden.	—	....	—	H. ♂.	
	γ aurantia. (wh.) long-orange.	—	....	—	H. ♂.	
	δ præcox. (wh.) early horn.	—	....	—	H. ♂.	
2	mauritanicus. w. (wh.) fine-leaved.	Spain.	1768.	—	H. ♂.	All. ped. 2. t. 61. f. 1.
3	polygamus. L.en. (wh.) polygamous.	—	....	—	H. ♂.	Jacq. vind. 3. t. 78.
4	pusillus. R.S. (wh.) small.	N. America.	1812.	—	H. ♂.	
5	maritimus. E.B. (ro.) sea-side.	England.	....	—	H. ♂.	Eng. bot. v. 36. t. 2560.
6	gummifer. s.s. (ro.) gum-bearing.	Italy.	1722.	—	H. ♂.	Moris. sect. 9. t. 13.
7	prolifer. s.s. (wh.) proliferous.	Sicily.	1828.	—	H. ♂.	
8	hispidus. s.s. (bh.) hispid.	Barbary.	1804.	—	H. ♂.	Desf. atl. t. 63.
9	siculus. s.s. (bh.) Sicilian.	—	—	—	H. ♂.	
10	Gingidium. s.s. (ro.) shining-leaved.	France.	1722.	—	H. ♂.	Moris. s. 9. t. 13. f. 4.
	<i>lucidus</i> . w.					
11	muricatus. s.s. (bh.) prickly-seeded	Barbary.	1683.	—	H. ☉.	Moris. s. 9. t. 14. f. 4.
12	littoralis. s.s. (wh.) sea-shore.	Greece.	1823.	—	H. ☉.	Flor. græc. t. 271.
13	montevidensis. Ot. (wh.) Monte Video.	Monte Video.	1826.	—	H. ☉.	
14	parviflorus. s.s. (wh.) small-flowered.	Barbary.	1823.	—	H. ♂.	Desf. atl. 1. t. 68.
15	crinitus. K.U. (wh.) whorl-leaved.	—	1804.	6. 7.	H. ♀.	— 1. t. 62.
	<i>Torilis crinita</i> . s.s.					
16	pulcherrimus. DC. (wh.) beautiful.	Caucasus.	1816.	—	H. ♂.	
	<i>Caucalis pulcherrima</i> . M.B.					
17	orientalis. DC. (wh.) oriental.	—	1699.	—	H. ♂.	Buxb. cent. 3. t. 28.
	<i>Caucalis orientalis</i> . R.S.					
18	Marschallianus. DC. (wh.) Marschall's.	Odessa.	1824.	—	H. ♂.	
	<i>Caucalis littoralis</i> . M.B. <i>Cachrys litoralis</i> . s.s.					

Subordo II. *CAMPYLOSPERMEÆ. DC.*

*Tribus XII. CAUCALINEÆ. DC.*

<b>CAUCALIS. S.S. BUR-PARSLEY. Pentandria Dignyia. L.</b>						
1	daucoides. s.s. (ro.) small.	England.	....	7. 8.	H. ☉.	Eng. bot. v. 3. t. 197.

2	mauritànica. s.s.	(wh.) Barbary.	Barbary.	1823.	7. 8.	H. ⊙	
3	leptophylla. s.s.	(bh.) fine-leaved.	Europe.	1739.	—	H. ⊙	Jacq. vind. t. 195.
4	pumila. w.	(bh.) dwarf.	—	1640.	—	H. ⊙	Ger. gallop. n. 4. t. 10.
5	hispida. s.s.	(st.) hispid.	S. Europe.	1825.	—	H. ⊙	
6	humilis. Lag.	(wh.) low.	—	—	—	H. ⊙	
<b>TURGENIA. DC. TURGENIA. Pentandria Digynia.</b>							
	latifolia. DC.	(bh.) broad-leaved.	England.	....	7. 8.	H. ⊙	Eng. bot. v. 3. t. 198.
	<i>Caucalis latifolia.</i>	E.B.					
<b>TORILIS. S.S. TORILIS. Pentandria Digynia. S.S.</b>							
1	Anthriscus. s.s.	(bh.) upright.	Britain.	....	7. 8.	H. ⊙	Eng. bot. v. 14. t. 987.
2	infesta. E.F.	(wh.) spreading.	—	....	—	H. ⊙	— v. 19. t. 1314.
	<i>helvética. s.s. arvensis. L.en. Caucalis infesta.</i>	E.B.					
3	neglecta. R.S.	(wh.) confused.	Austria.	....	—	H. ⊙	Jacq. aust. t. 29.
4	ucrànica. s.s.	(wh.) Ukraine.	Ukraine.	1828.	—	H. ⊙	
5	nodosa. s.s.	(wh.) knotted.	Britain.	....	5. 7.	H. ⊙	Eng. bot. v. 3. t. 199.
6	trichospërma. s.s.	(fl.) hairy-seeded.	Egypt.	1818.	—	H. ⊙	

## Tribus XIII. SCANDICINEÆ. DC.

<b>SCANDIX. DC. CICYLY. Pentandria Digynia. L.</b>							
1	Pecten. R.S.	(wh.) Venus's-comb.	Britain.	....	6. 7.	H. ⊙	Eng. bot. v. 20. t. 1397.
2	austràlis. R.S.	(wh.) southern.	S. Europe.	1713.	5. 7.	H. ⊙	Flor. græc. t. 285.
	<i>Wylia australis.</i>	H.U.					
3	falcata. R.S.	(wh.) radiated.	Tauria.	—	—	H. ⊙	Hoff. umb. t. 2. f. 2.
	<i>Wylia radians.</i>	H.U.					
4	grandiflora. R.S.	(wh.) large-flowered.	—	1827.	6. 7.	H. ⊙	Hoff.umb.p.15.t.2.f.3.
5	brachycarpa. s.s.	(wh.) short-seeded.	Sicily.	1829.	—	H. ⊙	
6	ibèrica. R.S.	(wh.) Iberian.	Iberia.	1828.	—	H. ⊙	Hoff. umb. t. 2. f. 4.
7	pinnatifida. R.S.	(wh.) cut-leaved.	Persia.	1805.	5. 7.	H. ⊙	Venten. cels. t. 14.
8	parviflora. R.S.	(wh.) small-flowered.	Tauria.	1827.	—	H. ⊙	
<b>ANTHRISCUS. S.S. ROUGH CHERVIL. Pentandria Digynia. S.S.</b>							
1	vulgàris. s.s.	(wh.) common.	Britain.	....	5. 6.	H. ⊙	Eng. bot. v. 12. t. 818.
	<i>Scandix anthriscus.</i>	E.B.					
2	trichospërma. R.S.	(wh.) hairy-seeded.	Persia.	1827.	—	H. ⊙	
3	memorosa. s.s.	(wh.) wood.	Caucasus.	1823.	7. 8.	H. ♀	Hoff.umb.2.t.1.B.f.19.
4	fumaroides. s.s.	(wh.) fumitory-like.	Hungary.	1818.	—	H. ♂	W. et K. hung. 3. t. 224.
5	bulbosa. DC.	(wh.) bulbous-rooted.	Europe.	1726.	6. 7.	H. ♂	Jacq. aust. 1. t. 63.
	<i>Myrrhis bulbosa.</i>	s.s. Chærophyllum bulbosum.	Jacq.				
6	sylvèstris. K.U.	(wh.) smooth.	Britain.	....	4. 5.	H. ♀	Eng. bot. v. 11. t. 752.
	<i>Chærophyllum sylvèstre.</i>	E.B.					
7	Cerèfolium. K.U.	(wh.) true Chervil.	—	....	6. 7.	H. ⊙	Eng. bot. v. 18. t. 1268.
	<i>Scandix cerèfolium.</i>	E.B. Chærophyllum sativum. s.s.					
8	capensis. s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. ♀	
<b>CHÆROPHYLLUM. S.S. CHERVIL. Pentandria Digynia. L.</b>							
1	aromàticum. K.U.	(wh.) aromatic.	Scotland.	....	6. 8.	H. ♀	Jacq. aust. 2. t. 150.
	<i>Myrrhis aromàtica.</i>	s.s.					
2	angelicafolium. M.B.	(wh.) Angelica-leav'd.	Iberia.	1828.	6. 8.	H. ♀	
3	hirsutum. w.	(wh.) hairy-leaved.	Switzerland.	1759.	6. 7.	H. ♀	Jacq. aust. 2. t. 148.
4	cicutarium. L.en.	(bh.) Cicuta-like.	S. Europe.	1816.	—	H. ♀	
5	aureum. L.	(st.) golden.	Scotland.	....	6.	H. ♀	Eng. bot. v. 30. t. 2103.
6	temulèntum. E.B.	(wh.) rough.	Britain.	....	7. 8.	H. ♂	— v. 22. t. 1521.
7	monogònum. L.en.	(wh.) one-angled.	Hungary.	1820.	4. 6.	H. ♀	
8	angulatum. Kit.	(wh.) angular.	—	—	—	H. ♀	
9	humile. M.B.	(wh.) dwarf.	.....	1825.	—	H. ♀	
	<i>Anthriscus humilis.</i>	Besser. Myrrhis humilis. R.S.					
10	nitidum. Wahl.	(wh.) glossy-seeded.	Carpathian-m.	1820.	—	H. ♀	
11	Biebersteinii. Lag.	(wh.) Bieberstein's.	Caucasus.	1824.	5. 6.	H. ♀	
12	nodosum. K.U.	(wh.) knotted.	Sicily.	1656.	5. 6.	H. ♀	Jacq. vind. 3. t. 25.
	<i>Scandix nodosa.</i>	Jacq. Anthriscus nodosa. s.s.					
13	procumbens. Ph.	(wh.) procumbent.	N. America.	1699.	7. 8.	H. ⊙	Moris. his. s. 9. t. 11. f. ult.
14	roseum. M.B.	(ro.) rose-coloured.	Iberia.	1824.	6. 7.	H. ♂	Hoff. umb. t. 1. B. f. 33.
15	coloratum. w.	(st.) color'd-bract'd.	Illyria.	1806.	7. 8.	H. ♂	
16	tenuifolium. Poir.	(wh.) slender-leaved.	Morocco.	—	—	F. ♂	Jacq. vind. t. 51.

SPHALLEROCARPUS. DC. SPHALLEROCARPUS. Pentandria Digynia. gracilis. DC. (wh.) slender. Siberia. 1827. 6. 8. H. ♂.	DC. dis. umb. t. 2. f. N.
<i>Myrrhis gracilis</i> . s.s. <i>Chærophyllum Cyminum</i> . F.	
MOLOPOSPERMUM. K.U. MOLOPOSPERMUM. Pentandria Digynia. peloponesiacum. K.U.(pa.)Hemlock-l <sup>d</sup> .Switzerland. 1596. 5. 7. H. ♀.	Jacq. aust. app. t. 13.
<i>Ligusticum peloponesiacum</i> . s.s.	
MYRRHIS. S.S. MYRRH. Pentandria Digynia. S.S. odorata. s.s. (wh.) sweet-scented. Britain. .... 5. 6. H. ♀.	Eng. bot. v. 10. t. 697.
OSMORHIZA. DC. OSMORHIZA. Pentandria Digynia. Claytoni. DC. (wh.) sweet-rooted. N. America. 1806. 7. 8. H. ♀.	Spreng. umb. t. 3. f. 6.
<i>Myrrhis Claytoni</i> . s.s. <i>Uruspermum hirsutum</i> . Bigelow. <i>Claytoni</i> . N.	

Tribus XIV. SMYRNEÆ. DC.

LAGECIA. L. WILD CUMIN. Pentandria Monogynia. L. cuminoides. s.s.(gr.ye.) common. Levant. 1640. 6. 7. H. ⊙.	Flor. græc. t. 243.
OLIVERIA. V. OLIVERIA. Pentandria Digynia. S.S. decumbens. v. (bh.) Thyme-scented. Bagdad. 1816. 5. 7. H. ⊙.	Venten. cels. t. 21.
ECHINOPHORA. S.S. SEA PARSNEP. Pentandria Digynia. L. 1 spinosa. s.s. (bh.) prickly. England. .... 7. H. ♀.	Eng. bot. v. 34. t. 2413.
2 tenuifolia. s.s. (bh.) fine-leaved. Apulia. 1731. 7. 8. H. ♀.	Flor. græc. t. 266.
3 trichophylla. s.s. (bh.) slender-leaved. Armenia. 1829. — H. ♀.	
ARCTOPUS. S.S. ARCTOPUS. Polygamia Diœcia. L. echinatus. s.s. (wh.) rough. C. B. S. 1774. 6. 9. G. ♀.	Bot. reg. t. 705.
CACHRYS. L.en. CACHRYS. Pentandria Digynia. L. 1 odontalgica. s.s. (ye.) Pallas's. Siberia. 1824. 7. 8. H. ♀.	Pall. reis. ap. 3. t. 9.
2 Morisoni. s.s. (ye.) Morison's. S. Europe. 1710. — H. ♀.	Moris. umb. t. 3. f. 1.
PERLEBIA. DC. PERLEBIA. Pentandria Digynia. triquetra. DC. (wh.) winged. Levant. 1816. 6. 7. H. ♀.	Vent. cels. t. 79.
<i>Laserpitium triquetrum</i> . v. <i>Cachrys triquetra</i> . s.s.	
HIPPOMARATHRUM. HIPPOMARATHRUM. Pentandria Digynia. siculum. L.en. (ye.) hairy-seeded. Sicily. 1640. 7. 8. H. ♀.	Moris. umb. t. 3. f. 2.
<i>Cachrys sicula</i> . s.s.	
MAGYDARIS. DC. MAGYDARIS. Pentandria Digynia. panacina. DC. (wh.) Parsnep-leaf'd. Sicily. 1752. 7. 8. H. ♀.	Bocc. sic. 1. t. 1.
<i>Cachrys panacifolia</i> . v. <i>Athamanta panacifolia</i> . R.S.	
HERMAS. S.S. HERMAS. Polygamia Monœcia. W. 1 gigantea. s.s. (pu.) gigantic. C. B. S. 1794. 6. 7. G. ♀.	Thunb. act. pet. 14. t. 11.
2 villosa. s.s. (bh.) villous. — 1795. — G. ♀.	Burm. afr. t. 71. f. 2
<i>depauperata</i> . L.	
3 ciliata. s.s. (wh.) ciliated. — 1816. — G. ♀.	Burm. t. 72. f. 1.
capitata. s.s. (wh.) headed. — 6. 8. G. ♀.	Thun. n. act. pet. 14. t. 12.
5 quinquentata. s.s.(wh.) toothed. — 1821. — G. ♀.	— 14. p. 533. t. 12.
CONIUM. H.U. HEMLOCK. Pentandria Digynia. L. 1 maculatum. s.s. (wh.) common. Britain. .... 6. 7. H. ♂.	Eng. bot. v. 17. t. 1191.
2 croaticum. w.K. (wh.) Hungarian. Hungary. .... — H. ♂.	
ARRACACIA. DC. ARRACACIA. Pentandria Digynia. esculenta. DC. (wh.) esculent. S. America. 1822. 4. 5. F. ♀.	Hook. ex. flor. t. 152.
<i>Conium Arracacha</i> . H.E.F.	
PLEUROSPERMUM. S.S. PLEUROSPERMUM. Pentandria Digynia. S.S. austriacum. s.s. (wh.) Austrian. Austria. 1596. 6. 8. H. ♀.	Jacq. aust. 2. t. 151.
<i>Ligusticum austriacum</i> . v.	
MYRNIUM. S.S. ALEXANDERS. Pentandria Digynia. L. 1 Olusatrum. s.s. (st.) common. Britain. .... 5. 6. H. ♂.	Eng. bot. v. 4. t. 230.
2 perfoliatum. w. (st.) perfoliate. Italy. 1596. 5. H. ♀.	Lobel. ic. 709.
<i>Dodonæi</i> . s.s.	
3 Dioscoridis. s.s. (ye.) Dioscorides. S. Europe. .... — H. ♂.	Flor. græc. t. 289.
4 apifolium. s.s. (ye.) Smallage-leaf'd. Candia. 1731. 5. 7. H. ♀.	
5 nudicaule. s.s. (ye.) naked-stalked. Caucasus. 1820. — H. ♀.	Spreng. umb. t. 4. f. 7.
6 cicutarium. s.s. (ye.) Cicutalike. — 1829. — H. ♀.	
7 cordatum. s.s. (ye.) heart-leaved. N. America. 1759. 6. 7. H. ♀.	
8 integririmum. Ph.(ye.) entire-leaved. N. America. 1759. — H. ♀.	
PHYSOSPERMUM. S.S. PHYSOSPERMUM. Pentandria Digynia. S.S. commutatum. s.s.(wh.) Cornish. England. .... 7. 8. H. ♀.	Eng. bot. v. 10. t. 683.
<i>Ligusticum cornubiense</i> . E.B.	

Subordo III. *CÆLOSPERMÆÆ*. DC.Tribus XV. *CORIANDRÆÆ*. DC.

<b>BIF'ORIS</b> . S.S.	<b>BIF'ORIS</b> . Pentandria Digynia. S.S.					
1 flosculosa. s.s. (wh.) flosculose.	S. Europe. 1640.	6. 7.	H. ☉.		Moris. sect. 9. t. 11.	
<i>Cõrion testiculatum</i> . L.en. <i>Coriandrum testiculatum</i> . L.						
2 radians. s.s. (wh.) rayed.	Tauria. ....	—	H. ☉.		Hoff.umb.ed.2.t.tit.f.2.	
<b>ATR'EMA</b> . DC.	<b>ATR'EMA</b> . Pentandria Digynia.					
americana. DC. (wh.) American.	N. America. 1827.	6. 7.	H. ☉.		DC. mem. umb. t. 18.	
<i>Coriandrum americanum</i> . N.						
<b>CORIA'NDRUM</b> . S.S.	<b>CORIANDRER</b> . Pentandria Digynia. L.					
sativum. s.s. (bh.) common.	England. ....	6.	H. ☉.		Eng. bot. v. 1. t. 67.	

## ORDO CIX.

ARALIACEÆ. *Juss. gen. p. 217.*

<b>P'ANAX</b> . L.	<b>P'ANAX</b> . Polygamia Diœcia. L.					
1 quinquefolium. w. (gr.) Ginseng.	N. America. 1740.	6.	H. ♀.		Bot. mag. t. 1333.	
2 trifolium. w. (wh.) lesser.	—————	1759.	5. 6.	H. ♀.	————— t. 1334.	
<i>pusilla</i> . a. B.M.						
3 fruticosum. w. (gr.) shrubby.	Ternate. 1800.	8. 9.	S. ♀.		Andr. rep. t. 595.	
4 digitatum. H.B. (gr.) fingered.	E. Indies. 1818.	....	S. ♀.			
5 arboreum. w. (gr.) tree.	N. Zealand. 1822.	....	G. ♀.			
6 chrysophyllum. R.S. (gr.) golden-leaved.	Guiana. ————	....	S. ♀.		Aub. gui. 2. t. 360.	
7 conchifolium. H.B. (gr.) shell-leaved.	—————	1820.	....	S. ♀.	Rumph. amb. 4. t. 31.	
8 attenuatum. w. (gr.) attenuated.	W. Indies. 1825.	....	S. ♀.			
9 aculeatum. w. (gr.) prickly.	China. 1773.	11.	S. ♀.		Jacq. ic. 3. t. 634.	
<b>CUSS'ONIA</b> . W.	<b>CUSS'ONIA</b> . Pentandria Digynia. L.					
1 thyriflora. w. (gr.) thyrse-flower'd.	C. B. S. 1795.	8. 10.	G. ♀.		Th. nov. act. ups. 3. t. 12.	
2 triptera. C.R. (gr.) tripterous.	—————	1816.	....	G. ♀.	Colla hort. rip. t. 26.	
3 spicata. w. (gr.) spike-flowered.	—————	1789.	8. 10.	G. ♀.	Th. nov. act. ups. 3. t. 13.	
<b>SCIODAPHY'LLUM</b> . S.S.	<b>SCIODAPHY'LLUM</b> . Pentandria Pentagynia. S.S.					
1 pentandrum. s.s. (bh.) pentandrous.	Peru. 1828.	....	G. ♀.		Flor. peruv. t. 311.	
2 acuminatum. s.s. (ye.) acuminate-petal'd.	—————	1818.	....	S. ♀.	————— t. 310.	
<i>Actinophyllum acuminatum</i> . R.P.						
3 conicum. s.s. (bh.) conical-flower'd.	—————	—————	....	S. ♀.	Flor. peruv. p. 75. t. 309.	
4 pedicellatum. s.s. (bh.) pedicelled.	—————	—————	....	S. ♀.	————— t. 308.	
<i>Actinophyllum pedicellatum</i> . R.P.						
5 angulatum. s.s. (ye.) tree.	—————	1824.	....	G. ♀.		
6 Brownii. s.s. (gr.) upright.	W. Indies. 1793.	6. 8.	S. ♀.		Brown jam. t. 19. f. 1. 2.	
<i>Aralia Sciodaphyllum</i> . w.						
<b>AR'ALIA</b> . D.P.	<b>AR'ALIA</b> . Pentandria Pentagynia. L.					
1 pentaphylla. s.s. (gr.) five-ld prickly.	China. 1822.	....	G. ♀.			
2 spinosa. s.s. (wh.) Angelica-tree.	Virginia. 1688.	9.	H. ♀.		Com. hort. 1. t. 47.	
3 racemosa. s.s. (gr.) berry-bearing.	N. America. 1658.	6. 9.	H. ♀.		Seukühr. hand. 1. t. 86.	
4 nudicaulis. s.s. (wh.) naked-stalked.	—————	1731.	6. 7.	H. ♀.	Pluk. alm. t. 238. f. 5.	
5 hispida. s.s. (wh.) hispid.	—————	1799.	—	H. ♀.	Bot. mag. t. 1085.	
6 pubescens. DC. (wh.) pubescent.	New Spain. 1819.	....	G. ♀.		DC. mons. ined. t. 45.	
<b>GAST'ONIA</b> . J.	<b>GAST'ONIA</b> . Dodecandria Monogynia.					
palmata. H.B. (wh.) palmate-leaved.	E. Indies. 1818.	3. 4.	f		Bot. g. t. 894.	
<b>H'EDERA</b> . D.P.	<b>IVY</b> . Pentandria Mono-Pentagynia.					
1 umbraculifera. (wh.) large.	E. Indies. 1818.	3. 4.	S. ♀.			
<i>Aralia umbraculifera</i> . H.B.						
2 digitata. H.B. (wh.) fingered.	—————	—————	—————	S. ♀.		

3	aculeàta. D.P.	(wh.) prickly Nepaul.	Nepaul.	1816.	....	F. h.	
4	fràgrans. D.P.	(wh.) fragrant.	—————	—————	....	F. h.	
5	cochleàta.	(wh.) shell-leaved.	E. Indies.	1820.	....	S. h.	Rumph. amb. 4. t. 31.
<i>Aràlia cochleàta.</i> R.S.							
	arborea. R.S.	(wh.) tree.	Jamaica.	—————	....	S. h.	Jacq. schœnb. t. 51.
7	capitàta. R.S.	(gr.) cluster-flower'd.	W. Indies.	1777.	8.	S. h.	Smith ic. pict. 4.
	canariensis. R.S.	(gr.) Irish.	Canaries.	1807.	9. 10.	H. h.	Willd. ber. m. 2. t. 5. f. 1.
	Hèlìs. R.S.	(gr.) common.	Britain.	....	—	H. h.	Eng. bot. v. 18. t. 1267.
	β poëtica. R.S.	(gr.) <i>Poet's.</i>	—————	....	—	H. h.	
	γ albo-variegàta. (gr.)	white-variegated.	—————	....	—	H. h.	
	δ flàvo-variegàta. (gr.)	yellow-variegated.	—————	....	—	H. h.	

## ORDO CX.

CAPRIFOLIACEÆ. *Juss. gen. p. 210.*

CORNUS. L.		Dog wood. Tetrandria Monogynia. L.					
1	alternifolia. R.S.	(wh.) alternate-leav'd.	N. America.	1760.	9.	H. h.	Schm. arb. 2. t. 70.
2	paniculata. R.S.	(wh.) panicled.	—————	1758.	6. 7.	H. h.	————— 2. t. 68.
3	stricta. R.S.	(wh.) upright.	—————	—————	—————	H. h.	————— 2. t. 67.
	β variegata.	(wh.) variegated-leav'd.	—————	—————	—————	H. h.	
4	oblònga. F.I.	(bh.) oblong-leaved.	Nepaul.	1818.	7. 8.	H. h.	
5	macrophylla. F.I.	(wh.) large-leaved.	—————	1827.	—————	H. h.	
6	circinata. R.S.	(wh.) Pennsylvanian.	N. America.	1784.	—————	H. h.	Schm. arb. 2. t. 69.
7	álba. R.S.	(wh.) white berried.	Siberia.	1741.	6. 9.	H. h.	————— 2. t. 65.
8	sibírica. L.C.	(wh.) Siberian.	—————	....	—————	H. h.	
9	sericea. R.S.	(wh.) blue-berried.	N. America.	1683.	8.	H. h.	Schm. arb. 2. t. 64.
10	sanguinea. R.S.	(wh.) common.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 4. t. 249.
	β variegata.	(wh.) variegated.	—————	....	—————	H. h.	
11	máscula. R.S.	(ye.) Cornelian Cherry.	Europe.	1596.	2. 4.	H. h.	Flor. græc. t. 151.
	β variegata.	(ye.) variegated.	—————	—————	—————	H. h.	
12	flòrida. R.S.	(ye.) great-flowered.	N. America.	1731.	4. 5.	H. h.	Bot. mag. t. 526.
13	capitàta. F.I.	(ye.) headed.	Nepaul.	1820.	—————	H. h.	
14	canadensis. R.S.	(wh.) Canadian.	Canada.	1774.	6. 8.	H. h.	Bot. mag. t. 880.
15	suètica. R.S.	(wh.) dwarf.	Britain.	....	4.	H. h.	Eng. bot. v. 5. t. 310.
SAMBUCUS. L.		ELDER. Pentandria Trigynia. L.					
1	Ebùlus. R.S.	(fl.) herbaceous.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 7. t. 475.
2	hùmilis. Mill.	(fl.) dwarf.	—————	....	—————	H. h.	
3	chinénsis. H.T.	(fl.) Chinese.	China.	1825.	—————	H. h.	
4	nigra. R.S.	(wh.) common.	Britain.	....	5. 7.	H. h.	Eng. bot. v. 7. t. 476.
	β variegata.	(wh.) variegated.	—————	....	—————	H. h.	
	γ aurea.	(wh.) golden-leaved.	—————	....	—————	H. h.	
	δ pulverulenta.	(wh.) powdered-leaved.	—————	....	—————	H. h.	
	ε monstròsa.	(wh.) deformed.	—————	....	—————	H. h.	
	ζ virèscens.	(wh.) green-fruited.	—————	....	—————	H. h.	
	η álvida.	(wh.) white-fruited.	—————	....	—————	H. h.	
5	aniàta. L.en.	(wh.) Parsley-leaved.	—————	....	—————	H. h.	Schm. arb. t. 144.
6	hybrida. Jac.	(wh.) hybrid.	—————	1826.	—————	H. h.	
7	rotundifolia. L.C.	(wh.) round-leaved.	Wiltshire.	....	—————	H. h.	
8	canadénsis. R.S.	(wh.) Canadian.	N. America.	1761.	6. 8.	H. h.	Schm. arb. t. 142.
	memòsa. R.S.	(st.) red-berried.	S. Europe.	1596.	5. 6.	H. h.	Jacq. ic. 1. t. 59.
	β purpùrea.	(st.) purple-flowered.	—————	—————	—————	H. h.	
10	pubescent.	(st.) pubescent.	N. America.	1812.	—————	H. h.	
VIBURNUM. Pentandria Trigynia. L.							
1	moë. R.S.	(wh.) soft.	N. America.	1812.	6. 7.	H. h.	
2	acerifolium. R.S.	(wh.) Maple-leaved.	—————	1736.	—————	H. h.	Wats. dend. brit. t. 118.
3	édule. R.S.	(wh.) eatable-fruited.	—————	1812.	7.	H. h.	
4	Oxycóccos. R.S.	(h) Cranberry-like.	—————	....	—————	H. h.	
5	Opulus. R.S.	(wh.) Guelder Rose.	Britain.	....	5. 6.	H. h.	Eng. bot. v. 5. t. 332.
	β roseum. R.S.	(wh.) Snowball tree.	—————	....	—————	H. h.	Schm. arb. t. 174.
	γ variegatum.	(wh.) variegated-leav'd.	—————	....	—————	H. h.	
6	davuricum. R.	(wh.) Sib. Tan.	Dahuria.	1785.	6. 7.	H. h.	Pall. ross. 1. t. 38.
7	lantanoïdes. R.S.	(wh.) Lantana-like.	N. America.	....	5. 6.	H. h.	
8	Lantàna. R.S.	(wh.) wayfaring-tree.	Britain.	....	—————	H. h.	Eng. bot. v. 5. t. 331.
9	nervosum. D.P.	(wh.) nerved-leaved.	Nepaul.	1826.	—————	H. h.	

- 10 Lentàgo. R.S. (*wh.*) tree. N. America. 1761. 7. H.  $\frac{1}{2}$ . Wats. dend. brit. t. 21.
- 11 squamatum. R.S. (*wh.*) scaly. ——— 1812. 6. 7. H.  $\frac{1}{2}$ . ——— t. 24.
- 12 pyrifolium. R.S. (*wh.*) pear-leaved. ——— . . . . 5. 6. H.  $\frac{1}{2}$ . ——— t. 22.
- 13 prunifolium. R.S. (*wh.*) plum-leaved. ——— 1731. ——— H.  $\frac{1}{2}$ . ——— t. 23.
- 14 pubescens. R.S. (*wh.*) pubescent. ——— 1736. 6. 7. H.  $\frac{1}{2}$ . ———
- 15 dentatum. R.S. (*wh.*) tooth-leaved. ——— ——— H.  $\frac{1}{2}$ . Wats. dend. brit. t. 25.
- 16 lævigatum. R.S. (*wh.*) Cassioberry bush. ——— 1724. 7. 8. H.  $\frac{1}{2}$ . Mill. ic. 1. t. 83. f. 1.
- 17 nitidum. R.S. (*wh.*) shining-leaved. ——— 1758. 5. 6. H.  $\frac{1}{2}$ . ———
- 18 cassinoïdes. R.S. (*wh.*) thick-leaved. ——— 1761. 6. 7. H.  $\frac{1}{2}$ . ———
- 19 obovatum. R.S. (*wh.*) obovate-leaved. ——— 1812. 5. 6. H.  $\frac{1}{2}$ . ———
- 20 odoratissimum. B.R. (*w.*) sweet-scented. China. 1810. ——— G.  $\frac{1}{2}$ . Bot. reg. t. 456.
- chinense*. Zeyh.
- 21 nudum. R.S. (*wh.*) oval-leaved. N. America. 1752. ——— H.  $\frac{1}{2}$ . Wats. dend. brit. t. 20.
- 22 cylindricum. D.P. (*wh.*) tube-flowered. Nepaul. 1826. 6. 8. H.  $\frac{1}{2}$ . ———
- 23 villosum. R.S. (*wh.*) villous. Jamaica. 1820. 4. 6. S.  $\frac{1}{2}$ . ———
- 24 rugosum. R.S. (*wh.*) rugged-leaved. Canaries. 1796. 4. 5. H.  $\frac{1}{2}$ . Bot. reg. t. 376.
- rigidum*. Vent. malm. t. 98.
- 25 strictum. L.en. (*wh.*) upright Laurestine. S. Europe. 1596. 3. 5. H.  $\frac{1}{2}$ .
- $\beta$  virgatum. (*wh.*) twiggy. ——— ——— H.  $\frac{1}{2}$ .
- 26 Tinus. R.S. (*wh.*) common Laurestine. ——— 12. 4. H.  $\frac{1}{2}$ . Bot. mag. t. 38.
- 27 lucidum. R.S. (*wh.*) shining Laurestine. ——— 2. 5. H.  $\frac{1}{2}$ . Clus. hist. 1. 49. ic.
- SYMPHORIA. S.S. St. PETER'S-WORT. Pentandria Monogynia.
- 1 glomerata. s.s. (*wh.*) common. N. America. 1730. 8. 9. H.  $\frac{1}{2}$ . Schmidt arb. t. 115.
- 2 racemosa. s.s. (*wh.*) Snowberry. ——— 1812. 7. 9. H.  $\frac{1}{2}$ . Wats. dend. brit. t. 7.
- DIERVILLA. J. DIERVILLA. Pentandria Monogynia.
- 1 humilis. P.S. (*ye.*) yellow-flower'd. N. America. 1739. 6. 7. H.  $\frac{1}{2}$ . Bot. mag. t. 1796.
- lutea* Ph. Tournefortii. R.S. canadensis. s.s. *Lonicera Diervilla*. L.
- LONGICERA. R.S. FLY-HONEYSUCKLE. Pentandria Monogynia. L.
- 1 alpigena. s.s. (*re.*) red-berried. Switzerland. 1596. 4. 5. H.  $\frac{1}{2}$ . Schmidt arb. t. 112.
- 2 microphylla. s.s. (*re.*) small-leaved. Siberia. 1818. 5. 6. H.  $\frac{1}{2}$ .
- 3 sibirica. R.S. (*re.*) Siberian. ——— . . . . H.  $\frac{1}{2}$ .
- 4 orientalis. R.S. (*wh.*) oriental. Levant. 1820. ——— H.  $\frac{1}{2}$ .
- caucásica*. Pall.
- 5 punicea. B.M. (*cr.*) crimson-flower'd. . . . . 4. 5. H.  $\frac{1}{2}$ . Bot. mag. t. 2469.
- 6 cœrulea. R.S. (*st.*) blue-berried. Switzerland. 1629. 3. 4. H.  $\frac{1}{2}$ . ——— t. 1965.
- $\beta$  altaica. F. (*st.*) *Altay*. ——— 1827. ——— H.  $\frac{1}{2}$ .
- 7 canadensis. R.S. (*st.*) Canadian. Canada. 1812. 4. 5. H.  $\frac{1}{2}$ .
- 8 involucreta. s.s. (*ye.*) involucred. N. America. 1824. 5. 6. H.  $\frac{1}{2}$ . Bot. reg. t. 1179.
- 9 ibérica. R.S. (*br.*) Iberian. Iberia. 1818. 5. 6. H.  $\frac{1}{2}$ .
- 10 villosa. R.S. (*st.*) villous. Canada. ——— 4. 5. H.  $\frac{1}{2}$ .
- Xylósteum villosum*. M.
- 11 Xylósteum. R.S. (*wh.*) fly. England . . . . 6. 7. H.  $\frac{1}{2}$ . Eng. bot. v. 13. t. 916.
- 12 canescens. R.S. (*wh.*) canescent. Barbary. 1820. ——— H.  $\frac{1}{2}$ . Desf. atl. 1. t. 52.
- biflora*. Desf.
- 13 ciliata. R.S. (*wh.*) ciliated. N. America. 1824. 5. 6. H.  $\frac{1}{2}$ .
- $\beta$  alba. R.S. (*wh.*) white-berried. ——— ——— H.  $\frac{1}{2}$ .
- 14 tatárica. R.S. (*wh.*) Tartarian. Tartary. 1752. 4. 5. H.  $\frac{1}{2}$ . Pall. ros. 1. t. 36.
- $\alpha$  alba. (*wh.*) white-flowered. ——— ——— H.  $\frac{1}{2}$ .
- $\beta$  rubra. (*pi.*) red-flowered. ——— ——— H.  $\frac{1}{2}$ . Bot. reg. t. 31.
- 15 nigra. R.S. (*pu.*) black-berried. Switzerland. 1597. 3. 4. H.  $\frac{1}{2}$ . Schmidt arb. t. 110.
- 16 flexuosa. R.S. (*wh.*) flexuose. China. 1806. 7. 9. H.  $\frac{1}{2}$ .
- 17 quadrifolia. R.S. (*wh.*) four-leaved. Siberia. 1824. ——— H.  $\frac{1}{2}$ .
- 18 pyrenæica. R.S. (*wh.*) Pyrenean. Pyrenees. 1739. 5. H.  $\frac{1}{2}$ . Magn. hort. t. 209.
- 19 hispida. R.S. (*wh.*) hispid-branch'd. Dahuria. 1821. ——— H.  $\frac{1}{2}$ .
- 20 ligustrina. D.P. (*st.*) Privet-leaved. Nepaul. 1825. 4. 5. H.  $\frac{1}{2}$ .
- NINTO'OA. NINTO'OA. Pentandria Monogynia.
- 1 longiflora. (*st.*) long-flowered. China. 1816. 5. 10. F.  $\frac{1}{2}$ . Bot. reg. t. 1233.
- Caprifolium longiflorum*. B.R. *japónica*. D.P.
- 2 confusa. (*st.*) pale-flowered. China. 1806. 7. 10. F.  $\frac{1}{2}$ . Andr. reposit. t. 583.
- Nin-too*. Kæmpf. amœn. 5. p. 785. *Lonicera japónica*. Bot. reg. t. 70. non Thunb.
- 3 japónica. Th. (*re.*) red-flowered. China. 1814. 4. 11. H.  $\frac{1}{2}$ . Wats. dend. brit. t. 117.
- Lonicera chinensis*. W.D. *Lonicera flexuosa*. Bot. reg. v. 9. t. 712. nec *aliorum*.
- CAPRIFOLIUM. R.S. HONEYSUCKLE. Pentandria Monogynia.
- 1 italicum. R.S. (*wh.*) early. England. . . . 4. 6. H.  $\frac{1}{2}$ . Eng. bot. v. 12. t. 799.
- album. (*wh.*) white-flowered. ——— . . . . H.  $\frac{1}{2}$ . Jacq. aust. t. 357.
- Lonicera Caprifolium*. E.B.
- $\beta$  rubrum. (*re.*) early red. Italy. . . . H.  $\frac{1}{2}$ . Schmidt arb. t. 106.
- 2 etruscum. R.S. (*wh. pu.*) Italian. ——— 1824. ——— H.  $\frac{1}{2}$ . San. Viag. al. m. t. 1.
- 3 baleàricum. R.S. (*st.*) red-barked. S. Europe. ——— H.  $\frac{1}{2}$ .

- 4 dioicum. R.S. (re.) small-flowered. N. America. 1766. 6. 7. H.  $\frac{1}{2}$ . Bot. reg. t. 138.  
*parviflorum*. Ph? *bracteosum*. M? *Lonicera media*. Murr. com. got. 1776. t. 3.  
5 gratum. R.S. (re.) evergreen. N. America. 1730. 6. 8. H.  $\frac{1}{2}$ . Hort. angl. n. 10. t. 8.  
6 flavum. B.M. (ye.) golden-flowered. ——— 1810. 5. 7. H.  $\frac{1}{2}$ . Bot. mag. t. 1318.  
*Fraseri*. Ph. *Lonicera flava*. B.M.  
7 Douglasii. H.T. (ye.) Douglas's. Canada. 1824. 5. 7. H.  $\frac{1}{2}$ .  
8 pubescens. H.E.F. (ye.) pubescent. N. America. 1820. ——— H.  $\frac{1}{2}$ . Hook. ex. flor. t. 27.  
*Lonicera Goldii*. s.s.  
9 sempervirens. R.S. (sc.) Trumpet. ——— 1656. 5. 8. H.  $\frac{1}{2}$ . Bot. mag. t. 781.  
10 oblongifolium. (sc.) oblong-leaved. Carolina. .... ——— F.  $\frac{1}{2}$ . ——— t. 1753.  
*Lonicera sempervirens*.  $\beta$  minor. B.M.  
11 ciliosum. R.S. (ye.) fringed. N. America. 1827. ——— H.  $\frac{1}{2}$ .  
12 implerum. R.S. (pa.) glaucous-leaved. Minorca. 1772. 6. 9. H.  $\frac{1}{2}$ . Bot. mag. t. 640.  
13 Periclymenum. R.S. (st.) Woodbine. Britain. .... 5. 7. H.  $\frac{1}{2}$ . Eng. bot. v. 12. t. 800.  
*a vulgare*. H.K. (st.) common. ——— .... ——— H.  $\frac{1}{2}$ . Schmidt arb. t. 107.  
 *$\beta$  serotinum*. H.K. (re.) late red. ——— .... 6. 8. H.  $\frac{1}{2}$ . ——— t. 108.  
 *$\gamma$  belgicum*. H.K. (bh.) dutch. ——— .... 5. 7. H.  $\frac{1}{2}$ . Hort. angl. n. 5. t. 6.  
 *$\delta$  quercifolium*. H.K. (st.) Oak-leaved. Britain. .... ——— H.  $\frac{1}{2}$ .  
 *$\epsilon$  variegatum*. H.K. (st.) variegated-leav'd. ——— .... ——— H.  $\frac{1}{2}$ .  
TRIOSTEUM. R.S. FEVERWORT. Pentandria Monogynia. L.  
1 perfoliatum. R.S. (pu.) perfoliate. N. America. 1730. 6. 7. H.  $\frac{1}{2}$ .  
2 angustifolium. R.S. (ye.) narrow-leaved. ——— 1699. ——— H.  $\frac{1}{2}$ . Pluk. alm. t. 104. f. 2.  
LINNÆA. W. LINNÆA. Didynamia Angiospermia. L.  
borealis. w. (bh.) two-flowered. Britain. .... 5. 8. H.  $\frac{1}{2}$ . Eng. bot. v. 7. t. 433.

## ORDO CXI.

LORANTHÆ. *Juss. ann. mus. 12. p. 292.*

- LORANTHUS. L. LORANTHUS. Hexandria Monogynia.  
europæus. s.s. (st.) European. Europe. 1824. .... H.  $\frac{1}{2}$ . Jacq. aust. t. 30.  
VISCUM. L. MISSELTOE. Diœcia Tetrandia. L.  
album. E.B. (gr.) common. England. .... 5. H.  $\frac{1}{2}$ . Eng. bot. v. 21. t. 1470.

## ORDO CXII.

CHLORANTHÆ. *R. Brown.*

- CHLORANTHUS. R.S. CHLORANTHUS. Tetrandia Monogynia. R.S.  
1 inconspicuus. R.S. (st.) trailing. China. 1781. 5. 9. G.  $\frac{1}{2}$ . L'Her. sert. angl. t. 2.  
2 erectus. H.S.L. (wh.) upright. ——— 1809. 6. 8. G.  $\frac{1}{2}$ .  
*elætor*. L. enum.  
3 odoriferus. (ye.) sweet-scented. ——— 1820. ——— G.  $\frac{1}{2}$ .  
*Creddus odorifer*. Loureiro.  
4 monostachys. s.s. (st.) single-spiked. ——— 1819. 2. 6. G.  $\frac{1}{2}$ . Bot. mag. t. 2190.  
5 monander. B. (ye.) single-stamen'd. ——— 1817. 1. 12. G.  $\frac{1}{2}$ .

## ORDO CXIII.

LOPHIREÆ. *G. Don.*

- LOPHIRA. S.S. SCRUBBY OAK. Icosandria Monogynia. S.S.  
alata. s.s. (gr.) winged. Sierra Leone. 1822. .... S.  $\frac{1}{2}$ .

## ORDO CXIV.

RUBIACEÆ. *Juss. gen.* 196.Sect. I. GUETTARDEÆ. *Kunth synops.* 3. p. 67.

GUETTA'RD. S.S.	GUETTA'RD.	Monœcia	Tetr-Pent-Hexandria.			
1 argentea. s.s.	(wh.) silvery-leaved.	Jamaica.	1826.	....	S. h.	Brown. jam. t. 20. f. 1.
2 hirsuta. s.s.	(wh.) hairy.	Peru.	1822.	....	S. h.	Flor. per. 2. t. 145. f.a.
<i>Laugeria hirsuta.</i> R.P.						
3 tomentosa. s.s.	(wh.) tomentose.	Jamaica.	—	....	S. h.	
4 lucida. s.s.	(wh.) glossy.	—	1818.	....	S. h.	Vahl. symb. 3. t. 57.
<i>Laugeria lucida.</i> Sw.						
5 odorata. r.s.	(br.) sweet-scented.	Havannah.	1827.	....	S. h.	Jacq.am.pic.t.259.f.16.
6 scabra. s.s.	(wh.) rough.	W. Indies.	—	....	S. h.	Vent. choix. 1. t. 1.
<i>Matthiola scabra.</i> L.						
7 rugosa. s.s.	(wh.) rough-leaved.	—	1793.	....	S. h.	
8 elliptica. r.s.	.... elliptic-leaved.	Jamaica.	1825.	....	S. h.	
9 speciosa. s.s.	(wh.) great-flowered.	E. Indies.	1771.	....	S. h.	Rheed. mal. 4. t. 47.48.
NONAT'ELIA. R.S.	NONAT'ELIA.	Pentandria	Monogynia.			
1 racemosa. r.s.	(wh.) racemed.	Trinidad.	1825.	....	S. h.	Aubl. guian. 1. t. 72.
2 officinalis. r.s.	(wh.) officinal.	W. Indies.	1824.	....	S. h.	— 1. t. 70. f. 1.
<i>Psychotria involucrata.</i> w.						
VANGU'ERIA. J.	VANGU'ERIA.	Pentandria	Monogynia.	S.S.		
1 edulis. s.s.	(gr.) eatable.	E. Indies.	1809.	....	S. h.	Lam. ill. t. 159.
2 spinosa. F.I.	(gr.) spiny.	—	1818.	....	S. h.	
ERITHALIS. S.S.	ERITHALIS.	Pentandria	Monogynia.	L.		
1 fruticosa. s.s.	(wh.) shrubby.	Jamaica.	1793.	7. 8.	S. h.	Jacq.am.p.t.260.f.20.
<i>odorifera.</i> R.S.						

Sect. II. HAMELIACEÆ. *Kth. synops.* 3. p. 63.

HAMELIA. S.S.	HAMELIA.	Pentandria	Monogynia.	L.		
1 axillaris. s.s.	(ye.) axillary-flower'd.	Jamaica.	1820.	7. 8.	S. h.	
2 ventricosa. s.s.	(ye.) large-flowered.	W. Indies.	1778.	9. 11.	S. h.	Bot. reg. 1195.
<i>grandiflora.</i> par. lond. t. 55.						
3 chrysantha. s.s.	(ye.) yellow-flower'd.	—	1820.	—	S. h.	Jacq. ic. 2. t. 335.
4 patens. s.s.	(sc.) spreading.	—	1752.	7. 8.	S. h.	Exot. bot. 1. t. 24.
5 sphaerocarpa. P.S.	(or.) round-fruited.	Peru.	1811.	—	S. h.	Flor. per. t. 221. f. b.
ISERTIA. S.S.	ISERTIA.	Hexandria	Monogynia.	S.S.		
1 coccinea. s.s.	(sc.) scarlet-flower'd.	S. America.	1820.	....	S. h.	Aubl. guian. 1. t. 123.
SABICEA. R.S.	SABICEA.	Pentandria	Monogynia.			
1 aspera. r.s.	(wh.) rough.	Guiana.	1824.	....	S. h.	Aubl. guian. 1. t. 123.
2 hirta. r.s.	(wh.) hairy.	Jamaica.	1825.	....	S. h.	

Sect. III. GARDENIEÆ. *Sal. par. lond.* 46.

MUSS'ÆNDA. R.S.	MUSS'ÆNDA.	Pentandria	Monogynia.	L.		
1 corymbosa. F.I.	(or.) corymbose.	E. Indies.	1827.	5. 8.	S. h.	
2 frondosa. R.S.	(ye.) frondose.	—	1815.	5. 10.	S. h.	Bot. reg. t. 517.
3 glabra. r.s.	(ye.) smooth.	—	1820.	—	S. h.	
4 macrophylla. F.I.	(or.) large-leaved.	Nepaul.	1827.	....	S. h.	
5 pubescens. R.S.	(ye.) pubescent.	China.	1805.	5. 9.	G. h.	Bot. mag. t. 2099.
6 arcuata. r.s.	(ye.) arched.	Isle France.	1822.	....	S. h.	
LUCULIA. B.F.G.	LUCULIA.	Pentandria	Monogynia.			
1 gratissima. B.F.G.	(ro.) sweet-scented.	Nepaul.	1818.	10. 2.	G. h.	Swt br. fl. gar. t. 145.
<i>Cinchona gratissima.</i> F.I. <i>Muss'ænda Luculia.</i> D.P.						
RA'NDIA. R.S.	RA'NDIA.	Pentandria	Monogynia.	R.S.		
1 aculeata. r.s.	(wh.) prickly.	W. Indies.	1733.	5. 6.	S. h.	Bot. mag. t. 1841.
<i>Gardenia Randia.</i> w.						

2	obovata. R.S.	(wh.) obovate-leaved.	Peru.	1818.	5. 6.	S. h.	Flor. per. 2. t. 220. f. b.
3	rotundifolia. R.S.	(wh.) round-leaved.	—————	—————	—————	S. h.	
4	parvifolia. R.S.	(wh.) small-leaved.	Jamaica.	1825.	5. 7.	S. h.	Sloan. hist. 2. t. 207. f. 1.
5	macrantha. R.S.	(wh.) large-flowered.	Sierra Leon.	1796.	8. 9.	S. h.	Sal. par. lond. t. 93.
	<i>longiflora</i> . P.L. non R.S.						
6	racemosa. H.B.	(wh.) racemed.	E. Indies.	1818.	....	S. h.	
7	longiflora. R.S.	(wh.) long-flowered.	—————	—————	....	S. h.	Lam. ill. t. 156. f. 3.
	<i>Gardenia multiflora</i> . w.						
8	stricta. F.I.	(wh.) upright.	—————	1824.	5. 7.	S. h.	
	<i>Macrocnemum strictum</i> . R.S.						
9	horrida. R.S.	(wh.) large-spined.	China.	1825.	————	S. h.	
10	sinensis. R.S.	(wh.) Chinese.	—————	—————	—————	S. h.	
	POSOQUERIA. F.I. POSOQUERIA. Pentandria Monogynia.						
1	rigida. F.I.	(wh.) rigid.	Nepaul.	1825.	....	S. h.	
2	floribunda. F.I.	(wh.) many-flowered.	E. Indies.	—————	....	S. h.	
3	fasciculata. F.I.	(wh.) fascicle-flower'd.	—————	1824.	5. 6.	S. h.	
4	fragrans. F.I.	(wh.) fragrant.	—————	1822.	4. 6.	S. h.	
5	longispina. F.I.	(wh.) long-spined.	—————	1812.	————	S. h.	
	<i>Gardenia longispina</i> . s.s.						
6	nütans. F.I.	(wh.) drooping.	—————	1818.	7. 9.	S. h.	
7	dumetorum. F.I.	(wh.) bushy.	—————	1779.	————	S. h.	Roxb. corom. 2. t. 136.
	<i>Gardenia dumetorum</i> . w. <i>Canthium coronatum</i> . Lam.						
8	uliginosa. F.I.	(wh.) marsh.	E. Indies.	1802.	————	S. h.	Roxb. corom. 2. t. 135.
9	spinosa. (wh.) spiny.	China.	1804.	————	————	S. h.	Thunb. gar. n. 7. t. 2. f. 4.
	<i>Gardenia spinosa</i> . Th. <i>Canthium chinense</i> . P.S.						
10	longiflora. R.S.	(wh.) long-flowered.	Guiana.	1820.	....	S. h.	Aubl. guian. 1. t. 51.
	GARDENIA. R.S. GARDENIA. Pentandria Monogynia. L.						
1	am'ena. s.s.	(re.wh.) crimson-tipped.	China.	1810.	6. 8.	S. h.	Bot. mag. t. 1904.
2	armata. s.s.	(wh.) armed.	W. Indies.	1813.	....	S. h.	Jacq. amer. pict. t. 71.
	<i>Mussaenda spinosa</i> . Jacq.						
3	tetracantha. s.s.	(wh.) four-thorned.	New Spain.	1818.	....	S. h.	
4	propinqua. B.R.	(wh.) strong-spined.	.....	1816.	5. 8.	S. h.	Bot. reg. t. 975.
5	montana. F.I.	(st.) mountain.	E. Indies.	1818.	6. 8.	S. h.	
6	campanulata. F.I.	(st.) bell-flowered.	—————	1812.	————	S. h.	
7	micrantha. R.S.	(wh.) small-flowered.	China.	1806.	————	S. h.	Thunb. gar. n. 8. t. 1. f. 2.
8	florida. s.s.	(wh.) Cape Jasmine.	—————	1754.	7. 10.	S. h.	Bot. reg. t. 449.
	<i>β flore-pleno</i> . (wh.) double-flowered.						
9	angustifolia. B.C.	(wh.) narrow-leaved.	—————	1820.	————	S. h.	Lodd. bot. cab. 512.
10	radicans. s.s.	(wh.) rooting.	—————	1804.	3. 6.	G. h.	Bot. reg. t. 73.
11	grandiflora. R.S.	(wh.) large-flowered.	—————	1816.	————	S. h.	Bot. mag. t. 2627.
	<i>florida</i> var. <i>ovalifolia</i> . Bot. mag. t. 2627.						
12	costata. F.I.	(wh.) ribbed.	E. Indies.	1825.	....	S. h.	
13	latifolia. s.s.	(wh.) broad-leaved.	—————	1787.	....	S. h.	Roxb. cor. 2. t. 134.
14	lucida. F.I.	(wh.) glossy-leaved.	—————	1820.	....	S. h.	
15	pubescens. R.S.	(wh.) pubescent.	—————	1825.	5. 7.	S. h.	
16	Thunbergia. s.s.	(wh.) starry.	C. B. S.	1773.	1. 3.	S. h.	Bot. mag. t. 1004.
17	Rothmannia. s.s.	(sp.) spotted-flower'd.	—————	1774.	7.	G. h.	————— t. 690.
	OXYANTHUS. DC. OXYANTHUS. Pentandria Monogynia.						
	speciosus. DC. (wh.) tube-flowered.		Sierra Leon.	1789.	7. 12.	S. h.	Bot. mag. t. 1992.
	<i>Gardenia tubiflora</i> . A.R. 183.						
	GENIPA. R.S. GENIP-TREE. Pentandria Monogynia.						
1	oblongifolia. R.S.	(st.) oblong-leaved.	Peru.	1823.	4. 6.	S. h.	Flor. per. 2. t. 220. f. a.
2	americana. R.S.	(wh.) American.	S. America.	1779.	5. 7.	S. h.	Plum. ic. t. 136.
3	Meriana. R.S.	(wh.) hairy.	Cayenne.	1800.	————	S. h.	Merian. sur. t. 43.
	<i>Duroia eriopila</i> . L.						
4	edulis. R.S.	(wh.) eatable.	—————	1825.	————	S. h.	
5	esculenta. R.S.	(wh.) Cherry-fruited.	China.	—————	————	S. h.	
	CA'NTHIUM. F.I. CA'NTHIUM. Pentandria Monogynia.						
1	angustifolium. F.I.	(st.) narrow-leaved.	E. Indies.	1826.	5. 7.	S. h.	
2	parvifolium. F.I.	(wh.) small-leaved.	—————	1824.	————	S. h.	
3	parviflorum. F.I.	(ye.) small-flowered.	—————	————	————	S. h.	Roxb. corom. 1. t. 51.
	<i>Wébera tetrandra</i> . w.						
4	didymum. F.I.	(wh.) cyme-flowered.	—————	1811.	————	S. h.	Gært. carp. 3. t. 196.
	<i>Wébera cymosa</i> . w.						
	AZIMA. Lam. AZIMA. Tetrandria Monogynia.						
	tetracantha. P.S. (wh.) four-spined.		E. Indies.	1758.	7.	S. h.	Seb. thes. 1. t. 13. f. 1.
	<i>Monètia barberioides</i> . L'Herit. stirp. nov. 1. t. 1.						
	WÉBERA. S.S. WÉBERA. Pentandria Monogynia.						
1	corymbosa. s.s.	(wh.) corymbose.	E. Indies.	1759.	4. 6.	S. h.	Bot. reg. t. 119.

- 2 macrophylla. F.I. (wh.) large-leaved. E. Indies. 1824. 5. 7. S. h.  
 3 odorata. F.I. (wh.) sweet-scented. ———— 1826. — S. h.  
**BURCHELLIA. B.R. BURCHELLIA. Pentandria Monogynia.**  
 1 capensis. B.R. (sc.) broad-leaved. C. B. S. 1818. 3. 6. G. h. Bot. reg. t. 466.  
 2 parviflora. B.R. (or.) smaller-flower'd. ———— ———— G. h. ———— t. 891.  
*bulbina. B.M. 2339.*  
**CATESBÆA. S.S. LILY-THORN. Tetrandria Monogynia. L.**  
 1 spinosa. s.s. (wh.) spiny. Providence I. 1726. 5. 9. S. h. Bot. mag. t. 131.  
 2 latifolia. B.R. (wh.) broad-leaved. W. Indies. 1818. 9. 11. S. h. Bot. reg. t. 858.  
 3 parviflora. s.s. (wh.) small-flowered. ———— 1810. 7. 10. S. h. Sloan. h. 2. t. 207. f. 1.  
**FERNELIA. J. FERNELIA. Tetrandria Monogynia.**  
 1 obovata. R.S. (wh.) obovate-leaved. Isl. France. 1816. .... S. h. Lam. ill. t. 67. f. 1.  
 2 biflora. R.S. (wh.) two-flowered. Bourbon. ———— .... S. h.  
*Cococypselum buxifolium. s.s. biflorum. w*  
 3 uniflora. R.S. (wh.) one-flowered. Mauritius. ———— .... S. h.  
*buxifolia. β. Lamarck.*  
**COCCOCYPSELUM. S.S. COCCOCYPSELUM. Tetrandria Monogynia. S.S.**  
 repens. s.s. (li.) creeping. W. Indies. 1793. 5. S. 4. Brown. jam. t. 6. f. 1.

Sect. IV. CINCHONEÆ. *Kth. synopsis. 3. p. 47.*

- PORTLANDIA. S.S. PORTLANDIA. Pentandria Monogynia. L.**  
 1 grandiflora. R.S. (wh.) great-flowered. Jamaica. 1775. 6. 8. S. h. Sm. ic. pict. 1. t. 6.  
 2 coccinea. R.S. (sc.) scarlet-flowered. ———— 1812. .... S. h.  
**COUTAREA. S.S. COUTAREA. Hexandria Monogynia. S.S.**  
 speciosa. s.s. (sc.) Laurel-leaved. Guiana. 1803. .... S. h. Aubl. guian. 1. t. 122.  
*Portlandia hexandra. Jacq. am. pict. t. 65.*  
**EXOSTEMMA. R.S. EXOSTEMMA. Pentandria Monogynia. R.S.**  
 1 caribæum. R.S. (wh.) Caribbean. W. Indies. 1780. 6. 9. S. h. Andr. reposit. t. 481.  
*Cinchona caribæa. w.*  
 2 floribundum. R.S. (bh.) many-flowered. ———— 1794. .... S. h. Lamb. cinch. 27. t. 7.  
**PINCKNEYA. M. PINCKNEYA. Pentandria Monogynia.**  
 pubens. M. (bh.) pubescent. Georgia. 1786. 6. 7. F. h. Mich. amer. t. 13.  
**HYMENODICTYON. F.I. HYMENODICTYON. Pentandria Monogynia.**  
 1 thyrsiflorum. Wall. (st.) thyrses-flower'd. E. Indies. 1816. .... S. h.  
 2 excelsum. Wall. (h.) tall. ———— .... S. h. Roxb. cor. 2. t. 106.  
*Cinchona excelsa. R.S.*  
**HILLIA. S.S. HILLIA. Tetr-Hexandria Monogynia. S.S.**  
 1 longiflora. s.s. (wh.) long-flowered. W. Indies. 1789. 2. 3. S. h. Bot. mag. t. 721.  
 2 tetrandra. s.s. (wh.) mountain. Jamaica. 1793. 6. 7. S. h.  
**MACROCNEMUM. L. MACROCNEMUM. Pentandria Monogynia. L.**  
 1 jamaicense. R.S. (wh.) Jamaica. 1806. .... S. h. Swartz obs. t. 3. f. 1.  
 2 speciosum. s.s. (li.) handsome. Caracas. 1828. .... S. h. Jacq. schenb. 1. t. 43.  
*Mussaenda speciosa. R.S.*  
 3 coccineum. s.s. (sc.) scarlet. Trinidad. 1825. .... S. h.  
*Mussaenda coccinea. R.S.*  
**RONDELËTIA. R.S. RONDELËTIA. Pentandria Monogynia. L.**  
 1 americana. R.S. (wh.) American. W. Indies. 1752. 8. S. h. Plum. ic. t. 242. f. 1.  
 2 lævigata. R.S. (wh.) smooth-leaved. ———— 1790. 7. 8. S. h.  
 3 trifoliata. R.S. (re.) three-leaved. Jamaica. .... S. h. Jacq. amer. pict. t. 62.  
 4 paniculata. F.I. (wh.) panicked. E. Indies. 1820. — S. h.  
 5 tinctoria. F.I. (wh.) dyer's. ———— 1825. .... S. h.  
 6 racemosa. R.S. (wh.) racemed. W. Indies. 1818. — S. h. Brown. jam. 143. t. 2. f. 3.  
 7 tomentosa. R.S. (wh.) downy-leaved. ———— — S. h.  
 8 hirta. R.S. (br. ye.) hairy. ———— 1776. 6. 8. S. h. Lodd. bot. cab. t. 350.

Sect. V. HEDYOTIDÆ. *Kth. synopsis. 3. p. 40.*

- HEDYOTIS. R.S. HEDYOTIS. Tetrandria Monogynia. L.**  
 1 diffusa. R.S. (wh.) spreading. E. Indies. 1818. 7. 9. S. ⊙. Rheed. mal. 10. t. 35.  
 2 herbacea. R.S. (wh.) herbaceous. ———— 1816. 6. 9. S. ⊙.  
 3 capensis. R.S. (wh.) Cape. C. B. S. 1824. 7. 10. H. ⊙. Roxb. cor. 1. t. 3.  
 4 umbellata. R.S. (wh.) Indian Madder. E. Indies. 1792. 7. 8. S. 4.  
*Odenlandia corymbosa L.*

5	cymösa. R.S.	(wh.) Hyssop leaved. Jamaica.	1739.	6. 10.	S. ☉.	Ehret pic. t. 2. f. 1. et t. 4.
	<i>Oldenlandia corymbösa</i> . W.					
6	ramosissima. R.S.	(wh.) branching. . . . .	1816.	—	S. ☉.	
7	biflora. R.S.	(pu.) two-flowered. E. Indies.	—	—	S. ☉.	
8	lactea. R.S.	(st.) milk-coloured. ————	—	—	S. ☉.	
9	campanuliflora. B.M.	(pu.) bell-flow'r'd. Brazil.	1825.	2. 10.	S. ♀.	
<b>MANETTIA. R.S. MANETTIA. Tetrandia Monogynia. L.</b>						
1	Lygístum. R.S.	(re.) veined-leaved. W. Indies.	1822.	2. 4.	S. ♀. ↘.	Brown. jam. t. 3. f. 2.
2	coccinea. R.S.	(sc.) scarlet. Trinidad.	1806.	12. 4.	S. ♀. ↘.	Bot. reg. t. 693.
<b>BOUWARDIA. R.S. BOUWARDIA. Tetrandia Monogynia.</b>						
1	triphy'lla. R.S.	(sc.) blunt-leaved. Mexico.	1794.	4. 11.	G. ♀.	Sal. par. lond. t. 88.
2	Jacquini. K.S.	sharp-leaved. ————	—	—	G. ♀.	Jacq. schœnb. 1. t. 257.
	<i>Ixora americana</i> . Jacq.	<i>Bouvardia triphy'lla</i> . Bot. reg. t. 107.				
3	versicolor. s.s.	(re. ye.) various-color'd. S. America.	1814.	7. 1.	S. ♀.	Bot. reg. t. 245.
<b>DENTELLA. W. DENTELLA. Pentandia Monogynia. W.</b>						
	repens. W.	(wh.) creeping. N. Holland.	1802.	7.	H. ☉.	Rumph. am. 6. t. 170. f. 4.
<b>SPERMADI'CTYON. B.R. SPERMADI'CTYON. Pentandia Monogynia.</b>						
1	suavöolens. B.R.	(wh.) sweet-scented. E. Indies.	1816.	8. 12.	S. ♀.	Bot. reg. t. 348.
	<i>Hamiltonia suavöolens</i> . F.I.					
2	azöreum. B.R.	(bl.) blue-flowered. Nepal.	1827.	1. 3.	S. ♀.	Bot. reg. t. 1235.

Sect. VI. CEPHALANTHEÆ. *Kth. synops. 3. p. 37.*

<b>NA'UCLEA. R.S. NA'UCLEA. Pentandia Monogynia. L.</b>						
1	Adina. Sm.	(wh.) Myrtle-leaved. China.	1804.	7. 8.	G. ♀.	Bot. reg. t. 895.
	<i>Adina globiflora</i> . Sal. par. lond. t. 115.					
2	adinoïdes. s.s.	(wh.) Adina-like. ————	1825.	—	G. ♀.	
3	orientälis. R.S.	(ye.) oriental. E. Indies.	1800.	....	S. ♀.	
4	Cadámba. F.I.	(or.) broad-leaved. ————	1823.	....	S. ♀.	Rheed. mal. 3. t. 33.
5	undulata. F.I.	(ye.) wave-leaved. ————	—	....	S. ♀.	
6	parvifölia. F.I.	(ye.) small-leaved. ————	1825.	—	S. ♀.	Roxb. corm. 1. t. 52.
7	cordifölia. R.S.	(st.) heart-leaved. ————	—	....	S. ♀.	— 1. t. 53.
8	purpürea. F.I.	(pu.) purple-flowered. ————	1827.	....	S. ♀.	— 1. t. 54.
<b>UNC'ARIA. F.I. UNC'ARIA. Pentandia Monogynia.</b>						
	Gambier. F.I.	(pi.) Gambier-tree. E. Indies.	1826.	....	S. ♀. ↘.	Linn. trans. v. 9. t. 22.
<b>SARCOCEPHALUS. Afz. SARCOCEPHALUS. Pentandia Monogynia.</b>						
	esculentus. Afz.	(wh.) eatable-fruited. Sierra Leone.	1822.	6. 8.	S. ♀.	Hort. trans. 5. t. 18.
<b>CEPHALANTHUS. L. BUTTON-WOOD. Tetrandia Monogynia. L.</b>						
	occidentälis. L.	(wh.) American. N. America.	1735.	8.	S. ♀.	Schmidt arb. 1. t. 45.
<b>MORI'NDA. L. MORI'NDA. Pentandia Monogynia. L.</b>						
1	umbellata. R.S.	(wh.) umbelled. E. Indies.	1809.	6. 8.	S. ♀.	
2	citrifölia. R.S.	(wh.) broad-leaved. Otaheite.	1793.	—	S. ♀.	Rheed. mal. 1. t. 52.
3	tinctöria. F.I.	(wh.) dyer's. ————	1826.	....	S. ♀.	
4	bracteata. F.I.	(wh.) bracted. E. Indies.	1816.	5. 7.	S. ♀.	
5	angustifölia. F.I.	(wh.) narrow-leaved. ————	—	—	S. ♀.	Roxb. corom. 3. t. 237.
6	Röyoc. R.S.	(wh.) Laurel-leaved. W. Indies.	1793.	7. 10.	S. ♀.	Jacq. vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops. 3. p. 20.*

<b>MITCHELLA. L. MITCHELLA. Tetrandia Monogynia. L.</b>						
	repens. L.	(wh.) creeping. N. America.	1761.	6.	H. ♀.	Cat. car. 1. t. 20.
<b>PAVETTA. R.S. PAVETTA. Tetrandia Monogynia. L.</b>						
1	indica. R.S.	(wh.) Indian. E. Indies.	1791.	8. 10.	S. ♀.	Burm. ind. t. 13. f. 3.
2	tomentösa. R.S.	(wh.) woolly. ————	1824.	—	S. ♀.	
3	cáffra. R.S.	(wh.) Cape. C. B. S.	1816.	—	G. ♀.	
4	pentándra. R.S.	(wh.) pentandrous. W. Indies.	1823.	—	S. ♀.	Plum. ic. t. 156. f. 1.
5	arenösa. R.S.	(wh.) tuberclcd. China.	....	3. 10.	S. ♀.	Bot. reg. t. 198.
	<i>indica</i> . B.R. nec aliorum.					
<b>IX'ORA. L. IX'ORA. Tetrandia Monogynia. L.</b>						
1	grandiflora. B.R.	(sc.) great-flowered. E. Indies.	1814.	7. 9.	S. ♀.	Bot. reg. t. 154.
	<i>coccinea</i> . L. non B.M.					

- 2 Bandhûca F.I. (sc.) stem-clasping. E. Indies. 1814. 1. 4. S. h. Bot. reg. t. 513.  
 3 fûlgens. F.I. (sc.) glossy. 1820. .... S. h. Rumph. amb. 4. t. 46.  
*longifolia*. Sm. lanceolata, Lam.  
 4 flâmmea. s.p. (or.) flame-coloured. China. 1690. 4. 8. S. h. Bot. mag. t. 169.  
*coccinea*. B.M. stricta. F.I. speciosa. W. enum.  
 5 crocata. B.R. (sn.) saffron-colour'd. 1820. — S. h. Bot. reg. t. 782.  
 6 incarnata. B.C. (fl.) flesh-coloured. — S. h. Lodd. bot. cab. 1048.  
 7 blanda. B.R. (bh.) charming. 1812. — S. h. Bot. reg. t. 100.  
 8 alba. w. (wh.) white. E. Indies. 1768. 6. S. h. Rheed. mal. 2. t. 14.  
 9 cuneifolia. F.I. (wh.) wedge-leaved. 1820. — S. h. Bot. reg. t. 648.  
 10 brachiata. F.I. (wh.) brachiate-panicled. — S. h.  
 11 Pavetta. A.R. (wh.) fragrant. .... S. h. Andrews's reposit. t. 78.  
 12 acumi-ata. F.I. (wh.) tapering-leaved. 1824. 3. 5. S. h.  
 13 parviflora. F.I. (wh.) small-flowered. 1800. 8. 10. S. h. Vahl symb. 3. t. 52.  
 14 barbata. F.I. (wh.) bearded. 1822. 6. 8. S. h. Bot. mag. t. 2505.  
 15 undulata. F.I. (wh.) wave-leaved. 1818. — S. h.  
 16 rosea. F.I. (ro.) rose-coloured. 1820. 4. 8. S. h. Bot. reg. t. 540.  
 17 obovata. R.S. (cr.) obovate-leaved. 1810. — S. h.  
*purpurea*. F. ?
- CHOM'ELIA. R.S. CHOM'ELIA. Tetrandria Monogynia. W.  
 1 spinosa. R.S. (wh.) spiny. W. Indies. 1793. .... S. h. Jacq. amer. 18. t. 13.  
 2 fasciculata. R.S. (wh.) fascicled. Jamaica. 1824. 4. 6. S. h.
- SIDERODENDRON. S.S. IRON-TREE. Tetrandria Monogynia. W.  
 triflorum. S.S. (ro.wh.) three-flowered. W. Indies. 1793. .... S. h. Jacq. amer. 19. t. 175. f. 9.
- TETRAMERIUM. G. TETRAMERIUM. Tetrandria Monogynia. S.S.  
 1 odoratissimum. S.S. (wh.) sweet-scented. W. Indies. 1793. 4. 6. S. h. Jacq. amer. t. 47.  
*Coffea occidentalis*. w. *Ixora americana*. Sw.  
 2 paniculatum. S.S. (wh.) panicled. Guiana. 1822. .... S. h. Aub. guian. t. 58.
- COFF'EA. L. COFFEE-TREE. Pentandria Monogynia. L.  
 arabica. w. (wh.) Arabian. Yemen. 1696. 8. 11. S. h. Bot. mag. t. 1303.
- CEPHE'ELIS. S.S. CEPHE'ELIS. Pentandria Monogynia. L.  
 1 elata. S.S. (pu.) tall. Jamaica. 1793. .... S. h.  
 2 tomentosa. R.S. (pu.) tomentose. Trinidad. 1820. 4. 6. S. h.  
 3 punicea. R.S. (pu.) puniceous. Jamaica. 1825. — S. h.  
 4 violacea. R.S. (vi.) violet-coloured. W. Indies. 1824. — S. h. Aubl. guian. 1. t. 60.  
*Tapogomea violacea*. Aubl.  
 5 axillaris. S.S. (pu.) axillary-flow'r'd. Brazil. 1816. 4. 5. S. h. Lind. coll. t. 21.  
*calycina*. L. col.  
 6 glabra. R.S. (bl.) smooth. Trinidad. 1820. 5. 8. S. h. Aubl. guian. 1. t. 63.  
 7 alba. R.S. (bh.) white. Guiana. 1824. — S. h. — 1. t. 62. f. 1.  
 8 involucrata. R.S. (wh.) involucred. — .... S. h. — 1. t. 64.  
*Carapichea guianensis*. Aubl.
- 9 pedunculata. P.L. (wh.) long-peduncled. Sierra Leon. .... 2. 4. S. h. Sal. par. lond. t. 103. 99
- PSYCHOTRIA. R.S. PSYCHOTRIA. Pentandria Monogynia. L.  
 1 asiatica. R.S. (wh.) Indian. E. Indies. 1806. 4. 5. S. h. Jacq. amer. p. t. 260. f. 19.  
 2 glabrata. R.S. (wh.) smooth. Jamaica. 1822. — S. h.  
 3 laurifolia. R.S. (wh.) Laurel-leaved. W. Indies. 1825. 5. 8. S. h.  
 4 foetens. R.S. (wh.) strong-scented. Jamaica. — S. h.  
 5 citrifolia. R.S. (wh.) Citron-leaved. W. Indies. 1793. 1. 12. S. h.  
 6 elliptica. B.R. (wh.) elliptic-leaved. Brazil. 1820. 2. 6. S. h. Bot. reg. t. 607.  
 7 myrtillylum. R.S. (wh.) Myrtle-leaved. Jamaica. 1823. 2. 5. S. h. Sloan. his. 2. t. 209. f. 2.  
 8 parasitica. R.S. (wh.) parasitic. W. Indies. 1802. 5. 8. S. h. Jacq. amer. t. 51. f. 1.  
 9 brachiata. R.S. (wh.) cross-branched. — 1793. .... S. h.  
 10 pubescens. R.S. (wh.) pubescent. Jamaica. 1812. .... S. h.  
 11 corymbosa. R.S. (pu.) corymbose. — 3. 4. S. h.  
 12 pedunculata. R.S. (st.) pedunculate. — 1824. 5. 6. S. h.  
 13 undata. R.S. (wh.) wave-leaved. Bahama. 1818. 4. 6. S. h. Jacq. schoenb. 3. t. 260.  
 14 Revesii. F.I. (gr.) Reeves's. China. 1823. — G. h.
- GEOPHILA. D.P. GEOPHILA. Pentandria Monogynia.  
 reniformis. D.P. (wh.) kidney-leaved. W. Indies. 1793. 4. 6. S. 4. Jacq. amer. t. 46.  
*Psychotria herbacea*. w.
- CHIOCCOA. W. SNOWBERRY. Pentandria Monogynia. L.  
 racemosa. w. (wh.) cluster-flower'd. Jamaica. 1729. 2. S. h. Andr. reposit. t. 284.
- ERN'ODEA. S.S. ERN'ODEA. Tetrandria Monogynia. W.  
 montana. S.S. (pu.) mountain. Sicily. 1820. 6. 7. H. h. Flor. græc. t. 143.  
*Asperula calabrica*. L.
- SERISSA. S.S. SERISSA. Pentandria Monogynia. W.  
 foetida. S.S. (wh.) Japanese. Japan. 1787. 5. 9. G. h. Bot. mag. t. 361.  
 beta multiplax. (wh.) double-flowered. — — — G. h.

PLOC'AMA. W.	PLOC'AMA.	Pentandria Monogynia. W.	
péndula. w.	(wh.) pendulous.	Canaries. 1779.	.... G. ♀.
P'ED'ERIA. W.	P'ED'ERIA.	Pentandria Monogynia. L.	
1 f'etida. w.	(pu.) stinking.	China. 1806.	.... G. ♀. Icon. Kæmpf. 9.
2 Liungun. Boj.	.... tongue.	Madagascar. 1823.	.... S. ♀.

Sect. VIII. SPERMACEÆ. *Kth. synopsis. 3. p. 14.*

RICHARDS'ONIA. Kth. RICHARDS'ONIA.	Hexandria Monogynia. L.		
1 scábra. B.F.G.	(wh.) rough.	S. America. 1812.	9. 10. H. ⊙ Swt. br. fl. gar. t. 91.
2 pilósa. K.S.	(wh.) hairy.	Lima. 1824.	7. 9. H. ⊙ Flor. peruv. 3. t. 279. f. b.
PHY'LLIS. W.	BASTARD HARE'S-EAR.	Pentandria Digynia. L.	
Nòbla. w.	(br.) Canary.	Canaries. 1699.	6. 7. G. ♀. Dill. eth. t. 299. f. 386.
DI'ODIA. S.S.	DI'ODIA.	Tetrandria Monogynia. W.	
1 virgína. s.s.	(wh.) Virginian.	Virginia. 1820.	6. 8. H. ♀. Jacq. ic. 1. t. 29.
2 sarméntosa. s.s.	(wh.) sarmentose.	W. Indies. 1821.	— S. ♀.
3 verticilláta. s.s.	(wh.) whorl-leaved.	Santa Cruz. —	.... S. ♀.
BIGEL'OVIA. S.S.	BIGEL'OVIA.	Tetrandria Monogynia. S.S.	
1 verticilláta. s.s.	(wh.) whorl-flowered.	Africa. 1732.	6. 8. S. ♀. Dill. eth. t. 277. f. 358.
	<i>Spermacœce verticilláta. L.</i>		
2 commutáta. s.s.	(wh.) starry-headed.	W. Indies. 1818.	— S. ♀.
3 strícta. s.s.	(wh.) upright.	E. Indies. 1821.	— S. ⊙.
	<i>Spermacœce strícta. L.</i>		
SPERMACEÆ. S.S. BUTTON-WEED.	Tetrandria Monogynia. L.		
1 glábra. s.s.	(wh.) smooth.	N. America. 1823.	7. 8. H. ⊙
2 diodína. s.s.	(wh.) Diodia-like.	—	1820. — H. ⊙
3 hispída. s.s.	(vi.) bristly.	E. Indies. 1781.	8. 9. S. ⊙. Burm. zeyl. t. 20. f. 3.
4 spinósa. s.s.	(wh.) spiny.	W. Indies. 1825.	— S. ⊙. Brown. jam. p. 141. 1.]
5 latifólia. s.s.	(wh.) broad-leaved.	Guiana. 1803.	7. S. ♂. Aub. gui. t. 19. f. 1.
6 cornifólia. s.s.	(wh.) Dogwood-leav'd.	Brazil. 1820.	8. 9. S. ⊙.
7 stylósa. s.s.	(wh.) long-styled.	Manila. —	— S. ⊙.
8 suffruticósa. s.s.	(bh.) suffruticose.	.....	1823. 7. 8. S. ♀. Jacq. schœn. t. 322.
9 radicans. s.s.	(wh.) rooting.	Guiana. 1803.	— S. ♀. Aub. gui. 1. t. 20. f. 4.
10 áspera. s. s.	(wh.) rough.	W. Indies. 1822.	— S. ⊙. — t. 22. f. 6.
11 ténuior. s.s.	(bh.) slender.	—	1732. 6. 8. H. ⊙. Sch. hand. 1. t. 22.
12 lanceoláta. L.en.	(wh.) spear-leaved.	—	1818. — H. ⊙.
13 hírta. s.s.	(wh.) hairy.	Jamaica. 1822.	7. 9. H. ⊙. Jacq. ic. t. 308.
14 villósa. s.s.	(wh.) villous.	—	1823. — S. ⊙.
15 scábra. s.s.	(wh.) rough.	E. Indies. 1816.	— S. ⊙. Rheed. mal. 9. t. 76?
16 capitáta. s.s.	(wh.) headed.	Peru. 1826.	6. 8. G. ♀. Flor. peruv. 1. t. 91. f. B.
17 rúbra. s.s.	(pi) Cross-wort.	S. America. 1760.	7. 8. S. ♂. Jacq. schœn. 3. t. 256.
	<i>strigósa. B.M. 1558.</i>		
18 Fischéri. s.s.	(wh.) Fischer's.	Jamaica. 1820.	— S. ⊙.
19 sexanguláris. s.s.	(bl.) six-angled.	W. Indies. 1822.	— S. ⊙. Aubl. guian. 1. t. 20. f. 3.
20 involucrâta. R.S.	(wh.) involucred.	Carolina. 1812.	— H. ⊙.
21 Roxbúr'hi. s.s.	(wh.) Roxburgh's.	E. Indies. 1818.	— S. ♂.
	<i>favis. F.I. non Lam.</i>		
KNO'XIA. S.S.	KNO'XIA.	Tetrandria Monogynia. W.	
1 corymbósa. s.s.	(wh.) Sumatra.	E. Indies. 1818.	4. 6. S. ♀.
	<i>Spermacœce sumatrénsis. F.I.</i>		
2 umbelláta. s.s.	(wh.) umbel-flower'd.	Nepaul. 1820.	— S. ♀.
	<i>Spermacœce tères. F.I.</i>		

Sect. IX. GALEÆ. *Kth. synopsis. 3. p. 10.*

ANTHOSPERMUM. W. AMBER-TREE.	Diœcia Tetrandria. L.		
æthiopicum. s.s.	(gr.) Ethiopian.	C. B. S. 1692.	6. 7. G. ♀. Pluk. alm. t. 183. f. 1.
CRUCIANE'LLA. R.S. CROSS-WORT.	Tetrandria Monogynia. L.		
1 angustifólia. R.S.	(st.) narrow-leaved.	S. Europe. 1658.	6. 7. H. ⊙. Sm. exot. bot. 2. t. 109.
2 ciliáta. R.S.	(st.) ciliated.	Levant. 1805.	7. 8. H. ⊙.
3 pátula. R.S.	(ye.) spreading.	Spain. 1798.	6. 7. H. ⊙.
4 latifólia. R.S.	(gr.) broad-leaved.	S. Europe. 1633.	— H. ⊙. Flor. græc. t. 139.
5 ægyptiaca. R.S.	(st.) Egyptian.	Egypt. 1800.	— H. ⊙.
6 monspeliaca. R.S.	(st.) Montpellier.	S. France. 1791.	7. 8. H. ⊙. Flor. græc. t. 140.

7	marítima. R.S.	( <i>ye.</i> ) sea-side.	S. France.	1640.	7. 8.	G. $\bar{h}$ .	Sabb. hort. 2. t. 13.
8	americána. R.S.	( <i>bl.</i> ) American.	Vera Cruz.	....	—	S. $\bar{h}$ .	
9	pubéscens. R.S.	( <i>pu.</i> ) pubescent.	Candia.	1799.	7. 8.	G. $\bar{h}$ .	
10	áspera. M.B.	( <i>st.</i> ) rough.	Iberia.	1827.	6. 8.	H. $\bar{h}$ .	
11	glomeràta. M.B.	( <i>st.</i> ) clustered.	—	1828.	—	H. $\bar{h}$ .	
12	molluginóides. R.S.	( <i>wh.</i> ) Mollugo-like.	Caucasus.	1800.	—	H. $\bar{h}$ .	Buxb. cent. 2. t. 30. f. 1.
13	hispida. R.S.	( <i>pu.</i> ) hispid.	Vera Cruz.	....	—	S. $\bar{h}$ .	
SHERA'RDIA. R.S. SHERA'RDIA.			Tetrandria Monogynia. L.				
	arvénsis. R.S.	( <i>li.</i> ) little.	Britain.	....	4. 9.	H. $\odot$ .	Eng. bot. v. 13. t. 891.
R'UBIA. R.S. MADDER.			Tetrandria Monogynia. L.				
1	tinctórum. R.S.	( <i>gr.</i> ) dyer's.	S. Europe.	1596.	6.	H. $\bar{h}$ .	Flor. græc. t. 141.
2	spléndens. R.S.	( <i>ye.</i> ) glossy.	Portugal.	1812.	6. 8.	H. $\bar{h}$ .	
3	galioídes. R.S.	( <i>gr.</i> ) Galium-like.	Canaries.	1816.	—	F. $\bar{h}$ .	
4	peregrina. R.S.	( <i>ye.</i> ) wild.	England.	....	7.	H. $\bar{h}$ .	Eng. bot. v. 12. t. 851.
5	lúcida. R.S.	( <i>ye.</i> ) shining.	Majorca.	1762.	—	F. $\bar{h}$ .	Flor. græc. t. 142.
6	fruticósa. R.S.	( <i>ye.</i> ) prickly-leaved.	Canaries.	1779.	9.	F. $\bar{h}$ .	Jacq. ic. 1. t. 25.
7	Bocconi. R.S.	( <i>bh.</i> ) Boccone's.	Italy.	1823.	—	H. $\bar{h}$ .	Bocc. mus. t. 75. f. 2-3.
8	angustifolia. R.S.	( <i>st.</i> ) narrow-leaved.	S. Europe.	1772.	7. 8.	F. $\bar{h}$ .	Lam. ill. t. 60. f. 2.
9	cordifolia. R.S.	( <i>wh.</i> ) heart-leaved.	Siberia.	1783.	7.	H. $\bar{h}$ .	Pall. it. 3. ap. t. L. f. 1.
ASPERULA. R.S. WOODRUFF.			Tetrandria Monogynia. L.				
1	lævigàta. R.S.	( <i>wh.</i> ) shining.	S. Europe.	1775.	6.	H. $\bar{h}$ .	Moris. his. 3. t. 21. f. 4.
2	taurina. R.S.	( <i>li.</i> ) broad-leaved.	Italy.	1739.	4. 6.	H. $\bar{h}$ .	Lob. ic. 800. f. 1.
3	longiflora. R.S.	( <i>li.</i> ) long-flowered.	Hungary.	1818.	—	H. $\bar{h}$ .	W. et K. hung. 2. t. 150.
4	aristàta. R.S.	( <i>st.</i> ) awned.	S. Europe.	1823.	—	H. $\bar{h}$ .	
5	supina. R.S.	( <i>bh.</i> ) trailing.	Caucasus.	—	6. 7.	H. $\bar{h}$ .	
6	brevifolia. R.S.	( <i>li.</i> ) short-leaved.	Levant.	1818.	—	H. $\bar{h}$ .	
7	cynáthica. R.S.	( <i>bh.</i> ) small.	England.	....	7.	H. $\bar{h}$ .	Eng. bot. v. 1. t. 33.
8	alpina. s.s.	( <i>bh.</i> ) Alpine.	Caucasus.	1825.	—	H. $\bar{h}$ .	
9	crassifolia. R.S.	( <i>wh.</i> ) thick-leaved.	Levant.	1775.	6.	H. $\bar{h}$ .	
10	scábra. s.s.	( <i>wh.</i> ) rough.	Italy.	1824.	—	H. $\bar{h}$ .	
11	tinctória. R.S.	( <i>bh.</i> ) narrow-leaved.	Europe.	1764.	6. 7.	H. $\bar{h}$ .	Tabern. ic. 151.
12	montàna. R.S.	( <i>bh.</i> ) mountain.	Hungary.	1801.	—	H. $\bar{h}$ .	
13	arvénsis. R.S.	( <i>bh.</i> ) field.	Europe.	1596.	7.	H. $\odot$ .	Lobel. ic. t. 801. f. 2.
14	arcadiénsis. s.s.	( <i>ro.</i> ) Arcadian.	Arcadia.	1819.	5.	H. $\bar{h}$ .	Bot. mag. t. 2146.
15	tomentosa. T.N.	( <i>pu.</i> ) woolly.	Italy.	1826.	—	H. $\bar{h}$ .	Ten. fl. nap. 1. t. 9.
16	hírta. R.S.	( <i>pu.</i> ) thick-rooted.	Pyrenees.	—	5. 6.	H. $\bar{h}$ .	Ram. phil. t. 9. f. 1. 2.
17	hirsùta. R.S.	( <i>ro.</i> ) hairy creeping.	S. Europe.	1820.	—	H. $\bar{h}$ .	
<i>rèpens.</i> Brot.							
18	incána. R.S.	( <i>pu.</i> ) hoary.	Crete.	1823.	6. 7.	H. $\bar{h}$ .	Flor. græc. t. 119.
19	galioídes. s.s.	( <i>wh.</i> ) glaucous.	S. Europe.	1710.	6. 9.	H. $\bar{h}$ .	Bocc. mus. 2. t. 116.
<i>Galium glaucum.</i> L.							
20	humifusa. s.s.	( <i>wh.</i> ) spreading.	Caucasus.	1825.	—	H. $\bar{h}$ .	
21	longifolia. R.S.	( <i>wh.</i> ) long-leaved.	Greece.	1823.	—	H. $\bar{h}$ .	Flor. græc. t. 118.
22	Aparine. R.S.	( <i>wh.</i> ) marsh.	Crete.	—	—	H. $\bar{h}$ .	— t. 117.
<i>rivalis.</i> Sm. <i>Galium uliginosum.</i> Pall.							
23	odoràta. R.S.	( <i>wh.</i> ) sweet-scented.	Britain.	....	5. 6.	H. $\bar{h}$ .	Eng. bot. 755.
24	tyràtica. Bes.	( <i>wh.</i> ) Tyraican.	Levant.	1826.	—	H. $\bar{h}$ .	
VALA'NTIA. S.S. VALA'NTIA.			Tetrandria Monogynia. S.S.				
1	muràlis. s.s.	( <i>st.</i> ) wall.	S. Europe.	1739.	5. 7.	H. $\odot$ .	Colum. Ecphr. t. 297.
2	hispida. s.s.	( <i>wh.</i> ) bristly.	—	1768.	—	H. $\odot$ .	Gært. fr. C. 2. t. 24. f. 1.
3	filifórmis. s.s.	( <i>wh.</i> ) least.	Canaries.	1780.	7. 9.	H. $\odot$ .	
GALIUM. S.S. BEDSTRAW.			Tetrandria Monogynia. L.				
1	cruciàtum. s.s.	( <i>ye.</i> ) Crosswort.	Britain.	....	5. 6.	H. $\bar{h}$ .	Eng. bot. v. 2. t. 143.
<i>Valántia cruciàta.</i> w.							
2	chersonénsis. R.S.	( <i>ye.</i> ) fringed.	Tauria.	1829.	5. 7.	H. $\bar{h}$ .	
3	tauricum. R.S.	( <i>ye.</i> ) fragrant.	—	1820.	—	H. $\bar{h}$ .	Bot. mag. t. 2670.
<i>Valántia taurica.</i> B.M.							
4	pedemontànum. s.s.	( <i>ye.</i> ) Piedmont.	Hungary.	1799.	7.	H. $\odot$ .	W. et K. hung. 1. t. 33.
5	Bauhini. s.s.	( <i>ye.</i> ) Bauhin's.	Europe.	1731.	7. 8.	H. $\bar{h}$ .	— 1. t. 32.
<i>Valántia glàbra.</i> w.							
6	Scopoliànum. R.S.	( <i>ye.</i> ) Scopoli's.	—	—	—	H. $\bar{h}$ .	Scop.c.e. 2. 1. n. 144. t. 2.
<i>vérnum.</i> Scop.							
7	Hallèri. R.S.	( <i>st.</i> ) Haller's.	Switzerland.	1823.	5. 6.	H. $\bar{h}$ .	
8	articulàtum. s.s.	( <i>ye.</i> ) jointed.	Egypt.	1752.	7. 8.	H. $\odot$ .	Lam. ill. t. 843. f. 3.
9	rubióides. s.s.	( <i>st.</i> ) Madder-leaved.	S. Europe.	1775.	7.	H. $\bar{h}$ .	Buxb. cent. 2. t. 29.
10	diffusum. s.s.	( <i>st.</i> ) spreading.	—	1820.	—	H. $\bar{h}$ .	
11	atàricum. s.s.	( <i>wh.</i> ) Tartarian.	Tartary.	—	6. 8.	H. $\bar{h}$ .	
12	valantióides. s.s.	( <i>wh.</i> ) Valantia-like.	Caucasus.	1823.	—	H. $\bar{h}$ .	
13	palàstre. s.s.	( <i>wh.</i> ) water.	Britain.	....	—	H. w. $\bar{h}$ .	Eng. bot. v. 26. t. 1857.

14	satureiæfólium. s. s.	(wh.) Savory-leaved.	Caucasus.	1818.	7.	H. w. 2.	
15	trífídum. s. s.	(wh.) 3-fid-flowered.	N. Europe.	—	—	H. w. 2.	Flor. dan. t. 48.
16	fruticósum. s. s.	(wh.) frutescent.	Crete.	1823.	7. 8.	F. 2.	
17	helódes. R. s.	(wh.) weak-branched.	Portugal.	1827.	—	H. w. 2.	
18	Claytóni. R. s.	(wh.) Clayton's.	N. America.	—	—	H. w. 2.	
19	Witheríngii. s. s.	(wh.) Rought.	England.	....	6. 7.	H. 2.	Eng. bot. v. 31. t. 2206.
20	glábrum. s. s.	(wh.) smooth.	C. B. S.	1816.	—	G. 2.	
21	uliginósum. s. s.	(wh.) marsh.	Britaiu.	....	7. 8.	H. w. 2.	Eng. bot. v. 28. t. 1972.
22	divaricátum. s. s.	(wh.) divaricate.	S. France.	1820.	—	H. 2.	D.C. ic. gal. rar. t. 24.
23	campéstre. s. s.	(st.) field.	Barbary.	1818.	8. 9.	H. 2.	
24	austriacum. R. s.	(wh.) Austrian.	Europe.	1804.	6. 7.	H. 2.	Jacq. aust. t. 80.
25	Bocconi. R. s.	(bh.) Boccone's.	—	1801.	5. 6.	H. 2.	Bocc. mus. t. 101.
26	obliquum. R. s.	(wh.) oblique-leaved.	S. France.	....	—	H. 2.	Vill. delph. 2. n. 9. t. 8.
27	púsilum. E. B.	(wh.) least.	England.	....	7. 8.	H. 2.	Eng. bot. v. 2. t. 74.
28	alpéstre. R. s.	(wh.) smooth-leaved.	S. Europe.	1824.	—	H. 2.	Vill. delph. 2. t. 7. bis.
29	tenuifólium. R. s.	(wh.) slender-leaved.	—	1820.	6. 7.	H. 2.	
30	rúbrum. s. s.	(re.) red.	Italy.	1597.	—	H. 2.	Ger. herb. 967. f. 3.
31	tenuíssimum. s. s.	(br.) slenderest.	Caucasus.	1818.	7. 9.	H. 2.	
32	verum. s. s.	(ye.) cheese-rennet.	Britain.	....	—	H. 2.	Eng. bot. v. 10. t. 660.
33	mutábil'e. R. s.	(st.) changeable-color'	d. Poland.	1828.	7. 10.	H. 2.	
34	verò-símile. R. s.	(ye.) large yellow.	.....	1825.	7. 9.	H. 2.	
35	caucásicum. R. s.	(ye.) Caucasian.	Caucasus.	1820.	—	H. 2.	
36	tyroléne. R. s.	(wh.) Tyrolese.	Tyrol.	1801.	7.	H. 2.	
37	Mollúgo. R. s.	(wh.) great hedge.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 24. t. 1673.
38	elátum. P. s.	(wh.) tall.	France.	1827.	—	H. 2.	
39	campanulátum. s. s.	(wh.) bell-flowered.	Europe.	1710.	6. 9.	H. 2.	Jacq. aust. 1. t. 81.
	glaciúm. Jacq. non L.						
40	eréctum. s. s.	(wh.) upright.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 29. t. 2067.
41	lucidum. R. s.	(wh.) glossy.	S. Europe.	1820.	—	H. 2.	All. ped. 1. t. 77. f. 2.
42	linifólium. s. s.	(wh.) Flax-leaved.	—	1759.	—	H. 2.	Barr. ic. t. 356 et 583.
43	rigídum. s. s.	(wh.) rigid.	Azores.	1778.	—	H. 2.	
44	sylváticum. s. s.	(wh.) wood.	S. Europe.	1658.	7. 8.	H. 2.	
45	cinéreum. s. s.	(wh.) cinereous.	Scotland.	....	8.	H. 2.	All. ped. t. 77. f. 4.
46	aristátum. s. s.	(wh.) awned.	—	....	7. 8.	H. 2.	Barr. ic. t. 356.
47	purpúreum. s. s.	(pu.) purple.	Switzerland.	1731.	6. 7.	H. 2.	Noc. et B. fl. tic. 1. t. 3.
48	saxátile. s. s.	(bh.) smooth heath.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 12. t. 815.
49	helvéticum. s. s.	(wh.) Swiss.	Switzerland.	1823.	—	H. 2.	J.m.ac.p.1714.t.15.f.1.
50	baldense. s. s.	(wh.) tufted.	Mount Baldo.	1825.	—	H. 2.	
51	tricroéne. E. B.	(st.) three-flowered.	Britain.	....	7.	H. 2.	Eng. bot. v. 23. t. 1641.
52	spúrium. E. B.	(gr.) spurious.	—	....	6. 7.	H. 2.	— v. 26. t. 1871.
53	verrucósum. E. B.	(st.) warted.	—	....	6. 8.	H. 2.	— v. 31. t. 2173.
	saccharátum. R. s.	Valántia Aparíne. w.					
54	Cucullária. s. s.	(ye.) hooded.	Levant.	1780.	5. 6.	H. 2.	Buxb. cent. 1. t. 19. f. 2.
55	boreále. E. B.	(wh.) cross-leaved.	Britain.	....	7.	H. 2.	Eng. bot. v. 2. t. 105.
56	septentrional'e. R. s.	(wh.) northern.	N. America.	1827.	—	H. 2.	
57	brachyphy'llum. R. s.	(wh.) short-leaved.	Caucasus.	—	—	H. 2.	
58	rotundifólium. s. s.	(wh.) round-leaved.	Europe.	....	6. 7.	H. 2.	Jacq. aust. t. 94.
59	ellípticum. s. s.	(wh.) elliptic-leaved.	Scily.	1820.	—	H. 2.	Barr. ic. t. 21. f. 4.
60	pilósum. R. s.	(wh.) hairy.	N. America.	1778.	—	H. 2.	
61	suavéolens. R. s.	(wh.) sweet-scented.	N. Europe.	1827.	—	H. 2.	
62	refléxum. R. s.	(wh.) reflexed.	Tauria.	1818.	—	H. 2.	
63	humifúsum. R. s.	(wh.) trailing.	—	1820.	—	H. 2.	
64	marítimum. s. s.	(pu.) sea-side.	S. Europe.	—	7. 8.	H. 2.	
65	trifórum. R. s.	(wh.) three-flowered.	N. America.	1827.	—	H. 2.	Willd. hort. ber. t. 66.
66	ánglicum. E. B.	(st.) English.	England.	....	6. 7.	H. 2.	Eng. bot. v. 6. t. 384.
67	parvifólium. R. s.	(wh.) small-leaved.	Switzerland.	1825.	—	H. 2.	
68	parisiéne. R. s.	(st.) Paris.	France.	1818.	—	H. 2.	
69	murále. s. s.	(st.) wall.	Italy.	1805.	6. 8.	H. 2.	All. ped. 34. t. 77. f. 1.
	Sherárdia murális. w.						
70	verticillátum. R. s.	(wh.) whorled.	France.	1829.	—	H. 2.	Flor. græc. t. 116.
71	græcum. s. s.	(pu.) Candian.	Candia.	1798.	6. 7.	H. 2.	— t. 136.
72	capilláre. R. s.	(wh.) woolly-fruited.	Spain.	1828.	—	H. 2.	Cavan. icon. 2. t. 191. f. 1.
73	Aparíne. E. B.	(wh.) Cleavers.	Britain.	....	5. 9.	H. 2.	Eng. bot. v. 12. t. 316.
74	infestum. R. s.	(st.) infesting.	Europe.	1818.	—	H. 2.	W. et K. hung. 3. t. 202.
75	scabérrimum. R. s.	(st.) roughest.	Egypt.	—	6. 9.	H. 2.	

## ORDO CXVI.

OPERCULARIÆ. *Juss. ann. mus. 4. p. 418.*

OPERCULARIA. G.		OPERCULARIA. Tetrandria Monogynia. W.			
1	umbellata. G. (wh.) umbel-flower'd. N. Holland.	1818.	6. 7. G. ♀.	Gært. fr. 1. t. 24. f. 4.	
2	Lamarckiana. R.S. (wh.) Lamarck's. N. S. W.	1825.	7. 9. H. ☉.	Lam. ill. t. 58. f. 1.	
3	áspera. s.s. (wh.) rough. N. Zealand.	1790.	6. 7. G. ♀.	Gært. fr. 1. t. 24. f. 4.	
4	hispida. s.s. (wh.) hispid. N. S. W.	—	— G. ♀.	Juss. an. mus. 4. t. 70. f. 1.	
	<i>áspera. J.</i>				
5	sessiliflora. R.S. (wh.) sessile-flow'r'd. ———	1816.	— G. ♀.	Juss. an. mus. 4. t. 70. f. 2.	
6	ocymifolia. R.S. (wh.) Basil-leaved. ———	1820.	— G. ♀.		
CRYPTOSPERMUM. P.S. CRYPTOSPERMUM. Tetrandria Monogynia. P.S.					
	Youngii. P.S. (gr. re.) Young's. N. S. W.	1793.	7. 8. G. ♀	Linn. trans. 3. t. 5.	
	<i>Opercularia paleata. R.S.</i>				

## ORDO CXVII.

VALERIANEÆ. *DC. fl. fr. ed. 3. v. 4. p. 418.*

CENTRANTHUS. DC. CENTRANTHUS. Monandria Monogynia. R.S.					
1	ruber. DC. (re.) common. England.	....	6. 10. H. ♀.	Eng. bot. v. 22. t. 1531.	
	<i>Valeriana rubra. E.B.</i>				
	<i>a coccineus. (sc.) scarlet. ———</i>	....	— H. ♀.		
	<i>β cárneus. (fl.) flesh-coloured. ———</i>	....	— H. ♀.		
	<i>γ álbis. (wh.) white-flowered. ———</i>	....	— H. ♀.		
2	intermedius. (re.) spear-leaved. Europe.	....	— H. ♀.		
3	angustifolia. DC. (re.) narrow-leaved. ———	1731.	5. 7. H. ♀.	Flor. græc. 1. t. 29.	
4	Calcitrapa. R.S. (pi.) cut-leaved. Portugal.	1570.	— H. ☉.	— 1. t. 30.	
VALERIANA. DC. VALERIAN. Triandria Monogynia. L.					
1	dioica. E.B. (bh.) dioecious. Britain.	....	5. 7. H. ♀.	Eng. bot. v. 9. t. 628.	
2	Phù. R.S. (wh.) garden. Germany.	1597.	— H. ♀.	Plenck. t. 28.	
3	officinális. E.B. (bh.) great wild. Britain.	....	6. 7. H. ♀.	Eng. bot. v. 10. t. 698.	
4	tenuifolia. Vahl. (bh.) linear-leaved. Germany.	....	— H. ♀.	Sturm. fl. germ. fas. 9.	
5	sambucifolia. R.S. (bh.) Elder-leaved. Sweden.	1818.	— H. ♀.		
6	cardámines. M.B. (bh.) Ladiesmocket-ld. Caucasus.	1823.	6. 7. H. ♀.		
7	sisymbriifolia. R.S. (pi.) water-rocket-ld. Levant.	1820.	— H. ♀.		
8	montana. R.S. (bh.) mountain. Switzerland.	1748.	— H. ♀.	Lodd. bot. cab. 317.	
9	tripteris. R.S. (bh.) three-leaved. ———	1752.	3. 5. H. ♀.	Jacq. aust. 3. t. 268.	
10	pyrenáica. E.B. (ro.) heart-leaved. Scotland.	....	5. 6. H. ♀.	Eng. bot. v. 23. t. 1591.	
11	alliariefolia. R.S. (wh.) Alliaria-leaved. Levant.	1825.	5. 8. H. ♀.	Buxb. cent. 2. t. 11.	
12	tuberosa. R.S. (ro.) tuberous-root'd. S. Europe.	1629.	— H. ♀.	Lapeyr. pyr. t. 53.	
13	elongata. R.S. (st.) elongated. Austria.	1812.	6. 7. H. ♀.	Jacq. ic. 3. t. 219.	
14	supina. R.S. (ro.) creeping-root'd. Germany.	1818.	— H. ♀.	Jacq. misc. 2. t. 17. f. 2.	
15	saxatilis. R.S. (wh.) rock. ———	1748.	7. H. ♀.	Jacq. aust. 3. t. 267.	
16	saliánca. R.S. (bh.) headed-flower'd. Italy.	1824.	6. 7. H. ♀.	All. ped. 1. t. 70. f. 1.	
17	céltica. R.S. (st.) raceme-flower'd. Switzerland.	1748.	— H. ♀.	Jacq. coll. 1. t. 1.	
18	capénsis. R.S. (bh.) Cape. C. B. S.	1816.	— F. ♀.		
PATRÍNIA. J. PATRÍNIA. Tetrandria Monogynia. R.S.					
1	sibirica. J. (ye.) Siberian. Siberia.	1759.	5. 6. H. ♂.	Bot. mag. t. 2325.	
	<i>Valeriana sibirica. L. ruthénica. B.M.</i>				
2	coronata. s.s. (ye.) crowned. Altay.	1826.	5. 7. H. ♂.		
3	rupéstris. J. (re.) rock. Siberia.	1801.	— H. ♂.	Bot. mag. t. 714.	
	<i>Valeriana sibirica. B.M.</i>				
4	intermedia. R.S. (ye.) intermediate. ———	1823.	— H. ♂.		
5	nudiáscula. s.s. (ye.) naked-stemm'd. Altay.	1826.	6. 8. H. ♂.		
6	scabiosæfolia. s.s. (ye.) Scabious-leav'd. Dahuria.	—	— H. ♀.	Swt. br. fl. gar. t. 154.	
7	serratulæfolia. F. (ye.) Serratula-leav'd. ———	1826.	— H. ♀.		
FEDIA. DC. FEDIA. Diandria Monogynia.					
	Cornucòpiæ. R.S. (pu.) purple. S. Europe.	1596.	5. 8. H. ☉.	Bot. reg. t. 155.	
	<i>Valeriana cornucòpiæ. B.R.</i>				

## VALERIANÆLLA. DC. VALERIANÆLLA. Triandria Monogynia.

1	echinata. DC.	(li.) prickly-capsul'd. S. Europe.	1807.	7. 8.	H. ☉.	Reich. ic. C. 1. t. 68.
2	olitèria. DC.	(bh.) Lamb's Lettuce. Britain.	....	4. 8.	H. ☉.	Eng. bot. v. 12. t. 811.
	<i>Valeriana locusta.</i> E. B. <i>Fedia olitèria.</i> R. S. <i>Fedia locusta.</i>					Reich. ic. t. 60.
3	carinata. DC.	(bh.) keeled. France.	....	—	H. ☉.	Reich. ic. C. 1. t. 61.
4	dentata. DC.	(bh.) oval-fruited. Britain.	....	—	H. ☉.	Eng. bot. v. 20. t. 1370.
	<i>Valeriana dentata.</i> E. B. <i>Fedia dentata.</i>					Reich. ic. 1. t. 62.
5	discoidea. DF.	(bh.) discoid. Italy.	1731.	4. 7.	H. ☉.	Reich. ic. C. 2. t. 116.
6	rotata. R. S.	(bh.) rotate. —	1828.	—	H. ☉.	1. t. 67.
7	vesicaria. DF.	(bh.) bladdered. Candia.	1739.	—	H. ☉.	Flor. græc. 1. t. 34.
8	hamata. DC.	(bh.) hooked. France.	1825.	—	H. ☉.	
9	coronata. DC.	(bh.) prickly seeded. Portugal.	1731.	—	H. ☉.	Dufres. val. t. 3. f. 2.
10	radiata. DF.	(bh.) rayed. N. America.	1818.	—	H. ☉.	t. 3. n. 7.
11	auricula. DC.	(bh.) eared. Montpellier.	—	—	H. ☉.	Reich. ic. C. 1. t. 63.
12	pumila. DC.	(re.) small. S. Europe.	1823.	—	H. ☉.	2. t. 113.
13	mixta. DF.	(bh.) mixed. —	1828.	—	H. ☉.	Dufr. val. t. 3. n. 6.
14	campanulata. Biv.	(bh.) bell-flowered. Italy.	1829.	—	H. ☉.	
15	ericarpa. DC.	(bh.) woolly-capsul'd. France.	1823.	—	H. ☉.	Reich. ic. C. 1. t. 65.
16	truncata. S. S.	(bh.) truncate. Crete.	1829.	—	H. ☉.	2. t. 115.
17	microcarpa. S. S.	(bh.) small-capsuled S. Europe.	1828.	—	H. ☉.	2. t. 114.
18	chenopodiifolia. R. S.	(bh.) Goosefoot-l'd. N. America.	....	—	H. ☉.	
19	uncinata. DF.	(bh.) uncinatè. Tauria.	1818.	—	H. ☉.	Reich. ic. C. 1. t. 69.
20	dasycarpa. L. en.	(bh.) thick-capsuled. —	—	—	H. ☉.	
21	muricata. M. B.	(bh.) muricate. Caucasus.	1828.	—	H. ☉.	
22	tridentata. L. en.	(bh.) three-toothed. Tauria.	1823.	—	H. ☉.	Reich. ic. C. 1. t. 64.
23	angulosa. DC.	(bh.) angular. ....	1826.	—	H. ☉.	
24	congèsta. B. R.	(ro.) close-headed. N. America.	—	5. 6.	H. ☉.	Bot. reg. t. 1094.

## ORDO CXVIII.

DIPSACÆ. *Juss. gen.* 194.

MORINA. R. S.	MORINA. Diandria Monogynia. L.					
pèrsica. R. S.	(re.) Persian. Persia.	1740.	7. 8.	G. ♀.		Flor. græc. 1. t. 28.
DIPSACUS. S. S.	TEASEL. Tetrandria Monogynia. L.					
1	fullònum. S. S.	(li.) manured. Britain.	....	7.	H. ♂.	Eng. bot. v. 29. t. 2080.
2	sylvestris. S. S.	(li.) wild. —	....	—	H. ♂.	v. 15. t. 1032.
3	laciniatus. S. S.	(li.) cut-leaved. Germany.	1683.	7. 8.	H. ♂.	Jacq. aust. 5. t. 403.
4	divaricatus. S. S.	(li.) spreading-leav'd. Sicily.	1827.	—	H. ♂.	
5	Gmelini. S. S.	(bl.) Gmelin's. Caucasus.	1820.	—	H. ♂.	Jacq. f. ecl. t. 106.
6	fèrox. S. S.	(bh.) fierce. Corsica.	—	—	H. ♂.	t. 107.
7	pilòsus. S. S.	(wh.) small. Britain.	....	8.	H. ♂.	Eng. bot. v. 13. t. 877.
8	inèrmis. F. I.	(st.) spineless. Nepaul.	1820.	8. 10.	H. ♂.	
SCABIOSA. S. S.	SCABIOUS. Tetrandria Monogynia. L.					
1	arvensis. S. S.	(li.) field. Britain.	....	7. 10.	H. ♀.	Eng. bot. v. 10. t. 659.
	<i>Trichèra arvensis.</i> R. S.					
2	campèstris. Bes.	(li.) pasture. Poland.	1824.	—	H. ♀.	
3	sylvatica. S. S.	(re.) broad-leaved. Austria.	1633.	7.	H. ♀.	Jacq. aust. 4. t. 362.
4	montana. S. S.	(bl.) mountain. Caucasus.	1823.	—	H. ♀.	Jacq. f. eclog. t. 60.
5	longifolia. S. S.	(li.) long-leaved. Hungary.	1802.	7. 8.	H. ♀.	W. et K. hung. 1. t. 5.
6	pubescens. S. S.	(st.) pubescent. —	1820.	—	H. ♀.	
7	reversa. S. S.	(li.) reversed. Siberia.	1829.	—	H. ♀.	
8	ciliata. S. S.	(st.) ciliated. Hungary.	1820.	—	H. ♀.	
9	hybrida. S. S.	(li.) hybrid. S. Europe.	—	6. 9.	H. ☉.	
10	integrifolia. S. S.	(pu.) entire-leaved. —	1748.	6. 8.	H. ☉.	
11	Hornemanni. S. S.	(li.) Horneman's. ....	1825.	—	H. ♀.	
12	australis. S. S.	(ye.) creeping-root'd. Italy.	1823.	—	H. ♀.	
SUCCISA. S. S.	SUCCISA. Tetrandria Monogynia. S. S.					
1	pratensis. S. S.	(bl.) Devil's-bit. Britain.	....	8. 10.	H. ♀.	Eng. bot. v. 13. t. 878.
	<i>Scabiòsa Succisa.</i> L.					
2	glabrata. S. S.	(bl.) smooth-leaved. Austria.	1823.	7. 9.	H. ♀.	
	<i>Scabiòsa glabrata.</i> R. S.					
3	syriaca. S. S.	(wh.) Syrian. Syria.	1633.	7.	H. ♀.	Flor. græc. t. 105.
4	Vaillantii. R. S.	(bl.) Vaillant's. Levant.	1826.	—	H. ☉.	
5	transylvanica. S. S.	(li.) Transylvanian. Hungary.	1699.	—	H. ☉.	Jacq. vind. 2. t. 111.

6	jóppica. s.s.	(st.) Joppa.	Joppa.	1828.	7.	H. ☉	Reich. H. bot. t. 15.
7	uralénsis. s.s.	(st.) Uralian.	Siberia.	1789.	7. 8.	H. ☉	Murr. c. got. 1782. t. 4.
8	tátárica. s.s.	(yc.) Tartarian.	Russia.	1759.	6. 8.	H. ♀	Lin. act. ups. 1744. t. 1.
9	alpína. s.s.	(st.) Alpine.	Switzerland.	1570.	6. 7.	H. ♀	Moris. s. 6. t. 13. f. 10.
	<i>Cephalária alpína. R.S. Scabiösa alpína. W.</i>						
10	leucántha. s.s.	(wh.) white flowered.	S. Europe.	1633.	9. 10.	H. ♀	Ger. emac. f. 8.
11	centauroídes. s.s.	(st.) Centaury-like.	—	1816.	7. 8.	H. ♀	—
12	lavigáta. s.s.	(st.) smooth.	Hungary.	1823.	—	H. ♀	W. et K. hung. 3. t. 230.
13	corniculáta. s.s.	(st.) horned.	—	1801.	—	H. ♀	— I. t. 13.
	<i>Cephalária corniculáta. R.S. Scabiösa corniculáta. W.K.</i>						
14	cretácea. M.B.	(st.) leathery-leaved.	Tauria.	1828.	—	H. ♀	—
15	rigída. s.s.	(wh.) rough-leaved.	C. B. S.	1731.	7.	G. ♀	—
16	attenuáta. s.s.	(wh.) narrow-leaved.	—	1774.	7. 9.	G. ♀	—
	<i>trífida. s.s. Scabiösa attenuáta. L.</i>						
ASTEROCEPHALUS. S.S. ASTEROCEPHALUS. Tetrandria Monogynia. S.S.							
1	prolífer. s.s.	(st.) prolific.	Egypt.	1683.	7. 9.	H. ☉	Flor. græc. t. 107.
	<i>Scabiösa prolífera. L.</i>						
2	graminifólus. s.s.	(bl.) grass-leaved.	Switzerland.	—	6.	H. ♀	Bot. reg. t. 835.
	<i>Scabiösa graminifólia. B.R.</i>						
3	créticus. s.s.	(li.) Cretan.	Crete.	1596.	6. 10.	G. ♀	Moris. s. 6. t. 15. f. 31.
4	limoniifólus. s.s.	(li.) Limonium-leav'd.	Sicily.	....	6. 8.	H. ♀	—
5	Massóni. s.s.	(li.) Masson's.	Azores.	1779.	—	H. ♀	—
	<i>lucidus. s.s. Scabiösa lucida. H.K. Massóni. H.S.L. nitens. R.S.</i>						
6	dichótomus. s.s.	(re.) forked.	Sicily.	1804.	6. 8.	H. ☉	Bocc. mus. t. 120.
7	africánus. s.s.	(wh.) African.	Africa.	1690.	7. 10.	G. ♀	Herm. parad. t. 219.
8	palæstinus. s.s.	(st.) Palestine.	Palestine.	1771.	7. 8.	H. ☉	Jacq. vind. l. t. 96.
9	lúcidus. s.s.	(li.) shining.	France.	1800.	6. 9.	H. ♀	—
	<i>Scabiösa lucida. R.S.</i>						
10	nòricus. R.S.	(li.) simple-stalked.	Caucasus.	1822.	—	H. ♀	—
11	strictus. s.s.	(li.) upright.	Hungary.	1827.	—	H. ♀	W. et K. hung. 2. t. 138.
12	silenifólus. s.s.	(li.) Silene-leaved.	—	1823.	7. 8.	H. ♀	— 2. t. 157.
13	canéscens. s.s.	(li.) canescent.	—	1802.	—	H. ♀	— 1. t. 53.
14	suavéolens. s.	(li.) sweet-scented.	France.	1827.	—	H. ♀	—
15	setífer. s.s.	(wh.) setiferous.	—	1820.	—	H. ♀	—
16	lyrátus. s.s.	(li.) lyrate-leaved.	Turkey.	1799.	—	G. ♀	—
17	micránthus. s.s.	(ro.) small-flowered.	Armenia.	1823.	—	H. ♀	Desf. an. mus. 11. t. 25.
18	Biebersteíni. s.s.	(li.) Bieberstein's.	Caucasus.	—	—	H. ☉	—
	<i>Scabiösa Biebersteíni. R.S. sicula. M.B.</i>						
19	sículus. s.s.	(li.) Sicilian.	Sicily.	1783.	—	H. ☉	Jacq. vind. 1. t. 15.
20	am'œnus. s.s.	(ro.) glossy.	.....	1823.	—	H. ♀	—
21	stellátus. s.s.	(li.) starry.	Spain.	1596.	—	H. ☉	Moris. s. 6. t. 15. f. 39.
22	ceratophýllus. R.S.	(li.) stag's-horn-leav'd.	Naples.	1825.	—	H. ♂	Ten. fl. nap. 1. t. 8.
23	rotátus. s.s.	(li.) rotate.	Iberia.	1827.	—	H. ☉	—
24	diffúsus. s.s.	(li.) diffuse.	Teneriffe.	1825.	6. 8.	F. ♀	Reich. hort. t. 16.
25	atropurpúreus. s.s.	(pu.) sweet.	E. Indies.	1629.	7. 9.	H. ♂	Bot. mag. t. 247.
	<i>Scabiösa atropurpúrea. B.M.</i>						
	$\beta$ cárneus.	(fl.) flesh-coloured.	—	—	—	H. ♂	—
	$\gamma$ róseus.	(ro.) rose-coloured.	—	—	—	H. ♂	—
	$\delta$ variegátus.	(v.) variegated.	—	—	—	H. ♂	—
	$\epsilon$ álbus.	(wh.) white-flowered.	—	—	—	H. ♂	—
	$\zeta$ prolífer.	(d.pu.) large-flowered.	—	1814.	—	H. ♂	Moris. s. 6. t. 14. f. 2.
26	caucásicus. s.s.	(wh.) Caucasian.	Caucasus.	1803.	7. 8.	H. ♀	Jacq. fragm. t. 125. f. 1.
27	connátus. H.H.	(bh.) connate-leaved.	—	1823.	—	H. ♀	—
28	élegans. R.S.	(vi.) elegant.	—	1803.	7. 8.	H. ♀	Bot. mag. t. 886.
	<i>Scabiösa caucásica. B.M. elegans. R.S.</i>						
29	holoseríceus. s.s.	(bl.) silky.	Pyrenees.	—	—	H. ♀	—
30	pyrenáicus. R.S.	(li.) Pyrenean.	—	1823.	—	H. ♀	—
31	tomentósus. s.s.	(vi.) woolly.	Spain.	1826.	—	H. ♀	Cavan. icon. 2. t. 183.
32	Webbiánus. s.s.	(wh.) Webb's.	Levant.	1820.	—	H. ♀	Bot. reg. t. 717.
	<i>Scabiösa Webbiána. B.R.</i>						
33	crenátus. s.s.	(fl.) crenated.	Sicily.	1824.	7. 8.	H. ♀	Cyrl. pl. rar. 1. t. 3.
34	rutáfólus. R.S.	(fl.) Rue-leaved.	—	1804.	6. 8.	H. ♀	Bocc. sic. t. 40. f. 3.
35	urceolátus. s.s.	(st.) jagged.	Barbary.	—	7. 8.	H. ♀	— t. 52.
36	argénteus. s.s.	(wh.li.) silvery.	Levant.	1713.	6. 10.	H. ♀	Flor. græc. t. 108.
37	marítimus. s.s.	(li.) sea-side.	S. Enrope.	1818.	7. 9.	H. ☉	Bauh. hist. 3. p. 7. f. 2.
38	ucránícus. s.s.	(wh.) Ukraine.	Ukraine.	1795.	9.	H. ♀	Gmel. sib. 2. t. 87.
39	Columbária. s.s.	(li.) fine-leaved.	Britain.	....	7. 8.	H. ♀	Eng. bot. v. 19. t. 1311.
40	grandiflórus. R.S.	(st.) great-flowered.	Barbary.	1804.	6. 9.	H. ♀	Scop. del. ins. 3. t. 14.
41	móllis. L.en.	(li.) soft.	.....	1827.	—	H. ♀	—
	<i>Scabiösa capilláta. R.S.</i>						

42 altissimus. s.s.	(li.) tall.	C. B. S.	1816.	6. 9.	G. 7.	Jacq. vind. 2. t. 185.
43 mollissimus. s.s.	(bl.) soft.	S. Europe.	—	7. 8.	H. 2.	
44 pilosus. s.s.	(bh.) hairy.	Spain.	1826.	—	H. 2.	
45 ochroleucus. s.s.	(st.) pale-flowered.	Germany.	1597.	—	H. 2.	Jacq. aust. 5. t. 439.
46 gramântius. s.s.	(wh.li.) cut-leaved.	S. Europe.	—	—	H. 2.	Gerard herb. 582. f. 2.
47 iseténsis. s.s.	(wh.li.) Siberian.	Siberia.	1801.	—	H. 2.	Gmel. sib. 2. t. 88. f. 1.
48 bannáticus. s.s.	(fl.) Hungarian.	Hungary.	1800.	—	H. 2.	W. et K. hung. 1. t. 12.
49 Colúmnæ. Ten.	(li.) Columna's.	Italy.	1823.	—	H. 2.	Ten. fl. nap. 1. t. 7.
50 Scopólii. R.S.	(st.) Scopoli's.	S. Europe.	1822.	—	H. 2.	
51 comósus. R.S.	(vi.) tufted.	Dahuria.	1828.	—	H. 2.	
52 agréstis. s.s.	(li.) field.	Hungary.	—	—	H. 2.	W. et K. hung. 3. t. 204.
53 simplex. s.s.	(wh.) simple-stalked.	Barbary.	....	—	H. 2.	Desf. atl. 1. t. 39. f. 1.
54 incánus. R.S.	(li.) hoary.	.....	—	—	H. 2.	
55 dahúricus. F.	(li.) Dahurian.	Dahuria.	1824.	—	H. 2.	
<b>PTEROCE'PHALUS. S.S. PTEROCE'PHALUS. Tetrandria Monogynia. S.S.</b>						
1 plumósus. s.s.	(li.) feathered.	Greece.	1824.	7. 8.	H. 2.	Flor. græc. 1. t. 3.
<i>Scabiösa plumösa. Sm. Knaütia plumösa. L.</i>						
2 Vaillántii. s.s.	(wh.) Vaillant's.	S. Europe.	1739.	—	H. 2.	
<i>Scabiösa pappösa. L.</i>						
<b>KNA'UTIA. Tetrandria Monogynia. L.</b>						
1 orientális. R.S.	(re.) red-flowered.	Levant.	1713.	6. 9.	H. 2.	Schk. handb. 1. t. 22.
2 propóntica. R.S.	(pu.) purple-flowered.	—	1768.	—	H. 2.	Lam. ill. t. 58.

ORDO CXIX.

CALYCEREÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICA'RPHA. L.T.	ACICA'RPHA. Syngenesia Necessaria. P.S.					
spathulâta. L.T.	(ye.) spatulate-leav'd. Brazil.	1816.	6. 9.	G. 2.		

ORDO CXX.

COMPOSITÆ. *Adanson fam. 2. 103.*

Subordo I. CICHORACEÆ. *Kth. synops. 2. p. 352.*

Tribus I. HIERACEÆ. *D. Don in Edinb. philos. journ.*

<b>HIER'ACIUM. W. HAWKWEED. Syngenesia Polygamia Æqualis.</b>						
1 alpêtre. w.	(ye.) smooth-leaved.	Austria.	1823.	5. 7.	H. 2.	Jacq. aust. 2. t. 191.
2 rupêtre. w.	(ye.) rock.	Switzerland.	—	—	H. 2.	All. auct. t. 1. f. 2.
3 alpinum. w.	(ye.) Alpine.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 16. t. 1110.
4 pumilum. w.	(ye.) small.	Germany.	1804.	—	H. 2.	
5 glabrâtum. w.	(ye.) smooth.	Switzerland.	1823.	6. 8.	H. 2.	
6 bulbösum. w.	(ye.) bulbous-rooted.	S. Europe.	—	—	H. 2.	
7 Pilosëlla. w.	(st.) Mouse-ear.	Britain.	....	5. 7.	H. 2.	Eng. bot. v. 16. t. 1093.
8 dübium. w.	(st.) branching.	—	....	7. 8.	H. 2.	— v. 33. t. 2332.
9 Aurícula. w.	(go.) umbell'd mouse-ear.	England.	....	—	H. 2.	— v. 33. t. 2368.
10 fállax. W.en.	(go.) hairy-spear-leav'd.	.....	1816.	—	H. 2.	
11 angustifólium. w.	(ye.) narrow-leaved.	Mt. Cenis.	1822.	—	H. 2.	
12 florentinum. w.	(ye.) Florentine.	Germany.	1796.	—	H. 2.	Bauhin pin. t. 67.
13 præáltum. s.s.	(ye.) tall.	Europe.	1824.	—	H. 2.	
14 cymösium. w.	(ye.) small-flowered.	—	1739.	5. 6.	H. 2.	Moris. s. 7. t. 8. f. 10.
15 piloselloides. P.S.	(ye.) Mouse-ear like.	France.	1823.	5. 7.	H. 2.	Vill. delph. 3. p. 100. t. 27.
16 staticifólium. w.	(ye.) thrift-leaved.	Europe.	1804.	6. 7.	H. 2.	— 3. p. 116. t. 27.
17 præmórsum. w.	(ye.) præmorse.	Siberia.	1820.	—	H. 2.	Gmel. sib. 2. t. 13.
18 succisæfólium. P.S.	(ye.) Succisa-leaved.	Piedmont.	1822.	—	H. 2.	
19 flagelläre. W.en.	(ye.) creeping.	.....	1816.	5. 7.	H. 2.	
20 bifúrcum. M.B.	(ye.) two-forked.	S. Europe.	1822.	—	H. 2.	
21 bifídum. W.en.	(ye.) bifid.	Hungary.	—	6. 7.	H. 2.	

22	incarnatum. w.	(fl.)	flesh-coloured.	Carniola.	1815.	6. 7.	H. 4.	Jacq. ic. t. 578.
23	aurantiacum. w.	(or.)	orange-colour'd.	Scotland.	....	—	H. 4.	Eng. bot. v. 21. t. 1469.
24	venosum. w.	(ye.)	red-veined.	N. America.	1790.	—	H. 4.	
25	Gronovii. w.	(ye.)	Gronovius's.	—	1798.	—	H. 4.	
26	Gmelini. w.	(ye.)	Gmelin's.	Siberia.	—	—	H. 4.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhini. s.s.	(ye.)	Bauhin's.	Switzerland.	1820.	—	H. 4.	
28	Lawsœni. w.	(st.)	Lawson's.	Britain.	....	—	H. 4.	Eng. bot. v. 29. t. 2083.
29	collinum. w.	(ye.)	hill.	Europe.	1824.	6. 8.	H. 4.	
30	Gochnatî. s.s.	(ye.)	Gochnat's.	—	—	—	H. 4.	
31	paniculatum. w.	(ye.)	panicked.	Canada.	1800.	—	H. 4.	
32	chondrilloides. w.	(ye.)	Gum-succory.	Austria.	1640.	—	H. 4.	Jacq. aust. 5. t. 429.
33	humile. w.	(ye.)	low.	S. Europe.	1816.	—	H. 4.	— t. 189.
	<i>pumilum.</i> Jacq.	<i>Jacquini.</i> Vill.	delph. 3. t. 28.					
34	calcæreum. H.H.	(ye.)	spurred.	S. Europe.	1823.	7. 8.	H. 4.	
35	sonchifolium. M.B.	(ye.)	Sonchus-leaved.	Caucasus.	1828.	—	H. 4.	
36	pictum. P.S.	(ye.)	painted-leaved.	Switzerland.	1823.	—	H. 4.	
37	nigræscens. w.	(ye.)	dark-coloured.	.....	1801.	7. 8.	H. 4.	Willd. hort. ber. t. 10.
38	prunellæfolium. w.	(ye.)	Prunella-leav'd.	Switzerland.	1823.	6. 7.	H. 4.	All. ped. t. 15. f. 2.
39	montanum. w.	(ye.)	mountain.	S. Europe.	1775.	—	H. 4.	Jacq. aust. 2. t. 190.
40	hybridum. s.s.	(ye.)	hybrid.	Switzerland.	1825.	—	H. 4.	
41	porrifolium. w.	(ye.)	Leek-leaved.	Austria.	1640.	7. 8.	H. 4.	Jacq. aust. 3. t. 286.
42	saxatile. w.	(ye.)	rock.	—	1801.	—	H. 4.	Jacq. ic. 1. t. 163.
43	glaucum. w.	(ye.)	glaucous.	S. Europe.	1807.	6. 7.	H. 4.	All. ped. t. 81. f. 1.
44	molle. w.	(go.)	soft-leaved.	Scotland.	....	7. 8.	H. 4.	Eng. bot. v. 31. t. 2210.
45	croaticum. w.K.	(ye.)	Hungarian.	Hungary.	1820.	—	H. 4.	
46	Sternbergii. L.en.	(ye.)	Sternberg's.	—	—	—	H. 4.	
47	pallæscens. s.s.	(st.)	pale.	—	1815.	6. 7.	H. 4.	W. et K. hung. 3. t. 217.
48	murorum. E.B.	(go.)	wall.	Britain.	....	7.	H. 4.	Eng. bot. v. 29. t. 2082.
49	maculatum. E.B.	(ye.)	stained-leaved.	England.	....	7. 8.	H. 4.	— v. 30. t. 2121.
50	ramosum. w.	(ye.)	branching.	Hungary.	1805.	—	H. 4.	
51	incisum. s.s.	(ye.)	cut-leaved.	—	1823.	—	H. 4.	
52	parvifolium. w.	(ye.)	small-leaved.	Austria.	—	—	H. 4.	
53	cydoniæfolium. s.s.	(ye.)	Quince-leaved.	France.	1816.	—	H. 4.	
54	denudatum. s.s.	(ye.)	half-naked.	Pyrenees.	1828.	—	H. 4.	
55	sylvaticum. E.B.	(ye.)	wood.	Britain.	....	8.	H. 4.	Eng. bot. v. 29. t. 2031.
56	pulmonarium. E.B.	(go)	lungwort.	Scotland.	....	7. 8.	H. 4.	— v. 33. t. 2307.
57	lapsanoides. w.	(ye.)	Lapsana-like.	Pyrenees.	1812.	—	H. 4.	Gouan. ill. t. 21. f. 3.
58	lyratum. w.	(ye.)	lyre-leaved.	Siberia.	1777.	—	H. 4.	Gmel. sib. 2. t. 9.
59	cerinthoides. E.B.	(ye.)	honeywort.	Scotland.	....	8.	H. 4.	Eng. bot. v. 34. t. 2378.
60	flexuosum. w.	(ye.)	bending-stalk'd.	Hungary.	1804.	7. 8.	H. 4.	
61	amplexicaule. w.	(ye.)	heart-leaved.	Pyrenees.	1739.	—	H. 4.	All. ped. 1. t. 15. f. 1.
62	grandiflorum. w.	(ye.)	great-flowered.	Europe.	1791.	—	H. 4.	W. et K. hung. 1. t. 99.
63	intybaceum. w.	(ye.)	endive-leaved.	—	1794.	—	H. 4.	Jacq. aust. ap. t. 43.
64	Halleri. w.	(ye.)	Haller's.	—	1802.	—	H. 4.	Vill. dauph. 3. t. 26.
65	eriphyllum. L.en.	(ye.)	villous.	—	1816.	—	H. 4.	
66	villosum. E.B.	(st.)	shaggy alpine.	Scotland.	....	—	H. 4.	Eng. bot. v. 34. t. 2379.
67	Schradèri. DC.	(ye.)	Schrader's.	Switzerland.	1823.	—	H. 4.	
68	elongatum. Lap.	(ye.)	elongated.	—	1824.	—	H. 4.	
69	pilocèphalum. L.en.	(ye.)	hairy-headed.	Europe.	1816.	—	H. 4.	
70	trichocèphalum. w.	(ye.)	bristly-headed.	—	1823.	—	H. 4.	
71	prostratum. s.s.	(ye.)	prostrate.	S. Europe.	—	—	H. 4.	
72	calyculatum. H.H.	(ye.)	long-scaled.	—	1826.	—	H. 4.	
73	longifolium. H.H.	(ye.)	long-leaved.	.....	1823.	—	H. 4.	
74	speciosissimum. s.s.	(ye.)	handsome.	S. Europe.	—	—	H. 4.	
	<i>speciosum.</i> H.H.							
75	ciliatum. w.	(ye.)	fringed.	Crete.	1823.	—	H. 4.	
76	Millèri. L.en.	(ye.)	Miller's.	.....	....	—	H. 4.	
77	lanatum. w.	(ye.)	woolly.	Hungary.	—	—	H. 4.	W. et K. hung. 2. t. 127.
78	andryaloides. P.S.	(ye.)	Andryala-like.	France.	1818.	—	H. 4.	Vill. delph. 3. t. 29.
79	echioides. w.	(ye.)	viper's-bugloss.	Hungary.	1802.	—	H. 4.	W. et K. hung. 1. t. 85.
80	verruculatum. L.en.	(ye.)	warted.	.....	1823.	—	H. 4.	
81	undulatum. w.	(ye.)	wave-leaved.	Spain.	1778.	—	H. 4.	
82	glutinòsum. w.	(ye.)	clammy.	S. Europe.	1796.	—	H. 4.	
83	Kalmii. w.	(ye.)	Kalm's.	Pensylvania.	1794.	8.	H. 4.	
84	fasciculatum. Ph.	(ye.)	bundled.	Canada.	....	7. 8.	H. 4.	
85	racemòsum. w.	(ye.)	racemed.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 193.
86	foliosum. w.	(ye.)	leafy.	—	1805.	—	H. 4.	— 2. t. 145.
87	corymbòsum. P.S.	(ye.)	corymböse.	.....	1820.	—	H. 4.	
88	sabaudum. w.	(go.)	frutescent.	Britain.	....	—	H. 4.	Eng. bot. v. 5. t. 349.

89 umbellatum. w. (ye.) umbel-flowered. Britain. ....	8. 9. H. ♀.	Eng. bot. v. 25. t. 1771.
90 prenanthoides. E. B. (ye.) rough-bordered. Scotland. ....	6. 9. H. ♀.	———— v. 32. t. 2235.
91 latifolium. s. s. (ye.) broad-leaved. Pyrenees. 1823. ——— H. ♀.		
92 denticulatum. E. B. (ye.) small-toothed. Scotland. ....	7. 8. H. ♀.	Eng. bot. v. 30. t. 2122.
93 lævigatum. w. (ye.) smooth. ....	1804. 8. 9. H. ♀.	Willd. hort. ber. t. 16.
94 canescens. L. en. (ye.) canescent. ....	1820. 7. 8. H. ♀.	
95 auriculatum. s. s. (ye.) ear-leaved. ....	1826. ——— H. ♀.	
96 boreale. s. s. (ye.) northern. N. Europe. 1828. ——— H. ♀.		
97 bracteolatum. L. en. (ye.) bracted. S. Europe. 1823. ——— H. ♀.		
98 coronopifolium. L. en. (ye.) Buckshorn-ld. ....	———— H. ♀.	
99 parviflorum. Schl. (ye.) small-flowered. Switzerland. ——— H. ♀.		
100 ochroleucum. Schl. (st.) sulphur-color'd. 1821. ——— H. ♀.		
101 ovatum. Schl. (ye.) oval-leaved. ——— 1820. ——— H. ♀.		
102 compositum. s. s. (ye.) compound. Pyrenees. 1823. ——— H. ♀.		
103 crassifolium. s. (ye.) thick-leaved. ....	———— H. ♀.	
104 rotundatum. s. s. (ye.) round-leaved. Hungary. ——— H. ♀.		
105 sudeticum. St. (ye.) Swedish. Sweden. ——— H. ♀.		
106 virgatum. Ph. (ye.) twiggy. N. America. 1816. ——— H. ♀.		
107 virescens. Schl. (gr.) greenish. Switzerland. 1820. ——— H. ♀.		
108 stoloniferum. Viv. (ye.) stoloniferous. Levant. 1823. ——— H. ♀.		
109 yonbasifolium. P. s. (ye.) Mullein-leav'd. S. Europe. 1732. 5. 6. H. ♀.		Mill. ic. 1. t. 146. f. 1.
<i>Andryala lanata. s. s.</i>		
HAPALOSTEPHIUM. D. P. HAPALOSTEPHIUM. Syngenesia Polygamia Æqualis.		
1 paludosum. D. P. (ye.) Succory-leaved. Britain. ....	7. 8. H. ♀.	Eng. bot. t. 1094.
<i>Hieracium paludosum. E. B.</i>		
2 pyrenaicum. D. P. (ye.) Pyrenean. Pyrenees. 1723. ——— H. ♀.		
<i>Hieracium blattarioides. P. s.</i>		
3 pilosum. D. P. (ye.) hairy. ——— ——— H. ♀.		Herm parad. t. 184.
4 austriacum. (ye.) Austrian. Austria. ——— H. ♀.		Jacq. aust. t. 441.
5 sibiricum. D. P. (ye.) Siberian. Siberia. 1755. ——— H. ♀.		Gmel. sib. 2. t. 10.
<i>Cræpis sibirica. L. Hieracium sibiricum. w.</i>		
6 grandiflorum. (ye.) large-flowered. Idria. 1824. 6. 8. H. ♀.		
<i>Cræpis grandiflora. L.</i>		
LAGO'SERIS. L. en. LAGO'SERIS. Syngenesia Polygamia Æqualis.		
1 bursifolia. L. en. (ye.) pinnatifid. Sicily. 1823. 7. 8. H. ♀.		Bocc. m. 2. t. 106 et 112.
<i>Cræpis bursifolia. L.</i>		
2 versicolor. L. en. (ye.) various-color'd. Dauria. ——— H. ♀.		
3 cernua. L. en. (ye.) nodding. Calabria. ——— 6. 8. H. ♂.		
4 nemausensis. (ye.) Palestine. S. Europe. 1794. 6. 7. H. ♂.		Vill. delph. 3. t. 26.
<i>Cræpis nemausensis. w.</i>		
5 leontodontoïdes. L. en. (ye.) Dandelion-like. Italy. 1804. 7. 8. H. ♂.		
6 raphanifolia. L. en. (ye.) Radish-leaved. .... 1816. 6. 7. H. ♀.		
7 taurinensis. L. en. (ye.) bladdered. S. Europe. 1823. 5. 7. H. ♂.		
8 intybaea. L. en. (ye.) Succory-leaved. Portugal. 1816. 6. 7. H. ♂.		
CRÆPIS. S. S. CRÆPIS. Syngenesia Polygamia Æqualis. L.		
1 nudicaulis. s. s. (ye.) naked-stalked. Crete. 1828. 6. 8. H. ♀.		
2 rigens. s. s. (ye.) bristle-leaved. Azores. 1778. 7. 8. F. ♀.		
3 ramosissima. s. s. (ye.) branched. Archipelago. 1828. ——— F. ♀.		
4 virens. w. (ye.) green. Switzerland. 1796. 6. 7. H. ♂.		Lobel. ic. 229. f. 2.
5 bannatica. s. s. (ye.) Hungarian. Hungary. 1823. 7. 8. H. ♂.		
6 parviflora. s. s. (ye.) small-flowered. Levant. 1829. ——— H. ♂.		
7 rhagadioloïdes. s. s. (ye.) Spanish. Spain. 1818. 6. 7. H. ♂.		Jacq. schœnb. 2. t. 144.
<i>Picris Rhagadiolus. P. s.</i>		
8 aspera. s. s. (ye.) rough. Sicily. 1797. 7. 8. H. ♂.		Flor. græc. t. 804.
9 Sprengeriana. s. s. (ye.) Portugal. Portugal. 1783. 6. 7. H. ♂.		Moris. his. 7. t. 5. f. 17.
<i>Picris Sprengeriana. P. s. Hieracium Sprengerianum. L.</i>		
10 hieracioides. s. s. (ye.) hawkweed-like. Hungary. 1816. 7. 8. H. ♀.		W. et K. hung. 1. t. 17.
11 rigida. s. s. (ye.) rigid. ——— 1805. 5. 7. H. ♀.		———— 1. t. 19.
12 pilifera. s. s. (ye.) hawkweed-leav'd. Scotland. ....	6. 9. H. ♂.	Eng. bot. v. 33. t. 2325.
13 nana. s. s. (ye.) dwarf. N. America. 1827. ——— H. ♀.		
14 heterosperma. s. s. (ye.) various-seeded. Germany. 1824. ——— H. ♂.		
15 Dioscoridis. s. s. (ye.) Dioscorides'. France. 1772. 6. 7. H. ♂.		Flor. græc. t. 808.
16 lodomirîensis. s. s. (ye.) rough-headed. Germany. 1827. 6. 9. H. ♂.		
<i>Gmeini. s.</i>		
17 neglecta. s. s. (ye.) neglected. ....	———— H. ♂.	
18 scabra. s. s. (ye.) rough. S. Europe. 1829. ——— H. ♂.		
19 agræstis. s. s. (ye.) field. Hungary. 1801. 7. 8. H. ♂.		
20 corymbosa. s. s. (ye.) corymbose. Italy. 1828. ——— H. ♂.		
21 cernua. s. s. (ye.) nodding-flower'd. Naples. 1824. ——— H. ♂.		

- 22 tectòrum. E.B. (ye.) smooth. Britain. .... 6. 9. H. ☉ Eng. bot. v. 16. t. 1111.
- 23 Lachenàlii. DC. (ye.) entire-leaved. Europe. .... 6. 9. H. ☉
- 24 cinèrea. P.S. (ye.) red-stalked. Britain. .... — H. ☉
- 25 tauriùensis. W. (ye.) early-flowered. Europe. .... 5. 6. H. ☉ Balb. misc. p. 37. t. 9.
- 26 biennis. S.S. (ye.) biennial. Britain. .... 6. 7. H. ♂ Eng. bot. v. 3. t. 149.
- 27 fœtida. E.B. (st.) strong-scented. ———— .... — H. ♂
- 28 gravèolens. (ye.) strong-smelling. .... 1824. 7. 9. H. ☉
- 29 pulcherrima. F. (ye.) elegant. Siberia. 1823. 6. 8. H. ☉
- 30 latifolia. P.S. (ye.) broad-leaved. Italy. 1816. — H. ☉
- 31 pinnatifida. S.S. (ye.) pinnatifid. S. Europe. 1820. 4. 6. H. ☉
- 32 lácera. S.S. (ye.) torn-leaved. Naples. 1826. 6. 7. H. ☉
- BEHRINIA. Sieb. BEHRINIA. Syngenesia Polygamia Æqualis.  
chondrilloides. Sie. (ye.) Chondrilla-like. Carniola. 1829. 6. 7. H. ☉  
Crèpis chondrilloides. S.S. *Wibèlia chondrilloides*. Hoppe.
- PRENANTHES. D.D. PRENANTHES. Syngenesia Polygamia Æqualis. L.  
1 purpùrea. W. (pu.) purple-flower'd. Germany. 1658. 7. 9. H. ♀ Jacq. aust. 4. t. 317.
- 2 hispida. S.S. (ye.) hispid. Siberia. 1823. 6. 8. H. ♀
- 3 diversifolia. S.S. (ye.) various-leaved. ———— 1827. — H. ♂
- HARPALYCE. D.D. HARPALYCE. Syngenesia Polygamia Æqualis.  
1 altissima. D.D. (ye.) tallest. N. America. 1696. 7. 8. H. ♀ Pluk. alm. t. 317. f. 2.
- Prenánthes altissima*. W.  
2 cordàta. D.D. (ye.) heart-leaved. ———— 1816. — H. ♀
- 3 virgàta. D.D. (li.) tall slender. ———— 1823. 8. 9. H. ♀
- 4 álba. D.D. (wh.) white-flowered. N. America. 1762. 7. 8. H. ♀ Bot. mag. t. 1079.
- Prenánthes álba*. B.M. *suávis*. Sal. par. lond. t. 85.  
5 rubicúnda. D.D. (fl.) rubicund. ———— 1823. 8. 10. H. ♀
- 6 serpentària. D.D. (pu.) Lion's-foot. ———— — H. ♀ Pursh am. sept. 2. t. 24.
- 7 racemòsa. D.D. (pu.) racemed. Canada. 1822. — H. ♀
- CHORISMA. D.D. CHORISMA. Syngenesia Polygamia Æqualis.  
rèpens. D.D. (ye.) creeping. Siberia. 1828. 7. 9. H. ♀ Linn. am. ac. 2. t. 4. f. 23.
- Prenánthes rèpens*. L.
- ANDRYALA. W. ANDRYALA. Syngenesia Polygamia Æqualis.  
1 cheiranthifolia. W. (ye.) various-leaved. Madeira. 1777. 5. 10. F. ♀ L'Herit. stirp. 35. t. 18.
- 2 nígricans. W. (ye.) dark-headed. Barbary. 1804. 6. 8. H. ☉
- 3 pinnatifida. W. (ye.) wing-leaved. Madeira. 1778. 7. 8. F. ♂
- 4 crithmifolia. W. (ye.) Samphire-leav'd. ———— 6. 8. F. ♂
- 5 ragusina. W. (ye.) downy. Archipelago. 1753. — F. ♀ Mill. ic. 1. t. 146. f. 1.
- 6 incàna. DC. (ye.) hoary. Pyrenees. 1826. — H. ♀
- ROTHIA. W. ROTHIA. Syngenesia Polygamia Æqualis.  
1 runcinàta. W. (ye.) hoary. S. Europe. 1711. 7. 8. H. ♂
- 2 cheiranthifolia. W. (ye.) Stock-leaved. Spain. 1768. — H. ☉
- 3 andryalifolia. W. (ye.) Spanish. ———— 1810. 8. H. ☉ Gært. sem. 2. t. 174.
- Andryala Rothia*. P.S.
- LAPSANA. D.D. NIPPLE-WORT. Syngenesia Polygamia Æqualis.  
1 commùnis. W. (ye.) common. Britain. .... 6. 9. H. ☉ Eng. bot. v. 12. t. 844.
- 2 lyràta. W. en. (ye.) lyrate. Caucasus. 1816. 7. 8. H. ♀
- grandiflora*. M.B.  
3 intermèdia. M.B. (ye.) intermediate. ———— 1823. — H. ☉
- 4 pubéscens. Zey. (ye.) pubescent. Europe. 1820. — H. ☉
- 5 crispa. W. en. (ye.) curled. .... 1799. — H. ☉

## Tribus II. TARAXACEÆ. D. Don.

- LEONTODON. W. DANDELION. Syngenesia Polygamia Æqualis. L.  
1 Taráxacum. W. (ye.) common. Britain. .... 4. 7. H. ♀ Eng. bot. v. 8. t. 510.
- 2 corniculátus. H.H. (ye.) horned. Europe. 1827. — H. ♀
- 3 bessarábicus. F. (ye.) small-flowered. S. Europe. 1823. 6. 8. H. ♀
- 4 alpinus. S.S. (ye.) Alpine. ———— 1827. — H. ♀
- 5 caucásicus. M.B. (ye.) Caucasian. Caucasus. ———— H. ♀
- 6 serotinus. W. (ye.) late-flowered. Hungary 1816. 7. 9. H. ♀ W. et K. hung. 2. t. 114.
- 7 glaucéscens. S.S. (ye.) glaucescent. Caucasus. 1820. 4. 7. H. ♀
- 8 obovátus. S.S. (ye.) obovate-leaved. Spain. 1805. 7. H. ♀
- 9 palístris. E.B. (ye.) marsh. Britain. .... 6. 7. H. ♀ Eng. bot. v. 8. t. 553.
- 10 nígricans. W.K. (ye.) dark-leaved. Hungary. 1823. 7. H. ♀
- 11 lævigátus. S.S. (ye.) smooth. Spain. ———— H. ♀
- APARGIA. W. APARGIA. Syngenesia Polygamia Æqualis.  
1 áspera. S.S. (ye.) hairy. Hungary. 1805. 6. 7. H. ♀ W. et K. hung. 2. t. 110.
- 2 saxátilis. S.S. (ye.) rock. Naples. 1827. — H. ♀

3	<i>hispida</i> . s.s.	( <i>ye.</i> ) rough.	Britain.	....	7.	H. 2.	Eng. bot. v. 8. t. 554.
	<i>Hedy'pnois hispida</i> . E. B. <i>Leontodon hispidum</i> . L.						
4	<i>dùbia</i> . w.	( <i>ye.</i> ) tooth-leaved.	Germany.	—	—	H. 2.	
5	<i>crispa</i> . s.s.	( <i>ye.</i> ) curled.	France.	1803.	7. 8.	H. 2.	Vill. dauph. 3. t. 25.
6	<i>fasciculàta</i> . s.s.	( <i>ye.</i> ) bunch-rooted.	Naples.	1828.	—	H. 2.	
7	<i>hispanica</i> . s.s.	( <i>ye.</i> ) Spanish.	Spain.	1825.	—	H. 2.	Cavan. icon. t. 149.
8	<i>strigosa</i> . M.B.	( <i>ye.</i> ) strigose.	Caucasus.	1828.	—	H. 2.	
9	<i>caucàsica</i> . M.B.	( <i>ye.</i> ) Caucasian.	—	1823.	—	H. 2.	
10	<i>coronopifolia</i> . s.s.	( <i>ye.</i> ) buck's-horn-ld.	Barbary.	1820.	—	H. 2.	Desf. atl. 2. t. 214.
11	<i>incàna</i> . s.s.	( <i>ye.</i> ) hoary.	Europe.	1784.	5. 6.	H. 2.	Jacq. aust. 3. t. 287.
12	<i>alpina</i> . s.s.	( <i>ye.</i> ) alpine.	Austria.	1816.	6. 8.	H. 2.	— 1. t. 93.
13	<i>Villarsii</i> . s.s.	( <i>ye.</i> ) Villars's.	France.	1818.	—	H. 2.	Vill. dauph. 3. p. 82. t. 25.
14	<i>Taràxaci</i> . s.s.	( <i>ye.</i> ) Dandelion-like.	Britain.	....	7. 9.	H. 2.	Eng. bot. v. 16. t. 1109.
	<i>Hedy'pnois Taràxaci</i> . E. B. <i>Hieracium Taràxaci</i> . L. <i>Picris Taràxaci</i> . All.						
15	<i>aurantiaca</i> . w.	( <i>or.</i> ) orange-colored.	Hungary.	1816.	5. 6.	H. 2.	
16	<i>crœca</i> . w.	( <i>sn.</i> ) saffron-colored.	—	1820.	—	H. 2.	
17	<i>hastilis</i> . s.s.	( <i>ye.</i> ) shining-leaved.	S. Europe.	1796.	7. 8.	H. 2.	Jacq. aust. 2. t. 164.
OPOR'NIA. D.D.		OPOR'NIA. Syngenesia Polygamia		Æqualis.			
	<i>autumnàlis</i> . D.D.	( <i>ye.</i> ) autumnal.	Britain.	....	8. 9.	H. 2.	Eng. bot. v. 12. t. 830.
	<i>Hedy'pnois autumnàlis</i> . E. B. <i>Apargia autumnàlis</i> . w.						
THRIN'CIA. W.		THRIN'CIA. Syngenesia Polygamia		Æqualis.			
1	<i>tuberòsa</i> . DC.	( <i>ye.</i> ) tuberous-rooted.	France.	1683.	5. 7.	H. 2.	Flor. græc. t. 797.
	<i>Apargia tuberòsa</i> . w. <i>Leontodon tuberòsum</i> . L.						
2	<i>glàbra</i> . Schl.	( <i>ye.</i> ) smooth.	Switzerland.	1823.	7. 8.	H. 2.	
3	<i>hirta</i> . w.	( <i>ye.</i> ) simple-haired.	Britain.	....	—	H. 2.	Eng. bot. v. 8. t. 555.
	<i>picocàlyx</i> . Lag? <i>Hedy'pnois hirta</i> . E. B.						
4	<i>nudicàlyx</i> . Lag.	( <i>ye.</i> ) naked-calyx.	Spain.	1823.	—	H. 2.	
5	<i>hispida</i> . s.s.	( <i>ye.</i> ) hispid.	S. Europe.	1815.	6. 8.	H. 2.	Vill. dauph. 3. t. 25.
6	<i>marocàna</i> . P.S.	( <i>ye.</i> ) Morocco.	Morocco.	1799.	7. 8.	H. 2.	
7	<i>pygm'æa</i> . P.S.	( <i>ye.</i> ) small.	Madeira.	....	—	H. 2.	
	<i>Hyòseris pygm'æa</i> . w.						
CALL'OEPA. D.D.		CALL'OEPA. Syngenesia Polygamia		Æqualis.			
	<i>àurea</i> . D.D.	( <i>go.</i> ) golden-flower'd.	Italy.	1769.	5. 7.	H. 2.	Jacq. aust. 3. t. 297.
	<i>Leontodon àureum</i> . Jacq. <i>Hieracium àureum</i> . w.						
ETH'ONIA. D.D.		ETH'ONIA. Syngenesia Polygamia		Æqualis.			
1	<i>fruticòsa</i> . D.D.	( <i>ye.</i> ) shrubby.	Madeira.	1785.	6. 7.	G. 2.	
	<i>Hieracium fruticòsum</i> . H.K.						
2	<i>filifòrmis</i> . D.D.	( <i>ye.</i> ) fine-leaved.	—	1777.	—	G. 2.	
	<i>Crèpis filifòrmis</i> . w.						
3	<i>lagopòda</i> . D.D.	hare's-foot.	Canaries.	1817.	—	G. 2.	
TO'LPI'S. S.S.		TO'LPI'S. Syngenesia Polygamia		Æqualis.			
1	<i>barbàta</i> . s.s.	( <i>ye.</i> ) purple-eyed.	France.	1620.	6. 9.	H. 2.	Bot. mag. t. 35.
	<i>Crèpis barbàta</i> . B.M. <i>Drepània barbàta</i> . DC.						
2	<i>umbellàta</i> . s.s.	( <i>ye.</i> ) umbelled.	Italy.	1818.	6. 7.	H. 2.	
3	<i>quadriaristàta</i> . Biv.	( <i>ye.</i> ) four-awned.	—	1824.	—	H. 2.	
4	<i>virgàta</i> . s.s.	( <i>ye.</i> ) twiggy.	S. Europe.	1826.	—	H. 2.	
5	<i>altìssima</i> . s.s.	( <i>ye.</i> ) tall.	—	1818.	—	H. 2.	
	<i>Drepània ambigua</i> . DC. <i>Crèpis ambigua</i> . Balbis.						
6	<i>coronopifolia</i> . s.s.	( <i>ye.</i> ) fleshy-leaved.	Madeira.	1777.	8. 9.	H. 2.	Desf. act. par. 38. t. 9.
	<i>Crèpis coronopifolia</i> . w. <i>succulènta</i> . H.K.						
HEDY'PNOIS. W.		HEDY'PNOIS. Syngenesia Polygamia		Æqualis.			
1	<i>monspeliènsis</i> . w.	( <i>ye.</i> ) branching.	S. Europe.	1683.	6. 7.	H. 2.	
2	<i>crètica</i> . w.	( <i>ye.</i> ) Cretan.	Crete.	1731.	—	H. 2.	Flor. græc. t. 813.
3	<i>coronopifolia</i> . T.C.	( <i>ye.</i> ) buck's-horn-ld.	Italy.	1823.	—	H. 2.	
4	<i>tubafòrmis</i> . T.C.	( <i>ye.</i> ) thick-tubed.	—	—	—	H. 2.	
5	<i>mauritànica</i> . w.	( <i>ye.</i> ) Barbary.	Barbary.	—	—	H. 2.	
6	<i>rhagadioloides</i> . w.	( <i>ye.</i> ) Nipple-wort.	S. Europe.	1773.	7. 8.	H. 2.	
7	<i>pérca</i> . M.B.	( <i>ye.</i> ) Persian.	.....	1822.	6. 9.	H. 2.	
8	<i>péndula</i> . w.	( <i>ye.</i> ) pendulous.	Barbary.	1818.	—	H. 2.	
9	<i>aculeàta</i> . Jac.	( <i>ye.</i> ) prickly.	.....	1829.	—	H. 2.	
RHAGAD'IOLUS. W.		RHAGAD'IOLUS. Syngenesia Polygamia		Æqualis.			
1	<i>stellàtus</i> . w.	( <i>ye.</i> ) starry.	S. Europe.	1633.	6. 7.	H. 2.	Flor. græc. t. 817.
2	<i>èdulis</i> . w.	( <i>ye.</i> ) heart-leaved.	Levant.	—	—	H. 2.	— t. 818.
	<i>Lapsàna Rhagadiolus</i> . L.						
KÆLPI'NIA. Pall.		KÆLPI'NIA. Syngenesia Polygamia		Æqualis.			
	<i>lineàris</i> . Pall.	( <i>ye.</i> ) linear-leaved.	Levant.	1788.	7. 8.	H. 2.	Flor. græc. t. 819.
	<i>Lapsàna Kælpinia</i> . L. <i>Rhagadiolus Kælpinia</i> . w.						
ARNO'SERIS. G.		ARNO'SERIS. Syngenesia Polygamia		Æqualis.			
1	<i>fœ'tida</i> . L.en.	( <i>ye.</i> ) stinking.	Italy.	1722.	7. 8.	H. 2.	W. et K. hung. 1. t. 49.
	<i>Lapsàna fœ'tida</i> . w. <i>Hyòseris fœ'tida</i> . P.S.						

2	mínima. L.en.	(st.) least.	Britain.	....	5. 7. H. ⊙	Eng. bot. v. 2. t. 95.
	<i>Hyóseris mínima.</i> E.B.	<i>Lapsàna pusilla.</i> w.				
	HYO'SERIS. W.	HYO'SERIS.	Syngenesia Polygamia	Æqualis.		
1	arenària. w.	(ye.) sand.	Morocco.	1800.	7. 8. H. ⊙	
2	hispida. w.	(ye.) hispid.	—	1779.	— H. ⊙	
3	scàbra. w.	(ye.) rugged.	Sicily.	1789.	— H. ⊙	Lam. ill. t. 654. f. 1.
4	lúcida. w.	(ye.) shining.	Levant.	1770.	6. 8. H. ⊙	Schm. ic. t. 39. 41.
5	radiàta. w.	(ye.) starry.	S. Europe.	1640.	— H. ⊙	Pluk. alm. t. 37. f. 2.
	ZAC'INTHA. W.	ZAC'INTHA.	Syngenesia Polygamia	Æqualis.		
	<i>verrucòsa.</i> w.	(ye.) warted.	S. Europe.	1633.	6. 7. H. ⊙	Gært.sem. 2. t.157. f.7.
	<i>Lapsàna Zacyntha.</i> l.					
	TRO'XIMON. D.D.	TRO'XIMON.	Syngenesia Polygamia	Æqualis.		
1	glàucum. Ph.	(ye.) glaucous-leaved.	N. America.	1811.	7. 8. H. ⊙	Bot. mag. t. 1667.
2	cuspidàtum. Ph.	(ye.) cuspidate.	—	—	4. 6. H. ⊙	
	<i>marginàtum.</i> n.					
	CY'NTHIA. D.D.	CY'NTHIA.	Syngenesia Polygamia	Æqualis.		
	<i>amplexicaùlis.</i> D.D.(go.)	stem-clasping.	N. America.	1799.	7. 8. H. ⊙	
	<i>Hyóseris amplexicaùlis.</i> n.	<i>Krìgia amplexicaùlis.</i> n.	<i>Tróximon virginicum.</i> Ph.			
	KRÌGIA. W.	KRÌGIA.	Syngenesia Polygamia	Æqualis.		
	<i>virginica.</i> w.	(ye.) Virginian.	N. America.	1811.	5. 7. H. ⊙	
	P'ICRIS. W.	P'ICRIS.	Syngenesia Polygamia	Æqualis.		
1	hieracioides. w.	(ye.) hawkweed-like.	England.	....	7. 8. H. ⊙	Eng. bot. v. 3. t. 196.
2	strigòsa. M.B.	(ye.) strigose.	Caucasus.	1823.	— H. ⊙	
3	rigida. s.s.	(ye.) rigid.	Tauria.	1829.	— H. ⊙	
4	hispida. H.K.	(ye.) hispid.	Levant.	1789.	— H. ⊙	
5	altissima. s.s.	(ye.) tall.	Egypt.	1825.	— H. ⊙	
6	pauciflora. w.	(ye.) few-flowered	S. France.	1818.	6. 8. H. ⊙	Gært. fr. 2. t. 158. f. 2.
7	pilòsa. s.s.	(ye.) hairy.	Egypt.	1829.	— H. ⊙	
8	asplenioides. w.	(ye.) Spleenwort-l'd.	Barbary.	1803.	7. 8. H. ⊙	L'Herit. stirp. t. 82.
9	dahùrica. F.	(ye.) Dahurian.	Dahuria.	1820.	— H. ⊙	
10	kamtschatica. Led.	(ye.) Kamtschatka.	Kamtschatka.	1823.	— H. ⊙	
	HELMINTHIA. J.	OX-TONGUE.	Syngenesia Polygamia	Æqualis.		
	<i>echioides.</i> w.	(ye.) bristly.	Britain.	....	6. 7. H. ⊙	Eng. bot. v. 14. t. 972.
	<i>Picris echioides.</i> E.B.					

Tribus III. HYPOCHERIDEÆ. D. Don in Edinb. phil. journ.

	HYPOCH'ERIS. S.S.	CAT'S-EAR.	Syngenesia Polygamia	Æqualis. L.		
1	helvética. s.s.	(ye.) one-flowered.	Switzerland.	1799.	6. 7. H. ⊙	Jacq. ic. 1. t. 165.
2	hispida. s.s.	(ye.) bristly.	S. Europe.	1804.	7. 8. H. ⊙	Willd. hort. ber. 1. t. 46.
3	arachnites. Biv.	(ye.) Cobweb.	Italy.	—	— H. ⊙	
4	mínima. s.s.	(ye.) least.	Barbary.	1797.	— H. ⊙	Flor. græc. t. 816.
5	glàbra. s.s.	(st.) smooth.	Britain.	....	— H. ⊙	Eng. bot. v. 8. t. 575.
	ACHYR'PHORUS. G.	ACHYR'PHORUS.	Syngenesia Polygamia	Æqualis.		
1	maculàtus. D.D.	(ye.) spotted.	England.	....	6. 7. H. ⊙	Eng. bot. v. 4. t. 225.
2	radicàtus. D.D.	(ye.) long-rooted.	Britain.	....	6. 9. H. ⊙	— v. 12. t. 831.
	<i>Hypoch'æris radicàta.</i> E.B.					
3	Balbisii. W.en.	(ye.) Balbis's.	S. Europe.	1822.	— H. ⊙	
	ROBERTIA. DC.	ROBERTIA.	Syngenesia Polygamia	Æqualis.		
1	taraxacoides. DC.	(ye.) Dandelion-like.	Corsica.	1824.	7. 8. H. ⊙	Lois. gal. 530. t. 28.
2	pinnatifida. s.s.	(ye.) pinnatifid.	Naples.	1827.	— H. ⊙	
	<i>Hypoch'æris pinnatifida.</i> Tenore.					
	SER'IOLA. S.S.	SER'IOLA.	Syngenesia Polygamia	Æqualis. L.		
1	ùrens. s.s.	(ye.) stinging.	S. Europe.	1773.	7. 8. H. ⊙	Schmid. ic. t. 32.
2	æthnénsis. w.	(ye.) rough.	Italy.	1763.	— H. ⊙	Jacq. obs. 4. t. 79.
3	glàuca. s.s.	(ye.) glaucous.	Sicily.	1829.	— H. ⊙	
4	rubescens. s.s.	(li.) reddish.	—	—	— H. ⊙	
5	álbicans. s.s.	(ye.) whitish.	—	—	— H. ⊙	
6	creténsis. s.s.	(ye.) Cretan.	Crete.	1820.	— H. ⊙	
7	Alliàta. L.en.	(ye.) wood.	Sicily.	1823.	— H. ⊙	Biv. cent. pl. 2. t. 7.
8	apargioides. Trev.	(ye.) Apargia-like.	S. Europe.	1829.	— H. ⊙	
	AGÈNORA. D.D.	AGÈNORA.	Syngenesia Polygamia	Æqualis.		
	<i>levigàta.</i> D.D.	(ye.) smooth.	Candia.	1772.	7. 8. H. ⊙	Desf. atl. 2. t. 216.
	<i>Seriola levigàta.</i> w.	<i>Rodìgia levigàta.</i> s.s.				
	RODÌGIA. S.S.	RODÌGIA.	Syngenesia Polygamia	Æqualis.		
	<i>commutàta.</i> s.s.	(ye.) Poppy-leaved.	Caucasus.	1823.	6. 7. H. ⊙	
	<i>Crèpis rhaadifolia.</i> M.B.					
	SOLDEVÍLLA. S.S.	SOLDEVÍLLA.	Syngenesia Polygamia	Æqualis.		
	<i>setòsa.</i> s.s.	(ye.) bristly.	Spain.	1826.	7. 8. H. ⊙	

## Tribus IV. LACTUCEÆ. D. Don in Edinb. phil. journ.

LACTUCA. S.S.		LETTUCE. Syngenesia Polygamia Æqualis. L.			
1	<i>sativa</i> . w. (ye.) garden.	.....	1562.	6. 9. H. ♂.	Rob. ic. pl. c. ic.
2	<i>crispa</i> . w. (ye.) curled.	.....	1570.	6. 8. H. ♂.	
3	<i>palmata</i> . w. (ye.) jagged-leaved.	.....	1683.	— H. ♂.	
<i>laciniata</i> . Roth.					
4	<i>intybacea</i> . w. (ye.) Endive-leaved.	S. America.	1781.	— H. ♂.	Jacq. ic. 1. t. 162.
5	<i>quercina</i> . w. (ye.) Oak-leaved.	Europe.	1686.	5. 7. H. ♂.	
6	<i>stricta</i> . w. (ye.) upright.	Hungary.	1805.	6. 7. H. ♂.	W. et K. hung. 1. t. 48.
7	<i>elongata</i> . w. (st.) elongated.	Pensylvania.	—	— H. ♂.	
8	<i>cichoriifolia</i> . DC. (ye.) Succory-leaved.	France.	1818.	— H. ♀.	
9	<i>Scariola</i> . w. (st.) prickly.	Britain.	....	7. 8. H. ♀.	Eng. bot. v. 4. t. 268.
10	<i>maculata</i> . L.en. (st.) spot-leaved.	Europe.	....	— H. ♂.	
11	<i>virosa</i> . E.B. (st.) strong-scented.	Britain.	....	7. 9. H. ♀.	Eng. bot. v. 28. t. 1957.
12	<i>augustana</i> . w. (st.) entire-leaved.	Italy.	1791.	7. 8. H. ♂.	All. ped. 1. t. 52. f. 1.
13	<i>altissima</i> . M.B. (ye.) tall.	Caucasus.	1818.	— H. ♀.	
14	<i>sagittata</i> . w.K. (ye.) arrow-leaved.	Hungary.	1805.	— H. ♂.	W. et K. hung. 1. t. 1.
15	<i>saligna</i> . w. (ye.) least.	England.	....	7. 8. H. ♀.	Eng. bot. v. 10. t. 707.
16	<i>murâlis</i> . D.D. (st.) wall.	Britain.	....	— H. ♀.	— v. 7. t. 457.
<i>Prenanthes murâlis</i> . E.B.					
17	<i>viminea</i> . L.en. (st.) rushy-twigged.	Austria.	1789.	— H. ♂.	Jacq. aust. 1. t. 9.
<i>Prenanthes viminea</i> . Jacq.					
18	<i>villôsa</i> . s.s. (bl.) villous.	.....	1825.	— H. ♂.	Jacq. schœnb. 3. t. 367.
19	<i>tuberôsa</i> . s.s. (ye.) tuberous.	.....	1820.	— H. ♀.	Jacq. vind. 1. t. 57.
20	<i>indica</i> . s.s. (ye.) Indian.	E. Indies.	1784.	8. 10. H. ♂.	
21	? <i>spectabilis</i> . F. .... showy.	Persia.	1829.	.... H. ♂?	
22	<i>pâllida</i> . D.P. (st.) pale-flowered.	Canada.	1704.	7. 9. H. ♀.	Rob. ic. 148 et 151.
<i>Sonchus pâllidus</i> . w.					
23	<i>segusiâna</i> . s.s. (pu.) various-leaved.	Italy.	1823.	7. 8. H. ♂.	
24	<i>tenerrima</i> . s.s. (pu.) purple-flower'd.	S. Europe.	1815.	— H. ♀.	
25	<i>perennis</i> . s.s. (bl.) perennial.	Germany.	1596.	6. 8. H. ♀.	Mill. ic. 2. t. 157.
CHONDRI'LLA. W.		GUM SUCCORY. Syngenesia Polygamia Æqualis. L.			
1	<i>júncea</i> . w. (ye.) common.	France.	1633.	9. 10. H. ♀.	Jacq. aust. 5. t. 427.
2	<i>gramínea</i> . M.B. (ye.) grass-leaved.	Caucasus.	1824.	7. 9. H. ♀.	
3	<i>latifolia</i> . M.B. (ye.) broad-leaved.	—	—	— H. ♂.	
AGATHYRSUS. D.D.		AGATHYRSUS. Syngenesia Polygamia Æqualis.			
1	<i>alpinus</i> . D.D. (bl.) Lapland.	Lapland.	1804.	7. 8. H. ♀.	Smith ic. ined. t. 21.
<i>Sonchus lappónicus</i> . w.					
2	<i>cœrúleus</i> . D.D. (bl.) blue-flowered.	Scotland.	....	— H. ♀.	Eng. bot. v. 34. t. 2425.
<i>Sonchus alpinus</i> . w. non L.					
3	<i>Plumieri</i> . D.D. (bl.) Plumier's.	Pyrenees.	1794.	— H. ♀.	
4	<i>floridânus</i> . D.D. (bl.) small-flowered.	N. America.	1713.	— H. ♂.	
5	<i>acuminâtus</i> . (bl.) taper-pointed.	—	1812.	8. 9. H. ♂.	
<i>Sonchus acuminâtus</i> . Ph.					
6	<i>macrophyllus</i> . (bl.) large-leaved.	N. America.	1820.	7. 8. H. ♀.	
<i>Sonchus macrophyllus</i> . Ph.					
7	<i>spicâtus</i> . D.D. (pa.) whitish-flower'd.	—	—	— H. ♂.	
<i>Sonchus leucophœus</i> . w. <i>Prenanthes autumnâlis</i> . Walter.					
8	<i>prenanthoides</i> . D.D. (bl.) Prenanthes-like.	Caucasus.	1827.	— H. ♀.	
9	<i>calaciaefolius</i> . D.D. (bl.) Calacia-leaved.	Iberia.	1826.	— H. ♀.	
10	<i>sibiricus</i> . D.D. (bl.) Siberian.	Siberia.	1759.	7. 9. H. ♀.	Gmel. sib. 2. f. 3.
<i>Sonchus sibiricus</i> . w. <i>Lactuca sibirica</i> . D.P.					
11	<i>tatâricus</i> . D.D. (bl.) Tartarian.	Tartary.	1784.	6. 7. H. ♀.	
12	<i>pulchellus</i> . D.D. (bl.) entire-leaved.	Missouri.	1812.	— H. ♀.	
<i>Sonchus pulchellus</i> . Ph. <i>Lactuca integrifolia</i> . N.					
13	<i>sonchifolia</i> . (bl.) Sonchus-leaved.	Levant.	1824.	— H. ♂.	
<i>Lactuca sonchifolia</i> . w.					
LYGODE'SMIA. D.D.		LYGODE'SMIA. Syngenesia Polygamia Æqualis.			
	<i>júncea</i> . D.D. (ro.) rush-like.	Missouri.	1827.	5. 6. H. ♀.	
<i>Prenanthes júncea</i> . Ph.					
ATALA'NTHUS. D.D.		ATALA'NTHUS. Syngenesia Polygamia Æqualis.			
1	<i>pinnâtus</i> . D.D. (ye.) pinnated.	Canaries.	1823.	6. 7. F. ♀.	
<i>Prenanthes pinnata</i> . w.					
2	<i>arborea</i> . (ye.) arborescent.	—	—	6. 8. F. ♀.	
<i>Prenanthes arborea</i> . W. enum.					
3	<i>spinôsus</i> . D.D. (ye.) prickly.	Barbary.	1640.	3. 5. F. ♀.	Park. theatr. 804. f. 7.

SONCHUS. W.		Sow THISTLE. Syngenesia Polygamia Æqualis. L.	
1 squarrosus. DC.	(ye.) shrubby.	Madeira.	1777. 4. 7. G. ♀.
<i>fruticosus. L. non Jacq.</i>			
2 Jacquini. DC.	(ye.) Jacquin's.	—	— G. ♀. Jacq. ic. 1. t. 161.
<i>fruticosus. Jacq. non L.</i>			
3 lævigatus. L. en.	(ye.) smooth.	—	1816. — G. ♀.
4 lyratus. L. en.	(ye.) lyre-leaved.	—	— G. ♀.
5 hyoserifolius. H. H.	(ye.) Hyoseris-leaved.	—	1818. — G. ♀.
6 radicatus. s. s.	(ye.) long-rooted.	Canaries.	1780. 7. 8. G. ♀.
7 gummifer. s. s.	(ye.) gummy.	—	1816. — G. ♀.
8 divaricatus. L. en.	(ye.) spiny-leaved.	.....	1828. 4. 6. G. ♀.
9 pinnatus. s. s.	(ye.) wing-leaved.	Madeira.	1777. 4. 7. G. ♀.
10 maritimus. s. s.	(ye.) sea-side.	Canaries.	1748. 7. 9. H. ♀. All. ped. 1. t. 16. f. 2.
11 oleraceus. s. s.	(ye.) common-smooth.	Britain.	.... 6. 12. H. ♂. Eng. bot. v. 12. t. 843.
<i>lævis. L. enum. oleraceus a. lævis. W. enum.</i>			
12 lacerus. W. en.	(ye.) torn-leaved.	Britain.	.... — H. ♂.
13 asper. s. s.	(ye.) rough-leaved.	—	.... — H. ♂. Blackw. ic. t. 30.
<i>oleraceus γ. asper. L.</i>			
14 uliginosus. s. s.	(ye.) marsh.	Caucasus.	1823. 7. 9. H. ♀.
15 palustris. s. s.	(ye.) tall marsh.	Britain.	.... — H. ♀. Eng. bot. v. 13. t. 935.
16 arvensis. s. s.	(ye.) corn-field.	—	.... — H. ♀. — v. 10. t. 674.
17 hantoniensis. (ye.) smooth-headed.	Hampshire.	....	— H. ♀.
18 tenerrimus. s. s.	(ye.) clammy.	S. Europe.	1691. 7. 8. H. ♂. Flor. græc. t. 790.
19 chondrillaoides. s. s.	(ye.) Chondrilla-like.	Sicily.	1826. — H. ♀.
20 caucasicus. F.	(ye.) Caucasian.	Caucasus.	1820. — H. ♀.
21 flexuosus. Led.	(ye.) flexuose.	—	1822. — H. ♀.
22 chinensis. F.	(ye.) Chinese.	China.	1820. — H. ♀.
23 tenax. F.	(ye.) tough.	Siberia.	1824. — H. ♀.
24 longifolius. Trev.	(ye.) long-leaved.	.....	— H. ♀.
BARKHUSIA. DC.		BARKHUSIA. Syngenesia Polygamia Æqualis.	
1 muricata. s. s.	(ye.) bristly-headed.	S. Europe.	1825. 6. 8. H. ♂.
2 bellidifolia. DC.	(ye.) Daisy leaved.	Corsica.	1826. — H. ♂.
3 Suffreniana. DC.	(ye.) mealy-headed.	France.	1825. — H. ♂.
4 spatulata. s. s.	(ye.) spatulate.	Sicily.	1829. — H. ♂.
5 alpina. s. s.	(ye.) alpine.	Italy.	1739. 7. 8. H. ♂. Gmel. sib. 2. t. 5.
<i>Crèpis alpina. W.</i>			
6 apargioides. s. s.	(ye.) Apargia-like.	Germany.	1826. — H. ♀. Jacq. aust. 3. t. 293.
7 vesicaria. s. s.	(ye.) bladdered.	Crete.	1828. — H. ♀.
8 hyemalis. s. s.	(ye.) winter.	Sicily.	1829. 8. 11. H. ♀.
9 purpurea. s. s.	(pu.) purple.	—	1827. 7. 9. H. ♀.
10 rubra. s. s.	(li.) lilac.	Italy.	1632. 6. 8. H. ♂. Flor. græc. t. 801.
11 nicænsis. s. s.	(ye.) gland-headed.	S. Europe.	1824. — H. ♂.
12 hispida. s. s.	(ye.) hispid.	—	1798. — H. ♂. W. et K. hung. 1. t. 43.
13 setosa. DC.	(ye.) setose.	Switzerland.	1824. — H. ♂.
14 pungens. P. S.	(ye.) pungent.	.....	1826. — H. ♂.
MYOSERIS. L. en.		MYOSERIS. Syngenesia Polygamia Æqualis.	
purpurea. L. en. (pu.) purple.	Tauria.	1823.	6. 7. H. ♂.
<i>Lagoseris taurica. M. B. Crèpis purpurea. M. B.</i>			

*Tribus V. SCORZONERÆ. D. Don in Edinb. phil. journ.*

SCORZONERA. W.		VIPER'S-GRASS. Syngenesia Polygamia Æqualis.	
1 tomentosa. w.	(ye.) white.	Armenia.	1789. 6. 7. H. ♀.
2 villosa. s. s.	(ye.) villous.	Levant.	1821. 6. 8. H. ♀. Scop. carn. t. 46.
3 hirsuta. s. s.	(ye.) hairy.	S. Europe.	1823. — H. ♀. All. ped. t. 31. f. 33.
4 humilis. w.	(ye.) dwarf.	Europe.	1597. 8. — H. ♀.
5 austriaca. W. en.	(ye.) Austrian.	Austria.	.... — H. ♀. Jacq. aust. 1. t. 36.
<i>humilis. Jacq. non w.</i>			
6 plantaginifolia. Sch.	(ye.) Plantain-leav'd.	Switzerland.	1816. — H. ♀.
7 hispica. w.	(ye.) garden.	Spain.	1576. 6. 9. H. ♀. Lam. ill. t. 647. f. 5.
8 glastifolia. w.	(ye.) Wood-leaved.	Germany.	1816. — H. ♀.
9 taurica. M. B.	(ye.) Taurian.	Tauria.	1820. — H. ♀.
10 rumicifolia. L. en.	(ye.) Döck-leaved.	.....	1822. — H. ♀.
11 caricifolia. w.	(ye.) Carex-leaved.	Siberia.	1805. — H. ♀. Pall. it. 3. ap. t. J. 1. f. 1.
12 parviflora. w.	(ye.) small-flowered.	Austria.	1816. — H. ♀. Jacq. aust. 4. t. 305.
13 mollis. M. B.	(ye.) soft.	Volga.	1829. — H. ♀.
14 stricta. s. s.	(ye.) upright.	—	1821. — H. ♀.
<i>villosa. M. B. nec Scop.</i>			

15 lanata, M.B.	(ye.) woolly.	Iberia.	1823.	6. 7.	H. ♀.	
16 purpurea, w.	(pu.) purple-flower'd.	Austria.	1759.	5. 6.	H. ♀.	Jacq. aust. 1. t. 35.
17 angustifolia, w.	(ye.) narrow-leaved.	S. Europe.	—	6. 8.	H. ♀.	W. et K. hung. 2. t. 122.
18 ensifolia, M.B.	(ye.) sword-leaved.	Caucasus.	1823.	—	H. ♀.	
19 pusilla, s.s.	(st.) small.	Volga.	1827.	—	H. ♀.	Pall. it. 2. ap. t. L.
20 tuberosa, s.s.	(ye.) tuberous-rooted.	—	1825.	—	H. ♀.	Pall. it. 3. ap. t. Y. f. 3.
21 crispata, s.s.	(ye.) curled.	Tauria.	1821.	—	H. ♀.	
<b>PODOSPERMUM, DC. Podospermum.</b> Syngenesia Polygamia $\mathcal{E}$ qualis.						
1 calcitrapifolium, DC. (y.)	Calcitrapa-leav'd.	Levant.	1823.	6. 8.	H. ♀.	Barr. ic. 800.
2 resedifolium, DC. (ye.)	spreading.	Spain.	1729.	6. 7.	H. ♂.	Bocc. sic. 13. t. 7.
3 laciniatum, DC. (ye.)	cut-leaved.	S. Europe.	1640.	—	H. ♂.	Jacq. aust. 4. t. 356.
4 octangulare, DC. (ye.)	8-angled.	—	1820.	—	H. ♂.	
5 pumilum, (ye.)	small.	Spain.	1822.	7. 9.	H. ♂.	Cav. ic. 2. t. 121. f. 2.
<i>Scorzonera pumila, w.</i>						
6 asperinum, (ye.)	roughest.	Galatia.	—	8. 9.	H. ♀.	
<i>Scorzonera asperima, w.</i>						
7 asperum, (ye.)	rough.	Levant.	—	7. 8.	H. ♀.	Desf. an. mus. 1. t. 9.
<i>Scorzonera aspera, Desf. stylosa, p.s.</i>						
8 subulatum, DC. (ye.)	grass-leaved.	Portugal.	1759.	—	H. ♀.	Jacq. obs. 4. t. 100.
<i>Scorzonera graminifolia, F.G. 784.</i>						
9 muricatum, DC. (ye.)	bristly.	Piedmont.	1818.	—	H. ♀.	
10 taraxacifolium, (ye.)	Dandelion-leav'd.	Bohemia.	1801.	6. 8.	H. ♀.	Jacq. ic. 1. t. 106.
<i>Scorzonera taraxacifolia, w.</i>						
<b>LASIOSPERMUM, F. Lasiopermum.</b> Syngenesia Polygamia $\mathcal{E}$ qualis.						
angustifolium, F. (ye.)	narrow-leaved.	Caucasus.	1825.	6. 8.	H. ♀.	
<i>Scorzonera eriopserma, M.B.</i>						
<b>PICRIDIMUM, P.S. Picridium.</b> Syngenesia Polygamia $\mathcal{E}$ qualis.						
1 vulgare, P.S. (ye.)	various-leaved.	France.	1773.	6. 8.	H. ♂.	All. ped. 1. t. 16. f. 1.
<i>Scorzonera picroides, L. Sonchus picroides, w.</i>						
2 tingitanum, P.S. (ye.)	Tangier.	Barbary.	1713.	6. 9.	H. ♂.	Bot. mag. t. 142.
<i>Scorzonera tingitana, B.M. Sonchus tingitanus, w.</i>						
3 hispanicum, v. (ye.)	Spanish.	Spain.	1816.	—	H. ♂.	Jacq. schœnb. 2. t. 143.
4 albidum, P.S. (ye.)	pale-flowered.	France.	1781.	7. 10.	H. ♀.	Jacq. ic. 1. t. 164.
<i>Crepis albidata, w.</i>						
<b>ARNOPOGON, W. SHEEP'S-BEARD.</b> Syngenesia Polygamia $\mathcal{E}$ qualis.						
1 Dalechampii, w. (ye.)	great-flowered.	S. Europe.	1739.	6. 10.	H. ♀.	Bot. mag. t. 1623.
2 picroides, w. (ye.)	prickly-cupp'd.	—	1683.	7. 8.	H. ♂.	Flor. græc. t. 781.
3 asper, w. (ye.)	rough.	Montpelier.	1774.	—	H. ♂.	— t. 782.
4 capense, w. (ye.)	Cape.	C. B. S.	1824.	6. 8.	G. ♂.	Jacq. ic. 3. t. 577.
<b>TRAGOPOGON, W. GOAT'S-BEARD.</b> Syngenesia Polygamia $\mathcal{E}$ qualis.						
1 pratensis, w. (ye.)	yellow.	Britain.	....	5. 6.	H. ♂.	Eng. bot. v. 7. t. 434.
2 mutabilis, w. (va.)	changeable.	Siberia.	1816.	—	H. ♂.	Jacq. ic. 1. t. 157.
3 undulatus, w. (st.)	wave-leaved.	Crimea.	1790.	—	H. ♂.	— 1. t. 158.
4 parviflorus, L.en. (ye.)	small-flowered.	.....	1822.	—	H. ♂.	
5 orientalis, w. (ye.)	oriental.	Levant.	1787.	6. 7.	H. ♂.	
6 canus, w.K. (ye.)	hoary.	Hungary.	1822.	—	H. ♂.	
7 major, w. (ye.)	great.	Austria.	1788.	5. 6.	H. ♂.	Jacq. aust. 1. t. 29.
8 campestris, s.s. (ye.)	field.	Poland.	1828.	—	H. ♂.	
9 roseus, s.s. (ro.)	red-flowered.	Volga.	1827.	—	H. ♂.	
10 porrifolius, w. (pu.)	purple.	England.	....	—	H. ♂.	Eng. bot. v. 9. p. 638.
11 floccosus, w.K. (ye.)	woolly.	Hungary.	1816.	—	H. ♂.	W. et K. hung. 2. t. 112.
12 dubius, L.en. (ye.)	doubtful.	.....	1822.	—	H. ♂.	
13 crocifolius, w. (vi.)	Crocus-leaved.	Italy.	1739.	6. 7.	H. ♂.	Flor. græc. t. 779.
14 angustifolius, w. (vi.)	narrow-leaved.	—	1816.	—	H. ♂.	
15 villosus, w. (ye.)	hairy.	Spain.	1794.	5. 6.	H. ♂.	
16 rhodanthus, (ro.)	rose-coloured.	Hungary.	1807.	7.	H. ♀.	W. et K. hung. 2. t. 121.
<i>Scorzonera rosea, w.K.</i>						
17 humilis, F. ....	dwarf.	Caucasus.	1829.	....	H. ♂.	
18 phaeopappus, F. ....	glossy-chaff'd.	Persia.	—	....	H. ♂.	
<b>GEROPOGON, W. OLD MAN'S-BEARD.</b> Syngenesia Polygamia $\mathcal{E}$ qualis.						
1 glaber, w. (pi.)	smooth.	Italy.	1704.	7. 8.	H. ♂.	Bot. mag. t. 479.
2 hirsutus, w. (pi.)	hirsute.	—	1759.	—	H. ♂.	Col. ecphr. 1. t. 231.
3 calyculatus, w. (pi.)	perennial.	—	1774.	6. 8.	H. ♀.	Jacq. vind. 2. t. 106.

## Tribus VI. CICHOREÆ. D. Don in Edinb. phil. journ.

<b>CICHORIUM, S.S. Succory.</b> Syngenesia Polygamia $\mathcal{E}$ qualis. L.						
1 lntybus, s.s. (bl.)	common.	Britain.	....	6. 10.	H. ♀.	Eng. bot. v. 8. t. 539.

2	divaricatūm. s.s.	(bl.) branching.	Barbary.	1798.	7. 9.	H. ⊙.	
3	spinōsum. s.s.	(bl.) prickly.	Candia.	1633.	7. 8.	F. ♀.	Flor. græc. t. 823.
4	pūnilum. s.s.	(bl.) dwarf.	Levant.	1790.	—	H. ⊙.	— t. 821.
5	Endivia. s.s.	(bl.) Endive.	E. Indies.	1548.	—	H. ⊙.	
	<i>a latifolia.</i>	(bl.) broad-leaved.	—	—	—	H. ⊙.	
	<i>β crispa.</i>	(bl.) curled-leaved.	—	—	—	H. ⊙.	
	<i>γ leucophylla.</i>	(bl.) white-leaved.	—	—	—	H. ⊙.	
SCOLYMUS. S.S. GOLDEN THISTLE. Syngenesia Polygamia Æqualis. L.							
1	maculatus. s.s.	(ye.) annual.	S. Europe.	1633.	7. 8.	H. ⊙.	Flor. græc. t. 824.
2	hispanicus. s.s.	(ye.) Spanish.	—	1658.	7. 9.	H. ♀.	— t. 825.
3	grandiflorus. s.s.	(ye.) great-flowered.	Barbary.	1820.	—	H. ♀.	Desf. atl. 2. t. 218.
CATANA'NCHE. S.S. CATANA'NCHE. Syngenesia Polygamia Æqualis. L.							
1	lutea. s.s.	(ye.) yellow.	Candia.	1640.	6. 7.	H. ⊙.	Flor. græc. t. 821.
2	cœrulea. s.s.	(bl.) blue-flowered.	S. Europe.	1596.	7. 10.	H. ♀.	Bot. mag. t. 293.

SUBORDO II. LABIATIFLORÆ. *Lagasca et DC. in ann. mus.*

L'ERIA. DC. L'ERIA. Syngenesia Polygamia Superflua.							
1	nūtans. DC.	(wh.) drooping-flower'd.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.
	<i>Tussilago nūtans.</i>	w.					
2	albicans. DC.	(wh.) woolly-leaved.	Jamaica.	1821.	—	S. ⊙.	
CHAPTALIA. V. CHAPTALIA. Syngenesia Polygamia Necessaria.							
	tomentosa. v.	(bh.) woolly.	N. America.	1806.	5. 6.	H. ♀.	Bot. mag. t. 2257.
	<i>Tussilago integrifolia.</i>	m.					
ONO'SERIS. DC. ONO'SERIS. Syngenesia Polygamia Æqualis.							
1	purpurea. K.S.	(pu.) purple.	S. America.	1827.	7. 9.	F. ♀.	Smith. ic. ined. t. 65.
	<i>Atractylis purpurata.</i>	Smith.					
2	mexicana. K.S.	(wh.) Mexican.	Mexico.	1828.	....	F. ♀.	Smith. ic. ined. 3. t. 66.
CHÆTANTH'ERA. R.P. CHÆTANTH'ERA. Syngenesia Polygamia Superflua.							
	ciliata. R.P.	(ye.) ciliated.	Chile.	1822.	7. 8.	F. ♀.	
MUTISIA. L. MUTISIA. Syngenesia Polygamia Æqualis. L.							
	speciosa. B.M.	(pu.) handsome.	Brazil.	1825.	9. 11.	G. ♀. ∪.	Bot. mag. t. 2705.
	<i>arachnoidea.</i>	Martius.					
CHUQUIR'AGA. J. CHUQUIR'AGA. Syngenesia Polygamia Æqualis.							
	insignis. K.S.	(ye.) large-flowered.	S. America.	1824.	....	G. ♀.	Lam. ill. t. 691.
	<i>Johannia insignis.</i>	w.					
DUMERILIA. DC. DUMERILIA. Syngenesia Polygamia Æqualis.							
	paniculata. DC.	(pu.) paniced.	Chile.	1825.	7. 9.	H. ♀.	DC. ann. mus. 19. t. 7.
BACAZIA. R.P. BACAZIA. Syngenesia Polygamia Æqualis.							
	spinosa. R.P.	(pi.) spiny.	Peru.	1825.	4. 5.	F. ♀.	
TRIPTYLION. R.P. TRIPTYLION. Syngenesia Polygamia Æqualis.							
	cordifolium. B.R.	(wh.) heart-leaved.	Peru.	1823.	6. 8.	H. ⊙.	Bot. reg. t. 853.
LEUCERIA. Lag. LEUCERIA. Syngenesia Polygamia Superflua.							
	senecioides. D.D.	(wh.) Ragwort-like.	Chile.	1822.	8. 10.	F. ♀.	Hook. ex. flor. t. 101.
	<i>Trixis senecioides.</i>	Hooker.					
GASTROCARPHA. D.D. GASTROCARPHA. Syngenesia Polygamia Æqualis.							
	runcinata. D.D.	(wh.) Turnep-leaved.	Chile.	1826.	8. 10.	F. ♂.	Swt. br. fl. gar. t. 229.
PERDICIUM. DC. PERDICIUM. Syngenesia Polygamia Superflua.							
1	Anándria. DC.	(wh.) Siberian.	Siberia.	1759.	8.	H. ♀.	Gmel. sib. 2. t. 68. f. 1.
2	lyratum.	(wh.) lyrate.	—	1825.	6. 8.	H. ♀.	— t. 67. f. 2.
	<i>Tussilago lyrata.</i>	w.	<i>Chaptalia lyrata.</i>	s.s.			
TRIXIS. DC. TRIXIS. Syngenesia Polygamia Superflua.							
1	frutescens. s.s.	(wh.) frutescent.	Jamaica.	1826.	2. 4.	S. ♀.	Lam. ill. t. 677. f. 2.
	<i>Perdicium radiale.</i>	L.					
2	divaricata. D.D.	(wh.) divaricate.	Brazil.	1824.	4. 6.	S. ♀.	Bot. mag. t. 2765.
	<i>auriculata.</i>	B.M.	<i>Perdicium brasiliense.</i>	Gr.			

SUBORDO III. CARDUACEÆ. *Don prodr. p. 166.*Div. I. CARDUACEÆ VERÆ. *Kth. synops. 2. p. 363.*

A'RCTIUM. L. BURDOCK. Syngenesia Polygamia Æqualis.							
1	Láppa. w.	(pu.) smooth-headed.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 18. t. 1228.

2	minus. M.B. (pu.) smaller.	Europe.	....	7. 8.	H. ♂.	
	<i>Lappa minor</i> . DC.					
3	Bardana. w. (pu.) woolly-headed.	Britain.	....	—	H. ♂.	Eng. bot. v. 35. t. 2478.
	<i>tomentosum</i> . P.S.					
<b>SERRATULA. D.P. SAWWORT. Syngenesia Polygamia Æqualis.</b>						
1	pulchella. B.M. (pu.) purple-scaled.	Siberia.	1823.	6. 7.	H. ♀.	Bot. mag. t. 2589.
2	depressa. L.T. (pu.wh.) depressed.	Caucasus.	1820.	—	H. ♀.	Linn. trans. v. 11. t. 38.
3	elegans. L.T. (ro.) elegant.	—	—	—	H. ♀.	— v. 11. t. 37.
4	alpina. E.B. (pu.) Alpine.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 9. t. 599.
	<i>Saussurea alpina</i> . DC.					
5	angustifolia. w. (pu.) narrow-leaved.	Siberia.	1816.	—	H. ♀.	Gmel. sib. 2. t. 33.
6	discolor. w. (pu.wh.) two-coloured.	Europe.	—	—	H. ♀.	
	<i>Saussurea discolor</i> . DC.					
	<i>β lapathifolia</i> . DC. Dock-leaved.	—	—	—	H. ♀.	Moris. s. 7. t. 22. f. 1.
7	serrata. (pu.) saw-leaved.	—	—	—	H. ♀.	
	<i>Saussurea serrata</i> . DC.					
8	salicifolia. w. (re.) Willow-leaved.	Siberia.	1796.	—	H. ♀.	Gmel. sib. 2. t. 27.
9	alata. (pu.) winged.	—	1823.	—	H. ♀.	
	<i>Saussurea alata</i> . DC. non <i>Serratula alata</i> . W.en.					
10	salsa. M.B. (pu.) salt.	Caucasus.	1824.	—	H. ♀.	
	<i>Heterotrichum salsum</i> . M.B. <i>Saussurea salsa</i> . s.s.					
11	lyrata. F. (pu.) lyrate-leaved.	Dahuria.	1827.	—	H. ♀.	
12	Gmelini. Led. (pu.) Gmelin's.	Siberia.	—	—	H. ♀.	
13	elongata. DC. (pu.) elongated.	—	1820.	—	H. ♀.	
14	nitidula. Led. (pu.) glossy.	—	1827.	—	H. ♀.	
15	pycnocéphala. Led. (pu.) large-headed.	—	—	—	H. ♀.	
16	rigida. Led. (pu.) rigid.	—	—	—	H. ♀.	
17	pygmæa. Jac. (pu.) pigmy.	Austria.	1816.	—	H. ♀.	Jacq. aust. t. 440.
<b>SYNCARPHA. DC. SYNCA'RPHA. Syngenesia Polygamia Æqualis.</b>						
	<i>gnaphalodes</i> . DC. (or.) squarrose.	C. B. S.	1815.	7. 9.	G. ♀.	Pluk. alm. t. 302. f. 3.
	<i>Stachelina gnaphaloides</i> . L. <i>Leysera squarrosa</i> . Th.					
<b>CA'RDUUS. D.P. THISTLE. Syngenesia Polygamia Æqualis.</b>						
1	alatus. B.F.G. (pu.) stem-stalked. ....	—	1812.	6. 8.	H. ♂.	Swt. br. fl. gar. t. 103.
2	tinctorius. D.P. (pu.) common.	Britain.	....	7. 10.	H. ♀.	Eng. bot. v. 1. t. 38.
	<i>Serratula tinctoria</i> . E.B.					
3	quinquefolius. D.P. (pu.) five-leaved.	Persia.	1804.	7. 8.	H. ♀.	Bot. mag. t. 1871.
	<i>Serratula quinquefolia</i> . B.M.					
4	coronatus. D.P. (pu.) lyre-leaved.	Italy.	1739.	—	H. ♀.	Gmel. sib. 2. t. 20.
	<i>Serratula coronata</i> . w.					
5	nitidus. (pu.) glossy.	Siberia.	1821.	—	H. ♀.	
	<i>Serratula nitida</i> . F.					
6	multiflorus. L. (pu.) Volga.	—	—	—	H. ♀.	Gmel. sib. 2. t. 28.
7	linearifolius. DC. (pu.) linear-leaved.	—	1827.	—	H. ♀.	
8	Picris. (pu.) scariose.	Caucasus.	1822.	—	H. ♀.	
	<i>Centaurea Picris</i> . w. <i>Serratula Picris</i> . s.s.					
9	centauroides. D.P. (pu.) Centaury-like.	Siberia.	1804.	—	H. ♀.	Gmel. sib. 2. t. 40.
10	radiatus. w.K. (pu.) rayed.	Hungary.	1800.	—	H. ♂.	W. et K. hung. 1. t. 11.
11	polyclonos. w. (pu.) Siberian.	Siberia.	1823.	—	H. ♀.	
12	argutus. (pu.) sharply-tooth'd.	—	—	—	H. ♀.	
	<i>Serratula arguta</i> . L.en.					
13	cyanoides. w. (pu.) blue-bottle-leav'd.	—	1778.	—	H. ♀.	Gmel. sib. 2. t. 15.
14	simplex. (pu.) one-flowered.	Caucasus.	1817.	—	H. ♀.	Bot. mag. t. 2482.
	<i>mollis</i> . w. <i>Serratula simplex</i> . DC.					
15	xeranthemoides. (pu.) everlasting-fl'd.	—	1804.	—	H. ♀.	Gmel. sib. 2. t. 47. f. 1.
	<i>Serratula xeranthemoides</i> . M.B. <i>Centaurea radiata</i> . w.					
16	lycopifolius. w. (pu.) horehound-leaved.	France.	1823.	—	H. ♀.	Vill. delph. 3. t. 19.
17	heterophyllus. s.s. (pu.) various-leaved.	France.	1824.	—	H. ♀.	
18	stæchadifolius. (pu.) woolly-headed.	Tauria.	1820.	—	H. ♀.	
	<i>Serratula stæchadifolia</i> . s.s.					
19	leucographus. w. (pu.) white-spotted.	Italy.	1752.	6. 7.	H. ⊙.	Jacq. vind. 3. t. 23.
20	arabicus. w. (pu.) Arabian.	Arabia.	1789.	7. 8.	H. ⊙.	Jacq. ic. 1. t. 166.
21	nütans. w. (pu.) musk.	Britain.	....	—	H. ⊙.	Eng. bot. v. 16. t. 1112.
22	carlinoides. W.en. (pu.) Pyrenean.	Pyrenees.	1784.	—	H. ♂.	Gouan. ill. t. 23.
	<i>Carlina pyrenæica</i> . L.					
23	carlinaefolius. w. (pu.) Carline-leaved.	—	1804.	—	H. ♂.	
24	acanthoides. w. (li.) walted.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. v. 14. t. 973.
25	hamulosus. w. (pu.) hooked.	Hungary.	1802.	—	H. ⊙.	
26	tenuiflorus. E.B. (li.) slender-flower'd.	Britain.	....	—	H. ⊙.	Eng. bot. v. 6. t. 412.
27	crispus. w. (li.) curled.	Europe.	1804.	7. 8.	H. ♂.	Flor. dan. t. 621.

28	cândicans. w.	(pu.) hoary.	Hungary.	1805.	7. 8.	H. ♂.	W. et K. hung. 1. t. 83.
29	personâtus. w.	(pu.) cut-leaved.	Austria.	1776.	—	H. ♂.	Jacq. aust. 4. t. 348.
30	polyânthemus. w.	(pu.) many-flowered.	Rome.	1739.	6. 7.	H. ♂.	Triumf. obs. t. 103.
31	paniculâtus. w.	(pu.) panicled.	S. Europe.	1781.	—	H. ♀.	
32	pyncocéphalus. w.	(pu.) Italian.	—	1739.	7. 9.	H. ♀.	Jacq. vind. 1. t. 24.
33	onopordioides. M. B.	(pu.) Onopordum-like.	Iberia.	1824.	7. 8.	H. ♀.	
34	argentâtus. w.	(pu.) white Egyptian.	Egypt.	1789.	6. 8.	H. ⊙.	Jacq. vind. 2. t. 192.
35	arctioides. w.	(pu.) pinnated.	Hungary.	1804.	7. 8.	H. ♀.	
36	dûbius. s. s.	(pu.) doubtful.	.....	1827.	—	H. ♀.	
37	seminûdus. s. s.	(pu.) half-naked.	Caucasus.	—	—	H. ♀.	
38	uncinâtus. s. s.	(pu.) crook-pointed.	Volga.	—	—	H. ♀.	
39	alpêstris. w.	(pu.) alpine.	Hungary.	1805.	7. 8.	H. ♀.	
40	deflorâtus. w.	(pu.) different leav'd.	Austria.	1570.	7. 9.	H. ♀.	Jacq. aust. 1. t. 89.
41	corymbôsus. s. s.	(pu.) corymb-flower'd.	Naples.	1827.	—	H. ♀.	
42	cinêreus. s. s.	(pu.) gray.	Caucasus.	—	—	H. ♀.	
43	collinus. s. s.	(pu.) hill.	Hungary.	1828.	—	H. ♀.	
44	Argemône. DC.	(pu.) Argemone-leav'd.	Pyrenees.	1816.	—	H. ♀.	
45	parviflôrus. w.	(pu.) small-flowered.	S. Europe.	1781.	6. 7.	H. ♀.	
46	crassifolius. W. en.	(pu.) thick-leaved.	.....	1805.	7.	H. ♀.	
47	sumânus. L. en.	(pu.) Pollini's.	Italy.	1823.	7. 8.	H. ♀.	
48	nítidus. w.	(pu.) glossy.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 1. t. 52.
49	nudicâulis. P. s.	(pu.) naked-stalked.	S. Europe.	1739.	—	H. ♀.	Cav. ic. 3. t. 226.
	<i>cerinthoides. w.</i>	<i>glâucus. Cav. Centaurea nudicâulis.</i>	<i>L. Serrâta nudicâulis.</i>	DC.			
50	clavulâtus. s. s.	(pu.) clubbed.	Canaries.	1827.	—	F. ♂.	
51	âlbidus. s. s.	(pu.) white-leaved.	Caucasus.	1829.	—	H. ♀.	
52	argyrôa. s. s.	(pu.) silvery.	Sicily.	1827.	—	H. ♀.	
53	orientâlis. M. B.	(pu.) oriental.	Iberia.	1804.	7.	H. ♀.	
54	salinus. M. B.	(pu.) narrow-leaved.	Siberia.	—	—	H. ♀.	
55	volgênsis. s. s.	(pu.) Volga.	Volga.	—	—	H. ♀.	
56	leucânthus. s. s.	(wh.) white-flowered.	Spain.	1825.	—	H. ⊙.	Cavan. icon. 2. t. 165.
57	atriplicifolius. s. s.	(pu.) Orach-leaved.	Russia.	1823.	—	H. ♀.	
SILYBUM. G. Silybum. Syngenesia Polygamia Æqualis.							
1	marianum. G.	(pu.) milk-thistle.	Britain.	....	7.	H. ♂.	Eng. bot. v. 14. t. 976.
	<i>Cârdus marianum. E. B.</i>						
2	cernuum. G.	(wh.) nodding.	Siberia.	1755.	6. 7.	H. ♀.	Mill. ic. 2. t. 248.
	<i>Cnicus cernuus. w.</i>						
HALOCHARIS. F. Halocharis. Syngenesia Polygamia Æqualis.							
1	altâica. F.	(pu.) Altay.	Altay.	1827.	7. 8.	H. ♀.	
2	carthamoides. F.	(pu.) Carthamus-like.	Siberia.	1823.	—	H. ♀.	
	<i>Cnicus carthamoides. w. Leuzé? carthamoides. DC. Cnicus salinus. M. B.</i>						
CIRSIUM. G. Horse-thistle. Syngenesia Polygamia Æqualis.							
1	palûstre. DC.	(li. wh.) marsh.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 14. t. 974.
	<i>Cârdus palûstris. E. B. Cnicus palûstris. w.</i>						
2	elâtum. L. en.	(pu.) tall.	.....	1823.	—	H. ♀.	
3	uliginosum. M. B.	(pu.) swamp.	Caucasus.	1820.	—	H. ♀.	
4	cânum. M. B.	(pu.) hoary.	Austria.	1633.	—	H. ♀.	Jacq. aust. 1. t. 42-43.
5	Acârna. DC.	(pu.) yellow.	Spain.	1683.	7. 9.	H. ⊙.	Cavan. ic. 1. t. 53.
6	pyrenâicum. DC.	(pu.) Pyrenean.	Pyrenees.	1818.	7. 8.	H. ♀.	Jacq. obs. 4. t. 95.
7	monspeulânium. DC.	(pu.) Montpellier.	Montpellier.	1596.	6. 7.	H. ♀.	
8	pannonicum. L. en.	(pu.) Hungarian.	Hungary.	1816.	7. 9.	H. ♀.	Jacq. aust. 3. t. 5.
9	strictum. s. s.	(pu.) straight.	Naples.	1820.	—	H. ♀.	
10	lanceolâtum. DC.	(pu.) common.	Britain.	....	6. 9.	H. ♀.	Eng. bot. v. 2. t. 107.
	<i>Cârdus lanceolâtus. E. B. Cnicus lanceolâtus. w.</i>						
11	desertorum. L. en.	(pu.) desert.	Siberia.	1823.	7. 8.	H. ♀.	
12	cichorâceum. s. s.	(pu.) Succory-like.	Naples.	1824.	—	H. ♀.	
13	italicum. s. s.	(pu.) Italian.	Italy.	1826.	—	H. ♀.	
14	siculum. s. s.	(pu.) Sicily.	Sicily.	1828.	—	H. ♀.	
15	neglectum. s. s.	(pu.) neglected.	Siberia.	1829.	—	H. ♀.	
16	pungens. s. s.	(pu.) pungent.	Levant.	—	—	H. ♀.	
17	paniculâtum. s. s.	(pu.) panicled.	Pyrenees.	1827.	—	H. ♀.	
18	crêticum. s. s.	(wh.) Cretan.	Crete.	—	—	H. ♀.	
19	ciliâtum. L. en.	(pu.) fringed.	Siberia.	1787.	8.	H. ♀.	Murr. com. got. 6. t. 5.
20	serrulâtum. M. B.	(pu.) serrulate.	Tauria.	1820.	7. 8.	H. ♀.	
21	laniflôrum. M. B.	(pu.) woolly-flowered.	—	1823.	—	H. ♀.	
22	arachnoideum. M. B.	(pu.) cobweb.	—	—	—	H. ♀.	
23	strigosum. M. B.	(pu.) strigose.	Caucasus.	1818.	—	H. ♂.	
24	horrîdum. M. B.	(pu.) very spiny.	—	1820.	—	H. ♀.	
25	mûnitum. M. B.	(pu.) armed.	—	1816.	—	H. ♀.	
26	obvallâtum. M. B.	(pu.) crowded-flower'd.	—	—	—	H. ♀.	

27	scleránthon. M.B. (wh.) hard-flowered. Caucasus. 1824.	7. 8. H. ♂	
	<i>carlinoides</i> . F. <i>Carlina Echinus</i> . M.B.		
28	echinátum. s.s. (pu.) hedgehog. Barbary. ——— H. ♀.		
29	erióphorum. DC. (pu.) woolly-headed. Britain. .... ——— H. ♂.		Eng. bot. v. 6. t. 386.
	<i>Cárduus erióphorus</i> . E.B. <i>Cnicus erióphorus</i> . w.		
30	férox. DC. (wh.) fierce. S. Europe. 1683. ——— H. ♂.		All. ped. 1. t. 50.
31	díscolus. s.s. (pu.) two-coloured. N.America. 1803. ——— H. ♂.		
32	inérimé. L.en. (pu.) unarmed. Pyrenees. 1818. ——— H. ♀.		
33	cynaróides. s.s. (pu.) Artichoke-like. Crete. 1828. ——— H. ♀.		
34	altíssimum. s.s. (pu.) giant. N. America. 1726. 8. 9. H. ♀.		Dill. elth. t. 69. f. 80
35	praténsé. (pu.) meadow. Britain. .... 6. 7. H. ♀.		Eng. bot. v. 3. t. 177.
	<i>ánglicum</i> . DC. <i>Cárduus praténsis</i> . E.B. <i>Cnicus praténsis</i> . w.		
36	heterophýllum. DC. (pu.) melancholy. .... 7. 8. H. ♀.		———— v. 10. t. 675.
37	helenióides. L.en. (pu.) Elecampane-ld. Siberia. 1804. ——— H. ♀.		
38	serratulóides. s.s. (pu.) sawwort-like. 1752. 6. 10. H. ♀.		Jacq. aust. 2. t. 127.
39	heteromállum. (pu.) Nepaul. Nepaul. 1820. ——— H. ♂.		
	<i>Cnicus heteromállus</i> . D.P. <i>Cárduus cándicans</i> . Wal.		
40	arvénsé. DC. (li.) corn or way. Britain. .... 7. H. ♀.		Eng. bot. v. 14. t. 975.
	<i>Serrátula arvénsis</i> . w. <i>Cárduus arvénsis</i> . E.B. <i>Cnicus arvénsis</i> . Ph.		
41	rivuláre. s.s. (pu.) river. Hungary. 1804. 7. 8. H. ♀.		Jacq. aust. 1. t. 91.
	<i>tricephalódes</i> . DC. <i>Cnicus rivuláris</i> . w.		
	<i>β salisburgénsé</i> . smaller. ——— H. ♀.		
42	ambíguum. DC. (pu.) ambiguous. S. Europe. 1823. ——— H. ♀.		
43	orgyále. s.s. (pu.) tall. .... ——— H. ♀.		
44	carniólicum. s.s. (wh.) Carniola. Carniola. 1792. ——— H. ♀.		Scop. carn. 1005. t. 54.
45	pauciflórum. s.s. (pu.) few-flowered. Hungary. 1816. ——— H. ♂.		W. et K. hung. 2. t. 161.
46	tatáricum. s.s. (wh.) Tartarian. Siberia. 1775. 7. 8. H. ♀.		Jacq. aust. 1. t. 90.
47	rigens. s.s. (wh.) upright alpine. Switzerland. ——— H. ♀.		La Chenal. act. h.4.t.16.
48	oleráceum. DC. (wh.) pale-flowered. Europe. 1570. ——— H. ♀.		Flor. dan. 860.
49	Erisithales. L.en. (st.) clammy. France. 1752. 6. 8. H. ♀.		Jacq. aust. 4. t. 310.
	<i>glutinósum</i> . DC. <i>Cnicus Erisithales</i> . w.		
50	ochroleúcum. DC. (st.) pale yellow. Switzerland. 1801. 7. H. ♀.		
51	míte. s.s. (pu.) soft. Siberia. 1818. 7. 8. H. ⊙.		
52	fimbriátum. s.s. (pu.) fringed. Caucasus. 1829. ——— H. ♀.		
53	médium. s.s. (pu.) middle. Italy. ——— H. ♀.		
54	niveum. s.s. (pu.) snowy-leaved. Sicily. 1828. ——— H. ♀.		
55	dealbátum. s.s. (pu.) mealy-leaved. Caucasus. ——— H. ♀.		
56	echinocéphalum. s.s. (pu.) spiny-headed. ——— 1823. ——— H. ♀.		
57	lappáceum. M.B. (pu.) Burdock-like. ——— 1826. ——— H. ♀.		
58	pinnatifídum. s.s. (pu.) pinnatifid. Spain. ——— H. ♀.		
59	bulbósum. DC. (pu.) tuberous. England. .... 8. 10. H. ♀.		Eng. bot. v. 36. t. 2562.
	<i>Cnicus tuberósum</i> . E.B. <i>Cárduus tuberósum</i> . L.		
60	setósum. M.B. (pu.) setose. Tauria. 1823. 7. 8. H. ♀.		
61	acaúle. DC. (pu.) dwarf. Britain. .... ——— H. ♀.		Eng. bot. v. 3. t. 161.
	<i>Cárduus acaúlis</i> . E.B. <i>Cnicus acaúlis</i> . w.		
	<i>β cauléscens</i> . P.S. (pu.) stalked. .... ——— H. ♀.		
62	Casabónæ. DC. (pu.) fish-bone. S. Europe. 1714. 6. 8. F. ♂.		Schmidt ic. t. 51-52.
63	stellátum. DC. (pu.) starry. Italy. 1665. 6. 7. H. ⊙.		Flor. græc. t. 830.
64	Diacánthon. s.s. (pu.) two-spined. Barbary. 1800. ——— F. ♂.		Lab. ic. pl. syr. 1. t. 3.
65	áfrum. s.s. (pu.) African. ——— 1802. ——— F. ♂.		Jacq. schönb. 2. t. 145.
66	squarrósum. s.s. (pu.) squarrose. Siberia. 1829. ——— H. ♀.		
67	incánium. s.s. (pu.) hoary. Caucasus. ——— H. ♀.		
68	syriacum. L.en. (wh.) Syrian. Levant. 1771. 7. 8. H. ⊙.		Flor. græc. t. 831.
69	spinosíssimum. s.s. (wh.) feathery-headed. Switzerland. 1759. 6. 8. H. ♀.		Bot. mag. t. 1366.
70	tatáricum. s.s. (wh.) Tartarian. Tartary. 1829. ——— H. ♀.		
71	Bertolónii. s.s. (wh.) Bertoloni's. Italy. 1828. ——— H. ♀.		
72	b'ætícum. s.s. (wh.) Baetian. Spain. 1825. ——— H. ♀.		
73	semipectinátum. s.s. (w.) semipectinate. Siberia. 1828. ——— H. ♀.		
74	Gmelini. F. (pu.) Gmelin's. Baical. 1829. ——— H. ♀.		
75	arábicum. F. (pu.) Arabian. Arabia. ——— H. ⊙.		
76	pygm'æum. DC. (pu.) pigmy. Austria. 1816. ——— H. ♀.		Jacq. aust. t. 440.
	<i>Serrátula pygm'æa</i> . w.		
<b>ERYTHROL'ÆNA.</b> ERYTHROL'ÆNA. Syngenesia Polygamia Æqualis.			
	conspícua. B.F.G. (sc.) conspicuous. Mexico. 1824. 9. 10. F. ♂.		Swt. br. fl. gar. t. 134.
<b>ONOPORDUM.</b> DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.			
1	Acánthium. E.B. (pu.) woolly. Britain. .... 7. 8. H. ♂.		Eng. bot. v. 14. t. 977.
2	táuricum. w. (pu.) Taurian. Tauria. 1800. ——— H. ♂.		
3	virens. DC. (pu.) green. S. Europe. 1822. ——— H. ♂.		
4	macrocánthum. w. (pu.) long-spined. Barbary. 1798. ——— H. ♂.		Schousb. maroc. t. 5.

5	illyricum. w.	(pu.)	Illyrian.	S. Europe.	1648.	7. 8. H. ♂.	Jacq. vind. 2. t. 148.
6	arabicum. w.	(pu.)	Arabian.	—————	1686.	7. H. ♂.	————— 2. t. 149.
7	elätum. Sm.	(pu.)	tall.	Greece.	1818.	7. 8. H. ♂.	
8	deltoides. w.	(pu.)	Siberian.	Siberia.	1784.	8. H. ♀.	
9	græcum. w.	(pu.)	Grecian.	Greece.	1799.	6. 7. H. ♀.	Gouan. ill. t. 25.
10	cynaroides. L.en	(pu.)	Cynara-like.	Caucasus.	1823.	7. 8. H. ♀.	
	<i>Carthamus cynaroides</i> . M.B.						
11	viscösum. Schr.	(pu.)	viscous.	Europe.	1821.	— H. ♂.	
12	pyrenæicum. DC.	(pu.)	Pyrenean.	Pyrenees.	1818.	— H. ♀.	
13	acaulon. w.	(pu.)	dwarf.	—————	1739.	— H. ♂.	Jacq. ic. 1. t. 167.
BERA'RDIA. P.S.	BERA'RDIA.		Syngenesia Polygamia	Æqualis.			
	subacaülis. P.S.	(pu.)	round-leaved.	Italy.	1791.	7. 8. H. ♀.	Vill. dauph. 3. t. 22.
	<i>Arctium lanuginösum</i> . DC.		<i>Onopördum rotundifölium</i> . w.				
ACIL'EPIS. D.P.	ACIL'EPIS.		Syngenesia Polygamia	Æqualis.			
	squarrosa. D.P.	(pu.)	squarrose.	Nepaul.	1821.	7. 8. H. ♀.	
CYN'ARA. W.	ARTICHOKE.		Syngenesia Polygamia	Æqualis.			
1	Cardunculus. w.	(bl.)	Cardoon.	Candia.	1658.	8. 9. H. ♀.	Tabern. ic. 696.
2	Scölymus. w.	(bl.)	common.	S. Europe.	1548.	— H. ♀.	Blackw. t. 458.
3	spinosissima. s.s.	(bl.)	very spiny.	Sicily.	1824.	— H. ♀.	
4	hörrida. w.	(bl.)	very prickly.	Madeira.	1778.	— G. ♀.	Flor. græc. t. 834.
5	humilis. w.	(bl.)	dwarf.	Spain.	1613.	7. 8. H. ♀.	Pluk. alm. t. 81. f. 2.
6	cörsica. Viv.	(bl.)	Corsican.	Corsica.	1825.	— H. ♀.	
7	pygmæa. w.	(bl.)	small.	Spain.	1824.	— H. ♀.	
CESTRINUS. Cass.	CESTRINUS.		Syngenesia Polygamia	Æqualis.			
	carthamoides. Cass.	(bl.)	Carthamus-like.	Barbary.	1799.	7. H. ♀.	Desf. atl. 2. t. 223.
	<i>Cynära acaulis</i> . w.		<i>Serrätula acaulis</i> . DC.				
CARLINA. W.	CARLINE-THISTLE.		Syngenesia Polygamia	Æqualis.			
1	acaülis. w.	(wh.)	dwarf.	Italy.	1640.	6. H. ♀.	Knorr. thes. 2. t. c. 1.
	<i>β caulöscens</i> . P.S.	(wh.)	stalked.	—————	—————	— H. ♀.	
2	acanthifölia. w.	(wh.)	Acanthus-leav'd.	Pyrenees.	1818.	6. 7. H. ♀.	Allion. ped. t. 51.
3	simplex. P.S.	(wh.)	single-flowered.	Hungary.	1816.	— H. ♀.	W. et K. hung. 2. t. 152.
4	aggregata. w.	(wh.)	clustered.	—————	1804.	6. 9. H. ♀.	
5	lyrata. w.	(wh.)	lyre-leaved.	C. B. S.	1816.	— G. ♂.	
6	lanata. w.	(ro.)	woolly.	S. Europe.	1683.	6. 7. H. ⊙.	Garid. aix. t. 21.
7	corymbösa. w.	(ye.)	corymbed.	—————	1640.	7. 8. H. ♀.	Flor. græc. t. 837.
8	vulgäris. w.	(bh.)	common.	Britain.	....	5. 9. H. ♂.	Eng. bot. v. 16. t. 1144.
9	racemösa. w.	(ye.)	racemed.	Spain.	1658.	6. 8. H. ⊙.	
10	scüla. s.s.	(wh.)	Sicilian.	Sicily.	1828.	— H. ♀.	
11	Biebersteinii. Ot.	(wh.)	Bieberstein's.	Caucasus.	1821.	— H. ♀.	
STOB'ÆA. W.	STOB'ÆA.		Syngenesia Polygamia	Æqualis.			
1	pinnata. w.	(ye.)	Carthamus-like.	C. B. S.	1812.	1. 12. G. ♀.	Bot. mag. t. 1788.
2	glomerata. s.s.	(ye.)	clustered.	—————	1816.	7. 8. G. ♀.	
	<i>Cynära glomerata</i> . Thunberg.						
3	atractyloides. s.s.	(ye.)	Atractylis-like.	—————	1823.	— G. ♀.	
CARTHAMUS. S.S.	BASTARD SAFFRON.		Syngenesia Polygamia	Æqualis.			
1	tingitörius. w.	(or.)	common.	Egypt.	1551.	6. 7. H. ⊙.	Bot. reg. t. 170.
2	oxyacantha. s.s.	(ye.)	sharp-spined.	Caucasus.	1829.	— H. ⊙.	
HERACA'NTHA. L.en.	HERACA'NTHA.		Syngenesia Polygamia	Æqualis.			
1	lanata. L.en.	(ye.)	woolly.	S. Europe.	1596.	7. 8. H. ⊙.	Bot. mag. t. 2145.
	<i>Carthamus lanatus</i> . B.M.		<i>Centaürea lanata</i> . DC.				
2	crética. L.en.	(wh.)	Cretan.	Candia.	1781.	6. 7. H. ⊙.	
	<i>Carthamus créticus</i> . w.						
3	taurica. L.en.	(ye.)	Taurian.	Tauria.	1818.	— H. ⊙.	
4	glauca. L.en.	(pu.)	glaucous.	Iberia.	—	— H. ⊙.	
	<i>Carthamus glaucus</i> . M.B.						
ONOB'RÖMA. G.	ONOB'RÖMA.		Syngenesia Polygamia	Æqualis.			
1	tingitana. (bl.)		Tangier.	Barbary.	1759.	6. 7. H. ♀.	Cavan. ic. 2. t. 128.
	<i>Carthamus tingitanus</i> . w.						
2	cærülea. L.en.	(bl.)	blue-flowered.	Spain.	1640.	— H. ♀.	Bot. mag. t. 2293.
	<i>Carthamus cærüleus</i> . w.						
3	arboröscens. s.s.	(ye.)	tree.	Spain.	1731.	7. 8. F. ♀.	
	<i>Carthamus arboröscens</i> . w.						
CARDUNCE'LLUS. DC.	CARDUNCE'LLUS.		Syngenesia Polygamia	Æqualis.			
1	vulgäris. DC.	(bl.)	common.	France.	1776.	5. 6. H. ♀.	Lob. ic. 2. p. 20.
	<i>Carthamus Carduncellus</i> . w.						
2	mitissimus. DC.	(bl.)	small.	—————	1734.	6. 7. H. ♀.	
CARLOW'IZIA. DC.	CARLOW'IZIA.		Syngenesia Polygamia	Æqualis.			
	salicifölia. DC.	(st.)	Willow-leaved.	Madeira.	1784.	8. G. h.	
	<i>Carthamus salicifölius</i> . w.		<i>Onobröma salicifölium</i> . L.en.				

- ATRACTYLIS. W.** **ATRACTYLIS.** Syngenesia Polygamia Æqualis.  
*humilis. w.* (*wh.*) dwarf. Spain. 1759. 5. 7. H.  $\mathcal{U}$ . Cav. ic. 1. t. 54.
- ACA'RNA. W.** **ACA'RNA.** Syngenesia Polygamia Æqualis.  
 1 *gummifera. w.* (*pu.*) gummy-rooted. S. Europe. 1640. 6. 8. H.  $\mathcal{U}$ . Cavan. ic. 3. t. 228.  
 2 *serratuloides. s.s.* (*pu.*) Sawwort-like. Palestine. 1827. — H.  $\mathcal{U}$ .  
 3 *comosa. s.s.* (*pu.*) tufted. — — H.  $\mathcal{U}$ .  
 4 *cancellata. w.* (*bl.*) netted. S. Europe. — 6. 7. H.  $\odot$ . Lam. ill. t. 662. f. 1.  
*Atractylis cancellata. P.s.*
- STOKESIA. W.** **STOKESIA.** Syngenesia Polygamia Æqualis.  
*cyanea. w.* (*bl.*) blue-flowered. Carolina. 1766. 8. G.  $\mathcal{U}$ . L'Herit. sert. 27. t. 38.
- STÆHEL'INA. W.** **STÆHEL'INA.** Syngenesia Polygamia Æqualis.  
 1 *dùbia. w.* (*pu.*) Rosemary-leav'd. S. Europe. 1640. 6. 7. H.  $\mathcal{U}$ . Lam. ill. t. 666. f. 4.  
 2 *arborescens. w.* (*re.*) Storax-leaved. Candia. 1739. 7. 9. F.  $\mathcal{U}$ . Flor. græc. t. 345.  
 3 *chamæpeuce. w.* (*re.*) Pine-leaved. — 1640. 7. 11. F.  $\mathcal{U}$ . — t. 347.
- PTER'ONIA. W.** **PTER'ONIA.** Syngenesia Polygamia Æqualis.  
 1 *camphorata. w.* (*ye.*) aromatic. C. B. S. 1774. 6. 7. G.  $\mathcal{U}$ . Pluk. mant. t. 345. f. 2.  
 2 *stricta. w.* (*ye.*) cluster-flowered. — 4. 6. G.  $\mathcal{U}$ .  
 3 *echinata. w.* (*ye.*) prickly-cupped. — 1820. — G.  $\mathcal{U}$ .  
 4 *flexicaulis. w.* (*ye.*) bending-stalk'd. — 1812. 6. 8. G.  $\mathcal{U}$ .  
 5 *fasciculata. w.* (*ye.*) cluster-flowered. — 1816. — G.  $\mathcal{U}$ .  
 6 *pallens. w.* (*pa.*) pale. — — G.  $\mathcal{U}$ .  
 7 *oppositifolia. w.* (*ye.*) opposite-leaved. — 1774. 7. G.  $\mathcal{U}$ . Lam. ill. t. 667. f. 2.  
 8 *glomerata. w.* (*ye.*) crowded. — 1823. 6. 8. G.  $\mathcal{U}$ .  
 9 *scariosa. w.* (*ye.*) window-cupped. — 1815. — G.  $\mathcal{U}$ .
- ZÆGEA. W.** **ZÆGEA.** Syngenesia Polygamia Frustranea.  
*Leptaurea. w.* (*ye.*) yellow-flower'd. Levant. 1779. 7. 8. H.  $\odot$ . Jacq. ic. 1. t. 177.
- LEUZE'A. DC.** **LEUZE'A.** Syngenesia Polygamia Frustranea.  
 1 *conifera. DC.* (*pu.*) cone. S. Europe. 1683. 6. 9. H.  $\mathcal{U}$ . DC. ann. mus. 16. t. 14.  
*Centaurea conifera. w.*  
 2 *altaica. L.en.* (*pu.*) large-flowered. Altay. 1818. — H.  $\mathcal{U}$ .  
 3 *dahurica. F.* (*pu.*) Dahurian. Dahuria. 1821. — H.  $\mathcal{U}$ .  
 4 *australis. D.D.* (*pu.*) New Holland. N. Holland. 1821. 8. 9. H.  $\mathcal{U}$ .
- GALACTITES. DC.** **GALACTITES.** Syngenesia Polygamia Frustranea.  
*tomentosa. DC.* woolly. S. Europe. 1738. 7. H.  $\odot$ . DC. ann. mus. 16. t. 16.
- Centaurea galactites. w.*
- CRUP'INA. Cas.** **STARRY SCABIOUS.** Syngenesia Polygamia Frustranea.  
 1 *vulgaris. Cas.* (*re.*) black-seeded. Italy. 1596. 6. 7. H.  $\odot$ . Colum. eph. 1. t. 34.  
*Centaurea Crupina. w.*  
 2 *crupinoïdes. P.s.* (*sn.*) saffron-colour'd. Barbary. 1826. — H.  $\odot$ .  
 3 *Lippii. P.s.* Lippi's. Egypt. 1739. — H.  $\odot$ . Isn. act. par. 1719. t. 10.  
*Centaurea Lippii. w.*  
 4 *arenaria. P.s.* (*pu.*) sand. Volga. 1821. — H.  $\odot$ .
- CENTAUREA. W.** **CENTAURY.** Syngenesia Polygamia Frustranea.  
 1 *moschata. w.* (*li.*) sweet sultan. Persia. 1629. 7. 10. H.  $\odot$ . Knor. thes. 2. t. C. 4.  
 2 *glauca. w.* (*pu.*) glaucous. Caucasus. 1805. 6. 7. H.  $\odot$ .  
 3 *suaveolens. w.* (*ye.*) yellow sultan. Levant. 1683. 7. 10. H.  $\odot$ . Swt. brit. fl. gar. 1. t. 51.  
 4 *alpina. w.* (*ye.*) Alpine. Italy. 1640. 7. 8. H.  $\mathcal{U}$ . Cornut. can. 69. t. 70.  
 5 *Centaureum. w.* (*bl.*) great. — 1596. — H.  $\mathcal{U}$ .  
 6 *ruthenica. w.* (*st.*) Russian. Russia. 1806. — H.  $\mathcal{U}$ . Gmel. sib. 2. t. 41.  
 7 *phrygia. w.* (*pu.*) feathery-cup'd. Switzerland. 1633. 6. 10. H.  $\mathcal{U}$ . Flor. dan. t. 520.  
 8 *riveraris. P.s.* (*br.*) river-side. Portugal. 1812. 7. 9. H.  $\mathcal{U}$ .  
 9 *salicifolia. w.* (*pu.*) Willow-leaved. Caucasus. 1816. — H.  $\mathcal{U}$ .  
 10 *austriaca. w.* (*pu.*) Austrian. Austria. 1815. 6. 10. H.  $\mathcal{U}$ .  
 11 *pectinata. w.* (*pu.*) pectinated. France. 1727. 7. 10. H.  $\mathcal{U}$ .  
 12 *uniflora. w.* (*pu.*) one-flowered. S. Europe. 1824. 6. 8. H.  $\mathcal{U}$ . Bocc. mus. 2. t. 2.  
 13 *flosculosa. w.* (*pu.*) flosculose. Italy. 1817. — H.  $\mathcal{U}$ .  
 14 *nervosa. w.* (*pu.*) nerved. S. Europe. 1815. 6. 9. H.  $\mathcal{U}$ .  
 15 *linifolia. P.s.* (*pu.*) Flax-leaved. — 1826. — H.  $\mathcal{U}$ .  
 16 *capillata. P.s.* (*pu.*) hairy-headed. Volga. 1827. — H.  $\mathcal{U}$ .  
 17 *tricocephala. w.* (*pu.*) downy-cupped. Siberia. 1805. 7. 8. H.  $\mathcal{U}$ . Gmel. sib. 2. t. 45. f. 1. 2.  
 18 *hyssopifolia. w.* (*pu.*) Hyssop-leaved. Spain. 1812. — F.  $\mathcal{U}$ . Barrel. ic. 306.  
 19 *coronopifolia. w.* (*ye.*) Buck's-horn-ld. Levant. 1739. 6. 7. H.  $\odot$ .  
 20 *procumbens. P.s.* (*pu.*) procumbent. Italy. 1821. — H.  $\mathcal{U}$ .  
 21 *nigra. w.* (*pu.*) black knapweed. Britain. . . . 5. 8. H.  $\mathcal{U}$ . Eng. bot. v. 4. t. 278.  
 22 *pratensis. P.s.* (*pu.*) field. France. 1824. — H.  $\mathcal{U}$ .  
 23 *nigræscens. w.* (*pu.*) dark. Hungary. 1805. 6. 8. H.  $\mathcal{U}$ .  
 24 *decipiens. P.s.* (*pu.*) deceived. France. 1826. — H.  $\mathcal{U}$ .  
 25 *Triumfetti. w.* (*re.*) Cenisian. Mt. Cenis. — — H.  $\mathcal{U}$ .  
 26 *montana. w.* (*bl.*) mountain. Austria. 1596. — H.  $\mathcal{U}$ . Bot. mag. t. 77.

27	seusâna. P.S.	silvery-fringed.	S. Europe.	1816.	6. 8. H. ♀.	Barrel. ic. 389.
	<i>axillâris. w. variegata.</i>	Lam.				
28	stricta. W.K.	(bl.) upright.	Hungary.	1826.	— H. ♀.	
29	depressa. M.B.	(bl.) depressed.	Caucasus.	—	— H. ♀.	
30	lingulata. s.s.	(bl.) tongue-leaved.	Spain.	1825.	— H. ♀.	
31	spathulata. s.s.	(bl.) spathulate-leav'd.	Naples.	1827.	— H. ♀.	
32	Cyanus. w.	(bl.va.) blue-bottle.	Britain.	....	— H. ♂.	Eng. bot. v. 4. t. 277.
	<i>Cyanus segetum.</i>	Mœnch.				
33	americana. N.	(li.) American.	N. America.	1823.	7. 10. H. ♂.	Swt. br. fl. gar. ic.
34	ochroleuca. w.	(st.) Caucasean.	Caucasus.	1801.	7. 8. H. ♂.	Bot. mag. t. 1175.
35	africana. w.	(ye.) African.	Africa.	1825.	— F. ♀.	
36	cheiranthifolia. w.	(ye.) Stock-leaved.	Caucasus.	1829.	— H. ♀.	
37	ovina. w.	(ye.) small-flowered.	—	1802.	7. 11. H. ♀.	
38	paniculata. w.	(pu.) paniced.	Europe.	1640.	7. 8. H. ♂.	Jacq. aust. 4. t. 320.
39	intybacea. P.S.	(re.) Succory-leaved.	S. Europe.	1778.	7. 9. H. ♀.	
40	leucantha. Lam.	(wh.) white-blossom'd.	—	1826.	— H. ♀.	Barrel. ic. 359.
41	spinosa. w.	(wh.) prickly-branch'd.	Candia.	1640.	— F. ♀.	Bot. mag. t. 2493.
42	ragusina. w.	(ye.) white-leaved.	—	1710.	6. 7. G. ♀.	— t. 494.
43	argentea. w.	(ye.) silver-leaved.	—	1739.	7. 8. F. ♀.	Barrel. ic. t. 218.
44	Cineraria. w.	(pu.) hoary-leaved.	Italy.	1710.	— H. ♀.	Moris. s. 7. t. 26. f. 20.
45	cinerea. w.	(pu.) gray.	—	—	6. 7. H. ♀.	Jacq. vind. 1. t. 92.
46	dealbata. M.B.	(pu.) mealy.	Caucasus.	1804.	7. 8. H. ♀.	
47	cicutæfolia. H.H.	(pu.) Cicutæ-leaved.	Europe.	1824.	— H. ♀.	
48	maculosa. P.S.	(pu.) spotted-cupped.	Siberia.	1816.	— H. ♀.	Gmel. sib. 2. t. 44. f. 1. 2.
49	Marschalliana. s.s.	(pu.) Marschall's.	Caucasus.	1829.	— H. ♀.	
50	declinata. M.B.	(pu.) declining.	—	1827.	— H. ♀.	
51	leucophylla. M.B.	(pu.) white-leaved.	—	1824.	— H. ♀.	
52	trinervia. w.	(pu.) three-nerved.	—	1828.	— H. ♀.	
53	dissecta. T.N.	(pu.) cut-leaved.	Italy.	1824.	— H. ♀.	
54	sempervirens. w.	(ye.) evergreen.	Spain.	1683.	— H. ♀.	Bocc. sic. t. 39. f. 3.
55	coriacea. w.	(re.) leathery-leav'd.	Hungary.	1804.	6. 7. H. ♀.	W. et K. hung. 2. t. 195.
56	Scabiösa. w.	(pu.) greater-knapweed.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 1. t. 56.
57	tatarica. w.	(ye.) Tartarian.	Tartary.	1801.	7. 8. H. ♀.	
58	Stœbe. w.	(pu.) wing-leaved.	Austria?	1759.	6. 7. H. ♀.	
59	Fischeri. W.en.	(pu.) Fischer's.	Siberia.	1816.	— H. ♀.	
60	macrocephala. w.	(st.) large-headed.	Caucasus.	1805.	6. 8. H. ♀.	Bot. mag. t. 1248.
61	atropurpurea. w.	(pu.) dark purple.	Hungary.	1802.	— H. ♀.	W. et K. hung. 2. t. 116.
62	calocéphala. W.en.	(ye.) smooth-stalked.	Levant.	1816.	— H. ♀.	
63	canariensis. W.en.	(wh.) Canary.	Teneriffe.	1815.	— G. ♀.	
64	orientalis. w.	(ye.) oriental.	Levant.	1759.	7. 8. H. ♀.	
65	pulcherrima. w.	(pu.) beautiful.	Caucasus.	1823.	— H. ♀.	
66	arachnoidea. P.S.	(ye.) cobweb.	Italy.	—	H. ♀.	Viv. fl. it. fr. t. 8.
67	sibirica. w.	(pu.) Siberian.	Siberia.	1782.	— H. ♀.	Gmel. sib. 2. t. 42. f. 2.
68	diluta. w.	(li.) pale-flowered.	S. Europe.	1781.	— H. ♀.	
69	alata. w.	(ye.) winged-stalked.	Tartary.	—	8. 9. H. ♀.	Venten. cels. t. 80.
70	elongata. s.s.	(li.) elongated.	Barbary.	1822.	— H. ♀.	
71	Bèhen. w.	(ye.) saw-leaved.	Levant.	1797.	7. 8. H. ♂.	
72	repens. w.	(ye.) creeping.	—	1739.	6. 8. H. ♀.	
73	Jacea. w.	(pu.) brown knapweed.	England.	....	7. 9. H. ♀.	Eng. bot. v. 24. t. 1678.
74	decumbens. P.S.	(pu.) decumbent.	France.	1815.	— H. ♀.	
75	amara. w.	(pu.) bitter.	Italy.	....	7. 8. H. ♀.	Bocc. mus. 31. t. 17.
76	alba. w.	(pu.) white.	Spain.	1597.	6. 9. H. ♀.	
77	splendens. w.	(pu.) shining.	—	—	7. 8. H. ♂.	
78	nitens. w.	(pu.) glittering.	Caucasus.	1823.	— H. ♂.	Buxb. cent. 2. t. 15. f. 1.
79	tagana. w.	(pu.) Portugal.	Portugal.	1640.	— H. ♀.	Brot. phyt. lus. t. 3.
80	babylonica. w.	(pu.) Babylonian.	Levant.	1710.	6. 9. H. ♀.	Alp. exot. t. 282.
81	glastifolia. w.	(ye.) woad-leaved.	Siberia.	1731.	— H. ♀.	Bot. mag. t. 62.
82	parviflora. s.s.	(pu.) small-flowered.	S. Europe.	1823.	— H. ♀.	
83	multifida. P.S.	(st.) multifid.	—	1824.	— H. ♀.	
84	sordida. s.s.	(pu.ye.) sordid.	.....	1817.	— H. ♀.	
85	rigida. s.s.	(pu.) rigid.	.....	1824.	— H. ♀.	
86	Barrelieri. s.s.	(pu.) Barrelier's.	Hungary.	1826.	— H. ♀.	Barrel. ic. 310.
87	stereophylla. s.s.	(pu.) variable-leaved.	Poland.	1828.	— H. ♀.	
88	spinulosa. s.s.	(pu.) small-spined.	Hungary.	1825.	— H. ♀.	
89	tenuifolia. Leh.	(pu.) slender-leaved.	Siberia.	1829.	— H. ♀.	
90	subspinosa. Leh.	(pu.) somewhat spiny.	—	—	H. ♀.	
91	Jacobeæfolia. s.s.	(ye.) Jacobea-leaved.	.....	—	H. ♀.	
92	reflexa. s.s.	(ye.) crook-spined.	Iberia.	1801.	7. 8. H. ♀.	
93	centaurioides. s.s.	(ye.) lyre-leaved.	S. Europe.	1739.	5. 7. H. ♀.	Column. ecphr. 1. t. 35.

94	collina. s.s.	(ye.) hill.	S. Europe.	1596.	6. 7.	H. ♀.	
95	pubescens. s.s.	(ye.) downy.	.....	1804.	7. 8.	H. ♀.	
96	nicaënsis. s.s.	(ye.) Italian.	Italy.	1827.	—	H. ♀.	
97	rupëstris. s.s.	(ye.) rock.	—	1804.	—	H. ♀.	Column.ecph.1.t.et.f.2.
98	hy'brida. s.s.	(pu,ye.) hybrid.	—	1821.	—	H. ♂.	
99	سابولسّاء. s.s.	(wh.) gravel.	Siberia.	1828.	—	H. ♀.	
100	Crocody'lium.s.s.	(bh.)blush-flowered.	Levant.	1777.	—	H. ♂.	Barrel. rar. t. 503.
101	aùrea. s.s.	(go.) great golden.	S. Europe.	1758.	7. 9.	H. ♀.	Bot. mag. t. 421.
102	scopària. s.s.	(pu.) broom.	Levant.	1829.	—	H. ♀.	
103	Verùtum. s.s.	(je.) dwarf.	—	1780.	8. 9.	H. ♂.	Jacq. ic. t. 178.
104	muricata. s.s.	(pu.) muricated.	Spain.	1621.	7. 8.	H. ♂.	
105	pubìgera. p.s.	(pu.) pubescent.	S. Europe.	1828.	—	H. ♂.	
106	peregrìna. s.s.	(pu.) soft-leaved.	—	1749.	—	H. ♂.	
107	cichoràcea. s.s.	(pu.) Succory-like.	Italy.	....	7. 9.	H. ♂.	Till. pis. p. 84. t. 27.
108	salmántica.s.s.	(wh.pu.) ragwort-leaved.	S. Europe.	1596.	7. 8.	H. ♂.	Jacq. vind. 1. t. 64.
109	sonchifòlia. s.s.	(pu.) Sow-thistle-ld.	—	1780.	8. 10.	H. ♂.	Pluk. phyt. 39. f. 1.
110	Séridis. s.s.	(pu.) purple-flower'd.	Spain.	1686.	6. 8.	H. ♀.	Pluk. alm. t. 38. f. 1.
111	napifòlia. s.s.	(pu.) Turnep-leaved.	Candia.	1691.	7. 9.	H. ♂.	Herm. parad. t. 189.
112	Zanòni. s.s.	(pu.) Zanoni's.	—	1822.	—	H. ♂.	
113	Isnàrdi. s.s.	(li.) Jersey.	Jersey.	....	7. 8.	H. ♀.	Eng. bot. v. 32. t. 2256.
114	áspera. s.s.	(pu.) rough.	S. Europe.	1772.	6. 10.	H. ♂.	Bocc. mus. 35. t. 26.
115	sphærocéphala.s.s.	(pu.) globe-headed.	—	1683.	6. 8.	H. ♂.	Bot. mag. t. 2551.
116	auriculàta. p.s.	(pu.) eared.	—	1816.	7. 8.	H. ♂.	
117	polyacántha. s.s.	(pu.) many-spined.	Portugal.	1804.	—	H. ♂.	
118	prolifera. p.s.	(st.) proliferous.	Egypt.	1816.	—	H. ♂.	Vent. hort. cels. t. 16.
	<i>stramínea. W. hort. ber. t. 26.</i>						
119	ibérica. s.s.	(pu.) Iberian.	Iberia.	1821.	—	H. ♂.	
120	fèrox. s.s.	(ye.) hedgehog.	Barbary.	1790.	7. 9.	F. ♀.	Desf. atl. 2. t. 242.
121	solstítialis. s.s.	(ye.) St. Barnaby's.	England.	....	7. 8.	H. ♂.	Eng. bot. v. 4. t. 243.
122	meliténsis. s.s.	(ye.) cluster-headed.	Malta.	1710.	—	H. ♂.	Bocc. sic. t. 35.
123	A'dami. s.s.	(ye.) Adam's.	Siberia.	1804.	—	H. ♀.	
124	sulphùrea. W.en.	(st.) straw-coloured.	.....	1815.	—	H. ♀.	
125	sícula. s.s.	(st.) Sicilian.	Sicily.	1710.	—	H. ♀.	Bocc. sic. t. 8. f. 1.
126	Stevèni. s.s.	(ye.) Steven's.	Caucasus.	1826.	—	H. ♂.	
127	crúenta. W.en.	(pu.) obovate-leaved.	S. Europe.	1816.	6. 8.	H. ♀.	
128	romàna. l.	(pu.) Roman.	Italy.	1739.	7. 9.	H. ♂.	Barrel. rar. t. 504.
129	benedicta. s.s.	(st.) blessed thistle.	Spain.	1548.	6. 10.	H. ♂.	Zorn. ic. t. 122.
130	pullàta. s.s.	(br.) sad-coloured.	S. Europe.	1714.	6. 7.	H. ♂.	Mill. ic. 2. t. 152. f. 2.
131	erióphora. s.s.	(ye.) woolly-headed.	Portugal.	1714.	6. 10.	H. ♂.	
132	ápula. s.s.	(ye.) Apulian.	Sicily.	1829.	6. 8.	H. ♂.	Column. ecphr. 1. t. 31.
133	Calcítropa. s.s.	(li.) Star-thistle.	Britain.	....	—	H. ♂.	Eng. bot. v. 2. t. 125.
134	calcitrapóides.s.s.	(li.) Phœnician.	Levant.	1683.	6. 7.	H. ♂.	
135	ægýptiaca. s.s.	(wh.) Egyptian.	Egypt.	1790.	6. 9.	H. ♂.	
135	balsamita. w.	(ye.) Balsam-scented.	Armenia.	1824.	7. 8.	H. ♀.	
137	lanàta. dc.	(ye.) hoary.	Switzerland.	1825.	—	H. ♂.	
138	crética. s.s.	(wh.) Cretan.	Candia.	1827.	—	H. ♂.	
139	bullàta. Leh.	.... blistered.	.....	1829.	....	H. ♀?	
140	ucrànica. Ot.	.... Ukraine.	Ukraine.	—	....	H. ♀?	
RHAPO'NTICA. DC. RHAPO'NTICA. Syngenesia Polygamia Frustranea.							
1	scariosa. DC.	(pu.) common.	Switzerland.	1640.	7. 8.	H. ♀.	Bot. mag. t. 1752.
	<i>Centaùrea Rhapòntica. B.M.</i>						
	β lyràta. DC.	(pu.) lyrate.	—	....	—	H. ♀.	
2	uniflora. DC.	one-flowered.	Siberia.	1796.	—	H. ♀.	Gmel. sib. 2. t. 38.
	<i>Cnicus uniflorus. w.</i>						
3	doronicafòlia. F.	(pu.) Doronicum-leav'd.	—	1825.	6. 8.	H. ♀.	
4	dahùrica. F.	(pu.) Dahurian.	Dahuria.	1829.	—	H. ♀.	
CARDOP'ATUM. J. CARDOP'ATUM. Syngenesia Polygamia Segregata.							
	corymbòsum. P.s.	(bl.) umbelled.	S. Europe.	1640.	6. 7.	H. ♀.	Moris. s. 7. t. 33. f. 17.
	<i>Bròtera corymbòsa. w.</i>						

Div. II. ECHINOPSIDÆ. *Kth. synops. 2. p. 364.*

ROLA'NDRA. W.	ROLA'NDRA. Syngenesia Polygamia Segregata. L.						
argéntea. w.	(wh.) silver-leaved.	W. Indies.	1714.	7.	S. ♀.	Sloan. jam. 1. t. 7. f. 3.	
ECHINO'PS. W.		GLOBE-THISTLE. Syngenesia Polygamia Segregata. L.					
1	sphærocéphalus.w.	(wh.) great.	Austria.	1596.	7. 8.	H. ♀.	Flor. græc. t. 923.
	β exaltàtus. Schr.	(wh.) tall.	—	1820.	....	H. ♀.	

2 spinôsus. w.	(wh.)	thorny-headed.	Egypt.	1597.	7. 8.	H. ♀.	Fl. reg. t. 924.
3 paniculatus. B.R.	(bl.)	panicled.	Spain.	1815.	—	H. ♂.	Fl. reg. t. 356.
4 hôrridus. P.S.	(wh.)	horrid.	Persia.	1817.	—	H. ♀.	
5 viscôsus. M.B.	(wh.)	viscous.	Caucasus.	1823.	—	H. ♂.	
6 tauricus. W.en.	(bl.)	Taurian.	Tauria.	1816.	—	H. ♀.	
7 dahûricus. F.	(bl.)	Dahurian.	Dahuria.	1827.	—	H. ♀.	
8 ruthénicus. M.B.	(bl.)	Russian.	Russia.	1819.	—	H. ♀.	
9 Ritro. w.	(bl.)	small.	Europe.	1570.	7. 9.	H. ♀.	Bot. mag. t. 932.
10 tenuifôlius. F.	(bl.)	slender-leaved.	Russia.	1823.	—	H. ♀.	
11 strictus. B.M.	(bl.)	upright.	—	1822.	8. 10.	H. ♂?	Bot. mag. t. 2457.
12 pérsicus. F.	(wh.)	Persian.	Persia.	1821.	—	H. ♀.	
13 bannáticus. W.K.	(wh.)	Hungarian.	Hungary.	1828.	—	H. ♀.	
14 lanuginôsus. w.	(bl.)	woolly.	Levant.	1736.	6. 7.	H. ♀.	Flor. græc. t. 926.
15 hûmilis. M.B.	(bl.)	low.	Siberia.	1826.	6. 8.	H. ♀.	
16 strigôsus. w.	(wh.)	annual.	Spain.	1729.	7. 9.	H. ♂.	Bot. mag. t. 2109.
<b>GUNDELIA. W.</b>		<b>GUNDELIA.</b>	<b>Syngenesia Polygamia Segregata. L.</b>				
Tournefortii. w.	(pu.)	Tournefort's.	Levant.	1739.	6. 8.	H. ♀.	Mill. ic. t. 287.
<b>SPHÆRANTHUS. W.</b>		<b>SPHÆRANTHUS.</b>	<b>Syngenesia Polygamia Segregata. L.</b>				
1 môllis. H.B.	(bl.)	soft.	E. Indies.	1818.	7. 9.	S. ♂.	
2 îndicus. w.	(pu.)	Indian.	—	1699.	8. 12.	S. ♀.	Burm. zeyl. t. 94. f. 3.
3 cochinchinensis. w.	(bl.)	Cochinchina.	Cochinchina.	1826.	7. 8.	H. ♂.	
4 hîrtus. w.	(bl.)	hairy.	Manila.	1823.	—	G. ♂.	Lam. ill. t. 718. f. 1.
5 africânus. w.	(bl.)	African.	C. B. S.	1759.	7. 8.	G. ♂.	Pluk. mant. t. 108. f. 7.
<b>ANGIANTHUS. W.C.</b>		<b>ANGIANTHUS.</b>	<b>Syngenesia Polygamia Segregata.</b>				
tomentôsus. w.C.	(ye.)	woolly.	N. Holland.	1803.	7. 8.	G. ♀.	Wendl. coll. 2. t. 48.
<i>Cassinia aurea.</i> H.K. non L.T.							
<b>BROTËRA. P.S.</b>		<b>BROTËRA.</b>	<b>Syngenesia Polygamia Segregata. P.S.</b>				
trinervata. p.s.	(ye.)	three-nerved.	S. America.	1799.	7. 8.	H. ♂.	Schr. b. jour. 180. 2. t. 5.
<i>Contrayerva.</i> Spr. <i>Nauenburgia trinervata.</i> w.							
<b>EDËRA. W.</b>		<b>EDËRA.</b>	<b>Syngenesia Polygamia Segregata. L.</b>				
1 prolifera. w.	(ye.)	proliferous.	C. B. S.	1789.	5. 6.	G. ♀.	Bot. mag. t. 1637.
2 aliena. w.	(ye.)	linear-leaved.	—	1821.	5. 7.	G. ♀.	Jacq. schœnb. 2. t. 154.
<b>ELEPHANTOPUS. W.</b>		<b>ELEPHANT'S-FOOT.</b>	<b>Syngenesia Polygamia Segregata. L.</b>				
1 scâber. w.	(re.)	rough-leaved.	E. Indies.	1695.	6. 9.	S. ♀.	Rheed. mal. 10. t. 7.
2 carolinianus. w.	(re.)	Carolina.	America.	1732.	7. 9.	G. ♀.	Dill. elth. t. 106. f. 126.
3 tomentôsus. w.	(re.)	woolly.	W. Indies.	1733.	7. 8.	S. ♀.	
4 môllis. K.S.	(wh.)	soft-leaved.	Caracas.	1825.	—	S. ♀.	
5 nudiflorus. w.	(re.)	naked-flowered.	W. Indies.	1822.	—	S. ♀.	
6 spicatus. w.	(re.)	spiked.	—	1821.	—	S. ♀.	Sloan. hist. 1. t. 150. f. 3. 4.
7 angustifolius. w.	(re.)	narrow-leaved.	—	1823.	—	S. ♀.	— t. 148. f. 4.
<b>STËBE. W.</b>		<b>STËBE.</b>	<b>Syngenesia Polygamia Segregata. L.</b>				
1 æthiôpica. w.	(wh.)	Juniper-leaved.	C. B. S.	1759.	8.	G. ♀.	
<i>Seriphium æthiopicum.</i> P.S.							
2 ericoïdes. w.	(wh.)	Heath-like.	—	1816.	7. 9.	G. ♀.	Moris. s. 7. t. 18. f. 12.
3 gomphrenoïdes. w.	(r.)	Gomphrena-like.	—	—	—	G. ♀.	Houtt. syst. 4. t. 34. f. 1.
4 gnaphaloïdes. w.	(wh.)	Gnaphalium-like.	—	1824.	—	G. ♀.	Burm. afr. t. 77. f. 1.
5 cinêrea. w.	(wh.)	Heath-leaved.	—	1774.	—	G. ♀.	Pluk. mant. t. 297. f. 1.
<i>Seriphium cinereum.</i> P.S.							
6 alopecuroïdes. w.	(wh.)	Fox-tail-like.	—	1824.	—	G. ♀.	Pluk. alm. t. 445. f. 2.
7 reflêxa. w.	(wh.)	reflex-leaved.	—	1816.	—	G. ♀.	
<b>CÆSULIA. Roxb.</b>		<b>CÆSULIA.</b>	<b>Syngenesia Polygamia Segregata. L.T.</b>				
1 axillâris. w.	(wh.)	axillary-flowered.	E. Indies.	1804.	7. 9.	S. ♀.	Andr. reposit. 1.
2 lancifolia. w.	(wh.)	spear-leaved.	—	1820.	—	S. ♀.	
<b>LAGA'SCA. Cav.</b>		<b>LAGA'SCA.</b>	<b>Syngenesia Polygamia Segregata. L.T.</b>				
môllis. w.	(wh.)	soft.	S. America.	1815.	6. 9.	G. ♂.	Bot. mag. t. 1804.
<b>NOCCA. W.</b>		<b>NOCCA.</b>	<b>Syngenesia Polygamia Segregata.</b>				
1 rigidâ. c.I.	(re.)	red-flowered.	Mexico.	1823.	8. 10.	F. ♀.	Swt. br. fl. gar. s. 2. t. 26.
<i>Lagáscea rubra.</i> H. et B. pl. amer. 4. t. 311.							
2 suavêolens. w.	(wh.)	sweet-scented.	Mexico.	—	—	F. ♀.	
<i>Lagáscea suavêolens.</i> K.S.							
3 latifolia. B.F.G.	(wh.)	broad-leaved.	—	—	—	F. ♀.	Swt. br. fl. gar. t. 215.

Div. III. VERNONIACEÆ. *Kth. synopsis.* 2. p. 367. et ASTEREEÆ. l. c. p. 99.

<b>AMPHE'REPHIS. K.S.</b>	<b>AMPHE'REPHIS.</b>	<b>Syngenesia Polygamia Equalis.</b>					
intermêdia. L.en.	(bl.)	intermediate.	Brazil.	1822.	7. 9.	H. ♂.	Swt. br. fl. gar. t. 225.

ASCARI'CID'. Cass.	ASCARI'CIDA.	Syngenesia Polygamia	Æqualis.		
anthelm. (li.)	Indian.	E. Indies.	1770.	8. 9. S. ♂.	Rheed. mal. 2. t. 24.
indica. Cass.	anthehmintica. w.	Con'ya anthehmintica. L.			
VERN'ONIA. W.	VERN'ONIA.	Syngenesia Polygamia	Æqualis. W.		
1 noveboracénsis. w. (pu.)	long-leav'd.	N. America.	1710.	9. 11. H. ♀.	Dill. elt. t. 263. f. 342.
2 præalta. w. (pu.)	tall.	—	1732.	— H. ♀.	— t. 264. f. 343.
3 angustifolia. Ph. (pu.)	narrow-lea d.	—	1817.	— H. ♀.	—
4 glauca. w. (pu.)	glaucous-leav'd.	—	1710.	— H. ♀.	Dill. elt. t. 262. f. 341.
oligophylla. M.	—	—	—	—	—
5 altissima. N. (pu.)	tallest.	—	1823.	— H. ♀.	—
6 pandurata. L.en. (pu.)	fiddle form.	—	—	— H. ♀.	—
7 serratuloides. K.s. (pu.)	Sawwort-like.	Mexico.	1824.	— H. ♀.	—
8 axilliflora. Ot. (pi.)	axillary-flower'd.	—	1829.	9. 10. F. ♀.	—
9 centriflora. Lk. (pu.)	centre-flower'd.	Brazil.	1826.	— S. ♀.	—
10 sericea. B.R. (li.)	silky.	—	1818.	9. 1. S. ♀.	Bot. reg. t. 522.
11 arborescens. P.S. (pu.)	tree.	Jamaica.	1733.	11. 12. S. ♀.	Plum. sp. 10. t. 130. f. 2.
Con'ya arborescens. w.	—	—	—	—	—
12 fruticosa. P.S. (pu.)	shrubby.	S. America.	1818.	— S. ♀.	Plum. ic. 95. f. 1.
Con'ya fruticosa. L.	—	—	—	—	—
13 flexuosa. B.M. (pu.)	flexuose-branch'd.	Brazil.	1823.	9. 10. S. ♀.	Bot. mag. t. 2477.
LI'ATRIS. W.	LI'ATRIS.	Syngenesia Polygamia	Æqualis. W.		
1 spicata. w. (pu.)	long-spiked.	N. America.	1732.	8. 10. H. ♀.	Swt. br. fl. gar. t. 49.
β pumila. B.C. (pu.)	dwarf.	—	—	— H. ♀.	Lodd. bot. cab. t. 147.
2 pycnostachya. M. (pu.)	pubescent.	—	1732.	— H. ♀.	Dill. elt. t. 72. f. 83.
3 heterophylla. Ph. (pu.)	various-leaved.	—	1790.	7. 8. H. ♀.	—
4 intermedia. B.R. (pu.)	intermediate.	—	1823.	8. 9. H. ♀.	Bot. reg. t. 948.
5 cylindracea. M. (pu.)	cylindrical-cup'd.	—	1811.	10. H. ♀.	—
6 pilosa. Ph. (pu.)	hairy-leaved.	—	1783.	— H. ♀.	Bot. reg. t. 595.
7 gracilis. Ph. (pu.)	smooth-leaved.	—	1812.	— H. ♀.	—
8 turbinata. B.F.G. (pu.)	turbinate-cup'd.	—	1823.	— H. ♀.	Swt. br. fl. gar. ic.
9 elegans. w. (pu.)	hairy-cup'd.	—	1787.	9. 10. H. ♀.	Bot. reg. t. 267.
10 sphaeroidea. M. (pu.)	globular-cup'd.	—	1817.	8. 10. H. ♀.	Swt. br. fl. gar. t. 87.
11 scariosa. w. (pu.)	scariose-cup'd.	—	1739.	9. 10. H. ♀.	Bot. reg. t. 590.
12 squarrosa. w. (pu.)	rough-cup'd.	—	1732.	— H. ♀.	Swt. br. fl. gar. t. 44.
13 paniculata. w. (pu.)	panicled.	—	1826.	8. 10. H. ♀.	—
14 odoratissima. w. (pu.)	sweet-scented.	Carolina.	1786.	— F. ♀.	Andr. reposit. t. 633.
15 corymbosa. w. (pu.)	corymbose.	N. America.	1825.	— F. ♀.	—
BRACHYLÆNA. L.T.	BRACHYLÆNA.	Syngenesia Polygamia	Superflua.		
neriifolia. L.T. (st.)	Oleander-leav'd.	C. B. S.	1752.	8. 11. G. ♀.	—
Baccharis neriifolia. w.	—	—	—	—	—
BA'CCCHARIS. W.	PLOWMAN'S-SPIKENARD.	Syngenesia Polygamia	Superflua.		
1 ivafolia. w. (wh.)	Peruvian.	America.	1696.	7. 8. G. ♀.	Schk. handb. 3. t. 244.
2 angustifolia. M. (wh.)	narrow-leaved.	N. America.	1812.	7. 9. G. ♀.	—
3 glomeruliflora. M. (wh.)	close-flowered.	—	1817.	8. 10. H. ♀.	—
4 halimifolia. w. (wh.)	Groundsel-tree.	—	1683.	10. 11. H. ♀.	Schmidt arb. t. 82.
5 Dioscoridis. w. (wh.)	Dioscorides'. Levant.	—	1822.	7. 9. G. ♀.	Rauw. it. 4. t. 54.
6 scoparia. P.S. (wh.)	broom.	Jamaica.	—	— S. ♀.	Brown. jam. t. 34. f. 4.
Calea scoparia. L.	—	—	—	—	—
7 mollis. K.s. (wh.)	soft.	Quito.	1824.	5. 6. F. ♀.	—
8 genistelloides. K.s. (w.)	wing-stemmed.	Brazil.	1829.	7. 10. G. ♀.	—
alata. Hort. Pterocladis genistelloides.	Lamb. herb.	—	—	—	—
9 parviflora. P.S. (wh.)	small-flowered.	Peru.	1822.	.... S. ♀.	—
10 lycopodioides. P.S. (wh.)	Club-moss-like.	Mauritius.	1828.	.... S. ♀.	—
Con'ya lycopodioides. Lam.	—	—	—	—	—
NYZA. W.	FLEA-BANE.	Syngenesia Polygamia	Superflua. L.		
squarrosa. w. (ye.)	great.	Britain.	....	7. 8. H. ♂.	Eng. bot. v. 17. t. 1195.
1 narylandica. Ph. (pu.)	Maryland.	N. America.	....	8. 10. H. ♂.	Dill. elt. t. 88. f. 104.
2 euphorata. Ph. (pu.)	Camphor-scent'd.	—	1704.	— H. ♀.	— t. 89. f. 105.
Baccharis fetida. w.	—	—	—	—	—
3 atula. w. (pu. ye.)	spreading.	China.	1758.	7. 9. H. ⊙.	Mill. ic. 2. t. 247.
4 p. w. (re.)	axillary.	Mauritius.	1824.	— H. ⊙.	—
5 afrons. (st.)	oval-leaved.	N. America.	1739.	8. 9. H. ♀.	Pluk. alm. t. 87. f. 4.
6 purpurascens. w. (li.)	purplish.	Jamaica.	1822.	— S. ⊙.	Sloan. hist. 1. t. 159. f. 1.
7 pindia. L. (li.)	woolly.	Candia.	1714.	6. 7. F. ♀.	Flor. græc. t. 865.
8 c. w. (ye.)	—	—	—	—	—
9 c. w. non L. (ye.)	wh. —	—	....	— F. ♀.	Barr. ic. t. 217.
10 balsamifera. w. (re.)	balsamiferas.	China.	1818.	— S. ♀.	Rumph. amb. 6. t. 24. f. 1.
11 chinensis. w. (bl.)	Chinese	—	1796.	7. 8. S. ♂.	— 6. t. 14. f. 2.

12 cinèrea. w.	( <i>pu.</i> ) grey.	E. Indies.	....	7. 8.	S. ☉	Rumph.amb.6.t.14.f.1.
13 fastigiata. W.en.	( <i>pu.</i> ) clustered.	Senegal.	1820.	—	H. ☉	
14 prolifera. w.	( <i>wh.</i> ) proliferous.	Java.	1819.	7. 9.	S. ♀	Rumph.am.5.t.104.f.1.
15 hirsuta. w.	( <i>ye.pu.</i> ) shaggy.	China.	1767.	8. 9.	G. ♂	
16 ægyptiaca. w.	( <i>ye.</i> ) Egyptian.	Egypt.	1778.	7. 9.	H. ☉	Jacq. vind. 3. t. 19.
17 chilénsis. s.s.	( <i>ye.</i> ) Chile.	Chile.	1816.	8. 10.	H. ☉	
18 mauritiâna. Boj.	( <i>pu.</i> ) Mauritius.	Mauritius.	1821.	—	S. ☉	
19 Hubértii. Boj.	( <i>pu.</i> ) Hubert's.	Madagascar.	1824.	7. 10.	S. ☉	
20 viscôsa. Boj.	( <i>pu.</i> ) viscous.	Mauritius.	—	8. 10.	S. ☉	
21 pàmila. s.s.	( <i>pu.</i> ) dwarf.	Crete.	1826.	7. 9.	H. ☉	
22 pinuatifida. r.	( <i>ye.</i> ) pinnatifid.	E. Indies.	1816.	—	S. ♀	
23 Gouâni. w.	( <i>ye.</i> ) Gouan's.	Canaries.	1772.	7. 8.	G. ♂	Jacq. vind. 3. t. 79.
24 sícula. w.	( <i>ye.</i> ) red-stalked.	Sicily.	1779.	8. 9.	H. ☉	Bocc. sic. t. 31. f. 4.
25 aûra. w.	( <i>wh.</i> ) eared.	E. Indies.	1818.	—	S. ☉	
26 fœtida. w.	( <i>wh.re.</i> ) stinking.	Africa.	1724.	—	G. ♀	Mill. ic. 2. t. 233.
27 amœna. L.en.	( <i>pu.</i> ) pretty.	—	1816.	—	S. ♀	
28 glomerata. L.en.	( <i>pu.</i> ) crowded.	.....	—	—	S. ♀	
29 spatulata. L.en.	( <i>bl.</i> ) spatulate.	.....	—	7. 9.	S. ♀	
30 adnata. k.s.	( <i>pu.</i> ) decurrent.	Mexico.	—	—	S. ♀	
<i>Bácccharis adnata.</i> W.en.						
31 thapsoides. M.B.	( <i>pu.</i> ) Thapsus-leav'd.	Caspian Sea.	1806.	—	H. ♀	
32 sórdida. w.	( <i>br.</i> ) small-flowered.	S. Europe.	1570.	—	F. ♀	Barr. ic. t. 368.
33 saxátilis. w.	( <i>br.</i> ) stone.	—	1640.	7. 8.	F. ♀	Schk. handb. 3. t. 241.
34 rupéstris. w.	( <i>ye.</i> ) rock.	Arabia.	1790.	—	G. ♀	Schmidel ic. t. 36.
35 Tenórii. L.en.	( <i>br.</i> ) Tenore's.	S. Europe.	1824.	....	F. ♀	
36 sericea. w.	( <i>ye.</i> ) snowy.	Canaries.	1779.	....	G. ♀	
37 geminiflora. L.en.	( <i>br.</i> ) twin-flowered.	S. Europe.	1824.	....	F. ♀	
38 inuloides. w.	( <i>pu.</i> ) cluster-flower'd.	Teneriffe.	1780.	7. 8.	G. ♀	Jacq. ic. 1. t. 171.
39 odorata. w.	( <i>pu.</i> ) sweet-scented.	India.	1759.	6. 8.	S. ♀	Plum. ic. t. 97.
40 incisa. w.	( <i>pu.</i> ) cut-leaved.	C. B. S.	1774.	—	G. ♀	
41 carolinénsis. w.	( <i>pu.</i> ) Carolina.	Carolina.	1823.	—	G. ♀	Jacq. ic. 3. t. 185.
42 virgata. w.	( <i>pu.</i> ) wing-stalked.	America.	1783.	8. 9.	G. ♀	Sloan.hist.1.t.152.f.5.
43 rugosa. H.K.	( <i>br.</i> ) St. Helena.	St. Helena.	1772.	11.	G. ♀	
<b>CARPESIUM. W.</b> <b>CARPESIUM. Syngenesia Polygamia Superflua. L.</b>						
1 cernuum. w.	( <i>ye.</i> ) drooping.	Áustria.	1739.	7. 8.	H. ♀	Jacq. aust. 3. t. 204.
2 abrotanoides. w.	( <i>ye.</i> ) Southernwood like.	China.	1768.	—	H. ♀	Osbeck it. t. 10.
3 torulôsum. f.	( <i>ye.</i> ) twisted.	Siberia.	1823.	6. 8.	H. ♀	
4 Wulfenianum. Schreb.	( <i>ye.</i> ) Wulfen's.	.....	1829.	—	H. ♂	
<b>INULA. W.</b> <b>INULA. Syngenesia Polygamia Superflua. L.</b>						
1 Helénium. w.	( <i>ye.</i> ) Elecampane.	Britain.	....	7. 8.	H. ♀	Eng. bot. v. 22. t. 1546.
2 O'culus-Christi. w.	( <i>ye.</i> ) hoary.	Áustria.	1759.	7. 9.	H. ♀	Jacq. aust. 3. t. 223.
3 británnica. w.	( <i>ye.</i> ) creeping-rooted.	Germany.	—	—	H. ♀	Flor. dan. t. 413.
4 undulata. w.	( <i>ye.</i> ) wave-leaved.	Egypt.	1739.	7. 10.	H. ☉	
5 indica. w.	( <i>ye.</i> ) Indian.	E. Indies.	—	—	S. ☉	Burm. zeyl. t. 55. f. 2.
6 paludosa. s.s.	( <i>ye.</i> ) marsh.	Portugal.	1828.	—	H. ♀	
7 áspera. s.s.	( <i>ye.</i> ) rough.	.....	—	—	H. ♀	
8 campéstris. s.s.	( <i>ye.</i> ) field.	Poland.	1827.	—	H. ♀	
9 squarrosa. w.	( <i>ye.</i> ) net-leaved.	S. Europe.	1768.	7. 9.	H. ♀	Flor. græc. t. 875.
10 viscosa. w.	( <i>ye.</i> ) clammy.	Barbary.	1633.	7. 8.	G. ♀	Jacq. vind. 2. t. 165.
<i>Erigeron viscosum.</i> Jacq.						
11 tuberosa. p.s.	( <i>ye.</i> ) tuberous-root'd.	S. Europe.	1640.	—	H. ♀	Moris. s. 7. t. 19. f. 20.
<i>Erigeron tuberosum.</i> w.						
12 salicina. w.	( <i>ye.</i> ) willow leaved.	N. Europe.	1648.	8. 9.	H. ♀	Flor. dan. t. 786.
13 Bubonium. w.	( <i>ye.</i> ) Anstrian.	Austria.	1801.	7. 9.	H. ♀	Jacq. aust. 5. ap. t. 13
14 hirta. w.	( <i>ye.</i> ) hairy.	—	1759.	6. 9.	H. ♀	4. t. 37
15 glandulosa. w.	( <i>ye.</i> ) glandular.	Georgia.	1804.	7. 8.	H. ♀	Bot. mag. t. 1937.
16 grandiflora. w.	( <i>ye.</i> ) large-flowered.	Caucasus.	1825.	—	H. ♀	
17 mollis. L.en.	( <i>ye.</i> ) soft.	.....	1823.	—	H. ♀	
18 suavèolens. w.	( <i>ye.</i> ) woolly-leaved.	S. Europe.	1758.	6. 8.	H. ♀	Jacq. vind. 3. t. 11.
19 Vaillantii. w.	( <i>ye.</i> ) Vaillant's.	France.	1739.	—	H. ♀	Hall. herb. t. 73. f. 13
20 germánica. w.	( <i>ye.</i> ) German.	Germany.	1759.	6. 7.	H. ♀	Jacq. aust. 2. t. 133
21 ensifolia. w.	( <i>ye.</i> ) sword-leaved.	Austria.	1793.	7. 9.	H. ♀	— 2. t. 162.
22 saxátilis. s.s.	( <i>ye.</i> ) rock.	S. Europe.	1825.	—	H. ♀	
<i>Erigeron glutinosum.</i> L.						
23 crithmoides. L.	( <i>ye.</i> ) Samphire-leav'd.	England.	....	8. 9.	H. ♀	Eng. bot. v. 22. t. 1546.
24 provinciális. w.	( <i>ye.</i> ) oval-leaved.	France.	1778.	7. 8.	H. ♀	
25 montana. w.	( <i>ye.</i> ) mountain.	S. Europe.	1759.	—	H. ♀	
26 bifrons. w.	( <i>ye.</i> ) Italian.	—	1713.	6. 8.	H. ♀	
27 thapsoides. L.en.	( <i>ye.</i> ) Mullein-like.	.....	1823.	—	H. ♀	

- 28 verbascifolia. s.s. (ye.) Mullein-leaved. Caucasus. 1828. 6. 8. H. ♀.
- 29 calycina. s.s. (ye.) reflex-scaled. Italy. 1829. — H. ♀.
- 30 saturoides. w. (ye.) Savory-leaved. Vera Cruz. 1733. .... S. ♀. Reliq. houst. 8. t. 19.
- 31 fœtida. w. (ye.) stinking. Malta. 1688. 6. 8. H. ♂. Bocc. sic. 26. t. 13.
- 32 odora. w. (ye.) sweet-scented. S. Europe. 1824. — H. ♀. Moris. s. 7. t. 21. f. 6.
- 33 hybrida. s.s. (ye.) hybrid. Poland. 1828. — H. ♀.
- 34 glabra. M.B. (ye.) smooth. Caucasus. 1826. — H. ♀.
- 35 cásipca. F. (ye.) Caspian. Volga. — H. ♀.
- PULICARIA. G.** FLEAWORT. Syngenesia Polygamia Superflua.
- 1 vulgaris. g. (ye.) small. England. .... 8. 9. H. ♂. Gært. sem. 2. t. 173. f. 7.
- Inula Pulicaria.* Eng. bot. v. 17. t. 1195.
- 2 villosa. L.en. (ye.) villous. .... 1821. — H. ♂.
- 3 arábica. L.en. (ye.) Arabian. Arabia. 1823. — F. ♀. Pluk. alm. t. 149. f. 4.
- 4 dysentérica. L.en. (ye.) meadow. England. .... — H. ♀. Eng. bot. v. 16. t. 1115.
- Inula dysentérica.* E.B.
- CHRYSOPSIS. N.** CHRYSOPSIS. Syngenesia Polygamia Superflua.
- 1 gossypina. N. (ye.) cottony. N. America. 1823. 6. 8. H. ♀.
- Inula gossypina.* M.
- 2 trichophylla. N. (ye.) hairy-leaved. — 1827. — H. ♀.
- 3 mariana. N. (ye.) American. — 1742. 7. 8. H. ♀. Mill. ic. 1. t. 57. f. 1.
- IX'ODIA. H.K.** IX'ODIA. Syngenesia Polygamia Æqualis.
- 1 achillæoides. H.K. (wh.) Milfoil-like. N. Holland. 1803. 3. 9. G. ♀. Bot. mag. t. 1534.
- H'UMEA. Sm.** H'UMEA. Syngenesia Polygamia Æqualis.
- 1 elegans. H.K. (re.) elegant. N. S. W. 1800. 6. 10. G. ♂. Exot. bot. 1. t. 1.
- CASSI'NIA. L.T.** CASSI'NIA. Syngenesia Polygamia Æqualis.
- 1 spectabilis. L.T. (st.) Humea-like. N. Holland. 1821. 5. 10. G. ♂. Bot. reg. t. 678.
- 2 affinis. L.T. (st.) related. N. S. W. 1823. 4. 6. G. ♀.
- 3 aurea. L.T. (ye.) golden. — 1821. — G. ♀. Bot. reg. t. 764.
- 4 longifolia. L.T. (st.) long-leaved. — — G. ♀.
- 5 denticulata. L.T. (st.) tooth-leaved. — 1826. 6. 8. G. ♀.
- 6 leptophylla. L.T. (wh.) small-leaved. N. Zealand. 1821. 4. 6. G. ♀.
- OZOTHA'MNUS. L.T.** OZOTHA'MNUS. Syngenesia Polygamia Æqualis.
- 1 cinereus. L.T. (ye.) rusty. V. Diem. Isl. 1820. 4. 8. G. ♀. Lab. nov. hol. v. 2. t. 182.
- Chrysosoma cinerea.* Lab.
- 2 rosmarinifolius. L.T. (ye.) Rosemary-leav'd. — 1822. — G. ♀. Lab. nov. hol. v. 2. t. 181.
- Eupatorium rosmarinifolium.* Lab.
- 3 ferrugineus. L.T. (ye.) ferruginous. — — G. ♀. Lab. nov. hol. v. 2. t. 180.
- Eupatorium ferrugineum.* Lab.
- AMM'OBIMUM. Br.** AMM'OBIMUM. Syngenesia Polygamia Æqualis.
- 1 alatum. B.M. (wh.) winged-stalk'd. N. S. W. 1823. 8. 9. F. ♀. Swt. br. fl. gar. t. 48.
- ANTENN'ARIA. L.T.** ANTENN'ARIA. Syngenesia Polygamia Superflua. L.
- 1 dioica. L.T. (ro.) red-flowered. Britain. .... 5. 7. H. ♀. Eng. bot. v. 4. t. 267.
- Gnaphalium dioicum.* E.B.
- 2 alpina. L.T. (wh.) Alpine. Alps Europe. 1775. 6. 7. H. ♀.
- 3 carpatica. L.T. (wh.) Carpathian. Carp. mount. — — H. ♀. Flor. dan. t. 332.
- Gnaphalium alpinum.* w. non L.
- 4 plantaginifolia. L.T. (wh.) Plantain-leav'd. Virginia. 1759. 6. 7. H. ♀. Pluk. alm. t. 348. f. 9.
- Gnaphalium plantaginifolium.* w.
- 5 margaritacea. L.T. (wh.) pearly. England. .... 7. 9. H. ♀. Eng. bot. v. 29. t. 2018.
- 6 triplinervis. D.P. (wh.) triple nerved. Nepaul. 1823. 6. 9. F. ♀. Bot. mag. t. 2468.
- 7 contorta. D.P. (wh.) twisted-leaved. — 1818. — F. ♀. Bot. reg. t. 605.
- LEONTOPODIUM. L.T.** LION'S-FOOT. Syngenesia Polygamia Superflua. L.
- 1 alpinum. D.D. (wh.) Swiss. Switzerland. 1776. 6. 7. H. ♀. Bot. mag. t. 1958.
- Gnaphalium Leontopodium.* B.M.
- 2 sibiricum. D.D. (wh.) Siberian. Siberia. 1829. — H. ♀.
- GNAPHALIUM. L.T.** EVERLASTING. Syngenesia Polygamia Superflua. L.
- 1 luteo-album. w. (st.) Jersey. Jersey. .... 7. 8. H. ♂. Eng. bot. v. 14. t. 1002.
- 2 albescens. w. (wh.) white Jamaica. Jamaica. 1793. .... S. ♀.
- 3 sanguineum. w. (re.) bloody. Egypt. 1768. 5. 7. H. ♀. Rauw. it. 285. t. 37.
- 4 undulatum. w. (wh.) wave-leaved. Africa. 1732. 6. 9. H. ♂. Dill. elth. t. 108. f. 130.
- 5 obtusifolium. w. (wh.) blunt-leaved. N. America. 1699. 7. 9. H. ♂. — t. 108. f. 131.
- 6 purpureum. w. (pu.) purple-flower'd. S. America. 1732. 6. 9. G. ♂. — t. 109. f. 132.
- 7 involucreatum. w. (gr.) involucred. N. Zealand. 1823. 7. 8. G. ♀. Bot. mag. t. 2582.
- 8 americanum. w. (br.) Jamaica. Jamaica. 1815. .... S. ♀.
- 9 pensylvanicum. w. (st.) American. N. America. — 7. 9. H. ♂.
- 10 sylvaticum. w. (st.) highland. Britain. .... 8. 9. H. ♀. Eng. bot. v. 13. t. 913.
- 11 rectum. w. (br.) upright wood. — — H. ♀. — v. 2. t. 124.
- 12 coerctatum. w. (gr.) crowded. Chili. 1820. — H. ♀.
- 13 polycepalum. M. (st.) many-headed. N. America. 1826. — H. ♂.

- 14 stachydifolium. s. s. (*br.*) Stachy's-leaved. Monte Video. 1826. 8. 9. H. ☉.  
 15 supinum. w. (*br.*) dwarf. Scotland. .... 6. 7. H. ♀.  
 16 pusillum. w. (*br.*) small. Sweden. 1818. — H. ♀.  
 17 sphæricum. W. en. (*br.*) spherical. S. Europe. — H. ♀.  
 18 cephaloideum. w. (*br.*) headed. — H. ☉.  
 19 uliginosum. w. (*st.*) marsh. Britain. .... 8. 9. H. ☉.  
 20 germanicum. w. (*st.*) common. — .... 6. 8. H. ☉.  
 21 gallicum. w. (*st.*) narrow-leaved. England. .... H. ☉.  
 22 montanum. w. (*st.*) mountain. Europe. 1820. — H. ☉.  
 23 pyramidatum. w. (*st.*) pyramidal. S. Europe. 1779. — H. ☉.  
 24 minimum. w. (*st.*) least. Britain. .... 7. 8. H. ☉.  
 25 arvense. w. (*st.*) corn. Europe. 1804. — H. ☉.  
 26 australe. f. (*st.*) southern. S. Europe. 1823. — H. ☉.  
 27 Sellowii. Lk. (*st.*) Sellow's. Buenos Ayres. 1828. — H. ☉.  
 28 alatum. K. S. (*st.*) wing-stalked. Quito. 1829. — G. ♀.  
 29 pompeyanum. E. (*st.*) Egyptian. Egypt. — H. ☉.  
 30 Lagopus. s. s. (*wh.*) Hare's-foot. Siberia. 1820. — H. ☉.
- METAL'ASIA. L.T. METAL'ASIA. Syngenesia Polygamia Superflua.  
 1 umbellata. D. D. (*ro.*) umbelled. C. B. S. 1816. 5. 7. G. ♀.  
 2 muricata. D. D. (*ro.*) muricate. — 6. 9. G. ♀.  
 3 divergens. D. D. (*wh.*) spreading. — G. ♀. Burm. afr. t. 72. f. 2.  
*Gnaphalium divergens. w.*  
 4 fastigiata. (*wh.*) close-flowered. — 1812. 5. 8. G. ♀. Petiv. gaz. 12. t. 7. f. 3.  
*Gnaphalium fastigiatum. w.*  
 5 aurea. D. D. (*ye.*) golden. — 1816. — G. ♀.  
 6 scriphioides. D. D. (*wh.*) Scriphium-like. — 1825. — G. ♀.  
 7 mucronata. L. T. (*ye.*) mucronate. — 1824. — G. ♀. Burm. afr. t. 66. f. 3.  
 8 pungens. D. D. (*wh.*) pungent. — 1815. — G. ♀.  
 9 uniflora. D. D. (*wh.*) single-flowered. — 1816. — G. ♀.  
 10 phlycioides. D. D. (*wh.*) Phyllica-leaved. — G. ♀.
- SPIRAL'EPIS. D. D. SPIRAL'EPIS. Syngenesia Polygamia Superflua.  
 1 squarrosa. D. D. (*pu. wh.*) squarrose. C. B. S. 1816. 7. 10. G. ♀. Jacq. frag. t. 3. f. 4.  
*Gnaphalium squarrosum. w.*  
 2 glomerata. D. D. (*wh.*) cluster-flowered. — 1774. 3. 9. G. ♀.  
 3 tineta. D. D. (*bh.*) stained. — 1816. — G. ♀.  
 4? declinata. (*wh.*) creeping. — 1787. 7. 9. G. ♀.  
*Gnaphalium declinatum. w.*
- PETALA'CTE. D. D. PETALA'CTE. Syngenesia Polygamia Superflua.  
 1 coronata. D. D. (*wh.*) crowned. C. B. S. 1816. 5. 7. G. ♀. Burm. afr. t. 69. f. 3.  
*Gnaphalium coronatum. w.*  
 2 bicolor. D. D. (*pu. wh.*) two-coloured. — — G. ♀.
- PENTATA'XIS. D. D. PENTATA'XIS. Syngenesia Polygamia Superflua.  
 micrantha. D. D. (*wh.*) small-flowered. C. B. S. 1821. 5. 7. G. ♀.
- ASTE'LMA. Br. ASTE'LMA. Syngenesia Polygamia Superflua.  
 1 eximium. B. R. (*re.*) giant. C. B. S. 1793. 6. 9. G. ♀. Bot. reg. t. 532.  
*Gnaphalium eximium. A. R. 654.*  
 2 milleflorum. D. D. (*wh.*) many-flowered. — 1802. 6. 9. G. ♀.  
*Gnaphalium milleflorum. w.*  
 3 Stæhelina. D. D. (*ye.*) keel-leaved. — 1801. 12. 3. G. ♀. Andr. reposit. t. 428.  
 4 crassifolium. D. D. (*ye.*) thick-leaved. — 1816. 3. 5. G. ♀.  
 5 proteoides. D. D. (*wh.*) Protea-like. — 1821. — G. ♀.  
 6 speciosissimum. D. D. (*wh.*) showy. — 1691. 7. 9. G. ♀. Andr. reposit. t. 51.  
*Xeranthemum speciosissimum. A. R. Elichr'ysum speciosissimum. w.*  
 7 lineare. D. D. (*wh.*) linear-leaved. C. B. S. 1816. 7. 9. G. ♀.  
 8 spiralis. D. D. (*re. wh.*) spiral-leaved. — 1801. 7. 10. G. ♀. Andr. reposit. t. 262.  
*Elichr'ysum spirale. w.*  
 9 variegatum. D. D. (*v.*) large globular-fl'd. — 5. 6. G. ♀.  
 10 imbricatum. D. D. (*ro.*) imbricated. — 1816. — G. ♀.  
*Elichr'ysum imbricatum. w. Xeranthemum imbricatum. L.*
- 11 canescens. D. D. (*ro.*) elegant. C. B. S. 1794. 8. 4. G. ♀. Bot. mag. t. 420.  
 12 modestum. Sie. (*fl.*) modest. — 1824. 6. 7. G. ♀. Bot. mag. t. 2710.  
*Gnaphalium modestum. B. M.*
- HELICHR'YSUM. P. S. HELICHR'YSUM. Syngenesia Polygamia Superflua.  
 1 grandiflorum. D. D. (*re.*) great-flowered. C. B. S. 1731. 6. 8. G. ♀. Burm. afr. t. 76. f. 1.  
*Gnaphalium grandiflorum. w.*  
 2 fruticans. D. D. (*wh.*) frutescent. — 1779. — G. ♀. Bot. mag. t. 1802.  
*Astelma fruticans. B. R. 726. Gnaphalium fruticans. B. M. grandiflorum. A. R. 489.*  
 3 crispum. D. D. (*re.*) curled. C. B. S. 1809. — G. ♀.  
 4 arboreum. D. D. (*re.*) shrubby. — 1770. 2. 8. G. ♀.

- 5 congestum. D.D. (*fl.*) close-headed. C. B. S. 1791. 5. 6. G. h. Bot. reg. t. 243.  
*Gnaphalium congestum*. B.R.
- 6 carneum. P.S. (*fl.*) flesh-coloured. ——— 1816. 4. 6. G. h.  
 7 patulum. D.D. (*wh.*) spreading. ——— 1771. 8. 1. G. h.  
 8 discolorum. D.D. (*wh. fl.*) two-coloured. ——— 1815. 5. 8. G. h. Burm. afr. t. 97. f. 4.  
 9 cephalotes. D.D. (*wh. re.*) large-headed. ——— 1789. 11. 1. G. h. Pluk. phyt. t. 410. f. 2.  
 10? diosmaefolium. (*wh.*) Diosma-leaved. ——— 1812. 3. 8. G. h. Vent. malm. t. 74.  
*Gnaphalium diosmaefolium*. v.
- 11 ericoïdes. D.D. (*pa.*) Heath-leaved. ——— 1774. — G. h. Bot. mag. t. 435.  
*Gnaphalium ericoïdes*. B.M. non *Heliclysum ericoïdes*. P.S.
- 12 teretifolium. D.D. (*wh.*) round-leaved. C. B. S. 1812. — G. h. Burm. afr. t. 77. f. 2.  
 13? tephrodes. (*wh.*) slender-leaved. ——— 1816. — G. h.
- Gnaphalium tephrodes*. L.en.
- 14 acuminatum. (*wh.*) taper-pointed. N. Holland. ——— G. h.  
*Gnaphalium acuminatum*. L.en.
- 15? lasiocaulon. (*wh.*) woolly-stalked. C. B. S. 1823. 6. 9. G. h.  
*Gnaphalium lasiocaulon*. L.en.
- 16 Stœchas. D.D. (*ye.*) common shrubby. S. Europe. 1629. 6. 10. H. h. Barrel. ic. 410.  
 17 angustifolium. (*ye.*) narrow-leaved. ——— 1818. — H. h.
- Gnaphalium angustifolium*. P.S.
- 18 conicum. (*ye.*) conical. ——— 1824. — H. h.  
*Gnaphalium conicum*. L.en.
- 19 ignescens. D.D. (*re.*) red-flowered. C. B. S. 1731. 6. 10. G. h.  
 20 microphyllum. D.D. (*ye.*) small-leaved. Crete. 1823. — G. h.  
 21? dasyanthum. (*ye.*) hairy-flowered. C. B. S. 1812. — G. h.
- Gnaphalium dasyanthum*. W.en.
- 22 crassifolium. D.D. (*ye.*) thick-leaved. S. Europe. 1774. 7. 9. G. h.  
 23 maritimum. D.D. (*ye.*) sea-side. C. B. S. 1772. 6. 8. G. h. Burm. afr. t. 77. f. 2.  
 24 apiculatum. D.D. (*ye.*) New Holland. V. Diem. Isl. 1804. 1. 12. G. h. Bot. reg. t. 240.  
*Gnaphalium apiculatum*. B.R.
- 25 fœtidum. D.D. (*ye.*) strong-scented. C. B. S. 1692. 6. 9. G. ♂. Bot. mag. t. 1987.  
*Gnaphalium fœtidum*. B.M.
- 26 cylindricum. D.D. (*ye.*) cylindrical. ——— 1780. 6. 8. G. ♀. Pluk. phyt. 298. f. 4.  
 27 orientale. D.D. (*ye.*) eastern. Africa. 1629. 4. 8. G. h. Comm. hort. 2. t. 55.  
 28 arenarium. D.D. (*ye.*) sand. Europe. 1739. 7. 9. H. ♀. Bot. mag. t. 2159.  
 29 graveolens. (*ye.*) strong-smelling. Tauria. 1819. — H. ♀.
- Gnaphalium graveolens*. M.B.
- 30 odoratissimum. (*ye.*) sweet-scented. C. B. S. 1691. 4. 8. G. h. Mill. ic. 1. t. 131. f. 2.  
 31 candidissimum. D.D. (*ye.*) white-leaved. Caucasus. 1819. 7. 9. H. ♀.  
 32 rutilans. D.D. (*re.*) shining-flower'd. C. B. S. 1731. 6. 7. G. ♀. Dill. elt. t. 107. f. 127.  
 33 cymosum. D.D. (*ye. wh.*) branching. Africa. ——— 4. 8. G. h. ——— t. 107. f. 128.  
 34 helianthemifolium. D. (*wh.*) Sun-rose-leav'd. C. B. S. 1774. 7. 10. G. h. Volck. norib. t. 194.  
 35 bracteatum. D.D. (*ye.*) wave-leaved. N. Holland. 1799. — H. ♂. Andr. reposit. 375.  
*chrysanthum*. P.S. *Xeranthemum bracteatum*. v. m. t. 2. *lucidum*. Maunde.
- 36 fulgidum. P.S. (*ye.*) great yellow. C. B. S. 1774. 2. 10. G. ♀. Bot. mag. t. 414.  
 37 dealbatum. P.S. (*bh.*) herbaceous. V. Diem. Isl. 1812. 1. 12. G. ♀. Lab. nov. hol. 2. t. 190.  
 38 paniculatum. P.S. (*wh.*) corymb-flower'd. C. B. S. 1800. 6. 9. G. h. Burm. afr. t. 67. f. 1.  
*argenteum*. A.R. 552.  *nec aliorum*.
- 39 argenteum. P.S. (*wh.*) silvery. ——— G. h.  
 40 fragrans. A.R. (*ro.*) fragrant. ——— 1803. 7. 9. G. h. Andr. reposit. t. 313.  
*Eliclysum fragrans*. A.R.
- 41 retortum. w. (*wh.*) trailing. ——— 1732. 7. 8. G. h. Dill. elth. t. 322. f. 415.  
 42? incanum. B.M. (*ro. wh.*) hoary-leaved. V. Diem. Isl. 1828. 5. 6. G. ♀. Bot. mag. t. 2881.  
 43 rigidum. A.R. (*wh.*) rigid-leaved. C. B. S. 1801. — G. h. Andr. reposit. t. 387.  
 44 herbaceum. A.R. (*ye.*) shining-flowered. ——— 1802. 7. 9. G. ♀. ——— t. 487.  
*splendens*. B.M. 1773.
- LEUCOSTE'MMA. D.D. LEUCOSTE'MMA. Syngenesia Polygamia Superflua.
- 1 vestitum. D.D. (*wh.*) upright. C. B. S. 1774. 7. 9. G. h. Burm. afr. t. 66. f. 1.  
*Eliclysum vestitum*. w.
- 2 lingulatum. D.D. (*wh.*) tongue-leaved. ——— 1812. — G. h.
- PHENO'COMA. D.D. PHENO'COMA. Syngenesia Polygamia Superflua.
- prolifera. D.D. (*pu.*) prolificus. C. B. S. 1789. 5. 11. G. h. Bot. reg. t. 21.  
*Eliclysum proliferum*. B.R. *Xeranthemum proliferum*. L.
- APHELE'XIS. D.D. APHELE'XIS. Syngenesia Polygamia Superflua.
- 1 humilis. D.D. (*pu.*) dwarf. C. B. S. 1812. 6. 9. G. h. Andr. reposit. t. 664.  
*Eliclysum spectabile*. B.C. 59. *pinifolium*. P.S.
- 2 sesamoides. D.D. (*pu.*) superb. C. B. S. 1739. 4. 6. G. h. Bot. mag. t. 425.  
*Eliclysum sesamoides*. w. *Xeranthemum sesamoides*. B.M.

- 3 fasciculata. D.D. (*vu.*) bundle-leaved. C. B. S. 1799. 3. 9. G. ♀. Andr. reposit. t. 242.  
*a* *lutescens.* (*st.*) yellowish. .... G. ♀.  
*β* *versicolor.* (*pu.wh.*) variegated-flower'd. .... G. ♀. Breyn. ic. t. 16. f. 2.  
*γ* *alba.* (*wh.*) white-flowered. .... G. ♀. Andr. reposit. t. 279.  
*δ* *rubra.* (*sc.*) red-flowered. .... G. ♀. t. 650.  
4 *ericoides.* (*bh.*) filiform. .... 1796. — G. ♀. Lam. ill. t. 693. f. 2.  
*filiformis.* D.D. *Helichrysum ericoides.* P.s.
- XERA'NTHEMUM. D.D. XERA'NTHEMUM. Syngenesia Polygamia Superflua. L.  
1 *annuum.* D.D. (*pu.wh.*) common annual. S. Europe. 1570. 7. 8. H. ⊙. Jacq. aust. 4. t. 388.  
*a* *roseum.* (*ro.*) rose-coloured. — — — H. ⊙.  
*β* *album.* (*wh.*) white-flowered. — — — H. ⊙.  
2 *inapertum.* D.D. (*pu.*) small-flowered. — — — 1620. — — H. ⊙. Moris. bis. s. 6. t. 12. f. 1.
- CHARD'NIA. D.D. CHARD'NIA. Syngenesia Polygamia Superflua.  
*orientalis.* D.D. (*wh.*) oriental. Levant. 1713. 7. 8. H. ⊙.  
*xeranthemoides.* Desf. *Xeranthemum orientale.* w.
- FILAGO. W. COTTON-ROSE. Syngenesia Polygamia Necessaria. W.  
1 *pygmæa.* w. (*br.*) pigmy. S. Europe. 1629. 7. 8. H. ⊙. Cavan. ic. 1. t. 36.  
*Evax pygmæa.* G.  
2 *asterisciflora.* (*br.*) simple-stalked. Spain. 1824. — — H. ⊙. Lam. ill. t. 694. f. 2.  
*Evax asterisciflora.* P.s.
- MICROPUS. W. MICROPUS. Syngenesia Polygamia Necessaria. W.  
1 *supinum.* w. (*pa.*) trailing. S. Europe. 1710. 6. 9. H. ⊙. Schk. hand. 3. t. 267.  
2 *erectum.* w. (*pa.*) upright. — — — 1683. — — H. ⊙. Læfl. hisp. t. 1. f. 3.
- ERIGERON. W. ERIGERON. Syngenesia Polygamia Superflua. L.  
1 *gravæolens.* w. (*ye.*) strong-smelling. S. Europe. 1633. 7. 8. H. ⊙. Ger. emac. 481. f. 2.  
2 *compositum.* Ph. (*li.*) daisy-flowered. N. America. 1811. — — H. ♀.  
3 *carolinianum.* w. (*ye.*) Hyssop-leaved. — — — 1727. — — H. ♀. Dill. elt. t. 306. f. 394.  
4 *canadense.* w. (*wh.*) Canada. England. .... 8. 9. H. ⊙. Eng. bot. v. 29. t. 2019.  
5 *bonariense.* w. (*wh.*) buck's-horn. S. America. 1732. 7. 8. H. ⊙. Dill. elt. t. 257. f. 334.  
6 *linifolium.* w. (*wh.*) flax-leaved. — — — .... H. ⊙.  
7 *lævigatum.* L.en. (*wh.*) smooth. Cayenne. 1823. — — S. ♂.  
8 *delphinifolium.* w. (*wh.*) Larkspur-leav'd. S. America. 1816. — — S. ♂.  
9 *strigosum.* w. (*wh.*) strigose. N. America. 1818. — — H. ♂.  
10 *heterophyllum.* w. (*wh.*) various-leaved. — — — 1640. 7. 9. H. ♂. Flor. græc. t. 486.  
*Aster annuus.* L. *Diploappus dabius.* Cas.
- 11 *chinense.* w. (*wh.*) Chinese. China. 1818. — — H. ⊙. Jacq. schenb. 3. t. 303.  
12 *jamaicense.* w. (*li.*) Jamaica. Jamaica. 1820. — — S. ⊙. Swartz obs. t. 8. f. 2.  
13 *pubescens.* K.s. (*wh.*) pubescent. Mexico. 1827. 7. 11. H. ♀.  
14 *involveratum.* Lk. .... involucred. Brazil. 1828. .... S. ♀.  
15 *armerifolium.* F. (*pu.*) Thrift-leaved. Baical. 1829. 6. 8. H. ♀.  
16 *nudicaule.* M. (*wh.*) naked-stalked. N. America. 1812. 7. H. ♀.  
17 *philadelphicum.* w. (*pu.*) spreading. — — — 1778. 7. 8. H. ♀.  
18 *purpureum.* w. (*pu.*) purple. Hudson's Bay. 1776. — — H. ♀.  
19 *bellidifolium.* w. (*li.*) Plantain-leav'd. N. America. 1790. — — H. ♀.  
*serpentarium.* Hort.
- 20 *glabellum.* N. (*pu.*) smoothish. — — — 1827. 8. 12. H. ♀. Bot. mag. t. 2923.  
21 *podolicum.* s.s. (*pu.*) Polish. Poland. — — — 7. 9. H. ♀.  
22 *Lehmanni.* s.s. (*li.*) Lehman's. .... 1828. — — H. ♀.  
23 *glaucum.* B.R. (*li.*) glaucous-leav'd. S. America. 1812. 1. 12. G. ♀. Bot. reg. t. 10.  
24 *chilense.* D.P. (*wh.*) Chili. Chili. 1816. 7. 9. H. ⊙.  
*Conyza chilensis.* L.en.
- 25 *rivulare.* s.s. (*bh.*) rivulet. Trinidad. 1821. — — S. ⊙.  
26 *Villarsii.* w. (*pu.*) Villars's. Piedmont. 1804. 7. 8. H. ♀. Bot. reg. t. 583.  
*aticum.* Vil.
- 27 *rupèstre.* Schl. (*li.*) rock. Switzerland. 1818. — — H. ♀.  
28 *acre.* w. (*li.*) common. Britain. .... — — H. ♂. Eng. bot. v. 17. t. 1158.  
29 *alpinum.* w. (*li.*) Alpine. Scotland. .... 7. H. ♀. — — — v. 7. t. 464.  
30 *uniflorum.* w. (*li.*) dwarf. — — — .... 8. 9. H. ♀. — — — v. 34. t. 2416.  
31 *pumilum.* N. (*wh.*) dwarf. N. America. 1827. — — H. ♀.  
32 *humile.* Gr. (*wh.*) low. — — — 9. 10. H. ♀.  
33 *asperum.* N. (*wh.*) rough. — — — 1828. 8. 9. H. ♀.  
34 *gramineum.* w. (*pu.*) grass-leaved. Siberia. 1824. — — H. ♀. Gmel. sib. 2. t. 76. f. 2.  
35 *caucasicum.* M.B. (*pu.*) Caucasian. Caucasus. — — — 7. 8. H. ♀.  
36 *asteroides.* L.en. (*wh.*) Starwort-like. .... 1812. — — H. ♀.
- JAS'ONIA. Cas. JAS'ONIA. Syngenesia Polygamia Superflua.  
*longifolia.* Cas. (*ye.*) long-leaved. N. America. 1818. 7. 8. H. ♀.  
*Erigeron longifolium.* P.s.
- CAL'OTIS. B.R. CAL'OTIS. Syngenesia Polygamia Superflua.  
*cuneifolia.* B.R. (*bl.*) wedge-leaved. N. Holland. 1819. 7. 8. G. ♀. Bot. reg. t. 504.

- IMPLOSTE'PHIUM. K.S. DIPLOSTE'PHIUM. Syngenesia Polygamia Superflua.**  
 1 *linariifolium.* (*pu.*) toad-flax-leav'd. N. America. 1699. 9. 10. H.  $\frac{1}{2}$ . Lodd. bot. cab. t. 6.  
*A'ster pulcherrimus.* L.B.C. *linariifolius.* w. *Chrysopsis linariifolia.* N.  
 2 *rigidum.* (*vi.*) stiff-leaved. ——— 1759. 8. 10. H.  $\frac{1}{2}$ . Pluk. alm. t. 14. f. 7.  
*A'ster rigidus.* Ph. *memoralis.* w. non H.K.  
 3 *linifolium.* (*wh.*) Flax-leaved. N. America. 1739. 7. 8. H.  $\frac{1}{2}$ .  
*Chrysopsis linifolia.* N. *A'ster linifolius.* w.  
 4 *album.* N. (*wh.*) white-flowered. Missouri. 1824. 8. 9. H.  $\frac{1}{2}$ .  
 5 *humile.* (*wh.*) low. N. America. 1699. 8. 10. H.  $\frac{1}{2}$ . Willd. hort. ber. t. 67.  
*A'ster humilis.* w. *Chrysopsis humilis.* N.  
 6 *cornifolium.* w. (*wh.*) Dogwood-leaved. ——— 1811. ——— H.  $\frac{1}{2}$ .  
 7 *amygdalinum.* (*wh.*) Almond-leaved. ——— 1759. 7. 9. H.  $\frac{1}{2}$ . Hoff. phyt. blat. t. 8. f. 2.  
*A'ster umbellatus.* w. *Chrysopsis umbellata.* N.  
**A'STER. W. STARWORT. Syngenesia Polygamia Superflua. L.**  
 1 *reflexus.* w. (*re.wh.*) reflexed-leav'd. C. B. S. 1759. 2. 9. G.  $\frac{1}{2}$ . Bot. mag. t. 884.  
 2 *tomentosus.* w. (*wh.*) tooth-leaved. N. S. W. 1793. 5. 7. G.  $\frac{1}{2}$ . Wend. s. han. p. 8. t. 24.  
*dentatus.* Andr. rep. t. 61.  
 3 *stellulatus.* P.S. starry-haired. V. Diem. Isl. 1823. ——— G.  $\frac{1}{2}$ . Lab. nov. hol. 2. t. 196.  
 4 *phlogopappus.* P.S. (*vi.*) glossy-haired. ——— 1827. ——— G.  $\frac{1}{2}$ . ——— 2. t. 195.  
 5 *myrsinoides.* P.S. (*wh.*) Myrsine-leaved. ——— 1824. ——— G.  $\frac{1}{2}$ . ——— p. 53. t. 202.  
 6 *erubescens.* s.s. (*bh.*) blush-flowered. N. S. W. 1826. ——— G.  $\frac{1}{2}$ .  
 7 *argophyllus.* P.S. (*wh.*) musk-scented. V. Diem. Isl. 1804. ——— G.  $\frac{1}{2}$ . Bot. mag. t. 1563.  
 8 *liratus.* B.M. (*wh.*) fluted-stemm'd. N. S. W. 1812. ——— G.  $\frac{1}{2}$ . ——— t. 1509.  
 9 *sericeus.* w. (*bl.*) silky-leaved. Missouri. 1802. 5. 11. G.  $\frac{1}{2}$ . Venten. cels. t. 33.  
 10 *Cymbalaria.* w. (*wh.*) Ivy-leaved. C. B. S. 1786. ——— G.  $\frac{1}{2}$ . Venten. malm. t. 95.  
 11 *papposus.* s.s. (*vi.*) cluster-leaved. ——— 1812. ——— G.  $\frac{1}{2}$ .  
 12 *taxifolius.* s.s. (*li.*) Yew-leaved. ——— 1824. ——— G.  $\frac{1}{2}$ .  
 13 *angustifolius.* w. (*bl.*) narrow-leaved. ——— 1804. 5. 7. G.  $\frac{1}{2}$ . Jacq. schoenb. 3. t. 370.  
 14 *villosus.* w. (*li.*) villous. ——— 1812. ——— G.  $\frac{1}{2}$ .  
 15 *obtusatus.* w. (*li.*) obtuse-leaved. ——— 1793. ——— G.  $\frac{1}{2}$ .  
 16 *fruticulosus.* w. (*li.*) shrubby. ——— 1759. 3. 7. G.  $\frac{1}{2}$ . Jacq. frag. 9. t. 5. f. 4.  
 17 *filifolius.* v. (*wh.*) thread-leaved. ——— 1812. ——— G.  $\frac{1}{2}$ . Venten. malm. t. 82.  
 18 *aculeatus.* P.S. (*wh.*) prickly-leaved. V. Diem. Isl. 1818. ——— G.  $\frac{1}{2}$ . Lab. nov. hol. 2. t. 200.  
*exasperatus.* L. enum.  
 19 *tenellus.* w. (*vi.*) slender. C. B. S. 1769. 4. 10. H.  $\odot$ . Bot. mag. t. 33.  
 20 *alpinus.* w. (*pu.*) Alpine. Alps Europe. 1658. 5. 8. H.  $\frac{1}{2}$ . ——— t. 199.  
 21 *lusitanus.* s.s. (*pu.*) Portugal. Portugal. 1820. 8. 10. H.  $\frac{1}{2}$ .  
 22 *salsuginosus.* s.s. (*vi.*) salt plain. N. America. 1827. 5. 6. H.  $\frac{1}{2}$ . Bot. mag. t. 2942.  
 23 *pulchellus.* w. (*re.*) narrow-rayed. Armenia. 1818. ——— H.  $\frac{1}{2}$ .  
 24 *caucasicus.* w. (*pu.*) Caucasian. Caucasus. 1804. 7. 8. H.  $\frac{1}{2}$ .  
 25 *alwartensis.* B.M. (*pu.*) large-flowered. ——— ——— H.  $\frac{1}{2}$ . Bot. mag. t. 2321.  
 26 *diversifolius.* M. (*li.*) various-leaved. N. America. 1811. 7. 9. H.  $\frac{1}{2}$ .  
 27 *macrophyllus.* w. (*bl.*) large-leaved. ——— 1739. ——— H.  $\frac{1}{2}$ .  
 28 *corymbosus.* w. (*wh.*) corymbed. ——— 1765. 9. H.  $\frac{1}{2}$ .  
 29 *cordifolius.* w. (*bh.*) heart-leaved. ——— 1759. 7. 8. H.  $\frac{1}{2}$ .  
 30 *paniculatus.* w. (*li.*) panicled. ——— 1640. 9. 10. H.  $\frac{1}{2}$ . Corn. canad. t. 65.  
 31 *sagittifolius.* w. (*bl.*) arrow-leaved. ——— 1818. 7. 9. H.  $\frac{1}{2}$ .  
 32 *undulatus.* w. (*pu.*) wave-leaved. ——— 1699. 8. 10. H.  $\frac{1}{2}$ . Herm. parad. t. 96.  
 33 *præcox.* W.en. (*li.*) early-flowering. ——— 1800. 7. 8. H.  $\frac{1}{2}$ .  
 34 *pallens.* W.en. (*li.*) pale-flowered. ——— .... 9. 10. H.  $\frac{1}{2}$ .  
 35 *conyzoides.* w. (*wh.*) Conyza-like. ——— 1778. 8. 9. H.  $\frac{1}{2}$ .  
 36 *altaicus.* W.en. (*pu.*) dwarf. Siberia. 1804. 5. 8. H.  $\frac{1}{2}$ .  
*pumilus.* F.  
 37 *memoralis.* H.K. (*li.*) wood. N. America. 1778. 8. 9. H.  $\frac{1}{2}$ .  
*ledifolius.* Ph.  
 38 *hyssopifolius.* w. (*bh.*) Hyssop-leaved. ——— 1683. 9. 10. H.  $\frac{1}{2}$ . Dodart. mem. t. 60.  
 39 *punctatus.* w. (*vi.*) dotted. Hungary. 1815. 8. 9. H.  $\frac{1}{2}$ . W. et K. hung. 2. t. 109.  
 40 *acris.* w. (*bl.*) acrid. S. Europe. 1731. ——— H.  $\frac{1}{2}$ . Pluk. alm. t. 271. f. 3.  
 41 *canus.* w. (*bl.*) hoary-leaved. Hungary. 1816. ——— H.  $\frac{1}{2}$ . W. et K. hung. 1. t. 30.  
 42 *solidaginoides.* w. (*wh.*) Solidago-like. N. America. 1699. ——— H.  $\frac{1}{2}$ . Pluk. alm. t. 79. f. 2.  
 43 *subulatus.* N. (*li.*) awl-leaved. ——— 1823. 8. 10. H.  $\odot$ .  
 44 *pilosus.* w. (*wh.*) hairy. ——— 1812. ——— H.  $\frac{1}{2}$ .  
 45 *foliolosus.* w. (*wh.*) leafy. ——— 1732. 10. H.  $\frac{1}{2}$ . Dill. elth. t. 35. f. 39.  
 46 *tenuifolius.* w. (*wh.*) slender-leaved. ——— 1725. 9. 10. H.  $\frac{1}{2}$ . Pluk. alm. t. 78. f. 5.  
 47 *dumosus.* w. (*wh.*) bushy. ——— 1734. ——— H.  $\frac{1}{2}$ . Herm. parad. 95.  
*a violaceus.* H.K. (*vi.*) violet-flowered. ——— ——— H.  $\frac{1}{2}$ .  
 *$\beta$  albus.* H.K. (*wh.*) white-flowered. ——— ——— H.  $\frac{1}{2}$ .  
 48 *ericoides.* w. (*wh.*) heath-leaved. ——— 1758. 9. H.  $\frac{1}{2}$ .  
 49 *multiflorus.* w. (*wh.*) many-flowered. ——— 1732. 9. 10. H.  $\frac{1}{2}$ . Dill. elth. t. 36. f. 40.  
 50 *ciliatus.* w. (*wh.*) ciliated. ——— .... ——— H.  $\frac{1}{2}$ .

51	canescens. Ph.	(li.) canescent.	N. America.	1812.	—	H. ♂.	
	<i>biënnis</i> . N.						
52	pauciflorus. N.	(wh.) few-flowered.	N. America.	1825.	8. 9.	H. ♀.	
53	sparsiflorus. w.	(wh.) scattered-flower'd.	—	1798.	9. 11.	H. ♀.	
54	coridifolius. w.	(bl.) Coris leaved.	—	....	8. 11.	H. ♀.	
55	squarrosus. w.	(bl.) ragged.	—	1801.	—	H. ♀.	
56	argenteus. H.K.	(bl.) silver-leaved.	—	—	7. 9.	H. ♀.	
57	cóncolor. w.	(pu.) self-coloured.	—	1759.	8. 11.	H. ♀.	
58	reticulatus. Ph.	(wh.) netted-leaved.	—	1812.	—	H. ♀.	
59	salicifolius. w.	(pu.) Willow-leaved.	—	1760.	9. 10.	H. ♀.	Rob. ic. 307.
60	æstivus. w.	(bl.) summer.	—	1776.	7. 8.	H. ♀.	
61	pamónicus. w.	(vi.) Hungarian.	Hungary.	1815.	—	H. ♀.	Jacq. vind. 1. t. 8.
62	Améllus. w.	(bl.) Italian.	Italy.	1596.	7. 9.	H. ♀.	Bot. reg. t. 340.
	<i>a latifolius</i> .	(bl.) broad-leaved.	—	—	—	H. ♀.	
	<i>β angustifolius</i> .	(bl.) narrow-leaved.	—	—	—	H. ♀.	
63	ibericus. M.B.	(bl.) Iberian.	Iberia.	1827.	7. 9.	H. ♀.	
64	novæ anglæ. w.	(bl.) New England.	N. America.	1710.	9. 10.	H. ♀.	Herm. parad. 98.
	<i>β rubra</i> .	(re.) red-flowered.	—	1812.	—	H. ♀.	Bot. reg. 183. f. inf.
65	cyaneus. N.	(bl.) bright-blue.	—	1789.	—	H. ♀.	Hoff. phyt. 1. t. B. f. 1.
66	glaucus. N.A.	(bl.) glaucous-leaved.	.....	1823.	8. 10.	H. ♀.	
67	paludosus. w.	(bl.) marsh.	N. America.	1784.	—	H. ♀.	
68	grandiflorus. w.	(bl.) great-flowered.	—	1720.	10. 11.	H. ♀.	Bot. reg. t. 273.
69	carolinianus. w.	(pu.) tall.	Carolina.	....	8. 9.	H. ♀.	
70	oblongifolius. N.	(li.) oblong-leaved.	Missouri.	1823.	—	H. ♀.	
71	phlogifolius. w.	(vi.) Phlox-leaved.	N. America.	1797.	7. 10.	H. ♀.	
72	pátens. w.	(bl.) spreading.	—	1773.	9. 11.	H. ♀.	Swt. brit. fl. gar. t. 234.
73	Tripólum. w.	(bl.) sea-side.	Britain.	....	8. 9.	H. ♀.	Eng. bot. v. 2. t. 87.
74	Schreberi. N.A.	(wh.) Schreber's.	.....	1827.	8. 10.	H. ♀.	
75	salignus. w.	(wh.) Sallow-leaved.	Germany.	1815.	—	H. ♀.	
76	gravidolens. N.	(bl.) strong-scented.	Arkansa.	1825.	10. 11.	H. ♀.	
77	pubescens. w.	(re.) red-stalked.	N. America.	1710.	7. 10.	H. ♀.	Herm. lugd. t. 651.
78	hispidus. w.	(wh.) rough-stalked.	China.	1804.	9. 10.	H. ♀.	Kæmpf. ic. t. 29.
79	dentatus. Th.	(bl.) tooth-leaved.	C. B. S.	1825.	7. 9.	G. ♀.	
80	serratus. Th.	(bl.) saw-leaved.	—	—	—	G. ♀.	
81	tataricus. w.	(bl.) Tartarian.	Siberia.	1818.	—	H. ♀.	
82	pyrenæus. s.s.	(vi.) Pyrenean.	Pyrenees.	1768.	6. 9.	H. ♀.	
83	sibiricus. w.	(pu.) Siberian.	Siberia.	1768.	—	H. ♀.	Gmel. sib. 2. t. 80. f. 1.
84	incisus. F.	(li.) cut-leaved.	—	1816.	6. 9.	H. ♀.	
85	amelloides. Bes.	(vi.) Amellus-like.	Poland.	1827.	7. 9.	H. ♀.	
86	élegans. w.	(bl.) elegant.	.....	1790.	8. 10.	H. ♀.	
87	amplexicaulis. w.	(bl.) stem-clasping.	N. America.	....	9. 11.	H. ♀.	
88	adulterinus. w.	(re.) bastard.	—	....	8. 10.	H. ♀.	
89	lævigatus. w.	(li.) smooth-stem'd.	—	1794.	9. 11.	H. ♀.	
90	longifolius. P.S.	(bl.) long-leaved.	—	1798.	10.	H. ♀.	Moris. s. 7. t. 22. f. 26.
91	versicolor. w.	(wh.re.) various-color'd.	—	1790.	8. 9.	H. ♀.	
92	mutabilis. w.	(pu.) changeable.	—	1710.	9. 10.	H. ♀.	Herm. lugd. t. 67.
93	l'avis. w.	(li.) smooth.	—	1753.	—	H. ♀.	
94	concinus. W.en.	(li.) neat.	—	1800.	—	H. ♀.	
95	floribundus. w.	(li.) abundant-flower'd.	—	....	—	H. ♀.	
96	novi belgii. w.	(li.) New-York.	—	1710.	—	H. ♀.	Herm. lugd. t. 69.
97	fírmus. L.en.	(li.) firm.	—	1818.	—	H. ♀.	
98	bellidiflorus. W.en.	(li.) daisy-flowered.	—	....	—	H. ♀.	
99	spectabilis. w.	(bl.) showy.	—	1777.	8. 9.	H. ♀.	
100	serotinus. w.	(bl.) late-flowering.	—	....	9. 11.	H. ♀.	
101	tardiflorus. w.	(li.) spear-leaved.	—	1775.	7. 9.	H. ♀.	
102	blándus. Ph.	(bh.) charming.	—	1800.	10. 11.	H. ♀.	
103	acuminatus. Ph.	(wh.) acuminate.	—	1806.	8. 10.	H. ♀.	Bot. mag. t. 2707.
104	éminens. W.en.	(re.) eminent.	—	....	9. 11.	H. ♀.	
105	pubescens. N.A.	(re.) pubescent.	—	1827.	—	H. ♀.	
106	Rádula. w.	(wh.) rasp-leaved.	—	1785.	—	H. ♀.	
107	prenanthoides. w.	(bl.) hairy-branch'd.	—	1817.	—	H. ♀.	
108	strictus. Ph.	(vi.) upright dwarf.	—	1806.	—	H. ♀.	
109	Tradescánti. w.	(wh.) Michaelmas daisy.	—	1633.	7. 9.	H. ♀.	Moris. s. 7. t. 21. f. 42.
110	vimíneus. w.	(bl.) slender.	—	1818.	—	H. ♀.	
111	recurvatus. w.	(li.) recurved.	—	1800.	8. 9.	H. ♀.	
112	expansus. N.A.	(bl.) expanded.	—	1827.	—	H. ♀.	
113	fastigiatus. Led.	(bl.) clustered.	Siberia.	—	—	H. ♀.	
114	laxus. W.en.	(wh.) loose-stalked.	N. America.	....	9. 11.	H. ♀.	
115	símplex. W.en.	(wh.) simple-stalked.	—	....	8. 10.	H. ♀.	

116	virgineus. N.A. (wh.)	virgin.	N. America.	1826.	8. 10.	H. 2.	
117	polyphyllus. W.en. (w.)	many-leaved.	_____	_____	_____	H. 2.	
118	juncus. w. (fl.)	slender-stalked.	_____	1758.	9. 10.	H. 2.	
119	lanceolatus. w. (wh.)	lanceolate.	_____	1811.	8. 11.	H. 2.	
120	dracunculoides. w. (w.)	Tarragon-like.	_____	_____	9. 11.	H. 2.	
121	fragilis. w. (wh.)	brittle.	_____	1800.	9.	H. 2.	
122	carneus. N.A. (fl.)	flesh-coloured.	_____	1827.	_____	H. 2.	
123	pinifolius. L.en. (wh.)	Pine-leaved.	_____	1823.	_____	H. 2.	
124	laxiflorus. L.en. (li.)	loose-flowered.	_____	_____	8. 10.	H. 2.	
125	miser. w. (wh.)	meagre-flower'd.	_____	1759.	9. 10.	H. 2.	
126	divergens. w. (wh.)	spreading downy.	_____	1758.	_____	H. 2.	
127	diffusus. w. (wh.)	diffuse.	_____	1777.	_____	H. 2.	
128	scoparius. N.A. (wh.)	broom-like.	_____	1827.	_____	H. 2.	
129	pendulus. w. (wh.)	pendulous.	_____	1758.	_____	H. 2.	
130	parviflorus. L.en. (w.)	small-flowered.	_____	1822.	_____	H. 2.	
131	rigidulus. L.en. (re.)	stiffish.	_____	_____	_____	H. 2.	
132	myrtifolius. L.en. (w.)	Myrtle-leaved.	_____	1819.	8. 9.	H. 2.	
133	abbreviatus. N.A. (bl.)	short-rayed.	_____	1827.	_____	H. 2.	
134	robustus. N.A. (bl.)	robust.	_____	_____	_____	H. 2.	
<b>CALLISTEMA. Cas. CHINA ASTER. Syngenesia Polygamia Superflua.</b>							
	hortensis. Cas. (va.)	garden.	China.	1731.	7. 9.	H. 2.	Dill. elth. t. 34. f. 38.
	a cœrulea. (bl.)	blue-flowered.	_____	_____	_____	H. 2.	
	β rubra. (re.)	red-flowered.	_____	_____	_____	H. 2.	
	γ alba. (wh.)	white-flowered.	_____	_____	_____	H. 2.	
	δ variegata. (bl.wh.)	variegated.	_____	_____	_____	H. 2.	
	ε versicolor. (re.wh.)	red and white.	_____	_____	_____	H. 2.	
	ζ multiplex. (va.)	double-flowered.	_____	_____	_____	H. 2.	
	η brachyantha. (va.)	bonnet.	_____	_____	_____	H. 2.	
<b>SOLIDAGO. W. GOLDEN-ROD. Syngenesia Polygamia Superflua. L.</b>							
1	canadensis. w. (ye.)	Canadian.	N. America.	1648.	7. 9.	H. 2.	Schk. hand. 3. f. 246.
2	procera. w. (ye.)	great.	_____	1758.	9. 10.	H. 2.	
3	serotina. w. (ye.)	upright smooth.	_____	_____	7. 8.	H. 2.	
4	gigantea. w. (ye.)	gigantic.	_____	_____	8. 9.	H. 2.	
5	ciliaris. w. (ye.)	ciliated.	_____	1811.	_____	H. 2.	
6	reflexa. w. (ye.)	hanging-leaved.	_____	1758.	8. 9.	H. 2.	
7	fragrans. W.en. (ye.)	fragrant.	_____	_____	7. 9.	H. 2.	
8	lateriflora. w. (ye.)	lateral-flowered.	_____	1758.	8. 9.	H. 2.	
9	glabra. s.s. (ye.)	smooth.	_____	_____	_____	H. 2.	
10	aspera. w. (ye.)	rough-leaved.	_____	1732.	9.	H. 2.	Dill. elth. t. 305. f. 392.
11	altissima. w. (ye.)	tall.	_____	1686.	8. 9.	H. 2.	Mart. cent. 14.
12	recurvata. W.en. (ye.)	recurved.	_____	1814.	_____	H. 2.	
13	rugosa. Ph. (ye.)	wrinkle-leaved.	_____	1732.	_____	H. 2.	Dill. elth. t. 308. f. 396.
14	villosa. Ph. (ye.)	villous.	_____	_____	_____	H. 2.	
15	scabra. w. (ye.)	rough.	_____	1811.	_____	H. 2.	
16	pyramidata. Ph. (ye.)	pyramidal.	_____	1812.	8. 9.	H. 2.	
17	nemorialis. w. (ye.)	woolly-stalked.	_____	1769.	9.	H. 2.	
18	pátula. w. (ye.)	spreading.	_____	1805.	9. 10.	H. 2.	
19	ulmifolia. w. (ye.)	Elm-leaved.	_____	_____	8. 10.	H. 2.	
20	arguta. w. (ye.)	sharp-notched.	_____	1758.	7. 8.	H. 2.	
21	juncæ. w. (ye.)	rush-stalked.	_____	1769.	8. 9.	H. 2.	
22	elliptica. w. (ye.)	oval-leaved.	_____	1759.	_____	H. 2.	
23	asperata. Ph. (ye.)	roughish-leaved.	Canada.	1825.	_____	H. 2.	
24	odora. w. (ye.)	sweet-smelling.	N. America.	1699.	8. 10.	H. 2.	Pluk. alm. t. 116. f. 6.
25	retrorsa. m. (ye.)	reflex-leaved.	_____	1824.	_____	H. 2.	
26	lævigata. N. (ye.)	fleshy-leaved.	_____	_____	10. 11.	H. 2.	
27	mexicana. w. (ye.)	Mexican.	America.	1683.	7. 10.	H. 2.	Dodart. act 4. t. 219.
28	sempervirens. N. (ye.)	evergreen.	N. America.	1699.	9. 10.	H. 2.	Corn. canad. t. 169.
29	speciosa. N. (ye.)	handsome.	_____	1812.	_____	H. 2.	
30	multiflora. p.s. (ye.)	many-flowered.	_____	_____	_____	H. 2.	
31	pauciflosculosa. m. (ye.)	slender-flower'd.	_____	1811.	8. 10.	H. 2.	
32	bicolor. w. (wh.ye.)	two-coloured.	_____	1759.	8. 9.	H. 2.	Pluk. alm. t. 114. f. 8.
<i>Aster bicolor.</i> Nees.							
33	petiolaris. w. (ye.)	late-flowered.	_____	1758.	10. 12.	H. 2.	
34	stricta. w. (ye.)	Willow-leaved.	_____	_____	9.	H. 2.	
35	humilis. Ph. (ye.)	dwarf.	_____	1811.	7. 8.	H. 2.	
36	virgata. m. (ye.)	slender.	_____	1827.	_____	H. 2.	
37	livida. W.en. (ye.)	purple-stemmed.	_____	1812.	_____	H. 2.	
38	hirta. W.en. (ye.)	hairy.	_____	_____	9. 10.	H. 2.	
39	lithospermifolia. Ph. (ye.)	Gromwell-leav'd.	_____	1811.	8. 10.	H. 2.	

40	hispida. w.	(ye.) hispid.	N. America.	1820.	8. 10.	H. ½.	
41	c'æsia. w.	(ye.) Maryland.	————	1732.	9. 10.	H. ½.	
42	flexicaulis. w.	(ye.) crook-stalked.	————	1725.	9.	H. ½.	Pluk. alm. t. 235. f. 3.
43	latifolia. L.	(ye.) broad-leaved.	————	————	————	H. ½.	———— t. 235. f. 4.
44	ambigua. w.	(ye.) angular-stalked.	.....	1759.	7. 8.	H. ½.	
45	macrophylla. Ph.	(ye.) large-leaved.	N. America.	....	8. 10.	H. ½.	
46	glomerata. M.	(ye.) close-flowered.	————	1820.	————	H. ½.	
47	squarrosa. N.	(ye.) squarrose-cup'd.	————	1827.	————	H. ½.	
48	alpèstris. w.k.	(ye.) Alpine.	Europe.	————	7. 9.	H. ½.	
49	Virgaurea. w.	(ye.) common.	Britain.	....	————	H. ½.	Eng. bot. v. 5. t. 301.
50	cámbrica. w.	(ye.) Welsh.	Wales.	....	7. 8.	H. ½.	Dill. elth. t. 306. f. 393.
51	asiática. F.	(ye.) Asiatic.	N. Asia.	1824.	————	H. ½.	
52	axillaris. Ph.	(ye.) axillary.	N. America.	1811.	8. 10.	H. ½.	
53	erècta. Ph.	(ye.) upright.	————	....	————	H. ½.	
54	viminea. w.	(ye.) twiggy.	————	1759.	9.	H. ½.	
55	angustifolia. N.	(ye.) narrow-leaved.	————	1824.	————	H. ½.	
56	littoralis. s.s.	(ye.) sea-side.	Italy.	1827.	7. 9.	H. ½.	
57	decurrens. s.s.	(ye.) decurrent.	China.	1823.	8. 10.	H. ½.	
58	puberula. N.	(ye.) pubescent.	N. America.	————	————	H. ½.	
59	minuta. w.	(ye.) least.	Pyrenees.	1772.	7. 8.	H. ½.	Lodd. bot. cab. t. 189.
60	multiradiata. w.	(ye.) Labrador.	Labrador.	1776.	————	H. ½.	
61	elata. Ph.	(ye.) tall hairy.	N. America.	1811.	8. 10.	H. ½.	
62	rigida. w.	(ye.) hard-leaved.	————	1710.	9.	H. ½.	Herm. parad. 243.
<b>EUTHAMIA. N.</b>		<b>EUTHAMIA.</b>		<b>Syngenesia Polygamia Superflua.</b>			
1	graminifolia. N.	(ye.) grass-leaved.	N. America.	1758.	8. 10.	H. ½.	Bot. mag. t. 2546.
<i>Chrysocoma graminifolia. L. Solidago lanceolata. w.</i>							
2	tenuifolia. N.	(ye.) slender-leaved.	N. America.	————	9. 10.	H. ½.	
<b>BRACHYRIS. N.</b>		<b>BRACHYRIS.</b>		<b>Syngenesia Polygamia Superflua.</b>			
Euthamiae. n.		(ye.) strong-scented.	Missouri.	1827.	8. 10.	H. ½.	
<i>Solidago Sarothrae. Ph. Brachyachyris Euthamiae. s.s.</i>							
<b>CHRYSO'COMA. W.</b>		<b>GOLDY-LOCKS.</b>		<b>Syngenesia Polygamia Æqualis. L.</b>			
1	comaurea. w.	(ye.) greatshrubby.	C. B. S.	1731.	6. 8.	G. ½.	Bot. mag. t. 1972.
2	pátula. w.	(ye.) spreading.	————	1816.	————	G. ½.	
3	cérnua. w.	(ye.) small shrubby.	————	1712.	5. 9.	G. ½.	Comm. hort. 2. t. 45.
4	ciliaris. w.	(ye.) Heath-leaved.	————	1759.	7. 10.	G. ½.	———— 2. t. 48.
5	nivea. w.	(ye.) woolly-leaved.	————	1820.	5. 9.	G. ½.	Jacq. schen. 2. t. 147.
<i>tomentosa. Jacq. non L.</i>							
6	scábra. w.	(ye.) rugged.	————	1732.	8. 9.	G. ½.	Dill. elth. t. 88. f. 103.
7	denticulata. w.	(ye.) toothed.	.....	....	————	G. ½.	Jacq. schen. 3. t. 368.
8	Linosyris. w.	(ye.) flax-leaved.	Europe.	....	9. 10.	H. ½.	Eng. bot. v. 35. t. 2505.
9	dracunculoides. w.	(ye.) Siberian.	Siberia.	....	————	H. ½.	
10	biflora. w.	(ye.) two-flowered.	————	1741.	8. 9.	H. ½.	Gmel. sib. 2. t. 82. f. 1.
11	gravæolens. N.	(ye.) Rue-scented.	Missouri.	1822.	————	H. ½.	
12	nudata. M.	(ye.) naked.	N. America.	1819.	————	H. ½.	
13	virgata. N.	(ye.) slender.	————	————	————	H. ½.	
14	villosa. w.	(ye.) villous.	Hungary.	1799.	————	H. ½.	W. et K. hung. 1. t. 58.
<b>BOLTONIA. W.</b>		<b>BOLTONIA.</b>		<b>Syngenesia Polygamia Superflua. L.</b>			
1	asteroides. w.	(wh.) Starwort-flower'd.	N. America.	1758.	8. 10.	H. ½.	Bot. mag. t. 2554.
2	glastifolia. w.	(pu.) glaucous-leaved.	————	————	9.	H. ½.	———— t. 2381.
<b>AMELLUS. W.</b>		<b>AMELLUS.</b>		<b>Syngenesia Polygamia Superflua.</b>			
Lychnitis. w.		(bl.) Cape.	C. B. S.	1768.	6. 7.	G. ½.	Bot. reg. t. 586.
<b>SIDERA'NTHUS. Fras.</b>		<b>SIDERA'NTHUS.</b>		<b>Syngenesia Polygamia Superflua.</b>			
1	villösus.	(ye.) villous.	Missouri.	1811.	8. 9.	H. ½.	
<i>Sideranthus integrifolius. Fras. Amellus villösus. Ph.</i>							
2	spinulösus.	(ye.) spiny.	————	————	————	H. ½.	
<i>Amellus spinulösus. Ph. Sideranthus pinnatifidus. Fras.</i>							
<b>STARKEA. W.</b>		<b>STARKEA.</b>		<b>Syngenesia Polygamia Superflua.</b>			
1	umbellata. w.	(ye.) umbel-flower'd.	Jamaica.	1768.	6. 7.	S. ½.	Lam. ill. t. 682. f. 2.
2	igníaria. D.D.	(ye.) close-flowered.	S. America.	1823.	6. 8.	F. ½.	H. et B. pl. æq. 2. t. 112.
<i>Hierba de Santa Maria. incolarum. Andromachia igniaria. K.S.</i>							
<b>GRIND'ELIA. W.en.</b>		<b>GRIND'ELIA.</b>		<b>Syngenesia Polygamia Superflua. W.</b>			
1	glutinosa. Dun.	(ye.) glutinous.	Mexico.	1803.	1. 12.	F. ½.	Bot. reg. t. 187.
<i>Donia glutinosa. B.R. Doronicum glutinosum. w.</i>							
2	inuloides. W.en.	(ye.) Inula-like.	Mexico.	1815.	6. 9.	F. ½.	Bot. reg. t. 248.
3	pulchélla. s.s.	(ye.) pretty.	Chile.	1827.	————	F. ½.	
4	nítida. Bern.	(ye.) glossy.	Mexico.	1825.	————	F. ½.	
5	coronopifolia. Leh.	(ye.) Buckshorn-leav'd.	————	1826.	————	F. ½.	
6	angustifolia. B.R.	(ye.) narrow-leaved.	————	1822.	————	F. ½.	Bot. reg. t. 781.
7	spatulata. L.en.	(ye.) spatulate-leav'd.	————	————	————	F. ½.	

8 squarrôsa. Dun. (ye.) Snake-headed.	Missouri.	1811.	7. 9. F. 2.	Bot. mag. t. 1706.
9 ciliâta. s.s. (ye.) ciliated.	Arkansa.	1821.	9. 10. H. 2.	Hook. ex. flor. t. 45.
<i>Dônia ciliâta.</i> H.E.F.				
10 villôsa. D. (ye.) villous.	Columbia.	1827.	8. 10. H. 2.	
<b>PODOLEPIS.</b> Lab. <b>PODOLEPIS.</b> Syngenesia Polygamia Superflua.				
1 rugâta. H.K. (ye.) wrinkle-scaled.	N. Holland.	1803.	7. 8. G. 2.	Lab. nov. holl. 2. t. 208.
2 acuminâta. H.K. (ye.) sharp-scaled.	N. S. W.	—	5. 8. G. 2.	Bot. mag. t. 956.
<i>Scâlia jaceoides.</i> B.M.				
3 gracilis. B.F.G. (li.) slender.	N. Holland.	1827.	8. 10. H. 2.	Swt. br. fl. gar. t. 285.
<b>GERBERIA.</b> Cass. <b>GERBERIA.</b> Syngenesia Polygamia Superflua.				
1 crenâta. B.R. (li.) crenated.	C. B. S.	1820.	4. 8. G. 2.	Bot. reg. t. 855.
2 asplenifolia. s.s. (ye. pu.) Spleenwort-leaved.	—	1822.	4. 6. G. 2.	Burm. afr. 155. t. 26. f. 1.
<i>Arnica Gerbêra.</i> L. <i>Doronicum asplenifolium.</i> Lam.				
<b>ARNICA.</b> W. <b>ARNICA.</b> Syngenesia Polygamia Superflua.				
1 montâna. w. (ye.) mountain.	Europe.	1731.	7. 8. H. 2.	Bot. mag. t. 1749.
2 angustifolia. s.s. (ye.) narrow-leaved.	Greenland.	1827.	6. 8. H. 2.	
3 fulgens. Ph. (ye.) glossy-flowered.	Missouri.	1826.	— H. 2.	
4 scorpioides. w. (ye.) alternate-leaved.	Austria.	1710.	— H. 2.	Jacq. aust. 4. t. 349.
5 glacialis. w. (ye.) alpine.	Germany.	1816.	7. 8. H. 2.	Jacq. ic. 3. t. 586.
6 Doronicum. w. (ye.) Clusius's.	Austria.	—	— H. 2.	Jacq. aust. 1. t. 92.
<i>Clusii.</i> All. t. 17. f. 1. 2.				
7 lanigera. T.N. (ye.) woolly.	Italy.	1827.	— H. 2.	
8 maritima. L. (ye.) sea-side.	Kamtschatka.	1821.	— H. 2.	
<b>BELLIDIASTRUM.</b> Cas. <b>BELLIDIASTRUM.</b> Syngenesia Polygamia Superflua.				
Michêlii. Cas. (wh. ro.) Micheli's.	Austria.	1570.	6. 8. H. 2.	Bot. mag. t. 1196.
<i>Arnica Bellidiâstrum.</i> B.M. <i>Doronicum Bellidiâstrum.</i> L.				
<b>DIPLOCOMA.</b> D.D. <b>DIPLOCOMA.</b> Syngenesia Polygamia Superflua.				
villôsa. D.D. (ye.) villous.	Mexico.	1827.	8. 10. F. 2.	Swt. br. fl. gar. t. 246.
<b>N'EJA.</b> D.D. <b>N'EJA.</b> Syngenesia Polygamia Superflua.				
gracilis. D.D. (ye.) slender.	Mexico.	1828.	9. 10. F. 2.	Swt. br. fl. gar. ser. 2.
<b>DORONICUM.</b> W. <b>LEOPARD'S-BANE.</b> Syngenesia Polygamia Superflua. W.				
1 Pardaliânches. w. (ye.) great.	Britain.	....	5. H. 2.	Eng. bot. v. 9. t. 630.
2 macrophyllum. s.s. (ye.) large-leaved.	Europe.	1821.	— H. 2.	
3 scorpioides. w. (ye.) mountain.	Germany.	—	4. 6. H. 2.	
4 Columnæ. T.S. (ye.) Columna's.	Naples.	1826.	— H. 2.	Column. ecphr. 2. t. 46.
5 caucasicum. M.B. (ye.) Caucasian.	Caucasus.	1815.	— H. 2.	
<i>orientale.</i> W. en.				
6 altaicum. w. (ye.) Siberian.	Siberia.	1783.	6. 8. H. 2.	Pall. a. pet. 1779. t. 16.
7 dentatum. L. en. (ye.) toothed.	.....	1825.	5. 6. H. 2.	
8 plantagineum. w. (ye.) Plantain-leav'd.	S. Europe.	1570.	— H. 2.	
9 austriacum. w. (ye.) Austrian.	Austria.	1816.	— H. 2.	Jacq. aust. t. 130.
<b>LEPTOSTELMA.</b> D.D. <b>LEPTOSTELMA.</b> Syngenesia Polygamia Superflua.				
mâxima. D.D. (wh.) gigantic.	Mexico.	1828.	8. 9. H. 2.	Swt. br. fl. gar. s. 2. t. 38.
<b>BELLIS.</b> W. <b>DAISY.</b> Syngenesia Polygamia Superflua. L.				
1 sylvêstris. w. (wh.) large Portugal.	Portugal.	1797.	5. 7. H. 2.	Bot. mag. t. 2511.
2 perennis. w. (wh.) common.	Britain.	....	3. 8. H. 2.	Eng. bot. v. 6. t. 424.
β hortênsis. (wh.) large double.	.....	....	— H. 2.	Bot. mag. t. 228.
γ fistulôsa. (re.) red quilled.	.....	....	— H. 2.	
δ tubulôsa. (wh.) white quilled.	.....	....	— H. 2.	
ε prolifera. (wh. re.) Hen & Chicken.	.....	....	— H. 2.	
3 hybrida. Ten. (wh.) Italian.	Italy.	1824.	4. 8. H. 2.	
4 ânna. w. (wh.) annual.	S. Europe.	1759.	3. 7. H. 2.	Bot. mag. t. 2174
<b>BELLIUM.</b> W. <b>BELLIUM.</b> Syngenesia Polygamia Superflua. L.				
1 bellidioides. w. (wh.) small.	Italy.	1796.	6. 9. H. 2.	Lam. ill. t. 684.
2 minütum. w. (wh.) dwarf.	Levant.	1772.	6. 10. H. 2.	Schreb. a. ups. 1. t. 5.
<b>PSIADIA.</b> W. <b>PSIADIA.</b> Syngenesia Polygamia Necessaria. W.				
glutinôsa. w. (ye.) glutinous.	Mauritius.	1796.	6. 8. S. 2.	Jacq. schen. 2. t. 152.

Subordo IV. *EUPATOREÆ.* Kth. synops. 2. p. 408.

<b>KUHNIA.</b> W. <b>KUHNIA.</b> Syngenesia Polygamia Æqualis.				
1 eupatorioides. w. (wh.) Eupatorium-like.	N. America.	1812.	6. 8. H. 2.	Linn. fil. dec. t. 11.
<i>Critônia eupatorioides.</i> G.				
2 Critônia. w. (st.) glandular-leaved.	—	1816.	— H. 2.	Gært. carp. 2. t. 174. f. 7.
<i>Critônia Kuhnia.</i> G.				
3 rosmarinifolia. s.s. .... Rosemary-leaved.	Cuba.	1827.	.... S. 2.	

EUPATORIUM. W.		EUPATORIUM. Syngenesia Polygamia Æqualis. L.	
1	Dàlea. w. (wh.) shrubby.	Jamaica.	1773. 8. S. h. Jacq. schœn. 2. t. 146.
2	parviflorum. w. (wh.) small-flowered.	—	1823. — S. h.
3	triflorum. w. (wh.) three-flowered.	Trinidad.	1821. 7. 8. S. h. Aub. gui. 2. t. 314.
4	macrophyllum. w. (li.) large-leaved.	S. America.	1824. .... S. 2. Plum. spec. 10. t. 129.
5	populifolium. k.s. (wh.) Poplar-leaved.	Mexico.	— ... S. h.
6	canescens. w. (wh.) canescent.	S. America.	1822. 6. 8. S. h. Vahl symb. 3. t. 73.
7	veronicæfolium. k.s. (w.) Speedwell-leav'd.	Mexico.	1825. .... S. h. H. et B. v. 4. t. 341.
8	feniculaceum. w. (st.) Fennel-leaved.	N. America.	1807. 6. 9. H. 2.
9	coronopifolium. w. (wh.) buckshorn-leaved.	—	1819. 8. 9. H. 2.
10	hyssopifolium. w. (wh.) Hyssop-leaved.	—	1699. — H. 2. Dill. elth. t. 115. f. 140.
11	sessilifolium. w. (wh.) sessile-leaved.	—	1777. 9. 10. H. 2.
12	truncatum. w. (wh.) truncate-leaved.	—	1822. 8. 10. H. 2.
13	album. w. (wh.) white-flowered.	—	— H. 2.
14	lanceolatum. w. (wh.) spear-leaved.	—	1819. 8. 11. H. 2.
15	teucrifolium. w. (wh.) Teucrium-leav'd.	—	1816. — H. 2. Willd. hort. ber. t. 32.
16	rotundifolium. w. (wh.) round-leaved.	—	1699. 7. 8. H. 2. Pluk. alm. t. 88. f. 4.
17	pubescens. w. (wh.) pubescent.	—	1816. 8. 10. H. 2.
18	ceanothifolium. w. (w.) Ceanothus-like.	—	1812. 8. 11. H. 2.
19	altissimum. w. (wh.) tall.	—	1699. 9. 10. H. 2. Jacq. vind. 2. t. 164.
20	trifoliatum. w. (wh.) three-leaved.	—	1768. 8. 10. H. 2.
21	cannabinum. w. (pu.) Hempagrimony.	Britain.	.... 7. 10. H. 2. Eng. bot. v. 6. t. 428.
22	syriacum. w. (ro.) Syrian.	Syria.	1807. 7. 9. H. 2. Jacq. ic. 1. t. 170.
23	diffusum. s.s. (wh.) spreading.	S. America.	1821. 6. 8. S. 2.
24	purpureum. w. (pu.) purple-stalked.	N. America.	1640. 9. 10. H. 2. Corn. canad. t. 72.
25	maculatum. w. (pu.) spotted-stalked.	—	1656. 8. 9. H. 2. Herm. parad. t. 158.
26	punctatum. Ph. (pu.) punctated.	—	1815. — H. 2.
27	verticillatum. w. (pu.) whorl-leaved.	—	1811. — H. 2.
28	perfoliatum. w. (wh.) Feverwort.	—	1699. 8. 10. H. 2. Pluk. alm. t. 87. f. 6.
29	salviæfolium. B.M. (wh.) Sage-leaved.	—	1812. — H. 2. Bot. mag. t. 2010.
30	lamiifolium. L.en. (wh.) Lamium-leaved.	—	1818. — H. 2.
31	paniculatum. Mil. (wh.) panicled.	—	.... — H. 2.
32	melissoïdes. w. (wh.) Balm-leaved.	—	1821. 8. 10. H. 2.
33	aromaticum. w. (wh.) aromatic.	—	1739. 7. 8. H. 2. Pluk. alm. t. 88. f. 3.
34	urticæfolium. w. (wh.) Nettle-leaved.	S. America.	1803. — G. 2. Smith ined. t. 68.
35	ageratoides. w. (wh.) Ageratum-like.	N. America.	1640. 8. 10. H. 2. Corn. canad. t. 21.
36	deltoidesum. w. (pi.) deltoid-leaved.	.....	1818. — S. 2. Jacq. schœn. 3. t. 369.
37	scândens. L.en. (ye.) climbing.	S. America.	1822. 6. 8. S. h.
38	squarrosum. w. (st.) squarrose.	Mexico.	1824. — S. 2. Cavan. ic. 1. t. 98.
39	atriplicifolium. w. (li.) Orache-leaved.	W. Indies.	1820. .... S. h.
40	sinuatum. P.s. (wh.) sinuate.	—	1824. 6. 8. S. h. Plum. sp. 10. ic. 128. f. 1.
41	odoratum. w. (wh.) sweet-scented.	Jamaica.	1752. 8. 10. S. h. Pluk. alm. t. 177. f. 3.
42	Ayapàna. v. (pu.) medicinal.	Brazil.	1821. — S. h. Vent. malm. p. 3. t. 3.
43	tripplinerve. P.s. .... triply-nerved.	Santa Cruz.	— S. h.
44	ivæfolium. w. (wh.) Iva-leaved.	Jamaica.	1794. 6. 7. S. 2.
45	stœchadifolium. L. (vi.) Stœchas-leav'd.	New Granada.	1826. .... S. h. Sm. ic. ined. t. 69.
46	myosotifolium. w. (bl.) Myosotis-leav'd.	S. America.	1824. 6. 8. S. 2. Jacq. ic. 3. t. 282.
47	iresinoides. k.s. (wh.) Iresine-like.	—	— S. 2. H. et B. v. 4. t. 340.
48	pulchellum. k.s. (vi.) pretty.	Mexico.	— S. h. — v. 4. t. 345.
49	xalapense. k.s. (wh.) six-angled.	—	— S. h.
50	repandum. w. (wh.) repand-leaved.	Antilles.	1822. — S. h. Plum. ic. 130. f. 1.
51	asperum. H.B. (wh.) rough.	E. Indies.	1820. 6. 8. S. h.
MIK'ANIA. W.		MIK'ANIA. Syngenesia Polygamia Æqualis. W.	
1	Houstoni. w. (wh.) Houstoun's.	Jamaica.	1733. 7. 8. S. h.
2	hastata. w. (wh.) halbert-leaved.	....	— S. h. Brown jam. t. 34. f. 3.
3	scândens. w. (wh.) climbing.	N. America.	1714. 8. 9. H. 2. Aub. gui. 2. t. 315.
4	Guáco. k.s. (wh.) medicinal.	S. America.	1823. .... S. 2. H. et B. pl. 2. t. 105.
5	amara. w. (wh.) bitter.	Trinidad.	1824. .... S. h. Aubl. gui. 2. t. 315.
6	opifera. Mart. (wh.) snakewort.	Brazil.	1822. .... S. h.
7	nummulària. D.D. (wh.) moneywort.	Mexico.	1826. 6. 8. S. 2.
ST'EVIA. W.		ST'EVIA. Syngenesia Polygamia Æqualis. W.	
1	connata. L.G. (wh.) connate-leaved.	New Spain.	1825. 8. 10. F. 2.
2	subpubescens. L.G. (w.) downy-branch'd.	—	— F. 2.
3	coriacea. L.G. (wh.) leather-leaved.	Peru.	1826. — F. 2.
4	lúcida. L.G. (wh.) glossy-leaved.	New Spain.	1822. — F. 2.
5	salicifolia. w. (wh.) Willow-leaved.	Mexico.	1803. — F. 2. Cavan. ic. 4. t. 354.
6	angustifolia. k.s. (wh.) narrow-leaved.	—	— F. 2.
7	trífida. L.G. (wh.) trifid-leaved.	New Spain.	1828. — F. 2.
8	micrantha. L.G. (wh.) small-flowered.	—	1825. 8. 10. F. 2.

9	incanescens. L.G. (wh.)	villous-stalked.	New Spain.	1825.	8. 10.	F. 2.	
10	pubescens. L.G. (pu.)	pubescent.	Mexico.	1823.	—	F. 2.	
11	tomentosa. K.S. (ro.)	tomentose.	—	1825.	—	F. 2.	
12	monardæfölia. K.S. (ro.)	Monarda-leav'd.	—	—	8. 9.	F. 2.	
13	fastigiata. K.S. (wh.)	crowded-flower'd.	New Spain.	1828.	—	F. 2.	
14	adenóphora. L.G. (wh.)	glandular.	Chile.	1822.	—	F. 2.	
15	enarthrotricha. L.G. (w.)	jointed haired.	New Spain.	1828.	—	F. 2.	
16	ovata. L.G. (wh.)	oval-leaved.	Mexico.	1816.	8. 9.	F. 2.	
17	subcoaristata. L.G. (w.)	8-awned.	Peru.	1824.	—	F. 2.	
18	paniculata. L.G. (wh.)	panicled.	New Spain.	—	—	F. 2.	
19	suaveolens. L.G. (wh.)	sweet-scented.	—	1827.	—	F. 2.	
20	rhombifölia. K.S. (wh.)	rhomb-leaved.	Mexico.	1826.	8. 10.	F. 2.	
21	nepetæfölia. K.S. (wh.)	catmint-leaved.	—	—	—	F. 2.	
22	Eupatória. w. (ro.wh.)	entire-leaved.	—	1798.	7. 9.	F. 2.	Bot. mag. t. 1849.
23	lanceolata. L.G. (bh.)	spear-leaved.	—	1824.	—	F. 2.	
24	hyssopifölia. B.M. (wh.)	Hyssop-leaved.	—	....	—	F. 2.	Bot. mag. t. 1861.
25	ivæfölia. W.en. (wh.)	Iva-leaved.	—	1816.	7. 9.	F. 2.	
26	serrata. w. (wh.)	saw-leaved.	—	1799.	—	F. 2.	Jacq. schœn. 3. t. 300.
27	virgata. K.S. (wh.)	slender.	—	1824.	—	F. 2.	
28	purpurea. W.en. (pu.)	purple-flowered.	—	1812.	8. 9.	H. 2.	Bot. reg. t. 93.
	<i>Eupatória. B.R. nec aliorum.</i>						
29	viscida. K.S. (ro.)	rose-coloured.	—	1824.	9. 10.	F. 2.	
30	pilosa. L.G. (ro.)	hairy.	New Spain.	1825.	8. 10.	F. 2.	
31	microphylla. K.S. (bh.)	small-leaved.	Mexico.	1828.	—	F. 2.	
PALAFO'XIA. Lag.			PALAFO'XIA.	Syngenesia Polygamia Æqualis.			
1	linearis. L.G. (wh.)	linear-leaved.	Mexico.	1816.	8. 10.	F. 2.	Bot. mag. t. 2132.
	<i>Stèvia linearis. w. Ageratum lineære. Cav. ic. 3. t. 205.</i>						
2	callosa. D.D. (wh.)	callous.	Arkansa.	1824.	6. 8.	H. 0.	
	<i>Stèvia callosa. N.</i>						
AGERATUM. W.			AGER'ATUM.	Syngenesia Polygamia Æqualis. L.			
1	strictum. B.M. (wh.)	upright.	Nepaul.	1820.	9. 11.	H. 0.	Bot. mag. t. 2410.
2	conyzoides. w. (bl.)	hairy.	America.	1714.	7. 8.	H. 0.	Schk. hand. 3. t. 238.
3	ceruleum. P.S. (bl.)	blue-flowered.	S. America.	1820.	—	H. 0.	
4	mexicanum. B.M. (bl.)	Mexican.	Mexico.	1823.	8. 10.	H. 0.	Swt. br. fl. gar. t. 89.
5	latifolium. w. (wh.)	broad-leaved.	Peru.	1800.	7. 8.	H. 0.	Cavan. ic. 4. t. 357.
6	Houstonianum. Mil. (bl.)	Houstoun's.	S. America.	....	6. 8.	S. 0.	
7	paniculatum. Scr. (bl.)	panicled.	—	1827.	9. 10.	H. 0.	
8	album. w. (wh.)	white-flowered.	—	1822.	6. 9.	H. 0.	
	<i>hirtum. Lam.</i>						
9	maritimum. K.S. (bl.)	sea-side.	Cuba.	1826.	—	S. 2.	
10	cordifolium. H.B. (wh.)	heart-leaved.	Bengal.	1820.	8. 10.	S. 0.	
11	aquaticum. H.B. (wh.)	water.	E. Indies.	—	—	S. 0.	
CŒLEST'INA. Cas.			CŒLEST'INA.	Syngenesia Polygamia Æqualis.			
1	suffruticosa. (bl.)	suffruticose.	S. America.	....	7. 10.	G. 2.	Bot. mag. t. 1730.
	<i>Ageratum caelestinum. B.M.</i>						
2	ageratoïdes. K.S. (bl.)	Ageratum-like.	New Spain.	1824.	—	G. 2.	
3	cerulea. Cas. (bl.)	blue-flowered.	N. America.	1732.	7. 11.	H. 2.	Dill. elth. t. 114. f. 139.
	<i>Eupatorium caelestinum. w.</i>						
AL'OMIA. K.S.			AL'OMIA.	Syngenesia Polygamia Æqualis.			
	ageratoïdes. K.S. (wh.)	white-flowered.	New Spain.	1823.	7. 9.	G. 2.	H. et B. 4. t. 354.
PIQU'ERIA. W.			PIQU'ERIA.	Syngenesia Polygamia Æqualis. W.			
1	trinervia. w. (wh.)	three-nerved.	Mexico.	1798.	7. 8.	G. 2.	Cavan. ic. 3. t. 235.
2	pilosa. K.S. (wh.)	hairy.	—	1824.	—	G. 2.	
3	artemisioïdes. K.S. (wh.)	Wormwood-like.	Quito.	—	8. 12.	G. 2.	
SELL'OA. Spr.			SELL'OA.	Syngenesia Polygamia Æqualis.			
	glutinosa. B.R. (ye.)	clammy.	Brazil.	1815.	1. 5.	G. 2.	Bot. reg. t. 462.
LEYS'ERA. W.			LEYS'ERA.	Syngenesia Polygamia Superflua. W.			
1	ciliata. w. (ye.)	ciliated.	C. B. S.	1816.	7. 8.	G. 2.	
2	gnaphalodes. w. (or.)	woolly.	—	1774.	7. 9.	G. 2.	Jacq. ic. 3. t. 588.

SUBORDO V. JACOBÆÆ. *Kth. synops. 2. p. 440.*

KLEI'NIA. W.			KLEI'NIA.	Syngenesia Polygamia Æqualis. W.			
1	ruderalis. w. (gr.ye.)	glaucous-leav'd.	S. America.	1824.	7. 10.	S. 0.	Jacq. amer. t. 127.
2	Porophyllum. w. (gr.ye.)	perforated.	—	1699.	6. 10.	S. 0.	Cavan. ic. 3. t. 222.
3	viridiflora. K.S. (gr.)	green-flowered.	Mexico.	1823.	—	S. 2.	

- 4 tagetoides. K.S. (*gr.*) Tagetes-like. Mexico. 1823. 6. 10. H. ☉  
 5 suffruticosa. w. (*pu.*) suffruticose. S. America. 1825. — G. ♀. Cavan. ic. 3. t. 257.  
 6 colorata. K.S. (*vi.*) violet-colour'd. Mexico. — H. ☉.
- CACALIA. W. CACALIA. Syngenesia Polygamia Æqualis. L.**
- 1 papillaris. w. (*wh.*) rough-stalked. C. B. S. 1727. .... G. ♀. Dill. elth. t. 55. f. 63.  
 2 Anteuphórbium. w. (*st.*) oval-leaved. — 1596. 2. 3. G. ♀. — t. 55. f. 2. 3.  
 3 Kleínia. w. (*wh.*) Oleander-leaved. Canaries. 1732. 9. 10. G. ♀. DC. plant. gras. t. 12.  
 4 Ficoides. w. (*st.*) flat-leaved. C. B. S. 1710. 6. 11. G. ♀. — t. 90.  
 5 repens. w. (*st.*) glaucous-leaved. — 1759. 6. 10. G. ♀. — t. 42.  
 6 cylíndrica. DC. (*ye.*) cylindrical. Africa. 1818. — G. ♀. — t. ic.  
 7 carnosa. w. (*st.*) narrow-leaved. C. B. S. 1757. 6. G. ♀.  
 8 canescens. w. (*st.*) woolly-leaved. — 1795. .... G. ♀.  
*Havórhthii.* H.S.L. *Kleínia tomentosa.* H.S. non *C. tomentosa.* L.  
 9 longifolia. H.R. .... long-leaved. .... 1820. .... S. ♀.  
*pugionifórmis.* L.en.
- 10 articulata. w. (*wh.*) jointed. C. B. S. 1775. 9. 11. G. ♀. DC. plant. gras. t. 18.  
*laciniata.* Jacq. ic. 1. t. 168.  
 11 tomentosa. w. (*ye.*) tomentose. — 1795. — G. ♀.  
 12 reticulata. w. (*ye.*) netted. Bourbon. 1823. .... G. ♀.  
 13 appendiculata. w. (*ye.*) appendaged. Teneriffe. 1815. 6. 9. G. ♀.  
 14 salicina. Lab. (*ye.*) willow-leaved. V. Diem. Isl. 1820. 4. 6. G. ♀. Bot. reg. t. 923.  
 15 bicolor. w. (*or.*) two-coloured. E. Indies. 1804. 9. 5. S. ♀. — t. 110.  
 16 ovalis. B.R. (*ye.*) oval-leaved. .... S. ♀. — t. 102.  
 17 sonchifolia. w. (*sc.*) Sonchus-leaved. — 1768. 7. S. ☉. Rheed. mal. 10. t. 68.  
 18 coccinea. B.M. (*sc.*) scarlet-flower'd. S. America. 1799. 6. 7. H. ☉. Bot. mag. t. 564.  
 19 sarracena. w. (*st.*) creeping-rooted. France. 1772. 8. 10. H. ♀.  
 20 runcinata. K.S. (*ro.*) runcinate. Mexico. 1825. .... H. ♀.  
 21 hastata. w. (*wh.*) spear-leaved. Siberia. 1780. 8. 10. H. ♀. Gmel. sib. 2. t. 66.  
 22 rhombifolia. W.en. (*st.*) rhomb-leaved. — 1816. — H. ♀.  
 23 macrophylla. M.B. (*st.*) large-leaved. Caucasus. 1828. — H. ♀.  
 24 suavæolens. w. (*wh.*) sweet-scented. N. America. 1752. — H. ♀.  
 25 atriplicifolia. w. (*wh.*) Orache-leaved. — 1699. 8. H. ♀. Pluk. alm. t. 101. f. 2.  
 26 cordifolia. K.S. (*ye.*) heart-leaved. Mexico. 1825. 7. 9. F. ♀.  
 27 renifórmis. w. (*wh.*) kidney-leaved. N. America. 1801. 7. 8. H. ♀.  
 28 tuberosa. n. (*wh.*) tuberous-rooted. — 1812. — H. ♀.  
 29 pinnata. W.en. (*ye.*) pinnate-leaved. Iberia. 1816. — H. ♀.  
 30 peltata. K.S. (*gr.*) peltated. Mexico. 1825. — G. ♀. H. et Bonpl. 4. t. 361.  
 31 scandens. w. (*pi.*) climbing. C. B. S. 1774. 4. G. ♀. ✓.
- EMILEA. Cas. EMILEA. Syngenesia Polygamia Æqualis.**  
 flámmea. Cas. (*or.pu.*) flame-flowered. Java. 1823. 6. 9. S. ☉.  
*Cacalia sagittata.* w.
- ADENO'STYLES. Cas. ADENO'STYLES. Syngenesia Polygamia Æqualis.**
- 1 candidissima. Cas. (*pu.*) hoary. S. France. 1828. 7. 9. H. ♀.  
*Cacalia tomentosa.* Vill. *leucophylla.* w.  
 2 álvida. Cas. (*pi.*) white-leaved. Austria. 1739. 7. 8. H. ♀. Jacq. aust. 3. t. 235.  
*Cacalia álbifrons.* Jacq.  
 3 víridis. Cas. (*li.*) alpine. — — — — H. ♀. Jacq. aust. 3. t. 234.  
*Cacalia alpina.* Jacq.
- TUSSILAGO. W. COLTSFOOT. Syngenesia Polygamia Superflua. L.**
- 1 alpina. w. (*pu.*) Alpine. Austria. 1710. 3. 5. H. ♀. Bot. mag. t. 84.  
 2 discolor. w. (*pu.*) two-coloured. — 1633. 4. 5. H. ♀. Jacq. aust. 3. t. 247.  
 3 sylvestris. w. (*pu.*) wood. — 1816. — H. ♀. — 5. app. t. 12.  
 4 Fáfara. w. (*ye.*) common. Britain. .... 3. 4. H. ♀. Eng. bot. v. 6. t. 429.  
*β variegata.* (*ye.*) *variegated-leav'd.* — — — — H. ♀.  
 5 frígida. w. (*pu.*) Lapland. Lapland. 1710. 5. H. ♀. Flor. dan. t. 61.  
 6 frágrans. w. (*bh.*) fragrant. Italy. 1806. 1. 3. H. ♀. Bot. mag. t. 1388.  
 7 álba. w. (*wh.*) white butter-bur. Europe. 1683. 1. 4. H. ♀. Flor. dan. t. 524.  
 8 corymbosa. s.s. (*wh.*) corymbose. Arctic regions. 1827. — H. ♀.  
 9 nívea. w. (*wh.*) downy-leaved. Switzerland. 1713. 4. H. ♀. Retz. obs. 2. t. 3.  
*paradoxa.* Retz.
- 10 Petasites. E.B. (*bh.*) common butter bur. Britain. .... 3. 4. H. ♀. Eng. bot. v. 6. t. 431.  
 11 híbrida. E.B. (*bh.*) large-leaved. — — — — H. ♀. — v. 6. t. 430.  
 12 spúria. w. (*wh.*) lobe-leaved. Germany. 1790. — H. ♀. Retz. obs. 1. t. 2.  
*paradoxa.* Roth.
- 13 palmata. w. (*wh.*) cut-leaved. Labrador. 1778. 4. H. ♀. Hort. Kew. v. 3. t. 11.
- SEN'ECIO. W. GROUNDSEL. Syngenesia Polygamia Superflua. W.**
- 1 reclínatus. w. (*ye.*) grass-leaved. C. B. S. 1774. 6. 8. G. ♂. Jacq. ic. 1. t. 174.  
 2 hieracifólius. w. (*ye.*) hawkweed-leav'd. N. America. 1699. 8. H. ☉. Herm. parad. t. 226.  
 3 purpúreus. w. (*pu.*) purple. C. B. S. 1774. 7. 9. G. ♀. Jacq. ic. 3. t. 580.

4	cérnuus. w.	( <i>pu.</i> ) drooping.	E. Indies.	1780.	7. 8.	H. ☉.	Jacq. vind. 3. t. 98.
5	erubéscens. w.	( <i>bh.</i> ) blush-coloured.	C. B. S.	1774.	6. 10.	G. ♂.	
6	hæmatophyllus. W.	( <i>ye.</i> ) purple leaved.	—	1789.	—	G. ♀.	
7	divaricatús. w.	( <i>ye.</i> ) straddling.	China.	1801.	7.	G. ♂.	
8	croáticus. w.	( <i>ye.</i> ) Croatian.	Hungary.	1805.	7. 8.	H. ♀.	W. et K. hung. 2. t. 143.
9	Pseúdo-China. w.	( <i>or.</i> ) Chinese.	China.	1732.	6. 8.	G. ♀.	Dill. elth. t. 258. f. 335.
10	japónicus. w.	( <i>ye.</i> ) jagged-leaved.	Japan.	1774.	8.	H. ♀.	
11	vulgáris. w.	( <i>ye.</i> ) common.	Britain.	....	1. 12.	H. ♀.	Eng. bot. v. 11. t. 747.
12	lanuginósus. s.s.	( <i>ye.</i> ) woolly.	.....	1827.	4. 8.	H. ☉.	
13	valerianaefólius. s.s.	( <i>ye.</i> ) Valerian-leav'd.	Brazil.	1826.	6. 10.	F. ☉.	
14	peucedanifólius. w.	( <i>w.</i> ) Peucedanum-leav'd.	C. B. S.	1816.	6. 8.	G. ♀.	Jacq. ic. 3. t. 581.
	<i>Cacàlia peucedanifólia.</i> Jacq.						
15	arábicus. w.	( <i>ye.</i> ) Arabian.	Egypt.	1804.	7. 8.	H. ♂.	
16	verbenafólius. w.	( <i>ye.</i> ) Vervain-leav'd.	—	1803.	6. 7.	H. ☉.	Jacq. vind. 1. t. 3.
17	glomerátus. L.en.	( <i>ye.</i> ) close-flowered.	N. Holland.	1816.	8. 10.	H. ☉.	
18	calacióides. L.en.	( <i>ye.</i> ) Calacia-like.	Brazil.	1820.	—	H. ☉.	
19	triflórus. w.	( <i>ye.</i> ) three-flowered.	Egypt.	1776.	7. 9.	H. ☉.	
20	ægýptius. w.	( <i>ye.</i> ) Egyptian.	—	1771.	7. 8.	H. ☉.	
21	crassifólius. w.	( <i>ye.</i> ) thick-leaved.	S. Europe.	1815.	—	H. ☉.	
22	lívidus. w.	( <i>ye.</i> ) livid.	Britain.	....	—	H. ☉.	Eng. bot. v. 35. t. 2515.
23	telephifólius. w.	( <i>ye.</i> ) Telephium-leav'd.	C. B. S.	1823.	—	H. ☉.	Jacq. frag. 1. t. 1. f. 3.
24	trilóbis. w.	( <i>ye.</i> ) three-lobed.	Spain.	1728.	6. 8.	H. ☉.	
25	cineráscens. w.	( <i>ye.</i> ) gray.	C. B. S.	1774.	5. 7.	G. ♀.	Jacq. schœm. 2. t. 150.
26	lilacinus. s.s.	( <i>li.</i> ) lilac-coloured.	—	1826.	6. 12.	G. ♀.	Link et Ott. abb. ic.
27	viscósus. w.	( <i>ye.</i> ) stinking.	Britain.	....	6. 10.	H. ☉.	Eng. bot. v. 1. t. 32.
28	sylváticus. w.	( <i>st.</i> ) mountain.	—	....	7. 8.	H. ☉.	— v. 11. t. 748.
29	coronopifólius. w.	( <i>ye.</i> ) Buck'shorn-leav'd.	Spain.	1821.	—	H. ☉.	
30	nebrodénis. w.	( <i>ye.</i> ) Nebrodes.	S. Europe.	1704.	6. 8.	H. ☉.	Barrel. rar. 401.
31	glaucus. w.	( <i>ye.</i> ) sea-green.	Egypt.	1739.	—	H. ☉.	
32	Marmóræ. s.s.	( <i>ye.</i> ) Sardinian.	Sardinia.	1829.	4. 5.	H. ♂.	
33	hastátus. w.	( <i>ye.</i> ) halbert-leaved.	C. B. S.	1722.	5. 8.	G. ♀.	Dill. elth. t. 152. f. 184.
34	pubíferus. w.	( <i>ye.</i> ) runcinate-leav'd.	—	1816.	—	G. ♀.	Moris. s. 7. t. 18. f. 32.
35	vernális. w.	( <i>ye.</i> ) spring.	Hungary.	1803.	4. 6.	H. ☉.	W. et K. hung. 1. t. 24.
36	montánus. w.	( <i>ye.</i> ) smooth mountain.	Germany.	1819.	—	H. ☉.	
37	rupéstris. w.	( <i>ye.</i> ) rock.	Hungary.	1805.	6. 7.	H. ♀.	W. et K. hung. 2. t. 128.
38	laciniáta. Bért.	( <i>ye.</i> ) jagged.	Italy.	1822.	5. 8.	H. ♂.	
39	dentátus. w.	( <i>ye.</i> ) toothed-leaved.	C. B. S.	1823.	—	G. ♀.	
40	squamósus. w.	( <i>ye.</i> ) scaly.	—	1816.	—	G. ♀.	
41	venústus. w.	( <i>re.</i> ) wing-leaved.	—	1774.	5. 11.	G. ♀.	Bot. reg. t. 901.
42	élegans. w.	( <i>re.wh.</i> ) elegant.	—	1700.	6. 8.	H. ☉.	
	<i>a rûber.</i>	( <i>re.</i> ) red-flowered.	—	—	—	H. ☉.	
	<i>β álbus.</i>	( <i>wh.</i> ) white-flowered.	—	—	—	H. ☉.	
	<i>γ plêno-álbus.</i>	( <i>wh.</i> ) double-white.	—	—	4. 11.	G. ♀.	
	<i>δ plêno-rûber.</i>	( <i>re.</i> ) double red.	—	—	—	G. ♀.	Bot. mag. t. 238.
43	speciósus. w.	( <i>re.</i> ) red-flowered.	China.	1789.	7. 8.	G. ♀.	Bot. reg. t. 41.
44	squálidus. w.	( <i>ye.</i> ) inelegant.	England.	....	6. 10.	H. ☉.	Eng. bot. v. 9. t. 600.
45	erucæfólius. w.	( <i>ye.</i> ) Eruca-leaved.	Europe.	1816.	7. 8.	H. ♀.	
46	chrysanthemifólius.	( <i>ye.</i> ) Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H. ♀.	Bocc. sic. t. 67.
47	uniflórus. w.	( <i>ye.</i> ) one-flowered.	S. Europe.	1799.	7. 8.	H. ♀.	All. ped. t. 17. f. 8.
48	incânus. w.	( <i>ye.</i> ) downy.	—	1759.	—	H. ♀.	Pluk. alm. t. 39. f. 6.
49	abrotanifólius. w.	( <i>ye.</i> ) Southernwood-leav'd.	—	1640.	7. 10.	H. ♀.	Jacq. aust. 1. t. 79.
50	artemisæfólius. P.S.	( <i>ye.</i> ) Wormwood-leav'd.	France.	1820.	—	H. ♀.	
51	præáltus. s.s.	( <i>ye.</i> ) lofty.	Italy.	1827.	7. 8.	H. ♀.	
52	Othónnæ. M.B.	( <i>ye.</i> ) Othonna-like.	Caucasus.	1822.	—	H. ♀.	
53	Marschalliânus. s.s.	( <i>ye.</i> ) Bieberstein's.	Ukraine.	1826.	—	H. ♀.	
	<i>arenárius.</i> M.B. non Thunb.						
54	grandiflórus. s.s.	( <i>ye.</i> ) large-flowered.	C. B. S.	1824.	6. 8.	G. ♀.	Pluk. mant. t. 422. f. 5.
55	glaucéscens. s.s.	( <i>ye.</i> ) glaucous.	.....	1826.	6. 10.	H. ☉.	
56	carniolicus. s.s.	( <i>ye.</i> ) Carniolian.	Carniola.	1827.	7. 8.	H. ♀.	
57	adonidifólius. Lois.	( <i>ye.</i> ) Adonis-leaved.	.....	1826.	7. 10.	H. ♀.	
58	dahúricus. F.	( <i>ye.</i> ) Dahurian.	Dahuria.	1821.	—	H. ♀.	
59	umbellátus. s.s.	( <i>ye.pu.</i> ) umbel-flowered.	C. B. S.	1822.	6. 8.	G. ♀.	
60	canadénis. w.	( <i>ye.</i> ) Canadian.	N. America.	1818.	—	H. ♀.	
61	delphinifólius. w.	( <i>ye.</i> ) Larkspur-leav'd.	Sicily.	1823.	—	H. ♀.	Vahl symb. 2. t. 43.
62	tenuifólius. w.	( <i>ye.</i> ) slender-leaved.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 8. t. 574.
63	Jacobæa. w.	( <i>ye.</i> ) common-ragwort.	—	—	—	H. ♀.	— v. 16. t. 1130.
64	erráticus. s.s.	( <i>ye.</i> ) water.	S. Europe.	1826.	5. 7.	H. ♀.	
65	aquatícus. w.	( <i>ye.</i> ) marsh.	—	....	—	H. ♀.	Eng. bot. v. 16. t. 1131.
66	aureus. w.	( <i>ye.</i> ) golden.	N. America.	1758.	7. 8.	H. ♀.	

67	lyratifolius. s.s.	(ye.)	lyrate-leaved.	S. Europe.	1826.	5. 6. H. 2.	
68	fragrans. s.s.	(ye.)	fragrant.	Siberia.	—	6. 8. H. 2.	
69	Balsamitæ. w.	(ye.)	various-leaved.	N. America.	1819.	—	H. 2.
70	obovatus. w.	(ye.)	obovate-leaved.	—	—	—	H. 2.
71	leucophyllus. DC.	(ye.)	white-leaved.	S. Europe.	1821.	—	H. 2.
72	rosmarinifolius. w.	(ye.)	Rosemary-leav'd.	C. B. S.	....	7. 8. G. h.	Jacq. ic. 3. t. 587.
73	asper. w.	(ye.)	rough.	—	1774.	—	G. h.
74	linifolius. w.	(ye.)	Flax-leaved.	Spain.	1817.	—	H. 2.
75	rigescens. w.	(ye.)	stiff-leaved.	C. B. S.	1815.	—	G. h.
76	nervatus. s.s.	(pu.)	nerved-leaved.	—	1824.	7. 8. G. h.	Jacq. coll. 5. t. 6. f. 1.
77	paludosus. w.	(ye.)	Bird's-tongue.	England.	....	6. 8. H. 2.	Eng. bot. v. 10. t. 650.
78	persicæfolius. DC.	(ye.)	peach-leaved.	Pyrenees.	1817.	—	H. 2.
79	memorënsis. w.	(ye.)	branching.	Austria.	1785.	7. 8. H. 2.	Ram. bul. phil. t. 11. f. 3.
80	sarracënicus. w.	(ye.)	creeping-root'd.	Britain.	....	7. 10. H. 2.	Jacq. aust. 2. t. 184.
81	ovatus. w.	(ye.)	oval-leaved.	Germany.	1817.	—	H. 2.
82	coriæceus. w.	(ye.)	leathery-leaved.	Levant.	1728.	7. 8. H. 2.	Dill. elth. t. 105. f. 125.
83	Dória. w.	(ye.)	broad-leaved.	Austria.	1570.	7. 9. H. 2.	Jacq. aust. 2. t. 185.
84	macrophyllus. M.B.	(ye.)	large-leaved.	Caucasus.	1817.	—	H. 2.
85	Doronicum. w.	(ye.)	Leopard's-bane.	S. Europe.	1705.	—	H. 2.
86	umbrosus. w.K.	(ye.)	ear-leaved.	Hungary.	1815.	—	H. 2.
87	Barreliéri. w.	(ye.)	Barrelier's.	Pyrenees.	1824.	—	H. 2.
88	lanceus. w.	(ye.)	spear-leaved.	C. B. S.	1774.	7. 10. G. h.	Barrel. ic. 146.
89	oporinus. w.	(ye.)	Jacquin's.	—	....	—	G. 2.
90	longifolius. w.	(ye.)	long-leaved.	—	1775.	8. 11. G. h.	Jacq. schön. 3. t. 304.
91	halimifolius. w.	(ye.)	succulent-leaved.	—	1723.	7. G. h.	Comm. hort. 2. t. 71.
92	ilicifolius. w.	(ye.)	Ilex-leaved.	—	1731.	6. 7. G. h.	Dill. elth. t. 104. f. 124.
93	rigidus. w.	(ye.)	hard-leaved.	—	1704.	6. 9. G. h.	Comm. rar. t. 42.
94	solidaginoides. w.	(ye.)	Golden-rod-like.	—	1704.	6. 9. G. h.	Comm. hort. 2. t. 75.
95	vérnus. Biv.	(ye.)	vernal.	Italy.	1819.	—	G. h.
96	cordifolius. s.s.	(ye.)	heart-leaved.	C. B. S.	1827.	7. 9. G. 2.	Hout. syst. 4. t. 32. f. 1.
97	arenarius. s.s.	(ye.)	sand.	—	1826.	—	G. 2.
98	spicatus.	(ye.)	spike-flowered.	.....	1828.	—	H. 2.
ADENOTRÍCHA. B.R.		ADENOTRÍCHA. Syngenesia		Polygamia Superflua.			
amplexicaulis. B.R.		(ye.)	stem-clasping.	Chile.	1826.	5. 7. F. 2.	Bot reg. t. 1190.
SENECÍLLIS. G.		SENECÍLLIS. Syngenesia		Polygamia Superflua.			
glauca. G.		(ye.)	glaucous.	Siberia.	1790.	6. 7. H. 2.	Gmel. sib. 2. t. 74.
Cinerária glauca. w.							
CINERÁRIA. W.		CINERÁRIA. Syngenesia		Polygamia Superflua. L.			
1	americana. w.	(ye.)	American.	S. America.	1823.	....	S. h.
2	incana. P.S.	(ye.)	hoary.	Jamaica.	—	6. 8. S. h.	
3	díscolur. P.S.	(ye.)	two-coloured.	—	1822.	—	S. h.
4	lúcida. P.S.	(ye.)	glossy.	W. Indies.	—	—	S. h.
5	glabrata. s.s.	(ye.)	smooth.	—	1827.	4. 7. S. h.	Plum. 2. ic. 154.
6	geifólia. w.	(ye.)	kidney-leaved.	C. B. S.	1710.	4. 8. G. h.	Comm. hort. 2. t. 73.
7	canescens. L.en.	(ye.)	small-flowered.	—	1790.	—	G. h.
8	aúrita. w.	(pu.)	purple-flower'd.	Madeira.	1777.	6. 7. G. h.	Bot. mag. t. 1990.
9	láctea. W.en.	(wh.)	milk-coloured.	.....	1816.	—	G. h.
10	lanata. w.	(pu.)	woolly.	Canaries.	1780.	5. 9. G. h.	— t. 1786.
11	hy'brida. W.en.	(ye.)	hybrid.	Hybrid.	....	2. 5. G. h.	Bot. mag. t. 53.
12	elátur. L.en.	(wh.)	tall.	.....	....	—	G. h.
13	crúenta. w.	(pu.)	purple-leaved.	Canaries.	1777.	—	G. 2.
aúrita. A.R. 24.		nec aliorum.					
14	pulchélla.	(re.)	bright red-flower'd.	—	1818.	—	G. 2.
15	populifolia. H.K.	(re.)	Poplar-leaved.	—	1780.	6. 9. G. h.	Venten. malm. t. 100.
16	hypoleuca. s.s.	(pu.)	snowy-leaved.	C. B. S.	1828.	4. 7. G. h.	
17	venústa. s.s.	(re.)	charming.	—	—	—	G. 2.
18	lobata. w.	(ye.)	lobed.	—	1774.	6. 8. G. h.	
19	malvæfolia. w.	(li.)	Mallow-leaved.	Azores.	1777.	8. G. 2.	
20	petasites. B.M.	(ye.)	butter-bur-leav'd.	Mexico.	1812.	12. 2. G. h.	Bot. mag. t. 1536.
21	præcox. w.	(ye.)	early-flowering.	—	1824.	2. 4. G. h.	DC. pl. rar. gen. t. 7.
22	sibíríca. w.	(ye.)	Siberian.	Siberia.	1784.	6. 8. H. 2.	Bot. mag. t. 1869.
23	speciosa. L.en.	(ye.)	large-flowered.	—	1818.	—	H. 2.
24	caucásica. M.B.	(ye.)	Caucasean.	Caucasus.	1820.	—	H. 2.
25	gigántea. H.K.	(bh.)	gigantic.	Cape Horn.	1801.	7. 8. H. 2.	Sm. exot. bot. 2. t. 65.
26	lævis. s.s.	(ye.)	smooth.	C. B. S.	1828.	4. 7. G. 2.	
27	crenata. s.s.	(st.)	crenate.	—	—	—	G. 2.
28	palústris. w.	(ye.)	marsh.	England.	....	—	H. 2.
29	aurantiaca. w.	(or.)	orange-colour'd.	Switzerland.	1818.	5. 7. H. 2.	Eng. bot. v. 3. t. 151.
30	campéstris. w.	(ye.)	mountain.	N. Europe.	....	—	H. 2.
						5. 7. H. 2.	Swt. br. fl. gar. t. 256.
						—	H. 2.
						—	Jacq. aust. t. 180.

31	<i>integrifolia</i> E.B.	(ye.) entire-leaved.	England.	.....	5. 7.	H. 2.	Eng. bot. v. 3. t. 152.
32	<i>longifolia</i> W.	(ye.) long-leaved.	Austria.	1792.	6. 8.	H. 2.	Jacq. aust. 2. t. 181.
33	<i>crispa</i> W.	(ye.) curled.	—————	1818.	—	H. 2.	————— 2. t. 178.
34	<i>cordifolia</i> W.	(ye.) heart-leaved.	—————	1739.	7. 8.	H. 2.	————— 2. t. 176.
35	<i>media</i> W.K.	(ye.) intermediate.	Hungary.	1818.	—	H. 2.	
36	<i>alpina</i> W.	(ye.) Alpine.	Austria.	1683.	6. 8.	H. 2.	Jacq. aust. 2. t. 177.
37	<i>aurea</i> W.	(ye.) golden.	Siberia.	1825.	—	H. 2.	
38	<i>rivularis</i> S.S.	(ye.) rivulet.	Hungary.	1822.	—	H. 2.	
39	<i>crassifolia</i> S.S.	(ye.) thick-leaved.	Carinthia.	1825.	—	H. 2.	
40	<i>alpestris</i> S.S.	(ye.) rough-leaved.	N. Europe.	1826.	—	H. 2.	
41	<i>spathulæfolia</i> S.S.	(ye.) spatulate-leav'd.	Görmány.	1820.	—	H. 2.	
42	<i>papposa</i> S.S.	(ye.) long-chaffed.	Gallicia.	1828.	—	H. 2.	
43	<i>parviflora</i> S.S.	(ye.) small-flowered.	Caucasus.	1827.	—	H. 2.	
44	<i>congësta</i> S.S.	(ye.) close-headed.	Melville Isl.	—	5. 6.	H. 2.	
45	<i>taraxacifolia</i> S.S.	(ye.) Dandelion-leav'd.	Caucasus.	1824.	6. 8.	H. 2.	
46	<i>exsquàmata</i>	(ye.) scaleless.	Portugal.	1827.	—	H. 2.	
<i>Senecio exsquàmatus</i> Brot.							
47	<i>frigida</i> S.S.	(ye.) frigid.	N. America.	1827.	5. 6.	H. 2.	
48	<i>scapiflora</i> S.S.	(ye.) long-peduncled.	C. B. S.	1828.	—	G. 2.	
49	<i>gibbosa</i> S.S.	(ye.) gibbous-headed.	Sicily.	—	6. 8.	H. 2.	
50	<i>Aitoniana</i> S.S.	(ye.) Aiton's.	.....	....	—	G. 2.	
51	<i>maritima</i> W.	(ye.) sea ragwort.	S. Europe.	1633.	7. 9.	F. 2.	Flor. græc. t. 871.
52	<i>bicolor</i> W.	(ye.) shining-leaved.	.....	1820.	—	F. 2.	
53	<i>acanthifolia</i> S.S.	(ye.) Acanthus-leav'd.	Levant.	1826.	—	G. 2.	
54	<i>thyrsoides</i> F.	(ye.) thyrses-flower'd.	Armenia.	1827.	—	H. 2.	
55	<i>angulata</i>	(ye.) angular-leaved.	Mexico.	—	12. 1.	G. 2.	
56	<i>canadensis</i>	(ye.) Canadian.	Canada.	1739.	6. 8.	H. 2.	
57	<i>linifolia</i> W.	(ye.) flax-leaved.	C. B. S.	....	—	G. 2.	Jacq. schoen. 3. t. 308.
58	<i>angustifolia</i> K.S.	(ye.) narrow-leaved.	Mexico.	1825.	....	G. 2.	
59	<i>humifusa</i> W.	(ye.) trailing.	C. B. S.	1704.	7. 8.	G. 2.	
60	<i>viscosa</i> W.	(wh.) clammy.	—————	1774.	6. 8.	G. 2.	Jacq. frag. 12. t. 7. f. 2
61	<i>vestita</i> H.R.	(ye.) clothed.	—————	1824.	5. 6.	G. 2.	
<b>AGATHÆA</b> Cas. <b>AGATHÆA</b> . Syngenesia Polygamia Superflua.							
	<i>cœlestis</i> Cas.	(bl.) Cape-Aster.	C. B. S.	1753.	2. 9.	G. 2.	Bot. mag. t. 249.
<i>Cineraria amelloides</i> W.							
<b>KAULFUSSIA</b> Nees. <b>KAULFUSSIA</b> . Syngenesia Polygamia Superflua.							
1	<i>amelloides</i> Nees.	(bl.) blue-flowered.	C. B. S.	1819.	6. 7.	H. 2.	Bot. reg. t. 490.
2	<i>ciliata</i> S.S.	(st.) fringed.	—————	1822.	6. 9.	H. 2.	
<b>TAGÈTES</b> W. <b>TAGÈTES</b> . Syngenesia Polygamia Superflua. L.							
1	<i>lucida</i> W.	(ye.) sweet-scented.	Mexico.	1798.	7. 11.	F. 2.	Bot. mag. t. 740.
2	<i>florida</i> B.F.G.	(ye.) gay-flowering.	—————	1827.	8. 11.	F. 2.	Swt. br. fl. gar. s. 2. t. 35.
3	<i>pátula</i> W.	(pu.) French Marygold.	—————	1573.	7. 10.	H. 2.	Bot. mag. t. 150.
4	<i>corymbosa</i> B.F.G.	(va.) corymbus-flower'd.	—————	1825.	9. 11.	H. 2.	Swt. br. fl. gar. t. 151.
	<i>α purpurea</i>	(pu.) purple-flowered.	—————	—	—	H. 2.	
	<i>β lutea</i>	(ye.) yellow-flowered.	—————	—	—	H. 2.	
5	<i>erecta</i> W.	(ye.) African Marygold.	—————	1596.	6. 9.	H. 2.	Lam. ill. t. 684.
6	<i>tenuifolia</i> W.	(ye.) fine-leaved.	—————	1797.	7. 10.	H. 2.	Swt. br. fl. gar. t. 141.
7	<i>subvillosa</i> L.G.	(ye.) villous-leaved.	—————	1825.	8. 11.	H. 2.	
8	<i>minuta</i> W.	(ye.) small-flowered.	Chili.	1728.	8. 10.	H. 2.	Dill. elth. t. 280. f. 362.
9	<i>clandestina</i> L.G.	(ye.) small-rayed.	Mexico.	1822.	—	H. 2.	
<i>coronopifolia</i> W.en.							
10	<i>micrantha</i> W.	(ye.) solitary-flower'd.	—————	—	—	H. 2.	Cavan. ic. 4. t. 352.
11	<i>glandulosa</i> L.en.	(ye.) glandular.	—————	1825.	—	H. 2.	
12	<i>glandulifera</i> Sck.	(ye.) gland-bearing.	—————	1826.	9. 11.	H. 2.	
<b>BÆBÆRA</b> W. <b>BÆBÆRA</b> . Syngenesia Polygamia Superflua.							
1	<i>glandulosa</i> N.	(ye.) glandular.	N. America.	1823.	8. 9.	H. 2.	Venten. cels. t. 36.
<i>chrysanthemoides</i> W.en. <i>Tagètes papposa</i> , v. <i>Dyssodia glandulosa</i> Cav.							
2	<i>Porophyllum</i> K.S.	(ye.) Mexican.	Mexico.	—	—	H. 2.	
<i>Dyssodia Porophyllum</i> W.en.							
3	<i>fastigiata</i> K.S.	(ye.) clustered.	—————	1827.	9. 11.	H. 2.	
4	<i>divaricata</i>	(ye.) spreading.	—————	1828.	—	H. 2.	
<i>Dyssodia divaricata</i> Rich.							
5	<i>pubescens</i> S.S.	(ye.) pubescent.	New Spain.	1826.	8. 10.	H. 2.	Cavan. icon. 3. t. 212.
<i>Dyssodia pubescens</i> L.G. <i>Aster pinnatus</i> Cavan.							
<b>OTHONNA</b> W. <b>RAGWORT</b> . Syngenesia Polygamia Necessaria. L.							
1	<i>flabellifolia</i> B.C.	(ye.) fan-leaved.	C. B. S.	1822.	7. 9.	G. 2.	Lodd. bot. cab. t. 728.
2	<i>pinnatifida</i> P.S.	(ye.) pinnatifid.	—————	1823.	—	G. 2.	
3	<i>pinnata</i> W.	(ye.) wing-leaved.	—————	1759.	4. 6.	G. 2.	Bot. mag. t. 768.
4	<i>ciliata</i> W.	(ye.) fringed-leaved.	—————	1824.	5. 6.	G. 2.	
5	<i>Tagètes</i> W.	(ye.) slender-stalked.	—————	1823.	7. 9.	H. 2.	

6	pectinàta. w.	(ye.)	Wormwood-leav'd.	C. B. S.	1731.	4. 6.	G. h.	Bot. mag. t. 306.
7	Athanàsia. w.	(ye.)	Athanasia-like.	————	1795.	11. 12.	G. h.	Jacq. schœn. 2. t. 242.
8	abrotanifolia. w.	(ye.)	Southernwood-leav'd.	————	1692.	1. 5.	G. h.	Bot. reg. t. 108.
9	digitàta. w.	(ye.)	finger-leaved.	————	1822.	6. 9.	G. 2.	
10	trifurcàta. w.	(ye.)	three-forked.	————	————	————	G. h.	
11	trífida. w.	(ye.)	trifid-leaved.	————	1823.	————	G. h.	
12	retrofràcta. w.	(ye.)	axillary-flower'd.	————	1812.	————	G. h.	Jacq. schœn. 3. t. 376.
13	coronopifolia. w.	(ye.)	Buckshorn-leav'd.	————	1731.	7. 9.	G. h.	Comm. hort. 2. t. 70.
14	cheirifolia. w.	(ye.)	Stock-leaved.	Barbary.	1752.	4. 6.	H. h.	Bot. reg. t. 266.
15	crassifolia. w.	(ye.)	thick-leaved.	C. B. S.	1710.	9. 10.	G. h.	Mill. ic. 2. t. 245. f. 2.
16	denticulàta. w.	(ye.)	tooth-leaved.	————	1774.	4. 7.	G. h.	Bot. mag. t. 1979.
17	heterophylla. w.	(ye.)	various-leaved.	————	1812.	————	G. 2.	
18	Lingua. w.	(ye.)	tongue-leaved.	————	1787.	5. 9.	G. 2.	Jacq. schœn. 2. t. 238.
19	filicailis. w.	(ye.)	Yam-rooted.	————	1791.	4. 5.	G. 2.	———— 2. t. 241.
20	bulbosa. w.	(ye.)	bulbous.	————	1774.	5. 6.	G. 2.	Breyn. cent. t. 66.
21	capillaris. w.	(ye.)	capillary-stalked.	————	1822.	6. 9.	H. 2.	
22	parviflora. w.	(ye.)	small-flowered.	————	1704.	7. 8.	G. h.	Volk. norib. t. 226.
23	perfoliàta. H.K.	(ye.)	perfoliate.	————	1789.	5. 7.	G. 2.	Jacq. schœn. t. 240.
	<i>amplexicaulis</i> . B.M. 1312. non Thumb.							
24	ericoides. w.	(ye.)	Heath-leaved.	————	1815.	7. 8.	G. h.	
25	linifolia. w.	(ye.)	Flax-leaved.	————	1825.	————	G. h.	
26	tenuissima. w.	(ye.)	fine-leaved.	————	1759.	4. 7.	G. h.	Jacq. schœn. 2. t. 239.
27	frutescens. w.	(ye.)	frutescent.	————	1816.	7. 8.	G. h.	Comm. hort. 2. t. 70.
28	arborescens. w.	(ye.)	tree.	————	1723.	————	G. h.	Dill. elth. t. 103. f. 123.
29	cacalioides. w.	(ye.)	tuberous.	————	1774.	5. 9.	G. h.	
30	amplexicaulis. w.	(ye.)	stem-clasping.	————	1826.	————	G. h.	

Subordo VI. *HELIANTHÆE*. *Kth. synopsis*. 2. p. 463.

## HYMENOPAPPUS. J. HYMENOPAPPUS. Syngenesia Polygamia Æqualis.

1	pedatus. LG.	(wh.)	pedate-leaved.	Mexico.	1803.	7. 9.	G. 2.	Cavan. ic. 4. t. 356.
	<i>Stèvia pedata</i> . B.M. 2040. <i>Florestina pedata</i> . Cas.							
2	scabioides. Ph.	(wh.)	Scabious-like.	Missouri.	1812.	6. 8.	H. 2.	Jour. de hist. nat. n. 1. ic.
3	tenuifolius. Ph.	(wh.)	slender-leaved.	————	1811.	————	F. 2.	
SCHK'UHRIA. W. SCHK'UHRIA. Syngenesia Polygamia Superflua. L.								
	abrotanoides. w.	(wh.)	Wormwood-leav'd.	Mexico.	1798.	7. 9.	H. 2.	Schk. hand. 3. t. 250. b.
PE'CTIS. W. PE'CTIS. Syngenesia Polygamia Superflua. L.								
1	humifusa. w.	(ye.)	trailing.	W. Indies.	1822.	7. 9.	S. 2.	Plum. ic. t. 95. f. 2.
2	prostrata. w.	(ye.)	prostrate.	New Spain.	1824.	————	H. 2.	Cavan. ic. 4. t. 324.
3	ciliaris. w.	(ye.)	ciliated.	Hispaniola.	1793.	7.	S. 2.	Plum. ic. 151. f. 2.
4	linifolia. w.	(ye.)	Flax-leaved.	Jamaica.	1732.	7. 8.	S. 2.	Sloan. hist. 1. t. 149. f. 3.
5	canescens. K.S.	(ye.)	canescent.	Mexico.	1827.	8. 9.	H. 2.	H. et B. n. gen. 4. t. 393.
6	punctata. w.	(ye.)	dotted.	Hispaniola.	1824.	6. 8.	S. 2.	Jacq. amer. t. 126.
HETEROSPERMUM. HETEROSPERMUM. Syngenesia Polygamia Superflua. W.								
	pinnatum. w.	(ye.)	wing-leaved.	New Spain.	1799.	8. 9.	H. 2.	Cavan. ic. 3. t. 267.
MELANANTHERA. M. MELANANTHERA. Syngenesia Polygamia Æqualis. P.S.								
1	Linnæi. K.S.	(li.)	Linnæus's.	S. America.	1799.	6. 8.	S. 2.	Jacq. ic. 3. t. 583.
	<i>Bidens nivea</i> . L. <i>Cala aspera</i> . Jacq.							
2	hastata. M.	(wh.)	hastate-leaved.	N. America.	1732.	————	G. 2.	Dill. elth. t. 47. f. 55.
	<i>β pandurata</i> . Ph. (wh.) <i>fidle-leaved</i> .							
MARSHALLIA. W. MARSHALLIA. Syngenesia Polygamia Æqualis. W.								
1	lanceolata. Ph.	(li.)	spear-leaved.	Carolina.	1812.	6. 7.	F. 2.	
2	latifolia. Ph.	(li.)	broad-leaved.	————	1806.	————	F. 2.	Mich. amer. 2. t. 43.
	<i>Persodia latifolia</i> . M. <i>Trattenckia latifolia</i> . P.S.							
PLATYPTERIS. K.S. PLATYPTERIS. Syngenesia Polygamia Æqualis.								
	crocata. K.S.	(sm.)	saffron-colour'd.	Mexico.	1812.	1. 3.	S. 2.	Bot. mag. t. 1627.
	<i>Spilánthes crocata</i> . B.M.							
SPILANTHES. W. SPILANTHES. Syngenesia Polygamia Æqualis. L.								
1	tenella. K.S.	(st.)	slender.	Caracas.	1823.	8. 10.	G. 2.	
2	Pseudo-Acmella. w.	(ye.)	spear-leaved.	Ceylon.	1768.	7.	S. 2.	Pluk. alm. t. 159. f. 4.
3	uliginosa. w.	(ye.)	marsh.	Jamaica.	1820.	7. 9.	S. 2.	
4	exasperata. w.	(wh.)	rough-stalked.	Caracas.	1825.	————	S. 2.	Jacq. ic. 3. t. 584.
5	alba. w.	(wh.)	white-flowered.	Peru.	1783.	6. 7.	H. 2.	L'Herit. stirp. 7. t. 4.
6	oleracea. w.	(ye.)	esculent.	E. Indies.	1770.	7. 9.	S. 2.	Jacq. vind. 2. t. 135.
7	pallida. F.	(st.)	pale-flowered.	Jamaica.	1821.	————	S. 2.	
8	multiflora. Ot.	(ye.)	many-flowered.	————	1829.	————	S. 2.	

- ACMELLA. P.S.** **ACMELLA.** Syngenesia Polygamia Superflua. P.S.  
 1 mauritiâna. P.S. (ye.) Balm-leaved. Mauritius. 1768. 7. 8. S.  $\odot$ . Rumph. amb. 6. t. 65.  
*Spilánthes Acmélla.* w.  
 2 répens. P.S. (ye.) creeping. N. America. 1819. — H.  $\odot$ .  
 3 occidentâlis. P.S. (ye.) oval-leaved. S. America. 1825. — H.  $\odot$ .  
 4 buphthalmoides. P.S. (ye.) Ox-eye-leaved. — 1798. 7. 9. H.  $\odot$ . Jacq. schoenb. 2. t. 151.  
*A'nthemis buphthalmoides.* Jacq.
- LAVENIA. W.** **LAVENIA.** Syngenesia Polygamia Æqualis.  
 erecta. w. (ye.) upright. E. Indies. 1739. 7. 9. S.  $\odot$ . Burm. zeyl. t. 42.
- SALMEA. DC.** **SALMEA.** Syngenesia Polygamia Æqualis.  
 1 scândens. DC. (wh.) climbing. S. America. 1815. 4. 6. S.  $\frac{1}{2}$ . Bot. mag. t. 2062.  
*Câlea Améllus.* L.  
 2 hirsûta. DC. (wh.) hairy. — — — S.  $\frac{1}{2}$ .
- PETROBIUM. L.T.** **PETROBIUM.** Syngenesia Polygamia Æqualis.  
 arbôreum. (st.) tree. St. Helena. 1816. .... S.  $\frac{1}{2}$ .  
*Spilánthus arbôreus.* Forst.
- C'ALEA. L.T.** **C'ALEA.** Syngenesia Polygamia Æqualis. L.  
 1 jamaicénsis. L.L. (li.) purple-flower'd. W. Indies. 1739. 6. 7. S.  $\frac{1}{2}$ . Sloan. jam. 1. t. 151.f.3.  
 2 martinicénsis. (li.) Martinico. Martinico. 1821. .... S.  $\frac{1}{2}$ .  
 3 cordifolia. L.T. (ye.li.) heart-leaved. Jamaica. 1822. 6. 7. S.  $\frac{1}{2}$ .
- CALEA'CTE. L.T.** **CALEA'CTE.** Syngenesia Polygamia Æqualis.  
 1 urticifolia. L.T. (ye.) Nettle-leaved. Vera Cruz. .... S.  $\frac{1}{2}$ .  
*Solidâgo urticafolia.* Mill.  
 2 pinnatifida. L.T. (ye.) pinnatifid. Brazil. 1816. 6. 8. S.  $\frac{1}{2}$ .
- ISOCA'RPHA. L.T.** **ISOCA'RPHA.** Syngenesia Polygamia Æqualis.  
 oppositifolia. (wh.) opposite-leaved. W. Indies. 1739. 7. 8. S.  $\frac{1}{2}$ .  
*Câlea oppositifolia.* w.
- NEUROLÆNA. L.T.** **NEUROLÆNA.** Syngenesia Polygamia Æqualis.  
 lobâta. (ye.) halberd-weed. W. Indies. 1733. 6. 7. S.  $\frac{1}{2}$ . Bot. mag. t. 1734.  
*Câlea lobâta.* B.M.
- MADIA. W.** **MADIA.** Syngenesia Polygamia Superflua. W.  
 1 viscôsa. w. (ye.) viscous. Chili. 1794. 7. 8. H.  $\odot$ . Bot. mag. t. 2574.  
 2 mellôsa. w. (ye.) stem-clasping. — 1824. — H.  $\odot$ .
- TETRAGONOTH'ECA.** **TETRAGONOTH'ECA.** Syngenesia Polygamia Superflua. W.  
 helianthoides. w. (ye.) Sunflower-like. Virginia. 1726. 8. 10. H.  $\frac{1}{2}$ . Schk. hand. 3. t. 263.
- XIMEN'SIA. W.** **XIMEN'SIA.** Syngenesia Polygamia Superflua. W.  
 1 heterophylla. K.S. (ye.) various-leaved. Mexico. 1827. 8. 10. F.  $\frac{1}{2}$ .  
 2 encelioides. w. (ye.) oval-leaved. — 1795. 6. 11. G.  $\frac{1}{2}$ . Cavan. ic. 2. t. 178.  
 3 fœtida. K.S. (ye.) fœtid. — 1799. 7. 8. H.  $\odot$ . — 1. t. 77.  
*Coreôpsis fœtida.* Cav. *Simsia ficifolia.* P.S.  
 4 cordâta. K.S. (ye.) heart-leaved. Mexico. — — F.  $\frac{1}{2}$ .
- HELENIUM. W.** **HELENIUM.** Syngenesia Polygamia Superflua. W.  
 1 autumnâle. w. (ye.) smooth. N. America. 1729. 8. 10. H.  $\frac{1}{2}$ . Schk. hand. 3. t. 250.  
 2 pubéscens. w. (ye.) downy. — 1776. 8. 9. H.  $\frac{1}{2}$ .  
 3 quadripartitum. L.en. (ye.) four-cleft. .... 1825. — G.  $\frac{1}{2}$ .  
 4 quadridentatum. w. (ye.) four-toothed. Louisiana. 1790. 5. 10. H.  $\frac{1}{2}$ . Bot. reg. t. 598.  
*Rudbéckia alâta.* Jacq. ic. t. 193.  
 5 pûnilum. W.en. (ye.) dwarf. N. America. 1819. — H.  $\frac{1}{2}$ .  
 6 mexicanum. K.S. (ye.) Mexican. Mexico. 1823. 8. 10. H.  $\frac{1}{2}$ .
- Z'INNIA. W.** **Z'INNIA.** Syngenesia Polygamia Superflua. W.  
 1 pauciflora. w. (ye.) yellow-flower'd. Peru. 1753. 7. 8. H.  $\odot$ . Mill. ic. 1. t. 64.  
 2 multiflora. w. (re.) red-flowered. N. America. 1770. 6. 10. H.  $\odot$ . Bot. mag. t. 149.  
 3 hybrida. B.M. (sc.) hybrid. Mexico. 1818. 6. 9. H.  $\odot$ . — t. 2123.  
 4 verticillata. w. (re.) whorl-leaved. — 1789. 7. 8. H.  $\odot$ . Andr. repos. t. 189.  
 5 violæcea. C.I. (pu.) purple-flowered. — 1796. 7. 10. H.  $\odot$ . — t. 55.  
*élegans.* Bot. mag. t. 527.  
 6 *β coccinea.* B.R. (sc.) scarlet-flowered. — 1829. — H.  $\odot$ . Bot. reg. t. 1294.  
 7 tenuiflora. w. (re.) slender-flower'd. — 1799. 7. 8. H.  $\odot$ . Bot. mag. t. 555.  
 8 angustifolia. K.S. (re.) narrow-leaved. — 1825. — H.  $\odot$ .
- RELHANIA. W.** **RELHANIA.** Syngenesia Polygamia Superflua. W.  
 1 squarrosa. w. (ye.) cross-leaved. C. B. S. 1774. 5. 6. G.  $\frac{1}{2}$ .  
 2 genistæfolia. w. (ye.) Genista-leaved. — 1823. 5. 7. G.  $\frac{1}{2}$ .  
 3 lateriflora. w. (ye.) side-flowering. — — G.  $\frac{1}{2}$ .  
 4 pungens. w. (ye.) pungent-leaved. — 1820. 6. 8. G.  $\frac{1}{2}$ . Bot. reg. t. 587.  
 5 pedunculata. w. (ye.) dwarf. — 1824. 5. 8. G.  $\frac{1}{2}$ .  
 6 paleacea. w. (ye.) chaffy. — 1825. — G.  $\frac{1}{2}$ . Gært. fruct. 2. t. 173. f. 9.  
*Leysèra paleacea.* Gært.
- ATHR'XIA. B.R.** **ATHR'XIA.** Syngenesia Polygamia Superflua.  
 capénsis. B.R. (li.) Cape. C. B. S. 1823. 6. 8. G.  $\frac{1}{2}$ . Bot. reg. t. 681.

- MATA'XA. S.S.** **MATA'XA.** Syngenesia Polygamia Superflua.  
*capensis. s.s.* (ye) fleshy-leaved. C. B. S. 1824. 6. 8. G. ♀.  
*Lasiopérmum radiatum.* Treviranus.
- LONGCHA'MPIA. W.** **LONGCHA'MPIA.** Syngenesia Polygamia Superflua. W.  
*capillifolia. w.* (st.) Leysera-like. Africa. 1824. 6. 8. H. ○.  
*Gnaphalium leyseroïdes.* Df. *Pectis discoïdea.* H.H. *Leysera capillifolia.* Spr.
- SANVIT'ALIA. W.** **SANVIT'ALIA.** Syngenesia Polygamia Superflua. W.  
*procumbens. w.* (ye) trailing. Mexico. 1798. 7. 8. H. ○. Bot. reg. t. 707.
- TR'IDAX. L.** **TR'IDAX.** Syngenesia Polygamia Superflua. L.  
*procumbens. t.* (st.) procumbent. Mexico. 1804. 7. 8. H. ○.  
*Balbisia elongata. w.*
- COLUME'LLIA. W.** **COLUME'LLIA.** Syngenesia Polygamia Superflua. W.  
*biennis. w.* (ye) biennial. C. B. S. 1820. 7. 9. G. ♂. Jacq. schœn. 3. t. 301.  
*Nestlèra biennis. s.s.*
- MEY'ERA. L.T.** **MEY'ERA.** Syngenesia Polygamia Superflua.  
*séssilis. s.s.* (ye) sessile-flowered. W. Indies. . . . 7. 8. S. ♀.
- ECLI'PTA. W.** **ECLI'PTA.** Syngenesia Polygamia Superflua. L.  
 1 *erecta. w.* (wh.) upright. S. America. 1690. 7. 9. H. ○. Dill. elth. t. 113. f. 137.  
 2 *punctata. w.* (wh.) dotted. W. Indies. 1822. — S. ○. Jacq. amer. pict. t. 197.  
 3 *prostrata. w.* (wh.) trailing. E. Indies. 1732. — S. ○. Dill. elth. t. 113. f. 138.  
 4 *procumbens. m.* (wh.) procumbent. Carolina. 1819. — H. ○.  
 5 *linearis. Ot.* (wh.) linear-leaved. . . . . 1825. — S. ○.
- CHRYSANTHE'LLUM.** **CHRYSANTHE'LLUM.** Syngenesia Polygamia Superflua. P.S.  
*procumbens. P.S.* (ye) procumbent. W. Indies. 1768. 6. 7. S. ○. Swartz obs. 314. t. 8. f. 1.  
*Verbesina mucica. w.*
- SIEGESBE'CKIA. W.** **SIEGESBE'CKIA.** Syngenesia Polygamia Superflua. L.  
 1 *orientalis. w.* (ye) oriental. E. Indies. 1730. 8. 10. H. ○. Schk. hand. 3. t. 256.  
 2 *triangularis. C.I.* (ye) triangular-leav'd. Mexico. . . . — H. ○. Cav. ic. 3. t. 253.  
 3 *iberica. w.* (ye) Iberian. Iberia. 1823. — H. ○. Buxb. cent. 3. t. 52.  
 4 *droseroides. B.F.G.* (ye) Sundew-like. Mexico. 1825. — F. ♀. Swt. br. fl. gar. t. 203.  
 5 *flosculosa. w.* (ye) small-flowered. Peru. 1784. 6. 7. H. ○. L'Herit. stirp. t. 19.
- VERBESINA. W.** **VERBESINA.** Syngenesia Polygamia Superflua. L.  
 1 *alata. w.* (or.) wing-stalked. S. America. 1699. 5. 10. G. ♀. Bot. mag. t. 1716.  
 2 *chinensis. w.* (or.) Chinese. China. 1814. — G. ♀.  
 3 *virginica. w.* (wh.) white-flowered. N. America. 1812. 7. 9. H. ♀.  
 4 *virgata. w.* (ye) slender. Mexico. 1825. — H. ♀. Cav. ic. 3. t. 275.  
 5 *gigantea. w.* (wh.) tree. W. Indies. 1758. — S. ♀. Jacq. ic. 1. t. 175.  
 6 *Boswellia. L.* (ye) eatable. E. Indies. 1818. — S. ○.  
 7 *salicifolia. K.S.* (ye) Willow-leaved. Mexico. 1824. 10. 11. G. ♀.  
 8 *tridentata. s.s.* (ye) three-toothed. W. Indies. 1759. 6. 8. S. ♀.  
 9 *atriplicifolia. s.s.* (st.) Atriplex-leav'd. Trinidad. 1822. 9. 11. S. ♀.  
 10 *bupthalamoides. s.s.* (ye.) procumbent. Monte Video. 1827. 6. 8. F. ♀. Link et Ott. abb. t. 49.  
 11 *serrata. w.* (ye) saw-leaved. Mexico. 1803. 7. 10. G. ♀. Cav. ic. 3. t. 214.  
 12 *Siegesbeckia. w.* (ye) American. Virginia. 1731. 10. 11. H. ♀.  
 13 *dichotoma. w.* (ye) forked. E. Indies. 1789. 6. 7. S. ○. Murr. c. got. 1779. t. 4.  
 14 *sativa. B.M.* (ye) oil-seed. ———— 1806. 8. 9. S. ○. Bot. mag. t. 1017.  
 15 *biflora. w.* (ye) two-flowered. ———— 1818. 7. 9. S. ○. Rheed. mal. 19. t. 40.  
 16 *calendulacea. w.* (ye) Marygold-flower'd. Ceylon. 1739. — S. ○. Burm. zeyl. t. 22. f. 1.  
 17 *fruticosa. w.* (ye) shrubby. W. Indies. 1759. 6. 8. S. ♀. Plum. ic. t. 52.  
 18 *pinnatifida. w.* (st.) pinnatifid. Mexico. 1824. 8. 10. F. ♀. Jacq. schœn. 3. t. 305.
- SYNEDRE'LLA. P.S.** **SYNEDRE'LLA.** Syngenesia Polygamia Superflua. P.S.  
*nodiflora. P.S.* (ye) sessile-flowered. W. Indies. 1726. 6. 7. S. ○. Dill. elth. t. 45. f. 53.
- ENC'ELIA. J.** **ENC'ELIA.** Syngenesia Polygamia Superflua. P.S.  
 1 *canescens. P.S.* (ye) caescent. Mexico. 1786. 7. 9. G. ♀. Bot. reg. t. 909.  
*Pallasia halimifolia. w.* *Coreopsis limensis.* Jacq. ic. 3. t. 594.  
 2 *halimifolia. P.S.* (ye) great-flowered. Mexico. 1825. — G. ♀. Cavan. ic. 3. t. 216.  
*Pallasia grandiflora. w.*
- GALINS'OGEA. K.S.** **GALINS'OGEA.** Syngenesia Polygamia Superflua. W.  
 1 *trilobata. w.* (ye) three-lobed. Peru. 1797. 8. 11. H. ○. Swt. br. fl. gar. t. 56.  
 2 *balbisoides. K.S.* (ye) Mexican. Mexico. 1825. — H. ○. H. et B. 4. t. 386.
- PTILOSTE'PHIUM. K.S.** **PTILOSTE'PHIUM.** Syngenesia Polygamia Superflua.  
 1 *coronopifolium. K.S.* (ye.) Buckshorn-leav'd. Mexico. 1823. 8. 10. H. ○. H. et B. 4. t. 387.  
 2 *trifidum. K.S.* (ye.) trifid-leaved. ———— — H. ○. ———— 4. t. 388.
- WIBO'RGIA. K.S.** **WIBO'RGIA.** Syngenesia Polygamia Superflua.  
*parviflora. K.S.* (wh.) small-flowered. S. America. 1796. 6. 8. H. ○. Cavan. icon. 3. t. 281.  
*Galmisøga parviflora. w.* *Wiborgia Acmélla.* Roth.
- PASC'ALIA. W.** **PASC'ALIA.** Syngenesia Polygamia Superflua. W.  
*glauca. w.* (ye.) glaucous-leav'd. Chili. 1799. 6. 8. H. ♀. Andr. reposit. t. 549.

<b>HELIO'PSIS. P.S.</b>		<b>HELIO'PSIS.</b> Syngenesia Polygamia Superflua. P.S.		
1	canescens. K.S. (ye.) hoary-leaved.	S. America.	1820.	8. 10. H. ♀. Bot. reg. t. 592.
2	lævis. P.S. (ye.) smooth.	Mexico.	1714.	7. 10. H. ♀.
3	helianthoides. (ye.) roughish.	N. America.	—	— H. ♀. L'Herit. stirp. t. 45.
	<i>Bupthálmum helianthoides. L.</i>			
4	scábra. s.s. (ye.) rough-leaved.	—	—	— H. ♀.
<b>DIOMEDEA. Cas.</b>		<b>DIOM'EDEA.</b> Syngenesia Polygamia Superflua		
1	glabrâta. K.S. (ye.) smooth.	S. America.	1699.	5. 9. G. ♀. Dill. elth. t. 33. f. 43.
	<i>Bupthálmum arborésens. w.</i>			
2	bidentâta. s.s. (ye.) two-toothed.	Carolina.	1696.	6. 8. G. ♀. Catesb. carol. 1. t. 93.
	<i>Bupthálmum frutescens. Ph.—Dill. elth. t. 28. f. 4.</i>			
3	argétea. K.S. (ye.) silvery-leaved.	Cuba.	1823.	— G. ♀.
<b>BUPHTHALMUM.</b>		<b>OX-EYE.</b> Syngenesia Polygamia Superflua. L.		
1	stenophýllum. s.s. (ye.) linear-leaved.	Canaries.	1816.	5. 7. G. ♀.
2	élegans. s.s. (ye.) elegant.	—	—	— G. ♀.
3	lævigátum. s.s. (ye.) smooth-leaved.	Teneriffe.	1824.	— G. ♀.
4	foscúlòsum. s.s. (ye.) rayless.	Mesopotamia.	1827.	— G. ♀. Vent. h. cels. t. 25.
5	seríceum. w. (ye.) silky.	Canaries.	1779.	5. 7. G. ♀. Bot. mag. t. 1836.
6	spinòsum. w. (ye.) prickly.	Spain.	1570.	6. 9. H. ⊙. Barrel. icon. 551.
7	aquáticum. w. (ye.) sweet-scented.	S. Europe.	1731.	7. 8. H. ⊙. Brey. cent. t. 77.
8	marítimum. w. (ye.) sea.	Sicily.	1640.	7. 9. H. ♀. Bocc. mus. t. 129.
9	salicifólum. w. (ye.) Willow-leaved.	Austria.	1759.	6. 10. H. ♀. Jacq. aust. 4. t. 370.
10	grandiflórum. w. (ye.) great-flowered.	—	1722.	— H. ♀. Moris. s. 6. t. 7. f. 52.
11	speciosíssimum. s.s. (ye.) handsome.	Italy.	1828.	— H. ♀. Arduin. spec. 1. t. 12.
12	cordifólum. w. (ye.) heart-leaved.	Hungary.	1739.	6. 8. H. ♀. W. et K. hung. 2. t. 113.
13	procúmbens. Df. (ye.) procumbent.	—	1820.	— H. ♀.
<b>ZEXM'ENIA. D.D.</b>		<b>ZEXM'ENIA.</b> Syngenesia Polygamia Necessaria.		
	tagetiflora. D.D. (ye.) Tagetes-flowered.	Mexico.	1828.	8. 10. F. ♀.
<b>WED'ELIA. K.S.</b>		<b>WED'ELIA.</b> Syngenesia Polygamia Necessaria. W.		
1	acapulcénis. K.S. (ye.) Acapulco.	Mexico.	1823.	6. 8. S. ♀. Bot. reg. t. 543.
2	hispida. K.S. (ye.) hispid.	New Spain.	1819.	— S. ♀.
3	aurea. D.D. (ye.) golden-flower'd.	Mexico.	1828.	8. 10. F. ♀. Bot. reg. t. 610.
4	radiosa. B.R. (ye.) rayed.	S. America.	1822.	— S. ♀.
<b>GYMNOL'OMA. K.S.</b>		<b>GYMNOL'OMA.</b> Syngenesia Polygamia Necessaria.		
1	triplínérve. K.S. (ye.) triple-nerved.	S. America.	1825.	6. 9. S. ♀.
2	maculátum. B.R. (ye.) spotted-stalked.	—	1822.	— S. ♀. Bot. reg. t. 662.
<b>ACTINOMERIS. N.</b>		<b>ACTINOMERIS.</b> Syngenesia Polygamia Frustranea.		
1	squarròsa. N. (ye.) squarrose.	N. America.	1640.	9. 11. H. ♀. Jacq. vind. 2. t. 110.
	<i>Coreòpsis alternifolia. Jacq. Verbesina Coreòpsis. Ph.</i>			
2	prócera. N. (ye.) tall.	N. America.	1765.	9. 10. H. ♀.
	<i>Coreòpsis prócera. H.K.</i>			
	<i>B álba. N. (wh.) white-flowered.</i>	—	—	— H. ♀.
3	helianthoides. N. (ye.) Sunflower-like.	Louisiana.	1825.	— H. ♀.
4	alâta. N. (ye.) wing-stalked.	Mexico.	1803.	9. 11. H. ♀. Cavan. ic. 3. t. 260.
	<i>Coreòpsis alâta. w.</i>			
5	ovâta. N. (ye.) oval-leaved.	—	1829.	— H. ♀. Cavan. ic. 3. t. 280.
<b>HELIA'NTHUS. W.</b>		<b>SUNFLOWER.</b> Syngenesia Polygamia Frustranea. L.		
1	ánuus. w. (ye.) annual.	S. America.	1596.	6. 10. H. ⊙.
2	índicus. w. (ye.) dwarf annual.	Egypt.	1785.	— H. ⊙. Tabern. ic. 764.
3	lenticulâris. B.R. (ye.) freckled.	N. America.	1827.	8. 9. H. ⊙. Bot. reg. t. 1265.
4	petiolâris. N. (ye.) long-petioled.	Arkansa.	1826.	7. 11. H. ⊙. Swt. br. fl. gar. ser. 2.
	<i>âsper. Roth.</i>			
5	dentátus. w. (ye.) tooth-leaved.	Mexico.	1798.	9. 11. F. ♀. Cavan. ic. 3. t. 220.
6	multiflórus. w. (ye.) many-flowered.	N. America.	1597.	8. 10. H. ♀. Bot. mag. t. 227.
	<i>β plênus. (ye.) double-flowered.</i>			
7	tuberòsus. w. (ye.) Jerusalem Artichoke.	Brazil.	1617.	9. 10. H. ♀. Jacq. vind. 2. t. 161.
8	pubescens. B.R. (ye.) pubescent.	N. America.	1795.	7. 10. H. ♀. Bot. reg. t. 524.
9	atrórübens. w. (ye.) dark eyed.	—	1732.	— H. ♀. Dill. elth. t. 91. f. 110.
10	diffúsus. B.M. (ye.) spreading.	—	1812.	— H. ♀. Bot. mag. t. 2020.
11	lætiflórus. P.S. (ye.) pale-flowered.	—	—	— H. ♀.
12	divaricátus. w. (ye.) divaricate.	—	1759.	8. 10. H. ♀. Moris. s. 6. t. 7. f. 66.
13	trachelifólus. w. (ye.) Trachelium-leav'd.	—	1818.	— H. ♀.
14	longifólus. Ph. (ye.) long-leaved.	Georgia.	1812.	— H. ♀.
15	pauciflórus. N. (ye.) few-flowered.	Louisiana.	1823.	— H. ♀.
16	gigánteus. w. (ye.) gigantic.	N. America.	1714.	9. 10. H. ♀.
17	altíssimus. w. (ye.) tallest.	—	1731.	7. 9. H. ♀. Jacq. vind. 2. t. 160.
18	strumòsus. w. (ye.) Carrot-rooted.	—	1710.	— H. ♀. Bocc. sic. t. 27. f. 4.
19	prostrátus. w. (ye.) rough.	—	1800.	— H. ♀.
20	decapétalus. w. (ye.) ten-rayed.	—	1759.	8. 11. H. ♀. Rob. ic. 235.

- 21 mollis. w. (ye.) soft. N. America. 1805. 7. 10. H. 4.
- 22 macrophyllus. w. (ye.) large-leaved. ———— 1800. 8. 10. H. 4. Willd. hort. ber. t. 70.
- 23 angustifolius. w. (ye.) narrow-leaved. ———— 1789. 9. 10. H. 4. Bot. mag. t. 2051.
- 24 excelsus. w. (ye.) lofty. Mexico. 1824. ———— H. 4. Cav. ic. 3. t. 219.
- giganteus*. Cav. non w.
- 25 linearis. w. (ye.) linear-leaved. ———— 1818. 8. 10. H. 4. Bot. reg. t. 523.
- 26 parviflorus. k.s. (ye.) small-flowered. ———— 1824. ———— H. 4. H. et B. 4. t. 378.
- 27 cornifolius. k.s. (ye.) Dogwood-leaved. ———— ———— H. 4.
- 28 trilobatus. L.en. (ye.) three-lobed. ———— 1823. ———— H. 4.
- VIGUIERA. K.S. VIGUIERA. Syngenesia Polygamia Frustranea.
- helianthoides. k.s. (ye.) Sunflower-like. Cuba. 1825. 6. 9. S. 4. H. et B. 4. t. 379.
- GAILLARDIA. W. GAILLARDIA. Syngenesia Polygamia Frustranea. W.
- 1 bicolor. w. (ye. re.) two-coloured. Carolina. 1787. 7. 10. H. 4. Bot. mag. t. 1602.
- 2 aristata. Ph. (ye.) long-awned. N. America. 1812. ———— H. 4. Bot. reg. t. 1186.
- RUDBECKIA. D.D. RUDBECKIA. Syngenesia Polygamia Frustranea. L.
- 1 pinnata. Ph. (ye.) fragrant. N. America. 1803. 8. 9. H. 4. Swt. br. fl. gar. t. 146.
- 2 digitata. Ph. (ye.) narrow-jagged-leav'd. ———— 1759. ———— H. 4. Moris. s. 6. t. 6. f. 54.
- 3 laciniata. Ph. (ye.) broad jagged-leav'd. ———— 1640. 7. 9. H. 4. ———— s. 6. t. 6. f. 53.
- 4 columnaris. Ph. (ye.) high-crowned. ———— 1811. 8. 9. H. 4. Bot. mag. t. 1601.
- 5 laevigata. Ph. (ye.) smooth. Georgia. 1812. 7. 8. H. 4.
- 6 amplexifolia. Ph. (ye.) stem-clasping. Louisiana. 1793. 7. 9. H. 4. Jacq. icon. 3. t. 592.
- CENTROCARPHA. D.D. CENTROCARPHA. Syngenesia Polygamia Frustranea.
- 1 subtomtosa. Ph. (ye.) downy-lobed. N. America. 1802. 8. 9. H. 4.
- 2 triloba. D.D. (ye.) three-lobed. ———— 1699. 7. 10. H. 4. Bot. reg. t. 525.
- Rudbeckia triloba*. B.R.
- 3 hirta. D.D. (ye.) great hairy. ———— 1714. 6. 11. H. 4. Swt. br. fl. gar. t. 82.
- Rudbeckia hirta*. B.F.G.
- 4 fulgida. D.D. (ye.) small hairy. ———— 1760. 7. 8. H. 4. Bot. mag. t. 1996.
- 5 acutifolia. B.F.G. (ye.) pointed-leaved. ———— 1822. 7. 11. H. 4. Swt. br. fl. gar. s. 2.
- 6 spathulata. w. (ye.) spathulate-leav'd. ———— 1825. 8. 11. H. 4.
- 7 gracilis. N. (ye.) slender hairy. ———— ———— H. 4.
- ECHINACEA. D.D. ECHINACEA. Syngenesia Polygamia Frustranea.
- 1 purpurea. D.D. (pu.) reflexed-rayed. N. America. 1699. 7. 10. H. 4. Bot. mag. t. 2.
- Rudbeckia purpurea*. B.M.
- 2 serotina. D.D. (li.) hispid-stalked. ———— 1816. 8. 10. H. 4. Swt. br. fl. gar. t. 4.
- Rudbeckia serotina*. B.F.G.
- 3 napifolia. (ro.) Rape-leaved. New Spain. 1824. 7. 10. F. 4.
- Rudbeckia napifolia*. k.s.
- 4 heterophylla. D.D. (li.) various-leaved. Mexico. 1828. 9. 11. H. 4. Swt. br. fl. gar. s. 2. t. 32.
- COSMOS. C.I. COSMOS. Syngenesia Polygamia Frustranea. W.
- 1 sulphureus. (st.) Southernwood-leav'd. Mexico. 1799. 7. 8. H. 4. Jacq. ic. 3. t. 595.
- 2 tenellus. k.s. (ro.) slender. Mexico. 1825. 10. 11. G. 4.
- 3 bipinnatus. C.I. (pu.) purple-flower'd. ———— 1799. ———— G. 4. Bot. mag. t. 1535.
- 4 crithmifolius. k.s. (ro.) Samphire-leav'd. ———— 1825. ———— G. 4.
- 5 parviflorus. w. (wh.) white-flowered. ———— 1800. ———— H. 4. Jacq. schœn. 3. t. 374.
- GEORGINA. W. GEORGINA. Syngenesia Polygamia Superfluo—Frustranea.
- 1 Cervantesii. LG. (sc.) Cervantes'. Mexico. 1820. 8. 10. H. 4. Swt. br. fl. gar. s. 2. t. 22.
- β Aurora*. s.f.g. (sc.) double-flowered. ———— 1828. ———— H. 4. Swt. flor. guid. t. 117.
- 2 crocata. LG. (sc.) saffron-coloured. ———— 1818. ———— H. 4. Swt. br. fl. gar. t. 282.
- 3 coccinea. w. (sc.) scarlet-flowered. ———— 1802. ———— H. 4. Cavan. icon. t. 266.
- 4 rosea. C.I. (ro.) bipinnate-leaved. ———— 7. 10. H. 4. ———— t. 265.
- 5 astrantiæflora. (pu.) Astrantia-flower'd. ———— 1812. ———— H. 4.
- 6 variabilis. w. (va.) variable. ———— 1789. 6. 11. H. 4. Cavan. icon. 1. t. 80.
- Dahlia pinnata*. C.I. *supérflua*. H.K.
- α purpurea*. (pu.) purple-flowered. ———— ———— H. 4. Ann. mus. 3. t. 37. f. 1.
- β lilacina*. (li.) lilac-coloured. ———— ———— H. 4. Sal. par. lond. t. 16.
- γ pallida*. (bh.) blush-flowered. ———— ———— H. 4.
- δ alba*. (wh.) white-flowered. ———— ———— H. 4.
- ε flava*. (ye.) yellow-flowered. ———— ———— H. 4.
- ζ cuprea*. (co.) copper-coloured. ———— ———— H. 4.
- η rubra*. (re.) red-flowered. ———— ———— H. 4. Bot. mag. t. 1885. A.
- θ coccinea*. (sc.) scarlet-flowered. ———— ———— H. 4.
- ι punicea*. (cr.) crimson-flowered. ———— ———— H. 4. Bot. reg. t. 55.
- κ atrosanguinea*. (d.cr.) dark crimson. ———— ———— H. 4.
- λ atropurpurea*. (d.pu.) dark purple. ———— ———— H. 4.
- μ nigra*. (da.) dark-coloured. ———— ———— H. 4.
- ν variegata*. (v.) variegated-flower'd. ———— ———— H. 4.
- ξ nana*. (li.) double dwarf lilac. ———— ———— H. 4. Andr. reposit. t. 483.
- ο superba*. (pu.) double purple. ———— ———— H. 4. Bot. mag. t. 1885. B.

π	<i>Junoniàna.</i> (d.pu.)	<i>Junò.</i>	Mexico.	....	6. 11.	H. 2.	Swt. flor. guid. t. 102.
ρ	<i>imperiosa.</i> (d.pu.)	<i>Dennis's imperial.</i>	-----	1827.	---	H. 2.	----- v. 1. t. 71.
σ	<i>stellàris.</i> (sc.)	<i>morning star.</i>	-----	1826.	---	H. 2.	----- v. 1. t. 65.
τ	<i>sphaerocéphala.</i> (d.cr.)	<i>globe-flowered.</i>	-----	1827.	---	H. 2.	----- v. 2. t. 115.
υ	<i>Belladónna.</i> (pi.)	<i>painted Lady.</i>	-----	---	---	H. 2.	----- v. 2. t. 110.
The varieties of the present species are almost endless.							
<b>CALLIOP'SIS. S.S.</b> CALLIOP'SIS. Syngenesia Polygamia Frustranea.							
1	<i>tinctòria.</i> n. (ye.pu.)	two-coloured.	Arkansa.	1823.	6. 10.	H. ⊙.	Swt. br. fl. gar. t. 72.
<i>bicolor.</i> s.s. <i>Coreòpsis tinctòria.</i> n.							
2	<i>palmàta.</i> s.s. (ye.)	palmete-leaved.	Louisiana.	---	8. 10.	H. ⊙.	---
3	<i>ròsea.</i> s.s. (ro.)	rose-coloured.	N. America.	---	---	H. 2.	---
<i>Coreòpsis ròsea.</i> n.							
<b>COREO'PSIS. W.</b> COREO'PSIS. Syngenesia Polygamia Frustranea. L.							
1	<i>grandiflòra.</i> n. (ye.)	large-flowered.	N. America.	1826.	8. 9.	H. 2.	Swt. br. fl. gar. t. 175.
2	<i>verticillàta.</i> w. (ye.)	whorl-leaved.	-----	1759.	7. 10.	H. 2.	Bot. mag. t. 156.
3	<i>tenuiflòla.</i> w. (ye.)	slender-leaved.	-----	1780.	7. 8.	H. 2.	Pluk. man. t. 344. f. 4.
4	<i>trichospérma.</i> m. (ye.)	pinnate leaved.	Carolina.	1822.	8. 10.	G. ♂.	---
5	<i>chrysántha.</i> w. (ye.)	Angelica-leav'd.	W. Indies.	1752.	7. 9.	S. ♂.	Plum. ic. 53. f. 1.
6	<i>aùrea.</i> w. (ye.)	Hemp-leaved.	N. America.	1785.	8. 9.	H. 2.	Bot. reg. t. 1228.
7	<i>tripteris.</i> Ph. (ye.)	three-leaved.	-----	1737.	8. 10.	H. 2.	Moris. s. 6. t. 3. f. 44.
8	<i>discolor.</i> L.en. (ye.)	two-coloured.	-----	1818.	---	H. 2.	---
9	<i>seniflòla.</i> Ph. (ye.)	sessile-leaved.	-----	1812.	---	H. 2.	---
10	<i>amplexicaùlis.</i> k.s. (ye.)	stem-clasping.	.....	1806.	7. 8.	H. 2.	---
<i>Simsia amplexicaùlis.</i> p.s.							
11	<i>álba.</i> w. (wh.)	climbing.	Jamaica.	1699.	6. 7.	S. 2. ∪.	Herm. parad. 124.
12	<i>incisa.</i> B.R. (ye.)	jagged-leaved.	W. Indies.	....	9. 12.	S. 2. ∪.	Bot. reg. t. 7.
13	<i>réptans.</i> w. (ye.)	trailing.	-----	1792.	7. 9.	S. ⊙.	Smith spic. t. 22.
14	<i>auriculàta.</i> w. (ye.)	ear-leaved.	N. America.	1699.	8. 10.	H. 2.	Schk. hand. 3. t. 260.
15	<i>latiflòla.</i> w. (ye.)	broad-leaved.	-----	1786.	8. 9.	H. 2.	---
16	<i>argùta.</i> Ph. (ye.)	sharp-notched.	Carolina.	....	---	H. 2.	---
17	<i>lanceolàta.</i> w. (ye.)	spear-leaved.	-----	1724.	7. 9.	H. 2.	Swt. br. fl. gar. t. 10.
18	<i>crassiflòla.</i> w. (ye.)	thick-leaved.	-----	1786.	8. 10.	H. 2.	---
19	<i>angustiflòla.</i> w. (ye.)	narrow-leaved.	N. America.	1778.	6. 8.	H. 2.	---
<b>B'IDENS. K.S.</b> B'IDENS. Syngenesia Polygamia Frustranea.							
1	<i>nodiflòra.</i> w. (ye.)	sessile-flowered.	E. Indies.	1732.	7. 8.	S. ⊙.	Dill. elth. t. 44. f. 52.
2	<i>tripartìta.</i> w. (ye.)	trifid.	Britain.	....	7. 9.	H. ⊙.	Eng. bot. t. 1113.
3	<i>cérnua.</i> w. (ye.)	nodding.	-----	....	---	H. ⊙.	----- t. 1114.
4	<i>chrysanthemoides.</i> w. (ye.)	large yellow.	N. America.	1827.	8. 10.	H. ⊙.	---
5	<i>argùta.</i> k.s. (ye.)	sharp-toothed.	Mexico.	1825.	---	H. 2.	---
6	<i>triplinèrvia.</i> k.s. (ye.)	triply-nerved.	-----	---	---	H. 2.	---
7	<i>heterophylla.</i> w. (ye.)	various-leaved.	-----	1803.	8. 9.	F. 2.	Orteg. dec. 8. t. 12.
8	<i>luxùrians.</i> W.en. (ye.)	luxuriant.	-----	1823.	---	F. 2.	---
9	<i>frondòsa.</i> w. (ye.)	smooth-stalked.	N. America.	1710.	7. 8.	H. ⊙.	Moris. his. s. 6. t. 5. f. 21.
10	<i>foliòsa.</i> W.en. (ye.)	leafy.	.....	1823.	---	H. ⊙.	---
11	<i>connàta.</i> w. (ye.)	connate.	N. America.	---	---	H. ⊙.	---
12	<i>leucántha.</i> w. (wh.)	white-flowered.	S. America.	....	---	H. ⊙.	---
13	<i>striàta.</i> B.F.G. (std.)	stripe-flowered.	Mexico.	1827.	8. 11.	H. ⊙.	Swt. br. fl. gar. t. 237.
14	<i>chinènsis.</i> w. (wh.)	Chinese.	China.	1801.	6. 7.	H. ⊙.	Rumph. amb. 6. t. 15. f. 2.
15	<i>diversiflòla.</i> w. (ye.)	different-leav'd.	S. America.	1811.	9. 10.	H. ⊙.	Bot. mag. t. 1689.
<i>Còsmea lùtea.</i> B.M. <i>Coreòpsis diversiflòla.</i> Jacq.							
16	<i>pilòsa.</i> w. (wh.)	hairy.	N. America.	1732.	7.	H. ⊙.	Dill. elth. t. 43. f. 51.
17	<i>sambuciflòla.</i> w. (sc.)	Elder-leaved.	S. America.	1801.	7. 8.	H. 2.	Cavan. ic. 3. t. 229.
18	<i>odoràta.</i> w. (wh.)	sweet-scented.	Mexico.	1823.	---	H. ⊙.	----- 1. t. 13.
19	<i>grandiflòra.</i> s.s. (wh.)	large-flowered.	S. America.	1825.	8. 11.	H. ⊙.	---
20	<i>bipinnàta.</i> w. (ye.)	Hemlock-leav'd.	N. America.	1687.	---	H. ⊙.	Herm. parad. t. 123.
21	<i>parviflòra.</i> s.s. (ye.)	small-flowered.	Siberia.	1823.	---	H. ⊙.	---
22	<i>bullàta.</i> w. (ye.)	rough-leaved.	Italy.	1759.	---	H. ⊙.	Arduin. spec. 2. t. 18.
23	<i>reflèxa.</i> L.en. (ye.)	reflexed.	Mexico.	1824.	---	G. 2.	---
24	<i>crithmiflòla.</i> k.s. (ye.)	Samphire-leav'd.	Quito.	---	9. 10.	F. 2.	---
25	<i>angustiflòla.</i> k.s. (or.)	narrow-leaved.	New Spain.	---	---	H. 2.	---
26	<i>pròcera.</i> B.R. (ye.)	tall.	S. America.	1818.	---	H. 2.	Bot. reg. t. 684.
27	<i>ferulafòla.</i> (ye.)	Fennel-leaved.	Mexico.	1799.	10. 11.	F. 2.	Jacq. schœnb. 3. t. 373.
<i>Coreòpsis ferulafòla.</i> Jacq.							
28	<i>ciliàta.</i> (ye.)	fringed.	Mexico.	1827.	8. 10.	H. ⊙.	---
29	<i>chrysántha.</i> Ort. (ye.)	golden-flowered.	-----	---	---	H. ⊙.	---
30	<i>coronàta.</i> F. (ye.)	crowned.	.....	1829.	---	H. ⊙.	---
31	<i>serrulàta.</i> Df. (ye.)	serrulate.	.....	---	---	H. ⊙.	---
<b>OSMITES. W.</b> OSM'ITES. Syngenesia Polygamia Frustranea. W.							
1	<i>bellidiàstrum.</i> w. (wh.)	Daisy-like.	C. B. S.	1816.	4. 8.	G. 2.	---
2	<i>asteriscoides.</i> w. (wh.)	starry.	-----	1823.	4. 7.	G. 2.	Burm. afr. t. 58. f. 1.

- 3 camphorina. w. (*wh.*) Camphor-scent'd. C. B. S. 1794. 4. 7. G. ♀. Seb. mus. 1. t. 90. f. 2.  
 4 dentata. w. (*wh.*) tooth-leaved. ——— 1820. ——— G. ♀.
- SCLEROCARPUS. W. SCLEROCARPUS.** Syngenesia Polygamia Frustranea. W.  
 africânus. w. (*ye.*) African. Guinea. 1812. 7. 8. G. ♂. Jacq. ic. 1. t. 176.
- CULLUMIA. H.K. CULLUMIA.** Syngenesia Polygamia Frustranea. H.K.  
 1 ciliâris. H.K. (*ye.*) ciliated. C. B. S. 1774. 5. 6. G. ♀. Burm. afr. t. 54. f. 1.  
 2 setosa. H.K. (*ye.*) recurved smooth-leav'd.— 1780. 6. 8. G. ♀. Comm. hort. 2. t. 28.  
 3 squarrosa. H.K. (*ye.*) recurved-awl-leaved. ——— 1786. ——— G. ♀. Th. act. hafn. 3. t. 5.
- BERCKH'EYA. H.K. BERCKH'EYA.** Syngenesia Polygamia Frustranea. H.K.  
 1 cynaroides. w. (*ye.*) Artichoke-cup'd. C. B. S. 1789. 6. G. ♀.  
 2 obovata. w. (*ye.*) smooth shrubby. ——— 1794. 6. 8. G. ♀. Hout. n. h. 6. t. 34. f. 2.  
 3 incana. w. (*ye.*) hoary. ——— 1739. 7. 8. G. ♀. Jacq. ic. 3. t. 591.  
 4 cuneata. w. (*ye.*) wedge-leaved. ——— 1812. 6. 8. G. ♀. Th. act. hafn. 3. t. 10.  
 5 palmata. w. (*ye.*) palmated. ——— 1800. ——— G. ♀. ——— 3. t. 13.  
 6 grandiflora. w. (*ye.*) large-flowered. ——— 1812. ——— G. ♀. Bot. mag. t. 1844.  
 7 uniflora. w. (*ye.*) single-flowered. ——— 1815. ——— G. ♀. Th. act. hafn. 3. t. 7.  
 8 cernua. H.K. (*ye.*) drooping-flower'd. ——— 1774. 5. 7. G. ♂. Meerb. ic. 1. t. 40.
- DIDE'ITA. H.K. DIDE'ITA.** Syngenesia Polygamia Frustranea. H.K.  
 1 carnosum. H.K. (*ye.*) alternate-leav'd. C. B. S. 1774. 6. 7. G. ♀. L'Her. stirp. t. 28.  
 2 spinosum. H.K. (*ye.*) opposite-leaved. ——— ——— G. ♀. Wendl. obs. t. 4. f. 32.
- GORTERIA. H.K. GORTERIA.** Syngenesia Polygamia Frustranea. H.K.  
 personata. H.K. (*ye.*) procumbent. C. B. S. 1774. 7. 8. G. ♂. Jacq. coll. 4. t. 21. f. 1.
- GAZANIA. H.K. GAZANIA.** Syngenesia Polygamia Frustranea. H.K.  
 1 uniflora. B.M. (*ye.*) golden. C. B. S. 1816. 7. 8. G. ♀. Bot. mag. t. 2270.  
 2 rigens. H.K. (*ye.ve.*) great-flowered. ——— 1755. 5. 9. G. ♀. ——— t. 90.  
 3 heterophylla. w. (*ye.ve.*) various-leaved. ——— 1812. ——— G. ♀. Willd. hort. ber. t. 97.  
 4 Pavonia. H.K. (*ye.ve.*) Peacock. ——— 1804. 6. 7. G. ♀. Bot. reg. t. 35.  
 5 subulata. H.K. (*ye.*) awl-leaved. ——— 1792. 7. 8. G. ♀.
- CRYPTOSTEMMA. H.K. CRYPTOSTEMMA.** Syngenesia Polygamia Frustranea.  
 1 calendulaceum. H.K. (*ye.*) Marygold-flow'r'd. C.B.S. 1752. 6. 8. H. ♂. Bot. mag. t. 2252.  
 2 hypochondriacum. H.K. (*ye.*) divided-rayed. ——— 1731. 7. 8. H. ♂.  
 3 runcinatum. H.K. (*ye.*) Dandelion-leaved. ——— 1794. ——— H. ♂.
- ARCTOTHECA. W. ARCTOTHECA.** Syngenesia Polygamia Frustranea. H.K.  
 1 repens. w. (*ye.*) creeping. C. B. S. 1793. 7. 8. G. ♀. Jacq. schœn. 3. t. 306.  
 2 hirta. L.en. (*ye.*) hairy. ——— 1818. 7. 9. G. ♀.
- SPHENO'GYNE. H.K. SPHENO'GYNE.** Syngenesia Polygamia Frustranea. H.K.  
 1 anthemoides. H.K. (*ye.*) white-crowned. C. B. S. 1774. 7. 9. H. ♂. Bot. mag. t. 544.  
 2 crithmifolia. H.K. (*ye.*) Samphire-leav'd. ——— 1768. 4. 8. G. ♀. Burm. afr. t. 65. f. 1.  
 3 scariosa. H.K. (*ye.*) scaly-cupped. ——— 1774. ——— G. ♀.  
 4 abrotanifolia. H.K. (*ye.*) Southernwood-leav'd. ——— 1789. 5. 8. G. ♀.  
 5 dentata. H.K. (*ye.*) small-leaved. ——— 1787. 6. 7. G. ♀. Burm. afr. t. 64.  
 6 pilifera. B.R. (*ye.*) hair toothed. ——— 1820. ——— G. ♀. Bot. reg. t. 604.  
 7 serrata. s.s. (*ye.*) saw-leaved. ——— 1826. ——— G. ♀.  
 8 feniculacea. (*ye.*) Fennel-leaved. ——— 1825. 5. 9. H. ♂. Jacq. schœn. 2. t. 156.  
*Arctotis faniculacea.* Jacq.  
 9 leucanthemoides. (*ye.*) Ox-eye Daisy-leav'd. ——— ——— H. ♂. ——— 2. t. 164.  
*Arctotis leucanthemoides.* Jacq.
- 10 odorata. H.K. (*ye.*) smooth-seeded. ——— 1774. 4. 6. G. ♀.
- TITHONIA. W. TITHONIA.** Syngenesia Polygamia Frustranea. W.  
 1 tagetiflora. w. (*or.*) Tagetes-flower'd. W. Indies. 1821. 8. 9. S. ♀. Bot. reg. t. 591.  
 2 tubæformis. D.D. (*ye.*) tube-flowered. Mexico. 1799. 9. 11. H. ♂. Jacq. schœn. 3. t. 375.  
*Helianthus tubæformis.* Jacq.
- ARCTOTIS. H.K. ARCTOTIS.** Syngenesia Polygamia Necessaria. L.  
 1 acaulis. w. (*ye.*) dwarf. C. B. S. 1759. 4. 7. G. ♀. Bot. reg. t. 122.  
 2 tricolor. w. (*pu. wh.*) three-coloured. ——— 1794. 5. 7. G. ♀. ——— t. 131.  
 3 undulata. w. (*or.*) wave-leaved. ——— 1795. 4. 6. G. ♀. Jacq. schœn. 2. t. 160.  
 4 grandiflora. w. (*or. cr.*) great-flowered. ——— 1774. 3. 5. G. ♀. ——— 3. t. 378.  
 5 Massoniâna. s.s. (*st. re.*) Masson's. ——— ——— G. ♂.  
*grandiflora.* H.K. non Jacq.  
 6 speciosa. w. (*pu. ye.*) showy. ——— 1812. 6. 8. G. ♀. Bot. mag. t. 2182.  
 7 glaucophylla. w. (*or. pi.*) Sea-green-leav'd. ——— 1794. 5. 8. G. ♀. Jacq. schœn. 2. t. 170.  
 8 plantaginea. w. (*ye. pu.*) Plantain-leaved. ——— 1768. 6. 8. G. ♀.  
 9 argentea. w. (*v.*) silver-leaved. ——— 1774. 8. G. ♂.  
 10 rosea. w. (*ro.*) Rose. ——— 1793. 7. 9. G. ♀. Jacq. schœn. 2. t. 162.  
 11 decumbens. w. (*wh. pi.*) decumbent. ——— 1790. ——— G. ♀. ——— 3. t. 381.  
 12 angustifolia. w. (*or.*) narrow-leaved. ——— 1739. ——— G. ♀.  
 13 flaccida. w. (*wh. re.*) bending-stalked. ——— 1794. 5. 7. G. ♂. Jacq. schœn. 2. t. 163.  
 14 virgata. w. (*ye. pu.*) slender-twigged. ——— 1816. 7. 9. H. ♂. ——— 3. t. 307.  
 15 flammæa. J.F. (*or.*) flame-coloured. ——— 1822. ——— G. ♀. Jacq. frag. t. 47. f. 1.

16 am'ena. J.F. ( <i>wh.pu.</i> ) handsome.	C. B. S.	1822.	7. 9.	G. 4.	Jacq. frag. t. 118.
17 paniculata.w. ( <i>wh.cr.</i> ) panicked.	_____	_____	_____	G. 4.	Jacq. schœn. 3. t. 380.
18 decurrens.w. ( <i>wh.pi.</i> ) decurrent.	_____	_____	6. 7.	G. 4.	_____ 2. t. 165.
19 melanocicla.w. ( <i>wh.re.</i> ) various-colour'd.	_____	1812.	_____	G. 4.	_____
20 réptans. w. ( <i>st.br.</i> ) creeping.	_____	1795.	7. 9.	G. 4.	Jacq. schœn. 3. t. 382.
21 auriculata.w. ( <i>ye.pu.</i> ) ear-leaved.	_____	_____	6. 8.	G. 4.	_____ 2. t. 169.
22 fastuosa. w. ( <i>or.cr.</i> ) Orange-flower'd.	_____	_____	5. 7.	G. 4.	_____ 2. t. 166.
23 spinulosa. w. ( <i>or.bk.</i> ) thorny-leaved.	_____	_____	5. 8.	G. 4.	_____ 2. t. 167.
24 maculata. w. ( <i>st.pu.</i> ) spotted.	_____	1812.	_____	G. 4.	Bot. reg. t. 130.
25 áspera. B.R. ( <i>wh.ro.</i> ) broad rough-leav'd.	_____	1710.	7. 9.	G. 4.	_____ t. 34.
26 elatior. w. ( <i>ye.pu.</i> ) tall.	_____	1816.	_____	G. 4.	Jacq. schœn. 2. t. 172.
27 arboréscens.w. ( <i>wh.pi.</i> ) arborescent.	_____	_____	_____	G. 4.	_____ 2. t. 171.
28 aurèola. B.R. ( <i>or.</i> ) narrow rough-leav'd.	_____	1710.	_____	G. 4.	Bot. reg. t. 32.
29 revoluta. w. ( <i>ye.bk.</i> ) revolute-leaved.	_____	1824.	8. 10.	H. 4.	Jacq. schœn. 2. t. 173.
30 cúprea. w. ( <i>co.pu.</i> ) copper-coloured.	_____	_____	7. 8.	G. 4.	_____ 2. t. 176.
31 squarrosa. w. ( <i>or.pu.</i> ) squarrose.	_____	1825.	_____	G. 4.	_____ 2. t. 177.
32 Cinerária. w. ( <i>ye.or.</i> ) black-eyed.	_____	_____	_____	G. 4.	_____ 2. t. 174.
33 bicolor. W.en. ( <i>wh.re.</i> ) two-coloured.	_____	1812.	_____	G. 4.	_____
34 glabrata. w. ( <i>ye.pu.</i> ) smooth-leaved.	_____	1816.	7. 9.	G. 4.	Jacq. schœn. 2. t. 175.
35 purpura. W.en. ( <i>pu.</i> ) purple.	_____	1827.	_____	G. 4.	_____

CALENDULA. W. MARYGOLD. Syngenesia Polygamia Necessaria. L.					
1 arvensis. w. ( <i>ye.</i> ) field.	Europe.	1597.	6. 9.	H. 4.	Ger. herb. 603. f. 10.
2 sícula. W.en. ( <i>ye.</i> ) Sicilian.	Sicily.	1816.	_____	H. 4.	_____
3 stellata. w. ( <i>ye.</i> ) stary.	Barbary.	1795.	_____	H. 4.	Schk. hand 3. t. 265.
4 officinalis. w. ( <i>ye.</i> ) common.	S. Europe.	1573.	_____	H. 4.	_____
β pléna. ( <i>ye.</i> ) double-flowered.	_____	_____	_____	H. 4.	_____
5 ægyptiaca. P.S. ( <i>ye.</i> ) Egyptian.	Egypt.	1820.	_____	H. 4.	_____
6 suffruticosa. w. ( <i>ye.</i> ) suffruticent.	S. Europe.	1823.	_____	G. 4.	_____
7 denticulata. s.s. ( <i>ye.</i> ) toothed.	Barbary.	1821.	6. 8.	F. 4.	_____
8 sancta. w. ( <i>st.</i> ) pale-flowered.	Levant.	1731.	5. 9.	H. 4.	_____
9 incana. w. ( <i>ye.</i> ) hoary.	Barbary.	1796.	6. 8.	H. 4.	Desf. atl. 2. t. 245.
tomentosa. Df. non L.					
10 pluviâlis. w. ( <i>wh.pu.</i> ) small Cape.	C. B. S.	1699.	_____	H. 4.	Mill. ic. t. 75. f. 2.
11 hybrida. w. ( <i>wh.pu.</i> ) great Cape.	_____	1752.	6. 7.	H. 4.	Swt. br. fl. gar. t. 39.
12 nudicaulis. w. ( <i>wh.</i> ) naked-stalked.	_____	1731.	6. 8.	H. 4.	Comm. hort. 2. t. 33.
13 graminifolia.w. ( <i>wh.pu.</i> ) Grass-leaved.	_____	_____	5. 9.	G. 4.	Bot. reg. t. 289.
14 Tragus. w. ( <i>pu.wh.</i> ) bending-stalked.	_____	1774.	5. 6.	G. 4.	Bot. mag. t. 408.
β flaccida. v. ( <i>or.</i> ) flaccid.	_____	_____	_____	G. 4.	Bot. reg. t. 28.
15 viscosa. H.K. ( <i>or.</i> ) viscosus.	_____	1790.	6. 9.	G. 4.	Andr. reposit. t. 412.
Arctôtis glutinosa. B.M. 1343.					
16 dentata. A.R. ( <i>wh.</i> ) tooth-leaved.	_____	1790.	5. 6.	G. 4.	Andr. reposit. c. ic.
17 oppositifolia. w. ( <i>ye.</i> ) glaucous-leaved.	_____	1774.	8.	G. 4.	_____
18 fruticosa. w. ( <i>wh.</i> ) shrubby.	_____	1752.	6. 7.	G. 4.	Mill. ic. 2. t. 283.
19 chrysanthemifolia. v. ( <i>ye.</i> ) large-flower'd.	_____	1790.	3. 8.	G. 4.	Bot. reg. t. 40.
20 arboréscens. w. ( <i>ye.</i> ) rough-leaved.	_____	1774.	12.	G. 4.	Jacq. ic. 3. t. 596.
21 muricata. w. ( <i>ye.</i> ) muricate.	_____	1816.	_____	G. 4.	_____

POLYMNIA. W. POLY'MNIA. Syngenesia Polygamia Necessaria. L.					
1 canadensis. w. ( <i>ye.</i> ) Canadian.	N. America.	1768.	7. 8.	H. 4.	Lin. am. ac. 3. t. 1. f. 5.
2 Uvedalia. w. ( <i>ye.</i> ) broad-leaved.	_____	1699.	8. 10.	H. 4.	Moris. s. 6. t. 7. f. 55.
3 maculata. C.I. ( <i>ye.</i> ) spotted-stalked.	Mexico.	1823.	9. 11.	H. 4.	Cav. ic. 3. t. 227.
4 abyssinica. w. ( <i>ye.</i> ) upright.	Africa.	1775.	4. 5.	S. 4.	_____

MELAMP'ODIUM. W. MELAMP'ODIUM. Syngenesia Polygamia Necessaria. W.					
1 americanum. w. ( <i>ye.</i> ) American.	Vera Cruz.	1733.	8. 10.	S. 4.	Reliq. Houst. 9. t. 21.
2 humile. w. ( <i>ye.</i> ) dwarf.	Jamaica.	1782.	6. 10.	S. 4.	_____
3 hispidum. K.S. ( <i>ye.</i> ) hispid.	New Spain.	1825.	9. 11.	H. 4.	H. et B. 4. t. 399.
4 perfoliatum. K.S. ( <i>ye.</i> ) perfoliate.	_____	1796.	8. 10.	H. 4.	Cavan. ic. 1. t. 15.

Alcina perfoliata. Cav. Wedelia perfoliata. w.					
5 longifolium. W.en. ( <i>ye.</i> ) long-leaved.	_____	1820.	_____	H. 4.	_____
6 ovatifolium. R.I. ( <i>ye.</i> ) oval-leaved.	S. America.	1828.	_____	H. 4.	_____
Wedelia ovatifolium. w. Alcina ovalifolia. LG.					
7 sericeum. s.s. ( <i>ye.</i> ) silky-leaved.	New Spain.	1825.	_____	H. 4.	_____

MILLERIA. L. MILLERIA. Syngenesia Polygamia Necessaria. L.					
1 quinqueflora. w. ( <i>ye.</i> ) five flowered.	Vera Cruz.	1731.	7. 10.	H. 4.	Cavan. ic. 1. t. 82.
2 biflora. w. ( <i>ye.</i> ) two-flowered.	S. America.	1730.	_____	H. 4.	Mart. dec. 47. f. 1.

FLAVERIA. J. FLAVERIA. Syngenesia Polygamia Necessaria. P.S.					
1 repanda. LG. ( <i>ye.</i> ) repand.	S. America.	1799.	7. 9.	H. 4.	_____
2 Contrayerva. K.S. ( <i>ye.</i> ) Peruvian.	Peru.	1794.	8. 10.	S. 4.	Cavan. ic. 1. t. 4.
3 angustifolia. K.S. ( <i>ye.</i> ) narrow-leaved.	Mexico.	1825.	_____	H. 4.	_____ 3. t. 223.

4 lineàris. L.G.	( <i>ye.</i> ) linear-leaved.	S. America.	1825.	8. 10.	S. ☉.	
5 marítima. K.S.	( <i>ye.</i> ) sea-side.	Cuba.	1822.	—	S. ☉.	
BALTIM'ORA. W.	BALTIM'ORA.	Syngenesia Polygamia Necessaria. L.				
1 recta. w.	( <i>ye.</i> ) upright.	Vera Cruz.	1699.	6. 7.	H. ☉.	Schk. ha. 3. t. 261. C.
2 álba. P.S.	( <i>wh.</i> ) white.	.....	1824.	—	H. ☉.	
ERIO'COMA. K.S.	ERIO'COMA.	Syngenesia Polygamia Frustranea.				
1 floribúnda. K.S.	( <i>wh.</i> ) many-flowered.	Mexico.	1828.	9. 11.	F. ☿.	H. et B. 4. t. 396.
2 frágrans. D.D.	( <i>wh.</i> ) sweet-scented.	—	—	—	F. ☿.	Swt. br. fl. gar. s. 2.
SILPHIUM. W.	SILPHIUM.	Syngenesia Polygamia Necessaria. L.				
1 laciniátum. w.	( <i>ye.</i> ) jagged-leaved.	N. America.	1781.	7. 9.	H. ☉.	Lin. fil. fas. 1. t. 3.
2 compósitum. w.	( <i>ye.</i> ) scollop-leaved.	—	1789.	—	H. ♀.	
3 therebinthináceum. ( <i>ye.</i> )	broad-leaved.	—	1765.	8. 9.	H. ♀.	Jacq. vind. 1. t. 43.
4 perfoliátum. w.	( <i>ye.</i> ) perfoliate.	—	1766.	7. 10.	H. ♀.	
5 conjúctum. W.en. ( <i>ye.</i> )	conjoined.	—	....	—	H. ♀.	
6 connátum. w.	( <i>ye.</i> ) round-stalked.	—	1765.	—	H. ♀.	
7 Asteriscus. w.	( <i>ye.</i> ) hairy-stalked.	—	1732.	7. 9.	H. ♀.	Dill. elth. t. 37. f. 42.
8 scábrum. n.	( <i>ye.</i> ) rough-leaved.	—	1823.	—	H. ♀.	
9 púmulum. w.	( <i>ye.</i> ) dwarf woolly.	—	—	—	H. ♀.	
10 trifoliátum. w.	( <i>ye.</i> ) three-leaved.	—	1755.	7. 10.	H. ♀.	Moris. s. 6. t. 3. f. 68.
11 ternátum. w.	( <i>ye.</i> ) various-leaved.	—	1806.	—	H. ♀.	
12 atropurpúreum. w. ( <i>ye.</i> )	purple-stalked.	—	1812.	—	H. ♀.	
OSTEOSPÉRMUM.	OSTEOSPÉRMUM.	Syngenesia Polygamia Necessaria. L.				
1 spinósum. H.K.	( <i>ye.</i> ) rough-leaved.	C. B. S.	1700.	2. 10.	G. ♀.	Com. hort. 2. t. 43.
2 spinéscens. H.K.	( <i>ye.</i> ) smooth-leaved.	—	1793.	3. 6.	G. ♀.	Jacq. schœn. 3. t. 377.
3 pisiferum. w.	( <i>ye.</i> ) smooth.	—	1757.	3. 5.	G. ♀.	Mill. ic. 2. t. 194. f. 1.
4 moniliferum. w.	( <i>ye.</i> ) Poplar-leaved.	—	1714.	7. 8.	G. ♀.	Dill. elth. t. 68. f. 79.
5 hirsútum. w.	( <i>ye.</i> ) hairy.	—	1822.	—	G. ♀.	
6 ciliátum. w.	( <i>ye.</i> ) fringed.	—	1818.	—	G. ♀.	
7 imbricátum. w.	( <i>ye.</i> ) imbricated.	—	1824.	—	G. ♀.	
8 calenduláceum. w. ( <i>ye.</i> )	Marygold-like.	—	1823.	—	G. ♀.	
9 ilicifólium. w.	( <i>ye.</i> ) Holly-leaved.	—	1816.	—	G. ♀.	Burm. afr. 172. t. 62.
10 rigidum. w.	( <i>ye.</i> ) rigid.	—	1774.	4. 7.	G. ♀.	
11 cœrúleum. w.	( <i>bl.</i> ) blue-flowered.	—	—	6. 9.	G. ♀.	Jacq. ic. 1. t. 179.
12 perfoliátum. w. ( <i>ye.</i> )	perfoliate.	—	1816.	5. 8.	G. ♀.	
13 niveum. w.	( <i>ye.</i> ) white-leaved.	—	1820.	—	G. ♀.	
14 corymbósum. w. ( <i>ye.</i> )	corymbed.	—	—	—	G. ♀.	
15 incánum. w.	( <i>ye.</i> ) hoary-leaved.	—	1816.	7. 8.	G. ♀.	
16 polygaloides. w. ( <i>ye.</i> )	Milkwort-leaved.	—	1759.	—	G. ♀.	Pluk. mant. t. 382.

Subordo VII. *AMBROSIACEÆ*. *Link enum. 2. p. 366.*

PARTHENIUM. W.	PARTHENIUM.	Syngenesia Polygamia Necessaria. L.				
1 integrifólium. w. ( <i>wh.</i> )	entire-leaved.	Virginia.	1661.	6. 10.	H. ♀.	Willd. hort. ber. t. 4
2 incánum. K.S.	( <i>wh.</i> ) hoary.	Mexico.	1824.	—	H. ☉.	H. et B. 4. t. 391.
3 Hysteróphorus. w. ( <i>wh.</i> )	cut-leaved.	W. Indies.	1728.	7. 10.	H. ☉.	Bot. mag. t. 2275.
<i>Argyrochæta bipinnatifida</i> . Cavan. icon. 4. t. 378.						
IVA. W.	IVA.	Syngenesia Polygamia Necessaria. L.				
1 ciliáta. w.	( <i>ye.</i> ) ciliated.	N. America.	1820.	7. 8.	H. ☉.	
2 ánnua. w.	( <i>ye.</i> ) annual.	S. America.	1768.	—	H. ☉.	Schmidel ic. t. 16.
3 xanthifólia. n.	( <i>ye.</i> ) Xanthium-leaved.	Missouri.	1827.	—	H. ☉.	
4 axilláris. Ph.	( <i>ye.</i> ) axillary-flowered.	—	—	5. 6.	H. ♀.	
5 frutésceus. w.	( <i>ye.</i> ) shrubby.	N. America.	1711.	8.	H. ♀.	Pluk. alm. t. 27. f. 1.
AMBR'OSIA. W.	AMBR'OSIA.	Monœcia Pentandria. L.				
1 integrifólia. w.	( <i>gr.</i> ) entire-leaved.	N. America.	1816.	7. 9.	H. ☉.	
2 trifída. w.	( <i>gr.</i> ) trifid-leaved.	—	1699.	—	H. ☉.	Moris. s. 6. t. 1. f. 4.
3 elátior. w.	( <i>gr.</i> ) tall.	—	1696.	7. 8.	H. ☉.	Herm. lugdb. t. 35.
4 artemisiáfólia. w. ( <i>gr.</i> )	Mugwort-leaved.	—	1759.	—	H. ☉.	
5 paniculáta. w.	( <i>gr.</i> ) paniced.	—	1811.	7. 9.	H. ☉.	Pluk. alm. t. 10. f. 5.
6 marítima. w.	( <i>gr.</i> ) sea.	Italy.	1570.	7. 8.	H. ☉.	Schk. hand. 3. t. 292.
7 cumanénsis. K.S. ( <i>gr.</i> )	Cumana.	S. America.	1823.	9. 11.	G. ♀.	
8 peruviana. w. ( <i>gr.</i> )	Peruvian.	Peru.	1821.	—	G. ♀.	
XANTHIUM. W.	XANTHIUM.	Monœcia Pentandria. L.				
1 Strumárium. w. ( <i>gr.</i> )	small burdock.	England.	....	7. 9.	H. ☉.	Eng. bot. v. 36. t. 2544.
2 orientále. w.	( <i>gr.</i> ) oriental.	China.	1685.	—	H. ☉.	Linn. dec. 33. t. 17.
3 canadéne. s.s.	( <i>gr.</i> ) Canadian.	Canada.	—	—	H. ☉.	
4 echinátum. w.	( <i>gr.</i> ) hedgehog.	.....	1818.	—	H. ☉.	

- 5 catharticum. K.S. (*gr.*) divided-leaved. S. America. 1825. 9. 10. H. ☉.  
 6 spinosum. w. (*gr.*) spiny. S. Europe. 1713. 7. 9. H. ☉. Herm. parad. 246.  
 FRANS'ERIA. W. FRANS'ERIA. Monœcia Pentandria. W.  
 1 artemisioides. w. (*gr.*) Mugwort-leaved. Peru. 1759. 7. 9. G. ♀. Willd. hort. ber. t. 2.  
 2 ambrosioides. w. (*gr.*) Ambrosia-leaved. Mexico. 1796. — G. ♀. Cavan. ic. 2. t. 200.

Subordo VIII. ANTHEMIDEÆ. *Kth. synops. 2. p. 513.*

- CEPHALO'PHORA. W. CEPHALO'PHORA. Syngenesia Polygamia Æqualis. W.  
 glauca. w. (*wh.*) glaucous. Chili. 1798. 7. 8. H. ☉. Cavan. ic. 6. t. 599.  
*Gramia aromatica*. Hook. ex. flor. 189.  
 ETH'ULIA. W. ETH'ULIA. Syngenesia Polygamia Æqualis. W.  
 1 conyzoides. w. (*li.*) panicled. India. 1776. 7. 8. S. ☉. Linn. fil. dec. t. 1.  
 2 divaricata. w. (*pu.*) spreading. — 1815. — S. ☉. Lam. ill. t. 699.  
*Epâtes divaricata*. Cas.  
 3 ramosa. H.B. (*pu.*) branching. — 1818. — S. ☉.  
 4 brasiliensis. L.en. (*pu.*) Brazilian. Brazil. 1822. — S. ♀.  
 SPARGANO'PHORUS. G. SPARGANO'PHORUS. Syngenesia Polygamia Æqualis.  
 1 Vaillantii. P.S. (*pu.*) Vaillant's. E. Indies. 1824. 6. 8. S. ♀. Gært. fr. 2. t. 165. f. 4.  
*Ethulia Sparganophorus*. L.  
 2 Struchium. P.S. (*pu.*) axillary-flower'd. W. Indies. 1826. — S. ♀. Brown. jam. t. 34. f. 2.  
 3 verticillatus. M. (*pu.*) whorl-leaved. N. America. 1827. 8. 10. H. w. ♀.  
 TARCHONA'THUS. W. AFRICAN FLEABANE. Syngenesia Polygamia Æqualis. L.  
 1 camphoratus. w. (*ye.*) strong-scented. C. B. S. 1690. 6. 10. G. ♀. Lam. ill. t. 671.  
 2 dentatus. P.S. (*ye.*) scentless. — 1816. — G. ♀.  
 3 ellipticus. P.S. (*ye.*) elliptic-leaved. — 1823. — G. ♀.  
 PODA'NTHUS. LG. PODA'NTHUS. Syngenesia Polygamia Æqualis.  
 1 miliqui. H.C. (*ye.*) Chilian. Chile. 1826. 7. 9. F. ♀.  
 2 gratus. D.D. (*ye.*) grateful. — 1825. — F. ♀. Hor. phys. ber. 75. t. 16.  
*Eucœmia grata*. S.S.  
 OTA'NTHUS. L.en. OTA'NTHUS. Syngenesia Polygamia Æqualis.  
 maritimus. L.en. (*ye.*) sea-side. England. .... 7. 9. H. ♀. Eng. bot. v. 2. t. 141.  
*Santolina maritima*. E.B.  
 SANTOL'INA. W. LAVENDER-COTTON. Syngenesia Polygamia Æqualis. L.  
 1 Châmae-Cyparissus. w. (*ye.*) common. S. Europe. 1573. 7. H. ♀. Lam. ill. t. 671. f. 3.  
 2 ericoides. P.S. (*ye.*) Heath-like. — 1827. 7. 9. H. ♀.  
 3 squarrosa. w. (*ye.*) hoary. — 1570. 7. 8. H. ♀. Moris. s. 6. t. 3. f. 17.  
 4 viridis. w. (*ye.*) dark-green. — 1727. 7. H. ♀.  
 5 rosmarinifolia. w. (*ye.*) Rosemary-leaved. — 1683. 7. 9. H. ♀. Sm. exot. bot. 2. t. 62.  
 6 pectinata. S.S. (*ye.*) pectinate. Spain. 1825. — H. ♀.  
 7 viscosa. S.S. (*ye.*) viscous. — — H. ♀.  
 8 erithimifolia. W.en. (*ye.*) Samphire-leaved. S. Europe. 1823. — H. ♀.  
 9 pinnata. Viv. (*wh.*) wing-leaved. — 1791. — F. ♀.  
 10 anthemoides. w. (*ye.*) Chamomile-leaved. — 1727. 7. 8. H. ♀. Flor. græc. t. 854.  
 11 alpina. L. (*ye.*) alpine. — 1798. 7. 9. H. ♀. Barr. rar. t. 522.  
 ATHAN'ASIA. W. ATHAN'ASIA. Syngenesia Polygamia Æqualis. L.  
 1 crenata. w. (*ye.*) crenated. C. B. S. 1816. 6. 8. G. ♀.  
 2 punctata. w. (*ye.*) punctated. — 1822. 5. 7. G. ♀. Petiv. gaz. t. 81. f. 6.  
 3 capitata. w. (*ye.*) hairy. — 1774. 1. 3. G. ♀. Moris. s. 6. t. 3. f. 48.  
 4 pubescens. w. (*ye.*) villous-leaved. — 1768. 6. 8. G. ♀. Comm. hort. 2. t. 47.  
 5 canescens. w. (*ye.*) canescent. — 1822. — G. ♀. Cavan. ic. 1. t. 3.  
*lanuginosa*. Cav.  
 6 cuneifolia. P.S. (*ye.*) wedge-leaved. — 1816. 7. 9. G. ♀. Lam. ill. t. 670. f. 3.  
 7 annua. w. (*ye.*) annual. Barbary. 1686. 7. 8. H. ☉. Bot. mag. t. 2276.  
 8 dentata. w. (*ye.*) tooth-leaved. C. B. S. 1759. — G. ♀. Comm. rar. t. 41.  
 9 trifurcata. w. (*ye.*) trifid-leaved. — 1710. — G. ♀. Comm. hort. 2. t. 49.  
 10 virgata. w. (*ye.*) twiggy. — 1815. — G. ♀. Jacq. schœn. 2. t. 148.  
 11 tomentosa. w. (*ye.*) Lavender-leaved. — 1774. 5. 6. G. ♀. Lam. ill. t. 670. f. 1.  
*cinerea*. L.  
 12 filiformis. w. (*ye.*) fine-leaved. — 1787. 8. G. ♀.  
 13 crithimifolia. w. (*ye.*) Samphire-leav'd. — 1723. 7. 8. G. ♀. Comm. hort. 2. t. 50.  
 14 parviflora. w. (*ye.*) small-flowered. — 1731. 4. G. ♀. Jacq. schœn. 2. t. 149.  
 15 tricuspis. P.S. (*ye.*) three-pointed. — 1816. — G. ♀.  
 16 pectinata. w. (*ye.*) pectinated. — 1774. 5. 6. G. ♀.  
 17 pinnata. w. (*ye.*) pinnated. — 1824. 6. 8. G. ♀. Lam. ill. t. 670. f. 4.  
 BALSAM'ITA. W. COSTMARY. Syngenesia Polygamia Æqualis. W.  
 1 virgata. w. (*ye.*) twiggy. Italy. 1791. 6. 7. H. ♀. Jacq. obs. 4. t. 81.

2	ageratifolia. w. (ye.)	Ageratum-leaf'd.	Candia.	1605.	6. 10.	G. ♀.	Alp. exot. t. 326.
3	vulgâris. w. (ye.)	common.	Italy.	1568.	8. 9.	H. ♀.	Schk. hand. 3. t. 240.
4	ânnua. DC. (ye.)	annual.	S. Europe.	1629.	7. 8.	H. ♂.	Mill. ic. 2. t. 227. f. 1.
<i>Tanacetum ânnuum. w.</i>							
PE'NTZIA. Th. PE'NTZIA. Syngenesia Polygamia Æqualis. W.							
	flabelliformis. w. (ye.)	fan-leaved.	C. B. S.	1774.	5. 8.	G. ♀.	Bot. mag. t. 212.
<i>Tanacetum flabelliforme. B.M.</i>							
TANACETUM. W. TANSY. Syngenesia Polygamia Superflua. L.							
1	vestitum. w. (ye.)	imbricated.	C. B. S.	1816.	8. 9.	G. ♀.	
2	linifolium. w. (ye.)	Flax-leaved.	—————	1774.	8.	G. ♀.	
3	suffruticosum. w. (ye.)	shrubby.	—————	1751.	5. 9.	G. ♀.	Comm. hort. 2. t. 100.
4	canariense. DC. (ye.)	Canary.	Canaries.	1816.	—	G. ♀.	
5	incanum. s.s. (ye.)	hoary.	Levant.	1827.	—	H. ♀.	
6	sibiricum. w. (ye.)	Siberian.	Siberia.	1823.	—	H. ♀.	Gmel. sib. 2. t. 65. f. 2.
7	argenteum. w. (ye.)	silvery.	Levant.	1812.	—	H. ♀.	
8	grandiflorum. w. (ye.)	great-flowered.	C. B. S.	1823.	—	G. ♀.	
9	myriophyllum. w. (ye.)	many-leaved.	Levant.	1818.	—	H. ♀.	
<i>Achillea bipinnata. L.</i>							
10	pauciflorum. s.s. (ye.)	few-flowered.	N. America.	1827.	—	H. ♀.	
11	vulgare. w. (ye.)	common.	Britain.	....	—	H. ♀.	Eng. bot. v. 18. t. 1229.
	<i>β crispum.</i> (ye.)	curled.	.....	....	—	H. ♀.	
ARTEMISIA. W. WORMWOOD. Syngenesia Polygamia Superflua. L.							
1	judæica. w. (ye.)	Judean.	Levant.	1688.	8.	G. ♀.	Pluk. alm. t. 73. f. 2.
2	valentina. w. (ye. gr.)	Spanish.	Spain.	1739.	7. 8.	F. ♀.	Barr. ic. t. 485.
3	arragonensis. w. (ye. gr.)	snowy-white.	—————	1816.	—	F. ♀.	Asso arrag. t. 8. f. 1.
4	salsoloides. s.s. (ye. gr.)	saltwort-like.	Siberia.	1827.	—	F. ♀.	
5	subcanescens. w. (ye. gr.)	hoary-leaf'd.	S. Europe.	....	—	F. ♀.	
6	abrotanum. w. (ye. gr.)	Southernwood.	—————	1548.	8. 10.	H. ♀.	Blackw. t. 555.
7	viridifolia. s.s. (ye. gr.)	green-leaved.	Siberia.	1828.	—	H. ♀.	
8	procera. w. (ye. gr.)	tall.	S. Europe.	1816.	—	F. ♀.	Lobel. ic. 768.
<i>paniculata. Lam.</i>							
9	tenuifolia. w. (ye. gr.)	slender-leaved.	.....	1732.	9. 12.	G. ♀.	Dill. elth. t. 33. f. 37.
10	âfra. w. (wh. gr.)	Cape.	C. B. S.	1816.	—	G. ♀.	
11	arboræscens. w. (ye. gr.)	tree.	Levant.	1640.	6. 8.	H. ♀.	Flor. græc. t. 856.
12	argentea. w. (ye.)	silvery.	Madeira.	1777.	6. 7.	G. ♀.	
13	lednicensis. s.s. (ye. gr.)	linear-lobed.	Hungary.	1829.	—	H. ♀.	
14	pauciflora. s.s. (ye.)	few-flowered.	Siberia.	1824.	—	H. ♀.	
15	glaciâlis. w. (ye. gr.)	silky.	Switzerland.	1739.	7. 8.	H. ♀.	Jacq. aust. 5. t. ap. 35.
16	rupêstris. w. (br.)	stone.	N. Europe.	....	—	H. ♀.	All. ped. t. 9. f. 1.
17	mutellina. w. (ye. gr.)	Alpine.	Alps of Europ.	1815.	—	H. ♀.	Vill. daup. 3. t. 35.
18	splendens. s.s. (ye.)	glossy.	Caucasus.	1827.	—	H. ♀.	
19	furcata. s.s. (br.)	forked.	Siberia.	1829.	—	H. ♀.	
20	lanata. s.s. (wh. ye.)	woolly.	S. Europe.	1827.	—	H. ♀.	
21	alpina. M.B. (ye. gr.)	alpine.	Caucasus.	—	—	H. ♀.	
22	jeniseensis. s.s. (ye. gr.)	leafy-panicled.	Siberia.	1824.	—	H. ♀.	
23	pedemontana. L. en. (br.)	Swiss.	Switzerland.	1823.	—	H. ♀.	
24	caucâsica. w. (ye. gr.)	Caucasian.	Caucasus.	1804.	6. 7.	H. ♀.	
25	spicata. w. (br.)	spiked.	Switzerland.	1790.	—	H. ♀.	Jacq. aust. 5. t. ap. 34.
26	norvêgica. s.s. (br.)	Norwegian.	Norway.	1823.	—	H. ♀.	Flor. dan. t. 801.
<i>rupêstris. Flor. dan. nec aliorum.</i>							
27	grœnlândica. s.s. (br.)	Greenland.	Greenland.	1827.	—	H. ♀.	
28	ludoviciana. N. (br.)	St. Louis.	Missouri.	—	—	H. ♀.	
29	desertorum. s.s. (br.)	desert.	Tartary.	1817.	7. 9.	H. ♀.	
<i>leucanthemifolia. Hort.</i>							
30	pectinata. w. (br.)	comb-leaved.	Dauria.	1806.	—	H. ♂.	Pall. it. 3. t. Hh. f. 2.
31	tanacetifolia. w. (br.)	Tansy-leaved.	Siberia.	1768.	7. 8.	H. ♂.	All. ped. 1. t. 10. f. 3.
32	laciniata. w. (gr.)	jagged.	Dauria.	1823.	—	H. ♀.	
33	inspida. w. (br.)	insipid.	S. Europe.	—	—	H. ♀.	Vill. delph. 3. t. 35.
34	mollissima. D.P. (ye.)	soft-leaved.	Nepaul.	—	8. 11.	H. ♀.	
35	potentillæfolia. s.s. (gr. st.)	Cinquefoil-leaf'd.	Siberia.	1827.	7. 9.	H. ♀.	
36	armeniaca. s.s. (gr. ye.)	Armenian.	Armenia.	1828.	—	H. ♀.	
37	canescens. s.s. (gr. ye.)	canescent.	—————	—	—	H. ♀.	
38	Santonica. w. (wh. gr.)	Tartarian.	Siberia.	1596.	9. 11.	H. ♀.	Gmel. sib. 2. t. 51.
39	scoparia. w. (wh. gr.)	besom.	Hungary.	1796.	7. 9.	H. ♂.	W. et K. hung. 1. t. 65.
40	campêstris. w. (br.)	field.	England.	....	8.	H. ♂.	Eng. bot. v. 5. t. 338.
41	herbacea. w. (ye. gr.)	herbaceous.	Siberia.	1817.	—	H. ♀.	
42	Marschalliana. s.s. (gr. ye.)	M. Bieberstein's.	—————	1800.	8. 9.	H. ♀.	
<i>inodora. M.B. pauciflora. w.</i>							
43	virgata. s.s. (br.)	twiggy.	N. America.	1827.	7. 9.	H. ♀.	

44 palustris. w. (ye.) marsh.	Siberia.	1801.	7. 8.	H. ☉	Gmel. sib. 2. t. 55.
45 neglecta. W.en. (gr.ye.) neglected.	—————	1815.	—	H. ♀.	
46 camphorata. w. (ye.gr.) Camphor-scent'd.	S. Europe.	1820.	—	H. ♀.	Lob. ic. t. 769. f. 1.
47 albida. W.en. (st.) white-leaved.	Siberia.	—	—	H. ♀.	
48 humilis. W.en. (ye.gr.) dwarfish.	Carniola.	....	8. 10.	H. ♀.	
49 crithmifolia. w. (br.) Samphire-leav'd.	Portugal.	1739.	—	H. ♀.	
50 saxatilis. w. (wh.) rock.	Hungary.	1816.	6. 8.	H. ♀.	
51 glauca. w. (gr.) glaucous.	Siberia.	1806.	—	H. ♀.	
52 nutans. w. (br.gr.) nodding.	Tartary.	1819.	7. 9.	H. ♀.	
53 monogynea. w. (ye.) one-styled.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 1. t. 75.
54 palmata. w. (gr.ye.) palmated.	S. Europe.	1739.	6. 7.	G. ♀.	
55 nivea. W.en. (gr.ye.) snowy.	Siberia.	1815.	—	H. ♀.	
56 maritima. w. (br.) drooping-flower'd.	Britain.	....	8. 9.	H. ♀.	Eng. bot. v. 24. t. 1706.
57 gallica. w. (br.) upright-flower'd.	—————	....	—	H. ♀.	————— t. 1001.
58 salina. w. (wh.gr.) sea-side.	Germany.	1817.	—	H. ♀.	Spreng. halens. t. 12.
59 fragrans. w. (st.) Lavender-leav'd.	Armenia.	1739.	6. 7.	H. ♀.	
60 austriaca. w. (br.) Austrian.	Austria.	1597.	8. 10.	H. ♀.	Jacq. aust. 1. t. 100.
61 frigida. s.s. (gr.ye.) frigid.	Siberia.	—	—	H. ♀.	
62 vallesiaca. w. (st.) downy.	Italy.	1739.	7. 8.	H. ♀.	
63 taurica. w. (wh.gr.) Taurian.	Tauria.	1824.	—	H. ♀.	
64 orientalis. w. (br.) oriental.	Armenia.	....	8. 10.	H. ♀.	
65 sericea. w. (wh.) silky-leaved.	—————	1796.	6. 7.	H. ♀.	Gmel. sib. t. 64. f. 1.
66 repens. w. (br.) creeping.	—————	1805.	—	H. ♀.	
67 ramosa. s.s. (st.) branching.	Canaries.	1816.	6. 8.	G. ♀.	
68 bal-amita. W.en. (ye.) Balsam-scented.	.....	—	—	H. ♀.	
69 pontica. w. (ye.) Roman.	Austria.	1570.	9.	H. ♀.	Jacq. aust. 1. t. 99.
70 chamæmelifolia. w. (br.) Chamomile-leav'd.	S. Europe.	1739.	7. 8.	F. ♀.	Vill. dauph. 3. t. 35.
71 annua. w. (wh.gr.) annual.	Siberia.	1741.	—	H. ☉	Am. ruth. t. 196. f. 23.
72 biennis. Ph. (ye.gr.) biennial.	Missouri.	1804.	—	H. ♂.	Bot. mag. t. 2472.
73 Absinthium. w. (ye.) common.	Britain.	....	7. 10.	H. ♀.	Eng. bot. v. 18. t. 1230.
74 Sieversiana. w. (lr.gr.) Sievers's.	Siberia.	1800.	7. 8.	H. ♂.	
75 vulgaris. w. (pu.) Mugwort.	Britain.	....	8. 9.	H. ♀.	Eng. bot. v. 14. t. 978.
76 procumbens. DC. (ye.gr.) procumbent.	Siberia.	1823.	—	H. ♀.	
77 incisa. W.en. (ye.pu.) cut-leaved.	.....	—	—	H. ♀.	
78 fasciculata. M.B. (ye.pu.) fascicled.	Iberia.	1820.	—	H. ♀.	
79 elegans. F. (ye.) elegant.	China.	—	7. 9.	H. ♀.	
80 camtschatica. F. (gr.st.) Kamtschatka.	Kamtschatka.	1827.	8. 10.	H. ♀.	
81 sacrorum. Led. (gr.st.) sacred.	Siberia.	1828.	7. 9.	H. ♀.	
82 Mertensiana. Wh. (gr.st.) Mertens's.	Hungary.	1826.	—	H. ♀.	
83 indica. w. (ye.gr.) Indian.	E. Indies.	1796.	9. 10.	F. ♀.	Rheed. mal. 10. t. 45.
84 integrifolia. w. (ye.gr.) entire-leaved.	Siberia.	1759.	7. 8.	H. ♀.	Gm. sib. 2. t. 48. f. 1. 2.
85 japonica. w. (wh.) Japanese.	Japan.	1804.	10. 11.	H. ♀.	
86 dracunculoides. Ph. (gr.) Tarragon-like.	N. America.	1811.	8. 10.	H. ♀.	
<i>cérnua</i> , N. nutans. Fraser.					
87 serrata. N. (gr.) saw-leaved.	Missouri.	1827.	—	H. ♀.	
88 gnaphalioides. N. (br.) Cudweed-like.	—————	—	—	H. ♀.	
89 cærulescens. w. (ye.) blueish.	England.	....	8. 10.	H. ♀.	Eng. bot. v. 34. t. 2426.
90 inodora. w. (ye.) inodorous.	Siberia.	1548.	7. 8.	H. ♀.	Gm. sib. 2. t. 59 & 60. f. 1.
91 Dracunculus. w. (wh.gr.) Tarragon.	S. Europe.	—	—	H. ♀.	
92 chinensis. w. (ye.gr.) Moxa.	China.	1816.	—	H. ♀.	Gmel. sib. 2. t. 61. f. 1. 2.
<b>ERIOCEPHALUS.</b> W. WOOLHEAD. Syngenesia Polygamia Necessaria. L.					
1 africanus. w. (ye.) cluster-leaved.	C. B. S.	1732.	1. 4.	G. ♀.	Bot. mag. t. 833.
<i>frutescens</i> . H.K.					
2 decussatus. B.T. (ye.) cross-leaved.	—————	1816.	3. 6.	G. ♀.	
3 purpureus. B.T. (pu.) purple.	—————	—	—	G. ♀.	
4 racemosus. w. (ye.) silver-leaved.	—————	1739.	3. 4.	G. ♀.	
5 spinescens. B.T. (ye.) spiny.	—————	1816.	—	G. ♀.	
<b>HIPPIA.</b> W. HIPPIA. Syngenesia Polygamia Necessaria. L.					
1 frutescens. w. (ye.) shrubby.	C. B. S.	1710.	2. 8.	G. ♀.	Bot. mag. t. 1855.
2 integrifolia. w. (ye.) annual.	E. Indies.	1777.	7. 8.	S. ☉	Hout. n. hist. t. 67. f. 2.
<b>SOLIVA.</b> L.T. SOLIVA. Syngenesia Polygamia Necessaria.					
1 anthemifolia. (gr.) Chamomile-leav'd.	S. America.	1812.	4. 12.	H. ☉	J. ann. mus. t. 61. f. 1.
<i>Gymnostyles anthemifolia</i> . P.S.					
2 pterospërma. J. (gr.) wing-seeded.	Brazil.	1827.	5. 9.	H. ☉	
3 stolonifera. L.T. (gr.) stoloniferous.	Portugal?	1818.	4. 12.	H. ☉	
<i>Hippia stolonifera</i> . P.S. <i>Gymnostyles lusitânica</i> . s.s.					
4 minuta. (ye.) fringe-leaved.	S. America.	1825.	—	H. ☉	
<i>Hippia minuta</i> . L. <i>Gymnostyles minuta</i> . s.s.					
5 pedicellata. P.S. (gr.) pedicelled.	S. America.	—	—	H. ☉	

- LIDBE'CKIA. W.** **LIDBE'CKIA.** Syngenesia Polygamia Superflua. W.  
 1 lobâta. w. (ye.) lobe-leaved. C. B. S. 1816. 5. 6. G. ½. Lam. ill. t. 701. f. 3.  
*Lancisia lobata. p.s.* *Côtula quinquelôba. L.*  
 2 pectinâta. w. (ye.) silver-leaved. C. B. S. 1774. 5. 6. G. ½. Berg. cap. 306. t. 5. f. 9.
- C'ENIA. J.** **C'ENIA.** Syngenesia Polygamia Superflua.  
 turbinâta. p.s. (wh. re.) turbinated. C. B. S. 1713. 7. 8. H. ☉. Lam. ill. t. 701. f. 1.  
*Lidbeckia turbinata. w.* *Côtula turbinata. L.*
- C'OTULA. W.** **C'OTULA.** Syngenesia Polygamia Superflua. W.  
 1 anthemoides. w. (ye.) Anthemis-like. St. Helena. 1696. 7. 8. S. ☉. Dill. elth. t. 23. f. 25.  
 2 aûrea. w. (ye.) golden. S. Europe. 1823. 7. 9. H. ☉.  
 3 nudicâllis. w. (ye.) naked-stalked. C. B. S. 1816. — G. ½. Hoult. syst. t. 69. f. 4.  
 4 coronopifolia. w. (ye.) Buck's Horn. — 1683. — G. ☉. Lam. ill. t. 700. f. 1.  
 5 umbellâta. w. (ye.) umbel-flowered. — 1822. — H. ☉.  
 6 viscôsa. w. (wh.) clammy. Vera Cruz. 1739. 8. S. ½.  
 7 tanacetifolia. w. (ye.) Tansy-leaved. C. B. S. 1780. 6. 8. H. ☉. Pluk. man. t. 430. f. 7.  
 8 sericea. w. (ye.) silky. — 1816. — G. ½.  
 9 spherânthus. L. en. (ye.) round-headed. Congo. 1820. — S. ½.
- GRA'NGEA. J.** **GRA'NGEA.** Syngenesia Polygamia Superflua.  
 1 cuneifolia. Lk. (br. ye.) wedge-leaved. China. 1816. 7. 9. H. ☉. Lam. ill. t. 699. f. 2.  
 2 minima. w. (ye.) least. — 1768. — H. ☉. Burm. ind. t. 58. f. 3.  
 3 decumbens. Df. (ye.) decumbent. N. Holland. 1815. — H. ☉.  
 4 maderaspatâna. J. (ye.) Madras. E. Indies. 1780. 7. 8. S. ☉. Lam. ill. t. 699. f. 3.  
*Côtula maderaspatana. w.*  
 5 bicolor. Df. (ye.) two-coloured. — 1804. — S. ☉. Lam. ill. t. 699. f. 1.  
*Côtula bicolor. w. latifolia. p.s.*  
 6 cinërea. L. en. (ye.) grey. Egypt. 1825. — H. ☉.
- ANAC'YCLUS. W.** **ANAC'YCLUS.** Syngenesia Polygamia Superflua. W.  
 1 créticus. w. (wh.) trailing. Candia. 1759. 6. 8. H. ☉. Ann. mus. 11. t. 22.  
 2 orientâlis. w. (wh.) oriental. Levant. 1731. — H. ☉. Boer. lugd. 1. t. 110.  
 3 aûreus. w. (ye.) golden-flower'd. — 1570. — H. ☉. Lam. ill. t. 700. f. 2.  
 4 radiâtus. L. en. (ye.) rayed. — 1823. — H. ☉.  
 5 alexandrinus. w. (wh.) Egyptian. Egypt. 1828. — H. ☉.  
 6 clavâtus. p.s. (wh.) clavate. Barbary. 1823. — H. ☉.  
 7 Pyrèthrum. L. en. (w.) Pellitory of Spain. S. Europe. 1570. 6. 7. H. ½. Bot. mag. t. 462.  
*A'nthemis Pyrèthrum. w.*  
 8 valentinus. w. (ye.) fine-leaved. Spain. 1656. — H. ☉. Schk. han. 3. t. 254. b.  
 9 purpurâscens. p.s. (ye. cr.) two-coloured. S. Europe. 1829. — H. ☉.  
 10 officinârum. Hayn. (wh.) officinal. . . . . 1828. — H. ☉.  
 11 inflâtus. Leh. (wh.) inflated. Siberia. 1829. — H. ☉.  
 12 tomentôsus. Leh. (wh.) woolly. — — H. ☉.  
 13 divaricâtus. Cav. (wh.) spreading. — 1824. — H. ☉.
- ZALUZ'ANIA. P.S.** **ZALUZ'ANIA.** Syngenesia Polygamia Superflua.  
 trilôba. p.s. (ye.) three-lobed. Mexico. 1798. 7. 9. F. ½.  
*A'nthemis trilôba. w.*
- FERDINA'NDIA. LG.** **FERDINA'NDIA.** Syngenesia Polygamia Superflua.  
 1 augûta. LG. (ye.) august. Mexico. 1816. 8. 10. F. ½.  
 2 integrifolia. D. D. (ye.) entire-leaved. — 1828. — F. ½.
- A'NTHEMIS. W.** **CHAMOMILE.** Syngenesia Polygamia Superflua. L.  
 1 rigêscens. W. en. (wh.) rigid. Caucasus. 1805. 7. 9. H. ½. W. hort. ber. 1. t. 62.  
*nigricans. Hort.*  
 2 Côtâ. w. (wh.) Venetian. Italy. 1714. 7. 8. H. ☉. Pluk. alm. t. 17. f. 5.  
 3 altissima. w. (wh.) tall. S. Europe. 1731. 8. H. ☉. Flor. græc. t. 881.  
 4 punctâta. w. (wh.) dotted. Levant. 1825. 7. 9. G. ½. Desf. atl. 2. t. 139.  
 5 maritima. w. (wh.) sea. England. . . . 7. 8. H. ☉. Eng. bot. v. 33. t. 2370.  
 6 tomentôsa. w. (wh.) downy. Levant. 1795. 7. 10. H. ½.  
 7 ruthénica. M. B. (wh.) Russian. Tauria. 1823. — H. ☉.  
 8 fruticulôsa. M. B. (wh.) frutescent. — — H. ½. Barrel. ic. t. 451.  
 9 pubêscens. w. (wh.) pubescent. S. Europe. 1803. 7. 8. H. ½.  
 10 biaristâta. s.s. (wh.) two-awned. S. France. 1822. — H. ½.  
 11 revolûta. s.s. (wh.) revolute. Canaries. 1816. 8. 10. G. ½.  
 12 secundirâmea. s.s. (w.) second-branch'd. Sicily. 1824. 7. 9. H. ☉.  
 13 mîxta. w. (wh.) simple-leaved. France. 1731. 7. 8. H. ☉. Mich. gen. t. 30. f. 1.  
 14 Kitaibêlii. (wh.) Kitaibel's. Hungary. 1807. — H. ½.  
 15 coronopifolia. w. (wh.) Buckshorn-leav'd. Spain. — — H. ½.  
 16 austrâlis. w. (wh.) procumbent. S. France. 1818. — H. ½.  
 17 ibèrica. M. B. (wh.) Iberian. Iberia. 1829. — H. ½.  
 18 Barrelièri. s.s. (wh.) Barrelier's. Naples. — 8. 10. H. ☉.  
 19 saxâtilis. Dc. (wh.) rock. S. France. 1807. 7. 8. H. ½.  
 20 alpina. w. (wh.) Alpine. Europe. — — H. ½. Jacq. aust. 6. ap. t. 30.

21	carpática. w.	(wh.) Carpathian.	Carpathian-m.	1818.	7. 8.	H. ♀.	
22	corymbôsa. w.	(wh.) corymbose.	Austria.	1821.	—	H. ♀.	
23	retûsa. s.s.	(wh.) retuse.	.....	1824.	—	H. ♀.	
24	ramôsa. s.s.	(wh.) branching.	.....	—	9. 11.	H. ♀.	
25	mucronulâta. s.s.	(wh.) mucronulate.	Italy.	1829.	8. 10.	H. ♂.	
26	Chamomilla. W.	(wh.) various-leaved.	S. Europe.	—	—	H. ♀.	
27	chià. w.	(wh.) cut-leaved.	Chio.	1731.	6. 10.	H. ♂.	
28	nòbilis. w.	(wh.) common.	Britain.	....	7. 9.	H. ♀.	Eng. bot. v. 14. t. 908.
29	arvensis. w.	(wh.) corn.	—	....	6. 8.	H. ♂.	v. 9. t. 602.
30	austriaca. w.	(wh.) Austrian.	Austria.	1759.	5. 8.	H. ♂.	Jacq. aust. 5. t. 444.
31	Cõtula. w.	(wh.) stinking.	Britain.	....	6. 9.	H. ♂.	Eng. bot. v. 25. t. 1772.
32	fállax. W.en.	(wh.) false Chamomile.	—	—	—	H. ♂.	
33	fuscâta. w.	(wh.) brown-scaled.	Portugal.	1805.	7. 8.	H. ♂.	
34	peregrina. w.	(wh.) close-branched.	Piedmont.	1817.	—	H. ♂.	
35	candidíssima. s.s.	(w.) silvery-leaved.	Caucasus.	1812.	—	H. ♀.	
36	montâna. w.	(wh.) mountain.	Italy.	1759.	7. 10.	H. ♀.	Ger. prov. t. 8.
37	incrassâta. s.s.	(wh.) thick-stalked.	S. France.	1823.	—	H. ♂.	
38	pedunculâta. s.s.	(wh.) large-stalked.	Portugal.	—	8. 10.	H. ♂.	
39	petr'æa. L.en.	(wh.) long-stalked.	Naples.	—	—	H. ♂.	
40	apiifolia. B.R.	(wh.) Parsley-leaved.	.....	1764.	8. 9.	H. ♀.	Bot. reg. t. 527.
41	minuta. Leh.	(wh.) minute.	.....	1829.	—	H. ♂.	
42	suffruticôsa. Leh.	(wh.) suffrutescent.	.....	—	6. 9.	H. ♀.	
43	globôsa. w.	(ye.) globe.	Naples.	—	8. 9.	G. ♀.	Jacq. schœn. 3. t. 371.
44	valentîna. w.	(ye.) purple-stalked.	S. Europe.	1596.	7. 8.	H. ♂.	Breyn. cent. t. 75.
45	tinctôria. w.	(ye.) Ox Eye.	Britain.	....	6. 11.	H. ♀.	Eng. bot. v. 21. t. 1472.
46	discoidea. w.	(ye.) saw-leaved.	Italy.	1800.	7. 8.	H. ♂.	
47	Marschalliana. w.	(ye.) M. Bieberstein's.	Caucasus.	1828.	—	H. ♀.	
48	Rudolphiana. M.B.	(ye.) Rudolph's.	—	—	—	H. ♀.	
CLADA'NTHUS. Cas.			CLADA'NTHUS.	Syngenesia	Polygamia	Superflua.	
	arábicus. Cas.	(ye.) Arabian.	Barbary.	1759.	7. 8.	H. ♂.	Smith spic. 9. t. 10.
	<i>Anthemis arábica. w.</i>						
MATRIC'ARIA. W.			MATRIC'ARIA.	Syngenesia	Polygamia	Superflua. L.	
1	suavêolens. w.	(wh.) sweet.	Europe.	1781.	6. 8.	H. ♂.	
2	Chamomilla. w.	(wh.) Wild Chamomile.	Britain.	....	5. 7.	H. ♂.	Eng. bot. v. 18. t. 1232.
3	capénsis. w.	(wh.) Cape.	C. B. S.	1699.	7. 9.	G. ♀.	Seb. thes. 1. t. 16. f. 2.
4	pusilla. W.en.	(wh.) small.	.....	....	—	H. ♂.	
ACHILLEA. W.			MILFOIL.	Syngenesia	Polygamia	Superflua. L.	
1	lingulâta. w.	(wh.) tongue-leaved.	Hungary.	1815.	7. 8.	H. ♀.	W. et K. hung. 1. t. 2.
2	Hérba-rôta. w.	(wh.) Herbarota.	France.	1640.	6. 7.	H. ♀.	All. ped. 1. t. 9. f. 3.
3	grandiflôra. M.B.	(wh.) great-flowered.	Caucasus.	1815.	7. 8.	H. ♀.	
4	Ptármica. w.	(wh.) Sneezewort.	Britain.	....	7. 11.	H. ♀.	Eng. bot. v. 11. t. 757.
	β flore plêno.	(wh.) double-flowered.	—	....	—	H. ♀.	
5	cristâta. w.	(wh.) slender-branch'd.	Italy.	1784.	7. 8.	H. ♀.	
6	Agerátum. w.	(ye.) Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. ♀.	
7	decolôrans. W.en.	(st.) pale yellow.	England.	1798.	6. 8.	H. ♀.	Eng. bot. v. 36. t. 2531.
	<i>serrâta. E.B. nec aliorum.</i>						
8	speciôsa. W.en.	(wh.) spear-leaved.	.....	1804.	7. 9.	H. ♀.	
9	biserrâta. M.B.	(wh.) two-toothed.	Iberia.	1825.	—	H. ♀.	
10	salicifolia. F.	(wh.) Willow-leaved.	Siberia.	1827.	—	H. ♀.	
11	dentifera. Jac.	(wh.) tooth-leaved.	.....	1824.	—	H. ♀.	
12	alpina. w.	(wh.) Alpine.	Siberia.	1731.	7. 11.	H. ♀.	Bocc. mus. 144. t. 101.
13	serrâta. w.	(wh.) saw-leaved.	Switzerland.	1686.	8. 9.	H. ♀.	
14	coronopifolia. w.	(st.) buckshorn-leav'd.	Levant.	1816.	—	H. ♀.	
15	Clavénnae. w.	(wh.) silver-leaved.	Austria.	1656.	6. 7.	H. ♀.	Bot. mag. t. 1287.
16	Thomasiâna. DC.	(wh.) Thomas's.	S. France.	1828.	—	H. ♀.	
17	impatiens. w.	(wh.) impatient.	Siberia.	1759.	6. 9.	H. ♀.	Gmel. sib. 2. t. 83. f. 1.
18	pectinâta. w.	(st.) comb-leaved.	Hungary.	1801.	8. 9.	H. ♀.	W. et K. hung. 1. t. 34.
	<i>ochroleuca. w. K. non w.</i>						
19	Gérberi. w.	(ye.) various-leaved.	Siberia.	1816.	—	H. ♀.	Gmel. sib. 2. t. 83. f. 2.
20	pilôsa. w.	(ye.) hairy.	.....	1826.	—	H. ♀.	
21	squarrôsa. w.	(wh.) rough-headed.	.....	1775.	7. 8.	H. ♀.	
22	falcâta. w.	(wh.) sickle-leaved.	Levant.	1739.	6. 9.	H. ♀.	Lam. ill. t. 683. f. 3.
23	santolinoides. L.G.	(w.) Santolina-like.	Spain.	1824.	—	H. ♀.	
24	tenuifolia. w.	(ye.) slender-leaved.	Levant.	1733.	6. 8.	H. ♀.	
25	Santolina. w.	(ye.) Lavender-cotton-leav'd.—	—	1759.	—	H. ♀.	Flor. græc. t. 891.
26	álbida. s.s.	(st.) white woolly.	.....	1819.	6. 10.	H. ♀.	
27	anthemoides. w.	(ye.) Chamomile-like.	.....	....	—	H. ♀.	
28	decumbens. s.s.	(ye.) decumbent.	Kamtschatka.	1800.	6. 8.	H. ♀.	
29	atrâta. w.	(wh.) black-cupped.	Austria.	1596.	7. 9.	H. ♀.	Jacq. aust. 1. t. 77.

30	moschâta. w.	(wh.) musk.	Italy.	1775.	6. 7. H. 2.	Jacq. aust. 5. t. ap. 33.
31	nâna. w.	(wh.) dwarf.	_____	1759.	6. 8. H. 2.	All. ped. 1. t. 9. f. 3.
32	créfica. w.	(wh.) Cretan.	Candia.	1739.	7. 8. H. 2.	Bocc. musc. t. 34.
33	egyptiaca. w.	(ye.) Egyptian.	Levant.	1640.	7. 9. G. 2.	Flor. græc. t. 892.
34	macrophylla. w.	(wh.) large-leaved.	Italy.	1710.	7. 8. H. 2.	Triumf. obs. t. 23.
35	holosericea. F. G.	(wh.) silky-leaved.	Greece.	1823.	7. 9. H. 2.	
36	punctâta. T. N.	(st.) dotted.	Naples.	1828.	— H. 2.	
37	leptophylla. M. B.	(ye.) narrow-leaved.	Tauria.	1823.	— H. 2.	
38	taurica. M. B.	(st.) Taurian.	_____	1829.	— H. 2.	
39	aurea. w.	(go.) golden-flower'd.	Levant.	1739.	6. 9. H. 2.	
40	Eupatorium. w.	(go.) Caspian.	Caspian Shores.	1803.	7. 8. H. 2.	Buxb. cent. 2. t. 19.
41	filipendulina. s. s.	(go.) short-rayed.	_____	1812.	— H. 2.	
42	compacta. w.	(st.) compact.	_____	—	— H. 2.	
43	pubescens. w.	(st.) downy.	Levant.	1739.	6. 9. H. 2.	
44	crithmifolia. w.	(wh.) Sapphire-leav'd.	Hungary.	1804.	7. 8. H. 2.	W. et K. hung. 1. t. 66.
45	tanacetifolia. w.	(ro.) Tansy-leaved.	Switzerland.	1658.	— H. 2.	Moris. s. 6. t. 11. f. 14.
46	distans. w.	(wh.) branching.	Italy.	1804.	— H. 2.	All. ped. t. 53. f. 1.
47	lanâta. W. en.	(wh.) woolly.	_____	—	— H. 2.	
48	magna. w.	(wh.) great.	S. Europe.	1683.	6. 11. H. 2.	Flor. græc. t. 896.
49	Millefolium. w.	(wh.) Yarrow.	Britain.	....	6. 10. H. 2.	Eng. bot. v. 758.
	β rubra.	(re.) red-flowered.	_____	....	— H. 2.	
50	asplenifolia. P. s.	(ro.) Rose-coloured.	N. America.	1803.	6. 8. H. 2.	Vent. cels. t. 93.
51	micrantha. w.	(st.) small-flowered.	Levant.	1805.	6. 10. H. 2.	
52	tomentosa. w.	(ye.) tomentose.	S. Europe.	1648.	5. 10. H. 2.	Bot. mag. t. 498.
53	ochroleuca. w.	(st.) cream-coloured.	_____	1804.	7. 9. H. 2.	
54	montana. L. en.	(wh.) mountain.	Switzerland.	1798.	— H. 2.	
55	bannatica. w. x.	(wh.) Hungarian.	Hungary.	1823.	— H. 2.	
56	microphylla. w.	(wh.) small-leaved.	Spain.	1800.	— H. 2.	Barr. ic. 1114.
57	ligistica. w.	(wh.) Ligurian.	Italy.	1791.	6. 8. H. 2.	Flor. græc. t. 897.
58	nobilis. w.	(wh.) showy.	Germany.	1640.	— H. 2.	Schk. hand. 3. t. 255.
59	myriophylla. s. s.	(wh.) many-leaved.	_____	1798.	7. 9. H. 2.	
60	odorata. w.	(wh.) sweet-scented.	Spain.	1729.	6. 8. H. 2.	Jacq. col. 1. t. 21.
61	setacea. F.	(wh.) bristly.	Hungary.	1805.	5. 6. H. 2.	W. et K. hung. 7. t. 30.
62	abrotanifolia. w.	(ye.) Southernwood-leav'd.	Levant.	1739.	6. 8. H. 2.	
63	chamamelifolia. DC.	(wh.) Chamomile-ld.	Pyrenees.	1820.	— H. 2.	
64	mongolica. F.	(wh.) Mongolic.	Tartary.	1823.	— H. 2.	
65	sibirica. Df.	(wh.) Siberian.	Siberia.	1800.	— H. 2.	
66	rosea. W. K.	(ro.) rosy.	Hungary.	1803.	— H. 2.	
67	dubia. F.	(wh.) doubtful.	Siberia.	1800.	— H. 2.	
68	heterophylla. s.	(wh.) different-leaved.	_____	1804.	7. 9. H. 2.	
69	intermedia. s.	(wh.) intermediate.	_____	1824.	— H. 2.	
70	paradoxa. L. C.	(wh.) uncertain.	_____	1822.	— H. 2.	
<b>CHRYSA'NTHEMUM. W. CHRYSAN'THEMUM. Syngenesia Polygamia Superflua. L.</b>						
1	atratum. w.	(wh.) fleshy-leaved.	Austria.	1731.	7. 8. H. 2.	
2	Leucanthemum. w.	Ox-eye Daisy.	Britain.	....	6. 7. H. 2.	Eng. bot. v. 9. t. 601.
3	montanum. w.	(wh.) mountain.	France.	1759.	— H. 2.	Jacq. obs. 4. t. 91.
4	heterophyllum. w.	(wh.) various-leaved.	Switzerland.	1806.	7. 8. H. 2.	
5	sylvestre. W. en.	(wh.) wood.	Portugal.	1804.	6. 7. H. 2.	
6	hybridum. Gus.	(st.) hybrid.	Sicily.	1827.	— H. 2.	
7	paludosum. w.	(wh.) marsh.	Barbary.	1817.	8. 9. H. 2.	Desf. atl. 2. t. 238.
8	rotundifolium. w.	(wh.) round-leaved.	Hungary.	1819.	7. 8. H. 2.	
9	meticanicum. K. s.	(wh.) Mexican.	Mexico.	1827.	8. 11. H. 2.	
10	graminifolium. w.	(wh.) Grass-leaved.	Montpelier.	1739.	5. 7. H. 2.	Jacq. obs. 4. t. 92.
11	integrifolium. s. s.	(wh.) entire-leaved.	N. America.	1827.	6. 8. H. 2.	
12	perpusillum. s. s.	(wh.) small.	Corsica.	—	— H. 2.	
13	anomalum. P. s.	(wh.) anomalous.	Spain.	1824.	7. 9. H. 2.	
14	daucifolium. P. s.	(wh.) carrot-leaved.	_____	—	— H. 2.	
15	monspeliense. w.	(wh. pu.) Montpelier.	_____	1739.	6. 9. H. 2.	Jacq. obs. 4. t. 93.
16	Achilleæ. w.	(wh.) Milfoil-leaved.	Italy.	1775.	6. 8. H. 2.	Mich. gen. 34. t. 29.
17	argenteum. w.	(wh.) silver-leaved.	Levant.	1731.	7. 8. H. 2.	
18	arcticum. w.	(bh.) northern.	Kamtschatka.	1801.	6. 8. H. 2.	Willd. hort. ber. t. 33.
19	carinatum. w.	(wh. pu.) three-coloured.	Barbary.	1796.	7. 10. H. 2.	Bot. mag. t. 508.
20	pumilum. W. en.	(wh.) small.	C. B. S.	1806.	— H. 2.	
21	coronarum. w.	(wh. ye.) garden.	Sicily.	1629.	— H. 2.	Lam. ill. t. 678. f. 6.
	α album.	(wh.) white-flowered.	_____	—	— H. 2.	
	β aureum.	(ye.) golden.	_____	—	— H. 2.	
22	segetum. w.	(ye.) corn.	Britain.	....	6. 8. H. 2.	Eng. bot. v. 8. t. 540.
23	Mycönis. w.	(ye.) tongue-leaved.	Italy.	1775.	7. 8. H. 2.	Jacq. obs. 4. t. 94.
24	italicum. w.	(ye.) Italian.	_____	1796.	6. 7. H. 2.	

25 tripartitum. B.F.G. (ye.)	three-parted.	China.	1820.	10. 12.	F. 2.	Swt. br. fl. gar. t. 193.
26 indicum. P.S. (ye.)	Indian.	—	1819.	—	G. 2.	Hort. trans. v. 4. pl. 12.
27 sinense. L.T. (ya.)	variable chinese.	—	1790.	—	H. 2.	—
<i>Anthemis artemisiaefolia</i> . w. <i>Chrysanthemum indicum</i> . B.M. non L.						
β	purpureum.	(pu.) old purple.	—	—	H. 2.	Bot. mag. t. 327.
γ	variabile.	(wh.) changeable white.	1802?	—	H. 2.	— t. 2042.
δ	tubulosum album.	(wh.) quilled white.	1808.	—	H. 2.	Bot. reg. t. 4.
ε	superbum.	(wh.) superb white.	1817.	—	H. 2.	— t. 455.
ζ	tessellatum.	(wh.) tasselled white.	1816.	—	H. 2.	—
η	tubulosum lateum.	(ye.) quilled yellow.	1802.	—	H. 2.	—
θ	sulphureum.	(st.) straw-coloured.	—	—	H. 2.	—
ι	aureum.	(go.) golden yellow.	—	—	H. 2.	Bot. reg. t. 4. f. sup.
κ	discolor.	(li.) large lilac.	1808.	—	H. 2.	—
λ	lilacinum.	(pi.) pink or lilac.	1798.	—	H. 2.	—
μ	cupreum.	(co.) buff or copper-colour'd.	—	—	H. 2.	—
ν	fulvum.	(br.) Spanish brown.	1805.	—	H. 2.	—
ξ	flammeum.	(ye.) quilled flame yellow.	1819.	—	H. 2.	Hort. trans. v. 4. pl. 14.
ο	tubulosum roseum.	(li.) quilled pink.	—	—	H. 2.	Bot. reg. t. 616.
π	atropurpureum.	(cr.) early crimson.	1820.	—	H. 2.	Hort. trans. v. 5. pl. 3. inf.
ρ	aurantiacum.	(or.) large quilled orange.	—	—	H. 2.	— v. 5. pl. 3. f. sup.
σ	expansum.	(li.) expanded light purple.	—	—	H. 2.	Bot. mag. t. 2556.
τ	purpurascens.	(li.) quilled light purple.	—	—	H. 2.	—
υ	involutum.	(li.) curled lilac.	—	—	H. 2.	Swt. br. fl. gar. t. 7.
φ	fasciculatum.	(ye.) superb clustered yellow.	—	—	H. 2.	— t. 14.
χ	tubulosum carneum.	semidouble quilled pink.	—	—	H. 2.	Hort. tr. v. 5. pl. 17*. inf.
ψ	album semiduplex.	semidouble quilled white.	—	—	H. 2.	—
ω	tubulosum aurantium.	semidouble quilled orange.	—	—	H. 2.	Hort. tr. v. 5. pl. 17**. inf.
αα	serotinum.	(p. pu.) late pale purple.	—	—	H. 2.	—
ββ	salmonium.	(sa.) quilled salmon-colour'd.	—	—	H. 2.	Hort. t. v. 5. pl. 17**. sup.
γγ	parvulum.	(ye.) small yellow.	—	—	H. h.	Hort. t. 5. pl. 17**. f. sup.
δδ	papyraceum.	(wh.) paper white.	1821.	—	H. 2.	—
εε	pallidum.	(li.) late pale pink.	1822.	—	H. 2.	—
ζζ	chrysocodium.	(ye.) tasselled yellow.	1824.	—	H. 2.	—
ηη	Waratah.	(ye.) yellow Waratah.	—	—	H. 2.	—
θθ	Sabini.	(ye.) golden Lotus.	—	—	H. 2.	—
ιι	chryseides.	(ye.) double Indian yellow.	—	—	H. 2.	—
κκ	Paruki.	(ye.) Park's small yellow.	—	—	H. 2.	—
λλ	pallens.	(p. or.) semidouble quilled pale orange.	—	—	H. 2.	—
μμ	stramineum.	(st.) pale buff.	—	—	H. 2.	—
νν	mutabile.	(st.) changeable pale buff.	—	—	H. 2.	—
ξξ	bicolor.	(v.) two-coloured incurved.	—	—	H. 2.	—
οο	versicolor.	(re.) two-coloured red.	—	—	H. 2.	—
ππ	stellatum.	(pu.) starry purple.	—	—	H. 2.	—
ρρ	ornatum.	(li.) tasselled lilac.	—	—	H. 2.	—
σσ	fulvescens.	(pu.) brown purple.	—	—	H. 2.	—
ττ	verecundum.	(bh.) early blush.	—	—	H. 2.	—
υυ	blandum.	(bh.) blush.	—	—	H. 2.	—
φφ	leucanthum.	(wh.) double Indian white.	—	—	H. 2.	—
CENTROSPERMUM. S.S. CENTROSPERMUM.			Syngenesia Polygamia Superflua.			
chrysanthemum. s.s. (ye.) yellow-flower'd. Spain.			1821.	8. 10.	H. 2.	—
<i>Heteranthemis hirta</i> . Schot. .						
PYRETHRUM. W. FEVERFEW. Syngenesia Polygamia Superflua. W.			—			
1	fœniculaceum.	W. en. (wh.) Fennel-leav'd. Teneriffe.	1815.	1. 12.	G. 2.	Bot. reg. t. 272.
2	crithmifolium.	W. en. (wh.) Samphire-leav'd.	—	—	G. 2.	—
3	anethifolium.	W. en. (wh.) Dill-leaved.	—	—	G. 2.	—
4	frutescens.	W. en. (wh.) shrubby. Canaries.	1699.	—	G. 2.	—
5	coronopifolium.	W. en. (wh.) Buckshorn-leav'd.	—	—	G. 2.	—
6	grandiflorum.	W. en. (wh.) great-flowered.	1815.	—	G. 2.	—
7	speciosum.	W. en. (wh.) large-flowered.	—	—	G. 2.	—
8	Broussonetii.	s.s. (wh.) Broussonet's.	1829.	7. 10.	G. 2.	—
9	pinnatifidum.	L. en. (wh.) cut-leaved. Madeira.	1778.	5. 8.	G. 2.	—
<i>Chrysanthemum pinnatifidum</i> . s.s.						
10	ptarmicefolium.	w. (wh.) Sneezewort-leav'd. Caucasus.	1803.	7. 8.	H. 2.	—
11	serotinum.	w. (wh.) creeping-rooted. N. America.	1731.	9. 10.	H. 2.	Jacq. obs. 4. t. 90.
12	uliginosum.	w. (wh.) marsh. Hungary.	1816.	7. 9.	H. 2.	Bot. mag. t. 2706.
13	alpinum.	w. (wh.) Alpine. Switzerland.	1759.	7. 8.	H. 2.	—
14	saxatile.	B.C. (wh.) rock. —	1816.	—	H. 2.	Lodd. bot. cab. t. 126.
15	Barrelieri.	Lk. (wh.) Barrelier's. Alps Europe.	—	—	H. 2.	—
16	Halleri.	W. en. (wh.) Haller's. Switzerland.	1820.	—	H. 2.	Barrel. ic. 458. f. 2.

17	ceratophylloides. w. (wh.) Stags-horn-ld. Piedmont.	1808.	6. 7. H. 2.	All. ped. t. 37. f. 1.
	<i>Chrysanthemum ceratophylloides</i> . All.			
18	simplicifolium. w. (wh.) simple-leaved. S. America.	1825.	8. 10. H. 0.	
19	máximum. DC. (wh.) broad-leaved. Pyrenees.	1816.	5. 8. H. 2.	
	<i>latifolium</i> . w.			
20	Balsamita. w. (wh.) various-leaved. Levant.	1779.	— H. 2.	Jacq. obs. 4. t. 89.
21	oppositifolium. s.s. (wh.) opposite-leaved. Portugal.	1828.	7. 9. H. 2.	
22	tomentosum. s.s. (wh.) woolly. Corsica.	1829.	— H. 2.	
23	palustre. w. (wh.) marshy. Armenia.	1824.	7. 10. H. 0.	
24	macrophyllum. w. (wh.) large-leaved. Hungary.	1803.	— H. 2.	W. et K. hung. 1. t. 94.
25	corymbosum. w. (wh.) mountain. Germany.	1596.	6. 8. H. 2.	Jacq. aust. 4. t. 379.
26	pulveruléntum. W.en. (wh.) powdered. Iberia.	1806.	— H. 2.	
27	cinerarifolium. s.s. (wh.) Ragwort-leav'd. Dalmatia.	1824.	— H. 2.	
28	Parthénium. w. (wh.) common. Britain.	....	6. 9. H. 2.	Eng. bot. v. 18. t. 1231.
	<i>β flore pleno</i> . (wh.) double-flowered. ————	....	— H. 2.	
29	parthenifolium. w. (wh.) Parthenium-leav'd. Caucasus.	1804.	6. 7. H. 2.	Vent. cels. t. 43.
30	caucásicum. W. (wh.) Caucasian. ————	—	7. 8. H. 2.	
31	tenuifolium. T.N. (wh.) slender-leaved. Naples.	1806.	— H. 2.	
32	seríceum. M.B. (wh.) silky. Iberia.	1824.	— H. 2.	
33	inodórum. w. (wh.) scentless. Britain.	....	8. 9. H. 0.	Eng. bot. v. 10. t. 676.
34	marítimum. w. (wh.) sea. ————	....	6. 10. H. 2.	— v. 14. t. 979.
35	parviflórum. w. (wh.) small-flowered. Caucasus.	—	6. 7. H. 0.	
36	præcox. M.B. (wh.) early-flowered. ————	1827.	5. 7. H. 2.	
37	incánium. Led. (wh.) hoary. Siberia.	—	7. 8. H. 2.	
38	glábrum. LG. (wh.) smooth. Spain.	1825.	— H. 2.	
39	leptophyllum. s.s. (wh.) narrow-leaved. Caucasus.	1829.	— H. 2.	
40	diversifolium. H.E.F. (wh.) different-leaved. N. Holland.	1824.	5. 7. G. 2.	Hook. ex. flor. t. 215.
41	cárneum. M.B. (pi.) flesh-coloured. Caucasus.	1804.	8. 9. H. 2.	Bot. mag. t. 1080.
	<i>Chrysanthemum coccineum</i> . B.M.			
42	roseum. M.B. (ro.) rose-coloured. ————	1818.	— H. 2.	
	<i>Chrysanthemum coccineum</i> . w.			
43	achillæfolium. M.B. (ye.) Milfoil-like. Cumana.	1824.	6. 7. H. 0.	
44	millefoliatum. w. (ye.) Milfoil-leaved. Siberia.	1731.	5. 9. H. 2.	Mill. ic. 1. t. 9.
45	bipinnatum. w. (ye.) wing-leaved. ————	1796.	6. 7. H. 2.	Gmel. sib. 2. t. 85. f. 1.
46	indicum. H.K. (ye.) Indian. E. Indies.	1810.	6. 9. H. 0.	Bot. mag. t. 1521.
ERIOPHYLLUM. LG. ERIOPHYLLUM. Syngenesia Polygamia Superflua.				
1	lanatum. (ye.) woolly. N. America.	1827.	6. 8. H. 2.	Bot. reg. t. 1167.
	<i>cæspitosum</i> . B.R. <i>Actinella lanata</i> . Ph. <i>Trichophyllum lanatum</i> . N. <i>Helenium lanatum</i> . s.s.			
2	oppositifolium. N. (ye.) opposite-leaved. N. America.	1826.	— H. 2.	
3	trolliifolium. LG. (ye.) Trollius-leaved. New Spain.	1828.	8. 10. F. 2.	

## ORDO CXXI.

LOBELIACEÆ. *Juss. ann. mus. 18. p. 1.*

LOBELIA. R.S.	LOBELIA. Pentandria Monogynia. R.S.			
1 lineáris. R.S. (bl.) linear-leaved. C. B. S.	1791.	5. 8. G. 2.		
2 setæca. R.S. (bl.) bristle-leaved. ————	1816.	— G. 2.		Act. Gorenk. 1811. f. 11.
3 commutata. R.S. (bl.) notch-leaved. ————	—	— G. 2.		
4 simplex. R.S. (bl.) simple-stalked. ————	1794.	— G. 2.		
5 unidentata. R.S. (d. pu.) single-toothed. ————	—	— G. 2.		Bot. mag. t. 1484.
6 pinifolia. R.S. (bl.) Pine-leaved. ————	1752.	— G. 2.		Andr. repos. t. 240.
7 Dortmanna. R.S. (bl.) water. Britain.	....	7. 8. H. w. 2.		Eng. bot. v. 2. t. 140.
8 paludosa. R.S. (bl.) marsh. N. America.	1823.	— H. w. 2.		
9 Túpa. R.S. (sc.) Mullein-leav'd. Peru.	1824.	8. 10. F. 2.		Swt. br. fl. gar. t. 284.
10 salicifolia. H.S.L. (or.) Willow-leaved. Chili.	1794.	6. 8. G. 2.		Bot. mag. t. 1325.
	<i>Túpa</i> . H.K. non L. <i>gigantea</i> . B.M. non Cav. <i>arguta</i> . B.R. t. 973.			
11 Kálmii. R.S. (bl.) Kalm's. N. America.	1820.	7. 9. H. 2.		Bot. mag. t. 2238.
12 Nuttáli. R.S. (bl.) Nuttall's. ————	—	— H. 2.		
	<i>gracilis</i> . N. nec aliorum.			
13 pauciflora. K.S. (bl.) few-flowered. Mexico.	1824.	— F. 2.		
14 chinénsis. R.S. (p. bl.) Chinese. China.	1822.	— H. 0.		
15 bellidifolia. R.S. (bl.) Daisy-leaved. C. B. S.	1790.	5. 8. G. 2.		
16 rhizophyta. R.S. (wh.) rooting branched. ————	1814.	— G. 2.		Bot. mag. t. 2519.

17	decumbens. B.M. (bl.)	decumbent.	C. B. S.	1820.	5. 8.	G. 4.	Bot. mag t. 2277.
18	triquetra. R.S. (bl.)	triangular.	—	1774.	—	G. 4.	—
19	cinerea. R.S. (wh.)	gray.	—	1824.	6. 10.	H. ⊙	—
20	fenestrâlis. R.S. (bl.)	windowed.	Mexico.	1826.	9. 11.	H. ⊙	Cavan. icon. 6. t. 512. f. 1.
21	gigântea. R.S. (or.)	gigantic.	S. America.	1828.	8. 11.	S. 2.	— 6. t. 513.
22	longiflora. R.S. (wh.)	long-flowered.	Jamaica.	1752.	5. 8.	S. 2.	Bot. mag. t. 2563.
23	tomentosa. R.S. (bl.)	tomentose.	C. B. S.	1816.	—	G. 4.	—
24	secunda. R.S. (wh.)	side-flowering.	—	1790.	—	G. 4.	—
25	trialata. D.P. (bl.)	three-winged.	Nepaul.	1820.	—	G. 2.	Hook. ex. flor. t. 44.
	<i>micrantha</i> . H.E.F. non K.S.						
26	alata. B.P. (bl.)	winged-stalked.	N. S. W.	1804.	—	G. 4.	Lab. nov. hol. 1. t. 72.
27	acuminata. R.S. (st.)	taper-pointed.	Jamaica.	1822.	6. 9.	S. 2.	Sloan. his. 1. t. 95. f. 2.
28	nicotianæfolia. R.S. (st.)	Tobacco-leaved.	E. Indies.	—	—	S. 2.	—
29	circiifolia. R.S. (st.)	Cirsium-leaved.	W. Indies.	1825.	8. 10.	S. 2.	Plum. sp. v. 4. t. 116.
30	persicifolia. R.S. (pu.)	Peach-leaved.	—	1818.	6. 9.	S. 2.	—
31	Cavanillesiana. R.S. (re.)	Cavanilles'.	New Spain.	1825.	—	S. 2.	Cavan. ic. 6. t. 518.
	<i>persicifolia</i> . Cav. non Lam.						
32	Claytoniana. R.S. (p.bl.)	Clayton's.	N. America.	1799.	6. 8.	H. 2.	Willd. hort. ber. t. 30.
	<i>goodenioides</i> . w. <i>pallida</i> . Roth.						
33	assurgens. R.S. (pu.)	purple.	W. Indies.	1787.	6. 10.	S. 2.	Andr. reposit. t. 553.
34	pyramidalis. D.P. (pu.)	pyramidal.	Nepaul.	1819.	7. 10.	G. 2.	Bot. mag. t. 2387.
35	fulgens. R.S. (cr.)	fulgent.	Mexico.	1809.	5. 9.	F. 2.	Bot. reg. t. 165.
36	splendens. R.S. (sc.)	splendid.	—	1814.	—	F. 2.	— t. 60.
37	cardinalis. R.S. (sc.)	Cardinal flower.	Virginia.	1629.	—	F. 2.	Bot. mag. t. 320.
38	syphilitica. R.S. (bl.)	blue cardinal.	—	1665.	8. 10.	H. 2.	Bot. reg. t. 537.
39	dëbilis. R.S. (bl.)	feeble.	C. B. S.	1774.	4. 8.	H. ⊙	—
40	gracilis. B.P. (bl.)	slender.	N. S. W.	1801.	7. 10.	G. ⊙	Bot. mag. t. 741.
41	purpurascens. B.P. (pu.)	purplish.	—	1809.	6. 8.	G. 2.	—
42	surinamensis. R.S. (bh.)	Surinam.	W. Indies.	1786.	1. 7.	S. 2.	Bot. mag. t. 225.
	<i>β rubra</i> . (re.)	red-flowered.	Brazil.	1820.	12. 4.	S. 2.	Lodd. bot. cab. t. 749.
43	Cliffortiâna. s.s. (pu.)	purple-flowered.	S. America.	1733.	7. 8.	H. ⊙	Lin. h. cliff. 426. t. 26.
44	Michauxii. N. (pu.)	Michaux's.	N. America.	....	—	H. ⊙	—
	<i>Cliffortiâna</i> . M. non L.						
45	inflata. R.S. (bl.)	bladder-podded.	—	1759.	—	H. ⊙	Swt. br. fl. gar. t. 99.
46	urens. R.S. (bl.)	acid.	England.	....	6. 7.	H. 2.	Eng. bot. v. 14. t. 953.
47	puberula. R.S. (bl.)	downy.	N. America.	1819.	—	H. 4.	—
48	amœna. R.S. (bl.)	bright blue.	—	1812.	6. 8.	H. 2.	Ann. mus. 18. t. 1. n. 1.
49	minuta. R.S. (bh.)	small.	C. B. S.	1772.	6. 9.	G. 2.	Bot. mag. t. 2590.
50	mínima. B.M. (wh.)	least.	—	....	6. 10.	G. 4.	— t. 2077.
51	Laurëntia. R.S. (bl.)	Italian.	Italy.	1778.	7. 8.	H. ⊙	Mich. gen. 18. t. 14.
52	tenella. R.S. (vi.)	slender-leaved.	Sicily.	1820.	6. 8.	H. ⊙	—
53	campanuloides. R.S. (bl.)	campanulate.	Japan.	1819.	7. 9.	G. 2.	Bot. reg. t. 733.
54	Erinus. R.S. (bl.)	ascending.	C. B. S.	1752.	6. 9.	H. 2.	Bot. mag. t. 901.
55	Breynii. R.S. (bl.)	Breynius's.	—	1823.	—	G. 2.	Breyn. cent. t. 89.
56	erinoides. R.S. (bl.)	trailing.	—	1759.	6. 8.	G. 2.	Herm. lugd. t. 109.
57	bicolor. R.S. (bl.wh.)	spotted.	—	1795.	—	H. ⊙	Bot. mag. t. 514.
58	Schränkii. (bl.)	Schrank's.	—	1824.	—	G. 2.	Schrank. h. mon. t. 31.
	<i>secunda</i> . Sck. non Thunb. <i>decumbens</i> . L. enum. non B.M.						
59	corymbosa. B.M. (wh.pu.)	corymbose.	C. B. S.	1825.	—	G. 2.	Bot. mag. t. 2693.
60	ilicifolia. B.M. (wh.pu.)	Holly-leaved.	—	1815.	5. 9.	G. 2.	— t. 1896.
61	anceps. R.S. (bl.)	flat-edged.	—	1824.	7. 10.	H. ⊙	—
62	pubescens. R.S. (wh.)	downy-leaved.	—	1780.	6. 8.	G. 2.	Jacq. schoen. 2. t. 178.
63	hirsuta. R.S. (bl.)	blue-flower'd hairy.	—	1759.	5. 9.	G. 2.	Burm. afr. t. 40. f. 2.
64	zeylanica. R.S. (pu.)	Ceylon.	E. Indies.	1820.	—	S. 2.	—
65	lutea. R.S. (ye.)	yellow.	C. B. S.	1774.	6. 7.	G. 2.	Bot. mag. t. 1319.
66	variifolia. B.M. (ye.)	various-leaved.	—	1812.	—	G. 2.	— t. 1692.
67	coronopifolia. R.S. (bl.)	Buckshorn-leaved.	—	1752.	7. 8.	G. 2.	— t. 644.
68	cerulea. B.M. (bl.)	blue-flowered.	—	1823.	5. 8.	G. 2.	— t. 2701.
69	Thunbergii. (bl.)	upright-raceme-flower'd.	—	1812.	7. 10.	G. 2.	—
	<i>coronopifolia</i> . Th. non B.M.						
70	crenata. R.S. (bl.)	notched-leaved.	—	1794.	4. 5.	G. 2.	—
71	Simsii. (bl.)	long-peduncled.	—	1819.	8. 11.	G. 2.	Bot. mag. t. 2251.
	<i>pedunculata</i> . B.M. non B.P.						
72	verbascifolia. Sm. (pu.)	Mullein-leaved.	Nepaul.	1822.	5. 7.	G. 2.	—
73	racemosa. B.M. (gr.)	racemed.	W. Indies.	1818.	7. 9.	S. 2.	Bot. mag. t. 2137.
74	crispa. Gr. (bl.)	curled-leaved.	Mexico.	1825.	5. 6.	F. 2.	—
75	heteromalla. Jac. (bl.)	woolly-leaved.	.....	1829.	....	G. 2.	—
76	mollis. Gr. (pu.)	soft.	Dominica.	1828.	5. 8.	S. 2.	—
77	rugulosa. Gr. (wh.)	rugged.	New Zealand.	—	—	G. 2.	—

78	cóncolor. B.P.	(bl.) self-coloured.	N. S. W.	1828.	5. 6.	G. ¼.	
79	inundata. B.P.	(bl.) inundated.	————	1822.	5. 8.	G. w. ¼.	
80	pedunculata. B.P.	(bl.) long-stalked.	————	————	————	G. ¼.	
81	dentata. B.P.	(bl.) toothed.	————	1819.	————	G. ¼.	Cavan. ic. 6. t. 522.
82	gibbosa. B.P.	(bl.) gibbous.	————	1824.	————	G. ¼.	Lab. nov. hol. 1. t. 71.
83	senecioides. B.M.	(bl.) Groundsel-like.	————	————	7. 10.	G. ½.	Bot. mag. t. 2702.
	<i>Isotoma axillaris.</i> Bot. reg. t. 964.						
MONO'PSIS. Sal.		MONO'PSIS.	Pentandria Monogynia.				
1	conspicua. H.T.	(bl.) conspicuous.	C. B. S.	1812.	7. 8.	H. ⊙.	Bot. mag. t. 1499.
	<i>Lobelia speculum.</i> B.M.						
2	inconspicua. H.T.	(bl.) inconspicuous.	————	————	————	H. ⊙.	
CLINT'ONIA. B.R.		CLINT'ONIA.	Pentandria Monogynia.				
	élegans. B.R.	(bl.) elegant.	Columbia.	1827.	6. 9.	H. ⊙.	Bot. reg. t. 1241.
C'YPHIA. R.S.		C'YPHIA.	Pentandria Monogynia. W.				
1	volùbilis. R.S.	(pi.) climbing.	C. B. S.	1795.	6. 8.	S. ¼. √.	
2	digitata. R.S.	(li.) finger-leaved.	————	1820.	7. 10.	G. ¼.	
3	incisa. R.S.	(bh.) cut-leaved.	————	————	————	G. ¼.	
4	bulbosa. R.S.	(pi.) bulb-bearing.	————	1791.	8. 9.	S. ¼.	Burm. afr. t. 38. f. 2.
5	Phyteuma. R.S.	(pi.) Phyteuma-leav'd.	————	1820.	2. 5.	S. ¼.	Bot. reg. t. 625.
6	Cardamines. R.S.	(bh.) Cardamine-leaved.	————	————	————	S. ¼.	

## ORDO CXXII.

STYLIDEÆ. *Brown prodr.* 1. p. 565.

STYLID'IDIUM. B.P.		STYLID'IDIUM.	Gynandria Diandria.				
1	graminifolium. B.P.	(ro.) grass-leaved.	N. S. W.	1803.	4. 8.	G. ¼.	Bot. reg. t. 90.
2	lineare. B.P.	(li.) linear-leaved.	————	1820.	————	G. ¼.	Sm. exot. bot. 2. t. 67.
	<i>Ventenàtia minor.</i> Ex. b.						
3	scândens. B.P.	(wh.) climbing.	N. Holland.	1803.	7. 8.	G. ¼. √.	
4	fruticosum. B.P.	(wh.) frutescent.	————	————	5. 10.	G. ½.	Sal. par. lond. t. 77.
	<i>glandulosum.</i> P.L.						
5	laricifolium. B.R.	(ro.) Larch-leaved.	N. S. W.	1818.	————	G. ½.	Bot. reg. t. 550.
	<i>tenuifolium.</i> B.M. 2249.						
6	adnatum. B.P.	(bh.) adnate.	N. Holland.	1824.	————	G. ½.	Bot. reg. t. 914.

## ORDO CXXIII.

GOODENOVIAÆ. *Brown prodr.* 1. p. 573.

GOOD'ENIA. B.P.		GOOD'ENIA.	Pentandria Monogynia. W.				
1	bellidifolia. B.P.	(ye.) Daisy-leaved.	N. S. W.	1823.	6. 9.	G. ¼.	
2	stellifera. B.P.	(ye.) starry-haired.	————	1825.	————	G. ¼.	
3	paniculata. B.P.	(ye.) panicled.	————	————	————	G. ¼.	Cavan. ic. 6. t. 507.
4	gracilis. B.P.	(ye.) slender.	N. Holland.	1824.	5. 8.	G. ¼.	Lodd. bot. cab. t. 1032.
5	decurrens. B.P.	(ye.) decurrent.	N. S. W.	1825.	————	G. ¼.	
6	ovata. B.P.	(ye.) oval-leaved.	————	1793.	6. 10.	G. ½.	Andr. reposit. t. 68.
7	grandiflora. B.P.	(ye.) large-flowered.	————	1802.	6. 8.	G. ½.	Bot. mag. t. 890.
8	hederacea. B.P.	(ye.) Ivy-leaved.	————	1823.	————	G. ¼.	
E'UTHALES. B.P.		E'UTHALES.	Pentandria Monogynia. R.S.				
	trinervis. B.P.	(ye. pu.) three-nerved.	N. Holland.	1803.	5. 9.	G. ¼.	Bot. mag. t. 1137.
	<i>Goodènia tenèlla.</i> A.R. 466. <i>Velleia trinervis.</i> Lab. n. hol. t. 77.						
VELLEIA. B.P.		VELLEIA.	Pentandria Monogynia. R.S.				
1	paradoxa. B.P.	(ye.) paradoxical.	N. S. W.	1823.	6. 8.	G. ¼.	Bot. reg. t. 971.
2	lyrata. B.P.	(ye.) lyrate-leaved.	————	1819.	4. 6.	G. ¼.	———— t. 551.
3	spatulata. B.P.	(ye.) spatulate.	————	1823.	————	G. ¼.	
LECHENA'ULTIA. B.P.		LECHENA'ULTIA.	Pentandria Monogynia. R.S.				
1	formosa. B.P.	(sc.) handsome.	N. Holland.	1823.	6. 9.	G. ½.	Swt. flor. aust. t. 26.
2	oblata. S.F.A.	(ye.) oblate-petaled.	————	————	————	G. ½.	———— t. 46.
SC'EVOLA. B.P.		SC'EVOLA.	Pentandria Monogynia. R.S.				
1	Königii. R.S.	(wh.) König's.	E. Indies.	1818.	8. 10.	S. ½.	Bot. mag. t. 2732.

2 Plumieri. R. S. ( <i>wh.</i> ) Plumier's. W. Indies. 1724. 8. 10. S. h. Jacq. amer. t. 179. f. 88.
<i>Lobelia Plumieri.</i> Jacq.
3 ivæfölia. Lht. ( <i>wh.</i> ) Iva-leaved. Trinidad. 1820. — S. h. —
4 Taccada. F. I. ( <i>wh.</i> ) Indian. E. Indies. 1818. — S. h. — Gärt. fruct. 1. t. 25.
5 crassifölia. B. P. ( <i>bl.</i> ) thick-leaved. N. Holland. 1805. 8. 10. G. h. Lab. nov. hol. 1. t. 79.
6 cuneiformis. B. P. ( <i>bl.</i> ) wedge-leaved. V. Diem. Isl. 1823. — G. h. — 1. t. 80.
7 microcarpa. B. P. ( <i>bl.</i> ) small-fruited. N. S. W. 1790. 5. 9. G. h. Cavan. ic. 6. t. 509.
<i>Goodenia lævigata.</i> B. M. 287.
8 suavæolens. B. P. ( <i>bl.</i> ) sweet-scented. — 1798. — G. h. — Andr. reposit. t. 22.
<i>Goodenia calendulæca.</i> A. R.
9 hispida. B. P. ( <i>li.</i> ) branching. N. S. W. 1820. 5. 8. G. h. — Cavan. ic. 6. t. 510.
<i>Goodenia ramosissima.</i> Sm. new holl. 15. t. 5.
DAMPIERA. B. P. DAMPIERA. Pentandria Monogynia. R. S.
1 undulata. B. P. ( <i>bl.</i> ) wave-leaved. N. S. W. 1824. 5. 8. G. h. —
2 ovalifölia. B. P. ( <i>pu.</i> ) oval leaved. — 1823. 5. 9. G. h. —
3 purpurea. B. P. ( <i>pu.</i> ) purple-flowered. — 1825. — G. h. —
4 stricta. B. P. ( <i>bl.</i> ) upright. N. S. W. 1814. 6. 8. G. h. —

ORDO CXXIV.

CAMPANULACEÆ. *Juss. gen. 163.*

CANARINA. W. CANARINA. Hexandria Monogynia. W.
Campánula. w. ( <i>or.</i> ) Canary. Canaries. 1696. 1. 3. G. h. — Bot. mag. t. 444.
MICHAUXIA. W. MICHAUXIA. Octandria Monogynia. W.
1 campanuloides. w. ( <i>li.</i> ) rough-leaved. Levant. 1787. 6. 8. G. h. — Bot. mag. t. 219.
2 decandra. F. . . . . decandrous. Persia. 1829. . . . H. h. ?
LIGHTFOOTIA. R. S. LIGHTFOOTIA. Pentandria Monogynia. R. S.
1 oxycoccoides. R. S. ( <i>pa.</i> ) lance-leaved. C. B. S. 1787. 7. G. h. — Sm. exot. bot. 2. t. 69.
2 tenella. B. C. ( <i>pa.</i> ) slender. — 1824. 6. 8. H. h. — Lodd bot. cab. t. 1038.
3 lanceolata. L. en. ( <i>w. bl.</i> ) spear-leaved. — 1826. — G. h. —
4 muscosa. L. en. ( <i>wh. bl.</i> ) moss-like. — — G. h. —
5 subulata. R. S. ( <i>bl.</i> ) awl-leaved. — — G. h. — L'Herit. s. angl. 4. t. 5.
ADENOPHORA. F. ADENOPHORA. Pentandria Monogynia.
1 verticillata. F. ( <i>bl.</i> ) whorled. Dahuria. 1783. 6. 8. H. h. — Pall. it. 3. t. G. f. 1.
2 marsupiflora. F. ( <i>bl.</i> ) bellied. — 1815. 7. 8. H. h. — Bot. reg. t. 149.
<i>Campánula coronata.</i> B. R.
3 Gmelini. F. ( <i>bl.</i> ) Gmelin's. — 1823. 5. 8. H. h. — Gmel. sib. 3. t. 33.
4 coronopifolia. F. ( <i>bl.</i> ) buckshorn-leav'd. — 1822. — H. h. — Swt. br. fl. gar. t. 104.
5 denticulata. F. ( <i>bl.</i> ) toothed. — — 5. 7. H. h. — — t. 116.
<i>Campánula tricuspidata.</i> R. S.
6 latifolia. F. ( <i>bl.</i> ) broad-leaved. Siberia. 1827. — H. h. —
<i>Campánula pereskiaefolia.</i> R. S.
7 Lamarckii. F. ( <i>bl.</i> ) Lamarck's. — 1826. — H. h. — Gmel. sib. 3. n. 18. t. 26.
8 stylosa. F. ( <i>bl.</i> ) long-styled. — 1820. — H. h. — — 3. n. 20. t. 27.
9 reticulata. F. ( <i>bl.</i> ) netted. — 1829. — H. h. —
10 communis. F. ( <i>p. bl.</i> ) common. — 1784. 5. 9. H. h. — Jacq. schœnb. 3. t. 335.
<i>Campánula liliifolia.</i> B. R.
<i>β suavæolens.</i> R. S. ( <i>p. bl.</i> ) sweet-scented. Hungary. 1818. — H. h. — Bot. reg. t. 236.
<i>γ hybrida.</i> R. S. ( <i>p. bl.</i> ) upright-flower'd. . . . . — — H. h. —
11 intermedia. ( <i>p. bl.</i> ) intermediate. Siberia. 1820. — H. h. —
<i>Campánula intermedia.</i> R. S.
WAHLENBERGIA. Sc. WAHLENBERGIA. Pentandria Monogynia.
1 grandiflora. Sc. ( <i>bl.</i> ) great-flowered. Siberia. 1782. 6. 8. H. h. — Bot. mag. t. 252.
<i>Campánula grandiflora.</i> B. M.
2 pendula. Sc. ( <i>bh.</i> ) pendulous. Canaries. 1777. 7. 8. H. h. —
<i>Campánula lobelioides.</i> R. S.
3 elongata. Sc. ( <i>p. bl.</i> ) elongated. . . . . 1816. — H. h. —
CAMPANULA. R. S. BELL-FLOWER. Pentandria Monogynia. L.
1 cenisia. R. S. ( <i>bl.</i> ) ciliated. Switzerland. 1775. 6. 7. H. h. — All. ped. 1. t. 6. f. 2.
2 uniflora. R. S. ( <i>bl.</i> ) single-flowered. Lapland. 1827. — H. h. — Linn. fl. lap. t. 9. f. 5. 6.
3 Kitabeliana. R. S. ( <i>bl.</i> ) Kitabel's. Hungary. 1828. — H. h. —
4 Bellardi. R. S. ( <i>bl.</i> ) Bellardi's. Italy. 1813. — H. h. — All. ped. t. 85. f. 5.
5 Stevèni. M. B. ( <i>bl.</i> ) Steven's. Siberia. 1828. — H. h. —
6 púlla. R. S. ( <i>d. pu.</i> ) dark-flowered. Austria. 1779. — H. h. — Bot. mag. t. 2492.

7	Zóysii. R.S.	(bl.) blunt-leaved.	Carniola.	1813.	6. 8.	H. 2.	Jacq. ic. 2. t. 334.
8	diffusa. R.S.	(bl.) diffuse.	Italy.	1818.	—	H. 2.	
	<i>β fragilis.</i> L.en.	(bl.) brittle.	—	—	—	H. 2.	Cyr. pl. rar. n. t. 11. f. 2.
9	carpathica. R.S.	(bl.) Carpathian.	Carp. Alps.	1774.	—	H. 2.	Bot. mag. t. 117.
10	dasycarpa. R.S.	(bl.) fleshy-podded.	Hungary.	1827.	—	H. 2.	
11	rotundifolia. R.S.	(bl.) round-leaved.	Britain.	....	—	H. 2.	Eng. bot. v. 13. t. 866.
	<i>a cærulea.</i>	(bl.) blue-flowered.	—	....	—	H. 2.	
	<i>β albiflora.</i>	(wh.) white-flowered.	—	....	—	H. 2.	
12	excisa. R.S.	(bl.) cut-flowered.	Switzerland.	1816.	—	H. 2.	Lodd. bot. cab. t. 561.
13	pusilla. R.S.	(bl.wh.) small.	Entrope Alps.	....	—	H. 2.	Scheuch. it. 4. f. 4.
14	pumila. R.S.	(bl.wh.) dwarf.	Switzerland.	....	—	H. 2.	Bot. mag. t. 512.
	<i>a cærulea.</i>	(bl.) blue-flowered.	—	....	—	H. 2.	
	<i>β álba.</i>	(wh.) white-flowered.	—	....	—	H. 2.	
15	cæspitosa. R.S.	(bl.) tufted.	Carniola.	1818.	—	H. 2.	Scop. carn. ed. 2. t. 4.
16	pubescens. R.S.	(bl.) pubescent.	Bohemia.	1813.	—	H. 2.	
17	gracilis. B.M.	(bl.) slender.	N. S. W.	1794.	4. 8.	G. 3.	Bot. mag. t. 691.
18	erecta.	(bl.) upright.	—	—	—	G. 3.	Sm. exot. bot. t. 45.
	<i>stricta.</i> Sm. non L.						
19	littoralis. Lab.	(bl.) sea-side.	V. Diem. Isl.	1820.	—	G. 3.	Lab. nov. hol. 1. t. 70.
20	capillaris. B.C.	(bl.) capillary.	N. Holland.	1824.	—	G. 3.	Lodd. bot. cab. t. 1406.
21	quadrifida. B.P.	(bl.) quadrifid.	N. S. W.	1822.	—	G. 3.	
22	saxicola. B.P.	(bl.) small rock.	V. Diem. Isl.	1825.	5. 10.	G. 3.	
23	Waldsteiniána. R.S.	(vl.) Waldstein's.	Hungary.	—	6. 8.	H. 2.	W. et K. hung. t. 136.
24	lanceolata. R.S.	(bl.) spear-leaved.	Pyrenees.	1827.	—	H. 2.	All. ped. t. 47. f. 2.
25	divaricata. R.S.	(bl.) divaricate.	N. America.	—	—	H. 2.	
26	virgata. R.S.	(bl.) twiggly.	—	1823.	—	H. 2.	
27	linifolia. R.S.	(bl.) Flax-leaved.	Sweden.	1816.	—	H. 2.	Vill. delph. 1. t. 10.
28	Scheuchzeri. s.s.	(bl.) Scheuchzer's.	Alps Europe.	1813.	—	H. 2.	Lodd. bot. cab. t. 485.
29	pátula. R.S.	(bl.) spreading.	Britain.	....	7. 8.	H. 3.	Eng. bot. v. 1. t. 42.
30	neglecta. R.S.	(bl.) neglected.	Europe.	1818.	—	H. 2.	
	<i>crenata.</i> L.en. ucránica. Hort.						
31	Rapunculus. R.S.	(bl.) Rampion.	Britain.	....	—	H. 2.	Eng. bot. v. 4. t. 283.
32	persicifolia. R.S.	(va.) Peach-leaved.	Europe.	1596.	7. 9.	H. 2.	Flor. dan. t. 1087.
	<i>a cærulea.</i>	(bl.) blue-flowered.	Scotland.	....	—	H. 2.	Flor. græc. t. 205.
	<i>β álba.</i>	(wh.) white-flowered.	Europe.	....	—	H. 2.	
	<i>γ máxima.</i> B.M.	(bl.) large-flowered.	—	....	—	H. 2.	Bot. mag. t. 397.
	<i>δ álbo-plèna.</i>	(wh.) double white.	—	....	—	H. 2.	
	<i>ε cærúleo-plèna.</i>	(bl.) double blue.	—	....	—	H. 2.	
33	pyramidalis. R.S.	(bl.) pyramidal.	Carniola.	1596.	—	H. 2.	
	<i>a cærulea.</i>	(bl.) common blue.	—	—	—	H. 2.	
	<i>β albiflora.</i>	(wh.) white-flowered.	—	1816.	—	H. 2.	
34	versicolor. R.S.	(bl.) various-color'd.	Greece.	1788.	—	H. 2.	Andr. reposit. t. 396.
	<i>planiflora.</i> W.en. non Lam. Willdenowiana. R.S.						
35	oblíqua. R.S.	(bl.) oblique-flower'd.	N. Europe.	1813.	6. 7.	H. 3.	Jacq. schæn. 3. t. 336.
36	americana. R.S.	(bl.) American.	N. America.	1763.	7.	H. 3.	
37	nítida. H.K.	(bl.wh.) glossy.	—	1731.	7. 8.	H. 2.	Dodart. mem. 4. t. 113.
	<i>a cærulea.</i>	(bl.) blue-flowered.	—	—	—	H. 2.	
	<i>β álba.</i>	(wh.) white-flowered.	—	—	—	H. 2.	
38	aurea. R.S.	(ye.) golden-flower'd.	Madeira.	1777.	7. 9.	G. 2.	Bot. reg. t. 57.
	<i>a latifolia.</i> R.S.	(ye.) broad-leaved.	—	—	—	G. 2.	Duham. ed. nov. t. 41.
	<i>β angustifolia.</i> R.S.	(ye.) narrow-leaved.	—	—	—	G. 2.	Jacq. schæn. 4. t. 472.
39	rhombóidea. R.S.	(bl.) Germaner-ld.	Switzerland.	1775.	7.	H. 2.	Barrel. ic. 567.
40	asteroides. R.S.	(bl.) star-flowered.	.....	1824.	—	H. 2.	
41	Alpini. R.S.	(bl.) Alpinus'.	Italy.	1823.	7. 9.	H. 2.	
42	Ottoniána. R.S.	(bl.) Otto's.	C. B. S.	1822.	5. 7.	G. 2.	
43	undulata. R.S.	(bl.) waved.	—	—	—	G. 2.	
44	latifolia. R.S.	(bl.) giant.	Britain.	....	7.	H. 2.	Eng. bot. v. 5. t. 302.
	<i>a cærulea.</i>	(bl.) blue-flowered.	—	....	—	H. 2.	
	<i>β álba.</i>	(wh.) white-flowered.	—	....	—	H. 2.	Flor. dan. t. 85.
45	macrántlia. L.en.	(bl.) great-flowered.	Russia.	1822.	6. 7.	H. 2.	Bot. mag. t. 2553.
46	eriocarpa. R.S.	(bl.) woolly-capsul'd.	Caucasus.	1824.	—	H. 2.	
47	urticifolia. R.S.	(bl.) Nettle-leaved.	Germany.	1800.	8.	H. 2.	
	<i>β flóre plèno.</i>	(wh.) double white.	—	....	—	H. 2.	
48	Trachelium. R.S.	(bl.) throatwort.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 1. t. 12.
	<i>a cærulea.</i>	(bl.) blue-flowered.	—	....	—	H. 2.	
	<i>β álba.</i>	(wh.) white-flowered.	—	....	—	H. 2.	
	<i>γ múltiplex.</i> (bl.wh.) double-flowered.			....	—	H. 2.	
49	rapunculoides. R.S.	(bl.) creeping.	England.	....	6. 7.	H. 2.	Eng. bot. v. 20. t. 1369.
	<i>infundibulifórmis.</i> Bot. mag. t. 2632.						

50	ucrànica. R.S.	(bl.) Ukraine.	Ukraine.	1819.	6. 7.	H. ♀.	
51	tracheliódes. R.S.	(bl.) throatwort-like.	Caucasus.	1818.	—	H. ♀.	
52	bononiénsis. R.S.	(bl.) panicked.	Italy.	1773.	8. 9.	H. ♀.	Moris. s. 5. t. 4. f. 38.
53	símplex. DC.	(bl.) simple-stalked.	—	1823.	7. 8.	H. ♀.	
54	lychnítis. H.H.	(bl.) Lychnis-like.	.....	—	—	H. ♀.	
55	obliquifólia. R.S.	(bl.) oblique-leaved.	Italy.	1820.	—	H. ♀.	Ten. fl. neap. t. 17.
56	trichocalycina. R.S.	(bl.) long-pointed-calyx'd.	—	1824.	—	H. ♀.	— t. 16.
57	ruthénica. R.S.	(bl.) Russian.	Russia.	1815.	6. 8.	H. ♀.	Bot. mag. t. 2653.
58	graminifólia. R.S.	(vi.) grass-leaved.	Hungary.	1823.	—	H. ♀.	W. et K. hung. 2. t. 154.
59	tenuifólia. R.S.	(vi.) slender-leaved.	—	1820.	5. 9.	H. ♀.	— t. 155.
60	glomeràta. R.S.	(bl.) clustered.	Britain.	....	—	H. ♀.	Eng. bot. v. 2. t. 90.
		(wh.) white-flowered.	—	....	—	H. ♀.	
61	ellíptica. R.S.	(bl.) elliptic-leaved.	Hungary.	1819.	—	H. ♀.	Bocc. mus. 70. t. 58.
62	cephalántha. F.	(p.bl.) pale-flowered.	Siberia.	1824.	—	H. ♀.	
63	farinósa. Bes.	(bl.) mealy.	Poland.	—	—	H. ♀.	
64	aggregàta. R.S.	(bl.) crowded-flower'd.	Bavaria.	—	—	H. ♀.	
65	speciósa. R.S.	(bl.) specious.	Siberia.	—	—	H. ♀.	Bot. mag. t. 2649.
		glomeràta β dahùrica. Bot. reg. 620.	—	—	—	—	
66	nicæénsis. R.S.	(bl.) Nice.	Italy.	1820.	—	H. ♀.	All. ped. t. 39. f. 1.
67	foliòsa. R.S.	(bl.) leafy.	—	—	6. 9.	H. ♀.	Ten. fl. neap. t. 18.
68	petr'æa. R.S.	(bl.) woolly-leaved.	Mt. Baldo.	1818.	—	H. ♀.	
69	Rainèri. R.S.	(bl.) Rainer's.	Italy.	1825.	—	H. ♀.	
70	Cervicària. R.S.	(bl.) wave-leaved.	Germany.	1768.	7.	H. ♂.	Flor. dan. t. 787.
71	cervicarioides. R.S.	(bl.) intermediate.	Italy.	1819.	—	H. ♀.	
72	multiflòra. R.S.	(vi.) many-flowered.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 263.
		macrostàchya. W.en.	—	—	—	—	
73	collina. R.S.	(bl.) Sage-leaved.	Caucasus.	1803.	7. 8.	H. ♀.	Bot. mag. t. 927.
74	azùrea. R.S.	(bl.) azure.	Switzerland.	1778.	6. 7.	H. ♀.	— t. 551.
75	Lòrei. R.S.	(bl.) Pollini's.	Mt. Baldo.	1819.	6. 9.	H. ⊙.	— t. 2581.
76	lactiflòra. R.S.	(st.) milk-coloured.	Caucasus.	1814.	7. 9.	H. ♀.	Bot. reg. t. 241.
77	thyrsóidea. R.S.	(st.) long-spiked.	Switzerland.	1785.	6. 8.	H. ♂.	Bot. mag. t. 1290.
78	peregrina. R.S.	(bl.) rough-leaved.	C. B. S.	1794.	—	G. ♂.	— t. 1257.
79	tomentòsa. R.S.	(wh.) tomentose.	Levant.	1820.	6. 9.	H. ♀.	
80	aparinoides. R.S.	(p.bl.) Aparine-like.	N. America.	1825.	7. 9.	H. ⊙.	
81	cérnua. R.S.	(wh.) nodding-flower'd.	C. B. S.	1804.	—	G. ♂.	
82	capénsis. R.S.	(vi.) Cape.	—	1803.	—	G. ⊙.	Bot. mag. t. 782.
		Roëlla decùrens. And. rep. t. 238.	—	—	—	—	
83	paniculàta. R.S.	(wh.) panicked.	C. B. S.	1822.	6. 8.	G. ♀.	
84	spathulàta. F.G.	(bl.) spatulate.	Greece.	1824.	—	G. ♀.	Flor. græc. t. 203.
85	velutina. R.S.	(p.bl.) velvety.	Gibraltar.	—	—	F. ♀.	Desf. atl. 1. t. 51.
86	microphy'lla. R.S.	(p.bl.) small-leaved.	Spain.	1820.	—	H. ♀.	
87	Alliòni. R.S.	(p.bl.) Allioni's.	S. Europe.	1818.	—	H. ♀.	All. ped. n. 418. t. 6. f. 3.
88	ligulàris. R.S.	(bl.) strap-leaved.	Alps.	1825.	—	H. ♀.	
89	barbàta. R.S.	(p.bl.) bearded.	Italy.	1752.	—	H. ♀.	Bot. mag. t. 1258.
90	punctàta. R.S.	(wh.) dotted-flower'd.	Siberia.	1813.	5. 6.	H. ♀.	— t. 1723.
91	Mèdium. R.S.	(bl.) Canterbury-bell.	Germany.	1597.	6. 9.	H. ♂.	Knor. delic. 1. t. 9.
		β álvida. (wh.) white-flowered.	—	....	—	H. ♂.	Garid. aix. p. 76. t. 18.
92	longifólia. R.S.	(bl.) long-leaved.	Pyrenees.	1824.	—	H. ♂.	Lapeyr. pyren. t. 6.
93	betonicifólia. R.S.	(bl.) Betony-leaved.	Olympus.	1823.	—	H. ♂.	Flor. græc. t. 210.
94	dichótoma. R.S.	(bl.) forked.	Levant.	1827.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 280.
95	spicàta. R.S.	(bl.) spiked.	Switzerland.	1786.	7.	H. ♂.	All. ped. 1. t. 46. f. 2.
96	alpina. R.S.	(pa.bl.) Alpine.	—	1779.	—	H. ♀.	Bot. mag. t. 957.
97	móllis. R.S.	(bl.) soft.	Syria.	1788.	5. 8.	G. ♀.	— t. 404.
98	saxatilis. R.S.	(bl.) rock.	Candia.	1768.	—	G. ♀.	Barrel. ic. t. 813.
99	alliariæfólia. R.S.	(wh.) Alliaria-leaved.	Caucasus.	1803.	8. 9.	H. ♀.	Sal. par. lond. t. 26.
		macrophy'lla. B.M. t. 912.	—	—	—	—	
100	sarmàtica. B.R.	(pa.bl.) gum-bearing.	Siberia.	—	6. 8.	H. ♀.	Bot. reg. t. 237.
		gunmifera. R.S. betonicæfólia. M.B.	—	—	—	—	
101	lamiifólia. R.S.	(st.) Lamium-leaved.	Caucasus.	1818.	—	H. ♀.	Buxb. cent. 5. t. 18.
102	péndula. R.S.	(st.) pendulous.	—	1824.	—	H. ♀.	
103	sibírica. R.S.	(bl.) Siberian.	Siberia.	1783.	7. 9.	H. ♀.	Bot. mag. t. 659.
104	divérgens. R.S.	(bl.) divergent.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 258.
		spathulàta. W.K.	—	—	—	—	
105	violæfólia. R.S.	(wh.) Violet-leaved.	Siberia.	1827.	6. 8.	H. ♀.	
106	A'dami. R.S.	(bl.) Adam's.	Caucasus.	1829.	—	H. ♀.	
107	Pallasiana. R.S.	(bl.) Pallas's.	Siberia.	1827.	—	H. ♀.	
108	lingulàta. R.S.	(vi.) tongue-leaved.	Hungary.	1804.	7. 8.	H. ♀.	W. et K. hung. 1. t. 64.
109	caucásica. R.S.	(bl.) Caucasian.	Caucasus.	—	—	H. ♀.	
110	laciniàta. R.S.	(bl.) jagged-leaved.	Greece.	1788.	5. 8.	G. ♀.	Andr. reposit. t. 385.

111	lyràta. R.S.	(bl.) lyre-leaved.	Levant.	....	6. 8.	H. ♀.	Moris. 2. v. 5. t. 3. f. 51.
112	rupèstris. R.S.	(bl.) various-leaved.	—	1827.	—	H. ♂.	Flor. græc. t. 213.
113	stricta. R.S.	(bl.) straight.	Egypt.	—	—	H. ♀.	Tour.an.mu.p.137.t.13.
114	cichoràcea. R.S.	(bl.) Succory-leaved.	Greece.	1824.	—	F. ♂.	Flor. græc. t. 209.
115	capitata. R.S.	(bl.) headed.	—	1768.	6. 7.	H. ♀.	Bot. mag. t. 811.
116	lanuginosa. R.S.	(bl.) woolly.	.....	1824.	—	H. ♂.	—
117	Erinus. R.S.	(pa.bl.) forked.	S. Europe.	1768.	7. 8.	H. ♂.	Moris. s. 5. t. 3. f. 25.
118	drabifolia. R.S.	(bl.) Draba-leaved.	Athens.	1823.	—	H. ♂.	Flor. græc. t. 215.
119	erinoides. R.S.	(bl.) Erinus-like.	Africa.	—	—	H. ♂.	Herm. lugd. t. 111?
120	Elátines. R.S.	(pa.pu.) trailing-stalked.	S. Europe.	—	7. 9.	H. ♀.	All. ped. n. 422. t. 7. f. 1.
121	hederàcea. R.S.	(pa.bl.) Ivy-leaved.	England.	....	5. 6.	H. ♀.	Eng. bot. v. 2. t. 73.
122	arvática. R.S.	(bl.) Spanish.	Spain.	1825.	—	H. ♀.	Pluk. phyt. t. 23. f. 1.
123	hispidula. R.S.	(bl.wh.) hispid-calyced.	C. B. S.	1816.	7. 9.	H. ♂.	Comm. hort. 2. t. 37.
PRISMATOCARPUS. L'H. VENUS-LOOKING-GLASS. Pentandria Monogynia.							
1	fruticòsus. L'H.	(bl.) shrubby.	C. B. S.	1787.	8.	G. ♀.	—
2	Hookèri.	(wh.) Hooker's.	—	1823.	—	G. ♀.	Bot. mag. t. 2733.
<i>Campánula Prismatocàrpus</i> . B.M. nec L'Her.							
3	nítidus. L'H.	(bl.) shining.	—	—	6. 8.	H. ♂.	L'Her. sert. ang. 2. t. 3.
<i>Campánula Prismatocàrpus</i> . w.							
4	hispidula. R.S.	(bl.wh.) bristly.	—	1822.	—	G. ♂.	Comm. hort. 2. t. 37.
5	interrùptus. L'H.	(bl.) interrupted.	—	1820.	—	G. ♂.	—
6	Spèculum. L'H.	(bl.) common.	S. Europe.	1596.	5. 8.	H. ♂.	Bot. mag. t. 102.
<i>β álbus</i> . (wh.) white-flowered.							
7	hirsùtus. T.N.	(bl.) hairy.	Italy.	1822.	—	H. ♂.	Ten. fl. neap. t. 19.
8	falcátus. T.N.	(bl.) falcate.	—	—	—	H. ♂.	— t. 20.
9	hy'bridus. L'H.	(bl.) corn.	England.	....	—	H. ♂.	Eng. bot. v. 6. t. 375.
10	pentagónius. L'H.	(bl.) five-angled.	Turkey.	1686.	—	H. ♂.	Bot. reg. t. 56.
11	perfoliátus.	(bl.) perfoliate.	N. America.	1680.	—	H. ♂.	Moris. s. 5. t. 2. f. 23.
<i>Campánula perfoliata</i> . R.S. <i>amplexicaulis</i> . M.							
ROE'LLA. R.S. ROE'LLA. Pentandria Monogynia. L.							
1	ciliàta. R.S.	(bl.wh.) ciliate.	C. B. S.	1774.	6. 9.	G. ♀.	Bot. mag. t. 378.
2	pedunculàta. R.S.	(bl.) peduncled.	—	1827.	—	G. ♀.	—
3	filifórmis. R.S.	(bl.) filiform.	—	1816.	—	G. ♀.	Lam. ill. t. 123. f. 2.
4	decùrens. R.S.	(bl.) decurrent.	—	1787.	7. 9.	H. ♂.	L'Her. sert. ang. 4. t. 6.
5	squarròsa. R.S.	(bl.) trailing.	—	—	7. 8.	G. ♀.	—
6	muscòsa. R.S.	(bl.) moss-like.	—	1802.	8. 10.	H. ♂.	—
7	spicàta. R.S.	(wh.) spiked.	—	1824.	—	G. ♀.	—
PHYTEUMA. R.S. PHYTEUMA. Pentandria Monogynia. L.							
1	pauciflórum. R.S.	(bl.) few-flowered.	Germany.	1823.	6. 8.	H. ♀.	—
2	globulariæfólium. R.S.	(bl.) Globularia-leaf'd.	S. Europe.	—	—	H. ♀.	—
3	Scheuchzèri. R.S.	(bl.) Scheuchzer's.	Switzerland.	1813.	5. 6.	H. ♀.	Bot. mag. t. 1797.
4	scorzonerifólium. R.S.	(bl.) Scorzonera-leaf'd.	Europe.	1817.	—	H. ♀.	— t. 2271.
5	Michèlii. R.S.	(bl.) Micheli's.	Pyrenees.	1822.	6. 7.	H. ♀.	All. ped. n. 427. t. 7. f. 3.
6	hemisph'ericum. R.S.	(bl.) linear-leaved.	Switzerland.	1752.	7.	H. ♀.	Jacq. ic. 2. t. 333.
7	comòsum. R.S.	(da.bl.) tufted.	Austria.	—	6. 7.	H. ♀.	Jacq. aust. ap. t. 50.
8	orbiculàre. R.S.	(bl.) round-headed.	England.	....	6. 8.	H. ♀.	Eng. bot. v. 2. t. 142.
9	Charmèlii. R.S.	(bl.) long-bracted.	Pyrenees.	1819.	—	H. ♀.	Vill. delph. 2. t. 11. f. 3. A.
10	Siebèrii. s.s.	(bl.) Sieber's.	Levant.	1827.	7. 8.	H. ♀.	—
11	inæquatùm. R.S.	(bl.) unequal-leaved.	Hungary.	1826.	6. 7.	H. ♀.	—
12	cordatùm. B.M.	(bl.) heart-leaved.	S. Europe.	1804.	7. 8.	H. ♀.	Bot. mag. t. 1466.
13	ellipticum. R.S.	(bl.) elliptic-leaved.	Switzerland.	1820.	—	H. ♀.	Vill. delph. 2. t. 11. f. 2.
14	nigrum. R.S.	(da.pu.) black-flowered.	Bohemia.	—	—	H. ♀.	—
15	betonicifólium. R.S.	(pa.) Betony-leaved.	Switzerland.	1816.	6. 8.	H. ♀.	Bot. mag. t. 2066.
16	spicatum. R.S.	(st.) spiked.	Europe.	1597.	—	H. ♀.	Flor. dan. t. 362.
17	Hallèri. R.S.	(pa.vi.) Haller's.	Switzerland.	1819.	—	H. ♀.	—
<i>β ovatum</i> . (pa.) oval-spiked.							
18	stylòsum. Bes.	(bl.) long-styled.	Poland.	1827.	—	H. ♀.	—
19	strictum. B.M.	(bl.) upright.	S. Europe.	1819.	—	H. ♀.	Bot. mag. t. 2145.
20	virgatum. R.S.	(bl.) slender-branched.	Levant.	1823.	7. 9.	H. ♀.	Lab. syr. 2. p. 11. t. 6.
21	campanuloides. R.S.	(bl.) Campanula-like.	Caucasus.	1804.	6. 8.	H. ♀.	Bot. mag. t. 1015.
22	canescens. R.S.	(li.) canescent.	Hungary.	—	—	H. ♀.	W. et K. hung. 1. t. 14.
23	pinnatum. R.S.	(bl.) winged-leaved.	Candia.	1640.	—	G. ♀.	Venten. cels. t. 52.
TRACHELIUM. R.S. THROATWORT. Pentandria Monogynia. L.							
1	cœrùleum. R.S.	(bl.) blue.	Italy.	1640.	7. 9.	H. ♂.	Bot. reg. t. 72.
2	diffusum. R.S.	(bl.) shrubby.	C. B.S.	1787.	—	G. ♀.	—
JASIONE. R.S. SHEEP'S SCABIOUS. Pentandria Monogynia. W.							
1	montàna. R.S.	(bl.) mountain.	Britain.	....	6. 7.	H. ♀.	Eng. bot. v. 13. t. 832.
2	perénnis. R.S.	(bl.) perennial.	France.	1787.	—	H. ♀.	Bot. reg. t. 505.
3	foliòsa. s.s.	(bl.) leafy.	S. Spain.	1826.	—	H. ♀.	—

## ORDO CXXV.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

<b>GLOXINIA. S.S.</b>	<b>GLOXINIA.</b>	<b>Didymamia Angiospermia. L.</b>					
1 hirsuta. B.R.	( <i>bl.</i> ) hairy.	Brazil.	1825.	6. 8.	S. 2.	Bot. reg. t. 1004.	
2 speciosa. B.R.	( <i>bl.</i> ) many-flowered.	————	1815.	6. 11.	S. 2.	———— t. 213.	
β alba.	( <i>wh.</i> ) white-flowered.	————	1822.	—	S. 2.		
3 caulscens. B.R.	( <i>vi.</i> ) caulescent.	Pernambuco.	1820.	8. 10.	S. 2.	Bot. reg. t. 1127.	
4 maculata. s.s.	( <i>pu.</i> ) spotted-stalked.	S. America.	1739.	7. 10.	S. 2.	Bot. mag t. 1191.	
<b>SINNINGIA. Nees.</b>	<b>SINNINGIA.</b>	<b>Didymamia Angiospermia.</b>					
1 guttata. B.R.	( <i>gr.ye.</i> ) spotted-throated.	Brazil.	1825.	6. 8.	S. 2.	Bot. reg. t. 1134.	
2 Helleri. B.R.	( <i>gr.ye.</i> ) Heller's.	————	1824.	—	S. 2.	———— t. 997.	
3 velutina. B.R.	( <i>gr.ye.</i> ) velvety.	————	—	—	S. 2.	Lodd. bot. cab. t. 1398.	
4 villosa. B.R.	( <i>gr.ye.</i> ) shaggy.	————	1826.	—	S. 2.	Bot. reg. t. 1134.	
<b>CODONOPHORA. B.R.</b>	<b>CODONOPHORA.</b>	<b>Didymamia Angiospermia.</b>					
1 grandiflora. B.R.	( <i>gr.</i> ) large-flowered.	Brazil.	1816.	5. 6.	S. 2.	Bot. reg. t. 428.	
	<i>Gesneria prasinata.</i> Bot. reg.						
2 lanceolata. B.R.	( <i>gr.</i> ) spear-leaved.	————	1826.	—	S. 2.		
<b>GESNERIA. L.</b>	<b>GESNERIA.</b>	<b>Didymamia Angiospermia. L.</b>					
1 tomentosa. s.s.	( <i>gr.pu.</i> ) woolly.	S. America.	1752.	11. 6.	S. 2.	Bot. mag. t. 1023.	
2 scabra. s.s.	( <i>pu.</i> ) rough.	Jamaica.	1822.	6. 8.	S. 2.		
3 corymbosa. s.s.	( <i>ye.</i> ) corymbose.	————	—	—	S. 2.		
4 Douglasii. B.R.	( <i>sp.</i> ) Douglas's.	Brazil.	1825.	5. 8.	S. 2.	Bot. reg. t. 1110.	
	<i>verticillata.</i> Bot. mag. t. 2776. non Cavan.						
5 aggregata. s.s.	( <i>sc.</i> ) clustered.	————	1816.	6. 10.	S. 2.	Bot. reg. t. 329.	
6 pendulina. B.R.	( <i>sc.</i> ) drooping-flowered.	————	1825.	6. 9.	S. 2.	———— t. 1032.	
7 rutila. B.R.	( <i>sc.</i> ) brilliant.	————	1826.	6. 10.	S. 2.	———— t. 1158.	
	β <i>atrosanguinea.</i> B.R. ( <i>cr.</i> ) dark-crimson.	————	—	—	S. 2.	———— t. 1279.	
8 latifolia. M.N.	( <i>sc.</i> ) long-spiked.	————	1825.	7. 10.	S. 2.	———— t. 1202.	
	<i>macrostachya.</i> B.R.						
9 tubiflora. C.I.	( <i>sc.</i> ) tube-flowered.	S. America.	1815.	2. 6.	S. 2.	Cavan. ic. 6. t. 584.	
10 bulbosa. s.s.	( <i>sc.</i> ) bulbous-rooted.	Brazil.	1816.	5. 8.	S. 2.	Bot. reg. t. 343.	
11 acutis. s.s.	( <i>sc.</i> ) stemless.	Jamaica.	1793.	—	S. 2.	Sloan. jam. 1. t. 102. f. 1.	
<b>BESLERIA. L.</b>	<b>BESLERIA.</b>	<b>Didymamia Angiospermia. L.</b>					
1 cristata. s.s.	( <i>ye.</i> ) crested.	W. Indies.	1739.	6. 8.	S. 2.	Jacq. amer. t. 119.	
2 coccinea. s.s.	( <i>ye.</i> ) scarlet-calyxed.	Guiana.	1824.	5. 8.	S. 2.	Aub. gui. 2. t. 255.	
3 dichrus. s.s.	( <i>ye.re.</i> ) two-coloured.	Brazil.	1823.	—	S. 2.		
4 pulchella. s.s.	( <i>or.</i> ) large-flowered.	W. Indies.	1806.	—	S. 2.	Bot. mag. t. 1146.	
5 melittifolia. s.s.	( <i>pu.</i> ) Balm-leaved.	Guiana.	1739.	6. 7.	S. 2.	Sm. exot. bot. 1. t. 54.	
6 serrulata. s.s.	( <i>st.</i> ) saw-leaved.	W. Indies.	1806.	—	S. 2.	Jacq. schœn. 3. t. 290.	
7 lutea. s.s.	( <i>ye.</i> ) yellow-flowered.	Guiana.	1739.	7. 8.	S. 2.	Plum. ic. 49. f. 1.	
8 grandifolia. s.s.	( <i>ye.</i> ) large-leaved.	Brazil.	1823.	—	S. 2.		
9 hirtella. s.s.	( <i>ye.</i> ) hairy-leaved.	————	—	—	S. 2.		
10 incarnata. s.s.	( <i>fl.</i> ) flesh-coloured.	Guiana.	—	—	S. 2.	Aub. gui. 2. t. 256.	

## ORDO CXXVI.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

<b>VACCINIUM. W.</b>	<b>WHORTLE-BERRY.</b>	<b>Oct-Decandria Monogynia.</b>					
1 Myrtillus. w.	( <i>bh.</i> ) Blea-berry.	Britain.	....	4. 6.	H. 2.	Eng. bot. 7. t. 456.	
2 stamineum. Ph.	( <i>wh.</i> ) long-stamened.	N. America.	1772.	5. 6.	H. 2.	Pluk. alm. t. 339. f. 3.	
3 album. Ph.	( <i>wh.</i> ) white-flowered.	————	—	—	H. 2.	Andr. reposit. t. 263.	
	<i>stamineum.</i> A.R. non Ph.						
4 pallidum. w.	( <i>wh.</i> ) pale.	————	—	—	H. 2.		
5 uliginosum. w.	( <i>ro.</i> ) great Bilberry.	Britain.	....	4. 5.	H. 2.	Eng. bot. v. 9. t. 581.	
6 diffusum. w.	( <i>bh.</i> ) tree.	N. America.	1765.	5. 11.	H. 2.	Bot. mag. t. 1607.	
	<i>arboresum.</i> M.						
7 dimosum. B.M.	( <i>bh.</i> ) bushy.	————	1774.	5. 6.	H. 2.	Bot. mag. t. 1106.	
	<i>hirtellum.</i> H.K.						
	β <i>humile.</i> W.D. ( <i>wh.</i> ) dwarf.	————	—	—	H. 2.	Wats. dend. brit. t. 32.	

8 frondosum. w. (wh.) blunt-leaved.	N. America.	1761.	5. 6. H. h.	Andr. reposit. t. 140.
9 venustum. H.K. (wh.) red-twigged.	_____	1770.	_____ H. h.	
10 resinosum. w. (st.) clammy.	_____	1772.	_____ H. h.	Wang. am. t. 30. f. 69.
<i>β rubescens.</i> (re.) red-flowered.	_____	_____	_____ H. h.	Bot. mag. t. 1288.
11 parviflorum. A.R. (re.) small-flowered.	_____	1804.	_____ H. h.	Andr. reposit. t. 125.
12 corymbosum. w. (wh.) corymbose.	_____	1806.	6. 7. H. h.	Wats. dend. brit. t. 123.
13 amœnum. w. (wh.) broad-leaved.	_____	1765.	5. 6. H. h.	Bot. reg. t. 400.
14 canadense. s.s. (wh.) Canadian.	_____	1827.	5. 7. H. h.	
15 virgatum. w. (pa.re) twiggy.	_____	1767.	4. 5. H. h.	Andr. reposit. t. 181.
16 Watsoni. (bh.) Watson's.	_____	1812.	_____ H. h.	Wats. dend. brit. t. 34.
<i>virgatum β angustifolium.</i> w. D.	_____	_____	_____	
17 mariantum. w. D. (wh.) Maryland.	_____	_____	5. 6. H. h.	Wats. dend. brit. t. 124.
18 grandiflorum. w. D. (wh.) great-flowered.	_____	_____	7. 8. H. h.	_____ t. 125. A.
19 elongatum. w. D. (bh.) elongated.	_____	_____	_____ H. h.	_____ t. 125. B.
20 minutiflorum. w. D. (bh.) minute-flowered.	_____	_____	_____ H. h.	_____ t. 125. C.
21 glabrum. w. D. (re.) smooth.	_____	_____	_____ H. h.	_____ t. 125. D.
22 mucronatum. L. (wh.) mucronate.	_____	_____	5. 6. H. h.	
23 fuscatum. w. (re.) cluster-flowered.	_____	1770.	_____ H. h.	Bot. reg. t. 302.
<i>formosum.</i> A.R. 97.	_____	_____	_____	
<i>β angustifolium.</i> Ph. (re.) narrow-leaved.	_____	_____	_____ H. h.	
24 galèzans. M. (st.) Gale-leaved.	_____	1806.	_____ H. h.	
25 ligustrinum. w. (pu.re.) Privet-leaved.	_____	....	_____ H. h.	
26 tenellum. w. (ro.) Pennsylvanian.	_____	1772.	_____ H. h.	Wats. dend. brit. t. 35.
<i>pensylvanicum.</i> M.	_____	_____	_____	
27 angustifolium. w. (wh.) narrow-leaved.	_____	1776.	4. 5. H. h.	
<i>myrtilloides.</i> M.	_____	_____	_____	
28 Arctostaphylos. w. (re.) oriental.	Levant.	1777.	6. 8. H. h.	Bot. mag. t. 974.
29 maderense. s.s. (re.) Madeira.	Madeira.	1810.	7. 2. H. h.	Andr. reposit. t. 30.
<i>Arctostaphylos.</i> A.R.	_____	_____	_____	
30 meridionale. w. (re.) Jamaica.	Jamaica.	1778.	3. 6. G. h.	
31 salicinum. s.s. (bh.) Willow-like.	N. America.	1827.	6. 8. H. h.	
32 crassifolium. s.s. (pi.) thick-leaved.	Carolina.	1787.	6. 7. F. h.	Bot. mag. t. 1152.
33 myrtifolium. M. (pi.) Myrtle-leaved.	_____	1812.	5. 7. F. h.	
34 nitidum. s.s. (pi.) glossy-leaved.	_____	1794.	5. 6. F. h.	Andr. rep. t. 480.
35 decumbens. E.M. (pi.) decumbent.	_____	_____	_____ F. h.	Bot. mag. t. 1550.
36 myrsinites. M. (pu.) Myrsine-leaved.	_____	....	_____ F. h.	
37 buxifolium. s.s. (bh.) Box-leaved.	N. America.	1794.	_____ H. h.	Bot. mag. t. 928.
38 Vitis Idæa. w. (bh.) Cow-berry.	Britain.	....	4. 6. H. h.	Eng. bot. v. 9. t. 598.
<i>a minor.</i> (bh.) smaller.	_____	....	_____ H. h.	Lodd. bot. cab. t. 1023.
<i>β major.</i> (ro.) larger.	N. America.	....	_____ H. h.	_____ t. 616.
39 ovatum. Ph. (bh.) oval-leaved.	_____	1827.	5. 7. H. h.	
40 obtusum. Ph. (bh.) blunt-creeping.	_____	_____	_____ H. h.	
41 halleriæfolium. L.C. (wh.) Halleria-leaved.	_____	....	5. 6. H. h.	
OXYCOC'CCUS. P.S. CRANBERRY.	Octandria Monogynia.	_____	_____	
1 palustris. P.S. (pi.) common.	Britain.	....	5. 6. H. h.	Eng. bot. v. 5. t. 319.
<i>Vaccinium Oxycoccus.</i> E.B. Schöllera <i>Oxycoccus.</i> Roth.	_____	_____	_____	
2 macrocarpus. Ph. (pi.) large-fruited.	N. America.	1760.	5. 8. H. h.	Wats. dend. brit. t. 122.
3 erectus. Ph. (ro.) upright.	_____	1806.	6. 8. H. h.	_____ t. 31.
<i>Vaccinium erythrocarpum.</i> M.	_____	_____	_____	
4 hispidulus. P.S. (pi.) Thyme-leaved.	_____	1776.	5. 7. H. h.	Mich. amer. 1. t. 23.
<i>Vaccinium hispidulum.</i> w. <i>Arbutus thymifolia.</i> Ait. <i>Gaultheria serpyllifolia.</i> Ph.	_____	_____	_____	

## ORDO CXXVII.

ERICEÆ. *Don Prodr. p. 148.*

## Sect. I. ERICEÆ VERÆ.

ARCTOSTAPHYLOS. K.S. ARCTOSTAPHYLOS. Decandria Monogynia.				
1 'Uva-ursi. s.s. (bh.) Bear-berry.	Britain.	....	4. 6. H. h.	Eng. bot. v. 10. t. 714.
<i>Arbutus 'Uva-ursi.</i> E.B. <i>Mairania 'Uva-ursi.</i> Desv.	_____	_____	_____	
2 alpina. s.s. (pi.) Alpine.	Scotland.	....	4. 5. H. h.	Eng. bot. v. 29. t. 2030.

<b>A'RBUTUS. K.S.</b>		<b>STRAWBERRY-TREE. Decandria Monogynia. L.</b>	
1 Unêdo. s.s. ( <i>wh.re.</i> )	common.	Ireland.	.... 9. 12. H. ½.
β rûbra. ( <i>re.</i> )	red-flowered.	—	.... — H. ½.
γ flore plêno. ( <i>wh.</i> )	double-flowered.	—	.... — H. ½.
δ schizopétala. ( <i>wh.</i> )	jagged-petaled.	—	.... — H. ½.
ε integrifolia. ( <i>wh.</i> )	entire-leaved.	—	.... — H. ½.
ζ crispa. ( <i>wh.</i> )	curled-leaved.	—	.... — H. ½.
η salicifolia. ( <i>wh.</i> )	Willow-leaved.	—	.... — H. ½.
2 canariensis. s.s. ( <i>ro.</i> )	long-leaved.	Canaries.	1796. 5. 6. G. ½.
3 hybrida. s.s. ( <i>wh.</i> )	hybrid.	Hybrid.	.... — H. ½.
<i>serratifolia.</i> B.C. 580. <i>andrachnoides.</i> L.en.			
4 Millèri. ....	Miller's.	—	1825. .... H. ½.
5 Andrâchne. s.s. ( <i>wh.</i> )	oriental.	Levant.	1724. 3. 4. F. ½.
6 prôcera. d. ( <i>wh.</i> )	tall.	N. America.	1827. .... H. ½.
7 Menzièsii. Ph. ( <i>wh.</i> )	Mr. Menzies's.	—	.... — H. ½.
8 tomentôsa. Ph. ( <i>wh.</i> )	woolly.	—	.... — H. ½.
9 laurifolia. s.s. ( <i>wh.</i> )	Laurel-leaved.	Mexico.	1825. .... F. ½.
10 phillyreæfolia. s.s. ( <i>wh.</i> )	Phillyrea-leaved.	Peru.	1812. .... G. ½.
11 ? pûmila. s.s. ( <i>wh.</i> )	dwarf.	Magellan.	1824. .... G. ½.
<b>GAULTHERIA. S.S. GAULTHERIA. Decandria Monogynia. L.</b>			
1 procûmbens. s.s. ( <i>bh.</i> )	trailing.	N. America.	1762. 7. 9. H. ½.
2 frâgrantîssima. s.s. ( <i>wh.</i> )	fragrant.	Nepaul.	1824. .... H. ½.
3 Shállon. Ph. ( <i>bh.</i> )	Shallon.	N. America.	1827. 5. 6. H. ½.
<b>ENKIA'NTHUS. B.M. ENKIA'NTHUS. Decandria Monogynia.</b>			
1 quinqueflôrus. B.R. ( <i>pi.</i> )	Canton.	China.	1812. 10. 2. G. ½.
2 reticulâtus. B.R. ( <i>bh.</i> )	netted-leaved.	—	1820. — G. ½.
<b>ANDROMEDA. N. ANDROMEDA. Decandria Monogynia. L.</b>			
1 hypnoides. w. ( <i>wh.</i> )	Moss-like.	Lapland.	1798. 6. 7. H. ½.
2 polifolia. w. ( <i>ro.</i> )	wild rosemary.	Britain.	.... — H. ½.
3 glaucophylla. L.en. ( <i>wh.</i> )	glaucous-leaved.	N. America.	.... 5. 9. H. ½.
4 rosmarinifolia. Ph. ( <i>bh.</i> )	Rosemary-leaved.	—	.... — H. ½.
5 subulata. P.S. ( <i>ro.</i> )	awl-leaved.	Europe.	.... — H. ½.
6 angustifolia. Ph. ( <i>wh.</i> )	narrow-leaved.	N. America.	.... 2. 4. H. ½.
<i>crispa.</i> Link enum.			
7 calyculata. w. ( <i>wh.</i> )	various-leaved.	Russia.	1748. 2. 4. H. ½.
a ventricôsa. H.K. ( <i>wh.</i> )	globe-flowered.	—	— — H. ½.
β nana. B.C. ( <i>wh.</i> )	dwarf.	.....	.... — H. ½.
γ latifolia. H.K. ( <i>wh.</i> )	broad-leaved.	Newfoundland.	.... — H. ½.
8 japonica. w. ( <i>wh.</i> )	Japan.	Japan.	1806. 5. 6. H. ½.
9 ovalifolia. D.P. ( <i>bh.</i> )	oval-leaved.	Nepaul.	1823. — G. ½.
10 buxifolia. P.S. ( <i>cr.</i> )	Box-leaved.	Mauritius.	1822. 4. 6. G. ½.
11 fasciculata. w. ( <i>wh.</i> )	bundle-flower'd.	Jamaica.	— — G. ½.
12 jamaicensis. w. ( <i>wh.</i> )	Jamaica.	—	1793. — G. ½.
13 mariâna. w. ( <i>bh.</i> )	Maryland.	N. America.	1736. 6. 7. H. ½.
α ovalis. ( <i>bh.</i> )	oval-leaved.	—	— — H. ½.
β oblonga. ( <i>bh.</i> )	oblong-leaved.	—	— — H. ½.
14 speciôsa. Ph. ( <i>wh.</i> )	large-flowered.	Carolina.	1800. 6. 9. H. ½.
α nttida. Ph. ( <i>wh.</i> )	smooth-leaved.	—	— — H. ½.
<i>cassinæfolia.</i> B.M.			
β glaûca. W.D. ( <i>wh.</i> )	glaucous-leaved.	—	— — H. ½.
<i>Andrômeda dealbata.</i> Bot. reg. t. 1010.			
γ pulverulenta. Ph. ( <i>wh.</i> )	mealy-leaved.	—	— — H. ½.
15 coriâcea. w. ( <i>pi.</i> )	thick-leaved.	N. America.	1765. 6. 8. H. ½.
<i>nitida. m. lûcida.</i> Lam. <i>mariâna.</i> Jacq. ic. 3. t. 79. <i>nec aliorum.</i>			
16 acuminata. w. ( <i>wh.</i> )	acute-leaved.	N. America.	— — 8. H. ½.
17 Catesbæi. w. ( <i>wh.</i> )	spiny-leaved.	—	1793. 6. 7. H. ½.
<i>spinulosa.</i> Ph.			
18 axillâris. w. ( <i>wh.</i> )	axil-flowering.	—	1765. 5. 8. H. ½.
β longifolia. ( <i>wh.</i> )	long-leaved.	—	— — H. ½.
19 floribûnda. Ph. ( <i>wh.</i> )	many-flowered.	Georgia.	1812. 5. 6. H. ½.
20 racemôsa. w. ( <i>wh.</i> )	branching.	N. America.	1736. 7. H. ½.
21 spicâta. W.D. ( <i>wh.</i> )	spiked.	—	.... 6. 7. H. ½.
22 arborea. w. ( <i>wh.</i> )	Sorrel-tree.	—	1752. 7. 9. H. ½.
<b>LY'ONIA. N. LY'ONIA. Decandria Monogynia. N.</b>			
1 ferruginea. N. ( <i>wh.</i> )	rusty-leaved.	Georgia.	1784. 6. 7. G. ½.
<i>Andrômeda ferruginea.</i> w.			
2 rigida. N. ( <i>wh.</i> )	rigid.	—	1774. 4. 5. G. ½.
3 salicifolia. W.D. ( <i>wh.</i> )	Willow-leaved.	N. America.	.... 6. 7. H. ½.
4 paniculata. N. ( <i>wh.</i> )	paniced.	—	1748. 5. 6. H. ½.

Eng. bot. v. 34. t. 2377.  
Lodd. bot. cab. t. 123.

Bot. mag. t. 1577.  
Bot. reg. t. 619.

Bot. reg. t. 113.

Andr. reposit. t. 116.  
Wal.as.res.13.p.297.ic.  
Lodd. bot. cab. t. 1732.

Bot. reg. t. 884.  
— t. 885.

Bot. mag. t. 2936.  
Eng. bot. v. 10. t. 713.

Pall. ross. 2. t. 70. f. B.

Pall. ross. 2. t. 72. f. 1.  
Bot. mag. t. 1286.

Lodd. bot. cab. t. 862.  
— t. 530.

Thunb. jap. 181. t. 22.  
Wall. as. res. 13. p. 39. ic.

Bot. mag. t. 2660.

Pluk. mant. t. 448. f. 6.  
Bot. mag. t. 1579.

Bot. mag. t. 970.

Wats. dend. brit. t. 26.

Bot. mag. t. 667.  
— t. 1095.

Sm. exot. bot. 2. t. 89.  
Bot. mag. t. 1955.

Duham. ar. ed. nov. t. 39.  
Bot. mag. t. 2357.

— t. 1566.

Wats. dend. brit. t. 36.  
Bot. mag. t. 905.

Venten. malm. t. 80.

Lodd. bot. cab. t. 430.  
Wats. dend. brit. t. 38.

— t. 37.

- 5 capreæfölia. w.D. (wh.) tendril-leaved. N. America. 1812. 7. H. h. Wats. dend. brit. t. 127  
 6 multiflora. w.D. (wh.) many-flowered. ———— ———— H. h. ———— t. 128.  
 7 frondosa. N. (wh.) bristly-flowered. ———— 1806. 5. 6. H. h.  
 MYLOCARYUM. W. en. BUCKWHEAT-TREE. Decandria Monogynia. W.  
 ligustrinum. Ph. (wh.) Privet-leaved. Georgia. 1786. 5. 6. G. h. Bot. mag. t. 1625.  
*Cliftonia ligustrina*. s.s.
- CLE'THRA. W. Decandria Monogynia. W.  
 1 alnifolia. s.s. (wh.) Alder-leaved. N. America. 1731. 8. 10. H. h. Lam. ill. t. 369.  
 2 tomentosa. s.s. (wh.) woolly-leaved. ———— ———— H. h. Wats. dend. brit. t. 39.  
 3 scabra. s.s. (wh.) rough-leaved. Georgia. 1806. ———— H. h.  
 4 acuminata. s.s. (wh.) acute-leaved. Carolina. ———— ———— H. h.  
 5 paniculata. s.s. (wh.) panicled. N. America. 1770. ———— H. h.  
 6 arborea. s.s. (wh.) tree. Madeira. 1784. ———— G. h. Bot. mag. t. 1057.  
   *β variegata*. (wh.) variegated. ———— ———— G. h.  
   *γ minor*. (wh.) dwarf. ———— . . . . G. h.  
 7 ferruginea. L. en. (wh.) ferruginous. S. America. 1818. ———— G. h.
- CYRILLA. L. Pentandria Monogynia. L.  
 racemiflora. L. (wh.) Carolina. Carolina. 1765. 6. 8. F. h. Bot. mag. t. 2456.  
*caroliniana*. P. S. *Itea Cyrilla*. w.
- BROSS'ÆA. L. Pentandria Monogynia. L.  
 coccinea. L. (sc.) scarlet. S. America. . . . . S. h. Lam. ill. t. 111. f. 3.
- BL'ÆRIA. W. Tetrandria Monogynia. W.  
 1 ericoides. s.s. (pu.) heath-leaved. C. B. S. 1774. 8. 10. G. h. Wendl. coll. 1. t. 25.  
 2 muscosa. s.s. (wh.) Moss-leaved. ———— ———— 6. 8. G. h.  
 3 fasciculata. s.s. (wh.) close-headed. ———— 1812. ———— G. h.  
 4 paucifolia. s.s. (f.) few-leaved. ———— ———— G. h. Wendl. coll. 2. t. 43.  
 5 articulata. s.s. (bh.) jointed. ———— 1795. 5. 6. G. h. ———— 2. t. 44.  
 6 scabra. s.s. (wh.) rough. ———— 1806. ———— G. h. ———— 1. t. 31.  
 7 depræssa. R. S. (pu.) depressed. ———— 1816. ———— G. h.  
 8 purpurea. s.s. (pu.) purple-flowered. ———— 1791. ———— G. h.  
 9 dumosa. s.s. (ro.) bushy. ———— 1806. 6. 8. G. h. Wendl. coll. 2. t. 38.  
 10 glabella. s.s. (wh.) smooth. ———— 1816. ———— G. h. Seb. thes. 1. t. 20. f. 2.  
 11 ciliaris. s.s. (wh.) fringed. ———— 1795. ———— G. h. Wendl. coll. 2. t. 49.
- SYMPI'EZA. R. S. SYMPI'EZA. Tetrandria Monogynia. R. S.  
 capitellata. R. S. (pu.) headed. C. B. S. 1812. 6. 8. G. h. Wendl. coll. 2. t. 37.  
*Blæria bracteata*. Wend.
- CALL'UNA. Sal. CALL'UNA. Octandria Monogynia.  
 vulgaris. W. en. (pi.) common. Britain. . . . . 6. 8. H. h. Eng. bot. v. 15. t. 1013.  
*Erica vulgaris*. E. B.  
   *a carnea*. (pi.) flesh-coloured. ———— . . . . H. h.  
   *β alba*. (wh.) white-flowered. ———— . . . . H. h.  
   *γ multiplex*. (pi.) double-flowered. ———— . . . . H. h.
- ERICA. W. HEATH. Octandria Monogynia. L.  
 1 absinthoides. H. K. (pu.) Wormwood-like. C. B. S. 1792. 3. 6. G. h.  
 2 actæa. L. en. (wh.) cluster-leaved. ———— 1810. ———— G. h.  
 3 acuminata. A. H. (pi.) pointed-leaved. ———— 1798. 5. 6. G. h. Andr. heath. v. 3.  
   *β pallida*. (pa.) pale-flowered. ———— ———— G. h.  
 4 acuta. A. H. (re.) pointed-cupped. ———— 1799. 5. 8. G. h. Andr. heath. v. 2.  
 5 acutangularis. L. C. (re.) acute-angled. ———— 1823. ———— G. h.  
 6 adenophora. s.s. (wh.) gland-haired. ———— 1810. ———— G. h.  
 7 aggregata. s.s. (li.) clustered. ———— ———— G. h. Wendl. er. f. 13. n. 5.  
 8 Aitoniana. H. K. (wh. re.) Aiton's. ———— 1790. 6. 9. G. h. Bot. mag. t. 429.  
 9 albens. H. K. (wh.) pallid. ———— 1789. 3. 8. G. h. ———— t. 440.  
 10 albida. L. C. (wh.) white-flowered. ———— 1823. 5. 8. G. h.  
 11 alopecuroides. s.s. (li.) fox-tail. ———— 1812. ———— G. h. Lodd. bot. cab. t. 874.  
 12 ambigua. s.s. (pi.) ambiguous. ———— 1798. ———— G. h. Andr. heath. v. 1.  
   *cylindrica*. A. H. non Thunb. *hybrida*. Hort.
- 13 amœna. H. K. (pu.) feathery. C. B. S. 1795. 3. 7. G. h. Wend. eric. 17. p. 73. ic.  
*plumosa*. A. H.
- 14 ampullacea. H. K. (bh.) flask. ———— 1790. 6. 8. G. h. Bot. mag. t. 303.  
 15 andromedæflora. H. K. (pi.) Andromeda-fld. ———— 1803. 3. 6. G. h. ———— t. 1250.  
 16 anthina. s.s. (pu.) full-flowering. ———— 1811. ———— G. h.
- florida*. Hort. non W.  
 17 aperta. s.s. (re.) open-flowered. ———— ———— G. h.  
 18 Aphanes. s.s. (wh.) Parsley-piert. ———— 1820. ———— G. h.  
 19 arborea. s.s. (wh.) tree. S. Europe. 1658. 2. 6. G. h.  
   *β stylösa*. P. S. (wh.) long-styled. ———— ———— G. h.  
 20 arbúscula. B. C. (wh.) little-tree. C. B. S. 1818. 4. 8. G. h. Lodd. bot. cab. t. 843.  
 21 arctata. L. C. (wh.) arched. ———— ———— G. h.

22	Archeriāna. H.K.	(re.)	Lady Archer's.	C. B. S.	1796.	8. 11.	G. h.	Andr. heath. v. 2.
23	árdens. H.K.	(sc.)	ardent.	_____	1800.	4. 6.	G. h.	Bot. reg. t. 115.
24	argentiflōra. s.s.	(wh.)	silvery-flowered.	_____	1816.	_____	G. h.	Andr. heath. v. 4.
25	aristāta. H.K.	(cr.)	awned.	_____	1801.	3. 8.	G. h.	Bot. mag. t. 1249.
26	assúrgens. L.en.	(wh.)	assurgent.	_____	1810.	5. 8.	G. h.	_____
27	áurea. H.K.	(ye.)	golden.	_____	1799.	7. 9.	G. h.	Andr. heath. v. 2.
28	auriculāris. L.T.	(re.)	eared.	_____	1810.	3. 7.	G. h.	_____
29	austrālis. H.K.	(re.)	Spanish.	Spain.	1769.	4. 7.	H. h.	Andr. heath. v. 3.
30	axillāris. w.	(pu.)	axillary.	C. B. S.	1798.	5. 7.	G. h.	_____
31	azaleæfōlia. L.T.	(li.)	Azalea-leaved.	_____	_____	5. 8.	G. h.	_____
32	báccans. H.K.	(li.)	Arbutus-flower'd.	_____	1774.	4. 7.	G. h.	Bot. mag. t. 358.
33	Bandoniāna. L.C.	(bh.)	Lord Bandon's.	_____	1816.	5. 8.	G. h.	Andr. heath. v. 4.
34	Bánkssii. H.K.	(st.)	Banks's.	_____	1787.	2. 7.	G. h.	_____ v. 1.
35	barbāta. H.K.	(wh.)	bearded.	_____	1799.	5. 8.	G. h.	_____ v. 2.
36	Beaumóntiæ. A.H.	(wh.)	Mrs. Beaumont's.	_____	1820.	6. 8.	G. h.	_____ v. 4.
37	bélla. s.s.	(pu.)	pretty.	_____	_____	_____	G. h.	_____
38	Bergiāna. H.K.	(re.)	Bergius's.	_____	1787.	4. 8.	G. h.	Lodd. bot. cab. t. 939.
	<i>quadriflōra.</i> A.H. v. 2.							
39	bícōlor. w.	(re.gr.)	two-coloured.	_____	1790.	8. 3.	G. h.	_____
	<i>calathiflōra.</i> L.T.							
40	biflōra. B.C.	(wh.)	two-flowered.	_____	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 683.
41	blānda. H.K.	(pi.)	charming.	_____	1800.	4. 9.	G. h.	Andr. heath. v. 3.
42	Blandfordiāna. H.K.	(ye.)	Blandford's.	_____	1803.	3. 6.	G. h.	Bot. mag. t. 1793.
43	Bonplandiāna. B.M.	(wh.)	Bonpland's.	_____	1816.	_____	G. h.	_____ t. 2126.
44	borboniæfōlia. L.T.	(wh.)	Borbonia-leaved.	_____	_____	_____	G. h.	_____
45	Bowieāna. B.C.	(wh.)	Bowie's.	_____	_____	3. 9.	G. h.	Lodd. bot. cab. t. 842.
	<i>Bauèria.</i> Andr. heath. v. 4.							
46	brachiālis. L.T.	(re.)	armed.	_____	1792.	_____	G. h.	_____
47	bracteāta. w.	(re.)	red-bracted.	_____	1800.	5. 7.	G. h.	_____
48	bracteolāris. P.S.	(wh.)	bracteate.	_____	_____	3. 7.	G. h.	_____
49	brevifōlia. L.T.	(wh.)	short-leaved.	_____	....	8. 1.	G. h.	_____
50	Broadleyāna. A.H.	(pi.)	Broadley's.	_____	1810.	5. 7.	G. h.	Andr. heath. v. 3.
51	bruniādes. w.	(wh.)	Brunia-like.	_____	1790.	4. 7.	G. h.	_____
52	bucciniflōra. B.M.	(li.wh.)	trumpet-flowered.	_____	1816.	5. 9.	G. h.	Bot. mag. t. 2465.
53	cæsia. L.T.	(wh.)	grey.	_____	1795.	2. 5.	G. h.	_____
54	cáffra. A.H.	(wh.)	sweet-scented.	_____	1774.	8. 10.	G. h.	Lodd. bot. cab. t. 196.
55	caledōnica. s.s.	(ro.)	Caledonian.	_____	1816.	5. 9.	G. h.	_____
56	callōsa. s.s.	(li.)	callous-leaved.	_____	1799.	6. 9.	G. h.	Andr. heath. v. 3.
	<i>canaliculāta</i> β <i>mīnor.</i> A.H.							
57	calycina. w.	(pi.)	calycine.	_____	_____	_____	G. h.	_____
58	calyculāta. P.S.	(br.)	rusty-flowered.	_____	1800.	5. 7.	G. h.	_____
59	campanulāta. H.K.	(ye.)	bell-flowered.	_____	1791.	4. 8.	G. h.	Andr. heath. v. 1.
60	campylophýlla. s.s.	(li.)	hook-leaved.	_____	1802.	3. 5.	G. h.	_____
	<i>incúrva.</i> A.H.							
61	canaliculāta. H.K.	(li.)	channelled.	_____	1799.	8. 2.	G. h.	Andr. heath. v. 3.
62	canescens. H.K.	(li.)	canescent.	_____	1790.	5. 8.	G. h.	_____ v. 2.
	<i>ericiéphala.</i> A.H. non Lam.							
63	cāpax. L.T.	(re.wh.)	capacious.	_____	1806.	_____	G. h.	_____
64	capitāta. H.K.	(st.)	downy-headed.	_____	1774.	3. 7.	G. h.	Andr. heath. v. 1.
65	carduifōlia. L.T.	(li.)	Carduus-leaved.	_____	1806.	5. 7.	G. h.	_____
66	carināta. B.C.	(pi.)	keeled.	_____	_____	6. 9.	G. h.	Lodd. bot. cab. t. 1071.
67	cárnea. L.	(pi.)	early dwarf.	Germany.	1763.	1. 8.	G. h.	Jacq. aust. t. 32.
68	carniūla. B.C.	(fl.)	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 926.
69	catervæfōlia. L.T.	(li.)	huddled-leaved.	_____	1790.	4. 7.	G. h.	_____
70	Celsiāna. L.C.	(re.)	Cels's.	_____	....	_____	G. h.	_____
71	cephalōtes. w.	(pu.)	purple-headed.	_____	1812.	3. 7.	G. h.	_____
72	cerinthoídes. H.K.	(sc.)	honeywort-flower'd.	_____	1774.	5. 9.	G. h.	Bot. mag. t. 220.
	<i>a glabriúscula.</i>	(sc.)	smoothish.	_____	_____	_____	G. h.	_____
	<i>β hispida.</i>	(sc.)	bristly.	_____	_____	_____	G. h.	_____
73	cérnua. H.K.	(bh.)	drooping-flowered.	_____	1791.	8. 12.	G. h.	Mont. ac. ups. 2. t. 9. f. 3.
74	cerviciflōra. L.T.	(ye.)	Stag's-horn-flower'd.	_____	....	3. 7.	G. h.	_____
	<i>inapérta.</i> Hort.							
75	chlamydiflōra. L.T.	(re.)	cloaked-flower'd.	_____	1801.	5. 9.	G. h.	_____
76	ciliāris. w.	(pi.)	ciliated.	Portugal.	1759.	7. 9.	H. h.	Bot. mag. t. 484.
77	ciliçiflōra. L.T.	(wh.)	fringe-flower'd.	C. B. S.	....	5. 8.	G. h.	_____
78	cinerāscens. w.	(pu.)	greyish.	_____	....	_____	G. h.	_____
79	cinérea. w.	(pu.)	fine-leaved.	Britain.	....	6. 9.	H. h.	Eng. bot. v. 15. t. 1015.
	<i>a atropurpúrea.</i> (d.pu.)		dark-purple.	_____	....	_____	H. h.	Lodd. bot. cab. t. 1409.
	<i>β ràbra.</i>	(re.)	red-flowered.	_____	....	_____	H. h.	_____

γ <i>cárnea.</i>	( <i>fl.</i> ) <i>flesh-coloured.</i>	Britain.	....	6. 9.	H. h.	
δ <i>álba.</i>	( <i>wh.</i> ) <i>white-flowered.</i>	————	....	—	H. h.	
80 <i>cistifolia.</i>	L.en. ( <i>wh.</i> ) <i>Cistus-leaved.</i>	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. v. 2.
	<i>barbata</i> β <i>minor.</i>	A.H.				
81 <i>clavæflora.</i>	H.K. ( <i>gr.</i> ) <i>club-flowered.</i>	————	1779.	8. 10.	G. h.	Andr. heath. v. 2.
	<i>sessiliflora.</i>	A.H. <i>non</i> L.				
82 <i>clavata.</i>	s.s. ( <i>gr.</i> ) <i>clubbed.</i>	————	1812.	—	G. h.	Andr. heath. ic.
83 <i>Clintoniæ.</i>	Lee. ( <i>ro.</i> ) <i>Lady Clinton's.</i>	————	1816.	5. 8.	G. h.	
84 <i>coarctata.</i>	s.s. ( <i>li.</i> ) <i>close.</i>	————	....	—	G. h.	Wendl. eric. f. 19. n. 1.
85 <i>coccinea.</i>	H.K. ( <i>sc.</i> ) <i>scarlet-flowered.</i>	————	1783.	1. 12.	G. h.	Andr. heath. v. 1.
86 <i>cólorans.</i>	B.R. ( <i>wh.</i> ) <i>changing-coloured.</i>	————	1812.	1. 6.	G. h.	Bot. reg. t. 601.
87 <i>comosa.</i>	H.K. ( <i>re.wh.</i> ) <i>tufted.</i>	————	1787.	4. 8.	G. h.	Ic. hort. kew. t. 18.
	<i>a rubra.</i>	( <i>re.</i> ) <i>red-flowered.</i>	————	—	G. h.	Wendl. eric. 12. p. 7. ic.
	β <i>álba.</i>	( <i>wh.</i> ) <i>white-flowered.</i>	————	—	G. h.	Andr. heath. v. 2.
88 <i>complanata.</i>	s.s. ( <i>re.</i> ) <i>flattened.</i>	————	....	—	G. h.	
89 <i>Comptoniana.</i>	s.s. ( <i>re.</i> ) <i>Lady Northampton's.</i>	————	1820.	—	G. h.	Andr. heath. v. 4.
90 <i>concava.</i>	B.C. ( <i>pu.</i> ) <i>concave-flowered.</i>	————	1808.	2. 5.	G. h.	Lodd. bot. cab. t. 134.
91 <i>concinna.</i>	H.K. ( <i>bh.</i> ) <i>blush.</i>	————	1773.	7. 10.	G. h.	Andr. heath. v. 2.
92 <i>cóncolor.</i>	L.C. ( <i>wh.</i> ) <i>self-coloured.</i>	————	....	3. 6.	G. h.	
93 <i>conferta.</i>	H.K. ( <i>wh.</i> ) <i>crowded-flowered.</i>	————	1800.	10. 2.	G. h.	Andr. heath. v. 2.
94 <i>confertifolia.</i>	s.s. ( <i>re.</i> ) <i>crowded-leaved.</i>	————	....	5. 8.	G. h.	
95 <i>congéstá.</i>	s.s. ( <i>wh.</i> ) <i>close-headed.</i>	————	1812.	—	G. h.	Wendl. eric. f. 17. n. 5.
96 <i>cónica.</i>	L.C. ( <i>re.</i> ) <i>conical.</i>	————	1820.	—	G. h.	Lodd. bot. cab. t. 1179.
97 <i>conspícua.</i>	H.K. ( <i>ye.</i> ) <i>conspicuous.</i>	————	1774.	—	G. h.	Andr. heath. v. 2.
98 <i>constántia.</i>	Lee. ( <i>re.</i> ) <i>constant-flowered.</i>	————	1810.	—	G. h.	
99 <i>cordata.</i>	H.K. ( <i>wh.</i> ) <i>heart-leaved.</i>	————	1799.	4. 7.	G. h.	Andr. heath. v. 3.
100 <i>corifolia.</i>	H.K. ( <i>bh.</i> ) <i>Coris-leaved.</i>	————	1774.	8. 12.	G. h.	Bot. mag. t. 422.
	<i>articularis.</i>	B.M. <i>calycina.</i>	A.H.			
101 <i>corydalis.</i>	L.T. ( <i>re.</i> ) <i>winged-anthered.</i>	————	1812.	2. 5.	G. h.	
102 <i>costata.</i>	H.K. ( <i>re.</i> ) <i>ribbed-flowered.</i>	————	1795.	2. 6.	G. h.	Andr. heath. v. 1.
	β <i>superba.</i>	A.H. ( <i>bh.</i> ) <i>superb.</i>	1820.	4. 5.	G. h.	———— v. 4.
103 <i>Coventryana.</i>	B.C. ( <i>ro.</i> ) <i>Lord Coventry's.</i>	————	1808.	5. 6.	G. h.	Lodd. bot. cab. t. 423.
104 <i>crassifolia.</i>	A.H. ( <i>li.</i> ) <i>thick-leaved.</i>	————	1826.	—	G. h.	Andr. heath. v. 4.
105 <i>crinita.</i>	B.C. ( <i>wh.</i> ) <i>long-haired.</i>	————	1825.	—	G. h.	Bot. cab. t. 1432.
106 <i>cristæflora.</i>	L.T. ( <i>li.</i> ) <i>crested.</i>	————	1803.	—	G. h.	
107 <i>crossota.</i>	s.s. ( <i>wh.</i> ) <i>fringed-calyced.</i>	————	1820.	—	G. h.	
108 <i>cruciformis.</i>	s.s. ( <i>ye.</i> ) <i>cross-like.</i>	————	1818.	—	G. h.	Andr. heath. v. 4.
109 <i>crúenta.</i>	H.K. ( <i>cr.</i> ) <i>bloody-flowered.</i>	————	1774.	9. 5.	G. h.	———— v. 1.
110 <i>cúbica.</i>	H.K. ( <i>pu.</i> ) <i>cube-flowered.</i>	————	1790.	4. 7.	G. h.	———— v. 1.
	β <i>minor.</i>	B.C. ( <i>pu.</i> ) <i>lesser cube-flowered.</i>	————	—	G. h.	Lodd. bot. cab. t. 972.
111 <i>cumuliflora.</i>	L.T. ( <i>wh.</i> ) <i>heap-flowered.</i>	————	1801.	5. 9.	G. h.	
112 <i>curviflora.</i>	H.K. ( <i>ye.</i> ) <i>curve-flowered.</i>	————	1774.	7. 10.	G. h.	Andr. heath. v. 1.
113 <i>curviróstris.</i>	L.T. ( <i>li.</i> ) <i>curve-styled.</i>	————	1790.	—	G. h.	
	<i>declinata.</i>	Hort.				
114 <i>Cushiniána.</i>	Lee. ( <i>re.</i> ) <i>Cushin's.</i>	————	1816.	—	G. h.	
115 <i>cuspidigera.</i>	L.T. ( <i>li.</i> ) <i>cuspidate.</i>	————	—	2. 5.	G. h.	
116 <i>cylíndrica.</i>	Th. ( <i>wh.</i> ) <i>white cylindrical.</i>	————	1810.	3. 5.	G. h.	
117 <i>cyrillaeflora.</i>	L.T. ( <i>li.</i> ) <i>Cyrilla-flowered.</i>	————	1800.	2. 8.	G. h.	
118 <i>daphnæflora.</i>	B.C. ( <i>bh.</i> ) <i>Daphne-flowered.</i>	————	1791.	4. 5.	G. h.	Lodd. bot. cab. t. 543.
119 <i>daphnoídes.</i>	B.C. ( <i>ro.</i> ) <i>Daphne-like.</i>	————	—	—	G. h.	———— t. 154.
120 <i>decípiens.</i>	s.s. ( <i>fl.</i> ) <i>slender woolly.</i>	————	1822.	—	G. h.	
121 <i>decólorans.</i>	W. ( <i>ro.wh.</i> ) <i>discoloured.</i>	————	1812.	—	G. h.	
122 <i>decóra.</i>	H.K. ( <i>li.</i> ) <i>graceful.</i>	————	1790.	11. 1.	G. h.	Andr. heath. v. 3.
123 <i>defléxa.</i>	L.C. ( <i>wh.</i> ) <i>deflexed.</i>	————	1812.	5. 8.	G. h.	
124 <i>demíssa.</i>	L.C. ( <i>re.</i> ) <i>low.</i>	————	1810.	—	G. h.	
125 <i>dénsa.</i>	s.s. ( <i>bh.</i> ) <i>dense.</i>	————	—	—	G. h.	Andr. heath. ic.
126 <i>densifolia.</i>	W. ( <i>re.</i> ) <i>dense-leaved.</i>	————	1811.	3. 8.	G. h.	
127 <i>denticulata.</i>	W. ( <i>wh.</i> ) <i>tooth-calyced.</i>	————	—	—	G. h.	Lodd. bot. cab. t. 1090.
	<i>fastigiata.</i>	A.H. <i>nec aliorum.</i>				
128 <i>depressa.</i>	H.K. ( <i>wh.</i> ) <i>depressed.</i>	————	1789.	6. 8.	G. h.	Andr. heath. v. 2.
	<i>rupéstris.</i>	A.H.				
129 <i>dianthifolia.</i>	L.T. ( <i>re.</i> ) <i>pink-leaved.</i>	————	1796.	3. 8.	G. h.	
130 <i>diaphána.</i>	s.s. ( <i>fl.</i> ) <i>transparent.</i>	————	1800.	5. 8.	G. h.	Andr. heath. v. 4.
	<i>transparens.</i>	B.C. 177. <i>non</i> Th.				
131 <i>dichrus.</i>	s.s. ( <i>re.gr.</i> ) <i>Andrew's 2-color'd.</i>	————	1790.	8. 5.	G. h.	Andr. heath. v. 4.
	<i>bicolor.</i>	A.H. <i>non</i> W.				
132 <i>Dickensoniana.</i>	L.C. ( <i>va.</i> ) <i>Mr. Dickenson's.</i>	————	1809.	—	G. h.	
	<i>a álba.</i>	( <i>wh.</i> ) <i>white-flowered.</i>	————	—	G. h.	
	β <i>rubra.</i>	( <i>re.</i> ) <i>red-flowered.</i>	————	—	G. h.	

133	<i>diosmæfolia</i> . L.T. ( <i>li</i> ).	Diosma-leaved.	C. B. S.	1792.	3. 7.	G. h.	
134	<i>diotæflora</i> . L.T. ( <i>wh</i> ).	Diotis-flowered.	_____	1795.	3. 8.	G. h.	
135	<i>discolor</i> . H.K. ( <i>bh</i> ).	different-coloured.	_____	1788.	10. 3.	G. h.	Andr. heath. v. 1.
136	<i>distantis</i> . s.s. ( <i>vi</i> ).	distant.	_____	1816.	_____	G. h.	
137	<i>Donniana</i> . Lee. ( <i>re</i> ).	Donn's.	_____	1812.	5. 9.	G. h.	
138	<i>droseroides</i> . A.H. ( <i>pu</i> ).	Sundew-like.	_____	_____	7. 10.	G. h.	Andr. heath. v. 4.
	<i>droseroides</i> $\beta$ <i>minor</i> . A.H.						
139	<i>dumosa</i> . A.H. ( <i>re</i> ).	bushy.	_____	_____	_____	G. h.	Andr. heath. v. 4.
140	<i>echiiflora</i> . H.K. ( <i>pi</i> ).	Echium-flowered.	_____	1798.	2. 7.	G. h.	_____ v. 3.
	$\beta$ <i>purpurea</i> . A.H. ( <i>pu</i> ).	purple-flowered.	_____	1812.	_____	G. h.	_____ v. 4.
141	<i>elata</i> . H.K. ( <i>ye</i> ).	tall.	_____	1790.	7. 9.	G. h.	_____ v. 2.
142	<i>elegans</i> . H.K. ( <i>pi</i> ).	elegant.	_____	1799.	11. 5.	G. h.	Bot. mag. t. 960.
143	<i>elongata</i> . B.C. ( <i>wh</i> ).	elongated.	_____	1820.	3. 6.	G. h.	Lodd. bot. cab. t. 738.
144	<i>emarginata</i> . A.H. ( <i>wh</i> ).	hairy cupped.	_____	1800.	6. 10.	G. h.	Andr. heath. ic.
145	<i>embothriifolia</i> . L.T. ( <i>re</i> ).	Embothrium-leaf'd.	_____	_____	2. 5.	G. h.	
146	<i>empetrifolia</i> . H.K. ( <i>re</i> ).	crowberry-leaved.	_____	1774.	4. 7.	G. h.	Bot. mag. t. 447.
147	<i>empetroides</i> . H.K. ( <i>pu</i> ).	close-flowered.	_____	1788.	5. 8.	G. h.	Andr. heath. v. 2.
148	<i>epistomia</i> . L.C. ( <i>wh</i> ).	spiggot.	_____	1800.	_____	G. h.	Lodd. bot. cab. t. 1186.
149	<i>equisetifolia</i> . L.T. ( <i>re</i> ).	Equisetum-leaved.	_____	_____	_____	G. h.	
	<i>articulâris</i> . Hort.						
150	<i>ericephala</i> . B.C. ( <i>wh</i> ).	woolly-headed.	_____	1816.	6. 8.	G. h.	Lodd. bot. cab. t. 1270.
151	<i>erosa</i> . B.C. ( <i>bh</i> ).	gnawed-petal'd.	_____	_____	_____	G. h.	_____ t. 133.
152	<i>erubescens</i> . H.K. ( <i>bh</i> ).	reddish-flowered.	_____	1800.	3. 8.	G. h.	Andr. heath. v. 3.
153	<i>Ewerana</i> . H.K. ( <i>cr</i> ).	Ewer's.	_____	1793.	7. 11.	G. h.	_____ v. 2.
	<i>a glabra</i> . ( <i>cr</i> ).	smooth-leaved.	_____	_____	_____	G. h.	
	$\beta$ <i>longiflora</i> . ( <i>cr</i> ).	long-flowered.	_____	_____	_____	G. h.	
	$\gamma$ <i>pilosa</i> . ( <i>cr</i> ).	hairy-leaved.	_____	_____	_____	G. h.	
154	<i>exigua</i> . L.T. ( <i>pu</i> ).	small downy.	_____	1790.	3. 9.	G. h.	
155	<i>eximia</i> . L.C. ( <i>ro</i> ).	choice.	_____	1811.	_____	G. h.	Lodd. bot. cab. t. 1105.
156	<i>exserta</i> . L.C. ( <i>wh</i> ).	exserted.	_____	1820.	_____	G. h.	
157	<i>expansa</i> . L.C. ( <i>re</i> ).	expanded.	_____	1811.	_____	G. h.	
158	<i>exprômta</i> . s.s. ( <i>re</i> ).	woolly-branched.	_____	_____	_____	G. h.	
159	<i>exsudans</i> . B.C. ( <i>pi</i> ).	sweating.	_____	1810.	8. 10.	G. h.	Lodd. bot. cab. t. 287.
160	<i>exurgens</i> . H.K. ( <i>or.re</i> ).	quiver-formed.	_____	1792.	1. 12.	G. h.	Andr. heath. v. 1.
161	<i>fâbrilis</i> . L.T. ( <i>re</i> ).	tiled-leaved.	_____	1791.	4. 8.	G. h.	
162	<i>fallax</i> . L.T. ( <i>wh</i> ).	viscous-flower'd.	_____	_____	11. 3.	G. h.	
163	<i>fasciculâris</i> . H.K. ( <i>ro.gr</i> ).	cluster-flower'd.	_____	1787.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>coronata</i> . A.H. <i>radiiflora</i> . L.T.						
164	<i>fastigiata</i> . W. ( <i>bh</i> ).	crowded.	_____	1792.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>Walkeri</i> . A.H. v. 1. <i>nec</i> v. 4.						
165	<i>fausta</i> . L.T. ( <i>re</i> ).	bristly-leaved.	_____	1795.	4. 6.	G. h.	
166	<i>ferruginea</i> . H.K. ( <i>cr.bh</i> ).	rusty.	_____	1798.	5. 7.	G. h.	Andr. heath. v. 3.
167	<i>festa</i> . L.T. ( <i>bh</i> ).	angular-stalked.	_____	...	3. 5.	G. h.	
168	<i>fibula</i> . L.en. ( <i>li</i> ).	button.	_____	1812.	5. 6.	G. h.	
169	<i>filamentosa</i> . H.K. ( <i>re</i> ).	long-peduncled.	_____	1800.	1. 12.	G. h.	Bot. reg. t. 6.
170	<i>filiformis</i> . L.T. ( <i>re</i> ).	filiform.	_____	...	2. 5.	G. h.	
171	<i>fimbriata</i> . A.H. ( <i>re</i> ).	fringed.	_____	1800.	3. 7.	G. h.	Andr. heath. ic.
172	<i>finitima</i> . L.C. ( <i>pu</i> ).	related.	_____	...	_____	G. h.	
173	<i>fistulæflora</i> . L.T. ( <i>wh</i> ).	white slender-flower'd.	_____	1800.	7. 11.	G. h.	Andr. heath. v. 3.
	<i>tenuiflora</i> $\beta$ <i>alba</i> . A.H. <i>Cliffordiâna</i> . B.C. 34.						
174	<i>flaccida</i> . L.en. ( <i>wh</i> ).	flaccid.	_____	1810.	_____	G. h.	
175	<i>flagellâris</i> . L.en. ( <i>st</i> ).	whipcord.	_____	_____	_____	G. h.	
176	<i>flagelliformis</i> . A.H. ( <i>re</i> ).	whipcord-like.	_____	1812.	_____	G. h.	Andr. heath. v. 4.
177	<i>flammea</i> . H.K. ( <i>ye</i> ).	flame-flowered.	_____	1798.	10. 5.	G. h.	_____ v. 2.
	<i>bibax</i> . L.T.						
178	<i>flava</i> . H.K. ( <i>ye</i> ).	3-leaved yellow.	_____	1795.	9. 4.	G. h.	Andr. heath. v. 2.
	$\beta$ <i>imbricata</i> . B.M. ( <i>ye</i> ).	imbricated.	_____	_____	_____	G. h.	Bot. mag. t. 1815.
179	<i>flexicaulis</i> . H.K. ( <i>re</i> ).	crook-stalked.	_____	1800.	5. 1.	G. h.	Andr. heath. v. 2.
	<i>glandulosa</i> . A.H. <i>nec aliorum</i> .						
180	<i>flexuosa</i> . H.K. ( <i>wh</i> ).	zigzag.	_____	1792.	4. 7.	G. h.	Andr. heath. v. 1.
181	<i>floribunda</i> . B.C. ( <i>li</i> ).	many-flowered.	_____	1800.	11. 3.	G. h.	Lodd. bot. cab. t. 176.
182	<i>florida</i> . H.K. ( <i>pu</i> ).	florid.	_____	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.
183	<i>foliacea</i> . A.H. ( <i>ye</i> ).	foliaceous.	_____	1822.	5. 7.	G. h.	Andr. heath. v. 4.
184	<i>folliculâris</i> . H.K. ( <i>ye</i> ).	yellow pencilled.	_____	1794.	2. 7.	G. h.	_____ v. 1.
	<i>Petiveriâna</i> . A.H.						
185	<i>formosa</i> . W. ( <i>va</i> ).	handsome.	_____	1795.	3. 8.	G. h.	Thunb. eric. n. 82. t. 3.
	<i>a alba</i> . ( <i>wh</i> ).	white-flowered. <i>reflexa alba</i> . Hort.	_____	_____	_____	G. h.	Andr. heath. v. 4.
	$\beta$ <i>rubra</i> . ( <i>re</i> ).	red-flowered. <i>reflexa rubra</i> . Hort.	_____	_____	_____	G. h.	_____ v. 4.
186	<i>fragrans</i> . H.K. ( <i>pu</i> ).	fragrant.	C. B. S.	1803.	3. 7.	G. h.	Bot. mag. t. 2181.

187	fûgax. L.T.	( <i>pu.</i> ) fugacious.	C. B. S.	1800.	3. 5.	G. h.	
188	fundurôsa. H.K.	( <i>re.</i> ) columnar-threaded.	—	1789.	8. 12.	G. h.	Andr. heath. v. 1.
	<i>monadelphæ</i> . A.H.	<i>non</i> B.M.					
189	gélida. H.K.	( <i>gr.</i> ) green verticillate.	—	1790.	4. 7.	G. h.	Andr. heath. v. 2.
	<i>gûva</i> . w.	<i>alveiflôra</i> . L.T.					
190	gemmifera. B.M.	( <i>or.</i> ) jewel.	—	1802.	7. 10.	G. h.	Bot. mag. t 2266.
191	genistæfôlia. L.T.	( <i>re.</i> ) Genista-leaved.	—	....	10. 5.	G. h.	
192	glâbra. L.en.	( <i>wh.</i> ) glabrous.	—	1802.	5. 8.	G. h.	
193	glandulôsa. Th.	( <i>cr.</i> ) glandular-haired.	—	1801.	—	G. h.	
194	glâuca. H.K.	( <i>pu.</i> ) glaucous-leaved.	—	1792.	—	G. h.	Bot. mag. t. 580.
195	globôsa. w.	( <i>bh.</i> ) globular-flowered.	—	1789.	7. 9.	G. h.	Andr. heath. v. 4.
196	glomerâta. s.s.	( <i>li.</i> ) glomerate.	—	1812.	—	G. h.	— v. 4.
197	glomiflôra. L.T.	( <i>wh.</i> ) round-flowered.	—	....	4. 9.	G. h.	
198	glutinôsa. H.K.	( <i>pu.</i> ) glutinous.	—	1787.	7. 10.	G. h.	Icon. hort. kew. t. 17.
	<i>droseroides</i> . A.H.						
199	gnaphalôdes. w.	( <i>wh.</i> ) cudweed-like.	—	1812.	2. 4.	G. h.	Pluk. m.68. t.346. f.11.
200	grâcilis. H.K.	( <i>re.</i> ) gracile.	—	1794.	2. 6.	G. h.	Wend. eric. 8. p. 9. ic.
201	grandiflôra. H.K.	( <i>ye.</i> ) great-flowered.	—	1775.	5. 9.	G. h.	Bot. mag. t. 189.
202	grandinôsa. B.C.	( <i>wh.</i> ) hail-flowered.	—	1820.	—	G. h.	Lodd. bot. cab. t. 627.
203	halicâcaba. H.K.	( <i>wh.</i> ) bladder-flowered.	—	1780.	5. 8.	G. h.	Andr. heath. v. 2.
204	heliacthemifôlia. L.T.	plain-leaved.	—	1796.	6. 9.	G. h.	
205	herbâcea. L.	( <i>fl.</i> ) trailing.	S. Europe.	1763.	1. 8.	H. h.	Bot. mag. t. 471.
206	hibbertiana. H.K.	( <i>cr.gr.</i> ) Hibbert's.	C. B. S.	1800.	6. 9.	G. h.	Andr. heath. v. 3.
207	hirsûta. B.C.	( <i>wh.pu.</i> ) hairy.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 754.
208	hîrta. w.	( <i>re.</i> ) hairy-leaved.	—	1795.	4. 7.	G. h.	Thunb. eric. n. 56. t. 2.
209	hirtiflôra. B.M.	( <i>li.</i> ) hairy-flowered.	—	1790.	—	G. h.	Bot. mag. t. 481.
210	hispida. s.s.	( <i>re.</i> ) hispid.	—	1791.	7. 9.	G. h.	Andr. heath. ic.
211	hispidula. w.	( <i>pu.</i> ) bristly-stemmed.	—	—	6. 8.	G. h.	
212	holosericea. L.T.	( <i>wh.</i> ) velvety.	—	....	2. 7.	G. h.	
213	horizontâlis. H.K.	( <i>wh.</i> ) horizontal-leaved.	—	1800.	7. 9.	G. h.	Andr. heath. v. 2.
214	Humeana. B.C.	( <i>pi.</i> ) Sir A. Hume's.	—	1808.	5. 7.	G. h.	Lodd. bot. cab. t. 389.
215	humifûsa. L.T.	( <i>pi.</i> ) low.	—	....	6. 7.	G. h.	
216	hyacinthoides. H.K.	( <i>pi.</i> ) Hyacinth-flower'd.	—	1798.	6. 8.	G. h.	Andr. heath. v. 3.
217	hyssopifôlia. L.T.	( <i>re.</i> ) Hyssop-leaved.	—	1800.	5. 9.	G. h.	
218	ignêscens. H.K.	( <i>or.sc.</i> ) fiery.	—	1792.	3. 7.	G. h.	Andr. heath. v. 2.
219	imbecilla. (re.)	feeble.	—	1793.	6. 7.	G. h.	
	<i>grâcilis</i> . L.T.	<i>nec aliorum.</i>					
220	imbricatâ. w.	( <i>pu.</i> ) imbricated.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. t. 1243.
221	imperialis. s.s.	( <i>ro.</i> ) imperial.	—	1816.	—	G. h.	Andr. heath. v. 4.
222	incana. s.s.	( <i>wh.re.</i> ) hoary.	—	—	—	G. h.	Wend. er. f. 18. n. 4. ic.
223	incarnata. w.	( <i>fl.</i> ) flesh-coloured.	—	1791.	—	G. h.	Andr. heath. v. 1.
224	incurva. w.	( <i>wh.</i> ) incurved.	—	—	—	G. h.	
225	inflata. w.	( <i>ro.</i> ) inflated.	—	1800.	5. 9.	G. h.	Thunb. dis. n. 67. t. 2. f. 2.
226	infundibulifôrmis. (ro.wh.)	funnel-flower'd.	—	1812.	—	G. h.	Lodd. bot. cab. t. 589.
227	intertexta. B.C.	( <i>wh.</i> ) interwoven.	—	1810.	—	G. h.	— t. 1034.
228	intervallaris. L.T.	( <i>bh.</i> ) distant-leaved.	—	—	5. 11.	G. h.	
229	Irbyana. A.H.	( <i>bh.</i> ) Irby's.	—	1800.	6. 10.	G. h.	Andr. heath. v. 3.
230	jasminiflôra. H.K.	( <i>wh.</i> ) Jasmine-flower'd.	—	1794.	—	G. h.	— v. 1.
231	jubata. s.s.	( <i>re.</i> ) crest-flowered.	—	1816.	—	G. h.	
232	Juliana. s.s.	( <i>re.</i> ) Julian's.	—	1812.	5. 10.	G. h.	Lodd. bot. cab. t. 799.
233	labialis. L.T.	( <i>pi.</i> ) lipped.	—	—	—	G. h.	
234	lachneafôlia. H.K.	( <i>pu.</i> ) Lachnea-leaved.	—	1793.	5. 7.	G. h.	Andr. heath. v. 3.
235	lactiflôra. B.C.	( <i>st.</i> ) milk-coloured.	—	1816.	—	G. h.	Lodd. bot. cab. t. 901.
	<i>tricolor</i> . s.s.						
236	Lævis. A.H.	( <i>wh.</i> ) smooth.	—	1790.	3. 6.	G. h.	Andr. heath. v. 3.
237	Lambertiana. H.K.	( <i>wh.</i> ) Lambert's.	—	1800.	5. 8.	G. h.	— v. 2.
238	lanata. w.	( <i>sn.</i> ) woolly.	—	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
239	lanceolata. P.S.	( <i>wh.</i> ) spear-leaved.	—	1791.	6. 12.	G. h.	— fasc. 8. p. 13. ic.
240	lanuginosa. H.K.	( <i>br.</i> ) large brown-flower'd.	—	1803.	9. 1.	G. h.	Andr. heath. v. 3.
241	laricina. s.s.	( <i>pi.</i> ) Larch-leaved.	—	1824.	6. 8.	G. h.	
242	lasiophylla. s.s.	( <i>li.</i> ) downy-leaved.	—	1816.	5. 8.	G. h.	
243	lateralis. H.K.	( <i>fl.</i> ) side-flowered.	—	1791.	3. 7.	G. h.	Andr. heath. v. 1.
244	latifolia. H.K.	( <i>re.</i> ) broad-leaved.	—	1800.	5. 8.	G. h.	— v. 2.
245	lavandulæfôlia. L.T.	( <i>re.</i> ) Lavender-leaved	—	1795.	—	G. h.	
246	Lawsôni. B.M.	( <i>re.</i> ) red slender-flower'd.	—	1802.	4. 7.	G. h.	Bot. mag. t. 1720.
247	laxa. H.K.	( <i>li.</i> ) loose-flowered.	—	1800.	9. 2.	G. h.	Andr. heath. v. 3.
248	Læana. H.K.	( <i>ye.</i> ) Lee's.	—	1788.	8. 1.	G. h.	— v. 1.
249	leptocarpa. s.s.	( <i>re.</i> ) slender chaffed.	—	1824.	4. 7.	G. h.	
250	leucantha. L.en.	( <i>wh.</i> ) white-blossomed.	—	1803.	1. 5.	G. h.	Andr. heath. v. 2.
	<i>leucanthæra</i> . A.H.	<i>non</i> L.					

251	leucanthera. w. (wh.) white-tipped.	C. B. S.	1803.	2. 6.	G. h.	
252	Linnaëana. H. K. (pu.wh.) Linnaeus's. <i>Linnaëoides</i> . A. H. <i>β superba</i> . A. H. (pu.wh.) <i>superb</i> .	—	1790.	1. 5.	G. h.	Andr. heath. v. 2.
2	longiflora. B. C. (ye.) long-flowered.	—	—	4. 8.	G. h.	Lodd. bot. cab. t. 983.
254	longifolia. w. (re.) long-leaved. <i>pinæa</i> . Wend.	—	1787.	2. 7.	G. h.	Wend. eric. t. 3.
255	longipedunculata. (li.) long-stalked.	—	1818.	3. 8.	G. h.	Lodd. bot. cab. t. 103.
256	lucida. H. K. (pi.) lucid.	—	1800.	4. 1.	G. h.	Andr. heath. v. 2.
257	lutea. H. K. (ye.) yellow.	—	1774.	2. 5.	G. h.	— v. 1.
258	lyrigera. L. T. (re.) lyre-bearing.	—	1790.	—	G. h.	—
259	magnifica. s. s. (ro.) magnificent.	—	1816.	4. 8.	G. h.	Andr. heath. v. 4.
260	mammösa. w. (pu.) nipple.	—	1762.	7. 10.	G. h.	— v. 1.
	<i>α purpurea</i> . (pu.) purple-flowered.	—	—	—	G. h.	Lodd. bot. cab. t. 125.
	<i>β pallida</i> . (li.) pale-flowered.	—	—	—	G. h.	— t. 951.
261	margaritacea. H. K. (wh.) pearl-flowered.	—	1775.	5. 9.	G. h.	Andr. heath. v. 1.
262	marifolia. H. K. (wh.) Marum-leaved.	—	1773.	5. 7.	G. h.	— v. 1.
263	Massoni. H. K. (or. gr.) Masson's.	—	1787.	7. 10.	G. h.	Bot. mag. t. 336.
264	mediterranea. w. (re.) Mediterranean. Portugal.	—	1648.	3. 5.	H. h.	— t. 471.
265	melanthera. w. (li.) dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. t. 867.
266	melastoma. A. H. (ye.) black-anthered.	—	1795.	4. 7.	G. h.	— t. 333.
267	mellifera. s. s. (pu.) honey-bearing.	—	1816.	—	G. h.	—
268	metulæflora. H. K. (re.) nine-pin.	—	1798.	6. 8.	G. h.	Bot. mag. t. 612.
269	microphylla. L. C. (re.) small-leaved.	—	—	—	G. h.	—
270	micröstoma. s. s. (re.) aggregate-flower'd.	—	1816.	—	G. h.	—
271	minutæflora. A. R. (pu.) minute-flowered.	—	1822.	5. 7.	G. h.	Andr. heath. v. 4.
272	mirabilis. A. H. (pu.) wonderful.	—	—	3. 8.	G. h.	— v. 4.
273	modesta. L. T. (bh.) modest.	—	—	—	G. h.	—
274	mollearis. P. S. (pu.) soft-leaved.	—	1803.	4. 10.	G. h.	—
275	mollis. s. s. (pu.) soft.	—	1816.	—	G. h.	Andr. heath. v. 4.
276	mollissima. L. C. (wh.) softest.	—	—	—	G. h.	—
277	monadelphæ. B. M. (wh.) monadelphous. <i>Banksia β purpurea</i> . A. H.	—	1789.	5. 7.	G. h.	Bot. mag. t. 1370.
278	Monsoniæ. H. K. (wh.) Lady Monson's.	—	1787.	4. 9.	G. h.	Bot. mag. t. 1915.
279	montana. L. C. (li.) mountain.	—	1816.	—	G. h.	—
280	moschata. A. H. (li.) musky.	—	1805.	5. 7.	G. h.	Andr. heath. v. 4.
281	mucösa. H. K. (pu.) mucous.	—	1787.	2. 4.	G. h.	— v. 1.
282	mucosoides. L. C. (li.) mucous-like.	—	1800.	3. 4.	G. h.	Lodd. bot. cab. t. 1212.
283	mucronata. s. s. (re.) mucronate.	—	1812.	4. 8.	G. h.	Andr. heath. v. 4.
284	multiflora. H. K. (bh.) many-flowered. France.	—	1731.	6. 11.	G. h.	— v. 2.
285	munda. L. T. (bh.) neat-flowered.	C. B. S.	—	5. 7.	G. h.	—
286	mündula. B. C. (pi.) neat.	—	1816.	3. 8.	G. h.	Lodd. bot. cab. t. 114.
287	Muscari. H. K. (st.) musk.	—	1790.	—	G. h.	Andr. heath. v. 1.
288	mutabilis. H. K. (pu.) mutable.	—	1798.	2. 10.	G. h.	— v. 3.
289	nana. L. T. (ye.) dwarf. <i>depressa</i> . A. H.	—	1792.	5. 8.	G. h.	— v. 2.
290	nidiflora. L. T. (bh.) nest-flowered.	—	—	10. 5.	G. h.	—
291	nidularia. B. C. (pi.) nest-like.	—	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 764.
292	nigricans. s. s. (wh.) black-stamened.	—	—	—	G. h.	—
293	nigrita. H. K. (wh.) black-tipped.	—	1790.	3. 7.	G. h.	Andr. heath. v. 1.
294	nifida. H. K. (wh.) shining.	—	1800.	7. 10.	G. h.	— v. 3.
295	nivalis. A. H. (wh.) snowy-flowered.	—	1820.	5. 6.	G. h.	— v. 4.
296	nivea. s. s. (wh.) snowy.	—	1816.	5. 9.	G. h.	—
297	Niveni. H. K. (re.) Niven's.	—	1799.	2. 7.	G. h.	Andr. heath. v. 2.
298	notæflora. L. T. (re.) bell-shaped.	—	—	2. 5.	G. h.	—
299	notabilis. s. s. (re.) notable.	—	1816.	3. 8.	G. h.	—
300	nudiflora. w. (ye.) small-bracted.	—	1783.	7. 8.	G. h.	—
301	obbata. H. K. (re.wh.) bottle.	—	1796.	4. 7.	G. h.	Andr. heath. v. 2.
302	obcordata. s. s. (wh.) obcordate.	—	1812.	—	G. h.	—
303	obliqua. H. K. (pu.) oblique-leaved.	—	1789.	8. 10.	G. h.	Andr. heath. v. 1.
304	obtusa. B. C. (re.) obtuse.	—	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 1027.
305	octogona. L. C. (re.) eight-angled.	—	—	—	G. h.	—
306	odorata. H. K. (wh.) perfumed.	—	1804.	4. 7.	G. h.	Andr. heath. v. 3.
307	olula. s. s. (ro.) close smooth-leav'd.	—	1812.	—	G. h.	— v. 4.
308	onosmæflora. L. T. (ye.) Onosma-flowered. <i>glutinösa</i> . A. H. <i>viscösa</i> . Wend.	—	1789.	9. 5.	G. h.	— v. 1.
309	oppositifolia. A. H. (wh.) opposite-leaved. <i>α alba</i> . (wh.) white-flowered. <i>β rubra</i> . B. C. (re.) red-flowered.	—	1804.	3. 5.	G. h.	Andr. heath. c. ic. Lodd. bot. cab. t. 1343. — t. 1060.

310	ostrina. B.C.	(sc.) scarlet-flowered. C. B. S.	1824.	3. 6.	G. h.	Lodd. bot. cab. t. 1218.
311	ovata. B.C.	(re.) ovate.	1791.	2. 5.	G. h.	———— t. 417.
312	oxycoccifolia. L.T.	(bh.) Cranberry-leaved.	————	————	G. h.	————
313	pállens. s.s.	(st.) pale.	1812.	3. 8.	G. h.	Andr. heath. v. 4.
314	pállida. B.C.	(pu.) pallid.	————	————	G. h.	Lodd. bot. cab. t. 1355.
315	palliiflora. L.T.	(pa.) pale-flowered.	.....	2. 8.	G. h.	————
316	pálustris. H.K.	(bh.) marsh.	1799.	5. 10.	G. h.	Andr. heath. v. 2.
317	paniculata. w.	(pu.) panicked.	1774.	2. 8.	G. h.	Lodd. bot. cab. t. 1194.
318	pannosa. L.T.	(wh.) cloth-flowered.	.....	2. 6.	G. h.	————
319	párlis. L.T.	(re.) matched.	1789.	5. 8.	G. h.	————
320	Parmentieri. B.C.	(wh.) Parmentier's.	1816.	————	G. h.	Lodd. bot. cab. t. 197.
	β rōsea. L.C.	(ro.) rose-coloured.	————	————	G. h.	————
321	parviflora. L.T.	(pu.) small-fl'd. downy.	1790.	3. 9.	G. h.	————
322	Passerina. w.	(wh.) sparrow-wort.	1800.	11. 5.	G. h.	Petiv. gaz. t. 3. f. 7.
323	pátens. A.H.	(pu.) spreading.	————	3. 6.	G. h.	Andr. heath. v. 3.
324	Patersoni. H.K.	(ye.) Paterson's.	1791.	3. 8.	G. h.	———— v. 1.
325	pavettæflora. L.T.	(wh.) Pavetta-flowered.	.....	5. 8.	G. h.	————
326	pectinifolia. L.T.	(bh.) pectinated.	1800.	11. 6.	G. h.	————
327	pedunculata. s.s.	(re.) peduncled.	1810.	5. 9.	G. h.	————
328	pellúcida. A.H.	(wh.) pellucid.	1800.	10. 6.	G. h.	Andr. heath. v. 3.
	β rùbra. A.H.	(re.) red-flowered.	1806.	————	G. h.	———— v. 4.
329	peltata. A.H.	(gr.pu.) peltate-stigma'd.	1804.	4. 8.	G. h.	———— v. 4.
330	péndula. w.	(pu.) pendulous.	1791.	7. 8.	G. h.	Lodd. bot. cab. t. 902.
331	penicillata. A.H.	(re.) pencilled.	1774.	4. 7.	G. h.	Andr. heath. v. 2.
332	penicilliflora. L.T.	(wh.) white-pencilled.	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5. ic.
333	periplocæfolia. L.T.	(li.) Periploca-leaved.	————	8. 12.	G. h.	————
334	persolita. H.K.	(re.) garland.	1774.	2. 5.	G. h.	Bot. mag. t. 342.
335	perspicua. H.K.	(wh.) clear-flowered.	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7. ic.
	β Linn'æa. A.H.	v. 2.	————	————	————	————
336	petiolata. H.K.	(wh.) rosemary-leaved.	1774.	3. 7.	G. h.	Andr. heath. v. 3.
337	Petiveriana. H.K.	(ye.) Petiver's.	————	————	G. h.	Lam. ill. t. 288. f. 3.
338	Peziza. B.C.	(wh.) button-flowered.	.....	5. 8.	G. h.	Lodd. bot. cab. t. 265.
339	phylicoides. w.	(pu.) Phyllica-like.	1800.	4. 7.	G. h.	————
340	physodes. H.K.	(wh.) sticky.	1788.	3. 7.	G. h.	Bot. mag. t. 443.
341	picta. L.C.	(wh.ye.) painted.	1800.	————	G. h.	————
342	pilosa. s.s.	(gr.) pilose.	————	————	G. h.	Lodd. bot. cab. t. 606.
343	pilulifera. w.	(pu.) ball-bearing.	1789.	4. 5.	G. h.	————
344	pineæ. s.s.	(wh.) Pine-like.	1790.	8. 12.	G. h.	Lodd. bot. cab. t. 1259.
	β purpùrea. L.C.	(pu.) purple.	————	————	G. h.	Andr. heath. v. 1.
345	pinifolia. A.H.	(re.) Pine-leaved.	1790.	6. 12.	G. h.	————
	pityophylla. s.s.	————	————	————	————	————
	a coccinea. A.H.	(sc.) scarlet.	————	————	G. h.	Andr. heath. v. 1.
	β discolor. A.H.	(wh.pu.) two-coloured.	1820.	————	G. h.	———— v. 4.
346	planifolia. A.H.	(re.) flat-leaved.	————	————	G. h.	———— v. 3.
347	Plukenetiana. H.K.	(sc.) Plukenet's.	1774.	4. 7.	G. h.	———— v. 1.
	β pállida. L.C.	(pa.) pale-flowered.	————	————	G. h.	————
	γ álbens. A.H.	(wh.) white-flowered.	————	————	G. h.	Andr. heath. v. 4.
348	polytricha. (sc.gr.)	many-haired.	1804.	7. 10.	G. h.	Lodd. bot. cab. t. 1116.
	hirta. Lod. bot. cab.	nec aliorum pilosa. Hort.	————	————	————	————
349	præcox. L.C.	(li.) early-dwarf.	1805.	2. 5.	G. h.	Lodd. bot. cab. t. 1413.
350	prægnans. A.H.	(bh.) swelled.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
	β coccinea. (sc.)	scarlet-flowered.	————	————	G. h.	———— v. 4.
351	præstans. s.s.	(bh.) excelling.	————	————	G. h.	———— v. 4.
352	primuloides. A.H.	(re.wh.) Cowslip-flower'd.	1802.	4. 7.	G. h.	Bot. mag. t. 1548.
353	princeps. H.K.	(pi.) fine red.	1800.	————	G. h.	Andr. heath. v. 2.
354	procera. s.s.	(ye.) lofty.	1791.	————	G. h.	————
355	procumbens. s.s.	(re.) procumbent.	1816.	————	G. h.	————
356	propendens. H.K.	(pu.) pendant.	1800.	7. 8.	G. h.	Bot. mag. t. 2140.
357	protrudens. L.en.	(wh.) protruding.	1816.	5. 8.	G. h.	————
358	pubescens. H.K.	(li.) pale downy.	1790.	2. 12.	G. h.	————
359	pubigera. L.T.	(li.) pubescent-flowered.	1792.	1. 5.	G. h.	————
360	pubibanda. L.T.	(bh.) nodding.	1812.	3. 8.	G. h.	Wend. eric. f. 3. p. 5. ic.
	nåtans. Wendland.	————	————	————	————	————
361	pulchella. w.	(re.) neat.	————	————	G. h.	Thunb. dis. n. 24. t. 4. f. 2.
362	pulcherrima. (ro.wh.)	beautiful.	1820.	7. 10.	G. h.	Andr. heath. v. 4.
	jasmíniflora β minor. A.H.	v. 4. Irbyana. Hort. non Andr.	————	————	————	————
363	pulverulenta. L.C.	(wh.) powdered.	————	3. 8.	G. h.	————
364	pulviniformis. L.T.	(bh.) cushion.	.....	2. 5.	G. h.	————
365	pùmila. s.s.	(li.) short.	1812.	3. 8.	G. h.	Andr. heath. v. 4.

366	pûra. B.C.	(wh.) clear.	C. B. S.	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 72.
367	purpûrea. H.K.	(pu.) purple-flowered.	_____	1789.	1. 12.	G. h.	Andr. heath. v. 2.
368	pusilla. L.T.	(bh.) low.	_____	....	6. 7.	G. h.	_____
369	pyramidâlis. H.K.	(bh.) pyramidal.	_____	1787.	2. 5.	G. h.	Bot. mag. t. 366.
370	pyramidifôrmis. s.s.	(bh.) pyramid-formed.	_____	1818.	_____	G. h.	_____
371	pyrolæfîora. L.T.	(wh.) Pyrola-flowered.	_____	1790.	5. 7.	G. h.	Andr. heath. v. 4.
	<i>andromedæfîora</i> ß <i>alba</i> .	A.H. v. 4.	_____	_____	_____	_____	_____
372	quadræfîora. L.T.	(re.) four-flowered.	_____	_____	3. 8.	G. h.	_____
373	quadrangulâris. A.H.	(fl.wh.) square-tubed.	_____	1812.	5. 8.	G. h.	Andr. heath. v. 4.
374	radiâta. H.K.	(re.) rayed.	_____	1798.	8. 11.	G. h.	_____ v. 1.
	ß <i>dîscolor</i> .	A.H. (re.wh.) two-coloured.	_____	1820.	_____	G. h.	_____ v. 4.
375	racemôsa. w.	(fl.) racemed.	_____	1795.	4. 5.	G. h.	_____
376	racemîfera. H.K.	(re.) compact-flowered.	_____	1803.	4. 6.	G. h.	Andr. heath. v. 2.
377	ramentâcea. H.K.	(pu.) slender-branched.	_____	1786.	7. 12.	G. h.	_____ v. 1.
378	ramulôsa. Viv.	(li.) Italian.	Italy.	1826.	5. 8.	H. h.	_____
379	recurvâta. B.C.	(wh.) recurved.	C. B. S.	1812.	_____	G. h.	Lodd. bot. cab. t. 1093.
380	refléxa. s.s.	(pu.wh.) reflexed.	_____	....	_____	G. h.	_____
381	refûlgens. A.H.	(ro.gr.) refulgent.	_____	1816.	5. 9.	G. h.	Andr. heath. v. 4.
382	regérminans. w.	(li.) clustered-flower'd.	_____	1791.	5. 8.	G. h.	_____
383	resinôsa. H.K.	(or.) varnished.	_____	1803.	_____	G. h.	Bot. mag. t. 1139.
	<i>vernix</i> .	A.H. v. 3.	_____	_____	_____	_____	_____
384	retôrta. H.K.	(ro.) recurved-leaved.	_____	1787.	_____	G. h.	Bot. mag. t. 362.
385	retrofléxa. H.K.	(re.) jointed.	_____	_____	7. 9.	G. h.	Andr. heath. v. 1.
	<i>pulchella</i> .	A.H. non Th. <i>articulâris</i> , Th. non L.	_____	_____	_____	_____	_____
386	rîgida. B.C.	(re.) rigid.	_____	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 1286.
387	rigidifôlia. s.s.	(re.) rigid-leaved.	_____	1816.	6. 8.	G. h.	_____
388	Rollisôni.	(bh.) Rollison's.	_____	1823.	5. 8.	G. h.	Andr. heath. v. 4.
	<i>exurgens</i> ß <i>hybrida</i> .	A.H. v. 4.	_____	_____	_____	_____	_____
389	rôsea. H.K.	(ro.) rose-coloured.	_____	1798.	6. 10.	G. h.	Andr. heath. v. 2.
390	rubella. B.M.	(re.) reddish.	_____	1812.	5. 8.	G. h.	Bot. mag. t. 2165.
391	rubens. H.K.	(re.) red-flowered.	_____	1798.	6. 9.	G. h.	_____
392	rûbida. B.C.	(re.) ruby.	_____	1820.	_____	G. h.	Lodd. bot. cab. t. 1166.
393	rubrosépala.	(re.wh.) red-calyced.	_____	1825.	_____	G. h.	Andr. heath. v. 4.
	<i>rûber-calyx</i> .	A.H. v. 4.	_____	_____	_____	_____	_____
394	rugôsa. s.s.	(ye.pi.) wrinkled.	_____	1812.	_____	G. h.	Andr. heath. v. 4.
395	Russeliâna. B.C.	(ro.) Duke of Bedford's.	_____	1824.	_____	G. h.	Lodd. bot. cab. t. 1013.
396	Sainsburyâna. s.s.	(ro.) Sainsbury's.	_____	1804.	7. 9.	G. h.	Andr. heath. v. 4.
397	sâlux. L.T.	(re.) broad-stigma'd.	_____	1796.	5. 9.	G. h.	_____
398	Salisburyâna. s.s.	(ro.) Salisbury's.	_____	1815.	_____	G. h.	Andr. heath. v. 4.
399	sanguinea. B.C.	(cr.) bloody.	_____	....	3. 8.	G. h.	Lodd. bot. cab. t. 36.
400	sanguinolenta. B.M.	(pu.) dark-flowered.	_____	1810.	_____	G. h.	Bot. mag. t. 2263.
	<i>pygmæa</i> .	Andr. heath. v. 4.	_____	_____	_____	_____	_____
401	Savileâna.	(re.) Savile's.	_____	1800.	6. 7.	G. h.	Lodd. bot. cab. t. 96.
402	scabriûscula. B.C.	(wh.) roughish.	_____	_____	_____	G. h.	_____ t. 517.
403	scariôsa. B.C.	(li.) scariose.	_____	_____	_____	G. h.	_____ t. 477.
404	Schöllii. B.C.	(pu.) Scholl's.	_____	1790.	5. 9.	G. h.	_____ t. 538.
405	scopâria. w.	(gr.) small green-flid.	S. Europe.	1770.	4. 5.	F. h.	Linn. eric. n. 14. f. fl.
406	Sebâna. H.K.	(re.) Seba's.	C. B. S.	1774.	3. 6.	G. h.	Andr. heath. v. 1.
	<i>a fusca</i> .	Lod. (br.) brown-flowered.	_____	_____	_____	G. h.	_____
	ß <i>lutea</i> .	Lod. (ye.) yellow-flowered.	_____	_____	_____	G. h.	Lodd. bot. cab. t. 266.
	γ <i>minor</i> .	Lod. (or.) smaller.	_____	_____	_____	G. h.	_____
407	selaginifôlia. L.T.	(re.) Selago-leaved.	_____	1801.	2. 6.	G. h.	_____
408	serpyllifôlia. B.C.	(li.) Serpyllum-leaved.	_____	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 744.
409	serratifôlia. H.K.	(ye.) saw-leaved.	_____	1790.	8. 12.	G. h.	Andr. heath. v. 1.
410	serrulâta. L.C.	(ye.) sawed.	_____	1814.	6. 8.	G. h.	_____
411	setæcia. A.H.	(bh.) bristly-leaved.	_____	1796.	2. 8.	G. h.	Andr. heath. v. 1.
412	sexfâria. H.K.	(wh.) six-angled.	_____	1774.	5. 8.	G. h.	_____ v. 2.
413	Shannoniâna. A.H.	(bh.) Earl Shannon's.	_____	1800.	6. 7.	G. h.	Lodd. bot. cab. t. 168.
414	sicæfôlia. L.T.	(re.) dagger-leaved.	_____	1791.	2. 7.	G. h.	_____
415	simpliciflôra. H.K.	(y.re.) single-flowered.	_____	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.
416	Smithiâna. L.C.	(re.) Smith's.	_____	1810.	_____	G. h.	_____
417	socciflôra. L.T.	(gr.) green-pencilled.	_____	1799.	4. 5.	G. h.	Andr. heath. v. 1.
	<i>Sebâna viridis</i> .	A.H.	_____	_____	_____	_____	_____
418	Solândri. H.K.	(re.) Solander's.	_____	1800.	3. 9.	G. h.	Andr. heath. v. 2.
419	sordida. H.K.	(br.) sordid.	_____	1790.	8. 5.	G. h.	_____ v. 1.
	<i>laniflôra</i> .	Wend.	_____	_____	_____	_____	_____
420	Sparrmânni. H.K.	(ye.) Sparman's	_____	1794.	9. 3.	G. h.	Andr. heath. v. 3.
	<i>âspera</i> .	A.H. <i>hystriçiflôra</i> .	L.T.	_____	_____	_____	_____
421	spârsa. L.C.	(li.) scattered.	_____	1800.	3. 8.	G. h.	Lodd. bot. cab. t. 1467.

422	speciosa. H.K. ( <i>or.re.</i> )	specious.	C. B. S.	1800.	6. 9. G. h.	Andr. heath. v. 2.
423	spicata. H.K. ( <i>gr.</i> )	spiked.	_____	1789.	1. 12. G. h.	_____ v. 1.
424	spiralis. L.C. ( <i>wh.</i> )	spiral.	_____	1816.	5. 8. G. h.	_____
425	splendens. w. ( <i>sc.</i> )	splendid.	_____	1792.	4. 9. G. h.	Wend. eric. 8. p. 5. ic.
426	spumosa. H.K. ( <i>st.</i> )	spumous.	_____	1786.	5. 8. G. h.	Lodd. bot. cab. t. 566.
427	spuria. H.K. ( <i>pi.</i> )	spurious.	_____	1796.	4. 8. G. h.	Andr. heath. v. 1.
428	squamæflora. L.T. ( <i>pi.</i> )	scaly-flowered.	_____	...	5. 11. G. h.	_____
429	squamosa. H.K. ( <i>li.</i> )	scaly-cupped.	_____	1794.	4. 6. G. h.	Andr. heath. v. 3.
430	squarrosa. L.T. ( <i>pu.</i> )	squarrose.	_____	....	3. 8. G. h.	_____
431	stagnalis. L.T. ( <i>bh.</i> )	stagnant.	_____	1790.	3. 6. G. h.	_____
432	staminea. A.H. ( <i>st.</i> )	reflex-stamened.	_____	1799.	6. 9. G. h.	Andr. heath. v. 3.
433	stellata. B.C. ( <i>wh.</i> )	starry.	_____	1806.	— G. h.	Lodd. bot. cab. t. 893.
	<i>solandroides.</i> Andr.	heath. v. 4.	_____	_____	_____	_____
434	stellifera. s.s. ( <i>bh.</i> )	star-bearing.	_____	—	4. 8. G. h.	Andr. heath. v. 4.
435	stenantha. ( <i>bh.</i> )	slender-blush-flower'd.	—	1820.	5. 8. G. h.	_____ v. 4.
	<i>tenuiflora</i> $\gamma$ <i>cârnea.</i> A.H. v. 4.	_____	_____	_____	_____	_____
436	stricta. H.K. ( <i>li.</i> )	straight-branch'd.	S. Europe.	1765.	8. 11. G. h.	Andr. heath. v. 2.
437	strigosa. H.K. ( <i>li.</i> )	dwarf downy.	C. B. S.	1775.	3. 8. G. h.	_____
438	struthiolæflora. L.C. ( <i>wh.</i> )	Struthiola-flower'd.	—	1812.	5. 8. G. h.	_____
439	stylaris. s.s. ( <i>re.</i> )	prominent-styled.	_____	_____	G. h.	_____
440	stylasa. L.T. ( <i>li.</i> )	long-styled.	_____	1789.	1. 8. G. h.	_____
441	suaveolens. L.C. ( <i>li.</i> )	sweet.	_____	1800.	5. 11. G. h.	Lodd. bot. cab. t. 24.
442	subulata. s.s. ( <i>re.</i> )	awl-leaved.	_____	1818.	6. 8. G. h.	_____
443	sulphurea. B.M. ( <i>st.</i> )	sulphur-coloured.	_____	1812.	3. 5. G. h.	Bot. mag. t. 1984.
444	superba. ( <i>re.</i> )	superb.	_____	1795.	6. 9. G. h.	Andr. heath. c. ic.
	<i>formosa.</i> A.H. <i>nee aliorum.</i>	_____	_____	_____	_____	_____
	<i>a coccinea.</i> ( <i>sc.</i> )	scarlet.	_____	_____	G. h.	Andr. heath. v. 1.
	$\beta$ <i>rosea.</i> ( <i>ro.</i> )	rose-coloured.	_____	_____	G. h.	_____ v. 2.
	$\gamma$ <i>bicolor.</i> ( <i>ye.gr.</i> )	two-coloured.	_____	_____	G. h.	_____ v. 4.
445	Swainsoniana. s.s. ( <i>pi.</i> )	Swainson's.	_____	1810.	6. 7. G. h.	_____ v. 4.
446	tardiflora. L.T. ( <i>li.</i> )	pubescent.	_____	1790.	3. 8. G. h.	Bot. mag. t. 480.
	<i>pubescens.</i> B.M. <i>non L.</i>	_____	_____	_____	_____	_____
447	taxifolia. H.K. ( <i>bh.</i> )	yew-leaved.	_____	1788.	7. 11. G. h.	Andr. heath. v. 1.
448	tegulæfolia. L.T. ( <i>wh.</i> )	tilled.	_____	....	1. 5. G. h.	_____
449	Templeæ. A.H. ( <i>ro.</i> )	Lady Temple's.	_____	1820.	5. 8. G. h.	Andr. heath. v. 4.
450	tenella. H.K. ( <i>re.</i> )	delicate.	_____	1791.	8. 5. G. h.	_____ v. 2.
451	tenuiflora. A.H. ( <i>st.</i> )	slender yellow-flower'd.	_____	1800.	4. 6. G. h.	_____ v. 3.
452	tenuifolia. H.K. ( <i>re.</i> )	slender-leaved.	_____	1794.	4. 8. G. h.	Seb. mus. 1. t. 73. f. 6.
453	tenuis. L.T. ( <i>wh.</i> )	slender.	_____	1790.	8. 2. G. h.	_____
454	tenuissima. s.s. ( <i>re.</i> )	very-slender.	_____	1803.	2. 8. G. h.	Wend. eric. 6. p. 9. ic.
455	tetragona. H.K. ( <i>ye.</i> )	square-flowered.	_____	1789.	7. 9. G. h.	Andr. heath. v. 3.
456	Tétralix. H.K. ( <i>li.</i> )	cross-leaved.	Britain.	....	6. 8. H. h.	Eng. bot. v. 15. t. 1014.
	<i>a rubra.</i> ( <i>re.</i> )	red-flowered.	_____	....	H. h.	_____
	$\beta$ <i>cârnea.</i> ( <i>li.</i> )	flesh-coloured.	_____	....	H. h.	_____
	$\gamma$ <i>alba.</i> ( <i>wh.</i> )	white-flowered.	_____	....	H. h.	_____
457	teucrifolia. s.s. ( <i>pu.</i> )	Teucrium-leaved.	C. B. S.	1812.	5. 9. G. h.	_____
458	thalictriflora. s.s. ( <i>wh.</i> )	meadow-rue-flower'd.	_____	1810.	G. h.	Lodd. bot. cab. t. 1294.
459	Thunbergii. H.K. ( <i>or.</i> )	Thunberg's.	_____	1794.	5. 8. G. h.	Bot. mag. t. 1214.
460	thymifolia. H.K. ( <i>re.</i> )	Thyme-leaved.	_____	1789.	G. h.	Andr. heath. v. 2.
461	tiaræflora. H.K. ( <i>re.</i> )	turban-flower'd.	_____	1800.	G. h.	_____ v. 3.
462	togata. B.M. ( <i>re.</i> )	large-cupped.	_____	1812.	6. 8. G. h.	Bot. mag. t. 1626.
463	tomentosa. L.T. ( <i>wh.</i> )	woolly-flower'd.	_____	....	2. 8. G. h.	_____
464	tortuosa. L.C. ( <i>wh.</i> )	twisted.	_____	1816.	3. 6. G. h.	_____
465	totta. s.s. ( <i>wh.</i> )	bristly-branched.	_____	1822.	— G. h.	_____
466	tragulifera. L.T. ( <i>li.</i> )	broad-anthered.	_____	....	5. 8. G. h.	_____
467	translucens. Lec. ( <i>bh.</i> )	translucent.	_____	1797.	G. h.	_____
468	transparentis. Th. ( <i>bh.</i> )	transparent.	_____	1800.	— G. h.	_____
469	triceps. B.C. ( <i>wh.</i> )	three-headed.	_____	1809.	— G. h.	Lodd. bot. cab. t. 962.
470	tricolor. H.S.L. ( <i>or.r.gr.</i> )	three-coloured.	_____	1803.	6. 9. G. h.	Andr. heath. v. 3.
	<i>aristata minor.</i> A.H. <i>non tricolor.</i> s.s.	_____	_____	_____	_____	_____
471	triflora. H.K. ( <i>wh.</i> )	three-flowered.	_____	1774.	3. 6. G. h.	Wend. eric. 12. p. 13.
472	triphylla. L.en. ( <i>re.ye.</i> )	three-leaved.	_____	1812.	— G. h.	_____
473	triumphans. B.C. ( <i>wh.</i> )	triumphant.	_____	—	5. 10. G. h.	Lodd. bot. cab. t. 257.
474	trössula. B.C. ( <i>wh.pi.</i> )	dapper.	_____	—	G. h.	_____ t. 668.
475	tuberculâris. L.T. ( <i>pu.</i> )	tuberled.	_____	1790.	2. 8. G. h.	_____
476	tubitlora. H.K. ( <i>pi.</i> )	tube-flowered.	_____	1775.	4. 7. G. h.	Andr. heath. v. 1.
477	tubiüscula. B.C. ( <i>re.</i> )	small-tubed.	_____	1822.	— G. h.	Lodd. bot. cab. t. 1157.
478	tumida. B.R. ( <i>sc.</i> )	tumid.	_____	1812.	5. 9. G. h.	Bot. reg. t. 65.
479	turbiniiflora. L.T. ( <i>wh.</i> )	top-flowered.	_____	1793.	10. 2. G. h.	_____

480	túrgida. L.en. ( <i>pi.</i> ) turgid. <i>taxifolia</i> $\beta$ <i>máior.</i> A.H. v. 4.	C. B. S.	1800.	3. 6. G. $\frac{1}{2}$ .	Andr. heath. v. 4.
481	turrigera. L.T. ( <i>li.</i> ) Cypress. <i>cupressina.</i> Hort.	————	1796.	6. 9. G. $\frac{1}{2}$ .	————
482	umbelláta. H.K. ( <i>re.</i> ) umbelled.	Portugal.	1782.	5. 7. G. $\frac{1}{2}$ .	Andr. heath. v. 2.
483	unduláta. A.H. ( <i>cr.</i> ) crumple-flower'd.	C. B. S.	1824.	5. 8. G. $\frac{1}{2}$ .	———— v. 4.
484	única. s.s. ( <i>bh.</i> ) one-flowered. <i>pedunculáta.</i> A.H. <i>nec aliorum.</i>	————	1812.	5. 7. G. $\frac{1}{2}$ .	———— v. 4.
485	urceoláris. H.K. ( <i>wh.</i> ) pitcher-flowered.	————	1778.	———— G. $\frac{1}{2}$ .	Icon. hort. kew. t. 16.
486	úrsina. Lee. ( <i>wh.</i> ) shaggy.	————	1812.	4. 8. G. $\frac{1}{2}$ .	————
487	vágans. H.K. ( <i>bh.</i> ) Cornish. $\beta$ <i>álba.</i> ( <i>wh.</i> ) <i>white-flowering.</i>	Cornwall.	....	7. 8. H. $\frac{1}{2}$ .	Eng. bot. v. 1. t. 3.
488	vária. B.C. ( <i>va.</i> ) variable.	C. B. S.	1820.	5. 8. G. $\frac{1}{2}$ .	Lodd. bot. cab. t. 1325.
489	velitáris. L.T. ( <i>bh.</i> ) javelin-flowered.	————	1790.	1. 6. G. $\frac{1}{2}$ .	————
490	velleriflora. H.K. ( <i>bh.</i> ) woolly-flowered. <i>bruniádes.</i> A.H.	————	1774.	2. 6. G. $\frac{1}{2}$ .	Andr. heath. v. 1.
491	ventricósa. H.K. ( <i>bh.</i> ) porcelain.	————	1787.	4. 9. G. $\frac{1}{2}$ .	Bot. mag. t. 350.
492	ventrôsa. ( <i>wh.</i> ) tun-bellied. <i>obbáta</i> $\beta$ <i>umbelláta.</i> A.H. v. 4.	————	1822.	5. 8. G. $\frac{1}{2}$ .	Andr. heath. v. 4.
493	verecúnda. L.T. ( <i>bh.</i> ) blushing. <i>cérnua.</i> A.H. <i>non</i> Thunb.	————	1791.	4. 9. G. $\frac{1}{2}$ .	Andr. heath. v. 1.
494	vernicífua. L.T. ( <i>wh.</i> ) viscous-leaved.	————	1804.	3. 9. G. $\frac{1}{2}$ .	————
495	versicolor. H.K. ( <i>sc.or.</i> ) various-colored.	————	1790.	11. 5. G. $\frac{1}{2}$ .	Andr. heath. v. 1.
496	verticilláta. A.H. ( <i>sc.</i> ) verticillate.	————	1774.	7. 10. G. $\frac{1}{2}$ .	———— v. 1.
497	vesiculáris. L.T. ( <i>bh.</i> ) bladdered.	————	1796.	2. 8. G. $\frac{1}{2}$ .	————
498	vestífua. L.T. ( <i>re.</i> ) clothed.	————	————	3. 6. G. $\frac{1}{2}$ .	————
499	vestita. H.K. ( <i>va.</i> ) tremulous. <i>a álba.</i> H.K. ( <i>wh.</i> ) <i>white.</i>	————	1789.	1. 12. G. $\frac{1}{2}$ .	Andr. heath. v. 1.
	$\beta$ <i>incárnáta.</i> H.K. ( <i>fl.</i> ) <i>flesh-coloured.</i>	————	1789.	1. 12. G. $\frac{1}{2}$ .	———— v. 2.
	$\gamma$ <i>purpúrea.</i> H.K. ( <i>pu.</i> ) <i>purple-flowered.</i>	————	————	G. $\frac{1}{2}$ .	———— v. 1.
	$\delta$ <i>rósea.</i> H.K. ( <i>ro.</i> ) <i>rose-coloured.</i>	————	————	G. $\frac{1}{2}$ .	———— v. 2.
	$\epsilon$ <i>fúlgida.</i> H.K. ( <i>sc.</i> ) <i>bright red.</i>	————	————	G. $\frac{1}{2}$ .	———— v. 2.
	$\zeta$ <i>coccínea.</i> H.K. ( <i>sc.</i> ) <i>scarlet.</i>	————	————	G. $\frac{1}{2}$ .	———— v. 1.
	$\eta$ <i>lútea.</i> H.K. ( <i>ye.</i> ) <i>yellow.</i>	————	————	G. $\frac{1}{2}$ .	———— v. 3.
500	villósa. H.K. ( <i>wh.</i> ) villous.	————	1800.	2. 6. G. $\frac{1}{2}$ .	———— v. 3.
501	virgáta. s.s. ( <i>wh.</i> ) twiggy.	————	1824.	———— G. $\frac{1}{2}$ .	————
502	viridescens. B.C. ( <i>gr.</i> ) greenish.	————	....	1. 6. G. $\frac{1}{2}$ .	Lodd. bot. cab. t. 233.
503	viridiflora. A.H. ( <i>gr.</i> ) green-flowered.	————	1820.	5. 8. G. $\frac{1}{2}$ .	Andr. heath. v. 4.
504	viridipurpúrea. w. ( <i>gr.</i> ) green & purple.	Portugal.	....	5. 8. F. $\frac{1}{2}$ .	Linn. eric. n. 9. f. fl.
505	viridis. H.K. ( <i>gr.</i> ) green-flowered.	C. B. S.	1800.	———— G. $\frac{1}{2}$ .	Andr. heath. v. 2.
506	viscaria. H.K. ( <i>li.</i> ) clammy-flower'd.	————	1774.	3. 7. G. $\frac{1}{2}$ .	Icon. hort. kew. t. 1.
507	Walkeriana. ( <i>re.</i> ) Walker's. <i>Walkéria</i> $\beta$ <i>rúbra.</i> A.H. v. 4.	————	1806.	6. 8. G. $\frac{1}{2}$ .	Andr. heath. v. 4.
508	xeranthemifolia. L.T. Xeranthemum-ld.	————	1812.	5. 8. G. $\frac{1}{2}$ .	————
509	Zeyheri. s.s. ( <i>li.</i> ) Zeyher's.	————	1824.	———— G. $\frac{1}{2}$ .	————
MENZIESIA Sm. MENZIESIA. Octandria Monogynia.					
1	ferrugínea. s.s. ( <i>co.</i> ) ferruginous.	N. America.	1811.	5. 6. H. $\frac{1}{2}$ .	Sm. ic. ined. 1. t. 56.
2	globuláris. s.s. ( <i>co.</i> ) globular-flower'd. <i>ferrugínea</i> $\beta$ . B.M. 1571.	————	1806.	———— H. $\frac{1}{2}$ .	Sal. par. lond. t. 44.
3	polifolia. s.s. ( <i>pu.</i> ) Irish. <i>Erica Daboëcia.</i> E.B.	Ireland.	....	6. 9. H. $\frac{1}{2}$ .	Eng. bot. v. 1. t. 35.
	$\beta$ <i>nána.</i> ( <i>pu.</i> ) <i>dwarf.</i>	.....	....	———— H. $\frac{1}{2}$ .	————
	$\beta$ <i>cærulea.</i> s.s. ( <i>pu.</i> ) yew-leaved.	Scotland.	....	6. 7. H. $\frac{1}{2}$ .	Eng. bot. v. 35. t. 2169.
PYROLA. S.S. WINTER-GREEN. Decandria Monogynia. L.					
1	uniflora. s.s. ( <i>wh.</i> ) single-flower'd.	Britain.	....	6. 7. H. $\frac{1}{2}$ .	Eng. bot. t. 146.
2	secúnda. s.s. ( <i>wh.</i> ) serrated.	————	....	———— H. $\frac{1}{2}$ .	———— t. 517.
3	minor. s.s. ( <i>bh.</i> ) lesser. $\beta$ <i>rósea.</i> E.B. ( <i>ro.</i> ) <i>rose-coloured.</i>	England.	....	7. 8. H. $\frac{1}{2}$ .	———— t. 158.
4	média. s.s. ( <i>bh.</i> ) intermediate.	————	....	6. 7. H. $\frac{1}{2}$ .	———— t. 2543.
5	dentáta. D.D. ( <i>st.</i> ) toothed.	N. America.	1827.	———— H. $\frac{1}{2}$ .	———— t. 945.
6	ellíptica. D.D. ( <i>wh.</i> ) elliptic-leaved.	————	1826.	———— H. $\frac{1}{2}$ .	————
7	occidentális. D.D. ( <i>st.</i> ) western.	————	1827.	———— H. $\frac{1}{2}$ .	————
8	rotundifolia. s.s. ( <i>st.</i> ) round-leaved.	Britain.	....	———— H. $\frac{1}{2}$ .	Eng. bot. t. 213.
9	americána. ( <i>wh.</i> ) American. <i>rotundifolia.</i> Ph. <i>non</i> Eng. bot.	N. America.	....	———— H. $\frac{1}{2}$ .	————
10	asarifolia. s.s. ( <i>st.</i> ) Asarum-leaved.	————	1822.	———— H. $\frac{1}{2}$ .	————
11	chlorántha. s.s. ( <i>st.</i> ) cream-colour'd.	————	————	———— H. $\frac{1}{2}$ .	————
CHIMAPHILA. Ph. CHIMAPHILA. Decandria Monogynia.					
1	umbelláta. s.s. ( <i>wh.re.</i> ) umbelled. <i>corymbósa.</i> Ph. <i>P'yrola umbelláta.</i> L.	N. America.	1752.	6. 8. H. $\frac{1}{2}$ .	Bot. mag. t. 778.

- 2 maculata. s.s. (wh.) spotted-leaved. N. America. 1752. 6. 8. H. 2. Bot. mag. t. 897.  
 DIAPENSIA. W. DIAPE'NSIA. Pentandria Monogynia. L.  
 lappónica. w. (wh.) obtuse-leaved. Lapland. 1801. 2. 3. H. 2. Bot. mag. t. 1108.  
 PYXIDANTHERA. M. PYXIDANTH'ERA. Pentandria Monogynia.  
 barbulata. m. (wh.) barbed. Carolina. 1806. 7. G. 2. Mich. amer. t. 17.  
*Diapensia cuneifolia*. Sal. par. lond. t. 104.

Sect. II. *MONOTROPEÆ*. Don prodr. p. 151.

- MONOTROPA. N. YELLOW BIRD'S-NEST. Decandria Monogynia. L.  
 1 uniflora. n. (st.) one-flowered. N. America. 1822. 6. 8. H. 2. Hook. ex. flor. t. 85.  
 2 Hypopitys. E.B. (st.) common. Britain. .... 6. 7. H. 2. Eng. bot. v. 1. t. 69.  
*Hypopitys europæa*. n.

Sect. III. *RHODORACEÆ*. Don prodr. p. 152.

- KA'L'MIA. W. KA'L'MIA. Decandria Monogynia. L.  
 1 latifolia. w. (pi.wh.) broad-leaved. N. America. 1734. 5. 7. H. 2. Bot. mag. t. 175.  
 2 angustifolia. w. (re.) narrow-leaved. \_\_\_\_\_ 1736. \_\_\_\_\_ H. 2. \_\_\_\_\_ t. 331.  
*β variegata*. (li.) variegated. \_\_\_\_\_ \_\_\_\_\_ H. 2.  
*γ minima*. (re.) least. \_\_\_\_\_ .... H. 2.  
*δ nana*. (re.) dwarf. \_\_\_\_\_ .... H. 2.  
*ε pumila*. (re.) small. \_\_\_\_\_ .... H. 2.  
*ζ rosea*. (ro.) rose-coloured. \_\_\_\_\_ .... H. 2.  
*η rubra*. B.C. (re.) red-flowered. \_\_\_\_\_ .... H. 2. Lodd. bot. cab. t. 502.  
*θ ovata*. Ph. (re.) oval-leaved. New Jersey. .... H. 2.  
 3 glauca. w. (re.) glaucous. N. America. 1767. 4. 5. H. 2. Bot. mag. t. 177.  
 4 rosmarinifolia. Ph. (re.) Rosemary-leaved. \_\_\_\_\_ 1812. \_\_\_\_\_ H. 2.  
 5 hirsuta. w. (ro.) hairy. \_\_\_\_\_ 1786. 8. 9. H. 2. Bot. mag. t. 138.  
 EPIG'ÆA. W. EPIG'ÆA. Decandria Monogynia. L.  
 repens. w. (wh.) creeping. N. America. 1736. 7. 8. H. 2. Bot. reg. t. 201.  
 RHODOENDRON. W. RHODOENDRON. Pent-Decandria Monogynia. L.  
 1 maximum. w. (bh.) large. N. America. 1736. 6. 8. H. 2. Bot. mag. t. 951.  
 2 album. Ph. (wh.) white-flowered. \_\_\_\_\_ 1811. \_\_\_\_\_ H. 2.  
 3 purpureum. Ph. (pu.) purple-flowered. \_\_\_\_\_ .... H. 2.  
 4 ponticum. w. (va.) common. Gibraltar. 1763. 5. 6. H. 2. Bot. mag. t. 650.  
*a purpureum*. (pu.) purple. \_\_\_\_\_ \_\_\_\_\_ H. 2.  
*β roseum*. (ro.) rose-coloured. \_\_\_\_\_ .... H. 2.  
*γ album*. (wh.) white. \_\_\_\_\_ .... H. 2.  
*δ variegatum*. (li.) variegated. \_\_\_\_\_ .... H. 2.  
*ε marginatum*. (li.) silver-edged. \_\_\_\_\_ .... H. 2.  
*ζ multiplex*. (pu.) double-blossom'd. \_\_\_\_\_ .... H. 2.  
 5 punctatum. w. (li.) dotted-leaved. N. America. 1786. 6. 8. H. 2. Andr. reposit. t. 36.  
*a minus*. w.D. (li.) smallest. \_\_\_\_\_ \_\_\_\_\_ H. 2. Wats. dend. brit. t. 162.  
*β major*. B.R. (li.) larger. \_\_\_\_\_ 1812. \_\_\_\_\_ H. 2. Bot. reg. t. 37.  
 6 obtusum. w.D. (li.) blunt-leaved. Hybrid. .... H. 2. Wats. dend. brit. t. 162.  
 7 azaleoides. s.s. (li.) Azalea-like. \_\_\_\_\_ .... H. 2. Andr. reposit. t. 379.  
*ponticum β subdeciduum*. A.R.  
 8 hybridum. B.R. (li.) Herbert's hybrid. \_\_\_\_\_ .... H. 2. Bot. reg. t. 195.  
 9 Gowenianum. B.F.G. (pu.) Mr. Gowen's. \_\_\_\_\_ 1825. \_\_\_\_\_ H. 2. Swt. br. fl. gar. t. 263.  
 10 Smithii. .... Smith's. Arboreo-pont. 1826. .... H. 2.  
 11 Carnarvoni. .... Lord Carnarvon's. Arb-catawb. .... H. 2.  
 12 catawbiense. m. (ro.) Catawba. N. America. 1809. 6. 8. H. 2. Bot. mag. t. 1671.  
 13 arboreum. Sm. (sc.) tree. India. 1817. 4. 6. F. 2. Swt. br. fl. gar. t. 250.  
*β roseum*. (ro.) rose-coloured. \_\_\_\_\_ \_\_\_\_\_ F. 2. Bot. reg. t. 1240.  
*γ niveum*. (wh.) snowy white. \_\_\_\_\_ \_\_\_\_\_ F. 2.  
 14 campanulatum. D.P. (ro.) bell-flowered. Nepal. 1824. .... F. 2.  
 15 anthopogon. D.P. (ro.) bearded-flower'd. \_\_\_\_\_ .... G. 2.  
 16 cinnamomeum. Wal. (ro.) cinnamon-color'd. \_\_\_\_\_ 1826. .... G. 2.  
 17 setosum. D.P. (pu.) bristly. \_\_\_\_\_ 1820. .... G. 2.  
 18 dauricum. w. (pu.) Daurian. Siberia. 1780. 2. 4. H. 2. Bot. mag. t. 636.  
*β altaicum*. F. (li.) Altay. \_\_\_\_\_ 1824. \_\_\_\_\_ H. 2.  
*γ atrovirens*. E.R. (d.pu.) dark green. \_\_\_\_\_ .... H. 2. Bot. reg. t. 194.

19	myrtifolium. B.C. (pu.)	Myrtle-leaved.	Hybrid.	....	6. 8. H. h.	Lodd. bot. cab. t. 908.
20	ferrugineum. W. (ro.)	rusty-leaved.	Switzerland.	1752.	5. 7. H. h.	Jacq. aust. 3. t. 255.
21	hirsutum. W. (ro.)	hairy-leaved.	—	1656.	— H. h.	Bot. mag. t. 1853.
22	chrysanthum. W. (ye.)	yellow.	Siberia.	1796.	6. 7. H. h.	Sal. par. lond. t. 80.
	officinale. P.L.					
23	caucasicum. W. (ro.wh.)	Caucasean.	Caucasus.	1803.	5. 7. H. h.	Bot. mag. t. 1145.
24	Catesbyi. L.C. (ro.)	Catesby's.	N. America.	....	— H. h.	
25	camtschaticum. W. (pi.)	Kamtschatka.	Kamtschatka.	1802.	.... H. h.	Pall. ros. 1. t. 33.
26	chamæcistus. W. (pi.)	Thyme-leaved.	Siberia.	1786.	5. 6. H. h.	Bot. mag. t. 488.
27	lapponicum. S.S. (ro.)	Lapland.	Lapland.	1827.	.... H. h.	Flor. dan. t. 966.
	Azæla lappónica. L.					
28	Rhodora. (pi.)	Canadian.	Canada.	1767.	4. 5. H. h.	Bot. mag. t. 474.
	Rhodora canadensis. W.					
29	indicum. (va.)	Indian.	China.	1808.	3. 5. G. h.	
	Azæla indica. B.M.					
	a puniceum. (pi.)	red-flowered.	—	—	— G. h.	Bot. mag. t. 1480.
	β phæniceum. (pu.)	purple-flowered.	—	1824.	— G. h.	— t. 2667.
	γ Smithii. (li.)	Smith's.	Hybrid.	1826.	4. 7. G. h.	
	δ purpureum. (pu.)	double-purple.	China.	1819.	3. 5. G. h.	Bot. mag. t. 2509.
	ε luteum. (ye.)	double yellow.	—	1826.	— G. h.	
	ζ album. (wh.)	white-flowered.	—	1819.	3. 6. G. h.	Bot. reg. t. 811.
	Azæla ledifolia. Bot. mag. t. 2901.					
30	sinense. B.F.G. (ye.)	Chinese.	—	1824.	— H. h.	
	a flammum. B.F.G. (or.)	flame-coloured.	—	—	— H. h.	Lodd. bot. cab. t. 885.
	β flavescens. B.F.G. (ye.)	pale yellow.	—	1826.	— H. h.	Swt. br. fl. gar. t. 290.
31	luteum. (ye.)	yellow.	Turkey.	1793.	5. 6. H. h.	Bot. mag. t. 433.
	Azæla pontica. B.M.					
	β cupreum. (co.)	copper-coloured.	—	....	— H. h.	
	γ glaucum. (pa.)	glaucous.	—	....	— H. h.	
	δ pallidum. (pa.)	pale.	—	....	— H. h.	
	ε albiflorum. (wh.)	white-flowered.	—	....	— H. h.	Bot. mag. t. 2383.
	ζ albiflorum. (wh.)	white-flowered.	—	....	— H. h.	
32	tricolor. (ye.ro.wh.)	three-coloured.	Hybrid.	1816.	— H. h.	
33	Morterii. B.F.G. (fl.ye.)	Morter's.	—	1828.	— H. h.	Swt. br. fl. gar. s. 2. t. 10.
	a carneum. (fl.)	flesh-coloured.	—	—	— H. h.	
	β præstans. (co.bh.)	handsome.	—	—	— H. h.	
34	calendulæum. (ye.)	yellow American.	N. America.	1806.	— H. h.	
	Azæla calendulæa. M.					
	a crœcum. (sn.)	saffron-coloured.	—	—	— H. h.	Bot. mag. t. 1721.
	β chrysolæctum. (go.)	golden.	—	....	— H. h.	
	γ grandiflorum. (or.)	large-flowered.	—	....	— H. h.	
	δ cupreum. (co.)	copper-coloured.	—	....	— H. h.	
	ε splendens. (co.ye.)	shining.	—	....	— H. h.	
	ζ flammum. (co.ye.)	flame-coloured.	—	1812.	— H. h.	Bot. reg. t. 145.
	η triumphans. (co.ye.)	triumphant.	—	—	— H. h.	
	θ ignescens. (co.ye.)	fiery-flowered.	—	—	— H. h.	
35	canescens. M. (ro.)	canescent.	—	1812.	— H. h.	
36	speciosum. (va.)	large-calyced.	—	....	— H. h.	Wats. dend. brit. t. 116.
	a major. (sc.)	large scarlet.	—	....	— H. h.	Lodd. bot. cab. 624.
	β crispum. (sc.)	curled.	—	....	— H. h.	
	γ aurantium. (or.)	orange.	—	....	— H. h.	
	δ obliquum. (re.)	oblique-leaved.	—	....	— H. h.	
	ε prunifolium. (re.)	Plum-leaved.	—	....	— H. h.	
	ζ cucullatum. (re.)	hollow-leaved.	—	....	— H. h.	
	η revolutum. (re.)	revolute.	—	....	— H. h.	
	θ ciliatum. (re.)	fringed.	—	....	— H. h.	
	ι acutifolium. (re.)	acute-leaved.	—	....	— H. h.	
	κ undulatum. (re.)	wave-leaved.	—	....	— H. h.	
	λ tortulifolium. (re.)	twisted-leaved.	—	....	— H. h.	
37	nudiflorum. (va.)	small calyced.	—	1734.	— H. h.	
	Azæla nudiflora. W.					
	a album. (wh.)	early white.	—	—	— H. h.	
	β albo-plenum. (wh.)	double white.	—	....	— H. h.	
	γ blandum. (bh.)	blush-flowered.	—	....	— H. h.	
	δ carneum. (fl.)	pale red.	—	1734.	— H. h.	Bot. reg. t. 120.
	ε carolinianum. (fl.)	Carolina.	—	....	— H. h.	
	ζ coccineum. (sc.)	scarlet.	—	....	— H. h.	Bot. mag. t. 180.
	η corymbosum. (wh.)	sorymb-flowered.	—	....	— H. h.	
	θ crispum. (bh.)	curled.	—	....	— H. h.	

ι	cumulatum.	(wh.)	bundled.	N.America.	....	5. 6.	H. h.		
κ	dicolor.	(re.wh.)	two-coloured.	—	....	—	H. h.		
λ	fastigiatum.	(bh.)	crowded.	—	....	—	H. h.		
μ	floridum.	(bh.)	abundant-flower'd.	—	....	—	H. h.		
ν	globosum.	(bh.)	globose.	—	....	—	H. h.		
ξ	glomeratum.	(bh.)	clustered.	—	....	—	H. h.		
ο	incanum.	(wh.)	hoary-leaved.	—	....	—	H. h.		
π	incarnatum.	(fl.)	flesh-coloured.	—	....	—	H. h.		
ρ	mirabile.	(re.)	wonderful.	—	....	—	H. h.		
σ	montanum.	(fl.)	mountain.	—	....	—	H. h.		
τ	palidum.	(li.wh.)	pale-flowered.	—	....	—	H. h.		
υ	paludosum.	(li.wh.)	marsh.	—	....	—	H. h.		
φ	papilionaceum.	(fl.)	Butterfly.	—	....	—	H. h.		
χ	partitum.	(fl.wh.)	five-parted.	—	....	—	H. h.		
ψ	parviflorum.	(bh.)	small-flowered.	—	....	—	H. h.		
ω	proliferum.	(bh.)	proliferous.	—	....	—	H. h.		
αα	pumilum.	(bh.)	dwarf.	—	....	—	H. h.		
ββ	purpurascens.	(fl.)	purplish.	—	....	—	H. h.		
γγ	purpureum.	(pu.)	purple.	—	....	—	H. h.		
δδ	purpureo-plenum.	(pu.)	double purple.	—	....	—	H. h.		
εε	roseum.	(ro.)	rosy.	—	....	—	H. h.		
ζζ	ruberrimum.	(re.)	dark-red.	—	....	—	H. h.		
ηη	rubescens.	(pi.)	reddish.	—	....	—	H. h.		
θθ	rubicundum.	(re.)	rubicund.	—	....	—	H. h.		
ι	rubrum.	(re.)	red-flowered.	—	....	—	H. h.		
κκ	rubro-plenum.	(re.)	double-red.	—	....	—	H. h.		
λλ	rufum.	(re.)	rufous.	—	....	—	H. h.		
μμ	rutilans.	(re.)	deep red.	—	....	—	H. h.		
νν	semiduplex.	(wh.)	semidouble.	—	....	—	H. h.		
ξξ	stamineum.	(wh.)	long-stamened.	—	....	—	H. h.		
οο	stellatum.	(wh.)	starry.	—	....	—	H. h.		
ππ	tricolor.	(wh.re.)	three-coloured.	—	....	—	H. h.		
ρρ	variabile.	(re.wh.)	variable.	—	....	—	H. h.		
σσ	variegatum.	(std.)	variegated.	—	....	—	H. h.		
ττ	versicolor.	(re.wh.)	various-coloured.	—	....	—	H. h.		
υυ	violaceum.	(vi.)	violet.	—	....	—	H. h.		
38	bicolor.	(wh.re.)	two-coloured.	1734.	—	—	H. h.	Lodd. bot. cab. t. 51.	
	<i>Azalea bicolor.</i>	Ph.							
39	viscosum.	(wh.)	viscid.	—	—	7. 8.	H. h.	Trew. ehret. t. 48.	
	<i>Azalea viscosa.</i>	Ph.							
	α	odoratum.	(wh.)	common white.	—	—	H. h.		
	β	crispum.	(wh.)	curled.	—	—	H. h.		
	γ	dealbatum.	(wh.)	powdered.	—	—	H. h.		
	δ	vittatum.	(re.wh.)	striped-flowered.	—	—	H. h.		
	ε	penicillatum.	(re.wh.)	pencilled.	—	—	H. h.		
	ζ	variegatum.	(re.wh.)	variegated.	—	—	H. h.		
	η	rubescens.	(re.)	reddish-flowered.	—	—	H. h.		
	θ	pubescens.	(re.wh.)	pubescent.	—	—	H. h.	Lodd. bot. cab. t. 441.	
	ι	fissum.	(re.wh.)	narrow-petaled.	—	—	H. h.		
40	arborescens.	(re.)	arborescent.	1818.	5. 7.	—	H. h.		
	<i>Azalea arborescens.</i>	Ph.							
41	nitidum.	(re.wh.)	glossy-leaved.	1812.	6. 8.	—	H. h.	Bot. reg. t. 414.	
	<i>Azalea nitida.</i>	B.R.							
42	glaucum.	(wh.)	glaucous dwarf.	1734.	6.	—	H. h.	Wats. dend. brit. t. 5.	
	<i>Azalea glauca.</i>	Ph.							
43	hispidum.	(wh.)	tall glaucous.	—	6. 8.	—	H. h.	Wats. dend. brit. t. 6.	
	<i>Azalea hispida.</i>	Ph.							
AZ'ALEA.	D.P.	AZ'ALEA.	Pentandria Monogynia.	R.S.					
	procumbens.	E.B.(ro.)	trailing.	Britain.	....	4. 5.	H. h.	Eng. bot. v. 13. t. 865.	
	<i>Loiseleuria procumbens.</i>	R.S.	<i>Chamaelidion procumbens.</i>	L.en.					
AMMYRS'INE.	Ph.	AMMYRS'INE.	Decandria Monogynia.	Ph.					
1	buxifolia.	Ph.	(wh.)	upright.	N. America.	1736.	4. 5.	H. h.	Bot. reg. t. 531.
	<i>Ledum buxifolium.</i>	w.	<i>Leiophyllum thymifolium.</i>	s.s.					
2	Lyoni.	(wh.)	spreading.	Carolina.	1812.	—	H. h.		
L'EDUM.	Ph.	L'EDUM.	Decandria Monogynia.	L.					
1	palustre.	w.	(wh.)	marsh.	Europe.	1762.	4. 5.	H. h.	Flor. dan. t. 1031.
2	decumbens.	L.C.	(wh.)	decumbent.	Hudson's Bay.	—	—	H. h.	
3	canadense.	L.C.	(wh.)	dwarf.	Canada.	1824.	—	H. h.	Lodd. bot. cab. t. 1049.
4	latifolium.	w.	(wh.)	broad-leaved.	N. America.	1763.	—	H. h.	Jacq. ic. 3. t. 464.

BEF'ARIA. L.	BEF'ARIA. Dodecandria Monogynia. L.			
racemôsa. s.s.	(bh.) sweet-scented. Florida.	1810.	6. 7. G. h.	Vent. cels. t. 51.
paniculâta. M.	Bej'aria racemôsa. Ph.			
ITEA. L.	ITEA. Pentandria Monogynia. L.			
virginica. L.	(wh.) Virginian. N. America.	1744.	6. 8. H. h.	Wats. dend. brit. t. 12.

## ORDO CXXVIII.

GALACINEÆ. *D. Don in Edinb. phil. journ. Dec. 1828. p. 53.*

G'ALAX. W.	G'ALAX. Pentandria Monogynia. W.			
aphylla. w.	(bh.) heart-leaved. N. America.	1786.	6. 7. H. 2.	Bot. mag. t. 754.
cordifolia. H.K.	Blandf'ordia cordata. Andr.	rep. t. 343.		

## ORDO CXXIX.

EPACRIDEÆ. *Brown prodr. 1. p. 535.*

## Sect I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. B.P.	DRACOPHYLLUM. Pentandria Monogynia.			
1 secundum. B.P.	(wh.) side-flowering. N. S. W.	1824.	4. 6. G. h.	Fors. ch. gen. t. 10. f. i. m.
2 longifolium. R.S.	(wh.) long-leaved. N. Zealand.	—	—	G. h.
SPHENOTOMA. S.F.A.	SPHENOTOMA. Pentandria Monogynia.			
gracilis. S.F.A.	(wh.) slender. N. Holland.	1825.	5. 10. G. h.	Swt. flor. aust. t. 44.
SPRENGELIA. Sm.	SPRENGELIA. Pentandria Monogynia.			
incarnata. B.P.	(pi.) flesh-coloured. N. S. W.	1793.	4. 6. G. h.	Bot. mag. t. 1719.
PONCELETIA. B.P.	PONCELETIA. Pentandria Monogynia.			
sprengelioides. B.P.	(w.) marsh. N. S. W.	1826.	4. 6. G. h.	
ANDERS'ONIA. B.P.	ANDERS'ONIA. Pentandria Monogynia.			
sprengelioides. B.P.	(w.) Sprengelia-like. N. Holland.	1803.	3. 7. G. h.	Bot. mag. t. 1645.
COSMELIA. B.P.	COSMELIA. Pentandria Monogynia.			
rùbra. B.P.	(re.) red-flowered. N. Holland.	1826.	4. 6. G. h.	
LYSIN'EMA. B.P.	LYSIN'EMA. Pentandria Monogynia.			
1 pentapetalum. B.P.	(w.) five-petaled. N. Holland.	1826.	4. 6. G. h.	
2 conspicuum. B.P.	(wh.) conspicuous. —	1824.	... G. h.	
3 pungens. B.P.	(wh.) pungent. N. S. W.	1804.	3. 6. G. h.	Cav. ic. 4. t. 346.
	Epácris attenuata. Lodd. bot. cab. t. 38.			
4 roseum. B.C.	(ro.) rose-coloured. —	1804.	—	G. h. Lodd. bot. cab. t. 863.
	Epácris rosea. B.C. pungens. Bot. mag. t. 1199.			
EPACRIS. B.P.	EPACRIS. Pentandria Monogynia.			
1 purpurascens. B.P.	(li.) rigid-leaved. N. S. W.	1803.	2. 6. G. h.	Bot. mag. t. 844.
	pungens. B.M.			
	a vilicina. (li.) pale-flowered. —	—	—	G. h. Lodd. bot. cab. t. 237.
	β rùbra. (re.) red-flowered. —	—	—	G. h. — t. 876.
2 pulchella. B.P.	(wh.) sweet-scented. —	1804.	3. 6. G. h.	— t. 170.
3 microphylla. B.P.	(wh.) small-leaved. —	1817.	—	G. h.
4 grandiflora. B.P.	(cr.) crimson. —	1803.	1. 6. G. h.	Bot. mag. t. 982.
5 ruscifolia. B.P.	(wh.) Ruscus-leaved. V. Diem. Isl.	1824.	3. 5. G. h.	
6 imprèssa. B.P.	(ro.) impressed. —	—	2. 5. G. h.	Swt. flor. aust. t. 4.
7 sparsa. B.P.	(wh.) scattered-flower'd. N. S. W.	1825.	3. 5. G. h.	
8 obtusifolia. B.P.	(wh.) blunt-leaved. —	1804.	4. 6. G. h.	Sm. exot. bot. 1. t. 40.
9 heteronema. B.P.	(wh.) hairy-branched. V. Diem. Isl.	1824.	—	G. h. Labill. n. hol. 1. t. 56.
10 paludosa. B.P.	(wh.) marsh. N. S. W.	—	—	G. h. Lodd. bot. cab. t. 1226.
11 apiculata. F.T.	(re.) pointed. —	1823.	5. 8. G. h.	
12 onosmaeflora. F.T.	(re.) Onosma-flowered. —	—	—	G. h.
13 exserta. B.P.	(wh.) exserted. V. Diem. Isl.	1812.	4. 6. G. h.	
14 mucronulata. B.P.	(wh.) short-pointed. —	1824.	—	G. h.

Sect. II. *STYPHELIÆ*.

- TROCHOCARPA**. B.P. *TROCHOCARPA*. Pentandria Monogynia.  
*laurina*. B.P. (*wh.*) Laurel-leaved. N. S. W. 1820. .... G.  $\frac{1}{2}$ . Linn. trans. 8. t. 9.  
*Styphèlia cornifolia*. L.T.
- ACROTRICHE**. B.P. *ACROTRICHE*. Pentandria Monogynia.  
 1 cordata. B.P. (*wh.*) heart-leaved. N. Holland. 1825. 4. 6. G.  $\frac{1}{2}$ . Labill. n. hol. 1. t. 63.  
 2 ovalifolia. B.P. (*wh.*) oval-leaved. ———— 1824. — G.  $\frac{1}{2}$ .  
 3 serrulata. B.P. (*wh.*) saw-leaved. V. Diem. Isl. 1816. — G.  $\frac{1}{2}$ . Labill. n. hol. 1. t. 62.  
*Styphèlia serrulata*. Labill.
- 4 divaricata. B.P. (*wh.*) divaricate. N. S. W. 1822. — G.  $\frac{1}{2}$ .
- MONOTOCA**. B.P. *MONOTOCA*. Pentandria Monogynia.  
 1 scoparia. B.P. (*wh.*) broom. N. S. W. 1823. 4. 7. G.  $\frac{1}{2}$ . Smith new holl. 43.  
*Styphèlia scoparia*. Smith.
- 2 lineata. B.P. (*wh.*) lineated. V. Diem. Isl. 1804. 5. 8. G.  $\frac{1}{2}$ . Lab. nov. hol. 1. t. 61.  
*Styphèlia glauca*. Labill.
- 3 albens. B.P. (*wh.*) white-leaved. N. S. W. 1823. — G.  $\frac{1}{2}$ .  
 4 elliptica. B.P. (*wh.*) elliptic-leaved. ———— 1802. — G.  $\frac{1}{2}$ . Smith new holl. 49.
- LEUCOPOGON**. B.P. *LEUCOPOGON*. Pentandria Monogynia.  
 1 lanceolatus. B.P. (*wh.*) small-flowered. N. S. W. 1790. 5. 8. G.  $\frac{1}{2}$ . Swt. flor. aust. t. 47.  
*Styphèlia parviflora*. Andr. reposit. t. 287. *gnidium*. Vent. malm. t. 23.
- 2 Richèi. B.P. (*wh.*) oblong-leaved. N. S. W. 1824. — G.  $\frac{1}{2}$ . Lab. nov. hol. 1. t. 60.  
 3 muticus. B.P. (*wh.*) awnless. ———— 1826. — G.  $\frac{1}{2}$ .  
 4 ericoides. B.P. (*wh.*) heath-leaved. ———— 1815. 4. 7. G.  $\frac{1}{2}$ . Smith new holl. 48.  
*Epáceris spúria*. Cavan. ic. 4. t. 347. f. 1.
- 5 virgatus. B.P. (*wh.*) twiggy. ———— ———— G.  $\frac{1}{2}$ . Lab. nov. hol. 1. t. 64.  
 6 collinus. B.P. (*wh.*) hill. V. Diem. Isl. 1822. 5. 6. G.  $\frac{1}{2}$ . ———— 1. t. 65.  
 7 amplexicaulis. B.P. (*w.*) stem-clasping. N. S. W. 1815. 4. 8. G.  $\frac{1}{2}$ . Linn. trans. 8. t. 8.  
 8 microphyllus. B.P. (*w.*) small-leaved. ———— 1818. — G.  $\frac{1}{2}$ . Cavan. ic. 4. t. 349. f. 2.  
*Perojóa microphylla*. Cav.
- 9 striatus. B.P. (*wh.*) striated. N. Holland. 1824. — G.  $\frac{1}{2}$ .  
 10 attenuatus. F.T. (*wh.*) attenuated. N. S. W. ———— G.  $\frac{1}{2}$ .  
 11 biflorus. B.P. (*wh.*) two-flowered. ———— 1826. — G.  $\frac{1}{2}$ .  
 12 setiger. B.P. (*wh.*) bristle-pointed. ———— 1824. — G.  $\frac{1}{2}$ .  
 13 appressus. B.P. (*wh.*) pressed-leaved. ———— 4. 6. G.  $\frac{1}{2}$ .  
 14 juniperinus. B.P. (*wh.*) Juniper-leaved. ———— 1804. — G.  $\frac{1}{2}$ . Lodd. bot. cab. t. 447.  
 15 interruptus. B.P. (*wh.*) interrupted. N. Holland. 1825. 3. 6. G.  $\frac{1}{2}$ . ———— t. 1451.  
 16 polystachyus. B.P. (*wh.*) many-spiked. ———— 6. 7. G.  $\frac{1}{2}$ . ———— t. 1436.
- LISSANTHE**. B.P. *LISSANTHE*. Pentandria Monogynia.  
 1 sapida. B.P. (*wh.*) recurved-flowered. N. S. W. 1823. 11. 1. G.  $\frac{1}{2}$ . Bot. reg. t. 1275.  
 2 subulata. B.P. (*wh.*) awl-leaved. ———— 4. 7. G.  $\frac{1}{2}$ .  
 3 strigosa. B.P. (*wh.*) strigose. ———— ———— G.  $\frac{1}{2}$ . Sm. new holl. 48.  
 4 daphnoïdes. B.P. (*wh.*) Daphne-leaved. V. Diem. Isl. 1818. 6. 7. G.  $\frac{1}{2}$ . Lodd. bot. cab. t. 466.  
 5 ciliata. B.P. (*wh.*) fringed. ———— 1823. — G.  $\frac{1}{2}$ .
- CYATHODES**. B.P. *CYATHODES*. Pentandria Monogynia.  
 1 glauca. B.P. (*wh.*) glaucous. V. Diem. Isl. 1818. 4. 6. G.  $\frac{1}{2}$ . Lab. nov. hol. 1. t. 81.  
 2 oxycèdrus. B.P. (*wh.*) linear-leaved. ———— 1822. 5. 8. G.  $\frac{1}{2}$ . ———— 1. t. 69.  
 3 abietina. B.P. (*wh.*) Fir-like. ———— 1824. 8. 12. G.  $\frac{1}{2}$ . ———— 1. t. 68.
- MELICHRUS**. B.P. *MELICHRUS*. Pentandria Monogynia.  
 1 rotatus. B.P. (*re.*) rotate-flowered. N. S. W. 1822. 5. 8. G.  $\frac{1}{2}$ . Cavan. ic. 4. t. 349. f. 1.  
*Ventenàtia procumbens*. Cav.
- 2 mèdius. F.T. (*re.*) intermediate. ———— 1823. — G.  $\frac{1}{2}$ .
- STENANTHERA**. B.P. *STENANTHERA*. Pentandria Monogynia.  
 pinifolia. B.P. (*sc.*) Pine-leaved. N. S. W. 1811. 5. 7. G.  $\frac{1}{2}$ . Bot. reg. t. 218.
- ASTROLOMA**. B.P. *ASTROLOMA*. Pentandria Monogynia.  
 1 humifusum. B.P. (*sc.*) Juniper-leaved. N. S. W. 1807. 5. 10. G.  $\frac{1}{2}$ . Bot. mag. t. 1439.  
 2 denticulatum. B.P. (*re.*) toothed. ———— 1825. — G.  $\frac{1}{2}$ .
- STYPHELIA**. B.P. *STYPHELIA*. Pentandria Monogynia.  
 1 tubiflora. B.P. (*cr.*) crimson. N. S. W. 1802. 5. 8. G.  $\frac{1}{2}$ . Sm. new holl. 45. t. 14.  
 2 triflora. B.P. (*cr. gr.*) three-flowered. ———— 1796. — G.  $\frac{1}{2}$ . Bot. mag. t. 1297.  
 3 viridiflora. B.P. (*gr.*) green-flowered. ———— 1791. 4. 6. G.  $\frac{1}{2}$ . Swt. flor. aust. t. 50.  
 4 latifolia. B.P. (*gr.*) broad-leaved. ———— 1823. — G.  $\frac{1}{2}$ .  
 5 adscendens. B.P. (*gr.*) ascending. V. Diem. Isl. 1822. — G.  $\frac{1}{2}$ .  
 6 læta. B.P. (*gr.*) fruitful. N. S. W. ———— — G.  $\frac{1}{2}$ .  
 7 longifolia. B.P. (*gr.*) long-leaved. ———— 1807. — G.  $\frac{1}{2}$ . Bot. reg. t. 24.

## ORDO CXXX.

## PENÆACEÆ.

PENÆA. R.S.		PENÆA. Tetrandria Monogynia. R.S.					
1	myrtoïdes. w.	(ye.) Myrtle-like.	C. B. S.	1816.	5. 7.	G. h.	
2	fruticulôsa. R.S.	(re.) blunt-leaved.	————	1822.	—	G. h.	
3	mucronâta. R.S.	(re.) sharp-pointed.	————	1787.	—	G. h.	Vent. malm. t. 87.
4	squamôsa. R.S.	(re.) scaly.	————	—	—	G. h.	Bot. reg. t. 106.
5	imbricatâ. B.M.	(re.) imbricate.	————	1823.	4. 6.	G. h.	Bot. mag. t. 2809.
6	acûta. R.S.	(re.) acute-leaved.	————	1824.	—	G. h.	
7	Sarcocôlla. R.S.	(ye.) rhomb-leaved.	————	1816.	5. 7.	G. h.	Th.m.n.c.ber.1.t.3.f.1.
8	marginâta. R.S.	(wh.) thick-edged.	————	—	—	G. h.	

## SUBCLASSIS III. COROLLIFLORÆ. DC.

## ORDO CXXXI.

SYMPLOCINEÆ. *Don Prodr. p. 144.*

SYMPLOCOS. L'H.		SYMPLOCOS. Polyadelphia Polyandria. L.					
1	coccinea. K.S.	(sc.) scarlet.	Mexico.	1825.	....	S. h.	H. et B. pl. æq. 1. t. 52.
2	tinctôria. w.	(ye.) Laurel-leaved.	Carolina.	1780.	4. 6.	F. h.	Catesb. car. 1. t. 54.
	<i>Hœpa tinctôria.</i> Ph.						
3	sinica. B.R.	(wh.) Chinese.	China.	1822.	4. 6.	F. h.	Bot. reg. t. 710.
4	cratægoides. D.P.	(wh.) Hawthorn-like.	Nepaul.	1824.	....	G. h.	
SCHO'EPPIA. D.P.		SCHO'EPPIA. Pentandria Monogynia.					
	frâgrans. D.P.	(ye.) fragrant.	Nepaul.	1827.	....	G. h.	

## ORDO CXXXII.

STYRACINEÆ. *Kth. synops. 2. p. 315.*

STYRAX. W.		STORAX. Decandria Monogynia. L.					
1	officinâle. w.	(wh.) officinal.	Italy.	1597.	7.	H. h.	Andr. reposit. t. 631.
2	grandifôlium. w.	(wh.) great-leaved.	N. America.	1765.	—	H. h.	Wats. dend. brit. t. 129.
3	pulveruléntum. M.	(wh.) powdered.	————	1794.	6. 7.	H. h.	———— t. 41.
4	glâbrum. N.	(wh.) smooth.	————	1765.	7. 8.	H. h.	———— t. 40.
	<i>lævigâtum.</i> Bot. mag. t. 921.						
HAL'ESIA. W.		SNOWDROP-TREE. Dodecandria Monogynia. L.					
1	tetrâptera. w.	(wh.) four-winged.	Carolina.	1756.	4. 5.	H. h.	Bot. mag. t. 910.
2	parviflôra. B.R.	(wh.) small-flowered.	————	1812.	5.	H. h.	Bot. reg. t. 952.
3	dîptera. w.	(wh.) two-winged.	N. America.	1758.	4. 5.	H. h.	Lodd. bot. cab. t. 1172.

## ORDO CXXXIII.

MYRSINEÆ. *Brown prodr. 532.*

M'ESA. J.		M'ESA. Pentandria Monogynia.					
1	îndica. D.P.	(wh.) Indian.	E. Indies.	1812.	2. 6.	S. h.	Bot. mag. t. 2052.
	<i>Bœobôtrys îndica.</i> F.I.						
2	tomentôsa. D.P.	(wh.) tomentose.	Nepaul.	1818.	—	S. h.	
3	argéntea. F.I.	(wh.) silvery-leaved.	E. Indies.	—	—	S. h.	
4	macrophy'lla. F.I.	(wh.) large-leaved.	————	1823.	—	S. h.	

JACQUINIA. W.	JACQUINIA.	Pentandria Monogynia. W.			
1 arborea. w. (wh.)	blunt-leaved.	W. Indies.	1820.	....	S. h. Jacq. amer. pict. t. 56.
2 armillaris. w. (wh.)	armed-leaved.	_____	1768.	4. 6.	S. h. Bot. mag. t. 1639.
3 aurantiaca. H.K. (or.)	orange-color'd.	Sandwich Isl.	1796.	4. 9.	S. h. Jacq. amer. pict. t. 57.
4 ruscifolia. w. (or.)	Ruscus-leaved.	S. America.	1729.	—	S. h. Cavan. ic. 5. t. 483.
5 macrocarpa. c.I. (or.)	large capsuled.	_____	1820.	—	S. h.
ARDISIA. W.	ARDISIA.	Pentandria Monogynia. W.			
1 acuminata. w. (pi.)	acuminate.	Guiana.	1803.	7. 8.	S. h. Bot. mag. t. 1678.
<i>Myrsine Icacorea.</i> R.S.					
2 tinifolia. R.S. (pi.)	Tinus-leaved.	Jamaica.	1824.	—	S. h. Sloan. hist. 2. t. 105.
3 solanacea. w. (ro.)	Nightshade-like.	E. Indies.	1798.	6. 9.	S. h. Bot. mag. t. 1677.
4 paniculata. F.I. (ro.)	panicked.	_____	1818.	3. 8.	S. h. Bot. reg. t. 638.
5 colorata. F.I. (ro.)	red-flowered.	_____	1816.	—	S. h. Lodd. bot. cab. t. 465.
6 umbellata. F.I. (pi.)	umbel-flowered.	_____	1809.	6. 9.	S. h. _____ t. 531.
<i>littoralis.</i> Andr.	repos. t. 630.				
7 lanceolata. F.I. (pi.)	leathery-leaved.	_____	1818.	—	S. h.
8 elegans. A.R. (pi.)	elegant.	_____	1809.	7. 9.	S. h. Andr. repos. t. 623.
<i>crenata.</i> F.I.					
9 punctata. B.R. (pi.)	spotted-flowered.	China.	1823.	6. 9.	S. h. Bot. reg. t. 827.
10 lentiginosa. B.R. (wh.)	freckled.	_____	1809.	3. 12.	G. h. _____ t. 533.
<i>crenulata.</i> B.C. 2. non Vent.	<i>crenata.</i> Bot. mag. t. 1950.				
11 glandulosa. F.I. (wh.)	glandular.	E. Indies.	1827.	—	S. h.
12 macrocarpa. F.I. (pi.)	large-fruited.	Nepaul.	1824.	5. 9.	S. h.
13 complanata. F.I. (pi.)	pubescent.	Pinang.	—	—	S. h.
14 thyrsiflora. D.P. (pi.)	thyrses-flower'd.	Nepaul.	—	4. 8.	S. h.
15 pyramidalis. Cav. (pi.)	pyramidal.	Santa Cruz.	1818.	4. 9.	S. h. Lodd. bot. cab. t. 448.
16 excelsa. w. (gr.)	Laurel-leaved.	Madeira.	1784.	7. 8.	G. h. Gart. sem. 1. t. 77. f. 1.
<i>Myrsine Heberdenia.</i> R.S.					
17 coriacea. R.S. (ro.)	leathery-leaved.	W. Indies.	1822.	4. 8.	S. h.
18 serrulata. w. (pi.)	saw-leaved.	_____	1820.	7. 8.	S. h. Plum. ic. 80.
19 crenulata. w. (re.)	crenulated.	_____	1809.	6. 9.	S. h. Venten. choix. t. 5.
20 lateriflora. w. (pi.)	side-flowering.	_____	1793.	—	S. h.
21 canaliculata. w. (pi.)	channelled.	NewGranada.	1824.	4. 8.	S. h. Lodd. bot. cab. t. 1083.
EMBELIA. L.	EMBELIA.	Pentandria Monogynia. L.			
1 robusta. F.I. (gr.wh.)	robust.	E. Indies.	1823.	....	S. h.
2 floribunda. F.I. (ye.gr.)	sweet-scented.	Nepaul.	1826.	....	S. h. ~.
MYRSINE. B.P.	MYRSINE.	Polygamia Dioecia. L.			
1 africana. s.s. (gr.pu.)	African.	C. B. S.	1691.	3. 5.	G. h. Comm. hort. 1. t. 64.
2 retusa. s.s. (gr.pu.)	retuse-leaved.	Azores.	1778.	6.	G. h. Venten. cels. t. 86.
3 rotundifolia. R.S. (u.pu.)	round-leaved.	C. B. S.	1816.	—	G. h. Pluk. alm. t. 18. f. 5.
4 semiserrata. F.I. (bh.)	semiserrate.	Nepaul.	1822.	....	G. h.
5 capitellata. F.I. (gr.)	axillary headed.	_____	—	....	G. h.
6 bifaria. F.I. (bh.)	bifarious.	_____	—	....	G. h.
7 subspinosa. D.P. (wh.)	spiny-leaved.	_____	1823.	....	G. h.
8 coriacea. B.P. (wh.)	leathery-leaved.	Jamaica.	1822.	....	S. h.
<i>Samara coriacea.</i> Sw.					
9 Samara. s.s. (wh.)	oval-leaved.	C. B. S.	1770.	11. 2.	G. h.
<i>Samara pentandra.</i> w.					
10 melanophleas. s.s. (wh.)	Laurel-leaved.	_____	1783.	3. 6.	G. h. Jacq. vind. 1. t. 71.
<i>Sideroxylon melanophleum.</i> w.					
11 mitis. s.s. (wh.)	pointed-leaved.	_____	....	6. 9.	G. h. Bot. mag. t. 1858.
<i>Sideroxylon mite.</i> B.M. <i>Scleroxylum mite.</i> W.en. <i>Manglilla Milleriana.</i> P.S.					
12 venulosa. s.s. (wh.)	veined-leaved.	_____	1816.	—	G. h.
13 canariense. s.s. (wh.)	Canary.	Canaries.	—	—	G. h.
14 variabilis. B.P. (wh.)	variable.	N. S. W.	1820.	—	G. h.
ÆGICERAS. G.	ÆGICERAS.	Pentandria Monogynia.			
fragrans. B.P. (wh.)	fragrant.	N. Holland.	1824.	....	G. h. Kon.an.bot.1.p.129.ic.

## ORDO CXXXIV.

SAPOTEÆ. *Brown prodr.* 1. p. 528.

INOCARPUS. W.	OTAHEITE-CHESNUT.	Decandria Monogynia. W.			
edulis. w. (wh.)	eatable.	South-sea Isl.	1793.	....	S. h. Roxb. corom. 3. t. 263.
BUMELIA. S.S.	BUMELIA.	Pentandria Monogynia. W.			
1 lycioides. s.s. (wh.)	Boxthorn-leav'd.	N.America.	1758.	8.	H. h. Duham. arb. 2. t. 68.

2 oblongifolia. n.	(wh.) oblong-leaved.	Mississippi.	1818.	7. 8.	H. h.	
3 ténax. r.s.	(wh.) silvery-leaved.	Carolina.	1765.	—	H. h.	Wats. dend. brit. t. 10.
	<i>chrysophylloides.</i> w.D.	<i>Sideroxylon ténax.</i> L.				
4 lanuginosa. r.s.	(wh.) woolly-leaved.	—	—	—	H. h.	
5 reclinata. s.s.	(wh.) reclined.	—	1806.	—	H. h.	Venten. choix. t. 22.
6 strigosa. s.s.	(wh.) strigose.	.....	....	—	G. h.	
	<i>Sideroxylon strigosum.</i> W.en.					
7 nigra. s.s.	(wh.) black.	W. Indies.	1806.	6. 8.	S. h.	
8 salicifolia. s.s.	(wh.) Willow-leaved.	S. America.	1758.	—	S. h.	Sloan. hist. 2. t. 206. f. 2.
9 foetidissima. s.s.	(wh.) fetid.	W. Indies.	....	5. 7.	S. h.	
10 rotundifolia. s.s.	(wh.) round-leaved.	—	1816.	—	S. h.	
SERSALI'SIA. B.P.	SERSALI'SIA.	Pentandria Monogynia.				
sericea. B.P.	(wh.) silky-leaved.	N. Holland.	1772.	5. 6.	G. h.	
	<i>Sideroxylon sericeum.</i> w.					
SIDEROXYLON. W.	IRON-WOOD.	Pentandria Monogynia. L.				
1 inérme. w.	(wh.) smooth.	C. B. S.	1692.	7. 8.	G. h.	Lam. ill. 2. t. 120. f. 1.
2 tomentosum. w.	(wh.) tomentose.	E. Indies.	1818.	....	S. h.	Roxb. corom. 1. t. 28.
ARG'ANIA. R.S.	ARG'ANIA.	Pentandria Monogynia.				
	<i>Sideroxylum</i> . R.S. (ye.) spiny.	Morocco.	1711.	7. 8.	H. h.	Comm. hort. 1. t. 83.
	<i>Sideroxylum spinosum.</i> L. <i>Elæodéndron</i> A'rgan. w.					
CHRYSOPHYLLUM. W.	STAR-APPLE.	Pentandria Monogynia. L.				
1 Cainito. w.	(wh.) broad-leaved.	W. Indies.	1737.	5. 6.	S. h.	Jacq. amer. t. 37. f. 1.
β jamaicéne.	(wh.) purple-fruited.	—	—	—	S. h.	Jacq. am. pict. t. 52.
γ cæruleum.	(wh.) blue-fruited.	—	—	—	S. h.	Jacq. amer. t. 37.
δ microphyllum.	(wh.) small-leaved.	—	—	—	S. h.	Jacq. amer. pict. t. 53.
2 monopyrenum. w.	(wh.) acute-leaved.	—	1816.	—	S. h.	Burm. amer. t. 69.
3 argéntum. w.	(wh.) silvery.	Martinico.	1758.	—	S. h.	Jacq. amer. pict. t. 51.
4 macrophyllum. G.D.	(wh.) large-leaved.	Sierra Leone.	1822.	....	S. h.	
5 obovatum. G.D.	(wh.) obovate.	—	—	....	S. h.	
6 glabrum. w.	(wh.) smooth-leaved.	Martinico.	1818.	4. 6.	S. h.	Jacq. amer. pict. t. 55.
NYCTERIS'TION. R.P.	NYCTERIS'TION.	Pentandria Monogynia.				
ferrugineum. R.P.	(wh.) ferruginous.	S. America.	1823.	....	S. h.	Flor. peruv. 2. t. 187.
A'CHRAS. J.	SAPOTA.	Hexandria Monogynia. S.S.				
1 Sapota. w.	(wh.) common.	S. America.	1731.	4. 6.	S. h.	Jacq. amer. 57. t. 41.
β Zapotilla. Jacq.	(wh.) <i>Naseberry-tree.</i>	—	—	—	S. h.	— 57. t. 41. b.
2 australis. B.P.	(wh.) New Holland.	N. S. W.	1823.	....	G. h.	
LUC'UMA. J.	LUC'UMA.	Pentandria Monogynia.				
1 mammosum. K.S.	(wh.) Mammee.	S. America.	1739.	5. 8.	S. h.	Jacq. amer. t. 182. f. 19.
2 Bonplandii. K.S.	(wh.) Bonpland's.	Havannah.	1822.	....	S. h.	
3 obovatum. K.S.	(wh.) obovate-leaved.	Peru.	—	....	S. h.	Flor. peruv. 3. t. 239.
4 salicifolium. K.S.	(wh.) Willow-leaved.	Mexico.	1823.	....	S. h.	
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia. L.				
1 Eléngi. s.s.	(wh.) pointed-leaved.	E. Indies.	1796.	5. 7.	S. h.	Roxb. cor. 1. t. 14.
2 dissécti. s.s.	(wh.) oval-leaved.	South-sea Isl.	1804.	—	S. h.	
3 hexándra. s.s.	(wh.) hexandrous.	E. Indies.	1816.	—	S. h.	Roxb. cor. 1. t. 15.
4 Kaúki. s.s.	(wh.) obtuse-leaved.	—	1796.	5. 8.	S. h.	Rumph. amb. 3. t. 8.
IMBRIC'ARIA. J.	IMBRIC'ARIA.	Octandria Monogynia.				
borbónica. G.	(wh.) Bourbon.	Bourbon.	1820.	....	S. h.	
BA'SSIA. L.	BA'SSIA.	Dodecandria Monogynia. L.				
1 longifolia. w.	(wh.) long-leaved.	E. Indies.	1811.	....	S. h.	Lam. ill. t. 398.
2 latifolia. w.	(wh.) broad-leaved.	—	1799.	....	S. h.	Roxb. cor. 1. t. 19.
3 butyræca. D.P.	(wh.) butter-tree.	Nepaul.	1823.	....	S. h.	

## ORDO CXXXV.

EBENACEÆ. *Brown prodr. 1. p. 524.*

M'ABA. J.	M'ABA.	Diœcia Hexandria. W.				
buxifolia. P.S.	(wh.) Box-leaved.	E. Indies.	1810.	....	S. h.	Roxb. cor. 1. t. 45.
	<i>Ferreola buxifolia.</i> Roxb.					
CARGILLIA. B.P.	CARGILLIA.	Polygamia Diœcia.				
austrális. B.P.	(gr.) southern.	N. S. W.	1816.	....	G. h.	
DIO'SPYROS. S.S.	DATE PLUM.	Polygamia Diœcia. W.				
1 virginiana. s.s.	(p.ye.) Persimon.	N. America.	1629.	6. 7.	H. h.	Wats. dend. brit. t. 146.
2 pubéscens. s.s.	(p.ye.) pubescent.	—	1812.	4. 5.	H. h.	

3	reticulâta. s.s.	(wh.) netted.	Mauritius.	1823.	4. 5.	S. h.	
4	Ebenâster. s.s.	(wh.) Ebenus-like.	E. Indies.	1792.	6. 8.	S. h.	Rumph. amb. 1. t. 6.
5	melanóxylon. s.s.	(wh.) black-wooded.	—————	1817.	—	S. h.	Roxb. cor. 1. t. 46.
6	E'benum. s.s.	(wh.) smooth.	—————	1792.	—	S. h.	Rotb. act. hafn. 2. t. 5.
7	montâna. s.s.	(wh.) mountain.	—————	1819.	—	S. h.	Roxb. cor. 1. t. 48.
8	obovâta. s.s.	(wh.) four-seeded.	W. Indies.	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.
9	sylvâtica. s.s.	(wh.) wood.	E. Indies.	1812.	—	S. h.	Roxb. cor. 1. t. 47.
10	Embryopteris. s.s.	(gr.) glutiniferous.	—————	1796.	5. 8.	S. h.	Bot. reg. t. 499.
	<i>Embryopteris glutinifera</i> . B. C. 1. t. 70.						
11	lobâta. s.s.	(wh.) lobed-fruited.	China.	1822.	—	G. h.	
12	vaccinioides. L.C.	(wh.) Vaccinium-like.	—————	—	—	G. h.	Hook. ex. flor. t. 139.
13	êdulis. L.C.	(wh.) eatable.	E. Indies.	—	—	S. h.	
14	Lôtus. s.s.	(pa.ye.) European.	Italy.	1596.	6. 7.	H. h.	Mill. ic. t. 116.
15	Kâki. s.s.	(wh.) Japan.	Japan.	1789.	—	G. h.	Kæmp. amœn. t. 806.
16	hirsûta. s.s.	(wh.) hairy.	Ceylon.	1816.	—	S. h.	
17	chloróxylon. s.s.	(wh.) cluster-flowered.	E. Indies.	1822.	....	S. h.	Roxb. cor. 1. t. 49.
18	cordifôlia. s.s.	(wh.) heart-leaved.	—————	1794.	5. 7.	S. h.	————— 1. t. 50.
ROY'ENA. W.			RoY'ENA. Decandria Digynia. L.				
1	lúcida. w.	(wh.) shining-leaved.	C. B. S.	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.
2	villôsa. w.	(wh.) heart-leaved.	—————	1774.	6. 7.	G. h.	
3	pállens. w.	(wh.) pale.	—————	1789.	—	G. h.	
4	myrtifôlia. W.en.	(wh.) Myrtle-leaved.	—————	1812.	—	G. h.	
5	glâbra. w.	(wh.) smooth.	—————	1731.	7. 9.	G. h.	Comm. hort. 1. t. 65.
6	pubescens. W.en.	(wh.) pubescent.	—————	1752.	—	G. h.	Bot. reg. t. 500.
7	hirsûta. W.en.	(wh.) hairy-leaved.	—————	—	—	G. h.	Lam. ill. t. 370. f. 2.
8	angustifôlia. w.	(wh.) willow-leaved.	—————	1789.	6. 7.	G. h.	
9	latifôlia. W.en.	(wh.) broad-leaved.	—————	1816.	—	G. h.	
10	ambigua. v.	(wh.) obovate-leaved.	—————	1815.	6. 7.	G. h.	Vent. malm. t. 17.
11	polyândra. w.	(wh.) oval-leaved.	—————	1774.	....	G. h.	
VISNEA. W.			Vi'SNEA. Dodecandria Trigynia. W.				
	Mocanêra. w.	(wh.) Canary.	Canaries.	1815.	8. 12.	G. h.	

## ORDO CXXXVI.

OLEINÆ. *Brown prodr.* 1. p. 522.

FRA'XINUS. W.		ASH-TREE. Polygamia Diœcia. L.					
1	excelsior. w.	(gr.) common.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 24. t. 1692.
	$\beta$ argêtea.	(gr.) silver-striped.	—————	....	—	H. 5.	
	$\gamma$ pëndula.	(gr.) weeping.	—————	....	—	H. 5.	
	$\delta$ horizontâlis.	(gr.) horizontal.	—————	....	—	H. 5.	
	$\epsilon$ jâspidea.	(gr.) coloured branch'd.	—————	....	—	H. 5.	
	$\zeta$ erôsa.	(gr.) erose-leaved.	—————	....	—	H. 5.	
2	aûrea. W.en.	(gr.) yellow barked.	.....	....	....	H. 5.	
3	atrovirens. P.S.	(gr.) greencurled-leav'd.	.....	....	....	H. 5.	
4	nâna. W.en.	(gr.) dwarf.	.....	....	....	H. h.	
5	verrucôsa. L.en.	(gr.) warted.	.....	....	4. 5.	H. 5.	
6	heterophýlla. s.s.	(gr.) various-leaved.	England.	....	—	H. 5.	Eng. bot. v. 35. t. 2476.
	<i>simplicifôlia</i> . E. B.						
7	polemonifôlia. R.S.	(gr.) Polemonium-ld.	N. America.	....	—	H. 5.	
8	parvifôlia. s.s.	(gr.) small-leaved.	Levant.	1816.	—	H. 5.	
9	lentiscifôlia. s.s.	(gr.) Lentiscus-leaved.	Aleppo.	1710.	5. 6.	H. 5.	Pluk. alm. t. 182. f. 4.
10	argêtea. s.s.	(gr.) silver-leaved.	Corsica.	1825.	....	H. 5.	
11	sambucifôlia. s.s.	(gr.) Elder-leaved.	N. America.	1800.	....	H. 5.	
12	oxycârpa. s.s.	(gr.) sharp-leaved.	Tauria.	1815.	5. 6.	H. 5.	
	<i>oxyphýlla</i> . M. B.						
13	pállida. s.s.	(gr.) pale.	N. America.	1818.	....	H. 5.	
14	rûfa. s.s.	(gr.) rufous.	—————	1822.	....	H. 5.	
15	fúscâ. s.s.	(gr.) brown branched.	—————	—	....	H. 5.	
16	nigra. s.s.	(gr.) black-twigged.	—————	1818.	4. 6.	H. 5.	
17	ellíptica. s.s.	(gr.) elliptic-leaved.	—————	1824.	....	H. 5.	
18	ovâta. s.s.	(gr.) oval-leaved.	—————	—	....	H. 5.	
19	Richárdi. s.s.	(gr.) Richard's.	—————	—	....	H. 5.	
20	álba. s.s.	(gr.) grey branched.	—————	1825.	....	H. 5.	
21	cinêrea. s.s.	(gr.) cinereous.	—————	1818.	....	H. 5.	

22	<i>viridis</i> . s.s.	(gr.) green-branched.	N. America.	1816.	....	H.5.	
23	<i>longifolia</i> . s.s.	(gr.) long-leaved.	—	1825.	....	H.5.	
24	<i>tamariscifolia</i> . R.S.	(gr.) Tamarisk-leaved.	Levant.	....	—	H.5.	
25	<i>mexicana</i> . s.s.	(gr.) Mexican.	Mexico.	1825.	....	H.5.	
26	<i>rubicunda</i> . s.s.	(gr.) red-veined.	N. America.	—	....	H.5.	
27	<i>pulverulenta</i> . s.s.	(gr.) powdered.	—	—	....	H.5.	
28	<i>mixta</i> . s.s.	(gr.) mixed.	—	—	....	H.5.	
29	<i>expansa</i> . s.s.	(gr.) expanded.	—	—	....	H.5.	
30	<i>platycarpa</i> . s.s.	(gr.) flat-seeded.	—	1816.	4. 6.	H.5.	Catesb. car. t. 80.
31	<i>quadrangulata</i> . s.s.	(gr.) four-sided.	—	1811.	—	H.5.	Mich. f. arb. ic.
32	<i>epiptera</i> . s.s.	(gr.) dotted-stalked.	—	—	—	H.5.	— t. 33.
	<i>discolor</i> . M.						
33	<i>lancea</i> . Bosc.	(gr.) lance-leaved.	—	1823.	—	H.5.	
34	<i>pannosa</i> . s.s.	(gr.) cloth-leaved.	—	1818.	—	H.5.	
35	<i>pubescens</i> . s.s.	(gr.) pubescent.	—	1783.	5.	H.5.	Du Roi. ed. 2. t. 1.
36	<i>curvidens</i> . R.S.	(gr.) curved-toothed.	Carolina.	1811.	4. 5.	H.5.	
37	<i>caroliniana</i> . s.s.	(gr.) Carolina.	N. America.	—	4. 6.	H.5.	
38	<i>juglandifolia</i> . s.s.	(gr.) Walnut-leaved.	—	1783.	—	H.5.	
39	<i>acuminata</i> . s.s.	(gr.) taper-pointed.	—	1723.	—	H.5.	
40	<i>americana</i> . s.s.	(gr.) white.	—	—	—	H.5.	
	O'RNUS. P.S.	FLOWERING ASH.	Diandria Monogynia.	P.S.			
1	<i>americana</i> . Ph.	(wh.) American.	N. America.	1812.	5. 6.	H.5.	
2	<i>europæa</i> . P.S.	(wh.) European.	Italy.	1710.	—	H.5.	Flor. græc. 1. t. 4.
	<i>Fraxinus O'rnus</i> . w.						
3	<i>rotundifolia</i> . P.S.	(wh.) manna.	—	1697.	4. 5.	H.5.	
4	<i>striata</i> . s.s.	(wh.) streak-barked.	.....	1818.	—	H.5.	
	<i>Fraxinus striata</i> . s.s.						
5	<i>floribunda</i> . s.s.	(wh.) many-flowered.	Nepaul.	—	....	G.5.	
	<i>Fraxinus floribunda</i> . F.I.						
	CHIONANTHUS. S.S.	FRINGE-TREE.	Diandria Monogynia.	L.			
1	<i>virginica</i> . w.	(wh.) smooth-leaved.	N. America.	1736.	5. 7.	H.5.	Catesb. car. 1. t. 68.
2	<i>maritima</i> . s.s.	(wh.) pubescent-leaved.	—	—	—	H.5.	Wats. dend. brit. t. 1.
	<i>virginica</i> $\beta$ <i>maritima</i> . Ph.	<i>virginica</i> $\beta$ <i>angustifolia</i> . w.D.					
3	<i>axillaris</i> . B.P.	(wh.) axil-flowering.	N. Holland.	1810.	....	G. ½.	
	LINOCTERA. S.S.	LINOCTERA.	Diandria Monogynia.	S.S.			
1	<i>ligustrina</i> . s.s.	(wh.) Privet-like.	W. Indies.	1820.	....	S. ½.	
2	<i>cotinifolia</i> . s.s.	(wh.) Cotinus-leaved.	Ceylon.	1818.	....	S. ½.	
3	<i>compacta</i> . s.s.	(wh.) Caribbean.	W. Indies.	1793.	....	S. ½.	Jacq. coll. 2. t. 6. f. 1.
	FONTANESIA. S.S.	FONTANESIA.	Diandria Monogynia.	W.			
	<i>phillyræoides</i> . s.s.	(wh.) Phillyrea-leaved.	Syria.	1787.	6. 8.	H. ½.	Wats. dend. brit. t. 2.
	NOTELÆA. B.P.	NOTELÆA.	Diandria Monogynia.	S.S.			
1	<i>longifolia</i> . B.P.	(wh.) long-leaved.	N. S. W.	1790.	3. 6.	G. ½.	Venten. choix. t. 25.
	<i>Olea apetala</i> . A.R.	316.					
2	<i>ovata</i> . B.P.	(wh.) oval-leaved.	—	1818.	—	G. ½.	
3	<i>ligustrina</i> . B.P.	(wh.) Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. ½.	
4	<i>rigida</i> . R.S.	(wh.) rigid-leaved.	—	1820.	—	G. ½.	
	OLEA. B.P.	OLIVE.	Diandria Monogynia.	L.			
1	<i>europæa</i> . s.s.	(wh.) European.	S. Europe.	1570.	6. 8.	G. ½.	
	<i>a Oleaster</i> . R.S.	(wh.) spiny-branched.	Portugal.	....	—	G. ½.	Flor. græc. 1. t. 3.
	$\beta$ <i>longifolia</i> . R.S.	(wh.) long-leaved.	S. Europe.	....	—	G. ½.	Lodd. bot. cab. t. 456.
	$\gamma$ <i>ferruginea</i> . R.S.	(wh.) ferruginous.	—	....	—	G. ½.	
	$\delta$ <i>latifolia</i> . R.S.	(wh.) broad-leaved.	—	....	—	G. ½.	
	$\epsilon$ <i>obliqua</i> . R.S.	(wh.) oblique-leaved.	—	....	—	G. ½.	
	$\zeta$ <i>buxifolia</i> . R.S.	(wh.) Box-leaved.	—	....	—	G. ½.	
2	<i>verrucosa</i> . s.s.	(wh.) warted.	C. B. S.	1814.	—	G. ½.	
3	<i>americana</i> . s.s.	(wh.) American.	N. America.	1758.	6.	G. ½.	Catesb. car. 1. t. 61.
4	<i>fragrans</i> . s.s.	(wh.) fragrant.	China.	1771.	6. 8.	G. ½.	Bot. mag. t. 1552.
5	<i>lancea</i> . s.s.	(wh.) lance-leaved.	Mauritius.	1818.	—	S. ½.	
6	<i>dioica</i> . F.I.	(wh.) dioecious.	E. Indies.	—	....	S. ½.	
7	<i>capensis</i> . s.s.	(wh.) Cape.	C. B. S.	1730.	6. 9.	G. ½.	Bot. reg. t. 613.
8	<i>undulata</i> . s.s.	(wh.) wave-leaved.	—	—	—	G. ½.	Lodd. bot. cab. t. 379.
9	<i>emarginata</i> . R.S.	(wh.) emarginate.	Mauritius.	1816.	....	S. ½.	
10	<i>excelsa</i> . s.s.	(wh.) Laurel-leaved.	Madeira.	1784.	5. 6.	G. ½.	Jacq. schœn. 3. t. 251.
11	<i>cœrnua</i> . s.s.	(wh.) drooping-flower'd.	Mauritius.	1816.	....	S. ½.	
12	<i>paniculata</i> . B.P.	(wh.) paniced.	N. S. W.	1823.	4. 6.	G. ½.	
13	<i>Roxburghii</i> . s.s.	(wh.) Roxburgh's.	E. Indies.	1828.	....	S. ½.	
	<i>paniculata</i> . F.I. non B.P.						
14	<i>robusta</i> . s.s.	(wh.) large Phillyrea.	—	1818.	....	S. ½.	
	<i>Phillyrea robusta</i> . F.I.						

15 chinénsis.	(wh.) Chinese.	China.	1820.	4. 6.	H. h.	
<i>Phillyræa paniculata</i> , F.I.						
16 angustifolia.	(wh.) narrow-ld.	Phillyrea, S. Europe.	1597.	5. 6.	H. h.	Lam. ill. t. 8. f. 3.
<i>Phillyræa angustifolia</i> , s.s.						
<i>a lanceolata.</i>	(wh.) spear-leaved.	—————	—————	—————	H. h.	
<i>β rosmarinifolia.</i>	(wh.) Rosemary-leaved.	—————	—————	—————	H. h.	
<i>γ brachiata.</i>	(wh.) cross-branched.	—————	—————	—————	H. h.	
17 média, R.S.	(wh.) twiggy	Phillyrea.	—————	—————	H. h.	
<i>β buxifolia</i> , R.S.	(wh.) Box-leaved.	—————	—————	—————	H. h.	
18 ligustrifolia, R.S.	(wh.) Privet-leaved.	—————	—————	—————	H. h.	
19 pëndula, R.S.	(wh.) pendulous.	—————	—————	—————	H. h.	
20 oleafolia, R.S.	(wh.) Olive-leaved	Phillyrea.	—————	—————	H. h.	Pluk. alm. t. 310. f. 5.
21 l'ævis, R.S.	(wh.) smooth-leaved.	—————	—————	—————	H. h.	Duham. arb. t. 125.
22 latifolia, R.S.	(wh.) broad-leaved	—————	—————	—————	H. h.	Flor. græc. t. 2.
23 obliqua, R.S.	(wh.) oblique-leaved.	—————	—————	—————	H. h.	
24 spinosa, R.S.	(wh.) Holly-leaved.	—————	—————	—————	H. h.	
<i>Phillyræa ilicifolia</i> , W.en.						
LIGUSTRUM, W. PRIVET. Diandria Monogynia, L.						
1 vulgare, R.S.	(wh.) common.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 11. t. 764.
<i>β variegatum.</i>	(wh.) striped-leaved.	—————	....	—————	H. h.	
<i>γ angustifolium.</i>	(wh.) narrow-leaved.	—————	....	—————	H. h.	
<i>δ leucocarpum.</i>	(wh.) white-berried.	—————	....	—————	H. h.	
<i>ε italicum.</i> Mill.	(wh.) evergreen.	Italy.	....	—————	H. h.	
2 lucidum, R.S.	(wh.) Wax-tree.	China.	1794.	6. 9.	F. h.	Wats. dend. brit. t. 137.
SYRINGA, R.S. LILAC. Diandria Monogynia, L.						
1 vulgâris, w.	(va.) common.	Persia.	1597.	5.	H. h.	Schk. hand. 1. t. 2.
<i>a lilacina.</i>	(li.) pale-flowered.	—————	—————	—————	H. h.	Bot. mag. t. 183.
<i>β purpurea.</i>	(pu.) purple-flowered.	—————	—————	—————	H. h.	
<i>γ violacea.</i>	(vi.) violet.	—————	—————	—————	H. h.	
<i>δ álba.</i>	(wh.) white-flowered.	—————	—————	—————	H. h.	
<i>ε variegata.</i>	(li.) variegated-leaved.	—————	—————	—————	H. h.	
2 chinénsis, w.	(pu.) Siberian.	China.	1795.	—————	H. h.	
3 persica, w.	(li.) Persian.	Persia.	1640.	—————	H. h.	Bot. mag. t. 486.
<i>a lilacina.</i>	(li.) pale-flowered.	—————	—————	—————	H. h.	
<i>β álba.</i>	(wh.) white-flowered.	—————	—————	—————	H. h.	
<i>γ laciniata.</i>	(wh.) cut-leaved.	—————	—————	—————	H. h.	Schmidt arb. 2. t. 79.

## ORDO CXXXVII.

JASMINEÆ. *Brown prodr. 1. p. 520.*

NYCTANTHES, W. NYCTANTHES. Diandria Monogynia, L.						
árbor tristis, w.	(wh. ye.) square-stalked.	E. Indies.	1781.	6. 9.	S. h.	Bot. reg. t. 399.
JASMINUM, W. JASMINE. Diandria Monogynia, L.						
1 Sâmbac, s.s.	(wh.) single Arabian.	E. Indies.	1665.	1. 12.	S. h. ∪	Bot. reg. t. 1.
<i>β mûltiplex.</i>	(wh.) semidouble.	—————	1700.	—————	S. h. ∪	Andr. reposit. t. 497.
<i>γ trifoliatum.</i>	(wh.) Tuscan.	—————	1730.	—————	S. h.	Bot. mag. t. 1785.
2 undulatum, s.s.	(wh.) wave-leaved.	—————	1812.	2. 6.	S. h. ∪	Bot. reg. t. 436.
3 hirsutum, s.s.	(wh.) hairy Indian.	—————	1759.	5. 12.	S. h.	Sm. ex. bot. 2. t. 118.
<i>multiflorum</i> , And. rep. t. 436.						
4 angustifolium, F.I.	(wh.) narrow-leaved.	—————	1816.	1. 12.	S. h. ∪	Rheed. mal. 6. t. 53.
5 laurifolium, F.I.	(wh.) Laurel-leaved.	—————	—————	—————	S. h. ∪	Bot. reg. t. 521.
6 trinérve, s.s.	(wh.) three-nerved.	Java.	1804.	4. 6.	S. h. ∪	————— t. 918.
7 glaucum, s.s.	(wh.) glaucous.	C. B. S.	1774.	6. 8.	S. h. ∪	Sal. stirp. rar. t. 8.
8 bracteatum, s.s.	(wh.) bracteate.	Sumatra.	1820.	—————	S. h. ∪	
9 latifolium, s.s.	(wh.) broad-leaved.	E. Indies.	1817.	—————	S. h. ∪	
10 arborëscens, s.s.	(wh.) arborescent.	—————	1824.	....	S. h.	
11 scâdens, s.s.	(wh.) scandent.	—————	—————	....	S. h. ∪	
12 simplicifolium, s.s.	(wh.) simple-leaved.	Society Isl.	....	3. 6.	S. h. ∪	Bot. mag. t. 980.
13 elongatum, s.s.	(wh.) long-branched.	E. Indies.	1823.	....	S. h. ∪	Berg. act. an. 1772. t. 11.
14 grâcile, s.s.	(wh.) slender.	Norfolk Isl.	1791.	1. 12.	G. h. ∪	Andr. reposit. t. 127.
15 acuminatum, s.s.	(wh.) acuminate.	N. Holland.	1820.	6. 9.	G. h. ∪	Bot. reg. t. 1296?
16 volûbile, R.S.	(wh.) twisting.	C. B. S.	1816.	4. 7.	G. h. ∪	Jacq. schœn. 3. t. 321.
17 auriculatum, s.s.	(wh.) auriculate.	E. Indies.	1790.	5. 9.	S. h. ∪	Bot. reg. t. 264.
18 paniculatum, s.s.	(wh.) variable-leaved.	China.	1812.	2. 12.	S. h. ∪	————— t. 690.

19	<i>flexile</i> , s.s.	(wh.) acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h. ∪.	
20	<i>tortuosum</i> , s.s.	(wh.) twisting.	C. B. S.	—	—	S. h. ∪.	Jacq. schœn. 1. t. 490.
	<i>flexile</i> , Jacq. non w.						
21	<i>campanulatum</i> , s.s.	(wh.) bell-shaped calyx'd.	....	—	—	S. h. ∪.	
22	<i>capense</i> , s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. h.	
23	<i>azoricum</i> , s.s.	(wh.) white Azorian.	Madeira.	1724.	4. 11.	G. h.	Bot. reg. t. 89.
24	<i>disperrum</i> , s.s.	(wh.) two-seeded.	Nepaul.	1825.	....	G. h. ∪.	
25	<i>fruticans</i> , s.s.	(ye.) common yellow.	S. Europe.	1570.	4. 10.	H. h.	Bot. mag. t. 461.
26	<i>humile</i> , s.s.	(ye.) Italian.	—	1656.	6. 9.	H. h.	Bot. reg. t. 350.
27	<i>odoratissimum</i> , s.s.	(ye.) yellow Azorian.	Madeira.	—	5. 11.	G. h.	Bot. mag. t. 285.
28	<i>revolutum</i> , s.s.	(ye.) yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h.	Bot. reg. t. 178.
	<i>chrysanthemum</i> , F.I.						
29	<i>pubigerum</i> , D.P.	(ye.) pubescent.	—	1828.	—	H. h. ∪.	
30	<i>officinale</i> , s.s.	(wh.) common white.	E. Indies.	1548.	6. 10.	H. h. ∪.	Bot. mag. t. 31.
	<i>β leucophyllum</i> , (wh.) white-edged.		—	....	—	H. h. ∪.	
	<i>γ chrysophyllum</i> , (wh.) yellow-edged.		—	....	—	H. h. ∪.	
	<i>δ multiplex</i> , (wh.) double-blossomed.		—	1823.	—	H. h. ∪.	
31	<i>grandiflorum</i> , s.s.	(wh.) Catalanian.	—	1629.	—	G. h. ∪.	Bot. reg. t. 91.

ORDO CXXXVIII.

APOCINEÆ. *Brown prodr. 1. p. 465.*

ALY'XIA, B.P.	ALY'XIA.	Pentandria Monogynia.					
	Richardsoni, (wh.)	Richardson's.	N. Holland.	1823.	4. 6.	S. h.	
RAUO'LFIA, S.S.	RAUO'LFIA.	Pentandria Monogynia.	W.				
1	<i>nitida</i> , s.s.	(wh.) shining.	S. America.	1752.	6. 9.	S. h.	Lodd. bot. cab. t. 339.
2	<i>ternifolia</i> , s.s.	(wh.) three-leaved.	—	1822.	—	S. h.	Bot. mag. t. 2440.
3	<i>canescens</i> , s.s.	(fl.) hoary.	Jamaica.	1739.	—	S. h.	Jacq. amer. pict. f. 17.
4	<i>tomentosa</i> , s.s.	(wh.) woolly.	S. America.	1823.	—	S. h.	— t. 46.
5	<i>spinosa</i> , R.S.	(st.) spiny.	Peru.	1827.	—	S. h.	Cavan. icon. 6. t. 526.
VALLESIA, R.P.	VALLESIA.	Pentandria Monogynia.					
	<i>cymbæfolia</i> , R.S. (wh.)	boat-leaved.	S. America.	1816.	6. 8.	S. h.	Cavan. ic. 3. t. 297.
	<i>Rauwolfia glabra</i> , w.						
OPHIOXYLON, W.	OPHIOXYLON.	Polygamia Monœcia.	W.				
	<i>serpentinum</i> , w. (wh.)	serpent-wood.	E. Indies.	1690.	5. 6.	S. h.	Bot. mag. t. 784.
STRYCHNOS, S.S.	STRYCHNOS.	Pentandria Monogynia.	W.				
1	<i>Nux vomica</i> , s.s. (wh.)	Poison-nut.	E. Indies.	1778.	....	S. h.	Roxb. cor. 1. t. 4.
2	<i>colubrina</i> , s.s. (gr.ye.)	muricate-fruited.	—	1818.	5. 8.	S. h.	Rheed. mal. 8. t. 24.
3	<i>potatorum</i> , s.s. (wh.)	clearing-nut.	—	1794.	4. 6.	S. h.	Roxb. cor. 1. t. 5.
4	<i>madagascariensis</i> , s.s. (wh.)	Madagascar.	Madagascar.	1818.	....	S. h.	
5	<i>spinosa</i> , s.s. (gr.ye.)	spiny.	—	1824.	....	S. h.	
6	<i>axillaris</i> , s.s. (wh.)	axillary-flowered.	E. Indies.	1818.	5. 7.	S. h.	Linn. trans. v. 12. t. 15.
THEOPHRASTA, S.S.	THEOPHRASTA.	Pentandria Monogynia.					
1	<i>longifolia</i> , R.S. (or.)	long-leaved.	Caracas.	1827.	....	S. h.	Jacq. schœn. 1. t. 116.
2	<i>macrophylla</i> , R.S. ....	large-leaved.	Brazil.	—	....	S. h.	
3	<i>americana</i> , R.S. ....	American.	S. America.	—	....	S. h.	Plum. icon. 126.
4	<i>Jussieuæ</i> , s.s. (wh.)	Jussieu's.	—	1818.	1. 4.	S. h.	Lindl. coll. t. 26.
CLAVI'JA, R.P.	CLAVI'JA.	Pentandria Monogynia.					
	<i>macrophylla</i> , R.P. (wh.)	long-leaved.	S. America.	1816.	....	S. h.	Flor. peruv. gen. t. 30.
FAGR'EA, W.	FAGR'EA.	Pentandria Monogynia.					
1	<i>zeylanica</i> , w. (wh.)	Ceylon.	Ceylon.	1824.	4. 7.	S. h.	Thunb. ac. hol. 1782. t. 4.
2	<i>fragrans</i> , F.I. (wh.)	fragrant.	China.	1826.	5. 7.	S. h.	
CARISSA, L.	CARISSA.	Pentandria Monogynia.	L.				
1	<i>Carandas</i> , s.s. (wh.)	Jasmine-flower'd.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 77.
2	<i>spinarum</i> , s.s. (wh.)	Box-leaved.	—	1809.	8. 12.	S. h.	Lodd. bot. cab. t. 162.
3	<i>ovata</i> , B.P. (wh.)	oval-leaved.	N. Holland.	1817.	6. 9.	G. h.	
4	<i>Xylopiicon</i> , s.s. (wh.)	nerved-leaved.	Mauritius.	1820.	—	S. h.	Aub. Thou. obs. p. 24. ic.
ARDU'INA, L.	ARDU'INA.	Pentandria Monogynia.	L.				
	<i>bispinosa</i> , s.s. (wh.)	two-spined.	C. B. S.	1760.	3. 8.	G. h.	Mill. ic. 2. t. 300.
	<i>Carissa Arduina</i> , P.S.						
GELS'EMIUM, J.	GELS'EMIUM.	Pentandria Monogynia.					
	<i>sempervirens</i> , P.S. (ye.)	evergreen.	N. America.	1640.	6. 7.	G. h. ∪.	Catesb. car. 1. t. 53.
	<i>nitidum</i> , R.S. <i>Bignonia sempervirens</i> , w.						

<b>CERBERA. W.</b>		<b>CERBERA. Pentandria Monogynia. L.</b>				
1	Ahoûai. s.s. (ye.) oval-leaved.	Brazil.	1739.	6. 7.	S. h̄.	Bot. mag. t. 737.
2	ovata. s.s. (ye.) ovate-leaved.	N. Spain.	....	—	S. h̄.	Cavan. ic. 3. t. 270.
3	fruticosa. s.s. (ye.) purple-flowered.	Pegu.	1817.	3. 9.	S. h̄.	Bot. reg. t. 391.
4	Mánghas. L.T. (wh.) blunt-leaved.	E. Indies.	1759.	4. 8.	S. h̄.	Burm. zeyl. t. 70. f. 1.
5	Odállam. L.T. (wh.re.) spear-leaved.	—	—	6. 9.	S. h̄.	Bot. mag. t. 1845.
<i>Mánghas. B.M. non L.T.</i>						
6	lactària. L.T. (wh.) Milk-tree.	—	....	—	S. h̄.	Rumph. amb. 2. t. 81.
<i>Mánghas. G. 2. t. 123 et 124. f. 1. non L.T.</i>						
7	Tánghin. B.M. (bh.re.) poison-nut.	Madagascar.	1826.	....	S. h̄.	Bot. mag. t. 2968.
8	laurifolia. B.C. (wh.) Laurel-leaved.	E. Indies.	1819.	6. 9.	S. h̄.	Lodd. bot. cab. t. 989.
9	maculàta. s.s. (wh.re.) wave-leaved.	Bourbon.	1782.	6. 7.	S. h̄.	Andr. reposit. t. 130.
10	dichótoma. B.C. (wh.) forked.	E. Indies.	1827.	—	S. h̄.	Lodd. bot. cab. t. 1516.
11	thevetioides. s.s. (ye.) revolute-margin'd.	N. Spain.	1820.	....	S. h̄.	
12	Thevetia. s.s. (ye.) linear-leaved.	S. America.	1735.	....	S. h̄.	Jacq. amer. 48. t. 34.
13	cuneifolia. K.S. (ye.) wedge-leaved.	Mexico.	1826.	4. 6.	S. h̄.	
<b>OCHR'OSIA. J.</b>		<b>OCHR'OSIA. Pentandria Monogynia. R.S.</b>				
borbónica. R.S. (st.) Bourbon.		Bourbon.	1823.	....	S. h̄.	
<i>Cérbera borbónica. s.s. Ophióxylon Ochròsia. P.S.</i>						
<b>DISSOLENA. R.S.</b>		<b>DISSOLENA. Pentandria Monogynia. R.S.</b>				
verticillàta. R.S. (wh.) whorl-leaved.		China.	1812.	....	S. h̄.	
<b>ALLAMA'NDA. S.S.</b>		<b>ALLAMA'NDA. Pentandria Monogynia. L.</b>				
1	cathártica. s.s. (ye.) Willow-leaved.	Guiana.	1785.	6. 7.	S. h̄.	Bot. mag. t. 338.
2?	verticillàta. s.s. .... whorl-leaved.	E. Indies.	1812.	....	S. h̄.	
<i>Nerium tinctorium. Hort.</i>						
<b>VINCA. R.S.</b>		<b>PERIWINKLE. Pentandria Monogynia. L.</b>				
1	herbàcea. R.S. (bl.) herbaceous.	Hungary.	1816.	6. 7.	H. 2.	Bot. reg. t. 301.
2	minor. R.S. (bl.) lesser.	Britain.	....	3. 9.	H. 2.	Eng. bot. v. 13. t. 917.
<i>α cærúlea. (bl.) blue-flowered.</i>		—	....	—	H. 2.	
<i>β álba. (wh.) white-flowered.</i>		—	....	—	H. 2.	
<i>γ atropurpàrea. (pu.) dark-purple.</i>		—	....	—	H. 2.	
<i>δ múltiplex. (pu.) double-flowered.</i>		—	....	—	H. 2.	
<i>ε variegàta. (wh.) variegated.</i>		—	....	—	H. 2.	
3	màjor. R.S. (bl.) greater.	England.	....	—	H. 2.	Eng. bot. v. 8. t. 514.
<i>β múltiplex. (bl.) double-blue.</i>		—	....	—	H. 2.	
4	pusilla. R.S. (st.) small-flowered.	E. Indies.	1778.	8.	S. ③.	Rheed. mal. 9. t. 33.
<i>parvisfóra. w.</i>						
5	rósea. R.S. (ro.) Madagascar.	—	1756.	3. 10.	S. 2.	Bot. mag. t. 248.
<i>β álba. (wh.) white-flowered.</i>		—	—	—	S. 2.	
<i>γ ocellàta. (wh.re.) red-eyed.</i>		—	—	—	S. 2.	
<b>WRIGHTIA. S.S.</b>		<b>WRIGHTIA. Pentandria Monogynia. S.S.</b>				
1	antidysentérica. s.s. (wh.) oval-leaved.	E. Indies.	1778.	....	S. h̄.	Burm. zeyl. t. 77.
2	zeyláica. s.s. (wh.) spear-leaved.	—	....	....	S. h̄.	— t. 12. f. 2.
3	dùbia. s.s. (sc.) doubtful.	—	....	5. 8.	S. h̄.	Bot. mag. t. 1646.
<i>Camerària dùbia. B.M.</i>						
4	coccínea. B.M. (sc.) scarlet.	—	1820.	6. 8.	S. h̄.	Bot. mag. t. 2696.
<i>Nerium coccíneum. Bot. cab. t. 894.</i>						
5	tinctoria. s.s. (wh.) dyer's.	—	1812.	—	S. h̄.	Bot. reg. t. 933.
<b>STROPHA'NTHUS. DC. STROPHA'NTHUS. Pentandria Monogynia. P.S.</b>						
1	dichótomus. DC. (ro.) forked.	E. Indies.	1816.	2. 10.	S. h̄.	Burm. ind. 68. t. 26.
2	divérgens. Gr. (ye.) spreading.	China.	—	—	S. h̄.	Bot. reg. t. 469.
<i>dichótomus. B.R. non DC.</i>						
3	sarmentósus. DC. (re.) sarmentose.	Sierra Leon.	1822.	....	S. h̄.	Desf. an. mus. 1. t. 27.
<b>NERIUM. R.S.</b>		<b>OLEANDER. Pentandria Monogynia. L.</b>				
1	Oleánder. R.S. (ro.) common.	S. Europe.	1596.	6. 10.	G. h̄.	Flor. græc. t. 248.
<i>β álba. (wh.) white-flowered.</i>		—	—	—	G. h̄.	Lodd. bot. cab. t. 700.
<i>γ spléndens. (ro.) double-hybrid.</i>		Hybrid.	1815.	—	G. h̄.	Bot. reg. t. 74.
2	odórum. R.S. (ro.) sweet-scented.	E. Indies.	1683.	6. 8.	S. h̄.	Rheed. mal. 9. t. 2.
<i>β cárneum. (fl.) flesh-coloured.</i>		—	1816.	—	S. h̄.	Bot. mag. t. 2032.
<i>γ flóre plèno. (ro.) double-flowered.</i>		—	....	—	S. h̄.	Rheed. mal. 9. t. 1.
3	flavéscens. R.S. (st.) yellowish.	.....	1816.	—	S. h̄.	
<b>TABERNÆMONTANA. TABERNÆMONTANA. Pentandria Monogynia. L.</b>						
1	citrifolia. R.S. (st.) Citron-leaved.	Jamaica.	1734.	5. 8.	S. h̄.	Plum. ic. t. 248. f. 2.
2	álba. R.S. (wh.) white-flowered.	W. Indies.	1780.	—	S. h̄.	Jacq. amer. t. 175. f. 13.
<i>citrifolia. Jacq. non L.</i>						
3	laurifolia. R.S. (st.) Laurel-leaved.	—	1768.	—	S. h̄.	Bot. reg. t. 716.
4	cymòsa. R.S. (wh.) cyme-flowered.	S. America.	1820.	—	S. h̄.	Jacq. amer. t. 181. f. 14.
5	amygdalifolia. R.S. (wh.) Peach-leaved.	—	1780.	4. 8.	S. h̄.	Bot. reg. t. 338.
6	discolor. R.S. (st.) two-coloured.	Jamaica.	1822.	—	S. h̄.	

7	persicariæfôlia. R.S.	(st.) Persicaria-leav'd.	Mauritius.	1826.	4. 8.	S. h.	Jacq. icon. rar. t. 320.
8	arcuâta. R.S.	(st.) arch'd follicled.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 143.
9	crispâ. L.T.	(wh.) wave-leaved.	E. Indies.	1818.	5. 10.	S. h.	Rheed. mal. 1. t. 46.
10	coronariâ. L.T.	(wh.) broad-leaved.	—	1710.	6. 10.	S. h.	Lodd. bot. cab. t. 406.
	β flore pleno.	(wh.) double-flowered.	—	—	—	S. h.	Bot. mag. t. 1865.
	<i>Nerium coronarium.</i> B.M.						
11	densiflora. B.R.	(wh.) close-flowered.	Ceylon.	1824.	6. 7.	S. h.	Bot. reg. t. 1273.
12	undulata. R.S.	(st.) waved.	Trinidad.	—	—	S. h.	—
13	odorata. S.S.	(ye.) yellow-flowered.	Cayenne.	1793.	10. 11.	S. h.	Aub. guian. 1. t. 102.
	<i>Cameraria lutea.</i> w. <i>Cameraria Tamaquarina.</i> Aublet.						
<b>CAMERARIA. S.S.</b> BASTARD MANGENEEL. Pentandria Monogynia. L.							
1	latifolia. S.S.	(wh.) broad-leaved.	Havannah.	1733.	8.	S. h.	Andr. reposit. t. 261.
2	angustifolia. S.S.	(wh.) narrow-leaved.	S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
<b>AMS'ONIA. R.S.</b> AMS'ONIA. Pentandria Monogynia. P.S.							
1	latifolia. R.S.	(bl.) broad-leaved.	N. America.	1759.	5. 6.	H. 2.	Bot. reg. t. 151.
2	salicifolia. R.S.	(pa.bl.) Willow-leaved.	—	1812.	—	H. 2.	Bot. mag. t. 1873.
3	angustifolia. R.S.	(wh.) hairy-stalked.	—	1774.	—	H. 2.	Venten. choix. t. 29.
<b>PLUMERIA. S.S.</b> PLUMERIA. Pentandria Monogynia. L.							
1	rûbra. R.S.	(re.) red-flowered.	Jamaica.	1690.	7. 8.	S. h.	Bot. reg. t. 780.
2	purpurea. R.S.	(pu.) purple.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 137.
3	acuminata. H.K.	(wh.) acute-leaved.	E. Indies.	1790.	6. 9.	S. h.	Bot. reg. t. 114.
	<i>acutifolia.</i> R.S.						
4	obtusa. R.S.	(wh.) blunt-leaved.	W. Indies.	1733.	7. 8.	S. h.	Catesb. car. 1. t. 93.
5	alba. R.S.	(wh.) white.	Jamaica.	—	—	S. h.	Jacq. amer. t. 174. f. 2.
6	incarnata. R.P.	(fl.) flesh-coloured.	Peru.	....	—	S. h.	Flor. peruv. t. 138.
7	carinata. R.P.	(wh.re.) keel-leaved.	—	1824.	—	S. h.	—
8	bicolor. R.P.	(ye.wh.) two-coloured.	S. America.	1815.	6. 9.	S. h.	Bot. reg. t. 480.
9	tricolor. R.P.	(wh.re.) three-coloured.	—	—	—	S. h.	— t. 510.
10	lutea. R.P.	(ye.) yellow-flowered.	—	—	—	h.	Flor. peruv. 2. t. 142.
11	aurantia. H.S.S.	(or.) orange-flowered.	—	1816.	—	S. h.	—
12	pidica. R.S.	(st.) wax-flowered.	—	—	7. 8.	S. h.	—
13	longifolia. R.S.	... long-leaved.	Madagascar.	1816.	....	S. h.	—
14	tuberculata. B.C.	(wh.) tubercled.	S. America.	1820.	6. 8.	S. h.	Lodd. bot. cab. t. 681.
15	tenuifolia. L.C.	... slender-leaved.	—	....	....	S. h.	—
16	Northiana. L.C.	... North's.	—	....	....	S. h.	—
17	mexicana. B.C.	(wh.) Mexican.	Mexico.	....	6. 9.	S. h.	Lodd. bot. cab. t. 1024.
18	Cowani. D.D.	(wh.) Cowan's.	—	1824.	—	S. h.	—
19	Blandfordiana. L.C.	... Blandford's.	S. America.	....	....	S. h.	—
20	nivea. L.C.	(wh.) snowy white.	—	....	6. 8.	S. h.	—
21	conspicua. L.C.	... conspicuous.	—	....	....	S. h.	—
22	macrophylla. L.C.	... large-leaved.	—	....	....	S. h.	—
23	leucantha. L.C.	(wh.) white-blossomed.	—	....	....	S. h.	—
24	parvifolia. H.S.S.	(wh.) small-leaved.	W. Indies.	1813.	7. 8.	S. h.	—
<b>PRESTONIA. S.S.</b> PRESTONIA. Pentandria Monogynia. S.S.							
1	tomentosa. S.S.	(ye.) tomentose.	Brazil.	1820.	5. 8.	S. h. ∪.	—
2	glabrata. S.S.	(ye.) smooth.	S. America.	1823.	—	S. h. ∪.	—
<b>CRYPTOLEPIS. B.</b> CRYPTOLEPIS. Pentandria Monogynia.							
	elegans. L.C.	... elegant.	E. Indies.	1823.	....	S. h. ∪.	—
<b>ALSTONIA. S.S.</b> ALSTONIA. Pentandria Monogynia. S.S.							
1	scholaris. S.S.	(wh.) whorl-leaved.	E. Indies.	1816.	....	S. h.	Rheed. mal. 1. t. 45.
2	venenata. S.S.	(wh.) poisonous.	—	1823.	....	S. h.	—
<b>THENARDIA. K.S.</b> THENARDIA. Pentandria Monogynia.							
	floribunda. K.S.	(gr.) abundant-flowered.	Mexico.	1823.	....	S. h. ∪.	H. et B. 3. t. 240.
<b>ECHITES. R.S.</b> ECHITES. Pentandria Monogynia. L.							
1	longiflora. S.S.	(wh.) long-flowered.	Brazil.	1816.	5. 8.	S. h. ∪.	—
2	bispinosa. S.S.	(fl.) two-spined.	C. B. S.	1795.	7. 11.	S. h.	—
3	succulenta. S.S.	(re.wh.) succulent.	—	1820.	4. 6.	S. h.	Jacq. fragm. t. 117.
	<i>tuberosa.</i> H.S.S.						
4	repens. R.S.	(re.) creeping.	St. Domingo.	1824.	6. 8.	S. h.	Jacq. am. pict. t. 35.
5	biflora. S.S.	(wh.) twin-flowered.	W. Indies.	1793.	7. 8.	S. h. ∪.	Jacq. amer. 30. t. 21.
6	umbellata. S.S.	(wh.) umbelled.	Jamaica.	1733.	7.	S. h. ∪.	— 30. t. 22.
7	torosa. S.S.	(ye.) climbing.	—	1778.	6. 8.	S. h. ∪.	— 33. t. 27.
8	antidysenterica. S.S.	(pi.) medicinal.	E. Indies.	1821.	....	S. h.	—
9	pubescens. L.T.	(wh.) pubescent.	—	1822.	....	S. h.	Rheed. mal. 1. t. 49. ?
10	suberecta. S.S.	(ye.) Savanna-flower.	W. Indies.	1759.	6. 8.	S. h. ∪.	Bot. mag. t. 1064.
11	caryophyllata. S.S.	(st.) Clove-scented.	E. Indies.	1812.	9. 11.	S. h. ∪.	— t. 1919.
12	difformis. S.S.	(ye.) deformed.	Carolina.	1806.	6. 7.	S. h. ∪.	—
13	grandiflora. R.S.	(pi.) large-flowered.	E. Indies.	1823.	....	S. h.	—
	<i>macrantha.</i> S.S.						

- 14 reticulata. s.s. (*wh.*) netted-leaved. E. Indies. 1818. 6. 7. G.  $\frac{1}{2}$   $\curvearrowright$ .  
 15 Héynii. s.s. (*wh.*) Heyne's. ———— ———— S.  $\frac{1}{2}$   $\curvearrowright$ .  
 16 frutescens. H.B. (*wh.*) frutescent. ———— 1816. ———— S.  $\frac{1}{2}$   $\curvearrowright$ .  
 17 paniculata. H.B. (*wh.*) panicked. ———— ———— S.  $\frac{1}{2}$   $\curvearrowright$ .  
**BEAUMONTIA. B.R. BEAUMONTIA. Pentandria Monogynia.**  
 1 grandiflora. B.R. (*wh.*) oval-leaved. E. Indies. 1812. 5. 7. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 911.  
 2 longifolia. L.C. (*wh.*) long-leaved. ———— 1818. .... S.  $\frac{1}{2}$   $\curvearrowright$ .  
**HÆMADICTYON. H.T. HÆMADICTYON. Pentandria Monogynia.**  
 venosum. H.T. (*ye.*) red-veined. W. Indies. 1820. 4. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. mag. t. 2473.  
*Echites nitans. B.M.*  
**VALLARIS. S.S. VALLARIS. Pentandria Monogynia. S.S.**  
 Pergulanus. s.s. (*wh.*) smooth-leaved. E. Indies. 1818. .... S.  $\frac{1}{2}$   $\curvearrowright$ . Rumph. am. 5. t. 29.  
*Pergularia glabra w. Emericia Pergularia. R.S.*  
**ICHTNOCARPUS. S.S. ICHNOCARPUS. Pentandria Monogynia. S.S.**  
 frutescens. s.s. (*pu.*) shrubby. E. Indies. 1759. 7. 8. S.  $\frac{1}{2}$ . Burm. zeyl. t. 12. f. 1.  
**PARSONSIA. R.S. PARSONSIA. Pentandria Monogynia. R.S.**  
 1 corymbosa. R.S. (*re.*) corymb-flowered. W. Indies. 1820. 6. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Jacq. amer. pict. t. 37.  
*Echites corymbosa. Jacq.*  
 2 floribunda. R.S. (*wh.*) many-flowered. Jamaica. ———— ———— S.  $\frac{1}{2}$ .  
*Echites floribunda. w.*  
**WILLUGHBEIA. S.S. WILLUGHBEIA. Pentandria Monogynia. S.S.**  
 edulis. s.s. (*bh.*) eatable. E. Indies. 1818. 6. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Roxb. corom. 3. t. 280.  
**LYONSIA. B.P. LYONSIA. Pentandria Monogynia. S.S.**  
 straminea. B.P. (*st.*) climbing. N. S. W. 1820. 6. 8. S.  $\frac{1}{2}$   $\curvearrowright$ .  
**MELODINUS. R.S. MELODINUS. Pentandria Monogynia.**  
 1 scandens. R.S. (*wh.*) climbing. N. Caledonia. 1775. .... S.  $\frac{1}{2}$   $\curvearrowright$ . Lam. ill. t. 179.  
 2 parvifolius. L.C. (*wh.*) small-leaved. E. Indies. .... S.  $\frac{1}{2}$ .  
 3 undulatus. L.C. (*wh.*) wave-leaved. ———— .... S.  $\frac{1}{2}$ .  
 4 monogynus. B.R. (*wh.*) one-styled. ———— 1816. 4. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 834.  
**CARPODINUS. D.D. PISHAMIN. Pentandria Digynia.**  
 1 dulcis. D.D. (*wh.*) sweet. Sierra Leone. 1823. .... S.  $\frac{1}{2}$   $\curvearrowright$ .  
 2 acidus. D.D. (*wh.*) sour. ———— .... S.  $\frac{1}{2}$   $\curvearrowright$ .  
**APOCYNUM. S.S. DOG'S-BANE. Pentandria Monogynia. R.S.**  
 1 androsæmifolium. L.C. (*bh.*) Tutsan-leaved. N. America. 1688. 7. 9. H.  $\frac{1}{2}$ . Bot. mag. t. 280.  
 2 cannabinum. s.s. (*gr.*) Hemp-like. ———— 1699. ———— H.  $\frac{1}{2}$ . Moris. s. 15. t. 3. f. 14.  
 3 hypericifolium. s.s. (*wh.*) Hypericum-leaved. ———— 1758. 6. 7. H.  $\frac{1}{2}$ . Jacq. vind. 3. t. 66.  
 4 venetum. s.s. (*re.*) Venetian. Adriatic Isl. 1690. ———— H.  $\frac{1}{2}$ . Lob. ic. 372. f. 1. 2.  
 *$\beta$  album. (wh.) white-flowered. .... ———— H.  $\frac{1}{2}$ .*

## ORDO CXXXIX.

ASCLEPIADEÆ. *Brown prodr. 1. p. 458.*

- PERIPLŌCA. R.S. PERIPLŌCA. Pentandria Digynia. L.**  
 1 græca. R.S. (*pu.*) Virginian-silk. Syria. 1597. 7. 8. H.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 803.  
 2 mauritiāna. R.S. (*pu.*) long-leaved. Mauritius. 1823. .... S.  $\frac{1}{2}$   $\curvearrowright$ . Rheed. mal. 9. t. 11.  
 3 lævigata. R.S. (*ye.*) smooth. Canaries. 1779. 6. 8. G.  $\frac{1}{2}$ . Cavan. ic. 3. t. 217.  
*punicafolia. Cav. icon.*  
**HEMIDÆSMUS. R.S. HEMIDÆSMUS. Pentandria Digynia. R.S.**  
 indicus. R.S. (*gr.*) Indian. Ceylon. 1796. .... S.  $\frac{1}{2}$ . Burm. zeyl. t. 83. f. 1.  
**CRYPTOSTEGIA. B.R. CRYPTOSTEGIA. Pentandria Digynia. S.S.**  
 grandiflora. B.R. (*ro.*) large-flowered. E. Indies. 1812. 6. 8. S.  $\frac{1}{2}$   $\curvearrowright$ . Bot. reg. t. 435.  
**SECAMONE. R.S. SECAMONE. Pentandria Digynia. R.S.**  
 1 emética. R.S. (*wh.*) narrow-leaved. India. 1816. .... S.  $\frac{1}{2}$ . Willd. phyt. 1. t. 5. f. 2.  
 2 ægyptiaca. H.K. (*wh.*) Egyptian. Egypt. 1752. 7. G.  $\frac{1}{2}$   $\curvearrowright$ . Alp. ægypt. t. 134.  
*Alpini. R.S. Periplōca Secamone. w.*  
**DUVALLIA. H.S. DUVALLIA. Pentandria Digynia. H.S.**  
 1 reclinata. H.S. (*pu. ye.*) reclined. C. B. S. 1795. 8. 10. D.S.  $\frac{1}{2}$ . Bot. mag. t. 1397.  
 2 elegans. H.S. (*d. pu.*) elegant. ———— ———— D.S.  $\frac{1}{2}$ . ———— t. 1184.  
*Stapelia elegans. B.M.*  
 3 hirtella. s.s. (*d. pu.*) hairy. ———— ———— D.S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
*Stapelia hirtella. Jacq.*  
 4 cæspitosa. H.S. (*d. pu.*) tufted. ———— 1790. 8. 11. D.S.  $\frac{1}{2}$ . Mass. stap. 20. t. 20.

5 radiâta. H.s. ( <i>d.pu.</i> ) radiated.	C. B. S.	1795.	9. 11.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 619.
6 replicâta. s.s. ( <i>br.pu.</i> ) replicate. <i>Stapèlia replicâta.</i> Jacq.	————	1806.	8. 10.	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
7 mastôdes. s.s. ( <i>d.pu.</i> ) feat.	————	1821.	—	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
8 Jacquiniâna. R.s. ( <i>d.pu.</i> ) Jacquin's. <i>Stapèlia radiâta.</i> Jacq. non B.M.	————	1802.	7. 9.	D.S. $\frac{1}{2}$ .	———— t. 37.
9 tuberculâta. H.s.s. ( <i>d.p.</i> ) tubercled.	————	1774.	7. 11.	D.S. $\frac{1}{2}$ .	————
10 lævigâta. H.s.s. ( <i>d.p.</i> ) smooth.	————	1808.	—	D.S. $\frac{1}{2}$ .	————
11 glomerâta. H.s.s. ( <i>d.p.</i> ) clustered.	————	—	—	D.S. $\frac{1}{2}$ .	————
12 compactâ. H.s.s. ( <i>d.p.</i> ) compact.	————	1800.	8. 11.	D.S. $\frac{1}{2}$ .	————
PECTIN'ARIA. H.S.S. PECTIN'ARIA. Pentandria Digynia. H.S.	C. B. S.	1774.	6. 8.	D.S. $\frac{1}{2}$ .	Burm. afr. p. 27. t. 11.
1 mammillâris. ( <i>br.re.</i> ) prickly. <i>Stapèlia mammillâris.</i> w.	————	—	8. 9.	D.S. $\frac{1}{2}$ .	Mass. stap. 20. t. 30.
2 articulâta. H.s.s. ( <i>d.r.</i> ) jointed. <i>Stapèlia articulâta.</i> Mas.	————	—	—	—	—
O'RBEA. H.S. O'RBEA. Pentandria Digynia. H.S.	C. B. S.	1804.	6. 9.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1833.
1 maculôsa. H.s. ( <i>y.r.</i> ) spotted.	————	1795.	—	D.S. $\frac{1}{2}$ .	Mass. stap. 23. t. 38.
2 mixta. H.s. ( <i>vi.re.</i> ) mixed. <i>Stapèlia mixta.</i> Mas.	————	—	—	—	—
3 quinquenervia. H.s. ( <i>s.p.</i> ) five-nerved.	————	1810.	10. 12.	D.S. $\frac{1}{2}$ .	————
4 trisûca. J.s. ( <i>ye.pu.</i> ) trisulcate.	————	1806.	—	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
5 bisûca. H.s. ( <i>s.p.</i> ) bisulcate.	————	—	—	D.S. $\frac{1}{2}$ .	————
6 variegâta. H.s. ( <i>s.p.</i> ) variegated. <i>Stapèlia variegâta.</i> L. non B.M.	————	1727.	6. 10.	D.S. $\frac{1}{2}$ .	Moris. s. 15. t. 3. f. 4.
7 Curtisii. H.s. ( <i>s.p.</i> ) Curtis's. <i>Stapèlia variegâta.</i> B.M. non L.	————	1787.	—	D.S. $\frac{1}{2}$ .	Bot. mag. t. 26.
8 lépida. H.s.s. ( <i>st.cr.</i> ) pretty.	————	1805.	7. 8.	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
9 orbiculâris. H.s.s. ( <i>br.</i> ) large orbled.	————	1799.	7. 11.	D.S. $\frac{1}{2}$ .	Andr. reposit. t. 448.
10 bufônia. H.s. ( <i>y.bk.</i> ) toad-like. <i>Stapèlia Bufônis.</i> B.M.	————	1806.	8. 10.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1676.
11 clypeâta. H.s.s. ( <i>y.p.</i> ) shield-flowered.	————	1799.	6. 11.	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
12 planiflora. H.s.s. ( <i>ye.bk.</i> ) flat-flowered.	————	1805.	7. 11.	D.S. $\frac{1}{2}$ .	Lodd. bot. cab. t. 191.
13 inodora. H.s.s. ( <i>s.p.</i> ) scentless.	————	1788.	6. 8.	D.S. $\frac{1}{2}$ .	————
14 rugôsa. s.s. ( <i>gr.br.</i> ) rugged.	————	1805.	5. 8.	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
15 Wendlandiâna. R.s. ( <i>s.br.</i> ) Wendland's. <i>Stapèlia rugôsa.</i> Wend. non Jacq.	————	—	6. 9.	D.S. $\frac{1}{2}$ .	Wendl. coll. 2. t. 52.
16 marginâta. R.s. ( <i>s.vi.</i> ) margined.	————	1805.	—	D.S. $\frac{1}{2}$ .	————
17 conspurcâta. R.s. ( <i>s.vi.</i> ) dirtied.	————	1795.	6. 10.	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
18 normâlis. R.s. ( <i>s.p.</i> ) sulphur-coloured.	————	1821.	—	D.S. $\frac{1}{2}$ .	Bot. reg. t. 755.
19 marmorâta. R.s. ( <i>s.da.</i> ) marbled.	————	—	—	D.S. $\frac{1}{2}$ .	————
20 retûsa. H.s. ( <i>s.da.</i> ) retuse.	————	1808.	9. 10.	D.S. $\frac{1}{2}$ .	————
21 anguinea. H.s. ( <i>y.da.</i> ) snake.	————	1806.	8. 9.	D.S. $\frac{1}{2}$ .	Lodd. bot. cab. t. 828.
22 picta. H.s. ( <i>st.d.p.</i> ) painted.	————	1799.	6. 9.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1169.
23 Woodfordiâna. H.s. ( <i>s.p.</i> ) Woodford's.	————	1805.	—	D.S. $\frac{1}{2}$ .	————
STAPÈLIA. H.S. CARRION-FLOWER. Pentandria Digynia. L.	C. B. S.	1795.	9. 12.	D.S. $\frac{1}{2}$ .	Mass. stap. 13. t. 11.
1 grandiflora. R.s. ( <i>d.p.</i> ) great-flowered.	————	1802.	—	D.S. $\frac{1}{2}$ .	Bot. mag. t. 585.
2 spectâbilis. H.s. ( <i>d.p.</i> ) showy. <i>grandiflora.</i> B.M. non Mas.	————	—	—	—	—
3 ambigua. R.s. ( <i>re.pu.</i> ) ambiguous.	————	1795.	6. 11.	D.S. $\frac{1}{2}$ .	Mass. stap. 13. t. 12.
$\beta$ fûlva. ( <i>br.</i> ) brown-flowered. <i>ambigua varietas.</i> Jacq.	————	—	—	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
4 sorôria. R.s. ( <i>re.pu.</i> ) sister.	————	1797.	6. 8.	D.S. $\frac{1}{2}$ .	Mass. stap. 23. t. 39.
5 elongâta. ( <i>br.</i> ) long-branched. <i>sorôria varietas.</i> Jacq.	————	—	—	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
6 lunâta. ( <i>pu.</i> ) lunate-spotted.	————	—	—	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
<i>sorôria varietas alia.</i> Jacq.	————	—	—	—	—
7 pâtulâ. R.s. ( <i>d.p.</i> ) spreading. <i>sorôria.</i> Jacq. non Mas.	————	—	—	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
8 deflexa. B.M. ( <i>ye.re.</i> ) reflexed. <i>reflexa.</i> H.s. <i>Gonostemon deflexum.</i> s.s.	————	1806.	—	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1890.
9 lûcida. R.s. ( <i>pu.</i> ) glossy.	————	1821.	—	D.S. $\frac{1}{2}$ .	————
10 brevirostris. W.en. ( <i>br.</i> ) short-beaked.	————	—	—	D.S. $\frac{1}{2}$ .	————
11 Massoni. H.s. ( <i>d.p.</i> ) Masson's.	————	1808.	—	D.S. $\frac{1}{2}$ .	————
12 Astêrias. R.s. ( <i>d.p. ye.</i> ) Starfish.	————	1795.	5. 11.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 536.
13 stellâris. H.s.s. ( <i>br.p.</i> ) starry.	————	1804.	8. 10.	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
14 hirsûta. R.s. ( <i>s.d.vi.</i> ) hairy. $\beta$ atra. B.R. ( <i>da.pu.</i> ) dark-flowered.	————	1710.	6. 8.	D.S. $\frac{1}{2}$ .	Jacq. misc. 1. t. 3.
15 lanifera. H.s.s. ( <i>d.br.</i> ) woolly-flowered.	————	1814.	6. 9.	D.S. $\frac{1}{2}$ .	Bot. reg. t. 756.

- 16 flavicomâta. H. s. s. (*br.*) yellow-haired. C. B. S. 1814. 6. 9. D. S.  $\frac{1}{2}$ .  
 17 hamâta. R. S. (*pu. re.*) hooked. ——— 1805. ——— D. S.  $\frac{1}{2}$ . Lodd. bot. cab. t. 242.  
 18 comâta. R. S. (*d. p. ye.*) very-hairy. ——— 1821. ——— D. S.  $\frac{1}{2}$ .  
 19 multiflora. DC. (*pu. re.*) many-flowered. ——— ——— D. S.  $\frac{1}{2}$ .  
 20 rûfa. R. S. (*bl. re.*) rusty brown. ——— 1795. 6. 11. D. S.  $\frac{1}{2}$ . Lodd. bot. cab. t. 239.  
 21 pulvinâta. R. S. (*r. p.*) cushioned. ——— ——— D. S.  $\frac{1}{2}$ . Bot. mag. t. 1240.  
 22 fissirôstris. R. S. (*gr. pu.*) cloven-beaked. ——— 1821. ——— D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
 23 concinna. R. S. (*br.*) spruce. ——— 1795. 6. 8. D. S.  $\frac{1}{2}$ . Mass. stap. 15. t. 18.  
 24 glandulifera. R. S. (*y. br.*) hairy-glanded. ——— ——— D. S.  $\frac{1}{2}$ .  
 25 hispîdula. R. S. (*br.*) hispid. ——— 1821. ——— D. S.  $\frac{1}{2}$ .  
 26 glanduliflora. R. S. (*st.*) gland-flowered. ——— 1795. 8. 11. D. S.  $\frac{1}{2}$ . Mass. stap. 16. t. 19.  
 27 acuminâta. R. S. (*d. p.*) acuminate. ——— ——— 7. 9. D. S.  $\frac{1}{2}$ . ——— 15. t. 17.  
 28? cordâta. H. S. .... heart-shaped. ——— 1805. 6. 8. D. S.  $\frac{1}{2}$ .  
 29? canescens. H. S. .... canescent. ——— 1795. ——— D. S.  $\frac{1}{2}$ .  
 30? ophiûncula. H. S. .... serpent-like. ——— 1805. ——— D. S.  $\frac{1}{2}$ .
- TRIDENŦEA. H. S. TRIDENŦEA. Pentandria Digynia. H. S.**  
 1 gemmiflora. H. S. (*bk.*) gem-flowered. C. B. S. 1795. 10. 11. D. S.  $\frac{1}{2}$ . Mass. stap. 14. t. 15.  
 2 stygia. H. S. (*bk.*) Stygian. ——— 1800. 8. 10. D. S.  $\frac{1}{2}$ . Bot. mag. t. 1839.  
*Stapelia gemmiflora.*  $\beta$ . B. M.  
 3 moschâta. H. S. s. (*d. p.*) musk-scented. ——— 1799. 9. 11. D. S.  $\frac{1}{2}$ . Lodd. bot. cab. t. 1051.  
*Stapelia hircôsa.* Jacq. stap. c. ic.  
 4 vêtula. H. S. (*d. p.*) purple smooth. ——— 1793. 5. 11. D. S.  $\frac{1}{2}$ . Mass. stap. 15. t. 16.  
 5 Sîmsii. H. S. (*d. p.*) Sims's. ——— 1800. ——— D. S.  $\frac{1}{2}$ . Bot. mag. t. 1234.  
*Stapelia vêtula.* B. M. non Mass.  
 6 paniculâta. R. S. (*re.*) panicked. ——— 1805. 6. 9. D. S.  $\frac{1}{2}$ .  
 7 juvêncula. s. s. (*d. br.*) short-flowered. ——— .... ——— D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
 8 depressa. R. S. (*re. p.*) depressed. ——— .... ——— D. S.  $\frac{1}{2}$ . ——— c. ic.
- TROMOTRICHE. H. S. TROMOTRICHE. Pentandria Digynia. H. S.**  
 1 fuscâta. H. S. s. (*br.*) brown-flowered. C. B. S. 1814. 6. 10. D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
*Stapelia fuscâta.* Jacq.  
 2 glauca. H. S. s. (*cr.*) large-glaucous. ——— 1799. 6. 11. D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
 3 revoluta. H. S. (*cr.*) revolute-flowered. ——— 1790. 6. 9. D. S.  $\frac{1}{2}$ . Bot. mag. t. 724.  
*Stapelia revoluta.* B. M.  
 4 pruinôsa. H. S. (*bh.*) frosted. ——— 1795. 6. 8. D. S.  $\frac{1}{2}$ . Mass. stap. 24. t. 41.  
 5 obliqua. R. S. (*ye. vi.*) oblique-flowered. ——— 1805. 6. 9. D. S.  $\frac{1}{2}$ .  
 6 mutâbilis. (*gr. br.*) changeable. ——— 1823. ——— D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
 *$\beta$  variâbilis.* (*st. re.*) variable. ——— ——— D. S.  $\frac{1}{2}$ . ——— c. ic.  
*Stapelia mutâbilis varietas.* Jacq.  
 7 ciliâta. (*ye.*) fringed. ——— 1795. 10. 12. D. S.  $\frac{1}{2}$ . Mass. stap. 9. t. 1.  
*Stapelia ciliâta.* Mass.
- PODANTHES. H. S. PODANTHES. Pentandria Digynia. H. S.**  
 1 pûlchra. H. S. (*st.*) beautiful sulphur. C. B. S. 1800. 8. 10. D. S.  $\frac{1}{2}$ .  
 *$\beta$  major.* (*st. d. p.*) larger. ——— ——— D. S.  $\frac{1}{2}$ . Bot. mag. t. 786.  
*Stapelia verrucôsa.* B. M. nec aliorum.  
 2 irrorâta. H. S. (*st. cr.*) dewy. ——— 1795. 7. 9. D. S.  $\frac{1}{2}$ . Mass. stap. 12. t. 9.  
 3 verrucôsa. H. S. (*st. br.*) warted. ——— 8. 10. D. S.  $\frac{1}{2}$ . ——— 11. t. 8.  
 4 roriflûa. R. S. (*st. cr.*) dew-bearing. ——— 1802. ——— D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
*Stapelia roriflûa.* Jacq.  
 5 pulchella. H. S. (*st. cr.*) beautiful. ——— 1795. 5. 11. D. S.  $\frac{1}{2}$ . Mass. stap. 22. t. 36.  
 6 incarnâta. s. s. (*fl.*) flesh-coloured. ——— 1793. 4. 8. D. S.  $\frac{1}{2}$ . ——— 22. t. 34.
- OBESIA. H. S. OBESIA. Pentandria Digynia. H. S.**  
 1 serrulâta. s. s. (*st. br.*) sawed. C. B. S. 1805. 6. 8. D. S.  $\frac{1}{2}$ . Jacq. stap. c. ic.  
*Stapelia serrulâta.* Jacq.  
 2 geminâta. H. S. (*ye. br.*) twin-flowered. ——— 1795. 5. 11. D. S.  $\frac{1}{2}$ . Bot. mag. t. 1326.  
*Stapelia geminâta.* B. M.  
 3 decora. H. S. (*ye. pu.*) neat. ——— ——— D. S.  $\frac{1}{2}$ . Mass. stap. 19. t. 26.  
 4? ârida. (*ye. br.*) dry. ——— 1795. 8. D. S.  $\frac{1}{2}$ . ——— 21. t. 33.  
*Stapelia ârida.* Mass.
- GONOSTEMON. H. S. GONOSTEMON. Pentandria Digynia. H. S.**  
 1 divaricatum. H. S. (*fl.*) divaricated. C. B. S. 1793. 6. 11. D. S.  $\frac{1}{2}$ . Bot. mag. t. 1007.  
*Stapelia divaricâta.* B. M.  
 2 strictum. H. S. s. (*fl.*) upright. ——— 1819. 10. 12. D. S.  $\frac{1}{2}$ . Bot. mag. t. 2037.  
*Stapelia stricta.* B. M.  
 3 pâllidum. R. S. (*pa.*) pale-flowered. ——— ——— D. S.  $\frac{1}{2}$ . Wendl. coll. 2. t. 51.  
*Stapelia pâllida.* Wendl.
- CARUNCULARIA. H. S. CARUNCULARIA. Pentandria Digynia. H. S.**  
 1 Sîmsii. (*re. bk.*) Sims's. C. B. S. 1790. 6. 11. D. S.  $\frac{1}{2}$ . Sims bot. mag. t. 793.  
*Stapelia pedunculâta.* B. M. *pedunculâta Sîmsii.* Jacq. stap. c. ic.

2	Massòni.	(br.) Masson's.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$ .	Mass. stap. p. 17. t. 21.
	<i>Stapèlia pedunculàta</i> , Mass. <i>pedunculàta</i> Massòni, Jacq. stap. c. ic.						
3	Jacquini.	(co.) Jacquin's.	————	————	————	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
	<i>Stapèlia pedunculàta</i> , Jacq.						
4	penduliflòra.	(br.) pendulous-flower'd.	————	————	————	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
	<i>Stapèlia pedunculàta alia</i> , Jacq.						
5	apèrta.	(p.pu.) open-flowered.	————	1795.	7. 8.	D.S. $\frac{1}{2}$ .	Mass. stap. 23. t. 37.
	<i>Stapèlia apèrta</i> , Mass.						
<b>PIARA'NTHUS. B. PIARA'NTHUS. Pentandria Digynia. H.S.</b>							
1	punctatus. R.S.	(fl.) purple dotted.	C. B. S.	1795.	7. 11.	D.S. $\frac{1}{2}$ .	Mass. stap. 18. t. 24.
2	pùllus. R.S.	(d.p.) many-flowered.	————	1774.	8. 9.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1648.
3	ramòsus.	(bk.) branched.	————	1795.	6. 8.	D.S. $\frac{1}{2}$ .	Mass. stap. 21. t. 32.
	<i>Stapèlia ramòsa</i> , Mass.						
4	parviflorus. s.s.	(pu.) small-flowered.	————	————	————	D.S. $\frac{1}{2}$ .	Mass. stap. 22. t. 35.
5	piliferus.	(bk.) hairy-tuberled.	————	1799.	————	D.S. $\frac{1}{2}$ .	———— 17. t. 23.
<b>HO'ODIA. HO'ODIA. Pentandria Digynia.</b>							
	Gordòni.	(br.) Gordon's.	C. B. S.	1796.	....	D.S. $\frac{1}{2}$ .	Mass. stap. 24. t. 40.
	<i>Stapèlia Gordòni</i> , Mass.						
<b>HUER'NIA. B. HUE'RNIA. Pentandria Digynia. R.S.</b>							
1	reticulàta. H.S.	(d.pu.) netted.	C. B. S.	1793.	7. 8.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1662.
	<i>Stapèlia reticulàta</i> , B.M.						
	$\beta$ <i>deformis</i> . J.S.(wh.pu.) <i>deformed</i> . ————— D.S. $\frac{1}{2}$ . Jacq. stap. c. ic.						
2	campanulàta. H.S.	(st.pu.) bell-shaped.	————	1795.	7. 10.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 1227.
3	clavigera. H.S.	(st.cr.) club-haired.	————	————	————	D.S. $\frac{1}{2}$ .	———— t. 1661.
	<i>Stapèlia campanulàta</i> , B.M. <i>nec aliorum</i> .						
4	venùsta. H.S.	(st.re.) showy.	————	————	6. 7.	D.S. $\frac{1}{2}$ .	Mass. stap. 10. t. 3.
5	lentiginòsa. H.S.	(st.pu.) freckled.	————	————	7. 11.	D.S. $\frac{1}{2}$ .	Bot. mag. t. 506.
6	guttàta. H.S.	(st.cr.) red-spotted.	————	————	8. 11.	D.S. $\frac{1}{2}$ .	Mass. stap. 10. t. 4.
7	hùmilis. H.S.	(st.pu.) humble.	————	————	————	D.S. $\frac{1}{2}$ .	———— 10. t. 5.
8	tubàta. H.S.	(st.re.) tube-flowered.	1805.	————	————	D.S. $\frac{1}{2}$ .	Jacq. stap. c. ic.
9	duodecimfida. J.S.	(st.re.) eleven-cleft.	————	————	————	D.S. $\frac{1}{2}$ .	———— c. ic.
10	crìspa. H.S.	(st.pu.) curled.	————	————	————	D.S. $\frac{1}{2}$ .	————
11	barbàta. H.S.	(st.pu.) bearded.	1795.	————	————	D.S. $\frac{1}{2}$ .	Mass. stap. 11. t. 7.
12	ocellàta. R.S.	(st.pu.) eyed.	————	1816.	————	D.S. $\frac{1}{2}$ .	————
<b>BRACHYSTE'LMA. B.R. BRACHYSTE'LMA. Pentandria Digynia. S.S.</b>							
	tuberòsum. B.R.	(pu.) tuberous-rooted.	C. B. S.	1820.	4. 10.	S. $\frac{1}{2}$ .	Bot. reg. t. 722.
<b>CARALL'UMA. H.S. CARALL'UMA. Pentandria Digynia. S.S.</b>							
1	adscèndens. H.S.	(pu.) ascending.	E. Indies.	1804.	7. 11.	D.S. $\frac{1}{2}$ .	Roxb. cor. 1. t. 30.
2	umbellàta. H.S.	(fl.) umbelled.	————	————	————	D.S. $\frac{1}{2}$ .	———— 3. t. 241.
3	crenulàta. Wa.	(ye.pu.) crenulate.	————	1824.	6. 9.	D.S. $\frac{1}{2}$ .	Wall pl. as. rar. t. 7.
4	fimbriàta. Wa.	(pu.) fringed.	————	————	————	D.S. $\frac{1}{2}$ .	———— t. 8.
<b>HO'YA. B.P. HO'YA. Pentandria Digynia. R.S.</b>							
1	crassifolia. H.S.	(wh.) large-leaved.	China.	1817.	10. 1.	D.S. $\frac{1}{2}$ .	————
2	caruòsa. H.K.	(bh.) fleshy-leaved.	————	1802.	7. 10.	D.G. $\frac{1}{2}$ .	Bot. mag. t. 788.
3	pállida. B.R.	(bh.) pale.	————	1820.	————	D.S. $\frac{1}{2}$ .	Bot. reg. t. 951.
	<i>acùta</i> , H.R.						
4	Póttsii. H.T.	(bh.) Potts's.	————	1822.	————	D.S. $\frac{1}{2}$ .	————
5	trinèrvis. H.T.	(bh.) three-nerved.	————	1824.	————	D.S. $\frac{1}{2}$ .	————
6	lanceolàta. D.P.	(bh.) spear-leaved.	Nepaul.	1825.	————	D.G. $\frac{1}{2}$ .	————
7	viridiflòra. B.P.	(gr.) green-flowered.	E. Indies.	————	....	S. $\frac{1}{2}$ .	Rheed. mal. 9. t. 15.
<b>FISCH'ERIA. DC. FISCH'ERIA. Pentandria Digynia.</b>							
	scàndens. DC.	(gr.ye.) climbing.	S. America.	1826.	....	S. $\frac{1}{2}$ .	DC. hort. mon. ined. t. 67.
<b>TYLO'PHORA. B.P. TYLO'PHORA. Pentandria Digynia. R.S.</b>							
1	grandiflòra. B.P.	(br.gr.) great-flowered.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$ .	————
2	barbàta. B.P.	(gr.br.) bearded.	————	————	————	G. $\frac{1}{2}$ .	————
3	exilis. L.T.	(pu.) slender.	E. Indies.	1823.	————	S. $\frac{1}{2}$ .	Linn. trans. 12. t. 16.
<b>CEROP'EGIA. R.S. CEROP'EGIA. Pentandria Digynia. R.S.</b>							
1	aphylla. H.S.	(st.) leafless.	Canaries.	1808.	....	S. $\frac{1}{2}$ .	————
2	stapeliæfòrmis. H.P.	(br.) Stapelia-like.	C. B. S.	1826.	7. 8.	D.S. $\frac{1}{2}$ .	————
3	torulòsa. H.R.	.... straddling.	————	1821.	....	D.S. $\frac{1}{2}$ .	————
4	dichòtoma. H.R.	(st.) forked.	E. Indies.	1806.	8.	D.S. $\frac{1}{2}$ .	————
5	júncea. R.S.	(st.pu.) rushy.	————	1820.	4. 6.	D.S. $\frac{1}{2}$ .	Roxb. cor. 1. t. 10.
6	africàna. B.R.	(br.) African.	C. B. S.	1821.	4. 11.	D.S. $\frac{1}{2}$ .	Bot. reg. t. 626.
7	bulbòsa. R.S.	(pu.) bulbous-rooted.	E. Indies.	————	————	D.S. $\frac{1}{2}$ .	Roxb. cor. 1. t. 7.
8	tuberòsa. R.S.	(pu.) tuberous-rooted.	————	————	————	D.S. $\frac{1}{2}$ .	———— 1. t. 9.
<b>PERGULARIA. R.S. PERGULARIA. Pentandria Digynia. R.S.</b>							
1	odoratíssima. R.S.	(st.) large.	E. Indies.	1784.	6. 7.	S. $\frac{1}{2}$ .	Bot. reg. t. 412.
2	minor. R.S.	(st.) smaller.	————	1790.	5. 8.	S. $\frac{1}{2}$ .	Bot. mag. t. 755.
3	sanguinolènta. B.M.	(st.) bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. $\frac{1}{2}$ .	———— t. 2532.

MARSD'ENIA. B.P.	MARSD'ENIA.	Pentandria Digynia.	R.S.			
1 suavèolens. B.P. (wh.)	sweet-scented.	N. S. W.	1816.	3. 8.	G. h. ✓	Bot. reg. t. 489.
2 erècta. R.S. (wh.)	upright.	Syria.	1597.	7. 8.	G. h. ✓	Jacq. vind. 1. t. 357.
DISCHIDIA. B.P.	DISCHIDIA.	Pentandria Digynia.	S.S.			
bengalensis. L.T. (st.)	Bengal.	E. Indies.	1818.	6. 10.	S. h. ✓	Bot. mag. t. 2916.
GYM'EMA. B.P.	GYM'EMA.	Pentandria Digynia.	R.S.			
1 sylvéstre. R.S. (wh.)	netted-leaved.	Ceylon.	1816.	6. 8.	S. h. ✓	Willd. phyt. 1. t. 5. f. 3.
2 tingens. s.s. (ye.)	pointed-leaved.	E. Indies.	1823.	—	S. h. ✓	Roxb. corom. 3. t. 239.
<i>Asclèpias tingens</i> . R.C.						
3 tenacissimum. s.s.(ye.)	tough.	—	1806.	....	S. h. ✓	Roxb. corom. 3. t. 240.
SARCO'LOBUS. R.S.	SARCO'LOBUS.	Pentandria Digynia.	R.S.			
1 globòsus. R.S. (wh.)	globular-fruit'd.	E. Indies.	1823.	....	S. h. ✓	Wall. as. res. 12. t. 4.
2 carinatus. R.S. (gr.ye.)	keeled-fruited.	—	—	....	S. h. ✓	— 12. t. 5.
GONO'LOBUS. R.S.	GONO'LOBUS.	Pentandria Digynia.	R.S.			
1 marítimus. R.S. (gr.p.)	sea-side.	Caracas.	1823.	6. 10.	S. h. ✓	Bot. reg. t. 931.
2 suberòsus. R.S. (pu.)	cork-barked.	America.	1732.	7. 9.	S. h. ✓	Dill. elt. t. 229. f. 296.
3 crispiflorus. R.S. (wh.gr.)	curled-flower'd.	S. America.	1741.	7. 8.	S. h. ✓	Plum. ic. t. 216. f. 1.
4 guianensis. s.s. (gr.)	green-flowered.	Guiana.	1826.	7. 9.	S. h. ✓	—
<i>viridiflorus</i> . R.S. non Nutt. <i>Cynánchum viridiflorum</i> . Meyr.						
5 grandiflorus. R.S. (ye.)	large-flowered.	S. America.	1825.	8. 10.	S. h. ✓	Bot. reg. t. 1053.
6 rostratus. R.S. (gr.)	beaked-petal'd.	Trinidad.	1823.	—	S. h. ✓	—
7 niger. R.S. (bk.)	black-flowered.	Mexico.	1825.	9. 11.	G. 4. ✓	Bot. mag. t. 2799.
<i>Cynánchum nigrum</i> . Cav. ic. 2. t. 159.						
8 uniflorus. K.S. (pu.)	solitary-flowered.	—	—	—	S. h. ✓	H. et B. 3. t. 238.
9 carolinensis. R.S. (d.p.)	blunt-flowered.	N. America.	1820.	7. 9.	H. 4. ✓	Jacq. ic. 2. t. 342.
10 hirsutus. R.S. (d.pu.)	hairy.	—	1806.	6. 9.	H. 4. ✓	Swt. br. fl. gar. t. 1.
11 macrophyllus. N. (p.pu.)	large-leaved.	—	1822.	—	H. 4. ✓	—
12 discolor. R.S. (d.pu.)	Virginian.	—	1809.	7. 9.	H. 4. ✓	Bot. mag. t. 1273.
<i>Cynánchum discolor</i> . B.M.						
13 obliquus. R.S. (pu.)	oblique-flower'd.	Carolina.	1818.	—	H. 4. ✓	Jacq. ic. 2. t. 341.
14 Baldwynianus. (st.)	Baldwyn's.	Savannah.	1822.	7. 9.	H. 4. ✓	Lodd. bot. cab. t. 365?
<i>hirsutus</i> . L. bot. cab. ? <i>nec aliorum</i> . <i>carolinianus</i> . N. non Jacq.						
15 hirtus. R.S. (pu.)	hairy-leaved.	America.	....	—	S. h. ✓	Moris. his. 3.s. 15. t. 3. f. 61
16 undulatus. R.S. (br.pu.)	wave-leaved.	S. America.	1814.	—	S. h. ✓	Jacq. amer. 85. t. 58.
17 viridiflorus. N. (gr.)	Nuttall's.	Mississippi.	1822.	—	H. 4. ✓	—
<i>Nuttallianus</i> . s.s.						
18 lævis. R.S. (d.pu.)	smooth.	—	1806.	6. 7.	H. 4. ✓	—
19 diadematus. B.R. (st.)	red-crowned.	Mexico.	1812.	9. 10.	S. h. ✓	Bot. reg. t. 252.
20 barbatus. R.S. (ye.)	bearded.	—	1826.	—	G. h. ✓	H. et B. n. gen. 3. t. 239.
21 mucronatus. (br.re.)	sharp-pointed.	Trinidad.	1804.	7. 8.	S. h. ✓	Andr. reposit. t. 515.
<i>Cynánchum mucronatum</i> . A.R. non K.S.						
ENSL'ENIA. N.	ENSL'ENIA.	Pentandria Digynia.				
álbida. N. (st.)	straw-coloured.	Virginia.	1828.	7. 9.	H. 4. ✓	—
ASCL'EPIAS. R.S.	SWALLOW-WORT.	Pentandria Digynia.	R.S.			
1 syriaca. Lam. (li.)	Syrian.	Astracan.	1629.	7. 8.	H. 4. ✓	Blackw. t. 521.
<i>Beid el Ossar</i> . Veslingius. Linn. trans. v. 14. p. 239.						
2 obovata. E.C. (pu.)	obovate-leaved.	Carolina.	1826.	—	H. 4. ✓	—
3 tomentosa. E.C. (pu.)	woolly.	—	—	—	H. 4. ✓	—
4 exaltata. L.en. (pu.)	tall.	N. America.	....	—	H. 4. ✓	—
5 phytolaccoides. R.S. (pu.)	Phytolacca-like.	—	1812.	—	H. 4. ✓	—
6 parviflora. R.S. (wh.)	small flowered.	—	1774.	7. 10.	H. 4. ✓	Jacq. f. ecl. t. 28.
7 salicifolia. B.C. (wh.)	Willow-leaved.	S. America.	1816.	6. 9.	G. 4. ✓	Lodd. bot. cab. t. 272.
8 angustifolia. R.S. (fl.)	narrow-leaved.	Mexico.	1824.	—	F. 4. ✓	—
9 curassavica. R.S. (or.)	Curassavian.	S. America.	1692.	6. 10.	S. 4. ✓	Bot. reg. t. 81.
10 nivea. R.S. (wh.)	Almond-leaved.	N. America.	1730.	7. 9.	H. 4. ✓	Bot. mag. t. 1181.
11 virgata. R.S. (li.)	slender.	Mexico.	1825.	—	F. 4. ✓	—
12 incarnata. R.S. (pu.)	flesh-coloured.	N. America.	1710.	7. 8.	H. 4. ✓	Bot. reg. t. 250.
13 pulchra. R.S. (pu.)	hairy.	—	—	—	H. 4. ✓	Swt. br. fl. gar. s. 2. t. 18.
14 amœna. R.S. (pu.)	oval-leaved.	—	1732.	—	H. 4. ✓	Dill. elt. t. 27. f. 30.
15 purpurascens. R.S. (pu.)	purple.	—	—	—	H. 4. ✓	— t. 28. f. 31.
16 citrifolia. R.S. (wh.)	Citron-leaved.	Florida.	1812.	—	F. 4. ✓	Jacq. icon. t. 345.
17 variegata. R.S. (wh.re.)	variegated.	—	1597.	—	H. 4. ✓	Bot. mag. t. 1182.
18 obtusifolia. R.S. (pu.)	blunt-leaved.	—	1823.	—	H. 4. ✓	—
19 amplexicaulis. R.S. (re.)	stem-clasping.	—	1812.	—	H. 4. ✓	—
20 laurifolia. M. (pu.)	Laurel-leaved.	—	1823.	—	H. 4. ✓	Pluk. amal. t. 358. f. 2.
<i>periplocæfolia</i> . N.						
21 acuminata. R.S. (wh.pu.)	taper-pointed.	—	1812.	—	H. 4. ✓	—
22 paupercula. R.S. (re.)	remote-leaved.	—	—	6. 7.	H. 4. ✓	—
23 pedicellata. R.S. (gr.ye.)	dwarf.	—	—	—	H. 4. ✓	—

- 24 *radrifolia*. R.S. (*bh.*) four-leaved. N. America. 1823. 8. 9. H. 2. Jacq. obs. 2. t. 33.  
 25 *micillata*. R.S. (*bh.*) whorl-leaved. ——— 1759. 8. 10. H. 2. Swt. br. fl. gar. t. 144.  
 26 *micicana*. R.S. (*wh.*) Mexican. Mexico. 1823. 7. 9. G. 2. Cavau. ic. 1. t. 58.  
 27 *rosea*. K.S. (*ro.*) rose-coloured. ——— 1824. — G. 2.  
 28 *linifolia*. R.S. (*wh.*) Flax-leaved. ——— — G. 2.  
 29 *linaria*. R.S. (*wh.*) toadflax-leaved. ——— 1802. — G. 2. Cavan. ic. 1. t. 57.  
 30 *tubra*. R.S. (*re.*) red-flowered. N. America. ——— — H. 2.  
 31 *tuberosa*. R.S. (*or.*) tuberous-rooted. ——— 1690. 7. 9. H. 2. Bot. reg. t. 76.  
 32 *decumbens*. W. (*or.*) decumbent. ——— 1731. — H. 2. Swt. br. fl. gar. s. 2. t. 24.
- ACERATÆS. E.C. ACERATÆS. Pentandria Digynia.  
*longifolia*. E.C. (*p.pu.*) long-leaved. N. America. 1816. 7. 8. H. 2.  
*Asclēpias longifolia*. R.S. *Gomphocarpus longifolius*. S.S.
- ANANTHERIX. N. ANANTHERIX. Pentandria Digynia. N.  
*viridis*. N. (*gr.*) green-flowered. N. America. 1812. 8. 10. H. 2.
- STYLANDRA. N. STYLANDRA. Pentandria Digynia. N.  
*pumila*. N. (*st.*) dwarf. Carolina. 1812. 7. 8. G. 2.  
*Podostigma pubescens*. S.S. *Asclēpias pedicellata*. Ph.
- GOMPHOCARPUS. R.S. GOMPHOCARPUS. Pentandria Digynia. R.S.  
 1 *arborescens*. R.S. (*wh.*) broad-leaved. C. B. S. 1714. 12. G. 2. Jacq. schœnb. 1. t. 50.  
 2 *crispus*. R.S. (*pu.*) curled-leaved. ——— 1774. 7. G. 2. Comm. rar. t. 17.  
 3 *fruticosus*. R.S. (*wh.*) Willow-leaved. ——— 1714. 6. 9. G. 2. Bot. mag. t. 1628.  
*Asclēpias fruticosa*. W.
- OXYSTEMA. R.S. OXYSTEMA. Pentandria Digynia. R.S.  
*esculentum*. R.S. (*wh.ro.*) esculent. E. Indies. 1816. .... S. 2. Roxb. corom. 1. t. 11.
- XYSMALOBIMUM. R.S. XYSMALOBIMUM. Pentandria Digynia. R.S.  
 1 *undulatum*. R.S. (*gr.*) waved-leaved. C. B. S. 1783. 7. 8. G. 2. Comm. rar. t. 16.  
 2 *grandiflorum*. R.S. (*pu.*) large-flowered. ——— 1823. — G. 2.
- CALOTROPIS. R.S. CALOTROPIS. Pentandria Digynia. R.S.  
 1 *procera*. R.S. (*wh.*) bell-flowered. Persia. 1714. 7. 9. S. 2. Andr. reposit. t. 271.  
*Asclēpias gigantea*. A.R.  
 2 *gigantea*. R.S. (*p.pu.*) curled-flower'd. E. Indies. 1690. — S. 2. Bot. reg. t. 58.
- OXYPE TALUM. R.S. OXYPE TALUM. Pentandria Digynia.  
 1 *appendiculatum*. M.N. appendaged. Brazil. 1824. 6. 8. S. 2. Mart. n. pl. bras. t. 30.  
 2 *Banksii*. R.S. Banks's. ——— 1826. — S. 2. ——— t. 29.
- CYNANCHUM. R.S. CYNANCHUM. Pentandria Digynia. L.  
 1 *acutum*. R.S. (*wh.*) acute-leaved. Europe. 1596. 7. H. 2. Flor. græc. t. 250.  
 2 *monseliacum*. R.S. (*bh.*) Montpellier. S. Europe. ——— 8. 9. H. 2. ——— t. 251.  
 3 *pauciflorum*. R.S. (*gr.w.*) few-flowered. E. Indies. 1822. 5. 8. S. 2. Will. phy. 1. n. 23. t. 5. f. 3.  
*Periplœca tunicata*. W.  
 4 *pilosum*. R.S. (*wh.*) hairy. C. B. S. 1726. 6. 9. G. 2. Bot. reg. t. 111.  
*Periplœca africana*. A.R. 557.  
 5 *crassifolium*. R.S. (*gr.w.*) thick-leaved. ——— 1816. .... G. 2.  
 6 *capense*. R.S. (*wh.*) Cape. ——— 1820. .... G. 2.  
 7 *roseum*. R.S. (*ro.*) rosy. Dahuria. 1816. 7. 8. H. 2. Gmel. sib. 4. t. 42.  
*Asclēpias davurica*. W.  
 8 *nigrum*. R.S. (*bk.*) black. S. Europe. 1596. 5. 8. H. 2. Bot. mag. t. 2390.  
 9 *medium*. R.S. (*br.*) middle. .... — H. 2.
- 10 *Vincetoxicum*. R.S. (*w.*) officinal. Europe. 1596. — H. 2. Flor. dan. t. 849.  
*Asclēpias Vincetoxicum*. W.
- 11 *fuscatum*. S.S. (*st.*) yellow-flowered. ——— — H. 2.  
 12 *sibiricum*. R.S. (*st.*) Siberian. Siberia. 1775. 7. 8. H. 2. Murr. gott. 2. t. 7.  
 13 *fœtidum*. R.S. (*st.*) fetid. Mexico. 1823. — G. 2. Cavan. ic. 2. t. 158.  
 14 *viridiflorum*. B.M. (*gr.re.*) green-flowered. E. Indies. 1814. 10. 12. S. 2. Bot. mag. t. 1929.  
 15 *undatum*. A.R. (*gr.w.*) wave-leaved. ——— 1803. 7. 8. S. 2. Andr. reposit. t. 410.
- HARRISONIA. B.M. HARRISONIA. Pentandria Digynia.  
*loniceroides*. B.M. (*cr.*) Honeysuckle. Brazil. 1824. 9. 10. S. 2. Bot. mag. t. 2699.
- DÆMIA. R.S. DÆMIA. Pentandria Digynia. R.S.  
 1 *extensa*. R.S. (*st.*) smooth-leaved. E. Indies. 1778. 7. 8. S. 2. Jacq. ic. 1. t. 54.  
 2 *bicolor*. (*gr.pu.*) two-coloured. ——— 1806. — S. 2. Andr. reposit. t. 562.  
*Cynanchum bicolor*. A.R.
- DIPLOLEPIS. R.S. DIPLOLEPIS. Pentandria Digynia.  
 1 *vomitaria*. H.T. (*st.*) dull-leaved. China. 1820. 6. 9. S. 2.  
 2 *apiculata*. H.T. (*st.*) glossy-leaved. ——— — S. 2.
- SARCOSTEMMA. R.S. SARCOSTEMMA. Pentandria Digynia. R.S.  
 1 *viminale*. R.S. (*wh.*) twisting. E. Indies. 1731. 7. S. 2.  
 2 *Swartzianum*. R.S. (*wh.*) Swartz's. W. Indies. .... S. 2. Sloan. hist. 1. t. 131. f. 1.
- EUSTEGIA. R.S. EUSTEGIA. Pentandria Digynia. R.S.  
*hastata*. R.S. (*gr.wh.*) halberd-leaved. C. B. S. 1816. 6. 8. G. 2. Spr. n. ent. t. 1. f. 5-10.  
*Apocynum hastatum*. W.

METASTE'LMA. R.S.	METASTE'LMA.	Pentandria Digynia.			
parviflorum. R.S. (wh.)	small-flowered.	W. Indies.	1826.	5. 6.	S. ♀. ◡. Plum. ic. 215. f. 1.
MICROLOMA. R.S.	MICROLOMA.	Pentandria Digynia. R.S.			
1 sagittatum. R.S. (sc.)	arrow-leaved.	C. B. S.	1775.	7. 8.	G. ♀. ◡. Jacq. schœn. I. t. 38.
2 lineare. R.S. (cr.)	linear-leaved.	—————	1816.	—————	G. ♀. ◡. Pluk. man. 17. t. 335. f. 5.
ASTEPHANUS. R.S.	ASTEPHANUS.	Pentandria Digynia. R.S.			
1 triflorus. R.S. (wh.)	three-flowered.	C. B. S.	1816.	7. 9.	G. ♀. ◡.
2 linearis. R.S. (wh.)	panicled.	—————	—————	—————	G. ♀. ◡.
3 lanceolatus. R.S. (wh.)	spear-leaved.	—————	1822.	—————	G. ♀. ◡.

## ORDO CXL.

GENTIANEÆ. *Brown prodr. 1. p. 449.*

GENTIANA. R.S.	GENTIAN.	Tetr-Pentandria Digynia.			
1 lutea. R.S. (ye.)	yellow.	Alps Europe.	1596.	6. 7.	H. ♀. Mill. ic. t. 139.
2 lybrida. R.S. (ye.re.)	hybrid.	Switzerland.	1825.	—————	H. ♀.
3 purpurea. R.S. (pu.)	purple.	—————	1768.	—————	H. ♀. Andr. reposit. t. 117.
4 pannonica. R.S. (pa.pu.)	round-petaled.	—————	....	—————	H. ♀. Jacq. aust. 2. t. 136.
β albiflora. (wh.)	white-flowered.	—————	1826.	—————	H. ♀.
5 punctata. R.S. (st.pu.)	dotted-flowered.	—————	1775.	—————	H. ♀. Jacq. aust. 5. t. ap. 28.
6 campanulata. R.S. (ye.)	bell-flowered.	—————	1824.	—————	H. ♀. ——— ap. t. 29.
7 septemfida. R.S. (bl.)	crested.	Levant.	1804.	—————	H. ♀. Bot. mag. t. 1229.
β guttata. (bl.wh.)	spotted.	—————	—————	—————	H. ♀. ——— t. 1410.
8 asclepiadæa. R.S. (bl.)	swallowwort-ld.	Austria.	1629.	7. 8.	H. ♀. ——— t. 1078.
9 cruciata. R.S. (bl.)	Crosswort.	—————	1596.	6. 7.	H. ♀. Jacq. aust. 4. t. 372.
10 macrophylla. R.S. (bl.)	long-leaved.	Siberia.	1796.	7. 8.	H. ♀. Bot. mag. t. 1414.
11 ascendens. S.S. (bl.)	ascending.	—————	1799.	6. 7.	H. ♀. ——— t. 705.
β decumbens. R.S. (bl.)	decumbent.	—————	—————	—————	H. ♀. ——— t. 723.
12 frigida. R.S. (wh.)	frigid.	Carpathian m.	1816.	—————	H. ♀. Frœl. gent. n. 13. ic.
13 algida. R.S. (st.bl.)	narrow-leaved.	Siberia.	1808.	—————	H. ♀. Pall. ros. 2. t. 95.
14 gelida. R.S. (st.)	cream-coloured.	Caucasus.	1816.	—————	H. ♀.
15 Pnemonánthe. R.S. (bl.)	Calathian violet.	England.	....	8. 9.	H. ♀. Eng. bot. v. 1. t. 20.
β guttata. B.M. (bh.wh.)	spotted-flowered.	.....	....	—————	H. ♀. Bot. mag. t. 1101.
16 pseudo-pnemonánthe. R.S. (bl.)	Canadian. N. America.	1828.	—————	H. ♀.	
<i>Pnemonánthe. Ph.</i>					
17 linearis. R.S. (bl.)	linear-leaved.	—————	1816.	—————	H. ♀.
18 triflora. R.S. (p.bl.)	three-flowered.	Siberia.	1807.	6. 7.	H. ♀. Pall. ross. 1. t. 93. f. 1.
19 Saponaria. B.M. (bl.)	barrel-flower'd.	N. America.	1776.	8. 9.	H. ♀. Bot. mag. t. 1039.
20 Catesbæi. N. (bl.)	Catesby's.	—————	—————	6. 8.	H. ♀. Andr. reposit. t. 418.
21 intermedia. B.M. (pu.)	intermediate.	—————	1820.	8. 9.	H. ♀. Bot. mag. t. 2303.
22 incarnata. B.M. (fl.)	flesh-coloured.	—————	1812.	9. 11.	H. ♀. ——— t. 1856.
23 chroleuca. R.S. (st.)	pale-flowered.	—————	1803.	8. 9.	H. ♀. ——— t. 1551.
24 quinqueflora. R.S. (pu.)	five-flowered.	—————	1823.	7. 9.	H. ♂.
<i>amarelloides. M.</i>					
25 aurea. R.S. (wh.ye.)	large involucred.	Norway.	—————	—————	H. ♂. Flor. dan. t. 344.
quinquefolia. F.D. involucrata.	Rottb. ac. havn. 10. p. 434.	t. 1. f. 2. A.B.			
26 umbellata. M.B. (pa.bl.)	umbel-flowered.	Caucasus.	1823.	8. 10.	H. ○.
27 acaulis. R.S. (bl.)	dwarf.	Wales.	....	3. 6.	H. ♀. Eng. bot. v. 23. t. 1594.
28 alpina. R.S. (bl.)	Alpine.	Switzerland.	1818.	—————	H. ♀. Lodd. bot. cab. t. 476.
29 altaica. R.S. (bl.)	Altay.	Siberia.	1826.	—————	H. ♀. Pall. ross. 2. t. 97. f. 1.
30 pyrenæica. R.S. (bl.)	Pyrenean.	Pyrenees.	1825.	—————	H. ♀. W. et K. hung. t. 207.
31 pumila. R.S. (bl.)	small.	Switzerland.	—————	—————	H. ♀. Jacq. obs. 2. t. 49.
32 vérna. R.S. (bl.)	spring.	England.	....	—————	H. ♀. Eng. bot. v. 7. t. 493.
33 æstiva. R.S. (bl.)	summer.	Germany.	1826.	—————	H. ♀. Rem. arch. 1. t. 3. f. 8.
34 bavàrica. R.S. (bl.)	Bavarian.	—————	1775.	7.	H. ♀. Vill. delph. 2. t. 10.
35 imbricata. R.S. (bl.)	imbricated	Switzerland.	1825.	—————	H. ♀. Barrel. ic. 101. f. 2.
36 angulosa. R.S. (bl.)	angular-calyx'd.	Caucasus.	1826.	4. 6.	H. ♀. Marsch. cent. rar. 1. t. 47.
37 utriculosa. R.S. (bl.)	bladdered.	—————	—————	7. 9.	H. ♂. W. et K. hung. t. 206.
38 nivàlis. R.S. (bl.)	small alpine.	Scotland.	....	8. 9.	H. ○. Eng. bot. v. 13. t. 896.
39 aquatica. R.S. (bl.)	water-side.	Dahuria.	1827.	7. 9.	H. ♂.

- 40 *humilis*. R.S. (*publ.*) dwarf. Caucasus. 1827. 7. 9. H. ♂. Pall. ross. 2. t. 97. f. 2.  
 41 *uniflora*. R.S. (*vi.*) one-flowered. M. Carpathian. 1828. — H. ♂. Rœm. ar. 1. p. 23. t. 2. f. 4.  
 42 *germanica*. R.S. (*vi.*) German. Germany. 1825. 8. 9. H. ♂. Mayrh. fl. mon. t. 278.  
 43 *amarilla*. R.S. (*vi.*) autumnal. Britain. .... 8. 10. H. ♂. Eng. bot. v. 4. t. 236.  
 44 *uliginosa*. R.S. (*bl.*) marsh. Germany. 1827. — H. ♂.  
 45 *obtusifolia*. R.S. (*bl. st.*) blunt-leaved. Switzerland. 1828. — H. ♂. Rœm. ar. 1. p. 22. t. 2. f. 3.  
 46 *pratensis*. R.S. (*vi.*) field. Siberia. 1824. — H. ♂.  
 47 *caucasica*. R.S. (*bl.*) Caucasian. Caucasus. 1804. 7. 8. H. ♂. Bot. mag. t. 1038.  
 48 *campêstris*. R.S. (*vi.*) field. Britain. .... 8. 10. H. ♂. Eng. bot. v. 4. t. 237.  
 49 *angustifolia*. R.S. (*bl.*) slender-leaved. N. America. 1820. 8. 9. H. ♀.  
 50 *glaciâlis*. R.S. (*bl.*) northern. N. Europe. 1826. .... H. ♂. Sch. rom. arc. 1. t. 2. f. 5.  
 51 *confërta*. F. (*bl.*) crowded. Altay. 1827. — H. ♂.  
 52 *Gebleri*. F. (*bl.*) Gebler's. — — — H. ♂. Reich. ic. t. 271.  
 53 *rotâta*. R.S. (*bl.*) rotate. Siberia. — — — H. ♂. Pall. ross. 2. t. 89. f. 3.  
 54 *ciliâta*. R.S. (*bl.*) fringe-flowered. S. Europe. 1759. — — — H. ♀. Jacq. aust. t. 113.  
 55 *fimbriâta*. R.S. (*bl.*) fimbriate. Caucasus. 1824. 7. 9. H. ♀.  
 56 *crinita*. R.S. (*bl.*) jagged-flower'd. N. America. 1804. 7. 10. H. ♂. Swt. br. fl. gar. t. 139.  
*fimbriâta*. Andr. rep. t. 509. non w.  
 57 *barbâta*. R.S. (*bl.*) bearded. Siberia. .... 8. 9. H. ♂. Bot. mag. t. 639.  
*ciliâta*. B.M. nec *aliorum*.
- SWE'RTIA. R.S. FELWORT. Tetr-Pentandria Digynia.**  
 1 *perennis*. R.S. (*br. pu.*) marsh. England. .... 7. 8. H. ♀. Eng. bot. v. 21. t. 1441.  
 2 *Michauxiana*. R.S. (*st.*) American. N. America. 1824. — H. ♂.  
 3 *dichôtoma*. R.S. (*gr. re.*) forked. Siberia. 1827. 7. 9. H. ♂. Pall. ross. 2. t. 91.
- CHL'ORA. S.S. YELLOW-WORT. Octandria Monogynia. L.**  
 1 *imperfoliâta*. S.S. (*ye.*) sessile-leaved. Italy. 1826. 6. 7. H. ⊙.  
 2 *perfoliâta*. S.S. (*ye.*) perfoliate. Britain. .... — H. ⊙. Eng. bot. v. 1. t. 60.
- FRAS'ERA. M. FRAS'ERA. Tetrandria Monogynia. R.S.**  
*Walteri*. M. (*ye.*) Walter's. N. America. 1795. 7. 8. H. ♂.  
*carolinensis*. Walt.
- ERYTHR'ÆA. R.S. ERYTHR'ÆA. Pentandria Monogynia. P.S.**  
 1 *Centaurium*. R.S. (*ro.*) common. Britain. .... 7. 8. H. ⊙. Eng. bot. v. 6. t. 417.  
 2 *latifolia*. S.S. (*ro.*) broad-leaved. Lancashire. .... — H. ⊙.  
 3 *pulchella*. R.S. (*ro.*) dwarf branching. England. .... 8. 9. H. ⊙. Eng. bot. v. 7. t. 458.  
 4 *littoralis*. R.S. (*ro.*) simple dwarf. Britain. .... 6. 8. H. ⊙. ——— v. 33. t. 2305.  
 5 *confërta*. R.S. (*ro.*) close-flowered. Spain. 1818. 5. 11. H. ♀.  
 6 *spicâta*. R.S. (*ro.*) spiked. S. Europe. .... — H. ♂. Flor. græc. t. 238.  
*β albiflora*. (*wh.*) white-flowered. — — — — H. ♂. Matth. comm. p. 488. f. 2.  
 7 *austrâlis*. B.P. (*ro.*) New Holland. New Holland. 1823. 5. 8. G. ♂.  
 8 *uliginosa*. R.S. (*ro.*) marsh. Hungary. 1825. 6. 8. H. ♂. W. et K. pl. hung. t. 238.  
 9 *aggregâta*. B.F.G. (*ro.*) cluster-branch'd. Nepal. 1824. 3. 11. H. ♀. Swt. br. fl. gar. t. 137.  
 10 *maritima*. F.G. (*ye.*) sea-side. S. Europe. 1777. 7. 8. H. ⊙. Flor. græc. t. 237.  
 11 *Massoni*. (*ye.*) Masson's. Azores. — — — F. ♀.  
*maritima*. H.K. nec *aliorum*. vid. obs. in Flor. Græc.
- 12 *lutea*. R.S. (*ye.*) yellow-flowered. S. Europe. .... — H. ⊙. Barrel. ic. 468.
- SABB'ATIA. R.S. SABB'ATIA. Pentandria Monogynia. R.S.**  
 1 *gracilis*. R.S. (*ro.*) slender. N. America. .... 7. 9. H. ♂. Sal. par. lond. t. 32.  
 2 *stellaris*. R.S. (*ro. ye.*) starry. — — — 1827. 6. 8. H. ♂. Bartr. ic. ined. t. 13.  
 3 *angularis*. R.S. (*pu.*) angular-stalked. — — — 1823. 7. 8. H. ♂.  
 4 *calycosa*. R.S. (*ro.*) dichotomous. — — — 1812. 6. 8. H. ♂. Bot. mag. t. 1600.  
 5 *chloroides*. R.S. (*ro.*) Chloralike. — — — 1817. 8. 9. H. ♂.  
 6 *paniculâta*. R.S. (*wh.*) panicked. — — — — H. ♀.
- VOH'RIA. R.S. VOH'RIA. Pentandria Monogynia.**  
 1 *rosea*. R.S. (*ro.*) rose-coloured. Trinidad. 1822. 6. 8. S. ♀. Aubl. guian. 1. t. 83. f. 1.  
*Lita rosea*. w.  
 2 *cœrulea*. R.S. (*bl.*) blue-flowered. — — — 1824. — S. ♀. Aubl. guian. 1. t. 83. f. 2.  
 3 *uniflora*. R.S. (*ye.*) one-flowered. W. Indies. — — — S. ♀. Jacq. amer. 87. t. 60. f. 3.
- CHIR'ONIA. R.S. CHIR'ONIA. Pentandria Monogynia. L.**  
 1 *jasminoides*. R.S. (*ro.*) Jasmine-like. C. B. S. 1812. 4. 7. G. ♀. Bot. reg. t. 197.  
 2 *lychnoides*. R.S. (*pu.*) Lychnis-flowered. — — — 1816. — G. ♀.  
 3 *nudicaulis*. R.S. (*pu.*) naked-stalked. — — — — G. ♀. Linn. trans. 7. t. 12. f. 3.  
 4 *linoides*. R.S. (*pt.*) flax-leaved. — — — 1787. 7. 9. G. ♀. Bot. mag. t. 511.  
 5 *tetragona*. R.S. (*pu.*) four-sided. — — — 1822. — G. ♀. Linn. trans. 7. t. 12. f. 2.  
 6 *baccifera*. R.S. (*pi.*) berry-bearing. — — — 1759. 6. 7. G. ♀. Bot. mag. t. 233.  
 7 *angustifolia*. B.M. (*ro.*) narrow-leaved. — — — 1800. 6. 8. G. ♀. ——— t. 818.  
 8 *frutescens*. R.S. (*ro.*) frutescent. — — — 1756. 6. 9. G. ♀. ——— t. 37.  
*β albiflora*. (*wh.*) white-flowered. — — — — G. ♀.  
 9 *decussata*. R.S. (*ro.*) cross-leaved. — — — 1789. — G. ♀. Bot. mag. t. 707.

- HIPPION. S.S.** **HÍPPION.** Pentandria Monogynia. S.S.  
 viscosum. s.s. (*ye.*) clammy. Canaries. 1781. 6. 7. G. ♂. Sm. ic. fas. 3. t. 18.  
*Ecacum viscosum.* Sm. *Gentiana viscosa.* Bot. mag. t. 2135.
- SEB'EA. B.P.** **SEB'EA.** Tetr-Pentandria Monogynia. S.S.  
 1 ovata. B.P. (*st.*) oval-leaved. N. S. W. 1820. 8. 10. G. ⊙. Lab. nov. hol. 1. t. 52.  
 2 álbens. B.P. (*wh.*) white-flowered. C. B. S. ——— G. ⊙. Burm. afr. t. 74. f. 4.  
 3 cordata. B.P. (*ye.*) heart-leaved. ——— 1815. 7. 8. H. ⊙. ——— t. 74. f. 5.
- CICE'NDIA. Adans.** **CICE'NDIA.** Tetrandria Monogynia.  
 filifórme. (*ye.*) slender-stalk'd. Britain. .... ——— H. ⊙. Eng. bot. v. 4. t. 235.  
*Ecacum filifórme.* E.B. *Microcèle filifórme.* Lk.
- EX'ACUM. B.P.** **EX'ACUM.** Tetrandria Monogynia. L.  
 tetragónum. D.P. (*ye.*) square-stalked. Nepaul. 1820. 8. 10. H. ⊙.
- COUTOUB'EA. P.S.** **COUTOUB'EA.** Tetrandria Monogynia.  
 1 ternifólia. P.S. (*wh.*) three-leaved. Trinidad. 1820. 6. 10. S. ⊙. Cavan. icon. 4. t. 328.  
 2 ramósa. Aub. (*pu.*) purple-flowered. ——— 1823. ——— S. ⊙. Aubl. guian. 1. t. 28.  
*purpúrea.* Lam. ill. t. 79. *Ecacum ramósum.* R.S.
- MITRASA'CME. B.P.** **MITRASA'CME.** Tetrandria Monogynia. R.S.  
 1 polymórpha. B.P. (*wh.*) variable. N. S. W. 1822. 6. 8. G. ♀.  
 2 canéscens. B.P. (*wh.*) canescent. ——— 1820. ——— G. ♀.  
 3 serpyllifólia. B.P. (*wh.*) creeping. ——— 1826. ——— G. ♀.
- HOUSTONIA. R.S.** **HOUSTONIA.** Tetrandria Monogynia. L.  
 1 cærúlea. R.S. (*pa.bl.*) blue-flowered. N. America. 1785. 5. 8. H. ♀. Bot. mag. t. 370.  
 2 serpyllifólia. R.S. (*wh.*) Thyme-leaved. ——— 1827. ——— H. ♀. ——— t. 2822.  
 3 tenélla. R.S. (*pu.*) slender. Carolina. 1812. ——— H. ♀.  
 4 albifóra. N. (*wh.*) white-flowered. N. America. 1828. ——— H. ♀.  
 5 purpúrea. R.S. (*li.*) purple-flowered. ——— 1800. ——— H. ♀.
- SPIG'ELIA. R.S.** **WORM-GRASS.** Pentandria Monogynia. L.  
 1 Anthélmia. R.S. (*bl.*) annual. W. Indies. 1759. 7. S. ⊙. Bot. mag. t. 2359.  
 2 marylándica. R.S. (*sc.*) perennial. N. America. 1694. 7. 8. H. ♀. ——— t. 80.
- EUST'OMA. P.L.** **EUST'OMA.** Pentandria Monogynia.  
 silenifólium. P.L. (*pu.*) Silene-leaved. Providence Isl. 1804. 7. S. ♀. Sal. par. lond. t. 241.  
*Lisíántus glaucifólius.* Jacq. ic. 1. t. 33.
- LISIA'NTHUS. R.S.** **LISIA'NTHUS.** Pentandria Monogynia. L.  
 1 longifólius. R.S. (*ye.*) long-leaved. Jamaica. 1793. 7. 9. S. ♀. Bot. reg. t. 880.  
 2 grandifórus. R.S. (*st.*) large-flowered. Trinidad. 1820. ——— S. ⊙. Aubl. guian. 1. t. 79.  
 3 exsértus. R.S. (*st.*) oval-leaved. W. Indies. 1793. ——— S. ♀.  
 4 latifólius. R.S. (*ye.*) broad-leaved. ——— 1822. .... S. ♀.  
 5 umbellátus. R.S. (*ye.*) umbel-flowered. ——— .... S. ♀.  
 6 cordifólius. R.S. (*ye.*) heart-leaved. ——— 1816. 6. 8. S. ♀. Brown. jam. 2. t. 9. f. 2.  
 7 acutángulus. R.S. (*ye.*) acute-angled. Peru. 1820. ——— S. ♀. Flor. per. 2. t. 122. f.a.  
 8 angustifólius. K.S. (*gr.*) narrow-leaved. S. America. 1824. 7. 10. S. ⊙.
- LOG'ANIA. B.P.** **LOG'ANIA.** Pentandria Monogynia. R.S.  
 1 latifólia. B.P. (*wh.*) broad-leaved. N. Holland. 1816. 4. 6. G. ♀. Lab. nov. hol. 1. t. 61.  
*Ecacum vaginále.* Lab.  
 2 floribúnda. B.P. (*wh.*) many-flowered. N. S. W. 1797. 4. 5. G. ♀. Andr. reposit. t. 520.  
*Eubósa albifóra.* A.R.
- VILLA'RSIA. R.S.** **VILLA'RSIA.** Pentandria Monogynia. R.S.  
 1 nymphoides. R.S. (*ye.*) common. England. .... 6. 7. H.w. ♀. Eng. bot. v. 4. t. 217.  
*Menyántes nymphoides.* E.B.  
 2 índica. R.S. (*ye.*) Indian. E. Indies. 1790. 6. 8. S.w. ♀. Bot. mag. t. 658.  
 3 sarmentósa. R.S. (*ye.*) sarmentose. N. S. W. 1806. ——— G.w. ♀. ——— t. 1323.  
*Menyántes sarmentósa.* B.M.  
 4 lacunósa. V. (*wh.*) smooth-flowered. N. America. 1812. 6. 7. G.w. ♀. Venten. choix. 9.  
 5 renifórmis. B.P. (*ye.*) kidney-leaved. N. S. W. 1820. ——— G.w. ♀.  
 6 parnassifólia. B.P. (*ye.*) tall. ——— 1805. 6. 10. G.w. ♀. Bot. mag. t. 1029.  
*Menyántes exaltáta.* B.M. *Swértia parnassifólia.* Lab. n. hol. t. 97.  
 7 ovata. R.S. (*ye.*) oval-leaved. C. B. S. 1786. 5. 7. G.w. ♀. Bot. mag. t. 1909.
- MENYA'NTHEs. R.S.** **BUCK-BEAN.** Pentandria Monogynia. L.  
 1 trifoliáta. E.B. (*li.*) common. Britain. .... 6. 7. H.w. ♀. Eng. bot. v. 7. t. 495.  
 2 americána. (*li.*) American. N. America. .... 4. 6. H.w. ♀.  
*trifoliáta β minor.* P.S.

ORDO CXLI.

BIGNONIACEÆ. *Brown prodr.* 1. p. 470.

<b>CHILO'PSIS. D.D.</b>		<b>CHILO'PSIS. Didymia Angiospermia.</b>	
linearis.	(ro.) linear-leaved.	Mexico.	1825. .... S. h. Cavan. ic. 3. t. 269.
<i>Bignonia? linearis. Cav.</i>			
<b>CATA' LPA. J.</b>		<b>CATA' LPA. Diandria Monogynia. S.S.</b>	
1	syringifolia. s.s. (wh.)	common.	N. America. 1726. 6. 8. H. h. Bot. mag. t. 1094.
<i>Bignonia Catalpa. L.</i>			
2	longissima. s.s. (wh. pu.)	wave-leaved.	W. Indies. 1777. .... S. h. Plum. ic. t. 57.
3	microphylla. s.s. (bh.)	small-leaved.	Hispaniola. 1820. .... S. h. ——— t. 55.
<b>BIGN'ONIA. S.S.</b>		<b>TRUMPET-FLOWER. Didymia Angiospermia. L.</b>	
1	U'nguis. s.s. (ye.)	Barbadoes.	W. Indies. 1759. .... S. h. Plum. amer. t. 94.
2	staminea. s.s. (ye. pu.)	long-stamened.	Hispaniola. 1820. 6. 9. S. h. Plum. ic. 56. f. 2.
3	capreolata. s.s. (ye. pu.)	four-leaved.	N. America. 1710. 6. 8. H. h. Bot. mag. t. 864.
4	pubescentis. s.s. (ye.)	downy.	New Spain. 1759. 6. 7. S. h. ———
5	æquinoctialis. s.s. (ye.)	equinoctial.	W. Indies. 1768. 6. 8. S. h. Plum. ic. t. 55. f. 1.
6	Chamberlaynii. B.M. (ye.)	Chamberlayne's.	S. America. 1818. ——— S. h. Bot. mag. t. 2148.
7	chrysoleuca. s.s. (ye. wh.)	yellow & white.	————— 1824. ——— S. h. ———
8	alliacea. s.s. ....	garlick-scented.	W. Indies. 1790. .... S. h. ———
9	spectabilis. s.s. (pu.)	showy.	S. America. 1820. .... S. h. ———
10	picta. k.s. (wh.)	flat-stemmed.	————— .... S. h. ———
11	oblitqua. k.s. (re.)	oblique-leaved.	Caracas. 1828. ——— S. h. ———
12	laurifolia. s.s. (li.)	Laurel-leaved.	Guiana. 1804. .... S. h. ———
13	lactiflora. s.s. (wh.)	milk-coloured.	Trinidad. 1822. 4. 6. S. h. Vahl. symb. 3. t. 66.
14	villosa. s.s. (pu.)	villous.	S. America. 1820. .... S. h. ———
15	ophthalmica. A. (ye.)	Anderson's.	St. Vincent. 1812. .... S. h. ———
16	rigescens. s.s. (fl. ye.)	rigid-leaved.	S. America. 1816. 6. 8. S. h. Jacq. schœn. 2. t. 210.
17	grandifolia. B.R. (ye.)	large-leaved.	————— 4. 7. S. h. Bot. reg. t. 418.
18	latifolia. s.s. (ye.)	broad-leaved.	Cayenne. 1824. .... S. h. ———
19	elongata. s.s. (ye.)	long-racemed.	S. America. 1820. .... S. h. Vahl. ecl. 2. t. 16.
20	mollissima. k.s. (pu.)	soft-leaved.	Caracas. 1812. .... S. h. ———
21	diversifolia. k.s. ....	different-leav'd.	Mexico. 1824. .... S. h. ———
22	floribunda. k.s. ....	abundant-flower'd.	————— .... S. h. ———
23	candicans. s.s. (pu.)	white-leaved.	Trinidad. 1822. 9. 12. S. h. ———
24	quadrangularis. D.L. ....	square-stalked.	————— .... S. h. ———
25	colorata. s.s. (ye.)	coloured calyxed.	————— 1824. .... S. h. ———
26	crucigera. s.s. (or.)	cross-bearing.	S. America. 1759. 6. 8. S. h. Plum. ic. t. 58.
27	Cherere. B.R. (or.)	various-leaved.	Guiana. 1820. 6. 10. S. h. Bot. reg. t. 1301.
<i>heterophylla. w.</i>			
28	venusta. s.s. (or.)	comely.	S. America. 1816. 9. 12. S. h. Bot. reg. t. 249.
29	incarnata. s.s. (ro.)	flesh-coloured.	Guiana. 1818. 6. 9. S. h. Aub. gui. 3. t. 261.
30	mollis. s.s. (ye.)	soft.	————— .... S. h. Vahl. ecl. 2. t. 10.
<i>tomentosa. Rich. non Th.</i>			
31	littoralis. k.s. (re.)	sea-side.	Mexico. 1824. .... S. h. ———
32	viridiflora. B.C. (gr.)	green-flowered.	S. America. 1820. 6. 9. S. h. Lodd. bot. cab. t. 1026.
33	triphylla. s.s. (wh.)	three-leaved.	Mexico. 1733. ——— S. h. ———
34	pallida. B.R. (li.)	pale.	S. America. 1823. 7. 8. S. h. Bot. reg. t. 965.
35	fluviatilis. s.s. (wh.)	marsh.	————— 1818. ——— S. h. Aub. gui. 2. t. 267.
36	Leucóxylon. s.s. (pi.)	white-wooded.	W. Indies. 1759. 6. 7. S. h. Andr. reposit. t. 43.
37	chrysantha. s.s. (ye.)	golden-flower'd.	Caracas. 1822. .... S. h. Jacq. schœnb. 2. t. 211.
38	lepidota. k.s. (ro.)	silver-spotted.	Cuba. 1828. .... S. h. ———
39	æsculifolia. k.s. (or.)	Æsculus-leaved.	Mexico. 1824. .... S. h. ———
40	serratifolia. s.s. (ye.)	saw-leaved.	Trinidad. 1822. .... S. h. ———
41	bijuga. s.s. ....	Madagascar.	Madagascar. ——— .... S. h. ———
42	Clématis. k.s. (wh. ye.)	Clematis-leaved.	Caracas. ——— .... S. h. ———
43	chelonoides. s.s. (ye.)	tree.	E. Indies. 1808. .... S. h. Rheed. mal. 6. t. 26.
44	variabilis. s.s. (gr. ye.)	variable-leaved.	Caracas. 1820. 6. 8. S. h. Jacq. schœnb. 2. t. 212.
45	indica. w. (wh. std.)	Indian.	E. Indies. 1775. .... S. h. Rheed. mal. 1. t. 43.
46	jasminifolia. k.s. ....	Jasmine-leaved.	S. America. 1824. .... S. h. ———
47	crenata. L.C. ....	crenated.	————— 1825. .... S. h. ———
48	decipiens. L.C. ....	doubtful.	————— .... S. h. ———
49	lucida. L.C. ....	glossy.	S. America. 1824. .... S. h. ———
50	alba. w. (wh.)	white-flowered.	Guiana. 1823. .... S. h. Aub. gui. 2. t. 266.

- 51 echinàta. w. (bh.) bristly-fruited. Guiana. 1804. .... S. h. ✓. Aub. gui. 2. t. 264.
- 52 purpùrea. L.C. (pu.) purple. S. America. 1822. .... S. h.
- 53 tomentosa. Th. .... tomentose. Japan. 1823. .... S. h. Kæmpf. amœn. t. 860.
- 54 stipulàta. H.B. .... stipuled. E. Indies. 1825. .... S. h.
- 55 undulàta. H.B. .... wave-leaved. ———— 1827. .... S. h.
- 56 suavèolens. H.B. .... sweet-scented. ———— 1825. .... S. h.
- 57 crìspa. H.B. .... curled. ———— 1822. .... S. h.
- 58 xylocárpa. H.B. .... woody-podded. ———— 1825. .... S. h.
- 59 am'ena. .... handsome. ———— 1823. .... S. h.
- 60 spicàta. D.L. .... spiked-flowered. Trinidad. 1822. .... S. h. ✓.
- 61 multijùga. R. .... many-leaved. E. Indies. 1826. .... S. h.
- MILLINGTONIA. L. MILLINGT'ONIA. Didynamia Angiospermia. L.
- hortensis. L. (wh.) cork-barked. E. Indies. 1818. .... S. h. Roxb. corom. 3. t. 214.
- Bignònia suberòsa.* Roxb.
- TEC'OMA. J. TEC'OMA. Didynamia Angiospermia. S.S.
- 1 spléndida. s.s. (or.) splendid. Brazil. 1826. .... S. h.
- 2 pentaphylla. s.s. (wh.) five-leaved. Jamaica. 1733. .... S. h. Marc. bras. t. 118.
- 3 digitàta. K.S. .... digitate-leaved. S. America. 1818. .... S. h.
- 4 austràlis. B.P. (bh.) broad-leaved. N. S. W. 1793. 4. 7. G. h. ✓. Bot. mag. t. 865.
- Bignònia Pandòrea.* B.M.
- 5 meonántha. (bh.) narrow-leaved. ———— 1815. ———— G. h. ✓.
- Bignònia meonántha.* L.en.
- 6 móllis. K.S. (ye.) soft-leaved. Mexico. 1824. .... S. h.
- 7 rádicans. s.s. (or.) Ash-leaved. N. America. 1640. 7. 8. H. h. ✓.
- a mājor. H.K. (or.) great. ———— ———— H. h. ✓. Bot. mag. t. 485.
- β minor. H.K. (or.) smaller. ———— ———— H. h. ✓. Catesb. car. 1. t. 65.
- 8 grandiflora. (or.) large-flowered. China. 1800. 6. 9. G. h. ✓. Bot. mag. t. 1398.
- Bignònia grandiflora.* B.M. *Incarvillea grandiflora.* s.s.
- 9 stáns. s.s. (ye.) upright-ash-ld. S. America. 1730. 7. 9. S. h. Plum. ic. t. 54.
- 10 incisa. D.L. (ye.) cut-leaved. Trinidad. 1824. ———— S. h.
- 11 capénsis. B.R. (or.) Cape. C. B. S. ———— 4. 8. G. h. ✓. Bot. reg. t. 1117.
- JACARA'NDA. S.S. JACARA'NDA. Didynamia Angiospermia. S.S.
- 1 tomentosa. D.D. (pu.) tomentose. Brazil. 1824. .... S. h.
- 2 mimosifolia. B.R. (bl.) Mimosa-leaved. ———— 1818. 4. 5. S. h. Bot. reg. t. 631.
- ovalifolia.* Bot. mag. t. 2327.
- 3 bahaménsis. B.M. (bl.) Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. 1. t. 42.
- Bignònia cærùlea.* w.
- 4 Copaia. D.D. (bl.) Box-leaved. Guiana. 1793. .... S. h. Aub. gui. 2. t. 265.
- Bignònia pròcera.* w.
- 5 rhombifolia. s.s. (pu.) rhomb-leaved. Surinam. 1823. .... S. h.
- filicifolia.* D.D.
- SPATH'ODEA. S.S. SPATH'ODEA. Didynamia Angiospermia. S.S.
- 1 uncàta. s.s. (ye.) hooked. Guiana. 1804. 6. 9. S. h. ✓. Bot. mag. t. 1511.
- Bignònia uncàta.* B.M.
- 2 corymbòsa. s.s. (ye.) corymb-flower'd. Trinidad. 1823. .... S. h.
- 3 Rheèdii. s.s. (wh.) Rheede's. E. Indies. 1794. .... S. h. Roxb. cor. 2. t. 144.
- Bignònia spathàcea.* R.C.
- 4 Roxbùrgii. s.s. (ra.) Roxburgh's. ———— 1820. .... S. h. Roxb. cor. v. 2. t. 145.
- Bignònia quadrilocolàris.* Roxb.
- 5 fraxinifolia. K.S. (ye.) Ash-leaved. Caracas. 1821. .... S. h. ✓.
- Bignònia fraxinifolia.* s.s.
- AMPHIL'OPHIUM. K.S. AMPHIL'OPHIUM. Didynamia Angiospermia. S.S.
- paniculàtum. K.S. (pu.) paniced. S. America. 1788. .... S. h. ✓. Jacq. amer. t. 116.
- Bignònia paniculàta.* Jacq.
- CALAMPELIS. D.D. CALAMPELIS. Didynamia Angiospermia.
- scàbra. B.F.G. (or.) rough-podded. Chile. 1823. 7. 11. H. h. ✓. Swt. br. fl. gar. s. 2. t. 30.
- Eccecmocárpus scàber.* Bot. reg. t. 939.
- ECCEMOCAR'PUS. ECCEMOCAR'PUS. Didynamia Angiospermia. S.S.
- longiflorus. K.S. (ye.) long-flowered. Peru. 1824. .... G. h. ✓. H. et B. pl. æq. 1. t. 65.
- FIELDIA. Cun. F'ELDIA. Didynamia Angiospermia.
- austràlis. Cun. (gr.st.) New Holland. N. Holland. 1824. .... G. h. Hook. ex. flor. t. 232.

ORDO CXLII.

COBŒACEÆ. *D. Don in Edinb. phil. journ.*

COBŒEA. Cav. Pentandria Monogynia.  
scândens. Cav. (bl.) climbing. Mexico. 1792. 5. 10. G. h. ∪. Bot. mag. t. 851.

ORDO CXLIII.

PEDALINÆ. *Brown prodr. 519.*

PED'ALIUM. S.S. PED'ALIUM. Didymia Angiospermia. S.S.  
Mûreç. s.s. (ye.) prickly-fruited. E. Indies. 1778. 8. 9. S. ⊙. Lam. ill. t. 538.

ORDO CXLIV.

DIDYMOCARPEÆ. *D. Don.*

STREPTOCA'RPUS. B.R. STREPTOCA'RPUS. Diandria Monogynia.  
Réxii. B.R. (bl.) Cape. C. B. S. 1824. 2. 10. S. ∩. Bot. reg. t. 1173.  
*Didymocárpus Réxii.* Hook. ex. flor. t. 227.

ORDO CXLV.

SESAMEÆ. *Brown.*

TOURRETIA. S.S. TOURRETIA. Didymia Angiospermia. S.S.  
lappæca. s.s. (sc.) scarlet-flowered. Peru. 1788. 6. 8. S. ⊙. ∪. Sal. stirp. rar. 5. t. 3.  
*Dombêya lappæca.* Sal.  
MARTY'NIA. J. MARTY'NIA. Didymia Angiospermia. L.  
1 diándra. s.s. (re.) two-stamened. New Spain. 1731. 7. 8. S. ⊙. Andr. reposit. t. 575.  
2 proboscídea. s.s. (li.) horn-capsuled. America. 1738. 6. 8. G. ⊙. Bot. mag. t. 1056.  
    *ánua.* L.  
3 lûtea. B.R. (ye.) yellow. S. America. 1824. 7. 9. H. ⊙. Bot. reg. t. 934.  
4 longiflôra. s.s. (pu.) long-flowered. C. B. S. 1781. 7. 8. G. ⊙. Meerb. ic. 1. t. 7.  
CRANIOL'ARIA. J. CRANIOL'ARIA. Didymia Angiospermia. L.  
    *ánua.* K.S. (wh. sp.) annual. S. America. 1733. 7. 8. S. ⊙. Jacq. amer. t. 110.  
    *Marty'nia Craniolària.* w.  
SES'AMUM. S.S. OILY-GRAIN. Didymia Angiospermia. L.  
1 orientâle. s.s. (bh.) oriental. E. Indies. 1731. 7. 8. S. ⊙. Rheed. mal. 9. t. 54.  
2 índicum. s.s. (bh.) Indian. ———— ———— S. ⊙. Bot. mag. t. 1788.  
3 lûteum. s.s. (ye.) yellow. ———— 1825. ———— S. ⊙.

ORDO CXLVI.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S. GREEK VALERIAN. Pentandria Monogynia. L.  
1 cœrûleum. s.s. (bl.) common. Britain. .... 6. H. ∩. Eng. bot. t. 14.  
    β *âlbum.* (wh.) white-flowered. ———— .... ———— H. ∩.  
    γ *maculâtum.* s.s. (sp.) spot-flowered. ———— .... ———— H. ∩.

2	grácile. W.en.	(wh.) slender.	Dahuria.	1818.	6. 7.	H. 4.	
3	mexicånum. s.s.	(bl.) Mexican.	Mexico.	1817.	4. 6.	H. 4.	Bot. reg. t. 460.
4	réptans. s.s.	(bl.) creeping.	N. America.	1758.	4. 5.	H. 4.	Bot. mag. t. 1887.
	<i>cærùleum</i> $\beta$ <i>piliferum</i> .		Bot. reg. t. 1303.				
5	villòsum. G.R.	(bl.) dwarf hairy.	Siberia.	1827.	6. 9.	H. 4.	Swt. br. fl. gar. t. 266.
6	Richardsoni. B.M.	(bl.) Richardson's.	N. America.	—	—	H. 4.	Bot. mag. t. 2800.
7	hùmile. B.M.	(bl.) dwarf.	—	—	—	H. 4.	Bot. reg. t. 1304.
8	sibìricum. D.D.	(wh.) bipinnate.	Siberia.	1800.	6.	H. 4.	Swt. br. fl. gar. t. 182.
PHLOX. R.S.		LÝCHNIDEA.	Pentandria Monogynia.		L.		
1	paniculàta. R.S.	(pu.)	N. America.	1732.	8. 9.	H. 4.	Dill. elth. t. 166. f. 203.
	$\beta$ <i>álba</i> .	(wh.) white-flowered.	—	1813.	—	H. 4.	
2	undulàta. R.S.	(pu.) wave-leaved.	—	1759.	7. 8.	H. 4.	
3	acuminàta. R.S.	(pu.) cross-leaved.	—	1812.	6. 8.	H. 4.	Bot. mag. t. 1880.
	<i>decussàta</i> . Lyon.	<i>latifolia</i> . Hort. non m.					
4	virgínica. L.C.	(pu.) Virginian.	—	—	—	H. 4.	
5	intermèdia. L.C.	(pu.) intermediate.	—	—	7. 9.	H. 4.	
6	penduliflòra. B.F.G.	(pu.) drooping-flower'd.	—	1824.	—	H. 4.	Swt. br. fl. gar. s. 2.
7	corymbòsa. B.F.G.	(li.) corymb-flower'd.	—	—	—	H. 4.	
8	acutifolia. B.F.G.	(pu.) sharp-leaved.	—	1825.	—	H. 4.	
9	odoràta. B.F.G.	(re.) sweet-scented.	—	1824.	—	H. 4.	Swt. br. fl. gar. t. 224.
10	scàbra. B.F.G.	(li.) rough-leaved.	—	1812.	—	H. 4.	— t. 248.
	<i>Sickmänni</i> . Lehman.						
11	maculàta. R.S.	(pu.) spotted-stalked.	—	1740.	7. 8.	H. 4.	Jacq. vind. 2. t. 147.
12	pyramidàlis. R.S.	(li.) pyramidal.	—	1800.	6. 8.	H. 4.	Swt. br. fl. gar. t. 233.
13	latifolia. R.S.	(pu.) broad-leaved.	—	1812.	—	H. 4.	
14	carolina. R.S.	(re.pu.) rough-stemmed.	—	1728.	7. 9.	H. 4.	Bot. mag. t. 1344.
15	cordàta. E.C.	(li.) heart-leaved.	Carolina.	1826.	6. 9.	H. 4.	Swt. br. fl. gar. s. 2. t. 13.
16	excèlsa. H.E.	(pu.) tall upright.	N. America.	1824.	—	H. 4.	
17	Wheeleriana. B.F.G.	(pi.) Wheeler's.	Hybrid.	—	—	H. 4.	
18	Shephèrdii. H.E.	(pu.) Shepherd's.	—	—	—	H. 4.	
19	glabèrrima. R.S.	(pu.) smooth-stalked.	N. America.	1725.	6. 8.	H. 4.	Swt. br. fl. gar. s. 2 t. 36.
20	triflòra. R.S.	(bh.) flesh-coloured.	—	1816.	7. 9.	H. 4.	Swt. brit. fl. gar. t. 29.
	<i>cærnea</i> . Bot. mag. t. 2155.						
21	suavèolens. R.S.	(wh.) white-flowered.	—	1763.	7. 8.	H. 4.	
22	longiflòra. B.F.G.	(wh.) long-flowered.	—	1827.	7. 10.	H. 4.	Swt. br. fl. gar. s. 2. t. 31.
23	reflexa. B.F.G.	(d.pu.) reflexed-leaved.	—	1824.	6. 9.	H. 4.	Swt. br. fl. gar. t. 232.
24	suffruticòsa. B.R.	(d.pu.) glossy-leaved.	—	1790.	7. 9.	H. 4.	Bot. reg. t. 68.
25	Listoniàna. H.E.	(pu.) Liston's.	—	1816.	5. 7.	H. 4.	
26	ovàta. W.	(pu.) ovate-leaved.	—	1759.	—	H. 4.	Bot. mag. t. 528.
27	stolonifera. B.M.	(bl.) creeping.	—	1800.	6. 9.	H. 4.	— t. 563.
	<i>prostràta</i> . H.K.	<i>réptans</i> . m. <i>stolonifera</i> has the right of priority.					
28	pilòsa. B.M.	(p.bl.) hairy-leaved.	N. America.	1759.	5. 6.	H. 4.	Bot. mag. t. 1307.
	<i>aristàta</i> . M.						
29	am'ena. B.M.	(ro.) Fraser's hairy.	—	1809.	6. 7.	H. 4.	Bot. mag. t. 1308.
	<i>pilòsa</i> . $\beta$ . R.S.						
30	canadènsis. B.F.G.	(pu.bl.) Canadian.	Canada.	1826.	5. 7.	H. 4.	Swt. br. fl. gar. t. 221.
31	divaricàta. R.S.	(pa.bl.) early-flowering.	N. America.	1746.	4. 6.	H. 4.	Bot. mag. t. 163.
32	procumbens. B.F.G.	(bl.) procumbent.	—	1829.	5. 6.	H. 4.	Swt. br. fl. gar. s. 2. t. 7.
33	subulàta. R.S.	(li.pu.) awl-leaved.	—	1786.	4. 6.	H. 4.	Bot. mag. t. 411.
34	nivalis. B.C.	(wh.) snowy white.	—	1820.	—	H. 4.	Swt. br. fl. gar. t. 185.
35	setàcea. R.S.	(pi.) bristle-leaved.	—	1786.	4. 5.	H. 4.	Bot. mag. t. 415.
COLLOMIA. N.		COLLOMIA.	Pentandria Monogynia.				
1	grandiflòra. D.	(bf.) large-flowered.	N. America.	1827.	6. 7.	H. 4.	Bot. reg. t. 1174.
2	lineàris. D.	(f.) linear-leaved.	—	—	—	H. 4.	— t. 1156.
3	gràcilis. D.	(ro.) slender.	—	—	5. 7.	H. 4.	Bot. mag. t. 2924.
	<i>Gilia gracilis</i> . B.M.						
4	heterophylla. B.M.	(ro.) various-leaved.	—	—	5. 8.	H. 4.	Bot. mag. t. 2895.
GI'LIA. R.P.		GI'LIA.	Pentandria Monogynia. S.S.				
1	inconspicua. B.M.	(bl.) small blue.	America.	1793.	9. 11.	H. 4.	Bot. mag. t. 2883.
	<i>Ipomopsis inconspicua</i> . Sm. exot. bot. 1. t. 14.						
2	capitàta. D.	(bl.) cluster-flowered.	—	1826.	5. 9.	H. 4.	Swt. br. fl. gar. t. 287.
IPOMO'PSIS. M.		IPOMO'PSIS.	Pentandria Monogynia.				
1	élegans. Ex.B.	(sc.) elegant.	Carolina.	1726.	8. 9.	G. 4.	Sm. exot. bot. 1. t. 13.
	<i>Cántua coronopifolia</i> . Andr. rep. t.						
2	pulchèlla. D.	(sc.) pretty.	N. America.	1827.	—	G. 4.	Bot. reg. t. 1281.
	<i>élegans</i> . Bot. reg. non m.						
HOI'TZIA. J.		HOI'TZIA.	Pentandria Monogynia. S.S.				
1	cocínea. K.S.	(sc.) scarlet.	Mexico.	1826.	5. 7.	G. 4.	Cavan. ic. 4. t. 365.
2	cærùlea. K.S.	(bl.) blue-flowered.	—	1827.	—	G. 4.	— 4. t. 366.

CALD'ASIA S.S. CALD'ASIA. Pentandria Monogynia.  
heterophylla. s.s. (bl.) various-leaved. New Spain. 1813. 5. 12. S. ⊙. Bot. reg. t. 92.  
Bonplândia geminiflora. Cav. ic. 6. t. 532.

ORDO CXLVII.

HYDROLEACEÆ. *Kth. synopsis. 2. p. 234.*

HYDR'OLEA. S.S. HYDR'OLEA. Pentandria Digynia. L.  
1 spinosa. s.s. (bl.) thorny. S. America. 1791. 7. 8. S. ♀. Bot. reg. t. 566.  
2 quadrivalvis. s.s. (bl.) four-valved. Carolina. 1824. — G. ♀.  
WIGA'NDIA. K.S. WIGA'NDIA. Pentandria Digynia.  
1 ùrens. K.S. (vi.) stinging. Mexico. 1827. 4. 6. G. ♀. Flor. peruv. 3. t. 243.  
2 caracasana. K.S. (vi.) Caracas. Caracas. 1825. — S. ♀.  
N'AMA. S.S. N'AMA. Pentandria Digynia. L.  
1 jamaicensis. s.s. (wh. bl.) Jamaica. Jamaica. 1812. 6. 9. S. ⊙. Lam. ill. t. 184.  
2 undulata. K.S. (vi.) wave-leaved. Mexico. 1826. — G. ♀.

ORDO CXLVIII.

CONVOLVULACEÆ. *Brown prodr. 1. p. 481.*

? RETZIA. R.S. RETZIA. Pentandria Monogynia. R.S.  
spicata. R.S. (br.) spiked. C. B. S. .... 5. 6. G. ♀. Lam. ill. t. 103.  
CONVOLVULUS. B.P. BINDWEED. Pentandria Monogynia. L.  
1 arvënsis. R.S. (pi. wh.) small. Britain. .... 6. 9. H. ♀. Eng. bot. v. 5. t. 312.  
2 chinënsis. B.R. (pi.) Chinese. China. 1816. — H. ♀. Bot. reg. t. 322.  
3 Malcòlmi. F.I. (wh.) Malcolm's. Persia. 1824. 7. 10. H. ♀.  
4 emarginatus. s.s. (re.) emarginate. .... 6. 9. H. ♀.  
5 bicuspidatus. s.s. (bh.) two-pointed. Dauria. — H. ♀.  
6 Scammònia. R.S. (st. bh.) Scammony. Levant. 1596. 7. 8. H. ♀. Flor. græc. t. 192.  
7 erubescens. R.S. (bh.) maiden blush. N. S. W. 1803. 7. 9. G. ♂. Bot. mag. t. 1067.  
8 quinqueflòrus. R.S. (bh.) five-flowered. Mauritius. 1826. — S. ♀.  
9 pannifolius. R.S. (bl.) cloth-leaved. Canaries. 1805. 6. 9. G. ♀. Bot. reg. t. 222.  
10 canariënsis. R.S. (pi.) Canary. — 1690. — G. ♀. Bot. mag. t. 1228.  
11 Massòni. R.S. (wh.) Masson's. — 1788. — G. ♀. Bot. reg. t. 133.  
*Dryândri. s.s. suffruticosus. B.R.*  
12 cãdicans. R.S. .... hoary. E. Indies. 1818. .... S. ♀.  
13 bonariënsis. R.S. (std.) stripe-flowered. Buenos Ayres. 1827. 6. 8. G. ♀. Cavan. icon. 5. t. 48. f. 2.  
14 tiliaëus. R.S. (wh.) Lime-tree-leaved. Brazil. 1820. — S. ♀.  
15 guianënsis. R.S. (bh.) Guiana. Guiana. — S. ♀. Aub. gui. 1. t. 52.  
16 ciliatus. R.S. (bh.) fringed-leaved. Cayenne. — S. ♀.  
17 pentánthus. R.S. (bl.) five-flowered. W. Indies. 1808. 4. 10. S. ♀. Bot. reg. t. 439.  
18 farinosus. R.S. (wh.) mealy-stalked. Madeira. 1777. 5. 6. G. ♀. Sal. par. lond. t. 45.  
19 Hermãnniæ. s.s. (bh.) Peruvian. Peru. 1799. 8. 9. G. ♀. L'Herit. stirp. t. 33.  
20 tenuissimus. R.S. (li.) slender-leaved. Levant. .... 6. 10. G. ♀. Flor. græc. t. 195.  
21 althæoides. R.S. (li.) Althæa-leaved. — 1597. 6. 9. F. ♀. t. 194.  
22 bryoniæfolius. R.S. (pu.) Bryony-leaved. China. 1802. 7. 8. G. ♀. Bot. mag. t. 943.  
23 itãlicus. R.S. (pi.) Italian. Italy. .... F. ♀. Ten. fl. neap. 1. t. 15.  
*hirsutus. T.N. non M.B.*  
24 hirsutus. M.B. (pu. ye.) hairy. Tauria. 1824. — H. ♀.  
25 alceifolius. R.S. (st. pu.) Hollyhock-leaved. C. B. S. 1823. — G. ♀.  
26 macrocarpus. R.S. (pu.) long-fruited. S. America. 1752. — S. ⊙. Burm. amer. t. 91. f. 1.  
27 quinqueflòrus. R.S. (w. pu.) five-leaved. Vera Cruz. .... S. ⊙. Pluk. alm. t. 167. f. 6.  
28 glãber. R.S. (wh.) smooth. Cayenne. 1806. .... S. ♀. Aub. gui. 1. t. 53.  
29 tenëllus. R.S. (wh.) slender. N. America. 1812. 6. 8. H. ⊙. Pluk. alm. t. 166. f. 4.  
30 aquãticus. N. (wh.) water-side. — — H. ⊙.  
31 sículus. R.S. (bl.) small-flowered. S. Europe. 1640. — H. ⊙. Bot. reg. t. 445.  
32 pseudosculus. R.S. (wh.) long-peduncul'd. Canaries. 1815. 7. 8. H. ⊙. — t. 498.  
*elongatus. W. enum.*  
33 Imperãti. R.S. (st.) trailing. Naples. 1824. 6. 9. H. ♀. Cyr. pl. rar. fasc. 1. t. 5.  
2 B

- 34 sagittifolius. F.G. (bh.) Sibthorp's. Samos. 1823. 7. 8. H. 2. Flor. græc. t. 193.
- 35 hirtus. R.S. (bl.) hairy-stalked. E. Indies. 1806. 6. 8. S. 2. 6.
- 36 platycarpus. R.S. (li.) flat-podded. Mexico. 1827. 8. 10. F. 2. Cavan. ic. 5. t. 482.
- 37 multifidus. R.S. (bh.) multifid. C. B. S. 1822. 6. 8. G. 2. 6.
- 38 persicus. M.B. (wh.) Persian. Persia. 1829. — H. 2. Gmel. iter. 3. t. 7.
- 39 tricolor. R.S. (bl. ye.) three-coloured. S. Europe. 1629. 7. 9. H. 2. 6. Bot. mag. t. 27.
- β albiflorus.* (wh.) white-flowered. — — — H. 2. 6.
- 40 meonanthus. R.S. (bl. ye.) pale blue. Portugal. 1827. — H. 2. 6.
- 41 pentapetaloides. R.S. (bl.) Majorca. Majorca. 1789. 6. 7. H. 2. 6. Flor. græc. t. 197.
- 42 lineatus. R.S. (bh.) dwarf. S. Europe. 1714. — H. 2. 6. — t. 199.
- 43 Gerardi. R.S. (bh.) Gerard's. — — — — H. 2. 6. Barrel. ic. t. 311.
- 44 undulatus. R.S. (wh. re.) waved. — — — 1816. 6. 10. H. 2. 6. Cavan. ic. 3. t. 277. f. 1.
- humilis.* Jacq. col. 4. t. 22. f. 3. *evoluloïdes.* F.G. t. 198. *ciliatus.* P.S.
- 45 lanatus. R.S. (wh.) woolly-leaved. Levant. 1829. 5. 6. G. 2. 6. Flor. græc. t. 202.
- 46 intermedium. R.S. (bh.) intermediate. S. Europe. 1825. 6. 7. H. 2. 6.
- 47 Cneorum. R.S. (bh.) silvery-leaved. Levant. 1640. 5. 9. G. 2. 6. Bot. mag. t. 459.
- 48 saxatilis. R.S. (bh.) rock. S. Europe. 1796. 6. 8. F. 2. 6. Bocc. mus. 138. t. 96.
- 49 floridus. R.S. (bh.) many-flowered. Teneriffe. 1779. 8. 9. G. 2. 6. Jacq. ic. 1. t. 34.
- 50 Cantabrica. R.S. (fl.) flax-leaved. S. Europe. 1680. 5. 9. H. 2. 6. Jacq. aust. 3. t. 296.
- 51 salvifolius. L.en. (bh.) Sage-leaved. Palestine. 1825. — H. 2. 6.
- 52 linearis. R.S. (wh. re.) narrow-leaved. S. Europe. 1770. — G. 2. 6. Bot. mag. t. 289.
- 53 suffruticosus. R.S. (bh.) suffruticose. Levant. 1827. 6. 8. F. 2. 6. Desf. atl. 1. t. 48.
- 54 Dorycnium. R.S. (ro.) silky-leaved. — — — 1806. 6. 7. H. 2. 6. Flor. græc. t. 201.
- 55 holosericeus. R.S. (st.) silky. Tauria. 1824. — H. 2. 6.
- 56 scoparius. R.S. (wh.) broom. Canaries. 1733. 8. 9. G. 2. 6. Venten. choix. t. 24.
- 57 terrestris. F. (wh.) small. Altay. 1828. 7. 9. H. 2. 6.
- CALYSTEGIA. B.P. BEARBIND. Pentandria Monogynia. R.S.
- 1 sepium. R.S. (wh.) great hedge. Britain. .... 6. 9. H. 2. 6. Eng. bot. v. 5. t. 313.
- 2 sylvestris. R.S. (wh.) wood. Hungary. 1815. — H. 2. 6. W. et K. hung. t. 261.
- Convólulus sylvestris.* W.en.
- 3 inflata. Df. (re.) inflated. N. America. .... — H. 2. 6. Bot. mag. t. 732.
- sepium.* Ph. *Convólulus sepium β incarnata.* B.M.
- 4 dahurica. B.M. (pi.) Dahurian. Dahuria. 1820. 7. 8. H. 2. 6. Bot. mag. t. 2609.
- 5 Catesbiana. R.S. (ro.) Catesby's. Carolina. 1816. 7. 9. H. 2. 6.
- 6 marginata. B.P. (wh.) margined. N. S. W. 1824. 7. 8. F. 2. 6.
- 7 stans. M. (wh.) woolly. N. America. 1818. 6. 7. H. 2. 6.
- tomentosa.* Ph. *Convólulus stans.* M.
- 8 spithamea. R.S. (wh.) small upright. — — — 1696. 7. 8. H. 2. 6. Hook. ex. flor. t. 97.
- 9 Soldanella. R.S. (pi.) sea-side. Britain. .... 6. 7. H. 2. 6. Eng. bot. v. 5. t. 314.
- Convólulus Soldanella.* E.B.
- 10 reniformis. B.P. (pi.) kidney-leaved. N. S. W. 1822. 6. 8. F. 2. 6. Swt. br. fl. gar. v. 2. t. 181.
- 11 hederacea. F.I. (ro.) Ivy-leaved. Nepaul. 1826. — F. 2. 6.
- 12 Keriana. (bl.) Mr. Ker's. Mauritius. 1818. — S. 2. 6. Bot. reg. t. 318.
- Convólulus involucratus.* B.R. non Beau. *Convólulus bicolor.* B.M. 2205. nec *aliorum.*
- IPOMŒA. B.P. IPOMŒA. Pentandria Monogynia. R.S.
- 1 Quamoclit. R.S. (sc.) wing-leaved. E. Indies. 1629. 7. 9. S. 2. 6. Bot. mag. t. 244.
- β albiflora.* (wh.) white-flowered. — — — — S. 2. 6.
- 2 dissecta. R.S. (wh.) cut-leaved. Tropic's. 1813. 6. 9. S. 2. 6. Willd. phyt. 1. t. 2. f. 3.
- 3 tuberosa. R.S. (st. pu.) tuberous-rooted. W. Indies. 1731. 8. 10. S. 2. 6. Bot. reg. t. 768.
- 4 digitata. R.S. (sc.) fingered. S. America. .... — S. 2. 6. Plum. ic. 92. f. 12.
- 5 sinuata. R.S. (wh.) sinuated. N. America. 1813. 6. 9. G. 2. 6. Jacq. vind. t. 179.
- dissecta.* Ph. non W. *Convólulus dissectus.* M.
- 6 tuberculata. R.S. (li.) tubercled. Bourbon. 1818. — S. 2. 6. Jacq. schœn. 2. t. 199.
- stipulacea.* Jacq.
- 7 cairica. (pu.) jagged-leaved. Egypt. 1680. — S. 2. 6. Bot. mag. t. 699.
- Convólulus cairicus.* B.M. *Ipomœa palmata.* R.S.
- 8 pendula. B.P. (pu.) pendulous-flowered. N. S. W. 1808. 5. 10. G. 2. 6. Bot. reg. t. 632.
- 9 dasypërma. J.E. (ye. pu.) warted. E. Indies. 1815. 8. 9. G. 2. 6. — t. 86.
- tuberculata.* B.R. non R.S. *Convólulus pedatus.* F.I.
- 10 cœptica. R.S. (wh.) palmate-leaved. E. Indies. 1824. 8. 10. S. 2. 6.
- 11 pès-tigridis. R.S. (bh.) palmated. — — — 1732. — S. 2. 6. Dill. elth. t. 318. f. 411.
- 12 platensis. B.R. (pu.) Plata. S. America. 1817. 6. 9. S. 2. 6. Bot. reg. t. 333.
- 13 setosa. B.R. (pu.) bristly-stalked. Brazil. — — — 8. 10. S. 2. 6. — t. 335.
- 14 paniculata. R.S. (pu.) panicled. E. Indies. 1799. 6. 9. S. 2. 6. — t. 62.
- 15 insignis. A.R. (pu.) large purple. — — — 1814. — S. 2. 6. — t. 75.
- gossypifolia.* R.S.
- 16 senegalensis. R.S. (pu.) Senegal. Senegal. 1822. 6. 10. S. 2. 6.
- 17 splendens. G.D. (pu.) splendid. Sierra Leon. — — — 6. 9. S. 2. 6.
- 18 parviflora. R.S. (pu.) small-flowered. Santa Cruz. — — — 7. 10. S. 2. 6. Sloan. hist. 1. t. 97. f. 1.

19	heterophylla. R.S. (bl.)	various-leaved.	S. America.	1817.	7. 10.	S. 4.	Jacq. frag. t. 42. f. 4.
20	macrorrhizos. R.S. (sc.)	large-rooted.	W. Indies.	—	—	S. 4.	Plum. cat. mss. v. 2. t. 58.
21	umbellata. R.S. (sc.)	umbelled.	S. America.	1739.	6. 7.	S. 4.	Burm. amer. t. 92. f. 2.
22	carolina. R.S. (pu.)	Carolina.	Carolina.	1732.	7. 8.	G. 4. ∪.	Dill. elth. t. 84. f. 98.
23	pulchella. R.S. (vi.)	neat.	E. Indies.	1824.	5. 8.	S. 4. ∪.	—
24	venosa. R.S. (pu.)	veined-leaved.	Mauritius.	1820.	7. 8.	S. 4. ∪.	—
25	pentaphylla. R.S. (wh.)	five-leaved.	W. Indies.	1739.	8. 9.	S. 6. ∪.	Jacq. ic. 2. t. 319.
26	Cavanillesii. R.S. (bh.)	Cavanille's.	S. America.	1815.	—	S. 4. ∪.	Cavan. ic. 3. t. 256.
	<i>pentaphylla</i> . Cav. non Jacq.						
27	armata. R.S. (re. vi.)	armed-calyxed.	Mexico.	1824.	7. 10.	S. 6. ∪.	Cavan. ic. 5. t. 478. f. 2.
	<i>muricata</i> . Cav. non Jacq.						
28	ternata. R.S. (wh.)	ternate-leaved.	S. America.	—	6. 8.	S. 4. ∪.	Jacq. schenb. 1. t. 37.
29	coccinea. R.S. (sc.)	bright-scarlet.	W. Indies.	1713.	6. 9.	S. 6. ∪.	Andr. reposit. t. 99.
30	lutæola. R.S. (or.)	common scarlet.	Guatemala.	1759.	—	H. 6. ∪.	Bot. mag. t. 221.
	<i>coccinea</i> . B.M. nec aliorum.						
31	angularis. R.S. (cr.)	angular-leaved.	E. Indies.	1806.	—	S. 6. ∪.	—
	<i>phenicea</i> . F.I.						
32	hastifera. K.S. (fl.)	halbert-bearing.	Mexico.	1824.	6. 8.	S. 4. ∪.	—
33	longiflora. K.S. (wh.)	long-flowered.	Cuba.	1803.	—	S. 4. ∪.	—
34	sagittata. R.S. (ro.)	sagittate.	S. Europe.	1826.	7. 9.	H. 4. ∪.	Cavan. icon. 2. t. 107.
35	bona nox. R.S. (wh.)	large white.	America.	1773.	6. 9.	G. 6. ∪.	Bot. mag. t. 752.
36	lacunosa. R.S. (wh. pu.)	starry.	N. America.	1640.	7. 8.	H. 6. ∪.	Dill. elth. t. 87. f. 102.
37	Batatas. R.S. (wh. pu.)	sweet potatoe.	India.	1597.	...	S. 4.	Rheed. mal. 7. t. 50.
	<i>Convolvulus Batatas</i> . w.						
38	Turpethum. R.S. (wh.)	square-stalked.	Ceylon.	1752.	3. 6.	S. 4. ∪.	Bot. reg. t. 279.
39	chryseides. B.R. (ye.)	golden.	China.	1817.	6. 10.	S. 4. ∪.	— t. 270.
40	ochracea. B.R. (ye.)	pale yellow.	Benin.	1826.	8. 10.	S. 6. ∪.	— t. 1060.
41	Jalapa. (ro.)	true Jalap.	S. America.	1733.	8. 11.	S. 4. ∪.	Bot. mag. t. 1572.
	<i>Jalapa</i> . β rōsea. B.R. 621. <i>Convolvulus Jalapa</i> . B.M.						
42	Michauxii. (wh. bh.)	Michaux's.	Georgia.	1815.	—	G. 4. ∪.	Bot. reg. t. 342.
	<i>Jalapa</i> . α. B.R. <i>macrorrhiza</i> . M. non R.S.						
43	sanguinea. R.S. (sc.)	blood-flowered.	W. Indies.	1812.	2. 11.	S. 4. ∪.	Bot. reg. t. 9.
44	repanda. R.S. (sc.)	scalloped.	—	1793.	5. 10.	S. 4. ∪.	Sal. par. lond. t. 81.
45	varia. R.S. (bl.)	variable-leaved.	S. America.	1816.	—	S. 4. ∪.	—
	<i>Convolvulus pubescens</i> . s.s.						
46	scabra. R.S. (wh.)	rough.	Egypt.	1804.	—	H. 6. ∪.	—
47	scabrida. R.S. (wh.)	roughish.	S. America.	1824.	—	H. 6. ∪.	—
48	hederacea. B.R. (bl.)	deep-lobed.	N. America.	1729.	8. 10.	H. 6. ∪.	Bot. reg. t. 85.
	<i>barbata</i> . Roth.						
49	cuspidata. R.S. (pu.)	sharp-pointed.	Peru.	1732.	6. 7.	H. 6. ∪.	Flor. per. 2. t. 119. f. a.
50	Dillenii. R.S. (bl.)	Dillenius's.	Guinea.	....	—	S. 6. ∪.	Dill. elth. t. 81. f. 93.
51	Nil. P.S. (bl.)	blue.	S. America.	1597.	7. 9.	S. 6. ∪.	Bot. mag. t. 188.
52	cœrulea. B.R. (bl.)	East Indian.	E. Indies.	1815.	—	S. 6. ∪.	Bot. reg. t. 276.
53	cœrulescens. F.I. (bl.)	light blue.	—	1820.	6. 8.	S. 4. ∪.	—
54	pudibunda. B.R. (ro.)	modest.	W. Indies.	1825.	7. 10.	S. 6. ∪.	Bot. reg. t. 999.
55	triloba. R.S. (vi.)	three-lobed.	—	1752.	6. 7.	S. 6. ∪.	—
56	hederifolia. R.S. (vi.)	Ivy-leaved.	S. America.	1773.	7.	H. 6. ∪.	Plum. ic. t. 93. f. 2.
57	hepaticifolia. R.S. (bl.)	Hepatica-leav'd.	E. Indies.	1759.	8. 9.	S. 6. ∪.	Burm. ind. t. 20. f. 2.
58	picata. R.S. (vi.)	spotted-calyx'd.	S. America.	....	7. 11.	S. 6. ∪.	Dill. elth. t. 83. f. 96.
59	mutabilis. B.R. (bl.)	changeable.	—	1812.	5. 9.	S. 4. ∪.	Bot. reg. t. 39.
60	acuinata. R.S. (pu.)	taper-pointed.	—	....	—	S. 4. ∪.	—
61	capitata. R.S. (li.)	hairy-capsuled.	N. America.	....	—	H. 6. ∪.	Dill. elth. t. 84. f. 98.
	<i>carolinus</i> . Ph. <i>Convolvulus carolinus</i> . M. non L.						
62	gemella. R.S. (wh.)	twin-flowered.	E. Indies.	1827.	7. 9.	S. 4. ∪.	Burm. ind. t. 21. f. 1.
63	gangetica. (pi.)	Ganges.	—	1812.	5. 9.	S. 4. ∪.	—
	<i>Convolvulus gangeticus</i> . F.I.						
64	semidigyna. F.I. (wh.)	cleft-styled.	—	1826.	....	S. 4. ∪.	—
65	muricata. R.S. (pu.)	rough.	—	1777.	7. 8.	S. 6. ∪.	Jacq. schenb. 3. t. 323.
	<i>bona nox</i> β <i>purpurascens</i> . B.R. 290. <i>Convolvulus muricata</i> . w.						
66	pseudomuricata. L. en. (pu.)	rough-stem'd.	—	1827.	7. 9.	S. 4. ∪.	—
67	canea. R.S. (fl.)	flesh-coloured.	S. America.	1799.	8. 9.	S. 6. ∪.	Jacq. amer. 26. t. 18.
68	involuta. R.S. (pu.)	involucred.	Sierra Leon.	1822.	8. 10.	S. 6. ∪.	Beauv. fl. d'ow. t. 18. t. 89.
69	barbifera. B.F.G. (bl.)	bearded-calyx'd.	America.	1824.	7. 10.	H. 6. ∪.	Swt. br. fl. gar. t. 86.
70	purpurea. R.S. (pu.)	purple.	—	1629.	6. 9.	H. 6. ∪.	Bot. mag. t. 113.
	<i>β incarnata</i> . (fl.) <i>flesh-coloured</i> . —						
	<i>γ leucantha</i> . (wh.) <i>white-flowered</i> . —						
	<i>δ varia</i> . B.M. (std.) <i>striped-flowered</i> . —						
	<i>ε elatior</i> . B.M. (wh. bl.) <i>spotted-flowered</i> . —						
	<i>discolor</i> . Jacq. — t. 1005.						

71 violæcea. R.S. (vi.) purple-flower'd.S.America.	1732.	8. 9.	S. ⊙. √.	Plum. ic. t. 93. f. 1.
72 corymbösa. R.S. (wh.) corymbose. India.	1823.	—	S. h. √.	— t. 89. f. 2.
73 campanulata. R.S. (pu.w.) bell-flowered. E. Indies.	1800.	—	S. ⊙. √.	Rheed. mal. 2. t. 56.
74 polyänthes. R.S. (ye.gr.) umbel-flowered. W. Indies.	1739.	6. 7.	S. √. √.	Plum. amer. 88. t. 102.
<i>Convolvulus umbellatus</i> . w.				
75 multiflora. R.S. (pu.) many-flowered. Jamaica.	....	—	S. √. √.	Pluk. phyt. t. 167. f. 1.
76 malabärica. R.S. (pu.st.) Malabar. E. Indies.	1823.	....	S. h. √.	Rheed. mal. 2. t. 51.
77 solanifolia. R.S. (ro.) Nightshade-ld. America.	1759.	7. 8.	S. g. √.	Plum. ic. 94. f. 1.
78 leucantha. R.S. (wh.) white-flowered. S. America.	1823.	8. 10.	H. ⊙. √.	Jacq. ic. 2. t. 318.
79 obscura. R.S. (wh.pu.) hairy. E. Indies.	1732.	6. 8.	S. ⊙. √.	Bot. reg. t. 239.
80 fastigiata. (pu.) crowded. ———	1816.	—	S. √. √.	—
<i>Convolvulus fastigiatus</i> . F.I.				
81 máxima. (pu.re.) great Ceylon. Ceylon.	1799.	7. 8.	S. h. √.	Rheed. mal. 2. t. 53.
82 hirsutula. J.E. (wh.) hairy-stemmed. S. America.	1828.	—	S. ⊙. √.	Jacq. f. eclog. t. 44.
83 blanda. (wh.) fair-flowered. ———	1820.	....	S. h. √.	—
<i>Convolvulus bländus</i> . F.I.				
84 laurifolia. (ro.) Laurel-leaved. ———	1822.	5. 8.	S. h. √.	—
<i>Convolvulus laurifolius</i> . F.I.				
85 sphaeroccephala. (ro.) round-headed. ———	1816.	8. 10.	S. ⊙. √.	—
<i>Convolvulus sphaeroccephalus</i> . F.I.				
86 sibirica. R.S. (wh.) Siberian. Siberia.	1779.	7. 8.	H. ⊙. √.	Pall. it. 3. p. 723. t. K.
87 Hardwickii. s.s. (wh.) fringe-calyxed. E. Indies.	1816.	5. 8.	S. √. √.	—
<i>Convolvulus calycinus</i> . F.I. non Kth.				
88 tamnifolia. R.S. (bl.) Tamus-leaved. Carolina.	1732.	7.	H. ⊙. √.	Dill. elth. t. 318. f. 410.
89 capitata. R.S. (bl.) headed. E. Indies.	1823.	7. 10.	S. √. √.	—
90 triquetra. R.S. (pu.) triquetrous. Santa Cruz.	....	—	S. h. √.	—
91 pilosa. (pi.) various-ld. hairy. E. Indies.	1815.	—	S. ⊙. √.	—
<i>Convolvulus pilösus</i> . F.I.				
92 denticulata. B.P. (ye.) denticulate. ———	1778.	7. 8.	S. ⊙. √.	Bot. reg. t. 317.
<i>Convolvulus Medium</i> . w. non L.				
93 bicolor. (ye.pu.) two-coloured. ———	1815.	—	S. √. √.	—
<i>Convolvulus bicolor</i> . F.I.				
94 atropurpurea. F.I. (d.pu.) dark purple. Nepaul.	1824.	7. 9.	H. ⊙. √.	—
95 dentata. F.I. (ye.) toothed-lobed. E. Indies.	1820.	—	S. √. √.	—
96 digitifolia. (pu.) finger-leaved. ———	1815.	6. 8.	S. h. √.	—
<i>Convolvulus digitatus</i> . F.I.				
97 polytricha. (wh.) many-haired. ———	1826.	6. 10.	S. ⊙. √.	—
<i>Convolvulus hirsütus</i> . F.I.				
98 heptaphylla. F.I. (pi.) seven-leaved. ———	1827.	....	S. h. √.	—
99 bogotensis. K.S. (pu.) Bogota. S. America.	1820.	5. 8.	S. h. √.	—
100 sidaefolia. K.S. (wh.) Sida-leaved. ———	1812.	—	S. h. √.	—
101 albivenia. (wh.) white-veined. Algoa Bay.	1825.	9. 10.	S. h. √.	Bot. reg. t. 1116.
<i>Convolvulus albivenius</i> . B.R.				
102 scrobiculata. B.R. (wh.pu.) furrowed. Trinidad.	1822.	3. 6.	S. h. √.	Bot. reg. t. 1076.
103 grandiflora. R.S. (wh.) great-flowered. E. Indies.	1802.	9. 10.	S. h. √.	Andr. reposit. t. 188.
104 noctiluca. B.R. (wh.) night-flowered. ———	1811.	9. 10.	S. h. √.	Bot. reg. t. 889.
105 latiflora. R.S. (wh.) broad-flowered. W. Indies.	....	—	S. h. √.	Jacq. vind. 3. t. 69.
106 filiformis. R.S. (pu.) filiform. ———	1823.	—	S. h. √.	Jacq. amer. pict. t. 26.
107 salicifolia. F.I. (wh.) Willow-leaved. E. Indies.	1816.	5. 7.	S. g. √.	—
108 Roxburghii. (ro.) Roxburgh's. ———	1817.	—	S. h. √.	—
<i>multiflora</i> . F.I. nec aliorum.				
109 sepiaria. F.I. (ro.) hedge. ———	—	—	S. h. √.	Rheed. mal. 11. t. 53.
110 pandurata. B.R. (uc.re.) Virginian. N. America.	1732.	6. 9.	G. √. √.	Bot. reg. t. 588.
<i>Convolvulus panduratus</i> . B.M. 1939.				
111 cändicans. (wh.) hoary. ———	....	6. 8.	G. √. √.	Bot. mag. t. 1603.
<i>Convolvulus cändicans</i> . B.M.				
112 glaucifolia. R.S. (fl.) glaucous-leaved. Mexico.	1732.	5. 7.	G. √. √.	Dill. elth. t. 87. f. 101.
113 réptans. R.S. (li.) creeping. E. Indies.	1806.	—	S. √. √.	Rumph. am. 5. t. 155. f. 1.
114 angustifolia. R.S. (ye.) narrow-leaved. ———	1800.	7. 8.	S. ⊙. √.	Jacq. ic. rar. t. 317.
115 tridentata. R.S. (pu.st.) trifid. ———	1778.	—	S. ⊙. √.	Rheed. mal. 2. t. 65.
116 stans. R.S. (vi.) Mexican. Mexico.	1824.	—	S. √. √.	Cavan. icon. 3. t. 250.
117 bignonioides. B.M. (d.pu.) trumpet-flower'd. Cayenne.	1823.	—	S. √. √.	Bot. mag. t. 2645.
118 sagittifolia. B.R. (ro.) arrow-leaved. Carolina.	1819.	6. 9.	G. √. √.	Bot. reg. t. 437.
<i>Convolvulus sagittifolius</i> . R.S.				
119 vitifolia. (ye.) Vine-leaved. E. Indies.	1820.	—	S. h. √.	Burm. ind. t. 18. f. 1.
<i>Convolvulus vitifolius</i> . R.S.				
120 stipulæcea. (wh.) stipuled. ———	1805.	8. 10.	S. √. √.	—
<i>Convolvulus stipulæceus</i> . F.I.				
121 pentagöna. F.I. (wh.) five-angled. ———	1824.	5. 8.	S. √. √.	—
122 cæspitösa. F.I. (st.) tufted. ———	1827.	—	S. g. √.	—

123	Beladámboe. R.S. (wh.) whipcord. <i>Convolvulus flagelliformis</i> . F.I.	E. Indies.	1809.	7. 9.	S. 2.	Rheed. mal. 11. t. 58.
124	renifórmis. F.I. (ye.) kidney-leaved. ———	—————	1825.	————	S. 2.	—————
125	bilobáta. F.I. (pu.) two-lobed. ———	—————	1809.	6. 7.	S. 2.	Rumph. amb. 5. t. 159. f. 1
126	brasiliénsis. (pu.) three-flowered. Brazil. <i>Convolvulus brasiliénsis</i> . w.	—————	1726.	————	S. 2.	Plum. amer. 89. t. 104.
127	pés-cápræ. (pu.) single-flowered. E. Indies. <i>marítima</i> . B.R. <i>Convolvulus pés-cápræ</i> . F.I.	—————	1770.	————	S. 2.	Bot. reg. t. 319.
128	arboréscens. (wh. pu.) tree. Mexico.	—————	1818.	....	S. h.	—————
ARGYRÆIA. S.S. ARGYRÆIA. Pentandria Monogynia. S.S.						
1	spléndens. (ro.) glossy-leaved. E. Indies. <i>Ipomœa spléndens</i> . B.M. <i>Lettsómia spléndens</i> . F.I.	—————	1814.	11. 1.	S. h. ∪	Bot. mag. t. 2628.
2	speciôsa. (pu.) broad-leaved. E. Indies. <i>Ipomœa speciôsa</i> . B.M. <i>Convolvulus speciôsus</i> . w. <i>Lettsómia nervôsa</i> . F.I.	—————	1778.	7. 9.	S. h. ∪	Bot. mag. t. 2446.
3	argénteá. (pi.) silvery-leaved. E. Indies. <i>Lettsómia argénteá</i> . F.I.	—————	1820.	....	S. h. ∪	—————
4	setôsa. F.I. (pi.) bristly-stemmed. ———	—————	————	....	S. h. ∪	—————
5	cuneáta. B.R. (d. pu.) wedge-leaved. ——— <i>Lettsómia cuneáta</i> . F.I. <i>Ipomœa atrosanguínea</i> . B.M.	—————	1817.	6. 9.	S. h. ∪	Bot. reg. t. 661.
6	cymôsa. (li.) cyme-flowered. E. Indies. <i>Lettsómia cymôsa</i> . F.I.	—————	1823.	....	S. h. ∪	—————
7	pomácea. F.I. (pi.) Apple-fruited. ———	—————	1828.*	....	S. h. ∪	—————
8	bóna-nóx. F.I. (wh.) night-flowering. ———	—————	1799.	6. 9.	S. h. ∪	—————
9	uniflóra. F.I. (wh.) kidney-leaved. ———	—————	1817.	....	S. h. ∪	—————
10	ornáta. F.I. (wh.) large white-flower'd. ———	—————	1824.	....	S. h.	—————
11	virgáta. .... slender-twigged. ———	—————	1825.	....	S. h. ∪	—————
DIN'ETUS. B.F.G. DIN'ETUS. Pentandria Monogynia.						
1	racemôsus. B.F.G. (wh.) cluster-flower'd. Nepal. <i>Porána racemôsa</i> . F.I.	—————	1823.	7. 11.	H. ⊙ ∪	Swt. br. fl. gar. t. 127.
2	paniculátus. (wh.) paniced. E. Indies. <i>Porána paniculáta</i> . F.I.	—————	————	....	S. h. ∪	Roxb. corom. 3. t. 235.
POR'ANA. W. POR'ANA. Pentandria Digynia.						
	volúbilis. w. (wh.) climbing. E. Indies.	—————	1823.	....	S. h. ∪	Burm. ind. t. 21. f. 1.
EVO'LVULUS. S.S. EVO'LVULUS. Pentandria Digynia. R.S.						
1	nummulárius. R.S. (bl.) round-leaved. Jamaica.	—————	1816.	10.	S. ⊙	Jacq. amer. t. 260. f. 23.
2	gangéticus. R.S. (bl.) Ganges. E. Indies.	—————	1823.	————	S. ⊙	—————
3	emarginátus. R.S. (bl.) kidney-leaved. ———	—————	1816.	————	S. ⊙	Burm. ind. t. 30. f. 1.
4	alsinoidés. R.S. (bl.) chickweed-leaved. ———	—————	1733.	6. 7.	S. 2.	Rheed. mal. 11. t. 64.
5	hirsútus. R.S. (pa. bl.) hairy. Cumana.	—————	1825.	6. 8.	S. 2.	Lam. ill. t. 216. f. 2.
6	lanceolátus. Poi. (pa. bl.) spear-leaved. S. America.	—————	1818.	————	S. 2.	—————
7	linifólius. R.S. (bl.) flax-leaved. Jamaica.	—————	1782.	8. 9.	S. ⊙	Brown. jam. t. 10. f. 2.
8	seríceus. R.S. (wh.) silky. ———	—————	1827.	8. 10.	S. ⊙	—————
9	incánus. R.S. (bl.) hoary. Peru.	—————	1824.	————	S. 2.	—————
10	Nuttalliánus. R.S. (ye.) Nuttall's. Missouri.	—————	1821.	5. 6.	H. 2.	—————
<i>argénteus</i> . N.						
11	latifólius. B.R. (wh.) broad-leaved. Brazil.	—————	1819.	6. 7.	S. 2.	Bot. reg. t. 401.
CRE'SSA. R.S. CRE'SSA. Pentandria Digynia. L.						
	crética. R.S. (wh.) Cretan. Levant.	—————	1822.	7. 9.	H. ⊙	Flor. græc. t. 256.
DICHON'DRA. R.S. DICHON'DRA. Pentandria Digynia. L.						
1	répens. R.S. (wh.) creeping. N. S. W.	—————	1803.	6. 8.	G. 2.	Sm. ic. ined. 1. t. 8.
2	rotundifólia. L. en. (wh.) round-leaved. Persia.	—————	1816.	————	H. 2.	—————
3	caroliniana. R.S. (gr.) Carolina. Carolina.	—————	1812.	————	G. 2.	—————
4	seríceá. s.s. (wh.) silky. W. Indies.	—————	1793.	————	S. 2.	Swartz. ic. t. 10.
5	argénteá. R.S. (wh.) silvery. New Spain.	—————	1818.	————	S. 2.	Willd. hort. ber. t. 81.
FAL'KIA. R.S. FAL'KIA. Pentandria Digynia. L.						
	répens. R.S. (wh.) creeping. C. B. S.	—————	1774.	5. 8.	G. h.	Andr. reposit. t. 257.
CUSC'UTA. R.S. DODDER. Pentandria Digynia. R.S.						
1	europæa. R.S. (wh.) great. England.	—————	....	8. 9.	H. ⊙ ∪	Eng. bot. v. 6. t. 378.
2	Epithýmum. R.S. (wh.) lesser. Britain.	—————	....	7. 10.	H. 2 ∪	————— v. 1. t. 55.
3	epilinum. s.s. (wh.) Flax. Germany.	—————	1821.	————	H. ⊙ ∪	—————
4	monogyna. R.S. (wh.) one-styled. Levant.	—————	————	————	H. ⊙ ∪	Flor. græc. t. 257.
5	lupulifórmis. R.S. (wh.) rough dotted. Silesia.	—————	1824.	————	H. ⊙ ∪	Krock. siles. t. 36.
6	macrocarpa. Led. (wh.) large-podded. Siberia.	—————	1827.	————	H. ⊙ ∪	—————
7	chinénsis. R.S. (wh.) Chinese. China.	—————	1803.	————	G. ⊙ ∪	—————
8	austrális. B.P. (wh.) New Holland. N. Holland.	—————	1818.	————	G. 2 ∪	—————
9	chilénsis. B.R. (wh.) Chili. Chili.	—————	1821.	1. 12.	G. 2 ∪	Bot. reg. t. 603.
10	odoráta. R.S. (wh.) sweet-scented. Lima.	—————	1820.	————	H. 2 ∪	—————
11	verrucôsa. B.F.G. (wh.) warted-calyxcd. Nepal.	—————	1822.	9. 11.	H. 2 ∪	Swt. br. fl. gar. t. 6.
12	Hookeri. (wh.) Hooker's. E. Indies.	—————	1823.	————	H. ⊙	Hook. ex. flor. t. 150.
<i>refléxa</i> . var. <i>verrucôsa</i> . H.E.F. excl. synon.						

## ORDO CXLIX.

BORAGINEÆ. *Brown prodr. 1. p. 492.*

TIARI'DIUM. S.S.	TIARI'DIUM.	Pentandria Monogynia. S.S.			
1 indicum. s.s.	(li.) Indian.	W. Indies.	1713.	6. 8.	S. ⊙ Bot. mag. t. 1837.
	<i>Heliotropium indicum.</i> B.M.				
2 velutinum. R.S.	(wh.) villous-stalked.	E. Indies.	....	—	S. ⊙ Rheed. mal. 10. t. 48.
HELIOTROPIUM. S.S.	TURNSOLE.	Pentandria Monogynia. L.			
1 peruvianum. s.s.	(wh.) Peruvian.	Peru.	1757.	5. 9.	G. h. Bot. mag. t. 141.
	<i>β hybridum.</i> (wh.) <i>More's hybrid.</i>	Hybrid.	1815.	—	G. h.
2 corymbosum. s.s.	(bl.) large-flowered.	—	1808.	—	G. h. Bot. mag. t. 1609.
	<i>grandiflorum.</i> L.en.				
3 maroccanum. s.s.	(wh.) Morocco.	Morocco.	1821.	—	G. h.
4 parviflorum. s.s.	(wh.) small-flowered.	India.	1732.	7. 9.	S. ♂ Dill. elth. t. 146. f. 175.
5 europæum. s.s.	(wh.) European.	S. Europe.	1562.	6. 10.	H. ⊙ Jacq. aust. 3. t. 207.
6 commutatum. R.S.	(wh.) smaller.	—	....	—	H. ⊙
7 oblongifolium. L.en.	(w.) oblong-leaved.	—	1827.	—	H. ⊙
8 suaveolens. s.s.	(wh.) sweet-scented.	Caucasus.	1823.	—	H. ⊙
9 coromandelianum. w.	(w.) Coromandel.	E. Indies.	1812.	7. 10.	S. ♂
10 curassavicum. s.s.	(wh.) glaucous.	S. America.	1731.	6. 7.	S. ♂ Bot. mag. t. 2669.
11 chenopodioides. W.en.	(w.) smooth-leaved.	—	1820.	—	S. ♂
12 anisophyllum. B.G.	(w.) unequal-leaved.	Africa.	1822.	—	S. ♂ Beau. fl. d. ow. 2. t. 94.
13 zeylanicum. R.S.	(wh.) Ceylon.	Ceylon.	1815.	—	S. ♂ Burm. ind. t. 16. f. 2.
14 linifolium. R.S.	(wh.) flax-leaved.	C. B. S.	—	—	G. h.
	<i>Myosotis fruticosa.</i> w.				
15 demissum. R.S.	(wh.) dwarf.	S. America.	1752.	5. 6.	S. h. Plum. ic. 227. f. 2.
	<i>Tournefortia humilis.</i> w.				
16 supinum. s.s.	(wh.) trailing.	S. Europe.	1640.	6. 7.	H. ⊙ Flor. græc. t. 157.
LITHOSPERMUM. S.S.	GROMWELL.	Pentandria Monogynia. L.			
1 fruticosum. s.s.	(re.) shrubby.	S. Europe.	1683.	5. 6.	H. h. Flor. græc. t. 161.
2 prostratum. s.s.	(pu.) prostrate.	—	1825.	—	H. h. Lois. fl. gall. add. 1. t. 4.
3 sericeum. s.s.	(st.) silky.	N. America.	1824.	—	H. h.
4 divaricatum. s.s.	(st.) spreading.	Africa.	1829.	7. 9.	H. h.
5 hispidulum. s.s.	(bl.) bristly.	Greece.	1828.	—	F. h.
6 arvense. s.s.	(st.) corn.	Britain.	....	5. 6.	H. ⊙ Eng. bot. v. 2. t. 123.
7 officinale. s.s.	(ye.) officinal.	—	....	5. 8.	H. h. — v. 2. t. 134.
8 latifolium. s.s.	(st.) broad-leaved.	America.	1816.	—	H. h.
9 distichum. s.s.	(st.) two-spiked.	Mexico.	1806.	—	G. h. Jacq. fragm. t. 48. f. 3.
10 orientale. s.s.	(ye.) yellow-flower'd.	Levant.	1713.	—	H. h. Bot. mag. t. 515.
11 lineatum. s.s.	(st.) lined.	.....	1816.	—	H. h.
12 apulum. s.s.	(ye.) small.	S. Europe.	1768.	6. 7.	H. ⊙ Flor. græc. t. 158.
13 crassifolium. s.s.	(st.) thick-leaved.	Levant.	1825.	5. 8.	H. h.
14 decumbens. s.s.	(st.) decumbent.	Persia.	—	7. 9.	H. ⊙ Vent. cels. t. 37.
15 villösium. s.s.	(pu.) villous.	S. Europe.	1820.	6. 7.	H. h.
16 tinctorium. R.S.	(st.) dyer's.	—	1596.	6. 10.	H. h.
17 purpureo-cæruleum. (bl.)	creeping.	England.	....	5. 6.	H. h. Eng. bot. v. 2. t. 117.
18 graminifolium. s.s.	(bl.) grass-leaved.	S. Europe.	1826.	—	H. h. Viv. frag. ital. t. 5.
19 tenuiflorum. s.s.	(wh.) slender-flower'd.	Egypt.	1796.	—	H. ⊙ Jacq. ic. 2. t. 313.
20 dispernum. s.s.	(li.) two-seeded.	Spain.	1799.	6. 7.	H. ⊙ Linn. dec. 1. t. 7.
21 davuricum. s.s.	(bl.) Daurian.	Davuria.	1812.	5. 6.	H. h. Swt. br. fl. gar. t. 121.
	<i>Pulmonaria davurica.</i> B.M. 1743.				
22 denticulatum. s.s.	(pu.) toothed.	N. America.	1801.	—	H. h.
23 sibiricum. s.s.	(pu.) Siberian.	Siberia.	—	6. 7.	H. h. Gmel. sib. 4. n. 15. t. 39.
24 maritimum. s.s.	(bl.) sea-side.	Britain.	....	—	H. h. Eng. bot. v. 6. t. 368.
	<i>Pulmonaria maritima.</i> E.B.				
25 parviflorum. (bl.)	small-flowered.	N. America.	1824.	—	H. h.
26 pülchrum. s.s.	(bl.) Virginian.	—	1699.	3. 5.	H. h. Bot. mag. t. 160.
	<i>Pulmonaria virginica.</i> B.M.				
27 paniculatum. s.s.	(pu.) panicked.	Hudson's Bay.	1778.	5. 6.	H. h. Bot. reg. t. 146.
	<i>Pulmonaria paniculata.</i> B.R.				
28 lanceolatum. (bl.)	marginated.	Louisiana.	1813.	—	H. h.
	<i>Pulmonaria lanceolata.</i> Ph. marginata. N.				
29 simplicissimum. s.s.	(bl.) simple-stalked.	Siberia.	1829.	—	H. h.
BA'TSCHIA. M.	BA'TSCHIA.	Pentandria Monogynia.			
1 Gmelini. m.	(ye.) Carolina.	Carolina.	1812.	5. 7.	H. h.
	<i>caroliniana.</i> R.S. <i>Lithospermum hirtum.</i> s.s.				

2	canescens. M.	(ye.) canescent.	N. America.	....	5. 7.	H. ♀.	Mich. amer. 1. t. 14.
3	longiflora. N.	(ye.) long-flowered.	Missouri.	1812.	—	H. ♀.	
4	decumbens. N.	(ye.) decumbent.	N. America.	1826.	—	H. ♀.	
5	conspicua. B.	(ye.) conspicuous.	—	1827.	—	H. ♀.	
<b>PULMONARIA. S.S. LUNGWORT. Pentandria Monogynia. L.</b>							
1	azurea. s.s.	(bl.) azure.	Hungary.	1823.	5.	H. ♀.	Moris. his. s. 11. t. 29. f. 5.
2	angustifolia. s.s.	(pu.) narrow-leaved.	Britain.	....	4. 5.	H. ♀.	Eng. bot. v. 23. t. 1628.
3	tuberosa. s.s.	(pu.) tuberous-rooted.	Hungary.	1824.	5.	H. ♀.	
4	mollis. s.s.	(pu.) soft-leaved.	—	1816.	—	H. ♀.	Swt. br. fl. gar. ic.
5	officinalis. R.S.	(pu.) common.	England.	....	—	H. ♀.	Eng. bot. v. 2. t. 118.
6	saccharata. L. en.	(wh.) white-flowered.	Germany.	1816.	—	H. ♀.	Moris. s. 11. t. 29.
7	grandiflora. R.S.	(pu.) large-flowered.	.....	....	—	H. ♀.	DC. ic. ined. t. 64.
8	oblongata. Schr.	(pu.) oblong-leaved.	Germany.	1820.	—	H. ♀.	
<b>ONOSM'ODIUM. M. ONOSM'ODIUM. Pentandria Monogynia. R.S.</b>							
1	hispidum. R.S.	(st.) hispid.	N. America.	1759.	6.	H. ♀.	Moris. s. 11. t. 28. f. 3.
2	molle. R.S.	(wh.) soft.	—	1812.	6. 8.	H. ♀.	Mich. amer. t. 15.
<b>ONOSMA. R.S. ONOSMA. Pentandria Monogynia. L.</b>							
1	echioides. s.s.	(ye.) hairy.	S. Europe.	1683.	3. 6.	H. ♀.	Flor. græc. t. 172.
2	giganteum. s.s.	(ye.) gigantic.	Tauria.	1818.	—	H. ♀.	
3	montanum. R.S.	(ye.) mountain.	Levant.	1827.	—	H. ♀.	Colum. ecphr p. 183. f. 2.
4	arenarium. R.S.	(ye.) sand.	Hungary.	1804.	3. 7.	H. ♀.	W. et K. hung. 3. t. 279.
5	stellulatum. W.K.	(ye.) starry-haired.	—	1816.	—	H. ♀.	2. t. 173.
6	tauricum. B.M.	(go.) golden-flower'd.	Tauria.	1801.	4. 6.	F. ♀.	Bot. mag. t. 889.
7	tinctorium. R.S.	(st.) dyer's.	Volga.	1828.	—	H. ♀.	
8	rupestre. R.S.	(ye.) rock.	Caucasus.	1823.	—	H. ♀.	
9	erectum. R.S.	(ye.) upright.	Crete.	1828.	—	F. ♀.	Flor. græc. t. 173.
10	orientale. s.s.	(st.) oriental.	Levant.	1752.	5. 6.	G. ♀.	
11	divaricatum. s.s.	(st.) spreading.	Caucasus.	1818.	4. 6.	H. ♀.	Pall. it. 2. app. t. 50.
12	simplicissimum. R.S.	(st.) linear-leaved.	Siberia.	1768.	—	H. ♀.	Bot. mag. t. 2248.
13	trinervium. s.s.	(st.) three-nerved.	Mexico.	1825.	—	G. ♀.	
14	sericeum. R.S.	(ye.) silky-leaved.	Levant.	1752.	6. 7.	F. ♀.	
15	synanthèrum. F.	(ye.) connected.	Altay.	1827.	—	H. ♀.	
<b>MO'LTZIA. R.S. MO'LTZIA. Pentandria Monogynia.</b>							
	cœrulea. R.S.	(bl.) blue-flowered.	Persia.	1829.	4. 6.	H. ♀.	
<b>SY'MPHYTUM. R.S. COMFREY. Pentandria Monogynia. L.</b>							
1	officinale. R.S.	(wh.) common.	Britain.	....	5. 7.	H. ♀.	Eng. bot. v. 12. t. 817.
	β purpurascens.	(pu.) purplish.	—	....	—	H. ♀.	
2	bohemicum. P.S.	(re.) red-flowered.	Bohemia.	....	—	H. ♀.	
3	caucasicum. R.S.	(bl.) Caucasian.	Caucasus.	1816.	—	H. ♀.	
4	tuberosum. R.S.	(wh.) tuberous-root'd.	Scotland.	....	5. 10.	H. ♀.	Eng. bot. v. 23. t. 1502.
5	bulbosum. s.s.	.... bulbous-rooted.	Levant.	1829.	5. 7.	H. ♀.	Reich. icon. t. 220.
6	orientale. R.S.	(wh.) eastern.	Turkey.	1752.	—	H. ♀.	Bot. mag. t. 1912.
7	bullatum. s.s.	(wh.) blistered.	Tauria.	1806.	—	H. ♀.	— t. 1787.
	tauricum. B.M.						
8	cordatum. W.K.	(st.) heart-leaved.	Hungary.	1813.	—	H. ♀.	W. et K. hung. 6. t. 7.
9	asperimum. R.S.	(bl.) roughest.	Caucasus.	1799.	5. 9.	H. ♀.	Bot. mag. t. 929.
10	echinatum. R.S.	(pu.) bristly.	.....	1824.	—	H. ♀.	
11	peregrinum. s.s.	(wh.) oblique-leaved.	Poland.	1816.	5. 7.	H. ♀.	
<b>CERIN'THE. R.S. HONEYWORT. Pentandria Monogynia. L.</b>							
1	majior. R.S.	(ye. pu.) great.	S. Europe.	1596.	7. 8.	H. ⊙.	Bot. mag. t. 333.
2	aspera. R.S.	(pu. ye.) rough.	—	1633.	—	H. ⊙.	Flor. græc. t. 170.
3	retorta. F.G.	(pu. ye.) bent topped.	Levant.	1828.	—	H. ⊙.	— t. 171.
4	minor. R.S.	(ye.) small.	Austria.	1570.	6. 10.	H. ⊙.	Jacq. aust. 2. t. 124.
5	alpina. R.S.	(pu. ye.) alpine.	M. Carpathian.	1827.	—	H. ⊙.	
6	maculata. R.S.	(ye. pu.) spotted.	Tauria.	1804.	—	H. ♂.	
<b>ECHIUM. R.S. VIPER'S-BUGLOSS. Pentandria Monogynia. L.</b>							
1	fruticosum. R.S.	(wh. bh.) frutescent.	C. B. S.	1759.	5. 6.	G. ♀.	Bot. reg. t. 86.
2	hispidum. R.S.	(wh.) hispid-leaved.	—	1816.	—	G. ♀.	
3	verrucosum. R.S.	(wh.) warted.	—	1820.	5. 7.	G. ♀.	
4	laevigatum. R.S.	(wh.) smooth-stalked.	—	1774.	6. 7.	G. ♀.	
5	glaucophyllum. R.S.	(bl.) glaucous-leaved.	—	1792.	6. 8.	G. ♀.	Jacq. ic. t. 312.
6	glabrum. R.S.	(wh.) smooth.	—	1791.	5. 6.	G. ♀.	
7	paniculatum. R.S.	(wh.) panicled.	—	1815.	—	G. ♀.	
8	grandiflorum. R.S.	(ro.) great-flowered.	—	1787.	6. 7.	G. ♀.	Bot. reg. t. 124.
	formosum. P.S.						
9	ferocissimum. A.R.	(bl.) prickly-stalked.	—	1794.	—	G. ♀.	Andr. posit. t. 39.
10	petraeum. s.s.	(bl.) rock.	Dalmatia.	1828.	—	H. ♂.	
11	calycinum. R.S.	(bl. ye.) large-calyxed.	S. Europe.	1829.	6. 8.	H. ⊙.	Viv. frag. ital. 1. t. 4.

12	spicatum. R.S.	(wh.)	spiked dwarf.	C. B. S.	1799.	3. 5.	G. ♀.	
13	caudatum. R.S.	(re.)	tailed.	————	1815.	6. 9.	G. ♀.	
14	capitatum. R.S.	(re.)	headed.	————	1822.	—	G. ♀.	
15	sphærocephalon. S.S.(w.)	(wh.)	round-headed.	————	1824.	—	G. ♀.	
16	argenteum. R.S.	(bl.)	silvery.	————	1789.	6. 7.	G. ♀.	Andr. reposit. t. 154.
17	lasiophyllum. L.en.(w.)	(w.)	woolly-leaved.	————	1819.	—	G. ♀.	
18	Swartzii. R.S.	(bl.)	Swartz's.	C. B. S.	1816.	—	G. ♀.	
19	incanum. R.S.	(bl.)	hoary.	————	—	4. 6.	G. ♀.	
20	strigosum. R.S.	(vi.)	strigose.	————	1819.	6. 7.	G. ♀.	
21	giganteum. R.S.	(wh.)	gigantic.	Canaries.	1779.	7. 11.	G. ♀.	Vent. malm. t. 71.
22	aculeatum. R.S.	(st.)	prickly.	————	1815.	5. 8.	G. ♀.	
23	molle. R.S.	(wh.)	soft-leaved.	————	—	—	G. ♀.	
24	nervosum. H.K.	(wh.)	sinewy-leaved.	Madeira.	1777.	6. 8.	G. ♀.	
25	bifrons. DC.	(bh.)	two-fronted.	Canaries.	1815.	—	G. ♀.	
26	ambiguum. DC.	(bh.)	ambiguous.	————	—	5. 7.	G. ♀.	DC. ic. mons. ined. t. 20.
27	virescens. DC. (pa.bl.)	(wh.)	green-leaved.	————	—	—	G. ♀.	
28	candicans. R.S.	(bl.)	hoary tree.	Madeira.	1777.	5. 6.	G. ♀.	Bot. reg. t. 44.
29	cygnosoides. R.S.(bl.)	(wh.)	hound's-tongue-ld.	Canaries.	1816.	—	G. ♀.	
30	densiflorum. DC.	(li.)	dense-flowered.	————	—	—	G. ♀.	DC. ic. m. ined. t. 22.
31	fastuosum. H.K.	(bl.)	fastuous.	————	1779.	4. 8.	G. ♀.	
32	strictum. R.S.	(bl.)	upright.	————	—	5. 12.	G. ♀.	Jacq. schœn. 1. t. 35.
33	lineatum. R.S.	(bh.)	lined.	————	1815.	5. 6.	G. ♀.	Jacq. f. eclog. t. 42.
34	macrophyllum. R.S.(bl.)	(bl.)	large-leaved.	————	1812.	—	G. ♀.	
35	foliosum. R.S.	(wh.)	leafy.	————	—	—	G. ♀.	
36	simplex. DC.	(wh.)	simple-stalked.	Canaries.	—	5. 12.	G. ♀.	DC. ic. m. ined. t. 21.
37	brachyanthum. R.S.(w.)	(wh.)	short-flowered.	Madeira.	1820.	5. 7.	G. ♀.	
38	scabrum. R.S.	(bl.)	rough.	C. B. S.	—	—	G. ♀.	
39	plantagineum. R.S.(pu.)	(pu.)	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ♂.	Flor. græc. t. 179.
40	lusitanicum. R.S. (bl.)	(bl.)	Portugal.	S. Europe.	1731.	7. 8.	H. ♀.	
41	plantaginoides. R.S.(bl.)	(bl.)	Plantain-like.	————	1825.	—	H. ♂.	Jacq. vind. 1. t. 45.
42	prostratum. R.S. (re.)	(re.)	prostrate.	Egypt.	1824.	—	H. ♀.	
43	macranthum. R.S. (vi.)	(vi.)	large-flowered.	Barbary.	—	7. 10.	H. ♂.	Desf. atl. 1. t. 46.
	grandiflorum. Desf. non Andr.							
44	anstrale. R.S. (re.pu.)	(re.pu.)	oval-leaved.	S. Europe.	1824.	—	H. ♂.	Swt. br. fl. gar. t. 101.
45	Simsii. (re.bl.)	(re.bl.)	Sims's.	————	1816.	—	H. ♂.	Bot. mag. t. 1934.
	creticum. B.M. non Flor. græc.							
46	maritimum. R.S. (bl.)	(bl.)	sea-side.	Italy.	1815.	—	H. ♂.	Bocc. mus. 2. t. 78.
47	italicum. R.S.	(wh.)	white.	Jersey.	....	7. 8.	H. ♂.	Eng. bot. v. 29. t. 2081.
48	pyrenæicum. R.S. (bl.)	(bl.)	Pyrenean.	Pyrenees.	1815.	—	H. ♂.	
49	asperrimum. M.B. (bl.)	(bl.)	roughest.	Caucasus.	1826.	—	H. ♂.	
50	thyrsoideum. R.S. (bl.)	(bl.)	bunch-flowered.	————	1823.	—	H. ♂.	
51	rubrum. R.S.	(re.)	red-flowered.	Hungary.	1791.	—	H. ♀.	Bot. mag. t. 1822-1826.
52	vulgare. R.S. (bl.)	(bl.)	common.	Britain.	....	—	H. ♂.	Eng. bot. v. 3. t. 181.
	β album. (wh.)	(wh.)	white-flowered.	————	....	—	H. ♂.	
53	tuberculatum. R.S.(bl.)	(bl.)	tubercled.	S. Europe.	1826.	—	H. ♂.	
54	violaceum. R.S. (vi.bl.)	(vi.bl.)	violet-flowered.	Austria.	1658.	—	H. ♂.	
55	parviflorum. H.K. (bl.)	(bl.)	small-flowered.	Barbary.	1798.	—	H. ♂.	
	micranthum. R.S.							
56	ténue. S.S.	(bl.)	slender.	————	1824.	—	H. ♂.	
57	Sibthorpii. R.S. (ro.)	(ro.)	Sibthorp's.	Naples.	—	—	H. ♂.	Flor. græc. t. 181.
	hispidum. F.G. nec aliorum, élégans. Lehm.							
58	diffusum. R.S.	(re.)	spreading.	Crete.	1827.	7. 9.	H. ♂.	Flor. græc. t. 182.
59	creticum. R.S. (pu.)	(pu.)	Cretan.	Levant.	1683.	—	H. ♂.	— t. 183.
60	orientale. R.S. (pu.)	(pu.)	oriental.	————	1780.	7. 8.	H. ♂.	Tourn. it. 2. f. 107.
61	dahuricum. F. (bl.)	(bl.)	Dahurian.	Dahuria.	1827.	—	H. ♂.	
62	angustifolium. S.S. (bl.)	(bl.)	narrow-leaved.	Spain.	1826.	—	H. ♂.	
63	Lagascanum. R.S. (li.)	(li.)	Lagasca's.	————	—	—	H. ♀.	
64	salmanticum. R.S.(pu.)	(pu.)	long-stamened.	————	1824.	—	H. ♂.	
N'ONEA. DC.		N'ONEA. Pentandria Monogynia. R.S.						
1	violæca. DC. (vi.)	(vi.)	violet-coloured.	S. Europe.	1686.	5. 7.	H. ♂.	Moris. s. 11. t. 26. f. 11.
	Lycopsis vesicaria. w.							
2	nigricans. DC. (d.pu.)	(d.pu.)	black-flowered.	————	....	—	H. ♂.	Zanon. hist. 56. t. 38.
3	palla. DC. (d.pu.)	(d.pu.)	dark-flowered.	Germany.	1648.	6. 7.	H. ♀.	Jacq. aust. 2. t. 188.
4	ciliata. R.S.	(ye.)	fringed.	Levant.	1804.	—	H. ♂.	
5	rosea. L.en. (ro.)	(ro.)	rose-coloured.	Caucasus.	1824.	—	H. ♂.	
	Anchusa rosea. M.B. Lycopsis rosea. S.S.							
6	setosa. R.S.	(ye.)	bristly.	Iberia.	1826.	—	H. ♂.	
7	versicolor. (bl.ye.)	(bl.ye.)	various-colored.	————	1820.	—	H. ♂.	
	Anchusa versicolor. R.S.							

- 8 lutea. DC. (ye.) pale yellow. S. Europe. 1805. 6. 7. H. ⊙. Nocc. hort. tran. t. 3.  
*Anchusa lutea*. R.S. *Lycopsis lutea*. s.s.
- 9 picta. (bl.std.) painted. Tauria. 1818. — H. ⊙.  
*Anchusa picta*. M.B. *Lycopsis picta*. s.s.
- LYCOPSIS. L.** WILD BUGLOSS. Pentandria Monogynia. L.
- arvensis. L. (bl.) common. Britain. .... 5. 8. H. ⊙. Eng. bot. v. 14. t. 938.
- ASPERUGO. L.** GERMAN MADWORT. Pentandria Monogynia. L.
- procumbens. L. (bl.) procumbent. Britain. .... 4. 5. H. ⊙. Eng. bot. v. 10. t. 661.
- ANCHUSA. R.S.** BUGLOSS. Pentandria Monogynia. L.
- 1 Barrelieri. R.S. (bl.) Barrelier's. Italy. 1815. 6. 7. H. ♀. Barrel. ic. 333.  
 2 paniculata. R.S. (bl.) panicked. Levant. 1777. 6. 10. H. ♀. Flor. græc. t. 163.  
 3 itálica. B.R. (bl.) Italian. S. Europe. 1597. — H. ♀. Bot. reg. t. 483.  
 4 Millèri. R.S. (ro.) Miller's. .... — H. ⊙.  
 5 myosotidiflora. s.s. (bl.) Myosotis-flower'd. Caucasus. 1828. — H. ♀.  
 6 stylösa. R.S. (bl.) long-styled. Tauria. 1824. — H. ⊙. MB. cent. pl. rar. t. 23.  
 7 procera. s.s. (bl.) tall. Poland. 1822. — H. ♀.  
 8 lycopsoides. L. en. (vi.) Lycopsis-like. .... — H. ♀.  
 9 variegata. s.s. (bl.cr.) variegated. Levant. 1683. 6. 7. H. ⊙. Flor. græc. t. 178.  
*Lycopsis variegata*. F.G.
- 10 ovata. s.s. (bl.) oval-leaved. — 1796. — H. ⊙. Buxb. cent. 5. t. 30.  
*Lycopsis orientalis*. R.S.
- 11 tinctoria. R.S. (bl.) dyer's. — 1596. 6. 10. H. ♀. Flor. græc. t. 166.  
 12 parviflora. R.S. (bl.) small-flowered. Levant. 1827. — H. ⊙.  
 13 aggregata. s.s. (bl.) clustered. — — H. ⊙. Flor. græc. t. 107.  
*parviflora*. Flor. græc. non w.
- 14 hispida. R.S. (vi.) hispid. Egypt. 1823. — H. ♀.  
 15 tenella. R.S. (wh.) slender. China. 1816. — H. ⊙. Jacq. f. ed. t. 29.  
*zeylanica*. Jacq.
- 16 cæspitosa. F.G. (bl.) tufted. Levant. 1828. — H. ♀. Flor. græc. t. 169.  
 17 officinalis. R.S. (vi.) common. Britain. .... — H. ♀. Eng. bot. v. 10. t. 662.  
 18 incarnata. Schr. (fl.) flesh-coloured. Europe. .... — H. ♀.  
 19 undulata. R.S. (pu.) wave-leaved. S. Europe. 1739. 6. 8. H. ♀. Bot. mag. t. 2119.  
 20 ochroleuca. R.S. (st.) pale-flowered. Caucasus. 1810. 7. 8. H. ♀. — t. 1608.  
 21 angustifolia. R.S. (bl.) narrow-leaved. Europe. 1640. 5. 6. H. ♀. Flor. græc. t. 164.  
 22 capensis. R.S. (vi.) Cape. C. B. S. 1800. 7. 8. G. ♂. Andr. reposit. t. 336.  
 23 hybrida. R.S. (pu.) villous. Naples. 1818. 7. 10. H. ⊙. Ten. fl. neap. t. 11.  
 24 Gmelini. s.s. (bl.) Gmelin's. Siberia. 1829. — H. ♀.  
 25 alpèstris. s.s. (bl.) alpine. Caucasus. — — H. ♀.  
 26 Agårdhii. R.S. (pu.) tubercle-leav'd. Siberia. 1823. 7. 9. H. ♀.  
 27 verrucosa. R.S. (wh.) warted. Egypt. — 7. 10. H. ⊙. Jacq. vind. 3. t. 21.  
*Asperugo ægyptiaca*. Jacq.
- 28 rupèstris. B.P. (bl.) rock. Siberia. 1802. 6. 8. H. ♀. Pall. it. 3. ap. t. E. f. 3.  
*Myosotis rupèstris*. w.
- MYOSOTIS. R.S.** SCORPION-GRASS. Pentandria Monogynia. L.
- 1 palustris. E.B. (bl.) marsh. Britain. .... 6. 9. H.w. ♀. Eng. bot. v. 28. t. 1973.  
*scorpioides*. w.
- 2 cæspitosa. s.s. (bl.) tufted. — .... 5. 7. H.w. ♀.  
 3 intermedia. s.s. (bl.) intermediate. — .... 4. 6. H. ♂. Fl. dan. 583. f. maj.  
 4 sylvatica. R.S. (bl.ye.) wood. — .... 6. 8. H. ♀. Raii syn. t. 9. f. 2.  
 5 commutata. R.S. (bl.) changed. Europe. .... — H. ♂.  
 6 alpèstris. R.S. (bl.) rock. Scotland. .... — H. ♀. Eng. bot. v. 36. t. 2559.  
*rupicola*. E.B.
- 7 lithospermifolia. R.S. (bl.) Gromwell-leav'd. Caucasus. 1823. — H. ♀.  
 8 suaveolens. R.S. (bl.) sweet-scented. Europe. — — H. ♀.  
 9 sericea. s.s. (bl.) silky-leaved. Siberia. 1802. — H. ♀.  
 10 villosa. s.s. (bl.) villous. — 1828. — H. ♀.  
 11 sparsiflora. R.S. (wh.) loose-flowered. Europe. 1818. — H. ⊙.  
 12 stricta. R.S. (bl.ye.) upright. — — H. ⊙.  
 13 arvensis. E.B. (bl.) corn. Britain. .... 6. 9. H. ⊙. Eng. bot. v. 36. t. 2558.  
 14 versicolor. E.B. (bl.ye.) various-colour'd. — .... 4. 6. H. ⊙. — t. 480. f. 1.  
 15 nana. R.S. (bl.) dwarf. — .... 6. 8. H. ♀. Hacq. pl. alp. car. t. 2. f. 6.  
 16 peduncularis. s.s. (bl.) peduncled. Astracan. 1822. — H. ⊙.  
 17 clavata. s.s. (bl.) clavate. Siberia. 1829. — H. ⊙.  
 18 australis. B.P. (bl.) southern. N. S. W. 1824. — G. ⊙.  
 19 unguilata. F. (bl.) clawed. Siberia. 1822. — H. ⊙.
- ECHINOSPERMUM. S.S.** ECHINOSPERMUM. Pentandria Monogynia. S.S.
- 1 zeylanicum. s.s. (bl.) Ceylon. Ceylon. 1826. 6. 9. S. ⊙.  
 2 virginianum. s.s. (pa.) Virginian. Virginia. 1699. 6. 7. H. ♂. Moris. s. 11. t. 30. f. 9.  
*Myosotis virginiana*. w. *Rochelia virginiana*. R.S.

- 3 deflexum. s.s. (*bl.*) deflexed. Hungary. 1823. 6. 7. H. ♂. Wahl. a. holm. 1810. t. 4.  
 4 Láppula. s.s. (*bl.*) common. Europe. 1656. 4. 8. H. ⊙. Flor. dan. t. 692.  
 5 squarrosum. L.en. (*bl.*) squarrose. Siberia. 1802. — H. ⊙.
- pátulum. s.s.*  
 6 Redówski. L.A. (*bl.*) Redowski's. Russia. 1821. 6. 7. H. ♂.  
 7 barbátum. s.s. (*bl.*) bearded. Tauria. 1819. — H. ⊙.  
 8 marginátum. s.s. (*bl.*) margined. Astracan. — H. ⊙.  
 9 heteracánthum. Led. (*bl.*) various-spined. Siberia. 1826. — H. ⊙.  
 10 grandifórum. Led. (*bl.*) large-flowered. — 1827. — H. ⊙.
- OMPHAL'ODES. L.A. OMPHAL'ODES. Pentandria Monogynia. L.en.  
 1 nitida. L.A. (*bl.*) shining. Portugal. 1812. 4. 6. H. ♀. Bot. mag. t. 2529.  
*Cynoglossum nitidum. B.M. Picótia nitida. R.S.*  
 2 vérna. L.en. (*bl.*) Comfrey-leav'd. S. Europe. 1633. 3. 5. H. ♀. Bot. mag. t. 7.  
*Cynoglossum Omphalodes. B.M. Picótia vérna. R.S.*  
 3 brassicæfólia. L. (*wh.*) stem clasping. Spain. 1824. 6. 8. H. ⊙. Lehmann. m. ber. 8. 2. t. 6.  
*amplexicaulis. Lehmann. Picótia brassicæfólia. R.S.*  
 4 littoralis. L.A. (*wh.*) sea-side. France. 1827. — H. ⊙.  
 5 limfólia. L.A. (*wh.*) Venus Navelwort. Portugal. 1648. — H. ⊙. Barrel. ic. 1234.  
 6 lithospermifólia. L.A. (*bl.*) loose-racemed. Levant. 1828. 4. 6. H. ♀.  
 7 scorpioides. L.A. (*bl.*) variable-leaved. Bohemia. 1823. 6. 8. H. ⊙. Lehmann. m. ber. 8. 2. t. 7.  
 8 sempervirens. D.P. (*bl.*) evergreen. Britain. .... 5. 6. H. ♀. Eng. bot. v. 1. t. 45.  
*Anchúsa sempervirens. E.B.*
- RIND'ERA. R.S. RIND'ERA. Pentandria Monogynia. R.S.  
 1 lævigáta. R.S. (*wh.*) smooth. Siberia. 1824. 6. 7. H. ♀. Pall. ross. 2. t. 88.  
*tetráspis. Pall. Cynoglossum Rind'era. Pall. Cynoglossum lævigátum. w.*  
 2 magellénsis. R.S. (*vi.*) woolly. Italy. 1823. 5. 7. H. ♀.  
*Cynoglossum magellense. Tenore.*  
 3 Colúmnæ. R.S. (*pu.*) Columna's. — 1824. — H. ♂. Column. ephr. 1. t. 178.  
 4 cristáta. R.S. (*pu.*) crested. Armenia. 1829. — H. ♂.
- MA'TTIA. R.S. MA'TTIA. Pentandria Monogynia. R.S.  
 1 umbelláta. R.S. (*re. ye.*) umbel-flowered. Hungary. 1818. 6. 7. H. ♀. W. et K. hung. 2. t. 148.  
 2 lanáta. R.S. (*ro.*) woolly. Levant. 1800. — G. ♀. Tourn. an. mus. 10. t. 37.  
*Cynoglossum lanátum. w.*
- CYNOGLO'SSUM. R.S. HOUND'S-TONGUE. Pentandria Monogynia. L.  
 1 officinále. R.S. (*ro.*) common. Britain. .... 6. 7. H. ♂. Eng. bot. v. 13. t. 921.  
 2 Hæ'nkii. R.S. (*pu.*) rough-leaved. Hungary. 1815. — H. ♂.  
 3 sylváticum. R.S. (*pu.*) green-leaved. Britain. .... — H. ♂. Eng. bot. v. 23. t. 1642.  
 4 Dioscoridis. R.S. (*bl.*) Dioscoride's. Dauphiny. 1818. — H. ♂.  
 5 bicolor. R.S. (*wh. re.*) two-coloured. Germany. — — H. ♂.  
 6 píctum. R.S. (*re. bl.*) Madeira. Madeira. 1658. 8. G. ♂. Clus. hist. 2. p. 162. f. 2.  
 7 lanceolátum. L.A. (*wh. bl.*) spear-leav'd. Africa. 1806. 7. 8. H. ⊙.  
 8 virginicum. s.s. (*bl. wh.*) stem-clasping. N. America. 1812. 6. 7. H. ♀.  
*amplexicaule. M.*  
 9 clandestinum. R.S. (*vi.*) hidden-flower'd. Barbary. 1823. — G. ♂. Desf. atl. 1. t. 42.  
 10 canescens. R.S. (*bl.*) canescent. E. Indies. 1815. 7. 10. G. ⊙. Jacq. schœnb. 4. t. 489.  
*racemósum. F.I.*
- 11 apenninum. R.S. (*vi.*) Apennine. Italy. 1731. 4. 7. H. ♂. Sabb. hort. rom. 2. t. 36.  
 12 tomentósum. L.A. (*vi.*) woolly-leaved. — 1823. 5. 8. H. ♀.  
 13 magellense. T.S. (*ro.*) woolly. — 5. 7. H. ♀.  
 14 holoseríceum. s.s. (*vi.*) silky. Caucasus. 1827. 5. 9. H. ♂.  
 15 diffúsum. L.A. (*wh.*) spreading. E. Indies. 1820. 7. 10. H. ⊙.  
 16 austrále. B.P. (*vi.*) New Holland. N. S. W. — 5. 7. G. ♀.  
 17 cheirifólium. s.s. (*pu.*) silvery-leaved. Levant. 1596. 6. 7. H. ♂.  
*Anchúsa lanáta. R.S.*
- TRICHODE'SMA. B.P. TRICHODE'SMA. Pentandria Monogynia. R.S.  
 1 índicum. R.S. (*bl.*) Indian. E. Indies. 1759. 6. 10. H. ⊙. Pluk. alm. 30. t. 76. f. 3.  
*Borágo índica. L.*  
 2 africanum. R.S. (*bl.*) African. C. B. S. — 7. 8. H. ⊙. Isn. act. par. 1718. t. 11.  
 3 zeylánicum. R.S. (*bl.*) Ceylon. E. Indies. 1799. — S. ⊙. Jacq. ic. 2. t. 314.
- BORAGO. R.S. BORAGE. Pentandria Monogynia. L.  
 1 officinális. R.S. (*bl.*) common. Britain. .... 6. 9. H. ⊙. Eng. bot. v. 1. t. 36.  
*β albiflóra. (wh.) white-flowered. — .... — H. ⊙.*  
 2 orientális. R.S. (*bl.*) oriental. Turkey. 1752. 3. 5. H. ♀. Bot. reg. t. 288.  
 3 crética. R.S. (*bh.*) Cretan. Greece. 1823. 5. 6. H. ♀. Flor. græc. t. 176.  
 4 laxiflóra. R.S. (*bl.*) bell-flowered. Corsica. 1813. 5. 8. H. ♂. Bot. mag. t. 1798.  
 5 crassifólia. R.S. (*f.*) thick-leaved. Persia. 1824. — H. ♀. Venten. cels. t. 100.
- TOURNEFORTIA. R.S. TOURNEFORTIA. Pentandria Monogynia. L.  
 1 cymósa. R.S. (*f.*) broad-leaved. Jamaica. 1777. 7. S. ♀. Jacq. ic. 1. t. 31.  
 2 foetidíssima. R.S. (*f.*) Tobacco-leav'd. — 1739. 9. S. ♀. Plum. ic. 226. t. 230.

- 3 bicolor. R.S. (*wh.gr.*) two-coloured. Jamaica. 1812. .... S. h.  
 4 suffruticosa. R.S. (*wh.*) hoary-leaved. ———— 1759. 6. 9. S. h. Sloan. hist. 2. t. 162. f. 4.  
 5 mutabilis. R.S. (*wh.*) changeable. Java. 1820. ——— S. h. Venten. choix. t. 3.  
 6 maculata. R.S. (*st.*) spotted-fruited. Carthagenæ. 1828. ——— S. h.  
 7 gnaphalodes. R.S. (*wh.*) Gnaphalium-like. W. Indies. 1820. ——— S. h. Jacq. amer. t. 173. f. 11.  
*Heliotropium gnaphalodes. w.*  
 8 velutina. K.S. (*wh.*) velvety. Mexico. 1826. ——— G. h. H. et B. am. 3. t. 201.  
 9 umbellata. K.S. (*wh.*) umbel-flower'd. ———— G. h. ———— 3. t. 202.  
 10 fruticosa. R.S. (*wh.*) shrubby. Canaries. 1779. 6. 10. G. h. Bot. reg. t. 464.  
*Messerschmidia fruticosa. w.*  
 11 angustifolia. R.S. (*pa.bl.*) narrow-leav'd. ———— .... G. h.  
 12 argentea. R.S. (*wh.*) silvery-leaved. E. Indies. 1822. ——— S. h. Rumph. amb. 4. t. 55.  
 13 Arguzia. R.S. (*wh.*) herbaceous. Siberia. 1780. ——— H. 2. Gmel. it. 2. t. 27.  
**MESSERSCHMIDIA. R.S. MESSERSCHMIDIA. Pentandria Monogynia. R.S.**  
 1 caracasana. K.S. (*wh.*) Caracas. Caracas. 1828. 5. 9. S. h.  
 2 hirsutissima. R.S. (*wh.*) very hairy. S. America. 1818. 5. 8. S. h. Sloan. hist. 2. t. 212. f. 1.  
*Tournefortia hirsutissima. w.*  
 3 volubilis. R.S. (*gr.*) climbing. Jamaica. 1752. 7. 8. S. h. Sloan. hist. 1. t. 143. f. 2.  
*Tournefortia volubilis. w.*  
 4 scandens. R.S. (*gr.*) scandent. S. America. 1816. ——— S. h. Flor. peruv. 2. t. 148.  
 5 laurifolia. R.S. (*st.*) Laurel-leaved. W. Indies. 1823. .... S. h. Venten. choix. t. 2.  
**BEURRERIA. G. BEURRERIA. Pentandria Monogynia. R.S.**  
 1 succulenta. S.S. (*wh.*) oval-leaved. W. Indies. 1758. 5. 7. S. h. Jacq. obs. 2. t. 26.  
 2 exsucca. S.S. (*wh.*) dry-fruited. ———— 1804. ——— S. h. Jacq. amer. t. 173. f. 17.  
**EHRETIA. S.S. EHRETIA. Pentandria Monogynia. L.**  
 1 serrata. F.I. (*wh.*) saw-leaved. Nepaul. 1812. 6. 9. G. h.  
 2 tinifolia. S.S. (*wh.*) Tinus-leaved. Jamaica. 1734. 6. 7. S. h. Trew Ehret. t. 24.  
 3 acuminata. B.P. (*wh.*) acuminate. N. S. W. 1820. ——— G. h.  
 4 laxa. S.S. (*wh.gr.*) loose-flowered. Mauritius. 1821. ——— S. h. Jacq. schœn. 1. t. 41.  
 5 internodis. S.S. (*wh.*) axillary-flower'd. ———— S. h. L'Herit. stirp. 1. t. 24.  
 6 lævis. S.S. (*wh.*) smooth. E. Indies. 1816. .... S. h. Roxb. corom. t. 56.  
 7 buxifolia. S.S. (*wh.*) Box-leaved. ———— .... S. h. ———— 1. t. 57.  
 8 microphylla. S.S. (*wh.*) small-leaved. Nepaul. 1818. 6. 8. S. h. Pluk. phyt. t. 31. f. 1.  
 9 áspera. S.S. (*wh.*) rough-leaved. E. Indies. 1795. ——— S. h. Roxb. corom. 1. t. 55.  
 10 divaricata. DC. (*wh.*) divaricate. Havannah. 1820. ——— S. h.  
**CO'RDIA. B.P. CO'RDIA. Pentandria Monogynia. L.**  
 1 latifolia. F.I. (*wh.*) broad-leaved. E. Indies. 1824. 6. 8. S. h. Rumph. amb. 2. t. 75.  
 2 Myxa. R.S. (*wh.*) smooth-leaved. ———— 1640. .... S. h. Rheed. mal. 4. t. 37.  
 3 monoica. R.S. (*wh.*) Birch-leaved. ———— 1799. 3. 4. S. h. Roxb. corom. 1. t. 58.  
 4 Collococca. R.S. (*gr.*) long-leaved. Jamaica. 1759. ——— S. h. Sloan. hist. 2. t. 203. f. 2.  
 5 micrantha. R.S. (*gr.*) small-flowered. ———— 1822. .... S. h.  
 6 serrata. R.S. (*wh.*) saw-leaved. E. Indies. 1824. .... S. h.  
 7 tetraphylla. R.S. (*wh.*) four-leaved. Trinidad. 1823. 4. 7. S. h. Aubl. guian. 1. t. 88.  
 8 geraschanthoides. K.S. (*w.*) taper-leaved. Cuba. 1824. ——— S. h.  
 9 Gerascanthus. R.S. (*w.*) Spanish Elm. W. Indies. 1789. 5. S. h. Jacq. amer. t. 175. f. 16.  
 10 grandis. F.I. (*wh.*) great. E. Indies. 1818. .... S. h.  
 11 nodosa. R.S. (*wh.*) hairy. Guiana. 1803. 6. 7. S. h. Aub. gui. 1. t. 86.  
*hirsuta. w. Collococcus. Aub. non L.*  
 12 flavescens. R.S. (*wh.*) yellow-fruited. ———— 1818. ——— S. h. Aub. gui. 1. t. 89.  
 13 spinescens. R.S. (*wh.*) spiny. E. Indies. ——— S. h.  
 14 macrophylla. R.S. (*wh.*) broad-leaved. W. Indies. 1752. ——— S. h. Sloan. hist. 2. t. 221. f. 1.  
 15 campanulata. F.I. (*ye.*) bell-flowered. E. Indies. 1824. .... S. h. Rumph. amb. 2. t. 75.  
 16 Sebestena. R.S. (*or.*) rough-leaved. W. Indies. 1728. 7. 8. S. h. Bot. mag. t. 794.  
 17 lævis. R.S. (*wh.*) smooth-leaved. Caracas. 1816. 4. 8. S. h. Jacq. schœn. 1. t. 40.  
 18 reticulata. R.S. (*wh.*) netted-leaved. E. Indies. 1820. ——— S. h.  
*angustifolia. F.I.*  
 19 polygama. F.I. (*wh.*) polygamous. ———— 1812. 6. 8. S. h.  
 20 dentata. R.S. (*wh.*) toothed. Caracas. 1823. .... S. h.  
 21 elliptica. R.S. (*wh.*) elliptic-leaved. W. Indies. 1804. 6. 8. S. h.  
 22 dichotoma. R.S. (*wh.*) forked. N. Holland. 1824. .... S. h.  
 23 scaberrima. K.S. (*wh.*) rough. Peru. .... S. h.  
 24 angustifolia. R.S. (*wh.*) narrow-leaved. Santa Cruz. 1808. 6. 8. S. h.  
 25 curassavica. R.S. (*wh.*) long-spiked. S. America. 1759. ——— S. h. Centur. amer. t. 56.  
*Varronia curassavica. w.*  
 26 martinicensis. R.S. (*wh.*) Martinico. Martinico. 1795. 8. 9. S. h. Jacq. amer. 41. t. 32.  
 27 bullata. R.S. (*wh.*) blister-leaved. W. Indies. 1823. .... S. h. Jacq. amer. pict. t. 43.  
 28 monosperma. R.S. (*wh.*) single-seeded. Caracas. 1820. 5. 7. S. h. Jacq. schœn. 1. t. 39.  
 29 lineata. R.S. (*wh.*) round-spiked. W. Indies. 1793. 6. 9. S. h. Brown. jam. t. 13. f. 2.  
*Varronia lineata. w.*

- 30 globosa. R.S. (*wh.*) globe-headed. Cuba. 1820. 7. 8. S. h. Sloan. his. 2. t. 194. f. 2.  
 31 mirabiloides. R.S. (*wh.*) jointed. Hispaniola. 1798. 9. S. h. Jacq. amer. 41. t. 33.  
 32 alba. R.S. (*wh.*) white-flowered. Carthagera. 1818. .... S. h. Comm. hort. 1. t. 80.  
 33 bifurcata. R.S. (*wh.*) forked. Peru. — .... S. h. Flor. peruv. 2. t. 146. f. a.  
*Varronia dichotoma*. R.P. *parviflora*. P.S.  
 PATAGÓNULA. R.S. PATAGÓNULA. Pentandria Monogynia. R.S.  
 americana. R.S. (*wh.*) spear-leaved. S. America. 1732. 6. 8. G. h. Dill. elth. t. 226. f. 293.  
*Cordia Patagónula*. w.

## ORDO CL.

HYDROPHYLLÆ. *Brown.*

- HYDROPHYLLUM. L. WATER-LEAF. Pentandria Monogynia. L.  
 1 virginicum. L. (*wh. bl.*) Virginian. N. America. 1739. 5. 6. H. ♀. Bot. reg. t. 331.  
 2 canadense. L. (*wh.*) Canadian. Canada. 1759. — H. ♀. — t. 242.  
 PHACELIA. B.P. PHACELIA. Pentandria Monogynia. R.S.  
 1 bipinnatifida. M. (*bl.*) bipinnatifid. N. America. 1827. 5. 6. H. ♀. Mich. amer. 1. t. 16.  
 2 circinnata. J.E. (*wh.*) woolly. Magellan. 1816. 6. 10. H. ♀. Jacq. f. ecl. t. 91.  
*Hydrophyllum magellanicum*. Lam. *Aldæa circinnata*. W.en.  
 3 Aldæa. B.P. (*wh.*) various-leaved. Peru. 1820. — G. ♀. Flor. peruv. 2. t. 14.  
*Aldæa pinnata*. R.P.  
 NEMOPHILA. N. NEMOPHILA. Pentandria Monogynia. S.S.  
 1 phacelioides. N. (*bl.*) Phacelia-like. N. America. 1822. 6. 9. H. ♂. Swt. br. fl. gar. t. 32.  
 2 paniculata. s.s. (*pa. bl.*) panicled. — 1812. 5. 6. H. ♀.  
*Hydrophyllum appendiculatum*. M.  
 ELLISIA. R.S. ELLISIA. Pentandria Monogynia. W.  
 1 Nyctela. R.S. (*wh.*) cut-leaved. Virginia. 1755. 4. 8. H. ♂. Trew pl. select. t. 99.  
 2 ambigua. N. (*wh.*) ambiguous. N. America. 1825. 4. 6. H. ♂.  
 EUTOCA. B. EUTOCA. Pentandria Monogynia.  
 1 multiflora. B.R. (*pu.*) many-flowered. N. America. 1826. 5. 6. H. ♂. Bot. reg. t. 1180.  
 2 Franklinii. s.s. (*pu.*) Franklin's. Mississippi. 1827. — H. ♂.

## ORDO CLI.

SOLANÆ. *Brown prodr. 1. p. 443.*

## Sect. I. PERICARPIUM CAPSULARE.

- ANTHOECRIS. B.P. ANTHOECRIS. Didynamia Angiospermia. S.S.  
 1 littorea. B.P. (*ye.*) yellow. N. Holland. 1803. 5. 8. G. h. Swt. flor. aust. t. 17.  
 2 albicans. F.T. (*wh.*) white-flowered. — 1823. 4. 6. G. h. — t. 16.  
 3 viscosa. B.P. (*wh.*) viscous. — — — G. h. Bot. mag. t. 2961.  
 4 ilicifolia. B.M. (*wh.*) Holly-leaved. — 1829. .... G. h.  
 CELSIA S.S. CELSIA. Didynamia Angiospermia.  
 1 orientalis. s.s. (*ye.*) oriental. Levant. 1713. 7. 8. H. ♂. Lam. ill. t. 532.  
 2 Arcturus. W. (*ye.*) scollop-leaved. Candia. 1780. 7. 9. F. ♂. Bot. mag. t. 1962.  
 3 coromandina. W. (*ye.*) Coromandel. E. Indies. 1783. 7. 8. S. ♂.  
 4 critica. s.s. (*ye. pu.*) great-flowered. Crete. 1752. 7. 9. F. ♂. Bot. mag. t. 964.  
 5 viscosa. s.s. (*ye.*) clammy. .... 1816. — F. ♂.  
 6 betonicaefolia. s.s. (*ye.*) Betony-leaved. Barbary. 1824. — F. ♂.  
 7 sublanata. B.R. (*ye.*) woolly. .... 1818. — H. ♀. Bot. reg. t. 438.  
 8 lanceolata. s.s. (*ye.*) spear-leaved. Levant. 1816. — F. ♂. Venten. cels. t. 27.  
 VERBASCIUM. L. MULLEIN. Pentandria Monogynia. L.  
 1 Thapsus. R.S. (*st.*) Shepherd's club. Britain. .... 7. 8. H. ♂. Eng. bot. v. 8. t. 549.  
 2 elongatum. W.en. (*wh.*) long-spiked. Europe. 1813. — H. ♂. Tabern. Kraut. 956. ic.  
 3 thapsoides. R.S. (*ye.*) branching. Portugal. .... — H. ♂. Schrad. verb. t. 5. f. 2.  
 4 thapsiforme. R.S. (*ye.*) simple-stalked. Europe. .... — H. ♂.  
 5 indicum. Wal. (*ye.*) Indian. Nepal. 1827. — F. ♂.  
 6 crassifolium. R.S. (*ye.*) thick-leaved. S. Europe. 1816. — H. ♂. H. et Lk. fl. port. 1. t. 26.  
 7 cuspidatum. R.S. (*ye.*) sharp-pointed. Austria. — — H. ♂. Schrad. verb. t. 1. f. 1.

8	<i>gossypinum</i> . M.B. (ye.)	cottony.	Iberia.	1824.	6. 8.	H. ♂.	
9	<i>niveum</i> . R.S. (ye.)	snowy.	Naples.	—	—	H. ♂.	Ten. fl. neap. t. 22.
10	<i>candidissimum</i> . DC. (ye.)	very white-l'd.	S. Europe.	1825.	—	H. ♂.	
11	<i>densiflorum</i> . R.S. (ye.)	dense-flowered.	Italy.	—	—	H. ♂.	
12	<i>macranthum</i> . R.S. (ye.)	large-flowered.	Portugal.	1823.	—	H. ♂.	H. et Lk. fl. port. t. 27.
13	<i>australe</i> . R.S. (ye.)	southern.	S. Europe.	1816.	—	H. ♂.	Schrad. verb. t. 2.
14	<i>phlomoïdes</i> . R.S. (ye.)	woolly.	Turkey.	1739.	—	H. ♂.	Flor. græc. t. 224.
15	<i>rugulosum</i> . w. (ye.)	rugged-leaved.	S. Europe.	1820.	—	H. ♂.	
16	<i>conocarpon</i> . s.s. (ye.)	conical-capsuled.	Sardinia.	1829.	—	H. ♂.	
17	<i>condensatum</i> . R.S. (ye.)	close-flowered.	Austria.	1818.	—	H. ♂.	Schrad. verb. t. 3.
18	<i>nemorosum</i> . R.S. (ye.)	wood.	—	—	—	H. ♂.	— t. 1. f. 2.
19	<i>montanum</i> . R.S. (st.)	mountain.	Switzerland.	1816.	—	H. ♂.	
20	<i>collinum</i> . R.S. (ye.)	hill.	Germany.	1820.	—	H. ♂.	Schrad. verb. t. 5. f. 1.
21	<i>versiflorum</i> . R.S. (br.re.)	scatter'd-flower'd.	—	1815.	—	H. ♀.	
22	<i>ramigerum</i> . R.S. (ye.)	small-branched.	—	1824.	—	H. ♂.	Schrad. verb. t. 4.
23	<i>Bastardi</i> . R.S. (ye.)	Bastard's.	S. France.	—	—	H. ♂.	
24	<i>auriculatum</i> . F.G. (ye.)	eared-leaved.	Levant.	1826.	—	E. ♂.	Flor. græc. t. 225.
25	<i>sinuatum</i> . R.S. (ye.)	scollop-leaved.	S. Europe.	1570.	7. 8.	H. ♂.	— t. 227.
26	<i>undulatum</i> . M.B. (ye.)	waved-leaved.	Caucasus.	1816.	—	H. ♂.	
27	<i>plicatum</i> . F.G. (ye.)	plaited-leaved.	Greece.	—	—	F. ♀.	Flor. græc. t. 226.
28	<i>bipinnatifidum</i> . B.M. (ye.)	bipinnatifid.	Tauria.	1813.	—	H. ♂.	Bot. mag. t. 1777.
29	<i>pinnatifidum</i> . R.S. (ye.)	pinnatifid.	Archipelago.	1788.	5. 6.	G. ♀.	Flor. græc. t. 228.
30	<i>Chaxi</i> . R.S. (ye.)	French.	France.	1816.	7. 8.	H. ♂.	Vill. delph. 2. t. 13.
31	<i>Boerhaavii</i> . R.S. (ye.)	annual.	S. Europe.	1731.	—	H. ♂.	Mill. ic. 2. t. 273.
32	<i>compactum</i> . R.S. (ye.)	compact-flower'd.	Tauria.	1824.	—	H. ♂.	
33	<i>gnaphalodes</i> . M.B. (ye.)	Gnaphalium-like.	—	—	—	H. ♂.	
34	<i>ovalifolium</i> . B.M. (ye.)	oval-leaved.	Caucasus.	1804.	7. 9.	H. ♀.	Bot. mag. t. 1037.
35	<i>formosum</i> . B.R. (ye. pu.)	beautiful.	Russia.	1814.	7. 8.	H. ♂.	Bot. reg. t. 558.
36	<i>Lychnitis</i> . R.S. (wh.)	white.	Britain.	....	6. 8.	H. ♂.	Eng. bot. v. 1. t. 58.
37	<i>austriacum</i> . R.S. (st.)	Austrian.	Austria.	1819.	—	H. ♂.	
38	<i>pulverulentum</i> . R.S. (ye.)	powdered.	England.	....	—	H. ♂.	Eng. bot. v. 7. t. 487.
39	<i>majale</i> . DC. (ye.)	purple-stalked.	Montpelier.	1822.	5. 7.	H. ♂.	
40	<i>Stevèni</i> . F. (ye.)	Steven's.	Siberia.	1820.	6. 8.	H. ♂.	
41	<i>fasciculatum</i> . E. (ye.)	clustered.	Mount Sinai.	1826.	5. 8.	F. ♀.	
42	<i>æthiopicum</i> . E. (ye.)	Ethiopian.	—	1825.	—	F. ♀.	
43	<i>pyramidatum</i> . R.S. (ye.)	pyramidal.	Caucasus.	1804.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 31.
44	<i>ovatum</i> . R.S. (ye.)	oval-leaved.	Spain.	—	—	H. ♂.	Schrad. h. gott. t. 15.
45	<i>rotundifolium</i> . R.S. (ye.)	round-leaved.	Naples.	1826.	—	H. ♂.	Ten. fl. neap. t. 23.
46	<i>flocosum</i> . R.S. (ye.)	wool-bearing.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 79.
47	<i>leptostachyum</i> . R.S. (ye.)	slender-spiked.	S. France.	1824.	7. 9.	H. ♂.	
48	<i>angustifolium</i> . R.S. (ye.)	narrow-leaved.	Naples.	1822.	—	H. ♂.	
49	<i>longifolium</i> . R.S. (ye.)	long-leaved.	—	—	—	H. ♂.	Ten. fl. neap. t. 21.
50	<i>nigrum</i> . R.S. (ye.)	black-rooted.	England.	....	6. 8.	H. ♀.	Eng. bot. v. 1. t. 59.
51	<i>orientale</i> . R.S. (ye.)	oriental.	Caucasus.	1820.	—	H. ♀.	
52	<i>Alopecurus</i> . R.S. (ye.)	fox-tail.	France.	1818.	—	H. ♀.	
53	<i>virgatum</i> . R.S. (ye.)	slender.	Britain.	....	8.	H. ♀.	Eng. bot. v. 8. t. 550.
54	<i>speciosum</i> . R.S. (ye.)	splendid.	Austria.	1820.	6. 8.	H. ♀.	Schrad. h. gott. t. 16.
55	<i>grandiflorum</i> . R.S. (ye.)	great-flowered.	.....	1816.	—	H. ♀.	— t. 15.
56	<i>monspessulanum</i> . s.s. (ye.)	Montpelier.	S. France.	1824.	—	H. ♂.	Schrad. ver. p. 2. t. 2. f. 2.
57	<i>lanatum</i> . s.s. (ye.)	woolly-leaved.	S. Europe.	1828.	—	H. ♂.	— pars. 2. t. 2. f. 1.
58	<i>hyoserifolium</i> . s.s. (ye.)	Hyoseris-leav'd.	Levant.	1829.	—	F. ♀.	— pars. 2. t. 3. f. 1.
59	<i>chryserium</i> . s.s. (ye.)	golden.	Palestine.	1827.	—	F. ♀.	
60	<i>Schottianum</i> . s.s. (ye.)	Schott's.	Austria.	1828.	—	H. ♂.	Schrad. ver. p. 2. t. 3. f. 2.
61	<i>Blattaria</i> . R.S. (ye.)	yellow moth.	Britain.	....	7. 9.	H. ♂.	Eng. bot. v. 6. t. 393.
62	<i>glabrum</i> . Mil. (wh.)	white moth.	.....	....	—	H. ♂.	
63	<i>blattarioides</i> . R.S. (ye.)	moth-like.	S. Europe.	1816.	—	H. ♂.	
64	<i>bannaticum</i> . s.s. (ye.)	Hungarian.	Hungary.	1820.	—	H. ♂.	
65	<i>repandum</i> . R.S. (ye.)	waved.	.....	1813.	7. 8.	H. ♂.	
66	<i>hæmorrhoidale</i> . R.S. (ye.)	Madeira.	Madeira.	1777.	6. 8.	G. ♂.	
67	<i>cupreum</i> . R.S. (co.)	copper-colour'd.	Hybrid.	1798.	5. 9.	H. ♀.	Bot. mag. t. 1226.
68	<i>phoeniceum</i> . R.S. (d. pu.)	purple-flower'd.	S. Europe.	1596.	5. 8.	H. ♀.	— t. 885.
69	<i>punicum</i> . R.S. (pi.)	pink-flower'd.	—	1815.	—	H. ♀.	Schrad. h. gott. t. 14.
70	<i>rubiginosum</i> . R.S. (re. br.)	brown-flower'd.	Hungary.	—	—	H. ♂.	W. et K. hung. 2. t. 197.
71	<i>ferrugineum</i> . R.S. (br.)	rusty.	S. Europe.	1683.	—	H. ♀.	Trew Ehret. t. 16. f. 1.
72	<i>triste</i> . R.S. (da. br.)	dark-flowered.	Levant.	1788.	—	H. ♀.	Andr. reposit. t. 162.
	<i>ferrugineum</i> . A.R. nec aliorum.	—	—	—	—	—	—
73	<i>spectabile</i> . M.B. (ye.)	showy.	Tauria.	1822.	6. 8.	H. ♂.	
74	<i>betonicaefolium</i> . R.S. (ye.)	Betony-leav'd.	Levant.	1828.	—	F. ♂.	Desf. ann. mus. 11. t. 4.
75	<i>urticaefolium</i> . R.S. (ye. re.)	spotted-flower'd.	.....	1827.	—	H. ♂.	

76	lyrätum. R.S.	( <i>ye.</i> )	lyrate-leaved.	Spain.	1816.	6. 8.	H. ♂.	
77	Ösbéckii. R.S.	( <i>gr. ye.</i> )	Ösbeck's.	—	1752.	7. 8.	H. ♂.	Buxb. cent. 5. t. 32.
78	ceratophyllum. s.s.	( <i>ye.</i> )	buckshorn-leav'd.	Levant.	1829.	—	H. ♂.	Schrad. verb. p. 2. t. 1. f. 2.
79	spinösium. R.S.	( <i>ye.</i> )	spiny.	Candia.	1824.	5. 8.	G. ♀.	Flor. græc. t. 229.
RAMO'NDA. P.S.			RAMO'NDA.	Pentandria Monogynia.	P.S.			
	pyrenæica. P.S.	( <i>pu.</i> )	Borage-leaved.	Pyrenees.	1731.	5.	H. ♀.	Bot. mag. t. 236.
	<i>Verbascum Myconi.</i> B.M.							
HYOSC'YAMUS. R.S.			HENBANE.	Pentandria Monogynia.	L.			
1	niger. R.S.	( <i>ye. bk.</i> )	common.	Britain.	....	6. 7.	H. ♂.	Eng. bot. v. 9. t. 591.
2	agræstis. R.S.	( <i>gr. pu.</i> )	field.	Hungary.	1816.	6. 9.	H. ♂.	Swt. br. fl. gar. t. 27.
3	pallidus. R.S.	( <i>st.</i> )	pale-flowered.	—	1815.	—	H. ♂.	
4	reticulatus. R.S.	( <i>re.</i> )	Egyptian.	Egypt.	1640.	7. 9.	H. ♂.	Camer. hort. 77. t. 22.
5	âlbis. R.S.	( <i>st. pu.</i> )	white.	Greece.	1570.	7. 8.	H. ♂.	Flor. græc. t. 230.
6	Clusii. F.G.	( <i>wh.</i> )	Clusius's.	S. Europe.	—	—	H. ♂.	Clus. hist. 2. p. 84. f. 1.
	<i>âlbis β minor.</i> R.S.							
7	aureus. R.S.	( <i>ye. pu.</i> )	golden.	Levant.	1640.	3. 10.	G. ♀.	Bot. mag. t. 87.
8	Seneciönis. R.S.	( <i>ye. pu.</i> )	yellow-flowered.	Egypt.	1812.	—	G. ♀.	
9	canariënsis. B.R.	( <i>ye. pu.</i> )	various-leaved.	Canaries.	1816.	1. 12.	G. ♂.	Bot. reg. t. 180.
10	müticus. R.S.	( <i>wh. pu.</i> )	three-coloured.	Egypt.	1818.	5. 8.	G. ♂.	
11	Datöra. F.Æ.	( <i>ye. pu.</i> )	Egyptian.	—	1829.	—	F. ♀.	
12	pusillus. R.S.	( <i>ye. bk.</i> )	dwarf.	Persia.	1691.	7.	H. ♂.	Pluk. alm. t. 37. f. 5.
13	auriculätus. T.N.	( <i>ye. pu.</i> )	leaved.	Naples.	1828.	—	H. ♂.	
14	micranthus. Led.	( <i>st. pu.</i> )	small-flowered.	Siberia.	1829.	—	H. ♂.	
15	mâjor. Mil.	( <i>st. pu.</i> )	large.	Levant.	....	—	F. ♂.	
16	minor. Mil.	( <i>ye.</i> )	lesser.	—	....	—	F. ♂.	
17	physaloides. R.S.	( <i>d. pu.</i> )	purple-flowered.	Siberia.	1777.	3. 4.	H. ♀.	Swt. br. fl. gar. t. 13.
18	orientâlis. R.S.	( <i>li.</i> )	oriental.	Iberia.	1815.	—	H. ♀.	— t. 12.
SCOP'OLIA. Jacq.			SCOP'OLIA.	Pentandria Monogynia.	R.S.			
	carniölica. Jacq.		Nightshade-leav'd.	Carniola.	1780.	4. 5.	H. ♀.	Jacq. obs. 1. t. 20.
	atropoides. R.S.		<i>Hyoscyamus Scopölia.</i>	Bot. mag. t. 1126.				
NICOTTANA. R.S.			TOBACCO.	Pentandria Monogynia.	L.			
1	chinënsis. R.S.	( <i>ro.</i> )	Chinese.	China.	1815.	6. 8.	G. ♀.	
2	fruticösa. R.S.	( <i>ro.</i> )	frutescent.	C. B. S.	1699.	7. 9.	G. ♀.	Mill. icon. t. 185. f. 1.
3	âlba. Mil.	( <i>wh.</i> )	white-flowered.	Tobago.	—	8. 10.	H. ♂.	
4	latissima. DC.	( <i>ro.</i> )	broad-leaved.	America.	....	7. 9.	H. ♂.	
	<i>macrophylla.</i> R.S.							
5	Tabâcum. R.S.	( <i>ro.</i> )	Virginian.	—	1570.	—	H. ♂.	Blackw. t. 146.
	<i>a attenuata.</i>	( <i>re.</i> )	slender.	—	....	—	H. ♂.	
	<i>β pallëscens.</i>	( <i>bh.</i> )	pale-flowered.	—	....	—	H. ♂.	
	<i>γ âlipes.</i>	( <i>ro.</i> )	winged.	—	....	—	H. ♂.	
	<i>δ serotina.</i>	( <i>ro.</i> )	late-flowered.	—	....	—	H. ♂.	
	<i>ε gracilipes.</i>	( <i>ro.</i> )	slender-stalked.	—	....	—	H. ♂.	
	<i>ζ Vërdan.</i>	( <i>ro.</i> )	Verdan.	—	....	—	H. ♂.	
	<i>η lingua.</i>	( <i>ro.</i> )	tongue-leaved.	—	....	—	H. ♂.	
6	nepalënsis. Ot.	( <i>ro.</i> )	Nepaul.	Nepaul.	1829.	—	H. ♂.	
7	brasiliënsis. Ot.	( <i>ro.</i> )	Brazilian.	Brazil.	1825.	—	H. ♂.	
8	decürrens. Ag.	( <i>ro.</i> )	decurrent.	S. America.	1820.	—	H. ♂.	
9	petiolâta. Ag.	( <i>ro.</i> )	petiolate.	—	—	—	H. ♂.	
10	sanguinea. Ot.	( <i>sc.</i> )	scarlet-flowered.	Brazil.	1829.	—	H. ♂.	
11	angustifölia. R.S.	( <i>gr.</i> )	narrow-leaved.	Chili.	1822.	—	H. ♂.	Flor. peruv. 2. t. 130. f. a.
12	viscösa. R.S.	( <i>gr.</i> )	viscous.	Buenos Ayres.	1824.	—	H. ♂.	
13	pusilla. R.S.	( <i>gr.</i> )	Primrose-leaved.	Vera Cruz.	1733.	8.	S. ♂.	Mill. ic. t. 185. f. 2.
14	glutinösa. R.S.	( <i>or.</i> )	clammy.	Peru.	1759.	7. 9.	H. ♂.	Swt. br. fl. gar. t. 107.
15	rústica. R.S.	( <i>gr.</i> )	common.	America.	1570.	—	H. ♂.	Blackw. t. 437.
	<i>a asiatica.</i> R.S.	( <i>gr.</i> )	Asiatic.	.....	—	—	H. ♂.	
	<i>β brasilia.</i> R.S.	( <i>gr.</i> )	Brazil.	—	—	—	H. ♂.	
	<i>γ pumila.</i> R.S.	( <i>gr.</i> )	dwarf.	S. America.	—	—	H. ♂.	
16	humilis. L.en.	( <i>gr.</i> )	lesser.	America.	....	—	H. ♂.	
17	paniculâta. R.S.	( <i>gr.</i> )	panicked.	Peru.	1752.	—	H. ♂.	Flor. peruv. 2. t. 129. f. b.
18	cerinthoides. R.S.	( <i>gr.</i> )	honeywort.	America.	1816.	—	H. ♂.	Lehm. nicot. t. 2.
19	Langsdorffii. s.s.	( <i>gr. ye.</i> )	Langsdorff's.	S. America.	1824.	—	H. ♂.	Bot. mag. t. 2555.
20	glauca. B.M.	( <i>st.</i> )	glaucous.	Buenos Ayres.	1827.	—	H. ♂.	— t. 2837.
21	repânda. R.S.	( <i>bh.</i> )	stem-clasping.	Havannah.	1822.	8. 10.	H. ♂.	— t. 2484.
	<i>lyrata.</i> K.S.							
22	plumbaginifölia. R.S.		curled-leaved.	America.	1816.	5. 10.	G. ♀.	Vivian. elench. t. 5.
	<i>crispa.</i> Jacq. fragm. t. 84.							
23	pulmonarioides. K.S.	( <i>wh.</i> )	Pulmonaria-like.	S. America.	1828.	—	H. ♂.	
24	bonariënsis. R.S.	( <i>wh.</i> )	Buenos Ayres.	Buenos Ayres.	1821.	—	H. ♂.	Lehm. nicot. n. 8. t. 1.
25	suavëolens. R.S.	( <i>wh.</i> )	sweet-scented.	N. S. W.	1800.	5. 9.	G. ♀.	Bot. mag. t. 673.
	<i>undulata.</i> Vent. malm. t. 10. non R.P.							

26	<i>vincaeflora</i> . s.s. ( <i>wh.</i> )	Vinca-flowered. S. America.	1825.	8. 10.	H. ⊙	
27	<i>dilatata</i> . L.en. ( <i>wh.</i> )	dilated-leaved.	—	—	H. ⊙	
28	<i>noctiflora</i> . B.M. ( <i>wh.</i> )	night-flowering.	Andes.	1826.	7. 10.	F. ♀ Swt. br. fl. gar. t. 262.
29	<i>acuminata</i> . B.M. ( <i>wh.</i> )	taper-pointed.	BuenosAyres.	—	F. ♀	Bot. mag. t. 2919.
30	<i>nana</i> . B.R. ( <i>wh.</i> )	dwarf.	S. America.	1822.	8. 10.	H. ⊙ Bot. reg. t. 833.
31	<i>quadrivalvis</i> . R.S. ( <i>wh.</i> )	four-valved.	N. America.	1811.	7. 8.	H. ⊙ Bot. mag. t. 1778.
32	<i>multivalvis</i> . B.R. ( <i>wh.</i> )	many-valved.	—	1826.	9. 10.	H. ⊙ Bot. reg. t. 1057.
<b>PETUNIA. J. PETUNIA. Pentandria Monogynia. R.S.</b>						
	<i>nyctaginiflora</i> . J. ( <i>wh.</i> )	large-flowered.	S. America.	1824.	4. 10.	G. ♀ Swt. br. fl. gar. t. 119.
<b>SALPIGLO'SSIS. R.P. SALPIGLO'SSIS. Didynamia Angiospermia.</b>						
1	<i>straminea</i> . H.E.F. ( <i>st.</i> )	straw-coloured.	Chile.	1826.	6. 9.	F. ♀ Swt. br. fl. gar. t. 231.
2	<i>picta</i> . B.F.G. ( <i>wh.bl.</i> )	painted-flowered.	—	—	F. ♀	v. 3. t. 258.
3	<i>atropurpurea</i> . B.M. ( <i>d.pu.</i> )	dark purple.	—	—	F. ♀	v. 3. t. 271.
4	<i>sinuata</i> . R.P. ( <i>cr.</i> )	crimson.	—	1829.	F. ♀	Flor. peruv. v. 5. t. 515. ined.
<b>DATURA. R.S. THORN-APPLE. Pentandria Monogynia. L.</b>						
1	<i>ferox</i> . R.S. ( <i>wh.</i> )	Chinese.	China.	1731.	7. 10.	H. ⊙ Zanon. hist. t. 162.
2	<i>Stramonium</i> . R.S. ( <i>wh.</i> )	common.	England.	...	—	H. ⊙ Eng. bot. v. 18. t. 1288.
	<i>β canescens</i> . F.I. ( <i>st.</i> )	<i>canescent</i> .	Nepaul.	1824.	—	H. ⊙
3	<i>Tátula</i> . R.S. ( <i>bl.</i> )	light blue.	S. America.	1629.	—	H. ⊙ Swt. br. fl. gar. t. 83.
4	<i>muricata</i> . s.s. ( <i>wh.</i> )	muricated.	.....	1819.	—	H. ⊙
5	<i>hybrida</i> . T.P. ( <i>wh.</i> )	hybrid.	Hybrid.	1826.	6. 9.	F. ♀
6	<i>Mètel</i> . R.S. ( <i>wh.</i> )	downy.	Asia.	1596.	6. 10.	H. ⊙ Bot. mag. t. 1440.
7	<i>fruticosa</i> . L.en. ( <i>wh.</i> )	frutescent.	S. America.	1825.	—	S. ♀
8	<i>quercifolia</i> . K.S. ( <i>li.</i> )	Oak-leaved.	Mexico.	1824.	—	H. ⊙
9	<i>fastosa</i> . R.S. ( <i>pu.wh.</i> )	purple.	Egypt.	1629.	—	H. ⊙ Rumph. am. 5. t. 243. f. 2.
	<i>β flore pleno</i> . ( <i>pu.wh.</i> )	<i>double-flowered</i> .	—	—	—	G. ⊙
10	<i>dubia</i> . R.S. ( <i>wh.</i> )	doubtful.	.....	—	—	H. ⊙
11	<i>lævis</i> . R.S. ( <i>wh.</i> )	smooth-fruited.	Africa.	1780.	—	H. ⊙ Jacq. vind. 3. t. 82.
12	<i>ceratocaula</i> . R.S. ( <i>wh.pu.</i> )	horn-stalked.	Cuba.	1805.	8. 10.	H. ⊙ Jacq. schœn. 3. t. 339.
13	<i>guayaquilensis</i> . K.S. ( <i>wh.</i> )	Guayaquil.	S. America.	1824.	—	H. ⊙
<b>BRUGMA'NSIA. P.S. BRUGMA'NSIA. Pentandria Monogynia. R.S.</b>						
1	<i>cándida</i> . P.S. ( <i>wh.</i> )	downy-stalked.	Peru.	1818.	8. 9.	S. ♀ Flor. peruv. 2. t. 128.
	<i>Datura arborea</i> . L.	—	—	—	—	—
2	<i>suavèolens</i> . ( <i>wh.</i> )	smooth-stalked.	S. America.	1733.	—	S. ♀
	<i>Datura arborea</i> . Hort.	<i>suavèolens</i> .	W. enum.	—	—	—
<b>VESTIA. W. VESTIA. Pentandria Monogynia. W.</b>						
	<i>lycioides</i> . W.en. ( <i>gr.ye.</i> )	Boxthorn-like.	Chili.	1815.	1. 12.	G. ♀ Bot. reg. t. 299.
<b>? C'ODON. W. C'ODON. Decandria Monogynia. L.</b>						
	<i>Royèni</i> . w. ( <i>re.wh.</i> )	prickly.	C. B. S.	1801.	9. 10.	G. ♂ And. repos. t. 325.

Sect. II. *PERICARPIUM BACCATUM.*

<b>ANIS'ODUS. S.S. ANIS'ODUS. Pentandria Monogynia. S.S.</b>						
	<i>lùridus</i> . s.s. ( <i>br.</i> )	lurid.	Nepaul.	1823.	8. 10.	H. ♀ Swt. br. fl. gar. t. 125.
	<i>Whittleya stramonifolia</i>	B.F.G.	—	—	—	—
<b>NECTO'UXIA. K.S. NECTO'UXIA. Pentandria Monogynia.</b>						
	<i>formosa</i> . K.S. ( <i>ye.</i> )	pretty.	Mexico.	1826.	7. 10.	H. ⊙ H. et B. n.g. am. 3. t. 193.
<b>A'TROPA. R.S. A'TROPA. Pentandria Monogynia. L.</b>						
	<i>Belladonna</i> . R.S. ( <i>br.pu.</i> )	deadly nightshade.	Britain.	....	6. 7.	H. ♀ Eng. bot. v. 9. t. 592.
<b>SA'RACHA. R.S. SA'RACHA. Pentandria Monogynia.</b>						
1	<i>procumbens</i> . R.P. ( <i>st.</i> )	procumbent.	Peru.	1822.	7. 9.	H. ♀ Cavan. ic. 1. t. 72.
	<i>A'tropa procumbens</i> . Cav.	<i>Bellinia procumbens</i> .	R.S.	—	—	—
2	<i>umbellata</i> . DC. ( <i>st.</i> )	umbel-flowered.	Peru.	—	—	H. ♀ Swt. br. fl. gar. t. 85.
<b>MANDRAG'ORA. J. MANDRAKE. Pentandria Monogynia. R.S.</b>						
1	<i>præcox</i> . B.F.G. ( <i>st.bh.</i> )	blister-leaved.	Switzerland.	1818.	3. 4.	H. ♀ Swt. br. fl. gar. t. 198.
2	<i>vernalis</i> . s.s. ( <i>bh.</i> )	large-leaved.	S. Europe.	1562.	5. 6.	H. ♀
3	<i>autumnalis</i> . s.s. ( <i>li.</i> )	autumn-flowered.	Levant.	—	8. 9.	H. ♀ Flor. græc. t. 232.
<b>NOL'ANA. R.S. NOL'ANA. Pentandria Monogynia. L.</b>						
1	<i>prostrata</i> . R.S. ( <i>bl.</i> )	trailing.	Peru.	1761.	7. 9.	H. ⊙ Bot. mag. t. 731.
2	<i>tenella</i> . H.C. ( <i>bl.</i> )	slender.	Chile.	1824.	—	F. ♀
3	<i>paradoxa</i> . B.R. ( <i>bl.</i> )	violet-coloured.	Chili.	1822.	—	H. ⊙ Bot. reg. t. 865.
<b>NICA'NDRA. R.S. NICA'NDRA. Pentandria Monogynia. R.S.</b>						
1	<i>physaloides</i> . R.S. ( <i>bl.</i> )	American.	America.	1759.	7. 9.	H. ⊙ Bot. mag. t. 2458.
2	<i>indica</i> . R.S. ( <i>bl.</i> )	Indian.	Nepaul.	1823.	—	H. ⊙ Rumph. amb. 6. t. 26. f. 1.
<b>PHY'SALIS. R.S. WINTER CHERRY. Pentandria Monogynia. L.</b>						
	<i>arborèscens</i> . w. ( <i>ye.</i> )	arborescent.	Campeachy.	1733.	6. 8.	S. ♀ Mill. ic. 2. t. 206. f. 2.

2	frutescens. DC. ( <i>ye.</i> ) frutescent.	Spain.	1737.	1. 3. G. h.	Cavan. ic. 2. t. 102.
	<i>A'tropa frutescens.</i> R.S.				
3	aristata. w. ( <i>ye.</i> ) bearded.	Canaries.	1779.	5. 8. G. h.	
	<i>A'tropa aristata.</i> R.S.				
4	somnifera. R.S. ( <i>st.</i> ) clustered.	Levant.	1596.	7. 8. G. h.	Flor. græc. t. 233.
	<i>β aristata.</i> ( <i>st.</i> ) awned.	Mexico.	1826.	— G. h.	
5	flexuosa. R.S. ( <i>gr.wh.</i> ) flexuose.	E. Indies.	1759.	— G. h.	Jacq. f. ecl. t. 23.
6	curassavica. R.S. ( <i>st.</i> ) Curassavian.	S. America.	1699.	6. 9. S. h.	Pluk. alm. t. 111. f. 5.
7	tomentosa. R.S. ( <i>ye.</i> ) woolly.	C. B. S.	1816.	— G. h.	
8	viscosa. R.S. ( <i>st.</i> ) clammy.	America.	1732.	7. H. h.	Bot. mag. t. 2625.
9	lanceolata. R.S. ( <i>ye.</i> ) spear-leaved.	N. America.	1780.	— H. h.	
10	pensylvanica. R.S. ( <i>ye.</i> ) Pennsylvanian.	—	1726.	7. 9. H. h.	
11	Jacquinii. L.en. ( <i>ye.</i> ) Jacquin's.	—	....	— H. h.	Jacq. vind. 2. t. 136.
	<i>viscosa.</i> Jacq. non L.				
12	Alkekengi. R.S. ( <i>wh.</i> ) common.	S. Europe.	1548.	— H. h.	Flor. græc. t. 234.
13	tuberosa. R.S. ( <i>ye.pu.</i> ) tuberous-rooted. ....	—	1816.	.... S. h.	
14	chenopodiifolia. R.S. ( <i>ye.</i> ) goose-foot-leav'd.	S. America.	1798.	7. 8. S. h.	
15	peruviana. R.S. ( <i>ye.pu.</i> ) Peruvian.	Peru.	1773.	— S. h.	
16	edulis. B.M. ( <i>ye.pu.</i> ) eatable.	S. America.	—	— S. h.	Bot. mag. t. 1068.
17	pubescens. R.S. ( <i>ye.pu.</i> ) pubescent.	America.	1640.	— H. h.	Feuil. per. 3. t. 1.
18	micrantha. L.en. ( <i>ye.</i> ) small-flowered.	—	1822.	— H. h.	
19	nodosa. R.S. ( <i>ye.</i> ) knotted.	—	....	— H. h.	
20	barbadensis. R.S. ( <i>st.</i> ) Barbadoes.	W. Indies.	1798.	— H. h.	Jacq. ic. 1. t. 39.
21	dubia. L.en. ( <i>ye.</i> ) dubious.	Brazil.	1819.	— H. h.	
22	fœtidissima. R.S. ( <i>ye.br.</i> ) stinking.	New Spain.	—	— H. h.	
23	fœtens. R.S. ( <i>ye.br.</i> ) strong-scented.	Peru.	1827.	— H. h.	
24	angulata. R.S. ( <i>wh.</i> ) angular-branch'd.	India.	1732.	6. 9. H. h.	Dill. elth. t. 12. f. 12.
25	Rothiana. R.S. ( <i>wh.</i> ) Roth's.	E. Indies.	1827.	— S. h.	
26	philadelphica. R.S. ( <i>ye.</i> ) Philadelphian.	N. America.	1824.	— H. h.	
27	atriplicifolia. R.S. ( <i>ye.</i> ) Atriplex-leaved. ....	—	1798.	7. 8. H. h.	Jacq. frag. t. 85. f. a.
	<i>chenopodiifolia.</i> w. non Lamarck.				
28	minima. R.S. ( <i>ye.</i> ) least.	E. Indies.	1759.	— H. h.	Rheed. mal. 10. t. 70.
29	pruinosa. R.S. ( <i>ye.</i> ) hairy annual.	America.	1726.	— H. h.	Dill. elth. 10. t. 9. f. 9.
30	Lagascii. R.S. ( <i>ye.</i> ) Lagasca's.	New Spain.	1824.	— H. h.	
31	pátula. R.S. ( <i>wh.</i> ) spreading.	Vera Cruz.	1731.	7. 9. S. h.	
32	villosa. R.S. ( <i>st.</i> ) villous.	—	—	— S. h.	
33	cordata. R.S. ( <i>ye.gr.</i> ) heart-leaved.	—	—	— S. h.	
34	maxima. R.S. ( <i>st.</i> ) large annual.	—	—	— S. h.	
35	abyssinica. Ot. ( <i>ye.</i> ) Abyssinian.	Abyssinia.	1828.	— S. h.	
36	prostrata. R.S. ( <i>bl.</i> ) trailing.	Peru.	1782.	— H. h.	Andr. reposit. t. 75.
CAPSICUM. R.S. CA'PSICUM.		Pentandria Monogynia. L.			
1	annuum. R.S. ( <i>wh.</i> ) annual.	India.	1548.	6. 7. G. h.	Rheed. mal. 2. t. 35.
2	longum. R.S. ( <i>wh.</i> ) long-fruited.	.....	—	— G. h.	Dodon.pemph.716.f.3.
3	cordifor-me. R.S. ( <i>wh.</i> ) heart-shaped.	India.	1731.	— G. h.	
4	tetragonum. R.S. ( <i>wh.</i> ) four-sided.	—	—	— G. h.	
5	angulosum. R.S. ( <i>wh.</i> ) angular-fruited. ....	—	—	— S. h.	
6	sphæricum. R.S. ( <i>wh.</i> ) round-fruited. ....	—	1807.	4. 7. S. h.	
7	ovatum. R.S. ( <i>wh.</i> ) oval-fruited.	.....	—	— S. h.	
8	pendulum. R.S. ( <i>wh.</i> ) pendulous.	.....	1804.	— S. h.	
9	luteum. R.S. ( <i>wh.</i> ) yellow-fruited.	E. Indies.	1820.	— S. h.	
10	grössum. R.S. ( <i>wh.</i> ) various-fruited.	India.	1759.	5. 8. S. h.	Besl. eyst. 2. t. 2. f. I.
	<i>α globosum.</i> R.S. ( <i>wh.</i> ) globular-fruited.	—	—	— S. h.	
	<i>β luteum.</i> R.S. ( <i>wh.</i> ) yellow oval-fruited.	—	—	— S. h.	
	<i>γ bifidum.</i> ( <i>wh.</i> ) cleft-fruited.	—	....	— S. h.	
11	conoïdes. R.S. ( <i>st.</i> ) conical-fruited.	India.	1728.	— S. h.	
12	pyramidale. R.S. ( <i>wh.</i> ) pyramidal.	Egypt.	1732.	— S. h.	
13	cerasifor-me. R.S. ( <i>st.</i> ) Cherry-fruited.	W. Indies.	1759.	— S. h.	
14	Milleri. R.S. ( <i>st.</i> ) Miller's.	New Spain.	—	— S. h.	
	<i>cerasifor-me.</i> Mill. non w.				
15	purpureum. F.I. ( <i>pu.</i> ) purple.	E. Indies.	1824.	— S. h.	
16	frutescens. R.S. ( <i>wh.</i> ) shrubby.	India.	1656.	6. 9. S. h.	Rheed. mal. 2. t. 56.
	<i>β torulosum.</i> ( <i>wh.</i> ) twisted.	—	....	— S. h.	
17	bicolor. R.S. ( <i>pu.</i> ) twisted-flower'd.	W. Indies.	1804.	— S. h.	Bot. mag. t. 1835.
	<i>nigrum.</i> W.en. violaceum. DC.				
18	caerulescens. R.S. ( <i>pu.</i> ) bluish.	.....	1827.	— S. h.	
19	baccatum. R.S. ( <i>wh.</i> ) Bird pepper.	W. Indies.	1731.	— S. h.	Sloan. j. 1. t. 146. f. 2.
20	minimum. F.I. ( <i>wh.</i> ) small-berried.	E. Indies.	1728.	— S. h.	
21	sinense. R.S. ( <i>wh.</i> ) oval Chinese.	China.	1807.	— S. h.	Jacq. vind. 3. t. 67.
22	havanense. K.S. ( <i>wh.</i> ) Havannah.	Havannah.	1826.	— S. h.	

- 23 microcárpum. R.S. (*wh.*) small-fruited. S. America. 1824. 6. 9. S. h.
- 24 micránthum. R.S. (*wh.*) small-flowered. Brazil. — S. h.
- LYCOPEPERSICUM. R.S. LOVE-APPLE. Pentandria Monogynia. R.S.**
- 1 pimpinellifólium. R.S. (*ye.*) Pimpinella-ld. S. America. .... 6. 8. S. y.
- 2 reguláre. R.S. (*ye.*) regular-leaved. — .... 6. 9. G. ⊙.
- 3 peruviánum. R.S. (*ye.*) Peruvian. Peru. .... 6. 8. G. y. Bot. mag. t. 2814.
- Solanum peruviánum.* Jacq. icon. t. 327.
- 4 dentátum. R.S. (*ye.*) tooth-leaved. S. America. .... — H. ⊙. Dunal solan. 2. ined. t. 82.
- 5 Humbóldtii. R.S. (*ye.*) Humboldt's. — 1815. — H. ⊙. Willd. hort. ber. 1. t. 27.
- 6 pyrífórme. R.S. (*ye.*) Pear-fruited. — .... — H. ⊙. Dunal solan. t. 26.
- 7 cerasifórme. R.S. (*ye.*) Cherry-fruited. Peru. 1800. 7. 9. H. ⊙. Jacq. vind. 1. t. 11.
- Solanum pseudolycopérsicum.* Jacq.
- a rúber.* (*ye.*) red-fruited. — — H. ⊙.
- β látéum.* (*ye.*) yellow-fruited. — — H. ⊙.
- 8 esculéntum. R.S. (*ye.*) Tomato. S. America. 1596. — H. ⊙. Dunal solan. t. 3. f. 3.
- a erythrocárpum.* (*ye.*) red-fruited. — — H. ⊙.
- β chrysocárpum.* (*ye.*) yellow-fruited. — — H. ⊙.
- γ leucocárpum.* (*ye.*) white-fruited. — — H. ⊙.
- 9 procúmbens. R.S. (*ye.*) procumbent. — .... — H. ⊙.
- SOLANUM. R.S. NIGHTSHADE. Pentandria Monogynia. L.**
- 1 tuberósum. R.S. (*bl.wh.*) Potatoe. Peru. 1597. 6. 8. H. y. Plenck. off. t. 121.
- 2 appendiculátum. R.S. (*wh.*) appendaged. Mexico. 1823. — S. h. ✓. Dunal solan. ed. 2. t. 84.
- 3 Seaforthiánum. R.S. (*pi.*) Seaforth's. Barbadoes. 1804. 7. 9. S. h. ✓. Andr. reposit. t. 504.
- 4 betáceum. R.S. (*bl.*) Beet-leaved. New Spain. 1803. 6. 7. S. h. ✓. — t. 511.
- 5 muricátum. R.S. (*wh.vi.*) warted. Peru. 1785. 7. 8. S. h. ✓. Feuil. peruv. 2. t. 26.
- 6 diversifólium. R.S. (*wh.*) different-leaved. Caracas. 1824. — S. h. ✓. Dunal solan. ed. 2. t. 88.
- 7 Bulbocástanum. R.S. (*wh.*) tuberous-rooted. Mexico. 1826. 6. 9. H. y. ✓. — ed. 2. t. 3.
- 8 oligánthum. R.S. (*wh.*) climbing. Orinoco. 1824. 7. 8. S. h. ✓. — ed. 2. t. 90.
- 9 reclinátum. R.S. (*bl.*) reclining. Peru. .... — S. h. ✓. Lam. ill. t. 145. f. 4.
- 10 laciniátum. B.P. (*bl.*) cut-leaved. N. Holland. 1772. — G. h. ✓. Bot. mag. t. 349.
- a fruticósum.* (*bl.*) frutescent. N. S. W. — — G. h. ✓.
- β herbáceum.* (*bl.*) herbaceous. V. Diem. Isl. — — H. ⊙.
- 11 quercifólium. R.S. (*vi.*) Oak-leaved. Peru. 1787. 6. 7. H. y. ✓. Feuil. per. 2. t. 15 ?
- 12 rádican. R.S. (*li.*) rooting. — 1771. 7. 8. G. y. ✓. Linn. dec. 1. t. 10.
- 13 corymbósum. R.S. (*vi.*) corymb-flowered. — 1786. — S. y. ✓. Jacq. ic. 1. t. 40.
- 14 Dulcamára. R.S. (*bl.*) bitter-sweet. Britain. .... 6. 8. H. h. ✓. Eng. bot. v. 8. t. 565.
- β álbum.* (*wh.*) white-flowered. — .... — H. h. ✓.
- γ variegátum.* (*pa.*) variegated. — .... — H. h. ✓.
- 15 littorále. L.en. (*bl.*) sea-side. Europe. .... — H. h. ✓.
- 16 Tegóre. R.S. (*gr.*) hairy-stemmed. Guiana. 1820. — S. h. ✓. Abl. guian. 1. t. 84.
- 17 quiténse. s.s. (*wh.pu.*) Lima. Lima. 1825. — G. h. ✓. Bot. mag. t. 2739.
- 18 macrocárpum. s.s. (*bl.*) large-fruited. Peru. 1759. 5. 9. S. h. ✓. Mill. ic. 2. t. 294.
- 19 calycinum. R.S. (*bl.*) large-calyxed. Mexico. 1825. — S. h. ✓. Dunal sol. ed. 2. t. 29.
- 20 racemiflórum. R.S. (*bl.*) racemed. S. America. 1818. 7. 9. H. ⊙. ✓. Jacq. schœn. 3. t. 333.
- scábrum.* Jacq. non Vahl.
- 21 æthiopicum. R.S. (*wh.*) Ethiopian. Ethiopia. 1597. — H. ⊙. ✓. Jacq. vind. 1. t. 12.
- 22 Zuccagnianum. R.S. (*wh.*) Zuccagni's. .... 1818. — H. ⊙. ✓. Dunal solan. t. 11.
- 23 pseudocápsicum. (*wh.*) Winter-cherry. Madeira. 1596. 6. 9. G. h. ✓. Sabb. h. rom. t. 59.
- 24 nodiflórum. R.S. (*wh.*) knot-flowered. Guiana. 1815. — G. ⊙. ✓. Jacq. ic. 2. t. 326.
- 25 Dillénii. R.S. (*wh.*) Dillenius's. Hungary. .... — H. ⊙. ✓. Dill. elth. t. 275. f. 355.
- 26 guineénsé. R.S. (*gr.wh.*) large-berried. Guinea. .... — H. ⊙. ✓. — t. 274. f. 354.
- 27 fistulósum. R.S. (*wh.*) fistulous-stalked. Mauritius. 1826. — H. ⊙. ✓.
- 28 nígrum. R.S. (*wh.*) black-berried. Britain. .... — H. ⊙. ✓. Eng. bot. v. 8. t. 566.
- 29 oleráceum. R.S. (*wh.*) cultivated. W. Indies. .... — S. ⊙. ✓. Piso lib. 4. c. 50. f. 3.
- 30 pterocaüle. R.S. (*wh.vi.*) wing-stalked. America. .... — H. ⊙. ✓. Dill. elth. t. 275. f. 256.
- 31 judaicum. R.S. (*wh.*) rough-stalked. Europe. .... — H. ⊙. ✓.
- 32 suffruticósum. R.S. (*wh.*) suffrutescant. Barbary. 1804. 5. 9. G. h. ✓.
- 33 quadranguláre. R.S. (*wh.*) quadrangular. C. B. S. 1812. — H. ⊙. ✓.
- 34 trianguláre. R.S. (*wh.*) three-sided. E. Indies. .... 6. 9. S. ⊙. ✓.
- 35 rúbrum. R.S. (*wh.*) red-berried. S. America. .... — H. ⊙. ✓.
- 36 incértum. R.S. (*wh.*) uncertain. E. Indies. 1810. — H. ⊙. ✓.
- 37 miniátum. R.S. (*wh.*) pubescent-stalk'd. Europe. .... — H. ⊙. ✓.
- 38 hùmile. R.S. (*wh.*) small. S. Europe. .... — H. ⊙. ✓.
- 39 flávum. R.S. (*st.*) yellow-berried. Hungary. 1816. — H. ⊙. ✓.
- ochroleúcum.* Dun.
- 40 villósum. R.S. (*wh.*) villous annual. S. Europe. .... — H. ⊙. ✓. Dill. elth. t. 274. f. 353.
- 41 hirsútum. R.S. (*wh.*) hairy annual. Egypt. .... — H. ⊙. ✓.
- 42 decedentátum. F.T. (*wh.*) ten-toothed. China. 1826. — H. ⊙. ✓.
- 43 Rumphii. R.S. (*wh.*) Rumphius's. E. Indies. .... — H. ⊙. ✓. Rumph. amb. 6. t. 26. f. 1.

44	Besseri. R.S.	(wh.) Besser's.	America.	1824.	6. 9.	H. ⊙.	
45	cestrifolium. s.s.	(wh.) Cestrum-leaved.	.....	1826.	4. 7.	S. h.	
46	longiflorum. R.S.	(bl.) long-flowered.	Guiana.	1823.	6. 8.	S. h.	Dunal solan. t. 9.
	<i>longifolium. Dun.</i>						
47	triquetrum. R.S.	(wh.) triquetrous.	New Spain.	1821.	—	S. h.	Cavan. ic. 3. t. 259.
48	bombense. R.S.	(wh.) Bomba.	S. America.	1818.	—	S. h.	Jacq. f. eclog. t. 24.
49	pubigerum. R.S.	(wh.) downy.	Mexico.	1823.	—	S. h.	Dunal sol. t. 6.
	<i>Cervantesii. Lag.</i>						
50	pyrifolium. R.S.	(wh.) Pear-leaved.	W. Indies.	1824.	6. 8.	S. h.	Dun. sol. ed. 2. t. 34.
51	macrantherum. R.S.	(vi.) large-anthered.	Mexico.	1826.	—	G. h. √.	H. et B.gen.am.3.t.195.
52	laurifolium. R.S.	(wh.) Laurel-leaved.	S. America.	1820.	—	S. h.	Dunal sol. t. 8.
53	spirale. F.R.	(wh.) spiral-racemed.	E. Indies.	—	4. 6.	S. h.	
54	Hookeriænum. s.s.	(bl.) Hooker's.	Mexico.	1825.	6. 9.	G. h.	Bot. mag. t. 2708.
	<i>coriaceum. Bot. mag. nec aliorum.</i>						
55	dealbatum. Lind.	(wh.) white-leaved.	Chile.	1826.	10. 11.	G. h.	Bot. mag. t. 2697.
	<i>saponaceum. B.M. non Dunal.</i>						
56	salicifolium. D.L.	(wh.) Willow-leaved.	Trinidad.	1822.	6. 9.	S. h.	
57	verbascifolium. R.S.	(u.) Mullein-leaved.	W. Indies.	1749.	6. 8.	S. h.	Jacq. vind. 1. t. 13.
58	auriculatum. R.S.	(vi.) ear-leaved.	Madagascar.	1773.	....	S. h.	Scop. del. 3. t. 8.
59	pubescens. R.S.	(vi.) pubescent.	E. Indies.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 3.
60	argenteum. R.S.	(wh.) silvery.	Brazil.	—	—	S. h.	Dunal sol. ed. 2. t. 39.
61	nudum. K.S.	(wh.) naked.	Mexico.	1824.	3. 6.	S. h.	
62	diphyllum. R.S.	(wh.) two-leaved.	W. Indies.	1699.	6. 7.	S. h.	Jacq. ic. 2. t. 322.
63	arbozeum. R.S.	(wh.) tree.	Cumana.	1819.	—	S. h.	Dunal sol. ed. 2. t. 198.
64	havanense. R.S.	(bl.) Havannah.	W. Indies.	1793.	7. 8.	S. h.	Jacq. amer. pict. t. 48.
65	aggregatum. R.S.	(li.) crowded.	Guinea.	—	—	S. h.	Jacq. ic. 2. t. 323.
66	Plukenetii. R.S.	(wh.) Plukenet's.	S. America.	....	6. 8.	S. h.	Pluk. phyt. t. 227. f. 2.
67	ericalyx. R.S.	(wh.) woolly-calyxed.	Carthagea.	1731.	5. 8.	S. h.	
68	umbellatum. R.S.	(wh.) umbelled.	S. America.	—	—	S. h.	
69	americanum. R.S.	(pu.) American.	Virginia.	1727.	7. 9.	H. ⊙.	
70	axilliflorum. R.S.	(bl.) axil-flowered.	Vera Cruz.	1728.	6. 9.	S. h. √.	
	<i>scandens. Miller.</i>						
71	memphiticum. R.S.	(wh.) tooth-stalked.	.....	1823.	—	S. √.	
72	persicum. R.S.	(bl.) Persian.	Persia.	1829.	6. 9.	H. h. √.	
73	capsicastrum. Ot.	(wh.) Capsicum-like.	.....	1827.	—	S. h.	
74	lycioides. R.S.	(li.) spiny.	Peru.	1791.	5. 6.	S. h.	Jacq. ic. 1. t. 46.
75	monanthum. R.S.	(fl.) one-flowered.	New Spain.	1816.	—	S. √.	
76	fugax. R.S.	(wh. ye.) fugacious.	Caracas.	—	—	S. h.	Jacq. ic. 2. t. 324.
77	stellatum. R.S.	(bl.) starry.	S. America.	—	—	S. h.	— 2. t. 325.
78	virgatum. R.S.	(vi.) twiggy.	W. Indies.	1819.	—	S. h.	Dunal sol. ed. 2. t. 40.
79	lertum. R.S.	(vi.) climbing woolly.	New Spain.	1823.	6. 8.	S. h. √.	Cavan. ic. 4. t. 308.
80	scandens. R.S.	(pu.) climbing.	W. Indies.	1822.	....	S. h. √.	
81	atrosanguineum. Sck.	(c.) dark crimson.	.....	1827.	....	S. h.	
82	elæagnifolium. R.S.	(bl.) Elæagnus-leaved.	Chile.	1823.	6. 8.	S. h.	Cavan. ic. 3. t. 243.
83	obtusifolium. K.S.	(bl.) blunt-leaved.	Mexico.	1826.	—	G. h.	Dunal sol. ed. 2. t. 119.
84	stelligerum. R.S.	(li.) starry-haired.	N. Holland.	1820.	—	S. h.	Sm. exot. bot. 2. t. 88.
85	racemosum. R.S.	(wh.) wave-leaved.	W. Indies.	1781.	7. 8.	S. h.	Jacq. amer. pict. t. 50.
86	igneum. R.S.	(wh.) red-spined.	S. America.	1714.	3. 11.	S. h.	Jacq. vind. 1. t. 14.
87	subarmatum. R.S.	(wh.) partly armed.	—	1823.	—	S. h.	
88	bahamense. R.S.	(wh. vi.) Bahama.	Bahama.	1732.	6. 7.	S. h.	Dill. elth. t. 271. f. 350.
89	hirtum. R.S.	(wh.) hairy-calyxed.	Trinidad.	1823.	—	S. h.	Vahl ic. rar. d. 3. t. 21.
90	tomentosum. R.S.	(bl.) tomentose.	S. America.	1662.	—	S. h.	Bocc. sic. 8. t. 5.
91	hybridum. R.S.	(pa. bl.) hybrid.	Guinea.	1815.	—	S. h.	Jacq. vind. 2. t. 113.
92	coccineum. R.S.	(bh.) scarlet-fruited.	.....	1820.	—	S. h.	Jacq. ic. 1. t. 43.
93	jamaicense. R.S.	(li.) Jamaica.	Jamaica.	—	—	S. h.	
94	cuneifolium. R.S.	(wh.) wedge-leaved.	W. Indies.	....	—	S. h.	Dunal sol. t. 22.
95	heterophyllum. R.S.	(bh.) variable-leaved.	Guiana.	1823.	7. 9.	S. h.	— ed. 2. t. 62.
96	volubile. R.S.	(bl.) twining.	Hispaniola.	—	—	S. h. √.	Plum. Mss. t. 4. f. 32.
97	lanceafolium. R.S.	(wh.) lance-leaved.	S. America.	....	—	S. h. √.	Jacq. ic. 2. t. 329.
98	coriaceum. R.S.	(bl.) leathery-leav'd.	Trinidad.	1824.	6. 9.	S. h. √.	Dun. sol. p. 197. t. 14.
99	bonariense. R.S.	(wh.) Buenos Ayres.	Buenos Ayres.	1727.	—	H. h.	Dill. elth. t. 272. f. 351.
100	fastigiatum. R.S.	(pa. bl.) fastigiæte.	S. America.	1820.	—	S. h.	Jacq. f. eclog. t. 6.
101	oporinum. R.S.	(bl.) large-leaved.	—	—	—	S. h.	Dunal sol. t. 16.
	<i>macrophyllum. Dun.</i>						
102	subinerme. R.S.	(bl.) spear-leaved.	W. Indies.	1752.	7. 8.	S. h.	Jacq. amer. t. 40. f. 3.
103	lanceolatum. R.S.	(bl.) lanceolate.	New Spain.	....	6. 7.	S. h.	Cavan. ic. 3. t. 245.
104	astroites. Jacq.	(bl.) Aster-like.	S. America.	1823.	—	S. h.	Jacq. f. eclog. t. 65.
105	glutiniosum. R.S.	(bl.) glutinous.	.....	1818.	6. 8.	S. h.	Dunal sol. ed. 2. t. 54.
106	Brownii. R.S.	(vi.) Brown's.	N. S. W.	1820.	—	S. h.	
	<i>violaceum. B.P. non Jacq.</i>						

107	gigânteum. R.S. ( <i>wh. vi.</i> ) tall.	C. B. S.	1792.	6. 8.	G. h.	Bot. mag. t. 1921.
108	tórvm. R.S. ( <i>wh.</i> ) curved-prickled.	W. Indies.	1816.	—	S. h.	—
109	ferrugineum. R.S. ( <i>wh.</i> ) ferruginous.	.....	—	—	S. h.	Jacq. schœn. 3. t. 334.
110	elâtum. L.en. ( <i>bl.</i> ) tall.	.....	1824.	6. 9.	S. h.	—
111	ochroneûrum. L.en. ( <i>bl.</i> ) rusty-branched.	Brazil.	—	6. 8.	S. h.	—
112	môlle. K.S. ( <i>wh.</i> ) soft-leaved.	Caracas.	1826.	—	G. h.	—
113	Lichtensteiniî. R.S. . . . .	C. B. S.	1824.	....	G. h.	—
114	esculentum. R.S. ( <i>li.</i> ) eatable.	Tropics.	1597.	6. 9.	G. ⊙	Dunal sol. t. 3. f. E.
115	ovigerum. R.S. ( <i>pa. bl.</i> ) Egg-plant.	Arabia.	—	—	G. ⊙	Blackw. t. 549.
	<i>a violaceum.</i> ( <i>pa. bl.</i> ) violet-fruited.	—	....	—	G. ⊙	—
	<i>β album.</i> ( <i>pa. bl.</i> ) white-fruited.	—	....	—	G. ⊙	—
	<i>γ luteum.</i> ( <i>pa. bl.</i> ) yellow-fruited.	—	....	—	G. ⊙	—
	<i>δ ruber.</i> ( <i>pa. bl.</i> ) red-fruited.	—	....	—	G. ⊙	—
116	lôngum. F.I. ( <i>vi.</i> ) long-fruited.	E. Indies.	1816.	—	S. h.	—
117	insânium. W. ( <i>pu.</i> ) insane.	—	1815.	8. 10.	S. h.	Pluk. alm. t. 226. f. 3.
118	melanóxyloû. S.S. ( <i>vi.</i> ) black-wooded.	.....	1825.	7. 10.	S. ⊙	—
119	undâtum. R.S. ( <i>pa. bl.</i> ) waved.	E. Indies.	1818.	6. 9.	S. h.	Rheed. mal. 2. t. 37.
120	fuscâtum. R.S. ( <i>vi.</i> ) brown-branched.	America.	....	7. 8.	G. ⊙	Jacq. ic. 1. t. 42.
121	sodômeum. R.S. ( <i>pu.</i> ) black-spined.	Africa.	1688.	6. 7.	G. h.	Flor. græc. t. 235.
122	incânum. R.S. ( <i>re.</i> ) hoary.	Mauritius.	1823.	—	S. h.	Scop. del. 1. t. 1.
123	îndicum. R.S. ( <i>bl.</i> ) Indian.	India.	1732.	7.	S. h.	Dill. elth. t. 270. f. 349.
124	coâgulans. R.S. ( <i>bl.</i> ) scollop-leaved.	Arabia Felix.	1802.	—	S. h.	Jacq. schœn. 4. t. 469.
125	sânctum. R.S. ( <i>bl. pu.</i> ) oblique-leaved.	Egypt.	—	—	S. h.	—
126	marginâtum. R.S. ( <i>li.</i> ) white margined.	Africa.	1775.	6. 9.	G. h.	Bot. mag. t. 1928.
127	congense. L.en. ( <i>bl.</i> ) Congo.	—	1815.	—	G. h.	—
128	campechiense. R.S. ( <i>li.</i> ) purple-spined.	America.	1732.	7.	G. h.	Dill. elth. t. 268. f. 347.
129	platanifôlium. B.M. ( <i>vi.</i> ) Plane-leaved.	S. America.	1822.	7. 9.	S. h.	Bot. mag. t. 2618.
130	myriacânthum. R.S. ( <i>w.</i> ) many-spined.	—	—	—	S. h.	—
131	aculeatissimum. R.S. ( <i>w.</i> ) very prickly.	—	1800.	—	S. h.	Jacq. ic. 1. t. 41.
132	spinosissimum. D.L. ( <i>w.</i> ) very spiny.	Trinidad.	1820.	—	S. h.	—
133	lividum. S.S. ( <i>wh.</i> ) livid.	Madagascar.	1821.	—	S. h.	—
134	lasiocârpum. R.S. ( <i>wh.</i> ) four-celled.	E. Indies.	1824.	6. 8.	S. ⊙	Rheel. mal. 2. t. 35.
	<i>hirsutum.</i> F.I. non Dunal. <i>quadriloculare.</i> S.S.	—	—	—	—	—
135	mammôsium. R.S. ( <i>pa. bl.</i> ) nipple.	W. Indies.	1699.	7. 8.	H. ⊙	Merian. surin. t. 27.
136	ciliâtum. R.S. ( <i>pa. bl.</i> ) ciliated.	.....	1816.	—	H. ⊙	Dunal sol. t. 18.
137	stramonifôlium. R.S. ( <i>bl.</i> ) broad-leaved.	E. Indies.	1778.	6. 9.	S. h.	Jacq. ic. 1. t. 44.
138	flavescens. R.S. ( <i>wh.</i> ) yellowish.	Trinidad.	1822.	—	S. h.	—
139	férox. R.S. ( <i>li. pu.</i> ) Malabar.	Malabar.	1795.	8. 9.	S. h.	Dunal sol. ed. 2. t. 68.
140	crassipetalum. F.I. ( <i>li.</i> ) thick-petaled.	Nepaul.	1824.	4. 7.	G. h.	—
141	lysimachioides. F.I. ( <i>w.</i> ) Loosestrife-like.	E. Indies.	1823.	6. 9.	S. h.	—
142	campanulâtum. B.P. ( <i>pu.</i> ) bell-flowered.	N. S. W.	1818.	8. 9.	G. ⊙	—
143	armâtum. B.P. ( <i>pu.</i> ) armed.	—	1819.	—	S. h.	Dunal sol. ed. 2. t. 69.
144	pungêtium. B.P. ( <i>vi.</i> ) pungent.	—	1823.	—	G. ⊙	— ed. 2. t. 70.
145	cinereum. B.P. ( <i>wh.</i> ) grey.	—	—	—	G. h.	—
146	Millèri. R.S. ( <i>wh.</i> ) Miller's.	C. B. S.	1762.	7. 8.	G. h.	Jacq. ic. 2. t. 330.
147	trilobâtum. R.S. ( <i>wh.</i> ) three-lobed.	W. Indies.	1759.	8.	S. h.	Pluk. alm. t. 316. f. 5.
148	acetosæfôlium. R.S. ( <i>w.</i> ) Sorrel-leaved.	E. Indies.	—	—	S. h.	Burm. ind. t. 22. f. 2.
149	rigescens. R.S. ( <i>vi.</i> ) rigid.	C. B. S.	1815.	6. 8.	G. h.	Jacq. schœn. 1. t. 42.
150	carolinense. R.S. ( <i>w. bl.</i> ) Carolina.	Carolina.	1732.	7. 9.	G. h.	Jacq. ic. 2. t. 331.
151	violaceum. R.S. ( <i>bl.</i> ) violet.	E. Indies.	1823.	6. 9.	S. h.	Jacq. fragm. t. 133. f. 1.
152	pyracânthum. B.M. ( <i>pu.</i> ) orange-thorn'd.	Madagascar.	1789.	8. 9.	S. h.	Sm. exot. bot. 2. t. 64.
	<i>β inermis.</i> ( <i>pu.</i> ) smooth-calyxed.	—	—	—	S. h.	Bot. mag. t. 2547.
153	virginianum. R.S. ( <i>vi.</i> ) Virginian.	Virginia.	1662.	5. 8.	H. ⊙	Dill. elth. t. 267. f. 346.
154	Jacquinî. R.S. ( <i>bl. pu.</i> ) Jacquin's.	E. Indies.	1804.	9. 11.	S. ⊙	Jacq. ic. 2. t. 332.
155	xanthocârpum. R.S. ( <i>bl.</i> ) yellow-fruited.	Ethiopia.	1828.	6. 10.	H. ⊙	Wend. s. han. 1. t. 2.
156	Balbisiî. R.S. ( <i>wh.</i> ) Balbis's.	S. America.	1816.	4. 9.	S. h.	Bot. mag. t. 2568.
	<i>decurrens.</i> B.R. 140. <i>brancafôlium.</i> Jacq. f. ecl. t. 7. <i>viscosum.</i> DC.	—	—	—	—	—
157	têctum. R.S. ( <i>ye.</i> ) villous-calyxed.	Mexico.	1826.	7. 10.	G. h.	Cavan. icon. 4. t. 309.
158	capense. R.S. ( <i>wh.</i> ) Cape prickly.	C. B. S.	1816.	6. 10.	G. h.	—
159	Houstoniî. R.S. ( <i>wh.</i> ) Houstoun's.	Vera Cruz.	1731.	—	S. h.	—
160	Angûrium. R.S. ( <i>ye.</i> ) procumbent.	—	—	—	S. h.	—
NYCTERÏUM. V. NYCTERÏUM.		Pentandria Monogynia.				
1	cordifôlium. V. ( <i>vi.</i> ) Canary.	Canaries.	1779.	3. 4.	G. h.	Venten. malm. t. 85.
	<i>Solanum vespertilio.</i> R.S.	—	—	—	—	—
2	Amazoniûm. B.M. ( <i>bl.</i> ) Lambert's.	Brazil.	1814.	5. 9.	S. h.	Bot. mag. t. 1801.
	<i>Solanum Amazoniûm.</i> Bot. reg. t. 71.	—	—	—	—	—
3	cornûtum. L.en. ( <i>ye.</i> ) horned.	S. America.	1825.	—	S. h.	Juss. ann. mus. 3. t. 9.
4	lobâtum. ( <i>ye.</i> ) Missouri.	Missouri.	1813.	7. 9.	H. ⊙	Pursh. fl. amer. 1. t. 7.
	<i>Solanum heterândrum.</i> Ph. <i>Androcera lobata.</i> N.	—	—	—	—	—

5	rostratum. L.en. (ye.) beaked.	Mexico.	1823.	7. 9.	H. ⊙.	Dunal sol. t. 24.
6	Fontanesianum. (ye.) Desfontaine's.	Brazil.	1813.	—	H. ⊙.	Bot. reg. t. 177.
7	heterodoxum. L.en. (bl.) very prickly.	Mexico.	1824.	—	H. ⊙.	Dunal sol. t. 25.
<b>WITHERINGIA. R.S. WITHERINGIA. Tetr-Pentandria Monogynia. L.</b>						
1	solanæa. R.S. (st.) yellow-flowered.	S. America.	1742.	5. 9.	S. ♀.	L'Herit. sert. angl. t. 1.
2	stramonifolia. K.S. (st.) Stramonium-ld.	Mexico.	1823.	—	S. ♀.	
3	crassifolia. R.S. (li.) thick-leaved.	C. B. S.	1729.	—	G. ♀.	Dill. eth. t. 273. f. 352.
4	montana. R.S. (wh. bl.) mountain.	Peru.	1822.	—	G. ♀.	Bot. mag. t. 2768.
5	phyllantha. R.S. (bl.) annual.	—	—	7. 9.	H. ⊙.	Cavan. ic. 4 t. 359. f. 1.
6	pinnatifida. R.S. (li.) pinnatifid.	—	—	6. 8.	G. ♀.	Flor. peruv. 2. t. 170. f. b.
<b>CESTRUM. R.S. CESTRUM. Pentandria Monogynia. L.</b>						
1	laurifolium. R.S. (ye.) Laurel-leaved.	W. Indies.	1691.	5. 8.	S. ♀.	Smith spicil. 2. t. 2.
2	citrifolium. R.S. (st.) Citron-leaved.	—	1816.	—	S. ♀.	
3	macrophyllum. R.S. (st.) large-leaved.	W. Indies.	1812.	—	S. ♀.	Venten. choix. t. 18.
4	venenatum. R.S. (st.) poisonous.	C. B. S.	1787.	2. 4.	G. ♀.	
5	nocturnum. R.S. (gr. ye.) night-smelling.	E. Indies.	1732.	11.	S. ♀.	Dill. eth. t. 153. f. 185.
6	hirtum. R.S. (gr. wh.) hairy.	Jamaica.	1822.	5. 8.	S. ♀.	
7	Parqui. R.S. (st.) Willow-leaved.	S. America.	1787.	6. 7.	G. ♀.	Bot. mag. t. 1770.
8	thyrsoidium. K.S. (st.) bunch-flowered.	Mexico.	1826.	5. 7.	S. ♀.	
9	suberosum. R.S. (gr.) cork-barked.	—	1815.	6. 7.	S. ♀.	Jacq. schœn. 4. t. 452.
10	auriculatum. W. (wh.) eared-leaved.	Peru.	1774.	—	S. ♀.	L'Herit. s. nov. 1. t. 35.
11	exstipulatum. R.S. (gr.) exstipulate.	S. America.	1824.	—	S. ♀.	
12	tinctorium. R.S. (wh.) dying.	Caracas.	1823.	5. 6.	S. ♀.	Jacq. schœn. 3. t. 332.
13	undulatum. R.S. (st.) waved-leaved.	Peru.	—	—	S. ♀.	Flor. peruv. 2. t. 155.
14	multiflorum. R.S. (gr.) many-flowered.	S. America.	1825.	—	S. ♀.	
15	paniculatum. K.S. (gr. ye.) panicked.	Caracas.	1819.	—	S. ♀.	
16	latifolium. R.S. (st.) broad-leaved.	Trinidad.	1822.	5. 6.	S. ♀.	
17	alaternoides. R.S. (gr. ye.) Alaternus-like.	S. America.	1820.	4. 6.	S. ♀.	Bot. mag. t. 2929.
18	hirsutum. R.S. (st.) hairy-stalked.	—	1822.	5. 6.	S. ♀.	Jacq. schœn. 3. t. 324.
19	cauliflorum. R.S. (wh.) stem-flowering.	Martinica.	1818.	—	S. ♀.	— 3. t. 325.
20	salicifolium. R.S. (st.) Sallow-leaved.	Caracas.	—	3. 6.	S. ♀.	— 3. t. 326.
21	pendulum. R.S. (wh.) pendulous.	—	1820.	—	S. ♀.	— 3. t. 327.
22	vespertinum. R.S. (wh.) cluster-flowered.	W. Indies.	1759.	5. 7.	S. ♀.	— 3. t. 328.
23	pallidum. R.S. (gr. ye.) pale-flowered.	Jamaica.	1732.	—	S. ♀.	Sloan. hist. 2. t. 204. f. 2.
24	foetidissimum. R.S. (ye.) stinking.	—	—	5. 8.	S. ♀.	Jacq. schœn. 3. t. 329.
25	bracteatum. B.M. (st.) large-bracted.	S. America.	1828.	12. 2.	S. ♀.	Bot. mag. t. 2974.
26	acuminatum. (ye. gr.) tapering-leaved.	Mexico.	1824.	7. 10.	F. ♀.	Swt. br. fl. gar. ser. 2.
27	fastigiatum. R.S. (wh.) Honeysuckle.	W. Indies.	—	10. 12.	S. ♀.	Bot. mag. t. 1729.
28	odontospermum. R.S. (w.) smooth.	S. America.	1793.	7. 9.	S. ♀.	Jacq. schœn. 3. t. 331.
29	diurnum. R.S. (wh.) day smelling.	W. Indies.	1732.	10. 11.	S. ♀.	Dill. eth. t. 154. f. 186.
30	roseum. R.S. (ro.) rose-coloured.	Mexico.	1829.	—	G. ♀.	
31	tomentosum. R.S. (st.) downy.	S. America.	1790.	6. 7.	S. ♀.	
32	angustifolium. B.C. (st.) narrow-leaved.	—	1820.	—	S. ♀.	Lodd. bot. cab. t. 618.
<b>LYCIUM. R.S. BOX-THORN. Pentandria Monogynia. L.</b>						
1	afrum. R.S. (vi.) African.	C. B. S.	1712.	6. 7.	H. ♀.	Bot. reg. t. 354.
2	tenuë. R.S. (pu.) slender.	—	—	—	H. ♀.	
3	rigidum. R.S. (vi.) rigid.	—	1795.	—	H. ♀.	Trew Ehret. t. 24. f. 1.
	<i>carnosum</i> . P.S. <i>italicum</i> Miller.	—	—	—	—	
4	microphyllum. R.S. (vi.) small-leaved.	—	—	—	H. ♀.	
5	rheticum. R.S. (ro.) Russian.	Siberia.	1804.	—	H. ♀.	Pall. ros. 1. t. 49.
6	tetrandrum. R.S. (pu.) tetrandrous.	C. B. S.	—	—	H. ♀.	
7	barbarum. R.S. (re.) Willow-leaved.	Barbary.	1696.	5. 8.	H. ♀.	Wats. dend. brit. t. 9.
8	Shawii. R.S. (wh.) white-flowered.	—	—	—	H. ♀.	Shaw afric. f. 349.
9	Trewianum. R.S. (pu.) Trew's.	China.	—	—	H. ♀.	Trew Ehret. t. 68.
	<i>chinense</i> . P.S. <i>non</i> Mill.	—	—	—	—	
10	chinense. R.S. (re.) Chinese.	—	—	—	H. ♀.	Wats. dend. brit. t. 8.
	<i>ovatum</i> . P.S. <i>barbarum</i> β <i>chinense</i> . W.	—	—	—	—	
11	lanceolatum. P.S. (vi.) spear-leaved.	S. Europe.	—	—	H. ♀.	Duham. arb. nov. t. 32.
12	turbinatum. P.S. (re.) top-shaped.	China.	1709.	—	H. ♀.	— t. 31.
13	cinereum. R.S. (pu.) gray.	C. B. S.	1815.	6. 8.	H. ♀.	
14	europeum. R.S. (li.) European.	S. Europe.	1730.	5. 8.	H. ♀.	Flor. græc. t. 236.
15	horratum. R.S. (wh.) succulent-leav'd.	C. B. S.	1791.	7. 8.	H. ♀.	
16	boerhaaviaefolium. (bh.) glaucous-leaved.	Peru.	1780.	4. 5.	G. ♀.	L'Herit. stirp. t. 83.
17	arborescens. S.S. (wh.) arborescent.	—	1819.	6. 7.	G. ♀.	Flor. peruv. 2. t. 182. f. a.
	<i>A'tropa arborescens</i> . R.S.	—	—	—	—	
18	carolinianum. R.S. (pu.) Carolina.	Carolina.	1806.	7. 9.	H. ♀.	
19	capsulare. R.S. (pu.) capsular.	Mexico.	1730.	6. 8.	G. ♀.	
<b>SOLAN'DRA. R.S. SOLAN'DRA. Pentandria Monogynia. R.S.</b>						
1	grandiflora. R.S. (li.) large-flowered.	Jamaica.	1781.	3. 8.	S. ♀.	Jacq. schœn. 1. t. 45.

2	nítida. R.S.	(st.) glossy-leaved.	Jamaica.	1781.	3. 8.	S. h.	Bot. mag. t. 1874.
	<i>grandiflora</i> . B.M.	non Jacq.					
3	viridiflora. s.s.	(gr.) green-flowered.	Brazil.	1816.	5. 6.	S. h.	Bot. mag. t. 1948.
4	oppositifolia. ....	opposite-leaved.	W. Indies.	1824.	....	S. h.	
<b>BRUNFELSIA. W. BRUNFELSIA. Didynamia Angiospermia. L.</b>							
1	undulata. w.	(wh.st.) large-flowered.	Jamaica.	1780.	6. 7.	S. h.	Bot. reg. t. 228.
2	americana. w.	(wh.st.) American.	W. Indies.	1735.	—	S. h.	Bot. mag. t. 393.
	<i>a latifolia</i> . (wh.st.)	broad-leaved.	—	—	—	S. h.	
	<i>β angustifolia</i> . (wh.st.)	narrow-leaved.	—	—	—	S. h.	
3	violæca. B.C.	(wh.st.) purple-stalked.	—	1820.	—	S. h.	Lod. bot. cab. t. 792.
4	uniflora. D.D.	(bl.wh.) single-flowered.	Brazil.	1827.	1. 12.	S. h.	Bot. mag. t. 2829.
	<i>Franciscea Hopeana</i> . B.M.						
<b>CRESCENTIA. W. CALABASH-TREE. Didynamia Angiospermia. L.</b>							
1	Cujète. w.	(li.ye.) oval-fruited.	Jamaica.	1690.	....	S. h.	Jacq. amer. t. 111.
2	acuminata. K.S.	(li.) acuminate.	Cuba.	1822.	....	S. h.	
3	cucurbitina. w.	(li.ye.) round-fruited.	W. Indies.	1733.	....	S. h.	Plum. ic. t. 109.
4	alata. K.S.	(li.) winged-leaved.	Mexico.	1825.	....	S. h.	
<b>TRIPINNARIA. S.S. TRIPINNARIA. Didynamia Angiospermia.</b>							
	africana. s.s.	(re.) African.	Mauritius.	1823.	....	S. h.	Jacq. coll. 3. t. 18.
	<i>Crescentia pinnata</i> . Jacq.	<i>Tanacetium pinnatum</i> . w.					

## ORDO CLII.

SCROPHULARINÆ. *Brown prodr. 1. p. 433.*

## Sect. I. STAMINA (4) ANTHERIFERA.

<b>BUDDLEA. S.S. BUDDLEA. Tetrandria Monogynia. L.</b>							
1	madagascariensis. (or.)	Madagascar.	Madagascar.	1824.	9. 10.	S. h.	Bot. mag. t. 2824.
2	saligna. s.s.	(wh.) Willow-like.	C. B. S.	1816.	8. 9.	G. h.	Jacq. schœn. 1. t. 29.
3	paniculata. s.s.	(wh.) panicked.	Nepaul.	1823.	—	G. h.	
4	americana. R.S.	(ye.) American.	W. Indies.	1824.	7. 10.	S. h.	Sloan. hist. 2. t. 173. f. 1.
5	occidentalis. R.S.	(wh.) occidental.	Peru.	1730.	....	G. h.	Flor. peruv. 1. t. 83.
6	salvifolia. s.s.	(wh.cr.) Sage-leaved.	C. B. S.	1760.	8. 9.	G. h.	Jacq. schœn. 1. t. 28.
7	Neemda. s.s.	(wh.) Nepaul.	Nepaul.	1822.	—	G. h.	
8	brasilienis. s.s.	(or.) Brazilian.	Brazil.	—	9. 11.	S. h.	Bot. mag. t. 2713.
9	heterophylla. B.R.	(ye.) different-leaved.	S. America.	1826.	1. 5.	S. h.	Bot. reg. t. 1259.
10	globosa. s.s.	(ye.) round-headed.	Chile.	1774.	5. 7.	H. h.	Bot. mag. t. 174.
11	connata. s.s.	(or.) connate-leaved.	Peru.	1826.	5. 6.	G. h.	— t. 2853.
12	salicifolia. s.s.	(ye.) Willow-leaved.	S. America.	1823.	....	S. h.	
13	diversifolia. R.S.	(wh.) various-leaved.	Java.	—	....	S. h.	
<b>SCOPARIA. L. SCOPARIA. Tetrandria Monogynia. L.</b>							
1	dulcis. L.	(wh.) sweet.	S. America.	1730.	6. 9.	S. h.	Herm. parad. t. 241.
2	flava. Ot.	(ye.) yellow.	—	1829.	—	S. h.	
<b>CAPRARIA. S.S. GOAT-WEED. Didynamia Angiospermia. L.</b>							
1	undulata. s.s.	(ro.) wave-leaved.	C. B. S.	1774.	3. 7.	G. h.	Bot. mag. t. 1556.
2	cuneata. s.s.	(ro.) wedge-leaved.	S. America.	1759.	6. 8.	S. h.	
3	lanceolata. s.s.	(ye.) spear-leaved.	C. B. S.	1774.	5. 7.	G. h.	Pl. sel. h. ber. t. 4.
4	biflora. s.s.	(wh.) two-flowered.	S. America.	1752.	7. 8.	S. h.	Jacq. amer. t. 115.
5	humilis. w.	(ro.) dwarf.	E. Indies.	1781.	—	S. ⊙	
<b>TEEDIA. S.S. TEEDIA. Didynamia Angiospermia. S.S.</b>							
1	lucida. s.s.	(pu.) shining.	C. B. S.	1774.	4. 7.	G. h.	Bot. reg. t. 210.
	<i>Capraria lucida</i> . w.	<i>Borkhausenia lucida</i> . Roth.					
2	pubescens. s.s.	(pu.) pubescent.	C. B. S.	1816.	5. 10.	G. h.	Bot. reg. t. 214.
<b>HALLERIA. S.S. HALLERIA. Didynamia Angiospermia. L.</b>							
1	lucida. s.s.	(sc.) shining-leaved.	C. B. S.	1752.	6. 8.	G. h.	Bot. mag. t. 1744.
2	elliptica. s.s.	(sc.) elliptic-leaved.	—	1816.	—	G. h.	Burm. afr. t. 84. f. 1.
<b>STEMODIA. S.S. STEMODIA. Didynamia Angiospermia. W.</b>							
1	suffruticosa. s.s.	(bl.) suffruticose.	S. America.	1823.	5. 8.	S. h.	
2	viscosa. s.s.	(vi.) viscid.	E. Indies.	1818.	7. 10.	S. ⊙	Roxb. Corom. t. 163.
3	verticillaris. s.s.	(pu.) whorled.	Brazil.	1822.	—	H. ⊙	
4	parviflora. H.K.	(wh.) small-flowered.	S. America.	1759.	7. 8.	S. ⊙	
5	maritima. s.s.	(bl.) sea-side.	Cuba.	1822.	—	S. ⊙	Jacq. amer. t. 174. f. 66.

- RUSS'ELIA. S.S. RUSS'ELIA. Didymia Angiospermia. W.  
 1 floribúnda. K.S. (*sc.*) abundant-flowering. Mexico. 1824. 6. 8. S. ♀.  
 2 multiflóra. S.S. (*sc.*) many-flowered. ———— 1812. — S. ♀. Bot. mag. t. 1528.
- TREVIR'ANIA. S.S. TREVR'ANIA. Didymia Angiospermia. S.S.  
 coccínea. S.S. (*sc.*) scarlet. Jamaica. 1778. 8. 10. S. ♀. Bot. mag. t. 374.  
*Cyrilla pulchella*. B.M. *Achimènes coccínea*. P.S.
- COLUMNEA. S.S. COLU'MNEA. Didymia Angiospermia. L.  
 1 scándens. S.S. (*sc.*) climbing. W. Indies. 1759. 8. 9. S. ♀. Bot. reg. t. 805.  
 2 hirsúta. S.S. (*li.*) hairy. ———— 1780. 8. 11. S. ♀. Brown jam. t. 30. f. 3.  
 3 trifoliáta. L.en. (*bl.*) three-leaved. S. America. 1825. — S. ♀.  
 4 rútilans. S.S. (*ye.re.*) red-leaved. Jamaica. 1823. — S. ♀.  
 5 híspida. S.S. (*sc.*) bristly. ———— 1824. — S. ♀.
- MAURA'NDIA. S.S. MAURA'NDIA. Didymia Angiospermia. W.  
 1 semperflóreus. S.S. (*ro.*) red-flowered. Mexico. 1796. 1. 12. G. ♀. Bot. mag. t. 460.  
 2 antirrhiniiflóra. S.S. (*bl.*) blue-flowered. ———— 1814. — G. ♀. ———— t. 1643.  
 3 Barclayána. B.R. (*bl.*) Mr. Barclay's. ———— 1826. 4. 11. G. ♀. Bot. reg. t. 1108.
- LOPHOSPERMUM. D.D. LOPHOSPERMUM. Didymia Angiospermia.  
 scándens. L.T. (*pu.*) climbing. Mexico. 1830. 6. 8. G. ♀. Swt. br. fl. gar. t. 147.
- DODARTIA. S.S. DODA'RTIA. Didymia Angiospermia. L.  
 orientális. S.S. (*d.pu.*) oriental. Levant. 1752. 7. 8. H. ♀. Swt. br. fl. gar. t. 147.
- CYMB'ARIA. S.S. CYMB'ARIA. Didymia Angiospermia. L.  
 davúrica. S.S. (*ye.*) Daurian. Davuria. 1796. 6. 7. H. ♀. Amm. ruth. t. 1. f. 2.
- COLLI'NSIA. N. COLLI'NSIA. Didymia Angiospermia.  
 1 vérna. N. (*bl.pu.*) large-flowered. N. America. 1827. 4. 11. H. ⊙. Swt. br. fl. gar. t. 220.  
*grandiflóra*. Bot. reg. t. 1107.  
 2 parviflóra. D. (*bl.*) small-flowered. ———— 6. 9. H. ⊙. Bot. reg. t. 1082.
- NEM'ESIA. S.S. NEM'ESIA. Didymia Angiospermia. S.S.  
 1 chamædryfólia. S.S. (*w.bl.*) Chamædry's-ld. C. B. S. 1787. 4. 9. G. ♀.  
*Antirrhinum macrocárpum*. w.  
 2 bicórne. S.S. (*wh.bl.*) horned. ———— 1774. 7. 8. G. ⊙. Burm. afr. t. 75. f. 3.  
 3 fœtens. S.S. (*wh.bl.*) fœtid. ———— 1798. 4. 9. G. ♀. Venten. malm. t. 41.  
 4 lineáris. S.S. (*sn.ro.*) linear-leaved. ———— 1822. — G. ⊙.
- ANARRHINUM. S.S. ANARRHINUM. Didymia Angiospermia. S.S.  
 1 pubéscens. E. (*bl.*) pubescent. Mount Sinai. 1826. 5. 8. H. ♀.  
 2 bellidifólium. S.S. (*bl.*) Daisy-leaved. France. 1629. 6. 8. H. ♂. Bot. mag. t. 2056.
- ANTIRRHINUM. S.S. SNAP-DRAGON. Didymia Angiospermia. L.  
 1 május. S.S. (*va.*) great. England. .... 6. 8. H. ♀. Eng. bot. v. 2. t. 129.  
*a albiflórum*. (*wh.*) white-flowered. .... H. ♀.  
*β röseum*. (*ro.*) rose-coloured. .... H. ♀.  
*γ coccineum*. (*sc.*) scarlet. .... H. ♀.  
*δ bicolor*. (*re.wh.*) two-coloured. .... H. ♀.  
*ε múltiplex*. (*sc.*) double-flowered. .... H. ♀.
- 2 meonánthum. L.en. (*re.*) smaller-flower'd. S. Europe. 1820. — H. ♀. Lk. fl. port. 1. t. 56.  
 3 angustifólium. Urv. (*re.*) narrow-leaved. Italy. 1818. — H. ♀.  
 4 siculum. S.S. (*st.*) Sicilian. Sicily. 1804. 7. 8. H. ♀.  
 5 Oróntium. S.S. (*bh.*) Calf's-snout. Britain. .... 7. 9. H. ⊙. Eng. bot. v. 17. t. 1155.  
 6 calycinum. L.en. (*wh.*) long-calyxed. S. Europe. .... H. ⊙.  
 7 Asarina. S.S. (*wh.*) heart-leaved. Italy. 1699. 7. F. ♀. Bot. mag. t. 902.  
 8 mólle. S.S. (*wh.*) soft-leaved. Spain. 1752. 7. 10. F. ♀.
- LIN'ARIA. S.S. TOAD-FLAX. Didymia Angiospermia. S.S.  
 1 fruticósa. S.S. (*ye.*) shrubby. Barbary. 1822. 5. 6. G. ♀. Desf. atl. 2. t. 135.  
 2 frutécens. S.S. (*ye.*) frutescent. C. B. S. 1816. 5. 7. G. ♀.  
*Antirrhinum frutécens*. Th.  
 3 dalmática. S.S. (*ye.*) Dalmatian. Levant. 1731. 6. 7. G. ♀. Buxb. cent. 1. t. 24.  
 4 scopária. S.S. (*ye.*) broom-like. Teneriffe. 1815. — G. ♀.  
 5 Cymbalária. S.S. (*bh.*) Ivy-leaved. England. .... 5. 11. H. ♀. Eng. bot. v. 7. t. 502.  
 6 pállida. T.S. (*li.*) pale-flowered. Italy. 1824. — H. ♀.  
*pubéscens*. T.P. non P.S.
- 7 pilósa. S.S. (*li.*) hairy-leaved. ———— 1800. 6. 9. H. ♀. Jacq. obs. 2. t. 48.  
 8 hepaticæfólia. S.S. (*pu.*) Hepatica-leav'd. Corsica. 1828. — F. ♀.  
 9 æquitrilóba. S.S. (*d.pu.*) equal 3-lobed. Sardinia. ———— F. ♀. Bot. mag. t. 2941.  
 10 Elátine. S.S. (*bl.*) sharp-pointed. England. .... 7. 11. H. ⊙. Eng. bot. v. 10. t. 692.  
 11 cirrhósa. S.S. (*bl.wh.*) cirrhose. Egypt. 1777. 7. 8. H. ⊙. Jacq. vind. 1. t. 82.  
 12 spúria. S.S. (*ye.vi.*) round-leaved. England. .... 7. 9. H. ⊙. Eng. bot. v. 10. t. 691.  
*Antirrhinum spúrium*. E.B.
- 13 lanígera. S.S. (*st.*) woolly. S. Europe. 1820. — H. ⊙.  
 14 dealbáta. S.S. (*ye.*) villous-leaved. Portugal. ———— 7. 9. H. ⊙.  
 15 latifólia. S.S. (*ye.*) broad-leaved. Barbary. 1800. 6. 7. H. ⊙. Desf. atl. 2. t. 134.  
 16 triphy'lla. S.S. (*bl.ye.*) three-leaved. Sicily. 1596. 6. 9. H. ⊙. Bot. mag. t. 324.

- 17 reflexa. s.s. (wh.) reflex-flowered. S. Europe. 1824. 6. 9. H. ⊙. Flor. græc. t. 593.  
 18 origanifolia. s.s. (bl.) Marjoram-leav'd. ——— 1785. — F. ♀. Barrel. ic. 598.  
 19 cretacea. s.s. (bl.ye.) crowded-flower'd. Siberia. 1826. — H. ⊙.  
 20 virgata. s.s. (bl.) slender-stalked. Barbary. 1824. — H. ⊙. Desf. atl. 2. t. 135.  
 21 thymifolia. s.s. (ye.) Thyme-leaved. S. Europe. ——— H. ⊙.  
 22 villosa. s.s. (wh.) villous. Spain. 1786. 7. 8. F. ♀. Barrel. ic. 597.  
 23 rubrifolia. s.s. (bl.) red-leaved. S. France. 1824. — F. ♀.  
 24 saxatilis. p.s. (ye.) rock. S. Europe. 1827. 6. 8. H. ♀.  
 25 pubescens. p.s. (ye.) pubescent. ——— 1824. 6. 9. H. ⊙.  
 26 hirta. s.s. (ye.) shaggy-leaved. Spain. 1759. — H. ⊙. Jacq. ic. 1. t. 117.  
 27 triornithophora. (pu.) three bird's. Portugal. 1710. — F. ♀. Bot. mag. t. 523.  
 28 parviflora. s.s. (ye.) small flowered. Sardinia. 1829. — H. ⊙. Desf. atl. 2. t. 137.  
 29 albifrons. F.G. (wh.) white fronted. Greece. 1828. — H. ⊙. Flor. græc. t. 588.  
 30 bipartita. s.s. (bl.) cloven flowered. Barbary. 1801. — H. ⊙. Swt. br. fl. gar. t. 30.  
*speciosa*. Jacq. fil. eclog. t. 95.  
 31 minor. s.s. (pu.ye.) little erect. England. .... 6. 11. H. ⊙. Eng. bot. v. 28. t. 2014.  
*Antirrhinum minus*. E.B.  
 32 littoralis. s.s. (bl.) shore. Austria. 1824. — H. ⊙.  
 33 chalapensis. s.s. (wh.) white-flowered. Levant. 1680. 6. 7. H. ⊙. Flor. græc. t. 592.  
 34 tristis. s.s. (bk.br.) melancholy. Spain. 1727. 7. 8. G. ♀. Bot. mag. t. 74.  
 35 versicolor. s.s. (ye.bl.) various-colour'd. France. 1777. 7. 9. H. ⊙. Jacq. ic. 1. t. 116.  
 36 linarioides. s.s. (ye.) toadflax-like. S. Europe. 1816. 5. 8. H. ♀.  
 37 micrantha. s.s. (ye.) small-flowered. Spain. 1825. 5. 7. H. ⊙. Flor. græc. t. 587.  
 38 viscosa. s.s. (br.ye.) clammy. ——— 1786. 7. H. ⊙. Bot. mag. t. 368.  
 39 purpurea. s.s. (pu.) purple. S. Europe. 1648. 7. 9. H. ♀. Flor. græc. t. 589.  
 40 arenaria. s.s. (ye.) sand. Hungary. 1825. — H. ⊙.  
 41 alpina. s.s. (bl.) Alpine. Austria. 1570. 7. 11. H. ♀. Bot. mag. t. 205.  
 42 lusitânica. s.s. (ye.) Portugal. S. Europe. 1820. 6. 7. H. ♀.  
 43 pyrenæica. s.s. (ye.) Pyrenean. Pyrenees. 1824. 6. 8. H. ⊙.  
 44 Hælava. F.E. (bl.) hairy calyxed. Egypt. 1803. 7. 9. H. ⊙.  
 45 pelisieriana. s.s. (vi.) violet-coloured. S. Europe. 1640. 6. 9. H. ⊙. Flor. græc. t. 591.  
 46 elegans. p.s. (bl.) elegant. Spain. 1812. — H. ⊙.  
 47 répens. H.K. (std.) creeping rooted. England. .... 7. 10. H. ♀. Eng. bot. v. 18. t. 1253.  
 48 amethystina. s.s. (bl.) bright blue. S. Europe. 1816. — H. ⊙. Cavan. ic. 1. t. 33. f. 1.  
*Antirrhinum bipunctatum*. Cav. nec aliorum.  
 49 supina. s.s. (ye.) trailing. Spain. 1728. — H. ⊙. Flor. græc. t. 595.  
 50 bipunctata. s.s. (ye.) two-spotted. ——— 1749. 6. 8. H. ⊙.  
 51 spârtea. s.s. (ye.) branching. ——— 1772. 6. 10. H. ⊙. Bot. mag. t. 200.  
 52 simplex. s.s. (bl.) upright. S. Europe. 1816. 7. 8. H. ⊙. Jacq. ic. 3. t. 499.  
 53 arvensis. s.s. (ye.) corn. .... — H. ⊙. Flor. græc. t. 590.  
 54 diffusa. s.s. (ye.bl.) spreading. Portugal. 1824. — H. ⊙.  
 55 multicaulis. s.s. (wh.bl.) many-stalked. Levant. 1728. 5. 7. H. ⊙. Bocc. sic. t. 19. f. 1.  
 56 macroura. L.en. (ye.) large-spurred. Caucasus. 1823. 6. 9. H. ♀.  
 57 incarnata. s.s. (li.) flesh-coloured. S. Europe. 1826. — H. ⊙.  
 58 reticulata. s.s. (ye.pu.) netted-flower'd. Algiers. 1788. 5. 7. F. ♀. Smith ic. pict. t. 2.  
 59 glauca. s.s. (ye.) glaucous-leaved. S. Europe. 1800. 6. 8. H. ⊙. Buxb. cent. 4. t. 37.  
 60 ægyptiaca. s.s. (ye.) Egyptian. Egypt. 1771. 7. H. ⊙.  
 61 silenifolia. Lk. (ye.) Silene-leaved. Portugal. 1820. 7. 9. H. ⊙.  
 62 genistifolia. s.s. (ye.) Broom-leaved. Austria. 1704. 7. 8. H. ♀. Flor. græc. t. 596.  
 63 linifolia. s.s. (ye.) flax-leaved. Italy. 1824. — H. ♀.  
 64 vulgaris. s.s. (ye.) common. Britain. .... 6. 9. H. ♀. Eng. bot. v. 10. t. 658.  
*Antirrhinum Linaria*. E.B.  
 β *Pelòria*. (ye.) regular-flowered. .... — H. ♀. Eng. bot. v. 4. t. 260.  
 65 Loesëlii. s.s. (ye.bl.) Loesel's. Russia. 1824. — H. ⊙.  
 66 odora. M.B. (ye.bl.) sweet-scented. Caucasus. 1827. — H. ⊙.  
 67 stricta. s.s. (ye.) upright. Levant. 1829. — H. ⊙. Flor. græc. t. 594.  
 68 júncea. s.s. (ye.) rush-stalked. Spain. 1780. 7. 8. H. ⊙.  
 69 canadensis. s.s. (vi.) Canadian. N. America. 1812. 6. 8. H. ⊙. Venten. cels. t. 49.  
 70 acutifolia. F. (ye.bl.) sharp-leaved. Levant. 1826. — H. ⊙.  
 71 fasciculata. Ot. (ye.) clustered. .... 1829. — H. ⊙.
- SCROPHULARIA**. L. FIGWORT. *Didymia Angiospermia*. L.
- 1 marilandica. s.s. (g.br.) Maryland. N. America. 1759. 5. 7. H. ♀.  
 2 peregrina. s.s. (pu.) Nettle-leaved. Italy. 1640. 6. 8. H. ♂. Flor. græc. t. 597.  
 3 nodosa. s.s. (d.pu.) knotty-rooted. Britain. .... 5. 7. H. ♀. Eng. bot. v. 22. t. 1544.  
 4 aquatica. s.s. (d.pu.) water. ——— .... — H. ♀. ——— v. 12. t. 854.  
 5 glabrata. s.s. (pu.ye.) spear-leaved. Canaries. 1779. 4. 5. G. ♂. Jacq. schœn. 2. t. 209.  
 6 biserrata. s.s. (pu.ye.) double-serrate. .... 1816. 5. 7. H. ♀.  
 7 arguta. s.s. (re.) slender upright. Canaries. 1778. — H. ⊙.  
 8 vernalis. s.s. (ye.) yellow. Britain. .... 3. 5. H. ♂. Eng. bot. v. 8. t. 567.

9	Smithii. L.en. ( <i>br.ye.</i> ) Smith's.	Canaries.	1815.	4. 8.	G. ♀.	
10	glandulosa. s.s. ( <i>br.ye.</i> ) glandular.	Hungary.	1806.	6. 9.	H. ♀.	W. et K. hung. t. 214.
11	rugosa. w.k. ( <i>br.ye.</i> ) rugged.		1816.		H. ♀.	
12	Scopolii. P.s. ( <i>br.ye.</i> ) Scopolii's.	Germany.	—	—	H. ♀.	Scop. carn. 2. t. 32
13	Scorodonia. s.s. ( <i>pu.</i> ) balm-leaved.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 31. ... 22 J.
14	grandidentata. T.s. ( <i>pu.</i> ) great-toothed.	Italy.	1829.	6. 8.	H. ♀.	
15	altaica. s.s. ( <i>st.</i> ) white-flowered.	Siberia.	1786.	5. 6.	H. ♀.	Mur. com. got. 4. t. 2.
16	betonicæfolia. s.s. ( <i>pu.</i> ) Betony-leaved.	Spain.	1752.	6. 8.	H. ♀.	Barrel. ic. 274.
17	hirsuta. L.en. ( <i>pu.ye.</i> ) hairy.	S. Europe.	1822.	—	H. ♀.	
18	appendiculata. s.s. ( <i>pu.</i> ) heart-leaved.	Morocco.	1805.	7.	H. ♀.	
19	Balbisii. s.s. ( <i>pu.ye.</i> ) Balbis's.	Italy.	1823.	6. 8.	H. ♀.	
20	auriculata. s.s. ( <i>br.ye.</i> ) ear-leaved.	Spain.	1772.	7. 8.	H. ♀.	Lobel. ic. 533.
21	micrantha. s.s. ( <i>pu.</i> ) small-flowered.	Levant.	1828.	—	H. ♀.	
22	heterophylla. s.s. ( <i>pu.ye.</i> ) various-leaved.	—	1827.	—	G. ♀.	
23	trifoliata. s.s. ( <i>ye.br.</i> ) three-leaved.	Africa.	1731.	5. 9.	H. ♂.	Jacq. schœn. 3. t. 286.
24	laciniata. w.k. ( <i>br.ye.</i> ) jag-leaved.	Hungary.	1806.	7.	H. ♀.	W. et K. hung. 2. t. 170.
25	verbenæfolia. Poir. ( <i>br.ye.</i> ) Vervain-leaved.	.....	1816.	7. 8.	H. ♀.	
26	cæsia. s.s. ( <i>ye.br.</i> ) grey.	Levant.	1828.	—	F. ♂.	
27	ascendens. W.en. ( <i>br.ye.</i> ) ascending.	.....	1816.	—	H. ♀.	
28	variegata. s.s. ( <i>pu.ye.</i> ) variegated.	Caucasus.	—	—	H. ♀.	
29	ebulifolia. s.s. ( <i>ye.pu.</i> ) Elder-leaved.	.....	1824.	—	H. ♀.	
30	grandiflora. DC. ( <i>br.ye.</i> ) large-flowered.	.....	1816.	—	H. ♀.	
31	frutescens. s.s. ( <i>br.ye.</i> ) shrubby.	Portugal.	1768.	6. 8.	F. ♀.	Herm. lugd. t. 547.
32	rupëstris. s.s. ( <i>br.ye.</i> ) rock.	Tauria.	1826.	6. 9.	H. ♀.	
33	orientalis. s.s. ( <i>br.ye.</i> ) oriental.	Levant.	1710.	7. 8.	H. ♀.	Schk. hand. 2. t. 173.
34	melissæfolia. s.s. ( <i>br.ye.</i> ) balm-like.	—	1823.	—	H. ♀.	
35	lanceolata. s.s. ( <i>st.</i> ) spear-leaved.	Pensylvania.	1826.	—	H. ♀.	
36	cretæcea. s.s. ( <i>ye.</i> ) narrow-leaved.	Siberia.	1828.	—	H. ♀.	
37	lyrata. s.s. ( <i>br.pu.</i> ) lyrate-leaved.	Portugal.	1816.	—	H. ♀.	W. hort. ber. 1. t. 55.
38	mellifera. s.s. ( <i>br.pu.</i> ) honey-bearing.	Barbary.	1786.	—	H. ♀.	Desf. atl. 2. t. 143.
39	sambucifolia. s.s. ( <i>br.g.</i> ) Elder-like.	Spain.	1640.	7. 9.	H. ♀.	Mill. ic. 2. t. 231.
40	hispida. s.s. ( <i>br.ye.</i> ) hispid.	Levant.	1820.	—	H. ♀.	
41	tanacetifolia. s.s. ( <i>br.ye.</i> ) Tansy-leaved.	Tauria.	1804.	—	H. ♀.	W. hort. ber. 1. t. 56.
42	canina. s.s. ( <i>or.re.</i> ) wing-leaved.	S. Europe.	1683.	6. 8.	H. ♂.	Flor. græc. t. 598.
43	chrysanthemifolia. ( <i>br.pu.</i> ) Chrysanthemum-ld.	Tauria.	1816.	—	H. ♀.	W. hort. ber. 1. t. 59.
44	lucida. s.s. ( <i>br.ye.</i> ) shining-leaved.	Levant.	1596.	—	H. ♀.	..... 1. t. 57.
45	filicifolia. s.s. ( <i>d.pu.</i> ) Fern-leaved.	Crete.	....	—	H. ♀.	Flor. græc. t. 600.
46	multifida. s.s. ( <i>br.ye.</i> ) multifid-leaved.	.....	1816.	—	H. ♀.	W. hort. ber. 1. t. 58.
47	glauca. F.G. ( <i>pu.</i> ) glaucous.	Greece.	1827.	—	H. ♀.	Flor. græc. t. 599.
48	pubescens. F. ( <i>pu.</i> ) pubescent.	.....	—	—	H. ♀.	
49	pallida. F. ( <i>pa.</i> ) pale-flowered.	Iberia.	—	—	H. ♀.	
50	obtusifolia. F. ( <i>pu.</i> ) blunt-leaved.	Hungary.	1821.	—	H. ♀.	
<b>DIGITALIS. S.S. FOXGLOVE. Didynamia Angiospermia. L.</b>						
1	Scæptrum. s.s. ( <i>or.</i> ) Madeira shrubby.	Madeira.	1777.	7. 8.	G. ♀.	Sm. exot. bot. 2. t. 73.
2	canariensis. s.s. ( <i>ye.</i> ) Canary.	Canaries.	1698.	6. 7.	G. ♀.	Bot. reg. t. 48.
3	obscura. s.s. ( <i>or.</i> ) Willow-leaved.	Spain.	1778.	7. 8.	H. ♀.	Lind. digit. t. 26.
4	lutea. s.s. ( <i>st.</i> ) small yellow.	France.	1629.	—	H. ♀.	..... t. 23.
5	hybrida. Sv. ( <i>pi.wh.</i> ) hybrid.	Hybrid.	....	—	H. ♀.	Salv. nou. bull. 3. 337. t. 6.
6	lutea γ Lind. digit. t. 25.					
6	fucata. P.s. ( <i>pu.</i> ) painted.	—	....	—	H. ♀.	
	lutea δ. Lindl. digit. t. 24.					
7	mèdia. s.s. ( <i>ye.</i> ) middle yellow.	Germany.	1816.	—	H. ♀.	
8	micrantha. s.s. ( <i>st.</i> ) small-blossom'd.	Switzerland.	1824.	—	H. ♀.	Elm. mon. 46. t. 2.
9	tubiflora. L.D. ( <i>st.</i> ) tube-flowered.	S. Europe.	1816.	—	H. ♀.	Lind. digit. t. 22.
10	lutescens. L.D. ( <i>st.</i> ) pale yellow.	—	—	—	H. ♀.	..... t. 21.
11	purpurascens. s.s. ( <i>pi.</i> ) blush-flowered.	Italy.	1776.	—	H. ♀.	..... t. 20.
	erubescens. H.K.					
12	rigida. L.D. ( <i>pu.ye.</i> ) rigid.	S. Europe.	1824.	—	H. ♀.	Lind. digit. t. 19.
13	viridiflora. L.D. ( <i>gr.</i> ) green-flowered.	Levant.	1827.	—	H. ♀.	..... t. 18.
14	parviflora. s.s. ( <i>pu.</i> ) small-flowered.	.....	1798.	6. 8.	H. ♀.	..... t. 17.
15	laciniata. B.R. ( <i>ye.</i> ) cut-leaved.	Malaga.	1826.	—	H. ♀.	Bot. reg. t. 1201.
16	orientalis. s.s. ( <i>li.wh.</i> ) oriental.	Levant.	1818.	7. 8.	H. ♀.	..... t. 554.
17	lanata. s.s. ( <i>wh.br.</i> ) woolly.	Hungary.	1789.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 291.
18	leucophæa. s.s. ( <i>wh.br.</i> ) broad-lipped.	Greece.	1788.	6. 10.	H. ♀.	Lind. digit. t. 14.
19	aurea. s.s. ( <i>or.</i> ) golden.	—	1815.	7. 8.	H. ♀.	..... t. 13.
20	ferruginea. s.s. ( <i>br.</i> ) iron-coloured.	Italy.	1597.	—	H. ♀.	..... t. 12.
21	sibirica. L.D. ( <i>ye.re.</i> ) Siberian.	Siberia.	1820.	—	H. ♀.	..... t. 11.
22	lævigata. s.s. ( <i>ye.</i> ) shining-leaved.	Hungary.	1810.	—	H. ♀.	..... t. 10.
23	fùlva. s.s. ( <i>co.</i> ) tawny.	S. Europe.	1820.	6. 8.	H. ♀.	..... t. 9.

- 24 *ambigua*. w. (ye.) greater yellow. Switzerland. 1596. 7. 8. H. ȷ. Bot. reg. t. 64.  
*gramiflora*. s.s.
- 25 *ochroleuca*. s.s. (st.) sulphur-color'd. Germany. 1816. — H. ȷ. Lind. digit. t. 8.  
 26 *seccens*. s.s. (br.) netted-flower'd. Hungary. 1824. — H. ȷ.  
 27 *minor*. s.s. (pu.) dwarf. Spain. 1789. 6. 7. H. ȷ. Lind. digit. t. 5. 6.  
 28 *eristachya*. Bes. (pu.) woolly spiked. . . . . 1826. — H. ȷ.  
 29 *tomentosa*. s.s. (pu.) tomentose. Portugal. 1820. 6. 8. H. ȷ. Bot. mag. t. 2194.  
 30 *Thápsi*. s.s. (pu.) Mullein. Spain. 1752. 5. 8. H. ȷ. Sm. exot. bot. 1. t. 43.  
 31 *purpurea*. s.s. (pu.) common. Britain. . . . 6. 9. H. ȷ. Eng. bot. v. 19. t. 1297.  
*β álba*. (wh.) white-flowered. . . . . H. ȷ.
- CHELONE. S.S.** CHELONE. *Didynamia Angiospermia. L.*
- 1 *glábra*. w. (wh.) white-flowered. N. America. 1730. 8. 10. H. ȷ. Trew pl. select. t. 88.  
 2 *oblíqua*. w. (pu.) red-flowered. — 1752. — H. ȷ. Bot. reg. t. 175.  
 3 *Lyóni*. s.s. (re.) Lyon's. — 1812. 7. 9. H. ȷ. Swt. br. fl. gar. t. 293.  
*máior*. Bot. mag. t. 1864.
- 4 *memorosa*. D. (pu.) wood. N. America. 1827. 7. 9. H. ȷ. Bot. reg. t. 1211.  
 5 *Scouléri*. D. (bl.) Scouler's. Columbia. — 5. 7. H. ȷ. — t. 1277.  
 6 *erianthæra*. N. (bl.) blue-flowered. Louisiana. 1811. 7. 9. F. ȷ. Bot. mag. t. 1672.  
*Pentstemon glábra*. B.M.
- 7 *barbata*. s.s. (sc.) scarlet. Mexico. 1794. 6. 9. H. ȷ. Bot. reg. t. 116.  
 8 *rosea*. B.F.G. (ro.) rose-coloured. — 1825. — H. ȷ. Swt. br. fl. gar. t. 230.  
*Pentstemon angustifolium*. B.R. t. 1122. non Pursh.
- 9 *campanulata*. s.s. (ro.) bell-flowered. Mexico. 1794. 3. 10. F. ȷ. Bot. mag. t. 1878.  
*Pentstemon campanulata*. Jacq. schœn. 3. t. 362.
- 10 *atropurpurea*. B.F.G. (d.pu.) dark purple. Mexico. 1824. — H. ȷ. Swt. br. fl. gar. t. 235.  
 11 *pulchella*. B.R. (pu.) pretty. — 1825. 5. 10. H. ȷ. Bot. reg. t. 1138.  
 12 *lævigata*. s.s. (pi.) smooth. N. America. 1776. 7. 9. H. ȷ. Bot. mag. t. 1425.  
 13 *hirsuta*. s.s. (bl.pi.) narrow-ld hairy. — 1758. — H. ȷ. Moris. s. 11. t. 21. f. 3.  
 14 *pubescens*. (bl.pu.) broad-ld hairy. — — H. ȷ. Bot. mag. t. 1424.  
*Pentstemon pubescens*. B.M.
- 15 *gracilis*. N. (li.) slender. — 1825. — H. ȷ. Bot. mag. t. 2945.  
 16 *glauca*. D. (li.) glaucous. — 1827. 7. 9. H. ȷ. Bot. reg. t. 1286.  
 17 *digitalis*. B.F.G. (wh.) foxglove-flower'd. Arkansas. 1824. 6. 8. H. ȷ. Swt. br. fl. gar. t. 120.  
*Pentstemon digitalis*. Bot. mag. t. 2587.
- 18 *cristata*. s.s. (vi.) crested. Louisiana. 1811. 7. 9. F. ȷ.  
 19 *cœrulea*. s.s. (bl.) slender blue. — — F. ȷ.  
*Pentstemon angustifolium*. Ph. non K.S.
- 20 *grandiflora*. s.s. (pi.wh.) great-flowered. — — — F. ȷ.  
 21 *albida*. s.s. (wh.) dwarf. — — — F. ȷ.  
 22 *diffusa*. D. (pu.) spreading. Columbia. 1827. 6. 10. H. ȷ. Bot. reg. t. 1132.  
 23 *ovata*. D. (bl.pu.) oval-leaved. N. America. — 6. 8. H. ȷ. Bot. mag. t. 2903.  
 24 *venusta*. D. (pu.) handsome. — — 7. 9. H. ȷ. Bot. reg. t. 1309.  
 25 *deusta*. D. (pu.) blasted. — — — H. ȷ.  
 26 *decussata*. D. (pu.) cross-leaved. — — — H. ȷ.  
 27 *glandulosa*. D. (pu.) glandular. — — — H. ȷ. Bot. reg. t. 1262.  
 28 *acuminata*. D. (pu.) pointed-leaved. — — 6. 8. H. ȷ. — t. 1285.  
 29 *Richardsoni*. D. (pu.) Richardson's. — — 7. 10. H. ȷ. — t. 1121.  
 30 *attenuata*. D. (st.) taper-pointed. — — 7. 9. H. ȷ. — t. 1295.  
 31 *conferta*. D. (st.) crowded-flower'd. Columbia. — — — H. ȷ. — t. 1260.  
 32 *pruinosa*. D. (bl.) blue-leaved. N. America. — 6. 8. H. ȷ. — t. 1280.  
 33 *procera*. D. (vi.) tall. — — — H. ȷ. Bot. mag. t. 2954.  
 34 *speciosa*. D. (bl.) beautiful. — — 6. 9. H. ȷ. Bot. reg. t. 1270.  
 35 *triphylla*. D. (li.) three-leaved. — — 7. 9. H. ȷ. — t. 1245.  
 36 *serrulata*. D. (pu.) saw-leaved. — — — H. ȷ.  
 37 *suffruticosa*. D. (pu.) suffrutescens. — — — H. ȷ.
- HERPESTIS. G.** HERPESTIS. *Didynamia Angiospermia. S.S.*
- 1 *stricta*. s.s. (bl.) upright. Brazil. 1823. 6. 8. S. ȷ.  
 2 *Monterii*. K.S. (wh.) thyme-leaved. S. America. 1772. 7. 9. S. ȷ. Ehret. pict. t. 14. f. 2.  
 3 *portulacæa*. B.M. (w.) Purslane-leaved. — 1825. — S. ȷ. Bot. mag. t. 2557.  
 4 *cuneifolia*. Ph. (bl.) wedge-leaved. N. America. 1812. 8. 9. H. ȷ.  
 5 *amplexicaulis*. s.s. (bl.) stem-clasping. Carolina. 1822. 6. 8. H. ȷ.  
 6 *micrantha*. Ph. (wh.) small-flowered. N. America. 1827. 7. 8. H. ȷ.  
 7 *semiserrata*. Ot. (wh.) semiserrate. Mexico. 1824. — G. ȷ.  
 8 *chrysantha*. Ot. (ye.) yellow-flowered. — 1829. — G. ȷ.
- MAZUS. B.P.** MAZUS. *Didynamia Angiospermia. S.S.*
- rugosus*. B.P. (wh.) China. China. 1780. 5. 10. H. ȷ. Swt. br. fl. gar. t. 36.  
*Lindérnia japonica*. Th. *Hornemánia bicolor*. W.en.
- TOR'ENIA. B.P.** TOR'ENIA. *Didynamia Angiospermia. S.S.*
- 1 *ovata*. (wh.) oval-leaved. Manila. 1823. 5. 10. H. ȷ. Pl. sel. hort. ber. t. 9.  
*Hornemánia ovata*, L.en. *Tittmánia ovata*, s.s.

- 2 viscosa. (wh.) viscous. E. Indies. 1823. 5. 10. S. ⊙.  
*Hornemannia viscosa*. W. en. *Tittmannia viscosa*, s.s.
- LINDE'RNIA. B.P. LINDE'RNIA. Didymia Angiospermia. L.  
 Pyxidaria. w. (pu.) European. S. Europe. 1789. 6. 8. H. ⊙. Lam. ill. t. 522.
- MIMULUS. L. MONKEY-FLOWER. Didymia Angiospermia. L.  
 1 glutinosus. s.s. (ye.) orange-colored. California. 1794. 1. 12. G. h. Bot. mag. t. 354.  
 2 ringens. s.s. (li.) gaping. N. America. 1759. 7. 8. H. ♀. — t. 283.  
 3 alatus. s.s. (li.) oval-leaved. — 1783. — H. ♀.  
 4 guttatus. DC. (ye.) spotted-flowered. America. 1812. 6. 9. F. ♀. Bot. mag. t. 1501.  
*luteus*. B.M. non L.
- 5 luteus. B.R. (ye.) yellow-flower'd. Chile. 1825. — H. ♀. Feuille. peruv. 2. t. 34.  
*β rivularis*. B.R. (ye. pu.) dark-spotted. Columbia. — H. ♀. Bot. reg. t. 1030.  
 6 floribundus. B.R. (ye.) many-flowered. — 1826. 8. 10. H. ⊙. — t. 1125.  
 7 moschatus. B.R. (ye.) musk-scented. — 7. 10. H. ♀. — t. 1118.  
 8 parviflorus. B.R. (st.) small-flowered. Mexico. 1824. 6. 9. H. ⊙. — t. 874.
- BROWALLIA. L. BROWALLIA. Didymia Angiospermia. L.  
 1 elata. w. (bl. wh.) upright. Peru. 1768. 6. 9. G. ⊙. Bot. mag. t. 34.  
 2 demissa. w. (bl. wh.) spreading. S. America. 1735. — G. ⊙. — t. 1136.
- ANGELONIA. K.S. ANGELONIA. Didymia Angiospermia. L.  
*salicariaefolia*. K.S. (bl.) *Salicaria*-leaf'd. S. America. 1818. 7. 10. S. ♀. Bot. reg. t. 415.
- ALONS'OA. R.P. ALONS'OA. Didymia Angiospermia. H.K.  
 1 incisifolia. R.P. (sc.) Nettle-leaved. Chile. 1795. 5. 10. G. ♀. Bot. mag. t. 417.  
*Celsia urticaefolia*. B.M. *Hemimeris urticaefolia*. w.
- 2 acutifolia. R.P. (sc.) acute-leaved. Peru. 1790. — G. ♀.  
 3 intermedia. B.C. (or.) intermediate. — . . . — G. ♀. Lodd. bot. cab. t. 1456.  
 4 linearis. H.K. (sc.) linear-leaved. — 1790. — G. ♀. Bot. mag. t. 210.  
 5 caulialata. R.P. (sc.) wing-stemmed. Chile. 1823. 5. 10. G. ♀.
- DIASCIA. L. en. DIASCIA. Didymia Angiospermia. S.S.  
 Bergiana. L. en. (re.) Bergius's. C. B. S. 1816. 7. 10. H. ⊙. Pluk. phyt. 320. f. 5.  
*Hemimeris diffusa*. w.
- VANDELLIA. S.S. VANDELLIA. Didymia Angiospermia. L.  
 diffusa. s.s. (wh.) spreading. S. America. 1824. 7. 9. S. ⊙. Marc. bras. 1. c. 15. f. 1.
- LIMOSELLA. L. MUDWORT. Didymia Angiospermia. L.  
 aquatica. L. (fl.) water. Britain. . . . 7. 9. H. ⊙. Eng. bot. v. 5. t. 357.
- DISANDRA. L. DISANDRA. Heptandria Monogynia. L.  
 prostrata. L. (ye.) trailing. Madeira. 1771. 5. 8. G. ♀. Bot. mag. t. 218.
- SIBTHORPIA. L. SIBTHORPIA. Didymia Angiospermia. L.  
 europæa. L. (wh.) Cornish money-wort. England. . . . 7. 8. H. ♀. Eng. bot. v. 10. t. 619.
- ERINUS. S.S. ERINUS. Didymia Angiospermia. L.  
 1 Lychniidea. s.s. (wh. pu.) Phlox-flower'd. C. B. S. 1821. 3. 10. G. ♀. Bot. reg. t. 748.  
 2 fragrans. H.K. (wh. pu.) fragrant. — 1776. 5. 6. G. ♀. Burm. afr. t. 49. f. 4.  
 3 alpinus. P.S. (pu.) smooth-leaved. Pyrenees. 1739. 3. 4. H. ♀. Bot. mag. t. 310.  
 4 hispanicus. P.S. (pu.) hairy-leaved. Spain. — H. ♀.
- MANULEA. S.S. MANULEA. Didymia Angiospermia. L.  
 1 viscosa. s.s. (re.) clammy. C. B. S. 1774. 6. 11. G. ♀. Bot. mag. t. 217.  
*Buchnera viscosa*. B.M.
- 2 tomentosa. s.s. (or.) tomentose. — 1774. 5. 12. G. ♀. Bot. mag. t. 322.  
 3 angustifolia. L. en. (or.) narrow-leaved. — 1822. — G. ♀. Pl. sel. hort. ber. t. 20.  
 4 rhynchantha. s.s. (or.) wedge-leaved. — 1816. 6. 9. G. ♀.  
 5 oppositifolia. v. (wh.) opposite-leaved. — . . . 5. 12. G. ♀. Vent. malm. t. 15.  
 6 villosa. P.S. (wh.) villous. — 1783. 6. 7. G. ⊙. Burm. afr. t. 50. f. 2.  
*Buchnera capensis*. w.
- 7 cœrulea. s.s. (bl.) blue-flowered. — 1822. — G. ♀.  
 8 rubra. s.s. (re.) red. — 1790. 4. 9. G. ♀.  
 9 Cheiranthus. s.s. (ye.) Wallflower-like. — 1795. 6. 8. G. ♂. Comm. hort. 2. t. 42.  
 10 argentea. s.s. (wh.) silvery. — 1801. 7. 11. G. ⊙.  
 11 pedunculata. P.S. (wh.) solitary-flower'd. — 1790. 6. 11. G. ♀. Andr. reposit. t. 84.  
 12 fœtida. s.s. (wh.) stinking. — 1794. 6. 9. G. ⊙. — t. 80.  
*Buchnera fœtida*. A.R.
- 13 violacea. s.s. (vi.) violet-flowered. — 1816. — G. ♀.  
 14 cordata. s.s. (wh.) trailing heart-ld. — — G. ♀.
- BUCHNERA. S.S. BUCHNERA. Didymia Angiospermia. L.  
 americana. s.s. (bl.) American. N. America. 1733. 6. 8. H. ♀.
- EUPHRASIA. W. EYE-BRIGHT. Didymia Angiospermia. L.  
 1 linifolia. s.s. (li.) flax-leaved. S. France. 1823. 7. 9. H. ⊙.  
 2 lutea. s.s. (ye.) yellow. S. Europe. 1816. — H. ⊙. Jacq. aust. t. 398.  
 3 alpina. s.s. (pu.) Alpine. — 1823. — H. ⊙.  
 4 latifolia. s.s. (re.) broad-leaved. — 1826. — H. ⊙. Magn. monsp. t. 94.  
 5 minima. P.S. (wh. pu.) least. Switzerland. 1828. — H. ⊙.

6	tricuspidata. s.s. (w.pu.)	three-pointed.	Italy.	1828.	6. 9.	H. ⊙	Pluk. alm. t. 177. f. 1.
7	officinalis. s.s. (wh.pu.)	common.	Britain.	....	7. 9.	H. ⊙	Eng. bot. v. 20. t. 1416.
<b>BA'RTSIA. S.S. BA'RTSIA. Didynamia Angiosperma. L.</b>							
1	viscosa. s.s. (ye.)	yellow viscid.	Britain.	....	7. 8.	H. ⊙	Eng. bot. v. 15. t. 1045.
2	alpina. s.s. (vi.)	Alpine.	_____	....	....	H. ⊙	_____ v. 6. t. 361.
3	Odontites. s.s. (re.)	red-flowered.	_____	....	7. 9.	H. ⊙	_____ v. 20. t. 1415.
4	Trixago. s.s. (ye.)	simple-stalked.	S. Europe.	1820.	_____	H. ⊙	Flor. græc. t. 585.
<i>Trixago rhinantha</i> . L. enum.							
5	latifolia. F.G. (re.wh.)	broad-leaved.	Greece.	1827.	6. 9.	H. ⊙	Flor. græc. v. 5. t. 586.
<b>CASTILLEJA. S.S. CASTILLEJA. Didynamia Angiosperma. S.S.</b>							
1	integrifolia. s.s. (wh.)	entire-leaved.	S. America.	1825.	....	G. ♀	Sm. ic. ined. t. 39.
2	toluccensis. s.s. (wh.)	procumbent.	Mexico.	_____	....	G. ♀	_____
3	septentrionalis. B.R.(st.)	northern.	N. America.	1824.	7. 8.	H. ⊙	Bot. reg. t. 925.
4	pallida. s.s. (st.)	pale-flowered.	Siberia.	1782.	6. 9.	H. ♀	Gmel. sib. 3. t. 42.
<i>Bartsia pallida</i> . w.							
5	coccinea. s.s. (or.)	vermilion.	N. America.	1787.	7. 9.	H. ⊙	Bot. reg. t. 1136.
<i>Bartsia coccinea</i> . w. <i>Euchroma coccinea</i> . n.							
6	sessiliflora. Ph. (bh.)	sessile-flowered.	Louisiana.	1811.	7. 8.	H. ♀	_____
<i>grandiflora</i> s.s. <i>Euchroma grandiflorum</i> . n.							
<b>RHINA'NTHUS. W. YELLOW RATTLE. Didynamia Angiosperma. L.</b>							
1	Crista-galli. w. (ye.)	Cock's-comb.	Britain.	....	6. 8.	H. ⊙	Eng. bot. v. 10. t. 657.
2	major. E.F. (ye.)	larger.	England.	....	_____	H. ⊙	_____
3	Alecterolophus. L.en.	villous.	Germany.	1816.	_____	H. ⊙	Bull. herb. t. 125.
<i>villösus</i> . p.s.							
<b>MELAMP'YRUM. S.S. COW-WHEAT. Didynamia Angiosperma. L.</b>							
1	cristatum. E.B. (ye.pu.)	crested.	England.	....	7. 8.	H. ⊙	Eng. bot. v. 1. t. 41.
2	arvense. E.B. (ye.pu.)	corn-field.	_____	....	6. 7.	H. ⊙	_____ v. 1. t. 53.
3	memorosum. s.s. (ye.)	coloured-bracted.	Europe.	1823.	_____	H. ⊙	Flor. dan. t. 305.
4	pratense. E.B. (ye.)	common.	Britain.	....	7. 8.	H. ⊙	Eng. bot. v. 2. t. 113.
5	sylvaticum. E.B. (co.)	wood.	_____	....	_____	H. ⊙	_____ v. 12. t. 804.
<b>PEDICULARIS. S.S. LOUSEWORT. Didynamia Angiosperma. L.</b>							
1	incarnata. s.s. (fl.)	flesh-coloured.	Austria.	1796.	6. 7.	H. ♀	Jacq. aust. 2. t. 140.
2	rostrata. s.s. (pu.)	beaked.	S. Europe.	1823.	_____	H. ♀	_____ t. 205.
3	tuberosa. s.s. (ye.)	tuberous.	Switzerland.	1799.	7. 8.	H. ♀	Hall. helv. n. 323. t. 10.
4	ascendens. Schl. (ye.)	ascending.	_____	1825.	_____	H. ♀	_____
5	gyroflexa. s.s. (pu.)	bending.	_____	_____	_____	H. ♀	Vill. delph. 2. t. 9.
6	atrorubens. DC. (d.re.)	dark-red.	_____	_____	_____	H. ♀	_____
7	asplenifolia. P.s. (pu.)	Fern-leaved.	_____	1828.	_____	H. ♀	Willd. bot. zeit. c. ic.
8	uncinata. s.s. (fl.ye.)	hooked-flowered.	Siberia.	1815.	_____	H. ♀	Gmel. sib. 3. t. 45.
9	compacta. s.s. (ye.)	close-headed.	_____	_____	_____	H. ♀	_____
10	resupinata. s.s. (pu.)	resupinate.	_____	1816.	5. 7.	H. ♀	Gmel. sib. 3. t. 44.
11	pulstris. E.B. (pu.)	marsh.	Britain.	....	6. 7.	H. ♀	Eng. bot. v. 6. t. 399.
12	euphrasioides. s.s. (ye.re.)	eyebright-leaved.	Siberia.	1816.	_____	H. ♀	Gmel. sib. 3. t. 43.
13	striata. s.s. (ye.cr.)	stripe-flowered.	Dahuria.	1826.	_____	H. ♀	Pall. it. 3. a.n. 98. t. R. f. 2.
14	canadensis. s.s. (ye.)	Canadian.	N. America.	1800.	7. 8.	H. ♀	Swt. br. fl. gar. t. 37.
15	sylvatica. E.B. (ro.)	common.	Britain.	....	5. 7.	H. ♀	Eng. bot. v. 6. t. 400.
16	myriophylla. s.s. (ye.)	Milfoil-leaved.	Dahuria.	1816.	_____	H. ♀	Pall. it. 3. ap. t. 8. f. 1.
17	rubens. s.s. (pu.)	red-flowered.	_____	1827.	_____	H. ⊙	_____
18	suedica. s.s. (pu.)	Swedish.	N. Europe.	_____	_____	H. ♀	_____
19	flammea. s.s. (ye.sc.)	upright.	_____	1775.	7.	H. ♀	Hall. helv. t. 8. f. 3.
20	Oederi. s.s. (ye.)	Oeder's.	_____	1827.	_____	H. ♀	_____
21	versicolor. s.s. (ye.br.)	various-coloured.	Switzerland.	1825.	7. 8.	H. ♀	_____
22	achillæfolia. s.s. (ye.)	Milfoil-leaved.	Siberia.	1827.	_____	H. ♀	_____
23	comosa. s.s. (ye.)	spiked.	Italy.	1775.	_____	H. ♀	All. ped. 1. t. 4. f. 1.
24	pallida. s.s. (st.)	pale yellow.	N. America.	1826.	_____	H. ♀	_____
25	spicata. s.s. (pu.)	spike-flowered.	Dahuria.	1827.	_____	H. ♀	Pall. it. 3. a.n. 100. t. 8. f. 2.
26	Scéptrum. s.s. (ye.cr.)	sceptred.	Sweden.	1793.	_____	H. ♀	Flor. dan. t. 26.
27	flava. s.s. (ye.)	yellow.	Siberia.	1828.	_____	H. ♀	Pall. it. 3. a.n. 97. t. R. f. 1.
28	recutita. s.s. (pu.)	jagged-leaved.	Austria.	1787.	_____	H. ♀	Jacq. aust. 3. t. 258.
29	foliosa. s.s. (ye.)	leafy.	_____	1786.	_____	H. ♀	_____ 2. t. 139.
30	verticillata. s.s. (pu.)	whorled.	_____	1790.	5. 6.	H. ♀	_____ 3. t. 206.
31	proboscidea. s.s. ....	proboscis-flower'd.	Siberia.	1827.	....	H. ♀	_____
32	élegans. Led. (pu.)	elegant.	_____	_____	6. 8.	H. ♀	_____
33	speciosa. Led. (pu.)	beautiful.	_____	_____	_____	H. ♀	_____
34	elata. s.s. (pu.)	lofty.	_____	1826.	_____	H. ⊙	_____
35	exaltata. Led. (pu.)	tall.	_____	1827.	_____	H. ♀	_____
36	rosea. s.s. (ro.)	rose-coloured.	S. Europe.	1825.	7. 8.	H. ♀	Jacq. ic. 1. t. 115.
<b>GERA'RDIA. S.S. GERA'RDIA. Didynamia Angiosperma.</b>							
1	delphinifolia. s.s. (ro.)	Larkspur-leav'd.	E. Indies.	1800.	6. 7.	S. ♀	Roxb. corom. 1. t. 90.

2	purpûrea. s.s.	( <i>pu.</i> ) purple.	N. America.	1772.	7. 8.	H. ♂.	Bot. mag. t. 2048.
3	tenuifolia. s.s.	( <i>pu.</i> ) slender-leaved.	————	1812.	————	H. ♂.	Bart. fl. amer. 3. t. 82.
4	marítima. s.s.	( <i>li.</i> ) sea-side.	————	1823.	————	H. ♂.	————
5	fláva. s.s.	( <i>ye.</i> ) yellow.	————	1796.	————	H. ♀.	Pluk. amal. t. 389. f. 3.
6	quercifolia. s.s.	( <i>ye.</i> ) oak-leaved.	————	1812.	————	H. ♀.	Pursh amer. 1. t. 19.
7	Pediculária. s.s.	( <i>ye.</i> ) variable.	————	1826.	6. 8.	H. ♂.	Lam. ill. t. 529. f. 2.
SEYMERIA. S.S.		SEYMERIA.	Didynamia Angiospermia. S.S.				
1	tenuifolia. s.s.	( <i>ye.</i> ) slender-leaved.	Carolina.	....	7. 9.	H. ⊙.	————
		<i>Azélia cassioides.</i> Gmel.	<i>Gerárdia Afzèia.</i> M.				
2	pectinata. s.s.	( <i>ye.</i> ) pectinated.	Carolina.	....	————	H. ⊙.	————

## Sect. II. STAMINA (2) ANTHERIFERA.

CALCEOLARIA. R.S.		SLIPPERWORT.	Diandria Monogynia. L.				
1	Fothergillii. R.S.	( <i>pu.</i> ) Fothergill's.	Fakland. Isl.	1777.	5. 8.	G. ♀.	Bot. mag. t. 348.
2	plantaginea. R.S.	( <i>ye.</i> ) Plantain-leaved.	Chile.	1826.	6. 9.	F. ♀.	———— t. 2305.
3	corymbosa. R.S.	( <i>ye.</i> ) corymb-flower'd.	————	1823.	4. 8.	G. ♀.	Bot. reg. t. 723.
4	arachnoidea. B.M.	( <i>pu.</i> ) cobweb.	————	1827.	6. 10.	F. ♀.	Bot. mag. t. 2874.
5	purpûrea. B.M.	( <i>pu.</i> ) purple-flowered.	————	1826.	————	F. ♀.	———— t. 2775.
6	petioalâris. R.S.	( <i>ye.</i> ) much branched.	————	1827.	6. 9.	G. ♀.	Bot. reg. t. 1214.
		<i>floribunda.</i> B.R. <i>connata.</i>	Bot. mag. t. 2876.				
7	ascendens. B.R.	( <i>ye.</i> ) ascending.	————	1826.	————	G. ♀.	Bot. reg. t. 1215.
8	polifolia. B.M.	( <i>ye.</i> ) white-leaved.	————	————	————	G. ♀.	Bot. mag. t. 2897.
9	rugosa. R.P.	( <i>ye.</i> ) rugged-leaved.	————	1823.	6. 8.	G. ♀.	Hook. ex. flor. t. 99.
		<i>crenata.</i>	Bot. reg. t. 790.				
10	integrifolia. R.P.	( <i>ye.</i> ) entire-leaved.	————	————	————	G. ♀.	Bot. reg. t. 744.
		<i>rugosa.</i>	Bot. mag. t. 2523.				
11	angustifolia. (ye.)	narrow-leaved.	————	1826.	————	G. ♀.	Bot. reg. t. 1083.
12	thyrsiflora. B.M.	( <i>ye.</i> ) tufted-flowered.	————	1827.	————	G. ♀.	Bot. mag. t. 2915.
13	pinnata. R.S.	( <i>st.</i> ) wing-leaved.	Peru.	1773.	7. 9.	H. ⊙.	———— t. 41.
14	scabiosafolia. R.S.	( <i>st.</i> ) Scabious-leaved.	————	1823.	————	G. ♀.	———— t. 2405.
SCHIZANTHUS. R.P.		SCHIZANTHUS.	Diandria Monogynia.				
1	pinnatus. H.E.F.	( <i>li. pu.</i> ) winged-leaved.	Chile.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 63.
2	porrigens. H.E.F.	( <i>wh. pu.</i> ) spreading.	————	————	————	H. ⊙.	———— t. 76.
SCHWENCKIA. R.S.		SCHWENCKIA.	Diandria Monogynia. W.				
1	americana. R.S.	( <i>vi.</i> ) American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
2	browallioides. K.S.	( <i>gr. pu.</i> ) Browallia-like.	Caracas.	1824.	————	S. ♀.	H. et B. n. g. am. 2. t. 181.
3	Hilariâna. DC.	( <i>gr. pu.</i> ) St. Hilairé's.	Brazil.	1826.	————	S. ⊙.	DC. pl. rar. genev. t. 10.
BONNAYA. S.S.		BONNAYA.	Diandria Monogynia. S.S.				
1	brachiata. s.s.	( <i>wh.</i> ) brachiate.	E. Indies.	1825.	6. 9.	H. ⊙.	Pl. sel. h. ber. t. 11.
2	brachycarpa. Ot.	( <i>vi.</i> ) short-capsuled.	————	1829.	————	S. ⊙.	————
3	veronicaefolia. s.s.	( <i>vi.</i> ) Speedwell-leaved.	————	1798.	————	S. ♂.	Roxb. corom. 2. t. 154.
		<i>Gratiola veronicaefolia.</i> w.	————	————	————	S. ⊙.	————
4	réptans. s.s.	( <i>li.</i> ) creeping.	————	1820.	————	S. ⊙.	————
GRATIOLEA. B.P.		HEDGE-HYSSOP.	Diandria Monogynia. L.				
1	latifolia. B.P.	( <i>wh.</i> ) broad-leaved.	N. S. W.	1822.	6. 8.	G. ♀.	————
2	officinâlis. R.S.	( <i>wh.</i> ) officinal.	Europe.	1568.	5. 8.	H. ♀.	Flor. dan. t. 363.
3	virginica. R.S.	( <i>st.</i> ) Virginian.	Virginia.	1759.	8.	H. ♀.	————
4	aurea. Ph.	( <i>ye.</i> ) golden pert.	N. America.	1826.	7. 9.	H. ♀.	Lodd. bot. cab. t. 1399.
5	quadridentata. Ph.	( <i>st.</i> ) four-toothed.	————	————	6. 8.	H. ♀.	Lam. ill. 1. t. 16. f. 2.
6	acuminata. Ph.	( <i>st.</i> ) sharp-pointed.	————	1828.	7. 8.	H. ♀.	————
7	pilosa. Ph.	( <i>wh.</i> ) hairy.	————	1827.	————	H. ♀.	————
WULFENIA. R.S.		WULFENIA.	Diandria Monogynia. R.S.				
	carinthiaca. R.S.	( <i>bl.</i> ) blue-flowered.	Carinthia.	1817.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 66.
PÆDEROTA. R.S.		PÆDEROTA.	Diandria Monogynia. L.				
1	Agéria. R.S.	( <i>st.</i> ) sulphur-coloured.	Italy.	1823.	6. 7.	H. ♀.	Jacq. vind. 2. t. 121.
2	Bonaróta. R.S.	( <i>vi.</i> ) violet-coloured.	Germany.	1826.	————	H. ♀.	Jacq. aust. 5. t. 39.
LEPTANDRA. N.		LEPTANDRA.	Diandria Monogynia. N.				
1	virginica. (wh.)	Virginian.	Virginia.	1714.	7. 9.	H. ♀.	Pluk. alm. t. 70. f. 2.
		<i>Verónica virginica.</i> w.	————	————	————	————	————
2	incarnata. G.D.	( <i>li.</i> ) lilac-flowered.	————	————	————	H. ♀.	————
3	sibirica. N.	( <i>wh.</i> ) Siberian.	Siberia.	1779.	7. 8.	H. ♀.	Amm. ruth. 20. t. 4.
VERONICA. R.S.		SPEEDWELL.	Diandria Monogynia. L.				
1	foliosa. R.S.	( <i>bl.</i> ) leafy.	Hungary.	1805.	7. 9.	H. ♀.	W. et K. hung. 2. t. 102.
2	crenulata. R.S.	( <i>bl.</i> ) notch-flowered.	S. Europe.	1804.	————	H. ♀.	Hoff. phyt. p. 95. t. E. f. 3.
3	marítima. R.S.	( <i>bl.</i> ) sea-side.	————	1570.	————	H. ♀.	Schrad. ver. t. 1. f. 1.
4	Hóstii. R.S.	( <i>bl.</i> ) Host's.	Italy.	....	————	H. ♀.	Tabern. n. kreut. 2. f. 4.

5	spùria. R.S.	(bl.)	spurious.	Siberia.	1731.	7. 9.	H. 2.	Gmel. it. 1. t. 39.
6	paniculàta. R.S.	(bl.)	panicked.	Tartary.	1797.	6. 7.	H. 2.	
7	Stephaniàna. R.S.	(bl.)	Stephan's.	Persia.	1821.	—	H. 2.	
8	complicàta. R.S.	(bl.)	bundled.	S. Europe.	1812.	9. 10.	H. 2.	Hoff. phyt. p.98.t.E.f.4.
9	azùrea. R.S.	(bl.)	azure.	.....	1818.	6. 9.	H. 2.	
10	glàbra. R.S.	(bl.)	smooth.	S. Europe.	1804.	7. 9.	H. 2.	Schrad.ver.p.25.t.1.f.4.
	<i>β albiflora.</i>	(wh.)	white-flowered.	.....	—	—	H. 2.	
11	brachyphylla. R.S.	(bl.)	short-leaved.	.....	1818.	—	H. 2.	
	<i>brevifolia.</i> L.en.							
12	elàtior. R.S.	(bl.)	tall.	S. Europe.	1808.	—	H. 2.	
13	exaltàta.	(bl.)	lofty.	Siberia.	1816.	—	H. 2.	
14	falcàta. R.S.	(bl.)	falcate-leaved.	.....	1820.	6. 7.	H. 2.	
15	acùta. R.S.	(bl.)	acute-leaved.	.....	—	7. 9.	H. 2.	
16	argùta. R.S.	(bl.)	sharp-notched.	S. Europe.	1812.	—	H. 2.	Schrad.ver.n.7.t.2.f.2.
17	nitens. R.S.	(bl.)	glossy-leaved.	.....	1816.	—	H. 2.	
18	longibractea. R.S.	(bl.)	long-bracted.	.....	—	—	H. 2.	
	<i>β latifolia.</i>	(bl.)	broad-leaved.	.....	—	—	H. 2.	
19	media. R.S.	(bl.)	long-spiked.	Germany.	1804.	—	H. 2.	Schrad.ver.n.8.t.1.f.2.
20	persicifolia. R.S.	(bl.)	Peach-leaved.	.....	1819.	—	H. 2.	
21	austràlis. R.S.	(bl.)	pubescent.	S. Europe.	1812.	—	H. 2.	Schrad.ver.n.9.t.2.f.3.
22	longifolia. R.S.	(bl.)	long-leaved.	.....	1731.	—	H. 2.	— p.26. t.2. f.1.
23	gròssa. R.S.	(bl.)	stout.	S. Russia.	1827.	6. 9.	H. 2.	
24	ambigua. R.S.	(bl.)	ambiguous.	England.	....	—	H. 2.	
25	neglecta. R.S.	(bl.)	canescent.	Siberia.	1797.	7. 9.	H. 2.	Swt. br. fl. gar. t. 55.
26	angustifolia. s.s.	(bl.)	narrow-leaved.	.....	1823.	—	H. 2.	
27	incana. R.S.	(bl.)	hoary.	Russia.	1759.	—	H. 2.	Hoff. c. gott. 15. t. 6.
28	rigens. R.S.	(bl.)	rigid.	.....	1824.	—	H. 2.	
29	èlegans. R.S.	(ro.)	elegant.	Italy.	....	—	H. 2.	
30	spicata. R.S.	(bl.)	spiked.	England.	....	—	H. 2.	Eng. bot. v. 1. t. 2.
31	Clusii. R.S.	(bl.)	Clusius's.	N. Europe.	....	—	H. 2.	Flor. dan. t. 52.
32	menthaefolia. R.S.	(bl.)	Mint-leaved.	Austria.	1818.	—	H. 2.	
33	Barrelieri. R.S.	(bl.)	Barrelier's.	S. Europe.	....	—	H. 2.	Barrel. ic. t. 682.
34	orchidèa. R.S.	(bl.)	Orchis-like.	Europe.	....	—	H. 2.	
35	crassifolia. R.S.	(vi.)	thick-leaved.	Hungary.	1818.	—	H. 2.	
36	hybrida. R.S.	(bl.)	Welsh.	England.	....	—	H. 2.	Eng. bot. v. 10. t. 673.
37	confusa. R.S.	(bl.)	confused.	.....	1819.	6. 7.	H. 2.	
38	longiflora. R.S.	(li.)	long-flowered.	.....	1823.	7. 9.	H. 2.	
39	ruthénica. R.S.	(bl.)	Russian.	Russia.	—	—	H. 2.	
40	grándis. R.S.	(wh.)	large white.	Siberia.	1826.	—	H. 2.	
41	Ponæ. R.S.	(bl.)	dwarf.	Pyrenees.	1823.	—	H. 2.	Gouan. ill. t. 1. f. 1.
42	polystachya. R.S.	(bl.)	many-spiked.	.....	1819.	—	H. 2.	
43	præalta. L.C.	(bl.)	tall upright	.....	1817.	6. 8.	H. 2.	
44	incarnata. G.D.	(pi.)	flesh-coloured.	.....	....	—	H. 2.	
45	cárnea. Ræu.	(pi.)	pale red.	.....	....	—	H. 2.	
46	corymbosa. G.D.	(bl.)	corymbose.	.....	1817.	6. 7.	H. 2.	
47	melancholica. Df.	(bl.)	melancholy.	.....	1820.	—	H. 2.	
48	leucántha. F.	(wh.)	white-flowered.	Siberia.	1824.	—	H. 2.	
49	ascéndens. R.S.	(bl.)	ascending.	.....	1828.	—	H. 2.	
50	villòsa. R.S.	(bl.)	villous.	S. Europe.	1800.	—	H. 2.	Schrad.ver.p.13.t.1.f.3.
51	pinnàta. R.S.	(bl.)	wing-leaved.	Siberia.	1776.	6. 8.	H. 2.	Hoff. c. gott. 15. t. 10.
52	incisa. R.S.	(bl.)	cut-leaved.	.....	1779.	—	H. 2.	
53	lacinia. R.S.	(bl.)	lugged-leaved.	.....	1780.	—	H. 2.	Jung. ic. rar. C. 1. f. 2.
54	gentianoides. F.G.	(vi.)	Gentian-like.	Levant.	1748.	5. 6.	H. 2.	Flor. græc. 1. t. 5.
55	gentianifolia. (pa.bl.)		Gentian-leaved.	.....	—	—	H. 2.	Bot. mag. t. 1002.
	<i>Verónica gentianoides.</i> B.M. non Flor. græc.							
56	pállida. R.S.	(pa.)	pale.	.....	1816.	—	H. 2.	
57	bellidioides. R.S.	(bl.)	Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 2.	Hall. hist. t. 15. f. 1.
58	fruticulosa. R.S.	(pu.)	flesh-coloured.	Scotland.	....	6. 8.	H. 2.	Eng. bot. v. 15. t. 1028.
59	saxátilis. R.S.	(bl.)	blue rock.	.....	....	6. 7.	H. 2.	— v. 15. t. 1027.
60	crética. R.S.	(bl.)	Cretan.	Crete.	1819.	5. 6.	H. 2.	
61	Baumgartenii. R.S.	(pa.bl.)	Baumgarten's.	Transylvania.	1826.	—	H. 2.	
62	nummulària. R.S.	(bl.)	moneywort.	Pyrenees.	1820.	6. 8.	H. 2.	Gouan. ill. 1. t. 1. f. 2.
63	alpina. R.S.	(bl.)	Alpine.	Scotland.	....	5. 6.	H. 2.	Eng. bot. v. 7. t. 484.
	<i>α acutifolia.</i>	(bl.)	acute entire-leav'd.	Europe.	....	—	H. 2.	
	<i>β pùmila.</i> All.	(bl.)	saw-leaved.	.....	....	—	H. 2.	Allion. ped. t. 22. f. 5.
	<i>γ obtusifolia.</i>	(bl.)	blunt entire-leav'd.	Scotland.	....	—	H. 2.	Eng. bot. v. 7. t. 484.
	<i>δ integrifolia.</i> W.	(bl.)	entire-leaved.	Europe.	....	—	H. 2.	Krocker siles. t. 3.
	<i>ε heterophylla.</i>	(bl.)	various-leaved.	.....	....	—	H. 2.	
	<i>ζ rotundifolia.</i>	(bl.)	round-leaved.	.....	....	—	H. 2.	Braun. salisb. n. 15. t. 2.

64	Wormskiöldii. R.S. (bl.)	Wormskiöld's.	Greenland.	1819.	5. 6.	H. ♂.	Bot. mag. t. 2975.
65	grandifolia. R.S. (bl.)	large-leaved.	Italy.	1828.	—	H. ♀.	
66	depauperata. R.S. (bl.)	few-flowered.	Hungary.	1819.	—	H. ♀.	W. et K. hung. 3. t. 245.
67	serpyllifolia. R.S. (bl. fl.)	smooth.	Britain.	....	4. 7.	H. ♀.	Eng. bot. v. 15. t. 1075.
	<i>a ovata.</i>	(bl. fl.) common.	—	....	—	H. ♀.	
	<i>β tenella.</i> Schm. (bl.)	roundish-leaved.	Europe.	....	—	H. ♀.	
	<i>γ neglecta.</i> Schm. (pa.)	neglected.	—	....	—	H. ♀.	
	<i>δ quaternata.</i> (pa. li.)	four-leaved.	—	....	—	H. ♀.	
	<i>ε nummulariæfolia.</i> (pa.)	moneywort-leaved.	—	....	—	H. ♀.	
	<i>ζ humifusa.</i> L.T. (pa.)	trailing.	—	....	—	H. ♀.	
68	hirsuta. R.S. (pa.)	bristly.	Scotland.	....	—	H. ♀.	
	<i>setigera.</i> s.s.	—	—	—	—	—	—
69	tenella. R.S. (pu.)	slender.	Pyrenees.	1820.	5. 6.	H. ♀.	Allion. ped. t. 22. f. 1.
70	microphylla. R.S. (pu.)	small-leaved.	Hungary.	1824.	—	H. ♀.	
71	parviflora. R.S. (bl.)	small-flowered.	N. Zealand.	1822.	6. 8.	H. ♀.	
72	undulata. R.S. (wh.)	wave-leaved.	E. Indies.	1827.	—	G. ♀.	
73	decussata. R.S. (wh.)	cross-leaved.	Falkland Isl.	1776.	—	F. ♀.	Bot. mag. t. 242.
74	aphylla. R.S. (bl.)	naked-stalked.	Italy.	1775.	5.	H. ♀.	Seguier. ver. t. 3. f. 2.
75	Beccabunga. R.S. (bl.)	brook-lime.	Britain.	....	5. 6.	H. w. ♀.	Eng. bot. v. 10. t. 655.
76	Anagallis. R.S. (pa. bl.)	long-leaved water.	—	....	6. 8.	H. w. ♀.	— v. 11. t. 781.
77	scutellata. R.S. (li.)	marsh.	—	....	—	H. w. ♀.	— v. 11. t. 782.
78	Parmularia. R.S. (li.)	tooth-leav'd marsh.	Austria.	1816.	—	H. w. ♀.	Trattin. fl. aust. b. 20.
79	caroliniana. R.S. (bl.)	Carolina.	Carolina.	1821.	6. 7.	H. w. ♀.	
80	thymifolia. F.G. (bl.)	thyme-leaved.	Crete.	1827.	5. 7.	F. ♀.	Flor. græc. v. 1. t. 6.
81	pectinata. R.S. (bl.)	pectinated.	Levant.	1820.	6. 8.	H. ♀.	Buxb. C. 1. t. 39. f. 1.
82	orientalis. R.S. (bl.)	various-leaved.	—	1748.	—	H. ♀.	Sal. stirp. rar. 7. t. 4.
83	trichocarpa. R.S. (bl.)	hairy-capsuled.	—	1820.	—	H. ♀.	
	<i>pilocarpa.</i> L.en.	—	—	—	—	—	—
84	Jacquinii. R.S. (bl.)	Jacquin's.	Austria.	1748.	—	H. ♀.	Jacq. aust. 4. t. 329.
	<i>austriaca.</i> Jacq. non L.	—	—	—	—	—	—
85	austriaca. R.S. (bl.)	Austrian.	—	—	—	H. ♀.	Moris. h. 2. s. 3. t. 23. f. 12.
	<i>polymorpha.</i> W.en.	—	—	—	—	—	—
86	tenuifolia. R.S. (bl.)	slender-leaved.	Iberia.	1821.	6. 7.	H. ♀.	
87	pinnatifida. w. (bl.)	pinnatifid.	.....	1817.	5. 6.	H. ♀.	
88	multifida. R.S. (bl.)	multifid-leaved.	Siberia.	1748.	6. 8.	H. ♀.	Bot. mag. t. 1679.
89	caucasica. R.S. (wh. bl.)	Caucasian.	Caucasus.	1815.	—	H. ♀.	
90	taurica. w. (bl.)	Taurian.	Tauria.	....	—	H. ♀.	Lodd. bot. cab. t. 911.
91	Allionii. R.S. (bl.)	shining-leaved.	S. Europe.	1748.	—	H. ♀.	Allion. ped. 1. t. 46. f. 3.
92	officinalis. R.S. (bl.)	officinal.	Britain.	....	4. 7.	H. ♀.	Eng. bot. v. 11. t. 765.
	<i>β rigida.</i> Gr. (bl.)	rigid-leaved.	Scotland.	....	—	H. ♀.	
	<i>γ albiflora.</i> (wh.)	white-flowered.	Britain.	....	—	H. ♀.	
93	Mulleriana. R.S. (bl.)	Muller's.	Styria.	1825.	5. 7.	H. ♀.	
94	Tournefortii. R.S. (bl.)	Tournefort's.	S. France.	1821.	5. 6.	H. ♀.	
95	Chaixi. R.S. (bl.)	Chaix's.	S. Europe.	1825.	5. 7.	H. ♀.	
96	prostrata. R.S. (bl.)	trailing.	Germany.	1774.	5. 6.	H. ♀.	Bauh. hist. 3. p. 287. ic.
97	pilosa. R.S. (bl.)	hairy.	Bohemia.	1819.	—	H. ♀.	
98	acutiflora. R.S. (li.)	acute-flowered.	France.	1821.	—	H. ♀.	
99	plicata. R.S. (bl.)	plaited-leaved.	Bohemia.	1823.	—	H. ♀.	Pohl tent. fl. b. p. 15. f. 1.
100	micrantha. R.S. (wh. pu.)	soft-leaved.	Portugal.	—	—	H. ♀.	Hoff. f. port. t. 57.
	<i>mollis.</i> Zea.	—	—	—	—	—	—
101	latifolia. R.S. (bl.)	broad-leaved.	Austria.	1748.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 23.
102	Teucrium. R.S. (bl.)	saw-leaved.	Europe.	1596.	6. 8.	H. ♀.	Lodd. bot. cab. t. 425.
103	crinita. R.S. (bl.)	very hairy.	Hungary.	1826.	—	H. ♀.	
104	lutetiana. R.S. (pa. bl.)	Portugal.	Portugal.	—	—	H. ♀.	
105	dentata. R.S. (bl.)	tooth-leaved.	S. Europe.	1816.	—	H. ♀.	
106	Schmidtii. R.S. (bl.)	Schmidt's.	Bohemia.	1797.	6. 7.	H. ♀.	
	<i>paniculata.</i> w. non Pall.	—	—	—	—	—	—
107	peduncularis. R.S. (bl.)	long-peduncled.	Caucasus.	1825.	—	H. ♀.	
108	petræa. R.S. (pa. bl.)	Caucasian rock.	—	1821.	—	H. ♀.	
109	umbrosa. M.B. (bl.)	shady wood.	Tauria.	1827.	—	H. ♀.	M. B. cent. ros. 1. t. 7.
110	Chamædrys. R.S. (bl.)	Germander.	Britain.	....	5. 8.	H. ♀.	Eng. bot. v. 9. t. 623.
111	stolonifera. R.S. (bl.)	creeping.	N. America.	1827.	—	H. ♀.	
112	divaricata. R.S. (bl.)	divaricate.	Sweden.	1828.	—	H. ♀.	
113	Vestiàna. R.S. (bl.)	Vest's.	.....	1820.	—	H. ♀.	
114	máxima. R.S. (pa. bl.)	large.	Iberia.	1824.	—	H. ♀.	Buxb. cent. 1. t. 34.
115	urticæfolia. R.S. (pa. bl.)	Nettle-leaved.	Austria.	1776.	6. 7.	H. ♀.	Jacq. aust. 1. t. 59.
116	montana. R.S. (pa.)	mountain.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 11. t. 766.
117	plebeia. B.P. (bl.)	plebeian.	N. S. W.	1822.	6. 8.	G. ♀.	
	<i>arguta.</i> R.S.	—	—	—	—	—	—

118	Bro'wnii. B.P.	(bl.) sharp-toothed.	N. S. W.	1822.	6. 8.	G. 2.	
119	gracilis. B.P.	(bl.) slender.	—————	—————	—————	G. 2.	
120	perfoliata. B.P.	(bl.) perfoliate.	—————	1815.	7. 8.	G. 2.	Bot. mag. t. 1936.
121	labiata. B.P.	(pa.bl.) labiated.	N. Holland.	1802.	4. 7.	F. 2.	————— t. 1660.
	<i>Derwëntia.</i> Andr. reposit. t. 531.						
122	mollissima. R.S.	(bl.) softest.	.....	1819.	6. 8.	H. 2.	
123	renifórmis. Ph.	(pa.bl.) kidney-leaved.	Missouri.	1827.	5. 8.	H. 2.	
124	Waldsteiniána. R.S.	(bl.) Waldstein's.	.....	1819.	6. 8.	H. 2.	
125	vérna. R.S.	(pa.bl.) vernal.	Britain.	....	4. 5.	H. 2.	Eng. bot. v. 1. t. 25.
126	digitata. R.S.	(bl.) fingered.	Spain.	1805.	6. 7.	H. 2.	Reich. ic. t. 36.
127	triphyllos. R.S.	(bl.) variable-leaved.	Britain.	....	4. 5.	H. 2.	Eng. bot. v. 1. t. 26.
128	hederifólia. R.S.	(pa.bl.) Ivy-leaved.	—————	....	3. 10.	H. 2.	————— v. 11. t. 784.
129	Cymbalária. R.S.	(wh.) fleshy-leaved.	Levant.	1823.	4. 8.	H. 2.	Flor. græc. t. 9.
130	peregrina. R.S.	(pa.) knotgrass-leaved.	N. Europe.	1680.	5. 6.	H. 2.	Flor. dan. t. 407.
131	depréssa. R.S.	(bl.) depressed.	Hungary.	1826.	4. 8.	H. 2.	
132	glauca. F.G.	(bl.) glaucous.	Greece.	—————	—————	H. 2.	Flor. græc. v. 1. t. 7.
133	amœna. R.S.	(bl.) fine blue.	Iberia.	1823.	5. 6.	H. 2.	MB. cent. ros. t. 1. f. 18.
134	bilôba. R.S.	(wh.) two-lobed.	Levant.	1819.	4. 6.	H. 2.	Buxb. cent. 1. t. 36.
135	præcox. R.S.	(bl.) early-flowered.	Europe.	—————	3. 5.	H. 2.	Allion. ped. t. 1. f. 1.
136	acinifólia. R.S.	(pa.bl.) Basil-leaved.	S. Europe.	1788.	4. 5.	H. 2.	Poit. et Turp. par. 1. t. 23.
137	arvénis. R.S.	(bl.) wall.	Britain.	....	4. 7.	H. 2.	Eng. bot. v. 11. t. 734.
138	agréstis. R.I.	(ca.) field.	—————	....	1. 12.	H. 2.	Reich. ic. C. 3. t. 277.
	<i>pulchélla.</i> DC. non Bernhard. <i>versicolor.</i> Fries.						
139	opaca. R.I.	(pa.bl.) dull-leaved.	Britain.	....	—————	H. 2.	Reic. ic. C. 3. p. 67. t. 278.
140	polita. R.I.	(bl.) polished.	—————	....	—————	H. 2.	————— C. 3. p. 45. t. 246.
141	didyma. T.N.	(bl.) toothed-calyced.	Naples.	1827.	—————	H. 2.	
142	pulchélla. R.S.	(wh.ro.) neat.	.....	1823.	3. 6.	H. 2.	
143	Buxbaumii. s.s.	(bl.) Buxbaum's.	S. Europe.	1820.	—————	H. 2.	Ten. fl. nap. t. 1.
144	filifórmis. s.s.	(bl.) long-stalked.	Levant.	1780.	5.	H. 2.	Buxb. cent. 1. t. 40. f. 1.
145	pérsica. s.s.	(bl.) Persian.	Persia.	1816.	1. 12.	H. 2.	
DIPLOPHYLLUM. S.S. DIPLOPHYLLUM. Diandria Monogynia. S.S.							
	veronicæfórmis. s.s.	(bl.) Speedwell-like.	Caucasus.	1813.	4. 6.	H. 2.	Linn. trans. v. 11. t. 31.
	<i>Verónica crista galli.</i> L.T.						
HEMIMERIS. L. HEMIMERIS. Diandria Monogynia.							
	montána. L.	(re.) mountain.	C. B. S.	1816.	6. 8.	G. 2.	Lam. ill. t. 532.

## ORDO CLIII.

LABIATÆ. *Brown prodr. 1. p. 499.*Tribus I. MENTHOIDÆ. *Bentham in Bot. reg. fol. 1282.*

LYCOPUS. R.S.		WATER-HOREHOUND. Diandria Monogynia. L.					
1	austrális. B.P.	(wh.) New Holland.	N. S. W.	1823.	5. 7.	G. 2.	
2	europæus. R.S.	(wh.) European.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 16. t. 1105.
3	intermédius.	(wh.) intermediate.	Europe.	1816.	—————	H. 2.	
4	exaltátus. R.S.	(wh.) tall.	Italy.	1739.	—————	H. 2.	Flor. græc. 1. t. 12.
5	virginicus. R.S.	(wh.) Virginian.	N. America.	1760.	8. 9.	H. 2.	
6	sinuátus. E.C.	(wh.) sinuate-leaved.	—————	1812.	—————	H. 2.	
ISANTHUS. M.		ISANTHUS. Didynamia Gymnospermia. S.S.					
	cœruleus. M.	(bl.) blue.	N. America.	1732.	6. 8.	H. 2.	Dill. elt. t. 285. f. 369.
	<i>Trichostema brachiata.</i> L.						
AUDIBERTIA. B.R.		AUDIBERTIA. Didynamia Gymnospermia.					
	pusilla. B.R.	(pu.) small.	Corsica.	1829.	5. 8.	H. 2.	
	<i>Thymus parviflorus.</i> Requier.						
MENTHA. L.		MINT. Didynamia Gymnospermia. L.					
1	viridis. w.	(pu.) spear.	Britain.	....	8.	H. 2.	Eng. bot. v. 34. t. 2424.
2	lævigata. W.en.	(pu.) smooth-leaved.	Germany.	....	6. 8.	H. 2.	
3	balsamea. W.en.	(pu.) Balsam-scent'd.	Italy.	1804.	7. 8.	H. 2.	
4	crispata. W.en.	(pu.) crumpled.	Europe.	1807.	—————	H. 2.	
5	piperita. E.B.	(pu.) pepper.	England.	....	8. 9.	H. 2.	Eng. bot. v. 10. t. 6S7.
6	niliaca. s.s.	(pu.) Egyptian.	Egypt.	1796.	7. 8.	H. 2.	Jacq. vind. 3. t. 87.
7	tenuis. m.	(wh.) slender.	N. America.	1826.	—————	H. 2.	

8	sylvéstris. E.B.	(pu.) wild.	Britain.	....	7. . . . 2.	Eng. bot. v. 10. t. 686.
9	memorosa. W.en.	(pu.) wood.	-----	....	— H. 2.	Flor. dan. t. 84.
10	hífra. W.en.	(pu.) hairy.	Europe.	....	— H. 2.	
11	pubéscens. W.en.	(pu.) pubescent.	-----	....	— H. 2.	
12	Auriculáris. w.	(li.) Indian.	E. Indies.	1796.	— S. 2.	Rumph. amb. 6. t. 16.
13	crísipa. w.	(pu.) curled.	Siberia.	1640.	— H. 2.	
14	pyramidális. T.N.	(pu.) pyramidal.	Naples.	1824.	— H. 2.	
15	unduláta. W.en.	(pu.) wave-leaved.	Europe.	1816.	— H. 2.	
16	incána. W.en.	(pu.) hoary.	-----	1790.	— H. 2.	
17	lavandulácea. W.en.	(pu.) Lavender-leaved.	Spain.	1825.	— H. 2.	
18	capénsis. w.	(pu.) Cape.	C. B. S.	1816.	— G. 2.	
19	rotundifolia. E.B.	(pu.) round-leaved.	Britain.	....	8. 9. H. 2.	Eng. bot. v. 7. t. 446.
	<i>β variegata.</i>	(pu.) variegated.	-----	....	— H. 2.	
20	macrostachya. T.N.	(pu.) long-spiked.	Naples.	1820.	— H. 2.	
21	gratíssima. w.	(pu.) oblong-leaved.	Britain.	....	7. 8. H. 2.	
22	citráta. s.s.	(pu.) Bergamot.	England.	....	— H. 2.	Eng. bot. v. 15. t. 1025.
	<i>odorata. E.B.</i>					
23	hirsúta. E.B.	(pu.) hairy water.	Britain.	....	7. 9. H.w. 2.	Eng. bot. v. 7. t. 447.
24	acutifolia. E.B.	(pu.) acute-leaved.	England.	....	9. H.w. 2.	----- v. 34. t. 2415.
25	sativa. E.B.	(re.) tall red.	-----	....	8. 9. H.w. 2.	----- v. 7. t. 448.
26	rúbra. E.B.	(re.) common red.	Britain.	....	9. H.w. 2.	----- v. 20. t. 1413.
27	géntilis. E.B.	(re.) bushy red.	-----	....	7. 8. H.w. 2.	----- v. 30. t. 118.
28	grácilis. H.K.	(re.) narrow-leaved.	-----	....	— H.w. 2.	----- v. 7. t. 449.
29	palústris. S.M.	(pu.) marsh.	-----	....	9. H.w. 2.	
30	villósa. S.M.	(pu.) horse.	-----	....	7. 8. H.w. 2.	
31	praténsis. S.M.	(pu.) meadow.	-----	....	— H.w. 2.	Sole's Mints. t. 17.
32	rivalis. S.M.	(pu.) river.	-----	....	— H.w. 2.	
33	paludosa. S.M.	(pu.) brook.	-----	....	9. H.w. 2.	
34	arvensis. E.B.	(li.) corn.	-----	....	7. 9. H. 2.	Eng. bot. v. 30. t. 2119.
35	præcox. S.M.	(li.) early-flowering.	-----	....	6. H. 2.	Sole's Mints. ic.
36	agréstis. E.B.	(li.) field.	-----	....	7. 8. H. 2.	Eng. bot. v. 30. t. 2120.
37	austriaca. s.s.	(pu.) Austrian.	Austria.	1818.	— H. 2.	
38	dentata. w.	(pu.) toothed.	Germany.	1816.	— H. 2.	
39	canadensis. w.	(pu.) Canadian.	N. America.	1801.	— H. 2.	
40	borealis. m.	(li.) northern.	-----	1824.	— H. 2.	
41	élegans. s.s.	(pu.) elegant.	S. Europe.	1828.	— H. 2.	
42	badensis. s.s.	(pu.) Baden.	Italy.	-----	— H. 2.	
43	rugosa. Roth.	(pu.) rugged-leaved.	Germany.	1824.	— H. 2.	
44	glabrata. s.s.	(pu.) smooth.	Egypt.	1802.	— H. 2.	
45	Pulégium. s.s.	(li.) Pennyroyal.	Britain.	....	8. 9. H. 2.	Eng. bot. v. 15. t. 1026.
46	cervina. s.s.	(wh.) Hyssop-leaved.	S. France.	1648.	6. 8. H. 2.	Moris. s. 7. t. 7. f. 7.
	COLEBRO'OKIA. S.S.	COLEBRO'OKIA. Didynamia Gymnospermia.				
1	oppositifolia. D.P.	(wh.) opposite-leav'd.	Nepaul.	1816.	6. 9. S. 2.	Sm. exot. bot. t. 115.
2	ternifolia. s.s.	(wh.) three-leaved.	E. Indies.	-----	— S. 2.	
	PERILLA. W.	PERILLA. Didynamia Gymnospermia. L.				
1	ocymoides. w.	(wh.) Basil-leaved.	India.	1770.	7. 8. H. 2.	Arduin. spec. 2. t. 13.
2	fruticosa. D.P.	(wh.) frutescent.	Nepaul.	1818.	— S. 2.	
	ELSHO'LTZIA. S.S.	ELSHO'LTZIA. Didynamia Gymnospermia. W.				
1	crístata. s.s.	(li.) crested.	Siberia.	1789.	5. 7. H. 2.	Bot. mag. t. 2560.
2	ocymoides. s.s.	(li.) Basil-like.	E. Indies.	1823.	— S. 2.	
	APHANOCHILUS. B.R.	APHANOCHILUS. Didynamia Gymnospermia.				
1	blándus.	(wh.) agreeable.	Nepaul.	1820.	10. 12. G. 2.	DC. pl. rar. gen. t. 8.
	<i>Méntha blanda. DC.</i>					
2	incísus. B.R.	(wh.) cut-leaved.	-----	1818.	6. 10. G. 2.	
	<i>Méntha blanda. H.C. non DC.</i>					
	DYSOPHYLLA. B.R.	DYSOPHYLLA. Didynamia Gymnospermia.				
1	quadrifolia. B.R.	(li.) four-leaved.	Nepaul.	1813.	6. 8. G. 2.	
2	stellata. B.R.	(li.) starry-leaved.	-----	1816.	— G. 2.	
3	verticillata. B.R.	(li.) whorl-leaved.	-----	1828.	— G. 2.	
4	pùmila. B.R.	(li.) dwarf.	-----	-----	— G. 2.	Bot. mag. t. 2907.
	<i>Méntha verticillata. B.M. pùmila. Graham.</i>					
	POGOSTEMON. S.S.	POGOSTEMON. Didynamia Gymnospermia. S.S.				
	plectranthoides. s.s.	(w.) Plectanthrus-like. . . . .	1818.	6. 8. S. 2.		Desf. m. mus. 2. t. 6.

Tribus II. SATUREINÆ. *Benth. in Bot. rey.*

<b>BYSTROPOGON, S.S.</b>		<b>BYSTROPOGON, Didymia Gymnospermia, S.S.</b>		
1	origanifolius, s.s. (li.)	Marjoram-leav'd.	Teneriffe.	1815. 7. 8. G. h.
2	plumosus, s.s. (li.)	woolly-flower'd.	Canaries.	1779. 6. 7. G. h.
3	canariensis, s.s. (li.)	Canary.	—	1714. 6. 8. G. h.
4	punctatus, s.s. (li.)	cluster-flower'd.	Madeira.	1775. 7. 9. G. h.
<b>RYCNA'NTHEMUM, M. P. RYCNA'NTHEMUM, Didymia Angiospermia, S.S.</b>				
1	linifolium, s.s. (wh.)	Flax-leaved.	N. America.	1739. 7. 8. H. y.
2	lanceolatum, s.s. (wh.)	spear-leaved.	—	1812. — H. y.
3	aristatum, s.s. (wh.)	awned.	—	1752. 8. H. y.
4	verticillatum, s.s. (wh.)	whorl-leaved.	—	1816. 7. 8. H. y.
5	Monardella, s.s. (li.)	Monarda-like.	—	— H. y.
6	incanum, s.s. (bh.)	hoary.	—	1732. 7. 10. H. y.
<b>SATUREJA, S.S.</b>		<b>SAVORY, Didymia Gymnospermia, L.</b>		
1	approximata, s.s. (li.)	bundle-leaved.	Sicily.	1825. 5. 7. F. h.
2	spinosa, F.G. (wh.)	spiny.	Crete.	1827. — G. h.
3	viminea, s.s. (li.)	Pennyroyal tree.	Jamaica.	1783. — S. h.
4	montana, s.s. (li.)	winter.	S. Europe.	1562. 6. 7. H. h.
5	pyæstris, s.s. (wh.)	rock.	Carnioia.	1798. — H. y.
6	obovata, s.s. (li.)	obovate-leaved.	Spain.	1824. — H. h.
7	tenuifolia, s.s. (li.)	slender-leaved.	Italy.	1820. — H. h.
8	Juliæna, s.s. (li.)	linear-leaved.	—	1596. 5. 9. F. h.
9	græca, s.s. (li.)	Grecian.	Greece.	1759. 6. 7. F. y.
10	hirsuta, s.s. (li.)	hairy.	Sicily.	1824. — F. y.
11	Teneriffæ, s.s. (pu.)	Teneriffe.	Teneriffe.	1815. — F. y.
12	hortensis, s.s. (wh.)	summer.	Italy.	1652. 6. 8. H. y.
13	capitata, w. (li.)	ciliated.	Levant.	1596. 6. 10. H. h.
14	nervosa, s.s. (li.)	nerved.	Sicily.	1824. — H. h.
15	Thymbra, s.s. (li.)	whorl-flowered.	Candia.	1640. 5. 7. G. h.
16	congæsta, s.s. (li.)	close-flowered.	.....	1825. — G. h.
<b>THYMUS, S.S.</b>		<b>THYME, Didymia Gymnospermia, L.</b>		
1	villosus, s.s. (li.)	hairy.	Portugal.	1759. 6. 7. F. h.
2	cephalotus, s.s. (li.)	great headed.	—	7. 8. H. h.
3	capitatus, L.en. (li.)	headed.	—	1823. — H. h.
4	odoratissimus, s.s. (li.)	very sweet.	Tauria.	— H. h.
5	acicularis, s.s. (li.)	needle-shaped.	Hungary.	1806. 6. 8. H. h.
6	hirsutus, s.s. (li.)	hairy.	—	1816. — H. h.
7	Zygis, s.s. (wh.)	Spanish.	Spain.	1771. 8. H. h.
8	Marschallianus, s.s. (li.)	Marschall's.	Russia.	1815. 6. 8. H. h.
9	glabræscens, L.en. (li.)	smooth.	S. Europe.	1823. — H. y.
10	angustifolius, s.s. (li.)	narrow-leaved.	Europe.	.... — H. h.
11	Serpyllum, s.s. (li.)	wild or mother of.	Britain.	.... — H. h.
12	exserens, s.s. (li.)	exserted.	—	.... — H. h.
13	citriodorus, L.en. (li.)	Lemon.	Europe.	.... — H. h.
14	collinus, s.s. (li.)	hill.	Tauria.	1823. — H. h.
15	montanus, w.k. (li.)	mountain.	Hungary.	1800. 6. 7. H. h.
16	nummularius, M.B. (li.)	moneywort.	Caucasus.	1818. — H. h.
17	pannonicus, W.en. (li.)	Hungarian.	Hungary.	— H. h.
18	lanuginosus, s.s. (li.)	woolly.	Europe.	.... 6. 8. H. h.
19	tomentosus, s.s. (li.)	tomentose.	Spain.	1816. — H. h.
20	albicans, s.s. (li.)	white-leaved.	Portugal.	— H. h.
21	ascendens, L.en. (li.)	ascending.	S. Europe.	.... — H. h.
22	lucidus, s.s. (li.)	shining-leaved.	.....	1816. — H. h.
23	vulgâris, s.s. (li.)	common.	S. Europe.	1548. 5. 8. H. h.
	<i>β latifolius.</i> (li.)	broad-leaved.	—	— H. h.
24	Mastichina, s.s. (li.)	Mastick.	Spain.	1596. 7. 9. F. h.
25	elongatus, L.en. (li.)	elongated.	.....	1816. — F. h.
26	graveolens, F.G. (li.)	strong-scented.	Levant.	1823. — F. h.
27	Tragoriganum, s.s. (li.)	goat s.	Candia.	1640. 5. 6. F. h.
28	filiformis, s.s. (li.)	filiform.	Minorca.	1770. 6. 7. G. h.
29	fruticulosus, s.s. (li.)	frutescent.	Sicily.	1823. — H. h.
30	Teneriffæ, s.s. (li.)	Teneriffe.	Teneriffe.	1828. — F. h.
31	incanum, s.s. (wh.)	hoary.	Levant.	— F. y.
32	croaticus, p.s. (li.)	oval-leaved.	Hungary.	1802. 7. 8. H. h.
	<i>Piperella, w.k. non L.</i>			
33	ericæfolius, W.en. (li.)	Heath-leaved.	Spain.	1806. 6. 8. H. h.

<b>ORIGANUM. S.S.</b>	<b>MARJORAM.</b>	<b>Didymia Gymnospermia. L.</b>			
1 vulgare. s.s. (ro.) common.		Britain.	....	6. 10.	H. 2. Eng. bot. v. 16. t. 1143.
2 humile. s.s. (wh.) dwarf.		.....	1827.	—	H. 2.
3 virens. s.s. (ro.) green.		Portugal.	1816.	—	H. 2. Hoff. et Lk. fl. p. 1. t. 9.
4 heracleoticum. s.s. (li.) winter, sweet.		S. Europe.	1640.	—	H. 2. Lobel. ic. 492.
5 creticum. s.s. (li.) Cretan.		.....	1596.	—	H. 2. Schk. hand. 2. t. 164.
6 megastachyum. L.en. (li.) large-spiked.		.....	1824.	—	H. 2.
7 macrostachyon. s.s. (li.) long-spiked.		Portugal.	1820.	—	H. 2.
8 hirtum. L.en. (wh.) hairy.		S. Europe.	.....	—	H. 2.
9 oblongatum. L.en. (wh.) oblong-spiked.		.....	1823.	—	H. 2.
10 smyrnæum. L. (wh.) Smyrna.		Smyrna.	1722.	6. 7.	G. 2. Flor. græc. t. 571.
11 Onites. s.s. (wh.) pot.		Sicily.	1759.	7. 11.	H. 2. ——— t. 572.
12 Marù. w. (li.) Lavender-scented.		Crete.	1822.	—	F. 2. Bot. mag. t. 2605.
13 Majoranoides. w. (wh.) shrubby sweet.		.....	.....	—	F. 2.
14 Majorana. s.s. (wh.) knotted.		Portugal.	1573.	6. 7.	F. 2. Moris. s. 11. t. 3. f. 1.
15 indicum. s.s. (wh.) Indian knotted.		E. Indies.	1820.	—	S. 2.
16 salvifolium. Roth. (li.) Sage-leaved.		.....	....	—	F. 2.
17 pallidum. P.s. (pa.) pale.		Levant.	1821.	—	G. 2.
18 stoloniferum. F. (li.) creeping.		.....	1828.	—	H. 2.
19 Tournefortii. s.s. (ro.) Tournefort's.		Amorgos.	1788.	8. 9.	F. 2. Flor. græc. t. 569.
20 sipyleum. s.s. (ro.) Mount Sipylus.		Levant.	1699.	6. 9.	F. 2. ——— t. 570.
21 Dictamnus. s.s. (li.) Dittany of Crete.		Candia.	1551.	—	F. 2. Bot. mag. t. 298.
22 ægyptiacum. s.s. (li.) Egyptian.		Egypt.	1731.	6. 8.	F. 2. Alp. ægypt. t. 95.
<b>LOPHA'NTHUS. B.R.</b>	<b>LOPHA'NTHUS.</b>	<b>Didymia Gymnospermia.</b>			
1 chinensis. B.R. (ye.) Mint-leaved.		Siberia.	1752.	8. 9.	H. 2. Jacq. vind. 2. t. 182.
<i>Hyssopus Lophanthus. s.s.</i>					
2 nepetoides. B.R. (ye.) square-stalked.		N. America.	1692.	8. 10.	H. 2. Jacq. vind. 1. t. 68.
3 scrophularifolius. B.R. (re.) Figwort-leaved.		.....	1800.	7. 8.	H. 2. Herm. parad. t. 106.
4 anisatus. B.R. (bl.) Anise-like.		.....	1820.	7. 9.	H. 2. Bot. reg. t. 1282.
5 urticifolius. B.R. (pu.) Nettle-leaved.		.....	1827.	—	H. 2.
6 multifidus. B.R. (wh.) multifid.		Siberia.	1797.	7. 8.	H. 2. Gmel. sib. 3. t. 55.
<i>Népeta multifida. w.</i>					
<b>HYSSOPUS. B.R.</b>	<b>HYSSOP.</b>	<b>Didymia Gymnospermia.</b>			
1 officinalis. s.s. (bl.) common.		S. Europe.	1548.	6. 9.	H. 2. Jacq. aust. 3. t. 254.
2 orientalis. w. (bl.) narrow-leaved.		Caucasus.	1816.	—	H. 2. Bot. mag. t. 2299.
<i>angustifolius. M.B.</i>					
3 discolor. F. (bl.) two-coloured.		Siberia.	1818.	—	H. 2.
4 septemfidus. E. .... seven-cleft.		Egypt.	1827.	....	H. 2.
5 septemrenatus. E. .... seven-notched.		.....	1829.	....	H. 2.
<b>WESTRINGIA. S.S.</b>	<b>WESTRINGIA.</b>	<b>Didymia Gymnospermia. S.S.</b>			
1 rosmariniformis. B.P. (w.) Rosemary like.		N. S. W.	1791.	5. 8.	G. 2. Andr. reposit. t. 214.
2 Dampieri. B.P. (wh.) Dampier's.		N. Holland.	1803.	5. 7.	G. 2.
3 angustifolia. B.P. (wh.) narrow-leaved.		V. Diem. Isl.	1823.	—	G. 2.
4 longifolia. B.P. (wh.) long-leaved.		N. S. W.	1826.	—	G. 2.

Tribus III. AJUGOIDEÆ. *Benth. in Bot. reg.*

<b>LEUCOSCEPTRUM. S.S.</b>	<b>LEUCOSCEPTRUM.</b>	<b>Didymia Gymnospermia.</b>			
canum. s.s. (wh.) white-flowered.		Nepaul.	1825.	7. 9.	F. 2.
<b>TEUCRIUM. S.S.</b>	<b>GERMANDER.</b>	<b>Didymia Gymnospermia. L.</b>			
1 fruticans. w. (bl.) narrow-ld. shrubby.		Spain.	1640.	6. 9.	H. 2. Flor. græc. t. 527.
2 latifolium. L. (li.) broad-ld. shrubby.		.....	.....	—	H. 2. Bot. mag. t. 245.
3 heterophyllum. s.s. (li.) various-leaved.		Madeira.	1759.	6. 7.	G. 2.
4 Laxmanni. s.s. (ye. pu.) Laxmann's.		Siberia.	1800.	6. 8.	H. 2.
5 alpestre. F.G. (wh.) alpine.		Levant.	1821.	6. 9.	G. 2. Flor. græc. t. 538.
6 brevifolium. s.s. (li.) short-leaved.		Crete.	1824.	—	H. 2. ——— t. 528.
7 asiaticum. s.s. (bh.) Asiatic.		.....	1777.	6. 10.	G. 2. Jacq. vind. 3. t. 41.
8 cubense. s.s. (li.) Cuba.		Cuba.	1733.	5.	S. 2. Jacq. obs. 2. t. 30.
9 Nissoliæum. s.s. (pu.) Nissolle's.		Spain.	1752.	6. 7.	F. 2. Moris. s. t. 22. f. 19.
10 lævigatum. s.s. (li.) smooth.		Buenos Ayres.	1829.	—	G. 2.
11 campanulatum. s.s. (bh.) bell-flowered.		Levant.	1728.	7. 8.	H. 2.
12 regium. s.s. (pu.) royal.		Spain.	1699.	5. 10.	F. 2. Pluk. alm. t. 65. f. 1.
13 multiflorum. s.s. (pu.) many-flowered.		.....	1731.	7. 9.	H. 2. Bocc. mus. t. 117.
14 lucidum. s.s. (re.) shining.		S. Europe.	1730.	6. 9.	H. 2. Flor. græc. t. 532.
15 Chamædryis. s.s. (pu.) wall.		England.	....	5. 8.	H. 2. Eng. bot. v. 10. t. 680.
16 Scordium. s.s. (pu.) water.		.....	....	7. 8.	H. w. 2. ——— v. 12. t. 828.

17 scordioides. s.s. (pu.) likened.	S. Europe.	1816.	7. 8.	H. 2.	
18 bracteatum. s.s. (pu.) bracted.	Barbary.	1828.	—	G. 2.	Desf. atl. 2. t. 120.
19 spinosum. s.s. (wh.) thorny.	Spain.	1640.	5. 6.	H. 2.	Flor. græc. t. 539.
20 Bôtrys. s.s. (pu.) cut-leaved.	S. Europe.	1633.	7. 9.	H. 2.	Ger. emac. 525. f. 2.
21 trifidum. s.s. (re.) trifid-leaved.	C. B. S.	1791.	6. 8.	G. 2.	
22 angustissimum. s.s. (re.) narrow-leaved.	Spain.	1818.	—	H. 2.	Barrel. rar. t. 1080.
23 pumilum. s.s. (re.) small.	—	1816.	7. 8.	F. 2.	— t. 1092.
24 Libanitis. s.s. (ye. bh.) Spanish.	Spain.	1824.	6. 8.	H. 2.	Cavan. ic. 2. t. 118.
25 thymifolium. s.s. (pu.) Thyme-leaved.	—	—	6. 10.	F. 2.	
26 supinum. s.s. (wh.) procumbent.	Austria.	1752.	—	H. 2.	Jacq. aust. 5. t. 417.
27 montanum. s.s. (st.) dwarf mountain.	S. Europe.	1710.	7. 10.	F. 2.	Flor. græc. t. 534.
28 Pòlium. s.s. (wh.) Poley.	—	1562.	7. 9.	F. 2.	— t. 535.
29 cuneifolium. F. G. (wh.) wedge-leaved.	Levant.	1828.	6. 8.	F. 2.	— t. 537.
30 Pseudohyssopus. s.s. (w.) Hyssop-leaved.	Italy.	1804.	6. 7.	H. 2.	Col. ecphr. 1. t. 67.
31 capitatum. s.s. (ro.) round-headed.	Spain.	1731.	7. 8.	F. 2.	Flor. græc. t. 536.
32 lusitanicum. s.s. (wh.) Portugal.	Portugal.	1816.	—	F. 2.	
33 pycnophyllum. s.s. (wh.) clustered.	Spain.	—	—	H. 2.	Barrel. rar. t. 1096.
34 valentinum. s.s. (wh.) Valencia.	—	1826.	—	F. 2.	— t. 1048.
35 gnaphalodes. s.s. (re.) woolly-calyx'd.	—	—	7. 9.	F. 2.	— t. 1083.
36 aureum. s.s. (ye.) golden Poley.	S. Europe.	1731.	6. 7.	F. 2.	Cavan. ic. 2. t. 117.
37 flavescens. P. S. (ye.) yellow Poley.	—	...	7. 9.	F. 2.	Barrel. rar. t. 1073.
38 hycænicum. s.s. (pu.) Betony-leaved.	Persia.	1763.	8. 10.	H. 2.	Bot. mag. t. 2013.
39 inflatum. s.s. (pu.) thick-spiked.	Jamaica.	1778.	—	S. 2.	
40 orchiofides. B. R. (bh.) Orchis-flowered.	Chile.	1826.	—	F. 2.	Bot. reg. t. 1255.
<i>heterophylla.</i> Cavan. icon. 6. t. 577. non L'Herit.					
41 virginicum. s.s. (pu.) Virginian.	N. America.	1768.	5. 6.	H. 2.	Schkuhr. handb. 160.
42 canadense. s.s. (pu.) Canadian.	—	—	8. 9.	H. 2.	
43 Arduini. s.s. (wh.) Arduini's.	Levant.	1827.	—	H. 2.	Flor. græc. t. 531.
44 abutiloides. s.s. (ye.) Mulberry-leaved.	Madeira.	1777.	4. 5.	G. 2.	Jacq. schoen. 3. t. 358.
45 Scorodonia. s.s. (st.) wood sage.	Britain.	...	7.	H. 2.	Eng. bot. v. 22. t. 1543.
46 betonicum. s.s. (pu.) hoary.	Madeira.	1775.	5. 8.	G. 2.	Bot. mag. t. 1114.
47 flavum. s.s. (st.) yellow-flowered.	S. Europe.	1640.	7. 9.	H. 2.	Flor. græc. t. 533.
48 massiliense. s.s. (li.) sweet scented.	France.	1731.	6. 7.	H. 2.	Jacq. vind. 1. t. 94.
49 resupinatum. s.s. (st.) resupinate.	Barbary.	1801.	7. 8.	H. 2.	Desf. atl. 2. t. 117.
50 Marum. s.s. (pu.) Cat-thyme.	Spain.	1640.	7. 9.	F. 2.	Park. theat. 17. f. 2.
51 subspinosum. s.s. (pu.) Minorca.	Minorca.	1816.	—	G. 2.	
52 quadratum. s.s. (ro.) many-branched.	Levant.	1828.	—	F. 2.	Flor. græc. t. 530.
53 creticum. s.s. (ro.) Cretan.	Crete.	1825.	—	G. 2.	— t. 529.
54 pyrenæicum. s.s. (pu.) Pyrenean.	Pyrenes.	1731.	6. 8.	H. 2.	
55 orientale. s.s. (bl.) great-flowered.	Levant.	1752.	7. 8.	H. 2.	Bot. mag. t. 1279.
AMETHYSTEA. R. S. AMETHYSTEA. Diandria Monogynia. L.					
cerulea. R. S. (bl.) blue-flowered.	Siberia.	1759.	6. 7.	H. 2.	Bot. mag. t. 2448.
TRICHOSTEMA. S. S. TRICHOSTEMA. Didynamia Gymnospermia. L.					
1 dichotoma. w. (bl.) Marjoram-leav'd.	N. America.	1759.	6. 7.	H. 2.	Lam. ill. t. 515.
2 linearis. s.s. (bl.) linear-leaved.	—	—	—	H. 2.	
AJUGA. S. S. BUGLE. Didynamia Gymnospermia. L.					
1 Iva. s.s. (ye.) musky.	S. Europe.	1759.	7. 8.	H. 2.	Flor. græc. t. 525.
2 réptans. s.s. (bl.) common.	Britain.	...	5. 6.	H. 2.	Eng. bot. v. 7. t. 489.
a cerulea. (bl.) blue-flowered.	—	...	—	H. 2.	
β rubra. (pu.) red-flowered.	—	...	—	H. 2.	
γ alba. (wh.) white-flowered.	—	...	—	H. 2.	
3 alpina. s. s. (bl.) Alpine.	England.	...	5. 7.	H. 2.	Eng. bot. v. 7. t. 477.
4 genevensis. s.s. (bl.) Geneva.	Switzerland.	1656.	5. 6.	H. 2.	Bull. herb. t. 361.
5 pyramidalis. s.s. (li.) pyramidal.	Britain.	...	—	H. 2.	Eng. bot. v. 18. t. 1270.
6 oblongata. s.s. (bl.) oblong-leaved.	Caucasus.	1829.	—	H. 2.	
7 orientalis. s.s. (bl.) oriental.	Levant.	1732.	—	H. 2.	Swt. br. fl. gar. ser. 2.
8 Chamæpitys. s.s. (ye.) ground pine.	England.	...	4. 7.	H. 2.	Eng. bot. v. 2. t. 77.
9 Chia. F. G. (ye.) Grecian.	Levant.	1828.	—	H. 2.	Flor. græc. t. 524.
10 salicifolia. F. G. (ye.) Willow-leaved.	—	—	—	H. 2.	— t. 526.
ANISOMELES. B. P. ANISOMELES. Didynamia Gymnospermia. S. S.					
1 ovata. s.s. (vi. wh.) broad-leaved.	E. Indies.	1783.	7. 8.	S. 2.	Burm. zeyl. t. 71. f. 1.
2 malabaria. s.s. (vi.) Malabar.	—	1817.	—	S. 2.	Bot. mag. t. 2071.

Tribus IV. MONARDEÆ. *Benth. in Bot. reg.*

MONARDA. R. S. MONARDA. Diandria Monogynia. L.					
1 fistulosa. R. S. (pu.) fistulous.	N. America.	1656.	6. 8.	H. 2.	Mill. ic. t. 122. f. 2.
2 media. R. S. (da. pu.) purple-bracted.	—	...	6. 9.	H. 2.	Swt. br. fl. gar. t. 98.

3	móllis. R.S.	( <i>pu.pu.</i> )	soft.	N. America.	....	6. 7.	H. 2.			
4	oblongàta. R.S.	( <i>pu.pu.</i> )	long-leaved.	_____	1761.	7. 9.	H. 2.			
5	altíssima. R.S.	( <i>li.</i> )	tallest.	_____	1818.	—	H. 2.			
6	affínis. L.en.	( <i>li.</i> )	affined.	_____	—	—	H. 2.			
7	menthæfólia. B.M.	( <i>pu.</i> )	Mint-leaved.	_____	1827.	—	H. 2.	Bot. mag. t. 2958.		
8	rugòsa. R.S.	( <i>wh.</i> )	white-flowered.	_____	1761.	—	H. 2.			
9	purpùrea. R.S.	( <i>pu.</i> )	purple-flowered.	_____	1789.	6. 8.	H. 2.	Bot. mag. t. 145.		
	<i> fistulòsa. var. crimson.</i>		B.M.							
10	Kalmiána. R.S.	( <i>sc.</i> )	pubescent-flower'd.	_____	1813.	—	H. 2.	Pursh. amer. 1. t. 1.		
11	didyma. R.S.	( <i>sc.</i> )	Oswego Tea.	_____	1752.	—	H. 2.	Bot. mag. t. 546.		
12	Russelliána. N.	( <i>wh.re.</i> )	Russell's.	_____	1823.	—	H. 2.	Swt. br. fl. gar. t. 166.		
13	clinopòdia. Ph.	( <i>st.</i> )	wild basil-leav'd.	_____	1771.	7.	H. 2.			
14	gráclis. R.S.	( <i>st.</i> )	slender.	_____	1824.	7. 8.	H. 2.			
15	punctàta. R.S.	( <i>ye.re.</i> )	spotted.	_____	1714.	6. 10.	F. 2.	Bot. reg. t. 87.		
	16	citriodóra. R.S.	( <i>li.</i> )	Citron-scented.	New Spain.	1823.	F. 2.			
		<b>BLEPHYLIA. B.R.</b>		<b>BLEPHYLIA.</b>	Diandria Monogynia.					
	1	ciliàta. B.R.	( <i>bl.</i> )	blue-flowered.	N. America.	1798.	7. 8.	H. 2.	Pluk. alm. t. 164. f. 3.	
		<i>Monárda ciliàta. R.S.</i>								
	2	hirsùta. B.R.	( <i>li.</i> )	hairy.	_____	—	7. 9.	H. 2.		
		<b>ZIZYPHORA. S.S.</b>		<b>ZIZYPHORA.</b>	Diandria Monogynia.					
	1	clinopodióides. R.S.	( <i>li.</i> )	headed.	Siberia.	1799.	7. 8.	H. 2.	Rud. mem. p. 1810. t. 11.	
		<i>Cùmila capitàta. L.</i>								
	2	acinoídes. W.en.	( <i>ro.</i> )	Thyme-leaved.	_____	1786.	—	H. 2.		
	3	mèdia. L.en.	( <i>li.</i> )	middle.	.....	1816.	—	H. 2.		
	4	capitàta. R.S.	( <i>ro.</i> )	oval-leaved.	Syria.	1752.	—	H. 2.	Flor. græc. 1. t. 13.	
	5	hispánica. R.S.	( <i>li.</i> )	Spanish.	Spain.	1759.	6.	H. 2.	Lam. ill. t. 18. f. 1.	
	6	tenùior. R.S.	( <i>li.</i> )	spear-leaved.	Levant.	1752.	6. 7.	H. 2.	— t. 18. f. 2.	
	7	taùrica. R.S.	( <i>li.</i> )	Taurian.	Tauria.	1816.	7. 9.	H. 2.	M.B. cent. pl. rar. 2. t. 82.	
	8	serpyllàcea. R.S.	( <i>li.</i> )	sweet-scented.	Caucasus.	1803.	7. 8.	H. 2.	Bot. mag. t. 906?	
	9	dasyántha. R.S.	( <i>li.</i> )	hairy-flowered.	Siberia.	—	6. 8.	H. 2.	— t. 1093.	
		<i>Pouschkini. B.M.</i>								
		<b>CUNILA. N.</b>		<b>CUNILA.</b>	Diandria Monogynia.					
		1	mariana. N.	( <i>pu.</i> )	Mint-leaved.	N. America.	1759.	7. 9.	H. 2.	Swt. br. fl. gar. t. 243.
		<b>HEDEOMA. N.</b>		<b>HEDEOMA.</b>	Diandria Monogynia.					
		1	pelegiódides. N.	( <i>wh.vi.</i> )	Pennyroyal-ld.	N. America.	1777.	6. 8.	H. 2.	
		2	thymoides. P.S.	( <i>bh.</i> )	Thyme-leaved.	France.	1699.	—	H. 2.	Moris. s. 11. t. 19. f. 6.
		<b>ROSMARINUS. R.S.</b>		<b>ROSMARINUS.</b>	Diandria Monogynia.					
		1	officinális. R.S.	( <i>pa.bl.</i> )	common.	S. Europe.	1548.	1. 4.	H. 2.	Flor. græc. 1. t. 14.
			<i>α angustifolius. (pa.bl.)</i>	narrow-leaved.	_____	—	—	H. 2.		
			<i>β latifolius. (pa.bl.)</i>	broad-leaved.	_____	—	—	H. 2.		
			<i>γ argenteus. (pa.bl.)</i>	silver-striped.	_____	—	—	H. 2.		
			<i>δ aureus. (pa.bl.)</i>	gold-striped.	_____	—	—	H. 2.		
		2	chilénsis. R.S.	( <i>wh.</i> )	Chili.	Chili.	1795.	7.	G. 2.	
		<b>SYNA'NDRA. N.</b>		<b>SYNA'NDRA.</b>	Didynamia Gymnospermia.					
		1	grandiflòra. N.	( <i>st.</i> )	great-flowered.	N. America.	1827.	6. 7.	H. 2.	

Tribus V. NEPETEÆ. *Benth. in Bot. reg.*

	<b>LEONOTIS. S.S.</b>		<b>LION'S-EAR.</b>	Didynamia Gymnospermia.	S.S.				
	1	Leonùrus. s.s.	( <i>or.</i> )	narrow-leaved.	C. B. S.	1712.	10. 12.	G. 2.	Bot. mag. t. 478.
		<i>Phlomis Leonùrus. w.</i>							
	2	ovàta. s.s.	( <i>or.</i> )	dwarf shrubby.	_____	1713.	6. 7.	G. 2.	Mill. ic. 2. t. 162. f. 1.
	3	intermèdia. s.s.	( <i>or.</i> )	intermediate.	S. Africa.	1823.	—	G. 2.	Bot. reg. t. 850.
	4	nepetifolia. s.s.	( <i>or.</i> )	Catmint-leaved.	E. Indies.	1778.	9. 10.	S. 2.	— t. 281.
		<b>LEUCAS. B.P.</b>		<b>LEUCAS.</b>	Didynamia Gymnospermia.				
		1	chinénsis. s.s.	( <i>wh.</i> )	Chinese.	China.	1822.	6. 8.	S. 2.
		2	zeylànica. s.s.	( <i>wh.</i> )	Ceylon.	E. Indies.	1777.	6. 10.	S. 2.
		3	linifolia. s.s.	( <i>wh.</i> )	Flax-leaved.	_____	1816.	—	S. 2.
		4	Pluknètii. s.s.	( <i>wh.</i> )	Pluknet's.	_____	1824.	—	S. 2.
		5	cephalòtes. s.s.	( <i>wh.pu.</i> )	large-headed.	_____	1811.	—	S. 2.
		6	nùtans. s.s.	( <i>wh.</i> )	nodding.	_____	1826.	—	S. 2.
		7	hírta. s.s.	( <i>wh.</i> )	hairy.	_____	1824.	—	S. 2.
		8	áspera. s.s.	( <i>wh.</i> )	rough.	Persia.	1823.	—	S. 2.
		9	índica. s.s.	( <i>bh.</i> )	Indian	E. Indies.	1789.	7. 8.	S. 2.
		10	urticáfolia. s.s.	( <i>wh.</i> )	Nettle-leaved.	_____	1810.	—	S. 2.

11	<i>martinicënsis.</i> ( <i>wh.</i> )	West-Indian.	W. Indies.	1781.	7. 8.	S. ⊙	Jacq. ic. 1. t. 110.
	<i>Phlomis martinicënsis.</i> w.						
12	<i>biflora.</i> s.s. ( <i>wh.</i> )	two-flowered.	E. Indies.	1820.	—	S. ⊙	Burm. zeyl. t. 63. f. 1.
<b>PHLOMIS. S.S.</b>		<b>JERUSALEM-SAGE. Didymia Gymnospermia. L.</b>					
1	<i>fruticosa.</i> s.s. ( <i>ye.</i> )	shrubby.	Spain.	1596.	6. 7.	H. ♀	Flor. græc. t. 563.
2	<i>ferruginea.</i> s.s. ( <i>ye.</i> )	ferruginous.	Naples.	....	—	H. ♀	
3	<i>lanata.</i> s.s. ( <i>ye.</i> )	small shrubby.	S. Europe.	1596.	—	H. ♀	
4	<i>crética.</i> s.s. ( <i>ye.</i> )	Cretan.	Crete.	1823.	—	G. ♀	
5	<i>scariosa.</i> s.s. ( <i>ye.</i> )	scariose-bracted.	Italy.	—	—	F. ♀	
6	<i>virens.</i> s.s. ( <i>ye.</i> )	green shrubby.	Levant.	....	—	F. ♀	
7	<i>microphylla.</i> Sie. ( <i>ye.</i> )	small-leaved.	—	1827.	—	F. ♀	
8	<i>purpurea.</i> s.s. ( <i>pu.</i> )	purple.	S. Europe.	1661.	6. 8.	F. ♀	Smith spicil. 6. t. 3.
9	<i>italica.</i> s.s. ( <i>pu.</i> )	Italian.	Italy.	—	—	F. ♀	
10	<i>Nissolia.</i> s.s. ( <i>ye.</i> )	Nissole's.	Levant.	1757.	6. 7.	F. ♀	Mill. ic. 2. t. 204.
11	<i>armeniaca.</i> s.s. ( <i>ye.</i> )	Armenian.	Armenia.	1829.	—	F. ♀	
12	<i>Lychnites.</i> s.s. ( <i>ye.</i> )	lamp-wick.	S. Europe.	1658.	6. 8.	G. ♀	Bot. mag. t. 999.
13	<i>floccosa.</i> B.R. ( <i>ye.</i> )	woolly.	Egypt.	1828.	8. 11.	F. ♀	Bot. reg. t. 1300.
14	<i>salviaefolia.</i> p.s. ( <i>ye.re.</i> )	Sage-leaved.	.....	1822.	6. 9.	F. ♀	Jacq. schœnb. 3. t. 359.
15	<i>argaria.</i> Led. ( <i>pu.</i> )	field.	Siberia.	1827.	—	H. ♀	
16	<i>Samia.</i> s.s. ( <i>pu.</i> )	Samian.	N. Africa.	1714.	6. 7.	H. ♀	Flor. græc. t. 564.
17	<i>Russelliana.</i> Lag. ( <i>ye.</i> )	Russell's.	Levant.	1821.	—	H. ♀	Russ. alep. 2. t. 16.
	<i>lunaryfolia</i> β <i>Russelliana.</i> B.M. 2542.						
18	<i>Hérba-vénti.</i> s.s. ( <i>pu.</i> )	rough-leaved.	S. Europe.	1596.	7. 9.	H. ♀	
19	<i>pungens.</i> s.s. ( <i>pu.</i> )	pungent.	Levant.	1818.	6. 8.	H. ♀	Swt. br. fl. gar. t. 33.
20	<i>crimta.</i> s.s. ( <i>or.</i> )	white woolly.	Spain.	1829.	—	H. ♀	Cavan. icon. 3. t. 247.
21	<i>alpina.</i> s.s. ( <i>pu.</i> )	Alpine.	Siberia.	1802.	6. 9.	H. ♀	Pall. act. pet. 2. t. 13.
22	<i>tuberosa.</i> s.s. ( <i>pu.</i> )	tuberous-root'd.	—	1759.	6. 10.	H. ♀	Bot. mag. t. 1555.
23	<i>laciniata.</i> s.s. ( <i>ye.</i> )	jagged-leaved.	Levant.	1731.	7.	H. ♀	Swt. br. fl. gar. t. 24.
<b>BALLŌTA. S.S.</b>		<b>STINKING HOREHOUND. Didymia Gymnospermia. L.</b>					
1	<i>vulgāris.</i> s.s. ( <i>pu.</i> )	common.	Europe.	....	7. 9.	H. ♀	
2	<i>fœtida.</i> L.en. ( <i>pu.</i> )	strong-scented.	Britain.	....	—	H. ♀	Eng. bot. v. 1. t. 46.
	<i>a nigra.</i> ( <i>pu.</i> )	purple-flowered.	—	....	—	H. ♀	
	<i>β álba.</i> ( <i>wh.</i> )	white-flowered.	—	....	—	H. ♀	
<b>BERING'ERIA. B.R.</b>		<b>BERING'ERIA. Didymia Gymnospermia.</b>					
1	<i>cinerea.</i> B.R. ( <i>li.</i> )	cinereous.	S. Europe.	1824.	6. 9.	H. ♀	
	<i>Marrubium cinereum.</i> s.s.						
2	<i>acetabulosum.</i> B.R. ( <i>li.</i> )	saucer-leaved.	Candia.	1676.	6. 8.	F. ♀	Barrel. icon. 129.
3	<i>pseudodictamnus.</i> B.R. ( <i>li.</i> )	shrubby white.	—	1596.	7. 8.	F. ♀	Flor. græc. t. 562.
	<i>Marrubium pseudodictamnus.</i> F.G.						
4	<i>fricanum.</i> B.R. ( <i>li.</i> )	African.	C. B. S.	1710.	7. 9.	G. ♀	Comm. hort. 2. t. 90.
5	<i>crispum.</i> B.R. ( <i>li.</i> )	curled-leaved.	S. Europe.	1714.	7. 8.	H. ♀	Herm. parad. t. 200.
6	<i>hispanicum.</i> B.R. ( <i>li.</i> )	Spanish.	Spain.	—	—	H. ♀	— t. 201.
7	<i>hirsutum.</i> B.R. ( <i>li.</i> )	hairy.	S. Europe.	....	6. 7.	H. ♀	
8	<i>orientale.</i> B.R. ( <i>li.</i> )	oriental.	Levant.	1828.	—	H. ♀	
<b>MOLUCC'ELLA. S.S.</b>		<b>MOLUCCA-BALM. Didymia Gymnospermia. L.</b>					
1	<i>tuberosa.</i> s.s. ( <i>wh.</i> )	tuberous-root'd.	Tartary.	1796.	7.	H. ♀	Pall. it. 3. app. t. T.
2	<i>l'ævis.</i> s.s. ( <i>wh.re.</i> )	smooth.	Syria.	1570.	7. 8.	H. ⊙	Bot. mag. t. 1852.
<b>CHASMONIA. B.R.</b>		<b>CHASMONIA. Didymia Gymnospermia.</b>					
	<i>incisa.</i> B.R. ( <i>wh.re.</i> )	spiny.	Levant.	1596.	7. 8.	H. ⊙	Bot. reg. t. 1244.
	<i>Moluccella spinosa.</i> Flor. græc. t. 567.						
<b>LEON'URUS. S.S.</b>		<b>MOTHERWORT. Didymia Gymnospermia. L.</b>					
1	<i>Cardiaca.</i> s.s. ( <i>li.wh.</i> )	common.	Britain.	....	7. 8.	H. ♀	Eng. bot. v. 4. t. 286.
2	<i>villösus.</i> s.s. ( <i>li.wh.</i> )	villous.	Tauria.	1824.	—	H. ♀	
3	<i>crispus.</i> s.s. ( <i>li.</i> )	curl-leaved.	Siberia.	1658.	—	H. ♀	Murr. c. gott. 8. t. 4.
4	<i>supinus.</i> s.s. ( <i>wh.</i> )	procumbent.	—	1816.	6. 8.	H. ♀	
5	<i>glaucescens.</i> Led. ( <i>li.</i> )	glaucous-leaved.	—	1827.	7. 9.	H. ♀	
6	<i>taticus.</i> s.s. ( <i>li.</i> )	Tartarian.	Tartary.	1756.	8. 10.	H. ♂	Mill. ic. 1. t. 80.
7	<i>sibiricus.</i> s.s. ( <i>ro.</i> )	Siberian.	Siberia.	1759.	6. 8.	H. ♂	Swt. br. fl. gar. t. 204.
8	<i>condensatus.</i> s.s. ( <i>li.</i> )	condensed.	—	1824.	—	H. ♀	
9	<i>heterophyllus.</i> B.F.G. ( <i>ro.</i> )	various-leav'd.	S. America.	—	—	H. ⊙	Swt. br. fl. gar. t. 197.
10	<i>multifidus.</i> Desf. ( <i>li.</i> )	multifid.	.....	—	—	H. ⊙	
11	<i>neglectus.</i> Sch. ( <i>li.</i> )	neglected.	.....	—	—	H. ♀	
12	<i>altaicus.</i> s.s. ( <i>li.</i> )	Altaic.	Altay.	1826.	—	H. ♀	
13	<i>lanatus.</i> s.s. ( <i>st.</i> )	woolly.	Siberia.	1752.	—	H. ♀	Gmel. sib. 3. t. 54.
	<i>Ballota lanata.</i> w.						
<b>GALEO'DDOLON. S.S.</b>		<b>DEAD-NETTLE. Didymia Angiospermia. S.S.</b>					
	<i>luteum.</i> E.B. ( <i>ye.</i> )	yellow.	Britain.	....	5. 6.	H. ♀	Eng. bot. v. 11. t. 787.
<b>GALEO'PSIS. S.S.</b>		<b>HEMP-NETTLE. Didymia Gymnospermia. L.</b>					
1	<i>Ladanum.</i> E.B. ( <i>ro.</i> )	red.	Britain.	....	7. 9.	H. ⊙	Eng. bot. v. 13. t. 884.

2	angustifolia. P.S. (ro.)	narrow-leaved.	Europe.	1820.	7. 9.	H.⊙.	
3	canescens. S.S. (li.)	canescent.	Germany.	1827.	—	H.⊙.	
4	pubescens. S.S. (wh.re.)	pubescent.	—	1820.	—	H.⊙.	
5	ochroleuca. S.S. (ye.)	downy.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 33. t. 2353.
	<i>villôsa</i> . E.B.						
6	Tetrâhit. E.B.(wh.pu.)	common.	—	....	—	H.⊙.	Eng. bot. v. 3. t. 207.
7	versicolor. E.B.(ye.vi.)	various-colour'd.	—	....	—	H.⊙.	— v.10. t. 667.
	<i>cannabinâ</i> . W.						
<b>LAMIUM. S.S. ARCHANGEL. Didynamia Gymnospermia. L.</b>							
1	longiflorum. T.N. (pu.)	long-flowered.	S. Europe.	....	4. 9.	H. ½.	Eng. bot. v. 36. t. 2550.
	<i>maculatûm</i> . Eng. bot.	<i>non</i> Flor. Græc.					
2	rugosum. S.S. (pu.)	rough.	Italy.	1766.	7. 8.	H. ½.	Flor. græc. t. 555.
3	maculatûm. E.B. (pu.)	spotted.	Britain.	....	4. 5.	H. ½.	— t. 556.
4	âlbûm. E.B. (wh.)	white.	—	....	4. 9.	H. ½.	Eng. bot. v. 11. t. 768.
5	striatum. F.G. (wh.std.)	striped-flower'd.	Levant.	1829.	—	H. ½.	Flor. græc. t. 557.
6	bifidum. S.S. (wh.)	bifid-helmetted.	Naples.	1825.	—	H. ½.	Cyr. rar. fasc. 1. t. 7.
7	moschatum. S.S. (wh.)	musk-scented.	Levant.	1739.	7. 9.	H. ½.	
8	môlle. S.S. (wh.)	Pellitory-leaved.	.....	1683.	4. 5.	H. ½.	
9	flexuosum. T.N. (wh.)	flexuose.	Naples.	1824.	4. 8.	H. ½.	Ten. flor. nap. ic.
10	garganicum. S.S. (pu.)	woolly.	Italy.	1729.	7. 8.	H. ½.	Sm. exot. bot. 1. t. 48.
11	lævigatum. S.S. (pu.)	smooth.	—	1711.	3. 10.	H. ½.	Pluk. alm. t. 198. f. 1.
12	purpureum. S.S. (pu.)	purple.	Britain.	....	2. 8.	H.⊙.	Eng. bot. v. 11. t. 769.
	<i>β âlbidum</i> . (wh.)	<i>white-flowered</i> .	—	....	—	H.⊙.	
13	incisum. S.S. (li.)	cut-leaved.	England.	....	5. 7.	H.⊙.	Eng. bot. v. 27. t. 1933.
14	amplexicaule. S.S. (pu.)	Henbit.	Britain.	....	—	H.⊙.	— v. 11. t. 770.
15	multifidum. S.S. (pu.)	multifid-leaved.	Levant.	1752.	4. 5.	H.⊙.	Comm. rar. t. 26.
<b>ORVALA. DC. ORVALA. Didynamia Gymnospermia.</b>							
1	lamioïdes. DC. (pu.bh.)	balm-leaved.	Italy.	1596.	4. 7.	H. ½.	Bot. mag. t. 172.
	<i>Lâmium Orvâla</i> . B.M.						
2	gargânica. DC. (pu.)	Garganian.	—	—	—	H. ½.	
<b>PHYSOSTEGIA. B.R. PHYSOSTEGIA. Didynamia Angiospermia.</b>							
1	virginiâna. B.R. (cr.)	Virginian.	N. America.	1683.	7. 9.	H. ½.	Bot. mag. t. 467.
2	speciôsa. B.F.G. (ro.)	beautiful.	—	1820.	—	H. ½.	Swt. br. fl. gar. t. 93.
	<i>Dracocéphalum speciôsum</i> . B.F.G.						
3	denticulatâ. B.R. (ro.)	toothed.	—	1787.	8. 9.	H. ½.	Bot. mag. t. 214.
	<i>Dracocéphalum denticulatûm</i> . B.M.						
4	variegatâ. B.R. (re.wh.)	variegated.	—	1812.	—	H. ½.	Vent. cels. t. 44.
<b>SPHA'CELE. B.R. SPHA'CELE. Didynamia Gymnospermia.</b>							
	Lindlèi. B.R. (li.)	Lindley's.	Valparaiso.	1825.	7. 9.	G. ½.	Bot. reg. t. 1226.
	<i>Stâchys Sâlvicæ</i> . B.R.						
<b>BETONICA. S.S. BETONY. Didynamia Gymnospermia. L.</b>							
1	officinâlis. S.S. (pu.)	wood.	Britain.	....	7. 8.	H. ½.	Eng. bot. v. 16. t. 1142.
2	stricta. S.S. (pu.)	Danish.	Denmark.	1592.	6. 7.	H. ½.	
3	incâna. S.S. (pi.)	hoary.	Italy.	1759.	—	H. ½.	Bot. mag. t. 2125.
4	orientâlis. S.S. (pu.)	oriental.	Levant.	1737.	—	H. ½.	Lam. ill. t. 507. f. 2.
5	alopeûros. S.S. (st.)	Foxtail.	S. Europe.	1759.	7.	H. ½.	Jacq. aust. 1. t. 78.
6	hirsûta. S.S. (pu.)	hairy.	Italy.	1710.	6. 7.	H. ½.	Mur. com. got. 2. t. 3.
7	grandiflora. S.S. (pu.)	great-flowered.	Siberia.	1800.	—	H. ½.	Bot. mag. t. 700.
<b>STACHYS. S.S. HEDGE-NETTLE. Didynamia Gymnospermia. L.</b>							
1	spinôsa. S.S. (wh.)	thorny.	Candia.	1640.	7.	F. ½.	Flor. græc. t. 559.
2	glutinôsa. S.S. (wh.)	clammy.	—	1729.	6. 7.	H. ½.	Moris. s. 11. t. 4. f. 17.
3	fruticulôsa. S.S. (pu.)	frutescent.	Caucasus.	1825.	—	H. ½.	
4	æthiôpica. S.S. (li.)	Ethiopian.	C. B. S.	1770.	4. 7.	G. ½.	Jacq. obs. 4. t. 77.
5	côrsica. S.S. (li.)	Corsican.	Corsica.	1825.	—	H. ½.	
6	angustifolia. S.S. (li.)	narrow-leaved.	Tauria.	1823.	6. 7.	H. ½.	Swt. br. fl. gar. 2. t. 180.
7	rugôsa. S.S. (st.)	rough.	C. B. S.	1774.	7. 8.	G. ½.	Jacq. ic. 3. t. 493.
8	betonicæfolia. S.S. (ye.)	Betony-leaved.	Crete.	1812.	6. 7.	H. ½.	
9	stenophylla. S.S. (ye.)	linear-leaved.	S. Spain.	1819.	—	F. ½.	
10	orientâlis. S.S. (st.)	oriental.	Levant.	1768.	—	H. ½.	Flor. græc. t. 560.
11	maritima. S.S. (ye.)	sea-side.	S. Europe.	1714.	7.	H. ½.	Jacq. vind. 1. t. 70.
12	ânnua. S.S. (wh.pu.)	annual.	—	1713.	6. 8.	H.⊙.	Jacq. aust. 4. t. 360.
13	hirta. S.S. (ye.pu.)	procumbent.	Spain.	1725.	—	H. ½.	All. ped. 1. t. 2. f. 3.
14	arvensis. S.S. (pu.)	corn.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 17. t. 1154.
15	arenâria. S.S. (pu.)	sand.	Barbary.	1824.	6. 8.	H. ½.	Desf. atl. 2. t. 126.
16	diffusa. Schweig. (re.)	diffuse.	S. Europe.	1804.	—	H. ½.	Bot. mag. t. 1915.
	<i>arenâria</i> . B.M. <i>non</i> Desf. <i>râbra</i> . Donn.						
17	ibérica. B.M. (pu.)	Iberian.	Iberia.	1823.	—	H. ½.	
18	scordifolia. W.en. (pu.)	wedge-leaved.	.....	1816.	7. 8.	H. ½.	
19	âspera. M. (pu.)	harsh-leaved.	N. America.	—	—	H. ½.	

20	hispida. s.s.	( <i>pu.</i> ) hispid.	N. America.	1827.	7. 8.	H. ♀.	
21	italica. Mil.	( <i>pu.</i> ) Italian.	Italy.	1747.	—	H. ♂.	
22	Balbisii. L.en.	( <i>ye.</i> ) Balbis's.	—	1823.	—	H. ♀.	
23	nepetæfölia. s.s.	( <i>pu.</i> ) Catmint-leaved.	Levant.	1805.	6. 8.	H. ♀.	
24	arábica. s.s.	( <i>re.</i> ) Arabian.	Arabia.	1820.	—	H. ⊙.	
25	ambigua. s.s.	( <i>pu.</i> ) ambiguous.	Britain.	...	6. 7.	H. ♀.	Eng. bot. v. 30. t. 2089.
26	sylvatica. s.s.	( <i>pu.</i> ) common.	—	...	7. 8.	H. ♀.	— v. 6. t. 416.
27	circinata. s.s.	( <i>pu.</i> ) blunt-leaved.	Barbary.	1777.	5. 7.	H. ♀.	L'Herit. s. nov. t. 26.
	<i>canariënsis.</i> Jacq. ic. l. t. 108.						
28	mollissima. W.en.	( <i>li.</i> ) soft-leaved.	Corfu.	1806.	7. 8.	F. ♀.	W. hort. ber. t. 60.
29	pubescens. T.s.	( <i>st.</i> ) pubescent.	Italy.	1826.	—	H. ♀.	
30	decumbens. P.s.	( <i>st.</i> ) decumbent.	S. Europe.	1816.	5; 7.	H. ♀.	
31	coccinea. s.s.	( <i>sc.</i> ) scarlet.	S. America.	1798.	6. 8.	F. ♀.	Bot. mag. t. 666.
32	recta. s.s.	( <i>ye.</i> ) upright.	S. Europe.	1683.	—	H. ♀.	Jacq. aust. 4. t. 359.
33	heraclea. W.en.	( <i>pu.</i> ) Phlomis-leaved.	Italy.	1816.	6. 7.	H. ♀.	All. ped. t. 84. f. 1.
	<i>phlomoïdes.</i> W.en.						
34	obliqua. P.s.	( <i>st.</i> ) oblique-leaved.	Hungary.	—	—	H. ♀.	W. et K. hung. t. 133.
35	palustris. s.s.	( <i>pu.</i> ) Clown's all-heal.	Britain.	...	8.	H. ♀.	Eng. bot. v. 24. t. 1675.
36	germanica. s.s.	( <i>pu.</i> ) downy.	England.	...	7. 8.	H. ♀.	— v. 12. t. 829.
37	intermedia. w.	( <i>pu.</i> ) oblong-leaved.	Carolina.	1762.	6. 7.	H. ♀.	
38	sibirica. L.en.	( <i>pu.</i> ) Siberian.	Siberia.	1822.	6. 8.	H. ♀.	Swt. br. fl. gar. t. 100.
39	polystachya. s.s.	( <i>pu.</i> ) many-spiked.	Naples.	1824.	—	H. ♀.	
40	salviaefolia. s.s.	( <i>pu.</i> ) Sage-leaved.	—	—	—	H. ♀.	
41	cretica. s.s.	( <i>pu.</i> ) Cretan.	Candia.	1640.	—	F. ♀.	Flor. græc. t. 558.
42	dasyantha. Raf.	( <i>pu.</i> ) woolly-flower'd.	Sicily.	1829.	—	H. ♀.	
43	exaltata. Ot.	( <i>pu.</i> ) tall.	.....	—	—	H. ♀.	
44	alpina. s.s.	( <i>pu.</i> ) Alpine.	Germany.	1597.	—	H. ♀.	Lap. pyr. l. t. 8.
45	lanata. s.s.	( <i>pu.</i> ) woolly.	Siberia.	1782.	6. 9.	H. ♀.	Jacq. ic. 1. t. 107.
46	latifolia. s.s.	( <i>pu.</i> ) broad-leaved.	.....	1775.	6. 7.	H. ♀.	
47	biennis. Roth.	( <i>pu.</i> ) biennial.	Germany.	1801.	6. 8.	H. ♂.	
48	lusitânica.	( <i>pu.</i> ) Portugal.	Portugal.	1800.	—	H. ♀.	
	<i>Eriostemon lusitanicum.</i> Lk.						
ZIETENIA. P.S.	ZIET'ENIA.	Didynamia Gymnospermia. P.S.					
orientalis. P.s.	( <i>li.</i> ) Lavender-leaved.	Levant.	1816.	5. 7.	H. ♀.		
	<i>lavandulifolia.</i> L.en. <i>Stachys lavandulifolia.</i> w.						
CHAITURUS. B.R.	CHAIT'URUS.	Didynamia Gymnospermia.					
marrubiastrum. Ehr.	( <i>li.</i> ) small-flowered.	Austria.	1710.	6. 8.	H. ⊙.		Jacq. aust. 5. t. 405.
	<i>Leonurus marrubiastrum.</i> w.						
CRANIO'TOME. B.R.	CRANIO'TOME.	Didynamia Gymnospermia.					
versicolor. B.R.	( <i>re.wh.</i> ) various-coloured.	Nepaul.	1823.	7. 8.	G. ♀.		
	<i>Ajuga furcata.</i> L.enum. <i>Anisomèles nepalensis.</i> s.s.						
NEPETA. L.	CATMINT.	Didynamia Gymnospermia. L.					
1 serpyllifolia. s.s.	( <i>li.</i> ) Thyme-leaved.	Tauria.	1826.	6. 8.	H. ♀.		
2 parviflora. s.s.	( <i>li.</i> ) small-flowered.	—	1828.	—	H. ♀.		
3 sibirica. s.s.	( <i>bl.</i> ) Siberian.	Siberia.	1804.	7.	H. ♀.		
4 grandiflora. s.s.	( <i>bl.</i> ) large-flowered.	Caucasus.	1806.	7. 8.	H. ♀.		
5 melissæfolia. s.s.	( <i>bl.</i> ) Balm-leaved.	Candia.	1752.	—	H. ♀.		
6 colorata. W.en.	( <i>vi.</i> ) coloured.	Caucasus.	1806.	—	H. ♀.		
7 longiflora. H.K.	( <i>bl.</i> ) long-flowered.	Persia.	1802.	6. 8.	H. ♀.		Venten. cels. t. 66.
8 Mussini. H.K.	( <i>bl.</i> ) scollop-leav'd.	Siberia.	1804.	5. 8.	H. ♀.		Bot. mag. t. 923.
	<i>longiflora.</i> B.M. non v.						
9 incana. s.s.	( <i>bl.</i> ) hoary.	Levant.	1723.	8.	H. ♀.		
10 graveolens. s.s.	( <i>bl.</i> ) strong-smelling.	S. Europe.	1804.	7. 8.	H. ♀.		All. ped. t. 2. f. 1.
11 amethystina. Poir.	( <i>bl.</i> ) amethystine.	—	1820.	—	H. ♀.		
12 Nepetella. s.s.	( <i>li.</i> ) small.	—	1758.	—	H. ♀.		
13 teucriifolia. s.s.	( <i>bl.</i> ) Teucrium-leav'd.	Armenia.	1816.	—	H. ♀.		
14 lamiifolia. s.s.	( <i>bl.</i> ) Lamium-leaved.	—	1806.	—	H. ♀.		
15 citriodora. Lag.	( <i>wh.</i> ) Citron-scented.	Spain.	1826.	—	H. ♀.		
16 lophantha. f.	( <i>bl.</i> ) crested.	Altay.	1821.	—	H. ♀.		
17 angustifolia. s.s.	( <i>wh.</i> ) narrow-leaved.	Spain.	1798.	6. 7.	H. ♀.		
18 Cataria. s.s.	( <i>wh.</i> ) common.	Britain.	...	7. 9.	H. ♀.		Eng. bot. v. 2. t. 137.
19 ucrànica. s.s.	( <i>vi.</i> ) Ukrainian.	Ukraine.	1789.	7. 8.	H. ♀.		
20 nuda. L.	( <i>li.</i> ) naked.	S. Europe.	1710.	—	H. ♀.		Flor. græc. t. 547.
21 pannonica. L.	( <i>li.</i> ) close-flowered.	Hungary.	1683.	8. 10.	H. ♀.		Jacq. aust. 2. t. 129.
22 violacea. s.s.	( <i>vi.</i> ) violet-coloured.	Spain.	1723.	7. 9.	H. ♀.		Bocc. mus. t. 36.
23 cœrulea. s.s.	( <i>bl.</i> ) blue-flowered.	.....	1777.	5. 6.	H. ♀.		
24 latifolia. s.s.	( <i>pu.</i> ) broad-leaved.	Pyrenees.	1818.	7. 8.	H. ♀.		
25 macrura. s.s.	( <i>li.</i> ) long-tailed.	Siberia.	—	—	H. ♀.		
26 crispa. s.s.	( <i>bl.</i> ) curl-leaved.	Levant.	1800.	—	H. ♀.		

- 27 diffusa. s.s. (bl.) spreading. Siberia. 1820. 7. 8. H. 4.  
 28 imbricatâ. s.s. (pu.) imbricated. Spain. 1825. — H. 4.  
 29 teucricoides. s.s. (br.) Teucricum-like. Levant. 1819. — H. 4.  
 30 itálica. w. (wh.sp.) Italian. Italy. 1640. 6. 8. H. 4. Flor. græc. t. 548.  
 31 marrubioïdes. W.en.(pu.) horehound-leav'd. .... — H. 4.  
 32 multibracteata. s.s.(vi.) many-bracted. Barbary. 1823. — H. 4. Desf. atl. 2. t. 123.  
 33 lanâta. s.s. (vi.) woolly. S. Europe. 1774. 5. 6. H. 4. Jacq. obs. 3. t. 75.  
 34 tuberosâ. s.s. (vi.) tuberous-root'd. Spain. 1683. 6. 8. H. 4. Barrel. ic. t. 602.  
 35 rutilatâ. s.s. (li.) netted. Morocco. 1801. 7. 8. H. 4. Desf. atl. 2. t. 124.  
 36 Scordotis. s.s. (wh.) sessile-spiked. Crete. 1823. — G. 7. Alp. exot. t. 283.  
 37 suavêolens. Rœm.(wh.) sweet-scented. .... 1804. — H. 4.  
 38 botryoides. w. (wh.) annual. 1779. 6. 7. H. 4. Cavan. ic. 1. t. 49.  
*bipinnâta.* Cav.  
**GLE'CHOMA. L.** GROUND-IVY. Didynamia Gymnospermia. L.  
 1 hederacea. E.B. (bl.) common. Britain. .... 3. 5. H. 4. Eng. bot. v. 12. t. 853.  
 2 hirsuta. P.S. (pu.) hairy. Hungary. .... — H. 4. W. et K. hung. t. 119.  
**HEMIG'ENIA. B.P.** HEMIG'ENIA. Didynamia Gymnospermia.  
 purpûrea. B.P. (pu.) purple. N. S. W. 1824. 4. 8. G. 7.  
**SIDE'RITIS. S.S.** IRONWORT. Didynamia Gymnospermia. L.  
 1 canariensis. s.s. (ye.) Canary. Canaries. 1697. 5. 8. G. 7. Jacq. vind. 3. t. 30.  
 2 câncicans. s.s. (ye.) Mullein-leaved. Madeira. 1714. 4. 7. G. 7. Comm. hort. 2. t. 99.  
 3 crética. s.s. (wh.) Cretan. Crete. 1823. — G. 7.  
 4 montâna. s.s. (ye.) mountain. Austria. 1752. 7. 8. H. 4. Flor. græc. t. 551.  
 5 élegans. s.s. (wh.bl.) dark-flowered. .... 1787. 7. H. 4. Murr. com. got. 1. t. 4.  
 6 româna. s.s. (wh.) Roman. Italy. 1759. 6. 8. H. 4. Flor. græc. t. 552.  
 7 syriaca. s.s. (ye.) Syrian. Levant. 1597. 6. 9. G. 4. — t. 550.  
 8 taurica. W.en. (ye.) Taurian. Tauria. 1818. — H. 7.  
 9 brutia. T.S. (ye.) woolly. Naples. 1827. — F. 7.  
 10 perfoliatâ. s.s. (ye.) perfoliate. Levant. 1731. 8. 11. H. 4.  
 11 pullulans. s.s. (wh.) brownish. 1828. — F. 4. Vent. cels. 1. t. 98.  
 12 leucântha. s.s. (wh.) white-flowered. Spain. — F. 7. Cavan. ic. 2. t. 304.  
 13 incâna. s.s. (ye.) Lavender-leav'd. 1752. 7. 8. H. 7. — 2. t. 186.  
 14 angustifolia. s.s. (ye.) narrow-leaved. 1825. — H. 7.  
 15 spinosa. s.s. (ye.) spiny. .... 6. 9. H. 4. Cavan. ic. 3. t. 209.  
 16 ilicifolia. s.s. (ye.) Holly-leaved. Levant. .... — H. 4.  
 17 serrata. s.s. (ye.) saw-leaved. Spain. 1818. — H. 4.  
 18 hyssopifolia. s.s. (ye.) Hyssop-leaved. Pyrenees. 1597. 6. 11. H. 4. Schk. hand. 2. t. 158.  
 19 f'ostida. L.en. (ye.) strong-scented. .... — H. 4.  
 20 pyrenæica. s.s. (ye.) Pyrenean. Pyrenees. 1816. — H. 4.  
 21 chamædryfolia. s.s.(ye.) Germander-ld. Spain. — H. 4. Cavan. ic. 4. t. 301.  
 22 scordioïdes. s.s. (ye.) scollop-leaved. France. 1597. 8. 11. H. 4. Barrel. ic. t. 343.  
 23 hirsuta. s.s. (ye.) hairy. S. Europe. 1731. 6. 7. H. 4. Cavan. ic. 4. t. 302.  
 24 crispata. s.s. (ye.) curled-leaved. Gibraltar. 1816. 6. 9. F. 4.  
**MARRUBIUM. S.S.** HOREHOUND. Didynamia Gymnospermia. L.  
 1 Aly'ssum. s.s. (pu.) plaited-leaved. Spain. 1597. 7. 8. H. 4. Ger. herb. 379. f. 1.  
 2 astracanicum. s.s.(bl.) Astracan. Levant. 1816. — H. 4. Jacq. ic. 1. t. 109.  
 3 peregrinum. w. (wh.) Sicilian. Sicily. 1640. 7. 9. H. 4. Jacq. aust. 2. t. 160.  
 4 candidissimum. s.s.(wh.) woolly white. Levant. 1732. — H. 4. Dill. elty. 274. f. 214.  
 5 créticum. w. (wh.) Cretan. 1596. — H. 4.  
 6 affine. L.en. (pu.) related. Siberia. 1816. — H. 4.  
 7 supinum. s.s. (wh.) procumbent. S. Europe. 1714. 8. 10. H. 4. Bocc. mus. 2. t. 96.  
 8 catariaefolium. s.s.(wh.) Catmint-leav'd. Levant. 1823. 7. 9. H. 4.  
 9 velutinum. F.G. (ye.) velvety. 1827. — F. 4. Flor. græc. t. 561.  
 10 vulgare. s.s. (wh.) common. Britain. .... 6. 9. H. 4. Eng. bot. t. 6. f. 410.  
**LAVAN'DULA. S.S.** LAVENDER. Didynamia Gymnospermia. L.  
 1 Spica. s.s. (bl.) common. S. Europe. 1568. 7. 9. H. 7. Schk. hand. 2. t. 157.  
*β alba.* (wh.) white-flowered. — H. 7.  
 2 latifolia. s.s. (bl.) broad-leaved. — H. 7.  
 3 St'œchas. s.s. (bl.) French. S. Europe. 1562. 5. 7. G. 7. Flor. græc. t. 549.  
 4 viridis. s.s. (bl.) Madeira. Madeira. 1777. — G. 7. Hoff. et Lk. lus. 1. t. 4.  
 5 dentata. s.s. (bl.) tooth-leaved. Spain. 1597. 6. 9. G. 7. Bot. mag. t. 401.  
 6 pinnata. s.s. (bl.) pinnated. Madeira. 1777. 4. 8. G. 7. — t. 400.  
 7 heterophylla. s.s. (bl.) various-leaved. .... 1816. — G. 7.  
 8 formosa. L.en. (bl.) handsome. Canaries. — G. 7.  
 9 multifida. s.s. (bl.) cut-leaved. 1597. 7. 9. G. 7. Lobel. ic. 432.  
 10 abrotanoides. s.s. (bl.) Southernwood-ld. 1699. 6. 9. G. 7. Comm. rar. t. 27.  
**DRACOC'EPHALUM.** DRAGON'S-HEAD. Didynamia Gymnospermia. L.  
 1 Ruyschiâna. s.s. (bl.) Hyssop-leaved. N. Europe. 1699. 6. 9. H. 4. Flor. dan. t. 121.  
 2 austriacum. s.s. (bl.) Austrian. Austria. 1597. 6. 7. H. 4. Jacq. ic. 1. t. 112.

3	origanoides. s.s.	(bl.) Marjoram-like.	Siberia.	1827.	6. 7.	H. ½.	
4	botryoides. s.s.	(bl.) woolly-leaved.	Caucasus.	1823.	—	H. ½.	
5	palmatum. s.s.	(bl.) palmated.	Siberia.	1815.	6. 8.	H. ½.	
6	canariense. s.s.	(li.) Balm of Gilead.	Canaries.	1697.	7. 9.	G. ½.	Comm. hort. 2. t. 41.
7	pinnatum. s.s.	(bl.) wing-leaved.	Siberia.	1827.	—	H. ½.	
8	peregrinum. s.s.	(bl.) prickly-leaved.	—	1759.	7. 8.	H. ½.	Bot. mag. t. 1084.
9	arguense. s.s.	(bl.) Fischer's.	—	1822.	7. 9.	H. ½.	Swt. br. fl. gar. t. 47.
10	integrifolium. Led.	(bl.) entire-leaved.	—	1827.	—	H. ½.	
11	grandiflorum. s.s.	(bl.) great-flowered.	—	1759.	—	H. ½.	
12	altaiense. s.s.	(bl.) Betony-leaved.	Georgia.	1787.	—	H. ½.	Swt. br. fl. gar. s. 2.
13	Moldavica. s.s.	(bl.) Moldavian.	Moldavia.	1596.	7. 8.	H. ½.	Lam. ill. t. 513. f. 1.
14	canescens. s.s.	(bl.) hoary-leaved.	Levant.	1711.	—	H. ½.	Swt. br. fl. gar. t. 38.
15	ibericum. s.s.	(bl.) Iberian.	Iberia.	1827.	—	H. ½.	
16	peltatum. s.s.	(bl.) Willow-leaved.	Levant.	1711.	—	H. ½.	Lam. ill. t. 513. f. 2.
17	thymiflorum. s.s.	(bl.) small-flowered.	Siberia.	1752.	6. 9.	H. ½.	Gmel. sib. 3. t. 50.
18	nutans. s.s.	(bl.) nodding.	—	1731.	7. 8.	H. ½.	Bot. reg. t. 841.
19	chamædryoides. s.s.	(bl.) Chamædryis-like.	.....	1828.	—	H. ½.	
20	sibiricum. s.s.	(bl.) Siberian.	Siberia.	1760.	6. 8.	H. ½.	Bot. mag. t. 2185.
<b>HORMINUM. P.S.</b>		<b>HORMINUM.</b>		<b>Didynamia Gymnospermia.</b>		<b>P.S.</b>	
	pyrenæicum. s.s.	(bl.) Pyrenean.	Pyrenees.	1820.	6. 7.	H. ½.	Swt. br. fl. gar. t. 252.
<b>MELISSA. S.S.</b>		<b>BALM.</b>		<b>Didynamia Gymnospermia.</b>		<b>L.</b>	
1	officinalis. w.	(bh.) common.	S. Europe.	1573.	6. 10.	H. ½.	
2	hirsuta. H.H.	(bh.) hairy.	—	....	—	H. ½.	
3	cordifolia. P.S.	(bh.) heart-leaved.	—	....	—	H. ½.	
4	altissima. s.s.	(bh.) tall.	—	1823.	—	H. ½.	Flor. græc. t. 579.
<b>LEPECHINIA. S.S.</b>		<b>LEPECHINIA.</b>		<b>Didynamia Gymnospermia.</b>		<b>W.</b>	
	spicata. s.s.	(st.) spiked.	Mexico.	1800.	7. 8.	H. ½.	Bot. reg. t. 1292.
<b>THYMBA. S.S.</b>		<b>THYMBA.</b>		<b>Didynamia Gymnospermia.</b>		<b>L.</b>	
1	spicata. L.	(re.) spiked-flower'd.	Levant.	1699.	6. 7.	G. ½.	Flor. græc. t. 546.
2	verticillata. L.	(re.) whorl-flowered.	Spain.	1702.	—	G. ½.	
<b>ACYNOS. P.S.</b>		<b>ACYNOS.</b>		<b>Didynamia Gymnospermia.</b>		<b>P.S.</b>	
1	vulgaris. P.S.	(vi.) Basil-leaved.	Britain.	....	6. 8.	H. ½.	Eng. bot. v. 6. t. 411.
	<i>Thymus A'cinos.</i> E.B.						
2	graveolens. L.en.	(vi.) strong-scented.	Tauria.	1823.	—	H. ½.	
3	villosus. P.S.	(vi.) villous.	Germany.	1817.	—	H. ½.	
4	exiguus. F.G.	(pu.) small.	Levant.	1828.	—	H. ½.	Flor. græc. t. 575.
5	alpinus. P.S.	(vi.) Alpine.	Austria.	1731.	6. 9.	H. ½.	Jacq. aust. 1. t. 97.
6	purpurascens. P.S.	(pu.) purple.	Spain.	1820.	—	H. ½.	
7	patavinus. P.S.	(pu.) Marjoram-leav'd.	S. Europe.	1776.	6. 8.	H. ½.	Jacq. obs. 4. t. 87.
8	rotundifolius. P.S.	(pu.) round-leaved.	Spain.	1820.	—	H. ½.	
<b>GARD'OUZIA. S.S.</b>		<b>GARD'OUZIA.</b>		<b>Didynamia Gymnospermia.</b>			
1	discolor. K.S.	(pu.) two-coloured.	Caracas.	1827.	4. 7.	S. ½.	
2	origanoides. s.s.	(pu.) Marjoram-like.	Trinidad.	1824.	—	S. ½.	
<b>CALAMINTHA. Ph.</b>		<b>CALAMINT.</b>		<b>Didynamia Gymnospermia.</b>			
1	marifolia. P.S.	(wh.sp.) Marum-leaved.	Spain.	1788.	6. 7.	H. ½.	Cavan. ic. 6. t. 576.
	<i>Nepeta marifolia.</i> Cav. <i>Thymus marifolius.</i> W.en.						
2	cretica. P.S.	(pu.) Cretan.	S. Europe.	1596.	—	F. ½.	Barrel. ic. 1166.
3	fruticosa. P.S.	(pu.) shrubby.	Spain.	1752.	7. 9.	F. ½.	
4	alba. L.en.	(wh.) white.	Hungary.	1818.	—	H. ½.	
5	Nepeta. P.S.	(li.) lesser.	England.	....	7. 10.	H. ½.	Eng. bot. v. 20. t. 1414.
	<i>Melissa Nepeta.</i> L. <i>Thymus Nepeta.</i> E.B.						
6	vulgaris. P.S.	(li.) common.	England.	....	7. 8.	H. ½.	Eng. bot. v. 24. t. 1676.
	<i>Melissa Calamintha.</i> L. <i>Thymus Calamintha.</i> E.B.						
7	grandiflora. P.S.	(ro.) great-flowered.	Italy.	1596.	6. 9.	H. ½.	Bot. mag. t. 208.
	<i>Melissa grandiflora.</i> B.M.						
8	caroliniana. N.	(li.) Carolina.	Carolina.	1804.	6. 7.	F. ½.	Bot. mag. t. 997.
	<i>Thymus grandiflorus.</i> B.M.						
<b>CLINOPEDIUM. S.S.</b>		<b>WILD-BASIL.</b>		<b>Didynamia Gymnospermia.</b>		<b>L.</b>	
1	vulgare. s.s.	(ro.) common.	Britain.	....	6. 8.	H. ½.	Eng. bot. v. 20. t. 1401.
2	atropurpureum. H.H.	(pu.) dark purple.	S. Europe.	1820.	—	H. ½.	
3	ægyptiacum. s.s.	(pu.) Egyptian.	Egypt.	1759.	—	H. ½.	
<b>MELITTIS. S.S.</b>		<b>BASTARD-BALM.</b>		<b>Didynamia Gymnospermia.</b>		<b>L.</b>	
1	Melissophyllum. s.s.	(pu.) common.	England.	....	6. 8.	H. ½.	Eng. bot. v. 9. t. 577.
	<i>β alpina.</i> (pu.wh.) Alpine.		Switzerland.	....	—	H. ½.	
2	grandiflora. s.s.	(wh.vi.) great-flowered.	England.	....	5.	H. ½.	Eng. bot. v. 9. t. 636.
<b>MACBRIDEA. E.C.</b>		<b>MACBRIDEA.</b>		<b>Didynamia Gymnospermia.</b>			
	pulchra. N.	(re.std.) pretty.	Carolina.	1804.	7. 9.	G. ½.	
	<i>Thymbra caroliniana.</i> Walter.						

<b>PRUNELLA. S.S.</b>		<b>SELF-HEAL.</b>	<b>Didymania Gymnospermia. L.</b>			
1	vulgâris. s.s.	(bl.) common.	Britain.	....	7. 8.	H. ȳ. Eng. bot. v. 14. t. 961.
	<i>β álba.</i>	(wh.) white-flowered.	-----	....	---	H. ȳ.
2	austrâlis.	(bl.) New Holland.	N. S. W.	1826.	---	F. ȳ.
	<i>vulgâris. B.P. nec aliorum.</i>					
3	pensylvânica. s.s.	(bl.) Pennsylvania.	N. America.	1801.	7. 9.	H. ⊙. W. hort. ber. 1. t. 9.
4	grandiflora. s.s.	(bl.) great-flowered.	Austria.	1596.	---	H. ȳ. Bot. mag. t. 2014.
5	intermedia. s.s.	(bl.) intermediate.	S. Europe.	1790.	---	H. ȳ. --- t. 337.
	<i>grandiflora. B.M.</i>					
6	incisa. L.en.	(bl.) cut-leaved.	-----	....	---	H. ȳ.
7	laciniata. L.	(ye.) yellow-flower'd.	Austria.	1713.	---	H. ⊙. Lam. ill. t. 516. f. 2.
8	hastata. s.s.	(bl.) halberd-leaved.	Portugal.	....	---	H. ȳ.
9	longifolia. P.s.	(bl.) long-leaved.	France.	....	---	H. ȳ.
10	hyssopifolia. s.s.	(pu.) hyssop-leaved.	S. Europe.	1731.	---	H. ȳ. Moris. s. 11. t. 5. f. 7.
<b>CLEONIA. S.S.</b>		<b>CLEONIA.</b>	<b>Didymania Gymnospermia. L.</b>			
	lusitânica. s.s.	(pa.bl.) sweet-scented.	Portugal.	1710.	6. 7.	H. ⊙. Mill. ic. 1. t. 70.
<b>SCUTELLARIA. S.S.</b>		<b>SKULLCAP.</b>	<b>Didymania Gymnospermia. L.</b>			
1	galerucifolia. s.s.	(bl.) common.	Britain.	....	6. 9.	H. ȳ. Eng. bot. v. 8. t. 523.
2	hastifolia. s.s.	(pu.) hastate-leaved.	Germany.	1798.	6. 7.	H. ȳ.
3	minor. s.s.	(ro.) lesser.	Britain.	....	7. 8.	H. ȳ. Eng. bot. v. 8. t. 524.
4	pârula. s.s.	(bl.) slender.	N. America.	1823.	---	H. ȳ. Hook. ex. flor. t. 106.
5	havanénsis. s.s.	(wh.bl.) Havannah.	Havannah.	1793.	5. 6.	S. ȳ. Jacq. obs. 2. t. 29.
6	humilis. B.P.	(pu.) dwarf.	N. S. W.	1822.	6. 8.	G. ȳ.
7	grandiflora. s.s.	(re.ye.) large-flowered.	Siberia.	1804.	7. 8.	H. ȳ. Bot. mag. t. 635.
8	lateriflora. s.s.	(pu.) Virginian.	N. America.	1752.	6. 9.	H. ȳ.
9	nervosa. s.s.	(bl.) nerved-leaved.	-----	1827.	---	H. ȳ.
10	orientâlis. s.s.	(ye.) yellow-flower'd.	Levant.	1729.	7. 9.	H. ȳ. Flor. græc. t. 580.
11	altaica. F.	(bl.wh.) Altay.	Siberia.	1816.	---	H. ȳ. Swt. br. fl. gar. t. 45.
12	viscida. s.s.	(bl.wh.) viscid.	Iberia.	1820.	---	H. ȳ.
13	variegata. s.s.	(st.bl.) variegated.	-----	---	---	H. ȳ.
14	alpina. s.s.	(bl.) Alpine.	Hungary.	1752.	6. 10.	H. ȳ. Swt. br. fl. gar. t. 90.
15	pergrina. s.s.	(d.pu.) Florentine.	Italy.	1783.	---	H. ȳ. Flor. græc. t. 582.
16	altissima. s.s.	(d.pu.) tall.	Levant.	1731.	7. 8.	H. ȳ.
17	pállida. s.s.	(pa.) pale-flowered.	Tauria.	1824.	---	H. ȳ.
18	Colúmnæ. s.s.	(d.pu.) heart-leaved.	Italy.	1806.	6. 8.	H. ȳ. Swt. br. fl. gar. t. 52.
19	rubicunda. s.s.	(re.) rubicund.	.....	1815.	---	H. ȳ.
20	nigréscens. s.s.	(d.pu.) dark.	Crete.	1826.	---	F. ȳ.
21	álbida. s.s.	(wh.) hairy white.	Levant.	1771.	6. 7.	H. ȳ. Flor. græc. t. 581.
22	lupulina. s.s.	(st.) Tartarian.	Tartary.	1739.	6. 9.	H. ȳ. Schmidel ic. t. 73.
23	integrifolia. s.s.	(bl.) entire-leaved.	N. America.	1731.	---	H. ȳ. Pluk. alm. t. 441. f. 6.
24	hyssopifolia. w.	(bl.) Hyssop-leaved.	-----	---	---	H. ȳ.
25	purpurascens. s.s.	(pu.) purplish.	W. Indies.	1823.	---	S. ȳ.
26	caroliniana. s.s.	(pu.) Carolina.	Carolina.	1811.	---	H. ȳ. Lam. ill. t. 515. f. 3.
27	macrantha. F.	(pu.) large-flowered.	Dahuria.	1827.	---	H. ȳ.
28	pilosa. s.s.	(d.pu.) pilose.	N. America.	---	---	H. ȳ.
29	serrata. s.s.	(d.pu.) saw-leaved.	-----	1800.	---	H. ȳ. Andr. reposit. t. 494.
30	scordifolia. F.	(pu.wh.) Scordium-leaved.	Siberia.	1823.	---	H. ȳ.
31	vérna. Bess.	(wh.pu.) vernal.	.....	---	5. 6.	H. ȳ.
<b>SA'LZIA. R.S.</b>		<b>SAGE.</b>	<b>Diandria Monogynia. L.</b>			
1	pomifera. R.S.	(li.) Apple-bearing.	Candia.	1699.	7. 8.	H. ȳ. Flor. græc. t. 15.
2	calycina. R.S.	(li.) broad-calyxed.	Greece.	1823.	---	G. ȳ. --- t. 16.
3	canariénsis. R.S.	(li.) Canary.	Canaries.	1697.	6. 9.	G. ȳ. Trew. pl. rar. 2. t. 19.
4	aurea. R.S.	(br.) golden.	C. B. S.	1731.	4. 11.	G. ȳ. Bot. mag. t. 182.
5	dentata. R.S.	(bl.) tooth-leaved.	-----	1774.	12. 1.	G. ȳ.
6	Réglâ. R.S.	(sc.) Regla.	Mexico.	1828.	9. 11.	G. ȳ. Cavan. icon. 5. t. 455.
7	spléndens. s.s.	(sc.) splendid.	Brazil.	1823.	8. 3.	S. ȳ. Bot. reg. t. 687.
8	bractæata. s.s.	(li.) long-bracted.	Syria.	1788.	6. 8.	G. ȳ. Bot. mag. t. 2320.
9	pilántha. L.en.	(bl.) hairy-flowered.	.....	1823.	6. 9.	G. ȳ.
10	incarnata. R.S.	(f.) flesh-coloured.	Levant.	1729.	---	G. ȳ. Pluk. phyt. t. 194. f. 6.
11	interrúpta. R.S.	(wh.bl.) interrupted.	Barbary.	1825.	5. 6.	H. ȳ. Swt. br. fl. gar. t. 169.
12	pinnata. R.S.	(pu.) winged-leaved.	Levant.	1731.	7.	H. ȳ. Boer. lugd. 1. t. 167.
13	ringens. F.G.	(li.) ringent.	-----	1827.	---	F. ȳ. Flor. græc. t. 18.
14	rosæfolia. R.S.	(pu.) Rose-leaved.	-----	---	---	G. ȳ. Smith ic. ined. 1. t. 5.
15	scabiosæfolia. R.S.	(wh.li.) Scabious-leav'd.	Peru.	1826.	---	G. ȳ. Jacq. f. ecl. t. 3.
16	Habliziána. R.S.	(w.re.) Taurian.	Tauria.	1795.	8.	H. ȳ. Bot. mag. t. 1429.
17	vulnerariæfolia. R.S.	(w.bl.) Armenian.	Armenia.	1829.	6. 9.	F. ȳ.
18	lanceolata. R.S.	(bl.) lance-leaved.	S. America.	1818.	7. 9.	H. ⊙. Jacq. f. ecl. t. 13.
19	hirsuta. R.S.	(bl.) hirsute.	Mexico.	1801.	5. 6.	H. ⊙. Jacq. schœn. 3. t. 252.
20	leucántha. R.S.	(wh.) white-flowered.	-----	1825.	7. 10.	G. ȳ. Cavan. ic. 1. t. 24.

21	angustifolia. R.S. (bl.) narrow-leaved. Mexico.	1806.	6. 7.	G. 4.	Cavan. ic. 4. t. 317.
	<i>réptans</i> . Jacq. schœn. t. 319.				
22	trichostemmoides. R.S. (bl.) Missouri.	Missouri.	1827.	6. 9.	H. ☉.
23	azùrea. R.S. (bl.) azure-flowered. Carolina.	Carolina.	1806.	8. 9.	F. 4.
24	bengalensis. F.I. (wh.) Bengal.	E. Indies.	1825.	6. 9.	S. ½.
25	occidentalis. R.S. (wh.) West Indian.	W. Indies.	1820.	—	S. ½.
26	pseudococcinea. (sc.) pale scarlet.	S. America.	1797.	6. 8.	S. ½.
27	amœna. B.M. (bl.) fine blue.	W. Indies.	1793.	9. 12.	S. ½.
	<i>Boosiàna</i> . Jacq. f. ecl. 1. t. 47. <i>amœna</i> . B.R. 446.				
28	rosea. R.S. (ro.) rose-coloured.	E. Indies.	1816.	6. 9.	S. ½.
29	tubifera. R.S. (sc.) long-tubed.	Mexico.	1824.	—	S. ½.
30	papilionacea. R.S. (bl.) butterfly-like.	New Spain.	1825.	7. 10.	S. ½.
31	mexicana. R.S. (bl.) Mexican.	Mexico.	1724.	5. 7.	G. ½.
32	chamædryoides. R.S. (re.) Germander-like.	—	1795.	6. 9.	G. ½.
33	cæsia. R.S. (pa.bl.) grey.	S. America.	1813.	—	G. ½.
34	involutata. R.S. (pu.) large-bracted.	Mexico.	1825.	8. 11.	G. ½.
35	purpurea. R.S. (pu.) purple.	—	—	5. 7.	S. ½.
36	hispanica. R.S. (bl.) Spanish.	Spain.	1739.	6. 8.	H. ☉.
37	præcox. S.S. (pu.) early-flowered.	N. Africa.	1826.	3. 6.	F. 4.
38	scordioïdes. R.S. (bl.) glandular.	.....	1824.	5. 8.	S. ½.
39	papillosa. R.S. (wh.) papillose.	.....	1827.	6. 8.	G. ½.
40	serotina. R.S. (bl.) late-flowering.	Chio.	1803.	8. 10.	G. ½.
41	dominica. R.S. (wh.) Dominican.	W. Indies.	1759.	7.	S. ½.
42	tenella. R.S. (bl.) slender.	Jamaica.	1821.	6. 9.	S. ☉.
43	tiliæfolia. R.S. (bl.) Lime-leaved.	S. America.	1793.	6. 8.	S. ½.
44	polystachya. R.S. (bl.) many-spiked.	New Spain.	1822.	9. 12.	G. ½.
45	lamiifolia. R.S. (bl.) Lamium-leaved.	S. America.	1826.	—	G. ½.
46	micrantha. R.S. (wh.) small-flowered.	—	1818.	6. 8.	S. ½.
47	leuroïdes. R.S. (sc.) shining-leaved.	Peru.	1783.	4. 10.	G. ½.
	<i>formosa</i> . B.M. 376.				
48	fulgens. R.S. (sc.) glossy.	Mexico.	1827.	1. 12.	G. ½.
49	coccinea. R.S. (sc.) scarlet-flowered.	S. America.	1774.	4. 10.	G. ½.
50	pulchella. R.S. (sc.) pretty.	—	....	8. 12.	G. ½.
51	amethystina. R.S. (bl.) amethystine.	—	1824.	6. 9.	S. ½.
52	amarissima. R.S. (bl.) bitter.	Mexico.	1803.	7. 8.	G. ½.
53	glutinosa. R.S. (st.) glutinous.	Europe.	1596.	6. 9.	H. ½.
54	nubicola. B.F.G. (st.) Nepaul.	Nepaul.	1824.	8. 10.	H. ½.
55	ægyptiaca. R.S. (wh.) Egyptian.	Egypt.	1770.	6. 7.	H. ☉.
56	crética. R.S. (vi.) Cretan.	Crete.	1760.	6. 8.	F. ½.
57	paniculata. R.S. (pu.) panicked.	C. B. S.	1758.	—	G. ½.
58	africana. R.S. (bl.) African.	—	1731.	4. 6.	G. ½.
59	colorata. R.S. (bl.cr.) coloured-calyxed.	—	1758.	7. 8.	G. ½.
60	officinalis. R.S. (bl.) garden.	S. Europe.	1597.	6. 7.	H. ½.
61	chromatica. Hg. (bl.) variegated.	—	—	—	H. ½.
62	tenuior. Df. (bl.) narrow-leaved.	Spain.	—	—	H. ½.
63	hispanorum. Lg. (bl.) Spanish.	—	—	—	H. ½.
64	lavandulæfolia. R.S. (bl.) Lavender-leaved.	—	—	—	H. ½.
65	rosmarinifolia. Lg. (bl.) Rosemary-leaved.	—	—	—	H. ½.
66	Spielmanni. R.S. (bl.) Spielman's.	Caucasus.	1813.	—	H. ½.
67	phlomoïdes. R.S. (pu.) Mullein-leaved.	Spain.	1805.	5. 6.	H. ½.
68	urticifolia. R.S. (bl.) Nettle-leaved.	N. America.	1799.	6. 7.	H. ½.
69	élegans. R.S. (cr.) elegant.	Mexico.	1820.	7. 10.	G. ½.
	<i>incarnata</i> . K.S. non w.				
70	lævigata. K.S. (pu.) smooth.	—	1826.	—	G. ½.
71	bullata. W.en. (re.) blistered.	Spain.	1804.	7. 8.	H. ½.
	<i>lusitânica</i> . J.E. <i>elongata</i> . Spr.				
72	rugosa. R.S. (wh.) wrinkle-leaved.	C. B. S.	1775.	—	H. ½.
73	verticillata. R.S. (li.) whorled.	Germany.	1658.	6. 11.	H. ½.
	<i>β parviflora</i> . (li.) <i>small-flowered</i> .	—	—	—	H. ½.
74	indica. R.S. (bl.wh.) Indian.	India.	1731.	5. 7.	H. ½.
75	Tenori. R.S. (bl.) Tenore's.	Italy.	1820.	5. 8.	H. ½.
76	candidissima. R.S. (p.bl.) hoary-leaved.	Levant.	1804.	6. 7.	G. ½.
	<i>crassifolia</i> . F.G. non Cav.				
77	verbascifolia. R.S. (wh.ye.) Verbascum-ld.	Iberia.	1825.	—	H. ½.
78	odorata. R.S. (wh.) sweet-scented.	Bagdad.	1804.	7.	F. ½.
79	compressa. R.S. (wh.) compressed.	Levant.	1816.	7. 8.	H. ½.
80	mollis. R.S. (ro.) soft.	Siberia.	1596.	6. 10.	H. ½.
81	grandiflora. R.S. (bl.) great-flowered.	S. Europe.	1616.	6. 9.	H. ½.
82	crassifolia. R.S. (bl.) thick-leaved.	Barbary.	1804.	—	F. ½.

Cavan. ic. 1. t. 25.

4. t. 319.

1. t. 26.

Bot. mag. t. 808.

Bot. reg. t. 1205.

Cavan. ic. 2. t. 166.

Bot. reg. t. 359.

Jacq. ic. 1. t. 3.

Swartz. obs. p. 18. t. 1. f. 1.

Swartz. icon. t. 2.

Jacq. schœn. 3. t. 254.

Cavan. ic. 1. t. 27.

Jacq. schœn. 3. t. 318.

Lam. ill. t. 20. f. 3.

Swt. br. fl. gar. s. 2.

Mirb. an. m. 15. t. 15. f. 8.

Coll. hort. rip. t. 16.

Smith ic. ined. 2. t. 27.

Bot. reg. t. 347.

Sabb. hort. rom. t. 3.

Swt. br. fl. gar. t. 140.

Jacq. vind. 2. t. 108.

Rivin. monop. t. 128.

Mill. ic. t. 225. f. 1.

Comm. hort. 2. t. 91.

Mill. ic. t. 225. f. 2.

Lam. ill. t. 20. f. 1.

Jacq. f. ecl. 2. t. 15.

Rœm. script. his. t. 1. f. 1.

Moris. his. 3. t. 13. f. 31.

H. et B. pl. am. 2. t. 144.

H. et B. pl. am. 2. t. 147.

Jacq. f. ecl. t. 38.

Mirb. an. m. 15. t. 15. f. 10.

Bot. mag. t. 395.

Swt. br. fl. gar. t. 26.

Flor. græc. t. 26.

Jacq. f. ecl. t. 16.

Venten. cels. t. 59.

Jacq. f. ecl. t. 37.

— t. 36.

83	<i>pratensis</i> . R.S.	(bl.) meadow.	England.	....	5. 11.	H. ♀.	Eng. bot. v. 3. t. 153.
84	<i>variegata</i> . R.S.	(bl.wh.) variegated.	Hungary.	1814.	6. 8.	H. ♀.	
85	<i>hæmatodes</i> . R.S.	(bl.) bloody-veined.	Italy.	1699.	7. 8.	H. ♀.	Barrel. ic. t. 185.
86	<i>nepetifolia</i> . R.S.	(bl.) Catmint-leaved.	.....	1823.	—	H. ♂.	
87	<i>aspidophylla</i> . R.S.	(bl.) slender-leaved.	Peru.	1824.	7. 10.	H. ♂.	
88	<i>lineatifolia</i> . Lg.	(bl.) line-leaved.	Mexico.	1823.	6. 9.	G. ♀.	
89	<i>melissodora</i> . Lg.	(bl.) balm-scented.	New Spain.	1826.	—	G. ♀.	
90	<i>agglutinans</i> . Lg.	(sc.) clammy-stalked.	.....	1827.	—	G. ♀.	
91	<i>viscosa</i> . R.S.	(wh.cr.) clammy.	Italy.	1773.	5. 6.	H. ♀.	Jacq. ic. 1. t. 5.
92	<i>disermas</i> . R.S.	(wh.) long-spiked.	Syria.	—	7.	H. ♀.	Barrel. ic. 187.
93	<i>nötans</i> . R.S.	(bl.) nodding.	Russia.	1780.	6. 8.	H. ♀.	Bot. mag. t. 2436.
94	<i>betonicaefolia</i> . R.S.	(bl.) Betony-leaved.	.....	1804.	6. 7.	H. ♀.	
95	<i>péndula</i> . R.S.	(bl.) drooping.	.....	—	6. 8.	H. ♀.	
	<i>β grandiflora</i> .	(d.bl.) large-flowered.	.....	—	—	H. ♀.	
96	<i>amplexicaulis</i> . R.S.	(li.) stem-clasping.	Levant.	1813.	7. 9.	H. ♀.	
97	<i>parviflora</i> . R.S.	(st.) small-flowered.	— — —	1816.	—	F. ♀.	Lab. syr. dec. 4. t. 7.
98	<i>austriaca</i> . R.S.	(st.) Austrian.	Austria.	1776.	6. 7.	H. ♀.	Jacq. aust. 2. t. 112.
99	<i>syraca</i> . R.S.	(wh.) Syrian.	Levant.	1759.	7.	G. ♀.	Arduin. spec. 1. t. 1.
100	<i>nubia</i> . R.S.	(bl.) Nubian.	Africa.	1784.	6. 7.	G. ♀.	Murr. c. gott. 1778. t. 3.
101	<i>virgata</i> . R.S.	(wh.ro.bl.) long-branched.	Armenia.	1758.	7. 11.	H. ♀.	Jacq. schœn. 1. t. 37.
102	<i>campêstris</i> . R.S.	(bl.) field.	Tauria.	1813.	6. 7.	H. ♀.	
103	<i>sylvêstris</i> . R.S.	(bl.) wood.	Germany.	1759.	6. 10.	H. ♀.	Jacq. aust. 3. t. 212.
104	<i>memorosa</i> . R.S.	(va.) spear-leaved.	.....	1728.	—	H. ♀.	
105	<i>pátula</i> . R.S.	(wh.) spreading.	Portugal.	1805.	5. 7.	H. ♀.	
106	<i>tingitana</i> . R.S.	(st.) Tangier.	Barbary.	1796.	7.	G. ♀.	Rivin. monop. 1. t. 52.
107	<i>Sclæra</i> . R.S.	(bh.) common Clary.	Italy.	1562.	7. 9.	H. ♂.	Flor. græc. 1. t. 25.
108	<i>spinosa</i> . R.S.	(wh.) thorny-calyced.	Egypt.	1789.	6.	G. ♂.	Jacq. ic. 1. t. 7.
109	<i>Æthiôpis</i> . R.S.	(wh.) woolly.	Austria.	1570.	5. 6.	H. ♂.	Jacq. aust. 3. t. 211.
110	<i>argentea</i> . R.S.	(wh.) silvery.	Crete.	1759.	5. 7.	H. ♂.	Flor. græc. 1. t. 27.
111	<i>applanata</i> . R.S.	(wh.) short-spined.	.....	1818.	6. 8.	H. ♂.	
112	<i>Horminum</i> . R.S.	(pu.) annual Clary.	S. Europe.	1596.	—	H. ♂.	Flor. græc. 1. t. 20.
	<i>α violæcea</i> .	(bl.) purple-topped.	.....	—	—	H. ♂.	
	<i>β rubra</i> .	(re.) red-topped.	.....	—	—	H. ♂.	
113	<i>viridis</i> . R.S.	(li.) green topped.	Italy.	1759.	—	H. ♂.	Flor. græc 1. t. 19.
114	<i>pyramidalis</i> . R.S.	(li.) pyramidal.	.....	1825.	—	H. ♀.	
115	<i>rubra</i> . s.s.	(re.) red-flowered.	Egypt.	1827.	6. 8.	H. ♀.	
116	<i>Simsiana</i> . B.R.	(bl.wh.) Sims's.	Russia.	1820.	6. 7.	H. ♀.	Bot. reg. t. 1003.
117	<i>verbenaca</i> . R.S.	(bl.) wild clary.	Britain.	....	6. 10.	H. ♀.	Eng. bot. v. 3. t. 154.
118	<i>oblongata</i> . J.E.	(bl.) oblong-leaved.	Tauria.	1820.	—	H. ♀.	Jacq. f. ecl. 1. t. 14.
119	<i>Sibthôrpîi</i> . F.G.	(li.) Sibthorp's.	Levant.	1829.	6. 9.	F. ♀.	Flor. græc. t. 22.
120	<i>triloba</i> . R.S.	(vt.) three-lobed.	S. Europe.	1596.	6. 7.	H. ♀.	— 1. t. 17.
121	<i>Clusii</i> . R.S.	(wh.) Clusius's.	Levant.	1827.	6. 9.	F. ♀.	Jacq. schœn. 2. t. 195.
122	<i>gigantea</i> . R.S.	(wh.) giant.	.....	1816.	6. 9.	H. ♂.	
123	<i>scorodoniaefolia</i> . R.S.	villous.	.....	1824.	—	F. ♀.	
124	<i>lyrata</i> . R.S.	(pu.) lyre-leaved.	N. America.	1728.	—	H. ♀.	Moris. s. 11. t. 13. f. 27.
125	<i>abyssinica</i> . R.S.	(pu.) Abyssinian.	Abyssinia.	1775.	6. 7.	G. ♀.	Jacq. ic. 1. t. 6.
126	<i>nilotica</i> . R.S.	(bl.) Nilotic.	Egypt.	1780.	6. 8.	H. ♂.	Jacq. vind. 3. t. 92.
127	<i>Forskôhlii</i> . R.S.	(bl.) Forskohl's.	Levant.	1800.	—	H. ♀.	Bot. mag. t. 988.
128	<i>napiifolia</i> . R.S.	(li.) Rape-leaved.	Italy.	1776.	6. 7.	H. ♀.	Jacq. vind. 2. t. 262.
129	<i>aurita</i> . R.S.	(li.) ear-leaved.	C. B. S.	1795.	5. 6.	G. ♀.	
130	<i>bicolor</i> . R.S.	(bl.ye.) two-coloured.	Barbary.	1793.	6. 7.	H. ♀.	Bot. mag. t. 1774.
131	<i>Barrelièri</i> . R.S.	(bl.) Barrelier's.	S. Europe.	1821.	5. 8.	H. ♀.	Barrel. ic. 186.
132	<i>laciniaata</i> . R.S.	(bl.wh.) jagged-leaved.	.....	1818.	—	H. ♀.	
133	<i>runcinata</i> . R.S.	(bl.) runcinated.	C. B. S.	1795.	—	G. ♀.	Jacq. schœn. 1. t. 8.
134	<i>scabra</i> . R.S.	(pu.) rough-leaved.	.....	1774.	4. 9.	G. ♀.	
135	<i>erosa</i> . R.S.	(st.) erose-leaved.	.....	1823.	6. 9.	H. ♂.	
136	<i>polymôrpha</i> . R.S.	(bl.) variable.	Portugal.	1821.	—	H. ♀.	Barrel. ic. 220.
137	<i>multifida</i> . F.G.	(pa.bl.) multifid.	S. Europe.	1823.	5. 6.	H. ♀.	Flor. græc. 1. t. 23.
138	<i>clandestina</i> . R.S.	(li.) cut-leaved.	Italy.	1739.	4. 7.	H. ♂.	— 1. t. 24.
139	<i>ceratophylla</i> . R.S.	(li.) stag's-horn-leav'd.	Persia.	1699.	7. 8.	H. ♂.	Pluk. alm. t. 194. f. 5.
140	<i>ceratophylloides</i> . (li.) branching.	Egypt.	1771.	6. 8.	H. ♂.	Arduin. spec. 2. t. 2.	
141	<i>prismatica</i> . R.S.	(bl.) slender-spiked.	Mexico.	1822.	—	H. ♂.	
<b>COLLINS'ONIA</b> . R.S. <b>COLLINS'ONIA</b> . Diandria Monogynia. L.							
1	<i>canadensis</i> . R.S.	(ye.) Nettle-leaved.	N. America.	1735.	8. 10.	H. ♀.	Linn. hort. clif. t. 5.
2	<i>scabriuscula</i> . R.S.	(re.ye.) rough-stalked.	Florida.	1776.	7. 9.	H. ♀.	
3	<i>ovâlis</i> . R.S.	(ye.) oval-leaved.	Carolina.	1812.	8.	H. ♀.	
4	<i>tuberosa</i> . M.	(ye.) tuberous.	.....	1806.	—	H. ♀.	
	<i>serotina</i> . R.S.	.....	.....	.....	.....	.....	
5	<i>anisata</i> . R.S.	(ye.) Anise-scented.	.....	.....	10.	H. ♀.	Bot. mag. t. 1213.

Tribus VI. PRASIÆ. *Benth. in Bot. reg.*

PRASIUM. S.S.	PRASIUM.	Didynamia Gymnospermia. L.	
1 majus. s.s.	(wh.) great.	S. Europe. 1699.	6. 8. G. ♀. Flor. græc. t. 584.
2 minus. s.s.	(wh.) smaller.	1752.	— F. ♀.
PHRYMA. S.S.	PHRYMA.	Didynamia Gymnospermia. L.	
leptostachya. s.s.	(wh.) slender-spiked.	N. America. 1802.	8. 9. H. ♀. Lam. ill. t. 516.

Tribus VII. OCYMOIDEÆ. *Benth. in Bot. reg.*

MOSCHO'SMA. B.R.	MOSCHO'SMA.	Didynamia Gymnospermia.	
1 ocymoides. B.R.	(wh.) Basil-like.	1823.	6. 8. S. ⊙.
	<i>Lumnitzera ocymoides</i> . s.s.	<i>O'cymum polycladum</i> . Link.	
2 polystachya. B.R.	(wh.) many-spiked.	E. Indies. 1783.	7. 8. S. ⊙. Murr. c. gott. 3. t. 3.
O'CYMUM. W.	BASIL.	Didynamia Gymnospermia. L.	
1 thyrsiflorum. s.s.	(wh.) thyrese-flowered.	E. Indies. 1806.	7. 8. S. ♂. Jacq. vind. 3. t. 72.
2 gratissimum. s.s.	(wh.) shrubby.	1752.	— S. ♀. Jacq. ic. 3. t. 495.
3 Basilicum. w.	(wh.) common sweet.	India. 1548.	— H. ⊙. Blackw. t. 104.
4 pilosum. W.en.	(wh.) hairy.	1816.	7. 9. H. ⊙.
5 micranthum. s.s.	(wh.) small-flowered.	—	— S. ⊙.
6 viride. s.s.	(wh.) green.	E. Indies. —	— S. ♀.
7 suave. s.s.	(wh.) sweet-scented.	—	— S. ♀.
8 canum. B.M.	(wh.) hoary.	China. 1822.	— H. ⊙. Bot. mag. t. 2452.
9 sanctum. s.s.	(wh.) purple-stalked.	E. Indies. 1758.	— S. ⊙. Rheed. mal. 10. t. 92.
10 febrifugum. s.s.	(wh.) Feverwort.	Sierra Leon. 1821.	— S. ⊙. Bot. reg. t. 753.
11 album. s.s.	(wh.) large white-fl'd.	E. Indies. 1816.	— S. ⊙.
12 americanum. s.s.	(wh.) American.	S. America. 1789.	7. 8. S. ⊙. Jacq. vind. 3. t. 86.
13 caryophyllatum. H.B.	(w.) Clove-scented.	E. Indies. 1817.	— S. ♀.
14 tenuiflorum. w.	(li.) slender-spiked.	1768.	— S. ♂. Rumph. amb. 5. t. 92. f. 2.
15 menthoides. s.s.	(wh.) Mint-leaved.	1783.	— S. ⊙.
16 inodorum. Lam.	(wh.) scentless.	1823.	— S. ⊙.
17 cristatum. H.B.	(wh.) crested.	1812.	— S. ⊙.
18 grandiflorum. s.s.	(wh.) great-flowered.	Abyssinia. 1802.	9. 10. G. ♀. L'Herit. s. nov. t. 43.
19 minimum. s.s.	(wh.) bush.	Ceylon. 1573.	— H. ⊙. Schk. handb. 2. t. 166.
20 carnosum. s.s.	(wh.) thick-leaved.	Monte Video. 1828.	6. 8. H. ⊙.
ORTHOSIPHON. B.R.	ORTHOSIPHON.	Didynamia Gymnospermia.	
1 adscendens. B.R.	(wh.) ascending.	E. Indies. 1828.	6. 8. S. ♀.
	<i>O'cymum adscendens</i> . w.		
2 asperum. B.R.	(wh.) rough.	1827.	— S. ♀.
	<i>O'cymum asperum</i> . Roth.	<i>Plectranthus asper</i> . s.s.	
C'OLEUS. B.R.	C'OLEUS.	Didynamia Gymnospermia.	
1 Forskohlæi. B.R.	(vi. wh.) Forskohl's.	Abyssinia. 1806.	10. 11. S. ♀. Bot. mag. t. 2036.
	<i>Plectranthus Forskohlæi</i> . B.M.	<i>barbatum</i> . Andr. reposit. t. 594.	
2 comosus. B.R.	(bl.) tufted.	Nepaul. 1820.	6. 9. G. ♀. Bot. mag. t. 2318.
3 scutellarioides. B.R.	(bl. w.) Sculcap-like.	E. Indies. 1764.	7. 8. S. ⊙. — t. 1416.
4 amboinicus. Lour.	(bl.) Amboyna.	1826.	— S. ♀. Rumph. amb. 8. t. 72.
PLECTRANTHUS. S.S.	PLECTRANTHUS.	Didynamia Gymnospermia. S.S.	
1 fruticosus. s.s.	(bl.) shrubby.	C. B. S. 1774.	6. 9. G. ♀. L'Herit. stirp. 85. t. 41.
2 galeatus. s.s.	(bl.) helmetted.	Nepaul. 1820.	7. 8. S. ⊙.
3 graveolens. B.P.	(bl.) strong-scented.	N. S. W. —	— G. ♀.
4 australis. B.P.	(bl.) New Holland.	1823.	— G. ⊙.
5 incanus. s.s.	(bl.) hoary.	Nepaul. —	— G. ♀.
6 monachorum. s.s.	(bh.) monk's basil.	E. Indies. 1796.	— S. ⊙.
	<i>O'cymum monachorum</i> . w.		
7 mollis. s.s.	(li.) heart-leaved.	1781.	9. 10. S. ⊙.
8 strobiliferus. H.B.	(bl.) thick-spiked.	1804.	6. 9. S. ⊙. Rheed. mal. 10. t. 90.
9 secundus. H.B.	(bl.) side-flowering.	1816.	— S. ⊙.
10 punctatus. s.s.	(wh. bl.) dotted.	Africa. 1775.	1. 5. G. ♂. L'Herit. stirp. 1. t. 41.
11 rotundifolius. s.s.	(bl.) round-leaved.	Mauritius. 1823.	6. 8. S. ⊙.
12 parviflorus. s.s.	(bl.) small-flowered.	S. America. 1805.	6. 9. G. ♀. W. hort. ber. 1. t. 65.
13 cordifolius. D.P.	(bl.) heart-leaved.	Nepaul. 1823.	— G. ♀.
14 rubicundus. D.P.	(pu.) rubicund.	1826.	— G. ♀.
15 virgatus. D.P.	(bl.) slender.	—	— G. ♀.
16 coloratus. D.P.	(bl.) coloured bracted.	1823.	— G. ♀.

- 17 Coëta. D.P. (bl.) canescent. Nepal. 1823. 6. 9. G. ʒ.  
 18 ternifolius. D.P. (bl.) three-leaved. ——— 1825. — G. ʒ.  
 19 ternatus. B.M. (bl.) Omime-root. Madagascar. 1820. 11. S. ʒ. Bot. mag. t. 2460.
- GENIO'SPORUM. B.R. GENIO'SPORUM. Didynamia Gymnospermia.  
 prostratum. B.R. (pa. bl.) prostrate. E. Indies. 1812. 6. 9. S. ⊙.
- Ocimum prostratum*. w.
- ACROCEPHALUS. B.R. ACROCEPHALUS. Didynamia Gymnospermia.  
 1 capitatus. B.R. (wh.) headed. China. 1806. 7. 9. H. ⊙.  
*Lumnitzera capitata*. s.s. *Ocimum capitellatum*. w.
- 2 villösus. B.R. (wh.) villous. E. Indies. 1817. 7. 8. S. ʒ.
- ANISOCHILUS. B.R. ANISOCHILUS. Didynamia Gymnospermia.  
 carnösus. B.R. (li.) thick-leaved. E. Indies. 1788. 6. 7. S. ʒ. Linn. amœn. ac. 10. t. 3.  
*Lavandula carnosa*. w. *Plectranthus dubius*. s.s.
- PYCNOSTACHYS. PYCNOSTACHYS. Didynamia Gymnospermia.  
 cœrulea. H.E.F. (bl.) blue-flowered. Madagascar. 1825. 8. 10. F. ⊙. Hook. ex. flor. t. 202.
- ÆOLLA'NTHUS. M.P. ÆOLLA'NTHUS. Didynamia Gymnospermia.  
 suavëolens. M.P.B. (wh.) sweet-scented. Brazil. 1829. 7. 10. S. ⊙.
- HYPTIS. S.S. HYPTIS. Didynamia Gymnospermia. S.S.  
 1 ebracteata. s.s. (bl.) small-headed. W. Indies. 1778. 10. 1. S. ⊙. Poit. an. mus. 7. t. 29. f. 2.  
*Ballota suavëolens*. Jacq. schœnb. 3. t. 42.
- 2 radiata. s.s. (wh.) Carolina. Carolina. 1690. 6. 7. G. ʒ. Poit. an. mus. 7. t. 27. f. 2.  
 3 capitata. s.s. (wh.) Jamaica. W. Indies. 1714. — S. ʒ. Jacq. ic. 1. t. 114.  
 4 polyanthos. s.s. (wh.) many-flowered. S. America. 1819. — S. ⊙.  
 5 brevipes. s.s. (li.) short-peduncled. W. Indies. 1822. — S. ⊙.  
 6 recurvata. s.s. (wh.) recurved. Cayenne. — S. ʒ. Poit. an. mus. t. 4. f. 3.  
 7 albida. s.s. (bl.) white-leaved. Mexico. 1825. — S. ʒ.  
 8 përsica. P.S. (st.) Persian. Persia. 1800. 7. G. ʒ. Linn. trans. 6. t. 12.  
*Brotëra përsica*. L.T.
- 9 spicata. s.s. (bl.) spiked. S. America. 1819. 7. 9. G. ⊙. Poit. an. mus. t. 28. f. 2.  
 10 verticillata. s.s. (wh.) whorled. ——— 1824. — S. ⊙. Jacq. icon. t. 113.  
 11 Plumieri. K.S. (bl.) Plumier's. ——— 1819. — S. ⊙. Plum. ic. t. 163. f. 1.  
 12 stachyodes. s.s. (wh.) whorl-spiked. Brazil. 1820. — S. ⊙.  
 13 pectinata. s.s. (ye.) pectinated. W. Indies. 1776. 12. 1. S. ʒ. Poit. an. mus. 7. t. 30.
- PROSTANTHERA. B.P. PROSTANTHERA. Didynamia Gymnospermia, S.S.  
 1 lasianthos. B.P. (wh.) villous-flowered. N. S. W. 1808. 6. 7. G. ʒ. Bot. reg. t. 143.  
 2 cœrulea. B.P. (bl.) blue-flowered. ——— 1824. 4. 7. G. ʒ.  
 3 prunelloides. B.P. (pu.) Prunella-like. ——— 1826. — G. ʒ.  
 4 incisâ. B.P. (wh.) cut-leaved. ——— 1825. — G. ʒ.  
 5 linearis. B.P. (wh.) linear-leaved. ——— 1823. — G. ʒ.  
 6 denticulata. B.P. (wh.) tooth-leaved. ——— G. ʒ.  
 7 marifolia. B.P. (wh.) Marum-leaved. ——— 1827. 4. 6. G. ʒ.  
 8 saxifolia. B.P. (wh.) rock. ——— 1823. — G. ʒ.  
 9 violacea. B.P. (bl.) violet-coloured. ——— G. ʒ. Bot. reg. t. 1072.

## ORDO CLIV.

SELAGINEÆ. Choisy mem. fam. Selag. 1823. p. 19.

- POLYCENIA. C.S. POLYCENIA. Didynamia Gymnospermia.  
 hebenstretioides. C.S. (w.) spike-flowered. C. B. S. 1816. 8. 10. G. ⊙. Choisy. sel. t. 2. f. 1.
- HEBENSTREITIA. C.S. HEBENSTREITIA. Didynamia Angiospermia.  
 1 dentata. w. (wh.) dwarf tooth-ld. C. B. S. 1739. 5. 9. G. ⊙. Bot. mag. t. 483.  
 2 integrifolia. w. (ye.) golden. ——— 1792. 4. 6. G. ʒ. Andr. reposit. t. 252.  
*aurea*. Andr.
- 3 fruticosa. B.M. (wh.) frutescent. ——— 1816. 5. 11. G. ʒ. Bot. mag. t. 1970.  
 4 albiflora. L.en. (wh.) white-flowered. ——— 1815. — G. ʒ.  
 5 chamædryfolia. L.en. Chamædry-leav'd. ——— 1816. — G. ʒ.  
 6 tenuifolia. H.H. (wh.) slender-leaved. ——— 1826. — G. ʒ.  
 7 scabra. w. (wh.) rough-leaved. ——— 5. 9. G. ʒ.  
 8 cordata. w. (wh. re.) heart-leaved. ——— 1774. 7. 8. G. ʒ.
- DISCHISMA. C.S. DISCHISMA. Didynamia Angiospermia.  
 1 ciliatum. c.s. (wh.) ciliated. C. B. S. 1815. 5. 7. G. ʒ.  
 2 erinoides. (wh.) Erinus-leaved. ——— 1816. 5. 11. G. ʒ.  
*Hebenstretia erinoides*. w.

3	hispidum. (wh.) long-spiked.	C. B. S.	1816.	5. 11.	G. ⊙.	Burm. afr. 109. t. 41. f. 1.
	<i>Hebenstrœtia hispida.</i> Lam.					
4	spicatum. c.s. (wh.) spiked.	————	1815.	5. 7.	G. ⊙.	
5	capitatum. c.s. (ye.) headed.	————	1822.	—	G. ⊙.	
AGATHE'LPIIS. C.S. AGATHE'LPIIS.		Diandria Monogynia.				
1	angustifolia. c.s. (wh.) narrow-leaved.	C. B. S.	1823.	5. 8.	G. ♯.	Burm. afr. t. 47. f. 3.
	<i>Eranthemum angustifolium.</i> L. <i>Selago angustifolia.</i> w.					
2	parvifolium. c.s. (wh.) small-leaved.	C. B. S.	1816.	—	G. ♯.	Lam. ill. t. 17. f. 2.
MICRODON. C.S. MICRODON.		Didymia Gymnospermia.				
1	lucidum. c.s. (wh.) glossy.	C. B. S.	1812.	6. 7.	G. ♯.	Venten. malm. t. 26.
2	ovatum. c.s. (wh.) oval-headed.	————	1774.	—	G. ♯.	Bot. mag. t. 186.
	<i>Selago ovata.</i> B.M.					
SELAGO. C.S. SELAGO.		Didymia Gymnospermia. L.				
1	micrantha. c.s. (ye.) small-flowered.	C. B. S.	1824.	5. 7.	G. ♯.	
2	divaricata. c.s. (wh.) spreading.	————	1816.	—	G. ♯.	
3	fruticosa. c.s. (wh.) frutescent.	————	1822.	6. 8.	G. ♯.	
4	minutissima. c.s. (ye.) small.	————	1816.	—	G. ♯.	Chois. sel. t. 3.
5	corymbosa. c.s. (wh.) fine-leaved.	————	1699.	7. 9.	G. ♯.	Comm. hort. 2. t. 40.
6	cinerea. c.s. (vi.) cinereous.	————	1816.	—	G. ♯.	
7	hispida. c.s. (ye.) hispid.	————	1823.	6. 9.	G. ♯.	
8	adpressa. c.s. (wh.) close-flowered.	————	1816.	—	G. ♯.	Chois. sel. t. 4.
9	canescens. s.s. (wh.) canescent.	————	1812.	7. 11.	G. ♯.	
10	spinea. L.en. (wh.) reflex-leaved.	————	1816.	7. 8.	G. ♯.	
11	diffusa. s.s. (wh.) diffuse.	————	1807.	—	G. ♯.	
12	spicata. L.en. (wh.) spiked.	————	1816.	—	G. ♯.	
13	teretifolia. L.en. (wh.) cylinder-leaved.	————	1819.	—	G. ♯.	
14	rapunculoides. s.s. (vi.) Rampion-like.	————	1790.	7. 11.	G. ♯.	Burm. afr. t. 42. f. 1.
15	fulvomaculata. L.en. (vi.) brown-spotted.	————	1816.	—	G. ♯.	
16	spuria. s.s. (vi.) linear-leaved.	————	1779.	7. 10.	G. ♯.	Burm. afr. t. 42. f. 3.
17	ramulosa. L.en. (wh.) branching.	————	1815.	6. 9.	G. ♯.	
18	fasciculata. s.s. (bl.) cluster-flowered.	————	1774.	—	G. ♯.	Bot. reg. t. 184.
19	heterophylla. s.s. (wh.) various-leaved.	————	1829.	—	G. ♯.	
20	polystachya. s.s. (wh.) many-spiked.	————	1823.	6. 8.	G. ♯.	
21	bracteata. s.s. (wh.) imbricate-bracted.	————	1816.	6. 9.	G. ♯.	
22	polygaloides. s.s. (vi.) milkwort-like.	————	1807.	7. 11.	G. ♯.	
23	rotundifolia. s.s. (wh.) round-leaved.	————	1816.	7. 9.	G. ♯.	
24	pterophylla. Ot. .... winged-leaved.	————	1828.	....	G. ♯.	
25	ciliata. c.s. (wh.) fringed.	————	1824.	—	G. ♯.	Chois. sel. t. 5.

ORDO CLV.

VERBENACEÆ. *Brown prodr. 1. p. 510.*

CLERODENDRUM. B.P. CLERODENDRUM.		Didymia Angiospermia. L.				
1	pubescens. B.R. (wh.) downy-leaved.	W. Indies.	1824.	7. 9.	S. ♯.	Bot. reg. t. 1035.
2	ligustrinum. s.s. (wh.) Privet-leaved.	Mauritius.	1789.	8. 11.	S. ♯.	Jacq. col. sup. t. 5. f. 1.
3	inërme. s.s. (wh.) smooth.	E. Indies.	1692.	—	S. ♯.	— t. 4. f. 1.
4	angustifolium. s.s. (wh.) narrow-leaved.	Jamaica.	1823.	—	S. ♯.	Lam. ill. t. 544. f. 2.
5	coromandelinum. s.s. (w.) Coromandel.	E. Indies.	1824.	—	S. ♯.	
6	emirnése. B.M. (wh.) small-flowered.	Madagascar.	1823.	6. 12.	S. ♯. ∪.	Bot. mag. t. 2925.
	<i>floribundum.</i> Bot. reg. t. 1035. non B.P.					
7	volubile. s.s. (wh.) climbing.	Guinea.	1822.	8. 11.	S. ♯. ∪.	
8	buxifolium. s.s. (wh.) Box-leaved.	.....	1818.	7. 8.	S. ♯.	
	<i>Volkamèria buxifolia.</i> W.en.					
9	heterophyllum. s.s. (w.) various-leaved.	Mauritius.	1805.	8. 9.	S. ♯.	Andr. reposit. t. 554.
	<i>Volkamèria angustifolia.</i> A.R.					
10	macrophyllum. B.M. (st. bl.) large-leaved.	————	1822.	—	S. ♯.	Bot. mag. t. 2536.
11	serratum. s.s. (wh.) saw-leaved.	E. Indies.	————	—	S. ♯.	Rheed. mal. 4. t. 29.
12	lividum. B.R. (wh.) livid-bracted.	China.	1824.	9. 11.	S. ♯.	Bot. reg. t. 945.
13	cérnum. Wal. (wh.) drooping.	E. Indies.	1822.	....	S. ♯.	
13	Siphonanthus. s.s. (wh.) whorled-leaved.	————	1796.	....	S. ♯.	Burm. ind. t. 43. f. 1.
	<i>Siphonanthus indica</i> et <i>Ovièda mitis.</i> L.					
15	verticillatus. D.P. (wh.) four-leaved.	Nepaul.	1818.	....	S. ♯.	
16	hastatum. B.R. (wh.) halbert-leaved.	E. Indies.	1824.	7. 11.	S. ♯.	Bot. reg. t. 1307.

17	odoratum. D.P.	(re.)	odoriferous.	Nepaul.	1820.	7. 8.	S. h.	
18	fœtidum. D.P.	(wh.)	strong-scented.	————	————	————	S. h.	
19	cordatum. D.P.	(wh.)	heart-leaved.	————	1826.	————	S. h.	
20	nūtans. D.P.	(wh.)	nodding.	————	————	....	S. h.	
21	scândens. s.s.	(wh.)	scandent.	Guinea.	1822.	7. 9.	S. h.	
22	trichotomum. s.s.	(wh.)	three-forked.	Japan.	1800.	————	G. h.	Banks ic. Kæmp. t. 22.
23	fortunatum. s.s.	(wh.)	spear-leaved.	E. Indies.	1784.	7. 8.	S. h.	Osb. it. t. 11.
24	attenuatum. B.P.	(wh.)	attenuated.	N. S. W.	1824.	5. 8.	G. h.	
25	squamatum. s.s.	(sc.)	scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
26	tomentosum. s.s.	(wh.)	downy.	N. S. W.	1794.	3. 5.	G. h.	Bot. mag. t. 1518.
27	infortunatum. s.s.	(wh.)	long-flowered.	E. Indies.	....	....	S. h.	
28	phlomoïdes. s.s.	(wh.)	Phlomis like.	————	1820.	5. 7.	S. h.	Burm. ind. t. 45. f. 1.
29	frâgrans. s.s.	(wh.)	fragrant.	China.	1790.	12. 8.	S. h.	Venten. malm. t. 70.
	<i>β</i> <i>multiplex.</i>	(wh.)	double-flowered.	————	————	————	S. h.	Bot. mag. t. 1834.
30	viscosum. s.s.	(wh.)	clammy.	E. Indies.	1796.	5. 8.	S. h.	———— t. 1805.
31	dentatum. H.B.	(wh.)	tooth-leaved.	————	1826.	————	S. h.	
32	neriifolium. H.B.	(wh.)	Oleander-leaved.	————	1824.	————	S. h.	
33	paniculatum. s.s.	(sc.)	panicled.	Java.	1809.	7. 10.	S. h.	Bot. reg. t. 406.
34	urticifolium. H.B.	(wh.)	Nettle-leaved.	E. Indies.	1822.	————	S. h.	
35	violaceum. L.en.	(vi.)	violet-coloured.	.....	————	....	S. h.	
36	japonicum.	(wh.)	Japan.	Japan.	1823.	....	S. h.	
	<i>Volkamëria japonica.</i>	Th.						
37	costatum. B.P.	(wh.)	ribbed-leaved.	N. S. W.	1823.	5. 8.	G. h.	
VOLKAMERIA. S.S. VOLKAM'ERIA.				Didynamia Angiospermia. L.				
	aculeata. s.s.	(wh.)	prickly.	W. Indies.	1739.	8. 10.	S. h.	Brown jam. t. 20. f. 2.
ÆGIPHILA. R.S. ÆGIPHILA.				Tetrandria Monogynia. L.				
1	martinicënsis. R.S.	(st.)	Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. t. 132.
2	arborëscens. R.S.	(st.)	arborescent.	Trinidad.	1820.	....	S. h.	Aub. gui. 1. t. 24.
3	l'ævis. R.S.	(ye.)	smooth.	Guiana.	1824.	6. 7.	S. h.	———— 1. t. 25.
4	elata. R.S.	(ye.)	tall.	W. Indies.	1823.	7. 11.	S. h.	Bot. reg. t. 946.
5	fœtida. R.S.	(ye.)	fetid.	————	1800.	6. 7.	S. h.	
6	trifida. R.S.	(wh.)	trifid-flowered.	Jamaica.	1826.	————	S. h.	
7	diffusa. R.S.	(st.)	diffuse.	W. Indies.	1804.	7. 8.	S. h.	Andr. repos. t. 578. f. 1.
8	obovata. R.S.	(st.)	oval-leaved.	————	————	————	S. h.	———— t. 578. f. 2.
CALLICARPA. R.S. CALLICA'RPA.				Tetrandria Monogynia. L.				
1	americâna. R.S.	(re.)	American.	Carolina.	1724.	6. 7.	G. h.	Catesb. car. 2. t. 47.
2	câna. R.S.	(li.)	hoary.	E. Indies.	1799.	————	S. h.	
3	lanata. R.S.	(pu.)	woolly	————	1788.	————	S. h.	Gært. fruct. 1. t. 94.
4	incâna. F.I.	(ro.)	white-leaved.	————	1816.	6. 10.	S. h.	
5	macrophylla. R.S.	(ro.)	large-leaved.	————	1808.	————	S. h.	
6	lanceolaria. F.I.	(pu.)	lance-leaved.	————	1816.	————	S. h.	
7	ferruginea. R.S.	(li.)	rusty.	Jamaica.	1794.	6. 7.	S. h.	
8	reticulata. R.S.	(wh.)	netted-leaved.	————	1822.	————	S. h.	
9	longifolia. R.S.	(wh.)	long-leaved.	China.	————	————	S. h.	Hook. ex. flor. t. 133.
10	rubella. B.R.	(re.)	red-flowered.	————	————	————	S. h.	Bot. reg. t. 883.
11	purpurea. F.I.	(pu.)	purple-flowered.	————	————	7. 9.	S. h.	
12	arborea. F.I.	(p.pu.)	tree.	Nepaul.	————	....	S. h.	
VITEX. S.S. CHASTE-TREE.				Didynamia Angiospermia. L.				
1	ovata. s.s.	(bl.)	oval-leaved.	China.	1796.	7. 8.	S. h.	
2	triflora. s.s.	(vi.)	three-flowered.	Cayenne.	1823.	————	S. h.	
3	latifolia. s.s.	(bl.)	broad-leaved.	E. Indies.	1820.	————	S. h.	Rheed. mal. 5. t. 2.
4	altissima. s.s.	(vi.)	tall.	Ceylon.	1802.	....	S. h.	
5	alata. s.s.	(vi.)	winged.	E. Indies.	1818.	6. 8.	S. h.	
6	gigantea. K.S.	(vi.)	giant.	Guayaquil.	1826.	....	S. h.	
7	bicolor. s.s.	(bl.wh.)	two-coloured.	E. Indies.	1810.	6. 8.	S. h.	
8	trifolia. s.s.	(vi.)	three-leaved.	————	1759.	————	S. h.	Bot. mag. t. 2187.
9	Negundo. s.s.	(bl.)	Ash-leaved.	————	1799.	————	S. h.	Rheed. mal. 2. t. 11.
10	umbrosa. s.s.	(vi.)	bushy.	W. Indies.	1824.	....	S. h.	
11	A'gnus-câstus. w.	(wh.)	common.	Sicily.	1570.	9.	H. h.	
	<i>β</i> <i>latifolia.</i>	(wh.)	broad-leaved.	————	————	————	H. h.	
12	incisa. s.s.	(bl.)	cut-leaved.	China.	1758.	7. 9.	G. h.	Bot. mag. t. 364.
	<i>Negundo.</i>	B.M.						
13	arborea. H.B.	(bl.)	tree.	E. Indies.	1820.	....	S. h.	
14	bignonioides. K.S.	(bl.)	trumpet-flowered.	Caracas.	1826.	....	S. h.	
15	saligna. H.B.	(bl.)	Willow-leaved.	E. Indies.	1823.	....	S. h.	
16	Doniâna.	(vi.)	Don's.	Sierra Leon.	1824.	....	S. h.	
	<i>umbrosa.</i>	H.T. non Sw.						
17	heterophylla. H.B.	(bl.)	various-leaved.	E. Indies.	1820.	....	S. h.	
18	capitata. P.s.	(bl.)	headed-flowered.	Trinidad.	1822.	6. 8.	S. h.	Vahl. ecl. 2. t. 18.

WALLROTHIA. S.S.		WALLROTHIA. Didynamia Angiospermia. S.S.			
Leucóxylon. s.s. (pu.)		white-wooded.	Ceylon.	1793.	.... S. h.
<i>Vitex Leucóxylon. L.</i>					
CHLOANTHES. B.P.		CHLOANTHES. Didynamia Angiospermia. S.S.			
1	stœchadis. B.P.	(st.) white-leaved.	N. S. W.	1822.	6. 8. G. h.
2	glandulosa. B.P.	(st.) glandular-leaved.	—	1824.	— G. h.
PREMNA. S.S.		PREMNA. Didynamia Angiospermia. S.S.			
1	integrifolia. s.s.	(wh.) entire-leaved.	E. Indies.	1822.	.... S. h.
2	tomentosa. s.s.	(wh.) woolly.	—	1825.	.... S. h.
3	reticulata. s.s.	(wh.) netted-leaved.	Jamaica.	1826.	.... S. h.
4	spinosa. H.B.	(wh.) spiny.	—	1822.	.... S. h.
5	esculenta. H.B.	(wh.) esculent.	—	1821.	.... S. h.
6	latifolia. H.B.	(wh.) broad-leaved.	E. Indies.	1827.	.... S. h.
7	serratifolia. s.s.	(wh.) saw-leaved.	—	—	.... S. h.
HOLMSKI'OLDIA.		HOLMSKI'OLDIA. Didynamia Angiospermia. S.S.			
1	sanguinea. s.s.	(sc.) scarlet.	E. Indies.	1796.	10. 4. S. h.
<i>Hastingsia coccinea. Sm. ex. bot. t. 80.</i>					
2	scandens.	(pi.) climbing.	—	1824.	— S. h. ∞.
<i>Hastingsia scandens. H.B.</i>					
PETRÆA. S.S.		PETRÆA. Didynamia Angiospermia. L.			
1	volubilis. s.s.	(pu.) climbing.	Vera Cruz.	1733.	7. 8. S. h. ∞.
2	rugosa. K.S.	(pu.) rough-leaved.	Caraccs.	1824.	.... S. h.
3	erecta. L.C.	(pu.) upright.	S. America.	—	.... S. h.
HO'STA. Jacq.		HO'STA. Diandria Monogynia.			
1	cœrulea. Jacq.	(bl.) blue-flowered.	S. America.	1733.	6. 9. S. h.
<i>Cornutia punctata. B.M. 2611.</i>					
2	latifolia. K.S.	(vi.) broad-leaved.	Mexico.	1824.	— S. h.
CORNUTIA. P.S.		CORNUTIA. Diandria Monogynia. S.S.			
pyramidata. P.S.		(bl.) pyramidal.	W. Indies.	1733.	.... S. h.
GME'LINA. S.S.		GME'LINA. Didynamia Angiospermia. L.			
1	arborea. s.s.	(br.ye.) tree.	E. Indies.	1812.	.... S. h.
2	villosa. s.s.	(ye.) villous.	—	1818.	.... S. h.
3	asiatica. s.s.	(ye.) oval-leaved.	—	1792.	.... S. h.
4	parviflora. P.S.	(ye.) small-flowered.	—	1817.	.... S. h.
<i>parvifolia. s.s.</i>					
5	sinuata. L.en.	(ye.) sinuated.	—	1824.	.... S. h.
CITHAREXYLUM. W. FIDDLE-WOOD.		CITHAREXYLUM. Didynamia Angiospermia. L.			
1	caudatum. s.s.	(wh.) upright.	Jamaica.	1763.	.... S. h.
<i>erectum. Jacq.</i>					
2	villosum. s.s.	(wh.) hairy-leaved.	W. Indies.	1784.	.... S. h.
3	subserratum. s.s.	(wh.) subserrate.	Hispaniola.	1819.	.... S. h.
4	quadrangulare. s.s.	(w.) square-stalked.	Jamaica.	1759.	6. 8. S. h.
5	cinereum. s.s.	(wh.) ash-coloured.	W. Indies.	1739.	— S. h.
6	molle. s.s.	(wh.) soft-leaved.	.....	1822.	.... S. h.
7	pentandrum. s.s.	(pu.) pentandrous.	Portorico.	1815.	— S. h.
DURANTA. S.S.		DURANTA. Didynamia Angiospermia. L.			
1	Plumiéri. B.R.	(bl.) smooth.	S. America.	1733.	6. 10. S. h.
2	Ellisia. B.M.	(bl.) prickly.	W. Indies.	1739.	8. S. h.
3	inermis. Mill.	(bl.) unarmed.	S. America.	....	— S. h.
4	xalapensis. K.S.	(bl.) Mexican.	Mexico.	1822.	.... S. h.
5	Mutisii. K.S.	(bl.) Mutis's.	S. America.	—	6. 8. S. h.
AMASONIA. S.S.		AMASONIA. Didynamia Angiospermia. S.S.			
punicea. s.s.		(ye.) puniceous.	Trinidad.	1823.	.... S. h.
LANTANA. S.S.		LANTANA. Didynamia Angiospermia. L.			
1	aculeata. s.s.	(or.) changeable-color'd.	W. Indies.	1692.	4. 11. S. h.
2	purpurea. s.s.	(pu.) purple-flowered.	S. America.	1822.	— S. h.
3	scabrada. s.s.	(or.) rough.	W. Indies.	1774.	7. 10. S. h.
4	mista. w.	(st.li.) Nettle-leaved.	—	1732.	8. 10. S. h.
5	melissæfolia. s.s.	(ye.) Balm-leaved.	—	—	7. 9. S. h.
6	nivea. s.s.	(wh.) snowy white.	E. Indies.	1810.	— S. h.
7	stricta. s.s.	(ro.) narrow-leaved.	Jamaica.	1733.	— S. h.
8	Rádula. w.	(pu.) Rasp-leaved.	W. Indies.	1803.	— S. h.
9	salviaefolia. s.s.	(re.) Sage-leaved.	C. B. S.	1823.	— G. h.
10	recta. s.s.	(bh.) upright.	Jamaica.	1758.	6. 8. S. h.
11	involverata. s.s.	(li.) round-leaved.	W. Indies.	1690.	5. 7. S. h.
12	odorata. s.s.	(wh.) sweet-scented.	—	1758.	5. 11. S. h.
13	Camara. s.s.	(ye.) various-coloured.	—	1691.	4. 9. S. h.
14	trifolia. s.s.	(ro.) three-leaved.	—	1733.	6. 9. S. h.
15	annua. s.s.	(ro.) annual.	S. America.	—	7. 8. S. ∞.

Rumph. amb. 3. t. 133.

Bot. reg. t. 692.

Bot. mag. t. 628.

Bot. reg. t. 1204.

Lam. ill. t. 541.

Roxb. corom. 3. t. 246.

Lam. ill. t. 542.

Roxb. corom. 1. t. 32.

Jacq. ic. 3. t. 501.

Jacq. ic. 1. t. 118.

Jacq. vind. 1. t. 22.

Jacq. amer. t. 118.

Vent. cels. t. 47.

Bot. reg. t. 244.

Bot. mag. t. 1759.

Bot. mag. t. 96.

Lodd. bot. cab. t. 68.

Dill. elt. t. 57. f. 66.

Bot. mag. t. 1946.

Sloan. jam. 2. t. 195. f. 4.

Jacq. schœnb. 3. t. 285.

— 3. t. 360.

Pluk. alm. t. 114. f. 5.

Plum. ic. 71. f. 2.

Dill. elt. t. 56. f. 65.

Bot. mag. t. 1449.

— t. 1022.

- 16 fucata. s.s. (ro.) painted. Brazil. 1822. 7. 8. S. ♀. Bot. reg. t. 798.
- 17 lavandulæa. s.s. (wh.) Lavender-like. . . . . ———— S. ♀.
- 18 crôcea. L. en. (or.) saffron-coloured. Jamaica. ———— S. ♀. Jacq. schœn. t. 473.
- 19 violæa. Desf. (vi.) violet-coloured: S. America. 1824. . . . S. ♀.
- 20 brasiliënsis. L. en. (wh.) Brazilian. Brazil. ———— 7. 8. S. ♀.
- 21 álba. L. en. (wh.) white-flowered. S. America. . . . ———— S. ♀.
- 22 hírta. Gr. (wh.) hairy white. ———— 1825. 8. 11. S. ♀.
- 23 hórrida. K. S. (ye.) horrid. Mexico. ———— 7. 8. S. ♀.
- 24 Selló. L. O. (ro.) Sello's. Monte Video. 1829. 12. 4. S. ♀. Bot. mag. t. 2981.
- SPIELMA'NNIA. S. S. SPIELMA'NNIA. Didynamia Angiospermia. S. S.
- afriçãna. s.s. (wh.) African. C. B. S. 1710. 2. 11. G. ♀. Bot. mag. t. 1899.
- TECT'ONA. W. TEAK-WOOD. Pentandria Monogynia. L.
- grândis. w. (wh.) great. E. Indies. 1777. . . . S. ♀. Roxb. corom. 1. t. 6.
- STRE'PTIUM. S. S. STRE'PTIUM. Didynamia Angiospermia. S. S.
- ásperum. s.s. (wh.) rough. E. Indies. 1799. 7. 8. S. ♀. Roxb. corom. 2. t. 146.
- Törtula áspera* w. *Priva leptostachya*, P. S.
- PRIVA. S. S. PRIVA. Didynamia Angiospermia. S. S.
- 1 lappulæa. P. s. (pu.) bristly-fruited. S. America. 1822. 6. 8. S. ♀. Jacq. obs. 1. t. 24.
- echináta. K. S.
- 2 mexicãna. P. s. (li.) Mexican. Mexico. 1726. 8. 9. S. ♀. Dill. elth. t. 302. f. 389.
- hispida. K. S. *Verbena mexicãna*. L.
- TAM'ONEA. S. S. TAM'ONEA. Diandria Monogynia.
- 1 verbenæa. s.s. (bl.) thorny-fruited. W. Indies. 1733. 8. S. ♂. Banks. vel. Hous. t. 2.
- curassávica. P. S. *Ghinia spinosa*. w.
- 2 špicãta. K. S. (bl.) spiked. Trinidad. 1824. 8. 10. S. ♂. Aubl. guian. t. 268.
- STACHYTA'RPHETA. BASTARD Vervain. Diandria Monogynia. S. S.
- 1 angustifólia. R. S. (vi.) narrow-leaved. S. America. . . . 6. 9. S. ♂. Jacq. obs. 4. t. 86.
- 2 elãtiór. R. S. (vi.) tall. Brazil. 1821. 8. 11. S. ♂.
- 3 índica. R. S. (vi.) Indian. Ceylon. 1732. 8. 9. S. ♂.
- 4 urticifólia. B. M. (bl.) Nettle-leaved. S. America. . . . 5. 9. S. ♂. Bot. mag. t. 1848.
- 5 jamaicënsis. R. S. (bl.) Jamaica. W. Indies. 1714. 6. 9. S. ♂. ———— t. 1860.
- 6 hírta. K. S. (vi.) hairy-leaved. New Granada. 1821. 5. 10. S. ♀.
- 7 cayennënsis. s.s. (bl.) Cayenne. Cayenne. 1819. ———— S. ♀.
- 8 umbrôsa. K. S. (bl.) shade. Cumana. 1829. ———— S. ♀.
- 9 prismática. R. S. (bl.) Germander-leav'd. W. Indies. 1699. 5. 6. S. ♂. Jacq. ic. 2. t. 208.
- 10 orubica. R. S. (vi.) Orubian. S. America. ———— 6. 8. G. ♂. Ehr. pict. t. 5. f. 1.
- 11 mutãbilis. R. S. (ro.) changeable-flower'd. ———— 1801. 3. 9. S. ♀. Bot. mag. t. 976.
- Verbena mutãbilis*. w. *Cymburus mutãbilis*. Par. lond. t. 49.
- 12 crassifólia. R. S. (vi.) thick-leaved. Brazil. 1826. 6. 9. S. ♀.
- 13 Zuccãgni. R. S. (ro. vi.) Zuccagni's. . . . . 1824. ———— S. ♀.
- 14 hirsutíssima. L. en. (bl.) hairy. Brazil. 1821. ———— S. ♀.
- ZAP'ANIA. J. ZAP'ANIA. Didynamia Angiospermia. P. S.
- 1 stœchadifólia. P. S. (wh.) oval-spiked. W. Indies. 1732. 8. 9. S. ♀. Brown jam. t. 3. f. 1.
- 2 nodiflóra. B. P. (pi.) knot-flowered. America. 1664. 7. 8. G. ♀. Flor. græc. t. 533.
- Verbena nodiflóra*. L. *Lippia nodiflóra*. s.s.
- ALO'YSIA. P. S. ALO'YSIA. Didynamia Angiospermia. P. S.
- citrodôra. P. S. (li.) Lemon-scented. Chile. 1784. 5. 9. G. ♀. Bot. mag. t. 367.
- Verbena triphy'lla*. B. M. *Lippia citrodôra*. K. S.
- VERB'ENA. S. S. VERVAIN. Didynamia Angiospermia. S. S.
- 1 angustifólia. s.s. (bl.) narrow-leaved. N. America. 1802. 6. 8. H. ♀.
- rugôsa. w.
- 2 paniculãta. s.s. (pu.) paniced. ———— 1800. 7. 8. H. ♀. Bot. reg. t. 1102.
- 3 bonariënsis. s.s. (bl.) cluster-flower'd. Buenos Ayres. 1732. 7. 10. H. ♂. Dill. elt. t. 300. f. 387.
- 4 caroliniana. s.s. (pi.) Carolina. N. America. ———— 6. 9. H. ♀. ———— t. 301. f. 388.
- 5 urticæfólia. s.s. (bl.) Nettle-leaved. ———— 1683. 7. 9. H. ♀. Rob. ic. 26.
- 6 strícta. s.s. (bl.) upright. ———— 1802. 7. 8. H. ♀. Bot. mag. t. 1976.
- 7 lasiostachys. s.s. (bl.) woolly-spiked. California. 1823. ———— H. ♀.
- 8 bractœsa. s.s. (bl.) long-bracted. N. America. 1812. 7. H. ♀. Bot. mag. t. 2910.
- 9 Aublétia. s.s. (ro.) rose. ———— 1774. 6. 8. F. ♂. ———— t. 308.
- 10 Lambérti. B. M. (ro.) Lambert's. Peru. 1816. ———— F. ♀. ———— t. 2200.
- 11 chamædryfolia. P. S. (sc.) scarlet-flower'd. Buenos Ayres. 1827. 4. 10. F. ♀. Swt. br. fl. gar. ser. 2. t. 9.
- Melindres*. Bót. reg. t. 1184. *Erinus peruvianus*. L.
- 12 barbãta. Gr. (li.) bearded. Mexico. ———— 9. 12. G. ♀.
- 13 hastãta. s.s. (pu.) halberd-leaved. Canada. 1710. ———— H. ♀. Herm. parad. t. 242.
- 14 scãbra. s.s. (vi.) rough. Mexico. 1822. ———— H. ♀.
- 15 alãta. B. F. G. (pu.) winged-stalked. Monte Video. 1827. 7. 10. F. ♀. Swt. br. fl. gar. ser. 2. t. 41.
- 16 officinális. E. B. (li.) common. Britain. . . . 6. 9. H. ♀. Eng. bot. v. 11. t. 769.
- 17 sorôria. D. P. (li.) sister. Nepaul. 1823. 8. 10. H. ♀. Swt. br. fl. gar. t. 202.
- 18 spúria. s.s. (li.) jagged-leaved. N. America. 1731. 7. 8. H. ♂.

19	erinoïdes. s.s.	(ro.) Erinus-like.	Peru.	1820.	7. 8. H. ⊙.	Flor. peruv. 1. t. 33. f. c.
	<i>multifida</i> . R.P.					
20	pulchella. B.F.G.	(li.) pretty.	BuenosAyres.	1827.	4. 10. F. ♀.	Swt.br.fl.gar.s.2.t.295.
21	canesceus. s.s.	(vi.) canescent.	Mexico.	1820.	7. 8. H. ♀.	H. et B. 2. t. 136.
22	supina. s.s.	(li.) trailing.	Spain.	1640.	6. 7. H. ⊙.	Flor. græc. t. 554.
	β <i>hirsuta</i> . E.	(li.) hairy.	Egypt.	1829.	— H. ⊙.	
23	prostrata. H.K.	prostrate.	N. America.	1794.	— H. ♀.	
	L'IPPŪA. J.	L'IPPIA.	Didymia Angiospermia.	S.S.		
	purpurea. s.s.	(pu.) purple.	Mexico.	1823.	6. 8. G. ♀.	Jacq. f. eclog. t. 85.
	XENOP'OMA. S.S.	XENOP'OMA.	Didymia Angiospermia.			
	obovatum. s.s.	(wh.) obovate-leaved.	China.	1816.	5. 8. G. ♀.	Coll. hort. rip. t. 25.

ORDO CLVI.

MYOPORINÆ. *Brown prodr. p. 514.*

MYOP'ORUM. B.P.	MYOP'ORUM.	Didymia Angiospermia.	S.S.			
1	ellipticum. B.P.	(wh.) smooth-leaved.	N. S. W.	1789.	1. 3. G. ♀.	Andr. reposit. t. 283.
	<i>Pogonia glabra</i> . A.R.					
2	acuminatum. B.P.	(wh.) acuminate.	—	1812.	.... G. ♀.	
3	montanum. B.P.	(wh.) mountain.	—	1822.	2. 6. G. ♀.	
4	parvifolium. B.P.	(wh.) small-leaved.	N. Holland.	1803.	3. 9. G. ♀.	Bot. mag. t. 1691.
5	dèbile. B.P.	(bl.) procumbent.	N. S. W.	1793.	5. 8. G. ♀.	— t. 1830.
6	diffusum. B.P.	(bl.) diffuse.	N. Holland.	....	8. 2. G. ♀.	
7	tuberculatum. B.P.	(wh.) tubercled.	—	1803.	5. 8. G. ♀.	
8	viscosum. B.P.	(wh.) viscid.	—	—	G. ♀.	
9	crassifolium. s.s.	(wh.) thick-leaved.	N. Zealand.	1822.	—	G. ♀.
10	oppositifolium. s.s.	(wh.) opposite-leaved.	N. Holland.	1803.	1. 12. G. ♀.	
STENOCH'ILUS. B.P.	STENOCH'ILUS.	Didymia Angiospermia.	S.S.			
1	glaber. B.P.	(sc.) smooth-leaved.	N. Holland.	1803.	1. 12. G. ♀.	Bot. mag. t. 1942.
2	maculatus. B.R.	(cr.sp.) spotted-flowered.	—	1820.	4. 8. G. ♀.	Bot. reg. t. 647.
3	viscosus. B.M.	(ye.) clammy.	—	1825.	—	G. ♀. Bot. mag. t. 2930.
BO'NTIA. S.S.	BO'NTIA.	Didymia Angiospermia.	L.			
	daphnoïdes. s.s.	(st.) Barbadoes.	W. Indies.	1690.	6. S. ♀.	Dill. elth. t. 49. f. 57.
AVICE'NNIA. B.P.	AVICE'NNIA.	Didymia Angiospermia.	L.			
	tomentosa. B.P.	(wh.) downy-leaved.	India.	1793.	.... S. ♀.	Palisot. d'Owar. t. 47.

ORDO CLVII.

ACANTHACEÆ. *Brown prodr. 1. p. 472.*

ACA'NTHUS. S.S.	BEARS-BREECH.	Didymia Angiospermia.	L.			
1	mollis. w.	(wh.) soft-leaved.	Italy.	1548.	7. 9. H. ♀.	Lam. ill. t. 550.
2	niger. L.en.	(wh.) shining-leaved.	Portugal.	1759.	—	H. ♀.
3	spinosus. B.M.	(wh.) prickly-leaved.	S. Europe.	1629.	—	H. ♀. Bot. mag. t. 1808.
4	spinosissimus. P.s.	(wh.) white-spined.	—	—	—	H. ♀.
5	carduifolius. s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. ♀.
6	ilicifolius. s.s.	(wh.) Holly-leaved.	E. Indies.	1759.	.... S. ♀.	Rheed. mal. 2. t. 48.
BLEPH'ARIS. J.	BLEPH'ARIS.	Didymia Angiospermia.	P.S.			
1	capensis. s.s.	(wh.) simple-spined.	C. B. S.	1816.	5. 9. G. ♀.	
2	furcata. s.s.	(wh.) fork-spined.	—	—	6. 8. G. ♀.	
3	procumbens. s.s.	(wh.) procumbent.	—	1825.	—	G. ♀.
THUNBERGIA. S.S.	THUNBERGIA.	Didymia Angiospermia.	S.S.			
1	grandiflora. s.s.	(bl.) large-flowered.	E. Indies.	1822.	3. 8. S. ♀. ∪.	Bot. reg. t. 495.
2	fragrans. s.s.	(wh.) white Indian.	—	1796.	5. 9. S. ♀. ∪.	Bot. mag. t. 1881.
3	cordata. C.R.	(wh.) heart-leaved.	Brazil.	1823.	3. 8. S. ♀. ∪.	Coll. h. rip. t. 21.
4	capensis. s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. ♀. ∪.
5	alata. B.M.	(or.) winged.	Zanzebar.	1825.	1. 12. S. ♀. ∪.	Bot. mag. t. 2591.
6	angulata. H.E.F.	(pu.) angular-stalked.	Mauritius.	1824.	5. 8. S. ♀. ∪.	Hook. ex. flor. t. 166.
7	coccinea. D.P.	(sc.) scarlet-flowered.	Nepaul.	—	6. 2. S. ♀. ∪.	— t. 195.

- BARLERIA. S.S.** **BARLERIA.** Didymia Angiospermia. L.
- 1 buxitölia. s.s. (bl.) Box-leaved. E. Indies. 1763. 6. 7. S. h. Rheed. mal. 2. t. 47.  
 2 Prionitis. s.s. (ye.) thorny. ——— 1759. 7. 8. S. h. ——— 9. t. 41.  
 3 spicäta. H.B. (pu.) spiked-flowered. ——— 1822. 4. 8. S. h.  
 4 longifölia. s.s. (vi.) long-leaved. ——— 1781. 7. 9. S. f. Pluk alm. t. 133. f. 4.  
 5 cristäta. s.s. (bl.) crested. ——— 1796. 4. 9. S. h. Bot. mag. t. 1615.  
 6 älba. B.C. (wh.) white-flowered. ——— 1818. ——— S. h. Lodd. bot. cab. t. 360.  
 7 ciliäta. H.B. (pu.) fringed. ——— 1822. 4. 10. S. h.  
 8 tomentösa. s.s. (bl.) woolly. ——— 1825. ——— S. h.  
 9 fläva. s.s. (ye.) yellow-flowered. Arabia. 1816. ——— S. h. Jacq. f. ecl. t. 46.  
*mitis.* B.R. 191. *Justicia fläva.* w. *Eränthemum flävum.* W.en.
- 10 longiflöra. s.s. (vi.) long-flowered. E. Indies. 1816. 6. 9. S. h. Vahl symb. 1. t. 16.  
 11 purpüra. B.C. (pu.) purple. ——— 1817. ——— S. h. Lodd. bot. cab. t. 344.  
 12 dichötoma. H.B. (pu.) forked. ——— 1822. ——— S. h.  
 13 cærulea. H.B. (bl.) blue-flowered. ——— ——— S. h.
- HYGROPHILA. B.P.** **HYGROPHILA.** Didymia Angiospermia. S.S.
- rincens. s.s. (li.) gaping-flowered. E. Indies. 1807. 7. 8. S. h.
- GEISSOMERIA. B.R.** **GEISSOMERIA.** Didymia Angiospermia.
- 1 longiflöra. B.R. (sc.) long-flowered. Brazil. 1825. 8. 10. S. h. Bot. reg. t. 1045.  
 2 fülgida. (sc.) bright-flowered. W. Indies. 1804. 7. 8. S. h. Andr. reposit. t. 527.  
*Ruellia fülgida.* A.R.
- RUELLIA. S.S.** **RUELLIA.** Didymia Angiospermia. L.
- 1 ocymöides. s.s. (bl.) Basil-like. Mexico. 1815. 7. 8. S. h. Cavan. ic. 5. t. 456.  
 2 ciliäta. s.s. (li.) fringed. E. Indies. 1806. ——— S. h.  
 3 austrälis. s.s. (re.) New Holland. N. S. W. 1820. 6. 9. G. h. Cavan. ic. 6. t. 586. f. 1.  
 4 fœtida. s.s. (vi.) strong-scented. Mexico. 1824. ——— G. h.  
 5 biflöra. s.s. (bl.) two-flowered. Carolina. 1765. 7. G. y.  
 6 violæcea. s.s. (ll.) violet-flowered. Guiana. 1822. 6. 9. S. y. Aub. gui. 2. t. 271.  
 7 salicifölia. s.s. (vi.) Willow-leaved. E. Indies. ——— ——— S. h.  
 8 oväta. s.s. (bl.) oval-leaved. Mexico. 1809. 7. 8. S. y. Cavan. ic. 3. t. 254.  
 9 pätula. s.s. (vi.) spreading. E. Indies. 1774. ——— S. h. Jacq. ic. 1. t. 119.  
 10 Sabiniäna. B.R. (vi.) Sabine's. ——— 1827. 4. 8. S. h. Bot. reg. t. 1238.  
 11 brasilia. Mart. (vi.) Brazil. Brazil. 1828. 8. 9. S. h.  
 12 anisophylla. H.E.F. (bl.) unequal-leaved. E. Indies. 1823. 9. 4. S. h. Hook. ex. flor. 191.  
*persicifölia.* Bot. reg. t. 955.  
 13 formösa. s.s. (sc.) splendid. Brazil. 1808. 6. 9. S. h. Bot. mag. t. 1400.  
 14 macrophylla. s.s. (re.) large-leaved. S. America. 1820. ——— S. h. Vahl symb. 2. t. 39.  
 15 tuberösa. s.s. (vi.) tuberous-root'd. Jamaica. 1752. 7. 8. S. y. Sloan. jam. 1. t. 95. f. 1.  
 16 ströpens. s.s. (pub.) whorl-flowered. N. America. 1726. ——— G. y. Schk. hand. 2. t. 177.  
 17 lactea. s.s. (li.) white. Mexico. 1796. 6. 8. G. y. Cavan. ic. 3. t. 255.  
 18 clandestina. s.s. (bl.) three-flowered. Barbadoes. 1728. 7. 8. S. y. Dill. elth. t. 248. f. 320.  
 19 paniculäta. s.s. (li.) panicked. W. Indies. 1768. 8. 10. S. y. Bot. reg. t. 585.  
 20 obovätä. H.B. (pu.) obovate-leaved. E. Indies. 1820. 7. 11. S. o.  
 21 undulätä. s.s. (vi.) wave-leaved. ——— 1817. ——— S. y.  
 22 hirta. s.s. (vi.) hairy. ——— ——— S. y. Vahl symb. 3. t. 67.  
 23 pubescens. p.s. (bl.) pubescent. C. B. S. 1816. 5. 7. G. h.  
 24 tetragöna. s.s. (bl.) four-sided. Brazil. 1818. 6. 9. S. y.  
 25 longifölia. s.s. (pu.) long-leaved. E. Indies. 1821. ——— S. h.  
 26 cernua. H.B. (vi.) cernuous. ——— ——— S. h.  
 27 semiteträndra. Jac. .. semitetrandrous. .... 1829. .... S. h.
- BLECHUM. B.P.** **BLECHUM.** Didymia Angiospermia. S.S.
- 1 Bröwnei. s.s. (li.) dense-spiked. W. Indies. 1780. 6. S. o. Sloan. jam. 1. t. 109. f. 1.  
 2 laxiflörum. s.s. (wh.) loose-flowered. ——— 1822. 6. 8. S. y.  
 3 angustifölium. s.s. (bl.) narrow-leaved. ——— 1826. 7. 10. S. y.
- APHELANDRA. B.P.** **APHELANDRA.** Didymia Angiospermia. S.S.
- cristäta. s.s. (sc.) dense-spiked. W. Indies. 1733. 6. 9. S. h. Bot. mag. t. 1578.  
*Ruellia cristäta.* A.R. 506. *Justicia pulcherrima.* L.
- CROSSANDRA. P.S.** **CROSSANDRA.** Didymia Angiospermia.
- unduläfölia. P.L. (sc.) wave-leaved. E. Indies. 1800. 6. 1. S. h. Bot. reg. t. 69.  
*Ruellia infundibuliformis.* A.R. 542. *Harrächia speciosa.* Jacq. ecl. t. 21.
- PHAYLOPSIS. W.** **PHAYLOPSIS.** Didymia Angiospermia. W.
- 1 longifölia. B.M. (wh.) long-leaved. Sierra Leon. 1822. 3. 5. S. h. Bot. mag. t. 2433.  
 2 imbricäta. (wh.) imbricated. Mauritius. ——— ——— S. h.  
*Ætheilema imbricäta.* s.s.  
 3 parviflöra. w. (wh.) small-flowered. E. Indies. 1825. 4. 8. S. y.
- LEPIDAGATHIS. W.** **LEPIDAGATHIS.** Didymia Angiospermia. W.
- cristäta. w. (pu.) crested. E. Indies. 1817. 5. 8. S. y.
- ELYTRARIA. R.S.** **ELYTRARIA.** Diandria Monogynia. S.S.
- 1 crenätä. R.S. (wh.) notched-leav'd. E. Indies. 1819. 11. 2. S. y. Roxb. coron. 2. t. 127.  
*Justicia acutis.* F.I.

- 2 lyrata. R.S. (wh.) lyrate-leaved. E. Indies. 1825. 11. 2. S. 2.
- 3 virgata. R.S. (wh.) twiggy. Carolina. 1813. 7. 8. H. 2.
- 4 ramosa. K.S. (bl.) branching. Mexico. 1825. — G. 2.
- 5 caulescens. R.S. (wh.) caulescent. Manilla. 1828. — G. 2.
- JUSTÍCIA. R.S. JUSTÍCIA. Diandria Monogynia. L.**
- 1 bicaliculata. R.S. (li.) Malabar. E. Indies. 1785. 8. 10. S. 0. Cavan. ic. 1. t. 71.
- 2 hispida. R.S. (wh.) hispid. Sierra Leon. 1824. 4. 8. S. 2.
- 3 Ecbolium. R.S. (pa.bl.) long-spiked. E. Indies. 1759. 3. 8. S. 2. Bot. mag. t. 1847.
- 4 ventricosa. B.M. (sp.) hop-flowered. China. 1825. 4. 6. S. 2. — t. 2766.
- 5 calycotricha. s.s. (ye.) yellow-flower'd. Brazil. — 1. 3. S. 2. — t. 2816.
- flavicomis*. Bot. reg. t. 1027.
- 6 thyrseiflora. F.I. (or.) thyrse-flower'd. E. Indies. 1812. 5. 9. S. 2.
- 7 vitellina. F.I. (pi.ye.) reflex-leaved. — 1818. — S. 2.
- 8 álba. F.I. (wh.) white-flowered. — 1816. 4. 8. S. 2.
- 9 coccinea. R.S. (sc.) scarlet. S. America. 1770. 12. 4. S. 2. Bot. mag. t. 432.
- 10 polysperma. F.I. (bl.) many-seeded. E. Indies. 1821. 8. 10. S. 0.
- 11 echioides. R.S. (wh.pu.) Echium-like. — 1812. 6. 9. S. 0. Rheed. mal. 9. t. 46.
- 12 quadrifida. R.S. (sc.) twiggy. Mexico. 1795. 3. 9. S. 2. Sal. par. lond. t. 50.
- virgularis*. P.L.
- 13 pumila. R.S. (sc.) dwarf. S. America. 1820. — S. 2.
- 14 nigricans. R.S. (wh.re.) black-striped. China. 1819. 6. 9. G. 2.
- 15 nitida. R.S. (wh.sp.) glossy. W. Indies. 1790. 3. 9. S. 2. Andr. reposit. t. 570.
- 16 bracteolata. R.S. (pu.) bracteolate. Caracas. 1824. 6. 8. S. 2. Jacq. ic. t. 205.
- 17 picta. R.S. (cr.) painted. E. Indies. 1780. 7. 8. S. 2. Rheed. mal. 6. t. 60.
- a álba*. (cr.) white-marked. — — S. 2. Bot. reg. t. 1227.
- β lurido-sanguinea*. (pu) purple-leaved. — — S. 2. Bot. mag. t. 1870.
- 18 paniculata. R.S. (ro.) paniced. — 1811. — S. 0. Jacq. f. eclog. t. 34.
- 19 salicina. R.S. (re.) Willow-like. Peru. 1819. — S. 2.
- 20 secunda. R.S. (pu.) side-flowering. W. Indies. 1793. 5. 9. S. 2. Bot. mag. t. 2060.
- 21 geniculata. B.M. (sc.) jointed-stalked. — 1822. 7. 10. S. 2. — t. 2487.
- 22 nodosa. B.M. (cr.pu.) swollen-jointed. Brazil. 1826. 8. 10. S. 2. — t. 2914.
- 23 oblongata. L.O. (pi.) oblong-leaved. Java. — 9. 10. S. 2.
- 24 ciliaris. R.S. (wh.) ciliated. Cumana. 1780. 7. 8. S. 0. Jacq. vind. 2. t. 104.
- 25 lucida. R.S. (sc.) shining-leaved. W. Indies. 1795. — S. 2. Bot. mag. t. 1014.
- 26 salviflora. R.S. (sc.) Sage-flowered. Mexico. 1823. — S. 2.
- 27 Gandarussa. R.S. (vi.) Willow-leaved. E. Indies. 1800. 6. 7. S. 2. Bot. reg. t. 635.
- 28 carthaginensis. R.S. (sc.) Carthaginian. Carthage. 1792. — S. 2. — t. 797.
- 29 pedunculosa. R.S. (pu.) long-peduncled. N. America. 1759. 7. 8. H. 2. Bot. mag. t. 2367.
- americana*. w.
- 30 quadrangularis. B.M. (pu.) square-stalked. Mauritius. — 1. 3. S. 2. Bot. mag. t. 2845.
- 31 procumbens. R.S. (ro.) procumbent. E. Indies. 1798. 7. 8. S. 2. Pluk. alm. t. 56. f. 3.
- 32 quinqueangularis. F.I. (ro.) five-angled. — 1820. — S. 2.
- 33 comata. R.S. (li.) Balsam-herb. Jamaica. 1795. — S. 2. Sloan. jam. 1. t. 103. f. 2.
- 34 eustachiana. R.S. (pu.) Eustachian. St. Eustachia. 1799. 8. 9. S. 2. Jacq. amer. pict. t. 5.
- 35 Keriana. (sc.or.) Ker's. China. 1815. 6. 9. S. 2. Bot. reg. t. 309.
- eustachiana*. B.R. Bot. mag. t. 2076. non Jacq.
- 36 nasuta. R.S. (wh.) white-flowering. E. Indies. 1790. 2. 10. S. 2. Bot. mag. t. 325.
- 37 lanceolaria. F.I. (ro.) lance-leaved. — 1818. 8. 12. S. 2.
- 38 speciosa. F.I. (pu.) beautiful. — 1823. 1. 12. S. 2. Bot. mag. t. 2722.
- 39 Roxburghiana. R.S. (pi.) Roxburgh's. — 1815. 6. 9. S. 2. Rumph. amb. 6. t. 22. f. 1.
- tinctoria*. F.I. non Lour. báphica. s.s.
- 40 pectoralis. R.S. (pu.) Garden Balsam. W. Indies. 1787. 5. 6. S. 2. Bot. reg. t. 796.
- 41 periplocafolia. R.S. (pu.) Periploca-leav'd. S. America. 1799. 6. 8. S. 2. Jacq. coll. s. t. 7. f. 2.
- 42 furcata. R.S. (vi.) forked. Peru. 1795. 4. 8. S. 2. Bot. mag. t. 430.
- peruviana*. B.M. Cavan. ic. 1. t. 28.
- 43 lithospermifolia. (vi.) Gromwell-leav'd. — 1796. — S. 2. Jacq. schœn. 1. t. 4.
- 44 caracasana. R.S. (vi.) Caracas. Caracas. 1818. — S. 2. Jacq. ic. 2. t. 206.
- 45 leucantha. R.S. (wh.) dirty white. Brazil. 1824. — S. 2.
- 46 Adhatoda. R.S. (wh.pu.) Malabar-nut. Ceylon. 1699. 5. 7. G. 2. Bot. mag. t. 861.
- 47 decussata. F.I. (li.) cross-leaved. E. Indies. 1824. 2. 4. S. 2.
- 48 Betónica. R.S. (wh.) Betony-leaved. — 1739. — S. 2. Rheed. mal. 2. t. 21.
- 49 ramosissima. F.I. (wh.) branching. — 1812. 8. 12. S. 2.
- 50 plumbaginifolia. R.S. (re.) Plumbago-leav'd. . . . . 1819. 6. 9. S. 2. Jacq. f. ecl. t. 12.
- 51 formosa. R.S. (pu.) handsome. . . . . — — S. 2.
- 52 maculata. B.C. (pu.) spotted-leaved. W. Indies. 1823. — S. 2. Lodd. bot. cab. t. 626.
- 53 divaricata. R.S. (wh.) divaricate. C. B. S. 1822. 3. 6. G. 2.
- 54 patula. R.S. (wh.) spreading-branch'd. — 1824. — G. 2.
- 55 hyssopifolia. R.S. (st.) Hyssop-leaved. Canaries. 1690. 3. 8. G. 2. Mill. ic. 9. t. 13.
- 56 orchoides. R.S. (bh.) Broom-leaved. C. B. S. 1774. 8. G. 2. Vent. malm. t. 51.

57 tranquebariënsis. R.S. ( <i>bh.</i> )	Tranquebar.	E. Indies.	1818.	4. 8.	S. 2.	
58 glåbra. F.I. ( <i>ro. ye.</i> )	smooth.	————	1824.	6. 9.	S. 2.	
59 vestita. R.S. ( <i>vi.</i> )	clothed.	————	1827.	—	S. 2.	
<b>DICLIPTERA. J.</b>	<b>DICLIPTERA.</b>	<b>Diandria Monogynia.</b>	<b>R.S.</b>			
1 spinosa. B.C. ( <i>ye.</i> )	spiny.	Madagascar.	1827.	4. 6.	S. 2.	Lodd. bot. cab. t. 1244.
2 chinënsis. R.S. ( <i>ro.</i> )	Chinese.	China.	1816.	8. 12.	S. 2.	Burm. ind. t. 4. f. 1. ?
3 bivålis. R.S. ( <i>ro.</i> )	two-valved.	E. Indies.	1820.	....	S. 2.	
4 multiflora. R.S. ( <i>vi.</i> )	many-flowered.	Quito.	1821.	6. 9.	S. 2.	Flor. peruv. 1. t. 14. f. b.
5 retusa. R.S. ( <i>pu.</i> )	retuse.	Santa Cruz.	1816.	7. 9.	S. 2.	Lodd. bot. cab. t. 724.
6 congesta. K.S. ( <i>pu.</i> )	crowded-flowered.	Mexico.	1825.	—	S. 2.	
7 resupinata. R.S. ( <i>vi.</i> )	resupinate.	N. Spain.	1805.	5. 8.	S. 2.	Cavan. ic. 3. t. 203.
	<i>Justicia sexangularis.</i> Cav. non l.					
8 pectinata. R.S. ( <i>bl.</i> )	pectinated.	E. Indies.	1801.	7. 9.	S. 2.	Roxb. corom. 2. t. 153.
	<i>Justicia parviflora.</i> w.					
9 repens. R.S. ( <i>li.</i> )	creeping.	————	1822.	—	S. 2.	Roxb. corom. 2. t. 152.
10 brasiliënsis. R.S. ( <i>pu.</i> )	Brazilian.	Brazil.	1824.	—	S. 2.	
11 scorpoides. R.S. ( <i>pu.</i> )	Scorpion-grass-ld.	Vera Cruz.	....	—	S. 2.	Reliqu. Houst. t. 1.
12 sexangularis. R.S. ( <i>re.</i> )	chickweed-ld.	S. America.	1733.	7.	S. 2.	Pluk. alm. t. 279. f. 6.
13 assurgens. R.S. ( <i>sc.</i> )	assurgent.	W. Indies.	1827.	—	S. 2.	
<b>NELSONIA. B.P.</b>	<b>NELSONIA.</b>	<b>Diandria Monogynia.</b>				
	<i>lamifolia.</i> F.I. ( <i>pu.</i> )	Lamium-leaved.	E. Indies.	1824.	6. 8.	S. 2.
<b>HYPOESTES. R.S.</b>	<b>HYPOESTES.</b>	<b>Diandria Monogynia.</b>	<b>R.S.</b>			
1 purpurea. R.S. ( <i>pu.</i> )	purple-flower'd.	China.	1822.	6. 8.	S. 2.	
	<i>Justicia purpurea.</i> l.					
2 verticillaris. R.S. ( <i>bh.</i> )	whorl-flowered.	C. B. S.	1823.	4. 6.	G. 2.	
3 serpens. R.S. ( <i>li.</i> )	creeping-stalked.	Mauritius.	1823.	6. 8.	S. 2.	
4 involucreta. R.S. ( <i>wh.</i> )	involucred.	E. Indies.	1811.	7. 8.	S. 2.	
<b>ERANTHEMUM. R.S.</b>	<b>ERANTHEMUM.</b>	<b>Diandria Monogynia.</b>	<b>R.S.</b>			
1 variabile. B.P. ( <i>pu.</i> )	variable.	N. S. W.	1820.	6. 9.	G. 2.	
2 montanum. F.I. ( <i>bl.</i> )	mountain.	E. Indies.	1825.	7. 2.	S. 2.	
3 pulchellum. F.I. ( <i>bl.</i> )	nervose.	————	1796.	1. 10.	S. 2.	Andr. reposit. t. 88.
	<i>Justicia nervosa.</i> B.M. 1358.					
4 racemosum. F.I. ( <i>bh.</i> )	racemed.	————	1826.	7. 2.	S. 2.	
5 barlerioides. F.I. ( <i>pa. bl.</i> )	Barleria-like.	————	1824.	—	S. 2.	
6 strictum. F.I. ( <i>bl.</i> )	upright.	————	1822.	—	S. 2.	Bot. reg. t. 867.
7 crenulatum. B.R. ( <i>li.</i> )	crenulate.	————	1824.	10. 2.	S. 2.	———— t. 879.
8 bicolor. s.s. ( <i>wh. pu.</i> )	two-coloured.	Philippines.	1802.	5. 8.	S. 2.	Bot. mag. t. 1423.
	<i>Justicia bicolor.</i> B.M.					
9 spinosum. R.S. ( <i>wh.</i> )	thorny.	W. Indies.	1733.	7. 8.	S. 2.	Jacq. amer. 2. t. 2. f. 1.
10 acanthophorum. R.S. ( <i>li.</i> )	spiny.	China.	1822.	—	S. 2.	
11 ambiguum. R.S. ....	bunch-leaved.	.....	1823.	....	S. 2.	
	<i>parviflorum.</i> L. enum. nec aliorum.					

## ORDO CLVIII.

OROBANCHEÆ. *Ventenat.*

<b>LATHRÆA. S.S.</b>	<b>TOOTHWORT.</b>	<b>Didynamia Angiospermia.</b>	<b>L.</b>			
	<i>squamaria.</i> s.s. ( <i>pu.</i> )	scaly.	Britain.	....	4.	H. 2.
<b>OROBANCHE. S.S.</b>	<b>BROOM-RAPE.</b>	<b>Didynamia Angiospermia.</b>	<b>L.</b>			
1 major. E.B. ( <i>br. pu.</i> )	greater.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 1. t. 50.
2 elatior. E.B. ( <i>br.</i> )	taller.	————	....	7. 8.	H. 2.	Eng. bot. v. 6. t. 421.
3 minor. E.B. ( <i>pa. pu.</i> )	smaller.	————	....	—	H. 2.	———— v. 8. t. 568.
4 rubra. E.B. ( <i>pu. re.</i> )	red.	Ireland.	....	8.	H. 2.	———— v. 25. t. 1786.
5 cœrulea. E.B. ( <i>bl.</i> )	blue.	Britain.	....	7.	H. 2.	———— v. 6. t. 423.
6 ramosa. E.B. ( <i>pu. bl.</i> )	branching.	————	....	8. 9.	H. 2.	———— v. 3. t. 184.

## ORDO CLIX.

LENTIBULARIÆ. *Brown prodr.* 1. p. 429.

<b>PINGUICULA. L.</b>	<b>BUTTERWORT.</b>	<b>Diandria Monogynia.</b>	<b>L.</b>			
1 vulgaris. s.s. ( <i>vi.</i> )	common.	Britain.	....	5.	H. w. 2.	Eng. bot. v. 1. t. 70.
2 alpina. s.s. ( <i>wh. st.</i> )	Alpine.	Europe.	1794.	4.	H. w. 2.	Flor. dan. t. 453.

3 grandiflora. s.s.	(bl.) great-flowered.	Ireland.	....	5. 6.	H. w. 2.	Eng. bot. v. 31. t. 2184.
4 lusitânica. s.s.	(fl.) pale.	Britain.	....	6. 7.	H. w. 2.	———— v. 3. t. 145.
5 lutea. B.R.	(ye.) yellow.	Carolina.	1816.	—	H. w. 2.	Bot. reg. t. 126.
6 edentula. H.E.F.	(ye.) toothless.	N. America.	1821.	4. 5.	H. w. 2.	Hook. ex. flor. t. 16.
<b>UTRICULARIA. L. HOODED MILFOIL. Diandria Monogynia. L.</b>						
1 vulgâris. E.B.	(ye.) common.	Britain.	....	7.	H. 2.	Eng. bot. v. 4. t. 253.
2 intermedia. E.B.	(ye.) intermediate.	Ireland.	....	—	H. 2.	———— v. 35. t. 2489.
3 minor. E.B.	(st.) lesser.	Britain.	....	—	H. 2.	———— v. 4. t. 254.

ORDO CLX.

PRIMULACEÆ. *Brown prodr. p. 427.*

<b>CYCLAMEN. L.</b>		<b>CYCLAMEN. Pentandria Monogynia. L.</b>				
1 cœum. R.S.	(re.) green, round-ld.	S. Europe.	1596.	1. 4.	H. 2.	Bot. mag. t. 4.
2 vérum. B.F.G.	(re.) spring.	————	1814.	2. 5.	H. 2.	Swt. br. fl. gar. t. 9.
3 europæum. R.S.	(li.) round-leaved.	Europe.	1596.	7. 8.	H. 2.	———— t. 176.
4 pérsicum. R.S.	(wh.) Persian.	Cyprus.	1731.	2. 4.	G. 2.	Bot. mag. t. 44.
<i>a inodórum.</i>	(wh. pu.) scentless.	————	————	————	G. 2.	————
<i>β odorâcum.</i>	(wh. pu.) sweet-scented.	————	————	————	G. 2.	————
<i>γ albiflorum.</i>	(wh.) pure white.	————	————	————	G. 2.	————
<i>δ laciniâtum.</i>	(wh. pu.) jagged.	————	————	————	G. 2.	Bot. reg. t. 1095.
5 hederæfólium. E.B.	(li.) Ivy-leaved.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 8. t. 548.
<i>a purpurâscens.</i>	(li.) purplish-flower'd.	————	....	—	H. 2.	————
<i>β álbidum.</i>	(wh.) white-flowered.	————	....	—	H. 2.	————
6 neapolitânum. T.N.	(re.) Neapolitan.	Naples.	1826.	—	H. 2.	Clus. hist. 1. p. 265. ic.
7 repândum. F.G.	(re.) angular-leaved.	Greece.	....	3. 4.	F. 2.	Swt. br. fl. gar. t. 117.
8 latifólium. F.G.	(li.) broad-leaved.	————	1823.	4. 5.	F. 2.	Flor. græc. t. 185.
<b>DODECATHEON. L. AMERICAN COWSLIP. Pentandria Monogynia. L.</b>						
Mœdia. R.S.	(li.) Mead's.	Virginia.	1744.	4. 6.	H. 2.	Bot. mag. t. 12.
<i>β albiflora.</i>	(wh.) white-flowered.	————	1820.	—	H. 2.	————
<b>SOLDANE'LLA. R.S. SOLDANE'LLA. Pentandria Monogynia. L.</b>						
1 montâna. R.S.	(bl.) mountain.	Bohemia.	1816.	4.	H. 2.	Swt. br. fl. gar. t. 11.
2 alpina. R.S.	(bl.) Alpine.	Switzerland.	1656.	—	H. 2.	Bot. mag. t. 49.
3 púsilla. B.F.G.	(vi.) lesser.	S. Europe.	1824.	—	H. 2.	Swt. br. fl. gar. s. 2. t. 48.
4 mínima. R.S.	(bl.) least.	Carp. mount.	1820.	—	H. 2.	———— s. 2. t. 53.
<b>CORTUSA. L. BEARS-EAR SANICLE. Pentandria Monogynia. L.</b>						
Mathioli. R.S.	(li.) short calyxed.	Austria.	1596.	4. 6.	H. 2.	Bot. mag. t. 987.
<b>PRIMULA. L. PRIMROSE. Pentandria Monogynia. L.</b>						
1 prænitens. B.R.	(pi.) glossy.	China.	1820.	1. 12.	F. 2.	Bot. reg. t. 539.
<i>sinénsis.</i>	Lind. col. non Lour.	————	————	————	————	————
<i>a rôsea.</i>	(ro.) rose-coloured.	————	————	—	F. 2.	Bot. mag. t. 2564.
<i>β albiflora.</i>	(wh.) white-flowered.	————	————	—	F. 2.	Swt. br. fl. gar. t. 196.
<i>γ dentiflora.</i>	(ro.) jagged-flowered.	————	————	—	F. 2.	Lindl. coll. bot. t. 7.
2 cortusoides. R.S.	(re.) Cortusa-leaved.	Siberia.	1794.	5. 7.	H. 2.	Bot. mag. t. 399.
3 dentiflora. A.R.	(re.) tooth-flowered.	————	....	—	H. 2.	Andr. reposit. t. 451.
4 suaveolens. R.S.	(ye.) sweet-scented.	Naples.	1826.	—	H. 2.	Ten. fl. neap. 1. t. 13.
<i>Colúmnæ.</i>	T.N.	————	————	————	————	————
5 inflâta. R.S.	(ye.) bellied-calyxed.	Hungary.	1824.	—	H. 2.	Swt. br. fl. gar. s. 2.
6 brevistyla. R.S.	(st.) short-styled.	France.	....	—	H. 2.	————
<i>β versicolor.</i>	(va.) various-coloured.	————	————	—	H. 2.	————
7 véris. R.S.	(ye.) Cowslip.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 1. t. 5.
8 rûbra. R.S.	(re.) red cowslip.	————	....	—	H. 2.	————
9 acaulis. R.S.	(st.) common.	Britain.	....	3. 5.	H. 2.	Eng. bot. v. 1. t. 4.
<i>vulgâris.</i>	E.B.	————	————	————	————	————
<i>β álbo-plêna.</i>	(wh.) double white.	.....	....	—	H. 2.	————
<i>γ sulphureo-plêna.</i>	(st.) double-sulphur.	.....	....	—	H. 2.	————
<i>δ cûpreo-plêna.</i>	(co.) double-copper.	.....	....	—	H. 2.	————
<i>ε salmôneo-plêna.</i>	(pa.) double-salmon.	.....	....	—	H. 2.	————
<i>ζ lilacino-plêna.</i>	(li.) double-lilac.	.....	....	—	H. 2.	Bot. mag. t. 229.
<i>η rubro-plêna.</i>	(re.) double Scotch.	.....	....	—	H. 2.	————
<i>θ purpûreo-plêna.</i>	(d. pu.) double dark purple.	....	....	—	H. 2.	————

9	elätior. R.S.	(st.) Oxlip.	Britain.	....	3. 5.	H. 2.	Eng. bot. v. 8. t. 518.
	$\beta$ polyántha.	(va.) Polyanthus.	.....	....	—	H. 2.	
	$\gamma$ Fletcheri.	(ve.ye.) Fletcher's defiance.	.....	....	—	H. 2.	Swt. flor. guid. t. 49.
	$\delta$ Burnardiána.	(ve.ye.) Burnard's Formosa.	.....	....	—	H. 2.	— t. 97.
	$\epsilon$ Shadiána.	(pu.ye.) Shad's telegraph.	.....	....	—	H. 2.	— t. 125.
	$\zeta$ calycántha.	(va.) coloured-calyxed.	.....	....	—	H. 2.	
10	Perreiniána. R.S.	(pu.) Perrein's.	Spain.	....	—	H. 2.	Flugg. an. mus. 12. t. 37.
	Fluggeána.	Lehm. mon. prim. p. 36. t. 2.					
11	Pallasii. R.S.	(st.) Pallas's.	Altay.	1820.	—	H. 2.	Bot. reg. t. 896.
12	Aurícula. R.S.	(va.) Auricula.	Switzerland.	1596.	4. 5.	H. 2.	Jacq. aust. 5. t. 415.
	$\beta$ lítea.	(ye.) yellow-flowered.	.....	....	—	H. 2.	
	$\gamma$ calycántha.	(ye.) yellow-calyxed.	.....	....	—	H. 2.	
	$\delta$ intégerírima.	(va.) entire-leaved.	.....	....	—	H. 2.	Trattin. tabul. t. 431.
	$\epsilon$ horténsis.	(va.) garden.	.....	....	—	H. 2.	— t. 432.
	$\zeta$ venústa.	(pu.) Howe's Venus.	.....	....	—	H. 2.	Swt. flor. guid. t. 84.
	$\eta$ Redmáni.	(bl.) Redman's metropolitan.	....	....	—	H. 2.	— t. 69.
	$\theta$ melanocýcla.	(bk.wh.) Wild's black and clear.	.....	....	—	H. 2.	— t. 63.
	$\iota$ albifolia.	(pu.st.) Taylor's glory.	.....	....	—	H. 2.	— t. 3.
	$\kappa$ Hedgeána.	(pu.st.) Hedge's Britannia.	.....	....	—	H. 2.	— t. 22.
	$\lambda$ dílecta.	(pu.wh.) Wood's delight.	.....	....	—	H. 2.	— t. 131.
	$\mu$ Warrisiána.	(ve.gr.) Warris's union.	.....	....	—	H. 2.	— t. 134.
	$\nu$ Moreána.	(pu.gr.) More's Navarino.	.....	....	—	H. 2.	— t. 58.
	$\omicron$ Quiragiána.	(pu.gr.) Burnard's Gen. Quiraga.	.....	....	—	H. 2.	— t. 129.
	$\pi$ Hilliána.	(pu.gr.) Page's Lord Hill.	.....	....	—	H. 2.	— t. 118.
	$\rho$ violácea.	(vi.gr.) Moore's Violet.	.....	....	—	H. 2.	— t. 105.
	$\sigma$ Oldenbúrgíi.	(ve.gr.) Page's Dutchess of Oldenburgh.	.....	....	—	H. 2.	— t. 2.
	$\tau$ Alexándri.	(ve.gr.) Stretch's Alexander.	.....	....	—	H. 2.	— t. 10.
	$\upsilon$ unduláta.	(ve.gr.) Page's champion.	.....	....	—	H. 2.	— t. 15.
	$\phi$ Grimesii.	(ve.gr.) Grimes's privateer.	.....	....	—	H. 2.	— t. 29.
	$\chi$ Lawrieána.	(ve.gr.) Lawrie's Hertfordshire hero.	.....	....	—	H. 2.	— t. 94.
	$\psi$ indepéndens.	(bk.gr.) Booth's freedom.	.....	....	—	H. 2.	— t. 91.
	$\omega$ obscura.	(pu.gr.) Cockup's Eclipse.	.....	....	—	H. 2.	— t. 45.
	$\alpha\alpha$ Pollitiána.	(ve.gr.) Pollit's highland boy.	.....	....	—	H. 2.	— t. 52.
	$\beta\beta$ Smithii.	(ve.gr.) Smith's Waterloo.	.....	....	—	H. 2.	— t. 76.
	$\gamma\gamma$ gloriósa.	(ve.gr.) Lawrie's glory of Cheshunt.	.....	....	—	H. 2.	— t. 79.
13	Palinúri. R.S.	(ye.) unequal-bracted.	Naples.	1816.	—	H. 2.	Swt. br. fl. gar. t. 8.
14	Balbisii. R.S.	(ye.) Balbis's.	Italy.	1826.	—	H. 2.	Moret. fl. v. cent. p. 7. ic.
15	margináta. B.M.	(ro.) silver-edged.	Switzerland.	1777.	3. 4.	H. 2.	Bot. mag. t. 191.
	crenátá. R.S.						
16	longiflóra. R.S.	(li.) long-flowered.	.....	1818.	4. 6.	H. 2.	Jacq. aust. 5. t. 46.
17	longifolia. B.M.	(li.) long-leaved.	Levant.	1790.	4. 5.	H. 2.	Bot. mag. t. 392.
	auriculáta. R.S.						
18	farínosa. R.S.	(re.) Bird's-eye.	Britain.	....	4. 7.	H. 2.	Eng. bot. v. 1. t. 6.
19	scótica. S.S.	(pu.) Scotch bird's-eye.	Scotland.	....	7. 7.	H. 2.	Hook. fl. lond. t. 133.
20	strícta. R.S.	(li.) Horneman's.	N. Europe.	1822.	6. 7.	H. 2.	Flor. dan. t. 1385.
	Hornemanniána. S.S.						
21	davérica. R.S.	(ro.) Siberian bird's-eye.	Davuria.	1806.	5. 6.	H. 2.	Bot. mag. t. 1219.
	intermediá. B.M.						
22	pusílla. S.S.	(li.) American bird's-eye.	N. America.	1819.	—	H. 2.	Hook. ex. flor. t. 68.
23	altáica. R.S.	(li.) pale-flowered.	Altay.	1826.	3. 5.	H. 2.	Lehm. prim. t. 5.
24	finmárchica. R.S.	(vi.) Norwegian.	Norway.	1798.	—	H. 2.	Flor. dan. t. 188.
25	nivális. R.S.	(pu.) snowy mountain.	Davuria.	1790.	4. 5.	H. 2.	Pall. it. 3. app. t. 9. f. 2.
26	viscósá. R.S.	(pu.) clammy.	Piedmont.	1792.	4.	H. 2.	Trattin. tabul. t. 434.
27	glutinósa. R.S.	(vi.) glutinous.	S. Europe.	1820.	3. 6.	H. 2.	Jacq. aust. t. 26.
28	carniólica. R.S.	(vi.) elliptic-leaved.	Carniola.	1826.	—	H. 2.	— 5. t. 4.
29	glaucescens. S.S.	(pu.) glaucous.	Switzerland.	—	—	H. 2.	Swt. br. fl. gar. t. 254.
30	integrifolia. R.S.	(pu.) entire-leaved.	Pyrenees.	—	6. 7.	H. 2.	Bot. mag. t. 942.
31	Simsii.	(st.) Sims's.	Switzerland.	....	4. 6.	H. 2.	— t. 1161.
	villósa $\beta$ flóre álbo. B.M.						
32	nívea. F.	(wh.) snowy white.	Siberia.	....	—	H. 2.	
	nivális. Hort. nec aliorum.						
33	helvética. B.C.	(pu.) Swiss.	Switzerland.	1790.	—	H. 2.	Lodd. bot. cab. t. 348.
34	pubéscens. R.S.	(pu.) pubescent.	Pyrenees.	1768.	—	H. 2.	Trattin. tabul. t. 427.
	villósa. B.M. 14. non Jacq.						
35	villósa. R.S.	(pu.) villous.	S. Europe.	—	—	H. 2.	Jacq. aust. 5. t. 27.
36	ciliáta. R.S.	(pu.) ciliated.	Switzerland.	....	—	H. 2.	Swt. br. fl. gar. s. 2.
	decóra. Bot. mag. t. 1922.						
37	mínima. R.S.	(pu.) smallest.	.....	1819.	4. 5.	H. 2.	Bot. reg. t. 581.

35 involucrata. L.O. (ye.) involucred.	Egypt.	1826.	3. 4.	F. 2.	Bot. mag. t. 2842.	
<i>verticillata</i> . B.M. non Vahl. nec Forsk.						
ANDROSACE. L.	ANDROSACE.	Pentandria Monogynia. L.				
1 maxima. R.S. (wh.) oval-leaved.	Austria.	1597.	3. 6.	H. 0.	Jacq. aust. 4. t. 331.	
2 elongata. R.S. (wh.) cluster-flowered.	—	1776.	4. 5.	H. 0.	— 4. t. 330.	
3 nana. R.S. (wh.) dwarf.	S. Europe.	1825.	—	H. 0.	—	
4 septentrionalis. R.S. (wh.) tooth-leaved.	Russia.	1755.	—	H. 0.	Bot. mag. t. 2021.	
5 alismoides. H.H. (wh.) Alisma-like.	Siberia.	1827.	—	H. 0.	—	
6 coronopifolia. A.R. (wh.) Buckshorn-ld.	—	1806.	6. 9.	H. 2.	Andr. reposit. t. 647.	
<i>lactiflora</i> R.S.						
7 filiformis. R.S. (wh.) filiform.	—	1823.	—	H. 0.	Gmel. sib. 4. t. 44. f. 4.	
8 villosa. R.S. (bh.) villous.	Pyrenees.	1790.	6. 7.	H. 2.	Bot. mag. t. 743.	
9 chamæjasme. R.S. (bh.) grass-leaved.	Austria.	1768.	6. 8.	H. 2.	Lodd. bot. cab. t. 232.	
10 brevifolia. R.S. (wh.) short-leaved.	Siberia.	1827.	—	H. 2.	Vill. delph. 2. t. 15.	
11 macrocarpa. Led. (wh.) large-capsuled.	—	—	—	H. 0.	—	
12 lactea. R.S. (wh.) white-flowered.	—	1752.	—	H. 2.	Bot. mag. t. 868.	
13 carnea. R.S. (ro.) awl-leaved.	Switzerland.	1768.	7. 8.	H. 2.	Lodd. bot. cab. t. 40.	
14 obtusifolia. R.S. (bh.) blunt-leaved.	—	1820.	—	H. 2.	All. ped. 1. t. 46. f. 1.	
15 albana. R.S. (bh.) capitate.	Caucasus.	1827.	—	H. 2.	Linn. trans. 11. t. 33.	
16 acaulis. Ot. (wh.) stalkless.	Siberia.	1825.	—	H. 2.	—	
ARËTIA. W.	ARËTIA.	Pentandria Monogynia. L.				
1 helvetica. w. (st.) imbricated.	Switzerland.	1775.	5. 6.	H. 2.	Schk. hand. 1. t. 32.	
2 argentea. (st.) silvery.	—	1826.	—	H. 2.	Lap. pyr. ic. ined. t. 67.	
<i>Androsace argentea</i> . R.S.						
3 alpina. w. (pi.) linear-leaved.	—	1775.	—	H. 2.	Jacq. aust. 5. app. t. 18.	
4 pubescens. L.C. (pi.) pubescent.	—	1820.	—	H. 2.	Lodd. bot. cab. t. 1273.	
5 Vitaliana. w. (ye.) grass-leaved.	Pyrenees.	1787.	—	H. 2.	— t. 166.	
<i>Primula sedifolia</i> . P.L. 107. <i>Androsace Vitaliana</i> . R.S.						
TRIENTALIS. W.	WINTER-GREEN.	Heptandria Monogynia. L.				
1 europæa. w. (wh.) oval-leaved.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 1. t. 15.	
2 americana. Ph. (wh.) spear-leaved.	N. America.	1816.	7. 8.	H. 2.	Bart. flor. amer. 2. t. 48.	
CORIS. L.	CORIS.	Pentandria Monogynia. L.				
1 monspeliensis. L. (vi.)	Montpelier.	S. Europe.	1640.	6. 7.	G. 2.	Bot. reg. t. 536.
HOTTONIA. L.	WATER-VIOLET.	Pentandria Monogynia. L.				
1 palustris. E.B. (pi.) marsh.	England.	....	7. 8.	H. w. 2.	Eng. bot. v. 6. t. 364.	
LYSIMACHIA. L.	LOOSE-STRIPE.	Pentandria Monogynia. L.				
1 vulgaris. R.S. (ye.) common.	Britain.	....	7. 9.	H. 2.	Eng. bot. v. 11. t. 761.	
2 Ephemerum. R.S. (wh.) Willow-leaved.	Spain.	1730.	—	H. 2.	Bot. mag. t. 2346.	
3 atropurpurea. R.S. (d. pu.) dark purple.	Levant.	1700.	—	H. 0.	Flor. græc. t. 187.	
4 dubia. R.S. (li.) pale purple.	—	1759.	—	H. 2.	— t. 188.	
5 stricta. R.S. (ye.) upright.	N. America.	1781.	7. 8.	H. 2.	Bot. mag. t. 104.	
<i>bulbifera</i> . B.M. <i>racemosa</i> . M.						
6 capitata. R.S. (ye.) headed.	—	1813.	5. 7.	H. 2.	—	
7 thyrsoiflora. R.S. (ye.) tufted.	England.	....	—	H. 2.	Eng. bot. v. 3. t. 176.	
8 quadrifolia. R.S. (ye.) four-leaved.	N. America.	1798.	7. 8.	H. 2.	Lam. ill. 1. t. 101. f. 2.	
<i>hirsuta</i> . M.						
9 longifolia. R.S. (ye.) long-leaved.	—	—	—	H. 2.	Bot. mag. t. 660.	
<i>quadriflora</i> . B.M.						
10 lanceolata. R.S. (ye.) spear-leaved.	—	1826.	—	H. 2.	—	
11 verticillata. R.S. (ye.) whorl-leaved.	Hungary.	1818.	6. 8.	H. 2.	Swt. br. fl. gar. t. 21.	
12 ciliata. R.S. (ye.) ciliated.	N. America.	1732.	—	H. 2.	Wachend. hort. t. 12.	
13 punctata. R.S. (ye.) punctated.	S. Europe.	1658.	7. 8.	H. 2.	Jacq. aust. 4. t. 366.	
14 angustifolia. R.S. (ye.) narrow-leaved.	N. America.	1803.	7. 9.	H. 2.	—	
15 hybrida. R.S. (ye.) hybrid.	—	1806.	—	H. 2.	—	
16 nemorum. R.S. (ye.) wood.	Britain.	....	5. 7.	H. 2.	Eng. bot. v. 8. t. 527.	
17 anagalloides. F.G. (ye.) Pimpernell-fl'd.	Crete.	1789.	—	F. 2.	Flor. græc. t. 198.	
18 maculata. B.P. (ye.) spotted.	N. S. W.	1822.	—	G. 2.	—	
19 Nummularia. R.S. (ye.) Moneywort.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 8. t. 528.	
LUBINIA. S.S.	LUBINIA.	Pentandria Monogynia. S.S.				
1 atropurpurea. s.s. (pu.) dark-purple.	C. B. S.	1823.	7. 9.	H. 2.	Swt. br. fl. gar. s. 2. t. 34.	
ASTEROLINON. Lk.	ASTEROLINON.	Pentandria Monogynia. Len.				
1 stellatum. L.en. (bh.) stary.	Italy.	1658.	6.	H. 0.	Flor. græc. t. 189.	
<i>Lysimachia Linum-stellatum</i> . F.G.						
ANAGALLIS. L.	PIMPERNELL.	Pentandria Monogynia. L.				
1 arvensis. E.B. (sc.) red-flowered.	Britain.	....	6. 9.	H. 0.	Eng. bot. v. 8. t. 529.	
<i>phanicea</i> . R.S.						
2 carnea. Schl. (fl.) flesh-coloured.	Switzerland.	—	—	H. 0.	—	
3 indica. B.F.G. (bl.) Indian.	E. Indies.	1824.	—	H. 0.	Swt. br. fl. gar. t. 132.	
4 cœrulea. R.S. (bl.) blue-flowered.	Britain.	....	—	H. 0.	Eng. bot. v. 26. t. 1823.	

5 collina. R.S.	(sc.) large-flowered.	Morocco.	1803.	5. 7.	G. ♂.	Bot. mag. t. 831.
<i>fruticosa</i> . B.M.	<i>grandiflora</i> . A.R.	367.				
6 latifolia. R.S.	(bl.) broad-leaved.	Spain.	1759.	—	G. ♂.	Bot. mag. t. 2389.
7 Monelli. R.S.	(bl.) blue Italian.	Italy.	1648.	5. 9.	G. ♀.	— t. 319.
8 linifolia. R.S.	(bl.) Flax-leaved.	Portugal.	1796.	6. 7.	G. ♀.	Moris. s. 5. t. 26. f. 3.
9 tenella. R.S.	(ro.) bog.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 8. t. 530.
CENTUNCULUS. L.	BASTARD PIMPERNEL.	Tetrandria Monogynia. L.				
minimus. E.B.	(fl.) least.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. v. 3. t. 531.
? SAMOLUS. B.P.	BROOK-WEED.	Pentandria Monogynia. L.				
1 Valerandi. E.B.	(wh.) common.	Britain.	....	6. 8.	H. ♀.	Eng. bot. v. 10. t. 703.
2 littoralis. E.P.	(wh.) sea-side.	N. S. W.	1806.	7. 9.	G. ♀.	Lab. n. hcll. 1. t. 54.
3 campanuloides. s.s.	(w.) Campanula like.	C. B. S.	1816.	—	G. ♀.	
	<i>Campanula porosa</i> . W.					

## ORDO CLXI.

GLOBULARIÆ. *Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.*

GLOBULARIA. L.	GLOBULARIA.	Tetrandria Monogynia. L.				
1 longifolia. w.	(bl.) Willow-leaved.	Madeira.	1775.	7. 8.	G. ♀.	Bot. reg. t. 685.
<i>salicina</i> . R.S.						
2 Alypum. R.S.	(pa.bl.) three-toothed.	S. Europe.	1640.	8. 9.	G. ♀.	Garid. aix. t. 42.
β <i>integrifolia</i> . (pa.bl.)	<i>entire-leaved</i> .	—	....	—	G. ♀.	Rœm. et Ust. b. m. 7. t. 5.
3 linifolia. R.S.	(bl.) Flax-leaved.	Spain.	1818.	5. 6.	H. ♀.	
4 vulgaris. R.S.	(bl.) common.	Europe.	1640.	—	H. ♀.	Swt. br. fl. gar. t. 20.
5 spinosa. R.S.	(bl.) prickly-leaved.	Spain.	—	—	F. ♀.	
6 cordifolia. R.S.	(bl.) wedge-leaved.	Germany.	1633.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 34.
7 nana. R.S.	(li.) dwarf.	S. France.	1818.	—	H. ♀.	DC. ic. pl. gal. rar. 1. t. 3.
8 nudicaulis. R.S.	(bl.) naked-stalked.	Germany.	1629.	—	H. ♀.	Jacq. aust. 3. t. 230.
9 bellidifolia. R.S.	(bl.) Daisy-leaved.	Italy.	1824.	—	H. ♀.	
10 incanescens. R.S.	(pu.) hoary.	—	1828.	—	H. ♀.	Viv. frag. it. 1. t. 3.

\*\*\*\* SUBCLASSIS IV. *MONOCHLAMYDEÆ.*

## ORDO CLXII.

PLUMBAGINEÆ. *Brown prodr. 1. p. 425.*

STACE. T.	THRIFT.	Pentandria Pentagynia. L.				
1 vulgaris.	(pa. li.) common.	Europe.	....	6. 8.	H. ♀.	Schk. handb. t. 87.
<i>Armèria vulgaris</i> . R.S.						
2 arenaria. P.S.	(li.) sand.	France.	....	5. 8.	H. ♀.	
3 alpina.	(vi.) flattish-stalked.	Cariuthia.	....	—	H. ♀.	
4 littoralis.	(vi.) ciliate-leaved.	Portugal.	....	—	H. ♀.	
<i>Armèria littoralis</i> . R.S.						
5 maritima. Mill.	(ro.) sea-side.	Britain.	....	5. 7.	H. ♀.	Eng. bot. v. 4. t. 226.
<i>Armèria</i> . E.B. <i>Armèria maritima</i> . R.S.						
6 humilis. P.S.	(li.) dwarf.	Portugal.	....	—	H. ♀.	
7 juniperifolia. w.	(li.) Juniper-leaved.	Spain.	1818.	—	H. ♀.	Quer. hisp. 6. t. 15. f. 1.
8 pinifolia. Brot.	(li.) Pine-leaved.	Portugal.	....	—	H. ♀.	
9 pungens. Brot.	(li.) pungent-leav'd.	—	....	—	H. ♀.	
10 alliacea. w.	(wh.) Garlic-leaved.	Spain.	1798.	5. 6.	H. ♀.	Flor. grac. t. 29.
11 scorzonrifolia.	(li.) spear-leaved.	S. Europe.	1816.	—	H. ♀.	
<i>Armèria scorzonrifolia</i> . s.s.						

12	lusitânica. P.S.	(sc.) large-leaved.	S. Europe.	1814.	5. 6.	F. 4.	
13	latifolia. (li.)	broad-leaved.	Portugal.	1740.	5. 7.	H. 4.	Jacq. vind. 1. t. 42.
	<i>cephalotes</i> . H.K.	<i>Arméria latifolia</i> . R.S.					
14	plantaginea. (li.)	Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. 4.	
15	denticulata. Brot. (fl.)	tooth-leaved.	Italy.	—	—	H. 4.	
16	dianthoides. B.F.G. (li.)	Pink-like.	S. Europe.	1824.	5. 7.	H. 4.	Swt. br. fl. gar. ser. 2.
	<i>Arméria dianthoides</i> . s.s.						
17	hirta. (li.)	hairy.	Gibraltar.	1818.	—	H. 4.	
	<i>Arméria hirta</i> . R.S.						
18	fasciculata. P.S. (li.)	bundle-leaved.	Portugal.	....	4. 8.	H. 4.	Venten. cels. t. 38.
TAXANTHEMA, B.P. SEA LAVENDER. Pentandria Pentagynia.							
1	graminifolia. R.S. (sc.)	Grass-leaved.	Siberia.	1780.	6. 7.	H. 4.	
2	Limonium. R.S. (bl.)	common.	England.	....	5. 8.	H. 4.	Eng. bot. v. 2. t. 102.
	<i>Státice Limonium</i> . E.B.						
3	elata. s.s. (bl.)	tall.	Siberia.	1824.	—	H. 4.	
4	Gmelini. R.S. (bl.)	Gmelin's.	—	1796.	6. 8.	H. 4.	Gmel. sib. 2. t. 90.
5	caroliniana. R.S. (bl.)	Carolina.	N. America.	1824.	—	H. 4.	
6	scoparia. R.S. (bl.)	Broom.	Siberia.	1796.	—	H. 4.	
7	latifolia. R.S. (bl.)	broad-leaved.	—	1791.	5. 7.	H. 4.	Hoff. c. gott. 1796. t. 1.
8	purpurata. R.S. (pu.)	purple.	C. B. S.	1800.	6. 7.	G. 4.	
9	bellidifolia. R.S. (bl.)	Daisy-leaved.	Greece.	1823.	—	G. 4.	Flor. græc. t. 295.
10	globulariæfolia. R.S. (li.)	Globularia-leav'd.	S. Europe.	—	—	F. 4.	— t. 296.
11	oleæfolia. R.S. (vi.)	Olive-leaved.	Italy.	1688.	5. 8.	H. 4.	Lobel. ic. p. 295. f. 2.
12	Willdenowiana. R.S. (vi.)	Willdenow's.	S. France.	1804.	6. 8.	H. 4.	Willd. h. ber. t. 63.
	<i>Státice spathulata</i> . w. non Desf.						
13	auriculæfolia. R.S. (bl.)	Auricula-leav'd.	Barbary.	1781.	7. 8.	F. 4.	
14	incana. B.F.G. (re.)	hoary.	Levant.	1823.	—	H. 4.	Swt. br. fl. gar. t. 272.
	<i>a sanguinea</i> . (cr.)	crimson-flowered.	—	—	—	H. 4.	— t. 272. f. 1.
	$\beta$ rosea. (ro.)	rose-coloured.	—	—	—	H. 4.	— t. 272. f. 2.
	$\gamma$ alba. (wh.)	white-flowered.	—	—	—	H. 4.	
15	spatulata. R.S. (bl.)	spatula-leaved.	Barbary.	1804.	6. 8.	F. 4.	Bot. mag. t. 1617.
16	cordata. R.S. (bl.)	retuse-leaved.	S. Europe.	1752.	5. 7.	F. 4.	Barrel. ic. 805.
17	emarginata. R.S. (bl.)	emarginate.	Gibraltar.	....	—	F. 4.	
18	caspia. R.S. (pa. bl.)	Caspian.	Siberia.	....	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 2.
19	scabra. R.S. (bl.)	rough-branch'd.	C. B. S.	1788.	5. 7.	G. 4.	
20	tetragona. R.S. (bl.)	square-stalked.	—	1816.	—	G. 4.	
21	reticulata. R.S. (bl.)	matted.	England.	....	7. 8.	H. 4.	Eng. bot. v. 5. t. 328.
	<i>Státice reticulata</i> . E.B.						
22	dichotoma. R.S. (bl.)	forked.	Spain.	1818.	—	H. 4.	Cavan. ic. 1. t. 50.
23	virgata. R.S. (bl.)	twiggy.	—	....	—	H. 4.	
24	viminea. R.S. (bl.)	slender.	.....	1823.	—	H. 4.	
25	echioides. F.G. (li.)	rough-leaved.	S. Europe.	1752.	—	F. 4.	Flor. græc. t. 299.
26	rorida. F.G. (pa. bl.)	frosted.	Levant.	—	—	F. 4.	— t. 298.
	<i>echioides</i> . Prodr. fl. græc. non L.						
27	palmaris. F.G. (ro.)	rosy-coloured.	—	1826.	—	F. 4.	Flor. græc. t. 297.
28	speciosa. B.F.G. (re.)	Plantain-leaved.	Russia.	1776.	—	H. 4.	Swt. br. fl. gar. t. 105.
	<i>Státice speciosa</i> . Bot. mag. 656.						
29	conspicua. R.S. (re.)	conspicuous.	—	1804.	—	H. 4.	Bot. mag. t. 1629.
	<i>Státice conspicua</i> . B.M.						
30	tatarica. B.F.G. (re.)	Tartarian.	—	1731.	6. 7.	H. 4.	Swt. br. fl. gar. t. 37.
31	acerosa. M.B. (re.)	needle-leaved.	M. Ararat.	1829.	—	F. 4.	Buxb. cent. 2. p. 18. t. 10.
32	flexuosa. R.S. (ro.)	zigzag.	Siberia.	1791.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 1?
33	minuta. R.S. (li.)	small.	S. Europe.	1658.	6. 7.	H. 4.	Bocc. sic. t. 13. f. 3.
34	pectinata. R.S. (bl.)	triangular-stalk'd.	Canaries.	1780.	9. 10.	F. 4.	
35	cinerea. R.S. (wh.)	ash-coloured.	C. B. S.	1822.	—	G. 4.	
36	macrophylla. s.s. (bl. w.)	large-leaved.	Canaries.	1816.	7. 9.	F. 4.	
37	suffruticosa. R.S. (li.)	narrow-leaved.	Siberia.	1779.	5. 9.	H. 4.	Gmel. sib. 2. t. 88. f. 2. 3.
38	monopetala. R.S. (pu.)	Sicilian shrubby.	Sicily.	1731.	7. 8.	F. 4.	Bocc. sic. t. 16. 17.
39	cylindrifolia. R.S. (vi.)	round-leaved.	N. Africa.	1738.	—	G. 4.	
40	ferulæa. R.S. (ye.)	Fennel-like.	Siberia.	1796.	5.	H. 4.	Moris. s. 15. t. 1. f. 23.
41	sinuata. R.S. (bl. ye.)	scollop-leaved.	Levant.	1629.	5. 9.	F. 4.	Bot. mag. t. 71.
42	Thouini. R.S. (bl. ye.)	Thouin's.	Africa.	1738.	6. 10.	F. 4.	Mart. cent. t. 84.
43	alata. R.S. (ye.)	winged.	.....	1806.	—	F. 4.	
44	spicata. R.S. (wh.)	spiked.	Caucasus.	1828.	8. 10.	H. 4.	Gmel. sib. 2. t. 91. f. 2.
45	ægyptiaca. R.S. (wh.)	Egyptian.	Egypt.	1816.	6. 10.	F. 4.	Bot. mag. t. 2363.
46	mucronata. R.S. (li.)	curled.	Barbary.	1784.	—	F. 4.	L'Herit. stirp. t. 13.
PLUMBAGO, L. LEADWORT. Pentandria Monogynia, L.							
1	europæa. R.S. (vi.)	European.	S. Europe.	1596.	9. 10.	H. 4.	Bot. mag. t. 2139.
2	lapathifolia. R.S. (wh.)	Dock-leaved.	Iberia.	1824.	—	H. 4.	

3	capensis. R.S.	(bl.) blue-flowered.	C. B. S.	1818.	9. 3.	S. h.	Bot. reg. t. 417.
4	tristis. H.K.	(br.) dark-flowered.	—————	1792.	5. 6.	G. h.	
5	zeylânica. R.S.	(wh.) Ceylon.	E. Indies.	1731.	4. 9.	S. h.	Rheed. mal. 10. t. 8.
6	occidentâlis.	(wh.) West Indian.	W. Indies.	1817.	—	S. h.	
	zeylânica $\beta$ . R.S.	scândens. Hort.					
7	mexicana. K.S.	(vi.) Mexican.	Mexico.	1829.	4. 8.	S. $\gamma$ .	
8	rosea. R.S.	(ro.) rose-coloured.	E. Indies.	1777.	3. 7.	S. h.	Bot. mag. t. 230.
9	scândens. R.S.	(wh.) climbing.	W. Indies.	1699.	7. 8.	S. h.	Jacq. amer. pict. t. 13.
10	rhomboidea. B.M.	(bl.) rhomboid-leaved.	.....	1828.	8. 10.	S. $\odot$ .	Bot. mag. t. 2917.
11	micrantha. F.	(pu.) small-flowered.	Persia.	1829.	6. 8.	H. $\odot$ .	

## ORDO CLXIII.

PLANTAGINEÆ. *Juss. gen. 89.*

GLAUX. L.	BLACK SALTWORT.	Pentandria Monogynia. L.					
maritima. R.S.	(li.) sea-side.	Britain.	....	5. 6.	H. $\gamma$ .	Eng. bot. v. 1. t. 13.	
PLANTAGO. L.	PLANTAIN.	Tetrandria Monogynia. L.					
1	major. R.S.	(gr.) greater.	Britain.	....	5. 7.	H. $\gamma$ .	Eng. bot. v. 22. t. 1558.
	$\beta$ rosea.	(gr.) rose-bracted.	—————	....	—	H. $\gamma$ .	
2	asiatica. R.S.	(li.) broad-leaved.	Siberia.	1787.	7.	H. $\gamma$ .	Gmel. sib. 4. t. 37. ?
3	Cornuti. R.S.	(wh.) Cornuti's.	S. Europe.	1801.	7. 8.	H. $\gamma$ .	Corn. canad. p. 163. ic.
	Gouani. s.s.						
4	Brutia. R.S.	(wh.) Calabrian.	Calabria.	1824.	—	H. $\gamma$ .	
5	gentianoides. s.s.	(wh.) Gentian-like.	Greece.	1826.	5. 8.	H. $\gamma$ .	
6	exaltata. R.S.	(wh.) tallest.	.....	1824.	7. 8.	H. $\gamma$ .	
7	cordata. R.S.	(wh.) heart-leaved.	N. America.	1818.	—	H. $\gamma$ .	Jacq. f. ecl. t. 72.
8	máxima. R.S.	(li.) hollow-leaved.	Siberia.	1763.	—	H. $\gamma$ .	Jacq. ic. 1. t. 26.
9	crassa. s.s.	(wh.) succulent.	S. Europe.	1793.	6. 7.	H. $\gamma$ .	Jacq. col. sup. 34. t. 16.
	crispa. Jacq.						
10	media. R.S.	(li.) hoary.	Britain.	....	5. 7.	H. $\gamma$ .	Eng. bot. v. 22. t. 1559.
11	camtschatica. s.s.	(wh.) Kamtschatkan.	Kamtschatka.	1819.	—	H. $\gamma$ .	
12	lanceolata. R.S.	(br.) Rib-grass.	Britain.	....	—	H. $\gamma$ .	Eng. bot. v. 8. t. 507.
13	sibirica. R.S.	(wh.) Siberian.	Siberia.	1823.	—	H. $\gamma$ .	
14	eriophora. R.S.	(wh.) woolly-leaved.	Portugal.	1825.	—	H. $\gamma$ .	
15	montana. R.S.	(wh.) mountain.	S. Europe.	1823.	—	H. $\gamma$ .	
16	capensis. R.S.	(wh.) Cape.	C. B. S.	1788.	5. 8.	G. $\gamma$ .	
17	altissima. R.S.	(wh.) tall.	Italy.	1774.	6. 7.	H. $\gamma$ .	Jacq. obs. 4. t. 83.
18	Schöttii. R.S.	(br.) Schott's.	Dalmatia.	1829.	—	H. $\gamma$ .	
19	Lagopus. R.S.	(br.) round-headed.	Spain.	1683.	—	H. $\gamma$ .	Flor. græc. t. 144.
20	eriotachya. R.S.	(wh.) woolly-spiked.	Naples.	1825.	7. 8.	H. $\odot$ .	
21	sphærocéphala. R.S.	(w.) round-headed.	Austria.	1774.	6. 7.	H. $\gamma$ .	Jacq. vind. 2. t. 125.
	alpina. Jacq. non L.						
22	lusitânica. R.S.	(st.) Portugal.	Portugal.	1781.	7. 8.	H. $\gamma$ .	Barrel. ic. t. 745.
23	pseudo-lusitânica. R.S.	five-nerved.	—————	1819.	—	H. $\gamma$ .	
24	virginica. R.S.	(gr.) Virginian.	N. America.	1688.	6. 9.	H. $\odot$ .	Moris. s. 8. t. 15. f. 8.
25	depressa. R.S.	(br.) depressed.	—————	1818.	—	H. $\gamma$ .	
26	sparsiflora. R.S.	(bh.) scattered-flowered.	—————	—	—	H. $\odot$ .	
27	saxatilis. R.S.	(wh.) rock.	Iberia.	1820.	6. 8.	H. $\gamma$ .	
28	hungarica. R.S.	(br.) Hungarian.	Hungary.	1824.	—	H. $\gamma$ .	W. et K. hung. 3. t. 203.
29	sericea. R.S.	(wh.) silky.	—————	1820.	—	H. $\gamma$ .	————— t. 151.
	argentea. DC.						
30	albicans. R.S.	(br.) woolly.	S. Europe.	1776.	6. 9.	H. $\gamma$ .	Flor. græc. t. 145.
31	mexicana. s.s.	(wh.) Mexican.	Mexico.	1820.	6. 7.	H. $\gamma$ .	
32	patagonica. R.S.	(wh.) Patagonian.	Patagonia.	1793.	6. 9.	H. $\odot$ .	Jacq. ic. 2. t. 306.
33	victoriâlis. R.S.	(wh.) Victoria.	S. Europe.	1824.	—	H. $\gamma$ .	
34	holosericea. R.S.	(wh.) hairy-scaped.	Switzerland.	—	—	H. $\gamma$ .	
35	microcephala. R.S.	(wh.) small-headed.	.....	....	—	H. $\odot$ .	
36	Bellardi. R.S.	(br.) Bellardi's.	S. Europe.	1797.	—	H. $\odot$ .	Flor. græc. t. 146.
37	cretica. R.S.	(st.) Cretan.	Candia.	1711.	6. 7.	H. $\odot$ .	————— t. 147.
38	graminea. R.S.	(wh.) grass-leaved.	France.	1804.	—	H. $\gamma$ .	Dod. pempt. 108. ic.
39	maritima. R.S.	(gr.) sea-side.	Britain.	....	7.	H. $\gamma$ .	Eng. bot. v. 3. t. 175.
40	salsa. R.S.	(wh.) saltwort.	Tauria.	1819.	—	H. $\gamma$ .	
41	crassifolia. R.S.	(br.) thick-leaved.	Egypt.	1824.	—	H. $\gamma$ .	
42	hirsuta. R.S.	(wh.) hairy.	C. B. S.	1801.	6. 7.	G. $\gamma$ .	Jacq. schœn. 3. t. 258.

43	tùmida. L.en.	(wh.)	tumid-capsuled. Chile.	1819.	6. 7.	H. ⊙.	
44	alpina. R.S.	(li.)	Alpine. S. Europe.	1774.	—	H. ♀.	
45	tenuiflora. R.S.	(br.)	slender-flowered. Hungary.	1819.	—	H. ⊙.	W. et K. hung. 1. t. 39.
46	bidentata. R.S.	(wh.)	white margined. Switzerland.	1824.	—	H. ♀.	
47	serpentina. R.S.	(wh.)	serpentine. S. France.	1826.	—	H. ♀.	
48	recurvata. R.S.	(wh.)	recurved-leaved. S. Europe.	1799.	—	H. ♂.	Murr. c. gott. 1780. t. 6.
49	Wulfeni. R.S.	(wh.)	Wulfen's. Carinthia.	1802.	—	H. ♀.	
50	subulata. R.S.	(wh.)	awl-leaved. S. Europe.	1596.	7.	H. ♀.	Lobel. ic. 429.
51	Holósteum. R.S.	(wh.)	Scopoli's. Carniola.	1825.	7. 8.	H. ♀.	Jacq. coll. 1. t. 10.
52	elongata. R.S.	(wh.)	long-spiked. Louisiana.	1821.	—	H. ♀.	
53	humifusa. Ber.	(wh.)	trailing. . . . .	1825.	—	H. ♀.	
54	canescens. Schr.	(wh.)	canescent. . . . .	1826.	7. 9.	H. ⊙.	
55	micrantha. Led.	(gr.)	small-flowered. Siberia.	1829.	6. 8.	H. ♀.	
56	Corónopus. R.S.	(gr.)	star of the earth. Britain.	....	4. 9.	H. ⊙.	Eng. bot. v. 13. t. 892.
57	Jacquin. R.S.	(wh.)	Jacquin's. S. Europe.	1801.	7. 8.	H. ♀.	Jacq. ic. 1. t. 27.
	<i>Cornuti.</i> Jacq.						
58	Serraria. R.S.	(wh.)	saw-leaved. Barbary.	1640.	6. 7.	H. ♀.	Moris. s. 8. t. 16. f. 19.
59	macrorrhiza. R.S.	(br.)	large-rooted. Morocco.	1798.	7. 8.	H. ♀.	Bocc. sic. t. 15. f. 2.
60	Læflingii. R.S.	(br.)	narrow-leaved. Spain.	....	—	H. ⊙.	Jacq. vind. 2. t. 126.
61	amplexicaulis. R.S.	(br.)	stem-clasping. . . . .	1797.	6. 7.	H. ⊙.	Cavan. ic. 2. t. 125.
62	villosa. R.S.	(gr.)	villous. Germany.	1804.	—	H. ⊙.	
63	vaginata. R.S.	(li.)	sheathed. Canaries.	1816.	—	G. ♀.	Venten. cels. t. 29.
64	Cynops. R.S.	(gr.)	shrubby. S. Europe.	1596.	5. 8.	H. ♀.	Jacq. fragm. t. 182.
65	áfra. R.S.	(wh.)	Barbary. Barbary.	1640.	6.	F. ♀.	Moris. s. 8. t. 17. f. 4.
66	divaricata. R.S.	(wh.)	spreading. . . . .	1824.	—	H. ♀.	
67	squarrosa. R.S.	(wh.)	leafy-spiked. Egypt.	1787.	8. 9.	H. ⊙.	Jacq. ic. 1. t. 28.
68	Psyllium. R.S.	(bh.)	Fleawort. S. Europe.	1562.	7. 8.	H. ⊙.	Flor. græc. t. 149.
69	arenaria. R.S.	(wh.)	sand. Hungary.	1804.	5. 8.	H. ⊙.	W. et K. hung. 1. t. 51.
70	stricta. R.S.	(bh.)	upright. Morocco.	—	7. 8.	H. ⊙.	Moris. s. 3. 8. t. 17. f. 2.
71	sícua. R.S.	(wh.)	Sicilian. Sicily.	1820.	7. 10.	H. ⊙.	
72	parviflora. R.S.	(br.)	small-flowered. Barbary.	1826.	—	H. ⊙.	
73	Ispághul. R.S.	(wh.)	East Indian. E. Indies.	1819.	7. 8.	S. ⊙.	
74	indica. R.S.	(wh.)	Indian. India.	1780.	—	H. ⊙.	
75	púmila. R.S.	(wh.)	dwarf. S. Europe.	1790.	—	H. ⊙.	Murr. c. gott. 1778. t. 5.
76	nítida. R.S.	(bl.)	glossy. . . . .	1822.	7. 10.	H. ⊙.	
77	brasilensis. B.M.	(wh.)	Brazilian. Brazil.	—	—	S. ♀.	Bot. mag. t. 2616.
	LITTORELLA. L.		SHORE-WEED. Monœcia Tetrandria. L.				
	lacustris. E.B.	(gr.)	Plantain-leaved. Britain.	....	6. 9.	H. ♀.	Eng. bot. v. 7. t. 468.

ORDO CLXIV.

NYCTAGINEÆ. *Juss. gen. 90.*

OXYBA'PHUS. R.S.	UMBRELLA-WORT.	Triandria Monogynia R.S.					
1	viscósus. R.S.	(pu.)	viscid. Pern.	1793.	5. 9.	H. ♀.	Bot. mag. t. 434.
2	glabrifolius. R.S.	(pu.)	smooth-leaved. New Spain.	1811.	7. 8.	H. ♀.	Cavan. ic. 4. t. 379.
3	ovátus. R.S.	(re.)	oval-leaved. Peru.	1820.	—	H. ♀.	Flor. peruv. 1. t. 75. f. b.
4	Cervantèsii. Lag.	(pu.)	Cervantes'. Mexico.	1822.	7. 10.	H. ♀.	Swt. br. fl. gar. t. 84.
5	expansus. R.S.	(pu.)	expanded. Lima.	—	—	H. ♀.	Flor. peruv. 1. t. 75. f. a.
6	aggregátus. R.S.	(re.)	aggregate. New Spain.	1811.	—	H. ♀.	Cavan. ic. 5. t. 437.
7	nyctaginea. N.	(re.)	heart-leaved. Missouri.	1823.	7. 9.	H. ♀.	
	<i>Alliönia nyctaginea.</i> M.		<i>Calymènia nyctaginea.</i> N.				
8	álbida. N.	(li.)	white-leaved. Carolina.	1824.	—	H. ⊙.	
9	pilosa. N.	(re.)	pilose. Missouri.	1812.	—	H. ⊙.	
	<i>Calymènia pilosa.</i> N.		<i>Alliönia ovata.</i> Ph.				
10	hirsúta. N.	(re.)	hairy. Louisiana.	—	—	H. ♀.	
11	angustifolia. (li.)		narrow-leaved. . . . .	—	—	H. ♀.	
	<i>Alliönia lineáris.</i> Ph.		<i>Calymènia angustifolia.</i> N.				
12	decumbens. N.	(li.)	decumbent. Missouri.	1818.	—	H. ♀.	
MIRA'BILIS. R.S.	MARVEL OF PERU.	Pentandria Monogynia. L.					
1	dichótoma. R.S.	(re, wh.)	forked. Mexico.	1640.	7. 8.	G. ♀.	P'lenck ic. off. t. 139.
	<i>a rubra.</i>	(re.)	red-flowered. . . . .	—	—	F. ♀.	
	<i>β álba.</i>	(wh.)	white-flowered. . . . .	—	—	F. ♀.	

2	Jalápa. R.S.	( <i>va.</i> ) common.	India.	1596.	6. 9.	H. ♀.	Bot. mag. t. 371.
	<i>a álba.</i>	( <i>wh.</i> ) white-flowered.	————	————	————	H. ♀.	
	<i>β flava.</i>	( <i>ye.</i> ) yellow-flowered.	————	————	————	H. ♀.	
	<i>γ rubra.</i>	( <i>re.</i> ) red-flowered.	————	————	————	H. ♀.	
	<i>δ rubro-flava.</i>	( <i>re. ye.</i> ) red and yellow.	————	————	————	H. ♀.	
	<i>ε rubro-álba.</i>	( <i>re. wh.</i> ) red and white.	————	————	————	H. ♀.	
3	hy'brida. R.S.	( <i>re.</i> ) hybrid.	Hybrid.	1818.	6. 9.	H. ♀.	
4	longiflora. R.S.	( <i>wh.</i> ) long-flowered.	Mexico.	1759.	————	H. ♀.	Sm. exot. bot. 1. t. 23.
5	suavèolens. K.S.	( <i>wh.</i> ) sweet-scented.	————	1824.	————	H. ♀.	
ABR'ONIA. R.S.		ABR'ONIA.		Pentandria Monogynia.	R.S.		
1	umbellata. R.S.	( <i>bh.</i> ) flesh-coloured.	California.	1823.	6. 8.	H. ♀.	Hook. ex. flor. t. 194.
2	mellifera. B.M.	( <i>wh.</i> ) honey-scented.	————	1827.	5. 9.	H. ♀.	Bot. mag. t. 2879.
ALL'ONIA. K.S.		ALL'ONIA.		Tetrandria Monogynia.	L.		
1	violacea. K.S.	( <i>vi.</i> ) violet-coloured.	Cumana.	1820.	7. 9.	H. ♂.	
2	incarnata. K.S.	( <i>bh.</i> ) flesh-coloured.	————	————	————	H. ♂.	L'Herit. stirp. t. 31.
BOERHA'AVIA. L.		HOGWEED.		Mono-Di-Tetrandria Monogynia.			
1	erecta. R.S.	( <i>wh.</i> ) upright.	W. Indies.	1733.	7. 9.	S. ♀.	Jacq. vind. 1. t. 5. 6.
2	procumbens. F.I.	( <i>w. re.</i> ) procumbent.	E. Indies.	....	————	S. ♀.	Rheed. mal. 7. t. 56.
3	diffusa. R.S.	( <i>sc.</i> ) spreading.	W. Indies.	1690.	8. 9.	S. ♀.	
4	adscendens. R.S.	( <i>re.</i> ) ascending.	Guinea.	1824.	6. 9.	S. ♀.	
5	hirsuta. R.S.	( <i>sc.</i> ) scarlet-trailing.	Jamaica.	1733.	5. 8.	S. ♀.	Jacq. vind. 1. t. 7.
6	plumbaginea. R.S.	( <i>ro.</i> ) Plumbago-leaved.	Spain.	1822.	————	S. ♀.	Cavan. ic. 2. t. 112.
7	discolor. K.S.	( <i>bh.</i> ) two-coloured.	Guayaquil.	1825.	————	S. ♀.	
8	viscosa. K.S.	( <i>sc.</i> ) viscous.	————	————	————	S. ♀.	
9	scandens. R.S.	( <i>gr.</i> ) climbing.	Jamaica.	1691.	4. 9.	S. ♀.	Jacq. vind. 1. t. 4.
10	excelsa. R.S.	( <i>pu.</i> ) lofty.	S. America.	1820.	————	S. ♀.	
PIS'ONIA. L.		PIS'ONIA.		Heptandria Monogynia.	L.		
1	grandis. B.P.	( <i>wh.</i> ) superb.	N. Holland.	1805.	....	G. ♀.	
2	hirtella. K.S.	( <i>wh.</i> ) hairy.	Mexico.	1825.	....	G. ♀.	
3	fragrans. S.S.	( <i>gr.</i> ) fragrant.	.....	————	....	S. ♀.	
4	macrophylla. L.en.	( <i>w.</i> ) long-leaved.	.....	1820.	....	S. ♀.	
5	obovata. L.en.	( <i>gr.</i> ) obovate-leaved.	S. America.	————	....	S. ♀.	
6	nigricans. S.S.	( <i>wh.</i> ) black.	W. Indies.	1806.	5. 7.	S. ♀.	
7	obtusata. S.S.	( <i>gr.</i> ) blunt-leaved.	————	1822.	....	S. ♀.	
8	mexicana. L.en.	( <i>ro.</i> ) Mexican.	Mexico.	1825.	6. 8.	H. ♀.	
	<i>Boerhaavia arborescens.</i> P. S.						
9	nitida. W.en.	( <i>li.</i> ) glossy.	Madagascar.	1824.	....	S. ♀.	
10	aculeata. S.S.	( <i>ye.</i> ) prickly.	Jamaica.	1739.	3. 4.	S. ♀.	Lam. ill. t. 861.
BOLD'OA. S.S.		BOLD'OA.		Triandria Monogynia.	S.S.		
	lanceolata. S.S.	( <i>re.</i> ) lance-leaved.	Mexico.	1824.	5. 7.	G. ♀.	H. et B. pl. æq. 1. t. 44.
	<i>Salpianthus arenarius.</i> K.S.						

## ORDO CLXV.

AMARANTHACEÆ. *Brown prodr. p. 413.*

AMARA'NTHUS. L.		AMARANTH.		Monœcia Tri-Pentandria.		L.	
1	tenuifolius. w	( <i>gr.</i> ) fine-leaved.	E. Indies.	1801.	7. 9.	H. ♂.	
2	angustifolius. w.	( <i>gr.</i> ) narrow-leaved.	Levant.	1723.	————	H. ♂.	
3	pallidus. S.S.	( <i>pa.</i> ) pale.	Tauria.	1823.	————	H. ♂.	
4	persicarioides. S.S.	( <i>re.</i> ) Persicaria-like.	Nepaul.	1818.	9. 11.	H. ♂.	
5	Acroglóchin. S.S.	( <i>gr.</i> ) spiny-bracted.	————	1820.	————	H. ♂.	
6	álbus. w.	( <i>wh.</i> ) white.	N. America.	1778.	7. 9.	H. ♂.	W. amar. 9. t. 1. f. 2.
7	græcizans. w.	( <i>gr.</i> ) Pellitory-leaved.	————	1759.	————	H. ♂.	———— 8. t. 4. f. 7.
8	polygamus. w.	( <i>gr.</i> ) hermaphrodite.	E. Indies.	1780.	————	H. ♂.	Rumph. amb. 5. t. 82.
9	Blitum. E.B.	( <i>gr.</i> ) wild.	England.	....	6. 8.	H. ♂.	Eng. bot. v. 31. t. 2212.
10	viridis. w.	( <i>gr.</i> ) green.	Brazil.	1768.	8. 9.	H. ♂.	W. amar. 18. t. 8. f. 16.
11	campéstris. w.	( <i>gr.</i> ) field.	E. Indies.	1818.	————	H. ♂.	
12	polygonoïdes. w.	( <i>gr.</i> ) spotted-leaved.	Jamaica.	1778.	7. 8.	H. ♂.	W. amar. 11. t. 6. f. 12.
13	melancholicus. w.	( <i>pu.</i> ) melancholy.	E. Indies.	1731.	6. 9.	H. ♂.	———— 15. t. 9. f. 18.
14	tricolor. w.	( <i>st.</i> ) three-coloured.	————	1548.	————	G. ♂.	Knor. thes. 2. t. A. 3. 5.
15	bicolor. w.	( <i>st.</i> ) two-coloured.	————	1802.	7. 9.	H. ♂.	
16	lineatus. B.P.	( <i>gr.</i> ) line-leaved.	N. Holland.	1828.	————	H. ♂.	
17	gangeticus. w.	( <i>gr.</i> ) oval-spiked.	E. Indies.	1778.	————	H. ♂.	W. amar. 16. t. 6. f. 11.
18	mangostanus. w.	( <i>gr.</i> ) rhomb-leaved.	————	1801.	————	H. ♂.	———— 13. t. 12.

19	polystachyus. w. (gr.) many-spiked.	E. Indies.	1816.	7. 9.	H.⊙.	
20	tristis. w. (pu.) round-headed.	China.	1759.	6. 8.	H.⊙.	W. amar. 21. t. 5. f. 10.
21	inamœnus. w. (gr.) inelegant.	————	1816.	—	H.⊙.	
22	incœptus. W.en. (gr.) slovenly.	————	————	—	H.⊙.	
23	lividus. w. (br.) livid.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 20. t. 1. f. 1.
24	oleraceus. w. (li.) eatable.	E. Indies.	1764.	7. 8.	H.⊙.	———— 17. t. 5. f. 9.
25	lanceafolius. H.B. (gr.) lance-leaved.	————	1816.	8. 10.	H.⊙.	
26	atropurpureus. H.B. (pu.) dark-purple.	————	1821.	—	H.⊙.	
27	gracilis. s.s. (gr.) oval-leaved.	Guinea.	1806.	7. 8.	H.⊙.	Jacq. ic. 2. t. 344.
<i>Chenopodium caudatum.</i> Jacq.						
28	prostratus. w. (gr.) trailing.	France.	1739.	7. 9.	H.⊙.	
29	scandens. w. (gr.) climbing.	S. America.	1796.	7. 8.	S.⊙.	
30	deflexus. w. (gr.) bending.	————	1805.	—	H.⊙.	W. amar. 10. t. 10. f. 20.
31	fasciatus. H.B. (gr.) fasciate.	E. Indies.	1820.	8. 10.	H.⊙.	
32	bullatus. s.s. (gr.) blistered.	————	————	7. 9.	H.⊙.	
33	Arardhanus. (gr.) Indian.	E. Indies.	1825.	—	G.⊙.	
34	Berchtholdi. H. (pi. gr.) Berchthold's.	S. Europe.	1826.	—	H.⊙.	
35	bahiensis. Lk. (gr.) Bahia.	Bahia.	1823.	—	H.⊙.	
36	purpurascens. Ot. (pu.) purplish.	————	1828.	—	H.⊙.	
37	littoralis. Ot. (gr.) sea-side.	————	1823.	—	H.⊙.	
38	rigidus. s. (gr.) rigid.	————	————	—	H.⊙.	
39	tortuosus. H.H. (gr.) twisted.	————	————	—	H.⊙.	
40	laxifolius. Ot. (gr.) loose-leaved.	————	————	—	H.⊙.	
41	glomeratus. Ot. (gr.) glomerate.	————	1829.	—	H.⊙.	
42	spicatus. P.s. (gr.) spiked.	France.	....	—	H.⊙.	
43	pumilus. s.s. (gr.) dwarf.	N. America.	————	6. 9.	H.⊙.	
44	curvifolius. s.s. (gr.) curved-leaved.	Caucasus.	1827.	—	H.⊙.	
45	hy'bridus. w. (re.) clustered.	————	1656.	—	H.⊙.	W. amar. 26. t. 9. f. 17.
46	hæcticus. w. (pi.) oval-spiked.	————	1796.	8. 9.	H.⊙.	———— 25. t. 7. f. 13.
47	lætus. w. (re.) blunt-leaved.	Italy.	1799.	7. 9.	H.⊙.	———— 28. t. 8. f. 15.
48	strictus. w. (gr.) upright.	————	1793.	—	H.⊙.	———— 27. t. 3. f. 5.
49	paniculatus. w. (re.) paniced.	N. America.	1798.	—	H.⊙.	———— 32. t. 2. f. 4.
50	celosioides. K.S. (wh.) Spinach-like.	S. America.	1824.	9. 11.	H.⊙.	
51	caracasanus. K.S. (wh.) Caracas.	Caracas.	1821.	—	H.⊙.	
52	retroflexus. w. (gr.) hairy.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 33. t. 11. f. 21.
53	flavus. w. (st.) pale yellow.	India.	————	—	H.⊙.	———— 35. t. 3. f. 6.
54	chlorostachys. w. (ye.) nodding.	————	1796.	—	H.⊙.	———— 34. t. 10. f. 19.
55	parisiensis. s.s. (gr.) Paris.	France.	1819.	—	H.⊙.	
56	hypochondriacus. w. (re.) Prince's feather.	Virginia.	1684.	—	H.⊙.	
57	sanguineus. w. (re.) spreading.	Bahama Isl.	1775.	—	H.⊙.	W. amar. 31. t. 2. f. 3.
58	cruentus. w. (cr.) various-leaved.	China.	1728.	6. 8.	H.⊙.	
59	speciosus. D.P. (sc.) showy.	Nepaul.	1819.	9. 11.	H.⊙.	Bot. mag. t. 2227.
60	caudatus. w. (re.) Love lies bleeding.	E. Indies.	1596.	8. 9.	H.⊙.	
	β maximus. (re.) tree.	————	————	—	H.⊙.	
61	spinosus. w. (gr.) prickly.	W. Indies.	1683.	7. 9.	H.⊙.	W. amar. 38. t. 4. f. 8.
62	frumentaceus. H.B. (gr.) cultivated.	E. Indies.	1819.	—	H.⊙.	
<b>LECANOCARPUS.</b> N.E. <b>LECANOCARPUS.</b> Monœcia Pentandria.						
	nepalensis. N.E. (gr.) Nepaul.	Nepaul.	1816.	8. 10.	H.⊙.	Nees ab Ess. ic. sel. t. 2.
	<i>Amaranthus cauliflorus.</i> Lk.					
<b>CELOSIA.</b> R.S. Cocks-comb. Pentandria Monogynia. L.						
1	argentea. R.S. (bh.) silvery-spiked.	China.	1714.	6. 9.	S.⊙.	Mart. cent. t. 7.
	β linearis. (bh.) narrow-leaved.	E. Indies.	————	—	S.⊙.	Rheed. mal. 10. t. 39.
2	pyramidæis. R.S. (wh.) pyramidal.	————	————	—	S.⊙.	Burm. ind. 65. t. 25. f. 1.
3	margaritæa. R.S. (wh. re.) pearl-flowered.	India.	....	—	S.⊙.	Rheed. mal. 10. t. 38.
4	cristata. R.S. (re.) common.	Asia.	1570.	—	S.⊙.	Rumph. amb. 5. t. 84.
	α elata. (re.) tall red.	————	————	—	S.⊙.	Knor. del. 1. t. H. 5. 6.
	β compacta. (re.) dwarf red.	————	————	—	S.⊙.	
	γ flavescens. (st.) yellow.	————	————	—	S.⊙.	
5	comosa. R.S. (re.) tufted.	E. Indies.	1802.	—	S.⊙.	
6	coccinea. R.S. (sc.) scarlet.	China.	1597.	—	S.⊙.	
7	castrénsis. R.S. (re.) branched.	E. Indies.	1739.	—	S.⊙.	Barrel. rar. t. 1195.
8	cérnua. A.R. (sc.) drooping.	————	1809.	7. 8.	S.⊙.	Andr. reposit. t. 635.
9	Monsônia. R.S. (bh.) downy.	————	1778.	7. 9.	S.⊙.	Pluk. alm. 11. t. 334. f. 4.
	<i>Achyranthes Monsônia.</i> s.s. <i>Ilœcebrum Monsônia.</i> L.					
10	nodiflora. R.S. (wh.) knotted.	E. Indies.	1780.	—	S.⊙.	Jacq. vind. 1. t. 98.
<b>LESTIBUD'ESIA.</b> R.S. <b>LESTIBUD'ESIA.</b> Pentandria Monogynia. R.S.						
1	virgata. R.S. (gr.) wave-leaved.	W. Indies.	1815.	8. 10.	S. h.	Jacq. ic. 2. t. 339.
	<i>Celsia virgata.</i> Jacq.					

- 2 paniculata. R.S. (st.) panicle. Jamaica. 1733. 6. 9. S. ♂. Sloan, hist. 1. t. 91. f. 2.  
 3 trigyna. R.S. (wh.) oval-leaved. Senegal. 1777. 8. 10. S. ♂. Jacq. vind. 3. t. 15.
- DEERINGIA. R.S. DEERINGIA. Pentandria Trigynia.**  
 1 indica. s.s. (wh.) Berry-bearing. E. Indies. 1804. — S. ♂.  
 2 celosioides. B.P. (wh.) Cockscomb-like. N. Holland. 1822. — S. ♀.
- CHAMISS'OA. K.S. CHAMISS'OA. Pentandria Monogynia. R.S.**  
 altissima. K.S. (st.) tall. S. America. 1819. 5. 6. S. ♀. H. et B. n. gen. 2. t. 125.
- CLADOSTACHYS. D.P. CLADOSTACHYS. Pentandria Monogynia.**  
 1 frutescens. D.P. (gr.) frutescent. E. Indies. 1777. 8. 11. S. ♀. Rumph. amb. 5. t. 83.  
*Achyranthes muricata. L. Chamissoa muricata. s.s.*  
 2 alternifolia. (pu.) alternate-leav'd. E. Indies. 1789. 7. 8. S. ⊙. Pluk. alm. t. 260. f. 1.  
*Achyranthes alternifolia. w. Desmoch'eta alternifolia. DC.*
- ACHYRANTHES. R.S. ACHYRANTHES. Pentandria Monogynia. L.**  
 1 argentea. R.S. (ro.) upright. Sicily. 1713. 5. 10. H. ♀. Flor. græc. t. 244.  
 2 aspera. R.S. (gr.) rough. India. 1751. — S. ♀. Mill. ic. t. 11. f. 2.  
 3 obtusifolia. Lam. (gr.) blunt-leaved. — — — — S. ♀.  
 4 crispa. R.S. (gr.) curl-leaved. — — — — 1816. — S. ♀.  
 5 virgata. R.S. (gr.) slender. Portorico. 1823. — S. ♀.  
 6 fruticosa. R.S. (wh.) shrubby. E. Indies. 1816. — S. ♀.  
 7 nivea. R.S. (wh.) white. Canaries. 1780. 5. 7. G. ♀.  
 8 pubescens. R.S. (wh.) pubescent. — — — — 1824. — S. ♀.  
 9 brachiata. R.S. (wh.) armed. E. Indies. 1829. 8. 10. S. ⊙. Pluk. alm. 2. t. 334. f. 5.  
 10 globulifera. F. (wh.) globe-headed. — — — — 1828. — S. ⊙.
- DESMOCH'ETA. R.S. DESMOCH'ETA. Pentandria Monogynia. R.S.**  
 1 atropurpurea. DC. (pu.) dark-purple. E. Indies. 1759. 8. 10. S. ♀. Rheed. mal. 10. t. 59.  
*Achyranthes lappacea. L. Pupalia lappacea. J.*  
 2 flavescens. DC. (st.) yellowish. E. Indies. — — — — S. ♀. DC. h. mons. ined. t. 79.  
 3 patula. R.S. (wh.) spreading. — — — — 1824. — S. ♀.  
 4 prostrata. DC. (pu.) prostrate. — — — — 1793. 7. 8. S. ♀. Rumph. amb. 6. t. 11.  
 5 sanguinolenta. Lk. (gr.) bloody-leaved. — — — — 1824. — S. ♀. — — — — t. 27. f. 2.
- ALTERNANTHERA. ALTERNANTHERA. Pentandria Monogynia. R.S.**  
 1 sessilis. R.S. (wh.) sessile-flowered. E. Indies. 1778. 7. 10. S. ♂. Rheed. mal. 10. t. 11.  
 2 scoides. R.S. (wh.) creeping-stalk'd. S. America. 1819. — S. ♀. Jacq. amer. pict. t. 90.  
*Gomphrena ficoidea. Jacq.*  
 3 spinosa. R.S. (st.) spiny. — — — — — — — — S. ♀.  
*axillaris. DC. Achyranthes spinosa. Horn.*  
 4 denticulata. B.P. (wh.) tooth-leaved. N. S. W. 1822. — G. ♀.  
 5 tenella. DC. (wh.) slender. E. Indies. 1828. 7. 9. H. ⊙.  
 6 Achyrantha. R.S. (br.) creeping. Buenos Ayres. 1732. 6. 8. S. ♀. Mart. pl. bras. 2. t. 152.
- BUCHO'LZIA. M.P. BUCHO'LZIA. Pentandria Monogynia.**  
 1 polygonoides. M.P. (w.) Persicaria-leaved. S. America. 1731. — G. ♀. Herm. parad. t. 17.  
*Illecebrum polygonoides. w. Alternanthera polygonoides. R.S.*  
 2 frutescens. M.P. (wh.) frutescent. Peru. 1822. — S. ♀. L'Herit. stirp. 1. t. 37.
- ÆR'UA. J. ÆR'UA. Pentandria Monogynia. R.S.**  
 1 lanata. R.S. (wh.) woolly. E. Indies. 1691. 4. 8. S. ♂. Mill. ic. 1. t. 11. f. 1.  
*Illecebrum lanatum. L.*  
 2 javanica. R.S. (wh.) spear-leaved. — — — — 1786. — S. ♀. Burm. ind. t. 65. f. 2.
- PHILOXERUS. B.P. PHILOXERUS. Pentandria Monogynia. R.S.**  
 1 vermicularis. R.S. (wh.) creeping. S. America. — — — — S. ♀. Herm. parad. t. 15.  
 2 aggregatus. R.S. (wh.) clustered. Cumana. 1819. — S. ♀.
- MOGIPHANES. M.P. MOGIPHANES. Pentandria Monogynia.**  
 1 brasiliensis. M.P. (wh.) upright. Brazil. 1790. 7. 10. S. ♀. Mart. pl. bras. 2. t. 133.  
*Gomphrena brasiliensis. Jacq. ic. 2. t. 346. Philoxerus brasiliensis. B.P.*  
 2 straminea. M.P. (st.) straw-coloured. Brazil. 1790. 7. 10. S. ♀. Mart. pl. bras. 2. t. 135.
- GOMPHRENA. R.S. GLOBE AMARANTH. Pentandria Monogynia. L.**  
 1 globosa. R.S. (re.) annual. India. 1714. 5. 10. S. ⊙. Bot. mag. t. 2815.  
*β alba. (wh.) white-flowered. — — — — S. ⊙.*  
 2 decumbens. R.S. (pu. wh.) decumbent. Mexico. — — — — S. ⊙. Jacq. schœn. t. 482.  
 3 perennis. R.S. (st.) perennial. S. America. 1732. 7. 10. S. ♀. Bot. mag. t. 2614.  
 4 arborescens. R.S. (st.) tree. — — — — 1802. — S. ♀.  
 5 villosa. s.s. (st.) villous. Monte Video. 1826. 6. 8. S. ♀.  
 6 nigricans. M.P. (bk.) dark-flowered. Brazil. 1827. — S. ♀. Mart. pl. bras. 2. t. 113.  
 7 callosa. s. — — — — callos. S. America. 1829. — — — — S. ♀.  
 8 carnea. Jac. (fl.) flesh-coloured. — — — — — — — — S. ♀.
- OPLOTHECA. N. OPLOTHECA. Pentandria Monogynia.**  
 1 lactea. M.P. (wh.) milk-coloured. S. America. 1818. 7. 10. S. ♀. DC. h. mons. ined. t. 93.  
 2 interrupta. N. (wh.) trailing. W. Indies. 1733. — — — — S. ♂. Jacq. icon. 1. t. 51.  
*Gomphrena interrupta. R.S.*  
 3 floridana. N. (wh.) Florida. Florida. 1823. 8. 10. F. ♀. Bot. mag. t. 2003.

<b>BRAND'ESIA. M.P.</b>		<b>BRAND'ESIA.</b>	<b>Pentandria Monogynia.</b>			
1	pubérula. M.P.	(wh.) pubescent.	Brazil.	1825.	6. 9.	S. ♀.
	<i>Achyranth s ci, ituliflora.</i>		Colla hort. rip. t. 18.			
2	villósa. M.P.	(wh.) villous.	Brazil.	1826.	—	S. ⊙.
3	pórrigens. M.P.	(re.) crimson-flowered.	Peru.	1802.	4. 8.	G. ♀.
	<i>Achyranthes pórrigens.</i>		B.M.			
<b>PFA'FFIA. M.P.</b>		<b>PFA'FFIA.</b>	<b>Pentandria Monogynia.</b>			
	gnaphalóides. M.P.(w.)	Cudweed-like.	Brazil.	1822.	6. 8.	S. ♀.
	<i>Celósia gnaphalóides.</i>		L.			
<b>IRE'S'INE. S.S.</b>		<b>IRE'S'INE.</b>	<b>Diœcia Pentandria. L.</b>			
1	celosioídes. s.s.	(wh.) Florida.	America.	1733.	7. 8.	F. ♀.
2	diffúsa. s.s.	(wh.) spreading.	S. America.	1812.	7. 9.	S. ♀.
3	elongáta. s.s.	(wh.) long-stalked.	—	1822.	—	S. ♀.
<b>R'OSEA. M.P.</b>		<b>R'OSEA.</b>	<b>Polygamia Monœcia.</b>			
	elátior. M.P.	(st.) tall.	S. America.	1820.	8. 10.	S. ⊙.
	<i>Iresine elátior.</i>		w.			

ORDO CLXVI.

PHYTOLACEÆ. *Brown.*

<b>PHYTOLA'CCA. W.</b>		<b>PHYTOLA'CCA.</b>	<b>Decandria Decagynia. L.</b>			
1	octándra. w.	(wh.) white-flowered.	Mexico.	1732.	7. 11.	G. ♀.
2	abyssinica. w.	(wh.) African.	Africa.	1775.	5. 6.	S. ♀.
3	heptándra. s.s.	(wh.) 7-anthered.	.....	1819.	7. 10.	G. ♀.
4	bogoténsis. k.s.	(wh.) variable anther'd.	S. America.	1823.	—	G. ♀.
5	decándra. w.	(bh.) Virginian poke.	Virginia.	1615.	8. 9.	H. ♀.
6	dodecándra. w.	(bh.) recurved-leaved.	.....	....	5. 6.	S. ♀.
7	mexicana. w.	(wh.) Mexican.	Mexico.	1824.	7. 10.	G. ♀.
	<i>icosándra.</i>		B.M. non w.			
8	icosándra. w.	(wh.) red-stemmed.	E. Indies.	1758.	7. 11.	S. ♀.
9	dioica. w.	(wh.) tree.	S. America.	1768.	....	S. ♀.
<b>RIV'INA. R.S.</b>		<b>RIV'INA.</b>	<b>Tetrandria Monogynia. L.</b>			
1	húmilis. r.s.	(wh.) downy.	W. Indies.	1699.	1. 10.	S. ♀.
2	lævis. r.s.	(bh.) smooth.	—	1733.	2. 9.	S. ♀.
3	latifólia. r.s.	(pu.) broad-leaved.	Madagascar.	1826.	7. 9.	S. ⊙.
4	brasiliénsis. r.s.	(gr.) wave-leaved.	Brazil.	1790.	6. 7.	S. ♀.
5	purpuráscens. r.s.	(pu.) purple.	W. Indies.	1815.	5. 8.	S. ♀.
6	lanceoláta. L.en.	(wh.) spear-leaved.	Brazil.	—	—	S. ♀.
7	octándra. r.s.	(wh.) climbing.	W. Indies.	1752.	5. 6.	S. ♀.
<b>MICR'OTEA. K.S.</b>		<b>MICR'OTEA.</b>	<b>Pentandria Digynia. R.S.</b>			
	débilis. k.s.	(wh.) slender.	S. America.	1824.	7. 9.	S. ⊙.
<b>ANCISTROCA'RPUS. K.S.</b>		<b>ANCISTROCA'RPUS.</b>	<b>Octandria Tetragynia.</b>			
	maypurénsis. k.s.	(wh.) branching.	S. America.	1822.	5. 6.	H. ⊙.
<b>PETIV'ERIA. W.</b>		<b>PETIV'ERIA.</b>	<b>Heptandria Monogynia. L.</b>			
1	alliácea. w.	(wh.) Garlic-scented.	Jamaica.	1759.	6. 7.	S. ♀.
2	octándra. w.	(wh.) dwarf.	W. Indies.	1737.	—	S. ♀.
<b>GIS'EKIA. W.</b>		<b>GIS'EKIA.</b>	<b>Pentandria Pentagynia. L.</b>			
	pharnacióides. w.	(wh.) trailing.	E. Indies.	1783.	6.	S. ⊙.

ORDO CLXVII.

CHENOPODEÆ. *Brown prodr. p. 405.*

<b>BASE'LLA. R.S.</b>		<b>MALABAR-NIGHTSHADE.</b>	<b>Pentandria Trigynia. L.</b>			
1	rùbra. r.s.	(re.) red-flowered.	E. Indies.	1731.	7. 9.	S. ♂. ∪.
2	álba. r.s.	(wh.) white-flowered.	—	1688.	7. 11.	S. ♂. ∪.
3	lúcida. r.s.	(wh.) shining.	—	1802.	—	S. ⊙. ∪.
4	cordifólia. r.s.	(re.) heart-leaved.	—	—	—	S. ⊙. ∪.
5	tuberósa. r.s.	(st.) tuberous-rooted.	S. America.	1824.	—	S. ♀. ∪.

- 6 marginàta. R.S. (*wh.*) red-margined. S. America. 1824. 7. 11. S. 2. 1/2. 1/2.
- 7 japonica. R.S. (*bh.*) dwarf. China. 1814. — G. 1/2. 1/2. Burm. ind. t. 39. f. 4.
- HABLI'TZIA. M.B. HABLI'TZIA. Pentandria Monogynia.  
tamnoides. M.B. (*wh.*) Tamus-like. Caucasus. 1828. 7. 10. H. 2. 1/2.
- ANRED'ERA. J. ANRED'ERA. Pentandria Trigynia.  
spicàta. K.S. (*bh.*) spiked. Cuba. 1749. 7. 9. S. 2. 1/2. 1/2. Sloan. hist. 1. t. 90. f. 1.  
*Basella vesicària.* Lam. ill. t. 215. f. 1. *Polygonum scandens.* w.
- ANABA'SIS. L. ANABA'SIS. Pentandria Digynia. L.  
1 aphy'lla. R.S. (*gr.*) leafless. Levant. 1823. 5. 7. F. 1/2. Buxb. cent. 1. t. 18.  
2 florida. M.B. (*wh.*) flowering. Persia. 1829. 7. 11. H. 1/2. M.B. cent. pl. ros. 1. t. 17.  
3 cretacea. R.S. (*gr.*) long-rooted. Siberia. 1828. 6. 8. H. 2. 1/2. Pall. it. 1. ap. n. 109. t. 1. N  
4 spinosissima. R.S. (*gr.*) spiny-branched. Iberia. 1829. — H. 1/2. Delil. eg. n. 305. t. 21. f. 2.  
5 tamariscifolia. R.S. (*gr.*) Tamarisk-leaved. Spain. 1752. 6. 7. F. 1/2. Cavan. ic. 3. t. 283.  
6 foliosa. S.S. (*gr.*) leafy. Volga. 1828. 7. 10. H. 1/2. Pall. ill. 2. t. 23.  
*Salsola clavifolia.* M.B. *baccifera.* Pall.
- SALS'OLA. R.S. SALT'WORT. Pentandria Digynia. L.  
1 Kàli. R.S. (*ft.*) prickly. Britain. .... 7. 8. H. 1/2. Eng. bot. v. 9. t. 634.  
2 Tràgus. R.S. (*ro.*) smooth. S. Europe. 1816. — H. 1/2. Pall. ill. 2. t. 29. f. 2.  
3 tamariscina. R.S. (*br.*) Tamarisk-like. Tauria. 1828. 7. 9. H. 1/2.  
4 crassa. R.S. (*re. wh.*) thick-leaved. Caucasus. 1823. 8. 10. H. 1/2. Buxb. cent. 1. t. 14. f. 2.  
5 rosacea. R.S. (*pu.*) rose-coloured. Asia. 1759. 7. 8. H. 1/2. Schk. hand. 1. t. 57.  
6 oppositifolia. R.S. (*ro.*) opposite-leaved. Sicily. 1829. .... H. 1/2.  
7 brachiata. R.S. (*pu.*) armed. Tauria. 1828. 7. 10. H. 1/2. Pall. ill. 2. t. 22.  
8 glauca. R.S. (*ro.*) glaucous. Armenia. 1829. .... H. 1/2. — 2. t. 19.  
9 vermiculata. R.S. (*gr.*) suffruticose. Siberia. 1759. 7. 8. H. 1/2. Gmel. sib. 3. t. 18. f. 2.  
10 microphylla. R.S. (*re.*) small-leaved. Spain. — H. 1/2. Cavan. ic. 3. t. 287.  
11 spissa. R.S. (*ro.*) dwarf. Caucasus. 1829. 7. 10. H. 1/2. Pall. ill. 2. t. 15.  
12 verrucosa. R.S. (*gr.*) warted. — 1822. 7. 8. H. 1/2. — 2. t. 16.  
13 ericoides. R.S. (*br.*) Heath-like. — 1829. .... H. 1/2. — 2. t. 14.  
14 laniflora. R.S. (*re.*) woolly-flowered. Siberia. 1797. 6. 8. H. 1/2. — 2. t. 21.  
15 sativa. R.S. (*pi.*) cultivated. Spain. 1783. 7. 8. H. 2. 1/2. Cavan. ic. 3. t. 291.  
16 obtusifolia. Led. (*pu.*) blunt-leaved. Siberia. 1827. .... H. 1/2.  
17 marginata. F. (*gr.*) thick margined. Armenia. 1829. .... H. 1/2 ?  
18 Sòda. R.S. (*wh.*) long fleshy-leav'd. S. Europe. 1683. 7. 8. H. 1/2. Jacq. vind. 1. t. 68.
- K'OCHIA. R.S. K'OCHIA. Pentandria Digynia. R.S.  
1 arenaria. R.S. (*wh.*) sand. Hungary. 1819. 7. 9. H. 1/2. W. et K. hung. 1. t. 78.  
2 dasyantha. R.S. (*wh.*) woolly-flowered. Caucasus. 1829. — H. 1/2. Gmel. jun. it. 1. t. 137.  
3 prostrata. R.S. (*gr.*) trailing. S. Europe. 1780. 6. 8. F. 1/2. Jacq. aust. 3. t. 294.  
*Salsola prostrata.* Jacq.
- 4 trig'yna. L. en. (*gr.*) slender-leaved. Spain. 1804. 7. 8. H. 1/2. Cavan. ic. 3. t. 289.  
*Salsola altissima.* Cav. *Chenopodium trigynum.* R.S.
- 5 hyssopifolia. R.S. (*gr. re.*) Hyssop-leaved. Siberia. 1801. 6. 8. H. 1/2. Pall. it. 1. ap. t. H. f. 1.  
6 sedoides. R.S. (*gr.*) Stonecrop-like. Tauria. 1823. — H. 1/2. — 3. t. M. f. 8.  
7 eriophora. R.S. (*gr.*) woolly. Spain. 1816. — H. 2. 1/2. Trattin. arch. t. 124.  
8 scoparia. R.S. (*gr.*) Summer Cypress. Greece. 1629. 6. 9. H. 2. 1/2. Buxb. cent. 1. t. 16.  
*Chenopodium Scoparia.* w.
- CHEN'OLEA. L. CHEN'OLEA. Pentandria Monogynia. L.  
diffusa. w. (*wh.*) silky. C. B. S. 1758. 8. 9. G. 1/2. 1/2.
- Salsola sericea.* H.K. *Kochia sericea.* R.S. *Chenopodium sericeum.* S.S.
- ENCHYL'ÆNA. B.P. ENCHYL'ÆNA. Pentandria Di-Trigynia.  
tomentosa. B.P. (*wh.*) woolly. N. Holland. 1824. 6. 8. G. 1/2. 1/2.
- RHAG'ODIA. B.P. RHAG'ODIA. Polygamia Monœcia.  
1 Billardieri. B.P. (*gr.*) narrow-leaved. N. S. W. 1822. 6. 7. G. 1/2. 1/2. Lab. nov. hol. 1. t. 96.  
2 hastata. B.P. (*gr.*) halberd-leaved. — 1803. — G. 1/2. 1/2. Loud. enc. pl. f. 14270.  
3 nutans. B.P. (*gr.*) nodding-branch'd. V. Diem. Isl. 1824. 7. 9. G. 2. 1/2.
- ACROGLO'CHIN. Schr. ACROGLO'CHIN. Pentandria Digynia.  
chenopodioides. F. (*gr.*) Goose-foot-like. Siberia. 1823. 5. 9. H. 1/2. 1/2.
- CHENOPODIUM. R.S. GOOSE-FOOT. Pentandria Digynia. L.  
1 Bònus-Henricus. (*gr.*) English Mercury. Britain. .... 5. 8. H. 2. 1/2. Eng. bot. v. 15. t. 1033.  
2 úrbicum. E.B. (*gr.*) upright. — .... 8. H. 1/2. — v. 10. t. 717.  
3 Atriplicis. R.S. (*cr.*) purple. China. 1780. 8. 9. H. 1/2. Jacq. vind. 3. t. 80.  
4 punctulatum. R.S. (*re.*) white-spotted. .... 1820. — H. 1/2. Scop. del. ins. 1. t. 11.  
5 giganteum. D.P. (*gr.*) gigantic. Nepaul. — 9. 11. H. 1/2. 1/2.  
6 rubrum. R.S. (*fl.*) red. Britain. .... 8. 9. H. 1/2. 1/2. Eng. bot. v. 24. t. 1721.  
7 chryselanospèrmum. R.S. black-seeded. Galicia. 1825. — H. 1/2. 1/2.  
8 carthagenense. R.S. (*gr. re.*) Carthage. Carthage. 1824. 6. 8. H. 1/2. 1/2.  
9 rhombifolium. R.S. (*gr.*) angular-leaved. N. America. 1807. 7. 9. H. 1/2. 1/2.  
10 guineense. w. (*gr.*) Guinea. Guinea. 1790. 8. 9. H. 1/2. 1/2. Jacq. ic. 2. t. 345.  
11 murale. E.B. (*gr.*) nettle-leaved. Britain. .... — H. 1/2. 1/2. Eng. bot. v. 24. t. 1722.

12	Quinõa. R.S.	(gr.) green Quinoa.	Chile.	1822.	7. 9.	H.⊙.	Feuil. peruv. t. 10.
	β rubrum.	(re.) red Quinoa.	—	—	—	H.⊙.	Feuil.per.ed.germ.t.10.
13	serotinum. R.S.	(gr.) late-flowering.	S. Europe.	....	8. 9.	H.⊙.	—
14	ficifolium. E.B.	(gr.) Fig-leaved.	England.	....	—	H.⊙.	Eng. bot. v. 24. t. 1724.
15	album. E.B.	(gr.) white.	Britain.	....	6. 9.	H.⊙.	— v. 24. t. 1723.
	β subrotundum.	(gr.) round-leaved.	—	....	—	H.⊙.	Petiv. h. brit. t. 8. f. 4.
	γ viride. w.	(gr.) green.	—	....	—	H.⊙.	—
	δ integrifolium.	(gr.) entire-leaved.	—	....	—	H.⊙.	—
	ε crassifolium.	(gr.) thick-leaved.	—	....	—	H.⊙.	—
16	opulifolium. R.S.	(gr.) Gnelder-rose-ld.	S. Europe.	....	—	H.⊙.	Bast. j. bot. 1814. t. 3.
17	hybridum. E.B.	(gr.) Maple-leaved.	Britain.	....	8. 9.	H.⊙.	Eng. bot. v. 27. t. 1919.
18	blitoides. R.S.	(gr.) Blitum-like.	France.	1827.	—	H.⊙.	—
19	Bõtrys. R.S.	(gr.) cut-leaved.	S. Europe.	1548.	6. 9.	H.⊙.	Flor. græc. t. 253.
20	fætidium. W.en.	(gr.) strong-scented.	.....	1823.	6. 8.	H.⊙.	—
21	multifidum. R.S.	(gr.) multifid.	BuenosAyres.	1732.	6. 10.	G. ♀.	Dill. elt. t. 66. f. 77.
22	botryoides. E.B.	(re.) many-clustered.	Britain.	....	6. 8.	H.⊙.	Eng. bot. v. 32. t. 2247.
23	ambrosioides. R.S.	(gr.) Mexican.	Mexico.	1640.	6. 10.	H.⊙.	Moris. s. 5. t. 35. f. 8.
24	suffruticosum. R.S.	(gr.) suffrutescent.	—	1819.	—	G. ♀.	—
25	anthelminticum. w.	(gr.) American.	America.	1732.	7. 8.	G. h.	Dill. elt. t. 66. f. 76.
26	gravæolens. R.S.	(gr.) strong-scented.	Mexico.	1819.	8. 11.	H.⊙.	—
27	incisum. R.S.	(gr.) jagged.	.....	1826.	—	H.⊙.	—
28	glaucum. R.S.	(gr.) Oak-leaved.	England.	....	7. 8.	H.⊙.	Eng. bot. v. 21. t. 1454.
29	crassifolium. R.S.	(cr.) fleshy-leaved.	.....	1820.	—	H.⊙.	—
30	humifusum. R.S.	(pu.) trailing.	.....	1824.	—	H.⊙.	—
31	sèpium. R.S.	(re.) hedge.	Bohemia.	1822.	—	H.⊙.	—
32	radiatum. R.S.	(gr.) rayed.	N. America.	1803.	6. 8.	H.⊙.	W. hort. ber. 1. t. 23.
	Kõchia dentata. w.	<i>Salsõla platyphy'lla.</i> m.	—	—	—	—	—
33	olidum. E.B.	(gr.) stinking.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 15. t. 1034.
	fætidium. R.S.	<i>Vulvãria.</i> w.	—	—	—	—	—
34	polyspèrmum. R.S.	(gr.) Allseed.	—	....	—	H.⊙.	Eng. bot. v. 21. t. 1480.
35	acutifolium. E.B.	(gr.) acute-leaved.	—	....	—	H.⊙.	— v. 21. t. 1481.
36	marginatum. R.S.	(gr.) bony-edged.	.....	1824.	—	H.⊙.	—
37	caudatum. R.S.	(gr.) long-tailed.	Guinea.	1806.	—	G.⊙.	Jacq. ic. 2. t. 341.
38	laterale. R.S.	(gr.) oblong-leaved.	.....	1781.	8. 9.	S.⊙.	—
39	strictum. R.S.	(gr.) upright.	E. Indies.	—	9. 11.	H.⊙.	—
40	aristatum. R.S.	(gr.) bearded.	Siberia.	1771.	6. 9.	H.⊙.	Gmel. sib. 3. t. 15. f. 1.
41	lanceolatum. R.S.	(gr.) spear-leaved.	Pensylvania.	1809.	7.	H.⊙.	—
42	fruticosum. R.S.	(gr.) shrubby.	England.	....	8. 9.	H. ♀.	Eng. bot. v. 9. t. 635.
	<i>Salsõla fruticõsa.</i> E.B.	—	—	—	—	—	—
43	parvifolium. R.S.	(gr.) small-leaved.	Caucasus.	1829.	....	H. ♀.	Pall. ill. 3. t. 44.
44	altissimum. R.S.	(wh.) Grass-leaved.	Russia.	1775.	7. 8.	H.⊙.	Schrad. d. hal. t. 1. f. 3
	<i>Salsõla altissima.</i> w.	<i>Suaeda altissima.</i> Pall. ill. t. 42.	—	—	—	—	—
45	trigynum. R.S.	(gr.) trigynous.	Spain.	—	—	H.⊙.	Cavan. icon. 3. t. 289.
46	hirsutum. R.S.	(gr.) hairy.	Denmark.	1791.	—	H.⊙.	Flor. dan. t. 187.
	<i>Salsõla hirsuta.</i> F.D.	—	—	—	—	—	—
47	salsum. R.S.	(gr.) Saltwort.	Astracan.	1782.	8. 9.	H.⊙.	Jacq. vind. 3. t. 83.
48	spicatum. R.S.	(gr.) spiked.	Spain.	1816.	8. 10.	H.⊙.	Cavan. ic. 3. t. 290.
49	setigerum. R.S.	(gr.) setiferous.	—	—	—	H.⊙.	DC. h. mons. ined. t. 87.
50	maritimum. R.S.	(gr.) sea blite.	Britain.	....	8.	H.⊙.	Eng. bot. v. 9. t. 633.
A TRIPLEX. R.S.		ORACHE. Polygamia Monœcia. L.	—	—	—	—	—
1	Hålhimus. R.S.	(wh.) tall shrubby.	Spain.	1640.	7. 8.	H. ♀.	Park. theat. 724. f. 2.
2	portulacoides. R.S.	(gr.) dwarf shrubby.	Britain.	....	—	H. ♀.	Eng. bot. v. 4. t. 261.
3	verruciferum. R.S.	(gr.) warted-fruited.	Caucasus.	1827.	—	H. h.	—
4	albicans. R.S.	(bh.) white.	C. B. S.	1774.	6. 7.	G. ♀.	—
5	glaucum. w.	(gr.) glaucous.	S. Europe.	1732.	7. 8.	F. ♀.	Dill. elt. t. 40. f. 46.
6	linifolium. K.S.	(gr.) Flax-leaved.	S. America.	1819.	—	G. ♀.	—
7	polygamum. R.S.	(gr.) polygamous.	New Spain.	1826.	—	F. ♀.	—
8	coriaceum. R.S.	(gr.) leathery.	Egypt.	1828.	6. 9.	F. ♀.	—
9	roseum. R.S.	(gr.) rose-like.	S. Europe.	1739.	6. 7.	H.⊙.	Schk. hand. 3. t. 350.
10	foliosum. R.S.	(gr.) leafy.	Portugal.	1824.	—	H.⊙.	—
11	sibiricum. R.S.	(wh.) Siberian.	Siberia.	1783.	7. 8.	H.⊙.	Schk. hand. 3. t. 350.
12	tatàricum. R.S.	(gr.) Tartarian.	Tartary.	1778.	—	H.⊙.	— 3. p. 539. t. 349.
13	bengalense. R.S.	(gr.) Bengal.	E. Indies.	....	—	H.⊙.	—
14	hortense. R.S.	(gr.) garden.	Tartary.	1548.	—	H.⊙.	Blackw. t. 99 et 552.
	β intermedium.	(re.) intermediate.	—	—	—	H.⊙.	—
	γ rubrum.	(re.) red garden.	—	—	—	H.⊙.	—
15	nitens. R.S.	(gr.) glossy.	Hungary.	1746.	—	H.⊙.	Schkuhr hand. t. 348.
16	acuminatum. R.S.	(gr.) acuminate.	—	1820.	—	H.⊙.	W. et K. hung. t. 103.
17	vénetum. R.S.	(gr.) Venetian.	Venice.	—	—	H.⊙.	—

18 incanum. R.S.	(gr.) hoary-leaved.	Spain.	1818.	7. 8.	H.⊙	
19 album. R.S.	(gr.) white-leaved.	Italy.	1826.	—	H.⊙	
20 incisum. M.B.	(gr.) cut-leaved.	Tauria.	1829.	—	H.⊙	
21 laciniatum. R.S.	(gr.) frosted sea.	Britain.	....	—	H.⊙	Eng. bot. v. 3. t. 165.
22 Besseriænum. R.S.	(gr.) Besser's.	Hungary.	1825.	—	H.⊙	
23 hastatum. R.S.	(gr.) halberd-leaved.	Europe.	....	—	H.⊙	Flor. dan. t. 1286.
24 prostratum. DC.	(gr.) prostrate.	—	....	—	H.⊙	
25 obtusum. R.S.	(gr.) blunt-leaved.	Siberia.	1825.	—	H.⊙	
26 microspERMUM. R.S.	(w.) small-seeded.	Hungary.	1800.	—	H.⊙	W. et K. hung. t. 250.
27 oblongifolium. R.S.	(gr.) oblong-leaved.	—	....	—	H.⊙	— t. 221.
28 patulum. R.S.	(gr.) spreading.	Britain.	....	6. 9.	H.⊙	Eng. bot. v. 13. t. 936.
29 angustifolium. R.S.	(gr.) narrow-leaved.	—	....	6. 8.	H.⊙	— v. 25. t. 1774.
30 erectum. R.S.	(gr.) upright.	England.	....	8.	H.⊙	— v. 31. 2223.
31 littorale. E.B.	(gr.) grass-leaved.	Britain.	....	8. 9.	H.⊙	— v. 10. t. 708.
32 pedunculatum. R.S.	(gr.) pedunculated.	England.	....	7. 9.	H.⊙	— v. 4. t. 232.
33 oppositifolium. R.S.	(gr.) opposite-leaved.	France.	1827.	—	H.⊙	
34 verticillatum. R.S.	(gr.) whorl-leaved.	Spain.	1822.	—	H.⊙	Cavan. H. R. M. t. 21.
35 sulcatum. R.S.	(gr.) sulcate.	.....	—	—	H.⊙	
<b>B'ETA. R.S.</b>	<b>BEEET. Pentandria Digynia. L.</b>					
1 vulgaris. R.S.	(gr.) common.	S. Europe.	1548.	—	H.♂	Schk. hand. 1. t. 56.
<i>a viridis.</i>	(gr.) green.	—	—	—	H.♂	Plenck off. t. 169.
<i>β rubra.</i>	(gr.) red.	—	—	—	H.♂	
<i>γ lutea.</i>	(gr.) yellow.	—	—	—	H.♂	Kern. abbild. t. 235.
<i>δ macrorhiza.</i>	(gr.) mangold-wortzel.	—	....	—	H.♂	
2 Cicla. R.S.	(gr.) white.	Portugal.	1570.	—	H.♂	Plenck off. t. 170.
3 crispa. R.S.	(gr.) curled-leaved.	.....	....	—	H.♂	
4 trigyna. R.S.	(wh.) Hungarian.	Hungary.	1796.	7. 8.	H.♀	W. et K. hung. 1. t. 35.
5 maritima. E.B.	(gr.) sea-side.	Britain.	....	6. 8.	H.♀	Eng. bot. v. 4. t. 285.
6 macrorhiza. R.S.	(gr.) large-rooted.	Caucasus.	1827.	—	H.♀	
7 foliosa. E.	(gr.) leafy.	Egypt.	1826.	7. 9.	H.⊙	
8 patula. R.S.	(gr.) spreading.	Madeira.	1778.	8. 9.	G.♂	
<b>SPINACIA. W.</b>	<b>SPINAGE. Diœcia Pentandria. L.</b>					
oleracea. w.	(gr.) common.	.....	1568.	3. 10.	H.⊙	Schk. hand. 3. t. 324.
<i>a spinosa. w.</i>	(gr.) prickly.	.....	—	—	H.⊙	
<i>β inermis.</i>	(gr.) round.	.....	—	—	H.⊙	
<b>ACN'IDA. W.</b>	<b>VIRGINIAN HEMP. Diœcia Pentandria. L.</b>					
1 cannabina. w.	(gr.) common.	N. America.	1640.	6. 7.	H.⊙	
2 rusocarpa. w.	(gr.) rugged-capsuled.	Virginia.	1824.	—	H.⊙	Mich. fl. amer. 2. t. 50.
<b>B'OSEA. R.S.</b>	<b>GOLDEN-ROD. Pentandria Digynia. L.</b>					
yervamora. R.S.	(br.) tree.	Canaries.	1728.	6. 9.	G.♀	Jacq. f. eclog. t. 25.
<b>CORISPERMUM. L.</b>	<b>TICK-SEED. Monandria Digynia. L.</b>					
1 hyssopifolium. R.S.	(wh.) Hyssop-leaved.	Europe.	1739.	7.	H.⊙	Flor. græc. 1. t. 1.
2 nitidum. R.S.	(wh.) glossy.	Hungary.	1827.	8. 9.	H.⊙	
3 Redowskii. R.S.	(wh.) Redowski's.	Caucasus.	1828.	—	H.⊙	
4 spicatum. R.S.	(wh.) spiked.	.....	....	—	H.⊙	
5 canescens. R.S.	(wh.) canescent.	Hungary.	1822.	7. 9.	H.⊙	
6 intermedium. R.S.	(wh.) intermediate.	Prussia.	—	—	H.⊙	
7 tenue. L.en.	(wh.) slender.	.....	1823.	—	H.⊙	
8 squarrosum. R.S.	(wh.) rough-spiked.	Russia.	1759.	8. 9.	H.⊙	Pall. ros. 2. t. 99.
9 Marschallii. R.S.	(wh.) Marschall's.	Caucasus.	1829.	—	H.⊙	
10 latifolium. Lk.	(wh.) broad-leaved.	—	1826.	—	H.⊙	
11 sabulosum. Led.	(wh.) gravel.	Siberia.	1827.	—	H.⊙	
<b>BL'ITUM. R.S.</b>	<b>STRAWBERRY-BLITE. Monandria Digynia. L.</b>					
1 capitatum. R.S.	(re.) berry-headed.	Austria.	1633.	5. 8.	H.⊙	Poif. et T. fl. p. 1. t. 2.
2 virgatum. R.S.	(re.) slender.	S. Europe.	1680.	5. 9.	H.⊙	Bot. mag. t. 276.
3 petiolare. L.en.	(re.) petiolate.	.....	1818.	—	H.⊙	
4 chenopodioides. R.S.	(gr.) Goosefoot-like.	.....	1826.	—	H.⊙	
5 maritimum. N.	(gr.) sea-side.	N. America.	1823.	—	H.⊙	
<b>CERATOCARPUS. L.</b>	<b>CERATOCARPUS. Monœcia Monandria. L.</b>					
arenarius. L.	(gr.) sand.	Tartary.	1757.	6. 7.	H.⊙	Buxb.in. act. pet. 1. t. 9.
<b>SALICORNIA. L.</b>	<b>GLASSWORT. Monandria Monogynia. L.</b>					
1 herbacea. s.s.	(gr.) marsh.	Britain.	....	8. 9.	H.⊙	Eng. bot. v. 6. t. 415.
2 procumbens. E.B.	(gr.) procumbent.	England.	....	—	H.⊙	— v. 35. t. 2475.
3 radicans. E.B.	(gr.) rooting.	Britain.	....	9.	H.♀	— v. 24. t. 1691.
4 pygmaea. R.S.	(gr.) small.	Caucasus.	1827.	—	H.♀	
5 perennans. R.S.	(gr.) perennial.	Siberia.	1823.	8. 9.	H.♀	Pall. it. 1. ap. T. D. f. 1.
6 fruticosa. E.B.	(gr.) shrubby.	Britain.	....	—	H.♀	Eng. bot. v. 35. t. 2467.
7 arabica. R.S.	(gr.) Arabian.	Arabia.	1758.	—	G.♀	Moris. s. 2. t. 33. f. 7.
8 foliosa. R.S.	(gr.) leafy.	Siberia.	1827.	—	H.♀	

HALOCN'EMUM. M.B. HALOCN'EMUM. Monandria Digynia.			
caspicum. R.S. (gr.) Caspian.	Caucasus.	1827.	7. 8. H. ♀. Pall. it. 1. ap. t. A. f. 2.
POLYCN'EMUM. R.S. POLYCN'EMUM. Triandria Monogynia. L.			
1 arvénse. R.S. (wh.) trailing.	S. Europe.	1640.	7. H. ♂. Jacq. aust. 4. t. 365.
2 recúrnum. R.S. (wh.) recurved-leaved.	Switzerland.	1824.	7. 8. H. ♂.
3 sálsun. R.S. (gr.) saltwort.	Tartary.	1828.	— H. ♂. Pall. ill. t. 50.
4 sibíricum. R.S. (wh.) Siberia.	Siberia.	1829.	— H. ♂. — t. 51.
5 oppositífólium. R.S. (wh.) opposite-leaved.	Tartary.	1820.	— H. ♂. Pall. it. ap. T. E. f. 2.
6 crassifólium. R.S. (wh.) thick-leaved.	Astracan.	1828.	— H. ♂. Pall. ill. t. 55.
7 sclerospérmum. R.S. (w.) hard-seeded.	—	1821.	— H. ♂. — t. 56.
8 pubéscens. Led. (wh.) pubescent.	Siberia.	1827.	— H. ♂.
CAMPHORO'SMA. L. CAMPHORO'SMA. Tetrandria Monogynia. L.			
1 monspeliacum. w. (wh.) hairy.	S. Europe.	1640.	8. 9. G. ♀. Schk. hand. 1. t. 26.
<i>perenne</i> . Pall. ill. pl. imp. cogn. t. 57.			
2 ovátum. R.S. (wh.) Hungarian.	Hungary.	1823.	— H. ♂. W. et K. hung. 1. t. 63.
GALÉNIÀ. W. GALÉNIÀ. Octandria Digynia. L.			
africána. w. (pa.) African.	C. B. S.	1752.	6. 8. G. ♀. Lam. ill. t. 314.
AX'YRIS. W. AX'YRIS. Monœcia Triandria. L.			
1 amarantóides. w. (gr.) simple-spiked.	Siberia.	1758.	6. 7. H. ♂. Gmel. sib. t. 2. f. 2.
2 hy'brida. w. (gr.) bastard.	—	1780.	6. 8. H. ♂. — t. 4. f. 1.
3 prostráta. w. (gr.) trailing.	—	1798.	7. 8. H. ♂. — t. 4. f. 2.
DI'OTIS. W. DI'OTIS. Monœcia Tetrandria. L.			
ceratóides. w. (wh.) shrubby.	Siberia.	1780.	8. H. ♀. Jacq. ic. 1. t. 189.
<i>Ax'yris ceratóides</i> . Jacq. <i>Ceratospérmum pappósum</i> . P.S.			

ORDO CLXVIII.

BEGONIACEÆ. *Ventenat. et Don prodr. p. 223.*

BEG'ONIA. L. BEG'ONIA. Monœcia Polyandria. L.			
1 nítida. s.s. (bh.) shining-leaved.	Jamaica.	1777.	5. 12. S. ♀. Sal. par. lond. t. 72.
2 dichótoma. s.s. (wh.) forked.	Caracas.	1800.	7. 8. S. ♀. Jacq. ic. 3. t. 619.
3 renifórmis. s.s. (wh.) kidney-leaved.	Brazil.	1823.	— S. ♀. Linn. trans. 1. t. 14. f. 1. 2.
4 spatuláta. s.s. (wh.) spatula-leaved.	W. Indies.	1813.	8. 10. S. ♀. Lodd. bot. cab. t. 17.
5 odoráta. s.s. (wh.) sweet-scented.	S. America.	1823.	6. 8. S. ♀.
6 sanguínea. s.s. (pi.) bloody.	Brazil.	1828.	6. 10. S. ♀.
7 Sellöi. L.O. (wh.) Sello's.	—	—	— S. ♀.
8 unduláta. B.M. (wh.) wave-leaved.	—	1825.	8. 12. S. ♀. Bot. mag. t. 2723.
9 semperflórens. B.C. (w.) ever-blowing.	Mexico.	1829.	1. 12. S. ♀. Lodd. bot. cab. t. 1439.
10 Hookeri. (pi.) Hooker's.	.....	1827.	— S. ♀. Bot. mag. t. 2920.
<i>semperflórens</i> . B.M. non. B.C.			
11 dísticha. s.s. (wh.) distichous.	S. America.	1820.	6. 8. S. ♀.
12 macrophy'lla. s.s. (bh.) large-leaved.	Jamaica.	1793.	5. 9. S. ♀.
13 hirtélla. s.s. (wh.) fringed.	W. Indies.	1818.	— S. ♀.
14 Evansiána. A.R. (pi.) Evans's.	China.	1804.	— S. ♀. Bot. mag. t. 1473.
<i>discolor</i> . H.K. published 1813. <i>Evansiána</i> . A.R. published 1811. B.M. 1812.			
15 picta. Sm. (pi.) painted.	Nepaul.	1823.	5. 9. S. ♀. Sm. exot. bot. t. 101.
16 palmáta. D.P. (pi.) palmated.	—	1825.	— S. ♀.
17 vitifólia. L.O. .... Vine-leaved.	Brazil.	1829.	.... S. ♀.
18 platanifólia. L.O. .... Plane-leaved.	—	—	.... S. ♀.
19 diversifólia. B.M. (pi.) various-leaved.	Mexico.	1827.	9. 12. S. ♀. Bot. mag. t. 2966.
20 villósa. B.R. (wh.) villous.	Brazil.	—	8. 10. S. ♀. Bot. reg. t. 1252.
21 pauciflóra. B.R. (bh.) few-flowered.	W. Indies.	1816.	5. 9. S. ♀. — t. 471.
22 pátula. H.S.S. (bh.) spreading.	Brazil.	1811.	— S. ♀.
23 bulbífera. L.O. (pi.) bulb-bearing.	—	1829.	9. 11. S. ♀.
24 monóptera. L.O. (pi.) one-winged.	—	—	— S. ♀.
25 tuberósa. s.s. (pi.) tuberous.	Amboyna.	1810.	7. 9. S. ♀. Rumph. am. 5. t. 169. f. 2.
26 acutifólia. s.s. (wh.) acute-leaved.	W. Indies.	1822.	— S. ♀. Sloan. jam. t. 127. f. 1. 2.
27 acumináta. s.s. (wh.) pointed-leaved.	Jamaica.	1790.	5. 12. S. ♀. Bot. reg. t. 364.
28 lúcida. H.R. (wh.) polished.	Trinidad.	1820.	— S. ♂.
29 argyrostigma. B.R. (pi.) silver-spotted.	Brazil.	1819.	7. 9. S. ♀. Bot. reg. t. 666.
<i>maculáta</i> . s.s.			
30 dipétala. B.M. (pi.) two-petaled.	E. Indies.	1826.	4. 8. S. ♀. Bot. mag. t. 2849.
31 papilósa. B.M. (pi.) papillose.	S. America.	1823.	— S. ♀. — t. 2846.

32 insignis. B.M.	( <i>pi.</i> ) handsome.	Brazil.	1828.	1. 12.	S. $\frac{1}{2}$ .	Bot. mag. t. 2900.
33 incarnata. L.O.	( <i>pi.</i> ) flesh-coloured.	————	1829.	—	S. $\frac{1}{2}$ .	
34 Martiãna. L.O.	( <i>pi.</i> ) Martius's.	————	————	—	S. $\frac{1}{2}$ .	
35 suavolens. B.C.	( <i>wh.</i> ) fragrant.	W. Indies.	1816.	5. 9.	S. $\frac{1}{2}$ .	Lodd. bot. cab. t. 69.
36 humilis. H.E.F.	( <i>wh.</i> ) dwarf.	————	1788.	10.	S. $\frac{1}{2}$ .	Hook. ex. flor. t. 17.
37 hirsuta. s.s.	( <i>wh.</i> ) shaggy-leaved.	————	1789.	5. 6.	S. $\frac{1}{2}$ .	Aub. gui. 2. t. 348.
38 ulmifolia. s.s.	( <i>bh.</i> ) Elm-leaved.	S. America.	1820.	6. 1.	S. $\frac{1}{2}$ .	Hook. ex. flor. t. 57.
39 scandens. s.s.	( <i>gr.</i> ) climbing.	Jamaica.	1824.	7. 9.	S. $\frac{1}{2}$ .	Aub. gui. 2. t. 349.

## ORDO CLXIX.

POLYONEÆ. *Brown prodr. p. 419.*

COCOLOBA. L.		SEASIDE-GRAPE. Octandria Trigynia. L.				
1 uvifera. s.s.	( <i>wh.</i> ) round-leaved.	W. Indies.	1690.	....	S. $\frac{1}{2}$ .	Jacq. amer. t. 73.
2 pubescens. s.s.	( <i>wh.</i> ) downy.	————	————	....	S. $\frac{1}{2}$ .	Pluk. phyt. 222. f. 8.
3 excoriata. s.s.	( <i>wh.</i> ) oval-leaved.	————	1733.	....	S. $\frac{1}{2}$ .	Plum. ic. t. 146. f. 1.
4 nivea. s.s.	( <i>st.</i> ) snowy.	Jamaica.	1826.	....	S. $\frac{1}{2}$ .	
5 punctata. s.s.	( <i>wh.</i> ) spear-leaved.	W. Indies.	1733.	....	S. $\frac{1}{2}$ .	Jacq. amer. 114. t. 77.
6 laurifolia. W.en.	( <i>wh.</i> ) Laurel-leaved.	S. America.	1816.	8. 9.	S. $\frac{1}{2}$ .	
7 diversifolia. s.s.	( <i>wh.</i> ) different-leaved.	Hispaniola.	————	—	S. $\frac{1}{2}$ .	Hook. ex. flor. t. 102.
8 obtusifolia. s.s.	( <i>wh.</i> ) blunt-leaved.	S. America.	1823.	....	S. $\frac{1}{2}$ .	Jacq. amer. t. 74.
9 microstachya. s.s.	( <i>wh.</i> ) small-spiked.	W. Indies.	————	....	S. $\frac{1}{2}$ .	
10 barbadensis. s.s.	( <i>wh.</i> ) Barbadoes.	Barbadoes.	1790.	....	S. $\frac{1}{2}$ .	Jacq. obs. 1. t. 8.
11 latifolia. s.s.	( <i>wh.</i> ) broad-leaved.	S. America.	1812.	....	S. $\frac{1}{2}$ .	Lam. ill. t. 316. f. 4.
12 acuminata. K.S.	( <i>wh.</i> ) sharp-pointed.	————	1824.	....	S. $\frac{1}{2}$ .	
13 longifolia. L.en.	( <i>wh.</i> ) long-leaved.	————	1818.	....	S. $\frac{1}{2}$ .	
14 tenuifolia. s.s.	( <i>wh.</i> ) small-leaved.	Jamaica.	1824.	....	S. $\frac{1}{2}$ .	Brown. jam. 210. f. 3.
BRUNNICHIA. S.S.		BRUNNICHIA. Decandria Trigynia. W.				
cirrhosa. s.s.	( <i>gr.</i> ) Carolina.	Carolina.	1787.	....	G. $\frac{1}{2}$ .	Gært. s. 1. t. 48. f. 2.
POLY'GONUM. L.		PERSICARIA. Tetr-Octandria Di-Trigynia.				
1 Bistorta. w.	( <i>pi.</i> ) Snake-weed.	Britain.	....	5. 9.	H. $\frac{1}{2}$ .	Eng. bot. v. 8. t. 509.
2 bistortoides. Ph.	( <i>bh.</i> ) Snake-weed-like.	N. America.	1828.	6. 7.	H. $\frac{1}{2}$ .	
3 viviparum. E.B.	( <i>gr.</i> ) alpine bistort.	Britain.	....	5. 9.	H. $\frac{1}{2}$ .	Eng. bot. v. 10. t. 669.
4 petiolatum. D.P.	( <i>pi.</i> ) petiolate.	Nepaul.	1823.	—	H. $\frac{1}{2}$ .	
5 macrophyllum. D.P.	( <i>pu.</i> ) large-leaved.	————	1822.	—	H. $\frac{1}{2}$ .	
6 affine. D.P.	( <i>ro.</i> ) related.	————	1823.	—	H. $\frac{1}{2}$ .	
7 mite. P.S.	( <i>li.</i> ) tasteless.	N. America.	1818.	6. 9.	H. $\frac{1}{2}$ .	
8 hydropiperoides. Ph.	( <i>w.</i> ) acrid.	————	1824.	—	H. $\frac{1}{2}$ .	
9 tenuiflorum. s.s.	( <i>li.</i> ) slender-flowered.	Sicily.	1826.	—	H. $\frac{1}{2}$ .	
10 scandens. w.	( <i>pi.</i> ) climbing.	N. America.	1749.	7. 9.	H. $\frac{1}{2}$ .	Pluk. alm. t. 177. f. 7.
11 Sagopyrum. w.	( <i>pi.</i> ) Buck-wheat.	England.	....	7. 8.	H. $\frac{1}{2}$ .	Eng. bot. v. 15. t. 1044.
12 emarginatum. w.	( <i>pi.</i> ) Indian buck-wheat.	Nepaul.	1796.	—	H. $\frac{1}{2}$ .	Bot. reg. t. 1065.
13 tataricum. w.	( <i>gr.</i> ) Tartarian.	Siberia.	1759.	—	H. $\frac{1}{2}$ .	Gmel. sib. 3. t. 13. f. 1.
14 Convolvulus. w.	( <i>bh.</i> ) common climbing.	Britain.	....	5. 9.	H. $\frac{1}{2}$ .	Eng. bot. v. 14. t. 941.
15 dumetorum. w.	( <i>li.</i> ) bush.	S. Europe.	1803.	—	H. $\frac{1}{2}$ .	Flor. dan. t. 759.
16 adpressum. B.P.	( <i>pi.</i> ) polygamous.	N. S. W.	1822.	—	G. $\frac{1}{2}$ .	Lab. n. hol. 1. t. 127.
17 sagittatum. w.	( <i>wh.</i> ) arrow-leaved.	N. America.	1759.	7. 8.	H. $\frac{1}{2}$ .	Bart. fl. amer. t. 101.
18 chinense. w.	( <i>pi.</i> ) Chinese.	China.	1795.	—	H. $\frac{1}{2}$ .	Burm. ind. t. 30. f. 3.
19 patens. D.P.	( <i>pi.</i> ) spreading.	Nepaul.	1823.	—	H. $\frac{1}{2}$ .	
20 elegans. s.s.	( <i>wh.</i> ) elegant.	Naples.	1824.	—	H. $\frac{1}{2}$ .	
21 alpinum. w.	( <i>wh.</i> ) Alpine.	Italy.	1816.	—	H. $\frac{1}{2}$ .	Bocc. mus. 2. t. 27.
22 undulatum. w.	( <i>wh.</i> ) wave-leaved.	Siberia.	1789.	6. 7.	H. $\frac{1}{2}$ .	Gmel. sib. 3. t. 10.
23 divaricatum. w.	( <i>wh.</i> ) divaricated.	————	1759.	7. 8.	H. $\frac{1}{2}$ .	— 3. t. 11. f. 1.
24 salignum. w.	( <i>wh.</i> ) Willow-like.	————	1816.	5. 8.	H. $\frac{1}{2}$ .	
25 acedulum. w.	( <i>wh.</i> ) narrow-leaved.	————	—	6. 7.	H. $\frac{1}{2}$ .	
26 cymosum. s.s.	( <i>wh.</i> ) cyme-flowered.	Naples.	1827.	7. 9.	H. $\frac{1}{2}$ .	
27 aviculare. E.B.	( <i>ro.</i> ) Knot-grass.	Britain.	....	4. 10.	H. $\frac{1}{2}$ .	Eng. bot. v. 18. t. 1252.
28 Dryandri. s.s.	( <i>bh.</i> ) Dryander's.	E. Indies.	1796.	4. 8.	S. $\frac{1}{2}$ .	
<i>élegans. H.K. nec aliorum.</i>						
29 arenarium. w.K.	( <i>pu.</i> ) sand.	Hungary.	1807.	5. 8.	H. $\frac{1}{2}$ .	W. et K. hung. t. 67.
30 ramosum. L.en.	( <i>wh.</i> ) branching.	Siberia.	1822.	6. 8.	H. $\frac{1}{2}$ .	
31 littorale. L.en.	( <i>wh.</i> ) sea-side.	S. Europe.	1816.	5. 8.	H. $\frac{1}{2}$ .	
32 Bellardi. P.S.	( <i>wh.</i> ) Bellardi's.	————	1822.	—	H. $\frac{1}{2}$ .	All. ped. t. 90. f. 2.
33 patulum. M.E.	( <i>wh.</i> ) spreading-branch'd.	Tauria.	—	—	H. $\frac{1}{2}$ .	

- 34 maritimum. w. (*wh.*) sea-shore. S. Europe. 1816. 6. 8. H.  $\bar{\eta}$ . Flor. græc. t. 363.
- 35 acetosum. M.B. (*li.*) Sorrel-leaved. Astracan. 1823. — H.  $\bar{\eta}$ .
- 36 erectum. w. (*wh.*) upright. N. America. 1792. 7. 8. H.  $\bar{\eta}$ .
- 37 linifolium. B.A. (*bh.*) Flax-leaved. — 1824. 6. 8. H.  $\odot$ . Bart. fl. amer. 3. t. 95. f. 2.
- 38 herniarioides. s.s. (*wh.*) Egyptian. Egypt. 1822. — F.  $\bar{\eta}$ .
- 39 pensylvanicum. w. (*ro.*) Pensylvanian. N. America. 1819. 7. 8. H.  $\odot$ .
- 40 orientale. w. (*re.*) common. E. Indies. 1707. 7. 10. H.  $\odot$ . Bot. mag. t. 213.  
 *$\beta$  album.* (*wh.*) white-flowered. — — — — H.  $\odot$ .
- 41 barbatum. s.s. (*re.*) bearded. China. 1822. 6. 9. F.  $\bar{\eta}$ . Rheed. mal. 12. t. 77.
- 42 tinctorium. w. (*re.*) dyer's. — 1776. 7. 8. G.  $\bar{\eta}$ .
- 43 decipiens. B.P. (*ro.*) decipient. N. S. W. 1822. — G.  $\bar{\eta}$ .
- 44 plebeium. B.P. (*bh.*) linear-leaved. — — — — G.  $\bar{\eta}$ .
- 45 Persicaria. (*li.*) spotted. Britain. — — — — H.  $\odot$ . Eng. bot. v. 11. t. 756.
- 46 lapathifolium. s.s. (*gr.*) Dock-leaved. — — — — 7. 10. H.  $\odot$ . — — — — v. 20. t. 1382.
- 47 incanum. W.en. (*li.*) hoary. Germany. 1804. — H.  $\odot$ . Schlrank. bav. 1. t. 3.
- 48 persicarioides. K.S. (*w.*) Mexican. Mexico. 1825. — H.  $\bar{\eta}$ .
- 49 Hydropiper. E.B. (*gr.*) Water pepper. Britain. — — — — 7. 9. H.  $\odot$ . Eng. bot. v. 14. t. 969.
- 50 glabrum. w. (*gr.*) smooth. E. Indies. 1822. — S.  $\bar{\eta}$ .
- 51 minus. E.B. (*li.*) slender. England. — — — — H.  $\odot$ . Eng. bot. v. 15. t. 1043.
- 52 repens. (*wh.*) rooting-branched. Fulham. — — — — 8. 10. H.  $\odot$ .
- 53 tortuosum. D.P. (*wh.*) twisting. Nepal. 1824. 7. 10. F.  $\bar{\eta}$ .
- 54 equisetiforme. s.s. (*wh.*) Equisetum-like. Britain. — — — — H.  $\odot$ . Flor. græc. t. 364.
- 55 oxyspermum. Led. (*w.*) sharp-seeded. Siberia. 1827. — H.  $\bar{\eta}$ .
- 56 arifolium. w. (*bh.*) Arum-leaved. N. America. 1816. 5. 10. H.  $\odot$ . Bart. fl. amer. t. 100.
- 57 ocreatum. w. (*bh.*) spear-leaved. Siberia. 1780. 6. 9. H.  $\bar{\eta}$ . Gmel. sib. 3. t. 8.
- 58 virginianum. w. (*pa.*) Virginian. N. America. 1640. 8. 9. H.  $\bar{\eta}$ . Park. theat. 857. f. 6.
- 59 amphibium. w. (*ro.*) amphibious. Britain. — — — — 6. 8. H. w.  $\bar{\eta}$ . Eng. bot. v. 7. t. 436.
- 60 gracile. B.P. (*pi.*) slender-stalked. N. S. W. 1822. — G.  $\bar{\eta}$ .
- 61 acetosæfolium. P.S. (*re.*) Brazilian. Brazil. — — — — S.  $\bar{\eta}$ . Venten. cels. t. 88.
- TRAGOPYRUM. M.B. TRAGOPYRUM. Octandria Trigynia.
- 1 lanceolatum. M.B. (*pi.*) spear-leaved. Siberia. 1770. 7. 8. H.  $\bar{\eta}$ . Bot. reg. t. 255.
- Polygonum frutescens.* B.R.
- 2 buxifolium. M.B. (*pi.*) Box-leaved. Caucasus. 1800. — H.  $\bar{\eta}$ . Bot. mag. t. 1065.
- Polygonum crispulum.* B.M.
- ATRAPHAXIS. L. ATRAPHAXIS. Hexandria Digynia. L.
- 1 spinosa. s.s. (*gr.*) prickly. Levant. 1732. 8. G.  $\bar{\eta}$ . L'Herit. stirp. 1. t. 14.
- 2 undulata. s.s. (*gr.*) waved-leaved. C. B. S. — 6. 7. G.  $\bar{\eta}$ . Dill. elt. t. 32. f. 36.
- OXYRIA. Sm. MOUNTAIN SORREL. Hexandria Digynia. Sm.
- reniformis. Sm. (*gr.*) kidney-leaved. Britain. — — — — 6. 7. H.  $\bar{\eta}$ . Eng. bot. v. 13. t. 910.
- Rumex digynus.* E.B.
- RUMEX. L. Dock. Hexandria Trigynia. L.
- 1 Hydrolapathum. s.s. (*gr.*) great water. Britain. — — — — 7. 8. H. w.  $\bar{\eta}$ . Eng. bot. v. 30. t. 2104.
- aquaticus.* E.B.
- 2 Britannica. s.s. (*gr.*) Virginian. N. America. — — — — 6. 7. H.  $\bar{\eta}$ .
- 3 maximus. s.s. (*gr.*) great. Europe. — — — — H.  $\bar{\eta}$ .
- 4 acutus. E.B. (*gr.*) sharp. Britain. — — — — H.  $\bar{\eta}$ . Eng. bot. v. 11. t. 724.
- 5 Nemolapathum. w. (*gr.*) flat-valved. Europe. 1816. — H.  $\bar{\eta}$ .
- 6 nemorosus. W.en. (*gr.*) wood. — — — — H.  $\bar{\eta}$ .
- 7 sanguineus. E.B. (*gr.*) bloody-veined. England. — — — — 6. 7. H.  $\bar{\eta}$ . Eng. bot. v. 22. t. 1533.
- 8 condylodes. M.B. (*gr.*) spreading. Caucasus. 1823. — H.  $\bar{\eta}$ .
- 9 crispus. E.B. (*gr.*) curled. Britain. — — — — H.  $\bar{\eta}$ . Eng. bot. v. 28. t. 1998.
- 10 Patientia. w. (*gr.*) Patience. Italy. 1573. — H.  $\bar{\eta}$ .
- 11 confertus. W.en. (*gr.*) close-leaved. — — — — 1816. — H.  $\bar{\eta}$ .
- 12 brasiliensis. L.en. (*gr.*) Brazilian. Brazil. 1823. — G.  $\bar{\eta}$ .
- 13 verticillatus. s.s. (*gr.*) whorled. N. America. 1818. — H.  $\bar{\eta}$ .
- 14 spathulatus. P.S. (*gr.*) spatulate-leav'd. C. B. S. 1824. 8. 2. G.  $\bar{\eta}$ .
- 15 purpureus. P.S. (*gr.*) purple-veined. Europe. — — — — 6. 7. H.  $\bar{\eta}$ .
- 16 linearis. s.s. (*gr.*) linear-leaved. C. B. S. 1824. 8. 12. G.  $\bar{\eta}$ .
- 17 salicifolius. s.s. (*gr.*) Willow-leaved. California. 1821. 7. 10. F.  $\bar{\eta}$ .
- 18 lævigatus. s.s. (*gr.*) smooth. — — — — 1828. — H.  $\bar{\eta}$ .
- 19 sylvestris. s.s. (*gr.*) wood. Germany. 1826. 6. 8. H.  $\bar{\eta}$ .
- 20 obtusifolius. E.B. (*gr.*) broad-leaved. Britain. — — — — H.  $\bar{\eta}$ . Eng. bot. v. 28. t. 1999.
- 21 nepalensis. s.s. (*gr.*) Nepalese. Nepal. 1823. — H.  $\bar{\eta}$ .
- 22 palustris. E.B. (*ye.*) yellow marsh. England. — — — — 7. 8. H.  $\bar{\eta}$ . Eng. bot. v. 27. t. 1922.
- 23 maritimus. E.B. (*ye.*) sea-side. Britain. — — — — H.  $\bar{\eta}$ . — — — — v. 11. t. 725.
- 24 divaricatus. w. (*gr.*) divaricate. Italy. 1793. — H.  $\bar{\eta}$ . Till. pis. t. 37. f. 2.
- 25 strictus. L.en. (*gr.*) upright. — — — — 1824. — H.  $\bar{\eta}$ .
- 26 persicarioides. w. (*gr.*) Persicaria-like. N. America. 1773. 6. 7. H.  $\bar{\eta}$ .
- 27 dentatus. w. (*gr.*) dentated. Egypt. 1782. 7. 8. H.  $\odot$ . Dill. elt. t. 158. f. 191.

28 ægyptiacus. w.	(gr.) Egyptian.	Egypt.	1734.	6. 7. H. ⊙.	Till. pis. t. 37. f. 1.
29 ucranicus. s.s.	(gr.) Ukraine.	Ukraine.	1820.	— H. ⊙.	
30 crispátulus. M.	(gr.) curled-leaved.	N. America.	—	— H. ⊙.	
31 cristátus. DC.	(gr.) crested.	.....	—	— H. ♀.	
32 púlcher. E.B.	(gr.) fiddle.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 22. t. 1576.
33 aquáticus. s.s.	(gr.) water.	Europe.	1818.	— H. w. ♀.	
34 scutátus. w.	(gr.) French sorrel.	France.	1596.	6. 7. H. ♀.	Jacq. ic. 1. t. 67.
35 hastifólius. M.B.	(gr.) hastate-leaved.	Caucasia.	1816.	— H. ♀.	
36 vesiciárius. w.	(gr.) bladder.	Africa.	1656.	7. 8. H. ⊙.	Moris. s. 5. t. 28. f. 7.
37 tingitánus. w.	(gr.) Tangier.	Barbary.	1680.	6. 8. H. ♀.	Zanon. hist. 9. t. 6.
38 longifólius. K.S.	(gr.) long-leaved.	S. America.	1827.	7. 10. F. ♀.	
39 sarcorhizus. L.en.	(gr.) fleshy-rooted.	C. B. S.	1824.	8. 12. G. ♀.	
40 Burchéllii. s.s.	(gr.) Burchell's.	—	1816.	8. 10. G. ♀.	
41 Lunária. w.	(gr.) tree.	Canaries.	1698.	6. 7. G. ♀.	Pluk. alm. t. 252. f. 3.
42 orientális. Bern.	(gr.) oriental.	Levant.	1821.	7. 9. H. ♀.	
43 conspérus. Ot.	(gr.) scattered.	.....	1824.	— H. ♀.	
44 domésticus. s.s.	(gr.) various-leaved.	Sweden.	1823.	— H. ♀.	
45 róseus. w.	(gr.) rose.	Egypt.	1737.	7. 8. H. ⊙.	
46 lácerus. s.s.	(gr.) torn-leaved.	—	1825.	— H. ⊙.	
47 bucephalóphorus.	(gr.) Basil-leaved.	Italy.	1683.	6. H. ⊙.	Cavan. ic. 1. t. 41. f. 1.
48 fimbriátus. s.s.	(gr.) fringe-valved.	C. B. S.	1816.	7. 9. G. ♀.	
49 Brównii. s.s.	(gr.) Brown's fringed.	N. S. W.	1824.	— G. ♀.	
50 Acetósa. E.B.	(gr.) common Sorrel.	Britain.	....	6. 8. H. ♀.	Eng. bot. v. 2. t. 127.
51 Acetosólla. E.B.	(st.) sheep's sorrel.	—	....	5. 7. H. ♀.	— v. 24. t. 1674.
52 abyssínicus. Jacq.	(gr.) Abyssinian.	Abyssinia.	1823.	— G. ♀.	Jacq. vind. 3. t. 98.
53 tuberósus. w.	(gr.) tuberous-rooted.	S. Europe.	1752.	6. 8. H. ♀.	
54 arifólius. s.s.	(gr.) Arum-leaved.	Africa.	1775.	12. 4. G. ♀.	
55 trianguláris. DC.	(gr.) triangular-leaved.	S. Europe.	1824.	— F. ♀.	
56 amplexicaúlis. s.s.	(gr.) stem-clasping.	Pyrenees.	1816.	6. 8. H. ♀.	
57 luxúrians. s.s.	(gr.) luxuriant.	S. Europe.	....	— H. ♀.	
58 alpinus. w.	(gr.) Alpine.	France.	1597.	6. 7. H. ♀.	Zorn. ic. 261.
59 frutésceus. s.s.	(gr.) frutescent.	Tristan d'Ac.	1816.	6. 9. G. ♀.	
60 gigánteus. H.K.	(gr.) tall.	Sandwich Isl.	1796.	6. 8. G. ♀.	
EMEX. S.S.		EMEX. Hexandria Trigynia. S.S.			
spinósus. s.s.	(gr.) spiny-seeded.	Candia.	1656.	6. 7. H. ⊙.	
Rámex spinósus. w.					
PODO'PTERUS. K.S.	PODO'PTERUS.	Hexandria Trigynia. S.S.			
mexicánu. K.S. (wh.)	Mexican.	Mexico.	1825.	.... G. ♀.	H. et B. pl. am. 2. t. 107.
TRIPLÁRIS. K.S.	TRIPLÁRIS.	Diœcia Enneandria. L.			
americána. K.S. (ro.pu.)	American.	S. America.	1823.	5. 8. S. ♀.	Jacq. amer. 13. t. 173. f. 5.
RHEUM. L.	RHUBARB.	Enneandria Trigynia. L.			
1 Rhapónticum. w. (wh.)	common.	Asia.	1573.	5. 6. H. ♀.	Sabb. hort. 1. t. 34.
2 undulátum. w. (wh.)	wave-leaved.	China.	1734.	— H. ♀.	L. amen. acad. 3. t. 4.
3 crispum. And. (wh.)	curl-leaved.	.....	1820.	— H. ♀.	
4 compáctum. w. (wh.)	thick-leaved.	Tartary.	1758.	— H. ♀.	Mill. ic. 2. t. 218.
5 tatáricum. w. (wh.)	Tartarian.	—	1793.	— H. ♀.	
6 hybridum. w. (wh.)	bastard.	Asia.	1778.	— H. ♀.	Murr. c. gott. t. 1.
7 austriacum. And. (wh.)	Austrian.	Austria.	1819.	— H. ♀.	
8 sibíricum. And. (wh.)	Siberian.	Siberia.	—	— H. ♀.	
9 fenestrátum. F. (wh.)	windowed.	.....	1760.	— H. ♀.	
10 rotundifólium. And. (w.)	round-leaved.	.....	....	— H. ♀.	
11 nútans. F. (wh.)	nodding.	Asia.	1824.	— H. ♀.	
12 Ribes. w. (wh.)	warted-leaved.	Levant.	1724.	— H. ♀.	Ann. mus. 1. t. 49.
13 palmátum. w. (wh.)	palmated.	China.	1763.	4. 5. H. ♀.	Linn. fasc. 7. t. 4.
14 austrále. D.P. (d.pu.)	Nepaul.	Nepaul.	1826.	— H. ♀.	Swt. br. fl. gar. t. 269.
ERIO'GONUM. M.	ERIO'GONUM.	Enneandria Trigynia. N.			
1 tomentósum. M. (wh.)	woolly.	Carolina.	1811.	5. 6. H. ♀.	Mich. amer. v. 1. t. 24.
2 flávum. n. (ye.)	ilky.	Missouri.	—	7. H. ♀.	
seríceum. Ph.					
3 pauciflórum. Ph. (wh.)	few-flowered.	Louisiana.	1812.	— H. ♀.	
4 longifólium. n. (wh.)	long-leaved.	Arkansa.	1824.	— H. ♀.	
CALLI'GONUM. W.	CALLI'GONUM.	Dodecandria Tetragynia. L.			
1 Pallásia. w. (wh. gr.)	Caspian.	Caspian shores.	1780.	8. H. ♀.	Pall. ros. 2. t. 77. 78.
2 Pandéri. w. (gr. wh.)	Fischer's.	—	1824.	7. 9. H. ♀.	
3 comósum. P.S. (gr. wh.)	tufted.	Persia.	1829.	.... H. ♀.	
KÆNI'GIA. W.	KÆNI'GIA.	Triandria Trigynia. L.			
islándica. w. (gr.)	Iceland.	Iceland.	1773.	4. H. ⊙.	Lam. ill. gen. t. 51.

## ORDO CLXX.

LAURINÆ. *Brown prodr. p. 401.*

LA'URUS. W.	LA'URUS. Enneandria Monogynia. L.					
1 nòbilis. w. (gr.ye.)	Sweet Bay. S. Europe.	1561.	4. 5.	H. h.		Flor. grac. t. 365.
β undulàta. (gr.ye.)	wave-leaved.	—	—	H. h.		
γ salicifòlia. (gr.ye.)	Willow-leaved.	—	—	H. h.		
δ variegàta. (gr.ye.)	variegated.	—	—	H. h.		
2 coriàcea. s.s. (gr.ye.)	leathery-leaved. Jamaica.	1822.	....	S. h.		
3 salicifòlia. s.s. (gr.)	Willow-leaved. W. Indies.	—	....	S. h.		
4 Catesb'æi. P.S. (wh.)	Catesby's. Florida.	1811.	4. 6.	F. h.		Catesb. car. 1. t. 2b.
5 carolinénsis. M. (gr.ye.)	Carolina. N. America.	1806.	—	F. h.		— 1. t. 63.
a glàbra. (gr.ye.)	smooth-leaved.	—	—	F. h.		
β pubéscens. (gr.ye.)	downy.	—	—	F. h.		
γ obtùsa. (gr.ye.)	blunt-leaved.	—	—	F. h.		
6 Borbònia. w. (gr.ye.)	Bourbon. S. America.	1739.	—	F. h.		Plum. gen. 4.
7 thyriflòra. s.s. (gr.ye.)	bunch-flowered. Madagascar.	1824.	....	S. h.		
8 índica. w. (gr.ye.)	royal bay. Madeira.	1665.	10. 3.	G. h.		Pluk. alm. t. 304. f. 1.
9 f'ætens. w. (gr.ye.)	Madeira or Til.	1760.	—	G. h.		
10 canariénsis. W.en.(st.)	Canary. Canaries.	1815.	—	G. h.		
11 aggregàta. B.M. (wh.)	clustered. China.	1812.	—	S. h.		Bot. mag. t. 2497.
12 Chloròxylon. w. (gr.ye.)	Cogwood-tree. Jamaica.	1778.	....	S. h.		Brown. jam. t. 7. f. 1.
13 péndula. w. (gr.ye.)	pendulous.	1822.	....	S. h.		
14 glàuca. w. (gr.ye.)	glaucous. Japan.	1806.	....	G. h.		
15 æstivàlis. w. (gr.ye.)	veined-leaved. N. America.	1765.	4. 5.	G. h.		
16 Benzóin. w. (gr.ye.)	Benjamin-tree.	1683.	—	H. h.		Comm. hort. 1. t. 97.
17 Diòsphyros. P.S. (gr.ye.)	twiggy.	1810.	—	H. h.		Bot. mag. t. 1470.
18 geniculàta. M. (gr.ye.)	flexuose.	1759.	—	H. h.		— t. 1471.
19 Sássafras. w. (gr.ye.)	Sassafras-tree.	1633.	5. 6.	H. h.		Catesb. car. 1. t. 55.
20 àlbida. N. (gr.ye.)	white Sassafras.	—	....	H. h.		
PE'RSEA. G.	ALLIGATOR-PEAR. Enneandria Monogynia. S.S.					
gratíssima. G. (st.)	common. W. Indies.	1739.	4. 6.	S. h.		Bot. reg. t. 1258.
Laùrus Pérsa. w.						
CINNAMOMUM. B.P. CINNAMON. Enneandria Monogynia.						
1 Càssia. s.s. (gr.)	pubescent. E. Indies.	1768.	5. 9.	S. h.		Andr. reposit. t. 596.
Laùrus Cinnamòdum. A.R. Pérsa Càssia. s.s.						
2 vèrum. (gr.)	true. Ceylon.	1763.	6. 9.	S. h.		Bot. mag. t. 1636.
Laùrus Càssia. B.M. Pérsa Cinnamòdum. s.s.						
3 dúlcis. s.s. (gr.wh.)	sweet. E. Indies.	1824.	....	S. h.		
4 nítidum. H.E.F. (gr.)	glossy-leaved. Sumatra.	—	6. 9.	S. h.		Hook. ex. flor. t. 176.
5 Bejòlghòta. (gr.)	square-branch'd. E. Indies.	1805.	....	S. h.		
Laùrus Bejòlghòta. L.T. Laùrus malabáthrica. H.B?						
6 Culitlàban. (gr.)	three-flowered. Moluccas.	....	....	S. h.		Rumph. amb. 2. t. 14.
Laùrus Culitlàban. H.B.						
7 grácile. Hort. (gr.)	slender. E. Indies.	1805.	....	S. h.		
8 Camphòra. (wh.)	Camphire-tree. Japan.	1727.	3. 6.	G. h.		Bot. mag. t. 2658.
Laùrus Camphòra. B.M. Pérsa Camfóra. s.s.						
OC'OTEA. K.S. OC'OTEA. Dodecandria Monogynia.						
psychotrióides. K.S. (gr.)	spear-leaved. Mexico.	1828.	....	G. h.		
CRYPTOC'ARYA. B.P. CRYPTOC'ARYA. Dodecandria Monogynia.						
1 glaucéscens. B.P. (gr.)	glaucous-leaved. N. S. W.	1820.	....	G. h.		
2 obovàta. B.P. (gr.)	obovate-leaved.	1823.	....	G. h.		
TETRANTH'ERA. B.P. TETRANTH'ERA. Diccia Enneandria.						
1 laurifòlia. B.R. (gr.wh.)	Laurel-leaved. Japan.	1823.	1. 5.	G. h.		Bot. reg. t. 893.
2 apetàla. B.P. (gr.wh.)	petalless. E. Indies.	—	—	G. h.		Roxb. corom. 2. t. 147.
3 dealbàta. B.P. (gr.)	white-leaved. N. S. W.	1824.	....	G. h.		
4 involucràta. Rox. (gr.)	involucred. E. Indies.	1820.	1. 5.	G. h.		
CASS'YTHA. L. CASS'YTHA. Dodecandria Monogynia.						
1 filifórmis. L. (wh.)	slender. C. B. S.	....	5. 8.	G. 2. ∪.		Rumph. amb. 5. t. 184. f. 4
2 glabèlla. B.P. (wh.)	smooth. N. S. W.	1822.	—	G. 2. ∪.		
3 paniculàta. B.P. (wh.)	panicked.	1824.	—	G. 2. ∪.		

## LAURINIS AFFINE.

GYROCARPUS. B.P. GYROCARPUS. Polygamia Monœcia.						
1	americânus. w.	(ye.) American.	W. Indies.	1816.	....	S. h. Jacq. amer. t. 178. f. 80.
2	asiaticus. w.	(ye.) Asiatic.	E. Indies.	1812.	....	S. h. Roxb. corom. 1. t. 1.
<i>Jacquini</i> . R.C.						
HERNANDIA. L. JACK IN A BOX. Monœcia Triandria. L.						
1	sonôra. w.	(wh.) peltate-leaved.	W. Indies.	1693.	....	S. h. Rumph. amb. 2. t. 85.
2	guianênsis. w.	(wh.) Guiana.	Guiana.	1823.	....	S. h. Aub. gui. 2. t. 309.
3	ovigera. w.	(wh.) oval-leaved.	E. Indies.	1820.	....	S. h. Rumph. amb. 3. t. 123.

## ORDO CLXXI.

MYRISTICÆÆ. *Brown prodr. p. 399.*

MYRISTICA. W. NUTMEG. Diœcia Monadelphica. L.						
1	moschâta. w.	(ye.) true.	E. Indies.	1795.	....	S. h. Hook. ex. flor. t. 155-156
	<i>officinâlis</i> . H.E.F.	<i>aromâtica</i> . Lam.				
2	sebifera. s.s.	(ye.) woolly-fruited.	S. America.	1829.	....	S. h.
3	fâtua. s.s.	(ye.) tasteless.	Surinam.	1812.	....	S. h. Pluk. alm. t. 250. f. 6.

## ORDO CLXXII.

PROTEACEÆ. *Brown Linn. trans. 10. p. 46.*

A'ULAX. P.L. A'ULAX. Diœcia Tetrandria. H.K.						
1	pinifolia. L.T.	(ye.) Pine-leaved.	C. B. S.	1780.	7. 9.	G. h. Andr. reposit. t. 76.
	<i>Prœtea pinifolia</i> . A.R.					
2	umbellata. L.T.	(ye.) umbelled.	—————	1774.	6. 8.	G. h. Andr. reposit. t. 248.
LEUCADE'NDRON. L.T. LEUCADE'NDRON. Diœcia Tetrandria. H.K.						
1	argenteum. L.T.	(st.) Silver-tree.	C. B. S.	1693.	6. 8.	G. h. Bot. reg. t. 979.
	<i>Prœtea argentea</i> . w.					
2	plumosum. L.T.	(ye.) feathered.	—————	1774.	—	G. h. Thunb. diss. 40. t. 4.
	<i>Prœtea parviflora</i> . Th.					
3	retusum. L.T.	(ye.) retuse-leaved.	—————	1825.	—	G. h.
4	spathulatum. L.T.	(ye.) spathulate.	—————	1812.	6. 8.	G. h.
5	angustatum. L.T.	(ye.) narrow-leaved.	—————	1824.	—	G. h.
6	imbricatum. L.T.	(ye.) imbricated.	—————	1790.	—	G. h.
7	buxifolium. L.T.	(ye.) Box-leaved.	—————	1812.	—	G. h. Wend. h. herr. t. 14?
8	Levisanus. L.T.	(ye.) short-leaved.	—————	1774.	4. 6.	G. h. ————— t. 1.
9	linifolium. L.T.	(ye.) Flax-leaved.	—————	1809.	—	G. h. Jacq. schoen. 1. t. 26.
10	stellatum.	(ye.) starry.	—————	—	5. 6.	G. h. Bot. mag. t. 881.
	<i>Prœtea stellaris</i> . B.M.	<i>squarrosa</i> . K.P.				
11	fusciflorum. L.T.	(br.) brown-flowered.	—————	1812.	—	G. h. Jacq. schoenb. 1. t. 27.
12	tortum. L.T.	(ye.) twisted-leaved.	—————	1790.	3. 5.	G. h. Bot. reg. t. 826.
13	cinereum. L.T.	(ye.) gray-leaved.	—————	1774.	7. 8.	G. h.
14	corymbosum. L.T.	(ye.) corymbed.	—————	1790.	4. 7.	G. h. Bot. reg. t. 402.
15	decorum. L.T.	(ye.) decorous.	—————	—	5. 8.	G. h.
16	squarrosus. L.T.	(ye.) squarrose.	—————	1812.	—	G. h. Boerh. lug. 2. p. 197. c. ic.
	<i>Prœtea strobilina</i> . L.					
17	concolor. L.T.	(ye.) one-coloured.	—————	1774.	3. 6.	G. h. Andr. reposit. t. 307.
	<i>Prœtea globosa</i> . B.M.	878. <i>strobilina</i> . Schrad. s. han.	1. t. 1.			
18	grandiflorum. L.T.	(ye.) great-flowered.	C. B. S.	1789.	4. 6.	G. h. Sal. par. lond. t. 105.
19	ovale. L.T.	(ye.) oval-leaved.	—————	1818.	—	G. h.
20	venosum. L.T.	(ye.) veined-leaved.	—————	1815.	—	G. h.
21	decurrens. L.T.	(ye.) decurrent.	—————	1812.	6. 8.	G. h.
22	glabrum. L.T.	(ye.) smooth.	—————	—	3. 6.	G. h.

23	strictum. L.T.	(ye.) upright.	C. B. S.	1795.	4. 6.	G. h.	Sal. par. lond. t. 75.
	<i>Euryspermum salicifolium</i> . P.L.		<i>Prötea conferta</i> . Andr.	rep. t. 541.			
24	virgatum. L.T.	(ye.) slender.	C. B. S.	....		G. h.	
25	adscendens. L.T.	(ye.) ascending.	_____	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f. 6.
26	concinnum. L.T.	(ye.) neat.	_____	1800.	_____	G. h.	
27	salignum. L.T.	(ye.) Willow-leaved.	_____	1774.	4. 6.	G. h.	Boer. lugd. 2. p. 204. ic.
28	uliginosum. L.T.	(ye.) swamp.	_____	1795.	_____	G. h.	Brey. cent. 21. t. 9.
29	floridum. L.T.	(ye.) florid.	_____	_____	_____	G. h.	Pluk. phyt. t. 229. f. 4.
	<i>Prötea saligna</i> mas. et fem. Andr. rep. t. 572?						
30	platyspermum. L.T.	(ye.) flat-seeded.	_____	1818.	_____	G. h.	
31	comosum. L.T.	(ye.) tufted.	_____	1812.	5. 8.	G. h.	
32	æmulum. L.T.	(ye.) related.	_____	1789.	6. 9.	G. h.	
	<i>Prötea incurva</i> . Andr. rep. t. 429.						
33	abietinum. L.T.	(ye.) Pine-leaved.	_____	_____	7. 9.	G. h.	Andr. reposit. t. 461.
	<i>Prötea teretifolia</i> . Andr. rep. t. 461.						
34	scabrum. L.T.	(ye.) rough.	_____	1812.	4. 6.	G. h.	
35	sericeum. L.T.	(ye.) silky-leaved.	_____	1818.	_____	G. h.	
36	Globularia. L.T.	(ye.) globe-headed.	_____	1810.	_____	G. h.	Lam. ill. 1. t. 53.
37	pubescens. L.T.	(ye.) pubescent.	_____	1822.	_____	G. h.	
38	ericifolium. L.T.	(ye.) Heath-leaved.	_____	_____	_____	G. h.	
39	inflexum. L.en.	(ye.) inflexed.	_____	1812.	_____	G. h.	
40	caudatum. L.en.	(ye.) tailed.	_____	_____	_____	G. h.	
41	marginatum. L.en.	(ye.) villous-margined.	_____	1818.	_____	G. h.	
42	crassifolium. L.T.	(ye.) thick-leaved.	_____	1816.	_____	G. h.	
43	cartilagineum. L.T.	(ye.) bony-margined.	_____	_____	_____	G. h.	
	PETROPHILA. L.T. PETROPHILA. Tetrandria Monogynia. R.S.						
1	teretifolia. L.T.	(wh.) round-leaved.	N. Holland.	1824.	....	G. h.	
2	filifolia. L.T.	(wh.) thread-leaved.	_____	_____	....	G. h.	
3	acicularis. L.T.	(wh.) needle-leaved.	_____	_____	....	G. h.	
4	pulchella. L.T.	(wh.) Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Bot. mag. t. 796.
5	pedunculata. L.T.	(st.) peduncled.	_____	1824.	4. 8.	G. h.	
6	diversifolia. L.T.	(wh.) various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
7	trifida. L.T.	(wh.) trifid-leaved.	_____	1824.	....	G. h.	
	ISOPOGON. L.T. ISOPOGON. Tetrandria Monogynia. R.S.						
1	teretifolius. L.T.	(wh.) round-leaved.	N. Holland.	1824.	4. 8.	G. h.	
2	anethifolius. L.T.	(wh.) Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
3	formosus. L.T.	(li.) handsome.	N. Holland.	1805.	_____	G. h.	Bot. reg. t. 1288.
4	anemonifolius. L.T.	(st.) Anemone-leav'd.	N. S. W.	1791.	7. 9.	G. h.	Bot. mag. t. 697.
5	divaricatus. A.R.	(ye.) spreading.	_____	_____	_____	G. h.	Andr. rep. t. 465.
6	trilobus. L.T.	(wh.) three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
7	longifolius. L.T.	(ye.) long-leaved.	_____	1820.	_____	G. h.	Bot. reg. t. 900.
8	propinquus. M.C.	(ye.) related.	_____	1824.	....	G. h.	
9	attenuatus. L.T.	(wh.) attenuated.	_____	_____	5. 6.	G. h.	
10	polycéphalus. L.T.	(wh.) many-headed.	_____	_____	....	G. h.	
11	axillaris. L.T.	..... axillary.	_____	_____	....	G. h.	
	PROTEA. L.T. PRÖTEA. Tetrandria Monogynia. L.						
1	cynaroides. L.T.	(re.) Artichoke-fl'd.	C. B. S.	1774.	11. 3.	G. h.	Bot. mag. t. 770.
2	latifolia. L.T.	(sc.) ray-flowered.	_____	1806.	7. 9.	G. h.	_____ t. 1717.
	<i>a coccinea.</i>	(sc.) scarlet-flower'd.	_____	_____	_____	G. h.	Andr. reposit. t. 646.
	<i>β viridiflora.</i>	(gr.) green-flowered.	_____	_____	_____	G. h.	_____ t. 646.
3	compacta. L.T.	(pu.) compact.	_____	1810.	_____	G. h.	
4	longiflora. L.T.	(st.) long-flowered.	_____	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
	<i>ochroleuca</i> . Sm. lucticolor. Par. lond. t. 27.						
5	coccinea. L.T.	(sc.) scarlet-flowered.	_____	1810.	5. 6.	G. h.	
6	speciosa. L.T.	(wh.br.) splendid.	_____	1786.	3. 6.	G. h.	Knight's prot. c. ic.
7	obtusa.	(pa. pi.) obtuse.	_____	_____	_____	G. h.	Andr. reposit. t. 110.
	<i>speciosa</i> . B.M. 1183. <i>Erodéndrum obtusum</i> . K.P.						
8	macrophylla. L.T.	(wh.) large-leaved.	_____	1810.	_____	G. h.	
9	formosa. L.T.	(sc.) handsome.	_____	1789.	5. 6.	G. h.	Bot. mag. t. 1713.
	<i>coronata</i> . A.R. 469. <i>Erodéndrum formosum</i> . Par. lond. t. 76.						
10	malaleuca. L.T.	(bk.) black-fringed.	_____	1786.	3. 7.	G. h.	Andr. reposit. t. 103.
11	Lepidocarpon. L.T.	(bk.) crested.	_____	1806.	_____	G. h.	Wein. phyt. 4. t. 895.
12	nerifolia. L.T.	(pu.) Oleander-leaved.	_____	_____	2. 4.	G. h.	Bot. reg. t. 208.
13	pulchella. L.T.	(pu.) wave-leaved.	_____	1795.	3. 8.	G. h.	_____ t. 20.
	<i>a ciliata.</i>	(pu.bk.) fringe-leaved.	_____	_____	_____	G. h.	Andr. reposit. t. 270.
	<i>β glabra.</i>	(pu.bk.) smooth-leaved.	_____	_____	_____	G. h.	_____ t. 277.
	<i>γ speciosa.</i>	(pu.bk.) specious.	_____	_____	_____	G. h.	_____ t. 442.
14	pátens. L.T.	(st.bk.) spreading.	_____	1789.	3. 6.	G. h.	_____ t. 543.
15	magnifica. A.R.	(pu.bk.) magnificent.	_____	_____	_____	G. h.	_____ t. 438.

16	<i>incómpta</i> . L.T. ( <i>wh.</i> ) villous-branched.	C. B. S.	1807.	5. 7.	G. h.	
17	<i>longifolia</i> . L.T. ( <i>st.bk.</i> ) long-leaved.	_____	1798.	3. 8.	G. h.	Bot. reg. t. 47.
18	<i>umbonális</i> . ( <i>st.pu.</i> ) embossed.	_____	_____	_____	G. h.	Andr. reposit. t. 144.
	<i>longifolia</i> . var. <i>cono turbinato</i> . A.R. <i>Erodéndrum umbonále</i> . K.P.	_____	_____	_____	G. h.	
19	<i>ligulafolia</i> . ( <i>st.pu.</i> ) strap-leaved.	_____	1798.	3. 8.	G. h.	Andr. reposit. t. 133.
	<i>longifolia ferruginóso-purpurea</i> . A.R. <i>Erodéndrum ligulafólium</i> . K.P.	_____	_____	_____	G. h.	
20	<i>mellifera</i> . L.T. ( <i>ro.wh.</i> ) honey-bearing.	_____	1774.	12. 5.	G. h.	Bot. mag. t. 346.
	<i>β álba</i> . ( <i>wh.</i> ) white-flowered.	_____	_____	_____	G. h.	Andr. reposit. ic.
21	<i>grandiflora</i> . L.T. ( <i>ro.w.</i> ) great-flowered.	_____	1787.	5. 6.	G. h.	Bot. mag. t. 2447.
	<i>β margináta</i> . ( <i>ro.wh.</i> ) red margined.	_____	_____	_____	G. h.	Bot. reg. t. 569.
22	<i>Scólymus</i> . L.T. ( <i>ro.wh.</i> ) small-flowered.	_____	1780.	_____	G. h.	Bot. mag. t. 698.
23	<i>mucronifolia</i> . L.T. ( <i>wh.ro.</i> ) dagger-leaved.	_____	1803.	7. 12.	G. h.	Andr. rep. t. 500.
24	<i>nána</i> . L.T. ( <i>cr.</i> ) dwarf.	_____	1787.	4. 7.	G. h.	Sm. exot. bot. 1. t. 44.
	<i>rosácea</i> . Sm. <i>acuífolia</i> . Par. lond. t. 2.	_____	_____	_____	G. h.	
25	<i>péndula</i> . L.T. ( <i>wh.gr.</i> ) pendulous.	_____	1806.	3. 6.	G. h.	
26	<i>ténax</i> . L.T. ( <i>st.</i> ) tough.	_____	1801.	2. 5.	G. h.	Sal. par. lond. t. 70.
27	<i>canaliculáta</i> . L.T. ( <i>pi.</i> ) channel-leaved.	_____	1800.	12. 2.	G. h.	Andr. reposit. t. 437.
28	<i>acumináta</i> . B.M. ( <i>cr.</i> ) sharp-pointed.	_____	1809.	3. 6.	G. h.	Bot. mag. t. 1694.
29	<i>acaúlis</i> . L.T. ( <i>st.br.</i> ) short-staked.	_____	1802.	5. 9.	G. h.	Wein. phyt. 4. t. 898.
30	<i>glaucophylla</i> . P.L. ( <i>st.br.</i> ) glaucous-leaved.	_____	_____	7. 9.	G. h.	Sal. par. lond. t. 11.
31	<i>elongáta</i> . L.T. ( <i>st.br.</i> ) elongated.	_____	1810.	_____	G. h.	
32	<i>angustáta</i> . L.T. ( <i>st.</i> ) narrow-leaved.	_____	1809.	_____	G. h.	
33	<i>revolutá</i> . L.T. ( <i>wh.</i> ) revolute-leaved.	_____	1818.	_____	G. h.	
34	<i>tenuifolia</i> . L.T. ( <i>wh.br.</i> ) slender-leaved.	_____	1816.	_____	G. h.	
35	<i>lævis</i> . L.T. ( <i>ro.gr.</i> ) smooth-leaved.	_____	1806.	5. 7.	G. h.	Bot. mag. t. 2439.
	<i>longifolia</i> . Par. lond. t. 37.	_____	_____	_____	G. h.	
36	<i>scábra</i> . L.T. ( <i>wh.br.</i> ) rough-leaved.	_____	1809.	_____	G. h.	
37	<i>répens</i> . L.T. ( <i>re.wh.</i> ) creeping.	_____	1800.	6. 8.	G. h.	Wein. phyt. 4. t. 897.a.
38	<i>lórea</i> . L.T. ( <i>wh.</i> ) thong-leaved.	_____	1812.	_____	G. h.	
39	<i>turbiniflora</i> . L.T. ( <i>ro.</i> ) turfy.	_____	1803.	4. 5.	G. h.	Sal. par. lond. t. 103.
40	<i>Scolopéndrium</i> . L.T. ( <i>wh.br.</i> ) Hart's-tongue.	_____	1802.	_____	G. h.	
41	<i>cordáta</i> . L.T. ( <i>cr.</i> ) heart-leaved.	_____	1790.	3. 5.	G. h.	Andr. reposit. t. 289.
42	<i>amplexicaúlis</i> . L.T. ( <i>re.</i> ) stem-clasping.	_____	1802.	1. 3.	G. h.	Sal. par. lond. t. 67.
43	<i>húmilis</i> . L.T. ( <i>pu.</i> ) low-flowering.	_____	_____	6. 8.	G. h.	Andr. reposit. t. 532.
44	<i>acerósa</i> . L.T. ( <i>cr.</i> ) Pine-leaved.	_____	1803.	3. 5.	G. h.	Bot. reg. t. 351.
<b>LEUCOSPERMUM. L.T. LEUCOSPERMUM. Tetrandia Monogynia. R.S.</b>						
1	<i>lineáre</i> . L.T. ( <i>ye.</i> ) linear-leaved.	C. B. S.	1774.	8. 9.	G. h.	Thunb. dis. n. 35. t. 4.
2	<i>attenuátum</i> . L.T. ( <i>ye.</i> ) attenuated.	_____	1810.	_____	G. h.	
3	<i>Tóttum</i> . L.T. ( <i>ye.</i> ) smooth-bracted.	_____	1774.	6. 8.	G. h.	
4	<i>médium</i> . L.T. ( <i>ye.</i> ) oval-leaved.	_____	1794.	_____	G. h.	Andr. reposit. t. 17?
	<i>Prótea formósa</i> . A.R. ?	_____	_____	_____	G. h.	
5	<i>ellipticum</i> . L.T. ( <i>ye.</i> ) elliptic.	_____	1803.	5. 1.	G. h.	
6	<i>Conocárpum</i> . L.T. ( <i>go.</i> ) many-toothed.	_____	1774.	_____	G. h.	Boer. lugd. 2. p. 196. ic.
7	<i>grandiflorum</i> . L.T. ( <i>go.</i> ) great-flowered.	_____	1800.	5. 7.	G. h.	Sal. par. lond. t. 116.
	<i>Leucadéndron grandiflorum</i> . P.L.	_____	_____	_____	G. h.	
8	<i>púberum</i> . L.T. ( <i>ye.</i> ) downy-leaved.	_____	1774.	5. 8.	G. h.	
9	<i>buxifolium</i> . L.T. ( <i>ye.</i> ) Box-leaved.	_____	1822.	_____	G. h.	
10	<i>pátulum</i> . L.T. ( <i>ye.</i> ) spreading.	_____	1816.	_____	G. h.	
11	<i>spatulátum</i> . L.T. ( <i>ye.</i> ) spatulate.	_____	1810.	_____	G. h.	
12	<i>tomentósum</i> . K.P. ( <i>ye.</i> ) cottony.	_____	1789.	8. 9.	G. h.	
13	<i>parile</i> . K.P. ( <i>ye.</i> ) matched.	_____	1790.	_____	G. h.	
14	<i>cándicans</i> . ( <i>or.</i> ) Rose-scented.	_____	_____	_____	G. h.	Andr. reposit. t. 294.
	<i>Prótea cándicans</i> . A.R.	_____	_____	_____	G. h.	
15	<i>Hypophyllum</i> . L.T. ( <i>ye.</i> ) trifid-leaved.	_____	1787.	_____	G. h.	Pluk. mant. t. 440. f. 3.
16	<i>crínitum</i> . L.T. ( <i>ye.li.</i> ) villous-bracted.	_____	1824.	....	G. h.	
17	<i>oleafolium</i> . L.T. ( <i>ye.</i> ) Olive-leaved.	_____	1822.	4. 6.	G. h.	
18	<i>diffusum</i> . L.T. ( <i>ye.</i> ) diffuse.	_____	1823.	_____	G. h.	
<b>MIMETES. L.T. MIMETES. Tetrandia Monogynia. R.S.</b>						
1	<i>hírta</i> . L.T. ( <i>ye.cr.</i> ) hairy.	C. B. S.	1774.	6. 8.	G. h.	Wein. phyt. 4. t. 899. f.a.
2	<i>capituláta</i> . L.T. ( <i>re.</i> ) small-headed.	_____	1822.	_____	G. h.	
3	<i>pauciflora</i> . L.T. ( <i>re.</i> ) few-flowered.	_____	1816.	_____	G. h.	
4	<i>palústris</i> . K.P. ( <i>re.</i> ) marsh.	_____	1802.	_____	G. h.	Boer. lugd. 2. p. 194. ic.
5	<i>cuculláta</i> . L.T. ( <i>re.</i> ) three-toothed.	_____	1789.	....	G. h.	Pluk. alm. t. 304. f. 6.
	<i>Prótea cuculláta</i> . W.	_____	_____	_____	G. h.	
6	<i>Hartógii</i> . L.T. ( <i>re.</i> ) woolly-leaved.	_____	1810.	....	G. h.	Wein. phyt. 4. t. 906. a.
7	<i>divaricáta</i> . L.T. ( <i>wh.</i> ) divaricate.	_____	1795.	6. 9.	G. h.	
8	<i>vacciniifolia</i> . ( <i>re.wh.</i> ) Vaccinium-leaved.	_____	1800.	_____	G. h.	
	<i>Diastélla vacciniifolia</i> . K.P.	_____	_____	_____	G. h.	
9	<i>purpurea</i> . L.T. ( <i>pu.</i> ) Heath-leaved.	_____	1789.	11. 12.	G. h.	

SERR'URIA. L.T.		SERR'URIA. Tetrandria Monogynia. R.S.	
1	acrocárpa. L.T. (li.) sharp-fruited.	C. B. S.	1822. 4. 6. G. h.
2	eleváta. L.T. (li.) sandy-hill.	_____	1821. _____ G. h.
3	Aitôni. L.T. (li.) Aiton's.	_____	1823. _____ G. h.
4	diffûsa. L.T. (li.) diffuse.	_____	1810. 6. 8. G. h.
5	abrotanifôlia. K.P. (li.) Southernwood-leaved.	_____	1803. _____ G. h. Andr. reposit. t. 522.
<i>Prôtea abrotanifôlia hirta. A.R.</i>			
6	millefôlia. K.P. (li.) thousand-leaved.	_____	_____ G. h. Andr. reposit. t. 337.
7	artemisiæfôlia. K.P. (li.) Wormwood-leaved.	_____	1789. _____ G. h. _____ t. 264.
8	pinnâta. L.T. (li.) slender.	_____	1803. _____ G. h. _____ t. 512.
9	arenâria. L.T. (li.) sand.	_____	_____ G. h.
10	cyanoïdes. L.T. (li.) trifold-leaved.	_____	_____ G. h. Pluk. mant. t. 345. f. 6.
11	scariôsa. L.T. (li.) scaly-bracted.	_____	1816. 5. 7. G. h.
12	pedunculâta. L.T. (li.) woolly-headed.	_____	1789. 5. 8. G. h. Andr. reposit. t. 264.
<i>Prôtea glomerâta. A.R.</i>			
13	scopâria. L.T. (li.) Broom.	_____	1809. _____ G. h.
14	Nivèni. L.T. (li.) Niven's.	_____	1800. _____ G. h. Andr. reposit. t. 349.
<i>Prôtea decûmbens. A.R. non Th.</i>			
15	villôsa. L.T. (li.) villous.	_____	1810. 4. 7. G. h.
16	feniculâcea. L.T. (li.) Fennel-leaved.	_____	1816. _____ G. h.
17	ciliâta. L.T. (li.) ciliated.	_____	1803. _____ G. h.
18	congéstâ. L.T. (li.) crowded.	_____	1816. _____ G. h.
19	squarrôsa. L.T. (li.) squarrose.	_____	1810. _____ G. h.
20	phlycôides. L.T. (li.) Phylla-flowered.	_____	1788. _____ G. h. Andr. reposit. t. 507. f. 4.
<i>Prôtea abrotanifôlia. A.R.</i>			
21	æmula. L.T. (li.) grey-branched.	_____	1803. _____ G. h.
22	pârilis. K.P. (li.) matched.	_____	_____ G. h. Andr. reposit. t. 507.
23	odorâta. (li.) sweet-scented.	_____	_____ G. h. _____ t. 545.
<i>Prôtea abrotanifôlia odorâta. A.R.</i>			
24	emarginâta. (li.) emarginate.	_____	1800. _____ G. h. Andr. reposit. t. 536.
<i>arenâria. K.P. non Br. abrotanifôlia minor. A.R.</i>			
25	decûmbens. L.T. (li.) decumbent.	_____	1816. _____ G. h. Thunb. diss. 1. t. 1.
26	flagellâris. L.T. (li.) procumbent.	_____	_____ G. h.
27	glomerâta. L.T. (li.) many-headed.	_____	1789. _____ G. h. Burm. afr. t. 99. f. 2.
28	decipièns. L.T. (li.) decipient.	_____	1806. _____ G. h.
29	Roxbûrghii. L.T. (li.) Roxburgh's.	_____	_____ G. h.
30	Burmâni. L.T. (li.) Burmann's.	_____	1786. _____ G. h. Burm. afr. t. 99. f. 1.
<i>Prôtea Serrâria. L.</i>			
31	triternâta. L.T. (wh.) silvery-flowered.	_____	1802. _____ G. h. Andr. reposit. t. 447.
<i>Prôtea argentiflôra. A.R.</i>			
32	elongâta. L.T. (li.) long-peduncled.	_____	1800. _____ G. h.
33	crithmifôlia. L.T. (li.) Samphire-leaved.	_____	1816. _____ G. h.
NIVENIA. L.T.		NIVENIA. Tetrandria Monogynia. R.S.	
1	Sceptrum. L.T. (pu.) sceptre-like.	C. B. S.	1790. 5. 6. G. h. Sparm. a. st. 1777. t. 1.
2	spatulâta. L.T. (pu.) maiden hair-leaved.	_____	_____ 7. 8. G. h. Thunb. dis. n. 58. t. 5.
3	parvifôlia. L.T. (pu.) small-leaved.	_____	1810. _____ G. h. Thunb. t. 5. quoad fig.
4	spicâta. L. (pu.) spiked.	_____	1786. 6. 8. G. h.
5	crithmifôlia. L.T. (pu.) Samphire-leaved.	_____	1797. _____ G. h. Andr. reposit. t. 243.
<i>Prôtea Lagôpus. A.R. non Thunb.</i>			
6	mèdia. L.T. (bh.) middle.	_____	1803. _____ G. h. Andr. reposit. t. 234?
<i>Prôtea spicâta. A.R.?</i>			
7	Lagôpus. L.T. (pu.) Hare's-foot.	_____	1810. _____ G. h.
SOROCE'PHALUS. L.T.		SOROCE'PHALUS. Tetrandria Monogynia. R.S.	
1	imbêrbis. L.T. (pu.) smooth.	C. B. S.	1806. 6. 8. G. h.
2	spatilloïdes. L.T. (pu.) club-bearing.	_____	1803. _____ G. h.
3	tenuifôlia. L.T. (pu.) slender-leaved.	_____	1802. _____ G. h.
4	lanâtus. L.T. (pu.) woolly.	_____	1790. 6. 9. G. h. Thunb. dis. n. 30. t. 3.
5	imbricâtus. L.T. (ro.) imbricated.	_____	1794. 4. 7. G. h. Andr. reposit. t. 517.
6	diversifôlius. L.T. (pu.) various-leaved.	_____	1807. _____ G. h.
SPATA'LLA. L.T.		SPATA'LLA. Tetrandria Monogynia. R.S.	
1	pedunculâta. L.T. (pu.) long-peduncled.	C. B. S.	1822. 4. 8. G. h.
2	nívea. L.T. (li.) snowy-bearded.	_____	1806. 4. 8. G. h.
3	ramulôsa. L.T. (pu.) branching.	_____	1812. _____ G. h.
4	bracteâta. L.T. (pu.) bracteate.	_____	_____ 5. 9. G. h.
5	prolifera. L.T. (pu.) proliferous.	_____	1800. 6. 8. G. h. Thunb. dis. n. 27. t. 4.
6	pyramidalis. L.T. (pu.) pyramidal.	_____	1821. _____ G. h.
7	incûrva. L.T. (pu.) incurved-leaved.	_____	1789. 5. 6. G. h. Thunb. dis. n. 22. t. 3.
8	caudâta. L.T. (pu.) tailed.	_____	1812. _____ G. h. _____ sec. ic. t. 2.
9	Thunbêrgii. L.T. (pu.) Thunberg's.	_____	1806. _____ G. h.

- ADENANTHOS. L.T. ADENANTHOS. Tetrandria Monogynia.**
- 1 obovata. L.T. (li.) obovate-leaved. N. Holland. 1824. .... G. h. Labil. n. hol. 1. t. 37.  
 2 cuneata. L.T. (li.) wedge-leaved. ———— ———— ———— G. h. ———— v. 1. t. 36.  
 3 sericea. L.T. (li.) silky-leaved. ———— ———— ———— G. h. ———— v. 1. t. 38.
- CONOSPERMUM. L.T. CONOSPERMUM. Triandria Monogynia.**
- 1 ellipticum. L.T. (wh.) elliptic-leaved. N. S. W. 1822. 5. 7. G. h. Bot. mag. t. 2724.  
 2 taxifolium. L.T. (st.) Yew-leaved. ———— 1823. 4. 6. G. h. ———— t. 2850.  
 3 ericifolium. L.T. (bh.) Heath-leaved. ———— 1820. ———— G. h. Sm. exot. bot. 2. t. 82.  
 4 longifolium. L.T. (wh.) long-leaved. ———— 1824. .... G. h.  
 5 acinacifolium. Gr. (wh.) scymeter-leaved. ———— 1824. 4. 6. G. h.  
 6 tenuifolium. L.T. (wh.) slender-leaved. ———— ———— G. h.
- AGASTACHYS. L.T. AGASTACHYS. Tetrandria Monogynia. R.S.**  
 odorata. L.T. (ye.) sweet-scented. V. Diem. Isl. 1824. 4. 7. G. h.
- PERSONIA. L.T. PERSONIA. Tetrandria Monogynia. R.S.**
- 1 teretifolia. L.T. (ye.) round-leaved. N. Holland. 1824. 5. 6. G. h. Linn. trans. 10. t. 16. f. 1.  
 2 pinifolia. L.T. (ye.) Pine-leaved. N. S. W. 1818. 5. 7. G. h. Lab. n. holl. 1. t. 45.  
 3 juniperina. L.T. (ye.) Juniper-leaved. V. Diem. Isl. 1823. ———— G. h. Lodd. bot. cab. t. 327.  
 4 hirsuta. L.T. (ye.) hairy. N. S. W. 1800. ———— G. h.  
 5 mollis. L.T. (ye.) soft. ———— 1818. ———— G. h.  
 6 linearis. L.T. (ye.) linear-leaved. ———— 1794. 7. 8. G. h. Bot. mag. t. 760.  
 7 pallida. Gr. (st.) pale. N. S. W. 1824. 9. 10. G. h.  
 8 lucida. L.T. (ye.) shining. ———— ———— 6. 8. G. h.  
 9 flexifolia. L.T. (ye.) bending-leaved. ———— 1822. ———— G. h. Lodd. bot. cab. 922.  
 10 chamæpitys. F.T. (ye.) ground-pine. N. S. W. 1824. ———— G. h.  
 11 scabra. L.T. (st.) rough. N. Holland. ———— ———— G. h.  
 12 nutans. L.T. (ye.) nodding. N. S. W. 1821. ———— G. h.  
 13 pruinosa. M.C. (ye.) frosted. N. Holland. 1824. ———— G. h.  
 14 lanceolata. L.T. (st.) spear-leaved. ———— 1791. 6. 7. G. h. Andr. reposit. t. 74.  
   β latifolia. B.P. (st.) broad-leaved. ———— ———— G. h. ———— t. 280 ?  
 15 salicina. L.T. (st.) Willow-leaved. ———— 1795. 6. 7. G. h. Cavan. ic. 4. t. 389 ?  
 16 ferruginea. L.T. (ye.) ferruginous. ———— 1818. ———— G. h. Sm. exot. bot. 2. t. 83.
- BRAB'EJUM. L.T. AFRICAN ALMOND. Polygamia Monœcia. L.**  
 stellatifolium. L.T. common. C. B. S. 1731. 3. 4. G. h. Hou. n. h. par. 2. t. 6. f. 37.
- GREVILLEA. L.T. GREVILLEA. Tetrandria Monogynia. R.S.**
- 1 punicea. L.T. (sc.) scarlet-flowered. N. S. W. 1822. 4. 9. G. h. Bot. reg. t. 1319.  
 2 dubia. L.T. (ro.) doubtful. ———— ———— G. h.  
 3 sericea. L.T. (ro.) silky. ———— 1790. ———— G. h. Bot. mag. t. 862.  
 4 linearis. L.T. (li.) linear-leaved. ———— ———— G. h. Andr. reposit. t. 272.  
   α incarnata. B.M. (pi.) flesh-coloured. ———— ———— G. h. Bot. mag. t. 2661.  
   β alba. B.C. (bh.) white-flowered. ———— ———— G. h. Lodd. bot. cab. t. 858.  
 5 stricta. L.T. (li.) upright. ———— 1822. ———— G. h.  
 6 riparia. L.T. (li.) river-side. ———— 1791. 4. 5. G. h.  
 7 rosmarinifolia. F.T. (li.) Rosemary-leaved. ———— 1824. ———— G. h. Swt. flor. aust. t. 30.  
 8 parviflora. L.T. (st.) small-flowered. ———— 1824. ———— G. h.  
 9 juniperina. L.T. (gr. st.) Juniper-like. ———— 1821. ———— G. h. Lodd. bot. cab. t. 1003.  
 10 conœnna. L.T. (st. ro.) pretty. N. Holland. 1824. 3. 8. G. h. Swt. flor. aust. t. 7.  
 11 arenaria. L.T. (li.) sand. N. S. W. 1803. 4. 9. G. h.  
 12 montana. L.T. (gr.) mountain. ———— ———— G. h.  
 13 acuminata. L.T. (gr.) acute-leaved. ———— 1805. ———— G. h. Swt. flor. aust. t. 55.  
 14 cinerea. L.T. (gr.) grey. ———— 1821. ———— G. h. Lodd. bot. cab. t. 857.  
 15 mucronulata. L.T. (gr.) mucronulate. ———— 1809. ———— G. h. Swt. flor. aust. t. 38.  
 16 Bauèri. L.T. (bh.) Bauer's. ———— 1823. 4. 8. G. h. Hook. ex. flor. t. 216.  
   pubescens. Hooker, et Lodd. bot. cab. t. 1229.  
 17 sulphurea. F.T. (st.) sulphur-coloured. ———— 1823. ———— G. h.  
 18 sphacelata. L.T. (br.) sphacelate. ———— 1825. ———— G. h.  
 19 phyllicoides. L.T. (br.) Phylla-like. ———— ———— G. h.  
 20 collina. K.P. (br.) hill. ———— 1812. ———— G. h.  
 21 buxifolia. L.T. (pu.) Box-leaved. ———— 1790. 2. 9. G. h. Bot. reg. t. 443.  
 22 podalyriaefolia. C.C. (pu.) Podalyria-leaved. N. Holland. 1821. 5. 8. I. h.  
 23 podocarpifolia. .... Podocarpus-leav'd. ———— 1823. .... I. h.  
 24 berberifolia. C.C. .... Berberry-leaved. ———— ———— I. h.  
 25 acanthifolia. F.T. (gr.) Acanthus-leaved. ———— ———— I. h. Bot. mag. t. 2807.  
 26 Gaudichaudii. E. (ye.) Gaudichaud's. ———— 1823. .... I. h.  
 27 trifurcata. C.C. .... three-forked. ———— ———— I. h.  
 28 asplenifolia. L.T. (st.) Spleenwort-leaved. N. S. W. 1806. .... I. h.  
 29 Flindersii. M.C. .... Flinders's. N. Holland. 1823. .... I. h.
- H'AKEA. L.T. H'AKEA. Tetrandria Monogynia. R.S.**
- 1 pugioniformis. L.T. (wh.) dagger-fruited. N. S. W. 1796. 5. 6. G. h. Lodd. bot. cab. t. 353.  
 2 parilis. K.P. (wh.) matched. V. Diem. Isl. ———— ———— G. h.

3	epiglóttis. L.T.	(wh.)	curved-fruited.	V. Diem. Isl.	1822.	5. 6.	G. h.	Lab. nov. hol. 1. t. 40.
4	nodosa. L.T.	(wh.)	knot-podded.	N. Holland.	1824.	—	G. h.	
5	flexilis. L.T.	(wh.)	bending.	—	—	—	G. h.	
6	oblíqua. L.T.	(wh.)	oblique-flowered.	N. Holland.	1803.	6. 9.	G. h.	
7	subulata. ψ.	(wh.)	awl-leaved.	—	1824.	—	G. h.	
8	petrophiloídes. ψ.	(wh.)	Petrophila-like.	—	1825.	—	G. h.	
9	lissosperma. L.T.	(wh.)	smooth-seeded.	V. Diem. Isl.	1824.	—	G. h.	
10	gibbosa. L.T.	(st.)	gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
11	acicularis. L.T.	(wh.)	needle-leaved.	—	—	—	G. h.	Venten. malm. t. 111.
	<i>Cónchium aciculare. v.</i>							
12	suavolens. L.T.	(wh.)	sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
13	Lamberti. N.L.F.	(wh.)	Lambert's.	—	1823.	—	G. h.	
14	microcarpa. L.T.	(wh.)	small-fruited.	V. Diem. Isl.	1818.	4. 8.	G. h.	Bot. reg. t. 475.
15	trifurcata. L.T.	(wh.)	trifurcate.	N. Holland.	1824.	—	G. h.	
16	echinata. ψ.	(wh.)	bristly-podded.	—	1825.	—	G. h.	
17	angustifolia. ψ.	(wh.)	narrow-leaved.	—	1824.	—	G. h.	
18	linearis. L.T.	(wh.)	linear-leaved.	—	—	—	G. h.	Swt. flor. aust. t. 43.
19	florida. L.T.	(wh.)	many-flowered.	—	1803.	5. 6.	G. h.	Bot. mag. t. 2579.
20	ilicifolia. L.T.	(wh.)	Holly-leaved.	—	—	7. 9.	G. h.	
21	nitida. L.T.	(wh.)	glossy.	—	—	6. 8.	G. h.	Bot. mag. t. 2246.
22	amplexicaulis. L.T.	(wh.)	smooth-stalked.	—	—	...	G. h.	
23	prostrata. L.T.	(wh.)	pubescent.	—	—	...	G. h.	
24	ceratophylla. L.T.	(wh.)	horn-leaved.	—	—	...	G. h.	
25	acanthophylla. L.en.	(w.)	Acanthus-leaved.	—	—	...	G. h.	
26	undulata. L.T.	(wh.)	wave-leaved.	—	—	6. 8.	G. h.	
27	repanda. ψ.	(wh.)	repand.	—	1824.	—	G. h.	
28	propinqua. F.T.	(wh.)	related.	—	1823.	—	G. h.	
29	oleifolia. L.T.	(wh.)	Olive-leaved.	—	1794.	6. 7.	G. h.	
30	saligna. L.T.	(wh.)	Willow-leaved.	—	1791.	3. 7.	G. h.	Swt. flor. aust. t. 27.
31	marginata. L.T.	(wh.)	marginate.	—	1824.	4. 7.	G. h.	
32	ruscifolia. L.T.	(st.)	Ruscus-leaved.	—	—	—	G. h.	Lab. nov. holl. 1. t. 39.
33	cinerea. L.T.	(wh.)	hoary-leaved.	—	1803.	6. 7.	G. h.	
34	canescens. L.en.	(wh.)	canescent.	N. S. W.	1800.	6. 8.	G. h.	
35	dactyloides. L.T.	(wh.)	nerve-leaved.	—	1790.	—	G. h.	Cavan. ic. 6. t. 535.
36	elliptica. L.T.	(wh.)	oval-leaved.	N. Holland.	1794.	—	G. h.	
37	ferruginea. S.F.A.	(wh.)	rusty-stemmed.	—	1824.	4. 8.	G. h.	Swt. flor. aust. t. 45.
38	cucullata. ψ.	(wh.)	hollow-leaved.	—	—	—	G. h.	
39	clavata. L.T.	(wh.)	clavate.	—	1824.	—	G. h.	Lab. nov. holl. 1. t. 41.
	<b>EMBOTHRUM.</b>		<b>EMBOTHRUM.</b>	<b>Tetrandria Monogynia.</b>				
	strobilinum. Lab.	(st.)	cone-flowered.	N. Holland.	1824.	3. 6.	G. h.	Lab. nov. holl. 2. t. 265.
	<b>LAMBERTIA. L.T.</b>		<b>LAMBERTIA.</b>	<b>Tetrandria Monogynia. R.S.</b>				
1	uniflora. L.T.	(re.)	single-flowered.	N. Holland.	1824.	...	G. h.	Bauer ic. ined.
2	inermis. L.T.	(or.)	unarmed.	—	—	...	G. h.	— ic. ined.
3	formosa. L.T.	(ro.)	handsome.	N. S. W.	1788.	6. 8.	G. h.	Bot. reg. t. 528.
4	echinata. L.T.	(ro.)	lobe-leaved.	N. Holland.	1824.	...	G. h.	Bauer ic. ined.
	<b>XYLOMELUM. L.T.</b>		<b>WOODEN-PEAR-TREE.</b>	<b>Tetrandria Monogynia. R.S.</b>				
	pyriflorum. L.T.	(wh.)	prickly-leaved.	N. S. W.	1789.	6. 8.	G. h.	Cavan. ic. 6. t. 536.
	<b>RHOPALA. L.T.</b>		<b>RHOPALA.</b>	<b>Tetrandria Monogynia. R.S.</b>				
1	montana. L.T.	(st.)	mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2	nitida. L.T.	(st.)	glossy.	—	1826.	...	S. h.	Rudge pl. gui. 1. t. 39.
3	dentata. L.T.	(st.)	tooth-leaved.	—	1802.	5. 8.	S. h.	
4	sessilifolia. L.T.	(st.)	sessile-leaved.	—	1803.	—	S. h.	Rudg. gui. 1. t. 31.
	<b>TELOPEA. L.T.</b>		<b>WARATAH.</b>	<b>Tetrandria Monogynia. R.S.</b>				
	speciosissima. L.T.	(cr.)	splendid.	N. S. W.	1789.	5. 7.	G. h.	Bot. mag. t. 1128.
	<i>Embothrium speciosissimum. B.M.</i>							
	<b>LOMATIA. L.T.</b>		<b>LOMATIA.</b>	<b>Tetrandria Monogynia. R.S.</b>				
1	silatifolia. L.T.	(wh.)	cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Bot. mag. t. 1272.
2	tinctoria. L.T.	(st.)	various-leaved.	V. Diem. Isl.	1822.	—	G. h.	Lab. n. holl. 1. t. 42-43.
3	polymorpha. L.T.	(st.)	variable.	—	1823.	—	G. h.	
4	ilicifolia. L.T.	(st.)	Holly-leaved.	N. Holland.	1824.	—	G. h.	
5	longifolia. L.T.	(wh.)	long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Bot. reg. t. 442.
6	dentata. L.T.	(st.)	tooth-leaved.	Chile.	1824.	—	G. h.	Flor. peruv. 1. t. 94. a.
	<b>STENOCAERPUS. L.T.</b>		<b>STENOCAERPUS.</b>	<b>Tetrandria Monogynia. R.S.</b>				
	saligna. L.T.	(wh.)	sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Bot. reg. t. 441.
	<b>BOTRYCERAS. W.</b>		<b>BOTRYCERAS.</b>	<b>Tetrandria Monogynia. R.S.</b>				
	laurinum. W.	(gr.)	Laurel-like.	N. Holland.	1820.	6. 9.	G. h.	W.m.b. 1811. t. 19. f. 10.
	<b>BAÑKSIA. L.T.</b>		<b>BAÑKSIA.</b>	<b>Tetrandria Monogynia. R.S.</b>				
1	pulchella. L.T.	(st.)	small-flowered.	N. Holland.	1803.	2. 8.	G. h.	
2	sphaerocarpa. L.T.	(st.)	round-fruited.	—	1803.	...	G. h.	

3	nütans. L.T.	(st.)	nodding-flowered.	N. Holland.	1803.	4. 6.	G. h.	
4	ericifolia. L.T.	(st.)	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.	Bot. mag. t. 738.
5	spinulosa. L.T.	(st.)	spiny-leaved.	————	————	12. 5.	G. h.	Andr. reposit. t. 457.
6	collina. L.T.	(st.)	hill.	————	1800.	....	G. h.	
7	occidentalis. L.T.	(st.)	west-coast.	N. Holland.	1803.	4. 8.	G. h.	
8	littoralis. L.T.	(ye.)	sea-side.	————	————	4. 7.	G. h.	
9	marginata. L.T.	(gr.)	various-leaved.	N. S. W.	1804.	5. 8.	G. h.	Bot. mag. t. 1947.
10	australis. L.T.	(gr.)	southern.	V. Diem. Isl.	1816.	—	G. h.	Bot. reg. t. 787.
	<i>marcscens.</i> Hooker bot. mag. 2803. <i>nec aliorum.</i>							
11	insularis. L.T.	(gr.)	Island.	————	1823.	....	G. h.	
12	Cunninghamii. s.s.	(st.)	Cunningham's.	N. Holland.	1822.	—	G. h.	
13	integrifolia. L.T.	(st.)	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.	Bot. mag. t. 2770.
14	compár. L.T.	(st.)	related.	N. Holland.	1823.	....	G. h.	
15	verticillata. L.T.	(st.)	whorl-leaved.	————	1794.	7. 11.	G. h.	Hook. ex. flor. t. 96.
16	coccinea. L.T.	(sc.)	scarlet-flowered.	————	1803.	....	G. h.	Bauer. n. holl. ic.
17	paludosa. L.T.	(st.)	marsh.	N. S. W.	1805.	1. 4.	G. h.	Bot. reg. t. 697.
18	intermedia. $\psi$ .	(st.)	intermediate.	N. Holland.	1824.	....	G. h.	
19	oblongifolia. L.T.	(st.)	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.	Lodd. bot. cab. t. 241.
20	latifolia. L.T.	(st.)	broad-leaved.	————	1802.	—	G. h.	Cavan. ic. 6. t. 543.
21	marcscens. L.T.	(st.)	short-leaved.	N. Holland.	1794.	1. 12.	G. h.	Swt. flor. aust. t. 14.
	<i>præmorsa.</i> Andr. rep. t. 258. <i>asplenifolia.</i> K.P.							
22	attenuata. L.T.	(st.)	attenuated, smooth-fl.	————	1794.	1. 10.	G. h.	
23	serrata. L.T.	(st.)	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.	Andr. reposit. t. 82.
	<i>undulata.</i> Bot. reg. t. 1316.							
24	æmula. L.T.	(st.)	deeply-sawed.	————	————	1. 6.	G. h.	Bot. reg. t. 688.
25	dentata. L.T.	(st.)	tooth-leaved.	N. Holland.	1822.	....	S. h.	
26	quercifolia. L.T.	(st.)	Oak-leaved.	————	1805.	....	G. h.	
27	dryandroides. s.F.A. (br.)	(br.)	Dryandra-like.	————	1824.	3. 6.	G. h.	Swt. flor. aust. t. 56.
28	speciosa. L.T.	(wh.)	long-leaved.	————	1805.	5. 8.	G. h.	
29	grandis. L.T.	(st.)	great-flowered.	————	1794.	....	G. h.	
30	prostrata. $\psi$ .	(st.)	prostrate.	————	1824.	....	G. h.	
31	repens. L.T.	(st.)	creeping.	————	1803.	....	G. h.	Lab. voy. 1. t. 23.
32	ilicifolia. L.T.	(st.)	Holly-leaved.	————	1824.	....	G. h.	
	DRYANDRA. L.T. DRYANDRA. Tetrandria Monogynia. R.S.							
1	floribunda. L.T.	(ye.)	many-flowered.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1581.
2	cuneata. L.T.	(st.)	wedge-leaved.	————	————	11. 2.	G. h.	
	<i>a brevifolia.</i>	(st.)	short-leaved.	————	————	—	G. h.	
	$\beta$ <i>longifolia.</i>	(st.)	long-leaved.	————	————	—	G. h.	
3	armata. L.T.	(ye.)	acute-leaved.	————	————	1. 12.	G. h.	
4	falcata. L.T.	(ye.)	falcate-leaved.	————	1824.	....	G. h.	
5	formosa. L.T.	(or.)	Apricot-scented.	————	1803.	1. 12.	G. h.	Swt. flor. aust. t. 53.
6	mucronulata. L.T.	(ye.)	pointed-leaved.	————	1824.	....	G. h.	
7	plumosa. L.T.	(ye.)	feathered.	————	1803.	1. 8.	C. h.	
8	obtusa. L.T.	(ye.)	blunt-leaved.	————	————	....	G. h.	
9	nivea. L.T.	(ye.)	white-leaved.	————	————	7. 9.	G. h.	Lab. voy. 1. t. 24.
10	longifolia. L.T.	(ye.)	long-leaved.	————	1805.	1. 12.	G. h.	Swt. flor. aust. t. 3.
11	Baxteri. $\psi$ .	(ye.)	Baxter's.	————	1824.	....	G. h.	
12	tenuifolia. L.T.	(ye.)	slender-leaved.	————	1803.	3. 5.	G. h.	
13	neriosa. s.F.A.	(ye.)	nerved-leaved.	————	1824.	3. 12.	G. h.	Swt. flor. aust. t. 22.
14	pteridifolia. L.T.	(ye.)	Pteris-leaved.	————	————	—	G. h.	

## ORDO CLXXIII.

THYMELÆÆ. *Brown prodr. p. 358.*

DIRCA. W.	LEATHER-WOOD. Octandria Monogynia. L.							
palustris. w.	(ye.)	marsh.	Virginia.	1750.	3. 4.	H. h.		Bot. reg. t. 292.
LAGE'TTA. J.	LACE-BARK. Octandria Monogynia. S.S.							
linthearia. J.	(wh.)	Jamaica.	Jamaica.	1793.	12. 1.	S. h.		Lam. ill. t. 289.
DA'PHNE. W.	DA'PHNE. Octandria Monogynia. L.							
1 Mezereum. w. (re. wh.)	(re. wh.)	Mezereon.	England.	....	2. 4.	H. h.		Eng. bot. v. 20. t. 1381.
$\alpha$ album.	(wh.)	white-flowered.	————	....	—	H. h.		
$\beta$ rubrum.	(re.)	red-flowered.	————	....	—	H. h.		
$\gamma$ autumnale.	(re.)	autumnal-flowered.	————	....	8. 12.	H. h.		

2	Lauræola. w.	(gr.)	spurge-laurel.	Britain.	....	1. 3.	H. ♀.	Eng. bot. v. 2. t. 119.
3	põntica. w.	(gr.ye.)	Pontic.	Pontus.	1759.	4. 5.	H. ♀.	Bot. mag. t. 1282.
4	tinifõlia. w.	(st.)	Bonace-bark.	Jamaica.	1733.	5. 7.	S. ♀.	
5	Gnfdium. w.	(wh.)	Flax-leaved.	Spain.	1597.	6. 8.	H. ♀.	Lodd. bot. cab. t. 150.
6	odõra. w.	(bh.)	sweet-scented.	China.	1771.	12. 3.	G. ♀.	Bot. mag. t. 1587.
7	hybrida. B.F.G.	(ro.)	Dauphin.	Hybrid.	1826.	1. 6.	F. ♀.	Swt. br. fl. gar. t. 200.
8	alpina. w.	(wh.)	Alpine.	Italy.	1759.	5. 7.	H. ♀.	Lodd. bot. cab. t. 66.
9	altõica. w.	(wh.)	Altaic.	Siberia.	1796.	4. 5.	H. ♀.	Bot. mag. t. 1875.
10	Cnecõrum. w.	(ro.)	trailing.	Austria.	1752.	4. 9.	H. ♀.	— t. 313.
11	striata. s.s.	(pi.)	streaked.	Hungary.	....	—	H. ♀.	
12	collina. s.s.	(re.)	hairy.	Italy.	1752.	1. 6.	H. ♀.	Bot. mag. t. 428.
13	sericea. s.s.	(li.)	silky-leaved.	Levant.	1818.	—	H. ♀.	
14	oleofõdes. s.s.	(li.)	Olive-leaved.	Crete.	1815.	1. 12.	H. ♀.	Bot. mag. t. 1917.
15	napolitana. B.C.	(re.)	Neapolitan.	Italy.	1823.	1. 6.	H. ♀.	Lodd. bot. cab. t. 719.
	<i>collina</i> β <i>neapolitana</i> . B.R. 822.							
16	Thymelæa. w.	(st.)	smooth-leaved.	Spain.	1815.	2. 4.	H. ♀.	Pluk. alm. t. 229. f. 2.
17	Tårton-råira. w.	(st.)	silvery-leaved.	France.	1640.	5. 7.	H. ♀.	— t. 318. f. 6.
<b>GNIDIA. L.</b>				<b>GNIDIA. Octandria Monogynia. L.</b>				
1	pinifõlia. w.	(wh.)	Pine-leaved.	C. B. S.	1768.	5. 6.	G. ♀.	Bot. reg. t. 19.
2	radiata. B.C.	(wh.)	radiate.	—	1818.	—	G. ♀.	Lodd. bot. cab. t. 29.
3	imbérbis. H.K.	(st.)	smooth-scaled.	—	1792.	8. 4.	G. ♀.	Bot. mag. t. 1463.
4	simplex. H.K.	(ye.)	Flax-leaved.	—	1786.	5. 6.	G. ♀.	— t. 812.
5	juniperifõlia. w.	(wh.)	Juniper-leaved.	—	1822.	—	G. ♀.	
6	capitata. w.	(wh.)	purple-twiggd.	—	1788.	6. 7.	G. ♀.	
7	imbricatã. w.	(st.)	imbricated.	—	1822.	4. 8.	G. ♀.	Bot. reg. t. 757.
	<i>denudata</i> . B.R.							
8	oppositifõlia. H.K.	(ye.)	opposite-leaved.	—	1783.	5. 7.	G. ♀.	Bot. reg. t. 2.
9	tomentõsa. s.s.	(st.)	tomentose.	—	1822.	—	G. ♀.	
10	sericea. w.	(ye.)	silky.	—	1786.	—	G. ♀.	Andr. reposit. t. 225.
	<i>oppositifõlia</i> . A.R. <i>nec aliorum</i> .							
<b>LACHN'ÆA. W.</b>				<b>LACHN'ÆA. Octandria Monogynia. L.</b>				
1	buxifõlia. Lam.	(wh.)	green box-leaved.	C. B. S.	1800.	5. 7.	G. ♀.	Bot. mag. t. 1657.
2	glaucã. H.K.	(wh.)	glaucous.	—	—	—	G. ♀.	— t. 1658.
3	purpõrea. w.	(pu.)	purple-flowered.	—	—	—	G. ♀.	— t. 1594.
4	ericephala. w.	(wh.)	woolly-headed.	—	1793.	6. 7.	G. ♀.	— t. 1295.
5	conglomerata. w.	(wh.)	clustered.	—	1773.	—	G. ♀.	
<b>PASSERINA. W.</b>				<b>SPARROW-WORT. Octandria Monogynia. L.</b>				
1	uniflõra. w.	(wh.)	one-flowered.	C. B. S.	1759.	4. 7.	G. ♀.	Wend. obs. t. 2. f. 18.
2	laxa. w.	(wh.)	loose.	—	1804.	6. 7.	G. ♀.	Lodd. bot. cab. t. 755.
3	tenuiflõra. w.	(st.)	slender-flowered.	—	1812.	—	G. ♀.	
4	filifõrmis. w.	(st.)	filiform.	—	1752.	6. 8.	G. ♀.	Wend. obs. t. 2. f. 15.
5	capitata. w.	(wh.)	headed.	—	1789.	6. 10.	G. ♀.	— t. 2. f. 17.
6	hirsuta. w.	(st.)	hairy.	S. Europe.	1759.	—	G. ♀.	Bot. mag. t. 1949.
7	striata. Lam.	(wh.)	fringed.	C. B. S.	1822.	—	G. ♀.	
8	ericoides. w.	(st.)	Heath-like.	—	—	—	G. ♀.	
9	ciliata. w.	(wh.)	fringed.	—	1819.	—	G. ♀.	Seb. mus. 2. t. 12. f. 9.
10	grandiflõra. w.	(wh.)	great-flowered.	—	1789.	5. 6.	G. ♀.	Bot. mag. t. 292.
11	spicata. w.	(wh.)	spiked.	—	1787.	5. 7.	G. ♀.	Lodd. bot. cab. t. 311.
12	anthyllõdes. w.	(st.)	Anthyllus-like.	—	1816.	—	G. ♀.	
<b>STELLERA. W.</b>				<b>STELLERA. Octandria Monogynia. L.</b>				
1	Passerina. w.	(ye.)	Flax-leaved.	S. Europe.	1759.	7. 8.	H. ☉.	Jacq. ic. 1. t. 68.
	<i>Passerina annua</i> . s.s.							
2	altõica. P.S.	(wh.)	Altay.	Altay.	1824.	—	H. ☉.	
3	dichõtoma. F.	(wh.)	forked.	Dahuria.	—	—	H. ☉.	
<b>D' AIS. L.</b>				<b>D' AIS. Decandria Monogynia. L.</b>				
	cotinifõlia. w.	(pi.)	Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. ♀.	Bot. mag. t. 147.
<b>STRUTHIOLA. L.</b>				<b>STRUTHIOLA. Tetrandria Monogynia. L.</b>				
1	virgata. H.K.	(re.)	twiggy.	C. B. S.	1779.	4. 8.	G. ♀.	Andr. reposit. t. 139.
2	ciliata. A.R.	(st.)	ciliated.	—	—	—	G. ♀.	— t. 149.
3	lateriflõra. R.S.	(wh.)	side-flowering.	—	1816.	—	G. ♀.	
4	pubescens. R.S.	(re.)	downy.	—	1790.	—	G. ♀.	Bot. mag. t. 1212.
5	longiflõra. R.S.	(wh.)	long-flowered.	—	1824.	—	G. ♀.	Lam. ill. t. 78.
6	glãbra. R.S.	(wh.)	upright smooth.	—	1798.	4. 9.	G. ♀.	Wendl. obs. t. 2. f. 10.
	<i>erecta</i> . w. <i>stricta</i> . Donn.							
7	juniperina. R.S.	(wh.)	drooping.	—	1758.	—	G. ♀.	Bot. mag. t. 222.
	<i>erecta</i> . B.M. <i>nec aliorum</i> .							
8	angustifõlia. R.S.	(st.)	narrow-leaved.	—	1816.	—	G. ♀.	
9	incãna. B.C.	(ye.)	hoary.	—	1802.	7. 8.	G. ♀.	Lodd. bot. cab. t. 11.
10	imbricatã. R.S.	(ye.)	tiled-leaved.	—	1794.	4. 8.	G. ♀.	Andr. reposit. t. 113.

11 ovàta. R.S.	(wh.) oval-leaved.	C. B. S.	1792.	2. 6.	G. h.	Andr. reposit. t. 119.
12 tomentòsa. R.S.	(wh.) downy-leaved.	—————	1799.	8. 9.	G. h.	————— t. 334.
PIMEL'EA. B.P.	PIMEL'EA.	Diandria Monogynia.	R.S.			
1 linifòlia. B.P.	(wh.) flax-leaved.	N. S. W.	1793.	2. 8.	G. h.	Bot. mag. t. 891.
2 paludòsa. B.P.	(wh.) marsh.	—————	1826.	—	G. h.	
3 glauca. B.P.	(wh.) glaucous-leaved.	—————	1822.	—	G. h.	Linn. trans. 10. t. 13. f. 2.
4 ligustrina. B.P.	(wh.) Privet-like.	—————	1823.	—	G. h.	Lab. nov. holl. 1. t. 3.
5 decussàta. B.P.	(re.) cross-leaved.	—————	—	4. 8.	G. h.	Swt. flor. aust. t. 8.
	<i>ferruginea.</i> Lab.					
6 ròsea. B.P.	(ro.) rose-coloured.	N. Holland.	1800.	3. 9.	G. h.	Bot. mag. t. 1458.
7 linoìdes. F.T.	(wh.) flax-like.	N. S. W.	1824.	—	G. h.	
8 filamentòsa. L.T.	(wh.) filamentose.	N. Holland.	1826.	—	G. h.	Linn. trans. 10. t. 14. f. 1.
9 pauciflòra. B.P.	(ye.) few-flowered.	V. Diem. Isl.	1812.	—	G. h.	Lodd. bot. cab. t. 179.
10 humilis. B.P.	(wh.) dwarf.	—————	1825.	6. 9.	G. h.	Bot. reg. t. 1268.
11 clavàta. B.P.	(ye.) clubbed.	N. Holland.	1826.	3. 6.	G. h.	
12 incàna. B.P.	(st.) hoary.	V. Diem. Isl.	—	4. 8.	G. h.	
13 drupàcea. B.P.	(wh.) drupe-bearing.	—————	1820.	—	G. h.	Swt. flor. aust. t. 52.
14 spicàta. B.P.	(wh.) spiked.	N. S. W.	1824.	—	G. h.	Linn. trans. 10. t. 14. f. 2.
? TR'OPHIS. W.	RAMOON-TREE.	Dicecia Tetrandria.	W.			
1 americàna. w.	(gr.) American.	W. Indies.	1789.	4. 5.	S. h.	Brown. jam. t. 37. f. 1.
2 áspera. w.	(gr.) rough-leaved.	E. Indies.	1802.	—	S. h.	
3 spinòsa. s.s.	(gr.) spiny.	—————	1826.	....	S. h.	

## ORDO CLXXIV.

OSYRIDEÆ. *Brown.*

OSYRIS. W.	POET'S CASSIA.	Dicecia Triandria.	L.			
álba. w.	(wh.) white.	S. Europe.	1739.	....	G. h.	Lam. ill. t. 802.
EXOCA'RPOS. B.P.	EXOCA'RPOS.	Pentandria Monogynia.				
1 cupressifòrmis. B.P.	(wh.) Cypress-like.	N. Holland.	1820.	....	G. h.	Labill. voy. 1. t. 14.
2 humifùsa. B.P.	(gr.) low-procumbent.	V. Diem. Isl.	1822.	....	G. h.	
3 strìcta. B.P.	(gr.) upright.	N. S. W.	—	....	G. h.	

## ORDO CLXXV.

SANTALACEÆ. *Brown prodr. p. 350.*

SA'NTALUM. B.P.	SANDAL-WOOD.	Tetrandria Monogynia.	W.			
1 álbum. F.I.	(ye. pu.) white.	E. Indies.	1804.	....	S. h.	Rumph. amb. 2. t. 11.
2 myrtifòlium. F.I.	(li.) Myrtle-leaved.	—————	1819.	....	G. h.	Roxb. corom. 1. t. 2.
3 obtusifòlium. B.P.	blunt-leaved.	N. S. W.	1823.	....	G. h.	
FUS'ANUS. B.P.	FUS'ANUS.	Tetrandria Monogynia.				
1 compréssus. H.K.	(gr.) flat-stalked.	C. B. S.	1776.	....	G. h.	Berg. cap. 38. t. 1. f. 1.
LEPTOM'ERIA. B.P.	LEPTOM'ERIA.	Pentandria Monogynia.	R.S.			
1 ácida. B.P.	(wh.) acid.	N. S. W.	1823.	....	G. h.	
2 Billardieri. B.P.	(wh.) Labillardiere's.	—————	—	....	G. h.	Lab. nov. hol. 1. t. 93.
	<i>Thesium drupaceum.</i> Lab.					
TH'ESIUM. R.S.	TH'ESIUM.	Pentandria Monogynia.	L.			
1 linophyllum. R.S.	(gr.) common.	England.	....	6. 7.	H. y.	Eng. bot. v. 4. t. 247.
2 intermèdium. R.S.	(wh.) intermediate.	Germany.	1818.	—	H. y.	Schkuhr hand. t. 51.
3 montànium. R.S.	(wh.) mountain.	Europe.	....	—	H. y.	Hayn. sc. j. t. 119.
4 alpinum. R.S.	(wh.) Alpine.	—————	1814.	—	H. y.	Jacq. aust. 5. t. 416.
5 ramòsum. R.S.	(wh.) branching.	—————	1824.	—	H. y.	Hayn. sc. j. p. 30. t. 7.
6 ebracteatum. R.S.	(gr.) blunt-leaved.	Germany.	—	—	H. y.	— l. c. t. 7.
7 ? amplexicaule. R.S.	(gr.) stem-clasping.	C. B. S.	1787.	—	G. h.	
COMA'NDRA. N.	COMA'NDRA.	Pentandria Monogynia.	N.			
umbellàta. N.	(wh.) umbelled.	N. America.	1782.	6.	H. y.	Pluk. mant. t. 342. f. 1.
	<i>Thesium umbellatum.</i> w.					

<b>HAMILTONIA. W.</b>		<b>OIL-NUT. Polygamia Diœcia. W.</b>				
	oleifera. w. (gr. ye.)	Olive-bearing.	N. America. 1800.	....	G. h.	Pursh. amer. 1. t. 13.
	<i>Pyrolaria pûbera. m.</i>					
<b>NYSSA. R.S.</b>		<b>TUPELO. Polygamia Diœcia. L.</b>				
1	villôsa. R.S. (gr.)	hairy-leaved.	N. America. 1806.	5.	H. h.	Mich. arb. 2. t. 21.
2	aquática. R.S. (gr.)	water.	-----	1739.	4. 5. H. h.	----- 2. t. 22.
	<i>biflora. w.</i>					
3	cândicans. R.S. (gr.)	Ogechee-lime.	-----	1812.	....	H. h.
4	capitata. H.K. (gr.)	headed.	Carolina. 1806.	....	H. h.	
5	tomentôsa. R.S. (gr.)	tomentose.	-----	1812.	....	H. h.
6	denticulâta. R.S. (gr.)	toothed.	N. America. 1795.	5. 6.	H. h.	Mich. arb. 2. t. 19. Catesb. car. 1. t. 60.

## ORDO CLXXVI.

ELÆAGNEÆ. *Don prodr. p. 67.*

<b>HIPPOPHAE. L.</b>		<b>SEA-BUCKTHORN. Diœcia Tetrandra. L.</b>				
1	rhamnoides. w. (st.)	common.	England. ....	4. 5.	H. h.	Eng. bot. t. 425.
2	salicifolia. D.P. (st.)	Willow-leaved.	Nepaul. 1819.	....	H. h.	
<b>SHEPHERDIA. N.</b>		<b>SHEPHERDIA. Diœcia Octandra. N.</b>				
1	argentea. N. (st.)	silvery.	Missouri. 1818.	....	H. h.	
	<i>Hippophae argentea. Ph.</i>					
2	canadensis. N. (st.)	Canadian.	-----	1759.	4. 5.	H. h.
	<i>Hippophae canadensis. w.</i>					
<b>ELÆAGNUS. L.</b>		<b>OLEASTER. Tetrandra Monogynia. L.</b>				
1	angustifolia. R.S. (wh.)	narrow-leaved.	S. Europe. 1633.	7.	H. h.	Bot. reg. t. 1156.
2	songaricus. F. (st.)	Fischer's.	Siberia. 1821.	---	H. h.	
3	orientalis. R.S. (wh.)	oriental.	Levant. 1748.	7. 8.	G. h.	Pall. ros. 1. t. 5.
4	spinosa. R.S. (wh.)	spiny.	Egypt. 1826.	---	F. h.	
5	argentea. Ph. (wh.)	silvery.	N. America. 1813.	---	H. h.	Wats. dend. brit. t. 16.
6	arborea. F.I. (wh.)	tree.	Nepaul. 1819.	....	H. h.	
7	conferta. F.I. (st.)	close-flowered.	-----	....	H. h.	
8	latifolia. R.S. (wh.)	broad-leaved.	E. Indies. 1712.	7. 8.	S. h.	Burm. zeyl. t. 39. f. 2.
9	triflora. F.I. (wh.)	three-flowered.	Nepaul. 1825.	....	H. h.	----- t. 39. f. 1.
10	umbellata. D.P. (wh.)	umbelled.	-----	1829.	....	H. h.
						Thunb. jap. t. 14.

## ORDO CLXXVII.

ASARINÆ. *Kunth synops. 1. p. 442.*

<b>A'SARUM. L.</b>		<b>ASARABACCA. Dodecandria Monogynia. L.</b>				
1	europæum. s.s. (pu.)	common.	England. ....	5.	H. y.	Eng. bot. v. 16. t. 1083.
2	canadense. s.s. (pu.)	Canadian.	Canada. 1713.	4. 7.	H. y.	Swt. br. fl. gar. t. 95.
3	virginicum. w. (pu.)	Virginian.	Virginia. 1759.	4. 5.	H. y.	----- t. 18.
4	arifolium. s.s. (pu.)	Arum-leaved.	Carolina. 1818.	5. 6.	H. y.	Hook. ex flor. t. 40.
<b>ARISTOLOCHIA. W.</b>		<b>BIRTHWORT. Gynandria Hexandra. L.</b>				
1	bilobata. w. (pu.)	two-lobed.	W. Indies. 1822.	6. 8.	S. h.	Plum. amer. t. 106.
2	trilobata. w. (pu.)	three-lobed.	S. America. 1775.	6. 7.	S. h.	
3	ringens. w. (br.)	gaping.	-----	1820.	---	S. h.
4	labiosa. B.R. (br.)	lipped.	-----	5. 9.	S. h.	Vahl. symb. 2. t. 47. Bot. reg. t. 689.
5	pentandra. w. (pu.)	pentandrous.	Cuba. 1828.	....	S. h.	Jacq. ic. pict. t. 224.
6	panduriformis. w. (pu.)	fiddle-leaved.	Caracas. 1823.	....	S. h.	
7	máxima. w. (pu.)	great.	New Spain. 1759.	7.	S. h.	Jacq. amer. t. 146.
8	Sipho. w. (br.)	broad-leaved.	N. America. 1763.	6. 7.	H. h.	Bot. mag. t. 534.
9	tomentosa. B.M. (ye.)	downy.	-----	1799.	---	H. h.
10	odoratissima. w. (pu.)	sweet-scented.	Jamaica. 1737.	7.	S. h.	Sloan. jam. 1. t. 104. f. 1.
11	barbata. w. (pu.)	bearded.	Caracas. 1796.	6. 8.	S. h.	Jacq. ic. 3. t. 608.
12	bilabiata. w. (pu.)	two-lipped.	Cuba. 1829.	....	S. h.	
13	indica. w. (pu.)	Indian.	E. Indies. 1780.	6. 7.	S. h.	Rheed. mal. 8. t. 25.
14	acuminata. w. (pu.)	taper-pointed.	Mauritius. 1820.	....	S. h.	

15 fœtida. K.S.	( <i>pu.</i> ) fetid.	Mexico.	1822.	6. 8. S. $\frac{1}{2}$ $\curvearrowright$ .	H. et B. 2. t. 114.
16 hastata. K.S.	( <i>pu.</i> ) halberd-leaved.	Havannah.	—	.... S. $\frac{1}{2}$ $\curvearrowright$ .	— 2. t. 116.
17 bœtica. w.	( <i>pu.</i> ) Spanish.	Spain.	1596.	5. 6. H. $\frac{1}{2}$ $\curvearrowright$ .	Moris. s. 12. t. 17. f. 6.
18 glauca. w.	( <i>ye.</i> ) glaucous.	Barbary.	1785.	6. 8. G. $\frac{1}{2}$ $\curvearrowright$ .	Bot. mag. t. 1115.
19 sempervirens. w.	( <i>pu.</i> ) evergreen.	Candia.	1727.	5. 6. G. $\frac{1}{2}$ $\curvearrowright$ .	— t. 1116.
20 longa. w.	( <i>pu.</i> ) long-rooted.	S. Europe.	1548.	6. 10. H. $\frac{1}{2}$ .	Mill. ic. t. 51. f. 2.
21 microphylla. W.en.	( <i>pu.</i> ) small-leaved.	.....	1826.	— G. $\frac{1}{2}$ .	—
22 Serpentaria. w.	( <i>pu.</i> ) Snake-root.	N. America.	1632.	6. 7. H. $\frac{1}{2}$ .	Jacq. schœn. 3. t. 385.
23 sagittata. Muhl.	( <i>pu.</i> ) arrow-leaved.	—	1819.	— H. $\frac{1}{2}$ .	—
24 bracteata. w.	( <i>pu.</i> ) bracteate.	E. Indies.	1793.	7. S. $\frac{1}{2}$ .	—
25 Pistolochia. w.	( <i>pu.</i> ) small.	S. Europe.	1597.	6. 7. H. $\frac{1}{2}$ .	—
26 rotunda. w.	( <i>pu.</i> ) round-rooted.	—	1596.	3. 10. G. $\frac{1}{2}$ .	—
27 pallida. w.	( <i>pa.</i> ) pale-flowered.	Italy.	1640.	5. 8. H. $\frac{1}{2}$ .	Moris. s. 12. t. 18. f. 2.
28 hirta. w.	( <i>pu.</i> ) hairy.	Chio.	1759.	5. 6. G. $\frac{1}{2}$ .	Tourn. it. 1. t. 147.
29 Clematidis. w.	( <i>ye.</i> ) common.	England.	....	5. 8. H. $\frac{1}{2}$ .	Eng. bot. v. 6. t. 398.
30 arborœscens. w.	( <i>pu. ye.</i> ) tree.	America.	1737.	6. 7. G. $\frac{1}{2}$ .	—

## ORDO CLXXVIII.

CYTINEÆ. *Brogniart.*

NEPENTHES. L.	PITCHER-PLANT.	Diœcia Monadelphia. L.			
1 distillatoria. w.	( <i>gr.</i> ) cylindrical.	Ceylon.	1789.	4. 5. S. w. $\frac{1}{2}$ .	Burm. zeyl. 42. t. 17.
2 Phyllamphora. w.	( <i>gr.</i> ) ventricose.	China.	1822.	6. 8. S. w. $\frac{1}{2}$ .	Bot. mag. t. 2629.

## ORDO CLXXIX.

STACKHOUSEÆ. *Brown.*

STACKHOUSIA. Lab.	STACKHOUSIA. Pentandria Trigynia.				
1 linariifolia. F.T.	( <i>st.</i> ) Linaria-leaved.	N. S. W.	1823.	3. 6. G. $\frac{1}{2}$ .	—
2 spatulata. s.s.	( <i>wh.</i> ) spatulate-leaved.	—	1825.	4. 6. G. $\frac{1}{2}$ .	—

## ORDO CLXXX.

EUPHORBIACEÆ. *Juss. gen. 384.*

MERCURIALIS. W.	MERCURY.	Diœcia Enneandria. L.			
1 perennis. w.	( <i>gr.</i> ) perennial.	Britain.	....	4. 5. H. $\frac{1}{2}$ .	Eng. bot. v. 26. t. 1872.
2 ambigua. w.	( <i>gr.</i> ) doubtful.	Spain.	1806.	7. 8. H. $\odot$ .	Linn. f. dec. 1. t. 8.
3 annua. w.	( <i>gr.</i> ) annual.	Britain.	....	7. 9. H. $\odot$ .	Eng. bot. v. 8. t. 559.
4 elliptica. w.	( <i>gr.</i> ) oval-leaved.	Portugal.	1802.	5. 7. G. $\frac{1}{2}$ .	Venten. cels. t. 12.
5 tomentosa. w.	( <i>gr.</i> ) woolly.	Spain.	1640.	7. 9. H. $\frac{1}{2}$ .	—
PEDILANTHUS. Neck.	SLIPPER-SPURGE.	Dodecandria Trigynia. L.en.			
1 tithymaloïdes. B.R.	( <i>sc.</i> ) Myrtle-leaved.	S. America.	1699.	6. 7. D.S. $\frac{1}{2}$ .	Bot. reg. t. 837.
<i>myrtifolius. L.en.</i>	<i>Crepidaria myrtifolia. H.S.S.</i>	—	—	—	—
2 carinatus.	( <i>sc.</i> ) keel-leaved.	W. Indies.	1809.	— D.S. $\frac{1}{2}$ .	Bot. mag. t. 2514.
<i>Euphorbia carinata. B.M.</i>	<i>Crepidaria carinata. H.S.S.</i>	—	—	—	—
3 subcarinatus. H.R.	( <i>sc.</i> ) small-keeled.	W. Indies.	1819.	— D.S. $\frac{1}{2}$ .	—
4 canaliculatus.	( <i>sc.</i> ) channelled-leaved.	—	—	— D.S. $\frac{1}{2}$ .	Lodd. bot. cab. t. 727.
<i>Euphorbia canaliculata. B.C.</i>	—	—	—	—	—
5 padifolius. H.S.	( <i>sc.</i> ) Padus-leaved.	—	1699.	— D.S. $\frac{1}{2}$ .	Dill. elt. t. 288. f. 372.
6 cordellatus.	( <i>sc.</i> ) small-heart-leaved.	—	1795.	— D.S. $\frac{1}{2}$ .	—
<i>Crepidaria cordellata. H.S.</i>	—	—	—	—	—

EUPHOR' BIA. W. SPURGE. Dodecandria Trigynia. L.					
1	uncinata. DC. ( <i>gr.ye.</i> ) twin-spined. C. B. S.	1795.	6. 8.	D. G. $\frac{1}{2}$ .	DC. plant. gras. t. 151.
	<i>Scelopéndria</i> . H. s. <i>proclumbens</i> . Meerb. ic. rar. t. 55. ex H. P.				
2	squarrósa. H. P. ( <i>gr.ye.</i> ) squarrose. C. B. S.	1825.	—	D. G. $\frac{1}{2}$ .	
3	trigóna. H. s. ( <i>gr.ye.</i> ) upright 3-sided. E. Indies.	1768.	7. 8.	D. S. $\frac{1}{2}$ .	
4	antiquòrum. H. s. ( <i>gr.ye.</i> ) spreading 3-sided. ———	1688.	—	D. S. $\frac{1}{2}$ .	Comm. hort. 1. t. 12.
5	láctea. H. s. ( <i>gr.ye.</i> ) marbled. ———	1804.	—	D. S. $\frac{1}{2}$ .	
6	grandidéns. H. P. ( <i>gr.ye.</i> ) large-toothed. C. B. S.	1820.	—	D. G. $\frac{1}{2}$ .	
7	canariénsis. w. ( <i>br.re.</i> ) Canary. Canaries.	1697.	3. 4.	D. G. $\frac{1}{2}$ .	DC. plant. gras. t. 140.
8	cærulécens. H. P. ( <i>st.</i> ) blue-stemmed. C. B. S.	1825.	—	D. G. $\frac{1}{2}$ .	
9	tetrágona. H. P. ( <i>gr.ye.</i> ) four-sided. ———	—	—	D. G. $\frac{1}{2}$ .	
10	heptágona. w. ( <i>br.re.</i> ) seven-angled. ———	1731.	7. 11.	D. G. $\frac{1}{2}$ .	Bradl. suc. 2. t. 13.
	<i>a nigra</i> . H. s. ( <i>br.re.</i> ) black-spined. ———	—	—	D. G. $\frac{1}{2}$ .	
	<i><math>\beta</math> rubra</i> . H. s. ( <i>br.re.</i> ) red-spined. ———	—	—	D. G. $\frac{1}{2}$ .	
11	pentágona. H. P. ( <i>gr.ye.</i> ) five-sided. ———	1825.	—	D. G. $\frac{1}{2}$ .	
12	enneagóna. H. s. ( <i>gr.ye.</i> ) nine-angled. ———	1790.	7. 10.	D. G. $\frac{1}{2}$ .	
13	mammilláris. w. ( <i>gr.ye.</i> ) warty-angled. ———	1759.	7. 8.	D. G. $\frac{1}{2}$ .	Comm. præl. t. 9.
14	cereifórmis. w. ( <i>gr.ye.</i> ) naked. ———	1731.	6. 7.	D. G. $\frac{1}{2}$ .	Burm. afr. t. 9. f. 3.
15	officinárum. w. ( <i>ye.</i> ) officinal. Africa.	1597.	—	D. G. $\frac{1}{2}$ .	DC. plant. gras. t. 77.
16	odontophýlla. W. en. ( <i>gr.</i> ) white-spined. C. B. S.	1824.	—	D. G. $\frac{1}{2}$ .	
17	stellæspina. H. P. ( <i>gr.ye.</i> ) starry-spined. ———	—	—	D. G. $\frac{1}{2}$ .	
18	polygóna. H. s. ( <i>gr.ye.</i> ) many-angled. ———	1790.	7. 9.	D. G. $\frac{1}{2}$ .	Lodd. bot. cab. t. 1334.
19	neréfólia. w. ( <i>re.</i> ) Oleander-leaved. India.	1690.	6. 7.	D. S. $\frac{1}{2}$ .	DC. plant. gras. t. 46.
20	Hý'strix. w. ( <i>st.</i> ) Porcupine. C. B. S.	1695.	—	D. G. $\frac{1}{2}$ .	Jacq. schœn. 2. t. 207.
	<i>loricata</i> . P. s. <i>Treisia Hý'strix</i> . H. s.				
21	várians. H. s. ( <i>gr.ye.</i> ) variable-stemm'd. E. Indies.	1800.	6. 9.	D. S. $\frac{1}{2}$ .	
22	grandifólia. H. s. ( <i>gr.ye.</i> ) great-leaved. Sierra Leon.	1798.	—	D. S. $\frac{1}{2}$ .	
23	erósa. W. en. ( <i>gr.ye.</i> ) erose. ———	1818.	....	D. S. $\frac{1}{2}$ .	
24	tribulóides. s. s. ( <i>wh.</i> ) Caltrops-like. Canaries.	1816.	6. 9.	D. G. $\frac{1}{2}$ .	
25	Millii. Desm. ( <i>sc.</i> ) splendid. Madagascar.	1828.	—	D. S. $\frac{1}{2}$ .	Bot. mag. t. 2902.
	<i>spléndens</i> . B. M. ann. 1829. <i>Millii</i> , Desm. ann. 1826.				
26	cucumerína. w. ( <i>gr.</i> ) Cucumber-like. C. B. S.	....	5. 9.	D. G. $\frac{1}{2}$ .	Vail. it. t. 5.
27	melofórmis. w. ( <i>ye.</i> ) Melon-like. ———	1774.	—	D. G. $\frac{1}{2}$ .	Andr. reposit. t. 617.
28	cláva. w. ( <i>gr.</i> ) club. ———	—	3. 12.	D. G. $\frac{1}{2}$ .	Jacq. ic. 1. t. 85.
	<i>Treisia tuberculata</i> . H. s. s.				
29	Hawórhthi. ( <i>gr.</i> ) Haworth's. ———	—	—	D. G. $\frac{1}{2}$ .	
	<i>Treisia cláva</i> . H. s. <i>excl. syn. w.</i>				
30	bupleurifólia. w. ( <i>gr.</i> ) cone-shaped. ———	1791.	6. 7.	D. G. $\frac{1}{2}$ .	Jacq. schœn. 1. t. 106.
31	Caput medusæ. w. ( <i>gr.</i> ) great Medusa's head. Africa.	1731.	8.	D. G. $\frac{1}{2}$ .	Lodd. bot. cab. t. 1315.
	<i>Medusea major</i> . H. s.				
	<i><math>\beta</math> humilis</i> . ( <i>gr.</i> ) dwarfed. ———	1768.	—	D. G. $\frac{1}{2}$ .	Burm. afr. t. 8.
32	tessellata. H. s. ( <i>gr.</i> ) chequer'd-M'-head. ....	1788.	—	D. G. $\frac{1}{2}$ .	
33	fructus-pini. H. s. ( <i>gr.</i> ) small M'-head. C. B. S.	1731.	—	D. G. $\frac{1}{2}$ .	DC. plant. gras. t. 150.
	<i><math>\beta</math> geminata</i> . ( <i>gr.</i> ) curl-wing-branched. ———	—	—	D. G. $\frac{1}{2}$ .	Burm. afr. 18. t. 9. f. 1.
34	procumbens. H. s. ( <i>gr.</i> ) least M'-head. ———	1768.	—	D. G. $\frac{1}{2}$ .	— t. 10. f. 1.
35	pátula. Mill. ( <i>br.gr.</i> ) spreading. ———	—	—	D. G. $\frac{1}{2}$ .	
	<i>Dactylánthes pátula</i> . H. s.				
36	anacántha. w. ( <i>br.gr.</i> ) scaly. ———	1727.	9. 10.	D. G. $\frac{1}{2}$ .	Bot. mag. t. 2520.
37	globósa. B. M. ( <i>br.gr.</i> ) roundish-jointed. ———	1822.	6. 11.	D. G. $\frac{1}{2}$ .	— t. 2624.
	<i>Dactylánthes globósa</i> . H. P.				
38	tuberculata. w. ( <i>wh.</i> ) tuberculate. ———	1805.	6. 8.	D. G. $\frac{1}{2}$ .	Jacq. schœn. 2. t. 208.
39	hamata. H. s. ( <i>br.gr.</i> ) hooked. ———	1795.	—	D. G. $\frac{1}{2}$ .	Burm. afr. t. 6. f. 3.
40	Commelini. DC. ( <i>br.gr.</i> ) Commelin's. Africa.	....	—	D. S. $\frac{1}{2}$ .	
41	Ornithopus. W. en. ( <i>w.</i> ) Bird's-foot. ———	1816.	—	G. $\frac{1}{2}$ .	Jacq. fragm. t. 120.
42	clandestina. s. s. ( <i>gr.</i> ) clandestine. ———	1824.	—	D. G. $\frac{1}{2}$ .	
43	lophogóna. w. ( <i>gr.</i> ) curl-winged. Madagascar.	—	—	D. S. $\frac{1}{2}$ .	DC. plant. gras. ic.
44	péndula. L. en. ( <i>gr.</i> ) pendulous. ....	1808.	—	D. S. $\frac{1}{2}$ .	
	<i>Tithymalus péndulus</i> . H. s.				
45	Tirucáli. w. ( <i>wh.</i> ) Indian tree. India.	1690.	....	D. S. $\frac{1}{2}$ .	Rheed. mal. 2. t. 34.
46	maurítanica. w. ( <i>ye.</i> ) Barbary. Africa.	1732.	6. 8.	D. G. $\frac{1}{2}$ .	Dill. elt. t. 289. f. 373.
47	Lamarékii. H. s. L. ( <i>gr.</i> ) Lamarck's. ———	1808.	—	D. G. $\frac{1}{2}$ .	
	<i>maurítanica</i> . Lam. <i>nec aliorum. virgata</i> . P. s. <i>non w. k.</i>				
48	aphýlla. W. en. ( <i>gr.</i> ) leafless. Teneriffe.	1815.	—	D. G. $\frac{1}{2}$ .	
49	atropurpúrea. W. en. ( <i>pu.</i> ) dark purple. ———	—	—	D. G. $\frac{1}{2}$ .	
50	piscatória. w. ( <i>gr.ye.</i> ) smooth spear-ld. Canaries.	1777.	—	D. G. $\frac{1}{2}$ .	
51	balsamifera. w. ( <i>gr.ye.</i> ) balsam. ———	1779.	—	D. G. $\frac{1}{2}$ .	
52	laurifólia. P. s. ( <i>gr.ye.</i> ) Laurel-leaved. Peru.	1820.	—	D. G. $\frac{1}{2}$ .	
53	bracteata. s. s. ( <i>gr.</i> ) bracteated. ....	1809.	—	D. S. $\frac{1}{2}$ .	Jacq. schœnb. t. 276.
54	dendróides. w. ( <i>ye.</i> ) tree-like. Italy.	1768.	—	H. $\frac{1}{2}$ .	Barrel. ic. 910.

55 l'æta. w.	(st.) Mezereon-leaved. S. Europe.	1758.	6. 8. D.G. h.	Jacq. ic. 1. t. 87.
56 punicea. w.	(cr.) scarlet-flowered. Jamaica.	1778.	1. 9. D.S. h.	Bot. reg. t. 190.
57 heterophylla. w.	(sc.) various-leaved. W. Indies.	1690.	4. 9. D.S. h.	Plum. ic. t. 251. f. 3.
58 cyathophora. w.	(ye.pt.) coloured. S. America.	1806.	7. 8. D.S. h.	Jacq. ic. 3. t. 480.
59 repanda.	(gr.ye.) waved. E. Indies.	1808.	8. D.S. h.	
<i>Tithymalus repandus</i> . H.s.				
60 biglandulosa. H.s.	(gr.) twin-glanded. Isl. Bourbon.	—	9. D.S. h.	
61 geniculata. P.s.	(st.) jointed. Cuba.	1823.	7. 10. S. ⊙.	Jacq. schœn. 3. t. 277.
<i>prunifolia</i> . H.K. <i>Tithymalus prunifolius</i> . H.s.				
62 nudiflora. s.s.	(st.) naked-flowered. Jamaica.	1800.	8. D.S. h.	Jacq. ic. 3. t. 470.
63 verticillata. s.s.	(gr.) whorled. W. Indies.	1826.	— D.S. h.	
64 cotinifolia. w.	(wh.) Cotinus-leaved. S. America.	1690.	7. 8. D.S. h.	Hook. ex. flor. t. 59.
65 petiolaris. H.K.	(ye.) long-stalked. W. Indies.	1800.	5. 6. D.S. h.	Bot. mag. t. 883.
66 mellifera. w.	(pu.gr.) honey-bearing. Madeira.	1784.	4. 5. G. h.	— t. 1305.
67 glabrata. s.s.	(gr.ye.) smooth-leaved. W. Indies.	1824.	— D.S. h.	
68 toxicaria. L.en.	(gr.) poisonous. ....	1825.	— D.S. h.	
69 picta. w.	(gr.) painted. S. America.	1789.	5. 7. S. ♀.	Jacq. ic. 3. t. 477.
70 silenifolia.	(gr.ye.) Silene-leaved. C. B. S.	1821.	— G. ♀.	
<i>Tithymalus silenifolius</i> . H.R.				
71 crispa. H.R.	(gr.ye.) curl-leaved. —	—	— G. ♀.	
72 tuberosa. w.	(gr.ye.) tuberous. Ethiopia.	1800.	10. 12. G. h.	Burm. afr. 9. t. 4.
73 affinis. DC.	(gr.ye.) affined. ....	1823.	6. 8. G. h.	
74 linarifolia. w.	(ye.) toad-flax-leaved. ....	1794.	— S. h.	Jacq. ic. 1. t. 86.
75 linifolia. w.	(ye.) Flax-leaved. W. Indies.	—	— S. h.	
76 ocymoidea. w.	(ye.) Basil-leaved. S. America.	1733.	— S. ⊙.	
77 dentata. M.	(ye.) dentated. N. America.	1806.	6. 7. H. ⊙.	
78 hypericifolia. w.	(wh.) Hypericum-leaved. America.	1727.	6. 9. H. ⊙.	Hook. ex. flor. t. 36.
79 Humboldtii. W.en.	(gr.) Humboldt's. S. America.	1809.	7. 10. S. ♂.	
80 prostrata. w.	(pu.) trailing-red. W. Indies.	1758.	— S. ⊙.	
81 rosea. w.	(ro.) rosy. E. Indies.	1808.	8. S. ⊙.	
82 maculata. w.	(ye.) spotted. S. America.	1660.	7. H. ⊙.	Jacq. vind. 2. t. 186.
83 humifusa. W.en.	(ye.) trailing. ....	1824.	6. 8. H. ⊙.	
84 pilulifolia. w.	(gr.) globular. E. Indies.	1800.	— S. ♀.	Jacq. ic. 3. t. 478.
85 hyssopifolia. w.	(gr.) Hyssop-leaved. W. Indies.	1787.	8. 9. S. ⊙.	
86 scordifolia. s.s.	(wh.) Scordium-leaved. S. America.	1826.	6. 8. S. h.	Jacq. icon. t. 476.
87 tannensis. s.s.	(gr.) Tanna. N. Hebrides.	—	— G. h.	
88 thymifolia. w.	(wh.) Thyme-leaved. India.	1699.	7. 8. S. ⊙.	Pluk. alm. t. 113. f. 2.
89 parviflora. w.	(wh.) small-flowered. E. Indies.	1818.	— S. ⊙.	Burm. zeyl. t. 105. f. 2.
90 variegata. B.M.	(wh.) variegated. Louisiana.	1811.	6. 8. H. ⊙.	Bot. mag. t. 1747.
91 canescens. w.	(wh.re.) canescent. Spain.	1818.	7. 8. H. ⊙.	Cavan. ic. 1. t. 63.
92 Chamæyuce. w.	(wh.) scollop-leaved. S. Europe.	1752.	— H. ⊙.	Moris. s. 10. t. 2. f. 19.
93 Pèplus. w.	(ye.) purple. Devonshire. ....	—	— H. ⊙.	Eng. bot. v. 28. t. 2002.
94 polygonifolia. w.	(st.) knotgrass-leaved. N. America.	1704.	6. 7. H. ⊙.	Jacq. col. sup. t. 13. f. 3.
95 Ipecacuanhæ. w.	(gr.) Ipecacuanha. —	1812.	— H. ♀.	Bot. mag. t. 1494.
96 Pèplus. w.	(gr.) petty. Britain. ....	—	7. 8. H. ⊙.	Eng. bot. v. 14. t. 959.
97 peploides. DC.	(gr.) least. S. Europe.	1800.	7. 9. H. ⊙.	
<i>Esula minima</i> . H.S.				
98 falcata. w.	(ye.) sickle-leaved. —	1699.	6. 8. H. ⊙.	Jacq. aust. 2. t. 121.
99 acuminata. M.B.	(gr.) acuminate. Iberia.	1823.	— H. ⊙.	
100 exigua. w.	(gr.) dwarf. Britain. ....	—	7. H. ⊙.	Eng. bot. v. 19. t. 1336.
101 diffusa. w.	(gr.ye.) diffuse. Austria.	1798.	7. 8. H. ⊙.	Jacq. ic. 1. t. 88.
102 undulata. M.B.	(wh.) undulate. Caucasus.	1820.	— H. ♀.	
103 micrantha. w.	(gr.) small-flowered. Persia.	1803.	7. 9. H. ⊙.	
104 Lagascana. s.s.	(gr.) Lagasca's. Spain.	1827.	7. 10. H. ⊙.	
105 Láthyris. w.	(gr.) Caper. England. ....	—	5. 10. H. ♂.	Eng. bot. v. 32. t. 2255.
106 terracina. w.	(ye.) refuse-leaved. S. Europe.	1818.	7. 10. H. ⊙.	
107 valentina. P.s.	(ye.) Spanish. Spain.	1804.	7. 8. H. ⊙.	
108 'Apios. w.	(ye.) pear-rooted. Candia.	1596.	6. 7. H. ♀.	
109 genistoides. w.	(ye.) Gemista-like. C. B. S.	1808.	7. 8. G. h.	
110 condensata. s.s.	(ye.) tufted. Iberia.	1828.	6. 8. H. ♀.	
111 spinosa. w.	(ye.) prickly. Levant.	1710.	6. 7. F. h.	Wats. dend. brit. t. 45.
112 fruticosa. L.en.	(ye.) shrubby. Sicily.	1825.	— F. h.	Biv. pl. sic. cent. 1. 35.
113 epithymoides. w.	(ye.) broad-leaved. Austria.	1805.	5. 6. H. ♀.	Andr. reposit. t. 616.
114 villosa. w.K.	(sn.) villous. Hungary.	1818.	6. 9. H. ♀.	W. et K. hung. t. 93.
115 tenuifolia. s.s.	(ye.) slender-leaved. S. Europe.	1827.	— H. ⊙.	
116 echinocarpa. s.s.	(ye.) prickly-podded. Crete.	1828.	— H. ♂.	
117 condylocarpa. M.B.	(ye.) warted-fruited. Caucasus.	1824.	— H. ♀.	
118 obtusata. Ph.	(ye.) blunt-bracted. N. America.	1826.	— H. ♀.	
119 mercuriana. Ph.	(ye.) Mercury-like. —	1824.	— H. ♀.	

120 marginàta. Ph. (wh.) white-margined. N. America.	1816.	6. 9.	H. ⊙.	
121 dúlcis. w. (pu.) sweet. S. Europe.	1759.	5. 6.	H. ♀.	Jacq. aust. 3. t. 213.
122 ambígua. w. k. (ye.) ambiguous. Hungary.	1824.	—	H. ♀.	W. et K. hung. t. 135.
123 carníolica. w. (ye.) Carniolian. Carniola.	1795.	8.	H. ♀.	Scop. carn. t. 21.
124 angulàta. w. (ye.) angular-stalked. Austria.	1819.	7. 8.	H. ♀.	Jacq. ic. t. 481.
125 numulariæfólia. (ye.) moneywort-leaved. . . . .	1800.	7.	G. ♀.	
126 erythrina. L. en. (gr.) purple-margined. C. B. S.	1816.	6. 8.	G. ♀.	
127 neapolitàna. T. N. (wh.) Neapolitan. Naples.	1825.	7. 8.	H. ♀.	Ten. fl. neap. t. 42.
128 Pithyùsa. w. (gr.) Juniper-leaved. S. Europe.	1741.	6. 7.	F. ♀.	Bocc. sic. t. 5.
129 portlàndica. w. (ye.) Portland. Britain.	....	5. 9.	H. ♀.	Eng. bot. v. 7. t. 441.
130 saxátilis. w. (ye.) rock. Austria.	1816.	6. 8.	H. ♀.	Jacq. aust. t. 345.
131 glareòsa. M. B. (ye.) stony. Caucasus.	1819.	—	H. ♀.	
132 Paràlias. w. (ye.) sea. England.	....	7. 9.	H. ♀.	Eng. bot. v. 3. t. 195.
β suffruticòsa. (ye.) shrubby sea. . . . .	....	—	F. ♀.	
133 júncea. w. (ye.) rushy. Madeira.	1779.	7. 8.	G. ♀.	Jacq. schœn. 1. t. 107.
134 congèsta. W. en. (ye.) fiddle-leaved. Spain.	1817.	—	H. ♀.	
135 aléppica. w. (ye.) Aleppo. Crete.	1739.	—	F. ♀.	Alp. exot. t. 64.
136 taurinénsis. W. en. (ye.) Italian. Italy.	1818.	—	H. ♀.	All. ped. 2. t. 83. f. 2.
137 segetàlis. w. (ye.) corn. S. Europe.	1699.	—	H. ⊙.	Jacq. aust. 5. t. 450.
138 grácilis. s. s. (ye.) slender. Ukraine.	1826.	—	H. ♀.	
139 cœspitòsa. T. N. (ye.) tufted. Naples.	—	—	H. ♀.	
140 pinea. s. s. (ye.) Pine-leaved. —	—	—	H. ♀.	
linifólia. T. N. non w.				
141 biumbellàta. DC. (ye.) double-umbel'd. Barbary.	1780.	8.	H. ⊙.	Poir. it. ed. germ. t. 1.
142 angustifólia. (ye.) narrow-leaved. . . . .	—	7. 8.	H. ♀.	
Esula angustifólia. H. s.				
143 multicorymbòsa. (ye.) many-flowered. . . . .	1805.	—	H. ♀.	
144 provinciàlis. w. (ye.) linear-leaved. S. Europe.	1800.	8. 11.	H. ⊙.	
145 juncoides. H. s. (ye.) Rush-like. —	—	7. 8.	H. ⊙.	
146 helioscòpia. w. (ye.) Wartwort. Britain.	....	—	H. ⊙.	Eng. bot. v. 13. t. 883.
147 stellulàta. Sn. (ye.) starry. Europe.	1823.	—	H. ⊙.	
148 bialàta. L. en. (ye.) two-winged. . . . .	1819.	—	H. ⊙.	
149 serràta. w. (ye.) narrow notch-ld. S. Europe.	1710.	7.	G. ♀.	Jacq. ic. 3. t. 483.
150 uralénsis. F. (ye.) Fischer's. Tauria.	1824.	—	H. ♀.	
151 crética. w. (ye.) Cretan hoary. Levant.	1768.	—	H. ♀.	
152 rigens. (ye.) stiff. . . . .	1795.	7. 8.	H. ♀.	
Galarh'æus rígidas. H. s.				
153 verrucòsa. w. (ye.) warted. France.	1809.	6.	H. ♀.	Moris. s. 10. t. 3. f. 3.
154 corollàta. w. (wh.) great-flowered. N. America.	1803.	7. 9.	H. ♀.	Lodd. bot. cab. t. 390.
155 spathulæfólia. H. s. (gr.) spatula-leaved. . . . .	1800.	8.	G. ♀.	
156 corallioides. w. (ye.) Coral-stalked. S. Europe.	1752.	6. 9.	H. ♀.	
157 móllis. Gm. (ye.) soft. —	1823.	—	H. ♀.	
158 androsæmifólia. H. s. (ye.) Tutsan-leav'd. Hungary.	1804.	7. 9.	H. ♀.	
159 pilòsa. w. (ye.) hairy. Siberia.	1758.	5. 8.	H. ♀.	Gmel. sib. 2. t. 93.
160 orientàlis. w. (st.) oriental. Levant.	1739.	6. 7.	H. ♀.	
161 fragifera. L. en. (ye.) Strawberry-like. Italy.	1825.	—	H. ♀.	
162 virgàta. w. k. (ye.) twiggly. Hungary.	1807.	7.	H. ♀.	W. et K. hung. t. 162.
163 platypnylla. H. s. (ye.) annual warted. England.	....	7. 8.	H. ⊙.	Jacq. aust. t. 376.
164 stricta. E. B. (ye.) upright warted. —	....	—	H. ⊙.	Eng. bot. v. 5. t. 333.
165 literàta. w. (st.) blotch-leaved. . . . .	1790.	8.	H. ⊙.	Jacq. ic. 3. t. 482.
166 crispàta. L. en. (ye.) crisp-leaved. . . . .	1819.	7. 9.	H. ♀.	
167 pubescens. s. s. (ye.) pubescent. Barbary.	1827.	—	H. ♀.	Jacq. f. ecl. t. 66.
168 lutescens. Led. (ye.) yellowish. Siberia.	—	—	H. ♀.	
169 Ehrenbèrgii. (ye.) Ehrenberg's. Egypt.	1826.	6. 9.	H. ⊙.	
heterophylla. Ehr. non w.				
170 trigonocàrpa. F. (ye.) three-sided podded. Russia.	1821.	—	H. ⊙.	
171 retusa. C. I. (gr.) notch-leaved. S. Europe.	—	—	H. ⊙.	Cavan. ic. t. 34. f. 3.
172 Esula. w. (gr.) leafy-branched. Britain.	....	5. 7.	H. ♀.	Eng. bot. v. 20. t. 1399.
173 Gerardiàna. w. (ye.) Gerard's. Germany.	1801.	7.	H. ♀.	Jacq. aust. t. 436.
174 Cyparissias. w. (ye.) Cypress. England.	....	5. 9.	H. ♀.	Eng. bot. v. 12. t. 840.
175 niceénsis. w. (ye.) sharp-leaved. Spain.	1809.	—	F. ♀.	Jacq. ic. 3. t. 485.
176 myrsinities. w. (ye.) glaucous. S. Europe.	1570.	4. 6.	H. ♀.	
177 rígida. M. B. (ye.) rigid. Tauria.	1819.	6. 8.	H. ♀.	Bot. reg. t. 274.
178 imbricàta. w. (ye.) imbricated. Portugal.	1804.	8. 9.	F. ♀.	
179 glaucescens. W. en. (ye.) glaucous. . . . .	1819.	—	H. ♀.	
180 agrària. M. B. (ye.) field. Tauria.	—	6. 8.	H. ♂.	
181 palústris. w. (ye.) marsh. Sweden.	1570.	5. 8.	H. ♀.	Flor. dan. t. 866.
182 pállida. w. (ye.) pale. Hungary.	1818.	6. 8.	H. ♀.	
183 lúcida. w. k. (ye.) glossy. —	1820.	—	H. ♀.	W. et K. hung. t. 55.

- 184 *procera*. M.B. (*ye.*) tall. Terek. 1824. 6. 8. H. 4.  
 185 *ceratocarpa*. T.N. (*ye.*) horn-capsuled. Naples. — H. 4. Ten. fl. neap. t. 43.  
 186 *emarginata*. w. (*ye.*) freckled. Italy. 1758. 7. 8. H. 4.  
 187 *hibérna*. E.B. (*ye.*) Irish. Ireland. . . . 5. 6. H. 4. Eng. bot. v. 19. t. 1337.  
 188 *salicifolia*. w. (*ye.*) Willow-leaved. Hungary. 1804. — H. 4. Lodd. bot. cab. t. 973.  
 189 *sylvática*. w. (*pi.*) wood. S. Europe. 1768. 7. 9. F. 7. Jacq. aust. t. 375.  
 190 *amygdaloides*. w. (*st.*) Almond-leaved. England. . . . 3. 6. H. 4. Eng. bot. v. 4. t. 256.  
 191 *Characiás*. w. (*ye. pu.*) upright red. — . . . — H. 7. — v. 7. t. 442.  
 192 *véneta*. L.en. (*ye.*) venomous. Europe. 1824. — F. 7.  
 193 *Bonplándii*. (*wh.*) Bonpland's. N. Spain. 1823. 4. 6. S. 4.  
*marginata*. k.s. non Nutt.
- C'CCA. L.** C'CCA. Monœcia Tetrandria. L.  
*disticha*. w. (*gr.*) long-leaved. E. Indies. 1796. 4. 6. S. 7. Jacq. schœn. 2. t. 194.
- BU'XUS. W.** BOX-TREE. Monœcia Tetrandria. L.  
 1 *chinénsis*. L.en. (*ye.*) China. China. 1812. 4. 8. H. 7.  
 2 *baleàrica*. w. (*ye.*) Minorca. Minorca. 1780. 7. H. 7.  
 3 *sempervirens*. w. (*ye.*) common. England. . . . 4. H. 7. Eng. bot. v. 19. t. 1341.  
*a arboréscens*. Mill. (*ye.*) tree. . . . — H. 7.  
 † *argéntea*. (*ye.*) silvery-leaved. . . . — H. 7.  
 † *aùrea*. (*ye.*) golden-leaved. . . . — H. 7.  
 † *marginata*. (*ye.*) margined. . . . — H. 7.  
 † *angustifolia*. Mill. (*ye.*) narrow-leaved. . . . — H. 7.  
 † *variegata*. (*ye.*) variegated. . . . — H. 7.  
 † *myrtifolia*. Mill. (*ye.*) myrtle-leaved. . . . — H. 7.  
 † *suffruticosa*. (*ie.*) dwarf. . . . — H. 7.
- SARCOCOCCA. B.R.** SARCOCOCCA. Monœcia Tetrandria.  
*coriàcea*. (*wh.*) leathery. Nepaul. 1820. 4. 6. G. h. Bot. reg. t. 358.  
*prunifórmis*. B.R. *Pachysandra coriacea*. Hook. ex. flor. t. 148.
- PACHYSA'NDRA. M.** PACHYSA'NDRA. Monœcia Tetrandria. W.  
 1 *procumbens*. M. (*bh.*) procumbent. N. America. 1800. 3. 4. H. 4. Bot. reg. t. 33.
- ACID'OTON. W.** ACID'OTON. Monœcia Polyandria.  
*ùrens*. w. (*gr.*) stinging. Jamaica. 1793. 4. 6. S. h. Sloan. jam. 1. t. 83. f. 1.
- PLUKEN'ETIA. W.** PLUKEN'ETIA. Monœcia Monadelphia. L.  
 1 *volùbilis*. w. (*gr.*) twining. W. Indies. 1739. 7. 8. S. h. Plum. ic. t. 226.  
 2 *corniculàta*. s.s. (*gr.*) horned. E. Indies. 1827. — S. h. Rumph. amb. 1. t. 79. f. 2.
- DALECHA'MPIA. W.** DALECHA'MPIA. Monœcia Monadelphia.  
 1 *scândens*. w. (*gr.*) climbing. W. Indies. 1739. 6. 7. S. h. Jacq. amer. 252. t. 160.  
 2 *brasiliénsis*. w. (*gr.*) Brazilian. Brazil. 1820. — S. h.  
 3 *fimbriàta*. k.s. (*gr.*) fringed. Mexico. 1829. — S. h.
- ACALYPHA. W.** ACALYPHA. Monœcia Monadelphia. W.  
 1 *diversifolia*. w. (*gr.*) various-leaved. Caracas. 1824. 6. 8. S. 7.  
 2 *hernandifolia*. s.s. (*gr.*) Hennandia-leaved. Jamaica. 1825. . . . S. h.  
 3 *virginica*. w. (*gr.*) Virginian. N. America. 1759. 7. 8. H. 7. Schk. hand. 3. t. 311.  
 4 *caroliniana*. w. (*gr.*) Carolina. — 1811. — H. 7. Lam. ill. t. 780. f. 2.  
 5 *ciliàta*. w. (*gr.*) ciliated. E. Indies. 1799. — S. 7. Vahl symb. 1. t. 20.  
 6 *réptans*. w. (*gr.*) creeping. Jamaica. 1822. — S. 7. Sloan. hist. 1. t. 82. f. 3.  
 7 *índica*. w. (*gr.*) Indian. E. Indies. 1759. 7. 9. S. 7. Rheed. mal. 10. t. 81.  
 8 *hispida*. w. (*gr.*) hispid. — 1820. — S. 7.  
 9 *cuspidàta*. w. (*gr.*) cuspidate. Caracas. . . . S. h. Jacq. schœn. 2. t. 243.  
 10 *rùbra*. W.en. (*re.*) red. S. America. 1823. 6. 9. S. 7.  
 11 *brachystàchya*. W.en. (*gr.*) short-spiked. China. 1816. 7. 8. H. 7.  
 12 *pauciflora*. W.en. (*gr.*) few-flowered. — — H. 7.  
 13 *alopeuroidea*. w. (*gr.*) Fox-tail. Venezuela. 1804. 7. 9. H. 7. Jacq. ic. 3. t. 620.  
 14 *anemioides*. k.s. (*gr.*) Anemia-like. Mexico. 1829. . . . S. h.  
 15 *purpuràscens*. k.s. (*pu.*) purple-bracted. — 1827. . . . S. h.  
 16 *elliptica*. s.s. (*gr.*) elliptic-leaved. Jamaica. 1825. . . . S. h.  
 17 *lævigàta*. w. (*gr.*) smooth. — 1819. — S. h.  
 18 *virgàta*. w. (*gr.*) twiggy. — 1822. — S. h.  
 19 *macrostàchya*. w. (*gr.*) long-spiked. Caracas. 1824. — S. h. Brown. jam. t. 36. f. 2.  
 20 *polystàchya*. w. (*gr.*) many-spiked. . . . — S. h. Jacq. schœn. 2. t. 245.  
 21 *scabròsa*. w. (*gr.*) rough. Jamaica. 1822. — S. h. — 2. t. 246.  
 22 *integrifolia*. s.s. (*gr.*) entire-leaved. Madagascar. 1823. . . . S. h.
- OMALA'NTHUS. J.** OMALA'NTHUS. Monœcia Monadelphia.  
*populifolius*. B.M. (*wh.*) Poplar-leaved. N. Holland. 1824. 6. 8. G. h. Bot. mag. t. 2780.
- CAPER'ONIA. Hilar.** CAPER'ONIA. Monœcia Monadelphia.  
 1 *castaneàfolia*. s.s. (*gr.*) Chestnut-leaved. S. America. 1828. 7. 8. S. 7.  
 2 *palùstris*. s.s. (*gr.*) marsh. Vera Cruz. 1731. — S. 7. Mart. dec. 4. t. 88.  
*Cròton palùstris*. w.

CROTON. W.		CR'OTON. Monœcia Monadelphia. L.					
1	variegatus. W. (gr.)	variegated.	E. Indies.	1804.	6. 9.	S. h.	Rheed mal. 6. t. 61.
	<i>α latifolius. H.B. (gr.)</i>	broad-leaved.	—	—	—	S. h.	
	<i>β crispus. H.B. (gr.)</i>	curl-leaved.	—	....	—	S. h.	Rumph. amb. 4. t. 26. f. 2.
	<i>γ medius. H.B. (gr.)</i>	narrow-leaved.	—	1820.	—	S. h.	— 4. t. 25.
2	pictus. B.C. (gr.)	painted-leaved.	—	—	—	S. h.	Lodd. bot. cab. t. 870.
3	linearis. s.s. (gr.)	Willow-leaved.	W. Indies.	1733.	7.	S. h.	Jacq. amer. t. 162. f. 4.
4	Cascarilla. s.s. (gr.)	Cascarilla.	S. America.	1778.	7. 8.	S. h.	Catesb. car. 2. t. 46.
5	maritimus. s.s. (gr.wh.)	sea-side.	Carolina.	1786.	—	G. h.	
6	gracilis. k.s. (gr.)	slender.	Mexico.	1824.	7. 8.	S. h.	
7	glabellus. s.s. (gr.wh.)	Laurel-leaved.	Jamaica.	1778.	5. 8.	S. h.	Sloan. jam. 2. t. 174. f. 2.
8	hirtus. s.s. (gr.wh.)	hairy.	Trinidad.	1821.	—	S. ⊙.	L'Herit. stirp. 17. t. 9.
9	argenteus. s.s. (gr.)	silvery-leaved.	S. America.	1733.	7. 8.	S. ⊙.	
10	Tigium. w. (wh.)	purging.	E. Indies.	1796.	8. 9.	S. h.	Rheed. mal. 2. t. 33.
11	glandulosus. s.s. (gr.)	glandular.	W. Indies.	1818.	—	S. ⊙.	Jacq. ic. 1. t. 194.
12	subluteus. s.s. (gr.ye.)	yellowish.	Trinidad.	1822.	—	S. h.	Aubl. guian. 2. t. 339.
13	populifolius. s.s. (gr.wh.)	Poplar-leaved.	Jamaica.	1824.	—	S. h.	
14	tiliaefolius. p.s. (gr.wh.)	Lime-tree-leaved.	St. Vincent.	1825.	—	S. h.	Plum. mss. 4. t. 123.
15	Elutæris. s.s. (gr.wh.)	sea-side Balsam.	Jamaica.	1748.	—	S. h.	Sloan. hist. 2. t. 174. f. 2.
16	lucidus. s.s. (gr.wh.)	shining.	—	1822.	7. 9.	S. h.	
17	micans. s.s. (gr.ye.)	glittering.	—	1815.	—	S. h.	Pluk. alm. t. 220. f. 5.
18	pungens. s.s. (gr.ye.)	pungent.	Caracas.	1791.	—	S. h.	Jacq. ic. 3. t. 622.
19	penicillatus. s.s. (gr.)	pencilled.	Cuba.	1799.	7. 8.	S. h.	Venten. choix. t. 12.
20	flavens. s.s. (ye.gr.)	pale yellow.	W. Indies.	1822.	—	S. h.	
21	macrophyllus. s.s. (wh.)	large-leaved.	Jamaica.	—	—	S. h.	
22	aromaticus. s.s. (wh.)	aromatic.	Ceylon.	1793.	—	S. h.	Rumph. amb. 3. t. 126.
23	humilis. s.s. (wh.gr.)	humble.	Jamaica.	1799.	—	S. h.	
24	farinosus. s.s. (wh.)	mealy.	Madagascar.	1826.	....	S. h.	
25	Astroites. w. (gr.wh.)	woolly-leaved.	W. Indies.	1782.	7. 8.	S. h.	
26	lobatus. s.s. (wh.)	various-leaved.	Vera Cruz.	1730.	—	S. ⊙.	Mart. dec. 5. t. 46.
27	gossypifolius. s.s. (wh.)	Cotton-leaved.	Trinidad.	1823.	—	S. h.	Vahl. symb. t. 49.
28	tomentosus. L.en. ....	tomentose.	.....	—	....	S. h.	
CROZOPHORA. J.		CROZOPHORA. Monœcia Pentandria.					
1	plicata. J. (wh.gr.)	plaited.	E. Indies.	1824.	6. 8.	G. ⊙.	Burm. ind. t. 62. f. 1.
2	tinctoria. J. (wh.gr.)	official.	S. Europe.	1570.	7. 8.	H. ⊙.	Niss. act. par. 1712. t. 17.
	<i>Cròton tinctorium. w.</i>						
3	verbascifolia. J. (wh.gr.)	Mullein-leaved.	Greece.	1826.	—	H. ⊙.	
ROTTLEA. W.		ROTTLEA. Diœcia Icosandria. W.					
1	brasiliensis. s.s. (gr.)	Brazilian.	Brazil.	1820.	....	S. h.	
2	tinctoria. s.s. (gr.)	dyer's.	E. Indies.	1810.	....	S. h.	Roxb. corom. 2. t. 168.
GELONIUM. W.		GELONIUM. Diœcia Icosandria. W.					
1	bifarium. w. (gr.)	oval-leaved.	E. Indies.	1793.	6. 8.	S. h.	
2	lanceolatum. H.B. (gr.)	spear-leaved.	—	1825.	—	S. h.	
TREWIA. W.		TREWIA. Diœcia Polyandria. W.					
	nudiflora. w. (gr.)	naked-flowered.	E. Indies.	1796.	....	S. h.	Rheed. mal. 1. t. 42.
HYÆNANCHE. H.K.		HYÆNA-POISON. Diœcia Dodecandria.					
	globosa. H.K. (gr.wh.)	Capé.	C. B. S.	1783.	4. 9.	G. h.	Lamb. cinch. 52. t. 10.
EUCLEA. W.		EUCLEA. Diœcia Dodecandria. W.					
1	racemosa. w. (wh.)	round-leaved.	C. B. S.	1722.	11. 12.	G. h.	Jacq. fragm. 3. t. 1. f. 5.
2	undulata. w. (wh.)	wave-leaved.	—	1794.	6. 10.	G. h.	
JATROPHA. W.		PHYSIC-NUT. Monœcia Monadelphia. L.					
1	gossypifolia. w. (sc.)	Cotton-leaved.	W. Indies.	1690.	5. 8.	S. h.	Bot. reg. t. 746.
2	panduræfolia. w. (sc.)	fiddle-leaved.	Cuba.	1800.	—	S. h.	Bot. mag. t. 604.
3	integerrima. w. (sc.)	spicy.	—	1809.	—	S. h.	— t. 1464.
4	Cúrcas. w. (gr.)	angular-leaved.	S. America.	1731.	....	S. h.	Jacq. vind. 3. t. 63.
5	multifida. w. (sc.)	multifid.	—	1696.	6. 8.	S. h.	Sal. par. lond. t. 91.
6	coccinea. L.en. (sc.)	scarlet.	.....	1822.	—	S. h.	
CNIDOSCOLUS. P.B.		CNIDOSCOLUS. Monœcia Monadelphia.					
1	urens. P.B. (wh.)	stinging.	Brazil.	1690.	5. 7.	S. h.	Jacq. vind. 1. t. 21.
	<i>Játropha urens. Jacq.</i>						
2	stimulosus. Ph. (wh.)	stimulous.	N. America.	1812.	—	F. ♀.	Pluk. alm. t. 220. f. 3.
	<i>Játropha stimulosa. Ph.</i>						
3	napæifolia. w. (wh.)	Napæa-leaved.	Antilles.	1823.	7. 8.	S. h.	
4	fragrans. k.s. (wh.)	fragrant.	Cuba.	1822.	6. 8.	S. h.	
5	herbacea. w. (wh.)	annual.	Vera Cruz.	1759.	7. 8.	S. ⊙.	Reliq. houst. 6. t. 15.
6	Marcgrævi. P.B. (wh.)	Marcgrave's.	Brazil.	1823.	—	S. h.	Pohl. flor. bras. 1. t. 50.
7	vitifolius. P.B. (wh.)	Vine-leaved.	—	—	—	S. h.	— 1. t. 52.
MA'NIHOT. P.B.		MA'NIHOT. Monœcia Decandria.					
1	fœtida. P.B. (bl.br.)	strong-scented.	Mexico.	1824.	7. 8.	S. h.	

2	Jánipha. P.B. ( <i>br.gr.</i> )	Lœfving's.	S. America.	1824.	7. 8.	S. h.	Jaqc. amer. t. 162. f. 1.
	<i>Játropha carthaginensis</i> , Jaqc. <i>Jánipha</i> , w. <i>Jánipha Lœfvingii</i> , K.S.						
3	grácilis. P.B. ( <i>br.gr.</i> )	slender.	Brazil.	1822.	7. 8.	S. h.	Pohl. pl. bras. 1. t. 16.
4	anómala. P.B. ( <i>br.</i> )	anomalous.	_____	_____	_____	S. h.	_____ 1. t. 21.
5	pruinosa. P.B. ( <i>bl.br.</i> )	frosted.	_____	1824.	_____	S. h.	_____ 1. t. 22.
6	digitifórmis. P.B. ( <i>bl.br.</i> )	finger-formed.	_____	1826.	_____	S. h.	_____ 1. t. 27.
7	digitata. ....	finger-leaved.	N. S. W.	1810.	....	G. h.	
	<i>Crôton digitatum</i> , F.						
8	diversifolia. ....	different-leaved.	N. Holland.	1822.	....	G. h.	
9	tenuifolia. P.B. ( <i>bl.br.</i> )	slender-leaved.	Brazil.	_____	6. 8.	S. h.	Pohl. pl. bras. 1. t. 29.
10	æsculifolia. K.S. ( <i>bl.br.</i> )	Æsculus-leaved.	S. America.	1825.	5. 8.	S. h.	H. et B. 2. t. 109.
11	cannabina. ( <i>bl.br.</i> )	Cassava.	_____	1739.	7. 8.	S. h.	Sloan. jam. 1. t. 85.
	<i>Játropha Mánihot</i> , w. <i>Jánipha Mánihot</i> , K.S.						
12	caricæfolia. P.B. ( <i>bl.br.</i> )	Papaw-leaved.	Brazil.	1822.	_____	S. h.	Pohl. pl. bras. 1. t. 32.
13	Dalechampiæfórmis. P.B. ( <i>br.</i> )	Dalechampia-like.	_____	1818.	_____	S. h.	_____ 1. t. 36.
14	sinuata. P.B. ( <i>br.</i> )	sinuate-leaved.	_____	1824.	_____	S. h.	_____ 1. t. 41.
	ALEURITES. W. ALEURITES. Monœcia Monadelphia. L.						
1	triloba. w. ( <i>wh.</i> )	three-lobed.	Society Isles.	1793.	....	S. h.	
2	Ambinux. P.S. ( <i>wh.</i> )	Molucca.	Ceylon.	1803.	....	S. h.	
	<i>Crôton moluccanum</i> , w.						
	RÍCINUS. W. PALMA-CHRISTI. Monœcia Monadelphia. L.						
1	communis. w. ( <i>re.st.</i> )	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ○	Lam. ill. t. 792.
2	Kráppa. L.O. ( <i>wh.fl.</i> )	Krappra.	.....	1827.	8. 11.	H. ○	
3	leucocápus. L.O. ( <i>wh.bh.</i> )	white-capsuled.	.....	_____	_____	F. ○	
4	macrophyllus. L.O. ( <i>w.r.</i> )	large-leaved.	.....	_____	_____	F. ○	
5	paniculatus. L.O. ( <i>re.wh.</i> )	panicled.	.....	1824.	8. 10.	F. ○	
6	rutilans. L.O. ( <i>re.wh.</i> )	red-stalked.	.....	1827.	_____	F. ○	
7	undulatus. L.O. ( <i>re.wh.</i> )	wave-leaved.	.....	_____	_____	F. ○	
8	viridis. w. ( <i>bh.wh.</i> )	green.	E. Indies.	1802.	8.	H. ○	W. hort. ber. 1. t. 49.
9	africanus. w. ( <i>re.wh.</i> )	African.	Africa.	....	7. 8.	G. h.	
10	lividus. w. ( <i>re.wh.</i> )	livid-leaved.	C. B. S.	1795.	_____	G. h.	Jaqc. ic. 1. t. 196.
11	inermis. w. ( <i>re.st.</i> )	smooth-capsuled.	India.	1756.	_____	S. h.	_____ 1. t. 195.
12	armatus. A.R. ( <i>re.wh.</i> )	rough-capsuled.	Malta.	1817.	_____	S. h.	Andr. reposit. t. 430.
	MÁPPA. J. MÁPPA. Monœcia Monadelphia. L.						
1	moluccana. s.s. ( <i>wh.</i> )	Molucca.	Moluccas.	1828.	....	S. h.	
2	Tanaria. s.s. ( <i>wh.</i> )	scollop-leaved.	E. Indies.	1790.	7. 9.	S. h.	Rump <sup>b</sup> amb. 3. t. 121.
	<i>Rícinus Tanarius</i> , w.						
	OMPHALEA. W. OMPHALEA. Monœcia Monadelphia. L.						
	triandra. w. ( <i>wh.</i> )	long-leaved.	Jamaica.	1763.	6. 7.	S. h.	ot. cab. t. 519.
	HIPPOMANÈ. W. MANCHINEEL-TREE. Monœcia Monadelphia. L.						
1	Mancinella. w. ( <i>gr.</i> )	common.	W. Indies.	1690.	....	S. h.	tesb. car. 2. t. 95.
2	spinosa. s.s. ( <i>gr.</i> )	spiny.	_____	1820.	....	S. h.	i. ic. 171. f. 1.
	<i>Sápium ilicifolium</i> , w.						
	S'APIUM. W. S'APIUM. Monœcia Monadelphia. L.						
1	acuparium. s.s.	single-spiked.	W. Indies.	1692.	....	S. h.	Jaqc. amer. t. 158.
2	Hippomane. s.s. ( <i>gr.</i> )	two-glanded.	_____	1824.	....	S. h.	
3	indicum. w. ( <i>gr.</i> )	Indian.	E. Indies.	1817.	....	S. h.	
	SIPHONIA. W. ELASTIC-GUM-TREE. Monœcia Monadelphia. W.						
	Cahuchu. w. ( <i>gr.</i> )	common.	S. America.	1823.	....	S. h.	Lam. ill. t. 790.
	<i>elastica</i> , P.S.						
	AGYN'EJA. W. AGYN'EJA. Monœcia Monadelphia. W.						
1	impubes. w. ( <i>gr.</i> )	smooth.	China.	1820.	7. 9.	H. ○	
2	pùbera. w. ( <i>gr.</i> )	woolly.	_____	1823.	....	S. h.	
	STILLINGIA. W. STILLINGIA. Monœcia Monadelphia. W.						
1	syvática. w. ( <i>ye.</i> )	wood.	Carolina.	1787.	7. 8.	G. h.	
2	ligustrina. w. ( <i>st.</i> )	Privet-leaved.	N. America.	1812.	_____	G. h.	
3	sebífera. w. ( <i>st.</i> )	Tallow-tree.	China.	1703.	9.	S. h.	Pluk. anal. t. 390. f. 2.
	H'URA. W. SANDBOX-TREE. Monœcia Monadelphia. W.						
1	strépens. W.en. ( <i>gr.</i> )	unequal-toothed.	S. America.	....	7. 9.	S. h.	
2	crépítans. W.en. ( <i>gr.</i> )	equal-toothed.	_____	1733.	_____	S. h.	Lam. ill. t. 793.
	BRAD'EJA. W. BRAD'EJA. Monœcia Monadelphia. W.						
1	sníca. w. ( <i>wh.</i> )	Chinese.	China.	1816.	7. 9.	S. h.	Gært. sem. 2. t. 109. f. 1.
2	nítida. H.B. ( <i>wh.</i> )	glossy.	E. Indies.	1820.	_____	S. h.	
3	multilocularis. s.s. ( <i>wh.</i> )	multilocular.	_____	_____	_____	S. h.	
	PHYLLANTHUS. W. PHYLLANTHUS. Monœcia Monadelphia. W.						
1	obovatus. w. ( <i>wh.</i> )	annual.	N. America.	1803.	7. 8.	H. ○	
2	maderaspaténsis. w. ( <i>gr.</i> )	Madras.	E. Indies.	1783.	_____	S. h.	
3	grácilis. H.B. ( <i>gr.</i> )	slender.	_____	1820.	_____	S. h.	
4	longifolius. w. ( <i>gr.</i> )	long-leaved.	Isl. Bourbon.	1822.	_____	S. h.	Lam. ill. t. 156. f. 1.

5 lanceolatus. w.	(gr.) spear-leaved.	Isl. Bourbon.	1822.	6. 8.	S. h.	
6 nutans. w.	(bh.st.) nodding.	Jamaica.	—	—	S. h.	Jacq. schœn. 2. t. 193.
7 grandifolius. w.	(gr.) great-leaved.	Portorico.	1771.	—	S. h.	
8 virosus. w.	(gr.) venomous.	E. Indies.	1802.	—	S. h.	
9 turbinatus. B.M.	(gr.) shining-leaved.	China.	....	7. 9.	S. h.	Bot. mag. t. 1862.
10 Conami. w.	(gr.) Brazilian.	Brazil.	1791.	—	S. h.	Aub. gui. 2. t. 354.
11 obcordatus. H.B.	(gr.) obcordate.	E. Indies.	1818.	—	S. y.	
12 retusus. H.B.	(gr.) r tuse-leaved.	—	1822.	—	S. y.	
13 reticulatus. B.C.	(bh.) netted.	—	1818.	8. 9.	S. h.	Lodd. bot. cab. t. 577.
14 lucens. w.	(gr.) thick-veined.	China.	1822.	7. 9.	S. h.	
15 cantoniensis. L.en.	(gr.) Canton.	—	1819.	7. 8.	H. O.	
16 cuneatus. W.en.	(gr.) wedge-leaved.	—	—	—	H. O.	
17 Niruri. w.	(gr.) Indian.	E. Indies.	1692.	6. 9.	S. O.	Rheed. mal. 10. t. 15.
18 Urinaria. w.	(gr.) sagging.	—	1819.	—	S. O.	Rumph. amb. 6. t. 17. f. 2.
19 microphyllus. K.s.	(gr.) small-leaved.	S. America.	1824.	—	S. h.	
20 polyphyllus. w.	(gr.) many-leaved.	E. Indies.	1805.	7. 9.	S. h.	
21 mimosoides. w.	(gr.) Mimosalike.	W. Indies.	1820.	—	S. h.	Lodd. bot. cab. t. 721.
22 rhamnoides. w.	(gr.) Rhamnus-like.	E. Indies.	—	—	S. h.	
23 strictus. H.B.	(gr.) upright.	—	1823.	—	S. h.	
24 fraxinifolius. B.C.	(gr.) Ash-leaved.	.....	1818.	—	S. h.	Lodd. bot. cab. t. 731.
25 juglandifolius. W.en.	(gr.) Walnut-leaved.	New Spain.	—	6. 9.	S. h.	
26 scandens. Roxb.	(gr.) climbing.	E. Indies.	1803.	—	S. h.	
EMBLICA. L.T.		EMBLICA. Monœcia Syngenesia.		L.T.		
1 officinalis. L.T.	(st.) officinal.	E. Indies.	1768.	6. 9.	S. h.	Lodd. bot. cab. t. 548.
2 racemosa. s.s.	(st.) racemed.	—	1793.	7. 8.	S. h.	
<i>Phyllanthus racemosus. w.</i>						
KIRGAN'ELIA. J.		KIRGAN'ELIA. Monœcia Monadelphica.				
1 elegans. J.	(gr.) elegant.	Mauritius.	1820.	6. 9.	S. h.	
<i>Phyllanthus Kirganëlia. w.</i>						
XYLOPHY'LLA. W.		XYLOPHY'LLA. Monœcia Monadelphica.		W.		
1 longifolia. w.	(re.) long-leaved.	E. Indies.	1816.	1. 12.	S. h.	Rumph. amb. 7. t. 12.
<i>Phyllanthus ceramica. P.S.</i>						
2 latifolia. w.	(wh.) Seaside Laurel.	S. America.	1783.	8. 10.	S. h.	Bot. mag. t. 1021.
3 speciosa. w.	(wh.) handsome.	Jamaica.	1818.	—	S. h.	Jacq. ic. 3. t. 616.
<i>arbuscula. w. Phyllanthus speciosus. Jacq.</i>						
4 angustifolia. w.	(wh.) narrow-leaved.	—	1789.	7. 8.	S. h.	
5 linearis. P.S.	(re.) linear-leaved.	—	1822.	—	S. h.	
6 elongata. B.C.	(re.) elongated.	—	—	—	S. h.	Lodd. bot. cab. t. 1091.
7 montana. w.	(or.) mountain.	—	1820.	11. 4.	S. h.	Bot. mag. t. 2652.
8 falcata. w.	(re.) sickle-leaved.	Bahama Isl.	1699.	7. 9.	S. h.	Bot. reg. t. 373.
9 ramiflora. w.	(re.) branched.	Siberia.	1785.	7. 8.	H. h.	Pall. it. 3. t. E. f. 2.
10 ovata. W.en.	(re.) ovate-leaved.	—	....	—	S. h.	
ANDRACHNE. W.		ANDRACHNE. Monœcia Gynandria.		L.		
1 telephioides. w.	(st.) telephium.	Italy.	1732.	7. 8.	H. O.	Lam. ill. t. 797.
BRID'ELIA. W.		BRID'ELIA. Polygamia Monœcia.		W.		
1 scandens. w.	(wh.) climbing.	E. Indies.	1804.	7. 9.	S. h.	Roxb. corom. 2. t. 173.
2 montana. s.s.	(st.) mountain.	—	1825.	—	S. h.	— v. 2. t. 171.
3 fruticosa. P.S.	(st.) frutescent.	—	1827.	—	S. h.	— v. 2. t. 172.
CLUY'TIA. W.		CLUY'TIA. Diœcia Gynandria.		L.		
1 collina. w.	(st.) hill.	E. Indies.	1807.	....	S. h.	Roxb. corom. 2. t. 169.
2 patula. w.	(st.) spreading.	—	1812.	....	S. h.	— 2. t. 170.
3 pulchella. w.	(st.) broad-leaved.	C. B. S.	1739.	1. 6.	G. h.	Bot. mag. t. 1945.
4 heterophylla. w.	(st.) various-leaved.	—	1816.	2. 4.	G. h.	
5 tomentosa. w.	(st.) tomentose.	—	1812.	4. 6.	G. h.	
6 pubescens. w.	(st.) pubescent.	—	1817.	—	G. h.	
7 polifolia. w.	(wh.) Poley-leaved.	—	1790.	—	G. h.	Jacq. schœn. 2. t. 50.
8 ericoides. w.	(wh.) Heath-leaved.	—	—	—	G. h.	Bot. reg. t. 779.
9 daphnoides. w.	(wh.) Daphne-like.	—	1731.	5. 6.	G. h.	W. hort. ber. t. 52.
10 polygonoides. w.	(wh.) Polygonum-like.	—	1790.	12. 3.	G. h.	— t. 51.
11 alaternoides. w.	(wh.) narrow-leaved.	—	1692.	—	G. h.	Bot. mag. t. 1321.
EXCŒCARIA. W.		EXCŒCARIA. Diœcia Monadelphica.		L.		
1 lucida. s.s.	(wh.) shining-leaved.	Jamaica.	1824.	4. 6.	S. h.	
2 glandulosa. s.s.	(wh.) glandular.	—	—	—	S. h.	Sloan. hist. 2. t. 158. f. 2.
3 Agallocha. s.s.	(gr. ye.) Indian.	E. Indies.	1823.	....	S. h.	Rumph. amb. 2. t. 79. 80.
4 serrata. H.K.	(wh.) saw-leaved.	Chile.	1796.	11. 2.	G. h.	
ADELIA. W.		ADELIA. Diœcia Monadelphica.		L.		
1 Bernardia. w.	(gr. wh.) villous-leaved.	Jamaica.	1768.	7. 8.	S. h.	
2 Ricinella. w.	(gr. wh.) smooth-leaved.	—	—	6. 8.	S. h.	
3 Acidoton. w.	(gr. wh.) Box-leaved.	—	—	6. 7.	S. h.	

LOURE'IRA. W.	LOURE'IRA. Diœcia Monadelphia. W.				
1 cuneifolia. w. (bh.)	wedge-leaved. Mexico.	1824.	6. 8. G. h.	Cavan. ic. 5. t. 429.	
	<i>Mozinna spathulata.</i> Ort. dec. 8. t. 13.				
2 glandulosa. w. (bh.)	glandulous. ———	1799.	— G. h.	Cavan. ic. 5. t. 430.	
B'ORYA. W.	B'ORYA. Diœcia Diandria. W.				
1 porulosa. w. (gr.wh.)	Florida. Florida.	1806.	7. 8. H. h.		
2 ligustrina. w. (gr.wh.)	Privet-leaved. N. America.	1812.	— H. h.		
3 prinoïdes. W.en. (gr.wh.)	Prinos-like. ———	1816.	— H. h.		
4 nitida. W.en. (gr.wh.)	glossy-leaved. ———	—	— H. h.		
5 retusa. W.en. (gr.wh.)	retuse-leaved. ———	1812.	— H. h.		
6 acuminata. w. (gr.wh.)	pointed. ———	—	— H. h.	Mich. amer. 2. t. 48.	
	<i>Adelia acuminata.</i> M.				
SECURI'NEGA. J.	SECURI'NEGA. Monœcia Pentandria.				
nitida. p.s. (wh.)	Otaheite Myrtle. Otaheite.	1793.	3. 8. S. h.	Lindl. collect. t. 9.	
TR'AGIA. W.	TR'AGIA. Monœcia Triandria. W.				
1 volubilis. w. (gr.)	twining. W. Indies.	1739.	6. 7. S. h.	Trew. pl. rar. 2. t. 15.	
2 involucrata. w. (gr.)	involucred. E. Indies.	1759.	— S. ♂.	Jacq. ic. 1. t. 190.	
3 mercurialis. w. (gr.)	Mercury-like. ———	1818.	— S. ♂.	Rheed. mal. 10. t. 82.	
4 urticafolia. s.s. (gr.)	nettle-leaved. N. America.	1812.	— H. ♂.		
5 hirsuta. D.L. (gr.)	hairy. Trinidad.	1820.	— S. ♂.		
6 urens. w. (gr.)	stinging. Virginia.	1699.	8. H. ♂.	Pluk. alm. t. 107. f. 5.	
7 cannabina. w. (gr.)	Hemp-leaved. ———	1699.	6. 7. S. ♀.	Burm. ind. t. 63. f. 1.	
MICROST'ACHYS. J.	MICROST'ACHYS. Monœcia Triandria.				
1 corniculata. (gr.)	two-horned. Trinidad.	1820.	6. 7. S. ♂.		
	<i>Tragia corniculata.</i> Vahl. <i>Cnemidostachys Vahlii.</i> s.s.				
2 Chamælea. J. (gr.)	lance-leaved. E. Indies.	1793.	— S. ♂.	Rheed. mal. 2. t. 34.	

## ORDO CLXXXI.

EMPETREÆ. *D. Don on the affinities of the Empetreae. p. 3.*

EMP'ETRUM. D.D.	EMP'ETRUM. Diœcia Triandria. L.				
nigrum. w. (gr.)	black-berried. Britain.	....	4. 5. H. h.	Eng. bot. v. 8. t. 526.	
COR'EMA. D.D.	COR'EMA. Diœcia Triandria.				
album. D.D. (gr.)	white-berried. Portugal.	1774.	4. 6. H. h.		
	<i>Empetrum album.</i> w.				
CERAT'IOLA. M.	CERAT'IOLA. Monœcia Diandria. N.				
ericoides. M. (st.)	Heath-like. N. America.	1810.	4. 6. H. h.	Pursh. fl. amer. 1. t. 13.	

## ORDO CLXXXII.

## ANTIDESMEÆ.

ANTIDE'SMA. W.	ANTIDE'SMA. Diœcia Pentandria. L.				
1 alexitèria. w. (gr.)	Laurel-leaved. E. Indies.	1793.	5. 6. S. h.	Rheed. mal. 5. t. 11.	
2 pubescens. w. (gr.)	pubescent. ———	1818.	— S. h.	Roxb. corom. 2. t. 167.	
3 paniculata. w. (gr.)	panicked. ———	1800.	— S. h.		
STIL'AGO. W.	STIL'AGO. Diœcia Triandria. W.				
1 Bùnius. w. (gr.)	Laurel-leaved. E. Indies.	1757.	8. 10. S. h.	Rheed. mal. 4. t. 56.	
2 diandra. w. (gr.)	diandrous. ———	1800.	— S. h.	Roxb. corom. 2. t. 166.	

## ORDO CLXXXIII.

URTICEÆ. *Juss. gen. 400.*

FIGUS. L.	FIG-TREE. Polygamia Diœcia. W.				
1 religiosa. R.S. (gr.)	Poplar-leaved. E. Indies.	1731.	.... S. h.	Rheed. mal. 1. t. 27.	
2 superstitiosa. L.en. (gr.)	superstitious. ———	....	.... S. h.		

3	<i>nymphæifolia</i> . R.S. ( <i>gr.</i> )	Water-lily-leaved.	E. Indies.	1759.	....	S. h.	
4	<i>cordata</i> . R.S. ( <i>gr.</i> )	heart-leaved.	C. B. S.	1802.	4. 6.	S. h.	Thunb. fic. p. 8. c. ic.
5	<i>oblongata</i> . L.en. ( <i>gr.</i> )	oblong-leaved.	—	1816.	....	S. h.	
6	<i>crassinervia</i> . R.S. ( <i>gr.</i> )	thick-nerved.	S. America.	—	....	S. h.	
7	<i>rubrinervia</i> . L.en. ( <i>gr.</i> )	red-nerved.	Brazil.	1824.	....	S. h.	
8	<i>rubiginosa</i> . R.S. ( <i>gr.</i> )	ferruginous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
	<i>australis</i> . W.						
9	<i>costata</i> . R.S. ( <i>gr.</i> )	rib-leaved.	E. Indies.	1763.	....	S. h.	
10	<i>laevigata</i> . R.S. ( <i>gr.</i> )	smooth.	W. Indies.	1822.	....	S. h.	
11	<i>lentiginosa</i> . R.S. ( <i>gr.</i> )	veined-leaved.	—	1826.	....	S. h.	
12	<i>citrifolia</i> . R.S. ( <i>gr.</i> )	Citron-leaved.	—	1824.	....	S. h.	
13	<i>coronata</i> . R.S. ( <i>gr.re.</i> )	red-crowned.	N. S. W.	1807.	3. 6.	G. h.	Colla hort. rip. t. 8.
14	<i>lucida</i> . R.S. ( <i>gr.</i> )	shining-leaved.	E. Indies.	1772.	4. 6.	S. h.	
15	<i>scandens</i> . R.S. ( <i>gr.</i> )	climbing.	S. America.	1816.	—	S. h.	
16	<i>stipulata</i> . R.S. ( <i>gr.</i> )	trailing.	China.	1771.	—	G. h.	
17	<i>pedunculata</i> . R.S. ( <i>gr.</i> )	Willow-leaved.	S. America.	1776.	5. 7.	S. h.	Pluk. alm. t. 178. f. 4.
18	<i>venosa</i> . R.S. ( <i>gr.</i> )	vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
19	<i>leucotoma</i> . R.S. ( <i>gr.</i> )	white-spotted.	—	....	—	S. h.	W. hort. ber. 1. t. 36.
	<i>vensa</i> . W. non H.K.						
20	<i>tinctoria</i> . R.S. ( <i>gr.</i> )	Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
21	<i>septica</i> . R.S. ( <i>gr.</i> )	rough.	E. Indies.	1826.	....	S. h.	Rumph. amb. 3. t. 96.
22	<i>benjamina</i> . R.S. ( <i>gr.</i> )	oval-leaved.	—	1757.	....	S. h.	Rheed. mal. 1. t. 26.
23	<i>padifolia</i> . K.S. ( <i>gr.</i> )	Padus-leaved.	Mexico.	1826.	....	S. h.	
24	<i>complicata</i> . K.S. ( <i>gr.</i> )	complicated.	—	—	....	S. h.	
25	<i>glabrata</i> . K.S. ( <i>gr.</i> )	smooth.	Teneriffe.	1816.	....	G. h.	
26	<i>benghalensis</i> . R.S. ( <i>gr.</i> )	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
27	<i>microcarpa</i> . R.S. ( <i>gr.</i> )	small-fruited.	Guinea.	1823.	—	S. h.	
28	<i>americana</i> . R.S. ( <i>gr.</i> )	American.	Jamaica.	1822.	....	S. h.	Plum. spec. t. 132. f. 2.
29	<i>racemosa</i> . R.S. ( <i>gr.</i> )	clustered.	E. Indies.	1759.	4. 6.	S. h.	Rheed. mal. 1. t. 25.
30	<i>pertusa</i> . R.S. ( <i>gr.</i> )	Laurel-leaved.	S. America.	1780.	—	S. h.	
31	<i>terebrata</i> . R.S. ( <i>gr.</i> )	obovate-leaved.	Mauritius.	1822.	....	S. h.	Bory it t. 17.
32	<i>pumila</i> . R.S. ( <i>gr.</i> )	dwarf.	China.	1759.	4. 6.	G. h.	Kæmp. amœn. t. 804.
33	<i>comosa</i> . R.S. ( <i>gr.</i> )	tufted.	E. Indies.	1825.	....	S. h.	Roxb. corom. 2. t. 125.
34	<i>glomerata</i> . R.S. ( <i>gr.</i> )	crowded.	—	1818.	....	S. h.	— 2. t. 123.
35	<i>Hookeri</i> . ( <i>gr.</i> )	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. t. 111.
	<i>nitida</i> . H.E.F. nec <i>aliorum</i> .						
36	<i>nitida</i> . R.S. ( <i>gr.</i> )	glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
37	<i>ciliolata</i> . R.S. ( <i>gr.</i> )	fringe stipuled.	—	1816.	—	S. h.	
38	<i>rubra</i> . R.S. ( <i>re.</i> )	vermilion-fruited.	E. Indies.	1826.	....	S. h.	Rumph. amb. 3. t. 85?
39	<i>cotinifolia</i> . K.S. ( <i>gr.</i> )	Cotinus-leaved.	Mexico.	1824.	3. 6.	S. h.	
40	<i>obtusifolia</i> . K.S. ( <i>gr.</i> )	blunt-leaved.	—	—	....	S. h.	
41	<i>coriacea</i> . R.S. ( <i>gr.</i> )	leathery-leaved.	E. Indies.	1772.	....	S. h.	
42	<i>populnea</i> . R.S. ( <i>gr.</i> )	Poplar-leaved.	—	....	....	S. h.	
43	<i>macrophylla</i> . R.S. ( <i>gr.</i> )	large-leaved.	N. Holland.	1816.	4. 6.	G. h.	
44	<i>elastica</i> . H.B. ( <i>gr.</i> )	Indian rubber.	E. Indies.	1815.	....	G. h.	
45	<i>Brassii</i> . H.T. ( <i>gr.</i> )	Brass's.	Sierra Leon.	1822.	....	S. h.	
46	<i>lasiophylla</i> . L.en. ( <i>gr.</i> )	downy-leaved.	—	1816.	....	S. h.	
47	<i>glaucophylla</i> . R.S. ( <i>gr.</i> )	glaucous-leaved.	S. America.	1824.	....	S. h.	
48	<i>insipida</i> . R.S. ( <i>gr.</i> )	insipid.	Caracas.	1829.	....	S. h.	
49	<i>retusa</i> . R.S. ( <i>gr.</i> )	retuse-leaved.	E. Indies.	1793.	4. 6.	S. h.	
50	<i>laurifolia</i> . R.S. ( <i>gr.</i> )	Laurel-leaved.	W. Indies.	1759.	—	S. h.	Sloan. jam. 2. t. 223.
	<i>martinicensis</i> . W.						
51	<i>calyculata</i> . R.S. ( <i>gr.</i> )	calyculate.	Vera Cruz.	1760.	4. 6.	S. h.	
52	<i>brasiliensis</i> . L.en. ( <i>gr.</i> )	Brazilian.	Brazil.	1820.	....	S. h.	
53	<i>cuneata</i> . R.S. ( <i>gr.</i> )	wedge-leaved.	—	1826.	....	S. h.	
54	<i>indica</i> . R.S. ( <i>gr.</i> )	Banyan-tree.	E. Indies.	1759.	....	S. h.	Rheed. mal. 3. t. 63.
55	<i>salicifolia</i> . R.S. ( <i>gr.</i> )	Willow-leaved.	Arabia.	1818.	....	S. h.	
56	<i>aurantiaca</i> . Lod. ( <i>or.</i> )	orange-coloured.	—	—	....	S. h.	
57	<i>pendula</i> . L.en. ( <i>gr.</i> )	pendulous.	—	1824.	5. 7.	S. h.	
58	<i>myrtifolia</i> . L.en. ( <i>gr.</i> )	Myrtle-leaved.	—	—	....	S. h.	
59	<i>pubescens</i> . R.S. ( <i>gr.</i> )	pubescent.	E. Indies.	—	....	S. h.	
60	<i>nervosa</i> . R.S. ( <i>gr.</i> )	strong-nerved.	—	1826.	....	S. h.	
61	<i>elliptica</i> . K.S. ( <i>gr.</i> )	elliptic-leaved.	S. America.	1824.	....	S. h.	
62	<i>acuminata</i> . L.C. ( <i>gr.</i> )	acuminate.	—	—	....	S. h.	
63	<i>longifolia</i> . L.C. ( <i>gr.</i> )	long-leaved.	—	—	....	S. h.	
64	<i>caudata</i> . L.C. ( <i>gr.</i> )	tailed.	—	—	....	S. h.	
65	<i>dumosa</i> . L.C. ( <i>gr.</i> )	bushy.	—	—	....	S. h.	
66	<i>viscifolia</i> . L.C. ( <i>gr.</i> )	Viscum-leaved	—	—	....	S. h.	
67	<i>lanceolata</i> . H.B. ( <i>gr.</i> )	spear-leaved.	E. Indies.	1820.	....	S. h.	

- 68 obtusàta. L.en. (*gr.*) obtuse-toothed. . . . . 1820. . . . S. h. .  
69 múnifolia. L.en. (*gr.*) rough-leaved. N. Holland. 1818. . . . G. h. .  
70 ulmifolia. R.S. (*gr.*) Elm-leaved. Philippine. 1825. . . . S. h. .  
71 capénsis. R.S. (*gr.*) Cape. C. B. S. 1816. . . . G. h. .  
72 exasperàta. R.S. (*gr.*) very rough. Guinea. 1822. . . . S. h. . Willden. fic. t. 2.  
*scàbra. w. non* Forst.  
73 hispida. R.S. (*gr.*) opposite-leaved. E. Indies. 1802. . . . S. h. . Roxb. corom. 2. t. 124.  
*oppositifolia. Rox. scàbra. Jacq. schœn. 3. t. 315.*  
74 Lichtensteinii. L.en. (*gr.*) Lichtenstein's. C. B. S. 1824. . . . G. h. .  
75 aquática. w. (*gr.*) water. E. Indies. 1758. 4. 6. S. h. .  
76 heterophylla. R.S. (*gr.*) various-leaved. ——— 1816. . . . S. h. . Rheed. mal. 3. t. 62.  
77 rèpens. R.S. (*gr.*) creeping-stemmed. ——— 1805. . . . S. h. .  
78 virgàta. H.B. (*gr.*) twiggy. ——— 1817. . . . G. h. .  
79 Carica. R.S. (*gr.*) common. S. Europe. 1548. 6. 7. H. h. . Trew-Ehret. t. 73. 74.  
**BROSIMUM. W. BREAD-NUT. Polygamia Diœcia. W.**  
1 Alicàstrum. w. (*gr.*) Jamaica. Jamaica. 1776. . . . S. h. . Sw. fl. ind. oc. 1. t. 1. f. 1.  
2 spûrium. w. (*gr.*) Milkwood. ——— 1789. . . . S. h. .  
3 Galactodéndron. D.D. (*gr.*) Cow-tree. Caracas. 1829. . . . S. h. .  
*Galactodéndron ùtile. K.S. Palo de Vacca. Humboldt.*  
**ARTOCARPUS. W. BREAD-FRUIT. Monœcia Monandria. W.**  
1 incisa. w. (*gr.*) true. S. Sea Isles. 1793. . . . S. h. . Rumph. amb. 1. t. 33.  
*a nucifera. (gr.) nut-bearing. ——— . . . . S. h. .*  
*β apyrœna. (gr.) seedless. ——— . . . . S. h. . Rumph. amb. 1. t. 32.*  
2 integrifolia. w. (*gr.*) Jaca-tree. E. Indies. 1778. 6. S. h. . Rheed. mal. 3. t. 26-28.  
*β heterophylla. Lam. various-leaved. ——— . . . . S. h. . Rumph. amb. 1. t. 30.*  
**MACLURA. N. MACLURA. Diœcia Tetrandria. N.**  
1 aurantiaca. N. (*gr.*) Osage Apple. Missouri. 1824. . . . H. h. . Lamb. pin. v. 2. ap. t. 12.  
2 tinctôria. D.D. (*gr.*) Fustick-wood. W. Indies. 1739. . . . S. h. . Plum. ic. t. 204.  
*Morus tinctôria. w. Broussonetia tinctôria. K.S.*  
**BROUSSENETIA. W. PAPER MULBERRY. Diœcia Tetrandria. W.**  
*papyrifera. w. (gr.br.) common. Japan. 1751. 4. 7. H. h. . Andr. reposit. t. 488.*  
**MORUS. W. MULBERRY. Monœcia Tetrandria. L.**  
1 álba. w. (*gr.*) white. China. 1596. 6. H. h. . Schk. hand. 3. t. 290.  
2 tátárica. w. (*gr.*) Tartarian. Tartary. 1784. ——— H. h. . Pall. ros. 2. t. 52.  
3 ítálica. w. (*gr.*) Italian. Italy. . . . ——— H. h. .  
4 constantinopolitana. (*gr.*) Constantinople. Constantinople. . . . ——— H. h. .  
5 nigra. w. (*gr.*) common. Italy. 1548. ——— H. 5. Wats. dend. brit. t. 159.  
6 rùbra. w. (*gr.*) red. N. America. 1629. 6. 7. H. 5.  
7 scàbra. W.en. (*gr.*) rough. ——— 1812. ——— H. h. .  
8 pensylvànica. L.C. (*gr.*) Pennsylvanian. ——— ——— H. h. .  
9 pùmila. L.C. (*gr.*) dwarf. . . . . ——— ——— H. h. .  
10 índica. w. (*gr.*) Indian. E. Indies. 1820. . . . S. h. . Rheed. mal. 1. t. 49.  
11 sínénsis. L.C. (*gr.*) Chinese. China. ——— . . . . G. h. .  
12 mauritiàna. w. (*gr.*) Mauritius. Mauritius. ——— . . . . S. h. . Jacq. ic. 3. t. 617.  
**CONOCEPHALUS. B. J. CONOCEPHALUS. Monœcia Tetrandria.**  
*naucleiflorus. B.R. (ye.) Nauclea-flower'd. E. Indies. 1816. 10. 4. S. h. . Bot. reg. t. 1203.*  
**BŒHMERIA. W. BŒHMERIA. Monœcia Tetrandria. W.**  
1 caudàta. w. (*gr.*) tailed. W. Indies. 1822. 4. 8. S. h. .  
2 cylíndrica. w. (*gr.*) cylindrical. Virginia. 1759. 6. 8. H. 2. Sloan. jam. 1. t. 82. f. 2.  
3 macrophylla. D.P. (*gr.*) large-leaved. Nepaul. 1820. ——— G. h. .  
4 rotundifolia. D.P. (*gr.*) round-leaved. ——— 1819. ——— G. 2. .  
5 platyphylla. D.P. (*gr.*) rough-leaved. ——— 1818. 6. 10. G. h. .  
6 spicàta. s.s. (*gr.*) spiked. Japan. 1824. ——— H. 2. . Hout. syst. 10. t. 72. f. 2.  
7 ramiflora. w. (*gr.*) branch-flowering. W. Indies. 1822. ——— S. h. . Lam. ill. t. 763.  
*Catùrus ramiflorus. L. Prœcis ramiflorus. Lam.*  
8 elongàta. L.en. (*gr.*) elongated. Brazil. ——— 7. 9. H. 0.  
9 lateriflora. w. (*gr.*) side-flowering. N. America. 1816. 6. 8. H. 2. .  
10 rubescens. w. (*gr.*) tree. Canaries. 1779. 2. 5. G. h. . Jacq. frag. n. 30. t. 5. f. 1.  
*Urtica arborea. L'Her. stirp. t. 20.*  
11 salicifolia. D.P. (*gr.*) Willow-leaved. Nepaul. 1826. 7. 10. G. h. .  
12 frondosa. D.P. (*gr.*) frondose. ——— 1818. ——— G. h. .  
13 ternifolia. D.P. (*gr.*) three-leaved. ——— 1827. ——— G. h. .  
14 frutescens. w. (*gr.*) frutescent. ——— 1819. ——— G. h. .  
**URTICA. W. NETTLE. Monœcia Tetrandria. L.**  
1 pilulifera. w. (*gr.*) Roman. England. . . . 6. 8. H. 0. Eng. bot. v. 3. t. 148.  
2 baleàrica. w. (*gr.*) Balearic. Balearic Isl. 1731. 6. 7. H. 0. Blackw. t. 321. f. 1.  
3 Dodartii. w. (*gr.*) Dodart's. S. Europe. 1683. 7. 8. H. 0.  
4 pùmila. w. (*gr.*) dwarf. N. America. 1817. ——— H. 0.  
5 crassifolia. w. (*gr.*) thick-leaved. S. America. 1822. ——— S. h. .

6 grandifolia. w.	(gr.) great-leaved.	Jamaica.	1793.	7. 8.	S. h.	Sloan. jam. 1. t. 83. f. 2.
7 reticulata. w.	(gr.) net-leaved.	—	—	6. 8.	S. h.	—
9 involucrata. B.M.	(gr.) imbossed.	W. Indies.	1809.	10. 11.	S. 2.	Bot. mag. t. 2481.
9 diffusa. w.	(gr.) spreading.	—	—	8. 10.	S. h.	—
10 rufo. w.	(gr.) rusty.	Jamaica.	1793.	6. 9.	S. h.	—
11 scabrilla. L.en.	(gr.) rough.	E. Indies.	1815.	10. 12.	G. h.	—
12 scripta. D.P.	(gr.) black-lined.	Nepaul.	1823.	6. 8.	H. 2.	—
13 rupestris. s.s.	(gr.) rock.	Sicily.	1828.	—	H. h.	—
14 convexa. H.H.	(gr.) convex-leaved.	.....	1824.	6. 9.	H. 0.	—
15 diens. w.	(gr.) small.	Britain.	....	6. 10.	H. 0.	Eng. bot. v. 18. t. 1236.
16 dioica. w.	(gr.) common.	—	....	7. 9.	H. 2.	— v. 25. t. 1750.
17 chamædryoides. Ph.	(gr.) Germander-like.	Georgia.	1813.	—	H. 0.	—
18 membranacea. w.	(gr.) membranaceous.	S. Europe.	1818.	—	H. 2.	—
19 angustifolia. F.	(gr.) narrow-leaved.	Russia.	1824.	—	H. 2.	—
20 ardens. L.en.	(gr.) burning.	Nepaul.	1819.	8. 11.	H. 0.	—
21 cannabina. w.	(gr.) Hemp-leaved.	Siberia.	1749.	7. 9.	H. 2.	Amm. ruth. 249. t. 25.
22 rugosa. w.	(gr.) rough-leaved.	Jamaica.	1793.	5. 7.	S. 3.	—
23 gracilis. w.	(gr.) slender-stalked.	Hudson's Bay.	1782.	6. 8.	H. 2.	—
24 Parietaria. w.	(gr.) Pellitory-leaved.	Jamaica.	1793.	7. 9.	S. h.	Sloan. j. l. t. 93. f. 1.
25 ciliata. w.	(gr.) ciliated.	—	1815.	—	S. h.	—
26 radicans. s.s.	(gr.) rooting.	—	1809.	—	H. h.	—
27 nummularifolia. w.	(gr.) moneywort-leaved.	—	1822.	—	S. h.	Sloan. hist. 1. t. 131. f. 4.
28 depressa. w.	(gr.) depressed.	—	—	—	S. 2.	—
29 microphylla. w.	(gr.) small-leaved.	W. Indies.	1793.	4. 5.	S. 2.	Sloan. j. 1. t. 93. f. 2.
30 trianthemoides. P.s.	(gr.) branching.	—	1824.	—	S. 2.	—
31 serrulata. s.s.	(gr.) saw-leaved.	Jamaica.	—	—	S. 2.	—
32 lucida. s.s.	(gr.) glossy-leaved.	—	1808.	—	S. h.	—
33 recurva. H.H.	(gr.) recurved.	.....	1826.	6. 9.	H. 0.	—
34 macrostachya. L.O.	(gr.) long-spiked.	S. America.	1824.	....	S. h.	—
35 pulchella. L.en.	(gr.) neat.	E. Indies.	1816.	....	S. h.	—
36 æstivans. w.	(gr.) Surinam.	Surinam.	1803.	6. 7.	S. 3.	Jacq. schœn. 3. t. 388.
37 capitata. w.	(gr.) headed.	N. America.	1820.	—	H. 2.	—
38 canadensis. w.	(gr.) Canadian.	Canada.	1656.	8. 10.	H. 2.	Pluk. alm. t. 239. f. 2.
39 nivea. w.	(gr.) white-leaved.	China.	1739.	8. 9.	H. 2.	Jacq. vind. 2. t. 166.
40 caracasana. w.	(gr.) Caracas.	Caracas.	1820.	....	S. h.	Jacq. schœn. 3. t. 386.
41 caravellana. L.en.	(gr.) pointed-leaved.	S. America.	—	8. 10.	H. 0.	—
42 baccifera. w.	(gr.) berry-bearing.	—	1793.	7. 8.	S. h.	Andr. reposit. t. 454.
43 elongata. w.	(gr.) elongated.	Philippines.	1823.	—	S. h.	—
44 capitellata. s.s.	(gr.) small-headed.	Java.	1816.	4. 8.	S. h.	—
45 ferocissima. L.en.	(gr.) ferocious.	Nepaul.	1805.	8. 10.	H. 0.	—
<i>horrída. L.en. non k.s.</i>						
46 pentandra. H.B.	(gr.) pentandrous.	E. Indies.	—	—	S. 2.	—
47 arborescens. L.en.	(gr.) arborescent.	Manila.	1822.	....	S. h.	—
48 diversifolia. L.en.	(gr.) different-leaved.	E. Indies.	1820.	....	S. h.	—
49 heterophylla. D.P.	(gr.) various-leaved.	Nepaul.	1823.	6. 8.	H. 2.	—
<b>FORSKÓHLEA. L. FORSKÓHLEA. Monœcia Monandria. J.</b>						
1 fruticosa. w.	(gr.) frutescent.	Teneriffe.	1816.	6. 8.	G. h.	—
2 tenacissima. w.	(gr.) clammy.	Egypt.	1767.	7. 8.	H. 0.	Jacq. vind. 1. t. 48.
3 candida. w.	(gr.) rough.	C. B. S.	1774.	6. 7.	G. 2.	—
4 viridis. E.	(gr.) green.	Arabia.	1828.	—	G. 0.	—
5 angustifolia. w.	(gr.) narrow-leaved.	Teneriffe.	1779.	7. 8.	H. 0.	Murr. c. gott. p. 24. t. 2.
<b>PARIETARIA. W. PELLITORY. Polygamia Monœcia. L.</b>						
1 indica. w.	(gr.) Indian.	E. Indies.	1790.	4. 5.	S. 2.	—
2 officinalis. w.	(gr.) common.	Britain.	....	6. 9.	H. 2.	Eng. bot. v. 13. t. 879.
3 judaica. w.	(gr.) Basil-leaved.	Germany.	1728.	—	H. 2.	Schkuh. hand. 3. t. 34.
4 pensylvanica. w.	(gr.) Pennsylvanian.	N. America.	1816.	—	H. 0.	—
5 urticaefolia. w.	(gr.) Nettle-leaved.	Isl. Bourbon.	1700.	—	S. 0.	—
6 lusitânica. w.	(gr.) chickweed-leaved.	Spain.	1710.	7. 8.	H. 0.	Bocc. sic. t. 24. f. 13.
7 cretica. w.	(gr.) Cretan.	Crete.	1818.	—	H. 0.	—
8 prostrata. L.en.	(gr.) prostrate.	.....	1823.	—	H. 2.	—
9 polygonoides. w.	(gr.) Polygonum-leav'd.	Armenia.	1728.	—	H. 0.	Mart. cent. pl. rar. t. 8.
<b>PILEA. L.col. P'LEA. Monœcia Tetrandria.</b>						
1 muscosa. L.col.	(gr.) mossy.	W. Indies.	1793.	4. 5.	S. 2.	Lindl. col. t. 4.
<b>CA'NNABIS. W. HEMP. Diœcia Tetrandria. L.</b>						
1 sativa. w.	(gr.) common.	India.	....	6. 7.	H. 0.	Schk. hand. 3. t. 325.
<b>HUMULUS. W. HOP. Diœcia Tetrandria. L.</b>						
1 lupulus. w.	(gr.) common.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 6. t. 427.
<b>THELYGONUM. W. DOG'S-CABBAGE. Monœcia Polyandria. L.</b>						
1 cynocrambe. w.	(gr.) common.	S. Europe.	1710.	7.	H. 0.	Schk. hand. 3. t. 299.

GNETUM. W.	GNETUM.	Monœcia Monadelphia. L.				
Gnènon. w.	(gr.) Indian.	India.	1815.	....	S. h.	Rumph. amb. 1. t. 71.
CECROPIA. W.	SNAKE-WOOD.	Diœcia Diandria. L.				
1 peltâta. w.	(gr.) peltated.	Jamaica.	1778.	....	S. h.	Lam. ill. t. 800.
2 palmâta. w.	(gr.) palmated.	Brazil.	1823.	....	S. h.	
3 cõncolor. w.	(gr.) self-coloured.	—	—	....	S. h.	
GUNNERA. W.	GUNNERA.	Gynandria Diandria. L.				
perpẽnsa. w.	(gr.) marsh-marygold-ld.	C. B. S.	1688.	4. 6.	G. y.	Bot. mag. t. 2376.
DORSTENIA. W.	DORSTENIA.	Monœcia Diandria.				
1 cordifõlia. w.	(gr.) heart-leaved.	W. Indies.	1822.	5. 8.	S. y.	Swart. obs. t. 7. f. 2.
2 brasiliẽnsis. w.	(gr.) Brazilian.	S. America.	1792.	3. 4.	S. y.	
3 Houstõni. w.	(gr.) Houstoun's.	—	1747.	6. 7.	S. y.	Bot. mag. t. 2017.
4 arifõlia. w.	(gr.) Arum-leaved.	Brazil.	1823.	—	S. y.	Lodd. bot. cab. t. 999.
5 Contrajerva. w.	(gr.) Contrajerva-root.	S. America.	1748.	5. 8.	S. y.	Jacq. ic. 3. t. 614.
6 Drakẽna. w.	(gr.) round-rooted.	Vera Cruz.	1729.	—	S. y.	Lodd. bot. cab. t. 667.
7 tubicina. B.M.	(gr.) tubed.	Trinidad.	1824.	7. 9.	S. y.	Bot. mag. t. 2804.
8 ceratõsanthes. B.C.	(gr. pu.) horned.	S. America.	—	4. 6.	S. y.	Lodd. bot. cab. t. 1216.
MERTENSIA. K.S.	MERTENSIA.	Polygamia Monœcia. R.S.				
1 lævigâta. K.S.	(ye.) Mexican.	Mexico.	1825.	....	S. h.	H. et B. n. gen. 2. t. 103.
2 iguãna. R.S.	(ye.) Jamaica.	Jamaica.	1791.	4. 6.	S. h.	
	<i>Rhãmnus iguãneus. l.</i>	<i>Zizyphus iguãnea. P.S.</i>	<i>Celtis aculeâta. w.</i>			
3 rhãmnõides. R.S.	(ye.) Rhamnus-like.	—	1791.	4. 6.	S. h.	Cavan. ic. 3. t. 294.
CELTIS. K.S.	NETTLE-TREE.	Polygamia Monœcia. L.				
1 micrãntha. w.	(gr.) smooth.	Jamaica.	1739.	8. 9.	S. h.	Plum. ic. t. 206. f. 1.
2 orientãlis. w.	(gr.) oriental.	E. Indies.	1820.	—	S. h.	Rheed. mal. 4. t. 10.
3 pumila. Ph.	(gr.) dwarf.	N. America.	1812.	5.	H. h.	
4 crassifõlia. w.	(gr.) heart-leaved.	—	—	5. 6.	H. 5.	Duham. arb. 2. t. 9.
	<i>cordifõlia. Dnh.</i>					
5 occidentãlis. w.	(gr.) American.	—	1656.	4. 5.	H. 5.	Wats. dend. brit. t. 147.
	<i>β cordãta. R.S.</i>	(gr.) heart-leaved.	—	....	H. 5.	
	<i>γ scabriuscula. R.S.</i>	(gr.) rough-leaved.	—	....	H. 5.	
6 Willdenowiana. R.S.	(gr.) Willdenow's.	China.	....	....	H. 5.	
7 sinẽnsis. R.S.	(gr.) Chinese.	—	....	....	H. 5.	
8 lævigâta. R.S.	(gr.) smooth.	Louisiana.	1812.	4. 5.	H. 5.	
9 Tournefortii. w.	(gr.) Tournefort's.	Levant.	1738.	....	H. 5.	Tourn. it. 2. t. 41.
10 austrãlis. w.	(gr.) European.	S. Europe.	1796.	5.	H. 5.	Wats. dend. brit. t. 105.
PLANERA. M.	PLANERA.	Tetrandria Digynia. S.S.				
1 Richãrdi. M.	(br. gr.) Richard's.	N. America.	1766.	4. 5.	H. 5.	
	<i>Ulmus nemorãlis. H.K.</i>					
2 carpiniõlia. W.D.	(gr.) Hornbeam-leaved.	Siberia.	—	—	H. 5.	Wats. dend. brit. t. 106.
3 parvifõlia.	(gr.) small-leaved.	Caucasus.	....	—	H. 5.	Jacq. schœnb. t. 262.
	<i>Ulmus parvifõlia. Jacq.</i>					
	4 Gmelini. M.	(br. gr.) Gmelin's.	N. America.	1816.	—	H. 5.
	<i>aquãtica. N.</i>					
ULMUS. R.S.	ELM-TREE.	Pentandria Digynia. L.				
1 campẽstris. E.B.	(pu.) common English.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 27. t. 1886.
2 suberõsa. E.B.	(pu.) cork-barked.	—	....	3. 4.	H. 5.	— v. 31. t. 2161.
3 glãbra. E.B.	(pu.) smooth.	—	....	—	H. 5.	— v. 32. t. 2248.
4 mãjor. E.B.	(br.) decliuing-branch'd.	—	....	—	H. 5.	— v. 36. t. 2542.
5 montãna. E.B.	(gr.) Wych.	—	....	4. 5.	H. 5.	— v. 27. t. 1887.
6 effusa. w.	(gr.) spreading-flowered.	—	....	—	H. 5.	Schk. hand. t. 57.
7 álba. w.	(br.) white.	Hungary.	1816.	—	H. 5.	
8 crispera. w.	(br.) curl-leaved.	N. America.	....	—	H. 5.	
9 americãna. w.	(gr.) large-leaved.	—	1752.	—	H. 5.	
10 pendula. W.en.	(gr.) pendulous.	—	....	—	H. 5.	
11 fulva. M.	(br.) slippery.	—	....	—	H. 5.	Mich. arb. 3. t. 6.
12 scabra. Mill.	(br.) rough.	—	....	—	H. 5.	
13 pumila. w.	(br.) dwarf.	Siberia.	1771.	—	H. h.	Pall. ros. 1. t. 48.
14 microphylla. P.S.	(br.) jagged-leaved.	—	....	—	H. h.	Pall. r. 1. t. 48. f. A. B. C.
15 alãta. M.	(br.) winged.	N. America.	1816.	—	H. 5.	Mich. arb. 3. t. 5.
16 chinẽnsis. P.S.	.... Chinese.	China.	....	....	G. h.	

ORDO CLXXXIV.

JUGLANDEÆ. *DC. theor. ed. 1. p. 215.*

JUGLANS. N.		WALNUT-TREE. Monœcia Polyandria. L.				
1	<i>regia. w.</i>	( <i>gr.</i> ) common.	Persia.	1562.	4. 5.	H.5. Lam. ill. t. 781.
	<i>β maxima. P.S.</i>	( <i>gr.</i> ) double-fruited.	————	————	————	H.5.
	<i>γ serotina. P.S.</i>	( <i>gr.</i> ) late-fruited.	————	————	————	H.5.
2	<i>nigra. w.</i>	( <i>gr.</i> ) black.	N. America.	1629.	————	H.5. Wats. dend. brit. t. 158.
3	<i>cinerea. w.</i>	( <i>gr.</i> ) shell bark.	————	1656.	————	H.5. ————— v. 1. t. 192.
	<i>cathartica. Mich. arb.</i>	1. t. 2.	————	————	————	————
4	<i>fraxinifolia. s.s.</i>	( <i>gr.</i> ) Ash-leaved.	————	————	————	H.5.
5	<i>pterocarpa. s.s.</i>	( <i>gr.</i> ) winged-fruited.	Caucasus.	1828.	....	H.5.
	<i>Rhû obscurum. M.B.</i>	————	————	————	————	————
CARTAGINENSIS. N.		HICKORY NUT. Monœcia Tetr-Hexandria.				
1	<i>armis. N.</i>	( <i>gr.</i> ) Pecan nut.	N. America.	....	4. 5.	H.5. Mich. arb. 1. t. 3.
2	<i>angustifolia. H.K.</i>	( <i>gr.</i> ) narrow-leaved.	————	1766.	————	H.5.
3	<i>sulcata. N.</i>	( <i>gr.</i> ) shell-bark.	————	1804.	————	H.5. Mich. arb. 1. t. 8.
4	<i>alba. N.</i>	( <i>gr.</i> ) shag-bark.	————	1730.	————	H.5. ————— 1. t. 7.
	<i>Juglans compressa. w.</i>	————	————	————	————	————
5	<i>tomentosa. N.</i>	( <i>gr.</i> ) mocker nut.	————	1629.	————	H.5. Mich. arb. 1. t. 6.
	<i>Juglans alba. w. non M.</i>	————	————	————	————	————
	<i>β maxima. N.</i>	( <i>gr.</i> ) large-fruited.	————	1824.	————	H.5.
6	<i>pubescens. L.en.</i>	( <i>gr.</i> ) pubescent.	————	....	————	H.5.
7	<i>microcarpa. N.</i>	( <i>gr.</i> ) small-fruited.	————	1824.	————	H.5.
8	<i>amara. N.</i>	( <i>gr.</i> ) bitter nut.	————	1800.	5.	H.5.
9	<i>porcina. N.</i>	( <i>gr.</i> ) Pig nut.	————	1812.	4. 5.	H.5. Mich. arb. 1. t. 9. f. 3-4.
	<i>Juglans obcordata. w.</i>	————	————	————	————	————
10	<i>glabra. w.</i>	( <i>gr.</i> ) smooth-leaved.	————	1799.	....	H.5. Mich. arb. 1. t. 9. f. 1-2.
	<i>Juglans porcina β ficiformis. M.</i>	————	————	————	————	————
11	<i>aquatica. N.</i>	( <i>gr.</i> ) water.	Carolina.	1826.	....	H.5. Mich. arb. 1. t. 5.
12	<i>integrifolia. s.s.</i>	( <i>gr.</i> ) entire-leaved.	Louisiana.	————	....	H.5.
	<i>Hicorius integrifolius. Rafin.</i>	————	————	————	————	————

ORDO CLXXXV.

CUPULIFERÆ. *Kth. synopsis. 1. p. 353.*

QUERCUS. W.		OAK. Monœcia Polyandria. L.				
1	<i>Phellos. w.</i>	( <i>y.gr.</i> ) Willow-leaved.	N. America.	1723.	5. 6.	H.5. Mich. arb. 1. t. 12.
	<i>β humilis. Ph.</i>	( <i>y.gr.</i> ) dwarf.	————	1812.	————	H. h. Catesb. car. 1. t. 22.
2	<i>maritima. w.</i>	( <i>y.gr.</i> ) sea.	————	1811.	————	H. h. Mich. querc. t. 13. f. 1.
3	<i>sericea. w.</i>	( <i>y.gr.</i> ) running.	————	1724.	————	H. h. Mich. arb. 2. t. 15.
4	<i>virens. w.</i>	( <i>y.gr.</i> ) live.	————	1739.	5.	H.5. ————— 2. t. 11.
5	<i>cinerea. w.</i>	( <i>y.gr.</i> ) ash-coloured.	————	1789.	5. 6.	H.5. ————— 2. t. 14.
6	<i>imbricaria. w.</i>	( <i>y.gr.</i> ) tile-cupped.	————	1786.	————	H.5. ————— 2. t. 13.
7	<i>laurifolia. w.</i>	( <i>y.gr.</i> ) Laurel-leaved.	————	————	5.	H.5. Mich. querc. t. 17.
	<i>β obtusa. Ph.</i>	( <i>y.gr.</i> ) blunt-leaved.	————	————	————	H.5. ————— t. 18.
8	<i>lutea. w.</i>	( <i>y.gr.</i> ) yellow-leaved.	Mexico.	1825.	....	H.5.
9	<i>glauca. w.</i>	( <i>y.gr.</i> ) glaucous.	Japan.	1822.	....	H.5. Banks ic. Kæmp. t. 17.
10	<i>gramuntia. w.</i>	( <i>y.gr.</i> ) Holly-leaved.	S. France.	1730.	6.	H. h.
11	<i>Ballota. w.</i>	( <i>y.gr.</i> ) Barbary.	Barbary.	1818.	————	H. h.
12	<i>rotundifolia. w.</i>	( <i>y.gr.</i> ) round-leaved.	Spain.	————	————	H. h.
13	<i>Ilex. w.</i>	( <i>y.gr.</i> ) evergreen.	S. France.	1581.	5. 6.	H. h. Wats. dend. brit. t. 90.
	<i>a integrifolia. H.K.</i>	( <i>y.gr.</i> ) entire-leaved.	————	————	————	H. h.
	<i>β serrata. H.K.</i>	( <i>y.gr.</i> ) saw-leaved.	————	————	————	H. h. Duham. arb. 1. t. 123.
	<i>γ oblonga. H.K.</i>	( <i>y.gr.</i> ) long-leaved.	————	————	————	H. h. ————— 1. t. 124.
	<i>δ fagifolia. L.C.</i>	( <i>y.gr.</i> ) Beech-leaved.	————	....	————	H. h.
	<i>ε crispa. L.C.</i>	( <i>y.gr.</i> ) curl-leaved.	————	....	————	H. h.
14	<i>variifolia.</i>	( <i>y.gr.</i> ) different-leaved.	S. Europe.	....	————	H. h.
	<i>heterophylla. Lam. non Ph.</i>	————	————	————	————	————

15	crenâta. Lam. (y.gr.) crenated.	S. Europe.	....	5. 6.	H. 5.	
16	lusitânica. Lam.(y.gr.) Portugal.	Portugal.	1824.	—	H. 5.	Cavan, icon. 2. t. 129.
17	calycina. Poir. (y.gr.) calycine.	S. Europe.	....	—	H. 5.	
18	expânsa. Poir. (y.gr.) spreading.	—	....	—	H. 5.	
19	Lezermiâna. Poir.(y.gr.) glossy-leaved.	—	....	—	H. 5.	
20	castellâna. Bosc.(y.gr.) subdeciduous.	—	....	—	H. 5.	
21	Süber. w. (y.gr.) Cork-tree.	S. France.	1699.	6.	H. 5.	Wats. dend. brit. t. 89.
22	coccifera. w. (y.gr.) Kermes.	—	1683.	5.	H. 5.	— t. 91.
23	prasina. Bosc. (y.gr.) glaucous-leaved.	Spain.	1824.	—	H. 5.	
24	humilis. P.s. (y.gr.) low.	S. Europe.	....	—	H. 5.	Lobel. ic. 2. p. 157.
25	infectória. w. (y.gr.) Levant.	Levant.	1812.	....	H. 5.	
26	Turneri. W.en. (y.gr.) Turner's.	—	—	....	H. 5.	
27	Prinus. w. (y.gr.) Chestnut-leaved.	N.America.	1730.	5. 6.	H. 5.	Mich. arb. 2. t. 7.
28	bicolor. w. (y.gr.) two-coloured.	—	1811.	5.	H. 5.	
29	montâna. w. (y.gr.) rock Chestnut.	—	1800.	—	H. 5.	Mich. arb. 2. t. 8.
30	Micháuxii. n. (y.gr.) swamp white.	—	1812.	....	H. 5.	— 2. t. 6.
	<i>Prinos discolor. M.</i>					
31	Castânea. w. (y.gr.) yellow Chestnut.	—	1816.	5.	H. 5.	Mich. arb. 2. t. 9.
32	prinoïdes. w. (y.gr.) dwarf Chestnut.	—	—	—	H. 5.	— 2. t. 10.
	<i>Chinquapin. Ph.</i>					
33	agrifolia. w. (y.gr.) spiny-leaved.	—	1827.	....	H. 5.	Pluk. phyt. t. 196. f. 3.
34	heterophylla. Ph.(y.gr.)various-leaved.	—	....	—	H. 5.	Mich. arb. 2. t. 16.
35	aquática. Ph. (y.gr.) water.	—	1723.	—	H. 5.	— 2. t. 17.
36	hemisphærica. w.(y.gr.)hemispherical.	—	1816.	—	H. 5.	Mich. querc. t. 20. f. 2.
37	nana. w. (y.gr.) dwarf.	—	1738.	—	H. 5.	Abb. ins. 2. t. 59.
38	triloba. w. (y.gr.) three-lobed.	—	1800.	—	H. 5.	Mich. querc. t. 26.
39	nigra. w. (y.gr.) black.	—	1739.	—	H. 5.	Mich. arb. 2. t. 18.
40	tinctória. w. (y.gr.) dyer's.	—	1800.	—	H. 5.	Mich. querc. t. 24.
41	discolor. w. (y.gr.) two-coloured.	—	1763.	—	H. 5.	— t. 25.
42	lanuginosa. D.P.(y.gr.) Nepaul.	Nepaul.	1818.	....	G. 5.	
43	Phullata. D.P. (y.gr.) slender-pointed.	—	1824.	....	G. 5.	
44	coccinea. w. (y.gr.) scarlet.	N. America.	1691.	5.	H. 5.	Mich. arb. 2. t. 23.
45	ambigua. M. (y.gr.) gray.	—	1800.	—	H. 5.	— 2. t. 24.
46	rûbra. w. (y.gr.) champion.	—	1739.	—	H. 5.	— 2. t. 26.
47	Catesbæi. w. (y.gr.) barren scrub.	—	1820.	—	H. 5.	— 2. t. 20.
48	falcata. M. (y.gr.) downy-leaved.	—	1763.	—	H. 5.	— 2. t. 21.
	<i>elongata. w.</i>					
49	palustris. w. (y.gr.) marsh.	—	1800.	—	H. 5.	Mich. arb. 2. t. 25.
50	Banisteri. M. (y.gr.) Banister's.	—	—	—	H. 5.	— 2. t. 19.
	<i>ilicifolia. w.</i>					
51	stellata. w. (y.gr.) starred.	—	—	—	H. 5.	Mich. arb. 2. t. 4.
	<i>obtusiloba. M.</i>					
52	macrocarpa. w. (y.gr.) overcup white.	—	1800.	—	H. 5.	Mich. arb. 2. t. 3.
53	pseudo-süber.w.(y.gr.)cork-like.	Spain.	1818.	—	H. 5.	Sant. itin. 156. t. 4.
54	Ægilops. w. (y.gr.) Velanida.	S. Europe.	1731.	....	H. 5.	Mill. dict. n. 7. t. 215.
55	alba. w. (y.gr.) white.	N. America.	1724.	5.	H. 5.	Mich. arb. 2. t. 1.
56	repânda. L.en. (y.gr.) repand.	—	....	—	H. 5.	Mich. querc. t. 5. f. 2.
57	E'sculus. w. (y.gr.) Italian.	S. Europe.	1739.	—	H. 5.	
58	Röbur. w. (y.gr.) sessile-fruited.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 26. t. 1845.
	<i>sessiliflora. E.B.</i>					
59	pedunculata.w.(y.gr.) common.	—	....	—	H. 5.	Eng. bot. v. 19. t. 1342.
	<i>Röbur. E.B. non w.</i>					
60	pubescens. w. (y.gr.) Durmast.	England.	....	—	H. 5.	Second. d. chen. t. 5.
61	fastigiata. Lam.(y.gr.) Cypress.	Pyrenees.	1822.	....	H. 5.	
62	conglomerata. P.s.(y.gr.)clustered.	Europe.	....	4. 5.	H. 5.	
63	olivæformis. M. (y.gr.) mossy-cup.	N. America.	1811.	5.	H. 5.	Mich. arb. 2. t. 2.
64	lyrata. w. (y.gr.) lyre-leaved.	—	1786.	—	H. 5.	— 2. t. 5.
65	fagina. P.s. (y.gr.) Beech-like.	S. Europe.	1824.	....	H. 5.	
66	haliphleôs. P.s. (y.gr.) hispid-cupped.	France.	....	4. 5.	H. 5.	
67	Tauzin. P.s. (y.gr.) soft jagged-leav'd.	S. Europe.	....	—	H. 5.	
	<i>β laciniata. Desv.(y.gr.)cut-leaved.</i>				H. 5.	
	<i>γ digitata. Desv.(y.gr.)fingered.</i>				H. 5.	
68	Céris. w. (y.gr.) Turkey.	Turkey.	1735.	—	H. 5.	Wats. dend. brit. t. 92.
	<i>α frondosa. H.K.(y.gr.)common.</i>				H. 5.	
	<i>β bullata. H.K.(y.gr.)rough-leaved.</i>				H. 5.	
	<i>γ sinuata. H.K.(y.gr.)narrow-leaved.</i>				H. 5.	
	<i>? δ dentata. W.D.(y.gr.)Fulham.</i>			6.	H. 5.	Wats. dend. brit. t. 93.
69	Lucombeana. (y.gr.) Lucombe's.	Levant.	....	5. 6.	H. 5.	
	<i>exoniensis. L.C.</i>					

70	<i>austriaca</i> . W.en.(y.gr.) Austrian.	Austria.	....	4. 5.	H.5.	Clus. hist. 1. p. 20. c. ic.
71	<i>mexicana</i> . K.S. (y.gr.) Mexican.	Mexico.	1824.	....	G. h.	H. et B. pl. æq. 2. t. 82.
72	<i>spicata</i> . K.S. (y.gr.) spiked.	_____	_____	....	G. h.	_____ 2. t. 89.
73	<i>Bonplandiâna</i> . (y.gr.) Bonpland's.	_____	_____	....	G. h.	_____ 2. t. 93.
	<i>ambigua</i> . K.S. non M.					
FAGUS. W.	BEECH. Monœcia Polyandria. L.					
1	<i>americana</i> . (y.gr.) white.	N. America.	....	5.	H.5.	Mich. arb. 2. t. 8.
	<i>sylvatica</i> β <i>americana</i> . N.					
2	<i>sylvatica</i> . w. (y.gr.) common.	Britain.	....	4. 5.	H.5.	Eng. bot. v. 26. t. 1846.
	β <i>purpurea</i> . H.K. (pu.) dark purple.	Germany.	....	—	H.5.	
3	<i>ferruginea</i> . w. (y.gr.) ferruginous.	N. America.	1796.	5. 6.	H.5.	Mich. arb. 2. t. 9.
4	<i>comptoniæfolia</i> . Df.(y.gr.) Fern-leaved.	.....	....	—	H. h.	
	<i>sylvatica</i> γ <i>aspleniifolia</i> . H.S.L.					
CASTANEA. G.	CHESTNUT. Monœcia Polyandria. W.					
1	<i>americana</i> . P.S. (y.gr.) American.	N. America.	....	5. 6.	H.5.	Mich. arb. 2. t. 6.
	<i>vésca</i> β <i>americana</i> . N.					
2	<i>vésca</i> . w. (y.gr.) common.	England.	....	—	H.5.	Eng. bot. v. 13. t. 886.
	β <i>variegata</i> . (y.gr.) striped-leaved.	_____	....	—	H.5.	
	γ <i>aspleniifolia</i> . (y.gr.) fern-leaved.	.....	....	—	H. h.	
3	<i>pùmila</i> . w. (y.gr.) dwarf.	N. America.	1699.	7.	H. h.	Mich. arb. 2. t. 7.
CORYLUS. W.	NUT-TREE. Monœcia Polyandria. L.					
1	<i>avellana</i> . w. (y.re.) common Hazel.	Britain.	....	2. 4.	H.5.	Eng. bot. v. 11. t. 723.
	β <i>alba</i> . H.K. (y.re.) white Filbert.	.....	....	—	H.5.	
	γ <i>rubra</i> . H.K. (y.re.) red Filbert.	.....	....	—	H.5.	
	δ <i>ovata</i> . Lam. (y.re.) oval-fruited.	.....	....	—	H.5.	
	ε <i>barcelonensis</i> . L.C.(y.re.) Barcelona.	Spain.	....	—	H.5.	
	ζ <i>grandis</i> . H.K. (y.re.) Cob-nut.	.....	....	—	H.5.	
	η <i>glomerata</i> . H.K. (y.re.) clustered.	.....	....	—	H.5.	
2	<i>tubulosa</i> . w. (y.re.) Lambert's.	S. Europe.	1759.	3. 4.	H.5.	Lam. ill. t. 780.
3	<i>heterophylla</i> . F.(y.re.) various-leaved.	Danube.	1829.	....	H. h.	
4	<i>americana</i> . w. (st.re.) Cuckold.	N. America.	1798.	3. 4.	H.5.	Wang. amer. t. 29. f. 63.
5	<i>humilis</i> . w. (st.re.) dwarf cuckold.	_____	....	—	H. h.	
6	<i>rostrata</i> . w. (st.re.) common cuckold.	_____	1745.	—	H.5.	Willd. arb. t. 1. f. 2.
7	<i>Colurna</i> . w. (st.re.) Constantinople.	Constantinople.	1665.	—	H.5.	Wats. dend. brit. t. 99.

## ORDO CLXXXVI.

BETULINEÆ. *Kth. synopsis. 1. p. 363.*

O'STRIA. W.	HOP-HORNBEAM. Monœcia Polyandria. W.					
1	<i>vulgâris</i> . w. (gr.) common.	Italy.	1724.	5.	H.5.	Wats. dend. brit. t. 143.
2	<i>virginica</i> . w. (gr.) American.	N. America.	1692.	5. 6.	H.5.	Abb. ins. 2. t. 75.
CARPINUS. W.	HORNBEAM. Monœcia Polyandria. L.					
1	<i>Bétulus</i> . w. (gr.) common.	Britain.	....	3. 5.	H.5.	Eng. bot. v. 29. t. 2032.
	β <i>variegata</i> . (gr.) striped-leaved.	_____	....	—	H.5.	
	γ <i>incisa</i> . H.K. (gr.) cut-leaved.	.....	....	—	H.5.	
	δ <i>quercifolia</i> . Desf.(gr.) Oak-leaved.	.....	....	—	H.5.	
2	<i>americana</i> . w. (gr.) American.	N. America.	1812.	—	H.5.	Wats. dend. brit. t. 157.
3	<i>orientalis</i> . w. (gr.) eastern.	Levant.	1739.	5. 6.	H.5.	_____ t. 98.
BETULA. W.	BIRCH. Monœcia Polyandria. L.					
1	<i>alba</i> . w. (gr.) common.	Britain.	....	4. 6.	H.5.	Eng. bot. v. 31. t. 2198.
	β <i>verrucosa</i> . Ehr. (gr.) warted.	_____	....	—	H.5.	
	γ <i>pendula</i> . Roth. (gr.) weeping.	_____	....	—	H.5.	
	δ <i>dalecarlica</i> . L. (gr.) palmate-leaved.	.....	....	—	H.5.	
	ε <i>macrocarpa</i> . (gr.) large-fruited.	.....	....	—	H.5.	
2	<i>põntica</i> . Df. (gr.) eastern.	Asia.	....	—	H.5.	Wats. dend. brit. t. 94.
3	<i>pubescens</i> . P.S. (gr.) pubescent.	Europe.	....	4. 6.	H.5.	
4	<i>populifolia</i> . w. (gr.) Poplar-leaved.	N. America.	1750.	7.	H.5.	Wats. dend. brit. t. 151.
5	<i>excelsa</i> . w. (gr.) tall.	_____	1767.	5.	H.5.	_____ t. 95.
6	<i>davurica</i> . w. (gr.) Daurian.	Dauria.	1786.	7.	H.5.	Pall. ros. 1. t. 39.
7	<i>nigra</i> . w. (gr.) black.	N. America.	1736.	7. 8.	H.5.	Wats. dend. brit. t. 153.
8	<i>lutea</i> . M. (gr.) yellow.	_____	1816.	5. 6.	H.5.	
9	<i>lanulosa</i> . M. (gr.) woolly.	_____	1812.	—	H.5.	Willd. arb. t. 2. f. 1.
	<i>rubra</i> . Mich. arb. 2. t. 3.					

10	papyræa. w.	(gr.) paper.	N. America.	1750.	5. 6.	H. 5.	Wats. dend. brit. t. 151.
11	lénta. w.	(gr.) soft.	—————	1759.	7.	H. 5.	————— t. 144.
12	carpinifolia. W. en.	(gr.) Hornbeam-leaved.	—————	1825.	—————	H. 5.	
13	carpáthica. Kit.	(gr.) Carpathian.	Carpathian mt.	1825.	—————	H. 5.	
14	ováta. w.	(gr.) oval-leaved.	Europe.	....	6. 7.	H. ½.	Wats. dend. brit. t. 96.
	<i>viridis.</i> Vill. <i>A'lnus viridis.</i> Dc.						
15	fruticósa. w.	(gr.) shrubby.	Siberia.	1816.	—————	H. ½.	Wats. dend. brit. t. 154.
16	glandulósa. m.	(gr.) glandular.	N. America.	—————	5.	H. ½.	
17	pùmila. w.	(gr.) hairy dwarf.	—————	1762.	4. 5.	H. ½.	Wats. dend. brit. t. 97.
18	nána. w.	(gr.) smooth dwarf.	Scotland.	....	5.	H. ½.	Eng. bot. v. 33. t. 2326.
	<i>β macrophylla.</i> Sch. (gr.) large-leaved.		Switzerland.	1823.	—————	H. ½.	
19	tristis. L. en.	(gr.) dark.	Kamtschatka.	1824.	....	H. ½.	
	<b>A'LNUŠ. W.</b>	<b>ALDER. Monocia Tetrandra.</b> W.					
1	glutinósa. w.	(gr.) common.	Britain.	....	3. 4.	H. 5.	Eng. bot. v. 21. t. 1508.
	<i>β emargináta.</i>	(gr.) emarginate.	—————	....	—————	H. 5.	
	<i>γ incísa.</i> w.	(gr.) cut-leaved.	—————	....	—————	H. 5.	
	<i>δ laciniáta.</i> w.	(gr.) jagged-leaved.	—————	....	—————	H. 5.	
	<i>ε quercifolia.</i>	(gr.) Oak-leaved.	—————	....	—————	H. 5.	
2	incána. w.	(gr.) hoary-leaved.	Europe.	1780.	6.	H. 5.	
	<i>β anguláta.</i> H. K.	(gr.) angular-leaved.	—————	—————	—————	H. 5.	
	<i>γ pinnáta.</i>	(gr.) pinnated.	—————	....	—————	H. 5.	
3	oblongáta. w.	(gr.) oblong-leaved.	S. Europe.	1730.	7.	H. 5.	
	<i>β elliptica.</i>	(gr.) elliptical-leaved.	—————	—————	—————	H. 5.	
4	unduláta. w.	(gr.) undulate.	N. America.	1782.	5. 6.	H. ½.	
	<i>crípa.</i> Ph. <i>Bétula crípa.</i> H. K.						
5	gláuca. s. s.	(gr.) glaucous.	—————	1812.	3. 4.	H. 5.	
6	serruláta. w.	(gr.) notch-leaved.	—————	1769.	3.	H. ½.	Abb. ins. 2. t. 92.
7	rugósa. s. s.	(gr.) rugged-leaved.	—————	....	—————	H. ½.	
8	sibíríca. F.	(gr.) Siberian.	Siberia.	1820.	....	H. ½.	
9	cordifolia. T. P.	(gr.) heart-leaved.	Naples.	—————	3. 4.	H. ½.	Ten. flor. nap. t. 99.
10	macrophylla. Df.	(gr.) large-leaved.	.....	—————	....	H. ½.	
11	rùbra. Df.	(gr.) red.	.....	—————	....	H. ½.	
12	pùmila. L. C.	(gr.) dwarf.	.....	—————	....	H. ½.	
13	oxyacanthifolia. L. C.	(gr.) Hawthorn-leaved.	.....	1812.	....	H. ½.	
14	subrotúnda. Df.	(gr.) roundish-leaved.	.....	1822.	....	H. ½.	

## ORDO CLXXXVII.

### SALICEÆ. *Kth. synops.* 1. p. 364.

<b>SA'LIX. W.</b>	<b>WILLOW.</b>	<b>Diœcia 1-2-3-5-andra-Monadelphia.</b>					
1	præcox. s. s.	(g. ye.) early.	Europe.	....	2. 3.	H. 5.	Salic. woburn. t. 26.
2	pomeránica. W. en.	(g. ye.) Pomeranian.	Pomerania.	1816.	3. 5.	H. 5.	
3	cinèrea. E. B.	(g. ye.) gray.	Britain.	....	5.	H. 5.	Eng. bot. v. 27. t. 1897.
4	angustáta. Ph.	(g. ye.) narrow-leaved.	Pensylvania.	1811.	3. 4.	H. 5.	
5	Wulfeniána. s. s.	(br. st.) Wulfen's.	Scotland.	—————	4. 5.	H. 5.	Salic. woburn. t. 48.
6	silesiaca. s. s.	(g. ye.) Silesian.	Silesia.	1820.	—————	H. 5.	
7	Ammanniána. s. s.	(g. ye.) Amman's.	Carinthia.	—————	—————	H. 5.	Hoffm. salic. 1. t. 17. f. 2.
8	acutifolia. s. s.	(g. ye.) acute-leaved.	Caucasus.	1824.	2. 3.	H. 5.	
9	hastáta. w.	(g. ye.) halberd-leaved.	Lapland.	1780.	5.	H. 5.	Salic. woburn. t. 35.
10	malifolia. E. B.	(g. ye.) Apple-leaved.	England.	....	4.	H. 5.	Eng. bot. v. 23. t. 1617.
11	serruláta. w.	(g. ye.) saw-leaved.	Lapland.	1820.	5.	H. 5.	Flor. dan. t. 1238.
	<i>hastáta.</i> F. D.						
12	Pontederána. w.	(g. ye.) Pontedera's.	Germany.	1818.	—————	H. 5.	Salic. woburn. t. 43.
13	phylicifolia. E. B.	(g. ye.) Tea-leaved.	Scotland.	....	—————	H. ½.	Eng. bot. v. 28. t. 1958.
14	Andersoniána. E. B.	(g. ye.) Anderson's.	—————	....	—————	H. ½.	————— v. 33. t. 2343.
15	tenuifolia. E. B.	(g. ye.) slender-leaved.	Britain.	....	5. 6.	H. ½.	————— v. 31. t. 2186.
16	corúscans. w.	(g. ye.) glittering.	Switzerland.	1824.	—————	H. 5.	Jacq. aust. t. 408.
	<i>Arbúscula.</i> Jacq. non E. B.						
17	frágilis. E. B.	(g. ye.) crack.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 26. t. 1807.
18	Russelliána. E. B.	(g. ye.) Bedford.	England.	....	—————	H. 5.	————— v. 26. t. 1808.
19	Treviráni. L. en.	(g. ye.) Treviran's.	Germany.	1825.	—————	H. 5.	
20	hippophæfólia. L. en.	(g. ye.) Sea-buckthorn-ld.	—————	1823.	—————	H. 5.	
21	viréscens. s. w.	(g. ye.) greenish.	Switzerland.	—————	—————	H. 5.	Salic. woburn. t. 7.

22	triandra. E.B. ( <i>g.ye.</i> ) long-leaved.	Britain.	....	5. 8.	H. 5.	Eng. bot. v. 20. t. 1435.
23	amygdalina. E.B. ( <i>g.ye.</i> ) Almond-leaved.	—	....	4. 5.	H. 5.	— v. 27. t. 1936.
24	Hoppeana. w. ( <i>g.ye.</i> ) Hoppe's.	Switzerland.	1817.	—	H. 5.	
25	ambigua. Ph. ( <i>gr.ye.</i> ) ambiguous.	N. America.	1813.	3. 4.	H. 5.	
26	decipiens. E.B. ( <i>gr.ye.</i> ) varnished.	England.	....	5.	H. 5.	Eng. bot. v. 27. t. 1937.
27	vitellina. E.B. ( <i>gr.ye.</i> ) yellow twigged.	—	....	3. 5.	H. 5.	— v. 20. t. 1389.
28	alba. E.B. ( <i>gr.ye.</i> ) common white.	Britain.	....	4. 5.	H. 5.	— v. 34. t. 2430.
29	cerulea. E.B. ( <i>gr.ye.</i> ) blue-leaved.	England.	....	5. 8.	H. 5.	— v. 34. t. 2431.
30	pedicellaris. s.s. ( <i>gr.ye.</i> ) pedicellated.	N. America.	1811.	4. 5.	H. 5.	
	<i>pensylvanica.</i> Salic. Woburn. t. 95. ?					
31	babylonica. w. ( <i>g.st.</i> ) weeping.	Levant.	1692.	5. 6.	H. 5.	Salic. woburn. t. 22.
32	annularis. s.w. ( <i>g.st.</i> ) annular-leaved.	.....	1823.	—	H. 5.	— t. 21.
33	myricoides. s.s. ( <i>g.ye.</i> ) Myrica-like.	N. America.	1811.	4.	H. 5.	Ann. bot. 2. t. 5. f. 2.
34	lucida. s.s. ( <i>g.ye.</i> ) shining.	—	—	5.	H. 5.	— 2. t. 5. f. 7.
35	rigida. s.s. ( <i>g.ye.</i> ) rigid.	—	—	4. 5.	H. 5.	— 2. t. 5. f. 4.
36	cordata. s.s. ( <i>gr.ye.</i> ) heart-leaved.	—	—	—	H. 7.	— 2. t. 5. f. 8.
37	nigra. s.s. ( <i>g.ye.</i> ) black.	—	—	5.	H. 5.	— 2. t. 5. f. 5.
38	riparia. w. ( <i>g.ye.</i> ) rivulet.	Europe.	1820.	—	H. 5.	
39	incana. dc. ( <i>g.ye.</i> ) hoary.	—	—	4.	H. 5.	Salic. woburn. t. 90.
40	incanescens. Sch. ( <i>g.ye.</i> ) incanescens.	Switzerland.	1823.	3. 4.	H. 5.	— t. 120.
41	lanata. E.F. ( <i>gr.ye.</i> ) woolly.	Scotland.	—	—	H. 7.	— t. 71.
42	pentandra. E.B. ( <i>gr.ye.</i> ) Bay-leaved.	Britain.	....	5. 6.	H. 7.	Eng. bot. v. 26. t. 1805.
43	Meyeriana. s.s. ( <i>g.st.</i> ) Meyer's.	Germany.	1823.	4. 5.	H. 7.	Salic. woburn. t. 33.
44	Förbesii. ( <i>g.st.</i> ) Forbes's.	Switzerland.	—	—	H. 5.	— t. 32.
	<i>lucida.</i> s.w. <i>nec aliorum.</i>					
45	tetrasperma. w. ( <i>g.ye.</i> ) four-seeded.	E. Indies.	1796.	—	S. 7.	Roxb. corom. 1. t. 97.
46	garipeina. B.T. ( <i>g.ye.</i> ) Cape.	C. B. S.	1816.	—	G. 7.	
47	Humboldtiana. w. ( <i>bl.</i> ) Humboldt's.	Peru.	1821.	....	G. 7.	H. et B. 2. t. 99, 100.
48	Bonplandiana. K.S. ( <i>br.</i> ) Bonpland's.	Mexico.	—	....	G. 7.	— 2. t. 101, 102.
49	Houstoniana. Ph. ( <i>gr.ye.</i> ) Houston's.	America.	1812.	4. 5.	H. 7.	Salic. woburn. t. 11.
50	Lyonii. s.w. ( <i>g.ye.</i> ) Lyon's.	Switzerland.	1816.	—	H. 7.	— t. 10.
51	finmarchica. s.s. ( <i>g.ye.</i> ) Finmark.	Sweden.	1821.	—	H. 7.	Flor. dan. t. 1051.
52	Villarsiana. w. ( <i>g.ye.</i> ) Villars's.	S. France.	1818.	5. 6.	H. 7.	Salic. woburn. t. 17.
53	myrtilloides. s.s. ( <i>br.ye.</i> ) Myrtle-leaved.	Sweden.	1772.	4. 8.	H. 7.	— t. 66.
54	retusa. w. ( <i>g.ye.</i> ) blunt-leaved.	Italy.	1763.	—	H. 7.	— f. 139.
55	serpyllifolia. w. ( <i>g.ye.</i> ) Thyme-leaved.	Switzerland.	1818.	—	H. 7.	— t. 65.
56	Kitabeliana. w. ( <i>g.ye.</i> ) Kitabel's.	Carthagian m.	1816.	—	H. 7.	— t. 64.
57	Uva-ursi. s.s. ( <i>g.ye.</i> ) Bearberry-like.	Labrador.	1811.	4. 5.	H. 7.	— f. 151.
58	berberifolia. w. ( <i>g.ye.</i> ) Barberry-leaved.	Davuria.	1824.	—	H. 7.	Pall. ros. 2. t. 82.
59	herbacea. E.B. ( <i>g.ye.</i> ) least.	Britain.	....	6.	H. 7.	Eng. bot. v. 27. t. 1907.
60	monandra. Ard. ( <i>g.ye.</i> ) monandrous.	Europe.	....	3. 4.	H. 7.	Salic. woburn. t. 4.
61	purpurea. E.B. ( <i>g.ye.</i> ) bitter purple.	England.	....	3.	H. 7.	Eng. bot. v. 20. t. 1388.
62	Hélix. E.B. ( <i>g.ye.</i> ) Rose.	Britain.	....	3. 4.	H. 7.	— v. 19. t. 1343.
63	Lambertiana. E.B. ( <i>g.ye.</i> ) Boyton.	England.	....	—	H. 7.	— v. 19. t. 1359.
64	rubra. E.B. ( <i>g.ye.</i> ) red-stemmed.	—	....	4. 3.	H. 7.	— v. 16. t. 1145.
65	Forbiiana. E.B. ( <i>g.ye.</i> ) basket osier.	—	....	—	H. 7.	— v. 19. t. 1344.
66	viminialis. E.B. ( <i>g.ye.</i> ) common osier.	Britain.	....	4. 5.	H. 7.	— v. 27. t. 1898.
67	mollissima. s.s. ( <i>g.ye.</i> ) softest.	Germany.	....	3. 4.	H. 7.	
68	Smithiana. s.s. ( <i>g.ye.</i> ) Smith's.	England.	....	—	H. 7.	Salic. woburn. t. 134.
	<i>mollissima.</i> Eng. bot. v. 21. t. 1509. <i>nec aliorum.</i>					
69	acuminata. E.B. ( <i>g.ye.</i> ) acuminate.	Britain.	....	4.	H. 5.	Eng. bot. v. 20. t. 1434.
70	holosericea. w. ( <i>g.ye.</i> ) holosericeous.	Germany.	1822.	—	H. 5.	
71	aurita. w. ( <i>g.ye.</i> ) eared.	Britain.	....	4. 5.	H. 5.	Hoff. sal. 1. t. 22. f. 1.
72	uliginosa. W.en. ( <i>g.ye.</i> ) marsh.	—	....	4. 6.	H. 5.	Eng. bot. v. 21. t. 1487.
	<i>aurita.</i> E.B. <i>non w.</i>					
73	paludosa. L.en. ( <i>g.ye.</i> ) fen.	Germany.	....	—	H. 5.	
74	aquatica. E.B. ( <i>g.ye.</i> ) water.	Britain.	....	4.	H. 5.	Eng. bot. v. 20. t. 1437.
75	spatulata. W.en. ( <i>g.ye.</i> ) spatulate.	Germany.	....	—	H. 5.	
76	caprea. E.B. ( <i>g.ye.</i> ) great round-leaved.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 21. t. 1488.
77	sphacelata. E.B. ( <i>g.ye.</i> ) withered-pointed.	Scotland.	....	—	H. 7.	— v. 33. t. 2333.
78	laurina. w. ( <i>g.ye.</i> ) Laurel-leaved.	England.	....	—	H. 7.	— v. 26. t. 1806.
	<i>bicolor.</i> E.B. <i>non Ehr.</i>					
79	bicolor. w. ( <i>g.ye.</i> ) two-coloured.	Germany.	1818.	—	H. 7.	
80	Forsteriana. E.B. ( <i>g.ye.</i> ) Forster's.	Scotland.	....	—	H. 5.	Eng. bot. v. 33. t. 1403.
81	nigricans. E.B. ( <i>g.ye.</i> ) dark broad-leaved.	England.	....	4.	H. 5.	— v. 17. t. 1213.
82	violacea. s.s. ( <i>g.ye.</i> ) violet.	Russia.	....	3. 4.	H. 5.	Andr. reposit. t. 581.
83	conformis. s.w. ( <i>g.ye.</i> ) uniform-leaved.	.....	....	2. 3.	H. 5.	Salic. woburn. t. 24.
84	Weigeliiana. s.s. ( <i>g.ye.</i> ) long-styled.	Silesia.	1820.	—	H. 5.	— t. 51.
85	cotinifolia. E.B. ( <i>g.ye.</i> ) Quince-leaved.	Britain.	....	4.	H. 5.	Eng. bot. v. 20. t. 1403.

86	conifera. s.s. ( <i>g.ye.</i> ) cone-bearing.	N. America.	1800.	5.	H. 5.	Wang. amer. t. 31. f. 72.
87	prinoides. s.s. ( <i>g.ye.</i> ) Prinos-like.	_____	1811.	3. 4.	H. 5.	Salic. woburn. t. 40.
88	fuscata. s.s. ( <i>g.ye.</i> ) brown-stemmed.	_____	_____	_____	H. 5.	_____
89	recurvata. s.s. ( <i>g.ye.</i> ) recurve-flowered.	_____	_____	4.	H. h.	_____
90	tristis. s.s. ( <i>g.ye.</i> ) linear-leaved.	_____	1765.	3. 4.	H. h.	Salic. woburn. f. 150.
91	Muhlenbergiana. ( <i>re.ye.</i> ) Muhlenberg's.	_____	1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 9.
92	grisea. W.en. ( <i>br.ye.</i> ) brown.	_____	1816.	_____	H. h.	_____
93	lanceolata. E.B. ( <i>g.ye.</i> ) sharp-leaved.	England.	_____	4. 5.	H. h.	Eng. bot. v. 20. t. 1436.
94	stipularis. E.B. ( <i>g.ye.</i> ) awicled.	Britain.	_____	3.	H. h.	_____ v. 17. t. 1214.
95	undulata. s.s. ( <i>g.ye.</i> ) wavy-leaved.	Germany.	1819.	4. 5.	H. h.	Salic. woburn. t. 13.
96	virgata. s.w. ( <i>g.ye.</i> ) twiggy.	_____	_____	5. 6.	H. h.	_____ t. 12.
97	Hoffmanniana. ( <i>g.ye.</i> ) Hoffman's.	Switzerland.	_____	5.	H. h.	_____ t. 16.
98	montana. w. ( <i>g.ye.</i> ) mountain.	_____	_____	5. 6.	H. 5.	_____ t. 19.
99	monspeiensis. s.w. ( <i>g.ye.</i> ) Montpellier.	Montpelier.	_____	4. 5.	H. h.	_____ t. 30.
100	pátens. s.w. ( <i>g.ye.</i> ) spreading.	_____	_____	5. 8.	H. h.	_____ t. 39.
101	Willdenowiana. s.w. ( <i>g.ye.</i> ) Willdenow's.	_____	_____	4. 8.	H. h.	_____ t. 41.
102	crispa. s.w. ( <i>g.st.</i> ) curled.	_____	_____	3.	H. h.	_____ t. 42.
103	nitens. s.w. ( <i>g.ye.</i> ) glossy.	Scotland.	_____	4. 5.	H. h.	_____ t. 44.
104	Borrieriana. s.w. ( <i>g.st.</i> ) Borrer's.	_____	_____	4.	H. h.	_____ t. 45.
105	Davalliana. s.w. ( <i>br.st.</i> ) Davall's.	_____	_____	_____	H. h.	_____ t. 47.
106	petiolaris. E.B. ( <i>br.st.</i> ) dark long-leaved.	N. America.	_____	4.	H. h.	Eng. bot. v. 16. t. 1147.
107	pátula. s.s. ( <i>g.ye.</i> ) spreading.	Italy.	1818.	_____	H. h.	_____
108	oleifolia. E.B. ( <i>g.ye.</i> ) Olive-leaved.	Britain.	_____	3.	H. 5.	Eng. bot. v. 20. t. 1402.
109	cándida. s.s. ( <i>r.st.</i> ) hoary.	N. America.	1811.	2. 3.	H. h.	Salic. woburn. t. 91.
110	discolor. s.w. ( <i>g.ye.</i> ) brown-branched.	_____	_____	_____	H. h.	Ann. bot. 2. t. 5. f. 1.
111	arenaria. E.B. ( <i>g.ye.</i> ) sand.	Scotland.	_____	5.	H. h.	Eng. bot. v. 26. t. 1809.
112	repens. E.B. ( <i>br.ye.</i> ) creeping.	Britain.	_____	5.	H. h.	_____ v. 3. t. 183.
113	incubacea. w. ( <i>bh.ye.</i> ) trailing.	_____	1775.	_____	H. h.	Salic. woburn. t. 79.
114	rosmarinifolia. E.B. ( <i>g.ye.</i> ) Rosemary-leaved.	_____	_____	4. 5.	H. h.	Eng. bot. v. 19. t. 1365.
115	Arbúscula. E.B. ( <i>g.ye.</i> ) little tree.	Scotland.	_____	4.	H. h.	_____ v. 19. t. 1366.
116	fúscula. E.B. ( <i>g.st.</i> ) brown.	Britain.	_____	5.	H. h.	_____ v. 28. t. 1960.
117	parvifolia. E.B. ( <i>g.ye.</i> ) small-leaved.	England.	_____	4. 5.	H. h.	_____ v. 28. t. 1961.
118	adscéndens. E.B. ( <i>g.ye.</i> ) ascending.	_____	_____	5.	H. h.	_____ v. 28. t. 1962.
119	prostrata. E.B. ( <i>g.ye.</i> ) prostrate.	Britain.	_____	5.	H. h.	_____ v. 28. t. 1959.
120	canescens. W.en. ( <i>g.ye.</i> ) canescent.	Germany.	1815.	4. 5.	H. h.	_____
121	leucophylla. W.en. ( <i>g.ye.</i> ) white-leaved.	_____	_____	_____	H. h.	_____
122	elaagnoides. L.en. ( <i>g.ye.</i> ) Elæagnus-like.	Switzerland.	1823.	4. 8.	H. h.	Salic. woburn. t. 69.
123	argentea. E.B. ( <i>g.ye.</i> ) silky sand.	Britain.	_____	5.	H. h.	Eng. bot. v. 19. t. 1364.
124	procumbens. s.w. ( <i>g.ye.</i> ) procumbent.	Scotland.	_____	_____	H. h.	Salic. woburn. t. 61.
125	ramifúscula. s.w. ( <i>g.ye.</i> ) brown branched.	Britain.	_____	4. 7.	H. h.	_____ t. 53.
126	floribúnda. s.w. ( <i>g.ye.</i> ) many flowered.	_____	_____	_____	H. h.	_____ t. 54.
127	versifolia. s.s. ( <i>g.ye.</i> ) various-leaved.	N. Europe.	1824.	5.	H. h.	_____
128	prunifolia. E.B. ( <i>g.ye.</i> ) Plum-leaved.	Scotland.	_____	4. 5.	H. h.	Eng. bot. v. 19. t. 1361.
129	Dicksoniana. E.B. ( <i>g.ye.</i> ) Dickson's.	_____	_____	5.	H. h.	_____ v. 20. t. 1390.
130	humilis. W.en. ( <i>g.ye.</i> ) humble.	_____	1824.	_____	H. h.	_____
131	formosa. w. ( <i>g.ye.</i> ) handsome.	Switzerland.	1820.	_____	H. h.	_____
132	myrsinites. E.B. ( <i>g.ye.</i> ) Whortle-leaved.	Scotland.	_____	4. 6.	H. h.	Eng. bot. v. 19. t. 1360.
133	venulosa. E.B. ( <i>g.ye.</i> ) veiny-leaved.	_____	_____	4. 5.	H. h.	_____ v. 19. t. 1362.
134	vacciniifolia. E.B. ( <i>g.ye.</i> ) Bilberry-leaved.	_____	_____	_____	H. h.	_____ v. 33. t. 2341.
135	carinata. E.B. ( <i>g.ye.</i> ) folded-leaved.	_____	_____	_____	H. h.	_____ v. 19. t. 1363.
136	arbutifolia. w. ( <i>g.ye.</i> ) Arbutus-leaved.	Switzerland.	1818.	_____	H. h.	_____
137	rupéstris. E.B. ( <i>g.ye.</i> ) rock.	Scotland.	_____	4.	H. h.	Eng. bot. v. 33. t. 2342.
138	lappònum. w. ( <i>g.ye.</i> ) Lapland.	Lapland.	_____	_____	H. h.	Salic. woburn. t. 73.
139	helvética. Vil. ( <i>g.ye.</i> ) Swiss.	Switzerland.	1824.	4. 8.	H. h.	_____
140	leucophylla. w. ( <i>g.ye.</i> ) white-leaved.	_____	_____	_____	H. h.	_____
141	lívida. s.s. ( <i>g.ye.</i> ) livid.	Lapland.	_____	4.	H. h.	_____
142	polaris. s.s. ( <i>g.ye.</i> ) polar.	_____	_____	4. 7.	H. h.	Salic. woburn. t. 63.
143	longifolia. s.s. ( <i>g.ye.</i> ) long-leaved.	N. America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 6.
144	gláuca. E.B. ( <i>g.ye.</i> ) glaucous.	Scotland.	_____	5.	H. h.	Eng. bot. v. 26. t. 1810.
145	sericea. w. ( <i>wh.ye.</i> ) silky.	Alps Europe.	1816.	_____	H. h.	Salic. woburn. t. 74.
146	Stuartiana. E.B. ( <i>w.ye.</i> ) Stuart's.	Scotland.	_____	7. 8.	H. h.	Eng. bot. v. 36. t. 2586.
147	reticulata. E.B. ( <i>re.</i> ) wrinkled.	Britain.	_____	6. 7.	H. h.	_____ v. 27. t. 1908.
148	hírta. E.B. ( <i>g.ye.</i> ) hairy-branched.	England.	_____	4. 5.	H. 5.	_____ v. 20. t. 1404.
149	Croweana. E.B. ( <i>g.ye.</i> ) Crowe's.	_____	_____	_____	H. h.	_____ v. 16. t. 1146.
150	fagifolia. w. ( <i>g.ye.</i> ) Beech-leaved.	Hungary.	1819.	_____	H. h.	_____
151	cordifolia. Ph. ( <i>g.ye.</i> ) heart-shaped.	N. America.	1811.	_____	H. h.	Salic. woburn. f. 143.
152	planifolia. Ph. ( <i>g.ye.</i> ) flat-leaved.	Labrador.	_____	_____	H. h.	_____
153	falcata. Ph. ( <i>g.ye.</i> ) sickle-leaved.	N. America.	_____	_____	H. h.	Salic. woburn. f. 148.
154	tetrápala. L.en. ( <i>g.ye.</i> ) elegant.	Scotland.	1824.	4.	H. h.	_____ t. 49.

155 obtusa. L.en. ( <i>g.ye.</i> ) blunt-leaved.	Switzerland.	1820.	4.	H. h.	
156 eriántha. L.en. ( <i>g.ye.</i> ) woolly-flowered.	_____	_____	_____	H. h.	
157 cæsia. Vill. ( <i>g.ye.</i> ) cæsius.	N. Europe.	_____	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
158 ulmifolia. W.en. ( <i>g.ye.</i> ) Elm-leaved.	Switzerland.	_____	4.	H. h.	
159 foliosa. w. ( <i>g.ye.</i> ) leafy.	Lapland.	1818.	_____	H. h.	
160 obtusifolia. w. ( <i>g.ye.</i> ) obtuse-leaved.	_____	_____	_____	H. h.	
161 atrovirens. s.w. ( <i>g.ye.</i> ) dark-green.	Switzerland.	1824.	_____	H. h.	Salic. woburn. t. 108.
162 australis. s.w. ( <i>g.ye.</i> ) southern.	_____	_____	5.	H. h.	_____ t. 103.
163 carpiniifolia. s.w. ( <i>g.ye.</i> ) Hornbeam-leaved.	Germany.	_____	3. 4.	H. h.	
164 cydoniifolia. Sch. ( <i>g.ye.</i> ) Cydonia-leaved.	Switzerland.	_____	_____	H. h.	
165 subalpina. s.w. ( <i>g.ye.</i> ) subalpine.	_____	_____	4. 5.	H. h.	Salic. woburn. t. 93.
166 proteæfolia. s.w. ( <i>g.ye.</i> ) Protea-leaved.	_____	1820.	_____	H. h.	_____ t. 75.
167 strépida. s.w. ( <i>g.ye.</i> ) creaking.	_____	_____	3. 4.	H. h.	_____ t. 100.
168 pyrenæica. s.s. ( <i>g.ye.</i> ) Pyrenean.	Pyrenees.	1823.	4.	H. h.	
169 Jacquiniana. w. ( <i>g.ye.</i> ) Jacquin's.	Austria.	1818.	_____	H. h.	Jacq. aust. t. 409.
<i>fusca</i> , Jacquin. <i>nec aliorum.</i>					
170 Schraderianum. w. ( <i>g.ye.</i> ) Schrader's.	Germany.	1820.	_____	H. h.	
171 finnarchica. w. ( <i>g.ye.</i> ) Swedish.	Sweden.	1825.	4. 5.	H. h.	
172 serrulata. w. ( <i>g.ye.</i> ) serrulate.	Lapland.	1822.	_____	H. h.	
173 versicolor. s.w. ( <i>g.ye.</i> ) various-coloured.	Switzerland.	_____	5.	H. h.	Salic. woburn. t. 77.
174 Doniana. E.F. ( <i>br.ye.</i> ) Mr. Don's.	Scotland.	....	4. 5.	H. h.	_____ t. 88.
175 linearis. s.w. ( <i>br.st.</i> ) linear-leaved.	Switzerland.	1820.	_____	H. h.	_____ t. 89.
176 villosa. s.w. ( <i>g.ye.</i> ) villous.	.....	....	_____	H. h.	_____ t. 92.
177 reflexa. s.w. ( <i>g.ye.</i> ) reflexed.	.....	....	3.	H. h.	_____ t. 94.
178 petræa. s.w. ( <i>g.ye.</i> ) rock-side.	Britain.	....	4.	H. h.	_____ t. 97.
179 grisonensis. s.w. ( <i>g.ye.</i> ) Grisons.	Grisons.	1820.	3. 4.	H. h.	_____ t. 99.
180 sordida. s.w. ( <i>br.st.</i> ) sordid.	Switzerland.	_____	4.	H. h.	_____ t. 101.
181 glabrata. Sch. ( <i>g.ye.</i> ) smooth.	_____	1823.	4. 5.	H. h.	
182 decumbens. s.w. ( <i>g.ye.</i> ) decumbent.	_____	_____	5.	H. h.	Salic. woburn. t. 88.
183 heterophylla. Deb. ( <i>g.ye.</i> ) different-leaved.	.....	_____	_____	H. h.	
184 murina. Sch. ( <i>g.ye.</i> ) wall.	Switzerland.	1824.	3. 4.	H. h.	
185 nervosa. Sch. ( <i>g.ye.</i> ) nervous.	_____	_____	_____	H. h.	
186 pannosa. s.w. ( <i>g.ye.</i> ) cloth-leaved.	_____	_____	4. 5.	H. h.	Salic. woburn. t. 123.
187 pallescens. Sch. ( <i>g.st.</i> ) pallid.	_____	_____	_____	H. h.	
188 pallida. s.w. ( <i>g.ye.</i> ) pale.	_____	_____	5.	H. h.	Salic. woburn. t. 96.
189 alaternoides. s.w. ( <i>g.ye.</i> ) Alaternus-like.	_____	1823.	4. 5.	H. h.	_____ t. 76.
190 albescens. Sch. ( <i>g.st.</i> ) whitish.	_____	_____	_____	H. h.	
191 rivularis. s.w. ( <i>g.ye.</i> ) rivulet.	_____	1824.	5.	H. h.	Salic. woburn. t. 102.
192 rotundata. s.w. ( <i>g.ye.</i> ) rounded-leaved.	_____	_____	4. 5.	H. h.	_____ t. 104.
193 dura. s.w. ( <i>g.ye.</i> ) hardy.	_____	_____	_____	H. 5.	_____ t. 105.
194 firma. s.w. ( <i>g.ye.</i> ) firm.	_____	_____	3. 4.	H. h.	_____ t. 106.
195 Ansoniana. s.w. ( <i>g.ye.</i> ) Anson's.	_____	_____	_____	H. h.	_____ t. 107.
196 coriacea. s.w. ( <i>g.ye.</i> ) leathery.	_____	1822.	3.	H. h.	_____ t. 112.
197 crassifolia. s.w. ( <i>g.ye.</i> ) thick-leaved.	.....	....	4. 5.	H. h.	_____ t. 115.
198 vaudensis. s.w. ( <i>g.ye.</i> ) Vaudois.	Switzerland.	1824.	3. 4.	H. h.	_____ t. 117.
199 latifolia. s.w. ( <i>g.ye.</i> ) broad-leaved.	_____	_____	3.	H. h.	_____ t. 118.
200 ferruginea. s.w. ( <i>br.st.</i> ) ferruginous.	Britain.	....	4.	H. h.	_____ t. 128.
201 geminata. s.w. ( <i>g.ye.</i> ) twin-flowered.	_____	_____	3.	H. h.	_____ t. 129.
202 macrostipulacea. s.w. ( <i>g.y.</i> ) large-stipul'd.	Switzerland.	1822.	4. 5.	H. 5.	_____ t. 130.
203 Michelliana. s.w. ( <i>g.ye.</i> ) Michel's.	_____	_____	4.	H. 5.	_____ t. 135.
204 atropurpurea. s.w. ( <i>g.ye.</i> ) dark-purple.	_____	1824.	_____	H. h.	
205 damascena. s.w. ( <i>g.ye.</i> ) Damask.	_____	_____	3. 4.	H. h.	
206 mutabilis. s.w. ( <i>g.ye.</i> ) changeable.	_____	_____	_____	H. h.	
207 cerasifolia. Sch. ( <i>g.ye.</i> ) Cherry-leaved.	_____	_____	4.	H. h.	
208 cinnamomea. Sch. ( <i>g.ye.</i> ) Cinnamon-scented.	_____	_____	4. 5.	H. h.	
209 clethræfolia. Sch. ( <i>g.ye.</i> ) Clethra-leaved.	_____	_____	_____	H. h.	
210 grisophylla. s.w. ( <i>g.ye.</i> ) gray-leaved.	_____	_____	4.	H. h.	Salic. woburn. t. 119.
211 lacustris. s.w. ( <i>g.ye.</i> ) lake.	_____	_____	3.	H. h.	_____ t. 116.
212 mespilifolia. Sch. ( <i>g.ye.</i> ) Mespilus-leaved.	_____	_____	4. 5.	H. h.	
213 obtuseserrata. Sch. ( <i>g.ye.</i> ) bluntly-sawed.	_____	_____	_____	H. h.	
214 pyrifolia. Sch. ( <i>g.ye.</i> ) Pear-leaved.	_____	_____	_____	H. h.	
215 Schleicheriana. s.w. ( <i>g.ye.</i> ) Schleicher's.	_____	_____	_____	H. h.	Salic. woburn. t. 98.
216 velutina. W.en. ( <i>g.ye.</i> ) velvety.	.....	1826.	3. 4.	H. h.	
217 Starkeana. w. ( <i>g.ye.</i> ) Starke's.	Silesia.	1820.	4. 5.	H. h.	
POPULUS. L. POPLAR. Diœcia Octandria. L.					
1 álba. E.B. ( <i>fl.</i> ) Abele-tree.	Britain.	....	3. 4.	H. 5.	Eng. bot. v. 23. t. 1618.
2 canescens. E.B. ( <i>fl.</i> ) gray.	England.	....	_____	H. 5.	_____ v. 23. t. 1619.
3 nivea. w. ( <i>fl.</i> ) snowy.	Europe.	....	_____	H. 5.	
4 trépida. w. ( <i>fl.</i> ) trembling.	N. America.	1812.	_____	H. 5.	Mich. arb. 3. t. 8. f. 1.

5	trémula. w.	(fl.) Aspen.	Britain.	....	3. 4.	H.5.	Eng. bot. v. 27. t. 1909.
6	lævigata. w.	(fl.) smooth.	N. America.	1769.	—	H.5.	Mich. arb. 3. t. 11.
7	tremuloïdes. m.	(fl.) trembling-like.	—	1811.	—	H.5.	Duham. arb. 2. t. 53.
8	græca. w.	(fl.) Athenian.	Archipelago.	1779.	—	H.5.	— 184. t. 54.
9	nigra. w.	(fl.) black.	Britain.	....	—	H.5.	Eng. bot. v. 27. t. 1910.
10	acladésca. Lind.	(re.) black Italian.	N. America.	....	5.	H.5.	—
11	hudsònica. m. betulifolia. Ph.	(fl.) American black.	—	....	—	H.5.	Mich. arb. 3. t. 10. f. 1.
12	dilatata. w.	(sc.) Lombardy.	Italy.	1758.	—	H.5.	—
13	viminea. Df.	(fl.) slender-twigged.	N. America.	1824.	4. 5.	H.5.	—
14	monilifera. w.	(fl.) Canadian.	Canada.	1772.	3. 5.	H.5.	Wats. dend. brit. t. 102.
15	angulata. w.	(fl.) Carolina.	Carolina.	1738.	3.	H.5.	Mich. arb. 3. t. 12.
16	grandidentata. m. β péndula. n.	(fl.) large-toothed. (fl.) weeping.	N. America.	1812. 1820.	4. —	H.5. H.5.	—
17	balsamifera. w.	(gr.) Tacamahac.	—	1692.	—	H.5.	Mich. arb. 3. t. 13. f. 1.
18	candicans. w.	(gr.) heart-leaved.	—	1772.	3.	H.5.	Catesb. car. 1. t. 34.
19	heterophylla. w.	(gr.) various-leaved.	—	1765.	4. 5.	H.5.	Mich. arb. 3. t. 9.
20	laurifolia. Led.	(fl.) Laurel-leaved.	Altay.	1827.	....	H.5.	—

## ORDO CLXXXVIII.

## PLATANEÆ.

PLATANUS. W.	PLANE-TREE.	Monœcia Polyandria. L.				
1 orientalis. w.	(gr.) oriental.	Levant.	1548.	4. 5.	H.5.	Wats. dend. brit. t. 101.
2 cuneata. w.	(gr.) wave-leaved.	—	1739.	—	H.5.	—
3 acrifolia. w.	(gr.) Maple-leaved.	—	1724.	....	H.5.	—
4 occidentalis. w.	(gr.) American.	N. America.	1640.	—	H.5.	Wats. dend. brit. t. 100.
5 mexicana. w.	(gr.) Mexican.	Mexico.	1826.	....	F.5.	—
LIQUIDAMBAR. W.	SWEET-GUM-TREE.	Monœcia Polyandria. L.				
1 Styraciflua. w.	(gr.wh.) Maple-leaved.	N. America.	1683.	3. 4.	H.5.	Catesb. car. 2. t. 65.
2 imberbe. w.	(gr.wh.) oriental.	Levant.	1759.	....	H.5.	—

## ORDO CLXXXIX.

MYRICEÆ. *Kth. synopsis. 1. p. 361.*

COMPTONIA. W.	COMPTONIA.	Monœcia Triandria. W.				
aspleniifolia. w.	(br.) Fern-leaved.	N. America.	1714.	3. 5.	H. h.	Wats. dend. brit. t. 166.
MYRICA. W.	CANDLEBERRY-MYRTLE.	Diœcia Tetrandria. L.				
1 Gale. w.	(br.) Sweet Gale.	Britain.	....	5.	H. h.	Eng. bot. v. 8. t. 562.
2 cerifera. w.	(br.) common.	N. America.	1699.	5. 6.	H. h.	Catesb. car. 1. t. 69.
3 carolinensis. Ph.	(br.) broad-leaved.	—	1730.	5.	H. h.	— 1. t. 13.
4 pensylvanica. Ph.	(br.) Pennsylvanian.	—	....	—	H. h.	Duham. arb. ed. n. 2. t. 55.
5 Faya. w.	(br.) Azorian.	Azores.	1777.	6. 7.	F. h.	— 2. t. 56.
6 mexicana. W. en.	(br.) Mexican.	Mexico.	1821.	6. 8.	G. h.	—
7 esculenta. D.P.	(br.) eatable.	Nepaul.	—	....	G. h.	—
8 segregata. w.	(br.) netted-leaved.	S. America.	—	....	G. h.	Jacq. ic. 3. t. 625.
9 aethiopica. w.	(br.) African.	C. B. S.	1795.	6. 7.	G. h.	Pluk. alm. t. 48. f. 8.
10 serrata. w.	(br.) saw-leaved.	—	1793.	8.	G. h.	Burm. afr. t. 98. f. 1.
11 laciniata. W. en.	(br.) smooth Oak-ld.	—	1752.	6. 7.	G. h.	Jacq. frag. 2. t. 1. f. 4.
12 quercifolia. W. en.	(br.) hairy Oak-leav'd.	—	—	—	G. h.	—
13 cordifolia. w.	(br.) heart-leaved.	—	1759.	5. 7.	G. h.	Pluk. alm. t. 319. f. 7.
14 integrifolia. H.B.	(br.) entire-leaved.	E. Indies.	1824.	....	S. h.	—
NAGEIA. W.	NAGEIA.	Diœcia Tetrandria.				
1 japónica. w.	(gr.) Japan.	Japan.	1812.	2. 4.	G. h.	—
	<i>Buxus dioica.</i> Hort.	<i>Myrica Nâgi.</i> Thunb.	—	—	—	—
2 Putranjiva. H.B.	(gr.) grey-barked.	E. Indies.	1822.	—	S. h.	—
CASUARINA. W.	SHRUBBY HORSETAIL.	Monœcia Monandria. W.				
1 equisetifolia. w.	(br.re.) Horse-tail-leav'd.	S. Sea Island.	1793.	....	S. h.	Rumph. amb. 3. t. 57.
2 nodiflora. w.	(br.re.) knotted-flower'd.	—	1818.	....	S. h.	—

3	glauca. s.s.	(br.re.) glaucous.	N. S. W.	1818.	11. 4.	G. h.	
4	paludosa. s.s.	(br.re.) marsh.	————	1822.	————	G. h.	
5	stricta. w.	(br.re.) upright.	————	1775.	11. 2.	G. h.	Andr. reposit. t. 346.
6	distyla. w.	(br.re.) two-styled.	————	1812.	————	G. h.	Vent. dec. pl. nov. t. 62.
7	quadriſſis. P.s.	(br.re.) four-valved.	N. Holland.	————	————	G. h.	Lab. nov. hol. 2. t. 218.
8	torulosa. w.	(br.re.) cork-barked.	N. S. W.	1772.	4. 6.	G. h.	
9	muricata. L.en.	(br.re.) muricate.	E. Indies.	1816.	....	S. h.	
10	tenuissima. s.s.	(br.re.) slender.	N. S. W.	1824.	4. 6.	G. h.	
11	nana. s.s.	(br.re.) dwarf.	————	————	————	G. h.	

## ORDO CXC.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS. W.		WITCH-HAZEL. Tetrandria Digynia. L.					
1	virginica. w.	(ye.) Virginian.	N. America.	1736.	11. 5.	H. h.	Lodd. bot. cab. t. 598.
2	macrophylla. Ph.	(ye.) large-leaved.	————	1812.	————	H. h.	
FOTHERGILLA. W.		FOTHERG'LLA. Polyandria Digynia. L.					
1	alnifolia. w.	(wh.) obtuse-leaved.	N. America.	1765.	4. 6.	H. h.	Bot. mag. t. 1341.
2	major. B.M.	(wh.) large-leaved.	————	————	5. 6.	H. h.	———— t. 1342.
3	Gardèni. Jacq.	(wh.) acute-leaved.	————	————	————	H. h.	Jacq. ic. 1. t. 100.
4	serotina. B.M.	(wh.) green-leaved.	————	————	————	H. h.	

## ORDO CXCI.

CONIFERÆ. *Juss. gen. 411.*SUBORDO I. TAXINÆ. *Richard.*

SALISBURIA. R.		MAIDENHAIR-TREE. Monœcia Polyandria. H.K.					
	adiantifolia. L.T.(g.st.)	Japan.	Japan.	1754.	4. 5.	H. 5.	Wats. dend. brit. t. 168.
	<i>Gingko biloba.</i> L.						
PHYLLOCLADUS. R.		PHYLLOCLADUS. Monœcia Monadelphia.					
	rhomboidalis. R.	(ye.) Fern-leaved.	V. Diem. Isl.	1825.	.....	G. h.	Rich. conf. pl. 3.
	<i>Podocarpus asplenifolia.</i> Labill.	nov. holl. 2. t. 221.					
PODOCARPUS. L'H.		PODOCARPUS. Monœcia Monadelphia.					
1	Chilinus. R.	(ye.) sharp-leaved.	C. B. S.	1774.	7.	G. h.	Rich. conf. pl. 1. f. 1.
2	elongatus. R.	(ye.) Chinese.	China.	————	5. 7.	H. h.	———— pl. 1. f. 2.
	<i>Taxus chinensis.</i> H.B.						
3	coriaceus. R.	(ye.) leathery-leaved.	————	1824.	————	G. h.	Rich. conf. pl. 1. f. 3.
4	verticillatus. R.	(ye.) whorl-leaved.	Japan.	1812.	....	G. h.	
5	macrophyllus. L.en.	(ye.) large-leaved.	China.	1804.	7. 8.	G. h.	Kæmpf. ic. t. 24.
6	nerifolius. L.P.	(ye.) Wax-Dammar.	P. Wales Isl.	1809.	....	S. h.	Rumph. amb. 3. t. 26.
TAXUS. W.		YEW-TREE. Dicaia Monadelphia. L.					
1	baccata. w.	(ye.) common.	Britain.	....	2. 4.	H. 5.	Eng. bot. v. 11. t. 746.
2	hibernica. R.	(ye.) Irish.	Ireland.	....	————	H. h.	
3	canadensis. w.	(ye.) Canadian.	Canada.	1818.	————	H. 5.	
4	nucifera. w.	(ye.) Acorn-bearing.	China.	1764.	....	G. h.	Kæmpf. amœn. t. 815.
DACRYDIUM. L.P.		DACRYDIUM. Monœcia Monadelphia.					
	compressum. L.P.(ye.)	N. Zealand spruce.	N. Zealand.	1825.	....	G. h.	Lamb. pin. v. 1. t. 41.
	<i>Thalamia compressa.</i> s.s.						

SUBORDO II. CUPRESSINÆ. *Richard.*

CALLITRIS. R.		CALLITRIS. Monœcia Monadelphia.					
1	quadriſſis. R.	(ye.) jointed.	Barbary.	1815.	2. 5.	F. h.	Rich. conf. pl. 8. f. 1.
	<i>Thuja articulata.</i> Vahl.	ymb. 2. t. 48.					
2	arenosa. R.	(ye.) sand.	N. Holland.	1824.	....	F. h.	
3	pyramidalis. R.	(ye.) pyramidal.	————	————	....	F. h.	

4 austrâlis.	(ye.) southern.	N. S. W.	....	4. 5.	F. ½.	
<i>Cuprëssus austrâlis.</i> P.S.						
5 oblonga. R.	(ye.) oblong-scaled.	————	1822.	—	G. ½.	Rich. conf. pl. 18. f. 2.
6 rhomboïdea. R.	(ye.) rhomboid-scal'd.	N. Holland.	————	—	G. ½.	———— pl. 18. f. 1.
TH'UJA. W.	ARBOR-VITÆ.	Monœcia	Monadelphia.	L.		
1 occidentâlis. w.	(ye.) American.	N. America.	1596.	5.	H. ½.	Wats. dend. brit. t. 150.
2 pyramidâlis. T.P.	(ye.) pyramidal.	.....	1824.	—	H. ½.	
3 orientâlis. w.	(ye.) Chinese.	China.	1752.	2. 3.	H. ½.	Wats. dend. brit. t. 149.
4 plicâta. L.P.	(ye.) Nee's.	Nootka-sound.	1796.	—	H. ½.	Lamb. pin. v. 2. p. 19. t.
5 cupressoides. w.	(ye.) African.	C. B. S.	1799.	....	G. ½.	
6 dolabrâta. w.	(ye.) ovate-leaved.	China.	1822.	—	H. ½.	Lamb. pin. app. t. 1.
7 spheroides. s.s.	(ye.) White Cedar.	N. America.	1736.	4. 5.	H. ½.	Wats. dend. brit. t. 156.
<i>Cuprëssus thyoides.</i> w.						
8 pëndula. L.P.	(ye.) weeping.	Tartary.	1810.	2. 5.	H. ½.	Lamb. pin. v. 2. t. 51.
CUPRE'SSUS. W.	CYPRESS.	Monœcia	Monadelphia.	L.		
1 sempervirens. w.	(ye.) common.	Candia.	1548.	5.	H. ½.	Pall. ros. 2. t. 53.
<i>a stricta.</i> (ye.) upright.		————	————	—	H. ½.	
<i>β horizontâlis.</i> (ye.) horizontal.		————	————	—	H. ½.	
2 torulosa. D.P.	(ye.) twisting.	Nepaul.	1826.	....	H. ½.	
3 lusitânica. w.	(ye.) Cedar of Goa.	Goa.	1683.	4. 5.	F. ½.	Lamb. pin. 95. t. 49.
4 pëndula. Th.	(ye.) pendulous.	Japan.	1818.	....	F. ½.	———— t. 50.
5 bacciförmis. W.en.	(ye.) berry-like.	.....	————	4. 5.	H. ½.	
6 juniperoides. w.	(ye.) African.	C. B. S.	1756.	—	G. ½.	
TAX'ODIUM. Rich.	TAX'ODIUM.	Monœcia	Monadelphia.			
dístichum. Rich.	(ye.) deciduous.	America.	1640.	5.	H. 5.	Mich. arb. 3. t. 1.
<i>Cuprëssus disticha.</i> w. <i>Schubertia.</i> Mirb.						
<i>a patens.</i> H.K. (ye.) spreading.		————	————	—	H. 5.	
<i>β nutans.</i> H.K. (ye.) long-leaved.		————	————	—	H. 5.	
JUNIPERUS. W.	JUNIPER.	Diœcia	Monadelphia.	L.		
1 thurifera. w.	(ye.) Spanish.	S. Europe.	1752.	5. 6.	H. ½.	
2 barbadensis. w.	(ye.) Barbadoes.	Barbadoes.	1811.	—	G. ½.	Pluk. alm. t. 197. f. 4.
3 bermudiâna. w.	(ye.) Bermudas Cedar.	Bermudas.	1683.	—	F. ½.	Herm. lugd. t. 347.
4 chinensis. w.	(ye.) Chinese.	China.	1804.	—	H. ½.	
5 excelsa. w.	(ye.) tall.	Siberia.	1806.	—	H. ½.	
6 Hermânni. s.s.	(ye.) Hermann's.	.....	....	—	H. ½.	
7 Sabina. w.	(ye.) Savin.	S. Europe.	1548.	—	H. ½.	
<i>β variegata.</i> (ye.) variegated.		————	————	—	H. ½.	
8 tamariscifolia.	(ye.) Tamarisk-leav'd.	————	————	—	H. ½.	
9 prostrata. P.S.	(ye.) prostrate.	N. America.	....	—	H. ½.	
10 daurica. A.R.	(ye.) Daurian.	Dauria.	1791.	6. 8.	H. ½.	Andr. reposit. t. 534.
11 virginiana. w.	(ye.) red Cedar.	N. America.	1664.	5. 6.	H. ½.	Mich. arb. 3. t. 5.
12 glauca. W.en.	(ye.) glaucous.	China.	1814.	—	H. ½.	
13 squamata. D.P.	(ye.) scaly-branched.	Nepaul.	1824.	....	H. ½.	
14 recurva. D.P.	(ye.) recurve-branch'd.	————	1822.	5. 6.	H. ½.	
15 communis. w.	(ye.) common.	Britain.	....	—	H. ½.	Eng. bot. v. 16. t. 1100.
16 suecica. Mill.	(ye.) Swedish.	N. Europe.	....	—	H. ½.	
17 nana. w.	(ye.) dwarf.	Siberia.	1815.	—	H. ½.	Pall. ros. 2. t. 54. f.A.B.
<i>sibirica.</i> Burgsd. <i>communis</i> γ. H.K.						
18 hemisphærica. s.s.	(ye.) hemispherical.	Sicily.	1828.	....	H. ½.	
19 oblonga. M.B.	(ye.) oblong.	Armenia.	1829.	....	H. ½.	
20 Oxycedrus. w.	(ye.) brown-berried.	Spain.	1739.	—	H. ½.	Duham. arb. 2. t. 128.
21 phœnicea. w.	(ye.) Phœnician.	S. Europe.	1683.	—	H. ½.	Pall. ros. 2. t. 57.
22 lycia. w.	(ye.) Lycian.	————	1693.	—	H. ½.	———— 2. t. 56.
23 capensis. Lam.	(ye.) Cape.	C. B. S.	1816.	....	G. ½.	
24 drupacea. Lab.	(ye.) drupaceous.	.....	————	....	H. ½.	Lab. pl. syr. 2. t. 8.
EPH'EDRA.	EPH'EDRA.	Diœcia	Monadelphia.	L.		
1 distachya. w.	(st.) great.	France.	1570.	6. 7.	H. ½.	Schk. hand. 3. t. 339.
2 monostachya. w.	(st.) small.	Siberia.	1772.	9. 11.	H. ½.	Wats. dend. brit. t. 142.
3 altissima. w.	(st.) tall.	Barbary.	1823.	....	H. ½.	Desf. atl. 2. t. 253.

## SUBORDO III. ABIETINÆ. Richard.

DA'MMARA. L.P.	DAMMAR PINE.	Monœcia	Monadelphia.	L.en.		
1 austrâlis. L.P.	(ye.) Cowrie-tree.	N. Zealand.	1823.	....	G. ½.	Lamb. pin. 2. p. 14. t. 6.
2 orientâlis. L.P.	(ye.) Amboyna pitch-tree.	Amboyna.	1804.	....	S. ½.	— v.1.t.38.-v.2.p.16.
<i>loranthifolia.</i> L.en. <i>Pinus Dámmara.</i> w. <i>A'gathis loranthifolia.</i> Sal.						
ARAUC'ARIA. J.	ARAUC'ARIA.	Diœcia	Monadelphia.	W.		
1 imbricata. w.	(ye.) Chile Pine.	Chile.	1796.	....	H. 5.	Lamb. pin. 2. p. 9. t. 4. B.

2	brasiliâna. L.P.	(ye.) Brazil Pine.	Brazil.	1816.	....	G.5.	Lamb. pin. 2. p.12. t. 5.
3	excelsa. H.K.	(ye.) Norfolk Island.	Norfolk Isl.	1793.	....	G.5.	———— 1. t. 39. 40.
	<i>Dombeya excelsa.</i> L.P.						
4	Cunninghâmii. (ye.)	Cunningham's.	N. Holland.	1827.	....	G.5.	
	B'ELIS. L.T.	(ye.) B'ELIS.	Monœcia Monadelphia.				
	lanceolata. (ye.)	spear-leaved.	China.	1804.	12. 1.	G. ½.	Lamb. pin. 1. t. 34.
	<i>jaculifolia.</i> L.T.	<i>Pinus lanceolata.</i> L.P.	<i>Cunninghâmia lanceolata.</i>				Bot. mag. t. 2743.
	PINUS. W.	PINE OF FIR.	Monœcia Monadelphia.				
	PINUS.	PINE-TREE.					
1	sylvêstris. w.	(ye.) Scotch.	Scotland.	....	5.	H.5.	Lamb. pin. 1. t. 1.
2	Laricio. P.S.	(ye.) Corsican.	Corsica.	1814.	4. 5.	H.5.	———— v. 2. p. 28. t. 9.
3	uncinata. DC.	(ye.) hooked.	Pyrenees.	1820.	—	H.5.	
4	Pumilio. w.	(ye.) upright-coned.	Carniola.	1779.	—	H.5.	Lamb. pin. p. 5. t. 2.
5	Mûghus. w.	(ye.) nodding-coned.	Austria.	....	—	H.5.	Jacq. ic. 1. t. 193.
6	pûngens. M.	(ye.) prickly-coned.	N. America.	1804.	....	H.5.	Mich. arb. 1. t. 5.
7	Banksiâna. Ph.	(ye.) Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H.5.	Lamb. pin. p. 7. t. 3.
8	Pallasiâna. L.P.	(ye.) Pallas's.	Crimea.	1804.	—	H.5.	———— v. 2. p. 1. t. 1.
9	Pinâster. w.	(ye.) cluster.	S. Europe.	1596.	4. 5.	H.5.	———— v. 1. p. 9. t. 4. 5.
10	Pinæa. w.	(ye.) stone.	—	1548.	5.	H.5.	———— v.1.p.11.t.6.7.8.
11	maritima. w.	(ye.) maritime.	—	1759.	5. 6.	H.5.	———— v. 2. p. 30. t. 10.
12	halepensis. w.	(ye.) Aleppo.	Levant.	1683.	5.	H.5.	———— v. 1. p. 15. t. 11.
13	inops. Ph.	(ye.) Jersey.	N. America.	1739.	—	H.5.	———— v.1. p. 18. t. 13.
14	resinosa. Ph.	(ye.) pitch.	—	1756.	—	H.5.	———— v.1. p. 20. t. 14.
15	variabilis. Ph.	(ye.) 2 and 3-leaved.	—	1739.	5. 6.	H.5.	———— v.1. p. 22. t. 15.
16	canariensis. DC.	(ye.) Canary.	Canaries.	1815.	3. 4.	G.5.	DC. pl. rar. gen. t. 1-2.
17	Tæda. Ph.	(ye.) frankincense.	N. America.	1713.	5. 6.	H. h.	Lam.p.v.1.p.23.t.16.17.
18	lûtea. Walt.	(ye.) yellow.	—	....	....	H.5.	
19	serotina. Ph.	(ye.) Fox-tail.	—	1713.	5. 6.	H.5.	Mich. arb. 1. t. 7.
20	rîgida. Ph.	(ye.) three-leaved.	—	1759.	—	H.5.	Lamb.pin.p.25.t.18.19.
21	ponderosa. D.	(ye.) ponderous.	—	1827.	....	H.5.	
22	palûstris. Ph.	(ye.) swamp.	—	1730.	....	H.5.	Lamb. p. 27. t. 20.
23	longifolia. w.	(ye.) long-leaved.	E. Indies.	1801.	....	S.5.	———— p. 29. t. 21.
24	Gerârdi. Wal.	(ye.) Gerard's.	Nepal.	1824.	....	H.5.	
25	occidentalis. w.	(ye.) West Indian.	W. Indies.	1820.	....	S. h.	Plum. sp. 17. t. 161.
26	adunca. Bosc.	(ye.) crooked.	.....	1822.	....	H.5.	
27	romana. H. Bel.	(ye.) Roman.	Italy.	—	....	H.5.	
28	sibirica. Dut.	(ye.) Siberian.	Siberia.	—	....	H.5.	
	STRÔBUS.	WEYMOUTH PINE.					
29	Cembra. w.	(ye.) Siberian stone.	Siberia.	1746.	5.	H.5.	Lamb. pin.p.34.t.23.24.
30	pygmæa. F.	(ye.) pigmy.	—	1816.	....	H. ½.	
31	Strôbus. w.	(ye.) Weymouth.	N. America.	1705.	4.	H.5.	Lamb. pin. p. 31. t. 22.
32	Lambertiâna.L.P.	(ye.) Lambert's.	California.	1827.	....	H.5.	———— pin. c. icon.
33	excelsa. D.P.	(ye.) Bhotan.	Nepaul.	1822.	....	H.5.	———— v. 2. p. 5. t. 3.
	C'EDRUS.	CEDAR.					
34	Cedrus. w.	(ye.) Cedar of Lebanon.	Levant.	1683.	5.	H.5.	Lamb. pin.v.1.p.59.t.37
35	Deodâra. L.P.	(ye.) Indian Cedar.	Nepaul.	1822.	....	H.5.	———— v. 2. p. 8. t. 4.
	L'ARIX.	LARCH.					
36	péndula. w.	(ye.re.) black Larch.	N. America.	1739.	5.	H.5.	Lamb. pin.v.1.p.56.t.36
37	microcarpa. w.	(ye.re.) red Larch.	—	1760.	—	H.5.	———— p. 58. t. 37.
38	Lârix. w.	(ye.re.) common Larch.	Germany.	1629.	3. 4.	H.5.	———— p. 53. t. 35.
39	dahûrica. F.	(ye.re.) Dahurian.	Dahuria.	1827.	....	H.5.	
40	intermedia. F.	(ye.re.) intermediate.	Altay.	1828.	....	H.5.	
	PE'UCE.	SILVER FIR.					
41	canadensis. w.	(ye.) hemlock Spruce.	N. America.	1736.	5.	H.5.	Lamb. pin. p. 50. t. 32.
42	dumosa. D.P.	(ye.) bushy.	Nepaul.	1820.	....	H.5.	
43	taxifolia. Ph.	(ye.) Yew-leaved.	Columbia.	1822.	....	H.5.	Lamb. pin.v.1.p.51.t.33
44	spectabilis. D.P.	(ye.) purple-coned.	Nepaul.	1825.	....	H.5.	———— v. 2. p. 3. t. 2.
45	Picea. w.	(ye.) Silver-Fir.	Germany.	1603.	5.	H.5.	———— 1. p. 36. t. 40.
46	Pichta. F.	(ye.) Fischer's.	Altay.	1824.	....	H. ½.	
47	Douglâsii. D.	(ye.) Douglas's.	N. America.	1827.	....	H.5.	
48	Balsamea. w.	(ye.) Balm of Gilead.	—	1696.	5.	H.5.	Lamb.pin.v.1.p.48.t.31
49	Frasëri. Ph.	(ye.) double Balsam.	Pensylvania.	1811.	....	H.5.	
	ABIES.	SPRUCE FIR.					
50	nigra. Ph.	(ye.) black Spruce.	N. America.	1700.	5.	H.5.	Lamb. pin.v.1.p.41.t.27
51	rûbra. Ph.	(ye.) red Spruce.	—	1755.	—	H.5.	———— v. 1. p. 43. t. 28.
52	Clanbrassiliâna.L.en.	(ye.) dwarf.	—	1810.	....	H. ½.	
53	alba. Ph.	(ye.) white Spruce.	—	1700.	5. 6.	H.5.	Lamb. pin.v.1.p.39.t.26
54	'Abies. w.	(ye.) Norway Spruce.	N. Europe.	1548.	4.	H.5.	———— v. 1. p. 37. t. 25.
55	orientalis. w.	(ye.) oriental.	Levant.	1824.	....	H.5.	———— v. 1. p. 45. t. 29.

## CLASSIS II.

# MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

\* *SUBCLASSIS 1. PHANEROGANEÆ. DC.*

## ORDO CXCII.

*CYCADEÆ. Brown prodr. 346.*

<p>Z'AMIA. W.</p> <p>1 púngens. w. (br.)</p> <p>2 cycadifolia. w. (br.)</p> <p>3 tridentata. w. (br.)</p> <p>4 angustifolia. Jac. (br.)</p> <p>5 tenuis. w. (br.)</p> <p>6 media. w. (br.)</p> <p>7 debilis. w. (br.)</p> <p>8 integrifolia. w. (br.)</p> <p>9 pygmæa. B.M. (g.br.)</p> <p>10 furfuracea. w. (br.)</p> <p>11 spiralis. B.P. (br.)</p> <p>12 longifolia. w. (br.)</p> <p>13 lanuginosa. w. (br.)</p> <p>14 Cycadis. w. (br.)</p> <p>15 horrida. w. (br.)</p> <p>16 latifolia. L.C. (br.)</p> <p>17 prunifera. L.C. (br.)</p> <p>18 pumila. L.C. (ye.)</p> <p>19 repanda. L.C. (br.)</p> <p>C'YCAS. W.</p> <p>1 circinalis. w. (br.)</p> <p>2 glauca. L.en. (br.)</p> <p>3 revoluta. w. (br.)</p> <p>4 squamosa. L.C. (br.)</p>	<p>Z'AMIA. Diœcia Polyandria. W.</p> <p>needle. C. B. S. 1775.</p> <p>Cycas-leaved. ———— ————</p> <p>three-toothed. ———— 1820.</p> <p>narrow-leaved. Bahama Isl. ....</p> <p>slender-leaved. ———— 1823.</p> <p>intermediate. W. Indies. ....</p> <p>weak. ———— 1777.</p> <p>dwarf. ———— 1768.</p> <p>least. ———— ....</p> <p>chaffy. ———— 1691.</p> <p>spiral. N. S. W. 1796.</p> <p>long-leaved. C. B. S. 1820.</p> <p>woolly. ———— ....</p> <p>Cycas-like. ———— 1775.</p> <p>glaucous spiny. ———— 1800.</p> <p>broad-leaved. ....</p> <p>Plum-like. ....</p> <p>small. .... 1812.</p> <p>repand. ....</p> <p>C'YCAS. Diœcia Polyandria. W.</p> <p>broad-leaved. E. Indies. 1700.</p> <p>glaucous-leaved. ———— 1814.</p> <p>narrow-leaved. China. 1737.</p> <p>scaly. ....</p>	<p>6. 8. G. ½.</p> <p>———— G. ½.</p> <p>———— G. ½.</p> <p>———— S. ½.</p> <p>———— S. ½.</p> <p>———— S. ½.</p> <p>———— S. ½.</p> <p>———— S. ½.</p> <p>5. S. ¼.</p> <p>7. 8. S. ½.</p> <p>———— G. ¼.</p> <p>6. 7. G. ½.</p> <p>———— G. ½.</p> <p>5. 6. G. ½.</p> <p>6. 8. G. ½.</p> <p>———— G. ½.</p> <p>———— S. ½.</p> <p>———— S. ¼.</p> <p>———— S. ½.</p> <p>5. 6. S. ½.</p> <p>.... S. ½.</p> <p>7. 8. S. ½.</p> <p>.... S. ½.</p>	<p>Till. pis. 129. t. 45.</p> <p>Jacq. frag. 1. t. 25. 26.</p> <p>Jacq. ic. 3. t. 636.</p> <p>Bot. mag. t. 1838.</p> <p>Comm. hort. 1. t. 58.</p> <p>Bot. mag. t. 1851.</p> <p>———— t. 1741.</p> <p>Trew. chret. t. 61.</p> <p>Jacq. frag. 1. t. 29.</p> <p>———— 1. t. 30. 31.</p> <p>Thunb. act. ups. 2. t. 6.</p> <p>Jacq. frag. t. 27. 28.</p> <p>Bot. mag. t. 2006.</p> <p>Bot. mag. t. 2826. 2827.</p> <p>.... S. ½.</p> <p>.... S. ½.</p> <p>7. 8. S. ½.</p> <p>.... S. ½.</p> <p>Eng. bot. v. 12. t. 808.</p> <p>Bot. mag. t. 1201.</p> <p>G.w. ¼.</p> <p>Eng. bot. v. 6. t. 379.</p>
---	---	--	--

## ORDO CXCIII.

*HYDROCHARIDEÆ. Brown prodr. 344.*

<p>VALLISN'ERIA. L.</p> <p>spiralis. L. (wh.)</p> <p>HYDRO'CHARIS. L.</p> <p>Morsus-ranæ. L. (wh.)</p> <p>DAMAS'ONIUM. W.</p> <p>1 indicum. w. (wh.)</p> <p>2 ovalifolium. B.P. (wh.)</p> <p>STRAT'OTES. W.</p> <p>aloides. w. (wh.)</p>	<p>VALLISN'ERIA. Diœcia Diandria. L.</p> <p>S. Europe. 1818.</p> <p>Diœcia Enneandria. L.</p> <p>Britain. ....</p> <p>DAMAS'ONIUM. Hexandria Polygynia. W.</p> <p>Indian. E. Indies. 1800.</p> <p>oval-leaved. N. S. W. 1820.</p> <p>WATER-SOLDIER. Diœcia Dodecandria. L.</p> <p>Aloe-like. England. ....</p>	<p>.... G.w. ¼.</p> <p>6. 7. H.w. ¼.</p> <p>7. 9. S.w. ¼.</p> <p>———— G.w. ¼.</p> <p>....</p> <p>6. 7. H.w. ¼.</p>	<p>Mich.n.g.12.t.10.f.1.2.</p> <p>Eng. bot. v. 12. t. 808.</p> <p>Bot. mag. t. 1201.</p> <p>Eng. bot. v. 6. t. 379.</p>
--	--	--	---

## ORDO CXCIV.

ALISMACEÆ. *Kth. synopsis. 1. p. 261.*

SAGITTARIA. W.		ARROW-HEAD.	Monœcia	Polyandria.	L.
1	sagittifolia. w.	(wh.) common.	England.	....	6. 8. H.w. 2. Eng. bot. v. 2. t. 84.
2	latifolia. Ph.	(wh.) broad-leaved.	N. America.	1816.	— H.w. 2.
	<i>β flore pleno.</i>	(wh.) double-flowered.	—	—	H.w. 2.
3	sinensis. B.M.	(wh.) Chinese.	China.	1812.	9. 11. G.w. 2. Bot. mag. t. 1731.
4	obtusifolia. s.s.	(wh.) blunt-leaved.	—	1804.	7. 8. G.w. 2. Rheed. mal. 11. t. 45.
5	Doniāna. (wh.)	Don's.	Nepaul.	1820.	— G.w. 2.
	<i>hastata. D.P. non Ph.</i>				
6	hastata. Ph.	(wh.) hastate-leaved.	N. America.	1816.	— H.w. 2.
7	obtusa. Ph.	(wh.) obtuse-leaved.	—	1822.	6. 9. H.w. 2.
8	heterophylla. Ph.	(wh.) various-leaved.	—	—	6. 8. H.w. 2.
9	lanceifolia. w.	(wh.) lance-leaved.	W. Indies.	1787.	6. 7. G.w. 2. Bot. mag. t. 1792.
10	angustifolia. B.R.	(wh.) narrow-leaved.	—	1827.	4. 8. S.w. 2. Bot. reg. t. 1141.
11	falcata. Ph.	(wh.) falcate-leaved.	Carolina.	1811.	6. 7. H.w. 2.
12	rigida. B.M.	(wh.) brittle-leaved.	N. America.	1806.	— H.w. 2. Bot. mag. t. 1632.
13	graminea. Ph.	(wh.) grass-leaved.	Carolina.	1812.	7. 8. H.w. 2.
14	nātans. M.	(wh.) floating.	—	—	H.w. 2.
ACTINOCARPUS. B.P.		ACTINOCARPUS.	Hexandria	Hex-Octagynia.	
1	minor. B.P.	(wh.) small.	N. S. W.	....	5. 8. G.w. 2.
2	Damasōnium.	(wh.) common.	England.	....	6. 8. H.w. 2. Eng. bot. t. 1615.
	<i>Alisma Damasōnium. E.B.</i>	<i>Damasōnium stellatum. P.S.</i>			
ALISMA. B.P.		WATER-PLANTAIN.	Hexandria	Polygynia.	L.
1	Plantago. w.	(wh.) greater.	Britain.	....	6. 7. H.w. 2. Eng. bot. t. 837.
2	lanceolata. With.	(wh.) spear-leaved.	.....	....	— H.w. 2.
3	trivialis. Ph.	(wh.) blunt-leaved.	N. America.	1816.	— H.w. 2.
4	parnassifolia. w.	(wh.) Parnassus-leaved.	Italy.	1824.	— H.w. 2.
5	nātans. E.B.	(wh.) floating.	Wales.	....	7. 8. H.w. 2. Eng. bot. t. 775.
6	ranunculoides. E.B.	(w.) lesser.	Britain.	....	8. H.w. 2. — t. 326.
7	rēpens. E.F.	(wh.) creeping.	Wales.	....	9. 10. H.w. 2. Cavan. ic. 1. t. 55.

## ORDO CXCIV.

BUTOMEÆ. *Kth. synopsis. 1. p. 260.*

BUTOMUS. L.		FLOWERING RUSH.	Enneandria	Hexagynia.	L.
1	umbellatus. L.	(ro.) umbelled.	Britain.	....	6. 7. H.w. 2. Eng. bot. v. 10. t. 651.
2	latifolius. D.P.	(wh.) broad-leaved.	Nepaul.	1823.	— H.w. 2.
LIMNOCHARIS. K.S.		LIMNOCHARIS.	Polyandria	Polygynia.	B.M.
	Plumieri. K.S.	(ye.) Plumier's.	S. America.	1822.	6. 10. S. ♂. Bot. mag. t. 2525.
	<i>emarginata. H. et B. pl. æq. 1. t. 34.</i>	<i>Alisma flava. L.</i>			

## ORDO CXCVI.

JUNCAGINEÆ. *Kth. synopsis. 1. p. 258.*

SCHEUCHZERIA. L.		SCHEUCHZERIA.	Hexandria	Trigynia.	L.
	palustris. E.B. (br.gr.)	marsh.	England.	....	5. 6. H.w. 2. Eng. bot. v. 26. t. 1801.
TRIGLOCHIN. L.		ARROW-GRASS.	Hexandria	Trigynia.	L.
1	elatum. N.	(gr.) long-spiked.	N. America.	1820.	5. 8. H.w. 2.
2	maritimum. E.B.	(gr.) sea-side.	Britain.	....	— H.w. 2. Eng. bot. v. 4. t. 255.
3	palustre. E.B.	(gr.) marsh.	—	....	7. 8. H.w. 2. — v. 6. t. 366.
4	decipiens. B.P.	(gr.) New Holland.	N. S. W.	1820.	— G. 2.
5	Barrelieri. s.s.	(gr.) Barrelier's.	Italy.	1825.	— H. 2.
6	bulbosum. B.M. (pu.ye.)	bulbous-rooted.	C. B. S.	1806.	10. G. 2. Bot. mag. t. 1445.

## ORDO CXCVII.

FLUVIALES. *Kth. synopsis. 1. p. 131.*

POTAMOG'ETON. L. POND-WEED. Tetrandria Tetragynia. L.					
1	nātans. E.B. (br.) broad-leaved.	Britain.	....	7. 8.	H.w. 2. Eng. bot. v. 26. t. 1822.
2	heterophyllum. E.B. (br.) various-leaved.	-----	....	7. 9.	H.w. 2. ----- v. 18. t. 1285.
3	perfoliatum. E.B. (br.) perfoliate.	-----	....	7. 8.	H.w. 2. ----- v. 3. t. 168.
4	dénsum. E.B. (br.) close-leaved.	-----	....	5. 7.	H.w. 2. ----- v. 6. t. 397.
5	flūitans. E.B. (br.) long-leaved.	-----	....	7. 9.	H.w. 2. ----- v. 18. t. 1286.
6	lūcens. E.B. (br.) shining.	-----	....	6. 8.	H.w. 2. ----- v. 6. t. 376.
7	lanceolatum. E.B. (br.) spear-leaved.	England.	....	7. 8.	H.w. 2. ----- v. 28. t. 1985.
8	crispum. E.B. (br.) curled.	Britain.	....	6. 7.	H.w. 2. ----- v. 15. t. 1012.
9	compréssum. E.B. (br.) flat-stalked.	-----	....	-----	H.w. 2. ----- v. 6. t. 418.
10	cuspidatum. E.F. (br.) sharp-pointed.	-----	....	7.	H.w. 2. Loes. pruss. t. 66.
11	gramineum. E.B. (br.) Grass-leaved.	-----	....	7. 8.	H.w. 2. Eng. bot. v. 32. t. 2253.
12	pusillum. E.B. (br.) small.	-----	....	-----	H.w. 2. ----- v. 3. t. 215.
13	pectinatum. E.B. (br.) Fennel-leaved.	-----	....	6. 7.	H.w. 2. ----- v. 5. t. 323.
RUPPIA. L. RUPPIA. Tetrandria Tetragynia. L.					
	maritima. E.B. (br.) sea.	Britain.	....	8. 9.	H.w. 2. Eng. bot. v. 2. t. 136.
APONOG'ETON. L. APOG'ETON. Hex-Dodecandria Tri-Tetragynia.					
1	monostachyon. w. (wh.) simple-spiked.	E. Indies.	1803.	8. 10.	S.w. 2. Andr. reposit. t. 406.
2	distachyon. w. (wh.) broad-leaved.	C. B. S.	1788.	5. 7.	G.w.b. Bot. mag. t. 1293.
3	angustifolium. w. (wh.) narrow-leaved.	-----	-----	4. 9.	G.w.b. ----- t. 1268.
NAJAS. L. NAJAS. Monœcia Tetrandria. L.					
	monospërma. w. (gr.) single-seeded.	Europe.	1816.	7. 9.	H.w. 2. Mich. N. gen. 11. t. 8. f. 2.
ZANNICHE'LLIA. L. WATER-WEED. Monœcia Monandria. L.					
	palūstris. E.B. (gr.) horned.	Britain.	....	7. 8.	H.w. 2. Eng. bot. v. 26. t. 1844.
ZOSTERA. W. SEA MATWEED. Monandria Monogynia. L.					
	marina. w. (gr.) common.	Britain.	....	8. 9.	H.w. 2. Eng. bot. v. 7. t. 467.
LEMNA. L. DUCK-WEED. Monœcia Diandria.					
1	trisúlca. E.B. (wh.) Ivy-leaved.	Britain.	....	5. 6.	H.w. 2. Eng. bot. v. 13. t. 926.
2	minor. E.B. (wh.) lesser.	-----	....	6. 7.	H.w. 2. ----- v. 16. t. 1095.
3	gíbba. E.B. (wh.) thick-leaved.	-----	....	-----	H.w. 2. ----- v. 18. t. 1233.
4	polyrrhiza. E.B. (wh.) greater.	-----	....	7. 8.	H.w. 2. ----- v. 35. t. 2458.

## ORDO CXCVIII.

PANDANEÆ. *Brown prodr. 340.*

PANDANUS. L. SCREW-PINE. Diœcia Monandria. L.					
1	Ævis. Lour. (wh.) entire-leaved.	China.	1823.	....	S. 2.
2	odoratissimus. w. (wh.) green-spined.	-----	1771.	....	S. 2. Roxb. corom. 1. t. 94-6.
3	utilis. W. en. (wh.) red-spined.	-----	....	....	S. 2.
4	hūmilis. w. (wh.) dwarf.	Mauritius.	....	....	S. 2. Jacq. fragm. t. 14. f. 2.
5	latifolius. L.C. (wh.) broad-leaved.	E. Indies.	1820.	....	S. 2.
6	fœtidus. H.B. (wh.) strong scented.	-----	1822.	....	S. 2.
7	marginatus. H.B. (wh.) red-margined.	Mauritius.	1823.	....	S. 2.
8	furcatus. H.B. (wh.) forked.	E. Indies.	-----	....	S. 2. Rheed. mal. 2. t. 8.
9	pedunculatus. B.P. (wh.) peduncled.	N. Holland.	1825.	....	S. 2.
10	spirālis. B.P. (wh.) spiral.	-----	1805.	....	S. 2.
11	candelabrum. P.B. (wh.) chandelier.	Guinea.	1822.	....	S. 2. Beauv. fl. owar. 1. t. 21.
12	séssilis. Boj. (wh.) sessile-fruited.	Pembu.	1825.	....	S. 2.
13	élegans. s.s. (wh.) elegant.	Isle France.	1826.	....	S. 2.
14	muriatus. s.s. (wh.) oblong-leaved.	Madagascar.	-----	....	S. 2.
15	édulis. s.s. (wh.) eatable.	-----	1825.	....	S. 2.
16	amaryllifolius. H.B. (wh.) Amaryllis-leav'd.	E. Indies.	1820.	....	S. 2.
17	inérmis. H.B. (wh.) spineless.	-----	-----	....	S. 2.
18	álbus. L.C. (wh.) white-spined.	-----	1823.	....	S. 2.
19	reflexus. L.C. (wh.) reflexed-leaved.	-----	1820.	....	S. 2.
20	longifolius. L.C. (wh.) long-leaved.	-----	1823.	....	S. 2.
21	turbinatus. L.C. (wh.) top-shaped.	-----	-----	....	S. 2.
PHYTE'LEPHAS. R.P. PHYTE'LEPHAS. Diœcia Polyandria. P.S.					
	macrocarpa. R.P. (wh.) large-fruited.	Peru.	1822.	....	S. 2.

ORDO CXCIX.

TYPHINÆ. *Kth. synopsis. l. p. 132.*

<b>TYPHA. L.</b>	<b>CAT'S-TAIL.</b>	<b>Monœcia Triandria. L.</b>				
1 latifolia. E.B. (br.) great.		Britain.	....	7.	H.w. 2.	Eng. bot. v. 21. t. 1455.
2 media. DC. (br.) dwarf.		England.	....	—	H.w. 2.	— v. 21. t. 1457.
minor. E.B.						
3 angustifolia. E.B. (br.) lesser.		Britain.	....	—	H.w. 2.	Eng. bot. v. 21. t. 1456.
4 minima. w. (br.) least.		Europe.	1819.	—	H.w. 2.	
5 dænatica. E. (br.) Egyptian.		Egypt.	1825.	—	H.w. 2.	
<b>SPARGANIUM. L.</b>	<b>BUR-REED.</b>	<b>Monœcia Triandria. L.</b>				
1 ramosum. E.B. (wh.) branched.		Britain.	....	7. 8.	H.w. 2.	Eng. bot. v. 11. t. 744.
2 simplex. E.B. (wh.) unbranched.		—	....	—	H.w. 2.	— v. 11. t. 745.
3 americanum. N. (wh.) American.		N. America.	1823.	—	H.w. 2.	
4 natans. E.B. (wh.) floating.		England.	....	7.	H.w. 2.	Eng. bot. v. 4. t. 273.

ORDO CC.

AROIDEÆ. *Juss. gen. 23.*

Sect. I. **ORONTIACEÆ.** Brown prodr. l. p. 337.

<b>P'OTHOS. L.</b>	<b>P'OTHOS.</b>	<b>Tetrandria Monogynia. L.</b>				
1 scandens. R.S. (gr.) climbing.		E. Indies.	1818.	4. 6.	S. 2. 2.	Rheed. mal. 7. t. 40.
2 officinalis. F.I. (st.) officinal.		—	1820.	4. 7.	S. 2. 2.	—
3 Peëpla. F.I. (st.) Peëplee.		—	—	—	S. 2. 2.	—
4 gigantea. F.I. (pu. ye.) gigantic.		—	1824.	....	S. 2. 2.	—
5 pertusa. F.I. (gr.) perforated.		—	—	....	S. 2. 2.	Rheed. mal. 12. t. 20. 21.
6 lanceolata. R.S. (vi.) lance-leaved.		Barbadoes.	1790.	4. 7.	S. 2. 2.	Plum. amer. 47. t. 62.
7 acaulis. R.S. (gr.) stemless.		W. Indies.	—	—	S. 2. 2.	Lodd. bot. cab. t. 483.
8 gracilis. R.S. (gr.) slender.		Trinidad.	1826.	—	S. 2. 2.	Rudg. pl. gui. 1. t. 32.
9 violacea. R.S. (g. wh.) blue-fruited.		Jamaica.	1793.	4. 6.	S. 2. 2.	Hook. exot. flor. t. 55.
10 cannaefolia. R.S. (wh.) sweet-scented.		W. Indies.	1785.	4. 5.	S. 2. 2.	Bot. mag. t. 603.
11 crassinervia. R.S. (gr.) thick-nerved.		S. America.	1796.	4. 6.	S. 2. 2.	Jacq. ic. 3. t. 609.
12 cordata. R.S. (gr.) heart-leaved.		—	1770.	4.	S. 2. 2.	Plum. ic. 26. t. 38.
13 sagittata. B.M. (g. br.) arrow-leaved.		W. Indies.	1800.	8.	S. 2. 2.	Bot. mag. t. 1584.
14 macrophylla. R.S. (gr.) large-leaved.		—	1794.	5. 6.	S. 2. 2.	Jacq. ic. 3. t. 610.
15 obtusifolia. R.S. (g. br.) blunt-leaved.		Barbadoes.	1790.	—	S. 2. 2.	—
16 coriacea. H.E.F. (g. br.) leathery.		Brazil.	1824.	6.	S. 2. 2.	Hook. ex. flor. t. 210.
17 Harrisii. H.E.F. (g. br.) Harris's.		—	—	—	S. 2. 2.	— t. 211.
18 caudata. F.I. (gr.) tailed.		E. Indies.	1824.	....	S. 2. 2.	—
19 pinnata. w. (gr.) wing-leaved.		—	1820.	....	S. 2. 2.	Runph. am. 5. t. 183. f. 2.
20 decursiva. F.J. (gr.) pinnatifid-leaved.		—	1824.	....	S. 2. 2.	—
21 pinnatifida. F.I. (gr.) pinnatifid.		—	1825.	....	S. 2. 2.	—
22 heterophylla. F.I. (pu.) various-leaved.		—	1822.	....	S. 2. 2.	—
23 Lasiâ. F.I. (re.) prickly.		—	1819.	....	S. 2. 2.	—
24 digitata. R.S. (pu.) fingered.		Caracas.	1823.	....	S. 2. 2.	Jacq. ic. 3. t. 611.
25 palmata. R.S. (g. pu.) palmated.		S. America.	1803.	6. 7.	S. 2. 2.	Plum. amer. t. 64. 65.
26 pentaphylla. R.S. (bl.) five-leaved.		Cayenne.	—	10. 11.	S. 2. 2.	Bot. mag. t. 1375.
27 rubrinervia. L. en. (pu.) red-nerved.		S. America.	1820.	....	S. 2. 2.	—
28 microphylla. B.M. (br.) small-leaved.		Brazil.	—	8. 10.	S. 2. 2.	Bot. mag. t. 2953.
<b>SYMPLOCARPUS. N.</b>	<b>SCUNKWEED.</b>	<b>Tetrandria Monogynia. N.</b>				
fœtidus. N. (d. pu.) fetid.		N. America.	1735.	3. 5.	H. 2.	Swt. br. fl. gar. t. 57.
<i>Pöihos fœtida</i> B.M. 836. <i>Dracöntium fœtidum. w.</i>						
<b>DRACONTIUM. W.</b>	<b>DRAGON.</b>	<b>Heptandria Monogynia. L.</b>				
1 polyphyllum. w. (d. pu.) purple-stalked.		India.	1759.	3. 6.	S. 2. 2.	Bot. reg. t. 700.
2 spinosum. w. (d. pu.) prickly.		Ceylon.	—	4. 5.	S. 2. 2.	—
<b>GYMNOSTACHYS. B.P.</b>	<b>GYMNOSTACHYS.</b>	<b>Tetrandria Monogynia.</b>				
ancëps. B.P. (gr.) flat-stemmed.		N. S. W.	1820.	6. 8.	G. 2.	—
<b>HOUTTUYNIA. J.</b>	<b>HOUTTUYNIA.</b>	<b>Polyandria Polygynia. P.S.</b>				
cordata. P.S. (wh.) heart-leaved.		China.	1820.	6. 8.	G. 2.	Bot. mag. t. 2731.

- CARLUDO VICA.** R.P. **CARLUDO VICA.** Monœcia Polyandria. P.S.  
 1 palmata. R.S. (br.) palmate. S. America. 1818. .... S. 7. Bot. mag. t. 2950. et 2951.  
*Sálmia palmata.* R.S. *Ludóvia palmata.* P.S.  
 2 latifolia. R.P. (br.) broad-leaved. Peru. 1819. 4. 6. S. 7. Bot. mag. t. 2950. et 2951.  
 3 angustifolia. R.P. (br.) narrow-leaved. ———— ———— S. 7.  
 4 palmæfolia. R.S. (br.) Palm-leaved. St. Domingo. 1826. .... S. 7. Plum. ic. t. 39.  
*Sálmia palmæfolia.* w.  
 5 jamaicensis. L.C. (br.) Jamaica. Jamaica. 1823. .... S. 7.
- CYCLANTHUS.** S.S. **CYCLANTHUS.** Monœcia Monadelphia.  
 1 Plumieri. s.s. (gr.) Plumier's. W. Indies. 1820. .... S. 7.  
 2 bipartitus. s.s. (gr.) cleft-leaved. Trinidad. ———— S. 7.
- A'CORUS.** L. **SWEET-FLAG.** Hexandria Monogynia. L.  
 1 Cálamus. s.s. (gr.) common. Britain. .... 6. 7. H.w. 7. Eng. bot. v. 5. t. 356.  
 2 terréstris. s.s. (gr.) Chinese. China. 1822. ———— H.w. 7.  
 3 graminæus. s.s. (gr.) grass-leaved. ———— 1786. 2. H.w. 7. Smith spic. 15. t. 17.
- ORONTIUM.** L. **ORONTIUM.** Hexandria Monogynia. L.  
 aquaticum. s.s. (st.) aquatic. N. America. 1775. 6. H.w. 7. Hook. ex. flor. t. 19.  
**RO'HDEA.** S.S. **RO'HDEA.** Hexandria Monogynia. S.S.  
 japonica. s.s. (ye.) Japan. Japan. 1783. 1. 4. H. 7. Bot. mag. t. 898.  
*Oróntium japonicum.* B.M.
- TUPISTRA.** B.M. **TUPISTRA.** Hexandria Monogynia. S.S.  
 1 squálda. B.M. (br.) brown-flowered. E. Indies. 1810. 4. 6. S. 7. Bot. reg. t. 704.  
 2 nútans. B.R. (br.) nodding-flowered. ———— 1818. 11. 12. S. 7. ———— t. 1223.
- ASPIDISTRA.** B.R. **ASPIDISTRA.** Octandria Monogynia. S.S.  
 lúrida. B.R. (br. pu.) brown-flowered. China. 1820. 2. 4. S. 7. Bot. reg. t. 628.  
*punctata.* B.R. 977.
- 
- Sect. II. **AROIDEÆ VERÆ.** Brown prodr. 335.
- CA'LLA.** K.S. **CA'LLA.** Heptandria Monogynia. L.  
 1 palástris. w. (wh.) marsh. N. Europe. 1768. 7. 8. H.w. 7. Bot. mag. t. 1831.  
 2 pertúsa. K.S. (st.) perforated. W. Indies. 1752. 4. 6. S. 7. Jacq. schœn. 2. t. 184. 5.  
*Dracóntium pertúsum.* Jacq.  
 3 aromática. B.M. (wh.) aromatic. E. Indies. 1817. ———— S. 7. Bot. mag. t. 2279.  
 4 occúlta. B.C. (wh.) hidden-spiked. China. ———— 5. 7. G. 7. Lodd. bot. cab. t. 12.
- RICHA'RDIA.** Kth. **RICHA'RDIA.** Heptandria Monogynia.  
 æthiópica. Kth. (wh.) Ethiopian. C. B. S. 1731. 1. 5. G. 7. Bot. mag. t. 832.  
*Cálla æthiópica.* B.M.
- 'ARUM.** W. **'ARUM.** Monœcia Polyandria. L.  
 1 crínitum. w. (d. pu.) hairy-sheathed. Minorca. 1777. 3. 4. F. 7. Bot. reg. t. 831.  
 2 Dracúnculus. w. (pu.) common Dragon. S. Europe. 1548. 6. 7. H. 7. Moris. s. 13. t. 5. f. 46.  
 3 Dracóntium. w. (gr.) green Dragon. N. America. 1759. 6. H. 7. Bot. reg. t. 668.  
 4 bulbíferum. B.M. (st. br.) bulb-bearing. E. Indies. 1813. 3. 6. S. 7. Bot. mag. t. 2508.  
 5 venósum. w. (ye. pu.) purple-flowered. .... 1774. 3. S. 7. Bot. reg. t. 1017.  
 6 campanulátum. H. B. (pu.) bell-flowered. E. Indies. 1816. 4. 6. S. 7.  
 7 triphyllum. w. (std.) three-leaved. N. America. 1664. 5. 6. H. 7. Lodd. bot. cab. t. 820.  
*β Zébrinum.* B.M. (std.) striped. ———— H. 7. Bot. mag. t. 950.  
 8 pedátum. W. en. (bl. ye.) pedate-leaved. S. America. 1815. ———— S. 7. Pl. sel. hort. ber. t. 8.  
 9 polyphyllum. L. en. (pu.) many-leaved. .... 1818. ———— S. 7.  
 10 ringens. w. (pu.) gaping. Japan. 1822. ———— G. 7.  
 11 atrorúbens. w. (d. re.) purple-stalked. N. America. 1758. 6. 7. H. 7. Pluk. alm. t. 77. f. 5.  
 12 ternátum. w. (pu.) Japan. Japan. 1774. 5. 7. F. 7.  
 13 Colocásia. w. (br.) Egyptian. Levant. 1551. 6. 8. G. 7. Rumph. amb. 5. t. 109.  
 14 orixense. B.P. (re.) Orixian. E. Indies. 1802. 8. 10. S. 7. Bot. reg. t. 450.  
 15 macrorhizon. w. (wh.) long-rooted. ———— 1803. .... S. 7. Herm. parad. t. 73.  
 16 píctum. w. (d. pu.) white-veined. S. Europe. 1820. 5. 6. H. 7.  
 17 divaricátum. w. (gr.) divaricated. E. Indies. 1759. 6. 7. S. 7. Rheed. mal. 11. t. 20.  
 18 trilobátum. w. (pu.) three-lobed. Ceylon. 1714. 5. 6. S. 7. Bot. mag. t. 339.  
*β auriculátum.* B.M. (pu.) eared. ———— .... S. 7. ———— t. 2324.  
 19 maculátum. w. (gr.) common. Britain. .... 5. 7. H. 7. Eng. bot. v. 19. t. 1298.  
 20 orientále. M.B. (br.) oriental. Caucasus. 1818. ———— H. 7.  
 21 itálicum. w. (gr.) Italian. Italy. 1683. 5. 6. H. 7. Bot. mag. t. 2432.  
 22 viviparum. L.C. (gr.) viviparous. .... 1817. ———— S. 7. Lodd. bot. cab. t. 281.  
 23 minútum. w. (re.) small. E. Indies. 1812. 5. 7. S. 7. Rheed. mal. 11. t. 17.  
 24 proboscídeum. w. (w. pu.) proboscis. Apennines. 1825. ———— H. 7. Bocc. mus. 2. t. 50.  
 25 Arisárum. w. (gr.) Friar's Cowl. S. Europe. 1596. 4. 6. F. 7. Jacq. schœn. 2. t. 192.  
 26 tenuifólium. w. (d. pu.) grass-leaved. ———— 1570. ———— H. 7. Bot. reg. t. 512.

7 spirale. w. (pu.) spiral.	E. Indies.	1816.	4. 6.	S. 2.	Bot. mag. t. 2220.
28 gramineum. s.s. (pu.) grass-leaved.	S. Europe.	1824.	—	H. 2.	
29 flagelliforme. B.C. (pu.) whip-cord.	E. Indies.	—	—	S. 2.	Lodd. bot. cab. t. 396.
30 sagittifolium. L.en. . . arrow-leaved.	.....	.....	.....	S. 2.	
31 hederaceum. w. (pu.) Ivy-leaved.	W. Indies.	1793.	5. 6.	S. 2.	Jacq. amer. t. 152.
32 obtusilobum. L.en. (pu.) blunt-lobed.	.....	1816.	—	S. 2.	
33 indicum. Lour. (pu.) Indian.	China.	—	—	S. 2.	
34 ramosum. L.en. (pu.) branching.	.....	—	—	S. 2.	
35 lingulatum. w. (ye.) tongue-leaved.	W. Indies.	1793.	—	S. 2.	Plum. ic. 26. t. 37.
36 integrifolium. L.en. (gr.) entire-leaved.	.....	1820.	....	S. 2.	
CALADIUM. V. CALADIUM. Monœcia Polyandria. W.					
1 helleborifolium. w. (wh.) Hellebore-leaved. Caracas.	.....	1796.	6. 7.	S. 2.	Jacq. ic. 3. t. 613.
2 pinnatifidum. w. (pu.) pinnatifid.	.....	1817.	—	S. 2.	Jacq. schœn. 2. t. 187.
3 bicolor. w. (wh.) two-coloured.	Brazil.	1773.	—	S. 2.	Bot. mag. t. 2543.
4 nymphæifolium. w. (sn.) Water-lily-leaved. E. Indies.	.....	1800.	....	S. 2.	Rheed. mal. 11. t. 22.
5 esculentum. w. (g.pu.) esculent.	America.	1739.	6. 8.	S. 2.	Sloan. jam. 1. t. 106. f. 1.
6 odorum. B.R. (gr.) odoriferous.	E. Indies.	1818.	5. 7.	S. 2.	Bot. reg. t. 641.
7 viviparum. H.P. (wh.) viviparous.	.....	1816.	—	S. 2.	Lodd. bot. cab. t. 281.
8 sagittifolium. w. (wh.) arrow-leaved.	W. Indies.	1710.	—	S. 2.	Jacq. vind. 2. t. 157.
9 virginicum. H.E.F. (st.) Virginian.	N. America.	1759.	6. 7.	H. 2.	Hook. ex. flor. t. 182.
' <i>Arum virginicum</i> . w.					
10 seguinum. w. (gr.) Dumb Cane.	America.	—	5.	S. 2.	Hook. ex. flor. t. 1.
11 maculatum. B.C. (gr.) spotted.	Trinidad.	1820.	4. 12.	S. 2.	Lodd. bot. cab. t. 608.
<i>seguinum</i> β <i>maculatum</i> . Bot. mag. t. 2606.					
12 scandens. s.s. (wh.) climbing.	Guinea.	1822.	....	S. 2.	Beauv. fl. owar. t. 3.
13 cucullatum. P.s. (gr.) hooded.	China.	1816.	....	S. 2.	
14 xanthorhizum. w. (st.) yellow-rooted.	.....	—	4. 8.	S. 2.	Jacq. schœn. 2. t. 188.
15 grandifolium. w. (wh.) large-leaved.	Caracas.	1803.	3. 7.	S. 2.	Bot. mag. t. 2643.
16 arborescens. w. (wh.) tree.	W. Indies.	1759.	6. 7.	S. 2.	Plum. amer. 44. t. 60.
17 lacerum. w. (gr.) torn-leaved.	Caracas.	1822.	....	S. 2.	
18 tripartitum. w. (wh.) ternate-leaved.	.....	1816.	....	S. 2.	Jacq. schœn. 2. t. 190.
19 auritum. (wh.) ear-leaved.	S. America.	1739.	6. 8.	S. 2.	— 2. t. 191.
20 pedatum. H.E.F. (ye.) pedate-leaved.	Brazil.	1824.	—	S. 2.	Hook. ex. flor. t. 206.
21 aculeatum. s.s. (wh.) prickly.	Surinam.	1822.	....	S. 2. ✓	
AMBROSINIA. W. AMBROSINIA. Monœcia Monandria. W.					
1 Bässii. w. (gr.pu.) flat oval-leaved.	S. Europe.	1823.	6. 8.	H. 2.	Lam. ill. t. 737.
2 ciliaris. s.s. (gr.pu.) fringed-spated.	E. Indies.	1824.	....	S. 2.	

Sect. III. TACCACÆ.

TA'CCA. W. TA'CCA. Hexandria Monogynia. L.					
1 pinnatifida. w. (pu.) Salep.	E. Indies.	1793.	6. 8.	S. 2.	Lodd. bot. cab. t. 692.
2 aspera. H.B. (pu.) rough-stemmed.	.....	1820.	....	S. 2.	
3 lævis. H.B. (pu.) smooth.	.....	—	....	S. 2.	
4 integrifolia. B.M. (pu.) entire-leaved.	.....	1810.	5. 7.	S. 2.	Bot. mag. t. 1488.

ORDO CCI.

PIPERACÆ. *Kth. synopsis*. 1. p. 103.

SAURURUS. W. LIZARD'S-TAIL. Heptandria Tetragynia. L.					
1 cernuus. w. (wh.) drooping.	Virginia.	1759.	9.	H. w. 2.	Lam. ill. t. 1.
2 lucidus. s.s. (wh.) shining.	N. America.	1791.	8. 10.	H. w. 2.	Jacq. ecl. t. 18.
3 chinensis. Hort. (wh.) Chinese.	China.	1819.	—	H. w. 2.	
PIPER. R.P. PEPPER. Diandria Trigynia. L.					
1 coriaceum. R.S. (gr.) coriaceous.	E. Indies.	1815.	7. 8.	S. 2.	Lodd. bot. cab. t. 128.
2 nitidum. R.S. (wh.) glossy.	Jamaica.	1793.	5. 6.	S. 2.	
3 peltatum. R.S. (gr.) peltated.	W. Indies.	1748.	....	S. 2.	Plum. amer. t. 74.
4 umbellatum. R.S. (gr.) umbelled.	.....	—	5. 7.	S. 2.	Flor. peruv. 1. t. 59. f. a.
5 macrophyllum. R.S. (gr.) broad-leaved.	.....	1800.	....	S. 2.	Sloan. hist. 1. t. 88. f. 1.
6 geniculatum. R.S. (gr.) jointed.	.....	1826.	....	S. 2.	
7 aduncum. R.S. (gr.) hooked.	Jamaica.	1748.	5.	S. 2.	Jacq. ic. 2. t. 210.

8	hirsutum. R.S.	(br.) hairy-leaved.	Jamaica.	1793.	7.	S. ♀.	
9	hispidum. R.S.	(gr.) hispid.	S. America.	—	—	S. ♀.	
10	tuberculatum. R.S.	(gr.) tuberculate.	—	1816.	....	S. ♀.	Jacq. ic. 2. t. 211.
11	ovatum. R.S.	(gr.) oval-leaved.	Trinidad.	1824.	....	S. ♀.	
12	Amalago. R.S.	(gr.) rough-leaved.	Jamaica.	1759.	....	S. ♀.	Sloan. hist. 1. t. 87. f. 1.
13	Bêtle. R.S.	(gr.) Bettle.	E. Indies.	1804.	....	S. ♀.	Rheed. mal. 7. t. 15.
14	nigram. R.S.	(gr.) black.	—	1790.	....	S. ♀.	— 7. t. 12.
15	trioicum. F.I.	(gr.) glaucous-leaved.	—	1818.	....	S. ♀.	
16	reticulatum. R.S.	(gr.) netted.	W. Indies.	1748.	8.	S. ♀.	Plum. amer. t. 75.
17	decumanum. R.S.	(gr.) great.	Carthagenæ.	1768.	....	S. ♀.	Jacq. ic. 2. t. 215.
18	Siriboa. R.S.	(gr.) Siriboa.	E. Indies.	—	....	S. ♀.	Rumph. am. 5. t. 117. f. 2.
19	longum. R.S.	(gr.) long.	—	1788.	....	S. ♀.	Rheed. mal. 7. t. 14.
20	glabrum. H.S.S.	(gr.) smooth.	Campeachy.	1768.	....	S. ♀.	
21	laurifolium. H.S.S.	(gr.) Laurel-leaved.	Jamaica.	—	....	S. ♀.	
22	racemosum. H.S.S.	(gr.) racemed.	Campeachy.	—	....	S. ♀.	
	<i>Staphyle</i> . R.S.						
23	acutifolium. R.S.	(gr.) acute-leaved.	Peru.	1823.	....	S. ♀.	Flor. per. 1. t. 64. f. a.
24	colubrinum. L.en.	(gr.) spotted-stalked.	Brazil.	1820.	....	S. ♀.	
25	plantagineum. R.S.	(gr.) Plantain-leaved.	W. Indies.	—	....	S. ♀.	Jacq. ic. 1. t. 8.
	<i>medium</i> . Jacq.						
26	marginatum. L.en.	(gr.) purple-edged.	S. America.	1811.	....	S. ♀.	Jacq. ic. 2. t. 215.
27	unguiculatum. R.S.	(gr.) claw-pointed.	Peru.	1822.	....	S. ♀.	Flor. per. 1. t. 57. f. b.
	<i>glaucescens</i> . Jacq. ecl. 1. t. 76.						
28	humile. Mill.	(gr.) humble.	Jamaica.	1768.	....	S. ♀.	
29	tomentosum. H.S.S.	(gr.) oval-leaved downy.	Vera Cruz.	—	....	S. ♀.	
30	sidaefolium. L.en.	(gr.) Sida-leaved.	S. America.	1821.	5. 7.	S. ♀.	Lk. et Ot. ic. sel. 1. t. 6.
	PEPEROMIA. R.P.	PEPEROMIA.	Diandria Trigynia.				
1	brachyphylla. (gr.) short-leaved.	—	—	1818.	....	S. ♀.	
	<i>Piper brachyphyllum</i> . R.S.						
2	amplexicaulis. R.S.	(gr.) stem-clasping.	W. Indies.	1793.	6. 9.	S. ♀.	
3	magnoliæfolia. R.S.	(gr.) Magnolia-leaved.	—	—	1. 3.	S. ♀.	Jacq. ic. 2. t. 213.
4	obtusifolia. R.S.	(gr.) blunt-leaved.	S. America.	1739.	4. 7.	S. ♀.	Trew chret. 54. t. 96.
5	clusiæfolia. B.M.	(gr.) Clusia-leaved.	—	1739.	4. 7.	S. ♀.	Bot. mag. t. 2943.
6	cuneifolia. R.S.	(gr.) wedge-leaved.	Caracas.	1809.	—	S. ♀.	Jacq. ic. 2. t. 214.
7	alata. R.P.	(gr.) winged.	S. America.	1812.	....	S. ♀.	Flor. per. 1. t. 48. f. b.
8	acuminata. R.S.	(gr.) acuminate.	W. Indies.	—	4. 9.	S. ♀.	Bot. mag. t. 1882.
9	maculosa. R.S.	(gr.) spot-stalked.	St. Domingo.	1790.	9.	S. ♀.	Hook. ex. flor. t. 92.
10	pellucida. K.S.	(gr.) pellucid.	S. America.	1748.	4. 9.	S. ⊙.	Plum. amer. t. 72.
11	concinna. K.R.	(gr.) small heart-leaved.	Jamaica.	1821.	—	S. ♀.	
12	rotundifolia. K.S.	(gr.) round-leaved.	S. America.	1823.	....	S. ♀.	Plum. amer. t. 69.
13	hispidula. R.S.	(gr.) annual hispid.	Jamaica.	1818.	8. 10.	S. ⊙.	Swartz icon. t. 4.
14	nummularifolia. K.S.	(gr.) money-wort-leaved.	—	—	4. 9.	S. ♀.	
15	pubescens. R.S.	(gr.) pubescent.	—	—	—	S. ♀.	
16	subrotunda. H.S.S.	(gr.) small Clusia-leav'd.	—	1811.	—	S. ♀.	
17	repens. K.S.	(gr.) creeping.	S. America.	1823.	—	S. ♀.	
18	serpens. R.S.	(gr.) trailing.	Jamaica.	—	—	S. ♀.	
19	incana. H.E.F.	(gr.) great downy.	Brazil.	1814.	2. 6.	S. ♀.	Hook. ex. flor. t. 66.
20	amplexifolia. L.en.	(gr.) clasping-leaved.	Jamaica.	1822.	—	S. ♀.	
21	talinifolia. K.S.	(gr.) Talinum-leaved.	S. America.	—	4. 8.	S. ♀.	H. et B. n. gen. 1. t. 8.
22	pulchella. R.S.	(gr.) small-leaved.	Jamaica.	1778.	7. 10.	S. ♀.	Lodd. bot. cab. t. 574.
23	pereskiaefolia. K.S.	(gr.) Pereskia-leaved.	S. America.	1820.	5. 6.	S. ♀.	Hook. ex. flor. t. 67.
24	blanda. K.S.	(gr.) villous.	Caracas.	1802.	5. 11.	S. ♀.	— t. 21.
25	verticillata. R.S.	(gr.) whorl-leaved.	Jamaica.	1816.	6. 10.	S. ⊙.	
26	polystachia. H.E.F.	(gr.) many-spiked.	W. Indies.	1775.	6. 7.	S. ♀.	Hook. ex. flor. t. 23.
27	quadrifolia. H.E.F.	(gr.) four-leaved.	Santa Cruz.	1818.	5. 10.	S. ♀.	— t. 22.
28	Haworthii. (gr.) Haworth's.	—	India.	1809.	9. 10.	S. ♀.	
	<i>Piper pubescens</i> . H.S. non Vahl.						
29	inaequalifolia. R.P.	(gr.) unequal-leaved.	Peru.	1800.	8. 10.	S. ♀.	Flor. peruv. 1. t. 46. f. a.
30	stellata. R.S.	(gr.) starry.	Jamaica.	1802.	5. 7.	S. ♀.	Jacq. vind. 2. t. 217.
31	rubricaulis. L.en.	(gr.) red-stalked.	W. Indies.	1815.	—	S. ♀.	Nees. hort. ber. t. 8.
32	rubella. H.E.F.	(gr.) red-leaved.	Jamaica.	1820.	—	S. ♀.	Hook. ex. flor. t. 58.
33	trifolia. R.S.	(gr.) three-leaved.	S. America.	1802.	6. 8.	S. ♀.	Plum. amer. t. 68.
34	distachya. R.S.	(gr.) two-rowed.	W. Indies.	1793.	—	S. ♀.	— t. 67.
35	discolor. R.S.	(gr.) two-coloured.	Jamaica.	1821.	7. 8.	S. ♀.	Lodd. bot. cab. t. 610.
36	capensis. R.S.	(gr.) Cape.	C. B. S.	1816.	—	G. ♀.	
37	tricarinata. H.S.S.	(gr.) triple-keeled.	—	1817.	—	S. ♀.	

ORDO CCII.

ORCHIDEÆ. *Juss. gen. 64.*

O'RHIS. B.P.	O'RHIS.	Gynandria	Monandria.	H.K.				
1 Mõrio. w.	( <i>pu.</i> ) meadow.	Britain.	....	4. 6.	H. b. 2.	Eng. bot. v. 29. t. 2059.		
2 longicõrnũ. w.	( <i>pu.</i> ) flat-spurred.	Barbary.	1815.	—	H. b. 2.	Swt. br. fl. gar. t. 249.		
3 pãllens. w.	( <i>st.</i> ) pale.	Switzerland.	1825.	5. 6.	H. b. 2.	Jacq. aust. t. 45.		
4 mãscula. w.	( <i>pu.</i> ) early purple.	Britain.	....	4. 5.	H. b. 2.	Eng. bot. v. 9. t. 631.		
5 palũstris. w.	( <i>li.</i> ) marsh.	Europe.	1824.	—	H. b. 2.	Jacq. ic. t. 181.		
6 pauciflõra. T.N.	( <i>ye.</i> ) few-flowered.	Italy.	1825.	6. 7.	H. b. 2.	Ten. fl. nap. t. 88.		
7 Nicodẽmi. T.N.	( <i>pu.</i> ) Nicodemus's.	—	—	—	H. b. 2.	— t. 90.		
8 Cyrilli. T.N.	( <i>ye.</i> ) Cyrillo's.	Naples.	—	—	H. b. 2.	— t. 87.		
9 parviflõra. T.N.	( <i>pu.</i> ) small-flowered.	Italy.	—	—	H. b. 2.	—		
10 ustulãta. w.	( <i>pu.</i> ) dwarf.	England	....	5. 6.	H. b. 2.	Eng. bot. v. 1. t. 18.		
11 militãris. w.	( <i>pu.</i> ) military.	Switzerland.	1825.	4. 6.	H. b. 2.	Swt. br. fl. gar. t. 163.		
12 Rivini. B.F.G.	( <i>li. pu.</i> ) Rivinus's.	—	—	5. 6.	H. b. 2.	— t. 162.		
13 Smĩthii. B.F.G.	( <i>ro. pa.</i> ) Smith's.	England.	....	—	H. b. 2.	Eng. bot. v. 27. t. 1873.		
	<i>militãris. E.B. non w.</i>							
14 fũsca. w.	( <i>br. re.</i> ) brown.	—	....	—	H. b. 2.	Jacq. aust. 4. t. 307.		
15 Simia. P.S.	( <i>pa. bh.</i> ) Ape.	—	....	—	H. b. 2.	—		
16 undulatifõlia. B.B.	( <i>li.</i> ) wave-leaved.	Italy.	1818.	—	H. b. 2.	Bot. reg. t. 375.		
17 tephrosãnthos. w.	( <i>pa.</i> ) ash-coloured.	England.	—	—	H. b. 2.	Vaill. bot. t. 31. f. 25-26.		
18 acuminãta. w.	( <i>li. wh.</i> ) pointed-flower'd.	S. Europe.	1815.	4. 6.	H. b. 2.	Bot. mag. t. 1932.		
19 variegãta. w.	( <i>li. wh.</i> ) variegated.	Switzerland.	1825.	—	H. b. 2.	Hall. helv. t. 30.		
20 globõsa. w.	( <i>pu.</i> ) round-spiked.	—	1792.	6. 7.	H. b. 2.	Jacq. aust. 3. t. 265.		
21 coriõphora. w.	( <i>pu.</i> ) strong-scented.	S. Europe.	1825.	5. 6.	H. b. 2.	Swt. br. fl. gar. t. 219.		
22 hircina. w.	( <i>gr. pu.</i> ) Lizard.	England.	....	6. 7.	H. b. 2.	Eng. bot. v. 1. t. 34.		
	<i>Satyrium hircinum. E.B.</i>							
23 Robertiana. P.S.	( <i>pu.</i> ) long-bracted.	S. Europe.	1818.	5. 6.	H. b. 2.	Ten. fl. nap. t. 91.		
24 longibractea. s.s.	( <i>pu.</i> ) long-bracted.	—	—	—	H. b. 2.	Bot. reg. t. 357.		
25 quadripunctãta. T.N.	( <i>pu.</i> ) four-spotted.	Italy.	1828.	—	H. b. 2.	Ten. flor. nap. t. 89.		
26 saccãta. T.N.	( <i>pu.</i> ) saccate.	Sicily.	—	—	H. b. 2.	—		
27 papilionãcea. w.	( <i>pu.</i> ) papilionaceous.	S. Europe.	1788.	6. 7.	H. b. 2.	Bot. reg. t. 1155.		
28 pseudosambucina. T.N.	( <i>pu.</i> ) Elder-smelling.	Italy.	1828.	—	H. b. 2.	Ten. flor. nap. t. 86.		
	<i>β lutescens. T.N. (ye.) pale yellow.</i>	—	—	—	H. b. 2.	— t. 86. f. b.		
29 sulphurea. B.M.	( <i>st.</i> ) pale-yellow.	S. Europe.	1823.	5. 6.	H. b. 2.	Bot. mag. t. 2569.		
30 sambucina. w.	( <i>ye.</i> ) Elder-scented.	Europe.	1825.	4. 5.	H. b. 2.	Swt. br. fl. gar. t. 299.		
31 Schleicheri. B.F.G.	( <i>re.</i> ) Schleicher's.	Switzerland.	—	—	H. b. 2.	— t. 199.		
	<i>sambucina β rubra. Sch. non Jacq.</i>							
32 latifõlia. w.	( <i>pu.</i> ) broad-leaved.	Britain.	....	5. 6.	H. b. 2.	Eng. bot. v. 33. t. 2308.		
33 maculãta. w.	( <i>li. pu.</i> ) spotted-palmate.	—	....	6. 7.	H. b. 2.	— v. 9. t. 632.		
34 spectãbilis. w.	( <i>wh. pu.</i> ) showy American.	N. America.	1801.	—	H. b. 2.	Swt. br. fl. gar. t. 65.		
ANACA'MPTIS. R.O.	ANACA'MPTIS.	Gynandria	Monandria.					
	pyramidãlis. R.O. ( <i>cr.</i> ) pyramidal.	Britain.	....	6. 7.	H. b. 2.	Eng. bot. v. 2. t. 110.		
	<i>O'rchis pyramidãlis. E.B.</i>							
GYMNADENIA. H.K.	GYMNAD'ENIA.	Gynandria	Monandria.	H.K.				
1 conõpsea. H.K.	( <i>ro.</i> ) fragrant.	Britain.	....	6. 7.	H. b. 2.	Eng. bot. v. 1. t. 10.		
	<i>O'rchis conõpsea. E.B.</i>							
2 odoratĩssima. R.O.	( <i>li.</i> ) sweet-scented.	Switzerland.	1824.	—	H. b. 2.	Jacq. aust. 3. t. 264.		
3 viridis. R.O.	( <i>gr.</i> ) Frog.	Britain.	....	—	H. b. 2.	Eng. bot. v. 2. t. 94.		
	<i>Satyrium viride. E.B. O'rchis viridis. H.K.</i>							
4 albida. R.O.	( <i>wh.</i> ) small white.	—	....	—	H. b. 2.	Eng. bot. v. 8. t. 505.		
A'CERAS. H.K.	A'CERAS.	Gynandria	Monandria.	H.K.				
	anthropõphora. H.K. ( <i>gr.</i> ) green-man.	England.	....	6.	H. b. 2.	Swt. br. fl. gar. t. 168.		
HERMI'NIUM. H.K.	HERMI'NIUM.	Gynandria	Monandria.	H.K.				
	Monõrchis. H.K. ( <i>st.</i> ) musk.	England.	....	6. 7.	H. b. 2.	Eng. bot. v. 1. t. 71.		
	<i>Ophrys Monõrchis. E.B.</i>							
CHAMO'RHIS. R.O.	CHAMO'RHIS.	Gynandria	Monandria.					
	alpina. R.O. ( <i>wh.</i> ) Alpine.	Switzerland.	1825.	6. 7.	H. b. 2.	Jacq. vind. 1. t. 9.		
	<i>Chamærèpes alpina. s.s. Ophrys alpina. Jacq.</i>							
NIGRITE'LLA. R.O.	NIGRITE'LLA.	Gynandria	Monandria.					
	angustifõlia. R.O. ( <i>d. pu.</i> ) dark-flowered.	N. Europe.	1759.	6. 7.	H. b. 2.	Flor. dan. t. 998.		
	<i>Satyrium nigrum. L. O'rchis nigra. Sw. Habenaria nigra. H.K.</i>							
PLATAN'THERA. R.O.	PLATAN'THERA.	Gynandria	Monandria.					
	bifõlia. R.O. ( <i>wh.</i> ) Butterfly.	Britain.	....	5. 6.	H. b. 2.	Eng. bot. v. 1. t. 22.		
	<i>O'rchis bifõlia. E.B. Habenaria bifõlia. H.K.</i>							

- HABEN'ARIA, H.K. HABEN'ARIA. Gynandria Monandria. H.K.**
- 1 leptocœras. B.M. (*gr.ye.*) slender-spurred. S. America. 1825. 10. S.b. 7. Bot. mag. t. 2726.  
 2 macrocœras. w. (*g.wh.*) long-horned. Jamaica. 1828. 9. 10. S.b. 7. ——— t. 2947.  
 3 bracteata. H.K. (*gr.*) long-bracted. N. America. 1805. 5. 6. H.b. 7. Swt. br. fl. gar. t. 62.  
 4 hyberbœrea. H.K. (*gr.*) northern. N. Europe. ——— 6. 7. H.b. 7. Retz. obs. 4. t. 3.  
 5 herbiola. H.K. (*gr.*) American. N. America. 1789. ——— H.b. 7. ———  
 6 dilatata. H.E.F. (*wh.*) dilated. ——— 1822. 7. 8. H.b. 7. Hook. ex. flor. t. 95.  
 7 orbiculata. H.E.F. (*st.*) round-leaved. ——— 1823. ——— H.b. 7. ——— t. 145.  
 8 tridentata. H.E.F. (*wh.*) three-toothed. ——— 1819. 5. 6. H.b. 7. ——— t. 81.  
 9 ciliaris. H.K. (*ye.*) yellow-fringed. ——— 1796. 6. 7. H.b. 7. Bot. mag. t. 1668.  
 10 blephariglottis. s.s. (*w.*) white fringed. ——— 1822. ——— H.b. 7. Hook. ex. flor. t. 87.  
 11 cristata. H.K. (*ye.*) yellow crested. ——— 1806. 9. H.b. 7. ———  
 12 psycodes. s.s. (*ye.*) yellow jagged. ——— 1823. 6. 8. H.b. 7. ———  
*Orchis psycodes. w.*
- 13 lâcera. B.C. (*st.*) torn-flowered. ——— 1818. 7. H.b. 7. Lodd. bot. cab. t. 229.  
 14 fimbriata. H.K. (*pu.*) purple-fringed. ——— 1777. ——— H.b. 7. Bot. reg. t. 405.
- BARTHOLINA, H.K. BARTHOLINA. Gynandria Monandria. H.K.**
- pectinata. H.K. (*wh.*) pectinated. C. B. S. 1787. 10. G.b. 7. Jour. Sc. v. 4. t. 8. f. 2.  
*Orchis Burmanniana. Sw. pectinata. w.*
- BON'ATEA, W. BON'ATEA. Gynandria Monandria.**
- speciosa. w. (*gr.wh.*) handsome. C. B. S. 1820. 7. 9. G.b. 7. Lodd. bot. cab. t. 234.
- SER'APIAS, H.K. SER'APIAS. Gynandria Monandria. H.K.**
- 1 Lîngua. w. (*re.*) tongue-lipped. S. Europe. 1786. 5. 6. F.b. 7. Hook. ex. flor. t. 11.  
 2 longipetala. (*st.*) long-flowered. Italy. 1825. ——— H.b. 7. Bot. reg. t. 1189.  
*Helleborine longipetala. Ten. fl. nap. t. 98.*
- 3 cordigera. w. (*pu.*) heart-lipped. S. Europe. 1806. 7. 8. F.b. 7. Andr. reposit. t. 475.
- 'OPHRYS, H.K. 'OPHRYS. Gynandria Monandria. H.K.**
- 1 apifera. w. (*bk.*) Bee. England. .... 6. 7. H.b. 7. Eng. bot. v. 6. t. 383.  
 2 tenthredinifera. w. (*re.y.*) Saw-fly. S. Europe. 1815. 4. 5. H.b. 7. Bot. reg. t. 205.  
*β minor. B.R. (br.ye.) lesser. ——— 1826. ——— H.b. 7. ——— t. 1093.*
- 3 grandiflora. T.N. (*re.y.br.*) large-flowered. Italy. 1828. ——— H.b. 7. Ten. flor. nap. t. 94.  
 4 hiûlca. s.s. (*br.ye.*) Roman. Rome. 1826. ——— H.b. 7. ———  
 5 arachnites. w. (*bh.br.*) black Spider. Switzerland. 1805. ——— H.b. 7. Bot. mag. t. 2516.  
 6 aranifera. w. (*d.br.*) common Spider. England. .... ——— H.b. 7. Eng. bot. v. 1. t. 65.  
*limbata. B.R. (da.) dark-limbed. S. Europe. 1826. ——— H.b. 7. Bot. reg. t. 1197.*
- 7 arachnoides. A.R. (*br.bh.*) Spider-like. Italy. 1805. ——— H.b. 7. Andr. reposit. t. 470.  
 8 ciliata. T.N. (*br.wh.*) fringe-flowered. ——— 1826. ——— H.b. 7. Ten. flor. nap. t. 95.  
 9 Spéculum. B.R. (*br.bl.*) looking-glass. S. Europe. 1818. ——— H.b. 7. Bot. reg. t. 370.  
 10 lûtea. H.E.F. (*ye.*) yellow. ——— 1821. ——— H.b. 7. Swt. br. fl. gar. t. 206.  
 11 exaltata. T.N. (*bh.br.*) tall. Italy. 1826. ——— H.b. 7. Ten. flor. nap. t. 96.  
 12 muscifera. E.B. (*pu.bl.*) Fly. England. .... 5. 6. H.b. 7. Eng. bot. v. 1. t. 64.  
*myodes. w.*
- 13 fûsca. B.R. (*br.ye.*) dull purple. S. Europe. 1826. 3. 4. H.b. 7. Bot. reg. t. 1071.  
 14 atrata. B.R. (*gr.pu.*) dark-flowered. Rome. ——— H.b. 7. ——— t. 1087.
- SATY'RIMUM, H.K. SATY'RIMUM. Gynandria Monandria. H.K.**
- 1 cucullatum. H.K. (*g.ye.*) cucullate. C. B. S. 1787. 6. 9. F.b. 7. Bot. reg. t. 416.  
 2 parviflorum. Sw. (*g.bh.*) small-flowered. ——— 1787. 5. 6. F.b. 7. Jacq. schenb. 2. t. 179.  
 3 membranaceum. w. (*g.y.*) membranaceous. ——— 1822. ——— F.b. 7. ———  
 4 coriifolium. w. (*ye.or.*) leather-leaved. ——— 1819. 5. 6. F.b. 7. Swt. br. fl. gar. s. 2. t. 3.  
 5 foliosum. s.s. (*pu.*) leafy. ——— 1828. 7. 8. F.b. 7. ———  
 6 carneum. H.K. (*bh.*) great-flowered. ——— 1797. 7. 9. F.b. 7. Bot. mag. t. 1512.
- PTERYG'ODIUM, W. PTERYG'ODIUM. Gynandria Monandria. H.K.**
- 1 alatum. s.s. (*ye.*) winged. C. B. S. 1821. 6. 8. F.b. 7. ———  
 2 catholicum. s.s. (*ye.*) large-flowered. ——— 1826. ——— F.b. 7. ———  
 3 volucris. s.s. (*ye.*) arrow-lipped. ——— 1797. 6. 7. F.b. 7. ———
- D'ISA, W. D'ISA. Gynandria Monandria. H.K.**
- 1 grandiflora. w. (*sc.*) large-flowered. C. B. S. 1823. 7. 8. F.b. 7. Bot. reg. t. 926.  
 2 cornuta. w. (*bh.*) horned. ——— 1805. 6. 7. F.b. 7. ———  
 3 longicornis. w. (*bl.*) long-spurred. ——— 1824. 5. 7. F.b. 7. ———  
 4 Dracônis. w. (*wh.pu.*) Dragon. ——— 1823. ——— F.b. 7. ———  
 5 ferruginea. w. (*br.*) ferruginous. ——— 1816. 6. 7. F.b. 7. ———  
 6 chrysostachya. w. (*ye.*) golden-spiked. ——— 1826. ——— F.b. 7. ———  
 7 bracteata. w. (*gr.*) small-flowered. ——— 1818. ——— F.b. 7. Bot. reg. t. 324.  
 8 flexuosa. w. (*st.*) flexuose. ——— 1822. ——— F.b. 7. ———  
 9 prasinata. B.R. (*gr.pu.*) green-flowered. ——— 1815. ——— F.b. 7. Bot. reg. t. 209.  
 10 spathulata. w. (*li.*) spatulate. ——— 1805. ——— F.b. 7. Journ. sc. v. 4. t. 8. f. 3.  
 11 physodes. w. (*pu.*) nodding. ——— 1824. ——— F.b. 7. ———  
 12 gramiifolia. s.s. (*bl.*) Grass-leaved. ——— 1822. ——— F.b. 7. Journ. sc. v. 6. t. 1. f. 2.  
 13 maculata. w. (*bl.*) spotted-stalked. ——— 1816. 7. 8. F.b. 7. ———

- DI'SPERIS. W.** Di'SPERIS. Gynandria Monandria. H.K.  
 1 capensis. w. (cr.) Cape. C. B. S. 1816. 5. 6. F. b. 2.  
 2 cucullata. w. (li.) cucullate. ——— 1822. 6. 7. F. b. 2.  
 3 secunda. w. (st.) side-flowering. ——— 1797. — F. b. 2.
- CORY'CIUM. W.** CORY'CIUM. Gynandria Monandria.  
 1 orobanchoïdes. w. (ye.) Orobanche-like. C. B. S. 1825. 6. 8. F. b. 2.  
 2 crispum. w. (ye.) curled-leaved. ——— 5. 6. F. b. 2. Buxb. cent. 3. t. 11.
- GLO'SSULA. B.R.** GLO'SSULA. Gynandria Monandria.  
 tentaculata. B.R. (gr.) horned. China. 1824. 5. 6. F. b. 2. Bot. reg. t. 862.
- GOODY'ERA. H.K.** GOODY'ERA. Gynandria Monandria. H.K.  
 1 repens. H.K. (wh.) creeping. Scotlaud. .... 7. 8. H. 2. Eng. bot. v. 5. t. 289.  
*Satyrium repens.* E.B. *Neottia repens.* w.  
 2 tessellata. B.C. (wh.) tessellated. N. America. 1823. 6. 7. H. 2. Lodd. bot. cab. t. 952.  
*Neottia repens.* Ph. *Goodyera pubescens.*  $\beta$  minor. B.M. 2540.  
 3 pubescens. H.K. (wh.) downy. N. America. 1802. — H. 2. Swt. br. fl. gar. s. 2. t. 47.  
 4 procera. H.E.F. (wh.) Nepalul. Nepalul. 1821. 7. 12. G. 2. Hook. ex. flor. t. 39.  
*Neottia procera.* B.R. 639.  
 5 discolor. B.R. (wh.) red-leaved. S. America. 1815. 10. 12. S. 2. Bot. reg. t. 271.
- PELEXIA. B.R.** PELEXIA. Gynandria Monandria. B.R.  
 spiranthoïdes. B.R. (gr.) decurrent-lipped. W. Indies. 1823. 3. S. 2. Bot. reg. t. 985.  
*Neottia adnata.* Sw.
- STENORHY'NCHUS. R.O.** STENORHY'NCHUS. Gynandria Monandria.  
 1 speciosus. R.O. (sc.) showy. W. Indies. 1790. 3. 6. S. 2. Bot. mag. t. 1374.  
*Neottia speciosa.* Hook. ex. flor. t. 39.  
 2 orchioïdes. R.O. (pu.) frosted-flowered. Jamaica. 1806. — S. 2. Bot. reg. t. 701.  
 3 plantagineus. H. (pu.) Plantain-leaved. W. Indies. 1825. — S. 2. Hook. ex. flor. t. 226.  
*Neottia plantaginea.* Hooker.  
 4 aphylla. (br. li.) leafless. Trinidad. — — S. 2. Bot. mag. t. 2797.  
*Neottia aphylla.* B.M.
- NEO'TTIA. H.K.** NEO'TTIA. Gynandria Monandria. H.K.  
 1 macrantha. (wh.) great-flowered. W. Indies. 1827. 3. 6. S. 2. Bot. mag. t. 2956.  
*Neottia grandiflora.* B.M. t. 2956. non t. 2730.  
 2 grandiflora. B.M. (gr.) large-flowered. Brazil. 1825. 2. 5. S. 2. Bot. mag. t. 2730.  
*Spiranthes grandiflora.* Bot. reg. t. 1043.  
 3 bicolor. B.R. (wh.) two-coloured. W. Indies. 1821. 7. 8. S. 2. Bot. reg. t. 794.  
 4 elata. w. (wh.) tall. ——— 1790. 4. 6. S. 2. Bot. mag. t. 2026.  
 5 picta. H.K. (wh.) painted-leaved. Trinidad. 1805. 2. 4. S. 2. ——— t. 1562.  
 6 cernua. H.K. (wh.) nodding-flowered. N. America. 1796. 8. 10. H. 2. Swt. br. fl. gar. t. 42.  
 7 tortilis. w. (wh.) twisting-spiked. W. Indies. 1822. 6. 7. S. 2.  
 8 æstivalis. m. (wh.) summer. N. America. — — H. 2.  
*tortilis.* Ph. non Sw.  
 9 spiralis. H.K. (wh.) Ladies-traces. Britain. .... 8. 9. H. b. 2. Eng. bot. v. 8. t. 541.  
*Ophrys spiralis.* E.B.
- 10 pùdica.** (bh.) modest. China. 1819. 9. 12. H. b. 2. Lindl. coll. t. 30.  
*australis.*  $\beta$ . B.R. t. 602. *Spiranthes pùdica.* Lindl. col.
- 11 australis. B.P.** (wh.) southern. N. S. W. 1826. — F. b. 2.
- CALOCH'ILUS. B.P.** CALOCH'ILUS. Gynandria Monandria. B.P.  
 1 campëstris. B.P. (wh.) field. N. S. W. 1826. 4. 6. F. b. 2.  
 2 paludosus. B.P. (wh.) marsh. ——— — F. b. 2.
- PONTHI'ËVA. H.K.** PONTI'ËVA. Gynandria Monandria. H.K.  
 1 glandulosa. H.K. (gr.) glandular. W. Indies. 1800. 1. 3. S. 2. Bot. mag. t. 842.  
 2 petiolata. B.R. (br.) stalked. ——— 1823. 7. 8. S. 2. Bot. reg. t. 760.
- PRASOPHY'LLUM. B.P.** PRASOPHY'LLUM. Gynandria Monandria. B.P.  
 1 elatum. B.P. .... tall. N. S. W. 1826. .... F. b. 2.  
 2 flavum. B.P. (ye.) yellow. ——— 4. 6. F. b. 2.  
 3 striatum. B.P. (std.) streaked. ——— ... F. b. 2.  
 4 fuscum. B.P. (br.) brown. ——— 5. 6. F. b. 2.  
 5 patens. B.P. .... spreading. ——— ... F. b. 2.  
 6 rufum. B.P. (br.) rufous. ——— 5. 6. F. b. 2.  
 7 fimbriatum. B.P. .... fringed. ——— 1826. .... F. b. 2.
- CRYPTO'STYLIS. B.P.** CRYPTO'STYLIS. Gynandria Monandria. B.P.  
 1 erecta. B.P. (br.) upright. N. S. W. 1826. 4. 6. F. b. 2.  
 2 longifolia. B.P. (br.) long-leaved. ——— 1822. 5. 6. F. b. 2. Lab. n. holl. 2. t. 212.  
*Malaxis subulata.* Lab.
- ORTHO'CERAS. B.P.** ORTHO'CERAS. Gynandria Monandria. B.P.  
 strictum. B.P. .... upright. N. S. W. 1826. .... F. b. 2.
- DI'URUS. B.P.** DI'URUS. Gynandria Monandria. B.P.  
 1 maculata. B.P. (ye. sp.) spotted. N. S. W. 1823. 3. 5. F. b. 2. Sm. exot. bot. 1. t. 30.  
 2 aurea. B.P. (go.) golden-flowered. ——— 1810. 4. 5. F. b. 2. ——— 1. t. 9.

- 3 pedunculâta. B.P. (*ye.*) peduncled. N. S. W. 1822. 2. 4. F. b. 2.
- 4 sulphûrea. B.P. (*st.*) sulphur-coloured. ——— 1826. ——— F. b. 2.
- 5 elongâta. B.P. (*pu.*) elongated. ——— ——— F. b. 2.
- THELYMITRA. B.P. THELYMITRA. Gynandria Monandria. B.P.
- 1 ixioides. B.P. (*bl.sp.*) spotted blue. N. S. W. 1810. 4. 6. F. b. 2. Sm. ex. bot. 1. t. 29.
- 2 mēdia. B.P. (*bl.*) middle. ——— 1820. ——— F. b. 2.
- 3 pauciflōra. B.P. (*bl.*) few-flowered. ——— 1826. ——— F. b. 2.
- 4 angustiflōia. B.P. (*bl.*) narrow-leaved. ——— 5. 6. F. b. 2.
- 5 cārnea. B.P. (*fl.*) flesh-coloured. ——— 1823. ——— F. b. 2.
- 6 venōsa. B.P. (*wh.*) veined. ——— 1826. 3. 5. F. b. 2.
- LIST'ERA. H.K. LIST'ERA. Gynandria Monandria. H.K.
- 1 ovâta. H.K. (*gr.*) Tway-blade. Britain. .... 5. 6. H. 2. Eng. bot. v. 22. t. 1548.
- 'Ophrys ovâta. E.B. *Epipactis ovâta*. w.
- 2 cordâta. H.K. (*br.gr.*) heart-leaved. Britain. .... 6. 7. H. 2. Eng. bot. v. 5. t. 358.
- 3 convallarioides. N. (*br.gr.*) small green. N. America. 1826. 5. 6. H. 2. Bart. fl. amer. t. 39. f. 1.
- 4 Nidus âvis. (*br.*) Bird's-nest. Britain. .... 5. H. 2. Eng. bot. v. 1. t. 48.
- 'Ophrys Nidus âvis. E.B. *Epipactis Nidus âvis* E.F. *Neottia Nidus âvis*. R.O.
- EIPIPACTIS. H.K. EIPIACTIS. Gynandria Monandria. H.K.
- 1 latiflōia. w. (*pu.*) broad-leaved. Britain. .... 7. 8. H. 2. Eng. bot. v. 4. t. 269.
- Serapias latiflōia*. E.B.
- 2 palūstris. w. (*pu.wh.*) marsh. ——— .... ——— H. 2. Eng. bot. v. 4. t. 270.
- 3 pāllens. w. (*wh.*) white. ——— .... 6. H. 2. ——— v. 4. t. 271.
- Serapias grandiflōra*. E.B.
- 4 ensiflōia. w. (*wh.*) narrow-leaved. ——— .... ——— H. 2. Eng. bot. v. 7. t. 494.
- 5 rûbra. w. (*pu.wh.*) purple. ——— .... 6. 7. H. 2. ——— v. 7. t. 437.
- ARETHUSA. H.K. ARETHUSA. Gynandria Monandria. H.K.
- 1 bulbōsa. H.K. (*pu.*) bulbous. N. America. .... 5. 6. H. b. 2. Bot. mag. t. 2204.
- 2? plicâta. A.R. (*pu.*) plaited. E. Indies. 1806. 6. 8. S. b. 2. Andr. reposit. t. 321.
- POGONIA. H.K. POGONIA. Gynandria Monandria. H.K.
- 1 divaricâta. H.K. (*pi.*) Lily-leaved. N. America. 1787. 6. 7. H. 2. Catesb. car. 1. t. 58.
- 2 ophioglossoides. B.R. (*pi.*) Adder's-tongue. ——— 1816. ——— H. 2. Bot. reg. t. 148.
- 3 pēndula. B.R. (*pi.*) drooping. ——— 1824. ——— H. 2. ——— t. 906.
- Arethusa pēndula*. w. *parviflōra*. M. *Triphora pēndula*. N.
- MICROTIS. B.P. MICROTIS. Gynandria Monandria. B.P.
- parviflōra*. B.P. (*gr.*) small-flowered. N. S. W. 1826. 4. 6. F. b. 2.
- ACIA'NTHUS. B.P. ACIA'NTHUS. Gynandria Monandria. B.P.
- 1 fornicâtus. B.P. (*br.*) enclosed. N. S. W. 1822. 4. 6. F. b. 2.
- 2 exsērtus. B.P. (*br.*) exerted. ——— ——— F. b. 2.
- 3 caudâtus. B.P. (*br.*) long-awned. ——— 1826. ——— F. b. 2.
- CYRTO'STYLIS. B.P. CYRTO'STYLIS. Gynandria Monandria. B.P.
- reniflōris. B.P. (*br.*) kidney-leaved. N. S. W. 1824. 4. 5. F. 2.
- CHIOLOGLOTTIS. B.P. CHIOLOGLOTTIS. Gynandria Monandria. B.P.
- diphy'lla. B.P. (*br.*) two-leaved. N. S. W. 1826. 4. 6. F. b. 2.
- PRESC'OTIA. H.E.F. PRESC'OTIA. Gynandria Monandria.
- plantaginiflōia. H.E.F. (*gr.*) Plantain-ld. Rio Janeiro. 1822. 9. 4. S. 2. Hook. ex. flor. t. 115.
- LIPARIS. Rich. LIPARIS. Gynandria Monandria. H.K.
- 1 foliōsa. B.R. (*y.gr.*) leafy. Mauritius. 1823. 9. S. 2. Bot. reg. t. 882.
- 2 bituberculâta. B.R. (*gr.br.*) two-warted. Nepal. 1822. 2. 3. S. 2. Hook. ex. flor. t. 116.
- 3 Loesëlii. B.R. (*ye.*) Loesel's. Britain. .... 7. H. b. 2. Eng. bot. v. 1. t. 47.
- Malaxis Loesëlii*. E.B.
- 4 longiflōia. B.A. (*gr.*) long-leaved. N. America. 1827. ——— H. b. 2. Bart. flor. amer. t. 75.
- 5 Correâna. N. (*ye.gr.*) two-leaved. ——— 1823. 5. 6. H. b. 2.
- 6 liliiflōia. B.R. (*pa.bl.*) Lily-leaved. ——— 1758. 6. 7. H. b. 2. Bot. mag. t. 2004.
- Malaxis liliiflōia*. B.M. 'Ophrys liliiflōia. A.R. 65.
- 7 reflēxa. B.R. (*gr.*) reflexed. N. Holland. 1820. ——— G. b. 2.
- 8 elâta. B.R. (*br.pu.*) tall. Brazil. ——— S. 2. Bot. reg. t. 1175.
- ERIOCHILUS. B.P. ERIOCHILUS. Gynandria Monandria. B.P.
- autumnâlis. B.P. (*bh.*) autumnal. N. S. W. 1823. 9. 10. G. b. 2. Lab. n. holl. 2. t. 211. f. 2.
- Epipactis cucullâta*. Lab.
- CALAD'ENIA. B.P. CALAD'ENIA. Gynandria Monandria. H.K.
- 1 âlba. B.P. (*wh.*) white. N. S. W. 1810. 7. 8. G. b. 2.
- 2 cārnea. B.P. (*fl.*) flesh-coloured. ——— 1826. 6. 7. G. b. 2.
- 3 cōrûlea. B.P. (*bl.*) blue-flowered. ——— ——— G. b. 2.
- 4 alâta. B.P. (*li.*) winged. ——— 1823. 6. 8. G. b. 2.
- 5 testâcea. B.P. .... fringe-flowered. ——— 1826. .... G. b. 2.
- LYPERA'NTHUS. B.P. LYPERA'NTHUS. Gynandria Monandria. B.P.
- 1 suavēolens. E.P. (*d.br.*) sweet-scented. N. S. W. 1822. 5. 7. F. b. 2.
- 2 ellipticus. B.P. (*d.br.*) elliptic-leaved. ——— 1826. ——— F. b. 2.
- 3 nīgricans. B.P. (*bk.*) heart-leaved. ——— ——— F. b. 2.

<b>GLOSS'ODIA. B.P.</b>		<b>GLOSS'ODIA.</b>		<b>Gynandria Monandria. B.P.</b>	
1	måjor. B.P.	(bl.) larger.	N. S. W.	1810.	6. 8. F. b. 2.
2	minor. B.P.	(bl.) lesser.	————	1826.	———— F. b. 2.
<b>PTERO'STYLIS. B.P.</b>		<b>PTERO'STYLIS.</b>		<b>Gynandria Monandria. B.P.</b>	
1	concinna. B.P.	(st.) neat.	N. S. W.	1826.	4. 6. F. b. 2.
2	ophioglossa. B.P.	(st.) adder's-tongue.	————	————	———— F. b. 2.
3	cúrta. B.P.	(st.) short-lipped.	————	1822.	4. 6. F. b. 2.
4	acuminata. B.P.	(st.) taper-pointed.	————	1826.	———— F. b. 2.
5	cucullata. B.P.	(st.) hooded.	V. Diem. Isl.	1823.	5. 7. F. b. 2.
6	nútans. B.P.	(st.) nodding.	N. S. W.	1826.	———— F. b. 2.
7	obtusa. B.P.	(st.) blunt-lipped.	————	1810.	7. 8. F. b. 2.
8	refléxa. B.P.	(st.) reflexed.	————	1826.	4. 6. F. b. 2.
9	grandiflora. B.P.	(st.) large-flowered.	————	————	———— F. b. 2.
10	longifolia. B.P.	(st.) long-leaved.	————	1823.	6. 8. F. b. 2.
11	gibbosa. B.P.	(st.) gibbous.	————	1826.	5. 6. F. b. 2.
<b>CORYSA'NTHES. B.P.</b>		<b>CORYSA'NTHES.</b>		<b>Gynandria Monandria. B.P.</b>	
1	fimbriata. B.P.	(br.) fringed.	N. S. W.	1822.	5. 7. F. b. 2.
2	unguiculata. B.P.	(br.) pendulous-flowered.	————	————	———— F. b. 2.
3	bicalcarata. B.P.	(br.) two-spurred.	————	....	———— F. b. 2. Sal. par. lond. t. 83. ?
<i>Corybas aconitiflorus. P.L. ?</i>					
<b>C'ALEYA. H.K.</b>		<b>C'ALEYA.</b>		<b>Gynandria Monandria. H.K.</b>	
1	måjor. H.K.	(br.gr.) smooth-lipped.	N. S. W.	1810.	6. 7. F. b. 2.
2	minor.	(br.gr.) tubercle-lipped.	————	1822.	———— F. b. 2.
<i>Caleana minor. B.P.</i>					
<b>CALOP'OGON. H.K.</b>		<b>CALOP'OGON.</b>		<b>Gynandria Monandria. H.K.</b>	
	pulchellus. H.K.	tuberous-rooted.	N. America.	1771.	7. 8. H. b. 2. Swt. br. fl. gar. t. 115.
	<i>Limodorum tuberòsum.</i>	B.M. 116.	<i>Cymbidium pulchellum.</i>	w.	
<b>BL'ETIA. H.K.</b>		<b>BL'ETIA.</b>		<b>Gynandria Monandria. H.K.</b>	
1	Tankervillea. H.K.	(wh. pu.) LyTankerville's.	China.	1778.	3. 4. S. 2. Bot. mag. t. 1924.
	<i>Limodorum Tankervillea.</i>	w.			
2	pállida. B.C.	(li.) pale-flowered.	China.	1820.	4. 8. S. 2. Lodd. bot. cab. t. 629.
3	flòrida. H.K.	(pu.) purple.	W. Indies.	1786.	7. 8. S. 2. Redoute. lil. t. 83.
	<i>Limodorum purpureum.</i>	R.L.			
4	guineénsis. G.D.	(pu.) Guinea.	Guinea.	1822.	.... S. 2.
5	verecúnda. H.K.	(pu.) tall.	W. Indies.	1733.	1. 5. S. 2. Bot. mag. t. 930.
	<i>Limodorum áltum.</i>	B.M. <i>Cymbidium verecundum.</i>	w.		
6	hyacínthina. H.K.	(pu.) hyacinthine.	China.	1802.	3. 9. G. 2. Bot. mag. t. 1492.
	<i>Cymbidium hyacínthinum.</i>	B.M.			
7	capitata. H.K.	(pu.) capitate.	W. Indies.	1795.	5. 7. S. 2.
8	Woodfórdii. B.M.	(ye.or.) Woodford's.	Trinidad.	1820.	4. 8. S. 2. Bot. mag. t. 2719.
<b>GEOD'ORUM. H.K.</b>		<b>GEOD'ORUM.</b>		<b>Gynandria Monandria. H.K.</b>	
1	purpúreum. H.K.	(pu.) purple.	E. Indies.	1800.	6. 8. S. 2. Roxb. cor. 1. t. 40.
	<i>Limodorum nútans.</i>	R.C.			
2	citrínum. H.K.	(st.) Lemon-coloured.	E. Indies.	————	10. 12. S. 2. Andr. reposit. t. 626.
3	dilatatum. H.K.	(pi.) shovel-lipped.	————	————	5. 8. S. 2. Bot. reg. t. 675.
	<i>Limodorum recurvum.</i>	R.C. 1. t. 39.			
<b>CALY'PSO. H.K.</b>		<b>CALY'PSO.</b>		<b>Gynandria Monandria. H.K.</b>	
	americana. H.K.	(pu.) American.	N. America.	1805.	5. 6. H. b. 2. Sal. par. lond. t. 89.
	<i>borealis.</i>	H.E.F. t. 12.			
<b>MALA'XIS. Rich.</b>		<b>MALA'XIS.</b>		<b>Gynandria Monandria. H.K.</b>	
	paludosa. E.B.	(ye.) marsh.	England.	....	7. H. b. 2. Eng. bot. v. 1. t. 47.
<b>MICRO'STYLIS. N.</b>		<b>MICRO'STYLIS.</b>		<b>Gynandria Monandria. N.</b>	
	ophioglossoides. N.	(gr.) Adder's-tongue.	N. America.	1820.	4. 5. H. b. 2. Lodd. bot. cab. t. 1146.
	<i>β mexicana</i>	B.R. (gr.) Mexican.	Mexico.	1828.	———— H. 2. Bot. reg. t. 1290.
<b>CORALLORRHIZA. H.K.</b>		<b>CORALLORRHIZA.</b>		<b>Gynandria Monandria. H.K.</b>	
1	innata. H.K.	(st.) spurless.	Scotland.	....	6. 7. H. 2. Eng. bot. v. 22. t. 1547.
2	multiflora. H.E.F.	(st.) many-flowered.	N. America.	1824.	5. 6. H. 2. Hook. ex. flor. t. 174.
3	odontorhiza. N.	(w. pu.) tooth-rooted.	————	————	6. 7. H. 2.
<b>ST'ELIS. H.K.</b>		<b>ST'ELIS.</b>		<b>Gynandria Monandria. H.K.</b>	
1	ophioglossoides. H.K.	(st.) Adder's-tongue.	W. Indies.	1791.	5. 6. S. 2. Bot. reg. t. 935.
2	micrantha. H.K.	(st.) small-flowered.	Jamaica.	1805.	11. 12. S. 2. Hook. ex. flor. t. 158.
<b>RODRIGUEZIA. R.P.</b>		<b>RODRIGUEZIA.</b>		<b>Gynandria Monandria. B.R.</b>	
	secúnda. K.S.	(re.) side-flowering.	S. America.	1819.	6. 12. S. 2. Bot. reg. t. 930.
<b>GOMEZA. B.M.</b>		<b>GOM'EZA.</b>		<b>Gynandria Monandria. B.M.</b>	
	recurva. B.M.	(ye.) recurved.	Brazil.	1814.	5. 6. S. 2. Bot. mag. t. 1748.
<b>NOTY'LIA. B.R.</b>		<b>NOTY'LIA.</b>		<b>Gynandria Monandria.</b>	
	punctata. B.R.	(wh.) dotted.	Trinidad.	1823.	7. 8. S. 2. Bot. reg. t. 759.
	<i>Pleurothállis punctata.</i>	B.R. <i>Gomezia tenuiflora.</i>	Lod. bot. cab. t. 806.		

- CIRRHÆA**. B.R. **CIRRHÆA**. Gynandria Monandria.  
*depēdens*. B.R. (*ye.gr.*)pendent. China. 1824. 6. 8. S. 7. Lodd. bot. cab. t. 936.  
*Cymbidium depēdens*. B.C.
- CYMBIDIUM**. H.K. **CYMBIDIUM**. Gynandria Monandria. H.K.  
 1 aloifolium. H.K. (*d.pu.*) Aloe-leaved. China. 1789. 5. 6. S. 7. Bot. mag. t. 387.  
 2 sinēse. H.K. (*d.pu.*) Chinese. ———— 1793. 9. 10. S. 7. ———— t. 888.  
 3 lancifolium. H.E.F. (*y.re.*) lance-leaved. E. Indies. 1823. 5. 8. S. 7. Hook. ex. flor. t. 51.  
 4 ensifolium. H.K. (*st.br.*) sword-leaved. China. 1780. 6. 10. S. 7. Bot. mag. t. 1751.  
 5 xiphifolium. B.R. (*gr.*) Xiphium-leaved ———— 1814. 5. 8. S. 7. Bot. reg. t. 529.  
 6 iridioides. D.P. (*wh.*) Iris-leaved. Nepaul. 1828. — S. 7.  
 7 suāve. B.P. (*gr.br.*) sweet-scented. N. S. W. 1826. — G. 7.  
 8 tripterum. w. (*wh.*) triangular-fruited. Jamaica. 1790. 6. 7. S. 7. Sm. ic. pict. t. 14.
- ANISOPETALUM**. H.E.F. **ANISOPETALUM**. Gynandria Monandria.  
*Careyanum*. H.E.F. (*br.pu.*) Carey's. Nepaul. 1823. 8. 10. G. 7. Hook. ex. flor. t. 149.
- BRA'SSIA**. H.K. **BRA'SSIA**. Gynandria Monandria. H.K.  
 1 maculata. H.K. (*w.st.pu.*) spotted. Jamaica. 1806. 6. 7. S. 7. Bot. mag. t. 1691.  
 2 caudata. B.R. (*g.y.re.*) long-tailed. W. Indies. 1823. — S. 7. Bot. reg. t. 832.
- ANGULO'A**. K.S. **ANGULO'A**. Gynandria Monandria.  
*grandiflora*. K.S. (*ye.pu.*) large-flowered. S. America. 1823. 6. 8. S. 7. H. et B. pl. æq. 1. t. 27.
- CATASETUM**. K.S. **CATASETUM**. Gynandria Monandria. B.M.  
 1 tridentatum. H.E.F. (*ye.*) three-toothed. Trinidad. 1823. 8. 12. S. 7. Bot. mag. t. 2559.  
 2 Claveringi. B.R. (*y.pu.*) Clavering's. Brazil. — S. 7. Bot. reg. t. 840.  
 3 floribundum. H.E.F. (*y.pu.*) many-flowered. — S. 7. Hook. ex. flor. t. 151.  
 4 semiapertum. H.E.F. (*gr.*) greenish-flowered. — 1825. 5. S. 7. ———— t. 213.  
 5 Hookeri. L.col. (*y.pu.*) Hooker's. — 1816. — S. 7. Lindl. coll. t. 40.  
 6 cristatum. B.R. (*g.wh.*) crested. — 1823. — S. 7. Bot. reg. t. 966.
- CYRTOPODIUM**. B.R. **CYRTOPODIUM**. Gynandria Monandria. H.K.  
 1 Anderssonii. H.K. (*ye.*) Anderson's. W. Indies. 1804. 4. 8. S. 7. Bot. mag. t. 1800.  
 2 glutinosum. Mey. (*ye.*) gummy. S. America. 1825. . . . S. 7.  
 3 Woodfordii. B.M. (*pu.*) Woodford's. ———— 1814. 10. S. 7. Bot. mag. t. 1814.
- LISSOCHILUS**. B.R. **LISSOCHILUS**. Gynandria Monandria. B.R.  
*speciosus*. B.R. (*ye.*) showy. C. B. S. 1818. 5. 6. S. 7. Bot. reg. t. 573.
- ONCIDIUM**. H.K. **ONCIDIUM**. Gynandria Monandria. H.K.  
 1 altissimum. w. (*ye.*) sharp-petaled. W. Indies. 1793. 8. 9. S. 7. Jacq. amer. t. 141.  
 2 carthagenense. w. (*g.br.*) spread-eagle. — 1791. 5. 6. S. 7. Bot. mag. t. 777.  
*Epidendrum undulatum*. B.M.  
 3 luridum. B.R. (*g.br.*) lurid. Trinidad. 1818. 2. 6. S. 7. Bot. reg. t. 727.  
 4 variegatum. w. (*wh.pu.*) variegated. Jamaica. 1825. 7. 8. S. 7. Sloan. hist. 1. t. 148. f. 2.  
 5 divaricatum. B.R. (*br.y.re.*) spreading. Brazil. 1826. 9. 11. S. 7. Bot. reg. t. 1050.  
 6 pubes. B.R. (*br.re.*) pubescent. — 1824. 3. 6. S. 7. ———— t. 1097.  
 7 ornithorhynchum. K.S. (*ye.*) long-beaked. Mexico. 1826. 8. 10. S. 7. H. et B. n. gen. 1. t. 80.  
 8 Papilio. B.R. (*y.or.pu.*) Butterfly. Trinidad. 1823. 4. 6. S. 7. Bot. reg. t. 910.  
 9 flexuosum. B.M. (*ye.*) Zigzag. Brazil. 1818. 6. 7. S. 7. Bot. mag. t. 2203.  
 10 barbatum. L.col. (*ye.*) bearded. S. America. — 4. 5. S. 7. Lindl. coll. t. 27.  
 11 pumilum. B.R. (*ye.*) dwarf. Brazil. 1824. 6. 7. S. 7. Bot. reg. t. 920.  
 12 bifolium. H.K. (*ye.*) two-leaved. S. America. 1811. 7. 8. S. 7. Bot. mag. t. 1491.  
 13 pulchellum. B.M. (*bh.or.*) elegant. Demerara. 1825. 6. 7. S. 7. ———— t. 2773.  
 14 triquetrum. H.K. (*ye.*) triangular-leaved. Jamaica. 1793. 7. 8. S. 7.  
 15 tetrapetalum. w. (*pu.ye.*) four-petaled. — 1824. — S. 7. Jacq. amer. t. 142.  
 16 Cebollata. w. (*br.*) awl-leaved. Carthage. — S. 7. ———— t. 131. f. 2.
- MACRAD'ENIA**. B.R. **MACRAD'ENIA**. Gynandria Monandria. B.R.  
*lutescens*. B.R. (*ye.*) yellowish. Trinidad. 1821. 12. 2. S. 7. Bot. reg. t. 612.
- CÆLOGYNE**. B.R. **CÆLOGYNE**. Gynandria Monandria.  
 1 fimbriata. B.R. (*st.*) fringed. China. 1824. 9. S. 7. Bot. reg. t. 868.  
 2 nitida. L.O. (*ye.*) shining-leaved. E. Indies. 1822. . . . S. 7.  
 3 punctulata. L.O. (*ye.*) dot-flowered. ———— . . . . S. 7.
- MEGACLI'NIUM**. B.R. **MEGACLI'NIUM**. Gynandria Monandria. B.R.  
*falcatum*. B.R. (*ye.re.*) falcate. Sierra Leone. 1824. 6. 9. S. 7. Bot. reg. t. 989.
- TRIZEUXIS**. L.col. **TRIZEUXIS**. Gynandria Monandria.  
*falcata*. L.col. (*gr.*) falcate. Trinidad. 1820. 2. 6. S. 7. Lindl. coll. t. 2.
- PLEUROTH'LLIS**. H.K. **PLEUROTH'LLIS**. Gynandria Monandria. H.K.  
 1 ruscifolia. H.K. (*st.*) Ruscus-leaved. W. Indies. 1791. 5. 6. S. 7. Hook. ex. flor. t. 197.  
 2 racemiflora. H.E.F. (*st.*) racemed. — 1822. 7. 8. S. 7. ———— t. 123.  
 3 prolifera. B.R. (*ro.*) proliferous. Brazil. 1825. 1. 12. S. 7. Bot. reg. t. 1298.  
 4 foliosa. B.M. (*st.ye.*) leafy. ———— 2. 6. S. 7. Bot. mag. t. 2746.
- ORNITHOCE'PHALUS**. BIRD'S-HEAD. Gynandria Monandria.  
*gladiatus*. H.E.F. (*gr.*) sword-leaved. Trinidad. 1822. 5. 8. S. 7. Hook. ex. flor. t. 127.
- OCTOM'ERIA**. H.K. **OCTOM'ERIA**. Gynandria Monandria. H.K.  
 1 graminifolia. H.K. (*st.*) Grass-leaved. W. Indies. 1793. 4. 7. S. 7. Bot. mag. t. 2764.

- 2 serratifolia. B.M. (*st.br.*) saw-leaved. Brazil. 1826. 10. 12. S. 2. Bot. mag. t. 2823.  
 3 spicata. D.P. (*wh.*) spiked. Nepaul. 1823. 5. 8. S. 2.
- TRIBRACHIA. B.R. TRIBRACHIA. Gynandria Monandria.  
 pendula. B.R. (*gr.*) pendulous-spiked. Sierra Leon. 1822. 6. 11. S. 2. Bot. reg. t. 963.
- SOPHRONITIS. B.R. SOPHRONITIS. Gynandria Monandria.  
 cernua. B.R. (*ro.*) cernuous. Brazil. 1826. 11. 12. S. 2. Bot. reg. t. 1129.
- GONG'ORA. R.P. GONG'ORA. Gynandria Monandria.  
 1 atropurpurea. H.E.F. (*d.pu.*) dark-flowered. Trinidad. 1824. 6. 7. S. 2. Hook. ex. flor. t. 178.  
 2 speciosa. B.M. (*ye.or.*) beautiful. Brazil. 1826. 4. 6. S. 2. Bot. mag. t. 2755.  
 3 viridipurpurea. B.M. (*g.pu.*) green & purple. ——— 1827. 6. 8. S. 2. ——— t. 2978.
- HETEROTAXIS. B.R. HETEROTAXIS. Gynandria Monandria.  
 crassifolia. B.R. (*ye.*) thick-leaved. Jamaica. 1823. 6. 8. S. 2. Bot. reg. t. 1028.
- DIP'ODIUM. B.P. DIP'ODIUM. Gynandria Monandria. B.P.  
 punctatum. B.P. (*pu.*) spotted. N. S. W. 1822. 6. 8. G. 2. Sm. exot. bot. 1. t. 12.  
*Dendrobium punctatum.* Sm.
- CAMARI'DIUM. B.R. CAMARI'DIUM. Gynandria Monandria. B.R.  
 ochroleucum. B.R. (*st.*) pale-flowered. Trinidad. 1823. 7. 10. S. 2. Bot. reg. t. 844.  
*Dendrobium? album.* H.E.F. t. 142.
- 'ERIA. B.R. 'ERIA. Gynandria Monandria. B.R.  
 1 stellata. B.R. (*st.*) stary. Nepaul. 1818. 5. 6. S. 2. Bot. reg. t. 904.  
 2 pubescens. B.R. (*ye.*) pubescent. E. Indies. 1820. 3. 4. S. 2. Hook. ex. flor. t. 124.  
*Dendrobium pubescens.* H.E.F.
- 3 rosea. B.R. (*bh.*) rose-coloured. China. 1824. 10. S. 2. Bot. reg. t. 978.
- XYL'OBIMUM. B.R. XYL'OBIMUM. Gynandria Monandria.  
 1 squaleus. B.R. (*ye.br.*) squalid. Brazil. 1822. 7. 8. S. 2. Bot. reg. t. 732.  
*Dendrobium squaleus.* B.R. *Maxillaria squaleus.* Bot. mag. t. 2955.  
 2 racemosum. (*ye.or.*) racemed. Brazil. 1825. 6. 8. S. 2. Bot. mag. t. 2789.  
*Maxillaria racemosa.* B.M.
- MAXILL'ARIA. R.P. MAXILL'ARIA. Gynandria Monandria. B.R.  
 1 pallidiflora. B.M. (*st.*) pale-flowered. St. Vincent's. 1826. 8. 11. S. 2. Bot. mag. t. 2806.  
 2 ciliata. B.R. (*gr.*) fringe-lipped. S. America. 1827. 5. 8. S. 2. Bot. reg. t. 1206.  
 3 Barringtonia. B.R. (*gr.*) Barrington's. W. Indies. 1790. 6. 8. S. 2. Sm. ic. pict. t. 25.  
*Dendrobium Barringtonia.* Hook. ex. flor. t. 119.  
 4 Harrisonia. B.R. (*st.pu.*) Mrs. Harrison's. Brazil. 1820. 4. 8. S. 2. Bot. mag. t. 2927.  
 5 Parkeri. B.M. (*wh.pu.*) Parker's. W. Indies. 1826. ——— S. 2. ——— t. 2729.  
 6 parvula. H.E.F. (*st.pu.*) small. Brazil. 1824. 3. 5. S. 2. Hook. ex. flor. t. 217.  
 7 aromatica. H.E.F. (*ye.*) aromatic. ——— 1825. 5. S. 2. ——— t. 219.
- SARCOCHILUS. B.P. SARCOCHILUS. Gynandria Monandria. B.P.  
 falcatus. B.P. (*pu.*) falcate. N. S. W. 1821. 5. 8. G. 2.
- DENDROB'IDIUM. H.K. DENDROB'IDIUM. Gynandria Monandria. H.K.  
 1 speciosum. B.P. (*bh.re.*) showy. N. S. W. 1801. 6. 8. G. 2. Sm. exot. bot. 1. t. 10.  
 2 æmulum. B.P. (*wh.*) rival. ——— 1822. 4. 2. G. 2. Bot. mag. t. 2906.  
 3 rigidum. B.P. . . . . rigid. N. Holland. 1824. . . . S. 2.  
 4 linguiforme. B.P. (*w.st.*) tongue-leaved. N. S. W. 1819. 4. 8. G. 2. Sm. exot. bot. 1. t. 11.  
 5 teretifolium. B.P. (*pu.*) filiform-leaved. ——— 1823. ——— G. 2.  
 6 longicorru. B.R. (*bh.*) long-spurred. E. Indies. 1828. 4. 6. S. 2. Bot. reg. t. 1315.  
 7 secundum. B.R. (*ro.*) secund. Sumatra. ——— S. 2. ——— t. 1291.  
 8 cucullatum. B.R. (*bh.*) cucullate. E. Indies. 1815. 3. 5. S. 2. Bot. reg. t. 548.  
 9 Pierardi. H.E.F. (*bh.*) Pierard's. ——— 12. 6. S. 2. Hook. ex. flor. t. 9.  
 10 Calceolaria. H.E.F. (*re.y.*) hollow-lipped. ——— 1820. ——— S. 2. ——— t. 184.  
 11 fimbriatum. H.E.F. (*ye.*) fringed. ——— 1818. 4. 6. S. 2. ——— t. 71.  
 12 chrysanthum. B.R. (*ye.*) yellow-flower'd. Nepaul. 1828. 2. 4. S. 2. Bot. reg. t. 1299.  
 13 crumenatum. w. (*pu.*) pouched. Java. 1822. 4. 6. S. 2. Rumph. amb. 6. t. 47. f. 2.  
 14 moniliforme. w. (*pu.*) glassy. China. 1822. 6. 12. S. 2. Bot. reg. t. 1314.  
 15 ancipis. B.R. (*st.*) two-edged. E. Indies. 1826. 2. 9. S. 2. ——— t. 1239.
- ORNITHI'DIUM. H.K. ORNITHI'DIUM. Gynandria Monandria. H.K.  
 1 coccineum. H.K. (*sc.*) scarlet-flower'd. W. Indies. 1790. 1. 12. S. 2. Hook. ex. flor. t. 38.  
*Cymbidium coccineum.* Bot. mag. t. 1437.  
 2 reflexum. Gr. (*sc.*) reflexed. W. Indies. 1825. 9. 12. S. 2.
- ISOCH'ILUS. H.K. ISOCH'ILUS. Gynandria Monandria. H.K.  
 1 linearis. H.K. (*re.*) linear-leaved. W. Indies. 1791. 5. 7. S. 2. Bot. reg. t. 745.  
*Epidendrum lineare.* Jacq. amer. t. 131. f. 1. *Cymbidium lineare.* w.  
 2 graminoides. H.E.F. (*st.*) grass-like. W. Indies. 1823. ——— S. 2. Hook. ex. flor. t. 196.  
 3 prolifer. H.K. (*wh.*) proliferous. ——— 1793. 6. 11. S. 2. Bot. reg. t. 825.
- PHOLID'OTA. B.R. PHOLID'OTA. Gynandria Monandria.  
 imbricata. B.R. (*br.wh.*) imbricated. Nepaul. 1824. 2. 8. S. 2. Bot. reg. t. 1213.
- POLYST'ACHIA. H.E.F. POLYST'ACHIA. Gynandria Monandria.  
 1 lutæola. H.E.F. (*y.gr.*) smooth. W. Indies. 1818. 7. 8. S. 2. Hook. ex. flor. t. 103.  
*Dendrobium polystachyum.* w.

- 2 puberula. B.R. (*y.gr.*) downy. Sierra Leone. 1821. 8. S. 2. Bot. reg. t. 851.
- BRASSAVOLA. H.K. BRASSAVOLA. Gynandria Monandria. H.K.
- 1 cucullata. H.K. (*wh.*) single-flowered. W. Indies. 1793. 6. 7. S. 2. Bot. mag. t. 543.
- 2 tuberculata. B.M. (*wh.st.*) tuberculated. Brazil. 1826. 6. 9. S. 2. ——— t. 2878.
- 3 nodosa. Ly. (*wh.*) many-flowered. W. Indies. 1824. 10. S. 2.
- BROUGHTONIA. H.K. BROUGHTONIA. Gynandria Monandria. H.K.
- 1 sanguinea. H.K. (*cr.*) blood-coloured. Jamaica. 1793. 6. 7. S. 2. Lodd. bot. cab. t. 793.
- 2 nitida. W.H. (*re.*) glossy. E. Indies. 1824. — S. 2.
- ZYGOPETALON. B.M. ZYGOPETALON. Gynandria Monandria.
- 1 Mackaïi. B.M. (*gr.bl.*) Mackay's. Brazil. 1825. 2. 5. S. 2. Bot. mag. t. 2748.
- 2 rostratum. B.M. (*wh.pu.*) beaked. Demarara. — 9. 11. S. 2. ——— t. 2819.
- CATTLEYA. L.col. CATTLEYA. Gynandria Monandria. H.E.F.
- 1 labiata. L.col. (*vi.*) great-lipped. S. America. 1818. 4. 10. S. 2. Lindl. coll. t. 33.
- 2 Loddigésii. H.E.F. (*vi.*) Loddiges'. ——— 1810. — S. 2. Hook. ex. flor. t. 186.
- Epidendrum violaceum*. Lodd. bot. cab. t. 337.
- 3 Forbesii. B.R. (*ye.*) yellow. Brazil. 1823. 9. S. 2. Bot. reg. t. 953.
- 4 crispata. B.R. (*wh.pu.*) curled-lipped. Trinidad. 1820. — S. 2. ——— t. 1172.
- 5 intermedia. B.M. (*ro.*) intermediate. Brazil. 1824. 3. 5. S. 2. Bot. mag. t. 2851.
- CERATOCYLUS. B.C. CERATOCYLUS. Gynandria Monandria.
- 1 grandiflorus. B.C. (*wh.*) large-flowered. Trinidad. 1827. 3. 8. S. 2. Lodd. bot. cab. t. 1414.
- 2 Stanhøpea. (*st.pu.*) splendid. S. America. 1818. 9. 4. S. 2. Bot. mag. t. 2948-2949.
- Stanhøpea insignis*. B.M.
- EPIDENDRUM. H.K. EPIDENDRUM. Gynandria Monandria. H.K.
- 1 cochleatum. W. (*d.pu.*) shell-flowered. W. Indies. 1786. 1. 12. S. 2. Bot. mag. t. 572.
- 2 fragrans. W. (*st.*) sweet-scented. ——— 1778. 10. S. 2. ——— t. 1669.
- 3 secundum. W. (*re.*) pale-flowered. ——— 1793. 6. 7. S. 2. Jacq. amer. t. 137.
- 4 polybulbon. W. (*wh.*) many-bulbed. ——— 1822. — S. 2. Hook. ex. flor. t. 112.
- 5 verrucosum. W. (*st.*) warted. ——— 1824. — S. 2. Lodd. bot. cab. t. 1084.
- 6 nutans. W. (*gr.*) nodding. ——— 1794. — S. 2. Hook. ex. flor. t. 50.
- 7 umbellatum. W. (*st.*) umbelled. Jamaica. 1793. — S. 2. Bot. reg. t. 80.
- 8 diffusum. W. (*gr.*) diffuse. W. Indies. 1818. 4. 5. S. 2. Lodd. bot. cab. t. 846.
- 9 anceps. B.C. (*gr.*) two-edged. ——— 1820. 8. 10. S. 2. ——— t. 887.
- 10 nocturnum. W. (*gr.*) night-smelling. ——— 4. 6. S. 2. ——— t. 713.
- 11 pallidiflorum. B.M. (*st.*) pale-flowered. ——— 1828. 5. 6. S. 2. Bot. mag. t. 2980.
- 12 fuscatum. W. (*br.*) brown. ——— 1790. 6. 7. S. 2. Bot. reg. t. 67.
- 13 elongatum. W. (*re.*) long-stalked. Caracas. 1798. 5. 8. S. 2. Bot. mag. t. 611.
- 14 ellipticum. H.E.F. (*re.*) elliptic-leaved. Brazil. 1824. 3. 8. S. 2. Hook. ex. flor. t. 207.
- 15 confossum. H.K. (*st.*) Florida. Florida. 1775. 8. S. 2.
- 16 monophyllum. H.E.F. (*gr.*) one-leaved. W. Indies. 1822. 7. S. 2. Hook. ex. flor. t. 109.
- 17 ciliare. B.R. (*wh.*) fringed. ——— 1790. 6. 10. S. 2. Bot. reg. t. 784.
- 18 cuspidatum. B.R. (*wh.*) pointed. ——— 1808. — S. 2. ——— t. 783.
- ENCYCLIA. B.M. ENCYCLIA. Gynandria Monandria.
- viridiflora. B.M. (*gr.*) green-flowered. Brazil. 1826. 2. 6. S. 2. Bot. mag. t. 2831.
- FERNANDESIA. R.P. FERNANDESIA. Gynandria Monandria.
- elegans. B.C. (*st.pu.*) elegant. Trinidad. 1822. 4. 10. S. 2. Lodd. bot. cab. t. 1212.
- Lockhartia elegans*. Bot. mag. t. 2715.
- CRYPTARRHENA. B.R. CRYPTARRHENA. Gynandria Monandria. B.R.
- lunata. B.R. (*ye.*) crescent-lipped. W. Indies. 1815. 5. 8. S. 2. Bot. reg. t. 153.
- EULOPHIA. B.R. EULOPHIA. Gynandria Monandria. B.R.
- 1 virens. B.R. (*gr.*) green. E. Indies. 1823. 6. 8. S. 2. Roxb. corom. 1. t. 38.
- Limodorum virens*. R.C.
- 2 guineensis. B.R. (*pi.*) Guinea. Sierra Leone. 1822. 11. 2. S. 2. Bot. reg. t. 686.
- 3 gracilis. B.R. (*gr.*) slender. ——— 6. 9. S. 2. ——— t. 742.
- 4 streptopetala. B.R. (*ye.*) twisted-petaled. C. B. S. ——— 12. 6. S. 2. ——— t. 1002.
- 5 ensata. B.R. (*st.*) sword-leaved. ——— 1826. 7. 8. S. 2. ——— t. 1147.
- 6 tristis. B.R. (*da.*) dark-flowered. ——— 1825. 5. 6. G. 2.
- 7 longicornis. B.R. (*ye.*) long-spurred. ——— 6. 8. G. 2.
- 8 barbata. B.R. (*ye.*) bearded. ——— 1822. — G. 2.
- CALANTHE. B.R. CALANTHE. Gynandria Monandria. B.R.
- 1 veratrifolia. B.R. (*wh.*) Veratrum-leav'd. E. Indies. 1819. 1. 9. S. 2. Bot. reg. t. 720.
- 2 sylvestris. Ly. (*wh.*) loose-spiked. Madagascar. 1823. 6. 7. S. 2.
- ANGRÆCUM. L.col. ANGRÆCUM. Gynandria Monandria. B.R.
- 1 maculatum. B.R. (*fl.*) spotted. S. America. 1819. 10. 12. S. 2. Bot. reg. t. 618.
- 2 falcatum. L.col. (*wh.*) falcate. China. 1815. — S. 2. ——— t. 283.
- Limodorum falcatum*. B.R.
- 3 luridum. Ly. (*br.*) lurid. Sierra Leone. 1822. 7. S. 2.
- IONOPSIIS. K.S. IONOPSIIS. Gynandria Monandria.
- utricularioides. L.col. (*w.*) pale-flowered. Trinidad. 1822. 6. 9. S. 2. Hook. ex. flor. t. 113.
- Ianthu pallida*. H.E.F.

<b>AERANTHES. B.R.</b>		<b>AERANTHES.</b>		<b>Gynandria Monandria. B.R.</b>		
1	grandiflora. B.R. (st.)	large-flowered.	Madagascar.	1823.	7. 8.	S. 2. Bot. reg. t. 817.
2	sesquipedalis. Ly. (wh.)	long-flowered.	_____	_____	_____	S. 2.
<b>AERIDES. H.K.</b>		<b>AIR-PLANT.</b>		<b>Gynandria Monandria. H.K.</b>		
1	odoratum. H.K. (pi.)	fragrant.	China.	1800.	_____	S. 2. Kæmpf. jap. t. 869. f. 1.
2	arachnites. W. (br. pu.)	common.	Japan.	1793.	_____	S. 2.
3	guttatum. W.H. (sp.)	spotted-flowered.	E. Indies.	1824.	_____	S. 2.
4	costatum. W.H. (.....)	ribbed.	_____	_____	_____	S. 2.
<b>SARCANTHUS. L.col.</b>		<b>SARCANTHUS.</b>		<b>Gynandria Monandria. B.R.</b>		
1	paniculatus. L.col. (ye.)	panicled.	China.	1812.	5. 8.	S. 2. Bot. reg. t. 220.
2	succisus. B.R. (ye. br.)	bitten.	_____	1824.	_____	S. 2. t. 1014.
3	rostratus. B.R. (y. or. li.)	rostrate.	_____	1819.	6. 12.	S. 2. t. 981.
4	teretifolius. B.R. (pu. ye.)	round-leaved.	_____	_____	_____	S. 2. t. 676.
<i>Vanda teretifolia. B.R.</i>						
<b>TRICHORHIZA. Ly.</b>		<b>TRICHORHIZA.</b>		<b>Gynandria Monandria.</b>		
	teretifolia. L.C. (br. pu.)	round-leaved.	E. Indies.	1819.	10.	S. 2. Hook. ex. flor. t. 72.
<i>Vanda? trichorhiza. H.E.F.</i>						
<b>VA'NDA. B.R.</b>		<b>VA'NDA.</b>		<b>Gynandria Monandria. B.R.</b>		
1	cruenta. L.C. (cr.)	red-flowered.	China.	1819.	_____	S. 2.
2	multiflora. L.col. (ye.)	many-flowered.	_____	1800.	6. 10.	S. 2. Lindl. coll. t. 38.
3	Roxburghii. B.R. (w. pu.)	Roxburgh's.	E. Indies.	1816.	10. 12.	S. 2. Bot. reg. t. 506.
4	tessellata. L.C. (pu. ye.)	tessellate.	_____	_____	_____	S. 2. Roxb. cor. 1. t. 42.
<i>Cymbidium tessellatum. R.C.</i>						
<b>RENANTHERA. B.R.</b>		<b>RENANTHERA.</b>		<b>Gynandria Monandria.</b>		
	coccinea. B.R. (sc.)	scarlet-flowered.	China.	1816.	8. 4.	S. 2. Bot. reg. t. 1131.
<b>VANILLA. W.</b>		<b>VANILLA.</b>		<b>Gynandria Monandria. H.K.</b>		
1	aromatica. H.K. (wh.)	aromatic.	S. America.	1739.	6. 8.	S. 2. Plum. ic. 183. t. 188.
2	planifolia. H.K. (wh.)	flat-leaved.	W. Indies.	1800.	4. 6.	S. 2. Andr. reposit. t. 538.
<b>CYPRIPEDIUM. W.</b>		<b>LADIES'-SLIPPER.</b>		<b>Gynandria Diandria. H.K.</b>		
1	Calceolus. W. (ye.)	common.	England.	_____	5. 7.	H. 2. Eng. bot. v. 1. t. 1.
2	parviflorum. W. (ye.)	small-flowered.	N. America.	1759.	_____	H. 2. Swt. br. fl. gar. t. 80.
3	pubescens. W. (ye.)	yellow-downy.	_____	1790.	_____	H. 2. t. 71.
4	guttatum. W. (ye.)	spotted.	Siberia.	1829.	4. 5.	H. 2. Amman. ruth. p. 133. t. 22
5	macranthos. W. (d. pu.)	great-flowered.	_____	_____	_____	H. 2. Bot. mag. t. 2938.
6	ventricosum. W. (d. pu.)	bellied.	_____	_____	_____	H. 2. Swt. br. fl. gar. s. 2. t. 1.
7	spectabile. W. (pu. wh.)	showy.	N. America.	1731.	6. 7.	H. 2. Lodd. bot. cab. t. 697.
<i>album. Bot. mag. t. 216.</i>						
<i>a incarnatum. B.F.G. (w. pu.) flesh-coloured.</i> _____ H. 2. Swt. br. fl. gar. t. 240. B.						
<i>β album. B.F.G. (wh.) white-flowered.</i> _____ 1827. _____ H. 2. _____ t. 240. A.						
8	humile. W. (pu. wh.)	two-leaved.	_____	1786.	5. 6.	H. 2. Bot. mag. t. 192.
9	arietinum. W. (re.)	ram's-head.	_____	1808.	_____	H. 2. Swt. br. fl. gar. t. 213.
10	venustum. B.R. (pu. gr.)	handsome.	Nepaul.	1816.	7. 10.	S. 2. Bot. reg. t. 788.
11	insigne. L.col. (gr. pu.)	noble.	_____	1819.	_____	S. 2. Lindl. coll. t. 32.

ORDO CCIII.

SCITAMINEÆ. *Brown prodr. 1. p. 305.*

<b>GLO'BBA. L.</b>		<b>GLO'BBA.</b>		<b>Monandria Monogynia. L.</b>		
1	marantina. W. (ye.)	marantine.	E. Indies.	1800.	7. 8.	S. 2. Exot. bot. 2. t. 103.
2	bulbifera. F.I. (ye.)	bulb-bearing.	_____	1818.	_____	S. 2.
3	orixensis. F.I. (or.)	Orixian.	_____	1819.	_____	S. 2.
4	versicolor. EX. B. (y. vi.)	various-colour'd.	_____	1820.	_____	S. 2. Sm. exot. bot. 2. t. 117.
<i>Hura. F.I.</i>						
5	pendula. F.I. (ye.)	pendulous-flower'd.	_____	1822.	6. 8.	S. 2.
6	Careyana. F.I. (ye.)	Carey's.	_____	1821.	_____	S. 2. Rosc. scit. t. 110.
7	sessiliflora. B.M. (ye.)	sessile-flower'd.	_____	1807.	_____	S. 2. Bot. mag. t. 1428.
<b>MANTISIA. B.M.</b>		<b>MANTISIA.</b>		<b>Monandria Monogynia. B.M.</b>		
1	saltatoria. B.M. (bl. ye.)	Opera-girl's.	E. Indies.	1808.	6.	S. 2. Bot. mag. t. 1320.
<i>Globba subulata. F.I. purpurea. A.R. 615. saltatoria. R. scit. t. 111.</i>						
2	spathulata. R.S. (bl. ye.)	spathulate.	E. Indies.	1822.	6. 8.	S. 2.
<i>Globba spathulata. F.I.</i>						
<b>CURCUMA. W.</b>		<b>TURMERIC.</b>		<b>Monandria Monogynia. L.</b>		
1	aromatica. P.L. (ye. pi.)	aromatic.	E. Indies.	1797.	4. 8.	S. 2. Sal. par. lond. t. 96.
<i>Zerumbet. F.I. Rheed. mal. v. 11. t. 7.</i>						

2	Zedoària. B.M. ( <i>ye.pi.</i> )	silky-leaved.	E. Indies.	1797.	4. 8.	S. 2.	Bot. mag. t. 1546.
3	zanthorrhiza. F.I. ( <i>re.cr.</i> )	yellow-rooted.	Ambogna.	1819.	4. 5.	S. 2.	
4	latifolia. R.Sc. ( <i>ye.pi.</i> )	broad-leaved.	E. Indies.	—	—	S. 2.	Rosc. scitam. t. 108.
5	elàta. F.I. ( <i>ye.pu.</i> )	tall.	—	—	—	S. 2.	t. 104.
6	c'asia. F.I. ( <i>ye.re.</i> )	clouded-leaved.	—	—	5. 6.	S. 2.	
7	æringiôsa. F.I. ( <i>ye.re.</i> )	verdigrease.	—	1807.	4. 8.	S. 2.	Rosc. scitam. t. 106.
8	ferruginea. F.I. ( <i>re.ye.</i> )	rusty.	—	1819.	—	S. 2.	t. 105.
9	rubescens. F.I. ( <i>re.ye.</i> )	red.	—	—	4. 6.	S. 2.	t. 107.
10	comôsa. F.I. ( <i>ye.pi.</i> )	close-flowered.	—	—	—	S. 2.	
11	leucorrhiza. F.I. ( <i>yo.ro.</i> )	white-rooted.	—	—	—	S. 2.	Rosc. scitam. t. 102.
12	angustifolia. F.I. ( <i>y.pu.</i> )	narrow-leaved.	—	1822.	—	S. 2.	
13	lônga. F.I. ( <i>st.bh.</i> )	long-rooted.	—	1759.	6. 8.	S. 2.	Bot. reg. t. 886.
14	Amàda. F.I. ( <i>st.li.</i> )	Mango-ginger.	—	1819.	—	S. 2.	Rosc. scitam. t. 99.
15	viridiflora. F.I. ( <i>gr.st.</i> )	green-flowered.	—	1820.	—	S. 2.	
16	montàna. F.I. ( <i>ye.ro.</i> )	mountain.	—	1823.	4. 6.	S. 2.	Roxb. corom. 2. t. 151.
17	reclinàta. F.I. ( <i>pi.</i> )	reclining.	—	1824.	—	S. 2.	
18	petiolàta. F.I. ( <i>ye.pu.</i> )	petiolate.	—	1822.	—	S. 2.	Rosc. scitam. t. 100.
19	rubricaùlis. L.T. ( <i>re.ye.</i> )	red-stalked.	—	1818.	—	S. 2.	
20	amarissima. R.Sc. ( <i>re.ye.</i> )	bitter.	—	1822.	—	S. 2.	Rosc. scitam. t. 101.
KÆMPFERIA. L.			KÆMPFERIA.	Monandria Monogynia. L.			
1	Galànga. w. ( <i>pu.wh.</i> )	official.	E. Indies.	1724.	6. 9.	S. 2.	Bot. mag. t. 850.
2	rotúnda. w. ( <i>pu.bh.</i> )	round-rooted.	—	1768.	7. 8.	S. 2.	t. 920.
3	latifolia. s.s. ( <i>wh.</i> )	broad-leaved.	—	1803.	4. 7.	S. 2.	
4	Roscoeàna. B.R. ( <i>wh.</i> )	Roscoe's.	Ava.	1828.	—	S. 2.	Bot. reg. t. 1212.
5	angustifolia. F.I. ( <i>pu.w.</i> )	narrow-leaved.	E. Indies.	1797.	—	S. 2.	Rosc. scitam. t. 94.
6	panduràta. F.I. ( <i>ro.</i> )	fiddle-lipped.	—	1812.	—	S. 2.	Bot. reg. t. 173.
7	ovalifolia. F.I. ( <i>pu.wh.</i> )	oval-leaved.	—	1819.	—	S. 2.	Rosc. scitam. t. 95.
8	marginàta. R.S. ( <i>pu.</i> )	red-margined.	—	1820.	—	S. 2.	t. 93.
ROSCOEIA. L.T.			ROSCOEIA.	Monandria Monogynia.			
1	purpùrea. L.T. ( <i>pu.</i> )	purple-flower'd.	Nepaul.	1819.	7. 8.	S. 2.	Rosc. scitam. t. 64.
2	gràcilis. L.T. ( <i>pu.</i> )	slender.	—	1820.	—	S. 2.	
3	elàtior. L.T. ( <i>pu.</i> )	tall.	—	—	—	S. 2.	
4	spicàta. L.T. ( <i>pu.</i> )	spiked.	—	1821.	—	S. 2.	
5	capitàta. L.T. ( <i>pu.</i> )	headed.	—	1819.	—	S. 2.	
ZINGIBER. L.T.			GINGER.	Monandria Monogynia. H.K.			
1	officinàle. F.I. ( <i>pu.st.</i> )	narrow-leaved.	E. Indies.	1605.	6. 8.	S. 2.	Rosc. scitam. t. 83.
2	Zerùmbet. F.I. ( <i>st.</i> )	broad-leaved.	—	1690.	9. 11.	S. 2.	Sm. exot. bot. 2. t. 112.
3	Cassumùnar. B.M. ( <i>wh.</i> )	downy-leaved.	—	1796.	8.	S. 2.	Bot. mag. t. 1426.
<i>purpùreum</i> . L.T. <i>Amòmum Cliffordiæ.</i>			And. repos. t. 555.				
4	roseum. F.I. ( <i>ro.st.</i> )	rose-coloured.	E. Indies.	1822.	6. 8.	S. 2.	Roxb. corom. 2. t. 126.
5	ligulàtum. F.I. ( <i>pi.ye.</i> )	ligulate.	—	—	—	S. 2.	
6	rubens. F.I. ( <i>re.</i> )	red-flowered.	—	1820.	5. 11.	S. 2.	Rosc. scitam. t. 88.
7	squarrosùm. F.I. ( <i>wh.</i> )	squarrose.	—	—	—	S. 2.	t. 89.
8	panduràtum. F.I. ( <i>st.re.</i> )	fiddle-leaved.	—	1819.	5. 8.	S. 2.	
9	Miôga. L.T. ( <i>pi.</i> )	Japanese.	Japan.	1796.	—	S. 2.	Kæmpf. ic. Banks. t. 1.
10	chrysánthum. R.Sc. ( <i>ye.</i> )	yellow-flower'd.	Nepaul.	1821.	—	S. 2.	Rosc. scitam. t. 86.
11	capitatum. F.I. ( <i>ye.</i> )	headed.	E. Indies.	1820.	6. 9.	S. 2.	t. 90.
12	elatum. F.I. ( <i>ye.</i> )	tall.	—	—	—	S. 2.	t. 91.
AMOMUM. F.I.			AMOMUM.	Monandria Monogynia. L.			
1	Afzèli. L.T. ( <i>pi.</i> )	sweet-scented.	Sierra Leone.	1795.	5. 6.	S. 2.	Ann. bot. 1. t. 13.
2	grandiflorum. R.S. ( <i>pi.w.</i> )	large-flower'd.	—	—	6. 7.	S. 2.	Sm. exot. bot. t. 3.
3	sylvêstre. R.S. ( <i>ye.</i> )	wood.	Jamaica.	1804.	5. 7.	S. 2.	Sloan. hist. 1. t. 105. f. 2.
4	Cardamòmum. F.I. ( <i>ye.</i> )	bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 2.	Rumph. amb. 5. t. 65. f. 1.
5	angustifolium. F.I. ( <i>re.ye.</i> )	narrow-leaved.	Madagascar.	—	—	S. 2.	Sonnerat. it. 2. f. 137.
6	aculeatum. F.I. ( <i>or.cr.</i> )	bristly-capsuled.	E. Indies.	1823.	6. 8.	S. 2.	
7	máximum. F.I. ( <i>re.ye.</i> )	great.	—	—	—	S. 2.	Bot. reg. t. 929.
8	dealbàtum. F.I. ( <i>wh.</i> )	insipid-seeded.	—	1819.	—	S. 2.	
9	subulàtum. F.I. ( <i>ye.</i> )	subulate-bracted.	—	—	5. 7.	S. 2.	
10	aromaticum. F.I. ( <i>st.</i> )	aromatic.	—	1823.	—	S. 2.	
11	sericeum. F.I. ( <i>wh.pi.</i> )	silky-leaved.	—	1819.	6. 8.	S. 2.	
12	grana-paradisi. w. ( <i>re.</i> )	Grains of Paradise.	Madagascar. . . . .	—	2. 4.	S. 2.	Blackw. t. 385.
COSTUS. F.I.			COSTUS.	Monandria Monogynia. L.			
1	speciôsus. F.I. ( <i>wh.</i> )	large-flowered.	E. Indies.	1794.	8. 9.	S. 2.	Jacq. ic. 1. t. 1.
2	nepalensis. R.Sc. ( <i>wh.</i> )	Nepaul.	Nepaul.	1818.	—	S. 2.	Rosc. scitam. t. 80.
<i>speciôsus</i> $\beta$ .			Bot. reg. 665.				
3	cylindricus. R.S. ( <i>wh.re.</i> )	cylindrical-spiked.	Brazil.	1822.	5. 9.	S. 2.	Rosc. scitam. t. 78.
<i>Pisònis</i> .			Bot. reg. t. 899.				
4	áfer. B.R. ( <i>wh.</i> )	African.	Sierra Leone.	—	—	S. 2.	Bot. reg. t. 683.
5	díscolor. R.Sc. ( <i>wh.</i> )	two-coloured.	Maranham.	1823.	—	S. 2.	Rosc. scitam. t. 81.

- 6 maculatus. R.Sc. (*wh.*) spotted-stalked. Sierra Leone. 1822. 5. 9. S. 2. Rosc. scitam. t. 82.
- 7 lanatus. L.C. (*wh.*) woolly. ———— S. 2. ————
- 8 spicatus. L.T. (*ye.*) spiked. S. America. 1793. 6. S. 2. Rosc. scitam. t. 77.
- 9 comosus. L.T. (*re. ye.*) tufted. ———— 1815. ———— S. 2. Jacq. ic. 3. t. 202.
- Alpinia comosa.* Jacq.
- 10 spiralis. L.T. (*re.*) spiral. ———— 5. 7. S. 2. Jacq. schœrn. 1. t. 1.
- 11 villosissima. R.S. (*ye.*) villous. W. Indies. 1823. ———— S. 2. Jacq. fragm. t. 80.
- 12 arabicus. L.T. (*wh.*) Arabian. Arabia. 1752. 8. S. 2. ————
- HELL'ENIA. B.P. HELL'ENIA. Monandria Monogynia. W.
- cœrulea. B.P. (*bh.*) blue-berried. N. Holland. 1820. 5. 6. G. 2. Rosc. scitam. t. 76.
- ALP'INIA. L.T. ALP'INIA. Monandria Monogynia. L.
- 1 Allûghas. F.I. (*wh. re.*) glossy-leaved. E. Indies. 1796. 2. 3. S. 2. Rosc. scitam. t. 67.
- Hellœnia Allûghas.* Andr. posit. t. 501.
- 2 racemosa. L.T. (*wh.*) clustered. W. Indies. 1752. 7. 9. S. 2. Plum. ic. 11. t. 20.
- 3 Galânga. F.I. (*g. wh.*) Galanga-major. E. Indies. 1818. 6. 10. S. 2. Rumph. amb. 5. t. 63.
- 4 Roxbûrghii. (*w. cr.*) Roxburgh's. ———— 1820. ———— S. 2. ————
- bracteata.* F.I. non L.T.
- 5 malaccensis. F.I. (*w. y. cr.*) woolly-leaved. ———— 1799. 4. 6. S. 2. Bot. reg. t. 328.
- 6 nûrans. F.I. (*re. ye.*) nodding-flower'd. ———— 1792. ———— S. 2. Bot. mag. t. 1903.
- Renœalmia nûrans.* A.R. 360.
- 7 cœrnua. B.M. (*y. wh. pu.*) drooping. ———— 1790. ———— S. 2. Bot. mag. t. 1900.
- 8 auriculata. R.Sc. (*y. re.*) eared. ———— 1815. ———— S. 2. Rosc. scitam. t. 74.
- 9 diffissa. L.T. (*ye.*) cloven. China. ———— 4. 6. S. 2. ———— t. 71.
- 10 mûtica. F.I. (*ye. re.*) spurless. E. Indies. 1811. 4. 9. S. 2. ———— t. 69.
- 11 calcarata. F.I. (*re. or.*) upright spiked. China. 1804. 9. S. 2. Andr. posit. t. 421.
- 12 spicata. F.I. (*wh. pu.*) spiked. E. Indies. 1823. 6. 9. S. 2. ————
- 13 striata. L.en. (*std.*) striated. ———— 1818. ———— S. 2. ————
- 14 bracteata. L.T. (*ye. re.*) bracted. China. 1823. 5. 8. S. 2. Rosc. scitam. t. 70.
- Roscoeana.* R.S.
- 15 magnifica. R.Sc. (*sc.*) magnificent. Madagascar. 1826. .... S. 2. Rosc. scitam. t. 75.
- REN'ËALMIA. R.Sc. REN'ËALMIA. Monandria Monogynia.
- 1 occidentalis. (*pa.*) occidental. Jamaica. 1793. 5. 7. S. 2. Gart. fruct. 1. t. 12.
- Alpinia occidentalis.* L.T.
- 2 exaltata. R.Sc. (*re.*) tubular-flowered. Demarara. 1820. 7. 8. S. 2. Rosc. scitam. t. 65.
- Alpinia tubulata.* Bot. reg. t. 777.
- 3 punicea. (*cr.*) bright red. E. Indies. ———— S. 2. ————
- Alpinia punicea.* F.I.
- 4 Cardamomum mœdium. (*re.*) 9-winged. ———— S. 2. ————
- 5 linguiformis. F.I. (*re.*) tongue-lipped. ———— 1825. .... S. 2. ————
- ELETT'ARIA. L.T. CARDAMON. Monandria Monogynia.
- Cardamomum. L.T. (*w. pu.*) true. E. Indies. 1815. .... S. 2. Linn. trans. 10. t. 4. 5.
- Alpinia Cardamomum.* F.I. *Amomum Cardamomum.* L.
- HEDY'CHIUM. F.I. GARLAND-FLOWER. Monandria Monogynia. L.
- 1 angustifolium. R.Sc. (*sc.*) narrow-leaved. E. Indies. 1815. 5. 12. S. 2. Rosc. scitam. t. 60.
- 2 aurantiacum. R.Sc. (*or.*) orange-coloured. ———— S. 2. ———— t. 61.
- angustifolium.* B.R. 157. non Roxb.
- 3 coccineum. R.Sc. (*sc.*) scarlet. Nepaul. 1818. 5. 12. S. 2. Rosc. scitam. t. 58.
- angustifolium.* B.M. non Roxb.
- 4 longifolium. R.Sc. (*sc.*) long-leaved. E. Indies. 1819. 6. 11. S. 2. Rosc. scitam. t. 59.
- 5 carneum. R.Sc. (*re.*) flesh-coloured. ———— S. 2. Bot. mag. t. 2637.
- 6 flavum. R.Sc. (*ye.*) yellow. ———— 1818. ———— S. 2. Rosc. scitam. t. 49.
- 7 flavescens. R.Sc. (*st.*) yellowish. ———— 1821. ———— S. 2. ———— t. 50.
- 8 thyrsoforme. s.s. (*wh.*) thyrse-flowered. ———— 1819. 7. 11. S. 2. ———— t. 56.
- heteromallum.* Bot. reg. t. 767.
- 9 villosum. F.I. (*st.*) villous. ———— 1815. 6. 11. S. 2. Rosc. scitam. t. 54.
- 10 glaucum. R.Sc. (*wh.*) glaucous. ———— 1820. ———— S. 2. ———— t. 53.
- 11 ellipticum. R.Sc. (*wh.*) elliptic-leaved. ———— 5. 8. S. 2. ———— t. 55.
- 12 acuminatum. R.Sc. (*w. or.*) taper-pointed. ———— 1822. ———— S. 2. Bot. mag. t. 2969.
- 13 elatum. B.R. (*bh.*) tall. Nepaul. 1818. 7. 12. S. 2. Bot. reg. t. 526.
- 14 speciosum. F.I. (*ye.*) beautiful. E. Indies. 1823. 8. 10. S. 2. ————
- 15 maximum. R.Sc. (*wh.*) large-flowered. ———— 1819. 5. 9. S. 2. Rosc. scitam. t. 52.
- 16 coronarium. F.I. (*wh.*) sweet-scented. ———— 1793. 7. 9. S. 2. Bot. mag. t. 708.
- 17 Gardnerianum. R.Sc. (*ye.*) Gardner's. Nepaul. 1818. ———— S. 2. Bot. reg. t. 771.
- 18 spicatum. B.M. (*bh.*) spiked. ———— 1820. 8. 11. S. 2. Bot. mag. t. 2300.
- 19 gracile. F.I. (*wh.*) slender. E. Indies. 1821. ———— S. 2. ————

## ORDO CCIV.

CANNEÆ. *Brown prodr.* 1. p. 307.

PHRYNIUM. R.Sc.		PHRYNIUM.	Monandria	Monogynia.	L.		
1	dichotomum. F.I.	(wh.) forked.	E. Indies.	1807.	6. 9.	S. 2.	Rumph. amb. 4. t. 7.
2	virgatum. F.I.	(wh.) slender-stem'd.	_____	1818.	_____	S. 2.	_____
3	spicatum. F.I.	(wh.) spiked.	_____	_____	_____	S. 2.	_____
4	imbricatum. F.I.	(li.) imbricated.	_____	1824.	5. 8.	S. 2.	_____
5	grandiflorum. R.Sc.	(st.) great-flowered.	Brazil.	1819.	6. 8.	S. 2.	Rosc. scitam. t. 33.
6	parviflorum. F.I.	(ye.) small-flowered.	E. Indies.	_____	5. 9.	S. 2.	_____ t. 34.
7	capitatum. F.I.	(ro.) capitate.	_____	1820.	_____	S. 2.	Rheed. mal. 11. t. 34.
8	violaceum. R.Sc.	(vi.) violet-coloured.	Brazil.	1823.	6. 8.	S. 2.	Rosc. scitam. t. 37.
	<i>Calathæa violæcea.</i>	Bot. reg. t. 961.					
9	comosum. R.Sc.	(ye.) tufted.	Trinidad.	1812.	_____	S. 2.	Rosc. scitam. t. 35.
10	zebrinum. R.Sc.	(pu.) Zebra plant.	Brazil.	1815.	4. 7.	S. 2.	_____ t. 36.
	<i>Maránta zebrina.</i>	Bot. reg. t. 385.	<i>Calathæa zebrina.</i>	B.R.			
11	flavescens.	(ye.) yellowish.	Brazil.	1823.	6. 8.	S. 2.	Bot. reg. t. 932.
	<i>Calathæa flavescens.</i>	B.R.					
12	Alloüya. R.Sc.	(wh.) variegated.	Guiana.	1824.	_____	S. 2.	Rosc. scitam. t. 38.
13	Myrósuma. R.Sc.	(wh.) Canna-like.	Surinam.	1825.	_____	S. 2.	_____ t. 39.
14	cylindricum. R.Sc.	(st.) cylindrical.	Brazil.	_____	2. 3.	S. 2.	_____ t. 40.
15	setosum. R.Sc.	bristly.	_____	1826.	_____	S. 2.	_____ t. 41.
	<i>Maránta secúnda.</i>	Gr.					
16	Parkéri. R.Sc.	(ye.) Parker's.	Grenada.	_____	_____	S. 2.	Rosc. scitam. t. 42.
17	Casüpo. R.Sc.	(ye.) two-coloured.	Trinidad.	1823.	6. 8.	S. 2.	_____ t. 43.
	<i>Calathæa discolor.</i>	s. <i>Maránta Casüpo.</i>	Jacq. frag. t. 63. f. 4.				
18	ellipticum. R.Sc.	(st.) elliptic-leaved.	Guiana.	1823.	_____	S. 2.	Rosc. scitam. t. 44.
19	Róssii. L.C.	(ye.) Ross's.	Brazil.	1825.	4. 7.	S. 2.	_____
20	villosum. L.C.	(ye.) villous.	_____	_____	_____	S. 2.	_____
21	luteum.	(wh.) yellow-bracted.	Caracas.	1809.	6. 7.	S. 2.	Jacq. ic. 2. t. 20.
	<i>Maránta lutea.</i>	Jacq. <i>Jaquini.</i>	R.S.				
22	obliquum. L.C.	(ye.) oblique-leaved.	E. Indies.	1824.	5. 9.	S. 2.	_____
23	angustifolium. L.C.	(ye.) narrow-leaved.	_____	_____	_____	S. 2.	_____
24	littorale. Led.	(ye.) sea-side.	Brazil.	1827.	_____	S. 2.	_____
25	longibracteatum.	(li.) long-bracted.	_____	1824.	6. 7.	S. 2.	Bot. reg. t. 1020.
26	grandifolium.	(ye.) large-leaved.	Brazil.	1825.	_____	S. 2.	_____ t. 1210.
27	macilentum. E.R.	(wh.) meagre.	_____	_____	_____	S. 2.	_____
TH'ALIA. W.		TH'ALIA.	Monandria	Monogynia.	W.		
1	dealbata. L.T.	(da.pu.) mealy.	Carolina.	1791.	7. 9.	H. w. 2.	Bot. mag. t. 1690.
2	geniculata. R.Sc.	(bl.) jointed.	Demerara.	1824.	6. 8.	S. 2.	Rosc. scitam. t. 45.
CANNA. W.		INDIAN SHOT.	Monandria	Monogynia.	L.		
1	índica. R.Sc.	(sc.) common.	W. Indies.	1570.	1. 12.	S. 2.	Rosc. scitam. t. 1.
2	coccinea. L.T.	(sc.) scarlet.	_____	1731.	_____	S. 2.	_____ t. 11.
3	lutea. L.T.	(ye.) yellow.	S. America.	1629.	_____	S. 2.	_____ t. 18.
4	orientalis. R.Sc.	(sc.) oriental.	E. Indies.	1570.	_____	S. 2.	_____ t. 12.
	<i>β flava.</i>	(ye.) yellow Indian.	_____	_____	_____	S. 2.	_____ t. 13.
	<i>γ maculata.</i>	(sc.ye.) spotted-flowered.	_____	_____	_____	S. 2.	Bot. mag. t. 2085.
5	pátens. B.R.	(sc.ye.) spreading.	China.	1771.	7. 10.	H. 2.	Bot. reg. t. 576.
6	speciosa. B.M.	(sc.ye.) showy.	Nepaul.	1820.	_____	H. 2.	Bot. mag. t. 2317.
7	gigántea. B.R.	(or.) gigantic.	S. America.	1788.	1. 12.	S. 2.	Bot. reg. t. 206.
8	latifolia. R.Sc.	(sc.) broad-leaved.	_____	_____	_____	S. 2.	Rosc. scitam. t. 4.
9	edulis. B.R.	(sc.) eatable.	Peru.	1820.	6. 10.	S. 2.	Bot. reg. t. 775.
10	discolor. B.R.	(sc.) crimson-leaved.	Trinidad.	1827.	8. 12.	S. 2.	_____ t. 1231.
11	Lambérti. B.R.	(cr.) Mr. Lambert's.	_____	1818.	5. 8.	S. 2.	_____ t. 470.
12	excelsa. B.C.	(sc.) tall.	Brazil.	1820.	1. 12.	S. 2.	Lodd. bot. cab. t. 743.
13	limbata. R.Sc.	(sc.ye.) bordered.	_____	1818.	_____	S. 2.	Rosc. scitam. t. 9.
	<i>auro-vittata.</i>	Lodd. bot. cab. t. 449.					
14	pállida. R.Sc.	(st.) pale.	W. Indies.	1823.	_____	S. 2.	Rosc. scitam. t. 19.
	<i>Lagunénsis.</i>	Bot. reg. t. 1311.					
	<i>β punctata.</i>	(ye.) spotted-flowered.	_____	_____	_____	S. 2.	Rosc. scitam. t. 20.
15	aurantiaca. R.Sc.	(or.) orange-coloured.	Brazil.	_____	_____	S. 2.	_____ t. 21.
16	compácta. R.Sc.	(cr.) compact.	S. America.	_____	_____	S. 2.	_____ t. 22.
17	pedunculata. R.Sc.	(ye.) stalked.	Brazil.	1820.	_____	S. 2.	_____ t. 8.
18	denudata. R.Sc.	(sc.ye.) naked-stalked.	_____	_____	_____	S. 2.	_____ t. 23.
19	sylvéstris. R.Sc.	(cr.) wood.	S. America.	1813.	_____	S. 2.	_____ t. 10.
20	lanuginosa. R.Sc.	(sc.) woolly-stem'd.	Maranhã.	1823.	_____	S. 2.	_____ t. 16.

21	cárnea. R.Sc.	( <i>fl.</i> )	flesh-coloured.	Brazil.	1822.	1. 12.	S. 2.	Rosc. scitam. t. 15.
22	lanceolâta. L.C.	( <i>sc.</i> )	spear-leaved.	—	1820.	—	S. 2.	
23	culénta. L.C.	( <i>sc.</i> )	esulent.	S. America.	—	—	S. 2.	
24	polymórpha. L.C.	( <i>sc.</i> )	variable.	—	1824.	—	S. 2.	
25	íridiflora. B.M.	( <i>cr.</i> )	nodding-flower'd.	Peru.	1816.	—	S. 2.	Bot. reg. 609.
26	fláccida. R.Sc.	( <i>ye.</i> )	flaccid.	S. Carolina.	1788.	—	S. 2.	Rosc. scitam. t. 6.
27	gláuca. L.T.	( <i>ye.</i> )	glaucous.	S. America.	1732.	—	S. 2.	Sm. exot. bot. t. 102.
	β rûfa. B.M.	( <i>ye.</i> )	brown.	—	....	—	S. 2.	Bot. mag. t. 2302.
<b>MARANTA. R.S.</b>		<b>ARROW-ROOT</b>		<b>Monandria Monogynia. L.</b>				
1	arundinácea. R.S.	( <i>wh.</i> )	Indian.	S. America.	1732.	7. 8.	S. 2.	Bot. mag. t. 2307.
2	índica. R.S.	( <i>wh.</i> )	smooth-leaved.	India.	....	—	S. 2.	Sloan. jam. t. 149.
3	divaricâta. R.Sc.	( <i>wh.</i> )	spreading.	Brazil.	1825.	—	S. 2.	Rosc. scitam. t. 27.
	β purpúrea. R.Sc.	( <i>pu.</i> )	purple-flowered.	—	—	—	S. 2.	— t. 28.
4	Tónchat. R.S.	( <i>pa.bl.</i> )	ovate.	E. Indies.	1819.	....	S. 2.	Rumph. amb. 4. t. 7.
5	angustifólia. B.M.	( <i>li.</i> )	narrow-leaved.	W. Indies.	1820.	7. 8.	S. 2.	Bot. mag. t. 2398.
6	cuspidâta. R.Sc.	( <i>ye.</i> )	cuspidate.	Sierra Leone.	1822.	—	S. 2.	Rosc. scitam. t. 31.
7	bicolur. B.R.	( <i>wh.</i> )	two-coloured.	S. America.	1823.	1. 12.	S. 2.	Bot. reg. t. 786.
8	gíbba. R.S.	( <i>wh.</i> )	gibbous.	—	—	—	S. 2.	Rosc. scitam. t. 29.
9	obliqua. R.S.	( <i>re.</i> )	oblique.	Guiana.	1803.	10. 1.	S. 2.	Rudg. gui. t. 11.
10	sylvática. L.T.	( <i>wh.</i> )	wood.	W. Indies.	1799.	8. 9.	S. 2.	

## ORDO CCV.

MUSACEÆ. *Juss. gen. 61.*

<b>MUSA. L.</b>		<b>PLANTAIN-TREE.</b>		<b>Polygamia Monœcia. L.</b>				
1	íradisiaca. w.	( <i>br.cr.</i> )	common.	India.	1690.	10. 12.	S. 2.	Trew. ehret. 3. t. 18-20.
2	sapiéntum. w.	( <i>br.cr.</i> )	Banana-tree.	W. Indies.	1729.	10. 3.	S. 2.	— 4. t. 21-23.
3	maculâta. w.	( <i>br.pi.</i> )	spotted-fruited.	Mauritius.	1818.	—	S. 2.	
4	rosácea. w.	( <i>ro.</i> )	rose-coloured.	—	1805.	3. 6.	S. 2.	Bot. reg. t. 706.
5	cocínea. w.	( <i>sc.</i> )	scarlet-flower'd.	China.	1792.	12. 3.	S. 2.	Andr. reposit. t. 47.
6	ornâta. F.I.	( <i>li.or.</i> )	handsome.	E. Indies.	1823.	....	S. 2.	
7	superba. F.I.	( <i>br.pa.</i> )	superb.	—	—	....	S. 2.	
8	gláuca. F.I.	( <i>ye.</i> )	glaucous.	—	1824.	....	S. 2.	
<b>UR'ANIA. W.</b>		<b>UR'ANIA.</b>		<b>Hexandria Monogynia. W.</b>				
	speciôsa. w.	( <i>wh.</i> )	Plantain-leaved.	Madagascar.	1813.	....	S. 2.	Jacq. schœn. 1. t. 93.
	<i>Ravenâlia madagascariénsis. Jacq.</i>							
<b>STRELIT'ZIA. H.K.</b>		<b>STRELIT'ZIA.</b>		<b>Pentandria Monogynia. H.K.</b>				
1	agústa. H.K.	( <i>wh.</i> )	Plantain-like.	C. B. S.	1791.	2. 5.	S. 2.	Ker's Strelitz. ic.
2	reginæ. H.K.	( <i>ye.bl.</i> )	Canna-leaved.	—	1773.	4. 5.	I. 2.	Redout. lil. t. 77. 88.
3	ovâta. H.K.	( <i>ye.bl.</i> )	oval-leaved.	—	1777.	2. 4.	I. 2.	Bot. mag. t. 119. 120.
4	húmilis. L.en.	( <i>ye.bl.</i> )	dwarf.	—	....	—	I. 2.	
5	farinôsa. H.K.	( <i>ye.bl.</i> )	mealy-stalked.	—	1795.	—	I. 2.	Ker's Strelitz. ic.
6	angustifólia. H.K.	( <i>ye.bl.</i> )	narrow-leaved.	—	1778.	5. 6.	I. 2.	— ic.
7	parvifólia. H.K.	( <i>ye.bl.</i> )	small-leaved.	—	1796.	5. 7.	I. 2.	— ic.
	β júncea. B.R.	( <i>ye.bl.</i> )	rush-like.	—	—	—	I. 2.	Bot. reg. t. 516.
<b>HELIC'ONIA. R.S.</b>		<b>HELIC'ONIA.</b>		<b>Pentandria Monogynia. L.</b>				
1	Bihâi. w.	( <i>re.sn.</i> )	Plantain-leaved.	W. Indies.	1786.	4. 5.	S. 2.	Bot. reg. t. 374.
2	húmilis. R.S.	( <i>sc.</i> )	dwarf.	Caracas.	1798.	5. 6.	S. 2.	Jacq. schœn. 1. t. 48. 49.
3	psittacòrum. R.S.	( <i>ye.re.</i> )	Parrot-beaked.	W. Indies.	1797.	8. 9.	S. 2.	Andr. reposit. t. 124.
4	Swartziana. R.S.	( <i>or.</i> )	Swartz's.	Jamaica.	—	—	S. 2.	Bot. mag. t. 502.
	<i>psittacòrum β. B.M.</i>							
5	dealbâta. L.C.	( <i>ye.</i> )	mealy.	S. America.	1823.	—	S. 2.	
6	hirsûta. R.S.	( <i>ye.</i> )	hairy-bracted.	—	—	—	S. 2.	
7	buccinâta. F.I.	( <i>st.</i> )	Indian.	E. Indies.	1820.	6. 8.	S. 2.	Rumph. amb. 5. t. 62. f. 2.

## ORDO CCVI.

IRIDEÆ. *Brown prodr. 302.*

<b>IRIS. B.M.</b>		<b>FLOWER-DE-LUCE.</b>		<b>Triandria Monogynia. L.</b>				
1	susiâna. R.S.	( <i>br.bl.</i> )	Chalcedonian.	Levant.	1596.	3. 4.	H. 2.	Bot. mag. t. 91.
2	lívica. Trat.	( <i>pu.bl.</i> )	livid.	—	—	—	H. 2.	Redout. lil. 1. t. 18.
	<i>susiâna. Redoute non B.M.</i>							

- 3 florentina. R.S. (*wh.*) Florentine. S. Europe. 1596. 5. 6. H. 2. Bot. mag. t. 671.
- 4 germânica. R.S. (*bl.*) German. Germany. 1573. — H. 2. — t. 670.
- 5 subbiflora. B.M. (*bl.*) double-bearing. Portugal. 1596. 4. 5. H. 2. — t. 1130.
- 6 pállida. R.S. (*pa.bl.*) pale Turkey. Turkey. — 5. 6. H. 2. — t. 685.
- nepalensis.* Bot. reg. 818. *non* Don. prodr.
- 7 longiflora. R.S. (*pu.bl.*) long-flowered. . . . . 1824. — H. 2. —
- 8 flavescens. R.S. (*st.*) pale yellow. Switzerland. 1825. — H. 2. Swt. br. fl. gar. s. 2. t. 366.
- 9 sordida. W.en. (*pa.ye.*) dull-flowered. — 1818. — H. 2. Bot. mag. t. 2861.
- lutescens.* Bot. mag. t. 2861. *nec aliorum.*
- 10 sambucina. R.S. (*pu.wh.*) Elder-scented. S. Europe. 1658. 6. H. 2. Bot. mag. t. 187.
- 11 squálens. R.S. (*pu.ye.*) brown-flowered. — 1768. — H. 2. — t. 787.
- 12 lúrida. R.S. (*da.pu.*) dark brown. — 1758. 4. 5. H. 2. — t. 669. 986.
- 13 variegata. R.S. (*pa.ye.*) variegated. Hungary. 1597. 5. 6. H. 2. — t. 16.
- β limbata.* R.S. (*pu.ye.*) yellow-limbed. N. America. . . . — H. 2. —
- 14 neglecta. R.S. (*bl.wh.*) Horneman's. . . . . 1820. 6. H. 2. Bot. mag. t. 2435.
- 15 virescens. R.L. (*st.*) greenish-flowered. . . . . 1824. 5. 6. H. 2. Redout. lil. 5. t. 295.
- 16 Swértii. R.S. (*bl.wh.*) reflex-flowered. . . . . 1748. — H. 2. — 6. t. 360.
- 17 plícata. R.S. (*bl.*) plaited-leaved. Hungary. 1823. — H. 2. Bot. mag. t. 870.
- 18 amœna. R.L. (*pu.wh.*) pretty. . . . . — H. 2. Redout. lil. 8. t. 336.
- 19 biflora. R.S. (*vi.pu.*) two-flowered. S. Europe. 1596. 4. 9. H. 2. Besl. h. cyst. s. f. 1.
- 20 furcata. R.S. (*bl.*) forked. Tauria. 1822. 3. 4. H. 2. Bot. reg. t. 801.
- 21 cristata. R.S. (*bl.ye.*) crested. N. America. 1756. 5. H. 2. Bot. mag. t. 412.
- 22 fimbriata. V. (*bl.*) fringed. China. 1792. 5. 6. F. 2. Vent. cels. t. 9.
- chinensis.* Bot. mag. t. 373.
- 23 dichótoma. R.S. (*vi.pu.*) forked. Dauria. 1784. 6. 8. H. 2. Swt. br. fl. gar. t. 96.
- 24 nudicaulis. R.S. (*pu.wh.*) naked-stalked. . . . . 1748. 5. 6. H. 2. —
- aphylla.* w.
- 25 arenaria. R.S. (*ye.*) sand. Hungary. 1802. — H. 2. Bot. reg. t. 549.
- 26 lutescens. R.S. (*ye.*) dwarf yellow. Germany. 1748. 4. 5. H. 2. Redout. lil. 5. t. 263 ?
- pùmila.* var. *lutea.* Bot. mag. t. 1209.
- 27 flavissima. R.S. (*ye.*) bright yellow. Siberia. 1814. 5. 6. H. 2. Jacq. ic. 3. t. 220.
- 28 pùmila. R.S. (*bl.*) dwarf. Austria. 1596. 4. 5. H. 2. Bot. mag. t. 9.
- 29 violæa. (*vi.*) violet-coloured. S. Europe. . . . — H. 2. — t. 1261.
- pùmila.* var. *violæa.* B.M.
- 30 hungárica. R.S. (*bl.*) Hungarian. Hungary. 1815. 5. H. 2. Swt. br. fl. gar. t. 74.
- 31 ibérica. R.S. (*vi.*) Iberian. Iberia. 1821. 5. 6. H. 2. —
- 32 Pseud-Acorus. R.S. (*ye.*) yellow-water. Britain. . . . 6. H. 2. Eng. bot. v. 9. t. 578.
- β pallido-flava.* B.M. (*ye.*) pale yellow. N. America. 1812. — H. 2. Bot. mag. t. 2239.
- 33 Monniérii. R.S. (*ye.*) Le Monnier's. Levant. 1820. 6. 7. H. 2. Redout. lil. 4. t. 236.
- 34 taúrica. B.C. (*ye.*) Taurian. Tauria. 1826. 5. 6. H. 2. Lodd. bot. cab. t. 1506.
- 35 foetidissima. R.S. (*br.bl.*) Gladwyn. Britain. . . . 6. H. 2. Eng. bot. v. 9. t. 596.
- β variegata.* (*br.bl.*) striped-leaved. — — — — H. 2. —
- 36 versicolor. R.S. (*pu.ye.*) various-coloured. N. America. 1732. 5. 6. H. 2. Bot. mag. t. 21.
- 37 fúlva. B.M. (*co.*) copper-coloured. — 1812. 6. 7. H. 2. — t. 1496.
- cúprea.* Ph. published 1814. *fúlva.* B.M. published 1812.
- 38 tridentata. Ph. (*bl.*) three-toothed. N. America. 1824. 7. H. 2. Swt. br. fl. gar. t. 274.
- tripétala.* Bot. mag. t. 2836. *scarcely the same species.*
- 39 virgínica. R.S. (*bl.pu.*) Virginian. Virginia. 1758. 6. 7. H. 2. Bot. mag. t. 703.
- 40 grácilis. Bolt. (*pu.ye.*) Bolton's. N. America. 1812. — H. 2. —
- Boltoniana.* R.S.
- 41 spúria. B.M. (*bl.*) spurious. Siberia. 1759. 7. H. 2. Bot. mag. t. 58.
- 42 nótha. M.B. (*bl.*) hybrid. — 1780. — H. 2. Bieb. cent. pl. ros. 2. t. 77.
- halóphila.* Bot. mag. t. 875.
- 43 ochroleuca. L. (*st.*) sulphur-coloured. Levant. 1757. — H. 2. Bot. mag. t. 61.
- 44 halóphila. Pal. (*st.*) long-leaved. Siberia. 1780. 7. 9. H. 2. — t. 1131.
- 45 stenógyna. R.L. (*st.*) cream-coloured. Caucasus. 1804. 7. H. 2. — t. 1515.
- 46 desertórum. Guld. (*bl.st.*) sweet-scented. Russia. 1811. — H. 2. — t. 1514.
- spatulata.* W.en.
- 47 heterophylla. s.s. (*st.*) various-leaved. . . . . — — H. 2. —
- 48 lævigata. F. . . . smooth. . . . . 1828. . . . H. 2. —
- 49 vérna. M. (*bl.*) vernal. N. America. 1748. 4. 5. H. 2. Swt. br. fl. gar. t. 68.
- 50 ventricósa. R.S. (*pa.bl.*) bellied. Dahuria. 1800. 6. H. 2. Pall. it. 3. t. B. f. 1.
- 51 sibírica. R.S. (*bl.st.*) flaccid-leaved. Siberia. 1596. 5. 6. H. 2. Bot. mag. t. 50.
- 52 flexuosa. R.S. (*wh.*) flexuose. Germany. . . . — H. 2. Murr. c. gottf. 7. t. 4.
- sibírica.* *β alba.* B.M. t. 1163. *Redoute liliac.* t. 438. *acuta* *β alba.* W.enum.
- 53 acuta. W.en. (*bl.*) straight-leaved. Siberia. . . . — H. 2. —
- 54 triflora. W.en. (*bl.*) three-flowered. Italy. 1816. — H. 2. —
- 55 hæmatophylla. F. (*bl.*) red-leaved. Siberia. 1790. 4. 5. H. 2. Swt. br. fl. gar. t. 118.
- sanguinea.* R.S. *sibírica* *γ sanguinea.* Bot. mag. t. 1604.

- lacustris. N. (pa.bl.) marsh. N. America. 1825. 5. 6. H. 2.
- 50 prismática. R.S. (bl.) New Jersey. 1812. — H. 2. Bot. mag. t. 1504.
- 60 graminea. R.S. (bl.pu.) grass-leaved. Austria. 1597. 6. H. 2. — t. 681.
- 61 humilis. M.B. (bl.) pigmy. Siberia. 1804. 5. 6. H. 2. — t. 1123.
- 62 ruthénica. R.S. (bl.) Russian. Russia. 1810. 4. 5. H. 2. — t. 1393.
- 63 hùmicis. R.S. (bh.wh.) two-glumed. Siberia. 1829. — H. 2. Pall. it. 3. app. t. 6. f. 1.
- 64 tenuifolia. w. (pa.bl.) slender-leaved. Dauria. 1796. 5. H. 2. — 3. t. C. f. 2.
- 5 nepalensis. D.P. (bl.) Nepaul. Nepaul. 1824. 6. 7. H. 2. Swt. br. fl. gar. s. 2. t. 11.
- Pallasii. B.M. (bl.) Pallas's. Siberia. 1820. — H. 2.
- β chinensis. B.M. (bl.) Chinese. China. — H. 2. Bot. mag. t. 2331.
- 67 longispátha. B.M. (bl.) long-spathed. Russia. 1822. — H. 2. — t. 2528.
- 68 brachycúpis. B.M. (bl.) short-pointed. Siberia. 1819. 6. H. 2. — t. 2326.
- 69 coelestina. N. (bl.) sky-blue. N. America. 1824. — F. 2.
- 70 ténax. B.R. (pu.) tough-leaved. California. 1827. 4. 5. H. 2. Bot. reg. t. 1218.
- 71 tuberósa. R.S. (vi.) snake's-head. Levant. 1597. 3. 4. H. 2. Bot. mag. t. 531.
- 72 reticuláta. R.S. (bl.) netted-rooted. Iberia. 1821. 4. 5. H. b. 2.
- 73 Xíphium. R.S. (ca.) small bulbous. Spain. 1596. 6. H. b. 2. Bot. mag. t. 686.
- 74 Lusitánica. R.S. (ye.) Portuguese. Portugal. — 4. 5. H. b. 2. — t. 679.
- 75 Xiphioídes. R.S. (ca.) great bulbous. Spain. 1571. 6. H. b. 2. — t. 687.
- 76 caucásica. R.S. (st.) Caucasian. Caucasus. 1821. 2. 3. H. b. 2. Swt. br. fl. gar. t. 255.
- 77 aláta. Lam. (bl.) winged. S. Europe. 1801. .... H. b. 2. Desf. atl. 1. t. 6?
- scorpioides. Redout. liliac. t. 211.
- 78 persica. R.S. (bl.ye.) Persian. Persia. 1629. 3. H. b. 2. Bot. mag. t. 1.
- DIETES. Sal. DIETES. Triandria Monogynia.
- 1 iridioídes. (wh.bl.) Iris-flowered. C. B. S. 1758. 4. 8. F. 2. Bot. mag. t. 693.
- Mor'ea iridioídes. B.M. 'Iris mor'æoides. Ker.
- 2 catenuláta. (wh.bl.) chain-dotted. Madagascar. 1826. — F. 2. Bot. reg. t. 1074.
- Mor'ea catenuláta. B.R.
- MOR'EA. B.M. MOR'EA. Triandria Monogynia. L.
- 1 Sisyríncium. B.M. (bl.) Spanish nut. S. Europe. 1597. 5. 6. F. b. Bot. mag. t. 1407.
- 2 Tenoreána. B.F.G. (bl.) Tenore's. Naples. 1824. 6. 7. F. b. Swt. br. fl. gar. t. 110.
- Iris fágax. Ten. flor. nap. t. 4. nec aliorum.
- 3 minúta. B.R. (ye.) small. C. B. S. 1825. — F. b.
- 4 papilionácea. B.R. (ye.) Butterfly. — 1795. 5. 6. F. b. Bot. mag. t. 750.
- 5 ciliáta. B.R. (ye.) fringed-leaved. — 1787. 4. 6. F. b. — t. 1061.
- 6 barbígera. Sal. (ro.) bearded. — 4. 5. F. b. — t. 1012.
- 7 crispa. B.R. (std.) short-spathed. 1803. — F. b. — t. 1284.
- 8 tristis. B.R. (bl.ye.) dull-coloured. 1768. — F. b. — t. 577.
- 9 tricolor. A.R. (br.re.ye.) three-coloured. 1809. — F. b. Andr. reposit. t. 83.
- 10 lúrida. B.R. (d.pu.) Mr. Griffin's. 1817. 6. 7. F. b. Bot. reg. t. 312.
- 11 ramósa. B.R. (ye.) branching. — 1789. 5. 6. F. b. Bot. mag. t. 771.
- 12 plumária. B.R. (bl.) feathered. 1825. — F. b.
- 13 viscária. B.R. (br.) bird-limed. 1800. 6. F. b. Bot. mag. t. 587.
- 14 bituminósa. B.R. (ye.) clammy. 1787. 4. 5. F. b. — t. 1045.
- 15 polystáchya. B.R. (bl.) many-spiked. 1825. 6. 7. F. b.
- 16 longiflóra. B.R. (ye.) long-flowered. 1801. 6. 7. F. b. Bot. mag. t. 712.
- 17 setácea. B.R. (bl.) bristle-leaved. 1825. — F. b. Thunb. Ir. t. 1. f. 1.
- 18 édulis. B.M. (li.bl.) long-leaved. 1792. 5. 6. F. b. Bot. mag. t. 613.
- 19 odóra. P.L. (wh.) sweet-scented. — — F. b. Sal. par. lond. t. 10.
- 20 longifolia. A.R. (st.) pale-yellow. 1808. — F. b. Andr. reposit. t. 45.
- édulis γ lutescens. Bot. mag. t. 1238.
- 21 angústá. B.R. (st.) rolled-leaved. — 1790. — F. b. Bot. mag. t. 1276.
- MA'RICA. H.K. MA'RICA. Triandria Monogynia. H.K.
- 1 coerulea. B.C. (bl.) blue. Brazil. 1810. 4. 10. S. 2. Bot. reg. t. 713.
- 2 Sabini. H.T. (bl.) Sabine's. St. Thomas. 1822. 9. 11. S. 2. Hort. trans. v. 6. pl. 1.
- 3 Northiána. H.K. (wh.br.) broad-stemmed. Brazil. 1789. 4. 8. S. 2. Bot. mag. t. 654.
- Mor'ea Northiána. Andr. rep. t. 255.
- 4 paludósa. B.M. (wh.) marsh. Guiana. 1792. 7. 8. S. 2. Bot. mag. t. 646.
- 5 semiapérta. B.C. (ye.) half-opened. Brazil. 1820. 5. 7. S. 2. Lodd. bot. cab. t. 685.
- 6 humilis. B.C. (wh.ye.) dwarf. — 1823. — S. 2. — t. 1081.
- 7 longifolia. L.O. (st.) long-leaved. Brazil. 1830. 6. 10. S. 2. Lk. et Ot. abb. t. 58.
- 8 martinicénsis. H.K. (ye.) Martinico. W. Indies. 1782. 5. 7. S. 2. Bot. mag. t. 416.
- Iris martinicénsis. B.M. Cipára martinicénsis. K.S. Trimèzia lúrida. Sal.
- HERBERTIA. B.F.G. HERBERTIA. Monadelphia Triandria.
- 1 pulchélla. B.F.G. (bl.) plaited-leaved. Maldonado. 1827. 6. 8. F. b. Swt. br. fl. gar. t. 222.
- 2 pusilla. (st.) small. Brazil. 1830. — F. b. Lk. et Ot. abb. t. 59.
- Ferrária pusilla. Lk. et Otto.
- CYPE'LLA. B.M. CYPE'LLA. Monadelphia Triandria, B.M.
- Herbérti. B.M. (or.) Mr. Herbert's. BuenosAyres. 1823. 6. 9. F. b. Swt. br. fl. gar. s. 2. t. 33.
- Tigrídia Herbérti. B.M. t. 2599. Mor'ea Herbérti. B.R. t. 949.

## VIEUSSEUXIA, DC. VIEUSSEUXIA. Triandria-Monadelphia Monogynia.

- 1 tripetaloides, DC. (*bh.*) three petal-like. C. B. S. 1802. 4. 5. F. b. Bot. mag. t. 702.  
*Moræa tripétala*, B.M. *Iris tripétala*, w.
- 2 pavonia, DC. (*or.gr.*) Peacock. 1790. 5. 6. F. b. Bot. mag. t. 1247.  
*Moræa pavonia*, B.M. *Iris pavonia*, w.
- 3 villosa, s.s. (*pu.bl.*) villous-leaved. C. B. S. 1789. 4. 5. F. b. Bot. mag. t. 571.
- 4 tricuspis, s.s. (*pu.*) trident-petaled. 1776. 6. F. b. t. 696.
- 5 glaucopsis, DC. (*wh.bl.*) white-flowered. 5. 7. F. b. Redout. lil. 1. t. 42.  
*Iris pavonia*, Bot. mag. t. 168. *nec aliorum.*
- 6 Bellendeni, (*ye.*) Mr. Ker's. 1803. 6. 7. F. b. Bot. mag. t. 772.  
*Moræa tricuspis*  $\gamma$  *lutea*, B.M. certainly a very distinct species.
- 7 tennis, R.S. (*or.*) slender. C. B. S. 1807. 5. 6. F. b. Bot. mag. t. 1047.
- 8 spiralis, R.S. (*ye.*) spiral-flowered. 1825. — F. b. De la Roch. dis. t. 5.
- 9 unguicularis, R.S. (*bh.*) long-clawed. 1802. — F. b. Bot. mag. t. 593.
- HOMERIA, V. HOMERIA. Monadelphia Triandria.
- 1 spicata, (*ye.or.pu.*) spiked. C. B. S. 1785. 5. 6. F. b. Bot. mag. t. 1283.  
*Moræa spicata*, B.M.
- 2 collina, (*pi.*) hill. 1768. — F. b. Bot. mag. t. 1033.  
*Moræa collina*, B.M.
- 3 ochroleuca, Sal. (*ye.*) straw-coloured. — — — F. b. Bot. mag. t. 1103.  
*Moræa collina*,  $\gamma$ , B.M. 1103.
- 4 lineata, B.F.G. (*pi.*) lined-leaved. 1825. — F. b. Swt. br. fl. gar. t. 178.
- 5 porrifolia, B.F.G. (*sc.*) leek-leaved. — — — F. b. ——— ic.
- 6 elegans, (*or.gr.*) elegant. — — — F. b. Jacq. schoen. 1. t. 2.
- 7 aurantiaca, R.S. (*or.*) flaccid-petaled. 1810. — F. b. Bot. mag. t. 1612.  
*Moræa collina*, (*a*) *miniata minor*, B.M. 1612.
- 8 miniata, B.F.G. (*pi.*) spot-flowered. 1799. — F. b. Swt. br. fl. gar. t. 152.
- HEXAGLOTTIS, Vt. HEXAGLOTTIS. Monadelphia Triandria.
- 1 flexuosa, (*ye.*) flexuose. C. B. S. 1803. 5. 6. F. b. Bot. mag. t. 695.  
*longifolia*, Vent. *Moræa flexuosa*, B.M.
- 2 virgata, (*ye.*) slender. 1825. — F. b. Jacq. icon. 2. t. 228.
- PARDANTHUS, S.S. PARDANTHUS. Triandria Monogynia, S.S.
- 1 chinensis, s.s. (*or.*) Chinese. China. 1759. 6. 7. H.  $\gamma$ . Bot. mag. t. 171.  
*Ixia chinensis*, B.M. *Belamcanda chinensis*, DC.
- 2 nepalensis, (*or.*) Nepal. Nepal. 1823. — H.  $\gamma$ .
- BOBARTIA, L. BOBARTIA. Triandria Monogynia, L.
- 1 gladiata, K.I. (*ye.*) hairy-stalked. C. B. S. 1815. 6. 8. G.  $\gamma$ . Bot. reg. t. 229.  
*Márica gladiata*, B.R. *Moræa gladiata*, w.
- 2 spathacea, L. (*ye.*) sheathed. 1798. 7. G.  $\gamma$ . Thunb. dis. p. 9. t. 1.
- SISYRINCHIUM, L. SISYRINCHIUM. Monadelphia Triandria.
- 1 latifolium, H.K. (*wh.*) broad-leaved. W. Indies. 1737. 6. 8. S.  $\gamma$ . Bot. mag. t. 655.  
*Márica plicata*, B.M. *Moræa plicata*, w.
- 2 bermudianum, w. (*bl.*) Iris-leaved. Bermudas. 1732. 5. 7. G.  $\gamma$ . Bot. mag. t. 94.  
*iridioides*, B.M.
- 3 Nuttalli, (*bl.*) Nuttall's. N. America. 1823. — H.  $\gamma$ .  
*bermudianum*, N. *nec aliorum.*
- 4 chilense, B.M. (*bl.*) blue Chilean. Chile. 1826. 6. 7. F.  $\gamma$ . Bot. mag. t. 2786.
- 5 graminifolium, B.R. (*ye.*) grass-leaved. 1825. 4. 8. F.  $\gamma$ . Bot. reg. t. 1067.
- 6 flexuosum, B.R. (*ye.*) flexuose. — — — F.  $\gamma$ .
- 7 anceps, w. (*bl.*) narrow-leaved. N. America. 1693. 6. 7. H.  $\gamma$ . Bot. mag. t. 464.
- 8 mucronatum, M. (*bl.*) pointed-flowered. 1812. — H.  $\gamma$ .
- 9 convolutum, w. (*ye.*) convolute. S. America. 1816. 5. 7. F.  $\gamma$ . Wild. h. ber. t. 91.
- 10 tenuifolium, w. (*ye.*) slender-leaved. Mexico. — — — F.  $\gamma$ . ——— t. 92.
- 11 luteum, L.en. (*ye.*) yellow-flowered. 1823. — H.  $\gamma$ .
- 12 californicum, H.K. (*ye.*) Californian. California. 1796. 5. 2. F.  $\gamma$ . Bot. mag. t. 983.  
*Márica californica*, B.M.
- 13 pedunculatum, B.M. (*ye.*) long-peduncled. Chile. 1827. 6. 8. F.  $\gamma$ . Bot. mag. t. 2965.
- 14 micranthum, w. (*st.*) small-flowered. Peru. 1822. 5. 9. F.  $\gamma$ . t. 2116.
- 15 iridifolium, K.S. (*st.vi.*) Iris-leaved. S. America. — — — F.  $\gamma$ . Bot. reg. t. 646.  
*laxum*, Bot. mag. t. 2312. *Márica iridifolia*, B.R.
- 16 odoratissimum, B.R. (*std.*) sweet-scented. S. America. 1828. 6. 10. F.  $\gamma$ . Bot. reg. t. 1283.
- 17 striatum, H.K. (*ye.std.*) streaked-flowered. Mexico. 1788. — F.  $\gamma$ . Sm. ic. pict. t. 9.  
*Márica striata*, B.M.
- 18 palmifolium, w. (*wh.*) Palm-leaved. Brazil. 1799. 1. 5. S.  $\gamma$ .
- ORTHROSA'NTHUS, MORNING-FLOWER. Monadelphia Triandria.
- multiflorus, S.F.A. (*bl.*) many-flowered. N. Holland. 1825. 5. 8. G.  $\gamma$ . Swt. flor. aust. t. 11.
- LIBERTIA, S.S. LIBERTIA. Triandria-Monadelphia Monogynia.
- 1 paniculata, s.s. (*wh.*) panicled. N. S. W. 1823. 5. 8. F.  $\gamma$ .
- 2 grandiflora, (*wh.*) large-flowered. N. Zealand. 1822. 4. 9. H.  $\gamma$ . Swt. br. fl. gar. t. 64.  
*Renealmia grandiflora*, S.F.A. the old genus *Renealmia* is restored by Roscoe.
- 3 pulchella, s.s. (*wh.*) neat. N. S. W. 1823. 4. 9. F.  $\gamma$ .

- PATERS'ONIA. B.P. PATERS'ONIA. Monadelphia Triandria. H.K.**
- 1 sericea. B.P. (*pu.*) silky. N. S. W. 1803. 5. 7. F. 2. Bot. mag. t. 1041.  
 2 lanata. B.P. (*pu.*) woolly-spathed. N. Holland. 1825. 5. 8. F. 2. Swt. flor. aust. t. 15.  
 3 longifolia. B.P. (*bl.*) long-leaved. N. S. W. 1822. 5. 7. F. 2.  
 4 media. B.P. (*bl.*) middle. ———— 1824. ———— F. 2.  
 5 glabrata. B.P. (*bl.*) smooth. ———— 1814. ———— F. 2. Bot. reg. t. 50.  
 6 longiscapa. S.F.A. (*bl.*) long-stalked. N. Holland. 1825. 5. 8. F. 2. Swt. flor. aust. t. 39.  
 7 glauca. B.P. (*bl.*) glaucous. N. S. W. 1826. ———— F. 2. Lab. nov. hol. 1. t. 9.
- WITS'ENIA. H.K. WITS'ENIA. Triandria Monogynia.**
- 1 maura. H.K. (*or.*) downy-flowered. C. B. S. 1790. 11. 1. G. 2. Bot. reg. t. 5.  
 2 corymbosa. H.K. (*bl.*) corymbose. ———— 1803. 4. 9. G. 2. Bot. mag. t. 895.  
 3 ramosa. S.S. (*ye.bl.*) branching. ———— 1809. ———— G. 2.  
 4 partita. K.I. (*bl.*) parted-flowered. ———— 1822. ———— G. 2.
- ARIST'EA. Ker. ARIST'EA. Triandria Monogynia. L.**
- 1 cyanea. H.K. (*bl.*) woolly-headed. C. B. S. 1759. 4. 6. G. 2. Bot. mag. t. 458.  
 2 pusilla. B.M. (*bl.*) flat-stemmed. ———— 1806. 6. 7. G. 2. ———— t. 1231.  
 3 spiralis. H.K. (*wh.br.*) spiral-flowered. ———— 1795. 4. 5. G. 2. ———— t. 520.  
 4 capitata. H.K. (*bl.*) tallest. ———— 1790. 7. 8. G. 2. ———— t. 605.  
 5 *major*. A.R. 160. *Moræa cærulea*. Th. mor. t. 2. f. 2.  
 6 melaleuca. H.K. (*bl.bl.*) three-coloured. C. B. S. 1786. 5. 6. G. 2. Bot. mag. t. 1277.
- FERR'ARIA. Ker. FERR'ARIA. Monadelphia Triandria. H.K.**
- 1 angustifolia. (*st.*) narrow-leaved. C. B. S. 1825. 4. 6. F. b.  
 2 antherosa. B.M. (*gr.*) green variegated. ———— 1800. 3. 7. F. b. Bot. mag. t. 751.  
*Ferraria* H.K. *viridiflora*. A.R. t. 285.  
 3 uncinata. B.F.G. (*br.bl.*) hook-leaved. ———— 1825. ———— F. b. Swt. br. fl. gar. t. 161.  
 4 undulata. w. (*br.wh.*) curled. ———— 1755. ———— F. b. Bot. mag. t. 144.  
 5 atrata. L.C. (*da.*) dark-flowered. ———— 1825. ———— F. b. Lodd. bot. cab. t. 1356.  
 6 divaricata. B.F.G. (*da.*) spreading-anther'd. ———— ———— F. b. Swt. br. fl. gar. t. 192.  
 7 obtusifolia. B.F.G. (*pu.br.*) blunt-leaved. ———— ———— F. b. ———— t. 148.
- TIGRID'IA. J. TIGER-FLOWER. Monadelphia Triandria. H.K.**
- 1 pavonia. H.K. (*sc.*) red-flowered. Mexico. 1796. 5. 9. H. b. Redoute lil. t. 6.  
*Ferraria pavonia*. A.R. 178. *Tigridia*. B.M. 532.  
 2 conchiflora. B.F.G. (*ye.*) yellow-flowered. Mexico. 1824. ———— H. b. Swt. br. fl. gar. t. 128.
- GALA'XIA. Ker. GALA'XIA. Monadelphia Triandria. H.K.**
- 1 ovata. w. (*ye.*) oval-leaved. C. B. S. 1799. 5. 9. F. b. Andr. reposit. t. 94.  
 2 grandiflora. A.R. (*ye.*) large-flowered. ———— ———— F. b. ———— t. 164.  
 3 mucronularis. Sal. (*ro.*) mucronated. ———— ———— F. b. Jac. ic. t. 291. f. inf. sin.  
 4 versicolor. Sal. (*ro.ye.*) various-coloured. ———— ———— F. b. ———— f. inf. ad. dextr.  
 5 graminea. w. (*ye.*) narrow-leaved. ———— 1795. 7. 8. F. b. Bot. mag. t. 1292.
- PEYRO'USIA. PEYRO'USIA. Triandria Monogynia. H.K.**
- 1 corymbosa. B.M. (*bl.*) level-topped. C. B. S. 1791. 5. 6. F. b. Bot. mag. t. 595.  
 2 falcata. B.M. (*bl.*) sickle-leaved. ———— 1825. ———— F. b. Thunb. dis. 4. t. 1. f. 3.  
 3 fasciculata. B.M. (*wh.*) fascicled. ———— ———— F. b. Jacq. ic. 2. t. 291.  
*Galaxia plicata*. Jacq. *Ixia heterophylla*. Vahl. *Oviada fasciculata*. S.S.  
 4 fissifolia. B.M. (*ro.*) leafy-spiked. C. B. S. 1809. 8. 9. F. b. Bot. mag. t. 1246.  
 5 bracteata. B.M. (*wh.*) bracteate. ———— 1825. ———— F. b. Thunb. act. haf. 6. c. ic.  
 6 aculeata. B.F.G. (*wh.*) prickly-stemmed. ———— 5. 7. F. b. Swt. br. fl. gar. s. 2. t. 39.  
 7 ancéps. E.F.G. (*bl.*) flat-stemmed. ———— ———— F. b. ———— ser. 1. t. 143.  
 8 silenoides. B.M. (*pu.*) Silene-like. ———— 1822. ———— F. b. Jacq. ic. 2. t. 270.  
 9 Fabricii. B.M. (*wh.*) slender-branched. ———— 1825. ———— F. b.
- ANOMATH'ECA. Ker. ANOMATH'ECA. Triandria Monogynia. H.K.**
- júncea*. H.K. (*ro.*) cut-leaved. C. B. S. 1791. 4. 5. F. b. Bot. mag. t. 606.  
*Lapeyrousia júncea*. B.M. *Gladiolus polystachyus*. A.R. 66.
- BABI'ANA. Ker. BABI'ANA. Triandria Monogynia. S.S.**
- 1 nana. S.S. (*bl.re.*) dwarf. C. B. S. 1807. 4. 6. F. b. Andr. reposit. t. 137.  
*Gladiolus nanus*. A.R.  
 2 rubro-cyanea. B.M. (*bl.re.*) red and blue. ———— 1794. ———— F. b. Bot. mag. t. 410.  
 3 villosa. B.M. (*cr.*) dark red. ———— 1778. 8. F. b. ———— t. 583.  
*Ixia punicea*. Jacq. ic. 2. t. 287.  
 4 obtusifolia. B.M. (*vi.*) blunt-leaved. ———— 1825. 5. 6. F. b. Jacq. ic. 2. t. 284.  
*Ixia villosa*. Jacq. non H.K.  
 5 purpurea. B.M. (*d.pu.*) dark purple. ———— 1806. ———— F. b. Bot. mag. t. 1052.  
 6 stricta. B.M. (*bl.wh.*) upright. ———— 1757. ———— F. b. ———— t. 621.  
 7 angustifolia. (*bl.*) narrow-leaved. ———— ———— F. b. ———— t. 637.  
*stricta* (*a*) B.M. *Ixia villosa* var. Jacq. frag. t. 14. f. 3.  
 8 tenuiflora. B.F.G. (*bl.*) slender-flowered. C. B. S. 1825. ———— F. b. Swt. br. fl. gar. ic.  
 9 sulphurea. B.M. (*st.*) pale-flowered. ———— 1803. ———— F. b. Bot. mag. t. 1053.  
 10 mucronata. B.M. (*pu.ye.*) mucronate. ———— 1825. ———— F. b. Jacq. ic. 2. t. 253.  
 11 plicata. B.M. (*pa.bl.*) sweet-scented. ———— 1774. ———— F. b. Bot. mag. t. 576.  
 12 disticha. B.M. (*pa.bl.*) two-ranked. ———— ———— F. b. ———— t. 626.  
*Gladiolus plicatus*. Jacq. ic. t. 237. nec *aliorum*.

- 13 pállida. w.H. (*pa.*) pale-flowered. Hybrid. .... 6. 7. F.b.  
 14 ochroleuca. (*st.*) cream-colour'd. C. B. S. 1825. 5. 7. F.b.  
 15 spathacea. B.M. (*bl.wh.*) stiff-leaved. ———— 1801. ———— F.b. Bot. mag. t. 638.  
 16 sambucina. B.M. (*da.bl.*) Elder-scented. ———— 1799. 4. 5. F.b. ———— t. 1019.  
 17 tubàta. (*wh.re.*) long-flowered. ———— 1774. ———— F.b. ———— t. 680.  
*Gladiolus tubátus*. Jacq. ic. 2. t. 264.  
 18 tubiflòra. B.M. (*wh.re.*) long-tubed. ———— ———— F.b. Bot. mag. t. 847.  
 19 ringens. B.M. (*pu.*) gaping-flowered. ———— 1752. 5. 6. F.b. Lodd. bot. cab. t. 1006.  
 20 Thunbèrgii. B.M. (*pu.*) many-spiked. ———— 1774. ———— F.b.  
*Antholyza plicàta*. w.  
 ANTHOL'YZA. Ker. ANTHOL'YZA. Triandria Monogynia. L.  
 1 æthiòpica. B.M. (*sc.or.*) flag-leaved. C. B. S. 1759. 1. 4. F.b. Bot. mag. t. 561.  
 2 præalta. DC. (*sc.or.*) tall. ———— .... ———— F.b. Redout. lil. 7. t. 387.  
*æthiòpica*. var.  $\beta$ . B.M. 1172. *vittigera*. Sal.  
 3 montàna. B.C. (*pu.*) mountain. ———— 1824. 5. 7. F.b. Lodd. bot. cab. t. 1022.  
 4 lúcidor. B.M. (*pu.*) shining. ———— 1825. ———— F.b.  
 ANISA'NTHUS. B.F.G. ANISA'NTHUS. Triandria Monogynia.  
 1 spléndens. B.F.G. (*sc.*) splendid. C. B. S. 1825. 4. 6. F.b. Swt. br. fl. gar. ic. ined.  
 2 Cunònia. B.F.G. (*sc.*) scarlet. ———— 1756. 5. 6. F.b. Bot. mag. t. 343.  
*Antholyza Cunònia*. B.M. *Gladiolus Cunònia*. H.K.  
 PETA'MENES. Sal. PETA'MENES. Triandria Monogynia.  
 quadrangulàris. (*ye.sc.*) four-sided. C. B. S. 1790. 4. 5. F.b. Bot. mag. t. 567.  
*Gladiolus quadrangulàris*. B.M. *abbreviatus*. Andr. repos. t. 166.  
 WATS'ONIA. Ker. WATS'ONIA. Triandria Monogynia. H.K.  
 1 aletròides. B.M. (*ro.*) Aletris-flower'd. C. B. S. 1774. 5. 7. F.b. Bot. mag. t. 441.  
 *$\beta$  variegàta*. B.M. (*ro.*) variegated. ———— ———— F.b. ———— t. 533.  
 2 angústa. K.I. (*sc.*) narrow-flowered. ———— 1825. ———— F.b. Jacq. ic. 2. t. 231.  
 3 hùmilis. B.M. (*re.*) lake-coloured. ———— 1754. ———— F.b. Bot. mag. t. 631.  
 4 Meriàna. B.M. (*ro.*) red-flowered. ———— 1750. ———— F.b. ———— t. 418.  
 5 iridifòlia. Jac. (*fl.*) Iris-leaved. ———— 1795. ———— F.b. Jacq. ic. 2. t. 234.  
 6 fùlgida. Sal. (*sc.*) scarlet. ———— ———— F.b. Bot. mag. t. 603.  
*Antholyza fùlgens*. A.R. 192.  
 7 ròseo-álba. B.M. (*w.bh.*) two-coloured. ———— .... 7. 8. F.b. Bot. mag. t. 537.  
 *$\beta$  variegàta*. (*wh.ro.*) variegated-flower'd. ———— .... ———— F.b. ———— t. 1193.  
 8 brevifòlia. B.M. (*sc.*) short-leaved. ———— 1794. 5. 7. F.b. ———— t. 601.  
 9 ròsea. F.M. (*ro.*) pyramidal. ———— 1803. 7. 8. F.b. ———— t. 1072.  
 10 strictiflòra. B.M. (*ro.*) straight-flower'd. ———— 1810. 6. 7. F.b. ———— t. 1406.  
 11 marginàta. B.M. (*ro.*) broad-leaved. ———— 1774. ———— F.b. ———— t. 608.  
 *$\beta$  minor*. B.M. (*ro.*) shining-leaved. ———— 1812. ———— F.b. ———— t. 1530.  
 12 rubens. K.I. (*re.*) red-spathed. ———— 1825. ———— F.b.  
 13 punctàta. H.K. (*bl.*) dotted-flowered. ———— 1800. 4. 5. F.b. Andr. reposit. t. 177.  
*L'xia punctàta*. A.R.  
 14 plantàginea. B.M. (*bl.*) Fox-tail. ———— 1774. 6. 7. F.b. Bot. mag. t. 553.  
 15 spicata. B.M. (*bh.*) hollow-leaved. ———— 1791. 5. ———— F.b. ———— t. 523.  
*L'xia fistulòsa*. B.M.  
 GLADI'OLUS. Ker. CORN-FLAG. Triandria Monogynia. L.  
 1 viperátus. B.M. (*gr.pu.*) perfumed. C. B. S. 1787. 4. 5. F.b. Swt. br. fl. gar. t. 156.  
 2 alátus. B.M. (*sc.ye.*) wing-flowered. ———— 1795. 5. 6. F.b. ———— t. 187.  
 3 algoénsis. (*co.pu.y.*) Alga bay. ———— 1824. 7. ———— F.b. Bot. mag. t. 2608.  
*alátus  $\beta$  algoénsis*. B.M.  
 4 namaquénsis. B.M. (*sc.y.*) thick-leaved. ———— 1800. 5. 6. F.b. Bot. mag. t. 592.  
 5 perneábilis. R.S. (*re.y.*) tall. ———— 1825. ———— F.b. De la Roch. dis. t. 2.  
 6 Watsonius. B.M. (*sc.*) Watson's. ———— 1791. 3. 5. F.b. Bot. mag. t. 450.  
 *$\beta$  variegàta*. (*sc.ye.*) variegated-flower'd. ———— 1801. ———— F.b. ———— t. 569.  
 7 brevifolius. H.K. (*fl.*) short-leaved. ———— 1802. ———— F.b. ———— t. 727.  
 8 hirsútus. H.K. (*ro.*) rose-coloured. ———— 1795. 4. 6. F.b. ———— t. 574.  
*ròseus*. Andr. reposit. t. 11.  
 9 merianèllus. K.I. (*pu.ye.*) slender-flower'd. ———— ———— F.b.  
 10 puniceus. Lam. (*pu.*) dark purple. ———— ———— F.b. Breyn. cent. 24. t. 12. f. 1.  
*villòsus*. K.I. *Lanárckii*. R.S.  
 11 aphyllus. K.I. (*fl.*) leafless. ———— ———— F.b. Bot. mag. t. 992.  
 12 versicolor. B.M. (*re.ye.*) various-colour'd. ———— 1794. 5. 6. F.b. Andr. reposit. t. 19.  
 13 lævis. K.I. (*br.re.st.*) two-nerved. ———— 1806. ———— F.b. Bot. mag. t. 1042.  $\epsilon$ .  
*versicolor  $\epsilon$ . binèrvs*. B.M.  
 14 Breynianus. K.I. (*br.y.*) Breynius's. ———— ———— F.b. Breyn. afr. 2. t. 7. f. 1.  
 15 suavèolens. K.I. (*br.y.*) sweet-scented. ———— 1799. ———— F.b. Bot. mag. t. 556.  
 16 elongátus. K.I. (*bl.ye.*) long-leaved. ———— ———— F.b. Jacq. ic. 2. t. 244.  
 17 recúrvus. B.M. (*pu.ye.*) Violet-scented. ———— 1758. 4. 5. F.b. Bot. mag. t. 578.  
 18 inflátus. K.I. (*pa.pu.*) inflated. ———— 1825. ———— F.b.  
 19 gráciilis. B.M. (*pa.bl.*) slender. ———— 1800. ———— F.b. Bot. mag. t. 562.

20	débilis. B.M. (wh.pu.) weak.	C. B. S.	1822.	4. 5.	F.b.	Bot. mag. t. 2585.
21	trichonemifolius. B.M. (ye.) slender-leaf'd.	_____	1810.	5. 6.	F.b.	_____ t. 1483.
22	cóncolor. P.L. (st.) pale-yellow.	_____	1790.	_____	F.b.	Sal. par. lond. t. 8.
23	trístis. B.M. (st.br.) square-leaved.	_____	1745.	_____	F.b.	Bot. mag. t. 272.
24	hyalinus. K.I. (wh.st.pu.) transparent.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 242.
25	tenéllus. K.I. (st.br.) feeble.	_____	_____	_____	F.b.	_____ t. 248.
26	Colvillii. B.F.G. (re.ye.) Colvill's.	Hybrid.	1823.	_____	F.b.	Swt. br. fl. gar. t. 155.
27	cárneus. B.M. (pu.pu.) flesh-coloured.	C. B. S.	1796.	_____	F.b.	Bot. mag. t. 591.
28	cuspidátus. B.M. (w.pu.) sharp-pointed.	_____	1795.	4. 5.	F.b.	_____ t. 582.
29	angústus. B.M. (st.re.) narrow-leaved.	_____	1757.	_____	F.b.	_____ t. 602.
	<i>hastátus</i> . Thunb. non B.M.					
30	vomérculus. K.I. (bh.vi.) spade.	_____	1816.	_____	F.b.	Bot. mag. t. 1564.
31	involutus. K.I. (ro.pu.) involute.	_____	1757.	5. 6.	F.b.	Mill. ic. t. 286. f. 1.
32	édulis. B.R. (wh.pu.ye.) eatable-rooted.	_____	_____	_____	F.b.	Bot. reg. t. 169.
33	undulátus. B.M. (st.pu.) waved-flowered.	_____	1760.	4. 5.	F.b.	Bot. mag. t. 647.
34	fasciátus. R.S. (pi.pu.) fasciate.	_____	_____	_____	F.b.	_____ t. 538.
	<i>undulátus</i> β. Bot. mag.					
35	blándus. B.M. (bh.ro.) fairest.	_____	1774.	6.	F.b.	Bot. mag. t. 625.
36	álbidus. w. (wh.) white-flowered.	_____	_____	_____	F.b.	_____ t. 648.
37	campanulátus. A.R. (pu.) bell-flowered.	_____	1794.	5. 6.	F.b.	Andr. reposit. t. 188.
	<i>blándus</i> γ <i>purpúreo-albescens</i> . B.M.					
38	excélsus. K.I. (pi.) painted-flower'd.	_____	_____	_____	F.b.	Bot. mag. t. 1665.
	<i>blándus</i> δ. <i>excélsus</i> . B.M.					
39	trímaculátus. K.I. (bh.pu.) three-spotted.	_____	_____	_____	F.b.	Lam. ill. 1. t. 32. f. 3.
40	flexuósus. B.M. (bh.) flexuose.	_____	1825.	_____	F.b.	Thunb. diss. t. 1. f. 1.
41	floribúndus. B.M. (pi.w.) large-flowered.	_____	1788.	5. 7.	F.b.	Bot. mag. t. 610.
42	Milléri. B.M. (wh.pu.) Miller's.	_____	1751.	4. 5.	F.b.	_____ t. 632.
43	cardinális. B.M. (sc.) superb.	_____	1789.	7. 8.	F.b.	_____ t. 135.
44	bockveldiënsis. W.H. (co.) Bockveld.	_____	1826.	_____	F.b.	_____
45	spofforthiánus. W.H. (va.) Blando-cardinalis.	Hybrid.	_____	_____	F.b.	_____
46	mitchamiënsis. W.H. (va.) Tristi-hirsutus.	_____	_____	_____	F.b.	_____
47	rígidus. W.H. (va.) Tristi-blandus.	_____	_____	_____	F.b.	_____
48	propínquus. W.H. (var.) Floribundo-blandus.	_____	_____	_____	F.b.	_____
49	frágrans. W.H. (va.) Recurvo-trístis.	_____	_____	_____	F.b.	_____
50	Haylockiánus. W.H. (va.) Versicolori-blandus.	_____	_____	_____	F.b.	_____
51	Herbertiánus. (va.) Tristi-Spofforthianus.	_____	_____	_____	F.b.	_____
52	odorátus. W.H. (va.) Hirsuto-Spofforthianus.	_____	_____	_____	F.b.	_____
53	delicátus. W.H. (va.) Recurvo-blandus.	_____	_____	_____	F.b.	_____
54	byzantinus. B.M. (pu.) Turkish.	Turkey.	1629.	6. 7.	H.b.	Bot. mag. t. 874.
55	communis. B.M. (re.) common.	S. Europe.	1596.	_____	H.b.	_____ t. 86.
	β <i>cárneus</i> . B.M. (bh.) pale-flowered.	_____	_____	_____	H.b.	_____ t. 1575.
<b>SPHEROSPORA. SPHEROSPORA. Triandria Monogynia.</b>						
1	imbricáta. (re.wh.) European.	S. Europe.	1596.	6. 7.	H.b.	Bot. mag. t. 719.
	<i>Gladiolus ségetum</i> . B.M. <i>Gladiolus imbricátus</i> . K.I.					
2	triphýlla. (re.) three-leaved.	Greece.	1825.	_____	H.b.	Flor. græc. 1. t. 38.
<b>SYNNOTIA. B.F.G. SYNNOTIA. Triandria Monogynia.</b>						
1	variegátá. B.F.G. (bl.ye.) variegated-flower'd.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. t. 150.
2	bícolor. B.F.G. (ye.bl.) two-coloured.	_____	1786.	3. 4.	F.b.	Bot. mag. t. 548.
	<i>Ixia bicolor</i> . B.M. <i>Sparáxis bicolor</i> . Ker. <i>Gladiolus bicolor</i> . w.					
3	galeátá. B.F.G. (vi.ye.) helmet-flower'd.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 258.
	<i>Gladiolus galeátus</i> . Jacq.					
<b>STREPTANTHERA. B.F.G. STREPTANTHERA. Triandria Monogynia.</b>						
1	élegans. B.F.G. (w.ve.y.) elegant.	C. B. S.	1825.	6. 7.	F.b.	Swt. br. fl. gar. t. 209.
2	cúprea. (co.ve.) copper-coloured.	_____	_____	_____	F.b.	_____
<b>SPARAXIS. Ker. SPARAXIS. Triandria Monogynia. H.K.</b>						
1	trícolor. H.K. (cr.ve.y.) three-coloured.	C. B. S.	1789.	5.	F.b.	Bot. mag. t. 381.
2	versicolor. (cr.bl.y.) various-coloured.	_____	1811.	_____	F.b.	Swt. br. fl. gar. t. 160.
3	Griffini. (pu.ve.y.) Mr. Griffin's.	_____	_____	_____	F.b.	Bot. mag. t. 1482. f. inf.
	<i>trícolor</i> γ <i>violáceo-purpúrea</i> . B.M.					
4	blánda. (bh.) bluish-flowered.	_____	_____	_____	F.b.	Bot. mag. t. 1482. f. med.
	<i>trícolor</i> . δ. <i>subrúseo-álbida</i> . B.M.					
5	grandiflóra. H.K. (pu.) large-flowered.	_____	1758.	4. 5.	F.b.	Bot. mag. t. 541.
	<i>a purpúrea</i> . (pu.) velvet-flowered.	_____	_____	_____	F.b.	Andr. reposit. t. 87.
	β <i>striátá</i> . (pu.st.) streaked-flower'd.	_____	_____	_____	F.b.	Bot. mag. t. 779.
6	Liliágo. (wh.bh.) Lily-flowered.	_____	_____	_____	F.b.	Redout. lil. 2. t. 109.
	<i>Ixia Liliágo</i> . R.L. <i>Sparáxis grandiflóra</i> γ <i>Liliágo</i> . Bot. reg. t. 258.					
7	bulbífera. H.K. (ye.) bulb-bearing.	C. B. S.	1758.	5. 6.	F.b.	Bot. mag. t. 545.
8	frágrans. B.M. (ye.) fragrant.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 274.
9	anemonæflóra. B.M. (st.) Anemone-flower'd.	_____	_____	_____	F.b.	_____ 2. t. 273.
	<i>Ixia anemonæflóra</i> . Jacq.					

- TRITONIA. Ker. TRITONIA. Triandria Monogynia. H.K.
- 1 *crispa*. H.K. (*ro.wh.*) curled-leaved. C. B. S. 1787. 4. 5. F.b. Bot. mag. t. 678.
- 2 *anigozanthiflora*. (*gr.*) Anigozanthus-fl'd. 1825. 6. 8. F.b.
- 3 *viridis*. B.M. (*gr.*) green-flowered. 1788. 7. F.b. Bot. mag. t. 1275.
- 4 *rosea*. H.K. (*wh.ro.*) rosy. 1793. 6. 7. F.b. ——— t. 618.
- 5 *capensis*. B.M. (*st.pu.*) Cape. 1811. 8. 10. F.b. ——— t. 1531.
- 6 *pállida*. B.M. (*st.*) pale-flowered. 1806. — F.b. Jacq. ic. 2. t. 262.
- 7 *longiflora*. B.M. (*st.re.*) long-flowered. 1774. 6. 8. F.b. Bot. mag. t. 256.
- Hexaglóttis longiflora*. V. *Gladiolus longiflorus*. Jacq. *Ixia longiflora*. B.M.
- 8 *tenuiflora*. R.S. (*st.*) slender-flower'd. C. B. S. 1811. 4. 6. F.b. Bot. mag. t. 1502.
- 9 *cóncolor*. (*st.*) self-coloured. ——— F.b. ——— t. 1502.f.minor
- 10 *Rocheana*. (*st.ro.*) bending-flowered. ——— 8. F.b. ——— t. 1503.
- 11 *pectinàta*. B.M. (*bh.*) pectinated. 1825. 5. 6. F.b.
- 12 *striàta*. B.M. (*st.vi.*) streaked. ——— F.b. Jacq. ic. 2. t. 260.
- 13 *lineàta*. B.M. (*st.br.*) pencilled. 1774. — F.b. Bot. mag. t. 487.
- 14 *securigera*. B.M. (*co.ye.*) copper-coloured. ——— 5. F.b. ——— t. 383.
- 15 *flàva*. B.M. (*ye.*) yellow. 1780. 4. 6. F.b. Bot. reg. t. 747.
- 16 *refràcta*. B.R. (*ye.*) reflexed. 1815. 5. 6. F.b. ——— t. 135.
- 17 *squálida*. B.M. (*pi.bh.*) sweet-scented. 1774. — F.b. Bot. mag. t. 581.
- 18 *fenestràta*. B.M. (*sn.*) open-flowered. 1801. — F.b. ——— t. 704.
- 19 *purpùrea*. K.I. (*pu.*) purple. 1825. — F.b.
- 20 *crocàta*. B.M. (*sn.*) Crocus-flowered. 1758. — F.b. Bot. mag. t. 184.
- Ixia crocàta*. B.M.
- 21 *deusta*. B.M. (*sn.ve.*) spotted-flower'd. 1774. — F.b. Bot. mag. t. 622.
- 22 *miniàta*. B.M. (*ye.*) late-flowered. 1795. 8. F.b. ——— t. 609.
- 23 *xanthospila*. s.s. (*wh.*) yellow-spotted. 1825. 5. 6. F.b. Redout. lil. 3. t. 124.
- MORPHIXIA. K.I. MORPHIXIA. Triandria Monogynia.
- 1 *linearis*. K.I. (*bh.*) slender. C. B. S. 1796. 4. 5. F.b. Bot. mag. t. 570.
- Ixia linearis*. R.S. *capillàris a gracillima*. B.M. *Hyàlis gracilis*. Salisb.
- 2 *capillàris*. K.I. (*bh.*) wire-stemmed. C. B. S. 1774. — F.b. Bot. mag. t. 617.
- Hyàlis latifolia*. Salisb. *Ixia lancea*. Jacq. ic. 2. t. 281. *capillàris*  $\beta$  *stricta*. B.M.
- 3 *aùlica*. K.I. (*ro.*) rose-coloured. C. B. S. 1774. — F.b. Bot. mag. t. 1013.
- Ixia aùlica*. H.K. *capillàris*  $\gamma$  *aùlica*. B.M. *Hyàlis aùlica*. Salisb.
- 4 *incarnàta*. K.I. (*fl.*) flesh-coloured. C. B. S. 1774. — F.b. Jacq. ic. 2. t. 282.
- IXIA. Ker. IXIA. Triandria Monogynia. L.
- 1 *ficàta*. B.M. (*bh.*) painted. C. B. S. . . . 6. 7. F.b. Bot. mag. t. 1379.
- 2 *aristàta*. B.M. (*pi.*) salver-flowered. 1800. — F.b. ——— t. 589.
- 3 *flexuosa*. B.M. (*va.*) flexuose. 1757. 4. 5. F.b. ——— t. 624.
- 4 *hybrida*. B.M. (*wh.ro.*) spurious. ——— F.b. ——— t. 128.
- 5 *leucántha*. P.S. (*wh.*) white-flowered. 1779. 5. 8. F.b. Jacq. ic. 2. t. 278.
- 6 *pátens*. B.M. (*cr.*) spreading-flower'd. 4. 6. F.b. Bot. mag. t. 522.
- 7 *crateroídes*. B.M. (*cr.*) crimson. 1778. — F.b. ——— t. 594.
- 8 *monadélpha*. B.M. (*bl.gr.*) monadelphous. 1792. — F.b. ——— t. 607.
- 9 *cúrta*. A.R. (*or.*) shortened. ——— F.b. Andr. reposit. t. 554.
- monadélpha*  $\beta$ . Bot. mag. t. 1378.
- 10 *columellàris*. B.M. (*pu.b.ve.*) variegated. 1790. 6. 8. F.b. Bot. mag. t. 630.
- 11 *cónica*. B.M. (*or.ve.*) orange-color'd. 1757. 4. 5. F.b. ——— t. 539.
- 12 *fúscu-citrina*. R.S. (*ye.br.*) yellow and brown. ——— F.b. Redoute lilac. t. 86.
- 13 *dùbia*. R.S. (*ye.pu.*) doubtful. . . . F.b. ——— 2. t. 64.
- 14 *viridiflora*. R.S. (*gr.pu.*) green-flowered. 1780. 5. 6. F.b. ——— t. 476.
- 15 *maculàta*. w. (*va.*) spot-flowered. ——— F.b. Jacq. schœn. t. 20. 21. &c.
- 16 *ovàta*. A.R. (*wh.pu.*) ovate-spiked. ——— F.b. Andr. reposit. t. 23.
- 17 *capitàta*. A.R. (*wh.bk.*) headed. ——— F.b. ——— t. 159.
- 18 *ochroleuca*. (*st.br.*) cream-coloured. 1809. — F.b. Bot. mag. t. 1285.
- 19 *erècta*. H.K. (*wh.*) upright. 1757. — F.b. Jacq. schœn. 1. t. 18.
- a albiflora*. (*wh.*) white-flowered. ——— F.b. Bot. mag. t. 623.
- $\beta$  *incarnàta*. (*fl.*) flesh-coloured. ——— F.b. Andr. reposit. t. 155.
- $\gamma$  *lutea*. (*ye.*) yellow-flowered. ——— F.b. Bot. mag. t. 846.
- 20 *odoràta*. (*ye.*) sweet-scented. ——— F.b. ——— t. 1173.
- 21 *retùsa*. H.K. (*ro.*) retuse. 1793. 2. 4. F.b. Jacq. ic. 2. t. 275.
- polystàchia*. Bot. mag. t. 629.
- 22 *scillàris*. B.M. (*ro.*) Squill-flowered. 1787. — F.b. Bot. mag. t. 542.
- 23 *crispa*. B.M. (*ro.*) curled-leaved. ——— 4. 5. F.b. ——— t. 599.
- MELASPHÆRULA. Ker. MELASPHÆRULA. Triandria Monogynia. H.K.
- 1 *iridifolia*. B.F.G. (*wh.br.*) Iris-leaved. C. B. S. 1825. 2. 4. F.b. Swt. br. fl. gar. ic.
- 2 *intermèdia*. (*pu.st.*) intermediate. 1787. 4. 8. F.b. Bot. mag. t. 615.
- gramínea*. B.M. excl. *synonym*.
- 3 *gramínea*. (*wh.br.*) grass-leaved. 1825. 2. 5. F.b. Jacq. ic. 2. t. 236.
- Gladiolus gramíneus*. Jacq. *Diàsiagraminifolia*. Red. lil. t. 163.
- 4 *parviflora*. L.C. (*wh.*) small-flowered. C. B. S. 1825. — F.b. Lodd. bot. cab. t. 1444.

<b>HESPERA'NTHA.</b> Ker. <b>EVENING-FLOWER.</b> Triandria Monogynia. H.K.									
1	cinnamomea.	H.K. (wh.br.)	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 1054.	
2	falcata.	H.K. (wh.br.)	sickle-leaved.	_____	_____	_____	F.b.	_____ t. 566.	
3	graminifolia.	(wh.br.)	Grass-leaved.	_____	1808.	8. 9.	F.b.	_____ t. 1254.	
<i>pilosa</i> $\beta$ <i>foliis nudis, floribus minoribus.</i> B.M.									
4	<i>pilosa.</i>	H.K. (wh.br.)	hairy.	C. B. S.	1811.	4. 5.	F.b.	Bot. mag. t. 1475.	
5	<i>angusta.</i>	B.M. (wh.)	narrow-leaved.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 279.	
<i>Ixia angusta.</i> Jacq.									
6	<i>radiata.</i>	H.K. (wh.br.)	nodding-flowered.	_____	1794.	4. 6.	F.b.	Bot. mag. t. 573.	
<b>GEISSORHIZA.</b> Ker. <b>TILE-ROOT.</b> Triandria Monogynia. H.K.									
1	Rocheana.	(bl.pu.)	plaid.	C. B. S.	1790.	5.	F.b.	Bot. mag. t. 598.	
2	monantha.	(bl.)	one-flowered.	_____	_____	_____	F.b.	Houtt.syst.11.t.78.f.1.	
3	setacea.	B.M. (st.re.)	bristle-leaved.	_____	1809.	6. 7.	F.b.	Bot. mag. t. 1255.	
4	obtusata.	H.K. (st.)	pale-yellow.	_____	1801.	5.	F.b.	_____ t. 672.	
5	vaginata.	B.F.G. (ye.)	sheathed.	_____	1825.	6. 9.	F.b.	Swt. br. fl. gar. t. 138.	
6	secunda.	B.M. (bl.)	one-ranked.	_____	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.	
<i>a carulea.</i> (bl.) blue-flowered.									
<i><math>\beta</math> albescens.</i> (wh.bl.) whitish-flowered.									
7	sublutea.	B.M. (st.)	yellowish.	_____	1825.	_____	F.b.	_____ t. 1105.	
<i>Ixia sublutea.</i> Lam.									
8	humilis.	K.I. (st.bh.)	dwarf.	_____	1822.	_____	F.b.	_____	
9	erecta.	W.H. (st.bl.)	erect.	_____	1824.	_____	F.b.	_____	
10	imbricata.	B.M. (st.re.)	imbricated.	_____	_____	_____	F.b.	_____	
11	hirta.	B.M. (pa.bl.)	hairy.	_____	_____	_____	F.b.	_____	
12	ciliaris.	Sal. (st.)	fringed.	_____	....	_____	F.b.	_____	
<i>inflata.</i> K.I. <i>Ixia inflata.</i> De la Roche.									
13	excisa.	B.M. (wh.pt.)	dwarf-cut-leaved.	_____	1789.	4. 5.	F.b.	Bot. mag. t. 584.	
<i>Ixia excisa.</i> B.M.									
<b>SPATALANTHUS.</b> B.F.G. <b>RIBBON-FLOWER.</b> Monadelphia Triandria.									
<i>speciosa.</i> B.F.G. (sc.y.re.) beautiful. C. B. S. 1825. 8. 10. F.b. Swt. br. fl. gar. t. 300.									
<b>TRICHONEMA.</b> Ker. <b>TRICHONEMA.</b> Triandria Monogynia. H.K.									
1	Bulbocodium.	H.K. (pu.)	channel-leaved.	S. Europe.	1739.	3. 4.	H.b.	Bot. mag. t. 265.	
2	purpurascens.	(pu.)	purple.	Naples.	1825.	_____	H.b.	Ten. fl. nap. v. 1. t. 2.	
<i>Ixia purpurascens.</i> T.S.									
3	Columnæ.	T.P. (st.li.)	Columna's.	_____	_____	_____	H.b.	Redout. lil. t. 88. f. A.	
4	caelestinæ.	(bl.)	blue.	N. America.	1820.	_____	H.b.	Bartr. it. t. 3.	
<i>Ixia caelestina.</i> Ph.									
5	roseum.	B.M. (ro.)	rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Bot. mag. t. 1225.	
6	speciosum.	B.M. (ro.)	crimson.	_____	_____	3. 4.	F.b.	_____ t. 1476.	
7	pubicum.	B.M. (ro.)	blush.	_____	_____	6. 8.	F.b.	_____ t. 1244.	
8	cruciatum.	s.s. (ro.)	square-leaved.	_____	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.	
9	longifolium.	Sal. (ro.)	small-flowered.	_____	_____	_____	F.b.	Bot. mag. t. 575.	
<i>cruciatum.</i> B.M. non Jacq.									
10	filifolium.	K.I. (ye.)	slender-leaved.	_____	1812.	_____	F.b.	Redout. lil. t. 251. f. 2.	
11	recurvifolium.	K.I. (st.)	recurve-flowered.	_____	_____	_____	F.b.	_____ t. 251. f. 1.	
12	tortuosum.	K.I. (ye.)	twisted-leaved.	_____	1822.	_____	F.b.	_____	
13	caulescens.	B.M. (ye.)	caulescent.	_____	1810.	6. 7.	F.b.	Bot. mag. t. 1392.	
14	chloroleucum.	B.M. (st.)	milk-coloured.	_____	1825.	5. 7.	F.b.	Jacq. ic. 2. t. 270.	
<b>CR'OCUS.</b> L. Cr'ocus. Triandria Monogynia. L.									
1	vernus.	E.B. (va.)	spring.	England.	....	2. 4.	H.b.	Erg. bot. v. 5. t. 344.	
<i><math>\beta</math> plumbeus.</i> H.T. (bl.) lead-coloured.									
<i><math>\gamma</math> albus major.</i> H.T. (wh.) large-white.									
<i><math>\delta</math> leucorhynchus.</i> H.T. (w.) white.									
<i><math>\epsilon</math> inflatus.</i> H.T. (bl.) bellied.									
<i><math>\zeta</math> fucatus.</i> H.T. (bh.pu.) painted.									
<i><math>\eta</math> pictus.</i> H.T. (li.pu.) pencilled.									
<i><math>\theta</math> Andersoni.</i> H.T. (wh.) Anderson's.									
<i><math>\iota</math> Sabini.</i> H.T. (bl.) Sabine's.									
<i><math>\kappa</math> Gloriamus.</i> H.T. (wh.bl.) Queen of Portugal's.									
<i><math>\lambda</math> pulchellus.</i> H.T. (li.bl.) pretty.									
<i><math>\mu</math> neapolitanus.</i> R.S. (std.) Neapolitan. Naples.									
<i><math>\nu</math> obovatus.</i> R.S. (wh.) obovate-flowered. S. Europe.									
2	striatus.	L.en. (wh.vi.)	striated.	_____	....	_____	H.b.	_____	
3	versicolor.	H.K. (wh.bl.)	party-coloured.	_____	1629.	_____	H.b.	Bot. mag. t. 1110.	
<i>a purpureus.</i> H.T. (pu.) purple-flowered.									
<i><math>\beta</math> plumosus.</i> H.T. (pu.w.) feathered.									
<i><math>\gamma</math> elegans.</i> H.T. (pu.wh.) elegant.									
<i><math>\delta</math> urbanus.</i> H.T. (wh.li.) homebred.									

4	biflorus. H.K. ( <i>wh.pu.</i> )	Scotch.	Crimea.	1629.	2. 3.	H. b.	Bot. mag. t. 845.
	<i>β</i> <i>Parkinsonii</i> . H.T. ( <i>wh.bl.</i> )	Parkinson's.	_____	_____	_____	H. b.	Hort. tr. v. 7. t. 11. f. 4.
5	pusillus. R.S. ( <i>wh.pu.</i> )	small.	Italy.	1824.	_____	H. b.	Swt. br. fl. gar. t. 106.
6	minimus. R.L. ( <i>pu.wh.</i> )	small.	Corsica.	1828.	_____	H. b.	Redout. lil. t. 81.
7	præcox. E.B. ( <i>pu.wh.</i> )	early.	Britain.	_____	_____	H. b.	Eng. bot. t. 2645.
8	argenteus. H.T. ( <i>pu.wh.</i> )	silvery.	_____	_____	_____	H. b.	Hort. tr. v. 7. t. 11. 12. f. 8.
9	albiflorus. R.S. ( <i>wh.</i> )	white-flowered.	Hungary.	_____	2. 4.	H. b.	_____
10	variegatus. R.S. ( <i>ye.pu.</i> )	variegated.	Levant.	1828.	_____	H. b.	Hop. et Hor. a. Meer. c. ic
11	reticulatus. M.B. ( <i>ye.vi.</i> )	netted-bulbed.	Caucasus.	1825.	_____	H. b.	M. B. cent. pl. rar. t. 1.
12	susianus. H.K. ( <i>ye.pu.</i> )	Cloth of Gold.	Turkey.	1605.	_____	H. b.	Bot. mag. t. 652.
13	stellaris. H.T. ( <i>ye.pu.</i> )	starry cloth of gold.	S. Europe.	1629.	_____	H. b.	Hort. trans. 1. p. 136. ic.
14	lagenaeflorus. H.T. ( <i>st.</i> )	pale yellow.	_____	_____	_____	H. b.	Bot. mag. t. 1384.
15	lacteus. H.T. ( <i>st.vi.</i> )	milk-coloured.	_____	_____	_____	H. b.	_____
	<i>β</i> <i>penicillatus</i> . H.T. ( <i>st.vi.</i> )	pencilled.	_____	_____	_____	H. b.	Hort. t. v. 7. t. 11. 12. f. 3.
16	lagenæflorus. P.L. ( <i>st.</i> )	Gourd-flowered.	Greece.	_____	_____	H. b.	Bot. mag. t. 2655.
17	aureus. F.G. ( <i>go.</i> )	golden-flowered.	_____	_____	_____	H. b.	Eng. bot. t. 2646.
18	luteus. R.S. ( <i>ye.</i> )	common yellow.	Levant.	1620.	_____	H. b.	Bot. mag. t. 45.
	<i>vérnus</i> . B.M. <i>nec aliorum.</i>	_____	_____	_____	_____	_____	_____
19	masiacus. B.M. ( <i>ye.</i> )	great yellow.	Greece.	1629.	_____	H. b.	Bot. mag. t. 1111.
20	sativus. R.S. ( <i>vi.</i> )	saffron.	England.	_____	9. 10.	H. b.	Eng. bot. v. 5. t. 343.
21	serotinus. R.S. ( <i>vi.</i> )	late-flowered.	S. Europe.	1629.	9. 11.	H. b.	Bot. mag. t. 1267.
22	Pallasii. M.B. ( <i>vi.</i> )	autumnal.	Tauria.	_____	_____	H. b.	_____
	<i>autumnalis</i> . R.S.	_____	_____	_____	_____	_____	_____
23	nudiflorus. E.B. ( <i>vi.</i> )	naked-flowered.	England.	_____	10. 11.	H. b.	Eng. bot. v. 7. t. 491.

## ORDO CCVII.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDORFIA. L. WACHENDORFIA. Triandria Monogynia. L.							
1	thyrsiflora. R.S. ( <i>ye.</i> )	tall-flowered.	C. B. S.	1759.	5. 6.	G. 2.	Bot. mag. t. 1060.
2	paniculata. R.S. ( <i>ye.</i> )	panicled.	_____	1700.	2. 5.	F. b.	_____ t. 616.
3	Herberti. ( <i>ye.</i> )	Herbert's.	_____	1823.	_____	F. b.	_____ t. 2610.
	<i>paniculata</i> . <i>β</i> . H. in B.M.	_____	_____	_____	_____	_____	_____
4	hirsuta. R.S. ( <i>ye.</i> )	hairy.	_____	1687.	4. 6.	F. b.	Bot. mag. t. 614.
5	brevifolia. B.M. ( <i>ye.</i> )	short-leaved.	_____	1795.	3. 4.	F. b.	_____ t. 1166.
6	Breyniana. R.S. ( <i>pu. ye.</i> )	Breynius's.	_____	1825.	_____	F. b.	Breyn. cent. f. 37.
7	graminea. s.s. ( <i>ye.</i> )	Grass-leaved.	_____	1810.	6.	G. 2.	_____
8	tenella. R.S. ( <i>pu.</i> )	slender-leaved.	_____	1816.	_____	G. 2.	_____
XIPHIIDIUM. J. XIPHIIDIUM. Triandria Monogynia. W.							
1	albidum. s.s. ( <i>wh.</i> )	white.	W. Indies.	1787.	6. 8.	S. 2.	Sw. fl. ind. oc. 1. t. 2.
	<i>floribundum</i> . Swartz.	_____	_____	_____	_____	_____	_____
2	cœruleum. s.s. ( <i>bl.</i> )	blue.	_____	1793.	_____	S. 2.	Aub. gui. 1. t. 11.
HÆMODORUM. B.P. HÆMODORUM. Triandria Monogynia. R.S.							
1	planifolium. B.P. ( <i>st.</i> )	flat-leaved.	N. S. W.	1810.	7. 11.	F. 2.	Bot. mag. t. 1610.
2	teretifolium. B.P. ( <i>st.</i> )	round-leaved.	_____	1822.	_____	F. 2.	_____
DILATRIS. Ker. DILATRIS. Triandria Monogynia. R.S.							
1	corymbosa. w. ( <i>pu.</i> )	broad-petaled.	C. B. S.	1790.	5. 6.	F. 2.	Sm. exot. bot. 1. t. 16.
	<i>umbellata</i> . L.	_____	_____	_____	_____	_____	_____
2	viscosa. w. ( <i>pu.</i> )	clammy.	_____	1795.	_____	F. 2.	_____
3	paniculata. w. ( <i>pu. ye.</i> )	panicled.	_____	1825.	_____	F. 2.	_____
GYROTHECA. H.T. GYROTHECA. Triandria Monogynia.							
	<i>tinctoria</i> . ( <i>re.</i> )	red-rooted.	N. America.	1812.	6. 7.	H. 2.	Mich. amer. 1. t. 4.
	<i>Lachnantes tinctoria</i> . Ell. <i>Dilatris tinctoria</i> . Ph. <i>Heritiera Gmelini</i> . M.	_____	_____	_____	_____	_____	_____
LOPHIOLA. B.M. LOPHIOLA. Hexandria Monogynia. B.M.							
	<i>aurea</i> . B.M. ( <i>ye.</i> )	golden-flowered.	N. America.	1811.	5. 7.	H. 2.	Bot. mag. t. 1596.
	<i>Conostylis americana</i> . Ph.	_____	_____	_____	_____	_____	_____
LANARIA. W. LANARIA. Hexandria Monogynia. W.							
	<i>plumosa</i> . w. ( <i>pu.</i> )	woolly.	C. B. S.	1787.	6. 7.	G. 2.	_____
CONOSTYLIS. B.P. CONOSTYLIS. Hexandria Monogynia. S.S.							
1	aculeata. B.P. ( <i>st.</i> )	prickly-leaved.	N. Holland.	1824.	9. 2.	F. 2.	Bot. mag. t. 2989.
2	serrulata. B.P. ( <i>st.</i> )	serrulate.	_____	_____	_____	F. 2.	_____
ANIGOZANTHOS. B.P. ANIGOZANTHOS. Hexandria Monogynia.							
1	flavida. B.P. ( <i>br. gr.</i> )	russet-green.	N. Holland.	1803.	5. 9.	F. 2.	Bot. mag. t. 1151.
2	rufa. B.P. ( <i>br. gr.</i> )	rufous.	_____	1824.	_____	F. 2.	Labill. voy. 1. t. 22.

## ORDO CCVIII.

HYPOXIDÆ. *Brown.*

HYPO'XIS. L.		HYPO'XIS.		Hexandria Monogynia. L.			
1	júncea. w.	(ye.)	rushy.	Carolina.	1787.	6. 7. H.b.	Sm. spic. 15. t. 16.
2	hygrométrica. B.P.	(ye.)	hairy-leaved.	N. Holland.	1820.	— F.b.	Lab. nov. holl. 1. t. 8.
3	álba. w.	(wh.)	white.	C. B. S.	1806.	— F.b.	Lodd. bot. cab. t. 1074.
4	lineàris. A.R.	(ye.)	linear-leaved.	—	1792.	4. 5. F.b.	Andr. reposit. t. 171.
5	stellàta. w.	(ye.)	yellow starry.	—	1752.	4. 6. F.b.	Bot. mag. t. 662.
6	élegans. P.S.	(wh.)	white starry.	—	—	— F.b.	— t. 1223.
	<i>stellàta</i> $\beta$ . B.M. <i>certainly a distinct species.</i>						
7	serràta. w.	(ye.)	saw-leaved.	—	1788.	6. 7. F.b.	Bot. mag. t. 709.
8	ovàta. w.	(ye.)	smooth-leaved.	—	1806.	2. 5. F.b.	— t. 1010.
9	veratrifolia. w.	(ye.)	plaited-leaved.	—	1788.	6. 7. F. $\frac{1}{2}$ .	Jacq. ic. 2. t. 367.
	<i>plicàta</i> . Jacq.						
10	carolinénsis. M.	(ye.)	Carolina.	Carolina.	1822.	— F.b.	
11	decumbens. w.	(ye.)	decumbent.	Jamaica.	1755.	6. 9. S. $\frac{1}{2}$ .	Mill. ic. 1. t. 39. f. 2.
12	stellipilis. B.R.	(ye.)	starry-haired.	C. B. S.	1821.	6. 12. F. $\frac{1}{2}$ .	Bot. reg. t. 663.
13	oblíqua. w.	(ye.)	oblique-leaved.	—	1795.	6. 7. F. $\frac{1}{2}$ .	Andr. rep. t. 195.
14	praténsis. B.P.	(ye.)	field.	N. S. W.	1822.	— F.b.	
15	erécta. s.s.	(ye.)	upright.	N. America.	1752.	— H.b.	Bot. mag. t. 710.
16	grácilis. Ot.	(ye.)	slender.	S. America.	1828.	— G.b.	
17	Selloii. Ot.	(ye.)	Sello's.	Buenos Ayres.	1827.	— F.b.	
18	sobolífera. w.	(ye.)	creeping.	C. B. S.	1774.	6. 9. F. $\frac{1}{2}$ .	Bot. mag. t. 711.
19	villòsa. w.	(ye.)	villous.	—	—	F. $\frac{1}{2}$ .	Jacq. ic. 2. t. 307.
20	obtùsa. B.R.	(ye.)	obtuse.	—	1816.	— F. $\frac{1}{2}$ .	Bot. reg. t. 169.
21	aquática. w.	(ye.)	water.	—	1787.	6. 7. F. $\frac{1}{2}$ .	
CURC'ULIGO. B.P.		CURC'ULIGO.		Hexandria Monogynia. S.S.			
1	plicàta. B.R.	(ye.)	plaited.	C. B. S.	1788.	6. 7. F.b.	Jacq. schœn. 1. t. 80.
	$\beta$ glàbra.	(ye.)	smooth-leaved.	—	1816.	— F.b.	Bot. reg. t. 345.
2	orchióides. s.s.	(ye.)	narrow-leaved.	E. Indies.	1800.	— S. $\frac{1}{2}$ .	Roxb. corom. 1. t. 13.
3	brevifolia. s.s.	(ye.)	short-leaved.	—	1804.	5. 7. S. $\frac{1}{2}$ .	Bot. mag. t. 1076.
4	latifolia. s.s.	(ye.)	broad-leaved.	—	—	5. 8. S. $\frac{1}{2}$ .	Bot. reg. t. 754.
5	sumatràna. B.C.	(ye.)	Sumatra.	Sumatra.	1818.	— S. $\frac{1}{2}$ .	Lodd. bot. cab. t. 443.
6	recurvata. s.s.	(ye.)	recurved.	Bengal.	1805.	— S. $\frac{1}{2}$ .	Bot. reg. t. 770.
BARBAC'ENIA. Vand.		BARBAC'ENIA.		Hexandria Monogynia.			
	purpúrea. B.M.	(pu.)	purple-flower'd.	Brazil.	1825.	8. 9. S. $\frac{1}{2}$ .	Bot. mag. t. 2777.
VELL'OSIA. Vand.		VELL'OSIA.		Polyandria Monogynia.			
	squamàta. P.B.	(bl.)	scaly.	Brazil.	1829.	.... S. $\frac{1}{2}$ .	Pohl. bras. ic. v. 1. t. 9.

## ORDO CCIX.

AMARYLLIDÆ. *Brown prodr. p. 296.*

STERNBERGIA. W.K.		STERNBERGIA.		Hexandria Monogynia.			
1	colchiciflora. B.R.	(ye.)	Colchicum-flower'd.	Hungary.	1816.	9. 10. H.b.	W. et K. hung. 2. t. 157.
2	Clusiàna. B.R.	(ye.)	Clusius's.	Constantinople.	—	H.b.	Clus. hist. 1. t. 163.
3	lùtea. B.R.	(ye.)	common yellow.	S. Europe.	1596.	— H.b.	Bot. mag. t. 290.
	<i>Amaryllis lùtea</i> . B.M.						
	$\beta$ angustifolia.	(ye.)	narrow-leaved.	—	—	— H.b.	
ZEPHYRA'NTES. H.A.		ZEPHYRA'NTES.		Hexandria Monogynia.			
1	chloroleuca. H.A.	(st.)	one-leaved.	.....	....	5. 8. G.b.	Ker's rev. pl. 8. f. 1.
2	Atamáscó. H.A.	(wh.)	Atamasco Lily.	N. America.	1629.	5. 6. H.b.	Bot. mag. t. 239.
	<i>Amaryllis Atamáscó</i> . B.M.						
3	tubispátha. H.A.	(wh.)	tube-sheathed.	S. America.	....	5. 7. S.b.	Bot. mag. t. 1586.
	<i>Amaryllis tubispátha</i> . B.M.						
4	cándida. B.M.	(wh.)	white-flowered.	Peru.	1822.	7. 10. H.b.	Bot. mag. t. 2607.
	<i>Amaryllis cándida</i> . Bot. reg. t. 724.						
5	ròsea. B.R.	(ro.)	rose-coloured.	Havannah.	—	9. 10. G.b.	Bot. reg. t. 821.

6	striata. B.M. ( <i>bh.wh.</i> ) striped.	Mexico.	1824.	6. 8.	H.b.	Bot. mag. t. 2593.
7	verecúnda. B.M. ( <i>bh.</i> ) modest.	————	————	————	H.b.	———— t. 2583.
8	carinata. B.M. ( <i>ro.</i> ) keeled-leaved.	————	————	————	H.b.	Swt. br. fl. gar. s. 2. t. 4.
9	grandiflora. B.R. ( <i>ro.</i> ) large-flowered.	————	1825.	————	H.b.	Bot. reg. excl. fol. t. 902.
<b>HABRA'NTHUS. B.M. HABRA'NTHUS. Hexandria Monogynia.</b>						
1	gracilifolius. B.M. ( <i>ro.</i> ) slender-leaved.	S. America.	1823.	9. 11.	G.b.	Bot. mag. t. 2464.
2	angustus. B.M. ( <i>pu.</i> ) narrow.	BuenosAyres.	1825.	————	G.b.	———— t. 2639.
3	versicolor. B.M. ( <i>bh.</i> ) changeable.	S. America.	1823.	1. 4.	G.b.	———— t. 2485.
4	lorifolius. B.M. ( <i>ro.</i> ) lorate-leaved.	————	1824.	....	G.b.	————
5	bifidus. B.M. ( <i>ro.</i> ) two-cleft.	BuenosAyres.	1825.	6. 9.	G.b.	Bot. mag. t. 2597.
6	spathaceus. B.M. ( <i>pu.</i> ) broad-spathed.	————	————	....	G.b.	————
7	robusta. w.H. ( <i>li.</i> ) robust.	————	1827.	7. 9.	F.b.	Swt. br. fl. gar. s. 2. t. 14.
8	Andersóni. w.H. ( <i>ye.</i> ) Anderson's.	S. America.	1829.	5. 6.	F.b.	———— s. 2.
	<i>a aurea.</i> ( <i>ye.</i> ) golden.	————	————	————	F.b.	————
	<i>β cuprea.</i> ( <i>co.</i> ) copper-coloured.	————	————	————	F.b.	————
9	advēna. w.H. ( <i>std.</i> ) streaked.	————	1807.	————	F.b.	Bot. mag. t. 1125.
	<i>Amaryllis advēna.</i> Bot. reg. t. 849.	————	————	————	————	————
10	intermēdia. w.H. ( <i>re.</i> ) intermediate.	Brazil.	1827.	1. 3.	S.b.	Bot. reg. t. 1148.
	<i>Amaryllis intermēdia.</i> B.R.	————	————	————	————	————
<b>BELLADO'NNA. BELLADO'NNA LILY. Hexandria Monogynia.</b>						
1	purpurascens. ( <i>pu.</i> ) light purple.	C. B. S.	1712.	7. 9.	H.b.	Bot. mag. t. 783.
	<i>Amaryllis Belladonna.</i> L.	————	————	————	————	————
2	pállida. ( <i>pa.li.</i> ) pale-flowered.	————	....	————	F.b.	Bot. reg. t. 714.
3	pùdica. ( <i>ro.</i> ) modest.	————	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
	<i>Amaryllis pùdica.</i> K.R.	————	————	————	————	————
4	blánda. ( <i>bh.</i> ) charming.	————	1754.	————	F.b.	Bot. mag. t. 1450.
<b>AMARYLLIS. L. AMARYLLIS. Hexandria Monogynia. L.</b>						
1	reticulata. w. ( <i>pu.wh.</i> ) netted-veined.	Brazil.	1777.	4. 5.	S.b.	Bot. mag. t. 657.
2	striatifolia. ( <i>pu.wh.</i> ) striped-leaved.	————	1815.	————	S.b.	Bot. reg. t. 352.
3	Sweetii. w.H. ( <i>va.</i> ) Striatifolio-Johnsoni.	Colvill's.	1821.	1. 12.	S.b.	————
	<i>a brevifolia. c.c. (pu.w.) short-leaved.</i>	Colvill's.	1820.	————	S.b.	————
	<i>β superba. c.c. (cr.wh.) superb-flowered.</i>	————	————	————	S.b.	————
	<i>γ obscura. c.c. (re.wh.) clouded.</i>	————	————	————	S.b.	————
	<i>δ recurvata. c.c. (re.bh.) recurved-flowered.</i>	————	————	————	S.b.	————
	<i>ε Wellsiana. c.c. (re.w.) Mr. Wells's.</i>	————	————	————	S.b.	————
	<i>ζ Vallèti. (pu.wh.) Vallèts'.</i>	————	————	————	S.b.	————
	<i>η rugosa. c.c. (pu.wh.) rugged-flowered.</i>	————	————	————	S.b.	————
	<i>θ versicolor. (re.wh.) various-coloured.</i>	————	————	————	S.b.	————
	<i>ι am'æna. (re.wh.) delightful.</i>	————	————	————	S.b.	————
	<i>κ affinis. (re.wh.) likened.</i>	————	————	————	S.b.	————
	<i>λ undulaflora. (pu.wh.) wave-flowered.</i>	————	————	————	S.b.	————
	<i>μ palliflora. (li.wh.) pale-flowered.</i>	————	————	————	S.b.	————
	<i>ν discolor. (re.wh.) two-coloured.</i>	————	————	————	S.b.	————
	<i>ξ expansa. (sc.wh.) expanded.</i>	————	————	————	S.b.	————
	<i>ο variegata. c.c. (re.wh.) variegated-flowered.</i>	————	————	————	S.b.	————
	<i>π nótha. (pu.wh.) bastard.</i>	————	————	————	S.b.	————
	<i>ρ lineata. (re.wh.) line-petaled.</i>	————	————	————	S.b.	————
	<i>σ modèsta. (wh.re.) modest.</i>	————	————	————	S.b.	————
	<i>τ patentissima. (sc.) spreading-flower'd.</i>	————	————	————	S.b.	————
	<i>υ salmònea. (re.) salmon-coloured.</i>	————	————	————	S.b.	————
	<i>φ bistriata. (cr.da.) two-lined.</i>	————	————	————	S.b.	————
	<i>ψ ligulaflora. (re.wh.) strap-flowered.</i>	————	————	————	S.b.	————
	<i>χ Annesleyana. (re.wh.) Lord Mountnorris's.</i>	————	————	————	S.b.	Miss Chapman's ic. ined.
4	Colvillii. ( <i>va.</i> ) Reticulato-Johnsoni.	————	————	————	S.b.	————
	<i>a atrorubens. (da.pu.w.) dark-red.</i>	————	————	————	S.b.	————
	<i>β purpurascens. (pu.re.) purplish.</i>	————	————	————	S.b.	————
	<i>γ costata. (re.wh.) ribbed-leaved.</i>	————	————	————	S.b.	————
	<i>δ dioica. (re.pu.) barren-anthered.</i>	————	————	————	S.b.	————
	<i>ε æmula. (re.wh.) red and white.</i>	————	————	————	S.b.	————
	<i>ζ nervifolia. (pu.re.) strong-nerved.</i>	————	————	————	S.b.	————
	<i>η phœnicea. (da.pu.) dark purple red.</i>	————	————	————	S.b.	————
	<i>θ stenántha. (pa.pu.w.) narrow-petaled.</i>	————	————	————	S.b.	————
	<i>ι fláccida. (re.pu.w.) flaccid-leaved.</i>	————	————	————	S.b.	————
	<i>κ bracteata. (re.pu.) large-bracted.</i>	————	————	————	S.b.	————
	<i>λ párcula. (pu.wh.) small-flowered.</i>	————	————	————	S.b.	————
5	præclára. w.H. ( <i>va.</i> ) Johnsoni-striatifolia.	Colvill's.	————	————	S.b.	————
	<i>a párens. (pu.wh.) spreading-flowered.</i>	————	————	————	S.b.	————
	<i>β Colvilliána. (re.p.w.) Colvill's.</i>	————	————	————	S.b.	————
	<i>γ decóra. (re.pu.) neat.</i>	————	————	————	S.b.	————

6	Johnsöni. (sc. wh.)	Reginæ-vittata. Johnson.	1810.	1. 12.	G. b.	Lodd. bot. cab. t. 159.
	<i>spectabilis</i> . B. C.	<i>brasiliensis</i> . Redout. liliac. c. ic.				
	<i>a Scaramòuch</i> . W. H.	(sc. wh.) <i>Mr. Herbert's</i> . Mitcham.	1811.	—	G. b.	
	$\beta$ <i>Mâter</i> . W. H.	(sc. wh.) <i>dame</i> .	—	—	G. b.	
	$\gamma$ <i>Sorëlla</i> . W. H.	(sc. wh.) <i>sister</i> .	—	—	G. b.	
	$\delta$ <i>quârta</i> . W. H.	(sc. wh.) <i>fourth</i> .	—	—	G. b.	
	$\epsilon$ <i>pëndula</i> . W. H.	(sc. wh.) <i>pendulous</i> .	—	—	G. b.	
	$\zeta$ <i>Ponceauñëta</i> . W. H.	(sc. wh.) <i>related</i> .	—	—	G. b.	
	$\eta$ <i>bârbe blâche</i> . W. H.	(sc. wh.) <i>white-bearded</i> . Highclere.	—	—	G. b.	
7	reginæ. w.	(sc.) Mexican Lily. S. America.	1725.	5. 7.	S. b.	Bot. mag. t. 453.
8	formösa. w. H.	(va.) <i>Striatifolio-reginæ</i> . Colvill's.	1820.	—	S. b.	
	<i>a grandiflora</i> . (pu. wh.)	<i>large-flowered</i> .	—	—	S. b.	
	$\beta$ <i>pallëscens</i> . (pa. re. w.)	<i>pale red and white</i> .	—	—	S. b.	
	$\gamma$ <i>rubicunda</i> . (ve. re.)	<i>velvety red</i> .	—	—	S. b.	
	$\delta$ <i>coccinea</i> . (sc.)	<i>dark-veined scarlet</i> .	—	—	S. b.	
	$\epsilon$ <i>ringens</i> . (re. wh.)	<i>gaping-flowered</i> .	—	—	S. b.	
	$\zeta$ <i>carnëscens</i> . (fl. wh.)	<i>flesh-coloured</i> .	—	—	S. b.	
	$\eta$ <i>dilüta</i> . (pa. re. wh.)	<i>stained-flowered</i> .	—	—	S. b.	
	$\theta$ <i>imbüta</i> . (re.)	<i>stained red</i> .	—	—	S. b.	
	$\iota$ <i>compäcta</i> . (pa. re.)	<i>compact</i> .	—	—	S. b.	
9	gloriösa. (va.)	<i>Reticulato-reginæ</i> .	—	—	S. b.	
	<i>a sulcata</i> . (re. wh.)	<i>channelled-leaved</i> .	—	—	S. b.	
	$\beta$ <i>rubëscens</i> . (re. wh.)	<i>pale red</i> .	—	—	S. b.	
	$\gamma$ <i>röseo-älba</i> . (ro. wh.)	<i>rosy and white</i> .	—	—	S. b.	
	$\delta$ <i>accëdens</i> . (ve. re.)	<i>velvety</i> .	—	—	S. b.	
10	consanguinea. (sc. wh.)	<i>Valleti-reginæ</i> .	1824.	—	S. b.	
	$\beta$ <i>sericea</i> . (pu.)	<i>silky-flowered</i> .	—	—	S. b.	
11	intermëdia. (re. wh.)	<i>Reginæ-equestris</i> .	1820.	—	S. b.	
12	spathäcea. B. M.	(sc.) <i>large-spathed</i> . Hybrid.	—	—	S. b.	Bot. mag. t. 2315.
13	vittata. w. (sc. wh.)	<i>striped</i> . S. America.	1769.	4. 5.	S. b.	— t. 129.
	<i><math>\beta</math> latifolia</i> . L. col. (sc. wh.)	<i>broad-leaved</i> .	1816.	—	G. b.	Lindl. coll. bot. ic.
14	lineata. Colla. (sc. wh.)	<i>lined-flowered</i> .	1820.	—	S. b.	Coll. hort. rip. ic.
	<i>vittata</i> $\gamma$ . <i>Harrisöna</i> .	Bot. reg. t. 988.	—	—	S. b.	
15	magnifica. (sc. wh.)	<i>Striatifolio-vittata</i> . Colvill's.	1823.	—	S. b.	
16	püchra. C. C.	(sc. wh.) <i>Reticulato-vittata</i> .	—	—	S. b.	
17	rütüla. K. R.	(sc.) <i>fiery</i> . Brazil.	1815.	1. 12.	S. b.	Bot. reg. t. 23.
18	splëndens. H. A.	(sc. wh.) <i>Rutilo-equestri-vittata</i> . Spofforth.	1819.	—	F. b.	Herb. append. p. 52. ic.
	<i>a Mars</i> . W. H.	(sc. wh.) <i>Mars</i> .	1822.	—	F. b.	
	$\beta$ <i>Vësta</i> . W. H.	(sc. wh.) <i>Vësta</i> .	—	—	F. b.	
	$\gamma$ <i>Bellöna</i> . W. H.	(sc. wh.) <i>Bellöna</i> .	—	—	F. b.	
	$\delta$ <i>älta</i> . W. H.	(sc. wh.) <i>tallest</i> .	—	—	F. b.	
	$\epsilon$ <i>ignëscens</i> . (sc.)	<i>flame-coloured</i> . Colvill's.	—	—	F. b.	
19	sanguinea. W. H.	(cr. wh.) <i>Rutilo-vittata</i> . Highclere.	1819.	—	G. b.	
20	mïcans. W. H.	(re. co.) <i>Rutilo-crocata</i> .	1820.	—	S. b.	
21	angüsta. (sc. pu.)	<i>Johnsoni-rütüla</i> . Colvill's.	1822.	—	S. b.	
22	rígida. (re. co. g.)	<i>Crocato-rütüla</i> .	—	—	S. b.	
23	incl'ÿta. W. H.	(sc. wh.) <i>Fulgido-vittata</i> . Highclere.	1819.	—	S. b.	
24	Carnarvöni. W. H.	(sc. w.) <i>Vittato-reginæ</i> .	—	—	G. b.	
25	árdens. W. H.	(sc. co.) <i>Crocato-reginæ</i> . Spofforth.	1820.	—	S. b.	
	<i>a submònea</i> . W. H.	(pa. re.) <i>salmon-coloured</i> .	—	—	S. b.	
	$\beta$ <i>carbon brulant</i> . (pa. r.)	<i>shining-flowered</i> .	—	—	S. b.	
26	fülgida. K. R.	(sc.) <i>fulgid</i> . Brazil.	1810.	—	S. b.	Bot. reg. t. 226.
27	subbarbata. (or. sc.)	<i>slightly bearded</i> .	1823.	—	S. b.	Bot. mag. t. 2475.
28	flörída. W. H.	(sc. wh.) <i>Fulgido-rütüla</i> . Spofforth.	1820.	—	S. b.	
29	mäjus. W. H.	(sc. co.) <i>Acuminato-rütüla</i> .	—	—	S. b.	
	$\beta$ <i>fratërna</i> . (sc.)	<i>brother</i> . Colvill's.	1821.	—	S. b.	
30	venösa. W. H.	(sc. wh.) <i>Vittato-Johnsoni</i> . Highclere.	—	—	G. b.	
31	invërsa. W. H.	(sc. wh.) <i>Johnsoni-vittata</i> . Liverpool.	1812.	—	G. b.	
	$\beta$ <i>Sätürn</i> . W. H.	(sc. wh.) <i>Sätürn</i> .	—	—	G. b.	
	$\gamma$ <i>Plütö</i> . W. H.	(sc. wh.) <i>Plütö</i> . Spofforth.	1814.	—	G. b.	
	$\delta$ <i>Andromache</i> . W. H.	(sc.) <i>Andromache</i> .	—	—	G. b.	
32	sidërea. W. H.	(sc.) <i>Sanguineo-subbarbata</i> . Spofforth.	1820.	—	S. b.	
33	stellata. W. H.	(sc.) <i>Subbarbato-sanguinea</i> .	—	—	S. b.	
34	renovata. W. H.	(sc. wh.) <i>Splendente-fulgida</i> .	—	—	S. b.	
35	expänsa. W. H.	(sc. wh.) <i>Equestri-florida</i> .	—	—	S. b.	
36	Bëatum. W. H.	(sc. co.) <i>Johnsoni-acuminata</i> . Wentworth.	—	—	S. b.	
	$\beta$ <i>Beatrice</i> . W. H.	(sc. co.) <i>Beatrice</i> .	—	—	S. b.	
	$\gamma$ <i>tricolor</i> . (re. pu. gr.)	<i>three-coloured</i> . Colvill's.	1821.	—	S. b.	
	$\delta$ <i>macrántha</i> . (re. co.)	<i>large-flowered</i> .	—	—	S. b.	

	<i>ε crispata.</i>	( <i>re.co.</i> )	curled-edged.	Colvill's.	1821.	1. 12.	S. b.
	<i>ζ tricuspis.</i>	( <i>sc.or.</i> )	three-pointed.	—	—	—	S. b.
36	<i>lugubris.</i>	<i>w.H.</i>	( <i>sc.or.</i> ) Styloso-Johnsoni.	Spofforth.	1814.	—	S. b.
	<i>α sombrélla.</i>	<i>w.H.</i>	( <i>co.</i> ) sombre.	—	—	—	S. b.
	<i>β griselina.</i>	<i>w.H.</i>	( <i>pa.</i> ) greyish.	—	—	—	S. b.
	<i>γ porporina.</i>	<i>w.H.</i>	( <i>br.</i> ) brownish.	—	—	—	S. b.
37	<i>tristis.</i>	<i>w.H.</i>	( <i>sc.co.</i> ) Johnsoni-stylosa.	—	—	—	S. b.
38	<i>Brookesii.</i>	<i>w.H.</i>	( <i>sc.co.</i> ) Crocato-Johnsoni.	Brookes's.	1820.	—	S. b.
	<i>β Creusa.</i>	<i>w.H.</i>	( <i>sc.co.</i> ) Creusa.	—	—	—	S. b.
39	<i>aurantiaca.</i>	<i>w.H.</i>	( <i>or.</i> ) Reginae-acuminata.	Spofforth.	—	—	S. b.
	<i>α Camillus.</i>	<i>w.H.</i>	( <i>or.sc.</i> ) Camillus.	—	—	—	S. b.
	<i>β Gustavus.</i>	<i>w.H.</i>	( <i>or.sc.</i> ) Gustavus.	—	—	—	S. b.
	<i>γ amabilis.</i>	( <i>sc.or.</i> )	brilliant.	Colvill's.	1821.	—	S. b.
	<i>δ fulva.</i>	( <i>co.</i> )	coppery.	—	—	—	S. b.
40	<i>platypétala.</i>	( <i>sc.or.</i> )	Acuminato-reginae.	—	—	—	S. b.
41	<i>Höödii.</i>	( <i>sc.wh.</i> )	Reginae-fulgida.	—	1820.	—	S. b.
42	<i>intermixta.</i>	<i>c.c.</i>	( <i>re.wh.</i> ) Equestri-reginae.	—	—	—	S. b.
43	<i>Coopèri.</i>	<i>w.H.</i>	( <i>co.</i> ) Crocato-acuminata.	Wentworth.	—	—	S. b.
	<i>β transparens.</i>	( <i>co.gr.</i> )	transparent.	Colvill's.	1821.	—	S. b.
44	<i>élegans.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Formoso-vittata.	Highclere.	—	—	G. b.
45	<i>Burghcleriana.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Splendente-vittata.	Burghclere.	—	—	G. b.
46	<i>ancéps.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Florido-Johnsoni.	Spofforth.	—	—	G. b.
47	<i>concinna.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Formoso-Johnsoni.	—	—	—	G. b.
	<i>α Roundhead.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Roundhead.	—	—	—	G. b.
	<i>β Peter.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Peter.	—	—	—	G. b.
	<i>γ John.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) John.	—	—	—	G. b.
	<i>δ Jeffrey.</i>	<i>w.H.</i>	( <i>sc.wh.</i> ) Jeffrey.	—	—	—	G. b.
48	<i>incóstantans.</i>	( <i>sc.or.</i> )	Acuminato-Johnsoni.	Colvill's.	—	—	G. b.
	<i>α venósa.</i>	( <i>re.co.</i> )	purple-veined.	—	—	—	G. b.
	<i>β lateritia.</i>	( <i>re.co.</i> )	brick-coloured.	—	—	—	G. b.
	<i>γ glaucéscens.</i>	( <i>re.co.</i> )	glaucous.	—	—	—	G. b.
	<i>δ cóncolor.</i>	( <i>co.</i> )	self-coloured.	—	—	—	G. b.
	<i>ε vária.</i>	( <i>re.co.</i> )	variable-coloured.	—	—	—	G. b.
	<i>ζ crispiflóra.</i>	( <i>sc.</i> )	scarlet curl-flowered.	—	—	—	G. b.
	<i>η pustulósa.</i>	( <i>sc.co.</i> )	pustulose-flowered.	—	—	—	G. b.
	<i>θ breviflóra.</i>	( <i>re.co.</i> )	short-tubed.	—	—	—	G. b.
	<i>ι fulvo-cíncita.</i>	( <i>re.co.</i> )	brown-edged.	—	—	—	G. b.
	<i>κ dilécta.</i>	( <i>sc.</i> )	bright-scarlet.	—	—	—	G. b.
	<i>λ tortuliflóra.</i>	( <i>sc.or.</i> )	twisted-flowered.	—	—	—	G. b.
	<i>μ veniflóra.</i>	( <i>ye.re.</i> )	veined-flowered.	—	—	—	G. b.
	<i>ν lineoláta.</i>	( <i>re.</i> )	dark-lined.	—	—	—	G. b.
	<i>ξ basiflóra.</i>	( <i>re.pu.</i> )	purple-bottomed.	—	—	—	G. b.
	<i>o imperiális.</i>	( <i>sc.</i> )	imperial.	—	—	—	G. b.
	<i>π punctulósa.</i>	( <i>pa.sc.</i> )	purple spotted.	—	—	—	G. b.
	<i>ρ unipárvula.</i>	( <i>re.pu.</i> )	lower small petaled.	—	—	—	G. b.
	<i>σ purpúreo-rúbens.</i>	( <i>pu.re.</i> )	purplish red.	—	—	—	G. b.
	<i>τ flexúosa.</i>	( <i>pu.re.</i> )	flexuose-petaled.	—	—	—	G. b.
	<i>υ delicáta.</i>	( <i>sc.pu.</i> )	purple-striped scarlet.	—	—	—	G. b.
49	<i>crocáta.</i>	<i>k.R.</i>	( <i>sn.</i> ) saffron-coloured.	Brazil.	1810.	4. 6.	S. b.
50	<i>stylosa.</i>	( <i>co.re.</i> )	long-styled.	Maranh.	1821.	2. 6.	S. b.
	<i>maranénsis.</i>	<i>B.R.</i>	719. <i>Hippeastrum stylosum.</i>	<i>B.M.</i>	—	—	—
51	<i>acumináta.</i>	<i>B.R.</i>	( <i>co.</i> ) acute-flowered.	Maranh.	—	4. 8.	S. b.
	<i>Hippeastrum pulverulentum.</i>	<i>Bot. mag. t. 227.</i>	—	—	—	—	Bot. reg. t. 534.
52	<i>spúria.</i>	( <i>sc.co.</i> )	Acuminato-reginae.	Colvill's.	1822.	—	S. b.
	<i>α sórdida.</i>	( <i>co.</i> )	dull-copper.	—	—	—	S. b.
	<i>β carináta.</i>	( <i>re.co.</i> )	keeled-flowered.	—	—	—	S. b.
53	<i>striatiflóra.</i>	( <i>sc.wh.</i> )	Acuminato-Sweetii.	<i>β.</i>	1823.	—	S. b.
	<i>β consobrina.</i>	( <i>pi.pu.</i> )	cousin.	—	—	—	S. b.
	<i>γ diversicolor.</i>	( <i>re.u.pu.</i> )	different-coloured.	—	—	—	S. b.
54	<i>nóbile.</i>	<i>w.H.</i>	( <i>st.pu.</i> ) Acuminato-striatifolia.	Spofforth.	1820.	—	S. b.
55	<i>venústa.</i>	<i>w.H.</i>	( <i>sc.pu.w.</i> ) Fulgido-striatifolia.	—	—	—	S. b.
56	<i>dilécta.</i>	<i>w.H.</i>	( <i>sc.pu.</i> ) Equestri-striatifolia.	Colvill's.	—	—	S. b.
57	<i>Góweni.</i>	<i>w.H.</i>	( <i>pu.co.</i> ) Striatifolio-acuminata.	Highclere.	—	—	S. b.
	<i>α Cavalier.</i>	<i>w.H.</i>	( <i>pu.co.</i> ) Cavalier.	—	—	—	S. b.
	<i>β Biondelta.</i>	<i>w.H.</i>	( <i>pu.c.</i> ) Biondelta.	—	—	—	S. b.
	<i>γ Agatha.</i>	<i>w.H.</i>	( <i>pu.co.</i> ) Agatha.	—	—	—	S. b.
58	<i>Harrisoni.</i>	<i>w.H.</i>	( <i>sc.pu.</i> ) Striatifolio-stylosa.	Harrison's.	1824.	—	S. b.
59	<i>triplex.</i>	<i>w.H.</i>	( <i>sc.pu.w.</i> ) Goweni-vittatum.	Highclere.	1820.	—	S. b.

60	pulcherrima. w.H. (p.co.) Sweetii-pulverulenta. Spofforth. 1824. 4. 8.	S.b.	
	α Vezzosa. (pu.re.co.) Vezzosa.	—	— S.b.
	β Gratian. (pu.re.co.) Gratian.	—	— S.b.
	γ Amorosetta. (pu.re.co.) Amorosetta.	—	— S.b.
	δ Salamander. (pu.re.co.) changing-coloured.	—	— S.b.
	ε Calisto. (pu.re.co.) Calisto.	—	— S.b.
61	bélla. w.H. (pu.re.w.) Sweetii-Carnarvoni.	—	— S.b.
62	díscolor. w.H. (sc.br.) Johnsoni-tristis.	—	— S.b.
63	variata. w.H. (sc.pu.) Formoso-inversum.	—	— S.b.
64	quintuplex. w.H. (pu.re.) Harrisoni-tristis.	—	— 1826. S.b.
65	exímia. w.H. (va.) Goweni-Highcleriána. Highclere. . .	—	— S.b.
66	equéstris. K.R. (sc.) Barbadoes Lily. W. Indies. 1710. 7. 10.	S.b.	Bot. mag. t. 305.
	β májor. B.R. (sc.) larger.	—	— S.b. Bot. reg. t. 234.
	γ pléna. (sc.) double-flowered.	—	— 1809. S.b.
67	miniáta. R.P. (se.) vermilion. S. America. . . . .	S.b.	—
68	solandriflora. L.col. (st.) Solandra-flowered.	—	— 1820. 4. 6. S.b. Lindl. coll. bot. t. 11.
	α chloroleuca. (st.) dull-coloured.	—	— S.b.
	β rúbro-striáta. (st.) red-striped.	—	— S.b. Bot. mag. t. 2573.
	γ purpuráscens. (st.pu.) purple-tubed.	—	— S.b.
	δ striáta. (pu.st.) purple-striped.	—	— S.b. Bot. reg. t. 876.
69	Haylócki. w.H. (st.pu.) Solandriflora-acuminata.	—	— S.b.
70	Hébertii. (va.) Solandriflora-stylosa. Spofforth. . . . .	S.b.	—
	α lónga. (va.) long-flowered.	—	— S.b.
	β carnélla. (fl.) flesh-coloured.	—	— S.b.
	γ magnífica. (va.) magnificent.	—	— S.b.
71	Highcleriána. w.H. (va.) Styloso-Solandriflora. Highclere. . .	S.b.	—
	β picta. (va.) painted lady. Spofforth. . . . .	S.b.	—
	γ Dóminie. (va.) Dominic.	—	— S.b.
72	calyptráta. K.R. (gr.) green-flowered. Brazil. 1816. 5. 8.	S.b.	Bot. reg. t. 164.
73	aúlica. K.R. (sc.gr.) crowned.	—	— 1. 6. S.b. — t. 444.
74	psittácina. K.R. (sc.gr.) parrot-like.	—	— 1. 12. S.b. — t. 199.
75	Griffini. w.H. (sc.gr.) Psittacino-Johnsoni. Griffin's. 1820.	—	— S.b.
	α Napoleóna. w.H. (sc.gr.) Napoleon's.	—	— S.b.
	β Victór. w.H. (sc.gr.) Víctor.	—	— S.b.
	γ Alompra. w.H. (sc.gr.) Alompra.	—	— S.b.
	δ retinérvia. (sc.gr.) netted-nerved. Colvill's. 1822.	—	— S.b.
	ε recurvíflora. (sc.gr.) recurve-pointed.	—	— S.b.
	ζ campanuláta. (re.gr.) bell-flowered.	—	— S.b.
	η quadrilíneáta. (sc.pu.g.) four-lined.	—	— S.b.
	θ albocíncta. (wh.sc.) white-edged.	—	— S.b.
	ι quadrícolor. (sc.pu.g.w.) four-coloured.	—	— S.b.
76	affíne. (sc.gr.) Psittacino-reginæ.	—	— S.b.
	α canaliculáta. (sc.gr.) channel-leaved.	—	— S.b.
	β membranácea. (re.pu.g.) membranous-edged.	—	— S.b.
	γ purpurostriáta. (re.pu.) purple-striped.	—	— S.b.
	δ latífida. (re.pu.g.) broad-segmented.	—	— S.b.
77	tortuósa. (sc.gr.) Psittacino-equestris.	—	— S.b.
78	multistriáta. (sc.wh.) Psittacino-Valleti.	—	— S.b. Miss Chapman ic.
	β retiflora. (sc.w.g.) netted-flowered.	—	— S.b.
79	pretiósus. w.H. (sc.gr.) Psittacino-Griffini. Highclere. 1824.	—	— S.b.
80	sinistrus. w.H. (sc.w.g.) Griffini-vittatum.	—	— S.b.
<b>SPREIK'ELIA. H.A. JACOBÆA LILY. Hexandria Monogynia.</b>			
	formosíssima. H.A. (cr.) crimson. S. America. 1658. 5. 6.	F.b.	Bot. mag. t. 47.
	Amaryllis formosíssima. B.M.	—	—
<b>LYC'ORIS. H.A. LYC'ORIS. Hexandria Monogynia.</b>			
1	aúrea. H.A. (yc.) golden. China. 1777. 8. 12.	G.b.	Bot. reg. t. 611.
	Amaryllis aúrea. B.R.	—	—
2	radiáta. H.A. (pi.) Snowdrop-leaved. ——— 1758. 9. 10.	G.b.	Bot. reg. t. 596.
	Amaryllis radiáta. B.R.	—	—
<b>NER'INE. H.A. NER'INE. Hexandria Monogynia.</b>			
1	curvífolia. H.A. (sc.) curve-leaved. C. B. S. 1794. 7. 9.	F.b.	Bot. mag. t. 725.
	Amaryllis curvífolia. B.M. Fothergillia. Andr. reposit. t. 163.	—	—
2	corúsca. H.A. (sc.) brilliant. C. B. S. 1809. ———	F.b.	Bot. mag. t. 1089.
3	rósea. B.M. (ro.) rose-coloured. ——— . . . . .	F.b.	— t. 2124.
4	venústa. H.A. (ro.) poppy-coloured. ——— 1806. 6. 8.	F.b.	— t. 1090.
5	sarniénsis. H.A. (re.) Guernsey Lily. ——— 1659. 9. 10.	F.b.	— t. 294.
6	pulchélla. H.A. (re.) pretty. ——— 1820. 7. 9.	F.b.	— t. 2407.
7	flexuósa. H.A. (pa.re.) zigzag. ——— 1795. 9. 10.	F.b.	Bot. reg. t. 172.
8	húmilis. H.A. (re.) small. ——— 7. 10.	F.b.	Bot. mag. t. 726.

- 9 undulâta. H.A. (*pa.re.*) waved-flower'd. C. B. S. 1767. 7. 10. F.b. Bot. mag. t. 369.  
 10 versicolor. H.A. (*li.*) changeable-col'd. Hybrid. 1815. — F.b. Herb. append. ic.
- IXIOLIRION. H.A. IXIOLIRION. Hexandria Monogynia.**  
 1 montânium. R.S. (*bl.*) mountain. Persia. 1829. . . . H.b. Redout. liliac. t. 241.  
*Amaryllis montâna.* Labill. syr. dec. 2. p. 5. t. 1. *Alstrœmèria montâna.* Ker.  
 2 tatâricum. R.S. (*bl.*) Tartarian. Tartary. 1822. 4. 6. H.b. Pall.it.3.ap.85.t.D.f.1.  
*Amaryllis tatârîca.* M.B.
- STRUMARIA. Ker. STRUM'ARIA. Hexandria Monogynia. L.**  
 1 truncâta. w. (*wh.bh.*) truncated. C. B. S. 1795. 4. 5. F.b. Jacq. ic. 2. t. 357.  
 2 rubélla. w. (*li.*) pale red. ———— 5. 6. F.b. ———— 2. t. 358.  
 3 angustifolia. w. (*wh.li.*) narrow-leaved. ———— 4. 5. F.b. ———— 2. t. 359.  
 4 linguæfolia. w. (*wh.*) tongue-leaved. ———— 1812. — F.b. ———— 2. t. 356.  
 5 filifolia. B.R. (*wh.*) fine-leaved. ———— 1774. 10. 12. F.b. Bot. reg. t. 440.  
 6 spirâlis. B.M. (*ro.wh.*) spiral-stalked. ———— 4. 8. F.b. Bot. mag. t. 1383.  
 7 crispa. B.M. (*ro.li.*) curled-flowered. ———— 1790. — F.b. ———— t. 1363.  
*Amaryllis crispa.* Jacq. schœn. t. 72.  
 8 undulâta. w. (*wh.ro.*) waved. ———— 1825. — F.b. Jacq. ic. t. 360.  
 9 stellâris. B.M. (*pi.*) starry. ———— 1794. 10. 11. F.b. Jacq. schœn. 1. t. 71.  
 10 gemmâta. B.M. (*wh.*) gyandrous. ———— 1810. 8. 10. F.b. Bot. mag. t. 1620.
- IMHO'FIA. H.A. IMHO'FIA. Hexandria Monogynia.**  
 marginâta. H.A. (*pu.*) red margined. C. B. S. 1795. 9. 10. F.b. Jacq. schœn. 1. t. 65.  
*Brunsvigia marginâta.* H.K. *Amaryllis marginâta.* Jacq.
- BUPH'ONE. H.A. BUPH'ONE. Hexandria Monogynia.**  
 1 disticha. H.A. (*pu.*) distichous. C. B. S. 1823. 9. 10. F.b. Patters. iter. t. 1.  
 2 toxicâria. H.A. (*li.*) Poison-bulb. ———— 1774. — F.b. Bot. reg. t. 567.  
*β obtusifolia.* H.A. (*li.*) wave-leaved. ———— 1816. — F.b.  
 3 ciliâris. H.A. (*pa.pu.*) fringe-leaved. ———— 1752. 6. 8. F.b. Bot. reg. t. 1153.  
*Brunsvigia ciliâris.* B.R. *Amaryllis ciliâris.* L. *Hemânthus ciliâris.* w.
- AMMO'CHARIS. H.A. AMMO'CHARIS. Hexandria Monogynia.**  
 1 corânica. H.A. (*pu.*) Mr. Burchell's. C. B. S. 1816. 7. 8. F.b. Bot. reg. t. 139.  
*Amaryllis corânica.* B.R.  
*β pallida.* B.R. (*li.*) pale-flowered. ———— — F.b. Bot. reg. t. 1219.  
 2 falcâta. H.A. (*pu.*) sickle-leaved. ———— 1774. 5. 6. F.b. Bot. mag. t. 1443.  
*Brunsvigia falcâta.* B.M. *Amaryllis falcâta.* H.K. *Crinum falcâtum.* Jacq. Jacq. vind. 3. t. 60.
- BRUNSVIGIA. Ker. BRUNSVIGIA. Hexandria Monogynia. H.K.**  
 1 laticôma. (*pa.pu.*) broad-headed. C. B. S. 1818. 3. 6. F.b. Bot. reg. t. 497.  
*lucida.* H.A. *Amaryllis laticôma.* B.R.  
 2 minor. B.R. (*ro.*) lesser. ———— 1820. — F.b. Bot. reg. t. 954.  
 3 multiflora. B.M. (*sc.gr.*) many-flowered. ———— 1752. 6. 8. F.b. Bot. mag. t. 1619.  
*Amaryllis orientâlis.* w.  
*β rubricaulis.* H.A. (*cr.*) red-stemmed. ———— 1812. — F.b. Jacq. schœn. 1. t. 39.  
 4 Josephinæ. B.R. (*sc.*) Josephine's. ———— 1814. — F.b. Redout. lil. t. 370-372.  
*β minor.* B.R. (*ro.*) smaller. ———— — F.b. Bot. reg. t. 192, 193.  
*γ striâta.* B.M. (*pu.std.*) striped-flowered. ———— 1823. — F.b. Bot. mag. t. 2578.  
 5 striâta. H.K. (*pu.*) striated. ———— 1795. 9. 10. F.b. Jacq. schœn. 1. t. 70.  
 6 rådula. H.K. (*pu.*) rasp-leaved. ———— 1790. 4. 8. F.b. ———— 1. t. 68.
- PHYCE'LLA. B.R. PHYCE'LLA. Hexandria Monogynia.**  
 1 ignea. B.R. (*sc.ye.*) fiery. Chili. 1824. 8. 10. G.b. Bot. reg. t. 809.  
*β glauca.* (*sc.ye.*) glaucous-leaved. ———— — G.b. Bot. mag. t. 2687.  
 2 cyrtanthoides. B.R. (*sc.ye.*) Cyrtanthus-like. ———— 1821. 6. 8. G.b. Bot. mag. t. 2399.  
*Amaryllis cyrtanthoides.* B.M.
- GRIFFINIA. B.R. GRIFFINIA. Hexandria Monogynia. B.R.**  
 1 hyacinthina. B.R. (*bl.*) largest. Brazil. 1815. 6. 9. S.b. Bot. reg. t. 163.  
*Amaryllis hyacinthina.* B.R.  
 2 intermedia. B.R. (*bl.*) intermediate. ———— 1825. 5. 7. S.b. Bot. reg. t. 990.  
 3 parviflora. B.R. (*bl.*) small flowered. ———— 1820. — S.b. ———— t. 511.
- HÆMANTHUS. W. BLOOD-FLOWER. Hexandria Monogynia. L.**  
 1 coccineus. s.s. (*sc.*) salmon-colour'd. C. B. S. 1629. 8. 10. F.b. Bot. mag. t. 1075.  
 2 coarctatus. s.s. (*sc.*) compressed. ———— 1795. 2. 3. F.b. Bot. reg. t. 181.  
 3 tigrinus. s.s. (*sc.*) Tiger-spotted. ———— 1790. 12. 2. F.b. Bot. mag. t. 1705.  
 4 rotundifolius. s.s. (*sc.*) round-leaved. ———— 6. 10. F.b. ———— t. 1618.  
 5 crassipes. s.s. (*sc.*) thick-leaved. ———— 1816. — F.b.  
 6 hyalocarpus. s.s. (*re.*) clear-berried. ———— — F.b. Jacq. schœn. 4. t. 409.  
 7 quadrivalvis. s.s. (*re.*) four-valved. ———— 1790. 9. 10. G.b. Bot. mag. t. 1523.  
 8 humilis. s.s. (*re.*) small. ———— 1825. — F.b.  
 9 Pumilio. s.s. (*re.*) dwarf. ———— 1789. 8. 9. F.b. Jacq. schœn. 1. t. 61.  
 10 pubescens. s.s. (*wh.*) villous-leaved. ———— 1774. — F.b. Bot. reg. t. 382.  
 11 albiflôs. w. (*wh.*) smooth-broad-ld. ———— 1791. 4. 8. F.b. ———— t. 984.  
 12 cârneus. s.s. (*ro.*) flesh-coloured. ———— 1819. 6. 8. F.b. ———— t. 509.

13 lanceafolius. s.s. (re.) spear-leaved.	C. B. S.	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 60.
14 carinatus. P.S. (re.) keel-leaved.	————	1759.	8. 9.	F.b.	————
15 amarilloides. s.s. (re.) Amaryllis-like.	————	1825.	————	F.b.	————
16 moschatuus. s.s. (re.) musk-scented.	————	1816.	————	F.b.	————
17 sanguineus. s.s. (sc.) crimson.	————	1820.	6. 8.	F.b.	————
18 puniceus. s.s. (sc.) waved-leaved.	————	1722.	5. 9.	G.b.	Bot. mag. t. 1315.
19 multiflorus. s.s. (sc.) many-flowered.	Sierra Leon.	1783.	————	S.b.	———— t. 1995 & 961.
CRINUM. W.H. CRINUM. Hexandria Monogynia.					
1 pedunculatum. B.P. (wh.) New Holland.	N. S. W.	1790.	4. 8.	G.b.	Bot. reg. t. 52.
2 exaltatum. H.A. (wh.) high.	E. Indies.	1820.	————	S.b.	————
3 canaliculatum. K.R. (wh.) channelled-leaved.	————	1810.	————	S.b.	————
4 brachyandrum. K.R. (wh.) short-anthered.	N. Holland.	1819.	————	G.b.	————
5 brevilibum. H.A. (wh.) short-limbed.	Pacific Isl.	1820.	6. 8.	S.b.	————
6 procerum. H.A. (bh.) tall.	Rangoon.	1822.	————	S.b.	Bot. mag. t. 2684.
7 sinicum. H.A. (wh.) Chinese.	China.	1819.	————	S.b.	————
8 anomalum. H.A. (wh.) plaited-leaved.	————	1822.	————	S.b.	————
9 asiaticum. K.R. (wh.) Poison bulb.	————	1732.	————	S.b.	Bot. mag. t. 1073.
10 plicatum. B.M. (wh.) plicate-leaved.	————	1823.	4. 6.	S.b.	———— t. 2908.
11 declinatum. H.A. (wh.) declined.	E. Indies.	1819.	4. 8.	S.b.	———— t. 2231.
12 bracteatum. W. (wh.) short-leaved.	Mauritius.	1810.	6. 8.	S.b.	Bot. reg. t. 179.
<i>brevifolium</i> . H.B. published 1814. <i>bracteatum</i> . w. 1799. Jacq. schœn. 4. t. 495 in 1804.					
<i>β angustifolium</i> . H.A. (wh.) narrow-leaved.	————	————	————	S.b.	————
13 erubescens. K.R. (re. wh.) bluish-coloured.	S. America.	1789.	————	S.b.	Bot. mag. t. 1232.
<i>α rubrilimbum</i> . (re.) red-limbed.	————	————	————	S.b.	————
<i>β major</i> . H.A. (re. wh.) larger.	————	————	————	S.b.	————
<i>γ minor</i> . H.A. (re. wh.) lesser.	————	————	————	S.b.	————
<i>δ corantymum</i> . W.H. (bh.) <i>Corantyme</i> .	Berbice.	1820.	————	S.b.	————
<i>ε aquaticum</i> . W.H. (wh.) water.	Brazil.	1823.	————	S.b.	————
<i>ζ glabrum album</i> . W.H. (wh.) shining-leaved.	Maranham.	1820.	————	S.b.	————
<i>η glabrum rubrum</i> . W.H. (re. wh.) smooth red.	————	1823.	————	S.b.	————
<i>θ undulatum</i> . W.H. (wh.) wave-leaved.	Brazil.	————	————	S.b.	Hook. ex. flor. t. 200.
<i>Crinum undulatum</i> . Hooker.					
14 cruentum. B.R. (re.) red-flowered.	S. America.	1810.	————	S.b.	Bot. reg. t. 171.
15 sumatranum. K.R. (wh.) Sumatra.	Sumatra.	————	————	S.b.	———— t. 1049.
16 macrocarpon. H.A. (wh.) large-fruited.	Pegu.	1820.	————	S.b.	————
17 elegans. H.A. (wh.) elegant.	————	————	9. 11.	S.b.	Bot. mag. t. 2592.
18 venustum. H.A. . . . pretty.	E. Indies.	————	....	S.b.	————
19 canaliculatum. H.A. (wh.) channelled.	————	————	6. 9.	S.b.	————
<i>β major</i> . W.H. (wh.) larger.	————	1825.	————	S.b.	————
20 longifolium. K.R. (wh.) long-leaved.	————	1810.	————	S.b.	————
21 lorifolium. K.R. (wh.) lorate-leaved.	————	1819.	————	S.b.	————
22 americanum. W. (wh.) American.	S. America.	1752.	7. 9.	S.b.	Bot. mag. t. 1034.
23 commelini. K.R. (wh.) Commelin's.	————	1798.	6. 9.	S.b.	Jacq. schœn. 2. t. 202.
24 strictum. B.M. (wh.) upright.	S. America?	1820.	8. 10.	S.b.	Bot. mag. t. 2635.
25 defixum. K.R. (wh.) marsh.	E. Indies.	1810.	4. 8.	S.b.	———— t. 2208.
26 ensifolium. K.R. (bh.) sword-leaved.	————	1820.	————	S.b.	———— t. 2301.
27 amœnum. K.R. (wh.) delightful.	————	1810.	————	S.b.	————
28 multiflorum. Df. (wh.) many-flowered.	.....	1822.	————	S.b.	————
29 verecundum. H.A. (bh.) bluish.	E. Indies.	1820.	6. 9.	S.b.	————
30 humile. B.M. (wh.) humble.	————	1816.	4. 8.	S.b.	Bot. mag. t. 2636.
31 confertum. B.M. (wh.) crowded-flowered.	N. Holland.	1822.	6. 7.	G.b.	———— t. 2522.
32 angustifolium. B.P. (wh.) rough-edged.	————	1823.	————	G.b.	————
33 arenarium. B.M. (wh.) sand.	————	1818.	5. 8.	G.b.	Bot. mag. t. 2355.
<i>β blandum</i> . B.M. (bh.) bluish-flowered.	————	1821.	————	G.b.	———— t. 2531.
34 purpurascens. W.H. (pu.) purplish.	Fernando Po.	1826.	————	S.b.	————
35 erythrophyllum. W.H. (pu.) red-leaved.	Rangoon.	1824.	————	S.b.	————
36 amabile. K.R. (pu. wh.) beautiful.	Sumatra.	1810.	1. 12.	S.b.	Bot. mag. t. 1605.
37 augustum. K.R. (pu. wh.) august.	Mauritius.	1819.	4. 8.	S.b.	———— t. 2397.
38 mauritianum. B.C. (wh.) Mauritius.	————	1816.	6. 9.	S.b.	Lodd. bot. cab. t. 650.
39 submersum. B.M. (pu. wh.) lake.	Brazil.	1823.	8. 10.	S.b.	Bot. mag. t. 2463.
40 scabrum. B.M. (cr. wh.) rough-leaved.	S. America.	1810.	1. 12.	S.b.	———— t. 2180.
41 zeylanicum. H.A. (cr. wh.) Ceylon.	Ceylon.	1771.	7. 8.	S.b.	———— t. 1171.
<i>Amaryllis zeylanica</i> . B.M.					
42 latifolium. H.A. (bh.) broad-leaved.	E. Indies.	1806.	7. 9.	S.b.	Bot. reg. t. 1297.
43 longistylum. W.H. (bh.) long-styled.	————	1819.	6. 10.	S.b.	————
44 insigne. W.H. (cr. wh.) noble.	————	————	4. 8.	S.b.	Bot. reg. t. 579.
45 Careyannum. B.M. (bh.) Carey's.	Mauritius.	1820.	1. 12.	S.b.	Bot. mag. t. 2466.
46 speciosum. B.M. (w. ro.) specious.	E. Indies.	1819.	6. 9.	S.b.	———— t. 2217.
47 moluccanum. B.M. (w. bh.) Molucca.	Moluccas.	————	————	S.b.	———— t. 2292.

- 48 giganteum. A.R. (*wh.*) gigantic. SierraLeone. 1792. 7. 10. S.b. Andr. rep. t. 169.  
*petiolatum*. H.A. (*wh.*) *Amaryllis gigantea*. Bot. mag. t. 92.
- 49 Broussoneti. H.A. (*wh.*) Broussonet's. ———— S.b. Bot. mag. t. 2121.
- 50 yuccæides. H.A. (*re.wh.*) Yucca-flowered. ———— 1740. 6. 10. S.b.
- 51 distichum. H.A. (*re.wh.*) distichous. ———— S.b. Bot. mag. t. 1253.  
*Amaryllis ornata* a. B.M.
- 52 Lancei. W.H. (*re.wh.*) Lance's. Surinam. 1825. ———— S.b.
- 53 flaccidum. B.M. (*wh.*) flaccid. N. S. W. 1820. 7. 9. G.b. Bot. mag. t. 2133.  
*Amaryllis australásica*. Bot. reg. t. 426.
- 54 Fórbesi. W.H. (*re.wh.*) Forbes's. Delagoa Bay. 1824? ———— S.b.
- 55 longiflorum. H.A. (*re.wh.*) long-flowered. W. Indies. 1816. 5. 8. S.b. Bot. reg. t. 303.  
*Amaryllis longifolia*  $\beta$  longiflora. B.R.
- 56 capense. H.A. (*wh.*) common Cape. C. B. S. 1752. 7. 11. H.b. Bot. mag. t. 661.  
*Amaryllis longifolia*. B.M.  
 $\beta$  minor. W.H. (*re.wh.*) lesser. Highclere. 1819. ———— G.b.
- 57 riparium. H.A. (*cr.wh.*) bank. ———— 1816. 6. 9. H.b. Bot. mag. t. 2688.
- 58 revolutum. H.A. (*wh.re.*) revolute. ———— 1774. 8. 10. G.b. Bot. reg. t. 623.  
*Amaryllis revoluta*. A.—B.R.
- 59 crassifolium. H.A. (*wh.ro.*) thick-leaved. ———— ———— G.b. Bot. reg. t.  
*Amaryllis revoluta*. B.—B.R.
- 60 algoense. W.H. (*re.wh.*) Algoa-bay. C. B. S. 1826. ———— G.b.
- 61 caffrum. W.H. (*re.wh.*) Caffre. ———— 1825. ———— G.b.
- 62 aquaticum. H.A. (*ro.bh.*) water. ———— 1816. 5. 8. G.b. Bot. mag. t. 2352.
- 63 Gowenianum. W.H. (*bh.*) zeylanico-capense. Highclere. 1813. 6. 9. G.b. Hort. trans. ic.
- 64 Herbertianum. (*re.wh.*) Scabro-capense. Spofforth. 1818. ———— G.b.
- Spofforthianum*. Herbert Mss.
- 65 fértilis. W.H. (*wh.*) Canaliculato-capense. ———— ———— G.b.  
 $\beta$  grandiflorum. W.H. (*wh.*) larger-flowered. ———— ———— G.b.
- 66 ingens. W.H. (*wh.*) Pedunculato-capense. Highclere. ———— ———— G.b.
- 67 erectius. W.H. (*bh.*) Corantyno-capense. Spofforth. ———— ———— G.b.
- 68 Highclerianum. W.H. (*wh.*) Asiatico-capense. Highclere ———— ———— G.b.
- 69 elongatum. W.H. (*wh.*) Brevifolio-capense. Spofforth. 1819. ———— ———— G.b.
- 70 modéstum. W.H. (*bh.*) Specioso-capense. ———— ———— G.b.
- 71 pudicum. W.H. (*bh.*) Careyano-capense. ———— ———— G.b.
- 72 cúpium. W.H. (*re.wh.*) Cruento-capense. ———— ———— G.b.
- 73 tortuosum. W.H. (*wh.*) Defixo-capense. ———— ———— G.b.
- 74 Félix. W.H. (*bh.*) Latifolio-capense. ———— 1828. ———— G.b.
- 75 microspérmum. W.H. (*bh.*) Revoluto-capense. ———— ———— G.b.
- 76 egrégium. W.H. (*re.wh.*) Pedunculato-riparium. ———— 1826. ———— G.b.
- 77 præstans. W.H. (*re.wh.*) Canaliculato-riparium. ———— ———— G.b.
- 78 vittatum. W.H. (*re.wh.*) Scabro-exaltatum. ———— 1818. ———— S.b.
- 79 Digweedi. W.H. (*re.wh.*) Scabro-americanum. Highclere. 1826. ———— S.b.
- 80 Cooperi. W.H. (*re.wh.*) Specioso-longifolium. Wentworth. ———— ———— S.b.
- 81 amatum. W.H. (*re.wh.*) Zeylanico-pedunculatum. Highclere. ———— ———— S.b.
- 82 Bacóni. W.H. (*re.wh.*) Zeylanico-erubescens. Mr. Bacon's. ———— ———— S.b.
- 83 candidum. W.H. (*wh.*) Americano-bracteatum. Spofforth. ———— ———— S.b.
- 84 rubricaulis. W.H. (*bh.*) Erubescenti-bracteatum. ———— ———— S.b.
- 85 púlchrum. W.H. (*re.wh.*) Scabro-erubescens. Highclere. ———— ———— S.b.
- 86 bulbulosum. W.H. (*bh.*) Capensi-erubescens. ———— ———— G.b.
- 87 duplex. W.H. (*bh.*) Americano-erubescens. Spofforth. ———— ———— S.b.  
 $\beta$  minor. W.H. (*bh.*) lesser. Highclere. ———— ———— S.b.
- 88 flaccidulum. W.H. (*bh.*) Specioso-defixum. Spofforth. ———— ———— S.b.
- 89 promissum. W.H. (*re.wh.*) Forbesi-Careyanum. ———— ———— S.b.
- 90 mirábilis. W.H. (*wh.*) Flaccido-caniculatum. ———— ———— S.b.
- 91 únicum. W.H. (*wh.*) Flaccido-bracteatum. ———— ———— S.b.
- 92 triplex. W.H. (*wh.*) Careyano-fertile. ———— ———— S.b.
- 93 divérsum. W.H. (*wh.*) Careyano-tortuosum. ———— ———— S.b.
- 94 quádruplex. W.H. (*wh.*) Candido-fértilis. ———— ———— S.b.
- VALL'OTA. H.A. VALL'OTA. Hexandria Monogynia.
- purpúrea. H.A. (*re.*) purple-stalked. C. B. S. 1774. 5. 8. F.b. Jacq. schœn. 1. t. 62.  
*Amaryllis purpúrea*. w. *elata*. Jacq.
- a* májor. (*re.*) larger. ———— ———— F.b. Bot. mag. t. 1430.  
 $\beta$  mínor. (*re.*) lesser. ———— ———— F.b. Bot. reg. t. 552.
- GASTRON'EMA. H.A. GASTRON'EMA. Hexandria Monogynia.
- clavatum. H.A. (*re.wh.*) clavate. C. B. S. 1816. 5. 8. F.b. Bot. mag. t. 2201.  
*Cyrtánthus uniflorus*. Bot. reg. t. 168. *Amaryllis Pumilio*. H.K.
- CYRTANTHUS. W. CYRTANTHUS. Hexandria Monogynia. W.
- 1 obliquus. W. (*or.gr.*) oblique-leaved. C. B. S. 1774. 5. 8. G.b. Bot. mag. t. 1133.  
2 striátus. B.M. (*ye.sc.*) striped. ———— 1823. ———— G.b. ———— t. 2534.

3 vittatus. s.s.	(std.) ribbon.	C. B. S.	1823.	5. 8.	G. b.	
4 spirâlis. B.R.	(sc.) spiral-leaved.	————	1790.	—	G. b.	Bot. reg. t. 167.
5 collinus. B.R.	(sc.) hill.	————	1816.	—	G. b.	———— t. 162.
6 pâllidus. B.M.	(fl.) pale-flowered.	————	1822.	—	G. b.	Bot. mag. t. 2471.
7 ventricôsus. w.	(sc.) bellied.	————	1770.	—	G. b.	Jacq. schoen. 1. t. 76.
8 angustifôlius. w.	(sc.) narrow-leaved.	————	1774.	5. 6.	G. b.	Bot. mag. t. 271.
9 odorus. B.R.	(sc.) sweet-scented.	————	1818.	5. 7.	G. b.	Bot. reg. t. 503.
<b>COBURGHIA. B.F.G. COBURGHIA.</b> Hexandria Monogynia.						
incarnata. B.F.G.	(sc.) splendid.	Quito.	1820.	8. 9.	F. b.	Swt. br. fl. gar. s. 2. t. 17.
<b>STENOME'SSON. H.A. STENOME'SSON.</b> Hexandria Monogynia.						
1 flavum. B.M.	(ye.) slender-toothed.	Peru.	1823.	5. 11.	G. b.	Bot. mag. t. 2641.
<i>Chrysiphala flava.</i> B.R. 778.						
2 curvidentatum. B.M.	(ye.) curve-toothed.	————	1824.	—	G. b.	Bot. mag. t. 2640.
3 pauciflorum.	(ye.) few-flowered.	————	1822.	—	G. b.	Hook. ex. flor. t. 132.
<i>Chrysiphala pauciflora.</i> H.E.F.						
<b>CHLIDANTHUS. H.A. CHLIDANTHUS.</b> Hexandria Monogynia.						
fragrans. H.A.	(ye.) yellow fragrant.	S. America.	1821.	6. 8.	G. b.	Bot. reg. t. 640.
<b>EUCROSIA. B.R. EUCROSIA.</b> Hexandria Monogynia.						
bicolor. B.R.	(or. re.) two-coloured.	Cape Horn.	1816.	4. 5.	S. b.	Bot. reg. t. 207.
<b>CALOSTEMMA. B.P. CALOSTEMMA.</b> Hexandria Monogynia.						
1 luteum. B.R.	(ye.) yellow.	N. Holland.	1819.	8. 10.	F. b.	Bot. reg. t. 421.
2 purpureum. B.P.	(pu.) purple.	————	————	—	F. b.	———— t. 422.
3 album. B.P.	(wh.) white-flowered.	————	1824.	—	G. b.	————
<b>EURYCLES. Sal. EURYCLES.</b> Hexandria Monogynia.						
1 nuda.	(wh.) naked stamen'd.	E. Indies.	1822.	5. 7.	S. b.	
<i>Crinum nervosum.</i> H. B.						
2 alata.	(wh.) wing-stamen'd.	N. Holland.	1821.	—	S. b.	Bot. reg. t. 715.
<i>Pancratium australasicum.</i> B.R.						
3 coronata.	(wh.) crowned.	E. Indies.	1759.	—	S. b.	Bot. mag. t. 1419.
<i>Pancratium amboinense.</i> B.M. <i>Prødiphs amboinensis.</i> H.A.						
Three very distinct species, all flowered at Mr. Colvill's.						
<b>HYMENOCELLIS. H.A. HYMENOCELLIS.</b> Hexandria Monogynia.						
1 speciosa. K.R.	(wh.) large-flowered.	W. Indies.	1759.	5. 9.	S. b.	Bot. mag. t. 1453.
<i>Pancratium speciosum.</i> B.M.						
2 ovata. K.R.	(wh.) broad-leaved.	————	....	—	S. b.	Bot. reg. t. 43.
3 amœna. K.R.	(wh.) handsome.	Guiana.	1790.	—	S. b.	Bot. mag. t. 1467.
4 fragrans. L.T.	(wh.) fragrant.	W. Indies.	....	—	S. b.	Lodd. bot. cab. t. 834.
5 guianensis. B.R.	(wh.) Guiana.	Guiana.	1818.	—	S. b.	Bot. reg. t. 265.
6 caribœa. K.R.	(wh.) Caribbean.	W. Indies.	1730.	—	S. b.	Bot. mag. t. 826.
<i>Pancratium caribœum.</i> B.M.						
7 declinata. B.C.	(wh.) declining.	Brazil.	....	—	S. b.	Lodd. bot. cab. t. 558.
8 undulata. K.R.	(wh.) wave-leaved.	S. America.	....	—	S. b.	————
9 expansa. B.M.	(wh.) expanded.	W. Indies.	1818.	—	S. b.	Bot. mag. t. 1941.
10 pedalis. B.C.	(wh.) foot-flowered.	Brazil.	1815.	—	S. b.	Lodd. bot. cab. t. 809.
11 patens. K.R.	(wh.) spreading.	W. Indies.	....	—	S. b.	Redout. lil. 6. t. 380.
12 littoralis. K.R.	(wh.) sea side.	S. America.	1758.	—	S. b.	Jacq. vind. 3. t. 75.
13 Dryandi. K.R.	(wh.) Dryander's.	————	....	—	S. b.	Bot. mag. t. 825.
14 disticha. H.A.	(wh.) two-ranked.	————	....	—	S. b.	————
15 angusta. K.R.	(wh.) narrow-leaved.	————	....	—	S. b.	Bot. reg. t. 221.
16 tenuiflora. H.A.	(wh.) slender-flowered.	.....	....	—	S. b.	————
17 crassifolia. H.A.	(wh.) thick-leaved.	S. America.	....	—	S. b.	————
18 acutifolia.	(wh.) acute-leaved.	Mexico.	1824.	—	G. b.	Bot. reg. t. 940.
<i>Pancratium mexicanum.</i> B.R. <i>nec aliorum.</i> <i>Hymenocallis littoralis.</i> $\delta$ <i>acutifolia.</i> B.M. 2621.						
19 rotata. H.A.	(wh.) large-crowned.	Carolina.	1803.	7. 9.	G. b.	Bot. mag. t. 827.
20 mexicana. K.R.	(wh.) Mexican.	Mexico.	1732.	8.	G. b.	Ker's review. pl. 3. f. 2.
21 caroliniana. H.A.	(wh.) Carolina.	Carolina.	1759.	6. 7.	G. b.	———— pl. 3. f. 1.
22 Staplesi. W.H.	(wh.) Mr. Staples's.	Mexico.	1826.	—	G. b.	————
23 ovalifolium. W.H.	(wh.) oval-leaved.	S. America.	1820.	—	S. b.	————
<b>PANCRATIUM. H.A. PANCRATIUM.</b> Hexandria Monogynia.						
1 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G. b.	Bot. reg. t. 161.
<i>carolinianum.</i> B.R. 927. <i>nec aliorum.</i>						
2 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G. b.	Bot. reg. t. 174.
3 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G. b.	Bot. mag. t. 718.
4 verecundum. K.R.	Narcissus-leav'd.	E. Indies.	1776.	6. 8.	G. b.	Bot. reg. t. 413.
5 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	—	S. b.	Bot. mag. t. 2538.
<b>ISMENE. Sal. ISMENE.</b> Hexandria Monogynia.						
1 nutans. H.A.	(wh.) nodding.	Brazil.	1810.	6. 8.	S. b.	Bot. mag. t. 1561.
<i>Pancratium calathinum.</i> B.M. non R.L.						
2 calathinum. H.A.	(wh.) cup-flowered.	————	—	6. 7.	S. b.	Bot. reg. t. 215.

- 3 Amáncaes. H.A. (*ye.*) Narcissus-flower'd. Peru. 1804. 6. 7. S.b. Bot. mag. t. 1224.  
*Pancratium Amáncaes.* B.M. *Narcissus Amáncaes.* R.P. 3. t. 283. f. a.
- NARCISSUS. L. NARCISSUS. Hexandria Monogynia. L.  
 AJAX. H.S.S.
- 1 obvalláris. H.S.S. (*ye.*) Sibthorp's. S. Europe. .... 3. 4. H.b. Bot. mag. t. 1301. f. inf.  
 2 bicolor. L. (*wh. ye.*) two-coloured. Spain. 1629. 4. 5. H.b. ——— t. 1187.  
*Ajax lorifolius.* H.S.S.
- 3 tubæfórus. S.P. (*wh. ye.*) tube-flowered. S. Europe. .... 3. 5. H.b.  
*Ajax bicolor.* H.S.S.
- 4 moschátus. B.M. (*wh. st.*) greater white. Spain. 1629. 4. H.b. Bot. mag. t. 924.  
 5 álbus. L.T. (*wh.*) white flowered. ——— 1759. 3. 4. H.b. ——— t. 1300.  
*moschátus.* δ. B.M. *Ajax álbus.* H.S.S.
- 6 cernuus. R.B. (*wh.*) drooping-flowered. .... 1828. — H.b.  
 β plénus. (*wh.*) double-flowered. .... — H.b.
- 7 abscíssus. H.S.S. (*ye.*) clipt trunk. .... — H.b. Park. parad. t. 107. f. 1.  
 8 májor. B.M. (*ye.*) large. Spain. 1629. — H.b. Bot. mag. t. 51.  
 9 propínquus. S.P. (*ye.*) great jagged. S. Europe. .... — H.b. ——— t. 301. f. sup.  
*májor* β. B.M. *Ajax propínquus.* H.S.S.
- 10 Telamónius. H.S.S. (*ye.*) Telamonian. .... — H.b.  
 β plénus. H.S.S. (*ye.*) double Daffodil. .... — H.b.  
 γ grandiplénus. H.S.S. (*ye.*) great double. .... — H.b. Park. parad. t. 101. f. 7.
- 11 nóbilis. H.S.S. (*ye.*) noble. .... — H.b.  
 12 spúrius. H.S.S. (*ye.*) spurious. England. .... — H.b.
- 13 serrátus. H.S.S. (*st. ye.*) serrate. .... — H.b. Eng. bot. ic. ined.  
 β sudávis. H.S.S. (*st. ye.*) sweet-scented. .... — H.b.
- 14 Pseudò-Narcíssus. (*st. ye.*) Daffodil. .... 3. 4. H.b. Eng. bot. v. 1. t. 17.  
 β scóticus. H.S.S. (*st. ye.*) Scotch Daffodil. Scotland. .... — H.b.  
 γ plénus. H.S.S. (*ye.*) double French. .... — H.b. Park. parad. t. 101. f. 9.  
 δ pleníssimus. H.S.S. (*ye.*) rose double. .... — H.b. ——— t. 101. f. 6.
- 15 lobuláris. H.P. (*ye.*) lobe-crowned. England. .... — H.b. Eng. bot. c. ic. ined.  
 16 púmulus. S.P. (*ye.*) small wedge-fld. S. Europe. .... 3. H.b. Besl. eyst. 3. fol. 5. f. 4.  
*Ajax cuneiflorus.* H.S.S.
- 17 minor. B.M. (*ye.*) small. Spain. 1629. 3. 5. H.b. Bot. mag. t. 6.  
 α mínimus. H.S.S. (*ye.*) smallest. ——— — H.b.  
 β mînor. H.S.S. (*ye.*) small. ——— — H.b. Park. parad. t. 107. f. 2.  
 γ mēdius. H.S.S. (*ye.*) middle-sized. ——— — H.b.  
 δ conspícuus. H.S.S. (*ye.*) conspicuous. .... — H.b.  
 ε angústus. H.S.S. (*ye.*) narrow-leaved. .... — H.b.
- DIOMEDES. H.S.S.
- 18 Macleáii. B.M. (*st. ye.*) Mac Leay's. Levant. .... 4. 5. H.b. Bot. mag. t. 2588.  
*Diomēdes májor.* H.P.
- 19 Sabini. B.R. (*st. ye.*) Sabine's. .... — H.b. Bot. reg. t. 762.  
*Diomēdes mînor.* H.P.
- CORBULARIA. H.S.S.
- 20 tenuifólius. L.T. (*ye.*) slender-leaved. Biscay. 1760. 3. 4. H.b. Swt. br. fl. gar. t. 114.  
 21 lobulátus. H.S.S. (*ye.*) lobed. .... — H.b. Park. parad. t. 107. f. 7.  
 22 obésus. S.P. (*ye.*) inflated. Portugal. 1796. — H. b.  
 β mînor. H.S.S. (*ye.*) smaller. .... — H.b. Park. parad. t. 107. f. 8 ?  
 23 álbianus. H.S.S. (*wh.*) Trompet Marin. .... 1629. — H.b. Lobel. advers. 462. ic.  
 24 Bulbocódiuum. w. (*ye.*) hoop petticoat. S. Europe. .... — H.b. Bot. mag. t. 88.
- QUÉLTIA. H.S.S.
- 25 aurántius. H.S.S. (*ye.*) orange rimmed. .... — H.b. Park. parad. t. 71. f. 2.  
 β lúteo-aurántius. (*wh. ye.*) Butter and eggs. .... — H.b.
- 26 incomparábilis. B.M. (*st. ye.*) peerless. Portugal. .... 4. 5. H.b. Bot. mag. t. 121.  
 27 sulphúreus. (*st.*) self coloured peerless. .... 1629. — H.b.
- Quéltia cóncolor.* H.S.S.  
 β plénus. (*st.*) double orange crown. .... — H.b.
- 28 semipartitus. H.S.S. (*st. ye.*) cloven-cupped. .... 1818. 3. 4. H.b.  
 29 Quéltia. (*wh. st.*) peerless white. .... — 4. H.b.
- Quéltia álba.* H.S.S.  
 β níceo-aurántius. (*wh. st.*) Orange Phoenix. .... — H.b.
- 30 montánus. B.R. (*wh.*) mountain. Pyrenees. 1620. — H.b. Bot. reg. t. 123.  
 31 galanthifólius. H.S. (*wh.*) Snowdrop-leav'd. ——— 1720. 5. H.b. Park. parad. t. 73.  
 32 cápax. H.S.S. (*wh.*) capacious. Levant. .... — H.b. Redout. lil. t. 177.
- calathínus. R.L. *Quéltia cápax.* H.S.S.  
 33 Redóutei. (*wh.*) long-tubed. .... — H.b. Redout. lil. t. 410.  
*calathínus.* R.L. non L. nec aliorum.



77	niveus. W.en. ( <i>wh.</i> ) snowy white.	S. Europe.	....	4. 5.	H. b.	
	<i>CHLORASTER</i> . H. P.					
78	viridiflorus. B.M. ( <i>gr.</i> ) green-flowered.	Barbary.	1629.	9. 10.	F. b.	Bot. mag. t. 1687.
	<i>Chloraster fissus</i> . H. P.					
79	integer. H. P. ( <i>gr.</i> ) entire-cupped.	—	—	—	F. b.	Park. parad. t. 93. f. 6.
80?	obsoletus. H. s. s. ( <i>w. ye.</i> ) leafy autumnal.	Spain.	—	—	F. b.	— 90. t. 89. f. 4.
81?	serotinus. w. ( <i>wh.</i> ) late-flowered.	Barbary.	—	—	F. b.	Clus. hist. t. 252.
	<i>GALANTHUS</i> . L. SNOWDROP.	Hexandria Monogynia.	L.			
1	nivalis. w. ( <i>wh.</i> ) common.	Britain.	....	1. 3.	H. b.	Eng. bot. v. 1. t. 19.
2	plicatus. B.R. ( <i>wh.</i> ) plaited.	S. Europe.	1818.	2. 4.	H. b.	Bot. reg. t. 545.
	<i>LEUCOJUM</i> . L. SNOWFLAKE.	Hexandria Monogynia.	L.			
1	vérum. w. ( <i>wh.</i> ) spring.	Germany.	1596.	2. 4.	H. b.	Bot. mag. t. 46.
2	carpathicum. ( <i>wh.</i> ) Carpathian.	Carpathian mt.	1816.	—	H. b.	— t. 1993.
3	æstivum. w. ( <i>wh.</i> ) summer.	England.	....	4. 5.	H. b.	— t. 1210.
4	pulchellum. P. L. ( <i>wh.</i> ) neat.	—	....	—	H. b.	Sal. par. lond. t. 74.
	<i>'ACIS</i> . P. L. <i>'ACTIS</i> .	Hexandria Monogynia.				
1	rosea. s. F. G. ( <i>ro.</i> ) rose-coloured.	S. Europe.	1826.	8. 9.	H. b.	Swt. br. fl. gar. t. 297.
2	grandiflora. s. F. G. ( <i>bh.</i> ) large-flowered.	—	1828.	—	H. b.	Redout. lilac. t. 217.
3	trichophylla. s. F. G. ( <i>wh.</i> ) many-flowered.	Barbary.	1812.	1. 2.	F. b.	Bot. reg. t. 544.
	<i>Leucjum trichophyllum</i> . B. R.					
4	autumnalis. P. L. ( <i>bh.</i> ) autumnal.	Portugal.	1629.	9.	F. b.	Bot. mag. t. 960.
	<i>Leucjum autumnale</i> . B. M.					
	<i>GETHYLLIS</i> . L. <i>GETHYLLIS</i> .	Hexandria Monogynia.	L.			
1	spiralis. w. ( <i>wh.</i> ) spiral-leaved.	C. B. S.	1780.	6. 7.	G. b.	Bot. mag. t. 1088.
2	ciliaris. w. ( <i>wh.</i> ) fringed.	—	1788.	—	G. b.	Jacq. schœn. 1. t. 79.
3	villosa. w. ( <i>wh.</i> ) hairy.	—	1787.	—	G. b.	
4	lanceolata. w. ( <i>wh.</i> ) spear-leaved.	—	1790.	—	G. b.	
	<i>ALSTRÆMERIA</i> . W. <i>ALSTRÆMERIA</i> .	Hexandria Monogynia.	L.			
1	Pelegrina. w. ( <i>re. bh.</i> ) spotted flower'd.	Peru.	1753.	6. 9.	H. ʒ.	Bot. mag. t. 139.
	<i>β albida</i> . ( <i>wh. gr.</i> ) white flowered.	—	1820.	—	H. ʒ.	
2	Simsii. s. s. ( <i>sc. ye.</i> ) red-flowered.	Chili.	1822.	—	H. ʒ.	Swt. br. fl. gar. t. 267.
	<i>pulchella</i> . B. M. 2353. Hook. ex. flor. t. 64.					
3	Hookeri. ( <i>ro.</i> ) rose-coloured.	Chili.	1822.	—	H. ʒ.	Hook. ex. flor. t. 181.
	<i>rosea</i> . H. E. F. non R. P.					
4	Flós Martini. B. R. ( <i>w. p. y.</i> ) St. Martin's.	—	—	—	H. ʒ.	Bot. reg. t. 731.
	<i>pulchra</i> . Bot. mag. t. 2421. <i>tricolor</i> . Hook. ex. flor. t. 65.					
5	bicolor. B. C. ( <i>ye. wh.</i> ) two-coloured.	Chili.	1826.	—	H. ʒ.	Lodd. bot. cab. t. 1497.
6	psittacina. s. s. ( <i>sc. gr.</i> ) Parrot-like.	Mexico.	1829.	7. 9.	H. ʒ.	Swt. br. fl. gar. s. 2. t. 15.
7	acutifolia. Ot. ( <i>or.</i> ) sharp-leaved.	S. America.	—	9. 10.	F. ʒ.	
8	pallida. Ot. ( <i>pa.</i> ) pale-flowered.	Chili.	—	—	H. ʒ.	
9	Curtisiانا. R. S. ( <i>wh. sc.</i> ) striped-flowered.	Brazil.	1776.	2. 4.	S. ʒ.	Bot. mag. t. 125.
	<i>Ligtu</i> . B. M. nec aliorum.					
10	ovata. s. s. ( <i>sc.</i> ) oval-leaved.	Peru.	1824.	....	H. ʒ. ∪	Cavan. ic. 1. t. 76.
11	Salsilla. w. ( <i>pu. gr.</i> ) climbing.	—	1806.	6. 7.	H. ʒ. ∪	Feuill. per. 2. p. 713. t. 6.
12	edulis. Tus. ( <i>ro. gr.</i> ) eatable-rooted.	W. Indies.	1801.	6. 9.	S. ʒ. ∪	Andr. reposit. t. 649.
	<i>Salsilla</i> . Bot. mag. t. 1613. non L.					
13	hirtella. K. S. ( <i>pi. gr.</i> ) hairy.	Mexico.	1824.	....	H. ʒ. ∪	Swt. br. fl. gar. t. 228.
	<i>CLIVIA</i> . B. R. <i>CLIVIA</i> .	Hexandria Monogynia.				
	nobilis. B. R. ( <i>sc. gr.</i> ) scarlet.	C. B. S.	1820.	7. 10.	G. ʒ.	Bot. reg. t. 1182.
	<i>Imatophyllum Aitoni</i> . Bot. mag. t. 2856.					
	<i>DORYANTHES</i> . B. P. <i>DORYANTHES</i> .	Hexandria Monogynia.	S. S.			
	excelsa. B. P. ( <i>sc.</i> ) gigantic.	N. S. W.	1800.	7. 10.	G. h.	Bot. mag. t. 1685.

## ORDO CCX.

HEMEROCALLIDÆ. *Brown prodr. 1. p. 295.*

	<i>HEMEROCALLIS</i> . S. S. DAY LILY.	Hexandria Monogynia.	L.			
1	graminea. B. M. ( <i>ye.</i> ) narrow-leaved.	Siberia.	1759.	6. 7.	H. ʒ.	Bot. mag. t. 873.
2	flava. B. M. ( <i>ye.</i> ) yellow.	—	1596.	—	H. ʒ.	— t. 19.
3	speciosa. W. H. ( <i>co.</i> ) specious.	Jamaica.	1816.	—	G. ʒ.	
4	disticha. B. F. G. ( <i>co.</i> ) fan-like.	China.	1798.	5. 7.	H. ʒ.	Swt. br. fl. gar. t. 28.
5	fulva. B. M. ( <i>co.</i> ) copper-coloured.	Levant.	1596.	6. 8.	H. ʒ.	Bot. mag. t. 64.

- FU'NKIA. S.S.** **FU'NKIA. Hexandria Monogynia. S.S.**  
 1 álba. (wh.) white-flowered. Japan. 1790. 8. 9. H. ʒ. Bot. mag. t. 1433.  
*subcordata. s.s. Hemerocallis japonica. B.M. álba. Andr. reposit. t. 75.*  
 2 cœrulea. (wh.) blue-flowered. ———— 6. 8. H. ʒ. Bot. mag. t. 894.  
*ovata. s.s. Hemerocallis cœrulea. B.M.*
- AGAPANTHUS. W. AFRICAN LILY. Hexandria Monogynia. L.**  
 1 umbellatus. w. (bl.) large-flowered. C. B. S. 1692. 1. 12. G. ʒ. Bot. mag. t. 500.  
*β variegatus. (bl.) striped-leaved. ———— . . . . . G. ʒ.*  
 2 præcox. W.en. (bl.) early-flowering. ———— . . . . . 1. 4. G. ʒ.  
 3 minor. B.C. (bl.) small. ———— . . . . . G. ʒ. Lodd. bot. cab. t. 42.
- POLIANTHES. L. POLIANTHES. Hexandria Monogynia. L.**  
 1 grácilis. L.en. (wh.) slender. Brazil. 1822. 8. 10. S. ʒ. Bot. reg. t. 63.  
 2 tuberôsa. w. (wh.) common. E. Indies. 1629. ———— S. ʒ.  
*β flore pleno. (wh.) double-flowered. ———— ———— S. ʒ.*
- BLANDFORDIA. B.P. BLANDFORDIA. Hexandria Monogynia. S.S.**  
 1 nobilis. B.P. (sc.ye.) noble. N. S. W. 1803. 7. 8. G. ʒ. Bot. reg. t. 286.  
 2 grandiflora. B.P. (sc.ye.) large-flowered. ———— 1824. ———— G. ʒ. ———— t. 911.  
 3 punicea. (cr.) large-leaved. N. Holland. 1812. ———— G. ʒ. Lab. nov. hol. 1. t. 111.  
*Alêtris punicea. Labillardiere.*
- TRITOMA. B.M. TRITOMA. Hexandria Monogynia. S.S.**  
 1 Uvária. H.K. (or.) great. C. B. S. 1707. 8. 9. H. ʒ. Bot. mag. t. 758.  
 2 Burchéllii. W.H. (or.) Mr. Burchell's. ———— 1816. ———— H. ʒ.  
 3 média. H.K. (sc.or.) lesser. ———— 1789. 12. 6. H. ʒ. Bot. mag. t. 744.  
 4 pùmila. H.K. (sc.or.) least. ———— 1774. 9. 11. F. ʒ. ———— t. 764.
- VELTHEIMIA. B.M. VELTHEIMIA. Hexandria Monogynia. W.**  
 1 viridifolia. w. (sc.or.) green-leaved. C. B. S. 1768. 11. 4. G.b. Bot. mag. t. 501.  
*Alêtris cupensis. B.M.*  
 2 intermédia. (ro.ye.) subglaucous. ———— 1819. ———— G.b.  
 3 glaüca. w. (ro.ye.) glaucous. ———— 1781. 1. 4. G.b. Bot. mag. t. 1091.
- ALETRIS. W. COLIC-ROOT. Hexandria Monogynia. L.**  
 1 farinôsa. w. (wh.) common. N. America. 1768. 6. H. ʒ. Bot. mag. t. 1418.  
 2 aürea. Ph. (wh.) golden-tipped. ———— 1811. 7. 8. H. ʒ. Willd. hort. ber. t. 8.
- SANSEVIERA. W. SANSEVIERA. Hexandria Monogynia. W.**  
 1 glaüca. H.S. (wh.) glaucous. Sierra Leon. . . . . 6. 10. S. ʒ.  
 2 polyphylla. H.S. (wh.) upright-glaucous. ———— . . . . . S. ʒ.  
 3 guineensis. H.S. (wh.) Guinea. Guinea. 1690. 6. 11. S. ʒ. Bot. mag. t. 1180.  
 4 lætevirens. H.S. (wh.) light green. . . . . . . . . . . S. ʒ.  
 5 longiflora. B.M. (wh.) long-flowered. . . . . . . . . . . 7. 8. S. ʒ. Bot. mag. t. 2634.  
 6 spicata. H.S. (wh.) spiked. . . . . . . . . . . S. ʒ. Cavan. ic. 3. t. 246.  
 7 fulvocincta. H.S.S. (wh.) brown-edged. Brazil. 1818. 6. 9. S. ʒ.  
 8 zeylânica. H.S. (wh.) Ceylon. Ceylon. 1731. 6. 11. S. ʒ. Bot. reg. t. 160.  
 9 lanuginosa. w. (wh.) woolly. E. Indies. . . . . S. ʒ. Rheed. mal. 11. t. 42.  
 10 ensifolia. H.S. (wh.) sword-leaved. ———— . . . . . S. ʒ.  
 11 grandicuspis. H.S. (wh.) large-pointed. . . . . . . . . . . S. ʒ.  
 12 pùmila. H.S. (wh.) dwarf. C. B. S. 1796. . . . . S. ʒ.  
 13 stenophylla. L.en. (wh.) slender-leaved. . . . . . . . . . . 1818. 6. 8. S. ʒ.  
 14 cárnea. A.R. (ro.) flesh-coloured. China. 1792. 4. 10. H. ʒ. Andr. reposit. t. 361.
- TULBAGIA. W. TULBAGIA. Hexandria Monogynia. L.**  
 1 alliacea. w. (gr.) Narcissus-leaved. C. B. S. 1774. 5. 7. G. ʒ. Bot. mag. t. 806.  
 2 affinis. L.en. (gr.) linear-leaved. ———— 1820. ———— G. ʒ.  
 3 cepæa. w. (gr.) Onion-scented. ———— 1795. 4. G. ʒ.
- BRODIAEA. L.T. BRODIAEA. Triandria Monogynia. L.T.**  
 1 grandiflora. L.T. (bl.) large-flowered. Georgia. 1806. 6. H.b. Bot. reg. t. 1183.  
*Hodkera coronaria. Sal. par. lond. t. 98.*  
 2 congesta. L.T. (bl.) close-headed. ———— 5. H.b. Linn. trans. v. 10. t. 1.
- PHYLLOMA. B.M. PHYLLOMA. Hexandria Monogynia.**  
 1 aloiflorum. B.M. (ye.) Aloe-like. Bourbon. 1766. 4. 6. D.S. ʒ. Bot. mag. t. 1585.  
*Lomatophyllum borbonicum. w. Dracæna marginata. H.K. dentata. p.s.*  
 2 mácrum. L.en. (ye.) lean. Mauritius. 1817. 6. 7. D.S. ʒ.  
 3 rufocinctum. (ye.) rosy-edged. E. Indies. 1818. . . . . D.S. ʒ.  
*A'loe rufocincta. H.S.S.*
- PACHIDENDRON. H.R. PACHIDENDRON. Hexandria Monogynia. H.R.**  
 1 africanum. H.R. (ye.) African. C. B. S. 1731. 7. D.G. ʒ.  
*α látum. H.R. (ye.) broad-leaved. ———— ———— D.G. ʒ.*  
*β angustum. H.R. (ye.) narrow-leaved. ———— ———— D.G. ʒ. Bot. mag. t. 2517.*  
*A'loe pseudo-africana. L.en. A'loe africana. β, angustior. B.M.*  
 2 princípis. H.R. (ye.) revolving red-spined. ———— . . . . . D.G. ʒ.  
 3 angustifolium. H.R. (ye.) narrow-leaved. ———— 1812. . . . . D.G. ʒ.  
 4 ferox. H.R. (st.re.) great hedgehog. ———— 1759. 4. 5. D.G. ʒ. Bot. mag. t. 1975.  
*A'loe ferox. B.M.*

- 5 pseudo-ferox. H.R. (st.) false hedgehog. C. B. S. 1759. 4. 5. D.G. ½. Comm. prælud. t. 20.  
6 supralæve. H.R. (ye.) upright hedgehog. ——— 1731. .... D.G. ½.
- A'LOE. H.R. ALOE. Hexandria Monogynia. L. 1780. .... D.G. ½.
- 1 dichótoma. H.S. smooth-stemmed. C. B. S. 1780. .... D.G. ½.  
2 purpurascens. H.S. (re.gr.) purple. ——— 1789. 7. 10. D.G. ½. Bot. mag. t. 1474.  
3 soccotrina. H.S. (sc.gr.) soccotrine. ——— 1731. 4. 6. D.G. ½. ——— t. 472.  
4 spicata. H.R. (wh.gr.) white spotted. ——— 1795. .... D.G. ½.  
5 plúridens. H.P. .... many-toothed. ——— 1822. .... D.G. ½.  
6 arborascens. H.S. (sc.) tree. ——— 1731. 11. 3. D.G. ½. Bot. mag. t. 1306.  
7 grácilis. H.P. .... slender-stalked. ——— 1822. .... D.G. ½.  
8 flavispina. H.S. (sc.) yellow-spined. ——— 1790. 8. D.G. ½.  
9 mitrafórmis. H.S. (sc.) mitre. ——— 1732. ——— D.G. ½. Bot. mag. t. 1270.  
10 nóbilis. H.S. (sc.) great mitre. ——— 1800. 7. 8. D.G. ½.  
11 Commelini. H.R. (sc.) Commeline's. ——— 1813. ——— D.G. ½.  
β mitrafórmis. H.R. yellowish-toothed. .... ——— D.G. ½.  
12 dístans. H.S. (sc.gr.) small mitre. ——— 1732. 8. D.G. ½. Bot. mag. 1362.  
γ depréssa. H.R. (sc.gr.) depressed. .... ——— D.G. ½.  
13 xanthacáantha. H.S.S. (sc.) yellow mitre. ——— 1817. ——— D.G. ½.  
14 vulgáris. DC. (ye.or.) yellow-flowered. W. Indies. 1596. 8. D.S. ½. DC. plant. gras. t. 27.  
barbadénsis. H.S.
- 15 chinénsis. H.S.S. (ye.) Chinese. China. 1817. ——— D.G. ½.  
16 c'æsia. H.S.S. .... cæsious tree. C. B. S. 1818. .... D.G. ½.  
β elátior. H.S.S. .... tall. ——— .... D.G. ½.  
17 frutescens. H.S.S. (sc.) lesser tree. .... ——— D.G. ½.  
18 albispina. H.S. (sc.) white-spined. ——— 1796. .... D.G. ½.  
19 glaucá. H.S. (sc.gr.) glaucous red-spined. ——— 1731. 1. 9. D.G. ½.  
α májor. H.S. (sc.gr.) larger. ——— ——— D.G. ½.  
β rhodacáantha. B.M. (sc.gr.) lesser red-spined. ——— ——— D.G. ½. Bot. mag. t. 1278.  
γ spinósior. H.R. (sc.gr.) long-spined. ——— 1820. .... D.G. ½.  
20 lineáta. H.S. (sc.gr.) striped red-spined. ——— 1789. .... D.G. ½.  
α víridis. H.R. (sc.gr.) greenest-leaved. .... ——— D.G. ½.  
β glaucéscens. H.R. (sc.) glaucescent. .... ——— D.G. ½.  
21 dorsális. R.S. (ye.) spiny-keeled. ——— 1826. .... D.G. ½.  
22 depréssa. H.S. (sc.ye.) depressed. ——— 1731. 8. D.G. ½. Bot. mag. t. 1332.  
23 brevifólia. H.S. (sc.gr.) short-leaved. ——— ——— 6. 8. D.G. ½. Bot. reg. t. 996.  
24 prolifera. H.R. (or.y.) proliferous. ——— 1818. ——— D.G. ½.  
25 serra. DC. (re.gr.) saw-leaved. ——— ——— D.G. ½. Jacq. eclóg. t. 61.  
26 striáta. H.S. (re.gr.) streaked. ——— 1795. ——— D.G. ½. Jacq. fragm. t. 68.  
paniculáta. Jacquin.
- 27 striátula. H.P. .... stripe-sheathed. ——— 1820. .... D.G. ½.  
28 ciliáris. H.P. (sc.gr.) fringe-leaved. ——— .... D.G. ½.  
29 ténuior. H.P. (ye.) green-sheathed. ——— 1819. .... D.G. ½.  
30 albocínta. H.S.S. (sc.gr.) pearl edged. ——— 1812. .... D.G. ½.  
31 serruláta. H.S. (pi.) serrulated. ——— 1789. 7. 8. D.G. ½. Bot. mag. t. 1415.  
32 obscúra. H.S. (sc.or.) great soap. ——— 1727. 6. 10. D.G. ½. ——— t. 1323.  
pícta. A. B.M.  
β glaciór. H.R. (sc.or.) glaucous-leaved. ——— 1819. ——— D.G. ½.  
γ mágnidens. H.R. (sc.or.) large-toothed. .... ——— D.G. ½.
- 33 palléscens. H.R. (pi.gr.) pale serrulate. ——— 1820. ——— D.G. ½.  
34 latifólia. H.S. (sc.or.) broad-leaved. ——— 1795. 7. 8. D.G. ½. Bot. mag. t. 1346.  
35 grandidentáta. R.S. (sc.gr.) great-toothed. .... ——— D.G. ½.  
36 saponária. H.S. (sc.or.) common soap. ——— 1727. ——— D.G. ½. Bot. mag. t. 1460.  
β lúteo-striáta. H.R. (sc.) yellow-striped. ——— 1821. ——— D.G. ½.  
37 microcáantha. H.S.S. (re.) small-spined. ——— 1819. ——— D.G. ½. Bot. mag. t. 2272.  
38 vírens. H.S. (sc.) apple green. ——— 1790. 8. 9. D.G. ½. ——— t. 1355.  
39 suberécta. H.S. (sc.ye.) lesser hedgehog. ——— 1789. 3. 6. D.G. ¼.  
β semiguttáta. H.R. (sc.gr.) half-warted. ——— 1819. ——— D.G. ¼.  
40 acumináta. H.S. (sc.ye.) middle hedgehog. ——— 1795. ——— D.G. ¼. Bot. mag. t. 757.  
húmilis. B.M. non H.S.
- 41 echináta. H.R. (sc.gr.) great tubercled. ——— 1821. 3. 6. D.G. ¼.  
42 tuberculáta. H.S. (sc.gr.) tubercled. ——— 1796. ——— D.G. ¼.  
43 aristata. H.P. (sc.gr.) bearded many-leaved. ——— 1819. ——— D.G. ¼.  
44 subtuberculáta. H.P. (se.) rough & smooth. ——— ——— D.G. ¼.  
45 húmilis. H.S. (sc.gr.) dwarf hedgehog. ——— 1731. ——— D.G. ¼. DC. plant. gras. t. 39.  
46 incurva. H.S. (sc.gr.) incurved hedgehog. ——— 1796. ——— D.G. ¼. Bot. mag. t. 828.  
húmilis β incurva. B.M.
- 47 tenuifólia. H.R. (sc.gr.) thin-leaved. ——— 1821. ——— D.G. ¼.  
48 variegáta. H.S. (sc.gr.) partridge-breast. ——— 1720. 3. 12. D.G. ¼. Bot. mag. t. 513.

RHIPIDODE'NDRON. W. RHIPIDODE'NDRON.		Hexandria Monogynia.		
1	<i>plicatîle. H.R. (re.gr.) fan.</i>	Africa.	1723.	6. 7. D.G. ½. Bot. mag. t. 457.
	<i>distichum. w. A'loe plicatilis. B.M.</i>			
	<i>β mājor. H.R. (re.) larger fan.</i>		1820.	— D.G. ½.
2	<i>dichotomum. w. (re.gr.) dichotomous.</i>	C. B. S.	1780.	— D.G. ½. Patt. journ. t. 3. 4. 5.
<b>GASTERIA. H.S. TONGUE-ALOE. Hexandria Monogynia. H.S.</b>				
1	<i>oblîqua. H.S. (ro.w.g.) broad-marbled.</i>	C. B. S.	1759.	6. 8. D.G. ¾. Bot. mag. t. 979.
	<i>maculatâ. H.P. A'loe lingua. a. B.M.</i>			
2	<i>pûlchra. H.S. (ro.gr.) narrow-marbled.</i>		1759.	7. 8. D.G. ¾. Bot. mag. t. 765.
	<i>A'loe maculatâ. B.M.</i>			
3	<i>pîcta. H.P. (ro.gr.) painted.</i>		1824.	— D.G. ¾.
	<i>A'loe Bowieana. R.S.</i>			
4	<i>formôsa. H.P. (sc.gr.) beautiful.</i>		1826.	— D.G. ¾.
5	<i>fasciatâ. H.P. (ro.gr.) marbled.</i>		1820.	— D.G. ¾.
	<i>β lâxa. H.P. (ro.gr.) loose-leaved.</i>			— D.G. ¾.
6	<i>retâtâ. H.P. (ro.gr.) chequered.</i>		1826.	— D.G. ¾.
	<i>A'loe dictyodes. R.S.</i>			
7	<i>nigricans. H.S. (re.gr.) dark-leaved.</i>		1790.	6. 7. D.G. ¾. Bot. mag. t. 838.
8	<i>marmorâtâ. H.P. (re.gr.) marble-leaved.</i>			— D.G. ¾.
9	<i>crassifolia. H.P. (re.gr.) thick-leaved.</i>		1820.	— D.G. ¾.
10	<i>brevifolia. H.S. (re.gr.) short-leaved.</i>		1809.	7. 8. D.G. ¾.
	<i>α lætevirens. H.P. (re.gr.) pale-green.</i>			— D.G. ¾.
	<i>β perviridis. H.P. (re.gr.) darker-green.</i>			— D.G. ¾.
11	<i>obtusifolia. H.R. (re.g.) blunt-leaved.</i>			— D.G. ¾.
12	<i>môllis. H.R. (re.gr.) soft muddy-leaved.</i>		1819.	— D.G. ¾.
13	<i>subnigricans. H.P. (re.g.) dark-leaved.</i>		1820.	— D.G. ¾.
	<i>β glâbrior. H.P. (re.gr.) smoother.</i>			— D.G. ¾.
14	<i>disticha. H.P. (re.gr.) distichous.</i>		1819.	— D.G. ¾. Comm. hort. ams. 2. t. 8.
	<i>α minor. H.P. (re.gr.) lesser.</i>			— D.G. ¾.
	<i>β mājor. H.P. (re.gr.) larger.</i>			— D.G. ¾.
15	<i>subpurcatâ. H.R. (re.g.) dirtied.</i>		1796.	3. 11. D.G. ¾.
16	<i>angulatâ. H.P. (re.gr.) angular.</i>			— D.G. ¾. Bot. mag. t. 1322. f. 3.
17	<i>sulcatâ. H.P. (re.w.g.) furrowed.</i>		1791.	— D.G. ¾. — t. 1322. f. 5.
18	<i>excavatâ. H.P. (re.gr.) excavated.</i>		1824.	— D.G. ¾. — t. 1322. f. 4.
19	<i>angustifolia. H.S. (re.g.) narrow.</i>		1731.	— D.G. ¾. — t. 1322. f. 2.
20	<i>l'avis. H.P. (re.gr.) smooth.</i>		1820.	— D.G. ¾.
21	<i>subverrucôsâ. H.P. (re.g.) large-warted.</i>			— D.G. ¾.
	<i>α grandipunctâtâ. H.R. large-dotted.</i>			— D.G. ¾.
	<i>β parvipunctâtâ. H.B. small-dotted.</i>			— D.G. ¾.
22	<i>verrucôsâ. H.S. (re.g.) pearl.</i>		1731.	3. 11. D.G. ¾. Bot. mag. t. 837.
	<i>β latifolia. H.R. (re.g.) broad-leaved.</i>		1820.	— D.G. ¾.
23	<i>intermediâ. H.S. (re.g.) intermediate.</i>		1790.	— D.G. ¾. Bot. mag. t. 1322. f. 1.
	<i>β asperrima. H.R. (re.g.) rough-leaved.</i>		1820.	— D.G. ¾.
	<i>γ lævior. H.P. (re.gr.) smoother.</i>			— D.G. ¾.
	<i>δ longior. H.P. (re.gr.) longer-leaved.</i>			— D.G. ¾.
24	<i>répens. H.R. (re.gr.) creeping-rooted.</i>			.... D.G. ¾.
25	<i>pârva. H.P. (re.gr.) smallest.</i>		1824.	— D.G. ¾.
26	<i>decipiens. H.P. (re.gr.) deceiving.</i>		1823.	7. 10. D.G. ¾.
27	<i>carinatâ. H.S. (sc.gr.) rough-keeled.</i>		1731.	6. 7. D.G. ¾. Bot. mag. t. 1331.
28	<i>strigâtâ. H.P. (re.gr.) rough strigate.</i>		1824.	7. 10. D.G. ¾.
29	<i>lætîpunctâtâ. H.P. (re.gr.) pale-spotted.</i>		1821.	— D.G. ¾.
30	<i>subcarinatâ. H.S.S. (re.) slightly-keeled.</i>		1820.	6. 7. D.G. ¾.
	<i>β striâtâ. H.R. (re.gr.) striated.</i>			— D.G. ¾.
31	<i>undâtâ. H.P. (re.gr.) waved.</i>		1825.	— D.G. ¾.
32	<i>glâbra. H.S. (re.gr.) smooth-keeled.</i>		1796.	6. 7. D.G. ¾.
	<i>β minor. H.R. (re.gr.) smaller.</i>		1820.	— D.G. ¾.
33	<i>nîtida. B.M. (sc.gr.) shining.</i>			7. 8. D.G. ¾. Bot. mag. t. 2304.
	<i>α parvipunctâtâ. H.R. small dotted.</i>			— D.G. ¾.
	<i>β grandipunctâtâ. H.R. large-dotted.</i>			— D.G. ¾.
34	<i>trigônâ. H.R. (li.gr.) trigonal.</i>			— D.G. ¾.
35	<i>obtusâ. H.P. (re.gr.) smooth obtuse.</i>			— D.G. ¾.
36	<i>acinacifolia. H.R. (ro.g.) long sword-leaved.</i>		1818.	— D.G. ¾. Bot. mag. t. 2369
37	<i>nîtens. H.P. (re.gr.) sparse-spotted.</i>		1819.	— D.G. ¾.
38	<i>venûstâ. H.P. (re.gr.) charming.</i>		1822.	— D.G. ¾.
39	<i>plurîpunctâtâ. H.P. (re.gr.) many-spotted.</i>			— D.G. ¾.
40	<i>ensîfoliâ. H.P. (re.gr.) long sword-leaved.</i>		1820.	.... D.G. ¾.
41	<i>cândicans. H.R. (re.) rough marbled white.</i>		1818.	7. 8. D.G. ¾.
42	<i>lînîta. H.P. (re.) smeared.</i>		1822.	— D.G. ¾.
43	<i>bîcolor. H.P. (re.) half-marbled.</i>			— D.G. ¾.

BOWTEA. H.P.		BowTEA. Hexandria Monogynia.	
1	africana. H.P. (ye.) African.	C. B. S.	1820. 4. 10. D.G. 2.
2	myriacantha. H.P. (ro. gr.) many-spined.	—	— D.G. 2.
HAWORTHIA. H.S.S.		HAWORTHIA. Hexandria Monogynia. H.S.	
1	viscosa. H.S. (wh. re.) clammy.	C. B. S.	1732. 5. 7. D.G. 2. Bot. mag. t. 814.
<i>A'loe viscosa.</i> B.M.			
	<i>a major.</i> (wh. re.) largest.	—	— D.G. 2.
	<i>β minor.</i> (wh. re.) lesser.	—	— D.G. 2.
	<i>γ parvifolia.</i> (wh. re.) smaller-leaved.	—	— D.G. 2.
2	aspera. H.S. (wh. re.) rough-triangular.	—	1795. — D.G. 2.
3	indurata. H.R. (wh. re.) hard branchy.	—	1819. — D.G. 2.
4	subtortuosa. R.S. (wh. re.) twisted triangular.	—	1818. — D.G. 2.
5	torquata. H.P. (wh. re.) long-twisted.	—	1824. — D.G. 2.
6	concinna. H.S.S. (wh. re.) neat triangular.	—	— D.G. 2.
7	cordifolia. H.S.S. (wh. re.) heart-leaved.	—	— D.G. 2.
8	asperiuscula. H.S.S. (w. re.) roughish.	—	1818. — D.G. 2.
9	tortuosa. H.S. (wh. re.) twisted.	—	1794. 5. 9. D.G. 2. Bot. mag. t. 1337.
<i>A'loe rigida.</i> B.M. non DC.			
	<i>β curta.</i> H.R. (wh. re.) short twisted.	—	1817. — D.G. 2.
	<i>γ tortella.</i> H.R. (wh. re.) lesser twisted.	—	— D.G. 2.
10	expansa. H.S. (wh. re.) spreading-leaved.	—	1795. 7. 10. D.G. 2.
11	rigida. H.R. (wh. gr.) great rigid.	—	1824. — D.G. 2. DC. plant. gras. t. 62.
12	hybrida. H.R. (wh. re.) bastard pearl.	—	1821. 5. 9. D.G. 2.
13	scabra. H.R. (wh. re.) rugged.	—	1818. — D.G. 2.
14	sordida. H.R. (wh. re.) sordid.	—	— D.G. 2.
15	recurva. H.R. (wh. re.) recurved.	—	1795. 8. D.G. 2. Bot. mag. t. 1353.
16	nigricans. H.P. (wh. re.) granulated black.	—	1820. 5. 9. D.G. 2.
17	parva. H.P. (wh. re.) dwarf.	—	— D.G. 2.
18	tessellata. H.P. (wh. re.) dark chequered.	—	1822. — D.G. 2.
19	asperula. H.P. (wh. re.) pale rough.	—	— D.G. 2.
20	multifaria. H.P. (wh. re.) many-leaved.	—	— D.G. 2.
21	retusa. H.S. (wh. gr.) smooth cushion.	—	1720. — D.G. 2. Bot. mag. t. 455.
<i>A'loe retusa.</i> B.M.			
22	mutica. H.R. (wh. gr.) blunt cushion.	—	1819. — D.G. 2.
23	mirabilis. H.S.S. (wh. ro.) rough cushion.	—	1795. — D.G. 2. Bot. mag. t. 1354.
24	turgida. H.S.S. (wh. ro.) turgid cushion.	—	1818. — D.G. 2.
25	late-virens. H.S.S. (w. re.) light green.	—	— D.G. 2.
26	papillosa. H.S.S. (w. re.) papillose.	—	— D.G. 2.
	<i>β semipapillosa.</i> H.R. partly warted.	—	.... — D.G. 2.
27	erecta. H.R. (wh. re.) upright pearl.	—	1818. — D.G. 2. DC. plant. gras. t. 57.
<i>margaritifera.</i> DC.			
28	fasciata. H.S.S. (wh. re.) barred pearl.	—	— D.G. 2.
29	subulata. R.S. (wh. re.) awl-pointed.	—	— D.G. 2.
30	claripera. H.P. (wh. re.) bright-pearled.	—	1824. — D.G. 2.
31	granata. H.S.S. (wh. re.) small pearl.	—	1732. — D.G. 2. Dill. elth. t. 16. f. 18.
<i>A'loe margaritifera.</i> <i>γ minima.</i> Dill.			
32	brevis. H.S.S. (wh. ro.) short-leaved.	—	1810. — D.G. 2. Bot. mag. t. 1360.
<i>A'loe margaritifera.</i> <i>γ minima.</i> B.M.			
33	minor. H.S. (pu. gr.) lesser pearl.	—	.... 5. 8. D.G. 2. Bot. mag. t. 815.
34	margaritifera. H.S.S. (wh.) pearl.	—	1725. — D.G. 2. Bradl. succ. 3. t. 21.
35	semiglabrata. H.S.S. (w. gr.) half-smoothed.	—	1810. — D.G. 2.
36	radula. H.S. (ro. wh.) raspy pearl.	—	1805. 6. 9. D.G. 2. Jacq. schen. t. 35.
37	attenuata. H.S. (wh. re.) chalky pearl.	—	1790. 5. 8. D.G. 2. Bot. mag. t. 1345.
<i>A'loe radula.</i> B.M. non Jacq.			
38	Reinwardti. H.R. (wh. re.) chequered-pearl.	—	1821. — D.G. 2.
39	semimargaritifera. (wh.) semi-pearly.	—	1801. — D.G. 2.
	<i>a maxima.</i> H.S.S. (wh. re.) largest.	—	— D.G. 2. Comm. hort. 2. t. 10.
	<i>β major.</i> H.S.S. (wh. re.) large.	—	1817. — D.G. 2.
	<i>γ minor.</i> H.S.S. (wh. re.) smaller.	—	1818. — D.G. 2.
	<i>δ multiperlata.</i> (wh. re.) many pearled.	—	— D.G. 2.
40	coarctata. H.P. (w. re.) upright dull-spotted.	—	1822. — D.G. 2.
41	albicans. H.S. (wh. re.) white-edged.	—	1795. 9. 10. D.G. 2. Bot. mag. t. 1452.
42	ævis. H.R. (wh. re.) narrow-bordered.	—	1820. — D.G. 2. Comm. hort. 2. t. 7.
43	ramifera. H.R. (wh. re.) branching white.	—	— D.G. 2.
44	virescens. H.R. (wh. re.) bordered green.	—	— D.G. 2.
	<i>β minor.</i> H.R. (wh. re.) lesser.	—	— D.G. 2.
45	arachnoides. H.S. (li. gr.) cobweb.	—	1727. 8. 9. D.G. 2. Bot. mag. t. 756.
46	translucens. H.S.S. (bh.) transparent.	—	1795. 5. 8. D.G. 2. — t. 1417.
<i>A'loe arachnoides.</i> <i>β translucens.</i> B.M.			

47	setata. H.S.S. ( <i>wh.re.</i> )	bristle-edged.	C. B. S.	1818.	5. 8.	D.G. 2.	
	$\beta$	<i>nigricans</i> . H.R. ( <i>wh.re.</i> )	blackish.	_____	_____	D.G. 2.	
	$\gamma$	<i>media</i> . H.R. ( <i>wh.re.</i> )	middle.	_____	_____	D.G. 2.	
	$\delta$	<i>major</i> . H.R. ( <i>wh.re.</i> )	larger.	_____	_____	D.G. 2.	
48	pallida. H.R. ( <i>wh.re.</i> )	pale green.	_____	_____	_____	D.G. 2.	
49	atrovirens. H.B. ( <i>wh.bh.</i> )	dark green.	_____	1752.	5.	D.G. 2.	Bot. mag. t. 1361.
	<i>A'loe atrovirens</i> . DC.	<i>arachnoides pumila</i> . B.M.	_____	_____	_____	_____	
50	chlorocantha. H.R. ( <i>w.re.</i> )	green-toothed.	_____	1820.	5. 8.	D.G. 2.	
51	angustifolia. H.P. ( <i>w.re.</i> )	slender-leaved.	_____	_____	6. 7.	D.G. 2.	
52	reticulata. H.S. ( <i>wh.</i> )	netted.	_____	1794.	5. 8.	D.G. 2.	Bot. mag. t. 1314.
	<i>A'loe arachnoides</i> $\gamma$	<i>reticulata</i> . B.M.	_____	_____	_____	_____	
53	cymbiformis. H.S. ( <i>w.pu.</i> )	boat-leaved.	_____	1795.	6. 8.	D.G. 2.	Bot. mag. t. 802.
	<i>concarva</i> . H.R.	_____	_____	_____	_____	_____	
54	altilinea. H.P. ( <i>wh.re.</i> )	ridge-lined.	_____	1821.	_____	D.G. 2.	
55	obtusa. H.P. ( <i>wh.re.</i> )	small blunt-leaved.	_____	_____	_____	D.G. 2.	
56	planifolia. H.P. ( <i>wh.re.</i> )	flat oval-leaved.	_____	_____	_____	D.G. 2.	
57	mucronata. H.R. ( <i>w.pu.</i> )	membrane-pointed.	C. B. S.	1818.	_____	D.G. 2.	
58	limpida. H.R. ( <i>w.pu.</i> )	limpid.	_____	_____	_____	D.G. 2.	
59	aristata. H.R. ( <i>w.pu.</i> )	pin-pointed.	_____	_____	_____	D.G. 2.	
60	cuspidata. H.R. ( <i>w.pu.</i> )	sharp-pointed.	_____	_____	_____	D.G. 2.	
61	denticulata. H.R. ( <i>w.re.</i> )	pale pin-pointed.	_____	_____	_____	D.G. 2.	
A'PICRA. H.S.S. A'PICRA. Hexandria Monogynia. H.S.S.							
1	spiralis. H.S.S. ( <i>wh.g.</i> )	great spiral.	C. B. S.	1790.	8. 9.	D.G. 2.	
2	spirilla. H.S.S. ( <i>wh.g.</i> )	small spiral.	_____	1808.	_____	D.G. 2.	
3	bullulata. H.S.S. ( <i>st.gr.</i> )	blistered.	_____	1818.	_____	D.G. 2.	Jacq. frag. t. 109.
4	pentagona. H.S.S. ( <i>wh.</i> )	five sided.	_____	1731.	6. 8.	D.G. 2.	Bot. mag. t. 1338.
5	quinquangularis. R.S. ( <i>w.st.</i> )	five-angled.	_____	_____	_____	D.G. 2.	
6	rigida. w. ( <i>wh.re.</i> )	gunpowdered.	_____	1818.	_____	D.G. 2.	Jacq. frag. t. 108.
	<i>pseudo-rigida</i> . H.S.S.	_____	_____	_____	_____	_____	
7	aspera. H.S.S. ( <i>wh.st.</i> )	rough triangled.	_____	_____	_____	D.G. 2.	
	$\alpha$	<i>minor</i> . H.S.S. ( <i>wh.st.</i> )	lesser.	_____	_____	D.G. 2.	
	$\beta$	<i>major</i> . H.S.S. ( <i>wh.st.</i> )	larger.	1795.	_____	D.G. 2.	
8	bicarinata. H.S.S. ( <i>w.st.</i> )	double-keeled.	_____	1819.	_____	D.G. 2.	
9	nigra. H.P. ( <i>wh.</i> )	rough black.	_____	1820.	5. 8.	D.G. 2.	
10	imbricata. H.R. ( <i>st.</i> )	rough-flowered.	_____	1731.	6. 7.	D.G. 2.	Bot. mag. t. 1455.
	<i>A'loe spiralis</i> . B.M. non H.S.	_____	_____	_____	_____	_____	
11	foliolosa. H.P. ( <i>wh.</i> )	many small-leaved.	_____	1795.	6. 8.	D.S. 2.	Bot. mag. t. 1352.

## ORDO CCXI.

DIOSCOREÆ. *Brown prodr.* 1. p. 294.

RAJANIA. W. RAJ'ANIA. Diœcia Hexandria. L.							
1	hastata. w. ( <i>gr.</i> )	halberd-leaved.	W. Indies.	1822.	7. 8.	S. 2. ∪.	Plum. amer. 84. t. 98.
2	cordata. w. ( <i>gr.</i> )	heart-leaved.	_____	1786.	_____	S. 2. ∪.	Plum. ic. 155. f. 1.
3	quinquefolia. w. ( <i>gr.</i> )	five-leaved.	_____	1820.	_____	S. 2. ∪.	_____ 155. f. 2.
DIOSCOREA. W. YAM. Diœcia Hexandria. L.							
1	pentaphylla. w. ( <i>gr.</i> )	five-leaved.	E. Indies.	1768.	....	S. 2. ∪.	Rheed. mal. 7. t. 35.
2	triphylla. w. ( <i>gr.</i> )	three-leaved.	_____	1818.	....	S. 2. ∪.	Jacq. ic. t. 627.
3	quinqueloba. w. ( <i>gr.</i> )	five-lobed.	Japan.	1822.	7. 9.	G. 2. ∪.	Kæmpf. ic. t. 15.
4	brasiliensis. w. ( <i>gr.</i> )	Brazilian.	Brazil.	1818.	_____	S. 2. ∪.	_____
5	heterophylla. H.B. ( <i>gr.</i> )	various-leaved.	E. Indies.	_____	....	S. 2. ∪.	_____
6	aculeata. w. ( <i>gr.</i> )	prickly-stemmed.	_____	1803.	7. 9.	S. 2. ∪.	Rheed. mal. 7. t. 37.
7	rubella. H.B. ( <i>re.g.</i> )	reddish.	_____	_____	_____	S. 2. ∪.	_____
8	purpurea. H.B. ( <i>pu.g.</i> )	purple.	_____	1816.	_____	S. 2. ∪.	_____
9	angustifolia. s.s. ( <i>gr.</i> )	narrow-leaved.	Peru.	1821.	_____	S. 2. ∪.	_____
10	nummularia. w. ( <i>gr.</i> )	Money-wort.	E. Indies.	1820.	....	S. 2. ∪.	Rumph. amb. 5. t. 162.
11	alata. w. ( <i>gr.</i> )	wing-stalked.	_____	1739.	....	S. 2. ∪.	Rheed. mal. 7. t. 38.
12	bulbifera. w. ( <i>gr.</i> )	bulb-bearing.	_____	1692.	7. 9.	S. 2. ∪.	Sal. par. lond. t. 17.
13	crispata. H.B. ( <i>gr.</i> )	curl-stalked.	_____	1818.	_____	S. 2. ∪.	_____
14	altissima. s.s. ( <i>gr.</i> )	tallest.	Martinica.	1821.	_____	S. 2. ∪.	Plum. ic. 117. f. 2.
15	coriacea. s.s. ( <i>gr.</i> )	leathery.	S. America.	1818.	_____	S. 2. ∪.	_____
16	anguina. H.B. ( <i>gr.</i> )	snake.	E. Indies.	1803.	_____	S. 2. ∪.	_____
17	pulchella. H.B. ( <i>gr.</i> )	pretty.	_____	1819.	....	S. 2. ∪.	_____

18 atropurpûrea. H.B. ( <i>pu.g.</i> ) dark purple.	C. B. S.	1820.	....	S. 4. √.	
19 globôsa. H.B. ( <i>gr.</i> ) globular.	—————	1818.	....	S. 4. √.	
20 fasciculâta. H.B. ( <i>gr.</i> ) bundled.	—————	1817.	....	S. 4. √.	
21 glâbra. H.B. ( <i>gr.</i> ) smooth.	—————	1803.	7. 9.	S. 4. √.	
22 sativa. w. ( <i>gr.</i> ) common.	W. Indies.	1733.	—	S. 4. √.	Rheed. mal. 8. t. 51.
23 piperifolia. w. ( <i>gr.</i> ) Pepper-leaved.	S. America.	1817.	....	S. 4. √.	Plum. ic. 117. f. 1.
24 nepalensis. ( <i>gr.</i> ) Nepal.	Nepaul.	1816.	7. 8.	H. 4. √.	
25 cinnamomifolia. B.M. ( <i>g.</i> ) Cinnamon-leaf'd.	Brazil.	1826.	11. 12.	S. 4. √.	Bot. mag. t. 2825.
26 quaternata. Ph. ( <i>re.g.</i> ) four-leaved.	N. America.	1811.	7.	H. 4. √.	
27 villôsa. Ph. ( <i>re.g.</i> ) pubescent.	—————	1752.	8.	H. 4. √.	Jacq. ic. 3. t. 626.
28 oppositifolia. L. ( <i>gr.</i> ) opposite-leaf'd.	E. Indies.	1803.	....	S. 4. √.	Petiv. gaz. t. 31. f. 6.
<b>TESTUDIN'ARIA. B.T. TESTUDIN'ARIA. Dicoëcia Hexandria.</b>					
1 Elephântipes. B.R. ( <i>gr.</i> ) Elephant's-foot.	C. B. S.	1774.	7. 8.	G. 4. √.	Bot. reg. t. 92.
<i>Tamus Elephântipes.</i> Bot. mag. t. 1347.					
2 montana. B.T. ( <i>gr.</i> ) glaucous-leaved.	—————	1816.	—	G. 4. √.	

## ORDO CCXII.

TAMEÆ. *Brown prodr.* 294 in obs.

<b>TAMUS. L.</b>	<b>BLACK BRYONY. Dicoëcia Hexandria. L.</b>				
1 communis. w. ( <i>gr.</i> ) common.	England.	....	5. 8.	H. 4. √.	Eng. bot. t. 91.
2 crética. w. ( <i>gr.</i> ) Cretan.	Candia.	1739.	7. 8.	H. 4. √.	

## ORDO CCXIII.

SMILACEÆ. *Brown prodr.* 292.

<b>SMILAX. L.</b>	<b>SM'ILAX. Dicoëcia Hexandria. L.</b>				
1 âpera. s.s. ( <i>w.gr.</i> ) rough bindweed.	S. Europe.	1648.	9.	H. 4. √.	Schk. handb. 3. t. 328.
β auriculâta. ( <i>w.gr.</i> ) ear-leaved.	—————	—————	—	—	Pluk. alm. t. 110. f. 3.
2 nigra. s.s. ( <i>w.gr.</i> ) black.	—————	1817.	—	H. 4. √.	
3 catalônica. s.s. ( <i>w.gr.</i> ) Catalonian.	—————	—————	—	H. 4. √.	
4 mauritânica. s.s. ( <i>w.gr.</i> ) red-berried.	—————	1820.	8. 10.	F. 4. √.	
5 excelsa. s.s. ( <i>w.gr.</i> ) tall.	Syria.	1739.	8. 9.	F. 4. √.	Buxb. cent. 1. t. 32.
6 hôrrida. s.s. ( <i>w.gr.</i> ) straight-spined.	N. America.	1820.	—	H. 4. √.	
7 zeylânica. s.s. ( <i>w.gr.</i> ) Ceylon.	E. Indies.	1778.	—	S. 4. √.	Rumph. amb. 5. t. 161.
8 quadrangulâris. s.s. ( <i>w.g.</i> ) square-stalked.	N. America.	1812.	6. 8.	H. 4. √.	Wats. dend. brit. t. 109.
9 longifolia. s.s. ( <i>w.gr.</i> ) long-leaved.	Cayenne.	1823.	....	S. 4. √.	
10 Watsoni. ( <i>w.gr.</i> ) Watson's.	N. America.	1811.	7. 8.	H. 4. √.	Wats. dend. brit. t. 110.
<i>longifolia. w.d. non Rich.</i>					
11 Sarsaparilla. s.s. ( <i>w.gr.</i> ) medicinal.	—————	1664.	—	H. 4. √.	Wats. dend. brit. t. 111.
12 brasiliensis. s.s. ( <i>w.gr.</i> ) Brazilian.	Brazil.	1820.	—	S. 4. √.	
13 hastata. s.s. ( <i>w.gr.</i> ) halberd-leaved.	Carolina.	1822.	—	F. 4. √.	Pluk. alm. t. 111. f. 3.
14 China. s.s. ( <i>w.gr.</i> ) Chinese.	China.	1759.	....	G. 4. √.	Kæmpf. amoen. t. 782.
15 acuminata. s.s. ( <i>w.gr.</i> ) sharp-pointed.	W. Indies.	1822.	6. 7.	S. 4. √.	Plum. ic. 83.
16 glauca. B.M. ( <i>wh.</i> ) glaucous-leaved.	N. America.	1811.	5. 7.	H. 4. √.	Bot. mag. t. 1846.
17 australis. B.P. ( <i>w.gr.</i> ) oblong-leaved.	N. S. W.	1815.	....	G. 4. √.	
18 rotundifolia. s.s. ( <i>w.g.</i> ) round-leaved.	N. America.	1760.	7. 8.	H. 4. √.	
19 laurifolia. s.s. ( <i>w.gr.</i> ) Laurel-leaved.	—————	1739.	—	H. 4. √.	Catesb. car. 1. t. 15.
20 tannoides. s.s. ( <i>w.gr.</i> ) Tamus-leaved.	—————	—————	6. 7.	H. 4. √.	— 1. t. 52.
21 cadûca. s.s. ( <i>w.gr.</i> ) deciduous.	—————	1759.	—	H. 4. √.	
22 havanensis. s.s. ( <i>w.gr.</i> ) Havannah.	S. America.	1823.	....	S. 4. √.	Jacq. amer. t. 179. f. 102.
23 ovalifolia. D.P. ( <i>w.gr.</i> ) oval-leaved.	Nepaul.	1822.	....	H. 4. √.	
24 Bona-nôx. s.s. ( <i>w.gr.</i> ) fringed.	N. America.	1739.	6. 7.	H. 4. √.	Pluk. alm. t. 111. f. 1.
25 maculata. D.P. ( <i>w.gr.</i> ) spotted.	Nepaul.	1819.	....	H. 4. √.	
26 prolifera. H.B. ( <i>w.gr.</i> ) proliferous.	E. Indies.	—————	....	S. 4. √.	
27 glâbra. H.B. ( <i>w.gr.</i> ) smooth.	—————	1820.	....	S. 4. √.	
28 Alpini. s.s. ( <i>w.gr.</i> ) Grecian.	Greece.	—————	6. 8.	F. 4. √.	
29 latifolia. B.P. ( <i>w.gr.</i> ) broad-leaved.	N. Holland.	1791.	....	F. 4. √.	
30 lanceolata. Ph. ( <i>w.gr.</i> ) spear-leaved.	N. America.	1785.	5. 6.	H. 4. √.	Catesb. car. 2. t. 84.

31 herbæcea. s.s. (gr.) herbaceous.	N. America.	1669.	7.	H. 2.	Bot. mag. t. 1920.
32 peduncularis. s.s. (gr.) long-peduncled.	_____	1812.	5. 7.	H. 2.	_____
33 globifer. s.s. (w.gr.) Surinam.	Surinam.	1819.	....	S. 2.	_____
34 macrophylla. s.s. (w.g.) large-leaved.	W. Indies.	1822.	....	S. 2.	_____
35 Pseudo-china. s.s. (w.g.) Bastard China.	S. America.	1739.	5. 6.	S. 2.	Sloan. jam. 1. t. 143. f. 1.
36 glycyphylla. B.P. (w.g.) Botany-bay Tea.	N. S. W.	1815.	_____	S. 2.	_____
37 canariensis. s.s. (w.gr.) Canary.	Canaries.	1816.	_____	F. 2.	_____
38 pùbera. s.s. (w.gr.) downy.	N. America.	1806.	_____	H. 2.	_____
39 rubens. w.D. (pi.) pink-flowered.	_____	1811.	7. 8.	H. 2.	Wats. dend. brit. t. 108.
<b>RIPOG'ONUM. B.P.</b> <b>RIPOG'ONUM.</b> Hexandria Monogynia.					
albùm. B.P. (wh.) white-flowered.	N. S. W.	1820.	4. 6.	G. 2.	_____
<b>RUSCUS. L.</b> <b>BUTCHER'S-BROOM.</b> Diccia Monadelphia. L.					
1 aculeatus. w. (w.gr.) prickly.	England.	....	12. 6.	H. 2.	Eng. bot. v. 8. t. 560.
2 láxus. L.T. (w.gr.) loose.	Europe.	....	1. 6.	H. 2.	_____
3 Hypophyllum. w. (g.y.) thick-leaved.	Italy.	1640.	5. 6.	H. 2.	Bot. mag. t. 2049.
β latifolius. w. (g.y.) broad-leaved.	S. Europe.	_____	_____	H. 2.	Dill. elt. t. 251. f. 303.
4 Hypoglossum. w. (g.y.) double-leaved.	Italy.	1596.	4. 5.	H. 2.	Schk. handb. 3. t. 340.
5 andrógynus. w. (g.y.) climbing.	Canaries.	1713.	_____	G. 2.	Bot. mag. t. 1898.
6 reticulatus. w. (g.y.) netted-leaved.	C. B. S.	1816.	_____	G. 2.	_____
7 volùbilis. w. (g.y.) many-nerved.	_____	_____	_____	G. 2.	_____
8 racemòsus. w. (g.wh.) Alexandrian Laurel.	Portugal.	1713.	6.	H. 2.	Wats. dend. brit. t. 145.
<b>POLYGONATUM. D. SOLOMON'S-SEAL.</b> Hexandria Monogynia.					
1 verticillatum. R.L. (w.g.) whorl-leaved.	Scotland.	....	6. 7.	H. 2.	Redout. liliac. t. 244.
<i>Convallaria verticillata.</i> Eng. bot. v. 2. t. 128.					
2 bracteatum. Th. (wh.g.) bracted.	Switzerland.	1827.	_____	H. 2.	_____
3 leptophyllum. D.P. slender-leaved.	Nepaul.	1816.	6. 7.	H. 2.	_____
4 oppositifolium. D.P. opposite-leaved.	_____	_____	_____	H. 2.	Lodd. bot. cab. t. 640.
<i>Convallaria oppositifolia.</i> B.C.					
5 vulgàre. R.L. (w.gr.) common.	England.	....	5. 6.	H. 2.	Redout. liliac. t. 258.
<i>Convallaria Polygonatum.</i> Eng. bot. v. 4. t. 280.					
6 pubescens. Ph. (w.g.) pubescent.	N. America.	1812.	_____	H. 2.	Willd. hort. ber. t. 45.
7 canaliculatum. Ph. (w.g.) channel-leaved.	_____	_____	6.	H. 2.	_____
8 angustifolium. Ph. (st.g.) narrow-leaved.	_____	1824.	5. 6.	H. 2.	_____
9 multiflorum. R.L. (w.g.) many-flowered.	Britain.	....	_____	H. 2.	Eng. bot. v. 4. t. 279.
10 latifolium. R.L. (st.) broad-leaved.	Europe.	1802.	_____	H. 2.	Redout. liliac. t. 243.
11 macrophyllum. (w.g.) large-leaved.	N. America.	1823.	_____	H. 2.	_____
<i>latifolium.</i> Ph. <i>nec aliorum.</i>					
12 polyanthemum. M.B. (w.) many-flowered.	Caucasus.	_____	_____	H. 2.	_____
<b>SMILACINA. Df.</b> <b>SMILACINA.</b> Hexandria Monogynia. Ph.					
1 racemosa. Df. (wh.) cluster-flowered.	N. America.	1640.	5. 6.	H. 2.	Redout. liliac. t. 230.
<i>Convallaria racemosa.</i> Bot. mag. t. 899.					
2 stellata. Df. (wh.) star-flowered.	_____	1633.	_____	H. 2.	Bot. mag. t. 185.
3 trifolia. Df. (wh.) three-leaved.	_____	1812.	6. 7.	H. 2.	Gmel. sib. 1. t. 6.
4 canadensis. Ph. (wh.) Canadian.	_____	_____	_____	H. 2.	Redout. lil. t. 216. f. 1.
5 bifolia. Df. (wh.) least.	N. Europe.	1596.	5. 6.	H. 2.	Bot. mag. t. 510.
<i>Convallaria bifolia.</i> B.M. <i>Majanthemum bifolium.</i> Redout. liliac. t. 216. f. 2.					
6 borealis. B.M. (g.ye.) oval-leaved.	N. America.	1778.	5. 6.	H. 2.	Bot. mag. t. 1403.
7 umbellata. Df. (wh.) umbel-flowered.	_____	_____	_____	H. 2.	_____ t. 1155.
<b>OPHIOPOGON. B.M. SNAKE'S-BEARD.</b> Hexandria Monogynia. B.M.					
1 japonicus. B.M. (wh.) Japan.	Japan.	1784.	6.	F. 2.	Bot. mag. t. 1063.
2 spicatus. B.R. (bl.) spiked.	China.	1821.	8. 10.	F. 2.	Bot. reg. t. 593.
3 intermedius. D.P. (wh.) intermediate.	Nepaul.	1824.	_____	F. 2.	_____
<b>CONVALLARIA. D. LILY OF THE VALLEY.</b> Hexandria Monogynia. L.					
majalis. E.B. (wh.) common.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 15. t. 1035.
a álba. (wh.) white-flowered.	_____	....	_____	H. 2.	_____
β rósea. (ro.) rose-coloured.	_____	....	_____	H. 2.	_____
γ plèna. (wh.) double-flowered.	_____	....	_____	H. 2.	_____
<b>STREPTOPUS. M. STREPTOPUS.</b> Hexandria Monogynia. Ph.					
1 amplexifolius. R.L. (g.y.) heart-leaved.	Europe.	1752.	5.	H. 2.	W. et K. hung. t. 167.
2 distortus. M. (g.y.) distorted.	N. America.	_____	_____	H. 2.	_____
3 róseus. M. (ro.) rose-coloured.	_____	1806.	6. 7.	H. 2.	Bot. mag. t. 1489.
<i>Uvularia rósea.</i> B.M.					
4 lanuginosus. M. (g.y.) woolly.	_____	1812.	_____	H. 2.	Bot. mag. t. 1490.
5 simplex. D.P. (br.gr.) simple-stalked.	Nepaul.	1822.	_____	H. 2.	_____
<b>MEDÉOLA. S.S. INDIAN CUCUMBER.</b> Hexandria Trigynia. L.					
virginica. s.s. (gr.) Virginian.	Virginia.	1759.	6.	H. 2.	Bot. mag. t. 1316.
<i>Gyrdmia virginica.</i> N.					
<b>TRIILLIUM. L. TRIILLIUM.</b> Hexandria Trigynia. L.					
1 séssile. s.s. (da.pu.) sessile-flowered.	N. America.	1759.	4. 5.	H. 2.	Bot. mag. t. 40.

2	petiolatum. s.s. ( <i>d.pu.</i> )	Plantain-leaved. N.America.	1811.	4. 5.	H. 2.	
3	erythrocarpum. m. ( <i>w.re.</i> )	Painted-flowered. — — —	— — —	5. 6.	H. 2.	Swt. br. fl. gar. t. 212.
	<i>picturnum.</i> Ph.					
4	undulatum. s.s. ( <i>wh.</i> )	wave-flowered. — — —	— — —	— — —	H. 2.	
5	pusillum. s.s. ( <i>pu.</i> )	dwarf. Carolina.	1812.	— — —	F. 2.	
6	ovatum. s.s. ( <i>pa.pu.</i> )	purple-flowered. N. America.	— — —	— — —	F. 2.	
7	cernuum. s.s. ( <i>wh.</i> )	drooping-flowered. — — —	1758.	4. 5.	H. 2.	Bot. mag. t. 954.
8	erectum. w. ( <i>d.pu.</i> )	stinking. — — —	1759.	— — —	H. 2.	— — — t. 470.
9	pendulum. s.s. ( <i>wh.</i> )	white-flowered. — — —	1805.	— — —	H. 2.	W. hort. ber. 1. t. 35.
	<i>erectum.</i> β. Bot. mag.	t. 1027.				
10	obovatum. s.s. ( <i>d.ro.</i> )	obovate-petaled. — — —	1824.	— — —	H. 2.	
11	grandiflorum. s.s. ( <i>wh.</i> )	large-flowered. — — —	1799.	4. 6.	H. 2.	Sal. par. lond. t. 1.
	<i>erythrocarpum.</i> B.M. non M.					
12	stylolum. N. ( <i>ro.</i> )	long-styled. Carolina.	1823.	— — —	F. 2.	
	P'ARIS. L.	HERB-PARIS. Octandria Tetragynia. L.				
1	quadrifolia. E.B. ( <i>gr.</i> )	True-love or 1-berry. England. . . .	5. 6.	H. 2.		Eng. bot. v. 1. t. 7.
2	verticillata. M.B. ( <i>gr.</i> )	whorl-leaved. Siberia.	1825.	— — —	H. 2.	
3	polyphylla. D.P. ( <i>gr.</i> )	many-leaved. Nepal.	1816.	— — —	H. 2.	

## ORDO CCXIV.

ASPHODELEÆ. *Brown prodr.* 1. p. 274.

ASPHODELUS. L.	ASPHODEL.	Hexandria Monogynia. L.				
1	clavatus. H.B. ( <i>wh.</i> )	club-seeded. E. Indies.	1808.	7. 10.	S. ⊙.	
2	fistulosus. s.s. ( <i>wh.</i> )	Onion-leaved. S. Europe.	1596.	6. 9.	H. 2.	Bot. mag. t. 984.
3	intermedius. L.en. ( <i>wh.</i> )	intermediate. Canaries.	1824.	— — —	F. 2.	
4	albus. s.s. ( <i>wh.</i> )	upright. S. Europe.	. . . .	5. 7.	H. 2.	Blackw. t. 238.
5	æstivus. s.s. ( <i>wh.</i> )	summer. Portugal.	1819.	— — —	H. 2.	
6	asiaticus. R.S. ( <i>wh.</i> )	Asiatic. Levant.	. . . .	— — —	H. 2.	
7	ramosus. s.s. ( <i>wh.</i> )	branched. S. Europe.	1551.	— — —	H. 2.	Bot. mag. t. 799.
8	prolifer. M.B. ( <i>wh.</i> )	proliferous. Armenia.	1824.	6. 10.	H. ⊙.	Hoff.com.m.1.p.1.t.43.
9	tenuor. s.s. ( <i>ye.gr.</i> )	slender-leaved. Caucasus.	1823.	7.	H. 2.	Bot. mag. t. 2626.
10	creticus. s.s. ( <i>ye.gr.</i> )	Cretan. Candia.	1821.	6. 7.	H. 2.	Lodd. bot. cab. t. 915.
11	liburnicus. R.S. ( <i>ye.gr.</i> )	oriental. Levant.	— — —	— — —	H. 2.	Jacq. f. eclog. t. 77.
12	tauricus. s.s. ( <i>ye.gr.</i> )	Taurian. Tauria.	1812.	5. 7.	H. 2.	Redout. lilic. t. 470.
13	capillaris. R.S. ( <i>ye.gr.</i> )	awl-leaved. — — —	— — —	— — —	H. 2.	— — — t. 380.
14	luteus. s.s. ( <i>ye.</i> )	common yellow. Sicily.	1596.	5. 6.	H. 2.	Bot. mag. t. 773.
EREMURUS. S.S.	EREMURUS.	Hexandria Monogynia. S.S.				
	spectabilis. s.s. ( <i>ye.</i> )	channel-leaved. Caucasus.	1800.	5. 6.	H. 2.	Swt. br. fl. gar. t. 188.
	<i>Asphodelus altæicus.</i> w.					
CZA'CKIA. S.S.	ST. BRUNO'S LILY.	Hexandria Monogynia. S.S.				
	Liliâstrum. s.s. ( <i>wh.</i> )	Savoy Spiderwort. Switzerland.	1629.	5. 6.	H. 2.	Bot. mag. t. 318.
	<i>Anthëricum Liliâstrum.</i> B.M. <i>Hemerocallis Liliâstrum.</i> W.en.					
PHALA'NGIUM. J.	PHALA'NGIUM.	Hexandria Monogynia.				
1	Liliâgo. B.M. ( <i>wh.</i> )	grass-leaved. S. Europe.	1596.	5. 6.	H. 2.	Redout. lil. t. 269.
	<i>α major.</i> B.M. ( <i>wh.</i> )	larger. — — —	— — —	— — —	H. 2.	Bot. mag. t. 1635.
	<i>β minor.</i> B.M. ( <i>wh.</i> )	lesser. — — —	— — —	— — —	H. 2.	— — — t. 914.
2	ramosum. B.M. ( <i>wh.</i> )	branching. — — —	1570.	— — —	H. 2.	— — — t. 1055.
	<i>Anthëricum ramosum.</i> w.					
3	græcum. Lam. ( <i>wh.</i> )	Grecian. Greece.	1828.	— — —	F. 2.	Flor. græc. t. 336.
4	nepalense. B.R. ( <i>wh.</i> )	Nepaul. Nepaul.	1822.	6. 10.	F. 2.	Bot. reg. t. 998.
5	glaucun. P.S. ( <i>wh.</i> )	glaucous. S. America.	1816.	— — —	G. 2.	
6	pomeridiânum. ( <i>wh.</i> )	afternoon-flower'd. — — —	1818.	— — —	G. 2.	Bot. reg. t. 564.
	<i>Anthëricum pomeridiânum.</i> B.R. <i>Scilla pomeridiâna.</i> DC.					
ANTHERICUM.	ANTHERICUM.	Hexandria Monogynia. L.				
1	hirsutum. R.S. ( <i>wh.</i> )	hairy-leaved. — — —	1822.	6. 10.	G. 2.	
2	blepharophoron. R.S. ( <i>w.pu.</i> )	fringed. — — —	— — —	— — —	G. 2.	
3	bipedunculatum. ( <i>wh.</i> )	two-flowered. — — —	1825.	4. 5.	G. 2.	Jacq. ic. 2. t. 410.
4	triflorum. w. ( <i>wh.</i> )	three-flowered. — — —	1782.	8. 10.	G. 2.	
5	undulatum. w. ( <i>wh.</i> )	wave-leaved. — — —	1825.	4. 6.	G. 2.	
6	pilosum. w. ( <i>wh.</i> )	pilose. — — —	— — —	— — —	G. 2.	Jacq. ic. 2. t. 416.
7	longifolium. w. ( <i>wh.</i> )	long-leaved. — — —	— — —	— — —	G. 2.	— — — 2. t. 413.
8	graminifolium. w. ( <i>wh.</i> )	grass-leaved. — — —	1794.	6. 7.	G. 2.	— — — 2. t. 411.
9	vespertinum. w. ( <i>w.re.</i> )	afternoon-flower'd. — — —	1803.	5. 9.	G. 2.	Bot. mag. t. 1040.

10	Jacquiniànum. r.s.(w.)	Jacquin's.	C. B. S.	1795.	5. 9.	G. 2.	Jacq. ic. 2. t. 412.
11	divaricatùm. r.s.(wh.)	divaricate.	_____	_____	_____	G. 2.	Jacq. schœn. 4. t. 414.
12	revolútum. w.	(wh.) curled-flowered.	_____	1731.	9. 12.	G. 2.	Bot. mag. t. 1044.
13	floribúndum. w.	(st.) thick-spiked.	_____	1774.	3. 4.	G. 2.	
14	squáméum. w.	(wh.) scaly.	_____	1820.	_____	G. 2.	
15	filifórme. w.	(wh.gr.) thread-leaved.	_____	1774.	4.	G. 2.	
16	elongátum. r.s.(wh.g.)	long-racemed.	_____	1822.	_____	G. 2.	
17	flexifólium. w.	(wh.) flexuose-leaved.	_____	1795.	5. 6.	G. 2.	
<b>BULB'INE. L. BULB'INE. Hexandria Monogynia. L.</b>							
1	hispida. L.	(bh.gr.) hairy-leaved.	C. B. S.	1774.	5. 6.	D.G. 2.	Jacq. ic. 2. t. 409.
2	canalicátum. s.s.(wh.)	channel-leaved.	_____	_____	4. 5.	D.G. 2.	Bot. mag. t. 1124.
3	semibarbàta. s.s.(ye.)	half bearded.	N. S. W.	1820.	4. 8.	D.G. 2.	Lodd. bot. cab. t. 320.
	<i>Anthéricum semibarbatum. B.P.</i>						
4	austràlis. s.s.	(ye.) bulbous.	_____	1819.	_____	D.G.b.	
	<i>Anthéricum bulbosum. B.P.</i>						
5	ánnuà. s.s.	(ye.) annual.	C. B. S.	1731.	5. 6.	H. ⊙.	Bot. mag. t. 1451.
	<i>Anthéricum ánuuum. B.M.</i>						
6	incúrva. r.s.	(ye.) incurved-leaved.	_____	1822.	_____	D.G. 2.	
7	longiscápa. s.s.	(ye.) glaucous-leaved.	_____	1759.	4. 8.	D.G.b.	Bot. mag. t. 1339.
8	fávosa. r.s.	(ye.) conical-rooted.	_____	1824.	_____	D.G. 2.	
9	asphodeloídes. s.s.(ye.)	upright-leaved.	_____	1759.	6. 8.	D.G. ♂.	Jacq. vind. t. 181.
10	rostràta. s.s.	(ye.) glaucous shrubby.	_____	1812.	3. 8.	D.G. ♀.	Jacq. ic. 2. t. 403.
11	frutésceus. w.	(ye.) shrubby.	_____	1702.	_____	D.G. ♀.	Bot. mag. t. 816.
12	pugionifórmis. s.s.(ye.)	dagger-leaved.	_____	1793.	4. 6.	D.G.b.	_____ t. 1454.
13	bisulcàta. H.P.	(ye.) two-channelled.	_____	1825.	_____	D.G.b.	
14	triquètra. s.s.	(wh.) triquetrous.	_____	_____	_____	D.G. 2.	
15	scábra. s.s.	(wh.) rough.	_____	_____	_____	D.G. 2.	
16	dùbia. r.s.	(wh.) doubtful.	_____	1822.	_____	D.G. 2.	
17	ciliàta. s.s.	(wh.re.) fringed.	_____	_____	_____	D.G. 2.	
18	caùda-félis. r.s.	(wh.) Cats-tail.	_____	1825.	_____	D.G. 2.	
19	planifólia. r.s.(ro.w.)	two-coloured.	S. Europe.	1824.	_____	H. 2.	Desf. atl. 1. t. 90.
	<i>Phalángium bicolor. Redout. liliac. t. 215.</i>						
20	mesembryanthoídes. H.P.(ye.)	Figwort-like.	C. B. S.	1824.	_____	D.G. 2.	
21	crispá. r.s.	(ye.) curled-leaved.	_____	1825.	_____	D.G. 2.	
22	præmórsa. s.s.	(ye.) bitten-rooted.	_____	1816.	_____	D.G.b.	Jacq. ic. 2. t. 406.
23	gramínea. H.R.	(ye.) Grass-leaved.	_____	1819.	6. 8.	D.G.b.	
24	alooídes. r.s.	(ye.) Aloe-leaved.	_____	1732.	4. 8.	D.G.b.	Bot. mag. t. 1317.
	<i>Anthéricum aloides. B.M.</i>						
25	nùtans. s.s.	(st.gr.) nodding.	_____	1812.	_____	D.G. 2.	Jacq. ic. 2. t. 407.
26	latifólia. s.s.	(ye.gr.) broad-leaved.	_____	_____	_____	D.G. 2.	_____ 2. t. 408.
<b>ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.</b>							
1	cirrhatùm. B.R.	(wh.) large-flowered.	N. Zealand.	1819.	5. 8.	F. 2.	Bot. reg. t. 709.
2	paniculátum. B.P.(w.pu.)	panicked.	N. S. W.	1800.	6. 9.	F. 2.	Bot. mag. t. 1421.
	<i>minùs. Bot. reg. 866. non B.P. Anthéricum milleflòrum. Redout. liliac. t. 58.</i>						
3	minùs. B.P.	(wh.pu.) simple-racemed.	_____	1819.	_____	F. 2.	
4	péndulum. s.s.	(vi.) pendulous-flow'rd.	N. Holland.	1817.	_____	F. 2.	
	<i>Anthéricum péndulum. W.en.</i>						
5	strictum. B.P.(wh.pu.)	upright.	V. Diem. Isl.	1826.	_____	G. 2.	
6	fimbriátum. B.P.(wh.)	fringe-flowered.	N. S. W.	1825.	_____	F. 2.	
<b>STYPA'NDRA. B.P. STYPA'NDRA. Hexandria Monogynia.</b>							
1	glauca. B.P.	(bl.) glaucous.	N. S. W.	1819.	4. 6.	F. 2.	
2	cæspitòsa. B.P.	(bl.) turfey.	_____	1824.	_____	F. 2.	
3	umbellàta. B.P.	(bl.) umbel-flowered.	_____	1820.	_____	F. 2.	
<b>CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.</b>							
	vittàta. B.P.	(wh.) nodding-flowered.	N.S.W.	1816.	7. 8.	F. 2.	
<b>TRICO'RYNE. B.P. TRICO'RYNE. Hexandria Monogynia. S.S.</b>							
1	simplex. B.P.	(ye.) simple-stalked.	N. S. W.	1819.	7. 9.	H. ⊙.	
2	elàtior. B.P.	(ye.) tall.	_____	1825.	_____	G. 2.	
<b>CHLORO'PHYTUM. B.P. CHLORO'PHYTUM. Hexandria Monogynia. S.S.</b>							
1	inornátum. B.M.	(gr.) green-flowered.	Sierra Leone.	....	6. 8.	S. 2.	Bot. mag. t. 1071.
2	orchidàstrum. B.R.	(wh.) Orchis-like.	_____	1822.	1. 12.	S. 2.	Bot. reg. t. 813.
3	elátum. B.P.	(wh.) tall.	C. B. S.	1751.	8. 9.	G. 2.	Redout. lil. t. 191.
	<i>Anthéricum elatum. H.K. Phalángium elatum. R.L.</i>						
<b>PUSCHK'INIA. M.B. PUSCHK'INIA. Hexandria Monogynia. M.B.</b>							
	scilloídes. M.B.	(w.bl.) Squill-like.	Iberia.	1819.	5. 6.	H.b.	Bot. mag. t. 2244.
	<i>Adámia scilloídes. Lindl. coll. bot. t. 24.</i>						
<b>ALBU'CA. Ker. ALBU'CA. Hexandria Monogynia. L.</b>							
1	altíssima. w.	(wh.gr.) tall.	C. B. S.	1780.	4. 5.	F.b.	Jacq. ic. 1. t. 63.
2	cornùta. R.L.	(wh.gr.) three-horned.	_____	1812.	_____	F.b.	Redout. liliac. t. 70.
3	màjor. w.	(ye.gr.uch.) great.	_____	1759.	_____	F.b.	Bot. mag. t. 804.

4	minor. w.	( <i>ye.gr.</i> ) small.	C. B. S.	1768.	5. 6.	F.b.	Bot. mag. t. 720.
5	flaccida. w.	( <i>ye.gr.</i> ) flaccid.	_____	1791.	_____	F.b.	Jacq. ic. 2. t. 444.
6	viridiflora. w.	( <i>ye.gr.</i> ) green-flowered.	_____	1794.	6. 7.	F.b.	Bot. mag. t. 1656.
7	coarctata. w.	( <i>ye.</i> ) channel-leaved.	_____	1774.	5. 6.	F.b.	_____
8	fastigiata. w.	( <i>wh.</i> ) level-topped.	_____	_____	_____	F.b.	Andr. reposit. t. 450.
9	caudata. w.	( <i>wh.gr.</i> ) upright-flowered.	_____	1791.	5. 7.	F.b.	Jacq. ic. 2. t. 442.
10	setosa. w.	( <i>gr.ye.</i> ) bristly-rooted.	_____	1795.	_____	F.b.	Bot. mag. t. 1481.
11	aurea. w.	( <i>ye.gr.</i> ) golden-flowered.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 441.
12	abyssinica. w.	( <i>w.y.g.</i> ) African.	_____	_____	_____	F.b.	Redout. liliac. t. 195.
13	fragrans. w.	( <i>ye.gr.</i> ) sweet-scented.	_____	1791.	6. 7.	F.b.	Jacq. schœn. 1. t. 81.
14	viscosa. w.	( <i>w.y.g.</i> ) clammy-leaved.	_____	1779.	5. 6.	F.b.	Jacq. ic. 2. t. 445.
15	spiralis. w.	( <i>st.gr.</i> ) spiral-leaved.	_____	1795.	6.	F.b.	_____ 2. t. 439.
16	vittata. B.M.	( <i>ye.gr.</i> ) ribbon.	_____	1802.	7. 8.	F.b.	Bot. mag. t. 1329.
17	parviflora. R.S.	( <i>ye.gr.</i> ) small-flowered.	_____	1812.	_____	F.b.	_____
18	physodes. B.M.	( <i>w.pu.</i> ) dingy-flowered.	_____	1804.	6. 7.	F.b.	Bot. mag. t. 1046.
19	nematodes.	( <i>w.pu.</i> ) slender-leaved.	_____	1812.	_____	F.b.	_____
	<i>Anthëricum nematodes. R.S.</i>						
20	exuviata. B.M.	( <i>w.pu.</i> ) Adder skin.	_____	1795.	5. 7.	F.b.	Bot. mag. t. 871.
	<i>Anthëricum exuviatum. Jacq. ic. 2. t. 415.</i>						
21	anthericoïdes.	( <i>ye.gr.</i> ) Anthericum-like.	_____	1788.	8.	F.b.	_____
	<i>Anthëricum alboïdes. w.</i>						
22	filifolia. Ker.	( <i>wh.gr.</i> ) filiform-leaved.	_____	1825.	7. 8.	F.b.	Jacq. ic. 2. t. 414.
23	fugax. B.R.	( <i>wh.pu.</i> ) fugacious.	_____	1795.	4. 6.	F.b.	Bot. reg. t. 311.
	<i>Anthëricum fragrans. Jacq. schœn. 1. t. 86.</i>						
ORNITHO'GALUM. L. STAR OF BETHLEHEM.				Hexandria Monogynia. L.			
1?	uniflorum. w.	( <i>ye.</i> ) one-flowered.	Siberia.	1781.	5. 6.	H.b.	Nov.act.pet.18.t.6.f.3.
2	ixioides. H.K.	( <i>wh.</i> ) Ixia-like.	California.	1796.	_____	H.b.	_____
3	montanum. T.N.	( <i>w.g.</i> ) mountain.	Naples.	1825.	_____	H.b.	Swt. br. fl. gar. s.2. t. 42.
4	collinum. R.S.	( <i>wh.gr.</i> ) hill.	Sicily.	1829.	_____	H.b.	_____
5	umbellatum. E.B.	( <i>w.g.</i> ) common.	England.	....	4. 6.	H.b.	Eng. bot. v. 2. t. 130.
6	refractum. W.en.	( <i>w.g.</i> ) reflexed.	S. Europe.	1825.	_____	H.b.	Swt. br. fl. gar. s.2. t.58.
7	tenuifolium. R.S.	( <i>w.g.</i> ) slender-leaved.	Sicily.	1830.	_____	H.b.	_____
8	excipium. T.N.	( <i>w.g.</i> ) short-stalked.	Naples.	1823.	_____	H.b.	Ten. fl. nap. v. 1. t. 34.
9	fimbriatum. M.B.	( <i>w.g.</i> ) fringed.	Tauria.	1820.	2. 3.	H.b.	Swt. br. fl. gar. s. 2.
10	comosum. w.	( <i>wh.gr.</i> ) short-spiked.	Austria.	1596.	6. 8.	H.b.	Jacq. ic. 2. t. 426.
11	conicum. w.	( <i>wh.</i> ) conical.	C. B. S.	1818.	_____	F.b.	_____ 2. t. 428.
12	niveum. w.	( <i>wh.</i> ) snowy.	_____	1774.	_____	F.b.	Bot. reg. t. 235.
13	ovatum. w.	( <i>wh.gr.</i> ) oval-leaved.	_____	1816.	4. 8.	F.b.	_____
14	notatum. R.S.	( <i>ye.br.</i> ) brown-marked.	_____	1825.	6. 8.	F.b.	Jacq. coll. 2. t. 18. f. 13.
	<i>maculatum. Jacq. non Thunb.</i>						
15	ciliatum. w.	( <i>wh.</i> ) ciliated.	_____	1818.	4. 6.	F.b.	_____
16	crenulatum. w.	( <i>st.</i> ) crenulate.	_____	1825.	6. 8.	F.b.	_____
17	maculatum. R.S.	( <i>sn.br.</i> ) spotted-flowered.	_____	_____	_____	F.b.	_____
18	secundum. R.S.	( <i>st.br.</i> ) one-ranked.	_____	1816.	_____	F.b.	Jacq. ic. 2. t. 433.
19	graminifolium. R.S.	( <i>w.g.</i> ) grass-leaved.	_____	_____	_____	F.b.	_____
20	tenellum. w.	( <i>st.gr.</i> ) slender.	_____	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.
21	pilosum. w.	( <i>wh.</i> ) hairy-leaved.	_____	_____	_____	F.b.	_____
22	revolutum. w.	( <i>wh.gr.</i> ) revolute-flowered.	_____	1795.	4. 8.	F.b.	Bot. reg. t. 315.
23	corymbosum. B.R.	( <i>wh.</i> ) corymbose.	Peru.	1822.	_____	H.b.	_____ t. 906.
24	Rudolphi. R.S.	( <i>wh.</i> ) Rudolph's.	C. B. S.	1812.	_____	F.b.	Jacq. eel. t. 20.
	<i>tenuifolium. Redout. liliac. t. 312. non Guss.</i>						
25	prasinum. B.R.	( <i>gr.</i> ) green-flowered.	_____	1816.	6. 7.	F.b.	Bot. reg. t. 158.
26	virens. B.R.	( <i>gr.</i> ) greenish.	_____	1823.	_____	F.b.	_____ t. 814.
27	suaveolens. w.	( <i>gr.ye.</i> ) fragrant.	_____	1816.	_____	F.b.	Jacq. ic. 2. t. 431.
28	barbatum. w.	( <i>ye.gr.</i> ) bearded.	_____	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
29	polyphyllum. w.	( <i>g.y.</i> ) many-leaved.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 430.
30	rupestre. w.	( <i>wh.gr.</i> ) rock.	_____	1795.	5. 8.	F.b.	_____
31	juncifolium. w.	( <i>w.pu.</i> ) Rush-leaved.	_____	1794.	7. 8.	F.b.	Bot. mag. t. 792.
32	fuscatum. w.	( <i>br.gr.</i> ) brown-flowered.	_____	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
33	odoratum. w.	( <i>gr.ye.</i> ) sweet-scented.	_____	1795.	5. 6.	F.b.	Andr. reposit. t. 260.
34	elatum. A.R.	( <i>wh.</i> ) Egyptian.	Egypt.	1804.	6. 7.	H.b.	_____ t. 528.
35	pyramidale. w.	( <i>wh.</i> ) pyramidal.	Spain.	1752.	_____	H.b.	Jacq. ic. 2. t. 425.
36	latifolium. w.	( <i>wh.</i> ) broad-leaved.	Egypt.	1629.	_____	H.b.	Bot. mag. t. 876.
37	longebracteatum. w.	( <i>w.</i> ) long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
38	caudatum. w.	( <i>wh.gr.</i> ) long-spiked.	_____	1774.	2. 8.	F.b.	Bot. mag. t. 805.
39	scilloïdes. w.	( <i>wh.gr.</i> ) Squill-like.	_____	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 888.
40	trigynum. R.L.	( <i>wh.gr.</i> ) three styled.	.....	1825.	_____	F.b.	Redout. liliac. t. 417.
41	narbonense. w.	( <i>w.g.</i> ) Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Bot. mag. t. 2510.
42	pyrenaicum. w.	( <i>st.</i> ) spiked.	England.	....	6. 7.	H.b.	Eng. bot. v. 7. t. 499.

43	sulfureum. R.S. (st.) straw-coloured. Hungary. 1818.	6. 10. H.b.	Bot. mag. t. 2623.
	<i>Anthéricum sulphureum</i> . Walds. et Kit. pl. hung. 1. t. 95.		<i>Phalángium sulfureum</i> . Poiret.
44	stachyoides. w. (w.g.) close-spiked. S. Europe. 1771.	4. 7. H.b.	Renealm. spec. t. 90.
45	lácteam. w. (st.gr.) milk white. C. B. S. 1796.	6. 7. F.b.	Bot. mag. t. 1134.
46	nütans. w. (wh.gr.) nodding. Britain. ....	4. 5. H.b.	Eng. bot. v. 28. t. 1997.
47	coarctátum. w. (wh.) close-flowered. C. B. S. 1804.	6. 7. F.b.	Jacq. ic. 2. t. 435.
48	aureum. w. (go.) golden. ———— 1790.	— F.b.	Bot. mag. t. 190.
49	flavissimum. Jacq. (ye.) great yellow. ————	— F.b.	Jacq. ic. 2. t. 436.
50	miniátum. Jacq. (ye.) stained. ————	— F.b.	— t. 438.
51	thyrsoides. w. (wh.br.) thyse-flowered. ———— 1757.	— F.b.	Bot. mag. t. 1164.
	<i>album</i> . (wh.br.) white-flowered. ————	— F.b.	Bot. reg. t. 316.
	<i>β flavescens</i> . (st.br.) pale-yellow. ————	— F.b.	— t. 305.
52	bicolor. R.S. (wh.br.) two-coloured. ———— 1816.	— F.b.	—
53	tuberosum. R.S. (ye.) large-rooted. ———— 1787.	— F.b.	—
54	arábicum. w. (wh.) great-flowered. Egypt. 1629.	3. 4. F.b.	Bot. mag. t. 728.
55	brachystáchys. F. (wh.) short-spiked. Dahuria. 1821.	— H.b.	—
56	Bérgii. R.S. (wh.gr.) Bergius's. ———— 1816.	— F.b.	—
57	marítimum. Lam. (wh.) officinal Squill. S. Europe. 1629.	4. 5. F.b.	Bot. mag. t. 918.
	<i>Squilla</i> . B.M. <i>Scilla marítima</i> . w.		
58	concinnum. S.P. (wh.) neat. Portugal. 1797.	— H.b.	Bot. mag. t. 953.
59	unifólium. B.M. (wh.) one-leaved. Gibraltar. 1805.	6. 7. F.b.	— t. 935.
G'AGEA. S.A.B. G'AGEA. Hexandria Monogynia.			
1	fasciculáris. S.A.B. (ye.) bunch-rooted. Britain. ....	3. 4. H.b.	Bot. mag. t. 1200.
	<i>lutea</i> . B.M. 1200. <i>Ornithógalum luteum</i> . Eng. bot. v. 1. t. 21. non L.		
2	gláuca. B.F.G. (ye.) glaucous-leaved. Switzerland. 1825.	— H.b.	Swt. br. fl. gar. t. 177.
3	bracteoláris. S.A.B. (ye.) sheathing-bracted. ....	— H.b.	— t. 158.
	<i>Ornithógalum luteum</i> . L. non E.B. v. s. in herb. linn.		
4	mínima. R.S. (ye.) corn-field. Europe. 1825.	— H.b.	Swt. br. fl. gar. s.2.t.29.
	<i>stelláris</i> . S.A.B. <i>Ornithógalum arvéense</i> . s.s. <i>Sternbérgii</i> . Hop. v. s. in herb. linn.		
5	spathácea. R.S. (ye.) sheathed. Germany. 1759.	5. H.b.	Flor. græc. t. 331.
6	reticuláta. R.S. (ye.) netted-sheathed. Tauria. 1829.	— H.b.	Pall. it. 3. ap. t. D. f. 2.
7	pusilla. R.S. (ye.) small. Bohemia. 1823.	— H.b.	Reichenb. ic. t. 117.
8	Clusiána. R.S. (ye.) Clusius's. S. Europe. ....	— H.b.	—
9	podólitca. R.S. (ye.) Polish. Poland. 1827.	— H.b.	—
10	crubescens. R.S. (y. bh.) blush. ————	— H.b.	—
11	Liotárdi. R.S. (ye.) fistulous-leaved. S. Europe. 1825.	— H.b.	Sternb. denks. 2. t. 3.
	<i>Ornithógalum fistulosum</i> . Redout. liliac. t. 221.		
12	pygmæa. R.S. (ye.) pigmy. Spain. 1826.	— H.b.	—
13	arvéne. R.S. (ye.) villous-stalked. Europe. ....	— H.b.	Flor. græc. t. 332.
	<i>Ornithógalum villosum</i> . M.B.		
14	bohémicum. R.S. (ye.g.) Bohemian. Bohemia. 1828.	— H.b.	Sturm. flor. t. 23.
15	saxátilis. R.S. (gr.ye.) rock. Germany. ————	— H.b.	—
16	bulbifera. R.S. (ye.g.) bulbiferous. Tauria. 1829.	— H.b.	Reichenb. ic. t. 117.
BARNARDIA. B.R. BARNARDIA. Hexandria Monogynia.			
1	scilloides. B.R. (ro.) Squill-like. China. 1824.	9. 10. H.b.	Bot. reg. t. 1029.
2	japónica. R.S. (pu.) Japan. Japan. 1821.	6. 8. H.b.	—
	<i>Ornithógalum japónicum</i> . w.		
LLO'YDIA. Sal. LLO'YDIA. Hexandria Monogynia.			
1	serotina. (wh.std.) mountain. Wales. ....	6. 7. H.b.	Eng. bot. v. 12. t. 793.
	<i>Anthéricum serotinum</i> . E.B. <i>Phalángium serotinum</i> . Redout. liliac. t. 270.		<i>Gagea serotina</i> . Ker.
2	striáta. (wh.std.) stripe-flowered. Siberia. 1789.	5. 7. H.b.	—
	<i>Ornithógalum striátum</i> . S.S.		
SCILLA. W. SQUILL. Hexandria Monogynia. L.			
1	non scripta. L.en. (bl.) Harebells. Britain. ....	3. 6. H.b.	Eng. bot. v. 6. t. 377.
	<i>nütans</i> . E.B. <i>Hyacinthus non scriptus</i> . L.		
2	cérnua. R.S. (ro.) flesh-coloured. Spain. ....	— H.b.	Bot. mag. t. 1461.
3	pátula. R.S. (bl.) spreading. S. Europe. 1633.	4. 6. H.b.	Redout. liliac. t. 225.
	<i>campanuláta</i> . B.M. t. 1102. non t. 128.		
4	campanuláta. w. (bl.) bell-flowered. Spain. ————	5. 6. H.b.	Bot. mag. t. 128.
5	corymbósa. R.S. (ro.) Cape. C. B. S. 1793.	8. 12. F.b.	— t. 991.
	<i>Massónia corymbósa</i> . B.M. <i>Hyacinthus corymbósus</i> . L.		
6	brevifólia. R.S. (wh.) short-leaved. ———— 1822.	1. 3. F.b.	—
7	brachyphylla. R.S. (bh.) blush. ———— 1811.	— F.b.	Bot. mag. t. 1468.
	<i>Scilla brevifólia</i> . B.M. non Thunb.		
8	sibírica. H.K. (bl.) Siberian. Siberia. 1796.	2. 3. H.b.	Andr. rep. t. 365.
9	am'énula. R.S. (bl.) pretty. Russia. 1822.	3. 4. H.b.	Bot. mag. t. 2408.
10	am'ena. R.S. (bl.) nodding. Levant. 1596.	— H.b.	— t. 341.
11	pùmila. R.S. (pa.bl.) small. Portugal. 1819.	4. 5. H.b.	Brot. phyt. lus. t. 46. f. 2.
	<i>monophyllos</i> . Link ex R.S.		

12	bifolia. w.	(va.) two-leaved.	England.	....	2. 4.	H.b.	Eng. bot. v. 1. t. 24.
	a cærulea.	(bl.) blue-flowered.	————	....	—	H.b.	—
	β alba.	(wh.) white-flowered.	————	....	—	H.b.	—
13	carnea.	(ro.) rosy.	.....	—	—	H.b.	Bot. mag. t. 746. f. sinis.
14	præcox. w.	(bl.) early-flowering.	.....	1790.	—	H.b.	—
15	Lilio-hyacinthus. w.	(bl.) Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. t. 205.
	uérna. w.	(bl.) vernal.	Britain.	....	4. 5.	H.b.	Eng. bot. v. 1. t. 23.
17	umbellata. s.s.	(bl.) umbel-flowered.	Pyrenees.	1817.	—	H.b.	Redout. liliac. t. 166.
18	italica. s.s.	(bl.) Italian.	Italy.	1605.	4. 7.	H.b.	Bot. mag. t. 663.
19	autumnalis. w.	(pu.) autumnal.	England.	....	8.	H.b.	Eng. bot. v. 2. t. 78.
20	intermedia. R.S.	(bl.) intermediate.	Sicily.	1829.	—	H.b.	—
21	obtusifolia. R.S.	(vi.bl.) blunt-leaved.	Barbary.	1828.	—	H.b.	Redout liliac. 4. t. 190.
22	undulata. R.S.	(li.) wave-leaved.	S. Europe.	—	—	H.b.	Desf. atl. 1. t. 47.
23	lingulata. R.S.	(bl.) tongue-leaved.	Barbary.	—	—	H.b.	Redout. liliac. t. 321.
24	vinentina. R.S.	(bl.) spreading-flowered.	Portugal.	1827.	—	H.b.	—
25	peruviana. w.	(va.) corymbose.	Spain.	1607.	5.	H.b.	Bot. mag. t. 749.
	a cærulea.	(bl.) blue-flowered.	————	—	—	H.b.	— t. 749.
	β alba.	(wh.) white-flowered.	————	—	—	H.b.	—
26	Cupaniãna. R.S.	(bl.) Cupani's.	Sicily.	1826.	—	H.b.	Cup.panph. sic. 5. t. 20. 1.
27	lusitãnica. B.M. (pa.bl.)	Portugal.	Portugal.	1777.	—	H.b.	Bot. mag. t. 1999.
28	hyacinthoides. w.	(bl.) Hyacinth-like.	Madeira.	1585.	8.	H.b.	— t. 1140.
29	esculentã. B.M. (pa.bl.)	Quamash.	N. America.	1811.	5. 7.	H.b.	— t. 1574.
	Phalángium	Quamash.	Ph.				
<b>HYACINTHUS. S.S. HYACINTH. Hexandria Monogynia. L.</b>							
1	orientalis. w.	(bl.) common.	Levant.	1596.	3. 5.	H.b.	Bot. reg. t. 995.
	a cæruleus.	(bl.) blue-flowered.	————	—	—	H.b.	—
	β lyricus.	(bl.) <i>Lyra grandis</i> .	————	....	—	H.b.	Swt. flor. guid. t. 96.
	γ ruber.	(re.) red-flowered.	————	1596.	—	H.b.	—
	δ flavus.	(ye.) yellow-flowered.	————	—	—	H.b.	—
	ε albus.	(wh.) white-flowered.	————	—	—	H.b.	—
	ζ semiplenus.	(va.) semidouble.	————	—	—	H.b.	—
	η plenus.	(va.) double-flowered.	————	—	—	H.b.	—
	θ multiplex.	(va.) full-flowered.	————	—	—	H.b.	—
	ι atrocæruleus.	(bl.) <i>Pourpre fonce</i> .	————	....	—	H.b.	Swt. flor. guid. t. 99.
	κ sceptriformis. (pa.bl.)	<i>Porcelaine sceptre</i> .	————	....	—	H.b.	— t. 51.
	λ sanguinolentus. (re.)	<i>Waterloo</i> .	————	....	—	H.b.	— t. 1.
	μ ornatus. (pi.)	<i>L'honneur d'Amsterdam</i> .	————	....	—	H.b.	— t. 108.
	ν ranunculiflorus. (ye.)	<i>yellow Ophir</i> .	————	....	—	H.b.	— t. 123.
2	amethystinus. w.	(bl.) Amethyst-coloured.	S. Europe.	1759.	4. 5.	H.b.	Swt. br. fl. gar. t. 135.
<b>UROPE TALON. B.R. UROPE TALON. Hexandria Monogynia. B.R.</b>							
1	viride. B.R.	(gr.) green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. t. 203.
	<i>Hyacinthus viridis. L. Zuccagnia viridis. Th. Lachenalia viridis. w.</i>						
2	glaucum. B.R.	(gr.br.) glaucous-leaved.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 156.
3	crispum. B.R.	(br.gr.) curled-leaved.	————	—	—	F.b.	—
4	longifolium. B.R.	(br.gr.) long-leaved.	————	1822.	—	F.b.	Bot. reg. t. 974.
5	hyacinthoides. R.S.	(re.) Hyacinth-like.	————	—	—	F.b.	—
6	serotinum. B.R.	(bl.) late-flowering.	Spain.	1629.	6. 8.	F.b.	Bot. mag. t. 859.
7	fálvum. H.S.L.	(re.br.) tile-red.	Mogador.	1808.	6. 9.	F.b.	— t. 1185.
	<i>Scilla serotina</i> β. B.M.	<i>Hyacinthus fulvus. Cav.</i>					
<b>BELLEV'ALIA. Lap. BELLEV'ALIA. Hexandria Monogynia.</b>							
	romãna. (wh.)	Roman.	Italy.	1596.	5.	H.b.	Bot. mag. t. 939.
	operculata. Lap.	<i>Scilla romãna. B.M. Hyacinthus romãnus. L.</i>					
<b>MUSCARI. S.S. GRAPE HYACINTH. Hexandria Monogynia. S.S.</b>							
1	moschatum. s.s.	(br.) musk.	Levant.	1596.	4. 5.	H. b.	Bot. mag. t. 734.
2	ambrosiacum. R.L.	(wh.) strong-scented.	————	....	—	H. b.	Redout. liliac. t. 132.
3	macrocarpum. B.F.G.	(ye.) large-capsuled.	Turkey.	1812.	—	H.b.	Swt. br. fl. gar. t. 210.
	<i>moschatum</i> β <i>flavum.</i>						Bot. mag. t. 1565.
4	comosum. s.s.	(br.pu.) purple.	S. Europe.	1596.	—	H.b.	Bot. mag. t. 133.
	β monströsum.	(pu.) feathered.	————	—	—	H.b.	Moris. s. 4. t. 11. f. 2.
5	ciliatum. s.s.	(u.pu.) ciliated.	Tauria.	1818.	—	H.b.	Bot. reg. t. 394.
6	pallens. s.s.	(pa.bl.) pale-flowered.	————	—	—	H.b.	Swt. br. fl. gar. t. 259.
7	glaucum. B.R.	(pa.) glaucous-leaved.	Persia.	1825.	—	H.b.	Bot. reg. t. 1085.
8	racemosum. s.s.	(bl.) starch.	Britain.	....	—	H.b.	Eng. bot. v. 27. t. 1391.
9	commutatum. R.S.	(d.bl.) confused.	Sicily.	....	—	H.b.	—
10	parviflorum. R.S.	(bl.) small-flowered.	————	1827.	—	H.b.	—
11	botryoides. s.s.	(va.) bunch-flower'd.	Italy.	1596.	—	H.b.	Bot. mag. t. 157.
	a azureum. B.F.G.	(bl.) bright-blue.	————	—	—	H.b.	Swt. br. fl. gar. 15. f. a.
	β pallidum. B.F.G.	(pa.) pale blue.	————	—	—	H.b.	— 15. f. c.
	γ album. B.F.G.	(wh.) white-flowered.	————	—	—	H.b.	— 15. f. b.

LACHEN'ALIA. W.		LACHEN'ALIA.		Hexandria Monogynia. W.	
1	<i>péndula</i> . w. (y.re.g.) pendulous.	C. B. S.	1774.	3. 4.	F.b. Jacq. ic. 2. t. 400.
	<i>a viridifolia</i> . (y.re.g.) green-leaved.	————	————	————	F.b. Bot. mag. t. 590.
	<i>β maculata</i> . (y.re.g.) spotted-leaved.	————	————	————	F.b. —————
2	<i>quadricolor</i> . B.M. (va.) four-coloured.	————	1789.	3. 5.	F.b. Jacq. ic. 2. t. 388.
	<i>a viridifolia</i> . (y.sc.g.) green-leaved.	————	————	————	F.b. Bot. mag. t. 588.
	<i>β colorata</i> . (y.sc.g.) coloured-leaved.	————	————	————	F.b. ————— t. 1097.
3	<i>lutcola</i> . Jacq. (ye.) yellow-flowered.	————	1774.	4. 5.	F.b. Jacq. ic. 2. t. 395.
	<i>a viridifolia</i> . (ye.) green-leaved.	————	————	————	F.b. Bot. mag. t. 1020.
	<i>β maculata</i> . (ye.) spotted-leaved.	————	————	————	F.b. ————— t. 1704.
4	<i>tricolor</i> . B.M. (y.re.g.) three-coloured.	————	————	————	F.b. ————— t. 82.
	<i>rubida</i> . w. (re.) dotted-flowered.	————	1803.	9. 10.	F.b. ————— t. 993.
6	<i>punctata</i> . s.s. (w.re.) spotted-flowered.	————	1825.	6. 8.	F.b. Jacq. ic. 2. t. 397.
	<i>flava</i> . A.R. (ye.) bright-yellow.	————	1805.	5. 6.	F.b. Andr. reposit. t. 77.
8	<i>isopétala</i> . w. (pa.br.) equal-flowered.	————	1804.	————	F.b. Jacq. ic. 2. t. 401.
9	<i>hirta</i> . R.S. (w.bl.) hairy-leaved.	————	1825.	————	F.b. —————
10	<i>sessiliflora</i> . A.R. (bh.) sessile-flowered.	————	1804.	————	F.b. Andr. rep. t. 460.
11	<i>unifolia</i> . w. (bl.re.) one-leaved.	————	1795.	3. 4.	F.b. Bot. mag. t. 766.
12	<i>rosea</i> . A.R. (ro.) rose-coloured.	————	1800.	4. 5.	F.b. Andr. rep. t. 296.
13	<i>pusilla</i> . w. (wh.) dwarf.	————	1825.	————	F.b. Jacq. ic. 2. t. 385.
14	<i>reflexa</i> . R.S. (ye.) reflex-leaved.	————	————	————	F.b. —————
15	<i>bifolia</i> . B.M. (ro.wh.) cowl-leaved.	————	1813.	3. 4.	F.b. Bot. mag. t. 1611.
16	<i>contaminata</i> . w. (w.br.) contaminated.	————	1774.	2. 4.	F.b. ————— t. 1401.
17	<i>purpurea</i> . w. (pu.w.) purple.	————	1819.	4. 5.	F.b. Jacq. ic. 2. t. 393.
18	<i>violacea</i> . w. (g.vi.) violet.	————	1795.	3. 4.	F.b. ————— 2. t. 394.
19	<i>lúcida</i> . B.M. (w.br.) glossy-leaved.	————	1798.	3. 5.	F.b. Bot. mag. t. 1372.
20	<i>racemosa</i> . B.M. (wh.) racemed.	————	1811.	5.	F.b. ————— t. 1517.
21	<i>frágrans</i> . w. (wh.) sweet-scented.	————	1798.	3. 5.	F.b. Jacq. schoen. 1. t. 82.
22	<i>unicolor</i> . B.M. (li.) self-coloured.	————	1806.	5. 6.	F.b. Bot. mag. t. 1373.
23	<i>anguínea</i> . S.F.G. (w.g.) snake.	————	1825.	4. 5.	F.b. Swt. br. fl. gar. t. 179.
24	<i>purpureo-cærulea</i> . (bl.) purple-blue.	————	1798.	————	F.b. Bot. mag. t. 745.
25	<i>pustulata</i> . w. (w.st.) blistered.	————	1790.	1. 4.	F.b. ————— t. 817.
26	<i>lílifolia</i> . w. (wh.) Lily-flowered.	————	1820.	4. 6.	F.b. Jacq. ic. 2. t. 387.
27	<i>orthopétala</i> . R.S. (w.gr.) wedge-flowered.	————	1825.	————	F.b. ————— 2. t. 383.
28	<i>pátula</i> . w. (wh.ro.) spreading-flower'd.	————	1795.	4. 5.	F.b. ————— 2. t. 384.
29	<i>nervosa</i> . B.M. (br.pu.) nerve-leaved.	————	1810.	6.	F.b. Bot. mag. t. 1497.
30	<i>angustifolia</i> . w. (wh.) narrow-leaved.	————	1793.	4. 5.	F.b. ————— t. 735.
31	<i>hyacinthoides</i> . w. (wh.) Hyacinth-flower'd.	————	1812.	3. 4.	F.b. Jacq. ic. 2. t. 382.
32	<i>pállida</i> . w. (pa.bl.) pale-flowered.	————	1782.	————	F.b. Bot. reg. t. 314.
33	<i>mediána</i> . R.S. (st.gr.) intermediate.	————	————	————	F.b. Jacq. ic. t. 392.
34	<i>mutabilis</i> . S.F.G. (ye.) changeable.	————	1825.	2. 5.	F.b. Swt. br. fl. gar. ser. 2.
35	<i>orchioides</i> . w. (ye.) Orchis-like.	————	1752.	2. 4.	F.b. Bot. mag. t. 1269.
36	<i>glauca</i> . w. (wh.bl.) sea-green.	————	1795.	3. 4.	F.b. Jacq. ic. 2. t. 391.
DRÍMIA. S.S.		DRÍMIA.		Hexandria Monogynia. S.S.	
1	<i>lanceolata</i> . R.S. (y.gr.) spear-leaved.	C. B. S.	1774.	8. 10.	F.b. Andr. reposit. t. 299.
	<i>Lachenalia reflexa</i> . Andr. rep. t. 299.	————	————	————	————
2	<i>lanceafolia</i> . B.M. (g.pu.) lance-leaved.	C. B. S.	1800.	9. 10.	F.b. Bot. mag. t. 643.
3	<i>longipedunculata</i> . (g.pu.) long-stalked.	————	————	————	F.b. Schr.pl.rar.mon.t.100.
4	<i>acuminata</i> . B.C. (g.br.) taper-leaved.	————	————	————	F.b. Lodd. bot. cab. t. 1041.
5	<i>Gawléri</i> . R.S. (gr.pu.) revolute-flowered.	————	1774.	————	F.b. Bot. mag. t. 1380.
	<i>Hyacinthus revolutus</i> . H.K.	————	————	————	————
6	<i>ovalifolia</i> . R.S. (gr.pu.) oval-leaved.	————	1812.	————	F.b. Lodd. bot. cab. t. 278.
7	<i>undulata</i> . s.s. (g.pu.) wave-leaved.	————	1825.	8. 10.	F.b. Jacq. ic. 2. t. 376.
8	<i>purpurascens</i> . s.s. (pu.) purplish.	————	————	————	F.b. —————
9	<i>ciliáris</i> . s.s. (g.pu.) ciliated.	————	.....	————	F.b. Bot. mag. t. 1444.
10	<i>pusilla</i> . s.s. (gr.) dwarf.	————	1793.	5. 6.	F.b. Jacq. ic. 2. t. 374.
11	<i>média</i> . s.s. (w.pu.) semicylindrical-ld.	————	1818.	7. 8.	F.b. ————— 2. t. 375.
12	<i>elata</i> . s.s. (g.w.) tall.	————	1799.	10. 11.	F.b. Bot. mag. t. 822.
13	<i>altíssima</i> . s.s. (wh.) tallest.	————	1791.	8. 9.	F.b. ————— t. 1074.
ERIOSEP'ERMUM. W.		ERIOSEP'ERMUM.		Hexandria Monogynia. W.	
1	<i>parvifolium</i> . s.s. (wh.) small-leaved.	C. B. S.	1795.	6. 8.	F.b. Jacq. ic. 2. t. 422.
2	<i>latifolium</i> . s.s. (wh.) broad-leaved.	————	1800.	————	F.b. ————— 2. t. 420.
3	<i>Bellendèni</i> . (wh.) Mr. Ker's.	————	————	————	F.b. Bot. mag. t. 1382.
	<i>latifolium a. B.M. non Jacq.</i>	————	————	————	————
4	<i>lanceafolium</i> . s.s. (st.) lance-leaved.	————	1795.	————	F.b. Jacq. ic. 2. t. 421.
5	<i>pubescens</i> . s.s. (wh.) pubescent.	————	1820.	————	F.b. Bot. reg. t. 578.
6	<i>lanuginosum</i> . s.s. (st.) woolly-leaved.	————	————	————	F.b. Jacq. schoen. 3. t. 265.
7	<i>folioliferum</i> . B.M. (w.g.) leaflet-bearing.	————	1806.	————	F.b. Andr. reposit. t. 521.
8	<i>paradoxicum</i> . B.M. (w.g.) paradoxical.	————	1820.	————	F.b. Jacq. col. sup. 81. t. 1.

MASS'ONIA. S.S.		MASS'ONIA. Hexandria Monogynia. W.			
1	grandiflora. B.R. (wh.)	honey-bearing.	C. B. S.	1825.	1. 4. F.b. Bot. reg. t. 958.
2	candida. B.T. (wh.)	white-flowered.	—	1816.	2. 5. F.b. — t. 694.
	<i>longifolia</i> β. <i>candida</i> . B.R.				
3	longifolia. s.s. (wh.)	long-leaved.	—	—	F.b.
4	latifolia. s.s. (g.pu.)	broad-leaved.	—	1775.	3. 4. F.b. Bot. mag. t. 848.
5	cordata. s.s. (wh.)	heart-leaved.	—	1820.	— F.b.
6	muricata. s.s. (wh.)	prickly-leaved.	—	1790.	4. 5. F.b. Bot. mag. t. 559.
7	scabra. H.K. (wh.)	shagreen-leaved.	—	—	1. 4. F.b. Andr. reposit. t. 220.
	<i>pustulata</i> . Bot. mag. t. 642.				
8	echinata. s.s. (wh.)	rough-leaved.	—	—	5. F.b.
9	pauciflora. s.s. (wh.)	few-flowered.	—	—	F.b.
10	angustifolia. s.s. (wh.)	narrow-leaved.	—	1775.	3. 4. F.b. Bot. mag. t. 736.
11	undulata. s.s. (wh.)	wave-leaved.	—	1791.	4. F.b.
12	ensifolia. s.s. (pi.)	trumpet-flowered.	—	1790.	9. 2. F.b. Bot. mag. t. 554.
	<i>violacea</i> . A.R. 46. <i>Agapanthus ensifolius</i> . w. <i>Hyacinthus bifolius</i> . Cav.				
E'UCOMIS. S.S.		E'UCOMIS. Hexandria Monogynia. W.			
1	nana. s.s. (gr.)	dwarf.	C. B. S.	1774.	5. F.b. Bot. mag. t. 1495.
2	bifolia. s.s. (gr.st.)	two-leaved.	—	1792.	4. 5. F.b. — t. 840.
3	purpureocaulis. s.s. (gr.)	purple-stalked.	—	1794.	3. 4. F.b. Andr. reposit. t. 369.
4	regia. s.s. (g.wh.)	tongue-leaved.	—	1702.	3. 5. F.b. Dill. elth. t. 92. f. 109.
5	undulata. s.s. (g.wh.)	wave-leaved.	—	1760.	— F.b. Bot. mag. t. 1683.
6	punctata. s.s. (g.wh.)	spotted.	—	1783.	7. F.b. — t. 913.
7	striata. H.K. (g.wh.)	streaked.	—	1790.	6. 12. F.b. — t. 1539.
A'LLIUM. L.		GARLIC. Hexandria Monogynia. L.			
1	sativum. G.D. (re.)	common.	Sicily.	1548.	6. 9. H.b. Lobel. ic. t. 158.
2	Ophioscöron. G.D. (br.)	Rocambole.	Crete.	1596.	8. H.b. Clus. his. p. 191. t. 210.
3	contraversum. G.D. (pu.)	simple-rooted.	Egypt.	1823.	— H.b. Cord. hist. p. 144. f. 1.
	<i>Ophioscöron</i> . L.en.				
4	arenarium. G.D. (re.)	sand.	Britain.	....	6. 8. H.b. Eng. bot. v. 19. t. 1358.
5	Scorodopräsium. G.D. (re.)	wild Rocambole.	Denmark.	1596.	7. H.b. Flor. dan. t. 219. et 1455.
6	littöream. G.D. (re.)	Italian sand.	Italy.	1824.	8. H.b.
	<i>monspessulanum</i> . Y.				
7	vineale. G.D. (ro.)	Crow.	Britain.	....	6. 8. H.b. Eng. bot. v. 28. t. 1974.
8	compactum. G.D. (ro.)	two-headed crow.	France.	1819.	— H.b. Moris. sect. 4. t. 15. f. 3.
9	Pürshii. G.D. (da.pu.)	Pursh's crow.	N. America.	1824.	— H.b.
	<i>vineale</i> . Ph. nec aliorum.				
10	proliferum. G.D. (wh.)	tree Onion.	Egypt.	....	7. H.b. Bot. mag. t. 1469.
	<i>Cepa</i> β. <i>bulbifera</i> . B.M.				
11	Pörrum. G.D. (gr.pu.)	Leek.	Switzerland.	1562.	5. 7. H.b. Plenck. ic. t. 421.
12	Ampelopräsum. G.D. (pa.)	blue Leek.	England.	....	7. 8. H.b. Eng. bot. v. 24. t. 1657.
13	rotundum. G.D. (pu.)	round-headed.	S. Europe.	1819.	6. 7. H.b. Clus. hist. p. 195. t. 220.
14	Hallerii. G.D. (pa.pu.)	Haller's.	—	1818.	— H.b. Flor. græc. t. 312.
15	rubicundum. G.D. (re.)	marbled leek.	C. B. S.	....	7. 8. F.b. Bot. mag. t. 1560.
	<i>ampelopräsum</i> β. B.M.				
16	Waldsteini. G.D. (d.pu.)	Waldstein's.	Smyrna.	1824.	6. 7. H.b. W. et K. hung. t. 82.
17	exsertum. G.D. (ro.)	long-stamen'd.	Russia.	1819.	7. 8. H.b.
18	erectum. G.D. (wh.)	upright leek.	C. B. S.	1824.	— F.b.
19	acutiflorum. G.D. (re.)	sharp-flowered.	France.	—	— H.b. Moris. sect. 4. t. 15. f. 4.
20	Synnötii. G.D. (li.)	Synnöt's.	C. B. S.	1825.	6. 7. F.b.
21	verrucosum. G.D. (li.)	warted-flower'd.	—	—	F.b.
22	multiflorum. G.D. (vi.)	many-flowered.	Barbary.	1826.	7. 8. F.b.
23	descendens. G.D. (d.pu.)	early flowering.	Switzerland.	1766.	6. H.b. Flor. græc. t. 316.
24	sphaerocéphalon. G.D. (pu.)	late-flowered.	Germany.	1759.	7. H.b. Bot. mag. t. 1764.
25	pruinatum. G.D. (li.)	frosted.	Portugal.	1819.	6. 8. H.b.
26	carneum. G.D. (li.)	blush-coloured.	France.	1816.	6. 7. H.b.
27	ascalonicum. G.D. (li.)	Shallot.	Palestine.	1548.	— H.b. Moris. sect. 4. t. 14. f. 4.
	β <i>chinense</i> . G.D. (li.) <i>Chinese Shallot</i> . China. .... — H.b.				
28	fissile. (gr.)	Scallion.	Asia minor.	....	— H.b. Matt. opus. p. 420. ic.
	<i>Cepa fissilis</i> . Matt.				
29	Cepa. G.D. (wh.gr.)	Onion.	.....	....	6. H. ♂. b. Flor. græc. t. 326.
	β <i>aggregatum</i> . G.D. (w.g.) <i>Potatoe Onion</i> . .... — H.b.				
30	Schenopräsum. G.D. (pu.)	Chives.	Britain.	....	5. 6. H.b. Eng. bot. v. 34. t. 2441.
31	foliosum. G.D. (pu.)	leafy Chives.	France.	1820.	— H.b. Redout. lil. 4. t. 214.
32	sibiricum. G.D. (li.)	Siberian Chives.	Siberia.	1778.	6. 8. H.b. Bot. mag. t. 1141.
33	fistulosum. G.D. (gr.)	Welsh Onion.	—	1629.	6. 7. H. ♂. b. — t. 1230.
	β <i>alticum</i> . Pallas. (gr.) <i>Altai</i> . Altay. 1823. — H.b. Pall. it. 2. n. 108. t. R.				
34	cepaforme. G.D. (w.g.)	Onion-like.	.....	1824.	— H.b.
35	obliquum. G.D. (st.)	oblique-leaved.	Siberia.	1759.	— H.b. Bot. mag. t. 1408.

36 ramòsum. G.D.	(st.) branching	Chives. Siberia.	1824.	6.	H.b.	
37 angústum. G.D.	(pu.) narrow-leaved.	—	—	—	H.b.	
38 Pallásii. G.D.	(pu.) Pallas's	Chives. Russia.	....	—	H.b.	Murr. c. got. 6. 1775. t. 3.
39 pusillum. G.D.	(li.) small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. 2. t. 118.
40 rubéllum. G.D.	(ro.) reddish.	Siberia.	1825.	7. 8.	H.b.	
41 reticulátum. G.D.	(wh.) netted.	N. America.	1811.	—	H.b.	Bot. mag. t. 1840.
42 oxypétalum. G.D.	(bh.) acute-petal'd.	Switzerland.	1822.	7.	H.b.	
43 oleràceum. G.D.	(st. pu.) purple-striped.	England.	....	—	H.b.	Eng. bot. v. 7. t. 488.
44 carinátum. G.D.	(st. br.) keeled.	—	....	5. 6.	H.b.	— v. 24. t. 1658.
45 fœtidum. W.	(da. pu.) twisted.	Siberia.	1823.	—	H.b.	
46 violàceum. G.D.	(vi.) violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
<i>flæxum.</i> W.K.						
47 ásperum. G.D.	(vi.) rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.
<i>carinátum.</i> R.L. nec aliorum.						
48 longispáthum. G.D.	(g. pu.) long-spathed.	—	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
<i>pállens.</i> Bot. mag. t. 1420.						
49 paniculátum. G.D.	(bh.) panicled.	—	1780.	—	H.b.	Bot. mag. t. 1432.
50 pállens. G.D.	(pa. wh.) pale-flowered.	—	1779.	—	H.b.	Redout. lil. 5. t. 272.
51 tenuiflorum. G.D.	(ro.) slender-flowered.	Italy.	1824.	—	H.b.	Ten. fl. nap. 1. t. 30.
52 pulchéllum. G.D.	(vi.) beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
<i>paniculátum.</i> R.L. colorátum. s.s.						
53 flávum. G.D.	(ye.) yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Bot. mag. t. 1330.
54 caucásicum. G.D.	(ro.) Caucasian.	Caucasus.	1810.	—	H.b.	— t. 973.
55 rupéstre. G.D.	(ro.) small Caucasian.	—	1824.	—	H.b.	
56 globòsum. G.D.	(li.) globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
57 montànium. G.D.	(ro.) mountain.	Greece.	—	6. 8.	H.b.	Flor. græc. t. 319.
58 parviflorum. G.D.	(br.) small-flowered.	S. Europe.	1781.	6. 7.	H.b.	
59 moschátum. G.D.	(w. pu.) small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
<i>setàceum.</i> W.K.						
60 Stelleriànium. G.D.	(g. w.) Steller's.	Siberia.	1829.	—	H.b.	Gmel. sib. 1. t. 16. f. 1 et 2.
61 saxátile. G.D.	(wh.) rock.	Caucasus.	1825.	6. 7.	H.b.	
62 strictum. G.D.	(ro.) upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
63 lineàre. G.D.	(re.) linear-leaved.	—	1819.	7. 8.	H.b.	Gmel. sib. 1. t. 13. 14. f. 1.
64 nútans. G.D.	(fl.) great nodding.	—	1785.	—	H.b.	Bot. mag. t. 1143.
65 senéscens. G.D.	(li.) Narcissus-leaved.	—	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
66 Andersónii. G.D.	(li.) Anderson's.	—	1819.	—	H.b.	
67 spúrium. G.D.	(li.) spurious.	—	....	—	H.b.	
68 glaucum. G.D.	(pu.) glaucous.	—	1596.	6. 7.	H.b.	Bot. mag. t. 1150.
<i>senéscens.</i> B.M. non L. baicalénse. W.en.						
69 angulòsum. G.D.	(pu.) angular-stalked.	—	1739.	—	H.b.	Bot. mag. t. 1149.
70 acutángulum. G.D.	(pu.) acute-angled.	—	1816.	—	H.b.	Ger. emac. p. 186. ic.
71 danubiàle. G.D.	(pu.) short-leaved.	—	—	—	H.b.	
72 láxum. G.D.	(pu.) loose umbelled.	Russia.	1824.	—	H.b.	
73 serotínium. G.D.	(pu.) late-flowering.	Switzerland.	—	8.	H.b.	
74 álbidum. G.D.	(wh.) whitish-flower'd.	Caucasus.	1823.	6. 8.	H.b.	
75 flavéscens. G.D.	(st.) half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
<i>denudátum.</i> R.L.						
76 rubens. G.D.	(pu.) red-rooted.	S. Europe.	1805.	5.	H.b.	Bot. mag. t. 1318.
<i>bisúlcum.</i> Redout. liliac. t. 286.						
77 prostrátum. G.D.	(li.) small trailing.	Siberia.	....	6.	H.b.	
78 congéstum. G.D.	(pu.) crowded-flower'd.	—	....	—	H.b.	
79 pedemontànium. G.D.	(ro.) Piedmont.	Piedmont.	1820.	7. 8.	H.b.	Allion. ped. t. 254.
80 narcissiflorum. G.D.	(ro.) large-flowered.	France.	1818.	—	H.b.	Vill. dauph. 2. t. 6.
81 suavèolens. G.D.	(w. pu.) sweet-scented.	—	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
82 choleurècum. G.D.	(st.) cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
83 cèrnum. G.D.	(bh.) drooping.	N. America.	1806.	6. 7.	H.b.	Bot. mag. t. 1324.
84 stellátum. G.D.	(li.) starry-flowered.	—	1811.	—	H.b.	— t. 1576.
85 carolinianum. G.D.	(li.) Carolina.	—	1819.	—	H.b.	Redout. lil. 2. t. 101.
86 paradòxum. G.D.	(wh.) paradoxical.	Siberia.	1823.	4.	H.b.	
87 scorzonerifolium. G.D.	(ye.) Scorzonera-leaved.	S. Europe.	—	6. 7.	H.b.	Redout. liliac. 2. t. 99.
88 canadèse. G.D.	(ro.) Canadian.	N. America.	1739.	—	H.b.	Kalm. it. v. 3. p. 79.
89 mutábile. G.D.	(bh.) changeable.	—	....	7.	H.b.	Redout. lil. 4. t. 240.
90 màgicum. G.D.	(st.) broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
91 ambíguum. G.D.	(ro.) ambiguous.	Levant.	....	5. 6.	H.b.	Flor. græc. t. 327.
<i>incarnátum.</i> s.s. ròseum $\beta$ . Bot. mag. t. 978.						
92 am'œnum. G.D.	(ro.) fine red-flowered.	Italy.	1820.	—	H.b.	Ten. fl. nap. t. 28.
<i>cárneum.</i> T.N.						
93 ròseum. G.D.	(ro.) rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 213.
94 illy'ricum. G.D.	(pi.) Illyrian.	Austria.	....	6. 7.	H.b.	Jacq. ic. 2. t. 365.

95	sublirsñtum. G.D. (wh.) hairy.	S. Europe.	1596.	6.	H.b.	Cyr. pl. r. nap. 2. t. 3.
	<i>β obtusum.</i> (wh.) blunt-flowered.	—	—	—	H.b.	Bot. mag. t. 774.
96	Clusiànum. G.D. (wh.) Clusius's.	—	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
97	Chamæ-Mòly. G.D. (w.) dwarf-Moly.	—	1774.	2. 4.	F.b.	Bot. mag. t. 1203.
98	majàle. G.D. (wh.) large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
99	brachystèmon. R.L. (w.) short-stamened.	S. France.	1826.	—	H.b.	Redout. liliac. 7. t. 374.
100	longifòlium. G.D. (pu.) long-leaved.	Mexico.	—	8. 10.	F.b.	Bot. reg. t. 1034.
101	Cowàni. B.R. (wh.) Cowan's.	Chili.	1824.	5.	F.b.	— t. 758.
102	neapolitànum. G.D. (w.) Neapolitan.	Italy.	—	4. 5.	H.b.	Swt. br. fl. gar. t. 201.
	<i>album.</i> Bivon.	—	—	—	—	—
103	triquètrum. G.D. (wh.) triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Bot. mag. t. 869.
104	mèdium. G.D. (wh.) intermediate.	Hungary.	1824.	5.	H.b.	—
105	pendulinum. G.D. (w.) pendulous Italian.	Italy.	—	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
106	nigrum. G.D. (wh.) black.	S. Europe.	1596.	6.	H.b.	Bot. mag. t. 1148.
	<i>màgicum.</i> B.M.	—	—	—	—	—
	<i>β rubescens.</i> (bh.) pale red-flowered.	Greece.	....	—	H.b.	Flor. græc. t. 323.
107	atropurpùreum. G.D. (d.pu.) dark purple.	Hungary.	1825.	—	H.b.	W. et K. hung. 1. t. 17.
108	Mòly. G.D. (ye.) large yellow.	S. Europe.	1604.	—	H.b.	Bot. mag. t. 499.
109	tricòccum. G.D. (wh.) three-seeded.	N. America.	1770.	7.	H.b.	—
110	ursinum. G.D. (wh.) Ramson.	Britain.	....	4. 5.	H.b.	Eng. bot. v. 2. t. 122.
111	sulcàtum. G.D. (wh.) furrowed.	.....	1823.	—	H.b.	Redout. liliac. 8. t. 482.
112	Victoriàlis. G.D. (st.) long-rooted.	Austria.	1739.	5.	H.b.	Bot. mag. t. 1222.
113	odòrum. G.D. (wh.pu.) sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
	<i>tatàricum.</i> Bot. mag. t. 1142.	—	—	—	—	—
114	inodòrum. B.M. (bh.) fragrant.	Carolina.	1776.	3. 4.	H.b.	Bot. mag. t. 1129.
	<i>fràgrans.</i> Vent. cels. t. 26. <i>gràcile.</i> w.	—	—	—	—	—
115	striàtum. G.D. (bh.w.) striated.	America.	1800.	5. 6.	H.b.	Bot. mag. t. 1524 & 1035.
	<i>Ornithògalum graminèum.</i> B.M. 2419.	—	—	—	—	—
116	càspium. G.D. (bh.) Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
	<i>Amaryllis càspica.</i> w. <i>Crinum càspicum.</i> Pal.	—	—	—	—	—
117	Akàka. F. ....	Persian.	1829.	....	H.b.	—
SOWERB'ÆA. B.P.		SOWERB'ÆA.	Hexandria Monogynia.	S.S.	—	—
	júncea. B.P. (ro.) Rush-leaved.	N. S. W.	1792.	5. 7. G. 4.	—	Bot. mag. t. 1104.
LAXMA'NNIA. B.P.		LAXMA'NNIA.	Hexandria Monogynia.	S.S.	—	—
	gràcilis. B.P. (wh.) slender.	N. S. W.	1822.	5. 7. G. 4.	—	—
APHYLLA'NTHES. L. LILY PINK.		Hexandria Monogynia.	—	—	—	—
	monspeliénsis. L. (bl.) Rush-like.	France.	1791.	6. 7. H. 4.	—	Bot. mag. t. 1132.
THYSAN'OTUS. B.P.		THYSAN'OTUS.	Hexandria Monogynia.	S.S.	—	—
1	tuberòsus. B.P. (bl.) tuberous-rooted.	N. S. W.	1822.	7. 9. G. 4.	—	—
2	elàtiør. B.P. (bl.) tall.	—	—	—	G. 4.	—
3	isanthèrus. B.P. (bl.) equal-anthered.	V. Diem. Isl.	—	—	G. 4.	Bot. reg. t. 655.
4	júnceus. B.P. (bl.) rush-like.	N. S. W.	—	—	G. 4.	— t. 656.
	<i>Chlamyspòrum juncifolium.</i> Par. lond. t. 103.	—	—	—	—	—
CYANE'LLA. L.		CYANE'LLA.	Hexandria Monogynia.	L.	—	—
1	álba. s.s. (wh.) 1-flowered white.	C. B. S.	1825.	4. 6.	F.b.	Th. in a. hol. 1794. t. 7. f. 2
2	lútea. s.s. (ye.) yellow-flowered.	—	1788.	5. 12.	F.b.	Bot. mag. t. 1252.
3	orchidifòrmis. s.s. (bl.) Orchis-like.	—	1825.	4. 8.	F.b.	Jacq. ic. 2. t. 447.
4	lineàta. B.T. (std.) lined.	—	1816.	—	F.b.	Bot. reg. t. 1111.
	<i>odoratissima.</i> B.R.	—	—	—	—	—
5	capénsis. s.s. (pu.) purple-flowered.	—	1768.	—	F.b.	Bot. mag. t. 568.
CONANTH'ERA. R.P.		CONANTH'ERA.	Hexandria Monogynia.	P.S.	—	—
	bifòlia. R.P. (bl.) two-leaved.	Chile.	1823.	3. 5.	F.b.	Lodd. bot. cab. t. 904.
CUMMI'NGIA. D.D.		CUMMI'NGIA.	Hexandria Monogynia.	—	—	—
	campanulàta. D.D. (bl.) Hyacinth-flowered.	Chile.	1823.	4. 6.	F.b.	Swt. br. fl. gar. t. 257.
	<i>Conanthea campanulata.</i> Hook. ex. flor. t. 214. <i>bifolia.</i> B.M. 2496. <i>nec aliorum.</i>	—	—	—	—	—
LEUCOCO'RYNE. B.R.		LEUCOCO'RYNE.	Hexandria Monogynia.	—	—	—
1	odoràta. B.R. (wh.) sweet-scented.	Chile.	1826.	8. 9. F. 4.	—	Bot. reg. t. 1293.
2	ixiòides. B.R. (bl.) Ixia-like.	—	1821.	7. 9.	F.b.	Bot. mag. t. 2382.
	<i>Brodiaea ixioides.</i> B.M.	—	—	—	—	—
TRITEL'IA. B.R.		TRITEL'IA.	Hexandria Monogynia.	—	—	—
	grandiflòra. B.R. (bl.) large-flowered.	N. America.	1827.	7. 8. H. 4.	—	—
HESPEROSC'RDIUM. B.R.		MISSOURI HYACINTH.	Hexandria Monogynia.	—	—	—
	hyaciñthinum. B.R. (bl.) largest-flowered.	N. America.	1827.	7.	H.b.	—
	<i>Brodiaea grandiflora.</i> Pursh non Smith.	—	—	—	—	—
DIANE'LLA. B.P.		DIANE'LLA.	Hexandria Monogynia.	W.	—	—
1	ensifòlia. B.M. (wh.) whitish-flowered.	E. Indies.	1731.	8.	S. 4.	Bot. mag. t. 1404.
	<i>Dracæna ensifolia.</i> H.K.	—	—	—	—	—
2	nemoròsa. Lam. (bl.) blue Indian.	—	....	6. 8.	S. 4.	Rumph. amb. 5. t. 73.
3	cærùlea. B.P. (bl.) rough-edged.	N. S. W.	1783.	5. 8.	F. 4.	Bot. mag. t. 505.

4 longifolia. B.P.	(bl.) long-leaved.	N. S. W.	1820.	5. 8.	F. 4.	Bot. reg. t. 731.
5 l'ævis. B.P.	(bl.) smooth-leaved.	_____	1823.	_____	F. 4.	
6 revoluta. B.P.	(bl.) revolute-margined.	_____	1822.	_____	F. 4.	
7 divaricata. B.P.	(bl.) divaricated.	N. Holland.	1805.	7. 8.	G. 4.	
8 strumosa. B.R.	(bl.) strumous.	_____	1822.	5. 8.	G. 4.	Bot. reg. t. 751.
<b>LUZUR' IAGA. B.P.</b>	<b>LUZUR' IAGA.</b>	<b>Hexandria Monogynia.</b>	<b>S.S.</b>			
1 cymosa. B.P.	(pu.) cymose.	N. S. W.	1820.	4. 6.	G. 4.	
2 montana. B.P.	(pu.) mountain.	_____	1823.	_____	G. 4.	
<b>EUSTR'EPHUS. B.P.</b>	<b>EUSTR'EPHUS.</b>	<b>Hexandria Monogynia.</b>	<b>S.S.</b>			
1 latifolius. B.P.	(pu.) broadest-leaved.	N. S. W.	1800.	6. 9.	G. 4.	Bot. mag. t. 1245.
2 angustifolius. B.P.	(pu.) narrow-leaved.	N. Holland.	1816.	_____	G. 4.	
<b>MYRSIPHY'LLUM. S.S.</b>	<b>MYRSIPHY'LLUM.</b>	<b>Hexandria Trigynia.</b>	<b>S.S.</b>			
1 asparagoïdes. s.s.	(wh.) broadest-leaved.	C. B. S.	1702.	10. 3.	G. 4.	Redout. liliac. t. 442.
	<i>Medæla asparagoïdes. L.</i>					
2 angustifolium. s.s.	(bh.) narrow-leaved.	_____	1752.	12. 3.	G. 4.	Redout. liliac. t. 393.
<b>HERR'ERIA. R.P.</b>	<b>HERR'ERIA.</b>	<b>Hexandria Monogynia.</b>				
1 stellata. R.P.	(ye.) prickly-stalked.	Chile.	1825.	6. 9.	G. 4.	Flor. peruv. 3. t. 303. f. a.
2 parviflora. B.R.	(gr.) small-flowered.	Brazil.	_____	_____	S. 4.	Bot. reg. t. 1042.
<b>ASPA'RAGUS. L.</b>	<b>ASPA'RAGUS.</b>	<b>Hexandria Monogynia.</b>	<b>L.</b>			
1 amarûs. s.s.	(ye.) bitter.	S. France.	1820.	6. 8.	H. 4.	Redout. liliac. t. 446.
2 officinalis. s.s.	(gr.) common.	England.	....	....	H. 4.	Eng. bot. v. 5. t. 339.
3 tenuifolius. DC.	(ye.) slender-leaved.	Hungary.	....	....	H. 4.	Redout. liliac. t. 434.
	<i>syboticus. W. et. K. hung. 3. t. 201.</i>					
4 declinatus. s.s.	(st.) long-leaved.	C. B. S.	1759.	_____	F. 4.	
5 decumbens. s.s.	(wh.) decumbent.	_____	1792.	5.	F. 4.	Jacq. schœn. 1. t. 97.
6 flexuosus. s.s.	(wh.) flexuose.	_____	....	7. 8.	F. 4.	
7 davuricus. s.s.	(st.) Daurian.	Dauria.	1819.	6. 8.	H. 4.	
8 caspius. R.S.	(gr. wh.) Caspian.	Caucasus.	1821.	_____	H. 4.	
9 maritimus. s.s.	(gr. wh.) sea-side.	Siberia.	1820.	_____	H. 4.	
10 tricarinatûs. DC.	(g. y.) three-keeled.	.....	....	_____	G. 4.	Redout. liliac. t. 451.
11 verticillatus. s.s.	(g. y.) whorl-leaved.	Caucasus.	1752.	_____	H. 4.	Buxb. cent. 5. ap. t. 37.
12 umbellatus. R.S.	(g. w.) umbel-flowered.	Canaries.	1816.	_____	G. 4.	
13 grandiflorus. R.S.	(wh.) large-flowered.	Teneriffe.	1828.	_____	G. 4.	
14 longifolius. F.	(gr. ye.) long-leaved.	Russia.	1827.	....	H. 4.	
15 acutifolius. s.s.	(ye.) needle-leaved.	Spain.	1640.	_____	H. 4.	Flor. græc. t. 337.
16 racemosus. s.s.	(wh.) branching.	E. Indies.	1808.	....	S. 4.	
17 sarmentosus. s.s.	(wh.) linear-leaved.	Ceylon.	1710.	8.	S. 4.	Redout. liliac. t. 460.
18 falcatus. s.s.	(wh.) sickle-leaved.	E. Indies.	1792.	....	S. 4.	Burm. zeyl. t. 13 f. 2.
19 retrofractus. s.s.	(wh.) Larch-leaved.	Africa.	1759.	8. 9.	G. 4.	Pluk. alm. t. 375. f. 3.
20 capensis. s.s.	(wh. re.) Cape.	C. B. S.	1691.	4. 5.	G. 4.	Jacq. schœn. 3. t. 266.
21 æthiopicus. W.	(wh.) angular-stalked.	_____	1816.	....	G. 4.	
22 scândens. W.	(wh. vi.) climbing.	_____	1795.	5. 6.	G. 4.	
23 asiaticus. s.s.	(wh.) Asiatic.	Asia.	1759.	_____	G. 4.	Pluk. alm. t. 14. f. 4.
24 subulatus. s.s.	(wh.) awl-leaved.	C. B. S.	1811.	_____	G. 4.	
25 Nivenianus. R.S.	(w. pu.) Niven's.	_____	_____	_____	G. 4.	
26 lanceus. R.S.	(wh.) spear-leaved.	_____	_____	_____	G. 4.	
27 larinicus. R.S.	(wh.) Larch-leaved.	_____	1816.	_____	G. 4.	
28 tetragonus. R.S.	(wh.) square-leaved.	_____	1822.	_____	G. 4.	
29 albus. s.s.	(wh.) white.	Spain.	1540.	5. 7.	F. 4.	Moris. s. J. t. 1. f. 3.
30 aphyllus. s.s.	(ye.) prickly.	S. Europe.	1640.	_____	F. 4.	Flor. græc. t. 338.
31 hórridus. s.s.	(ye.) long-spined.	_____	1819.	_____	F. 4.	_____ t. 239.
32 Broussoneti. L. en.	(st.) Broussonet's.	Canaries.	1815.	_____	F. 4.	Jacq. eclog. 2. t. 40.
<b>CHARLWO'ODIA. S.F.A.</b>	<b>CHARLWO'ODIA.</b>	<b>Hexandria Monogynia.</b>				
1 congésta. S.F.A.	(pu.) crowded-paniced.	N. Holland.	1821.	5. 7.	S. 4.	Swt. flor. aust. t. 18.
2 stricta. S.F.A.	(bl.) loose-paniced.	_____	_____	_____	S. 4.	Bot. reg. t. 956.
	<i>Dracæna stricta. Bot. mag. t. 2575.</i>					
<b>DRAC'ÆNA. W.</b>	<b>DRAGON-TREE.</b>	<b>Hexandria Monogynia.</b>	<b>L.</b>			
1 Draco. s.s.	(wh.) common.	E. Indies.	1640.	....	S. 4.	Blackw. t. 358.
2 ensifolia. H.S.	(wh.) sword-leaved.	.....	1800.	....	S. 4.	
3? indivisa. s.s.	(wh.) undivided.	N. Zealand.	1819.	6. 8.	G. 4.	
4? australis. s.s.	(wh.) Forster's.	_____	_____	_____	G. 4.	Bot. mag. t. 2835
5 marginata. s.s.	(wh.) red-margined.	Madagascar.	1816.	....	S. 4.	
	<i>stellata. W. enum.</i>					
6 arborea. s.s.	(wh.) tree.	Africa.	1810.	3. 5.	S. 4.	
7 fragrans. s.s.	(wh.) fragrant.	_____	1768.	2. 5.	S. 4.	Bot. mag. t. 1081.
8 ferrea. L.	(wh.) dark-purple.	China.	1771.	3. 4.	S. 4.	_____ t. 2053.
9 terminalis. W.	(wh.) red-leaved.	India.	1812.	4. 8.	S. 4.	Lodd. bot. cab. t. 1224.
10 umbraculifera. s.s.	(wh.) umbrella.	Mauritius.	1788.	4. 6.	S. 4.	_____ t. 289.
11 cernua. s.s.	(st. li.) drooping.	_____	....	_____	S. 4.	Jacq. schœn. 1. t. 96.

12 mauritiána. s.s. ( <i>wh.</i> )	Mauritius.	Mauritius.	1816.	....	S. ½.	
13 unduláta. s.s. ( <i>wh.</i> )	wave-leaved.	C. B. S.	—	....	G. ½.	
14 ováta. B.M. ( <i>li.</i> )	oval-leaved.	Sierra Leon.	1790.	8. 9.	S. ½.	Bot. mag. t. 1180.
15 nodösa. L.C. ( <i>wh.</i> )	knotted.	.....	1822.	....	S. ½.	
16 refléxa. s.s. ( <i>li.</i> )	reflex-leaved.	Madagascar.	1816.	5. 8.	S. ½.	Redout. liliac. t. 92.
17 surculösa. B.R. ( <i>st.</i> )	trailing.	Sierra Leone.	1822.	—	S. ½.	Bot. reg. t. 1169.
<b>CORDYL'INE. B.P.</b>	<b>CORDYL'INE.</b>	<b>Hexandria Monogynia.</b>				
1 hemichr'ysa. P.s. ( <i>wh.</i> )	golden-leaved.	Bourbon.	1823.	....	S. ½.	
2 parviflöra. s.s. ( <i>wh.</i> )	small-flowered.	Mexico.	1828.	....	S. ½.	H. et B.n. gen. 3. t. 674.
<b>PHOR'MIUM. W.</b>	<b>FLAX-LILY.</b>	<b>Hexandria Monogynia. W.</b>				
ténax. w. ( <i>ye.</i> )	Iris-leaved.	N. Zealand.	1788.	8.	F. ¼.	Redout. liliac. t. 448-449.
<b>XANTHORRH'CEA. B.P.</b>	<b>GUM-TREE.</b>	<b>Hexandria Monogynia. S.S.</b>				
1 arbörea. B.P. ( <i>wh.</i> )	tree.	N. S. W.	1828.	....	G. ½.	
2 austrális. B.P. ( <i>wh.</i> )	southern.	V. Diem. Isl.	1820.	....	F. ½.	
3 hástíle. B.P. ( <i>wh.</i> )	yellow gum.	N. S. W.	1803.	4. 5.	F. ½.	
4 mèdia. B.P. ( <i>wh.</i> )	intermediate.	—	1819.	—	F. ½.	
5 minor. B.P. ( <i>wh. br.</i> )	small.	—	1804.	4. 6.	F. ¼.	
6 bracteáta. B.P. ( <i>wh.</i> )	long-bracted.	—	1810.	4. 5.	F. ¼.	
<b>ROXBUR'GHIA. W.</b>	<b>ROXBUR'GHIA.</b>	<b>Octandria Monogynia.</b>				
1 gloriosóides. R.C. ( <i>st. pu.</i> )	cordate-leaved.	E. Indies.	1803.	4. 6.	S. ¼.	Roxb. corom. 1. t. 32.
2 viridiflöra. Ex. B. ( <i>st. cr.</i> )	elliptic-leaved.	—	—	—	S. ¼.	Sm. exot. bot. 1. t. 57.
	<i>gloriosáa.</i>					Bot. mag. t. 1500.

## ORDO CXXV.

BROMELIACEÆ. *Juss. gen. 49.*

<b>AG'AVE. L.</b>	<b>AG'AVE.</b>	<b>Hexandria Monogynia. L.</b>				
1 americana. H.S. ( <i>gr.</i> )	large American.	S. America.	1640.	8. 10.	D.G. ¼.	Andr. reposit. t. 438.
2 Millèri. H.S. ( <i>gr.</i> )	Miller's.	—	1768.	—	D.G. ¼.	
3 fláccida. H.S. ( <i>gr.</i> )	flaccid.	—	1790.	—	D.S. ¼.	
4 lúrida. B.M. ( <i>gr.</i> )	Vera Cruz.	Vera Cruz.	1731.	6. 7.	D.S. ¼.	Bot. mag. t. 1522.
5 brachystáchys. s. ( <i>gr.</i> )	short-spiked.	Mexico.	1826.	....	D.G. ¼.	Redout. liliac. t. 485.
	<i>spicáta. R.L. non Cavan.</i>					
6 spicáta. s. ( <i>gr. ye.</i> )	spiked.	Havannah.	1825.	....	D.S. ¼.	Cav. h. reg. mad. ic. ined.
7 angustifölia. H.S. ( <i>gr.</i> )	narrow-leaved.	St. Helena.	1770.	....	D.S. ¼.	
8 yuccæfölia. H.S.S. ( <i>y. g.</i> )	Yucca-leaved.	S. America.	1817.	....	D.S. ¼.	Redout. liliac. t. 328, 329.
9 mexicána. H.S.S. ( <i>gr.</i> )	Mexican.	Mexico.	1818.	....	D.G. ¼.	
10 Karátto. H.S. ( <i>gr. ye.</i> )	Karatto.	S. America.	1768.	....	D.S. ¼.	
11 vivipara. H.S. ( <i>gr. ye.</i> )	viviparous.	—	1731.	8. 10.	D.S. ¼.	Comm. præl. t. 15.
12 polyacántha. H.R. ( <i>g. y.</i> )	black-spined.	.....	1800.	....	D.S. ¼.	
13 virgínica. H.S. ( <i>gr. ye.</i> )	Virginian.	N. America.	1765.	9.	F. ¼.	Bot. mag. t. 1157.
<b>FURCR'CEA. V.</b>	<b>FURCR'CEA.</b>	<b>Hexandria Monogynia. H.S.</b>				
1 gigantæa. ( <i>gr. wh.</i> )	gigantic.	S. America.	1690.	9. 1.	D.S. ½.	DC. plant. gras. t. 126.
	<i>Agave fœtida. w.</i>					
2 tuberösa. H.K. ( <i>gr. wh.</i> )	tuberous.	—	1739.	8. 9.	D.S. ½.	Comm. hort. 2. f. 19.
3 cubénsis. H.S. ( <i>wh. gr.</i> )	Cuba.	—	—	....	D.S. ½.	Jacq. am. pic. t. 260. f. 25.
4 rígida. H.S. ( <i>gr. ye.</i> )	Vera Cruz.	—	1768.	....	D.S. ½.	Spin. cat. 1812. c. ic.
5 austrális. H.S. ....	entire-leaved.	N. Holland.	1811.	....	D.S. ¼.	
6 madagascariénsis. H.	Madagascar.	Madagascar.	1818.	....	D.S. ¼.	
7 cantála. H.S.S. ....	Canton.	China.	—	....	D.G. ¼.	
<b>LITT'ÆA. H.S.S.</b>	<b>LITT'ÆA.</b>	<b>Hexandria Monogynia. H.S.S.</b>				
geminiflöra. H.S.S. ( <i>gr.</i> )	twin-flowered.	S. America.	1810.	....	S. ½.	Bot. reg. t. 1145.
	<i>Agave geminiflöra. Ker. Buonapártea júncea. H.S. nec aliorum.</i>					
<b>ANANA'SSA. B.H.</b>	<b>PINE-APPLE.</b>	<b>Hexandria Monogynia. L.</b>				
1 satíva. B.R. ( <i>bl.</i> )	common.	S. America.	1690.	1. 12.	S. ¼.	Bot. mag. t. 1554.
2 semiserráta. s.s. ( <i>bl.</i> )	semiserrate.	—	....	—	S. ¼.	
3 lúcida. W. en. ( <i>bl.</i> )	shining-leaved.	—	....	—	S. ¼.	
4 débilis. B.R. ( <i>bl.</i> )	waved-leaved.	—	1826.	—	S. ¼.	
5 bracteáta. B.R. ( <i>bl. sc.</i> )	red-bracted.	Jamaica.	1785.	9. 10.	S. ½.	Bot. reg. t. 1081.
<b>BILLBER'GIA. Th.</b>	<b>BILLBER'GIA.</b>	<b>Hexandria Monogynia.</b>				
1 zebrína. B.M. ( <i>ye.</i> )	white-barred.	Brazil.	1825.	6. 7.	S. ¼.	Bot. mag. t. 2686.
2 fasciáta. B.R. ( <i>bl.</i> )	banded.	—	—	8. 10.	S. ¼.	Bot. reg. t. 1130.

- 3 *iridifolia*, B.R. (*ye.bl.*) drooping. Brazil. 1826. 3. 5. S. 2. Bot. reg. t. 1068.  
 4 *amœna*, B.R. (*ye.bl.*) pale-flowered. S. America. 1810. 3. 11. S. 2. Lodd. bot. cab. t. 76.  
*Bromelia pallida*, Bot. reg. t. 344.  
 5 *pyramidalis*, B.R. (*cr.*) pyramidal. Brazil. .... 2. 4. S. 2. Bot. reg. t. 203.  
*Bromelia nudicaulis*, B.R. *pyramidalis*. Bot. mag. t. 1732.  
*β bicolor*, B.R. (*cr.bl.*) two-coloured. S. America. .... — S. 2. Bot. reg. t. 1181.  
 6 *nudicaulis*, B.R. (*st.*) naked-stalked. Trinidad. 1822. 4. 6. S. 2. Hook. ex. flor. t. 143.  
 7 *cruenta*, B.M. (*bl.*) blood-stained. Brazil. 1824. — S. 2. Bot. mag. t. 2892.  
**BROMELIA**, B.R. **BROMELIA**, Hexandria Monogynia.  
 1 *melanantha*, B.R. (*bk.*) black-flowered. Trinidad. 1823. 5. 7. S. 2. Bot. reg. t. 766.  
 2 *fastuosa*, L.col. (*pu.*) noble. S. America. 1815. 8. 10. S. 2. Lindl. col. bot. t. 1.  
 3 *lingulata*, s.s. (*ye.*) tongue-leaved. — 1759. 5. 6. S. 2. Plum. ic. t. 64. f. 1.  
 4 *Karatas*, s.s. (*bl.*) upright-leaved. W. Indies. 1739. .... S. 2. Jacq. vind. 1. t. 31. 32.  
 5 *humilis*, s.s. (*rb.*) dwarf. — 1789. 3. S. 2. Jacq. ic. 1. t. 60.  
 6 *Pinguin*, s.s. (*re.*) broad-leaved. — 1699. 3. 4. S. 2. Jacq. am. ed. pict. t. 91.  
 7 *chrysantha*, s.s. (*ye.*) yellow-flowered. S. America. 1820. — S. 2. Jacq. schœn. 1. t. 55.  
 8 *exdans*, B.C. (*ye.*) clammy. — 1816. — S. 2. Lodd. bot. cab. t. 801.  
 9 *paniculigera*, s.s. (*sc.*) panicked. W. Indies. 1822. — S. 2. Bot. mag. t. 2392.  
 10 *sylvêstris*, s.s. (*cr.*) wild. S. America 1820. 7. 8. S. 2. Pis. bras. t. 91.  
 11 *Acanga*, s.s. (*ye.*) recurved. — 1824. .... S. 2. Pis. bras. t. 91.  
 12 *sessiliflora*, L.C. .... sessile-flowered. — .... S. 2.  
**GUZMA'NNIA**, R.P. **GUZMA'NNIA**, Hexandria Monogynia, S.S.  
*tricolor*, R.P. (*g.st.ro.*) three-coloured. S. America. 1818. 5. 6. S. 2. Lind. coll. bot. t. 8.  
**PITCAIRNIA**, S.S. **PITCAIRNIA**, Hexandria Monogynia, L.  
 1 *staminea*, s.s. (*sc.*) long-stamened. S. America. 1823. 1. 3. S. 2. Bot. mag. t. 2411.  
 2 *integrifolia*, s.s. (*sc.*) entire-leaved. W. Indies. 1800. 8. S. 2. — t. 1462.  
 3 *latifolia*, s.s. (*sc.*) broad-leaved. — 1785. 8. 9. S. 2. — t. 856.  
 4 *bracteata*, R.L. (*sc.*) large bracted-red. — 1799. 4. 5. S. 2. — t. 2813.  
 5 *sulphurea*, A.R. (*st.*) yellow-flowered. — 1797. 6. 8. S. 2. Andr. reposit. t. 249.  
*bracteata β sulphurea*, Bot. mag. t. 1416.  
 6 *suavolens*, B.R. (*st.*) sweet-scented. Brazil. 1826. 6. 7. S. 2. Bot. reg. t. 1069.  
 7 *albiflora*, B.M. (*wh.*) white-flowered. — 1824. 9. 12. S. 2. Bot. mag. t. 2642.  
 8 *bromeliæfolia*, s.s. (*sc.*) Pine-apple-leaved. Jamaica. 1781. 6. 8. S. 2. — t. 824.  
 9 *angustifolia*, s.s. (*sc.*) narrow-leaved. Santa Cruz. 1777. 12. 1. S. 2. — t. 1547.  
 10 *furfuracea*, B.M. (*ro.*) mealy. S. America. 1818. 7. 9. S. 2. — t. 2657.  
 11 *flammea*, B.R. (*sc.*) flame-coloured. Brazil. 1823. 11. 12. S. 2. — t. 1092.  
 12 *media*, L.C. (*sc.*) intermediate. S. America. — 7. 9. S. 2.  
 13 *ædiflora*, L.C. (*sc.*) Iris-flowered. — — S. 2.  
 14 *humilis*, L.C. (*sc.*) dwarf. — — S. 2.  
**POURRETIA**, R.P. **POURRETIA**, Hexandria Monogynia, S.S.  
 1 *lanuginosa*, R.P. (*gr.*) woolly. S. America. 1826. 4. 8. S. 2. Flor. peruv. 3. t. 256.  
 2 *pyramidalis*, K.S. (*st.*) pyramidal. — 1822. 4. 6. S. 2. — 3. t. 257.  
 3 *coarctata*, R.P. (*ye.*) crowded-spiked. Chili. .... S. 2. Feuil. per. 3. t. 39.  
**TILLANDSIA**, L. **TILLANDSIA**, Hexandria Monogynia, L.  
 1 *usneoides*, s.s. (*ye.gr.*) moss-like. W. Indies. 1823. 4. 8. S. 2. Sloan. hist. t. 122. f. 2-3.  
 2 *Bartramii*, s.s. .... Bartram's. Carolina. 1825. .... S. 2.  
 3 *recurvata*, s.s. (*pu.*) recurve-leaved. Jamaica. 1793. 7. S. 2. Sloan. jam. 1. t. 121. f. 1.  
 4 *xiphioides*, B.R. (*wh.*) Xiphium-like. Buenos Ayres. 1815. — S. 2. Bot. reg. t. 105.  
 5 *serrata*, s.s. (*ye.*) saw-leaved. Jamaica. 1793. 6. 7. S. 2. Plum. ic. 63. t. 75. f. 1.  
 6 *lingulata*, s.s. (*ye.*) tongue-leaved. — 1776. — S. 2. Jacq. amer. t. 62.  
 7 *acaulis*, B.R. (*wh.*) stemless. Brazil. 1826. 7. 9. S. 2. Bot. reg. t. 1157.  
 8 *psittacina*, B.M. (*or.y.*) gaudy-flowered. — 1827. 4. 8. S. 2. Bot. mag. t. 2841.  
 9 *setacea*, s.s. (*st.*) bristle-leaved. Jamaica. 1822. — S. 2.  
 10 *stricta*, s.s. (*bl.*) stiff-leaved. Brazil. 1810. 11. S. 2. Bot. mag. t. 1529.  
 11 *bulbosa*, H.E.F. (*bl.*) bulbous. Trinidad. 1823. 8. 9. S. 2. Hook. ex. flor. t. 173.  
 12 *aloifolia*, H.E.F. (*st.*) Aloe-leaved. — 1824. 11. 12. S. 2. — t. 205.  
 13 *pulchra*, H.E.F. (*wh.*) pretty. — 1822. 10. 11. S. 2. — t. 154.  
 14 *auceps*, B.C. (*bl.*) two-edged. W. Indies. 1819. 7. S. 2. Lodd. bot. cab. t. 771.  
 15 *uticulata*, s.s. (*st.*) bottle. S. America. 1793. 7. 8. S. 2.  
 16 *tenuifolia*, s.s. (*sc.*) slender-leaved. W. Indies. 1822. — S. 2. Plum. ic. 232. f. 2.  
 17 *acutifolia*, L.en. (*st.*) acute-leaved. Brazil. 1815. — S. 2. Bot. reg. t. 749.  
*flexuosa β pallida*, B.R.  
 18 *flexuosa*, s.s. (*sc.*) flexuose. W. Indies. 1790. — S. 2. Jacq. amer. t. 63.  
 19 *nutans*, s.s. (*bl.*) nodding-spiked. — 1793. — S. 2.  
 20 *fasciculata*, s.s. (*st.*) bundled. — 1822. — S. 2.  
 21 *nitida*, H.E.F. (*wh.*) shining-leaved. Jamaica. 1823. 11. 12. S. 2. Hook. ex. flor. t. 218.  
 22 *polystachya*, s.s. (*st.*) many-spiked. W. Indies. 1820. 7. 9. S. 2.  
 23 *angustifolia*, s.s. (*st.*) narrow-leaved. — 1822. — S. 2.  
 24 *paniculata*, s.s. (*st.*) panicked. — 1817. — S. 2. Plum. ic. t. 237.

25	coarctata. G.C. ....	crowded.	W. Indies.	1822.	....	S. 4.
26	compressa. G.C. ....	compressed.	_____	_____	_____	S. 4.
27	gracilis. G.C. ....	slender.	_____	_____	_____	S. 4.
28	ramosa. G.C. ....	branching.	_____	_____	_____	S. 4.
29	rigida. G.C. ....	rigid.	_____	_____	_____	S. 4.
BUONAPARTEA. R.P. BUONAPARTEA. Hexandria Monogynia.						
	junceæ. R.P. (bl.)	rush-leaved.	Peru.	1800.	....	S. 4. Flor. peruv. 3. t. 242.

## ORDO CCXVI.

TULIPACEÆ. *Kth. synopsis. 1. p. 292.*

YUCCA. L.		ADAM'S-NEEDLE. Hexandria Monogynia. L.	
1	conspicua. H.S.S. (wh.)	broad rough-edged. ....	1810. 8. 10. F. h.
2	aloifolia. H.S.S. (wh.)	Aloe-leaved. W. Indies.	1696. — G. h.
3	serrulata. H.S.S. (wh.)	narrow saw-leaved. Carolina.	1808. .... F. h.
4	Draconis. H.S.S. (wh.)	drooping-leaved. —	1732. 8. 9. F. h.
5	crenulata. H.S.S. (wh.)	rough-edged oblique. —	1818. .... F. h.
6	arcuata. H.S.S. (wh.)	arcuated. —	1817. .... F. h.
7	tenuifolia. H.S.S. (wh.)	slender-leaved. Malta?	— .... F. h.
8	concaeva. H.S.S. (wh.)	hollow-thready. N. America.	1816. 7. 8. H. 4.
9	filamentosa. H.S.S. (wh.)	common-thready. Virginia.	1675. 7. 10. H. 4.
10	flaccida. H.S.S. (wh.)	flaccid-thready. N. America.	1816. — H. 4.
11	puberula. H.P. (wh.)	pubescent-stemmed. —	1822. — H. 4.
12	glaucescens. H.S.S. (wh.)	glaucous. —	1815. 7. 8. H. 4.
13	recurva. P.L. (wh.)	recurved-leaved. Georgia.	1795. 8. 9. H. h.
14	glauca. B.M. (st.)	glaucous-leaved. Carolina.	1812. — H. 4.
15	stricta. B.M. (gr. pu.)	straight-leaved. —	1811. — H. h.
16	angustifolia. H.S.S. (gr.)	narrow-leaved. Missouri.	— H. h.
17	superba. H.S.S. (wh.)	superb. ....	8. 10. G. h.
<i>gloriosa. A.R. nec aliorum.</i>			
18	acuminata. S.F.G. (br. w.)	tapering-flowered. America.	.... 7. 9. H. h.
19	gloriosa. H.S.S. (wh.)	handsome. —	1596. 7. 8. H. h.
20	rufocincta. H.S.S. (wh.)	rufous-edged. —	1816. — H. 4.
21	obliqua. H.S.S. (wh.)	oblique-leaved. —	1808. — H. 4.
<i>β major. H.S.S. (wh.) larger.</i>			
22	spinosa. K.S. (pu. or.)	spiny-leaved. Mexico.	1829. .... G. h.
TULIPA. L.		TULIP. Hexandria Monogynia. L.	
1	altaica. R.S. (ye.)	Altai. Altay mount.	1822. 4. 5. H. b.
2	saxatilis. R.S. (ye.)	rocky. Crete.	1827. — H. b.
3	patens. R.S. (wh. g. y.)	spreading-flowered. Siberia.	1829. — H. b.
4	stellata. B.M. (bh. wh.)	starry. E. Indies.	1827. 3. 4. G. b.
5	montana. B.R. (cr.)	mountain. Persia.	1826. — H. b.
6	biflora. S.S. (wh. vi. ye.)	two-flowered. Russia.	1806. 4. H. b.
7	tricolor. F. ....	three-coloured. —	1823. .... H. b.
8	Celsiana. S.S. (ye. re.)	Cels's. Levant.	.... 6. 7. H. b.
<i>Breyaniana. B.M. nec aliorum.</i>			
9	Biebersteiniiana. R.S. (y. pu.)	Bieberstein's. Siberia.	1820. — H. b.
<i>repens. F. ?</i>			
10	sylvestris. S.S. (ye.)	wild. S. England.	.... 4. 5. H. b.
11	turcica. Roth. (ye.)	Florentine. S. Europe.	.... — H. b.
12	Clusiana. R.S. (sc. wh.)	Clusius's. Sicily.	1636. 5. 6. H. b.
13	maculata. R.S. (ye. gr.)	spotted-flowered. Spain.	.... — H. b.
14	media. R.S. (sc. wh.)	intermediate. ....	1828. — H. b.
15	cornuta. R.S. (va.)	horn-petaled. Levant.	1816. 5. H. b.
16	undulata. (sc. ve.)	wave-leaved. Whitley's.	1820. 5. 6. H. b.
17	oculus solis. S.S. (sc. ve.)	Sun's-eye. S. Europe.	1816. — H. b.
18	præcox. S.S. (sc. gr.)	early-flowering. Naples.	1825. 3. 4. H. b.
19	persica. (sc. ve.)	Persian. Persia.	1826. — H. b.
20	suaveolens. S.S. (sc. ye.)	Van-Thol. S. Europe.	1603. — H. b.
21	pubescens. S.S. (va.)	woolly-stalked. —	.... — H. b.
22	Gesneriana. S.S. (va.)	common. Levant.	1577. 4. 5. H. b.
<i>α coccinea. (sc. ve.) scarlet-flowered. Constantinople. 1816.</i>			
<i>β versicolor. (va.) various-coloured. Levant. — H. b.</i>			
<i>γ simpliœnsis. (st. pu.) Semplon. .... — H. b.</i>			

Bot. mag. t. 1700.

Dill. elt. t. 324. f. 417.

Bot. mag. t. 900.

Swt. br. fl. gar. t. 251.

\_\_\_\_\_ t. 53.

Sal. par. lond. t. 31.

Bot. mag. t. 2662.

\_\_\_\_\_ t. 2222.

\_\_\_\_\_ t. 2236.

Andr. reposit. t. 473.

Swt. br. fl. gar. t. 195.

Bot. mag. t. 1260.

Reich. ic. rar. t. 396.

Bot. mag. t. 2762.

Bot. reg. t. 1106.

\_\_\_\_\_ t. 535.

Bot. mag. t. 717.

Eng. bot. v. 1. t. 63.

Swt. br. fl. gar. t. 186.

Bot. mag. t. 1390.

Bot. reg. t. 127.

Redout. liliac. t. 219.

Swt. br. fl. gar. t. 157.

Bot. reg. t. 1143.

Bot. mag. t. 839.

Swt. br. fl. gar. t. 78.

Bot. reg. t. 380.

Bot. mag. t. 1135.

Swt. flor. guid. t. 53.





- 25 pulchellum. F. . . . . pretty. Dahuria. 1829. . . . H.b.  
 GLORIOSA. L. GLORIOSA. Hexandria Monogynia. L.  
 1 viridescens. B.M. (gr.) greenish-flowered. Mozambique. 1822. 7. 8. S. 2. Bot. mag. t. 2539.  
 2 superba. L. (or.) superb. E. Indies. 1690. — S. 2. Bot. reg. t. 77.  
 3 simplex. L. (bl.) simple-leaved. Senegal. 1756. — S. 2.  
*Methonica gloriosa*. Sal.  
 ERYTHRONIUM. L. DOG'S TOOTH VIOLET. Hexandria Monogynia. L.  
 1 Dens canis. w. (pu.) common. Europe. 1596. 3. 4. H.b. Redout. liliac. t. 191.  
 2 americanum. B.M. (ye.) yellow-flower'd. N. America. 1665. 4. 5. H.b. Bot. mag. t. 1113.  
*lanceolatum*. Ph.  
 3 albidum. N. (wh.) white American. ——— 1825. — H.b.

## ORDO CCXVII.

MELANTHACEÆ. *Brown prodr.* 272.

- BULBOC'ODIUM. W. BULBOC'ODIUM. Hexandria Monogynia. L.  
 1 vernum. s.s. (li.) spring-flowering. Spain. 1629. 2. 3. H.b. Bot. mag. t. 153.  
 2 versicolor. s.s. (li. ye.) various-colour'd. Russia. 1820. 9. 10. H.b. Bot. reg. t. 571.  
*Cóchicum versicolor*. B.R.  
 COLCHICUM. S.S. MEADOW SAFFRON. Hexandria Trigynia. L.  
 1 byzantinum. s.s. (li.) broad-leaved. Levant. 1629. 9. 10. H.b. Bot. mag. t. 1122.  
 2 autumnale. E.B. (li.) common. Britain. . . . — H.b. Eng. bot. v. 2. t. 133.  
*β album*. (wh.) white flowered. ——— . . . . — H.b.  
*γ multipléx*. (li.) double-flowered. ——— . . . . — H.b.  
 3 crociflorum. B.M. (li.) Crocus-flowered. ——— . . . . — H.b. Bot. mag. t. 2673.  
 4 variegatum. w. (std.) chequer-flowered. Greece. 1629. 8. 10. H.b. ——— t. 1028.  
 5 arenarium. s.s. (li.) sand. Hungary. 1816. 9. 10. H.b. W. et K. hung. 2. t. 179.  
 6 umbrösum. F. (li.) wood. Siberia. ——— — H.b. Bot. reg. t. 541.  
 7 montanum. s.s. (li.) mountain. S. Europe. 1818. — H.b.  
 UVULARIA. S.S. UVULARIA. Hexandria Monogynia. L.  
 1 perfoliata. s.s. (gr. ye.) perfoliate. N. America. 1710. 5. 6. H. 2. Sm. exot. bot. 1. t. 49.  
 2 flava. s.s. (ye.) yellow-flowered. ——— . . . . — H. 2. ——— 1. t. 50.  
 3 lanceolata. H.K. (ye.) spear-leaved. ——— 1710. 7. 8. H. 2. Cornut. canad. t. 41.  
 4 grandiflora. H.K. (ye.) large yellow. ——— 1802. 5. 6. H. 2. Sm. exot. bot. 1. t. 51.  
 5 sessilifolia. s.s. (st.) sessile-leaved. ——— 1790. 6. H. 2. ——— 1. t. 52.  
 6 puberula. s.s. (ye.) pubescent. ——— 1818. — H. 2. Swt. br. fl. gar. s. 2. t. 21.  
 DISP'ORUM. D.P. DISP'ORUM. Hexandria Monogynia.  
 1 parviflorum. D.P. (ye.) small-flowered. Nepal. 1823. 6. 8. F. 2.  
 2 Pitsitum. D.P. (ye.) umbel-flowered. ——— 1826. — F. 2.  
 3 fulvum. Sal. (br. pu.) brown-flowered. China. 1801. 6. 11. F. 2. Bot. mag. t. 916.  
*Uvularia chinensis*. B.M.  
 SCHELHAMM'ERA. B.P. SCHELHAMM'ERA. Hexandria Monogynia. S.S.  
 1 undulata. B.P. (ro.) wave-leaved. N. S. W. 1825. 6. 9. F. 2. Bot. mag. t. 2712.  
 2 multiflora. B.P. (ro.) many-flowered. ——— 1826. — F. 2.  
 BURCHARDIA. B.P. BURCHARDIA. Hexandria Monogynia. S.S.  
 umbellata. B.P. (wh.) umbel-flowered. N. S. W. 1825. 6. 8. F. 2.  
 ANGUILLARIA. B.P. ANGUILLARIA. Hexandria Trigynia.  
 1 dioica. B.P. (br.) dioecious. N. S. W. 1826. . . . F. 2.  
 2 biglandulosa. B.P. (br.) two-glanded. ——— 1822. 6. 8. F. 2.  
 3 indica. B.P. (d. pu.) Indian. E. Indies. ——— — F. 2.  
*Melanthium indicum*. L.  
 ORNITHOGLOSSUM. S.S. BIRD'S-TONGUE. Hexandria Trigynia. S.S.  
 1 undulatum. B.F.G. (g. pu.) wave-leaved. C. B. S. 1825. 8. 10. F.b. Swt. br. fl. gar. t. 131.  
 2 viride. s.s. (gr. br.) green-flowered. ——— 1788. 10. 11. F.b. Sal. par. lond. t. 54.  
*Melanthium viride*. Bot. mag. t. 994.  
 ANDROCYMBIUM. W. ANDROCYMBIUM. Hexandria Trigynia. S.S.  
 1 melanthioides. s.s. (gr.) narrow-leaved. C. B. S. 1825. 8. 10. F.b.  
 2 eucomoides. s.s. (gr.) Tulip-leaved. ——— 1794. 3. 5. F.b. Swt. br. fl. gar. t. 165.  
*Melanthium eucomoides*. B.M. 641.  
 3 volutare. B.T. (gr.) rolled-leaved. ——— 1816. — F.b.  
 MELANTHIUM. W. MELANTHIUM. Hexandria Trigynia. L.  
 1 janceum. w. (li.) Rush-leaved. C. B. S. 1788. 6. 11. F.b. Bot. mag. t. 558.  
 2 secundum. w. (wh.) side-flowering. ——— 1812. — F.b. Lam. ill. t. 269. f. 2.

- 3 capense. w. (*wh.*) spotted-flowered. C. B. S. 1768. 5. 6. F.b.  
 4 ciliatum. w. (*wh.*) fringed. ———— 1825. ——— F.b.  
 5 gramineum. s.s. (*wh.*) grassy. Barbary. 1823. ——— F.b. Cavan. icon. t. 587. f. 1.
- KO'LBEA. R.S. KO'LBEA. Hexandria Trigynia.  
 Breyriana. r.s. (*ye.*) Breyrius's. C. B. S. 1787. 6. 7. F.b. Bot. mag. t. 767.  
*Melanthium uniflorum.* w.
- WURMB'EA. W. WURMB'EA. Hexandria Trigynia. W.  
 1 campanulata. w. (*wh.*) bell-flowered. C. B. S. 1788. 5. 6. F.b. Bot. mag. t. 1291.  
*Melanthium monopetalum.* B.M.  
 2 purpurea. H.K. (*pu.*) purple. ———— ——— F.b. Bot. mag. t. 694.  
*Melanthium spicatum.* B.M. *Wurmbæa capensis.* Andr. reposit. t. 221.  
 3 pumila. w. (*wh.*) dwarf. C. B. S. 1800. 5. 6. F.b.  
 4 longiflora. w. (*wh.*) long-flowered. ———— ——— F.b.
- TOF'IELDIA. L.T. TOF'IELDIA. Hexandria Trigynia. S.S.  
 1 palustris. L.T. (*st.*) Scotch. Britain. .... 7. 8. H. ½. Eng. bot. v. 8. t. 536.  
 2 racemosa. Hop. (*st.*) racemed. Germany. 1827. ——— H. ½.  
 3 alpina. L.T. (*st.*) Alpine. Europe. .... 7. 8. H. ½. Redout. lil. t. 256.  
*palustris.* DC.  
 4 pubens. L.T. (*st.*) downy. N. America. 1790. 4. 5. H. ½. Pluk. mant. 29. t. 342. f. 3  
 5 glutinosa. L.T. (*ye.*) glutinous. ———— 1827. ——— H. ½. Linn. trans. v. 12. t. 8. f. 2.
- XEROPHYLLUM. M. XEROPHYLLUM. Hexandria Trigynia. S.S.  
 1 gramineum. s.s. (*wh.*) grass-leaved. N. America. 1812. 5. 6. H. ½. Bot. mag. t. 1599.  
*Helônias graminea.* B.M.  
 2 tenax. s.s. (*wh.*) tough-leaved. ———— 1811. ——— H. ½. Pursh. amer. 1. t. 9.  
 3 asphodeloides. s.s. (*wh.*) Asphodel-like. ———— 1765. ——— H. ½. Bot. mag. t. 748.  
*Helônias asphodeloides.* B.M.
- HEL'ONIAS. W. HEL'ONIAS. Hexandria Trigynia. L.  
 1 bullata. w. (*pu.*) broad-leaved. N. America. 1758. 4. 5. H. ½. Bot. mag. t. 747.  
*latifolia.* M.  
 2 erythrospërma. M. (*wh.*) channel-leaved. ———— 1770. 6. H. ½. Bot. mag. t. 803.  
*æta.* B.M. *Melanthium ætum.* w.  
 3 angustifolia. M. (*wh.*) narrow-leaved. ———— 1812. ——— H. ½. Bot. mag. t. 1540.
- ZIGAD'ENUS. M. ZIGAD'ENUS. Hexandria Monogynia. S.S.  
 1 glaberrimus. w. (*wh.*) smooth-leaved. N. America. 1811. 5. 6. H. ½. Mich. amer. 1. t. 22.  
*Helônias glaberrima.* Bot. mag. t. 1680.  
 2 bracteatus. (*wh.*) bracted. ———— ——— H. ½. Bot. mag. t. 1703.  
*Helônias bracteata.* B.M.  
 3 elegans. Ph. (*wh.*) elegant. ———— 1830. 6. 7. H. ½.
- NOL'INA. M. NOL'INA. Hexandria Trigynia. S.S.  
 georgiana. M. (*wh.*) Georgian. Georgia. 1812. 7. 8. H. ½. Pluk. mant. t. 342. f. 1.
- LEIMA'NTHIUM. W. LEIMA'NTHIUM. Polygamia Monœcia.  
 virginicum. w. (*wh.*) Virginian. N. America. 1768. 6. 7. H. ½. Bot. mag. t. 985.  
*Helônias virginica.* B.M. *Melanthium virginicum.* Ph.  
 2 monoicum. (*wh.*) monoœcious. ———— 1817. ——— H. ½.  
*Melanthium monoicum.* Ph.  
 3 hybridum. (*wh.*) hybrid. ———— 1822. ——— H. ½.  
*Melanthium hybridum.* Ph. *racemodsum.* M.
- PELIOSA'NTHES. A.R. PELIOSA'NTHES. Hexandria Monogynia.  
 1 humilis. A.R. (*gr.*) small. E. Indies. 1809. 5. 6. S. ½. Bot. mag. t. 1532.  
 2 teta. A.R. (*gr.*) large. ———— 1807. 4. S. ½. ——— t. 1302.
- CYMATION. S.S. CYMATION. Hexandria Trigynia. R.S.  
 lævigatum. s.s. (*bl.*) smooth. C. B. S. 1824. 4. 5. G.b.
- Lichtenstetnia lævigata. w.
- VER'ATRUM. L. WHITE HELLEBORE. Polygamia Monœcia. L.  
 1 nigrum. w. (*da.pu.*) dark-flowered. Siberia. 1596. 6. 7. H. ½. Bot. mag. t. 963.  
 2 album. w. (*wh.*) white-flowered. S. Europe. 1548. 6. 8. H. ½. Flor. dan. t. 1120.  
 3 Lobelianum. W.en. (*wh.*) Lobel's. ———— 1818. ——— H. ½.  
 4 viride. w. (*gr.*) green-flowered. N. America. 1742. 7. 8. H. ½. Bot. mag. t. 1096.  
 5 parviflorum. M. (*gr.*) small-flowered. ———— 1809. ——— H. ½.  
 6 angustifolium. Ph. (*gr.*) narrow-leaved. ———— 1823. ——— H. ½.
- CHAM'ELI'RIMUM. W. CHAM'ELI'RIMUM. Diccia Hexandria.  
 carolinianum. w. (*st.*) spiked-flowered. N. America. 1759. 7. 8. H. ½. Bot. mag. t. 1062.  
*Helônias lutea.* B.M. *dioica.* Ph. *Ophyostachys virginica.* Redout. lilic. t. 464.

## ORDO CCXVIII.

PONTEDEREÆ. *Kth. synopsis. 1. p. 273.*

PONTEDERIA. L.		PONTEDERIA. Hexandria Monogynia. L.	
1 cordata. s.s.	(bl.) heart-leaved.	N. America.	1759. 6. 8. H.w. 2.
2 azurea. s.s.	(pu.) large-flowered.	Jamaica.	1822. — S.w. 2. — t. 2932.
3 lanceolata. s.s.	(bl.) lanceolate.	Carolina.	... 8. 9. G.w. 2. Lodd. bot. cab. t. 613.
4 angustifolia. s.s.	(bl.) narrow-leaved.	N. America.	1806. 6. 8. H.w. 2.
5 crassipes. s.s.	(bl.) thick-footstalked.	Brazil.	1822. — S.w. 2. Mart. n. pl. bras. t. 4.
6 dilatata. s.s.	(bl.) spreading.	E. Indies.	1806. 5. S.w. 2. Andr. reposit. t. 490.
HETERANTHERA. R.S.		HETERANTHERA. Triandria Monogynia. W.	
1 reniformis. R.S.	(wh.) kidney-leaved.	S. America.	1812. 6. 7. G.w. 2. Flor. per. 1. t. 71. f. a.
2 acuta. w.	(wh.) acute-leaved.	N. America.	— — H.w. 2.
3 limosa. R.S.	(bl.) oval-leaved.	W. Indies.	1822. — S.w. 2. Mich. amer. 1. t. 5. f. 1.
LEPTANTHUS. M.		LEPTANTHUS. Triandria Monogynia. Ph.	
gramineus. M.	(ye.) grass-like.	N. America.	1823. 7. 8. H.w. 2. Hook. ex. flor. t. 94.
<i>Heteranthera graminea</i> , Ph. <i>Schöllera graminifolia</i> , w.			

## ORDO CCXIX.

COMMELINEÆ. *Brown prodr. 1. p. 268.*

DICHORISANDRA. S.S.		DICHORISANDRA. Hexandria Monogynia. S.S.	
1 thyrsoflora. s.s.	(bl.) bunch-flowered.	Brazil.	1820. 8. 10. S. 2. Bot. reg. t. 682.
2 gracilis. s.s.	(bl.) slender.	—	1824. — S. 2.
3 oxypetala. B.M.	(pu.) sharp-flowered.	—	1825. 6. 9. S. 2. Bot. mag. t. 2721.
4 puberula. s.s.	(bl.) pubescent.	—	— S. 2.
CAMPHELIA. K.S.		CAMPHELIA. Hexandria Monogynia. S.S.	
Zanonia. K.S.	(wh.) Gentian-leaved.	S. America.	1759. 7. 12. S. 2. Redout. lil. 4. t. 192.
<i>Commelina Zanonia</i> , R.L. <i>Tradescantia Zanonia</i> , w. <i>Zanonia bibracteata</i> , Cram.			
TRADESCANTIA. L.		SPIDERWORT. Hexandria Monogynia. L.	
1 fuscata. s.s.	(bl.) rusty.	S. America.	1820. 8. 12. S. 2. Bot. reg. t. 482.
2 malabaria. s.s.	(pu.) Grass-leaved.	E. Indies.	1776. 7. 8. S. 2. Rheed. mal. 9. t. 63.
3 tuberosa. s.s.	(bl.) tuberous-rooted.	—	1817. — S. 2.
4 speciosa. s.s.	(pu.) handsome.	Mexico.	1825. — S. 2.
5 discolor. s.s.	(wh.) purple-leaved.	S. America.	1783. 4. 9. S. 2. Bot. mag. t. 1192.
6 cordifolia. s.s.	(pu.) heart-leaved.	Jamaica.	1822. — S. 2.
7 erecta. s.s.	(bl.) upright.	Mexico.	1794. 7. 8. H. 2. Bot. mag. t. 1340.
8 undata. s.s.	(bl.) wave-leaved.	S. America.	1817. 8. 10. H. 2.
9 pulchella. s.s.	(pu.) pretty.	Mexico.	1825. — G. 2.
10 crassifolia. s.s.	(pu.) thick-leaved.	—	1795. 7. 10. H. 2. Bot. mag. t. 1598.
11 subaspera. s.s.	(bl.) Lyon's.	N. America.	1812. 5. 10. H. 2. — t. 1597.
12 virginica. s.s.	(bl.) Virginian.	—	1629. 5. 8. H. 2. Park. parad. t. 151. f. 4.
α carulea.	(bl.) blue-flowered.	—	— H. 2. Bot. mag. t. 105.
β rubra.	(re.) red-flowered.	—	— H. 2.
γ albida.	(wh.) whitish-flowered.	—	— H. 2.
δ nivea.	(wh.) snowy white.	—	— H. 2.
ε pilosa. B.R.	(bl.) hairy.	—	1827. — H. 2. Bot. reg. t. 1055.
13 congesta. H.E.	(bl.) close-flowered.	—	1825. — H. 2.
14 rosea. s.s.	(ro.) rose-coloured.	Carolina.	1802. 5. 10. H. 2. Swt. br. fl. gar. t. 181.
15 multiflora. s.s.	(wh.) many-flowered.	Jamaica.	1824. — S. 2.
16 crassula. B.M.	(wh.) white-flowered.	Brazil.	1826. 12. 1. S. 2. Bot. mag. t. 2935.
17 procumbens. s.s.	(wh.) procumbent.	Caracas.	1823. — S. 2. Jacq. ic. 2. t. 355.
<i>multiflora</i> , Jacq. non w.			
18 parviflora. s.s.	(bl.) small-flowered.	Pern.	1822. — H. 2. Flor. per. 3. t. 272. f. 2.
19 latifolia. s.s.	(vi.) broad-leaved.	Lima.	1820. 9. 11. H. 2. — 3. t. 272.
20 divaricata. s.s.	(bl.) spreading.	Trinidad.	— 5. 8. S. 2. Aub. gui. 1. t. 12.
21 geniculata. s.s.	(wh.) knotted.	W. Indies.	1783. 7. 8. S. 2. Jacq. amer. t. 64.
22 paniculata. s.s.	(bl.) paniced.	E. Indies.	1824. — S. 2.

CYAN'OTIS. D.P.	CYAN'OTIS.	Hexandria Monogynia.				
1 axillâris. D.P.	(bl.) axil-flowered.	E. Indies.	1822.	8. 10.	S. ⊙	Rheed. mal. 10. t. 13.
2 cristâta. D.P.	(bl.) crest-bunched.	Ceylon.	1770.	7. 9.	S. ⊙	Bot. mag. t. 1435.
	<i>Tradescântia cristâta</i> . B.M.					
3 barbâta. D.P.	(bl.) bearded.	Nepaul.	1824.	—	H. ⊙	
CARTON'EMA. B.P.	CARTON'EMA.	Hexandria Monogynia.				
	spicâtum. B.P.	(ye.) spiked.	New Holland.	1822.	7. 8.	S. ♀
CALLI'SIA. L.	CALLI'SIA.	Triandria Monogynia. L.				
	rêpens. L.	(gr.) creeping.	W. Indies.	1776.	6. 7.	S. ♀
ANEILEMA. B.P.	ANEILEMA.	Triandria Monogynia.				Jacq. amer. t. 11.
1 biflora. B.P.	(bl.) two-flowered.	N. S. W.	1820.	7. 8.	F. ♀	
2 acuminâta. B.P.	(bl.) sharp-pointed.	—	1822.	—	F. ♀	
3 longifolia. H.E.F.	(bl.) long-leaved.	Zanzibar.	1823.	8. 9.	S. ♀	Hook. ex. flor. t. 204.
4 sinica. B.R.	(bl.) Chinese.	China.	1820.	5. 6.	G. ♀	Bot. reg. t. 659.
5 nudiflora. B.P.	(bl. pu.) naked-flowered.	E. Indies.	—	8. 10.	S. ⊙	Rheed. mal. 9. t. 63.
6 spirata. B.P.	(bl.) spear-leaved.	—	1783.	7. 8.	S. ⊙	
	<i>Commelina spirata</i> . L.					
7 affinis. B.P.	(bl.) rough-angled.	N. S. W.	1825.	—	F. ♀	
COMMELINA. B.P.	COMMELINA.	Triandria Monogynia. L.				
1 angustifolia. R.S.	(bl.) narrow-leaved.	Carolina.	1812.	7. 8.	F. ♀	
2 truncata. R.S.	(pa. bl.) truncate-bracted.	—	1822.	7. 9.	H. ♀	
3 cyanea. B.P.	(bl.) bright blue.	N. S. W.	1820.	—	F. ♀	
4 dianthifolia. DC.	(bl.) Pink-leaved.	.....	1816.	—	S. ♀	Redout. lil. 7. t. 390.
5 longicaulis. R.S.	(bl.) long-stalked.	Caracas.	1806.	8.	S. ♀	Jacq. ic. 2. t. 294.
6 hirtella. R.S.	(bl.) hairy.	N. America.	1820.	7. 8.	H. ♀	
7 virginica. R.S.	(bl.) Virginian.	—	1779.	—	H. ♀	Pluk. alm. t. 174. f. 4.
8 africana. R.S.	(ye.) yellow-flowered.	C. B. S.	1759.	5. 10.	G. ♀	Bot. mag. t. 1431.
9 fasciculata. R.S.	(bl.) woolly tubered.	Lima.	1817.	—	H. ♀	Flor. per. 1. t. 72. f. b.
10 communis. R.S.	(bl.) common.	America.	1732.	6. 7.	H. ⊙	Redout. lil. 4. t. 206.
11 polygama. R.S.	(bl.) polygamous.	Japan.	....	—	H. ♀	Kæmpf. am. p. 888. ic.
12 caroliniana. R.S.	(bl.) Carolina.	Carolina.	....	—	H. ♀	
13 dubia. R.S.	(bl.) dubious.	.....	1819.	7. 9.	H. ♀	Redout. lil. 6. t. 359.
14 tuberosa. R.S.	(bl.) tuberous-rooted.	Mexico.	1732.	—	H. ♀	Andr. reposit. t. 399.
15 cœlestis. R.S.	(bl.) sky-blue.	.....	1813.	7. 10.	H. ♀	Swt. br. fl. gar. t. 3.
16 pallida. R.S.	(bl.) pale-flowered.	Mexico.	1822.	—	H. ♀	Willd. hort. ber. 2. t. 87.
	<i>rubens</i> . Redoute liliac. 7. t. 367.					
17 turbinata. R.S.	(bl.) top-shaped.	Santa Cruz.	1824.	—	S. ♀	
18 obliqua. R.S.	(bl.) oblique-leaved.	S. America.	1827.	—	S. ♀	
19 erecta. R.S.	(bl.) upright.	Virginia.	1732.	8. 9.	H. ♀	Dill. elt. 94. t. 77. f. 88.
20 mollis. R.S.	(bl.) soft.	Caracas.	1804.	—	H. ♀	Jacq. ic. 2. t. 293.
21 bengalensis. R.S.	(bl.) Bengal.	Bengal.	1794.	6.	S. ♀	Burm. ind. t. 7. f. 3.
22 parviflora. L.en.	(bl.) small-flowered.	.....	1823.	—	S. ♀	
23 deficiens. B.M.	(bl.) deficient.	Brazil.	1825.	1. 12.	S. ♀	Bot. mag. t. 2644.

## ORDO CCXX.

PALMÆ. *Brown prodr. p. 266.*

CHAM'ED'OREA. W.	CHAM'ED'OREA.	Diœcia Hexandria. W.				
1 gracilis. W.	(st.) slender.	Caracas.	1803.	....	S. ♀	Jacq. schœn. 2. t. 247-8.
2 fragrans. M.P.	(st.) fragrant.	Peru.	1823.	....	....	Martius Palm. ic.
S'ABAL. P.S.	S'ABAL.	Hexandria Trigynia. P.S.				
1 Adansoni. B.M.	(st.) dwarf.	Florida.	1810.	6. 8.	S. ♀	Bot. mag. t. 1434.
	<i>Corypha minor</i> . Jacq. vind. 3. t. 8. <i>Cham'ærops aculeis</i> . M.					
2 Blackburniana. L.C.	(st.) Blackburn's.	S. America.	1824.	....	S. ♀	
3 graminifolia. L.C.	(st.) grass-leaved.	—	1822.	....	S. ♀	
4 umbraculifera. L.C.	(st.) umbrella.	—	—	....	S. ♀	
RHA'PIS. W.	RHA'PIS.	Polygamia Monœcia. W.				
1 flabelliformis. W.	(st.) creeping-rooted.	China.	1774.	8.	S. ♀	Bot. mag. t. 1371.
2 arundinæa. W.	(st.) simple-leaved.	Carolina.	1765.	9.	G. ♀	
CHAM'ÆROPS. W.	CHAM'ÆROPS.	Polygamia Diœcia. W.				
1 excelsa. L.C.	(st.) tall.	Nepaul.	1822.	....	S. ♀	
2 gracilis. L.C.	(st.) slender.	S. America.	—	....	S. ♀	
3 guianensis. L.C.	(st.) Guiana.	Guiana.	1824.	....	S. ♀	
4 humilis. s.s.	(st.) dwarf fan palm.	S. Europe.	1731.	2. 3.	G. ♀	Andr. reposit. t. 599.

- 5 serrulâta. s.s. (st.) saw-leaved. N. America. 1809. .... G. h.  
 6 Hystrix. s.s. (st.) Porcupine. Georgia. 1801. .... G. h.  
 7 Palmétto. s.s. (st.) smooth-stemm'd. Carolina. 1809. .... G. h.
- LIVISTONA. B.P.** LIVIST'ONA. Hexandria Monogynia. S.S.  
 1 inermis. B.P. (st.) spineless. N. Holland. 1823. .... S. h.  
 2 humilis. B.P. (st.) dwarf spiny. ———— ———— S. h.
- LODOYCEA. S.S.** DOUBLE COCOA-NUT. Diœcia Monadelphia.  
 Sechellârum. B.M.(st.) Seychelle's Island. Seychelle's Isl. 1827. .... S. h. Bot. mag. t. 2734-2738.
- LATANIA. W.** LAT'ANIA. Diœcia Monadelphia. W.  
 1 rubra. w. (st.) red. Mauritius. 1788. .... S. h. Jacq. frag. 1. t. 8.  
 2 glaucophylla. L.C. (st.) glaucous-leaved. ———— 1821. .... S. h.  
 3 borbônica. w. (st.) Bourbon. Bourbon. ———— S. h. Jacq. frag. 1. t. 11.  
 chinensis. Jacq. *Livistonæ species?* B.P.
- CORYPHA. L.** FAN PALM. Hexandria Monogynia. W.  
 1 australis. B.P. (st.) New Holland. N. S. W. 1822. .... S. h.  
 2 elata. H.B. (st.) tall. E. Indies. 1820. .... S. h.  
 3 glaucescens. L.C. (st.) glaucescent. ———— ———— S. h.  
 4 umbraclifera. w. (st.) great. ———— 1742. .... S. h. Rhœd. mal. 3. t. 1-12.  
 5 Utân. s.s. (st.) Molucca. ———— 1822. .... S. h.
- TALIERA. S.S.** TAL'IERA. Hexandria Monogynia. S.S.  
 bengalensis. s.s. (st.) Bengal. E. Indies. 1822. .... S. h.  
*Corypha Taliera.* H.B.
- PHENIX. W.** DATE PALM. Diœcia Hexandria. W.  
 1 dactylifera. w. (st.) common. Levant. 1597. .... G. h. Kæmpf. am. 686. t. 1.2.  
 2 sylvêstris. H.B. (st.) wood. E. Indies. 1820. .... S. h.  
 3 paludosa. H.B. (st.) marsh. ———— ———— S. h.  
 4 reclinata. w. (st.) reclining. C. B. S. 1792. .... G. h. Jacq. frag. 1. t. 24.  
 5 farinifera. w. (st.) small. E. Indies. 1800. .... S. h. Roxb. corom. 1. t. 74.  
 6 acaulis. s.s. (st.) stalkless. ———— 1820. .... S. h.  
 7 leonensis. L.C. (st.) African. Sierra Leon. .... S. h.  
 8 pygmaea. L.C. (st.) pigmy. .... S. h.
- SAGUS. W.** SAGO PALM. Monœcia Hexandria. W.  
 1 Rumphii. w. (st.) Rumphius's. E. Indies. 1800. .... S. h. Rumph. amb. 1. t. 17. 18.  
 2 vinifera. P.S. (st.) prickly-leaved. Africa. 1820. .... S. h. Beauv. fl. d'ow. t. 45.  
 3 Ruffia. w. (st.) Madagascar. Madagascar. .... S. h. Jacq. frag. p. 7. t. 4. f. 2.  
 4 pedunculata. Poir. (st.) peduncled. ———— ———— S. h.
- HYPHÆNE. G.** HYPH'ÆNE. Diœcia Hexandria.  
 coriacea. G. (st.) leathery. Egypt. 1822. .... S. h.  
*Cucifera thebœica.* Del.
- ARECA. W.** CABBAGE-TREE. Monœcia Monadelphia. W.  
 1 Câtechu. w. (st.) medicinal. E. Indies. 1690. .... S. h. Roxb. corom. 1. t. 75.  
 2 humilis. w. (st.) dwarf. ———— 1814. .... S. h. Rumph. amb. 1. t. 7.  
 3 rubra. w. (st.) red. Isl. France. 1823. .... S. h.  
 4 crinita. w. (st.) hairy. ———— 1819. .... S. h.  
 5 oleracea. w. (st.) esculent. W. Indies. 1656. .... S. h. Jacq. amer. t. 170.  
 6 triandra. H.B. (st.) three-anthered. E. Indies. 1819. .... S. h.  
 7 lutescens. w. (st.) yellowish. Mauritius. ———— S. h.  
 8 exilis. L.C. (st.) slender. .... 1822. .... S. h.  
 9 Manicot. L.C. (st.) Manicot. .... S. h.  
 10 montana. L.C. (st.) mountain. .... 1819. .... S. h.
- CENOCARPUS. M.P.** CENOC'RPUS. Monœcia Hexandria.  
 Batana. M.P. (st.) American. S. America. 1822. .... S. h. Martius. palm. ic.
- EUTERPE. G.** EUTERPE. Polygamia Monœcia.  
 1 globosa. G. (st.) globular. E. Indies. 1819. .... S. h.
- Arëca spicata.* Lam.  
 2 pisifera. G. (st.) Pea-bearing. ———— ———— S. h.
- WALLICHIA. S.S.** WALLI'CHIA. Polygamia Monœcia.  
 caryotoides. s.s. (st.) Caryota-like. E. Indies. 1818. .... S. h. Roxb. corom. ic.
- ELAIS. W.** OILY PALM. Diœcia Hexandria. W.  
 1 guineensis. w. (st.) Guinea. 1730. .... S. h. Jacq. amer. t. 172.  
 2 melanococca. G. (st.) black-fruited. S. America. 1820. .... S. h.  
 3 pernambucana. L.C. (st.) Pernambuco. ———— ———— S. h.
- SYAGRUS. M.P.** SYA'GRUS. Polygamia Monœcia.  
 cocoides. M.P. (st.) Cocoa-like. Brazil. 1823. .... S. h. Mart. palm. ic.
- ELATE. W.** EL'ATE. Monœcia Hexandria.  
 sylvêstris. w. (st.) prickly-leaved. E. Indies. 1763. 4. G. S. h. Rhœd. mal. 3. t. 22-25.
- ACROCOMIA. M.P.** ACROCOMIA. Monœcia Hexandria.  
 1 sclerocarpha. M.P. (st.) dry-fruited. Brazil. 1822. .... S. h. Mart. palm. ic.  
 2 aculeata. L.C. (st.) prickly. W. Indies. 1796. .... S. h. Jacq. amer. 278. t. 169.  
*Cocos aculeata.* w.

- 3 fusifórmis. (st.) great Macaw-tree. W. Indies. 1731. .... S. h.  
*Cocos fusifórmis*. w.
- 4 minor. L.C. (st.) lesser. S. America. 1823. .... S. h.  
**COCOS**. W. COCOA-NUT-TREE. Monœcia Hexandria. W.
- 1 nucifera. w. (st.) common. E. Indies. 1690. .... S. h. Roxb. corom. 1. t. 73.  
 2 flexuosa. M.P. (st.) flexuose. Brazil. 1823. .... S. h. Mart. palm. ic.  
 3 plumosa. L.C. (st.) feathered. W. Indies. ———. .... S. h.
- MAXIMILIANA**. M.P. MAXIMILIANA. Polygamia Monœcia.  
 régia. M.P. (st.) membranous-fld. Brazil. 1822. .... S. h. Mart. palm. ic.
- THRINAX**. W. THRINAX. Hexandria Monogynia. W.  
 parviflora. w. (st.) small. Jamaica. 1778. .... S. h.
- ASTROCARYUM**. M.P. ASTROCARYUM. Monœcia Hexandria.  
 1 acule. M.P. (st.) stalkless. Brazil. 1823. .... S. 2. Mart. palm. ic.  
 2 campêtre. M.P. (st.) field. ———. 1824. .... S. h. ——— ic.  
 3 aculeatum. s.s. (st.) prickly. Guiana. ———. .... S. h.  
 4 vulgare. M.P. (st.) common. Brazil. 1823. .... S. h. Mart. palm. ic.  
 5 Murumuru. M.P. (st.) tall. ———. .... S. h. ——— ic.
- GEONOMA**. W. GEONOMA. Diœcia Hexandria.  
 1 simplicifrons. w. (st.) simple-fronded. S. America. 1823. .... S. 2.  
 2 macrostachys. M.P. (st.) large-spiked. ———. .... S. 2. Mart. palm. ic.  
 3 aculis. M.P. (st.) stalkless. Brazil. 1822. .... S. 2. ——— ic.  
 4 pinnatifrons. w. (st.) pinnated. S. America. ———. .... S. 2.  
 5 Schottiana. L.C. (st.) Schott's. Brazil. ———. .... S. 2.
- MAURITIA**. L. MAURITIA. Diœcia Hexandria. W.  
 1 flexuosa. w. (st.) flexuose. W. Indies. 1819. .... S. h.  
 2 armata. M.P. (st.) spiny. Brazil. 1822. .... S. h. Mart. palm. ic.  
 3 vinifera. M.P. (st.) straight-stem'd. ———. .... S. h. ——— ic.
- LICUALA**. W. LICUALA. Hexandria Monogynia. W.  
 1 spinosa. w. (st.) spiny. E. Indies. 1802. .... S. h. Rumph. amb. 1. t. 9.  
 2 peltata. H.P. (st.) peltate. ———. 1819. .... S. h.
- CALAMUS**. W. CALAMUS. Hexandria Monogynia. S.S.  
 1 verus. s.s. (st.) true. E. Indies. 1820. .... S. h. Rumph. amb. 5. t. 54.  
 2 niger. s.s. (st.) black. ———. .... S. h. ——— 5. t. 52.  
 3 rudentum. s.s. (st.) common. China. 1812. .... S. h.  
 4 Zalacca. s.s. (st.) Java. E. Indies. ———. .... S. h. Gært. fr. 2. t. 139. f. 2.  
 5 albus. P.S. (st.) common. ———. .... S. h. Rumph. amb. 5. f. 52.  
 6 Draco. s.s. (st.) Dragon. ———. 1819. .... S. h. ——— 5. t. 58. f. 1.
- SEAFORTHIA**. B.P. SEAFORTHIA. Polygamia Monœcia.  
 elegans. B.P. (st.) elegant. N. Holland. 1822. .... S. h.
- CARYOTA**. W. CARYOTA. Monœcia Polyandria. W.  
 1 urens. w. (st.) torn-leaved. E. Indies. 1788. .... S. h. Rheed. mal. 1. t. 11.  
 2 horrida. w. (st.) horrid. S. America. 1820. .... S. h.
- DIPLOTHEMIUM**. M.P. DIPLOTHEMIUM. Polygamia Monœcia.  
 1 maritimum. M.P. (st.) sea-side. Brazil. 1823. .... S. 2. Mart. palm. ic.  
 2 campêtre. M.P. (st.) field. ———. .... S. 2. ——— ic.
- ATTALEA**. K.S. ATTALEA. Monœcia Polyandria.  
 1 humilis. M.P. (st.) dwarf. Brazil. 1823. .... S. h. Mart. palm. ic.  
 2 compta. M.P. (st.) decked. ———. .... S. h. ——— ic.  
 3 funifera. M.P. (st.) rope-bearing. ———. .... S. h. ——— ic.  
 4 excelsa. M.P. (st.) lofty. ———. .... S. h. ——— ic.  
 5 speciosa. M.P. (st.) handsome. ———. 1824. .... S. h. ——— ic.  
 6 Rossii. L.C. (st.) Ross's. ———. .... S. h.  
 7 spectabilis. L.C. (st.) showy. ———. .... S. h.
- GOMUTUS**. S.S. GOMUTUS. Monœcia Polyandria.  
 saccharifer. s.s. (st.) sugar-bearing. E. Indies. 1820. .... S. h.
- MANICARIA**. G. MANICARIA. Polygamia Monœcia.  
 saccifera. G. (st.) bag-like. E. Indies. 1822. .... S. h. Gært. sem. 2. t. 176.
- BORASSUS**. W. BORASSUS. Diœcia Hexandria. W.  
 flabellifórmis. w. (st.) fan-leaved. E. Indies. 1771. .... S. h. Roxb. corom. 1. t. 71. 72.
- NIPA**. W. NIPA. Monœcia Monadelphia. W.  
 fruticans. w. (st.) shrubby. E. Indies. 1822. .... S. h. Rumph. amb. 1. t. 16.
- DESMONCUS**. M.P. DESMONCUS. Monœcia Monadelphia.  
 1 polyacanthus. M.P. (st.) many-spined. Brazil. 1822. .... S. h. Mart. palm. ic.  
 2 orthacanthus. M.P. (st.) long-spined. ———. .... S. h. ——— ic.  
 3 americanus. L.C. (st.) American. S. America. 1823. .... S. h.  
 4 dubius. L.C. (st.) doubtful. ———. .... S. h.
- BACTRIS**. W. BACTRIS. Monœcia Hexandria. W.  
 1 pectinata. M.P. (st.) pectinated. Brazil. 1825. .... S. h. Mart. palm. ic.  
 2 cuspidata. M.P. (st.) sharp-pointed. ———. .... S. h.

3 minor. w.	(st.) lesser.	S. America.	1691.	....	S. h.	Jacq. amer. t. 171. f. 1.
4 macracantha. M.P.	(st.) large-spined.	Brazil.	1822.	....	S. h.	Mart. palm. ic.
5 mājor. w.	(st.) greater.	Carthagera.	1800.	....	S. h.	Jacq. amer. t. 171. f. 2.
6 caryotæfōlia. M.P.	(st.) Caryota-leaved.	Brazil.	1825.	....	S. h.	Mart. palm. ic.

## ORDO CCXXI.

JUNCEÆ. *Brown prodr. 1. p. 257.*

KI'NGIA. L.T.	GRASS-TREE.	Hexandria Monogynia.				
austrālis. L.T.	(st.) southern.	N. Holland.	1830.	....	G. h.	
XER'OTES. B.P.	XER'OTES.	Diœcia Hexandria.				
1 flexifōlia. B.P.	(st.) bending-leav'd.	N. S. W.	1819.	6. 8.	F. 2.	Thunb. diss. drac. 17. f. 2.
2 mucronāta. B.P.	(st.) mucronated.	_____	1823.	—	F. 2.	
3 filifōrmis. B.P.	(st.) filiform.	_____	—	—	F. 2.	Th. dis. drac. n. 1. ic.
	<i>Dracæna filifōrmis.</i> Th.					
4 denticulāta. B.P.	(st.) toothed.	_____	1825.	—	F. 2.	
5 laxa. B.P.	(st.) loose-flowered.	_____	1819.	—	F. 2.	
6 rigida. B.P.	(st.) stiff-leaved.	N. Holland.	1796.	6. 7.	F. 2.	Lodd. bot. cab. t. 798.
	<i>Lomandra rigida.</i> Lab. n. hol. 1. t. 120.					
7 montāna. B.P.	(st.) mountain.	N. S. W.	1824.	—	F. 2.	
8 longifōlia. B.P.	(st.) long-leaved.	_____	1796.	—	F. 2.	Lab. nov. hol. 1. t. 19.
	<i>Lomandra longifōlia.</i> Lab.					
9 Hy'strix. B.P.	(st.) Porcupine.	_____	1823.	—	F. 2.	
10 æmula. B.P.	(st.) rival.	_____	—	—	F. 2.	
11 echināta. M.C.	(st.) bristly.	N. Holland.	1824.	—	F. 2.	
PLE'EA. M.	PLE'EA.	Enneandria Trigynia. Ph.				
tenuifōlia. M.	(br.) slender-leaved.	Carolina.	1812.	5. 8.	F. 2.	Bot. mag. t. 1956.
NARTHECIUM. E.B.	NARTHECIUM.	Hexandria Monogynia.				
1 ossifragum. E.B.	(ye.) Lancashire Asphodel.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 8. t. 535.
2 americanum. E.B.	(ye.) American.	N. America.	1811.	—	H. 2.	Bot. mag. t. 1565.
LUZULA. DC.	WOODRUSH.	Hexandria Monogynia. S.S.				
1 pilōsa. R.S.	(br.) spring.	Britain.	....	3. 5.	H. 2.	Eng. bot. v. 11. t. 736.
2 flavescens. S.S.	(st.) yellowish.	S. Europe.	1817.	—	H. 2.	Host. gram. 3. t. 94.
3 Forstèri. DC.	(br.) Forster's.	England.	....	5. 6.	H. 2.	Eng. bot. v. 18. t. 1293.
4 glabrāta. S.S.	(br.) smooth.	Switzerland.	1825.	—	H. 2.	Desv. j. bot. 1. t. 5. f. 3.
5 ālbida. DC.	(wh.br.) white.	_____	1815.	—	H. 2.	Leers. herb. t. 13. f. 6.
6 lūtea. DC.	(st.) yellow.	_____	—	—	H. 2.	
7 spadicea. DC.	(da.br.) light red.	Europe.	1816.	—	H. 2.	Vill. delph. 2. t. 6.
8 parviflōra. S.	(br.) small-flowered.	Switzerland.	1824.	—	H. 2.	Rost. junc. p. 26. t. 1. f. 1.
9 nivea. DC.	(wh.) snowy.	_____	1770.	—	H. 2.	Scheuch. gram. t. 7. f. 7.
10 sylvātica. S.	(br.wh.) wood.	Britain.	....	5.	H. 2.	Eng. bot. v. 11. t. 737.
	<i>Juncus sylvaticus.</i> E.B.					
11 pallescens. S.	(br.) palish.	N. Europe.	1828.	—	H. 2.	Linn. fl. lap. t. 10. f. 2.
12 hyperborea. S.	(br.) northern.	_____	—	—	H. 2.	
13 arcuata. S.	(wh.br.) fringe-bracted.	Scotland.	....	7.	H. 2.	Wahl. lapp. t. 4.
14 spicata. DC.	(br.) spiked.	_____	....	—	H. 2.	Eng. bot. v. 17. t. 1176.
15 congesta. S.S.	(br.) close-headed.	Britain.	....	6.	H. 2.	Purt. suppl. t. 9.
	<i>Juncus liniger.</i> Purt.					
16 sudetica. DC.	(br.) Swedish.	Sweden.	1824.	—	H. 2.	Host. gram. 4. t. 99.
17 pedifōrmis. DC.	(br.) foot-shaped.	S. Europe.	1822.	5. 6.	H. 2.	
18 campèstris. DC.	(br.) field.	Britain.	....	4. 5.	H. 2.	Eng. bot. v. 10. t. 672.
19 multiflōra. S.S.	(br.) many-flowered.	Europe.	1822.	5. 6.	H. 2.	
JUNCUS. DC.	RUSN.	Hexandria Monogynia. L.				
1 multicapitatus. S.	(br.) many-headed.	Scotland.	....	6. 7.	H. 2.	
	<i>polycèphalus.</i> E.F. non Mich.					
2 fūscō-āter. S.	(br.) dark brown.	Europe.	1825.	—	H. 2.	
3 obtusiflōrus. L.T.	(bh.) blunt-flowered.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 30. t. 2144.
4 lampocarpus. L.T.	(br.) shining-fruited.	_____	....	—	H. 2.	— v. 30. t. 2143.
5 acutiflōrus. L.T.	(br.) sharp-flowered.	_____	....	6. 7.	H. 2.	— v. 4. t. 238.
	<i>articulatus.</i> E.B.					
6 Holoschænus. B.P.	(br.) stripe-seeded.	N. S. W.	1824.	—	F. 2.	
7 subverticillatus. L.T.	(br.) whorled.	Britain.	....	7. 8.	H. 2.	Flor. dan. t. 817.
8 ténuis. S.	(gr.pu.) slender.	N. America.	1826.	—	H. 2.	
9 castaneus. E.B.	(br.) black-spiked.	Scotland.	....	7.	H. 2.	Eng. bot. v. 13. t. 900.

10	Jacquini. s. ( <i>br. pu.</i> )	Jacquin's.	S. Europe.	1824.	7.	H. 2.	Jacq. fl. aust. t. 221.
	<i>biglumis.</i>	Jacq. vind. t. 4. f. 2. <i> nec aliorum.</i>					
11	biglumis. E.B.	( <i>br.</i> ) two-flowered.	Scotland.	....	8.	H. 2.	Eng. bot. v. 13. t. 898.
12	triglumis. E.B.	( <i>br.</i> ) three-flowered.	Britain.	....	7.	H. 2.	— v. 13. t. 899.
13	capitatus. S.S.	( <i>br. g.</i> ) headed.	—	....	5. 7.	H. 2.	Weig. obs. t. 2. f. 5.
14	supinus. L.T.	( <i>br.</i> ) dwarf.	—	....	7.	H. 2.	Flor. dan. t. 1099.
15	uliginosus. E.B.	( <i>br.</i> ) little bulbous.	—	....	7. 8.	H. 2.	Eng. bot. v. 12. t. 801.
16	trifidus. E.B.	( <i>br.</i> ) three-leaved.	Scotland.	....	—	H. 2.	— v. 21. t. 1482.
17	Gésneri. E.F.	( <i>g. br.</i> ) Gesner's.	—	....	7.	H. 2.	— v. 31. t. 2174.
	<i>gracilis.</i>	E.B. <i> non B.P.</i>					
18	bufonius. E.B.	( <i>pa.</i> ) toad.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 12. t. 802.
19	cœnosus. L.T.	( <i>br.</i> ) mud.	—	....	7. 8.	H. 2.	Flor. dan. t. 431.
20	compressus. L.T.	( <i>g. br.</i> ) round-fruited.	—	....	—	H. 2.	Eng. bot. v. 13. t. 934.
	<i>bulbosus.</i>	E.B.					
21	squarrosus. E.B.	( <i>br.</i> ) Goose-corn.	—	....	6. 7.	H. 2.	Eng. bot. v. 13. t. 933.
22	Tenagêja. S.S.	( <i>g. br.</i> ) annual.	Europe.	1816.	—	H. 2.	Flor. dan. t. 1160.
23	aristulatus. M.	( <i>br.</i> ) awned.	N. America.	1820.	—	H. 2.	
24	plebeius. B.P.	( <i>pa. pu.</i> ) linear-leaved.	N. S. W.	1816.	—	F. 2.	
25	planifolius. B.P.	( <i>br. pu.</i> ) flat-leaved.	—	1822.	7. 8.	F. 2.	
26	pauciflorus. B.P.	( <i>pa.</i> ) few-flowered.	—	—	—	F. 2.	
27	vaginatus. E.B.	( <i>st.</i> ) sheathed.	—	1823.	—	F. 2.	
28	polycéphalus. M.	( <i>gr.</i> ) paniced.	N. America.	1828.	—	H. 2.	
29	macrostemon. S.	( <i>gr.</i> ) large-stamened.	—	1826.	—	H. 2.	
30	filiformis. E.B.	( <i>gr.</i> ) least.	Britain.	....	8.	H. 2.	Eng. bot. v. 17. t. 1175.
31	pállidus. B.P.	( <i>pa.</i> ) pale-flowered.	N. Holland.	1829.	—	F. 2.	
32	arcticus. W.	( <i>da. br.</i> ) arctic.	Scotland.	....	7. 8.	H. 2.	Flor. dan. t. 1095.
33	bálticus. S.	( <i>br.</i> ) Baltic.	Baltic.	1821.	—	H. 2.	
34	effusus. E.B.	( <i>gr.</i> ) soft.	Britain.	....	5. 8.	H. 2.	Eng. bot. v. 12. t. 836.
35	conglomeratus. E.B.	( <i>br.</i> ) common.	—	....	6. 7.	H. 2.	— v. 12. t. 835.
36	glaucus. E.B.	( <i>br.</i> ) glaucous.	—	....	7. 8.	H. 2.	— v. 10. t. 665.
37	marítimus. E.B.	( <i>br.</i> ) sea-side.	—	....	8.	H. 2.	— v. 24. t. 1725.
38	acutus. E.B.	( <i>g. br.</i> ) great sharp sea.	—	....	7. 8.	H. 2.	— v. 23. t. 1614.
39	globulosus. E.	( <i>br.</i> ) globular.	Egypt.	1829.	—	H. 2.	
?	FLAGELLARIA. L.	FLAGELLARIA.	Hexandria Trigynia.	L.			
	<i>indica.</i> L.	( <i>st.</i> ) Indian.	India.	1782.	6. 7.	S. 2.	Redout. lil. t. 257.
?	PHILYDRUM. B.P.	PHILYDRUM.	Monandria Monogynia.	B.M.			
	<i>lanuginosum.</i> B.P.	( <i>ye.</i> ) woolly.	N. S. W.	1801.	6. 7.	S. w. 2.	Bot. mag. t. 783.
?	BURMA'NNIA. L.	BURMA'NNIA.	Triandria Monogynia.				
1	distàchya. B.P.	( <i>bl.</i> ) two-spiked.	N. S. W.	1822.	6. 8.	G. w. 2.	Burm. zeyl. t. 20. f. 1.
2	biflòra. L.	( <i>bl.</i> ) two-flowered.	Virginia.	....	9.	G. w. 2.	
?	GILL'ESIA. B.R.	GILL'ESIA.	Hexandria Monogynia.				
	<i>graminea.</i> B.R.	( <i>st.</i> ) Grass-like.	S. America.	1824.	5. 7.	G. 2.	Bot. reg. t. 992.

## ORDO CCXXII.

RESTIACEÆ. *Brown prodr. p. 243.*

X'YRIS. B.P.	X'YRIS.	Triandria Monogynia.	L.				
1	lævis. B.P.	( <i>ye.</i> ) smooth.	N. S. W.	1819.	6. 8.	G. 2.	
2	bractèata. B.P.	( <i>ye.</i> ) bracteate.	—	1825.	—	G. 2.	
3	juncæa. B.P.	( <i>ye.</i> ) rushy.	—	1822.	—	G. 2.	
4	gráculis. B.P.	( <i>ye.</i> ) slender.	V. Diem. Isl.	1821.	—	G. 2.	
5	operculàta. B.P.	( <i>ye.</i> ) rush-leaved.	N. S. W.	1804.	6. 7.	G. 2.	Bot. mag. t. 1158.
6	Púrshii.	( <i>ye.</i> ) Pursh's.	N. America.	1825.	—	F. 2.	
	<i>indica.</i>	Ph. <i> non Vahl.</i>					
7	indica. W.	( <i>ye.</i> ) Indian.	E. Indies.	1822.	5. 7.	S. 2.	Rheed. mal. 9. t. 71.
8	ancéps. R.S.	( <i>ye.</i> ) flat-edged.	Malabar.	1824.	—	S. 2.	
9	americàna. R.S.	( <i>bl.</i> ) blue-flowered.	Trinidad.	1825.	—	S. 2.	Aubl. guian. 40. t. 15.
10	caroliniana. R.S.	( <i>ye.</i> ) Carolina.	N. America.	1812.	—	G. 2.	
11	capénsis. R.S.	( <i>ye.</i> ) Cape.	C. B. S.	1822.	—	G. 2.	
12	brevifolia. M.	( <i>ye.</i> ) short-leaved.	Carolina.	1812.	6. 8.	F. 2.	
ERIOCA'ULON. L.	PIPEWORT.	Triandria Trigynia.	L.				
1	septangulàre. E.B.	( <i>wh.</i> ) jointed.	Scotland.	....	9.	H. w. 2.	Eng. bot. v. 11. t. 733.
2	austràle. B.P.	( <i>wh.</i> ) New Holland.	N. S. W.	1822.	8. 10.	G. w. 2.	

DEVA'UXIA. B.P.		DEVA'UXIA.	Monandria	Monogynia.			
1	Patersoni. B.P. (gr.)	Paterson's.	N. S. W.	1825.	6. 7.	F. 4.	Linn.trans.v.10.t.12.f.2
	<i>Centrolëpis æmula.</i> L.T.						
2	Billardieri. B.P. (gr.)	Billardiere's.	————	————	————	F. 4.	Linn.trans.v.10.t.12.f.1
	<i>Centrolëpis cuspidigera.</i> L.T.		<i>fascicularis.</i> Lab. nov. holl. 1. p. 7. t. 1.				
HYPOLÆNA. B.P.		HYPOLÆNA.	Dicëcia	Triandria.			
1	fastigiata. B.P. (br.)	crowded.	N. S. W.	1821.	6. 8.	F. 4.	
2	exsulca. B.P. (br.)	round-stalked.	————	————	————	F. 4.	
LEPTOCARPUS. B.P.		LEPTOCARPUS.	Dicëcia	Triandria.			
1	tënaX. B.P. (br.)	tough.	N. S. W.	1824.	6. 8.	F. 4.	Lab. nov. holl. 2. t. 229.
	<i>Schænòdum tënaX fëmina.</i> Lab.						
2	imbricatùs. s.s. (br.)	imbricated.	C. B. S.	————	————	G. 4.	
EL'EGIA. W.		EL'EGIA.	Dicëcia	Triandria. W.			
1	júncea. w. (br.)	Rush-like.	C. B. S.	1789.	7. 8.	F. 4.	Rotth. gram.10.t.3. f.2.
2	racemòsa. w. (br.)	racemed.	————	1804.	5. 6.	F. 4.	Lam. ill. t. 884. f. 4.
LEPYR'ODIA. B.P.		LEPYR'ODIA.	Dicëcia	Triandria. W.			
	gracilis. B.P. (br.)	slender.	N. S. W.	1823.	5. 6.	F. 4.	
WILLDEN'OVIA. S.S.		WILLDEN'OVIA.	Dicëcia	Triandria. W.			
1	striata. s.s. (br.)	striated.	C. B. S.	1816.	6. 8.	F. 4.	Th.act.hol.1790.t.2.f.1.
2	tëres. s.s. (br.)	round-stalked.	————	1790.	————	F. 4.	———— 1790. t. 2. f. 2.
THAMNOCHO'RTUS. B.P.		THAMNOCHO'RTUS.	Dicëcia	Triandria.			
1	dichòtomus. B.P. (br.)	forked.	C. B. S.	1816.	6. 8.	F. 4.	Rotth. gram. t. 2. f. 1.
2	scariòsus. s.s. (br.)	scariöse.	————	1822.	————	G. 4.	Berg. cap. t. 5. f. 8.
RE'STIO. B.P.		ROPE-GRASS.	Dicëcia	Triandria. L.			
1	austràlis. B.P. (br.)	southern.	V. Diem. Isl.	1812.	4. 6.	F. 4.	
2	gracilis. B.P. (br.)	slender.	N. S. W.	1823.	6. 8.	F. 4.	
3	complanatùs. B.P. (br.)	flat-stemmed.	————	————	————	F. 4.	
4	tectorum. s.s. (br.)	thatch.	C. B. S.	1793.	5. 6.	F. 4.	Rotth.gram.10.t.3.f.2.
5	vaginatùs. s.s. (br.)	sheathed.	————	1816.	————	F. 4.	
6	fastigiatùs. B.P. (br.)	crowded.	N. S. W.	1824.	————	F. 4.	
7	virgatùs. s.s. (br.)	twiggy.	C. B. S.	1816.	————	F. 4.	Rotth. gram. t. 1. f. 2.
8	paniculatùs. s.s. (br.)	panicked.	————	————	————	F. 4.	———— t. 2. f. 3.
9	lateriflorùs. B.P. (br.)	side-flowering.	N. S. W.	1819.	————	F. 4.	Labil. nov. hol. 2. t. 228.
	<i>Caloròphus elongata.</i> Lab.						
10	tetraphylus. B.P. (br.)	four-leaved.	————	1825.	————	F. 4.	Labil. nov. hol. 2. t. 226.

## ORDO CCXXIII.

CYPERACEÆ. *Brown prodr. 1. p. 212.*

CAREX. L.		SEDGE.	Monœcia	Triandria L.			
1	dioica. w. (br.)	diœcious.	Britain.	....	5. 6.	H. 4.	Eng. bot. v. 8. t. 543.
2	Davalliàna. w. (br.)	Davall's.	————	....	————	H. 4.	———— v. 30. t. 2123.
3	pauciflora. E.B. (st.)	few-flowered.	————	....	6.	H. 4.	———— v. 29. t. 2041.
4	pyrenàica. s.s. (br.)	Pyrenean.	Pyrenees.	1816.	————	H. 4.	Schk.caric.5.t.D.f.15.
5	pulicàris. E.B. (br.)	Flea.	Britain.	....	6. 7.	H. 4.	Eng. bot. v. 15. t. 1051.
6	Fraseriàna. H.K. (wh.)	Fraser's.	N. America.	1809.	4. 6.	H. 4.	Bot. mag. t. 1391.
7	cyperoides. s.s. (br.)	Bohemian.	Bohemia.	1801.	6. 7.	H. 4.	Schk. caric. t. A. f. 5.
8	fœtida. s.s. (br.)	stinking.	Switzerland.	1791.	7. 8.	H. 4.	———— t. G. f. 96.
9	incúrva. E.B. (br.)	curved.	Scotland.	....	————	H. 4.	Eng. bot. v. 13. t. 927.
10	stenophylla. s.s. (br.)	slender-leaved.	Europe.	1824.	————	H. 4.	Schk. caric. t. G. f. 32.
11	chordorrhiza. s.s. (br.)	creeping-rooted.	Germany.	....	————	H. 4.	———— t. G. f. 31.
12	baldénsis. s.s. (br.)	three-styled.	Mount Baldo.	1829.	5. 7.	H. 4.	———— t. Y. f. 81.
13	stellulata. E.B. (br.)	little prickly.	Britain.	....	5. 6.	H. 4.	Eng. bot. v. 12. t. 806.
14	roësa. s.s. (ro.)	Rose.	N. America.	1812.	————	H. 4.	Schk. caric. Zzz. f. 179.
15	retrofléxa. s.s. (br.)	retroflexed.	Pensylvania.	1826.	————	H. 4.	———— t. Kkk. f. 140.
16	triceps. s.s. (br.)	three-headed.	N. America.	1825.	————	H. 4.	———— t. Zzz. f. 180.
17	fœnea. s.s. (br.)	short-spiked.	————	1819.	————	H. 4.	
18	muricata. E.B. (br.)	greater prickly.	Britain.	....	————	H. 4.	Eng. bot. v. 16. t. 1097.
19	brizoides. s.s. (br.)	Briza-like.	Germany.	1815.	5. 7.	H. 4.	Host. gram. 36. t. 47.
20	argyroglochis. s.s. (wh.)	silver-spiked.	————	1823.	————	H. 4.	
21	straminea. s.s. (st.)	slender-stalked.	N. America.	1803.	6. 7.	H. 4.	Sch. caric. t. Xxx. f. 174.
22	stipata. s.s. (br.)	sharp-scaled.	————	1820.	————	H. 4.	———— t. Hhh. f. 132.
23	Muhlenbergii. s.s. (gr.)	Muhlenberg's.	————	1824.	————	H. 4.	———— t. Yyy. f. 178.

24	Schrëberi. s.s.	(br.) Schreber's.	Germany.	1800.	6. 7.	H. 2.	Host. gram. 1. t. 46.
25	ovàlis. E.B.	(gr.br.) oval-spiked.	Britain.	....	—	H. 2.	Eng. bot. v. 5. t. 306.
26	cúrta. E.B.	(wh.) white.	—	....	6.	H. 2.	— v. 20. t. 1386.
27	divisa. E.B.	(bk.) bracteated.	—	....	5. 7.	H. 2.	— v. 16. t. 1096.
28	sparganióides. s.s.	(br.) Sparganium-like.	N. America.	1822.	—	H. 2.	Schk. caric. t. Lll. f. 142.
29	arenària. E.B.	(br.) sand.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 13. t. 928.
30	intermédia. E.B.	(br.) soft brown.	—	....	5. 7.	H. 2.	— v. 29. t. 2042.
31	schenóides. w.	(br.) Schoenus-like.	Austria.	1819.	—	H. 2.	Host. gram. 1. t. 45.
32	lagopodióides. w.	(br.) Hare's-foot.	N. America.	1805.	6. 7.	H. 2.	Schk. caric. t. Yyy. f. 177.
33	elongàta. E.B.	(br.gr.) elongated.	England.	....	5. 6.	H. 2.	Eng. bot. v. 27. t. 1920.
34	remòta. E.B.	(wh.) remote.	Britain.	....	—	H. 2.	— v. 12. t. 832.
35	axillàris. E.B.	(br.) axillary.	England.	....	—	H. 2.	— v. 14. t. 993.
36	divúlta. E.E.	(wh.) gray.	Britain.	....	5.	H. 2.	— v. 9. t. 629.
37	nemoròsa. s.s.	(gr.) shady wood.	Germany.	....	5. 7.	H. 2.	—
38	vulpina. E.B.	(gr.) great spiked.	Britain.	....	5. 8.	H. 2.	Eng. bot. v. 5. t. 307.
39	appréssa. B.P.	(gr.) close-spiked.	N. S. W.	1802.	—	F. 2.	—
40	invérsa. B.P.	(gr.) inversed.	—	1820.	—	F. 2.	—
41	scopària. w.	(gr.) broom.	N. America.	1812.	6. 7.	H. 2.	Schk. caric. t. Xxx. f. 175.
42	multiflòra. w.	(gr.) many-flowered.	—	1819.	—	H. 2.	— t. Lll. f. 144.
43	paradóxa. w.	(gr.) paradoxical.	Germany.	....	—	H. 2.	— t. E. f. 21.
44	teretíuscula. E.B.	(br.) lesser-panicled.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 15. t. 1065.
45	paniculàta. E.B.	(br.) great panicled.	England.	....	6. 7.	H. 2.	— v. 15. t. 1064.
46	tenèlla. E.F.	(br.) slender.	Scotland.	....	6.	H. 2.	Schk. caric. t. P. f. 104.
47	norvègica. w.	(gr.) Norway.	Norway.	1823.	—	H. 2.	— t. S. f. 66.
48	atràta. E.B.	(bk.) black.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 29. t. 2044.
49	bicolor. w.	(br.ye.) two-coloured.	Switzerland.	1823.	—	H. 2.	Sch. car. t. Aaaa. f. 181.
50	pedunculàta. w.	(gr.) peduncled.	N. America.	—	5. 7.	H. 2.	— t. Ggg. f. 131.
51	longifòlia. B.P.	(gr.) long-leaved.	N. S. W.	—	—	F. 2.	—
52	thuringiaca. w.	(gr.) Thuringian.	Hungary.	—	—	H. 2.	Schk. caric. t. Ppp. f. 155.
53	Buxbaumii. w.	(br.) Buxbaum's.	S. Europe.	1819.	5. 6.	H. 2.	— t. X. f. 76.
54	glareòsa. w.	(br.) narrow-leaved.	Norway.	—	—	H. 2.	— t. Aaa. f. 97.
55	clandestina. E.B.	(wh.) dwarf silvery.	Britain.	....	5.	H. 2.	Eng. bot. v. 30. t. 2124.
56	digitàta. E.B.	(pu.) fingered.	England.	....	5. 6.	H. 2.	— v. 9. t. 615.
57	plantagínea. w.	(br.) broad-leaved.	N. America.	1805.	—	H. 2.	Schk. caric. t. U. f. 70.
58	pilulifera. E.B.	(br.) round-headed.	Britain.	....	4. 6.	H. 2.	Eng. bot. v. 13. t. 885.
59	montàna. s.s.	(br.) mountain.	Europe.	1819.	5. 6.	H. 2.	Schk. caric. t. F. f. 29.
	collina. w.	—	—	—	—	—	—
60	ciliàta. w.	(br.) fringed.	Germany.	—	—	H. 2.	Schk. caric. t. I. f. 42.
61	præcox. E.B.	(st.) vernal.	Britain.	....	4.	H. 2.	Eng. bot. v. 16. t. 1099.
62	tomentòsa. E.B.	(st.) downy-fruited.	England.	....	6.	H. 2.	— v. 29. t. 2046.
63	exténsa. E.B.	(gr.) long-bracted.	Britain.	....	—	H. 2.	— v. 12. t. 833.
64	flàva. E.B.	(ye.) yellow.	—	....	5. 6.	H. 2.	— v. 18. t. 1294.
65	Edèri. E.E.	(gr.) Eder's.	England.	....	6. 7.	H. 2.	— v. 25. t. 1773.
66	álba. w.	(wh.) bristle-leaved.	Germany.	1819.	—	H. 2.	Host. gram. 1. t. 59.
67	Mielichóferi. E.B.	(gr.) loose-spiked.	Scotland.	....	7. 8.	H. 2.	Eng. bot. v. 32. t. 2293.
68	ferrugínea. w.	(br.) ferruginous.	Europe.	1820.	6. 8.	H. 2.	Schk. caric. t. M. f. 48.
69	saxátilis. w.	(st.) rock.	N. Europe.	—	—	H. 2.	— t. I. f. 40.
70	rígida. E.B.	(bk.) rigid.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 29. t. 2047.
71	púlla. E.B.	(bk.br.) russet.	Scotland.	....	7.	H. 2.	— v. 29. t. 2045.
72	caspitòsa. E.B.	(gr.) tufted bog.	Britain.	....	5. 6.	H. 2.	— v. 21. t. 1507.
73	stricta. E.B.	(br.) straight-leaved.	—	....	4. 5.	H. 2.	— v. 13. t. 914.
74	alpéstris. w.	(br.) Alpine.	Europe.	1804.	5. 6.	H. 2.	Schk. caric. t. G. f. 35.
75	nítida. w.	(br.) glossy.	Austria.	1805.	—	H. 2.	Host. gram. 1. t. 71.
76	umbròsa. w.	(gr.) shade.	—	1818.	6. 7.	H. 2.	— 1. t. 69.
77	granularis. w.	(gr.) grain-seeded.	N. America.	1807.	—	H. 2.	Sch. caric. t. Vvv. f. 169.
78	ánceps. w.	(gr.) two-edged.	—	1805.	7. 8.	H. 2.	— t. Fff. f. 128.
79	demíssa. s.s.	(gr.) low.	Norway.	1825.	—	H. 2.	—
80	binérvis. E.B.	(bk.) green-ribbed.	Britain.	....	6.	H. 2.	Eng. bot. v. 18. t. 1235.
81	dístans. E.B.	(br.) loose.	—	....	—	H. 2.	— v. 18. t. 1234.
82	fúlva. E.B.	(ye.br.) tawny.	—	....	6. 7.	H. 2.	— v. 18. t. 1295.
83	loliàcea. w.	(br.) Ray-grass-like.	Sweden.	1810.	—	H. 2.	Schk. car. t. Pp. f. 104.
84	lucòrum. W.en.	(gr.) grove.	N. America.	1825.	—	H. 2.	—
85	Michèlii. w.	(br.) Micheli's.	Europe.	1818.	—	H. 2.	Host. gram. 1. t. 72.
86	péndula. E.B.	(gr.) great pendulous.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 33. t. 2315.
87	strigòsa. E.B.	(gr.) loose pendulous.	—	....	—	H. 2.	— v. 14. t. 994.
88	depauperàta. E.B.	(gr.) starved-wood.	England.	....	6. 7.	H. 2.	— v. 16. t. 1098.
89	pilòsa. s.s.	(gr.) hairy.	Germany.	1819.	—	H. 2.	Schk. caric. t. M. f. 49.
90	panicea. E.B.	(bk.) Pink-leaved.	Britain.	....	5. 7.	H. 2.	Eng. bot. v. 21. t. 1505.
91	oligocárpa. w.	(gr.) few-seeded.	N. America.	1825.	—	H. 2.	Schk. caric. t. Vvv. f. 178.

92	rostrāta. w.	(gr.) beaked.	N. America.	1818.	5. 7.	H. 2.	Schk. caric. t. Hhh. f. 134
93	conglobāta. w.	(gr.) globular-fruited.	Hungary.	—	—	H. 2.	
94	sylvātica. E.B.	(gr.) wood.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 14. t. 995.
	<i>Drimeja. w.</i>						
95	<i>Pseudocyp̄erus. w.</i>	(gr.) Bastard Cypress.	—	....	6. 7.	H. 2.	Eng. bot. v. 4. t. 242.
96	jūncea. s.s.	(gr.) rush-like.	N. America.	1823.	—	H. 2.	
97	pall̄escens. E.B.	(g. ye.) pale.	Britain.	....	4. 6.	H. 2.	Eng. bot. v. 31. t. 2185.
98	limōsa. E.B.	(ye. gr.) green and gold.	—	....	6.	H. 2.	— v. 29. t. 2043.
99	rarisf̄ora. E.B.	(bk.) loose-flowered.	Scotland.	....	—	H. 2.	— v. 35. t. 2516.
100	capill̄aris. E.B.	(br.) capillary.	Britain.	....	7. 8.	H. 2.	— v. 29. t. 2069.
101	l̄avigāta. E.B.	(gr.) smooth-stalked.	—	....	5. 6.	H. 2.	— v. 20. t. 1387.
102	ustulāta. E.B.	(bk.) scorched alpine.	Scotland.	....	6. 7.	H. 2.	— v. 34. t. 2404.
103	flexuōsa. w.	(br.) bending.	N. America.	1807.	—	H. 2.	Schk. car. t. Ddd. f. 124.
104	recurva. E.B.	(bk. br.) glaucous heath.	England.	....	5. 6.	H. 2.	Eng. bot. v. 21. t. 1506.
	<i>β Micheliāna. E.B.</i>	(bk.) smooth-fruited.	—	....	—	H. 2.	— v. 32. t. 2236.
105	nūtans. w.	(br.) nodding.	Austria.	1815.	6. 7.	H. 2.	Host. gram. 1. t. 83.
106	acumināta. w.	(br.) taper-pointed.	Istria.	1819.	—	H. 2.	— 1. t. 97.
107	hirta. E.B.	(br.) hairy.	Britain.	....	5. 6.	H. 2.	Eng. bot. v. 10. t. 685.
108	filif̄ormis. E.B.	(bk.) slender-leaved.	—	....	6. 7.	H. 2.	— v. 13. t. 904.
109	acūta. E.B.	(bk.) slender-spiked.	—	....	5. 6.	H. w. 2.	— v. 9. t. 580.
110	paludōsa. E.B.	(bk.) lesser common.	—	....	—	H. w. 2.	— v. 12. t. 807.
111	rip̄aria. E.B.	(bk.) great common.	—	....	4. 6.	H. w. 2.	— v. 9. t. 579.
112	vesic̄aria. E.B.	(bk.) short-spiked.	—	....	5. 6.	H. 2.	— v. 11. t. 779.
113	ampull̄acea. E.B.	(st.) slender-beaked.	—	....	—	H. 2.	— v. 11. t. 780.
114	bullāta. w.	(st.) blistered.	N. America.	1811.	6.	H. 2.	Schk. caric. Uuu. f. 166.
115	hordeif̄ormis. w.	(gr.) Barley-like.	France.	1805.	6. 7.	H. 2.	
116	crinata. w.	(gr.) haired.	N. America.	1807.	—	H. 2.	Schk. caric. t. Eee. f. 125.
117	aquat̄ilis. w.	(gr.) water.	Lapland.	1819.	—	H. w. 2.	
118	secalina. w.	(br.) rye-like.	Europe.	1820.	—	H. 2.	Schk. caric. t. Ddd. f. 121
119	salina. w.	(br.) salt marsh.	Norway.	....	6.	H. 2.	
120	eriophora. f.	(wh.) wool-bearing.	Dahuria.	1828.	—	H. 2.	
121	pentast̄achys. f.	(br.) five-spiked.	Kamtchatka.	1821.	—	H. 2.	
122	cōrsica. Ot.	(br.) Corsican.	Corsica.	1825.	—	H. 2.	
	<b>KOBR̄ESIA. W.</b>	<b>KOBR̄ESIA.</b>	<b>Monœcia Triandria. W.</b>				
	caricina. w.	(gr.) Carex-like.	Britain.	....	8.	H. 2.	Eng. bot. v. 20. t. 1410.
	<i>Sch̄œnus monoicus. E.B.</i>	<i>Cæx hybrida. s.s.</i>					
	<b>SCL̄ERIA. W.</b>	<b>SCL̄ERIA.</b>	<b>Monœcia Triandria. W.</b>				
1	Flagellum. s.s.	(gr.) climbing.	W. Indies.	1822.	....	S. 2.	Gært. sem. 1. p. 13. t. 2.
2	latifolia. s.s.	(gr.) broad-leaved.	—	1824.	....	S. 2.	
3	verticillata. s.s.	(gr.) whorled.	N. America.	1825.	6. 7.	H. 2.	
4	hirtella. s.s.	(gr.) hairy.	—	1822.	—	H. 2.	
5	auricoma. Ot.	(ye.) golden-locks.	—	1826.	7. 9.	H. 2.	
6	ciliata. w.	(gr.) fringed.	—	1823.	—	H. 2.	
	<b>SCH̄ÆNUS. B.P.</b>	<b>BOG-RUSH.</b>	<b>Triandria Monogynia. L.</b>				
1	nigricans. w.	(bk.) black-headed.	Britain.	....	7.	H. w. 2.	Eng. bot. v. 16. t. 1121.
2	pusillus. R.S.	(br.) small.	W. Indies.	1824.	7. 8.	S. 2.	Swtz. fl. ind. oc. ic. t. 6.
3	mucronatus. R.S.	(br. pu.) clustered.	S. Europe.	1781.	4. 5.	H. w. 2.	Flor. græc. 1. t. 43.
4	imb̄erbis. B.P.	(bk.) beardless.	N. S. W.	1818.	—	F. 2.	
5	melanostachys. B.R.	(br.) black-spiked.	—	1822.	6. 8.	F. 2.	
	<b>CHÆTO'SPORA. B.P.</b>	<b>CHÆTO'SPORA.</b>	<b>Triandria Monogynia. S.S.</b>				
1	ferruginea. s.s.	(br.) brown.	Switzerland.	1818.	7. 8.	H. w. 2.	Host. gram. 4. t. 71.
	<i>Sch̄œnus ferrugineus. R.S.</i>						
2	turbinata. B.P.	(br.) turbinate.	N. S. W.	1822.	—	F. 2.	
3	paludosa. B.P.	(br.) marsh.	—	1824.	—	F. w. 2.	
	<b>LEPIDOSPERMA. B.P.</b>	<b>LEPIDOSPERMA.</b>	<b>Triandria Monogynia. S.S.</b>				
1	gladiata. B.P.	(br.) flat-stemmed.	N. Holland.	1819.	7. 8.	F. w. 2.	Lab. nov. hol. 1. t. 12.
2	concava. B.P.	(br.) concave.	—	1824.	—	F. 2.	
3	exaltata. B.P.	(gr.) tall.	—	1816.	—	H. 2.	
	<b>DUL'CHIUM. P.S.</b>	<b>DUL'CHIUM.</b>	<b>Triandria Monogynia. S.S.</b>				
1	spathaceum. P.S.	(br.) sheathed.	N. America.	1818.	7. 8.	H. w. 2.	Pluk. alm. t. 301. f. 1.
2	canadense. Ph.	(gr.) Canadian.	Canada.	1826.	—	H. 2.	
	<b>RHYNCHO'SPORA. R.S.</b>	<b>RHYNCHO'SPORA.</b>	<b>Triandria Monogynia. S.S.</b>				
1	aurea. R.S.	(ye.) golden.	W. Indies.	1825.	7. 8.	S. 2.	Rottb. gram. t. 21. f. 1.
2	laxa. R.S.	(br.) loose.	N. America.	1827.	—	H. w. 2.	
3	alba. R.S.	(wh.) white-headed.	Britain.	....	8.	H. w. 2.	Eng. bot. v. 14. t. 985.
	<i>Sch̄œnus albus. E.B.</i>						
4	fusca. R.S.	(br.) brown-headed.	—	....	—	H. w. 2.	Eng. bot. v. 22. t. 1575.
5	distans. Ph.	(br.) filiform-leaved.	N. America.	1820.	7. 8.	H. w. 2.	
6	comata. R.S.	(br.) leafy.	Brazil.	—	—	S. w. 2.	

- CLADIUM. B.P.** CLADIUM. Diandria Monogynia. S.S.  
 1 Mariscus. B.P. (br.) prickly. England. .... 7. 8. H.w. 2. Eng. bot. v. 14. t. 950.  
*germánicum*. R.S. *Schœnus Mariscus*. E.B.  
 2 occidentâle. R.S. (br.) West Indian. W. Indies. 1824. — S.w. 2.  
 3 glomeratum. B.P. (br.) close-headed. N. S. W. 1819. — F.w. 2.  
 4 juncum. B.P. (br.) rushy. — 1823. — F.w. 2.  
 5 schœnoides. B.P. (br.) Bogrush-like. — — F.w. 2. Lab. nov. hol. 1. t. 18.  
*Schœnus acutus*. Lab.
- FIMBRISTYLIS. B.P. FIMBRISTYLIS.** Triandria Monogynia. R.S.  
 1 ânna. R.S. (br.) annual. S. Europe. 1818. 7. 9. H.w. 0. Host. gram. 3. t. 63.  
 2 pubérula. R.S. (br.) pubescent. N. America. 1820. 7. 8. H. 2.  
 3 dichôtoma. R.S. (br.) forked. E. Indies. 1817. 7. 9. S.w. 0. Rottb. gram. t. 13. f. 1.  
 4 autumnâlis. R.S. (br.) autumnal. N. America. 1822. 7. 9. H. 2.  
 5 ferruginea. R.S. (br.) rusty. Jamaica. 1825. — S.w. 2. Sloan. hist. 1. t. 77. f. 1.
- ABILDG'AARDIA. B.P. ABILDG'AARDIA.** Triandria Monogynia. R.S.  
 monostachya. B.P. (wh.) one-spiked. W. Indies. 1819. 6. 8. S. 2. Sloan. jam. 1. t. 79. f. 2.
- ELEOCHARIS. B.P. ELEOCHARIS.** Triandria Monogynia. R.S.  
 1 acuta. B.P. (br.) acute-scaled. N. S. W. 1819. 7. 8. F.w. 2.  
 2 geniculata. R.S. (br.) jointed. America. — F.w. 2. Sloan. hist. 1. t. 83. f. 3.  
 3 plantaginea. R.S. (br.) Plantain-like. E. Indies. 1826. 7. 9. S.w. 2. Rottb. gram. t. 15. f. 2.  
 4 palustris. R.S. (br.) marsh. Britain. .... 7. H.w. 2. Eng. bot. v. 2. t. 131.  
*Scirpus palustris*. E.B.  
 5 ovata. R.S. (br.) ovate. Germany. 1818. 7. 8. H.w. 0. Host. gram. 3. t. 56.  
 6 multicaulis. E.F. (br. pu.) many-stalked. Britain. .... 7. H.w. 2. Eng. bot. v. 17. t. 1187.  
*Scirpus multicaulis*. E.B.  
 7 acicularis. R.S. (br.) upright needle. — — — H.w. 2. Eng. bot. v. 11. t. 749.  
 8 obtusa. R.S. (br.) obtuse-scaled. N. America. 1818. 7. 8. H.w. 2.  
 9 glaucescens. R.S. (br.) glaucous. — 1819. — H.w. 2.  
 10 tenuis. R.S. (br.) slender. — — — H.w. 2.  
 11 capitata. R.S. (br.) headed. America. 1824. — H.w. 2. Rottb. gram. t. 15. f. 3.  
 12 intermedia. R.S. (br.) intermediate. Pennsylvania. 1826. — H.w. 2.
- ISOLEPIS. B.P. ISOLEPIS.** Triandria Monogynia. R.S.  
 1 fluitans. R.S. (br.) floating. Britain. .... 7. 8. H.w. 2. Eng. bot. v. 3. t. 216.  
*Scirpus fluitans*. E.B.  
 2 gracilis. (br.) knotted. N. Holland. 1820. — G.w. 2.  
*nodosa*. B.P. *Scirpus gracilis*. Linn. trans. 10. t. 15. f. 2.  
 3 setacea. R.S. (br. gr.) bristle-like. Britain. .... — H.w. 0. Eng. bot. v. 24. t. 1693.  
 4 Vahlîi. R.S. (br. gr.) Vahl's. S. America. 1828. — S.w. 0.  
 5 Micheliâna. R.S. (st.) Micheli's. S. Europe. .... — H.w. 0. Host. gram. 3. t. 69.  
 6 Holoschœnus. R.S. (br.) round-headed. Britain. .... — H.w. 2. Eng. bot. v. 23. t. 1612.  
 β australis. R.S. (br.) southern. S. Europe. .... — H.w. 2. Pluk. phyt. t. 40. f. 5.  
 7 romana. w. (br.) Roman. England. .... — H.w. 2. Jacq. aust. 5. t. 448.  
 8 complanata. R.S. (br.) flat-stemmed. E. Indies. 1820. — S.w. 2.  
 9 angularis. R.S. (br.) angular-stemmed. — 1827. — S.w. 2.  
 10 curvifolia. R.S. (br.) curve-leaved. — — — S.w. 2.  
 11 pubigera. Schr. (br.) pubescent. .... — S.w. 2.  
 12 Ehrenbergii. Ot. (br.) Ehrenberg's. Egypt. 1825. — H.w. 0.
- SCIRPUS. B.P. CLUB-RUSH.** Triandria Monogynia. L.  
 1 cœspitosus. E.B. (br.) scaly-stalked. Britain. .... 7. H.w. 2. Eng. bot. v. 15. t. 1029.  
 2 campestris. R.S. (pu. st.) field. S. Europe. 1824. 7. 9. H.w. 2. Hayn. term. bot. t. 25. f. 4.  
 3 pauciflorus. E.B. (br.) chocolate-headed. — — — 8. H.w. 2. Eng. bot. v. 16. t. 1122.  
*Bæôthryon*. R.S.  
 4 pungens. R.S. (br.) pungent. Europe. .... 8. 9. H.w. 2.  
 5 mucronatus. R.S. (gr. br.) mucronated. Britain. .... — H.w. 2. Scheuch. agr. t. 9. f. 14.  
 6 Luzulæ. R.S. (br.) clustered. E. Indies. 1776. 7. 9. S.w. 2.  
 7 lacustris. E.B. (br.) tall. Britain. .... 7. H.w. 2. Eng. bot. v. 10. t. 666.  
 8 glaucus. E.B. (br.) glaucous. England. .... 7. 8. H.w. 2. — v. 33. t. 2321.  
 9 caricinus. S.S. (br.) compressed. Britain. .... 7. H.w. 2. — v. 11. t. 791.  
*Schœnus compréssus*. E.B.  
 10 rufus. s.s. (br.) rusty. — — — 6. 7. H.w. 2. Eng. bot. v. 15. t. 1010.  
*Schœnus rufus*. E.B.  
 11 triqueter. E.B. (re. br.) triangular. England. .... 8. H.w. 2. Eng. bot. v. 24. t. 1694.  
 12 carinatus. E.B. (br.) blunt-edged. — — — 7. 8. H.w. 2. — v. 28. t. 1983.  
 13 maritimus. E.B. (br.) salt marsh. Britain. .... 7. 9. H.w. 2. — v. 8. t. 542.  
 14 sylvaticus. E.B. (br. gr.) wood. — — — H.w. 2. — v. 13. t. 919.  
 15 radicans. R.S. (br. gr.) rooting. Germany. .... — H.w. 2. Schk. in Ust. an. 4. t. 1.  
 16 atrovirens. R.S. (da. g.) dark green. N. America. 1818. — H.w. 2.  
 17 quinquangularis. R.S. (br.) five-angled. E. Indies. 1823. .... S.w. 2.  
 18 thyrsoflorus. F. (br.) thyse-flowered. Siberia. 1821. 7. 9. H.w. 2.

CYPERUS. L.		CYPERUS. Triandria Monogynia. L.	
1	Aitōni. R.S. (br.) Aiton's.	C. B. S.	6. 8. G.w. 2.
2	articulātus. R.S. (st.) jointed.	S. America.	1820. — S.w. 2.
3	viscōsus. R.S. (gr.br.) clammy.	Jamaica.	1781. 5. 8. S.w. 2.
4	tenēllus. R.S. (gr.br.) slender.	C. B. S.	1819. 7. 9. H. ⊙.
5	mucronātus. R.S. (wh.) pointed.	Levant.	— F.w. 2.
6	pannōnicus. R.S. (g.w.) dwarf.	Hungary.	1781. 7. 8. H. ⊙.
7	margaritāceus. R.S. (wh.) pearl.	Guinea.	1822. 7. 9. S.w. 2.
8	monocēphalus. F.I. (da.br.) one-headed.	E. Indies.	1816. — S.w. 2.
9	pygmæus. R.S. (gr.) dwarf.	—	1827. — S.w. 2.
10	filifōrmis. R.S. (br.) filiform.	Jamaica.	1825. — S.w. 2.
11	tēnnis. R.S. (gr.) slender.	—	— S.w. 2.
12	polystāchys. R.S. (br.) many-spiked.	E. Indies.	1819. — S.w. 2.
13	brūneus. R.S. (br.) brown-spiked.	W. Indies.	1826. — S.w. 2.
14	brizæus. R.S. (br.) Briza-like.	—	1824. 7. 8. S.w. 2.
15	diāndrus. R.S. (br.) two-stamened.	N. America.	1827. — H.w. 2.
16	Purshii. R.S. (br.wh.) Pursh's.	—	1816. — H.w. 2.
17	Háspan. R.S. (br.) digitate-spiked.	Trinidad.	1824. — S.w. 2.
18	alternifolius. R.S. (br.) alternate-leaved.	Madagascar.	1781. — S.w. 2.
19	élegans. R.S. (re.) elegant.	Jamaica.	1801. 5. 9. S. 3.
20	compréssus. R.S. (pu.st.) compressed.	S. America.	1819. — S.w. 2.
21	vegētus. R.S. (br.) smooth.	America.	1790. — G.w. 2.
	compréssus. Jacq. non v.		
22	formōsus. R.S. (ye.) handsome.	N. America.	1827. 7. 9. H.w. 2.
23	Luzūlæ. R.S. (gr.br.) compact.	W. Indies.	.... — S.w. 2.
	polycēphalus. Lam. non L.en.		
24	confertus. R.S. (ye.) crowded-spiked.	W. Indies.	1825. 7. 9. S.w. 2.
25	squarrosus. R.S. (br.) globe-headed.	E. Indies.	1828. — S.w. 2.
26	paniculatus. R.S. (br.) panicked.	W. Indies.	1804. 5. 7. S.w. 2.
27	flavescens. R.S. (br.ye.) yellowish.	Germany.	1776. 6. 9. F.w. 2.
28	fuscus. R.S. (br.) brown.	Fulham.	— 7. 9. H. ⊙.
29	conglomeratus. R.S. many-flowered.	Java.	1820. 5. 9. S.w. 2.
30	erubescens. L.en. (bh.) bluish.	.....	— S.w. 2.
31	tuberosus. R.S. (g.pu.) tuberous-rooted.	N. America.	1827. — H.w. 2.
32	rotundus. R.S. (g.pu.) round-rooted.	Africa.	1828. — H.w. 2.
33	glaber. R.S. (br.) smooth.	S. Europe.	1820. — H.w. 2.
34	australis. R.S. (br.) southern.	—	— H. ⊙.
35	Tenoreanus. R.S. (ye.) Tenore's.	Naples.	1825. — H.w. 2.
36	punctatus. R.S. (br.gr.) spotted-seeded.	E. Indies.	1820. — S.w. 2.
37	Ornithopus. R.S. (st.pu.) bird's-foot.	St. Domingo.	1824. — S.w. 2.
38	esculentus. R.S. (st.) Rush-nut.	S. Europe.	1597. 7. H. 2.
39	Hydra. M. (gr.wh.) American.	N. America.	1812. — H. 2.
40	Pangorei. R.S. (br.) Ceylon.	Ceylon.	1823. 7. 9. S.w. 2.
41	badius. R.S. (br.) saw-leaved.	Algiers.	1800. — F.w. 2.
42	pátulus. R.S. (br.st.) spreading.	Hungary.	1818. — H.w. ⊙.
43	lóngus. E.B. (br.gr.) sweet.	England.	.... 7. H.w. 2.
44	procerus. R.S. (br.wh.) tall rough.	E. Indies.	1816. 7. 9. S.w. 2.
45	tenuiflorus. R.S. (br.) slender-flower'd.	S. Europe.	1828. 7. 8. H.w. 2.
46	Mónti. R.S. (pu.gr.) spreading-spiked.	—	— H.w. 2.
47	Paramátta. R.S. (br.pu.) tuberous-rooted.	—	— H.w. 2.
48	spéctabilis. Schreb. (pu.) showy.	—	1827. — H.w. 2.
49	diāndrus. R.S. (st.br.) diandrous.	N. America.	1828. — H.w. 2.
50	planifolius. R.S. (br.) flat-leaved.	W. Indies.	1824. — S.w. 2.
51	Linkiānus. R.S. (br.gr.) Link's.	S. Europe.	1819. 6. 8. H.w. 2.
	polycēphalus. L.enum. non Lam.		
52	strigōsus. R.S. (br.st.) bristle-spiked.	W. Indies.	1786. 7. 9. S.w. 2.
53	Michauxiānus. R.S. (g.w.) Michaux's.	N. America.	1812. — H.w. 2.
54	flavicōmus. R.S. (ye.) yellow-spiked.	—	1826. — H.w. 2.
55	Iria. R.S. (st.gr.) tall.	E. Indies.	1802. 7. S.w. 2.
56	dístans. R.S. (br.st.) distant.	W. Indies.	1820. 7. 8. S.w. 2.
57	tegetum. R.S. (br.) creeping-rooted.	E. Indies.	1822. — S.w. 2.
58	gigānteus. R.S. (st.) gigantic.	Trinidad.	1824. — S.w. 2.
59	fastigiātus. R.S. (ye.) lofty.	E. Indies.	1800. 5. 8. S.w. 2.
60	alopécuroidēs. R.S. (g.br.) fox-tailed.	C. B. S.	1804. — G.w. 2.
61	crúentus. R.S. (pu.) purple-spotted.	Arabia.	1820. — S.w. 2.
62	glomerātus. R.S. (br.) round-headed.	Italy.	1820. — H. ⊙.
63	ligulāris. R.S. (br.gr.) ligulate.	C. B. S.	1820. — G.w. 2.
64	diffōrmis. R.S. (br.) deformed.	Levant.	1819. 6. 8. S.w. 2.
65	protráctus. L.en. (br.) protracted.	Egypt.	1820. — H.w. ⊙.

Sloan. hist. 1. t. 81. f. 1.  
 Jacq. ic. 2. t. 295.  
 Flor. græc. 1. t. 49.  
 Jacq. aust. ap. t. 6.  
 Rottb. gr. 20. t. 14. f. 4-5.  
 Rottb. gram. t. 11. f. 1.  
 Jacq. ic. 2. t. 298.  
 Sloan. jam. 1. t. 75. f. 1.  
 Rottb. gram. t. 9. f. 3.  
 Jacq. vind. 3. t. 12.  
 Rottb. gram. t. 13. f. 2.  
 Rottb. gram. t. 6. f. 3.  
 Vahl. ic. pl. am. t. 12.  
 Flor. græc. t. 47.  
 Rottb. gram. t. 15. f. 7.  
 Rottb. gram. t. 7. f. 1.  
 Scheuch. agrost. t. 9. f. 3.  
 Reich. ic. C. 3. t. 204.  
 Segnier. veron. 3. t. 2. f. 2.  
 Reich. ic. C. 3. t. 212.  
 Pluck. t. 192. f. 3.  
 Host. gram. 3. t. 75.  
 Rottb. gram. t. 7. f. 3.  
 Desf. atl. 1. t. 7. f. 2.  
 Host. gram. 3. t. 74.  
 Eng. bot. v. 19. t. 1309.  
 Rheed. mal. 12. t. 50.  
 Jacq. ic. 2. t. 296.  
 Host. gram. 4. t. 67.  
 Sloan. his. 1. t. 74. f. 2. 3.

66	dives. s.s.	( <i>ye.</i> ) large-bracted.	Egypt.	1820.	7.	H.w.⊙.	Delil. æg. 149. t. 4. f. 3.
67	chlorostachys. Stev.	( <i>gr.</i> ) green-spiked.	Siberia.	1823.	—	H.w.∟.	
68	múltiplex. Lk.	( <i>br.</i> ) many-spiked.	.....	1829.	—	H.w.∟.	
69	scáber. Lag.	( <i>br.</i> ) rough.	Spain.	1823.	—	H.w.⊙.	
70	xanthócoma. Ot.	( <i>ye.</i> ) yellow-haired.	Sicily.	1829.	—	H.w.∟.	
PAPYRUS. S.S.		PAPER-RUSH.	Triandria Monogynia.	S.S.			
1	antiquórum. s.s.	( <i>br.y.</i> ) common.	Egypt.	1802.	7. 9.	S.w.∟.	Michel. gen. pl. t. 19.
		<i>Cyperus Papyrus</i> . R.S.					
2	laxiflórus. s.s.	( <i>br.</i> ) loose-flowered.	Madagascar.	1822.	—	S.w.∟.	
3	odorátus. s.s.	( <i>st.</i> ) fragrant.	W. Indies.	1819.	—	S.w.∟.	Rudg. guian. p. 17. t. 20.
MARI'SCUS. R.S.		MARI'SCUS.	Triandria Monogynia.	R.S.			
1	capilláris. R.S.	( <i>st.br.</i> ) capillary.	Trinidad.	1824.	7. 10.	S.w.∟.	
2	aggregátus. R.S.	( <i>g.br.</i> ) clustered.	.....	1820.	7. 9.	S.w.∟.	
3	l'avis. B.P.	( <i>br.g.</i> ) smooth.	N. S. W.	1819.	6. 8.	G.w.∟.	
4	ovuláris. R.S.	( <i>br.g.</i> ) oval-spiked.	Carolina.	1818.	—	F.w.∟.	Pluk. alm. t. 91. f. 4.
5	retrofráctus. R.S.	( <i>st.pu.</i> ) retrofracted.	N. America.	1827.	—	H.w.∟.	— t. 415. f. 4.
6	umbellátus. R.S.	( <i>br.g.</i> ) umbelled.	E. Indies.	1789.	—	S.w.∟.	Rottb. gram. t. 4. f. 2.
7	elátus. R.S.	( <i>br.g.</i> ) tall.	—	1805.	—	S.w.∟.	Jacq. ic. 2. t. 300.
8	conflexus. L.en.	( <i>br.g.</i> ) contracted.	Brazil.	1819.	7. 8.	S.w.∟.	
KYLLINGA. W.		KYLLINGA.	Triandria Monogynia.	L.			
1	monocéphala. R.S.	( <i>wh.</i> ) one-headed.	India.	1793.	6. 7.	S.w.∟.	Rottb. gram. t. 4. f. 4.
2	crucifórmis. R.S.	( <i>wh.</i> ) cross-formed.	E. Indies.	1825.	—	S.w.∟.	Swartz. hort. gott. ic.
3	intermédia. B.P.	( <i>wh.</i> ) intermediate.	N. S. W.	1822.	—	G.w.∟.	
4	triceps. R.S.	( <i>wh.pu.</i> ) three-headed.	E. Indies.	1776.	9. 11.	S.w.∟.	Rottb. gram. t. 4. f. 6.
5	uncináta. L.en.	( <i>gr.</i> ) hook-seeded.	Brazil.	1820.	7. 8.	S.w.∟.	
6	odoráta. R.S.	( <i>gr.</i> ) fragrant.	S. America.	1822.	—	S.w.∟.	
7	polycéphala. L.en.	( <i>wh.</i> ) many-headed.	Brazil.	1820.	—	S.w.∟.	
FUIR'ENA. B.P.		FUIR'ENA.	Triandria Monogynia.	L.			
1	umbelláta. R.S.	( <i>br.</i> ) umbelled.	W. Indies.	1822.	6. 8.	S.w.∟.	Rottb. gram. t. 19. f. 3.
2	glomeráta. R.S.	( <i>pu.g.</i> ) crowded.	E. Indies.	1827.	—	S.w.⊙.	— t. 17. f. 1.
EL'YNA. R.S.		EL'YNA.	Triandria Monogynia.	R.S.			
	spicáta. R.S.	( <i>br.</i> ) simple-spiked.	Europe.	1819.	6. 8.	H.w.∟.	Vill. delph. 2. t. 6.
		<i>Carex Bellardi</i> . Host. gram. 4. t. 77.					
TRICHO'PHORUM. P.S.		TRICHO'PHORUM.	Triandria Monogynia.	P.S.			
1	cyperinum. P.S.	( <i>br.st.</i> ) cyperine.	N. America.	1802.	5. 9.	H.w.∟.	Pluk. mant. t. 419. f. 3.
2	alpinum. P.S.	( <i>br.st.</i> ) Alpine.	Scotland.	....	7.	H.w.∟.	Eng. bot. v. 5. t. 311.
		<i>Eriophorum alpinum</i> . E.B.					
ERIO'PHORUM. L.		COTTON-GRASS.	Triandria Monogynia.	L.			
1	vaginátum. E.B.	( <i>br.</i> ) Hare's-tail.	Britain.	....	3. 4.	H.w.∟.	Eng. bot. v. 13. t. 873.
2	capitátum. E.B.	( <i>br.</i> ) round-headed.	Scotland.	....	8. 9.	H.w.∟.	— v. 34. t. 2387.
3	grácle. E.B.	( <i>bk.g.</i> ) slender.	—	....	7. 8.	H.w.∟.	— v. 34. t. 2402.
4	angustifólium. (pu.g.)	narrow-leaved.	Britain.	....	4. 5.	H.w.∟.	— v. 8. t. 564.
5	virgínicum. R.S.	( <i>pu.g.</i> ) Virginian.	N. America.	1802.	5. 8.	H.w.∟.	Pluk. alm. t. 299. f. 4.
6	polystachion. E.B.	( <i>pu.g.</i> ) broad-leaved.	Britain.	....	4.	H.w.∟.	Eng. bot. v. 8. t. 563.
7	pubéscens. E.F.	( <i>bk.</i> ) pubescent.	—	....	4. 5.	H.w.∟.	

## ORDO CCXXIV.

GRAMINEÆ. *Juss. gen. p. 28.*

REMI'R'EA. R.S.	REMI'R'EA.	Triandria Monogynia.						
marítima. R.S.	....	sea-side.	America.	1822.	7. 8.	G.w.∟.	Aubl. guian. 1. t. 16.	
NARDUS. R.S.		MAT-GRASS.	Triandria Monogynia.	L.				
strícta. E.B.	....	upright.	Britain.	....	6. 7.	H.w.∟.	Eng. bot. v. 5. t. 290.	
ORYZO'PSIS. M.		ORYZO'PSIS.	Triandria Monogynia.	R.S.				
asperifólia. M.	....	rough-leaved.	N. America.	1822.	7. 8.	H.∟.	Mich. amer. 1. t. 9.	
LYG'EUM. R.S.		LYG'EUM.	Triandria Monogynia.	L.				
Spártum. R.S.	....	rush-leaved.	Spain.	1776.	5. 6.	H.∟.	Schreb. gram. t. 52. 53.	
CORNUCOPIE' R.S.		HORN OF PLENTY.	Triandria Monogynia.	L.				
cucullátum. R.S.	....	hooded.	Levant.	1788.	8.	H.⊙.	Flor. græc. 1. t. 51.	
CE'NCHRUS. R.S.		CE'NCHRUS.	Triandria Monogynia.	L.				
1	tribulofóides. R.S.	....	spinous.	N. America.	1818.	5. 8.	H.⊙.	Sloan. hist. 1. t. 65. f. 1.
2	echinátus. R.S.	....	rough-spiked.	W. Indies.	1691.	8. 12.	S. ♂.	Cavan. ic. 5. p. 39. t. 462.
3	austrális. B.P.	....	New Holland.	N. S. W.	1822.	6. 8.	H.⊙.	

<b>PENNISËTUM. R.S.</b>		<b>PENNISËTUM. Triandria Monogynia. R.S.</b>	
1	setosum. R.S. ....	setose.	W. Indies. 1804. 7. 8. H.⊙.
2	polystachyum. R.S. ....	many-spiked.	E. Indies. ——— H.⊙.
3	cenchróides. R.S.	ciliated.	C. B. S. 1777. 7. 8. H.⊙.
<i>Cénchrus ciliáris. L.</i>			
4	orientále. R.S. ....	oriental.	Levant. 1819. ——— F. 7.
5	violáceum. R.S. ....	violet-spiked.	Senegal. 1829. ——— S.⊙.
6	compréssum. B.P. ....	flat-stemmed.	N. S. W. 1820. ——— H. 7.
7	holcoídes. R.S. ....	Holcus-like.	E. Indies. 1823. ——— S.⊙.
<i>Panicum holcoídes. F.I.</i>			
8	barbatum. R.S. ....	bearded.	————— S.⊙.
9	dichótomum. R.S. ....	forked.	Egypt. 1824. ——— H. 7.
10	nepalénse. s.s. ....	Nepaul.	Nepaul. 1822. ——— H.⊙.
11	ásperum. R.S. ....	rough-leaved.	C. B. S. 1823. ——— G. 7.
<b>PENICILLARIA. R.S.</b>		<b>PENICILLARIA. Polygamia Monœcia. W.</b>	
1	spicáta. R.S. ....	spiked.	E. Indies. 1592. 6. 7. H.⊙.
2	alopeuroídes. ....	Fox-tail.	Jamaica. 1739. 7. 10. H.⊙.
<i>ciliáta. W. en. cylíndrica. R.S. Panicum alopecuroídes. L. Alopecurus indicus. L.</i>			
<b>SETARIA. R.S.</b>		<b>SETARIA. Triandria Digynia. R.S.</b>	
1	seríceá. R.S. ....	silky.	W. Indies. 1780. 5. 9. H.⊙.
2	verticilláta. R.S. ....	rough.	England. .... 7. 8. H.⊙.
3	virídís. R.S. ....	green.	————— H.⊙.
<i>Panicum viride. E.B. Pennisetum viride. B.P.</i>			
4	pùmila. R.S. ....	dwarf.	————— 1819. ——— H.⊙.
5	macrochéta. R.S. ....	long-spiked.	————— H.⊙.
6	purpuráscens. R.S. ....	purplish.	S. America. 1822. ——— H.⊙.
7	intermediá. R.S. ....	intermediate.	E. Indies. 1819. 8. 10. H.⊙.
8	Weinmánni. R.S. ....	Weinman's.	Teneriffe. 1816. ——— H.⊙.
9	gláuca. R.S. ....	glaucous.	S. Europe. 1771. 7. 8. H.⊙.
10	helvòla. R.S. ....	pale red.	E. Indies. 1822. 8. 10. H.⊙.
11	corrugáta. R.S. ....	rugged-flowered.	Carolina. 1828. ——— H.⊙.
12	erubéscens. R.S. ....	blush.	S. America. 1822. ——— H.⊙.
13	geniculáta. R.S. ....	jointed.	Antilles. 1805. 7. 8. H.⊙.
14	marítima. R.S. ....	sea-side.	————— 1818. ——— H.⊙.
15	germánica. R.S. ....	German.	Germany. 1548. ——— H.⊙.
16	itálica. R.S. ....	Italian.	Italy. 1616. ——— H.⊙.
<i>Panicum itálicum. Host. gram. 4. t. 14. Pennisetum itálicum. B.P.</i>			
17	compósita. R.S. ....	compound.	S. America. 1823. ——— H.⊙.
18	cylíndrica. R.S. ....	cylindrical.	————— H.⊙.
19	setosa. R.S. ....	bristly.	W. Indies. 1822. ——— H.⊙.
20	polystáchia. R.S. ....	many-spiked.	Brazil. 1824. ——— S. 7.
21	tenacíssima. R.S. ....	tough.	————— 1819. ——— H.⊙.
22	Pennisetum. R.S. ....	Indian.	E. Indies. 1820. 6. 8. S.⊙.
23	scándens. R.S. ....	climbing.	————— H.⊙.
24	caudáta. R.S. ....	tailed.	Trinidad. 1824. ——— H.⊙.
25	muricáta. R.S. ....	sea-side.	N. America. 1819. ——— H.⊙.
26	aurícoma. Lk. ....	golden-headed.	————— 1826. ——— H.⊙.
<b>ANTHOXANTHUM. R.S.</b>		<b>SPRING-GRASS. Diandria Digynia. L.</b>	
1	odorátum. E.B. ....	sweet-scented.	Britain. .... 5. H. 7.
	β laxum. ....	loose-spiked.	————— H. 7.
	γ pubéscens. ....	downy-spiked.	————— H. 7.
	δ ramósum. ....	branching-spiked.	————— H. 7.
2	amárum. R.S. ....	bitter.	S. Europe. 1810. 7. H. 7.
3	grácile. R.S. ....	slender.	Italy. 1825. 7. 8. H.⊙.
4	ovátum. R.S. ....	oval-spiked.	Spain. 1824. ——— H.⊙.
<b>SPARTINA. R.S.</b>		<b>SPARTINA. Triandria Monogynia. R.S.</b>	
1	cyosuroides. R.S. ....	Dog's-tail.	N. America. 1781. 8. 9. H. 7.
<i>Dáctylis cyosuroides. L. Trachynótia cyosuroides. M. Limnétis cyosuroides. P.S.</i>			
2	stricta. R.S. ....	upright.	Britain. .... 8. H. 7.
<i>Dáctylis stricta. E.B. Limnétis pungens. P.S.</i>			
3	glábra. R.S. ....	smooth.	N. America. 1827. ——— H. 7.
4	alterniflóra. R.S. ....	alternate-flower'd.	S. Europe. ——— H. 7.
5	polystáchia. R.S. ....	many-spiked.	N. America. 1781. 8. 9. H. 7.
6	pùmila. R.S. ....	dwarf.	————— 1820. ——— H. 7.
7	pectináta. ....	pectinated.	————— 1827. ——— H. 7.
8	júncea. R.S. ....	rushy.	————— 1781. 7. 8. H. 7.
9	pátens. R.S. ....	spreading.	————— H. 7.
10	geniculáta. R.S. ....	jointed.	Java. 1822. ——— S. 7.
11	arundinácea. R.S. ....	Reed-like.	Tristan d'Acunha. 1820. ——— G. 7.

Rumph. amb. 6. t. 7. f. 2.  
Giseck. ic. 1. t. 23.

Delil. ægyp. t. 8. f. 3.

Pluk. alm. t. 32. f. 4.  
———— t. 92. f. 5.Eng. bot. v. 13. t. 874.  
———— v. 13. t. 875.

Host. gram. 2. t. 16.

Host. gram. 2. t. 15.  
Rumph. amb. 3. t. 76. f. 2.Eng. bot. v. 9. t. 647.  
Loes. ic. 22.Trin. ic. gram. t. 14.  
———— t. 13.

Linn. fil. fasc. 1. t. 9.

Eng. bot. v. 6. t. 380.

Burm. ind. t. 12. f. 3.

- ZO'YSIA. R.S. Zo'YSIA. Triandria Digynia. W.  
 pungens. R.S. .... pungent. E. Indies. 1819. 6. 8. S. ♀.
- LE'ERSIA. B.P. LE'ERSIA. Triandria Digynia. W.  
 1 oryzoides. S.S. .... Rice-like. S. Europe. 1793. 7. 8. H.w. ♀. Host. gram. 1. t. 35.  
 2 virginica. S.S. .... Virginian. N. America. ——— H.w. ♀.  
 3 australis. B.P. .... southern. N. S. W. 1819. ——— H.w. ♀.  
 4 lenticularis. R.S. .... round-glumed. N. America. 1825. ——— H.w. ♀.  
 5 brasiliensis. R.S. .... Brazilian. Brazil. 1826. ——— S.w. ♀.
- PER'OTIS. R.S. PER'OTIS. Triandria Digynia. W.  
 latifolia. R.S. .... broad-leaved. E. Indies. 1777. 8. 9. S. ○. Rheed. mal. 12. t. 62.
- ALOPEC'URUS. R.S. FOXTAIL-GRASS. Triandria Digynia. L.  
 1 agréstis. E.B. .... slender. Britain. .... 7. 8. H. ○. Eng. bot. v. 12. t. 848.  
 2 utriculátus. R.S. .... bladdered. Italy. 1777. ——— H. ○. Flor. græc. t. 63.  
 3 echinátus. R.S. .... rough. C. B. S. 1822. ——— G. ○.  
 4 praténsis. E.B. .... meadow. Britain. .... 5. H. ♀. Eng. bot. v. 11. t. 759.  
 5 nigricans. R.S. .... blackish. Europe. 1815. 6. 7. H. ♀. Jacq. ecl. gram. t. 13.  
*Tauntoniënsis*. Sinc. gr. wob. p. 232.  
 6 triviális. S.O. .... long-awned. Bohemia. 1827. ——— H. ♀.  
 7 scáber. S.O. .... scabrous. ——— H. ♀.  
 8 Giesekeanus. R.S. .... Gieseke's. N. Europe. 1828. ——— H. ♀. Flor. dan. t. 1565.  
*ovátus*. F.D. non Forst.  
 9 geniculátus. E.B. .... floating. Britain. .... 5. 8. H.w. ♀. Eng. bot. v. 18. t. 1250.  
 10 fulvus. E.B. .... orange-spiked. England. .... 6. H.w. ♀. ——— v. 21. t. 1467.  
 11 alpinus. E.B. .... Alpine. Scotland. .... 5. 6. H. ♀. ——— v. 16. t. 1126.  
 12 ramòsus. R.S. .... branching. N. America. 1823. ——— H. ♀.  
 13 arundinæus. R.S. .... Reed-like. .... 1819. ——— H. ♀.  
 14 macrostáchyos. S.S. .... large-spiked. Barbary. 1824. 6. 8. H. ♀.  
 15 bulbòsus. E.B. .... bulbous. England. .... 7. H. ♀. Eng. bot. v. 18. t. 1249.  
 16 colobachnòides. R.S. .... Siberian. Siberia. 1826. 6. 7. H. ♀.  
 17 Gerárdi. Trin. .... Gerard's. S. Europe. 1820. 6. 8. H. ♀. Jacq. ic. t. 301.  
*Phlëum Gerárdi*. R.S.
- PHL'ËUM. R.S. CAT'S-TAIL-GRASS. Triandria Digynia. L.  
 1 praténsis. R.S. .... common. Britain. .... 7. H. ♀. Eng. bot. v. 15. t. 1076.  
*a majus*. S.G.W. .... greater. ——— .... ——— H. ♀. Sinc. gr. wob. p. 195. ic.  
*β minus*. S.G.W. .... lesser. ——— .... 7. 8. H. ♀. ——— p. 197. ic.  
 2 nodòsum. W. .... knotted. .... 7. 9. H. ♀. Flor. dan. t. 380.  
 3 Bertolonii. R.S. .... Bertoloni's. France. 1818. ——— H. ♀.  
 4 alpinum. R.S. .... alpine. Scotland. .... 7. H. ♀. Eng. bot. v. 8. t. 519.  
 5 commutátum. R.S. .... confused. Piedmont. 1819. ——— H. ♀.  
 6 felinum. R.S. .... Grecian. Greece. 1822. ——— H. ○.  
 7 echinátum. R.S. .... hedgehog. Dalmatia. ——— 8. 9. H. ○. Host. gram. 3. t. 11.
- ACHNOD'NTON. R.S. ACHNOD'NTON. Triandria Digynia. R.S.  
 1 Bellárdi. R.S. .... bulbous. Spain. 1798. 6. 7. H. ○.  
*Phálaris Bellárdii*. w. *bulbòsa*. L.  
 2 ténue. R.S. .... slender. S. Europe. 1826. ——— H. ○. Host. gram. t. 36.  
 3 arenária. L.en. .... sand. Britain. .... 6. 7. H. ○. Eng. bot. v. 4. t. 222.  
*Phálaris arenária*. E.B. *Phlëum arenarium*. F.D. t. 915. *Chilochlóa arenária*. R.S.
- CHILOCHL'OA. R.S. CHILOCHL'OA. Triandria Digynia. R.S.  
 1 Bøhméri. R.S. .... Phalaris-like. England. .... 7. 9. H. ♀. Eng. bot. v. 7. t. 459.  
*Phálaris phleoides*. E.B. *Phlëum phalaroides*. Kæf. *Bøhméri*. w.  
 2 cuspidáta. R.S. .... sharp-pointed. Tyrol. 1824. 7. 8. H. ♀. Host. gram. 4. t. 20.  
 3 Michèlii. L.en. .... Micheli's. Scotland. .... 6. 7. H. ♀. Eng. bot. v. 32. t. 2265.  
*Phlëum Michèlii*. E.B.  
 4 áspera. R.S. .... rough. England. .... 7. H. ○. Eng. bot. v. 15. t. 1077.  
*Phlëum paniculatum*. E.B. *Phlëum ásperum*. Jacq. ic. t. 14. *Phálaris áspera*. w.  
 5 ánnua. R.S. .... annual. Caucasus. 1825. 7. 8. H. ○.
- SCHMI'DTIA. S.S. SCHMI'DTIA. Diandria Digynia. S.S.  
 súbtillis. S.S. .... close umbelled. Bohemia. 1824. 6. 8. H. ○. Tratt. fl. aus. t. 451.  
*Coleánthus súbtillis*. R.S.
- POLYPO'GON. R.S. POLYPO'GON. Triandria Digynia. W.  
 1 monspeliénsis. R.S. .... chaffy. Britain. .... 7. 8. H. ○. Eng. bot. v. 24. t. 1704.  
*Agróstis panicea*. E.B.  
 2 littorális. E.F. .... sea-side. ——— .... 8. H. ♀. Eng. bot. v. 18. t. 1251.  
 3 Lagáscaæ. R.S. .... Lagasca's. Spain. 1824. ——— H. ♀.  
 4 marítimus. R.S. .... shore. S. Europe. 1822. ——— H. ○.  
 5 glomerátus. R.S. .... clustered. N. America. ——— 7. 8. H. ♀.  
 6 tatáricus. F. .... Tartarian. Tartary. 1825. ——— H. ○.
- CER'ESIA. P.S. CER'ESIA. Triandria Digynia. P.S.  
 élegans. P.S. .... elegant. Peru. 1818. 8. 9. H. ♀. Jacq. frag. t. 86.  
*Páspalum membranæum*. S.S.

PA'SPALUM. W.	PA'SPALUM.	Triandria Digynia. L.				
1 dissectum. s.s.	.... dissected.	S. America.	1822.	8. 10.	H. ⊙	
2 scrobiculatum. s.s.	.... dimpled.	E. Indies.	1778.	7. 9.	S. ♀	Hout. n. his. t. 89. f. 3.
3 stoloniferum. s.s.	.... purple.	Peru.	1794.	—	G. ♀	Jacq. ic. 2. t. 302.
4 paniculatum. s.s.	.... panicked.	W. Indies.	1782.	—	S. ⊙	Sloan. hist. 1. t. 72. f. 2.
5 virgatum. s.s.	.... twiggy.	—	1822.	—	S. ♀	— I. t. 69. f. 2.
6 l'ave. M.	.... smooth.	N. America.	1818.	—	H. ♀	Lecomt. pasp. t. 91.
7 mucronatum. R.S.	.... mucronate.	—	1825.	—	H. ⊙	
8 Lecomteanum. R.S.	.... Lecomte's.	—	1827.	—	H. ♀	Lecomt. pas. t. 91.
9 latifolium. R.S.	.... broad-leaved.	—	—	—	H. ♀	
10 platense. R.S.	.... Monte Video.	Monte Video.	1824.	—	H. ♀	
11 difforme. R.S.	.... deformed.	N. America.	1818.	7. 9.	H. ♀	Lecomt. pas. t. 91. p. 284.
12 pusillum. R.S.	.... small.	St. Thomas.	1822.	—	S. ♀	
13 conjugatum. s.s.	.... conjugate.	W. Indies.	—	—	S. ♀	Gært. fruct. 2. t. 80. f. 4.
14 notatum. s.s.	.... two-spiked.	—	1776.	7.	S. ♂	Swartz obs. t. 2. f. 1.
15 vaginatum. R.S.	.... sheathed.	—	1824.	—	S. ♀	
16 platycaule. R.S.	.... flat-stalked.	—	—	—	S. ♀	
17 molle. s.s.	.... soft.	St. Thomas.	1822.	—	S. ♀	
18 Kora. R.S.	.... smooth-flowered.	E. Indies.	1818.	7. 8.	S. ♀	
19 longiflorum. R.S.	.... long-flowered.	—	1824.	—	S. ♀	
20 setaceum. M.	.... bristly.	N. America.	—	—	H. ♀	
21 pilosum. R.S.	.... hairy.	S. America.	1826.	—	S. ♀	
22 incertum. R.S.	.... uncertain.	.....	1812.	—	H. ♀	
23 dubium. s.s.	.... doubtful.	.....	1818.	—	H. ♀	
24 glabrum. s.s.	.... smooth.	W. Indies.	1823.	—	S. ♀	
25 tenellum. w.	.... elegant.	.....	1817.	—	S. ♀	
<i>élégans. s.s.</i>						
26 laxum. R.S.	.... loose.	S. America.	1819.	—	S. ♀	
27 inæquale. L.en.	.... unequal-valved.	Manilla.	1822.	—	S. ♀	
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia.	S.S.			
strictus. B.P.	.... upright.	N. S. W.	1823.	5. 6.	G. ♀	
GASTRIDUM. R.S.	GASTRIDUM.	Triandria Digynia.	R.S.			
1 australe. R.S.	.... yellow.	England.	....	8.	H. ♀	Eng. bot. v. 16. t. 1107.
<i>Milium lendigerum. E.B.</i>						
2 muticum. R.S.	.... beardless.	Sicily.	1819.	7. 8.	H. ⊙	
CHÆTURUS. R.S.	CHÆTURUS.	Triandria Digynia.	R.S.			
fasciculatus. R.S.	.... fascicled.	S. Europe.	1815.	7. 9.	H. ⊙	
MILIMUM. R.S.	MILLET-GRASS.	Triandria Digynia.	L.			
1 nigricans. R.S.	.... Guinea maize.	Peru.	1824.	6. 8.	H. ⊙	
2 effusum. E.B.	.... common.	Britain.	....	6. 7.	H. ♀	Eng. bot. v. 16. t. 1106.
3 vernale. R.S.	.... vernal.	Caucasus.	1819.	4. 5.	H. ⊙	
4 scabrum. R.S.	.... rough.	S. Europe.	1826.	—	H. ⊙	
5 confertum. R.S.	.... close-flowered.	Italy.	—	—	H. ♀	
6 amphicarpon. R.S.	.... earth-fruited.	N. America.	1827.	—	H. ♀	Pursh. am. sept. 2. t. 2.
7 gallicicum. R.S.	.... capillary.	Gallicia.	1819.	6. 8.	H. ♀	
8 velutinum. R.S.	.... downy.	Mexico.	1823.	—	H. ⊙	
9 filiforme. Lag.	.... slender.	New Spain.	1824.	—	H. ♀	
10 microspermum. R.S.	.... small-seeded.	—	1822.	—	H. ⊙	
11 phleoides.	.... Phleum-like.	E. Indies.	1820.	—	S. ♀	
PIPTATHERUM. R.S.	PIPTATHERUM.	Triandria Digynia.	R.S.			
1 paradoxum. R.S.	.... black-seeded.	France.	1771.	6. 7.	H. ⊙	Host. gram. 3. t. 23.
<i>Agróstis paradoxæ. L. Milium paradoxum. w. Utrachne virescens. Trin.</i>						
2 cœrulescens. R.S.	.... blueish.	Barbary.	1819.	—	H. ♀	Desf. atl. 1. t. 12.
3 multiflorum. R.S.	.... many-flowered.	S. Europe.	1778.	—	H. ♀	Host. gram. 3. t. 45.
<i>Milium arundinaceum. F.G. t. 66. Agróstis miliacea. L.</i>						
4 punctatum. R.S.	.... dotted.	W. Indies.	1824.	—	S. ♀	
CALAMAGROSTIS. S.S.	CALAMAGROSTIS.	Triandria Digynia.	S.S.			
1 epigejos. s.s.	.... wood.	Britain.	....	7.	H. ♀	Eng. bot. v. 6. t. 403.
2 intermedia. R.S.	.... intermediate.	Carlsruhe.	1827.	—	H. ♀	
3 littorea. s.s.	.... sea-side.	Switzerland.	1824.	7. 8.	H. ♀	Schrad. fl. ger. 1. t. 4. f. 2.
4 laxa. Host.	.... loose.	—	—	—	H. ♀	Host. gram. 4. t. 23.
5 glauca. R.S.	.... glaucous.	N. America.	—	—	H. ♀	
6 Halleriana. s.s.	.... Haller's.	Switzerland.	1819.	—	H. ♀	Schrad. fl. ger. 1. t. 4. f. 3.
<i>Arundo pseudophragmites. R.S.</i>						
7 stricta. s.s.	.... upright.	Scotland.	....	7. 8.	H. ♀	Eng. bot. v. 30. t. 2160.
8 varia. Host.	.... various.	S. Europe.	1813.	—	H. ♀	Host. gram. 4. t. 47.
9 acutiflora. DC.	.... sharp-flowered.	Germany.	1819.	—	H. ♀	
10 sylvatica. DC.	.... wood.	Europe.	1813.	—	H. ♀	Host. gram. 4. t. 49.
<i>arundinæca. Roth. Agróstis arundinæca. L. pyramidalis. Host.</i>						

11	purpurascens. Br.	....	purplish.	N. America.	1827.	7. 8.	H. ♀.	
12	Schwábii. s.s.	....	Saxon.	Saxony.	1828.	—	H. ♀.	
13	Langsdorffii. s.s.	....	Langsdorff's.	.....	1823.	—	H. ♀.	
14	confinis. s.s.	....	hairy-flowered.	N. America.	1820.	—	H. ♀.	
15	montana. Host.	....	mountain.	Europe.	—	—	H. ♀.	Host. gram. 4. t. 46.
16	Hóstii. r.s.	....	Host's.	—	—	—	H. ♀.	— 4. t. 48.
	<i>sylvatica.</i>		Host. <i>nec aliorum.</i>					
17	canadensis. N.	....	Canadian.	N. America.	1826.	—	H. ♀.	
18	lanceolata. s.s.	....	common.	England.	....	7.	H. ♀.	Eng. bot. v. 30. t. 2159.
	<i>Arundo Calamagróstis.</i>		E.B. <i>Agróstis lanceolata.</i>					R.S.
19	speciosa. Host.	....	beautiful.	Germany.	1813.	7. 8.	H. ♀.	Host. gram. 4. t. 45.
	<i>Agróstis Calamagróstis.</i>		R.S.					
<b>STIPA. R.S. FEATHER-GRASS. Triandria Digynia. L.</b>								
1	pennata. E.B.	....	common.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 19. t. 1356.
2	tortilis. R.S.	....	twisted-awned.	S. Europe.	1823.	—	H. ♂.	Desf. atl. 1. t. 31. f. 1.
3	júncea. R.S.	....	rushy.	France.	1772.	—	H. ♀.	Flor græc. 1. t. 85.
4	gigántea. R.S.	....	gigantic.	Spain.	1823.	—	H. ♀.	
5	Lagascæ. R.S.	....	Lagasca's.	—	1822.	—	H. ♀.	Desf. atl. 1. t. 28.
6	capillata. R.S.	....	capillary.	S. Europe.	—	—	H. ♀.	Host. gram. 3. t. 5.
7	tenacissima. R.S.	....	tough.	—	1822.	—	H. ♀.	Desf. atl. 1. t. 30.
8	Aristélla. R.S.	....	awned.	Montpelier.	1806.	—	H. ♀.	Host. gram. 4. t. 34.
9	Redówski. L.A.	....	Redowski's.	Altay.	1828.	—	H. ♀.	Ledeb. ic. t. 98.
10	móllis. B.P.	....	soft.	N. S. W.	1824.	—	F. ♀.	
11	conférta. R.S.	....	close panicked.	.....	1819.	—	H. ♀.	
12	sibirica. R.S.	....	Siberian.	Siberia.	1777.	—	H. ♀.	Ledeb. ic. t. 99.
<b>AGRAÛLUS. P.B. AGRÆULUS. Triandria Digynia. R.S.</b>								
1	canina. P.B.	....	brown.	Britain.	....	7.	H. ♀.	Eng. bot. v. 26. t. 1856.
	<i>Agróstis canina.</i>		E.B. <i>Trichodium caninum.</i>					R.S.
2	alpina. P.B.	....	Alpine.	S. Europe.	1818.	7. 8.	H. ♀.	Host. gram. 3. t. 49.
3	rupéstris. R.S.	....	rock.	Pyrenees.	—	—	H. ♀.	— 3. t. 50.
4	neglécta. R.S.	....	neglected.	Hungary.	1822.	—	H. ♀.	
5	flavescens. R.S.	....	yellowish.	S. Europe.	—	—	H. ♀.	Host. gram. 4. t. 52.
6	setacea. R.S.	....	bristly.	Britain.	....	—	H. ♀.	Eng. bot. v. 17. t. 1188.
	<i>Agróstis setacea.</i>		E.B. <i>Trichodium setaceum.</i>					R.S.
7	rùbra. R.S.	....	red.	Lapland.	1820.	—	H. ♀.	
8	hybrida. R.S.	....	hybrid.	Switzerland.	—	—	H. ♀.	
9	diffusa. L. en.	....	spreading.	.....	1823.	—	H. ♀.	
<b>TRICHODIUM. M. WINTER-GREEN-GRASS. Triandria Digynia.</b>								
1	decumbens. R.S.	....	decumbent.	N. America.	1786.	6. 7.	H. ♀.	Fraser mon. c. ic.
2	laxiflorum. R.S.	....	loose-flowered.	—	1816.	—	H. ♂.	Mich. amer. 1. t. 8.
3	élegans. R.S.	....	elegant.	France.	—	7. 9.	H. ♂.	Lois journ. bot. 2. t. 8. f. 1.
<b>AGRÓSTIS. R.S. BENT-GRASS. Triandria Digynia. R.S.</b>								
1	stolonifera. R.S.	....	creeping.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 22. t. 1532.
	<i>α latifolia.</i>		S.G.W. <i>Fiorin grass.</i>					Sinc. gr. wob. p. 225. ic.
	<i>β angustifolia.</i>		S.G.W. <i>wine-leaved.</i>					— p. 346. ic.
	<i>γ aristata.</i>		S.G.W. <i>awned.</i>					— p. 345. ic.
	<i>δ nemoralis.</i>		S.G.W. <i>wood.</i>					
	<i>ε palustris.</i>		S.G.W. <i>marsh.</i>					
2	dúlcis. Df.	....	sweet.	S. France.	1824.	—	H. ♀.	
3	stolonizans. R.S.	....	stoloniferous.	Poland.	1827.	—	H. ♀.	
4	diffusa. R.S.	....	spreading.	Europe.	1816.	—	H. ♀.	Host. gram. 4. t. 55.
5	neglécta. R.S.	....	neglected.	Hungary.	—	—	H. ♀.	
6	capillaris. R.S.	....	capillary.	S. Europe.	—	—	H. ♂.	Sm. ic. ined. 3. t. 54.
7	tenélla. R.S.	....	slender.	Switzerland.	1824.	—	H. ♀.	Schad. fl. ger. 1. t. 5. f. 1.
8	álba. R.S.	....	white rooted.	Britain.	....	7.	H. ♀.	Sinc. gr. wob. p. 342. ic.
	<i>β purpurascens.</i>		.... <i>purplish.</i>					Eng. bot. v. 17. t. 1189.
	<i>γ vivipara.</i>		.... <i>viviparous.</i>					Leers fl. herb. t. 4. f. 3.
9	párvula. R.S.	....	small.	Hungary.	1826.	—	H. ♀.	
10	tenuifolia. R.S.	....	slender-leaved.	Caucasus.	1819.	7. 8.	H. ♀.	Trin. icon. gr. t. 35.
11	pátula. R.S.	....	knotted spreading.	Switzerland.	1824.	—	H. ♀.	
12	valentina. R.S.	....	Valentia.	Spain.	—	—	H. ♀.	
13	dúbia. R.S.	....	doubtful.	Germany.	1818.	—	H. ♀.	Leers fl. herb. t. 4. f. 4.
14	gigántea. R.S.	....	gigantic.	Caucasus.	—	—	H. ♀.	
15	frondosa. R.S.	....	frondose.	Naples.	1824.	—	H. ♀.	
16	vulgáris. R.S.	....	fine.	Britain.	....	—	H. ♀.	Eng. bot. v. 24. t. 1671.
17	ambigua. R.S.	....	ambiguous.	Germany.	1820.	—	H. ♀.	Host. gram. t. 56.
18	Juréssi. R.S.	....	close panicked.	—	—	—	H. ♀.	Trin. ic. gram. t. 29.
19	virgínica. R.S.	....	Virginian.	N. America.	—	—	H. ♀.	Lab. nov. holl. 1. t. 23.
20	brasilénsis. R.S.	....	Brazilian.	Brazil.	1828.	—	S. ♀.	

21	marítima. R.S.	.... sea-side.	S. Europe.	1825.	7. 8.	H. 2.	
22	Forstèri. R.S.	.... Forster's.	N. Zealand.	1822.	—	H. 2.	
	<i>Àvena filifórmis.</i>	Forst.					
23	Billardieri. B.P.	.... Labillardiere's.	N. Holland.	1806.	—	H. 2.	Lab. nov. holl. 1. t. 31.
24	plebeia. B.P.	.... plebeian.	N. S. W.	1822.	—	H. 2.	
25	æmula. B.P.	.... flat-leaved.	—	1806.	—	H. 2.	
26	retrofrácta. R.S.	.... broad-leaved.	—	—	4. 5.	F. 2.	
27	hirsúta. R.S.	.... hairy.	Teneriffe.	1810.	—	F. 2.	
28	Spica vénti. E.B.	.... silky.	England.	....	6. 7.	H. 2.	Eng. bot. v. 14. t. 951.
29	pállida. DC.	.... pale.	France.	1818.	—	H. 2.	
30	interrúpta. R.S.	.... interrupted.	S. Europe.	—	—	H. 2.	Host. gram. 3. t. 48.
31	purpúrea. R.S.	.... purple.	—	1820.	—	H. 2.	
32	pauciflóra. R.S.	.... few-flowered.	Switzerland.	1824.	6. 8.	H. 2.	Schrad. fl. ger. 1. t. 3. f. 2.
33	decumbens. Host.	.... decumbent.	Hungary.	—	—	H. 2.	Host. gram. 4. t. 54.
<b>SPORO'BOLUS. B.P. SPORO'BOLUS. Triandria Digynia.</b>							
1	diándrus. R.S.	.... diandrous.	E. Indies.	1820.	6. 8.	S. 2.	
2	pulchéllus. R.S.	.... pretty.	N. Holland.	1828.	—	F. 2.	
3	índicus. B.P.	.... Indian.	India.	1773.	8. 10.	H. 2.	Sloan. hist. 1. t. 73. f. 1.
4	purpuráscens. R.S.	.... purplish.	Jamaica.	1820.	—	S. 2.	
5	tenacíssimus. L. en.	.... tough.	W. Indies.	1801.	—	S. 2.	Jacq. ic. 1. t. 16.
6	elongátus. B.P.	.... elongated.	N. S. W.	1822.	—	H. 2.	
7	micránthus.	.... small-flowered.	Monte Video.	1825.	—	H. 2.	
<b>COLP'ODIUM. Trin. COLP'ODIUM. Triandria Digynia.</b>							
1	Stevèni. Trin.	.... various-coloured.	Caucasus.	1823.	7. 8.	H. 2.	
	<i>Agrostis versicolor.</i>	Stev.					
2	latifólium. Br.	.... broad-leaved.	Melville Isl.	1821.	—	H. 2.	
<b>TRICHOCH'LOA. Tr. TRICHOCH'LOA. Triandria Digynia.</b>							
1	tenuiflóra.	.... slender-flowered.	N. America.	1820.	7. 8.	H. 2.	Willd. hort. ber. t. 12.
	<i>longiseta.</i>	Tr. <i>Agrostis tenuiflóra.</i>	w. <i>Cinna tenuiflóra.</i>	L. en.			
2	mexicana. Tr.	.... Mexican.	America.	1780.	6. 9.	H. 2.	
3	foliösa. Tr.	.... leafy.	N. America.	1819.	7. 8.	H. 2.	
	<i>Agrostis filifórmis.</i>	W. en. <i>Cinna filifórmis.</i>	L. en.				
4	sobolifera. Tr.	.... soboliferous.	N. America.	1819.	7. 8.	H. 2.	
5	microspérma. DC.	.... small-seeded.	Mexico.	1818.	8. 10.	H. 2.	
6	capillàris. DC.	.... capillary.	Carolina.	—	—	H. 2.	
7	expánsa. DC.	.... expanded.	—	1822.	—	H. 2.	P. B. agros. nov. t. 8. f. 2.
	<i>purpúrea.</i>	P. B.					
8	polypògon. DC.	.... many-bearded.	—	1812.	—	H. 2.	P. B. agros. nov. t. 8. f. 3.
<b>CINNA. L. CINNA. Monandria Digynia. L.</b>							
1	arundinácea. L.	.... Reed-like.	Canada.	1789.	7.	H. 2.	Schreb. gram. t. 49.
2	crinita. Tr.	.... rough-keeled.	N. Zealand.	1822.	—	F. 2.	Lab. nov. hol. 2. t. 263.
3	monánda. R.S.	.... monandrous.	N. America.	1826.	—	H. 2.	
<b>KNAPPIA. E.B. KN'APPIA. Triandria Digynia. S.S.</b>							
	<i>agrostídea.</i>	E. B. .... small.	Wales.	....	3. 4.	H. 2.	Eng. bot. v. 16. t. 1127.
	<i>Agrostis mínima.</i>	w. <i>Chamagrostis mínima.</i>	R.S. <i>Stúrma vérna.</i>	P. S.			
<b>COLOBA'CHNE. R.S. COLOBA'CHNE. Triandria Digynia. R.S.</b>							
	<i>vaginàta.</i>	R.S. .... sheathed.	Levant.	1818.	4.	H. 2.	Flor. græc. t. 64.
	<i>Alopecurus angustifólius.</i>	F. G. <i>Polypògon vaginátus.</i>	w.				
<b>HELEOCH'LOA. Host. HELEOCH'LOA. Triandria Monogynia.</b>							
1	alopecuróides. R.S.	.... Foxtail-like.	Germany.	1816.	7. 8.	H. 2.	Host gram. 1. t. 29.
2	phalaróides. P. B.	.... Phalaris-like.	Caucasus.	1827.	—	H. 2.	
3	schænoídes. R.S.	.... Schænus-like.	S. Europe.	1783.	—	H. 2.	Jacq. ic. 1. t. 15.
<b>CRYP'SIS. Host. CRYP'SIS. Triandria Monogynia.</b>							
	<i>aculeàta.</i>	R.S. .... prickly.	S. Europe.	1783.	—	H. 2.	Host. gram. 1. t. 31.
<b>LAPPAGO. W. LAPPAGO. Triandria Digynia. W.</b>							
1	racemösa. W.	.... branching.	S. Europe.	1771.	—	H. 2.	Flor. græc. t. 101.
	<i>Tràgus racemösus.</i>	R.S. <i>Cénchrus racemösus.</i>	L.				
2	alièna. S.S.	.... Brazilian.	Brazil.	1826.	6. 8.	S. 2.	
3	biflóra. F. I.	.... two-flowered.	E. Indies.	1824.	—	S. 2.	
<b>MUHLENBERGIA. W. MUHLENBERGIA. Triandria Digynia. W.</b>							
	<i>diffúsa.</i>	R.S. .... spreading.	N. America.	1816.	5. 6.	H. 2.	Schreb. gram. t. 51.
<b>CHÆTARIA. R.S. CHÆTARIA. Triandria Digynia. R.S.</b>							
1	adscensiónis. R.S.	.... West Indian.	W. Indies.	1822.	7. 8.	S. 2.	Sloan. hist. 1. t. 2. f. 56.
	<i>Aristida adscensiónis.</i>	w.					
2	Hystrix. R.S.	.... Porcupine.	E. Indies.	—	....	S. 2.	Pluk. alm. t. 191. f. 5.
3	oligántha. R.S.	.... long-glumed.	N. America.	1826.	—	H. w. 2.	
4	pállens. R.S.	.... pale.	Chile.	1825.	—	H. 2.	
5	divaricàta. R.S.	.... spreading.	S. America.	1818.	7. 8.	G. 2.	Jacq. eclog. gram. t. 6.

6	<i>gigantea</i> . R.S.	....	gigantic.	Teneriffe.	1824.	7. 8.	F. 2.	
7	<i>cœrulæscens</i> . R.S.	....	blueish.	Canaries.	1818.	—	H. ⊙.	Desf. atl. t. 21. f. 2.
<b>CURTOPOGON. R.S.</b>		<b>CURTOPOGON.</b>		Triandria Digynia.				
	<i>dichotomus</i> . R.S.	....	forked.	N. America.	1826.	6. 8.	H. ♂.	Spr. act. pet. 2. t. 6.
	<i>Aristida dichotoma</i> . Ph.							
<b>ARISTIDA. R.S.</b>		<b>ARISTIDA.</b>		Triandria Digynia. L.				
1	<i>obtusa</i> . R.S.	....	blunt-awned.	Egypt.	1828.	6. 8.	H. ⊙.	Delil. ægypt. t. 13. f. 2.
2	<i>vigans</i> . R.S.	....	spreading-panicked.	N. S.W.	1820.	7. 8.	F. 2.	Cavan. ic. 5. t. 471.
<b>HORDEUM. R.S.</b>		<b>BARLEY.</b>		Triandria Digynia. L.				
1	<i>vulgare</i> . R.S.	....	spring.	Levant.	....	7.	H. ⊙.	Host. gram. 3. t. 34.
	<i>β giganteum</i> .	....	<i>giant</i> .	—	....	—	H. ⊙.	
2	<i>cœleste</i> . R.S.	....	naked-seeded.	Levant.	....	—	H. ⊙.	Viborg cereal. t. 1.
3	<i>nigrum</i> . R.S.	....	black-seeded.	—	....	—	H. ♂.	
4	<i>hexástichon</i> . R.S.	....	winter.	—	....	—	H. ⊙.	Viborg cereal. t. 2.
5	<i>bulbosum</i> . R.S.	....	bulbous.	S. Europe.	1770.	—	H. 2.	Flor. græc. 1. t. 98.
6	<i>jubatum</i> . R.S.	....	long-bearded.	N. America.	1782.	7. 8.	H. ♂.	
7	<i>Sieberiænum</i> . R.S.	....	Sieber's.	Egypt.	1828.	—	H. ⊙.	
8	<i>distichum</i> . R.S.	....	common.	Tartary.	....	7.	H. ⊙.	Viborg cereal. t. 3.
	<i>β imberbe</i> . R.S.	....	<i>beardless</i> .	—	....	—	H. ⊙.	
9	<i>nudum</i> . R.S.	....	naked seeded.	—	....	—	H. ⊙.	Arduin. sag. t. II. f. 4.
10	<i>Zœcriton</i> . R.S.	....	Battledore.	—	....	8.	H. ⊙.	Viborg cereal. t. 4.
11	<i>murinum</i> . R.S.	....	wall.	Britain.	....	4. 8.	H. ⊙.	Eng. bot. v. 28. t. 1971.
12	<i>pratense</i> . R.S.	....	meadow.	—	....	6.	H. 2.	— v. 6. t. 409.
13	<i>maritimum</i> . E.B.	....	sea-side.	—	....	6. 7.	H. ⊙.	— v. 17. t. 1205.
14	<i>nepalense</i> .	....	—	Nepaul.	1825.	7. 8.	H. ⊙.	
15	<i>Hystrix</i> . R.S.	....	hedgehog.	Spain.	1817.	—	H. ⊙.	
16	<i>bifarium</i> . R.S.	....	two-ranked.	—	1822.	—	H. ⊙.	
<b>ÆGOPPOGON. R.S.</b>		<b>ÆGOPPOGON.</b>		Triandria Digynia. R.S.				
1	<i>pusillus</i> . R.S.	....	small.	S. America.	1822.	7. 8.	H. ⊙.	Cav. h. r. mad. 1. t. 5. f. 2.
2	<i>trisetus</i> . R.S.	....	three awned.	—	—	—	H. ⊙.	— 1. t. 5. f. 3.
<b>MICROCHLOA. B.P.</b>		<b>MICROCHLOA.</b>		Triandria Digynia. R.S.				
	<i>setacea</i> . B.P.	....	bristly.	Tropics.	1806.	7.	H. ⊙.	Roxb. corom. 2. t. 132.
<b>MELINIS. S.S.</b>		<b>MELINIS.</b>		Triandria Digynia. S.S.				
	<i>minutiflora</i> . S.S.	....	glutinous.	Brazil.	1822.	6. 7.	S. 2.	Nees Hor. ber. 54. t. 7.
	<i>Tristegis glutinosa</i> . Nees. <i>Suardia picta</i> . Schrank h. mon. 11. t. 58.							
<b>DIGITARIA. R.S.</b>		<b>DIGITARIA.</b>		Triandria Digynia. R.S.				
1	<i>sanguinalis</i> . R.S.	....	slender-spiked.	Britain.	....	8.	H. ⊙.	Eng. bot. v. 12. t. 849.
	<i>Panicum sanguinale</i> . E.B.							
2	<i>bicornis</i> . R.S.	....	two-horned.	E. Indies.	1825.	8. 9.	H. ⊙.	
3	<i>affinis</i> . R.S.	....	related.	S. America.	1820.	7. 8.	H. ⊙.	
4	<i>ægyptiaca</i> . R.S.	....	Egyptian.	Egypt.	1794.	—	H. ⊙.	Jacq. obs. 3. t. 30.
5	<i>filiformis</i> . S.S.	....	filiform.	N. America.	1781.	—	H. ⊙.	
6	<i>Roxburghii</i> . S.S.	....	Roxburgh's.	E. Indies.	1823.	—	H. ⊙.	
	<i>Panicum filiforme</i> . F.I.							
7	<i>villosa</i> . S.S.	....	villous.	N. America.	1781.	7. 9.	H. ⊙.	
8	<i>débilis</i> . S.S.	....	weak.	Barbary.	1824.	—	H. ⊙.	
9	<i>glabra</i> . R.S.	....	smooth.	S. Europe.	1817.	—	H. ⊙.	Schrad. germ. 1. t. 3. f. 6.
	<i>Syntherisma glabrum</i> . Schrad.							
10	<i>paspalodes</i> . R.S.	....	trailing.	N. America.	—	—	H. ⊙.	
11	<i>ciliaris</i> . R.S.	....	fringed.	S. Europe.	1804.	—	H. ⊙.	Host. gram. 4. t. 15.
12	<i>barbata</i> . R.S.	....	bearded.	E. Indies.	1824.	—	H. ⊙.	
13	<i>biformis</i> . R.S.	....	two-formed.	Canaries.	1820.	—	H. ⊙.	
14	<i>marginata</i> . R.S.	....	marginated.	Brazil.	1825.	—	H. ⊙.	
15	<i>linearis</i> . R.S.	....	linear-spiked.	India.	1804.	—	H. ⊙.	Burm. ind. 25. t. 10. f. 3.
16	<i>inæqualis</i> . S.S.	....	hairy-sheathed.	Manila.	1824.	7. 8.	S. ⊙.	
17	<i>serotina</i> . M.	....	late-flowered.	N. America.	—	—	H. ⊙.	
	<i>Paspalum serotinum</i> . R.S.							
18	<i>Andersoni</i> . Ot.	....	Anderson's.	Monte Video.	1825.	6. 8.	F. 2.	
19	<i>erigona</i> . Schr.	....	woolly-angled.	S. America.	—	—	S. 2.	
20	<i>mollissima</i> . Schr.	....	soft.	—	1826.	—	S. 2.	
21	<i>pilifera</i> . Lk.	....	hairy.	Monte Video.	—	—	H. ⊙.	
22	<i>violascens</i> . Lk.	....	violet.	—	—	—	H. ⊙.	
<b>CYNODON. R.S.</b>		<b>CYNODON.</b>		Triandria Digynia. R.S.				
1	<i>Dactylon</i> . R.S.	....	creeping.	England.	....	7. 8.	H. 2.	Eng. bot. v. 12. t. 850.
	<i>β indicus</i> .	....	<i>Doob-grass</i> .	India.	1820.	—	S. 2.	Sinc. gr. wob. p. 290. ic.
2	<i>linearis</i> . R.S.	....	linear-leaved.	E. Indies.	1796.	—	S. 2.	
3	<i>stellatus</i> . R.S.	....	starry.	St. Helena.	1823.	—	S. 2.	
4	<i>virgatus</i> . R.S.	....	twiggy.	E. Indies.	1826.	—	S. 2.	

- 5 præcox. R.S. .... early-flowered. N. America. 1823. 6. 7. H. Ȳ.
- Digitaria sanguinalis*. M.
- BRACHYELYTRUM. R.S. BRACHYELYTRUM.** Triandria Digynia.
- aristatum. R.S. .... awned. N. America. 1827. 6. 7. H. Ȳ. Schreb. gram. t. 50.
- Muhlenbergia erecta*. Ph. *Dilep'yrum aristosum*. M.
- PHALARIS. R.S.** CANARY-GRASS. Triandria Digynia. R.S.
- 1 canariensis. R.S. .... common. Britain. .... 6. 8. H. ⊙. Eng. bot. v. 19. t. 1310.
- 2 microstachya. DC. .... small-spiked. N. America. 1818. — H. ⊙.
- 3 aquatica. R.S. .... water. Egypt. 1778. 6. 7. H. ⊙. Host. gram. 2. t. 38.
- 4 nitida. R.S. .... glossy. Sicily. 1824. — H. ⊙.
- 5 commutata. R.S. .... changed. Italy. 1823. — H. ⊙. Barrel. ic. 700. f. 2.
- 6 capensis. R.S. .... Cape. C. B. S. 1804. — G. Ȳ.
- 7 bulbosa. R.S. .... bulb-bearing. Spain. 1824. — H. Ȳ.
- 8 variegata. R.S. .... variegated. Sicily. 1825. — H. Ȳ.
- 9 cœrulescens. R.S. .... bluish. S. Europe. 1824. — H. ⊙. Buxb. cent. 4. t. 53.
- 10 nodosa. R.S. .... knotted. — 1825. — H. Ȳ. Flor. græc. t. 56.
- 11 paradoxa. R.S. .... paradoxical. — — — H. ⊙. — 1. t. 58.
- 12 appendiculata. R.S. .... appendaged. Egypt. 1823. — H. ⊙.
- DIGRAPPHIS. Tr.** DIGRAPPHIS. Triandria Digynia.
- 1 arundinæa. Tr. .... Reed-like. Britain. .... 7. H. w. Ȳ. Eng. bot. v. 6. t. 402.
- Arundo colorata*. E.B. *Phalaris arundinæa*. L. *Baldingera*. Fl. wet.
- β variegata*. .... striped-leaved. — — — H. Ȳ.
- 2 americana. s.s. .... American. N. America. .... — H. Ȳ.
- LAGURUS. R.S.** HARE'S-TAIL-GRASS. Triandria Digynia. L.
- ovatus. E.B. .... oval-spiked. Guernsey. .... 6. H. ⊙. Eng. bot. v. 19. t. 1334.
- ECHINOPOGON. R.S. ECHINOPOGON.** Triandria Digynia.
- ovatus. R.S. .... ovate paniced. N. Holland. 1820. 7. 8. H. Ȳ. Lab. nov. holl. 1. t. 21.
- Agròstis ovata*. Lab.
- HIEROCHLOA. P.B. HIEROCHLOA.** Triandria Digynia. R.S.
- 1 borealis. R.S. .... northern. Scotland. .... 5. 6. H. Ȳ. Sinc. gr. wob. p. 167. ic.
- Hôleus odoratus*. F.D. t. 963. *repens*. Host. gram. 3. t. 3.
- 2 australis. R.S. .... southern. S. Europe. 1777. 6. 7. H. Ȳ. Host. gram. 1. t. 4.
- 3 fragrans. R.S. .... fragrant. N. America. — — H. Ȳ.
- 4 alpina. R.S. .... Alpine. Melville Isl. 1827. — H. Ȳ. Flor. dan. t. 1508.
- 5 pauciflora. R.S. .... few-flowered. — — — H. Ȳ.
- CATABR'OSA. R.S. CATABR'OSA.** Triandria Digynia. R.S.
- 1 aquatica. R.S. .... water. Britain. .... 5. 6. H. w. Ȳ. Eng. bot. v. 22. t. 1557.
- Aira aquatica*. E.B.
- 2 viridula. R.S. .... close-paniced. .... 1718. — H. w. Ȳ.
- 3 humilis. Tr. .... dwarf. Caucasus. 1824. 6. 7. H. Ȳ.
- AIRA. R.S.** HAIR-GRASS. Triandria Digynia. L.
- 1 flexuosa. E.B. .... waved. Britain. .... 7. 8. H. Ȳ. Eng. bot. v. 22. t. 1519.
- 2 uliginosa. R.S. .... marsh. Germany. 1825. — H. Ȳ. Reich. ic. r. C. 2. t. 150.
- 3 versicolor. R.S. .... various-color'd. S. Europe. 1823. — H. Ȳ.
- 4 caryophyllea. E.B. .... silver. Britain. .... — H. ⊙. Eng. bot. v. 12. t. 812.
- 5 elegans. R.S. .... elegant. Switzerland. 1824. — H. ⊙. Host. gram. 4. t. 35.
- 6 pulchella. R.S. .... pretty. Spain. 1820. — H. ⊙.
- 7 pallens. R.S. .... pale. N. America. — — H. Ȳ.
- 8 arundinæa. R.S. .... Reed-like. Cumana. 1823. — S. Ȳ.
- 9 semineutra. s.s. .... doubtful. Hungary. 1819. 6. 7. H. Ȳ.
- DESCHAMPSIA. R.S. DESCHAMPSIA.** Triandria Digynia. R.S.
- 1 cæspitosa. R.S. .... turfey. Britain. .... 8. H. Ȳ. Eng. bot. v. 21. t. 1453.
- Aira cæspitosa*. E.B.
- 2 Biebersteiniana. R.S. Bieberstein's. Caucasus. 1823. 6. 8. H. Ȳ.
- 3 refracta. R.S. .... reflexed. Spain. 1822. — H. Ȳ.
- 4 alpina. R.S. .... Alpine. Scotland. .... 5. 6. H. Ȳ. Eng. bot. v. 30. t. 2102.
- Aira lævigata*. E.B. *alpina*. L. *Avèna alpina*. Tr.
- 5 brevifolia. R.S. .... short-leaved. Melville Isl. 1827. — H. Ȳ.
- 6 bôttnica. Tr. .... bristle-leaved. Bottnia. 1824. — H. Ȳ.
- Aira bôttnica*. R.S. *montana*. R.S.
- SCHISMUS. R.S. SCHISMUS.** Triandria Digynia. R.S.
- 1 Gouani. Tr. .... Gouan's. Montpellier. 1820. 6. 7. H. Ȳ.
- Aira mèdia*. Gouan. *Deschampsia mèdia*. et *discolor*. R.S.
- 2 marginatus. R.S. .... margined. Spain. 1781. — H. ⊙. Cavan. ic. 1. t. 44. f. 2.
- Festuca calycina*. w. *Kælèria calycina*. DC.
- 3 fasciculatus. P.B. .... fascicled. St. Domingo. 1827. — S. ⊙.
- Digitaria horizontalis*. w.
- DUPONTIA. R.S. DUPONTIA.** Triandria Digynia.
- Fischèri. R.S. .... Fischer's. Melville Isl. 1827. 6. 8. H. Ȳ.

- CORYNEPHORUS. R.S. CORYNEPHORUS. Triandria Digynia. R.S.**  
 1 canescens. R.S. .... canescent. England. .... 7. 8. H. 2. Eng. bot. v. 17. t. 1190.  
*Aira canescens. E.B.*  
 2 articulatus. R.S. .... jointed. S. Europe. 1824. — H. 2. Desf. atl. 1. t. 13.
- PERIBALLIA. Tr. PERIBALLIA. Triandria Digynia. R.S.**  
 hispánica. Tr. .... Spanish. Spain. 1820. 6. 7. H. 2. Cavan. ic. 1. t. 44. f. 1.  
*Aira involucrãta. Cav. Airòpsis involucrãta. R.S.*
- AIROPSIS. R.S. AIROPSIS. Triandria Digynia. R.S.**  
 1 globosa. R.S. .... globe-flowered. S. Europe. 1823. 6. 8. H. 2. Cavan. ic. 3. t. 274. f. 1.  
 2 obtusãta. R.S. .... blunt-flowered. N. America. — 6. 7. H. 2.  
 3 brevifolia. R.S. .... short-leaved. Missouri. 1818. — H. 2.  
 4 agrostidea. R.S. .... Agrostis-like. S. Europe. 1823. — H. 2. DC. ic. rar. t. 1.  
*Poa agrostidea. DC. Aira agrostidea. Lois.*
- MELICA. R.S. MELIC-GRASS. Triandria Digynia. L.**  
 1 ciliãta. R.S. .... ciliated. Europe. 1771. 7. H. 2. Flor. græc. 1. t. 70.  
 2 nutans. R.S. .... mountain. Britain. .... 6. 7. H. 2. Eng. bot. v. 15. t. 1059.  
 3 uniflora. R.S. .... wood. — 5. 6. H. 2. — v. 15. t. 1058.  
 4 minuta. R.S. .... small. S. Europe. 1825. — H. 2. Cavan. ic. 2. t. 175. f. 2.  
 5 Baubini. R.S. .... Italian. Italy. 1806. 6. 7. H. 2. Host. gram. 4. t. 23.  
 6 pyramidalis. R.S. .... pyramidal. Barbary. 1804. — H. 2. Barrel. ic. t. 96. f. 1.  
 7 speciosa. R.S. .... handsome. N. America. 1812. — H. 2. Schreb. gram. t. 54.  
*glabra. Ph. rariflora. Schreb.*  
 8 altissima. R.S. .... tallest. Siberia. 1770. 7. 8. H. 2. Host. gram. 2. t. 9.  
 9 diffusa. R.S. .... spreading. N. America. 1824. — H. 2.  
 10 pallida. R.S. .... pale. Quito. 1825. — S. 2.  
 11 exasperata. R.S. .... exasperate. .... — H. 2.  
 12 digitata. R.S. .... fingered. E. Indies. 1824. — S. 2.  
 13 refracta. R.S. .... reflexed. — — S. 2.  
 14 latifolia. R.S. .... broad-leaved. — 1822. — S. 2.
- MOLINIA. P.B. MOLINIA. Triandria Digynia. R.S.**  
 1 cœrulea. P.B. .... purple. Britain. .... 8. H. 2. Eng. bot. v. 11. t. 750.  
*varia. s.s. Melica cœrulea. E.B. Enodium cœruleum. R.S.*  
 2 sylvatica. R.S. .... wood. Europe. 1824. — H. 2.
- DINEBA. R.S. DINEBA. Triandria Digynia. R.S.**  
 1 americana. R.S. .... American. S. America. 1822. 6. 8. S. 2.  
 2 arabica. R.S. .... Arabian. Levant. 1816. 8. 9. H. 2. Jacq. fragm. t. 121. f. 1.  
 3 divaricata. R.S. .... spreading. Egypt. 1823. — H. 2.
- WANGENHEIMIA. Tr. WANGENHEIMIA. Triandria Digynia. R.S.**  
 Lima. Tr. .... imbricated. Spain. 1776. 7. 8. H. 2. Cavan. ic. 1. t. 91.  
*Cynosurus Lima. Cav. Dinèba Lima. R.S.*
- SACCHARUM. R.S. SUGAR-CANE. Triandria Digynia. L.**  
 1 officinarum. R.S. .... common. India. 1597. .... S. 2. Rumph. amb. 5. t. 74. f. 1.  
 2 sinense. F.I. .... Chinese. China. 1822. .... S. 2. Roxb. corom. 3. t. 232.  
 3 præcerum. F.I. .... lofty. E. Indies. — .... S. 2.  
 4 violaceum. R.S. .... violet-coloured. W. Indies. 1816. .... S. 2.  
 5 caudatum. R.S. .... tailed. — .... S. 2. Sloan. hist. 1. t. 70. f. 1.  
 6 contractum. R.S. .... contracted. S. America. 1823. .... S. 2.  
 7 exaltatum. F.I. .... tall. E. Indies. 1826. .... S. 2.  
 8 polystachyum. R.S. .... many-spiked. W. Indies. — .... S. 2. Rheed. mal. 12. t. 46.  
 9 Múnja. F.I. .... slender. E. Indies. 1805. .... S. 2.
- IMPERATA. R.S. IMPERATA. Triandria Digynia. R.S.**  
 1 arundinacea. R.S. .... Reed-like. N. Holland. 1820. 7. 8. F. 2. Cyril. ic. fasc. 2. t. 11.  
 2 Thunbergii. R.S. .... Thunberg's. E. Indies. 1822. .... S. 2.  
 3 Kœnigii. R.S. .... Kœnig's. W. Indies. 1818. .... S. 2.  
 4 spontanea. R.S. .... spontaneous. E. Indies. — .... S. 2. Rheed. mal. 12. t. 46.
- TRICHOLÆNA. R.S. TRICHOLÆNA. Triandria Digynia. R.S.**  
 micrantha. R.S. .... small-flowered. S. Europe. 1816. 7. 8. H. 2. Jacq. ecl. gram. t. 34.  
*Saccharum Teneriffæ. Jacq.*
- ERIANTHUS. R.S. ERIANTHUS. Triandria Digynia. R.S.**  
 1 saccharoides. R.S. .... Sugar-cane-like. N. America. 1816. 7. 8. H. 2.  
*Saccharum giganteum. Ph.*  
 2 brevibarbis. R.S. .... short-bearded. — 1822. — H. 2.  
 3 strictus. R.S. .... upright. — 1828. — H. 2.
- RIPIDIUM. Tr. RIPIDIUM. Polygamia Monœcia. Tr.**  
 1 Ravennæ. Tr. .... rough. S. Europe. 1816. 7. 8. H. 2. Host. gram. 3. t. 1.  
*Andropogon Ravennæ. Host. Saccharum Ravennæ. w.*  
 2 strictum. Tr. .... upright. Hungary. 1802. — H. 2. Host. gram. 2. t. 2.  
*Saccharum adpressum. Kit. Andropogon strictus. Host.*

- ANDROP'OGON. R.S. ANDROP'OGON.** Polygamia Monœcia. L.  
 1 alopecuroïdes. R.S. . . . Foxtail. America. 1818. . . . G. ♀. Sloan. hist. 1. t. 14.  
 2 milifórmis. R.S. . . . Millet-like. E. Indies. — . . . S. ♀.  
*miliáceus*, F.I. non Forsk.  
 3 argénteus. DC. . . . silvery. Mexico. 1822. . . . G. ♀. DC. hort. m. ined. t. 68.  
 4 saccharoïdes. R.S. . . . Sugar-cane-like. Jamaica. 1818. — S. ♀.  
 5 laguroïdes. R.S. . . . hares-tail-like. New Spain. 1820. . . . S. ♀. DC. h. mons. ined. t. 69.  
 6 hírtus. R.S. . . . hairy. S. Europe. 1802. 7. 8. S. ♀. Host. gram. 4. t. 1.  
 7 angustifólius. R.S. . . . narrow-leaved. — 1818. — H. ♀. Jacq. aust. 4. t. 384.  
 8 Isch'æmum. R.S. . . . woolly. — 1768. — H. ♀. Gerard. gall. p. 107. t. 4.  
 9 serrátus. R.S. . . . saw-leaved. Japan. 1816. . . . G. ♀.  
*láxus*, w.  
 10 comòsus. R.S. . . . tufted. Egypt. 1824. . . . H. ♀.  
 11 annulátus. R.S. . . . annular. — . . . H. ♀. Forsk. egyp. t. 7.  
 12 furcátus. R.S. . . . forked. N. America. 1818. 7. 8. H. ♀.
- CHRYSOP'OGON. Tr. CHRYSOP'OGON.** Polygamia Monœcia.  
 1 Gry'llus. Tr. . . . purple-flowered. S. Europe. 1791. 6. 7. H. ♀. Flor. græc. 1. t. 67.  
*Andropogon Gry'llus*, F.G. *Hólcus Gry'llus*, B.P.  
 2 aciculátus. Tr. . . . sharp-pointed. E. Indies. 1825. 6. 8. S. ♀. Rheed. mal. 12. t. 43.
- LEPEOCERCIS. Tr. LEPEOCERCIS.** Polygamia Monœcia.  
 serrátá. Tr. . . . serrated. E. Indies. 1812. 6. 8. S. ♀.  
*Andropogon serrátum*, w.
- POLLINIA. R.S. POLLINIA.** Polygamia Monœcia.  
 1 distáchya. R.S. . . . two-spiked. S. Europe. 1805. 7. 8. H. ♀. Flor. græc. 1. t. 69.  
 2 striátá. R.S. . . . nerve-glumed. E. Indies. 1793. 8. S. ♀.  
 3 undátá. R.S. . . . waved. Mauritius. 1823. 7. 9. S. ♀. Jacq. ic. 3. t. 361.
- CYMBOP'OGON. R.S. CYMBOP'OGON.** Polygamia Monœcia.  
 1 élegans. R.S. . . . elegant. E. Indies. 1816. 6. 8. S. ♀.  
 2 prostrátus. . . . prostrate. — S. ♀.  
*glandulosus*, R.S. *Anthistíria prostrátá*, F.I. *Andropogon prostrátus*, L.  
 3 Schoenánthus. R.S. . . . Lemon-grass. E. Indies. 1786. . . . S. ♀. Rumph. amb. 5. t. 72. f. 2.  
*Andropogon Schoenánthus*, w.  
 4 arundináceus. R.S. . . . Reed-like. E. Indies. 1820. 6. 8. S. ♀.
- HETEROP'OGON. R.S. HETEROP'OGON.** Polygamia Monœcia.  
 1 Alliónii. R.S. . . . Allioni's. S. Europe. 1816. 7. 8. H. ♀. Allion. fl. ped. t. 91. f. 4.  
 2 contórtus. R.S. . . . twisted. E. Indies. 1779. 7. 9. S. ♀. Schk. hand. t. 342. f. a.  
*Andropogon contórtus*, w.
- APL'UDA. R.S. APL'UDA.** Polygamia Monœcia. L.  
 1 aristátá. R.S. . . . awned. E. Indies. 1820. . . . S. ♀. Schreb. gram. 2. t. 42.  
 2 villósa. R.S. . . . villous. — . . . S. ♀.
- ANATHERUM. R.S. ANATHERUM.** Polygamia Monœcia.  
 1 muricátum. R.S. . . . muricate. E. Indies. 1820. . . . S. ♀.  
*Andropogon muricátus*, Retz. *squarròsus*, w.  
 2 virginicum. R.S. . . . Virginian. N. America. 1819. 7. 8. H. ♀. Sloan. jam. 1. t. 68. f. 2?  
 3 bicórne. R.S. . . . two-horned. W. Indies. 1825. — S. ♀. Sloan. hist. 1. t. 15.  
 4 caudátum. R.S. . . . tailed. — 1826. — S. ♀.  
 5 múticum. R.S. . . . smooth-spiked. C. B. S. 1794. 7. 9. G. ♀.
- CALAMINA. R.S. CALAMINA.** Polygamia Monœcia.  
 1 gigánteá. R.S. . . . gigantic. Isl. Luzon. 1822. 7. 8. G. ♀. Cavan. ic. 5. t. 458.  
 2 mútica. R.S. . . . awnless. E. Indies. 1816. — S. ♀.  
*Aplúda mútica*, L.
- CYMBACHNE. R.S. CYMBACHNE.** Polygamia Monœcia.  
 ciliátá. R.S. . . . fringed. E. Indies. 1824. 7. 8. S. ♀.
- ANTHISTIRIA. R.S. ANTHISTIRIA.** Polygamia Monœcia. L.  
 1 ciliátá. R.S. . . . fringed. Jamaica. 1821. 8. 10. S. ○. Cavan. ic. 5. t. 459.  
 2 barbátá. R.S. . . . bearded. Japan. 1816. — G. ○. Desf. j. ph. 40. p. 294. t. 2.  
 3 polystáchya. R.S. . . . many-spiked. E. Indies. 1824. — S. ○.  
 4 heteroclíta. R.S. . . . jointed. — S. ○.  
 5 austrális. B.P. . . . New Holland. N. Holland. 1818. — F. ♀.
- SO'RGHUM. R.S. SO'RGHUM.** Polygamia Monœcia.  
 1 vulgáre. R.S. . . . Indian Millet. India. 1596. 7. H. ○. Host. gram. 4. t. 2.  
 2 nigrum. R.S. . . . black-glumed. . . . — H. ○. Ard. sag. pad. 1. t. 5. f. 1.  
 3 bicolor. R.S. . . . two-coloured. Persia. 1731. — H. ○. Mieg. ac. helv. 8. t. 4. f. 4.  
 4 cérnum. R.S. . . . nodding. . . . — H. ○. Host. gram. 4. t. 3.  
 5 rúbens. R.S. . . . red. Africa. 1817. — H. ○.  
 6 nervòsum. R.S. . . . nerved-leaved. China. 1827. — H. ○.  
 7 saccharátum. R.S. . . . yellow-seeded. India. 1759. 7. 8. S. ♂. Host. gram. 4. t. 4.  
 8 caffròrum. R.S. . . . Cape. C. B. S. 1816. — H. ○. Ard. sag. pad. 1. t. 1. f. 1.  
*Arduini*, Jacq. ecl. gram. t. 18.

- 9 avenaceum. R.S. .... Oat-like. C. B. S. 1816. 7. 9. H. ⊙.
- 10 halepense. R.S. .... paniced. Syria. 1691. 7. 8. H. ♀. Flor. græc. 1. t. 68.
- 11 elongatum. R.S. .... long-paniced. N. Holland. 1823. — F. ♀.
- HOLCUS. R.S.** SOFT-GRASS. Polygamia Monœcia. L.
- 1 mollis. R.S. .... creeping. Britain. .... 7. 8. H. ♀. Eng. bot. v. 17. t. 1170.
- 2 lanatus. R.S. .... meadow. — — — — 6. 7. H. ♀. — v. 17. t. 1169.
- ARRHENATHERUM. R.S.** ARRHENATHERUM. Polygamia Monœcia.
- 1 avenaceum. R.S. .... Oat-like. Britain. .... 6. 7. H. ♀. Eng. bot. v. 12. t. 813.
- Holcus avenaceus*. E.B. *Avëna elätior*. F.D. t. 165.
- β muticum*. .... awnless. Scotland. .... — H. ♀.
- 2 bulbosum. Presl. .... bulbous. Germany. .... — H. ♀. Host. gram. 4. t. 30.
- Holcus bulbosus*. Host. *Avëna bulbosa*. w.
- ATHEROPOGON. R.S.** ATHEROPOGON. Polygamia Monœcia.
- apludoïdes. R.S. .... Apluda-like. N. America. 1808. 6. 7. H. ♀. Jacq. ecl. gram. t. 7.
- Chloris cartipëndula*. M.
- CHLORIS. R.S.** CHLORIS. Polygamia Monœcia. L.
- 1 foliosa. R.S. .... leafy. St. Thomas. 1822. 7. 9. S. ♀.
- 2 ciliata. R.S. .... ciliated. Jamaica. 1779. — S. ⊙.
- 3 radiata. R.S. .... many spiked. W. Indies. 1739. 8. 9. S. ⊙. Hayn.term.bot.t.40.f.2
- 4 pallida. R.S. .... pale-spiked. S. France. 1816. — H. ⊙.
- 5 barbata. R.S. .... bearded. E. Indies. 1777. 6. 7. S. ⊙. Jacq. ecl. gram. 1. t. 8.
- 6 Roxburghiana. R.S. .... Roxburgh's. — — — — 1824. 7. 8. S. ⊙.
- 7 inflata. R.S. .... inflated. California. — — H. ♀.
- 8 fasciculata. R.S. .... crowded. Brazil. — — H. ⊙.
- 9 caribæa. R.S. .... Caribean. W. Indies. 1827. — S. ⊙.
- 10 polydactyla. R.S. .... many-spiked. — — — — 1818. — S. ⊙. Jacq. ecl. gram. 1. t. 9.
- 11 elegans. R.S. .... elegant. Mexico. 1825. — H. ⊙. H. et B. n. gen. 1. t. 49.
- 12 compræssa. R.S. .... compressed. S. France. 1820. 6. 8. H. ⊙.
- 13 megastachya. R.S. .... long-spiked. N. Holland. 1825. — F. ♀.
- 14 ventricosa. B.P. .... swelled. N. S. W. 1818. — G. ♀.
- 15 truncata. B.P. .... truncated. — — — — 1822. — G. ♀.
- 16 pubescens. R.S. .... pubescent. Peru. 1824. — H. ⊙.
- 17 filiformis. R.S. .... filiform. .... 1825. — H. ⊙.
- 18 distichophylla. R.S. .... fan-leaved. Chile. 1822. — H. ♀.
- 19 retusa. R.S. .... retuse-glumed. — — — — H. ⊙.
- 20 dolichostachya. R.S. .... long-spiked. Philippine Isl. 1824. 7. 8. H. ⊙.
- 21 crinita. R.S. .... crowded-spiked. — — — — H. ⊙.
- 22 rufescens. R.S. .... rufescent. — — — — H. ⊙.
- 23 tenella. R.S. .... slender. E. Indies. 1825. — S. ⊙.
- 24 gracilis. S.S. .... slender. S. America. 1824. — S. ♀.
- 25 Durandiana. R.S. .... Durand's. .... — — H. ⊙.
- EUSTACHYS. R.S.** EUSTACHYS. Polygamia Monœcia.
- 1 petræa. R.S. .... flat-stalked. Jamaica. 1779. 7. 8. S. ♀. Jacq. ecl. gram. 1. t. 11.
- Chloris petræa*. w.
- 2 submutica. R.S. .... Mexican. Mexico. 1827. — H. ⊙. H. et B. pl. am. 1. t. 50.
- CHRYSURUS. R.S.** CHRYSURUS. Polygamia Monœcia.
- 1 aureus. S.S. .... golden-spiked. Levant. 1770. 7. H. ⊙. Host. gram. 3. t. 4.
- Cynosuroides*. R.S. *Cynosurus aureus*. F.G. 1. t. 79. *Lamarckia aurea*. DC.
- 2 echinatus. R.S. .... rough. England. .... 8. H. ⊙. Eng. bot. v. 19. t. 1333.
- Cynosurus echinatus*. E.B.
- 3 effusus. R.S. .... spreading. S. Europe. 1824. 7. 8. H. ⊙.
- 4 elegans. R.S. .... elegant. — — — — H. ⊙. Desf. atl. 1. t. 17.
- ISCHÆMUM. S.S.** ISCHÆMUM. Polygamia Monœcia. L.
- 1 muticum. R.S. .... awnless. E. Indies. 1824. 6. 8. S. ♀. Rheed. mal. 12. t. 49.
- 2 conjugatum. R.S. .... yoked. — — — — 1826. — S. ♀.
- 3 australe. B.P. .... southern. N. S. W. 1822. 7. 8. F. ♀.
- 4 rugosum. S.S. .... rough. E. Indies. 1791. — S. ⊙. Sal. stirp. rar. 1. t. 1.
- MEO'SCHIUM. R.S.** MEO'SCHIUM. Polygamia Monœcia.
- 1 aristatum. R.S. .... awned. E. Indies. 1808. 6. 7. S. ♀.
- Ischæmum aristatum*. S.S.
- 2 barbatum. R.S. .... bearded. Java. — — — — S. ♀. Houtt. syst. 12. t. 93. f. 4.
- ROTTBOELLIA. R.S.** ROTTBOELLIA. Triandria Digynia. L.
- 1 exaltata. R.S. .... tall. E. Indies. 1806. .... S. ♂.
- 2 perforata. R.S. .... perforated. — — — — 1822. .... S. ♀. Roxb. corom. t. 182.
- 3 glabra. R.S. .... smooth. — — — — S. ♀.
- HEMARTHRIA. B.P.** HEMARTHRIA. Triandria Digynia.
- compressa. B.P. .... flat-spiked. N. S. W. 1822. 6. 7. G. ♀.
- LODICULARIA. P.B.** LODICULARIA. Triandria Digynia.
- fasciculata. P.B. .... fascicled. S. Europe. 1826. 6. 7. H. ♀. P. Beauv. agros. t. 11. f. 6.
- Rottbøllia fasciculata*. Desf. atl. 1. t. 36.

STENOTA'PHRUM. Tr. STENOTA'PHRUM. Polygamia Monœcia.					
1	glábrum. Tr. .... smooth.	Carolina.	1826.	6. 7.	H. ♀.
2	dimidiátum. .... creeping-rooted.	W. Indies.	1822.	—	S. ♀.
	<i>americanum</i> . Schk.				Schrank. h. monac. t. 98.
3	complanátum. Sck. ... flat-spiked.	E. Indies.	1824.	—	S. ♀.
LEPTURUS. B.P. HARD-GRASS. Triandria Digynia.					
1	incurvátus. Tr. .... sea-side.	Britain.	....	7.	H. ♂.
	<i>Rottbœllia incurvata</i> . E. B. <i>Ophiurus incurvatus</i> . R. S.				
2	filifórmis. Tr. .... thready.	S. Europe.	1800.	—	H. ♀.
3	cylíndricus. Tr. .... cylindrical.	Portugal.	1806.	—	H. ♂.
	<i>Rottbœllia cylíndrica</i> . W. <i>subulata</i> . DC. <i>Monérma subulata</i> . R. S.				Barrel. ic. t. 6. Giorn. pis. 4. f. 4-8.
PHOLURUS. Tr. .... PHOLURUS. Triandria Digynia.					
	pannónicus. Tr. .... Hungarian.	Hungary.	1804.	—	H. ♂.
MONERMA. R.S. MONERMA. Monandria Digynia.					
	monádra. r.s. .... monandrous.	Spain.	1804.	—	H. ♂.
	<i>Rottbœllia monádra</i> . Cav. <i>Nardus aristata</i> . L. <i>Psilurus nardoïdes</i> . Tr.				Cavan. ic. t. 39. f. 1.
MANIS'URIS. R.S. MANIS'URIS. Polygamia Monœcia. W.					
	granuláris. R.S. .... round grained.	E. Indies.	1784.	6. 7.	S. ♂.
ANTHE'PHORA. R.S. ANTHE'PHORA. Triandria Monogynia.					
1	élegans. R.S. .... elegant.	Jamaica.	1776.	8. 9.	S. ♂.
	<i>Tripsacum hermaphroditum</i> . L. <i>Cénchrus lævigátus</i> . s.s.				Schreb. gram. t. 44.
2	villósa. R.S. .... villous.	W. Indies.	1824.	—	S. ♂.
TRIPSACUM. S.S. TRIPSACUM. Monœcia Triandria. L.					
1	dactyloides. s.s. .... rough-seeded.	Virginia.	1640.	8.	H. ♀.
2	monostáchyon. s.s. .... single-spiked.	N. America.	1815.	—	H. ♀.
	Lam. ill. t. 750. Willd. hort. ber. t. 1.				
ECHINOCHLOA. R.S. ECHINOCHLOA. Triandria Digynia. R.S.					
1	stagnina. R.S. .... pond.	E. Indies.	1802.	7. 8.	H.w. ♂.
2	commutáta. R.S. .... Hungarian.	Hungary.	—	—	H.w. ♂.
	<i>Panicum stagninum</i> . Host.				Host. gram. 3. t. 51.
3	intermèdia. R.S. .... intermediate.	.....	1816.	—	H. ♂.
4	erythrospérma. R.S. .... red-seeded.	.....	1825.	—	H. ♂.
5	hispida. R.S. .... hispid.	Egypt.	1829.	—	H. ♂.
6	Crus-Córvl. R.S. .... Crow's-foot.	E. Indies.	1781.	—	H. ♂.
7	Crus-Gálll. R.S. .... Cock's-foot.	England.	....	—	H. ♂.
	<i>Panicum Crus-Gálll</i> . E. B.				Eng. bot. v. 13. t. 876.
8	echináta. R.S. .... bristly.	N. America.	1825.	—	H. ♂.
9	setigera. R.S. .... setigerous.	E. Indies.	1820.	—	S. ♂.
ORTHOPOGON. B.P. ORTHOPOGON. Triandria Digynia. S.S.					
1	hirtéllus. s.s. .... hairy.	W. Indies.	1795.	6. 7.	S. ♂.
2	setárius. s.s. .... bristly.	.....	1823.	—	S. ♂.
3	undulatifólius. s.s. .... wave-leaved.	S. Europe.	1795.	6. 7.	H. ♂.
	<i>Panicum hirtéllum</i> . Host. <i>non</i> L.				Host. gram. 3. t. 52.
4	Burmánni. R.S. .... Burman's.	E. Indies.	1819.	....	S. ♂.
5	africánus. .... African.	Africa.	1822.	7. 9.	S. ♂.
	<i>Opismênus africanus</i> . R.S.				Burm. ind. t. 12. f. 1. Pal. fl. d'ow. 2. t. 67. f. 1.
6	compósitus. s.s. .... compound spiked.	E. Indies.	1819.	—	S. ♂.
7	fláccidus. B.P. .... flaccid.	N. S. W.	1824.	—	H. ♂.
8	imbecíllis. B.P. .... feeble.	.....	.....	—	H. ♂.
PANICUM. R.S. PANIC-GRASS. Triandria Digynia. R.S.					
1	colónum. R.S. .... purple.	E. Indies.	1699.	7. 8.	H. ♂.
2	flúitans. R.S. .... floating.	.....	1825.	—	S.w. ♂.
3	brizoïdes. R.S. .... Briza-like.	.....	1801.	6. 7.	S. ♂.
4	flávidum. R.S. .... yellowish.	.....	1823.	—	S. ♂.
5	mólle. R.S. .... soft.	W. Indies.	1824.	—	H. ♂.
6	Míchauxiánum. R.S. Michaux's.	N. America.	—	—	H. ♂.
	<i>Panicum mólle</i> . Mich. <i>non</i> Swartz.				Linn. pfl. sys. 12. t. 96. f. 1.
7	fasciculátum. R.S. ... fascicled.	Jamaica.	1801.	—	H. ♂.
8	plicátum. R.S. .... plaited.	E. Indies.	1824.	6. 8.	S. ♀.
9	palmifólium. R.S. .... Palm-leaved.	.....	1804.	—	S. ♀.
10	neuròdes. R.S. .... nerved-leaved.	Nepaul.	1823.	—	G. ♀.
	<i>nervosum</i> . F. I. <i>non</i> Lam.				Jacq. ecl. gram. t. 1.
11	costátum. F. I. .... ribbed.	Mauritius.	1805.	—	S. ♀.
12	carthaginénse. R.S. ... Carthagera.	S. America.	1818.	—	S. ♀.
13	conglomerátum. R.S. conglomerate.	E. Indies.	—	—	S. ♀.
14	índicum. F. I. .... Indian.	.....	.....	—	S. ♀.
15	hispídulum. R.S. .... hispid.	.....	1804.	7. 8.	H. ♂.
16	frumentáceum. F. I. ... cultivated.	.....	1810.	—	H. ♂.
17	dichótómum. R.S. .... forked.	N. America.	1817.	—	H. ♂.
18	colorátum. R.S. .... coloured.	Egypt.	1771.	7. 9.	H. ♂.
	Sp. m. act. pet. 1810. t. 4. Jacq. ic. 1. t. 58?				

19 répens. R.S. ....	slender.	S. Europe.	1777.	7. 9.	H. ⊙	Flor. græc. 1. t. 61.
20 proliferum. R.S. ....	proliferous.	N. America.	1816.	—	H. ⊙	
21 diffôrme. R.S. ....	deformed.	E. Indies.	1825.	—	S. ♀	
22 numidiânium. R.S. ....	Numidian.	Barbary.	1816.	—	H. ⊙	Desf. atl. 1. t. 11.
23 miliâceum. R.S. ....	Millet.	E. Indies.	1596.	—	H. ⊙	Host. gram. 2. t. 20.
24 ténue. R.S. ....	slender.	—	1824.	—	S. ♀	
25 tenuissimum. R.S. ....	very slender.	Brazil.	1827.	—	S. ♀	
26 attenuâtum. R.S. ....	attenuated.	.....	1825.	—	H. ⊙	
27 gongylôdes. R.S. ....	branching-flowered.	.....	1823.	—	H. ♀	
28 miliâre. R.S. ....	Millet-like.	E. Indies.	1824.	—	H. ⊙	
29 muricâtum. R.S. ....	prickly.	—	1805.	—	H. ⊙	
30 capillâre. R.S. ....	hair-panicked.	America.	1758.	6. 8.	H. ⊙	
β minor. R.S. ....	smaller.	—	—	—	H. ⊙	Host. gram. 4. t. 16.
31 tenellum. R.S. ....	slender-branch'd.	Sierra Leon.	1820.	—	S. ⊙	
32 grossârium. R.S. ....	cultivated.	W. Indies.	1810.	—	H. ⊙	
33 máximum. R.S. ....	Guinea-grass.	Tropics.	1822.	—	S. ♀	Jacq. ic. 1. t. 13.
34 aspérrimum. R.S. ....	rough.	S. America.	1824.	7. 9.	H. ⊙	
35 fúscum. R.S. ....	brown.	Jamaica.	1822.	—	S. ♀	
36 latifôlium. R.S. ....	broad-leaved.	N. America.	1765.	8. 9.	H. ♀	Moris. his. 3. t. 5. f. 4.
37 macrocârpon. R.S. ....	large-fruited.	—	1825.	—	H. ♀	
38 microcârpon. R.S. ....	small-fruited.	—	1822.	—	H. ♀	
39 diffusum. R.S. ....	diffuse.	W. Indies.	1823.	—	S. ⊙	
40 oryzoides. R.S. ....	Rice-like.	—	1824.	—	S. ⊙	
41 clandestinum. R.S. ....	hidden-flowered.	N. America.	1802.	7.	H. ♀	
42 virgâtum. R.S. ....	twiggy.	—	1781.	8. 9.	H. ♀	Spr. m. act. pet. 2. t. 5.
43 ânceps. R.S. ....	flat-edged.	—	1816.	7. 8.	H. ♀	
44 uliginôsum. R.S. ....	marsh.	E. Indies.	1819.	—	S. w. ♀	
45 nítidum. R.S. ....	glossy.	N. America.	1811.	—	H. ⊙	
46 arundinâceum. R.S. ....	Reed-like.	Jamaica.	1819.	—	S. ♀	
47 triphèron. R.S. ....	brown-seeded.	E. Indies.	1820.	6. 8.	S. ⊙	
tenellum. F.I. nec aliorum. Roxbûrghii. s.s.		—	—	—	—	
48 brevifôlium. R.S. ....	short-leaved.	—	1800.	7. 8.	S. ♀	Pluk. alm. t. 189. f. 4.
49 divaricâtum. R.S. ....	divaricate.	Jamaica.	—	—	S. ♀	Jacq. schœn. 1. t. 25.
50 interrûptum. R.S. ....	interrupted.	E. Indies.	1820.	—	S. ♀	
51 arborescens. R.S. ....	arborescent.	—	1776.	3. 4.	S. ♀	
52 pâpens. R.S. ....	spreading.	—	1804.	7. 8.	S. ♂	Burm. ind. t. 10. f. 3.
53 altíssimum. R.S. ....	lofty.	.....	1816.	—	H. ⊙	
54 eriogônium. R.S. ....	woolly-angled.	N. Holland.	1824.	—	G. ♀	
55 marginâtum. B.P. ....	margin-leaved.	N. S. W.	1822.	—	F. ♀	
56 bicolor. B.P. ....	two-coloured.	—	—	—	F. ♀	
ISA'CHNE. B.P.	ISA'CHNE.	Triandria Digynia.	R.S.			
austrâlis. B.P. ....	New Holland.	N. S. W.	1820.	6. 8.	H. w. ♀	
MONA'CHNE. R.S.	MONA'CHNE.	Triandria Digynia.	R.S.			
unilaterâlis. R.S. ....	one-sided.	Jamaica.	1819.	6. 8.	S. ♀	Sloan. hist. 1. t. 14. f. 2.
Milium villôsum. w.						
AXO'NOPUS. R.S.	AXO'NOPUS.	Triandria Digynia.	R.S.			
1 digitâtus. R.S. ....	fingered.	Jamaica.	1818.	6. 8.	H. ⊙	
2 cimicinus. R.S. ....	spotted.	E. Indies.	1778.	7. 9.	H. ⊙	
Panicum cimicînum. w.	Milium cimicînum. l.					
BECKMA'NNIA. R.S.	BECKMA'NNIA.	Triandria Digynia.	R.S.			
erucaefôrmis. R.S. ....	linear-spiked.	Europe.	1773.	7.	H. ⊙	Host. gram. 3. t. 6.
SECALE. R.S.	RYE.	Triandria Digynia.	R.S.			
1 cerêale. R.S. ....	common.	Tauria.	....	6. 7.	H. ⊙	
α hybérnum. R.S. ....	winter.	—	....	—	H. ♂	Blackw. t. 424.
β vérrum. R.S. ....	spring.	—	....	—	H. ⊙	Host. gram. 2. t. 48.
γ compôsîtum. R.S. ....	compound-spiked.	—	....	—	H. ⊙	
2 fragîle. R.S. ....	brittle.	—	1816.	—	H. ⊙	
3 villôsum. F.G. ....	villous.	S. Europe.	1790.	—	H. ⊙	Flor. græc. t. 97.
Triticum villôsum. R.S.						
4 sylvéstre. Host. ....	wood.	Hungary.	1816.	—	H. ♂	Host. gram. 4. t. 2.
5 créticum. w. ....	Cretan.	Candia.	—	—	H. ♀	
TETRAP'OGON. S.S.	TETRAP'OGON.	Polygamia Monœcia.				
villôsus. s.s. ....	villous.	Barbary.	1818.	7. 8.	H. ⊙	Desf. atl. 2. t. 255.
TRITICUM. R.S.	WHEAT.	Triandria Digynia.	L.			
1 æstivum. R.S. ....	summer.	Baschiros.	....	6. 7.	H. ⊙	Host. gram. 3. t. 26.
α ambigens. LG. β Bahi. LG. γ Bâncos. LG. δ Câlôt. LG. ε cândidum. LG. ζ compâctum. LG.						
η Lamâreckii. LG. θ Rôyo. LG. ι truncâtulum. LG. κ variegâtum. LG. λ confértum. LG.						
μ hûmile. LG. ν médium. LG. ξ mâjus. LG. o Pâstor. LG. π versicolor. LG.						

- 2 *hybérnum*. R.S. .... *Lammas*. .... 6. 7. H. ♂. Host. gram. 3. t. 26. f. 8  
*a candidissimum*. L.G.  $\beta$  *compáctum*. L.G.  $\gamma$  *Morisòni*. L.G.  $\delta$  *Pòlo*. L.G.  $\epsilon$  *Tessieri*. L.G.
- 3 *sibiricum*. R.S. .... *Siberian*. *Siberia*. .... H. ⊙.
- 4 *velutinum*. R.S. .... *velvet-spiked*. .... — H. ♂. Rod. Schub. cer. n. 4. f. 4.
- 5 *compósitum*. R.S. .... *Egyptian*. *Egypt*. 1799. — H. ⊙. Host. gram. 3. t. 27.  
*a aureum*. L.G.  $\beta$  *compósitum*. L.G.  $\gamma$  *edéntulum*. L.G.  $\delta$  *prismáticum*. L.G.  $\epsilon$  *rùbrum*. L.G.
- 6 *Linnæanum*. R.S. .... *Linnean*. *Egypt*. .... 6. 7. H. ⊙.  
*a Caballero*. L.G.  $\beta$  *dùbium*. L.G.  $\gamma$  *Lajústicia*. L.G.  $\delta$  *depilátum*. L.G.  $\epsilon$  *piceo-cæruleum*. L.G.
- 7 *túrgidum*. R.S. .... *turgid*. .... 6. 7. H. ⊙. Host. gram. 3. t. 28.  
*a Collado*. L.G.  $\beta$  *compósitum*. L.G.  $\gamma$  *montànum*. L.G.  $\delta$  *Tournefortii*. L.G.  $\epsilon$  *Caumels*. L.G.  
*ζ Lapidra*. L.G.
- 8 *fastuosum*. R.S. .... *thick-grained*. .... 6. 7. H. ⊙.  
*a albèllum*. L.G.  $\beta$  *A'sso*. L.G.  $\gamma$  *Cannabate*. L.G.  $\delta$  *Cástro*. L.G.  $\epsilon$  *Echeandia*. L.G.  $\zeta$  *Juràdo*. L.G.  
*η Alvàrez*. L.G.  $\theta$  *Lobelii*. L.G.
- 9 *Gartnerianum*. R.S. .... *Gartner's*. .... H. ⊙.  
*a Bernal*. L.G.  $\beta$  *cálvum*. L.G.  $\gamma$  *ciliòsum*. L.G.  $\delta$  *Gràells*. L.G.  $\epsilon$  *Oliet*. L.G.  $\zeta$  *Plà*. L.G.  
*η speltioides*. L.G.  $\theta$  *truncátum*. L.G.  $\iota$  *Vasálo*. L.G.  $\kappa$  *yèpes*. L.G.  $\lambda$  *Hallèri*. L.G.  $\mu$  *Párck*. L.G.  
*ν Valcárcel*. L.G.  $\xi$  *Xiàdna*. L.G.  $\omicron$  *Cleménte*. L.G.  $\pi$  *Colóna*. L.G.  $\rho$  *Gerárdi*. L.G.  $\sigma$  *Gleichen*. L.G.  
*τ Moràles*. L.G.  $\upsilon$  *Plàkenet*. L.G.  $\phi$  *Sanmártin*. L.G.  $\chi$  *Theophrásti*. L.G.  $\psi$  *Thouini*. L.G.
- 10 *platystachyum*. R.S. .. *flat-spiked*. .... 6. 7. H. ⊙.
- 11 *cochleare*. R.S. .... *spoon-like*. .... — H. ⊙.  
*a aristatum*. L.G.  $\beta$  *mucronatum*. L.G.
- 12 *Cevállos*. R.S. .... *Trigo Moro*. .... — H. ⊙.
- 13 *dàrum*. R.S. .... *Barbary*. .... — H. ⊙.
- 14 *villòsum*. Host. .... *villous*. .... — H. ⊙. Host. gram. 4. t. 6.
- 15 *sículum*. R.S. .... *Sicilian*. .... — H. ⊙.
- 16 *hordeiforme*. R.S. .... *Barley form*. .... — H. ⊙. Host. gram. 4. t. 5.
- 17 *compáctum*. R.S. .... *compact*. .... — H. ⊙. — 4. t. 7.
- 18 *polònicum*. R.S. .... *Polish*. 1692. — H. ⊙. — 3. t. 31.
- 19 *monocóccon*. R.S. .... *one-grained*. 1648. — H. ⊙. — 3. t. 32.  
*a glàbrum*. L.G.  $\beta$  *pubescens*. L.G.
- 20 *dicóccum*. R.S. .... *two-grained*. .... — H. ⊙. Rod. Schub. cer. n. 15. f. 2.  
*a álbum*. .... *white-spiked*. .... — H. ⊙.  
 $\beta$  *rufum*. .... *brown-spiked*. .... — H. ⊙.
- 21 *atrátum*. R.S. .... *dark-spiked*. .... — H. ⊙. Host. gram. 4. t. 8.
- 22 *tricóccum*. R.S. .... *three-grained*. .... — H. ⊙. Rod. Schub. cer. n. 17. f. 3.
- 23 *Cienfuègos*. R.S. .... *tooth-valved*. .... — H. ⊙.
- 24 *Bauhini*. R.S. .... *truncate-valved*. .... — H. ⊙.
- 25 *Spèlta*. R.S. .... *Spelt*. .... — H. ⊙. Host. gram. 3. t. 29.  
*Zea*. Host.  
*a Astùrum*. L.G.  $\beta$  *rufescens*. L.G.  $\gamma$  *submùticum*. L.G.  $\delta$  *álbum*. L.G.  $\epsilon$  *cyàneum*. L.G.
- 26 *venulosum*. R.S. .... *veined*. *Egypt*. .... 6. 7. H. ⊙.
- 27 *ichyostachyum*. R.S. .. *slender-spiked*. .... — H. ⊙.
- AGRÓPYRUM. R.S. COUCH-GRASS. Triandria Digynia. R.S.
- 1 *júnceum*. R.S. .... *rushy*. *England*. .... 6. 7. H. ♀. Eng. bot. v. 12. t. 814.  
*Triticum júnceum*. E.B.
- 2 *acutum*. R.S. .... *acute-glumed*. *France*. 1816. — H. ♀.
- 3 *littorale*. Host. .... *sea-side*. *Mediterranean*. — — H. ♀. Host. gram. 4. t. 9.
- 4 *rigidum*. R.S. .... *rigid*. *S. Europe*. 1805. — H. ♀.
- 5 *intermedium*. Host. *intermediate*. *Germany*. — — H. ♀. Host. gram. 2. t. 22.
- 6 *glàucum*. R.S. .... *glaucous*. *Switzerland*. 1824. — H. ♀. — 4. t. 10 ?
- 7 *rupèstre*. R.S. .... *rock*. *Siberia*. 1822. — H. ♀.
- 8 *obtusiflorum*. R.S. .... *blunt-flowered*. .... — H. ♀.
- 9 *púngens*. R.S. .... *pungent*. *S. Europe*. 1824. — H. ♀.
- 10 *densiflorum*. R.S. .... *close-flowered*. *Siberia*. .... — H. ♀.
- 11 *gigàntium*. R.S. .... *gigantic*. *S. Europe*. 1805. — H. ♀. Host. gram. 2. t. 23.  
*Triticum elongatum*. Host.
- 12 *repens*. R.S. .... *common*. *Britain*. .... 7. 8. H. ♀. Eng. bot. v. 13. t. 909.  
*a arvensis*. R.S. .... *field*. — — H. ♀. Trattin. tab. t. 566.  
 $\beta$  *subulatum*. R.S. .... *subulate-glumed*. .... — H. ♀. Schreb. gram. t. 26. f. 2.  
 $\gamma$  *dumetorum*. R.S. .... *many-flowered*. .... — H. ♀. — f. II. IV. f. 3.  
 $\delta$  *Vaillantianum*. R.S. .... *Vaillant's*. .... — H. ♀. — f. 6.  
 $\epsilon$  *Leersianum*. R.S. .. *Leers's*. .... — H. ♀. Leers fl. herb. t. 12. f. 4.  
 $\zeta$  *capillare*. R.S. .... *hair-awned*. .... — H. ♀.
- 13 *sibiricum*. R.S. .... *Siberian*. *Siberia*. 1825. — H. ♀.
- 14 *dasyanthum*. R.S. .... *thick-flowered*. *Russia*. — — H. ♀.
- 15 *caninum*. R.S. .... *bearded*. *Britain*. .... — H. ♀. Eng. bot. v. 20. t. 1372
- 16 *distichum*. R.S. .... *two-ranked*. *C. B. S.* 1816. — G. ♀.
- 17 *prostratum*. R.S. .... *prostrate*. *Siberia*. 1780. 6. H. ⊙. Jacq. vind. 3. t. 44.

18	orientale. R.S. .... hairy-spiked.	Levant.	1807.	6. 7.	H. ♂	Will.n.act.ber.2.t.4.f.3.
	<i>Secale orientale.</i> w.					
19	pátulum. Tr. .... spreading.	Egypt.	1800.	—	H. ⊙	
	<i>Triticum squarrosum.</i> R.S. <i>Buonapártis.</i> Spr.					
20	imbricatùm. R.S. .... imbricated.	Caucasus.	1824.	6. 8.	H. ♀	Gmel.sib.1.n.51.t.23.
21	pectinifórme.R.S. .... comb-like.	Tauria.	—	—	H. ♀	Buxb.cent.1.t.50.f.3.
22	crístatùm. R.S. .... crested.	—	—	—	H. ♀	Eng.bot.v.32.t.2267.
23	desertòrum. R.S. .... desert.	Altay.	1822.	—	H. ♀	Ledeb.ic.alt.t.246.
24	angustifólium. R.S. .. narrow-leaved.	Siberia.	—	—	H. ♀	
25	muricatùm. R.S. .... bristly.	—	1825.	—	H. ♀	
26	pectinatùm. R.S. .... pectinated.	V. Diem. Isl.	1822.	—	H. ♀	
27	variegatùm. R.S. .... variegated.	.....	1818.	—	H. ♀	
<b>L'OLIUM. R.S. DARNEL. Triandria Digynia. L.</b>						
1	perènne. R.S. .... Rye-grass.	Britain.	....	5. 6.	H. ♀	Eng.bot.v.5.t.315.
	<i>a vulgàre.</i> R.S. .... common.	—	—	—	H. ♀	Host.gram.1.t.25.
	<i>β ténue.</i> R.S. .... slender.	—	—	—	H. ♀	Sinc.gra.wob.p.211.ic.
	<i>γ compositum.</i> R.S. ... compound.	—	—	—	H. ♀	Scheuch.agr.1.f.7.D.
	<i>δ ramòsum.</i> R.S. ... branching.	—	—	—	H. ♀	Leers.gram.t.12.f.1.
	<i>ε Russellianum.</i> H.G.W. <i>Russell's.</i>	—	—	—	H. ♀	Sinc.gra.wob.p.216.ic.
	<i>ζ Whitworthii.</i> H.G.W. <i>Whitworth's.</i>	—	—	—	H. ♀	
	<i>η Stickneyanum.</i> H.G.W. <i>Stickney's.</i>	—	—	—	H. ♀	
	<i>θ paniculatum.</i> H.G.W. <i>panicled.</i>	—	—	—	H. ♀	
	<i>ι monstròsum.</i> H.G.W. <i>monstrous-flowered.</i>	—	—	—	H. ♀	
	<i>κ viviparum.</i> R.S. .... viviparous.	—	—	—	H. ♀	
	<i>λ multiflorum.</i> R.S. .. many-flowered.	—	—	—	H. ♀	
	<i>μ humile.</i> R.S. .... dwarf.	—	—	—	H. ♀	
2	multiflorùm. R.S. .... many-flowered.	Europe.	1816.	—	H. ⊙	Vaill.par.t.17.f.3.
3	arvènse. R.S. .... beardless.	England.	....	7.	H. ⊙	Eng.bot.v.16.t.1125.
4	canadènse. Panz. .... Canadian.	Canada.	1822.	—	H. ⊙	
5	complanatùm. L.en. .... rigid.	Switzerland.	1825.	—	H. ⊙	
	<i>rigidum.</i> R.S. ....					
6	temuléntum. R.S. .... bearded.	Britain.	....	7. 8.	H. ⊙	Eng.bot.v.16.t.1124.
7	speciòsum. R.S. .... pretty.	Tauria.	1824.	—	H. ⊙	
<b>ÆGILOPS. R.S. HARD-GRASS. Polygamia Monœcia. L.</b>						
1	caudàta. R.S. .... tailed.	Candia.	1820.	7. 8.	H. ⊙	
2	cylíndrica. R.S. .... cylindrical.	Hungary.	1805.	6. 7.	H. ⊙	Host.gram.2.t.7.
3	ovàta. R.S. .... oval-spiked.	S. Europe.	1683.	—	H. ⊙	Flor.græc.1.t.93.
4	triaristàta. R.S. .... three-awned.	—	1739.	7. 8.	H. ⊙	Host.gram.2.t.6.
	<i>trunciàlis.</i> Host. <i>non w.</i>					
5	trunciàlis. R.S. .... long-spiked.	—	—	—	H. ⊙	Schreb.gram.t.10.f.1.
6	comòsa. R.S. .... tufted.	Greece.	1823.	—	H. ⊙	
7	squarrosà. w. .... rough-spiked.	Levant.	1794.	6. 7.	H. ♀	Schreb.gram.2.t.27.f.2.
	<i>Triticum squarrosum.</i> R.S.					
8	Hý'strix. N. .... hedgehog.	Missouri.	1819.	7. 8.	H. ♀	
<b>ELYMUS. R.S. LYME-GRASS. Triandria Digynia. L.</b>						
1	arenàrius. E.B. .... sand.	Britain.	....	4. 6.	H. ♀	Eng.bot.v.24.t.1672.
2	geniculátus. E.B. .... pendulous.	England.	....	7.	H. ♀	— v.23.t.1586.
3	Delileànus. R.S. .... Delile's.	Egypt.	1827.	—	H. ⊙	Delil.egypt.t.13.f.1.
4	sabulòsus. R.S. .... glaucous.	Siberia.	1806.	6. 7.	H. ♀	
5	gigánteus. R.S. .... gigantic.	N. America.	1790.	7. 8.	H. ♀	
6	mexicànus. R.S. .... Mexican.	Mexico.	1823.	6. 8.	H. ♀	Jacq.ecl.gr.t.19.
7	sibíricus. R.S. .... Siberian.	Siberia.	1758.	6. 7.	H. ♀	Schreb.gram.1.t.21.f.1.
8	móllis. R.S. .... soft.	Kamtschatka.	1829.	—	H. ♀	
9	racemòsus. R.S. .... racemed.	.....	1816.	—	H. ♀	
10	téner. R.S. .... tender.	Siberia.	1801.	—	H. ♀	
11	philadélphicus. R.S. .. Philadelphian.	N. America.	1790.	7. 8.	H. ♀	
12	canadénsis. R.S. .... Canadian.	—	1699.	—	H. ♀	Moris.s.8.t.2.f.10.
13	glaucifólius. R.S. .... glaucous.	—	1816.	—	H. ♀	
14	villòsus. R.S. .... villous.	—	1802.	6. 7.	H. ♀	
15	virgínicus. R.S. .... Virginian.	—	1781.	—	H. ♀	
16	striatùs. R.S. .... striated.	—	1790.	—	H. ♀	
	<i>β minor.</i> R.S. .... lesser.	—	....	—	H. ♀	
17	europæus. R.S. .... European.	England.	....	—	H. ♀	Eng.bot.v.19.t.1317.
18	crinitus. R.S. .... long-awned.	Smyrna.	1806.	7. 8.	H. ⊙	Host.gram.1.t.27.
19	intermédicus. R.S. .... intermediate.	Iberia.	1819.	7. 9.	H. ⊙	Buxb.cent.1.t.52.
20	altàicus. F. .... Altaic.	Altay.	1829.	—	H. ♀	
21	pauciflorus. R.S. .... few-flowered.	.....	1824.	—	H. ⊙	
22	Càput Medusæ. R.S. ... Portuguese.	Portugal.	1784.	—	H. ⊙	Schreb.gram.2.t.24.f.2.
23	júnceus. R.S. .... rushy.	Siberia.	1823.	7. 8.	H. ♀	

- 24 hordeifórmis, R.S. .... Barley-like. .... 1816. 7. 8. H.⊙
- 25 Hy'strix, R.S. .... rough. Levant. 1770. — H.⊙ Jacq. ic. 2. t. 305.  
*Asprélla Hy'strix*, W.en.
- 26 pseudo-hy'strix, R.S. .... rough American, N. America. 1818. — H.⊙
- ENNEAP'OGON, R.S. ENNEAP'OGON. Triandria Digynia. R.S.
- 1 nígricans, R.S. .... blackish. N. S. W. 1822. 7. 8. F. 2.
- 2 pállidus, R.S. .... pale. — 1824. — F. 2.
- Pappóphorum pállidum*, B.P.
- 3 phleóides, R.S. .... Phleum-like. S. America. 1822. — F. 2.
- PAPPO'PHORUM, B.P. PAPPO'PHORUM. Triandria Digynia, R.S.
- 1 alopecuroídeum, R.S. .... Foxtail-like. S. America. 1825. 6. 8. S. 2.
- 2 laguroídeum, R.S. .... Harestail-like. W. Indies. 1826. — S. 2.
- ECHIN'ARIA, R.S. ECHIN'ARIA. Triandria Digynia, R.S.
- capitáta, R.S. .... headed. S. Europe. 1771. 5. 8. H.⊙ Flor. græc. 1. t. 100.  
*Cénchrus capitátus*, F.G. *Sésleria echinátá*, Host. gram. 3. t. 8.
- SESL'ERIA, R.S. SESL'ERIA. Triandria Digynia, R.S.
- 1 elongáta, R.S. .... long-spiked. Austria. 1805. 6. 7. H. 2. Host. gram. 2. t. 97.
- 2 cylíndrica, R.S. .... cylindrical. S. Europe. 1818. — H. 2. Sav. Ust. ann. 1800. ic.
- 3 tenuifólia, R.S. .... slender-leaved. — — 4. 6. H. 2. Host. gram. 4. t. 22.
- 4 cœrúlea, R.S. .... blue. Britain. .... 4. 5. H. 2. Eng. bot. v. 23. t. 1613.
- 5 álbian, R.S. .... whitish. Carpathian Mt. 1826. — H. 2.
- 6 nítida, R.S. .... glossy. Italy. 1825. 5. 6. H. 2.
- 7 tenélla, R.S. .... weak. Switzerland. 1810. — H. 2. Host. gram. 2. t. 100.
- 8 sphærocéphala, R.S. .... round-headed. — — — H. 2. — 2. t. 99.
- 9 dísticha, R.S. .... distichous. — — — 1824. — H. 2. — — — 2. t. 76.
- Poa dísticha*, Host.
- TR'ODIA, B.P. TR'ODIA. Triandria Digynia, R.S.
- decúbens, R.S. .... decumbent. Britain. .... 7. 8. H. 2. Eng. bot. v. 11. t. 792.  
*Poa decúbens*, E.B. *Festúca decúbens*, w. *Danthónia decúbens*, DC.
- TRIDENS, R.S. REDTOP-GRASS. Triandria Digynia, R.S.
- quinquéfida, R.S. .... five-cleft. N. America. 1816. 7. 8. H. 2. Jacq. ecl. gr. 2. t. 16.  
*Triðia cupr'æa*, Jacq. *Windsória poæfórmis*, n. *Poa quinquéfida*, Ph.
- DANTH'ONIA, DC. DANTH'ONIA. Triandria Digynia, R.S.
- 1 longifólia, B.P. .... long-leaved. N. S. W. 1823. 7. 8. F. 2.
- 2 semiannuláris, B.P. .... semiannular. N. Holland. 1822. — F. 2. Labill. n. holl. 1. t. 33.  
*Arúdo semiannuláris*, Lab.
- 3 pilósa, B.P. .... hairy. N. S. W. 1823. — F. 2.
- 4 provinciális, R.S. .... Provence. S. Europe. 1818. 6. 7. H. 2. Vill. delph. 2. t. 2. f. 9.
- 5 spicáta, R.S. .... spiked. N. America. 1823. — H. 2.
- 6 strigósa, R.S. .... bristle-pointed. Britain. .... — H. 2. Eng. bot. v. 18. t. 1266.  
*Avèna strigósa*, E.B.
- 7 macránta, R.S. .... large-flowered. C. B. S. 1816. — H.⊙
- 8 curvifólia, R.S. .... curve-leaved. — — — — G. 2.
- 9 calycína, R.S. .... glossy-calyxed. — — — 1822. — G. 2.
- KÆL'ERIA, R.S. KÆL'ERIA. Triandria Digynia, R.S.
- 1 cristáta, R.S. .... crested. Europe. .... 6. 8. H. 2. Host. gram. 2. t. 75.
- β glábra*, R.S. .... smooth. Britain. .... 7. 8. H. 2. Eng. bot. v. 9. t. 648.  
*Aíra cristáta*, E.B. *Pða cristáta*, w.
- 2 grandifóra, R.S. .... great-flowered. S. Europe. 1824. 6. 8. H. 2.
- 3 gláuca, DC. .... glaucous. Germany. 1816. — H. 2.
- 4 pensylvánica, DC. .... Pennsylvanian. N. America. 1818. — H. 2. Spr. mem. p 2. 1810. t. 7.
- 5 nítida, R.S. .... glossy. — — — 1828. — H. 2.
- 6 macránta, R.S. .... large-flowered. Russia. 1824. — H. 2.
- 7 albéscens, R.S. .... whitish. S. France. 1829. — H. 2.
- 8 valesiáca, R.S. .... Swiss. Switzerland. 1824. — H. 2.
- 9 setácea, R.S. .... bristly. S. Europe. 1825. — H. 2.
- 10 tuberósa, P.S. .... tuberous. — — — 1802. 7. 8. H. 2. Lam. ill. t. 45. f. 4.
- 11 hírsúta, R.S. .... hairy. Switzerland. 1824. — H. 2.
- 12 villósa, R.S. .... villous. S. Europe. 1800. 6. 7. H. 2.
- Aíra pubéscens*, w. *Phálaris pubéscens*, Lam.
- 13 phleóides, R.S. .... cat's-tail. Portugal. 1802. 7. 8. H.⊙ Desf. atl. 1. t. 23.
- 14 híspida, R.S. .... hispid. S. Europe. 1819. 6. 7. H.⊙ Savi fl. pis. t. 1. f. 5.
- 15 brachystáchya, R.S. .... short-spiked. .... — H.⊙
- 16 parvifóra, L.en. .... small-flowered. S. Europe. — — H.⊙ Desf. atl. 1. t. 32.  
*Avèna parvifóra*, Desf. *Trisetum parviflorum*, R.S.
- 17 ægyptiáca, Lk. .... Egyptian. Egypt. 1826. — H.⊙
- 18 láxa, Th. .... loose-flowered. — — — 1829. — H.⊙
- AVENA, R.S. OAT-GRASS. Triandria Digynia, L.
- 1 pr'æcox, R.S. .... early-flowering. Britain. .... 5. 6. H.⊙ Eng. bot. v. 18. t. 1296.  
*Aíra pr'æcox*, E.B. 2 O 4

2	brëvis. R.S.	.... short.	Germany.	1804.	5. 6.	H.⊙	Host. gram. 3. t. 42.
3	álba. R.S.	.... white.	France.	....	6. 7.	H.⊙	
4	satíva. R.S.	.... common.	S. America.	....	—	H.⊙	Host. gram. 2. t. 59.
	<i>a melanospërma.</i>	.... black Oat.	—	....	—	H.⊙	
	<i>β leucospërma.</i>	.... white Oat.	—	....	—	H.⊙	
5	orientális. R.S.	.... Tartarian.	Levant.	1798.	—	H.⊙	Host. gram. 3. t. 44.
6	nüda. R.S.	.... naked.	.....	....	—	H.⊙	— 3. t. 43.
7	fátua. R.S.	.... wild.	Britain.	....	8.	H.⊙	Eng. bot. v. 31. t. 2221.
8	hirsúta. R.S.	.... hairy.	S. Europe.	—	6. 8.	H.⊙	
9	stérilis. R.S.	.... bearded.	—	1640.	7. 8.	H.⊙	Jacq. ic. 1. t. 23.
10	sempervirens. R.S.	.... evergreen.	Pyrenees.	1816.	6. 7.	H.⊙	Host. gram. 3. t. 41.
11	fállax. R.S.	.... fallacious.	S. Europe.	1824.	—	H.⊙	
12	pállens. R.S.	.... pale.	Portugal.	—	—	H.⊙	
13	praténsis. R.S.	.... narrow-leaved.	Britain.	—	—	H.⊙	Eng. bot. v. 17. t. 1204.
14	cantábrica. R.S.	.... evergreen.	.....	1825.	—	H.⊙	
15	bromoides. R.S.	.... Bromus-like.	S. Europe.	....	—	H.⊙	
16	planícúlmis. R.S.	.... flat-stalked,	Hungary.	1822.	—	H.⊙	Schrad. fl. ger. 1. t. 6. f. 2.
	<i>latifólia.</i>	Host. gram. 4. t. 32.					
17	versicolor. R.S.	.... various-colored.	Europe.	1816.	6. 8.	H.⊙	Host. gram. 2. t. 52.
GAUD'INIA. R.S. .... GAUD'INIA. Triandria Digynia. R.S.							
	<i>frágilis.</i> R.S.	.... brittle.	S. Europe.	1770.	7. 8.	H.⊙	Host. gram. 2. t. 54.
	<i>Avëna frágilis.</i>	Host.					
TRIS'ETUM. R.S. TRISE'TUM. Triandria Digynia. R.S.							
1	ténue. R.S.	.... slender.	Europe.	1804.	7. 8.	H.⊙	Host. gram. 2. t. 55.
	<i>striátum.</i> P.S.	<i>Avëna ténuis.</i> Host.					
2	pensylvánicum. R.S.	.... Pensylvanian.	N. America.	1785.	6. 7.	H.⊙	
3	micránthum. R.S.	.... small-flowered.	S. Europe.	1823.	—	H.⊙	
4	negléctum. R.S.	.... neglected.	—	—	—	H.⊙	Savi fl. pis. 1. t. 1. f. 4.
5	alopecùrus. R.S.	.... Foxtail.	.....	1816.	—	H.⊙	
6	Loeflingianum. R.S.	.... Loefling's.	S. Europe.	1770.	—	H.⊙	W.berl. mag. 2. t. 8. f. 3.
7	condensátum. R.S.	.... close-flowered.	Sicily.	1824.	—	H.⊙	
8	pilòsum. R.S.	.... hairy.	Iberia.	—	—	H.⊙	
9	pubescens. R.S.	.... pubescent.	Britain.	....	7. 8.	H.⊙	Eng. bot. v. 23. t. 1640.
	<i>Avëna pubescens.</i>	E.B.					
10	rígidum. R.S.	.... rigid.	Caucasus.	1825.	—	H.⊙	
11	alpínum. R.S.	.... Alpine.	Scotland.	....	7.	H.⊙	Eng. bot. v. 30. t. 2141.
	<i>Avëna planícúlmis.</i>	E.B. non Schrad.					
12	carpáthicum. R.S.	.... Carpathian.	Carp. mount.	1818.	7. 8.	H.⊙	Host. gram. 4. t. 31.
13	flavescens. R.S.	.... golden.	Britain.	....	6. 7.	H.⊙	Eng. bot. v. 14. t. 952.
	<i>pratënsis.</i> P.S.	<i>Avëna flavescens.</i> E.B.					
14	alpëstre. R.S.	.... mountain.	S. Europe.	1816.	—	H.⊙	Host. gram. 3. t. 39.
15	brevifólium. R.S.	.... short-leaved.	—	—	—	H.⊙	— 3. t. 40.
16	argénteum. R.S.	.... silvery.	Switzerland.	1791.	—	H.⊙	— 2. t. 53.
17	distichophyllum. ....	fan-leaved.	—	1796.	—	H.⊙	Vill. delph. 2. t. 4. f. 4.
18	airoides. R.S.	.... Aira-like.	—	1800.	—	H.⊙	Flor. dan. t. 228.
	<i>Avëna airoides.</i>	DC. <i>Aira subspicàta.</i> W.					
19	glabrátum. R.S.	.... smooth.	Portugal.	1818.	7. 8.	H.⊙	
CENTOTHECA. R.S. CENTOTH'ECA. Triandria Digynia. R.S.							
	<i>lappàcea.</i> R.S.	.... Bur.	India.	1773.	7.	S.⊙	Pal. de Bean. ag. t. 14. f. 7.
	<i>Cénchrus lappàceus.</i>	L.					
CABR'ERA. LG. CABR'ERA. Triandria Digynia.							
	<i>chrysoblëpharis.</i> LG.	golden-spiked.	S. America.	1822.	6. 7.	S.⊙	
P'OA. R.S. MEADOW-GRASS. Triandria Digynia. L.							
1	praténsis. R.S.	.... smooth-stalked.	Britain.	....	5. 6.	H.⊙	Eng. bot. v. 15. t. 1073.
2	angustifólia. DC.	.... narrow-leaved.	—	....	5.	H.⊙	Sinc. gra. wob. p. 184. ic.
3	hùmilis. R.S.	.... short-blueish.	—	....	5. 6.	H.⊙	Eng. bot. v. 14. t. 1004.
	<i>subcærùlea.</i>	E.B.					
4	víridis. R.S.	.... green.	N. America.	1812.	—	H.⊙	
5	hy'brida. R.S.	.... hybrid.	Switzerland.	1824.	—	H.⊙	
6	Torreyàna. R.S.	.... Torrey's.	N. America.	1825.	—	H.⊙	
7	triviális. E.B.	.... common.	Britain.	....	6. 8.	H.⊙	Eng. bot. v. 15. t. 1072.
8	Gmeliní. R.S.	.... Gmelin's.	Germany.	1825.	—	H.⊙	
9	ánua. E.B.	.... annual.	—	....	1. 12.	H.⊙	Eng. bot. v. 16. t. 1141.
10	cæspitòsa. R.S.	.... tufted.	N. Zealand.	1822.	6. 8.	H.⊙	
11	grácilis. R.S.	.... slender.	Siberia.	1818.	—	H.⊙	
12	bulbòsa. R.S.	.... bulbous.	England.	....	5. 6.	H.⊙	Eng. bot. v. 15. t. 1071.
13	láxa. R.S.	.... loose.	Scotland.	....	7.	H.⊙	Host. gram. 3. t. 15.
	<i>flexuòsa.</i>	Eng. bot. v. 16. t. 1123.					
14	distichophy'lla. R.S.	.... fan-leaved.	Switzerland.	1829.	—	H.⊙	Host. gram. 4. t. 26.

15	árctica. R.S.	.... arctic.	Melville Isl.	1827.	7.	H. 7.	
16	angustàta. R.S.	.... narrow.	—————	—————	—————	H. 7.	
17	abbreviàta. R.S.	.... shortened.	—————	—————	—————	H. 7.	
18	Hallèri. R.S.	.... Haller's.	Switzerland.	—————	—————	H. 7.	
	<i>pállens. Hall.</i>						
19	cenisia. R.S.	.... soft.	Mt. Cenis.	1791.	7. 8.	H. 7.	Host. gram. 3. t. 16.
20	alpina. R.S.	.... Alpine.	Scotland.	....	6. 7.	H. 7.	Eng. bot. v. 14. t. 1003.
21	collina. R.S.	.... hill.	Europe.	1800.	—————	H. 7.	Host. gram. 2. t. 66.
22	concinna. R.S.	.... neat.	Switzerland.	1815.	—————	H. 7.	
23	Molinèri. R.S.	.... Molineri's.	—————	1816.	—————	H. 7.	Balb. misc. t. 5. f. 1.
24	badénsis. w.	.... Baden.	Baden.	1826.	—————	H. 7.	
25	brevifolia. DC.	.... short-leaved.	France.	1822.	—————	H. 7.	
26	supina. R.S.	.... trailing.	Switzerland.	—————	—————	H. 7.	Host. gram. 4. t. 27.
27	miliàcea. R.S.	.... Millet like.	Hungary.	1824.	—————	H. 7.	
28	memoralis. R.S.	.... wood.	—————	....	6.	H. 7.	Eng. bot. v. 18. t. 1265.
	<i>β angustifolia. H. G. W. narrow-leaved.</i>		—————	....	—————	H. 7.	Sinc. gr. wob. p. 182. ic.
29	Gaudini. R.S.	.... Gaudin's.	Switzerland.	1820.	—————	H. 7.	
	<i>áspera. Gaud. non Spreng.</i>						
30	versicolor. R.S.	.... various-color'd.	Tauria.	1825.	6. 7.	H. 7.	
31	coarctàta. L. en.	.... crowded.	Europe.	....	—————	H. 7.	
32	glauca. E. B.	.... glaucous.	Britain.	....	—————	H. 7.	Eng. bot. v. 24. t. 1720.
33	cæsia. E. B.	.... sea-green.	Scotland.	....	—————	H. 7.	————— v. 24. t. 1719.
34	brachyphylla. R.S.	.. short-leaved.	N. America.	1816.	—————	H. 7.	
35	depauperàta. R.S.	.. few-flowered.	Hungary.	—————	—————	H. 7.	
36	stérilis. R.S.	.. barren-ground.	Tauria.	1824.	—————	H. 7.	
37	nervàta. R.S.	.... nerved.	N. America.	1812.	—————	H. 7.	Sinc. gr. wob. p. 190. ic.
38	imbecilla. R.S.	.... weak.	N. Zealand.	1822.	7. 8.	H. 7.	
39	ánceps. R.S.	.... flat-edged.	—————	—————	—————	H. 7.	
40	flàva. R.S.	.... yellow.	N. America.	—————	—————	H. 7.	
41	hirsùta. R.S.	.... hairy.	—————	—————	—————	H. 7.	
42	índica. R.S.	.... Indian.	E. Indies.	—————	—————	S. 7.	
43	Poirètii. R.S.	.... Poirèt's.	.....	1816.	6. 8.	H. 7.	
44	serotina. R.S.	.... late-flowering.	Germany.	1800.	7. 9.	H. 7.	
45	effùsa. R.S.	.... spreading.	Hungary.	1823.	6. 8.	H. 7.	
46	sudética. R.S.	.... broad-leaved.	Germany.	1802.	7. 8.	H. 7.	Vill. delph. 2. t. 3.
47	áspera. s. s.	.... rough-branch'd.	E. Indies.	1829.	—————	S. 7.	
48	víridis. Ph.	.... green.	N. America.	1812.	—————	H. 7.	
49	crocàta. M.	.... saffron.	—————	1818.	—————	H. 7.	
50	commutàta. R.S.	.... changed.	Spain.	1822.	—————	H. 7.	
51	contràcta. R.S.	.... contracted.	E. Indies.	1823.	—————	S. 7.	
52	amboinénsis. R.S.	.... Amboyna.	—————	1800.	6. 7.	S. 7.	Rumph. amb. 6. t. 7. f. 3.
53	chinénsis. R.S.	.... China.	China.	—————	—————	H. 7.	
54	austràlis. B. P.	.... southern.	N. S. W.	1822.	—————	H. 7.	Lab. nov. hol. 1. t. 35.
	<i>Arúndo poeáfórmis. Lab.</i>						
55	plebèia. B. P.	.... plebeian.	—————	—————	—————	H. 7.	
56	compréssa. E. B.	.... compressed.	Britain.	....	6. 8.	H. 7.	Eng. bot. v. 6. t. 365.
57	complanàta. R.S.	.... flattened.	Sicily.	1827.	—————	H. 7.	
58	festucæfórmis. R.S.	.. Fescue-like.	Dalmatia.	1800.	7. 9.	H. 7.	Host. gram. 3. t. 17.
59	convolùta. R.S.	.... convolute.	.....	1819.	—————	H. 7.	
60	atrovirens. R.S.	.... dark green.	Barbary.	1825.	—————	H. 7.	Desf. atl. 1. t. 17.
61	scariòsa. R.S.	.... scariöse.	Spain.	1826.	—————	H. 7.	
62	coromandeliana. R.S.	.... Coromandel.	E. Indies.	1824.	—————	S. 7.	
63	bromóides. R.S.	.... Bromus-like.	.....	—————	—————	G. 7.	
64	Uniolæ. R.S.	.... Uniola-like.	C. B. S.	1826.	—————	G. 7.	
65	peruviàna. R.S.	.... Peruvian.	Peru.	1802.	7. 8.	H. 7.	Jacq. ic. 1. t. 18.
66	papillòsa. R.S.	.... papillose.	C. B. S.	1816.	—————	H. 7.	
67	digitàta. B. P.	.... fingered.	N. S. W.	1800.	—————	H. 7.	
68	nütans. R.S.	.... nodding.	E. Indies.	1820.	—————	S. 7.	
69	pállens. R.S.	.... pale.	Buenos Ayres.	1824.	—————	H. 7.	
70	diándra. F. I.	.... diandrons.	E. Indies.	1820.	—————	S. 7.	
71	uniolóides. R.S.	.... Uniola-like.	—————	1824.	—————	S. 7.	
72	pellúcida. R.S.	.... pellucid.	N. Holland.	1829.	—————	G. 7.	
73	semineùtra. Tr.	.... Hairgrass-like.	Hungary.	1818.	—————	H. 7.	
	<b>SCLERCHLOA. R.S.</b>		<b>SCLERCHLOA. Triandria Digynia.</b>	<b>R.S.</b>			
1	divaricàta. R.S.	.... spreading.	S. Europe.	1802.	7. 8.	H. 7.	Gouan. ill. 4. t. 2. f. 1.
2	procumbens. R.S.	.... procumbent.	Britain.	....	—————	H. 7.	Eng. bot. v. 8. t. 532.
	<i>Pòa procumbens. E. B. Glicèria procumbens. E. F.</i>						
3	dùra. R.S.	.... rigid.	S. Europe.	1776.	7. 8.	H. 7.	Host. gram. 2. t. 73.
	<i>Pòa dùra. Host. Cynosùrus dùrus. L.</i>						

- 4 rígida. L.en. .... hard. England. .... 6. 7. H.⊙. Eng. bot. v. 20. t. 1371.  
*Poa rígida*. E.B. *Glycèria rígida*. E.F. *Megastàchya rígida*. R.S.
- 5 articulàta. L.en. .... jointed. Barbary. 1816. — H.⊙. Desf. atl. 1. t. 22.  
6 marítima. .... sea-side. Europe. .... — H.⊙. Cyrill. neap. fasc. 2. t. 2.  
*dichótoma*. L.en. *Triticum marítimum*. L. *Festùca marítima*. DC.
- HYDROCHLOA**. Har. **HYDROCHLOA**. Triandria Digynia.
- 1 distans. Har. .... distant. Britain. .... 7. H.w. 2. Eng. bot. v. 14. t. 986.  
*Poa distans*. E.B. *Glycèria distans*. E.F.
- 2 aquática. Har. .... water. .... — H.w. 2. Eng. bot. v. 19. t. 1315.  
*Poa aquática*. E.B. *Glycèria aquática*. E.F.
- 3 arundinæa. .... Reed-like. Caucasus. 1825. — H.w. 2.
- Poa arundinæa*. M.B.
- 4 marítima. Har. .... sea-side. Britain. .... — H.w. 2. Eng. bot. v. 16. t. 1140.  
*Poa marítima*. E.B. *Glycèria marítima*. E.F.
- GLYCERIA**. B.P. SWEET-GRASS. Triandria Digynia. R.S.  
flùtans. B.P. .... floating. Britain. .... 5. 8. H. 2. Eng. bot. v. 22. t. 1520.  
*Poa flùtans*. E.B. *Festùca flùtans*. W.
- ERAGROSTIS**. R.S. ERAGROSTIS. Triandria Digynia. R.S.
- 1 poeoides. R.S. .... Poa-like. Italy. 1699. 7. H.⊙. Flor. græc. t. 73.  
*Poa Eragròstis*. F.G.
- 2 tephrosánthos. R.S. .. Martinica. Martinica. 1824. 7. 9. S.⊙. Host. gram. 2. t. 68.  
3 pilosa. R.S. .... hairy. Italy. 1804. 7. 8. H.⊙. Cavan. ic. 1. t. 93.  
4 verticillàta. R.S. .... whorled. S. Europe. 1816. — H.⊙. Desr. de l'Egyp. t. 10.  
5 punctàta. R.S. .... spotted. E. Indies. — S.⊙.  
6 ægyptiaca. R.S. .... Egyptian. Egypt. 1812. — H.⊙.  
7 purpurascens. R.S. .. purplish. .... 1822. — H.⊙.  
8 despiciens. R.S. .... doubtful. .... — H.⊙.  
9 tenella. R.S. .... slender. E. Indies. 1781. — S.⊙. Rheed. mal. 12. t. 41.  
10 cynosuroides. R.S. .... Dogstail. Egypt. 1824. — H.⊙. Desr. de l'Egyp. t. 10.  
*Poa cynosuroides*. W.
- 11 capillàris. L.en. .... hair-panicked. N. America. 1781. 10. 11. H.⊙. Moris. s. 3. t. 6. f. 33.  
*Poa capillàris*. R.S.
- 12 mexicàna. L.en. .... Mexican. Mexico. 1816. 9. 10. H.⊙. Jacq. icon. 1. t. 17.  
13 abyssinica. L.en. .... Abyssinian. Abyssinia. 1824. — H.⊙. Rheed. mal. 12. t. 41.  
14 plumosa. R.S. .... feathered. E. Indies. 1826. — S.⊙.
- MEGASTACHYA**. R.S. MEGASTACHYA. Triandria Digynia. R.S.
- 1 Eragròstis. R.S. .... Love-grass. S. Europe. 1776. 7. 8. H.⊙. Schreb. gram. t. 38.  
*Poa megastàchya*. P.S. *Briza Eragròstis*. w. *Eragròstis mājor*. Host. gram. 4. t. 24.
- 2 nígricans. R.S. .... blackish. S. America. 1823. — S. 2.
- 3 amàbilis. R.S. .... purple. E. Indies. 1802. — S.⊙. L. pfl. syst. 12. t. 91. f. 2.  
*Poa amàbilis*. L.
- 4 spectàbilis. R.S. .... showy. N. America. 1816. — H.⊙.  
5 pulchèlla. R.S. .... pretty. Tauria. 1825. — H.⊙.  
6 elongàta. R.S. .... long-panicked. E. Indies. 1812. — S. 2. Jacq. ecl. gr. t. 3.  
7 ciliàris. R.S. .... ciliated. Jamaica. 1776. — S.⊙. Jacq. ic. 2. t. 304.  
8 rupèstris. R.S. .... rock. E. Indies. 1823. — S.⊙.  
9 Boryàna. R.S. .... Bory's. Mauritius. 1822. — S.⊙.  
10 ripària. R.S. .... crowded. E. Indies. 1824. — S.⊙.  
11 mucronàta. R.S. .... mucronated. Africa. 1822. 7. 9. S. 2. Beauv. fl. ow. 1. t. 4.  
12 polymórpha. R.S. .... variable. Tropics. 1826. — S. 2.
- DACTYLIS**. R.S. COCK'S-FOOT-GRASS. Triandria Digynia. L.
- 1 glomeràta. R.S. .... rough. Britain. .... 6. 7. H. 2. Eng. bot. v. 5. t. 335.  
2 glaucescens. R.S. .... glaucescent. Europe. 1816. — H. 2.  
3 hispànica. R.S. .... Spanish. Spain. 1814. — H. 2.  
4 glàuca. R.S. .... glaucous. .... 1823. — H. 2.  
5 capitàta. R.S. .... headed. Sardinia. 1824. — H. 2.  
6 altàica. R.S. .... Altaic. Altay. 1826. — H. 2.  
7 marítima. R.S. .... sea-side. Caucasus. 1823. — H. 2. Schrad. fl. ger. 1. t. 6. f. 1.  
8 littoràlis. R.S. .... shore. S. Europe. 1816. — H. 2. Lam. ill. t. 45. f. 5.  
9 repens. R.S. .... creeping. .... 1824. — H. 2. Desf. atl. 1. t. 15.  
10 ascèndens. R.S. .... ascending. C. B. S. 1823. — G. 2.  
11 lagopodioides. R.S. .... harefoot. E. Indies. 1826. — S. 2. Burm. ind. t. 12. f. 2.  
12 brevifòlia. R.S. .... short-leaved. .... — S. 2.  
13 cynosuroides. R.S. .... Dog's-tailed. .... 1823. — S. 2.  
14 aristàta. E. .... awned. Egypt. 1828. — H.⊙.
- BRIZA**. R.S. QUAKING-GRASS. Triandria Digynia. R.S.
- 1 minor. R.S. .... small. England. .... 7. H. 2. Eng. bot. v. 19. t. 1316.  
2 virens. R.S. .... green. S. Europe. 1800. 7. 8. H.⊙. Hayn. term. bot. t. 25. f. 6.  
3 mèdia. E.B. .... common. Britain. .... 5. 6. H. 2. Eng. bot. v. 5. t. 340.

4 Clùsii. R.S. .... Clusius's.	S. Europe.	1823.	5. 6.	H. 7.	Fouc. j. bot. 3. t. 24. f. 2.
5 geniculàta. R.S. .... jointed.	C. B. S.	1816.	7. 8.	H. 7.	
6 elàtiór. R.S. .... tall.	Greece.	1788.	—	H. 7.	Flor. græc. 1. t. 75.
7 máxima. R.S. .... great-spiked.	S. Europe.	1633.	6. 7.	H. 7.	— 1. t. 76.
8 hùmilis. R.S. .... dwarf.	Tauria.	1818.	—	H. 7.	Scheuch. agr. 4. t. 4. f. 10.
9 rùbra. R.S. .... red.	S. Europe.	—	—	H. 7.	
<b>CYNOS'URUS. R.S.</b> <b>DOGSTAIL-GRASS.</b> Triandria Digynia. L.					
crístata. E.B. .... crested.	Britain.	....	8.	H. 7.	Eng. bot. v. 5. t. 316.
<b>UNIOLA. R.S.</b> .... SEASIDE OAT. Triandria Digynia. L.					
1 paniculàta. R.S. .... panicked.	N. America.	1793.	6. 7.	H. 7.	Catesb. car. 1. t. 32.
2 latifolia. R.S. .... broad-leaved.	—	1809.	—	H. 7.	
3 spicàta. R.S. .... spiked.	—	1790.	7.	H. 7.	
4 distichophýlla. R.S. .. two-ranked.	—	1789.	6. 7.	H. 7.	
<i>Festuca distichophýlla</i> . Ph.					
<b>CERATOCHL'OA. R.S.</b> <b>CERATOCHL'OA.</b> Triandria Digynia. R.S.					
unioloides. R.S. .... Uniola-like.	N. America.	1796.	6. 7.	H. 7.	Willd. h. ber. t. 3.
<i>Festuca unioloides</i> . w.					
<b>GRAPHEPHORUM. R.S.</b> <b>GRAPHEPHORUM.</b> Triandria Digynia.					
melicoides. R.S. .... Melic-like.	N. America.	1824.	6. 8.	H. 7.	
<i>A'ira melicoides</i> . M.					
<b>LEPTOCHL'OA. R.S.</b> <b>LEPTOCHL'OA.</b> Triandria Digynia. R.S.					
1 cynosoroïdes. R.S. .... filiform.	E. Indies.	1818.	8. 9.	H. 7.	
2 prócera. R.S. .... tall.	Brazil.	1823.	—	S. 7.	
3 filifórmis. R.S. .... slender.	S. America.	1818.	—	H. 7.	Jacq. ecl. gram. t. 4.
4 virgàta. R.S. .... fine-spiked.	—	1727.	7. 9.	H. 7.	Sloan. jam. 1. t. 70. f. 2.
5 tenérrima. R.S. .... slenderest.	China.	1820.	—	H. 7.	
6 domingénsis. Len. .. close-spiked.	W. Indies.	—	6. 8.	S. 7.	
<b>ELEUSINE. R.S.</b> <b>ELEUSINE.</b> Triandria Digynia. R.S.					
1 coracàna. R.S. .... thick-spiked.	E. Indies.	1714.	7. 9.	H. 7.	Schreb. gram. 2. t. 35.
2 strícta. R.S. .... upright.	—	1822.	—	H. 7.	
3 índica. R.S. .... Indian.	India.	1714.	—	H. 7.	Rheed. mal. 12. t. 69.
4 rígida. R.S. .... rigid.	Monte Video.	1826.	—	H. 7.	
5 verticillàta. R.S. .... whorled.	E. Indies.	1823.	—	H. 7.	
6 calycina. R.S. .... calycine.	—	—	—	H. 7.	
7 cereàlis. E. .... Rye-like.	Egypt.	1827.	—	H. 7.	
8 ovalis. E. .... oval-spiked.	—	—	—	H. 7.	
9 tristàchya. E. .... three-spiked.	—	—	—	H. 7.	
<b>DACTYLOCTENIUM. DACTYLOCTENIUM.</b> Triandria Digynia. R.S.					
ægýptiacum. R.S. .... Egyptian.	Egypt.	1770.	7. 9.	H. 7.	Moris. s. 8. t. 3. f. 7.
<i>Cynosùrus ægýptius</i> . L. <i>Eleusine ægýptiaca</i> . P.S.					
<b>RHABDOCHL'OA. R.S.</b> <b>RHABDOCHL'OA.</b> Triandria Digynia. R.S.					
1 cruciàta. R.S. .... cross-spiked.	W. Indies.	1818.	7. 9.	H. 7.	Sloan. his. 1. t. 69. f. 1.
<i>Chlòris cruciàta</i> . w. <i>Agròstis cruciàta</i> . L.					
2 mucronàta. R.S. .... mucronate.	N. America.	1820.	—	H. 7.	Lam. ill. t. 48. f. 2.
3 virgàta. R.S. .... slender.	W. Indies.	—	—	H. 7.	
4 domingénsis. R.S. .... West Indian.	—	1820.	—	S. 7.	Jacq. icon. 1. t. 22.
<b>CHONDR'OSIUM. K.S.</b> <b>CHONDR'OSIUM.</b> Triandria Digynia. R.S.					
1 procumbens. Desv. .. procumbent.	Philippines.	1816.	7. 9.	H. 7.	Jacq. ecl. gr. t. 12.
<i>Antinochlòla procumbens</i> . R.S. <i>Atheropògon procumbens</i> . Jacq.					
2 ténue. K.S. .... slender.	Mexico.	1823.	—	H. 7.	H. et B. n. gen. 1. t. 57.
3 prostràtum. .... prostrate.	—	—	—	H. 7.	
<i>Antinochlòla prostràta</i> . R.S. <i>Bouteloua prostràta</i> . Lag.					
4 hirsùtum. .... hairy.	—	—	—	H. 7.	
<b>CORYCARPUS. Zea.</b> <b>CORYCARPUS.</b> Diandria Digynia. S.S.					
arundinàceus. S.S. .. Reed-like.	N. America.	1810.	6. 7.	H. 7.	Mich. amer. 1. t. 10.
<i>Festuca diàndra</i> . M. <i>Diarrhèna americàna</i> . R.S. <i>Ræmèria Zèa</i> . R.S.					
<b>DIPLA'CHNE. R.S.</b> <b>DIPLA'CHNE.</b> Triandria Digynia. R.S.					
fasciculàris. R.S. .... fasciated.	N. America.	1818.	6. 8.	H. 7.	
<i>Festuca polystàchya</i> . M.					
<b>SCHEDON'ORUS. R.S.</b> <b>SCHEDON'ORUS.</b> Triandria Digynia. R.S.					
1 praténsis. R.S. .... meadow.	Britain.	....	6. 7.	H. 7.	Eng. bot. v. 23. t. 1592.
<i>Festuca praténsis</i> . E.B.					
2 phænicoides. R.S. .. creeping-rooted.	Switzerland.	1824.	—	H. 7.	
3 elàtiór. R.S. .... tall.	Britain.	....	—	H. 7.	Eng. bot. v. 23. t. 1593.
<i>Festuca elàtiór</i> . E.B. et Sinc. gr. wob. p. 361. ic.					
4 cœrulèscens. R.S. .... blueish.	Barbary.	1818.	6. 7.	H. 7.	
5 spadíceus. R.S. .... Gerard's.	Italy.	1775.	4. 6.	H. 7.	Host. gram. 3. t. 20.
6 inermis. R.S. .... naked-spiked.	Hungary.	1816.	6. 7.	H. 7.	— 1. t. 9.
7 calamàrius. R.S. .... Reed-like.	Scotland.	....	7. 8.	H. 7.	Eng. bot. v. 14. t. 1005.

8	deciduus. ....	deciduous.	England.	....	6. 7. H. ♀.	Eng. bot. v. 32. t. 2266.
	<i>Festuca decídua.</i> E.B.					
9	exaltatus. R.S. ....	high upright.	Sicily.	1827.	— H. ♀.	
10	sylvaticus. R.S. ....	wood.	Germany.	1804.	7. 8. H. ♀.	Host. gram. 2. t. 78.
11	serotinus. R.S. ....	late-flowering.	S. Europe.	1818.	7. 9. H. ♀.	— 2. t. 92.
12	loliæus. R.S. ....	spiked.	England.	....	6. 7. H. ♀.	Eng. bot. v. 26. t. 1821.
13	Scheuchzèri. R.S. ....	Scheuchzer's.	S. Europe.	1822.	— H. ♀.	
14	violæus. R.S. ....	violet coloured.	Europe.	....	— H. ♀.	
15	nütans. R.S. ....	nodding.	Hungary.	1823.	— H. ♀.	Host. gram. 4. t. 61.
16	nigræscens. R.S. ....	blackish.	Switzerland.	....	— H. ♀.	
17	poæformis. R.S. ....	Poa-like.	—	1818.	— H. ♀.	Host. gram. 2. t. 81.
18	pumilus. R.S. ....	dwarf.	S. Europe.	—	— H. ♀.	— 2. t. 91.
19	nítidus. R.S. ....	glossy.	Hungary.	1827.	— H. ♀.	
20	tenéllus. R.S. ....	slender.	N. America.	1804.	7. 8. H. ♂.	
	<i>Festuca tenélla.</i> Ph. <i>Brachypodium festucoïdes.</i> L.en.					
FESTUCA. R.S.		FESCUE-GRASS.		Triandria Digynia.		L.
1	cyosuroïdes. R.S. ..	dogs-tail.	Barbary.	1825.	6. 8. H. ♂.	Desf. atl. 1. t. 21.
2	Fénas. R.S. ....	tough.	Spain.	1822.	— H. ♀.	
	<i>Poa ténax.</i> L.en.					
3	ovina. R.S. ....	Sheep's.	Britain.	....	6. H. ♀.	Eng. bot. v. 9. t. 585.
4	brachyphylla. R.S. ..	short-leaved.	Melville Isl.	1827.	— H. ♀.	
	<i>brevifolia.</i> Br. non Muhlenberg.					
5	tenuifolia. L.en. ....	slender-leaved.	Britain.	....	— H. ♀.	
6	cæsia. E.B. ....	gray.	England.	....	6. 7. H. ♀.	Eng. bot. v. 27. t. 1917.
7	vivipara. E.B. ....	viviparous.	Britain.	....	7. H. ♀.	— v. 19. t. 1355.
8	glauca. R.S. ....	glaucous.	S. Europe.	....	6. 7. H. ♀.	
9	pallens. R.S. ....	pale.	Germany.	1816.	— H. ♀.	Host. gram. 2. t. 88.
10	stricta. Host. ....	upright.	—	—	— H. ♀.	— 2. t. 86.
11	hirsuta. Host. ....	hairy.	—	—	— H. ♀.	— 2. t. 85.
12	Hallèri. R.S. ....	Haller's.	Europe.	1820.	— H. ♀.	
13	cúrvula. R.S. ....	curved.	Switzerland.	....	— H. ♀.	
14	alpina. R.S. ....	Alpine.	—	—	— H. ♀.	
15	amethystina. R.S. ....	blue.	S. Europe.	1804.	— H. ♀.	
16	picta. R.S. ....	painted.	Hungary.	1826.	— H. ♀.	
17	vària. R.S. ....	variable.	S. Europe.	1823.	— H. ♀.	Host. gram. 2. t. 90.
18	vallèsiaca. ....	Vallesian.	Vallesia.	—	— H. ♀.	
19	pannónica. R.S. ....	Hungarian.	Hungary.	—	— H. ♀.	Host. gram. 4. t. 62.
20	xanthina. R.S. ....	yellow.	Switzerland.	1818.	— H. ♀.	— 3. t. 19.
	<i>flavæscens.</i> Host. non Bellardi.					
21	flavæscens. DC. ....	yellowish.	—	—	— H. ♀.	
22	duriúscula. E.B. ....	hard.	Britain.	....	— H. ♀.	Eng. bot. v. 7. t. 470.
23	dumetorum. s.g.w. ..	pubescent.	—	—	— H. ♀.	
24	glàbra. s.g.w. ....	smooth.	—	....	6. H. ♀.	Sinc. gr. wob. p. 180. ic.
25	hordeifórmis. s.g.w. ....	Barley-like.	—	....	— H. ♀.	— p. 159. ic.
26	cámbrica. s.g.w. ....	Welsh.	Wales.	....	— H. ♀.	— p. 157. ic.
27	heterophylla. R.S. ....	various-leaved.	S. Europe.	1812.	6. 7. H. ♀.	Host. gram. 3. t. 18.
28	rùbra. E.B. ....	red creeping.	Britain.	....	7. H. ♀.	Eng. bot. v. 29. t. 2056.
29	vaginàta. R.S. ....	sheathed.	Hungary.	1804.	6. 7. H. ♀.	
30	Kitaiabeliàna. R.S. ....	Kitaiabel's.	—	1818.	— H. ♀.	
	<i>pubæscens.</i> L.en. non Zea.					
31	lâxa. R.S. ....	loose.	Switzerland.	1824.	— H. ♀.	Host. gram. 2. t. 80.
32	decólorans. R.S. ....	discoloured.	—	—	— H. ♀.	
	<i>lâxa.</i> Gaud. nec aliorum.					
33	nütans. R.S. ....	nodding.	N. America.	1805.	— H. ♀.	
34	rùbens. R.S. ....	red.	S. Europe.	1776.	— H. ♂.	Flor. græc. t. 83.
	<i>Brómus rùbens.</i> F.G.					
35	scàbra. R.S. ....	rough.	C. B. S.	1826.	— G. ♀.	
36	bracteàta. DC. ....	leafy-bracted.	—	....	— H. ♀.	
37	l'ævis. F. ....	smooth.	Russia.	1806.	7. H. ♀.	
38	grandiflora. Ph. ....	large-flowered.	N. America.	1812.	6. 7. H. ♀.	
39	aspérrima. Ot. ....	roughest.	—	1825.	— H. ♀.	
40	rupéstris. Ot. ....	rock.	—	—	— H. ♀.	
MYGALURUS. L.en.		MOUSETAIL-GRASS.		Triandria Digynia.		L.en.
1	bromoides. L.en. ....	barren.	Britain.	....	6. H. ♂.	Eng. bot. v. 20. t. 1411.
2	caudatus. L.en. ....	wall.	England.	....	— H. ♂.	— v. 20. t. 1412.
	<i>Festuca Myúrus.</i> E.B.					
3	alopécuroïdes. L.en. ....	Fox-tail.	Barbary.	1799.	6. 8. H. ♂.	Desf. atl. 1. t. 25.
4	ciliàta. Lk. ....	fringed.	Portugal.	1827.	— H. ♂.	Host. gram. 4. t. 65.
5	uniglumis. L.en. ....	single-husked.	England.	....	— H. ♂.	Eng. bot. v. 20. t. 1430.

6	delicatulus, L.en.... delicate.	Spain.	1817.	7. 8.	H.⊙.	
7	granulatus, L.en.... jointed.	S. Europe.	1793.	6. 7.	H.⊙.	
	<i>Bròmus geniculatus</i> , R.S. <i>Festùca stipoides</i> , R.S.					
<b>BRACHYPODIUM, R.S. BRACHYPODIUM, Triandria Digynia, R.S.</b>						
1	pinnatus, R.S. .... spiked heath.	Britain.	....	6. 8.	H.⊙.	Eng. bot. v. 11. t. 730.
	<i>Bròmus pinnatus</i> , E.B. <i>Triticum pinnatum</i> , DC. <i>Festùca pinnata</i> , E.F.					
2	rupèstre, R.S. .... rock.	S. Europe.	1816.	—	H.⊙.	Host. gram. 4. t. 17.
3	strigòsum, R.S. .... strigose.	Tauria.	1824.	—	H.⊙.	
4	cæspitòsum, R.S. .... tufted.	S. Europe.	—	—	H.⊙.	Host. gram. 4. t. 18.
5	ramòsum, R.S. .... branched.	—	1818.	—	H.⊙.	Flor. græc. t. 84.
6	phœnicòfides, R.S. .... pointed-leaved.	S. France.	1824.	—	H.⊙.	
7	obtusifòlium, R.S. .... blunt-leaved.	Spain.	1818.	—	H.⊙.	
8	Tenoriànnum, R.S. .... Tenore's.	Naples.	1824.	—	H.⊙.	
9	Barrellieri, R.S. .... Barrellier's.	—	1827.	—	H.⊙.	
10	longifòlium, R.S. .... long-leaved.	Barbary.	1818.	—	H.⊙.	
11	sylvaticum, R.S. .... wood.	Britain.	....	—	H.⊙.	Eng. bot. v. 11. t. 729.
	<i>Bròmus sylvaticus</i> , E.B. <i>Triticum sylvaticum</i> , DC. <i>Festùca sylvatica</i> , E.F.					
12	distachyum, R.S. .... two-spiked.	S. Europe.	1772.	—	H.⊙.	Host. gram. 1. t. 20.
13	megastachyum, R.S. .... long-spiked.	—	1826.	—	H.⊙.	
14	macrostachyum, R.S. .... large-spiked.	—	—	—	H.⊙.	
15	asperum, R.S. .... stiff-leaved.	Spain.	1818.	—	H.⊙.	
16	uniolifoides, L.en. .... Uniola-like.	Sicily.	1758.	7. 8.	H.⊙.	Jacq. icon. 2. t. 303.
17	brevisetum, R.S. .... short-awned.	.....	1825.	—	H.⊙.	
18	fragile, R.S. .... brittle.	Europe.	1824.	—	H.⊙.	
19	Hallèri, R.S. .... Haller's.	S. Europe.	1818.	—	H.⊙.	Vivian.fr.fl.it. t.26. f.1.
20	hispanicum, Viv. .... slender-stem'd.	—	—	—	H.⊙.	— t. 23. f. 2.
	<i>tenuiculum</i> , R.S.					
21	tenuiflorum, R.S. .... slender-flowered.	—	1823.	—	H.⊙.	Host. gram. 2. t. 26.
22	Nárdus, L.en. .... slender.	—	—	—	H.⊙.	
	<i>tenellum</i> , R.S. <i>Triticum Nárdus</i> , DC.					
23	loliaceum, R.S. .... spiked sea.	Britain.	....	6. 7.	H.⊙.	Eng. bot. v. 4. t. 221.
	<i>Triticum loliaceum</i> , E.B.					
24	Pòa, R.S. .... meadow-grass.	France.	1824.	—	H.⊙.	Pluk, phyt. t. 32. f. 7.
25	biunciale, R.S. .... small.	S. Europe.	1818.	6. 8.	H.⊙.	Viv. fl. it. fr. t. 24.
26	unilaterale, R.S. .... one-sided.	—	1824.	—	H.⊙.	Bocc. mus. t. 57. f. 2.
27	mexicanum, Bes. .... Mexican.	Mexico.	1816.	7. 9.	H.⊙.	
	<i>Festùca mexicana</i> , R.S.					
<b>TRICHËTA, R.S. TRICHËTA, Triandria Digynia, R.S.</b>						
	ovata, R.S. .... oval-spiked.	Spain.	1824.	6. 8.	H.⊙.	Cavan. ic. 6. t. 591. f. 2.
	<i>Bròmus ovatus</i> , Cav. <i>Trisetum ovatum</i> , P.S.					
<b>BRÒMUS, R.S. BROME-GRASS, Triandria Digynia, R.S.</b>						
1	secalinus, R.S. .... smooth Rye.	England.	....	6. 8.	H.⊙.	Eng. bot. v. 17. t. 1171.
2	elongatus, R.S. .... elongated.	Switzerland.	1823.	—	H.⊙.	
3	commutatus, R.S. .... downy Rye.	Britain.	....	—	H.⊙.	Host. gram. 1. t. 11.
4	velutinus, R.S. .... hairy-headed.	—	....	—	H.⊙.	Eng. bot. v. 27. t. 1884.
	<i>multiflorus</i> , E.B.					
5	Triniànus, R.S. .... Trinius's.	Gilan.	1826.	—	H.⊙.	Trin. m.ac.pet. 1813. t. 9.
6	mòllis, R.S. .... soft.	Britain.	....	5. 7.	H.⊙.	Eng. bot. v. 15. t. 1078.
7	confertus, R.S. .... close-spiked.	Iberia.	1825.	—	H.⊙.	Jacq. ecl. gr. t. 14.
8	racemòsus, R.S. .... smooth.	England.	....	6. 8.	H.⊙.	Eng. bot. v. 15. t. 1079.
9	erectus, E.B. .... upright.	—	....	—	H.⊙.	— v. 7. t. 471.
10	Biebersteinii, R.S. .... Bieberstein's.	Caucasus.	1825.	—	H.⊙.	
11	austràlis, B.P. .... southern.	N. S. W.	1823.	—	H.⊙.	
12	lanceolatus, R.S. .... spear-leaved.	Canaries.	1798.	—	H.⊙.	Buxb. cent. ap. t. 19.
13	lanuginòsus, R.S. .... woolly.	S. Europe.	1824.	—	H.⊙.	
14	variegatus, R.S. .... variegated.	Caucasus.	—	—	H.⊙.	
15	squarròsus, R.S. .... corn.	England.	....	—	H.⊙.	Eng. bot. v. 27. t. 1885.
16	vestitus, R.S. .... clothed.	C. B. S.	1816.	—	G.⊙.	
17	wolgensis, R.S. .... Wolga.	Caucasus.	—	—	H.⊙.	Jacq. ecl. gr. t. 15.
18	laxus, R.S. .... loose.	.....	—	—	H.⊙.	
19	alopeuroides, R.S. .... Fox-tail.	S. Europe.	1799.	—	H.⊙.	Desf. atl. 1. t. 25.
	<i>contortus</i> , Desf.					
20	purgans, R.S. .... purging.	Canada.	1793.	—	H.⊙.	
21	pubescens, R.S. .... pubescent.	N. America.	1816.	—	H.⊙.	
22	asper, E.B. .... hairy wood.	England.	....	—	H.⊙.	Eng. bot. v. 17. t. 1172.
23	hirsutissimus, Cyr. .... very hairy.	S. Europe.	1822.	—	H.⊙.	
24	pendulinus, R.S. .... pendulous.	New Spain.	1823.	—	H.⊙.	
25	glauucus, R.S. .... glaucous.	Pyrenees.	—	—	H.⊙.	Lap. fl. pyren. t. 53. bis.
26	altissimus, R.S. .... tallest.	N. America.	1812.	—	H.⊙.	

27	<i>giganteus</i> . R.S.	....	gigantic.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 26. t. 1820.
28	<i>triflorus</i> .	....	three-flowered.	—	....	—	H. ♀.	— v. 27. t. 1918.
	<i>Festuca triflora</i> . E.B.							
29	<i>montanus</i> . R.S.	....	mountain.	Switzerland.	1827.	—	H. ♂.	
30	<i>longiflorus</i> . R.S.	....	long-flowered.	.....	1818.	—	H. ♀.	
31	<i>stenophyllus</i> . R.S.	....	slender-leaved.	.....	1824.	—	H. ♀.	
32	<i>angustifolius</i> . M.B.	....	narrow-leaved.	Caucasus.	—	—	H. ♀.	
33	<i>ciliatus</i> . R.S.	....	ciliated.	N. America.	1802.	6. 8.	H. ♀.	
34	<i>arvensis</i> . R.S.	....	field.	Britain.	....	7.	H. ♀.	Eng. bot. v. 28. t. 1984.
35	<i>sterilis</i> . R.S.	....	barren.	—	....	6. 7.	H. ♂.	— v. 15. t. 1030.
36	<i>tectorum</i> . R.S.	....	nodding.	Europe.	1776.	6. 8.	H. ♂.	Flor. græc. t. 82.
37	<i>matritensis</i> . R.S.	....	wall.	Britain.	....	6.	H. ♂.	Eng. bot. v. 14. t. 1006.
	<i>diandrus</i> . E.B.							
38	<i>ligusticus</i> . R.S.	....	contracted.	Italy.	1824.	6. 8.	H. ♂.	Barrel. ic. 76. n. 2.
39	<i>rigidus</i> . R.S.	....	rigid.	S. France.	1822.	—	H. ♂.	Host. gram. 1. t. 18.
40	<i>pilosus</i> . R.S.	....	hairy wall.	S. Europe.	—	—	H. ♂.	
41	<i>jubatus</i> . R.S.	....	loose paniced.	Italy.	1824.	—	H. ♂.	
42	<i>maximus</i> . R.S.	....	great.	Morocco.	1804.	—	H. ♂.	Desf. atl. 1. t. 26.
43	<i>scoparius</i> . R.S.	....	broom.	S. Europe.	1824.	—	H. ♂.	Cavan. ic. 1. t. 45. f. 2.
44	<i>humilis</i> . R.S.	....	low.	Spain.	—	—	H. ♂.	— ic. 6. t. 589. f. 2.
45	<i>scaberrius</i> . R.S.	....	roughest.	Italy.	—	—	H. ♂.	
46	<i>coarctatus</i> . H.H.	....	close-flowered.	.....	1826.	—	H. ♀.	
47	<i>parviflorus</i> . Df.	....	small-flowered.	.....	1824.	—	H. ♀.	
48	<i>tortilis</i> . Presl.	....	twisted.	Sicily.	1825.	—	H. ♀.	
49	<i>caucasicus</i> . F.	....	Caucasian.	Caucasus.	—	—	H. ♀.	
	ROSTRARIA. Tr.		ROSTRARIA.	Triandria Digynia.				
	<i>pubescens</i> . Tr.	....	pubescent.	.....	1824.	6. 8.	H. ♂.	
	<i>Bromus dactyloides</i> .		Roth. <i>Dactylis pungens</i> .	Horn.				
	PHRAGMITES. Tr.		REED.	Triandria Digynia. R.S.				
	<i>communis</i> . Tr.	....	common.	Britain.	...	7. 8.	H.w. ♀.	Eng. bot. v. 6. t. 401.
	<i>Arundo phragmites</i> . E.B.							
	ARUNDO. S.S.		REED-GRASS.	Triandria Digynia. S.S.				
	1 <i>Dënax</i> . s.s.	....	manured.	S. Europe.	1648.	7. 8.	H. ♀.	Host. gram. 4. t. 38.
	<i>β versicolor</i> .	....	striped.	—	....	—	H. ♀.	Moris. s. 8. t. 8. f. 9.
	2 <i>tënax</i> . s.s.	....	tough.	—	1823.	—	H. ♀.	Cyrl. neap. f. 2. t. 12.
	3 <i>festucæa</i> . W.en.	....	Fescue-like.	Germany.	—	—	H.w. ♀.	
	PSADMA. R.S.		SEA MATWEED.	Triandria Trigynia. R.S.				
	<i>arenaria</i> . R.S.	....	common.	Britain.	....	6. 7.	H. ♀.	Eng. bot. v. 8. t. 520.
	<i>Arundo arenaria</i> . E.B.							
	ARUNDINARIA. R.S.		CANE-BRAKE.	Triandria Monogynia. S.S.				
	1 <i>glaucescens</i> . R.S.	....	glaucous.	E. Indies.	1818.	....	S. ♀.	
	<i>Ludófia glaucescens</i> . w.							
	OLYRA. W.		OL'YRA.	Monœcia Triandria. L.				
	<i>paniculata</i> . w.	....	broad-leaved.	W. Indies.	1783.	7.	S. ♀.	Sloan. jam. 1. t. 64. f. 2.
	ZEA. W.		INDIAN CORN.	Monœcia Triandria. L.				
	1 <i>Máys</i> . w.	....	common.	America.	1562.	6. 7.	H. ♂.	Lam. ill. t. 749.
	2 <i>Curágu</i> . s.s.	....	saw-leaved.	Chile.	1820.	—	H. ♂.	
	COIX. W.		JOB'S-TEARS.	Monœcia Triandria. L.				
	1 <i>Láchryma</i> . s.s.	....	common.	E. Indies.	1596.	6. 7.	S. ♀.	Bot. mag. t. 2479.
	2 <i>agrëstis</i> . s.s.	....	round-fruited.	—	1812.	—	S. ♀.	Rumph. amb. 6. t. 9. f. 1.
	3 <i>exaltata</i> . s.s.	....	tall.	China.	1816.	—	S. ♀.	Jacq. ic. gram.
	4 <i>arundinæa</i> . s.s.	....	reed-like.	Mexico.	1824.	—	S. ♀.	
	5 <i>Kœnigii</i> . s.s.	....	Kœnig's.	E. Indies.	1818.	—	S. ♀.	
	6 <i>gigantea</i> . H.B.	....	gigantic.	Bengal.	1820.	—	H. ♀.	
	BAMBUUSA. W.		BAMBOO-CANE.	Hexandria Monogynia. W.				
	1 <i>arundinæa</i> . w.	....	common.	India.	1730.	....	S. ♀.	Roxb. corom. 1. t. 79.
	2 <i>verticillata</i> . w.	....	whorl-flowered.	—	1802.	....	S. ♀.	— 1. t. 80.
	MELOCA'NNA. Tr.		MELOCA'NNA.	Hexandria Monogynia. S.S.				
	<i>bambusoides</i> . Tr.	....	berry bearing.	E. Indies.	1818.	....	S. ♀.	
	<i>Bambusa bacçifera</i> . Roxb.							
	PHARUS. W.		PH'ARUS.	Monœcia Hexandria. W.				
	1 <i>latifolius</i> . w.	....	broad-leaved.	Jamaica.	1793.	7. 8.	S. ♀.	Brown. jam. t. 38. f. 3.
	2 <i>angustifolius</i> . D.L.	....	narrow-leaved.	Trinidad.	1821.	—	S. ♀.	
	EHRHARTIA. W.		EHRHARTIA.	Hexandria Monogynia. S.S.				
	1 <i>panicæa</i> . w.	....	Panic-grass.	C. B. S.	1790.	5. 7.	G. ♀.	Sm. ined. 1. t. 9.
	2 <i>melicoides</i> . s.s.	....	Melica-like.	—	1816.	—	G. ♀.	
	MICROL'ENA. B.P.		MICROL'ENA.	Tetrandria Digynia. B.P.				
	<i>stipoides</i> . B.P.	....	Stipa-like.	N. S. W.	1822.	7. 8.	F. ♀.	Lab. n. hol. 1. t. 118.
	<i>Ehrharta stipoides</i> . Lab.							

POTAMO'PHILA. B.P.	POTAMO'PHILA.	Polygamia Monœcia.	B.P.		
parviflora. B.P.	.... small-flowered.	N. S. W.	1820.	6. 7.	F.w. 2.
ORYZA. W.	RICE.	Hexandria Digynia.	L.		
sativa. w.	.... common.	Ethiopia.	1596.	7.	S.w. 0.
ZIZANIA. W.	CANADA RICE.	Monœcia Hexandria.	W.		
1 aquatica. H.K.	.... water.	N. America.	1790.	7. 9.	H.w. 2. Linn. trans. 7. t. 13.
2 miliacea. M.	.... Millet-like.	Carolina.	1816.	—	H.w. 2.
3 fluitans. M.	.... floating.	N. America.	1824.	7. 8.	H.w. 2.
PARIANA. W.	PARIANA.	Monœcia Polyandria.	W.		
campêstris. w.	Cayenne.	Cayenne.	1803.	....	S. 2. Aubl. gui. 2. t. 337.

\*\* SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CCXXV.

CHARACEÆ. *Kth. synops. v. 1. p. 102.*

CH'ARA. L.	CH'ARA.	Monœcia Monandria.	W.		
1 vulgaris. E.B.	.... common.	Britain.	....	7. 8.	H.w. 0. Eng. bot. v. 5. t. 336.
2 hispida. E.B.	.... prickly.	—	....	6. 9.	H.w. 0. — v. 7. t. 463.
NITELLA. Ag.	NITELLA.	Monœcia Monandria.			
1 tomentosa. w.	.... tomentose.	.....	....	6. 7.	H.w. 0. Moris. s. 15. t. 4. f. 9.
2 flexilis. Ag.	.... smooth.	Britain.	....	7. 8.	H.w. 0.
3 opaca. Ag.	.... opaque.	—	....	—	H.w. 0. Eng. bot. v. 15. t. 1070.
<i>Ch'ara flexilis.</i> E.B.					
4 translucens. Ag.	.... great transparent.	—	....	—	H.w. 0. Eng. bot. v. 26. t. 1855.
5 nidifica. Ag.	.... proliferous.	—	....	—	H.w. 0. — v. 24. t. 1703.
6 gracilis. Ag.	.... slender.	—	....	—	H.w. 0. — v. 30. t. 2140.

ORDO CCXXVI.

EQUISETACEÆ. *DC. fl. fr. ed. 3. v. 2. p. 28.*

EQUISETUM. W.	HORSE-TAIL.	Cryptogamia Gonopterides.	W.		
1 arvense. w. ( <i>br.ye.</i> )	corn.	Britain.	....	3. 4.	H. 2. Eng. bot. v. 29. t. 2020.
2 fluviatile. w. ( <i>br.ye.</i> )	great water.	—	....	4. 5.	H. 2. — v. 29. t. 2022.
3 umbròsum. W.en. ( <i>br.y.</i> )	shade.	Germany.	1818.	—	H. 2.
4 sylvaticum. w. ( <i>br.ye.</i> )	wood.	Britain.	....	—	H. 2. Eng. bot. v. 27. t. 1874.
5 limosum. w. ( <i>br.ye.</i> )	smooth naked.	—	....	6. 7.	H. 2. — v. 13. t. 929.
6 palustre. w. ( <i>br.ye.</i> )	marsh.	—	....	—	H. 2. — v. 29. t. 2021.
7 pratense. w. ( <i>br.ye.</i> )	meadow.	Germany.	1820.	—	H. 2.
8 scirpoïdes. w. ( <i>br.ye.</i> )	American.	N. America.	1812.	—	H. 2.
9 hÿemale. w. ( <i>br.ye.</i> )	Shave grass.	Britain.	....	7. 8.	H. 2. Eng. bot. v. 13. t. 915.
10 variegatum. w. ( <i>br.ye.</i> )	variegated.	Scotland.	....	6. 7.	H. 2. — v. 28. t. 1987.
11 filiforme. ( <i>br.ye.</i> )	thready.	N. America.	1800.	7. 8.	H. 2.

ORDO CCXXVII.

MARSILEACEÆ. *Brown prodr. p. 166.*

PILULARIA. W.	PILLWORT.	Cryptogamia Hydropterides.	W.		
globulifera. w. ( <i>br.</i> )	Pepper-grass.	Britain.	....	6. 9.	H.w. 2. Eng. bot. v. 8. t. 521.
ISOËTES. W.	QUILLWORT.	Cryptogamia Hydropterides.	W.		
lacustris. w.	.... marsh.	Britain.	....	5. 10.	H.w. 2. Eng. bot. v. 16. t. 1084.

SALVINIA. W.	SALVINIA.	Cryptogamia Hydropterides. W.		
nâtans. w.	.... floating.	Europe. 1818.	5. 8. H.w. 2.	Schkuhr filic. t. 173.
MARSILEA. W.	MARSILEA.	Cryptogamia Hydropterides. W.		
quadrifolia. w.	four-leaved.	S. Europe. 1820.	6. 8. H.w. 2.	J.mem.ac.sci.par.1740.

## ORDO CCXXVIII.

LYCOPODIACEÆ. *Kth. synops. 1. p. 95.*

LYCOPODIUM. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.		
1 carolinianum. w. (br.)	Carolina.	Carolina. 1812.	7. 8. H. 2.	Dill. musc. t. 62. f. 5.
2 clavatum. w. (br.)	common.	Britain. ....	— H. 2.	Eng. bot. v. 4. t. 224.
3 complanatum. w. (br.)	Arbor Vitæ-leav'd.	N. America. 1770.	— H. 2.	Flor. dan. t. 78.
4 alpinum. w. (br.)	Savin-leaved.	Britain. ....	8. H. 2.	Eng. bot. v. 4. t. 234.
5 dendroideum. w. (br.)	fan.	N. America. 1770.	7. H. 2.	Hook. ex. flor. t. 7.
6 annotinum. w. (br.)	interrupted.	Britain. ....	6. 8. H. 2.	Eng. bot. v. 24. t. 1727.
7 inundatum. w. (br.)	marsh.	—	— H.w. 2.	— v. 4. t. 239.
8 alopecuroides. w. (br.)	Fox-tail.	N. America. 1816.	— H. 2.	Schkuhr filic. t. 160.
9 Selaginoides. w. (br.)	prickly.	Britain. ....	8. H. 2.	Eng. bot. v. 16. t. 1148.
10 ornithopodioides. w. (br.)	Bird's-claw.	..... 1812.	6. 8. H. 2.	Dill. musc. t. 66. f. 1. B.
11 helveticum. w. (br.)	Swiss.	Switzerland. 1779.	— H. 2.	— t. 64. f. 2.
12 rupestre. w. (br.)	rock.	N. America. 1818.	— H. 2.	— t. 63. f. 11.
13 denticulatum. w. (br.)	toothed.	Switzerland. 1779.	7. H. 2.	— t. 66. f. 1. A.
14 depréssum. w. (br.)	depressed.	C. B. S. 1816.	7. 8. G. 2.	
15 Selago. w. (br.)	Fir.	Britain. ....	6. 8. H. 2.	Eng. bot. v. 4. t. 233.
16 apodum. w. (br.)	distichous.	N. America. 1815.	7. H. 2.	Dill. musc. t. 64. f. 3.
17 lucidulum. w. (br.)	glossy.	— 1822.	— H. 2.	Schkuhr filic. t. 159.
18 densum. B.P. (br.)	dense.	N. S. W. —	7. 8. G. 2.	Lab. nov. hol. 2. t. 251. f. 1
PSILOTUM. B.P.	PSILOTUM.	Cryptogamia Stachyopterides. W.		
triquetrum. B.P. (ye.)	triangular.	N. S. W. 1793.	7. 8. G. 2.	Schkuhr filic. t. 165. b.
<i>Lycopodium nudum. L. Bernhãrdia dichõtoma. w.</i>				

## ORDO CCXXIX.

FILICES. *Juss. gen. 14.*

## SUBORDO I. OPHIOGLOSSÆ. Brown prodr. p. 163.

OPHIOGLOSSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.		
1 vulgatum. E.B. (br.)	common.	Britain. ....	5. 6. H. 2.	Eng. bot. v. 2. t. 108.
2 bulbosum. w. (br.)	bulbous-rooted.	N. America. ....	— H. 2.	
3 lusitanicum. w. (br.)	Portugal.	Portugal. ....	— H. 2.	
4 gramineum. w. (br.)	grass-like.	N. Holland. 1822.	— G. 2.	Willd.s.erf.1802.t.1.f.1
5 costatum. B.P. (br.)	ribbed.	N. S. W. —	— G. 2.	
6 reticulatum. w. (br.)	netted.	W. Indies. 1793.	— S. 2.	Plum. fil. t. 164.
7 petiolatum. w. (br.)	petiolate.	— 1822.	1. 3. S. 2.	Hook. ex. flor. t. 56.
BOTRYCHIUM. W.	MOONWORT.	Cryptogamia Stachyopterides. W.		
1 Lunaria. w. (br. ye.)	common.	Britain. ....	5. 6. H. 2.	Eng. bot. v. 5. t. 318.
<i>Osmunda lunaria. E.B.</i>				
2 fumarioides. w. (br. ye.)	Fumitory-leaved.	Carolina. 1806.	7. 8. H. 2.	Schkuhr fil. t. 157.
3 obliquum. w. (br. ye.)	oblique.	N. America. 1821.	6. 7. H. 2.	Pluk. mant. t. 427. f. 7.
4 dissectum. w. (br. ye.)	cut-leaved.	— 1806.	7. H. 2.	Schkuhr fil. t. 158.
5 virginicum. w. (br. ye.)	Virginian.	— 1790.	8. H. 2.	— t. 156.
6 australe. B.P. (br. ye.)	southern.	N. S. W. 1823.	7. 8. H. 2.	
7 gracile. Ph. (br. ye.)	slender.	N. America. 1824.	— H. 2.	

SUBORDO II. *OSMUNDACEÆ*. Brown prodr. p. 161.

- LYG'ODIUM**. B.P. SNAKE'S-TONGUE. *Cryptogamia Schismatopterides*. W.  
 1 polymórphum. K.S. (br.y.) variable. S. America. 1816. 5. 9. S. 2. (✓). Cav. ic. 6. t. 595. f. 1.  
*Ugèna polymórpha*. Cav. *Hydroglóssum hirsútum*. w.  
 2 scándens. Sw. (br.ye.) climbing. E. Indies. 1793. 5. 9. S. 2. (✓). Lodd. bot. cab. t. 742.  
 3 microphyllum. B.P. (br.y.) small-leaved. N. Holland. 1818. — S. 2. (✓). Cavan. icon. 6. t. 595. f. 2.  
 4 venútum. Sw. (br.y.) elegant. S. America. 1812. — S. 2. (✓).  
 5 circinátum. Sw. (br.y.) rounded. W. Indies. 1818. — S. 2. (✓).  
 6 palmátum. Sw. (br.y.) palmate. N. America. 1823. — S. 2. (✓). Schkuhr filic. t. 140.  
*Hydroglóssum palmátum*. w.
- ANEIMIA**. W. ANEIMIA. *Cryptogamia Schismatopterides*. W.  
 1 fraxinifolia. Rad. (br.y.) Ash-leaved. Brazil. 1829. 9. 12. S. 2.  
 2 hirta. w. (br.ye.) hairy-leaved. W. Indies. 1824. — S. 2.  
 3 collina. Rad. (br.ye.) hill. Brazil. 1829. — S. 2.  
 4 hirsuta. w. (br.ye.) hairy. W. Indies. 1794. .... S. 2. Plum. fil. t. 162.  
 5 lacinata. w. (br.ye.) jagged. — — S. 2.  
 6 adiantifolia. w. (br.ye.) Maiden-hair-leav'd. — — 1793. 8. 9. S. 2. Plum. fil. t. 158.  
 7 lanceolata. w. (br.ye.) spear-leaved. — — 1820. — S. 2.
- OSMUNDA**. W. OSMUNDA. *Cryptogamia Schismatopterides*. W.  
 1 cinnamomea. w. (br.) woolly. N. America. 1772. 6. H. 2. Schkuhr fil. t. 146.  
 2 regalis. w. (br.ye.) flowering fern. Britain. .... 7. 8. H. 2. Eng. bot. v. 3. t. 209.  
 3 Claytoniana. w. (br.ye.) Clayton's. N. America. 1772. 8. H. 2.  
 4 interrupta. w. (br.ye.) interrupted. — — .... 6. 7. H. 2. Schkuhr fil. t. 144.  
 5 spectabilis. w. (br.ye.) showy. — — 1811. 7. H. 2. Pluk. alm. t. 184. f. 4.  
 6 humilis. w. (br.ye.) dwarf. — — 1823. 6. 8. H. 2. Hook. ex. flor. t. 28.
- T'ODEA**. W. T'ODEA. *Cryptogamia Schismatopterides*. W.  
 africana. w. (br.ye.) African. C. B. S. 1805. 5. 8. G. 2. Schkuhr fil. t. 147.  
*Osmunda barbata*. B.P.
- SCHIZÆA**. W. SCHIZÆA. *Cryptogamia Schismatopterides*. W.  
 1 penicillata. w. (br.ye.) pencilled. S. America. 1816. 6. 7. S. 2.  
 2 pusilla. Ph. (br.ye.) small. N. America. 1825. — H. 2. H. et G. ic. fil. t. 47.  
 3 rupéstris. B.P. (br.ye.) rock. N. S. W. 1822. — G. 2. — t. 48.  
 4 bifida. B.P. (br.ye.) bifid. — — — G. 2. Willd. mem. farr. t. 3. f. 2.

SUBORDO III. *GLEICHENEÆ*. Brown prodr. p. 160.

- GLEICH'ENIA**. B.P. GLEICH'ENIA. *Cryptogamia Poropterides*. W.  
 1 pubéscens. K.S. (br.) pubescent. Vera Cruz. 1822. 6. 8. S. 2.  
*Merténsia pubéscens*. w.
- 2 Spelúnca. B.P. (br.) various-leaved. N. S. W. — — G. 2.  
 3 Hermánni. B.P. (br.) Hermann's. India. 1829. .... S. 2. H. et G. ic. fil. t. 14.  
 4 microphylla. B.P. (br.) small-leaved. N. S. W. 1825. 6. 8. G. 2.  
 5 flabellata. B.P. (br.) fan-leaved. — — 1823. — G. 2.
- MARATTIA**. W. MARATTIA. *Cryptogamia Poropterides*. W.  
 alata. w. (br.ye.) winged. Jamaica. 1793. 5. 8. S. 2. Sm. ic. ined. t. 46.

SUBORDO IV. *PARKERIACEÆ*. Hook et Grev. ic. fil. 97.

- PARK'ERIA**. H.F. PARK'ERIA. *Cryptogamia Poropterides*.  
 1 pteridoides. H.F. (br.) Brake-like. W. Indies. 1822. 5. 10. S. 2. H. et G. ic. fil. t. 97.  
 2 Lockhárti. H.F. (br.) Lockhart's. Trinidad. 1824. — S. 2.
- CERATOPTERIS**. S.S. CERATOPTERIS. *Cryptogamia Poropterides*.  
 thalictroides. s.s. (br.) Thalictum-like. E. Indies. 1818. 6. 10. S. 2. Pluk. alm. t. 215. f. 3.  
*Ellobocárcpus oleráceus*. Kaulfuss.

SUBORDO V. *POLYPODIACEÆ*. Brown prodr. p. 145.

- ACRO'STICHUM**. W. ACRO'STICHUM. *Cryptogamia Filices*. L.  
 1 viscósium. H.F. (br.ye.) viscous. W. Indies. 1826. 6. 10. S. 2. H. et G. ic. fil. t. 61.  
 2 simplex. w. (br.ye.) simple. Jamaica. 1793. 5. 7. S. 2. Lodd. bot. cab. t. 709.  
 3 apódium. H.F. (br.ye.) stemless. W. Indies. 1824. — S. 2. H. et G. ic. fil. t. 99.

- 4 crinitum. w. (*br. ye.*) hairy. W. Indies. 1793. 5. 7. S. 2. H. et G. ic. fil. t. 1.  
 5 alcicôrne. B.P. (*br.*) Elk's-horn. N. S. W. 1808. 8. 10. G. 2. Bot. reg. t. 262-3.  
 6 Stemària. Beau. (*br.*) Stag's-horn. Guinea. 1822. 5. 8. S. 2. Beau. fl. d'ow. v. 1. pl. 2.  
 7 appendiculatum. H. (*br.*) appendaged. W. Indies. 1824. 6. 8. S. 2. Hook. ex. flor. t. 108.  
 8 àureum. w. (*br. ye.*) golden. America. 1820. 7. 8. G. 2. Schkuhr fil. t. 1.  
**NOTHOLÆNA. B.P. NOTHOLÆNA. Cryptogamia Filices.**  
 1 Marántæ. B.P. (*br. ye.*) Swiss. Switzerland. 1824. 6. 8. H. 2. Spreng. crypt. t. 2. f. 18.  
*Acróstichum Marántæ. w.*  
 2 distans. B.P. (*br. ye.*) distant. N. S. W. 1823. — G. 2.  
 3 lanuginosa. s.s. (*br. ye.*) woolly. Madeira. 1778. 8. 9. G. 2. Desf. atl. 2. t. 256.  
*Acróstichum vélleum. H. K.*  
**HEMIONITIS. W. HEMIONITIS. Cryptogamia Filices. W.**  
 palmata. w. (*br. ye.*) palmated. W. Indies. 1793. 6. 8. S. 2. Hook. ex. flor. t. 33.  
**GYMNOGRAMMA. GYMNOGRAMMA. Cryptogamia Filices.**  
 1 pedàta. s.s. (*br. ye.*) pedate. New Spain. 1822. 6. 9. S. 2. Swtz. syn. fil. t. 1. f. 3.  
 2 rûfa. s.s. (*br. ye.*) rusty-haired. Jamaica. 1793. 6. 8. S. 2. Schkuhr fil. t. 17. 21.  
*Hemionitis rûfa. w.*  
 3 tartæra. s.s. (*br. ye.*) whitened. S. America. 1817. — S. 2. Willd. hort. ber. 1. t. 40.  
*Acróstichum tartæreum. Swtz. Hemonitis dealbata. w.*  
 4 peruviana. s.s. (*br. ye.*) Peruvian. Peru. 1822. 6. 8. G. 2.  
 5 trifoliàta. s.s. (*br. ye.*) three-leaved. Jamaica. 1810. — S. 2. Plum. fil. t. 144.  
 6 calomelânos. s.s. (*br. y.*) mealy. W. Indies. 1790. 7. 8. S. 2. Willd. hort. ber. 1. t. 41.  
 7 chrysophylla. s.s. (*br. y.*) golden-leaved. — 1824. — S. 2.  
 8 sulphûrea. s.s. (*br. ye.*) sulphur-colored. Jamaica. 1808. — S. 2.  
 9 leptophylla. s.s. (*br. ye.*) slender-leaved. S. Europe. 1824. 5. 8. H. 2. Schkuhr crypt. t. 4.  
 10 chærophylla. s.s. (*br. y.*) Chervil-leaved. Brazil. 1825. 6. 8. S. 2. H. et G. ic. fil. t. 25.  
 ————— t. 45.  
**MENISCIUM. W. MENISCIUM. Cryptogamia Filices. W.**  
 1 triphyllum. s.s. (*br. ye.*) three-leaved. E. Indies. 1820. 6. 8. S. 2. H. et G. ic. fil. t. 120.  
 2 sorbifolium. s.s. (*br. ye.*) Service-leaved. S. America. 1825. — S. 2.  
 3 reticulatum. w. (*br. ye.*) netted. Martinico. 1793. 6. 8. S. 2. Plum. fil. t. 110.  
**XIPHOPTERIS. K.F. SWORD FERN. Cryptogamia Filices.**  
 1 serrulata. K.F. (*br. ye.*) saw-leaved. W. Indies. 1823. 6. 8. S. 2. Hook. ex. flor. t. 78.  
*Grammitis serrulata. w.*  
 2 myosuroides. s.s. (*br. y.*) Mousetail-like. — 1824. — S. 2.  
**GRAMMITIS. Sw. GRAMMITIS. Cryptogamia Filices. W.**  
 1 austrâlis. B.P. (*br. ye.*) southern. N. S. W. 1822. 6. 8. G. 2.  
 2 linearis. s.s. (*br. ye.*) linear-leaved. Jamaica. 1823. — S. 2.  
 3 lanceolata. s.s. (*br. ye.*) spear-leaved. Mauritius. 1824. — S. 2. H. et G. ic. fil. t. 43.  
 4 elongata. s.s. (*br. ye.*) long-leaved. W. Indies. — S. 2. Schkuhr crypt. t. 7.  
 5 furcata. H.F. (*br. ye.*) forked-leaved. Trinidad. 1825. — S. 2. H. et G. ic. fil. t. 62.  
**CETERACH. W. CETERACH. Cryptogamia Filices.**  
 officinarum. w. (*br.*) common. Britain. .... 5. 10. H. 2. Lodd. bot. cab. t. 15.  
*Scolopendrium Ceterach. Eng. bot. v. 18. t. 1244.*  
**POLYBOTRYA. S.S. POLYBOTRYA. Cryptogamia Filices.**  
 1 vivipara. H.E.F. (*br. y.*) viviparous. W. Indies. 1823. 5. 8. S. 2. Hook. ex. flor. t. 107.  
 2 cervina. s.s. (*br. ye.*) hart's-tongue. — — S. 2. H. et G. ic. fil. t. 81.  
**NIPHOBOLUS. K.F. NIPHOBOLUS. Cryptogamia Filices.**  
 1 pertusum. s.s. (*br. ye.*) bored. China. 1817. 7. 10. G. 2. Hook. ex. flor. t. 162.  
*Polypodium pertusum. Hooker.*  
 2 rupêstris. s.s. (*br. ye.*) rock. N. S. W. 1824. — G. 2. H. et G. ic. fil. t. 93.  
 3 confluens. s.s. (*br. ye.*) confluent. — 1822. — G. 2.  
 4 lingua. s.s. (*br. ye.*) tongue-like. Japan. 1817. — G. 2. Thunb. jap. t. 38.  
**POLYPODIUM. W. POLYPODY. Cryptogamia Filices. L.**  
 1 sérpens. w. (*ye.*) trailing. W. Indies. 1822. 3. 8. S. 2. Plum. fil. 105. t. 121.  
 2 angustifolium. w. (*ye.*) narrow-leaved. S. America. — S. 2.  
 3 lanceolatum. w. (*ye.*) spear-leaved. — 1824. — S. 2. Plum. fil. t. 137.  
 4 attenuatum. B.P. (*ye.*) attenuated. N. S. W. 1823. — G. 2.  
 5 piloselloides. w. (*ye.*) Mouse-ear. W. Indies. 1793. — S. 2. Plum. fil. t. 118.  
 6 vacciniifolium. s.s. (*ye.*) Whortle-leaved. Brazil. 1826. — S. 2.  
 7 tæniösium. s.s. (*ye.*) jointed. S. America. 1815. — S. 2.  
 8 lycopodioides. w. (*ye.*) Club-moss. W. Indies. 1793. — S. 2. Schkuhr fil. t. 8. c. p.  
 9 phyllitidis. w. (*ye.*) Hart's-tongue. — — S. 2. Plum. fil. 114. t. 130.  
 10 irioides. s.s. (*ye.*) Iris-leaved. E. Indies. 1824. — S. 2. H. et G. ic. fil. t. 125.  
 11 crassifolium. w. (*ye.*) thick-leaved. W. Indies. 1816. — S. 2. Plum. fil. 107. t. 127.  
 12 répens. w. (*ye.*) creeping. S. America. — S. 2. — 115. t. 131.  
 13 lineare. s.s. (*ye.*) linear-leaved. Japan. 1822. — G. 2. Thunb. ic. jap. t. 18.  
 14 Billardieri. B.P. (*ye.*) La Billardiere's. V. Diem. Isl. 1823. — G. 2. Lab. nov. hol. 2. t. 240.  
 15 àureum. w. (*ye.*) golden. W. Indies. 1742. 3. 5. S. 2. Plum. fil. 59. t. 76.  
 16 phymatodes. w. (*ye.*) warted. — 1816. — S. 2.

17	quercifolium. s.s. (ye.)	Oak-leaved.	E. Indies.	1824.	3. 5.	S. 2.	Rumph. amb. 6. t. 36.
18	curvatum. s.s. (ye.)	curve-leaved.	Jamaica.	1822.	—	S. 2.	
19	vulgare. E.B. (ye.)	common.	Britain.	....	5. 10.	H. 2.	Eng. bot. v. 16. t. 1149.
	<i>β cambricum.</i> (ye.)	Welsh.	Wales.	....	—	H. 2.	Bolt. fil. t. 2. f. 5. a.
20	virginianum. w. (ye.)	Virginian.	N. America.	....	7.	H. 2.	Plum. fil. t. 77.
21	Scouleri. H.F. (ye.)	Scouler's.	—	1827.	—	H. 2.	H. et G. ic. fil. t. 56.
22	pectinatum. w. (ye.)	comb-leaved.	W. Indies.	1793.	6. 9.	S. 2.	Lodd. bot. cab. t. 748.
23	Plumula. w. (ye.)	feather.	S. America.	1822.	5. 8.	S. 2.	
24	scolopendrioides. H.F. (y.)	hart's-tongue-ld.	Jamaica.	1824.	—	S. 2.	H. et G. ic. fil. t. 42.
25	tenuifolium. w. (ye.)	slender-leaved.	S. America.	1822.	—	S. 2.	Plum. fil. 66. t. 85.
26	asprenifolium. w. (ye.)	Spleenwort-leav'd.	Martinico.	—	—	S. 2.	— 85. t. 102. f. A.
27	incanum. w. (ye.)	hoary.	America.	1811.	7.	H. 2.	Schkuhr fil. t. 11. b.
28	trichomanoides. w. (ye.)	Trichomaneslike.	W. Indies.	1822.	5. 8.	S. 2.	— p. 11. t. 10.
29	decumanum. s.s. (ye.)	robust.	Brazil.	1818.	—	S. 2.	
30	juglandifolium. w. (ye.)	Walnut-leaved.	S. America.	1822.	—	S. 2.	
31	proliferum. s.s. (ye.)	proliferous.	Brazil.	1829.	9. 12.	S. 2.	
32	crenatum. w. (ye.)	crenated.	S. America.	1824.	....	S. 2.	
33	fraxinifolium. w. (ye.)	Ash-leaved.	Caracas.	1822.	5. 8.	S. 2.	
34	tenellum. B.P. (ye.)	slender.	N. S. W.	—	5. 7.	S. 2.	
35	tetragonum. s.s. (ye.)	four-sided.	W. Indies.	1826.	6. 9.	S. 2.	
36	Phegopteris. E.B. (ye.)	sun-fern.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 31. t. 2224.
37	hexagonopterum. w. (y.)	triangular.	N. America.	1811.	—	H. 2.	Pluk. alm. t. 284. f. 2.
38	pruinatum. w. (ye.)	white-leaved.	Jamaica.	1793.	5. 8.	S. 2.	
39	effusum. w. (ye.)	spreading.	—	1769.	11.	S. 2.	Sloan. jam. 1. t. 57. f. 3.
40	Dryopteris. w. (ye.)	tender-branched.	Britain.	....	6. 9.	H. 2.	Eng. bot. v. 9. t. 616.
41	connectile. w. (ye.)	connected.	N. America.	1812.	7.	H. 2.	
42	calcareum. w. (ye.)	rigid-branched.	Britain.	....	—	H. 2.	Eng. bot. v. 22. t. 1525.
WO'ODSIA. L.T.			WO'ODSIA. Cryptogamia Filices. L.				
1	pubescens. s.s. (br.ye.)	pubescent.	Brazil.	1826.	1. 12.	S. 2.	
2	glabella. s.s. (br.ye.)	smooth.	N. America.	1827.	6. 9.	H. 2.	
3	hyperborea. L.T. (br.y.)	hairy Alpine.	Scotland.	....	7. 9.	H. 2.	Eng. bot. v. 29. t. 2023.
4	ilvensis. L.T. (br.ye.)	rock.	N. America.	1812.	6. 7.	H. 2.	Schkuhr fil. t. 19.
5	vestita. Spr. (br.ye.)	clothed.	—	1816.	—	H. 2.	
6	Perriniiana. H.F. (br.y.)	Perrin's.	—	1825.	8. 11.	G. 2.	H. et G. ic. fil. t. 68.
	<i>Alsophila Perriniiana.</i> s.s.						
PLEOPELTIS. K.S.			PLEOPELTIS. Cryptogamia Filices.				
1	ensifolia. H.E.F. (br.y.)	sword-leaved.	C. B. S.	1823.	5. 6.	S. 2.	Hook. ex. flor. t. 62.
2	latifolia. L.C. (br.ye.)	broad-leaved.	—	—	—	S. 2.	
3	nuda. D.P. (br.ye.)	naked.	Nepaul.	—	—	S. 2.	Hook. ex. flor. t. 63.
4	angusta. s.s. (br.ye.)	narrow-leaved.	Mexico.	1826.	—	S. 2.	
ASPIDIUM. B.P.			SHIELD-FERN. Cryptogamia Filices. W.				
1	Hookeri. (br.ye.)	Hooker's.	W. Indies.	1812.	6. 9.	S. 2.	H. et G. ic. fil. t. 96.
	<i>prolifera.</i> H.F. non B.P.						
2	rhizophyllum. H.F. (br.y.)	rooting-leaved.	Jamaica.	1816.	—	S. 2.	H. et G. ic. fil. t. 59.
3	trifoliatum. w. (br.ye.)	three-leaved.	W. Indies.	1769.	4. 8.	S. 2.	Jacq. ic. 3. t. 638.
4	cicutarium. w. (br.ye.)	Cicuta-leaved.	N. America.	1823.	—	H. 2.	Pluk. alm. t. 289. f. 4.
5	patens. w. (br.ye.)	pubescent.	W. Indies.	1784.	7. 9.	S. 2.	Schkuhr fil. t. 334.
6	dentatum. w. (br.ye.)	toothed.	Scotland.	....	7.	H. 2.	Eng. bot. v. 23. t. 1588.
	<i>Cyathea dentata.</i> E.B.						
7	Halleri. w. (br.ye.)	Haller's.	Switzerland.	1824.	4. 8.	H. 2.	
8	bulbiferum. w. (br.ye.)	bulbiferous.	N. America.	1638.	7. 8.	H. 2.	
9	rheticum. w. (ye.)	stone.	Switzerland.	....	—	H. 2.	
10	fragile. w. (ye.)	brittle.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 23. t. 1587.
11	regium. w. (ye.)	lacinated.	—	....	6.	H. 2.	— v. 3. t. 163.
	<i>Cyathea incisa.</i> E.B.						
12	æmulum. w. (ye.)	dwarf.	Madeira.	1779.	....	F. 2.	
13	alpinum. w. (ye.)	Alpine.	S. Europe.	1825.	6. 8.	H. 2.	Jacq. ic. 3. t. 642.
14	montanum. w. (ye.)	mountain.	—	—	—	H. 2.	
15	irriguum. E.B. (ye.)	brook.	Britain.	....	6.	H. 2.	Eng. bot. v. 31. t. 2199.
16	atomarium. w. (ye.)	small.	N. America.	1822.	6. 8.	H. 2.	
NEPHRODIUM. B.P.			NEPHRODIUM. Cryptogamia Filices.				
1	Lonchitis. H.S.L. (ye.)	rough Alpine.	Britain.	....	5. 8.	H. 2.	Eng. bot. v. 12. t. 797.
	<i>Aspidium Lonchitis.</i> E.B.						
2	auriculatum. H.S.L. (ye.)	earled.	E. Indies.	1793.	7.	S. 2.	Burm. zeyl. t. 44. f. 2.
3	acrostichoides. M. (ye.)	Acrostichum-like.	N. America.	1824.	5. 8.	H. 2.	Schkuhr fil. t. 30.
4	mucronatum. s.s. (ye.)	mucronate.	Jamaica.	1826.	—	S. 2.	
5	exaltatum. B.P. (ye.)	lofty.	—	1793.	5. 8.	S. 2.	Schkuhr fil. t. 32. b.
6	unitum. B.P. (ye.)	smooth united.	E. Indies.	—	—	S. 2.	Burm. zeyl. t. 44. f. 1.
7	propinquum. B.P. (ye.)	pubescent.	—	—	—	S. 2.	

8	mólle. B.P.	(ye.) soft.	N. S. W.	1822.	5. 8.	G. 2.	Jacq. ic. t. 640.
9	sesquipedále. s.s.	(ye.) black-spotted.	W. Indies.	1824.	—	S. 2.	
10	hirsútulum. s.s.	(ye.) hairy.	E. Indies.	1823.	—	S. 2.	
11	édule. D.P.	(ye.) eatable-rooted.	Nepaul.	1826.	—	G. 2.	
12	semicordátum. s.s.	(ye.) half cordate.	W. Indies.	1822.	—	S. 2.	
13	noveboracéne. H.S.L.	(y.) river-side.	N. America.	1812.	7.	H. 2.	Schkuhr fil. t. 46.
14	pectinátum.	(ye.) comb-like.	.....	1823.	5. 8.	S. 2.	— t. 296.
	<i>Aspidium trapezoides.</i> Schk.						
15	Oreópters. H.S.L.	(ye.) Heath.	Britain.	....	7.	H. 2.	Eng. bot. v. 15. t. 1019.
16	Thelypteris. H.S.L.	(ye.) Lady fern.	.....	....	7. 8.	H. 2.	— v. 15. t. 1018.
17	sérra. s.s.	(ye.) saw-like.	Jamaica.	1819.	—	S. 2.	
18	parasíticum. w.	(ye.) parasitical.	E. Indies.	1824.	—	S. 2.	
19	Goldiánum. H.F.	(ye.) Goldie's.	N. America.	1822.	—	H. 2.	H. et G. ic. fil. t. 102.
20	crístátum. H.S.L.	(ye.) crested heath.	Britain.	....	6. 7.	H. 2.	Eng. bot. v. 30. t. 2125.
21	aculéatum. H.S.L.	(ye.) common prickly.	.....	....	6. 8.	H. 2.	— v. 22. t. 1562.
22	pubescens. H.F.	(ye.) pubescent.	Jamaica.	1824.	—	S. 2.	H. et G. ic. fil. t. 162.
23	marginále. H.S.L.	(ye.) marginal-flower'd.	N. America.	1772.	6. 9.	H. 2.	Schkuhr fil. t. 45. b.
24	Filix-más. H.S.L.	(ye.) Male fern.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 21. t. 1458.
	$\beta$ Smithii.	(ye.) Smith's.	.....	....	—	H. 2.	— v. 28. t. 1949.
	<i>Aspidium cristatum.</i> E.B. 1949. non 2.25.						
	$\gamma$ eròsum. Ph.	(ye.) jagged.	N. America.	1812.	—	H. 2.	Schkuhr fil. t. 45.
25	lancastriéne. s.s.	(ye.) Lancaster.	.....	1825.	—	H. 2.	
26	frágrans. H.F.	(ye.) fragrant.	Europe.	....	—	H. 2.	H. et G. ic. fil. t. 70.
27	platyph'llum. s.s.	(ye.) flat-leaved.	S. America.	1826.	—	S. 2.	
28	lobátum. H.S.L.	(ye.) close-leaved.	England.	....	6. 9.	H. 2.	Eng. bot. v. 22. t. 1563.
29	intermédium. w.	(ye.) intermediate.	N. America.	1816.	—	H. 2.	
30	spinulòsum. H.S.L.	(ye.) crested prickly.	Britain.	....	6. 8.	H. 2.	Eng. bot. v. 21. t. 1460.
31	dilatátum. H.S.L.	(ye.) great crested.	.....	....	—	H. 2.	— v. 21. t. 1461.
32	obtùsum. w.	(ye.) blunt leaved.	N. America.	1827.	—	H. 2.	Schkuhr fil. t. 21.
33	rigídum. w.	(ye.) rigid.	Germany.	1816.	—	H. 2.	
34	elongátum. H.S.L.	(ye.) cut-leaved.	Madeira.	1799.	7. 8.	F. 2.	
35	villòsum. H.S.L.	(ye.) villous.	W. Indies.	1793.	7.	S. 2.	Schkuhr fil. t. 46. b.
36	decompòsitum. B.P.	(ye.) decompose.	N. S. W.	1820.	6. 8.	F. 2.	
37?	Baromez.	.... Baromez.	Tartary.	1824.	....	S. 2.	
	<b>ALLANTODIA. B.P. ALLANTODIA. Cryptogamia Filices.</b>						
1	umbrosa. B.P.	(ye.) Madeira.	Madeira.	1779.	6. 9.	F. 2.	Schkuhr fil. t. 61.
2	axilláris. s.s.	(ye.) slender.	.....	....	—	F. 2.	
	<i>Polypodium axillare.</i> H.K. <i>Aspidium axillare.</i> Sw.						
3	austrális. B.P.	(ye.) southern.	V. Diem. Isl.	1820.	—	F. 2.	
4	ténera. B.P.	(ye.) membranaceous.	N. S. W.	—	—	F. 2.	
	<b>ASPLENium. B.P. SPLEENWORT. Cryptogamia Filices. L.</b>						
1	acútum. s.s.	(br.) acute.	Canaries.	1818.	4. 7.	F. 2.	
2	fissum. s.s.	(br.) cleft-leaved.	Hungary.	1825.	—	H. 2.	
3	fontánium. B.P.	(st.) smooth rock.	England.	....	6. 8.	H. 2.	Eng. bot. v. 29. t. 2024.
	<i>Aspidium fontanum.</i> E.B.						
4	Filix-fémína. B.P.	(st.) female fern.	Britain.	....	6. 9.	H. 2.	Eng. bot. v. 21. t. 1459.
5	Michauxii. s.s.	(st.) Michaux's.	N. America.	1812.	—	H. 2.	
6	Athyrium. s.s.	(st.) American.	.....	1820.	—	H. 2.	Schkuhr filic. t. 78.
	<i>Nephrodium asplenoides.</i> M.						
7	Hallèri. s.s.	(st.) Haller's.	Switzerland.	1825.	—	H. 2.	
8	Adiántum-nigrum. w.	(br.) black.	Britain.	....	4. 10.	H. 2.	Eng. bot. v. 28. t. 1950.
9	lanceolátum. E.B.	(br.) lanceolate.	England.	....	6. 10.	H. 2.	— v. 4. t. 240.
10	rádicans. s.s.	(br.) rooting-branched.	W. Indies.	1822.	—	H. 2.	
11	bisséctum. s.s.	(br.) bifid.	Jamaica.	1821.	—	S. 2.	
12	montánium. w.	(br.) mountain.	N. America.	1812.	7.	H. 2.	
13	frágrans. w.	(br.) fragrant.	Jamaica.	1793.	—	S. 2.	
14	Rùta murária. w.	(br.) Wall-rue.	Britain.	....	6. 10.	H. 2.	Eng. bot. v. 3. t. 150.
15	cicutárium. H.S.	(br.) Cicuta-like.	S. America.	1822.	—	S. 2.	Plum. fil. t. 48. a.
16	formòsum. w.	(br.) handsome.	Santa Cruz.	—	—	S. 2.	
17	prémórsum. w.	(br.) snip-leaved.	Jamaica.	1793.	—	S. 2.	Pluk. alm. t. 73. f. 5.
18	striátum. w.	(br.) striated.	W. Indies.	—	6. 8.	S. 2.	Plum. fil. t. 18. 19.
19	thelypteroides. w.	(br.) Ladyfern-like.	N. America.	1823.	7.	H. 2.	Schkuhr fil. t. 76. b.
20	sulcátum. s.s.	(br.) furrowed.	W. Indies.	1827.	—	S. 2.	Plum. fil. t. 46.
21	pùmilum. s.s.	(br.) dwarf.	.....	1823.	—	S. 2.	— t. 66. A.
22	canariéne. s.s.	(br.) Canary Island.	Canaries.	1824.	—	G. 2.	
23	rhizóporum. w.	(br.) root-bearing.	Jamaica.	1793.	6. 8.	S. 2.	Sloan. j. 1. t. 29. 30. f. 1.
24	váríde. w.	(br.) green.	Britain.	....	6. 9.	H. 2.	Eng. bot. v. 32. t. 2257.
25	melanocáulon. w.	(br.) black-stalked.	N. America.	1812.	7.	H. 2.	
26	Trichómanes. w.	(br.) Maiden hair.	Britain.	....	5. 10.	H. 2.	Eng. bot. v. 8. t. 576.

27	<i>germánicum</i> . w.	alternate-leaved.	Scotland.	....	6. 10.	H. 2.	Eng. bot. v. 32. t. 2258.
	<i>alternifolium</i> . E. B. Bréynii. Sw.						
28	<i>ebénum</i> . w.	(br.) ivory striped.	N. America.	1779.	9.	H. 2.	Lodd. bot. cab. t. 5.
	<i>trichomanoides</i> . M.						
29	<i>bipartitum</i> . s.s.	(br.) two-parted.	W. Indies.	1822.	—	S. 2.	
30	<i>dimidiátum</i> . s.s.	(br.) narrow-leaved.	—	1827.	—	S. 2.	
31	<i>aúritum</i> . s.s.	(br.) eared.	—	1829.	9. 12.	S. 2.	
32	<i>zamíæfolium</i> . s.s.	(br.) Zamia-leaved.	S. America.	1818.	6. 10.	S. 2.	Lodd. bot. cab. t. 854.
33	<i>falcátum</i> . B.P.	(br.) sickle-leaved.	N. S. W.	1825.	6. 7.	F. 2.	
34	<i>monánthemum</i> . w.	(br.) one-flowered.	C. B. S.	1790.	7.	G. 2.	Sm. ined. t. 73.
35	<i>reséctum</i> . s.s.	(br.) cut-leaved.	Mauritius.	1820.	—	S. 2.	H. et G. ic. fil. t. 114.
36	<i>marinun.</i> w.	(br.) sea-side.	Britain.	....	6. 10.	H. 2.	Eng. bot. v. 6. t. 392.
37	<i>dentátum</i> . H.F.	(br.) tooth-leaved.	Jamaica.	1824.	—	S. 2.	H. et G. ic. fil. t. 72.
38	<i>flabellifolium</i> . w.	(br.) fan-leaved.	N. S. W.	1825.	6. 7.	G. 2.	Hook. ex. flor. t. 208.
39	<i>déntex</i> . w.	(br.) toothed.	C. B. S.	1790.	6. 10.	G. 2.	
40	<i>diffórme</i> . B.P.	(br.) deformed.	N. S. W.	1822.	6. 7.	F. 2.	
41	<i>Shephérdii</i> . s.s.	(br.) Shepherd's.	Jamaica.	1824.	6. 9.	S. 2.	
42	<i>angustifolium</i> . s.s.	(br.) narrow-leaved.	N. America.	1812.	—	H. 2.	Schkuhr fil. t. 69.
43	<i>septentrionale</i> . w.	(br.) forked.	Britain.	....	6. 10.	H. 2.	Eng. bot. v. 15. t. 1017.
44	<i>palmátum</i> . s.s.	(br.) palmated.	S. Europe.	1816.	7. 10.	F. 2.	Lodd. bot. cab. t. 868.
45	<i>attenuátum</i> . B.P.	(br.) slender.	N. S. W.	1825.	6. 7.	F. 2.	
46	<i>rhizophyllum</i> . w.	(br.) rooting-leaved.	N. America.	1680.	—	H. 2.	
47	<i>serrátum</i> . w.	(br.) saw-leaved.	W. Indies.	1793.	—	S. 2.	Schkuhr fil. t. 64.
48	<i>Nidus</i> . B.P.	(br.) nest.	N. Holland.	1822.	—	F. 2.	
<b>CÆNOPTERIS. S.S. CÆNOPTERIS. Cryptogamia Filices.</b>							
1	<i>Odontites</i> . s.s.	(br.) long-leaved.	N. Holland.	1822.	6. 10.	G. 2.	Thunb.n.ac.pet.t.E.f.1.
	<i>Asplenium Odontites</i> . B.P. <i>Dærea Odontites</i> . w.						
2	<i>appendiculáta</i> . s.s.	(br.) loose.	V. Diem. Isl.	—	—	G. 2.	Lab. n. holl. 2. t. 243.
3	<i>rhizophylla</i> . s.s.	(br.) rooting-leaved.	W. Indies.	1827.	—	S. 2.	
<b>SCOLOPÉNDRIUM. W. HART'S-TONGUE. Cryptogamia Filices. W.</b>							
1	<i>officinárum</i> . w.	(br.ye.) common.	Britain.	....	7. 8.	H. 2.	Eng. bot. v. 16. t. 1150.
	<i>β crispum</i> . (br.ye.) <i>curled-leaved</i> .			....	—	H. 2.	
	<i>γ undulátum</i> . (br.ye.) <i>waved-leaved</i> .			....	—	H. 2.	Pluk. phyt. 248. f. 1.
	<i>δ multifidum</i> . (br.ye.) <i>clustered</i> .			....	—	H. 2.	
	<i>ε ramòsum</i> . (br.ye.) <i>branching</i> .			....	—	H. 2.	Pluk. phyt. 248. f. 2.
2	<i>Hemionitis</i> . s.s.	(br.) Mule's fern.	Canaries.	1779.	6. 7.	G. 2.	Schkuhr crypt. t. 66.
	<i>Asplenium Hemionitis</i> . L.						
<b>DO'ODIA. B.P. DO'ODIA. Cryptogamia Filices.</b>							
1	<i>áspera</i> . B.P.	(br.ye.) rough-stalked.	N. S. W.	1808.	3. 9.	G. 2.	Hook. ex. flor. t. 8.
2	<i>caudáta</i> . B.P.	(br.ye.) tailed.	—	1822.	—	G. 2.	— t. 25.
<b>WOODWARDIA. W. WOODWARDIA. Cryptogamia Filices. W.</b>							
1	<i>onocleoides</i> . w.	(br.ye.) Onoclea-like.	N. America.	1812.	8. 10.	H. 2.	Schkuhr fil. t. 111.
2	<i>virginica</i> . w.	(br.ye.) Virginian.	—	1774.	8. 9.	H. 2.	Pluk. alm. t. 179. f. 2.
3	<i>rádicans</i> . w.	(br.ye.) rooting-leaved.	Madeira.	1779.	9. 10.	G. 2.	Schkuhr fil. t. 112.
<b>BLE'CHNUM. W. BLE'CHNUM. Cryptogamia Filices. W.</b>							
1	<i>brasiliénse</i> . s.s.	(br.ye.) Brazilian.	Brazil.	1828.	9. 11.	S. 2.	
2	<i>cartilagineum</i> . B.P.	(br.) cartilaginous.	N. S. W.	1822.	6. 8.	F. 2.	
3	<i>denticulátum</i> . s.s.	(br.y.) toothed.	Teneriffe.	1826.	6. 9.	F. 2.	
4	<i>lævigatum</i> . B.P.	(br.) smooth.	N. S. W.	1820.	3. 9.	G. 2.	
5	<i>angustifolium</i> . s.s.	(br.y.) narrow-leaved.	Trinidad.	1824.	—	S. 2.	
6	<i>longifolium</i> . s.s.	(br.) long-leaved.	—	1826.	—	S. 2.	Bot. mag. t. 2818.
7	<i>glandulòsum</i> . s.s.	(br.) glandular.	Brazil.	1823.	—	S. 2.	
8	<i>occidentále</i> . w.	(br.) American.	S. America.	1777.	—	S. 2.	Jacq. ic. 3. t. 644.
9	<i>australe</i> . w.	(br.) Cape.	C. B. S.	1691.	—	G. 2.	Schkuhr fil. t. 110. b.
10	<i>polypodioides</i> . s.s.	(br.) Polypody-leav'd.	Brazil.	1829.	8. 12.	S. 2.	
11	<i>Lanceola</i> . s.s.	(br.) spear-leaved.	—	—	—	S. 2.	
<b>LOMARIA. W. LOMARIA. Cryptogamia Filices. W.</b>							
1	<i>nuda</i> . w.	(br.) naked.	V. Diem. Isl.	1822.	4. 8.	F. 2.	Lab. n. hol. 2. t. 246.
	<i>Onoclea nuda</i> . Lab. <i>Stegània nuda</i> . B.P.						
2	<i>Spicant</i> . s.s.	(br.) northern.	Britain.	....	7. 9.	H. 2.	Eng. bot. v. 17. t. 1159.
	<i>Osmúnda Spicant</i> . L. <i>Bléchnum boreále</i> . E. B.						
3	<i>onocleoides</i> . s.s.	(br.) Onoclea-like.	Jamaica.	1824.	—	S. 2.	
4	<i>sorbifolia</i> . s.s.	(br.) Service-leaved.	W. Indies.	1793.	—	S. 2.	Plum. fil. t. 117.
	<i>Acróstichum sorbifolium</i> . L.						
5	<i>longifolia</i> . s.s.	(br.) long-leaved.	—	1810.	6. 9.	S. 2.	Plum. fil. t. 117. dextr.
6	<i>prócera</i> . s.s.	(br.) lofty.	N. Holland.	1822.	4. 8.	F. 2.	Lab. n. hol. 2. t. 247.
	<i>Bléchnum prócerum</i> . Lab. <i>Stegània prócera</i> . B.P.						
<b>ONOCLEA. W. ONOCLEA. Cryptogamia Filices. L.</b>							
1	<i>sensibilis</i> . w.	(br.) sensitive fern.	Virginia.	1799.	8.	H. 2.	Schkuhr fil. t. 102.
2	<i>obtusilobáta</i> . Ph.	(br.) blunt-lobed.	N. America.	1812.	7.	H. 2.	— t. 103.

## STRUTHIOPTERIS. W. STRUTHIOPTERIS. Cryptogamia Filices.

- 1 germánica. s.s. (br.) German. Europe. 1760. 7. 8. H. 2. Schkuhr fil. t. 105.  
*Osmúnda Struthiópteris*. L. *Ocnocléa Struthiópteris*. w.
- 2 pensylvánica. w. (br.) Pennsylvanian. N. America. 1812. — H. 2. Schkuhr fl. t. 104.  
*Ocnocléa nodulosa*. Schkuhr.

## VITTARIA. W. VITTARIA. Cryptogamia Filices. W.

- lineàta. w. (br.) linear-leaved. America. 1793. .... S. 2. Schkuhr fil. t. 101. b.

## ANTR'OPHYUM. S. S. ANTR'OPHYUM. Cryptogamia Filices.

- lanceolátum. s.s. (br.) spear-leaved. W. Indies. 1793. 6. 10. S. 2. Schkuhr fil. t. 6.  
*Hemionitis lanceolata*. L.

## DIPLAZIUM. W. DIPLAZIUM. Cryptogamia Filices. W.

- 1 plantágneum. s.s. (br.) Plantain-leav'd. W. Indies. 1822. .... S. 2.  
 2 grandifólium. w. (br.) large-leaved. Jamaica. 1793. 8. 10. S. 2.  
 3 juglandifólium. s.s. (br.) Walnut-leaved. ——— 1825. .... S. 2.  
 4 seramporéne. s.s. (br.) East Indian. E. Indies. 1827. .... S. 2.  
 5 auriculátum. s.s. (br.) eared. S. America. 1820. 8. 10. S. 2.  
 6 barbadéne. w. (br.) Barbadoes. W. Indies. 1822. .... S. 2.  
 7 malabáricum. s.s. (br.) Malabar. E. Indies. 1818. 6. 8. S. 2.  
*Asplenium ambiguum*. Swartz.

- 8 arboréscens. s.s. (br.) arborescent. Mauritius. 1824. .... S. 2.  
 9 esculéntum. w. (br.) eatable. Ceylon. 1822. .... S. 2.

## CRYPTOGRAMMA. BR. CRYPTOGRAMMA. Cryptogamia Filices.

- 1 acrostichoides. Br. (st.) Acrostichum-like. N. America. 1827. 7. 9. H. 2. H. et G. ic. fil. t. 29.  
*Allosórus acrostichoides*. s.s.
- 2 críspa. Br. (st.) curled. Britain. .... — H. 2. Eng. bot. v. 17. t. 1160.  
*Allosórus críspus*. s.s. *Pteris críspa*. E. B. *Osmúnda críspa*. L.

## PTERIS. W. BRAKE. Cryptogamia Filices. L.

- 1 pedàta. w. (st.) pedate. W. Indies. 1816. 5. 8. S. 2. Pet. t. 176. t. 8. f. 12.  
 2 palmàta. w. (br. st.) palmated. ——— 1823. 6. 7. S. 2. Lodd. bot. cab. t. 1299.  
 3 argénteá. w. (st. br.) silvery. Siberia. ——— H. 2.  
 4 longifólia. w. (st. br.) long-leaved. W. Indies. 1770. 7. 9. S. 2. Jacq. sch. 3. t. 339. 400.  
 5 grandifólia. w. (st. br.) large-leaved. ——— 1793. .... S. 2. Schkuhr fil. t. 89.  
 6 serrulàta. w. (st. br.) various-leaved. India. 1770. 8. 9. S. 2. ——— t. 91.  
 7 denticulàta. s.s. (st. br.) toothed. Brazil. 1824. 5. 9. S. 2. H. et C. ic. fil. t. 28.  
 8 crética. w. (st. br.) Cretan. Candia. 1818. 5. 7. G. 2.  
 9 atropurpúrea. w. (br.) dark purple. N. America. 1770. 8. 9. J. 2. Schkuhr fil. t. 101.  
 10 nemoralis. W. en. (st. br.) wood. Africa. 1823. 5. 8. S. 2.  
 11 biaùrita. s.s. (st. br.) two-eared. W. Indies. 1824. — S. 2. H. et G. ic. fil. t. 142.  
 12 Plumieri. s.s. (st. br.) Plumier's. S. America. 1818. — S. 2.  
 13 argúta. w. (st. br.) sharp-notched. Madeira. 1778. 8. 9. F. 2. Pluk. alm. t. 290. f. 2.  
 14 umbròsa. B. P. (st. br.) shade. N. S. W. 1823. 5. 8. F. 2.  
 15 cordàta. w. (st. br.) heart-leaved. Mexico. 1825. — G. 2.  
 16 sagittàta. w. (st. br.) arrow-leaved. S. America. 1820. — S. 2.  
 17 vespertilionis. B. P. (st.) Bat-winged. N. S. W. 1823. — F. 2. Lab. nov. hol. 2. t. 245.  
 18 trémula. B. P. (st. br.) trembling. ——— 1822. — F. 2.  
 19 esculénta. B. P. (st. br.) esculent. ——— 1815. — F. 2. Lab. nov. hol. 2. t. 244.  
 20 grácilis. w. (st. br.) slender. Canada. 1823. 7. H. 2.  
 21 hastàta. w. (st. br.) hastate. W. Indies. — 5. 8. S. 2.  
 22 aculeàta. w. (st. br.) prickly-stem'd. ——— 1793. .... S. 2. Plum. fil. t. 5. et 11.  
 23 falcàta. B. P. (st. br.) falcate. N. S. W. 1820. 5. 7. F. 2.  
 24 caudàta. w. (st. br.) American. N. America. 1777. 9. 12. H. 2. Jacq. ic. 3. t. 645.  
 25 aquilina. E. B. (st. br.) common. Britain. .... 7. 8. H. 2. Eng. bot. v. 24. t. 1679.  
 26 lanuginòsa. w. (st. br.) woolly. Bourbon. 1818. — S. 2.  
 27 intramarginàlis. K. F. (br.) Mexican. Mexico. 1828. 7. 12. S. 2.

## TÆNITIS. W. TÆNITIS. Cryptogamia Filices. W.

- 1 lanceolàta. s.s. (br.) spear-leaved. W. Indies. 1818. 6. 9. S. 2. Plum. fil. t. 132.  
 2 angustifólia. s.s. (br.) narrow-leaved. ——— 1823. — S. 2.  
 3 graminifólia. H. E. F. (br.) grass-leaved. Trinidad. 1820. 6. 8. S. 2. Hook. ex. flor. t. 77.  
 4 furcàta. s.s. (br.) forked. ——— 1824. — S. 2. H. et G. ic. fil. t. 7.  
 5 chinénsis. s.s. (br.) Chinese. China. 1828. — G. 2.

## ADIANTUM. W. MAIDENHAIR. Cryptogamia Filices. L.

- 1 renifórmé. w. (br.) kidney-leaved. Madeira. 1699. 6. 9. G. 2. Lodd. bot. cab. t. 841.  
 2 oblíquum. s.s. (br.) oblique-leaved. W. Indies. 1826. 4. 8. S. 2.  
 3 macrophyllum. w. (br.) large-leaved. Jamaica. 1793. — S. 2. H. et G. ic. fil. t. 132.  
 4 lunulátum. s.s. (br.) lunulate. E. Indies. 1826. — S. 2. ——— t. 104.  
 5 deltoideum. s.s. (br.) deltoid-leaved. Jamaica. 1824. — S. 2.  
 6 denticulátum. s.s. (br.) toothed-leaved. W. Indies. 1825. — S. 2.  
 7 serrulátum. w. (br.) saw-leaved. Jamaica. 1823. 6. 8. S. 2. Sloan. j. 17. t. 36. f. 2.  
 8 radiátum. w. (br.) radiated. W. Indies. 1776. 4. 8. S. 2. Plum. fil. t. 100.  
 9 pedátum. w. (br.) Canadian. N. America. 1640. 8. 9. H. 2. Schkuhr fil. t. 115.

0	<i>hispídulum</i> . B.P. ( <i>br.</i> )	bristly.	N. Holland.	1822.	5. 8.	G. $\gamma$ .	
1	<i>striátum</i> . s.s. ( <i>br.</i> )	streaked.	W. Indies.	—	—	S. $\gamma$ .	
2	<i>villòsum</i> . w. ( <i>br.</i> )	hairy-stalked.	Jamaica.	1775.	6. 9.	S. $\gamma$ .	Schkuhr fil. t. 120.
3	<i>pulverulentum</i> . w. ( <i>br.</i> )	dusty.	W. Indies.	1793.	....	S. $\gamma$ .	— t. 119.
11	<i>triangulatum</i> . s.s. ( <i>br.</i> )	triangular.	Trinidad.	1824.	—	S. $\gamma$ .	
12	<i>Capillus-veneris</i> . w. ( <i>br.</i> )	true.	Britain.	....	5. 9.	H. $\gamma$ .	Eng. bot. v. 22. t. 1564.
13	<i>trapezifólia</i> . ( <i>br.</i> )	rhomb-leaved.	—	1793.	....	S. $\gamma$ .	Schkuhr fil. t. 122.
14	<i>pentadáctyla</i> . ( <i>br.</i> )	five-fingered.	Brazil.	1828.	—	S. $\gamma$ .	H. et G. ic. fil. t. 98.
15	<i>cuneata</i> . ( <i>br.</i> )	wedge-leaved.	—	1824.	—	S. $\gamma$ .	— ic. fil. t. 30.
16	<i>aspidioides</i> . ( <i>br.</i> )	likened.	N. S. W.	1823.	5. 8.	G. $\gamma$ .	Lab.n.hol.2.t.248.f.2.
21	<i>formósum</i> . ( <i>br.</i> )	handsome.	—	1822.	—	G. $\gamma$ .	
22	<i>ténereum</i> . ( <i>br.</i> )	tender.	Jamaica.	1793.	7.	S. $\gamma$ .	Pluk. alm. t. 254. f. 1.
<b>CHEILANTHES</b> . W. CHEILANTHES. Cryptogamia Filices. W.							
1	<i>ferruginus</i> . s. ( <i>br.</i> )	ferruginous.	Peru.	1816.	5. 8.	S. $\gamma$ .	
2	<i>grácilis</i> . ( <i>br.</i> )	slender.	Canada.	1827.	—	H. $\gamma$ .	
3	<i>pteroides</i> . s.s. ( <i>br.</i> )	Pteris-like.	C. B. S.	1775.	7. 9.	G. $\gamma$ .	Hout. n. hist. t. 96. f. 3.
4	<i>odora</i> . s.s. ( <i>br.</i> )	sweet-scented.	S. Europe.	1824.	—	F. $\gamma$ .	
5	<i>suavéolens</i> . s.s. ( <i>br.</i> )	scented.	Madeira.	1778.	—	G. $\gamma$ .	
6	<i>frágran</i> . s.s. ( <i>br.</i> )	fragrant.	E. Indies.	—	—	S. $\gamma$ .	Sw. syn. fil. t. 3. f. 6.
7	<i>micropylla</i> . s.s. ( <i>br.</i> )	small-leaved.	W. Indies.	1822.	5. 8.	S. $\gamma$ .	
8	<i>vestita</i> . s.s. ( <i>br.</i> )	clothed.	N. America.	1812.	7.	H. $\gamma$ .	Schkuhr fil. t. 124.
9	<i>hírta</i> . s. ( <i>br.</i> )	hairy.	C. B. S.	1816.	5. 8.	G. $\gamma$ .	
10	<i>lendigera</i> . s. ( <i>br.</i> )	chaffy.	S. America.	1822.	—	S. $\gamma$ .	
11	<i>tenuifólia</i> . B. ( <i>br.</i> )	slender-leaved.	N. S. W.	1824.	—	G. $\gamma$ .	
12	<i>spectábilis</i> . s.s. ( <i>br.</i> )	owey.	Brazil.	1829.	9. 12.	S. $\gamma$ .	
13	<i>repens</i> . s.s. ( <i>br.</i> )	weeping.	W. Indies.	1824.	6. 10.	S. $\gamma$ .	
<b>LOCHNITIS</b> . LOCHNITIS. Cryptogamia Filices. W.							
1	<i>pedata</i> . ( <i>br.</i> )	pedate.	Jamaica.	1793.	6. 8.	S. $\gamma$ .	Brown. jam. 89. t. 1.
2	<i>hirsuta</i> . s. ( <i>br.</i> )	hairy.	W. Indies.	—	....	S. $\gamma$ .	Schkuhr fil. t. 86.
<b>LINDSÆA</b> . LINDSÆA. Cryptogamia Filices. W.							
1	<i>renifólia</i> . ( <i>br.</i> )	kidney-leaved.	Trinidad.	1826.	5. 7.	S. $\gamma$ .	Linn. trans. v. 3. t. 7. f. 1.
2	<i>lineáris</i> . ( <i>br.</i> )	linear-leaved.	N. S. W.	1820.	4. 6.	G. $\gamma$ .	Sw. fil. 118. t. 3. f. 3.
3	<i>falcata</i> . L.T. ( <i>br.</i> )	sickle-leaved.	—	1824.	5. 8.	S. $\gamma$ .	Linn. trans. v. 3. t. 7. f. 1.
4	<i>trapezifórmis</i> . L.T. ( <i>br.</i> )	trapezoid-leaved.	W. Indies.	1825.	—	S. $\gamma$ .	— v. 3. t. 9.
5	<i>microphylla</i> . B.P. ( <i>br.</i> )	small-leaved.	N. S. W.	1820.	4. 6.	G. $\gamma$ .	
<b>DAVALLIA</b> . DAVALLIA. Cryptogamia Filices. W.							
1	<i>pyxidáta</i> . B.P. ( <i>ye.</i> )	box-shaped.	N. S. W.	1808.	4. 9.	G. $\gamma$ .	
2	<i>canariénsis</i> . w. ( <i>ye.</i> )	Hare-foot fern.	Canaries.	1699.	—	G. $\gamma$ .	Jacq. ic. 1. t. 200.
3	<i>gibberosa</i> . s.s. ( <i>br. ye.</i> )	gibbous-flowered.	N. Zealand.	1825.	—	G. $\gamma$ .	Swt. flor. aust. t. 31.
4	<i>fumarioides</i> . s.s. ( <i>br. ye.</i> )	Fumitory-like.	W. Indies.	1828.	6. 10.	S. $\gamma$ .	
5	<i>flaccida</i> . B.P. ( <i>br. ye.</i> )	flaccid.	N. Holland.	1826.	—	G. $\gamma$ .	
<b>BALANTHIUM</b> . K.F. BALANTHIUM. Cryptogamia Filices.							
	<i>Cúlcita</i> . K.S. ( <i>br. ye.</i> )	shining-leaved.	Madeira.	1779.	9. 10.	F. $\gamma$ .	
	<i>Dicksônia Cúlcita</i> . w. ( <i>br.</i> )	—	—	—	—	—	
<b>DICKSONIA</b> . DICKSONIA. Cryptogamia Filices. W.							
1	<i>pilosúscula</i> . w. ( <i>br. ye.</i> )	hairy.	N. America.	1811.	7. 9.	H. $\gamma$ .	Schkuhr fil. t. 131.
2	<i>arboréscens</i> . w. ( <i>br. ye.</i> )	tree.	S. Helena.	1786.	6. 12.	S. $\gamma$ .	Jacq. ic. t. 201.
3	<i>dissécta</i> . w. ( <i>br. ye.</i> )	cut-leaved.	Jamaica.	1793.	9. 10.	S. $\gamma$ .	
4	<i>adiantoides</i> . s.s. ( <i>br. st.</i> )	Adiantum-like.	W. Indies.	1828.	8. 12.	S. $\gamma$ .	
<b>CYATHEA</b> . B.P. CYATHEA. Cryptogamia Filices. W.							
1	<i>arborea</i> . w. ( <i>br. ye.</i> )	tree.	W. Indies.	1793.	....	S. $\gamma$ .	Plum. fil. 1. t. 1. 2.
2	<i>excélsa</i> . s.s. ( <i>br. ye.</i> )	tall.	Mauritius.	1825.	....	S. $\gamma$ .	
<b>ALSO'PHILA</b> . B.P. ALSO'PHILA. Cryptogamia Filices.							
1	<i>austrális</i> . B.P. ( <i>br. st.</i> )	southern.	N. S. W.	1820.	....	G. $\gamma$ .	
2	<i>áspera</i> . s.s. ( <i>br. ye.</i> )	rough.	W. Indies.	1824.	....	S. $\gamma$ .	
<b>HEMITELIA</b> . B.P. HEMITELIA. Cryptogamia Filices.							
	<i>multiflóra</i> . s.s. ( <i>br. ye.</i> )	many-flowered.	Jamaica.	1824.	....	S. $\gamma$ .	
<b>TRICHOMANES</b> . W. TRICHOMANES. Cryptogamia Filices. W.							
1	<i>membranaceum</i> . w. ( <i>br.</i> )	membranaceous.	W. Indies.	1820.	5. 8.	S. $\gamma$ .	Hook. ex. flor. t. 76.
2	<i>floribándum</i> . s.s. ( <i>br. ye.</i> )	many-flowered.	—	1825.	—	S. $\gamma$ .	H. et G. ic. fil. t. 9.
3	<i>brevistylum</i> . H.K. ( <i>br. ye.</i> )	short-styled.	Britain.	....	5. 6.	H. $\gamma$ .	Eng. bot. v. 20. t. 1417
	<i>Hymenophyllum alátum</i> . E.B. ( <i>br.</i> )	—	—	—	—	—	
4	<i>alátum</i> . s.s. ( <i>br. ye.</i> )	wing-leaved.	W. Indies.	1824.	—	S. $\gamma$ .	H. et G. ic. fil. t. 11.
5	<i>crispum</i> . s.s. ( <i>br. ye.</i> )	curled.	—	1828.	—	S. $\gamma$ .	— ic. fil. t. 12.
<b>HYMENOPHYLLUM</b> . FILMY-LEAF. Cryptogamia Filices. W.							
1	<i>polyánthos</i> . s.s. ( <i>br. ye.</i> )	many-flowered.	W. Indies.	1824.	6. 9.	S. $\gamma$ .	H. et G. ic. fil. t. 128.
2	<i>tunbridgense</i> . w. ( <i>br.</i> )	Tunbridge.	Britain.	....	5. 6.	H. $\gamma$ .	Eng. bot. v. 3. t. 162.
3	<i>hirsútum</i> . s.s. ( <i>br. ye.</i> )	hairy.	Trinidad.	1823.	5. 9.	S. $\gamma$ .	H. et G. ic. fil. t. 84.

# ADDENDA et CORRIGENDA.

## RANUNCULACEÆ. p. 1.

CLEMATIS. p. 1.	VIRGIN'S BOWER.				
grandiflora. p. 1. (gr.)	large-flowered.	Sierra Leone. 1822.	7. 9.	S. ̄. ∪.	Bot. reg. t. 1234.
chlorantha. B. Reg.					
43 viornoides. Jac. (li.)	Viorna-like.	N. America. 1826.	6. 9.	H. ̄. ∪.	
ANEMONE. p. 3.	ANEMONE.				
26 Richardsonsii. H.A. (ye.)	Richardson's.	N. America. 1827.	4. 7.	H. ̄. ∪.	Hook. fl. b. am. t. 4. A.
27 deltoidea. H.A. (wh.)	deltoid.	Columbia. —	—	H. ̄. ∪.	— t. 3. A.
RANUNCULUS. p. 4.	CROWFOOT.				
98 rhomboideus. H.A. (ye.)	rhomboid-leaf'd.	N. America. 1825.	5. 6.	H. ̄. ∪.	Edin. phi. jou. 6. t. 11. f. 1.
99 glaberrimus. H.A. (ye.)	smoothest.	— 1827.	—	H. ̄. ∪.	Hook. fl. b. am. t. 5. A.
100 ovalis. H.A. (ye.)	oval-leaved.	—	—	H. ̄. ∪.	— t. 6. B.
101 brevicaulis. H.A. (ye.)	short-stalked.	—	—	H. ̄. ∪.	— t. 7. A.
102 cardiophyllus. H.A. (y.)	heart-leaved.	—	—	H. ̄. ∪.	Bot. mag. t. 2999.
103 pygmaeus. DC. (ye.)	pygmy.	—	—	H. ̄. ∪.	Wahl. lapp. t. 8. f. 1.
104 Eschscholtzii. H.A. (ye.)	Eschscholtz's.	—	—	H. ̄. ∪.	
105 pedatifidus. DC. (ye.)	pedatifid.	—	—	H. ̄. ∪.	
106 recurvatus. DC. (ye.)	recurved.	—	—	H. ̄. ∪.	
107 Schlechtendalii. H.A. (ye.)	Schlechtendahl's.	—	—	H. ̄. ∪.	Schlec. an. s. 2. t. 2.
fascicularis. Schlec. non Muhl.					
CALTHA. p. 7.	MARSH MARYGOLD.				
9 biflora. H.A. (wh.)	two-flowered.	N. America. 1827.	5. 7.	H. w. ̄. ∪.	
10 leptosepala. H.A. (wh.)	slender-sepaled.	—	—	H. w. ̄. ∪.	Hook. fl. b. am. t. 10.
COPTIS. p. 7.	COPTIS.				
2 asplenifolia. H.A. (wh.)	Fern-leaved.	N. America. 1827.	6. 7.	H. ̄. ∪.	Hook. fl. b. am. t. 11.
ACONITUM. p. 9.	MONKSHOOD.				
129 Nuttallii. (pa.)	Nuttall's.	N. America. 1828.	7. 8.	H. ̄. ∪.	
pallidum. N. non R.A.					
130 glabrum. DC. (pa.)	smooth.	..... 1829.	—	H. ̄. ∪.	

## DILLENiaceÆ. p. 12.

TRACHYTELLA. DC.	TRACHYTELLA.	Polyandria Monogynia.			
Actæa. DC. (wh.)	spear-leaved.	China. 1826.	6. 8.	H. ̄. ∪.	

## MAGNOLIACEÆ. p. 13.

TALUMA. DC.	TALUMA.	Polyandria Polygynia.			
Candollii. Bl. (st.)	De Candolle's.	Java. 1827.	4. 6.	S. ̄. ∪.	Blum. pl. jav. c. ic.
Magnolia odoratissima. Hort.					

## BERBERIDEÆ. p. 16.

BERBERIS. p. 16.	BARBERRY.				
19 caroliniana. N. (ye.)	Carolina.	Carolina. 1828.	5. 7.	H. ̄. ∪.	
20 crataegina. DC. (ye.)	Hawthorn-like.	Levant. 1829.	...	H. ̄. ∪.	
21 glumacea. DC. (ye.)	glumaceous.	N. America. 1827.	...	H. ̄. ∪.	
A'CHLYS. DC.	A'CHLYS.	Polyandria Monogynia.			
triphyllo. DC. (wh.)	three-leaved.	N. America. 1827.	4. 6.	H. ̄. ∪.	Hook. fl. b. am. t. 12.
EPIMEDIUM. p. 16.	BARENWORT.				
2 hexandrum. H.A. (li.)	hexandrous.	N. America. 1827.	4. 5.	H. ̄. ∪.	Hook. fl. b. am. t. 13.

## NYPHÆACEÆ. p. 17.

NYPHÆA. p. 17.	WATER-LILY.				
odorata. p. 18.	sweet-scented.	N. America.			
β maxima. n.	(wh.) largest.	—————	1828.	7. 8.	H.w. 2.
20 sanguinea. n.	(re.) bloody.	—————	—————	—————	H.w. 2.
N'UPHAR. p. 18.	N'UPHAR.				
advēna. p. 18.	striped-flowered.	N. America.			
β lutea. n.	(ye.) yellow-flowered.	—————	1828.	—	H.w. 2.

## SARRACENIÆ. p. 18.

SARRACENIA. p. 18.	SIDE-SADDLE-FLOWER.				
1 minor. n.	(pu.) small.	Carolina.	1829.	6. 7.	H. 2. Swt. br. fl. gar. s. 2.

## PAPAVERACEÆ. p. 18.

ARGEMONE. p. 19.	ARGEM'ONE.				
5 intermedia.	(wh.) intermediate.	Mexico.	1828.	7. 10.	H. 2.
SANGUINARIA. p. 19.	PUCCOON.				
2 grandiflora. Ros.	(wh.) large-flowered.	N. America.	1812.	3. 5.	H. 2. Rosc. flor. ill. sea. t. 8.
RŒM'ERIA. p. 19.	RŒM'ERIA.				
vermiculata. Lehm.	(re.) red-flowered.	Persia.	1829.	6. 9.	H. 2.
GLA'UCIUM. p. 19.	HORN POPPY.				
5 rubrum. DC.	(re.) red-flowered.	Levant.	—	—	H. 2. Flor. græc. t. 488.
6 persicum. DC.	(re.ve.) red and velvet.	Persia.	—	—	H. 2.

## CRUCIFERÆ. p. 21.

NASTURTIUM. p. 22.	NASTURTIUM.				
1 natans. DC.	(st.) floating.	N. America.	1827.	5. 9.	H.w. 2. Deles. ic. sel. 2. t. 15.
BRA'YA. p. 22.	BRA'YA.				
3 pilosa. H.A.	(pu.) hairy.	N. America.	—	4. 6.	H. 2. Hook. fl. b. am. t. 17. f. A.
ARABIS. p. 22.	WALL-CRESS.				
47 retrofracta. Gr.	(bh.) bending.	N. America.	—	4. 7.	H. 2.
	<i>Turritis retrofracta.</i> H.A.				
48 patula. W.K.	(pu.) spreading.	Hungary.	—	—	H. 2. W. et K. hung. 1. t. 59.
49 lævigata. DC.	(wh.) smooth.	N. America.	—	—	H. 2.
MACRŒPODIUM. p. 2.	MACRŒPODIUM.				
2 laciniatum. H.A.	(wh.) cut-leaved.	N. America.	—	6. 9.	H. 2. Hook. bot. mis. p. III. ic
PA'RRYA. p. 24.	PA'RRYA.				
3 macrocarpa. Br.	(pu.) large-podded.	N. America.	—	5. 6.	H. 2. Hook. fl. b. am. t. 15.
DR'ABA. p. 25.	WHILLOW-GRASS.				
35 crassifolia. Gr.	(ye.) thick-leaved.	N. America.	—	4. 5.	H. 2.
ERY'SIMUM. p. 30.	ERY'SIMUM.				
crepidifolium. S.S.	(ye.) Crepis-leaved.	N. America.	1829.	5. 6.	H. 2.
ÆTHION'EMA. p. 32.	ÆTHION'EMA.				
5 membranaceum. DC.	(li.) membranous-podded.	Persia.	—	6. 8.	H. 2. Swt. br. fl. gar. s. 2. t. 69.
SIN'APIS. p. 34.	MUSTARD.				
30 amplexicaulis. DC.	(ye.) stem-clasping.	Algiers.	—	6. 9.	H. 2. Desf. atl. 2. t. 153.

## CAPPARIDEÆ. p. 37.

CLE'OME. p. 37.	CLE'OME.				
20 speciosissima. B.R.	(pu.) pretty.	Mexico.	1827.	8. 11.	H. 2. Bot. reg. t. 1312.
CA'PPARIS. p. 38.	CAPER-TREE.				
acutifolia.	(wh.) sharp-pointed.	S. America.	—	6. 8.	S. 2. Bot. reg. t. 1320.
acuminata. Bot. reg.	nec aliorum.				

## VIOLARIEÆ. p. 43.

VIOLA. p. 43.	VIOLET.				
89 pedatifida. G.D. (bl.) pedatifid.		N. America.	1827.	5. 7.	H. 2.
90 attenuata. B.F.G. (wh.) attenuated.		—————	1812.	4. 8.	H. 2.
<i>lanceolata</i> . Pursh et Nuttall non Lin.					Swt. br. fl. gar. s. 2.
91 præmorsa. B.R. (ye.) bitten-rooted.		—————	1827.	4. 6.	H. 2.
HYMENANTHERA. DC. HYMENANTHERA. Monadelphia Pentandria.					Bot. reg. t. 1254.
<i>dentata</i> . DC. (ye.) toothed.		N. S. W.	1822.	3. 5.	G. 2.

## POLYGALÆ. p. 46.

POLYGALA. p. 46.	MILKWORT.				
42 rubella. Ph. (ro.) pale red.		N. America.	1828.	6. 7.	H. 2.

## FRANKENIACEÆ. p. 48.

FRANKENIA. p. 48.	SEA HEATH.				
9 corymbosa. DC. (ro.) corymb-flowered.	Barbary.	1829.	6. 8.	F. 2.	Desf. atl. 1. t. 93.

## CARYOPHYLLÆ. p. 48.

DIA'NTHUS. p. 49.	PINK.				
97 ciliatus. Lehm. (pi.) fringed.		.....	1829.	6. 8.	H. 2.
98 siculus. s.s. (pi.) Sicilian.		Sicily.	—	—	H. 2.
AREN'ARIA. p. 56.	SANDWORT.				
68 glomerata. DC. (wh.) close-headed.	Tauria.	1829.	7. 9.	H. 2.	☉
SPERG'ULA. p. 55.	SPURREY.				
9 pilifera. DC. (wh.) piliferous.	Corsica.	1829.	6. 8.	H. 2.	

## LINEÆ. p. 58.

L'INUM. p. 58.	FLAX.				
41 altaicum. F. (bl.) Altay.		Altay.	1829.	6. 8.	H. 2.

## MALVACEÆ.

MA'LV. p. 59.	MALLOW.				
72 Munroana. B.R. (sc.) Munro's.		N. America.	1827.	5. 10.	H. 2.
HIBI'SCUS. p. 61.	HIBI'SCUS.				
86 Telfairia. (va.) Mrs. Telfair's.	Hybrid.	1825.	1. 12.	S. 2.	
<i>a roseus</i> . (ro.) rose-coloured.		—	—	S. 2.	Bot. mag. t. 2891.
<i>β lilacinus</i> . (li.) pink.		—	—	S. 2.	
<i>γ carneus</i> . (fl.) flesh-coloured.		—	—	S. 2.	
<i>δ fulvescens</i> . (bf.) buff-coloured.		—	—	S. 2.	
<i>ε ochroleucus</i> . (st.) straw-coloured.		—	—	S. 2.	
S'IDA. p. 63.	S'IDA.				
59 repanda. DC. (st.) repanded.		.....	1829.	6. 8.	S. 2.

## BUTTNERIACEÆ. p. 66.

RE'EVESIA. B.R.	RE'EVESIA. Polyadelphia Polyandria.				
<i>thyrsoides</i> . B.R. (wh.) thyrses-flowered.	China.	1818.	1. 7.	G. 2.	Bot. reg. t. 1236.
STERC'ULIA. p. 66.	STERC'ULIA.				
16 lanceolata. B.R. (br.) spear-leaved.	—————	1822.	5. 6.	G. 2.	Bot. reg. t. 1256.
DOMB'EYA. p. 69.	DOMB'EYA.				
4 angulata. DC. (ro.) angle-leaved.	Mauritius.	1826.	4. 8.	S. 2.	Bot. mag. t. 2905.

## HYPERICINEÆ. p. 76.

HYPERICUM. p. 76. ST. JOHN'S-WORT.  
77 Geblèri. Led. (ye.) Gebler's. Altay. 1829. 6. 8. H. h.

## GUTTIFERÆ. p. 78.

GARCINIA. p. 78. GARCINIA.  
5 purpùrea. H.B. (pu.) purple. E. Indies. 1828. .... S. h.

## GERANIACEÆ. p. 88.

PHYMATA'NTHUS. p. 89. WART-FLOWER.  
6 intertinctus. s.g. (re. v. v.) stained. Hybrid. 1827. 2. 10. G. h. Swt. ger. ser. 2. t. 54.  
PELARGONIUM. p. 92. STORK'S-BILL.  
504 nodosum. s.g. (cr. v.) knotted-stalked. Hybrid. 1824. 4. 11. G. h. Swt. ger. ser. 2. t. 68.  
505 bipinnatifidum. s.g. (pu.) bipinnatifid. 1827. — G. h. — ser. 2. t. 62.  
506 Darnleyanum. s.g. (cr.) Earl of Darnley's. 1826. — G. h. — ser. 2. t. 63.  
507 pullaceum. s.g. (sc. v.) dark brown. 1827. 5. 10. G. h. — ser. 2. t. 76.  
508 contiguum. s.g. (sc.) contiguous. 1828. — G. h. — ser. 2. t. 73.  
509 iconicum. s.g. (sc. bk.) figured. — — G. h. — ser. 2. t. 88.  
510 Bluntianum. s.g. (sc. ve.) Miss Blunt's. — — G. h. — ser. 2. t. 79.  
511 eriophorum. s.g. (sc. ve.) wool-bearing. — — G. h. — ser. 2. t. 90.  
512 obtusidentatum. s.g. (sc.) blunt-toothed. — — G. h. — ser. 2. t. 92.  
513 melancholicum. s.g. (sc. ve.) dark-edged. 1827. — G. h. — ser. 2. t. 53.  
514 Spéculum. s.g. (re. ve.) looking-glass. — — G. h. — ser. 2. t. 52.  
515 anacampton. s.g. (re. ve.) recurved-calyx'd. — — G. h. — ser. 2. t. 64.  
516 Peytonia. s.g. (re. ve.) Lady Peyton's. — — G. h. — ser. 2. t. 46.  
517 ursinum. s.g. (re.) shaggy-calyxed. 1828. — G. h. — ser. 2. t. 94.  
518 suffusum. s.g. (pi. re.) suffused. 1827. — G. h. — ser. 2. t. 47.  
519 laxulum. s.g. (ro. ve.) loose-umbelled. 1828. — G. h. — ser. 2. t. 75.  
520 conchylatum. s.g. (vi. ve.) violet-purple. — — G. h. — ser. 2. t. 95.  
521 porphyreon. s.g. (pu.) bright-purple. — — G. h. — ser. 2. t. 89.  
522 mollifolium. s.g. (pi. ve.) soft-leaved. 1827. — G. h. — ser. 2. t. 77.  
523 Colleyanum. s.g. (pu.) Colley's. 1828. — G. h. — ser. 2. t. 83.  
524 Littleanum. s.g. (pu. li.) Little's. 1827. — G. h. — ser. 2. t. 72.  
525 dædaleum. s.g. (pi. re.) variable-coloured. — — G. h. — ser. 2. t. 100.  
526 Veitchianum. s.g. (pu.) Veitch's. — — G. h. — ser. 2. t. 81.  
527 implicatum. s.g. (pu.) implicated. — — G. h. — ser. 2. t. 86.  
528 insculptum. s.g. (li. pu.) engraved-petal'd. 1828. — G. h. — ser. 2. t. 65.  
529 lanosum. s.g. (li. ve.) wool-bearing. — — G. h. — ser. 2. t. 84.  
530 flabellifolium. s.g. (std.) fan-leaved. — — G. h. — ser. 2. t. 48.  
531 cordiforme. s.g. (bh. pu.) heart-shaped. 1827. — G. h. — ser. 2. t. 49.  
532 præclarum. s.g. (wh. pu.) clear-coloured. — — G. h. — ser. 2. t. 67.  
533 clathratum. s.g. (pi. ve.) burred-petaled. — — G. h. — ser. 2. t. 85.  
534 instratum. s.g. (wh. ve.) spreading-spotted. 1828. — G. h. — ser. 2. t. 78.  
535 Yeatmanianum. s.g. (pu. ve.) Miss Yeatman's. 1827. — G. h. — ser. 2. t. 59.  
536 mirabile. s.g. (li. ve.) admirable. — — G. h. — ser. 2. t. 57.  
537 lautum. s.g. (pi. pu.) genteel. — — G. h. — ser. 2. t. 91.  
538 commixtum. s.g. (re. ve.) mingled. — — G. h. — ser. 2. t. 71.  
539 compactum. s.g. (bh. re.) compact. 1828. — G. h. — ser. 2. t. 70.  
540 exquisitum. s.g. (wh. pu.) dainty-flowered. 1824. — G. h. — ser. 2. t. 55.  
541 politum. s.g. (bh. re.) polished. 1827. — G. h. — ser. 2. t. 87.  
542 Atkinsianum. s.g. (bh. pu.) Mr. Atkins's. 1828. — G. h. — ser. 2. t. 99.  
543 atrovirens. s.g. (bh. pu.) dark green-leav'd. 1827. — G. h. — ser. 2. t. 74.  
544 adventitium. s.g. (pu. ve.) adventitious. 1826. — G. h. — ser. 2. t. 80.  
545 peramplum. s.g. (li.) very large-flower'd. — — G. h. — ser. 2. t. 61.  
546 glabræscens. s.g. (w. pu.) smoothish-leav'd. 1824. — G. h. — ser. 2. t. 45.  
547 Hillianum. s.g. (w. pu.) Hill's. 1828. — G. h. — ser. 2. t. 51.  
548 pallidulum. s.g. (pi.) pale pink. — — G. h. — ser. 2. t. 97.  
549 urbanum. s.g. (pi.) home bred. — — G. h. — ser. 2. t. 50.  
550 dissimile. s.g. (re. l. ve.) dissimilar. — — G. h. — ser. 2. t. 60.  
551 fastuosum. s.g. (re. ve.) fastuous. — — G. h. — ser. 2. t. 93.  
552 succulentum. s.g. (sc. ve.) succulent-leav'd. 1827. — G. h. — ser. 2. t. 69.  
553 Drakeæ. s.g. (cr. ve.) Mrs. Drake's. 1828. — G. h. — ser. 2. t. 96.

554	Annesleyànum. s. g. ( <i>re. ve.</i> ) Miss Annesley's Hybrid.	1828.	5. 10.	G. h.	Swt. ger. ser. 2. t. 56.
555	Gloriànum. s. g. ( <i>cr. ve.</i> ) Queen of Portugal's.	—	—	G. h.	— ser. 2. t. 82.
556	Kenrickæ. s. g. ( <i>re. ve.</i> ) Mrs. Kenrick's.	—	—	G. h.	— ser. 2. t. 58.
557	nùtans. s. g. ( <i>sc. ve.</i> ) nodding-flowered.	1827.	—	G. h.	— ser. 2. t. 66.
558	Sweetiànum. Sm. ( <i>cr. ve.</i> ) Sweet's.	1829.	—	G. h.	—
559	staphysagroides. s. g. ( <i>pu.</i> ) Stavesacre-ld. C. B. S.	1827.	—	G. h.	Swt. ger. ser. 2. t. 98.

## BALSAMINEÆ. p. 101.

IMPATIENS. p. 102.	TOUCH-ME-NOT.				
pállida. p. 102.	pale-flowered. N. America.	1812.	6. 10.	H. ⊙.	Eng. bot. v. 14. t. 937.
Nòli-tàngere. E. B. <i>nec aliorum.</i>					
7 boreàlis. ( <i>ye.</i> ) northern.	Denmark.	....	—	H. ⊙.	Flor. dan. t. 582.
Nòli-tàngere. F. D. <i>non L.</i>					
Nòli-tàngere. L. ( <i>y. re.</i> ) English.	England.	....	—	H. ⊙.	

## OXALIDEÆ. p. 102.

O'XALIS. p. 102.	WOOD-SORREL.				
113 tortuòsa. B. R. ( <i>ye.</i> ) twisted.	Chile.	1825.	6. 8.	G. h.	Bot. reg. t. 1249.
114 floribúnda. Leh. ( <i>ro.</i> ) many-flowered.	Brazil.	1829.	4. 9.	F. 2.	Swt. br. fl. gar. s. 2.
úrlica. Hil. ( <i>li.</i> ) Martius's.	—	1828.	5. 9.	F. 2.	
Martiàna. Zuc. p. 102.	ex S. S. Lodd. bot. cab. ic.				

## ZYGOPHYLLEÆ. p. 104.

LA'RREA. p. 104.	LA'RREA.				
2 divaricàta. DC. ( <i>ye.</i> ) spreading-lobed.	Buenos Ayres.	1829.	6. 9.	G. h.	Cavan. icon. 6. t. 560. f. 1.

## RUTACEÆ. p. 105.

APLOPHY'LLUM. p. 105.	APLOPHY'LLUM.				
patavina, tuberculàta, villòsa, linifòlia et dahùrica, lege patavinum, tuberculàtum, villòsum, linifòlium, et dahùricum.					
9 Buxbàumii. J. R. ( <i>ye.</i> ) Buxbaum's.	Levant.	1828.	6. 8.	H. 2.	Buxb. cent. 2. t. 28. f. 2.
Rùta Buxbàumii. DC.					
DICTA'MNUS. p. 105.	FRAXINELLA.				
3 angustifolius. S. F. G. ( <i>pu.</i> ) narrow-leaved.	Siberia.	1829.	5. 7.	H. 2.	Swt. br. fl. gar. ser. 2.

## CELASTRINEÆ. p. 109.

EUO'NYMUS. p. 109.	SPINDLE-TREE.				
16 nànus. DC. ( <i>st.</i> ) dwarf.	Caucasus.	1829.	5. 7.	H. h.	
17 gróssus. F. I. ( <i>wh.</i> ) large.	Nepaul.	1828.	6. 8.	F. h.	

## RHAMNEÆ. p. 112.

TRAV'OA. H. M.	TRAV'OA. Pentandria Monogynia.				
quinquenérvia. H. M. ( <i>w.</i> ) five-nerved.	Chile.	1827.	5. 7.	F. h.	

## HOMALINEÆ. p. 116.

BLACKWE'LLIA. p. 11.	BLACKWE'LLIA.				
7 padifòlia. B. R. ( <i>wh.</i> ) Padus-leaved.	China.	1826.	8. 9.	G. h.	Bot. reg. t. 1305.

## CASSUVIEÆ. p. 117.

MELANORRH'CEA. W. MELANORRH'CEA. Polygamia Diccia.					
usitàta. W. I. ( <i>re.</i> ) useful.	E. Indies.	1828.	....	S. h.	Wall. ind. pl. t. 11. 12.
HOLIG'A'RNA. DC. HOLIG'A'RNA. Polygamia Monœcia.					
longifòlia. DC. ( <i>wh.</i> ) long-leaved.	E. Indies.	1828.	....	S. h.	Roxb. corom. 3. t. 282.

## BURSERACEÆ. p. 120.

IC'ICA. DC.	IC'ICA. Octo-Decandria Monogynia.				
1 enneándria. DC. (wh.)	nine-stamened.	Guiana.	1825.	.... S. h.	Aubl. guian. 1. t. 134.
2 decándra. DC. (wh.)	ten-stamened.	————	————	.... S. h.	
3 altíssima. DC. (wh.)	tallest.	————	1822.	.... S. h.	Aubl. guian. 1. t. 132.

## LEGUMINOSÆ. p. 122.

## Subordo I. PAPILIONACEÆ.

S'OPHORA. p. 122.	S'OPHORA.				
12 velutina. B.R. (pu.)	velvetty.	China.	1826.	6. 7. G. h.	Bot. reg. t. 1185.
BAPTISIA. p. 123.	BAPTISIA.				
10 minor. Lehm. (bl.)	lesser.	N. America.	....	6. 7. H. 2.	
ANTHYLLIS. p. 132.	KIDNEY-VETCH.				
22 polycéphala. DC. (ye.)	many-headed.	Barbary.	1829.	6. 7. H. 2.	Desf. atl. 2. t. 195.
HOSA'CKIA. B.R.	HOSA'CKIA. Diadelphia Decandria.				
1 bicolor. B.R. (y.w.)	two-coloured.	N. America.	1823.	7. 9. H. 2.	Bot. reg. t. 1257.
	<i>Lótus pinnátus.</i>				Bot. mag. t. 2913.
2 Purshiana. B.R. (ye.)	Pursh's.	————	1827.	— H. 2.	
3 decúmbens. B.R. (ye.)	decumbent.	————	————	— H. 2.	
4 parviflora. B.R. (ye.)	small-flowered.	————	————	— H. 2.	
TEPHR'OSIA. p. 141.	TEPHR'OSIA.				
38 chinénsis. H.C. (li.)	Chinese.	China.	1822.	5. 8. G. h.	
ASTRAGALUS. p. 145.	MILK VETCH.				
120 succuléntus. B.R. (pu.)	succulent.	N. America.	1827.	6. 7. H. 2.	Bot. reg. t. 1324.
KENN'EDYA. p. 156.	KENN'EDYA.				
monophylla. p. 157.	simple-leaved.	N. S. W.	1790.	3. 8. G. h. ✓	Vent. malm. t. 106.
β longeracemósa. (pi.)	long-racemed.	————	1828.	— G. h. ✓	Bot. reg. t. 1336.
LUPINUS. p. 159.	LUPINE.				
34 pulchéllus. (bl.)	handsome.	Mexico.	—	6. 10. F. h.	Swt. br. fl. gar. s.2. t.67.

## Subordo III. MIMOSEÆ.

AC'ACIA. p. 164.	AC'ACIA.				
209 gravéolens. L.C. (ye.)	strong-scented.	N. Holland.	1825.	3. 5. G. h.	Lodd. bot. cab. t. 1460.
uncinata. p. 165. (st.)	hooked.	N. Holland.	1823.	8. 1. G. h.	Bot. reg. t. 1332.
210 álvida. B.R. (ye.)	white spiny.	Peru.	1824.	4. 6. G. h.	———— t. 1317.

## Subordo IV. CÆSALPINEÆ.

CASTANOCA'RPUS. MORETON BAY CHESTNUT. Decandria Monogynia.					
austrális. (wh.)	southern.	N. Holland.	1829.	.... G. h.	
CA'SSIA. p. 169.	CA'SSIA.				
116 brevifolia. DC. (ye.)	short-leaved.	Madagascar.	1824.	6. 7. S. h.	

## ROSACEÆ. p. 178.

R'UBUS. p. 187.	BRAMBLE AND RASPBERRY.				
85 flavus. D.P. (wh.)	yellow-fruited.	Nepaul.	1827.	.... F. h.	
86 setósus. DC. (wh.)	bristly-stalked.	N. America.	—	5. 7. H. h.	
87 nutkánus. DC. (wh.)	Nootka sound.	————	————	— H. h.	Swt. br. fl. gar. s. 2.
DR'YAS. p. 190.	DR'YAS.				
3 Drummondii. B.M. (ye.)	Drummond's.	————	—	4. 8. H. 2.	Bot. mag. t. 2972.
POTENTILLA. p. 190.	CINQUEFOIL.				
nívea. p. 190. (ye.)	snowy-leaved.	N. Europe.	1816.	6. 8. H. 2.	
β macrophylla. B.M. (y.)	large-leaved.	N. America.	1827.	— H. 2.	Bot. mag. t. 2982.
101 grácilis. B.M. (ye.)	slender.	————	————	— H. 2.	———— t. 2984.
102 Hopwoodiana. S.F.G. (ro.s.)	Hopwood's. Recto-formosa.	1829.	6. 9. H. 2.		Swt. br. fl. gar. s.2. t.61.

## COMBRETACEÆ. p. 195.

- POIVREA. p. 196. POIVREA.  
 6 Afzélii. D.D. (sc.) Afzelius's. Sierra Leone. 1824. 7. 10. S. h. ∪. Bot. mag. t. 2944.  
*Combrètum grandiflorum*. B.M. not G.D. in Linn. trans., which is a true *Combrètum*, with 8 stamens; we have adopted M. Decandolle's division of the genus, as Mr. Don informed us, he found the same distinctions as given by Decandolle, and was inclined to divide them himself, but afterwards arranged them in distinct sections, by which they might be readily divided, one genus having irregular convolute cotyledons, and the other straight plaited ones; this circumstance he mentioned to us before his paper was published, and before M. Decandolle's volume had arrived.

## VOCHYSIÆ. p. 197.

- QU'ALEA. M.P. QU'ALEA. Monandria Monogynia.  
 violæca. M.P. (vi.) violet-coloured. Brazil. 1824. .... S. h. Mart. pl. bras. 1. t. 81.  
 ERI'SMA. DC. ERI'SMA. Monandria Monogynia.  
 floribûnda. DC. (bl.) many-flowered. Guiana. 1825. .... S. h. Tratt. tab. t. 105.

## ONAGRARIÆ. p. 197.

- FU'CHSIA. p. 197. FU'CHSIA.  
 11 thymifolia. DC. (re.) Thyme-leaved. Mexico. 1829. 4. 10. F. h. Swt. br. fl. gar. s. 2. t. 25.

## MELASTOMACEÆ. p. 203.

- PLER'OMA. p. 204. PLER'OMA.  
 3? villôsum. DC. (pu.) villous. S. America. 1820. 5. 10. S. h. Bot. mag. t. 2630.  
*Melastoma villôsa*. B.M.

## PASSIFLOREÆ. p. 216.

- PASSIFL'ORA. p. 216. PASSION-FLOWER.  
 65 Cavanillêsii. DC. (co.) Cavanille's. W. Indies. 1822. 7. 10. S. h. ∪. Cavan. dis. 10. t. 273.  
 66 pûlchra. H.B.R. (pu.) pretty. St. Vincent. 1823. — S. h. ∪.  
 67 Raddiâna. DC. (st. pu.) Raddi's. Brazil. 1829. — S. h. ∪.  
 68 cephaleîma. DC. .... crowded-leaved. — 1826. .... S. h. ∪. Bory. an. gen. 2. t. 22. f. 2.  
 69 obscura. H.C. (gr. st.) obscure. S. America. 1823. 2. 10. S. h. ∪.

## CACTEÆ. p. 235.

- MAMMILL'ARIA. p. 235. MAMMILL'ARIA.  
 23 fulvispina. H.P. (re.) brown-spined. Brazil. 1822. 8. 10. D.S. h̄.  
 24 pûlchra. H.B.R. (pu.) pretty. Mexico. 1828. 6. 10. D.S. h̄. Bot. reg. t. 1329.  
 25 deprêssa. DC. (wh. re.) depressed. S. America. 1800. 6. 8. D.S. h̄. DC. diss. t. 2. f. 2.  
 discolor. DC. dis. non Haw. *Spinii*. Colla hort. rip. ic.  
 24 discolor. H.S. (wh. re.) two-coloured. S. America. — — D.S. h̄.  
 26 stel'hâris. H.S. (ro.) starry. — 1816. 6. 9. D.S. h̄. Lodd. bot. cab. t. 79.  
 non pusilla. DC. ex. H.P.  
 ECHINOCA'CTUS. p. 235. ECHINOCA'CTUS.  
 22 cornîgerus. DC. (wh.) horn-spined. Mexico. 1830. 6. 9. D.S. h̄. DC. diss. cact. t. 7.  
 23 nôbilis. H.P. (wh.) noble. — 1796. — D.S. h̄.  
 24 Hy'strix. H.P. (wh.) Porcupine. S. America. 1818. — D.S. h̄.  
 C'EREUS. p. 236. C'EREUS.  
 74 mágnus. H.P. (wh.) great 12-angled. St. Domingo. 1830. 6. 10. D.S. h̄.  
 75 fêrox. H.P. (wh.) fierce upright. Brazil. 1828. — D.S. h̄.  
 76 Æ'thiops. H.P. (wh.) black-spined. — — D.S. h̄.  
 77 setîger. H.P. .... small quadrangular. — 1826. .... D.S. h̄.  
 78 undâtus. H.P. .... triangular China. China. 1824. .... D.S. h̄.  
 79 crispâtus. H.P. .... curly-edged. Brazil. 1826. .... D.S. h̄.  
 80 Colvillii. (ro.) Colvill's. Grandiflora-speciosissimus. — D.S. h̄.

OPUNTIA. p. 237.		INDIAN FIG.					
38 longispina. H.P.	(ye.) long-spined.	Brazil.	1826.	6. 10.	D.S. ♀.		
39 glomerata. H.P.	(ye.) long flat-spined.	_____	_____	_____	D.S. ♀.		
40 rosea. DC.	(ro.) rose-coloured.	Mexico.	1830.	....	D.S. ♀.	DC. diss. cact. t. 15.	
41 imbricata. DC.	(ro.) imbricated.	S. America.	1820.	....	D.S. ♀.		
<i>Cereus imbricatus</i> . p. 237.							
42 cylindrica. DC.	(ro.) cylindrical.	Peru.	1779.	....	D.S. ♀.		
<i>Cereus cylindricus</i> . p. 237.							
RHIPS'ALIS. p. 238.		RHIPS'ALIS.					
8 cereuscula. H.P.	.... Cereus-like.	Brazil.	1828.	....	D.S. ♀.		

## GROSSULARIÆ. p. 238.

RIBES. p. 238.		CURRANT AND GOOSEBERRY.					
45 punctatum. DC.	(st.) spotted.	Chile.	1825.	3. 5.	H. ♀.	Bot. reg. t. 1278.	

## ESCALLONEÆ. p. 239.

ESCALL'ONIA. p. 239.		ESCALL'ONIA.					
5 bifida. Ot.	(pi.) bifid.	Mexico.	1827.	....	F. ♀.		
6 viscosa. Ot.	(wh.) viscous.	Mendoza.	1829.	....	G. ♀.		

## SAXIFRAGEÆ. p. 239.

SAXIFRAGA. p. 239.		SAXIFRAGE.					
102 spicata. L.T.	(sp.) spiked.	N. America.	1827.	5. 6.	H. ♀.		
103 arguta. L.T.	(sp.) deep-notched.	_____	_____	_____	H. ♀.		
104 nudicaulis. L.T.	(wh.) naked-stalked.	_____	_____	_____	H. ♀.		
105 ferruginea. Gr.	(wh.) ferruginous.	_____	_____	_____	H. ♀.		
106 pyrolifolia. L.T.	(wh.) Pyrola-leaved.	_____	_____	_____	H. ♀.		
107 tricuspidata. L.T.	(ye.) three-pointed.	Greenland.	1827.	_____	H. ♀.		
HEUCH'ERA. p. 242.		HEUCH'ERA.					
1 micrantha. B.R.	(gr.) small-flowered.	Columbia.	_____	6. 7.	H. ♀.	Bot. reg. t. 1302.	
2 Richardsoni. D.	(gr.) Richardson's.	N. America.	_____	_____	H. ♀.		
TIARE'LLA. p. 242.		TIARE'LLA.					
5 colorans. Gr.	(wh.) coloured.	N. America.	_____	4. 6.	H. ♀.		
MITE'LLA. p. 242.		MITE'LLA.					
5 trifida. Gr.	(wh.) trifid.	N. America.	_____	5. 7.	H. ♀.		
DRUMMO'NDIA. DC.		DRUMMO'NDIA.					
<i>Mitella pentandra</i> . Bot. mag. t. 2933.							

## UMBELLIFERÆ. p. 243.

ERYNGIUM. p. 244.		ERYNGO. Pentandria Digynia.					
36 Andersoni. L.G.	(bl.) Anderson's.	.....	....	8. 9.	H. ♀.		
DISCOPL'URA. p. 245.		DISCOPL'URA.					
2 capillacea. DC.	(wh.) capillary.	N. America.	1824.	7. 9.	H. ♂.		
<i>Anmi capillaceum</i> . M.							
FER'ULA. p. 250.		GIANT-FENNEL.					
21 linearis. Cerv.	(ye.) linear-leaved.	Mexico.	1828.	8. 10.	F. ♀.		
ANTHRYS'CUS. p. 254.		ROUGH CHERVILL.					
9 torquata. DC.	(wh.) twisted.	France.	1726.	6. 7.	H. ♂.	Jacq. aust. 1. t. 63.	
<i>Charophyllum bulbosum</i> . Jacq.							
ARPI'TIUM. Neck.		ARPI'TIUM. Pentandria Digynia.					
simplex.	(wh.) simple-stalked.	Switzerland.	1824.	6. 8.	H. ♀.	Jacq. misc. 2. t. 2.	
<i>Laserpitium simplex</i> . L. <i>Gaya simplex</i> . Gaud. fl. helv. 2. t. 6. non <i>Gaya</i> . Kth.							

## ARALIACEÆ. p. 256.

ADA'MIA. W.I.		ADA'MIA. Didynamia Angiosperma.					
cyanea. w.i.	(bl.) blue-flowered.	E. Indies.	1829.	....	S. ♀.	Wall. ind. t. 26.	

## CAPRIFOLIACEÆ. p. 257.

- SYMPHORIA. p. 258. ST. PETER'S-WORT.  
3 montana. K.S. (*lt.*) mountain. Mexico. 1829. 7. 10. H. ♀. H. et B. nov. gen. 3. t. 296

## LORANTHEÆ. p. 259.

- AUCUBA. W. AUCUBA. Diœcia Tetrandia.  
japónica. (*pu.*) blotch-leaved. Japan. 1783. 5. 7. H. ♀. Bot. mag. t. 1197.  
LORANTHUS. p. 259. LORANTHUS.  
2 terrêstris. ....terrestrial. N. Holland. 1830. .... G. ♀.

## RUBIACEÆ. p. 260.

- ASPERULA. p. 266. WOODRUFF.  
25 nitida. F.G. (*br.*) glossy. Greece. 1829. 7. 9. H. ♀. Flor. græc. t. 124.

## DIPSACEÆ. p. 269.

- ASTEROCEPHALUS. p. 270. STARHEAD.  
paucisêtus. Jac. (*st.*) few-bristled. S. Europe. 1827. 7. 9. H. ♀.

## COMPOSITÆ. p. 271.

- CRÆPIS. p. 273. CRÆPIS.  
33 macrorhiza. B.M. (*ye.*) large-rooted. Madeira. 1829. 7. 9. H. ♀. Bot. mag. t. 2988.  
CHUQUIRAGA. p. 280. CHUQUIRAGA.  
2 spinosa. L.T. (*ye.*) spiny. Peru. 1825. 4. 5. F. ♀.  
*Bacàzia spinosa*. p. 286.  
JUNGIA. L. JUNGIA. LABIATIFLORÆ. Syngenesia Æqualis.  
paniculata. D.D. (*ye.*) panicked. Chile. 1825. 7. 9. H. ♀. DC. an. mus. 19. t. 7.  
*Dumerilia paniculata*. p. 260.  
CENTAUREA. p. 285. CENTAURY.  
141 arguta. s.s. (*st.*) sharp notched. Canaries. 1829. — F. ♀.  
142 decipiens. Thu. (*pu.*) deceiving. France. — — H. ♀.  
VERNONIA. p. 289. VERNONIA.  
14 tomentosa. Ot. (*pu.*) tomentose. Brazil. 1827. 9. 11. S. ♀.  
DELISLIA. S.S. DELISLIA. Syngenesia Necessaria.  
Bertèrii. s.s. (*ye.*) Bertero's. Isl. Magdalen. 1829. 6. 8. G. ⊙. Mart. dec. 47. f. 1.  
*Millèria biflora*. p. 313.  
CALENDULA. p. 313. MARYGOLD.  
22 tomentosa. s.s. (*ye.*) tomentose. C. B. S. 1828. — H. ⊙.  
CLADANTHUS. p. 319. CLADANTHUS.  
2 canescens. S.F.G. (*ye.*) canescent. Canaries. 1829. 3. 8. F. ♀. Swt. br. fl. gar. ser. 2.

## LOBELIACEÆ. p. 322.

- LOBELIA. p. 322. LOBELIA.  
84 purpurea. B.R. (*pu.*) purple. Chile. 1825. 8. 9. G. ♀. Bot. reg. t. 1325.

## CAMPANULACEÆ. p. 325.

- LIGHTFOOTIA. p. 325. LIGHTFOOTIA.  
Loddigèsii. A.DC. (*pa.*) Loddiges'. C. B. S. 1824. 6. 8. G. ♀. Lodd. bot. cab. t. 1038.  
*tenella*. B.C.  
PLATYC'DON. A.DC. PLATYC'DON. Pentandria Monogynia.  
grandiflorum. DC. (*bl.*) great-flowered. Siberia. 1782. 6. 8. H. ♀. Bot. mag. t. 252.  
*Campánula grandiflora*. B.M. *Wahlenbèrgia grandiflora*. p. 325.

WAHLENBERGIA. A.DC. WAHLENBERGIA.

- 3 Kitaibèli. A.DC. (vi.) Kitaibel's. Hungary. 1823. 6. 8. H. 2. W. et K. hung. 2. t. 154.  
*Campánula graminifolia*. p. 327. W. et K. hung. non Flor. græc.
- 4 tenuifolia. A.DC. (vi.) slender-leaved. Hungary. 1820. 5. 9. H. 2. W. et K. hung. 2. t. 155.  
 5 capénsis. A.DC. (vi.) Cape. C. B. S. 1803. 7. 10. H. ⊙. Bot. mag. t. 782.  
*Campánula capénsis*. B.M. *Roëlla decurrens*. Andr. rep. t. 238.
- 6 cèrnua. A.DC. (wh.) nodding-flowered. C. B. S. 1804. 7. 9. G. ♂.  
 7 lineàris. A.DC. (wh.) linear-leaved. ——— 1822. 7. 10. H. ⊙.  
 8 procumbens. A.DC. (bl.) procumbent. ——— 1824. — H. ⊙. Alph. DC. camp. t. 15.  
 9 hederàcea. A.DC. (pa. bl.) Ivy-leaved. England. .... 5. 6. H. 2. Eng. bot. v. 2. t. 73.  
*Campánula hederàcea*. p. 328. *Aikinia hederàcea*. Salisb.
- 10 arvática. (bl.) Spanish. Spain. 1825. 5. 7. H. 2. Pluk. phyt. t. 23. f. 1.  
*Campánula arvática*. LG.
- 11 grácilis. A.DC. (bl.) slender. N. S. W. 1794. 4. 8. G. ♂. Bot. mag. t. 691.  
*Campánula grácilis*. B.M.
- 12 strícta. (bl.) upright. ——— ——— ——— G. ♂. Sm. exot. bot. t. 45.  
*Campánula strícta*. Exot. bot. non Linn. *erecta*. p. 326.
- 13 capillàris. B.C. (bl.) capillary. N. Holland. 1824. ——— G. ♂. Lodd. bot. cab. t. 1406.  
 14 littoràlis. Lab. (bl.) sea side. V. Diem. Isl. 1820. ——— G. ♂. Lab. nov. holl. 1. t. 70.  
 15 quadrífida. A.DC. (bl.) four-cleft. N. S. W. 1822. ——— G. ♂.  
 16 saxícola. A.DC. (bl.) small rock. V. Diem. Isl. 1825. 5. 10. G. ♂.  
 17 Siebèri. A.DC. (bl.) Sieber's. N. S. W. 1826. ——— G. ♂.  
 18 undulàta. A.DC. (bl.) waved. C. B. S. 1822. 5. 7. G. 2.
- Campánula undulàta*. p. 326.
- 19 hispídula. A.DC. (bl. wh.) hispid-calyced. ——— 1816. 6. 9. H. ⊙. Comm. hort. 2. t. 37.  
*Campánula hispídula*. p. 326.
- 20 capillàcea. A.DC. (wh.) capillary. C. B. S. 1822. 5. 7. H. 2.  
 lobelioides. A.DC. (bh.) Lobelia-like. Canaries. 1777. 7. 8. H. ⊙. Alph. DC. camp. t. 17.  
*péndula*. p. 323.
- SYMPHIA'NDRA. A.DC. SYMPHIA'NDRA. Monadelphia Pentandria.  
*péndula*. A.DC. (st.) pendulous. Caucasus. 1824. 6. 8. H. 2. Swt. br. fl. gar. s. 2. t. 66.  
*Campánula péndula*. p. 327. n. 102.
- SPECULARIA. A.DC. VENUS-LOOKING-GLASS. Pentandria Monogynia.  
 1 Spéculum. A.DC. (bl.) common. S. Europe. 1596. 5. 8. H. ⊙. Bot. mag. t. 102.  
*Campánula Spéculum*. B.M. *Primatocárpus Spéculum*. L'H. *Lagússia arvénsis*. Dur.  
 β *álba*. (wh.) white-flowered. ——— ——— H. ⊙.
- 2 hirsúta. A.DC. (bl.) hairy. Italy. 1822. 5. 8. H. ⊙. Ten. fl. nap. t. 19.  
 3 hy'brida. A.DC. (bl.) corn. England. .... ——— H. ⊙. Eng. bot. v. 6. t. 375.  
*Campánula hy'brida*. E.B. *Primatocárpus hy'bridus*. L'H.
- 4 falcàta. A.DC. (bl.) falcate. Italy. 1822. ——— H. ⊙. Ten. fl. nap. t. 20.  
 5 pentagónia. A.DC. (bl.) large-flowered. Turkey. 1686. ——— H. ⊙. Bot. reg. t. 56.  
*Campánula pentagónia*. B.R.
- 6 perfoliàta. A.DC. (bl.) perfoliate. N. America. 1680. ——— H. ⊙. Moris. s. 5. t. 2. f. 23.
- MU'SSCHIA. A.DC. MU'SSCHIA. Pentandria Monogynia.  
*aùrea*. A.DC. (ye.) golden-flowered. Madeira. 1777. 7. 9. G. 2. Bot. reg. t. 57.  
*Campánula aùrea*. p. 326. n. 38.  
 α *latifolia*. A.DC. (ye.) broad-leaved. ——— ——— G. 2. Duham. ed. nov. t. 41.  
 β *angustifolia*. A.DC. (ye.) narrow-leaved. ——— ——— G. 2. Jacq. schœn. 4. t. 472.
- PETROMAR'ULA. A.DC. PETROMAR'ULA. Pentandria Monogynia.  
*pinnàta*. A.DC. (bl.) winged-leaved. Candia. 1640. 6. 8. F. 2. Flor. græc. t. 220.  
*Phyteuma pinnàtum*. p. 328.
- JAS'IONE. p. 828. JAS'IONE. Monadelphia Pentandria.  
 4 hùmilis. A.DC. (bl.) dwarf. S. France. 1824. 6. 7. H. 2.

ERICÆÆ. p. 330.

- ANDRO'MEDA. p. 331. ANDRO'MEDA.  
 23 tetragòna. s.s. (bh.) four-sided. N. America. 1827. .... H. 2. Pall. ross. 2. t. 73. f. 4.

EBENACEÆ. p. 349.

- DIO'SPYROS. p. 349. DATE PLUM.  
 19 Mabòla. B.R. (st.) Mabola-tree. Philippines. 1822. 4. 5. S. 2. Bot. reg. t. 1139.

## APOCINEÆ. p. 353.

- PACHYPODIUM. B.R. PACHYPODIUM. Pentandria Monogynia.  
succulentum. (*wh.re.*) succulent. C. B. S. 1820. 4. 6. D.G. ½. Bot. reg. t. 1321.  
tuberosum. B.R. *Echites succulenta*. Jacq. fragm. t. 117. see p. 355.

## ASCLEPIADEÆ. p. 356.

- ASCLEPIAS. p. 360. SWALLOW-WORT.  
33 Greeniana. N. Green's. N. America. 1828. 6. 8. H. ¼.

## POLEMONIACEÆ. p. 367.

- POLEMONIUM. p. 367. GREEK VALERIAN.  
9 pulcherrimum. B.M. (*bl.*) bright blue. N. America. 1827. 7. 8. H. ¼. Bot. mag. t. 2979.  
10 moschatum. Gr. (*bl.*) musk-scented. ———— ———— H. ¼.  
GI'LIA. p. 368. GI'LIA.  
3 pungens. B.M. (*bl.*) pungent-leaved. N. America. 1827. 6. 8. H. ⊙. Bot. mag. t. 2977.  
BONPLA'NDIA. Cav. BONPLA'NDIA. Pentandria Monogynia.  
geminiflora. Cav. (*bl.*) twin-flowered. New Spain. 1813. 5. 12. S. ⊙. Bot. reg. t. 92.  
*Caldasia heterophylla*. w. non *Caldasia*. dc.

## BORAGINEÆ. p. 374.

- ONO'SMA. p. 375. ONO'SMA.  
16 Gmelini. L.A. (*st.*) Gmelin's. Altay. 1829. 4. 8. H. ¼. Ledeb. ic. alt. t. 280.  
17 polyphyllum. L.A. (*st.*) crowded-leaf'd. Tauria. ———— 7. 8. H. ¼. ———— t. 24.  
18 rigidum. L.A. (*pa.ye.*) rigid. ———— 1826. ———— H. ¼. ———— t. 238.

## HYDROPHYLLEÆ. p. 380.

- E'UTOCA. p. 380. E'UTOCA.  
3 sericea. B.M. (*bl.*) silky. N. America. 1827. 5. 7. H. ¼. Bot. mag. t. 3003.  
To Franklinii, p. 380, add Bot. mag. t. 2985.

## SOLANEÆ. p. 380.

- CE'LSIA. p. 380. CE'LSIA.  
9 heterophylla. P.S. (*ye.*) various-leaved. . . . . 1829. 7. 9. F. ½.  
SALPIGLO'SSIS. p. 383. SALPIGLO'SSIS.  
5 intermedia. S.F.G. (*br.ye.*) intermediate. Chile. 1829. 6. 9. F. ¼. Swt. br. fl. gar. s. 2.

## SCROPHULARINÆ. p. 389.

- SCROPHULARIA. p. 391. FIGWORT.  
51 lanata. F. (*br.*) woolly. Siberia. 1828. 7. 11. H. ¼.  
MIMULUS. p. 394. MONKEY-FLOWER.  
9 propinquus. B.R. (*ye.*) related. N. America. 1827. 4. 10. H. ¼. Bot. reg. t. 1330.  
CALCEOL'ARIA. p. 396. SLIPPERWORT.  
15 Herbertiana. B.R. (*ye.*) Mr. Herbert's. Chile. 1828. 5. 10. G. ¼. Bot. reg. t. 1313.

## LABIATÆ. p. 399.

- STACHYS. p. 406. HEDGE-NETTLE.  
49 sericea. (*li.*) silky. Nepaul. 1830. 7. 9. H. ¼.  
O'CYMUM. p. 413. BASIL.  
21 montanum. B.M. (*wh.*) mountain. W. Indies. 1825. 5. 8. S. ⊙. Bot. mag. t. 2996.  
HY'PTIS. p. 414. HY'PTIS.  
14 madagascariensis. (*bl.*) Madagascar. Madagascar. 1828. 6. 8. S. ½.

VERBENACEÆ. p. 415.

LANTANA, p. 417. LANTANA.  
25 mollis. Gr. (ro.) soft. Mexico. 1826. 4. 8. G. h.

ACANTHACEÆ. p. 419.

RUELLIA, p. 420. RUELLIA.  
28 picta. B.R. (bl.) painted. St. Domingo. 1826. 4. 8. S. h. Lodd. bot. cab. t. 1448.  
JUSTICIA, p. 421. JUSTICIA.  
60 guttata. B.R. (ye.sp.) spotted. E. Indies. 1828. 4. 8. S. u. Bot. reg. t. 1334.

PRIMULACEÆ. p. 423.

DOCEATHEON, p. 423. AMERICAN COWSLIP.  
1 Meadia, p. 423. Mead's. Virginia. 1744. 4. 6. H. u. Bot. mag. t. 12.  
*a* lilacinum. (li.) common lilac. ———— ———— H. u. Trew Ehret. t. 12.  
*β* albiflorum. (wh.) white-flowered. .... 1824. ———— H. u. Lodd. bot. cab. t. 1489.  
*γ* elegans. S.F.G. (ro.) rose-coloured. .... 1827. 4. 7. H. u. Swt. br. fl. gar. s.2.t.60.  
*δ* giganteum. (li.) gigantic. .... ———— H. u.  
2 integrifolium. (vi.) entire-leaved. N. America. 1829. ———— H. u. Pluk. alm. t. 79. f. 6.  
ANDROSACE, p. 425. ANDROSACE.  
17 carinata. Tor. (st.) keeled. N. America. 1827. 4. 7. H. u.  
18 linearis. Gr. (bh.) linear-leaved. ———— ———— H. u.

BEGONIACEÆ. p. 437.

BEGONIA, p. 437. BEGONIA.  
40 longipes. B.M. (wh.) long-stalked. Mexico. 1828. 3. 8. S. h. Bot. mag. t. 3001.

POLYGONEÆ. p. 438.

POLYGONUM, p. 438. PERSICARIA.  
61 injucundum. B.R. (st.) unattractive. .... 1825. 5. 6. G. h. Bot. reg. t. 1250.  
RHEUM, p. 440. RHUBARB.  
15 leucorhizum. F. (st.) white-rooted. Siberia. 1827. 5. 6. H. u.

AROIDEÆ. p. 479.

P'OTHOS, p. 479. P'OTHOS.  
29 longifolia. R.S. (br.) long-leaved. Brazil. 1828. 9. 10. S. u.  
30 reflexa. Ot. (br.) reflexed. ———— ———— S. u.  
31 reptans. Ot. (br.) creeping. ———— ———— S. h.  
32 rubescens. Ot. (br.) reddish. ———— ———— S. u.

ORCHIDEÆ. p. 483.

APLECTRUM, N. APLECTRUM. Gynandria Monandria.  
hyemale. N. (br.) winter. N. America. 1827. .... H. u.  
RODRIGUEZIA, p. 487. RODRIGUEZIA.  
2 planifolia. H.C. (re.) flat-leaved. S. America. 1826. 6. 12. S. u.

CANNEÆ. p. 494.

PHRYNIUM, p. 494. PHRYNIUM.  
28 coloratum. B.M. (or.) orange-coloured. Brazil. 1828. 4. 5. S. u. Bot. mag. t. 3010.  
2 Q 2

## MUSACEÆ. p. 495.

MUSA. p. 495.	PLANTAIN-TREE.				
chinensis.	(sc.) dwarf Chinese.	China.	1829.	....	S. 4.

## IRIDEÆ. p. 495.

TRICHONEMA. p. 503.	TRICHONEMA.				
ramiflora.	(pu.) branching-flower'd.	Naples.	1830.	5. 6.	H. b.
<i>Ixia ramiflora</i> . T. N.					
CR'OCUS. p. 503.	CR'OCUS.				
24 Thomasi. T. N.	(bl.) Thomas's.	Naples.	1830.	....	H. b.
25 odorus. T. N.	.... sweet-scented.	_____	_____	....	H. b.
26 suavcolens. T. N.	.... fragrant.	_____	_____	....	H. b.
27 Imperati. s. s.	(vi.) Imperati's.	_____	_____	2. 4.	H. b.

Ten. mem. croc. t. 3.

## AMARYLLIDEÆ. p. 505.

ZEPHYRANTHES. p. 505.	ZEPHYRANTHES.				
10 mesochloa. W. H.	(bh.) green-centred.	S. America.	1828.	6. 9.	F. b.
BRUNSVIGIA. p. 510.	BRUNSWICK-LILY.				
7 grandiflora. B. R.	(pi.) large-flowered.	C. B. S.	1827.	8. 9.	F. b.
PHYCELLA. p. 510.	PHYCELLA.				
3 Herbertiana. B. R.	(re. y.) Mr. Herbert's.	Chile.	1825.	5. 7.	F. b.
4 corusca. Gr.	(sc. or.) glossy.	_____	_____	_____	F. b.
NARCISSUS. p. 514.	NARCISSUS.				
82 neglectus. Ten.	(wh. y.) neglected.	Naples.	1830.	4. 5.	H. b.

## ASPHODELEÆ. p. 524.

SCI'LLA. p. 527.	SQUILL.				
30 odorata. R. S.	(bl.) sweet-scented.	Portugal.	1818.	5. 6.	H. b.
31 pratensis. R. S.	(bl.) meadow.	Hungary.	1827.	_____	H. b.
32 rosea. Leh.	(ro.) rose-coloured.	Numidia.	_____	_____	H. b.
33 mauritànica. R. S.	(bl.) Mauritanian.	Africa.	1819.	_____	H. b.
DRI'MIA. p. 513.	DRI'MIA.				
14 villosa. B. R.	(g. st.) villous.	C. B. S.	1826.	5. 6.	F. b.
A'LLIUM. p. 530.	GARLICK.				
118 euosmon. Ot.	(br.) good-scented.	S. America.	1829.	5. 6.	F. b.
119 glandulosum. Ot.	(br.) glandular.	_____	_____	_____	F. b.
120 nudicaule. Leh.	.... naked-stalked.	Altay.	_____	....	H. b.
121 guttatum. G. D.	(wh.) spotted.	Odessa.	1819.	7. 8.	H. b.
122 Fischèri.	.... Fischer's.	Siberia.	1829.	....	H. b.
123 acutum. s. s.	(li.) acute.	.....	1819.	7. 8.	H. b.
124 intermedium. G. D.	(w.) intermediate.	S. Europe.	1827.	_____	H. b.
125 fuscum. W. K.	(br.) brown-flowered.	Hungary.	1820.	_____	H. b.
126 juncifolium. G. D.	(wh.) Rush-leaved.	Chile.	1826.	_____	H. b.
127 striatellum. G. D.	(st.) striped.	_____	1823.	_____	H. b.
128 cinereum. Leh. M.	(st.) grey.	Siberia.	1829.	_____	H. b.
MILLA. C. I.	MILLA. Hexandria Monogynia.				
biflora. C. I.	(wh.) two-flowered.	Mexico.	1826.	5. 6.	F. 4.

W. et K. hung. t. 189.

Bot. reg. t. 1346.

W. et K. hung. t. 241.

Bot. mag. t. 2419.

Cavan. icon. 2. t. 196.

## BROMELIACEÆ. p. 534.

POURRETIA. p. 535.	POURRETIA.				
4 cœrulea. Miers.	(bl.) blue.	Chile.	1827.	4. 8.	S. 4.
5 rubricalis. Mier.	(bl. re.) red-stemmed.	_____	_____	_____	S. 4.
6 magnispátha. Col.	(g. w.) large-spathed.	S. America.	1829.	_____	S. 4.
CARAGUATA. Plum.	CARAGUATA. Hexandria Monogynia.				
lingulata. Ly.	(ye.) tongue-leaved.	Jamaica.	1776.	6. 7.	S. 4.
<i>Tillandsia lingulata</i> . p. 535.					

Coll. h. rip. t. 19.

Jacq. amer. t. 62.

BUONAPA'RTEA. p. 536. BUONAPA'RTEA.  
2 grácilis. .... slender. Mexico. 1828. .... G. 4.

TULIPACEÆ. p. 536.

YU'CCA. p. 536. ADAM'S-NEEDLE.  
23 grácilis. Lk. (wh.) slender. Mexico. 1829. .... G. 4.  
ERYTHRONIUM. p. 539. DOG'S-TOOTH VIOLET.  
Déns cànis. L. (pu.) common. Europe. 1596. 3. 4. H. b. Swt. br. fl. gar. s. 2.  
Déns cànis. Redoute liliac. t. 193. non Bot. mag.  
4 bifida. S. F. G. (ro.) cleft-stigma'd. Switzerland. .... — H. b. Swt. br. fl. gar. s. 2.  
β albiflora. (wh.) white-flowered. .... — H. b. — s. 2.

MELANTHACEÆ. p. 539.

ZIGAD'ENUS. p. 540. ZIGAD'ENUS. Hexandria Trigynia.  
3 élégans. Ph. (wh.) elegant. N. America. 1828. 5. 6. H. 4.

COMMELINEÆ. p. 541.

TRADESCANTIA. p. 541. SPIDERWORT.  
23 crássipes. (bl.) thick-stalked. Mexico. 1827. 5. 10. H. 4.  
24 diurética. M. P. (bl.) diuretic. Brazil. 1825. 6. 8. S. 4.  
COMMEL'INA. p. 542. COMMEL'INA.  
24 cucullàta. H. C. (bl.) hooded. Brazil. 1825. 6. 9. G. 4.  
25 caripénsis. H. S. (bl.) rough-leaved. Trinidad. 1826. 6. 8. S. 4.

RESTIACEÆ. p. 546.

ERIOCA'ULON. p. 546. PIPEWORT.  
3 decangulàre. Ph. (uh.) ten-angled. N. America. 1826. 8. 10. H. w. 4. Lodd. bot. cab. t. 1310.  
4 fasciculàtum. R. S. (wh.) fascicled. Guiana. 1825. — S. w. 4. Lam. enc. 3. t. 50. f. 3.

CYPERACEÆ. p. 547.

CA'REX. p. 547. SEDGE.  
123 rupéstris. s. s. (br.) rock. Switzerland. 1819. 6. 7. H. 4. All. ped. t. 92. f. 1.  
124 cúrvula. s. s. (br.) curved. S. Europe. 1824. — H. 4. Schk. caric. t. D. f. 17.  
125 lobàta. w. (br.) lobed. Switzerland. 1819. 5. 7. H. 4. — t. D. f. 18.  
126 rèpens. s. s. (br.) creeping. — 1823. 6. 7. H. 4. — t. I. f. 11.  
127 leporina. w. (br.) hare. — 1819. — H. 4. — t. Fff. f. 1. 29.  
128 lóngipes. D. P. (br.) long-stalked. Nepaul. 1823. — H. 4.  
129 microstàchya. s. s. (br.) small-spiked. N. Europe. 1822. 5. 6. H. 4. Schk. caric. t. 6. f. 11.  
130 mucronàta. s. s. (br.) bristle-pointed. S. Europe. 1819. 6. 7. H. 4. — t. K. f. 44.  
131 phæostàchys. E. F. (br.) brown-spiked. Scotland. .... 6. H. 4.  
132 stictocàrpa. E. F. (br.) dotted-fruited. — .... 6. 7. H. 4.  
133 angustifolia. E. F. (br.) narrow-leaved. — .... — H. 4.  
134 podocàrpa. s. s. (br.) foot-podded. N. America. 1827. — H. 4.  
135 brachystàchys. s. s. (br.) short-spiked. S. Europe. 1819. — H. 4. Schk. car. t. P. f. 58.  
SCH'ENUS. p. 549. BOG-RUSH.  
6 ferrugineus. R. S. (br.) rusty. Europe. 1829. 7. 8. H. w. 4. Host. gram. 4. t. 71.  
DICHROM'ENA. R. S. DICHROM'ENA. Triandria Monogynia.  
leucocéphala. R. S. (wh.) white-spiked. W. Indies. 1822. 9. 12. S. w. 4.  
Sch'enus stellatus. w.  
FIMBRI'STYLIS. p. 550. FIMBRI'STYLIS.  
6 diphýlla. R. S. (br.) two-leaved. E. Indies. 1822. 6. 8. S. w. 4.  
ABILDGAA'RDIA. R. S. ABILDGAA'RDIA.  
2 tristàchya. R. S. (wh.) three-spiked. E. Indies. 1824. 6. 8. S. 4.  
ISO'LEPIS. p. 550. ISO'LEPIS.  
13 supina. R. S. (br.) trailing. Europe. 1826. 7. 8. H. w. 4. Host. gram. 3. t. 64.  
2 Q 3

SCIRPUS. p. 550.	CLUB-RUSH.					
19 elongatus. D.P. (br.)	elongated.	Nepaul.	1825.	7. 9.	H.w. 2.	
20 articulatus. R.S. (br.)	jointed.	E. Indies.	1826.	8. 10.	S.w. 2.	Rheed. mal. 12. t. 71.
CYPÆRUS. p. 551.	CYPÆRUS.					
71 niloticus. R.S. (br.)	Nile.	Egypt.	1810.	8. 10.	H. 2.	
72 compactus. R.S. (br. pu.)	compact.	China.	1819.	7. 8.	H. 2.	
73 kyllingæoides. R.S. (br.)	Kyllinga-like.	N. America.	1828.	—	H. 2.	
74 dubius. W. (br.)	doubtful.	E. Indies.	1802.	7. 9.	S. 2.	Rottb. gram. t. 4. f. 5.
75 leucocephalus. R.S. (wh.)	white-headed.	—	1819.	—	S. 2.	
76 trifidus. D.P. (br.)	three-furrowed.	Nepaul.	1830.	—	H. 2.	
77 caricinus. D.P. (br.)	Carex-like.	—	1826.	—	H. 2.	
78 rigidus. R.S. (re. wh.)	rigid.	Madagascar.	—	—	S. 2.	
HYPŒOLYTRUM. R.	HYPŒOLYTRUM.	Triandria Monogynia.				
argenteum. R.S. (wh. pu.)	silvery.	E. Indies.	1824.	7. 8.	S. 2.	
MARIŒCUS. p. 552.	MARIŒCUS.					
9 panicus. R.S. (br. st.)	Panic-like.	E. Indies.	1820.	6. 7.	S.w. 2.	Rottb. gram. t. 4. f. 1.
KYLLINGA. p. 552.	KYLLINGA.					
8 brevifolia. R.S. (gr.)	short-leaved.	E. Indies.	1817.	5. 6.	S.w. 2.	Rottb. gram. t. 4. f. 3.

---

 FILICES. p. 576.
 

---

LYGŒIDIUM. p. 577.	SNAKE'S-TONGUE.					
7 volubile. s.s. (br.)	twining.	W. Indies.	1819.	5. 9.	S. 2. ✓.	Sloan. jam. 1. t. 46. f. 1.
8 hastatum. W. (br.)	halberd-leaved.	Maranham.	1820.	—	S. 2. ✓.	
ANEŒMIA. p. 577.	ANEŒMIA.					
8 Phyllitidis. s.s. (br.)	flat-leaved.	Trinidad.	1824.	5. 8.	S. 2. ✓.	Plum. fil. t. 156.
SCHIZÆA. p. 577.	SCHIZÆA.					
5 elegans. s.s. (br.)	elegant.	Trinidad.	1825.	5. 8.	S. 2.	Vahl. symb. 2. t. 50.
GLEICHENIA. p. 577.	GLEICHENIA.					
6 pectinata. s.s. (br.)	pectinated.	S. America.	1824.	6. 8.	S. 2.	
DANÆA. S.S.	DANÆA.	Cryptogamia Poropterides.				
alata. s.s. (br.)	winged.	W. Indies.	1823.	6. 8.	S. 2.	Plum. fil. t. 109.
ACROSTICHUM. p. 577.	ACROSTICHUM.					
9 longifolium. s.s. (br.)	long-leaved.	W. Indies.	1827.	5. 10.	S. 2.	
10 glandulosum. H.F. (br.)	glandular.	Jamaica.	1825.	—	S. 2.	H. et G. ic. fil. t. 3.
11 fimbriatum. s.s. (br.)	fringed.	S. America.	1824.	—	S. 2.	
NOTHOLÆNA. p. 578.	NOTHOLÆNA.					
4 piloselloides. s.s. (br. ye.)	simple-leaved.	E. Indies.	1822.	6. 8.	S. 2.	Houtt. pflanz. t. 96. f. 2.
MENISCIUM. p. 578.	MENISCIUM.					
4 proliferum. s.s. (br.)	proliferous.	E. Indies.	1820.	5. 6.	S. 2.	
NIPHO'BOLUS. p. 578.	NIPHO'BOLUS.					
5 adnascens. s.s. (br.)	woolly-leaved.	E. Indies.	1824.	4. 8.	S. 2.	
ASPLENIUM. p. 580.	SPLEENWORT.					
49 viviparum. H.K. (br.)	viviparous.	Mauritius.	1820.	6. 9.	S. 2.	
50 bulbiferum. s.s. (br.)	bulb-bearing.	N. Zealand.	—	—	G. 2.	Schk. crypt. t. 79.
51 difforme. B.P. (br.)	two-formed.	N. Holland.	1823.	—	G. 2.	
52 Petrarchæ. DC. (br.)	Petrarch's.	France.	1819.	—	H. 2.	H. et G. ic. fil. t. 152.
53 obtusatum. s.s. (br.)	obtuse.	N. Zealand.	1824.	—	F. 2.	Lab. nov. hol. 2. t. 242.
54 cultrifolium. s.s. (br.)	keen-leaved.	W. Indies.	1820.	—	S. 2.	Plum. fil. t. 3. f. 1.
55 brasiliense. s.s. (br.)	Brazilian.	Brazil.	1822.	—	S. 2.	
DOODIA. p. 581.	DOODIA.					
3 media. B.P. (br.)	middle-sized.	N. Holland.	1823.	3. 9.	G. 2.	
BLECHNUM. p. 581.	BLECHNUM.					
12 pectinatum. s.s. (br.)	pectinate.	S. America.	1827.	5. 8.	S. 2.	
13 serrulatum. s.s. (br.)	saw-leaved.	N. America.	1818.	—	H. 2.	
14 striatum. s.s. (br.)	striated.	N. Holland.	1824.	—	F. 2.	
LOMARIA. p. 581.	LOMARIA.					
7 falcata. s.s. (br.)	falcate.	—	1823.	5. 8.	F. 2.	Lab. nov. hol. 2. t. 248.
DIPLAZIUM. p. 582.	DIPLAZIUM.					
10 castaneæfolium. s.s. (br.)	Chestnut-leaved.	Guinea.	1824.	8.	S. 2.	
PTERIS. p. 582.	BRAKE.					
28 sagittæfolia. s.s. (br.)	arrow-leaved.	Brazil.	1825.	6. 8.	S. 2.	
29 rotundifolia. s.s. (br.)	round-leaved.	N. Zealand.	1824.	7. 8.	F. 2.	
30 elegans. s.s. (br.)	elegant.	E. Indies.	—	8. 10.	S. 2.	
31 discolor. s.s. (br.)	discoloured.	Brazil.	1825.	—	S. 2.	
32 heterophylla. s.s. (br.)	various-leaved.	W. Indies.	—	—	S. 2.	Plum. fil. t. 37.
33 leptophylla. s.s. (br.)	slender-leaved.	Brazil.	—	—	S. 2.	
34 chinensis. L.C. (br.)	Chinese.	China.	—	—	G. 2.	

35 crenulata. L.C.	(br.) crenulated.	.....	1827.	7. 8.	S. 4.	
36 Cervantèsii. H.L.	(br.) Cervantes'.	Mexico.	1824.	—	G. 4.	
ADIAN'TUM. p. 582.	MAIDENHAIR.					
22 varium. s.s.	(br.) variable.	S. America.	1820.	7. 9.	S. 4.	
23 ternatum. s.s.	(br.) ternate.	—————	—————	—————	S. 4.	
24 patens. w.	(br.) spreading.	Brazil.	1824.	8. 10.	S. 4.	
25 rhomboideum. s.s.	(br.) rhomboid.	S. America.	1820.	6. 9.	S. 4.	
CHEILA'NTHES. p. 583.	CHEILA'NTHES.					
14 caudata. B.P.	(br.) tailed.	N. Holland.	1824.	6. 8.	F. 4.	
LINDS'EA. p. 583.	LINDS'EA.					
6 media. B.P.	(br.) intermediate.	N. Holland.	1823.	4. 6.	F. 4.	
DAVA'LLIA. p. 583.	DAVA'LLIA.					
6 elegans. s.s.	(br.) elegant.	N. Holland.	1824.	4. 9.	G. 4.	Schk. crypt. t. 127.
7 dubia. B.P.	(br.) doubtful.	—————	1826.	—	G. 4.	
8 concavadensis. L.C.	(br.) Concavado.	Brazil.	1823.	—	S. 4.	
CIBOTIUM. S.S.	CIBOTIUM. Cryptogamia Filices.					
Billardièri. s.s.	(br.) Labillardiere's.	N. Holland.	1824.	....	G. 4.	

## VIOLARIEÆ. p. 43.

ANCHIETIA. Hil.	ANCHIETIA. Pentandria Monogynia.					
pyrifolia. Hil.	(wh.) Pear-leaved.	Brazil.	1822.	....	S. 4.	Mart. bras. t. 16.
Noisèttia pyrifolia.	Martius. see our p. 43.					

## TILIACEÆ. p. 70

LUHEA. W.	LUHEA. Polyadelphia Polyandria.					
paniculata. M.P.	(ro.) panicked.	Brazil.	1828.	....	S. 4.	Mart. bras. t. 62.

## RUBIACEÆ. p. 260.

LIPOSTOMA. D.D.	LIPOSTOMA. Tetrandria Monogynia.					
campanuliflora. D.D.	(bl.) bell-flowered.	Brazil.	1825.	2. 10.	S. 4.	Bot. mag. t. 2840.
Hedyotis campanuliflora.	p. 263. Æginetia capitata. Gr.					

## PROTEACEÆ. p. 443.

SIMSIA. B.P.	SIMSIA. Tetrandria Monogynia.					
anethifolia. B.P.	(ye.) Dill-leaved.	N. Holland.	1825.	....	G. 4.	
ANAD'ENIA. B.P.	ANAD'ENIA. Tetrandria Monogynia.					
pulchella. B.P.	(ro.) pretty.	N. Holland.	1824.	....	G. 4.	
GUEV'INA. Mol.	GUEV'INA. Tetrandria Monogynia.					
Avellana. L.T.	(st.) variable-leaved.	Chile.	1826.	....	G. 4.	Feuil. per. 3. t. 33.
Quadría heterophylla.	Flor. per. 1. t. 99. f. b.					

## NATURAL ORDER NOT DETERMINED.

BREXIA. B.R.	BREXIA. Pentandria Monogynia.					
1 spinosa. B.R.	(wh.) spiny-leaved.	Madagascar.	1815.	7. 8.	S. 4.	Bot. reg. t. 872.
2 madagascariensis.	(wh.) Madagascar.	—————	—————	—————	S. 4.	t. 730.
Venana madagascariensis.	Lamarck.					
3 chrysophylla.	(wh.) golden-leaved.	—————	1820.	....	S. 4.	
LAUROPHY'LLUS. Th.	LAUROPHY'LLUS. Polygamia Dioecia.					
capensis. w.	(gr.) Cape.	C. B. S.	1801.	....	G. 4.	
PORANTHERA. L.T.	PORANTHERA. Pentandria Trigynia.					
ericifolia. L.T.	(st.) Heath-leaved.	N. S. W.	1825.	5. 8.	G. 4.	Linn. trans. 10. t. 22. f. 2

- PHLO'X. p. 368. LYCHNIDEA.  
36 speciôsa. B.R. (ro.) showy. N. America. 1827. 5. 7. H. 2. Bot. reg. t. 1351.
- STERC'ULIA. p. 66. STERC'ULIA.  
Tragacantha. B.R. (st.) Tragacanth-tree. Sierra Leone. 1822. 5. 6. S. 2. Bot. reg. t. 1353.
- SCI'LLA. p. 527. SQUILL.  
34 plúmbea. B.R. (bl.) lead-coloured. C. B. S.? 1812. 4. 6. F. b. Bot. reg. t. 1355.
- LOB'ELIA. p. 322. LOB'ELIA.  
85 Kraüssi. B.M. (sc.) Krauss's. St. Domingo. 1828. 1. 3. S. 2. Bot. mag. t. 3012.
- VANGU'ERIA. p. 260. VANGU'ERIA.  
3 velutina. B.M. (gr.) velvety. Madagascar. 1828. 5. 6. S. 2. Bot. mag. t. 3014.
- BRACHYSTE'LMA. p. 359. BRACHYSTE'LMA.  
2 spathulatum. B.R. (br.) spatulate-leaved. C. B. S. 1824. 8. 10. D.G. 2. Bot. reg. t. 1113.  
3 crispum. B.M. (br.y.) wave-leaved. ——— 1829. ——— D.G. 2. Bot. mag. t. 3016.
- CEROP'EGIA. p. 359. CEROP'EGIA.  
9 élegans. B.M. (pu.) elegant. E. Indies. 1828. 8. 10. S. 2. Bot. mag. t. 3015.
- ENCY'CLIA. p. 490. ENCY'CLIA.  
2 párens. B.M. (br.) spreading-flowered. Brazil. 1829. 4. 8. S. 2. Bot. mag. t. 3013.
- Omitted at page 378.
- COLD'ENIA. L. COLD'ENIA. Tetrandria Tetragynia.  
procumbens. L. (wh.) procumbent. E. Indies. 1699. 7. 8. S. C. Lamarck. illus. t. 89.
- Page 75.
- G'ELA. Lour. G'ELA. Octandria Monogynia  
lanceolata. B.C. (st.) spear-leaved. China. 1820. 4. 8. G. 2. Lodd. bot. cab. t. 938.  
Ximènia.? lanceolata. DC. Sèlas lanceolata. s.s.
- Page 364.
- OPHIORRH'IZA. L. SNAKE-ROOT.  
Múngos. L. (wh.) petiolate. E. Indies. 1820. 5. 8. S. 2.

## INDEX GENERUM.

	Page.		Page.		Page.		Page.
' <i>Abies</i> .....	475	<i>Adamsia</i> .....	525	<i>Agrimonia</i> .....	192	<i>Alternanthera</i> ..	432
ABIE'TINÆ ..	474	<i>Adansonia</i> .....	65	<i>Agropyrum</i> .....	565	<i>Alternanthera</i> ..	432
<i>Abildgaardia</i> ..	550, 597	<i>Adelia</i> .....	459	<i>Agrostemma</i> ....	54	<i>Alth'æa</i> .....	60
<i>Abröma</i> .....	67	<i>Adëliu</i> .....	460	<i>Agrostemma</i> ....	54	<i>Alyscarpus</i> ....	152
<i>Abrönia</i> .....	430	<i>Adenandra</i> .....	105	<i>Agrostis</i> .....	556	<i>ALYSS'INÆ</i> ..	24
<i>A'brus</i> .....	156	<i>Adenandra</i> ....	106	<i>Agröstis</i> 554, 555, 556,		<i>Aly'ssum</i> .....	25
<i>Abüta</i> .....	16	<i>Adenanthëra</i> .....	164	557, 559, 571		<i>Aly'ssum</i> ..	24, 25, 31
<i>Abütülon</i> .....	64	<i>Adenanthos</i> .....	446	<i>Agynëja</i> .....	458	<i>Aly'xia</i> .....	353
<i>Acacia</i> ..	164, 589	<i>Adenarium</i> ....	57	<i>Ailánthus</i> .....	121	AMARANTHACEÆ	
<i>Acácia</i> ..	162, 163	<i>Adenocarpus</i> .....	131	<i>Aíra</i> .....	559	.....	430
<i>Ac'æna</i> .....	192	<i>Adenöphora</i> .....	325	<i>Aíra</i> 559, 560, 567, 568,		<i>Amaránthus</i> ....	430
<i>Acálypha</i> .....	456	<i>Adenöstyles</i> .....	302	.....	569, 571	<i>Amaránthus</i> ....	431
ACANTH'ACEÆ ..	419	<i>Adenotricha</i> .....	304	<i>Airöpsis</i> .....	560	AMARYLLIDÆ	
<i>Acánthus</i> .....	419	<i>Adésmia</i> .....	149	<i>Airöpsis</i> .....	560	.....	505
<i>Acárna</i> .....	285	<i>Adíantum</i> .....	582, 599	<i>Aitönia</i> .....	85	<i>Amary'llis</i> .....	506
' <i>Acer</i> .....	82	<i>Adina</i> .....	263	<i>Aizöon</i> .....	234	<i>Amary'llis</i> 505, 506, 509,	
' <i>Acer</i> .....	82	<i>Adlümia</i> .....	20	<i>Aizöon</i> .....	234	510, 511, 512, 532	
<i>A'ceras</i> .....	483	<i>Adónis</i> .....	4	<i>A'jax</i> .....	514	<i>Amasönia</i> .....	417
<i>Acèrates</i> .....	361	<i>Adóxa</i> .....	242	<i>Ajúga</i> .....	402	<i>Amblíriön</i> .....	538
<i>Acerätium</i> .....	71	<i>Adysëton</i> .....	25	<i>Ajúga</i> .....	407	AMBROS'ACEÆ ..	314
ACERINÆ ..	82	<i>Ægicëras</i> .....	348	AJUGOIDEÆ ..	402	<i>Ambrösia</i> .....	314
<i>Achänia</i> .....	61	<i>Æ'gilops</i> .....	566	ALANGIÆ ..	206	<i>Ambrosínia</i> ....	481
<i>Achillëa</i> .....	319	<i>Æginëtia</i> .....	599	<i>Alángium</i> .....	206	<i>Améllanchier</i> ....	177
<i>Achillëa</i> .....	316	<i>Ægiphila</i> .....	416	<i>Albüca</i> .....	525	<i>Amëllus</i> .....	298
<i>Achímenes</i> .....	390	' <i>Ægle</i> .....	75	<i>Alchimilla</i> .....	192	<i>Amëllus</i> .....	298
<i>A'chlys</i> .....	584	<i>Ægopöidium</i> .....	245	<i>Alcina</i> .....	313	<i>Amerimnum</i> .....	162
<i>Achnodónton</i> ..	554	<i>Ægopögon</i> .....	558	<i>Alida</i> .....	380	<i>Amerimnum</i> 143, 151	
<i>Achras</i> .....	349	<i>Æollánthus</i> .....	414	<i>Aldrovánda</i> ....	46	<i>Amethy'stea</i> ....	403
<i>Achyranthes</i> ..	432	<i>Æranthes</i> .....	491	<i>Alëtris</i> .....	517	<i>Ammánia</i> .....	201
<i>Achyranthes</i> 431, 432,		<i>Ærides</i> .....	491	<i>Alëtris</i> .....	517	<i>A'mmi</i> .....	245
.....	433	<i>Ærua</i> .....	432	<i>Aleurites</i> .....	458	<i>A'mmi</i> 245, 246, 248, 591	
<i>Achyronia</i> .....	127	<i>Æschynömene</i> ..	149	<i>Aleurites</i> .....	457	AMM'INÆ ..	244
<i>Achyrophorus</i> ..	276	<i>Æschynömene</i> 143, 148,		ALH'AGEÆ ..	15	<i>Ammöbium</i> ....	291
<i>Acianthus</i> .....	486	.....	150	<i>Alhági</i> .....	152	<i>Ammöcharis</i> .....	510
<i>Acicárpha</i> .....	271	<i>Æ'sculus</i> .....	83	<i>Alisma</i> .....	477	<i>Ammysine</i> .....	344
<i>Acidöton</i> .....	456	<i>Æ'sculus</i> .....	83	<i>Alisma</i> .....	477	<i>Amömum</i> .....	492
<i>Acilëpis</i> .....	284	<i>Ætheilëma</i> .....	420	ALISM'ACEÆ ..	477	<i>Amömum</i> ..	492, 493
<i>Aciotis</i> .....	204	<i>Æthionëma</i> ..	32, 585	<i>Allamánda</i> .....	354	<i>Amöora</i> .....	86
' <i>Acis</i> .....	516	<i>Æthönia</i> .....	275	<i>Allantödia</i> ....	580	<i>Amörpha</i> .....	142
<i>Acisanthëra</i> ....	202	<i>Æthüsa</i> .....	247	<i>Alliäria</i> .....	30	AMPELIDÆ ..	86
<i>Acmadënia</i> ....	106	<i>Æthüsa</i> .....	245	<i>Alliönia</i> .....	430	<i>Ampelöpsis</i> ....	87
<i>Acmëlla</i> .....	307	<i>Afzëlia</i> .....	171	<i>Alliönia</i> .....	429	<i>Ampherëphis</i> ..	288
<i>Acmëna</i> .....	212	<i>Afzëlia</i> .....	86, 396	<i>Allium</i> ..	530, 596	<i>Amphicárpæa</i> ..	156
<i>Acnida</i> .....	436	<i>Agapánthus</i> .....	517	<i>Allosödrus</i> .....	582	<i>Amphilöphium</i> ..	366
<i>Aconitum</i> .....	9, 584	<i>Agapánthus</i> .....	530	<i>A'lnus</i> .....	468	<i>Amphipögon</i> ..	555
<i>A'corus</i> .....	480	<i>Agástachys</i> .....	446	<i>A'loe</i> .....	518	<i>A'mphodus</i> .....	157
<i>Acrocëphalus</i> ..	414	<i>Agasy'llis</i> .....	252	<i>A'loe</i> 517, 519, 520, 521		<i>Amsonia</i> .....	355
<i>Acrocömia</i> .....	543	<i>Agath'æa</i> .....	305	<i>Alömia</i> .....	301	AMYDALINÆ ..	173
<i>Acroglöchin</i> ....	434	<i>Agath'æa</i> .....	474	<i>Alonsöa</i> .....	394	<i>Amy'dalus</i> .....	173
<i>Acröstichum</i> 577, 598		<i>Agathëlpis</i> .....	415	<i>Alopecürus</i> ....	554	AMYRIDÆ ..	119
<i>Acröstichum</i> 578, 581		<i>Agathösma</i> .....	106	<i>Alopecürus</i> ..	553, 557	<i>Am'yris</i> .....	119
<i>Acrötriche</i> .....	346	<i>Agath'yrus</i> .....	277	<i>Aloy'sia</i> .....	418	<i>Am'yris</i> .....	119
<i>Act'æa</i> .....	11	<i>Agäti</i> .....	143	<i>Alpinia</i> .....	493	<i>Anábasis</i> .....	434
<i>Act'æa</i> .....	11	<i>Agävë</i> .....	534	<i>Alpinia</i> .....	493	<i>Anacämpseros</i> ..	219
<i>Actinëlla</i> .....	322	<i>Agävë</i> .....	534	<i>Alsinë</i> .....	55, 56	<i>Anacämpseros</i> ..	225
<i>Actinocarpus</i> ....	477	<i>Agenöra</i> .....	276	ALSINÆ ..	54	<i>Anacámptis</i> .....	483
<i>Actinöchloa</i> .....	571	<i>Agerätum</i> .....	301	<i>Alsödëia</i> .....	45	<i>Anacárdium</i> .....	117
<i>Actinömeris</i> .....	309	<i>Agerätum</i> .....	301	ALSODINÆ ..	45	<i>Anac'yclus</i> .....	318
<i>Actinophyllum</i> ..	256	<i>Aglaia</i> .....	75	<i>Alsöphila</i> .....	583	<i>Anadenia</i> .....	599
<i>Actinötus</i> .....	243	<i>Agönis</i> .....	209	<i>Alsöphila</i> .....	579	<i>Anagállis</i> .....	425
<i>Ac'ynos</i> .....	409	<i>Agraülus</i> .....	556	<i>Alstönia</i> .....	355	<i>Anag'yris</i> .....	122
<i>Adámia</i> .....	591	<i>Agrimonia</i> .....	192	<i>Alströmëria</i> ....	516	<i>Ananassa</i> .....	534

	Page.		Page.		Page.		Page.
Anántherix	361	Anthéricum	524	Arduina	353	Astartèa	207
Anarrhìnum	390	Anthéricum	524, 525,	Arèca	543	Astélma	292
Anastática	28		526	Arèca	543	Astélma	292
Anastática	28	Anthistíria	561	Aremônia	192	Asthèphanus	362
ANASTATI'CEÆ	28	Anthistíria	561	Arenària	56, 856	A'ster	295
Anathèrum	561	Anthocércis	380	Arenària	56, 57	A'ster	294, 295, 297
Anchiétia	599	An'thodon	79	Arethùsa	486	AST'EREÆ	288
ANCHON'IEÆ	32	Antholòma	79	Arètia	425	Asterocéphalus	270
Anchùsa	377	Antholyza	500	Argània	349	Asterolinon	425
Anchùsa	376, 377, 378	Antholyza	500	Argemòne	19	Astíbe	242
Anchrostocárpus	433	Anthospérmum	265	Argemòne	19	ASTR'AGALEÆ	145
Andersònia	345	Anthoxánthum	553	Argyreia	373	Astrágalus	145, 589
Andira	168	Anthriscus	254, 591	Argyrochæta	314	Astrágalus	122, 145, 151
Andráchne	459	Anthriscus	254	Aristea	499	Astránthus	117
Androeskia	29	Anthyllis	132, 589	Aristida	558	Astrántia	244
Androcymbium	539	Anthyllis	128, 147, 152	Aristida	557, 558	Astrántia	244
Andromáchia	298	Antidésma	460	Aristolòchia	451	Astrapæa	69
Andrómeda	331, 593	ANTIDE'SMEÆ	460	Aristotèlia	117	Astrocáryum	544
Andrómeda	331, 332	Antiphy'la	241	Armenia	174	Astrolòbium	148
Andropògon	561	Antirrhinum	390	Armeria	426, 427	Astrolòma	346
Andropògon	560, 561	Antirrhinum	390	Armoràcia	26	Astrónium	119
Androsàce	425	Antróphyum	582	A'rnica	299	Astrótricha	243
Androsàce	425	Aòtus	124	A'rnica	299	Astydamia	251
Androsæmum	76	Apalatòta	172	Arnopògon	279	Atalánthus	277
Andr'yala	274	Apàrgia	274	Arnóseris	275	Atalántia	75
Andr'yala	274	Apàrgia	275	AROIDEÆ	475	Atamánta	248
Anelèma	542	Apèiba	71	Arònia	177	Atamánta	248, 250, 255
Anemia	577, 598	Aphànès	192	Arpítium	591	Athanàsia	315
Anemòne	3	Aphanochilus	400	Arpracàcia	255	Atheropògon	571
Anemòne	3	Aphelándra	420	Arrhenathèrum	562	Athrixia	307
Anesorhiza	247	Aphelélis	293	Artabòtrys	15	Atráctylis	285
Anèthum	251	Aphyllánthes	532	Artèdia	253	Atráctylis	280, 285
Anèthum	247	Ap'icra	521	Artemisia	316	Atragène	2
Angélica	249	Ap'ios	157	Arthropòdium	525	Atragène	3
Angélica	248, 249, 251	Ap'ios	157	Arthrostémma	204	Atropháxis	438
ANG'ELICEÆ	249	Ap'ium	245	Arthrostémma	203	Atrèma	256
Angelònia	394	Apléctrum	595	Artocárpus	462	A'triplex	435
Angiánthus	288	Aplophy'llum	105, 588	'Arum	480	A'tropa	383
Angóphora	209	Aplùda	561	'Arum	481	A'tropa	383, 384, 388
Angræcum	490	Aplùda	561	Arundinària	574	Attàlea	544
Anguillària	539	APOCINEÆ	353	Arúndo	574	Aubletia	71
Angulòta	488	Apócynum	356	Arúndo	555, 556, 559,	Aubriètia	24
Angùria	216	Apócynum	361		567, 569, 574	Aúcuba	592
Anigozánthus	504	Aponogèton	478	Arungàna	76	Audibértia	399
Anisánthus	500	AQUIFOLI'ACEÆ	110	ASA'RINEÆ	451	Audouínia	116
Anisochilus	414	Aquilaria	117	A'sarum	451	Aúlax	442
Anisòdus	383	AQUILARINEÆ	117	Ascaricida	289	Auláxis	240
Anisòmeles	403	Aquillègia	8	ASCLEPTADEÆ	355	AURANTI'ACEÆ	75
Anisòmeles	407	A'rabis	22, 485	Asclèpias	360, 394	Avèna	567
Anisopétalum	488	ARABI'DEÆ	21	Asclèpias	360, 361	Avèna	557, 562, 567, 568
Anisum	246, 247	A'rachis	167	A'scyrum	77	Avèrrhòta	102
Aneslèa	17	A'rachis	149	Asmìna	14	Avicènnia	419
Aneslèa	163	Aràlia	256	Aspálathus	129	Axónopus	564
Annòna	14, 15	Aràlia	256, 257	Aspáragus	533	A'xyris	437
Anòda	63	ARALI'ACEÆ	256	Asperùgo	377	A'xyris	437
Anòda	63	Araucària	474	Asperùgo	377	Ayènia	67
Anodóntea	25	A'rbutus	331	Aspèrula	266, 592	Azàlea	344
Anomathèca	499	A'rbutus	330	Aspèrula	264	Azàlea	343, 344
Anòna	14	Archangélica	249	ASPHOD'ELLEÆ	524	Azima	261
ANON'ACEÆ	14	Archemòra	251	Asphòdelus	524	Azorélla	243
Anópterus	239	A'rtium	280	Asphòdelus	524	Babiàna	498
Anredèra	434	A'rtium	284	Aspidistra	480	Bacàzia	280, 592
Antennària	291	Arctòpus	255	Aspidium	579	Bàccharis	289
ANTHEMID'EE	315	Arctostáphylos	330	Aspidium	579, 580	Bàccharis	289, 290
A'nthemis	318	Arctothèca	312	Asplènium	580, 598	Bàccharis	544
A'nthemis	317, 318, 319,	Arctòtis	312	Asplènium	581, 582	Bæ'ckia	210
	321	Arctòtis	312, 313	Asprèlla	567	Balanìtes	104
Anthéphora	563	Ardísia	348	Assònia	69	Balántium	583

	Page.		Page.		Page.		Page.
Balbisia	308	Besleria	329	Botry'ceras	447	Buchnera	394
Ballota	405	Beta	436	Botry'chium	576	Buchnera	394
Ballota	405, 414	Betonica	406	Bouteloua	571	Bucholzia	432
Balsamina	101	BET'ULINEÆ	467	Bouvardia	263	Bucida	195
BALSAMI'NEÆ	101	Betula	467	Bowiea	520	Buddlea	389
Balsamita	315	Beurrieria	379	Bowlesia	243	Buffonia	54
Balsamodendron	120	Bidens	311	Brabejum	446	Bullbine	525
Baltimora	314	Bidens	306	Brachyach'yris	298	Bulbocodium	539
Bambusa	574	Biforus	256	Brachyelytrum	559	Bulbocodium	539
Bambusa	574	Bifloria	265	Brachy'ena	289	Bulliarda	222
Banisteria	81	Bignonia	365	Brachypodium	573	Bumalda	109
BANISTERI'Æ	81	Bignonia	353, 365, 366	Brachypodium	572	Bumelia	348
Banksia	447	BIGNONIACEÆ		Brach'yris	298	Bunchosia	81
Baphia	162		365	Brachysema	123	BUNI'ADEÆ	36
Baptisia	123, 589	Billardiara	48	Brachystelma	359, 600	Bunias	36
Baptisia	122	Billbergia	534	Bradleya	458	Bunias	28, 35
Barbacenia	505	Billottia	210	Brandesia	433	Bunium	246
Barbarea	22	Biophytum	102	Brasenia	17	Bunium	245, 246, 247,
Barkhausia	278	Biscutella	27	Brassavola	490		249
Barleria	420	Biscutella	28	Brassia	488	Buonapartea	536, 597
Barnardia	527	Biserrula	148	Brassica	33	Buonapartea	534
Barosma	105	Bison'ea	32	Brassica	31, 34, 35	Buphone	510
Barringtonia	213	Bixa	40	BRASSI'CEÆ	33	Buphthalmum	309
Barringtonia	213	BIXI'NEÆ	40	Braya	22, 485	Buphthalmum	309
BARRINGTONI'Æ	213	Blackwellia	116, 588	Braxia	599	Bupleurum	246
Bartholina	484	Bl'aria	332	Bridelia	459	Bupleurum	247, 251
Bartonia	218	Bl'aria	332	Brignolia	247	Burchardia	539
Bartsia	395	Blakea	206	Briza	570	Burchellia	262
Bartsia	395	Blandfordia	517	Brodia'ea	517	Burglaria	111
Baryosma	168	Blechnum	581, 598	Brodia'ea	517	Burmanna	546
Basella	443	Blechnum	581	Brodia'ea	532	Bursaria	48
Basella	434	Blechnum	420	Brogniartia	168	Bursaria	120
Bassia	349	Blepharis	419	Bromelia	535	BURSER'ACEÆ	120
Bastardia	64	Blephilia	404	Bromelia	535	Burtonia	124
Batschia	374	Bleta	487	BROMELIACEÆ		Butea	161
Bauera	243	Blighia	84		534	BUT'OMEÆ	477
Bauhinia	172	Blitum	436	Brõmus	573	Butõmus	477
Beaufortia	207	Blumenbachia	218	Brõmus	573	Buttneria	67
Beaumontia	356	Bobartia	497	Brõsimum	462	BUTTNERI'ACEÆ	
Beckmannia	564	Bocconia	19	Bross'ea	332		66
Befaria	345	Bocconia	19	Brotera	288	BUTTI'ERIEÆ	67
Begonia	437, 595	Bœbera	305	Brõtera	69, 287, 414	Buxus	456
BEGONTI'ACEÆ	437	Bœhmèria	462	Broughtonia	490	Buxus	472
Behrnia	274	Bœbotrys	347	Broussonètia	462	B'yblis	46
Bejaria	345	Boerhaavia	430	Broussonètia	122, 462	Byrsõnima	80
Belis	475	Boerhaavia	430	Browallia	394	Bystropogon	401
Belladonna	506	Boldoa	430	Brõwnia	168	Cabomba	17
Bellevàlia	528	Boltonia	298	Brownlowia	71	Cabrera	568
Bellidiàstrum	299	BOMB'ACEÆ	65	Brucea	121	Caçalia	302
Bellinia	383	Bombax	66	Brucea	121	Caçalia	302, 303
Bellis	299	Bombax	66, 73	Brugmansia	383	Cachrys	255
Bellium	299	Bonatea	484	Brunellia	121	Cachrys	244, 249, 252,
Benincasa	214	Bonuaia	396	Brunfelsia	389		255
Berardia	116	Bonplandia	594	Brunia	115	CA'CTEÆ	235
Berardia	284	BONTIA	419	Brunia	115	Cactus	235, 236, 237, 238
BERBERI'DEÆ	16	BORAGI'NEÆ	375	BRUNTI'ACEÆ	115	Caçoucia	196
Berberis	16, 584	Borago	378	Brunnichia	438	Caçia	169
Berchemia	112	Borago	378	Brunsvigia	510, 596	Cælestina	301
Berckheya	312	Borasso	544	Brunsvigia	510	Cænopteris	581
Bergenia	239	Borbõnia	126	Br'ya	162	Cæsalpina	168
Bergera	75	Borbõnia	126, 127	Bryonia	214	Cæsalpina	168, 169
Bergia	55	Borkhousenia	389	Bryonia	214	CÆSALPI'NEÆ	167
Beringeria	405	Borõnia	107	Bryophyllum	224	Cæsia	525
Bernhardia	576	Borya	460	Bubon	251	Cæstulia	288
Berrya	71	Boscia	38	Bubon	247, 248, 250	Cajanus	159
Berteroa	24	Bosea	436	Bubroma	67	Cakile	28
Berthollètia	213	Bossi'ea	126	Bucco	106	Cakile	36
Berzèlia	115	Boswellia	120	Buchanania	117	CAKILI'NEÆ	28

	Page.		Page.		Page.		Page.
Caladènia	486	CAMELLIÆ	73	Carrichtèra	35	Centunculus	420
Calàdium	481	Camerària	355	Càrthamus	284	Cephaëlis	264
Calamagròstis	555	<i>Camerària</i>	354, 355	<i>Càrthamus</i>	284	CEPHALA'NTHEÆ	263
Calamina	561	Campànula	324	Cartonèma	542	Cephalanthus	263
Calamintha	409	<i>Campànula</i>	324, 328, 593	Càrum	245	Cephalària	270
Calàmpelis	366	CAMPANULACÆ		Carunculària	248	Cephalòphora	315
Càlamus	544		324, 592	Càrya	358	Cephalòtus	192
Calandrìnia	219	Campèlia	541	Càrya	465	Ceranthèra	45
Calánthe	490	Campforòsia	437	Càryocar	83	Cerástium	57
Calàthea	494	Campomorònima	210	CÀRYOPHYLLÆ		<i>Cerástium</i>	54, 55
Calceolària	396, 494	CAMPYLOSPE'RMEÆ			48	Cérasus	174
<i>Calàsia</i>	369, 594		253	Caryophyllus	212	Ceratiola	460
Càlea	307	Campylia	90	Caryòta	544	Ceratocàrpus	436
<i>Càlea</i>	289, 306, 307	Canarina	324	Caseària	116	Ceratocéphalus	4
Caléacte	307	Canàrium	120	Càssia	169, 589	Ceratochilus	490
Caléndula	313, 592	Canavàlia	159	CASSIÆ	168	Ceratòchloa	571
Calèpina	35	Candòllea	13	Cassine	110	Ceratònia	169
<i>Calèana</i>	487	Canèlla	79	<i>Cassine</i>	110	Ceratopétalum	243
Calèya	487	Cànna	494	Cassìnia	291	CERATOPHYLL-	
Càlla	480	Cànnabis	463	<i>Cassìnia</i>	288	LEÆ	201
<i>Càlla</i>	480	CÀ'NNEÆ	494	CASSUVIÆ	117	Ceratophyllum	201
Callicàrpa	416	Cánthium	261	<i>Cassùvium</i>	117	Ceratòpteris	577
Callicoma	243	<i>Cántua</i>	368	Cass'ytha	441	<i>Ceratòsinthes</i>	215
Calligonum	440	Caperònia	456	<i>Castàlia</i>	18	<i>Ceratospèrnum</i>	437
Calliopèa	275	Capnophyllum	251	Castànea	467	Cérbera	354
Calliòpsis	311	CAPPARI'DEÆ	37	Castanocàrpus	589	<i>Cérbera</i>	354
Callisàce	251	CAPPAR'Æ	38	Castillèja	395	Cércis	271
Callisia	542	Cápparis	38, 585	Casuarina	472	Cercocàrpus	193
Callistàchys	123	<i>Cápparis</i>	38, 39	Catabròsa	559	Cercòdia	201
Callistèma	297	Caprària	389	Catàlpa	365	CERCODI'ANEÆ	200
Callistèmon	209	<i>Caprària</i>	389	Catanànche	280	Ceràsia	554
Callitriche	201	CAPRIFOLIACÆ		Catàppa	195	Céreus	236, 590
CALLITRICHINEÆ	201		257	Catasètum	488	<i>Céreus</i>	591
Callitris	473	Caprifòlium	258	Catesb'æa	262	Cerìnte	375
Callùna	332	Capsèlla	27	<i>Cathartocàrpus</i>	169	Ceropègia	359, 600
Calochilus	485	Càpsicum	384	Cattlèya	490	Cestrinus	284
Calochòrtus	538	Caragàna	144	Catùrus	462	Céstrum	388
Calodèndron	105	Caraguàta	596	CAUCALINEÆ	253	Céteraçh	578
Calòphaca	144	Caràllia	197	Caúcalis	253	Chærophyllum	254
CALOPHYLLÆ	78	Carallùma	359	<i>Caúcalis</i>	253, 254	<i>Chærophyllum</i>	254, 255, 591
Calophyllum	78	Caràpa	86	<i>Caulyllum</i>	16	Chætanthèra	280
Calopògon	487	<i>Carapíchea</i>	264	Ceanòthus	113	Chætària	557
Calòrophus	547	Cardàmine	23	<i>Ceanòthus</i>	113, 114	Chætocalyx	141
Calostemma	513	<i>Cardàmine</i>	23, 24	Cecròpia	464	Chætogàstra	204
Calothámnus	207	Cardiospèrnum	83	Cedrèla	86	Chætony'chia	220
Calòtis	294	Cardòpatum	287	CEDR'ELEÆ	86	Chætòspora	549
Calòtropis	361	Carduocèllus	284	Cèdrus	475	Chætùrus	555
Cáltha	7, 584	Càrduus	281	CELASTRINEÆ	109	Chaillètia	117
CALYCAN'THEÆ		<i>Càrduus</i>	282, 283	Celàstrus	110	CHAILLETACEÆ	
	194	CARDU'ACEÆ		<i>Celàstrus</i>	110		117
Calycánthus	194	Càrex	547, 597	Celòsia	431	Chaitùrus	407
<i>Calycánthus</i>	195	<i>Càrex</i>	552	<i>Celòsia</i>	431, 433	Chamædòrea	542
CALYCEREÆ	271	Carèya	213	Celsia	380, 594	CHAMÆLAUCIÆ	28
CALYCI'FLORÆ	109	Cargíllia	349	<i>Celsia</i>	394	Chamælàucium	207
<i>Calycòtome</i>	131	Càrica	216	Céltis	464	<i>Chamælàucium</i>	207
Calymènia	429	Carissa	353	<i>Céltis</i>	464	Chamælrìrium	540
Calýpso	487	<i>Carissa</i>	353	Cénchrus	552	Chamænèrion	197
Calyptránthes	211	Carlina	284	<i>Cénchrus</i>	553, 557, 563, 567, 568	Chamærèpes	483
<i>Calyptránthes</i>	211, 212	<i>Carlina</i>	281	Cènia	318	Chamæròps	542
Calýptrión	43	Carlowízia	284	Cenolòphium	248	<i>Chamæròps</i>	542
Calystègia	370	Carludòvica	480	Centaurèa	285, 592	<i>Chamagròstis</i>	557
Cálythrix	206	Carlich'ælia	139	<i>Centaurèa</i>	281, 285, 287	Chamissòa	432
Camarídiùm	489	Carolìnia	66	Centothèca	568	<i>Chamissòa</i>	432
Cambessèdia	117	Carpèsium	290	Centránthus	268	Chamòrchis	483
Camelina	31	Carpinus	467	Centrocàrpha	310	Chaptàlia	280
CAMELINEÆ	31	Carpodinus	256	<i>Centrolèpis</i>	547	<i>Chaptàlia</i>	280
Camèllia	73	Carpodòntus	77	Centrospèrnum	321	Chàra	575
<i>Camèllia</i>	73	<i>Carpopògon</i>	159				

	Page.		Page.		Page.		Page.
<i>Chàra</i> .....	575	Cibòtium .....	599	COBÆACEÆ ..	367	<i>Cònium</i> 247, 251,	255
CHAR'ACEÆ ..	575	Cicca .....	456	Cobúrgia.....	513	CONNAR'ACEÆ	
Chardínia .....	294	Cicéndia .....	364	Coccocypselum ..	262	.....	121
Charlóvodia .....	533	Cicer .....	153	<i>Coccocypselum</i> ..	262	Connárus .....	121
Chasmònia .....	405	<i>Cicer</i> .....	154	Coccolóba .....	438	Conocárcupus .....	196
Cheilánthes.. 583, 599		CICHOR'ACEÆ ..	271	Cócullus .....	15	Conocéphalus....	462
Cheiránthus .....	21	Cichòrium .....	279	<i>Cócullus</i> .....	15	Conospérmum .....	446
<i>Cheiránthus</i> 22, 29, 30		Cicònim .....	100	Cochleària .....	26	Conostégia .....	205
..... 31, 32, 37		Cicùta .....	244	<i>Cochleària</i> ..	26, 31	Conóstylis .....	504
<i>Cheirínia</i> .. 29, 30, 31		<i>Ciliària</i> .....	240	<i>Cochlospérmum</i> ..	73	Conringia .....	31
Cheirostèmon .....	66	Cimicifùga .....	11	Còcos .....	544	Convallària .....	523
Chelidònium .....	19	CINCH'ONEÆ ..	262	<i>Còcos</i> .....	543, 544	<i>Convallària</i> .....	523
<i>Chelidònium</i> .....	19	<i>Cinchóna</i> .. 260, 262		Codàrium .....	172	CONVOLVUL'A-	
Chelòne .....	393	Cinerària .....	304	Còdon .....	383	CEÆ .....	369
Chenòlea .....	434	<i>Cinerària</i> .. 304, 305		Codonóphora....	329	Convólulus .....	369
CHENOP'ODEÆ 433		Cinna .....	557	Cœlogyne .....	488	<i>Convólulus</i> 370, 371,	
Chenopodium .....	434	Cinnamómum ..	441	CÆLOSPE'RMEÆ	256	..... 372, 373	
<i>Chenopodium</i> 431, 434		Circ'æa .....	200	Coffèa .....	264	Con'ya .....	289
Cherlèria .....	57	CIRC'ÆE .....	200	<i>Coffèa</i> .....	264	Con'ya .....	289, 294
Chilócloa .....	554	Cirrh'æa .....	488	COFF'ACEÆ ..	263	Còkia .....	75
<i>Chilócloa</i> .....	554	Círsium .....	282	Còix .....	574	Copaífera .....	171
Chilológittis .....	486	Cissámpelos .....	15	Colbértia .....	13	Cóptis .....	7, 584
Chilópsis .....	365	<i>Cissámpelos</i> ..	16	Cólchicum .....	539	Corallorrhiza .....	487
Chimáphila .....	341	Císsus .....	86	<i>Cólchicum</i> .....	539	Corbulària .....	514
Chimonánthus .....	195	<i>Císsus</i> .....	87	Coldènia .....	600	Córchorus .....	70
Chiocócça .....	264	CISTI'NEÆ ..	40	<i>Coleánthus</i> .....	554	<i>Córchorus</i> .....	194
Chionánthus .....	351	Cístus .....	40	Colebroókia .....	400	Córdia .....	379
<i>Chiranthodéndron</i>	66	<i>Cístus</i> .....	41, 42	Coleonèma .....	106	<i>Córdia</i> .....	380
Chirònia .....	363	Citharéxylum ..	417	Còleus .....	413	Cor'dyline .....	534
<i>Chlamy'sporum</i> ..	532	Citrus .....	75	Coll'æa .....	140	<i>Cor'dylocárcupus</i> ..	36
CHLEN'ACEÆ ..	72	Cladánthus 319, 592		Collètia .....	113	Corèma .....	460
Chlidánthus .....	513	Cládium .....	550	<i>Collètia</i> .....	113	Coreòpsis .....	311
Chloánthes .....	417	Cladóstachys .....	91	Colúnsia .....	390	<i>Coreòpsis</i> 307, 309, 311	
Chlòra .....	363	Clárkia .....	199	Collinsonia .....	412	CORIA'NDREÆ ..	256
CHLORA'NTHEÆ		Clausènia .....	75	Collòmia .....	368	Coriándrum .....	256
..... 259		Clavja .....	353	Colobáchne .....	557	<i>Coriándrum</i> .....	256
Chloránthus .....	259	Claytonia .....	220	Cologània .....	140	CORIARIEÆ ..	109
<i>Chloráster</i> .....	516	CLEMATÍDEÆ ..	1	Colophònia .....	120	Coriària .....	109
Chlòris .....	562	Clématis .....	1, 584	Colpòdium .....	557	<i>Còrion</i> .....	256
<i>Chlòris</i> .. 562, 571		<i>Clématis</i> .....	2	Colubrina .....	113	Còris .....	425
Chloróphytum ..	525	Cleòme .....	37, 585	Columèllia .....	308	Corispérmum .....	436
Chloroxylon .....	86	<i>Cleòme</i> .. 31, 37, 38		Colúmnea .....	390	Corrucòpiæ .....	552
Chomèlia .....	264	CLE'OMEÆ ..	37	Colùria .....	189	Córnus .....	257
Chondrilla .....	277	Cleònia .....	410	Colútea .....	144	Cornútia .....	417
<i>Chondròsea</i> .....	240	Clerodéndrum ..	415	<i>Colútea</i> .....	144	<i>Cornútia</i> .....	417
Chondròsium ..	571	Clèthra .....	332	Comándra .....	450	COROLLIFLOREÆ	
Chorisma .....	274	Cleyèra .....	72	Comaròpsis .....	189	..... 347	
Chorispora .....	28	Clidèmia .....	205	<i>Cómarum</i> .....	192	Coronilla .....	148
Chorizèma .....	123	Cliffòrtia .....	193	COMBRET'ACEÆ		<i>Coronilla</i> .....	143
<i>Chorozèma</i> .....	123	Cliftònia .....	332	..... 195		CORONILLEÆ ..	148
<i>Christia</i> .....	149	Clinopodium .....	409	Combrètum .....	196	<i>Corónopus</i> .....	31
Chrysanthèllum ..	308	Clintònia .....	324	<i>Combrètum</i> 196, 590		Corrèa .....	107
Chrysanthemum 320		Clitòria .....	140	Comespérma .....	47	Corrigiola .....	220
<i>Chrysanthemum</i> 321,		<i>Clitòria</i> .....	140	Commelina .. 542, 597		Cortùsa .....	423
..... 322		CLIT'ORIEÆ ..	138	<i>Commelina</i> .. 541, 542		<i>Còrybas</i> .....	487
<i>Chrysiphàla</i> .....	513	Clìvia .....	516	COMMELINEÆ 541		Corycárcupus .....	571
CHRYSOBAL'A-		Clùsia .....	78	Commersònia .....	67	Cory'cium .....	485
NEÆ .....	173	CLUSI'ÆÆ ..	78	<i>Commersònia</i> .....	67	Cory'dàlis .....	20
Chrysobálanus ..	173	Cluy'tia .....	459	Comoclàdia .....	119	Còrylus .....	467
Chrysócoma .....	298	Clypèola .....	25	COMPO'SITÆ ..	271	Còrynèlla .....	144
<i>Chrysócoma</i> 291, 298		<i>Cnemidóstachys</i> ..	460	Comptònia .....	472	Corynéphorus .....	560
Chrysophyllum ..	349	Cneòrum .....	121	Conanthera .....	532	Còrypha .....	543
Chrysopògon .....	561	Cnèstis .....	121	<i>Cónchium</i> .....	447	<i>Còrypha</i> .....	542, 543
Chrysòpsis .....	291	<i>Cnicus</i> .. 282, 283, 287		Condàlia .....	112	Corysánthes .....	487
<i>Chrysòpsis</i> .....	295	Cnidium .....	248	Condylocárcupus ..	252	Coscénium .....	15
Chryso splènim ..	242	<i>Cnidium</i> .....	248, 249	CONI'FERÆ ..	473	Còsmos .....	310
Chrystrus .....	562	Cnidóscolus .....	457	Conioselinum .....	249	<i>Cósmea</i> .....	311
Chuquíraga 280, 592		Cob'æa .....	367	Cònium .....	255	Cosmèlia .....	345



	Page.		Page.		Page.		Page.
Diosp'yros ..	349, 593	Dryáandra .....	448	Embóthrium .....	447	Eriosynáphe .....	250
Diótis .....	437	Dryas .....	190, 589	Embóthrium .....	447	Erisma .....	590
Diphylleia .....	16	Dryas .....	189	Embryópteris .....	350	Eriñhalis .....	260
Dipláchne .....	571	Drymària .....	55	Emericia .....	356	Eronódea .....	264
Diplázium ..	582, 598	Drypìs .....	54	'Emex .....	440	Erodéndrum ..	443, 444
DIPLECOL'OBÆÆ	36	Duchésnia .....	189	Emilæa .....	302	Erodium .....	89
Diplochita .....	205	Dulchéium .....	549	EMPE'TREÆ ..	460	Eróphia .....	26
Diplocoma .....	299	Dumàsia .....	140	Empètrum .....	460	Erpètion .....	45
Diplolépis .....	361	Dumerflia .....	280	Empètrum .....	460	Èruca .....	35
Diplopappus .....	294	Dumerlòp .....	592	Empleurum .....	107	Èrucària .....	36
Diplophyllum ..	399	Dupóntia .....	559	Enarthrocárpus ..	36	ERUCAR'IEÆ ..	36
Diplostégium ..	204	Duránta .....	417	Encèlia .....	308	Ervilia .....	154
Diplostèphium ..	295	Duroía .....	261	Enchyl'æna .....	434	E'rvum .....	154
Diplotáxis .....	34	Duvállia .....	356	Ency'clia .....	490	Ery'ngium ..	244, 591
Diplothèmium ..	544	Duvaúa .....	119	END'O'GENÆ ..	476	Ery'simum ..	30, 585
Dipódium .....	489	Dyssòdia .....	305	Enkiántius .....	331	Ery'simum 22, 29, 30, 31	
DIPS'ACEÆ .....	269	EBEN'ACEÆ ..	349	Enneapògon .....	567	Erythr'æa .....	363
Dípsacus .....	269	E'benus .....	152	Enòdium .....	560	Erythrina .....	160
Díptera .....	240	Ecastaphyllum ..	162	Enslènia .....	360	Erythrina .....	161
Dípterix .....	168	Eccecmocárpus ..	66	Entàda .....	162	Erythrol'æna ..	283
Dírca .....	448	Eccecmocárpus ..	66	Entelæa .....	70	Erythrònium ..	539, 597
Dísa .....	484	Echevèria .....	225	EPACRID'ÆÆ	345	Erythrophlèum ..	163
Dísàndra .....	394	Echinàcea .....	310	E'pacris .....	45	ERYTHROXYLEÆ	
Dischidia .....	360	Echinària .....	567	E'pacris ..	345, 346	.....	80
Dischísma .....	414	Echinocáctus ..	235, 590	Epáltes .....	315	Erythroxylum ..	80
Discopleura ..	245, 591	Echinócloa .....	563	Ephèdra .....	474	Erythroxylon ..	80
Disémma .....	217	Echinóphora .....	255	Ephèllis .....	84	ESCALL'ONEÆ	239
Disophylla .....	400	Echinopògon .....	559	Epidéndrum .....	490	Escallònia ..	239, 591
Dísperis .....	485	Echinops .....	287	Epidéndrum ..	488, 489,	Escalhóltzia ..	19
Dísporum .....	539	ECHINOPSI'DEÆ	287	.....	490	E'sula .....	454, 455
Dissolèna .....	354	Echinospèrnum ..	377	Epig'æa .....	342	Ethùlia .....	315
Diùrus .....	485	Echites .....	355	Epilóbium .....	198	Ethùlia .....	315
Dodártia .....	390	Echites .....	356	Epilóbium ..	197, 198	Eucaly'ptus ..	208
Dodecàtheon ..	423, 595	Echium .....	375	Epimèdium ..	16, 584	Euchètes .....	106
Dodon'æa .....	85	Eclipta .....	308	Epipáctis .....	486	Euchilus .....	124
DODON'Æ'ACEÆ ..	85	Edwàrdsia .....	122	Epipáctis .....	486	Euchròma .....	395
Dólichos .....	158	Ehrètia .....	379	Epiphyllum .....	237	Euclæa .....	457
Dólichos ..	158, 159	Ehrhártia .....	574	EQUISET'ACEÆ	575	EUCL'DEÆ .....	28
Doliocárpus .....	12	Ehrhártia .....	574	Equisètum .....	575	Euclídium .....	28
Dombèya ..	69, 586	Ekebérgia .....	86	Eragróstis .....	570	Eucòmis .....	530
Dombèya ..	367, 475	EL'ÆA'GNEÆ ..	451	Eragróstis .....	570	Eucrósia .....	513
DOMBEY'ACEÆ ..	69	Elæágnus .....	451	Eránthemum ..	422	Eudésmia .....	208
Dóndia .....	244	EL'EOCA'RPEÆ	71	Eránthemum ..	415, 420	Eugènia .....	212
Dónia .....	298, 299	Elæocárpus .....	71	Eránthus .....	7	Eugènia 211, 212, 213	
Dóodia .....	581, 598	Elæodéndron .....	110	Eremùrus .....	524	EUHEDYS'AREÆ	148
Dóbdia .....	149	Elæodéndron ..	111, 349	'Eria .....	489	EULEPTOSPE'RMÆ	
Dorónicum .....	299	Elàis .....	543	'Erica .....	332	.....	208
Dorónicum ..	298, 299	Eláphrium .....	120	'Erica .....	332, 341	Eulòphia .....	490
Dorstènia .....	464	Elàte .....	543	ER'ICEÆ .....	330	EUONY'MEÆ ..	109
Doryánthes .....	516	Elatèrium .....	215	Erigènia .....	243	Eunymus ..	109, 588
Dory'cnium .....	137	Elátine .....	55	Erigeron .....	294	Euósma .....	364
Dràba .....	25, 585	Elègia .....	547	Erigeron .....	290	EUPAT'OREÆ ..	299
Dràba .....	25, 26	Eleiótis .....	152	Eriurus .....	394	Eupatòrium ..	300
Drac'æna .....	533	Eleócharis .....	550	Eriobòtrya .....	176	Eupatòrium ..	291, 301
Drac'æna 517, 532,	533	Elephántopus ..	288	Eriocàlia .....	243	Euphórbia .....	453
Dracocéphalum ..	408	Elèttaria .....	492	Eriocáulon ..	546, 597	Euphórbia .....	452
Dracocéphalum ..	406	Eleusine .....	571	Eriocèphalus ..	317	EUPHORBIACEÆ	
Dracóntium .....	479	Eleusine .....	571	Eriochilus .....	486	.....	452
Dracóntium ..	479, 480	Elich'r'ysum ..	292, 293	Eriocoma .....	314	Euphòria .....	84
Dracophyllum ..	345	Ellisia .....	380	Eriodéndron ..	66	Euphràsia .....	394
Drepània .....	275	Ellobocárpus ..	577	Eriogonum .....	440	Eùrya .....	72
Drepanocárpus ..	161	Elòdea .....	76	Eriol'æna .....	69	Eùryale .....	17
Drepanophyllum	245	Elshóltzia .....	400	Eriophorum .....	552	Eùrycles .....	513
Drímia .....	529	E'lymus .....	566	Erióphorum ..	552	Euryspèrnum ..	443
Drímys .....	13	E'lyna .....	552	Eriophyllum ..	322	Eury'coma .....	121
Drósera .....	45	Elytrària .....	420	Eriospèrnum ..	529	Eùstachys .....	562
DROSER'ACEÆ ..	45	Embèlia .....	348	Eriostèmon .....	107	Eustègia .....	361
Drummóndia ..	591	E'mblica .....	459	Eriostèmon .....	407	Eùstonia .....	364

	Page.		Page.		Page.		Page.
Eùstrephus	533	Fragària	189	Gaura	198	Glossòdia	497
Eutàxia	124	Fragària	192	Gay'a	64	Glóssula	485
Eutérpe	543	Franciscea	389	Gay'a	591	Glottídium	143
Eùthales	324	Frankènia	48, 586	Gazània	312	Gloxínia	329
Euthàmia	298	FRANKENTACÆ	48	Geissomèria	420	Glycèria	570
Eùtoca	380, 594	Fransèria	315	Geissorhiza	503	Glycèria	569, 570
Euxènia	315	Frasèra	363	Gèla	600	Gly'cine	140
Euzòmum	35	Fráxinus	350	Gelònium	457	Gly'cine	127, 141, 149,
Evax	294	Fráxinus	351	Gelsèmium	353	.....	156, 157, 168
Evòdia	107	Frezièra	72	Genety'llis	207	Glycosmis	75
Evólulus	373	FREZIEREÆ	72	Geniòsporum	414	Glycirrhiza	141
Exacum	364	Frièsia	72	Genipa	261	Gmelina	417
Exacum	364	Fritillària	537	Genista	129	Gnaphàlium	291
Excacària	459	Fritillària	538	Genista	131	Gnaphàlium	291, 292,
Exocàrpus	450	Fúchia	197, 590	GENISTEÆ	125	.....	293, 308
EXOG'ENÆ	1	FUCHSIEÆ	197	Gentiàna	362	Gnètum	464
Exostemma	262	Fuirèna	552	Gentiàna	364	Gnídia	449
Fàba	153	Fumària	20	GENITANEÆ	362	Godóya	78
Fabricia	210	Fumària	20	Geodòrum	487	Goldbáchia	32
Fabricia	209	FUMARIACEÆ	20	GEOFFREÆ	167	Gomèza	487
Fagàra	107, 120	Fánkia	517	Geoffròya	168	Gomèza	487
Fagèlia	157	Furc'œa	534	Geónoma	544	Gomphia	109
Fagònia	104	Fusànus	450	Geóphila	264	Gomphocàrpus	361
Fagr'œa	353	Gartnèra	81	Georgina	310	Gomphocàrpus	361
Fàgus	467	Gàgea	527	GERANTICEÆ	88	Gompholòbium	124
Falcària	245	Gàgea	527	GERANIEÆ	88	Gompholòbium	123
Fàlkia	373	Gagnebina	163	Gerànium	88	Gomphrèna	432
Farsètia	24	Gaillàrdia	310	Gerànium	88, 90, 91,	Gomphrèna	432
Farsètia	24	GALACINEÆ	345	92, 93, 94, 97, 98, 99,	.....	Gomütus	544
Fèdia	268	Galàctia	140	100, 101	.....	Gongòria	489
Fèdia	269	Galactites	285	Geràrdia	395	Goniocàrpus	200
Ferdinàndia	318	Galactodèndron	462	Geràrdia	396	Gonolobus	360
Fernandèsia	490	Galànthus	516	Gerbèria	299	Gonostèmon	358
Fernèlia	262	Galarh'œus	455	Geropògon	279	Gonostèmon	357
Ferònia	75	Gàlax	345	Gesnèria	329	Goodènia	324
Ferrària	499	Galàxia	499	Gesnèria	329	Goodènia	324, 325
Ferrària	497, 499	Galàxia	499	GESNER'EÆ	329	GOODENOVIÆ	324
Ferreòla	349	G'ALEÆ	265	Gethy'llis	516	Goòdia	126
Férula	250, 591	Galed'upa	161	Getònia	196	Goòdia	126
Férula	249, 250, 253	Galèga	141	Gèum	190	Goodyèra	485
Festùca	572	Galèga	142, 144, 156	Gèum	189, 190	Gordònia	73
Festùca	559, 567, 570,	Galènia	437	Ghínia	418	GORDONIEÆ	73
.. 571, 572, 573, 574		Galeòbdolon	405	Gília	368, 594	Gortèria	312
Feuillœa	215	Galeópsis	405	Gília	368	Gossy'pium	63
Fibígia	24	Galinsògea	308	Gillènia	194	Gouània	114
Ficària	7	Galinsògea	308	Gillièsia	546	Gr'œmia	315
FICOI'DEÆ	227	Galipèa	108	Ginginsia	220	GRAMINEÆ	552
Ficus	460	Gàlium	266	Gínkgo	473	Grammànthes	223
Fièldia	366	Gàlium	266	Ginòria	202	Grammitis	578
Filàgo	294	Galphimia	81	Gisèkia	433	Grammitis	578
FILICES	576	Garcìnia	78, 587	Githàgo	54	GRANATEÆ	195
FIMBRISTYLIS	550, 597	GARCINIEÆ	78	Gladiolus	500	Gràngea	318
Fischèria	358	Gardènia	261	Gladiolus	499, 500, 501,	Grangèria	173
Flacòrtia	40	Gardènia	260, 261	.....	502	Graphèphorum	571
FLACOURTIANEÆ	40	GARD'ENIÆ	260	Glaúcium	19, 585	Gratiola	396
.....	40	Gardòquia	409	Glaúx	428	Gratìda	396
Flagellària	546	Garidèlla	8	Glechòma	408	Grenvillea	96
Flavèria	313	Garùga	120	Gleditschia	168	Grenvillea	446
Flemíngia	152	Gasteria	519	Gleichènia	577, 598	Grèwia	70
Flindèrsia	86	Gastònia	256	GLEICHEN'EÆ	577	Grèwia	206
Florest'ina	306	Gastrídium	555	Glinus	234	Grias	213
FLUVIALES	478	Gastrocàrpha	280	Glòbba	491	GR'ILEÆ	89
Foeniculum	247	Gastrolòbium	124	Glòbba	491	Grièlum	89
Feniculum	245	Gastronèma	512	Globalària	426	Griff'inia	510
Fontanèsia	351	Gaudichadàdia	81	GLOBULARIEÆ	.....	Grindèlia	298
Forskòhlea	463	Gaudínia	568	.....	426	Gríslea	202
Fothergilla	473	Gaulthèria	331	Globàlea	223	Gronòvia	216
Fothergilla	205	Gaulthèria	330	Gloriosa	539	GROSSULARTEÆ	.....
						.....	238

	Page.		Page.		Page.		Page.
Guaiacum	104	<i>Hebenstreitia</i>	414, 415	<i>Hesperántha</i>	503	<i>Houstònia</i>	361
Guàrea	86	<i>Hedeòma</i>	404	<i>Héserpis</i>	29	<i>Houttuy'nia</i>	479
Guatteria	15	<i>Hédera</i>	256	<i>Héserpis</i>	22, 29, 30	<i>Hòvea</i>	125
Guazúma	67	<i>Hédera</i>	87	<i>Hesperoscòrdum</i>	532	<i>Hovènia</i>	113
<i>Guep'inia</i>	27	<i>Hedy'chium</i>	493	<i>Heteránthemis</i>	321	<i>Hòya</i>	359
<i>Guettárda</i>	260	<i>HEDYOTI'DEÆ</i>	262	<i>Heteranthera</i>	541	<i>Hudsonia</i>	43
<i>GUETTA'RDEÆ</i>	260	<i>Hedyótis</i>	262	<i>Heteromórpha</i>	247	<i>Huernia</i>	359
<i>Guevina</i>	599	<i>Hedyótis</i>	599	<i>Heteropògon</i>	561	<i>Hugònia</i>	72
<i>Guilandina</i>	168	<i>Hedy'pnois</i>	275	<i>Heterópteris</i>	82	<i>Hùmea</i>	291
<i>Gundèlia</i>	288	<i>Hedy'pnois</i>	275	<i>Heterospermum</i>	306	<i>Hùmulus</i>	463
<i>Gunnèra</i>	12	<i>HEDYS'AREÆ</i>	148	<i>Heterotáxis</i>	489	<i>Hunnemánna</i>	19
<i>Gustàvia</i>	213	<i>Hedy'sarum</i>	151	<i>Heterótrichum</i>	205	<i>Hùra</i>	458
<i>GUTTY'FERÆ</i>	78	<i>Hedy'sarum</i>	127, 140, 149, 150, 151, 152, 153	<i>Heterótrichum</i>	281	<i>Hutchínsia</i>	27
<i>Guzmánna</i>	533	<i>Heimia</i>	202	<i>Heuchèra</i>	242	<i>Hutchínsia</i>	27
<i>Gymnadenia</i>	483	<i>Helènium</i>	307	<i>Heylándia</i>	127	<i>Hyacínthus</i>	528
<i>Gymnèma</i>	360	<i>Heléochloa</i>	557	<i>Hey'nea</i>	86	<i>Hyacínthus</i>	527, 528, 529, 530
<i>Gymnocladus</i>	168	<i>Heliánthemum</i>	41	<i>Hexaglòttis</i>	498	<i>Hyális</i>	502
<i>Gymnográmma</i>	578	<i>HELIA'NTHEÆ</i>	306	<i>Hexaglòttis</i>	502	<i>Hyanánche</i>	457
<i>Gymnolòma</i>	309	<i>Heliánthus</i>	309	<i>Hibbertia</i>	13	<i>Hydránga</i>	242
<i>Gymnóstachys</i>	479	<i>Heliánthus</i>	312	<i>Hibiscus</i>	61, 586	<i>Hydrástis</i>	4
<i>Gymnóstylis</i>	317	<i>Helich'rysum</i>	292	<i>Hicòrius</i>	465	<i>HYDROCHARI-DEÆ</i>	476
<i>Gynandropsis</i>	37	<i>Helich'rysum</i>	294	<i>HIER'ACIÆÆ</i>	271	<i>HYDROCHARYÆÆ</i>	200
<i>Gypsóphila</i>	48	<i>Helicònia</i>	495	<i>Hierácium</i>	273, 275	<i>Hydrocharis</i>	476
<i>Gypsóphila</i>	51	<i>Helióteres</i>	65	<i>Hieróchloe</i>	559	<i>Hydrochloa</i>	570
<i>Gyrocárpus</i>	442	<i>Heliocárpus</i>	70	<i>Híllia</i>	262	<i>Hydrocòtyle</i>	243
<i>Gyròmia</i>	523	<i>Helióphila</i>	36	<i>Hippéastrum</i>	508	<i>Hydrocòtyle</i>	243
<i>Gyrostèmon</i>	71	<i>HELIOPHI'LEÆ</i>	36	<i>Hippia</i>	317	<i>HYDROCOTYL'INEÆ</i>	243
<i>Habenària</i>	484	<i>Heliópsis</i>	309	<i>Hippia</i>	317	<i>Hydroglòssum</i>	577
<i>Habenària</i>	483	<i>Heliotròpium</i>	374	<i>Hippoc</i>	364	<i>Hydròlea</i>	369
<i>Hablítzia</i>	434	<i>Heliotròpium</i>	374, 379	<i>HIPPOCASTA-NEÆ</i>	83	<i>HYDROLE'ACEÆ</i>	369
<i>Habránthus</i>	506	<i>Helleborine</i>	485	<i>Hippocratea</i>	79	<i>HYDROPELTI'DEÆ</i>	17
<i>Hacuètia</i>	244	<i>HELLEB'OREÆ</i>	7	<i>HIPPOCRATE'A-CEÆ</i>	79	<i>Hydropétis</i>	17
<i>Hæmadictyon</i>	356	<i>Helleborus</i>	7	<i>Hippocrèpis</i>	148	<i>HYDROPHY'LLÆÆ</i>	380
<i>Hæmánthus</i>	510	<i>Hellènia</i>	493	<i>Hippomane</i>	458	<i>Hydrophyllum</i>	380
<i>Hæmatóxylo</i>	169	<i>Hellènia</i>	493	<i>Hippomárthrum</i>	255	<i>Hydrophyllum</i>	380
<i>HÆMODO'R'ACEÆ</i>	504	<i>Helmínthia</i>	276	<i>Hippophae</i>	451	<i>Hygróphila</i>	420
<i>Hæmodòrum</i>	504	<i>Helónia</i>	540	<i>HIPPURI'DEÆ</i>	201	<i>Hymen'æa</i>	172
<i>Hæga</i>	221	<i>Helónias</i>	540	<i>Hippùris</i>	201	<i>Hymenanthera</i>	586
<i>Hæka</i>	446	<i>Helosciádium</i>	245	<i>Hiptage</i>	81	<i>Hymenocállis</i>	513
<i>Hæksa</i>	446	<i>Hemárrhia</i>	562	<i>HIRT'AGEÆ</i>	81	<i>Hymenocárpus</i>	132
<i>Hælèsia</i>	347	<i>HEMEROCALLI-DEÆ</i>	516	<i>Hir'æa</i>	81	<i>Hymenodictyon</i>	262
<i>Halimodéndron</i>	144	<i>Hemerocállis</i>	516	<i>Hirculus</i>	240	<i>Hymenogyne</i>	234
<i>Hallèria</i>	389	<i>Hemerocállis</i>	517	<i>Hirtèlla</i>	173	<i>Hymenopáppus</i>	306
<i>Hállia</i>	127	<i>Hemidésmus</i>	356	<i>Hòarea</i>	90	<i>Hymenophyllum</i>	583
<i>Halochàris</i>	282	<i>Hemigènia</i>	408	<i>Hoffmansèggia</i>	169	<i>Hymenophyllum</i>	583
<i>Halocnèmum</i>	437	<i>Hemimeris</i>	399	<i>Hoitzia</i>	368	<i>Hyoscyamus</i>	382
<i>HALOR'AGEÆ</i>	200	<i>Hemimeris</i>	394	<i>Hòlcus</i>	562	<i>Hyoscyamus</i>	382
<i>Haloràgis</i>	200	<i>Hemionitis</i>	578	<i>Hòlgárna</i>	588	<i>Hyóseris</i>	276
<i>Haloràgis</i>	201	<i>Hemionitis</i>	578, 582	<i>Holmskiöldia</i>	417	<i>Hyóseris</i>	275, 276
<i>HAMAMELI'DEÆ</i>	473	<i>Hemítilla</i>	583	<i>Holóstèum</i>	55	<i>Hypécoum</i>	19
<i>Hamamélis</i>	473	<i>Hepática</i>	4	<i>Holóstèum</i>	55	<i>Hyperanthera</i>	168
<i>Hamèlia</i>	260	<i>Heracántha</i>	284	<i>HOMALI'NEÆ</i>	116	<i>HYPERICI'NEÆ</i>	76
<i>HAMELI'ACEÆ</i>	260	<i>Heracleum</i>	251	<i>Homállum</i>	116	<i>Hypéricum</i>	76
<i>Hamiltonia</i>	451	<i>Heracleum</i>	252	<i>Homèria</i>	498	<i>Hyph'æne</i>	543
<i>Hamiltonia</i>	263	<i>Herbèrtia</i>	497	<i>Hoódia</i>	359	<i>Hypocalyptus</i>	128
<i>Hapalostèphium</i>	273	<i>Heritièra</i>	66	<i>Hookèra</i>	517	<i>HYPOCHÆRI'DEÆ</i>	276
<i>Hardwíckia</i>	169	<i>Heritièra</i>	504	<i>Hòpea</i>	347	<i>Hypochæris</i>	276
<i>Harónga</i>	76	<i>Hermánna</i>	68	<i>Hórdeum</i>	558	<i>Hypoclytrum</i>	598
<i>Harpályce</i>	274	<i>Hermánna</i>	69	<i>Horkèlia</i>	189	<i>Hypoestes</i>	422
<i>Harráchia</i>	420	<i>HERMANNI'EÆ</i>	67	<i>Horminim</i>	409	<i>Hypol'æna</i>	547
<i>Harrisònia</i>	361	<i>Hérmas</i>	255	<i>Hornemánna</i>	393, 394	<i>Hypopithys</i>	342
<i>Hartògia</i>	111	<i>Hermónium</i>	483	<i>Hosáckia</i>	589	<i>HYPOXI'DEÆ</i>	505
<i>Hasselquístia</i>	252	<i>Hermione</i>	515	<i>Hósta</i>	417	<i>Hypòxis</i>	505
<i>Hástingia</i>	417	<i>Hernándia</i>	442	<i>Hotònia</i>	425		
<i>Havètia</i>	78	<i>Herniària</i>	220				
<i>Hawórhia</i>	520	<i>Herniària</i>	220				
<i>Hebenstreitia</i>	414	<i>Herrèria</i>	533				

	Page.		Page.		Page.		Page.
<i>Hyptis</i> . . . . .	414, 594	<i>Jacaranda</i> . . . . .	366	<i>Kundmannia</i> . . . . .	247	<i>Lawsonia</i> . . . . .	202
<i>Hyssopus</i> . . . . .	402	<i>Jacksônia</i> . . . . .	124	<i>Kùhnia</i> . . . . .	299	<i>Laxmannia</i> . . . . .	532
<i>Hyssopus</i> . . . . .	402	<i>Jacquinia</i> . . . . .	348	<i>Kuhnistèria</i> . . . . .	141	<i>Lebéckia</i> . . . . .	129
<i>Iántha</i> . . . . .	490	<i>JACOB'Æ</i> . . . . .	301	<i>Ky'dia</i> . . . . .	69	<i>Lebéckia</i> . . . . .	139
<i>Ibèris</i> . . . . .	27	<i>Jambolifera</i> . . . . .	107	<i>Kyllinga</i> . . . . .	552, 598	<i>Lebretônia</i> . . . . .	61
<i>Ibèris</i> . . . . .	27	<i>Jambosa</i> . . . . .	212	<i>LABIAT'Æ</i> . . . . .	399	<i>Lecanocarpus</i> . . . . .	431
<i>Ibbetsônia</i> . . . . .	123	<i>Janípha</i> . . . . .	458	<i>LABIATIFLOR'Æ</i> . . . . .	280	<i>Lechæa</i> . . . . .	43
<i>Ichnocarpus</i> . . . . .	356	<i>Jasione</i> . . . . .	328, 593	<i>Láblab</i> . . . . .	159	<i>Lechenaúltia</i> . . . . .	324
<i>I'cica</i> . . . . .	589	<i>JASMIN'Æ</i> . . . . .	352	<i>Lachenalia</i> . . . . .	529	<i>LECYTHID'Æ</i> . . . . .	213
<i>Ilex</i> . . . . .	111	<i>Jasminum</i> . . . . .	352	<i>Lachn'æa</i> . . . . .	449	<i>Lécythis</i> . . . . .	213
<i>Ilex</i> . . . . .	110, 111	<i>Jasônia</i> . . . . .	294	<i>Lachnánthes</i> . . . . .	504	<i>Lécythis</i> . . . . .	213
<i>ILLECEBRE'Æ</i> . . . . .	220	<i>Játropha</i> . . . . .	457	<i>Lactuca</i> . . . . .	277	<i>Ledebaria</i> . . . . .	246
<i>Illecebrum</i> . . . . .	220	<i>Játropha</i> . . . . .	457, 458	<i>Lactuca</i> . . . . .	277	<i>Lèdum</i> . . . . .	344
<i>Illecebrum</i> 220, 221, 431, . . . . .	432	<i>Jeffersônia</i> . . . . .	17	<i>LACT'UCE'Æ</i> . . . . .	277	<i>Lèdum</i> . . . . .	344
<i>Illicium</i> . . . . .	13	<i>Jenkinsônia</i> . . . . .	100	<i>L'ætia</i> . . . . .	40	<i>Leèa</i> . . . . .	87
<i>Imatophyllum</i> . . . . .	516	<i>Johannia</i> . . . . .	280	<i>Lagásca</i> . . . . .	288	<i>LEE'ACE'Æ</i> . . . . .	87
<i>Imbricaria</i> . . . . .	349	<i>Jóhnia</i> . . . . .	80	<i>Lagáscea</i> . . . . .	288	<i>Leérsia</i> . . . . .	554
<i>Imhófia</i> . . . . .	510	<i>Jolíffia</i> . . . . .	215	<i>Lagenaria</i> . . . . .	213	<i>LEGUMIN'OS'Æ</i> . . . . .	122
<i>Impatiens</i> . . . . .	102, 588	<i>Jonèsia</i> . . . . .	169	<i>Lagerstr'œmia</i> . . . . .	202	<i>Leimánthium</i> . . . . .	540
<i>Impatiens</i> . . . . .	101	<i>Jonidium</i> . . . . .	45	<i>LAGERSTR'œMIE'Æ</i> . . . . .	202	<i>Leiophyllum</i> . . . . .	344
<i>Imperata</i> . . . . .	560	<i>Jonidium</i> . . . . .	43, 45	<i>Lagétta</i> . . . . .	448	<i>Lémna</i> . . . . .	478
<i>Imperatoriã</i> . . . . .	251	<i>Jossinia</i> . . . . .	211	<i>Lag'œcia</i> . . . . .	255	<i>Léns</i> . . . . .	154
<i>Imperatoriã</i> 249, 250, . . . . .	251	<i>JUGL'ANDE'Æ</i> . . . . .	465	<i>Lagony'chium</i> . . . . .	164	<b>LENTIBULARI'Æ</b> . . . . .	422
<i>Indigófera</i> . . . . .	139	<i>Júglans</i> . . . . .	465	<i>Lagosëris</i> . . . . .	273	<i>Leonótis</i> . . . . .	404
<i>Inga</i> . . . . .	163	<i>Júglans</i> . . . . .	465	<i>Lagosëris</i> . . . . .	278	<i>Leontice</i> . . . . .	16
<i>Inga</i> . . . . .	163	<i>JUNCAGINE'Æ</i> . . . . .	477	<i>Laguncularia</i> . . . . .	196	<i>Leóntodon</i> . . . . .	274
<i>Inocarpus</i> . . . . .	348	<i>JU'NCE'Æ</i> . . . . .	545	<i>Lagun'ea</i> . . . . .	65	<i>Leóntodon</i> . . . . .	275
<i>Inula</i> . . . . .	290	<i>Júncus</i> . . . . .	545	<i>Lagurus</i> . . . . .	559	<i>Leontopodium</i> . . . . .	291
<i>Inula</i> . . . . .	291	<i>Júncus</i> . . . . .	545	<i>Laháya</i> . . . . .	221	<i>Leonurus</i> . . . . .	405
<i>Ionópsis</i> . . . . .	490	<i>Juniperus</i> . . . . .	474	<i>Lamárcykia</i> 110, . . . . .	562	<i>Leonurus</i> . . . . .	407
<i>Ipom'œa</i> . . . . .	370	<i>Jussi'æa</i> . . . . .	199	<i>Lambértia</i> . . . . .	447	<i>Lepechinia</i> . . . . .	409
<i>Ipom'œa</i> . . . . .	373	<i>Jussi'Æ</i> . . . . .	199	<i>Lâmium</i> . . . . .	406	<i>Lepeocercis</i> . . . . .	561
<i>Ipomópsis</i> . . . . .	368	<i>Justicia</i> . . . . .	421, 595	<i>Lâmium</i> . . . . .	406	<i>Lepidagáthis</i> . . . . .	420
<i>Ipomópsis</i> . . . . .	368	<i>Justicia</i> . . . . .	420, 422	<i>Lanària</i> . . . . .	504	<b>LEPIDI'NE'Æ</b> . . . . .	31
<i>Iresine</i> . . . . .	433	<i>Kæmpferia</i> . . . . .	492	<i>Lancisia</i> . . . . .	318	<i>Lepidium</i> . . . . .	31
<i>Iresine</i> . . . . .	433	<i>Kalanchoë</i> . . . . .	224	<i>Lantàna</i> . . . . .	417, 595	<i>Lepidium</i> . . . . .	27
<b>IRI'DE'Æ</b> . . . . .	495	<i>Kálmia</i> . . . . .	342	<i>Lapeyroúsia</i> . . . . .	499	<i>Lepidospërma</i> . . . . .	549
<i>Iris</i> . . . . .	495	<i>Kalosánthes</i> . . . . .	224	<b>LAPL'ACE'Æ</b> . . . . .	73	<i>Leptádra</i> . . . . .	396
<i>Iris</i> . . . . .	497, 498	<i>Kaulfússia</i> . . . . .	305	<i>Láppa</i> . . . . .	281	<i>Leptánthus</i> . . . . .	541
<i>Isáchne</i> . . . . .	564	<i>Kennèdya</i> . . . . .	156, 589	<i>Láppago</i> . . . . .	557	<i>Leptasea</i> . . . . .	240
<i>Isánthus</i> . . . . .	399	<i>Kernèra</i> . . . . .	26	<i>Lapsana</i> . . . . .	274	<i>Leptocarp'æa</i> . . . . .	22
<b>ISATI'DE'Æ</b> . . . . .	32	<i>Kérria</i> . . . . .	194	<i>Lapsana</i> . . . . .	275, 276	<i>Leptocarpus</i> . . . . .	547
<i>Isàtis</i> . . . . .	32	<i>Kíggelària</i> . . . . .	40	<i>Larèra</i> . . . . .	55	<i>Leptocaulis</i> . . . . .	245
<i>Isch'æmum</i> . . . . .	562	<b>KIGGEL'ARI'Æ</b> . . . . .	40	<i>Lària</i> . . . . .	475	<i>Leptochloa</i> . . . . .	571
<i>Isch'æmum</i> . . . . .	562	<i>Kíngia</i> . . . . .	545	<i>Lárrea</i> . . . . .	104, 588	<i>Leptomèria</i> . . . . .	450
<i>Isértia</i> . . . . .	260	<i>Kírganèlia</i> . . . . .	459	<i>Laserpitium</i> . . . . .	252	<b>LEPTOSPE'RM'Æ</b> . . . . .	207
<i>Ismènè</i> . . . . .	513	<i>Kitaibèlia</i> . . . . .	60	<i>Laserpitium</i> 249, 252, . . . . .	355, 591	<i>Leptospermum</i> . . . . .	210
<i>Isnárda</i> . . . . .	200	<i>Kleinhòvia</i> . . . . .	67	<i>Lasiandra</i> . . . . .	204	<i>Leptospermum</i> . . . . .	209
<i>Isocárpha</i> . . . . .	307	<i>Kleinia</i> . . . . .	301	<i>Lasióspèrmum</i> . . . . .	279	<i>Leptostélma</i> . . . . .	299
<i>Isochilus</i> . . . . .	489	<i>Knáppia</i> . . . . .	557	<i>Lasióspèrmum</i> . . . . .	308	<i>Lepturus</i> . . . . .	563
<i>Isotès</i> . . . . .	575	<i>Knaútia</i> . . . . .	271	<i>Lasiopétalum</i> . . . . .	67	<i>Lepyrodia</i> . . . . .	547
<i>Isólepis</i> . . . . .	550, 597	<i>Knaútia</i> . . . . .	271	<i>Lasiopétalum</i> . . . . .	67	<i>Lèria</i> . . . . .	280
<i>Isopétalum</i> . . . . .	101	<i>Knowltônia</i> . . . . .	4	<i>Làtania</i> . . . . .	543	<i>Lèspedèza</i> . . . . .	152
<i>Isopògon</i> . . . . .	442	<i>Knóxia</i> . . . . .	265	<i>Lath'æa</i> . . . . .	422	<i>Lèspedèza</i> . . . . .	149
<i>Isoyrum</i> . . . . .	7	<i>Kobrésia</i> . . . . .	549	<i>Láthyros</i> . . . . .	155	<i>Lessértia</i> . . . . .	144
<i>Isótoma</i> . . . . .	324	<i>Kòchia</i> . . . . .	434	<i>Láthyros</i> . . . . .	143, 154	<i>Leustibudèsia</i> . . . . .	431
<i>I'tea</i> . . . . .	345	<i>Kòchia</i> . . . . .	434, 435	<i>Ladèria</i> . . . . .	260	<i>Lettsómia</i> . . . . .	72
<i>I'tea</i> . . . . .	48, 332	<i>Kælèria</i> . . . . .	567	<b>LAURI'N'Æ</b> . . . . .	441	<i>Lettsómia</i> . . . . .	373
<i>I'va</i> . . . . .	314	<i>Kælèria</i> . . . . .	559	<i>LAURI'N'Æ</i> . . . . .	441	<i>Leucadéndron</i> . . . . .	442
<i>I'xia</i> . . . . .	502	<i>Kælpinía</i> . . . . .	275	<i>Laurophy'llus</i> . . . . .	599	<i>Leucadéndron</i> . . . . .	444
<i>I'xia</i> . . . . .	498, 499, 500, . . . . .	<i>Kælreutèria</i> . . . . .	85	<i>Láurus</i> . . . . .	141	<i>Leucas</i> . . . . .	404
<i>I'xia</i> . . . . .	501, 502	<i>Kænigía</i> . . . . .	440	<i>Láurus</i> . . . . .	141	<i>Leucèria</i> . . . . .	280
<i>Ixiolirion</i> . . . . .	510	<i>Kólbea</i> . . . . .	540	<i>Lavándula</i> . . . . .	408	<i>Leucocóryne</i> . . . . .	532
<i>Ixòdia</i> . . . . .	291	<i>Kòniga</i> . . . . .	25	<i>Lavándula</i> . . . . .	414	<i>Leucòjum</i> . . . . .	516
<i>Ixòra</i> . . . . .	263	<i>Krígia</i> . . . . .	276	<i>Lavatèra</i> . . . . .	60	<i>Leucopògon</i> . . . . .	346
<i>Ixòra</i> . . . . .	263	<i>Krígia</i> . . . . .	276	<i>Lavènia</i> . . . . .	308	<i>Leucoscéptrum</i> . . . . .	402
		<i>Krùbera</i> . . . . .	252	<b>LAVOISI'ERE'Æ</b> . . . . .	203	<i>Leucospèrmum</i> . . . . .	444

	Page.		Page.		Page.		Page.
Leucostemma	293	Loddigèsa	128	Lyónsia	356	Mariálva	78
Leúzea	285	Lodiculària	562	Lyperánthus	486	Márica	497
Leúzea	282	Lodoicea	543	Lysimáchia	425	Márica	498
Lewisticum	249	Lœflingia	222	Lysimáchia	425	Márika	78
Lewisía	227	Logània	364	Lysinèma	345	Mariscus	552, 598
Leysèra	301	Loiseleúria	344	LYTHRARIEÆ	201	Márlea	213
Leysèra	281, 307, 308	Lòlium	566	Lythrum	202	Marrùbium	408
Liàtris	289	Lomàndra	545	Lythrum	202	Marrùbium	405
Libanòtis	248	Lomària	581, 598	Màba	349	Marsdènia	360
Libèrtia	498	Lomatia	447	Macbrìdea	409	Marshàllia	306
Lichtensteinia	247	Lomatophyllum	517	Macleàya	19	Marsílea	576
Lichtensteinia	540	Lonchitis	583	Maciùra	462	MARSILEACEÆ	576
Licuàla	544	Lonchocàrpus	143	Macradènia	498	Martýnia	367
Lidbéckia	318	Longchampsia	308	Macradènia	156	Massònia	530
Lidbéckia	318	Lonicera	258	Macrocnènum	262	Massònia	527
Lightfóttia	325, 592	Lonicera	258, 259	Macrocnènum	261	Matàxa	308
Ligulària	240	Lopezia	200	Macrolobium	172	Matáyba	84
Ligústicum	248	Lophánthus	402	Macropòdium	23, 585	Mathiola	21
Ligústicum	245, 248,	Lophiola	504	Macróstylis	106	Matricària	319
.....	249, 250, 255	Lophira	259	Macrótropis	122	Matthiola	260
Ligústrum	352	LOPHIREÆ	259	Macròtys	11	Mátia	378
Lílium	538	Lophosciadium	253	Màdia	306	Mauràndia	390
Lílium	538	Lophospèrnum	390	M'èsa	347	Maúria	119
Límeum	220	Lopimia	63	Magnòlia	14	Maurítia	544
Limmètis	553	LORA'NTHEÆ	259	Magnòlia	484	Maxillària	489
Limmócharis	477	Loránthus	259, 592	MAGNOLIACEÆ	13	Maxillària	489
Limodòrum	487, 490	Lorèya	205	Magydàris	255	Maximiliàna	544
Limònia	75	L'OTEÆ	125	Mahèrnia	68	Máytenus	110
Limònia	75	Lòtus	137	Mahònia	16	Màzus	393
Limosèlla	304	Lòtus	132, 137, 138,	Mahùrea	78	Meconòpsis	19
Linària	390	.....	139	Maièta	205	Medèola	523
Linòdia	116	Loúra	149	Mairània	330	Medèola	533
Lindèrnia	394	Loureira	460	Majánthemum	523	Megacàgo	132
Lindèrnia	394	Lówea	178	Malabaúla	251	Medùsea	453
Linds'æa	583, 599	Lubínia	425	Malachodéndron	73	Megacarp'æa	28
L'INEÆ	58	Lucúlia	260	Málachra	60	Megacalníum	488
Linn'æa	259	Lucúma	349	Maláxis	487	Megàsea	239
Linocièra	351	Lùdia	40	Maláxis	485, 486	Megastàchya	570
Linum	58, 586	Lùdia	40	Malcòmia	28	Melaleúca	207
Linum	58	Ludòlfia	574	Malcòmia	70	Melaleúca	207, 210
Lipària	127	Ludòvia	480	Malòchia	159	MELALEUCEÆ	207
Lipària	127	Ludwígia	200	Málope	58	MELAMPYRUM	395
Lipàris	486	Ludwígia	200	Malpighia	80	Melampòdium	313
Lipóstoma	599	Lúfia	214	Malpighia	80, 81	Melananthèra	306
Lippia	419	Luhèa	599	MALPIGHIACEÆ	80	Melanorrh'æa	588
Lippia	418	Lumnitzèra	413, 414	.....	80	Melanoselinum	253
Liquidámbar	472	Lunària	24	Málva	59, 586	Melanosticta	169
Liriodéndron	14	Lunària	24	MALVACEÆ	58	MELANTHACEÆ	203
Lisiánthus	364	Lupinàster	137	Malvavíscus	61	.....	539
Lisiánthus	364	Lupinus	159, 589	Mammèa	78	Melánthium	539
Lissanthus	346	Luzula	545	Mammillària	235, 590	Melánthium	539, 540
Lissochilus	488	Luzuriàga	532	Mandràgora	383	Melasp'hèrula	502
Listèra	486	Lychnis	54	Manèttia	263	Melástoma	204
Lità	363	Lychnis	52, 53, 54	Mangífera	117	Melástoma	203, 204, 205,
Lithospèrnum	374	Ly'cium	389	Mangífera	117	.....	206
Litt'æa	534	Lycopèrsicum	385	Manglilla	348	MELASTOMACEÆ	203
Littorèlla	429	LYCOPODIACEÆ	576	Manicària	544	.....	203
Livistóna	543	.....	576	Manisùris	563	Melhània	69
Llòydia	527	Lycopòdium	576	Mantisia	491	Mèlia	85
Loàsa	218	Lycopòdium	576	Manùlea	394	MELIACEÆ	85
Loàsa	218	Lycopòsis	377	Màppa	458	Meliánthus	104
LO'ASEÆ	218	Lycopòsis	376, 377	Marànta	495	Mélica	560
Lobàdium	119	Lycopòs	399	Marànta	494	Mélica	560
Lobària	240	Lycòris	509	Maràttia	577	Mélichrus	346
Lobèlia	322, 592	Lygèum	552	Marcgràvia	79	Melicòcca	84
Lobèlia	324, 325	Lygòdesmia	277	MARCGRAVIA-	79	Melicope	107
LOBELIACEÆ	322	Lygòdium	577, 598	CEÆ	79	Melicytus	40
Lockhàrtia	490	Lyònia	331	Margyricàrpus	192	Melilòtus	134

	Page.		Page.		Page.		Page.
<i>Melilòtus</i> .....	134	<i>Milium</i> .....	555	Moronòbea ....	79	Narthècium ....	545
<i>Melinis</i> .....	558	<i>Milium</i> .....	555, 564	Morphixia ....	502	Nasturtium ...	21, 585
<i>Melissa</i> .....	409	<i>Milla</i> .....	596	Mòrus .....	462	Nauclea .....	263
<i>Melissa</i> .....	409	<i>Millèria</i> .....	313	<i>Mòrus</i> .....	462	<i>Nauenbùrgia</i> ..	288
<i>Melittis</i> .....	409	<i>Millingtonia</i> ..	366	Moschòsma ....	413	Nebèlia .....	116
<i>Melocactus</i> ....	235	<i>Mimètes</i> .....	444	Mougeòtia ....	68	Negúndo .....	82
<i>Melocanna</i> .....	574	<i>Mimòsa</i> .....	163	Mouriria .....	195	Nèja .....	299
<i>Melòchia</i> .....	67	<i>Mimòsa</i> 163, 164, 165,		<i>Mozinna</i> .....	460	Nèlitis .....	210
<i>Melodinus</i> .....	356	.....	166, 167	Mucuna .....	159	Nelsonia .....	422
<i>Melòthria</i> .....	215	MIMOSÆ .....	163	Muhlenbèrgia ..	557	Nelumbum .....	17
<b>MEMECYLEÆ</b> .....	195	<i>Mimulus</i> ..	394, 594	<i>Muhlenbèrgia</i> ..	559	NELUMB'ONÆ ..	17
<i>Memècydon</i> ....	195	<i>Mimùsops</i> .....	349	MULINÆ .....	243	Nectouxia .....	383
<i>Meniòcus</i> .....	25	<i>Minuàrtia</i> .....	221	Mullèra .....	142	<i>Nèctris</i> .....	17
<i>Meniscium</i> ..	578, 598	MINUARTEIÆ ..	221	Mùndia .....	47	<i>Negrètia</i> .....	159
<b>MENISPERMA-</b>		<i>Mirabilis</i> .....	429	Muntingia ....	71	Nemesia .....	390
<b>CEÆ</b> .....	15	<i>Mirbèlia</i> .....	125	Murràlia .....	47	Nemopánthes ..	111
<i>Menispermum</i> ..	15	<i>Miscopétalum</i> ..	240	Murràya .....	75	Nemòphila .....	380
<i>Menispermum</i> ..	15	<i>Mitchèlla</i> .....	263	Muruchia .....	218	Nèotia .....	485
<i>Méntha</i> .....	399	<i>Mitèlla</i> .....	242	Mùsa .....	495, 596	<i>Nèotia</i> ..	485, 486
<i>Méntha</i> .....	400	<i>Mitèlla</i> .....	242, 591	MUSACEÆ .....	495	Nepèthes .....	452
<b>MENTHOIDEÆ</b> ..	399	<i>Mitrasácme</i> .....	364	<i>Muscària</i> .....	241	Nepèta .....	407
<i>Mentzèlia</i> .....	218	<i>Mniàrum</i> .....	221	Muscàri .....	528	<i>Nepèta</i> ..	402, 409
<i>Menyanthes</i> ....	364	<i>Modècca</i> .....	218	Mussæ'nda ....	260	NEPETEÆ .....	404
<i>Menyanthes</i> ....	364	<i>Mœhringia</i> ....	55	<i>Mussæ'nda</i> 260, 261, 262		Nephèlium .....	84
<i>Menzièsia</i> .....	341	<i>Mœ'nchia</i> .....	55	Músschia .....	593	Nephrodium ..	579
<i>Mèschium</i> .....	562	<i>Mogiphànes</i> ....	432	Mutisia .....	280	<i>Nephrodium</i> ..	580
<i>Mercuriàlis</i> ....	452	<i>Moldentàweria</i> ..	169	<i>Myagrum</i> .....	32	<i>Nerine</i> .....	509
<i>Meriània</i> .....	203	<i>Molin'æa</i> .....	84	<i>Myagrum</i> .....	31, 36	Nèrium .....	354
<i>Meriània</i> .....	204	<i>Molnia</i> .....	560	<i>Mygalùrus</i> .....	572	<i>Nèrium</i> .....	354, 355
<i>Mertiània</i> .....	464	<i>Mòllia</i> .....	221	<i>Mygàdia</i> .....	111	Nes'æa .....	202
<i>Merténsia</i> .....	577	<i>Mollùgo</i> .....	55	<i>Mylocàrium</i> .....	332	<i>Nes'æa</i> .....	202
<i>Mesembryánthemum</i>		<i>Mollùgo</i> .....	55	MYOPORINÆ 419		Néslia .....	31
.....	227	<i>Molopospèrnum</i> 255		<i>Myòporum</i> .....	419	<i>Nestlèra</i> .....	308
<i>Mesembryánthemum</i>		<i>Mòltkia</i> .....	375	<i>Myòseris</i> .....	278	Neurocàrpus ..	140
.....	234	<i>Moluccèlla</i> .....	405	<i>Myosòtis</i> .....	377	Neuro'æna ....	307
<b>MESEMBRYANTHE-</b>		<i>Moluccèlla</i> .....	405	<i>Myosòtis</i> .....	377	<i>Neuroldma</i> .....	24
<b>MEÆ</b> .....	227	<i>Momòrdica</i> .....	215	<i>Myosùrus</i> .....	4	Nicàndra .....	383
<i>Mèspilus</i> .....	175	<i>Momòrdica</i> .....	214	<i>My'rcia</i> .....	210	Nicolònia .....	149
<i>Mèspilus</i> ..	176, 177	<i>Monàchne</i> .....	564	<i>Myrcia</i> .....	472	Nicotiàna .....	382
<i>Messerschmídia</i> ..	378	<i>Monánthes</i> .....	226	<i>Myrica</i> .....	472	Niebhùria .....	39
<i>Messerschmídia</i> ..	378	<i>Monàrda</i> .....	403	<i>Myricària</i> .....	203	Nigèlia .....	8
<i>Metalàsia</i> .....	292	<i>Monàrda</i> .....	404	<i>MYRICÆÆ</i> .....	472	Nigritélla .....	483
<i>Metastélma</i> .....	362	MONARDEÆ .....	403	<i>Myriophyllum</i> ..	201	Nintòda .....	258
<i>Methònica</i> .....	539	<i>Monèrma</i> .....	563	<i>Myristica</i> .....	442	Nipa .....	544
<i>Metrosidèros</i> ..	209	<i>Monèrma</i> .....	563	MYRISTICEÆ 442		Niphòbolus .....	578
<i>Metrosidèros</i> 207, 209		<i>Monètia</i> .....	261	<i>Myròdia</i> .....	65	Nissòlia .....	142
<i>Mèum</i> .....	249	<i>Monnièra</i> .....	108	<i>Myrospermum</i> ..	122	Nitèlla .....	575
<i>Mèum</i> .....	245, 247	MONOCHLAMY-		<i>Myroxylum</i> ..	122	Nitrària .....	235
<i>Meyèra</i> .....	308	<b>DEÆ</b> .....	426	<i>Myrrhis</i> .....	255	Nivènia .....	445
<i>Michauxia</i> .....	325	<b>MONOCOTYLE-</b>		<i>Myrrhis</i> 246, 254, 255		Nòcca .....	288
<i>Michèlia</i> .....	13	<b>ONEÆ</b> .....	476	<i>Myrsine</i> .....	348	Nòsettia .....	43
<i>Micònia</i> .....	205	<i>Monodòra</i> .....	14	<i>Myrsine</i> .....	348	Nolàna .....	383
MICONIEÆ .....	205	<i>Monòpsis</i> .....	324	MYRSINEÆ .....	347	Nolna .....	540
<i>Micranthèra</i> .....	78	<i>Monòtoca</i> .....	346	<i>Myrsiphyllum</i> ..	533	Nonatèlia .....	260
<i>Micránthes</i> .....	240	<i>Monòtropa</i> .....	342	MYRTACEÆ .....	206	Nònea .....	276
<i>Microcèle</i> .....	364	MONOTROPEÆ ..	342	<i>MYRTEÆ</i> .....	210	Noràntea .....	79
<i>Micròchloa</i> .....	558	<i>Monsònia</i> .....	88	<i>Myrtus</i> .....	210	NORANTEÆ .....	79
<i>Micròcos</i> .....	70	<i>Monsònia</i> .....	88	<i>Myrtus</i> ..	211, 212	Notel'æa .....	351
<i>Micròdon</i> .....	415	<i>Móntia</i> .....	220	<i>Nagèia</i> .....	472	Notth'æna ..	578, 598
<i>Microl'æna</i> .....	574	<i>Montinia</i> .....	197	<i>Nàjas</i> .....	472	Notóceras .....	22
<i>Microlícia</i> .....	203	MONYNIÆ .....	197	<i>Nàma</i> .....	369	<i>Nóthria</i> .....	48
<i>Microlòma</i> .....	362	<i>Mor'æa</i> .....	497	<i>Nandina</i> .....	16	NOTORHIZEÆ ..	28
<i>Micropus</i> .....	294	<i>Mor'æa</i> ..	497, 498	<i>Nap'æa</i> .....	64	<i>Noty'ria</i> .....	487
<i>Microstachys</i> ....	460	<i>Moricàndia</i> .....	34	<i>Naravèlia</i> .....	2	Nùphar .....	18, 585
<i>Microstylis</i> .....	487	<i>Morina</i> .....	269	<i>Narcissus</i> .....	514, 596	Nuttàlia .....	63
<i>Microtèca</i> .....	433	<i>Morinda</i> .....	263	<i>Narcissus</i> .....	515	NYCTAGINEÆ 429	
<i>Micròtis</i> .....	486	<i>Moringa</i> .....	168	<i>Nàrdus</i> .....	552	<i>Nyctánthes</i> ....	352
<i>Mikània</i> .....	300	<i>Morisònia</i> .....	39	<i>Nàrdus</i> .....	563	<i>Nycterisition</i> ..	349

Nyctèrium .. 387	Oplothèca .... 432	Oxystélma .... 361	<i>Patrisia</i> ..... 40
Nymphæa .. 17, 585	Opópanax .... 249	Oxy'tropis .... 145	PATRI'SIÆ .. 40
Nymphæa .... 18	Oporínia .... 275	Oxy'tropis .... 146	Paullínia .... 84
NYMPHÆACEÆ 17	Opúntia .. 237, 591	Ozothámmus .. 291	Paullínia .... 84
Nýssa ..... 451	OPUNTI'ACEÆ .. 235	Pachidéndron .. 517	PAULLI'NIÆ .. 83
Obèsia ..... 358	Or'bea ..... 357	<i>Pachira</i> ..... 66	Pavétta ..... 263
O'chna ..... 108	ORCHI'DEÆ .. 483	Pachypòdium .. 594	Pàvia ..... 83
O'chna ..... 109	Or'chis .... 483	Pachyrhizus .. 159	Pavònia ..... 61
OCHN'ACEÆ .. 108	Or'chis .. 483, 484	Pachysánda .. 456	Pectinària .... 357
Ochròma ..... 66	<i>Oreoselinum</i> .. 250	<i>Pachysánda</i> .. 456	Péctis ..... 306
Ochròsia ..... 354	Origanum .... 402	Pædèria ..... 265	Péctis ..... 308
O'chrus ..... 155	Orláya ..... 253	Pæderòta .... 396	PEDALI'NEÆ .. 367
Ochthòdium .. 28	Ormocárpum .. 149	Pælimbia .... 250	Pedálum ..... 367
Ocòtea .... 441	Ormosía .... 122	Pæonia ..... 12	Pedicularis .... 395
Octomèria .. 488	Ornithídium .. 489	PÆONI'ACEÆ .. 11	Pedilánthus .... 452
O'cymum .. 413, 594	Ornithocéphalus 488	Palafóxia ..... 301	Péganum ..... 105
O'cymum .. 413, 414	Ornithógalum .. 526	Palávia ..... 63	Péganum ..... 106
OCYMOI'DEÆ .. 413	<i>Ornithógalum</i> 527, 532	Paliùrus ..... 112	Pèkea ..... 213
Odontites .. 247	Ornithoglóssum .. 539	<i>Pallàsia</i> ..... 398	PELARGONI'Æ .. 89
Edèra ..... 288	Ornithopus .. 148	PA'LMÆ ..... 542	Pelargòonium 92, 587
Edmánnia .. 126	<i>Ornithopus</i> .... 148	Pàntax ..... 256	<i>Pelargòonium</i> 89, 90, 91,
Enánthe ..... 247	Ornítrophe .... 84	Pancràtium .... 513	..... 92, 100, 101
Enánthe .. 247, 251	ORNI' .. 351	<i>Pancràtium</i> .... 513	Pelèxia ..... 485
Enocárpum .. 543	Orobánche .... 422	PAND'ANEÆ .. 478	Peliosánthes .. 540
Enòpia ..... 112	OROBANCHE'Æ 422	Pandánus .... 478	Peltària ..... 25
Enothèra .. 198	O'robus ..... 156	Pánicum ..... 563	Pen'æa ..... 346
Enothèra .... 200	O'robus 143, 155, 156	<i>Panicum</i> 553, 558, 563,	PEN'ÆACEÆ .. 346
OLACI'NEÆ .. 74	ORONTI'ACEÆ .. 479	..... 564	Penicillària .. 553
O'lox ..... 74	Oróntium .... 480	Papàver ..... 18	Pennisètum .. 553
Oldenlándia .. 262	Oróntium .... 480	PAPAVER'ACEÆ	<i>Pennisètum</i> .. 553
O'lea ..... 351	Oróstachys .... 225	..... 18	Pentadésma .. 78
O'lea ... 110, 351	Ortègia ..... 221	PAPILION'ACEÆ 122	Pentápetes .... 69
OLE'INÆ ..... 350	Orthóceras .... 485	Pappóphorum .. 567	<i>Pentaph'ylon</i> .. 137
Olfínia ..... 115	Orthopògon .... 563	<i>Pappóphorum</i> .. 567	Pentáptera .... 196
Olisbea ..... 197	Orthosánthus .. 498	Pap yrus ..... 552	Pentatáxis .... 292
Olivèria ..... 255	Orthosiphon .. 413	Pardánthus .... 498	PENTH'OREÆ .. 227
O'lyra ..... 574	ORTHOSPE'RMEÆ 243	Pariàna ..... 575	Penthòrum .... 227
Omalánthus .. 456	Or'vala ..... 406	Parietària .. 463	<i>Pentstèmon</i> .. 383
Omphàlea .. 458	Or'yza ..... 575	Parinárium .. 173	Pentzia ..... 316
Omphalòbium .. 121	Oryzòpsis .... 552	Pàris ..... 524	Peperómia .... 482
Omphalòdes .. 378	Osbéckia .... 204	Parivòda ..... 171	Péplis ..... 201
ONAGR'ARIEÆ 197	OSBE'CKLE .. 204	Parkèria ..... 577	Peráltea ..... 168
Oncídium .... 488	Osmítes ..... 311	PARKERI'ACEÆ 577	Perdícium .... 280
Onobróma .... 284	Osmorhíza .... 255	Pàrkia ..... 163	<i>Perdícium</i> .... 280
Onobróma .. 284	Osmúnda ..... 577	Parkínsònia .. 169	Peréskia ..... 238
Onobr'ychis .. 151	<i>Osmúnda</i> 577, 581, 582	Parnássia ..... 46	Pergulària .... 359
Onocléa ..... 581	OSMUND'ACEÆ .. 577	Paróchetus .. 159	<i>Pergulària</i> .. 356
Onocléa .. 581, 582	Oss'æa ..... 205	Parony'chia .. 220	Peribállia ..... 500
Onónis ..... 131	Osteospèrnum .. 314	PARONYCHE'Æ	Perilla ..... 400
Onopòrdum .. 283	Ostèricum .... 249	..... 220	Periplòca ..... 356
Onopòrdum .. 284	O'strya ..... 467	PAROPSI'Æ .. 216	<i>Periplòca</i> .. 356
Onosèris .... 278	OSYRI'DEÆ .. 450	Pàrrya .... 24, 485	Pèriptera ..... 63
Onósma .. 375, 594	Os'yris ..... 450	Parsònia ..... 356	Perítoma .... 37
Onosmòdium .. 375	Otánthus .... 315	Parthèmium .. 314	Perlèbia ..... 255
Operculària .. 268	Othónna ..... 305	Pascàlia .... 308	<i>Perojòda</i> ..... 346
Operculària .. 268	Otídia ..... 90	Páspalum .... 555	Peròtis ..... 554
OPERCULARI'Æ .. 268	Otóptera ..... 140	<i>Páspalum</i> .. 554, 558	Pèrsea ..... 441
..... 268	Oútea ..... 172	Passerína .... 449	<i>Pèrsea</i> ..... 441
OPHIOLG'O'SSEÆ 576	<i>Ovièdia</i> ..... 499	<i>Passerína</i> .... 449	Persòonia ..... 446
Ophioglóssum .. 576	OXALI'DEÆ .. 102	Passiflòra .. 216, 590	<i>Persònia</i> ..... 306
Ophiopògon .. 523	O'xalis .... 102, 588	<i>Passiflòra</i> .. 217, 218	Petalácte ..... 292
Ophiorhíza .. 600	Oxyánthus .... 261	PASSIFL'OREÆ 216	<i>Petalòma</i> ..... 195
<i>Ophiostachys</i> .. 540	Oxybáphus .... 429	Pastináca .... 251	Petalostèmum .. 141
<i>Ophiòzylon</i> .. 354	Oxycócus .... 330	<i>Pastináca</i> .. 249, 251	Petámenes ..... 500
Ophiàrus ..... 563	Oxylòbium .... 123	<i>Patagòonium</i> .. 149	Petivèria ..... 433
O'phrys ..... 484	Oxypétalum .... 361	Patagònula .. 380	Petr'æa ..... 417
O'phrys .. 483, 485	Oxy'ria ..... 439	Patersònia .. 499	Petròbium .... 306
Oplismènus .. 563	Oxy'spora .... 203	Patrínia ..... 268	Petrocállis .. 25

	Page.		Page.		Page.		Page.
Petromarula	593	PHYTOL'ACEÆ	433	Podaly'ria	123	Portulaca	219
Petrophila	443	Piaránthus	359	Podaly'ria	123	Portulacá	219
Petroselinum	245	Picodtia	378	Podánthes	358	Portulacária	220
Petúnia	383	Picránnia	119	Podánthus	315	POTUL'ACEÆ	219
Peuce	475	Picridium	279	Podocárpus	473	Posoquéria	261
PEUCED'ANEÆ	249	Picris	276	Podocárpus	473	Póssira	162
Peucedanum	250	Picris	273, 275	Podolepis	299	Potamogèton	478
Peucedanum	249, 252	Pictètia	148	Podolòbium	123	Potamophila	575
Peyrouisia	499	Pilea	463	PODOPHY'LLÆÆ		Potentilla	190, 589
Pfáffa	433	Pileánthus	207		17	POTENT'LLÆÆ	187
Phaca	145	Pilulària	575	Podophyllum	17	Potèrium	193
Phaca 143, 144, 145, 147		Pimelèa	450	Podophyllum	17	Pòthos	479, 595
Phacèlia	380	Pimpinèlla	246	Podopterus	440	Pòthos	479
Phalángium	524	Pimpinèlla	245	Podospèrnum	279	Poupártia	120
Phalángium	525, 527,	Pinckneya	262	Podostigma	361	Pourrètia	535, 596
	528	Pinguicula	422	Pogonia	486	Pozòa	243
Phálaris	559	Pinus	475	Pogonia	419	PRAS'EÆ	413
Phálaris 554, 559, 567		Pinus	474, 475	Pogostemon	400	PRAS'UM	413
PHANEROG'ANEÆ	476	Piper	481	Poinciàna	169	Prasophyllum	485
Pharnàceum	55	Piper	482	Poirètia	149	Prémna	417
Pharnàceum	220	PIPER'ACEÆ	481	Poit'æa	143	Prenánthes	274
Phàrus	574	Piptánthus	122	Poivrea	196, 590	Prenánthes	274, 277
PHASE'OLEÆ	156	Piptátherum	555	Polanisia	38	Prescòtia	486
Phaseolus	157	Piquèria	301	POLEMONT'ACEÆ		Prescòtia	355
Phaylòpsis	420	Piriqùeta	218		367	Priestlèya	127
Phebàlium	107	Piscidia	143	Polemòmium	367, 594	Primula	423
Phellandrium	247, 249	Pisònia	430	Poliánthes	517	Primula	425
PHILADE'LPHEÆ		Pistàcia	119	Pollìchia	221	PRIMUL'ACEÆ	423
	206	Pistorinia	225	POLLICH'EÆ	221	Prinos	111
Philadèlphus	206	Pisum	154	Pollinia	561	Prismatocárpus	328
Philly'rea	351, 352	Pisum	155	Polybòtrya	578	Priva	418
Philothèca	107	Pitcairnia	535	Polycárp'æa	221	Priva	418
Philòxerus	432	PITTOS'P'OREÆ	48	POLYCARP'EÆ	221	Pròckia	40
Philòxerus	432	Pittòsporum	48	Polycárp'us	221	Pròcris	462
Philydrum	546	Plagiánthus	65	Polycènia	414	Proiphys	513
Phlèum	554	Plagiolòbium	126	Polyenèmium	437	Proserpinàca	201
Phlèum	554	Planèra	464	Poly'gala	46, 586	Prósopis	164
Phlòmis	405	PLANTAGI'NEÆ	428	Poly'gala	47	Prostánthera	414
Phlòmis	404, 405	Plantàgo	428	POLY'GALEÆ	46	Pròtea	443
Phlòx	368, 599	Platanthèra	483	Polygonàtum	523	Pròtea 442, 443, 444, 445	
Ph'œnix	543	PLAT'ANEÆ	472	POLYGO'NEÆ	438	PROTE'ACEÆ	442
Phœnòcoma	293	Plátanus	472	Polygonum	438, 595	Prunèlla	410
Pholidòta	489	Platyeddon	592	Polygonum	434, 439	Prùnus	174
Pholiùrus	563	Platylòbium	126	Poly'mnia	313	Prùnus	173, 174
Phòrmium	534	Platylòbium	126	POLYPODIA'CEÆ		Psamma	574
Photinia	176	Platypétalum	24		577	Pseudosophòra	122
Phragmites	574	Platypteris	306	Polypodium	578	Psidià	299
Phryma	413	Platystylis	155	Polypodium	578, 580	Psidium	210
Phrynum	494, 595	Plectránthus	413	Polypogon	554	Psilòtum	576
Phycèlla	510, 596	Plectránthus	413	Poly'spora	72	Psilàrus	563
Phy'lica	114	Plectrònria	110	Polystàchia	489	Psophocárpus	159
Phy'lica	114, 115	Plèca	545	POM'ACEÆ	175	Psoràlea	138
Phyllánthus	458	Pieopèltis	578	Pomadèrris	113	Psoràlea	141
Phyllánthus	459	Pleròma	204, 590	Pomària	169	Psychine	35
Phy'llis	265	Pleuràndra	13	Pombàlia	45	PSYCH'NEÆ	35
Phylloclàdus	473	PLEURORH'IZEÆ	21	Poncelètia	345	Psychòtria	264
Phyllòdium	151	Pleurospèrnum	255	Pongàmia	161	Psychòtria	260, 264
Phyllòbium	159	Pleurothállis	488	PONTE'D'EREÆ	541	Ptèlea	121
Phyllòma	517	Pleurothállis	487	Pontedèria	541	PTELE'ACEÆ	121
Phyllogyne	515	Plócama	265	Ponthièva	485	Ptelidium	110
Phymatánthus	89, 587	Plukenètia	456	Pópulus	471	Ptèris	582, 598
Physalis	383	PLUMBAGI'NEÆ		Poràna	373	Ptèris	582, 583
Physospèrnum	255		426	Poràna	373	Pterocárpus	161
Physostègia	406	Plumbàgo	427	Poránthera	599	Pterocárpus	161, 162
Phytelephas	478	Plumèria	355	Porlièra	104	Pterocèphalus	271
Phyteuma	328	Pòa	568	Portenschlàgia	110	Pteroneurum	24
Phyteuma	593	Pòa	567, 569, 570	Portlàndia	262	Pterònia	285
Phytolacca	433	Pocòckia	134	Portlàndia	262	Pterospèrnum	69

INDEX GENERUM.

615

Pterostylis ....	487	Retanilla ....	113	Róthia ....	274	SANTALACEÆ	450
Pterygódium ..	484	Rétzia ....	369	Róthia .....	156	Sántalum .....	450
Ptilostéphiom ..	308	Rhabdóchloa ....	571	Rottboéllia ....	562	Santolina .....	315
Ptychótiis .....	245	Rhagadiólos .....	275	Rottboéllia ..	562, 563	Santolina .....	315
Puerária .....	140	Rhagadiólos .....	275	Rottléra .....	457	Sanvítalia .....	308
Pulicária .....	291	Rhagodia .....	434	Rourea .....	121	SAPINDACEÆ	83
Pulmonária .....	375	RHAMNEÆ .....	112	Roxbúrglia .....	534	Sapíndus .....	84
Pulmonária .....	374	Rhámnus .....	112	Royèna .....	350	Sápium .....	458
Pulsatilla .....	3	Rhámnus 112, 113, 464	464	Rúbia .....	266	Sápium .....	458
Pulten'æa .....	124	Rhâpis .....	542	RUBTACEÆ .....	260	Saponária .....	51
Pulten'æa .....	123	Rhapóntica .....	287	Rûbus .....	187, 589	Saponária .....	51
Púnica .....	195	Rhèum .....	440	Rûbus .....	189	SAPOTEÆ .....	348
Pupàlia .....	432	Rhéxia .....	203	Rudbéckia .....	310	Sáraca .....	169
Purgósea .....	223	Rhéxia .....	203, 204	Rudbéckia .....	307, 310	Sáracha .....	383
Púrshia .....	193	RHEXIÆ .....	203	Rudólphia .....	161	Sarcánthus .....	491
Puschkínia .....	525	Rhinánthus .....	395	Ruélia .....	420, 595	Sarcocápnos .....	20
Pycnánthemum ..	401	Rhipidodéndron ..	519	Ruélia .....	420	Sarcocáulon .....	83
Pycnostáchys ..	414	RHIPALIDEÆ .....	238	Ruízia .....	69	Sarcocéphalus ..	263
Pyrèthrum .....	321	Rhípsalis .....	238, 591	Ruízia .....	84	Sarcocóhilus .....	489
Pýrolo .....	341	RHIZOBOLÆ .....	83	Rulingia .....	67	Sarcococca .....	456
Pýrularia .....	451	Rhizóphora .....	197	Rulingia .....	219	Sarcólobus .....	360
Pýrus .....	177	RHIZOPHOREÆ ..	197	Rùmex .....	439	Sarcophýllum ..	129
Pýrus.. 176, 177,	178	.....	197	Rùmex .....	439, 440	Sarcotémma .....	361
Pyxidánthera ..	342	Rhodiola .....	225	Rúmia .....	244	Saróthra .....	77
Quádría .....	599	Rhododéndron ..	342	Rúmia .....	251	Sarracénia .....	18, 585
Quálea .....	590	Rhodóra .....	343	Rúppia .....	478	SARRACENTEÆ	18
Quássia .....	108	RHODORACEÆ ..	342	Rúscus .....	523	SATUREINÆ .....	401
Quélitia .....	514	Rhopála .....	447	Rússèlia .....	390	Saturèja .....	401
Quércus .....	465	Rhús .....	117	Rúta .....	105	Satyrium .....	484
Quèria .....	221	Rhús 84, 118, 119,	465	Rúta .....	105	Satyrium .....	483, 485
Quèria .....	220	Rhynchósia .....	157	RUTACEÆ .....	105	Saurátja .....	72
QUERACEÆ .....	221	Rhynchóspora ..	549	Rùyschia .....	79	SAURAUJÆ .....	72
Quisquális .....	196	Ribes .....	238, 591	Rýanea .....	40	Saurûrus .....	481
Quivisia .....	85	Richardía .....	480	Sábal .....	542	Saussúrea .....	281
Radiola .....	58	Richardsonía ..	265	Sabbátia .....	363	Sauvágria .....	45
Ráfnia .....	126	Rícinus .....	458	Sabíceo .....	260	Sauvágria .....	239, 591
Ráfnia .....	123, 126	Rícinus .....	458	Sácccharum .....	560	SAXIFRAGEÆ	239
Rajània .....	521	Ricótia .....	24	Sácccharum .....	560	Scabiòsa .....	269
Ramónda .....	382	Riedlèia .....	68	Sagerétia .....	112	Scabiòsa 269, 270,	271
Rándia .....	260	Rindèra .....	578	Sagína .....	54	Scæ'vola .....	324
RANUNCULACEÆ ..	1	Ripídium .....	560	Sagittária .....	477	Scália .....	299
RANUNCULÆ .....	4	Ripógonum .....	523	Sagr'æa .....	205	SCANDICINÆ .....	254
Ranúnculus .....	4	Ritcheia .....	48	Ságus .....	543	Scándix .....	254
Ranúnculus .....	7	Rittèra .....	162	SALICARIEÆ .....	201	Scándix .....	254
RAPHANÆ .....	35	Rivina .....	433	SALICÆ .....	468	Schæffèria .....	115
Raphànus .....	36	Robértia .....	276	Salicórnia .....	436	Schedonórus .....	571
Raphiolépis .....	176	Robertsónia ..	239, 240	Salisbúria .....	473	Schelhammèra ..	539
Rapístium .....	36	Robínia .....	143	Sálix .....	468	Scheuchzèria .....	477
Rapístium .....	31	Robínia 141, 142, 143,	143, 168	Sálmea .....	307	Schínus .....	119
Raspàlia .....	115	.....	144, 168	Sálmia .....	480	Schínus .....	119
Rauwólfa .....	353	Róchea .....	223	Salomónia .....	47	Schísmus .....	559
Rauwólfa .....	353	Rodígia .....	276	Salpiánthus .....	430	Schiveréckia .....	25
Ravenàlia .....	495	Rodígia .....	276	Salpiglóssis ..	383, 594	Schiz'æa .....	577, 598
Reaumúria .....	235	Rodriguèzia .....	487	Salsòla .....	434	Schizándra .....	16
REAUTURIEÆ .....	235	Roélla .....	328	Salsòla .....	434, 435	SCHIZANDREÆ ..	16
Redoutèa .....	63	Roélla .....	327	Sálvia .....	410	Schizánthus .....	396
Reevèsia .....	586	Rcemèria .....	19, 585	Salvínia .....	576	SCHIZOPETALEÆ	37
Relhània .....	307	Rcemèria .....	571	Sámara .....	348	Schizopétalum ..	37
Remírea .....	552	Roepèria .....	104	Sambúcus .....	257	Schkuhria .....	306
Renánthera .....	491	Ròhdea .....	480	Samòlus .....	426	Schmáltzia .....	119
Rencálmia .....	493	Rolándra .....	287	Sam'ya .....	116	Schmidèlia .....	84
Rencálmia .....	493, 498	Rondelètia .....	262	SAMYDEÆ .....	116	Schmidtia .....	554
Requiénia .....	132	Rósa .....	178	Sandricum .....	85	Schæmòdum .....	547
Resèda .....	39	ROSACEÆ .....	178	Sanguinária ..	19, 585	Sch'enus .....	549, 597
RESEDACEÆ .....	39	Roscóea .....	492	Sanguisórba .....	193	Sch'enus .....	549, 550
RESTIACEÆ .....	546	Roscèa .....	433	SANGUISORBEÆ	192	Schepfia .....	347
Restío .....	547	Rosmarínus .....	404	Sanícula .....	244	Schöllera .....	330, 541
		Rostrària .....	574	SANICULEÆ .....	243	Schötia .....	172
				Sansevièra .....	517	Schoús'æa .....	196

	Page.		Page.		Page.		Page.
Schránkia	163	Seriola	276	SMILA'CEÆ	522	Spinácia	436
Schrebèra	111	Seriola	276	Smilacina	523	Spir'æa	194
Schubértia	474	Seriphium	288	Smilax	522	Spir'æa	194
Schultzia	245	Serissa	264	Smithia	149	SPIR'ÆACEÆ	193
Schwénckia	396	Serpícula	200	SMY'RNEÆ	255	Spiráleps	292
Scilla	527, 596, 599	Serrátula	281	Smy'rniun	255	Spiranthera	108
Scilla	527, 528	Serrátula	281, 282, 283	Smy'rniun	245, 251	Spiránthes	485
Sciodaphyllum	256	Serrùria	445	Soboléwska	32	SPIROLOBEÆ	36
Scirpus	550, 598	Sersalsia	349	Sója	158	SPONDIACEÆ	120
Scirpus	550	SES'AMEÆ	367	Soládra	388	Spóndias	120
SCITAMINEÆ	491	Sésamum	367	SOLANEÆ	380	Sporóbulus	557
SCLERANTHEÆ	221	Sesbània	143	Solànum	385	Spreikèlia	509
Scleránthus	221	Sesbània	143	Solànum	385, 387	Sprengèlia	345
Sclèria	549	Séseli	248	Soldanèlla	423	Stavvìa	115
Sclerocárpus	312	Séseli	245, 248	Soldevilla	276	Stáchys	406, 594
Scleróchloa	569	SESELI'NEÆ	247	Sòlea	45	Stáchys	406, 407
Sclerosciádium	247	Seslèria	567	Solidàgo	297	Stachytárfheta	418
Sclerothámnus	124	Seslèria	567	Solidàgo	298, 307	STACKHOUSEÆ	
Scolopéndrium	581	Sesùvium	234	Soliva	317		452
Scolopéndrium	578	Setària	553	Sónchus	278	Stackhófia	452
Scólymus	280	Sèthia	80	Sónchus	277, 279	Stæbelina	285
Scopària	389	Seymèria	396	Sonnerátia	210	Stæhelina	281
Scopólia	382	Seymóuria	92	Sophòra	122, 589	Stanhópea	490
Scopólia	121	Shephèrdia	451	Sophòra	122, 123	Stanlèya	31
Scorpiùrus	148	Sherárdia	266	SOPH'OREÆ	122	Stapèlia	357
Scorzonèra	278	Sherárdia	267	Sophrónitis	489	Stapèlia	356, 357, 358,
Scorzonèra	279	Sibbáldia	192	Sórbus	177		359
SCORZONEREÆ	278	Sibthórpia	394	Sórghum	561	Staphylèa	109
Scóttia	126	Sicyos	215	Sorocépalus	445	STAPHYLEACEÆ	109
Scrophulària	391, 594	Sida	63, 586	Soulángia	114	Stárkea	298
SCROPHULARI-		Sida	63, 64, 65	Southwèllia	66	Státice	426
NÆ	389	Sideránthus	298	Sowerb'æa	532	Stauracánthus	129
Scutellària	410	Sideritis	407	Spallanzània	192	Stegània	581
Scùtia	113	Siderodéndron	264	Spanánthe	243	Stèlis	487
Scyphánthus	218	Sideróxylon	349	Sparáxis	501	Stellària	55
Scytàlia	84	Sideróxylon	115, 348, 349	Sparáxis	501	Stellària	55
Seafórtia	544	Siegesbèckia	308	Spargànium	479	Stellèra	449
Seb'æa	364	Sievèrsia	190	Sparganóphorus	315	Stemòdia	389
Secàle	564	Sievèrsia	189	Sparrmànnia	70	Stenanthèra	346
Secàle	566	Silàus	249	Spartina	553	Stenocárpus	447
Secamòne	356	Silène	51	Spartánthus	159	Stenochilus	419
Sèchium	215	SIL'ENEÆ	48	Spártium	129	Stenomésson	513
Securidàca	47	Siler	252	Spártium	129, 130, 131	Stenorh'ncus	485
Securifera	148	Siler	252	Spatalánthus	503	Stenospèrmum	209
Securinèga	460	SILER'INEÆ	252	Spátàlia	445	Stenotáphrum	563
Sèdum	225	Silphium	314	Spathèlia	121	Stephània	39
Sèdum	225	Silybum	282	Spathòdea	366	Sterculia	66, 599
SELAGINEÆ	414	Simàba	108	Spatulària	240	STERCULIÆ	66
Selàgo	415	Simarùba	108	Speculària	593	Sterèbxylon	239
Selàgo	415	SIMAR'UBEÆ	108	Spennèra	203	Sterigma	32
Selínium	249	Sínsia	599	Spergùla	55, 586	Steriphoma	39
Selínium	248, 249, 250,	Sínsia	307, 311	Spermacòce	265	Sternbèckia	79
	251	Sinàpis	34, 585	Spermacòce	265	Sternbèrgia	505
Sellòa	301	Sinàpis	35	SPERMAC'OCÆÆ	265	Stevènia	22
Semecárpus	117	Singàna	79	Spermadictyon	263	Stèvia	300
Sempervivum	226	Sinningia	329	Spermáxyrum	75	Stèvia	301, 306
Sempervivum	226	Siphonánthus	414	Sphácele	406	Stilàgo	460
Senàcia	48	Siphònia	458	Sphæránthus	288	Stillingia	458
Senàcia	110	Sison	245	Sphærolòbium	124	Stipa	556
Senebièra	31	Sison	245, 246, 247, 252	Sphæroph'ysa	144	Stizolòbium	159
Senecillis	304	SISY'MBREÆ	28	Sphærospora	501	Stob'æa	284
Senécio	302	Sisy'mbrium	29	Sphallerocárpus	255	St'obe	288
Senécio	305	Sisy'mbrium	22, 29, 35	Sphenógyne	312	Stokèsia	285
Séptas	222	Sisy'rinchium	498	Sphenótoma	345	Stratiòtes	476
Seràpias	484	Sium	246	Spielmànnia	418	Stravádium	213
Seràpias	486	Sium	245, 246, 247, 251	Spigèlia	364	Strelitzia	495
Seriàna	83	Sloànea	71	Spilánthes	306	Streptanthera	501
Seringia	67	Smeathmànnia	216	Spilánthes	306, 307	Stréptium	418

<i>Streptocarpus</i> ..	Page. 397	<i>Tamarix</i> ....	Page. 203	<i>Thelymitra</i> ....	Page. 486	<i>Tradescantia</i> 541,	Page. 542
<i>Streptopus</i> ....	523	<i>Tamarix</i> ....	203	<i>Thenardia</i> ....	355	<i>Tragacantha</i> ..	147
<i>Stròbus</i> .....	475	TAMEÆ .....	522	<i>Theobroma</i> ....	67	<i>Tragia</i> .....	460
<i>Strophanthus</i> ..	354	Tamònia .....	418	<i>Theophrasta</i> ..	353	<i>Tràgia</i> .....	460
<i>Strumària</i> ....	510	Tàmus .....	522	<i>Thermopsis</i> ....	123	<i>Tràgium</i> .....	246
<i>Struthiola</i> .....	449	<i>Tanacetum</i> ....	316	<i>Thesium</i> .....	450	<i>Tragopogon</i> ....	279
<i>Struthiopteris</i> ..	582	<i>Tanacètum</i> ....	316	<i>Thesium</i> .....	450	<i>Tragopyrum</i> ..	439
<i>Strýchnos</i> ....	353	<i>Tanacetum</i> ....	389	<i>Thespèsia</i> .....	63	<i>Tràgus</i> .....	557
<i>Stuàrtia</i> .....	73	TARAXACEÆ ..	274	<i>Thlâspi</i> .....	37	<i>Tràpa</i> .....	200
<i>Stuàrtia</i> .....	73	<i>Tarchonanthus</i> ..	315	<i>Thlâspi</i> .. 27, 31,	32	<i>Trattenickia</i> ..	306
<i>Stúrnia</i> .....	557	<i>Tasmánnia</i> ....	13	THLASPI DEÆ ..	27	<i>Travoa</i> .....	588
<i>Stylándra</i> .....	361	<i>Tauscheria</i> ....	32	<i>Thomàsia</i> .....	67	<i>Trèisia</i> .....	453
STYLI'DEÆ .....	324	<i>Taxánthema</i> ....	427	<i>Thrinax</i> .....	544	TRÉMA'NDREÆ 47	
<i>Stylidium</i> .....	324	<i>Taxodium</i> .....	474	<i>Thrinacia</i> .....	275	<i>Trevirània</i> ....	390
<i>Stylosánthes</i> ..	149	TAXI'NEÆ .....	473	<i>Thryallis</i> .....	81	<i>Tréwia</i> .....	557
<i>Stypándra</i> ....	525	Táxus .....	473	<i>Thùja</i> .....	474	<i>Triánthema</i> ....	219
<i>Styphèlia</i> .....	346	<i>Táxus</i> .....	473	<i>Thùja</i> .....	473	<i>Tribràchia</i> ....	489
<i>Styphèlia</i> .....	346	<i>Tecòma</i> .....	366	<i>Thunbèrgia</i> ....	419	<i>Tríbulus</i> .....	104
STYPH'ELLE ..	346	<i>Tectòna</i> .....	418	<i>Thymbra</i> .....	409	<i>Trichæta</i> .....	573
STYRACINEÆ 347		<i>Teèdia</i> .....	389	<i>Thymbra</i> .....	409	<i>Trichèra</i> .....	269
<i>Stýrax</i> .....	347	<i>Teesdàlia</i> .....	27	THYMELEÆÆ ..	448	<i>Trichilia</i> .....	85
<i>Suaèda</i> .....	435	TELEPH'ÆÆ ..	220	<i>Thymus</i> .....	401	TRICHY'LEÆ ..	85
<i>Suàrdia</i> .....	558	<i>Telèphium</i> .....	220	<i>Thymus</i> .... 399,	409	<i>Trichocèphalus</i> ..	114
<i>Subulària</i> ....	37	<i>Telfària</i> .....	215	<i>Thysanòtus</i> ....	532	<i>Trichochloa</i> ....	557
SUBUL'ARIEÆ ..	37	<i>Tellima</i> .....	242	<i>Thyrselinum</i> 250,	251	<i>Trichodèisma</i> ....	378
<i>Succisa</i> .....	269	<i>Telopèa</i> .....	447	<i>Tiarèlla</i> .....	242	<i>Trichodium</i> ....	556
<i>Succòwia</i> .....	35	<i>Templetònia</i> ....	126	<i>Tiarèlla</i> .....	242	<i>Trichodium</i> ....	556
<i>Sutherlandia</i> ..	144	<i>Tenòria</i> .. 247,	251	<i>Tiaridium</i> .....	374	<i>Tricholæna</i> ....	560
<i>Swainsonia</i> ....	144	<i>Tephrosia</i> 141,	589	<i>Tibouchina</i> .....	204	<i>Trichomanes</i> ....	583
<i>Swàrtzia</i> .....	162	<i>Tephrosia</i> .....	156	<i>Ticorea</i> .....	108	<i>Trichonema</i> ..503,	596
SWARTZI'ÆÆ ..	162	<i>Tephrothamnus</i> ..	126	<i>Tigàrea</i> .....	193	<i>Trichophorum</i> ..	552
<i>Sweètia</i> .....	156	<i>Terámmus</i> .....	156	<i>Tigridia</i> .....	499	<i>Trichophyllum</i> ..	322
<i>Swèrtia</i> .....	363	TEREBINTH'ACEÆ		<i>Tigridia</i> .....	497	<i>Trichorhiza</i> ....	491
<i>Swietènia</i> .....	86	.....	119	<i>Tilia</i> .....	71	<i>Trichosánthes</i> ..	215
<i>Swietènia</i> .....	86	<i>Terminàlia</i> ....	195	TILI'ACEÆ .....	70	<i>Trichosanthus</i> ..	215
<i>Syagrus</i> .....	543	TERMIN'ALIEÆ ..	195	<i>Tiliacora</i> .....	15	<i>Trichostema</i> ..	403
<i>Symphiandra</i> ..	593	<i>Ternstromia</i> ....	72	<i>Tillæa</i> .....	222	<i>Trichostema</i> ....	399
<i>Symphonia</i> ....	79	TERNSTREMI'A-		<i>Tillandsia</i> .....	535	<i>Tricoryne</i> .....	525
SYMPH'ONIEÆ ..	79	CEÆ .....	72	<i>Tithonia</i> .....	312	<i>Tridactylites</i> ....	241
<i>Symphoria</i> 258,	592	<i>Terpnánthus</i> ..	108	<i>Tithymalus</i> 453,	454	<i>Tridax</i> .....	308
<i>Symplytum</i> ..	375	<i>Testudinària</i> ....	522	<i>Tittmannia</i> .....	116	<i>Tridens</i> .....	567
<i>Sympieza</i> .....	332	<i>Tetràcera</i> .....	12	<i>Tittmannia</i> .. 393,	394	<i>Tridéntea</i> .....	358
<i>Symplocarpus</i> ..	479	<i>Tetràdium</i> .....	121	<i>Tococa</i> .....	205	<i>Tridentalis</i> ....	425
SYMPLOCI'NEÆ		<i>Tetragònia</i> .....	234	<i>Toddàlia</i> .....	121	TRIFOLI'ÆÆ ..	132
.....	347	<i>Tetragonia</i> .....	201	<i>Todea</i> .....	577	<i>Trifolium</i> .....	135
<i>Symplocos</i> .....	347	<i>Tetragonolobus</i> ..	138	<i>Tofieldia</i> .....	540	<i>Trifolium</i> .. 134,	137
<i>Synàndra</i> .....	404	<i>Tetragonotheca</i> ..	307	<i>Tolpis</i> .....	275	<i>Triglòchin</i> ....	477
<i>Syncarpha</i> .....	281	<i>Tetramèrium</i> ....	264	<i>Tonsèlla</i> .....	79	<i>Trigonèlla</i> ....	134
<i>Synedrella</i> ....	308	<i>Tetranema</i> .....	149	<i>Tontèlla</i> .....	79	<i>Trigonia</i> .....	80
<i>Synnotia</i> .....	501	<i>Tetranthèra</i> ....	441	TORDYLI'NEÆ ..	252	<i>Trigònis</i> .....	84
<i>Syntherisma</i> ..	558	<i>Tetrapogon</i> .....	564	<i>Tordylum</i> .....	252	<i>Trillium</i> .....	523
<i>Syrènia</i> .....	30	<i>Tetrápteris</i> .....	81	<i>Tordylum</i> .. 251,	252	<i>Trinia</i> .....	245
<i>Syringa</i> .....	352	<i>Tetrathèca</i> .....	47	<i>Torenia</i> .....	393	<i>Triòdia</i> .....	567
<i>Szygium</i> .....	211	<i>Tetrazygia</i> .....	205	<i>Torilis</i> .....	254	<i>Triòdia</i> .....	567
<i>Tabernamontana</i>	354	<i>Teucrium</i> .....	402	<i>Torilis</i> .....	253	<i>Triópteris</i> .....	81
<i>Tacca</i> .....	481	<i>Thalàmia</i> .....	473	<i>Tortilla</i> .....	190	<i>Triosteum</i> .....	259
TACC'ACEÆ .....	481	THALAMIFL'ORÆ1		<i>Tortula</i> .....	418	<i>Triphasia</i> .....	75
<i>Tachigàlia</i> .....	169	<i>Thàlia</i> .....	494	<i>Tournefortia</i> ....	378	<i>Triphora</i> .....	486
<i>Tacsonia</i> .....	218	<i>Thalictrum</i> ....	2	<i>Tournefortia</i> 374,	379	<i>Tripinnària</i> ..	389
<i>Tænitis</i> .....	582	<i>Thamnea</i> .....	116	<i>Tourrètia</i> .....	367	<i>Triplaris</i> .....	440
<i>Tagètes</i> .....	305	<i>Thamnochortus</i> ..	547	<i>Touchiròda</i> .....	172	<i>Tripsacum</i> .....	563
<i>Talièra</i> .....	543	<i>Thàpsia</i> .....	252	<i>Trachèllum</i> ....	328	<i>Tripsacum</i> .....	563
<i>Talaúma</i> .....	584	<i>Thàpsia</i> .....	248	<i>Trachymène</i> ....	243	<i>Triptilion</i> ....	280
<i>Talinum</i> .....	219	THAPSI'ÆÆ .....	252	<i>Trachymène</i> ....	243	<i>Trisetum</i> .....	568
<i>Talinum</i> .....	219	<i>Thàspium</i> .....	248	<i>Trachynòtia</i> ....	553	<i>Trisetum</i> 567,	573
<i>Tamarindus</i> ....	169	<i>Thàspium</i> .....	245	<i>Trachyspermum</i> ..	245	<i>Tristàntia</i> .....	207
TAMARISCI'NEÆ		<i>Thèa</i> .....	73	<i>Trachytèlla</i> ....	584	<i>Tristegis</i> .....	558
.....	203	<i>Thelygonum</i> ....	463	<i>Tradescantia</i> 541,	597	<i>Triteleia</i> .....	532

	Page.		Page.		Page.		Page.
Triticum	564	VACCINIÆ	329	Viola	43, 45	Wulfenia	396
<i>Triticum</i>	564, 565, 566,	Vaccinium	329	VIOLARIÆ	43	Wurmbea	540
	573	Vaccinium	330	Virgilia	122	W'ylia	254
Tritoma	517	Valantia	266	Virgilia	122	Xanthium	314
Tritonia	502	Valantia	266, 267	Viscaria	53	Xanthochymus	78
Triumfetta	70	Valeriana	268	Viscum	259	Xanthorrhæa	534
<i>Trixago</i>	395	Valeriana	268, 269	Vismia	76	Xanthosia	243
Trixis	280	VALERIANÆ	268	VISMINEÆ	76	Xenopoma	419
Trixis	280	Valeriana	269	Visnaga	245	Xeranthemum	294
Trizeuxis	488	Vallaris	356	Visnea	350	<i>Xeranthemum</i>	292, 293,
Trochiscanthus	248	Vallèsia	353	Vitex	416		294
Trochocarpa	346	Vallisneria	476	Vitex	417	Xerophyllum	540
Tröllius	7	Vallota	512	Vitis	87	Xerotes	545
Tromotriche	358	Vanda	491	Vitis	87	Ximenesia	307
TROPÆOLEÆ	101	Vanda	491	Vittaria	582	Ximènia	75
Tropæolum	101	Vandellia	394	Voandzèia	168	Ximènia	104
Tròphis	450	Vangueria	260, 600	Vochysia	197	Xiphidium	504
Tròximom	276	Vanilla	491	VOCHYSIÆ	197	Xiphopteris	578
<i>Tròximom</i>	276	Varronia	379, 380	VOHRIA	363	Xylodium	489
Tulbagia	517	Vascòia	126	Volkameria	416	Xylomelum	447
Tùlipa	536	Vauánthes	223	Volkameria	415, 416	Xylophylla	459
TULIPACEÆ	536	Velèzia	54	Vouapa	172	Xylòpia	15
Tupistra	480	Vélla	35	Wachendorfia	504	Xylósteum	258
Turgènia	254	Vélla	35	Wahlenbergia	325, 593	Xyris	546
Turnera	218	VEILLÆ	35	Waldsteinia	189	Xysmalobium	361
TURNERICEÆ	218	Vellèia	324	Waldsteinia	189	Yucca	536, 597
Turpina	109	Vellèia	324	Walkera	109	Zacintha	276
<i>Turpina</i>	109, 149	Vellòsia	505	Wallichia	543	Zaluzania	318
Turræa	85	Veltheimia	517	WALLICHIEÆ	69	Zamia	476
Turritis	22	Venàna	599	Wallrothia	249	Zannichèlia	478
<i>Turritis</i>	22, 23, 34, 585	Vernàtia	324, 346	Wallrothia	417	Zanòpia	540
Tussilago	302	Ventilago	114	Walthèria	68	Zapània	418
<i>Tussilago</i>	280	Veratrum	540	Wangenheimia	560	Zanthorhiza	12
Tylóphora	589	Verbascum	380	Watsonia	500	Zanthoxylum	107
Typha	479	Verbascum	382	Webèra	261	Zèa	574
TYPHINEÆ	479	Verbena	418	Webèra	261	Zephyranthes	505
Ugèna	577	Verbena	418	Wedèlia	309	Zexmènia	309
Ulex	129	VERBENACEÆ	415	Wedèlia	313	Zièria	107
Ulmus	464	Verbesina	308	Weinmannia	242	Zietènia	407
<i>Ulmus</i>	464	Verbesina	308	Wendlandia	15	Zigadènus	540
UMBELLIFERÆ	243	Vernonia	289, 592	Westonia	156	Zilla	35
	243	Vernonia	289	Westringia	402	ZILLÆ	35
Umbilicus	225	VERNONIACEÆ	288	Whitlèya	383	Zingiber	492
Uncaria	263	Veronica	396	Wibèlia	274	Zinnia	307
Uniola	571	Veronica	396, 399	Wiborgia	308	Zizania	575
Unona	15	Verticordia	207	Wigandia	369	Zizia	245
Urachne	555	Vesicaria	24	Willdenovia	547	Ziziphora	404
Urània	495	Vestia	383	Willemètia	113	Zizyphus	112
Urària	149	Viborgia	128	Willughbeia	356	Zizyphus	112, 464
<i>Uraspermum</i>	255	Viburnum	257	Windsoria	567	Z'ægea	285
Urèna	60	Vicia	153	Wintèra	13	Zòrnia	149
Uropetalon	528	Vicia	143, 154, 156	Winterana	13	Zòrnia	150
Urtica	462	VICIÆ	153	WINTEREREÆ	13	Zosmia	252
<i>Urtica</i>	462	Vièussetuxia	498	Wisteria	157	Zostera	478
URTIÇEÆ	460	Vigna	159	Witheringia	388	Zòysia	554
Urvillæa	83	Viguiera	310	Witsènia	499	Zuccagnia	528
Utricularia	423	Villarsia	364	Wittlesbäckia	73	Zuringera	108
Uvària	15	Vilmorinia	140	Woodfordia	202	Zygopetalum	496
Uvária	15	Vimnària	124	Woodsia	579	ZYGOPHYLLÆ	
Uvulària	539	Vinca	354	Woodwardia	581		104
<i>Uvulària</i>	523, 539	VINI FERÆ	86	Wòrnia	13	Zygophyllum	104
Vaccaria	51	Viola	43, 586	Wrightia	354	Zygophyllum	104

# ENGLISH INDEX.

Page.		Page.		Page.	
Abele-tree	471	Balsam-herb	421	Birch-tree	467
Aclania	61	Balsam of Capevi	171	Bird Cherry	175
Adam's needle	536	Balsam of Peru	122	Bird's-eye Primrose	424
Adder's-tongue	576	Balsam of Tolu	122	Bird's-foot	148
African Almond	446	Balsam-seed	122	Bird's-foot Trefoil	134,
African fleabane	315	Balsam-tree	78, 220		137
African Lily	517	Balsam-wood	122	Bird's-head	488
African Marygold	305	Bamboo-cane	574	Bird's-nest	486
Agrimony	192	Bane-berries	11	Bird Pepper	384
Akee-tree	84	Banana tree	495	Bird's-tongue	304, 539
Alaternus	112	Barbadoes Gooseberry		Birthwort	451
Alder	468		238	Bishop's-weed	245
Alexander's	255	Barberry	16, 584	Bitter-sweet	385
Alkekengi	384	Barley	558	Bitter Vetch	156
Alligator Pear	441	Barren-wort	16, 584	Bitter-wood	15
All-seed	58, 221, 435	Base Rocket	39	Blackberry	188
Allspice	212	Basil	413	Black Bryony	522
Allspice-tree	194	Bastard Balm	409	Black Knapweed	285
Allum-root	242	Bastard Cabbage-tree		Black Parsley	253
Almond	173		168	Black Saltwort	428
Almond Peach	173	Bastard Cardamon	492	Bladder Ketmia	62
Aloe-wood	117	Bastard Cedar	67, 86	Bladder-nut	109
Althæa-frutex	61	Bastard Cress	27	Bladder Senna	144
Amaranth	430	Bastard Cypress	549	Bleaberry	329
Amber-tree	265	Bastard Flower-fence		Blessed Thistle	287
Amboy na pitch tree	474		164	Bloodwort	19
American birds-eye	424	Bastard Hare's-ear	265	Blue-bottle	286
American Cowslip	423	Bastard Indigo	142	Bog-rush	549
Anchovy Pear	213	Bastard Mangeneel	355	Bonace-bark	449
Andaman red wood	161	Bastard Orpine	459	Borage	378
Angelica	249	Bastard Pimpernell	426	Borecole	33
Angelica-tree	256	Bastard Quince	177	Box-thorn	388
Anise	246	Bastard Saffron	284	Box-tree	456
Aniseed-tree	13	Bastard Vervain	418	Brake	582
Anotta	40	Bastard Vetch	145	Bramble	178
Ape Orchis	483	Bawd-money	249	Brasiletto	168
Apple	177	Bay-tree	441	Bread-fruit	462
Apple-berry	48	Bead-tree	85	Bread-nut	462
Apricot	174	Bean	153	Bread-root	138
Arbor-vitæ	474	Bean-caper	104	Broccoli	33
Archangel	406	Bean-trefoil	122	Brome-grass	573
Arracacha	255	Bear-berry	330	Brook-lime	398
Arrow-grass	477	Bearbind	370	Brookweed	426
Arrow-head	477	Bear's-breech	419	Broom	131
Arrow-root	495	Bear's-ear Sanicle	423	Broom-rape	422
Artichoke	284	Bedstraw	266	Brown Knapweed	286
Asarabacca	451	Beech-tree	467	Brussels sprouts	33
Ash-tree	350	Bee Ophrys	484	Bryony	214
Asparagus	533	Beet	436	Buck-bean	364
Aspen	477	Belladonna Lily	506	Buckler Mustard	27
Asphodel	524	Bell-flower	325	Buck's-eye tree	83
Atamasco Lily	505	Bengal Quince	75	Buckthorn	112
Auricula	425	Benjamin-tree	441	Buck-wheat	438
Avens	190	Bent-grass	556	Buck-wheat tree	332
Awl-wort	37	Berry-bearing Alder		Buffalo-clover	136
Azarole	176		113	Bugle	403
Bahama red-wood	113	Betle	482	Bugloss	377
Balm	409	Betony	406	Bugwort	11
Balm of Gilead	409	Bilimbi-tree	102	Bullace-tree	174
Balsam	101	Billberry	329	Bullet-grape	87
Balsam Apple	215	Bindweed	369	Burdock	280
				Burnet	193
				Burnet Saxifrage	246
				Bur Parsley	253
				Bur-reed	479
				Butcher's Broom	523
				Butter and eggs	514
				Butter-bur	302
				Butterfly-plant	483, 488
				Butter-nut	83
				Butter-tree	78, 349
				Butterwort	422
				Button-tree	196
				Button-weed	265
				Button-wood	263
				Cabbage	33
				Cabbage-tree	543
				Cajuputi-tree	207
				Calabash-tree	389
				Calaba-tree	78
				Calamint	409
				Calathian Violet	362
				Calf's-snout	390
				Caltrops	104
				Cammock	132
				Campion	51
				Camphire-tree	441
				Canada Rice	575
				Canary Tea	63
				Candleberry Myrtle	472
				Candy-tuft	27
				Cane-brake	574
				Canterbury bells	327
				Cape Aster	305
				Cape Holly	110
				Cape Jasmine	261
				Cape Phillyrea	110
				Caper-bush	38, 585
				Caper Sponge	454
				Carambola-tree	102
				Caraway	245
				Cardamon	493
				Cardinal-flower	323
				Cardoon	284
				Carline thistle	284
				Carnation	59
				Carob-tree	169
				Carriion-flower	357
				Carrot	253
				Cascarilla	457
				Cashew-nut	117
				Cassava	458
				Cassia	441
				Cassioberry-bush	258
				Castor-oil nut	458
				Catalpa-tree	365
				Catchfly	51
				Cat-chop	228
				Catmint	407
				Cat's-ear	276
				Cat's-tail	479
				Cat's-tail grass	554

	Page.		Page.		Page.		Page.
Cat Thyrre . . .	403	Cornelian Cherry . . .	257	Dragon's-head . . .	408	Fox-chop . . .	227
Cauliflower . . .	33	Corn Cockle . . .	54	Dragon-tree . . .	533	Foxglove . . .	392
Cedar . . .	474, 475	Corn-flag . . .	500	Dropwort . . .	194	Fox-Grape . . .	87
Cedar of Goa . . .	474	Cornish Moneywort . . .	394	Drumstick-tree . . .	169	Foxtail-grass . . .	554
Cedar of Lebanon . . .	475	Costnary . . .	315	Duck-weed . . .	478	Fraxinella . . .	105, 588
Celandine . . .	19	Cotton-grass . . .	552	Duck's-foot . . .	17	French Honeysuckle . . .	156
Celery . . .	245	Cotton-Rose . . .	294	Dumb Cane . . .	481	French Marygold . . .	305
Century . . .	285, 592	Cotton-Thistle . . .	283	Dwarf fan palm . . .	542	French Sorrel . . .	440
Chamomile . . .	318	Cotton-tree . . .	63	Dyer's green-weed . . .	130	Friar's-cowl . . .	480
Charlock . . .	34	Couch-grass . . .	565	Dyer's-weed . . .	39	Fringe-tree . . .	351
Chaste-tree . . .	416	Cowbane . . .	244	Earth-nut . . .	167, 246	Fritillary . . .	537
Chaw-stick . . .	114	Cow-berry . . .	330	Earth Pea . . .	155	Frog-bit . . .	476
Cheese-rennet . . .	267	Cow-grass . . .	135	Egg-plant . . .	387	Frog Orchis . . .	483
Cherimolli . . .	14	Cowitch . . .	159	Egyptian-thorn . . .	166	Fumitory . . .	20
Cherry-tree . . .	174	Cow Parsnep . . .	251	Elastic gum tree . . .	458	Furze . . .	129
Chervil . . .	254	Cowrie Pine . . .	471	Elder . . .	257	Fustick-wood . . .	463
Chestnut . . .	467	Cowslip . . .	423	Elecampane . . .	290	Gambier-tree . . .	263
Chestnut Oak . . .	466	Cow-tree . . .	462	Elephant Apple . . .	75	Garden Balsam . . .	421
Chicasaw . . .	174	Cow-wheat . . .	395	Elephant-foot . . .	288	Garland flower . . .	493
Chickling Vetch . . .	155	Crab . . .	177	Elephant's-foot . . .	522	Garlic . . .	530
Chick Pea . . .	153	Cranberry . . .	330	Elm-tree . . .	464	Garlic-Pear . . .	38
Chickweed . . .	55	Crane's-bill . . .	88	Enchanter's Nightshade . . .	200	Genip-tree . . .	261
Chile Pine . . .	474	Creeping Cereus . . .	236	Endive . . .	280	Gentian . . .	362
China Aster . . .	297	Cress Rocket . . .	35	English Mercury . . .	434	Germander . . .	402
Chinese varnish . . .	118	Crosswort . . .	265	Ermine-chop . . .	228	German madwort . . .	377
Chives . . .	530	Crown Imperial . . .	538	Eryngo . . .	244, 591	Giant Fennel . . .	250, 591
Chocho . . .	215	Crow-foot . . .	4, 584	Evening-flower . . .	503	Ginger . . .	492
Chocolate-nut . . .	67	Crow-garlic . . .	530	Evening Primrose . . .	198	Gingerbread Plum . . .	173
Christmas Rose . . .	7	Crow's-foot-grass . . .	563	Evergreen Thorn . . .	175	Ginseng . . .	256
Christ's thorn . . .	112	Cuckold-tree . . .	166	Everlasting . . .	291	Gladwyn . . .	496
Cicely . . .	254	Cuckoo-flower . . .	23	Everlasting Pea . . .	155	Glasswort . . .	436
Cinnamon . . .	441	Cucumber . . .	214	Eye-bright . . .	394	Glastonbury-thorn . . .	176
Cinquefoil . . .	190, 589	Cumin . . .	252	Fan Palm . . .	543	Globe Amaranth . . .	432
Citron . . .	75	Cup-flower . . .	218	Feather-grass . . .	556	Globe-flower . . .	7
Clary . . .	412	Currant . . .	238, 591	Felwort . . .	363	Globe Thistle . . .	287
Clearing-nut . . .	353	Custard Apple . . .	14	Female Fern . . .	580	Goat's-beard . . .	194, 279
Cleavers . . .	267	Cypress . . .	474	Fennel . . .	247	Goat's Rue . . .	141
Cloth of Gold . . .	504	Daffodil . . .	514	Fenugreek . . .	134	Goat's Thorn . . .	147
Clove . . .	49	Dahlia . . .	310	Fescue-grass . . .	572	Gold of pleasure . . .	31
Clover . . .	136	Dahoon Holly . . .	111	Feverfew . . .	321	Golden-pert . . .	396
Clove-tree . . .	212	Daisy . . .	299	Feverwort . . .	259	Golden Poley . . .	403
Clown's all heal . . .	407	Dammar Pine . . .	474	Fiddle-wood . . .	417	Golden-rod . . .	297
Club-moss . . .	576	Dandelion . . .	274	Fig Marygold . . .	227	Golden-rod tree . . .	436
Club-rush . . .	550	Darnel . . .	567	Fig-tree . . .	460	Golden Saxifrage . . .	242
Cochineal-fig . . .	237	Date Palm . . .	543	Figwort . . .	391	Golden Thistle . . .	280
Cockscomb . . .	431	Date Plum . . .	349	Filbert . . .	467	Goldy-locks . . .	298
Cocksfoot-grass . . .	570	Day Lily . . .	516	Filmy-leaf . . .	583	Gooseberry . . .	238
Cockshead . . .	152	Deadly Carrot . . .	215	Florin-grass . . .	556	Goosefoot . . .	434
Cockspur-thorn . . .	175	Deadly Nightshade . . .	383	Fir-tree . . .	475	Gourd . . .	213
Cocoa-nut-tree . . .	544	Dead Nettle . . .	405	Fishbone Thistle . . .	283	Gout-weed . . .	235
Cocoa-Plum . . .	173	Deodar . . .	475	Fish-poison . . .	142	Grains of Paradise . . .	492
Codlins and cream . . .	198	Deptford Pink . . .	49	Flat Pea . . .	126	Grape . . .	87
Coffee-tree . . .	264	Devil's-bit . . .	269	Flax . . .	58, 586	Grape Hyacinth . . .	528
Cogwood-tree . . .	441	Dewberry . . .	188	Flax Lily . . .	534	Grass-tree . . .	545
Coleseed . . .	33	Dill . . .	251	Fleabane . . .	289	Great Burnet . . .	193
Colewort . . .	35	Dittany of Crete . . .	402	Fleawort . . .	291	Greater Knapweed . . .	286
Colic-root . . .	517	Dock . . .	439	Flixweed . . .	29	Greek Valerian . . .	367
Colpoon-tree . . .	110	Dodder . . .	373	Flower de luce . . .	495	Green Dragon . . .	480
Coltsfoot . . .	302	Dog-chop . . .	227	Flower-fence . . .	169	Green-man . . .	483
Columbine . . .	8	Dog's-bane . . .	356	Flowering Ash . . .	351	Green Quinoa . . .	435
Comfrey . . .	375	Dog's Cabbage . . .	463	Flowering Fern . . .	577	Gromwell . . .	374
Common Cress . . .	31	Dog's-tail grass . . .	553	Flowering Raspberry . . .	188	Ground Ivy . . .	408
Common Dragon . . .	480	Dog's-tooth Violet . . .	539, 597	Flowering Rush . . .	477	Ground Pine . . .	403
Common Orpign . . .	225	Dogwood . . .	257	Fly Honeysuckle . . .	258	Groundsel . . .	302
Contrajerva-root . . .	464	Doob-grass . . .	558	Fly Ophrys . . .	484	Groundsel-tree . . .	289
Coral-tree . . .	160	Double Cocoa-nut . . .	543	Fool's Parsley . . .	247	Guaco . . .	300
Coriander . . .	256	Dragon . . .	479			Guava . . .	210
Cork-tree . . .	466					Gulder Rose . . .	257

	Page.		Page.		Page.		Page.
Guernsey Lily . . .	509	Indian-corn . . .	574	Lettuce . . . . .	277	Meadow Rue . . . .	2
Gum Arabic . . . .	166	Indian Cress . . .	101	Licca-tree . . . . .	108	Meadow Saffron . .	539
Gum Cistus . . . .	41	Indian Cucumber	523	Lignum vitæ . . . .	104	Meadow Saxifrage	248
Gum Succory . . . .	277	Indian Fig . . . .	237, 591	Lilac . . . . .	352	Meadow-sweet . . .	194
Gum-tree . . . . .	534	Indian Lotus . . .	17	Lily . . . . .	538	Medick . . . . .	132
Hair-grass . . . . .	559	Indian Madder . .	262	Lily of the valley	523	Medlar . . . . .	175
Hairy green-weed	130	Indian Millet . . .	561	Lily Pink . . . . .	532	Medusa's-head . . .	453
Hard-grass . . . . .	563, 567	Indian Shot . . . .	494	Lily-thorn . . . . .	262	Melic-grass . . . .	560
Hare's-ear . . . . .	246	Indigo . . . . .	139	Lime . . . . .	75	Melilot . . . . .	134
Hare's-foot Fern	583	Ipecacuanha . . . .	454	Lime-tree . . . . .	71	Melon . . . . .	214
Hare's-foot Trefoil	135	Irish Heath . . . .	341	Lion's-ear . . . . .	404	Melon Thistle . . .	235
Hare's-tail Grass	559	Iron-tree . . . . .	264	Lion's-foot . . . . .	274, 291	Mercury . . . . .	452
Hart's-tongue . . . .	581	Iron-wood . . . . .	209, 349	Lion's-leaf . . . . .	16	Mexican Lily . . . .	507
Hartwort . . . . .	252	Ironwort . . . . .	408	Liquorice . . . . .	141	Mezereum . . . . .	448
Hassagay-tree . . . .	111	Ivy . . . . .	256	Lizard Orchis . . . .	483	Michælas daisy	296
Hatchet Vetch . . . .	148	Jaca-tree . . . . .	464	Lizard's-tail . . . . .	481	Mignonette . . . . .	39
Hawkweed . . . . .	271	Jack in a box . . . .	442	Lobel's Catchfly . . .	53	Milfoil . . . . .	319
Hawthorn . . . . .	176	Jacoba Lily . . . . .	509	Locust-tree . . . . .	143, 172	Milk Parsley . . . .	249
Heart's-ease . . . . .	45	Jalap . . . . .	371	Logwood . . . . .	169	Milk Thistle . . . . .	282
Heart-seed . . . . .	83	Jamaica Birch . . . .	120	London-pride . . . . .	240	Milk Vetch . . . . .	145, 589
Heath . . . . .	332	Jamaica Dogwood	143	London Rocket . . . .	29	Milkwort . . . . .	46, 586
Hedgehog . . . . .	134	Jamaica Ebony . . . .	162	Looking-glass plant	66	Milk-wood . . . . .	462
Hedge Hyssop . . . . .	396	Jambolana-tree . . . .	211	Loose-strife . . . . .	425	Mint . . . . .	399
Hedge Mustard . . . .	29	Japan Allspice . . . .	195	Loquat . . . . .	176	Misseltoe . . . . .	259
Hedge Nettle . . . . .	406	Jasmine . . . . .	352	Lord Anson's Pea	155	Mocker-nut . . . . .	465
Hellebore . . . . .	7	Jerusalem Artichoke		Lousewort . . . . .	395	Moldavian balm	409
Hemlock . . . . .	255		309	Lovage . . . . .	249	Molucca balm . . . .	405
Hemp . . . . .	463	Jerusalem Sage . . . .	405	Love Apple . . . . .	385	Moly . . . . .	530
Hemp Agrimony . . . .	300	Job's-tears . . . . .	574	Love-grass . . . . .	570	Monkey-flower . . . .	394
Hen and chicken	299	Jonquill . . . . .	515	Love lies bleeding	431	Monk's Basil . . . . .	413
Henbane . . . . .	382	Judas-tree . . . . .	172	Lucerne . . . . .	133	Monkshood . . . . .	9, 584
Henbit . . . . .	406	Juniper . . . . .	474	Lungwort . . . . .	375	Moon-seed . . . . .	15
Herb Paris . . . . .	524	Jupiter's-beard . . . .	132	Lupine . . . . .	159, 589	Moonwort . . . . .	576
Herb Robert . . . . .	89	Kanguru Vine . . . . .	86	Lychnidea . . . . .	368	Moreton bay Chestnut	
Heron's-bill . . . . .	89	Kentucky Coffee-tree		Lyme-grass . . . . .	566		589
Hickory-nut . . . . .	465		168	Madder . . . . .	266	Morning-flower . . . .	498
Hog Plum . . . . .	120	Kidney-bean . . . . .	157	Madwort . . . . .	25	Moschatel . . . . .	242
Hogweed . . . . .	430	Kidney Vetch	132, 589	Maidenhair . . . . .	582	Motherwort . . . . .	405
Holly . . . . .	111	Knawel . . . . .	221	Maidenhair-tree	473	Mountain Ash . . . .	177
Hollyhock . . . . .	60	Knotted Marjoram	402	Maiden Plum . . . . .	119	Mountain Rose	168, 203
Honesty . . . . .	24	Knot-grass . . . . .	220, 438	Mahogany-tree . . . .	86	Mountail Sorrel . . . .	439
Honey-berry . . . . .	84	Laburnum . . . . .	130	Malabar nightshade	433	Mouse-chop . . . . .	228
Honey-flower . . . . .	104	Lace-bark . . . . .	448	Malabar-nut . . . . .	420	Mouse-ear . . . . .	271
Honeysuckle . . . . .	258	Lady Fern . . . . .	580	Malay Apple . . . . .	212	Mouse-ear Chickweed	
Honeywort . . . . .	375	Ladies-mantle . . . . .	192	Male Fern . . . . .	580		57
Hooded Milfoil . . . .	423	Ladies-slipper . . . . .	491	Mallow . . . . .	59, 586	Mouse-tail . . . . .	4
Hop . . . . .	463	Ladies-smock . . . . .	23	Mammee-tree . . . . .	78	Mouse-tail grass . . . .	572
Hop Hornbeam . . . . .	467	Ladies-traces . . . . .	485	Manchineel-tree . . . .	458	Moving-plant . . . . .	150
Horehound . . . . .	408	Lamb's-chop . . . . .	228	Mandrake . . . . .	383	Moxa . . . . .	317
Hornbeam . . . . .	467	Lamb's Lettuce . . . . .	269	Mango-ginger . . . . .	492	Mudwort . . . . .	394
Horn Gourd . . . . .	215	Lamp-wick . . . . .	405	Mango-tree . . . . .	117	Mugwort . . . . .	317
Horn Poppy . . . . .	19, 585	Lancashire Asphodel	545	Mangosteen . . . . .	78	Mulberry . . . . .	462
Hornwort . . . . .	201	Lance-wood . . . . .	15	Manna Ash . . . . .	351	Mule Fern . . . . .	581
Horse Chestnut . . . . .	83	Larch . . . . .	475	Maple . . . . .	82	Mullein . . . . .	380
Horse Radish . . . . .	26	Larkspur . . . . .	8	Mare's-tail . . . . .	201	Musk Melon . . . . .	215
Horse-radish tree	168	Laserwort . . . . .	252	Marjoram . . . . .	402	Musk Okro . . . . .	62
Horse-shoe Vetch	148	Laurel . . . . .	175	Marrowfat Pea . . . . .	154	Musk Thistle . . . . .	281
Horse-thistle . . . . .	282	Laurestine . . . . .	258	Marsh Mallow . . . . .	60	Mustard . . . . .	34, 585
Hottentot Cherry	110	Lavender . . . . .	408	Marsh Marygold	7, 584	Myrobalan . . . . .	174
Hottentot Fig . . . . .	230	Lavender-cotton	315	Marsh Pennywort	243	Myrrh . . . . .	255
Hound's-tongue . . . .	378	Leadwort . . . . .	427	Marsh Thistle . . . . .	282	Myrtle . . . . .	211
Houseleek . . . . .	226	Leather-wood . . . . .	448	Martagon . . . . .	538	Mysore-thorn . . . . .	169
Humble plant . . . . .	162	Lee Chee . . . . .	84	Marygold . . . . .	313, 592	Naseberry-tree . . . .	349
Hyacinth . . . . .	528	Leek . . . . .	530	Marvel of Peru . . . . .	429	Navelwort . . . . .	224
Hyæna-poison . . . . .	457	Lemon . . . . .	75	Masterwort . . . . .	250, 251	Navev . . . . .	33
Hyssop . . . . .	402	Lemon-grass . . . . .	561	Mastick-tree . . . . .	119	Nectarine . . . . .	173
Ice-plant . . . . .	232	Lentil . . . . .	154	May Apple . . . . .	17	Nettle . . . . .	462
Indian buckwheat	438	Leopard's-bane . . . .	299	Meadow-grass . . . . .	568	Nettle-tree . . . . .	464

	Page.		Page.		Page.		Page.
New Jersey Tea	113	Pepper	481	Redtop-grass	567	Screw-tree	65
New Zealand cork-tree	70	Peppermint	399	Red-water tree	163	Scrubby Oak	259
New Zealand Spruce	473	Peppermint-tree	208	Reed	574	Scurvy-grass	26
New Zealand Tea	210	Pepper Vine	87	Reed-grass	574	Sea-buckthorn	451
Nicker-tree	198	Perriwinkle	354	Rest-harrow	131	Sea Chickweed	57
Nightshade	385	Petty whin	130	Rhubarb	440	Sea Daffodil	513
Nipplewort	274	Pheasant's eye	4	Ribbon-flower	503	Sea-egg	134
Norfolk Island Pine	475	Phillyrea	351, 352	Rib-grass	428	Sea Heath	48, 586
Nutmeg	442	Physic-nut	457	Rice	575	Sea Holly	244
Nut-tree	467	Picotee	49, 50	Rocamboles	530	Sea Kale	35
Oak	465	Pigeon Pea	159	Rocket	29	Sea Lavender	427
Oat-grass	567	Pigeon Plum	173	Rock-Rose	40	Sea Matweed	478, 574
Oats	568	Pig-nut	465	Rope-grass	547	Sea Parsnep	255
Ogechee-Lime	451	Pilewort	7	Rose	178	Sea Rocket	28
Oil-nut	451	Pillwort	575	Rose Acacia	143	Seaside Balsam	457
Oil-seed	308	Pimpernell	425	Rose Campion	54	Seaside grape	438
Oily-grain	367	Pine Apple	534	Rosemary	404	Seaside Laurel	458
Oily-Palm	543	Pine-tree	475	Rose of Jericho	28	Seaside Oat	571
Old man's beard	279	Pink	49, 50, 586	Rose-root	225	Sedge	547
Oleander	354	Pin-pillow	237	Rough Chervil	254, 591	Self-heal	410
Oleaster	451	Pipewort	546	Rough Plum	173	Sengreen	25
Olibanum-tree	120	Pishamin	355	Rue	105	Senna	170
Olive	351	Pistachia-tree	118	Rupture-wort	220	Sensitive Fern	581
Olive-bark tree	195	Pitcher-leaf	192	Rush	545	Sensitive-plant	162
Olive-wood	110	Pitcher-plant	452	Rush-nut	551	Septfoil	190
Omime-root	414	Plane-tree	472	Rye	564	Serpent-wood	353
Onion	513	Plantain	428	Rye-grass	566	Service-tree	177
Opera girls	491	Plantain-tree	495	Sacred Bean	17	Shaddock	75
Orache	435	Plank-plant	126	Sage	410	Shallot	331
Orange-Gourd	216	Plowman's spikenard	289	Sago-Palm	543	Shallot	530
Orange-tree	75	Plum-tree	174	Saintfoin	151	Sheep's-beard	279
Orpive	220	Poet's Cassia	450	St. Andrew's cross	77	Sheep's Scabious	328
Osage Apple	462	Poison bulb	510, 511	St. Barnaby's thistle	287	Sheep's Sorrel	440
Oswego Tea	404	Poison-nut	353, 354	St. Bruno's Lily	524	Shepherd's club	380
Otaheite Apple	120	Poison Oak	118	St. John's bread	169	Shepherd's Cress	27
Otaheite Chestnut	348	Poley	403	St. John's wort	76, 587	Shepherd's purse	27
Otaheite Myrtle	460	Polypod	578	St. Martin's flower	516	Shield Fern	579
Ox-eye	309	Pomegranate	195	St. Peter's-wort	258, 592	Shore-weed	429
Ox-eye Daisy	320	Pond-weed	478	Salep	481	Shrubby-horsetail	472
Ox-lip	424	Poplar	478	Salt-tree	144	Shrubby Trefoil	121
Ox-tongue	276	Poppy	18	Saltwort	434	Shumee-tree	166
Paeony	12	Portugal Laurel	175	Sapphire	249	Siberian bird's-eye	424
Palma Christi	458	Potatoe	385	Sandal-wood	450	Siberian Crab	177
Palms	542, 545	Primrose	423	Sandbox-tree	457	Side-saddle flower	18,
Palo de vacca	462	Prince's feather	431	Sand Myrtle	344		585
Panic-grass	563	Privet	352	Sandwort	56, 586	Silk cotton tree	66
Papaw-tree	216	Puccoon	98, 585	Sanicle	244	Silver Fir	475
Paper Mulberry	462	Pumpkin	215	Sapota	349	Silver-tree	442
Paper Rush	552	Purslane	219	Sappan fruit	163	Single-seeded Cucum-ber	215
Paraguay Tea	111	Purslane-tree	220	Sarsaparilla	522	Skirret	246
Parsley	245	Pyracantha	175	Satin-wood	86	Skull-cap	410
Parsley-piert	192	Quaking-grass	570	Savanna-flower	355	Slipper Spurge	452
Parsnep	251	Quamash	528	Savin	474	Slipperwort	396
Pasque-flower	3	Quillwort	575	Savory	401	Sloe-tree	174
Passion-flower	216, 590	Quince	178	Savoy	33	Small Burdock	314
Patience Dock	439	Radish	36	Savoy Spiderwort	524	Snail-flower	157
Pea	154	Ragged Robin	54	Sawfly Ophrys	484	Snake Cucumber	214
Peach	173	Ragwort	303, 305	Sawwort	281	Snake Gourd	215
Pear	177	Rambootan	84	Saxifrage	239, 591	Snakeroot	11, 452
Pearlwort	54	Ramoon-tree	450	Scabious	269	Snake's-beard	523
Pecan-nut	465	Rampion	326	Scallion	530	Snake's-tongue	577
Pellitory	463	Ramson	532	Scammony	369	Snake's-weed	438
Pellitory of Spain	318	Rape	34	Scarlet-runner	157	Snakewood	464
Penny-cress	27	Raspberry	188	Scorpion-grass	377	Snakewort	300
Pennyroyal	400	Red Cedar	474	Scorpion Senna	148	Snap-dragon	390
Pennyroyal-tree	401	Red Quinoa	435	Scotch bird's-eye	424	Sneezewort	319
Pennywort	225	Red Sandal-wood	161	Scotch Laburnum	130	Snowball-tree	257
				Screw-Pine	478		

	Page.		Page.		Page.		Page.
Snowberry . . .	258	Stork's-bill . . .	92, 587	Tree Mallow . . .	60	Water-soldier . . .	476
Snowberry-bush . . .	264	Stramonium . . .	383	Tree Onion . . .	530	Water Starwort . . .	201
Snowdrop . . .	516	Strapwort . . .	220	Trefoil . . .	135	Water Violet . . .	425
Snowdrop-tree . . .	347	Strawberry . . .	89	Tricolor . . .	430	Water-weed . . .	478
Snowflake . . .	516	Strawberry-blite . . .	436	Trompet Marin . . .	514	Waterwort . . .	55
Soap-berry . . .	84	Strawberry-tree . . .	331	True Chervil . . .	254	Wax Dammur . . .	473
Soapwort . . .	51	Succory . . .	279	Trumpet-flower . . .	365	Wayfaring-tree . . .	257
Soft-grass . . .	562	Sugar-cane . . .	560	Trumpet Honeysuckle . . .	259	Weasel-chop . . .	228
Soldier-wood . . .	163	Sulphurwort . . .	250	. . . . .	517	Weymouth Pine . . .	475
Solomon's seal . . .	523	Sumach . . .	117	Tuberose . . .	517	Wheat . . .	564
Sorrel . . .	440	Summer Cypress . . .	434	Tulip . . .	536	Whipcord . . .	222
Sorrel-tree . . .	331	Sundew . . .	45	Tulip-tree . . .	14	Whiplash . . .	227
Sour-gourd . . .	65	Sunflower . . .	309	Tupelo . . .	451	Whitebeam . . .	177
Soursop . . .	14	Sun-Rose . . .	41	Turk's-cap . . .	235	White Cedar . . .	474
Southernwood . . .	316	Supple Jack . . .	84	Turmeric . . .	491	White Hellebore . . .	540
South-sea Myrtle . . .	210	Swallow-wort . . .	360	Turnep . . .	33	White Ipecacuanha . . .	35
South-sea Tea . . .	111	Sweet Bay . . .	441	Turnep Cabbage . . .	33	Whitlow-grass . . .	25, 585
Sow-thistle . . .	278	Sweet Briar . . .	179	Turnsole . . .	374	Whortle-berry . . .	329
Soy . . .	158	Sweet-flag . . .	480	Turpentine-tree . . .	119	Widow wail . . .	121
Spanish Broom . . .	129	Sweet Gale . . .	472	Twayblade . . .	486	Wild Basil . . .	409
Spanish Cress . . .	31	Sweet-grass . . .	570	Umbrella-wort . . .	429	Wild Bugloss . . .	377
Spanish Elm . . .	379	Sweet-gum tree . . .	472	Valerian . . .	268	Wild Chamomile . . .	319
Spanish-nut . . .	497	Sweet Maudlin . . .	319	Velvet-leaf . . .	15	Wild Cumin . . .	255
Sparrow-wort . . .	449	Sweet Pea . . .	155	Velvet Tamarind . . .	172	Wild Liquorice . . .	156
Spear-mint . . .	399	Sweet Potatoe . . .	371	Venus Flytrap . . .	46	Wild Rosemary . . .	331
Speedwell . . .	396	Sweet Scabious . . .	270	Venus looking-glass . . .	593	Wild Service . . .	177
Spider Ophrys . . .	484	Sweet-sop . . .	14	Venus Navelwort . . .	378	Wild Tansey . . .	191
Spiderwort . . .	541	Sweet Sultan . . .	285	Venus's comb . . .	254	Willow . . .	468
Spignel . . .	248	Sweet William . . .	49	Vervain . . .	418	Willow-herb . . .	198
Spinage . . .	436	Sword Fern . . .	578	Vetch . . .	153	Winged Pea . . .	138
Spindle-tree . . .	109, 588	Syrian Rue . . .	105	Vine . . .	87	Winter Aconite . . .	7
Spleenwort . . .	580	Syringa . . .	206	Violet . . .	43, 586	Winter-bark . . .	13
Sponge-tree . . .	166	Tacamahac . . .	472	Viper's Bugloss . . .	375	Winter-berry . . .	111
Spread-eagle . . .	488	Tallow-tree . . .	458	Viper's-grass . . .	278	Winter Cherry . . .	383
Spring-grass . . .	553	Tamarind . . .	169	Virginian creeper . . .	87	Winter Cress . . .	22
Spruce Fir . . .	475	Tamarisk . . .	203	Virginian Hemp . . .	436	Winter Grape . . .	77
Spurge . . .	453	Tangier Pea . . .	155	Virginian Silk . . .	356	Winter-green . . .	341, 425
Spurge Laurel . . .	449	Tansy . . .	316	Virgin's Bower . . .	1	Winter-green grass . . .	556
Spurless Violet . . .	45	Tare . . .	154	Wall-cress . . .	22, 585	Witch-Hazel . . .	473
Spurrey . . .	55, 586	Tarragon . . .	317	Wallflower . . .	21	Woad . . .	32
Squash . . .	215	Teak-wood . . .	418	Wall Rocket . . .	34	Wolfbane . . .	11
Squill . . .	527	Teasel . . .	269	Wall Rue . . .	580	Wolf-chop . . .	228
Squirting Cucumber . . .	215	Tea-tree . . .	73	Walnut-tree . . .	465	Woodbine . . .	259
. . . . .	110	Thistle . . .	281	Wampee-tree . . .	75	Wooden-pear-tree . . .	447
Staff tree . . .	110	Thorn Apple . . .	383	Wall Rocket . . .	34	Woodruff . . .	266, 592
Star Apple . . .	345	Thrift . . .	426	Wall Rue . . .	580	Wood-rush . . .	545
Starch Hyacinth . . .	528	Throatwort . . .	328	Walnut-tree . . .	465	Wood-sage . . .	403
Starfish . . .	357	Tick-seed . . .	436	Waratah . . .	447	Worm-chop . . .	228
Star-flower . . .	117	Tiger-chop . . .	228	Wart-flower . . .	89, 587	Woodbine . . .	259
Starhead . . .	270, 592	Tiger-flower . . .	499	Wartwort . . .	455	Wooden-pear-tree . . .	447
Star of Bethlehem . . .	526	Tile-root . . .	503	Water-caltrops . . .	200	Wood Sorrel . . .	102, 588
Star of the earth . . .	429	Toad-flax . . .	390	Water Chickweed . . .	220	Woolhead . . .	307
Starry Scabious . . .	285	Tobacco . . .	382	Water Cress . . .	22	Worm-grass . . .	364
Star-thistle . . .	287	Tonquin Bean . . .	168	Water Dropwort . . .	247	Wormwood . . .	316
Starwort . . .	295	Toothpick . . .	245	Water Hemlock . . .	247	Yam . . .	521
Sterile Strawberry . . .	192	Toothwort . . .	24, 422	Water Horehound . . .	398	Yarrow . . .	320
Stinking Horehound . . .	405	Touch me not . . .	102, 588	Water-leaf . . .	380	Yellow bird's-nest . . .	342
Stock . . .	21	Tough Mustard . . .	22	Water Lily . . .	17, 585	Yellow Poley . . .	403
Stoncrop . . .	225	Traveller's joy . . .	1	Water Melon . . .	214	Yellow rattle . . .	395
Storax . . .	347	Treacle Mustard . . .	25	Water Milfoil . . .	201	Yellow-root . . .	4, 12
. . . . .	19	Tree Celadine . . .	19	Water Parsnep . . .	246	Yellow Sultan . . .	285
. . . . .	19	. . . . .	19	Water Pepper . . .	439	Yellow-wort . . .	363
. . . . .	19	. . . . .	19	Water Plantain . . .	477	Yew-tree . . .	473
. . . . .	19	. . . . .	19	Water Purslane . . .	201	Zebra-plant . . .	494

N.B. Mr. SWEET having now finished several of his Botanical Works, and many of his Friends having expressed a wish, that he would Cultivate some handsome, rare, and choice Plants for Sale, finding them at present so difficult to attain, has some intention of commencing in that way; and will be obliged to any of his Friends for their Orders, which will be punctually Executed, and the Plants sent with their proper Names.

# WORKS

ON

## BOTANY, AGRICULTURE, & RURAL ECONOMY,

*Now Publishing, or in the Press.*

---

### SUPERIOR BOTANICAL WORK.

*In Monthly Numbers, with Eight Coloured Plates, Royal 8vo. price 4s.*

EDWARDS'S BOTANICAL REGISTER; or, Ornamental Flower Garden and Shrubbery. No. VIII. Third Volume of the New Series, for October, 1830. Continued by JOHN LINDLEY, Esq. F.R.S., Professor of Botany in the University of London, &c. &c.

Each Number contains Eight finely coloured Portraits, (to equal Drawings,) of the handsomest Plants and Shrubs grown in the Gardens and Public and Private Establishments of this Country, accompanied by their History, Mode of Treatment in Cultivation, Propagation, &c.

The thirteen Volumes completed, may be had either together or separately, price 2l. 9s. each, or by Numbers, 4s. each.

“What we consider the most valuable feature of this Work, and what distinguishes it peculiarly in its class, is the judicious selection of its subjects, and the constant introduction of greenhouse and hardy flowers and shrubs, in preference to those which are to be preserved only in the hot-house.—*Literary Gazette.*”

“Mr. Douglas has sent home, to the Horticultural Society, more new and beautiful hardy herbaceous plants, from North America, than were ever before introduced by an individual from any country. These are beautifully figured in the Botanical Register, and are the more valuable as being fit for the open garden in every part of the Island.—*Loudon's Magazine of Botany, &c.*”

“The Botanical Register, from containing most or all of the new plants introduced by the Horticultural Society, from the great care with which its plates are executed, and the judicious remarks on culture and general habit by Mr. Lindley, is, in consequence, the superior publication.”—*Idem.*”

“The Botanical Register has now, therefore, our unqualified approbation, and we shall lose no opportunity of saying so.”—*Gardener's Magazine, No. XXVI. for June, 1830, page 279.*”

BY THE FIRST AUTHORITY.

*In Royal 8vo. with Plates coloured to equal Drawings, (to be continued Monthly,) price 5s. No. XXXVI, for October 1, 1830.*

The POMOLOGICAL MAGAZINE, or Figures and Descriptions of the most important Varieties of Fruit cultivated in Great Britain for the Dessert; with any Information resulting from successful Practice calculated to improve their Cultivation, pointing out the best or most proper Aspects, Situations, &c. Conducted by two Gentlemen intimately connected with the Horticultural Society of London.

“Handsomely, we may say splendidly got up, with forty-eight accurately drawn and finely coloured Plates. We cannot too highly recommend this work, as valuable to consult in the choice of fruits, and beautiful to look upon.”—*Literary Gazette, Dec. 13, 1828.*”

*Valuable Works now Publishing by J. RIDGWAY.*

" This is one of the most pleasing publications that we have met with for some time past, and is well worthy the attention of those whose delight is in the cultivation of Fruit. The various specimens of the Fruits given are coloured, and exceedingly well executed." — *Morning Herald*, Feb. 5, 1829.

Volumes I. and II., handsomely bound in Cloth, Price 3*l.* 3*s.* each.

*New Edition, Royal 8vo. Nineteen Plates, 2*l.*s.*

**ROSARUM MONOGRAPHIA**; or, a Botanical History of Roses. To which is added an APPENDIX, for the Use of Cultivators, in which the most remarkable Garden Varieties are systematically arranged: with Nineteen Plates; Eighteen beautifully Coloured. By JOHN LINDLEY, Esq. F.R.S. L.S. and G.S., Professor of Botany at the University of London.

**A TREATISE ON BULBOUS ROOTS**; containing a Botanical Arrangement and Description of the Plants heretofore included under the Genera AMARYLLIS, CYRTANTHUS, CRINUM, and PANCRA TIUM; with general Observations and Directions for their Cultivation. By the Hon. and Rev. WILLIAM HERBERT. In royal 8vo. with coloured Plates. Price 5*s.*

**SWEET'S GERANIACEÆ**; or beautifully coloured Figures of the finest Geraniums; with their History, and plain Directions for their Cultivation, Propagation, &c. 5 vols. royal 8vo. price 3*l.* 16*s.* each, or by Numbers, 3*s.* each.

The **FLORIST'S GUIDE**; publishing in Monthly Numbers, at 3*s.* Each Number contains Four correctly and handsomely coloured Figures of the Flowers most esteemed by Florists, such as Tulips, Ranunculus', Auriculas, Hyacinths, Carnations, Pinks, Roses, &c. with the most approved methods of cultivation, directions for raising new varieties from seeds, &c. No. 40 was published on the 1st of October, 1830.

This Work is to be completed in Two Volumes, when it will comprise a Treatise for the Cultivation and Management of every Florist Flower.

The **FLORA AUSTRALASICA**. By ROBERT SWEET, F.L.S. Published in One handsome royal octavo Volume, containing fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants;) they are well adapted for a Greenhouse or Conservatory, and many will survive the Winters in the open ground, with a very little protection. Price £2. 2*s.* 6*d.* in Fourteen Numbers, Index, &c.; or Single Numbers, at 3*s.* each.

**SWEET'S CISTINEÆ**: An Account of the Family of CISTUS, or Rock-Rose, illustrated by handsomely coloured Figures, with the best Method of Cultivation and Propagation. The greater part of the species succeed well in the open borders, or in rock-work, and produce their showy flowers nearly all the Summer; the others may be protected through the Winter in a garden frame, or in the Greenhouse. Completed in one handsome Volume, royal octavo, price £4. 8*s.* bound in cloth, or, if preferred, the Work may be had in Numbers, 3*s.* each.

*Sweet's Catalogue of Plants, Second Edition, with the Colour of the Flowers, &c. Price One Guinea.*

SWEET's HORTUS BRITANNICUS; or, a Catalogue of all the Plants grown in the Gardens or found wild in Great Britain, arranged according to the Natural Orders to which they belong, with the addition of the Linnean Class and Order to each Genus; their Systematic and English Names, when first cultivated, the Colour of the Flowers, Accentuations, whether Trees, Shrubs, Evergreens, Climbers, Perennials, Bulbs, Water-plants, Biennials, or Annuals, references to Figures, and numerous Synonyms, with many other improvements. The whole brought down to the present time, and contains many hundreds of Plants not yet enumerated in any Catalogue of this country.

\*\* The rapid Sale of the last Edition proves the preference of the Arrangement in Natural Orders to that of the Linnean; and, in the present, the Author has spared neither labour nor expense to render it worthy the pre-eminence with which that was honoured.

*In Monthly Royal 8vo. Numbers, price 3s.*

The BRITISH FLOWER GARDEN and Ornamental Shrubbery. By ROBERT SWEET, F.L.S. No. XVII. for October 1. New Series.

Each Number contains four full and highly coloured Figures, with Dissections of the more essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants or Flowering Shrubs, that are cultivated in the open Borders, Shrubberies, &c. in the Gardens of this Country; with a full Account of the best and most successful Mode of Management in Culture and Propagation, the Soils and Situations most suitable for them. Twenty-five Numbers will form each Volume, and three Volumes will complete the Series. The First Series, in Three Volumes, may be had, price 3*l.* 16*s.* each.

“The British Flower Garden ought to be in the hands of all Cultivators of hardy, flowering Plants.”—*Loudon's Gardener's Mag.*

*In the Press, Fifth Edition, nearly ready.*

SWEET'S HOTHOUSE and GREENHOUSE MANUAL; or, BOTANICAL CULTIVATOR. This Volume contains a full account of the best method of Cultivation and Propagation of all Plants grown in the Hothouses, Greenhouses, Frames, or in the open ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants. Price 12. boards.

“Indeed, what Mr. Sweet has said on the culture of Bulbs and Epiphates in the last edition of his Botanical Cultivator, may be considered as the *ultimatum* on this subject for the British Gardener.”—*Loudon's Gardener's Magazine.*

IRIDEARUM GENERA, cum Ordinis Characteres Naturali, Specierum Enumeratione, Synonymisque. Auctore JOHN BELLEN-DEN KER, Esq. price 6*s.* 6*d.*

The GARDENRE'S REMEMBRANCER, & APIARIAN'S MONTHLY CALENDAR; The Gardener's Vegetable Seed Calendar, and Fruit Calendar; beautifully printed in Typolithography, and ornamented, on imperial drawing paper. It shews, at one view, every thing necessary to be done in Rural Affairs, to ensure a pro-

per succession of Crops, &c. with proper directions for the Management and Propagation of Bees, &c. &c. Price 5s. 6d.

“ The work we have at present in hand contains, on one sheet, every direction necessary to the practical gardener, and will be found invaluable to lady florists.”  
*Athenaeum.*

#### CUSTOMS AND HUSBANDRY OF COUNTIES.

*In Two Volumes, with Plates, price 15s. each.*

**THE PRESENT STATE OF THE TENANCY OF LAND IN GREAT BRITAIN**, showing the principal Customs and Practices between Incoming and Outgoing Tenants, and the most usual method under which Land is now held in the several Counties; with Notices of the Husbandry and Implements in use; from an actual Survey in 1827, 1828, and 1829. By LEWIS KENNEDY, and T. B. GRAINGER.

\* \* \* The Second Volume comprises, the HIGHLAND AND GRAZING DISTRICTS. Also, Facts relative to the present state of the Woolgrowers, the general Mode of Management of Sheep Farms, with a Brief History of Sheep in Great Britain. And may be had separately.

“ Interesting, not only to the Land-owner and Farmer, but, where such matters are under legal investigation, by suggesting important questions, it is calculated greatly to promote an expeditious and equitable decision on the subjects under consideration.”—*Times.*

#### SHEEP HUSBANDRY.

**EARL STANHOPE on SHEEP HUSBANDRY**; being a Letter to the Owners and Occupiers of Sheep Farms; with the Evidence taken before a Select Committee of the House of Lords, appointed to take into consideration the State of the British Wool Trade; classed under different Heads. Price 4s.

**PRACTICAL OBSERVATIONS on the National Advantages of the Arable System of SHEEP HUSBANDRY**, and on the Improvement of BRITISH FINE WOOL, without deteriorating the Value of the Carcass. By JOSHUA KIRBY TRIMMER. Price 3s.

**OBSERVATIONS on the Disease which has lately been so destructive to Sheep, called Bane, or Coath**, particularising the Causes, and minutely describing the Modes of effecting its Cure; and pointing out those means which ought to be adopted to prevent its recurrence. By JOHN DAVEY. Read at the Annual Meeting of the Bath and West of England Society, and ordered to be printed. 2s. 6d.

#### DAIRY HUSBANDRY.

**THE COMPLETE HISTORY of DAIRY HUSBANDRY**; and particularly with reference to the System pursued for many years at the celebrated Establishment at Willow Bank, near Glasgow; including Improved Modes for Ventilating Stables, Reclaiming Waste Lands, Management of Hedge Row Fences, and other Information highly important to the Farmer and Rural Economist. By WILLIAM HARLEY. One Volume, 8vo. Copper-plates. 21s. bound in Cloth.

Valuable Works now Publishing by J. RIDGWAY.

Second Edition, Price 3s. 6d.

**IMPROVED SHORT HORNS**, and their Pretensions stated; being an Account of this celebrated Breed of Cattle, derived from Authentic Sources. To which is added, An Enquiry as to their Value for general purposes, placed in competition with the improved Herefords. By the Rev. HENRY BERRY. Dedicated to Sir CHARLES MORGAN, Bart. M. P.

**MANGEL WURTZEL**, Price 6d.

**REPORT** of the COMMITTEE of the DONCASTER AGRICULTURAL ASSOCIATION, on the Advantages of MANGEL WURTZEL, as a Fallow Crop; founded on Returns received in answer to Queries issued by the Committee.

**BONE MANURE.**

**A REPORT** of the COMMITTEE of the DONCASTER AGRICULTURAL ASSOCIATION on the Advantages of Bones as a Manure, founded on Returns received in answer to certain Queries issued by the Committee.

Returns were received from forty-nine practical Farmers of every variety of Soil in the County.

“ This Report is so important, is so ably drawn up, and embodies such a compendium of practical information, that we feel it our duty to the Farming Interest of Britain to recommend its perusal.”—*Farmers' Journal*.

**IMPROVEMENT OF MEADOW AND PASTURE LANDS.**

**HORTUS GRAMINEUS WOBURNENSIS**; or, an Account of the Results of various Experiments on the Produce and Fattening Properties of different Grasses, and other Plants, used as the Food of the more valuable domestic Animals; carried on for a number of years at Woburn Abbey, by command of the Duke of Bedford, and, being now matured, are presented for the benefit of the agricultural community. Illustrated with numerous Specimens of the Plants and Seeds, in Sixty Plates, with Practical Observations on their natural habits, the Soils best suited to their Growth, with Instructions for the Preservation of their Seed; pointing out the kinds most profitable for Permanent Pasture, Irrigated Meadows, Dry or Upland Pasture, and the Alternate Husbandry. Accompanied with the discriminating Character of the Species and Varieties. By G. SINCLAIR, F.L.S. and F.H.S., Gardener to his Grace the Duke of Bedford, &c. &c. Third Edition. Price £1. 10s. plain, and coloured £2. 2s. under the Author's immediate inspection.

“ The Hortus Gramineus Woburnensis does honour to our country.”\*\*\*—*Monthly Critical Gazette*.

Second Edition, in 8vo. with Engravings, 9s. boards,

**The BRITISH FARMER**; to which is added, **The PLOUGHMAN'S GUIDE**. By JOHN FINLAYSON, Esq.

“ One of the most valuable Tracts on Agriculture that has appeared for a number of years.—*Loudon's Gardeners' Magazine*.

**AN ESSAY ON THE WEEDS OF AGRICULTURE;** with Practical Remarks on their Destruction. By the late B. HOLDITCH, Esq. and G. SINCLAIR, F.L.S. F.H.S. Author of *Hortus Gramineus Woburnensis*. Second edition. 3s. 6d.

“ If we were at liberty to follow our inclinations, we should treat this pamphlet, not according to its bulk, but its importance, and follow Mr. Holditch, and his editor, (for it is only the 1st chap. that is strictly, in its present form at least, attributable to the former,) through their respective chapters on “ Weeds which infest Samples of Corn; Fallow Weeds; Weeds which are principally objectionable, as they encumber the Soil, or whose Roots are annual, and whose Seeds pass the corn-sieve; Weeds that never rise in the crop, nor come into the sickle; Pasture Weeds, &c. &c.” \* \* \* The passages we have marked in our progress, as worthy of quotation, might form a valuable little Manual for the Practical Farmer.”—*Monthly Magazine*.

**A SYSTEM FOR MANAGING HEAVY AND WET LANDS WITHOUT SUMMER FALLOWS;** under which a considerable Farm in Hertfordshire is kept perfectly clean, and made productive. By THOMAS GREG, Esq. Third Edition, with an Appendix, pointing out how the infant Turnip may be protected from Insects. To which are added, Extracts from some Letters written by the Earl of Thanet, proving the infallibility of the Plan; as presented to the Board of Agriculture, and now published at their request. Price 5s. with Plates.

**ELLIOT'S FARMER'S ACCOUNT BOOK** for 1831; being the result of many years extensive practice. By Double Entry in one Book, the arrangements are clear and concise; printed and ruled ready for filling up, under the heads of Day Labour, Task Labour, Bills, Debts owing and owed, Live Stock, Green Crops, Corn, Hay, and Straw, Rent, Taxes, Cash, &c. Illustrated by a Michaelmas Valuation, and a Weekly Account, filled up for examples, &c. Price 1l. 1s. for one year, and 10s. 6d. for a half year.

“ No Farmer desirous of knowing the exact state of his expences, ought to be without this Work.”

**PONTEY'S PROFITABLE PLANTER;** a Practical Treatise on Planting Forest Trees in every description of Soil and Situation. 1 vol. 8vo. plates, 10s. 6d. boards. Fourth edition.

“ Pontey, one of the most extensive and successful Planters now living, and also a Landscape Gardener of no small distinction.”—*Vide Sir Henry Stewart, Bart. on Planting, page 62.*

**PONTEY'S FOREST PRUNER,** or Timber Owner's Assistant. 1 vol. 8vo. plates, 12s. Fourth edition.

**PONTEY'S RURAL IMPROVER;** a Practical Treatise on the Management of such Rural Scenes and Objects as are necessary to promote the Comfort, Convenience, and Embellishment of the Residences of the higher Ranks of Society. With plates, 1 vol. 4to. 2l. 2s.

\* \* The above three Works are by W. PONTEY, Planter and Forest Pruner to the Duke of Bedford.

**THE FRUIT GROWER'S INSTRUCTOR**; or a Practical Treatise on Fruit Trees, from the Nursery to Maturity; to which is added an effectual Remedy for, and Prevention from the American Blight, which causes the Canker in Apple Trees. By G. BLISS, Nurseryman. 6s.

"This is a Practical Treatise on the Culture and Preservation of Fruit Trees in general, and more particularly the Apple Tree, by one of the most extensive growers in the kingdom. The best modes of Grafting, Pruning, and Budding, are laid down with the utmost clearness. A very ample Catalogue of our Fruit Trees, and a description of the appearance, flavour, and qualities of their production, is also given." \* \* \* \* "But the most valuable part of this volume is that which relates to the Canker, and the remedy which Mr. Bliss has discovered for this destructive blight." \* \* \*—*Monthly Critical Gazette.*

**THE BRITISH FARMER'S (QUARTERLY) MAGAZINE**, No. XVI. published on August 1, 1830, contains—

Branch I. Original Communications: Portrait, Short-horned Bull.—On the Improvement of Waste Land, by Mr. Aiton, (concluded.)—On the Advantages of Shallow Sowing, (concluded.)—Remarks on Ditto.—Mr. Gray's Letter to the late Lord Castlereagh, on the Currency, (concluded.)—Remarks on Mr. Taylor's Letter on the Wheat Fly, by Delta.—Mr. Gray's further Observations on "Observer."—Mr. Berry, on the Improved Breeds of Cattle, in Reply to Mr. Hayward.—On the Anglesea Breed of Cattle, by Mr. Berry.—On the Choice of a Farm.—Mr. Gray's Address to Electors of Great Britain and Ireland.—On Tithes.

Review of Agricultural Publications: Billington's Facts and Observations on Forest Pruning.—Colonization.—Irish Cottagers, by Mr. Doyle.—Webster's Dictionary.—The British Co-operator.—Oracle of Health.

Branch II. Agricultural Intelligence: Miscellaneous Extracts and Observations. Agricultural Quarterly Reports: For England.—For Scotland.—Corn Trade, —Smithfield, Mrak Lane.—Wool Trade.—Provision Trade.—Hop Trade.—State of Ireland.—Hamburg Prices of Grain.—Principal Fairs.

Branch III. Sporting Intelligence.

No. XVII. will be published on November 1st.

The Three Volumes of this Work, (comprising Nos. 1. to XIII.) illustrated by Eleven finely engraved Portraits of celebrated Cattle, Ground Plan and Sections of a New Barn and Offices, on improved and tried principles; may be had, price 2l. 18s., neatly half bound, in calf; or in Numbers, at 4s. each.

**A PRACTICAL TREATISE** on BREEDING, REARING, and FATTENING DOMESTIC POULTRY, &c. After Plans pursued with advantage and profit in France. Second edition. 5s.

**A SERIES OF FACTS, HINTS, OBSERVATIONS, and EXPERIMENTS**, on the different Modes of raising YOUNG PLANTATIONS of OAK, "For future Navies," from the Acorn, Seedling, and larger Plants; shewing the Difficulties and Objections that have occurred in the Practical Part; with Remarks upon the Fencing, Draining, Pruning, and Training Young Trees; and Experimental Remarks upon Fruit Trees. By WILLIAM BILLINGTON, C.H.S. Superintendent of His Majesty's Land in the Forest of Dean, in the County of Durham, &c. &c. 12s.

**SAMUEL CHILD'S, EVERY MAN HIS OWN BREWER.**

**A PRACTICAL TREATISE**, explaining the Art and Mystery of Brewing PORTER, ALE, TWOPENNY, and TABLE BEER; intended to reduce the Expenses of Families. By SAMUEL CHILD, Common Brewer. A new Edition, 1s.

\* \* \* Upwards of *Eleven Thousand* of this little Tract have been sold.

THE ENGLISH RACE HORSE.

A TREATISE ON THE CARE, TREATMENT, AND TRAINING, OF THE ENGLISH RACE HORSE; with important Details applicable to bettering the Condition of Horses in general. By R. DARVILL, V.S. to the Seventh Hussars. Illustrated by Plates, 1 vol. 8vo. 1*l.* 1s.

"Never before was such a book written in any language, so replete with those minute but indispensable particulars of practice, and by a writer who has personally performed his part throughout the whole of the practice. This is the true book of reference for every stud and training groom, and every jockey.—Vide *Lawrence on the Horse*, p. 297; also the *Sporting Magazine and British Farmer's Magazine*.

THE VETERINARY TABLET; or a Concise View of all the Diseases of the Horse; with their Cause, Symptoms, and most approved and effectual Modes of Cure. By a Veterinary Surgeon. 1s. 6*d.*

THE YOUNG HORSEWOMAN'S COMPENDIUM OF THE MODERN ART OF RIDING. In progressive Lessons; designed to give a secure and graceful Seat on Horseback; at the same time so effectually to form the Hand, that, in a short time, perfect command of the Horse may be obtained. By EDWARD STANLEY, Royal Artillery, and late of Vernon's Establishment, near Hyde Park; with illustrative Plates, 10s. boards.

"But we have said enough of this Manual, and have only to add, that it is a very sensible and judicious Publication."—*Literary Gazette*.

*Preparing for Publication, by Subscription, and to be ready early in the Spring of 1831, dedicated, by express permission, to the Most Noble the Marquess of Bute,*

OBSERVATIONS on the present Defective State of ENGLISH TIMBER; the Causes which retard its Growth, together with the means which ought to be immediately adopted to prevent the further premature decay of this valuable description of property, of which its owners in general seem not aware. By P. LAUDER, of Cardiff, Member of the Bristol, Glamorgan, and Monmouth Horticultural Societies, &c. &c.

The Work will be in octavo, with numerous illustrative Plates; the price One Guinea, to be paid on delivery of the Work.

Nearly Two Hundred Names have already been received; and amongst them some of the principal Members of the Peerage and Baronetage. A List of Subscribers will accompany the Work.

*Also, to be ready early in the Spring of 1831,*

The FOSSIL FLORA of GREAT BRITAIN; or, Figures and Descriptions of the Vegetable Remains found in a Fossil state in this Country. By JOHN LINDLEY, Esq. F.R.S. L.S. & G.S.; and WILLIAM HUTTON, Esq., F.G.S., &c. To appear in Quarterly Parts. Royal 8vo. Price 6s. Each Part will contain Ten Copper-plates, and about forty pages of Letter-press.

As a correct list of Subscribers' names is purposed being printed in the Work, Noblemen, Gentlemen, and Ladies, are requested to forward them, written as they would wish them to appear, addressed to the Publishers, Messrs. RIDGWAY, Piccadilly.















