

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

P
P.1

THE PLANT DISEASE REPORTER

Issued By

THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING

AGRICULTURAL RESEARCH ADMINISTRATION

UNITED STATES DEPARTMENT OF AGRICULTURE



SUPPLEMENT 166

INDEX TO SUPPLEMENTS 161-165, 1946

Supplement 166

Issued May 15, 1947



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



PLANT DISEASE REPORTER SUPPLEMENT

Issued by

THE PLANT DISEASE SURVEY
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER
SUPPLEMENTS 161-165, 1946

Compiled by Nellie Ward Nance

Plant Disease Reporter
Supplement 166

Index to Supplements
1946

LIST OF SUPPLEMENTS

Supplement 161. Studies on vegetable seed treatments in 1944. pp.
1-66. June 1, 1946.

Report of the Vegetable Seed Treatment Sub-Committee of the
Seed Treatment Committee of the American Phytopathological
Society, C. M. Haenseler, Chairman. Reports compiled by vari-
ous authors; see its table of contents, and author index below.

Supplement 162. A contribution to the fungus flora of Utah and Nevada.
pp. 67-99. June 15, 1946. By Arthur S. Rhoads

Fungi listed alphabetically under Phycomycetes, Ascomycetes,
etc. Only host and fungus genera listed in the following index.

Supplement 163. Rootrots and leafspots of grains and grasses in the
Northern Great Plains and Western States. pp. 101-268. June
15, 1946. By Roderick Sprague.

Contains its own host index, p. 258, and fungus index, p. 263.
Only fungus genera listed below. State references in subject
index do not include pages from this supplement.

Supplement 164. Late blight on potato and tomato in 1946. pp. 269-
296. July 15, 1946.

Reports by various authors; see author index

Supplement 165. The 1946 epiphytotic of late blight on tomato. pp.
297-345. November 15, 1946.

Reports by various authors; see its table of contents, and
author index below.

Supplement 166. INDEX to Supplements 161 to 165. pp. 347-353.
(Issued May 15, 1947)

AUTHOR INDEX

- ANDES, J. O. 277, 307
 BARNETT, H. L. 287, 315
 BEECHER, F. S. (15), (59)
 BOEVE, G. H. 293, 334
 BOYD, O. C. 327, 341
 BROWN, J. G. 340
 BUCHHOLTZ, W. F. 337
 BURKE, O. D. (344)
 CHESTER, K. STARR 339
 CHUPP, CHARLES 287
 COOK, HAROLD T. 282, 314
 COX, C. E. 284, (316)
 DAVIDSON, RICHARD S. 326
 DAVIS, B. H. 11, 52, (322)
 DOOLITTLE, S. P. 15, 59
 ELLIS, D. E. 281, 312
 EPPS, WILLIAM M. 280, 310
 FENNE, S. B. 283, 313
 FOLSOM, DONALD 295, 329
 GARDNER, M. W. 296
 GARRISS, H. R. 281, 313
 HAENSELER, C. M. 2, 286, 322
 HARRIS, M. R. 338
 HEUBERGER, J. W. 285, 319
 HIGGINS, B. B. 279
 HORSFALL, J. G. 326
 HUNGERFORD, C. W. 340
 JEHLE, R. A. (284), 316
 JENSEN, J. H. 282
 KING, T. H. 291, 331
 KIRBY, R. S. 289, 318
 LEACH, L. D. 6
 LINN, M. B. 294, 335
 MILLER, JULIAN H. 278
 NEWHALL, A. G. 25
 PARRIS, G. K. 20, 45
 PERSON, L. H. 274, 305
 PORTER, R. H. 42
 PRESLEY, JOHN T. 275, 306
 REINKING, OTTO A. 288, 324
 RHOADS, ARTHUR S. 67
 RICHARDS, M. C. 328
 SANSON, R. W. 291, 332
 SCHROEDER, W. T. 31, (288), (324)
 SEAL, J. L. (309)
 SHERF, ARDEN F. 339
 SPRAGUE, RODERICK 101
 STAKMAN, E. C. 336
 STARK, F. C. (316)
 THOMAS, W. D., Jr. 338
 TISDALE, W. B. 307
 TUCKER, C. M. 338
 VALLEAU, W. D. 306
 VAUGHAN, EDWARD K. 308
 VAUGHAN, R. E. 295, 336
 WEAVER, L. O. 344
 WILSON, CCYT 275, 309
 WOODS, M. W. (284)
 YOUNG, H. C. 290, 330
 YOUNG, P. A. 340
 YOUNG, V. H. 339

SUBJECT INDEX

- Abies: 68, 83, 94, 95, 96
 Acer: 68, 72, 95, 98, 99
 Achillea: 88
 Actinea: 87
 Agaricus, 93
 Agastache: 73
 Agoseris: 87
 Agropyron: 90
 Airplane dusting, of potato, 276,
 282; tomato 292, 302
 Alabama, 275, 309
 Albugo, 68
 Alnus: 71, 72
 Alternaria, 172, 200
 Althea: 88
 Amelanchier: 71, 79
 Ansatspora, 173
 Aphanomyces, 105, 189
 Aquilegia: 70
 Arabis: 87, 88, 89
 Arasan, 6, 11, 15, 20, 25, 30,
 31, 42, 45, 52, 59
 Arctium: 85
 Arizona, 340
 Arkansas, 339
 Artemisia: 69, 71, 73, 74, 84
 Ascospora, 138
 Ascochyta, 120 ff., 127, 155,
 158, 160, 163; key to spp.,
 121
 Ascochyttella, 120, 121, 126
 Ascochytula, 120, 121, 123, 126
 Ascomycetes, 68, 102, 103, 111
 Aster: 69

 Baccharis: 86
 Balsamorhiza: 84
 Barbak C, 52
 Basidiomycetes, 93, 102, 103,
 116, 119
 Basisporium, 207
 Beet: seed treatment studies, 6
 Betula: 96
 Bordeaux, 278, 282, 283, 284,
 289, 290, 291, 294, 296, 301,
 302
 Brachycladum, 199, 200

 Brachysporium, 195, 199
 Brodiaea: 89
 Bromus: 92

 California, 296
 Calochortus: 85
 Calonectria, 185
 Camelina: 68
 Carex: 84, 85
 Carrot: seed treatment studies,
 11
 Cephalosporium, 173
 Cercocarpus: 71
 Cercospora, 153, 173, 174, 175,
 176, 212
 Cercosporaella, 112, 167, 176, 177,
 178, 183, 188; key to spp., 176
 Cereals and grasses: root rots
 and leaf spots in Northern
 Great Plains and Western States,
 101-268
 Ceresan, 6
 ---, New Improved, 15, 59
 Chrysanthemus: 74, 86
 Cirsium: 69, 85
 Cladosporium, 113, 114, 178
 Clematis: 70, 90, 98
 Colletotrichum, 137, 168, 169
 Colorado, 338
 Coniothyrium, 126
 Connecticut, 326
 Contribution to the fungus flora
 of Utah and Nevada, Suppl. 162,
 pp. 67-99
 Copper dusts and sprays, 277, 279,
 280, 281, 282, 283, 284, 286,
 289, 290, 291, 294, 301, 302
 Coprinus, 93
 Corn, sweet: seed treatment
 studies, 52
 Cornus: 72
 Corticium, 116, 117
 Crataegus: 75, 76
 Crepis: 87
 Cronartium, 75
 Crucibulum, 93
 Cryptosporium, 97

- Cucumber: seed treatment studies, 15
- Cucurbitaria*, 68
- Cumminsiella*, 75
- Curvularia*, 178, 179, 180, 193, 195, 199, 200
- Cylindrosporium*, 97, 150
- Cynoglossum*: 69
- Darluca filum*, 125
- Dasyscypha*, 68, 69
- Davisiella*, 171
- Delaware, 285, 319
- Delphinium*: 70
- Dibotryon morbosum*, 69
- Dilophia*, 126
- Dilophospora*, 126
- Diplodia*, 127
- Diplodina*, 120, 121, 124, 127
- Discina*, 69
- Distichlis*: 84, 93
- Dithane, 274, 276, 282, 285, 286, 290, 301
- Dothichloë*, 111
- Dothidella*, 112, 171
- Elymus*: 90
- Entyloma*, 116
- Ephedra*: 73, 74, 83
- Epichloë*, 112
- Epilobium*: 91
- Eriogonum*: 92
- Erysiphe*, 69, 70
- Eurychasmidium*, 106
- Fermate, 25, 30, 42, 45, 302
- Florida, 307
- Fomes, 93, 94
- Formaldehyde, 30
- Fungi Imperfecti, 97, 102, 103, 120
- Fungicides used for tomato late blight control, 301
- Fungus flora of Utah and Nevada, 67
- Fusarium*, 112, 171, 172, 180 ff.; key to spp., 181
- Fusoma*, 171
- Georgia, 273, 279, 308
- Gibberella*, 112, 184, 185
- Gloeosporium*, 97, 168, 169
- Glycyrriza*: 91
- Grindelia*: 70
- Guepiniopsis*, 94
- Gutierrezia*: 86
- Gymnosporangium*, 75-82
- Gyromitra*, 71
- He 178e, 301
- Helenium*: 70, 86
- Helianthus*: 70, 87
- Helminthosporium*, 115, 127, 172, 179, 180, 183, 189 ff., 197 ff.
- Helotium*, 71
- Hendersonia*, 125, 127, 164, 167; key to spp., 128
- Heterosporium*, 203, 204
- Hilaria*: 93
- Hormodendrum*, 113
- Hydrophyllum*: 90
- Hymenoclea*: 90
- Hypochnus*, 117
- Hysterographium*, 71
- Idaho, 340
- Illinois, 293, 294, 334, 335
- Indiana, 291, 332
- Iowa, 337
- Iris*: 88
- Juncus*: 92
- Juniperus*: 74, 76, 77, 78, 79, 80, 81, 82, 93, 94
- Kentucky, 306
- Lachnellula*, 71
- Lasiobotrys*, 71
- Late blight on potato and tomato in 1946, Suppl. 164, pp. 269-296
- Late blight, on pepper, 305, ? 324, 333
- , on *Solanum sarachoides*, 296
- , on tomato, control by custom spray ring 344; epiphytotic of 1946 297-345; losses 298

- Lathyrus*: 91
Leptosphaeria, 112, 146
Lettuce: seed treatment studies, 2C
Libocedrus: 79
Lomatium: 28
Lophodermium, 71
 Losses from tomato late blight, 298
Louisiana, 274, 305
Lycium: 36
Lygodesmia: 87
Macrophoma, 130, 153
Macrophomina, 130
Mahonia: 75
Maine, 295, 329
Malva: 88
Maryland, 284, 316
Massachusetts, 327, 341
Mastigosporium, 126, 171, 205, 206; key to spp., 205
Medicago: 73, 92
Melampsora, 82, 83
Melampsorella, 83
Melanconiales, 168
Melanomma, 71
Mentha: 70, 88
Microsphaera, 71, 72
Minnesota, 336
Mississippi, 275, 306
Missouri, 338
Mitella: 87
Moniliales, 172
Monilinia, 97
Mycosphaerella, 72, 113, 114, 133, 178
Napicladium, 195, 206, 212
Nebraska, 339
Nevada, 67
New Hampshire, 328
New Jersey, 286, 322
New York, 287, 288, 324
Nigrospora, 207
North Carolina, 281, 282, 312, 313
Ohio, 290, 291, 330, 331
Oklahoma, 339
Onion: seed treatment studies, 25
Ophiobolus, 114, 189, 197
Ophiocladium, 207
Cpuntia: 74, 98
Osmorrhiza: 89
Ovularia, 98, 207, 208
Paneolus, 94
Passalora, 212
Pea: seed treatment studies, 31
Pellicularia, 117
Penicillium, 208, 209
Pennsylvania, 289, 318, 344
Pepper: late blight 305, ? 324, 333
Peridermium, 83
Phaeoseptoria, 128, 130, 148
Phlox: 89
Phlyctaena, 133
Phcliota, 94
Phoma, 131, 132, 153, 157, 168
Phragmidium, 83, 84
Phycomycetes, 68, 102, 103, 105
Phygon, 301
Phyllachora, 115, 116, 171
Phyllactinia, 72
Phyllosticta, 98, 99, 131, 132, 134, 136, 160; key to spp. on grasses, 131
Physoderma sp., 203
Phytophthora, 105, 106
 --- infestans (see also late blight, potato, tomato), on pepper 305, ? 324, 333;
Solanum sarachoides 296; tomato and potato in 1946, 269-296; tomato epiphytic of 1946, 297-345
 --- *terrestris*, 288
Picea: 71, 95, 96
Pinus: 96
Piricularia, 209
Plantago: 70
Platanus: 97
Pleospora, 214
Pleurotus, 95
Podosphaera, 72

- Polemonium: 70
 Polygonum: 70, 89
 Polyporus, 95, 96
 Populus: 71, 72, 74, 82, 93, 94, 95, 96, 97
 Potato and tomato: late blight, 269-296
 Protomyces, 106
 Prunus: 69, 72, 95, 97, 98, 99
 Pseudodiscosia, 169
 Pseudopeziza, 73
 Pseudotsuga: 69, 94, 95
 Puccinia, 84-91, 183
 Pucciniastrum, 91
 Pyrenophora, 115, 190, 199, 201
 Pythium, 10, 107, 108, 109, 110, 111, 189, 195, 196
 Quercus: 72
 Ramularia, 208
 Red copper oxide, 11, 20, 25, 31
 Resistance and susceptibility, of tomato to late blight, 311, 324, 325, 326, 328, 330, 335
 Rhabdospora, 136, 163
 Rhizoctonia, 10, 115, 117, 185, 200
 Rhode Island, 326
 Rhynchosporium, 209, 210
 Rhytisma, 73
 Ribes: 75, 99
 Rootrots and leafspots of grains and grasses in the Northern Great Plains and Western States, Suppl. 163, pp. 101-268; host index p. 258, fungus index p. 263
 Rosa: 83
 Rubus: 83, 84
 Rudbeckia: 70
 Rumex: 98
 Salix: 73, 74, 83
 Sclerotinia, 115, 119
 Sclerotium, 118, 119, 130
 Scolecotrichum, 132, 195, 204, 211, 212, 213
 Seed treatment, effect on plant vitality, 40, 53; protective value against fertilizer injury, 40; studies 1-66
 Selenophoma, 132 ff., 136 ff., 147, 159; key to spp., 132
 Semesan, 11, 15, 20, 25, 59
 --- Jr., 52
 Senecio: 73, 90
 Septogloewum, 112, 170 ff
 Septoria, 98, 99, 113, 113, 122, 124, 125, 133-165, 170; key to grass spp. 139
 Septoriopsis, 159
 Shepherdia: 72, 93
 Solanum sarachoides: late blight, 296
 Sorghum: 92
 South Carolina, 280, 310
 Soybean: seed treatment studies, 42
 Spergon, 11, 15, 20, 25, 31, 42, 52, 59
 Sphacelotheca, 92
 Sphaeropsidales, 120
 Sphaeropsis, 73
 Sphaerotheca, 73
 Spinach: seed treatment studies, 45
 Sporotrichum, 213
 Stagonospora, 125, 147, 148, 150, 151, 153, 154, 155, 163 ff.; key to grass spp. 163
 Stemphylium, 172, 214
 Stephanomeria: 87
 Stropharia, 96
 Studies on vegetable seed treatments in 1944, Suppl. 161, pp. 1-66
 Symphoricarpos: 71, 72, 99
 Syncarpella, 73
 Synchytrium, 106
 Taraxacum: 73, 87
 Teichospora, 74
 Tennessee, 277, 307
 Tetradymia: 97
 Texas, 340
 Thiosan, 30

- Thlaspi: 91
Thrystroma, 74
Tomato: late blight 269-296, 297-345; control 301, 302, by airplane dusting 302, by custom spray rings 344; epiphytotic of 1946, 297-345; losses by States 298; var. reaction 311, 324, 325, 326, 328, 330, 335
---: *Phytophthora terrestris* 288
---: seed treatment studies 59
Tomato and potato: late blight, 269-296
Tomato late blight epiphytotic of 1946, Suppl. 165, pp. 297-345
Trametes, 97
Trifolium: 92
Tubercularia, 99
Typhula, 118, 119, 186
Uncinula, 74
Uredinales, 75
Uromyces, 91, 92
Ustilaginales, 92
Ustilago, 92, 93
Utah, 67
Vasco 4, 25
Vegetables: seed treatment studies 1-66; cooperators 4; future plans 2
Viguiera: 70, 84
Viola: 91
Virginia, 282, 283, 313, 314
Washington, 338
West Virginia, 289, 315
Wisconsin, 295, 336
Wojnowicia, 128, 129, 130, 167
Wyethia: 85
Yellow Cuprocide, 6, 15, 59
Zerlate, 302
Zinc oxide, 11, 20, 45

