

Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.

A CATALOGUE OF



1886

NEW BEAUTIFUL AND RARE PLANTS

OFFERED BY

WILLIAM BULL

F.L.S. F.R.C.S. F.Z.S. F.R.H.S. M.A.I.

F.R.B.S. & M.S.A. *Socc. Hort Berol. Bruxell.
St Petersburg. et Paris et Soc. Agric et Bot Candav. Socius*

NEW PLANT MERCHANT
536 KING'S ROAD
CHELSEA

(And Ashburnham Park) LONDON S.W.



MR. WILLIAM BULL'S ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
 HIS ROYAL HIGHNESS THE PRINCE OF WALES
 HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
 HER ROYAL HIGHNESS THE CROWN PRINCESS OF PRUSSIA
 HIS SERENE HIGHNESS THE DUKE OF TECK
 HIS MAJESTY THE EMPEROR OF GERMANY
 HIS MAJESTY THE EMPEROR OF RUSSIA
 HIS MAJESTY THE EMPEROR OF AUSTRIA
 HIS MAJESTY THE KING OF SWEDEN
 HIS MAJESTY THE KING OF SIAM
 HIS HIGHNESS THE VICEROY OF EGYPT
 HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
 HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
 SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
 HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
 His Grace the DUKE OF RICHMOND
 His Grace the DUKE OF BEDFORD
 His Grace the DUKE OF DEVONSHIRE
 His Grace the DUKE OF MARLBOROUGH
 His Grace the DUKE OF RUTLAND
 His Grace the DUKE OF HAMILTON
 His Grace the DUKE OF BUCCLEUCH
 His Grace the DUKE OF ROXBURGHE
 His Grace the DUKE OF PORTLAND
 His Grace the DUKE OF MANCHESTER
 His Grace the DUKE OF NEWCASTLE
 His Grace the DUKE OF NORTHUMBERLAND
 His Grace the DUKE OF WELLINGTON
 His Grace the DUKE OF SUTHERLAND
 His Grace the DUKE OF CLEVELAND
 His Grace the DUKE OF WESTMINSTER
 His Grace the DUKE OF LEINSTER
 His Grace the DUKE OF ABERCORN
 The Most Hon. the MARQUESS OF HUNTY
 The Most Hon. the MARQUESS OF LOTHIAN
 The Most Hon. the MARQUESS OF LANSDOWNE
 The Most Hon. the MARQUESS OF HERTFORD
 The Most Hon. the MARQUESS OF BUTE
 The Most Hon. the MARQUESS OF WATERFORD
 The Most Hon. the MARQUESS OF DOWNSHIRE
 The Most Hon. the MARQUESS OF DROGHEDA
 The Most Hon. the MARQUESS OF ELY
 The Most Hon. the MARQUESS OF EXETER
 The Most Hon. the MARQUESS OF NORTHAMPTON
 The Most Hon. the MARQUESS OF CAMDEN
 The Most Hon. the MARQUESS OF ANGLESEY
 The Most Hon. the MARQUESS OF CONYNGHAM
 The Most Hon. the MARQUESS OF LONDONDERRY
 The Most Hon. the MARQUESS OF BRISTOL
 The Most Hon. the MARQUESS OF ABERGAVENNY
 The Most Hon. the MARQUESS OF TAVISTOCK
 The Right Hon. the EARL PERCY
 The Right Hon. the EARL OF SHREWSBURY & TALBOT
 The Right Hon. the EARL OF DERBY
 The Right Hon. the EARL OF PEMBROKE
 The Right Hon. the EARL OF DEVON
 The Right Hon. the EARL OF DENBIGH
 The Right Hon. the EARL OF WESTMORELAND
 The Right Hon. the EARL OF LINDSEY

The Right Hon. the EARL OF SANDWICH
 The Right Hon. the EARL OF ESSEX
 The Right Hon. the EARL OF JERSEY
 The Right Hon. the EARL POULETT
 The Right Hon. the EARL OF CRAWFORD AND BALCARRES
 The Right Hon. the EARL OF EGLINTON AND WINTON
 The Right Hon. the EARL OF STRATHMORE AND KINGHORNE
 The Right Hon. the EARL OF MAR AND KELLIE
 The Right Hon. the EARL OF GALLOWAY
 The Right Hon. the EARL OF LAUDERDALE
 The Right Hon. the EARL OF WEMYSS AND MARCHE
 The Right Hon. the EARL OF KINNOULL
 The Right Hon. the EARL OF SEAFIELD
 The Right Hon. the EARL OF ROSEBERY
 The Right Hon. the EARL OF STAIR
 The Right Hon. the EARL OF HOPEFOUN
 The Right Hon. the EARL OF DARTMOUTH
 The Right Hon. the EARL FERRERS
 The Right Hon. the EARL OF AYLSFORD
 The Right Hon. the EARL COWPER
 The Right Hon. the EARL OF MACCLESFIELD
 The Right Hon. the EARL OF ASHBURNHAM
 The Right Hon. the EARL OF ILCHESTER
 The Right Hon. the EARL OF RADNOR
 The Right Hon. the EARL SPENCER
 The Right Hon. the EARL OF MANSFIELD
 The Right Hon. the EARL OF MEATH
 The Right Hon. the EARL FITZWILLIAM
 The Right Hon. the EARL OF FIFE
 The Right Hon. the EARL OF SEFTON
 The Right Hon. the EARL OF ANTRIM
 The Right Hon. the EARL OF ANNESLEY
 The Right Hon. the EARL OF ERNE
 The Right Hon. the EARL OF CARNARVON
 The Right Hon. the EARL OF CLONMELL
 The Right Hon. the EARL OF BOND
 The Right Hon. the EARL OF CALEDON
 The Right Hon. the EARL OF WILTON
 The Right Hon. the EARL OF ROSSLYN
 The Right Hon. the EARL OF CLANCARTY
 The Right Hon. the EARL OF POWIS
 The Right Hon. the EARL GREY

LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
 The Right Hon. the EARL OF NORMANTON
 The Right Hon. the EARL OF LONSDALE
 The Right Hon. the EARL OF HAREWOOD
 The Right Hon. the EARL BEAUCHAMP
 The Right Hon. the EARL BROWNLOW
 The Right Hon. the EARL OF ST. GERMANS
 The Right Hon. the EARL HOWE
 The Right Hon. the EARL OF STRADBROKE
 The Right Hon. the EARL OF DUNRAVEN
 The Right Hon. the EARL VANE
 The Right Hon. the EARL AMHERST
 The Right Hon. the EARL OF CAWDOR
 The Right Hon. the EARL OF CAMPERDOWN
 The Right Hon. the EARL OF LICHFIELD
 The Right Hon. the EARL OF DURHAM
 The Right Hon. the EARL OF EFFINGHAM
 The Right Hon. the EARL OF YARBOROUGH
 The Right Hon. the EARL OF LEICESTER
 The Right Hon. the EARL OF ZETLAND.
 The Right Hon. the EARL OF ELLESMERE
 The Right Hon. the EARL OF COTTENHAM
 The Right Hon. the EARL OF DARTREY
 The Right Hon. the EARL OF FEVERSHAM
 The Right Hon. the EARL OF RAVENSWORTH
 The Right Hon. the EARL OF NORTHBROOK
 The Right Hon. the EARL OF WHARNCLIFFE
 The Right Hon. the EARL OF LATHOM
 The Right Hon. the EARL SONDES
 The Right Hon. the EARL OF SELBORNE
 The Right Hon. the EARL OF BECTIVE
 The Right Hon. LORD H. C. G. GORDON-LENOX
 The Right Hon. VISCOUNT FALMOUTH
 The Right Hon. VISCOUNT DILLON
 The Right Hon. VISCOUNT VALENTIA
 The Right Hon. VISCOUNT DOWNE
 The Right Hon. VISCOUNT GAGE
 The Right Hon. VISCOUNT POWERSCOURT
 The Right Hon. VISCOUNT BANGOR
 The Right Hon. VISCOUNT DONERAILE
 The Right Hon. VISCOUNT MELVILLE
 The Right Hon. VISCOUNT TEMPLETOWN
 The Right Hon. VISCOUNT GOUGH
 The Right Hon. VISCOUNT EVERSLEY
 The Right Hon. VISCOUNT HALIFAX
 The Right Hon. VISCOUNT BRIDPORT
 The Right Hon. VISCOUNT CRANBROOK
 The Right Hon. VISCOUNT NEWPORT
 The Right Hon. VISCOUNT HOLMESDALE
 The Right Hon. LORD BROOKE
 The Right Hon. LORD JAMES W. BUTLER
 The Right Hon. LORD HASTINGS
 The Right Hon. LORD CLINTON
 The Right Hon. LORD DACRE
 The Right Hon. LORD WINDSOR
 The Right Hon. LORD STAFFORD
 The Right Hon. LORD HERRIES
 The Right Hon. LORD ELPHINSTONE
 The Right Hon. LORD BALFOUR OF BURLEIGH
 The Right Hon. LORD REAY
 The Right Hon. LORD KINNAIRD
 The Right Hon. LORD MIDDLETON
 The Right Hon. LORD SCARSDALE
 The Right Hon. LORD BOSTON
 The Right Hon. LORD FOLEY
 The Right Hon. LORD BAGOT
 The Right Hon. LORD DYNEVOR
 The Right Hon. LORD WALSINGHAM
 The Right Hon. LORD SUFFIELD
 The Right Hon. LORD BRAYBROOKE
 The Right Hon. LORD AUCKLAND

The Right Hon. LORD CALTHORPE
 The Right Hon. LORD BOLTON
 The Right Hon. LORD DUNSANY
 The Right Hon. LORD CLONBROCK
 The Right Hon. LORD HENNIKER
 The Right Hon. LORD CLARINA
 The Right Hon. LORD VENTRY
 The Right Hon. LORD ELLENBOROUGH
 The Right Hon. LORD CREWE
 The Right Hon. LORD RENDLESHAM
 The Right Hon. LORD DELAMERE
 The Right Hon. LORD RAYLEIGH
 The Right Hon. LORD POLTIMORE
 The Right Hon. LORD CAREW
 The Right Hon. LORD DE L'ISLE & DUDLEY
 The Right Hon. LORD ASHBURTON
 The Right Hon. LORD WENLOCK
 The Right Hon. LORD WROTTESEY
 The Right Hon. LORD STANLEY OF ALDERLEY
 The Right Hon. LORD LEIGH
 The Right Hon. LORD LONDESBOROUGH
 The Right Hon. LORD TRURO
 The Right Hon. LORD AVELAND
 The Right Hon. LORD BELPER
 The Right Hon. LORD FERMOY
 The Right Hon. LORD EBURY
 The Right Hon. LORD CHESHAM
 The Right Hon. LORD ELPHINSTONE
 The Right Hon. LORD LEONFIELD
 The Right Hon. LORD TREDEGAR
 The Right Hon. LORD WESTBURY
 The Right Hon. LORD FITZHARDINGE
 The Right Hon. LORD ATHLUMNEY
 The Right Hon. LORD HYLTON
 The Right Hon. LORD PENRHYN
 The Right Hon. LORD HOWARD OF GLOSSOP
 The Right Hon. LORD HARLECH
 The Right Hon. LORD WIMBORNE
 The Right Hon. LORD ARDILAUN
 The Right Hon. LORD HOTHFIELD
 The Right Hon. LORD HILLINGDON
 M. LE COMTE DE GERMINY
 The BARON DE ROTHSCHILD
 The BARON ADOLPHE DE ROTHSCHILD
 The BARON ALPHONSE DE ROTHSCHILD
 SIR THOMAS DYKE ACLAND, BART.
 SIR PENISTON MILBANKE, BART.
 SIR JOHN HERON-MAXWELL, BART.
 SIR WILFRID LAWSON, BART.
 SIR ROBERT SHEFFIELD, BART.
 SIR H. B. P. ST. JOHN-MILDMAY, BART.
 SIR W. E. WELBY-GREGORY, BART.
 SIR G. N. BROKE-MIDDLETON, BART., C.B.
 SIR NATHANIEL MAYER DE ROTHSCHILD, BART.
 The ROYAL HORTICULTURAL GARDENS, KENSINGTON
 The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
 The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
 The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL AND HULL
 The IMPERIAL GARDENS, ST. PETERSBURG
 The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
 The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
 The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
 The PUBLIC GARDENS, RANGOON
 The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING FOR THE FIRST TIME MANY

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

SOUTH SEA ISLANDS, EAST INDIES, CELEBES, BORNEO, BRAZIL,
UNITED STATES OF COLOMBIA, AMBOINA, SIERRA LEONE,
WEST AFRICA, FIJI ISLANDS, SOUTH AMERICA, &c., &c.,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

Telegraphic Address—"WILLIAM BULL, LONDON."

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.



IMPATIENS HAWKERII

For description and price, *vide* page 8.



EUCHARIS MASTERSII.

For description and price, *vide* page 8.



ANTHURIUM CHELSEIENSE

For description and price, *vide* page 7.



ARISTOLOCHIA ELEGANS.

For description and price, *vide* page 7.

NEW PLANTS

ANNOUNCED FOR THE FIRST TIME

BY
WILLIAM BULL, F.L.S.

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by $3\frac{1}{2}$ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. From the free manner in which the beautiful spathes are produced and the long time which they last in perfection, combined with the ornamental character of the foliage, this handsome hybrid is a most desirable acquisition. For illustration *vide* page 5. 2 and 3 guineas.

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species of neat growth, imported from Brazil. It has smooth slender terete stems with cordate ovate leaves, smooth above, and glaucous beneath. The handsome and elegant flowers are borne on long stalks and have a slightly distended tube, which is suddenly bent upwards, the upper part dilated into a cordate cup-shaped limb of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. It has been certificated by the Royal Horticultural Society, and is described and figured in the *Gardeners' Chronicle* for September 5, 1885. For illustration *vide* page 6. 21s.

BEGONIA COMPTA.

A pretty ornamental species from Brazil. Its leaves have palish pink footstalks, which are five to six inches long, remarkable for the unequal development of their two halves, the one side being narrowed to the base, and the other developed into a roundish angular lobe. The colour is satiny green with a silvery tinge along the course of the mid-rib; this coloration with the satiny surface being of a very pleasing character. 7s. 6d.

BEGONIA DECORA.

A shrubby decorative variety, with dark green obliquely lanceolate leaves, profusely marked with oblong spots or dots of a silvery-grey colour; somewhat of the character of *B. argyrostigma*, but with the spots more minute. It has been introduced from Brazil. 5s.

CLERODENDRON MINAHASSÆ.

This species has been introduced from Celebes. It has erect tetragonal stems with opposite obovate serrated leaves. The flowers form a broad terminal cymose panicle, and have a large leafy calyx, the lobes of which are tipped with red; the corolla is four inches long, yellowish white, with a limb of lanceolate lobes, and exerted purple anthers. In its fruiting state it is very ornamental, as the calyx grows much larger after the flowers fall, spreading out so as to resemble a flower three inches across, sanguineous red, with a round blue berry in the centre. 21s.

COTONEASTER FONTANESII.

A compact growing hardy shrub, with terete brown pubescent stems and branches, bearing dark green alternate leaves, orbicular in outline. The flowers, which are white, grow in small corymbose glomerules, and are succeeded by large round coral-red berries. It is an effective shrub from the abundant clusters of brilliant red berries which it produces. 5s.

DENDROBIUM PARTHENIUM.

A lovely new species, with flowers of the purest white; it has been introduced from Borneo, and has been named and described by Professor Reichenbach in the *Gardeners' Chronicle*, October 17th, 1885. It has long slender stems, furnished with tapering blunt bilobed leaves. The chaste white flowers are borne on long white pedicels, and there are three purple blotches at the base of the anther. The petals are oblong, blunt, surpassing in extent the sepals which have obscure keels. It is named Parthenium, in allusion to the virginal whiteness of its flowers. Price on application.

ERANTHEMUM MACROPHYLLUM.

A very desirable winter flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour, forming a pleasing contrast to the celestial blue of the upper petals. Blooming as it does in the winter, when flowers are so scarce, this will be found a welcome addition to our stoves. It is very free flowering and of good habit. 10s. 6d.

ERANTHEMUM VELUTINUM.

A distinct stove species introduced from Brazil. Its leaves are of a rich deep velvety olive-green, traversed by sunken veins so that the surface forms a series of ridges and furrows which serve to show off with advantage the velvety texture of the surface. The inflorescence forms spikes of blossom eight inches in length; the numerous flowers have a slender curved tubular base about an inch long, and are of a deep rosy pink colour. 10s. 6d.

EUCHARIS MASTERSII.

This new and beautiful *Eucharis* has been imported from the United States of Colombia. Its deliciously fragrant flowers, which are from $2\frac{1}{2}$ to 3 inches in diameter, are of the most snowy whiteness and are borne in umbels or erect scapes. It has the same habit and leaf as *E. Sanderii*, but is entirely distinct from it in the staminal cup or corona, the free portion of which forms a narrow but united collar-like rim to the perianth tube. This species will be found a desirable acquisition, it being very free flowering and the blooms admirably adapted for cutting. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. For illustration *vide* page 4. 3s. 6d. each; 30s. per dozen.

GYMNADENIA MACRANTHA.

A pretty terrestrial orchid, with sheathing three-nerved leaves, imported from Sierra Leone. The upper part of the stem is furnished with bracts, and from the axils of these are developed the flowers six to ten on a spike; the sepals and petals are of a dark brown, the lip roundish and emarginate, of a pretty purplish lilac with dark purple streaks and speckles on the base and disc. 10s. 6d.

IMPATIENS HAWKERII.

A more lovely flowering plant than this new species it would be difficult to imagine. It is a native of the South Sea Islands where it was discovered by Lieutenant Hawker. The sharply serrate leaves are elliptic acuminate. The magnificent flowers are very large, flatly expanded, and of the most brilliant rich deep carmine colour, this is relieved by a lustrous bluish tinge round the small white eye; the dorsal sepal is roundish and the two lateral lobes oblong and bilobed, the spur is red and about two inches long. The handsome flowers of this superb new *Impatiens* are produced in the greatest profusion from March until October, the plant is of free growth and of good habit, and cannot fail to become one of the most useful of decorative plants. For illustration *vide* page 3 10s. 6d. each; 3 plants for 1 guinea. Orders are now being booked. Date of distribution will be announced hereafter by advertisement.

IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 21s.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pipes are large and borne in good compact trusses, added to which it is extremely free flowering. 15s.

PALICOUREA JUGOSA.

An ornamental Brazilian stove plant, with opposite elliptic oblong leaves, which are of a dark satiny green, with a striking pink midrib and veins. The veins are depressed, so that the leaf-surface presents a series of ridges and furrows, which serve to show off to advantage the satiny tints of their colour. The under surface is of a wine-purple colour. 10s. 6d.

PINANGA SPECTABILIS.

An ornamental Stove Palm, introduced from the East Indies. The leaves have short petioles with long sheathing bases, which in the young state are bilobed, and in the more mature state pinnate, of a dark green colour, mottled with light green, the nerves being prominently raised on the upper surface; the under surface of the leaves have a silvery appearance. 21s.

SELAGINELLA FLAGELLIFERA.

A very elegant species of a bright cheerful green colour, introduced from the Fiji Islands. The leaves on the main rachis are spreading, broadly cordate, with a stout midrib and entire margins. The fructification is terminal on the branchlets, the spikelets tetragonal, from a quarter to half an inch long. From the free manner in which this species produces long flagelliform rooting stems or runners, it is particularly adapted for rockwork or basket-culture. 7s. 6d.

SMILAX DISCOLOR.

A bold growing semi-scandent species, introduced from South America. The leaves are about nine inches long and four inches broad, oblong ovate and suddenly acuminate; they are of a firm leathery texture, and of a rich green colour irregularly blotched in a young state with patches of purplish-brown varying much in size and form; they are five-nerved, the three central ones being very strongly marked, and the two exterior ones less distinctly developed. It is a bright cheerful clean-looking plant, desirable on account of the ornamental character of its blotched foliage. 10s. 6d.

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes from the axils of the leaves, the orange-red corolla tube being from three to four inches long. It is a very showy species and well adapted for furnishing trellises and pillars in stoves. 15s.

THUNIA MARSHALLIANA IONOPHLEBIA.

A distinct variety of the beautiful *T. Marshalliana*, with erect leafy reed-like stems, and oblong lanceolate acuminate leaves, about six inches long, pale green, and glaucous beneath. Its large and handsome flowers are pure white, differing from the type, however, in the colouring on the disc and crest of the lip, which is sulphur-yellow, instead of orange-yellow. Price on application.

ZALACCA NITIDA.

A handsome Stove Palm from Western Africa. It forms a noble head of handsome pinnate leaves, with a spiny trunk. In the young plants the leaves, which are of a shining rich dark green colour, are only biparted, with broad divisions. It is a highly ornamental species. 15s.

NEW GLOXINIAS.

LYDIA, very large drooping flower, upper lobes deep rose, lower lobes rose shaded with deep crimson; light throat, prettily speckled with crimson. 5s.

MODIOLA, flowers erect, deep rich velvety crimson, the lobes margined with rose, the mouth being shaded with dark maroon; light throat, freckled with crimson. 5s.

For general collection, *vide* Index.

NEW SPOTTED PELARGONIUM.

GLOVIS, upper petals blackish maroon edged with bright crimson, lower petals bright rosy crimson blotched with maroon. 10s. 6d.

For general collection, *vide* Index.

NEW DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

COMUS, soft rosy purple flower, upper petals feathered with dark maroon. 5s.

SABINE, bright rosy carmine, a large well-formed round flower of a most pleasing colour. 5s.

For general collection, *vide* Index.



ALOCASIA SANDERIANA.

A remarkably handsome and truly grand Arad, from the Eastern Archipelago, forming one of the finest of variegated-leaved stove plants. The colour of the young leaves is bright glossy green, and on the older leaves the surface has a metallic blue reflection. The leaf-blade is arrow-shaped, the front portion with about three triangular lobes on each side, the basal portion with one or two smaller lobes; the thick costa and the stout cross veins are white, conspicuously bordered with ivory-white, the margins also being white. This is certainly the most beautiful of all the Alocasias, and a most magnificent foliage plant. 1 and 1½ guinea.

NEW, RARE & DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. 5s.

ACACIA SPILEROCEPHALA, 7s. 6d.

ACALYPHA ILLUSTRATA, 2s. 6d. and 3s. 6d.

MACAFEEANA, 2s. 6d. and 3s. 6d.

ACALYPHA MACROPHYLLA, 2s. 6d. and 3s. 6d.

MARGINATA, 2s. 6d. and 3s. 6d.

MUSAICA, 2s. 6d. and 3s. 6d.

ACALYPHA OBOVATA.

The beauty of the *Acalyphas* is sufficiently familiar, and the present form is a handsome addition to the genus. The leaves are obovate, in the earlier stages of development green with creamy edges, later on olive-green with the margins rosy pink, and eventually having a bronzy centre with broad rosy crimson margins. It is very distinct and effective. 3s. 6d.

ACANTHUS MONTANUS, 3s. 6d.

ACHIMENES, *vide* Index.

ÆCHMEA AMAZONICA, 5s. and 7s. 6d.

DISCOLOR, *vide* *Lamprococeus discolor*

ÆCHMEA FULGENS, *vide* *Lamprococeus fulgens*

MINIATA, *vide* *Lamprococeus miniata*

MARIE REGINÆ, 10s. 6d.

VEITCHII, *vide* *Chevaliera Veitchii*

ÆCHMEA PANICULIGERA.

A very handsome Bromeliad, imported from the West Indies. The flower scape is several feet high, of a reddish purple colour, and clothed with white down; this supports a large compound panicle, one to two feet long, of numerous rose-coloured flowers, the petals of which project beyond the sepals, and are of a deep bright purple, the inflorescence being highly attractive. 10s. 6d.

ÆCHMEA WEILDACHII, *vide* *Lamprococeus*

Weilbachii

ÆSCHYNANTHUS GRANDIFLORUS, 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

AGLAONEMA MARANTIFOLIA (*oblongifolia*), 5s.

PICUM GRACILE, 5s.

ALLAMANDA CHELSONI, 3s. 6d.

GRANDIFLORA, 5s.

HENDERSONI, 3s. 6d.

NERIFOLIA, 3s. 6d.

NODIOSA, 3s. 6d.

ALOCASIA AMABILIS, 5s.

GIGANTEA, 5s.

HYBRIDA, 7s. 6d.

INTERMEDIA, 7s. 6d.

JENNINGSII, 2s. 6d.

JOHNSTONI, *vide* *Cyrtosperma Johnstoni*

LOWII, 5s.

MACRORRHIZA VARIEGATA, 3s. 6d. and 5s.

MARSHALLII, 3s. 6d.

METALLICA, 3s. 6d. and 5s.

(**SCHISTOCASIA PORTEI**, 1 & 1½ guinea

REGINÆ, 2 guineas

SANDERIANA, *vide* page 10.

THIDAUTIANA, 1 guinea

VEITCHII, 7s. 6d.

ZEBRINA, 7s. 6d. and 10s. 6d.

ALPINIA MUTICA, 7s. 6d.

VITTATA, 3s. 6d. and 5s.

AMARYLLIS ACHIEVEMENT, 7s. 6d.

ACHILLES, 10s. 6d.

ACRAMANNI PULCHERRIMA, 1 guinea

AMAZON, 10s. 6d.

AMDASSADOR, 7s. 6d.

ARIADNE, 10s. 6d.

ASPASIA, 5s.

AULICA SUPERBA, 5s. and 7s. 6d.

BARON, 5s.

BRILLIANT, 1 and 1½ guinea

CERDERUS, 10s. 6d.

AMARYLLIS COMMANDER, 7s. 6d.

COQUETTE, 5s.

CORSAIR, 10s. 6d.

COUNTESS, 10s. 6d.

CYRUS, 10s. 6d.

DIADEM, 15s.

ELECTRA, 1 guinea

EMMELINE, 7s. 6d.

EUROPA, 1 guinea

EUTERPE, 15s.

FIGARO, 7s. 6d.

FORMOSISSIMA (*Jacobaea Lily*), 6d.

GENERAL, 1 guinea

HENDERSONI, 10s. 6d. and 15s.

— **COCCINEA**, 10s. 6d. and 15s.

HEROINE, 10s. 6d.

IGNESCENS, 3s. 6d. and 5s.

IMPERIALIS, 1 guinea

(**BRUNSVIGIA**) **JOSEPHINÆ**, 7s. 6d.

JUPITER, 7s. 6d.

LEOPOLDII, 10s. 6d. and 15s.

MABEL, 10s. 6d.

METEOR, 10s. 6d.

NEPTUNE, 10s. 6d.

NIMROD, 5s.

ONBERON, 1 guinea

ONDINE, 10s. 6d.

OPTIMA, 10s. 6d.

OSCAR, 10s. 6d.

PARDINA HYBRIDA, 7s. 6d. and 10s. 6d.

PAULINE, 15s.

PORTIA, 5s.

PRINCEPS, 1½ guinea

PYROCROA, 5s. and 7s. 6d.

REGALIS, 1 guinea

REGINA, 1 guinea

RETICULATA, 5s.

ROMEO, 7s. 6d.

ROSALIND, 5s.

AMARYLLIS SAPHO, 7s. 6d.
 SOUVENIR, 7s. 6d.
 STELLA, 7s. 6d.
 SULTANA, 10s. 6d.
 SYLVIA, 7s. 6d.
 TITANIA, 7s. 6d.

AMARYLLIS, choico selections of good sorts, 3, 4, and 6 guineas per dozen.

AMASONIA PUNICEA, 21s.
AMHERSTIA NOBILIS, price on application
AMORPHOPHALLUS CAMPANULATUS, 5s. & 7s. 6d.
ANGECTOCHILUS, *vide* Orchids
ANANASSA PENANGENSIS VARIEGATA, 1 guinea
 SATIVA VARIEGATA, 10s. 6d.

AMARYLLIS TROJAN, 10s. 6d.
 URANIE, 7s. 6d.
 VERONA, 15s.
 VESTA, 10s. 6d.
 VESUVIUS, 7s. 6d.
 VICTORIA, 10s. 6d.

ANCHOMANES DUBIUS, 10s. 6d.
ANCYLOGYNE LONGIFLORA, 3s. 6d.
ANDROPOGON SCHENANTIUS, 5s.
ANTHURIUM ANDREANUM, *vide* page 13
 BAKERI, 10s. 6d.
 CANDIDUM, 3s. 6d.

ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 10s. 6d. and 15s.; strong plants, 1½ and 2 guineas.

ANTHURIUM CHANTRIERI, 10s. 6d. and 15s.;
 strong plants, 1½ and 2 guineas
 CHELSIENSE, *vide* page 7.
 CRUMENTUM, 2 guineas
 CRYSTALLINUM, 3s. 6d., 5s. and 7s. 6d.

ANTHURIUM DECHARDI, 3s. 6d. and 5s.
 FERRIERENSE, 15s. and 1 guinea
 GALEOTTIANUM, 7s. 6d.
 HARRISH PULCHRUM, 15s.
 HYBRIDUM, 5s. and 7s. 6d.

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, deflexed at first, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 15s. and 1 guinea; fine plants, 2 and 3 guineas.

ANTHURIUM INTERMEDIUM.

We have in this the result of the intercrossing of *A. hybridum* and *A. crystallinum*. The leaf-blades are deflexed, over a foot long, oblong ovate, cordate at the base, with an open rounded sinus, the upper surface of a velvety green, with a slight olive tinge, the costa and principal veins being whitish. The spathe is lanceolate, and of a pale reddish hue, with a rosy red spadix. 7s. 6d. & 10s. 6d.

ANTHURIUM LIEVENSII.

A bold and striking Aroid. The leaf-blades are ovate-acuminate, with rounded basal lobes and an acute sinus, and are traversed by raised slightly-curved veins. It has a reddish-tinted spathe and bright red spadix. 1 guinea.

ANTHURIUM LEUCONEURUM, 3s. 6d.
 LUCIDUM, 7s. 6d.
 MACROLOBUM, 7s. 6d. and 10s. 6d.
 MAGNIFICUM—*syn.* *A. grande* and *A. cordifolium*, 3s. 6d. and 5s.
 MOOREANUM, 1 guinea
 NYMPHEIFOLIUM, 10s. 6d.
 ORNATUM, 10s. 6d.
 REGALE, 3s. 6d. and 5s.
 SCHERZERIANUM, 3s. 6d. and 5s.
 — ALBUM (true)
 — GIGANTEUM, 2 and 3 guineas
 — MAXIMUM, *vide* page 14.
 — PALMERI, 1 guinea
 — SPLENDENS, 1 and 2 guineas
 — WARDII, 3 guineas
 — WILLIAMSII, 5s.
 SPLENDIDUM, *vide* page 15.
 TRIUMPHANS, 10s. 6d. and 15s.
 VEITCHII, 10s. 6d., 15s. & 1 guinea.
 WAROCQUEANUM, 7s. 6d. and 10s. 6d.

ANTIGONON AMABILE, 5s.
 INSIGNE, 7s. 6d.

ANTIGONON SPECIOSUM, 7s. 6d.
APHELANDRA AURANTIACA, 3s. 6d.
 AURANTIACA ROEZLII, 2s. 6d. and 3s. 6d.
 CHAMISSONIANA, 3s. 6d. and 5s.
 CRISTATA, 3s. 6d.
 FASCINATOR, 3s. 6d.
 LEOPOLDII, 3s. 6d.
 MARGARITE, 5s.
 NITENS, 3s. 6d.
 PORTEANA, 3s. 6d.
 PUMILA, 7s. 6d.
ARALIA CHABRIERI, 5s.
 COCHLEATA, 7s. 6d.
 ELEGANTISSIMA, 5s.
 FILICIFOLIA, 5s.
 GRACILLIMA, 5s.
 GUILFOYLEI, 5s.
 LEPTOPHYLLA, 3s. 6d.
 LONGIPES, 10s. 6d.
 MACULATA, 5s.
 RETICULATA, 3s. 6d.
 ROTUNDA, 7s. 6d.
 VEITCHII, 5s.



ANTHURIUM ANDREANUM.


ANTHURIUM ANDREANUM.

The flower-spathes of this magnificent Araceous plant are heart shaped and of a most brilliant scarlet colour, the surface irregularly corrugated and traversed by deep sinuous veins; the spadix is ivory-white at the base, and greenish-yellow at the tip. An extremely attractive plant, each inflorescence remaining in perfection about three months. 5s., 7s. 6d., 10s. 6d. and 1 guinea.



ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 5 and 7 guineas.



ANTHURIUM SPLENDIDUM.

A strikingly beautiful stove Aroid, imported from South America, quite distinct from anything previously in cultivation, the surface of the cordate leaves being remarkably peculiar. The course of the nerves is marked by a broadish band of deep lustrous velvety green, the intervening spaces being of a pale yellowish green. The leaf surface is scabrous, and the portions between the ribs strongly bullate, as if raised in papillose blisters. 1 guinea.



ARISÆMA FIMBRIATUM.

A very remarkable and distinct species, introduced from the Philippine Islands. The leaves are deeply divided into three ovate acute segments. The spathes are acuminate, brownish purple, reticulated and very effectively striped with narrow whitish bands. The spadix terminates in a long whip-like extremity furnished throughout its length with long purplish filaments, imparting to the plant a distinct and novel character. Described and illustrated in the *Gardeners' Chronicle*, November 29th, 1884, pages 680 and 689. 10s. 6d.

**BIGNONIA MAGNIFICA.**

A free-growing plant, of scandent habit, introduced from the United States of Colombia. The flowers, which are produced in large branching panicles, are of great size (about $3\frac{1}{2}$ inches across), and of an exceedingly attractive colour, ranging from delicate mauve to rich purplish crimson, relieved by a conspicuous throat of light primrose colour. 5s. and 7s. 6d.

ARALIA VEITCHII GRACILLIMA, 5s.
ARDISIA OLIVERI, 3s. 6d.
 PICTA, 1½ guinea.
ARDISIAS, of sorts, 2s. 6d. and 3s. 6d.
ARISEMA FIMBRIATUM, *vide* page 16.
ARISTOLOCHIA CLYPEATA, 7s. 6d.
 DUCHARTREI, 5s.
 ELEGANS, *vide* page 7.
 FLORIBUNDA, 7s. 6d.
 GIGAS, 3s. 6d. and 5s.
 GENITHOCEPHALA, 5s. and 7s. 6d.
 TRICAUDATA, 5s.
 TRILOBATA, 3s. 6d. and 5s.
ARTANTHE RUBRONODOSA, 7s. 6d.
ARTOCARPUS CANNONI, 3s. 6d.
 EBURNEA, 5s.
 INTEGRIFOLIA (The Jack Fruit), 10s. 6d.
 LACINIATA, 3s. 6d.
 ——— METALLICA, 3s. 6d.
ASPAGUS, of sorts, *vide* pages 54 and 55.
ATACCIA CRISTATA, 7s. 6d. and 10s. 6d.
BARLERIA ARGENTEA, 5s.
BATATAS PANICULATA, 3s. 6d. and 5s.
BAUHINIA PICTA, 7s. 6d.

BAUHINIAS, of sorts, 5s. and 7s. 6d.
BEAUMONTIA GRANDIFLORA, 5s. and 7s. 6d.
BEGONIA, *vide* Index
BELOPERONE ATROPURPUREA, 5s.
BERTOLONIA FORMOSA, 7s. 6d.
 GUTTATA, 5s.
 ——— ALBA, 10s. 6d.
 ——— SPLENDENS, 15s.
 MARCHANDI, 5s.
 MARGARITACEA SUPERBA, 7s. 6d. and 10s. 6d.
 MARMOREA SUPERBA, 3s. 6d. and 5s.
 MIRANDÆI, 7s. 6d.
 GRNATA, 7s. 6d.
 PRIMULÆFLORA, *vide* Monolena primulæflora
 PUBESCENS, 3s. 6d.
 SUPERBISSIMA, 1 guinea
 VAN HOUTTEI, 5s.
 VELUTINA, 5s.
 VITTATA, 7s. 6d.
BIGNONIA AURANTIACA, 7s. 6d. and 10s. 6d.
 CHAMBERLAYNII, 3s. 6d. and 5s.
 MAGNIFICA, *vide* page 17.
 ORNATA, 5s.
 PICTA, 3s. 6d. and 5s.

BIGNONIA REGALIS.

A very handsome stove climber, with opposite elliptic lanceolate leaves. The flowers are exceedingly beautiful, very large, and of a bright yellow and red colour. It has been recently imported from British Guiana, and is a decided acquisition to this beautiful genus. 10s. 6d.

BIGNONIA RETICULATA, 5s.
 ROEZLIANA, 5s.
 ——— VILLOSA, 5s.
 SPECIOSA, 3s. 6d.
 VENUSTA, 3s. 6d. and 5s.
BILLBERGIA CHLOROSTICTA, 15s. and 21s.
 FARINOSA, 10s. 6d.
 LEOPOLDII, 7s. 6d.
 MORELIANA, 5s. and 7s. 6d.
 SAUNDERSII, 10s. 6d.
 THYRSODEA, 5s.
 VITTATA, 5s.
BOUGAINVILLEA GLABRA, 2s. 6d. and 3s. 6d.
 LATERIFLUA, 2s. 6d. and 3s. 6d.
 SPECIOSA, 2s. 6d. and 3s. 6d.
 SPECTABILIS, 2s. 6d. and 3s. 6d.
 SPLENDENS, 2s. 6d. and 3s. 6d.
BROSIMUM, *vide* GALACTRODENDRON
BROWNEA ARIZA, 10s. 6d.
 COCCINEA, 1 guinea

BROWNEA ERECTA, 1 and 1½ guinea
 GRANDICEPS
 HYBRIDA, 1½ guinea
BRUNFELSIA AMERICANA, 5s.
BRUNSVIGIA JOSEPHINEÆ, *vide* Amaryllis
 Josephine
BURBIDGEA NITIDA, 3s. 6d.
BURCHELLIA CAPENSIS, 2s. 6d. and 3s. 6d.
CALADIUM, *vide* Index
CALIPHURRIA HARTWEGIANA, 7s. 6d.
 SUBDENTATA, 2s. 6d.
CALPICARPUM ORNATUM, 1 guinea.
CAMOENSIA MAXIMA, *vide* page 19.
CAMPESIDIUM FILICIFOLIUM, 2s. 6d. & 3s. 6d.
CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS FRONDOSA, 5s.
CARAGUATA, *vide* Tillandsia.
CARLUDOVICA, *vide* Index
CARUMBUM POLYANDRUM, 10s. 6d.

CARYOPHYLLUS AROMATICUS.

This is the plant that produces the well-known Clove of commerce. 10s. 6d.

CENTRADENIA FLORIBUNDA ROSEA, 3s. 6d.
 GRANDIFLORA, 3s. 6d.
CEROPEGIA GARDNERI, 3s. 6d. and 5s.
CENTROPOGON LUCYANUS, 1s. 6d. and 2s. 6d.
CENTROSOLENIA BULLATA (EPISCIA TESSELLATA), 5s.
CESPEDESIA BONPLANDI, 2 guineas.
CHAMÆCLADON RUBENS, 5s.

CHAMERANTHEMUM BEYRICHII VARIETATUM, 3s. 6d.
 NITIDUM, *vide* Ebermaiera nitida
CHEVALIERA (ZECHMEA) VEITCHII, 7s. 6d. & 10s. 6d.
CHIRITA MOONII, 7s. 6d.
 SINENSIS, 3s. 6d.
CHRYSOPHYLLUM IMPERIALE, 10s. 6d. to 21s.

CHIRITA ZEYLANICA.

A handsome species with opposite fleshy ovate entire leaves, and panicles of showy flowers. The individual flowers are handsome and of a rich reddish purple colour, having on the lower side of the tube two golden yellow lines. 10s. 6d.



HALF NATURAL SIZE.

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden yellow. Certainly one of the most striking and noble flowering plants lately introduced. This plant has been described and illustrated in Vol. XXV of the Transactions of the Linnean Society, p. 301, t. 36. 5 guineas.

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 10s. 6d.

CINNAMOMUM CASSIA

VERUM, 7s. 6d.

ZEYLANICUM

CISSUS ALBO-NITENS, 3s. 6d.

DISCOLOR, 2s. 6d. and 3s. 6d.

CISSUS ENDRESII, 7s. 6d.

LINDENI, 3s. 6d. and 5s.

PORPHYROPHYLLA, 3s. 6d. and 5s.

CLERODENDRON BALFOURIANUM, 2s. 6d.

CALAMITOSUM, 3s. 6d. and 5s.

CLERODENDRON DELECTUM.

A handsome and effective new variety raised from *C. Balfourianum*, freely producing in large dichotomous cymes its showy flowers. The calyx is pure white, and the corolla of a deep rich magenta rose colour. A useful and welcome addition to ornamental stove climbers. 3s. 6d. and 5s.

CLERODENDRON FALLAX, 3s. 6d.

FRAGRANS FLORE PLENO, 2s. 6d.

HASTATUM, 5s.

CLERODENDRON INFORTUNATUM, 3s. 6d.

KEMPFERI, 3s. 6d. and 5s.

MINAHASSE, *vide* page 7.**CLERODENDRON MACROSIPHON.**

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish purple. 5s. and 7s. 6d.

CLERODENDRON SPECIOSUM, 3s. 6d.

SPLENDENS, 3s. 6d. and 5s.

THOMSONE, 3s. 6d.

VISCOSUM, 3s. 6d. and 5s.

CLIDEMIA VITTATA, 7s. 6d.**COCCOCYPSELUM DISCOLOR**, 2s. 6d. and 3s. 6d.**COCCOLOBA PLATYCLADA**, 3s. 6d.**COCHLIOSTEMA JACOBIANUM**, 10s. 6d.**COFFEA ARABICA**, 3s. 6d. and 5s.

ARABICA VARIEGATA, 7s. 6d.

COFFEA LIBERICA, 3s. 6d. and 5s.**COLEUS**, *vide* Index**COLOCASIA**, *vide* *Allocasia***COLUMNÆAS**, of sorts, 3s. 6d. and 5s.**COMBRETUM GRANDIFLORUM** 5s.

PURPUREUM, 5s.

CORYNOSTYLIS HYBANTHUS ALBIFLORA, 7s. 6d.**COSSIGNIA BORBONICA**, 15s.**COSTUS ALBESCENS**, 7s. 6d.

ELEGANS, 5s.

COUROUPITA GULANENSIS, 10s. 6d.**CRINUM AUGUSTUM.**

This magnificent and noble species has large and deliciously-scented flowers, borne in immense heads consisting of from twenty to twenty-five blooms, supported on stout erect scapes. The individual flowers consist of six segments, each about six inches long, which contract at the base into a tube four inches in length. The segments inside are purplish white, contrasting in a very pleasing manner with the exterior, which is bright rosy purple. 10s. 6d.

CRINUM AMABILE, 10s. 6d.

ERUBESCENS, 7s. 6d.

FORMOSUM, 3s. 6d.

GIGANTEUM, 15s.

MOOREI, *vide* page 59.

ORNATUM, 7s. 6d.

PEDUNCULATUM PACIFICUM, *vide* page 60.SANDERIANUM, *vide* page 21.

SCABRUM, 10s. 6d.

CROSSANDRA INFUNDIBULIFORMIS, 3s. 6d.

UNDULATA, 5s.

CROTON (CORLEUM) ANDREANUS, 3s. 6d.

ANGUSTIFOLIUS, 2s. 6d. and 3s. 6d.

APPENDICULATUS, 3s. 6d.

ARGUS, 3s. 6d.

AUREO-LINEATUS, 3s. 6d.

AUREO-PUNCTATUS, 5s.

BARONNE JAMES DE ROTHSCHILD, 3s. 6d.

CROTON BROOMFIELDII.

A richly-marked golden variegated variety of great beauty. The leaves are nine or ten inches long, and about two and a half inches broad in the widest part. The green ground colour is very dark, but everywhere broken up by irregular yellow lines, spots, and blotches. The mid-rib has a slight tint of red, with a yellow central band, and the margins are similarly tinted. 7s. 6d. and 10s. 6d.

CROTON BISMARCKI, 3s. 6d.

CAMPTOPHYLLUS, 3s. 6d.

CROTON CERBERUS, 5s.

CHALLENGER (IMPERATOR), 5s.

CROTON CHELSONI.

A remarkably elegant narrow-leaved form of rich coloration. The leaves are sometimes plane, sometimes twisted spirally, and in this latter state the variegation shows up most distinctly, being of a bright salmony orange tint, shaded with crimson. Introduced from New Guinea. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Dundee. 3s. 6d. and 5s.

CROTON CHRYSOPHYLLUS, 5s.

CONGENUS, 3s. 6d.

CONQUEST, 10s. 6d.

CROTON CORNIGERUS, 10s. 6d.

COUNTESS, 7s. 6d. and 10s. 6d.

CYRUS, 5s.



CRINUM SANDERIANUM.

CRINUM SANDERIANUM.

A very distinct new species introduced from Sierra Leone. It has globose bulbs about two inches in diameter, ensiform leaves, thin in texture and much undulated towards the margins. The flowers are produced in umbels and consist of six lanceolate, acuminate white segments with a broad and conspicuous band of reddish crimson down the centre of each. 3s. 6d.

CROTON CRÆSUS.

One of the series of Crotons or Codigiums with golden variegation. The leaves are bright green, with a yellow costa, and freely blotched with bright yellow in irregular patches or freckled markings, occupying half or sometimes more than half the leaf surface. 10s. 6d.

CROTON DECORUS, 7s. 6d.

DIADEM, 3s. 6d.

DIANA, 5s.

DISRAELI, 3s. 6d.

DORMANIANUS, 3s. 6d.

DUKE OF BUCCLEUCH, 3s. 6d.

CROTON EARL OF DERBY, 5s.

EBURNEUS, 5s.

ECLIPSE, 10s. 6d.

ELFOANTISSIMUS, *vide* page 23.

EMBLEM, 7s. 6d.

ENSON, 3s. 6d.

CROTON EMINENS.

A dense-habited free-growing hybrid variety. The leaves are closely set, broadly lance-shaped, tapered at the apex to an acute point; they are of a bright glossy green, with an ivory-coloured mid-rib, and a portion of the lateral veins of the same colour. The contrast is very striking. 10s. 6d.

CROTON EXCURRENS.

A peculiar variety, which is characterised by its oblong-stalked leaves having the mid-rib or costa excurrent in the form of a small horn near the apex of the leaf. The colours are green and yellow, very regularly disposed. A distinct and attractive plant. 15s.

CROTON EVANSIANUS, 3s. 6d.

FALCATUS, *vide* C. variabilis

CROTON FASCIATUS, *vide* C. Hendersoni

OLORIOSUS (Princess of Wales), 3s. 6d.

CROTON FORMOSUS.

A handsome hybrid variety of moderate growth. The leaf-stalks are crimson, the leaf-blade bright green, while the centre and principal veins are yellow, the surface being here and there sprinkled with yellow spots. These yellow portions take on at a later period a glowing crimson hue, the mid-rib and margin especially being of a bright magenta-erimson. It was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Carlisle, and at the Provincial Show of the Royal Horticultural Society, held at Preston. 7s. 6d. and 10s. 6d.

CROTON ORACILIS, 10s. 6d.

HANBURYANUS, 5s.

ILLUSTIFERUS, 3s. 6d.

CROTON HARWOODIANUS, *vide* C. triumphans

HAWKERI, 5s.

HECTOR, 5s.

CROTON HEROICUS.

An attractive hybrid of the Bismarcki type. The colour is bright green freely marked with deep yellow, the central bar and the veins, and in many cases the half, or even the whole of the leaf-surface being yellow, and this in some leaves flushed or lined with a tint of rosy crimson. When regularly yellow-haired, and marked with yellow veins, and these parts also striated with crimson veins, the leaves are particularly handsome. 10s. 6d.

CROTON HENDERSONI (FASCIATUS), 3s. 6d.

ICARUS, 3s. 6d.

ILLUSTRIS, *vide* page 24.

CROTON IMPERATOR, *vide* C. Challenger

IMPERIALIS, 7s. 6d.

INTERRUPTUS AUREUS, 5s.

CROTON INSIGNIS.

A fine form of great beauty, with long narrow foliage. The leaves are deep green, with the mid-rib and veins beautifully picked out with golden-yellow, the margins and mid-rib rosy crimson. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 10s. 6d.

CROTON JAMESII, 3s. 6d.

JUBILEE, 3s. 6d.

JUCUNDUS, 5s.

JUNON, 3s. 6d.

CROTON KINGOIANUS, 5s.

LACTEUS, 3s. 6d.

LANCEFOLIUS, 5s.

CROTON LINEARIS.

A small-growing variety of remarkably neat habit. The leaves are from four to six inches long, linear, usually obtuse, but sometimes narrowed to the point, dark green, with a yellow mid-rib and a few lateral blotches of the same colour, occasionally almost wholly yellow. 5s. and 7s. 6d.

CROTON MACAFEEANUS, 3s. 6d.

MACARTHURI, 3s. 6d.

MAJESTICUS, 2s. 6d. and 3s. 6d.

MASSANGEANUS, 5s.

MEMNON, 7s. 6d.

MOOREANUS, 3s. 6d.

MORTII, 3s. 6d. and 5s.

CROTON MUSAICUS, 5s.

MUTABILIS, *vide* C. princeps


NEPTUNE, 3s. 6d. and 5s.

NIMROD, 10s. 6d.

NOBILIS, 3s. 6d.

OBERON, 3s. 6d.

ORESTES, 7s. 6d.



CROTON ELEGANTISSIMUS.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. This variety was one of the new plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. 7s. 6d. and 10s. 6d.



CROTON ILLUSTRIS.

10. A singularly grotesque-looking variety. The leaves are mostly three-lobed on purplish petioles, the lobes being twisted or curved, so as to acquire a sort of forked appearance. The colour is green, richly maculated with golden yellow; the central bar yellow, and the variegation irregularly distributed, so that sometimes the points are almost wholly golden. It is an extremely distinct and attractive plant. 10s. 6d.

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy pink, and the mid-rib of a deeper rosy crimson. 10s. 6d.

CROTON PICTURATUS, 3s. 6d.

PRESIDENT, 3s. 6d.

PRIMA DONNA, 7s. 6d.

PRINCE OF WALES, 3s. 6d.

CROTON PRINCEPS (MUTABILIS), 5s.

PRINCESS OF WALES, *vide* C. gloriosus

QUEEN VICTORIA, 3s. 6d.

REX, 3s. 6d.

CROTON RECURVATUS.

An exceedingly pretty variety, remarkable for its elegantly recurved leaves. The stems are purplish, and the petioles deep blood-crimson. The colouration is striking, there being a yellow central band with a crimson mid-rib, and yellow veins; the yellow being more or less suffused, so that it predominates over the green of the remaining parts. It is a good example of a race of small-growing Crotons, which are found very useful for decoration. 10s. 6d.

CROTON ROSEO-PIOTUS, *vide* page 26.

| **CROTON RUBESCENS**, 7s. 6d. and 10s. 6d.

CROTON RUBERRIMUS.

Probably the reddest of all the bright red varieties yet known. The leaves are narrow and elegantly drooping; in the young state they are green at the edge, with creamy yellow on each side the red costa, the green parts spotted with cream; then the creamy parts become suffused with red, and the costa changes to a deep crimson; the yellow finally being replaced by deep rosy crimson. 10s. 6d.

CROTON SCEPTRE.

One of the ribbon-leaved forms of Croton. The colouring consists of a crimson costa, on each side of which comes the dark bottle-green ground colour, and added to this are irregular spots, and a few patches of fiery orange with some spots of yellow. A pretty and distinct variety. 10s. 6d.

CROTON SCHOMBURGKIANUS, 5s.

SOVEREIGN, 3s. 6d.

SPECIOSUS, 5s.

SPECTABILIS, 5s.

SPIRALIS, 2s. 6d. and 3s. 6d.

CROTON SPLENDIDUS, 5s.

SUPERBIENS, 5s.

TORQUATUS, 3s. 6d.

TORTILIS, 3s. 6d.

TRAVELLER, 5s.

CROTON TRIUMPHANS (HARWOODIANUS).

A fine variety from the New Hebrides. The leaves are deep green, with a golden line on each side the mid-rib, the principal veins also golden, running into a net-work of the same colour towards the point. The costa is rich bright crimson, and forms a pretty contrast with the colour on either side. In the fully matured state the leaves become rich greenish bronze, and the costa a rosy crimson, very bright and effective. This was one of the twelve New Plants with which Mr. W. B. ground the First Prize at the International Horticultural Exhibition, held at Carlisle. 7s. 6d.

CROTON TRICOLOR, 7s. 6d.

UNDULATUS, 3s. 6d.

UNIVITTATUS, 5s.

CROTON VARIABILIS (FALCATUS), 3s. 6d.

VARIEGATUS, 2s. 6d. and 3s. 6d.

VEITCHIANUS, 3s. 6d.

CROTON VITTATUS.

A very handsome Croton of bold and striking habit. The colour of the leaf-blade is a clear full green, with a broad band of creamy yellow, which runs out laterally along the bases of the distant primary veins. The mid-rib in the older and more matured leaves takes on the same bright ruby-red as the petioles, which adds much to the brilliancy of the marking. 7s. 6d.

CROTON VIVICANS, 3s. 6d.

VOLUTUS, 3s. 6d.

WARRENII, 5s.

WEISMANNI, 3s. 6d.

WILLIAMSII, 3s. 6d. and 5s.

CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5s.

(TILLANDSIA) BEUCKERII, 10s. 6d.

(—) BIVITTATA, 5s. and 7s. 6d.

CUPANIA FILICIFOLIA, *vide* Jacaranda
Clauseniana.

CUPANIA GRANDIDENS

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 1 guinea.

CURCULIGO DENSA, 7s. 6d.

RECURVATA, 3s. 6d.

— STRIATA, 10s. 6d.

— VARIEGATA, 5s. and 7s. 6d.

CURCUMA CORDATA, 5s.

LUTEO-VIRIDIS, 7s. 6d.

PETIOLATA, 5s.

ROSCOEANA, 5s.



CROTON ROSEO-PICTUS.

CROTON ROSEO-PICTUS.

A very pretty and distinct Croton of compact habit, densely leafy, and from its pleasing colouration one of the most useful for decorative purposes. The primary ground colour is green, the mid-rib and its border being pale yellow, as are also the principal veins, which are marked in an arcuate manner, while between and beyond them the surface is broken up in yellow reticulations. These markings take on a pretty rose tint, which is most decided near the margins. 5s.

CURCUMA RUBRICAULIS, 5s.*ZEDOARIA*, 7s. 6d.**CURMERIA PICTURATA**, 3s. 6d.*WALLISII*, 5s.**CYANOPHYLLUM BOWMANNI**, 5s.*MAGNIFICUM*, 3s. 6d. and 5s.**CYANOTIS** (*TRADESCANTIA*) **MULTICOLOR**, 2s. 6d.(*TRADESCANTIA*) *ZANONIA*, 3s. 6d.(—) *ZEBRINA ARGENTEA*, 2s. 6d.**CYCADS**, *vide* Index.**CYMBIDIUM**, *vide* Orchids**CYPERUS ALTERNIFOLIUS**, 1s. 6d. and 2s. 6d.*ALTERNIFOLIUS VARIEGATUS*, 2s. 6d. and 3s. 6d.*LAXUS*, 3s. 6d.— *VARIEGATUS*, 3s. 6d. and 5s.**CYPHOMANDRA ARGENTEA**, 7s. 6d.**CYPRIPEDIUM**, *vide* Orchids**CYRTANTHERA CHRYSOSTEPIANA**, 3s. 6d.*POHLIANA*, 3s. 6d.**CYRTOCERAS REFLEXUM**, 3s. 6d. and 5s.**CYRTODEIRA CHONTALENSIS**, 2s. 6d. and 3s. 6d.*FULGIDA*, 2s. 6d. and 3s. 6d.*METALLICA*, 2s. 6d. and 3s. 6d.**CYRTOSPERMA JOHNSTONI.**

A most remarkable Arad, introduced from the Solomon Islands. The leaf-stalks are furnished with irregular whorls of stiff spines, the stem is darkly mottled, and has flesh-coloured bands just above the spines; the leaf-blade is semi-erect, arrow-shaped, prettily variegated and strikingly veined with bright rosy red. This plant is altogether unique and very attractive. 1 guinea.

DALECHAMPIA ROEZLIANA ALBA, 3s. 6d.**DALECHAMPIA ROEZLIANA ROSEA**, 2s. 6d. & 3s. 6d.**DAVIDSONIA PRURIENS.**

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnæ, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. 15s., 1 and 1½ guinea.

DESMODIUM GYRANS, 5s.**DICHORISANDRA MUSAICA**, 10s. 6d.*UNDATA*, 3s. 6d. and 5s.**DICHOTRICHUM TERNATEUM**, 7s. 6d.**DIEFFENBACHIA AMAZONICA**, 5s.*AMGENA*, 3s. 6d.**DIEFFENBACHIA BARAQUINIANA**, 3s. 6d.*BOWMANNII*, 3s. 6d.*BAUSEI*, 3s. 6d.*CARDERI*, 5s.*COSTATA*, 5s.**DIEFFENBACHIA CHELSONI.**

A very handsome plant with dark satiny green leaves, the costa marked with a grey band, feathered about one-third across each half of the blade, the surface of which is also freely spotted and blotched with bright yellow-green. The well-marked contrast between the three colours renders the variegation very effective. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. 7s. 6d.

DIEFFENBACHIA DELECTA, 3s. 6d.*EBURNEA*, 5s.*FLAVO-VIRENS*, 3s. 6d.*GRANDIS*, 3s. 6d.*ILLUSTRIS*, 5s.*INSIGNIS*, 7s. 6d.*LANCEOLA*, 5s.*LEOPOLDII*, 3s. 6d. and 5s.**DIEFFENBACHIA LUCINDA**, 3s. 6d.*MACULOSA*, 3s. 6d.*MAGNIFICA*, 3s. 6d.*MAJESTICA*, 10s. 6d.*MEMORIA CORSI*, 10s. 6d.*NEBULOSA*, 3s. 6d.*NOBILIS*, 3s. 6d.*PICTA*, 3s. 6d.**DIEFFENBACHIA PRINCEPS.**

A bold and handsome plant, of ornamental character. The leaves are dark green, with a few scattered yellowish spots, and a silvery grey marking running through the centre, that in the upper half of the leaf being most distinctly developed. 10s. 6d.

DIEFFENBACHIA REGINA, *vide* page 28.*Rex*, *vide* page 29.**DIEFFENBACHIA SHUTTLEWORTHII**, 7s. 6d.*SPLENDENS*, *vide* page 30.**DIEFFENBACHIA TRIUMPHANS.**

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent. 10s. 6d.

DIEFFENBACHIA VELUTINA, 3s. 6d.*VITTATA*, 5s.*WEIRII*, 3s. 6d.**DIONÆA MUSCIPULA**, *vide* Index.**DIOSCOREA ANGEOCILIUS**, 5s. and 7s. 6d.*ARGYREIA*, 5s. and 7s. 6d.**DIOSCOREA BULBIFERA**, 5s.*CHRYSOPHYLLA*, 5s.*DISCOLOR VARIEGATA*, 3s. 6d.*ILLUSTRATA*, 3s. 6d.*MELANOLEUCA*, 7s. 6d.*METALLICA*, 5s.

DIOSCOREA SPECIOSA.

A free growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5s.

DIPLADENIA AMABILIS, 3s. 6d.

DIPLADENIA AMENA, 3s. 6d.

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3s. 6d., 5s. and 7s. 6d.



DIEFFENBACHIA REGINA.

DIEFFENBACHIA REGINA.

A very distinct and striking variety from South America. It has oblong elliptic greenish-white leaves, mottled with blotches of pale green, and having a narrow margin, and a few streaky markings of a deeper shade. From its distinct markings, the plant is very effective and well entitled to be regarded as the Queen of the Dieffenbachias. This beautiful plant has frequently been shown in Mr. W. B.'s winning collections of New Plants. 1 guinea.



DIEFFENBACHIA REX.

DIEFFENBACHIA REX.

If *D. regina* may be considered as the Queen, we have in this the King of the genus—a very handsomely marked plant of free and vigorous habit. The leaves are of a very deep green colour, thickly covered with oblique-elongate angular white blotches, which take the same direction as the venation, and are here and there slightly veined and suffused with green. It was introduced from South America. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at several of the Royal Horticultural Society's Exhibitions. 1 guinea.



DIEFFENBACHIA SPLENDENS.

DIEFFENBACHIA SPLENDENS.

A striking plant of great beauty, remarkable for the lustre of its colouring. The stem is faintly mottled with dark and light green. The leaves have a thick ivory-white mid-rib, and the ground colour is of a rich deep velvety bottle-green, with a resplendent lustrous surface, freely marked with whitish striated blotches. It is a remarkably fine and telling plant, imported from the United States of Colombia. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition held at Ghent. 7s. 6d.

DIPLADENIA BOLIVIENSIS, 3s. 6d.
 DIADEMA, 15s.
 ELIOTTI, 10s. 6d.
 HYBRIDA, 3s. 6d.
 INSIONIS, 7s. 6d.
 MAGNIFICA (ACUMINATA), 3s. 6d. and 5s.
 PROFUSA, 5s.
 REGINA, 10s. 6d.
 SPLENDENS, 5s. and 7s. 6d.
DIPTERIX ODORATA (TONQUIN BEAN), 42s.
DISSOTIS PLUMOSA, 5s.
DORSTENIA BARTERI, 7s. 6d.
 BRASILIENSIS, 7s. 6d.
 CAULESOENS, 7s. 6d.
 THOMSONI, 7s. 6d.
DRACÆNA ALBA MARONATA, 3s. 6d.
 ALBICANS, 5s.
 AMABILIS, 3s. 6d.
 AMBOINENSIS, 1 guinea
 AUREANTIACA, 5s.
 BAPTISTII, 3s. 6d.

DRACÆNA BAUSEI, 7s. 6d.
 BELLA, 5s.
 BERKELEYI, 5s.
 CANTRELLII, 7s. 6d.
 CAUSTONI, 7s. 6d.
 CLAUDIA, 10s. 6d.
 CONGESTA (RUBRA), 2s. 6d. and 3s. 6d.
 COOPERI, 3s. 6d.
 CÖRONANS, 1 guinea.
 COUNTESS OF LATHOM, 15s.
 CRISTULA, 3s. 6d.
 DILATA, 1 guinea
 EBURNEA, 1 guinea
 ELIZABETHÆ, 10s. 6d.
 ERNESTII, 5s.
 EXCELLENS, 15s.
 EXCELSA, 5s.
 FERREA, 3s. 6d.
 — VARIEGATA, 5s.
 FRAGRANS, 7s. 6d.

DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. 1, 1½ and 2 guineas.

DRACÆNA FRASERI, 5s.
 FREDERICI, 5s. and 7s. 6d.
 GLADILINA, 10s. 6d.
 GLADSTONEI, 10s. 6d.
 GOLDIEANA, *vide* page 32
 ORACILIS, 2s. 6d. and 3s. 6d.
 GUILFOYLEI, 3s. 6d.

DRACÆNA HYBRIDA, 5s.
 IONIA, 5s. and 7s. 6d.
 IMPERATOR, 5s.
 IMPERIALIS, 5s.
 KNAUSII, 10s. 6d.
 LEONARDII, 7s. 6d.
 MADONNA, 10s. 6d.

DRACÆNA LINDENI.

The most distinct and striking *Dracæna* announced since *D. Goldieana*. In habit it is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Mr. W. B. imported this beautiful and attractive plant from Brazil. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation and the blending of the colours render the plant of the highest value for decoration. 1, 1½ and 2 guineas.

DRACÆNA MAJESTICA, 7s. 6d.
 MASTERSII, 7s. 6d.
 METALLICA, 7s. 6d.
 MOOREANA, 5s.
 MRS. BAUSE, 5s. and 7s. 6d.
 MRS. C. J. FREAKE, 7s. 6d. and 10s. 6d.
 MRS. WILLS, 3s. 6d.
 PHRYNIOIDES, 10s. 6d.
 PICTURATA, 1 guinea.
 PLACIDA, 1 guinea.
 PLUTUS, 10s. 6d.
 PRINCEPS, 10s. 6d. and 15s.
 REALII, 5s.
 RECURVA, 10s. 6d.
 REGALIS, 7s. 6d.
 REGINA, 3s. 6d. and 5s.
 RENARDIÆ, 5s.
 ROSSII, 7s. 6d.
 RUBRA, *vide* *D. congesta*
 SALMONEA, 5s. and 7s. 6d.
 SCOTTLE, 5s. and 7s. 6d.
 SHEPHERDII, 3s. 6d. and 5s.

DRACÆNA SPINKSII, 10s. 6d.
 SPLENDENS, 5s. and 7s. 6d.
 STRICTA, 2s. 6d. and 3s. 6d.
 SUPERBA, 5s.
 SURCULOSA MACULATA, 7s. 6d.
 SYDNEYI, 7s. 6d.
 TERMINALIS, 3s. 6d.
 — ALBA, 5s. and 7s. 6d.
 THOMSONII, 15s.
 TRIUMPHANS, 1 guinea
 VENOSA, 3 guineas
 VENUSTA, 10s. 6d. and 15s.
 VESTALIS, 1 guinea
 VITIENSIS, 10s. 6d.
 VOLUTA, 7s. 6d.
 WILLSII, 7s. 6d.
 WILSONI, 15s.
DRACONTIUM ALBOSTIPES, 7s. 6d.
 ANNULATUM, 7s. 6d.
 ASPERUM, 5s.
 CARDERI, 7s. 6d.
 SCALPTURATUM, 7s. 6d.



DRACÆNA GOLDIEANA.

DRACÆNA GOLDIEANA.

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7s. 6d., 10s. 6d., 15s. and 1 guinea.

DRYMONIA MARMORATA.

An erect-growing Gesneraceous plant, with the stems obscurely tetragonal, bearing large opposite leaves, having long reddish purple petioles, the blade ovate, bullate, dark green, with the convex portions between the veins of a glistening grey; the margin erenate, the under surface purplish. The flowers, which grow in the leaf-axils, are creamy white and fimbriated. 7s. 6d.

DRYMONIA TURALVÆ, 5s.

DYCKIA BREVIFOLIA, 7s. 6d.

EBERMAIERA (CHAMERANTHEMUM) NITIDA, 5s.

ECHITES, *vide* Dipladenia

PICTA, 3s. 6d. and 5s.

RUBRO-VENOSA, 5s.

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 7s. 6d. and 10s. 6d.

ELETARIA DIEPENHORSTII, 5s.

ENCEPHALARTOS, *vide* Index

ENCHOLIRION CORALLINUM, 7s. 6d.

JONGHEI, 10s. 6d.

EPIPHYLLUM, of sorts; these are useful for winter and early spring blooming, and are very showy and attractive. 30s. and 42s. per dozen.

EPIPHEMUM MIRABILE "TONOA PLANT"
3s. 6d. and 5s.

EPISCIA TESSELLATA, *vide* Centrosolenia bullata

ERANTHEMUM ANDERSONI (elegans). 2s. 6d.
and 3s. 6d.

ATROPURPUREUM, 3s. 6d.

EBORACENSE, 3s. 6d.

LAXIFLORUM, 2s. 6d.

ERANTHEMUM MACROPHYLLUM, *vide* page 8.

MOOREI, 3s. 6d.

NIGRESCENS, 3s. 6d.

PULCHELLUM, 2s. 6d. and 3s. 6d.

RETICULATUM (SCHOMBURGI), 3s. 6d.

TRICOLOR, 3s. 6d.

TUBERCULATUM, 3s. 6d.

VELUTINUM, *vide* page 8.

VERSICOLOR, 3s. 6d.

ERYTHRINA COMPACTA, *vide* page 64.

OLAUCA, 5s.

MARMORATA, 5s.

PARCELLI, 10s. 6d.

VESPERTILIO, *vide* page 34.

ERYTHROTIS BEDDOMEI, 3s. 6d. and 5s.

ERYTHROXYLON COCA.

This extremely interesting plant is of great official importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." 10s. 6d.

EUADENIA EMINENS.

A remarkably distinct and interesting plant, discovered in Liberia by one of my collectors; it is especially notable on account of its peculiar inflorescence, which resembles a caudelabrum in its ramification, the yellow petals looking like a pair of gas jets on each branch. The plant is of branching habit, with alternate trifoliate glabrous leaves; the inflorescence is terminal and erect; the dorsal petals about four inches long, and of a clear sulphur-yellow colour. Figured in the *Botanical Magazine* for September, 1881. 1 guinea.

EUCHARIS AMAZONICA, 2s. 6d. and 3s. 6d.;
18s. and 30s. per dozen.

MASTERSII, *vide* page 8.

EUCHARIS CANDIDA 2s. 6d. and 3s. 6d. each;
18s. and 30s. per dozen.

EUCHARIS SANDERII.

A distinct and beautiful new species. Its snow-white flowers are produced in umbels, and the corona, which is marked with six yellow stripes, is so shallow that it merely projects as a rim beyond the mouth of the tube. The leaves are deep green. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 3s. 6d. each; 30s. per dozen.

EUCODONIA, *vide* Index.

EUGENIA MAGNIFICA, 1 guinea.

PIMENTA (ALLSPICE), 5s.

EUPHORBIA JACQUINÆFLORA, 2s. 6d. and 3s. 6d.

EUPHORBIA SPLENDENS, 3s. 6d.

EURYCLES AUSTRALASICA, 3s. 6d. and 5s.

CUNNINGHAMII, 3s. 6d.

EXOSTEMMA CHONTALENSIS, 10s. 6d.

FARADAYA PAPUANA.

A climbing shrubby plant from Java, furnished with opposito lanceolate leaves, attached by long thickened petioles, and coarsely bullate on the upper surface. The flowers are white, salver-shaped, with a limb of four sub-equal segments, and are produced in corymbose panicles. 10s. 6d.

FERNS, *vide* Index.

FILICUM DECIPiens, 10s. 6d.

FICUS BARBATA, 2s. 6d. and 3s. 6d.

DEALBATA, 7s. 6d. and 10s. 6d.

EBURNEA, 5s.

ELASTICA, 3s. 6d.

FICUS ELASTICA VARIEGATA, 10s. 6d. and 15s.

EXSCULPTA, *vide* page 35.

MOOREI, 5s.

PARCELLI, 3s. 6d.

RADICANS, 3s. 6d.

SYCOMORUS, 7s. 6d. and 10s. 6d.



ERYTHRINA VESPERTILIO.

A very distinct and grotesque looking warm greenhouse shrub, from Western Australia. The leaflets are very remarkable and unusual in form, and it is this which imparts grotesqueness to the aspect of the plant; they are obversely triangular, the base being cuneate, and the front side deeply hollowed out, so as to leave the two front angles projecting, the hollowed portion having sometimes a central apiculus. The flowers are numerous in showy erect racemes, pendulous, with an ovate standard nearly an inch and a half long. 10s. 6d.



FICUS EXSCULPTA.

FICUS EXSCULPTA.

A handsome plant, furnished with evergreen leaves of a peculiarly elegant form. It has been introduced from the South Sea Islands. The leaves are shortly stalked, lanceolate in outline, and sinuately lobed, the lobes are again sinuate so as to produce a prettily cut margin, the curious crenations giving the leaf the appearance of having been stamped or punched out. This was one of the twelve New Plants with which Mr. William Bull gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 5s. and 7s. 6d.

FITTONIA AROYRONEURA, 2s. 6d.

GIOANTEA, 2s. 6d.

PEARCEL, 2s. 6d.

FRANCISCEA ACUMINATA, 3s. 6d.

AUGUSTA (RAMOSISSIMA), 3s. 6d. and 5s.

CALYCINA, 5s.

CONFERTIFLORA (LAURIFOLIA), 3s. 6d.

EXIMIA, 3s. 6d.

HOPEANA (UNIFLORA), 3s. 6d.

HYDRANGEIFORMIS, 3s. 6d. and 5s.

LATIFOLIA, 3s. 6d.

LINDENI, 3s. 6d.

MAONIFICA, 7s. 6d.

ROSEA PERFECTA, 7s. 6d.

VIOLACEA GRANDIFLORA, 7s. 6d.

GALACTODENDRON UTILE (Milk Tree), 10s. 6d.**GARCINIA LIVINGSTONI**, 10s. 6d. and 15s.

INDICA, 1 guinea

MANGOSTANA, 2 and 3 guineas

GARDENIA CITRIODORA, 3s. 6d.

FLORIDA, 2s. 6d. and 3s. 6d.

FORTUNIANA, 2s. 6d. and 3s. 6d.

GLOBOSA, 5s.

GARDENIA RADICANS, 2s. 6d. and 3s. 6d.

THUNBERGII, 5s.

GEISSOMERIA MARMORATA, 3s. 6d.**GESNERA DONKELAARI**, 7s. 6d.

DOUOLASII, 3s. 6d. and 5s.

DUVALII, 5s.

LEOPOLDII, 3s. 6d.

— ALBO-CARMINEA, 3s. 6d.

— ROSEO-LILACINA, 3s. 6d.

MACRANTHA, 3s. 6d.

MARCHII, 5s.

*vide Index***GLONERA JASMINIFLORA**, 5s.**GLORIOSA PLANTII**, 2s. 6d. and 3s. 6d.

SUPERBA, 3s. 6d.

GLOXINIA, *vide Index***GODWINIA GIGAS**, 10s. 6d.**GOMPHIA DECORA**, 5s. and 7s. 6d.**GOODYERA**, *vide Orchids***GRAPTOPHYLLUM PICTUM**, 3s. 6d.

NORTONII, 2s. 6d.

GREVILLEA, *vide page 61.***GRIFFINIA HYACINTHINA.**

An extremely handsome and ornamental free flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5s. and 7s. 6d.

GRIFFINIA BLUMENAVIA, 7s. 6d.

DRYADES, 10s. 6d.

ORNATA, 10s. 6d.

GUSTAVIA ORACILLIMA, *vide page 37.***GUZMANNIA PICTA**, (NIDULARIUM FULGENS),

7s. 6d. and 10s. 6d.

GYMNOSTACHYUM, *vide Fittonia***GYNURA AURANTIACA**, 1s. 6d.**HÆMANTHUS INSIGNIS.**

A handsome species, native of Natal. The flower stems are thickly spotted with purple, and terminate each in a large leafy involucre, surrounding an umbel of exceedingly bright orange-scarlet flowers. The leaves, which accompany the flowers, are spotted with purple. 1 guinea.

HÆMANTHUS KALBREYERI.

A magnificent species from the West Coast of Africa. Its showy inflorescence is of immense size, a single head often producing upwards of a hundred of its attractive flowers, which are of a bright reddish vermilion colour. The filaments are brightly coloured, while the golden anthers have a pretty effect in contrast with the mass of glowing colour. 5s.

HÆMANTHUS COCCINEUS, 2s. 6d.

KATHERINÆ SUPERBUS

HEVEA BRASILIENSIS (PARA RUBBER)**HEDYCHUM ACUMINATUM**, 5s.

GARDNERIANUM, 3s. 6d.

HELICONIA AUREO-STRATA

METALLICA, 1 guinea

NITENS, 10s. 6d.

HEMIGRAPHIS COLORATA, 3s. 6d.**HIBISCUS ROSA SINENSIS ALBO-VARIEOATUS**,
2s. 6d. and 3s. 6d.**HIBISCUS ROSA SINENSIS BRILLIANTISSIMUS**, 5s.

ROSA SINENSIS CARMINATUS PERFECTUS, 3s. 6d.

— — COLLERI, 3s. 6d.

— — COOPERI, 2s. 6d.

— — CRUENTUS, 3s. 6d.

— — DENNISONI, 3s. 6d.

— — FULIDUS, *vide page 38.*— — KERMESINUS, *vide page 38.*

— — LAMBERTII, 3s. 6d.

— — MINIATUS SEMI-PLENUS, *vide page 39.***HIBISCUS ROSA SINENSIS MAGNIFICUS.**

A remarkably handsome and attractive variety producing magnificent flowers, which are of an exceedingly bright rosy magenta colour, shaded with crimson; the base of each petal is marked with a blotch of rich chocolate, which forms a large dark centre to the flower. 7s. 6d.

HIBISCUS ROSA SINENSIS PUNICEUS, 3s. 6d.ROSA SINENSIS VIVICANS, *vide page 39.*

— — ZEBRINUS, 3s. 6d.

SCHIZOPETALUS, 2s. 6d. and 3s. 6d.

HIBISCUS, see also page 64.**HIPPEASTRUM**, *vide AMARYLLIS***HOFFMANNIA (HIGGINSLA) GIBBSBRECHTII**, 2s. 6d.**HOFFMANNIA (HIGGINSLA) GIBBSBRECHTII**

VARIEGATA, 5s.

(HIGGINSLA) ORTOFESII, 3s. 6d.

(—) REFULOENS ARGYRONEURA, 3s. 6d.

(—) — ROBUSTA, 3s. 6d.

HOMALOMENA PELTATUM, 10s. 6d.**HOYA BELLA**, 3s. 6d.

CAMPANULATA, 3s. 6d. and 5s.



GUSTAVIA GRACILLIMA.

This magnificent plant was discovered in the United States of Colombia by M. Roezl. The flowers grow from the axils of the leaves in the young plants; they are solitary or in pairs, four inches in diameter, of a charming rose colour, consisting of eight obovate oblong petals, with a yellow incurved staminal tube bearing numerous densely packed purple anthers, in a ring of an inch or more across. It was figured in the *Botanical Magazine*, tab. 6151. 1 guinea.



HIBISCUS ROSA SINENSIS FULGIDUS.

This magnificent variety, which was obtained from the South Sea Islands, is remarkable alike for the size, colour and marking of its brilliant flowers. The leaves are broadly ovate, with coarsely serrated margins. The flowers are of very large size (five inches in diameter), composed of fine broad, rounded and beautifully undulated petals, of an intense carmine scarlet, paler and somewhat rosy-tinted towards the base, where on each petal is an oblong blotch of deep crimson, forming a blunt-rayed star in the centre of the flower. It is one of the finest varieties yet introduced. 3s. 6d.

HIBISCUS ROSA SINENSIS KERMESINUS.

A grand flowering stove plant, with the foliage and general habit of other varieties of this extremely ornamental species. The flowers are large and showy, full double, the petals broad, rounded, and undulated, the three or four outer series reflexed, the central ones erect, the innermost consisting of the transformed column developed into numerous petaliferous lobes bearing stamens on their margins. The colour is a fine rich carmine crimson. The plant has been imported from the South Sea Islands. 5s.



HIBISCUS ROSA SINENSIS MINIATUS SEMI-PLENUS.

This remarkably showy stove plant has firm, almost leathery, ovate leaves, which are coarsely toothed, and brilliant flowers of a vermilion scarlet colour, darker towards the base of the petals. The flowers are semi-double, the petals very much waved and recurved, forming an irregular undulated mass four inches across, from which the partially petaloid staminal column projects two inches. The brilliant and attractive flowers are remarkable for the absence of formality, the shape being wild, and abounding in fantastic curves, but nevertheless they are remarkably handsome. It has been imported from the South Sea Islands. 3s. 6d.

HIBISCUS ROSA SINENSIS VIVICANS.

A fine free-flowering stove plant of vigorous habit, with ovate stalked leaves, and remarkably large flowers, four and a half to five inches in diameter, full double, the centre being completely filled up with broad convolute petals, having tufts of stamens intermixed. The colour is a brilliant crimson scarlet. It is a very showy variety, and was imported from the South Sea Islands. 5s.

HOYA CUMINGIANA.

A very pretty stove climber, native of the Eastern Archipelago. It has terete branches with leathery leaves; the flowers grow in stalked umbels, and are of a tawny yellow colour with the segments recurved, while the lobes of the staminal crown have each a purple-crimson spot. 10s. 6d.

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 5s.

HOYA CARNOSA, 2s. 6d. and 3s. 6d.

CARNOSA PICTA AUREA, 5s.

— VARIEGATA, 3s. 6d. and 5s.

IMPERIALIS, 5s. and 7s. 6d.

PAXTONI, 3s. 6d.

STENOPHYLLA, 3s. 6d.

HOYA TEYSMANNIANA, 7s. 6d.

HYDROCOTYLE NITIDULA, 3s. 6d.

HYMENOCALLIS MACROSTEPHANA, 10s. 6d., 15s.
and 1 guinea.

vide Paneratum

IMANTOPHYLLUM, *vide* page 65.

HYMENOSPORUM FLAVUM.

A handsome evergreen plant from Eastern Australia. It is of branching habit, and is furnished with glabrous leaves which are broadly obovate-lanceolate. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 10s. 6d.

IMPATIENS CUSPIDATA, 7s. 6d.

FLACCIDA (PLATYPETALA), 2s. 6d.

— (—) ALBA, 1s. 6d.

HAWKERI, *vide* page 8.

SULTANI, 1s. 6d.

INDIGOFERA DECORA, *vide* page 65.

IPOMŒA HORSFALLIÆ, 5s. and 7s. 6d.

INSIGNIS, 3s. 6d. and 5s.

LEARII, 2s. 6d. and 3s. 6d.

TERNATA, 3s. 6d.

IPOMŒA THOMSONIANA.

A beautiful new species, in habit much resembling the well-known *I. Horsfalliæ*, the flowers, however, which are borne in clusters, are pure white and much larger, being about three inches in diameter at the mouth. It has thick fleshy leaves and from its free-blooming character, cannot fail to become one of the most popular and useful of stove-house climbers. 10s. 6d. and 15s.

ISMENE, *vide* page 65.

ISOLOMA MIRSUTA, 3s. 6d.

MOLLIS, 3s. 6d.

IXORA AMABILIS, 3s. 6d.

AMŒNA, 5s.

AURELLA, 3s. 6d.

IXORA AMBROSIA.

A distinct and very free-blooming variety, producing fine trusses of flowers of a bright orange-salmon colour. 7s. 6d.

IXORA AURORA.

Fine trusses of large attractive flowers, orange-buff on opening, changing afterwards to bright salmon. 15s.

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10s. 6d.

IXORA CHELSONI.

The flower pips of this splendid variety are of large size, and of exceptionally good form and great substance; they are produced in immense round full trusses; colour bright orange-salmon, flushed and shaded with pink. From its profuse flowering habit, dwarf-branching growth, and the rich tint of its blossoms, this variety will be found exceedingly useful and effective. 7s. 6d.

IXORA COCCINEA SUPERBA, 3s. 6d.

CONSPICUA, *vide* page 8

IXORA CROCATA RUTILANS, 3s. 6d. and 5s.

IXORA CONCINNA.

A splendid variety producing large and compact trusses of fine flowers, which on first expanding are of a bright salmon colour, but gradually change to deep salmon-pink; extremely beautiful. 10s. 6d.

IXORA DECORA.


Yellow flaked with rosy crimson; remarkably attractive; a magnificent variety producing noble trusses of very large fine flowers. 10s. 6d.

IXORA DUFFII, *vide* *I. macrothyrsus*

FORMOSA, 5s.

IXORA FRASERI, 3s. 6d.

GRIFFITHII, 5s.



IXORA SPLENDIDA.

IXORA SPLENDIDA.

A magnificent variety producing profusely very large and handsome tuesses of flowers of a rich bright orange-crimson colour; remarkable showy and attractive. 1 guinea.

IXORA EMINENS.

A splendid variety of exceptional merit, giving trusses of fine, large, well-formed flowers, clear buff on opening, changing afterwards to light salmon pink. 21s.

IXORA EXIMIA.

This variety produces fine large trusses of pips with very long tubes; the colour on opening is buff, changing afterwards to salmon-pink. 7s. 6d.

IXORA GEMMA.

A fine addition to this showy and effective genus. It has round and well-formed pips of a rich orange yellow colour, produced in large and compact trusses. This variety will be found of the greatest value for exhibition purposes. 15s.

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10s. 6d.

IXORA INSIGNIS.

A fine variety of close dwarf habit; deep rosy crimson flowers shaded with orange, borne in a compact truss. 15s.

IXORA JAVANICA FLORIBUNDA, 3s. 6d.

LAVERNA, 3s. 6d.

LOBBII, 7s. 6d.

IXORA LUCINDA, 5s.

MACROTHYRSUS (DUFFII), 3s. 6d.

MINERVA, 5s.

IXORA MIRANDA.

This variety produces compact trusses of flowers, which on first opening are of a buff colour, but change gradually to a rosy-salmon shade. 7s. 6d.

IXORA ORNATA.

A remarkably free-blooming variety, producing good trusses of bright orange-salmon flowers in the greatest profusion. 7s. 6d.

IXORA PICTURATA.

An extremely floriferous variety; the flowers on first opening are of a bright orange colour, which gradually changes to buff. 7s. 6d.

IXORA MODIOLA, 5s.

ODORATA, 6s.

IXORA PILORIMII, 5s.

PRINCE OF ORANGE, 3s. 6d.

IXORA PROFUSA.

An extremely free flowering variety, producing very fine huge trusses, densely furnished with flower pips of a beautiful rich soft rosy salmon colour. 7s. 6d.

IXORA PRINCEPS, 3s. 6d.

REGINA, 3s. 6d.

SANGUINEA, 3s. 6d.

IXORA SPECIOSA, *vide* page 8.

SPECTABILIS, 5s.

SPLENDIDA, *vide* page 41.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7s. 6d.

IXORA VERONA, 3s. 6d.

WESTII, 5s.

WILLIAMSII, 3s. 6d.

JACARANDA CLAUSSENIANA (*CUPANIA FILICIFOLIA*), 1 and 1½ guinea

ELEOANTISSIMA, 10s. 6d.

MIMOSÆFOLIA, 5s.

JASMINUM DUCHESSE D'ORLEANS, 3s. 6d.

GRACILLIMUM, 3s. 6d.

JASMINUM HIRsutUM (MULTIFLORUM), 2s. 6d. &

LIouSTRIFOLIUM, 3s. 6d. [3s. 6d.]

SAMBAC, 2s. 6d. and 3s. 6d.

— **FLORE PLENO**, 3s. 6d.

JATROPHA MULTIFIDA, 5s.

JONESIA ASOCA, 10s. 6d. and 15s.

JUSTICIA PURPUREA, 2s. 6d.

KÆMPFERIA BENSONLE, 7s. 6d.

BERKELEYI, 7s. 6d.

KÆMPFERIA GILBERTII.

A fleshy-rooted perennial, with attractively variegated foliage, introduced from the East Indies. From the succulent roots are annually produced a tuft of oblong-lanceolate deep green leaves, which are slightly undulated at the margin, and bordered by a broad and very conspicuous band of white. The purple and white flowers are peculiar in form as often occurs in the Zingiberaceous order. 5s.

KEMFERIA MOULMEINENSIS, 7s. 6d.
 ROSCOEANA, 5s.
 ROTUNDA, 5s.
 UNDULATA, 5s.
KYLLINGIA MONOCEPHALA, 3s. 6d.
LAMPROCOCCUS (*ÆCHMEA*) **DISCOLOR**, 5s.
 (—) **FULOENS**, 3s. 6d. and 5s.
 (—) **MINLATA**, 5s.
 (—) **WEILLBACHII**, 7s. 6d.
LANDOLPHIA KIRKII, 1 guinea
 WATSONIANA, 1 guinea
LAPORTEA SCHOMBURKII VERSICOLOR, 10s. 6d.
LASIANDRA, *vide* page 65.
LAURUS CINNAMOMUM, 5s. and 7s. 6d.
LEDENBERGIA ROSEO-ÆNEA, 3s. 6d.
LIBONIA, *vide* page 65.
LIETZIA BRASILIENSIS, 3s. 6d.
LOMATOPHYLLUM SAUNDERSONIANUM, 10s. 6d.
LUCULIA, *vide* Greenhouse Plants
MACROZAMIA, *vide* Index
MAGNOLIA MUTABILIS, 7s. 6d.
 PUMILA, 5s. and 7s. 6d.
MANETTIA BICOLOR, 2s. 6d. and 3s. 6d.
 CORDATA, 2s. 6d. and 3s. 6d.
 MICANS, 2s. 6d. and 3s. 6d.
MANGIFERA INDICA, 1 guinea
MARANTA ALBO-LINEATA, 3s. 6d.
 AMABILIS, 5s.
 ARGENTEA, 10s. 6d.
 ARGYREIA, 5s.
 ARUNDINACEA (*The Arrowroot Plant*), 7s. 6d.
 ASYMMETRICA, 10s. 6d.
 BACHEMIANA, 7s. 6d.
 BARAQUINII, 3s. 6d.
 BELLA, 7s. 6d.
 BICOLOR, 5s.
 BINOTII, 15s. and 1 guinea
 CHIMBORACENSIS, 5s.

MARANTA CONSPICUA, 7s. 6d.
 FASCIATA, 3s. 6d.
 GOULETII, 5s.
 GOVEANA, 5s.
 GRATIOSA, 10s. 6d.
 ILLUSTRIS, 3s. 6d.
 KERCHOVEANA, 3s. 6d. and 5s.
 LEOPARDINA, 7s. 6d.
 LIETZEI, 5s. and 7s. 6d.
 LINDENI, 3s. 6d.
 LUTBERSII, 3s. 6d.
 MAROYANA, 3s. 6d.
 MASSANGEANA, 3s. 6d.
 MUSAICA, 10s. 6d.
 NITENS, 7s. 6d.
 NITIDA, 10s. 6d.
 ORNATA, 3s. 6d.
 PICTURATA, 7s. 6d.
 PORPHYROCAULIS, 5s.
 PRASINA, 7s. 6d.
 PRINCEPS, 3s. 6d. and 5s.
 PULCHELLA, 5s.
 RADIATA, 5s.
 REGALIS, 3s. 6d.
 ROSEO-PICTA, 3s. 6d.
 SEEMANNI, 7s. 6d.
 SMARAGDINA, 7s. 6d.
 SPECIOSA, 10s. 6d.
 SPLENDIDA, 3s. 6d.
 TUBISPATIA, 3s. 6d.
 UNDULATA, 5s. and 7s. 6d.
 VEITCHII, 3s. 6d.
 VITTATA, 3s. 6d.
 WALLISII, 3s. 6d. and 5s.
 WARSCEWICZII, 3s. 6d.
 WIOTII, 5s.
 ZEBRINA, 3s. 6d.
MARCGRAVIA DUBIA, 5s.
 PARADOXA, 10s. 6d.

MARCGRAVIA INDICA.

This plant belongs to a very peculiar group of climbing plants, which cling like Ivy to the surface to which they become affixed. The present is a free-growing species, that will make a neat and very interesting wall climber, on account of the peculiarities of its growth and foliage. The stems are flattened, the leaves being two-ranked, oblong-ovate and of a deep green colour. 10s. 6d.

MASCARENHASIA CURNOWIANA, 10s. 6d.
MEDINILLA AMABILIS, 7s. 6d.
 CURTISII, 7s. 6d.
 MAGNIFICA, 3s. 6d. and 5s.
MELASTOMA MALABATHRICA, 5s.
MESUA FERREA, 10s. 6d.
METHONICA, *vide* Gloriosa
MEYENIA ERECTA, 2s. 6d. and 3s. 6d.
MICANIA PULVERULENTA, 3s. 6d.

MONOLENA (*BERTOLONIA*) **PRIMULEFLORA**, 5s.
MONOLOPHUS SECUNDA, 10s. 6d.
MONSTERA DELICIOSA (*Philodendron*
perthusum), 10s. 6d.
MUSA CAVENDISHII, 10s. 6d. and 15s.
 COCCINEA, 1 guinea
 SUPERBA, 7s. 6d. and 10s. 6d.
 VITTATA, 1 to 2 guineas

MUSA URANOSCOPOS.

This new Queensland Banana will form a noble ornament for a warm conservatory. It has a thick handsome stem, formed as in its allies, by the sheathing leaf-stalks, which support large broad leaves not unlike those of *Musa Ensete*. The flowers and fruit are borne in erect racemes, unlike those of the ordinary Banana, in which they are nodding. It is found on the scrub lands of the Johnstone and Daintree Rivers in Queensland. 10s. 6d., 15s. and 1 guinea.

MUSA ZEBRINA, 10s. 6d. and 15s.
MUSSENDA FRONDOSA, 3s. 6d.
 THEIPERA, 5s.

MYRTUS TOMENTOSA, 5s.
NEGELIA, *vide* GESNERA
NAPOLEONA IMPERIALIS, 5s. and 7s. 6d.



NEPENTHES RAFFLESIANA INSIGNIS.

A very distinct and magnificent variety of robust growth, producing extremely handsome and gigantic pitchers, about nine inches in length by four in breadth, heavily mottled in a most effective manner with purplish brown on a green ground. The deeply-ribbed rim surrounding the mouth of the pitcher is prolonged at the upper end into a stalk terminated by a large ovate oblong spreading lid, the under side of which is mottled with purplish brown. It has been described and illustrated in the *Gardeners' Chronicle*, September 30th, 1882. 5 guineas.



CARNIVOROUS PLANTS.

NEPENTHES AMPULLARIA VITTATA,
10s. 6d.

- AMPULLARIA VITTATA MAJOR, 1 guinea
 - CHELSONI, 1 guinea
 - COURTII, 1 guinea
 - DISTILLATORIA, 10s. 6d.
 - DOMINII, 10s. 6d.
 - ORACILIS MAJOR, 5s.
 - HENRYANA, 1 and 1½ guinea
 - HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea
 - HOOKERÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
 - HYBRIDA, 10s. 6d.
 - MACULATA, 10s. 6d.
 - INTERMEDIA, 10s. 6d.
 - KENNEDYANA, 1 guinea
 - LAWRENCEANA, 1 and 2 guineas
 - MASTERSIANA
 - MOROANIE, 15s. and 1 guinea
 - OUTRAMIANA, 1 guinea
 - PHYLLAMPHORA, 3s. 6d. and 5s.
 - RAFFLESIANA, 15s. and 1 guinea
 - INSIGNIS, *vide* page 44
 - NIVEA, 2 guineas
 - RATCLIFFIANA, 10s. 6d. and 15s.
 - SEDENT, 5s.
 - STEWARTII, 10s. 6d.
 - SUPERBA, 1 guinea
 - ZEYLANICA RUBRA, 15s.
- NIDULARIUM FULGENS,** *vide* Guzmanuia picta
- INNOCENTII, 10s. 6d.
 - SPECTABILE, 7s. 6d. and 10s. 6d.

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West Africa Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. It was discovered by one of my collectors in Liberia. 7s. 6d.

- OCHROSIA ELLIPTICA,** 5s.
- ODONTOGLOSSUM,** *vide* ORCHIDS
- ONCIDIUM,** *vide* ORCHIDS
- OPLISMENUS IMBECILLIS VARIEGATUS** (PANICUM VARIEGATUM), 1s. 6d.
- (PANICUM INTERMEDIUM) INTERMEDIUS, 2s. 6d. & 3s. 6d.

- ORCHIDS, *vide* Index
- OUVIRANDRA FENESTRALIS,** 1 guinea.
- OXALIS BUPLEURIFOLIA,** 5s.
- SENSITIVA, 3s. 6d. and 5s.
- PALICOUREA JUOOSA,** *vide* page 8.
- PALISOTA BARTELI,** 7s. 6d.
- PALMS,** of sorts, *vide* Index

PANAX DIFFISSUM.

An interesting compact-growing stove plant, a native of the South Sea Islands. It has pale bright green leaves, which are triangular, bipinnate, and crispate, the primary divisions with spiny-toothed, bluntish secondary divisions, the teeth turned upwards, which gives to the surface of the leaf its crispy appearance. 5s. and 7s. 6d.

PANAX DISSECTUM.

An evergreen plant of branching habit; the leaves are numerous, drooping, and bipinnate, having the obovate cuneate leaflets very greatly varied in size and outline, all of them being furnished with long marginal teeth. This plant from its plumose character and elegant habit, is exceedingly pretty for table decoration and other ornamental purposes. 7s. 6d.

PANAX DUMOSUM.

A remarkably neat and pleasing dwarf stove plant, with short-jointed stems, thickly clothed with deeply divided cheerful green leaves. The petioles are olive-green, mottled with brighter green, and terminating in a roundish-ovate pinnately divided blade of numerous variously-shaped lobes, the pinæ furnished at the margins with incurved spiny teeth. Extremely ornamental. 5s. and 7s. 6d.

- PANAX ELEGANS,** 10s. 6d.
- EXCELSUM, 3s. 6d.

- PANAX FRUTICOSUM,** 7s. 6d.
- LACINIATUM, 3s. 6d.

PANAX FISSUM.

A very elegant and ornamental stove shrub, with an erect branched stem, flecked with small elongate pallid spots, the leaf-stalks being of the same colour. The leaves are tripinnately divided, with a few incurved whitish teeth on each margin. 5s. and 7s. 6d.



PANAX PLUMATUM.

PANAX PLUMATUM.


A very elegant plant, from the South Sea Islands. The leaves form a crispy head of foliage, and are very elegantly divided. It is a plant of pleasing character, having the aspect of *P. laciniatum*, but many degrees more finely cut. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Ghent. *6s.*

PANAX VICTORLÆ, *vide* page 47
PANCRATIUM AMENUM, 3*s.* 6*d.* and 5*s.*

PANCRATIUM CANDIDUM, 3*s.* 6*d.*
FRAGRANS, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

PANCRATIUM CARIBBÆUM.

A very distinct and beautiful species from the West Indies; its flowers are pure white, very fragrant, and most useful for cutting for bouquets and other decorative purposes. 2*s.* 6*d.* and 3*s.* 6*d.*



PANAX VICTORIE.

PANAX VICTORIE.

A distinct and very graceful stove plant, thickly furnished with leaves of a remarkably elegant character, forming a recurving mass of pleasing variegated foliage. The leaf-blade is ternate, the leaflets being prettily margined with white, which gives the plant a remarkably lively and pictorial character. It is a native of the South Pacific Islands, and is one of the most elegant variegated plants of modern introduction. 5s., 7s 6d. and 10s. 6d.



PHILODENDRON CARDERI.

This exquisitely coloured Arad is a native of South America. The leaves are of a dark shaded bottle-green, with a satiny lustre, the principal ribs being marked out by bright green lines of a glaucous or metallic hue; at the back the leaves are of a shaded wine-purple, the course of the veins being marked by broad green lines. The glossy shaded satiny surface of the leaves imparts to them a wondrous degree of beauty. 10s. 6d.

PANCRATIUM MEXICANUM, 1s. 6d. and 2s. 6d.
 ROTATUM, 3s. 6d.
 SPECIOSUM, 5s. and 7s. 6d.
PANCRATIUM, *vide* *Hymenocallis*
PANDANOPHYLLUM HUMILE, 1½ guinea
PANDANUS JAVANICUS VARIEOATUS, 3s. 6d. and 5s.
 ORNATUS, 15s.
 UTILIS, 2s. 6d. and 3s. 6d.
 VANDERMEERSCHII, 10s. 6d.
 VEITCHII, 3s. 6d. and 5s.
PANICUM VARIEOATUM, *vide* *Oplismenus*

PANICUM INTERMEDIUM, *vide* *Oplismenus*
PAPYRUS ANTIQUORUM, 7s. 6d.
PARMENTIERA CERREIFERA, 1 guinea
PASSIFLORA ALATA, 3s. 6d.
 AMABILIS, 3s. 6d.
 BIJOU, 3s. 6d.
 BUONAPARTEA, 2s. 6d. and 3s. 6d.
 CARDINALIS, 2s. 6d. and 3s. 6d.
 EDULIS, 3s. 6d.
 FULGENS, *vide* *Tacsonia Buchananii*

PASSIFLORA HAHNII.

This is a very distinct and beautiful variety of Passion-flower. It is a native of Mexico, and is a free-growing temperate stove climber. The flowers are about three inches across, of a creamy white, with a yellowish corona, and are produced in great profusion. It has received a First Class Certificate from the Royal Horticultural Society. 5s.

PASSIFLORA KERMESINA, 3s. 6d.
 LAURIFOLIA, 5s.

PASSIFLORA LOUDONI, 3s. 6d.
 MADONNA, 3s. 6d.

PASSIFLORA MACROCARPA.

A free-growing climber, introduced from the Rio Negro. The blossoms are very large, white and purple, but it is chiefly remarkable for its immense fruits, which often weigh as much as eight pounds each or more, and are of excellent quality. 3s. 6d. and 5s.

PASSIFLORA QUADRANGULARIS VARIEGATA.

The bold character and beautiful flowers of *Passiflora quadrangularis* are too well known to need description. The present variety differs from it in having the foliage variegated. The leaves are very freely covered with yellow blotches and spots, producing a colouration which is at once handsome and conspicuous. 3s. 6d. and 5s.

PASSIFLORA MUTABILIS, 3s. 6d.
 PRINCEPS (RACEMOSA), 3s. 6d.
 QUADRANGULARIS, 2s. 6d. and 3s. 6d.
 SHEPPARDII, 3s. 6d.
 TRIFASCIATA, 3s. 6d.
 VITIFOLIA, *vide* *Tacsonia Buchananii*
 See also page 66
PAULLINIA HOOIBREKII, 10s. 6d.
 OCEANICA, 10s. 6d.
 SORBILIS, Guarana Tea Plant, 10s. 6d.
 THALICTRIFOLIA, 3s. 6d.
 — AROENTEA, 5s.
PAVETTA BOBBONICA, 10s. 6d.
PAVONIA MULTIFLORA (WIOU), 3s. 6d.

PAVONIA MAKAYANA, 3s. 6d.
PEDILANTHUS TITHYMALOIDES VARIEGATUS, 7s. 6d.
PELLONIA DAVEAUNANA, 2s. 6d.
 PULCHRA, 2s. 6d.
PENTAS CARNEA, 1s. 6d. and 2s. 6d.
 KERMESINA, 1s. 6d. and 2s. 6d.
PEPEROMIA AROYREIA, 3s. 6d.
 EURNEA, 3s. 6d.
PETRÆA URECTA, 5s. and 7s. 6d.
PHILODENDRON CARDERI *vide* page 48
 CRINIPES, 5s.
 DISCOLOR, 5s.
 GLORIOSUM, 5s. and 7s. 6d.

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots, the larger ones being surrounded by numerous smaller dots of the same colour. 2 guineas.

PHILODENDRON IMPERIALE (MAMEI), 1 guinea
 LINDENIANUM, 3s. 6d. and 5s.
 MELANOCHRYSUM, 5s.

PHILODENDRON PERTUSUM, *vide* *Monstera deliciosa*
 RADIATUM, 7s. 6d.

PHYLLAGATHIS GYMNANTHA.

A handsome stove perennial, with a short erect stem, furnished with ovate leaves, which are seven-nerved, cordate at the base, ciliate at the margins; the surface bright glossy green. The peduncles, which spring from the upper axils, are tinged with red below, each bearing a compact head of pink flowers, which have obliquely bilobed petals. It has been imported from Borneo. 7s. 6d.

PHYLLAGATHIS ROTUNDFOLIA, 5s. & 7s. 6d.
PHYLLANTHUS ATROPURPUREUS, 3s. 6d.
 ELEGANS, 5s.
 NIVOSUS, 3s. 6d.
 ROSEO-PICTUS, 3s. 6d.
 SEEMANNIANUS, 7s. 6d.
PHYLLARTHON COMORENSE, 7s. 6d.

PHYLOTÆNIUM LINDENI, 3s. 6d. and 5s.
PILEA MUSCOSA, 2s. 6d.
PIPER ORNATUM, 5s.
PIPERS, of sorts, 2s. 6d. and 3s. 6d.
PISTIA STRATIOTES, 3s. 6d.
PITCAIRNIA, *vide* page 52



POTHOS AUREUS.

POTHOS AUREUS.

This remarkably distinct Aroid, which is of climbing habit, has been imported from the Solomon Islands. The leaves are strikingly variegated, heart-shaped, and unequal sided, of a dark green, boldly and irregularly marked by bands or blotches of creamy yellow, here and there suffused with pale yellowish green. Being of free growth, it will be an ornamental object in the tropical plant stove, where it will find itself at home on walls and artificial reekwork. 3s. 6d. and 5s.



POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stem; the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10s. 6d.

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms: the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10s. 6d., 15s. & 1 guinea.

- PITCAIRNIA** CORALLINA, 5s. and 7s. 6d.
 PLATYPHYLLA, 7s. 6d.
 TABULIFORMIS, 3s. 6d. and 5s.
PLEROMA MARMORATA, 10s. 6d.
PLOCOSTEMMA LASIANTHUM, 5s.
PLUMBAGO COCCINEA SUPERBA, 2s. 6d. & 3s. 6d.
 ROSEA, 2s. 6d. and 3s. 6d.
POGOSTEMON PATCHOULI, 3s. 6d.
POINCIANA PULCHERRIMA, 7s. 6d.
 REGIA, 7s. 6d.
POINSETTIA PULCHERRIMA, 1s. 6d. and 2s. 6d.
 PULCHERRIMA ALBA, 2s. 6d. and 3s. 6d.
 — PLENISSIMA, 2s. 6d. and 3s. 6d.
 — ROSEO-CARMINATA, 2s. 6d.
PORTLANDIA GRANDIFLORA, 7s. 6d.
POSOQUERIA MULTIFLORA, 7s. 6d.
POTHOS ARGYREA, 2s. 6d. and 3s. 6d.
 AUREUS, *vide* page 50
 CELATOCOAULIS, 5s.
 FLEXUOSUS, *vide* page 51
 MACROPHYLLUS, 3s. 6d.
PSIDIUM CATLEYANUM (The Guava), 5s. & 7s. 6d.
PSYCHOTRIA CYANOCCOCA, 3s. 6d. and 5s.
PUYA MAIDIFOLIA, 5s.
 SULPHUREA, 7s. 6d.
 UNDULATA, 7s. 6d.
RAVENALA MADAGASCARIENSIS "The Traveller's Tree," 15s. and 1 guinea

- REIDIA** GLAUCESCENS, 3s. 6d. and 5s.
RHOPALA, of sorts, 5s., 7s. 6d. and 10s. 6d.
ROGIERA CORDATA (AMGENA), 3s. 6d.
 GRATISSIMA, 3s. 6d. and 5s.
 THYRSIFLORA, 5s.
RONDELETIA BREVIFOLIA, 3s. 6d.
 BRILLIANTISSIMA, 5s.
 SPECIOSA MAJOR, 3s. 6d.
RONNBERGIA COLOMBIANA, 1 guinea
 MORRENTANA, 1 guinea
ROSCOEIA PURPUREA, 10s. 6d.
RUBUS FLEXUOSUS, 5s.
RUDGEA MACROPHYLLA, 10s. 6d. and 15s.
RUELLIA ACUTANGULA, 5s.
 PORTELLÆ, 5s.
 ROSEA, 3s. 6d.
RUSSELLIA JUNCEA, 5s.
SACCHARUM OFFICINARUM "Sugar Cane," 7s. 6d.
SAMYDA NOBILIS, 1 guinea
SANCHEZIA NOBILIS GLAUCOPHYLLA, 5s.
 NOBILIS VARIEGATA, 3s. 6d.
SANSEVIERA GUINEENSIS, 7s. 6d.
 ZEYLANICA (JAVANICA), 3s. 6d.
SAXO-FRIDERICIA SUBCORDATA, 3 guineas
SCHISMATOGLOTTIS CRISPATA, 5s.
 LATIFOLIA, 7s. 6d.
 LAVALLEI, 5s.

SCHISMATOGLOTTIS DECORA.

A dwarf stove perennial, with very short stems, and ovate acuminate leaves, the upper surface of which is green, decorated with thickly distributed oblong silvery grey blotches, covering fully half the area, the under surface being pale green. It has been imported from Borneo. 7s. 6d.

- SCHISMATOGLOTTIS** LONGISPATHA, 5s.
 SIAMENSIS, 10s. 6d.

- SCHISMATOGLOTTIS** VARIEGATA, 3s. 6d.
SCHISTOCASIA PORTEI, *vide* *Alocasia* Portei

SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10s. 6d.

- SCIADOCALYX** LUCIANA, 3s. 6d.
SCINDAPSUS PICTUS, 2s. 6d. and 3s. 6d.
SCUTELLARIA MOCINIANA, 2s. 6d. and 3s. 6d.
SERICOGRAPHIS GHIESBRECHTIANA,
 2s. 6d. and 3s. 6d.
SINNINGIA PUNCTATA, 3s. 6d.
 PURPUREA NIGRA, 3s. 6d.
SIPHOCAMPYLUS HUMBOLDTIANUS (FULGENS), 5s.
SMILAX AURICULATA, *vide* page 70
 DISCOLOR, *vide* page 9
 LONGIFOLIA VARIEGATA, 5s.
 SHUTTLEWORTHII, 7s. 6d.
SOLANDRA GRANDIFLORA, 5s.
SONERILA HENDERSONI, 3s. 6d. and 5s.
 HENDERSONI ARGENTEA, 3s. 6d. and 5s.
 — MARMORATA, 3s. 6d. and 5s.
 — PICTURATA, 5s.
 — SPECIOSA, 5s.
 MARGARITACKA ALBA, 3s. 6d. and 5s.
 — SUPERBA, 3s. 6d. and 5s.
SPATHIPHYLLUM PICTUM, 5s.

- SPATHODEA** CAMPANULATA, 7s. 6d.
SPHEROGYNE LATIFOLIA, 5s.
SPHEROSTEMA MARMORATUM, 3s. 6d. and 5s.
STADMANNIA AMABILIS, 10s. 6d.
 JONGHEI, 10s. 6d.
STENOSPERMATIUM WALLISII, 5s.
STEPHANOPHYSUM BAIKIEI, 2s. 6d. and 3s. 6d.
 LONGIFOLIUM, 5s.
STEPHANOTIS FLORIBUNDA, 3s. 6d.
 FLORIBUNDA, "Elyaston" variety,
 3s. 6d. & 5s.
STEUDENERA COLOCASLEFOLIA, 5s.
 DISCOLOR, 10s. 6d.
STIGMAPHYLLUM CILIATUM, 5s.
STRELITZIA AUGUSTA, 15s.
 NICOLAI, 2 guineas
 REGINÆ, 10s. 6d., 15s. and 1 guinea
STREPTOCARPUS BIFLORUS, 2s. 6d. and 3s. 6d.
 POLYANTHUS, 2s. 6d.
 REXII, 2s. 6d. and 3s. 6d.

SYNGONIUM ALBO-LINEATUM, 3s. 6d.
WENDLANDII, 3s. 6d.
TABERNÆMONTANA CAMASSA, 3s. 6d.
 CORONARIA FLORE PLENO, 3s. 6d.
 WALLICHIANA, 10s. 6d.
TACCARUM WARMINOIANUM, 1 guinea
TACSONIA BUCHANANI (VITIFOLIA), 3s. 6d. & 5s.
TAPEINOTIS CAROLINÆ, 3s. 6d.
 CAROLINÆ MAJOR, 5s.
TECOMA AMBOINENSIS, *vide* page 9
TERMINALIA ELEGANS, 7s. 6d.

THEOBROMA CACAO, 10s. 6d.
THROPHRASTA IMPERIALIS, *vide* *Chrysophyllum imperiale*
THUNBERGIA FRAGRANS, 3s. 6d.
 ORANDIFLORA, 3s. 6d.
 HARRISII, 3s. 6d.
 LAURIFOLIA, 3s. 6d.
THYRSACANTHUS RUTLANS, 2s. 6d. and 3s. 6d.
TILLANDSIA ACAULIS ZEBRINA, *vide* *Cryptanthus bivittata*, *vide* *Cryptanthus* (CARAGUATA) **CARDINALIS**, 2 guineas

TILLANDSIA HIEROGLYPHICA.

A beautiful Bromeliaceous plant, with very attractive foliage. The leaves are recurved, and at first sight have the appearance of being hieroglyphical inscriptions. The markings are of a pale green colour, traversed transversely by distinct irregular bands of deeper green, repeated on the under surface of a deep chocolate-purple colour. 5s., 7s. 6d. and 10s. 6d.

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 15s., 1 and 1½ guinea.

TILLANDSIA (CARAGUATA) MUSAICA, 1½, 2 and 3 guineas
 (CARAGUATA) **SANGUINEA**
 TESSELATEDA, 10s. 6d.
 (CARAGUATA) **ZAHNH**, 3s. 6d. and 5s.
TORENIA ASIATICA, 1s. 6d. and 2s. 6d.
 PULCHERRIMA, 1s. 6d. and 2s. 6d.
TOXICOPHLEA (ACOCANTHERA) SPECTABILIS, 3s. 6d.
 THUNBERGII, 5s.
TRADESCANTIA, *vide* *Cyranotis*
TREVESIA EMINENS, 10s. 6d.
TYDÆA, *vide* Index
URCEOLINA AUREA, 3s. 6d. and 5s.
UROSKINNERA SPECTABILIS, 3s. 6d.
UTRICULARIA MONTANA, 7s. 6d. and 10s. 6d.

VANILLA AROMATICA, 7s. 6d. and 10s. 6d.
 PLANIFOLIA, 7s. 6d. and 10s. 6d.
VINCA ALBA, 2s. 6d. and 3s. 6d.
 ALBA OCULATA, 2s. 6d. and 3s. 6d.
 ROSEA, 2s. 6d. and 3s. 6d.
VITIS CHONTALENSIS, 5s.
VRIESIA BRACHYSTACHYA, 7s. 6d.
 FALKENBERGII, 1 guinea
 FENESTRALIS, 7s. 6d.
 SPLENDENS (SPECIOSA), 3s. 6d. and 5s.
WORMIA BURBIDOEI, 10s. 6d.
ZAMIA, *vide* Index
XYLOPHYLLA ANGUSTIFOLIA, 5s.
 INTERMEDIA, 5s.
ZINGIBER OFFICINALE, 3s. 6d.
 ZERUMBET, 3s. 6d.

NEW, RARE, AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2s. 6d.
ABUTILONS, *vide* pages 75 and 76
ACACIA ARMATA, 1s. 6d.
 DEALBATA, 2s. 6d. and 3s. 6d.
 DRUMMONDII, 2s. 6d. and 3s. 6d.
 GRANDIS, 3s. 6d.
 LONOIFOLIA MAGNIFICA, 3s. 6d.
 PLATYPTERA, 3s. 6d.

ACACIA PUBESCENS, 3s. 6d. and 5s.
 RICEANA, 2s. 6d. and 3s. 6d.
 SPILEROCEPHALA, *vide* page 11
 TENUIFOLIA, 5s.
 VERTICILLATA, 2s. 6d.
 of sorts, 2s. 6d., 3s. 6d. and 5s.
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5s.
ACROPHYLLUM VENOSUM, 5s. and 7s. 6d.

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite leaves on dark purple petioles, the leaves being of an ovate form. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5s.

ADENANDRA FRAGRANS, 2s. 6d. and 3s. 6d.
AGAPANTHUS UMBELLATUS, 1s. 6d.

AGAPANTHUS UMBELLATUS ALBUS, *vide* *A. umbellatus candidus*

AGAPANTHUS UMBELLATUS CANDIDUS.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3s. 6d.



ASPARAGUS PLUMOSUS NANUS

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. Mr. W. B. having imported a large quantity from South Africa, is enabled to offer good plants at 5s., 7s. 6d. and 10s. 6d.

AGAPANTHUS UMBELLATUS FLORE-PLENO.

This distinct plant has been introduced from the Cape of Good Hope. It differs materially from the normal type by producing umbels of dark blue double flowers. 10s. 6d.

AGAPANTHUS UMBELLATUS MAXIMUS, 3s. 6d.
UMBELLATUS FOLIIS VARIEGATIS, 2s. 6d. & 3s. 6d.
 — MINOR, 3s. 6d.
 — MOOREANUS, 1s. 6d. and 2s. 6d.
AGAVE AMERICANA LONOIFOLIA VARIEGATA, 5s.
 AMERICANA MEDIO-PICTA, 10s. 6d.
 — VARIEGATA, 2s. 6d. and 3s. 6d.
 NUBOSA, *vide* Fourcroya
 CELSIANA, 3s. 6d. and 5s.
 DESERTI, 5s.
 FILIFERA, 15s. and 1 guinea.
 SEEMANNI, 1 guinea.
 SHAWII, 3s. 6d. and 5s.
AGNOSTUS, *vide* Stenocarpus
ALLAMANDA, *vide* page 11
ALOE FEROX, 3s. 6d. and 5s.
ALOYSIA CITRIODORA (LEMON-SCENTED
 VERBENA), 1s.

AMARYLLIS, *vide* pages 11 and 12
AMORPHOPHALLUS (PROTEINOPHALLUS)
 RIVIERI, 2s. 6d. and 3s. 6d.
ANIGOZANTHUS FLAVIDUS, 5s.
ANOPTERUS GLANDULOSA, 5s. and 7s. 6d.
ANTHERICUM VARIEGATUM, *vide* Phalangium
 argenteo-lineare
AOTUS GRACILLIMA, 2s. 6d. and 3s. 6d.
APHELEXIS HUMILIS, 2s. 6d. and 3s. 6d.
 MACRANTHA PURPUREA, 2s. 6d. and 3s. 6d.
 — ROSEA, 2s. 6d. and 3s. 6d.
 RUPESTRIS ORANDIFLORA, 2s. 6d. and 3s. 6d.
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
 PAPIRIFERA, 3s. 6d.
ARAUCARIA BIDWILLII, 5s. and 7s. 6d.
 COOKII, 3s. 6d., 5s. and 7s. 6d.
 CUNNINGHAMII, 3s. 6d., 5s. and 7s. 6d.

ARAUCARIA EXCELSA.

Mr. W. B. has lately imported a fine lot of this handsome conservatory plant. 3s. 6d., 5s. and 7s. 6d. Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5s. and 7s. 6d.
ARDUINA GRANDIFLORA, 7s. 6d.
ARISEMA FIMBRIATUM, *vide* page 16

ARUNDO DONAX VARIEGATA, 3s. 6d. and 5s.
ASPARAGUS DECUMBENS, 3s. 6d. and 5s.
 FALCATUS, 7s. 6d.

ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration. 3s. 6d., 5s. and 7s. 6d.

ASPARAGUS PLUMOSUS NANUS, *vide* page 54

ASPARAGUS TENUISSIMUS, 5s.

ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of fruticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbos head of erect branches, of which the lowest is the youngest or most recently developed. 3s. 6d. and 5s.

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 30s., 42s. and 60s. per dozen.
 New varieties, 5s., 7s. 6d. and 10s. 6d. each.

AZALEA BALSAMINIFLORA, *vide* page 56
BAMBUSA, *vide* page 76.
BEGONIA, *vide* Index
BERBERIDOPSIS CORALLINA, 3s. 6d.
BIGNONIA CHEERER, 3s. 6d. and 5s.
 EXCELSA, 7s. 6d. and 10s. 6d.
 ORANDIFLORA, 2s. 6d. and 3s. 6d.
 JASMINOIDES, 2s. 6d.

BIGNONIA JASMINOIDES ALBA MAGNA, 2s. 6d. to 5s.
 JASMINOIDES SPLENDIDA, 2s. 6d. to 5s.
 MAGNIFICA, *vide* page 17
 VENUSTA, 3s. 6d. and 5s.
BLANDFORDIA AUREA, 10s. 6d.
 FLAMMEA, 10s. 6d.
 NOBILIS, 5s. and 7s. 6d.
 PRINCEPS, *vide* page 57

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata* (*grandiflora*)."
 The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5s., 7s. 6d. and 10s. 6d.



AZALEA BALSAMINÆFLORA.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 10s. 6d., 15s. and 1 guinea.

**BLANDFORDIA PRINCEPS.**

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are $2\frac{1}{2}$ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, tab. 6209. 2 and 3 guineas.



BOMAREA CARDERI.

An extremely handsome climber, sent from the United States of Colombia by one of my collectors. It is a glabrous twining plant, producing large heads of charming pendulous bell-shaped flowers. The individual flowers, in size and shape, remind one somewhat of those of *Lapageria rosea*, but are rather more contracted towards the mouth, and of a lighter rose-pink colour, while the tips of the segments are spotted with purplish brown. 15s.; extra strong plants, 2 and 3 guineas.

BOMAREA KALBREYERI.

A new and beautiful species, introduced from South America. The flowers which are borne in terminal umbels, are of an orange-yellow colour, the exterior sepals being bright red. 1½ guinea.

BOMAREA PATAOCENSIS (CONFERTA).

A beautiful new crimson-flowered species from the United States of Colombia, producing immense heads of blossom, composed of from thirty to sixty flowers, each of which is from 2 to 2½ inches long. It is a splendid addition to our greenhouse climbers, its lovely many-flowered bunches of rich crimson Lapageria-like flowers rendering it especially attractive. 15s. and 1 guinea.

BOMAREA CARDERI, *vide* page 58

WILLIAMSÆ, 1 guinea

BORONIA DRUMMONDII, 2s. 6d. and 3s. 6d.

MEGASTIGMA, 3s. 6d. and 5s.

BORONIA SERRULATA, 2s. 6d. and 3s. 6d.

BOUVARDIAS, *vide* Index

BRACHYSEMA ACUMINATUM, 2s. 6d. and 3s. 6d.

UNDULATUM, 5s. and 7s. 6d.

BRACHYCHITON ACERIFOLIUM.

A tree of highly ornamental appearance. From the exceeding brilliancy of its rich red flowers it is called the Flame Tree. It might with great propriety be also called the New South Wales "Lace Bark Tree." The bast furnished by this tree is of the most beautiful lace-like texture, and is considered superior to Cuba Bast; the fibre is suitable for the manufacture of ropes, cordage, mats, &c. 7s. 6d.

BOWIEA VOLUBILIS, 3s. 6d.

BRUGMANSIA ARBOREA, 3s. 6d.

KNIGHTII (flore pleno), 3s. 6d.

SANOUINEA, 3s. 6d. & 5s.

SUAVEOLENS, 3s. 6d.

BUPHANE (BRUNSVIOIA) TOXICARIA, 7s. 6d. & 10s. 6d.

CALCEOLARIA PAVONI, 3s. 6d. and 5s.

CALLA ÆTHIOPICA, *vide* Richardia africana

CALLICARPA PURPUREA, 3s. 6d.

CALODENDRON CAPENSE, 5s.

CAMPANULA VIDALII, 2s. 6d.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 2, 3, 4 and 6 guineas per dozen.

New varieties, 7s. 6d., 10s. 6d. and 15s. each.

CAMPHORA OFFICINALIS, 5s.

CAMPSIDUM FILICIFOLIUM, *vide* page 18

CANARINA CAMPANULATA, 1s. 6d.

CANTUA BICOLOR, 3s. 6d.

CANTUA CORYMBIFLORA, 3s. 6d.

DEPENDENS, 3s. 6d.

CARNATIONS, Tree, of sorts, 30s. and 42s. per dozen.

CASTANOSPERMUM AUSTRALE.

This interesting plant, a native of Australia, is known as the Moreton Bay Chestnut. 5s.

CEPHALOTUS FOLLICULARIS, 7s. 6d., 10s. 6d.
15s. and 1 guinea.

CEREUS C. M. HOVEY, 5s.

ORANDIFLORUS, (night-blooming), 3s. 6d. & 5s.

M'DONALDII, 3s. 6d. and 5s.

SPECIOSISSIMUS, 2s. 6d. and 3s. 6d.

CESTRUM AURANTIACUM, 2s. 6d. and 3s. 6d.

CHLIDANTHUS FRAGRANS, 1s.

CHOROZEMA CORDATUM SPLENDENS, 2s. 6d. & 3s. 6d.

CHOROZEMA HENCHMANNI, 3s. 6d. and 5s.

LAWRENCEANUM, 2s. 6d. and 3s. 6d.

VARIUM CILANDLERI, 2s. 6d. and 3s. 6d.

CHRYSANTHEMUM FRUTESCENS, *vide* Index

CISSUS ANTARCTICA, 2s. 6d. and 3s. 6d.

CAPENSIS, 3s. 6d.

RHOMBEA, 3s. 6d.

CLEMATIS INDIVISA, 3s. 6d. and 5s.

of sorts, *vide* pages 76 & 77.

CLEYERA JAPONICA TRICOLOR.

A handsome variegated plant from Japan. The leaves are leathery in texture, obovate in form, of a dark green colour, with longitudinal and oblique bands of greyish green, the margin creamy white, tinged with bright rose colour, which is very conspicuous in the younger foliage. The five-petalled flowers are yellowish white. 10s. 6d.

CLIANTHUS PUNICEUS, 3s. 6d.

PUNICEUS MAONIFICUS, 3s. 6d.

CLIVIA NOBILIS, 5s. and 7s. 6d.

COBÆA SCANDENS VARIEGATA, 2s. 6d. and 3s. 6d.

COLEUS, *vide* Index

COPROSMA BAUERIANA, 1s. 6d. and 2s. 6d.

BAUERIANA PICTURATA, 3s. 6d.

— VARIEGATA, 1s. 6d. and 2s. 6d.

CORREAS, of sorts, 2s. 6d. and 3s. 6d.

CRASSULA EBERLEANA, 3s. 6d.

CRINUM AUSTRALE.

This bears the name of Botany Bay Lily, and is an ornamental bulbous plant, requiring greenhouse temperature. The flowers are very fragrant, and from ten to fifteen in an umbel, each consisting of a long slender tube, and a spreading or recurved limb of six white segments. 5s.

CRINUM, MOOREI, 7s. 6d.

PEDUNCULATUM PACIFICUM, *vide* page 60.

POWELLI, 10s. 6d.

CRINUM, *vide* also pages 20 and 21.


CROWEA STRICTA, 3s. 6d. and 5s.

CYCADS, *vide* Index



CRINUM PEDUNCULATUM PACIFICUM.

A noble species, known as the Wedding Lily, introduced from Lord Howe's Island, producing immense umbels of deliciously scented, pure white blossoms. The individual flowers are from four to five inches in diameter, and as many as from twenty to thirty are produced in each umbel. The plant is of bold habit, with cylindrical-shaped bulbs. The delightful fragrance of its large and handsome heads of chaste blossoms makes this plant a most desirable acquisition. 10s. 6d. & 15s.



DEYEUXIA ELEGANS VARIEGATA.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, a foot to a foot and a half in length, and about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1881. 7s. 6d. and 10s. 6d.

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7s. 6d., 10s. 6d., 15s. and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18s., 30s. and 42s. per dozen.

CYCLAMEN PERSICUM ALBUM, 2s. 6d. and 3s. 6d.

PERSICUM RUBRUM, 2s. 6d. and 3s. 6d.

— **GRANDIFLORUM**, 3s. 6d. and 5s.

— of various choice sorts, 3s. 6d. and 5s.

CYRTANTHUS OBLIQUUS, 5s.

CYTISUS FILIPES, 3s. 6d. and 5s.

RACEMOSUS, 1s. and 1s. 6d.

CYTISUS RACEMOSUS EVERESTIANUS, 3s. 6d.

DAHLIA IMPERIALIS, 3s. 6d.

IMPERIALIS ALBA, 3s. 6d.

— **ARNOREA**, 3s. 6d.

— **ROSEA**, 3s. 6d.

of sorts, *vide* Bedding Plants
DALECHAMPIA, *vide* page 27.

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5s.

DAPHNE INDICA RUBRA, 3s. 6d. and 5s.

PAPYRACEA, 5s.

DARLINGTONIA CALIFORNICA, 10s. 6d. and 15s.

DARWINIA, *vide* Genctyllis

DASYLIRION GLAUCUM, 1 guinea

LONIOFOLIUM, 5s.

DESFONTAINEA SPINOSA, 2s. 6d. and 3s. 6d.

DEYEUZIA ELEGANS VARIEGATA, *vide* page 61

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle Islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5s. and 7s. 6d.

DIONÆA MUSCIPULA.

(THE FLY-TRAP PLANT, OR VENUS' FLY-TRAP.)

One of the most wonderful illustrations of vegetable structure and design known among plants, the formation of its leaf organs being singularly adapted for entrapping insects. 2s. 6d. and 3s. 6d.

DORYANTHES EXCELSA, 10s. 6d.

| **DORYANTHES PALMERI**, 3s. 6d. and 5s.

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, where its graceful mode of growth is very effective. 3s. 6d. to 10s. 6d.; fine plants, 15s., 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10s. 6d., 15s. and 1 guinea.

DRACÆNA AUSTRALIS VEITCHII, 7s. 6d., 10s. 6d.,
15s. and 1 guinea

| **DRACÆNA ARBOREA**, 3s. 6d. and 5s.

| **DRACOPHYLLUM GRACILE**, 3s. 6d. and 5s.

DRACÆNA MADAGASCARIENSIS.

This is a distinct type of *Dracæna* from Madagascar. It is of graceful habit, having long narrow arching green leaves, terminating in a long narrow point. A free-growing decorative species. 5s. and 7s. 6d.

DROSERA CAPENSIS, 7s. 6d.

DICHOTOMA, 5s.

— **RUBRA**, 1 guinea

SPATHULATA, 5s.

| **ECHEVERIA**, of sorts, *vide* Index

| **ELEOCARPUS RETICULATUS (DENTATUS)**, 5s. and
7s. 6d.

| **ENCEPHALARTOS**, of sorts, *vide* Index.

EPACRIS ONOSMÆFLORA FLORE-PLENO ALBA.

A most beautiful flowering plant from Anstralia, producing pretty double blush-white blossoms; with the interior not quite covering up the original corolla lobes, which causes them to look like guard petals surrounding the inner petals. The plant is a charming acquisition, and was awarded a First Class Certificate by the Royal Horticultural Society. 10s. 6d., 15s. and 1 guinea.



EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 10s. 6d., 15s. and 1 guinea.

EPACRIS ONOSMEFLORA FLORE-PLENO NIVALIS,
vide page 63
 of sorts, 18s., 30s. and 42s. per doz.
EPHYPHYLLUM, *vide* page 33
ERICAS, of sorts, 18s., 30s. and 42s. per doz.
ERIOSTEMON BUXIFOLIUS, 3s. 6d. and 5s.

ERIOSTEMON INTERMEDIUS, 3s. 6d. and 5s.
NERIIFOLIUS, 3s. 6d.
PULCHELLUS, 3s. 6d. and 5s.
SCABER, 3s. 6d. and 5s.
ERYNGIUM EBRACTEATUM, 10s. 6d.
ERYTHRINA, of sorts, 2s. 6d. and 3s. 6d.

ERYTHRINA COMPACTA.

This magnificent variety is the best and most useful in every respect of all the Erythrinas. It is of compact bushy growth, producing most profusely its splendid attractive bunches of coral-like blossoms. It will be found effective for sub-tropical gardening, and is a truly desirable plant for most decorative purposes, as it blooms very freely in quite a small state. 5s.

EUCALYPTUS CITRIODORA.

The pleasant fragrance of the foliage of this plant renders it a desirable acquisition. The strong lemon-scent, which is emitted when the leaves are gently rubbed, is equally powerful and agreeable with that of the lemon-scented Verbena (*Aloysia citriodora*). The plant is of slender habit, with oblong leaves, clothed with glandular hairs, which give off the powerful and grateful odour above referred to. It is a native of Australia. 3s. 6d.

EUCALYPTUS FICIFOLIA.

This beautiful new crimson-flowered Eucalyptus is not a large-growing species like most others of the family, but is of quick growth, and plants of it are soon covered with its magnificent trusses of crimson-coloured flowers; its leaves yield an essential oil which has proved a valuable febrifuge. 5s.

EUCALYPTUS AMYGDALINA (Peppermint Gum), 3s. 6d.
COCCIFERA, 3s. 6d.
CORDATA, 3s. 6d.
CORIACEA, 3s. 6d.
GLOBULUS (Blue Gum), 3s. 6d.
HETEROPHYLLA, 5s.
MARGINATA, 3s. 6d.
OBLIQUA, 5s.
URNIGERA, 3s. 6d.
EUGENIA AUSTRALIS, 3s. 6d. and 5s.
UGNI, 1s. 6d. and 2s. 6d.
EUPATORIUM BERLANDIERI (GRACILE ODORATUM), 1s. 6d.
RIPARIUM, 2s. 6d. and 3s. 6d.
EURYA LATIFOLIA VARIEGATA, 2s. 6d. and 3s. 6d.
EURYCLES, *vide* page 33
EUTAXIA FLORIBUNDA, 3s. 6d.
FATSIA (ARALIA) JAPONICA, 2s. 6d. and 3s. 6d.
(ARALIA) JAPONICA VARIEGATA, 5s. and 7s. 6d.
FERNIS, *vide* Index
FICUS, AUSTRALIS, 3s. 6d.
ELASTICA, 3s. 6d.

FICUS ELASTICA VARIEGATA, *vide* page 33.
MACROPHYLLA, 5s.
MINIMA, 1s. 6d. and 2s. 6d.
RHODODENDRIFOLIA, 3s. 6d.
STIPULATA (REPENS), 1s. 6d. and 2s. 6d.
FOURCROYA (AOAVE) BEDDINGHAUSEI, 5s.
BULBOSA, 5s.
FREESIA HYBRIDA } These can be supplied by the
LEICHTLINII } dozen or hundred, in dormant
REFRACTA ALBA } bulbs, at the proper season.
FUCHSIAS, *vide* Index
GASTRONEMA SANGUINEUM FLAMMEUM, 5s.
GENETYLLIS (HEDAROMA) FUCHSI-
OIDES, 5s. and 7s. 6d.
TULIPIFERA, 5s. and 7s. 6d.
GONOLOBUS CUNDURANGO, 10s. 6d.
GREVILLEA PREISSII, 7s. 6d.
RORUSTA, 2s. 6d. and 3s. 6d.
GREYIA SUTHERLANDI, 3s. 6d. and 5s.
HABROTHAMNUS AUBLETII, 2s. 6d. and 3s. 6d.
AURANTIACUS, 2s. 6d. and 3s. 6d.
ELEGANS, 2s. 6d. and 3s. 6d.
 of sorts, 2s. 6d. and 3s. 6d.

HABROTHAMNUS NEWELII.

A very ornamental plant of free growth, with neat smooth foliage, freely producing dense terminal clusters of fine large flowers of a bright crimson colour. It will be found extremely useful and effective as a conservatory climber. 2s. 6d. and 3s. 6d.

HEMANTHUS PUNICEUS, 2s. 6d. and 3s. 6d.
TIGRINUS, 2s. 6d.
HARDENBERGIA MONOPHYLLA, 2s. 6d.

HARDENBERGIA MONOPHYLLA VARIEGATA, 3s. 6d.
HEDAROMA, *vide* Genetyllis.
HELIOTROPIUM INCANUM, *vide* Index.

HIBISCUS CHRYSANTHUS.

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish sub-trilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5s.

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose coloured, with an involucre of about eight linear segments. It has been imported from Natal. 5s.

HOVEA CELSI, 3s. 6d. and 5s.
HYDRANGEA HORTENSIS FOL. MAROINATA, 3s. 6d.
 HORTENSIS AUREO-VARIEGATA, 2s. 6d. & 3s. 6d.
 ——— CYANOCLADA, 1s. 6d. and 2s. 6d.
 ——— THOMAS HOGG, 1s. 6d. and 2s. 6d.
JAPONICA ELEGANTISSIMA, 1s. 6d.
 ——— FOLIS TRICOLORIBUS, 5s.
 ——— MACROCEPHALA, 2s. 6d.

HYDRANGEA JAPONICA ROSALBA, 2s. 6d. & 3s. 6d.
JAPONICA SPECIOSA, 3s. 6d. and 5s.
MADAME VON SIEBOLD, 5s.
OTAKSA, 1s. 6d. and 2s. 6d.
SCANDENS (SCHIZOPHRAOMA HYDRANGEOIDES), 1s. 6d.
STELLATA PROLIFERA, 3s. 6d.
IMANTOPHYLLUM CYRTANTHIFLORUM, 5s. & 7s. 6d.

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 5s., 7s. 6d. and 10s. 6d.; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM MINIATUM GRANDIFLORUM, 2 guineas
MINIATUM HYBRIDUM, 15s.
 ——— PRINCEPS, 2 guineas
 ——— SPECIOSUM, 1½ guinea
 ——— SUPERBUM, 1 and 1½ guinea
INDIGOFERA DECORA, 5s.
IRIS ROBINSONIANA, 1s. 6d.
ISMENE PEDUNCULATA, 1s.

ISMENE UNULATA, 1s.
JASMINUM ANOULARE, 5s.
 GRANDIFLORUM, 3s. 6d.
 ODORATISSIMUM, 2s. 6d. and 3s. 6d.
 POITEAU, 3s. 6d.
JUSSIEA MACROCARPA CILIATA, 5s.
JUNCUS ZEBRINUS, *vide* Scirpus, page 81
KENNEDYA MARRYATTI, 2s. 6d.
 of sorts, 3s. 6d. and 5s.

KNIPHOFIA QUARTINIANA.

A handsome greenhouse or half-hardy perennial, introduced from Abyssinia. It has an erect simple spike of densely crowded flowers forming a pyramidal raceme terminating the flower scape. The flowers are pendulous and orange-coloured; the leaves are very much recurved. 5s.

LACHENALIA NELSONI, 2s. 6d.
 of sorts, 1s. to 2s. 6d.

LAGERSTREEMIA INDICA, 3s. 6d.
 of sorts, 3s. 6d. and 5s.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10s. 6d., 15s. and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5s., 7s. 6d. and 10s. 6d.; fine specimens, 1, 2 and 3 guineas and upwards.

LAPAGERIA ROSEA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10s. 6d., 15s. and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3s. 6d.

| **LASIANDRA MACRANTHA FLORIBUNDA**, 5s. & 7s. 6d.

LATHYRUS SPLENDENS.

A splendid perennial climber, producing a profusion of large and gay scarlet-purple blossoms in clusters of from ten to twelve. The individual flowers are one and a half to two inches in size, the keel almost an inch long, and half as deep, with large banner-like petals. The plant is allied to the common Everlasting Pea, but the blossoms are larger and more abundant, and their colour is much brighter. It is a native of the Mountains of Lower California. 5s.

LAURUS CAMPHORA, 5s.
LAVATERA ARBOREA VARIEGATA, 1s. and 1s. 6d.
LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3s. 6d.

| **LESCHENAUZIA BILOBA SPLENDENS** (MAJOR), 3s. 6d. and 5s.
 FORMOSA, 2s. 6d. and 3s. 6d.
LEUCOPOGON CUNNINGHAMII, 3s. 6d.

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. It is a very ornamental plant for the summer flower borders. 5s.

LIBONIA FLORIBUNDA, 1s. 6d. and 2s. 6d.
 PENRHOSIENSIS, 1s. 6d. and 2s. 6d.

| **LILIUM**, of sorts, *vide* pages 78 to 80
LINUM TRIGYNUM, 2s. 6d.

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa*; it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3s. 6d.

LOMATIA FERRUGINEA, 5s. and 7s. 6d.

| **LUCULIA GRATISSIMA**, 5s. and 7s. 6d.

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, tab. 5797. 3s. 6d. and 5s.

MACADAMIA TERNIFOLIA, 5s. and 7s. 6d.

MACROPIPER EXCELSUM, 5s.

MACROZAMIA, *vide* Index

| **MAGNOLIA CAMPBELLII**, *vide* page 80

FUSCATA, 3s. 6d. and 5s.

| **MANDEVILLA SUAVEOLENS**, 2s. 6d. and 3s. 6d.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7s. 6d. and 10s. 6d.

METROSIDEROS FLORIBUNDA, 2s. 6d.

ROBUSTA, 3s. 6d. and 5s.

MITRARIA COCCINEA, 2s. 6d. and 3s. 6d.

| **MONOCHÆTUM LEMONIANUM**, 2s. 6d. and 3s. 6d.

SERICUM MULTIFLORUM, 2s. 6d. and 3s. 6d.

| **MUSA SUPERBA**, *vide* page 43

MUSA ENSETE.

This is the grand *Banana* of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves attain a length of eight to ten feet, and are of a beautiful dark green, the mid-rib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5s., 7s. 6d. and 10s. 6d.

MYRSIPHYLLUM ASPARAGOIDES, 2s. 6d. & 3s. 6d.

MYRTUS, of sorts, 1s. 6d. and 2s. 6d.

NERINE CORUSCA, 2s. 6d.

CORUSCA MAJOR, 3s. 6d.

FLEXUOSA, 3s. 6d.

FOTHERGILLII MAJOR, 5s.

ROSEA, 2s. 6d.

SARNIENSIS (GUERNSEY LILY), 9d.

VENUSTA, 2s. 6d.

NERIUM MAHONI ORANDIFLORUM, 2s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

OLEA FRAOANS, 3s. 6d. and 5s.

OPHIOPOGON JABURAN AUREO-VARIEGATUS,
2s. 6d. and 3s. 6d.

SPICATUS ARGENTEO-MARGINATUS, 2s. 6d.
and 3s. 6d.

ORCHIDS, of sorts, *vide* Index

PALMS, of sorts, *vide* Index

PANCRATIUM COLLINUM, 2s. 6d. and 3s. 6d.

PARDANTHUS CHINENSIS, 1s. each; 9s. per dozen

PASSIFLORA CÆRULEA, *vide* page 80

CÆRULEA ORANDIFLORA, 3s. 6d.

— RACEMOSA, 2s. 6d.

| **PASSIFLORA CAMPBELLII**, 3s. 6d.

CLOWESII, 3s. 6d.

COLVILLII, 2s. 6d.

EDULIS, 3s. 6d.

IMPERATRICE EUOENIE, 3s. 6d.

LOUDONI, 3s. 6d.

MUNROI, 3s. 6d.

ONYCHINA, 3s. 6d.

SERRATIFOLIA, 3s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

| **PELARGONIUM**, *vide* Index

PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM
VARIEGATUM), 2s. 6d. and 3s. 6d.

LINEARE ELEOANS, 5s.

PHILESIA BUXIFOLIA, 7s. 6d. and 10s. 6d.

PHÆDRANASSA CHLORACEA, 1s. 6d. and 2s. 6d.

PHORMIUM ATROPURPUREUM, 7s. 6d. & 10s. 6d.

COLENSOI VARIEGATUM, 7s. 6d., 10s. 6d.,
15s. and 1 guinea.

TENAX, 3s. 6d., 5s. and 7s. 6d.

— NIGRO-PICTUM, 10s. 6d. and 15s.

— VARIEGATUM, 1 and 2 guineas.

— VEITCHII VARIEGATUM, 5s. and 7s. 6d.

PHORMIUM TENAX NIGRO-LIMBATUM.

A striking form of New Zealand Flax, having erect broadish leaves of a glaucous green colour, the margin having a well-defined bar of blackish-purple. The points of the leaves are split, both sides of each of the divided portions having the blackish-purple margin. 10s. 6d.

PIMELEA DECUSSATA, 2s. 6d. and 3s. 6d.

HENDERSONI, 3s. 6d. and 5s.

NIEPPERIANA, 3s. 6d. and 5s.

SPECTABILIS, 3s. 6d. and 5s.

| **PINCINECTITIA TUBERCULATA**, 1 guinea.

PINGUICULA CAUDATA, 3s. 6d. and 5s.

CAUDATA RUBRA, 7s. 6d.

| **PITTIOSPORUM RALPHSII**, 5s.

PITTIOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 7s. 6d.

PITOSPORUM EUGENIODES VARIEGATUM.

A slender evergreen plant, with pretty variegated foliage. It is of neat branching habit, with blackish-purple stems and branches, which are furnished with elliptic-oblong leaves of a pale green colour, bordered with white. Introduced from New Zealand. 7s. 6d. and 10s. 6d.

PLECTRANTHUS FÆTIDUS, 5s.

PLEROMA ELEOANS, 3s. 6d.

SARMENTOSA, 2s. 6d. and 3s. 6d.

PLUMBAGO CAPENSIS, 2s. 6d. and 3s. 6d.

POLYGALA CORDIFOLIA, 3s. 6d.

DALMAISIANA, 3s. 6d.

POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels; they are nodding, tubulose, and nearly an inch long; it is of graceful growth, and a very desirable half-hardy plant, flowering in the winter months. 5s.

PRIMULA FLORIBUNDA.

A pretty greenhouse species, introduced from the lower ranges of the Himalayas. It produces, in a continuous and abundant manner, an abundance of yellow flowers, which are borne in superposed whorls, on erect stems. The leaves are ovate or elliptic, and crenately toothed. 2s. 6d.

PRIMULA SINENSIS ALBA PLENA, 1s. 6d. and 2s. 6d.

SINENSIS FLORE-PLENO, of sorts, 2s. 6d., 3s. 6d. and 5s.

— — — — — EMPEROR, 5s.

— — — — — KING OF PURPLES, 5s.

— — — — — MAGNIFICA, 5s.

— — — — — MISS EVA FISH, 7s. 6d.

— — — — — PRINCESS OF WALES, 5s.

VERTICILLATA SIMENSIS, 1s. 6d.

PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus

PUNICA GRANATUM (POMEGRANATE), 3s. 6d. & 5s.

GRANATUM ALBA PLENA, 3s. 6d. and 5s.

— — — RUBRA PLENA, 3s. 6d. and 5s.

— — — LEGRELLII (Double Buff), 3s. 6d. & 5s.

REINECKIA CARNEA, 1s. 6d.

CARNEA VARIEGATA, 1s. 6d. and 2s. 6d.

RHODEA JAPONICA, 3s. 6d. and 5s.

JAPONICA ARGENTEA, 15s.

RHODODENDRONS, *vide* pages 72 to 74

RHODOLEIA CHAMPIONI, 7s. 6d.

RHOPALA, *vide* page 52

RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum

RICHARDIA AFRICANA (*Calla aethiopica*), 1s. and 1s. 6d.

ALBO-MACULATA, 3s. 6d.

RUBUS ROS-FOLIUS CORONARIUS, 1s. 6d. and 2s. 6d.

SALVIAS, *vide* Bedding Plants

SANDERSONIA AURANTIACA, 3s. 6d.

SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*, and partaking most of the characters of the former parent. The pitchers are long, narrow and erect, green, with slight red ribs and reticulations. The lid is broad, cordate, green, and marked with red ribs and veins. 10s. 6d.

SARRACENIA ATROSAQUINEA, 1 guinea

CRISPATA, 5s. and 7s. 6d.

CHELSONI, 1 guinea

SARRACENIA DRUMMONDII, *vide* page 68

EXCELLENS, 10s. 6d.

EXORNATA, 10s. 6d.

SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10s. 6d.

SARRACENIA ILLUSTRATA.

This very striking hybrid was raised from *S. flava picta* crossed with *S. Stevensii*. It is a handsome erect-growing sort, with the habit of *S. flava*, and having long funnel-shaped pitchers strongly marked with crimson ribs united by veins of a similar colour. The lid is distinctly marked by strong red curved veins, the throat being prettily veined. 10s. 6d.

SARRACENIA FLAVA, 5s.


FLAVA ORNATA, *vide* page 71

SARRACENIA FLAVA PICTA, 10s. 6d.

MOOREANA, 10s. 6d.

SARRACENIA MADDISONIANA.

A hybrid between *S. variolaris* and *S. psittacina*, dwarf in habit, with erectish, incurving, short broad pitchers, which are green with dull red veins externally. The lid is large, incurved over the tube, ovate and wavy, strongly ribbed with deep purple red veins. 10s. 6d.



SARRACENIA DRUMMONDII.

A very beautiful plant, belonging to the family of the Side-saddle flowers, and inhabiting the marshes of Florida. The leaves or pitchers grow from $1\frac{1}{2}$ to $2\frac{1}{2}$ feet high, the upper expanded end being variegated with white, red and green, the hood or lid being similarly marked. The flowers are handsome and attractive, of a rich crimson purple colour. 10s. 6d., 15s. and 1 guinea.



S. SWANIANA.

S. MITCHELLIANA.

SARRACENIA SWANIANA.

SARRACENIA MITCHELLIANA.

For description and prices, *vide* page 70.

SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. For Illustration, *vide* page 69. 10s. 6d.

SARRACENIA PSITTACINA, 1 guinea.
PURPUREA, 3s. 6d. and 5s.

SARRACENIA RUBRA, 5s. and 7s. 6d.
RUBRA-ACUMINATA, 10s. 6d.

SARRACENIA SWANIANA.

A very handsome hybrid between *S. variolaris* and *S. purpurea*. Awarded a First Class Certificate by the Royal Horticultural Society. It partakes most of the aspect of *S. purpurea*, but is more erect. The pitchers are slightly incurved and greenish purple, the lid and the inside of the tube being reticulated with crimson veins. For Illustration *vide* page 69. 10s. 6d.

SARRACENIA STEVENSII, 7s. 6d.

SARRACENIA VARIOLARIS, 7s. 6d.

SARRACENIA TOLLIANA.

A very handsome hybrid raised between *S. Drummondii alba* and *S. flava*. It is remarkable for its long, slender, funnel-shaped pitchers and very broad wing. The funnel is either wholly deep purple-red with darker ribs and veins, or greenish with dark purple ribs and veins. The lid is broad and reticulated with reddish purple. 10s. 6d.

SARRACENIA WILSONIANA.

A very distinct and striking plant, a hybrid between *S. purpurea* and *S. flava*, so distinct and pleasing as to have won a First Class Certificate from the Royal Horticultural Society. The pitchers are erect, with deep purple-crimson ribs, more or less united by cross-veins. The wing and lid, are veined and closely reticulated with deep purple-crimson. 10s. 6d.

SCHIZOPHRAGMA HYDRANGEOIDES, *vide*
Hydrangea scandens

SENECIO MACROGLOSSUS (The Cape Ivy), 3s. 6d.
SPECIOSUS 3s. 6d.

SMILAX AURICULATA.

An elegant evergreen climber of a half-hardy character, well suited for covering walls and pillars in conservatories and corridors, being a native of the Southern States of America. It is furnished with glossy green leaves, widened at the base so as to become subhastate. 5s.

SOLANUM JASMINOIDES, 2s. 6d.
SOLLYA LINEARIS, 3s. 6d. and 5s.
SPARMANIA AFRICANA FLORE-PLENO, 3s. 6d.
and 5s.
SPIGELIA SPLENDENS, 2s. 6d. and 3s. 6d.
STATICE HOLFORDII, 3s. 6d. and 5s.
MACROPHYLLA, 5s.
STATICE PROFUSA (RATTRAYANA), 3s. 6d. & 5s.

STENOCARPUS CUNNINGHAMII, 5s. to 10s. 6d.
STRELITZIA REGINÆ, *vide* page 52
STREPTOSOLEN (BROWALLIA) JAMESONI, 1s. 6d.
TACSONIA BUCHANANI, *vide* page 53
ERIANTHA, 3s. 6d.
EXONIENSIS, 3s. 6d.
INSIGNIS, 5s.
MANICATA, 3s. 6d.

TACSONIA JAMESONI.

A new species from Ecuador, producing beautiful flowers of a bright rich rose colour. 7s. 6d.

TACSONIA MOLLISSIMA, 3s. 6d.
PINNATISTIPULA, 3s. 6d.


TACSONIA TOMENTOSA SPECIOSA, 5s.
VAN VOLKEMI, 2s. 6d. and 3s. 6d.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 5s., 7s. 6d. and 10s. 6d.

TECOMA, *vide* Bignonia
TESTUDINARIA ELEPHANTIPES, 1 guinea; fine specimens, price on application
THAMNOCALAMUS SPATHIFLORUS, 5s.
THEA BOHEA, 3s. 6d. and 5s.
THIBAUDIA ACUMINATA, 3s. 6d.
TIBUNBERGIA, *vide* page 53
TRACHELOSPERMUM (RHYNCHOSPERMUM)
JASMINOIDES, 3s. 6d. and 5s.
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3s. 6d. and 5s.

TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES LUTEO-VARIEGATUM, 3s. 6d. and 5s.
TREMANDRA ERICEFOLIA, 2s. 6d. and 3s. 6d.
HIRSUTA, 2s. 6d. and 3s. 6d.
VERTICILLATA, 2s. 6d. and 3s. 6d.
TROPEOLUM BRACHY CERAS, 3s. 6d.
JARRATTII, 2s. 6d. and 3s. 6d.
of sorts, 1s. 6d., 2s. 6d. and 3s. 6d.
TUBEROSES BEST DOUBLE } These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.
AFRICAN
AMERICAN
THE PEARL



SARRACENIA FLAVA ORNATA.

This is a very distinct and handsome plant, remarkable for its bold and strongly-pronounced venation. The upper part of the pitcher is strongly marked with well-defined reticulations of dark purplish red, which are continued over the lid. It is a very handsome form, the contrast between its clear green and the bold red venation being striking and effective. The flowers are large and very attractive, of a bright yellow colour. Introduced from North America. 10s. 6d.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 7s. 6d. and 10s. 6d.

VALLOTA PURPUREA, 2s. 6d.

PURPUREA MAJOR, 3s. 6d. and 5s.

VITIS HETEROPHYLLA HUMULIFOLIA, 2s. 6d.

HETEROPHYLLA VARIEGATA, 2s. 6d. & 3s. 6d.

WITSENIA CORYMBOSA, 3s. 6d.

XYLOMELUM PYRIFORME, 10s. 6d.

YUCCA ALOIFOLIA VARIEGATA, 5s. and 7s. 6d.

FILAMENTOSA VARIEGATA, 10s. 6d.

QUADRICOLOR, 1½ and 2 guineas.

ZAMIA, *vide* Index.

ZEPHYRANTHES CARINATA, 12s. per dozen.

TUMISPATHA, 9s. per dozen.

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1s. 6d.

BELLE FIANCEE, very long spikes of large pure rose flowers, dark carmine eye, very floriferous, 2s. 6d.

BLUE GEM, a variety of neat habit, producing spikes of beautiful blue flowers. 1s.

CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering. 1s. 6d.

DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1s. 6d.

EVA, a compact growing variety, producing fine spikes of pretty pink flowers. 1s. 6d.

FLEUR D'AUTOMNE, long spikes of rosy-violet flowers, dark rose centres. 2s. 6d.

IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1s. 6d.

JARDIN FLEURI, long spikes of dark carmine red flowers. 2s. 6d.

LA FÉE AUX ROSES, very long spike of bright rose flowers, very floriferous. 2s. 6d.

MADAME MOULINS, lavender violet, large carmine centre, shaded with amaranth, a remarkable variety. 2s. 6d.

M. J. MOULINS, immense spikes of pure rose flowers, edged with white; dark carmine rose centre. 2s. 6d.

THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 2s. 6d.

REINE DES BLEUES, immense spike of very bright blue flowers, very free. 2s. 6d.

RUBENS, flowers large and fine, of a beautiful magenta colour. 1s. 6d.

VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1s. 6d.

GREENHOUSE RHODODENDRONS.

ÆRUGINOSUM, 3s. 6d. and 5s.

ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3s. 6d. and 5s.

ASSAMICUM, a free-growing evergreen species, with narrow lanceolate densely-set leaves. The flowers are about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. This distinct, free-flowering and handsome Rhododendron, as its name indicates, has been imported from Assam. 5s.

BARBATUM, bright scarlet flowers, distinct and effective. 5s.

BLANDFORDIÆFLORUM. 3s. 6d. and 5s.

CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 5s.

CILIATUM, bluish white; very free flowering. 2s. 6d.

CINNABARINUM. 3s. 6d. and 5s.

CINNAMOMEUM, the under surface of the leaves of this variety is covered with a very thick woolly tomentum of an intense cinnamon colour. 5s.

COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7s. 6d.

COUNTESS OF HADDINGTON, large bluish-white flowers; exceedingly beautiful. 5s. and 7s. 6d.

DALHOUSIANUM. 5s.

DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 10s. 6d., 15s. and 1 guinea.

DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance; compact truss. 15s. and 1 guinea.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 15s. and 1 guinea.

DUCHESS OF SUTHERLAND, a robust growing variety, producing pure white sweet-scented flowers, with a beautifully fringed margin. 5s.

DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 15s. and 1 guinea.

EDGWORTHII, a handsome free-flowering species, with large pure white spreading cup-shaped fragrant flowers. 3s. 6d. and 5s.

EMBLEM, this produces immense heads of long-tubed flowers; the tube bluish and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7s. 6d., 10s. 6d. & 15s.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5s. & 7s. 6d.

FORMOSUM GRANDIFLORUM, a free-blooming variety, with finely formed pure white flowers; a neat growing kind, and very useful for conservatory decoration. 3s. 6d. and 5s.

GREENHOUSE RHODODENDRONS—continued.

- FRAGRANTISSIMUM**, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 5s. and 7s. 6d.
- FULGENS**, rich fiery crimson; extremely showy and effective; compact habit. 3s. 6d. and 5s.
- GIBSONI**, 3s. 6d.
- HIMALAICUM**, this variety produces fine large handsome trusses of bright carmine flowers. 3s. 6d.
- HODGSONI**, a splendid species, producing superb bouquets of rose-coloured flowers. 10s. 6d.
- JAMESONI**, this variety produces large terminal trusses of handsome bright red flowers. 3s. 6d. & 5s.
- JASMINIFLORUM**, an elegant free-blooming species, with fragrant white flowers, borne successively in clusters. 3s. 6d. and 5s.
- JAVANICUM**, a beautifully golden-yellow flowering species. 5s.
- JENKINSII**, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5s.
- LADY ALICE FITZWILLIAM**, clusters of white blooms, each flower three and a half to four inches across. 2s. 6d., 3s. 6d. and 5s.
- LADY SKELMERSDALE**, pure white trumpet-shaped fragrant flowers; very handsome 5s.
- MRS. JAMES SHAWE**, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5s.
- MULTIFLORUM**, bears a profusion of beautiful white flowers; of dwarf habit, 2s. 6d. and 3s. 6d.
- NILAGIRICUM**, a splendid species from the Nilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful bluish colour, blended with deep rich rose and shaded with soft rose; light throat. 3s. 6d. and 5s.
- NIVEUM**, beautiful flowers of a pale lilac colour, spotted with darker lilac on the upper lobe; tube of the corolla yellowish; foliage shining green, the under surface white. 5s.
- NUTTALLII**, a magnificent species; flowers pure white, the largest of the genus. 5s.
- OCHRACEUM**, the under surface of the foliage of this variety is ochre-coloured. 5s.
- PINK BEAUTY**, *vide* page 72
- PRINCE LEOPOLD**, a beautiful flower; fawn and rose with rose centre. 15s. and 1 guinea.
- PRINCE OF WALES**, a fine variety producing reddish orange flowers. 7s. 6d. and 10s. 6d.
- PRINCESS ALEXANDRA**, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 5s. and 7s. 6d.
- PRINCESS ALICE**, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3s. 6d. and 5s.
- PRINCESS HELENA**, this pretty hybrid form, with *R. Princess Alexandra*, was obtained from a cross with *R. jasminiflorum*, but is readily distinguished from it by its much longer tubed flowers, of a delicately tinted soft pink colour, streaked with dark shades. 5s. and 7s. 6d.
- PRINCESS ROYAL**, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose coloured, funnel-shaped flower tubes. 5s. and 7s. 6d.
- RETUSUM**, this distinct species produces clusters of tubular orange-coloured flowers. 5s. and 7s. 6d.
- ROSALIND**, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7s. 6d., 10s. 6d. and 15s.
- ROSY GEM**, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube bluish-white. This will be found a most desirable acquisition for the greenhouse. 7s. 6d., 10s. 6d. and 15s.
- SESTERIANUM**, fine large fragrant white flowers. 3s. 6d. and 5s.
- TAYLORI**, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 10s. 6d. and 15s.
- THIBAUDIENSE**, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the *Correas* and *Thibaudias*, and having the same alabaster-like translucent lustre, hence its name. 3s. 6d. and 5s.
- THOMSONI**, bright scarlet cup-like flowers of good form. 5s.
- TUBULATUM**, a fine variety, with large tubular pure white flowers; it is a most useful plant for the decoration of the greenhouse or conservatory. 5s.
- VEITCHIANUM**, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5s. and 7s. 6d.
- VIGATUM**, tube of the corolla short and obconical, with the limb segments spreading; in the different plants that have been raised from seed, the flowers vary in hue from bluish to white. 5s.
- VIGATUM HYBRIDUM**, a neat-habited bushy-growing variety, producing fine trusses of beautiful pure white flowers of good form. 5s.
- VIRGINALE**, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5s.



RHODODENDRON PINK BEAUTY.

RHODODENDRON PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7s. 6d., 10s. 6d. and 15s.

ABUTILONS.

- ALBERT DÉLAUX**, very dwarf variety, large rosy mauve flowers, with dark rose nervations; suitable for growing in pots. 3s. 6d.
- AMARANTINA**, fine well-formed flowers, brilliant purple-amaranth; very floriferous. 3s. 6d.
- ARMAND CAUVY**, large, well-made, clear golden yellow flowers, veined with violet; dwarf, and very free flowering. 7s. 6d.
- AURELIA**, bright golden yellow. 1s. 6d.
- BLANDII**, deep yellow, veined dark crimson, and reticulated light crimson. 1s. 6d.
- BOULE DE NEIGE**, white. 1s.
- BOULE D'OR**, golden yellow, 1s. 6d.
- CERISE UNIQUE**, immense bright cerise flowers, of perfect shape, with purplish crimson nervations at the base of petals. 3s. 6d.
- CLOCHETE FLEURIE**, dark violet-amaranth, with purple centre and veins. 2s. 6d.
- CLOTH OF GOLD**, fine smooth golden flowers of great substance. First Class Certificate from the Royal Horticultural Society. 1s. 6d.
- CONQUETE**, a beautiful and very dwarf growing variety, whitish rose, throat dark carmine, with bright rose nervations. 3s. 6d.
- COURONNE D'OR**, downy leaves, large bell-shaped flowers of a beautiful deep sulphur-yellow colour. 1s. 6d.
- DARWINII**, 1s.
- **SUPERBUM**, 1s.
- DESBOISI**, bright rose colour. 1s. 6d.
- ECLIPSE**, a fine large round flower of a rich orange-scarlet colour, shaded crimson, and veined purple. 1s.
- EDOUARD LAYEILLON**, deep rich golden yellow, flushed with rose. 1s. 6d.
- ELEPHANTA**, freely produces on dwarf, compact plants, brilliant chamois yellow flowers, shaded with rose, and veined with violet red. 7s. 6d.
- EMPEROR**, fine large dark crimson flowers. Received First Class Certificate. 1s. 6d.
- EVELINE**, blush, shaded with pink, and beautifully veined with deep rose. 1s. 6d.
- FLEUR DE NEIGE**, a very large brilliant snow white flower, veined with rose; described by the raiser as the most remarkable variety known in the genus; very free and dwarf. 7s. 6d.
- FUTURE FAME**, deep rose shaded crimson. 1s. 6d.
- G. DÉLAUX**, rich reddish carmine, shaded with violet. 1s. 6d.
- GLOIRE DE SAINT-MARTIN**, a large globular flower of a bright chamois-salmon colour, veined with violet-rose. 2s. 6d.
- HIBISCUS**, canary yellow flowers, the exterior shaded with dark rosy violet; dwarf and distinct. 7s. 6d.
- KING OF CRIMSONS**, deep rich crimson flowers of great substance, extra fine. 1s. 6d.
- KING OF ROSES**, flowers rich deep rose, of great substance. 1s. 6d.
- LA CANDEUR**, a large well-formed pure white flower of globular shape. 1s. 6d.
- LA LORRAINE**, bright red. 1s. 6d.
- LE GRELOT**, delicate rose colour. 1s. 6d.
- LOUISE DÉLAUX**, an extremely dwarf and very floriferous variety, with beautiful white flowers of good shape. 3s. 6d.
- LUSTROUS**, freely produces fine-shaped bright red flowers. 1s.
- L. VAN HOUTTE**, mauve-purple. 1s. 6d.
- LYDIA**, light yellow, flushed crimson, and reticulated with bright crimson. 1s. 6d.
- MDLLE. ANNA DÉLAUX**, rose, marked with white, and veined dark rose. 1s. 6d.
- MARSHAL**, reddish cinnamon, shaded with orange, and veined with crimson. 1s. 6d.
- MEGAPOTAMICUM VARIEGATUM**, 1s. 6d.
- MISS TERRY**, deep yellow, with rose veins, very distinct. 1s. 6d.
- MR. IRVING**, deep scarlet, shaded crimson, a very attractive colour. 1s. 6d.
- MODIOLA**, bright rosy crimson, veined with dark crimson. 1s. 6d.
- M. B. MODESTE**, rich bright crimson-red, veined with dark crimson; showy and attractive. 1s. 6d.
- M. ED. PYNAERT VAN GEERT**, amaranth-purple, veined with very dark brownish carmine, pure white throat. 2s. 6d.
- M. J. B. LEVIS**, a dwarf vigorous variety, produces a multitude of dark chamois flowers, veined with violet cerise; small foliage. 7s. 6d.
- M. LOUIS MARNIGNAC**, rose; reverse of petals of a silvery hue. 1s. 6d.
- M. MOULINS**, cream colour, distinctly veined with violet-rose; throat reddish chocolate; dwarf and free. 1s.
- M. PERPIGNAN**, fine large flower of a bright reddish orange colour, veined yellow and crimson, with yellow throat. 2s. 6d.
- M. PETIT**, rich reddish crimson colour, shaded with crimson-violet, and veined with dark crimson. 1s. 6d.
- M. VIVIAND-MOREL**, a very large fine flower of a violet-colour, shaded with amaranth, and darkly veined. 2s. 6d.
- PHYLLIS**, a large round flower, of a very pale lemon-yellow colour. 1s. 6d.
- PROGNE**, a large well-formed flower of a rich magenta-rose colour. 1s. 6d.
- PURPUREUM**, very fine purple-coloured flowers, shaded with magenta. 1s.
- RICHESSE**, bright rose, marked with silvery white, and veined with dark rose; very fine. 1s. 6d.
- ROSEUM ALBUM**, silver-white, shaded with rose; flowers of perfect shape, very dwarf, and most floriferous. 7s. 6d.
- ROSEUM COMPACTUM**, deep rose, very dwarf and compact. 1s. 6d.
- ROSY MORN**, a beautiful flower of a bright rose colour. 1s. 6d.
- ROYAL SCARLET**, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1s. 6d.
- SCARLET GEM**, very distinct, produces its brilliant red flowers when only a few inches high. 1s.
- SELLOWIANUM VARIEGATUM**, 2s. 6d.
- SERAPH**, pure white. 1s. 6d.
- SILVER BELL**, French white, with deep red veins, very distinct and pretty. 1s. 6d.
- STRIATUM SPLENDIDUM**, bright orange, striped with rich crimson. 1s.

ABUTILONS—continued.

THE PREMIER, very large rosy purple flowers of intense brightness. 1s. 6d.
THOMSONI PLENUM, fine double deep rich orange flowers, shaded and streaked with crimson. 1s.
TRIBUTE, blush pink, veined with rose, and flushed with lilac. 1s. 6d.
TROPHY, yellow, veined with carmine. 1s. 6d.
VENOSUM ROSEUM, soft rose. 1s. 6d.

VILLE SOLEIL, a very floriferous dwarf variety; dark carmine cerise flowers, shaded and darkly veined with rich orange brown. 7s. 6d.
VEXILLARIUM GRANDIFLORUM, a hybrid variety, producing a profusion of dark cerise flowers with crimson throat, very distinct. 7s. 6d.
VIVID COMPACTUM, large bright scarlet flowers, compact habit. 1s. 6d.
ZARA, clear lemon-yellow. 1s. 6d.

NEW, RARE, AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2s. 6d.

ACER PLATANOIDES SCHWEDLERI, 3s. 6d.
POLYMORPHUM ATROPURPUREUM, 3s. 6d.
ACIPHYLLA SQUAREOSA, 2s. 6d. and 3s. 6d.
ACORUS JAPONICUS SIEBOLDII STRIATUS, 2s. 6d.

AGAVE UTAHENSE.

A distinct hardy species from the Rocky Mountains, with narrow silvery leaves, radiating, and as it were, forming a star. 3s. 6d.

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9s. and 12s. per dozen.

AKEBIA QUINATA, 1s. 6d.
ALSTROMERIA CHILENSIS, 1s.
ALTHÆA FRUTEX, *vide* Hibiscus syriacus
AMARYLLIS BELLADONNA, 9d. and 1s. each; 6s. and 9s. per dozen
AMPELOPSIS SEMPERVIRENS, 5s.
TRICUSPIDATA, (*Vitis japonica*), 1s. 6d. & 2s. 6d.
AMYGDALUS PERSICA FOLII PURPUREIS, 2s. 6d. & 3s. 6d.
PERSICA, other sorts, 2s. 6d. and 3s. 6d.
ANDROMEDA JAPONICA, 5s.
ARALIA MAXIMOWICZII, now and distinct, 3s. 6d.

ARISÆMA CORNUTUM (*Sauromatum guttatum*), 3s. 6d.
ARUNDO CONSPICUA, 1s. 6d. and 2s. 6d.
ASCLEPIAS TUBEROSA, 1s.
ASPIDISTRA LURIDA, 2s. 6d. and 3s. 6d.
LURIDA VARIEGATA, 3s. 6d.
ASTILBE BARBATA (*Hoteia japonica*, *Spiræa barbata*), 1s.
AUCUBA JAPONICA FÆMINA, various sorts, 3s. 6d. and 5s.
JAPONICA LUTEO-PICTA, 7s. 6d.
MASCULA, various sorts, 3s. 6d. and 5s.
AZALEA LINEARIFOLIA, 5s.

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1s. 6d., 2s. 6d. and 3s. 6d.

AZALEAS, hardy varieties, of sorts, 18s., 30s. and 42s. per dozen
AZARA MICROPHYLIA, 2s. 6d. and 3s. 6d.
BAMBUSA AUREA,
FORTUNEI VARIEGATA, 1s. 6d.
MAXIMOWICZII, 3s. 6d. and 5s.
METAKE, 2s. 6d. and 3s. 6d.
NIGRA, 3s. 6d.
NANA, 3s. 6d. and 5s.
SIMONII, 3s. 6d.
TRICOLOR, 7s. 6d.
BERBERIS AMURENSIS, 5s.
CORDIFORMIS, 5s.

BERBERIS HETEROPODA, 5s.
STENOPHYLLA, 1s. 6d. and 2s. 6d.
THUNBERGII, 5s.
of sorts, 3s. 6d. and 5s.
BETULA ALBA FOLII ATROPURPUREIS, 3s. 6d.
BIGNONIA GRANDIFLORA, 2s. 6d. and 3s. 6d.
RADICANS MAJOR, 1s. 6d. and 2s. 6d.
BOCCONIA JAPONICA, 3s. 6d.
CALOCHORTUS, of sorts, 12s. per dozen
CALYCANTHUS FLORIDUS (ALLSPICE TREE)
1s. 6d. and 2s. 6d.
PRÆCOX, *vide* Chimonanthus fragrans
CAMPANULA TURBINATA, 1s.

CARPENTARIA CALIFORNICA.

A new Californian shrub, producing large terminal bunches of white flowers, which have a similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 3s. 6d.

CEANOTHUS ARNOULDII, 2s. 6d.
of sorts, 2s. 6d. and 3s. 6d.
CHOISYA TERNATA, 2s. 6d.

CHIMONANTHUS FRAGRANS, 2s. 6d. and 3s. 6d.
CHRYSANTHEMUMS, *vide* Index.
CINNAMOMUM SERRICEUM, 5s.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18s. and 30s. per dozen. New varieties 42s. per dozen.

CLEMATIS COCCINEA, 3s. 6d.

CLEMATIS JACKMANNI ALBA, 7s. 6d. and 10s. 6d.

CLEMATIS PANICULATA.

A hardy climbing plant, furnished with pinnately decomposed leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula*. It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 3s. 6d.

- CORNUS BRACHYPODA, 1s. 6d.
- MASCULA AUREO-ELEGANTISSIMA, 2s. 6d.
- CORYLOPSIS SPICATA, 2s. 6d.
- CORYLUS AVELLANA AUREA, 7s. 6d.
- COTONEASTER FONTANESII, *vide* page 7
- CRATÆGUS CARRIÈREI, large white flowers, turning to rose, fruit as large as a cherry. 5s.

- CRATÆGUS LÆLANDII, 1s.
- ORIENTALIS SANGUINEA, 2s. 6d.
- CRINUM CAPENSE ALBUM, 1s. 6d.
- CAPENSE ROSEUM, 1s. 6d.
- MOOREI, *vide* page 59
- CROCOSMA AUREA, 1s. 6d.
- CYCLAMEN EUROPÆUM, 6s. per dozen.
- CYDONIA JAPONICA, of sorts, 1s. 6d. and 2s. 6d.

- CYPRIPEDIUM ACAULE, 3s. 6d. and 5s.
 - SPECTABILE, 3s. 6d., 5s. and 7s. 6d.
- [Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]

- DELPHINIUMS, of sorts, 1s. 6d. and 2s. 6d.
- DESMODIUM PENDULIFLORUM, 1s. 6d. and 2s. 6d.
- DEUTZIA CRENATA CANDIDISSIMA PLENA, 2s. 6d.
- DEUTZIA, PRIDE OF ROCHESTER, a handsome flowering new double variety, *vide* illustration. 1s. 6d. each; 12s. per dozen.

- DIELYTRA SPECTABILIS, 1s. and 1s. 6d.
- DIMORPHANTHUS MANDCHURICUS, 1s. 6d.
- EREMURUS ROBUSTUS, 5s.
- ERIGERON AURANTIACUM, 2s. 6d.
- ERYTHRINA, *vide* pages 33 and 64
- ESCALONIA MACRANTHA, 2s. 6d.
- EUCRYPHIA PINNATIFOLIA, 10s. 6d.
- EUGENIA UGNI, 1s. 6d. and 2s. 6d.
- EULALIA JAPONICA ALBO-LINEATA, 2s. 6d. and 3s. 6d.
- JAPONICA ZEBRINA, 2s. 6d. and 3s. 6d.
- FRAXINUS MANDCHURICUS, 3s. 6d.
- POTANOPHILA, 3s. 6d.
- FREESIA HYBRIDA } *vide* page 64
- LEICHTLINII
- REFRACTA
- ALBA

- GEUM STRICTUM, 1s. 6d.
- GLADIOLUS PURPUREO-AURATUS, 1s. 6d. and 2s. 6d.
- GUNNERA SCABRA, 3s. 6d.



DEUTZIA PRIDE OF ROCHESTER.

HALESIA (PTEROSTYRAX) HISPIDA.

The leaves of this hardy shrub are as large as those of a deciduous Magnolia; it gives in spring large bunches of white flowers. 3s. 6d.

- HEDERA HELIX AURANTIACA, this is the scarlet bearded Ivy, 3s. 6d.
- HELIX HIBERNICA VARIEGATA, 2s. 6d.

- HEDERA AMURENSIS, 3s. 6d.
- ATROPURPUREA, 3s. 6d.
- HEMEROCALLIS, of sorts, 9d. and 1s.

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 9s. and 12s. per dozen.

- HIBISCUS SYRIACUS (ALTHEA FRUTEX), 1s.
- SYRIACUS AMPLISSIMUS, 1s. 6d.
- ALBO-PLENUS, 1s. 6d.
- AMARANTHE, 1s. 6d.
- ARDENS, 1s. 6d.
- BICOLOR HYBRIDUS, 1s. 6d.
- BOULE DE FEU, 1s. 6d.
- CARNEUS PLENUS, 1s. 6d.
- COMTE DE FLANDRE, 1s. 6d.
- DE HAINAULT, 1s. 6d.
- CELESTIS, 1s. 6d.
- DE LA VEUNE, 1s. 6d.
- ELEGANTISSIMUS, 1s. 6d.
- FASTUOSUS, 1s. 6d.

- HIBISCUS SYRIACUS GRANDIFLORUS SUPERBUS, 1s. 6d.
- SYRIACUS LADY STANLEY, 1s. 6d.
- MONSTROSUS, 1s. 6d.
- PÆONIFLORUS, 1s. 6d.
- PULCHERRIMUS PLENUS, 1s. 6d.
- PUNICEUS PLENUS, 1s. 6d.
- PURPUREUS RUBER FL. PLENISSIMO, 1s. 6d.
- — VARIEGATUS, 1s. 6d.
- ROSEO PLENUS, 1s. 6d.
- SPECIOSUS, 1s. 6d.
- — RUBER, 1s. 6d.
- SPECTABILIS FL. PL., 1s. 6d.
- TOTUS ALBUS, 1s. 6d.

HIBISCUS SYRIACUS VARIEGATUS PLENUS, 1s. 6d.
**SYRIACUS VIOLACEUS ATROPURPUREUS FLORE-
 PLENISSIMO**, 1s. 6d.
 — **VIOLACEUS VARIEGATUS**, 1s. 6d.
 See also pages 36 and 64
HOTEIA JAPONICA, *vide* Astilbe barbata
HYACINTHUS CANDICANS, 9s. and 12s. per doz.

HYDRANGEA PANICULATA GRANDIFLORA, 1s. and
 1s. 6d.
HYPERICUM PATULUM, 1s. 6d.
IDESIA POLYCARPA (POLYCARPA MAXIMOWICZII),
 2s. 6d.
IRIS CRISTATA, 1s. 6d.
HEXAGONA, 1s. 6d.
IBERICA, 1s. and 1s. 6d.

IRIS GERMANICA.

The handsome hybrids of this beautiful section, are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6s., 9s., and 12s. per dozen; choice mixed varieties, 3s. and 4s. per dozen.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 2s. 6d. and 3s. 6d.; choice varieties, 5s. and 7s. 6d.

IRIS PUMILA, 1s.
ROBINSONIANA, *vide* page 65
SIBIRICA, 1s.
SUSIANA, 1s.
TECTORUM, 3s. 6d.
JUNCUS LÆTEVIRENS, 3s. 6d.
ZEBRINUS, *vide* Scirpus Tabernaemontani

KOLREUTERIA PANICULATA, 1s. 6d.
LARDIZABALA BIFLORATA, 3s. 6d.
LAVATERA ARBOREA VARIEGATA, *vide* page 65.
**LIATRIS PYCNOSTACHYA (Kansas Gay
 Feather)**, 1s. 6d. each; 12s. per dozen.
LIBERTIA FORMOSA, 6d.
IXIOIDES, 6d.

LILIUMS.



LILIUM AURATUM.

AURATUM, 1s. 6d., 2s. 6d. and 3s. 6d.
 Dormant bulbs at the proper season, 9d., 1s.,
 and 1s. 6d. each.
 — **CANDIDUM**, 10s. 6d.
 — **PLATYPHYLLUM**, a handsome new variety
 giving gigantic flowers with large and very
 broad segments, much greater in substance
 than the ordinary variety, 10s. 6d.
 — **RUBRO-VITTATUM**, 31s. 6d. and 42s.
 — **VIRGINALE**, 31s. 6d. and 42s.
BATEMANÆ, 2s. 6d.
BLOMERIANUM, 3s. 6d. and 5s.
BROWNII, very handsome large flowers,
 trumpet-shaped, internally white, exter-
 nally purplish brown. 5s.
BULBIFERUM, 1s. 6d.
BYZANTINUM, *vide* chalconicum
CALFICUM, 3s. 6d. and 5s.
CALLOSUM, 2s. 6d. and 3s. 6d.
CANADENSE, 1s. 6d. and 2s. 6d.
 — **RUBRUM**, 2s. 6d.
CANDIDUM, 4d. and 6d.
 — **FLORE-PLENO**, 1s.
CHALCEDONICUM (BYZANTINUM), an effective
 and showy Lily, with brilliant scarlet
 flowers. 2s. 6d.
COLUMBIANUM, 2s. 6d. and 3s. 6d.
CONCOLOR, 2s. 6d. and 3s. 6d.
 — **CORIDION**, 2s. 6d. and 3s. 6d.
CORDIFOLIUM, a rare Japanese Lily. 5s. & 7s. 6d.
CROCEUM (AURANTIACUM), 4d.
DALMATIUM, *vide* Martagon dalmaticum
DAVURICUM, the true species from
 Siberia. 2s. 6d.
 — **ERECTUM**, 6d.
 — **FULGIDUM (SAPPHO)**, 6d.
 — **GRANDIFLORUM**, 6d.
 — **IMMACULATUM**, 6d.
 — **INCOMPARABLE**, 6d.
ELEGANS (THUNBERGIANUM), 1s. 6d.
 — () **ALUTACEUM**, 6d.
 — () **ATROANGUINEUM FULCINS**, 6d.

- ELEGANS (BICOLOR) THUNBERGIANUM**, 2s. 6d. and 3s. 6d.
 — (—) **FORMOSUM**, 3s. 6d.
 — (—) **HÆMATOCHROUM**, 7s. 6d.
 — (—) **LATERITIUM (BILIGULATUM)**, 1s.
 — (—) **MACULATUM**, 2s. 6d.
 — (—) **PRINCE OF ORANGE**, 1s. 6d.
 — (—) **SCINTILLANS**, 7s. 6d.
 — (—) **STAMINOSUM**, 2s. 6d.
EXCELSUM, *vide testaceum*
EXIMIUM, *vide longiflorum eximium*
GIGANTEUM, 5s., 7s. 6d. and 10s. 6d.
HANSONI, bright golden yellow, spotted with crimson, 7s. 6d.
HUMBOLDTII, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden yellow flowers, spotted with purple. 2s. 6d. and 3s. 6d.
KAMSCHATICUM (SARANA), 3s. 6d.
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 2s. 6d. & 3s. 6d.
LANCIFOLIUM, *vide speciosum*
LEICHTLINI, very rare, 7s. 6d.

- LONGIFLORUM**, 9d. and 1s.
 — **EXIMIUM**, 2s. 6d. and 3s. 6d.
 — **FOL. ALBO-MARGINATIS**, 2s. 6d. & 3s. 6d.
 — **HARRISII**, 1s. 6d. and 2s. 6d.
 — **WILSONI**, one of the handsomest white Lilies known. 2s. 6d. and 3s. 6d.
MARTAGON (Turk's Cap Lily), 6d.
 — **ALBUM**, 5s.
 — **AURANTIACUM**, *vide pyrenaicum*
 — **COCCINEUM**, *vide chalconicum*
 — **DALMATIUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish purple colour. 2s. 6d. and 3s. 6d.
 — **DALMATIUM CATTANIÆ**, purple, 2s. 6d. and 3s. 6d.
MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate brown; flowers most deliciously fragrant; one of the best of the Lilies; when established, the flower stems grow from 3 to 4 feet high and produce as many as twenty of its attractive blossoms. 1s. 6d. and 2s. 6d.
NEILGHERRENSE, 5s. and 7s. 6d.
PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden orange colour, attractively spotted with maroon-purple. 2s. 6d. and 3s. 6d.
BOURGEI, 3s. 6d.
PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3s. 6d. and 5s.
PHILADELPHICUM, 1s. 6d. and 2s. 6d.
POMPONIUM, an elegant species with bright scarlet flowers. 1s. 6d. and 2s. 6d.
 extra strong English grown bulbs, 3s. 6d.
PUBERULUM, 3s. 6d. and 5s.
PULCHELLUM, a pretty neat growing Lily, with brilliant vermilion flowers, spotted with black, 2s. 6d. and 3s. 6d.
PURPUREUM (RUBESCENS), 3s. 6d. and 5s.
PYRENAICUM, 9d. and 1s.
RUBESCENS, *vide purpureum*.
SPECIOSUM (LANCIFOLIUM) ALBUM, 1s. 6d. and 2s. 6d.
 — **(LANCIFOLIUM) ALBUM CORYMBIFLORUM**, 1s.
 — (—) **CRUENTUM**, 3s. 6d.
 — (—) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 2s. 6d. and 3s. 6d.
 — (—) **MELPOMENE**, 5s.
 — (—) **PUNCTATUM**, 2s. 6d. and 5s. 6d.
 — (—) **PURPURATUM**, 3s. 6d.
 — (—) **ROSEUM**, 9d. and 1s.
 — (—) **RUBRUM**, 9d. and 1s.
 — (—) **CORYMBIFLORUM**, 1s. 6d.
 — (—) **MAGNIFICUM**, 7s. 6d.
 — (—) **SUPERBUM**, 2s. 6d. and 3s. 6d.
 — (—) **SCHRYMAKERSI**, 3s. 6d.
SUPERBUM, 1s. and 1s. 6d.
 — **PYRAMIDALE**, 2s. 6d. and 3s. 6d.



LONGIFLORUM FLORIBUNDUM. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide illustration*. 2s. 6d. & 3s. 6d. Gigantic bulbs, 5s., 7s. 6d. & 10s. 6d.

LILIUMS.—continued.

SZOVITZIANUM, *vide* monadelphum Szovitzianum
TENUIFOLIUM, bright scarlet, of neat growth; a charming Lily, 1s. 6d. and 2s. 6d.
TESTACEUM (EXOELSUM), nankeen coloured flowers, 1s. 6d. and 2s. 6d.
THUNBERGIANUM, *vide* elegans.
TIGRINUM, 4d. and 6d.
 — **FLORE-PLENO**, 9d. and 1s.
 — **FORTUNEI**, 6d. and 9d.

TIGRINUM LEOPOLDII, bright orange-searlet; large dark spots; exceedingly attractive; this and the double-flowered variety are the most handsome of the *tigrinum* section, 2s. 6d.
 — **SPLENDENS**, 1s.
VENUSTUM, 1s. 6d.
WALLICHIANUM, 7s. 6d. and 10s. 6d.
WASHINGTONIANUM, this noble Lily inhabits the Western slope of the Californian Sierra Nevada; the flowers are white, slightly flushed with lilac, and sweet-scented, 2s. 6d. and 3s. 6d.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3s. 6d.
MAGNOLIA CAMPBELLII, 10s. 6d. and 15s.
CONSPICUA, 3s. 6d.
LENNEI, 5s.
PURPUREA, 2s. 6d.
SOULANGEANA, 3s. 6d.
 of sorts, 3s. 6d. and 5s. to 10s. 6d.
MALUS FLORIBUNDUS, 1s. 6d.
HALLEANUS, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2s. 6d.
MAXIMOWICZIA CHINENSIS, 1s. 6d.
MILLA BIFLORA, 5s. per dozen.
MONTBRETIA CROCOSMEFLORA, 1s. 6d.
CROCOSMEFLORA BOUQUET PARFAIT, spikes of very large flowers, centre dark orange yellow, the upper part bright vermilion, 7s. 6d.

MONTBRETIA CROCOSMEFLORA ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow, 7s. 6d.
CROCOSMEFLORA GERBE D'OR, a dwarf and prolific variety, producing magnificent golden yellow flowers, 7s. 6d.
POTTSI, 1s. 6d.
NEVIUSIA ALABAMENSIS, 3s. 6d.
NYMPHÆA ALBA, 3s. 6d. and 5s.
OPUNTIA RAFINESQUIANA, 2s. 6d.
PANAX SESSILIFLORUM, 5s.
PÆONIA ARBOREA (Tree Pæony), choice sorts, 5s. each, 42s. per dozen.
PASSIFLORA CERULEA, 1s. 6d. and 2s. 6d.
PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3s. 6d.

PASSIFLORA "CONSTANCE ELIOTT."

This charming Passiflora has been awarded a first-class certificate by the Royal Horticultural Society. It is hardy, a free grower, and produces in the greatest profusion sweet scented, pure ivory-white flowers, almost without a trace of the bluish tinge peculiar to the type. The inner surface of the sepals and the petals is white; the coronal rays being ivory-white, tinged with yellow towards the tips. 3s. 6d.

PHILADELPHUS GRANDIFLORUS SPECIOSISSIMUS PLENUS.

An extremely beautiful and ornamental hardy shrub, producing very large white flowers, which have a full double centre, and are deliciously scented. 5s.

PHILADELPHUS KETELEERI FLORE-PLENO, 2s. 6d.

PHILADELPHUS MULTIFLORUS PLENUS, 1s. 6d.
PRIMUMFLORUS, 3s. 6d.

PHILADELPHUS MICROPHYLLUS.

A small-leaved species of dwarf and compact habit, introduced from California, freely produces large white flowers, most deliciously scented. 2s. 6d.

PHILADELPHUS ROSÆFLORUS PLENUS.

A splendid variety, producing fine large flowers which are very full and double, composed of large imbricated pure white petals. 3s. 6d.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per doz.

PIERIS OVALIFOLIA DENSIFLORA.

An evergreen shrub of elegant character and vigorous constitution, introduced from Assam. The leaves are acuminate, of firm texture, and slightly scabrous. The flowers are white, and grow in racemes at the ends of the branches. 3s. 6d. and 5s.

PIPER FUTOKADSURA, 3s. 6d. and 5s.

| **POLYCARPA MAXIMOWICZII**, *vide* Idesia polycarpa

POLYGONUM MULTIFLORUM.

A free-growing climbing or trailing plant, of slender habit, with a tuberous root and terete stems, bearing on slender purplish petioles, cordate-ovate acuminate glabrous leaves of a shining satiny green colour, tinted with purple beneath. The flowers are small but very numerous, whitish, and borne in loose spreading panicles. The plant is a native both of China and Japan, but although the young shoots die down in winter, the rootstock has proved quite hardy. 2s. 6d. and 3s. 6d.

POLYGONUM SACHALINENSE.

A free-growing perennial herbaceous plant, producing stout erect branched stems, furnished with large ovate oblong leaves, cordate at the base, having red footstalks, and traversed by a red mid-rib. The flowers grow in small compound racemes. It will form a distinct plant for the herbaceous border, and coming from the Amoor country is perfectly hardy. 1s. 6d. and 2s. 6d.

- POPULUS CANADENSIS AUREUS** VAN GEERTII, foliage of an attractive golden hue. 2s. 6d.
POTENTILLA, handsome double-flowered kinds. 1s. 6d. and 2s. 6d.
PRIMULA AMGENA, *vide* P. Sieboldii
CARNIOLICA, 2s. 6d.
CASHMIRIANA, 1s.
CORTUSOIDES ALBA, 2s. 6d.
 — **HYBRIDA**, 2s. 6d.
INTERMEDIA, 3s. 6d.
 — **MINSTREL**, 3s. 6d.
JAPONICA, 1s. and 1s. 6d.
 — of sorts, 3s. 6d.
SIEBOLDII, 1s. 6d.

- PRIMULA SIEBOLDII ALBA**, 3s. 6d.
SIEBOLDII CLARKLEFFLORA, 3s. 6d.
 — **CERULEA ALBA**, 3s. 6d.
 — **PIMBRIATA OCLATA**, 3s. 6d.
 — **HERMIA**, 3s. 6d.
 — **LACINIATA**, 3s. 6d.
 — — **PERFECTA**, 3s. 6d.
 — — **ROSEA**, 3s. 6d.
LAVATERA, 3s. 6d.
 — **LILACINA MARGINATA**, 3s. 6d.
 — **OPHELIA**, 3s. 6d.
 — **PINK BEAUTY**, 3s. 6d.
 — **VENUS**, 3s. 6d.
 — **VIOLACEA**, 3s. 6d.

PRUNUS PISSARDII.

A remarkably ornamental novelty, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found a most effective plant for out-door decoration, the rich hue of its foliage being particularly attractive. 2s. 6d. and 3s. 6d.

- PRUNUS DOMESTICA FOLII VARIEGATIS**, 3s. 6d.
SINENSIS ALBO-PLENA, 2s. 6d.

- PRUNUS SINENSIS RUBRO-PLENA**, 2s. 6d.
TRILOBA, 1s. 6d.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven-lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading, and densely packed with spike-like greenish flowers. 2s. 6d.

- RHODODENDREONS**, choice hybrids of sorts, to name, 3s. 6d. and 5s.
RHUS GLABRA LACINIATA, 1s. and 1s. 6d.
RIBES ALPINUM PUMILUM AUREUM, 5s.
RICHARDIA AFRICANA, 1s. and 1s. 6d.

- RICHARDIA ALBO-MACULATA**, 1s. and 1s. 6d.
ROSA RUGOSA ALBA, 1s. 6d. and 2s. 6d.
RUGOSA REVELIANA, 1s. 6d. and 2s. 6d.
RUBUS ARGENTUS FRENCHUS, 3s. 6d.

RUBUS CRATÆGIFOLIUS.

Introduced from Manchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1s. 6d. each. 12s. per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple and furnished with red thorns; the leaves are small, trifoliate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3s. 6d.

- RUBUS FRUTICOSUS KITCATINNY**, 2s. 6d.
FRUTICOSUS MAMMOTI, 2s. 6d.
 — **NEW ROCHELLE**, 2s. 6d.
 — **SNYDER**, 2s. 6d.
 — **WILSON'S EARLY**, 2s. 6d.
TRIVITOLUS, the crimson fruited Bramble, 3s. 6d.
TRINICOLASUS, 5s.

} highly esteemed American Blackberries.

- SALIX BABYONICA MASCOLE**, 2s. 6d.
SALIX PENTANDREA, 1s. 6d.
SAUROMATUM, *vide* Arisaema.
SAXIFRAGA CILIATA, 1s. 6d.
MCNABIANA, 3s. 6d.


SAXIFRAGA PELTATA.

This remarkable and attractive plant is of robust growth, and has immense roundly lobed dark green leaves, about fifteen to eighteen inches in diameter. The flowers which are of a beautiful rose colour, are most abundantly borne on a tall erect spike, upwards of a foot in height. 1s. 6d.

- SCIRPUS (JUNCUS) TABERNEMONTANI ZEBRINUS**, 3s. 6d. and 5s.
SEDUM MAXIMOWICZII, 1s. 6d.
SPURHEUM SPLENDENS, 1s. 6d.
SENECIO PULCHER, 1s. 6d.

- SKIMMIA OBLATA**, 2s. 6d. and 3s. 6d.
SPIRÆA AMURENSIS, 1s. 6d.
ASTILBOIDES, *vide* page 82
BARBATA, *vide* Astilbe barbata.
PALMATA, 1s. and 1s. 6d.
 — **ALBA**, 5s. and 7s. 6d.

See also page 70



SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which has been certificated both by the Royal Horticultural and Royal Botanic Societies on account of its great merit. The stems grow from two to three feet high, and are terminated by compound feathery branches of elegant white flowers, produced in the greatest profusion. A charming plant for pot culture. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington, in 1882. 10s. 6d.

SPIRÆA PALMATA ELEGANS.

A very distinct and pretty variety, in habit and foliage similar to *Spiræa palmata*, but with white flowers and conspicuous red stamens, which render it extremely effective. 2s. 6d.

STAPHYLEA COLCHICA, 2s. 6d. and 3s. 6d.

STATICE LATIFOLIA, 1s.

STAUNTONIA LATIFOLIA, 2s. 6d.

STYBAX CALIFORNICA, 7s. 6d.

STYRAX JAPONICA, 3s. 6d.

SYRINGA HYBRIDA HYACINTHIFLORA PLENA,
1s. 6d.

VULGARIS FLORE-PLENO LEMOINEI, *vide* page 84

SYRINGA VULGARIS FLORE-PLENO ALPHONSE LAVALLEE.

A very handsome and attractive variety bearing enormous thyrses of double flowers, much branched the shape of the bunch being all that could be desired. The buds are purple, opening a beautiful sky blue shaded with violet. 10s. 6d.

SYRINGA VULGARIS FLORE-PLENO LE GAULOIS.

An extremely attractive variety producing large close thyrses of very double flowers, of a dark peach colour, light centres. 5s.

SYRINGA VULGARIS FLORE-PLENO MATHIEU DE DOMBASLE.

A splendid double-flowered variety, producing immenso thyrses nearly a foot long and from seven to nine inches broad; the expanded flowers of a beautiful reddish mauve colour. 3s. 6d.

SYRINGA VULGARIS FLORE-PLENO MICHEL BUCHNER.

A grand variety, producing fine erect pyramidal shaped thyrses of beautiful double flowers. The petals are prettily imbricated, pale lilac margined with rose; a vigorous grower of superior merit. 10s. 6d.

SYRINGA VULGARIS FLORE-PLENO RENONCULE.

A fine variety, giving long erect thyrses of very full double flowers, which are of an azure-mauve colour and have a very strong perfume. 2s. 6d.

SYRINGA VULGARIS RUBELLA PLENA.

An extremely floriferous variety, producing long erect thyrses of full double flowers, of a clear reddish violet colour; the buds are purple. 2s. 6d.

TIGRIDIA CONCHIFLORA, 3s. per dozen.

ORANDIFLORA, 4s. per dozen.

— ALBA, 4s. per dozen.

— AURANTIACA, 4s. per dozen.

TRICYRTIS HIETA, 1s.

HIETA FLORE-NIGRO, 1s.

TRITOMA BURCHELLII, 1s.

GRANDIS, 2s. 6d.

ROOPERI, 1s. 6d.

} These can be supplied, when dormant, by the
dozen or hundred at the proper season.

TRITOMA UVARIA GLAUDESCENS, 1s. 6d.

UVARIA GRANDIFLORA, 2s. 6d.

TRITONIA AUREA, *vide* CROCOSMA AUREA.

UMBILICUS LIEVENII, 2s. 6d.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 72.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and lamel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 5s.

VITIS JAPONICA, *vide* Ampelopsis tricuspidata

VINIFERA PURPUREA, 5s.

WEIGELA ABEL CARRIERE, 1s. 6d.

AMABILIS LOOYMANSII AUREA, 1s. 6d.

WEIGELA AUG. WILHELM, 2s. 6d.

BERANGER, 2s. 6d.

DOCTEUR BAILLON, 1s. 6d.

EDOUARD ANDRÉ, 1s. 6d.

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1s. 6d. each; 12s. per dozen.

WEIGELA DIDEROT.

A very attractive and free-blooming variety, with large brilliant red flowers. 5s.

WEIGELA EMILE GALLÉ, 2s. 6d.

GLOIRE DES BOSQUETS, 3s. 6d.

WEIGELA GRATISSIMA, 2s. 6d.

HORTENSIS NIVEA, 1s. 6d.



SYRINGA VULGARIS FLORE-PLENO LEMOINEL.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 3s. 6d. each; 30s. per dozen.

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 3s. 6d.

WEIGELA MONTESQUIEU.

Fine reddish crimson flowers of perfect shape; a very handsome and distinct variety. 5s.

WEIGELA LAVALLEI, 1s. 6d.

PECHEUR FILS, 2s. 6d.

PURPUREA, 2s. 6d.

WISTARIA FRUTESCENS MAGNIFICA, 2s. 6d.

MULTIJOUA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, 2s. 6d.

— **ALBA**, 5s.

SINENSIS, 2s. 6d.

WISTARIA SINENSIS ALBA, 2s. 6d.

SINENSIS FLORE-PLENO, 3s. 6d.

XANTHOCERAS SORBIFOLIA, 3s. 6d.

YUCCA ANGUSTIFOLIA, 5s.

BREVI-FOLIA, 5s.

MACROCARPA, 5s.

RECURVA, 3s. 6d. and 5s.

— **VARIEGATA**, 7s. 6d.

**OFFICINAL AND MEDICINAL PLANTS,
TROPICAL FRUITS, &c.**

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Selections left to W. B. at 2, 3 and 4 guineas per dozen; collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Musa Ensète	Abyssinia
African Mangosteen	Garcinia Livingstoni	Africa
✓ African Rubber	Landolphia Watsonii	Africa
Allspice	Eugenia Pimenta	W. Indies
Arabian Coffee	Coffea arabica	Yemen
Arrowroot	Maranta arundinacea	S. America
Arnotto Dye Plant	Bixa Orellana	Tropical America
Australian Banyan	Ficus macrophylla	Australia
Avocado Pear	Persea gratissima	West Indies
Balsam of Peru	Myroxylon Pereira	Peru
Bauyan Tree	Ficus indica	E. Indies
Bark of Commerce	Cinchona officinalis	Tropical America
Bengal Quince	Ægle Marmelos	E. Indies
Betle Pepper	Piper Bétlo	E. Indies
✓ Bitter Quassia	Quassia amara	Guiana
Black Pepper	Piper nigrum	E. Indies
Brazil Nut	Bertholletia excelsa	Brazil
✓ Butter Tree	Bassia butyracea	E. Indies
Cabbage Palm	Eutérpe edulis	Brazil
Camphor	Camphora officinalis	Japan
✓ Candle Tree	Parmentiera cecrifera	Panama
Cannon Ball Tree	Couroupita guianensis	British Guiana
Caoutchouc	Castilloa elastica	Honduras
Capo Chestnut	Calodendron capense	Cape Colony
✓ Captain Cook's Tea Plant	Leptospermum scoparium	New Zealand
Cardamon	Amomum Cardamomum	E. Indies
✓ Cascarilla Bark	Croton Eltéria	Bahama Islands
Cassia	Cinnamomum Cassia	East Indies
✓ Ceara Rubber	Mauiliot Glaziovii	Brazil
Chinese Plantain Tree	Musa Cavendishii	China
Cinnamon	Cinnamomum zeylanicum	Ceylon
✓ Clove Tree	Caryophyllus aromaticus	E. Indies
✓ Coca	Erythroxylon Cöca	Peru

Cocoa	Theobroma Cacao	Tropical America
Coffee	Coffea arabica	Yemen
Contraceptive Root	Dorstenia Contraceptiva	S. America
✓ Cuba Bast	Paritium elatum	W. Indies
Cubeb Pepper	Piper Cubeba	Java
Cundurango	Gonolobus Cundurango	S. America
Date	Phoenix dactylifera	Levant
✓ Durian	Durio zibethinus	India
Edible-fruited Passion Flower	Passiflora edulis	Brazil
✓ Edible Vangueria	Vangueria edulis	Madagascar
Elephant Apple	Feronia elephantum	E. Indies
Fiddlo Wood	Citharoxylon quadrangulare	Jamaica
Fig, Sacred	Fiens religiosa	E. Indies
Flano Tree	Brachyhiton acerifolium	New South Wales
Fustick Wood	Maclura tinctoria	W. Indies
Gambogo	Zanthoxylum pictorius	E. Indies
Gigantic Granadilla	Passiflora macrocarpa	Rio Negro
Ginger	Zingiber officinale	E. Indies
Granadilla	Passiflora quadrangularis	W. Indies
✓ Guarana Tea Plant	Paullinia sorbilis	Brazil
Guava	Psidium Cattleianum	Brazil
Gum Arabic Tree	Acacia arabica	Arabia
Ipecacuanha	Cephaelis Ipecacuanha	Brazil
Ivory Nut Palm	Phytolopha macrocarpa	Peru
Jack Fruit	Artocarpus integrifolia	W. Indies
✓ Jalap	Exogonium purga	Mexican Andes
Japau Cinnamon	Cinnamomum sericoum	Japan
Japanese Pepper	Piper Futokadura	Japan
✓ Kokum Oil	Garcinia indica	E. Indies
Kola Nut	Cola acuminata	Niger
Latanier Palm	Latania borbonica	Bourbon
Ledger's Bark	Cinchona Ledgeriana	S. America
Lemon Grass	Cymbopogon Schoenanthus	E. Indies
Liberian Coffee	Coffea liberica	Africa
Logwood Tree	Hæmatoxylum campechianum	S. America
Loquat	Eriobotrya japonica	Japan
Mahogany Tree	Swietenia Mahagoni	W. Indies
✓ Malabar Silk Cotton Tree	Bombax malabaricum	Malabar
Mango	Mangifera indica	E. Indies
Mangosteen	Garcinia Mangostana	Java
Manilla Hemp	Musa textilis	Philippine Isles
Matico	Artantho elongata	Peru
✓ Milk Tree	Galuetodendron utile	S. America
✓ Moreton Bay Chestnut	Castanospermum australe	Australia
✓ Mustard Tree of Scripture	Salvadora persica	Persia
✓ Nardoo	Marsilea inaequalis	Australia
✓ Natal Plum	Arduina grandiflora	Natal
Netted-leaved Custard Apple	Anona reticulata	S. America
✓ New Caledonian Apple	Eugenia magnifica	New Caledonia
New Zealand Tea Plant	Leptospermum scoparium	New Zealand
✓ Nutmeg	Myristica moschata	E. Indies
✓ Palissander Wood	Machierium firmum	S. America
Para Rubber	Hevea brasiliensis	Brazil
Patchouli Scent Plant	Pogostemon Patchouli	E. Indies
Poison Bulb	Buphane (Brunsvigia) toxicaria	Natal
Poison Nut	Thevetia nerifolia	W. Indies
Queensland Nut	Macadamia ternifolia	Queensland
✓ Queensland Plum	Davidsonia pruriens	Queensland
Rhea Fibre Plant	Bolneria nivea	India
Rhubarb	Rheum officinale	China
Sand Box Tree	Hura crepitans	S. America
✓ Sandal Wood	Santalum album	E. Indies.
Sarsaparilla	Smilax Sarsaparilla	N. America
✓ Satin Wood	Chloroxylon Swietenia	E. Indies
Snake Wood	Cecropia palmata	S. America
Soap Berry	Quillaja Saponaria	S. America
Sour Sop	Anona muricata	W. Indies
South American Papaw	Carica eundinamaricensis	Colombia
Star Apple	Chrysophyllum Cainito	W. Indies
Sugar Cane	Saccharum officinarum	India
Sweet Sop	Anona squamosa	S. America.

Sycamore Tree of Scripture	Ficus Sycomorus	Egypt
Tamarind Tree.....	Tamarindus indica	E. Indies
Tea	Théa Bohéa	China
Telegraph or Moving Plant	Desmodium gyrans.....	E. Indies
✓ Tonga	Epipremnum mirabile	South Sea Islands
✓ Tonquin Bean	Dipterix odorata.....	Guiana
Traveller's Tree	Ravenala madagascariensis	Madagascar
Turpentine Tree	Pistacia Terebinthus	S. Europe
Vanilla	Vanilla aromática	S. America
Zerumbet Ginger.....	Zingiber Zerumbet	E. Indies

Purchasers of Official and Medicinal Plants, Tropical Fruits, &c., can have selections of living specimens made by W. B. from the preceding at 2, 3 and 4 guineas per dozen; or collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to anyone interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers to purchase good, established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 5, 10, 15 and 20 guineas each, and upwards.

S, distinguishes the stove kinds; I, intermediate house; C, cool house.

Those marked thus (*) are winter-blooming kinds.

I ACANTHEPHIPIUM	JAVANICUM	Java	10s. 6d. and 15s.
I	STRIATUM	Assam	7s. 6d.
I	ACINETA BARKERI	Mexico	10s. 6d. and 15s.
I	ERYTHROXANTHA	South America	
I	HUMBOLDTII (superba)	Colombia	7s. 6d. and 10s. 6d.
I	ACROPERA LODDIOESII	Mexico	5s., 7s. 6d. and 10s. 6d.
I	LUTEOLA	Mexico	10s. 6d. and 15s.
*C	ADA AURANTIACA	Pamplona	5s., 7s. 6d. and 10s. 6d.
S	AÆRANTHUS LEONIS, vide Angrænum Leonis.		
I	AÆRIDES AFFINE	Sylhet	5s., 7s. 6d. to 21s.
I	AFFINE ROSEUM	Sylhet	10s. 6d. and 15s.
I	— SUPERBUM	Sylhet	31s. 6d. and 42s.
S	CRASSIFOLIUM	Burmah	3s. 6d., 5s. to 21s.
I	CRISPUM (Brookei)	Bombay	3s. 6d., 5s. to 10s. 6d.
S	CYLINDRICUM (Vandarum)	East Indies	63s. and 84s.
S	EMERICII	Andaman Islands	63s. and 84s.
I	FIELDINGII (Fox Brush)	East Indies	7s. 6d., 10s. 6d. to 21s.
I	FIELDINGII RUBRUM	East Indies	
S	HOULLETIANUM	Cochin China	63s. and 84s.
S	HUTTONI	East Indies	5s., 7s. 6d. and 10s. 6d.
C	JAPONICUM	Japan	7s. 6d. and 10s. 6d.
S	LARPENTE	East Indies	
S	LAWRENCEI	East Indies	
S	LEEANUM, vide A. HUTTONI		
I	LINDLEYANUM	Coonoor	5s., 7s. 6d. and 10s. 6d.
S	LOBBII	Moulmein	10s. 6d. 15s. and 21s.
S	— RUBRUM	Moulmein	
S	MACULOSUM	Bombay	5s., 7s. 6d. and 10s. 6d.
S	— SUPERBUM	Bombay	
S	NOBILE	India	21s. and 31s. 6d.
S	ODORATUM (corantum)	East Indies	5s., 7s. 6d. and 10s. 6d.
S	— MAJUS	East Indies	7s. 6d. and 10s. 6d.
S	— PURPURASCENS	East Indies	15s. and 21s.

<i>S</i>	AÆRIDES ORNITHORHYNCHUM	East Indies	21s. and 31s. 6d.
<i>S</i>	QUINQUEVULNERUM	Philippine Islands	5s., 7s. 6d. to 21s.
<i>S</i>	REGNIERI	Cochin China	
<i>S</i>	ROMANIANUM	East Indies	
<i>S</i>	RUBRUM	Bombay	63s. and 84s.
<i>S</i>	SANDERIANUM	East Indies	
<i>S</i>	SUAVISSIMUM	East Indies	15s. and 21s.
<i>S</i>	THIBAUTIANUM	East Indies	
<i>S</i>	VANDARUM, <i>vide</i> CYLINDRICUM		
<i>S</i>	VEITCHII	East Indies	105s.
<i>S</i>	VIRENS	Java	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— DAYANUM	East Indies	7s. 6d., 10s. 6d. to 21s.
<i>S</i>	— SUPERBUM	East Indies	15s. and 21s.
<i>I</i>	WARNERI	Bombay	10s. 6d., 15s. and 21s.
<i>S</i>	AGANISA CERULEA	Brazil	
<i>S</i>	ANGECTOCHILUS DAWSONIANUS, <i>vide</i> GOODYERA		
<i>S</i>	LOWII	Borneo	21s. and 31s. 6d.
<i>S</i>	SETACEUS CORDATUS	East Indies	21s. and 31s. 6d.
<i>S</i>	ANGRÆCUM ARCUATUM	Africa	
<i>S</i>	ARTIOCLATUM	Madagascar	10s. 6d., 15s. and 21s.
<i>S</i>	BILOBUM	Cape Coast Castle	
<i>S</i>	CHAILLUANUM	West Coast of Africa	
<i>S</i>	CITRATUM	Madagascar	10s. 6d., 15s. and 21s.
<i>S</i>	— MAJUS	Madagascar	
<i>S</i>	DISTICUM	West Coast of Africa	10s. 6d., 15s. and 21s.
<i>*S</i>	EBURNEUM (SUPERBUM)	Madagascar	21s. and 31s. 6d.
<i>S</i>	ELLISII	Madagascar	31s. 6d., 42s. and 63s.
<i>I</i>	FALCATUM	Japan	10s. 6d. and 15s.
<i>S</i>	GRANDIFLORUM	Madagascar	105s.
<i>S</i>	LEONIS	Comoro Island	31s. 6d., 42s. and 63s.
<i>S</i>	PERTUSUM	West Coast of Africa	
<i>*S</i>	SESQUIPEDALE	Madagascar	42s., 63s. and 84s.
<i>*S</i>	— MAJUS	Madagascar	
<i>*S</i>	VIRENS (BRONGNIARTIANUM)	Madagascar	21s. and 31s. 6d.
<i>I</i>	ANGULOEA CLOWESII	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	ERUNSEA	Peru	
<i>I</i>	RUCKERII	South America	63s.
<i>I</i>	UNIFLORA	Colombia	15s. and 21s.
<i>I</i>	— SUPERBA	Colombia	42s.
<i>*S</i>	ANSELLIA AFRICANA	Sierra Leone	
<i>I</i>	ARPOPHYLLUM GIGANTEUM	Mexico	21s. and 31s. 6d.
<i>I</i>	SPICATUM	Mexico	10s. 6d. and 15s.
<i>C</i>	BARKERIA ELEGANS	Mexico	21s. and 31s. 6d.
<i>C</i>	CYCLOTELLA	Mexico	31s. 6d.
<i>*C</i>	LINDLEYANA	Mexico	31s. 6d.
<i>*C</i>	SKINNERI	Guatemala	10s. 6d., 15s. and 21s.
<i>C</i>	SPECTABILIS	Mexico	
<i>I</i>	BATEMANNIA BURTTII	South America	
<i>I</i>	COLLEYI	Demerara	21s.
<i>I</i>	BIFRENARIA AURANTIACA	Brazil	15s. and 21s.
<i>C</i>	BLETIA HYACINTHINA	China	5s. and 7s. 6d.
<i>I</i>	SHEPHERDII	West Indies	21s.
<i>I</i>	SIERRATTIANA	Colombia	10s. 6d. and 15s.
<i>*I</i>	TANKERVILLÆ, <i>vide</i> PHAIUS GRANDIFOLIUS		
<i>I</i>	BOLLEA CÆLESTIS	Colombia	
<i>I</i>	BRASAVOLA CUCULLATA	Mexico	15s.
<i>S</i>	DIGBYANA	Honduras	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	GLAUCA	Mexico	10s. 6d., 15s. and 21s.
<i>I</i>	— OCULATA	Mexico	
<i>I</i>	NODOSA	South America	10s. 6d. and 15s.
<i>I</i>	RHOPALORRHACHIS	Mexico	21s.
<i>I</i>	BRASSIA BRACHIATA	Guatemala	63s. and 84s.
<i>I</i>	CAUDATA	South America	10s. 6d. and 15s.
<i>C</i>	CINNABARINA	Colombia	21s. and 31s. 6d.
<i>I</i>	GIREODIANA	Costa Rica	31s. 6d.
<i>I</i>	KEILIANA	South America	
<i>S</i>	LAWRENCEANA	Demerara	
<i>S</i>	MACULATA	West Indies	10s. 6d. and 15s.
<i>I</i>	SIGNATA	South America	31s. 6d.
<i>I</i>	VENOSA	South America	31s. 6d. and 42s.
<i>C</i>	VERRUCOSA	Guatemala	10s. 6d. and 15s.

<i>I</i>	BEASSIA WRAYÆ	South America	42s. and 63s.
<i>S</i>	BROUGHTONIA SANGUINEA	Jamaica	10s. 6d. to 21s.
<i>S</i>	BULBOPHYLLUM LOBBII, <i>vide</i> SARCOPODIUM LOBBII		
<i>I</i>	BURLINGTONIA CANDIDA	Demerara	
<i>I</i>	DECORA	Brazil	15s. and 21s.
<i>I</i>	FRAGRANS	Brazil	15s. and 21s.
<i>I</i>	VENUSTA	Brazil	15s. and 21s.
<i>C</i>	CALANTHE CURTISII	Japan	
<i>S</i>	DOMINII	Hybrid	21s. and 31s. 6d.
<i>I</i>	MASUCA	Nepal, Sikkim	31s. 6d.
<i>I</i>	NATALENSIS	Natal	
* <i>I</i>	NIVALIS	Tavoy, Java	15s. and 21s.
<i>C</i>	PLEIOCHROMA	Japan	21s.
<i>C</i>	— BREVIOR	Japan	21s.
* <i>I</i>	REGNIERI	Cochin China	21s. and 31s. 6d.
<p>A new and attractive species, in growth and habit similar to <i>C. vestita</i>, but with different flowers, these are about two inches across, white, with large bright carmine centre.</p>			
* <i>I</i>	REGNIERI PURPUREA	Cochin China	
<i>C</i>	SIEBOLDII	Japan	10s. 6d. and 15s.
* <i>I</i>	TURNERI	India	15s. and 21s.
<i>I</i>	VEITCHII	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	VERATRIFOLIA	East Indies	
* <i>I</i>	VESTITA INTERMEDIA	Tavoy, Java	21s.
* <i>I</i>	— LUTEO-OCULATA	Tavoy, Java	5s. and 7s. 6d.
* <i>I</i>	— OCULATA GIGANTEA	Tavoy, Java	31s. 6d.
* <i>I</i>	— RUBRO-OCULATA	Tavoy, Java	5s. and 7s. 6d.
<i>S</i>	CAMAROTIS PURPUREA	Sylhet	21s. and 31s. 6d.
<i>I</i>	CATASETUM CALLOSUM	South America	42s.
<i>I</i>	GLAUCOGLOSSUM	Mexico	10s. 6d.
<i>I</i>	GNOMUS	South America	21s.
<i>I</i>	MACROCARPUM	Brazil	21s.
<i>I</i>	MACULATUM	Mexico	10s. 6d.
<i>I</i>	MEDIUM	Brazil	
<i>I</i>	SANGUINEUM	Brazil	
<i>I</i>	CATTLEYA AELANDIÆ	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	AMABILIS	Colombia	31s. 6d. and 42s.
<i>I</i>	AMETHYSTINA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	AMETHYSTOGLOSSA	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>	AUREA	Colombia	31s. 6d., 42s. and 63s.
<i>I</i>	BASSETTII, <i>vide</i> SPECIOSISSIMA		
<i>I</i>	BICOLOR	Brazil	31s. 6d. and 42s.
* <i>I</i>	BOGOTENSIS	Colombia	21s., 31s. 6d. and 42s.
<i>I</i>	BOOTHIANA, <i>vide</i> LOBATA		
<i>I</i>	BULBOSA, <i>vide</i> WALKERIANA		
<i>I</i>	CHOCOENSIS	Colombia	15s. and 21s.
<i>C</i>	CITRINA	Oaxaca	3s. 6d., 5s. and 7s. 6d.
<i>I</i>	CRISPA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— SUPERBA	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>	DOLOSA	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	DORMIANA	Brazil	21s. and 31s. 6d.
<i>S</i>	DOWIANA	Costa Rica	21s., 31s. 6d. and 42s.
<i>I</i>	ELDORADO	Rio Negro	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— AUREA	Rio Negro	63s. and 84s.
<i>I</i>	— CARNEA	Rio Negro	
<i>I</i>	— ROSEA	Rio Negro	
<i>I</i>	— SPLENDENS	Rio Negro	21s., 31s. 6d. and 42s.
<i>I</i>	— SUPERBA	Rio Negro	
<i>I</i>	— WALLISII (ALBA)	Rio Negro	
<i>I</i>	ELEGANS, <i>vide</i> LÆLIA ELEGANS		
<i>I</i>	EXONIENSIS	Hybrid	
<i>I</i>	FORBESII	Brazil	10s. 6d.
<i>I</i>	GASKELLIANA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— CARNEA	Brazil	
<i>I</i>	— PICTA	Brazil	
<i>I</i>	— ROSEA	Brazil	
<i>I</i>	— SUPERBA	Brazil	
<i>I</i>	GIGAS (Warszewiczii)	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	— ATROPURPUREA	Colombia	
<i>I</i>	— CHELSONI	Colombia	
<i>I</i>	— FORMOSA	Colombia	
<i>I</i>	— IMPERIALIS	Colombia	
<i>I</i>	— MAGNIFICA	Colombia	

<i>I</i>	CATTLEYA GIGAS MARGINATA	Colombia	
<i>I</i>	GIGAS NORMANII	Colombia	
<i>I</i>	— PICTURATA	Colombia	
<i>I</i>	— REGINÆ	Colombia	
<i>I</i>	— ROSEA	Colombia	
<i>I</i>	— SANDESIANA	Colombia	
<i>I</i>	— SPLENDENS	Colombia	
<i>I</i>	— TYRIANTHINA	Colombia	
<i>I</i>	GRANDIS, <i>vide</i> LÆLIA GRANDIS		
<i>I</i>	GUTTATA	Brazil	21s. and 31s. 6d.
<i>I</i>	HARRISONIANA	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	HOLFORDI, <i>vide</i> C. LUTEOLA		
<i>I</i>	INTERMEDIA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	LABIATA, <i>vide</i> C. WARNERII		
<i>I</i>	LAWRENCEANA	Roraima	63s. and 84s.
<i>I</i>	LEMONIANA, <i>vide</i> C. SPECIOSISSIMA		
<i>I</i>	LEOPOLDII	Brazil	10s. 6d. and 15s.
<i>I</i>	LOBATA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	LODDIGESII	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	LÜDDEMANNIANA, <i>vide</i> C. SPECIOSISSIMA		
<i>I</i>	LUTEOLA	South America	31s. 6d. and 42s.
* <i>I</i>	MARGINATA, <i>vide</i> LÆLIA MARGINATA		
<i>I</i>	MAXIMA (Quindos)	Ecuador, Popayan	21s., 31s. 6d. and 42s.
<i>I</i>	— PULCHERRIMA	Ecuador, Popayan	
<i>I</i>	— SUPERBA	Ecuador, Popayan	42s. and 63s.
<i>I</i>	MENDELI	South America	10s. 6d., 15s. and 21s.
<i>I</i>	— ALEXANDRE	South America	
<i>I</i>	— AMPLIATA	South America	
<i>I</i>	— DELICATA	South America	
<i>I</i>	— EXCELLENS	South America	
<i>I</i>	— GIGANTEA	South America	
<i>I</i>	— MACULATA	South America	
<i>I</i>	— MAGNIFICA	South America	
<i>I</i>	— OCULATA	South America	
<i>I</i>	— ORNATA	South America	
<i>I</i>	— PICTA	South America	
<i>I</i>	— PRINCEPS	South America	
<i>I</i>	— REX	South America	
<i>I</i>	— SUPERBA	South America	
<i>I</i>	— SUPERBISSIMA	South America	
<i>I</i>	MOSSLE	Venezuela	5s., 7s. 6d. and 10s. 6d. fine plants, 21s., 31s. 6d., 42s. and 63s.
<i>I</i>	— ALBA	Venezuela	
<i>I</i>	— ALBO-MARGINATA	Venezuela	63s. and 84s.
<i>I</i>	— AURANTIACA	Venezuela	21s., 31s. 6d. and 42s.
<i>I</i>	— CHELSONI	Venezuela	
<i>I</i>	— DELICATA	Venezuela	
<i>I</i>	— FLAMMEA	Venezuela	
<i>I</i>	— GIGANTEA	Venezuela	
<i>I</i>	— GRANDIFLORA	Venezuela	42s. and 63s.
<i>I</i>	— GRANDIS	Venezuela	
<i>I</i>	— INSIGNIS	Venezuela	
<i>I</i>	— LAWRENCEANA	Venezuela	105s. and 147s.
<i>I</i>	— MARGINATA	Venezuela	
<i>I</i>	— PICTA	Venezuela	
<i>I</i>	— PICTURATA	Venezuela	63s. and 84s.
<i>I</i>	— PULCHERRIMA	Venezuela	63s. and 84s.
<i>I</i>	— ROSEA	Venezuela	63s. and 84s.
<i>I</i>	— RUBRA	Venezuela	105s. and 147s.
<i>I</i>	— SPECIOSA	Venezuela	
<i>I</i>	— SPLENDENS	Venezuela	42s. and 63s.
<i>I</i>	— SUPERBA	Venezuela	21s., 31s. 6d. and 42s.
<i>I</i>	— VENOSA	Venezuela	
<i>I</i>	NOBILIOR	Brazil	42s. and 63s.
<i>I</i>	PERCIVALIANA	South America	10s. 6d., 15s. and 21s.
<i>I</i>	— MARGINATA	South America	
<i>I</i>	— NIGRA	South America	
<i>I</i>	— PICTA	South America	
<i>I</i>	— SPLENDENS	South America	
<i>I</i>	PERRINII, <i>vide</i> LÆLIA PERRINII		
* <i>I</i>	PINELII, <i>vide</i> LÆLIA PINELII		

<i>I</i>	CATLEYA SCHILLERIANA (REGNELLI)	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	SKINNERI	Mexico	10s. 6d., 15s. and 21s.
<i>I</i>	— ALBA	Mexico	
<i>I</i>	SPECIOSISSIMA (Bassettii, Lemoniana, Lueddemanniana)	Caracas	10s. 6d., 15s. and 21s.
	STELZNERIANA <i>vide</i> LÆLIA		
<i>S</i>	SUPERBA	Essequibo	10s. 6d., 15s. and 21s.
<i>S</i>	— SPLENDENS	Essequibo	
* <i>I</i>	TRIANE	Colombia	7s. 6d., 10s. 6d. and 15s.
* <i>I</i>	— ALBA	Colombia	
* <i>I</i>	— ATALANTA	Colombia	42s. and 63s.
* <i>I</i>	— BELLA	Colombia	105s.
* <i>I</i>	— CLEOPATRA	Colombia	63s. and 84s.
* <i>I</i>	— CONSPICUA	Colombia	
* <i>I</i>	— DELICATA	Colombia	10s. 6d., 15s. and 21s.
* <i>I</i>	— ELEGANS	Colombia	63s. and 84s.
* <i>I</i>	— EXCELLENS	Colombia	
* <i>I</i>	— FIMBRIATA	Colombia	
* <i>I</i>	— GEMMA	Colombia	
* <i>I</i>	— ORANDIS	Colombia	42s. and 63s.
* <i>I</i>	— MAGNIFICA	Colombia	105s. and 147s.
* <i>I</i>	— MARGINATA	Colombia	42s. and 63s.
* <i>I</i>	— NIVEA	Colombia	
* <i>I</i>	— PICTA	Colombia	63s. and 84s.
* <i>I</i>	— QUADRICOLOR	Colombia	31s. 6d. and 42s.
* <i>I</i>	— ROSALIND	Colombia	
* <i>I</i>	— ROSEA	Colombia	42s. and 63s.
* <i>I</i>	— SUPERBA	Colombia	84s. and 105s.
* <i>I</i>	— RUBRA	Colombia	42s.
* <i>I</i>	— SPECIOSA	Colombia	63s. and 84s.
* <i>I</i>	— SPLENDENS	Colombia	42s. and 63s.
* <i>I</i>	— SUPERBA	Colombia	31s. 6d. and 42s.
* <i>I</i>	— TYRIANTHINA	Colombia	31s. 6d. and 42s.
* <i>I</i>	— VENUS	Colombia	63s. and 84s.
* <i>I</i>	— VESTA	Colombia	63s. to 105s.
* <i>I</i>	— VICTORIA	Colombia	
* <i>I</i>	— VIRGINALIS	Colombia	63s. and 84s.
<i>I</i>	WALKERIANA (bulbosa)	Brazil	
<i>I</i>	WARNERII (labiata)	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— MAGNIFICA	Brazil	
<i>I</i>	— PICTA	Brazil	
<i>I</i>	— SPLENDENS	Brazil	
<i>I</i>	WARSEWICZII, <i>vide</i> C. GIGAS.		
<i>I</i>	XANTHINA		
<i>I</i>	CHYSIS AUREA	Mexico	10s. 6d., 15s. and 21s.
<i>I</i>	BRACTESCENS	Peru	10s. 6d., 15s. and 21s.
<i>I</i>	LEVIS	Mexico	15s. and 21s.
<i>I</i>	LIMMINGHEI	Mexico	42s. and 63s.
<i>S</i>	CIRRHÆA TRISTIS	East Indies	15s. and 21s.
<i>I</i>	CIRRHOPETALUM ORNATISSIMUM	East Indies	
<i>I</i>	PICTURATUM	East Indies	
<i>S</i>	THOUARSII	Manilla	
<i>S</i>	CELOGYNE ASPERATA (Lowii)	Borneo	21s. and 31s. 6d.
* <i>I</i>	BARBATA	Assam	10s. 6d., 15s. and 21s.
<i>I</i>	CORRUGATA	Khasya	10s. 6d. and 15s.
<i>I</i>	CORYMBOSA	Assam	10s. 6d., 15s. and 21s.
* <i>C</i>	CRISTATA	Nepal, Sylhet	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— Chatsworth variety	East Indies	21s., 31s. 6d. and 42s.
* <i>C</i>	— HOLOLEUCA (alba)	East Indies	
* <i>C</i>	— LEMONIANA	East Indies	31s. 6d. and 42s.
* <i>C</i>	— MAXIMA	East Indies	
<i>I</i>	ELATIOR	Assam	21s. and 31s. 6d.
* <i>I</i>	FLACCIDA	Assam	10s. 6d. and 15s.
<i>I</i>	FULIGINOSA	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>	GARDNERIANA	East Indies	21s.
<i>I</i>	MASSANGEANA	Assam	84s. and 105s.
<i>I</i>	OCELLATA	Assam	7s. 6d. and 10s. 6d.
<i>S</i>	PANDURATA	Borneo	31s. 6d. and 42s.
<i>I</i>	PARISHII	Burmah	15s. and 21s.
<i>I</i>	SPECIOSA	Java	10s. 6d., 15s. and 21s.
<i>I</i>	— MAJOR	Java	

<i>I</i>	COMPARETTIA MACROPLECTRON	South America	15s. and 21s.
<i>C</i>	COLAX JUGOSUS	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	VIRIDIS	Brazil	10s. 6d. and 15s.
<i>S</i>	CORYANTHES MACRANTHA	Caracas	
<i>C</i>	CRYPTOCHILUS SANGUINEUS	Assam	21s.
<i>S</i>	CYNOCHES CHLOROCHILON	South America	31s. 6d. and 42s.
<i>I</i>	CYMBIDIUM AFFINE	East Indies	
<i>I</i>	ALOIFOLIUM	East Indies	5s. and 7s. 6d.
<i>S</i>	CANALICULATUM	Queensland	10s. 6d. and 15s.
<i>I</i>	DEVONIANUM	Assam	15s. and 21s.
* <i>C</i>	EBURNEUM, <i>vide</i> page 93	East Indies	10s. 6d., 15s. and 21s.
* <i>C</i>	— DAYANUM	East Indies	
* <i>C</i>	— MACULATUM	East Indies	
* <i>C</i>	— PICTUM	East Indies	
* <i>C</i>	GIGANTEUM	Assam	21s. and 31s. 6d.
<i>C</i>	HOOKERIANUM	Sikkim, Himalaya	42s. and 63s.
<i>C</i>	LOWIANUM	Burmah	
<i>C</i>	— ATROPURPUREUM	Burmah	
<i>I</i>	MADIDUM	Queensland	
* <i>C</i>	MASTERSII	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	PENDULUM ATROPURPUREUM	Java	
<i>I</i>	TIGRINUM	East Indies	21s. and 31s. 6d.
<i>I</i>	CYPRIPEDIUM ALBO-PURPUREUM	Hybrid	84s. and 105s.
* <i>I</i>	ARGUS	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	ASHBURTONIÆ	Hybrid	31s. 6d. and 42s.
<i>I</i>	BARBATUM	Mount Ophir	5s.
<i>I</i>	— BIPLORUM	Mount Ophir	10s. 6d., 15s. and 21s.
<i>I</i>	— GRANDIFLORUM	Java	21s. and 31s. 6d.
<i>I</i>	— NANUM	Java	42s.
<i>I</i>	— NIGRUM	Mount Ophir	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— PICTUM	Mount Ophir	15s.
<i>I</i>	— PLUMOSUM	Mount Ophir	21s. and 31s. 6d.
<i>I</i>	— PULCHERRIMUM	Mount Ophir	15s. and 21s.
<i>I</i>	— PURPUREUM	Mount Ophir	10s. 6d. and 15s.
<i>I</i>	— SUPERBUM	Mount Ophir	7s. 6d. and 10s. 6d.
<i>I</i>	— VIOLACEUM	Mount Ophir	
* <i>I</i>	— WARNERII	East Indies	42s. and 63s.
<i>C</i>	BOXALLII	Burmah	7s. 6d., 10s. 6d. & 15s.
* <i>I</i>	BULLENI	Borneo	3s. 6d. and 5s.
<i>I</i>	CALURUM	Hybrid	42s. and 63s.
* <i>I</i>	CARICINUM, <i>vide</i> C. PEARCEI		
<i>I</i>	CAUDATUM	Panama	21s., 31s. 6d. and 42s.
<i>I</i>	— ROSEUM	Panama	21s., 31s. 6d. and 42s.
<i>I</i>	CILIOLARE	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>	CONCOLOR	Moulmein	21s. and 31s. 6d.
* <i>I</i>	CROSSIANUM	Hybrid	31s. 6d. and 42s.
<i>C</i>	DAUTHIERII	Hybrid	21s. and 31s. 6d.
<i>I</i>	DAYANUM	Borneo	31s. 6d. and 42s.
<i>I</i>	— SUPERBUM	Borneo	
<i>I</i>	DOMINII	Hybrid	21s. and 31s. 6d.
<i>I</i>	DRURYI	East Indies	42s. and 63s.
<i>S</i>	EURYANDRUM	Hybrid	63s. and 84s.
<i>S</i>	GODEFROYÆ	Siam	
<i>S</i>	GRANDE	Hybrid	84s. and 105s.
<i>C</i>	HARRISIANUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	HAYNALDIANUM	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	HIRSUTISSIMUM	Assam	21s. and 31s. 6d.
<i>S</i>	HOOKERÆ	Borneo	7s. 6d. and 10s. 6d.
<i>I</i>	HYBRIDUM	Hybrid	15s. and 21s.
* <i>C</i>	INSIGNE	Nepal	3s. 6d. and 5s.
* <i>C</i>	— ALBO-MARGINATUM	Nepal	15s. and 21s.
* <i>C</i>	— FUSCATUM	Nepal	10s. 6d. and 15s.
* <i>C</i>	— MAULEI	Nepal	31s. 6d. and 42s.
* <i>C</i>	— CHANTINII	Nepal	42s. and 63s.
* <i>C</i>	— MAXIMUM	Nepal	10s. 6d.
* <i>C</i>	— PICTURATUM	Nepal	15s. and 21s.
* <i>C</i>	— PUNCTATUM VIOLACEUM	Nepal	63s.
<i>I</i>	JAVANICUM	Java	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	LEVIGATUM (philippinense)	Philippine Islands	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	LAWRENCEANUM	Borneo	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	— MAJUS	Borneo	



CYMBIDIUM EBURNEUM.

The large and attractive ivory-white flowers of this handsome species are always charming, and, being deliciously fragrant, it is a universal favourite. 10s. 6d., 15s. and 21s.

<i>I</i>	CYPRIPEDIUM LEEANUM	Hybrid	84s. and 105s.
<i>I</i>	LONGIFOLIUM	Costa Rica	7s. 6d. and 10s. 6d.
<i>S</i>	LOWII	Borneo	7s. 6d., 10s. 6d. & 15s.
* <i>S</i>	NIVEUM	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	GENANTHUM SUPERBUM	Hybrid	
<i>S</i>	PARISHII	East Indies	15s. and 21s.
<i>I</i>	PEARCEI (CARIGINUM)	Peru	10s. 6d. and 15s.
<i>S</i>	PHILIPPINENSE, <i>vide</i> LEVIOATUM		
<i>I</i>	PURPURATUM	Hong Kong	21s., 31s. 6d. and 42s.
<i>S</i>	RÖBELENI	Malay Archipelago	21s., 31s. 6d. and 42s.
<i>I</i>	ROEZLII	South America	10s. 6d. and 15s.
<i>C</i>	SCHLIMII	Colombia	21s. and 31s. 6d.
<i>C</i>	— ALBUM	Colombia	42s. and 63s.
<i>C</i>	SEDENI	Hybrid	10s. 6d. 15s. and 21s.
<i>C</i>	— SUPERBUM	Hybrid	21s. and 31s. 6d.
<i>I</i>	SELLOERUM	Hybrid	31s. 6d.
* <i>I</i>	SPICERIANUM	East Indies	15s. 21s. and 31s. 6d.
* <i>I</i>	— ORANDIFLORUM	East Indies	
* <i>I</i>	— MAGNIFICUM	East Indies	
* <i>I</i>	— NIRESCENS	East Indies	
<i>S</i>	STONEI	Borneo	10s. 6d. and 15s.
<i>I</i>	SUPERBIENS (Veitchii)	Java	21s., 31s. 6d. and 42s.
<i>I</i>	SUPERCILIARE	Hybrid	42s. and 63s.
* <i>C</i>	VENUSTUM	Nepal	5s. and 7s. 6d.
* <i>C</i>	— PARDINUM	Assam	5s. and 7s. 6d.
<i>I</i>	VERNIXIUM	Hybrid	42s. and 63s.
<i>I</i>	VEKILLARIUM	Hybrid	
<i>C</i>	VILLOSUM	Moulmein	7s. 6d., 10s. 6d. and 15s.
* <i>S</i>	VIRENS	Borneo	15s. and 21s.
<i>I</i>	CYRTOPODIUM ANDERSONI	Brazil	21s. and 31s. 6d.
<i>I</i>	PUNCTATUM	South America	10s. 6d., 15s. and 21s.
<i>I</i>	DENDROBIUM AGGREGATUM	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>	AGGREGATUM MAJUS	East Indies	10s. 6d. and 15s.
<i>I</i>	AINSWORTHII	Hybrid	63s. and 84s.
<i>I</i>	— ROSEUM	Hybrid	
<i>I</i>	ALBO-SANGUINEUM	Moulmein	10s. 6d., 15s. and 21s.
<i>I</i>	ALBUM	East Indies	21s. and 31s. 6d.
<i>S</i>	ANGULARE	North Australia	21s.
<i>S</i>	ANOSMUM (DAYANUM)	Manilla	31s. 6d. and 42s.
<i>I</i>	AUREUM (HETEROCARUM)	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	BENSONIÆ	Arracan Hills	7s. 6d. and 10s. 6d.
<i>S</i>	— ALBUM	Arracan Hills	
<i>S</i>	BICAMERATUM	Burmah	42s. and 63s.
<i>S</i>	BIGBBIUM	Torres Straits	10s. 6d. and 15s.
<i>S</i>	BOXALLII	Burmah	15s. and 21s.
<i>I</i>	BRISBANENSE	North Australia	21s.
<i>S</i>	BRYMERIANUM	Burmah	
<i>I</i>	CALCEOLARIA	East Indies	10s. 6d. and 15s.
<i>I</i>	CAMBRIDGEEANUM	Chittagong	7s. 6d. and 10s. 6d.
<i>I</i>	CANALICULATUM (TATTONIANUM)	Queensland	10s. 6d. and 15s.
<i>I</i>	CARINIFERUM	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>	CHIRYSANTHUM	Nepal	5s., 7s. 6d., and 10s. 6d.
* <i>I</i>	— MICROPHYTHALMUM	Khasya Hills	10s. 6d. and 15s.
<i>I</i>	CHIRYSOTIS, <i>vide</i> D. HOOKERIANUM		
<i>S</i>	CHIRYSOTOKUM	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	— SUPERBUM	East Indies	10s. 6d. and 15s.
<i>I</i>	CLAVATUM	East Indies	15s., 21s. and 31s. 6d.
* <i>S</i>	CRASSINODE	Arracan & Siam Mountains	7s. 6d. and 10s. 6d.
* <i>S</i>	— ALBUM	Arracan & Siam Mountains	
* <i>S</i>	— BARBERIANUM	Arracan & Siam Mountains	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	CREPIDATUM	East Indies	5s. and 7s. 6d.
<i>S</i>	CRETACEUM	Burmah	5s. and 7s. 6d.
<i>S</i>	CUCULLATUM, <i>vide</i> D. PIERARDII		
<i>S</i>	CRYSTALLINUM	Arracan Mountains	7s. 6d. and 10s. 6d.
<i>I</i>	CUPREUM	East Indies	
<i>S</i>	DALHOUSIANUM	East Indies	10s. 6d., 15s., and 21s.
<i>S</i>	DAYANUM, <i>vide</i> D. ANOSMUM		
<i>S</i>	DEAREI	Philippine Islands	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	DENSIFLORUM	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	— ALBUM, <i>vide</i> D. SCHRÖDERI		
<i>I</i>	DEVONIANUM	Khasya	5s., 7s. 6d. and 10s. 6d.

<i>I</i>	DENDROBIUM DIXANTHUM	East Indies	10s. 6d. and 15s.
<i>S</i>	DRACONIS (cburneum)	Burmah	10s. 6d., 15s. and 21s.
<i>I</i>	FALCONERI	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	FARMERI	India	10s. 6d., 15s. and 21s.
<i>S</i>	— ALBUM	India	
<i>S</i>	— AUREUM	India	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	FIMBRIATUM	Nepal	10s. 6d. and 15s.
<i>I</i>	— OCULATUM	Nepal	10s. 6d. and 15s.
<i>S</i>	FINDLEYANUM	Moulmein	15s., 21s. and 31s. 6d.
<i>S</i>	FORMOSUM BERKELEYI	Andaman Islands	21s. and 31s. 6d.
<i>I</i>	— GIOANTEUM	Burmah	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	FREEMANI	Assam	10s. 6d., 15s. and 21s.
<i>I</i>	FYTHIANUM	Burmah	10s. 6d., 15s. and 21s.
<i>I</i>	GIBSONI	Tenasserim	21s. and 31s. 6d.
<i>I</i>	GRIFFITHIANUM	East Indies	
<i>I</i>	GUIBERTIANUM	East Indies	
<i>S</i>	HEDYOSUM	East Indies	15s. and 21s.
<i>I</i>	HETEROCARPUM, <i>vide</i> AUREUM		
<i>*C</i>	HILLII, <i>vide</i> SPECIOSUM HILLII		
<i>I</i>	HOOKERIANUM (chrysothis)	Assam and Sikkim	10s. 6d., 15s. and 21s.
<i>C</i>	INFUNDIBULUM	Moulmein	10s. 6d., 15s. and 21s.
<i>C</i>	JAMESIANUM	Moulmein	10s. 6d., 15s. and 21s.
<i>C</i>	JAPONICUM, <i>vide</i> MONILIFORME		
<i>S</i>	JENKINSII	Gnalpara	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	KINOIANUM	Australia	10s. 6d., 15s. and 21s.
<i>S</i>	LEUCOLOPHOTUM	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>	LINAWIANUM (moniliforme, Hort.)	China and Japan	31s. 6d. and 42s.
<i>I</i>	LIZIIFLORUM	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	LONGICORNE	Khasya Hills	21s. and 31s. 6d.
<i>S</i>	LOWII	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	LUTEOLUM	Moulmein	10s. 6d. and 15s.
<i>S</i>	MACROPHYLLUM (superbum)	Manilla	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	MCCARTHYI	Ceylon	
<i>I</i>	MARMORATUM	Assam	7s. 6d. and 10s. 6d.
<i>C</i>	MONILIFORME (japonicum)	Japan	5s. and 7s. 6d.
<i>S</i>	MORTII	North Australia	
<i>I</i>	MOSCATUM	East Indies	10s. 6d. and 15s.
<i>*I</i>	NOBILE	Assam	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>	— CÆRULESCENS	Assam	21s. and 31s. 6d.
<i>*I</i>	— ELEGANS	Assam	21s.
<i>*I</i>	— ORANDIFLORUM	Assam	21s. and 31s. 6d.
<i>*I</i>	— HYACINTHINUM	Assam	
<i>*I</i>	— INSIONIS	Assam	
<i>*I</i>	— NOBILIUS	Assam	
<i>*I</i>	— PENDULUM	Assam	21s. and 31s. 6d.
<i>*I</i>	— PULCHERRIMUM	Assam	21s. and 31s. 6d.
<i>*I</i>	— RUBELLUM	Assam	31s. 6d. and 42s.
<i>*I</i>	— SPLENDENS	Assam	
<i>*I</i>	— WALLICHII	Assam	21s. and 31s. 6d.
<i>I</i>	NODATUM	Moulmein	7s. 6d. and 10s. 6d.
<i>I</i>	PARISII	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	PARTIENIUM, <i>vide</i> page 7		
<i>I</i>	PANTONI	Khasya	10s. 6d. and 15s.
<i>I</i>	PHILIPPINENSE	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>	PIERARDI	Delta of Ganges	5s. and 7s. 6d.
<i>*I</i>	— LATIFOLIUM	Delta of Ganges	21s.
<i>I</i>	PRIMULINUM	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	— GIGANTEUM	East Indies	21s. and 31s. 6d.
<i>I</i>	PULCHELLUM	Assam	7s. 6d. and 10s. 6d.
<i>S</i>	SANOUINOLENTUM	East Indies	10s. 6d. and 15s.
<i>I</i>	SCHROEDERI (densiflorum album)	East Indies	
<i>I</i>	SECUNDUM	East Indies	7s. 6d. and 10s. 6d.
<i>S</i>	SMILLE	Torres Straits	
<i>*C</i>	SPECIOSUM	Australia	10s. 6d. and 15s.
<i>*C</i>	— HILLII	Australia	31s. 6d. and 42s.
<i>S</i>	SUAVISSIMUM	Burmah	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	SULCATUM	Assam	15s. and 21s.
<i>S</i>	SUPERBIENS	Torres Straits	42s. and 63s.
<i>S</i>	SUPERBUM, <i>vide</i> MACROPHYLLUM		
<i>I</i>	TATTONIANUM, <i>vide</i> CANALICULATUM		
<i>S</i>	TAURINUM	East Indies	21s. and 31s. 6d.

S	DENDROBIUM TETRAGONUM	North Australia	21s.
I	TERETIFOLIUM	Australia	10s. 6d., 15s. & 21s.
I	THYRSIFLORUM	East Indies	7s. 6d., 10s. 6d. and 15s.
I	— CARNEUM	East Indies	
I	— WALKERIANUM	East Indies	
S	TORTILE	East Indies	7s. 6d., 10s. 6d. and 15s.
S	— ROSEUM	East Indies	7s. 6d., 10s. 6d. and 15s.
I	TRANSPARENTS	Nepal	7s. 6d. and 10s. 6d.
I	VEITCHIANUM	Java	21s. and 31s. 6d.
*I	WARDIANUM	Assam	5s., 7s. 6d. and 10s. 6d.
*I	— ALBUM	Assam	
*I	— SUPERBUM	Assam	
I	DENDROCHILUM ARACHNITES	East Indies	15s. and 21s.
I	COBBIANUM	East Indies	10s. 6d. and 15s.
I	— GIGANTEUM	East Indies	
I	CONVALLARIOIDES	East Indies	15s.
I	CUCUMERINUM	East Indies	21s.
S	FILIFORME	Manilla	21s. and 31s. 6d.
*S	GLUMACEUM	Philippine Islands	10s. 6d., 15s. and 21s.
S	UNCATUM	East Indies	
S	DICHÆA VAGINATA	Mexico	10s. 6d.
C	DISA GRANDIFLORA	Cape of Good Hope	10s. 6d., 15s. and 21s.
C	— GRANDIFLORA MINIATA	Cape of Good Hope	21s. and 31s. 6d.
C	— SUPERBA	Cape of Good Hope	21s. and 31s. 6d.
C	EPIDENDRUM ATROPURPUREUM, <i>vide</i> MACROCHILUM		
I	AUFANTIACUM	South America	10s. 6d. and 15s.
S	RICORNUTUM	South America	10s. 6d., 15s. and 21s.
I	PRÆVOLUB	Guatemala	63s.
I	CILIESTITI	South America	
C	CNEMIDOPHORUM	Guatemala	42s.
I	COCHILEATUM	West Indies	7s. 6d. and 10s. 6d.
I	COOPERIANUM CALYGLOSUM	South America	
I	CUSPIDATUM	Costa Rica	7s. 6d. and 10s. 6d.
I	CRASSIFOLIUM	South America	7s. 6d. and 10s. 6d.
I	DICHRUM	Bahia	7s. 6d., 10s. 6d. & 15s.
I	LIGULUM	South America	
I	PECTINATUM	South America	10s. 6d. and 15s.
I	PALCATUM (Parkinsonianum)	Mexico	15s., 21s. and 31s. 6d.
I	FALCIFORME	South America	42s., 63s. and 81s.
I	FRIEDRICHI GUILLEMI	South America	
I	GLUMACEUM	South America	
I	IBAGUENSE	Colombia	
I	IONOPHYTUM	Mexico	21s.
C	MACROCHILUM	South America	
C	— ALBUM	South America	5s., 7s. 6d. and 10s. 6d.
I	MYRIANTHUM	Guatemala	81s. and 105s.
I	NEMORALE	Mexico	21s., 31s. 6d. and 42s.
I	PANICULATUM	South America	21s. and 31s. 6d.
I	PEISMATOCARPUM	Chiriqui	10s. 6d., 15s. and 21s.
I	PURPUREUM-EPIDENDRUM AUREATUM	South America	
I	RANIFLORUM	Mexico	
I	RHIZOPHORUM (radicans)	Mexico	21s. and 31s. 6d.
I	SCYPTERUM	Colombia	15s. and 21s.
I	STAMPORDIANUM	South America	21s. and 31s. 6d.
I	SYLINGOTILYBUS	South America	
I	— VENEZUELANUM	Venezuela	15s. and 21s.
I	— WALLESI	Colombia	
C	VITELLINUM MAJUS	Mexico	7s. 6d., 10s. 6d. & 15s.
I	XANTHINA	South America	
I	ERIA CLAVICULIS	Assam	21s. and 31s. 6d.
I	ERIOPSIS BILOBA	Colombia	
S	EULOPHIA SCRIPTA	Madagascar	21s. and 31s. 6d.
S	GALEANDRA DEVONIANA	Guiana	10s. 6d., 15s. and 21s.
S	— DIVES	South America	31s. 6d. and 42s.
I	GONGORA PORTENTOSA	South America	15s. and 21s.
I	SCAPHOPHORUM	South America	
C	GOODYERA CALIFORNICA	California	10s. 6d.
S	(ANGUSTICILLUS) DAWSONIANA	East Indies	7s. 6d. and 10s. 6d.
S	(—) DAWSONIANA SUPERBA	East Indies	10s. 6d. and 15s.
I	DISCOLOR	South America	5s. and 7s. 6d.

<i>C</i>	<i>GOODYERA MENZIESII</i>	North America	5s. and 7s. 6d.
<i>C</i>	— <i>PUBESCENS</i>	North America	3s. 6d.
<i>C</i>	<i>GOVENIA DELICIOSA</i>	Mexico	5s. and 7s. 6d.
<i>S</i>	<i>GRAMMATOPHYLLUM ELLISII</i>	Madagascar	
<i>S</i>	<i>GYMNADENIA MACRANTHA</i> , <i>vide</i> page 8		
<i>I</i>	<i>HARTWEGIA PURPUREA</i>	Mexico	31s. 6d.
<i>C</i>	<i>HELICIA SANOUINOLENTA</i>	Andes of Guayaquil ..	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	<i>HOULLETTIA BROCKLEHURSTIANA</i>	Brazil	15s. and 21s.
<i>I</i>	— <i>CHRYSANTHA</i>	South America	31s. 6d. and 42s.
<i>C</i>	— <i>ODORATISSIMA</i>	Colombia	
<i>I</i>	<i>HUNTLEYA CERINA</i> , <i>vide</i> <i>PESCATORIA CERINA</i>		
<i>I</i>	<i>IONOPSIS UTRICULARIODES</i>	West Indies	10s. 6d. and 15s.
<i>S</i>	<i>IPSEA SPECIOSA</i>	Ceylon	10s. 6d. and 15s.
* <i>C</i>	<i>LÆLIA ACUMINATA</i>	Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>	— <i>ACUMINATA ROSEA</i>	Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>	— <i>ALBIDA</i>	Guatemala	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— <i>BELLA</i>	Guatemala	
* <i>C</i>	— <i>MARIANÆ</i>	Guatemala	21s. and 31s. 6d.
<i>I</i>	— <i>AMANDA</i>	Brazil	
* <i>C</i>	— <i>ANCEPS</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— <i>ALBA</i>	Mexico	
* <i>C</i>	— <i>BARKERI</i>	Mexico	
* <i>C</i>	— <i>DAWSONI</i>	Mexico	
* <i>C</i>	— <i>HILLII</i>	Mexico	
* <i>C</i>	— <i>LEUCOPHEUS</i>	Mexico	
* <i>C</i>	— <i>NIVALIS</i>	Mexico	
* <i>C</i>	— <i>OCULATA</i>	Mexico	31s. 6d. and 42s.
* <i>C</i>	— <i>SANDERIANA</i>	Mexico	
* <i>C</i>	— <i>SCHRÖDERIANA</i>	Mexico	
* <i>C</i>	— <i>STELLA</i>	Mexico	
* <i>C</i>	— <i>ROSEA</i>	Mexico	
* <i>C</i>	— <i>RUBRA</i>	Mexico	
* <i>C</i>	— <i>VENUSTA</i>	Mexico	
* <i>C</i>	— <i>AUTUMNALIS</i>	Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>	— <i>ATRO-RUBENS</i>	Mexico	21s., 31s. 6d. and 42s.
<i>I</i>	<i>BOOTHIANA</i> , <i>vide</i> <i>CATLEYA LOBATA</i>		
<i>I</i>	— <i>CINNABARINA</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	— <i>CRISPA</i> , <i>vide</i> <i>CATLEYA CRISPA</i>		
<i>I</i>	— <i>CRISPILABIA (LAWRENCEANA)</i>	Brazil	31s. 6d. and 42s.
* <i>I</i>	— <i>DAYANA</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
* <i>I</i>	— <i>SUPERBA</i>	Brazil	21s.
<i>I</i>	— <i>ELEOANS</i>	Brazil	
<i>I</i>	— <i>ALBA</i>	Brazil	
<i>I</i>	— <i>CARNEA</i>	Brazil	
<i>I</i>	— <i>DAYANA</i>	Brazil	
<i>I</i>	— <i>IRRORATA</i>	Brazil	
<i>I</i>	— <i>MACROLOBA</i>	Brazil	
<i>I</i>	— <i>PRASIATA</i>	Brazil	
<i>I</i>	— <i>SCHILLERIANA</i>	Brazil	
<i>I</i>	— <i>TURNERI</i>	Brazil	
<i>I</i>	— <i>STELZNERIANA</i>	Brazil	
<i>I</i>	— <i>SPLENDENS</i>	Brazil	
<i>I</i>	— <i>FLAVA</i>	Brazil	
<i>I</i>	— <i>GRANDIS</i>	Brazil	
<i>I</i>	— <i>HARPOPHYLLA</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	— <i>LINDLEYANA</i>	Brazil	
<i>I</i>	— <i>LOBATA</i> , <i>vide</i> <i>CATLEYA LOBATA</i>		
<i>C</i>	— <i>MAJALIS OF FLOR DE MAIO</i>	Oaxaca	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>RUBRA</i>	Oaxaca	21s. and 31s. 6d.
* <i>I</i>	— <i>MARGINATA</i>	Oaxaca	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>PERRINII</i>	Brazil	21s. and 31s. 6d.
<i>I</i>	— <i>SUPERBA</i>	Brazil	31s. 6d. and 42s.
* <i>I</i>	— <i>PINELII (PRESTANS, PUMILA)</i>	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>PURPURATA</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>ALBA</i>	Brazil	
<i>I</i>	— <i>OLORIOSA</i>	Brazil	
<i>I</i>	— <i>ATROSANOUINEA</i>	Brazil	
<i>I</i>	— <i>BRYSIANA</i>	Brazil	
<i>I</i>	— <i>CHELSONI</i>	Brazil	
<i>I</i>	— <i>GRANDIS</i>	Brazil	
<i>I</i>	— <i>NELISII</i>	Brazil	
<i>I</i>	— <i>MAXIMA</i>	Brazil	

<i>I</i>	<i>LÆLIA</i>	PURPURATA SPLENDENS	Brazil	
<i>I</i>		SCHILLERIANA, <i>vide</i> L. ELEGANS		
<i>I</i>		SUPERBIENS	Malacatan	31s. 6d. and 42s.
<i>S</i>	<i>LÆLIOPSIS</i>	DOMINGENSIS	West Indies	
<i>I</i>	<i>LEPTOTES</i>	BICOLOR	South America	10s. 6d. and 15s.
*	<i>LIMATODIS</i>	ROSEA	Moulmein	5s. and 7s. 6d.
<i>S</i>	<i>LUISIA</i>	PLATYGLOSSA	East Indies	10s. 6d.
<i>S</i>		PSYCHE	East Indies	
<i>C</i>	<i>LYCASTE</i>	ARGEMAIICA	Mexico	10s. 6d. and 15s.
<i>I</i>		BARRINGTONIÆ	West Indies	21s. and 31s. 6d.
<i>C</i>		COSTATA	South America	15s., 21s. and 31s. 6d.
<i>C</i>		CRUENTA	Guatemala	10s. 6d. and 15s.
<i>C</i>		DEPPEI	Mexico	10s. 6d. and 15s.
<i>C</i>		GIGANTEA	South America	15s. and 21s.
<i>C</i>		(MAXILLARIA) HARRISONIÆ	South America	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		(—) HARRISONIÆ EBURNEA	South America	42s.
<i>C</i>		LANIPES	Guayaquil	10s. 6d., 15s. and 21s.
<i>I</i>		LAWRENCEANA	South America	21s. and 31s. 6d.
*	<i>MESCHLÆNA</i>		Guayaquil	21s. and 31s. 6d.
<i>I</i>		SCHILLERIANA	South America	21s. and 31s. 6d.
* <i>C</i>		SKINNERI	Guatemala	3s. 6d., 5s. and 7s. 6d.
* <i>C</i>		— ALBA	Guatemala	
* <i>C</i>		— MARGINATA	Guatemala	
* <i>C</i>		— DELICATA	Guatemala	63s.
* <i>C</i>		— GRANDIS	Guatemala	63s.
* <i>C</i>		— MACULATA	Guatemala	31s. 6d.
* <i>C</i>		— MAGNIFICA	Guatemala	
* <i>C</i>		— MARGINATA	Guatemala	
* <i>C</i>		— MARMORATA	Guatemala	
* <i>C</i>		— PICTA	Guatemala	42s. and 63s.
* <i>C</i>		— PURPURATA	Guatemala	63s.
* <i>C</i>		— ROSEA	Guatemala	21s.
* <i>C</i>		— SUPERBA	Guatemala	
* <i>C</i>		— RUBELLA	Guatemala	31s. 6d. and 42s.
* <i>C</i>		— PICTA	Guatemala	
* <i>C</i>		— SPLENDENS	Guatemala	63s.
* <i>C</i>		— SUPERBA	Guatemala	21s.
* <i>C</i>		— TINCTUM	Guatemala	
<i>C</i>	<i>MASDEVALLIA</i>	ABBREVIATA	Colombia	7s. 6d.
<i>C</i>		AMABILIS	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>		— LINEATA	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>		ARMINI	Colombia	
<i>C</i>		ATTENUATA	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>		BACKHUSIANA, <i>vide</i> CHIMÆRA BACKHOUSIANA		
<i>C</i>		BELLA	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>		BENEDICTII, <i>vide</i> PSITTACINA		
<i>C</i>		BONPLANDII	Colombia	7s. 6d.
<i>I</i>		CANDIDA, <i>vide</i> TGVARENSIS		
<i>C</i>		CHELSONI	Hybrid	42s. and 63s.
<i>C</i>		CHIMÆRA	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>		— BACKHUSIANA	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>		— WALLISII	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>		— WINNIANA	Colombia	42s. and 63s.
<i>C</i>		CIVILIS	Colombia	7s. 6d.
<i>C</i>		GCCINEA	Colombia	
<i>C</i>		CGLIBRI, <i>vide</i> TRICHILUS		
<i>C</i>		CGRIACEA	Colombia	5s.
<i>C</i>		CGRNICULATA	Colombia	15s. and 21s.
<i>C</i>		CGROSSII, <i>vide</i> RACEMOSA		
<i>C</i>		DAVISII	South America	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		DAYANA	Colombia	84s.
<i>C</i>		ELEPHANTICEPS	Colombia	
<i>C</i>		EPHIPPIUM, <i>vide</i> TRICHILUS		
<i>C</i>		ERYTHROCHLETE	Colombia	21s. and 31s. 6d.
<i>C</i>		ESTRADÆ	South America	21s. and 31s. 6d.
<i>C</i>		— DELICATA	South America	21s. and 31s. 6d.
<i>C</i>		FENESTRATA	Colombia	31s. 6d. and 42s.
<i>C</i>		GEMMATA	Colombia	
<i>C</i>		GORGONA, <i>vide</i> NYCTERINA		
<i>C</i>		HARRYANA	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		— CÆRULESCENS	Colombia	7s. 6d., 10s. 6d. and 15s.

C MASDEVALLIA HARRYANA CÆRULESCENS		
	ATROVIOLOACEA	Colombia
C	HARRYANA CÆRULESCENS CONCOLOR	Colombia
C	— OIGANTEA	Colombia
C	— ORANDIFLORA	Colombia
C	— MAONIFICA	Colombia
C	— MAXIMA	Colombia
C	— SUPERBA	Colombia
C	— ACANTHIFOLIA.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet rose colour; the very bright glossy texture of the blooms renders them remarkably attractive.	
C	— ACUMINATA	Colombia
C	— ATROPURPUREA	Colombia
C	— ATROSANOUINEA	Colombia
C	— AURANTIACA	Colombia
C	— BRILLIANTISSIMA	Colombia
C	— CHELSONI	Colombia
C	— COCCINEA	Colombia
C	— COMET	Colombia
C	— CONCHIFLORA.—This fine variety produces splendid blossoms of a rich rosy lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance.	
C	— DECORA	Colombia
C	— DELICATA	Colombia
C	— DENISONIANA	Colombia
C	— ELEGANS	Colombia
C	— FORMOSA	Colombia
C	— OEMMA	Colombia
C	— OLORIOSA	Colombia
C	— ILLUSTRIS	Colombia
C	— INSIONIS	Colombia
C	— LILACINA	Colombia
C	— LUTEO-OCULATA	Colombia
C	— MAONIFICA	Colombia
C	— MINIATA	Colombia
C	— MIRABILIS	Colombia
C	— OCULATA	Colombia
C	— ORNATA	Colombia
C	— PATENS	Colombia
C	— PRINCEPS	Colombia
C	— PURPUREA	Colombia
C	— MAONIFICA	Colombia
C	— REGALIS.—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson	
C	— REGINE	Colombia
C	— ROSEA	Colombia
C	— SALMONEA	Colombia
C	— SANOUINEA	Colombia
C	— AURANTIACA	Colombia
C	— SPLENDENS	Colombia
C	— SUPERBA	Colombia
C	— TRIUMPHANS	Colombia
C	— VIOLACEA	Colombia
C	— MAONIFICA	Colombia
C	— OCULATA	Colombia
C	— SUPERBA	Colombia
C	— VERSICOLOR	Colombia
C	— VIVICANS	Colombia
C	HOUTTEANA, vide PSITTACINA.	
C	IONEA	Colombia
C	— AURANTIACA	Colombia
C	— CITRINA	Colombia
C	— MASSANOEANA	Colombia
C	— SUPERBA	Colombia
C	— MILITARIS	Colombia
C	— PURPUREA	Colombia
C	— SPLENDENS	Colombia
C	— STOBARTIANA	Colombia
C	INFLATA	Colombia

These are all rare and magnificent varieties; an inspection at their blooming season is invited. Prices on application.

7s. 6d., 10s. 6d. and 15s.

<i>C</i>	MASDEVALLIA INFRACTA	Colombia	15s. and 21s.
<i>C</i>	LINDENT	Colombia	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	MACRURA	Colombia	
<i>C</i>	MACULATA	South America	3s. 6d. and 5s.
<i>C</i>	— FLAVA	South America	7s. 6d. and 10s. 6d.
<i>C</i>	— SUPERBA	South America	
<i>C</i>	MELANOPUS	Colombia	10s. 6d.
<i>C</i>	NYCTERINA (GOROONA)	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	PERISTERIA	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	POLYSTICTA	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>	— BREVIOR	Colombia	15s. and 21s.
<i>C</i>	— CAUDATA	Colombia	21s.
<i>C</i>	PSITTACINA (BENEDICTII, HOUTTEANA)	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	RACEMOSA	Colombia	63s. and 84s.
<i>C</i>	RADIOSA	Colombia	42s. and 63s.
<i>C</i>	REICHENBACHIANA	South America	15s. and 21s.
<i>C</i>	ROSEA	Ecuador	21s. and 31s. 6d.
<i>C</i>	SCHLIMMII	Colombia	
<i>C</i>	SEVERA	Colombia	
<i>C</i>	SHUTTLEWORTHII	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	SWERTICIFOLIA	Colombia	21s. and 31s. 6d.
<i>C</i>	TORTA	Colombia	
<i>I</i>	TOVARENSIS (CANDIDA)	Venezuela	5s., 7s. 6d. & 10s. 6d.
<i>C</i>	TRIADACTYLITES	South America	31s. 6d. and 42s.
<i>I</i>	TRIANGULARIS	Venezuela	10s. 6d. and 15s.
<i>C</i>	TRICHOTE	Colombia	31s. 6d. and 42s.
<i>C</i>	TROCHILUS (Colibri, Eplippium)	Colombia	42s. and 63s.
<i>C</i>	VEITCHIANA	Peru	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	— GRANDIFLORA	Peru	21s., 31s. 6d. & 42s.
<i>I</i>	WAGNERIANA	Venezuela	10s. 6d., 15s. & 21s.
<i>C</i>	WALLISII, <i>vide</i> M. CHIMLERA WALLISII		
<i>C</i>	XANTHINA	Colombia	42s. and 63s.
<i>C</i>	MAXILLARIA GRANDIFLORA	South America	10s. 6d., 15s. & 21s.
	HARRISONIÆ, <i>vide</i> LYCASTE HARRISONIÆ		
<i>I</i>	LEONTOGLOSSA	South America	10s. 6d. and 15s.
* <i>C</i>	LUTEO-ALBA	Colombia	10s. 6d. and 15s.
<i>C</i>	— ORANDIFLORA	Colombia	21s.
<i>C</i>	— PURPUREA	Colombia	21s.
<i>C</i>	NIGRESCENS	Merida	10s. 6d. and 15s.
<i>C</i>	PICTA	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	TENUIFOLIA	Mexico	10s. 6d. and 15s.
<i>C</i>	TURNERI	Mexico	21s.
<i>C</i>	VENUSTA	Colombia	15s. and 21s.
* <i>C</i>	MESOSPINIDIUM SANGUINEUM	Ecuador	7s. 6d. and 10s. 6d.
<i>C</i>	VULCANICUM	Ecuador	15s. and 21s.
<i>S</i>	MICROSTYLIS CALOPHYLLA	East Indies	10s. 6d. and 15s.
<i>S</i>	CHLOROPHYRYS	Borneo	7s. 6d. and 10s. 6d.
<i>S</i>	LUGUBRIS	Borneo	21s.
<i>S</i>	METALLICA	Borneo	7s. 6d. and 10s. 6d.
<i>S</i>	RHEEDII	Borneo	10s. 6d. and 15s.
<i>I</i>	MILTONIA CANDIDA	Brazil	21s. and 31s. 6d.
<i>I</i>	CANDIDA GRANDIFLORA	Brazil	42s. and 63s.
<i>I</i>	CLOWESII	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	CUNEATA	Brazil	10s. 6d. and 15s.
<i>I</i>	FESTIVA	Brazil	21s.
<i>I</i>	FLAVESCENS (stellata)	Brazil	10s. 6d. and 15s.
<i>I</i>	MORELLANA	Brazil	31s. 6d. and 42s.
<i>I</i>	— ATROPURPUREA	Brazil	
<i>I</i>	— ATRORUBENS	Brazil	
<i>I</i>	REGNELLII (cereola)	Brazil	31s. 6d. and 42s.
<i>I</i>	— PURPUREA	Brazil	42s. and 63s.
<i>I</i>	SPECTABILIS	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— BICOLOR	Brazil	31s. 6d. and 42s.
<i>I</i>	— INTERMEDIA	Brazil	31s. 6d.
<i>I</i>	— MAROINATA	Brazil	
<i>I</i>	— VIRGINALIS	St. Catherine's	31s. 6d.
<i>I</i>	WARSCWICZII, <i>vide</i> ONCIDIUM WELTONI		
<i>I</i>	MORMODES LUXATUM	Mexico	21s. and 31s. 6d.
<i>I</i>	LUXATUM EBURNEUM	Mexico	21s. and 31s. 6d.
<i>I</i>	PARDINUM	Mexico	21s. and 31s. 6d.
<i>I</i>	— UNICOLOR	Mexico	21s. and 31s. 6d.

<i>I</i>	NANODES MEDUSÆ	South America	31s. 6d. and 42s.
* <i>C</i>	ODONTGLOSSUM ALEXANDRÆ, <i>vide</i> O. CRISPUM		
<i>C</i>	ANDERSONIANUM	Bogota	42s. and 63s.
<i>C</i>	— LOBATUM	Bogota	
<i>C</i>	ANGUSTATUM	Colombia	42s.
<i>C</i>	ASTRANTHIUM	Colombia	
<i>C</i>	BAPHICANTHIUM (<i>hybrid</i>)	Colombia	42s. and 63s.
* <i>C</i>	BIOTONENSE	Guatemala	10s. 6d. and 15s.
* <i>C</i>	— ALBUM	Guatemala	
<i>C</i>	BLANDUM	Colombia	63s. and 84s.
<i>I</i>	BLEPHARICANTHIUM	Venezuela	42s. and 63s.
* <i>C</i>	BLUNTHI, <i>vide</i> O. CRISPUM		
<i>C</i>	CARINIFERUM	South America	7s. 6d. and 10s. 6d.
* <i>C</i>	CERVANTESII	Mexico	7s. 6d., 10s. 6d. & 15s.
* <i>C</i>	— DECORUM	Mexico	
<i>C</i>	CHESTERTONI (<i>hybrid</i>)	Colombia	63s. and 84s.
<i>C</i>	CIRRHOSUM	Ecuador	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— GEMMATUM	Ecuador	63s.
<i>C</i>	— KLABOCIORUM	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	CITROSMUM (PENDULUM)	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	— ALBUM	Mexico	
<i>C</i>	— CARNEUM	Mexico	
<i>C</i>	— PUNCTATUM	Mexico	
<i>C</i>	— MAXIMUM	Mexico	
<i>C</i>	— ROSEUM	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	CONCINNUM	Colombia	
<i>C</i>	CONSTRICITUM	South America	7s. 6d. and 10s. 6d.
<i>C</i>	CORADINEI	Colombia	42s. and 63s.
<i>C</i>	— HEMILEUCUM	Colombia	
<i>C</i>	— MACULATUM	Colombia	
* <i>C</i>	CORDATUM	Mexico	10s. 6d., 15s. & 21s.
<i>C</i>	— AUREUM	Mexico	
<i>C</i>	— NIGRUM	Mexico	
<i>C</i>	— SUPERBUM	Mexico	
<i>C</i>	CORONARIUM	Colombia	42s. and 63s.
<i>C</i>	— MINIATUM	Colombia	63s. and 84s.
* <i>C</i>	CRISPUM (ALEXANDRÆ, BLUNTHI)	Colombia	3s. 6d., 5s., 7s. 6d. and 10s. 6d., and various sizes from 21s. upwards.
* <i>C</i>	— ALBUM	Colombia	
* <i>C</i>	— AUREO-PURPUREUM	Colombia	
* <i>C</i>	— AMGENUM	Colombia	63s. and 84s.
* <i>C</i>	— DENISONIÆ	Colombia	
* <i>C</i>	— FLAVEOLUM	Colombia	
* <i>C</i>	— GRANDIFLORUM	Colombia	84s. and 105s.
* <i>C</i>	— GUTTATUM	Colombia	84s. and 105s.
* <i>C</i>	— INTERMEDIUM	Colombia	
* <i>C</i>	— LEHMANNI	Colombia	
* <i>C</i>	— MARGINATUM	Colombia	
* <i>C</i>	— NIVALE	Colombia	42s. and 63s.
* <i>C</i>	— PICTUM	Colombia	
<i>C</i>	— PICTURATUM	Colombia	
* <i>C</i>	— PURPUREUM	Colombia	
* <i>C</i>	— ROSEUM	Colombia	
* <i>C</i>	— SPECIOSUM	Colombia	84s. and 105s.
* <i>C</i>	— SPLENDENS	Colombia	
* <i>C</i>	— SUPERBUM	Colombia	63s. and 84s.
* <i>C</i>	— TRIANÆ	Colombia	63s. and 84s.
<i>C</i>	CRISTATELLUM	Colombia	
<i>C</i>	CRISTATUM	Peru	21s. and 31s. 6d.
<i>C</i>	CROCATUM	Colombia	
<i>C</i>	CROCIDIPTERUM	South America	15s. and 21s.
<i>C</i>	DECORUM (<i>hybrid</i>)	Colombia	
<i>C</i>	DELTOGLOSSUM (<i>hybrid</i>)	Colombia	
<i>C</i>	DIABEMA (<i>hybrid</i>)	Colombia	
<i>C</i>	ÉDOUARDII	Ecuador	42s. and 63s.
<i>C</i>	EXIMIUM (<i>hybrid</i>)	Colombia	
<i>C</i>	FACETUM	Colombia	42s. and 63s.
<i>C</i>	FLAVEOLUM (<i>hybrid</i>)	Colombia	
<i>C</i>	GLORIOSUM	Ocaña	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— ALBUM (NEVIUM MAJUS)	Ocaña	
<i>C</i>	— AUREUM	Ocaña	

<i>C</i>	ODONTOGLOSSUM OLORIOSUM NIGRUM	Ocaña	42s. and 63s.
<i>C</i>	GLORIOSUM PICTUM	Ocaña	21s., 31s. 6d. and 42s.
<i>C</i>	— SUPERBUM	Ocaña	Guatemala
<i>C</i>	GRANDE	Guatemala	5s., 7s. 6d. to 21s.
<i>C</i>	HALLII	Ecuador	10s. 6d., 15s. & 21s.
<i>C</i>	— LEUCOLOSSUM	Ecuador	42s. and 63s.
<i>C</i>	— MARGINATUM	Ecuador	
<i>C</i>	— NIGRUM	Ecuador	
<i>C</i>	— XANTHOGLOSSUM	Ecuador	31s. 6d. and 42s.
<i>C</i>	HASTILABIUM	Colombia	10s. 6d., 15s. & 21s.
<i>C</i>	HEBRAICUM (<i>hybrid</i>)	Colombia	
<i>C</i>	— ALBENS (<i>hybrid</i>)	Colombia	
<i>C</i>	HYSTRIX (RADIATUM)	Colombia	10s. 6d., 15s. & 21s.
<i>C</i>	IMPERATOR (<i>hybrid</i>)	Colombia	
<i>C</i>	IOPOCOON	Colombia	
<i>C</i>	INSLEATI	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— LEOPARDINUM	Mexico	10s. 6d., 15s. & 21s.
<i>I</i>	KARWINSKII	South America	15s. and 21s.
<i>I</i>	KRAMERI	Costa Rica	
<i>C</i>	LIGULARE	South America	
<i>C</i>	LINDENI	Colombia	10s. 6d. and 15s.
<i>C</i>	LINDLEYANUM	Colombia	3s. 6d. and 5s.
<i>C</i>	— SPECIOSUM	Colombia	15s. and 21s.
<i>C</i>	LONDESBOROUGHIANUM	Mexico	10s. 6d., 15s. & 21s.
<i>C</i>	LUTEO-PURPUREUM	Colombia	10s. 6d., 15s. & 21s.
<i>C</i>	MACULATUM	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— ANCEPS	Mexico	
<i>C</i>	— EROSUM	Mexico	31s. 6d. and 42s.
<i>C</i>	— STENANTHUM	Mexico	21s. and 31s. 6d.
<i>C</i>	— SUPERBUM	Mexico	21s. and 31s. 6d.
<i>C</i>	MADRENSE (MAXILLARE)	Mexico	10s. 6d., 15s. & 21s.
<i>C</i>	— MAJUS	Mexico	42s. and 63s.
<i>C</i>	MEMBRANACEUM	Mexico	15s. and 21s.
<i>C</i>	MIRABILE (<i>hybrid</i>)	Colombia	
<i>C</i>	MIRANDUM	Colombia	
<i>C</i>	MULUS	Colombia	
<i>C</i>	— CROCATUS	Colombia	
<i>C</i>	— CUSPIDATUS	Colombia	
<i>C</i>	NEVIUM	Ocaña	63s. and 84s.
<i>C</i>	— MAJUS, <i>vide</i> O. GLORIOSUM ALBUM		
<i>C</i>	NEBULOSUM	Mexico	10s. 6d., 15s. & 21s.
<i>C</i>	— CANDIDUM	Mexico	15s. and 21s.
<i>C</i>	— GRANDIFLORUM	Mexico	
<i>C</i>	— GUTTATUM	Mexico	
<i>C</i>	— PARDINUM	Mexico	42s. and 63s.
<i>C</i>	ODORATUM	Colombia	10s. 6d., 15s. & 21s.
<i>C</i>	— GIGANTEUM	Colombia	
<i>C</i>	ØRSTEDI	Costa Rica	5s. and 7s. 6d.
<i>C</i>	— MAJUS	Costa Rica	
<i>C</i>	PARDINUM	South America	21s. and 31s. 6d.
<i>C</i>	PENDULUM, <i>vide</i> O. CITROSUM		
<i>C</i>	PESCATOREI	Colombia	5s., 7s. 6d. to 21s.
<i>C</i>	— AURANTIACUM	Colombia	
<i>C</i>	— GRANDIFLORUM	Colombia	63s. and 84s.
<i>C</i>	— LIMBOSUM	Colombia	
<i>C</i>	— OCULATUM	Colombia	
<i>C</i>	— NIVALE	Colombia	63s. and 84s.
<i>C</i>	— SPLENDENS	Colombia	42s. and 63s.
<i>I</i>	PHALENOPSIS	Ocaña	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	POLYXANTHUM	Ecuador	
<i>C</i>	PRETIOSUM, <i>vide</i> O. SCHLEIPERIANUM		
<i>C</i>	PRINCEPS (<i>hybrid</i>)	Colombia	
<i>C</i>	PULCHELLUM	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— EOERTONI	Mexico	7s. 6d. and 10s. 6d.
<i>C</i>	— MAJUS	Mexico	10s. 6d., 15s. and 21s.
<i>C</i>	RADIATUM, <i>vide</i> O. HYSTRIX		
<i>C</i>	RAMOSISSIMUM	Colombia	
<i>C</i>	— ALBUM	Colombia	
<i>C</i>	RAMULOSUM	Ocaña	15s. and 21s.
<i>C</i>	REICHENHEIMII	Mexico	31s. 6d. and 42s.
<i>I</i>	ROEZLI	Colombia	10s. 6d., 15s. and 21s.



ODONTOGLOSSUM VEXILLARIUM INSIGNE.

A splendid variety of this popular Orchid. The flowers are of a deep rosy blush colour, with a prominent transverse band of bright yellow across the base of the lip, above the yellow band are two parallel crimson lines, and below the band on the white basal part of the lip is a broad transverse semicircular blotch of deep purplish red. Price on application.

<i>I</i>	<i>ODONTOGLOSSUM ROEZLII ALBUM</i>	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	ROEZLII DELICATUM	Colombia	15s. and 21s.
<i>I</i>	— SPLENDENS	Colombia	63s. and 84s.
<i>C</i>	ROSEUM	Mexico	10s. 6d. and 15s.
* <i>C</i>	ROSSII	Mexico	3s. 6d., 5s. and 7s. 6d.
* <i>C</i>	— MAJUS	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	— MUSAICUM	Mexico	
<i>C</i>	— PICTUM	Mexico	
<i>C</i>	— RUBESCENS	Mexico	
<i>C</i>	— SPLENDENS	Mexico	
<i>C</i>	RUBESCENS (<i>hybrid</i>)	South America	
<i>C</i>	RUCKERIANUM (<i>hybrid</i>)	Colombia	
<i>C</i>	— OIGANTEUM (<i>hybrid</i>)	Colombia	
<i>C</i>	SANDERIANUM	Colombia	21s. and 31s. 6d.
<i>C</i>	SCETRUM	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	SCHLEIPERIANUM (PRETIOSUM)	Costa Rica	15s. and 21s.
<i>C</i>	— FLAVIDUM	South America	
<i>C</i>	SPECTABILIS (<i>hybrid</i>)	Colombia	
* <i>C</i>	TRIPUDIANS	Peru	7s. 6d., 10s. 6d. to 21s.
* <i>C</i>	— GRANDIFLORUM	Peru	
* <i>C</i>	— XANTHOLOSSUM	Peru	
<i>C</i>	TRIUMPHANS	Ocaña	10s. 6d., 15s. and 21s.
<i>C</i>	UROSKINNERI	Guatemala	10s. 6d., 15s. and 21s.
<i>I</i>	VEXILLARIUM	Colombia	10s. 6d., 15s., 21s. and various sizes from 42s. upwards
<i>I</i>	— ALBESCENS	Colombia	
<i>I</i>	— AMABILE	Colombia	
<i>I</i>	— AMENUM	Colombia	
<i>I</i>	— BICOLOR	Colombia	
<i>I</i>	— CHELSONIENSE	Colombia	
<i>I</i>	— COBBIANUM	Colombia	
<i>I</i>	— GIOANTEUM	Colombia	
<i>I</i>	— GRANDIFLORUM	Colombia	
<i>I</i>	— INSIONE, <i>vide</i> page 103		
<i>I</i>	— KLABOCHORUM	Colombia	
<i>I</i>	— MARGINATUM	Colombia	
<i>I</i>	— MARMORATUM	Colombia	
<i>I</i>	— PICTUM	Colombia	
<i>I</i>	— PICTURATUM	Colombia	
<i>I</i>	— PULCHERRIMUM	Colombia	
<i>I</i>	— PURPUREUM	Colombia	
<i>I</i>	— RADIATUM	Colombia	
<i>I</i>	— ROSEUM	Colombia	42s., 63s. and 84s.
<i>I</i>	— RUBELLUM (Autumn-flowering)	Colombia	21s., 42s. and 63s.
<i>I</i>	— RUBRUM	Colombia	
<i>I</i>	— SUPERBUM	Colombia	
<i>I</i>	— VENOSUM	Colombia	
<i>C</i>	VICTOR (<i>hybrid</i>)	Colombia	
<i>C</i>	WALLISII	Colombia	
<i>C</i>	WILCKEANUM (<i>hybrid</i>)	Colombia	
<i>C</i>	— ALBENS (<i>hybrid</i>)	Colombia	
<i>C</i>	— PALLENS (<i>hybrid</i>)	Colombia	
<i>I</i>	WASCEWICZII		
<i>C</i>	<i>ONCIDIUM ZEMULUM, vide</i> O. SUPERBIENS		
<i>S</i>	ALTISSIMUM	West Indies	10s. 6d. and 15s.
<i>S</i>	AMPLIATUM	Panama	10s. 6d., 15s. and 21s.
<i>S</i>	— MAJUS	Panama	10s. 6d., 15s. and 21s.
<i>C</i>	ANCIFERUM	South America	42s.
<i>I</i>	ARMILLARE	South America	21s. and 31s. 6d.
<i>I</i>	ASCENDENS	South America	15s. and 21s.
<i>C</i>	AUROSUM (EXOAVATUM)	Ecuador	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	BALDERRAME	Colombia	
<i>I</i>	BARBATUM	Brazil	10s. 6d. and 15s.
* <i>C</i>	BARKEII, <i>vide</i> O. TIORINUM		
<i>C</i>	BATEMANNIANUM	Brazil	15s. and 21s.
<i>I</i>	BICALLOSUM	Guatemala	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	BICOLOR	Brazil	21s. and 31s. 6d.
<i>I</i>	CARTIAGIENSE	Mexico	10s. 6d. and 15s.
<i>I</i>	CAVENDISHIANUM	Guatemala	10s. 6d., 15s. and 21s.
<i>I</i>	CEBOLLETA	Brazil	10s. 6d. and 15s.
* <i>C</i>	CHEIROPHORUM	Ecuador	10s. 6d., 15s. and 21s.

<i>I</i>	ONCIDIUM CHRYSOMORPHIUM	South America	21s. and 31s. 6d.
<i>C</i>	CONCOLOR	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	CORNIGERUM	Brazil	15s. and 21s.
<i>C</i>	CRISPUM	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— ORANDIFLORUM	Brazil	15s. and 21s.
<i>I</i>	CROCODILICEPS	South America	
<i>C</i>	CRUENTUM (PELICANUM)	Mexico	15s. and 21s.
* <i>C</i>	CUCULLATUM	South America	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— ORANDIFLORUM	South America	
* <i>C</i>	— MACULOSUM	South America	21s. and 31s. 6d.
* <i>C</i>	— PUNCTATUM	South America	21s. and 31s. 6d.
* <i>C</i>	— PURPUREUM	South America	42s. and 63s.
<i>C</i>	CURTUM	Brazil	21s., 31s. 6d. and 42s.
<i>C</i>	DASYTYLE	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	DIADEMA, <i>vide</i> SERRATUM		
<i>I</i>	DIVARICATUM	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	EXCAVATUM, <i>vide</i> AUROSUM		
<i>C</i>	FLEXUOSUM	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	FORBESII	Brazil	5s., 7s. 6d. to 21s.
<i>C</i>	— ORANDIFLORUM	Brazil	42s. and 63s.
<i>I</i>	FUSCATUM	Colombia	5s., 7s. 6d. to 21s.
<i>C</i>	GARDNERI	Brazil	21s., 31s. 6d. and 42s.
<i>C</i>	ORANDIFLORUM	Colombia	
<i>C</i>	HARRISONIANUM	Mexico	21s.
<i>C</i>	HASTATUM, <i>vide</i> STELLIGERUM		
<i>I</i>	HYPLEMATICUM (LEOPARDINUM)	South America	
<i>C</i>	INCURVUM	Oaxaca	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	JANEIRENSE, <i>vide</i> LONOIPES		
<i>I</i>	JONESIANUM	South America	10s. 6d., 15s. and 21s.
<i>I</i>	JUNCFOLIUM	South America	15s. and 21s.
<i>S</i>	KRAMERIANUM	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	LANGEANUM	Surinam	10s. 6d., 15s. and 21s.
<i>I</i>	— SUPERBUM	Surinam	21s. and 31s. 6d.
<i>C</i>	LEUCOCHILUM	Mexico	21s. and 31s. 6d.
<i>C</i>	— DAWSONIANUM	Mexico	
<i>C</i>	— SPLENDENS	Mexico	63s. and 84s.
<i>C</i>	LONOIPES (JANEIRENSE)	Brazil	21s. and 31s. 6d.
<i>S</i>	LURIDUM (OUTTATUM)	West Indies	10s. 6d., 15s. and 21s.
<i>C</i>	MACRANTHIUM	Ecuador	31s. 6d., 42s. and 63s.
<i>C</i>	— ORANDIFLORUM	Ecuador	
<i>C</i>	— HASTIFERUM	Ecuador	63s. and 84s.
<i>C</i>	MARSHALLIANUM	Brazil	15s., 21s. and 42s.
<i>I</i>	MELIOSMUM	Brazil	21s. and 31s. 6d.
<i>I</i>	NIGRATUM	British Guiana	15s., 21s. and 31s. 6d.
<i>C</i>	NUBIGENUM (PHALLENOPSIS)	Ecuador	
<i>C</i>	OBRYZATUM	Colombia	21s. and 31s. 6d.
<i>C</i>	OCTHODES	Colombia	21s.
* <i>C</i>	ORNITHORHYNCHUM	Guatemala	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— MAJUS	Guatemala	
* <i>C</i>	— RUBRUM	Guatemala	
<i>S</i>	PAPILIO	Panama	10s. 6d. and 15s.
<i>S</i>	— MAJUS	Panama	15s. and 21s.
<i>I</i>	PELICANUM, <i>vide</i> CRUENTUM		
<i>C</i>	PHALLENOPSIS, <i>vide</i> NUBIGENUM		
<i>I</i>	PHILIPSIANUM	South America	10s. 6d. and 15s.
<i>I</i>	PHYLLOGLOSSUM	South America	
<i>C</i>	PHYMATOCHILUM	Brazil	21s. and 31s. 6d.
<i>C</i>	PLAOGANTHUM	Colombia	
<i>C</i>	PRETEXTUM	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	— MACULOSUM	Brazil	
<i>C</i>	— SUPERBUM	Brazil	
<i>I</i>	PUBES	Brazil	7s. 6d. and 10s. 6d.
<i>I</i>	PULVINATUM	Brazil	10s. 6d. and 15s.
<i>I</i>	PUMILUM	Brazil	42s.
<i>I</i>	REFLEXUM	Mexico	10s. 6d. and 15s.
<i>C</i>	REICHENBACHII	Colombia	15s. and 21s.
<i>I</i>	ROSEUM	Mexico	10s. 6d. and 15s.
<i>I</i>	SARCODES	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>	SCHILLERIANUM	South America	15s. and 21s.
<i>I</i>	SCHILMII	South America	15s. and 21s.
<i>C</i>	SERRATUM (DIADEMA)	Peru	15s., 21s. and 31s. 6d.

<i>I</i>	ONCIDIUM SESSILE	Santa Martha	21s., 31s. 6d. and 42s.
<i>I</i>	SPHACELATUM	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	SPHEGIFERUM	South America	15s. and 21s.
<i>C</i>	STELLIGERUM (HASTATUM)	Mexico	10s. 6d., 15s. and 21s.
<i>C</i>	— PICTUM	Mexico	42s. and 63s.
<i>C</i>	SUPERBIENS (ÆMULUM)	Colombia	
<i>I</i>	SUTTONI	South America	15s. and 21s.
<i>I</i>	TECTUM	South America	15s.
<i>C</i>	TETRACOPIIS	Colombia	
<i>S</i>	TETRAPETALUM	West Indies	21s.
<i>I</i>	TIORATUM	South America	15s. and 21s.
* <i>C</i>	TIORINUM (BARKERI)	Mechoacan	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	TRILINGUE	Colombia	15s. and 21s.
<i>I</i>	TRIQUETRUM	West Indies	10s. 6d.
<i>I</i>	TRULLIFERUM	South America	15s. and 21s.
* <i>I</i>	UNGUICULATUM	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	UNICORNE	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>	VARICOSUM	Brazil	10s. 6d., 15s. & 21s.
<i>C</i>	— ROGERSII	Brazil	
<i>I</i>	VIRGULATUM	South America	15s. and 21s.
<i>I</i>	WARNERI	South America	21s. and 31s. 6d.
<i>I</i>	WELTONI (MILTONIA WARSCEWICZII)	Colombia	5s., 7s. 6d. to 21s.
<i>C</i>	WESTWORTHIANUM	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	ZEBRINUM	Colombia	15s., 21s. and 31s. 6d.
<i>I</i>	PALUMBINA CANDIDA	Mexico	16s. & 21s.
<i>S</i>	PAPHINIA CRISTATA	West Indies	21s. and 31s. 6d.
<i>S</i>	CRISTATA GRANDIS	West Indies	42s. and 63s.
<i>S</i>	PERISTERIA ELATA (The Dove Flower)	Panama	10s. 6d., 15s. & 21s.
<p><i>El Spirito Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.</i></p>			
<i>I</i>	PESCATORIA (HUNTLEYA) CERINA	South America	31s. 6d. and 42s.
<i>I</i>	DAYANA	South America	
<i>I</i>	KLABOCHORUM	South America	
<i>I</i>	ROEZLII	Ecuador	
<i>I</i>	PHAIUS ALBUS, <i>vide</i> THUNIA ALBA		
<i>S</i>	BENSONIÆ, <i>vide</i> THUNIA BENSONIÆ		
<i>I</i>	BLUMEI	Assam	
* <i>I</i>	ORANDIFOLIUS (BLETTIA TANKERVILLE)	Hong Kong	7s. 6d. and 10s. 6d.
<i>S</i>	HUMBLOTII	Madagascar	
<i>I</i>	MACULATUS	East Indies	10s. 6d. and 15s.
<i>S</i>	MARSHALLIANUS, <i>vide</i> THUNIA MARSHALLIANA		
<i>I</i>	WALLICHI	Sylhet	21s. and 31s. 6d.
<i>I</i>	WOODFORDII	East Indies	10s. 6d. and 15s.
<i>S</i>	PHALÆNOPSIS AMABILIS	Sunda Islands	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	AMABILIS DAYANA	Sunda Islands	
<i>S</i>	ESMERALDA	Cochin China	15s. and 21s.
<i>S</i>	ORANDIFLORA	Borneo	10s. 6d. and 15s.
<i>S</i>	LÜNDEMANNIANA	Philippino Islands	21s. and 31s. 6d.
<i>S</i>	ROSEA	East Indies	21s.
<i>S</i>	SANDERLANA	East Indies	21s., 42s. and 63s.
* <i>S</i>	SCHILLERIANA	Manilla	10s. 6d. and 15s.
* <i>S</i>	— SUPERBA	Manilla	
<i>S</i>	STUARTIANA	East Indies	21s., 31s. 6d. and 42s.
<i>S</i>	TETRASPIS	East Indies	84s. and 105s.
<i>S</i>	VIOLACEA	East Indies	15s., 21s. and 31s. 6d.
<i>S</i>	PHOLIDOTA IMBRICATA	East Indies	5s. and 7s. 6d.
<i>C</i>	PILUMNA (TRICHOPIA) FRAGRANS	Merida	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	NOBILIS	South America	21s., 31s. 6d. and 42s.
* <i>C</i>	PLOEIONE HOOKERI	East Indies	21s.
* <i>C</i>	— TRICOLOR	East Indies	10s. 6d. and 15s.
* <i>C</i>	— TRICOLOR	Assam	31s. 6d.
* <i>C</i>	LAGENARIA	Khasya	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	MACULATA	Assam, Khasya	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	PRÆCOX TENERA	East Indies	15s., 21s. and 31s. 6d.
* <i>C</i>	REICHENBACHIANA	East Indies	7s. 6d., 10s. 6d. & 15s.
* <i>C</i>	WALLICHIANA	Arracan Mountains	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	PLEUROTHALLIS INCOMPTA	South America	15s.
<i>I</i>	SCAPHIA	South America	105s.
<i>S</i>	PROMENÆA CITRINA	Brazil	
<i>S</i>	STAPELIOIDES	Brazil	
<i>S</i>	RENANTHERA COCCINEA	Cochin China	21s. and 31s. 6d.

<i>S</i>	RENANTHERA LOWII, <i>vide</i> VANDA LOWII		
<i>C</i>	RESTREPIA ANTENNIFERA	Colombia	31s. 6d. and 42s.
<i>C</i>	— ELEGANS	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	— LEOPARDINA	Colombia	
<i>I</i>	— OPHIOCEPHALA	Mexico	15s. and 21s.
<i>S</i>	RODRIGUEZIA PLANIFOLIA	South America	7s. 6d. and 10s. 6d.
<i>S</i>	— SECUNDA	West Indies	10s. 6d. and 15s.
<i>S</i>	SACCOLABIUM AMPULLACEUM	Rangoon	7s. 6d. and 10s. 6d.
<i>S</i>	— BELLINUM	East Indies	
<i>S</i>	— BLUMEI	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	— DAYI	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	— JAVANENSE	Java	31s. 6d. and 42s.
<i>S</i>	— LONORACEMOSUM	East Indies	31s. 6d. and 42s.
<i>S</i>	— MAJUS	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	— PULCHRUM	East Indies	21s. and 31s. 6d.
<i>S</i>	— ROSEUM	East Indies	
<i>S</i>	— SPLENDENS	East Indies	42s. and 63s.
<i>S</i>	— CURVIFOLIUM	Nepal, Ceylon	10s. 6d., 15s. and 21s.
<i>*S</i>	GIGANTEUM (VANDA DENSIFLORA)	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>*S</i>	— EXCELLENS	East Indies	
<i>*S</i>	— ILLUSTRIS	East Indies	
<i>S</i>	— GUTTATUM	East Indies	21s., 31s. 6d. and 42s.
<i>S</i>	— GIOANTEUM	East Indies	
<i>S</i>	— SUPERBUM	Ceylon	63s. and 84s.
<i>S</i>	— HARRISONIANUM	Pulo, Copang	31s. 6d. and 42s.
<i>S</i>	— HENDERSONIANUM	Borneo	63s. and 84s.
<i>S</i>	— MINIATUM CITRINUM	Cochin China	
<i>S</i>	— PREMORSUM	Java	42s. and 63s.
<i>S</i>	— RETUSUM	Java	42s. and 63s.
<i>S</i>	— RINOENS		
<i>S</i>	— VIOLACEUM	Manilla	31s. 6d. and 42s.
<i>S</i>	SARCANTHUS LAXUS	East Indies	21s. and 31s. 6d.
<i>I</i>	SARCOCHILUS HARTMANNI	Australia	
<i>S</i>	— UNGUICULATUS	East Indies	21s. and 31s. 6d.
<i>S</i>	SARCOPODIUM DEAREI	East Indies	
<i>S</i>	— LOBBII	East Indies	21s., 31s. 6d. and 42s.
<i>S</i>	SCHOMBURGKIA CARINATA	West Indies	
<i>I</i>	— CRISPA	Guiana	10s. 6d., 15s. and 21s.
<i>I</i>	— GLORIOSA	South America	42s. and 63s.
<i>S</i>	— LYONSII	West Indies	
<i>I</i>	— TIBICINA	Mexico	21s. and 31s. 6d.
<i>I</i>	— UNDULATA	La Guayra	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	SCUTICARIA HADWENII	Brazil	21s. and 31s. 6d.
<i>I</i>	— STEELII	Brazil	21s. and 31s. 6d.
	SELENIPEDIUM , <i>vide</i> CYPRIPIEDIUM.		
<i>I</i>	SOBRALIA MACRANTHA	Guatemala	21s. and 31s. 6d.
<i>I</i>	— MACRANTHA MAONIFICA	Guatemala	
<i>I</i>	— NANA	Guatemala	42s. and 63s.
<i>I</i>	— ROSEA	Guatemala	
<i>I</i>	— RUBRA	Guatemala	
<i>I</i>	— SPLENDENS	Guatemala	42s. and 63s.
<i>C</i>	SOPHRONITIS CERNUA	Brazil	10s. 6d. and 15s.
<i>*C</i>	— GRANDIFLORA	Organ Mountains	7s. 6d., 10s. 6d. to 21s.
<i>*C</i>	— COCCINEA	Organ Mountains	
<i>*C</i>	— SUPERBA	Brazil	
<i>C</i>	— VIOLACEA	Brazil	
<i>S</i>	SPATHOGLOTTIS FORTUNEI	Hong Kong	21s. and 31s. 6d.
<i>S</i>	— LOBBII	Borneo	84s. and 105s
<i>S</i>	— PACIFICA	Pacific Islands	
<i>I</i>	STANHOPEA AUREA	South America	10s. 6d. and 15s.
<i>I</i>	— BUCEPHALUS	South America	10s. 6d. and 15s.
<i>I</i>	— ECORNUTA	South America	
<i>I</i>	— GRANDIFLORA (EBURNEA)	South America	
<i>I</i>	— GRAVEOLENS	South America	10s. 6d.
<i>I</i>	— GUTTULATA	South America	10s. 6d. and 15s.
<i>I</i>	— INSIGNIS	Brazil	10s. 6d. and 15s.
<i>C</i>	— MARTIANA	Mexico	10s. 6d. and 15s.
<i>C</i>	— OCULATA	Xalapa	10s. 6d. and 15s.
<i>I</i>	— PUNCTATA	South America	10s. 6d.
<i>I</i>	— SHUTTLEWORTHII	Colombia	10s. 6d. and 15s.
<i>C</i>	— TIGRINA	Xalapa	10s. 6d. and 15s.

<i>C</i>	STANHOPEA TIORINA SUPERBA	Xalapa	21s.
<i>I</i>	WARDII	La Guayra	10s. 6d. and 15s.
<i>S</i>	THRIXSPERMUM MURICULATUM	Andanan Islands	15s. and 21s.
<i>I</i>	THUNIA (PHAIUS) ALBA	India	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	ALBA STRIATA	India	5s. and 7s. 6d.
<i>S</i>	BENSONIÆ	Moulmein	10s. 6d. and 15s.
<i>S</i>	MARSHALLIANA	India	15s., 21s. and 31s. 6d.
<i>S</i>	— IONOPHLEBIA, <i>vide</i> page 9		
<i>S</i>	PULCHRA	East Indies	10s. 6d., 15s. & 21s.
<i>S</i>	TRICHOCENTRUM ALBO-PURPUREUM	South America	15s., 21s. and 31s. 6d.
<i>I</i>	TRICHOPILIA AUREOMHYLAX	Mexico	
<i>C</i>	COCCINEA	Costa Rica	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	ORISPA (OLOXINLEFLORA)	Costa Rica	42s., 63s. and 84s.
<i>I</i>	— MAROINATA	Costa Rica	
<i>I</i>	FRAORANS, <i>vide</i> PILUMNA FRAORANS.		
<i>I</i>	GALEOTTIANA (PICTA)	Costa Rica	21s. 31s. 6d. and 42s.
<i>I</i>	HYMENANTHA	South America	15s. and 21s.
<i>I</i>	(PILUMNA) LAXA	South America	5s. and 7s. 6d.
<i>I</i>	SUAVIS	Costa Rica	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— SUPERBA	Costa Rica	21s. and 31s. 6d.
<i>C</i>	TORTILIS	Mexico	10s. 6d. and 15s.
<i>C</i>	— ALBA	Mexico	
<i>I</i>	TURIALVÆ	South America	21s. and 31s. 6d.
* <i>C</i>	TRICHOSMA SUAVIS	Assam	21s. and 31s. 6d.
<i>I</i>	TRIGONIDIUM RINGENS	Assam	15s. and 21s.
<i>I</i>	UROPEDIUM LINDENI	Colombia	21s. and 31s. 6d.
<i>S</i>	VANDA BATEMANNI	Moluccas	21s. and 31s. 6d.
<i>S</i>	BENSONI	Burmah	10s. 6d., 15s. and 21s.
<i>S</i>	BOXALLII	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	CATHICARTII	Sikkim	42s. and 63s.
<i>I</i>	CÆRULEA	Khasya	15s., 21s. and 31s. 6d.
<i>I</i>	CÆRULESCENS	Burmah	
<i>I</i>	— BOXALLII	Burmah	
<i>S</i>	CONCOLOR	East Indies	42s. and 63s.
<i>S</i>	CRISTATA	Assam	
<i>S</i>	DENISONIANA	India	21s., 31s. 6d. and 42s.
* <i>S</i>	DENSIFLORA, <i>vide</i> SACCOLABIUM OIGANTEUM		
<i>S</i>	GIGANTEA	Moulmein and Rangoon	15s. and 21s.
<i>S</i>	HOOKERI	Borneo	42s. and 63s.
<i>S</i>	INSIGNIS	East Indies	
<i>S</i>	LIMBATA	East Indies	
<i>S</i>	LOWII	Borneo	
<i>S</i>	PARISHII	Burmah	31s. 6d. and 42s.
<i>S</i>	— MARIOTTIANA	Burmah	42s. and 63s.
<i>S</i>	ROXBURGHII	Bengal	21s. and 31s. 6d.
<i>S</i>	— CÆRULEA	Bengal	21s. and 31s. 6d.
<i>S</i>	SANDERIANA	Eastern Archipelago	
<i>S</i>	SUAVIS	Java	31s. 6d. and 42s.
<i>S</i>	— (CHATSWORTH VARIETY)	Java	
<i>S</i>	— MAXIMA	Java	
<i>S</i>	TERES	Sylhet	10s. 6d., 15s. and 21s.
<i>S</i>	— ANDERSONI	Sylhet	31s. 6d. and 42s.
<i>S</i>	TESTACEA	East Indies	21s. and 31s. 6d.
<i>I</i>	TRICOLOR	Java	21s. and 31s. 6d.
<i>I</i>	— AUREA	Java	
<i>I</i>	— CHELSONIENSIS	Java	
<i>I</i>	— FORMOSA	Java	31s. 6d. and 42s.
<i>I</i>	— OUTTATA	Java	
<i>I</i>	— INSIGNIS	Java	21s. and 31s. 6d.
<i>I</i>	— LIMBATA	Java	
<i>I</i>	— MAROINATA	Java	
<i>I</i>	— MELEAGRIS	Java	
<i>I</i>	— MULTIFLORA	Java	31s. 6d. and 42s.
<i>I</i>	— NEBULOSA	Java	42s. and 63s.
<i>I</i>	— OCHRACEA	Java	
<i>I</i>	— PLANILABRIS	Java	
<i>I</i>	— SPLENDENS	Java	
<i>I</i>	— SUPERBA	Java	31s. 6d. and 42s.
<i>S</i>	VANILLA AROMATICA	Brazil	7s. 6d. and 10s. 6d.
<i>S</i>	PLANIFOLIA	South America	10s. 6d. and 15s.
<i>I</i>	WARREA LINDENIANA	Colombia	21s. and 31s. 6d.

<i>I</i>	WARSCIEWICZELLA DISCOLOR	Colombia	21s. and 31s. 6d.
<i>I</i>	VELATA	Colombia	21s. and 31s. 6d.
<i>I</i>	ZYGOPETALUM CRINITUM	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	CRINITUM CÆRULEUM	Brazil	42s. and 63s.
<i>I</i>	— SUPERBUM	Brazil	
<i>I</i>	GAUTIERI	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	INTERMEDIUM	Brazil	10s. 6d., 15s. and 21s.
* <i>C</i>	MACKAYI	Brazil	10s. 6d., 15s. and 21s.
* <i>C</i>	— MAJUS	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	MAXILLARE	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	ROSTRATUM	South America	21s.

CHOICE ORCHIDS.

EAST INDIAN
MEXICAN

WEST INDIAN
PERUVIAN

COLOMBIAN
BRAZILIAN

Collections made at 3, 4, 6, 9 and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at 3, 4, 6, 9 and 12 guineas per dozen.

SPHAGNUM MOSS FOR ORCHIDS.

3s. 6d. per bushel ; 12s per sack.

BEST FIBROUS PEAT FOR ORCHIDS.

10s. per sack.

NEW AND CHOICE ACHIMENES.

VIOLETTA, a very pretty and free-flowering new variety of vigorous growth, producing an abundance of rich violet-purple flowers, the centre of each lobe and the mouth of the throat being very darkly veined. 5s.

Good selections made at 6s., 9s. and 12s. per dozen, according to sorts.

New and choice sorts, 18s. and 30s. per dozen, according to sorts.

ADMIRATION [FELT
AMBROISE VERSCHAFF-
AROUS
AURORA
BELLE CRACOVIENNE
CARL WOLFFARTH
CARMINATA ELEGANS
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FRANCOIS CARDNAUX
GEOORGIANA
GRANDIFLORA
— FLORE PLENO
GRANDIS
HARRY WILLIAMS
HENDERSONI
JAUREQUA MAXIMA
LADY LYTTELETON
LEOPARD
LONOIFLORA
— ALBA
— MACRANTHIA



LOUIE VAN HOUTTE
LOVELINESS
MARVEL
MAUVE PERFECTION
— QUEEN
MASTERPIECE
METEOR
MINIATA
M. MEILLEZ
NESIDA
NINA
PARSONSII
PURPUREA ELEGANS
— MULTIFLORA
RIENZII
RIVAL
ROLLISSONI
ROSEA ELEGANS
— MAGNIFICA
SCARLET PERFECTION
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

LONGIFLORA MAJOR
— ROSEA

EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1s. and 1s. 6d. each.

EHRENBERGII
NÆGELIOIDES

NÆOELIOIDES DIAMANTINA
— LILACINELLA

NÆOELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally, however, the principal colour was orange-scarlet; new, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty. Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

GESNERAS, see also page 36.

NEW HYBRID GESNERAS.

LE PRODIGE, a distinct variety with handsome foliage; the flowers which are fringed, being of a rose colour shaded with purple, fading towards the edge into rosy-salmon. 5s.

MADAME HEINE, flowers of large size and perfect shape, freely produced in fine pyramidal branching racemes, the tube and outside lobes being of a rich violet-purple colour, the centre white shaded with rose and spotted with purple, while the interior of the throat is orange-yellow with crimson spots. The plant is remarkable on account of the lower flowers often producing a number of petaloid segments, thus giving to the blooms a semi-double appearance. 5s.

MADAME JEHENNE, a variety of vigorous growth, producing large showy flowers of a dark rosy-violet colour, resembling in shape those of an Achimenes. 5s.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 5s.

SOUVENIR DE MADAME JOIGNOT, this variety has handsome bronze-green leaves, the Achimene-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 5s.

NEW AND CHOICE GLOXINIAS.

For New Varieties, offered for the first time, *vide* page 9.

NEW VARIETIES OF 1885.

WITH ERECT FLOWERS.

ACTIVE, white lobes freckled with bluish purple, the markings smaller and lighter towards the margin; light throat spotted with purple. 5s.

AMETHYST, azure blue, lighter towards the edges of the lobes; throat pure white, extending to the centre of each lobe. 5s.

CYGNET, pure white, the lobes broadly margined with soft pink; very pretty. 5s.

HYDRA, white, the lobes margined with pale rose, marked with bright rose at the intersections of the lobes. 5s.

MALABAR, lobes pale rose; centre of lobes and mouth bright crimson; light throat, shaded with violet. 5s.

SABRINA, intensely deep crimson, the lobes margined with pale rose; light throat freckled crimson. 5s.

Choice selections made by Mr. W. B. at 18s., 30s. and 42s. per dozen according to sorts.

ADMIRATION.
ANNA DE CONDEIXA
ARCHIMEDES.
ARIADNE
AURELIA
BARON DE ROTHSCHILD.
BERENICE
BIJOU
BOULE DE NIEOE
CABELLO

CALYPSO
CASILDA
CECILE MICHAUX
CHATEAUBRIAND
CHAUCER
CLEOPATRA
COMTE DE MONTESQUIEU
COMTESSE HORACE DE CHOISEUL
CONQUEST
COQUETTE D'ASNIÈRES

CORDON LAVANDE
COWPER
DANTE
DARING
DE BALZAC
DIADÈME
DIAMANT
DIDON
DRYDEN
EDEN

NEW AND CHOICE GLOXINIAs—continued.

ELFIN	MAD. CHARLES HEINE.	OSCAR
FANTOME	MAD. HUBERT	PARTHENIA
FAVORI	MAD. Ph. HÉBERT	PERFECTION
FEU BRILLIANT	MODIOLA, <i>vide</i> page 9	PERLE
FLAMBOYANT	MAGENTA	PHIDIAS
FLORE	MARCEL	PHENIX
FLORIAN	MARGUERITE D'ELCHINOEN	PLINE
GEORGES SAND	MARQUIS DE CHENNEVIERES	PORTEND
GIRANDOLE	MATODOR	PRESIDENT LAVALLÉE
GRACIEUX	MDLLE. ANGELINA MARTIN	PRINCE DE GALLES
HECLA	MDLLE. BLANCHE BACHELOT	REOULUS
HERON	MENTOR	ROMOLA
HORTENSE	MILTON	RUBENS
JEANNE D'ARC	MINOS	RUBIS
JUPITER	MOOUL	SEMIRAMIS
LA BOËTIE	MON CAPRICE	STANLEY
LA FRANCE	MONSIEUR BERGMAN	SYLPHIDE
LE GAULOIS	M. G. MORLET	TAMAR
LEONORA	M. LUCIEN LINDEN.	TEMPLAR
LEOPARD	M. PHILIP HEBERT	TENNYSON
LYDIA, <i>vide</i> page 9	M. MAXIME DE LA ROCHETERIE	THEMIS
MAD. A. LAVALLÉE	NEPTUNE	VELINDEA
MAD. BLEU	NOIROT	VICOMTE DE CONDEIXA
MAD. BOYD	ODIN	VICOMTESSE DE BELLEVAL
MAD. CECILE GONDOUIN	ORACLE	ZIBELINE

GLOXINIA INSIGNIS, this distinct variety produces its flowers during the autumn and winter; colour bluish lilac, marked with a large crimson blotch at the base of the tube. 2s. 6d.

MACULATA SCEPTUM, a magnificent hybrid, with extra large erect cordate foliage; it produces a rigid terminal inflorescence, exceeding 20 inches in height, which bears majestically its large, clear lilac, well-formed blooms. 1s. 6d.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s., 24s., 30s. and 42s. per dozen, according to sorts.

AILSA	DUCHESS	MIRANA
ALARM	EVAINE	M. RICHARD LARIOS
ALEXANDRE	EUTERPE	OPHIR
AMARANTE ET CANNELLE	GIGANTEA	PAREFA
AMAZON	HOTSPUR	PLUTON
BELLONA	ITACULUMI	PORTIA
BOMB	JULIETTE	ROBERT LE DIABLE
CECILIA	LÉONIDAS	SABINA
CLOVIS	LIEFKIN	THALIE
COQUETTE	LORENZO	UKARA
CYNTHIA	MANCINUS	VIOLET ET MARRON
DAPHNE	MARQUIS DE GUIADIARO	WONDER
DORIS	MINERVE	XENOPHON

NEW AND CHOICE REGAL PELARGONIUMS.

This name is applied to that magnificent group of Pelargoniums, the flowers of which are of large size, with very rich and showy colours, and which, although they are not really double, yet have the appearance of being so from their full and crispy form, and the extra number of their frilled petals.

ALEXANDRE DE NAPADIEWICZ, a fine flower of a salmon-carmine colour, widely margined with white; upper petals blotched with maroon; large white centro. 3s. 6d.

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; all the petals regularly margined white, and beautifully fringed. 1s. 6d.

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish black, and bordered with carmine; lower petals clear bright fiery crimson. 2s. 6d.

COUNTESS OF ROSEBERRY, a desirable variety, producing large trusses of pure white flowers, with a spot of delicate rose in the upper petals, the margin of the flower being prettily fringed. 2s. 6d.

NEW AND CHOICE REGAL PELARGONIUMS—continued.

- DR. MASTERS**, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson; the lower petals have a smaller blotch, with a broader margin of the same colour as the upper. 1s. 6d.
- DUCHESS OF BEDFORD**, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1s. 6d.
- DUKE OF ALBANY**, deep rich crimson-maroon, margined with rosy lake; light centre surrounded with violet-rose shading; all the petals beautifully undulated and fringed; fine full flower; extremely showy. 2s. 6d.
- KARL KLEIN**, a splendid variety, producing very bright red flowers, darkly spotted; extremely showy. 2s. 6d.
- MADAME EVRARD**, very full flower, with beautiful crispy petals of bright purplish crimson colour, spotted with dark maroon. 2s. 6d.
- MADAME THIBAUT**, white blotched and marbled with rose; upper petals marked with crimson maroon; large white centre. 1s. 6d.
- MAID OF KENT**, an attractive variety, of neat dwarf habit and extremely free blooming; the flowers are pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 2s. 6d.
- PRINCE OF PELARGONIUMS**, large flowers with elegantly fringed margins; brilliant vermilion-scarlet ground colour, finely relieved by a blush-white centre, with violet veins; the upper petals flushed with rich crimson. 2s. 6d.
- MISS LILY CANNELL**, a very pretty flower; crimson-scarlet petals shaded with rosy-purple and edged with white, light centre. 2s. 6d.
- PRINCE OF TECK**, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centro shaded with violet. 2s. 6d.
- PRINCE OF WALES**, an exceedingly handsome variety, freely producing good trusses of flowers of a bright vermilion colour, with light centre and edge to the petals, the superior ones being marked with light crimson, and darkly blotched. 1s. 6d.
- PRINCESS BEATRICE**, upper petals crimson-lake blotched with maroon and margined with white, under petals blush white; a large and full flower, the petals being beautifully undulated and fringed. 7s. 6d.
- PRINCESS OF WALES**, an extremely beautiful variety, very large and effective flowers of a rosy lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon; an exceedingly attractive flower. 3s. 6d.
- QUEEN VICTORIA**, the flowers of this handsome and distinct variety have peculiarly crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 2s. 6d.
- SULTAN**, carmine-lake; the upper petals blotched with maroon; light centre, shaded with soft violet-rose; all the petals slightly undulated; a very pretty flower. 3s. 6d.
- VOLONTÉ NATIONALE ALBUM**, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. A free grower and very floriferous. 5s.

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

For New Variety, offered for the first time, vide page 9.

- AGATHA**, a fine flower of good form; upper petals bright crimson, blotched with maroon and margined with white; under petals blush-white, spotted with bright crimson. 3s. 6d.
- ALFONSO**, pure white free-blooming variety, upper petals marked with rich rosy crimson, under petals faintly feathered with rose; a large finely formed flower. 7s. 6d.
- ANGUS**, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 2s. 6d.
- ARBACES**, a very attractive flower of a bright rosy purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 2s. 6d.
- ARVON**, upper petals bright crimson, blotched with blackish maroon and edged with rose; under petals soft rose, spotted crimson. 2s. 6d.
- ATRATO**, upper petals rich purplish crimson, blotched with maroon, and margined with white; under petals violet rose, spotted with crimson, and margined with white. 7s. 6d.
- CATRINA**, upper petals dark maroon, margined with rosy crimson; under petals rosy crimson, blotched with maroon. 2s. 6d.
- CHARGER**, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 2s. 6d.
- CLOVIS**, vide page 9
- CYMBA**, upper petals dark crimson, surrounded with bright crimson and edged with rose; under petals rose, blotched and feathered with crimson; light centre; a fine, large well-formed flower. 3s. 6d.
- CYPRIA**, a fine flower of a rich rosy crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 2s. 6d.
- DACIA**, upper petals dark maroon shaded with bright crimson, margined with rose; under petals rosy pink, cleanly spotted with dark crimson. 3s. 6d.
- DAMON**, upper petals bright crimson, blotched with maroon; under petals rosy crimson, white centre; all the petals edged white. 2s. 6d.

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

- DAURUS**, flower rich crimson, shaded with maroon; light centre, shaded rosy purple. *3s. 6d.*
- DINORAH**, upper petals blotched with maroon, surrounded with bright rosy purple, and edged with rose; under petals light rose, spotted with bright rosy purple. *2s. 6d.*
- DOLPHIN**, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted with bright crimson. *7s. 6d.*
- EBOR**, upper petals maroon margined with white; lower petals white heavily veined with violet purple, spotted with dark crimson; light centre. *7s. 6d.*
- ECLIPSE**, upper petals blackish maroon, edged with fiery crimson; under petals deep crimson, shaded with scarlet, and blotched with dark maroon; light centre. *2s. 6d.*
- ELVINA**, upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. *2s. 6d.*
- ENSIGN**, all the petals blotched with maroon, surrounded with crimson and margined with rose. *2s. 6d.*
- FIREFLY**, fiery crimson, the upper petals blotched with maroon; under petals spotted crimson, light centre, shaded violet. *2s. 6d.*
- FORWARD**, upper petals maroon edged with soft rose; under petals rosy crimson, heavily spotted with maroon. *3s. 6d.*
- GIDOUR**, upper petals deep maroon, surrounded with fiery crimson, and margined with deep rose; under petals bright rosy pink, spotted with dark crimson; a splendid flower. *3s. 6d.*
- GRANTA**, maroon upper petals, surrounded with rosy crimson, and edged with lavender; under petals rich rose, spotted with dark crimson; white centre. *2s. 6d.*
- GRISON**, light rosy pink, all the petals blotched with very dark blackish maroon, and shaded with crimson; a very fine flower. *2s. 6d.*
- HECLA**, light rosy purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and margined with rose; under petals spotted with maroon. *3s. 6d.*
- JESSICA**, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy pink, spotted dark crimson. *2s. 6d.*
- KENNETH**, upper petals purplish crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy lavender; white centre. *2s. 6d.*
- LEONARD**, flesh-coloured flower, the upper petals being blotched with dark crimson, surrounded with bright crimson; under petals cleanly spotted with bright rosy crimson. *7s. 6d.*
- LEONIS**, flower soft rosy purple, surrounded with pale rose, the upper petals blotched with maroon. *2s. 6d.*
- LUCULLUS**, fiery crimson; upper petals blotched with blackish maroon; under petals spotted crimson-maroon; light centre. *2s. 6d.*
- MALCOLM**, upper petals rosy pink, blotched with maroon; under petals soft rosy pink, spotted with deep crimson. *2s. 6d.*
- MARSUS**, upper petals white, blotched with rosy-crimson; under petals blush white, spotted with crimson. *2s. 6d.*
- MEDINA**, upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. *2s. 6d.*
- MINARET**, upper petals crimson, with maroon blotch; under petals rosy crimson marked and spotted with maroon. *2s. 6d.*
- MRS. POTEN**, a fine round flower, with undulated blush white petals; the upper petals blotched with velvety purple. *2s. 6d.*
- NEPTUNE**, flower rosy purple, upper petals blotched and feathered with maroon; under petals spotted with maroon. *7s. 6d.*
- NIZZA**, flower bright rosy purple; upper petals feathered with dark crimson. *3s. 6d.*
- ONDINE**, upper petals dark crimson, surrounded with fiery crimson, edged with pink; under petals rose suffused with crimson, and spotted with dark crimson. *7s. 6d.*
- ORISSA**, upper petals light purplish crimson, feathered and blotched with maroon; under petals soft violet-rose, marked with crimson; a rich-looking and attractive flower. *3s. 6d.*
- OSCAR**, upper petals crimson, margined with rose and blotched with maroon; under petals rose, spotted crimson; light centre. *2s. 6d.*
- PEERLESS**, the upper petals blackish maroon, surrounded with fiery crimson; under petals rich crimson, with maroon spot. *2s. 6d.*
- PHENIX**, deep rosy purple, upper petals blotched and feathered with dark crimson; under petals edged with white, light centre. *3s. 6d.*
- PINNACE**, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals rosy carmine, spotted with dark crimson. *2s. 6d.*
- PIONEER**, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. *2s. 6d.*
- PLATEAU**, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. *2s. 6d.*
- RENDIGO**, upper petals nearly black, with crimson edge; under petals crimson, blotched with maroon. *2s. 6d.*
- RUMOUR**, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. *2s. 6d.*
- SABINE**, upper petals dark crimson-maroon, edged with bright crimson; under petals rosy crimson, blotched with maroon. *2s. 6d.*
- SERENA**, rosy lake, with slight purplish shade; upper petals blotched with maroon; under petals spotted with deep crimson. *2s. 6d.*
- SPORTSMAN**, a deep rosy purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. *7s. 6d.*
- TAMAR**, upper petals maroon, surrounded with fiery crimson, and edged with rose; under petals soft rose, blotched and veined with dark crimson; white centre. *5s.*
- TELAMON**, upper petals blackish maroon, margined with fiery crimson; under petals light red, slightly shaded with orange and spotted with dark maroon; a very fine flower. *2s. 6d.*
- TENNYSON**, upper petals dark maroon, margined with rose and edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. *2s. 6d.*

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

- TREASURE**, upper petals violet-purple, blotched with maroon and edged with lavender; under petals light rosy purple, spotted with maroon. 7s. 6d.
- TRIUMPHANS**, rich violet-crimson, margined with violet-rose, upper petals feathered with dark crimson; light rosy violet centre. 1s. 6d.
- TYRANT**, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 2s. 6d.
- VINCENT**, upper petals maroon, edged with rosy crimson; under petals rich rosy crimson; the centre shaded with violet. 2s. 6d.
- ZENOBI**, upper petals blackish maroon, surrounded with fiery crimson and edged with rose; under petals rosy crimson spotted with maroon, rose centre. 7s. 6d.
- ZORA**, upper petals bright rosy carmine, blotched with dark crimson, and widely margined with white; under petals blush white. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

- ADALIA**, upper petals maroon, edged with crimson; under petals deep rose, slightly shaded with crimson; white centre. 2s. 6d.
- ADVENTURER**, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. 2s. 6d.
- AMPHION**, upper petals blackish maroon, surrounded with rich crimson and margined with magenta rose; lower petals rose; light centre. 7s. 6d.
- ANATINA**, upper petals dark maroon, edged with rosy crimson; under petals rose, shaded with crimson; light centre. 2s. 6d.
- ARISBA**, upper petals rich maroon, edged with bright rose; under petals deep crimson edged with rose; light centre. 7s. 6d.
- ATALANTA**, upper petals maroon, edged with bright rose; under petals deep rose; white centre. 5s.
- BANQUET**, upper petals crimson-maroon, edged with rose; under petals bright rose. 2s. 6d.
- BECCERRA**, upper petals dark maroon, shaded with bright crimson; under petals light rose; large white centre. 2s. 6d.
- CECILIA**, upper petals dark velvety maroon, surrounded bright crimson and edged rose; under petals rosy pink; white centre. 2s. 6d.
- CHARTER**, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 2s. 6d.
- COMUS**, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. 5s.
- CONDUCTOR**, dark crimson upper petals margined with bright rose; under petals delicate rose; pure white centre. 2s. 6d.
- COSSACK**, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 2s. 6d.
- CREUSA**, light rose; the upper petals blotched with dark crimson; light centre. 2s. 6d.
- DARDAN**, upper petals black-maroon, bordered with rosy crimson; under petals light bright rose; large white centre. 2s. 6d.
- DONCASTER**, upper petals maroon, orange-rose lower petals and edges; white centre; large, and of good form. 2s. 6d.
- EMBASSY**, pure white, the two upper petals blotched with deep violet maroon. 2s. 6d.
- EMBLEM**, bright rose, shaded with violet; upper petals blotched with dark crimson; light centre. 2s. 6d.
- EXCHEQUER**, maroon upper petals, surrounded with crimson and margined with rose; under petals rose; white centre. 2s. 6d.
- FALCON**, upper petals blackish maroon, shaded bright crimson and edged pale rose; under petals soft rosy pink; light centre. 2s. 6d.
- GARNET**, maroon upper petals, surrounded with crimson, and margined with violet-rose; bright rose under petals; light centre. 2s. 6d.
- HECTOR**, bright orange, with dark spot on upper petals, and bright crimson edge; white centre; very attractive. 2s. 6d.
- HUMPHREY**, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 2s. 6d.
- INSTANCE**, upper petals violet crimson, shaded with maroon and edged with white; under petals blush-white; very pretty. 2s. 6d.
- INVENTOR**, upper petals maroon, shaded with bright crimson and margined with rose; under petals salmon-pink; white centre. 2s. 6d.
- IRIS**, upper petals bright rose, blotched with maroon, surrounded with fiery crimson; under petals clear soft rose; light centre. 7s. 6d.
- ISIDORUS**, rich crimson; the upper petals blotched dark maroon and edged rose; light centre, shaded violet. 2s. 6d.
- JOVIAL**, a rosy purple flower, upper petals blotched with maroon, the entire flower having a pretty edging of white; light centre. 7s. 6d.
- KESTREL**, upper petals blotched with maroon, surrounded with fiery crimson and edged with rose; lower petals deep rosy pink; light centre. 5s.
- LAURETTA**, upper petals bright crimson blotched with blackish maroon and edged with pale rose; under petals soft rose; light centre; a splendid variety. 3s. 6d.
- LEANDER**, upper petals dark maroon, surrounded with rosy purple, widely margined with pale rose; under petals pale blush; light centre. 7s. 6d.
- LESSEE**, a magnificent flower of a bright fiery crimson colour, the upper petals blotched with dark crimson; petals slightly edged rose; light centre, shaded with violet. 3s. 6d.
- LORA**, upper petals maroon, margined with scarlet and edged with rose, under petals rosy pink, white eye. 2s. 6d.

NEW AND CHOICE SHOW PELARGONIUMS—continued.

- MADIELINA**, upper petals blotched with maroon, surrounded with fiery crimson and edged with bright rose; under petals rosy lake; pure white centre; a fine flower. 3s. 6d.
- MATHON**, upper petals blackish maroon, surrounded with rosy crimson; under petals white, feathered with soft purple. 2s. 6d.
- MORVEN**, a white flower, the upper petals marked with a small blotch of bright rosy purple, a few small purple dots being scattered irregularly over the flower. 2s. 6d.
- MURILLO**, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 2s. 6d.
- NABOB**, fiery crimson, the upper petals shaded with dark crimson and blotched with fiery maroon; light centre. 7s. 6d.
- NEPTUNE**, rich scarlet, small black spot, fine quality and free. 7s. 6d.
- PALATINE**, upper petals rich maroon, surrounded with fiery crimson and edged rose; under petals soft pink; light centre. 2s. 6d.
- PAULINE**, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 3s. 6d.
- PENSION**, rich deep crimson; the upper petals marked with velvety maroon; large light centre; a fine flower. 2s. 6d.
- PERIM**, upper petals blackish maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 2s. 6d.
- PILOT**, bright rosy pink, blotched with dark velvety crimson on the upper petals; light centre. 2s. 6d.
- RUSTIC**, a fine flower; upper petals rich crimson, shaded maroon; under petals rich crimson; light centre, shaded with violet. 2s. 6d.
- RUTULIA**, upper petals crimson-maroon, bordered with rosy crimson; under petals scarlet-crimson; light centre, shaded violet. 2s. 6d.
- SPHINX**, upper petals maroon, edged with rose; under petals bright salmon rose, shaded with crimson; light centre. 7s. 6d.
- SPLENDENT**, upper petals maroon, surrounded with scarlet and edged with pink; under petals salmon-rose; white centre. 2s. 6d.
- SUBLIME**, upper petals violet-crimson, blotched with maroon and edged with lavender; under petals lavender blush. 2s. 6d.
- THEODOSIA**, upper petals velvety crimson, blotched with blackish maroon and edged with rose; under petals bright rose, slightly shaded with crimson. 2s. 6d.
- URBINO**, upper petals blackish maroon, edged with crimson; under petals deep crimson, shaded with maroon; light centre. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

NEW FANCY PELARGONIUMS.

- CORDELIA**, flower soft rosy pink edged with white; white centre. 7s. 6d.
- LENA**, upper petals rosy carnine, light edge; under petals white, suffused with rosy carnine; light centre. 7s. 6d.
- PENGUIN**, white, upper petals beautifully marked with rosy carnine; fine large flower. 7s. 6d.

Selections made by Mr. W. B. from General Collection at 18s., 24s., 30s., 42s. and 60s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE ZONAL PELARGONIUMS.

NEW VARIETIES.

- JULES FERRY**, enormous trusses of dark reddish scarlet flowers. 3s. 6d.
- LOUIS ULBACH**, brilliant scarlet flowers, very large trusses. 3s. 6d.
- M. HERVÉ MANGON**, large flowers, salmon bordered with white, dwarf and floriferous. 3s. 6d.
- RENAN**, large trusses of rich apricot salmon flowers, very floriferous. 3s. 6d.
- VICTOR HUGO**, large trusses of bright orange scarlet flowers, dwarf, and very floriferous. 3s. 6d.

WHITE BEDDING PELARGONIUM.

WHITE PERFECTION, a most excellent free-flowering pure white variety of vigorous growth and good habit; the trusses are of medium size, the individual flowers being perfect in shape and of snowy whiteness. Being of extra merit, it was awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society, and cannot fail to become of the greatest value for bedding purposes, and pot culture. 3s. 6d.

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per doz., according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED
IVY-LEAFED PELARGONIUMS.

For New Varieties, vide page 9.

- ABEL CARRIÈRE, crimson, with violet shade; fine flowers; dwarf habit and free. 1s.
 ABONDANCE, fine trusses of beautiful violet-lilac undulated flowers. 1s.
 ALBERT CROUSSE, a fine flower of a bright carmine colour, darker towards the centre. 1s.
 ALGERINE, white, slightly feathered in the upper petals with rosy crimson. 2s. 6d.
 ALICE CROUSSE, very large double flower, petals of great size violet purple and amaranth, very floriferous; extra fine. 2s. 6d.
 ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 3s. 6d.
 CHARM, a large flower of bright pink colour, with rich crimson markings on upper petals. 1s.
 CLEOPATRA, rich soft rose-pink, feathered with crimson on the upper petals. 1s.
 COMTE HORACE DE CHOISEUL, a fine large full flower of an orange-salmon colour. 1s.
 COMTESSE HORACE DE CHOISEUL, soft satiny rose colour, paler towards the edges. 1s.
 COMUS, *vide* page 9.
 CONGO, a fine, large, full, well-formed flower of a beautiful bright rosy lilac colour. 1s.
 CRÉPUSCULE, bright rosy salmon flowers, very large and double. 1s. 6d.
 DE BRAZZA, fine trusses of large full soft rose flowers, brighter towards the centre. 1s.
 EDMOND ABOUT, fine double flowers, rose, shaded with violet, centre salmon. 2s. 6d.
 EMILE LEMOINE, enormous trusses of dazzling carmine-cerise flowers; very fine. 1s.
 FINETTE, blush-white, the upper petals flushed with rose and feathered with dark crimson. 1s.
 FRANCISQUE SARGEY, very large and full brilliant rosy-crimson flowers of good shape. 1s.
 FRANCOIS PEETERS, cerise rose, blotched and feathered with maroon on upper petals. 1s.
 GÉNÉRAL BRIÈRE DE L'ISLE, beautiful carmine double flowers, shaded with gold. 5s.
 GÉNÉRAL DE NÉGRER, large rosy-magenta semi-double flowers. 1s.
 GENERAL GORDON, very fine rich orange-red flowers of perfect shape. 1s.
 GLOIRE DE NANCY, bright cerise-red colour, shaded with amaranth on the upper petals. 1s.
 HANOÏ, orange tinted with carmine, very double imbricated flowers. 1s. 6d.
 HUMBER, blush pink; upper petals feathered with rosy purple; large flower. 3s. 6d.
 ISABEL, soft pink, with crimson marking on the upper petals; a fine showy flower. 1s.
 ISIDORE FÉRAL, soft rose, with silvery reflections, the reverse of the petals white. 1s.
 JACINTO, pale rose-pink; a very pretty shade of colour. 1s.
 JEANNE D'ARC, robust-growing, producing large trusses of full milky white flowers. 1s.
 LANG-SON, well-formed double flowers, of a brilliant cinnabar red. 1s. 6d.
 LA ROSIÈRE, a very large full flower of a satiny lilac-rose colour. 1s.
 LE PRINTEMPS, rose suffused with salmon, large trusses and very floriferous. 1s. 6d.
 LOUIS THIBAUT, fine large flower of a deep red colour. 1s.
 MADAME BOUCHARLAT, large full flower of a bright rosy cerise shade; very floriferous. 3s. 6d.
 MADAME COCHIN, a dwarf-growing and free-blooming white variety, shaded with lilac. 1s.
 MADAME JULES MENOUREAU, a large full flower of a beautiful clear rosy cerise colour. 1s.
 MADAME LEMOINE, a splendid flower of a bright rose colour, shaded with orange. 1s. 6d.
 MADAME MONNIER, bright salmon-rose colour, blotched with carmine; light centre. 1s.
 MADAME PAGES, lilac-mauve, reticulated and blotched with amaranth. 1s.
 MADAME THIBAUT, fine full flower, large soft rose petals; dark centre. 1s. 6d.
 MADAME THOUVENIN, rich rosy carmine, shaded with reddish carmine; trusses immense. 1s.
 MDLLE. GAUTHIER, a fine well-formed flower, with large petals of a beautiful bright satiny rose colour, shaded with salmon. 3s. 6d.
 MARGUERITE JACQUOT, silvery rose, with salmon centre. 1s.
 MARINER, rich rosy magenta, upper petals feathered with dark crimson; fine flower. 5s.
 M. BARRAL, free blooming, producing fine trusses of large full rich rose flowers. 1s.
 PLUTUS, this splendid variety produces fine large rosette-like flowers of a violet-rose colour. 1s.
 PSYCHE, deep rosy pink, with crimson marking on the upper petals. 1s.
 SABINE, *vide* page 9.
 SATELLITE, rosy pink, upper petals feathered with purplish crimson. 3s. 6d.
 SHEI-POO, large round double flowers; suffused carmine. 1s. 6d.
 SIDONIE, a free-blooming variety, producing fine full flowers of a deep mauve-pink colour. 1s.

NEW AND CHOICE IVY-LEAVED PELARGONIUMS—continued.

- SOLEIL COUCHANT**, large umbels of very double flowers, mauve suffused with rosy carmine, lilac reflections. 1s.
SOURCE TOULOUSAINE, a large full flower of a bright carmine-rose shade, with salmon centre; reverse of petals silvery white. 2s. 6d.
STEPHENSON, a well-formed flower of a carmine-rose colour, shaded with bright rosy red. 1s.
THALIA, pale rosy pink, the upper petals marked with crimson; pretty and effective. 1s.
VICE-PRESIDENT JOLY, a beautiful variety, clear rosy lilac flowers; very fine. 1s.
WRANGLER, soft pink, faintly marked in upper petals with crimson. 3s. 6d.

NEW AND CHOICE IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

- BEAUTE DE LYON**, a beautiful variety; flowers of a bright scarlet colour with purple shade. 1s.
BUTTERFLY, bright rose, striped with crimson on upper petals, and blotched with rosy violet. 1s.
CAPTIVE, rose, marked with pink on the upper petals, and feathered with carmine. 1s.
CASSIDY, rose-pink, with white centre; blotched on upper petals with purplish crimson. 1s.
CEDARO, deep rose, shaded with purple; upper petals feathered with crimson and white. 1s.
COLONEL ROUDAIRE, large fiery-red flowers. 1s. 6d.
DUCHESS, violet-pink, feathered with bright red on the upper petals. 1s.
ESPOIR, rosy pink; upper petals barred with dark crimson, large flower. 2s. 6d.
FLORINDA, delicate pink, with white centre; upper petals marked with purplish crimson. 1s.
FUTURE FAME. Flowers borne in immense trusses, being individually of very large size and of a most pleasing brilliant amaranth-purple colour. It was awarded a First Class Certificate by the Floral Committee in recognition of its superior merit. 5s.
MASTERPIECE, a very large and fine flower of a beautiful rich magenta-crimson colour. 1s.
MEDINA, bright rosy lavender, with white centre; the upper petals marked with violet-rose. 1s.
MORA, a large flower of a soft pink colour, with crimson marking on the upper petals. 1s.
MULTIFLORE, fine trusses of large flowers of a beautiful bright rose colour. 1s.
PERA, delicate blush; the upper petals blotched and feathered with rich purplish crimson. 1s.
RUPERT, rosy carmine, shaded with magenta; upper petals barred with dark crimson. 2s. 6d.

NEW DWARF OR MINIATURE ZONAL PELARGONIUMS.

- COMTE DE FLANDRE**, very effective double flowers delicate rose, shaded with bright red; very floriferous. 2s. 6d.
COMTESSE DE FLANDRE, charming large double flowers of a beautiful rosy-scarlet colour; very neat and pretty. 2s. 6d.
COMTE D'HAINAULT, an exceedingly dwarf and pretty variety, producing a profusion of double rosy-purple flowers. 2s. 6d.
PRINCESSE CLEMENTINE, very distinct and the dwarfest of this class, with golden foliage and extremely double scarlet-velvet flowers, very floriferous. 2s. 6d.
REINE MARIE HENRIETTE, single rose coloured flowers of perfect shape; a free grower. 2s. 6d.
SOUVENIR DE LOUIS VAN HOUTTE, beautiful double carmine-rose flowers; very floriferous. 2s. 6d.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

- AMI HOSTE**, very large compact trusses of fine full flowers of a dark purplish red. 1s.
ADMIRAL SEYMOUX, dark amaranth-purple colour, marked with red in the upper petals. 2s. 6d.
ARETUSA, a magnificent variety, producing fine flowers of a rich crimson-scarlet colour. 1s.
ARISTOPHANES, a fine large well-formed flower of a deep violet-rose colour. 1s. 6d.
BANQUISE, well formed pure white flowers, fine truss. 2s. 6d.
BARILLET, large rosy carmine flower, shaded violet; trusses enormous. 1s.
BARTHÉLEMY SAINT HILAIRE, very pretty clear salmon rose flowers. 1s.
BASTIEN-LEPAGE, flowers brilliant salmon, suffused with orange, of perfect shape. 2s. 6d.
BELLE NANCEIENNE, soft rose centre shaded with salmon-carmine; distinct and free. 1s.
BRONGNIART, central petals bright scarlet, and outer petals violet-carmine. 1s.
CAPTIVATION, bright scarlet shaded with crimson; a large flower borne in immense trusses. 1s. 6d.
CELLA, soft rosy purple, upper petals shaded with scarlet, quite a novel and distinct flower. 1s.
CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses of full double flowers of a charming rose-pink colour. 1s. 6d. & 2s. 6d.; 12s. & 18s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

- CRATINUS, bright cerise-scarlet, a very fine flower; trusses immenso. 1s.
 DR. PHINNEY, a splendid variety, intense scarlet, shaded very deep crimson. 1s.
 ELATHEUS, a large full flower of a bright crimson colour, shaded with purple. 1s.
 ESPERANCE, very pretty delicate blush flowers, salmon centre. 3s. 6d.
 EURIPIDES, bright cerise-scarlet, a large flower; very showy and attractive. 1s. 6d.
 FRIANT, fine large yellow cinnabar flowers, a beautiful variety. 2s. 6d.
 GÉNÉRAL DE COURCY, large trusses of very double flowers, brick red in centre shading to salmon, marbled with white. 3s. 6d.
 GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 2s. 6d.
 GLOIRE DE FRANCE, very large double flowers, centre dark salmon, shading to whitish rose; extra large trusses. 3s. 6d.
 GORDIUS, bright salmon-pink, the colour becoming deeper towards the centre of the flower. 1s.
 HARMONIA, a very large full flower of a light cerise colour, shaded with vermilion. 1s.
 HOMER, extremely floriferous, flowers of a rich soft magenta-crimson. 1s. 6d.
 KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 2s. 6d.
 L'ABBÉ GRÉGOIRE, dark crimson, marked bright reddish amaranth in the upper petals. 3s. 6d.
 L'ANDALOUSE, large trusses of creamy white flowers, very free. 2s. 6d.
 LA JEANNETTE, dwarf and free; large full flowers of the most pure snowy whiteness. 2s. 6d.
 LA PERLE, enormous trusses of rosy lilac flowers, bordered with deep rose, very fine. 3s. 6d.
 LE CYGNE, a pure white variety with perfect double flowers. 1s. 6d.
 LYSIAS, large trusses of flowers of a deep salmon colour, flushed with vermilion. 1s. 6d.
 MADAME DE NAUROIS, rosy carmine flowers, maculated with white, light centre. 3s. 6d.
 MARIE TALLANDIER, of dwarf vigorous habit, fine full pure white flowers. 1s.
 M. J. DELAUX, rosy purple, shaded with carmine, upper petals marked with white. 3s. 6d.
 MRS. E. G. HILL, pale blush, shaded with delicate lavender; flowers large, trusses immense. 1s.
 ODYSSEUS, deep magenta-crimson the upper petals marked with scarlet; immense trusses. 1s. 6d.
 PANAMA, large trusses of rosy salmon flowers, the centre being salmon-vermilion. 1s.
 PAUL DE SAINT VICTOR, enormous trusses of fine large flowers of a carmine-rose colour. 1s.
 PETER HENDERSON, bright orange-scarlet, base of the petals white; of good habit. 1s.
 PETIT JEAN, enormous trusses of Solferino coloured flowers, the upper petals fiery red. 2s. 6d.
 PICCO, light pink, a fine large showy semi-double flower. 1s.
 PROUVÉ, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 2s. 6d.
 REMARKABLE, rich deep violet-crimson flowers of very fine shape; trusses immense. 1s.
 RICHARD BRETT, immense trusses of fine full flowers of a very bright orange colour. 1s.
 ROBERT GEORGE, deep crimson-scarlet, flowers of great size and freely produced. 1s.
 SERGENT BLANDAN, very large trusses of rich orange-madder flowers. 3s. 6d.
 SERGENT BOBILLOT, beautiful rosy purple flowers; fine trusses. 3s. 6d.
 SIR GARNET WOLSELEY, enormous trusses of rich salmon-red flowers. 1s.
 SOLEILLET, rich violet-lake, with bright scarlet marking in the upper petals. 1s.
 SOPHOCLES, rosy carmine, shaded with scarlet, fine large flowers, borne in immense trusses. 1s. 6d.
 STENYO, remarkably attractive, huge trusses of fine large flowers of a soft rosy carmine colour. 1s. 6d.
 THE BLONDE, salmon, shaded with orange, fine large flowers and immense trusses. 1s.
 TOSILOS, a fine full flower of a rich magenta-crimson colour, shaded with scarlet. 1s.
 TRITON, soft rosy pink, lighter in the centre of the flower; trusses large and fine. 1s.
 TRIOMPHE DE FRANCE, enormous trusses of carmine-amaranth flowers, shading to rose. 3s. 6d.
 TYNDARUS, a large full flower of an exceedingly rich shade of magenta-crimson colour. 1s.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 9s., 12s. and 18s. per dozen.

SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.



CYATHEA SMITHII.

CYATHEA DEALBATA.

DICKSONIA ANTARCTICA.

Vide next page.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well established plants with fine heads, many of them having been grown in this country several years. The measurements of some of the plants are given below:—

Prices on application, or an inspection invited.

DICKSONIA ANTARCTICA.			DICKSONIA ANTARCTICA.		
No.	Height of Stem.	Height of Head.	No.	Height of Stem.	Height of Head.
1	2 ft. 6 in.	1 ft. 6 in.	52	5 ft. 4 in.	2 ft. 10 in.
2	2 ft. 4 in.	1 ft.	53	6 ft. 10 in.	3 ft. 6 in.
3	5 ft. 2 in.	3 ft. 6 in.	54	3 ft. 4 in.	1 ft. 6 in.
4	3 ft. 9 in.	1 ft.	55	5 ft. 8 in.	2 ft. 10 in.
5	3 ft. 10 in.	2 ft. 3 in.	56	4 ft. 6 in.	3 ft.
6	5 ft.	2 ft.	57	7 ft. 10 in.	4 ft. 6 in.
7	4 ft. 2 in.	2 ft.	58	4 ft.	2 ft. 6 in.
8	7 ft. 3 in.	2 ft. 10 in.	59	4 ft.	3 ft.
9	4 ft. 9 in.	3 ft. 6 in.	60	9 ft. 8 in.	3 ft. 6 in.
10	2 ft. 9 in.	1 ft. 6 in.	61	6 ft.	3 ft.
11	4 ft. 6 in.	1 ft. 10 in.	62	7 ft. 10 in.	3 ft. 6 in.
12	5 ft.	3 ft.	63	1 ft. 9 in.	1 ft. 6 in.
13	2 ft. 8 in.	2 ft. 6 in.	64	4 ft. 4 in.	2 ft. 6 in.
14	4 ft. 5 in.	3 ft.	65	7 ft. 8 in.	4 ft.
15	7 ft. 6 in.	4 ft.	66	7 ft.	3 ft.
16	9 ft.	2 ft. 9 in.	67	6 ft. 8 in.	3 ft. 6 in.
17	1 ft. 6 in.	1 ft.	CYATHEA DEALBATA.		
18	5 ft. 2 in.	2 ft.	68	2 ft. 6 in.	2 ft. 6 in.
19	2 ft.	2 ft.	69	2 ft.	2 ft.
20	1 ft. 8 in.	1 ft.	70	6 ft.	4 ft.
21	2 ft. 2 in.	1 ft. 6 in.	71	2 ft. 2 in.	1 ft. 6 in.
22	2 ft. 6 in.	1 ft.	72	2 ft. 6 in.	2 ft. 6 in.
23	7 ft. 6 in.	3 ft.	73	3 ft. 9 in.	2 ft. 6 in.
24	5 ft. 4 in.	3 ft. 6 in.	74	2 ft. 11 in.	1 ft. 6 in.
25	5 ft.	2 ft. 6 in.	75	4 ft. 10 in.	2 ft.
26	1 ft. 10 in.	1 ft. 6 in.	76	3 ft. 3 in.	2 ft.
27	7 ft. 6 in.	5 ft.	77	5 ft. 6 in.	3 ft. 6 in.
28	5 ft.	2 ft.	78	4 ft. 2 in.	2 ft.
29	4 ft. 6 in.	2 ft. 10 in.	79	4 ft. 4 in.	2 ft. 6 in.
30	4 ft. 7 in.	3 ft. 10 in.	80	4 ft. 4 in.	4 ft.
31	5 ft. 3 in.	2 ft. 6 in.	CYATHEA BURKEI.		
32	8 ft.	3 ft. 6 in.	82	8 ft.	2 ft. 6 in.
33	1 ft. 8 in.	1 ft.	83	7 ft. 3 in.	2 ft. 6 in.
34	1 ft. 10 in.	1 ft. 6 in.	84	6 ft. 2 in.	2 ft. 6 in.
35	2 ft. 1 in.	2 ft.	85	7 ft.	2 ft. 6 in.
36	4 ft. 6 in.	2 ft.	86	5 ft. 6 in.	3 ft. 6 in.
37	5 ft.	2 ft. 6 in.	87	5 ft. 6 in.	2 ft. 6 in.
38	7 ft. 5 in.	3 ft. 6 in.	88	8 ft. 6 in.	3 ft. 6 in.
39	3 ft. 9 in.	2 ft. 6 in.	89	5 ft.	2 ft. 10 in.
40	7 ft. 3 in.	5 ft.	90	8 ft.	3 ft.
41	3 ft. 6 in.	2 ft.	91	7 ft.	1 ft. 6 in.
42	8 ft. 2 in.	3 ft. 6 in.	CYATHEA DREGEL.		
43	12 ft. 6 in.	4 ft.	92	4 ft. 6 in.	2 ft. 6 in.
44	9 ft. 10 in.	4 ft.	93	4 ft.	2 ft.
45	4 ft. 4 in.	2 ft.			
46	7 ft. 8 in.	3 ft. 6 in.			
47	7 ft. 4 in.	3 ft. 6 in.			
48	3 ft. 6 in.	2 ft. 6 in.			
49	4 ft.	2 ft.			
50	7 ft. 2 in.	4 ft.			
51	6 ft. 4 in.	2 ft. 10 in.			

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 18s., 30s. and 42s. per dozen.

ADIANTUM ANEITENSE.

A very elegant free-growing species of Maiden-hair Fern, introduced from the Island of Aneiteum. It has a creeping rhizome clothed with dark coloured scales, and divided deltoid fronds. The numerous segments of which the fronds are made up are rhomboidal, nearly sessile, firm in texture, with a glabrous surface, subglaucescous beneath, and shallowly lobed along the upper and outer edges, where the roundish reniform sori are borne in the centre of the lobes. It is a distinct and ornamental evergreen Stove Fern, and was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 3s. 6d. and 5s.

ADIANTUM AMABILE, 2s. 6d.

BAUSEI, 3s. 6d.

BELLUM, 3s. 6d.

CARDIOCHLENA, 3s. 6d.

CILIATUM, 3s. 6d.

CONCINNUM, 1s. 6d. and 2s. 6d.

— LATUM, 2s. 6d. and 3s. 6d.

CURVATUM, 3s. 6d.

DOLABRIFORMIS, 3s. 6d.

ADIANTUM FARLEYENSE, 2s. 6d., 3s. 6d. and 5s.

FARLEYENSE ALICORNE, 5s.

GHIESBROEII (SCUTUM), 3s. 6d.

LATHOMI, 3s. 6d.

LEGRANDII, 3s. 6d.

LUNULATUM, 3s. 6d.

MACROPHYLLUM, 3s. 6d.

PENTADACTYLON, 3s. 6d.

ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipes, and a lamina composed of shortly-stalked pinnae, curved upwards at the point, which is acuminate. In the sterile fronds the pinnae are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. 10s. 6d.

ADIANTUM PERUVIANUM, 3s. 6d. and 5s.

PRIONOPHYLLUM, 3s. 6d.

RHODOPHYLLUM, 5s.

RUBELLUM, 3s. 6d.

SANCTÆ CATHERINÆ, 3s. 6d.

SPECIOSUM, 5s.

TENERUM, 2s. 6d.

TETRAPHYLLUM ORACILE, 7s. 6d.

TINCTUM, 3s. 6d.

TRAPEZIFORME, 3s. 6d.

VICTORIÆ, 3s. 6d.

ANEMEDICTYON PHYLITIDIS, 1s. 6d. and 2s. 6d.

PHYLITIDIS TESSELLATA, 5s.

ANGIOPTERIS ERECTA.

ANTIGRAMMA BRASILIENSIS, 7s. 6d. and 10s. 6d.

ASPIDIUM TRIFOLIATUM, 2s. 6d. and 3s. 6d.

ASPLENIUM ALATUM, 3s. 6d.

BELANOEI, 2s. 6d.

CICUTARIUM, 2s. 6d.

FERNANDEZIANUM, 3s. 6d.

HETEROCHROUM, 5s.

HOOKERIANUM, 3s. 6d.

PROLONGATUM, 3s. 6d. and 5s.

SHEPHERDII, 2s. 6d. and 3s. 6d.

VIVIPARUM, 3s. 6d.

BLECHNUM BRASILIENSE, 3s. 6d.

INTERMEDIUM, 3s. 6d.

POLYPODIODES, 2s. 6d. and 3s. 6d.

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnae distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5s. and 7s. 6d.

CHEILANTHES ELEGANS, 2s. 6d. and 3s. 6d.

HIRTA ELLISIANA, 3s. 6d.

CIBOTIUM SCHIEDEI, 5s. and 7s. 6d.

CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 123.

DAVALLIA FENICULACEA.

A charming evergreen Stove Fern, introduced from the Fiji Islands. It forms a short, thick, decumbent caudex, from which arise the finely cut fronds, which are from 1½ to 2 feet high, and about 9 inches or a foot broad in the fully developed state; they are lanceolate in outline, quadri-pinnate, of stout herbaceous texture, the ultimate segments cut down to the rachis into undivided or forked divisions, which are quite narrow, about equalling the rachis itself in breadth. These lateral segments bear a few half-cup-shaped or short boat-shaped indusia, in which the spore cases are developed. From its distinct and evergreen habit, and its graceful finely-cut fronds, this Fern will be found a decided acquisition. It has been awarded two First-class Certificates. 1 guinea.



DAVALLIA FIJIENSIS.

A charmingly elegant evergreen Fern, free in growth, firm and durable in texture, and bright green in colour, introduced from the Fiji Islands. The fronds grow two or three feet in height, and have a deltoid outline, the points of the fronds and of the pinnae being gracefully deflexed; they are compoundly divided, the whole frond being split up into lanceolate pinnules and pinulets, and finally cut into narrow linear bifid divisions. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 5s.

DAVALLIA FIJIENSIS PLUMOSA.

This is certainly one of the most charming forms of a remarkably ornamental species. It has creeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or more in length. It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, the *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 7s. 6d.

DAVALLIA BULLATA, 2s. 6d.

CHELOPHYLLA, 3s. 6d.

HEMIPTERA, 5s.

LORRAINII, 10s. 6d. and 15s.

MOOREANA, 2s. 6d. and 3s. 6d.

PENTAPHYLLA, 3s. 6d.

POLYANTHA, 3s. 6d.

SOLIDA, 3s. 6d.

TENUIFOLIA, 3s. 6d.

TYERMANNI (HUMATA), 3s. 6d.

DIPLAZIUM ARNOTTII, 7s. 6d.

DORYOPTERIS PALMATA, 3s. 6d.

ELAPHOGLOSSUM HERMINIERI, 15s. and 1 guinea.

GLEICHENIAS, *vide* page 123.

GONIOPHLEBIUM GLAUCOPHYLLUM, 5s.

SUBAURICULATUM, 3s. 6d.

GYMNOGRAMMA CALOMELANOS, 2s. 6d. and 3s. 6d.

CHIRYSOPHYLLA, 2s. 6d. and 3s. 6d.

DECOMPOSITA, 3s. 6d.

LAUCHEANA, 3s. 6d.

— **OIGANTEA**, 5s.

MERTENSII DOBROYDENSIS, 5s.

PERUVIANA AROPHYPHYLLA, 3s. 6d.

SCHIZOPHYLLA, 1s. 6d. and 2s. 6d.

— **OLORIOSA**, 15s.

WETENHALLIANA, 2s. 6d. and 3s. 6d.

GYMNOPTERIS QUERCIFOLIA, 3s. 6d.

GYMNOTHECA RADDIANA, 2 and 3 guineas

HEMIONITIS PALMATA, 2s. 6d. and 3s. 6d.

HYMENODIUM CRINITUM, 5s. and 7s. 6d.

LASTREA QUINQUANGLARIS, 3s. 6d.

RICHARDSONII MULTIFIDA, 3s. 6d.

LOMARIA OIBBA, 1s. 6d. and 2s. 6d.

LYGODIUM SCANDENS, 3s. 6d.

MENISCIDIUM RETICULATUM, 5s.

MICROLEPIA HIRTA CRISTATA, 3s. 6d.

NEPHRODIUM TRUNCATUM, 7s. 6d.

NEPHROLEPIS BAUSEI, 7s. 6d.

DUFFII, 2s. 6d. and 3s. 6d.

ENSIFOLIA, 5s.

PECTINATA, 3s. 6d.

PHLEBODIUM GLAUCUM, 3s. 6d. and 5s.

PLATYCERIUM ORANDE

STEMMARIA, 10s. 6d. and 15s.

PLEOCNEMIA LEUZEANA, 5s. and 7s. 6d.

PLEOPELTIS XIPHIAS, 5s.

POLYSTICHUM LENTUM, 5s.

VIVIPARUM, 3s. 6d. and 5s.

POLYPODIUM PECTINATUM, 3s. 6d.

PLUMOSUM, 5s.

VENOSUM, 3s. 6d.

PTERIS TRICOLOR, 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 18s., 30s. and 42s. per dozen.

- | | |
|--|--|
| <p>ADIANTUM CAPILLUS-VENERIS MAGNIFICUM, 3s. 6d.
 CAPILLUS-VENERIS PACOTTI, 1s. 6d. and 2s. 6d.
 CUNEATUM, 1s. 6d. and 2s. 6d.
 — DISSECTUM, 5s.
 — GRANDICEPS, 3s. 6d. and 5s.
 DECORUM, 3s. 6d.
 FORMOSUM, 1s. 6d.
 ORACILLIMUM, 2s. 6d. and 3s. 6d.</p> | <p>ADIANTUM MUNDULUM, 3s. 6d.
 PEDATUM, 1s. 6d. and 2s. 6d.
 WILLIAMSI, 3s. 6d.
 ALSOPHILA AUSTRALIS, 2s. 6d. and 3s. 6d.
 REBECCÆ, <i>vide</i> page 124.
 ASPLENIUM BULBIFERUM, 1s. 6d. and 2s. 6d.
 FALCATUM, 7s. 6d.
 CIBOTIUM REGALE, 3s. 6d. and 5s.
 CYATHEA BURKEI, <i>vide</i> page 120.</p> |
|--|--|

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3s. 6d., 5s. and 7s. 6d. For large plants, *vide* page 120.

CYATHEA DREGELI.

A very fine South African greenhouse Fern, with bipinnate fronds of stonish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntnish at the point, and the sori in the lower half immersed in rufous wool. 5s. and 7s. 6d. For large plants, *vide* page 120.

CYATHEA SPINULOSA.

A fine Trec Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being murieated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10s. 6d.

- | | |
|--|---|
| <p>CYATHEA MEDULLARIS, 3s. 6d. and 5s.
 (CIBOTIUM) PRINCEPS, 3s. 6d. and 5s.
 CYRTOMIUM CARYOTIDEUM, 2s. 6d. and 3s. 6d.
 FALCATUM, 2s. 6d.
 FORTUNEI, 2s. 6d.
 DAVALLIA DISSECTA, 2s. 6d. and 3s. 6d.
 of sorts, 3s. 6d. and 5s.</p> | <p>DICKSONIA ANTARCTICA, 2s. 6d. and 3s. 6d.
 For large plants, <i>vide</i> page 120.
 (BALANTIUM) CULCITA, 5s.
 FIROSA, 3s. 6d. and 5s.
 SQUABROSA, 3s. 6d., 5s. and 7s. 6d.
 DIDYMOCHLENA TRUNCATULA, 3s. 6d.
 DORYOPTERIS PALMATA, <i>vide</i> page 122.</p> |
|--|---|

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 5s.

- | | |
|--|--|
| <p>GLEICHENIA DICARPA, 5s. and 7s. 6d.
 DICARPA LONGIPINNATA, 10s. 6d. and 15s.
 DICHIOTOMA, 5s. and 7s. 6d.
 FLABELLATA, 10s. 6d.
 MENDELI, 1 guinea.
 MICROPHYLLA, 10s. 6d.
 RUPESTRIS OLAUCESCENS, 10s. 6d.
 SEMIVESTITA, 5s. and 7s. 6d.
 HYMENOPHYLLUM DEMISSUM, 5s. and 7s. 6d.
 LASTREA ARISTATA VARIEOATA, 1s. 6d. and 2s. 6d.
 OLABELLA, 2s. 6d. and 3s. 6d.
 LITOBROCHIA VESPERTILIONIS, 3s. 6d.
 LOMARIA ELLATA, 3s. 6d.
 CYCADÆFOLIA, 5s. and 7s. 6d.
 GIBBA, <i>vide</i> page 122.
 DALOARNSLE, 1½ and 2 guineas.
 DISCOLOR BIPINNATIFIDA.
 ZAMLEFOLIA, 3s. 6d. and 5s.
 MICROLEPIA ANTHRISCFOLIA, 3s. 6d.</p> | <p>NEPHRODIUM MOLLE CRISTATUM, 3s. 6d.
 MOLLE RAMOSUM, 3s. 6d.
 ONYCHIUM JAPONICUM, 1s. 6d.
 OSMUNDA JAPONICA CORYMBIFERUM, 5s. & 7s. 6d.
 PALUSTRIS, 3s. 6d.
 PLATYCERIUM ALCICORNE, 3s. 6d.
 ALCICORNE MAJUS, 7s. 6d.
 POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3s. 6d., 5s. and 7s. 6d.
 PTERIS ARGYREIA, 1s. 6d. and 2s. 6d.
 CRETICA ALBO-LINEATA, 1s. 6d.
 SERRULATA CRISTATA, 2s. 6d.
 — VARIEOATA, 3s. 6d.
 — FIMBRIATA, 5s.
 — LEYI, 2s. 6d.
 TREMULA, 1s. 6d. and 2s. 6d.
 — CRISPA, 5s.
 TRICOLOR, <i>vide</i> page 122.
 TODEA AFRICANA, 2s. 6d. and 3s. 6d.</p> |
|--|--|

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 3s. 6d. and 5s.



ALSOPHILA REBECCE.

ALSOPHILA REBECCE.

An elegant Tree Fern introduced from Queensland. The stem is very slender; the fronds are elliptic, bipinnate, the larger pinne bearing on each side numerous pinnules, which are stalked, linear acuminate, with an unequal subcordate base and an inciso-crenate margin. The texture of the frond is firm, the surface glabrous; the rachis clothed on the upper surface with black fibrillose scales. It is very distinct from all other Australian Tree Ferns, and a very elegant addition to the group. Handsome specimens, 2 and 3 guineas; young plants, 5s. and 7s. 6d.



TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which is unquestionably one of the most handsome yet known. It should be seen to be justly appreciated. The fronds which are fifteen to eighteen inches in length, are of a bright green, of transparent texture and of a lanceolate outline, spreading, beautifully arching and feathered down to the very base; the pinnae are crowded and cut into narrow segments, which, instead of lying flat, as in *Todea hymenophylloides*, are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 3s. 6d. and 5s. Fine strong plants, 10s. 6d., 15s. and 1 guinea.

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 7s. 6d. and 10s. 6d.

WOODWARDIA ORIENTALIS, 2s. 6d. and 3s. 6d.

NEW HARDY FERNS.

LASTREA PROLIFICA.

A most interesting hardy evergreen Fern, introduced from Japan, and described by Mr. T. Moore, in the *Gardeners' Chronicle*, December 9th, 1882, where a letter of Mr. Lafosse is quoted in which the plant is highly eulogised for its beauty. It has triangular, bipinnate, coriaceous, shining green fronds, with the pinnules narrow, often pointed, usually with a lobe or two at the base, but in different plants and parts of the same plant extremely variable in their actual form and character. The sori are large and cover the narrow segments, and these sori are themselves covered by large persistent indusia, which are red in the centre and lead-coloured at the margin. 2s. 6d., 3s. 6d., & 5s.

POLYSTICHUM POLYBLEPHARUM.

A fine hardy evergreen Fern from Japan. The fronds are of moderate size, ovate-lanceolate, bipinnate, with the lower pinnae deflexed, the pinnules marginate, trapezio-ovate or oblong, with a few coarse deep teeth. The lower anterior pinnules are considerably larger than the rest, narrow oblong, and deeply inciso-lobate. The sori are numerous, and covered with thick rufescent indusia. 2s. 6d., 3s. 6d. & 5s.

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.



SELAGINELLA VICTORIÆ. For description and price, *vide* page 128.

SELAGINELLAS (LYCOPODIUMS.)


G, greenhouse; *H*, hardy; *S*, stove.

	<i>s. d.</i>		<i>s. d.</i>
<i>S</i> AFRICANA	2 6	<i>G</i> INVOLVENS VARIEGATA, <i>vide</i> page 127.	
<i>S</i> ALBO-SPICA	3 6	<i>H</i> JAPONICA	3 6
<i>S</i> AMENA, <i>vide</i> below		<i>G</i> KRAUSSIANA (DENTICULATA)	0 9
<i>S</i> APUS (APODA)	1 6	<i>G</i> — AUREA	1s. 6d. & 2 6
<i>S</i> ATROVIRIDIS	2 6	<i>G</i> — VARIEGATA	2 6
<i>S</i> BROWNII	2 6	<i>S</i> LEVIGATA (CÆSIA ARBONEA)	3 6
<i>S</i> CANALICULATA, <i>vide</i> page 128.		<i>S</i> LEPIDOPHYLLA	3s. 6d. & 5 0
<i>S</i> CAULESCENS GRACILIS, <i>vide</i> page 128.		<i>S</i> LOBBII	2 6
<i>S</i> COGNATA, <i>vide</i> page 128.		<i>S</i> LYALLII	3 6
<i>S</i> CONFERTA	2 6	<i>S</i> MARTENSII	1 6
<i>S</i> CONVOLUTA (PARADOXA)	2 6	<i>S</i> — ALBO-VARIEGATA	2 6
<i>S</i> CUSPIDATA	2 6	<i>S</i> POULTERI	2 6
<i>S</i> EMILIANA	3 6	<i>S</i> RUBRICAULIS	2 6
<i>S</i> ERYTHROPUS (UMBROSA)	2 6	<i>S</i> SERPENS (MUTABILIS and VARIABILIS) ..	1 6
<i>S</i> FILICINA (DICHIROUS)	2 6	<i>S</i> SETOSA	3 6
<i>S</i> FLAGELLIFERA, <i>vide</i> page 9.		<i>S</i> VOGELLII VARIEGATA	5 0
<i>S</i> GALEOTTII (SCHOTTII)	2 6	<i>S</i> UNCINATA (CÆSIA)	1 6
<i>S</i> GRANDIS	3s. 6d. & 5 0	<i>S</i> WALLICHII	3 6
<i>S</i> INÆQUALIFOLIA	1s. 6d. & 2 6	<i>G</i> WILDENOVII (PUBESCENS)	2 6

Selection of good kinds can be supplied at 18s. per dozen.

SELAGINELLA AMENA.

A beautiful Club-Moss, belonging to the caulescent group. It grows about a foot high, the erect stem being furnished with small scattered leaves; the upper portion is triangular and pinnately branched, the branches themselves, which are set on horizontally, being bipinnate, and the whole plant of a bright and cheerful green. The upper part of the stem and the branches have spreading distant acuminate leaves, with smaller intermediaries. It has been introduced from Mexico. 5s. and 7s. 6d.



SELAGINELLA INVOLVENS VARIEGATA.

SELAGINELLA INVOLVENS VARIEGATA.

A dwarf dense-growing variegated form of greenhouse Club-Moss, introduced from Japan ; some of the branchlets are creamy white, and these, being mixed in freely with the green branchlets, produce an elegant variegation. The plant forms a pretty dwarf tuft, consisting of an overlapping series of branches, surrounding the central axis. A well-grown specimen is a very pleasing object amongst the dwarf forms of the Club-Moss family. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Royal Horticultural Society's Exhibitions, in 1880, 1881, and 1882. 7s. 6d. and 10s. 6d.

SELAGINELLA CANALICULATA.

A remarkable handsome species of Club-Moss, introduced from the Islands of the South Pacific. It is of scandent habit, the tetragonal sulcate stems, rooting freely from the base, tinted with pale brownish red, and furnished with scattered appressed ovate-oblong unequal-sided leaves; the branches are tripinnate; the larger leaves are distant semi-ovate, while the leaves of the alternate divisions are close set, ovate-oblong acute, with the smaller intermediate ones acuminate. 3s. 6d. & 5s.

SELAGINELLA CAULESCENS GRACILIS.

A remarkably neat and pretty Indian Club-Moss. It has creeping rhizomes from which the erect arching stems spring up; these are distinctly branched, the branches ovate with about six or seven divisions, each of which is three or four times parted. Its bright green colour and elegant dwarf growth combine to give a most pleasing character. 5s.

SELAGINELLA COGNATA.

A very fine species, of sub-climbing habit, named provisionally as above. It has stoutish erect rooting stems, which are furnished with obliquely-ovate spreading leaves, set on at about half an inch apart. The branches are ovate, eight to ten inches long, alternately pinnate, the primary branchlets ovate, about three inches long, with six or eight alternating secondary branchlets. The leaves become gradually smaller on the successive series of branchlets, the small intermediate ones converging with the point upward, which gives the surface a somewhat bristly appearance. It has been introduced from the Isles of the South Pacific Ocean. 5s. and 7s. 6d.

SELAGINELLA VICTORIÆ.

An elegant sub-scandent species, introduced from the South Sea Islands. It has erect stems, which produce alternate lateral branches of an ovate outline, flat and closely pinnate, like the frond of a Fern. The colour is a dark green, the spikelets and young growth being of a paler hue. It is allied to *S. Wallichii*, but is a still more elegant plant, and differs essentially in having a long terminal pinnulet to each branch, instead of diminishing gradually to the end. For illustration, *vide* page 126. 2s. 6d. and 3s. 6d.

PALMS, CYCLANTHS AND CYCADS,

Including **ENCEPHALARTOS, MACROZAMIA, &c.**

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

- ACANTHOPHŒNIX CRINITA (ARECA CRINITA) 10s. 6d., 15s. & 1 guinea
- ACANTHORRHIZA ACULEATA (CHAMEROPS STAURACANTHA) 15s. and 1 guinea
- *ARCHONTOPHŒNIX ALEXANDRÆ (PTYCOSPERMA ALEXANDRÆ) 2s. 6d., 3s. 6d. & 5s.
- * CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes 2s. 6d., 3s. 6d., 5s. and 7s. 6d. to 1, 1½, & 2 guineas
- ARECA ALICÆ, this name has been given by Dr. Mueller to a North-east Australian Palm, found in Trinity Bay by Mr. Walter Hill, and commemorates the late Grand Duchess of Hosse—Princess Alice. The leaves are pinnatisect, the pinnae-like segments sessile. Its comparatively dwarf habit will render this pinnate Palm, a valuable one for decorative purposes. 1 guinea.
- AUREA, *vide* DICTYOSPERMA AUREUM.
- * BAUERI *vide* RHOPALOSTYLIS BAUERI.
- CRINITA, *vide* ACANTHOPHŒNIX CRINITA.

- ARECA DICKSONI**, *vide* BENTINCKIA CONDAPANNA
ERYTHROPODA, *vide* CYRTOSTACHYS RENDA
LUTESCENS, *vide* CHRYSALIDOCARYUS LUTESCENS
MADAGASCARIENSIS 2s. 6d., 3s. 6d. and 5s.
MONOSTACHYA, *vide* BACULARIA MONOSTACHYA
RUBRA, *vide* DICTYOSPERMA RUBRUM
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
TRIANDRA 10s. 6d. and 15s.
VEESCHAFFELTII, *vide* HYOPHORBE VESCHAFFELTII
ARENGA SACCHARIFERA "Gomuti Palm" 10s. 6d. and 15s.
WIGHTII 1 guinea.
ASTROCARYUM GRANATENSE 10s. 6d.
MALYBO (*A. ARGENTEUM*) 1, 1½ and 2 guineas.
BACULARIA MONOSTACHYA, "Walking Stick Palm," (*ARECA MONOSTACHYA*,
LINOSPADIX MONOSTACHYA) 2s. 6d., 3s. 6d. & 5s.
BENTINCKIA CONDAPANNA (*ARECA DICKSONI*) 7s. 6d., 10s. 6d. and 15s.
BISMARCKIA NOBILIS 3 and 4 guineas.
BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from the crowns of which are developed its large and handsome leaves, which differ materially from the typical and only other known Bowenia in having the margins distinctly toothed or serrated. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Carlisle, and the First Prize at the International Horticultural Exhibition at Ghent 5s. and 7s. 6d.
CALAMUS CILIARIS 1, 1½ and 2 guineas.
 (*DÆMONOROPS*) **FISSUS** 10s. 6d., 15s. & 21s.
 (—) **MELANOCHÆTES** 10s. 6d., 15s. & 21s.
MICRANTHUS 7s. 6d. and 10s. 6d.
 (*DÆMONOROPS*) **PALEMBANICUS**, one of the most elegant of Palms, exceedingly appropriate for table decoration and other ornamental purposes. The leaves are broadly ovate, pinnate, consisting of many narrow elongated segments, and are supported by leaf-stalks bearing numerous deflexed spines, which are thickened at the base. The young leaves are of a bright cinnamon-brown, and the contrast between this warm colour and the deep green of the matured leaves renders the plants exceedingly beautiful at the time they are in course of development. It is a native of Java. 10s. 6d., 15s. and 21s.
 (—) **PERLACANTHUS** 10s. 6d., 15s. and 21s.
 (—) **PLUMOSUS** 10s. 6d., 15s. and 21s.
SIKKIMENSIS, an elegant Palm, introduced from Sikkim. The leaves are ovate in outline, pinnate, with many narrow lanceolate segments, supported by spiny leaf-stalks. The young leaves are of a pleasing cinnamon-brown colour, contrasting in a very marked manner with the deep green of the mature leaves. This handsome Palm will be exceedingly valuable for all decorative purposes 1½ guinea.
TRINERVIS, a thoroughly distinct-looking stove Palm from the East Indies. Its leaf-stalks are thorny and clothed with brown scale-like tomentum, the petiolar sheath being continued up the stem, and ending in a fringe of pointed brown scales. The leaves are pinnate, with alternate leaflets, which are sessile, lanceolate, with an acuminate apex, and having three prominent nerves, hairy on the upper surface 3 guineas.
CALYPTROGYNE SARAPEGUENSIS (*GEONOMA SARAPEGUENSIS*) 15s. and 1 guinea.
SWARTZII "Mountain Thatch Palm" (*CALYPTRONOMA SWARTZII*) 7s. 6d., 10s. 6d. to 21s.
TERES, a useful and ornamental stove Palm, imported from British Guiana. It has smooth terete green petioles, and spreading or drooping leaves, which in the young plants consist of two pairs of linear-oblong tapered leaflets about two inches wide, bright green, and having the principal ribs raised on both surfaces 1 and 1½ guinea.
CALYPTRONOMA SWARTZII, *vide* CALYPTROGYNE SWARTZII
CARLUDOVICA DRUDEI, a noble and decorative stove Cyclanth, introduced from the United States of Colombia. In habit it somewhat resembles a Fan Palm, with handsome and effective deep green lustrous leaves. The flowers are borne on a stalked erect spadix of cylindrical form and of ivory-white colour, and resemble a bottle brush by reason of the long stamens which project horizontally from the female flowers 10s. 6d. and 15s.
PALMATA 10s. 6d. and 15s.
PLUMIERI, a remarkably interesting plant. It has an erect waving caudex, with alternate leaves. The leaf blades are bipartite, the divisions lanceolate, plicate, with the ribs raised on the upper surface, bright green above, paler beneath. The pendulous spadices are four inches long, axillary, pedunculate, and covered with twisted threads 10s. 6d.
WALLISII, a Palm-like stove plant. It has erect semi-terete petioles, which support the spreading ovate blade of the leaf, which is two-lobed and plicate. Each division of the leaf is about a foot long and six or eight inches broad. Flowers white, remarkably sweet-scented. Introduced from the United States of Colombia 7s. 6d. and 10s. 6d.

- CARYOTA** URENS "Wine Palm" 7s. 6d. and 10s. 6d.
CATAKIDZAMIA HOPEI
 DENISONI, *vide* LEPIDIZAMIA
CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnae deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green 3 and 4 guineas.
CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS
CHAMÆDOREA ELEOANTISSIMA 7s. 6d. and 10s. 6d.
 FORMOSA 7s. 6d. and 10s. 6d.



- CHAMÆDOREA** GRAMINIFOLIA .. 10s. 6d. and 15s.
 * POLITA, a neat-habited greenhouse Palm. The stems are quite smooth, as also are the petioles, which are terete, the leaves being bifid, or when a stage more advanced breaking up into two pairs of green pinnae, with the terminal leaflet larger than the others. It has been imported from Mexico. 10s. 6d.
 * **CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS
 * FORTUNEI, *vide* TRACHYCARPUS FORTUNEI
 * HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5s., 7s. 6d., 10s. 6d., 15s. and 1 guinea to 2, 3 and 4 guineas each.
 * — GRACILIS 15s. and 1 guinea.
 * — ROBUSTA 15s. and 1 guinea.
 * — TOMENTOSA 15s. and 1 guinea.

- CHRYSLIDOCARPUS** LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes.....1s. 6d., 2s. 6d., 3s. 6d., 5s. to 1 guinea.

- * **COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 5s. and 7s. 6d.
 * CHILENSIS, *vide* JUBÆA SPECTABILIS
 * INSIGNIS (GLAZIOVA INSONIS), 7s. 6d. and 10s. 6d.
 * PLUMOSA 2s. 6d., 3s. 6d. and 5s.

- * **COCOS** WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnae or segments, of a rich green colour. In all sizes 1s. 6d., 2s. 6d., 3s. 6d., 5s. to 1 guinea.

- * **CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS

- CYCAS** ARMSTRONGII 1½ and 2 guineas.
 CIRCINALIS
 MERIA, a noble form of Cycad introduced from intertropical New Holland. The trunk is both stout and tall, cylindrical, and tolerably even in outline, the surface closely dotted by the scar-like marks which indicate the places whence leaf-stalks have been removed. This stem produces a grand head of leaves, which are of a large size, and somewhat variable in form and character in different specimens. Trunks in various sizes. Prices on application.
 NORMANBYANA 10s. 6d. and 15s.
 PLUMA
 REVOLUTA, in all sizes, 7s. 6d., 10s. 6d., 15s. and 1 guinea; fine specimens, 3, 4 and 5 guineas each.
 RUMPHII
 SIAMENSIS

- CYCLANTHUS** DISCOLOR 1 guinea.

- CYPHOKENTIA** ORACILIS, *vide* KENTIOPSIS OLIVÆFORMIS
 MACROCARPA, *vide* KENTIOPSIS MACROCARPA
 ROBUSTA, *vide* CYPHOSPERMA VIEILLARDI
CYPHOSPERMA VIEILLARDI (CYPHOKENTIA ROBUSTA, KENTIA ROBUSTA, K. VIEILLARDI)
CYRTOSTACHYS RENDA (ARECA ERYTHROPODA, PTYCHOSPERMA COCCINEA)..
DÆMONOROPS, *vide* CALAMUS
DESMONCUS MAJOR 15s. and 1 guinea.
DICTYOSPERMA AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems 10s. 6d. and 15s.
 RUBRUM (ARECA RUBRA) 3s. 6d., 5s. and 7s. 6d.

- DIOON** ERULE
DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS
 CAUDESCENS (CEROXYLON NIVEUM) 5s. and 7s. 6d.
DRYMOPLHEUS SINGAPORENSIS (PTYCHOSPERMA SINGAPORENSIS). Truly a "most elegant" Palm. It has slender stems, and rich green leaves on smooth green petioles. The leaves are elegantly drooping in habit and ovate in form, consisting of numerous narrow leaflets, tapering to a long slender point. It has been introduced from Singapore.

- * **ENCEPHALARTOS ALTENSTEINI**
- * (ZAMIA) BRACHYPHYLLUS
- * CAFFRA
- * (ZAMIA) CYCADIFOLIUS
- * FRIDERICI-GUILLELMI, this is a very distinct-looking South African species; the leaves are oblong-obtuse, arching and conduplicate; the petiole and rachis are terete and somewhat flattened on the upper surface, destitute of spines but covered with woolly down, the segments closely crowded, nearly opposite, linear-oblong, and of glaucous hue. At first sight this distinct Cycad would give the impression of being an intermediate species between *Dioon edule* and *Cycas revoluta*



- * **ENCEPHALARTOS GHELINCKII (GRACILIS)**
- * HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.
- * HORRIDUS
- * — MULTIFLEXUS
- * (ZAMIA) LEHMANNI
- * () — GLAUCUS
- * () — SPINOSUS
- * () — VILLOSUS
- * () — AMPLIATUS
- * () — DENTICULATUS
- * () — GRACILIS
- * () — VROOMII

4 and 5 guineas.
EUTERPE EDULIS "ASSAI PALM" (*OREODOXA SANCONA*)
 1s. 6d., 2s. 6d., 3s. 6d. and 5s.

- GEONOMA GRACILIS**
- GEONOMA CARDERI**
- LATIFOLIA
- PRINCEPS
- SARAPEQUENSIS, *vide CALYPTROGYNE SARAPEQUENSIS*
- SPECIOSA
- SPIXIANA

- GLAZIOVA ELEGANTISSIMA, vide COCOS WEDDELIANA**
- INSIGNIS, *vide COCOS INSIGNIS*
- GRISEBACHIA BELMOREANA, vide HOWEA BELMOREANA**
- FORSTERIANA, *vide HOWEA FORSTERIANA*

* **HEDYSCEPE CANTERBURYANA "Umbrella Palm"** (*KENTIA CANTERBURYANA*) 3s. 6d., 5s. and 7s. 6d.
HETEROSPATHE ELATA (METROXYLON ELATUM), a very elegant smooth-stemmed Palm from Java, remarkable for the length of the tapered segments of its pinnate fronds. The leaflets are half an inch broad, with somewhat wider intervals between them, bright green on both the surfaces, narrowing upwards into a long slender tapering point. The plant has a naturally graceful spreading habit, and ranks among the most ornamental of the pinnate-leaved series

* **HOWEA BELMOREANA, "Curley Palm,"** (*KENTIA BELMOREANA, GRISEBACHIA BELMOREANA*), in all sizes

* **FORSTERIANA, "Flat or Thatch-Leaf Palm,"** (*KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA*)

HYDRIASTELE WENDELANDIANA (KENTIA WENDELANDIANA), a noble Palm, belonging to the pinnate-leaved series, introduced from Queensland. The leaves have numerous unequal segments, usually toothed at the apex. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Ghent.

HYOPHORBE COMMERSONIANA, vide CHRYSALIDOCARPUS LUTESCENS
 INDICA, *vide CHRYSALIDOCARPUS LUTESCENS*
 (ARECA) VERSCHAFFELTII,

* **JUBEA SPECTABILIS, "Coquito Nut Palm,"** (*COCOS CHILENSIS, MOLINIA CHILENSIS*)

- * **KENTIA AUSTRALIS**
- * BELMOREANA, *vide HOWEA BELMOREANA*
- * CANTERBURYANA, *vide HEDYSCEPE CANTERBURYANA*
- * FORSTERIANA, *vide HOWEA FORSTERIANA*
- GRACILIS, *vide KENTIOPSIS OLIVIFORMIS*
- LINDENI, *vide KENTIOPSIS MACROCARPA*
- LUCIANI
- MACARTHURII, *vide PTYCHOSPERMA MACARTHURII*
- MONOSTACHYA, *vide ARECA MONOSTACHYA*
- ROBUSTA, *vide CYPHOSPERMA VIELLARDI*

- KENTIA RUPICOLA**
 SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
 WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA
- KENTIOPSIS MACROCARPA** (CYPHOKENTIA MACROCARPA, KENTIA LINDENI) ..
 OLIVIFORMIS (KENTIA GRACILIS, CYPHOKENTIA GRACILIS)
- LATANIA AUREA**, *vide* L. VERSCHAFFELTII
 * BORBONICA, *vide* LIVISTONA CHINENSIS
 * COMMERSONI (L. RUBRA) 1 and 1½ guinea
 * VERSCHAFFELTII (L. AUREA) 15s. and 1 guinea
- LEOPOLDINA PULCHRA**, *vide* COCOS WEDDELLIANA
- LEPIDOZAMIA PEROFFSEYANA** (MACROZAMIA DENISONI)
- LICUALA GRANDIS** (PRITCHARDIA GRANDIS). As a new introduction, scarcely any plant has made a greater sensation than this remarkable Palm. When exhibited by Mr. W. B. at the International Horticultural Exhibition, held at Brussels, it won the First Prize for a new Palm not in commerce. At the same time another specimen was also shown in the six New Plants with which Mr. W. B. gained the First Prize. Again at the International Horticultural Exhibition, held at Ghent, it was one of the twelve New Plants with which Mr. W. B. won the First Prize. It was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced 4 and 5 guineas.
- PELTATA 5s. and 7s. 6d.
- LINOSPADIX MONOSTACHYA**, *vide* BACULARIA MONOSTACHYA
- LIVISTONA ALTISSIMA** 10s. 6d., 15s. & 1 guinea
- * AUSTRALIS (CORYPHA AUSTRALIS) 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.
- * CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA) in all sizes, from 2s. 6d., 3s. 6d., 5s., 7s. 6d., 10s. 6d., 15s. and 1 guinea, to 2, 3, 4 and 5 guineas each.
- HOOGENDORIIFII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, and giving the leaves a bold and distinctive character 5s., 7s. 6d. and 10s. 6d.
- * MAURITIANA, *vide* L. CHINENSIS
- * ROTUNDIFOLIA (SUBOLOBOSA)
- * SINENSIS, *vide* L. CHINENSIS
- LOXOCOCCUS RUPICOLA** (PYCHOSPERMA RUPICOLA) 1 and 1½ guinea
- * **MACROZAMIA CORALLIPES**
- * CYLINDRICA, a distinct and well-marked Cycad, introduced from Queensland. It has a long-necked stem, and dark green coriaceous leaves; the pinnae are glossy on the surface, each being marked at the base with a large ivory white patch, which strongly contrasts with the dark green mid-rib which lies between the two rows of ivory markings.
- * DENISONI, *vide* LEPIDOZAMIA PEROFFSEYANA
- * FRASERI
- * MACKENZII, a handsome and ornamental Cycad from Queensland. The leaves are ovate in outline, with numerous pairs of narrow tapering segments of a dark green colour, and nine to ten inches in length. The rachis is strongly convex behind, slightly so in front, with the segments of the central portion set on at about half an inch apart, the upper ones being more closely, the lower ones more distantly placed. For illustration, *vide* page 134 3, 4 and 5 guineas
- * PLUMOSA, this beautiful Cycadaceous plant has been imported from Queensland. From a small ovate stem, the scales of which are woolly, rise the erect spirally-twisted leaves, which have a flattened petiole. These leaves are furnished nearly to the base with narrow linear leaflets, which are set on at intervals of about a quarter of an inch, and are from six to eight inches long. The plant is remarkable for its distinct and elegant character. It has been awarded a First Class Certificate by the Royal Horticultural Society. 2, 3, and 4 guineas
- * SPIRALIS
- MARTINEZIA EROSA** 2 and 3 guineas
- GRANATENSIS 10s. 6d. and 15s.
- MAXIMILIANA REGIA** 7s. 6d. and 10s. 6d.
- METROXYLON ELATUM**, *vide* HETEROSPATHE ELATA
- * **MOLINIA OHLENSIS**, *vide* JUBEA SPECTABILIS
- ENOCARPUS BACABA** 31s. 6d.
 EDULIS 31s. 6d. and 42s.
- ORANIA MACROGLADUS** 5s., 7s. 6d. and 10s. 6d.
- OREODOXA GRANATENSIS**, a very ornamental pinnate-leaved Palm, introduced by one of my collectors from the United States of Colombia. The stem is smooth, and the leaf pinnate, with long narrow leaflets, which are more or less drooping. It is a very elegant plant, and in the young state is admirably adapted for table decoration 1 guinea
- SANCONA, *vide* EUTERPE EDULIS
- PHENICOPHORUM SECHELLABUM**, *vide* STEVENSONIA GRANDIFOLIA



***PHENIX COMPACTA**, a dwarf-growing hybrid, the result of a cross between *P. equinoctialis* and *P. leanensis*; its dense compact habit of growth will render it extremely useful for decorative purposes 5s., 7s. 6d. and 10s. 6d.

* **DACTYLIFERA** (THE DATE PALM) 10s. 6d., 15s. & 1 guinea

* **HYBRIDA**, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature 15s.

* **INTERMEDIA**, an interesting hybrid between *P. sylvestris* and *P. equinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory

5s., 7s. 6d., and 10s. 6d.

* **RECLINATA** 3s. 6d., 5s., 7s. 6d. & 10s. 6d.

***PHENIX RUPICOLA**, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phoenixes to that of *Cocos Weddelliana* among Coeoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in out line, with long narrow pinnae, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition ... 2s. 6d. and 3s. 6d.; fine plants, 21s., 31s. 6d. and 42s.

* **SYLVESTRIS**, a Sugar-yielding Palm 1s. 6d., 2s. 6d., 3s. 6d. & 5s.

PHYTELEPHAS MACROCARPA, this Palm yields the Vegetable Ivory of commerce.

1 and 1½ guinea

PINANGA MACULATA 7s. 6d., 10s. 6d. to 1 guinea

SANDERIANA 1 guinea

SPECTABILIS, *vide* page 9.

BRITCHARDIA AUREA 1½, 2 and 3 guineas

GRANDIS, *vide* **LICUALA GRANDIS**

PACIFICA 1 and 1½ guinea

***PTYCHOSPERMA ALEXANDRE**, *vide* **ARCHONTOPHENIX ALEXANDRE**

COCINEA, *vide* **CYRTOSTACHYS RENEA**

* **CUNNINGHAMIANA**, *vide* **ARCHONTOPHENIX CUNNINGHAMIANA**

LEVIGATA 10s. 6d., 15s. & 1 guinea

MACARTHURI (**KENTIA MACARTHURI**) 3s. 6d., 5s. and 7s. 6d.

RUPICOLA, *vide* **LOXOCOCCUS RUPICOLA**

SINGAPORENSIS, *vide* **DRYMOPHLEUS SINGAPORENSIS**

REGELIA PRINCEPS, *vide* **VERSCHAFELTIA SPLENDIDA**

***RHOPALOSTYLIS BAUERI** (**ARECA BAUERI**, **SEAFORTHIA ROBUSTA**) 5s., 7s. 6d. and 10s. 6d.

SAPIDA, "NIKAU PALM" (**ARECA SAPIDA**, **KENTIA SAPIDA**) 3s. 6d., 5s. and 7s. 6d.

***RHAPIS FLABELLIFORMIS** 7s. 6d., 10s. 6d. to 1 guinea

ROSCHERIA MELANOCHETES (**VERSCHAFELTIA MELANOCHETES**)

SABAL ADANSONI "DWARF PALMETTO" 3s. 6d. and 5s.

CÆRULESCENS, a remarkably bold and handsome Palm introduced from the United States of Colombia. The leaves are palmately divided, the segments broad, with a plicate surface, and having a bluish or glaucous tinge of green, which is very strongly marked on the under surface 7s. 6d. and 10s. 6d.

GRANATENSIS 3s. 6d. and 5s.

TENUIS 3s. 6d., 5s. and 7s. 6d.

UMBRACULIFERA (**BLACKBURNIANA**), noble and very distinct 3s. 6d. and 5s.

***SEAFORTHIA ELEGANS**, *vide* **ARCHONTOPHENIX CUNNINGHAMIANA**

* **ROBUSTA**, *vide* **RHOPALOSTYLIS BAUERI**

STANGERIA PARADOXA small plants, 7s. 6d.; strong specimens, 1½, 2 and 3 guineas

STEVENSONIA GRANDIFOLIA (**PHENICOPHORUM SEHELLARUM**), 1, 1½, 2 to 5 guineas

THRINAX ARGENTEA, "SILVER THATCH PALM" 5s. and 7s. 6d.

THRINAX BARBADENSIS, a very elegant neat-growing Fan Palm. The petiole terminates in a digitately multipartite blade, the numerous segments of which are of a lively green colour. It is, as its name implies, a native of the Island of Barbadoes. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, at Kensington 1½ and 2 guineas.

ELEGANS, very handsome for exhibition purposes 5s., 7s. 6d. and 10s. 6d.

ELEGANTISSIMA, an exceedingly elegant and graceful Palm 15s. and 1 guinea.

* **PARYPIFLORA** 3s. 6d., 5s. and 7s. 6d.

TRACHYCARPUS EXCELSUS (**CHAMEROPS EXCELSA**), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s. to 2, 3, 4 and 5 guineas each



MACROZAMIA MACKENZII. For description and price, *vide* page 132.

TRACHYCARPUS FORTUNEI (CHAMEROPS FORTUNEI), in all sizes, from 3s. 6d., 5s., 7s. 6d. 10s. 6d., and 15s. to 2, 3, 4 and 5 guineas each

VERSCHAFFELTIA MELANOCHETES, *vide* ROSCHERIA MELANOCHETES
 SPLENDIDA (REGELIA PRINCEPS), a magnificent and very distinct Palm
 from the Island of Seychelles

ZALACCA NITIDA, *vide* page 9.

* ZAMIA BRACHYPHYLLUS, <i>vide</i> ENCEPHALARTOS BRACHYPHYLLUS	
* BREVIFRONS	1½ and 2 guineas
* CYCADEFOLIA, <i>vide</i> ENCEPHALARTOS CYCADEFOLIUS	
* FURFURACEA	2 and 3 guineas
* INTEGRIFOLIA	2 and 3 guineas
* LEHMANNI, <i>vide</i> ENCEPHALARTOS LEHMANNI	
LINDENI	

- ***ZAMIA MIQUELII**, this species has been imported from Queensland. It has a short stout stem, spindle-shaped below, and producing from the crown remarkably elegant fronds, which are erect and somewhat spirally twisted, the smooth bright green pinnae being of an ivory white colour at their point of juncture with the rachis. It is known in some collections as *Z. Fraseri* and *Z. tenuifolia*..... 5s. and 7s. 6d.
- OBLIQUA**
PRASINA 1½ guinea
 * **ROEZLII**
 * **SKINNERI**
 * **VILLOSA**, *vide ENCEPHALARTOS VILLOSUM*
 * **VROOMII**, *vide ENCEPHALARTOS VROOMII*.



NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties 5s., 7s. 6d., 10s. 6d., 15s. and 21s. each.

- | | | |
|--|--|--|
| <p>ADOLPHE ADAMS, green, densely speckled with white; roso-coloured mid-ribs. 2s. 6d. and 3s. 6d.</p> <p>ADOLPHE ANDRIEN, a very attractive variety with large richly coloured foliage. 3s. 6d.</p> <p>AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. 5s.</p> <p>AIDA, transparent ruddy rose tissue with a network of green ribs. 10s. 6d.</p> | <p>ALBO-LUTEUM, yellowish white with green tint, very long leaves. 7s. 6d.</p> <p>ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 5s.</p> <p>ALFRED BLEU, green, with white spots and flesh-coloured centre. 2s. 6d. and 3s. 6d.</p> <p>ALFRED MAME, carmine-red, bordered with white and spotted with rose. 7s. 6d.</p> | <p>ALPHAND, green, spotted with red; crimson centre. 2s. 6d. and 3s. 6d.</p> <p>ALPHONSE KARR, carmine centre and red spots. 2s. 6d.</p> <p>ALZIRE, 15s.</p> <p>AMENUM, transparent rose, with red ribs, violet-rose veins and green margin. 10s. 6d.</p> <p>ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. 7s. 6d.</p> |
|--|--|--|

- ANNIBAL**, 3s. 6d.
ARETHUSE, 5s.
ARGYRITES, pale green with white spots. 1s. 6d. & 2s. 6d.
ARISTIDE, light green; crimson centre. 3s. 6d. and 5s.
ARSINOË, 3s. 6d. and 5s.
ARTÉMISE, silvery white with rosy-crimson ribs. 3s. 6d.
AUBER, green ground, marked with white spots and central pink ones. 2s. 6d. and 3s. 6d.
AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined with golden green; very effective. 10s. 6d.
AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. 3s. 6d.
AUGUSTE REVIÈRE, white centre and rays, and crimson spots. 2s. 6d. and 3s. 6d.
AURORE BORÉALE, dark red, spotted with bronzy-green, reddish earmine ribs. 10s. 6d.
BARAQUINII, crimson centre, dark green margin. 2s. 6d. and 3s. 6d.
BARAQUINII SUPERBUM, 5s.
BARILLET, green, bright rosy crimson centre and ribs. 3s. 6d. and 5s.
BARONNE JAMES DE ROTH-SCHILD, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 10s. 6d.
BARRAL, bright green, with a fine red centre, and large spots of rose. 3s. 6d. & 5s.
BEETHOVEN, ground colour white, intersected and veined with green, centre rib delicate rose. 2s. 6d. and 3s. 6d.
BELLYMEI, white variegated leaves. 2s. 6d. and 3s. 6d.
BELLINI, mottled pale green ground, with rosy centre and spots. 2s. 6d. and 3s. 6d.
BELLONE, centre carmine-rose, shading off to reddish maroon and metallic brown. 10s. 6d.
BEROSÉ, 5s.
BICOLOR, 1s. 6d.
BICOLOR FULGENS, 3s. 6d.
BICOLOR SPLENDENS, 2s. 6d. and 3s. 6d.
BOIELDIEU, like *Bicolor splendens*, but superior. 3s. 6d.
BOSPHORE, 15s.
BRONGNIARTII, 2s. 6d. & 3s. 6d.
BUREL, dark bluish green veined bright rose, marked with rosy violet and spotted orange-red. 3s. 6d.
CALYPSO, dark green margin, bright crimson centre and veins and pink spots. 3s. 6d. & 5s.
CANDIDUM, white ground with strongly marked ribs. 7s. 6d.
CANNERTII, leaves flushed with salmon-red, and spotted white. 2s. 6d. and 3s. 6d.
CARDINALE, brilliant red, dotted with golden yellow and greenish yellow. 10s. 6d.
CERES, rich green with rosy salmon centre. 5s.
CHANTINII, reddish ground, spotted with white. 2s. 6d.
CHANTINII FULGENS, rich metallic green, with crimson centre and white spots. 5s.
CHARLEMAGNE, large rosy-red leaves, nerves dark red. 21s.
CHARLES VERDIER, fine green, with blush-pink centre and spots. 2s. 6d. & 3s. 6d.
CHELSONI, bright glossy green, suffused with brilliant red, and blotched with crimson. 2s. 6d. and 3s. 6d.
CLIO, ground colour deep rose shaded white; green ribs, and narrow green margin. 7s. 6d.
COMTESSE DE CONDEIXA, white ground shaded rose; carmine red veins; narrow green margin. 7s. 6d.
COMTESSE DE MAILLE, white ground, veined with bright rosy red and green. 7s. 6d.
COMTESSE DU BERTHIER, 5s.
COYPEL, 7s. 6d.
CYPRIS, 3s. 6d.
DE CANDOLLE, rich green, rose-coloured spots and creamy white centre rays. 3s. 6d.
DE HUMBOLDT, glossy green, spotted with scarlet. 3s. 6d.
DELICATISSIMUM, 21s.
DEVINCK, leaves heart-shaped; delicate pink centre ribs, with white spots. 3s. 6d.
DONIZETTI, rich red centre, green border, rose spots. 3s. 6d.
DR. BOISDUVAL, centre rayed crimson; snow-white blotches on a green ground. 3s. 6d.
DR. LINDLEY, crimson centre, the green ground marked with rose blotches. 3s. 6d.
DUC DE CLEVELAND, red centre, surrounded with pea-green; red spots. 3s. 6d.
DUC DE MORNAY, deep green leaf borders with large crimson-rayed centre. 3s. 6d.
DUC DE NASSAU, brilliant red centre and ribs, white spots. 2s. 6d. and 3s. 6d.
DUC DE RATIBOR, green with red mid-ribs and white spots. 2s. 6d. and 3s. 6d.
DUCHARTRE, leaf ground white, flushed rose, green veins and red spots. 3s. 6d.
EDOUARD ANDRÉ, crimson centre, rose blotches. 3s. 6d.
EDOUARD MOREAUX, mottled green ground, with lake centre. 3s. 6d. and 5s.
EDOUARD RODRIGUES, deep carmine, margined with light green, and spotted with rose. 3s. 6d. and 5s.
E. G. HENDERSON, green, with transparent rose spots and mottled crimson rays and centre. 3s. 6d.
ELSA, silvery rose, with red spots; fine. 7s. 6d.
ELVINA, bright green, blotched with red; grey centre and veins. 3s. 6d.
EMILIE VERDIER, leaves of a light transparent rose colour, spotted with red. 3s. 6d.
ETOILE D'ARGENT, green, mid-ribs and veins creamy white, shaded grey. 5s.
EUCHARIS, rose centre with violet reflections margined with bright green. 5s. & 7s. 6d.
EUTERPE, 5s.
FAUST, 10s. 6d.
FELICIEN DAVID, carmine centre, surrounded white, and veined with red on green ground. 3s. 6d. and 5s.
FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs, and deep green spots. 7s. 6d.
FLORE, 5s.
GAZE DE PARIS, translucent leaves, green ribs. 7s. 6d.
GERARD DOW, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 10s. 6d.
GOLDEN QUEEN, pale golden yellow. 5s.
GLUCK, 10s. 6d.
GRATIOSUM, 3s. 6d.
GRETRY, carmine centre, with white spots. 3s. 6d.
HELEVY, white mid-ribs and crimson blotches. 3s. 6d.
HEROLD, dark carmine veins, surrounded by light green, blotched pure white. 3s. 6d.
HOULLETTII, green with white spots. 2s. 6d. and 3s. 6d.
IBIS ROSE, a magnificent variety, with beautiful rich rose-coloured foliage. 15s.
IMPERATRICE EUGENIE, light green with greyish pink centre, and rose-coloured veins. 2s. 6d. and 3s. 6d.
ISADORA LEROY, rich metallic green, with crimson-red centre rays. 3s. 6d.
ISIS, bright rose, veins violet-carmine. 15s.
JOHN R. BOX, red and greenish maroon ground; carmine-red veins; violet-rose centre. 10s. 6d.

- JULES DUPLESSIS**, bright rose centre, shaded with red and bordered with green. 5s.
- JULES PUTZEYS**, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3s. 6d. and 5s.
- JUNON**. 7s. 6d.
- JUPITER**. 5s.
- KETELEER**, spotted white, upon emerald-green; large crimson centre. 3s. 6d.
- LAINGII**, reddish carmine centre; the whole of the leaf sprinkled with white. 3s. 6d.
- L'ALBANE**. 5s.
- LAMARTINE**, crimson centre white and red spots. 3s. 6d.
- LA PERLE DU BRÉSIL**, white, delicately tinted with rose, mid-rib and veins dark green. 5s. and 7s. 6d.
- L'AUREOLE**, orange red, carmine veins, creamy white margin. 15s.
- L'AUTOMNE**, creamy white, with bluish maculations. 21s.
- LAVINIA**, bright green with grey centre and veins. 3s. 6d.
- LEOPOLDII**, green, with rich crimson-rose centre. 3s. 6d.
- LEOPOLD ROBERT**, rosy white ground; carmine-red veins shaded with reddish-brown; green margin. 5s.
- LEPESCHKINEI**, leaves marked with rich rose spots; bright red centre. 3s. 6d.
- LEPLAY**, leaves marked with white, and beautifully veined with rosy violet. 3s. 6d.
- LE TITEN**, ground network of red and rich green, pure magenta ribs. 10s. 6d.
- LOUISE DUPLESSIS**, red rays and veins on a white ground; green margin. 3s. 6d.
- LOWII**, *vide* **ALOCASIA LOWII**.
- LUCY**, pea-green; crimson centre; white spots. 3s. 6d.
- LUDEMANNI**, deep crimson ribs; the leaf blotched with magenta and white. 3s. 6d.
- LULLII**. 3s. 6d. and 5s.
- MADAME ALFRED BLEU**, deep green, with large white blotches, and broad crimson-scarlet veins. 3s. 6d. & 5s.
- MADAME ALFRED MAME**, light green, covered with large white spots; rosy carmine centre. 3s. 6d. & 5s.
- MADAME DE LA DEVAN-SAYE**, leaves white, shaded rose, and veined with red and green. 3s. 6d. and 5s.
- MADAME DOMBRAIN**, centre and ribs pale yellowish green, shaded rose, and spotted with white and rose. 3s. 6d.
- MADAME FRITZ KECHELIN**, white ground, violet-rose ribs, green veins. 3s. 6d.
- MADAME HEINE**, silvery white, stained and edged with pale green; distinct. 3s. 6d.
- MADAME HOULLET**, large leaves, with clustering bluish-white blotches. 3s. 6d.
- MADAME HUNNEBELLE**, leaves veined with garnet on white ground, and margined with green. 3s. 6d. & 5s.
- MADAME JULES MENO-REAU**, white centre, tinted rose, veined rich bright rose, margined green. 5s. & 7s. 6d.
- MADAME JULES PICOT**, translucent rosy violet leaf. 21s.
- MADAME LAFORGE**, centre and ribs reddish crimson, with green margin. 5s.
- MADAME LEMOINIER**, pale rose with darker ribs; veins and centre encircled with creamy white. 7s. 6d.
- MADAME MARJOLIN SCHEFFER**, white foliage, charmingly veined and netted with rosy lake. 5s.
- MADAME MITJANA**, transparent reddish-crimson rose centre. 10s. 6d.
- MADAME T. DE VIGIER**, rosy white, carmine nerves. 21s.
- MADAME WILLAUME**, delicate salmon-rose coloured transparent leaves. 5s.
- MARCHANDII**. 5s.
- MARQUIS DE CAUX**, red centre and veins, with rose blotches on margins. 3s. 6d.
- MARS**, clouded crimson centre, the whole leaf spotted with crimson. 3s. 6d.
- MARTERSTYGINUM**, crimson centre and white spots. 2s. 6d. and 3s. 6d.
- MAXIME DUVAL**, fine broad crimson centre and ribs, green margin. 3s. 6d.
- MAX KOLB**, light green ground with pale centre; distinct. 2s. 6d. and 3s. 6d.
- MERCADANTE**, pale copper-coloured centre and veins, bordered with green. 3s. 6d.
- MEYERBEER**, white leaf ground, green veins and red mid-ribs. 2s. 6d. and 3s. 6d.
- MINERVE**, silvery white mid-rib and rays, surrounded with greyish white; green margin, with white spots. 5s.
- MITHRIDATE**, crimson-lake with darker ribs, and dark bronze-green margin. 7s. 6d.
- MONSIEUR A. HARDY**, rich reddish carmine veins on white ground, tinted with rose and spotted with green. 5s.
- MONSIEUR D'HALLOY**, delicate rose, bright rose centre, carmine and green veins. 10s. 6d.
- MONSIEUR J. LINDEN**, fine large whitish leaf, with metallic reflections, coral-rose veins and reticulated green border. 5s.
- MOZART**, rose centre and veins on green ground. 3s. 6d.
- MRS. LAING**, white ground; deep rose centre and veins; green margin. 5s. and 7s. 6d.
- NAPOLEON III**, flamed crimson centre, with forked rays, and carmine-red spots. 3s. 6d.
- ONSLow**, deep rosy crimson centre with broad green margin, spotted with rose. 3s. 6d.
- ORNATUM**, golden yellow ground; carmine ribs encircled with rosy lake; red-violet veins. 7s. 6d.
- PAUL VERONESE**, pinkish white centre, deep scarlet ribs and green margin. 3s. 6d. & 5s.
- PETROPOLIS**, 5s.
- PETSCHKAUI**, 5s.
- PHILIPPE HERBERT**, deep mottled crimson rays and clear green margin, spotted with crimson. 2s. 6d.
- PHILIPPE SCHULTZ**, 5s.
- PICTUM**, green, blotched and spotted with white. 3s. 6d.
- PRINCE ALBERT EDWARD**, dark emerald green, rich crimson radiating mid-rib, white spots. 2s. 6d. & 3s. 6d.
- PRINCE OF WALES**, large golden yellow leaves. 5s.
- PRINCESS ALEXANDRA**, rosy salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3s. 6d.
- PRINCESS OF TECK**, bright orange-yellow, veins suffused with deep red. 5s. and 7s. 6d.
- PRINCESS OF WALES**, golden yellow, spotted with crimson. 5s.
- PRINCESS ROYAL**, leaves of a golden ground colour, with crimson centre. 5s.
- PROSERPINE**, 3s. 6d.
- PYREHUS**, centre and ribs deep crimson, pea-green margin. 3s. 6d. and 5s.
- QUADRICOLOR**, centre of leaf pale yellowish green, ribs white, edged rosy crimson, and margined green. 3s. 6d.
- RAMEAU**, centre and ribs deep reddish crimson, surface covered with white blotches, shaded red. 3s. 6d. & 5s.
- RAOUL PUGNO**, very transparent, pale flesh colour, margin dark green. 10s. 6d.

NEW AND CHOICE CALADIUMS—continued.

- RAULINII**, rich red centre and veins, finely spotted with white. 3s. 6d.
- REGALE**, silvery grey centre, rosy red ribs, vermilion-red spots. 2s. 6d. and 3s. 6d.
- REINE MARIE DE PORTUGAL**, violet-rose centre with red veins, dark maroon zone green border. 5s. & 7s. 6d.
- REINE VICTORIA**, green veins and margins, spotted with white and rich crimson. 2s. 6d. and 3s. 6d.
- ROSSINI**, pale centre, pink mid-ribs, red blotches. 3s. 6d.
- ROUILLARD**, green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. 3s. 6d.
- RUBENS**, golden green ground, shaded bright red and veined with dark brown. 7s. 6d.
- RUBRUM METALLICUM**, violet red, rose centre, shaded violet, margin copper red. 21s.
- SALVATOR ROSA**, bright red centre tinted with rosy violet; light green margin. 5s.
- SANCHONIATHON**, crimson centre; deep crimson ribs and pea-green margin. 3s. 6d.
- SANGUIOLENTUM**, green with white mid-rib and red spots. 3s. 6d.
- SIEBOLDII**, rich green, with fiery red crimson-rayed centre and claret-red spots. 3s. 6d.
- SIRIUS**, centre scarlet-red, spotted with rosy red and golden green. 10s. 6d.
- SIR WALTER SCOTT**, 5s.
- SOFIA**, 21s.
- SOUVENIR DE LILLE**, translucent delicate rose leaves, nerves bright rose. 21s.
- SOUVENIR DE MADAME BERNARD**, bright red centre, dotted with golden yellow, green and white; light green border. 7s. 6d.
- SOUVENIR DE MADAME E. ANDRE**, green marbled with white, veined with rosy crimson. 3s. 6d. and 5s.
- SOUVENIR DES TOUCHES**, carmine shaded violet; red veins, rose spots surrounded with white. 7s. 6d. & 10s. 6d.
- SOUVENIR DU DOCTEUR BLEU**, reddish scarlet centre; pale green border shaded with rich red. 10s. 6d.
- SPONTINI**, pea-green, with white spots and rosy pink ribs and veins. 5s. and 7s. 6d.
- TRICOLOR**, grey-green with red-lake centre and carmine mid-ribs. 5s. and 7s. 6d.
- TRIOMPHE DE L'EXPOSITION**, crimson centre, red ribs, green border. 3s. 6d.
- URANUS**, 3s. 6d.
- VAN DYCK**, transparent rosy-lake, pale rose centre, grey green margin. 7s. 6d.
- VELLEDA**, 3s. 6d.
- VERDI**, crimson-lake centre, with small green zone and apple-green margin. 7s. 6d.
- VESTA**, greenish white veins, surrounded with crimson; leaf spotted rose. 3s. 6d.
- VICOMTESSE DE LA ROQUE-ORDAN**, red mid-rib and rays bordered white; green margin. 3s. 6d.
- VILLE DE MULHOUSE**, greenish white, shaded rose; rich green centre. 5s.
- VIRGILE**, 5s.
- VIRGINALE**, shining white, veined dark bluish green; a grand variety. 5s. and 7s. 6d.

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

- ALFONSO**, a fine flower; colour cinnamon, shaded with salmon. 2s. 6d.
- AURELIA**, a very fine large flower of a cinnamon-rose colour; very distinct. 2s. 6d.
- BERTHA**, a splendid flower with broad petals, of a soft salmon-pink colour. 5s.
- BRILLIANT**, rich bright orange, a dazzling colour; flowers large and fine; very showy. 3s. 6d.
- CALYPSO**, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 3s. 6d.
- CARDINAL**, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 3s. 6d.
- CAROLINE**, deep rosy pink, a very fine showy flower with broad petals. 2s. 6d.
- CHELSEA GIANT**, light carmine-scarlet; a huge flower. 5s.
- CLEOPATRA**, rosy lake, shaded with magenta; a very large flower with fine broad petals. 3s. 6d.
- CLIMAX**, deep rich rosy carmine; the two outer petals extremely broad; a beautiful variety. 2s. 6d.
- CORONET**, rich rosy carmine; a large flower with broad petals. 3s. 6d.
- CORSAIR**, rosy salmon; a most profuse blooming variety. 2s. 6d.
- DAPHNE**, a fine large flower of a pretty pink colour, with purple shade. 5s.
- DAVISII**, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1s. 6d.
- DEFIANCE**, a showy variety, producing fine large flowers of a light orange-scarlet colour. 5s.
- DELICATA**, a charming variety, with beautiful blush-white flowers. 2s. 6d.
- DRAGON**, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 3s. 6d.
- DR. MASTERS**, an effective variety, with very rich carmine-crimson flowers. 2s. 6d.
- EMBLEM**, a large flower with broad petals, of a deep rose colour, shaded with magenta. 2s. 6d.
- ENSIGN**, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 2s. 6d.
- ETHEL**, a beautiful flower of a light salmon-pink colour. 5s.
- FIREFLY**, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 5s.
- FLAMBEAU**, bright crimson, shaded with rose, fine round flower. 5s.
- FLAMMETTA**, bright orange-scarlet; a remarkably large and fine flower. 3s. 6d.
- FRÆBELLI**, a splendid species from Ecuador, producing brilliant scarlet flowers. 1s.
- FRÆBELLI INCOMPARABILIS**, a magnificent variety with large brilliant scarlet flowers. 1s. 6d.
- GEM**, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 3s. 6d.
- GLITTER**, vivid orange-scarlet; an extremely bright and showy colour; a fine large flower. 3s. 6d.
- HERMINE**, light orange-cinnamon, a very distinct and attractive shade of colour. 2s. 6d.
- ICARUS**, a very fine large flower of a bright salmon colour. 3s. 6d.
- IMPERIALIS**, splendid flower, dark rosy crimson. 7s. 6d.



HANDSOME-FLOWERED BEGONIAS.

- LUCINDA**, a large and fine flower, with remarkably long petals of a deep rose colour. 3s. 6d.
MABEL, delicate salmon-pink; a fine flower of good shape. 5s.
MAGENTA QUEEN, a beautiful variety, with large pendent flowers of rich deep rose colour. 2s. 6d.
MAGNET, beautiful light pink, the reverse of the petals deep pink; a charming variety. 2s. 6d.
MARATHON, deep crimson; a very fine large flower. 3s. 6d.
MARTHA, soft delicate rose-pink; a beautiful flower. 5s.
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 2s. 6d.
MINIATA, a fine showy variety, producing flowers of a bright rosy carmine colour. 2s. 6d.
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 3s. 6d.
MONT BLANC, white, slightly tinted, very pretty. 3s. 6d.
MRS. H. COPPIN, very clear bright yellow. 3s. 6d.
OBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 3s. 6d.
ORESTES, deep rosy carmine; a magnificent flower with fine large petals. 3s. 6d.
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 1s. 6d.
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2s. 6d.
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 2s. 6d.
PINK BEAUTY, fine large bright rosy pink flowers, beautiful shape. 7s. 6d.
QUEEN OF WHITES, a desirable variety, with lustrous leaves, and pure white flowers. 3s. 6d.
REGALIS, a beautiful salmon-rose flower, of good form and substance. 7s. 6d.
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 3s. 6d.
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 2s. 6d.
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 3s. 6d.

- STARLIGHT**, a beautiful variety, with large flowers of a pretty shade of blush-pink. 3s. 6d.
SUNRISE, a magnificent variety, producing large flowers of a bright rosy scarlet colour. 2s. 6d.
SUNSET, rich crimson; a fine large showy flower. 3s. 6d.
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 2s. 6d.
TEMPLAR, a fine flower, with broad petals of a rosy pink colour. 3s. 6d.
TROJAN, an effective variety, freely producing fine flowers of a light rosy pink colour. 2s. 6d.
VEITCHII, this species produces blooms of a vivid vermilion or cinnabar red colour. 2s. 6d.
VERONA, bright rosy pink; a very pretty variety. 3s. 6d.
VESTA, pure white; very large flower. 7s. 6d.
VESUVIUS, a fine variety, producing very large flowers of a rich orange-scarlet colour. 1s.
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 7s. 6d.
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 2s. 6d.
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 2s. 6d.

Selections of good single-flowering Varieties can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 2, 3, and 4 guineas per dozen.

BEGONIA BALMISIANA.

This very distinct Begonia has been imported from Mexico. It is a handsome flowering tuberous-rooted species and freely produces quantities of large and attractive flesh-coloured flowers of good substance. The succulent stems are dark-red in colour, the leaves being thick and fleshy, with dentate margins. 3s. 6d.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

- ANTONA**, dark centre, surrounded with silver-grey and margined with bronze. 5s.
BARANA, leaves a beautiful silver, marked in the centre and at intervals round the margin with olive-green. 5s.
LEDA, leaf bright silver, marked in centre with bronzy-green, and prettily margined with bronze. 5s.
MADAME HENRI GACHE, the finest of the variegated leaved section; the middle of the leaf is of a glistening greyish silver, shaded in a most remarkable manner with bright rosy-crimson, the margin being olive green spotted with silver; centre rich olive brown. 3s. 6d.
SYLVIA, silver-grey leaves, beautifully marked in centre and round the margins with bright-bronzy green venations. 5s.
VESTAL, bright green, blotched and spotted with silver and margined with bronze; centre bright bronze. 5s.
VIRGINIA, silver-grey, dark green venation in centre, the marginal venation of a bronzy-green. 5s.
- | | | |
|--|---|--|
| ABBÉ DELAHAYE , 2s. 6d. | DUCHESS , 1s. | MADAME FRISTOT , 3s. 6d. |
| ACUMINATA SPLENDIDA ,
2s. 6d. | EDOUARD ANDRÉ , 3s. 6d. | — HACHETTE , 3s. 6d. |
| ADRIEN ROBINE , 2s. 6d. | — LESTEUR , 3s. 6d. | — JULES LECOCQ , 2s. 6d. |
| ALEXANDRINE OLSOUFIEFF
3s. 6d. | ED. PYNÆRT , 3s. 6d. | — LEBOUCQ , 5s. |
| ANDALOUSIE , 2s. 6d. | ELAINE , 3s. 6d. | — PATÉ , 3s. 6d. |
| ANNETTE , 2s. 6d. | EMILE CHATE , 2s. 6d. | — RAMBERT , 3s. 6d. |
| ANNICA , 2s. 6d. | EUGENIA , 2s. 6d. | — TAUBER , 2s. 6d. |
| ARCTURUS , 2s. 6d. | FINETTE , 3s. 6d. | — ZIEGLER , 3s. 6d. |
| ARGENTEA HIRSUTA , 2s. 6d. | GLOIRE DE MONTEREAU ,
2s. 6d. | MADEMOISELLE A. BLEU ,
3s. 6d. |
| — ZEBRINA , 3s. 6d. | GRAZIELLA , 3s. 6d. | — BERTHE PROUIERE ,
3s. 6d. |
| ARGUS , 3s. 6d. | HENRIETTE LUSSEAU , 3s. 6d. | — HENRIETTE GRAUX ,
2s. 6d. |
| ARIADNE , 3s. 6d. | IONA , 3s. 6d. | MALETTA , 2s. 6d. |
| BRONGNIART , 2s. 6d. | JACKSONI , 2s. 6d. | MARGARITACEA , 2s. 6d. |
| CALLIOPE , 2s. 6d. | JULES DEHAUSSY , 3s. 6d. | MARIE FREEMAN , 3s. 6d. |
| CASILDA , 2s. 6d. | — DUPLESSISMAJOR , 2s. 6d. | MARMION , 3s. 6d. |
| COMTESSE DE THELUSSON ,
2s. 6d. | LA PERLE DE PARIS , 2s. 6d. | MARQUIS DE NADAILLAC ,
2s. 6d. |
| COMTESSE LOUISE ERDODY ,
2s. 6d. | LEBRUN , 2s. 6d. | MAYA , 3s. 6d. |
| CORSAIR , 3s. 6d. | LE SCHAH , 3s. 6d. | MAZEPPA , 3s. 6d. |
| COUNTESS , 3s. 6d. | LINNÉ , 5s. | MENTOR , 2s. 6d. |
| CRYSTALLINA , 2s. 6d. | LOVELY , 3s. 6d. | META , 2s. 6d. |
| DESFONTAINES , 3s. 6d. | LUCY CLOSON , 3s. 6d. | MONA , 2s. 6d. |
| DIADEMA , 3s. 6d. | MADAME DE CAUVILLE ,
2s. 6d. | MONGE , 5s. |
| DIANA , 3s. 6d. | — D'HALLOY , 3s. 6d. | |
| | — FANNY MASSANGE ,
3s. 6d. | |



BEGONIA ALBO-PICTA.

BEGONIA ALBO-PICTA.

A neat and pretty species, introduced from Brazil, distinct in character from all the cultivated kinds whether species or varieties. It is shrubby in habit and of compact growth, having elliptic lanceolate leaves shortly stalked. The leaves are glossy green, freely spotted with bright silvery white, the nebulous markings becoming smaller towards the margins. It has small and elegant foliage and will make a really useful and pretty plant for decorative purposes. 3s. 6d.



BEGONIA SCEPTRA.

BEGONIA SCEPTRA.

This is a very handsome and distinct species, a native of Brazil. The leaves are obliquely ovate in outline, deeply lobed on one side, the lobes oblong obtuse, the veins sunk, and the raised spaces between marked with large silvery blotches, and numerous smaller dots of silvery grey. The leaf-stalks are red, this colour passing up the ribs of the under surface. 10s. 6d.

MONSIEUR BIENAIMÉ, 2s. 6d.	QUADRIZONALIS ORNATA, 2s. 6d.	THEODORA, 3s. 6d.
— CHRETIEN, 1s. 6d.	ROSALIE, 5s.	TOURNEFORT, 3s. 6d.
OTTO FORSTER, 2s. 6d.	SATIN BLANC, 2s. 6d.	VICOMTE DE CONDEIXA, 2s. 6d.
PEARL, 3s. 6d.	SECRETAIRE DELAMARRE, 2s. 6d.	VICTOR BLEU, 2s. 6d.
PICTURATA, 2s. 6d.	SERAPH, 3s. 6d.	VOIE LACTÉE, 2s. 6d.
PRINCE OF WALES, 2s. 6d.	STARLIGHT, 5s.	ZENOBIÉ, 3s. 6d.
PROGNE, 5s.		

BEGONIA BEDDOMEI (ASSAMICA).

A neat-growing species, introduced from Assam. It has short fleshy stems, short pale green softly hairy leaf-stalks, and oblique ovate olive-green leaves, marbled with silvery blotches above, and of a pale purplish pink beneath. The flowers are of a pinkish flesh-colour. 3s. 6d.

BEGONIA GLOIRE DE SCEAUX.

A new hybrid winter-flowering bulbous variety raised between *B. socotrana* and *B. subpetala*. The plant is most prolific, the flowers being of a beautiful bright rose colour. The glabrous leaves are cordiform, and of a dark metallic green. Flowering as this does from the beginning of January to the end of April, it will be found a very desirable acquisition. 10s. 6d.

BEGONIA HYBRIDA COCCINEA.

A pretty and desirable hybrid variety, belonging to the winter-flowering section. It is of dwarf compact habit, bearing in the greatest profusion its beautiful bright scarlet flowers, making it admirably adapted for the decoration of greenhouses and conservatories during the dull winter months. 3s. 6d. and 5s.

BEGONIA RUBELLA.

A very ornamental Indian species, with stout decumbent stems; the leaves are numerous and freely covered with deflexed red scales on a pallid ground, which gives to them a reddish appearance. The leaf blades are of a bronzy green with a broad pale green band down the principal costa, and smaller bands of the same along the other main ribs, the whole dotted over with oblong blotches of purplish brown; the under surface is red. 5s.

BEGONIA ALBO-PICTA, *vide* page 141.

BALMISIANA, *vide* page 140.

COMPTA, *vide* page 7.

DECORA, *vide* page 7.

BEGONIA IMPERIALIS, 3s. 6d.

OLBIA, 3s. 6d.

SCEPTRA, *vide* page 142.

SMARAGDINA, 3s. 6d.

The following are useful flowering species and varieties, and highly effective for decoration; the majority of them are winter-blooming; except those priced, 18s. and 30s. per dozen.

ARGYROSTIGMA ELEGAN- TISSIMA	MANICATA	RICHARDSIANA VASTISSIMA
ASCOTIENSIS	— AUREO-VARIEGATA, 2s. 6d.	SEMPERFLORENS ELEGANS, 5s.
BARBATA VARIEGATA	MARTIANA GRANDIFLORA, 7s. 6d.	— GIGANTEA CARMINEA
CARRIERI	MARGARITÆ, 3s. 6d.	— ROSEA
DESIDERATA	METALLICA	— ROSEA
DIGSWELLIANA	MOONLIGHT	SAUNDERSIANA
HYBRIDA FLORIBUNDA	NITIDA	SOCOTRANA, 5s.
INGRAMII	— ALBA, 2s. 6d.	SUTHERLANDI
INSIGNIS	RUBRO-VENIA	VALIDA
KNOWSLEYANA	RICHARDSIANA	WELTONIENSIS.

EACHEVERIAS.

EACHEVERIA CARINATA, 2s. 6d.

OERULESCENS, 2s. 6d.

GLAUCO-METALLICA, 1s. 6d. and 2s. 6d.

GRANDISEPALA, 2s. 6d.

IMBRICATA, 2s. 6d.

METALLICA, 1s. 6d. and 2s. 6d.

MUTABILIS, 2s. 6d.

OVATA, 2s. 6d.

PRUINOSA, 2s. 6d.

EACHEVERIA RETUSA FLORIBUNDA SPLENDENS,
2s. 6d.

RETUSA GLAUCA, 1s. 6d. and 2s. 6d.

ROSEO-PICTA, 5s.

SCAPHYLLA, 2s. 6d.

SCHIDECKERI, 1s. 6d.

SECUNDA, 9d. each; 6s. per dozen.

GLAUCA, 9d. each; 6s. per dozen.

SPATHULATA, 2s. 6d.

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

NEW CHRYSANTHEMUMS OF 1886.

Price 30s. per dozen.

JAPANESE.

ALFRED CHANTRIER
ANNIE CLARK
CHARLOTTE DE MONTCA-
BRIER
CHIMÉNE
COMMANDANT DOMINÉ
DARWIN
DON DIÈGUE
DON QUICHOTTE
GIL BLAS
HERNANI
LADY AVENEL
LADY BULLER
LADY MATHESON
L'AIGRETTE
LAMARTINE
LE CAMOENS
LE CHÈVREFEUILLE
LE GRACIEUX
MADAME CHRETIEN
MADAME HOSTE
MADAME LA MARQUISE DE
MUN
MADAME MARIE CLOS
MADAME ROZAIN
MADLE. JULIETTE DORDAN
MADLE. PAUL DUTOUR
MAIDENS' BLUSH
MA MIGNONNE
MARSA
MARTHA HARDING

JAPANESE.—continued.

MIREILLE
M. BRASSAC
M. CAVALIER
M. CHRETIEN
M. D. D. HILLIER
M. H. ELLIOTT
M. J. ALDEBERT
M. MAXIME CORNU
M. THOMAS S. WARE
M. WEICK
M. YVON
ORNEMENTS
PAUL ET SON
PRINCESSE BLANCHE
PRINCE ZILAH
ROBERT OWEN
ROB ROY
RODRIGUE
ROI DES JAPONAIS
ROZAIN BOUCHARLAT
SALMONEUM PLENUM
SOUV. D'ANGÈLE AMIEL
TAMIRYS
THÉODORA
WALTER SCOTT
WILLIAM CLARK

CHINESE.

BRONZE QUEEN OF
ENGLAND

POMPON.

BRAHMA
CRÈME
DIANA VERNON
FLAMBEAU TOULOUSAIN
LE CID
LILACÉE
MADLE. ELISE DORDAN
OSIRIS
SANS PAREIL
VICTOR HUGO
ZAIRE

ANEMONE.

E. M. BOLAS
LE CENTAURE
MADAME GHYS

EARLY FLOWERING.

A VILLATTE DES PRUGNES
BLANC PRECOCE
CRIMSON PRECOCITÉ
E. G. HENDERSON & SON
G. WRIGLEY
MADAME HOSTE
M. COSSART
M. HOSTE
M. WILLIAM HOLMES
ROSE D'ÉTÉ
W. C. BOYCE
WILLIAM BEALBY

The above new varieties 30s. per dozen.

NEW CHRYSANTHEMUMS OF 1885.

Price 18s. per dozen.

JAPANESE.

AQUIDNECK
BEAUTY OF SWANLEY
BELLE ÉTOILE
BICOLOR
CHRISTMAS EVE
CŒUR FIDÈLE
COQUETTE
COQUETTE DE CASTILLE

JAPANESE.—continued.

CORIOLAN
CULLINGFORDII
DELICATUM
DIADÈME
DR. WALCOTT
ENCHANTERESSE
ÉTOILE FLEURI
FIMBRIATUM

JAPANESE.—continued.

F. L. HARRIS
FLOCON DE NEIGE
GEORGE WALCOTT
GLOIRE DE VALENCE
GLORIOSUM
GLOW
GOLDEN GLOIRE [NANTE
GOLD LACE RAYON-

JAPANESE.—continued.

HON. JOHN WELSH
 J. COLLINS
 JESSICA
 JOHN THORPE
 JUPITER
 L'ADORABLE
 L'AUBE MATINALE
 L'ÉBOURIFFÉE
 L'INCROYABLE
 LA TRAVIATA
 LE CYGNE
 LORD BYRON
 MADAME JOHN LAING
 MADLLE. MELANIE FABRE
 MAID OF ATHENS
 MANHATTAN
 MARY SALTER
 MINNIE MILLER
 MM. THIBAUT et KETELEER
 MRS. WM. MENCKE
 MRS. VANNAMAN
 M. A. VILMORIN
 M. FREEMAN
 M. GARNIER
 M. GHYS
 M. J. H. LAING
 M. PAUL FABRE
 M. RAOUX
 M. VINTOUSKI
 NINUS
 PRESIDENT ARTHUR
 — CLEVELAND
 — GARFIELD
 REDUPLICATA
 ROSE CELESTE
 — LACE
 SNOWSTORM
 SOUVENIR DE HAARLEM
 SYRINGA
 TUBIFLORUM
 WELCOME
 WENONAH

JAPANESE.—continued.

W. L. SCHEFFER
 WILLIAM ROBINSON

CHINESE.

CAMBRIDGE
 CITRON
 DUCHESS
 FRANCOIS DEBERGUE
 GOLDEN PRINCE
 GORGEOUS
 J. LOVERING
 LA TRIOMPHANTE
 MRS. C. W. WHEELER
 MRS. GEO. W. CHILDS
 MRS. JAMES R. PITCHER
 M. VIVIAND MOREL
 MOONLIGHT
 PRINCE OF ORANGE
 ROBERT WALCOTT
 SAMUEL HENSHAW
 TALFOURD SALTER
 TITEN

ANEMONE FLOWERED.

AGNES HAMILTON
 CININNATI
 WYOMING

POMPONS, &c.

BELLE NAVARRAISE
 BLACK DOUGLAS
 EXPOSITION DE CHALON
 MAID OF KENT
 NEATNESS
 LACINIATUM ROSEUM
 LA FAVORITE

POMPONS, &c.—continued.

MAGENTA KING
 NEW YORK
 ORANGE QUILL

EARLY FLOWERING.

BOUQUET ESTIVAL
 ÉTÉ FLEURI
 FLEUR D'ÉTÉ
 LA BIEN-AIMÉE
 LAKME
 MANDARIN
 PETIT MIGNON
 POMPONUM
 ROI DES PRÉCOCES
 SURPRISE

SINGLE VARIETIES.

CASINO
 CRIMSON AND GOLD
 CRUSHED STRAWBERRY
 HELIANTHUS
 HINSDALE
 IMOGEN
 MARIGOLD
 MARY ANDERSON
 MERRIMAC
 MISS ROSE
 MRS. A. LE MOULT
 PERFECTION
 PURE GOLD
 QUEEN OF THE YELLOWS
 SADIE MARTINOT
 SIMS REEVES
 TERRA COTTA
 THE VIRGIN

The above, price 18s. per dozen.

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

For New Varieties, vide above and page 144.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ANASTASIO
 AUREOLE
 CASSY
 CLAIRE ALOZIO
 CURIOSITY
 DELPHINE CABOCHE, 9d.
 EARLY FLORA, 1s.
 EL Dorado
 FIBERTA, 1s.
 FREDERIC MARRONET
 FREDERICK PELÈ
 G. WERMIG (GOLDEN MADAME
 DESORANGE), 1s.
 HÉLOISE MIELLEZ

HENDERSONI
 HIPPOLYTE JAMAIN, 9d.
 INIMITABLE
 LAVALLÉE, 9d.
 LE LUXEMBOURG
 LUCINDA
 LYON
 MADAME C. DESGRANGE
 MADAME DUFOY
 MADAME JOLIVART
 MADAME PICOU
 MADELINE DAVIS, 1s.
 MR. W. PIERCY
 M. DUFOY

NANUM
 ORANGE YELLOW, 9d
 PERPETUÉL TOULOUSAIN
 PRÉCOCITÉ
 ST. CROUTS
 ST. MARY
 SALTER'S EARLY BLUSH, 1s.
 SCARLET GEM
 SOUVENIR
 SOUVENIR DE M. RAMPONT
 VIRGINIA
 WHITE ST. CROUTS, 9d.
 ZENOBIE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 144 and 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

AGREMENTS DE LA NATURE	GLOIRE RAYONNANTE	M. CASTEL
ALBERT DE NURIOS	GOLD THREAD	M. CHARLES HUBERT
ALEXANDRE DUFOUR, 1s.	GRANDIFLORUM	M. COCHET, 1s.
ALPHONSE XII.	HELVETIE, 1s.	M. COMTE, 1s.
AMARANTINA CARMINATA	HIVER FLEURI	M. CROUSSE
ANGELE	ILE JAPONAISE	M. DELAUX
ANNA DELAUX, 1s.	ILLUSTRATION	M. DEVEILLÉ, 9d.
ARLEQUIN	ISODORE FERAL, 1s.	M. EUGENE POURQUIÉ
AUORE BORÉALE, 1s.	JAMES SALTER	M. HENRI JACOTOT
BEAUTE DES JARDINS, 1s.	JANE SALTER	M. H. FLAUVANT, 1s.
BEAUTE DE TOULOUSE	JAPONAIS, 1s.	M. JOHN LAING, 1s.
BELLE ALLIANCE, 1s.	JAPON FLEURI, 1s.	M. JUAN CRUZ DE EGUILÉOR
BELLE GABRIELLE	J. DELAUX	M. LEMOINE
BELLE PAULE, 1s.	KEMPFER, 9d.	M. LEON BRUNEL, 1s.
BEND OR	KATAKANA	M. P. WOLKENSTEIN
BERTIER RENDATLER	L'AFRICAIN	M. RICHARD LARIOS
BISMARCK	LA BIENVENUE	M. ROUX
BOULE D'ARGENT, 9d.	LA CHARMEUSE	NUIT D'AUTOMNE
BOULE D'OR	LA FRISURE	NUIT D'HIVER
BOUQUET FAIT	LA NYMPHE	PARASOL
BRISE DU MATIN, 1s.	LADY SELBORNE	PÈRE DELAUX
CERES	LAURENCE, 9d.	PETER THE GREAT
COLIBRI, 1s.	LE CHINOIS	PETIT NORBERT
COMTE DE GERMINY	LE NÈGRE	PLUIE D'OR
COMTESSE DE BEAUREGARD	L'INCOMPARABLE, 9d.	RED DRAGON
DAIJ GAKKO	L'ISLE DES PLAISIRS	REINE DES BEAUTÉS
DELICATUM, 9d.	L'OR DE FRANCE, 1s.	REX RUBRORUM
DIAMOND	LORD BEACONSFIELD	ROSA BONHEUR
DR. AUDIGUIER	MADAME BERTIER REN-	ROSEUM PICTUM
DR. MASTERS	DATLER	ROSEUM SUPERBUM
DOLORES	MADAME CLEMENCE AU-	ROSE SUPREME
DUCHESE DE GEROLSTEIN	DIGEUR	R. T. BIGGS
DUCHESS OF ALBANY	MADAME DE REYDELLET, 9d.	RUBRUM STRIATUM
DUCHESS OF ALBANY	MADAME DE SEVIN, 1s.	SARNIA
(DELAUX), 1s.	MADAME DEVEILLE	SIMON DELAUX, 9d.
DUCHESS OF CONNAUGHT	MADAME EMILE DUFOUR	SOLEIL LEVANT
ELAINE	MADLE. ANNA DELAUX	SOURCE D'OR
ELISE	MADLE. ANTOINETTE BRU-	SOURCE JAPONAISE
EMBLÈME, 1s.	NEL, 1s.	SOUVENIR D'AMSTERDAM, 9d.
ESPÉRANCE	MADLE. AUGUSTINE GAU-	SOUVENIR DE REINE MARIE
ETHEL	THEUT, 1s.	SOUVENIR DU CAIRE, 1s.
ETOILE DU MIDI	MADLE. LACROIX, 1s.	SOUVENIR DU JAPON, 1s.
ETOILE TOULOUSAIN	MADLE. LOUISE DE REY-	STRIATUM PERFECTUM
FAIR MAID OF GUERNSEY	DELLET, 1s. 6d.	TENDRESSE
FÉE RAGEUSE	MADLE. TOULOUSE	THE COSSACK
FERNAND FÉRAL, 1s.	MAGNUM BONUM	THUNBERG
FLAMBEAU	MARGOT	TISIPHONE, 9d.
FLAMME DE PUNCH	MARQUIS OF LORNE	TOKIO
FLEUR DES BOIS, 1s.	MARY MAJOR	TRICOLOUR
FRANCOIS DELAUX, 9d.	MASTIC	TRIOMPHE DE LA RUE DU
FRIZOU, 1s.	MIGNON, 9d.	CHATELET
FULGARE	M. ASTORG, 1s.	VALLE DE ANDORRE
FULTON	M. BLANC	VENUS
GLOIRE DE TOULOUSE	M. BOYER, 9d.	VILLE D'HYÈRES
	M. BRUNET	

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ACQUISITION	DICK TURPIN	FINETTE
AGATHA	E. M. BOLAS, vide page 144.	FIREFLY
ATARGULLE	EUGÈNE LAUJAULET	FLEURE DE MARIE
BIJOU	FABIEN DE MADÉLANAZ, 9d.	GEORGES SAND
CALLIOPE	FAIR MARGARET	GLUCK

CHRYSANTHEMUMS—ANEMONE-FLOWERED.—continued.

GOLDEN CEDO NULLI	MADEMOISELLE CABROL	MRS. WYNNESS
GRACE DARLING	MARIE STUART	PRINCE OF ANEMONES
LADY MARGARET	M. CHATE	PRINCESS LOUISE
LILAC CEDO NULLI	MISS EYRE	PRINCESS MARGUERITE
MADAME BERTHE PIGMY, 1s.	MISS NIGHTINGALE	SIDONIE
MADAME CLOS, 1s.	MR. ASTIE	SEUR DOROTHÉE SOUILLE
MADAME MONTELS	MRS. PETHERS	VIRGINALE
MADAME THERESE CLOS		

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS.

For New Varieties, vide pages 144 and 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA	GOLDEN EMPRESS OF INDIA	MRS. G. RUNDLE
AIMEE FERRIERE	GOLDEN GEORGE GLENNY	MRS. HALIBURTON
ALFONSO	GOLDEN JOHN SALTER	MRS. HEALE
ALFRED SALTER	GOLDEN QUEEN OF ENGLAND	MRS. HUFFINGTON
ARIADNE	GOLDEN TRILBY	MRS. J. CROSSFIELD, 1s.
AUREUM MULTIFLORUM	HERCULES	MRS. W. SHIPMAN
BARBARA	HERO OF STROKE NEWINGTON	MULBERRY
BARON BEUST	IONA	NIL DESPERANDUM
BEAUTY	JARDIN DES PLANTES	NOVELTY
BEETHOVEN	JEANNE D'ARC, 1s.	ONDINE
BEVERLEY	JOHN SALTER	ORANGE ANNIE SALTER
BRONZE JARDIN DES	JULIE LAGRAVERE	OSSIAN
PLANTES	KING OF DENMARK	PATRIE, 9d.
CARMEN, 1s.	LADY HARDINGE	PINK PERFECTION
CHERUB	LADY SLADE	PRINCE ALFRED
CHEVALIER DOMAGE	LADY TALFOURD	PRINCE OF WALES
CLEOPATRA	LEDA	PRINCESS BEATRICE
DAPHNE	LE GRAND	PRINCESS IMPERIAL
DIANE, 1s.	L'EMIR	PRINCESS OF TECK
DIDO	LORD DERBY	PRINCESS OF WALES
DR. LINDLEY	LORD PALMERSTON	PROGNE
DR. ROZAS	LORD STANLEY	PURPUREUM ELEGANS
DR. SHARPE	LORD WOLSELEY	QUEEN OF ENGLAND
DUKE OF EDINBURGH	LUNA	REFULGENS
EMBLEM	MABEL WARD	REINE DES BLANCHES, 9d.
EMPRESS OF INDIA	MADAME CHATE	RIFLEMAN
E. SANDERSON	MADAME FERAL, 1s.	RIVAL LITTLE HARRY
EVE	MADAME PAGES, 1s.	ROTUNDIFLORUM
EXQUISITE	MARÉCHAL DUROC	ROYAL PURPLE, 1s.
FAUST	MONARCH	SIR BEAUCHAMP SEYMOUR
FINGAL	MOUNT EDGCUMBE	SIR STAFFORD CAREY
GARIBALDI	MOUNT ETNA	SULPHUREUM SUPERBUM
GAZELLE	M. DUARTE OLIVEIRA, 1s.	THE REV. C. BOYS
GEORGE PEABODY	MR. BRUNLEES	VILLE DE TOULOUSE, 1s.
GEORGE STEVENS	MR. BUNN	VIOLET UNIQUE
GLOBE WHITE	MR. COBAY	WHITE EVE
GLORIA MUNDI	MR. GEORGE GLENNY	WHITE GLOBE, <i>vide</i> GLOBE
GOLDEN BEVERLEY	MR. JAMES LAING	WHITE
GOLDEN CHRISTINE	MR. W. H. MORGAN	WHITE VENUS
		ZEPHYR

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

For New Varieties, vide pages 144 and 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE	BERROL	CRIMSON PERFECTION
AIGLE D'OR	BOLIDE	DANAE
AMPHILLA	BOULE DE NEIGE, 9d.	DIAMANT, 1s.
ANAIS	BRUNETTE, 9d.	ELEGANT, 9d.
ANNETTE	CARMINATUM ALBUM, 9d.	ELISE LAYEILLON, 1s.
ARIOSTO	CENDRILLON,	ERNEST BENARY
AUORE	CHAMPS ELYSÉES	ETINCELANT, 1s.

CHRYSANTHEMUMS—POMPON, &c.—continued.

FABIOLA
 FREMY
 GENERAL CANROBERT
 GERBE D'OR
 GERMAINE CLERMONT
 GOLDEN MADLE. MARTHE
 GUILLAUME DELAUX, 1s.
 HECLA
 IRIS
 JASON
 JERSEY GEM
 JULIA ENGLEBACK
 LACINIATUM SUPERBUM, 9d.
 LA DÉSIREE, 1s.
 LA RENONCULE
 LA VIERGE
 LOUIS DE MORVAY
 LUCIEN CABOCHE
 LUCRECE
 MADAME DE VATRY
 MADAME EUGENE DOMAGE

MADAME RIEUX
 MADLE. DARNAUD
 MADLE. ELISA LAYEILLON
 MADLE. MARTHE
 MADLE. MATHILDE RAY-
 NAUD
 MADLE. POURQUIE
 MARABOUT
 MARGUERITE VINCENT
 MARIE CROZAT
 M. BONAMY AINE
 M. DELEUIL, 1s.
 M. FELIX SEIGNOR
 M. HOSTE
 M. JOSE MARQUES LOUREIRO
 M. LUQUET, 9d.
 M. ULRICH
 MUSTAPHA
 OLIVAR
 ORNATUM
 PABLO
 PERFECTION, 9d.

POLYCARP
 POMPON ROSE, 1s.
 PRESIDENT DECAISNE
 PRINCE VICTOR
 PRINCESS MATHILDE
 PROSERPINE
 RAJAH
 ROSE D'AMOUR
 ROSE DE LA CASTILE
 ROSE TREVENNA
 ROSINA
 SAINT JUSTIA
 SAINT MICHAEL
 SALAMON
 SANGUINEUM
 SNOWDROP
 SEUR MELANIÉ
 SOIREE D'ETÉ
 STAR OF WHYKE, 1s.
 TOUSSAINT MAURISOT
 VARIEGATUM

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

For New Varieties, vide page 145.

ATTRACTION
 BRUNETTE
 COACHMAN
 DR. KELLOCK

GUS. HARRIS
 HENRY IRVING
 MAGENTA KING
 MISS CANNELL

MR. TOOLE
 MRS. KELLOCK
 MRS. LANGTRY
 YELLOW GEM

6d. each, 4s. per dozen, or 28s. per 100.

NEW AND CHOICE FUCHSIAS.

Those marked () are double-flowered varieties.*

***ADAIR**, short tube and well reflexed sepals of a bright crimson colour; short, double, bluish purple corolla, occasionally flaked with rose at the base. 5s.
ADDISON, tube and sepals bright crimson; the sepals very broad and horizontally reflexed; fine large corolla of a rich deep purple colour striped and flaked with rose. 1s. 6d.
ADINE, white tube and sepals, completely reflexed, rosy magenta corolla. 1s.
***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 3s. 6d.
***ADMIRAL MIOT**, tube and sepals bright red, large double plum-coloured corolla; very free of good habit. 7s. 6d.
***ALPHONSE DAUDET**, bright red recurved sepals and bluish violet corolla. 1s.
AMADEO, bright rosy pink tube and sepals; tube very short; bright bluish corolla. 1s.
AMBROSIA, bright crimson tube and broad sepals; large rich purplish plum corolla, marked with rosy crimson. 1s.
***ANITA**, rosy crimson tube and sepals, the latter being well reflexed; large double corolla of a rich plum colour. 2s. 6d.

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish purple double corolla. 7s. 6d.
ARLEQUIN, tube and sepals reddish scarlet, corolla rosy carmine, bordered with violet flaked and marked with rose and violet. 1s.
ARIA, tube and sepals rosy crimson; corolla of a deep rich purple colour. 1s. 6d.
***ARPA**, tube and sepals bright carmine; the sepals broad and horizontally reflexed; large double corolla of a violet-red colour. 1s. 6d.
***AUGUSTE FLAMENG**, large reflexed rosy carmine sepals, large and compact double dark lilac corolla; of good habit. 1s.
***AVOCA**, short tube and sepals, completely reflexed and of a bright rosy crimson colour; double rich bluish purple corolla. 2s. 6d.
***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish coral colour; enormous double azure-violet corolla. 1s.
BEAUTY OF CLYFFE HALL, a very fine large flower; tube and sepals bluish white; corolla rich carmine-pink. 1s.
BEAUTY OF LAVINGTON, white tube and petals, corolla bright rosy carmine, shaded with violet. 3s. 6d.

NEW AND CHOICE FUCHSIAS.—continued.

- BLUE KING**, bright crimson tube, well-reflexed sepals, and fine blue corolla. 1s.
- BULGARIE**, large brilliant red well-shaped sepals; very large extended corolla of a violet plum colour. 7s. 6d.
- BULRUSH**, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy purple corolla. 1s.
- CAMILLE FLAMMARION**, a large flower; with reflexed sepals of a rosy red colour, and well-formed reddish violet corolla. 1s.
- *CIEL D'AZUR**, short tube and well reflexed bright red sepals, very large sky-blue double corolla, flaked with rosy carmine. 2s. 6d.
- CISSIE**, bright crimson tube and sepals, the latter prettily recurved; fine full corolla of a rich dark purple colour. 1s.
- *CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1s.
- COLONEL BORGNIS-DESBORDES**, plant dwarf and very floriferous; large reflexed rosy salmon sepals; globular corolla of a clear violet colour. 7s. 6d.
- *COLONEL DOMINÉ**, clear red reflexed sepals; large imbricated corolla; white lightly suffused with rose, the base shaded with rose. 7s. 6d.
- COLOSSUS**, flower of gigantic size; tube and sepals very rich bright glossy crimson, a most intense shade of colour; the sepals very broad and thick, corolla well expanded, of immense size, and of a deep purplish plum colour; one of the largest and best single Fuchsias ever sent out. 3s. 6d.
- *COEMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish purple corolla. 7s. 6d.
- CREUSA**, rich crimson tube, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1s.
- DIADEM**, bluish tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 3s. 6d.
- DORCAS**, short tube and large rosy carmine sepals well reflexed, immense soft bluish-purple corolla, veined and shaded with rose. 3s. 6d.
- *EDELWEISS**, a fine large flower with full and double white corolla; rich crimson sepals, broad, long and well reflexed. 1s.
- *ELFIN**, light crimson tube and sepals, the latter elegantly reflexed; rich purple corolla, flaked with rose; very full and double. 1s.
- EMILY BRIGHT**, creamy white tube and sepals; bright carmine corolla, of fine form. 3s. 6d.
- EMPEROR**, bright red tube and sepals, the latter long and broad; corolla maroon, shaded purple; a handsome and showy Fuchsia. 3s. 6d.
- *FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 3s. 6d.
- FLAMBEAU**, short tube, and well reflexed crimson sepals; very large and full corolla of a dark violet colour, shaded with azure, and striped and spotted with scarlet. 1s.
- FLOCON DE NEIGE**, well reflexed carmine sepals; large creamy white corolla. 1s.
- *FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy carmine. 5s.
- *FRANCSIQUE SARCEY**, corolla bluish violet; large reflexed sepals, dark rose on the inside and bright red on the exterior. 1s.
- *FRAU EMMA TOPFER**, broad well reflexed rosy magenta sepals; double white corolla suffused and veined with rose; very floriferous, and of compact habit. 1s. 6d.
- GANNET**, short tube with long bright crimson reflexed sepals; bluish purple corolla, shaded with rosy crimson at the base. 3s. 6d.
- *GARNET**, completely reflexed bright carmine sepals; rich purple double corolla, marked at the base with rose. 2s. 6d.
- GAZELLE**, tube and sepals very bright crimson, very long corolla of a dark satiny purple colour; distinct and attractive. 1s.
- *GENERAL**, a fine showy flower with very large reflexed deep rose sepals, and large expanded double corolla of a rich violet colour flaked with rose. 1s.
- GERALD**, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish crimson colour. 1s. 6d.
- GLORY**, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 5s.
- *GOLLATH**, tube and sepals deep red, enormous reddish purple corolla, surrounded with a row of bright red petals. 2s. 6d.
- HARLEQUIN**, a gigantic variegated flower; sepals rich carmine, broad and reflexed; immense bluish purple corolla striped with rosy pink. 5s.
- HARMONIE**, reflexed whitish rose sepals, corolla soft lilac; of good habit. 1s.
- HARRIET LYE**, creamy white tube and sepals, lilac-pink corolla, edged with carmine. 1s.
- HERON**, short tube, and broad rosy carmine sepals; corolla rich bluish purple. 2s. 6d.
- *HOCHÉ**, rose sepals, completely reflexed; full rosy lilac corolla of good shape; a new colour. 7s. 6d.
- IMPERIAL**, well-formed corolla of a beautiful glossy plum colour, striped and flaked pink; tube and sepals bright rosy carmine. 1s. 6d.
- IRMA**, bright rosy carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy purple corolla. 5s.
- JAMES WELCH**, bright rosy red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome and of fine form. 3s. 6d.
- JASON**, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1s.
- *JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy crimson. 7s. 6d.

NEW AND CHOICE FUCHSIAS.—continued.

- JUNO**, a very attractive flower of good shape, having a short tube with large and broad well-reflexed crimson sepals, the corolla being deep purple marked with rosy pink at the base. 5s.
- ***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corolla. 1s.
- ***KLEBER**, sepals horizontally reflexed, rosy white tipped with green; double violet blue corolla. 7s. 6d.
- ***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt blue; very fine. 1s.
- LADY HEYTESBURY IMPROVED**, an improvement on *Lady Heytesbury*, both in habit and flower. 1s.
- LAMUS**, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny purple colour. 1s.
- L'AVENIR**, short tube and recurved sepals, rosy crimson tipped with green; fine expanded tricolor corolla, blue, rose and white. 2s. 6d.
- LITRÉ**, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1s.
- LUSTROUS IMPROVED**, very large and most intense orange scarlet corolla, white tube and sepals. 1s.
- LYE'S EXCELSIOR**, creamy tube and sepals, well reflexed, corolla rich rosy magenta, flushed with carmine; very fine and distinct. 3s. 6d.
- LYE'S PERFECTION**, creamy white tube and sepals, the latter delicately suffused with pink and handsomely reflexed; corolla bright carmine; very showy. 3s. 6d.
- LYE'S RIVAL**, tube and sepals red; corolla rich violet-purple; very free blooming. 1s.
- ***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy red sepals, and alabaster white corolla. 1s.
- ***MADAME JULES CHRÉTIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine. 1s.
- MAGNUM BONUM**, a very showy variety, with broad stout brilliant red sepals, and large well-formed rich violet corolla. 1s.
- ***MARCEAU**, cream coloured tube and sepals, the latter well reflexed and tipped with yellowish green; long double corolla of a beautiful rosy amaranth colour, dwarf and very floriferous. 7s. 6d.
- ***MARVELOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1s.
- MATCHLESS**, a magnificent flower; tube and sepals crimson, the latter broad and elegantly reflexed; well-formed corolla of a rich purple colour striped and flaked with rose. 1s. 6d.
- MEMPHIS**, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1s.
- MILTIADES**, deep crimson tube and sepals; the latter elegantly recurved; corolla of a deep rich purple colour. 1s. 6d.
- ***MINERVA**, a splendid flower with large and very full double white corolla, bright carmine tube, and reflexed sepals. 1s.
- ***MINSTREL**, tube and sepals bright rosy crimson; corolla very full and double, ivory white striped with rose at the base. 1s.
- ***MONSTRUOSA PLENA**, an enormous flower, with short tube and well-recurved dark coral-red, sepals immense, double reddish crimson corolla. 1s.
- M. DUFAYRE**, rosy salmon corolla and elegantly recurved sepals of a yellowish salmon colour, with green tips. 1s.
- ***M. LOMBARD**, tube and sepals rosy carmine, the latter reflexed; fine double white corolla, the petals veined with carmine. 1s.
- MONTGOMERY**, short tube and reflexed sepals rich bright crimson; corolla rich purplish crimson flaked with rose. 1s. 6d.
- ***MONUMENT**, full double corolla of a deep purple colour, striped with rosy carmine; tube and sepals rosy crimson. 1s.
- MR. F. BRIGHT**, tube and sepals deep rosy pink, corolla rose with broad margins of rich bluish-purple. 3s. 6d.
- MR. F. GLASS**, tube and sepals bright crimson; corolla purplish-maroon; fine and distinct. 3s. 6d.
- MRS. BRIGHT**, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1s.
- MRS. F. GLASS**, creamy white tube and sepals, fine stout deep pink corolla, shaded with violet. 3s. 6d.
- MRS. GRANT**, a beautiful flower, with blush tube and sepals, and orange-rose corolla. 1s.
- NELLIE**, creamy white tube and sepals, pink corolla of good form, suffused with mauve; very distinct. 3s. 6d.
- ***NESTOR**, tube and sepals carmine, the latter reflexed; large, double, much expanded corolla of a rich purplish crimson colour. 1s.
- ***NOVEAU MASTODONTE**, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1s.
- PARACHUTE**, large and widely expanded corolla of a violet-lake colour marked with red; short, broad, recurved sepals of a reddish scarlet colour. 2s. 6d.
- ***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish purple double corolla, shaded and flaked with rose. 7s. 6d.
- PENELOPE**, tube and sepals bright red, long and large white corolla of good shape. 3s. 6d.
- PERA**, short tube and bright coral-red sepals, horizontally reflexed; long bluish purple corolla. 5s.
- ***PHENOMENAL**, short tube and reflexed sepals of a rich reddish crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1s.
- PINK PERFECTION**, creamy white tube and sepals, and rich pink and violet corolla, dashed with violet. 1s.
- PRESIDENT**, tube and well-recurved petals of a bright vermilion; beautiful formed corolla of the richest violet colour. 1s.
- ***PRÉSIDENT GRÉVY**, sepals rosy lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 7s. 6d.

NEW AND CHOICE FUCHSIAS—continued.

- PROGRESS**, a large and showy Fuchsia, with very long bright red sepals and rich violet corolla. 5s.
- ***RANGER**, short tube and completely recurved rosy-crimson sepals; fine large double light bluish purple corolla, shaded with rose at the base. 7s. 6d.
- ***REAPER**, short tube and wide sepals, of a bright rosy carmine colour; short double corolla of a purplish crimson colour. 1s.
- ***REDWING**, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. 7s. 6d.
- ***SÉNATEUR BERLET**, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1s.
- ***STARTLER**, tube and reflexed sepals deep crimson; large, double corolla of a rich purple colour, the outer petals striped and flaked with rosy carmine. 1s. 6d.
- ***SYLVANUS**, short tube and long recurved rosy crimson sepals; long bluish purple double corolla shaded with rose. 5s.
- SYROS**, tube and sepals deep rose, sepals broad and horizontally reflexed; corolla of a deep bluish purple colour. 1s.
- THOMAS KING**, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1s. 6d.
- ***TRITON**, short tube and long crimson sepals well reflexed, the double corolla being of a bright lavender colour beautifully flaked with bright rosy pink. 5s.
- TULIP**, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1s.
- UTERPE**, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy crimson at the base. 3s. 6d.
- UTOPIA**, short tube and broad rosy carmine, horizontally reflexed sepals; bluish purple corolla, shaded with rose at the base. 2s. 6d.
- ***VILLE DE NANCY**, tube and sepals carmine red, wide and well recurved; fine large double brilliant dark violet corolla. 1s.
- ***VIOLET DE DUC**, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1s.
- VIRGO**, tube and sepals pure white; the latter gracefully reflexed, and forming a perfect crown above the magenta corolla. 1s.
- ***VOIX DU PEUPLE**, large flowers with fine expanded milky white double corolla; sepals well recurved, of a rosy carmine colour. 1s.
- ***WHITE GIANT**, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1s.
- WORDSWORTH**, short tube and broad recurved bright carmine-scarlet sepals; rich purplish plum-coloured corolla. 1s.
- ***WYVERN**, short tube and large rosy crimson sepals well-reflexed, long semi-double purple corolla. 3s. 6d.

Selections of other good Varieties can be made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

FUCHSIAS.

HYBRIDS AND SPECIES.

- AMPLIATA**, a handsome large scarlet-flowered species, introduced from the Andes of South America. 5s.
- BOLIVIANA**, a remarkably ornamental and attractive species, of compact growth, producing large bunches of beautiful drooping rich carmine crimson flowers. 1s. 6d.
- BOLIVIANA GRANDIFLORA**, flowers bright vermilion, very long tube and immense sepals and corolla; twice the size of the typical variety. 5s.
- CANARY BIRD**, a showy and attractive variety; foliage of a golden yellow colour; leaves prettily veined; flowers well formed; tube and sepals scarlet; corolla a rich dark purple colour. 1s. 6d.
- CRIMSON BEDDER**, a distinct variety with bronzy crimson leaves, the bright colouring of which will make it a useful, novel, and effective bedding plant; the flowers are pale red. 3s. 6d.
- DEPENDENS**, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 2s. 6d.
- GRACILIS VARIEGATA**, an elegant variety; leaves broadly margined with white. 1s. 6d.
- PROCUMBENS**, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. It has been figured in the *Botanical Magazine*, tab. 6139. 1s. 6d.
- ***RAINBOW**, an extremely pretty variety with attractively variegated leaves, the colours of which are rose, white and crimson on a light green ground; the flowers have a double white corolla contrasting well with the bright carmine tube and sepals, the latter being nicely reflexed. 3s. 6d.
- ***RUBENS**, a bushy growing variety with attractively variegated foliage, the leaves being marked with yellow in the centre and bordered with golden yellow; flowers double, very dark violet corolla, clear red recurved sepals. 1s.
- SPLENDENS**, a free-blooming attractive species, producing rich crimson flowers with the ends of the sepals light green; of free growth and easy cultivation. 1s. 6d.
- SUNBAY**, a beautiful plant, with leaves of a rich bright crimson, white and bronzy green, in about equal parts; the flowers are of fine form; scarlet tube and sepals; light purple corolla. 1s. 6d.
- TRIPHYLLA**, flowers at every growth in trusses of orange scarlet or luidiau-red colour; a very distinct and beautiful species. 5s.

NEW COLEUS.

- ALFONSE BERNOUD**, centre of the leaves rosy red maculated white, dark green border maculated with maroon. 3s. 6d.
- BEAUMARCHAIS**, large purplish maroon leaves, centre carmine, red, and magenta, veined with white. 3s. 6d.
- CELINE CHENU**, large fringed leaves centre shaded and dotted with red, green, and gold; green border maculated with red. 3s. 6d.
- CRÉBILLON**, very large bright reddish magenta leaves, bordered with green and maroon. 3s. 6d.
- EMILIE CHRÉTIEN**, large dark rose-coloured leaves lightly shaded. 3s. 6d.
- LINA CHRÉTIEN**, centre reddish magenta, dotted with white, green border maculated with maroon. 3s. 6d.
- LOUISE CHRÉTIEN**, white centre, green border lined with gold. 3s. 6d.
- LOUIS KETELEER**, large leaves spotted and striated with gold, red, and green. 3s. 6d.
- MADAME DE LA LARDIÈRE**, reddish magenta, bordered with maroon, margined with green. 3s. 6d.



- MON CAPRICE**, very large leaves, centre pale green, veined with bright red, white, and clear yellow. 3s. 6d.
- M. BOUTARD**, bright rose, bordered with maroon and light green. 3s. 6d.
- TINTORET**, very large leaves, centre cream, speckled with rosy violet; maroon border reticulated with green. 3s. 6d.

NEW COLEUS—continued.

ALARM, 1s.
 AMAZEMENT, 1s.
 AMI CONSTANT, 1s.
 AMULET, 1s. 6d.
 ANGELIC, 1s. 6d.
 ANNETTE, 1s. 6d.
 ARTHUR W. SUTTON, 1s.
 ATTRACTION, 1s.
 AURORA, 1s.
 BALTHASAR, 3s. 6d.
 BAYARD, 3s. 6d.
 BEACON, 1s. 6d.
 BUTTERFLY, 1s.
 CAPTIVATION, 1s.
 CARNIVAL, 1s. 6d.
 CASCADE, 1s. 6d.
 CHANCELLOR, 1s. 6d.
 CHELSEA BEAUTY, 1s.
 CHERUB, 1s.
 CLAIRE DE CHANDENEUX, 1s
 CLOWN, 1s.
 COLIGNY, 3s. 6d.
 COMET, 1s. 6d.
 COMTE DE SERVILLIERS,
 3s. 6d.
 COMTESSE A. DE MIREPOIX,
 3s. 6d.
 — AGUADO, 1s.
 — DE KERCHOVE, 2s. 6d.
 COMUS, 2s. 6d.
 COUNSELLOR, 1s. 6d.
 CORSAIR, 1s.
 CUPID, 1s.
 DISPLAY, 1s.
 DOLLY VARDEN, 1s.
 DUCHESS OF TECK, 1s.
 ECLIPSE, 1s.
 ELDRADO, 1s.
 ELFIN, 1s. 6d.
 ELFRIDA, 1s.
 EMBLEM, 1s.
 ERNEST, 1s.
 ERNST BENARY, 1s.
 FAME, 1s.
 FASCINATION, 1s.
 FELIX ZAMAN, 2s. 6d.
 FIREFLY, 1s.

FLAMBEAU, 1s.
 GAIETY, 1s.
 GARNET, 1s.
 GEM, 1s.
 GEORGE BOLAS, 1s. 6d.
 GLADIATOR, 1s. 6d.
 GLITTER, 1s.
 GLOW, 1s.
 GOLDEN BEAUTY, 1s.
 HARLEQUIN, 1s.
 HEBE, 1s.
 HERALD, 1s.
 HERON, 2s. 6d.
 HESPERUS, 1s.
 JAMES BARNSHAW, 1s.
 JASON, 1s.
 JOHN BENARY, 1s.
 JUBILEE, 1s.
 JUNO, 1s.
 KEEPSAKE, 1s.
 LADY BIRD, 1s. 6d.
 LE COUTANCONNAIS, 1s.
 LIGHTHOUSE, 1s. 6d.
 LINDA, 1s. 6d.
 LORD FALMOUTH, 1s.
 LURLINE, 1s.
 MADAME CARPENTIER, 2s. 6d.
 MADEMOISELLE LUCIE
 THOMAS, 1s.
 — DELAROCHESTERIE, 2/6
 — JEANNEDENADAILLAC,
 3s. 6d.
 MADONNA, 1s.
 MAGIC, 1s.
 MAGGIE, 1s. 6d.
 MARINER, 1s.
 MARKSMAN, 1s.
 MARQUIS DE NADAILLAC,
 3s. 6d.
 MARY BOLAS, 1s. 6d.
 METIS, 2s. 6d.
 MIRABEL, 1s. 6d.
 MODEL, 1s. 6d.
 M. CASIMIR PERIER, 1s.
 M. COLMET D'AAGE, 1s.
 M. DESBROSSES, 1s.
 M. P. HOCHET, 1s.

M. THIBAUT, 1s.
 MRS. G. SIMPSON, 1s.
 MULTICOLOR SPLENDENS, 1s.
 NIMROD, 1s.
 NON PLUS ULTRA, 1s.
 NONSUCH, 1s.
 NYMPH, 1s.
 OUIDA, 2s. 6d.
 ORACLE, 1s.
 PAMELA, 1s. 6d.
 PARAGON, 1s.
 PEGASUS, 1s.
 PERICLES, 1s.
 PLACIDA, 1s.
 POMPADOUR, 1s. 6d.
 PORTIA, 1s.
 PRESIDENT DE LA ROCHET-
 TERIE, 2s. 6d.
 QUADRICOLOR, 1s.
 RAINBOW, 1s. 6d.
 ROYAL PURPLE, 1s.
 ROYALTY, 1s.
 RUBICON, 1s. 6d.
 RUBY, 1s. 6d.
 RUDE, 3s. 6d.
 SCAPIN, 3s. 6d.
 SENSATION, 1s.
 SOUVENIR DE ARNHEN,
 2s. 6d.
 SOVEREIGN, 1s.
 SOWTERRI, 1s.
 SPANGLE, 1s.
 SPARKLER, 1s.
 SPITFIRE, 1s. 6d.
 STELLA, 1s.
 SULTANA, 1s.
 SUNSHINE, 1s. 6d.
 SUPREME, 1s.
 SYBIL, 1s.
 THALIA, 3s. 6d.
 THEOPHRASTE, 3s
 THESSA, 3s. 6d.
 TROUBADOUR, 2s. 6d.
 TURBAN, 1s.
 VALENTINE, 1s. 6d.
 WELCOME, 1s. 6d.
 WIZARD, 1s.
 ZELINDA, 1s.

NEW AND CHOICE BEDDING AND SOFT-
 WOODED PLANTS.

ABUTILON, of sorts, *vide* pages 75 and 76.
 AGERATUM, of sorts, 6s. per dozen.
 ALTERNANTHERA, of sorts, 6s. per dozen.
 BOUVARDIA ALBA ODORATA, 2s. 6d.
 ALFRED NEUNER, 1s. and 1s. 6d.
 CANDIDISSIMA, 1s. 6d.
 CONSPICUA, 2s. 6d.
 DAZZLER, 1s.
 DAVIDSONI, 1s. 6d. and 2s. 6d.
 ELEOANS, 1s.
 FLAVESCENS, 1s. 6d.
 HUMBOLDTII, 2s. 6d. and 3s. 6d.
 — CORYMBIFLORA, 1s. 6d.

BOUVARDIA JASMINOIDES, 1s. and 1s. 6d.
 JASMINOIDES LONOIPETALA, 1s. 6d.
 LONOIFLORA FLAMMEA, 1s. 6d.
 MAIDEN'S BLUSH, 1s. 6d.
 PRESIDENT GARFIELD, 1s. and 1s. 6d.
 PRIORY BEAUTY, 1s. 6d.
 QUEEN OF ROSES, 1s.
 ROSEA OULATA, 1s.
 UMBELLATA ALBA, 1s. 6d.
 — CARNEA, 1s. 6d.
 UNIQUE, 2s. 6d.
 VIVICANS, 2s. 6d.
 VREELANDII, 1s.

BOUVARDIA LEIANTHA CINNABARINA.

A vigorous and floriferous variety, producing large globular umbels of brilliant cinnabar-red flowers, with flesh-coloured throat; the tubes are of a vermilion colour, and three quarters of an inch in length. 3s. 6d.

BOUVARDIA THOMAS MEEHAN.

This new variety is a hybrid between *B. leiantha* and *B. Alfred Neuner*, and freely produces pretty bright red semi-double flowers. 3s. 6d.

NEW DOUBLE BOUVARDIAS.

HOGARTHI, FL. PL., a beautiful double-flowered form, of the useful and well-known *B. Hogarthi*, having the same vigour and the same free-flowering qualities as the type. The flowers are of a bright red colour, very double, and prettily imbricated. A most desirable acquisition. 3s. 6d.

SANG LORRAINE, a free-flowering variety, producing fine corymbs of large double flowers of a brilliant vermilion colour. 1s. 6d.

TRIOMPHE DE NANCY, a vigorous and floriferous variety, with large compact corymbs of well-formed double flowers of a beautiful orange salmon colour. 1s. 6d.

V. LEMOINE, the fine imbricated double flowers of this variety are of a fiery scarlet colour, produced in large corymbs in the freest manner, the plant being extremely floriferous. 1s. 6d.

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2s. 6d. and 3s. 6d.

CALCEOLARIA BURBIDGEI.

A free-flowering variety, the result of a cross between *C. Fuchsiaefolia* and *C. Pavoni*; it is of bushy habit, and produces its golden yellow flowers during the autumn and winter months. 3s. 6d.

CALCEOLARIA GLUTINOSA.

A pretty free-flowering species, producing a profusion of bright lemon-yellow coloured flowers. 1s. 6d.

CANNA IRIDIFLORA EHEMANNI.

A splendid variety, with handsome ornamental foliage and magnificent flowers, which are of an extremely rich crimson-scarlet colour; the blossoms are of large size and exceedingly effective. 3s. 6d.

CANNAS.

These are striking foliage plants, very effective for sub-tropical gardening and border grouping. 12s., 18s. and 30s. per dozen.

CHRYSANTHEMUM FRUTESCENS, 1s.
 FRUTESCENS ALICE CROUSSE, 1s. 6d.
 — COMTE DE CHAMBORD, 1s. 6d.

CHRYSANTHEMUM FRUTESCENS ETOILE D'OR, 1s. 6d.
CARNATIONS, Tree of sorts, 30s. and 42s. per doz.

DAHLIAS.

Choice Exhibition Varieties, 9s., 12s., 18s. and 30s. per dozen.
 Choice Exhibition Varieties, Fancy Flowers, 9s., 12s., 18s. and 30s. per dozen.
 Dwarf Bedding Varieties, 9s. and 12s. per dozen.
 Bouquet or Pompon Varieties, 9s. and 12s. per dozen.

SINGLE-FLOWERED DAHLIAS.

These are extremely effective as decorative plants for grouping in beds or borders, and their blossoms are very useful for cutting; they bloom so continuously and profusely that they are highly attractive. 9s., 12s. and 18s. per dozen.

ECHEVERIAS, vide page 143.

GAILLARDIA ADMIRATION.

A very fine free-blooming variety, producing large reddish crimson flowers bordered with citrou-yellow. 2s. 6d.

HELIOTROPE ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is beautifully marbled with golden yellow; a charming novelty. 5s.

HELIOTROPE PRESIDENT GARFIELD, 1s.
 WHITE LADY, 1s.
HELIOTROPIMUM INCANUM, 3s. 6d.

LANTANAS, of sorts, 18s. per dozen.
LOBELIA ERINUS OMEN, 1s.



IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition to the Herbaceous border. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 2s. each.

LOBELIA SYPHILITICA.

These are perennial, perfectly hardy and wonderfully effective. The flowers are borne in spikes 12 to 18 inches long; varying from white, through every shade of ruby and purple, to brilliant crimson or scarlet crimson.

- AMETHYST, deep purplish-blue
- APOLLO, rosy-purple, medium size
- ARGUS, bluish-purple, distinct eye
- COMET, large; brilliant scarlet
- CERES, robust; crimson-scarlet
- CHALLENGER, large and fine; rosy-purple
- DON JUAN, mauve-purple
- EMPRESS, rosy-purple
- JASON, rosy-purple, white centre
- JUPITER, rosy-purple, medium size
- LANCELOT, purplish-rose, white eye
- NIZZA, large crimson-purple flowers; very brilliant
- ORION, crimson-scarlet
- PALLIDA, bluish-lilac, medium size
- PHILOMEL, purple-crimson
- PURPLE EMPEROR, deep rosy-purple
- QUEEN OF WHITES, pure white; fine
- REGINA, lilac-purple
- RUBY, ruby scarlet
- STROMBOLI, magenta; very large
- SUNRISE, cherry colour
- VESTA, magenta, distinct white eye
- VESUVIUS, deep crimson-scarlet

The above 2s. 6d. each; 24s. per dozen.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and unaroon. Selections at 9s., 12s. and 18s. per dozen.

MIMULUS GRANDIFLORUS BRILLIANT, freely produces large and finely-formed flowers of an intense bright crimson colour. Awarded a First Class Certificate by the Royal Horticultural Society. 2s. 6d.

MIMULUS MOSCHATUS.

GRANDIFLORUS, a new and robust hybrid Musk, an excellent bedding plant, freely producing large pure yellow flowers of fine shape. Awarded First Class Certificate by the Floral Committee of the Royal Horticultural Society. 2s. 6d.

RUBER, this remarkable novelty is a hybrid Musk of very dwarf and compact growth, producing large flowers of a reddish buff colour. 2s. 6d.

PENTSTEMON FOLIO-VARIEGATIS.

A pretty variety with purple flowers, the foliage being variegated in a most pleasing manner with yellow and cream colour. 5s.

PENTSTEMON CORDIFOLIUS, an extremely showy species from California, giving fine spikes of beautiful scarlet-flowers. 3s. 6d.

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12s. and 18s. per dozen.

PETUNIAS.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18s. and 30s. per dozen; choice new kinds, 42s. per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12s. and 18s. per dozen.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and includes descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per Packet—s. d.		Per Packet—s. d.
AURICULA ALPINE ..	1s. & 1 6	PETUNIA , choice hybridised ..	1 0
BALSAM , Camellia-flowered ..	1 0	INIMITABLE FLORE PLENO, vcrv choice,	1s. 6d. & 2 6
BEGONIA , ornamental foliaged varieties ..	2 6	from gigantic flowering varieties ..	1 0
1s. 6d., 2s. 6d. &	5 0	Parryii (new) ..	1s. 6d. & 2 6
CALCEOLARIA , Herbaceous, Bull's Prize		PICOTEE , Dodwell's Prize Strain 2s. 6d. &	5 0
Strain ..	1s. 6d., 2s. 3d. & 5 0	PINK , Finest Laced varieties 2s. 6d. &	5 0
hybrida striata (new) ..	2 6	POLYANTHUS , from gold-laced flowers ..	1 0
CARNATION , Bizarre ..	2s. 6d. & 5 0	PRIMULA SINENSIS FIMBRIATA MONT	
Flaked ..	2s. 6d. & 5 0	BLANC ..	2 6
Self or Fancy ..	2s. 6d. & 5 0	———— SPLENDIDA ..	2 6
The above Seed has all been saved from		———— ALBA ..	1s. 6d. & 2 6
the prize strains of the celebrated grower,		———— RUBRA ..	1s. 6d. & 2 6
Mr. Dodwell.		———— BULL'S PREMIER MIXTURE,	1s. 6d. & 2 6
CINERARIA , choice mixed ..	1s. 6d. & 2 6	———— ALBA OCULATA LUTEA ..	2 6
Bull's Prize Strain ..	5 0	———— PUNCTATA ELEGANTISSIMA ..	2 6
CYCLAMEN PERSICUM , mixed colours,		———— STRIATIFLORA ..	2 6
extra fine ..	1s. 6d. & 2 6	———— VIOLACEA (new) ..	2 6
PERSICUM GIGANTEUM 1s. 6d. &	2 6	———— ALBA FLORE PLENO, 2s. 6d. &	3 6
———— Charming Bride ..	2 6	———— RUBRA FLORE PLENO, 2s. 6d. &	3 6
FUCHSIA , extra choice mixed ..	1 6	———— FLORE PLENO PRINCE	
GLOXINIA , extra choice hybridised ..	2 6	ARTHUR ..	3s. 6d. & 5 0
HOLLYHOCK , extra choice mixed ..	1 6	PYRETHRUM AUREUM SELAENOIDES ..	1 0
MIGNONETTE MACHET ..	1 0	SINGLE DAHLIA , White Queen ..	1 0
PANSY , Ashburnham Strain ..	2 6	———— various colours, mixed ..	1 0
Boreatton Strain ..	2 6	SWEET PEA , CARDINAL (new) ..	1 6
PELARGONIUM , Gold and Bronze, from		———— INDIOO KING (new) ..	1 6
named varieties ..	1s. 6d. & 2 6	———— PRINCESS OF WALES (new) ..	1 6
Zonal, from named varieties 1s. 6d. &	2 6	Eckford's (new), mixed ..	1 0
Show, from named varieties ..	2 6	SALVIA RUBESCENS (new) ..	1 6

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per dozen.

SALVIA BETHELII , 1s.	SALVIA SPLENDENS BRUANTII , 1s.
BOLIVIENSIS , 1s.	SAXIFRAGA WALLACEI , 1s. 6d.
CELESTINA , 1s. 6d.	SEMPERVIVUM CALCAREUM (CALIFORNICUM) , 9d.
GESNEREFLORA , 1s.	and 1s.
HERII , 1s.	CHRYSANTHUM , 2s. 6d.
HOVEYI , 1s.	HAWORTHII , 1s.
M. ISSANCHOU , 1s. 6d.	TECTORUM , 9d.
PATENS , 6d.	TORENIA BAILLONI , bright yellow, 1s.
PITCHERI , 1s. 6d.	FOURNIERI , sky blue, 1s.
RUTILANS , 1s. 6d. and 2s. 6d.	TROPÆOLUM CLARKEI , 1s. 6d.
SPLENDENS , 1s.	

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens.

Good Selections made at 30s. and 42s. per dozen.

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."



"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

CALCEOLARIA, HERBACEOUS (Bull's Prize Strain.) *Vide* page 156.

"I have had some flowers 2½ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."



"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 156.

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."



"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2½ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

CINERARIA (Bull's Prize Strain.) *Vide* page 156.

WILLIAM BULL, F.L.S.,

RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH
CONSERVATORIES TO AN INSPECTION OF THE

MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS

IN HIS

WINTER GARDEN,

SOME OF WHICH ARE THE MOST HANDSOME IN EUROPE,

COMPRISING

PALMS, MUSAS, LAPAGERIAS, CYCADS, PHORMIUMS,

ENCEPHALARTOS AND DRACÆNAS,

AND

THE LARGEST AND BEST STOCK IN EUROPE

OF

TREE FERNS,

Well Established, with Handsome and Graceful Heads.

THE COLLECTION OF

⇒ CYCADACEOUS * PLANTS ⇐

Is unequalled in extent, and in the Size and Beauty of the Specimens.

NEW PLANTS

Introduced and sent out for the first time in 1882.

ACMENA OVATA
ÆCHMÆA PANICULIGERA
AGLAONEMA PICTUM GRACILE
AINSLLEE APTERA
ALSOPHILLA REBECCÆ
ARENOA WIGHTII
CALAMUS SUBANOULETUS
CALYPTROGYNE TERES
CLEYERA JAPONICA TRICOLOR
CRINUM PEDUNCULATUM
PACIFICUM
CROSSANDRA INFUNDIBULIFORMIS
CROTON ILLUSTRIS
— INSIGNIS
— LINEARIS
— RUBESCENS
— SPECTABILIS

CROTON TRICOLOR
CURCUMA LUTEO-VIRIDIS
CYCLANTHUS DISCOLOR
DAVALLIA FIJIENSIS PLUMOSA
DIEFFENBACHIA MAJESTICA
— PRINCEPS
DIOSCOREA SPECIOSA
DRYMONIA MARMORATA
EPIPHEMNUM MIRABILE
EUADENIA EMINENS
EUCALYPTUS FICIFOLIA
HELICONIA METALLICA
HIBISCUS ROSA-SINENSIS MAO-
NIFICUS
IXORA CONCIINA
— DECORA
— VENUSTA

KEMPFERIA GILBERTII
MARANTA ASYMMETRICA
MONOLOPHUS SECUNDA
NEPHTHYTIS LIBERICA
NERINE EXCELLENS
ODONTOGLOSSUM VEXILLARIUM
RUBELLUM
PANAX DISSECTUM
PHALENOPSIS TETRASPIS
PITTIOSPORUM EUONIODES
VARIECATUM
PLEOPELTI XIPHIAS
RHODODENDRON PINK BEAUTY
— ROSY GEM
SAURAUJA LANCEOLATA
SCHISMATOGLOTTIS LATIFOLIA
THELXSPERMUM MUTICULATUM

NEW PLANTS

Introduced and sent out for the first time in 1883.

ADIANTUM OBLIQUUM MINUS	DIEFFENBACHIA REGINA	MASDEVALLIA HARRYANA
ALPINA MUTICA	— REX	— CONCHIFLORA
ANTHURIUM HARRISII PULCHRUM	DRACENA DIANA	— — REGALIS
— MACROLOBUM	— PICTURATA	PANAX BIFISSUM
— SPLENDIDUM	— PLACIDA	— DUMOSUM
— TRIUMPHANS	— VENOSA	— VICTORLE
ARALIA LONOIPES	EPACRIS ONOSMEFLORA FLORE	PHOENIX COMPACTA
— ROTUNDA	— — PLENO ALBA	— HYBRIDA
BEGONIA RUBELLA	— — — NIVALIS	— INTERMEDIA
CALAMUS TRINERVIS	EUCHARIS SANDERII	POLYGONUM MULTIFLORUM
CALODENDRON CAPENSE	HELICONIA NITENS	POLYSTICHUM POLYBLEPHARUM
CROTON AUREO-PUNCTATUS	LASTREA PROLIFICA	SELAONINELLA CANALICULATA
— CRESUS	LAVATERA ARBorea VARIEOATA	— INVOLVENS VARIEOATA
— EMINENS	MASDEVALLIA HARRYANA	TACCARUM WARMINGIANUM
— RECURVATUS	— ACANTHIFOLIA	TILLANDSIA HIEROOLYPHICA.

NEW PLANTS

Introduced and sent out for the first time in 1884.

ABROMA SINUOSA	HEMANTHUS INSIONIS	SARRACENIA ATKINSONIANA
ACALPHA OBOVATA	HIBISCUS CHRYSANTHUS	— EXCELLENS
ALOCASIA SANDERIANA	HOYA CUMINOIANA	— EXCULTA
ANTHURIUM INTERMEDIUM	HYMENOSPORUM FLAVUM	— EXORNATA
BEGONIA BEDDOMEI (ASSAMICA)	IMPATIENS CUSPIDATA	— FORMOSA
— HYBRIDA COCCINEA	MARANTA ARGENTEA	— ILLUSTRATA
— SCEPTRA	— ORATIOSA	— MADDISONIANA
CALAMUS SIKKIMENSIS	— MUSAICA	— MITCHELLIANA
CALPICARPUM ORNATUM	— NITIDA	— RUBRA ACUMINATA
CHAMEDOREA POLITA	— POLITA	— SWANIANA
CHEILANTHES CHLOROPHYLLA	— SPECIOSA	— TOLLIANA
CROTON EXCURRENS	MARCORAVIA INDICA	— WILSONIANA
— RUBERRIMUS	MASDEVALLIA TORTA	SCHISMATOLOTTIS DECORA
— SCEPTRE	MUSSENDIA THALIFERA	SCINDAPSUS AROYREUS
CUPANIA GRANDIDENS	PANAX ELEOANS	SELAONINELLA AMGENA
CYATHEA SPINULOSA	— FISSUM	— COGNATA
DEYUEKIA ELEOANS VARIEGATA	PANDANUS DISCOLOR	— PERVILLEI
DRACENA CLAUDIA	PHYLLAOATHIS OYMNANTHA	SMILAX AURICULATA
— MADAGASCARIENSIS	PLEROMA MARMORATA	SPATHOLOTTIS PACIFICA
— PLUTUS	POTHOS FLEXUOSUS	SPIREA ASTILBOIDES
ELFROCARPUS ORANDIS	PTYCHOSPERMA SINGAPORENSIS	TRIVESIA EMINENS.
FARADAYA PAPUANA		

NEW PLANTS

Introduced and sent out for the first time in 1885.

ARDISIA PICTA	DICHLA VAGINATA	MARANTA CONSPICUA
ARISEMA FIMBRIATUM	DRACENA EXCELLENS	NEPENTHES RAFFLESIANA
BEGONIA ALBO-PICTA	ERYTHRINA VESPERTILO	— INSIGNIS
BIGNONIA REOALIS	GOVENIA DELICIOSA	ODONTOLOSSUM VEXILLIARUM
CAMOENSIA MAXIMA	HELIOTROPIMUM INCANUM	— INSIOME
CLERODENDRON DELECTUM	HEMIORAPHIS COLORATA	PHILODENDRON NOBILE
CRINUM SANDERIANUM	IXORA EMINENS	PINANOA SANDERIANA
CURCULIGO DENSE	— OENIMA	SCHISMATOGLOTTIS SIAMENSIS
		STYRAX CALIFORNICA

NEW PLANTS

Introduced and sent out for the first time in 1886.

ANTHURIUM CHELSEIENSE	BRANTHEMUM MACROPHYLLUM	PALICOUREA JUOOSA
ARISTOLOCHIA ELEOANS	— VELUTINUM	PINANOA SPECTABILIS
BEGONIA COMPTA	EUCHARIS MASTERSII	SELAONINELLA FLAELLIFERA
— DECORA	GYMNADENIA MACRANTHA	SMILAX DISCOLOR.
CLERODENDRON MINAHASSE	IMPATIENS HAWKERII	TECOMA AMBOINENSIS
COTONEASTER FONTANESII	IXORA CONSPICUA	THUNIA MARSHALLIANA
DENDROBIUM PARTHENIUM	— SPECIOSA	— IONOPHLEBIA
		ZALACCA NITIDA

GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some :—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated ; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep. During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.



CHOICE GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flowers are useful for decorating vases and epergnes.

Their flower buds expand and last a long time when cut and placed in water.

They are charming when introduced into borders among Evergreens.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

Orders for the above are booked throughout the year at the following prices, and the bulbs supplied in January, February or March.

100	in	12	Choice named varieties	50s.
100	„	20	Ditto, ditto	80s.
100	„	50	Ditto; ditto	100s.
100	„	25	New and extra choice named varieties	120s.
50	„	12	Extra choice named varieties	40s.
50	„	25	New and extra choice named varieties	60s.
24	„	8	Choice named varieties	15s.
24	„	12	Extra choice named varieties	20s.
24	„	12	New and extra choice named varieties	30s.
12	„	12	Ditto, ditto	15s.
12	„	12	Choice named varieties	9s.
12	„	6	Ditto, ditto	6s.

GLADIOLUS, Finest Mixed Hybrids.

Various colours, 14s. per 100 ; 2s. per dozen.

GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders. Gigantic selected bulbs can be supplied by the 100 or 1,000 at 1*d.* each.

GLADIOLUS COLVILLEI.—Purplish lilac with white stripe, 5s. per 100.

GLADIOLUS COLVILLEI ALBA (The Bride).—Produces charming spikes of pure white flowers, specially useful for cutting, easily grown in pots or borders, 15s. per 100.


MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used now for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliams, &c., with a choice selection of other Bulbous and Tuberos-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 365, KING'S ROAD, CHELSEA, S.W.

Cheques to be crossed "LONDON JOINT STOCK BANK."

Telegraphic Address: "WILLIAM BULL, LONDON."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S
Establishment filled with New and Rare Plants.

INDEX.

	PAGE		PAGE		PAGE
ABROMA	11	BATATAS	18	CIRHILEA	91
ABYSSINIAN BANANA	66 & 85	BATEMANNIA	88	CISSUS	20 & 59
ABUTILON	75 & 76	BAUHINIA	18	CLEMATIS	59, 76 & 77
ACALYPHA	11	BEAUMONTIA	18	CLEODENDRON	20
— OBOVATA	11	BEDDINO PLANTS ..	153 to 156	— DELCETUM	20
ACHIMENES	109	BEONIA	7, 133 to 143	— MACROSIPHON	20
ACINETA	87	— ALBO PICTA	141	— MINAHASSÆ	7
ACMENA OVATA	53	— COMPTA	7	CLEYERA JAPONICA TRICOLOR	59
ACROPERA	87	— DECORA	7	COCOS WEDDELIANA	130
ADA	87	— SCEPTA	142	CORLOGYNE	91
ADANTUM	121 & 123	— HANDSOME-FLOWERED		— CRISTATA HOLOLEUCA	
— ANEITENSE	121	— ALBO PICTA	138 to 140	(ALBA)	91
ÆCHMEA	11	— VARIEGATED FOLIAGED		COFFEA	20 & 86
— PANICULIGERA	11	— WINTER-BLOOMING ..	143	COLAX	92
ÆRIDES	87 & 88	BELOPERONE	18	COLEUS	152 & 153
ACAPANTHIUS	53 & 55	Berberis	76	COMPARETTA	92
AGAVE	55 & 76	BERTOLONIA	18	CORYPHA, <i>vide</i> LIVISTONA ..	132
AGALONEMA	11	BIONONIA	17, 18, 55 & 76	CONTONEASTER FONTANESII	7
ALLAMANDA	11	— MAGNIFLOA	17	COUROUPIA OULANENSIS	20
ALOCASIA	11	— REGALIS	18	CRINUM 20, 21, 59, 60 & 77	
— SANDERIANA	10	BILLBERGIA	18	— AUGUSTUM	20
ALPINA	11	BLANDFORDIA	55 & 57	— SANDERIANUM	21
ALSOPHILA	123 & 124	BLETIA	88	CROSSANDRA	20
— REBECCÆ	124	BOMAREA	58 & 59	CROTON	20, 22 to 26
ALTHÆA, <i>vide</i> HIBISCUS	77 & 78	BOUGAINVILLEA	18	— CHELSONI	20
AMARYLLIS	11, 12 & 76	BOUVARDIA	153 & 154	— ELEANTHISSIMUS	23
AMASONIA	12	BOWENIA SPECTABILIS SER-		— EXCURRENS	22
AMORPHIOPHALLUS	12 & 55	— RULATA	129	— ILLUSTRIS	24
AMYGDALUS	76	BRASAVOLA	88	— INSONIS	22
ANANASSA	12	BRASSIA	88	— ORNATUS	25
ANCHOMANES	12	BROUGHTONIA	89	— RUBERRIMUS	25
ANDROPOGON	12	BROWNEA	18	— ROSCO-PICTUS	26
ANÆCTOCHILUS	88	BRUOMANSIA	59	CRYPTOCHILUS	92
ANEMIDICTION	121	BRUNSVIGIA, <i>vide</i> AMARYLLIS		CUPANIA	25
ANORÆCUM	88	BURBIGEA	18	CURCULIGO	25
ANGULO	88	BURCHELLIA	18	CURCUMA	25 & 27
ANTHURIUM	12 to 15	BURLINGTONIA	89	CURMERIA	27
— ANDREANUM	13	CALADIUM	135 to 138	CYANOPHYLLUM	27
— CHELSEIENSE	7	CALAMUS	129	CYATHEA	120 & 123
— INSIGNE	12	CALANTHE	89	— DEALBATA	120 & 123
— INTERMEDIUM	12	CALIPHURIA	18	— DREGEI	120 & 123
— SPLENDIDUM	15	CALLIDENDRON CAPENSE ..	59	— SPINULOSA	123
ANTHOONON	12	CALPICARPUM	18	CYCAS	62 & 130
APIFLANDRA	12	CAMAROTIS	89	CYCLAMEN	62 & 77
ARALIA	12, 18 & 55	CAMELLIA	59	CYCNOCHEUS	92
ARAUCARIA	55	CAMOËNSIA MAXIMA	19	CYMBIDIUM	92 & 93
ARDISIA PICTA	18	CAMPSIDIUM	18	CYPERUS	27
ARECA	128 & 129	CANNA	154	CYPHOMANDRA	27
ARENOA	129	CAPPARIS	18	CYPRIPEDIUM	92 & 94
ARISÆMA FIMBRILATUM	16	CARLUOVICA	129	— HARDY VARIETIES	77
ARISTOLOCHIA	7 & 18	CATASETUM	89	CYRTODEIRA	27
— ELEGANS	7	CATLEYÆ	89 to 91	CYRTOPODIUM	94
ARPOPHYLLUM	88	CERATODAMIA	130	CYRTOSPERMA	27
ARTANTHE	18	CHAMECLADON RUBENS	18	DEMONOROPS, <i>vide</i> CALAMUS	
ARTOCARPUS	18	CHAMELIPS	130	DAILIA	62 & 154
ASPARAOS	54 & 55	CHEVALLIERA	18	DALECHAMPIA	27
— PLUMOSUS	55	CHIRITA	18	DAVALLIA	121, 122 & 123
— NANUS	54	CHIRYANTHEMUM, CHINESE		— FIJIENSIS PLUMOSA	122
— TENUISSIMUS	55	OR LARGE-FLOWERED ..		DAVIDSONIA PRURIENS 27 & 86	
— VIROATUS	55	— New	144, 145 & 147	DENDROBIUM 7, 94 to 96	
ASPENIUM	121 & 123	— FRUTESCENS	144 & 145	— PARTIENIUM	7
ASTROCARYUM	129	— JAPANESE	144 to 146	DENDROCHILUM	96
ATACCIA	18	— POMPON 144, 145, 147 & 148		DESMODIUM	27
AUCUBA	76	CHYSIS	91	DESMONCUS	130
AZALEA	55, 56 & 76	CIBOTIUM	121 & 123	DEYUEXIA ELEOANS	
— BALSAMINE-FLORA	56	CIEŃKOWSKIA	20	— VARIEGATA	61
BAMBUSA	76	CINNAMOMUM 20, 76 & 85		DICLÆA VAGINATA	96
BARKERIA	88			DICKSONIA	120 & 123
BARLERIA	18			— ANTARCTICA	120 & 123

INDEX—continued.

	PAGE		PAGE		PAGE
DIFFENBACHIA ..	27 to 30	GALACTRODENDRON ..	36	LELIA ..	97 & 98
— REGINA ..	28	GALEANDRA ..	96	LAMPROCOCCUS ..	43
— REX ..	29	GARCINIA ..	36	LANDOLPHIA ..	43
— SPLENDENS ..	30	GARDENIA ..	36	LAPAEBIA ..	65
— TRIUMPHANS ..	27	GEONOMA ..	131	— ALBA ..	65
DIONÆA MUSCIPULA ..	62	GERANIUM, <i>vide</i>		— ROSEA ..	65
DIOON EDULE ..	130	PELAROONIUMS ..	111	LAPORTEA ..	43
DIOSCOREA ..	27 & 28	GESNERA ..	36 & 110	LASIANDRA ..	65
DIPLADENA ..	28 & 31	GLADIOLUS ..	160	LASTREA ..	122, 123 & 125
— BREARLEYANA ..	28	GLEICHENIA ..	123	LATANIA <i>vide</i> LIVISTONA ..	132
DIPTERIX ..	31	GLONERA ..	36	LAVATERA ..	65
DISA ..	96	GLORIOSA ..	36	LEPTOTES ..	98
DOODIA ASPERA MULTIFIDA ..	123	GLOXINIA ..	9 & 110	LIDERIAN COFFEE ..	20 & 86
DORSTENIA ..	31	GODWINIA GIGAS ..	36	LILAC, new double ..	83 & 84
DORYANTHES ..	62	GOMPHIA ..	36	LILIUM ..	78 to 80
DOUBLE-FLOWERED EPACRIS ..	62 & 63	GONOORA ..	96	— AURATUM ..	78
— — — IVY-LEAVED ..		GONIOPHLEBIUM ..	122	— LONOIFLORUM FLORI-	
PELAROONIUMS ..	116	GOODYERA ..	96 & 97	BUNDUM ..	79
— — — ZONAL ..		GOVENIA DELICIOSA ..	97	— NEILOHERRENSE ..	79
PELAROONIUMS ..	117	GRAMMATOPHYLLUM ELLISII ..	97	LIMATODIS ..	98
DRACENA ..	31, 32 & 62	GRAPTOPHYLLUM ..	36	LIVISTONA ..	132
— FRAGRANS VARIEGATA ..	31	GREENHOUSE PLANTS ..	53 to 76	LODELLA ..	154 & 155
— GOLDIÆANA ..	32	GREVILLEA ..	64	LOMARIA ..	122 & 123
— LINDENI ..	31	GRIFFINIA ..	36	LUISIA ..	98
DRACONTIUM ..	31	GUSTAVIA ORACILLIMA ..	37	LYCASTE ..	98
DROSERA ..	62	GYMNADENIA MACRANTHA ..	8	— SKINNERI ..	98
DRYMONIA ..	33	GYMNOGRAMMA ..	122	LYCOPODIUM, <i>vide</i>	
DRYMOPILEUS ..		HABROTHAMNUS ..	64	SELAGINELLA ..	126
SINGAPORENSIS ..	130	HÆMANTHUS ..	36	MACKAYA DELLA ..	66
ECHEVERIA ..	143	HARDY PLANTS ..	76 to 85	MACROZAMIA ..	132
ECHITES ..	33	HARTWEGIA ..	97	MAONOLIA ..	43, 66 & 80
ELEOCARPUS ..	33	HEDYCHIUM ..	36	MANETIA ..	43
ENCEPHALARTOS ..	131	HELICIA ..	97	MANGIFERA ..	43
— FRIDERICI-GUILLELMI ..	131	HELICONIA ..	36	MARANTA ..	43
— VILLOSUS ..	131	HELIOTROPIUM ..	154	MARCORAVIA ..	43
ENCHOLIRION ..	33	HEMIGRAPHIS ..	36	— INDICA ..	43
EPACRIS ..	62, 63 & 64	HETEROSPATICE ELATA ..	131	MASCARENHASIA ..	43
— DOUBLE ..	62 & 63	HIBISCUS 36, 38, 39, 64 & 77 ..	77 & 78	MASDEVALLIA ..	98 to 100
EPIDENDRUM ..	96	— SYRIACUS ..	77 & 78	— HARRYANA ..	
EPIPREMNUM MIRABILE ..	33	HIPPEASTRUM, <i>vide</i>		ACANTHIFOLIA ..	99
ERANTHEMUM ..	33	AMARYLLIS 11, 12 & 76 ..		— CONCHIFLORA ..	99
— MACROPHYLLUM ..	8	HOFFMANNIA ..	36	— RECALIS ..	99
— VELUTINUM ..	8	HOULETTIA ..	97	MAXILLARIA ..	100
ERYTHRINA ..	33, 34 & 64	HOYA ..	36 & 40	MEDICINAL AND OFFICIAL	
— VESPERTILO ..	34	HYDRANOEIA ..	65 & 78	PLANTS ..	85 to 87
ERYTHROXYLON COCA ..	33 & 85	HYMENOSPORUM ..	40	MEDINILLA ..	43
EUADEIA EMINENS ..	33	IMANTOPHYLLUM ..	65	— AMABILIS ..	43
EUCALYPTUS ..	64	IMPATIENS ..	8 & 40	MESOSPINIDIUM ..	100
— CITRIODORA ..	64	— HAWKERII ..	8	MICROSTYLIS ..	100
— FIGIFOLIA ..	64	IONOPSIS ..	97	MILTONIA ..	100
EUCHARIS ..	8 & 33	IPOMEA ..	40	MONOPIIUS ..	43
— CANDIDA ..	33	IPSEA SPECIOSA ..	97	MONSTERA ..	43
— MASTERSII ..	8	IRIS ..	65 & 78	MORMODES ..	100
— SANDERII ..	33	— GERMAN ..	78	MUSA ..	43, 66, 85 & 86
EUCODONIA ..	110	— KEMPFERI ..	78	— URANOSCOPIA ..	43
EUGENIA ..	33	ISOLOMA ..	40	MUSSENDIA ..	43
EULALIA ..	77	IVY-LEAVED PELAROONIUMS ..	116 & 117	MYRTUS ..	43 & 66
EULOPHIA ..	96	INORA ..	8, 40 to 42	NEGELIA, <i>vide</i> GESNERA ..	110
EUPHORBIA ..	33	— CONSPICUA ..	8	NAPOLEONA ..	43
EURYCLES ..	33	— EMINENS ..	42	NANODES ..	101
EXOSTEMMA ..	33	— GEMMA ..	42	NEPENTHES ..	44 & 45
FARADAYA ..	33	— SPECIOSA ..	8	— RAFFLESIANA INSIGNIS ..	44
FERNS ..	119 to 125	— SPLENDIDA ..	41	NEPHRODIUM ..	122 & 123
FIGUS ..	33, 35, 64, 85 & 86	JACARANDA ..	42	NEPHROLEPIS ..	122
— EXSCULPTA ..	35	JASMINUM ..	42	NEPHTHYTIS LIDERICA ..	45
FITTONIA ..	36	JATROPHIA ..	42	NERINE ..	66
FLAX, NEW ZEALAND ..	66	JUNCUS ..	28	NEW PLANTS ..	158 & 159
FRANCISCEA ..	36	— ZEBRINUS, <i>vide</i> SCIRPUS ..	81	— — — announced for the	
FRAXINUS ..	77	JUSTICIA ..	42	first time ..	3 to 9
FREESIAS ..	64	KENTIA ..	131	— — — GREENHOUSE PLANTS ..	
FUCISIA ..	148 to 151	KEMPFERIA ..	42 & 43	53 to 76	
				— — — HARDY PLANTS ..	76 to 85

INDEX—continued.

	PAGE		PAGE		PAGE
NEW STOVE PLANTS	10 to 53	PHYLLAGATHIS	.. 49	SELAGINELLA	9, 126 to 128
NIDULARIUM	.. 45	PHYLLANTHUS	.. 49	— AMGENA	.. 126
NOSEGAY PELARGONIUMS	.. 116	PHYLOTENIUM	.. 49	— COGNATA	.. 128
ODONTOGLOSSUM	.. 101 to 104	PIERIS	.. 80	— FLAGELLIFERA	.. 9
— CRISPUM (ALEXANDRE)	101	PILEA	.. 49	— INVOLVENS VARIEGATA	127
— VEXILLARIUM	.. 104	PILUMNA	.. 106	SEMPERVIVUM	.. 156
— INSIGNE	.. 103	PINANGA MACULATA	.. 133	SENECIO	.. 70 & 81
OFFICIAL AND MEDICINAL		— SANDERIANA	.. 133	SHOW PELARGONIUMS	.. 114
PLANTS	.. 85 to 87	— SPECTABILIS	.. 9	SHRUBS, <i>vide</i> HARDY PLANTS	76
ONCIDIUM	.. 104 to 106	PIPER	49, 80 & 85	SMILAX	.. 52
— MACRANTHUM	.. 105	PITOAIRNIA	.. 52	— DISCOLOR	.. 9
OPHTHOPOGON	.. 66	PITOSPORUM	.. 66 & 67	SOBRALLA	.. 107
ORCHIDS	.. 87 to 109	PLEIONE	.. 106	SONEBILLA	.. 52
OREODOXA	.. 132	PLEOPELTIS XIPHIAS	.. 122	SOPHRONITIS	.. 107
OXALIS	.. 45	PLEUROTHALLIS	.. 106	SPARMANNIA	.. 70
PALICOUREA JUGOSA	.. 8	PLUMBAGO	.. 52 & 67	SPATHIOPHYLLUM	.. 52
PALISOTA	.. 45	POGOSTEMON	.. 52	SPATHOGLOTTIS	.. 107
PALMS, CYCADS, &c.	128 to 135	POINCIANA	.. 52	SPIRÆA	.. 81 & 82
PALUMBINA	.. 106	POINSETTIA	.. 52	— ASTILBOIDES	.. 82
PANAX	45 to 47 & 80	POLYGONUM	.. 80 & 81	STADMANNIA	.. 52
— PLUMATUM	.. 46	— MULTIFLORUM	.. 80	STANHOPEA	.. 107 & 108
— VICTORLE	.. 47	POLYSTOCHUM	.. 122	STEPHANOTIS	.. 52
PANCRATIUM	46, 49 & 66	PORTLANDIA	.. 52	STOVE PLANTS	10 to 53
— CARIBBEUM	.. 46	POTHOS	.. 50 to 52	STREPTOCARPUS	.. 52
PANDANUS	.. 49	— FLEXUOSUS	.. 51	STRELITZIA	.. 52
PANICUM	.. 49	PRIMULA	.. 67 & 81	STYRAX CALIFORNIOA	.. 83
PAPIHINA	.. 106	PRIMENZEA	.. 106	SYNGONIUM	.. 53
PARMENTEIRA	.. 49	PSIDIUM	.. 52	SYRINGA	.. 83 & 84
PASSIFLORA	49, 66, 80 & 86	PSYCHOTRIA	.. 52	TACCARUM	.. 53
PAULLINIA	.. 49	PTYCHOSPERMA	.. 133	TACSONIA	.. 53 & 70
PAVETTA	.. 49	— SINGAPORENSIS, <i>vide</i>		TECOMA	.. 9 & 70
PAVONIA	.. 49	DRYMOPIHGEUS		— AMBOINENSIS	.. 9
PEDILANTHUS	.. 49	PUYA	.. 52	TERMINALIA	.. 53
PELARGONIUM BRONZE AND		RAVENALA	.. 52	THE DOVE FLOWER	106
GOLD	.. 118	REGAL PELARGONIUMS	111 & 112	— IRISH FERN	.. 125
— CAPE HYBRIDS	.. 115	REIDIA	.. 52	THRINAX	.. 133
— CHELSEA GEM	.. 117	RENANTHERA	.. 106	THUNBERGIA	.. 53
— DOUBLE - FLOWERED		RESTREPIA	.. 107	THRIKSPERMUM	.. 108
ZONAL	.. 117 & 118	RHEUM	.. 81 & 86	THUNIA	.. 9 & 108
— IVY-LEAVED	9 & 116	RHODODENDRON	72 to 74 & 81	TILLANDSIA	.. 53
— DWARF	.. 117	— ASSAMICUM	.. 72	— HIBROGLYPHIOA	.. 53
— FANCY	.. 115	— HODGSONI	.. 73	— LINDENIANA VERA	.. 53
— HYBRID PERPETUAL,		— PINK BEAUTY	.. 74	TODEA	.. 123 & 125
&c.	.. 116	— ROSY GEM	.. 73	TONGA	.. 33
— IVY-LEAVED	.. 116 & 117	RODRIGUEZIA	.. 107	TORENIA	.. 53
— with double flowers		ROGEIRA	.. 52	TREE FERNS	.. 119 & 120
9 & 116		RONDELETIA	.. 52	TREVESIA EMINENS	.. 53
— MINIATURE OR DWARF	117	RONNBERGIA	.. 52	TRICHOCENTRUM	.. 108
— NOSEGAY	.. 116	ROSA	.. 81	TRICHOPILLA	.. 108
— REGAL	.. 111 & 112	ROSCOEIA	.. 52	TRICHOSMA	.. 108
— SHOW	.. 114	RUBUS	52, 67 & 81	TRIGONIDIUM	.. 108
— SPOTTED	.. 9 & 112	RUDGEA	.. 52	TROPICAL FRUITS	85 to 87
— TRICOLOR	.. 118	RUPELLIA	.. 52	TUBEROSES	.. 70
— VARIEGATED	.. 118	SACCHARUM	.. 52	TYDÆA	.. 111
— ZONAL	.. 115 & 117	SACCOLABIUM	.. 107	UROPEDIUM	.. 108
PELLIONIA	.. 49	SALVIA	.. 156	UTRICULARIA	.. 53
PENTAS	.. 49	SANCHEZIA	.. 52	VANDA	.. 108
PENTSTEMON	.. 155	SANSEVEIRA	.. 52	VANILLA	.. 53, 87 & 108
PEPEROMIA	.. 49	SARCANTHUS	.. 107	VEONICA	.. 72
PERISTERIA ELATA	.. 106	SARCOCHILUS	.. 107	VIBURNUM SIEBOLDII	.. 83
PESOTORTIA	.. 106	SARCOPODIUM	.. 107	VITIS	.. 53, 72 & 83
PETUNIA	.. 155	SARRACENIA	67 to 71	VRIESIA	.. 53
PHAIUS	.. 106	SAXIFRAGA	.. 81 & 156	WARREA	.. 108
PHALÆNOPSIS	.. 106	SCHISMATOGLOTTIS	.. 52	WARSOEWICZELLA	.. 109
PHILODENDRON	.. 48 & 49	— DECORA	.. 52	WEIGELA	.. 83 & 85
— CARDERI	.. 48	SCHOMBURGKIA	.. 107	WORMIA	.. 53
— NOBILE	.. 49	SCINDAPSUS	.. 52	XYLOPHYLLA	.. 53
PHLOX	.. 80 & 156	SCIPIUS	.. 81	ZALACOA NITIDA	.. 9
PHENIX	.. 86 & 133	SCUTICARIA	.. 107	ZAMIA	.. 134 & 135
— RUPICOLA	.. 133	SEAFORTHIA	.. 133	ZINGIBER	.. 53 & 86
PHOLIDOTA	.. 106	SEEDS	.. 156 & 157	ZYGOPETALUM	.. 109
PHORMIUM	.. 66				



ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

Mr. WILLIAM BULL'S Establishment

FOR

NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN

TO

PATRONS OF THE ESTABLISHMENT

AND

THOSE RECEIVING CARDS OF INVITATION,

TUESDAY, MAY 4th, 1886,

And continue on view every TUESDAY, THURSDAY and SATURDAY,
throughout MAY, JUNE and JULY.

The following are a few short extracts from the Press respecting Last Season's Exhibition:—

“THE TIMES.”

“The researches of Collectors and Travellers in the East, in the West, and in the Southern latitudes, supplemented by the skill of the English Horticulturist, have contributed to make the annual Exhibition of Orchids in Mr. William Bull's Conservatory one of the sights of London.”

“THE MORNING POST.”

“The Annual Exhibition of Orchids at Mr. William Bull's Establishment is not only a flower show of unsurpassed variety and interest, but presents a glimpse of Tropical vegetation, the aggregate beauty of which it would be difficult to imagine possible outside the realms of fairyland. Varieties may be counted by the hundred, and individual examples by the thousand, and at every turn some special feature of colour, form, or marking arrests attention.”

“THE GARDENERS' CHRONICLE.”

“The display of Orchids at Mr. William Bull's Establishment during the early summer months is, if possible, finer than that witnessed last year, whether estimated by the number of plants of choice species and varieties, or by the excellence of the plants themselves. The arrangements, which must have caused no small amount of trouble, indicate excellent taste, and show the teachings of experience, with results that strike the observer as being very pleasing.”

“THE STANDARD.”

“Mr. Bull has excelled himself. Such a glow of colour strikes the eye on entering, that even the expert is perplexed for a moment. One's notes about this astonishing display would make a volume. Space fails us to deal with such a collection, so rich, so new, so dazzling in endless diversities of beauty. The list alone of Orchids, new, rare, and supreme in eccentric loveliness, which we should like to furnish, would occupy much space.”

“THE GARDEN.”

“Mr. Bull's show of flowering Orchids is as fascinating as any of its predecessors, and there is a freshness about it which is quite delightful. The crowds of everyday Orchids, which it contains, are so leavened with all that is new and rare, that connoisseurs must derive much interest from it. From now, onwards to the close of the London season, this charming Exhibition will be a great attraction.”

“THE GARDENER'S MAGAZINE.”

“The Exhibition of Orchids held in the Nurseries of Mr. William Bull, last year, was so vast in extent and immensely attractive that it was generally supposed to be impossible to effect improvement upon it. But that of this season is of so magnificent a description that there is a general concurrence of opinion amongst experts that Mr. Bull has far surpassed all his previous efforts, and has produced an exhibition which, for extent, richness of colouring, and tasteful arrangement, is without a parallel in the history of Orchid culture.”

